



U.S. Department  
of Homeland Security  
**United States  
Coast Guard**

## LOCAL NOTICE TO MARINERS

**District: 13**

**Week: 17/24**

ISSUED BY: COMMANDER, THIRTEENTH COAST GUARD DISTRICT (dpw)  
915 Second Avenue, 35th Floor, Rm 3510, Seattle, Washington 98174-1067  
Telephone: (206) 220-7280  
Email: D13-SMB-D13-LNM@uscg.mil  
<https://www.pacificarea.uscg.mil/Our-Organization/District-13/District-Staff/-dpw/>  
<https://www.navcen.uscg.gov/local-notice-to-mariners?district=13+0&subdistrict=wn>

For all Notice to Mariner submissions:  
Call (206) 220-7280 or email D13-SMB-D13-LNM@uscg.mil at least two weeks prior to the start of your event or work.

COMDTUPB P16502.6, Light List Volume VI, Pacific Coast and Pacific Islands, 2024 Edition, is available at  
[https://www.navcen.uscg.gov/sites/default/files/pdf/lightLists/LightList\\_V6\\_2024.pdf](https://www.navcen.uscg.gov/sites/default/files/pdf/lightLists/LightList_V6_2024.pdf)  
Coast Pilot Volume 10, Oregon, Washington, Hawaii and Pacific Islands, 2023 (4th) Edition, is available at  
[https://www.nauticalcharts.noaa.gov/publications/coast-pilot/files/cp10/CPB10\\_WEB.pdf](https://www.nauticalcharts.noaa.gov/publications/coast-pilot/files/cp10/CPB10_WEB.pdf)

Coast Pilots, along with corrections, are available at: [www.nauticalcharts.noaa.gov/publications/coast-pilot/index.html](http://www.nauticalcharts.noaa.gov/publications/coast-pilot/index.html). Print on Demand (POD) copies are available for purchase at: [www.nauticalcharts.noaa.gov/publications/print-agents.html#coast-pilot](http://www.nauticalcharts.noaa.gov/publications/print-agents.html#coast-pilot).

### UNITED STATES COAST GUARD NAVIGATION INFORMATION SERVICE (NIS)

The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information for GPS and DGPS. The NIS also disseminates Safety Broadcasts / Broadcast Notice to Mariners (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). LNM, BNM and other navigation notices can be obtained via e-mail subscription through the USCG Navigation Center website:

<https://www.navcen.uscg.gov/subscribe-email-rss-feeds>

In addition, the NIS investigates all reports of degradation or loss of GPS service and discrepancies to Aids to Navigation. Mariners are encouraged to report all degradation of radio navigation services, or Aids to Navigation discrepancies to the NIS via phone: (703) 313-5900 or online at: <https://www.navcen.uscg.gov/report-a-problem>

### BROADCAST NOTICE TO MARINERS

Urgent marine navigational and weather information is broadcast over VHF channel 22A (157.1 MHz). Broadcasts are initially announced over the distress, safety and calling channel 16 before they are made on channel 22A. All ships in U.S. waters over 20 meters in length are required to monitor VHF channel 16, and must have radios capable of tuning to the VHF simplex channel 22A. BNM are now available online as well. To view or download District 13 BNM's visit <https://www.navcen.uscg.gov/broadcast-notice-to-mariners-search?district=13>

This section contains a range of all the significant Broadcast Notice to Mariners (BNM's) on the date of this edition.

Originating Unit CGD THIRTEEN	Beginning BNM D13-0295-24	Ending BNM D13-0305-24
----------------------------------	------------------------------	---------------------------

## ABBREVIATIONS

### A through H

ADRIFT - Buoy Adrift  
AICW - Atlantic Intracoastal Waterway  
AI - Alternating  
B - Buoy  
BKW - Breakwater  
bl - Blast  
BNM - Broadcast Notice to Mariner  
bu - Blue  
C - Canadian  
CHAN - Channel  
CGD - Coast Guard District  
C/O - Cut Off  
CONT - Contour  
CRK - Creek  
CONST - Construction  
DAYMK/Daymk - Daymark  
DBN/Dbn - Daybeacon  
DBD/DAYBD - Dayboard

### I through O

I - Interrupted  
ICW - Intracoastal Waterway  
IMCH - Improper Characteristic  
INL - Inlet  
INOP - Not Operating  
INT - Intensity  
ISL - Islet  
Iso - Isophase  
kHz - Kilohertz  
LAT - Latitude  
LB - Lighted Buoy  
LBB - Lighted Bell Buoy  
LHB - Lighted Horn Buoy  
LGB - Lighted Gong Buoy  
LONG - Longitude  
LNM - Local Notice to Mariners  
LT - Light  
LT CONT - Light Continuous

### P through Z

PRIV - Private Aid  
Q - Quick  
R - Red  
RACON - Radar Transponder Beacon  
Ra ref - Radar reflector  
RBN - Radio Beacon  
REBUILT - Aid Rebuilt  
RECOVERED - Aid Recovered  
RED - Red Buoy  
REFL - Reflective  
RRL - Range Rear Light  
RELIGHTED - Aid Relit  
RELOC - Relocated  
RESET ON STATION - Aid Reset on Station  
RFL - Range Front Light  
RIV - River  
RRASS - Remote Radio Activated Sound Signal  
s - seconds

DEFAC - Defaced  
 DEST - Destroyed  
 DISCON - Discontinued  
 DMGD/DAMGD - Damaged  
 ec - eclipse  
 EST - Established Aid  
 ev - every  
 EVAL - Evaluation  
 EXT - Extinguished  
 F - Fixed  
 fl - flash  
 Fl - Flashing  
 G - Green  
 GIWW - Gulf Intracoastal Waterway  
 HAZ - Hazard to Navigation  
 HBR - Harbor  
 HOR - Horizontal Clearance  
 HT - Height

LTR - Letter  
 LWB - Lighted Whistle Buoy  
 LWP - Left Watching Properly  
 MHz - Megahertz  
 MISS/MSNG - Missing  
 Mo - Morse Code  
 MRASS - Marine Radio Activated Sound Signal  
 MSLD - Misleading  
 N/C - Not Charted  
 NGA - National Geospatial-Intelligence Agency  
 NO/NUM - Number  
 NOS - National Ocean Service  
 NW - Notice Writer  
 OBSCU - Obscured  
 OBST - Obstruction  
 OBSTR - Obstruction  
 Oc - Occulting  
 ODAS - Anchored Oceanographic Data Buoy

SEC - Section  
 SHL - Shoaling  
 si - silent  
 SIG - Signal  
 SND - Sound  
 SPM - Single Point Mooring Buoy  
 SS - Sound Signal  
 STA - Station  
 STRUCT - Structure  
 St M - Statute Mile  
 TEMP - Temporary Aid Change  
 TMK - Topmark  
 TRLB - Temporarily Replaced by Lighted Buoy  
 TRLT - Temporarily Replaced by Light  
 TRUB - Temporarily Replaced by Unlighted Buoy  
 USACE - Army Corps of Engineers  
 W - White  
 Y - Yellow

**Additional Abbreviations Specific to this LNM Edition:**

AtON - Aids to Navigation  
 COTP - Captain of the Port  
 CPA - Closest Point of Approach  
 LLNR - Light List Number

NAVCEN - U.S. Coast Guard Navigation Center  
 NM - Nautical Miles  
 ODOT - Oregon Department of Transportation  
 RM - River Mile Marker

S-AIS - Synthetic AIS  
 V-AIS - Virtual AIS  
 VTS - Vessel Traffic Service  
 WSDOT - Washington State Department of Transportation

---

**SECTION I - SPECIAL NOTICES**

This section contains information of special concern to the Mariner.

---

**OREGON – CAPE BLANCO TO YAQUINA HEAD – Subsurface research mooring deployment**

NOAA will be deploying a subsurface instrument mooring off the Oregon coast, approximately 53 NM due west of the the Umpqua River entrance. The mooring will be in approximate position 43-40-00N, 125-26-00W in 3050 meters of water, with a mooring float 850 meters below the surface. The deployment will be conducted from Oregon State University's R/V Pacific Storm, and is planned for 26 Apr 2024. The equipment is anticipated to remain onsite until October of 2024. For more information, contact Bob Dziak at robert.p.dziak@noaa.gov.

Chart 18003

LNM: 17/24

**WASHINGTON – SPOKANE RIVER – POST FALLS – Bridge notice**

Post Falls Highway District and contractors will perform bridge repair work from 06 May – 31 Oct 2024 on the Spokane Street River Bridge in Post Falls, Idaho. The work will consist of boats, barges, and dive crews working on the bridge piers above and below water. All construction activity, including dive crews and support vessels, will be within a delineated construction zone immediately adjacent to the bridge piers. The zone will be delineated by a system of buoys, cables, and signage to divert vessels around the construction zone. Vessels will be able to navigate under the bridge at all times. Mariners are advised to use caution while transiting the area. For more information, call Jeff Sorenson, PE, at (208) 758-8601.

LNM: 17/24

**OREGON – UMPQUA RIVER – REEDSPORT – Central Oregon and Pacific Railroad Bridge proposed rule change**

The Coast Guard has published a Notice of Proposed Rulemaking (NPRM) in the Federal Register that governs the Central Oregon and Pacific Railroad Bridge (LLNR 9369), AKA Umpqua River Railroad Bridge, across the Umpqua River, mile 11.5. This NPRM proposes a rule change to the operating schedule and is open for comments until 28 May 2024. The NPRM may be reviewed at <http://www.regulations.gov> and use USCG-2023-0969 to search for the docket. The subject bridge operates in accordance with 33 CFR 117.893(b). The modified rule would change the name of the bridge, allow the bridge to be maintained in the closed to navigation position, and remove the requirement for fog signals at the bridge. A test deviation has been approved to change the operation of the draw bridge to match the proposed rule change. Vessels able to pass through the subject bridge in the closed-to-navigation position may do so at any time. Please submit comments to the Federal Register at <http://www.regulations.gov> and reference USCG-2023-0969 by 28 May 2024. For more information, contact Danny McReynolds at (206) 220-7234.

Chart 18584

LNM: 16/24

**OREGON – PORT OF PORTLAND – WILLAMETTE RIVER – Bridge Notice**

The Coast Guard has approved two temporary deviations from the normal operating schedule that governs the Steel Railroad-Highway Bridge (LLNR 14955.3) across the Willamette River, RM 12.1. The Steel Bridge need not open the upper lift to marine traffic for the dates and times listed below. These deviations support Rose Festival Parade events. The lower lift span of the Steel Bridge operates in accordance with 33 CFR 117.5 (open on single). When the lower lift is in the closed-to-navigation position, the bridge provides 26 feet of vertical clearance above Columbia River Datum 0.0; and in the open-to-navigation position with the upper lift in the closed-to-navigation position, the vertical clearance is 71 feet above Columbia River Datum 0.0. The Steel Bridge will be able to open the lower deck, and the upper deck if required, for emergencies. This part of the Willamette River does not have an immediate alternate route for vessels to pass. Vessels able to pass through the Steel Bridge with the lower deck in the closed or open-to-navigation position, or the upper deck in the closed-to-navigation position may do so at any time. The normal operating schedule for the Steel Bridge upper lift is in accordance with 33 CFR § 117.897(c)(3)(ii).

Scheduled events / times of approved deviations:

- Rose Festival Starlight Parade from 1900 – 2330 on 01 Jun 2024;

- Rose Festival Grand Floral Parade from 0700 – 1300 on 08 Jun 2024.

For more information on the closures of the Steel Bridge contact Keith Wagner at [kcwagner@UP.COM](mailto:kcwagner@UP.COM).

Chart 18526

LNM: 16/24

**WASHINGTON – LAKE WASHINGTON SHIP CANAL – UNION BAY REACH – Bridge deviation**

The Coast Guard has approved a temporary deviation from the operating schedule that governs the Montlake Street Bridge (LLNR 18240) across the Lake Washington Ship Canal, mile 5.2, at Seattle, WA. This deviation is necessary to accommodate the University of Washington graduation ceremony. The draw of the Montlake Bridge need not open for marine vessels from 1030 to 1430 and from 1630 to 1830 on 08 Jun 2024. The Montlake Bridge in the closed-to-navigation position provides 30 feet of vertical clearance throughout the navigation channel, and 46 feet of vertical clearance throughout the center 60 feet of the bridge; vertical clearance references to the Mean Water Level of Lake Washington. Vessels able to pass through the bridge in the closed-to-navigation position may do so at any time. The bridge will be able to open for emergencies, and there is no immediate alternate route for vessels to pass. The normal operating schedule for the Montlake Bridge operates in accordance with 33 CFR § 117.1051(e). For more information on these bridge closures contact Colleen Kelly at [kellyc@wsdot.wa.gov](mailto:kellyc@wsdot.wa.gov).

Chart 18447

LNM: 16/24

**OREGON – WASHINGTON – IDAHO – NAVCEN User Survey**

The USCG Navigation Center (NAVCEN) is eager to understand the primary reason for user visits to the Navigation Center website and how you use it, whether for recreational boating, professional purposes, data requests, educational reasons, or otherwise. User feedback on the website's ease of use, ability to find information, and if it's the primary source for navigation-related information is crucial. NAVCEN is committed to improving user experience and welcome any suggestions to enhance the site's usability, information accessibility, and overall efficiency. User insights are invaluable in helping NAVCEN better meet the public's navigation needs. Please navigate to the following website to complete the survey: <https://www.surveymonkey.com/r/TZB8XNZ>.

LNM: 15/24

**OREGON – COOS BAY – North Jetty repair project**

Trade West Construction has resumed work for the season on the Coos Bay North Jetty Repair Contract. All work is taking place with equipment on the jetty. There is no in-water work, however, the movement and placement of extremely large and heavy material poses a significant risk to boaters approaching close to the jetty. Mariners are strongly advised to keep a safe distance from the repair work. For more information, contact Randy Guymon at (435) 703-3462.

Chart 18587

LNM: 15/24

**WASHINGTON – LAKE WASHINGTON SHIP CANAL – UNION BAY REACH – Bridge Deviation**

The Coast Guard has approved a temporary deviation from the operating schedule that governs the University Street Bridge (LLNR 18235), mile 4.3, across the Lake Washington Ship Canal, at Seattle, Washington. The deviation period is from 0815 to 0930 on 19 May 2024. This deviation allows the draw span to remain in the closed-to-navigation position and need not open to marine traffic for the Beat-the-Bridge foot race. Vessels which do not require bridge openings may continue to transit beneath the bridge during the closure period. The subject bridge will be able to open for emergencies, and there is no immediate alternate route for vessels to pass. In accordance with 33 CFR 117.35(e), the drawbridges must return to their regular operating schedule immediately at the end of the designated date/time. For information contact Alyssa Escobedo at (206) 684-5197 or [Alyssa.escobedo@seattle.gov](mailto:Alyssa.escobedo@seattle.gov).

Chart 18447

LNM: 15/24

**WASHINGTON – LAKE WASHINGTON SHIP CANAL – UNION BAY REACH - Montlake Street Bridge Inspection**

The Coast Guard has approved a temporary deviation from the operating schedule that governs the Montlake Bridge (LLNR 18240), mile 5.2, across the Lake Washington Ship Canal, at Seattle, Washington. The deviation period is from 0815 to 0845 on 19 May 2024. This deviation allows the draw span to remain in the closed-to-navigation position and need not open to marine traffic for the Beat-the-Bridge foot race. Vessels which do not require bridge openings may continue to transit beneath the subject bridge during the closure period. The subject bridge will be able to open for emergencies, and there is no immediate alternate route for vessels to pass. In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating schedule immediately at the end of the designated date/time. For information contact Colleen Kelly at [kellyc@wsdot.wa.gov](mailto:kellyc@wsdot.wa.gov) or (425) 739-3700.

Chart 18447

LNM: 15/24

**SNAKE RIVER – LOWER GRANITE LAKE – Lower Granite Navigation Lock slower lockage times**

Mariners should expect slower than normal lockage times at the Lower Granite Lock while repairs continue on one of the fill valves. Lockage times are expected to take 10 – 15 minutes longer than normal until repairs are complete, which is currently anticipated by 19 Apr 2024. For additional information contact the Lower Granite Operator at (509) 843-2231, call sign WUJ45 Lower Granite, or the NWW Operations Division at (509) 527-7364.

Chart 18548

LNM: 14/24

**OREGON – WASHINGTON – IDAHO – NOAA's ongoing cancellation of Paper and Raster nautical charts (Revised from LNM 10/21)**

The National Oceanic and Atmospheric Administration (NOAA) is in the middle of a multi-year program to end production and maintenance of its suite of over 1,000 traditional paper nautical charts and all associated raster chart products and services, including: Print-on-Demand (POD) paper nautical charts, Full-size chart PDF files, BookletChart™ PDF files, NOAA raster navigational charts (NOAA RNC®), the NOAA RNC tile service, and the online RNC viewer.

Six months prior to cancelation, a notice of the intent to cancel a specific chart will be provided via a "Last Edition" notice. The final cancelation of a chart will be made via a "Canceled" notice. Both types of notices will appear in LNM Section IV, "Chart Correction." A comprehensive list of all cancelled NOAA charts is available at: <http://www.charts.noaa.gov/MCD/Dole.shtml>.

Traditional paper nautical chart production is ending to enable the creation and maintenance of larger scale, more up-to-date, higher quality coverage of NOAA's electronic navigational chart (NOAA ENC®) product. This will significantly enhance the amount of charted detail available to mariners. More information about NOAA's program to sunset traditional paper charts is on the NOAA Coast Survey website at: <https://nauticalcharts.noaa.gov/charts/farewell-to-traditional-nautical-charts.html>. An online NOAA Custom Chart application at: <https://devgis.charttools.noaa.gov/pod> is available to create chart images from ENC data, which may then be printed. Notices to Mariners will not be issued for NOAA Custom Charts.

Mariners are warned that even prior to traditional chart production ending, users may notice differences between paper charts and ENCs. There are two broad categories of data that are applied onto NOAA ENCs and paper / raster nautical charts – "Critical Corrections" and "Routine" data. Critical Corrections may be newly discovered shoals or other dangers to navigation, as well as changes in the positions or characteristics of aids to navigation (buoys, beacons, and lights). These are typically changes that are published by the Coast Guard in the weekly LNM. Critical corrections are applied to ENCs first, then applied to paper and raster nautical charts. These changes generally appear on both product types (raster and ENC) within a week of each other. However, new Routine source data are now ONLY applied to NOAA ENCs and not to traditional paper / raster nautical charts. Routine data includes the results of ordinary hydrographic and shoreline surveys, which could be extensive. Any specific dangers revealed during routine surveys are extracted from the data and classified as Critical Corrections to be applied to all products. For more information visit NOAA's website: <https://nauticalcharts.noaa.gov/charts/farewell-to-traditional-nautical-charts.html>.

LNM: 06/24

---

## SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

---

### DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
580	Port Orford Entrance Lighted Buoy 1	LT EXT	18600	0121-24	07/24	
595	Cape Blanco Light	LT IMCH/REDUCED INT	18580	0086-23	52/23	
689	NOAA Environmental Lighted Buoy 46089	MISSING	18003	0854-23	49/23	
765.1	NOAA Environmental Lighted Buoy 46002	ADRIFT	18007	0668-23	39/23	
765.2	DART Tsunami Warning Lighted Buoy 46407	MISSING	18007	0777-23	45/23	
8735	Coos Bay Entrance Lighted Bell Buoy 1	SINKING	18587	0262-24	14/24	
9346	Leeds Island Range Front Light	LT EXT	18584	0851-23	49/23	
9817	Tillamook Bay Entrance Lighted Buoy 2	MISSING	18558	0040-24	03/24	
10215	Miller Sands Dike Light 5	DAYMK IMCH	18521	0022-22	02/22	
10475	Westport Dike Light 58	LT EXT/STRUCT DMGD	18523	0190-22	09/22	
11455	Camas Slough Range Front Light	LT EXT/STRUCT DMGD	18531	0769-22	42/22	
12230	Lake Celilo Daybeacon 27	STRUCT DMGD	18533	0125-23	05/23	
14420	Baker Bay West Channel Entrance Jetty Light 2	LT IMCH/STRUCT DMGD	18521	0633-21	38/21	
14990	Stevens Point Buoy 5	OFF STA	18526	0071-24	05/24	
15635	Grays Harbor South Reach Light 16	DAYMK MISSING/STRUCT DMGD	18502	0330-23	19/23	
15940	Damon Point Light	DAYMK MISSING/STRUCT DMGD	18502	0587-23	35/23	
16225	Race Rocks Light (C)	SS INOP	18465	0084-24	05/24	
17595	Kilisut Harbor Buoy 2	MISSING	18464	0126-23	05/23	
19290	Inati Bay Reef Buoy	MISSING	18424	0573-23	34/23	
19325	Davidson Rock Light 1	DAYMK MISSING	18421	0277-23	16/23	
19480	Cypress Reef Junction Daybeacon C	DAYMK MISSING	18424	0512-22	29/22	
19550	Twin Rocks Daybeacon	STRUCT DMGD	18421	0037-24	03/24	

**DISCREPANCIES (FEDERAL AIDS) CORRECTED**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
10175	Harrington Point Range Front Light	RELIGHTED	18521	None	17/24	17/24
11480	Government Island Upper Range Front Light	RELIGHTED	18531	None	17/24	17/24
19775	Haro Strait Junction Lighted Buoy A	RELOCATED	18421	0305-24	17/24	17/24

**DISCREPANCIES (PRIVATE AIDS)**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
17168	Blair Waterway Light 5	LT EXT	18453	0293-24	16/24	
18014	Wyckoff Regulatory Buoy C	MISSING	18449	0285-24	16/24	

**DISCREPANCIES (PRIVATE AIDS) CORRECTED**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

**None****PLATFORM DISCREPANCIES**

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

**None****PLATFORM DISCREPANCIES CORRECTED**

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

**None****SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED**

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

**TEMPORARY CHANGES**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
17535	Point Hudson Marina Light	DISCONTINUED	18464	0660-23	39/23	

**TEMPORARY CHANGES CORRECTED**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

**None****PLATFORM TEMPORARY CHANGES**

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

**None****PLATFORM TEMPORARY CHANGES CORRECTED**

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

**None**

## SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.

Chart Number	Chart Edition	Edition Date	Last Local Notice to Mariners	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariners
12327	91st Ed.	19-APR-97	Last LNM: 26/97	NAD 83		27/97
Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER						
Main Panel 2245 NEW YORK HARBOR						
(Temp) ADD	NATIONAL DOCK CHANNEL BUOY 3				CGD01	074-02-48.001W
	Green can	Object of Corrective Action		Position		
Corrective Action						

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

**50**                      **9th Ed.**                      **01-DEC-15**                      **Last LNM: 34/22**                      **NAD 83**                      **17/24**

*Chart Title: North Pacific Ocean (eastern part) Bering Sea Continuation*

**Main Panel 2400 NORTH PACIFIC OCEAN EASTERN PART. Page/Side: A**

LAST EDITION      No new editions of chart 50 will be published. It will be canceled on 04-Sep-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>.      NOS  
--

**501**                      **13th Ed.**                      **01-JUN-09**                      **Last LNM: 31/22**                      **NAD 83**                      **17/24**

*Chart Title: North Pacific Ocean West Coast Of North America Mexican Border To Dixon Entrance*

**Main Panel 1650 MEXICAN BORDER TO DIXON ENTRANCE. Page/Side: N/A**

LAST EDITION      No new editions of chart 501 will be published. It will be canceled on 04-Sep-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>.      NOS  
--

**530**                      **35th Ed.**                      **01-DEC-15**                      **Last LNM: 34/22**                      **NAD 83**                      **17/24**

*Chart Title: North America West Coast San Diego to Aleutian Islands and Hawai'ian Islands*

**Main Panel 2405 SAN DIEGO TO ALEUTIAN ISLANDS AND HAWAIIAN ISLANDS. Page/Side: A**

LAST EDITION      No new editions of chart 530 will be published. It will be canceled on 04-Sep-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>.      NOS  
--

**18003**                      **20th Ed.**                      **01-NOV-06**                      **Last LNM: 23/21**                      **NAD 83**                      **17/24**

*Chart Title: Cape Blanco to Cape Flattery*

**Main Panel 1651 CAPE BLANCO TO CAPE FLATTERY. Page/Side: N/A**

LAST EDITION      No new editions of chart 18003 will be published. It will be canceled on 02-Oct-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>.      NOS  
--

**18007**                      **33rd Ed.**                      **01-FEB-09**                      **Last LNM: 23/21**                      **NAD 83**                      **17/24**

*Chart Title: San Francisco to Cape Flattery*

**Main Panel 1652 SAN FRANCISCO TO CAPE FLATTERY. Page/Side: N/A**

LAST EDITION      No new editions of chart 18007 will be published. It will be canceled on 02-Oct-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>.      NOS  
--

**18010**                      **22nd Ed.**                      **01-SEP-12**                      **Last LNM: 29/20**                      **NAD 83**                      **17/24**

*Chart Title: Monterey Bay to Coos Bay*

**Main Panel 1653 MONTEREY BAY TO COOS BAY. Page/Side: N/A**

LAST EDITION No new editions of chart 18010 will be published. It will be canceled on 02-Oct-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>. NOS -- --

**18400 51st Ed. 01-AUG-19 Last LNM: 04/19 NAD 83 17/24**

*ChartTitle: Strait of Georgia and Strait of Juan de Fuca*

**Main Panel 1656 STRAIT OF GEORGIA AND STRAIT OF JUAN DE FUCA --. Page/Side: -**

RELOCATE Haro Strait Junction Lighted Buoy A CGD13 from 48-38-18.002N 123-10-56.627W to 48-38-18.216N 123-11-01.153W

**18421 53rd Ed. 01-MAR-19 Last LNM: 04/19 NAD 83 17/24**

*ChartTitle: Strait of Juan de Fuca to Strait of Georgia;Drayton Harbor*

**CHART WA - STRAIT OF JUAN DE FUCA TO STRAIT OF GEORGIA. Page/Side: N/A**

RELOCATE Haro Strait Junction Lighted Buoy A CGD13 from 48-38-18.002N 123-10-56.627W to 48-38-18.216N 123-11-01.153W

**Main Panel 1657 STRAIT OF JUAN DE FUCA TO STRAIT OF GEORGIA --. Page/Side: -**

LAST EDITION No new editions of chart 18421 will be published. It will be canceled on 05-Jun-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>. NOS -- --

**18424 28th Ed. 01-FEB-11 Last LNM: 39/17 NAD 83 17/24**

*ChartTitle: Bellingham Bay;Bellingham Harbor*

**Main Panel 1677 BELLINGHAM BAY. Page/Side: N/A**

LAST EDITION No new editions of chart 18424 will be published. It will be canceled on 05-Jun-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>. NOS -- --

**18427 25th Ed. 01-OCT-19 Last LNM: 04/19 NAD 83 17/24**

*ChartTitle: Anacortes to Skagit Bay*

**Main Panel 1680 ANACORTES TO SKAGIT BAY --. Page/Side: -**

LAST EDITION No new editions of chart 18427 will be published. It will be canceled on 05-Jun-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>. NOS -- --

**18428 10th Ed. 01-OCT-10 Last LNM: 38/16 NAD 83 17/24**

*ChartTitle: Oak and Crescent Harbors*

**Main Panel 1681 OAK AND CRESCENT HARBORS. Page/Side: N/A**

LAST EDITION No new editions of chart 18428 will be published. It will be canceled on 05-Jun-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>. NOS -- --

**18431 9th Ed. 01-MAY-14 Last LNM: 47/16 NAD 83 17/24**

*ChartTitle: Rosario Strait to Cherry Point*

**Main Panel 1684 ROSARIO STRAIT TO CHERRY POINT. Page/Side: N/A**

LAST EDITION No new editions of chart 18431 will be published. It will be canceled on 05-Jun-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>. NOS -- --

**18440 31st Ed. 01-APR-17 Last LNM: 42/19 NAD 83 17/24**

*ChartTitle: Puget Sound*

<b>Main Panel 1688 PUGET SOUND - -. Page/Side: -</b>					NOS	
LAST EDITION	No new editions of chart 18440 will be published. It will be canceled on 05-Jun-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .				--	--
<b>18441</b>	<b>49th Ed.</b>	<b>01-APR-20</b>	<b>Last LNM: 48/17</b>	<b>NAD 83</b>		<b>17/24</b>
<i>ChartTitle: Puget Sound-northern part</i>						
<b>Main Panel 1689 PUGET SOUND - NORTHERN PART - -. Page/Side: -</b>						
LAST EDITION	No new editions of chart 18441 will be published. It will be canceled on 05-Jun-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .				NOS	--
<b>18443</b>	<b>17th Ed.</b>	<b>01-JAN-10</b>	<b>Last LNM: 40/16</b>	<b>NAD 83</b>		<b>17/24</b>
<i>ChartTitle: Approaches to Everett</i>						
<b>Main Panel 1690 APPROACHES TO EVERETT. Page/Side: N/A</b>						
LAST EDITION	No new editions of chart 18443 will be published. It will be canceled on 05-Jun-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .				NOS	--
<b>18444</b>	<b>17th Ed.</b>	<b>01-NOV-09</b>	<b>Last LNM: 51/16</b>	<b>NAD 83</b>		<b>17/24</b>
<i>ChartTitle: Everett Harbor</i>						
<b>Main Panel 1691 EVERETT HARBOR. Page/Side: N/A</b>						
LAST EDITION	No new editions of chart 18444 will be published. It will be canceled on 05-Jun-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .				NOS	--
<b>18446</b>	<b>18th Ed.</b>	<b>01-MAR-11</b>	<b>Last LNM: 48/17</b>	<b>NAD 83</b>		<b>17/24</b>
<i>ChartTitle: Puget Sound-Apple Cove Point to Keyport;Agate Passage</i>						
<b>Main Panel 1707 PUGET SOUND APPLE COVE POINT TO KEYPORT. Page/Side: N/A</b>						
LAST EDITION	No new editions of chart 18446 will be published. It will be canceled on 05-Jun-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .				NOS	--
<b>18447</b>	<b>30th Ed.</b>	<b>01-SEP-12</b>	<b>Last LNM: 04/19</b>	<b>NAD 83</b>		<b>17/24</b>
<i>ChartTitle: Lake Washington Ship Canal and Lake Washington</i>						
<b>Main Panel 1709 LAKE WASHINGTON SHIP CANAL AND LAKE WASHINGTON. Page/Side: A</b>						
LAST EDITION	No new editions of chart 18447 will be published. It will be canceled on 05-Jun-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .				NOS	--
<b>18448</b>	<b>36th Ed.</b>	<b>01-DEC-15</b>	<b>Last LNM: 51/21</b>	<b>NAD 83</b>		<b>17/24</b>
<i>ChartTitle: Puget Sound-southern part</i>						
<b>Main Panel 1712 PUGET SOUND SEATTLE TO OLYMPIA. Page/Side: N/A</b>						
LAST EDITION	No new editions of chart 18448 will be published. It will be canceled on 05-Jun-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .				NOS	--
<b>18449</b>	<b>21st Ed.</b>	<b>01-NOV-19</b>	<b>Last LNM: 41/17</b>	<b>NAD 83</b>		<b>17/24</b>
<i>ChartTitle: Puget Sound-Seattle to Bremerton</i>						
<b>Main Panel 1713 PUGET SOUND SEATTLE TO BREMERTON - -. Page/Side: -</b>						
					NOS	



ADD	Obstruction in Feet; 17	Obstn	Chart No. 1: K41 (NOS NW-31433)	47-32-32.878N	122-38-37.136W
ADD	Obstruction in Feet; 2	Obstn PA	Chart No. 1: K41 (NOS NW-31432)	47-31-55.393N	122-40-29.663W
LAST EDITION	No new editions of chart 18449 will be published. It will be canceled on 05-Jun-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .				--
<b>18450</b>	<b>20th Ed.</b>	<b>01-JAN-17</b>	<b>Last LNM: 28/17</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Seattle Harbor, Elliott Bay and Duwamish Waterway</i>					
<b>Main Panel 1714 SEATTLE HARBOR ELLIOTT BAY AND DUWAMISH WATERWAY. Page/Side: A</b>					
LAST EDITION	No new editions of chart 18450 will be published. It will be canceled on 05-Jun-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .				--
<b>18452</b>	<b>17th Ed.</b>	<b>01-OCT-11</b>	<b>Last LNM: 12/14</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Sinclair Inlet</i>					
<b>Main Panel 1715 SINCLAIR INLET. Page/Side: N/A</b>					
ADD	Obstruction in Feet; 17	Obstn	Chart No. 1: K41 (NOS NW-31433)	47-32-32.878N	122-38-37.136W
ADD	Obstruction in Feet; 2	Obstn PA	Chart No. 1: K41 (NOS NW-31432)	47-31-55.393N	122-40-29.663W
LAST EDITION	No new editions of chart 18452 will be published. It will be canceled on 05-Jun-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .				--
<b>18453</b>	<b>27th Ed.</b>	<b>01-MAR-13</b>	<b>Last LNM: 49/18</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Tacoma Harbor</i>					
<b>Main Panel 1716 TACOMA HARBOR. Page/Side: N/A</b>					
LAST EDITION	No new editions of chart 18453 will be published. It will be canceled on 05-Jun-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .				--
<b>18456</b>	<b>21st Ed.</b>	<b>01-NOV-10</b>	<b>Last LNM: 43/17</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Olympia Harbor and Budd Inlet</i>					
<b>Main Panel 1717 OLYMPIA HARBOR AND BUDD INLET. Page/Side: N/A</b>					
LAST EDITION	No new editions of chart 18456 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .				--
<b>18458</b>	<b>17th Ed.</b>	<b>01-OCT-10</b>	<b>Last LNM: 26/15</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Hood Canal-South Point to Quatsap Point including Dabob Bay</i>					
<b>Main Panel 1719 HOOD CANAL TO QUATSAP POINT INCLUDING DABOB BAY. Page/Side: N/A</b>					
LAST EDITION	No new editions of chart 18458 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .				--
<b>18460</b>	<b>14th Ed.</b>	<b>01-JAN-13</b>	<b>Last LNM: 42/17</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Stait of Juan de Fuca Entrance</i>					
<b>Main Panel 1720 STRAIT OF JUAN DE FUCA ENTRANCE. Page/Side: E</b>					
LAST EDITION	No new editions of chart 18460 will be published. It will be canceled on 05-Jun-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .				--

<b>18464</b>	<b>25th Ed.</b>	<b>01-JUL-06</b>	<b>Last LNM: 51/21</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Port Townsend</i>					
<b>Main Panel 1722 PORT TOWNSEND. Page/Side: N/A</b>					
LAST EDITION No new editions of chart 18464 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .					
NOS -- --					
<b>18465</b>	<b>39th Ed.</b>	<b>01-OCT-11</b>	<b>Last LNM: 14/17</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Strait of Juan de Fuca-eastern part</i>					
<b>Main Panel 1723 STRAIT OF JUAN DE FUCA EASTERN PART. Page/Side: N/A</b>					
LAST EDITION No new editions of chart 18465 will be published. It will be canceled on 05-Jun-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .					
NOS -- --					
<b>18468</b>	<b>19th Ed.</b>	<b>01-SEP-12</b>	<b>Last LNM: 51/16</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Port Angeles</i>					
<b>Main Panel 1725 PORT ANGELES. Page/Side: N/A</b>					
LAST EDITION No new editions of chart 18468 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .					
NOS -- --					
<b>18471</b>	<b>11th Ed.</b>	<b>01-DEC-07</b>	<b>Last LNM: 51/21</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Approaches to Admiralty Inlet Dungeness to Oak Bay</i>					
<b>Main Panel 1724 APPROACHES TO ADMIRALTY INLET - DUNGENESS TO OAK BAY. Page/Side: N/A</b>					
LAST EDITION No new editions of chart 18471 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .					
NOS -- --					
<b>18473</b>	<b>10th Ed.</b>	<b>01-APR-20</b>	<b>Last LNM: 48/17</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Puget Sound-Oak Bay to Shilshole Bay</i>					
<b>Main Panel 1937 OAK BAY TO SHILSHOLE BAY PUGET SOUND - -. Page/Side: -</b>					
LAST EDITION No new editions of chart 18473 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .					
NOS -- --					
<b>18474</b>	<b>11th Ed.</b>	<b>01-DEC-15</b>	<b>Last LNM: 49/18</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Puget Sound-Shilshole Bay to Commencement Bay</i>					
<b>Main Panel 1679 PUGET SOUND SHILSHOLE BAY TO COMMENCEMENT BAY. Page/Side: A</b>					
ADD	Obstruction in Fathoms and Feet; 0_2 Obstrn	Chart No. 1: K41 (NOS NW-31432)		47-31-55.393N	122-40-29.663W
ADD	Obstruction in Fathoms and Feet; 2_5 Obstrn	Chart No. 1: K41 (NOS NW-31433)		47-32-32.878N	122-38-37.136W
LAST EDITION No new editions of chart 18474 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .					
NOS -- --					
<b>18484</b>	<b>12th Ed.</b>	<b>01-JUN-06</b>	<b>Last LNM: 42/17</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Neah Bay</i>					
<b>Main Panel 1728 NEAH BAY. Page/Side: N/A</b>					

					NOS	
	LAST EDITION	No new editions of chart 18484 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .			--	--
<b>18485</b>	<b>17th Ed.</b>	<b>01-JAN-13</b>	<b>Last LNM: 42/17</b>	<b>NAD 83</b>		<b>17/24</b>
	<i>ChartTitle: Cape Flattery</i>					
	<b>Main Panel 1729 CAPE FLATTERY. Page/Side: N/A</b>					
	LAST EDITION	No new editions of chart 18485 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .			NOS	--
<b>18502</b>	<b>88th Ed.</b>	<b>01-FEB-17</b>	<b>Last LNM: 23/21</b>	<b>NAD 83</b>		<b>17/24</b>
	<i>ChartTitle: Grays Harbor;Westhaven Cove</i>					
	<b>Main Panel 1731 GRAYS HARBOR. Page/Side: A</b>					
	LAST EDITION	No new editions of chart 18502 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .			NOS	--
<b>18521</b>	<b>77th Ed.</b>	<b>01-MAR-19</b>	<b>Last LNM: 22/21</b>	<b>NAD 83</b>		<b>17/24</b>
	<i>ChartTitle: Columbia River Pacific Ocean to Harrington Point;Ilwaco Harbor</i>					
	<b>Main Panel 1737 COLUMBIA RIVER PACIFIC OCEAN TO HARRINGTON POINT - -. Page/Side: -</b>					
	LAST EDITION	No new editions of chart 18521 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .			NOS	--
<b>18523</b>	<b>58th Ed.</b>	<b>01-NOV-13</b>	<b>Last LNM: 47/17</b>	<b>NAD 83</b>		<b>17/24</b>
	<i>ChartTitle: Columbia River Harrington Point to Crims Island</i>					
	<b>Main Panel 1739 COLUMBIA RIVER HARRINGTON POINT TO CRIMS ISLAND. Page/Side: N/A</b>					
	LAST EDITION	No new editions of chart 18523 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .			NOS	--
<b>18524</b>	<b>38th Ed.</b>	<b>01-NOV-17</b>	<b>Last LNM: 51/21</b>	<b>NAD 83</b>		<b>17/24</b>
	<i>ChartTitle: Columbia River Crims Island to Saint Helens</i>					
	<b>Main Panel 1740 COLUMBIA RIVER CRIMS ISLAND TO SAINT HELENS - -. Page/Side: -</b>					
	LAST EDITION	No new editions of chart 18524 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .			NOS	--
<b>18526</b>	<b>61st Ed.</b>	<b>01-OCT-20</b>	<b>Last LNM: 40/20</b>	<b>NAD 83</b>		<b>17/24</b>
	<i>ChartTitle: Port of Portland, Including Vancouver;Multnomah Channel-southern part</i>					
	<b>Main Panel 1743 PORT OF PORTLAND INCLUDING VANCOUVER - -. Page/Side: -</b>					
	LAST EDITION	No new editions of chart 18526 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .			NOS	--
<b>18531</b>	<b>24th Ed.</b>	<b>01-DEC-17</b>	<b>Last LNM: 53/19</b>	<b>NAD 83</b>		<b>17/24</b>
	<i>ChartTitle: Columbia River Vancouver to Bonneville; Bonneville Dam</i>					
	<b>Main Panel 1750 COLUMBIA RIVER VANCOUVER TO BONNEVILLE - -. Page/Side: -</b>					
	LAST EDITION	No new editions of chart 18531 will be published. It will be canceled on			NOS	--

02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>.

**18532**      **21st Ed.**      **01-MAY-06**      **Last LNM: 17/19**      **NAD 83**      **17/24**  
*ChartTitle: Columbia River Bonneville To The Dalles; The Dalles; Hood River*  
**Inset 1754 HOOD RIVER. Page/Side: N/A**

LAST EDITION      No new editions of chart 18532 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>.      NOS  
 --      --

**18533**      **12th Ed.**      **01-SEP-04**      **Last LNM: 22/16**      **NAD 83**      **17/24**  
*ChartTitle: Columbia River Lake Celilo*  
**Main Panel 1757 COLUMBIA RIVER LAKE CELILO. Page/Side: N/A**

LAST EDITION      No new editions of chart 18533 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>.      NOS  
 --      --

**18535**      **12th Ed.**      **01-AUG-04**      **Last LNM: 21/16**      **NAD 83**      **17/24**  
*ChartTitle: Columbia River John Day Dam to Blalock*  
**Main Panel 1759 COLUMBIA RIVER JOHN DAY DAM TO BLALOCK. Page/Side: N/A**

LAST EDITION      No new editions of chart 18535 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>.      NOS  
 --      --

**18536**      **12th Ed.**      **01-JUN-18**      **Last LNM: 04/15**      **NAD 83**      **17/24**  
*ChartTitle: Columbia River Sundale to Heppner Junction*  
**Main Panel 1761 COLUMBIA RIV SUNDALE-HEPPNER JCT - -. Page/Side: -**

LAST EDITION      No new editions of chart 18536 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>.      NOS  
 --      --

**18537**      **12th Ed.**      **01-DEC-15**      **Last LNM: 13/17**      **NAD 83**      **17/24**  
*ChartTitle: Columbia River Alderdale to Blalock Islands*  
**Main Panel 1763 COLUMBIA RIVER ALDERDALE TO BLALOCK ISLANDS. Page/Side: N/A**

LAST EDITION      No new editions of chart 18537 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>.      NOS  
 --      --

**18539**      **9th Ed.**      **01-MAR-04**      **Last LNM: 35/16**      **NAD 83**      **17/24**  
*ChartTitle: Columbia River Blalock Islands to McNary Dam*  
**Main Panel 1765 COLUMBIA RIVER BLALOCK ISLANDS TO MCNARY DAM. Page/Side: N/A**

LAST EDITION      No new editions of chart 18539 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>.      NOS  
 --      --

**18541**      **9th Ed.**      **01-AUG-18**      **Last LNM: 43/16**      **NAD 83**      **17/24**  
*ChartTitle: Columbia River-McNary Dam to Juniper*  
**Main Panel 1767 COLUMBIA RIV MCNARY DAM-JUNIPER - -. Page/Side: -**

LAST EDITION      No new editions of chart 18541 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>.      NOS  
 --      --

coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>.

<b>18542</b>	<b>10th Ed.</b>	<b>08-JAN-00</b>	<b>Last LNM: 37/16</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Columbia River Juniper to Pasco</i>					
<b>Main Panel 1769 COLUMBIA RIVER JUNIPER TO PASCO. Page/Side: N/A</b>					
LAST EDITION No new editions of chart 18542 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .					
					NOS
					--
<b>18543</b>	<b>2nd Ed.</b>	<b>01-DEC-03</b>	<b>Last LNM: 10/14</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Columbia River Pasco to Richland</i>					
<b>Main Panel 2937 COLUMBIA RIVER, PASCO TO RICHLAND. Page/Side: N/A</b>					
LAST EDITION No new editions of chart 18543 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .					
					NOS
					--
<b>18545</b>	<b>15th Ed.</b>	<b>01-SEP-03</b>	<b>Last LNM: 22/16</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Lake Sacajawea</i>					
<b>Main Panel 1771 SNAKE RIVER LAKE SACAJAWEA SIDE A. Page/Side: A</b>					
LAST EDITION No new editions of chart 18545 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .					
					NOS
					--
<b>18546</b>	<b>10th Ed.</b>	<b>01-FEB-04</b>	<b>Last LNM: 08/17</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Snake River-Lake Herbert G. West</i>					
<b>Main Panel 1773 SNAKE RIVER LAKE HERBERT G WEST SIDE A. Page/Side: A</b>					
LAST EDITION No new editions of chart 18546 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .					
					NOS
					--
<b>18547</b>	<b>9th Ed.</b>	<b>01-JAN-16</b>	<b>Last LNM: 40/17</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Snake River-Lake Bryon</i>					
<b>Main Panel 1776 SNAKE RIVER LAKE BRYAN. Page/Side: A</b>					
LAST EDITION No new editions of chart 18547 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .					
					NOS
					--
<b>18548</b>	<b>5th Ed.</b>	<b>01-DEC-02</b>	<b>Last LNM: 10/17</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Snake River-Lower Granite Lake FRANKLIN D. ROOSEVELT LAKE</i>					
<b>Main Panel 1778 SNAKE RIVER LOWER GRANITE LAKE SIDE A. Page/Side: A</b>					
LAST EDITION No new editions of chart 18548 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .					
					NOS
					--
<b>18554</b>	<b>8th Ed.</b>	<b>01-MAY-10</b>	<b>Last LNM: 47/13</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Lake Pend Oreille</i>					
<b>Main Panel 1786 LAKE PEND OREILLE. Page/Side: N/A</b>					
LAST EDITION No new editions of chart 18554 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster					
					NOS
					--

Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>.

<b>18558</b>	<b>39th Ed.</b>	<b>01-SEP-12</b>	<b>Last LNM: 33/17</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Tillamook Bay</i>					
<b>Main Panel 1788 TILLAMOOK BAY. Page/Side: N/A</b>					
LAST EDITION	No new editions of chart 18558 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .				NOS --
<b>18561</b>	<b>13th Ed.</b>	<b>01-DEC-11</b>	<b>Last LNM: 30/20</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Approaches to Yaquina Bay;Depoe Bay</i>					
<b>Main Panel 1789 APPROACHES TO YAQUINA BAY. Page/Side: N/A</b>					
LAST EDITION	No new editions of chart 18561 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .				NOS --
<b>18581</b>	<b>19th Ed.</b>	<b>01-OCT-11</b>	<b>Last LNM: 30/20</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Yaquina Bay and River;Continuation of Yaquina River</i>					
<b>Main Panel 1792 YAQUINA BAY AND RIVER. Page/Side: N/A</b>					
LAST EDITION	No new editions of chart 18581 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .				NOS --
<b>18583</b>	<b>40th Ed.</b>	<b>01-OCT-11</b>	<b>Last LNM: 33/17</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Siuslaw River</i>					
<b>Main Panel 1794 SIUSLAW RIVER. Page/Side: N/A</b>					
LAST EDITION	No new editions of chart 18583 will be published. It will be canceled on 02-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .				NOS --
<b>18584</b>	<b>48th Ed.</b>	<b>01-MAY-07</b>	<b>Last LNM: 37/17</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Umpqua River Pacific Ocean to Reedsport</i>					
<b>Main Panel 1795 UMPQUA RIVER PACIFIC OCEAN TO REEDSPORT. Page/Side: N/A</b>					
LAST EDITION	No new editions of chart 18584 will be published. It will be canceled on 31-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .				NOS --
<b>18587</b>	<b>71st Ed.</b>	<b>01-APR-11</b>	<b>Last LNM: 43/19</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Coos Bay</i>					
<b>Main Panel 1796 COOS BAY. Page/Side: N/A</b>					
LAST EDITION	No new editions of chart 18587 will be published. It will be canceled on 31-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .				NOS --
<b>18588</b>	<b>37th Ed.</b>	<b>01-APR-03</b>	<b>Last LNM: 28/18</b>	<b>NAD 83</b>	<b>17/24</b>
<i>ChartTitle: Coquille River Entrance</i>					
<b>Main Panel 1797 COQUILLE RIVER ENTRANCE. Page/Side: N/A</b>					
LAST EDITION	No new editions of chart 18588 will be published. It will be canceled on 31-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <a href="https://www.charts.noaa.gov/MCD/Dole.shtml">https://www.charts.noaa.gov/MCD/Dole.shtml</a> .				NOS --

**18601**      **14th Ed.**      **01-FEB-07**      **Last LNM: 27/18**      **NAD 83**      **17/24**  
*ChartTitle: Cape Sebastian to Humbug Mountain*  
**Main Panel 1801 CAPE SEBASTIAN TO HUMBUG MOUNTAIN. Page/Side: N/A**

NOS  
 LAST EDITION    No new editions of chart 18601 will be published. It will be canceled on 31-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>.    --    --

**18602**      **13th Ed.**      **01-FEB-12**      **Last LNM: 24/17**      **NAD 83**      **17/24**  
*ChartTitle: Pyramid Point to Cape Sebastian;Chetco Cove;Hunters Cove*  
**Main Panel 1802 PYRAMID POINT TO CAPE SEBASTIAN. Page/Side: N/A**

NOS  
 LAST EDITION    No new editions of chart 18602 will be published. It will be canceled on 31-Jul-24. Comparable or larger scale Electronic Navigational Chart (ENC) coverage is available. See "Cancellation of NOAA Paper and Raster Nautical Charts" in Section I of this LNM for details. A list of all canceled NOAA charts is at <https://www.charts.noaa.gov/MCD/Dole.shtml>.    --    --

---

**SECTION V - ADVANCE NOTICES**

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

---

**SUMMARY OF ADVANCED APPROVED PROJECTS**

<b><u>Approved Project(s)</u></b>	<b><u>Project Date</u></b>	<b><u>Ref. LNM</u></b>
<b>None</b>		

**Advance Notice(s)**

**OREGON – TILLAMOOK BAY – Changes to the Aids to Navigation at the entrance to Tillamook Bay**

The U.S. Coast Guard will be making the following changes to the aids to navigation that mark the entrance into Tillamook Bay:

Tillamook Bay Approach Lighted Whistle Buoy T (LLNR 680-9810) will be disestablished and a virtual AIS signal will be broadcast in approximate position 45-34-08.600N 123-59-16.900W.

Tillamook Bay Entrance Lighted Buoy 2 (LLNR 9817) will be disestablished.

Tillamook Bay Entrance Lighted Buoy TN (LLNR 9813) will be established at approximate position 45-34-15.800N 123-58-23.500W, a yellow lighted buoy displaying a yellow light flashing every 2.5 seconds with a nominal range of 3 NM. A synthetic AIS signal will broadcast at this position.

Tillamook Bay Entrance Lighted Buoy TS (LLNR 9815) will be established at approximate position 45-34-02.300N 123-58-23.500W, a yellow lighted buoy displaying a yellow light flashing every 4 seconds (Fl Y 4s) with a nominal range of 3 NM. A synthetic AIS signal will broadcast at this position.

Mariners are encouraged to share comments on this proposed change and the performance and operation of these aids to navigation. All comments should be sent to the email address D13-SMB-D13-LNM@uscg.mil. Any discrepancy for these or other Aids to Navigation should continue to be reported to US Coast Guard Sector Columbia River.

Charts: 18520 18558 LNM: 42/23

**COLUMBIA RIVER – HARRINGTON POINT TO CRIMS ISLAND – Change in the arc of visibility for Skamokawa Range Rear Light**

The US Coast Guard is changing the lighting equipment for Skamokawa Range Rear Light (LLNR 10360). The current lighting is becoming obsolete and subject to failure. To facilitate the replacement of this light, the replacement equipment will reduce the arc of visibility from 14° each side of the range line to 9°. The overall intensity of the light will increase to match the characteristic of Skamokawa Range Front Light (LLNR 10355). This reduction in the spread of the light will prevent it from being seen when transiting towards the shoal water to the south of the channel. This change is expected to occur during the summer of 2024 and will be announced via a Broadcast Notice to Mariners.

Mariners are encouraged to share comments on the performance and operation of these lights as aids to navigation. All comments should be sent to the email address D13-SMB-D13-LNM@uscg.mil. Any discrepancy for Aids to Navigation should continue to be reported to US Coast Guard Sector Columbia River.

Chart 18523 LNM: 17/24

**COLUMBIA RIVER – ST. HELENS TO VANCOUVER – Change in the light characteristic for Vancouver Direction Light**

The lighting equipment for Vancouver Direction Light (LLNR 11210) has become obsolete and is currently failing. To facilitate the replacement of this light with a LED lantern, the characteristic of the light will change from an Isophase 6 second white light (Iso W 6s) with red and green sectors shown over an arc of 4° to an Occulting 4 second red light (Oc R 4s) shown over an arc of 3°, with an increased intensity to combat increased background lighting. This change is expected to occur during the summer of 2024 and will be announced via a Broadcast Notice to Mariners.

Mariners are encouraged to share comments on the performance and operation of these lights as aids to navigation. All comments should be sent to

the email address D13-SMB-D13-LNM@uscg.mil. Any discrepancy for Aids to Navigation should continue to be reported to US Coast Guard Sector Columbia River.

Chart 18526

LNM: 17/24

**WASHINGTON – WILLAPA BAY - Disestablishment of Willapa Bay Lighted Buoy “C” and Buoy “D” (Revised from LNM 16/22)**

The U.S. Coast Guard has permanently disestablished Willapa Bay Entrance Lighted Buoy “C” (LLNR 15186) and Willapa Bay Entrance Buoy “D” (LLNR 15167) as the constantly shifting bar at the entrance to Willapa Bay prevents these buoys from marking the navigable channel, and surf conditions make the placement, retrieval and servicing of these buoys hazardous. There are currently no plans by the US Army Corps of Engineers to dredge or maintain the entrance channel into Willapa Bay. Virtual AIS (V-AIS) signals will be established in place of these buoys. The projected approximate locations are:

Willapa Bay V-AIS “A”, a special purpose AIS marking good water at 46-44-18.4N 124-06-21.9W

Willapa Bay V-AIS “B”, a special purpose AIS marking good water at 46-43-34.4N 124-03-52.7W

Mariners are encouraged to share comments on the performance and operation of aids to navigation All comments should be sent to the email address of D13-SMB-D13-LNM@uscg.mil. Any discrepancy for Aids to Navigation should continue to be reported to US Coast Guard Sector Columbia River.

LNM: 18/22

**WASHINGTON – PUGET SOUND – SEATTLE TO OLYMPIA – Change in the arc of visibility for Olympia Inner Range Front Light**

The US Coast Guard is changing the lighting equipment for Olympia Inner Range Front Light (LLNR 17480). The current lighting is becoming obsolete and subject to failure. To facilitate the replacement of this light, the replacement equipment will reduce the arc of visibility from 14° each side of the range line to 9°. The overall intensity of the light will increase to match the characteristic of Olympia Inner 4 Range Rear Light (LLNR 17485). This reduction in the spread of the light will prevent it from being seen when transiting towards the shoal water to the west of the channel. This change is expected to occur during the summer of 2024 and will be announced via a Broadcast Notice to Mariners.

Mariners are encouraged to share comments on the performance and operation of these lights as aids to navigation. All comments should be sent to the email address D13-SMB-D13-LNM@uscg.mil. Any discrepancy for Aids to Navigation should continue to be reported to US Coast Guard Sector Puget Sound.

Charts: 18448 18456

LNM: 17/24

**WASHINGTON – STRAIT OF JUAN DE FUCA TO STRAIT OF GEORGIA – Reduction to the nominal range of Point Roberts Light**

The U.S. Coast Guard is reducing the intensity of Point Roberts Light (LLNR 19965) from 16 NM to 14 NM to facilitate the installation and operation of a LED lantern. The precise intensity change will be from 23,000 candelas to 9,180 candelas (from 16.0 NM to 14.1 NM). This change is expected to occur during the spring of 2024 and will be announced via a Broadcast Notice to Mariners. Mariners are welcome to respond in writing to the Coast Guard District office with any comments on this change at D13-SMB-D13-LNM@uscg.mil. Any discrepancy for these or other Aids to Navigation should continue to be reported to US Coast Guard Sector Puget Sound.

Chart 18421

LNM: 11/23

---

**SECTION VI - PROPOSED CHANGES**

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

---

**PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT**

<b><u>Proposed Project(s)</u></b>	<b><u>Closing</u></b>	<b><u>Docket No.</u></b>	<b><u>Ref. LNM</u></b>
<b>None</b>			
<b><u>Proposed Change Notice(s)</u></b>			
<b>None</b>			

---

**SECTION VII - GENERAL**

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

**SUMMARY OF BRIDGE LIGHTING DISCREPANCIES AND CORRECTIONS**

The summary of Bridge Lighting Discrepancies and Corrections is listed as Enclosure (1) of this Local Notice to Mariners.

LNM: 17/24

**SUMMARY OF DREDGING OPERATIONS**

The summary of Dredging Operations is listed as Enclosure (2) of this Local Notice to Mariners.

LNM: 17/24

**SUMMARY OF MARINE EVENTS**



## SUMMARY OF MARINE EVENTS

The summary of Marine Events is listed as Enclosure (3) of this Local Notice to Mariners.

LNM: 17/24

### OREGON – UMPQUA RIVER – REEDSPORT – Umpqua River Railroad Bridge deviation

The Coast Guard has approved a temporary deviation for the Umpqua River Railroad Bridge (LLNR 9369), which spans the Umpqua River at mile 11.5. This deviation will allow the Coos Bay Rail Line to complete rail replacements. The subject bridge will need to be placed in the closed-to-navigation position on every Friday at 0700 through Saturday at 1700 beginning on 19 Jan through 13 Jul 2024. The subject bridge provides 16 feet of vertical clearance in the closed-to-navigation position above high water. Vessels able to pass through the subject bridge in the closed-to-navigation position may do so at any time. No alternate route is available on this part of the Umpqua River for tall vessels. For more information on this bridge deviation contact Brian Early at (541) 266-3718 or bearly@coosbayrailline.com.

LNM: 02/24

Chart 18584

### OREGON – APPROACHES TO YAQUINA AND DEPOE BAY – Bridge construction notice (Revised from LNM 06/21)

ODOT is conducting cathodic protection upgrades and bridge concrete repairs to the Yaquina Bay Highway 101 Bridge (LLNR 9627) in Newport, OR, at Yaquina Bay mile 0.7. A low-level access walkway system has been constructed across the 4 concrete arch spans from the south bank heading north. While erected, the vertical navigation clearance will be reduced to a minimum of 16 feet at MHHW. The low level walkway system spans from the south bank to the North approx. 880 feet. This system will be functional until approximately the summer of 2024. The main navigational channel will not be impeded by the project as that section is made of steel. Mariners are requested not to loiter under the construction area due to fall hazards. For more information, contact Dan Lutze, the project superintendent, at (503) 519-5408.

The project is taking actions to prevent conflicts with birds. ODOT has contracted with the US Department of Agriculture's Animal and Plant Health Inspection Service (APHIS) to perform bird-hazing activities with an aim to prevent nesting in certain sections of the bridge until scaffolding and containment can be installed. Hazing activities may include noise cannons, laser lights, and pyrotechnics. The activities may happen at any time of day, however, the noise cannons will primarily be used for the few hours surrounding sunset each evening. These efforts will have no effect on marine navigation. Hazing activities are expected to begin at the end of March and continue well into June. For more information on the APHIS activities, contact Steven Schultz at (541) 757-4158 or Steven.Schultz@ODOT.Oregon.gov.

LNM: 12/22

Chart 18561

### COLUMBIA RIVER – BLALOCK ISLAND TO MCNARY DAM – LAKE UMATILLA – Bridge Notice (Revised from LNM 30/23)

WSDOT will be painting and making repairs on the I-82 Highway Bridge (LLNR 12752) across the Columbia River at river mile 290.5. Construction will occur from Apr of 2024 to 31 Oct 25, with working hours 24 hours a day, 7 days a week, Monday through Sunday. A containment system will be attached to the bridge 24-hours a day, 7 days per week. The containment structure for painting the existing steel portion below the deck will be installed and will reduce the vertical clearance by 10 feet, however, only half the bridge span will have containment at any given time. The I-82 Highway Bridge provides 85.0 feet of clearance at midspan. The containment system will prevent any falling debris once it is constructed. The traveler support system repairs will be above the bridge deck and all paint work will be underneath the bridge deck. Mariners are advised to use caution while transiting the area. For additional information, please contact Alex Sanguino at (509) 222-2403, email sanguino@wsdot.wa.gov, or Andres Mendoza at (509) 222-2440, email mendoza@wsdot.wa.gov.

LNM: 30/23

Chart 18539

### COLUMBIA RIVER – PASCO TO RICHLAND – LAKE WALLULA – Bridge maintenance

A bridge rehabilitation project will be conducted from 19 Feb – 30 Nov 2024 on the US-395 12 Blue Highway Bridge (LLNR 13057) across the Columbia River at RM 330, between Pasco and Kennewick. There will be a temporary platform system installed under the bridge deck from pier 2 to pier 7 and then again from pier 10 to pier 13, which will reduce the vertical clearance by approximately 5 feet after the platform is installed. The 3 truss spans in the middle bridge (between piers 7 and 10) will not have a working platform beneath the bridge, and therefore will not be impacted. We advise mariners to use caution while in the area. For additional information please contact Tanya Pilarinos, Project Coordinator, at (727) 916-2708 or tpilarinos@southernrb.com.

LNM: 51/23

Chart 18543

### WASHINGTON – SNAKE RIVER - SR 12 Highway Bridge Inspection

WSDOT personnel will be inspecting the SR 12 Highway Bridges (LLNRs 13113 and 13113.5) that span the Snake River in Pasco, and Burbank, WA. The inspections will take place from 22 – 26 Apr 2024 between 0700 – 1330. The bridge will be inspected using two Under-Bridge Inspection Trucks (UBITs) that occupy a portion of the roadway and may reduce the vertical clearance up to 10 feet. Mariners are advised to use caution while transiting the area. For additional information, contact Amir Saleh (818) 689-9425 or Saleha@wsdot.wa.gov.

LNM: 13/24

Chart 18545

### IDAHO – LOWER GRANITE LAKE – CLEARWATER RIVER – Bridge construction notice

Wadsworth Brothers Construction Company will conduct partial demolition and reconstruction of the US-12 Memorial Bridge, AKA the Clearwater Memorial Highway Bridge (LLNR 14072), from 10 Jul 2023 until 11 Sep 2024. The bridge is located at the City of Lewiston, Idaho at river mile 2.0 of the Clearwater River. Work will occur 7 days per week, up to 24 hours per day. Work includes partially demolishing and reconstruction of the existing bridge in two phases, with one half of the bridge affected in each phase. Temporary navigation channels will be marked with red and green buoys with red or green flashing lights, respectively. Depending on the phase of work, the temporary navigation channel will either be between piers 2 and 3 (span 3) or between piers 3 and 4 (span 4). At least one temporary navigation channel will be available at all times, with some short-term closures required for not longer than three hours per day. Any closures will be approved by the Coast Guard. Each temporary navigation channel will have minimum navigation clearances of 23.06' vertical and 107.79' horizontal. Directional signage and a "no wake" zone will also be placed on both the upstream and downstream locations to direct and advise mariners of the designated navigation channels. The work will be aided by one or more work skiffs and barges. Barges will be marked by white lights on all four corners. Mariners are advised to use caution while transiting the area. For additional information contact Linn Bogart, Project Manager, at (801) 509-8808 or lbogart@wadsbro.com.

LNM: 17/23

Chart 18548

### WASHINGTON – COLUMBIA RIVER – Bridge maintenance

WSDOT and Garco Construction will be replacing the decking and repairing piers and crossbeams of the I-90 Highway Bridge across the Columbia River at RM 420 at Vantage WA. Work will start on 04 Mar 2024 and is anticipated to be complete in Nov of 2027. Typical work schedule will be Monday – Friday, 0700 – 1730 with occasional night work. A containment system will be installed on the east span reducing the vertical navigation

**WASHINGTON – COLUMBIA RIVER – Bridge maintenance**

clearance by 10ft. With all construction projects there is a hazard of falling debris; the containment system is designed to prevent any debris from falling into the water. However, mariners are advised to use caution while transiting the area. For the initial phase the main navigation channel will not have containment installed and provides 73.5 feet of vertical navigation clearance at High Pool Elevation of 571.5 feet. Subsequent phases will have containment installed over the main navigation channel, and updates will be posted in future editions of the LNM. For additional information, contact Justin Ludwig at (208) 704-0122 and email JustinL@garco.com.

LNM: 06/24

**OREGON – WILLAMETTE RIVER – PORTLAND TO WALNUT EDDY – Bridge construction notice (Revised from LNM 21/22)**

Kiewit Construction will begin a seismic upgrade construction project on the I-205 Highway Bridge (LLNR 15078) AKA, Abernethy Bridge across the Willamette River at RM 25.6, from 20 Jun 22 to 01 Oct 25. The construction activity will take place across the entire river at the bridge. Construction personnel will be working 24 hours a day Monday through Saturday. Bridge construction work will include the installation of multiple temporary work platforms across sections of the river. All river traffic will be restricted to a temporary navigational channel with horizontal clearance of 150 feet wide and vertical clearance of 51.8 feet high at ordinary high water (OHW), or 76.0 feet high at Columbia River Datum (CRD). The temporary navigation channel will be marked with floating buoys with flashing lights to match buoy type (red nun and green can navigational buoys and white can informational buoys, each with matching color lights flashing at 4-second intervals). Crews will be using floating cranes and barges, attended by tugs throughout the site. All vessels will monitor VHF channels 13 and 16. Barges will be marked on each corner with a white light flashing at 6-second intervals. Each corner of the multiple trestles will also be marked at each corner with a white light flashing at 6-second intervals. Signage on the trestles will communicate the safe distance from the work zone. For an overview of the work site and navigation channel, see Enclosure (4) of LNM 24/22. For more information contact Kiewit Construction, Christopher Locke at (503) 591-5508 or email christopher.locke@kiewit.com.

LNM: 42/23

**OREGON – WILLAMETTE RIVER – Bridge construction (Revised from LNM 48/23)**

ODOT and the Hamilton Construction Company will conduct the complete demolition and reconstruction of the Van Buren Bridge (Oregon Highway 34), across the Willamette River at river mile 131.7 in Corvallis, OR, between Jun 2023 and Dec 2026. Construction activity will take place across the entire river at the bridge location. Construction activities will take place primarily from the hours of 0700 to 1800, Monday through Saturday. Bridge construction work will include geotechnical drilling, removal and replacement of the existing bridge, the installation of a temporary work bridge spanning the river just upstream of the existing bridge, and the installation a temporary diversion bridge just downstream of the existing bridge spanning the river and carrying vehicular traffic.

Jan 2024 update:

Due to river levels and the abundance of debris in the water, there is a high probability of debris building up on the bridge pilings and structure. Mariners are advised that boating conditions in the vicinity of the bridge are very dangerous during high water levels and there may not be a safe passage under the bridge due to the presence of logjams. Additionally, the buoys that mark the temporary navigation channel described below have been removed for the remainder of the winter and spring due to high water / strong water flow. The buoys will be reset once the conditions allow, approximately in May or early June.

A temporary navigable channel for mariners will be maintained with reduced horizontal and vertical clearances for the duration of the project. The temporary channel will provide an horizontal clearance of at least 40 feet and vertical clearance of at least 17.4 feet from the ordinary high-water elevation (OHW). A temporary river clearance gauge will be mounted to the bridge adjacent to the navigable channel at the upstream side of the temporary work bridge and at the downstream side of the diversion bridge. The river clearance gauge will be white with black letters and will show the actual vertical clearance between the water line and overhead obstructions above the navigable channel. Buoy lines, lighting, and signage will direct mariners through the temporary navigable channel and away from "no-entry" construction areas. The temporary navigable channel will be marked with a floating buoy line consisting of orange floating buoys fitted with white colored reflective tape and white flashing lights (FI W 4s) mounted at 100-foot intervals along the buoy line. Flashing yellow lights (FI Y 4s) will be installed on both the temporary diversion bridge and the temporary work bridge trestle at 100-foot intervals along the outside edge of each structure with one centered over the navigable channel at the upstream edge of the temporary work bridge and the downstream edge of the diversion bridge. Red (FI R 4s) and green (FI G 4s) lights will be mounted on the upstream edge of the temporary work bridge and the downstream edge of the diversion bridge, marking the reduced navigable channel limits. Informational signs (white with black lettering) will be mounted on the upstream side of the temporary work bridge and the downstream side of the temporary diversion bridge. Mariners are advised to use caution while transiting the area. A diagram of the placement of warning signs and buoys was included as enclosure (4) of LNM 22/23. For more information contact Markus Schaaf, at (541) 757-4280 or email markus.schaaf@odot.oregon.gov.

LNM: 04/24

**WASHINGTON – COWLITZ RIVER – Bridge notice**

Utility work is planned on State Route 411 Castle Rock Bridge located in Castle Rock, WA, across the Cowlitz River at river mile 17.4. Deck replacement will take place Monday through Friday between 0700 – 1700 from 08 Apr until 14 Jun 2024. The project requires six feet of containment to be installed below the subject bridge's middle 50 feet section. The SR-411 Bridge has a vertical clearance of 8.6 feet at high tide. The subject bridge provides 28 feet of vertical clearance at low tide. A UBIT will be used to assist work efforts under the bridge. The UBIT can lower the vertical clearance to 18 feet at low tide. The UBIT and containment will be equipped with flashing amber lights. For additional information, contact Mark Guz at (360) 518-4464 or mark.guz@lumen.com.

LNM: 13/24

**WASHINGTON – SPOKANE RIVER – SPOKANE VALLEY – Bridge construction notice**

BNSF Railway Company (BNSF) is starting construction on the new BNSF Railroad Bridge 62.6B located over the Spokane River at River Mile 85.5, in Spokane Valley, WA, at approximate location 47-41-24 N, 117-13-57 W. Contractors will be mobilizing in April 2023 and will be working below the Ordinary High-Water Mark (OHWM) of the river with various construction details for the new bridge through May 2024. A temporary work bridge will be constructed on the downstream (north) side of the existing BNSF bridge. Work will include the installation of an estimated 23 temporary piles. Cranes and other support equipment and materials will be staged on the work bridge throughout the duration of the project. Work will be within and along the BNSF right-of-way (ROW). Hours of construction activities will generally be during daylight hours, Monday thru Friday. The bridge contractor, Hamilton Construction, will have a work boat to provide safety and other on-water project support. The temporary work bridge will have temporary safety navigation lights and work zone buoys in accordance with the Navigation Rules (COLREGS-Inland). Enclosure (4) of LNM 18/23 displayed the project vicinity, locations of high and low-water work areas, the temporary work bridge and new bridge configurations, and the proposed navigation envelope. Applicable changes to the work locations and activities will be updated, if needed, by a subsequent LNM as construction progresses. At all times, navigational safety buoys and/or signage, along with safety lighting for the work areas will be in place. At least

**WASHINGTON – SPOKANE RIVER – SPOKANE VALLEY – Bridge construction notice**

one of the four temporary work bridge spans which align with the navigational envelope of the existing bridge will remain unobstructed during the project for vessel traffic. Vertical clearance of the existing bridge will be unchanged. The mariners should be aware of the work zone when travelling beneath the work bridge and new bridge construction areas, and should be vigilant for cables, buoys, falling debris, tools, etc. The point of contact for the bridge contractor, Hamilton Construction, Chris VanderPloeg can be reached at (541) 954-8366; CVanderPloeg@hamil.com. For additional information contact the BNSF Project Engineer, Kyle Leatham (425) 210-8084; Kyle.Leatham@BNSF.com.

LNM: 16/23

**WASHINGTON – PUGET SOUND – HALE PASSAGE – Bridge notice**

Pierce County Planning and Public Works will be conducting girder repairs on the north side of the Fox Island Bridge (LLNR 17248). The repair work will begin on 04 Mar and be completed by 31 May 2024. The repairs will be on pier 17 and pier 20 that is on the mainland end of the bridge. The lighted navigation main span is between pier 10 and pier 11. Most of the work will occur during daylight hours, Monday through Friday, however, some nighttime work will occur if the schedule requires extended hours. The vertical clearance will be reduced from 18 feet above high tide to approximately 6 feet above high tide. Containment will be installed over pier 17 and pier 20 up to 12 feet below the bridge. Due to the nature of the repairs and the low containment, mariners are advised not to navigate within piers 17 – 20. The containment will be marked with amber flashing lights. No support vessels are anticipated in the vicinity of the work area. For additional information please contact Andrew Davis, P.E., Construction Engineering Supervisor, at (253) 798-6913, or andrew.davis@piercecountywa.gov.

Chart 18440

LNM: 08/24

**WASHINGTON – EVERETT HARBOR – SNOHOMISH RIVER – Bridge Notice**

The Coast Guard has approved a temporary bridge deviation from the operating schedule that governs the SR 529 Highway Bridge across the Snohomish River. This deviation supports needed bridge repairs. SR 529 Highway Bridge (NB) (LLNR 18591.3) crosses the Snohomish River, mile 3.6, at Everett, WA, and is authorized to remain in the closed-to-navigation position from 13 May – 08 Nov 2024. Working hours may vary, but the hours will be 10 to 12 hours per day. Expect work to be during the daytime but can be extended to nighttime work. Five feet of containment will be installed below the bridge, and the draw's altered vertical clearance will be 48 feet above high tide with the span locked open 15 feet high. Fall hazards may be present during working hours. An alternate route for vessels to use during this deviation period is via Union Slough. For more information on this event contact Tom Galouzis at (330) 550-0614 or TG@LibertyMaintenanceInc.com.

Chart 18444

LNM: 13/24

**WASHINGTON – EVERETT HARBOR – SNOHOMISH RIVER – Bridge Notice**

The Coast Guard has approved a temporary deviation for the SR-529 Bridge (South bound) (LLNR 18594.9) across Steamboat Slough, mile 1.1, near Marysville, WA. The deviation will allow personnel to safely conduct maintenance and repair to the subject bridge from 0700 on 01 Jan to 2359 on 28 Jun 2024. The draw span will open on signal Tuesday and Friday afternoons from 1200 to 1700 when mariners request 24 hours in advance via marine radio VHF channel 13 or telephone. Work will occur 24 hours per day seven days a week. Three feet of containment will be installed at multiple locations on the bridge that will reduce the vertical clearance from 10 feet above mean high water to 7 feet above mean high water. Containment will be marked with amber flashing lights. Alternate routes into and out of Steamboat Slough can be via Union Slough or Snohomish River. Vessels that do not require a draw opening at the south bound SR-529 Bridge may transit under the bridge at any time but be aware of fall hazards. For more information contact Amelia Scharrer at (425) 225-8703.

Chart 18443

LNM: 51/23

**WASHINGTON – PUGET SOUND – EVERETT HARBOR – SNOHOMISH RIVER – Bridge maintenance**

The Interstate 5 Highway Bridge (LLNR 18594.1) across the Snohomish River, mile 5.4, in Everett, WA, will be preserved and painted from 12 Jun 2023 to 31 Oct 2024. Containment up to 4 feet will be installed and reduce the vertical clearance of the subject bridge from 66 feet to 62 feet above high water. Containment will be marked with amber flashing lights on the bottom with flashing amber lights (FL Y 6s). The working hours will be Monday through Saturday 0800 – 1800 and some night work 2100 – 0800. No service barges will be on site. Mariners are free to transit under the subject bridge at any time. For more information contact Michael Xipolitas at (330) 550-7192 or at Mikex@vimaspainting.com

Chart 18444

LNM: 15/23

**WASHINGTON – LEWIS RIVER – Bridge repair (Revised from LNM 27/23)**

MJ Hughes Construction will be performing bridge deck repair and Under Bridge Inspections on the I-5 Highway Bridge across the Lewis River at RM 5.5. Work will be done on the eastbound bridge from 07 Aug to 30 Sep 23. Work will be done on the westbound bridge from 26 Jul – 18 Sep 24. The bridge deck repair work and under bridge inspection truck will take place Monday – Saturday, 1 or 2 shifts of 10 hours each per day both day and night depending on scope of work. Under bridge work nets will be marked by flashing yellow lights and warning signs posted on the bridge piers up and down river. Mariners are advised to use caution while transiting area. For additional information, contact William Hill at (971) 240-7310 email bill.h@mjhughes.com.

Chart 18524

LNM: 29/23

**SNAKE RIVER – USACE Walla Walla District 2024 Minimum Operating Pool (MOP) operations and spring spill operations**

From April through August 2024, the lower Snake River reservoirs will operate within the Minimum Operating Pool (MOP) ranges. During this time, all lower Snake and lower Columbia River dams will spill for fish passage in accordance with the 2024 Fish Operations Plan. The Fish Operations Plan is posted on the following website: <https://pweb.crohms.org/tmt/documents/fpp/2024/>

MOP ranges for each Snake River pool are listed below. (Elevations are in feet using NGVD 29 datum):

Ice Harbor, Lake Sacajawea – 437-438.5

Lower Monumental, Lake Herbert G. West – 537-538.5

Little Goose, Lake Bryan – 633-634.5

Lower Granite, Lower Granite Lake – 733-734.5

Due to recent changes in fish passage spill requirements, USACE anticipates a higher rate of discharge through the spillways compared to previous years, and river navigators may experience strong currents and eddies in the dam tailraces and forebays. If navigators believe river conditions inhibit safe navigation to or from a lock, they may request a temporary adjustment to spill using the contact information below. Contact with lock and dam shift operators should be initiated no later than 30 minutes prior to arriving at the lock, as a requested redistribution or reduction of spill may take as long as 30 minutes to attenuate. Additionally, downstream departures may be delayed for the requested spill change to be implemented and take effect.

McNary Operator at (541) 922-2231. Call Sign WUJ41 McNary.

Ice Harbor Operator at (509) 543-3231. Call Sign WUJ42 Ice Harbor.

Lower Monumental Operator at (509) 282-7231. Call Sign WUJ43 Lower Monumental.

**Snake River – USACE Walla Walla District 2024 Minimum Operating Pool (MOP) operations and spring spill operations**

Little Goose Operator at (509) 399-2233 x231. Call Sign WUJ44 Little Goose.

Lower Granite Operator at (509) 843-2231. Call Sign WUJ45 Lower Granite.

Navigators are encouraged to contact dam operators and report any unsafe navigation conditions. District staff will evaluate the effects of this year's operations in conjunction with feedback from river users and coordinate adjustments to spillway gate positioning as appropriate. For additional information contact the NWW Operations Division at (509) 527-7364.

Charts: 18545 18546 18547 18548

LNM: 13/24

**COLUMBIA AND SNAKE RIVERS – Winter seasonal recreational vessel lockage**

The USACE Portland and Walla Walla Districts have implemented the winter seasonal lockage schedule for the passage of recreational craft through the Columbia and Snake River navigation locks. The Portland District will operate the winter lockage schedule until 14 May 2024, while the Walla Walla District will operate the winter schedule until 17 May 2024. Winter lockage will be made during daylight hours only, on request at each lock – vessels should contact the lock operator via VHF-FM channel 14 or telephone and should make their request at least 30 minutes in advance.

Lock Name	Location	Phone Number	Radio Call Sign
<b>Portland District:</b>			
Bonneville Lock	Columbia River Mile 145.5	(541) 374-8323	WUJ 33
The Dalles Lock	Columbia River Mile 191.5	(541) 506-8211	WUJ 34
John Day Lock	Columbia River Mile 215.6	(541) 298-9712	WUJ 35
<b>Walla Walla District:</b>			
McNary Lock	Columbia River Mile 292	(541) 922-2231	WUJ 41
Ice Harbor Lock	Snake River Mile 9.7	(509) 543-3231	WUJ 42
Lower Monumental Lock	Snake River Mile 41.6	(509) 282-7231	WUJ 43
Little Goose Lock	Snake River Mile 70.3	(509) 399-2233	WUJ 44
Lower Granite Lock	Snake River Mile 107.5	(509) 843-2231	WUJ 45

Commercial vessels continue to have lockage precedence over recreational vessels. At the discretion of the lock operator, recreational vessels may be allowed to lock through with commercial vessels. The Portland District requests that recreational vessels contact the lock at least 30 minutes prior to arrival using VHF-FM channel 14 or via telephone. All vessel owner/operators lock through at their own risk. All persons in the vessel must be wearing a personal flotation device (PFD) during lockage. Follow the directions of the lock operator when using locks or operating in the vicinity of the locks. The lock operator has final authority on the suitability of a craft for lockage. Please refer to USACE Safe Lockage Policy for Recreational Craft on the Columbia and Snake Rivers, published separately, for safety requirements. For safety and additional information on Portland District navigation lock operations and schedules visit <http://www.nwp.usace.army.mil/Missions/Navigation.aspx> and for Walla Walla District lock operations visit <http://www.nww.usace.army.mil/Missions/Navigation.aspx> or call the USACE Walla Walla Operations Division at (509) 527-7364.

Charts: 18532 18533 18535 18536 18537 18539 18541 18545 18546

LNM: 38/23

**WASHINGTON – PUGET SOUND – LAKE WASHINGTON SHIP CANAL – Hiram M. Chittenden Locks Center Miter Gates replacement project (Revised from LNM 02/24)**

USACE is in the middle of a multi-phase maintenance project to replace the center miter gates on the Large Lock chamber. The major project will require several 30-day closures to facilitate demolition, concrete construction, and installation and commissioning of the new miter gates, respectively. There will be at least 15 days between closures to accommodate marine traffic. Additionally, the Small Lock will remain open during these periods and can pass vessels up to 123 feet long and 28 feet wide. While the Large Lock chamber is in service, please note that the center miter gates have been removed, and a temporary marine fender has been installed in the recess where the gates were previously. Mariners are reminded to exercise extreme caution while entering and exiting the large lock chamber, because the center gate recess and the surrounding (demolition) area around the center gate will be fully exposed. Please operate your vessel at a slow speed – 2 ½ knots or lower – and follow the guidance and instructions of the Tower and lock operators.

Currently, the large locks are scheduled to be closed to all vessel traffic during the following periods,

Closure 4: 15 Oct 2024 to 13 Nov 2024

Closure 5: 29 Nov 2024 to 28 Dec 2024

The large lock is expected to be fully operational on 29 Dec 2024.

For current information about activities at the Locks, visit the Locks' website at <https://www.nws.usace.army.mil/Missions/Civil-Works/Locks-and-Dams/Chittenden-Locks/Closures/> and/or like them on Facebook [www.facebook.com/chittendenlocks](http://www.facebook.com/chittendenlocks). For specific questions, mariners may contact the lockmasters at (206) 297-9821.

Chart 18447

LNM: 09/24

**COLUMBIA RIVER SYSTEM AND WASHINGTON - Testing of prototype plastic buoys**

The U.S. Coast Guard is testing various prototype plastic buoys to observe their station keeping ability and visual and radar detection capabilities. Buoys have been placed at the following locations for evaluation:

- On the Columbia, Snake and Willamette Rivers:
  - Desdemona Sands Lighted Buoy 22 (LLNR 9990)
  - Hood River Lighted Buoy 36 (LLNR 11932)
  - Bonneville Pool Lighted Buoy 69 (LLNR 12130)
  - Lake Celilo Buoy 45 (LLNR 12360)
  - Lake Wallula Lighted Buoy 2 (LLNR 12815)
  - Snake River Buoy 14 (LLNR 13195)
  - Elk Rock Buoy 10 (LLNR 15005)
- In Grays Harbor and Admiralty Inlet Washington:
  - Point Chehalis Lighted Buoy 4 (LLNR 15990)
  - Point Wilson Lighted Buoy 6 (LLNR 16470)

While the buoys performance is being studied, the US Coast Guard is soliciting comments from the maritime community transiting this waterway. Mariners are requested to respond in writing to the Coast Guard District office with any comments on this change at [D13-SMB-D13-LNM@uscg.mil](mailto:D13-SMB-D13-LNM@uscg.mil). Any discrepancy for these or other Aids to Navigation should continue to be reported to US Coast Guard Sector Columbia River and US Coast Guard Sector Puget Sound.

Charts: 18502 18533 18545

LNM: 52/22

**COLUMBIA RIVER – PACIFIC OCEAN TO HARRINGTON POINT – JOHN DAY CHANNEL – Marine Construction**

**COLUMBIA RIVER – PACIFIC OCEAN TO HARRINGTON POINT – JOHN DAY CHANNEL – Marine Construction**

Bergerson Construction will be performing pier demolition and construction operations on the John Day Channel off the Columbia River on the eastern side of Tongue Point in approximate location 46-12-12.860 N, 123-45-31.200 W. Work is anticipated to begin on or about 14 Aug and continue through December of 2024, Monday through Friday, from 0700 to 1800 daily. A 60' x 120' crane barge Betsy Ross, a 45' x 112' deck barge, various sectional barges and assist vessel Olaf J will be on site. Personnel on the Betsy Ross and Olaf J will be monitoring VHF-FM channel 17. A yellow, floating turbidity boom/curtain will be used to surround and identify the work area and white flashing lights will be used to demarcate the barges. Mariners are requested to use caution and reduce wake when transiting the area. For additional information, contact site superintendent Mike Puckett at (503) 440-7344, or Bergerson Construction office at (503) 325-7130.

Chart 18521

LNM: 31/23

**COLUMBIA RIVER – PORT OF PORTLAND – OREGON SLOUGH**

The overhead power cables crossing Oregon Slough between Hayden Island and North Portland in approximate position 45-37-32.5 N, 122-43-31.0 W, were damaged due to a collision. The cables have been raised, but their height above the waterway has not been verified, and mariners should assume that the cables are not at their authorized clearance of 160 feet.

Chart 18526

LNM: 13/24

**WASHINGTON – GRAYS HARBOR – Underwater obstruction**

On 19 Nov 2023, a large concrete sinker with a significant amount of chain attached was dredged up by a deep draft vessel anchor. The sinker and chain was cut free in approximate location 46-55-19.506 N, 124-06-19.950 W. This location is in the Grays Harbor Channel near the western end of the South Reach. This obstruction may pose a danger to deep draft vessels transiting this portion of the waterway.

Chart 18502

LNM: 47/23

**WASHINGTON – APPROACHES TO STRAIT OF JUAN DE FUCA – Olympic Coast National Marine Sanctuary research buoys**

The Olympic Coast National Marine Sanctuary (OCNMS) has deployed two unlighted research moorings in the sanctuary which may remain throughout the winter.

One mooring was deployed approximately 2 NM off Makah Bay in position 48-19-26.280 N, 124-44-7.380 W.

A second mooring was deployed approximately 4 NM southwest of the Quillayute River entrance position 47-52-34.140 N, 124-44-00.300 W. Surface gear consists of a 12-inch low-drag surface float with three trailing yellow seine net floats, and an 8-meter-long Amsteel line attached to sub-surface gear. Sub-surface gear consists of additional line segments, a 14-inch trawl float two meters below mean lower low water, oceanographic instruments, hardware, and an anchor weighing 264 pounds.

In addition, there is one damaged, unrecoverable mooring approximately 1 NM off Cape Elizabeth in position 47-21-24.420 N, 124-20-53.280 W. There is no surface gear visible at this location – all gear is submerged.

OCNMS will attempt to recover all three moorings in May of 2024. Mariners are advised to stay clear of these moorings to avoid entanglement. For more information, contact Lieutenant Junior Grade Haley Wilson at (252) 529-7898 or via email at haley.wilson@noaa.gov.

Chart 18480

LNM: 43/23

**WASHINGTON – APPROACHES TO ADMIRALTY INLET – Sequim Bay autonomous surface vessel deployment**

The Pacific Northwest National Laboratory (PNNL) will be conducting multiple scientific instrumentation deployments, including some Autonomous Surface Vessel (ASV) deployments, through the end of April 2024, in approximate locations 48-04-43.3 N, 123-02-35.5 W and 48-04-29.0 N, 123-01-26.0 W. The ASV is a 10-foot catamaran that operates on the surface but may be deploying submerged sensors and free drifting devices. Mariners are asked to keep a minimum distance of 100 feet away from the ASV. The vessel will be clearly marked with the word "research" and the Department of Energy logo on both sides and will display navigation lights for a powered vessel of its size. The vessel will carry AIS and broadcast its position under the name JONESY with an MMSI number of 369914068. The R/V Desdemona or R/V Strait Science may be on scene during some operations and may be hailed on VHF-FM channel 16. For additional information, contact PNNL Marine Sciences Laboratory, Rob Cavagnaro, at (206) 528-3372 or email asvjonesy@pnnl.gov.

Chart 18471

LNM: 07/24

**WASHINGTON – STRAIT OF JUAN DE FUCA AND STRAIT OF GEORGIA AND PUGET SOUND – Bottom Trawl survey**

From 29 Apr through 23 May 2024, the Washington Department of Fish and Wildlife (WDFW) Marine Fish Science (MFS) Unit and the Toxics-focused Biological Observation System (TBIOS) Team will conduct their annual, joint bottom trawl survey to assess marine fish living in the waters of Puget Sound, including the Strait of Juan de Fuca, Strait of Georgia, San Juan Archipelago, Hood Canal, Central Sound, and South Sound regions. The vessel chartered by WDFW for the survey is the F/V Chasina, a 58-foot seiner/trawler (call sign WYQ-6987), with red hull and red and white superstructure, which will carry WDFW RESEARCH placards posted on both sides of the upper deck. The survey will visit 51 science locations throughout the region. For more information on WDFW's MFS unit and the bottom fish programs, visit <https://wdfw.wa.gov/species-habitats/species/bottomfish> or contact Jennifer Blaine at (425) 379-2313 (office) or (425) 231-9476 (cell) or email at Jennifer.Blaine@dfw.wa.gov.

Charts: 18400 18421 18440 18441

LNM: 12/24

**WASHINGTON – PUGET SOUND – APPLE COVE TO KEYPORT – Temporary lighted buoy**

NOAA's Pacific Marine Environmental Laboratory deployed a temporary research lighted buoy on 23 Feb 2024, approximately 1700 yards offshore from Spring Beach between Point Wells and Meadow Point, in approximate position 47-43-56.940 N, 122-23-41.820 W. This buoy is expected to remain on station until approximately 01 Sep 2024. The buoy is yellow and grey, round and marked with a flashing yellow four seconds (FL Y 4s) light. For more information, contact Nick Delich at (206) 526-6181 or email at nicholas.delich@noaa.gov.

Chart 18446

LNM: 09/24

**WASHINGTON – PUGET SOUND – APPLE COVE TO KEYPORT – SEATTLE TO BREMERTON – Environmental monitoring buoys**

Puget Sound Restoration Fund is installing research buoys with environmental monitoring instruments at 3 locations in the central Puget Sound:

Tyee Shoal/Wing Point (off Bainbridge Island), 47-37-03.000 N, 122-29-29.040 W.

Point Jefferson (off Indianola), 47-44-30.840 N, 122-29-16.440 W.

Edmonds (north of dive park, Shell Creek) 47-49-13.440 N, 122-22-41.160 W.

Each site will have one surface buoy, yellow in color, 2 ft diameter, with flashing yellow light (FL Y (5) 20s). Buoys will be installed on or about 09 Jan 2023 and remain in place until 31 Dec 2024. Mariners are requested to avoid approaching or tying off to the research buoys. For more information, please contact the Restoration Fund at (206) 780-6947 or email [info@restorationfund.org](mailto:info@restorationfund.org).

Charts: 18446 18449

LNM: 49/22

**WASHINGTON – PUGET SOUND – APPLE COVE TO KEYPORT – Submersible Vehicle testing (Revised from LNM 49/22)**

The Naval Undersea Warfare Center (NUWC) at Keyport, WA is continuing operations in the vicinity of NUWC between University Point, the Brownsville Marina and Keyport through 23 Dec 2024. Operations will normally be conducted Monday through Friday during daylight hours. Operations will involve semisubmersible and submersible vehicles escorted by a small naval craft with a flashing red light. The call sign for the small craft will be "Keyport Range Control" and will monitor VHF-FM channels 12 & 16. All craft transiting the area are requested to exercise caution and maintain a sharp lookout for possible semi-submerged vehicles while the range is in operation. For more information contact Keyport Range Control on VHF-FM channels 12 and 16 or by phone at (360) 396-2313.

Chart 18446

LNM: 49/23

**WASHINGTON – PUGET SOUND – HOOD CANAL – Fisheries Research**

NOAA Fisheries (Northwest Fisheries Science Center) has deployed acoustic receivers in the vicinity of the Hood Canal Bridge (LLNR 17769) during the week of 17 Mar 24. Receivers will listen for, and record detections of salmonids implanted with acoustic transmitters. Deployment locations fall between Twin Spits and 300 meters south of the Hood Canal Bridge, but mostly within 100 meters of the bridge. Moorings will remain in place through September of 2024, and it is requested that mariners avoid disturbance to the seafloor in these areas so as not to dislodge or damage receivers. For additional information, contact the Chief Scientist at (206) 949-7723.

Charts: 18458 18473

LNM: 12/24

**WASHINGTON – PUGET SOUND – SKAGIT BAY – Wave data buoy deployment**

Western Washington University will collect wave data from a single yellow wave buoy to be deployed just to the south of Kiket Island in Skagit Bay in approximate location 48-25-01.060 N, 122-34-15.355 W. The wave buoy is round and approximately 1.4 ft. in diameter and will be accompanied by an additional orange surface float, approximately 1.4 ft. in diameter. The wave buoy will be attached to the seafloor by an approximately 40-foot-long mooring system comprised of sinking crab pot line and galvanized chain. The buoy deployment is planned for on or about 01 Jan 2024 and will remain deployed 24 hours per day until no later than 31 Dec 2024. The R/V Magister will be used to deploy, inspect, and maintain the buoy and mooring system and will monitor VHF-FM Channels 16 and 13. Mariners are requested to keep a safe distance from the wave buoy. For additional information or to report any issues with the buoy, contact Sam Kastner at (360) 650-8626 or kastnes@wwwu.edu.

Chart 18441

LNM: 39/23

**SAFETY NOTICE – Navigational Range and Sector Light displays on electronic charts**

The U.S. Coast Guard has become aware that the Range and Sector Light Characteristic labels are not displayed on Electronic Navigational Charts (ENCs) when used in an Electronic Chart Display and Information System (ECDIS) due to limitations of the S-52 ECDIS display specification. Mariners may query the ENC data directly within ECDIS or refer to the Light List for complete information on Range and Sector Light Characteristics.

LNM: 39/22

**OREGON – WASHINGTON – IDAHO – New and improved Merchant Mariner Credential**

The U.S. Coast Guard announced a new merchant mariner credential (MMC) set to launch on 01 Mar 2024. This milestone marks the first comprehensive revision of the mariner credential in nearly a decade and is strategically designed to enhance both quality of service and security within the Marine Transportation System (MTS). U.S. Coast Guard Marine Safety Information Bulletin (MSIB) 01-24, New Merchant Mariner Credential Passport Booklet Replacement, contains details of this new credential, and was included as Enclosure (4) of LNM 12/24. Additionally, the new MMC is announced at the National Maritime Center's Home Page: [https://www.dco.uscg.mil/national\\_maritime\\_center/](https://www.dco.uscg.mil/national_maritime_center/). Mariners are encouraged to visit NMC's website for more information on the credential.

LNM: 09/24

---

---

**SECTION VIII - LIGHT LIST CORRECTIONS**

An Asterisk \*, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10175	HARRINGTON POINT RANGE FRONT LIGHT	46-15-21.280N 123-40-37.227W	Q W	36		KRB on multi-pile structure.	Visible 6° each side of rangeline.
19775	<i>Haro Strait Junction Lighted Buoy A</i>	48-38-18.216N 123-11-01.153W	Fl (2+1)G 6s		4	Green and red bands.	*
	Southwest of shoal.						
		*					

---

---

**ENCLOSURES**

**Enclosure 1**

OREGON - WASHINGTON - IDAHO - MONTANA - Summary of Bridge Lighting Discrepancies and Corrections

LNM: 17/24

**Enclosure 2**

OREGON - WASHINGTON - COLUMBIA RIVER - Summary of Dredging Operations

LNM: 17/24

**Enclosure 3**

OREGON - WASHINGTON - COLUMBIA RIVER - Summary of Marine Events

LNM: 17/24

---

If you have any questions, comments, or need additional information concerning this or other LNMs (e.g. additions, deletions, corrections) contact the address or phone number on the front page.

CDR Brendan J. Harris  
Chief, Waterways Management Branch  
Thirteenth Coast Guard District

**BRIDGE DISCREPANCIES AND CORRECTIONS**

<b>BRIDGE DISCREPANCIES</b>						
<b>Waterway</b>	<b>Light List</b>	<b>Bridge Name</b>	<b>Location</b>	<b>Status</b>	<b>Date Reported</b>	<b>BNM</b>
<b>OREGON COAST</b>						
	9627	Yaquina Bay Highway 101 Bridge	Newport, OR	Protection piers damaged	12/4/2023	None
<b>COLUMBIA RIVER</b>						
	11392	I-205 Highway Bridge (north channel)	Portland, OR	Upriver, center white light extinguished	12/4/2023	None
	11801	Bridge of the Gods	Cascade Locks, OR	Upriver, WA side red pier light extinguished	11/14/2023	None
<b>SNAKE RIVER</b>						
	None					
<b>WILLAMETTE RIVER</b>						
	15155	Marion Street Bridge	Salem, OR	Lights extinguished	12/31/2023	0921-23
	15156	Center Street Bridge	Salem, OR	Lights extinguished	12/31/2023	0922-23
<b>WASHINGTON COAST</b>						
	None					
<b>PUGET SOUND</b>						
	16870.3	Duwamish Railroad Bridge	Seattle, WA	Upriver, red, southwest fender light missing	11/11/2023	0798-23
	16887	1st Ave South Highway Twin Bridge	Seattle, WA	Upriver, red light extinguished. Green span open lights energize before span is fully open	11/11/2023	0799-23
	16888	South Park Street Bridge	Seattle, WA	Clearance gauge not legible	12/2/2022	None
	17205	East 11th Street Bridge	Tacoma, WA	Western fendering system and nav lighting destroyed	10/13/2023	0710-23
	18235	University Street Bridge	Seattle, WA	Extinguished	11/18/2023	0824-23
	18240	Montlake Street Bridge	Seattle, WA	Improper characteristics- not turning green when opened	11/18/2023	0823-23
<b>IDAHO</b>						
	20070	Trail of the Coeur D'Alenes Railroad Bridge	Chatcolet, ID	Multiple lights extinguished	10/11/2022	None
<b>BRIDGE CORRECTIONS</b>						
<b>Waterway</b>	<b>Light List</b>	<b>Bridge Name</b>	<b>Location</b>	<b>Status</b>	<b>Date Reported</b>	<b>BNM</b>
<b>OREGON COAST</b>						
	None					
<b>COLUMBIA RIVER</b>						
	None					
<b>SNAKE RIVER</b>						
	None					
<b>WILLAMETTE RIVER</b>						
	None					
<b>WASHINGTON COAST</b>						
	None					
<b>PUGET SOUND</b>						
	None					
<b>IDAHO</b>						
	None					



**Dredging operations are scheduled or in progress at the following locations:**

<b>Start Date</b>	<b>End Date</b>	<b>Times</b>	<b>Location</b>	<b>Dredge Vessel</b>	<b>Assist Vessel</b>	<b>Channel monitored</b>	<b>Disposal Area</b>	<b>LNM</b>
13-May-24	21-May-24	0600-1800 7 Days	Columbia River; Baker Bay near USCG Station	M/V Sea Vulture	St Helens Terilyn	VHF-FM 13, 16 & 67	I-W BB3	17/24
26-Apr-24	26-Apr-24	24 Hrs / 7 Days	Columbia River; Miller Sands / Pillar Rock (RM 24+40 to 26+15)	M/V Essayons	None	VHF-FM 13 & 16	RM 24 WA	17/24
25-Apr-24	25-Apr-24	24 Hrs / 7 Days	Columbia River; Westport Bar / Eureka Bar (RM 48+05 to 48+40)	M/V Essayons	None	VHF-FM 13 & 16	RM 31 WA	17/24
24-Apr-24	24-Apr-24	24 Hrs / 7 Days	Columbia River; Stella / Fishers Bar (RM 58+40 to 59+10)	M/V Essayons	None	VHF-FM 13 & 16	RM 55 WA	17/24
24-Apr-24	24-Apr-24	24 Hrs / 7 Days	Columbia River; Slaughters/Lower Dobelbower (RM 66+35 to 67+35)	M/V Essayons	None	VHF-FM 13 & 16	RM 60 WA	17/24
27-Apr-24	21-May-24	24 Hrs / 7 Days	Grays Harbor; Bar, Entrance and Point Chehalis	M/V Essayons	None	VHF-FM 13 & 16	South Beach Pt Chehalis	17/24

**USACE dredges request mariners transit at slowest safe speed to minimize wake when in the vicinity of a dredge and proceed with caution after making passing arrangements. Vessel(s) and/or equipment may encroach into the channel.**

# MARINE EVENTS

Enclosure (3)

## SECTOR COLUMBIA RIVER MARINE EVENTS

EVENT DATE	TIME	EVENT NAME	EVENT LOCATION
25-Apr-24	1730-2130	Summer Series	Columbia River, Portland, OR
27-Apr-24	0600-1530	Race Around the Island	Columbia River, Vancouver, WA
30-Apr-24	1730-2130	Summer Series	Columbia River, Portland, OR
19-May-24	1200-1700	Tropical Dream	Columbia River, Portland, OR
24-May-24	0800-1700	Boatnik 2024	Rogue River, Grants Pass, OR
24-May-24	2150-2230	Portland Rose Festival Opening Night Fireworks	Willamette River, Portland, OR
25-May-24	0800-1700	Boatnik 2024	Rogue River, Grants Pass, OR
26-May-24	0800-1700	Boatnik 2024	Rogue River, Grants Pass, OR
27-May-24	0800-1700	Boatnik 2024	Rogue River, Grants Pass, OR
31-May-24	0600-1800	Tri-City Water Follies Spring Testing	Columbia River, Kennewick, WA
8-Jun-24	0700-1800	Portland Rose Festival Dragon Boat Race	Willamette River, Portland, OR
9-Jun-24	0700-1800	Portland Rose Festival Dragon Boat Race	Willamette River, Portland, OR
14-Jun-24	1700	Clearwater River Rush Jet Boat Race	Clearwater River, Orofino, ID
15-Jun-24	All day	Clearwater River Rush Jet Boat Race	Clearwater River, Orofino, ID
15-Jun-24	0800-1800	Richland Regatta	Columbia River, Kennewick, WA
16-Jun-24	0000-1400	Clearwater River Rush Jet Boat Race	Clearwater River, Orofino, ID
16-Jun-24	0800-1800	Richland Regatta	Columbia River, Kennewick, WA
22-Jun-24	2200-2230	Umatilla Landing Days	Columbia River, Umatilla, OR
29-Jun-24	0700-1900	Rooster Rock Outrigger Canoe Race	Columbia River, Corbett, OR
3-Jul-24	2200-2330	Mill Casino Independence Day	Coos Bay, North Bend, OR
3-Jul-24	2200-2330	Waldport Fireworks	Willamette River, Waldport, OR
4-Jul-24	2200-2230	Astoria-Warrenton 4th of July	Columbia River, Astoria, OR
4-Jul-24	2200-2230	Bandon 4th of July	Bullards Beach, Bandon, OR
4-Jul-24	2200-2330	Brookings 4th of July	Brookings/Harbor, OR
4-Jul-24	2200-2230	Cascade Locks 4th of July	Columbia River, Cascade Locks, OR
4-Jul-24	2200-2230	Clatskanie Heritage Days	Columbia River, Clatskanie, OR
4-Jul-24	2200-2230	Fireworks Over the Bay	Coos Bay, Coos Bay, OR
4-Jul-24	2210-2230	Florence Independence Day Celebration	Port of Siuslaw, Florence, OR
4-Jul-24	2200-2230	Fort Dalles Fourth	Columbia River, The Dalles, OR
4-Jul-24	2200-2230	Hood River 4th of July	Hood River, Hood River, OR
4-Jul-24	2200-2230	July 4th Party at Gold Beach	Rogue River, Gold Beach, OR
4-Jul-24	2200-2300	Kennewick River of Fire Fireworks Display	Columbia River, Kennewick, Wa
4-Jul-24	2200-2230	Lincoln City 4th of July	Siletz Bay, Lincoln City, OR
4-Jul-24	2200-2230	Newport 4th of July	Yaquina Bay, Newport, OR
4-Jul-24	2200-2230	Oaks Park 4th of July	Willamette River, Portland, OR
4-Jul-24	2200-2230	Port Orford 4th of July Jubilee	Port Orford, Port Orford, OR
4-Jul-24	2200-2330	St. Helens 4th of July	Columbia River, St. Helens, OR
4-Jul-24	2200-2330	Waterfront Blues Festival	Willamette River, Portland, OR
4-Jul-24	2200-2230	Waverley Country Club 4th of July	Willamette River, Portland, OR
4-Jul-24	2200-2230	Yachats 4th of July	Pacific Ocean, Yachats, OR
6-Jul-24	2200-2230	Ilwaco Fireworks at the Port	Baker Bay, Ilwaco, WA
6-Jul-24	0800-1800	Project Koru PresentsL KB4C Derby 2024	Hood River, Hood River, OR
7-Jul-24	0800-1800	Project Koru PresentsL KB4C Derby 2024	Hood River, Hood River, OR

# MARINE EVENTS

Enclosure (3)

8-Jul-24	1100-1730	Gorge Downwind Champs	Columbia River, Stevenson, WA to Hood River, OR
9-Jul-24	1100-1730	Gorge Downwind Champs	Columbia River, Stevenson, WA to Hood River, OR
10-Jul-24	1100-1730	Gorge Downwind Champs	Columbia River, Stevenson, WA to Hood River, OR
11-Jul-24	TBD	All Quadrant Candidate Bike Swim	
11-Jul-24	1100-1730	Gorge Downwind Champs	Columbia River, Stevenson, WA to Hood River, OR
12-Jul-24	1100-1730	Gorge Downwind Champs	Columbia River, Stevenson, WA to Hood River, OR
13-Jul-24	1100-1730	Gorge Downwind Champs	Columbia River, Stevenson, WA to Hood River, OR
13-Jul-24	1000-1400	Great Columbia Float Fest	Columbia River, Richland, WA - Leslie Grove Park to Howard Amon Park
13-Jul-24	2200-2230	Rainier Days in the Park	Columbia River, Rainier, OR
13-Jul-24	0900-1900	The Big Float	Willamette River, Portland, OR
20-Jul-24	2200-2230	Toledo Summer Festival	Yaquina River, Toledo, OR
26-Jul-24	0600-1800	Tri-City Columbia Cup	Columbia River, Kennewick, OR
27-Jul-24	2200-2230	Garibaldi Days	Garibaldi, OR
27-Jul-24	2200-2230	Irrigon Watermelon Festival Fireworks	Marina Park, Irrigon, OR
27-Jul-24	0600-1800	Tri-City Columbia Cup	Columbia River, Kennewick, OR
28-Jul-24	0600-1800	Tri-City Columbia Cup	Columbia River, Kennewick, OR
2-Aug-24	0500-1500	Columbia River Summer Walleye Classic	Columbia River, Boardman, OR John Day Pool
3-Aug-24	0500-1500	Columbia River Summer Walleye Classic	Columbia River, Boardman, OR John Day Pool
3-Aug-24	0830-1630	Paddle for Life 2024	Lake River, Ridgefield, WA
4-Aug-24	0500-1500	Columbia River Summer Walleye Classic	Columbia River, Boardman, OR John Day Pool
10-Aug-24	1100-1300	2024 SWIM the SNAKE	Snake River, Starbuck, WA
11-Aug-24	0700-1100	Astoria Regatta-Swim Across Lower Columbia	Columbia River, Hungry Harbor, WA to Astoria, OR
2-Sep-24	0730-1200	Columbia River Cross Channel	Columbia River, Cascade Locks, OR
7-Sep-24	0800-1100	Columbia Crossing Swim	Columbia River, Kennewick, OR

## SECTOR PUGET SOUND MARINE EVENTS

EVENT DATE	TIME	EVENT NAME	EVENT LOCATION
24-Apr-24	1830-2030	Windseekers Early Spring Series	Commencement Bay
24-Apr-24	1800-2030	PTSA Wednesday Weekly Races	Port Townsend
25-Apr-24	1800	TTPYC Spring Series 2024	IVO Des Moines Marina
25-Apr-24	1700-1930	SBYC Duck Dodge Races	Sequim Bay
26-Apr-24	1800-2000	POYC Spring Friday Evening Series	Sinclair Inlet
27-Apr-24	1000-2000	Smith Island/Double Bluff Race	Shilshole Bay - Smith Island

# MARINE EVENTS

Enclosure (3)

27-Apr-24	1000-1700	PTSA Partridge Pt-McCurdy Pt Race	Port Townsend
28-Apr-24	1000-2000	Smith Island/Double Bluff Race	Shilshole Bay - Smith Island
29-Apr-24	1730-2030	Ballard Cup Series I	Shilshole Bay
1-May-24	1830-2030	Windseekers Early Spring Series	Commencement Bay
1-May-24	1830-2200	Summer Series I	Scatchet Head to Shilshole Marina
1-May-24	1800-2030	PTSA Wednesday Weekly Races	Port Townsend
2-May-24	1800	TTPYC Spring Series 2024	IVO Des Moines Marina
2-May-24	1700-1930	SBYC Duck Dodge Races	Sequim Bay
2-May-24	1800-2130	TTPYC Summer Series 1	IVO Des Moines Marina
3-May-24	1945-2030	Twilight Sprints	Union Bay - Montlake Cut
3-May-24	1800-2000	POYC Spring Friday Evening Series	Sinclair Inlet
3-May-24	1200-1530	Clipper Race Fleet Departure	Elliot Bay
4-May-24	0700-1700	SYC Opening Day of Boating Parade	Portage Bay, Montlake Cut, Union Bay
4-May-24	0800-1200	Windermere Cup/Opening Day Regatta	Union Bay - Montlake Cut
4-May-24	0900-1830	Race to the Straights	Shilshole Bay to Port Townsend
4-May-24	1300-1430	Bellingham Yacht Club Opening Day	Bellingham Bay
5-May-24	1430-1630	SBYC Opening Day	Sequim Bay
5-May-24	1400-1515	SJIYC Opening Day Parade	Friday Harbor
5-May-24	1100-1800	Mark Mayer Opening Day Race	Lake Washington
5-May-24	0900-1830	Race to the Straights	Port Townsend to Shilshole Bay
6-May-24	1730-2030	Ballard Cup Series I	Shilshole Bay
7-May-24	1700-2000	PTSA Tuesday Night Series	Port Townsend
7-May-24	1700-2100	Duck Dodge Lake Union	Lake Union
8-May-24	1830-2030	Windseekers Early Spring Series	Commencement Bay
8-May-24	1830-2200	Summer Series I	Scatchet Head to Shilshole Marina
8-May-24	1800-2030	PTSA Wednesday Weekly Races	Port Townsend
9-May-24	1800	TTPYC Spring Series 2024	IVO Des Moines Marina
9-May-24	1700-1930	SBYC Duck Dodge Races	Sequim Bay
9-May-24	1800-2130	TTPYC Summer Series 1	IVO Des Moines Marina
10-May-24	1800-2000	POYC Spring Friday Evening Series	Sinclair Inlet
11-May-24	0930-1630	Mid-Distance Series Sailboat Races	Port Gardner and Possession Sound
11-May-24	1100-1800	Vashon Island Race	IVO Shilshole Bay
11-May-24	1000-1700	PTSA Protection Island Race	Protection Island
12-May-24	1100-1800	Vashon Island Race	IVO Shilshole Bay
13-May-24	1730-2030	Ballard Cup Series I	Shilshole Bay
14-May-24	1000-1400	Vintage Hydroplane Test	Lake Washington (Stan Sayres Memorial Park)
14-May-24	1700-2000	PTSA Tuesday Night Series	Port Townsend
15-May-24	1830-2200	Summer Series I	Scatchet Head to Shilshole Marina
15-May-24	1830-2100	Windseekers Late Spring Series	Commencement Bay & IVO Vashon Is
15-May-24	1800-2030	PTSA Wednesday Weekly Races	Port Townsend
16-May-24	1800	TTPYC Spring Series 2024	IVO Des Moines Marina
16-May-24	1700-1930	SBYC Duck Dodge Races	Sequim Bay
16-May-24	1800-2130	TTPYC Summer Series 1	IVO Des Moines Marina
16-May-24		Pacific Northwest Offshore	Columbia River (Ilwaco Channel) to Victoria Harbor

# MARINE EVENTS

Enclosure (3)

17-May-24	All day	Pacific Northwest Offshore	Columbia River (Ilwaco Channel) to Victoria Harbor
17-May-24	1800-2000	POYC Spring Friday Evening Series	Sinclair Inlet
18-May-24	All day	Pacific Northwest Offshore	Columbia River (Ilwaco Channel) to Victoria Harbor
18-May-24	1200-1700	Penn Cove Water Festival	Penn Cove
18-May-24	1100-1900	POYC Invitational	Sinclair Inlet
18-May-24	1000-1300	Commencement Bay Race	Commencement Bay
18-May-24	0800-1730	International Star Class District 6 Championship	North of Meadow Point Golden Gardens Beach
19-May-24	TBD	Pacific Northwest Offshore	Columbia River (Ilwaco Channel) to Victoria Harbor
19-May-24	0800-1730	International Star Class District 6 Championship	North of Meadow Point Golden Gardens Beach
20-May-24	1730-2030	Ballard Cup Series I	Shilshole Bay
21-May-24	1700-2000	PTSA Tuesday Night Series	Port Townsend
22-May-24	1830-2200	Summer Series I	Scatchet Head to Shilshole Marina
22-May-24	1830-2100	Windseekers Late Spring Series	Commencement Bay & IVO Vashon Is
22-May-24	1800-2030	PTSA Wednesday Weekly Races	Port Townsend
23-May-24	1700-1930	SBYC Duck Dodge Races	Sequim Bay
25-May-24	1000-2400	Swiftsure 2024 International Yacht Race	Strait of Juan de Fuca
26-May-24	1200-1830	Ski to Sea	Bellingham Bay
28-May-24	1700-2000	PTSA Tuesday Night Series	Port Townsend
29-May-24	1830-2200	Summer Series I	Scatchet Head to Shilshole Marina
29-May-24	1830-2100	Windseekers Late Spring Series	Commencement Bay & IVO Vashon Is
29-May-24	1800-2030	PTSA Wednesday Weekly Races	Port Townsend
30-May-24	1800	TTPYC Spring Series 2024	IVO Des Moines Marina
30-May-24	1700-1930	SBYC Duck Dodge Races	Sequim Bay
30-May-24	1800-2130	TTPYC Summer Series 1	IVO Des Moines Marina
31-May-24	1900 - 2400	SEVENTY48	Tacoma - Colvos Passage - Port Townsend
31-May-24	1845-2000	Sailfest	Shilshole Bay