

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
14715	Jackson Creek Channel Buoy 4	37-32-47.708N 076-19-17.341W				Red nun.	48/16
16010	ANTIPOISON CREEK LIGHT 4	* 37-37-55.362N 076-19-28.974W	Fl R 2.5s	15	4	TR on pile.	48/16
23890	WICOMICO RIVER CHANNEL LIGHT 35	38-19-18.006N 075-44-46.442W	Fl G 2.5s	15	4	* SG on pile.	48/16
29350	<i>Beaufort Inlet Channel</i> <i>Lighted Buoy 8</i>	34-38-52.171N 076-40-31.351W	Q R		5	* Red.	48/16
29645	SWANSBORO COAST GUARD CHANNEL LIGHT 5	34-39-15.444N 077-05-44.919W	Q G	15	4	* SG on pile.	48/16
37895	ALLIGATOR RIVER LIGHT 26	* 35-45-14.898N 076-01-06.556W	Fl R 2.5s	15	4	TR-TY on pile.	48/16
39245	BOGUE SOUND - NEW RIVER LIGHT 66	34-32-52.261N 077-19-35.838W	Fl R 4s	15	4	* TR-TY on pile.	48/16
39597	New River - Cape Fear River Buoy 121	34-14-58.648N 077-46-57.186W			* *	Green can with yellow square.	48/16

*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
5850	Virginia Inside Passage Warning Daybeacon	37-43-05.838N 075-35-47.778W				NW on multi-pile structure worded DANGER SHOAL.	47/16
	*		*		*	*	
5950	Virginia Inside Passage Warning Daybeacon	37-38-54.528N 075-38-16.272W				NW on pile worded DANGER SHOAL.	47/16
	*					*	
8260	<i>Fort McHenry Channel Lighted Buoy 8</i>	39-13-42.605N 076-32-18.310W	Q R			5 Red.	Replaced by nun when endangered by ice.
						*	
9697	<i>Craney Island Creek Lighted Junction Buoy CA</i>	36-52-47.557N 076-20-17.534W	Fl (2+1)G 6s			5 Green and red bands.	47/16
						*	
11367	<i>James River Channel Lighted Buoy 1</i>	37-00-46.000N 076-29-54.500W	Fl G 2.5s			5 Green.	47/16
						*	
11580	<i>James River Channel Lighted Buoy 9</i>	37-03-08.431N 076-34-18.031W	Fl G 4s			5 Green.	47/16
	75 feet outside channel limit.					*	
11903	<i>James River Channel Lighted Buoy 29</i>	37-10-48.751N 076-37-56.817W	Q G			5 Green.	47/16
						*	
13010	Dandy Haven Marina Entrance Daybeacon 11	37-05-48.400N 076-17-59.800W				SG on pile.	Private Aid.
						*	
14725	Jackson Creek Channel Warning Daybeacon A	37-32-48.824N 076-19-21.914W				NW on pile worded DANGER SHOAL.	47/16
	10 feet outside channel limit.					*	
	*					*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14727	Jackson Creek Channel Buoy 7	37-32-49.017N 076-19-21.799W				Green can.	47/16	
*	*	*	*	*	*	*	*	
14730	Jackson Creek Channel Warning Daybeacon B 10 feet outside channel limit.	37-32-47.580N 076-19-30.018W				NW on pile worded DANGER SHOAL.	47/16	
14733	Jackson Creek Channel Buoy 9	37-32-47.761N 076-19-30.311W				Green can.	47/16	
*	*	*	*	*	*	*	*	
16045	DYMER CREEK ENTRANCE LIGHT 6	37-39-42.912N 076-19-37.301W	FIR 4s		15	4	TR on multi-pile structure.	47/16
16735	ST. GEORGE CREEK LIGHT 2	38-07-22.198N 076-27-56.153W	FIR 4s		15	4	TR on pile.	47/16
16790	CARTHAGENA CREEK LIGHT 4	38-09-08.690N 076-28-15.428W	FIR 2.5s		15	4	TR on pile.	47/16
17295	WICOMICO RIVER LIGHT 3W	38-15-41.160N 076-49-54.150W	FIG 2.5s		15	4	SG on pile.	47/16
17515	MONROE CREEK ENTRANCE LIGHT 2	38-13-55.066N 076-56-57.480W	FIR 4s		15	4	TR on pile.	47/16
17540	MONROE CREEK CHANNEL LIGHT 8	38-14-12.782N 076-57-58.012W	FIR 4s		15	4	TR on pile.	47/16
18130	MATTAWOMAN CREEK LIGHT 3	38-33-40.994N 077-12-02.182W	FIG 2.5s		15	4	SG on pile.	47/16
18135	MATTAWOMAN CREEK LIGHT 5	38-33-55.814N 077-11-39.850W	FIG 4s		15	4	SG on pile.	47/16
24760	Fishing Creek Daybeacon 2	38-32-33.598N 076-12-58.117W					TR on pile.	47/16
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28340	<i>Walter Slough Lighted Buoy 9</i>	35-47-32.484N 075-33-27.116W	Fl G 2.5s			4 Green.	47/16
29735	NEW RIVER CHANNEL LIGHT 12	34-33-06.810N 077-20-57.730W	Fl R 4s		15	4 * TR on pile.	47/16
29845	Stones Bay Warning Daybeacon A	34-36-13.310N 077-24-08.827W				* NW on pile.	DANGER LIVE FIRING AREA. Aid maintained by U.S. Marine Corps. 47/16
30960	CAPE FEAR RIVER JUNCTION LIGHT A	* 34-14-26.437N 077-57-17.358W	Fl (2+1)G 6s		15	3 JG on multi-pile structure.	47/16
30975	NORTHEAST CAPE FEAR RIVER LIGHT 1	* 34-15-44.716N 077-57-02.443W	Fl G 2.5s		15	4 * SG on pile.	47/16
30980	NORTHEAST CAPE FEAR RIVER LIGHT 2	* 34-15-51.776N 077-57-00.025W	Fl R 4s		15	4 * TR on multi-pile structure.	47/16
31045	Lockwoods Folly Inlet Buoy 10	* 33-55-06.920N 078-14-12.987W				* * Red nun.	47/16
31630	ALBEMARLE SOUND LIGHT 2AS	* 36-02-20.307N 076-19-32.860W	Q R		15	5 TR on multi-pile structure.	47/16
33165	South Creek Channel Daybeacon 16 25 feet outside channel limit.	35-19-19.209N 076-46-08.067W			* *	TR on pile.	47/16
34515	ATLANTIC CHANNEL LIGHT 6	* 34-53-01.554N 076-19-56.328W	Fl R 4s		15	4 TR on pile.	47/16
38370	ADAMS CREEK LIGHT 16	34-53-54.196N 076-41-05.589W	Fl R 2.5s		15	4 * TR-TY on pile.	47/16
4790	ISLE OF WIGHT BAY LIGHT 2	38-20-23.226N 075-05-14.460W	Fl R 2.5s		* 15	* 4 TR on multi-pile structure.	46/16
						*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5415	CHINCOTEAGUE BAY CHANNEL LIGHT 3	37-56-28.112N 075-22-06.315W	Q G		15	4	SG on multi-pile structure.	46/16
6996	SAND SHOAL CHANNEL LIGHT 10	37-17-50.706N 075-52-39.282W	FI R 4s		15	4	TR on pile.	46/16
10580	WILLOUGHBY BAY CHANNEL LIGHT 2	36-58-58.157N 076-18-38.477W	FI R 2.5s		15	4	TR on multi-pile structure.	46/16
10700	LAFAYETTE RIVER CHANNEL LIGHT 11 120 feet outside channel limit.	36-54-30.102N 076-18-53.022W	FI G 4s		15	4	SG on pile.	46/16
10905	HAMPTON RIVER CHANNEL LIGHT 6	37-00-14.003N 076-19-26.636W	Q R		15	4	TR on multi-pile structure.	46/16
11000	PHOEBUS CHANNEL ENTRANCE LIGHT 1	36-59-57.280N 076-18-54.700W	FI G 2.5s		15	4	SG on pile.	46/16
11090	NANSEMOND RIVER CHANNEL LIGHT 16	36-51-25.015N 076-31-34.619W	FI R 4s		15	4	TR on multi-pile structure.	46/16
11400	PAGAN RIVER CHANNEL LIGHT 8	37-00-42.888N 076-33-53.232W	FI R 4s		15	4	TR on pile.	46/16
11410	PAGAN RIVER CHANNEL LIGHT 12	37-00-20.918N 076-34-28.652W	FI R 2.5s		15	4	TR on pile.	46/16
11455	PAGAN RIVER CHANNEL LIGHT 19	36-59-33.119N 076-37-24.809W	FI G 2.5s		15	4	SG on multi-pile structure.	46/16
11470	DEEP CREEK CHANNEL JUNCTION LIGHT DC	37-02-39.065N 076-31-58.585W	FI (2+1)R 6s		15	4	JR on pile.	46/16

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
11730	MULBERRY ISLAND ENTRANCE LIGHT 1MI	37-08-07.411N 076-38-01.669W	FIG 2.5s	15	4	SG on pile.	Maintained by MARAD.	46/16
11775	MULBERRY ISLAND LIGHT 13	37-08-13.065N 076-37-32.872W	FIG 2.5s	15	4	SG on pile.	Maintained by MARAD.	46/16
11855	SKIFFES CREEK CHANNEL LIGHT 6	37-09-55.011N 076-36-48.809W	FIR 4s	15	4	TR on pile.		46/16
12565	APPOMATTOX RIVER CHANNEL LIGHT 8	37-18-45.654N 077-17-29.112W	FIR 4s	15	4	TR on pile.		46/16
12735	JAMES RIVER CHANNEL LIGHT 155	37-23-09.440N 077-23-06.847W	Q G	15	4	SG on pile.		46/16
12964	Dandy Haven Marina Entrance Daybeacon 1	37-05-59.700N 076-18-04.000W				SG on pile.	Private Aid.	46/16
12965	Dandy Haven Marina Entrance Daybeacon 2	37-05-59.700N 076-18-04.500W				TR on pile.	Private Aid.	46/16
12970	Dandy Haven Marina Entrance Daybeacon 3	37-05-57.500N 076-18-03.600W				SG on pile.	Private Aid.	46/16
12975	Dandy Haven Marina Entrance Daybeacon 4	37-05-57.400N 076-18-04.100W				TR on pile.	Private Aid.	46/16
12980	Dandy Haven Marina Entrance Daybeacon 5	37-05-56.700N 076-18-03.000W				SG on pile.	Private Aid.	46/16
12985	Dandy Haven Marina Entrance Daybeacon 6	37-05-54.900N 076-18-03.600W				TR on pile.	Private Aid.	46/16

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
12990	Dandy Haven Marina Entrance Daybeacon 7	37-05-51.200N 076-18-02.400W				SG on pile.	Private Aid. 46/16
		*					
12995	Dandy Haven Marina Entrance Daybeacon 8	37-05-48.900N 076-18-02.800W				TR on pile.	Private Aid. 46/16
		*					
13000	Dandy Haven Marina Entrance Daybeacon 9	37-05-49.900N 076-18-01.200W				SG on pile.	Private Aid. 46/16
		*					
13005	Dandy Haven Marina Entrance Daybeacon 10	37-05-49.600N 076-18-01.600W				TR on pile.	Private Aid. 46/16
		*					
13010	Dandy Haven Marina Entrance Daybeacon 11	37-05-48.400N 076-18-01.600W				SG on pile.	Private Aid. 46/16
		*					
13015	Dandy Haven Marina Entrance Daybeacon 12	37-05-48.100N 076-18-00.300W				TR on pile.	Private Aid. 46/16
		*					
13015.5	Dandy Haven Marina Entrance Daybeacon 13	37-05-45.700N 076-17-57.400W				SG on pile.	Private Aid. 46/16
		*					
13015.6	Dandy Haven Marina Entrance Daybeacon 14	37-05-45.600N 076-17-58.100W				TR on pile.	Private Aid. 46/16
		*					
*	*	*	*	*	*	*	*
13080	BACK RIVER CHANNEL LIGHT 18	37-06-13.967N 076-19-43.322W	Q R		15	4	TR on pile. 46/16
						*	
13095	BACK RIVER CHANNEL LIGHT 22	37-05-24.305N 076-20-03.881W	FIR 4s		15	4	TR on pile. 46/16
						*	
13120	BACK RIVER NORTHWEST BRANCH LIGHT 1	37-05-54.973N 076-20-10.716W	FIG 2.5s		15	4	SG on pile. 46/16
						*	
13125	BACK RIVER NORTHWEST BRANCH LIGHT 3	37-05-42.004N 076-20-31.951W	FIG 4s		15	4	SG on pile. 46/16
						*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
14495	HORN HARBOR LIGHT 12	37-21-37.820N 076-16-42.590W	FIR 4s		15	4	TR on pile.	46/16	
39597	New River - Cape Fear River Buoy 121	34-15-01.330N 077-46-55.339W				*	Green can with yellow square.	46/16	
480	<i>Chesapeake Bay Southern Approach Lighted Buoy 14</i>	* 36-54-11.853N 075-54-09.931W	FIR 4s			6	Red.	45/16	
1655	<i>Cape May Canal West Entrance Approach Lighted Buoy 4</i>	38-55-33.000N 075-00-47.500W	FIR 2.5s			* 4	Red.	Replaced by LIB of reduced intensity when endangered by ice.	45/16
1660	<i>Cape May Canal West Entrance Approach Lighted Buoy 5</i>	38-56-30.000N 075-00-45.000W	FIG 4s			4	Green.	* Replaced by LIB of reduced intensity when endangered by ice.	45/16
1955	<i>Fortescue Entrance Lighted Buoy 2F</i>	39-14-14.289N 075-11-04.631W	FIR 4s			4	Red.	* Maintained from Apr. 1 to Dec. 1.	45/16
1995	COHANSEY OUTER LIGHT 1C	39-20-40.564N 075-22-01.049W	Q G		36	5	SG on square tower.	* 45/16	
2615	REEDY ISLAND GAP NORTH LIGHT 2	39-30-14.153N 075-34-06.212W	Q R		* 15	* 3	TR on pile.	45/16	
2810	DELAWARE CITY LIGHT 1	39-34-45.310N 075-35-06.852W	FIG 4s		15	4	SG on multi-pile structure.	* 45/16	
6055	Virginia Inside Passage Daybeacon 138	37-34-22.035N 075-39-45.931W					TR on multi-pile structure.	* 45/16	
6670	* WACHAPREAGUE CHANNEL LIGHT 8	37-36-18.636N 075-38-42.936W	* FIR 4s		* 15	* 3	TR on multi-pile structure.	45/16	
7068	<i>NOAA Lighted Data Buoy FL</i>	36-59-53.100N 076-05-14.280W	FI Y 4s				Yellow.	* Aid maintained by National Oceanic and Atmospheric Administration.	45/16

*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7285	<i>Chesapeake Channel Mid-Channel Lighted Whistle Buoy CB</i>	37-30-01.308N 076-02-36.457W	Mo (A) W			5	Red and white stripes. Replaced by nun when endangered by ice.	45/16
12940	BACK RIVER CHANNEL LIGHT 8	37-06-42.022N 076-17-24.270W	FIR 4s		15	4	TR on multi-pile structure.	45/16
13075	BACK RIVER CHANNEL LIGHT 17	37-06-10.017N 076-19-03.123W	FIG 2.5s		15	4	SG on multi-pile structure.	45/16
13090	BACK RIVER CHANNEL LIGHT 21	37-05-47.810N 076-19-51.551W	FIG 4s		15	4	SG on pile.	45/16
13265	BENNETT CREEK - POQUOSON RIVER LIGHT 2	37-09-32.574N 076-22-36.906W	FIR 4s		15	4	TR on pile.	45/16
13745	UPPER YORK RIVER CHANNEL LIGHT 2	37-15-48.507N 076-31-13.216W	FIR 2.5s		16	4	TR on multi-pile structure.	45/16
13750	UPPER YORK RIVER CHANNEL LIGHT 3	37-16-12.542N 076-32-49.641W	FIG 4s		15	5	SG on multi-pile structure.	45/16
13775	UPPER YORK RIVER LIGHT 8	37-17-53.182N 076-34-39.205W	FIR 4s		16	4	TR on pile.	45/16
13935	UPPER YORK RIVER CHANNEL LIGHT 16	37-23-23.233N 076-39-27.216W	FIR 4s		15	4	TR on pile.	45/16
13945	UPPER YORK RIVER CHANNEL LIGHT 18	37-25-09.445N 076-41-23.034W	FIR 4s		16	4	TR on pile.	45/16
13950	UPPER YORK RIVER CHANNEL LIGHT 20	37-25-56.152N 076-42-16.671W	FIR 2.5s		16	4	TR on pile.	45/16
13980	UPPER YORK RIVER CHANNEL LIGHT 22	37-26-53.500N 076-43-26.800W	FIR 4s		16	4	TR on pile.	45/16
13985	UPPER YORK RIVER CHANNEL LIGHT 23	37-26-52.879N 076-43-47.640W	FIG 4s		16	4	SG on pile.	45/16
13990	UPPER YORK RIVER CHANNEL LIGHT 25	37-28-37.831N 076-44-48.114W	FIG 2.5s		16	4	SG on pile.	45/16
14000	UPPER YORK RIVER CHANNEL LIGHT 27	37-29-06.546N 076-45-27.980W	FIG 4s		16	4	SG on pile.	45/16

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
14010	UPPER YORK RIVER CHANNEL LIGHT 29	37-29-44.885N 076-46-54.190W	Fl G 4s	15	4	SG on pile.	
14015	UPPER YORK RIVER CHANNEL LIGHT 30	37-29-56.591N 076-46-58.783W	Q R	16	4	TR on pile.	*
14035	UPPER YORK RIVER CHANNEL LIGHT 35	37-30-48.908N 076-47-33.919W	Fl G 2.5s	16	4	SG on pile.	*
14045	UPPER YORK RIVER CHANNEL LIGHT 37	37-31-12.283N 076-47-49.802W	Q G	16	4	SG on pile.	*
14690	PIANKATANK RIVER LIGHT 5	37-31-41.927N 076-18-22.614W	Fl G 4s	15	4	SG on pile.	*
14740	PIANKATANK RIVER LIGHT 7	37-31-15.104N 076-18-39.656W	Fl G 2.5s	16	4	SG on pile.	*
15250	URBANNA CREEK CHANNEL LIGHT 5	37-38-25.208N 076-34-05.054W	Fl G 4s	15	4	SG on multi-pile structure.	*
15380	MULBERRY CREEK LIGHT 1	37-47-01.231N 076-37-34.980W	Fl G 4s	15	4	SG on multi-pile structure.	*
17402	NEALE SOUND CHANNEL LIGHT 3	38-16-04.764N 076-52-01.756W	Fl G 2.5s	15	3	SG on pile.	*
17410	NEALE SOUND CHANNEL LIGHT 6	38-16-13.382N 076-51-54.809W	Fl R 2.5s	15	3	TR on pile.	*
19120	Hellen Creek Buoy 1	38-21-01.440N 076-28-51.528W				Green can.	Private Aid.
19125	* Hellen Creek Buoy 1A	38-21-11.159N 076-28-48.108W				Green can.	Private Aid.
19126	* Hellen Creek Daybeacon 2	38-21-16.524N 076-28-44.652W				TR on pile.	Private Aid.
22315	* GUILFORD CREEK LIGHT 6	37-50-58.022N 075-41-12.796W	Fl R 4s	15	4	TR on pile.	
23510	LOWER THOROFARE CHANNEL LIGHT 6	38-07-39.905N 075-56-47.713W	Fl R 4s	16	3	TR on pile.	*
	Old piles adjacent to aid, outside channel.						*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
23673	<i>Clay Island Shoal Lighted Wreck Buoy WR1</i>	38-12-44.595N 075-57-24.930W	Q G			4 Green.	45/16
	Marks sunken barge.						
24305	NANTICOKE RIVER CHANNEL LIGHT 58	38-35-23.968N 075-39-38.982W	FIR 4s		15	4 * TR on multi-pile structure.	45/16
24455	HEARNS COVE ENTRANCE LIGHT 2HC	* 38-15-56.599N 076-07-08.989W	FIR 4s		15	4 TR on pile.	45/16
24760	* Fishing Creek Daybeacon 2	38-32-33.977N 076-12-57.872W				* TR on pile.	45/16
25170	CHOPTANK RIVER CHANNEL LIGHT 38	* 38-38-04.573N 075-58-50.129W	FIR 2.5s		15	3 TR on pile.	45/16
27660	<i>Susquehanna River Channel Lighted Buoy 14</i>	39-31-06.408N 076-05-02.720W	FIR 4s			4 Red.	* Replaced by nun from Nov. 25 to Apr. 1. 45/16
28027	<i>Oregon Inlet Lighted Buoy 13</i>	35-46-23.056N 075-31-58.600W	Q G			* 4 Green.	45/16
28028	<i>Oregon Inlet Lighted Buoy 14</i>	35-46-29.190N 075-31-53.527W	FIR 4s			* 4 Red.	45/16
28085	<i>Oregon Inlet Channel Lighted Buoy 27</i>	35-46-28.598N 075-33-39.236W	Q G			* 4 Green.	45/16
28124	OLD HOUSE CHANNEL JUNCTION LIGHT OH	35-45-41.985N 075-35-26.370W	Fl(2+1)G 6s		15	* 3 JG on pile.	45/16
28440	Wanchese Channel Buoy 1	35-50-33.429N 075-36-26.509W					* Green can. 45/16
28445	Wanchese Channel Buoy 2	* 35-50-34.346N 075-36-28.431W					* Red nun. 45/16
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28640	<i>Hatteras Inlet Lighted Buoy 1</i>	35-10-12.015N 075-46-29.383W	Fl G 2.5s			4 Green.	45/16
						*	
28645	<i>Hatteras Inlet Lighted Buoy 2</i>	35-10-02.559N 075-46-29.573W	Fl R 2.5s			4 Red.	45/16
						*	
28660	<i>Hatteras Inlet Lighted Buoy 6</i>	35-10-59.282N 075-45-54.740W	Fl R 4s			4 Red.	45/16
						*	
28707	South Ferry Terminal Lighted Buoy 6SF	35-11-51.615N 075-46-54.154W	Q R			4 Red.	45/16
						*	
28729	<i>Hatteras Inlet Lighted Buoy 11</i>	35-12-04.518N 075-44-46.355W	Fl G 4s			4 Green.	45/16
						*	
28733	<i>Hatteras Inlet Channel Lighted Buoy 12AA</i>	35-12-09.825N 075-44-19.482W	Q R			4 Red.	45/16
						*	
28735.2	<i>Hatteras Inlet Channel Lighted Buoy 13</i>	35-12-17.041N 075-44-09.037W	Q G			4 Green.	45/16
						*	
28750	<i>Hatteras Inlet Channel Lighted Buoy 16</i>	35-12-08.212N 075-43-29.424W	Fl R 4s			4 Red.	45/16
						*	
28964	<i>Teaches Hole Lighted Buoy 27</i>	35-04-51.908N 076-00-06.430W	Fl G 4s			4 Green.	45/16
						*	
29470 38525	<i>Morehead City Channel Lighted Buoy 27</i>	34-42-46.876N 076-41-52.304W	Fl G 2.5s			4 Green with yellow square.	45/16
						*	
29563	<i>Bogue Inlet Lighted Buoy 16</i>	34-39-43.222N 077-06-12.371W	Fl R 2.5s			4 Red.	45/16
						*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
29915	NEW RIVER CHANNEL LIGHT 50	34-42-11.593N 077-24-13.513W	F I R 4s		15	4	TR on pile.	45/16
30170	<i>Masonboro Inlet Lighted Buoy 5</i>	34-10-52.660N 077-48-38.390W	F I G 2.5s			4	* Green.	45/16
30185	<i>Masonboro Inlet Lighted Buoy 8</i>	34-11-05.759N 077-48-52.537W	Q R			4	* Red.	45/16
30531 39965.1	<i>Cape Fear River Channel Lighted Buoy 25A</i>	33-57-31.363N 077-57-21.930W	Q G			4	* Green with yellow triangle.	45/16
30570	<i>Sunny Point Terminal South Entrance Lighted Buoy 2S</i>	33-58-41.847N 077-56-59.541W	F I R 4s			4	* Red.	45/16
30670 39905	<i>Cape Fear River Channel Lighted Buoy 31</i>	34-00-38.329N 077-56-28.140W	Q G			4	* Green with yellow triangle.	45/16
30840	<i>Cape Fear River Channel Lighted Buoy 58</i>	34-09-30.996N 077-57-31.050W	Q R			4	* Red.	45/16
32103	<i>Pamlico Sound Lighted Wreck Buoy WR4</i>	35-09-44.106N 076-14-54.012W	Q R			4	* Red.	45/16
32137	<i>Long Shoal Lighted Wreck Buoy WR2</i>	35-28-57.463N 075-45-11.598W	Q R			4	* Red.	45/16
32473	<i>Inner Middle Ground Lighted Wreck Buoy WR6</i>	35-14-13.656N 076-18-43.338W	Q R			4	* Red.	45/16
32825	<i>Oyster Creek Lighted Buoy 4</i>	35-19-27.240N 076-31-53.256W	Q R			4	* Red.	45/16
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
34080	NEUSE RIVER CHANNEL LIGHT 48A	35-08-33.690N 077-03-34.464W	FIR 4s		15	4	TR on pile.	45/16	
34225	Neuse River Channel Daybeacon 72	35-11-44.366N 077-06-34.843W				*	TR on pile.	45/16	
34455	CORE SOUND LIGHT 19	* 34-54-59.493N 076-16-35.706W	FI G 4s		15	4	SG on pile.	45/16	
34815	<i>Beaufort Harbor Channel Lighted Buoy 3</i>	* 34-42-16.320N 076-40-40.690W	FI G 2.5s			4	Green.	45/16	
38525 29470	<i>Morehead City Channel Lighted Buoy 27</i>	34-42-46.876N 076-41-52.304W	FI G 2.5s			4	* Green with yellow square.	45/16	
39905 30670	<i>Cape Fear River Channel Lighted Buoy 31</i>	34-00-38.329N 077-56-28.140W	Q G			4	* Green with yellow triangle.	45/16	
39965.1 30531	<i>Cape Fear River Channel Lighted Buoy 25A</i>	33-57-31.363N 077-57-21.930W	Q G			4	* Green with yellow triangle.	45/16	
1070	<i>Barnegat Inlet Lighted Buoy 34</i>	39-47-33.112N 074-08-09.518W	FI R 2.5s			4	* Red.	Replaced by nun from Nov. 1 to May 1.	44/16
							*		

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
1125	<i>Little Egg Inlet Lighted Buoy 6</i>	39-28-56.822N 074-18-10.882W	Q R			4	Red.	Replaced by nun from Nov. 1 to May 1.	44/16
2565	REEDY ISLAND DIKE MIDDLE LIGHT	39-28-58.483N 075-34-26.463W	Fl W 6s		20	7	NW on pile worded DANGER SUBMERGED DIKE.		44/16
2830	DELAWARE RIVER LIGHT 15	39-35-24.874N 075-33-55.359W	Fl G 6s		15	5	SG on pile.		44/16
4436	* <i>Middle Island West Channel Junction Lighted Buoy MI</i>	38-36-22.365N 075-06-22.202W	Fl (2+1)R 6s			4	Red and Green.	Maintained from May 1 to Nov.1.	44/16
4735	<i>Ocean City Inlet Entrance Lighted Buoy 4</i>	38-19-23.712N 075-04-55.860W	Fl R 4s			4	Red.		44/16
4755	<i>Ocean City Inlet Lighted Buoy 11</i>	38-19-37.108N 075-05-43.496W	Fl G 2.5s			4	Green.		44/16
5042	<i>Sinepuxent Bay Channel Lighted Buoy 11</i>	38-17-49.837N 075-07-17.565W	Fl G 4s			4	Green.	Replaced by can when endangered by ice.	44/16
5125	<i>Sinepuxent Bay Channel Lighted Buoy 31</i>	38-12-08.500N 075-11-33.000W	Fl G 4s			4	Green.	Replaced by can when endangered by ice.	44/16
5310	<i>Chincoteague Channel Lighted Buoy 10</i>	37-52-54.956N 075-25-00.286W	Q R			4	Red.		44/16
5360	<i>Chincoteague Channel Lighted Buoy 20</i>	37-54-28.246N 075-24-22.732W	Fl R 2.5s			4	Red.		44/16
5380	<i>Chincoteague Channel Lighted Buoy 23</i>	37-55-06.732N 075-23-45.055W	Fl G 4s			4	Green.		44/16

*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
5390	<i>Chincoteague Channel Lighted Buoy 26</i>	37-55-43.902N 075-23-33.101W	FIR 2.5s			4 Red.	44/16
5400	<i>Chincoteague Channel Lighted Buoy 29</i>	37-55-50.413N 075-23-21.284W	FIG 4s			* 4 Green.	Replaced by can when endangered by ice. 44/16
5915	<i>Virginia Inside Passage Lighted Buoy 97</i>	37-40-09.018N 075-37-09.318W	FIG 4s			* 4 Green.	44/16
6625	<i>Wachapreague Inlet Lighted Buoy 5</i>	37-34-42.796N 075-35-48.191W	FIG 2.5s			* 4 Green.	Replaced by can when endangered by ice. 44/16
6776	<i>Quinby Creek Lighted Buoy 9</i>	37-31-54.786N 075-43-20.988W	FIG 4s			* 4 Green.	44/16
6917	<i>Great Machipongo Channel Lighted Wreck Buoy WR6</i>	37-27-50.575N 075-48-23.793W	Q R			* 4 Red.	Replaced by nun when endangered by ice. 44/16
6927	<i>Great Machipongo Channel Lighted Wreck Buoy WR10</i>	37-29-00.306N 075-48-00.732W	Q R			* 4 Red.	44/16
6930	<i>Great Machipongo Channel Lighted Buoy 11</i>	37-29-22.914N 075-47-40.110W	Q G			* 4 Green.	44/16
9690	CRANEY ISLAND CREEK WRECK LIGHT WR12	36-53-05.154N 076-21-01.974W	Q R		15	* 4 TR on pile.	44/16
9810	<i>Portsmouth Marine Terminal Lighted Buoy 2PM</i>	36-51-43.371N 076-19-21.394W	Q R			* 4 Red.	44/16
13080	BACK RIVER CHANNEL LIGHT 18	37-06-13.967N 076-19-43.322W	Q R		15	* 3 TR on pile.	44/16
13095	BACK RIVER CHANNEL LIGHT 22	37-05-24.305N 076-20-03.881W	FIR 4s		15	3 TR on pile.	* 44/16
							*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
13100	BACK RIVER CHANNEL LIGHT 25	37-05-11.157N 076-20-09.289W	FIG 2.5s		15	4	SG on pile.	
13105	BACK RIVER CHANNEL LIGHT 27	37-04-36.397N 076-20-23.819W	FIG 4s		15	4	SG on pile.	*
13120	BACK RIVER NORTHWEST BRANCH LIGHT 1	37-05-54.973N 076-20-10.716W	FIG 2.5s		15	3	SG on pile.	*
13125	BACK RIVER NORTHWEST BRANCH LIGHT 3	37-05-42.004N 076-20-31.951W	FIG 4s		15	3	SG on pile.	*
13220	GOOSE CREEK JUNCTION LIGHT GC	37-11-05.393N 076-25-25.025W	Fl (2+1)R 6s		15	4	JR on pile.	*
13365	GOODWIN THOROFARE CHANNEL WARNING LIGHT GT	37-13-40.006N 076-25-03.783W	Fl W 4s		15	5	NW on pile worded DANGER SHOAL.	*
13760	UPPER YORK RIVER CHANNEL LIGHT 6	37-17-23.625N 076-33-56.676W	FIR 2.5s		16	4	TR on pile.	*
13785	QUEEN CREEK ENTRANCE LIGHT 2QC	37-18-01.387N 076-36-29.640W	FIR 2.5s		15	4	TR on multi-pile structure.	*
13920	UPPER YORK RIVER CHANNEL LIGHT 12	37-20-59.479N 076-36-55.344W	FIR 4s		16	4	TR on multi-pile structure.	*
13930	UPPER YORK RIVER CHANNEL LIGHT 14	37-22-37.153N 076-38-35.892W	FIR 2.5s		16	4	TR on multi-pile structure.	*
14020	UPPER YORK RIVER CHANNEL LIGHT 31	37-30-00.355N 076-47-07.068W	Q G		16	4	SG on pile.	*
14075	NEW POINT COMFORT SPIT CHANNEL LIGHT 2	37-17-44.150N 076-15-41.052W	FIR 2.5s		20	6	TR on pile.	*
14165	EAST RIVER ENTRANCE LIGHT 1E	37-21-19.594N 076-21-07.070W	FIG 4s		15	4	SG on pile.	*
14230	BROWNS BAY LIGHT 1BB	37-18-08.525N 076-22-56.980W	FIG 4s		15	4	SG on multi-pile structure.	*
14240	BROWNS BAY LIGHT 3	37-18-10.796N 076-23-13.184W	FIG 4s		15	4	SG on pile.	*
14255	SEVERN RIVER LIGHT 1	37-19-22.775N 076-23-39.070W	FIG 4s		16	4	SG on pile.	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
14680	PIANKATANK RIVER LIGHT 3	37-32-22.028N 076-16-42.230W	FIG 4s	19	4	SG on pile.	44/16
14745	PIANKATANK RIVER LIGHT 8	37-30-51.524N 076-18-54.890W	FIR 2.5s	15	4	TR on pile.	* 44/16
14755	PIANKATANK RIVER LIGHT 10	37-31-20.064N 076-19-58.401W	FIR 4s	15	4	TR on pile.	* 44/16
14810	MILFORD HAVEN LIGHT 12	37-28-38.378N 076-16-29.276W	FIR 4s	15	4	TR on pile.	* 44/16
15095	LOCKLIES CREEK LIGHT 1	37-36-02.378N 076-25-26.339W	Q G	15	4	SG on pile.	* 44/16
15290	LAGRANGE CREEK ENTRANCE LIGHT 2	37-39-55.784N 076-34-48.637W	FIR 2.5s	15	3	TR on pile.	* 44/16
15435	WILDWOOD BEACH LIGHT 2	37-48-43.639N 076-44-34.548W	FIR 2.5s	15	4	TR on pile.	* 44/16
15750	RAPPAHANNOCK RIVER LIGHT 68	38-10-07.012N 077-08-27.235W	FIR 4s	15	4	TR on multi-pile structure.	* 44/16
16010	ANTIPOISON CREEK LIGHT 4	37-37-55.362N 076-19-28.974W	FIR 2.5s	15	3	TR on pile.	* 44/16
16040	DYMER CREEK ENTRANCE LIGHT 4	37-39-30.530N 076-19-22.786W	FIR 2.5s	15	4	TR on pile.	* 44/16
16080	INDIAN CREEK LIGHT 4	37-40-38.800N 076-18-57.619W	FIR 4s	15	4	TR on pile.	* 44/16
16105	INDIAN CREEK LIGHT 10	37-41-27.822N 076-20-36.807W	FIR 4s	15	4	TR on pile.	* 44/16
17230	St. Catherine Sound Lower Entrance Daybeacon 5L	38-13-58.404N 076-47-08.727W				SG on pile.	* 44/16
17240	St. Catherine Sound Lower Entrance Warning Daybeacon	38-14-17.586N 076-47-15.562W				NW on pile worded DANGER SHOAL.	* 44/16
17243	St. Catherine Sound Lower Entrance Buoy 7L	38-14-23.379N 076-47-12.244W				Green can.	* 44/16
17400	NEALE SOUND CHANNEL LIGHT 2N	38-16-01.142N 076-52-01.541W	FIR 4s	15	5	TR on pile.	* 44/16

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
18370	<i>Upper Potomac River Channel Lighted Buoy 64</i>	38-40-06.919N 077-07-53.024W	FI R 4s			4 Red.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.	44/16
19527	<i>Rhode River Lighted Wreck Buoy WR5</i>	38-52-38.424N 076-31-20.932W	Q G			* 4 Green.	Replaced by can from Nov. 15 to Mar. 15.	44/16
21055	<i>Seagirt Marine Terminal East Channel Lighted Buoy 5</i>	39-14-41.992N 076-32-32.442W	Q G			* 4 Green.		44/16
23880	WICOMICO RIVER CHANNEL LIGHT 32	38-18-18.846N 075-45-43.615W	FI R 2.5s	15	4	TR on pile.		44/16
24345	NANTICOKE RIVER CHANNEL LIGHT 68	38-37-25.548N 075-37-24.672W	FI R 4s	15	4	TR on pile.	*	44/16
25530	BROAD CREEK LIGHT 1B	38-41-39.019N 076-14-57.575W	FI G 4s	15	4	SG on pile.		44/16
28083	Oregon Inlet Channel Buoy 26	35-46-43.113N 075-33-05.997W				Red nun.	*	44/16
29720	New River Inlet Buoy 10	* 34-31-51.482N 077-20-38.750W				Red nun.		44/16
29725	New River Inlet Buoy 11	* 34-32-09.347N 077-20-42.146W				Green can.		44/16
29726	New River Inlet Buoy 11A	* 34-32-18.603N 077-20-30.320W				Green can.		44/16
29727	New River Inlet Buoy 13	* 34-32-38.290N 077-20-31.008W				Green can.		44/16
* 30105	* Banks Channel Daybeacon 13	* 34-23-22.591N 077-36-08.822W	* FI R 4s	* 15	* 5	* SG on pile.	* Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.	44/16
30125	BANKS CHANNEL LIGHT 18	* 34-24-04.200N 077-35-17.058W	FI R 4s	15	5	TR on pile.		44/16
						*		

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
31510	PERQUIMANS RIVER ENTRANCE LIGHT 2P	36-04-31.454N 076-12-55.114W	FIR 2.5s	15	5	TR on pile.	
32050	Chicamacomico Channel Daybeacon 2	35-36-04.517N 075-30-29.208W				TR on pile.	*
33775	* SMITH CREEK CHANNEL LIGHT 8	35-01-19.355N 076-41-56.757W	FIR 4s	15	4	TR on multi-pile structure.	
39530	NEW RIVER - CAPE FEAR RIVER LIGHT 96	34-22-33.198N 077-38-47.140W	FIR 4s	15	4	TR-TY on pile.	*
39597	New River - Cape Fear River Buoy 121	34-14-58.648N 077-46-57.186W				Green can with yellow square.	*

*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
6565	Virginia Inside Passage Daybeacon 262	37-08-48.843N 075-55-14.725W				TR on multi-pile structure.	43/16
	*		*		*		
6585	Virginia Inside Passage Daybeacon 266	37-07-15.628N 075-57-32.904W				TR on multi-pile structure.	43/16
	*		*		*		
6590	Virginia Inside Passage Daybeacon 267	37-06-53.063N 075-58-13.699W				SG on pile.	43/16
	*		*		*		
7040	<i>Cape Henry Lighted Wreck</i> <i>Buoy WR2CH</i>	36-57-33.327N 076-00-46.052W	Q R			5 Red.	43/16
	250 yards, 225° from last reported position of wreck. Marks wreck of CHILORE.						
	*						
13520	PERRIN RIVER ENTRANCE LIGHT 4	37-15-33.679N 076-24-31.044W	FIR 4s		19	4 TR on multi-pile structure.	43/16
	*						
13535	PERRIN RIVER ENTRANCE LIGHT 8	37-15-40.537N 076-25-13.992W	FIR 4s		19	4 TR on multi-pile structure.	43/16
	*						
13655	West Branch Channel Buoy 11	37-12-51.194N 076-28-09.859W				* Green Can.	43/16
	*						
13700	West Branch Channel Daybeacon 26	37-12-52.192N 076-28-34.606W				TR on pile.	43/16
	*						
13710	SARAH CREEK ENTRANCE LIGHT 2	37-14-45.999N 076-29-09.802W	FIR 4s		15	4 TR on pile.	43/16
	*						
18375	WHITESTONE POINT LIGHT	38-41-04.512N 077-07-23.454W	Iso W 6s		17	* 7 NW on silver tower.	Obscured from 035° to 170°. 43/16
	*						
22475	<i>Starling Creek Lighted</i> <i>Wreck Buoy WR6</i>	37-55-10.456N 075-43-48.923W	Q R			4 Red.	* Removed when endangered by ice. 43/16
	*	*	*			*	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
28003	<i>Oregon Inlet Lighted Buoy 6</i>	35-47-24.174N 075-31-26.731W	Q R			4	Red.	43/16
28732.1	<i>Hatteras Inlet Channel Lighted Buoy 12A</i>	* 35-12-12.510N 075-43-56.952W	Fl R 2.5s			4	Red.	AIS: MMSI: 99367244 43/16
28736	Hatteras Inlet Channel Buoy 15	35-12-15.625N 075-43-40.561W				*	Green can.	AIS: MMIS: 993672345 43/16
28753	Hatteras Inlet Channel Buoy 17	35-12-11.660N 075-43-36.176W					Green can.	AIS: MMSI: 993672346 43/16
28900	Ocracoke Inlet Buoy 1	35-02-55.889N 075-59-47.210W					Green can.	* 43/16
28957	Teaches Hole Channel Buoy 21	* 35-04-44.000N 076-01-10.807W					Green can.	43/16
29253	Barden Inlet Buoy 30	* 34-39-54.734N 076-31-28.048W					Red nun.	43/16
29605	Swansboro Coast Guard Channel Buoy 2	* 34-39-53.558N 077-05-56.402W					Red nun.	43/16
39625	NEW RIVER - CAPE FEAR RIVER LIGHT 128	* 34-11-48.782N 077-49-24.201W	Fl R 4s		15	4	TR-TY on pile.	43/16
40355	CAPE FEAR RIVER - LITTLE RIVER LIGHT 84	33-54-15.465N 078-23-42.572W	Fl R 4s		15	3	* TR-TY on pile.	43/16
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
14585	Milford Haven East Daybeacon 3	37-27-22.364N 076-12-44.108W				SG on pile.	42/16
	*		*		*		
14590	Milford Haven East Daybeacon 5	37-27-37.508N 076-14-01.106W				SG on pile.	42/16
	*		*		*		
14593	Milford Haven East Warning Daybeacon A	37-27-50.092N 076-15-12.124W				NW on pile worded DANGER.	42/16
	*		*		*		*
14593.5	Milford Haven East Buoy 7	37-27-46.690N 076-15-13.799W				Green can.	42/16
*	*	*	*	*	*	*	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14594	Milford Haven East Buoy 8	37-27-55.121N 076-15-30.540W				Red nun.	42/16	
	*	*						
14595	Milford Haven East Warning Daybeacon B	37-27-55.904N 076-15-13.814W				NW on pile worded DANGER.	42/16	
	*	*						
14600	Milford Haven East Warning Daybeacon C	37-28-05.636N 076-15-41.102W				NW on pile worded DANGER.	42/16	
	*	*						
14603	Milford Haven East Buoy 9	37-28-02.458N 076-15-45.682W	*		*	Green can.	42/16	
	*	*	*		*		*	
14605	Milford Haven East Daybeacon 11	37-28-04.256N 076-15-53.672W	*		*	SG on pile.	42/16	
	*	*	*		*		*	
14607	Milford Haven East Buoy 13	37-28-05.054N 076-15-58.135W	*		*	Green can.	42/16	
	*	*	*		*		*	
14610	Milford Haven East Warning Daybeacon D	37-28-03.686N 076-15-59.528W	*		*	NW on pile worded DANGER.	42/16	
	*	*	*		*		*	
14615	Milford Haven East Daybeacon 14	37-28-05.138N 076-16-00.122W	*		*	TR on pile.	42/16	
	*	*	*		*		*	
14620	MILFORD HAVEN EAST LIGHT 16	37-27-58.280N 076-16-08.282W	Q R		15	4	TR on pile.	42/16
	*	*	*		*		*	
14625	Milford Haven East Buoy 18	37-27-58.628N 076-16-13.565W				Red nun.	42/16	
	*	*	*		*		*	
14700	JACKSON CREEK CHANNEL LIGHT 1JC	37-32-41.553N 076-19-19.232W	FI G 4s		15	4	SG on pile.	42/16
	*	*	*		*		*	
28447	Wanchese Channel Buoy 2A	35-50-32.297N 075-36-34.954W				Red nun.	42/16	
	*	*	*		*		*	
29420	<i>Morehead City Channel Lighted Buoy 18</i>	34-41-53.221N 076-40-15.086W	FIR 4s			5	Red.	42/16
	*	*	*		*		*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
14585	Milford Haven East Daybeacon 3	37-27-22.364N 076-12-44.108W				SG on pile.	42/16
	*		*		*	*	
14590	Milford Haven East Daybeacon 5	37-27-37.508N 076-14-01.106W				SG on pile.	42/16
	*		*		*	*	
14593	Milford Haven East Warning Daybeacon A	37-27-50.092N 076-15-12.124W				NW on pile worded DANGER.	42/16
	*		*		*	*	*
14593.5	Milford Haven East Buoy 7	37-27-46.690N 076-15-13.799W				Green can.	42/16
*	*	*	*	*	*	*	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14594	Milford Haven East Buoy 8	37-27-55.121N 076-15-30.540W				Red nun.	42/16	
	*	*						
14595	Milford Haven East Warning Daybeacon B	37-27-55.904N 076-15-13.814W				NW on pile worded DANGER.	42/16	
	*	*						
14600	Milford Haven East Warning Daybeacon C	37-28-05.636N 076-15-41.102W				NW on pile worded DANGER.	42/16	
	*	*						
14603	Milford Haven East Buoy 9	37-28-02.458N 076-15-45.682W	*		*	Green can.	42/16	
	*	*	*		*			
14605	Milford Haven East Daybeacon 11	37-28-04.256N 076-15-53.672W	*		*	SG on pile.	42/16	
	*	*	*		*			
14607	Milford Haven East Buoy 13	37-28-05.054N 076-15-58.135W	*		*	Green can.	42/16	
	*	*	*		*			
14610	Milford Haven East Warning Daybeacon D	37-28-03.686N 076-15-59.528W	*		*	NW on pile worded DANGER.	42/16	
	*	*	*		*			
14615	Milford Haven East Daybeacon 14	37-28-05.138N 076-16-00.122W	*		*	TR on pile.	42/16	
	*	*	*		*			
14620	MILFORD HAVEN EAST LIGHT 16	37-27-58.280N 076-16-08.282W	Q R		15	4	TR on pile.	42/16
	*	*						
14625	Milford Haven East Buoy 18	37-27-58.628N 076-16-13.565W				Red nun.	42/16	
	*	*	*		*	*	*	
14700	JACKSON CREEK CHANNEL LIGHT 1JC	37-32-41.553N 076-19-19.232W	FI G 4s		15	4	SG on pile.	42/16
	*	*						
28447	Wanchese Channel Buoy 2A	35-50-32.297N 075-36-34.954W				Red nun.	42/16	
	*	*						
29420	Morehead City Channel Lighted Buoy 18	34-41-53.221N 076-40-15.086W	FI R 4s			5	Red.	42/16
	*	*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
100	<i>Five Fathom Bank Northeast Lighted Bell Buoy 2FB</i>	38-58-12.411N 074-31-34.554W	FIR 4s			6	Red.	41/16
120	<i>Five Fathom Bank Lighted Buoy F</i>	38-46-49.000N 074-34-32.000W	FIY 2.5s			6	* Yellow.	RACON: M (- -) 41/16
165	<i>Delaware Lighted Buoy D</i>	38-27-18.411N 074-41-46.593W	FIY 6s			6	* Yellow.	RACON: K (- . -) 41/16
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2115	<i>Rehoboth Bay Channel Lighted Buoy 9</i>	38-38-41.028N 075-06-25.223W	FIG 4s			4	Green.	41/16
18375	WHITESTONE POINT LIGHT	38-41-04.938N 077-07-23.345W	Iso W 6s		17	7	NW on white tower.	Obscured from 035° to 170°. 41/16
23410	<i>Goose Creek Channel Lighted Wreck Buoy WR6</i>	38-05-34.194N 075-51-35.545W	Q R		*	3	Red.	41/16
	Marks submerged pile.							
28146	Oregon Inlet Channel Daybeacon 43	*				*		Remove from list. 41/16
28170	Oregon Inlet Channel Daybeacon 46	35-46-37.860N 075-34-41.700W					TR on pile.	41/16
28173	* Oregon Inlet Channel Daybeacon 47	35-46-44.160N 075-34-39.660W					SG on pile.	41/16
* 32195	* BUXTON HARBOR APPROACH LIGHT 1B	* 35-18-31.077N 075-37-24.936W	* FI G 2.5s		* 15	* 4	* SG on pile.	* 41/16
33355	PAMLICO RIVER CHANNEL LIGHT 16	35-30-28.482N 077-01-13.341W	FI R 4s		15	4	TR on multi-pile structure.	41/16
	25 feet outside channel limit.							
34420	CEDAR ISLAND BAY CHANNEL LIGHT 8	34-59-31.704N 076-18-16.308W	FI R 2.5s		18	4	TR on pile.	41/16
38305	ADAMS CREEK LIGHT 4	34-57-24.895N 076-40-54.238W	Q R		15	3	TR-TY on pile.	41/16
38325	Adams Creek Daybeacon 6	* 34-56-50.529N 076-40-03.110W					TR-TY on pile.	41/16
38467	Russell Slough Daybeacon 6A	* 34-44-19.528N 076-40-24.044W					TR on pile.	41/16
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
360	CHESAPEAKE LIGHTS (2)	36-54-16.696N 075-42-45.818W	Fl W 4s		84	5	Blue tower on white square superstructure on four black piles, CHESAPEAKE on sides.	Private aid.	40/16
	*		*		*	*		*	
1093	Oyster Creek Channel Buoy 39	39-47-29.608N 074-09-22.183W					Green can.		40/16
		*							
1110	<i>Little Egg Inlet Lighted Buoy 3</i>	39-28-26.166N 074-17-14.124W	Q G			4	Green.		40/16
		*							

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
3803	MUD ISLAND UPPER RANGE REAR PASSING LIGHT	40-03-52.472N 074-56-49.605W	FI W 4s		15	5	On same structure as Mud Island Upper Range Rear Light.	40/16	
5925	Virginia Inside Passage Daybeacon 101	37-39-26.598N 075-37-12.810W				*	SG on pile.	40/16	
6570	* Virginia Inside Passage Buoy 263		*		*	*	Remove from list.	40/16	
8210	<i>Brewerton Channel Lighted Buoy 15</i>	39-11-55.770N 076-30-24.070W	FIG 2.5s			5	Green.	* Replaced by can when endangered by ice.	40/16
9300	<i>Thimble Shoal Channel Lighted Buoy 18</i>	37-00-39.985N 076-14-56.399W	Q R			6	Red.		40/16
11525	Warwick River Daybeacon 2					*	Remove from list.	40/16	
11995	Jamestown Island Daybeacon 2						* Remove from list.	40/16	
14153	PEPPER CREEK LIGHT 2P	37-19-19.190N 076-19-16.169W	FIR 4s		15	4	TR on multi-pile structure.	*	40/16
14395	NORTH RIVER LIGHT 6	37-25-13.117N 076-26-41.184W	FIR 4s		15	4	TR on pile.	*	40/16
16545	LAKE CONOY LIGHT 2	38-02-59.623N 076-19-45.789W	FIR 2.5s		*	4	TR on pile.	*	40/16
17330	Wicomico River Daybeacon 13W	38-19-49.934N 076-51-19.604W				*	SG on pile.		40/16
17770	PORT TOBACCO RIVER LIGHT 1	* 38-26-37.782N 077-01-54.716W	FIG 2.5s		15	4	SG on pile.		40/16
21030	Dundalk Terminal East Channel Buoy 9	39-14-21.886N 076-32-09.604W			*	*	Green can.		40/16
		*							

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
21052	<i>Seagirt Marine Terminal East Channel Lighted Buoy 4</i>	39-14-31.097N 076-32-24.889W	FIR 2.5s			4	Red.	40/16	
	*	*	*			*	*		
21075	Dundalk Terminal West Channel Buoy 2DW	39-14-30.812N 076-32-18.031W					Red nun.	40/16	
		*							
23495	LOWER THOROFARE CHANNEL LIGHT 2LT	38-07-21.821N 075-57-18.951W	FIR 4s		15	4	TR on pile.	40/16	
		*							
23560	UPPER THOROFARE CHANNEL LIGHT 1UT	38-10-12.214N 075-57-20.838W	FIG 2.5s		15	4	SG on pile.	40/16	
		*							
	* Delete Heading: Swantown Creek							40/16	
27475	Swantown Creek Buoy 1						Remove from list.	40/16	
							*		
27480	Swantown Creek Buoy 2						Remove from list.	40/16	
							*		
27485	Swantown Creek Buoy 3						Remove from list.	40/16	
							*		
27490	Swantown Creek Buoy 4						Remove from list.	40/16	
							*		
28715	<i>South Ferry Terminal Lighted Buoy 7SF</i>	35-11-29.868N 075-46-48.966W	FIG 4s			4	Green.	40/16	
	*	*	*		*	*	*		
28715	SOUTH FERRY TERMINAL LIGHT 7						Remove from list.	40/16	
							*		
29273.1	Shell Point Channel Daybeacon 3	34-41-02.040N 076-31-34.440W					SG on pile.	Private Aid.	40/16
	*	*	*		*	*	*	*	
29273.2	Shell Point Channel Daybeacon 4	34-41-00.110N 076-31-33.310W					TR on pile.	Private Aid.	40/16
	*	*	*		*	*	*	*	
29273.3	Shell Point Channel Daybeacon 6	34-41-04.026N 076-31-30.770W					TR on pile.	Private Aid.	40/16
	*	*	*		*	*	*	*	
29273.4	Shell Point Channel Daybeacon 7	34-41-05.100N 076-31-32.640W					SG on pile.	Private Aid.	40/16
	*	*	*		*	*	*	*	
30415	OAK ISLAND CHANNEL LIGHT 1	33-54-01.280N 078-01-15.041W	FIG 4s		15	4	SG on pile.	40/16	
		*							

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
30740	UPPER LILIPUT RANGE REAR LIGHT 1,400 yards, 173° from front light.	34-03-31.373N 077-55-47.377W	Iso W 6s		40	On multi-pile structure.	Lighted throughout 24 hours; visible 1.5° either side of rangeline.	40/16
32100	PINGLETON SHOAL LIGHT 1PS	35-32-45.893N 075-51-11.947W	Fl G 4s		15	4 SG on pile.	*	40/16
33490	CEDAR ISLAND NORTH LIGHT	*					Remove from list.	40/16
39758	New River - Cape Fear River Buoy 162A	34-03-07.178N 077-55-03.329W				Red nun with yellow triangle.	*	40/16
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
975	Barnegat Inlet Buoy 16	39-45-41.290N 074-06-44.043W				Red nun.	39/16	
		*						
1015	Barnegat Inlet Buoy 25	39-46-27.915N 074-06-57.986W				Green can.	39/16	
		*						
1025	Barnegat Inlet Buoy 27	39-46-41.029N 074-07-05.641W				Green can.	39/16	
		*						
2490	DELAWARE RIVER LIGHT 2	39-27-24.780N 075-33-26.515W	FIR 2.5s	21	6	TR on pile.	39/16	
		*						
12940	BACK RIVER CHANNEL LIGHT 8	37-06-42.022N 076-17-24.270W	FIR 4s	15	4	TR on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.	39/16
		*						
13250	Quarter March Creek Entrance Warning Daybeacon A						Remove from list.	39/16
							*	
13255	Quarter March Creek Entrance Warning Daybeacon B						Remove from list.	39/16
							*	
13890	Aberdeen Creek Warning Daybeacon						Remove from list.	39/16
							*	
13895	Aberdeen Creek Warning Daybeacon						Remove from list.	39/16
							*	
13900	Aberdeen Creek Warning Daybeacon A						Remove from list.	39/16
							*	
13905	Aberdeen Creek Warning Daybeacon						Remove from list.	39/16
							*	
13910	Aberdeen Creek Warning Daybeacon B						Remove from list.	39/16
							*	
14490	HORN HARBOR LIGHT 10	37-21-27.949N 076-16-10.339W	FIR 2.5s	15	4	TR on multi-pile structure.	39/16	
							*	
14525	WINTER HARBOR CHANNEL LIGHT 1WH	37-21-54.445N 076-14-44.415W	FIG 2.5s	15	4	SG on pile.	39/16	
							*	
21363	Baltimore Inner Harbor Buoy 2	39-16-40.657N 076-35-44.797W				Red nun.	Private Aid.	39/16
		*	*	*	*	*	*	
21363.1	Baltimore Inner Harbor Buoy 4	39-16-40.701N 076-35-57.620W				Red nun.	Private Aid.	39/16
		*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
21363.2	Baltimore Inner Harbor Buoy 5	39-16-36.899N 076-35-59.917W				Green can.	Private Aid.	39/16
*	*	*	*	*	*	*	*	
21363.3	Baltimore Inner Harbor Buoy 6	39-16-50.129N 076-36-09.383W				Red nun.	Private Aid.	39/16
*	*	*	*	*	*	*	*	
22475	Starling Creek Daybeacon 6						Remove from list.	39/16
							*	
22475	Starling Creek Buoy 6	37-55-10.314N 075-43-48.966W				Red nun.	Removed when endangered by ice.	39/16
*	*	*	*	*	*	*	*	
23410	Goose Creek Channel Daybeacon 6						Remove from list.	39/16
							*	
23410	<i>Goose Creek Channel Lighted Wreck Buoy WR6</i>	38-05-34.336N 075-51-35.210W	Q R			4 Red.		39/16
	Marks submerged pile.							
*	*	*	*	*	*	*	*	
23495	LOWER THOROFARE CHANNEL LIGHT 2LT	38-07-21.878N 075-57-18.664W	FI R 4s		15	4	TR on pile.	39/16
	*							
25125	CHOPTANK RIVER CHANNEL LIGHT 31	38-34-41.528N 076-01-31.897W	FI G 4s		15	3	SG on pile.	39/16
25480	TRED AVON RIVER LIGHT 16	38-44-18.706N 076-07-12.900W	FI R 4s		15	4	TR on pile.	39/16
						*		
28925	Ocracoke Inlet Buoy 7	35-04-00.281N 076-00-42.483W					Green can.	39/16
		*						
29060	Big Foot Slough Channel Daybeacon 9B	35-08-47.160N 076-00-27.300W					SG on pile.	39/16
		*						
29070	Big Foot Slough Channel Daybeacon 10A	35-08-48.120N 076-00-23.940W					TR on pile.	39/16
		*						
30265	Carolina Beach Inlet Buoy 1	34-04-45.457N 077-51-40.884W					Green can.	39/16
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
30275	Carolina Beach Inlet Buoy 3	34-04-53.254N 077-52-00.918W				Green can.	39/16
31981	Pea Island Oyster Sanctuary Daybeacon A	* 35-40-05.220N 075-36-49.260W				NW on multi-pile structure worded ROCK.	Private Aid. 39/16
31981.1	* Pea Island Oyster Sanctuary Daybeacon B	* 35-39-53.580N 075-36-49.260W	*		*	NW on multi-pile structure worded ROCK.	Private Aid. 39/16
31981.2	* Pea Island Oyster Sanctuary Daybeacon C	* 35-39-53.580N 075-37-03.480W	*		*	NW on multi-pile structure worded ROCK.	Private Aid. 39/16
31981.3	* Pea Island Oyster Sanctuary Daybeacon D	* 35-40-05.220N 075-37-03.480W	*		*	NW on multi-pile structure worded ROCK.	Private Aid. 39/16
33516	* Raccoon Island Oyster Sanctuary Daybeacon A	* 35-05-28.560N 076-23-24.240W	*		*	NW on multi-pile structure worded ROCK.	Private Aid. 39/16
33516.1	* Raccoon Island Oyster Sanctuary Daybeacon B	* 35-05-22.080N 076-23-24.240W	*		*	NW on multi-pile structure worded ROCK.	Private Aid. 39/16
33516.2	* Raccoon Island Oyster Sanctuary Daybeacon C	* 35-05-22.080N 076-23-32.220W	*		*	NW on multi-pile structure worded ROCK.	Private Aid. 39/16
33516.3	* Raccoon Island Oyster Sanctuary Daybeacon D	* 35-05-28.560N 076-23-32.220W	*		*	NW on multi-pile structure worded ROCK.	Private Aid. 39/16
33624	* Cedar Bay Oyster Sanctuary Daybeacon A	* 35-02-41.460N 076-30-47.580W	*		*	NW on multi-pile worded ROCK.	Private Aid. 39/16
33624.1	* Cedar Bay Oyster Sanctuary Daybeacon B	* 35-02-32.220N 076-30-47.880W	*		*	NW on multi-pile worded ROCK.	Private Aid. 39/16
33624.2	* Cedar Bay Oyster Sanctuary Daybeacon C	* 35-02-32.460N 076-30-59.100W	*		*	NW on multi-pile worded ROCK.	Private Aid. 39/16
33624.3	* Cedar Bay Oyster Sanctuary Daybeacon D	* 35-02-41.7000 076-30-58.800W	*		*	NW on multi-pile worded ROCK.	Private Aid. 39/16
33801	* Dawson Creek Entrance Buoy 4	* *	*		*		Remove from list. 39/16 *

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
39217	Bogue Sound - New River Buoy 60	34-35-56.779N 077-14-26.867W				Red nun with yellow triangle.		39/16
		*						
39225	Bogue Sound - New River Daybeacon 63						Remove from list.	39/16
							*	
39225	Bogue Sound - New River Buoy 63	34-35-46.516N 077-14-35.956W				Green can with yellow square.		39/16
* 640	* <i>Diamond Shoals Lighted Buoy 12</i>	* 35-09-05.000N 075-17-33.000W	* Q R		*	5 * Red.	* Marks remaining structure of Diamond Shoal Light.	38/16
650 28630	<i>Hatteras Inlet Entrance Lighted Whistle Buoy HI</i>	35-09-28.680N 075-46-40.418W	Mo (A) W			* 6 Red and white stripes with red spherical topmark.	Position frequently shifted with changing conditions.	38/16
995	Barnegat Inlet Buoy 20	* 39-45-59.298N 074-07-01.988W				Red nun.		38/16
18795	ST. JEROME CREEK LIGHT 1SJ	* 38-06-54.494N 076-20-08.598W	FIG 2.5s	15	3	SG on pile.		38/16
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
23075	Big Thorofare Channel Daybeacon 20	37-58-46.001N 076-00-25.668W				TR on pile.		38/16
		*						
28630 650	<i>Hatteras Inlet Entrance Lighted Whistle Buoy HI</i>	35-09-28.680N 075-46-40.418W	Mo (A) W			6 Red and white stripes with red spherical topmark.	Position frequently shifted with changing conditions.	38/16
		*						
28645	<i>Hatteras Inlet Lighted Buoy 2</i>	35-10-02.559N 075-46-29.573W	Fl R 2.5s			3 Red.		38/16
		*						
29372	<i>Beaufort Inlet Channel Lighted Buoy 13</i>	34-40-28.549N 076-40-12.122W	Fl G 2.5s			4 Green.		38/16
		*						
29380	<i>Beaufort Inlet Channel Lighted Buoy 15</i>	34-40-49.042N 076-40-11.038W	Fl G 4s			5 Green.		38/16
		*						
29440	<i>Morehead City Channel Lighted Buoy 21</i>	34-41-57.835N 076-40-29.945W	Fl G 4s			5 Green.		38/16
		*						
39600	NEW RIVER - CAPE FEAR RIVER LIGHT 122	34-15-12.288N 077-46-46.486W	Fl R 4s		18	4 TR-TY on pile.		38/16
		*					*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2520	<i>Delaware River Lighted Buoy 4</i>	39-28-10.403N 075-33-35.731W	FIR 4s			5 Red.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1.	37/16
	*							
2720	<i>Delaware River Lighted Buoy 11</i>	39-33-06.467N 075-32-36.904W	Q G			5 Green.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. AIS: MMSI 993672077.	37/16
	*							
2835	<i>Delaware River Lighted Gong Buoy 17</i>	39-36-28.005N 075-34-33.231W	FIG 2.5s			4 Green.	Replaced by can when endangered by ice.	37/16
	*							
13370	BACK CREEK - MOBJACK BAY LIGHT 1BC	37-12-36.515N 076-24-46.808W	FIG 4s		15	4 SG on pile.		37/16
	*							
13595	WEST BRANCH CHANNEL ENTRANCE LIGHT 1WB	37-13-11.914N 076-27-58.227W	FIG 4s		15	4 SG on pile.		37/16
	*							
14150	DAVIS CREEK CHANNEL LIGHT 10	37-19-51.730N 076-17-58.355W	FIR 4s		15	4 TR on pile.		37/16
	*							
15120	CARTER CREEK LIGHT 1CC	37-38-56.324N 076-26-35.570W	FIG 4s		15	4 SG on multi-pile structure.		37/16
	*							
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
17160	ST. CLEMENTS BAY LIGHT 2	38-14-28.511N 076-43-26.475W	FI R 2.5s	15	4	TR on pile.		37/16
19278	CHALK POINT POWER LIGHT 30	38-32-46.624N 076-40-21.627W	FI R 2.5s	12		* On pile structure at base of tower.	Private Aid.	37/16
22735	TANGIER ISLAND WEST CHANNEL LIGHT 4	* 37-49-55.275N 075-59-53.206W	FI R 4s	15	4	TR on pile.		37/16
23780	WICOMICO RIVER CHANNEL LIGHT 16	38-14-31.856N 075-51-00.152W	FI R 4s	19	4	* TR on pile.		37/16
28835	ROLLINSON CHANNEL LIGHT 34A	* 35-14-56.249N 075-42-59.808W	FI R 2.5s	15	4	TR on pile.		37/16
30270	Carolina Beach Inlet Buoy 2	34-04-49.117N 077-51-42.762W				* Red nun.		37/16
35155	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 42	* 39-45-46.351N 074-10-14.467W	Q R	17	4	TR-TY on multi-pile structure.	Maintained year round.	37/16

*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5435	Chincoteague Bay Channel Buoy 9	37-57-37.134N 075-21-44.406W				Green can.		36/16
*	*	*	*	*	*	*	*	
5435	CHINCOTEAGUE BAY CHANNEL LIGHT 9						Remove from list.	36/16
							*	
22730	TANGIER ISLAND WEST CHANNEL LIGHT 3	37-49-57.043N 075-59-54.222W	FI G 4s		15	4	SG on pile.	36/16
		*						
23025	BIG THOROFARE CHANNEL LIGHT 3	37-58-05.795N 075-59-16.330W	FI G 4s		15	3	SG on pile.	36/16
		*						
23080	Big Thorofare Channel Daybeacon 21	37-59-06.240N 076-00-37.493W					SG on pile.	36/16
		*						
23790	WICOMICO RIVER CHANNEL LIGHT 18	38-15-15.800N 075-50-31.853W	FI R 4s		15	4	TR on pile.	36/16
		*						
23820	WICOMICO RIVER CHANNEL LIGHT 23	38-15-30.344N 075-49-23.041W	FI G 4s		15	4	SG on pile.	36/16
		*						
23835	WICOMICO RIVER CHANNEL LIGHT 26	38-15-13.691N 075-48-11.859W	FI R 4s		19	4	TR on pile.	36/16
		*						
23980	NANTICOKE RIVER CHANNEL LIGHT 6	38-15-50.330N 075-55-24.497W	Q R		23	4	TR on pile.	36/16
		*				*		
23983	Nanticoke River Channel Buoy 6A						Remove from list.	36/16
							*	
23983	Nanticoke River Channel Warning Daybeacon	38-15-50.370N 075-55-24.475W					NW on pile worded DANGER SHOAL.	36/16
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
26437	Kent Island Narrows North Approach Buoy 6A	38-58-47.080N 076-14-29.560W				Red nun.	Maintained from Mar. 15 to Dec. 1.	36/16
		*						
27405	FAIRLEE CREEK LIGHT 2F						Remove from list.	36/16
							*	
32710	SWANQUARTER BAY LIGHT 8	35-23-54.711N 076-20-29.819W	FI R 2.5s		15	4	TR on pile.	36/16
							*	
32730	JUDITH ISLAND CUT EAST LIGHT 2	35-22-54.420N 076-21-24.820W	FI R 4s		15	4	TR on pile.	36/16
							*	
33360	PAMLICO RIVER CHANNEL LIGHT 17 25 feet outside channel limit.	35-31-29.105N 077-02-17.442W	Q G		15	4	SG on pile.	36/16
							*	
37865	ALLIGATOR RIVER LIGHT 14	35-52-59.870N 076-01-00.878W	FI R 2.5s		15	5	TR-TY on pile.	36/16
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
7960	<i>Chesapeake Channel Lighted Buoy 93</i>	39-00-03.080N 076-22-52.720W	Fl G 4s			5	Green.	Replaced by LIB of reduced intensity when endangered by ice.	35/16
		*							
16405	Slough Creek Buoy 7	37-53-04.008N 076-15-11.514W					Green can.		35/16
	*		*						
16670	ST. MARYS RIVER LIGHT 1	38-08-23.295N 076-27-17.346W	Fl G 2.5s		15	4	SG on pile.		35/16
							*		
19115	PATUXENT RIVER LIGHT 12	38-21-14.492N 076-29-13.592W	Fl R 4s		15	4	TR on pile.		35/16
							*		
28146	Oregon Inlet Channel Daybeacon 43	35-46-44.160N 075-34-39.660W					SG on pile.		35/16
		*							
28170	Oregon Inlet Channel Daybeacon 48	35-46-37.860N 075-34-41.700W					TR on pile.		35/16
		*							
28732.1	<i>Hatteras Inlet Channel Lighted Buoy 12A</i>	35-12-12.510N 075-43-56.952W	Fl R 2.5s			3	Red.		35/16
		*							
28735.6	<i>Hatteras Inlet Channel Lighted Buoy 14</i>	35-12-13.832N 075-43-42.155W	Fl R 2.5s			4	Red.		35/16
		*							
28775	Hatteras Inlet Channel Daybeacon 23	35-12-49.000N 075-42-44.000W					SG on pile.		35/16
		*							
28787	Hatteras Inlet Channel Daybeacon 24A	35-12-57.240N 075-42-27.840W					TR on pile.		35/16
*	*	*	*	*	*	*	*	*	
28790	HATTERAS INLET CHANNEL LIGHT 25	35-13-07.920N 075-42-11.820W	Fl G 4s		19	4	SG on pile.		35/16
		*							
28795	Hatteras Inlet Channel Daybeacon 26	35-13-14.160N 075-41-57.060W					TR on pile.		35/16
		*							

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28800	Hatteras Inlet Channel Daybeacon 27	35-13-20.340N 075-41-48.900W				SG on pile.	35/16
28817	Rollinson Channel Daybeacon 31	* 35-13-23.700N 075-41-47.640W				SG on pile.	35/16
* 28825	* ROLLINSON CHANNEL LIGHT 33	* 35-14-16.980N 075-42-28.020W	* FI G 2.5s	* 15	* 4	* SG on pile.	* 35/16
28827	Rollinson Channel Daybeacon 33A	* 35-14-33.120N 075-42-42.780W				SG on pile.	35/16
* 28830	* ROLLINSON CHANNEL LIGHT 34	* 35-14-39.000N 075-42-44.640W	* FI R 4s	* 15	* 3	* TR on pile.	* 35/16
28835	ROLLINSON CHANNEL LIGHT 34A	* 35-14-56.249N 075-42-59.808W	* FI R 2.5s	15	4	SG on pile.	35/16
29057	* Big Foot Slough Channel Buoy 9AA	* 35-08-29.409N 076-00-20.337W	* Green can.				35/16
30048	Banks Slough Channel Buoy 2BS	* 34-20-37.615N 077-39-54.592W				Red nun.	35/16
30048.02	Banks Slough Channel Buoy 3	* 34-20-39.509N 077-39-58.563W				Green can.	35/16
33410	BAY RIVER LIGHT 4	* 35-10-24.258N 076-36-21.463W	* FI R 4s	15	4	TR on multi-pile structure.	35/16
					*		

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5235	Chincoteague Bay Daybeacon 19						Remove from list.	34/16
							*	
5235	<i>Chincoteague Bay Lighted Wreck Buoy WR19</i>	38-01-36.107N 075-19-14.379W	Q G			4 Green.		34/16
	Marks submerged piles.							
*	*	*	*	*	*	*	*	*
5420	Chincoteague Bay Channel Daybeacon 4						Remove from list.	34/16
							*	
5420	<i>Chincoteague Bay Channel Lighted Wreck Buoy WR4</i>	37-56-49.561N 075-21-53.995W	Q R			4 Red.		34/16
	Marks submerged piles.							
*	*	*	*	*	*	*	*	*
5425	Chincoteague Bay Channel Daybeacon 6						Remove from list.	34/16
							*	
5425	Chincoteague Bay Channel Buoy 6	37-57-02.404N 075-21-48.175W				Red nun.		34/16
*	*	*	*	*	*	*	*	*
5430	CHINCOTEAGUE BAY CHANNEL LIGHT 8						Remove from list.	34/16
							*	
5430	<i>Chincoteague Bay Channel Lighted Wreck Buoy WR8</i>	37-57-15.438N 075-21-42.274W	Q R			4 Red.		34/16
	Marks submerged piles.							
*	*	*	*	*	*	*	*	*
5445	CHINCOTEAGUE BAY CHANNEL LIGHT 12						Remove from list.	34/16
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5445	<i>Chincoteague Bay Lighted Wreck Buoy WR12</i>	37-58-27.351N 075-23-05.037W	Q R			4	Red.	34/16
	Marks submerged piles.							
*	*	*	*	*	*	*	*	*
5450	Chincoteague Bay Channel Daybeacon 14						Remove from list.	34/16
							*	
5450	Chincoteague Bay Buoy 14	37-59-15.969N 075-22-49.965W					Red nun.	34/16
*	*	*	*	*	*	*	*	*
5455	<i>Greenbackville Lighted Wreck Buoy WR1</i>	38-00-01.348N 075-23-02.121W	Q G			4	Green.	34/16
	Marks submerged piles.							
*	*	*	*	*	*	*	*	*
5455	GREENBACKVILLE LIGHT 1						Remove from list.	34/16
							*	
5485	Chincoteague Bay Daybeacon 19						Remove from list.	34/16
							*	
5487	<i>Chincoteague Bay Lighted Wreck Buoy WR20</i>	38-02-13.451N 075-17-59.759W	Q R			4	Red.	34/16
	Marks submerged piles.							
*	*	*	*	*	*	*	*	*
5487	Chincoteague Bay Daybeacon 20						Remove from list.	34/16
							*	
9955 36805	ELIZABETH RIVER SOUTHERN BRANCH LIGHT 2	36-47-38.515N 076-17-50.026W	FIR 2.5s		15	4	TR-TY on pile.	34/16
	105 feet outside channel limit.							
10790	<i>Newport News Creek Lighted Buoy 1</i>	36-57-27.785N 076-24-34.794W	FIG 4s			4	Green.	34/16
						*		
12345	JAMES RIVER CHANNEL LIGHT 79	37-17-36.581N 077-05-02.419W	FIG 2.5s		15	5	SG on multi-pile structure.	34/16
						*		
12480	JAMES RIVER CHANNEL LIGHT 107	37-18-44.239N 077-13-56.387W	FIG 6s		15	5	SG on multi-pile structure.	34/16
						*		
12745	JAMES RIVER CHANNEL LIGHT 156	37-23-50.973N 077-22-55.759W	Q R		15	4	TR on pile.	34/16
						*		

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
20255	Cypress Creek Daybeacon 1 Marks north edge of shoal.	39-04-26.073N 076-31-16.696W				SG on pile.	34/16
		*					
20260	Cypress Creek Daybeacon 3 Marks north edge of shoal.	39-04-25.598N 076-31-20.697W				SG on pile.	34/16
		*					
21605	<i>Hungar Creek Lighted Wreck Buoy WR2</i> Marks submerged piles.	37-24-20.785N 075-58-31.961W	Q R			4 Red.	34/16
*	*	*	*	*	*	*	*
21605	Hungar Creek Daybeacon 2						Remove from list. *
21615	<i>Hungar Creek Lighted Wreck Buoy WR5</i> Marks submerged piles.	37-24-37.241N 075-58-01.906W	Q G			4 Green.	34/16
*	*	*	*	*	*	*	*
21615	Hungar Creek Daybeacon 5						Remove from list. *
21784	Nandua Creek Channel Daybeacon 8						Remove from list. *
21784	Nandua Creek Channel Buoy 8	37-37-38.527N 075-54-30.321W				Red nun.	34/16
*	*	*	*	*	*	*	*
21792	Nandua Creek Channel Buoy 9	37-37-46.063N 075-54-12.257W				Green can.	34/16
*	*	*	*	*	*	*	*
21792	Nandua Creek Channel Daybeacon 9						Remove from list. *
21820	<i>Nandua Creek Channel Lighted Wreck Buoy WR17</i> Marks submerged piles	37-36-53.232N 075-53-28.265W	Q G			4 Green	34/16
*	*	*	*	*	*	*	*
21820	Nandua Creek Channel Daybeacon 17						Remove from list. *
21825	Nandua Creek Channel Buoy 19	37-36-45.317N 075-53-12.579W				Green can.	34/16
*	*	*	*	*	*	*	*
21825	Nandua Creek Channel Daybeacon 19						Remove from list. *
21830	Nandua Creek Channel Buoy 21	37-37-02.978N 075-52-52.497W				Green can.	34/16
*	*	*	*	*	*	*	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
21830	Nandua Creek Channel Daybeacon 21						Remove from list. 34/16
22630	Upper Pocomoke River Buoy 8	38-09-19.102N 075-25-59.292W				Red nun.	* Removed when endangered by ice. 34/16
* 22630	* Upper Pocomoke River Daybeacon 8	* 38-09-19.102N 075-25-59.292W	* *	* *	* *	* *	* Remove from list. 34/16
24683	Slaughter Creek Buoy 8	38-29-42.300N 076-16-42.728W				Red nun.	* 34/16
26075	Eastern Bay Buoy 8	* 38-50-32.738N 076-13-50.426W				Red nun.	34/16
27845	Northeast River Buoy 5	* 39-31-18.223N 075-59-14.411W				Green can.	34/16
28235	Old House Channel Buoy 3	* 35-45-27.810N 075-35-38.126W				Green can.	34/16
28810	HATTERAS HARBOR LIGHT 4	* 35-13-14.430N 075-41-41.010W	FIR 4s	24	4	TR on multi-pile structure.	34/16
29010	SILVER LAKE ENTRANCE LIGHT 6	35-06-49.977N 075-59-23.149W	Q R	15	4	* TR on pile.	34/16
29253	Barden Inlet Buoy 30	34-39-54.879N 076-31-29.433W				* Red nun.	34/16
29790	Courthouse Bay Buoy 7	* 34-35-09.128N 077-22-26.880W				Green can.	34/16
29825	NEW RIVER CHANNEL LIGHT 28A	* 34-34-52.406N 077-25-07.847W	Q R	15	4	TR on pile.	34/16
31935	CROATAN SOUND LIGHT 8	* 35-53-09.330N 075-43-04.998W	FIR 4s	15	5	TR on pile.	34/16
31950	CROATAN SOUND LIGHT 10	* 35-50-21.330N 075-42-31.377W	FIR 4s	15	4	* TR on pile.	34/16
						*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
33717	<i>Neuse River Channel Lighted Wreck Buoy WR7A</i>						Remove from list.	34/16
							*	
36805 9955	ELIZABETH RIVER SOUTHERN BRANCH LIGHT 2 105 feet outside channel limit.	36-47-38.515N 076-17-50.026W	FI R 2.5s		15	4	TR-TY on pile.	34/16
							*	
37080	ELIZABETH RIVER SOUTHERN BRANCH LIGHT 32	36-44-26.268N 076-17-56.256W	FI R 4s		15	4	TR-TY on pile.	34/16
							*	
38905	BOGUE SOUND LIGHT 17	34-43-28.320N 076-51-45.758W	FI G 2.5s		15	4	SG-SY on pile.	34/16
							*	
4870	<i>Isle of Wight Bay Lighted Wreck Buoy WR13</i> Marks submerged piles.	38-22-02.301N 075-05-24.855W	Q G			4	Green.	33/16
*	*	*	*	*	*	*	*	*
4870	ISLE OF WIGHT BAY LIGHT 13						Remove from list.	33/16
							*	
4871	<i>Isle of Wight Bay Lighted Wreck Buoy WR14</i> Marks submerged piles.	38-22-12.360N 075-05-29.759W	Q R			4	Red.	33/16
*	*	*	*	*	*	*	*	*
4871	ISLE OF WIGHT BAY LIGHT 14						Remove from list.	33/16
							*	
5010	<i>Sinepuxent Bay Channel Lighted Wreck Buoy WR4</i> Marks submerged piles.	38-19-04.287N 075-06-28.538W	Q R			4	Red.	33/16
*	*	*	*	*	*	*	*	*
5010	SINEPUXENT BAY CHANNEL LIGHT 4						Remove from list.	33/16
							*	
5045	<i>Sinepuxent Bay Channel Lighted Wreck Buoy WR11A</i> Marks submerged piles.	38-17-32.739N 075-07-40.646W	Q G			4	Green.	33/16
*	*	*	*	*	*	*	*	*
5045	Sinepuxent Bay Channel Daybeacon 11A						Remove from list.	33/16
							*	
5070	<i>Sinepuxent Bay Channel Lighted Buoy 16</i> Marks submerged piles.	38-15-34.200N 075-08-36.432W	FI R 2.5s			4	Red.	33/16
*	*	*	*	*	*	*	*	*
5070	SINEPUXENT BAY CHANNEL WRECK LIGHT WR16						Remove from list.	33/16
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
5075	<i>Sinepuxent Bay Channel Lighted Wreck Buoy WR17</i>	38-15-06.951N 075-08-46.844W	Q G			4 Green.	33/16
	Marks submerged piles.						
*	*	*	*	*	*	*	*
5075	Sinepuxent Bay Channel Daybeacon 17						Remove from list. *
5135	Sinepuxent Bay Channel Buoy 35	38-11-05.502N 075-12-53.064W				Green can.	33/16
*	*	*	*	*	*	*	*
5135	Sinepuxent Bay Channel Daybeacon 35						Remove from list. *
5145	<i>Sinepuxent Bay Channel Lighted Wreck Buoy WR39</i>	38-10-03.902N 075-14-13.338W	Q G			4 Green.	33/16
	Marks submerged piles.						
*	*	*	*	*	*	*	*
5145	SINEPUXENT BAY CHANNEL LIGHT 39						Remove from list. *
5200 5510	<i>Chincoteague Bay Lighted Buoy 28</i>	38-08-04.864N 075-15-04.697W	Fl R 4s			4 Red.	33/16
*	*	*	*	*	*	*	*
5200	CHINCOTEAGUE BAY LIGHT 28						Remove from list. *
5220 5490	<i>Chincoteague Bay Lighted Buoy 21</i>	38-03-08.260N 075-17-02.240W	Fl G 4s			4 Green.	33/16
*	*	*	*	*	*	*	*
5220	CHINCOTEAGUE BAY LIGHT 21						Remove from list. *
5490	CHINCOTEAGUE BAY LIGHT 21						Remove from list. *
5490 5220	<i>Chincoteague Bay Lighted Buoy 21</i>	38-03-08.260N 075-17-02.240W	Fl G 4s			4 Green.	33/16
*	*	*	*	*	*	*	*
5510	CHINCOTEAGUE BAY LIGHT 28						Remove from list. *
5510 5200	<i>Chincoteague Bay Lighted Buoy 28</i>	38-08-04.864N 075-15-04.697W	Fl R 4s			4 Red.	33/16
*	*	*	*	*	*	*	*
5772	Virginia Inside Passage Buoy 55						Remove from list. *
5773	Virginia Inside Passage Buoy 55A						Remove from list. *
5776	Virginia Inside Passage Buoy 57						Remove from list. *
5777	Virginia Inside Passage Buoy 59						Remove from list. *

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
5955	Virginia Inside Passage Buoy 110						Remove from list. *
6139	Virginia Inside Passage Buoy 158A						Remove from list. *
6260	Virginia Inside Passage Buoy 194						Remove from list. *
6275	Virginia Inside Passage Buoy 198						Remove from list. *
6605	Wachapreague Inlet Buoy 1	37-34-28.571N 075-34-40.851W				Green can.	
6610	Wachapreague Inlet Buoy 2	* 37-34-36.003N 075-34-38.202W				Red nun.	
6736	Quinby Inlet Channel Buoy 2	*					Remove from list. *
6736.1	Quinby Inlet Channel Buoy 2A						Remove from list. *
6740	<i>Quinby Inlet Channel Lighted Buoy 4</i>						Remove from list. *
23003	Rhodes Point Gut Channel Buoy 4	37-58-12.356N 076-02-25.947W				Red nun.	
* 29763	* New River Buoy 17A	* 34-34-01.795N 077-22-00.996W	* FI G 2.5s	* 15	* 4	* SG on pile.	* Green can.
29780	Courthouse Bay Buoy 4	* 34-35-02.326N 077-22-31.369W				Red nun.	
30200	Wrightsville Channel Junction Daybeacon WC	*					Remove from list. *
30200	Wrightsville Channel Junction Buoy WC	34-11-20.214N 077-49-00.114W				Green and red bands; can.	
* 32735	* DEEP COVE LIGHT 1	* 35-19-48.501N 076-23-36.676W	* FI G 2.5s	* 15	* 4	* SG on pile.	* Green can.
33550	WEST BAY LIGHT 11WB	* 34-56-32.988N 076-23-16.568W	FI G 2.5s	15	4	SG on pile.	
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
35980	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 252	39-17-11.364N 074-34-39.508W	F I R 2.5s	15	4	TR-TY on pile.		33/16
39825	NEW RIVER - CAPE FEAR RIVER LIGHT 163						Remove from list.	33/16
39825	<i>New River - Cape Fear River Lighted Buoy 163</i>	34-03-04.744N 077-55-08.715W	F I G 4s		4	Green with yellow square.	*	33/16
*	*	*	*	*	*	*	*	
360	Chesapeake Light	36-54-16.696N 075-42-45.818W	F I (2)W 15s 0.1s fl 2.9s ec. 0.1s fl 11.9s ec.	117	19	Blue tower on white square superstructure on four black piles, CHESAPEAKE on sides. 147	RACON: N (- .) Emergency light of lower intensity will be displayed when main light is inoperative. HORN: 1 blast ev 10s (1s bl). Operates continuously. Structure Maintained by entity outside of U.S. Coast Guard.	32/16
3140	MARCUS HOOK RANGE REAR LIGHT 3,094 yards, 237.5° from front light.	39-45-44.043N 075-30-11.423W	F R		278	Concrete square tower, buttressed corners.	Lighted throughout 24 hours. Visible 0.9° either side of rangeline. Structure Maintained by entity outside of U.S. Coast Guard.	32/16
5305	<i>Chincoteague Channel Lighted Buoy 8</i>	37-52-33.791N 075-25-08.282W	F I R 2.5s		4	Red.	*	32/16
5315	<i>Chincoteague Channel Lighted Buoy 11</i>	* 37-52-55.461N 075-24-51.436W	F I G 4s		4	Green.		32/16
5320	<i>Chincoteague Channel Lighted Buoy 11A</i>	* 37-52-54.495N 075-24-33.094W	* Q G		4	Green.		32/16
7495	* <i>Chesapeake Channel Lighted Buoy 64</i>	* 37-55-30.454N 076-09-04.783W	* F I R 4s		* 5	* Red.	* Replaced by nun when endangered by ice.	32/16
						*		

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
7590	HOOPER ISLAND LIGHT	38-15-22.500N 076-14-59.300W	Fl W 6s		63	9	White conical tower on brown cylinder.	Structure Maintained by entity outside of U.S. Coast Guard.	32/16
							*		
7990	SANDY POINT SHOAL LIGHT	39-00-57.238N 076-23-04.488W	Fl W 6s		51	9	Red brick dwelling, white roof on brown cylindrical foundation.	Structure Maintained by entity outside of U.S. Coast Guard.	32/16
							*		
8090	CRAIGHILL CHANNEL UPPER RANGE FRONT LIGHT	39-11-49.408N 076-26-53.776W	F R		15		Red octagonal tower, white horizontal bands at middle.	Lighted throughout 24 hours. Visible 0.9° either side of rangeline. Structure Maintained by entity outside of U.S. Coast Guard.	32/16
							*		
8117	<i>NOAA Lighted Data Buoy SN</i>	39-09-06.860N 076-23-28.120W	Fl Y 4s				Yellow.	Removed when endangered by ice. Aid maintained by National Oceanic and Atmospheric Administration.	32/16
							*		
19697	<i>NOAA Lighted Data Buoy AN</i>	38-57-49.010N 076-26-48.370W	Fl Y 4s				Yellow.	Removed when endangered by ice. Aid maintained by National Oceanic and Atmospheric Administration.	32/16
							*		
28715	SOUTH FERRY TERMINAL LIGHT 7	35-11-29.910N 075-46-49.044W	Fl G 4s		15	4	SG on pile.		32/16
		*							
30494 39969	FEDERAL POINT RANGE REAR PASSING LIGHTS (2)	33-57-44.703N 077-56-37.196W	Fl W 4s		17	4	On same structure as Federal Point Range Rear Light.	Located on corners of platform.	32/16
		*							
30535 39950	HORSESHOE SHOAL CHANNEL RANGE FRONT LIGHT	33-56-34.584N 077-57-48.841W	Q W		15		On skeleton tower.	Lighted throughout 24 hours. DAY : Visible 4.0° either side of rangeline. NIGHT : Visible all around; higher intensity 4.0° either of rangeline.	32/16
							*		
33360	PAMLICO RIVER CHANNEL LIGHT 17	35-31-29.311N 077-02-17.385W	Q G		15	4	SG on pile.		32/16
	25 feet outside channel limit.								
							*		

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
38505	NEWPORT MARSHES LIGHT 36	34-44-04.428N 076-41-16.824W	Fl R 2.5s	15	4	TR-TY on pile.	32/16	
39290	Bogue Sound - New River Buoy 70	34-33-07.877N 077-20-34.488W				* Red nun with yellow triangle.	32/16	
* 39290	* Bogue Sound - New River Daybeacon 70	* *	* *	* *	* *	* *	* Remove from list.	32/16
39950 30535	HORSESHOE SHOAL CHANNEL RANGE FRONT LIGHT	33-56-34.584N 077-57-48.841W	Q W	15		On skeleton tower.	* Lighted throughout 24 hours. DAY : Visible 4.0° either side of rangeline. NIGHT : Visible all around; higher intensity 4.0° either side of rangeline.	32/16
39969 30494	FEDERAL POINT RANGE REAR PASSING LIGHTS (2)	33-57-44.703N 077-56-37.196W	Fl W 4s	* 17	4	On same structure as Federal Point Range Rear Light.	Located on corners of platform.	32/16
2810	DELAWARE CITY LIGHT 1	* 39-34-45.310N 075-35-06.852W	Fl G 4s	15	4	SG on multi-pile structure.	Light equipment removed when endangered by ice.	31/16
5635	Virginia Inside Passage Daybeacon 16	*					Remove from list.	31/16
5640	Virginia Inside Passage Daybeacon 17						* Remove from list.	31/16
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
5645	Virginia Inside Passage Daybeacon 19						Remove from list. 31/16 *
5650	Virginia Inside Passage Daybeacon 20						Remove from list. 31/16 *
5655	Virginia Inside Passage Daybeacon 21						Remove from list. 31/16 *
5660	Virginia Inside Passage Daybeacon 23						Remove from list. 31/16 *
5665	Virginia Inside Passage Daybeacon 24						Remove from list. 31/16 *
5670	Virginia Inside Passage Daybeacon 26						Remove from list. 31/16 *
5675	Virginia Inside Passage Daybeacon 27						Remove from list. 31/16 *
5680	Virginia Inside Passage Daybeacon 29						Remove from list. 31/16 *
5685	Virginia Inside Passage Daybeacon 30						Remove from list. 31/16 *
5690	Virginia Inside Passage Daybeacon 32						Remove from list. 31/16 *
5695	Virginia Inside Passage Daybeacon 33						Remove from list. 31/16 *
5700	Virginia Inside Passage Daybeacon 34						Remove from list. 31/16 *
5710	Virginia Inside Passage Daybeacon 36						Remove from list. 31/16 *
5715	Virginia Inside Passage Daybeacon 37						Remove from list. 31/16 *
5720	Virginia Inside Passage Daybeacon 38						Remove from list. 31/16 *
5725	Virginia Inside Passage Daybeacon 40						Remove from list. 31/16 *
5730	Virginia Inside Passage Daybeacon 41						Remove from list. 31/16 *
8305	<i>Fort McHenry Channel Lighted Buoy 16</i>	39-14-56.576N 076-33-36.387W	Q R		5	Red.	Replaced by nun when endangered by ice. 31/16
14776	Milford Haven Buoy 3A	37-29-20.588N 076-18-59.617W					* Green can. 31/16

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
22580	Pocomoke River Channel Buoy 18	37-57-49.198N 075-40-14.103W				Red nun.	AIS: MMSI 993672109.	31/16
		*						
22723	<i>Tangier Sound Lighted Wreck Buoy WR4</i>						Remove from list.	31/16
							*	
23285	Big Annemessex River Daybeacon 2	38-02-41.288N 075-51-26.485W				TR on pile.		31/16
		*						
23710	Dames Quarter Creek Channel Buoy 3	38-12-05.041N 075-52-51.655W				Green can.	Private Aid.	31/16
*	*	*	*	*	*	*	*	
23710	Dames Quarter Creek Channel Daybeacon 3						Remove from list.	31/16
							*	
28647	Hatteras Inlet Channel Buoy 2A	35-10-34.236N 075-46-22.050W				Red nun.		31/16
*	*	*	*	*	*	*	*	
28732	Hatteras Inlet Channel Buoy 12	35-12-21.321N 075-43-54.893W				Red nun.		31/16
		*						
30667 30912	UPPER MIDNIGHT CHANNEL SOUTH RANGE FRONT LIGHT	34-00-07.881N 077-56-23.391W	FI R 2.5s		21	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.	31/16
							*	
30912 30667	UPPER MIDNIGHT CHANNEL SOUTH RANGE FRONT LIGHT	34-00-07.881N 077-56-23.391W	FI R 2.5s		21	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.	31/16
							*	
33485	CEDAR ISLAND FERRY SLIP BREAKWATER LIGHT 2	35-01-14.152N 076-18-35.694W	FI R 4s		15 5	TR on pile.		31/16
33550	WEST BAY LIGHT 11WB	34-56-33.083N 076-23-16.350W	FI G 2.5s		15 4	SG on pile.		31/16
							*	
34340	Core Sound Buoy 4	34-59-36.406N 076-12-20.208W				Red nun.		31/16
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
34347	Core Sound Buoy 5	34-59-17.458N 076-12-20.886W				Green can.		31/16
		*						
34360	Core Sound Lighted Buoy 7	34-58-59.816N 076-12-38.457W	Q G			4 Green.		31/16
		*						
2810	DELAWARE CITY LIGHT 1	39-34-45.532N 075-35-06.777W	Fl G 4s	15		4 SG on multi-pile structure.	Light equipment removed when endangered by ice.	30/16
		*						
5520	Wallops Island Lighted Buoy 2	37-53-38.467N 075-24-55.818W	Fl R 2.5s			* 4 Red.		30/16
*	*	*	*	*	*	*	*	
5525	Wallops Island Warning Daybeacon	37-53-46.434N 075-24-55.734W				NW on multi-pile structure.		30/16
		*	*	*	*	*		
5531	Virginia Inside Passage Daybeacon 2A						Remove from list.	30/16
							*	
5531	Wallops Island Lighted Buoy 3	37-53-43.748N 075-25-43.486W	Fl G 2.5s			4 Green.		30/16
*	*	*	*	*	*	*	*	
5535	VIRGINIA INSIDE PASSAGE LIGHT 3						Remove from list.	30/16
							*	
5535	Wallops Island Lighted Buoy 4	37-53-34.731N 075-26-03.510W	Fl R 2.5s			4 Red.		30/16
*	*	*	*	*	*	*	*	
5540	VIRGINIA INSIDE PASSAGE LIGHT 4						Remove from list.	30/16
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5540	<i>Wallops Island Lighted Buoy 5</i>	37-53-30.030N 075-26-43.650W	Fl G 2.5s			4 Green.		30/16
*	*	*	*	*	*	*	*	*
5545	VIRGINIA INSIDE PASSAGE LIGHT 5						Remove from list.	30/16
							*	
5545	<i>Wallops Island Lighted Buoy 6</i>	37-53-27.657N 075-27-03.013W	Fl R 2.5s			4 Red.		30/16
*	*	*	*	*	*	*	*	*
5547	Virginia Inside Passage Daybeacon 6						Remove from list.	30/16
							*	
5547	<i>Wallops Island Lighted Buoy 7</i>	37-53-16.277N 075-27-26.512W	Fl G 4s			4 Green.		30/16
*	*	*	*	*	*	*	*	*
5610	<i>Wallops Island Lighted Buoy 7A</i>	37-53-06.033N 075-27-48.180W	Fl G 2.5s			4 Green.		30/16
5615	Virginia Inside Passage Daybeacon 9						Remove from list.	30/16
							*	
5615	Wallops Island Buoy 9	37-52-40.111N 075-27-49.744W				Green can.		30/16
*	*	*	*	*	*	*	*	*
5620	Virginia Inside Passage Daybeacon 11						Remove from list.	30/16
							*	
5620	Wallops Island Buoy 11	37-52-27.232N 075-27-52.664W				Green can.		30/16
*	*	*	*	*	*	*	*	*
5622	Virginia Inside Passage Daybeacon 12						Remove from list.	30/16
							*	
5622	Wallops Island Buoy 12	37-52-21.842N 075-27-52.757W				Red nun.		30/16
*	*	*	*	*	*	*	*	*
5625	Virginia Inside Passage Daybeacon 13						Remove from list.	30/16
							*	
5625	Wallops Island Buoy 13	37-52-00.323N 075-28-09.089W				Green can.		30/16
*	*	*	*	*	*	*	*	*
5630	Wallops Island Warning Daybeacon A	37-51-57.036N 075-28-15.924W				NW on pile worded DANGER SHOAL.		30/16
							*	
8205	<i>Brewerton Channel Lighted Buoy 14</i>	39-12-00.138N 076-30-08.090W	Q R			5 Red.	Replaced by nun when endangered by ice.	30/16
						*		

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
13457	NOAA Lighted Data Buoy YS	37-12-30.000N 076-16-06.000W	FLY 4s			Yellow.	Aid maintained by National Oceanic and Atmospheric Administration.	30/16
*	*	*	*	*	*	*	*	
17590	Line of Fire Buoy Q	38-19-05.987N 076-57-05.919W				Yellow nun.	On north side of Potomac River between Wicomico River and Swan Point.	30/16
30491 39966	FEDERAL POINT RANGE FRONT LIGHT	* 33-58-11.509N 077-56-49.428W	Fl W 2.5s		22	On multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.	30/16
30492 39967	FEDERAL POINT RANGE REAR LIGHT	* 33-57-44.703N 077-56-37.196W	Iso W 6s		42	On multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	30/16
	966 yards, 338.6° from front light.							
30494 39969	FEDERAL POINT RANGE REAR PASSING LIGHTS (2)	* 33-57-48.703N 077-56-37.196W	Fl W 4s		17	4 On same structure as Federal Point Range Rear Light.	Located on corners of platform.	30/16
30535 39950	HORSESHOE SHOAL CHANNEL RANGE FRONT LIGHT	* 33-56-34.584N 077-57-48.841W	Q W		20	On skeleton tower.	Lighted throughout 24 hours. DAY : Visible 4.0° either side of rangeline. NIGHT : Visible all around; higher intensity 4.0° either of rangeline.	30/16
30540 39955	HORSESHOE SHOAL CHANNEL RANGE REAR LIGHT	* 33-55-54.516N 077-58-09.984W	Iso W 6s		44	On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	30/16
	1475 yards, 203.8° from front light.							
30541	HORSESHOE SHOAL CHANNEL RANGE REAR PASSING LIGHTS (2)	* 33-55-54.516N 077-58-09.984W	Fl W 4s		15	4 On same structure as Horseshoe Channel Range Rear Light.	Located on corners of platform.	30/16
35730	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 179	* 39-24-02.040N 074-26-00.660W	Q G		15	4 SG-SY on pile.		30/16

*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
35735	NEW JERSEY INTRACOASTAL WATERWAY JUNCTION LIGHT AB	39-23-47.665N 074-26-01.273W	Fl (2+1)R 6s	15	4	JR-TY on pile.	30/16	
35745	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 182	39-23-24.234N 074-25-57.416W	Q R	15	4	TR-TY on pile.	30/16	
35840	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 211	39-20-33.563N 074-29-04.598W	Q G	15	4	SG-SY on pile.	30/16	
39085	BOGUE SOUND - NEW RIVER LIGHT 46C	34-41-04.658N 077-07-24.521W	Q R	17	4	TR-TY on pile.	30/16	
39435	New River - Cape Fear River Daybeacon 53	* 34-27-44.062N 077-30-52.883W				SG-SY on pile.	30/16	
39580	New River - Cape Fear River Daybeacon 110	* 34-18-32.453N 077-43-56.323W				TR-TY on pile.	30/16	
39725	New River - Cape Fear River Buoy 154	* 34-04-52.339N 077-52-57.374W				Red nun with yellow triangle.	30/16	
39726	New River - Cape Fear River Buoy 154A	* 34-04-45.533N 077-52-59.610W				Red nun with yellow triangle.	30/16	
39730	New River - Cape Fear River Buoy 155	* 34-04-49.562N 077-52-56.864W				Green can with yellow square.	30/16	
39950 30535	HORSESHOE SHOAL CHANNEL RANGE FRONT LIGHT	* 33-56-34.584N 077-57-48.841W	Q W	20		On skeleton tower.	Lighted throughout 24 hours. DAY : Visible 4.0° either side of rangeline. NIGHT : Visible all around; higher intensity 4.0° either side of rangeline.	30/16
		*			*		*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
39955 30540	HORSESHOE SHOAL CHANNEL RANGE REAR LIGHT 1475 yards, 203.8° from front light.	33-55-54.516N 077-58-09.984W	Iso W 6s		44	On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	30/16	
	*	*	*		*		*		
39966 30491	FEDERAL POINT RANGE FRONT LIGHT	33-58-11.509N 077-56-49.428W	Fl W 2.5s		22	On multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline.	30/16	
	*	*	*		*		*		
39967 30492	FEDERAL POINT RANGE REAR LIGHT 966 yards, 338.6° from front light.	33-57-44.703N 077-56-37.196W	Iso W 6s		42	On multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	30/16	
	*	*	*		*		*		
39969 30494	FEDERAL POINT RANGE REAR PASSING LIGHTS (2)	33-57-48.703N 077-56-37.196W	Fl W 4s		17	4	On same structure as Federal Point Range Rear Light.	Located on corners of platform.	30/16
	*	*	*		*		*		
40225	Cape Fear River - Little River Buoy 47	33-55-17.318N 078-14-10.529W				Green can with yellow square.		30/16	
	*	*	*		*		*		
3235	CHESTER RANGE REAR LIGHT 548 yards, 051.2° from front light.	39-51-24.757N 075-19-36.978W	Iso G 6s		110	On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	29/16	
	*	*	*		*		*		
24673	Slaughter Creek Buoy 6A	38-29-55.928N 076-16-22.851W				Red nun.		29/16	
	*	*	*		*		*		
24675	Slaughter Creek Daybeacon 6B	38-29-52.393N 076-16-27.058W				TR on pile.		29/16	
	*	*	*		*		*		

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
24680	Slaughter Creek Warning Daybeacon A	38-29-42.939N 076-16-43.506W				NW on pile.	29/16	
	*					*		
24683	Slaughter Creek Buoy 8	38-29-42.300N 076-16-42.728W				Red nun.	29/16	
*	*	*	*	*	*	*	*	
24830	<i>Choptank River Entrance Lighted Buoy 10</i>	38-38-53.157N 076-18-18.345W	FI R 2.5s			4 Red.	Replaced by nun when endangered by ice.	29/16
	*							
29840	Stones Bay Warning Daybeacon	34-36-23.556N 077-26-08.043W				NW on pile.	DANGER LIVE FIRING AREA. Aid maintained by U.S. Marine Corps.	29/16
	*						*	
29845	Stones Bay Warning Daybeacon A	34-36-13.376N 077-24-08.668W				NW on pile.	DANGER LIVE FIRING AREA. Aid maintained by U.S. Marine Corps.	29/16
	*						*	
29845.2	Stones Bay Warning Daybeacon B	34-36-49.560N 077-26-03.573W				NW on pile.	DANGER LIVE FIRING AREA. Aid maintained by U.S. Marine Corps.	29/16
	*						*	
29845.3	Stones Bay Warning Daybeacon C	34-36-44.204N 077-26-00.802W				NW on pile.	DANGER LIVE FIRING AREA. Aid maintained by U.S. Marine Corps.	29/16
	*						*	
29845.4	Stones Bay Warning Daybeacon D	34-36-38.149N 077-26-02.183W				NW on pile.	DANGER LIVE FIRING AREA. Aid maintained by U.S. Marine Corps.	29/16
	*						*	
29845.5	Stones Bay Warning Daybeacon E	34-36-31.984N 077-26-04.527W				NW on pile.	DANGER LIVE FIRING AREA. Aid maintained by U.S. Marine Corps.	29/16
	*						*	
29845.6	Stones Bay Warning Daybeacon F	34-36-26.611N 077-26-06.818W				NW on pile.	DANGER LIVE FIRING AREA. Aid maintained by U.S. Marine Corps.	29/16
	*						*	
32825	<i>Oyster Creek Lighted Buoy 4</i>	35-19-27.240N 076-31-53.256W	Q R			3 Red.		29/16

*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28732	Hatteras Inlet Channel Buoy 12	35-12-20.604N 075-43-55.320W				Red nun.	28/16
29840	Stones Bay Warning Daybeacon	* 34-36-23.556N 077-26-08.043W				NW on pile.	DANGER LIVE FIRING AREA. 28/16
29865	Grey Point Warning Daybeacon	* 34-37-40.797N 077-22-04.138W				NW on pile worded DANGER LIVE FIRE SECTOR - CONSULT NOTICE TO MARINERS.	28/16
34425	THOROFARE CHANNEL LIGHT 1	* 34-55-31.314N 076-19-24.906W	FIG 4s		15	4 SG on pile.	28/16

*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2641	Reedy Island Anchorage Buoy A	39-32-15.810N 075-33-08.900W				Yellow can.	27/16	
		*						
18812	St. Jerome Creek Daybeacon 4A	38-07-11.679N 076-20-32.254W				TR on pile.	27/16	
	*	*				*		
21330	<i>Northwest Harbor Channel Lighted Buoy 2NH</i> 75 feet outside channel limit.	39-15-31.678N 076-34-14.260W	Q R			4 Red.	Replaced by nun when endangered by ice.	27/16
		*						
21335	<i>Northwest Harbor Channel Lighted Buoy 3</i> 75 feet outside channel limit.	39-15-37.102N 076-34-32.273W	Q G			4 Green.	Replaced by can when endangered by ice.	27/16
		*						
21340	<i>Northwest Harbor Channel Lighted Buoy 5</i>	39-15-56.731N 076-34-33.408W	FI G 4s			4 Green.	27/16	
		*						
24755	LITTLE CHOPTANK RIVER LIGHT 13	38-33-00.512N 076-13-06.220W	FI G 2.5s		15	3 SG on pile.	27/16	
		*						
26010	<i>Eastern Bay Lighted Buoy 2A</i>	38-50-33.347N 076-18-12.964W	FI R 4s			4 Red.	Replaced by nun when endangered by ice.	27/16
		*				*		
28650	<i>Hatteras Inlet Lighted Buoy 4</i>	35-10-45.397N 075-46-18.866W	FI R 2.5s			4 Red.	27/16	
		*						
28653	<i>Hatteras Inlet Lighted Buoy 5</i>	35-10-42.606N 075-46-24.399W	FI G 2.5s			4 Green.	27/16	
		*						
39597	New River - Cape Fear River Buoy 121	34-14-59.495N 077-46-56.525W				Green can with yellow square.	27/16	
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
1030	Barnegat Inlet Buoy 27A	39-46-56.345N 074-07-02.613W				Green can.	26/16
		*					
1065	Barnegat Inlet Buoy 33	39-47-30.340N 074-08-07.808W				Green can.	26/16
		*					
10468	<i>Little Creek Harbor Entrance Lighted Buoy 1LC</i>	36-58-04.596N 076-10-03.775W	Q G			5 Green.	26/16
17255	WICOMICO RIVER ENTRANCE LIGHT 1W	38-14-29.415N 076-49-28.803W	FIG 4s	18	4	* SG on pile.	26/16
						*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
23280	BIG ANNEMESSEX RIVER LIGHT 1BA	38-03-09.657N 075-52-09.384W	Fl G 2.5s	18	4	SG on pile.	26/16
23285	Big Annemessex River Daybeacon 2	* 38-02-41.341N 075-51-26.310W				TR on pile.	26/16
23290	Big Annemessex River Daybeacon 4	* 38-03-19.821N 075-49-32.088W				TR on pile.	26/16
23295	Big Annemessex River Daybeacon 5	* 38-03-18.547N 075-48-54.277W				SG on pile.	26/16
23365	Daugherty Creek Channel Daybeacon 3	* 38-01-50.902N 075-50-35.957W				SG on pile.	26/16
35115	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 38	* 39-54-47.340N 074-06-57.060W	Q R	17	4	TR-TY on pile.	26/16
36230	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 328	39-12-03.394N 074-40-49.639W	Q R	15	4	* TR-TY on pile.	26/16
36260	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 336	39-11-30.952N 074-41-42.892W	Fl R 4s	15	4	* TR-TY on pile.	26/16
36275	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 340	39-11-06.870N 074-41-58.213W	Fl R 2.5s	15	4	* TR-TY on multi-pile structure.	26/16
37380	GREAT BRIDGE TO ALBEMARLE SOUND LIGHT 38	36-37-45.054N 076-03-14.886W	Fl R 4s	15	4	* TR-TY on pile.	26/16
					*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1030	Barnegat Inlet Buoy 27A	39-47-30.340N 074-08-07.880W				Green can.		25/16
		*						
1035	Barnegat Inlet Buoy 28	39-46-56.604N 074-07-00.670W				Red nun.		25/16
		*						
1065	Barnegat Inlet Buoy 33	39-47-30.340N 074-08-07.808W				Green can.		25/16
		*						
1450	<i>Cape May Inlet Lighed Wreck Buoy WR6</i>						Remove from list.	25/16
							*	
9930	<i>NOAA Lighted Data Buoy N</i>						Remove from list.	25/16
							*	
23945	WICOMICO RIVER CHANNEL LIGHT 51	38-20-27.732N 075-38-29.688W	FIG 2.5s	18	4	SG on pile.		25/16
						*		
26890	Rock Hall Harbor Entrance Buoy 1	39-07-44.937N 076-14-53.902W				Green can.	Maintained from Mar. 15 to Dec. 1.	25/16
*	*	*	*	*	*	*	*	
28707	South Ferry Terminal Lighted Buoy 6SF	35-11-51.615N 075-46-54.154W	Q R		3	Red.		25/16
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
30910.5	Wilmington Marine Center Daybeacon 8	34-10-17.220N 077-57-07.560W				TR on pile.	Private Aid. 25/16
*	*	*	*	*	*	*	*
30911	Wilmington Marine Center Daybeacon 9	34-10-13.800N 077-57-05.640W				SG on pile.	Private Aid. 25/16
*	*	*	*	*	*	*	*
30911.5	Wilmington Marine Center Daybeacon 10	34-10-13.320N 077-57-04.260W				TR on pile.	Private Aid. 25/16
*	*	*	*	*	*	*	*
30915	Wilmington Marine Center Daybeacon 9						Remove from list. 25/16
							*
34855	RUSSELL SLOUGH CHANNEL JUNCTION LIGHT RG	34-44-09.972N 076-40-37.536W	Fl (2+1)R 6s		15 4	JR on pile.	25/16
						*	
35955	New Jersey Intracoastal Waterway Buoy 246	39-18-16.745N 074-33-34.698W				Red nun with yellow triangle.	Maintained year round. 25/16
		*					
35960	New Jersey Intracoastal Waterway Buoy 246A	39-18-14.225N 074-33-40.402W				Red nun with yellow triangle.	Maintained year round. 25/16
		*					
39715	New River - Cape Fear River Daybeacon 152	34-05-34.347N 077-52-46.066W				TR-TY on pile.	25/16
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1450	<i>Cape May Inlet Lighed Wreck Buoy WR6</i>	38-56-22.111N 074-51-55.483W	Q R			4	Red.	24/16
*	*	*	*	*	*	*	*	
2505	BAKER RANGE FRONT LIGHT	39-30-42.295N 075-33-59.818W	Fl W 2.5s		15		On mult-pile structure. Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline	24/16
4410	Indian River Inlet Buoy 14	38-36-24.162N 075-05-16.220W					Red nun.	24/16
14983	Broad Creek Channel Buoy 6A	37-33-41.655N 076-18-50.444W					Red nun.	24/16
*	*	*	*	*	*	*	*	
23280	BIG ANNEMESSEX RIVER LIGHT 1BA	38-03-09.668N 075-52-09.630W	Fl G 2.5s		18	4	SG on pile.	24/16
23300	BIG ANNEMESSEX RIVER LIGHT 6	38-03-22.094N 075-48-16.441W	Fl R 4s		15	4	TR on pile.	24/16
25190	Choptank River Channel Daybeacon 43	38-40-59.301N 075-58-23.601W			*	*	SG on pile.	24/16
29945	New River Channel Daybeacon 53	*					Remove from list.	24/16
34880	Town Creek Channel Daybeacon 1						Remove from list.	24/16
39085	BOGUE SOUND - NEW RIVER LIGHT 46C	34-41-04.420N 077-07-24.546W	Q R		17	4	TR-TY on pile.	24/16
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
1091	Oyster Creek Channel Buoy 38A	39-47-29.776N 074-09-28.945W				Red nun.	23/16
1094	Oyster Creek Channel Buoy 39A	* 39-47-30.947N 074-09-19.412W				Green can.	23/16
1097	* Oyster Creek Channel Buoy 41	* 39-47-27.773N 074-09-35.557W	* *	* *	* *	* Green can.	* 23/16
1560	* Brandywine Shoal Midway Buoy 2	* *	* *	* *	* *	* Remove from list.	* 23/16
1625	<i>Delaware Bay Main Channel Lighted Buoy 34</i>	39-14-49.609N 075-18-57.196W	FIR 4s			5 Red.	Replaced by nun from Nov. 15 to Mar. 15. 23/16
2230	* Joe Flogger Shoal Junction Buoy J	* *	* *			* *	* Remove from list. 23/16
2472	<i>Delaware Bay Main Channel Lighted Buoy 49</i>	39-26-19.429N 075-32-36.487W	FIG 2.5s			5 Green.	Replaced by LIB of reduced intensity when endangered by ice. 23/16
2570	Delaware River Buoy 5	* 39-28-59.312N 075-33-54.155W				Green can.	23/16
2575	* <i>Delaware River Lighted Bell Buoy 6</i>	39-28-58.400N 075-33-40.416W	Q R			5 Red.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. 23/16
2595	* <i>Delaware River Lighted Buoy 8</i>	39-30-35.730N 075-33-08.090W	FIR 2.5s			5 Red.	Replaced by nun from Jan 1 to Feb. 28. 23/16
2600	* Reedy Island Range Buoy 3R	* *	* *			* *	* Remove from list. 23/16
2620	<i>Delaware River Lighted Buoy 9</i>	39-31-01.580N 075-33-11.690W	FIG 2.5s			5 Green.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. 23/16
2625	* Reedy Island Range Buoy 6R	* *					* Remove from list. 23/16
2635	<i>Delaware River Lighted Wreck Buoy WR10</i> 93 yds, 273° from wreck. Marks SS PHOENIX. *	39-32-12.000N 075-32-30.000W	Q R			5 Red	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. 23/16

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2725	<i>Delaware River Lighted Buoy 12</i>	39-33-07.904N 075-32-14.625W	Q R			5 Red.	Replaced by nun from Jan. 1 to Feb. 28.	23/16
	*		*			* *	*	
2740	<i>Delaware River Lighted Buoy 13</i>	39-34-08.663N 075-33-05.702W	FIG 4s			5 Green.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. AIS: MMSI 993672078.	23/16
	*							
2875	<i>Delaware River Lighted Buoy 18</i>	39-36-51.155N 075-34-33.230W	Q R			4 Red.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1.	23/16
	*							
2890	<i>Delaware River Lighted Buoy 20</i>	39-37-15.605N 075-34-34.430W	FIR 4s			5 Red.	Replaced by nun when endangered by ice.	23/16
	*							
7590	HOOPER ISLAND LIGHT	38-15-22.500N 076-14-59.300W	FI W 6s		63	9 White conical tower on brown cylinder.		23/16
	*							
29995	New Topsail Inlet Buoy 3	34-20-21.800N 077-39-01.756W				Green can.	*	23/16
	*							
30000	New Topsail Inlet Buoy 4	34-20-23.515N 077-38-58.125W				Red nun.		23/16
	*							
30048.02	Banks Slough Channel Buoy 3	34-20-38.044N 077-39-57.358W				Green can.		23/16
	*							
30048.04	Banks Slough Channel Buoy 4	34-20-43.221N 077-39-52.102W				Red nun.		23/16
	*							
30140.06	Old Topsail Creek Buoy 6	34-21-12.079N 077-39-45.866W				Red nun.		23/16
	*							
30140.07	Old Topsail Creek Buoy 7	34-21-11.125N 077-39-48.342W				Green can.		23/16
	*							
35955	New Jersey Intracoastal Waterway Buoy 246	39-18-14.225N 074-33-40.402W				Red nun with yellow triangle.	Maintained year round.	23/16
	*							

|

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
35960	New Jersey Intracoastal Waterway Buoy 246A	39-18-16.745N 074-33-34.698W				Red nun with yellow triangle.	Maintained year round.	23/16
		*						
38825	Peletier Creek Entrance Channel Buoy 2	34-43-21.673N 076-46-47.911W				Red nun.		23/16
		*						
40224	Cape Fear River - Little River Buoy 46B	33-55-17.316N 078-14-14.004W				Red nun with yellow triangle.		23/16
*	*	*	*	*	*	*	*	
40225	Cape Fear River - Little River Buoy 47	33-55-17.667N 078-14-09.513W				Green can with yellow square.		23/16
		*						
40230	Cape Fear River - Little River Buoy 47A	33-55-16.302N 078-14-12.427W				Green can with yellow square.		23/16
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
2472	<i>Delaware Bay Main Channel Lighted Buoy 49</i>	39-26-19.342N 075-32-36.487W	Fl G 2.5s			5	Green.	Replaced by LIB of reduced intensity when endangered by ice.	22/16
2505	BAKER RANGE FRONT LIGHT	* 39-30-42.295N 075-33-59.818W	Fl W 2.5s		15		On multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	22/16
2510	BAKER RANGE REAR LIGHT	* 39-31-50.723N 075-34-07.446W	* Iso W 6s		65		Skeleton tower on multipile structure.	* Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	22/16
2511	BAKER RANGE REAR PASSING LIGHT	* 39-31-50.723N 075-34-07.446W	* Fl W 4s		* 18	4	* Located on same structure as Baker Range Rear Light.	* *	22/16
3715	FRANKFORD UPPER RANGE FRONT LIGHT	* 40-01-12.851N 075-01-21.239W	Q G		20		On tower on multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible around higher intensity 1.5° either side of rangeline.	22/16
3717	* FRANKFORD CHANNEL UPPER DIRECTIONAL PASSING LIGHT	* *	* *		* *	* *	* *	* Remove from list.	22/16
3718	FRANKFORD UPPER RANGE REAR LIGHT	40-01-34.468N 075-00-30.679W	Oc G 4s		40		On tower on multipile structure.	* Lighted throughout 24 hours, Visible 1.5° either side of rangeline.	22/16
		1,500 yards, 061° from front light.							
3719	* FRANKFORD UPPER RANGE REAR PASSING LIGHTS (2)	* 40-01-34.468N 075-00-30.679W	* Fl W 4s		* 15	* 4	* On same structure as Frankford Upper Range Rear Light.	* *	22/16
4417	* Indian River Inlet Buoy 16	* 38-36-28.148N 075-05-46.934W	* *		* *		* Red nun.	* Maintained from May 1 to Nov. 1.	22/16
29387	<i>Beaufort Inlet Channel Lighted Buoy 16</i>	* 34-41-18.360N 076-40-01.110W	Fl R 2.5s			4	Red.		22/16
29388	<i>Beaufort Inlet Channel Lighted Buoy 16A</i>	* 34-41-30.000N 076-40-07.140W	Fl R 4s			5	Red.		22/16

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
29393	<i>Beaufort Inlet Channel Lighted Buoy 17B</i>	34-41-18.960N 076-40-08.280W	Fl G 2.5s			5 Green.	22/16
		*					
29516	Bogue Inlet Buoy 5A	34-38-38.379N 077-06-14.808W				Green can.	22/16
		*					
29525	Bogue Inlet Buoy 6A	34-38-55.615N 077-06-55.364W				Red nun.	22/16
		*					
867	<i>UNC Wilmington Lighted Data Buoy SB</i>	33-50-35.040N 078-28-57.738W	Fl Y 4s			Yellow.	Private Aid. 21/16
		*					
1585	Miah Maul Shoal Light On north end of shoal.	39-07-35.928N 075-12-31.255W	Oc W 4s (R Sector)	59		W 10 R 10 Red conical tower, on gray caisson; red cylindrical watch room and black lantern. 59	RACON: M (- -) Red from 137.5° to 333°, covers Brandywine Shoal and Cross Ledge. HORN: 1 blast ev 10s (1s bl). Maintained from Mar. 15 to Dec. 15. Structure maintained by entity outside of U.S. Coast Guard. * 21/16
2195	Tanker Anchorage Buoy D	39-00-49.405N 075-14-55.679W				Yellow can.	21/16
	*		*		*	*	
2210	<i>Tanker Anchorage Lighted Buoy G</i>	38-57-39.404N 075-10-41.666W	Fl Y 4s			6 Yellow.	21/16
	*		*		*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2245	Bombay Hook Point Shoal Buoy 1	39-18-51.288N 075-24-49.106W				Green can.		21/16
	Marks edge of shoal.							
	*							
2455	Delaware Bay Main Channel Lighted Buoy 44	39-22-36.076N 075-27-59.660W	Fl R 6s			5 Red.	Removed when endangered by ice.	21/16
	*							
2460	Delaware Bay Main Channel Lighted Buoy 46	39-23-59.304N 075-29-35.421W	Fl R 2.5s			5 Red.	Replaced by LIB of reduced intensity when endangered by ice.	21/16
	*							
2465	Liston Range Lighted Buoy 7L						Remove from list.	21/16
	*						*	
2470	Delaware Bay Main Channel Lighted Buoy 48	39-25-38.203N 075-31-30.526W	Fl R 4s			5 Red.	Removed when endangered by ice.	21/16
	*							
2472	Delaware Bay Main Channel Lighted Buoy 49	39-26-19.580N 075-32-35.640W	Fl G 2.5s			5 Green.	Replaced by LIB of reduced intensity when endangered by ice.	21/16
	*							
*	*	*	*	*	*	*	*	
2480	Liston Range Buoy 10L						Remove from list.	21/16
	*						*	
2485	Delaware River Lighted Buoy 1DR	39-27-18.403N 075-33-42.731W	Q G			4 Green.	Replaced by LIB of reduced intensity from Jan. 1 to Mar 1.	21/16
	*							
2505	BAKER RANGE FRONT LIGHT	39-30-42.305N 075-33-59.822W	F G		15	On multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline.	21/16
	*						*	
2506	BAKER RANGE FRONT PASSING LIGHT						Remove from list.	21/16
	*						*	
2515	Delaware River Lighted Buoy 3	39-28-09.260N 075-33-52.940W	Fl G 2.5s			5 Green.	Replaced by LIB of reduced intensity from Jan. 1 to Feb. 28.	21/16
	*							
2640	Reedy Island Flats Buoy 27						Remove from list.	21/16
	*						*	
2641	Reedy Island Anchorage Buoy A	39-33-15.810N 075-33-08.900W				Yellow can.		21/16
	*						*	
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
2643	Reedy Island Anchorage Buoy B	39-33-04.680N 075-33-02.850W				Yellow can.	21/16
*	*	*	*	*	*	*	*
2912	DEEPWATER POINT RANGE REAR PASSING LIGHTS (2)	39-41-04.209N 075-30-40.773W	Fl W 4s	15	5	On same structure as Deepwater Point Range Rear Light.	21/16
3960	Upper Delaware River Channel Buoy 44	40-05-03.299N 074-51-39.493W				* Red nun.	21/16
23038	* Big Thorofare Channel Daybeacon 10	37-58-03.839N 075-59-35.354W				TR on pile.	21/16
23043	Big Thorofare Channel Daybeacon 12	* 37-58-06.671N 075-59-46.788W				TR on pile.	21/16
28705	<i>South Ferry Terminal Lighted Buoy 5SF</i>	* 35-11-50.601N 075-46-45.316W	Q G		4	Green.	21/16
39549	New River - Cape Fear River Buoy 99B	34-21-16.006N 077-40-56.297W				* Green can with yellow square.	21/16
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
60 1170	<i>Absecon Inlet Lighted Buoy 1</i>	39-20-47.393N 074-24-01.337W	Fl G 4s			5 Green.	20/16
		*					
1170 60	<i>Absecon Inlet Lighted Buoy 1</i>	39-20-47.393N 074-24-01.337W	Fl G 4s			5 Green.	20/16
		*					
1175	<i>Absecon Inlet Lighted Buoy 2</i>	39-20-51.336N 074-23-48.860W	Fl R 2.5s			5 Red.	20/16
		*					
4420	Indian River Inlet Buoy 17	38-36-26.040N 075-05-45.363W				Green can.	Maintained from May 1 to Nov. 1. 20/16
		*					
4425	Indian River Inlet Buoy 17A	38-36-18.598N 075-05-48.813W				Green can.	Maintained from May 1 to Nov. 1. 20/16
		*					
* 28705	* <i>South Ferry Terminal Lighted Buoy 5SF</i>	* 35-11-50.601N 075-46-45.316W	* Q G		*	* 3 Green.	* 20/16
		*					
38433	Core Creek Buoy 28A	34-45-23.790N 076-40-24.379W				Red nun.	20/16
		*					
38440	RUSSELL SLOUGH JUNCTION LIGHT RS	34-45-19.550N 076-40-21.348W	Fl (2+1)G 6s	15	3	JG on multi-pile structure	20/16
		*					
38481	Core Creek Buoy 30	34-45-20.171N 076-40-25.725W				Red nun with yellow triangle.	20/16
		*					
720 29328	<i>Beaufort Inlet Channel Lighted Whistle Buoy BM</i>	34-34-49.079N 076-41-33.240W	Mo (A) W			6 Red and white stripes with red spherical topmark.	RACON: M (- -) AIS: MMSI 993672329 19/16

*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
3210	<i>Marcus Hook Range Lighted Buoy 9M</i>	39-49-03.396N 075-23-40.484W	Fl G 2.5s			6 Green.	Replaced by can when endangered by ice.	19/16
7630	Cove Point Light	* 38-23-10.500N 076-22-54.300W	Fl W 10s	45	12	White tower. 51	Lighted throughout 24 hours.	19/16
14765	MILFORD HAVEN LIGHT 1	37-29-32.283N 076-19-04.004W	Fl G 4s	15	4	SG on pile.	*	19/16
29328 720	<i>Beaufort Inlet Channel Lighted Whistle Buoy BM</i>	34-34-49.079N 076-41-33.240W	Mo (A) W			* 6 Red and white stripes with red spherical topmark.	RACON: M (- -) AIS: MMSI 993672329	19/16
31025	Lockwoods Folly Inlet Buoy 4	33-54-32.015N 078-14-38.163W				Red nun.	*	19/16
31030	Lockwoods Folly Inlet Buoy 6	* 33-54-46.497N 078-14-18.943W				Red nun.		19/16
38825	Peletier Creek Entrance Channel Buoy 2	* 34-43-21.063N 076-46-46.617W				Red nun.		19/16
* 38825	* Peletier Creek Entrance Channel Daybeacon 2	* *	*	*	*	*	* Remove from list.	19/16
39110	BOGUE SOUND - NEW RIVER LIGHT 49	34-40-15.770N 077-07-58.866W	Q G	15	5	SG-SY on multi-pile structure.	*	19/16
						*		

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1090	Oyster Creek Channel Buoy 38	39-47-32.026N 074-09-09.716W				Red nun.		18/16
		*						
1091	Oyster Creek Channel Buoy 38A	39-47-31.638N 074-09-20.330W				Red nun.		18/16
		*						
1093	Oyster Creek Channel Buoy 39	39-47-31.239N 074-09-16.242W				Green can.		18/16
		*						
1095	<i>Oyster Creek Channel Lighted Buoy 40</i>	39-47-29.777N 074-09-30.485W	Q R			4 Red.	Replaced by nun from Nov. 1 to May 1.	18/16
		*						
8985	<i>Elk River Channel Lighted Buoy 10</i>	39-26-58.732N 075-59-17.856W	FIR 4s			5 Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.	18/16
		*						
9475	<i>Elizabeth River Channel Lighted Buoy 7</i>	36-57-45.130N 076-20-01.995W	FIG 4s			6 Green.		18/16
		*						
12875	Salt Ponds Daybeacon 7	37-03-47.800N 076-16-54.600W				* SG on pile.	Private Aid.	18/16
*	*	*	*	*	*	*	*	
28735.6	<i>Hatteras Inlet Channel Lighted Buoy 14</i>	35-12-13.618N 075-43-41.833W	FIR 2.5s			4 Red.		18/16
		*						
29495	<i>Bogue Inlet Lighted Buoy 1</i>	34-37-49.584N 077-06-29.117W	FIG 2.5s			* 4 Green.		18/16
		*						
29500	Bogue Inlet Buoy 2	34-37-49.680N 077-06-25.152W				Red nun.		18/16
		*						
35995	New Jersey Intracoastal Waterway Buoy 258	39-16-45.528N 074-35-08.776W				Red nun with yellow triangle.		18/16
*	*	*	*	*	*	*	*	
35995	New Jersey Intracoastal Waterway Daybeacon 258						Remove from list.	18/16
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
1091	Oyster Creek Channel Buoy 38A	39-47-31.750N 074-09-19.274W				Red nun.	17/16		
	*								
1117	Little Egg Inlet Buoy 4A	39-28-44.601N 074-17-58.752W				Red nun.	17/16		
	*								
2510	BAKER RANGE REAR LIGHT 2,316 yards, 355.8° from front light.	39-31-50.719N 075-34-07.446W	F G		110	Black, pyramidal slatted structure.	Lighted throughout 24 hours. Visible 0.9° either side of rangeline.	17/16	
	*	*							
2511	BAKER RANGE REAR PASSING LIGHT	39-31-50.719N 075-34-07.446W	Fl W 4s		18	4	Located on same structure as Baker Range Rear Light.	17/16	
	*	*	*		*	*	*		
7685	<i>Chesapeake Channel Lighted Buoy 80</i>	38-36-32.433N 076-24-46.822W	Fl R 2.5s			5	Red.	Replaced by LIB of reduced intensity when endangered by ice.	17/16
	*						*		
8170	<i>Brewerton Channel Lighted Buoy 6</i>	39-11-09.338N 076-27-19.797W	Fl R 4s			5	Red.	Replaced by nun when endangered by ice.	17/16
							*		
8200	<i>Brewerton Channel Lighted Buoy 12</i>	39-11-51.188N 076-29-38.644W	Fl R 6s			5	Red.	Replaced by nun when endangered by ice.	17/16
							*		

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
9475	<i>Elizabeth River Channel Lighted Buoy 7</i>	36-57-45.130N 076-20-01.995W	Fl G 4s			5 Green.	17/16	
9605	<i>Elizabeth River Channel Lighted Buoy 19</i>	36-53-50.032N 076-20-07.594W	Fl G 4s			* 5 Green.	17/16	
13497.5	YORK RIVER EAST RANGE REAR PASSING LIGHTS (2)	37-15-04.850N 076-20-32.978W	Fl W 4s	18	4	* Located on same structure as York River East Range Rear Light.	17/16	
* 19465	* <i>West River Lighted Buoy 1A</i>	* 38-52-13.053N 076-28-53.210W	* Fl G 2.5s	* 4	* 4	* Green.	* Replaced by can when endangered by ice.	17/16
22190	DEEP CREEK ENTRANCE LIGHT 1D	* 37-48-47.152N 075-48-25.542W	Fl G 4s	15	4	SG on multi-pile structure.	17/16	
23038	* Big Thorofare Channel Daybeacon 10	37-58-03.837N 075-59-35.350W				TR on pile.	17/16	
* 23038	* Big Thorofare Channel Buoy 10	* 37-58-03.837N 075-59-35.350W	* Fl G 2.5s	* 4	* 4	* Green.	* Remove from list.	17/16
23040	Big Thorofare Channel Warning Daybeacon C						* Remove from list.	17/16
23043	Big Thorofare Channel Daybeacon 12	37-58-06.762N 075-59-46.787W				TR on pile.	* 17/16	
* 23043	* Big Thorofare Channel Buoy 12	* 37-58-06.762N 075-59-46.787W	* Fl G 2.5s	* 4	* 4	* Green.	* Remove from list.	17/16
23045	Big Thorofare Channel Warning Daybeacon D						* Remove from list.	17/16
23050	Big Thorofare Channel Daybeacon 14	37-58-09.114N 075-59-51.557W				TR on pile.	* 17/16	
24450	HONGA RIVER LIGHT 1H On point of shoal.	* 38-13-59.539N 076-06-31.972W	Fl G 4s	16	4	SG on pile.	17/16	
26040	Claiborne Channel Warning Buoy B	* 38-50-14.600N 076-16-53.700W				White and orange can worded DANGER SHOAL.	Private Aid. 17/16	
* 26040	* Claiborne Channel Warning Buoy B	* 38-50-14.600N 076-16-53.700W	* Fl G 2.5s	* 4	* 4	* Green.	* Private Aid.	17/16

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
26335	<i>Prospect Bay Lighted Buoy 1P</i>	38-54-04.012N 076-14-00.022W	Fl G 4s			4 Green.	Replaced by can when endangered by ice.	17/16
	*							
29380	<i>Beaufort Inlet Channel Lighted Buoy 15</i>	34-40-48.617N 076-40-09.546W	Fl G 4s			5 Green.		17/16
	*							
33724	Whittaker Creek Buoy 3A	35-01-31.827N 076-41-04.053W				Green can.		17/16
	*							
36575	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 436	39-01-56.572N 074-48-02.373W	Q R		15	4 TR-TY on pile.		17/16
	*							
36645	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 454	39-00-24.960N 074-49-58.860W	Fl R 4s		15	4 TR-TY on pile.		17/16
	*							
4765	Isle of Wight Bay Warning Buoy A	38-19-39.374N 075-05-34.609W				* White can with orange bands and orange diamond.		16/16
	*							
4770	Isle of Wight Bay Warning Buoy B	38-19-40.589N 075-05-40.268W				* White can with orange bands and orange diamond.		16/16
	*							
5010	SINEPUXENT BAY CHANNEL LIGHT 4	38-19-04.626N 075-06-28.860W	Fl R 4s		15	4 TR on pile.		16/16
	*							

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
26038	Claiborne Channel Buoy 6	38-50-11.076N 076-17-01.644W				Red nun.	Private Aid. 16/16
	*						
26039	Claiborne Channel Warning Buoy A	38-50-14.136N 076-16-55.380W				White and orange can worded DANGER SHOAL.	Private Aid. 16/16
	*						
26042	Claiborne Channel Buoy 7	38-50-14.856N 076-16-53.868W				Green can.	Private Aid. 16/16
	*						
28027	<i>Oregon Inlet Lighted Buoy 13</i>	35-46-23.056N 075-31-58.600W	Q G			3 Green.	16/16
	*						
28028	<i>Oregon Inlet Lighted Buoy 14</i>	35-46-29.190N 075-31-53.527W	FI R 4s			3 Red.	16/16
	*						
32300	FRISCO CHANNEL LIGHT 6	35-16-00.632N 075-38-03.108W	FI R 4s		17	4 TR on pile.	16/16
	*						
34757	Lenoxville Point Buoy 1L	34-42-30.383N 076-36-51.474W				Green can.	16/16
	*						
34760	Lenoxville Point Buoy 2	34-42-26.294N 076-36-56.396W				Red nun.	16/16
	*						
34762	Lenoxville Point Buoy 3	34-42-23.938N 076-36-58.646W				Green can.	16/16
	*						
39315	NEW RIVER - CAPE FEAR RIVER LIGHT 2	34-32-58.057N 077-21-35.112W	Q R		18	4 TR-TY on pile.	16/16
	*						
39610	New River - Cape Fear River Daybeacon 124	34-14-18.927N 077-47-33.299W				TR-TY on pile.	16/16
	*						
40225	Cape Fear River - Little River Buoy 47	33-55-17.309N 078-14-10.414W				Green can with yellow square.	16/16
	*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
390	<i>North Chesapeake Entrance Lighted Gong Buoy NCB</i>	36-56-57.540N 075-50-17.040W	Fl Y 6s			6 Yellow.	15/16
400	<i>North Chesapeake Entrance Lighted Gong Buoy NCD</i>	36-56-24.000N 075-53-42.000W	Fl Y 2.5s			* 6 Yellow.	15/16
403	<i>North Chesapeake Entrance Lighted Buoy NCE</i>	36-56-24.000N 075-54-57.000W	Fl Y 6s			* 6 Yellow.	15/16
405	<i>Chesapeake Bay Entrance Lighted Whistle Buoy CH</i>	36-56-08.329N 075-57-26.543W	Mo (A) W			* 6 Red and white stripes with red spherical topmark.	RACON: C (- . - .) AIS: MMSI 993672082. 15/16
455	<i>Chesapeake Bay Southern Approach Lighted Buoy 9</i>	36-52-11.609N 075-52-15.956W	Q G			* 6 Green.	15/16
802	<i>NOAA Lighted Data Buoy 41036 (ODAS)</i>					* Remove from list.	15/16
8190	<i>Brewerton Channel Lighted Buoy 9</i>	39-11-29.204N 076-28-56.054W	Fl G 4s			5 Green.	* Replaced by can when endangered by ice. 15/16
						*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
8215	<i>Fort McHenry Channel Lighted Buoy 1M</i>	39-12-02.990N 076-30-46.764W	Q G			5 Green.	Replaced by LIB of reduced intensity when endangered by ice.	15/16
10505	LITTLE CREEK HARBOR JETTY LIGHT 3	36-55-58.710N 076-10-35.059W	Q G		25	5 * SG on skeleton tower.		15/16
22160	<i>Chesconessex Creek Lighted Wreck Buoy WR10</i>	37-45-02.092N 075-46-21.066W	Q R			4 * Red.		15/16
22830	LITTLE ANNEMESSEX RIVER LIGHT 4	* 37-58-02.367N 075-53-26.786W	FIR 4s		19	4 TR on pile.		15/16
22840	LITTLE ANNEMESSEX RIVER LIGHT 7	* 37-57-58.482N 075-52-37.659W	Q G		15	4 SG on pile.		15/16
26417	<i>Kent Island Narrows North Approach Lighted Buoy 3</i>	* 38-59-03.465N 076-14-33.437W	FIG 4s			3 Green.	Maintained from Mar. 15 to Dec. 1.	15/16
* 26420	* KENT ISLAND NARROWS NORTH APPROACH LIGHT 4	* 38-59-01.673N 076-14-36.148W	* FIR 4s		* 15	* 4 TR on multi-pile structure.	* *	15/16
26425	* Kent Island Narrows North Approach Warning Daybeacon	* 38-59-01.001N 076-14-37.426W	* *			* NW on multi-pile structure worded DANGER.		15/16
26437	* Kent Island Narrows North Approach Buoy 6A	* 38-59-47.080N 076-14-29.560W	* *			* Red nun.	Maintained from Mar. 15 to Dec. 1.	15/16
* 28703	* <i>South Ferry Terminal Lighted Buoy 4SF</i>	* 35-11-50.279N 075-46-31.849W	* FIR 2.5s		* 3	* Red.	* *	15/16
28707	South Ferry Terminal Lighted Buoy 6SF	35-11-54.637N 075-46-54.982W	* Q R			3 Red.		15/16
28732.1	<i>Hatteras Inlet Channel Lighted Buoy 12A</i>	35-12-11.710N 075-43-56.659W	* FIR 2.5s			3 Red.		15/16

*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28750	<i>Hatteras Inlet Channel Lighted Buoy 16</i>	35-12-08.212N 075-43-29.424W	Fl R 4s			3 Red.	15/16
		*					
28760	Hatteras Inlet Channel Daybeacon 18	35-12-15.188N 075-43-13.296W				TR on pile.	15/16
		*					
28765	HATTERAS INLET CHANNEL LIGHT 19	35-12-15.465N 075-43-16.987W	Fl G 2.5s	15	4	SG on pile.	15/16
		*					
28875	AUSTIN CREEK LIGHT 2	35-12-32.843N 075-42-15.476W	Fl R 4s	15	4	TR on pile.	15/16
		*					
30395	<i>Cape Fear River Channel Lighted Buoy 13A</i>	33-52-50.982N 078-00-30.330W	Fl G 4s			4 Green.	15/16
		*					
36665	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 461	38-59-57.093N 074-50-11.595W	Fl G 2.5s	15	4	SG-SY on pile.	15/16
		*					
36675	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 465	38-59-04.851N 074-50-20.716W	Q G	15	4	SG-SY on pile.	15/16
		*					
38350	Adams Creek Daybeacon 12	34-54-41.156N 076-39-55.301W				TR-TY on pile.	15/16
		*					
38760	Bogue Sound Daybeacon 3A	34-42-54.150N 076-43-41.553W				SG-SY on pile.	15/16
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4755	<i>Ocean City Inlet Lighted Buoy 11</i>	38-19-37.108N 075-05-43.496W	Fl G 2.5s			3	Green.	14/16
4765	Isle of Wight Bay Warning Buoy A	* 38-19-39.374N 075-05-34.609W					White can with orange bands and orange diamond worded DANGER SUBMERGED ROCKS.	14/16
9925	NAUTICUS PIER LIGHT A	*					Remove from list.	14/16
9927	NAUTICUS PIER LIGHT B	*					Remove from list.	14/16
9942	Elizabeth River Town Point Reach No Wake Buoy D	*					Remove from list.	14/16
11780	DEEP WATER SHOALS LIGHT	37-08-55.968N 076-38-12.476W	Fl W 6s (2 R sectors)		34	W 8 R 6 R 6	NB on pile. Red from 344° to 004° and 156° to 184°.	14/16
13203	POQUOSON RIVER LIGHT 14	37-10-06.273N 076-23-36.270W	FIR 4s		15	4	TR on pile.	14/16
*	*	*	*	*	*	*	*	
13203	<i>Poquoson River Lighted Buoy 14</i>	*	*	*	*	*	Remove from list.	14/16
16925	Herring Creek Warning Daybeacon	*					Remove from list.	14/16
16927	Herring Creek Daybeacon 4	38-10-38.578N 076-32-49.126W					TR on pile.	14/16
17490	MATTOX CREEK LIGHT 4	* 38-12-29.219N 076-57-41.475W	FIR 4s		15	4	TR on multi-pile structure.	14/16
28003	<i>Oregon Inlet Lighted Buoy 6</i>	35-47-25.986N 075-31-25.445W	Q R			*	Red.	14/16
28005	Oregon Inlet Buoy 7	* 35-47-12.067N 075-31-22.834W					Green can.	14/16
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28015	<i>Oregon Inlet Lighted Buoy 9</i>	35-46-51.037N 075-31-33.076W	Fl G 4s			4 Green.	14/16
28017	Oregon Inlet Buoy 10	* 35-47-02.607N 075-31-37.130W				Red nun.	14/16
28020	Oregon Inlet Buoy 11	* 35-46-32.901N 075-31-40.126W				Green can.	14/16
28025	<i>Oregon Inlet Lighted Buoy 12</i>	* 35-46-42.814N 075-31-45.989W	Fl R 2.5s			4 Red.	14/16
28065	<i>Oregon Inlet Lighted Buoy 19</i>	* 35-46-20.896N 075-32-22.338W	Fl G 4s			4 Green.	14/16
28699.1	<i>South Ferry Terminal Lighted Buoy 1SF</i>	* 35-11-46.713N 075-45-52.408W	Q G			3 Green.	14/16
28700	South Ferry Terminal Buoy 2SF	* 35-11-48.482N 075-45-54.163W	*			* Red nun.	14/16
28701	South Ferry Terminal Buoy 3SF	* 35-11-46.927N 075-46-09.075W				Green can.	14/16
28703	<i>South Ferry Terminal Lighted Buoy 4SF</i>	* 35-11-50.279N 075-46-31.849W	Q R			3 Red.	14/16
28705	<i>South Ferry Terminal Lighted Buoy 5SF</i>	* 35-11-50.156N 075-46-44.887W	* Q G			3 Green.	14/16
28707	South Ferry Terminal Lighted Buoy 6SF	* 35-11-54.637N 075-46-54.982W	* Fl R 2.5s			* 3 Red.	14/16
28732	* Hatteras Inlet Channel Buoy 12	* 35-12-21.540N 075-43-56.838W	*			* Red nun.	14/16

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28736	Hatteras Inlet Channel Buoy 15	35-12-15.625N 075-43-40.561W				Green can.	14/16
		*					
30325	Cape Fear River Entrance Channel Lighted Buoy 5	33-48-41.371N 078-02-21.924W	Fl G 4s		5	Green.	14/16
		*					
30450	Cape Fear River Channel Lighted Buoy 16	33-54-16.559N 078-01-05.797W	Q R		4	Red.	14/16
		*					
30470	Cape Fear River Channel Lighted Buoy 18	33-54-41.224N 078-01-01.417W	Fl R 4s		4	Red with yellow square.	14/16
		*					
30480 40015	Cape Fear River Channel Lighted Buoy 20	33-55-29.126N 077-59-34.960W	Q R		4	Red with yellow square.	14/16
		*					
34110	Neuse River Channel Daybeacon 49	35-08-31.093N 077-03-35.449W				SG on pile.	14/16
		*					
34220	Neuse River Channel Daybeacon 70	35-11-30.621N 077-06-20.452W				TR on pile.	14/16
		*					
39225	Bogue Sound - New River Daybeacon 63	34-35-46.516N 077-14-35.956W				SG-SY on pile.	14/16
		*					
39370	New River - Cape Fear River Daybeacon 25	34-30-11.742N 077-25-04.909W				SG-SY on pile.	14/16
		*					
39430	New River - Cape Fear River Daybeacon 51	34-27-56.349N 077-30-38.640W				SG-SY on pile.	14/16
		*					
39525	NEW RIVER - CAPE FEAR RIVER LIGHT 93	34-23-54.719N 077-36-44.381W	Fl G 4s		16	4 SG-SY on pile.	14/16
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
39597	New River - Cape Fear River Buoy 121	34-14-58.780N 077-46-55.612W				Green can with yellow square.		14/16
40015 30480	<i>Cape Fear River Channel</i> <i>Lighted Buoy 20</i>	* 33-55-29.126N 077-59-34.960W	Q R			4 Red with yellow square.		14/16
3820	ENTERPRISE LOWER RANGE FRONT LIGHT	40-03-06.304N 074-58-20.157W	Oc W 4s		21	* On skeleton tower.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT : Visible all around higher intensity 1.5° either side of rangeline.	13/16
					*			

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
7060	<i>Chesapeake Channel</i> <i>Lighted Buoy 6</i> 75 feet outside channel limit.	36-59-15.828N 076-00-15.993W	Q R			5	Red.	13/16	
7070	<i>Chesapeake Channel</i> <i>Lighted Buoy 7</i> 75 feet outside channel limit.	36-59-24.962N 076-00-48.898W	Q G			5	Green.	13/16	
7085	<i>Chesapeake Channel</i> <i>Lighted Buoy 11</i>	37-00-57.414N 076-02-52.119W	Q G			5	Green.	13/16	
8820	STILLPOND CREEK LIGHT 6	39-19-58.680N 076-07-56.160W	FI R 4s		15	4	TR on pile.	13/16	
9000	ARNOLD POINT LIGHT	39-27-46.063N 075-58-00.649W	FI W 4s		15	6	NR on multi-pile structure.	13/16	
13550	YORK RIVER WEST RANGE FRONT LIGHT	37-13-35.290N 076-29-12.824W	FI W 2.5s (NIGHT) FI W 2.5s (DAY)		17 14		On multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	13/16
13555	YORK RIVER WEST RANGE REAR LIGHT 409 yards, 256.6° from front light.	37-13-32.729N 076-29-27.655W	Iso W 6s (NIGHT) Iso W 6s (DAY)		57 54		Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	13/16
14755	PIANKATANK RIVER LIGHT 10	37-31-20.064N 076-19-58.401W	FI R 4s		15	4	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.	13/16
14765	MILFORD HAVEN LIGHT 1	37-29-32.283N 076-19-04.004W	FI G 4s		15	5	SG on pile.		13/16
14770	Milford Haven Warning Daybeacon A							Remove from list.	13/16
14775	Milford Haven Warning Daybeacon B							Remove from list.	13/16
14970	Broad Creek Channel Daybeacon 2	37-34-06.422N 076-18-37.605W					TR on pile.		13/16

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14973	BROAD CREEK CHANNEL WRECK LIGHT WR3	37-34-02.028N 076-18-39.161W	Q G		15	4	SG on pile.	13/16
*	*	*	*		*	*	*	*
14973	<i>Broad Creek Channel Lighted Wreck Buoy WR3</i>						Remove from list.	13/16
							*	
15114	RAPPAHANNOCK RIVER ENTRANCE LIGHT 9R	37-36-20.368N 076-24-17.866W	FI G 4s		15	4	SG on pile.	13/16
*	*	*	*		*	*	*	*
15115	RAPPAHANNOCK RIVER ENTRANCE WARINING LIGHT A	37-36-48.220N 076-25-25.410W	FI W 4s		8	4	NW on cylindrical base worded DANGER.	13/16
			*				*	
16927	Herring Creek Daybeacon 4	38-10-38.499N 076-32-48.863W					TR on pile.	13/16
*	*	*	*		*	*	*	*
16927	Herring Creek Buoy 4						Remove from list.	13/16
							*	
19400	ROCKHOLD CREEK JETTY LIGHT 2	38-46-01.659N 076-33-16.223W	FI R 4s		15	4	TR on pile.	13/16
						*		
19700	NAVAL ANCHORAGE LIGHT A	38-58-00.507N 076-27-09.003W	FI Y 2.5s		15	4	NY on multi-pile structure.	13/16
						*		
19705	ANNAPOLIS HARBOR ENTRANCE LIGHT 4	38-58-06.185N 076-27-27.737W	FI R 6s		15	4	TR on multi-pile structure.	13/16
						*		
20095	MAGOTHY RIVER ENTRANCE LIGHT 2	39-03-21.879N 076-25-46.824W	FI R 4s		15	4	TR on multi-pile structure.	13/16
						*		
20410	STONY CREEK LIGHT 4	39-10-25.067N 076-31-00.989W	FI R 4s		15	4	TR on pile.	13/16
						*		
22925	BRICK KILN CHANNEL LIGHT 3	37-59-23.105N 075-51-15.671W	FI G 4s		15	3	SG on pile.	13/16
						*		
23038	Big Thorofare Channel Buoy 10	37-58-03.858N 075-59-35.401W					Red nun.	Removed when endangered by ice.
*	*	*	*		*	*	*	*
23040	Big Thorofare Channel Warning Daybeacon C	37-58-04.628N 075-59-34.923W					NW on pile worded DANGER.	13/16
	*					*		

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
23043	Big Thorofare Channel Buoy 12	37-58-06.763N 075-59-46.793W				Red nun.	Removed when endangered by ice.	13/16
*	*	*	*	*	*	*	*	
23045	Big Thorofare Channel Warning Daybeacon D	37-58-06.188N 075-59-41.943W				NW on pile worded DANGER.		13/16
	*					*		
23213	Big Thorofare West Buoy 3	38-00-03.742N 076-03-03.169W				Green can.	Removed when endangered by ice.	13/16
*	*	*	*	*	*	*	*	
23215	Big Thorofare West Daybeacon 3A	38-00-05.480N 076-02-59.374W				SG on pile.		13/16
	*							
26890	Rock Hall Harbor Entrance Buoy 1						Remove from list.	13/16
							*	
26895	ROCK HALL HARBOR LIGHT 4	39-07-48.972N 076-14-52.542W	FI R 2.5s		15	4	TR on pile.	13/16
						*		
30020	New Topsail Inlet Buoy 7	34-20-30.654N 077-39-56.665W				Green can.		13/16
		*						
30025	New Topsail Inlet Buoy 8	34-20-30.958N 077-40-03.541W				Red nun.		13/16
		*						
30190	SHINN CREEK LIGHT 1	34-11-16.580N 077-49-04.723W	FI G 2.5s		15	4	SG on multi-pile structure.	13/16
						*		
32142	<i>Pamlico Sound Lighted Wreck Buoy WR8</i>	35-23-24.829N 075-43-24.621W	Q R			4	Red.	13/16
*	*	*	*	*	*	*	*	
39217	Bogue Sound - New River Buoy 60	34-35-56.779N 077-14-26.867W					Red nun with yellow triangle.	13/16
		*						
39630	New River - Cape Fear River Buoy 129	34-11-30.716N 077-49-34.683W					Green can with yellow square.	13/16
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
445	<i>Chesapeake Bay Southern Approach Lighted Buoy 7</i>	36-51-31.315N 075-50-55.159W	FI G 2.5s			6 Green.	12/16
475	<i>Chesapeake Bay Southern Approach Lighted Buoy 13</i>	36-54-03.213N 075-54-21.780W	FI G 4s			* 6 Green.	12/16
710 29125	<i>Cape Lookout Breakwater Lighted Buoy 2</i>	34-37-06.921N 076-33-45.916W	Q R			* 3 Red.	12/16
1910	Maurice River Buoy 43	* 39-22-08.357N 075-02-07.760W				Green can.	12/16
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
2465	Liston Range Lighted Buoy 7L	39-24-45.840N 075-30-47.541W	Fl G 2.5s			5	Green.	Replaced by LIB of reduced intensity when endangered by ice.	12/16
		*							
2595	Reedy Island Range Buoy 4R	39-29-53.746N 075-33-22.326W					Red nun.		12/16
		*							
2620	Reedy Island Range Lighted Buoy 5R	39-30-43.303N 075-33-17.429W	Fl G 2.5s			5	Green.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1.	12/16
		*							
4845	Isle of Wight Bay Lighted Wreck Buoy WR7A							Remove from list.	12/16
							*		
8560	POOLES ISLAND SOUTH RANGE REAR LIGHT 1,183 yards, 000° from front light.	39-18-07.023N 076-14-11.662W	Oc W 4s		72		On skeleton tower.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline.	12/16
							*		
8695	POOLES ISLAND NORTH RANGE FRONT LIGHT	39-18-31.431N 076-13-37.309W	Fl W 2.5s (NIGHT) Fl W 2.5s (DAY)		35 33		On skeleton tower on caisson.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side or rangeline.	12/16
							*		
8700	POOLES ISLAND NORTH RANGE REAR LIGHT 1,221 yards, 227° from front light.	39-18-07.023N 076-14-11.662W	Oc W 4s (NIGHT) Oc W 4s (DAY)		69 72		On same structure as Pooles Island South Range Rear Light.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 4.0° either side of rangeline.	12/16
							*		
13496	YORK RIVER EAST RANGE FRONT LIGHT	37-15-01.951N 076-20-49.886W	Q W (NIGHT) F W (DAY)		20 23		On multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.	12/16
							*		
13497	YORK RIVER EAST RANGE REAR LIGHT 1,398 yards, 076.6° from front light.	37-15-04.850N 076-20-32.978W	Iso W 6s (NIGHT) F W (DAY)		57 54		Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.	12/16
							*		

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
17125	St. Patrick Creek Channel Buoy 3A	38-13-58.816N 076-44-33.496W				Green can.	Maintained from Mar. 15 to Dec. 1.	12/16
17205	Dukeharts Channel Buoy 9	38-13-18.829N 076-45-59.386W				Green can.	Maintained from Mar. 15 to Dec 1.	12/16
20485	Pennwood Channel Buoy 14	39-12-36.639N 076-27-29.212W				Red nun.		12/16
21975	Parkers Creek Daybeacon 1P	37-43-30.630N 075-48-30.708W				SG on pile.		12/16
23060	Big Thorofare Channel Daybeacon 16	37-58-26.414N 076-00-07.698W				TR on pile.		12/16
23095	Big Thorofare Channel Daybeacon 27	37-59-22.445N 076-00-37.155W				SG on pile.		12/16
23510	LOWER THOROFARE CHANNEL LIGHT 6	38-07-39.905N 075-56-47.713W	Fl R 4s	16	3	TR on slatted pile structure.		12/16
24995	HAMBROOKS BAR WARNING LIGHT	38-35-42.237N 076-04-51.143W	Fl W 2.5s (R sector)	19	W 6 R 5	NW on white cylindrical structure on red base worded DANGER.	Red from 312° to 335° covers shoal south side of river at entrance to Cambridge.	12/16
26095	Eastern Bay Buoy 12						Remove from list.	12/16
26095	Eastern Bay Daybeacon 12	38-48-38.058N 076-12-33.555W				TR on pile.		12/16
29125 710	Cape Lookout Breakwater Lighted Buoy 2	34-37-06.921N 076-33-45.916W	Q R			3	Red.	12/16
29345	Beaufort Inlet Channel Lighted Buoy 7	34-38-53.364N 076-40-38.093W	Q G			5	Green.	12/16
34745	CORE SOUND LIGHT 58	34-42-07.963N 076-36-45.548W	Fl R 2.5s	15	4	TR on pile.		12/16

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
35205	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 56	39-41-22.108N 074-09-44.050W	FIR 4s	15	4	TR-TY on pile.		12/16	
35647	New Jersey Intracoastal Waterway Buoy 160A	39-26-47.520N 074-23-28.922W				*	Red nun with yellow triangle.	Maintained from May 1 to Nov. 1. Removed when endangered by ice.	12/16
987	Barnegat Inlet Buoy 18A	39-45-56.111N 074-07-01.385W					Red nun.	*	11/16
1090	Oyster Creek Channel Buoy 38	* 39-47-31.994N 074-09-09.773W					Red nun.		11/16
		*							

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
9852.1	MIDTOWN TUNNEL EAST WARNING LIGHT B	36-51-31.440N 076-18-37.430W	Fl W 4s		12	On pile.	Private Aid.	11/16
*	*	*	*	*	*	*	*	
10520	LITTLE CREEK HARBOR LIGHT 5	36-55-41.796N 076-10-34.369W	Fl G 2.5s		15	3 SG on pile.		11/16
10575	Willoughby Bay Channel Warning Daybeacon A	* 36-58-55.523N 076-18-34.744W				NW on pile worded DANGER.		11/16
10587	Willoughby Bay Channel Daybeacon 4	* 36-58-44.002N 076-18-40.418W				TR on pile.		11/16
13400	* <i>York River Entrance Channel Lighted Buoy 2</i>	* 37-07-44.618N 076-09-44.852W	* Fl R 2.5s		*	5 Red.	*	11/16
16185	* Great Wicomico River Warning Buoy	37-48-13.233N 076-16-01.182W				* White with orange bands and diamond; can.		11/16
	Marks rocks at foot of light.							
23120	BIG THOROFARE CHANNEL LIGHT 37	* 37-59-49.178N 076-01-34.176W	Fl G 2.5s		15	4 SG on pile.		11/16
23235	BIG THOROFARE WEST LIGHT 9	38-00-18.170N 076-02-21.411W	Fl G 2.5s		15	4 SG on pile.		11/16
23595	Sharkfin Shoal Warning Buoy	38-12-09.647N 075-59-13.091W				* White can with orange bands and diamond.	Maintained from Mar. 15 to Dec. 1.	11/16
27327	<i>Aberdeen Proving Ground Lighted Warning Buoy A</i>	* 39-23-04.020N 076-16-08.720W	Fl W 2.5s			White can with orange diamond worded DANGER SUBMERGED PIPE.	Aid maintained by U.S. Army.	11/16
29080	BIG FOOT SLOUGH CHANNEL WARNING LIGHT NB	35-09-16.955N 076-00-38.463W	Fl W 4s		15	5 NW on multi-pile structure worded DANGER WRECK.		11/16
	Marks LEHIGH wreck.							
29140	<i>Barden Inlet Lighted Buoy 1</i>	* 34-37-19.096N 076-32-43.714W	Fl G 4s			3 Green.		11/16
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
29190	Barden Inlet Buoy 10	34-37-43.733N 076-31-46.475W				Red nun.	11/16
		*					
29205	Barden Inlet Buoy 14	34-38-02.575N 076-31-08.438W				Red nun.	11/16
		*					
29210	Barden Inlet Buoy 15	34-38-03.057N 076-31-11.205W				Green can.	11/16
		*					
40200	CAPE FEAR RIVER - LITTLE RIVER LIGHT 40	33-55-32.024N 078-13-11.074W	FIR 4s	15	4	TR-TY on pile.	11/16
		*					
40255	CAPE FEAR RIVER - LITTLE RIVER LIGHT 51A	33-54-57.444N 078-16-13.123W	FIG 4s	15	4	SG-SY on pile.	11/16
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14780	Milford Haven Daybeacon 4	37-29-17.747N 076-18-47.918W				TR on pile.	10/16	
	* Change Note: Queens Creek	*					10/16	
	*							
14815	QUEENS CREEK CHANNEL LIGHT 1	37-29-23.372N 076-19-15.416W	Fl G 2.5s		15	4	SG on pile.	10/16
	*		*		*	*	*	
14820	QUEENS CREEK CHANNEL WARNING LIGHT						Remove from list.	10/16
							*	
14820	Queens Creek Channel Buoy 2	37-29-23.868N 076-19-16.283W					Red nun.	10/16
	*	*	*		*	*	*	
14835	Queens Creek Channel Warning Daybeacon B						Remove from list.	10/16
							*	
14835	Queens Creek Channel Buoy 3	37-29-18.151N 076-19-21.123W					Green can.	10/16
	*	*	*		*	*	*	
14840	Queens Creek Channel Warning Daybeacon C						Remove from list.	10/16
							*	
14840	<i>Queens Creek Channel Lighted Buoy 5</i>	37-29-13.630N 076-19-26.347W	Fl G 4s			4	Green.	10/16
	*	*	*		*	*	*	
14845	Queens Creek Channel Buoy 6	37-29-14.250N 076-19-28.911W					Red nun.	10/16
	*	*	*		*	*	*	
14850	Queens Creek Channel Buoy 8	37-29-14.337N 076-19-41.098W					Red nun.	10/16
	*	*	*		*	*	*	
14855	Queens Creek Channel Daybeacon 9	37-29-14.054N 076-19-43.838W					SG on pile.	10/16
	*						*	
14860	Queens Creek Channel Warning Daybeacon E						Remove from list.	10/16
							*	
14860	Queens Creek Channel Buoy 10	37-29-12.259N 076-19-54.499W					Red nun.	10/16
	*	*	*		*	*	*	
14865	Queens Creek Channel Warning Daybeacon F						Remove from list.	10/16
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14870	Queens Creek Channel Daybeacon 11	37-29-11.000N 076-19-56.300W				SG on pile.	10/16	
	*					*		
14875	Queens Creek Channel Daybeacon 12	37-29-12.536N 076-19-57.734W				TR on pile.	10/16	
	*					*		
18300	OCCOQUAN RIVER CHANNEL LIGHT 14	38-39-43.733N 077-14-06.076W	FIR 4s		15 4	TR on pile.	10/16	
						*		
22370	POCOMOKE SOUND SHOAL LIGHT 9	37-53-48.091N 075-48-39.820W	FIG 2.5s		15 4	SG on multi-pile structure.	10/16	
		*						
28930	<i>Ocracoke Inlet Lighted Buoy 10</i>	35-04-32.654N 076-01-10.564W	FIR 4s			3 Red.	10/16	
		*						
29080	BIG FOOT SLOUGH CHANNEL WARNING LIGHT NB Marks LEHIGH wreck.	35-09-16.995N 076-00-38.463W	FI W 4s		15 5	NW on multi-pile structure worded DANGER WRECK.	10/16	
		*						
29380	<i>Beaufort Inlet Channel Lighted Gong Buoy 15</i>	34-40-48.617N 076-40-09.546W	FIG 4s			5 Green.	10/16	
		*						
29465	<i>Morehead City Channel Lighted Buoy 25</i>	34-42-39.509N 076-41-39.006W	Q G			5 Green.	10/16	
		*						
33515	WEST BAY LIGHT A						Remove from list. *	10/16
		*						
33575	LONG BAY LIGHT 6	34-57-39.594N 076-27-34.350W	FIR 4s		15 4	TR on pile.	10/16	
						*		
34885	Town Creek Channel Buoy 2	34-43-28.698N 076-39-52.806W				Red nun.	10/16	
		*	*	*	*	*	*	
34885	Town Creek Channel Daybeacon 2						Remove from list. *	10/16
		*						
40223	Cape Fear River - Little River Buoy 46A	33-55-18.757N 078-14-05.806W				Red nun with yellow triangle.	10/16	
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
817	NOAA Lighted Data Buoy 41424 (Dart)	32-55-41.000N 072-28-11.000W	Fl (4)Y 20s			5 Yellow disc shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	09/16
1580	DELAWARE BAY MAIN CHANNEL LIGHT 19	39-05-01.400N 075-11-16.444W	Q G		21	5 SG on pile.		09/16
2145	Rehoboth Bay Channel Buoy 17B	* 38-37-21.308N 075-05-41.551W				Green can.		09/16
* 2145	* Rehoboth Bay Channel Daybeacon 17B	* *	* *	* *	* *	* *	* Remove from list.	09/16
4860.5	Isle of Wight Bay Lighted Buoy 11	38-21-46.353N 075-05-15.231W	Fl G 2.5s			4 Green.		09/16
6030	Virginia Inside Passage Daybeacon 131	*					Remove from list.	09/16
6035	Virginia Inside Passage Daybeacon 132						* Remove from list.	09/16
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
6050	<i>Virginia Inside Passage Lighted Buoy 137</i>						Remove from list.	09/16	
12045	<i>James River Channel Lighted Buoy 46</i> 205 feet outside channel limit.	37-11-57.030N 076-43-04.346W	Q R			5	Red.	* Replaced by nun when endangered by ice.	09/16
12300	JAMES RIVER CHANNEL LIGHT 74B	37-18-27.480N 077-00-33.010W	F I R 4s		15	5	TR on pile.	*	09/16
13425	<i>York River Entrance Channel Lighted Buoy 7</i>	* 37-10-31.396N 076-14-13.779W	F I G 6s			5	Green.	*	09/16
28295	OLD HOUSE CHANNEL LIGHT 15	35-43-12.601N 075-37-25.451W	F I G 2.5s		15	4	SG on pile.	*	09/16
28400	ROANOKE SOUND CHANNEL LIGHT 10	35-49-05.560N 075-35-35.512W	F I R 4s		15	4	TR on pile.	*	09/16
28957	Teaches Hole Channel Buoy 21	35-04-43.366N 076-01-11.134W					Green can.	*	09/16
28961	Teaches Hole Channel Buoy 23	* 35-04-47.280N 076-00-49.773W					Green can.		09/16
35315	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 81	* 39-36-49.782N 074-12-34.918W	F I G 2.5s		15	4	SG-SY on pile.		09/16
35345	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 88	39-35-56.103N 074-13-15.134W	F I R 2.5s		15	4	TR-TY on pile.	*	09/16
35370	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 95	39-35-15.356N 074-13-58.750W	Q G		15	4	SG-SY on pile.	*	09/16
								*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
35405	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 104	39-34-13.380N 074-14-28.740W	Fl R 2.5s	15	4	TR-TY on pile.	09/16
35420	NEW JERSEY INTRACOASTAL WATERWAY JUNCTION LIGHT LB	39-33-44.639N 074-15-11.308W	Fl (2+1)R 6s	15	4	JR-TY on pile.	09/16
39223	Bogue Sound - New River Buoy 61A	34-35-53.143N 077-14-31.439W				* Green can with yellow square.	09/16
39230	BOGUE SOUND - NEW RIVER LIGHT 64	* 34-33-54.006N 077-16-54.534W	Fl R 4s	15	4	TR-TY on pile	09/16
39275	Bogue Sound - New River Daybeacon 67	34-32-53.073N 077-19-44.999W				* SG-SY on pile.	09/16
39280	BOGUE SOUND - NEW RIVER LIGHT 68	* 34-32-55.525N 077-19-46.517W	Fl R 4s	15	4	TR-TY on pile.	09/16
21345	Northwest Harbor Channel Lighted Buoy 7	* 39-16-04.470N 076-34-36.644W	Q G		*	* 4 Green.	08/16
36009	New Jersey Intracoastal Waterway Buoy 263A	* 39-16-41.036N 074-36-08.468W				Green can with yellow square.	Maintained year round. 08/16
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
3230	CHESTER RANGE FRONT LIGHT	39-51-14.459N 075-19-53.287W	Iso G 2s		62	On square skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	07/16
							*	
5017	Sinepuxent Bay Channel Buoy 7	38-18-30.668N 075-06-43.701W				Green can.		07/16
*	*	*	*	*	*	*	*	
10605	Willoughby Bay Channel Daybeacon 11	36-57-45.603N 076-17-47.453W				SG on pile.		07/16
			*	*	*			
13200	Poquoson River Warning Daybeacon A						Remove from list.	07/16
							*	
14720	Jackson Creek Channel Buoy 5	37-32-48.963N 076-19-20.089W				Green can.		07/16
22100	POCOMOKE SOUND LIGHT 2	37-43-37.059N 075-54-36.829W	FIR 4s		15	4 TR on multi-pile structure.		07/16
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
22365	POCOMOKE SOUND SHOAL LIGHT 8	37-52-27.564N 075-49-24.222W	Fl R 4s	15	4	TR on multi-pile structure.	07/16
22370	POCOMOKE SOUND SHOAL LIGHT 9	37-53-48.543N 075-48-39.866W	Fl G 2.5s	15	4	* SG on multi-pile structure.	07/16
22850	BROAD CREEK NORTH ENTRANCE LIGHT 1	37-57-09.467N 075-51-55.160W	Fl G 2.5s	15	4	* SG on pile.	07/16
24605	Tar Bay Channel Daybeacon 6	38-20-35.910N 076-14-22.922W				* TR on pile.	07/16
24620	* Tyler Cove Channel Daybeacon 1	38-20-56.923N 076-13-47.259W	*	*	*	* SG on pile.	07/16
30310	CAPE FEAR RIVER ENTRANCE RANGE FRONT LIGHT	33-52-23.500N 078-01-09.490W	Iso W 2s	23		* Skeleton tower on platform.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around, higher intensity 1.5° either side of rangeline. 07/16
39720	NEW RIVER - CAPE FEAR RIVER LIGHT 153	34-05-13.616N 077-52-49.896W	Fl G 4s	15	4	* SG-SY on multi-pile structure.	07/16
2715	Salem River Entrance Channel 14 V-AIS	39-34-15.704N 075-29-53.256W				* AIS: MMSI 993672159.	06/16
7892	* William P. Lane Jr. Bridge V-AIS SE	38-59-33.479N 076-22-47.059W				* AIS: MMSI 993672316.	06/16
*	*	*	*	*	*	*	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
7892.1	William P. Lane Jr. Bridge V-AIS SW	38-59-37.823N 076-23-04.969W					AIS: MMSI 993672315. 06/16
*	*	*	*	*	*	*	*
7894	William P. Lane Jr. Bridge V-AIS NE	38-59-37.768N 076-22-45.337W					AIS: MMSI 993672318. 06/16
*	*	*	*	*	*	*	*
7894.1	William P. Lane Jr. Bridge V-AIS NW	38-59-41.734N 076-23-03.355W					AIS: MMSI 993672317. 06/16
*	*	*	*	*	*	*	*
8237	Francis Scott Key Bridge V- AIS SE	39-12-54.971N 076-31-43.459W					AIS: MMSI 993672313. 06/16
*	*	*	*	*	*	*	*
8237.1	Francis Scott Key Bridge V- AIS SC	39-12-57.839N 076-31-46.501W					AIS: MMSI 993672312. 06/16
*	*	*	*	*	*	*	*
8237.2	Francis Scott Key Bridge V- AIS SW	39-13-01.697N 076-31-50.413W					AIS: MMSI 993672314. 06/16
*	*	*	*	*	*	*	*
8238	Francis Scott Key Bridge V- AIS NE	39-13-02.261N 076-31-33.817W					AIS: MMSI 993672310. 06/16
*	*	*	*	*	*	*	*
8238.1	Francis Scott Key Bridge V- AIS NC	39-13-05.099N 076-31-36.949W					AIS: MMSI 993672309. 06/16
*	*	*	*	*	*	*	*
8238.2	Francis Scott Key Bridge V- AIS NW	39-13-08.999N 076-31-40.981W					AIS: MMSI 993672311. 06/16
*	*	*	*	*	*	*	*
9851	Pinner Point Warning Buoy A	36-51-28.170N 076-18-58.630W				White can with orange bands and orange diamond labeled SUBMERGED WALL.	Private Aid. 06/16
*	*	*	*	*	*	*	*
9851.1	Pinner Point Warning Buoy B	36-51-27.600N 076-18-57.600W				White can with orange bands and orange diamond labeled SUBMERGED WALL.	Private Aid. 06/16
*	*	*	*	*	*	*	*
9851.2	Pinner Point Warning Buoy C	36-51-23.860N 076-18-58.350W				White can with orange bands and orange diamond labeled SUBMERGED WALL.	Private Aid. 06/16
*	*	*	*	*	*	*	*
9852	Midtown Tunnel East Warning Buoy A	36-51-40.460N 076-18-36.280W				White can with orange bands and orange diamond worded SUBMERGED WALL.	Private Aid. 06/16
*	*	*	*	*	*	*	*
13320	GOODWIN THOROFARE CHANNEL LIGHT 4	37-12-30.482N 076-23-42.621W	FIR 4s		18	4	TR on pile. 06/16

*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
15625	RAPPAHANNOCK RIVER LIGHTED BUOY 32	37-56-25.029N 076-51-29.027W	FIR 4s			4	Red.	06/16	
	*				*		*		
16940	RAGGED POINT LIGHT	38-09-16.302N 076-36-04.603W	FI W 6s		44	7	NG on tower on small white house on piles.	06/16	
						*			
30280	Carolina Beach Inlet Buoy 4	34-04-55.116N 077-51-59.071W					Red nun.	06/16	
		*							
30290	Carolina Beach Inlet Buoy 6	34-04-56.152N 077-52-07.275W					Red nun.	06/16	
		*							
30310	CAPE FEAR RIVER ENTRANCE RANGE FRONT LIGHT	33-52-23.500N 078-01-09.490W	Iso W 2s		23		Skeleton tower on platform.	Lighted throughout 24 hours. Visible 1.5° either side of range line.	06/16
			*		*			*	
30312	CAPE FEAR RIVER ENTRANCE RANGE REAR LIGHT	33-53-33.073N 078-00-48.161W	Iso W 6s		101		Skeleton tower on platform.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	06/16
	2,420 yards, 013.5° from front light.								
			*		*			*	
30492 39967	FEDERAL POINT RANGE REAR LIGHT	33-57-48.034N 077-56-38.722W	Iso W 6s		42		On multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	06/16
	880 yards, 338° from front light.								
								*	
31175	WHALE HEAD BAY LIGHT 2	36-22-17.670N 075-50-10.578W	FIR 4s		15	4	TR on multi-pile structure.	06/16	
		*							
39967 30492	FEDERAL POINT RANGE REAR LIGHT	33-57-48.034N 077-56-38.722W	Iso W 6s		42		On multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	06/16
	880 yards, 338° from front light.								
								*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1275	<i>Great Egg Harbor Inlet Lighted Buoy 2</i>	39-16-57.550N 074-31-35.114W	Fl R 2.5s			5	Red.	05/16
2880	BULKHEAD BAR RANGE FRONT LIGHT	* 39-38-19.423N 075-34-33.200W	Iso R 2s		23	On multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline.	05/16
2885	BULKHEAD BAR RANGE REAR LIGHT 2034 yards, 008° from front light.	39-39-19.125N 075-34-22.185W	* F R *		44	On black skeleton tower, small white house.	* Lighted throughout 24 hours. Visible 1.5° either side of rangeline. *	05/16

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
12947	Back River Channel Daybeacon 9B	37-06-32.836N 076-17-41.253W				SG on pile.	05/16		
13710	SARAH CREEK ENTRANCE LIGHT 2	* 37-14-45.999N 076-29-09.802W	FIR 4s		15	3	TR on pile.	05/16	
13925	UPPER YORK RIVER CHANNEL LIGHT 13	37-21-49.961N 076-38-14.254W	FIG 4s		15	4	SG on pile.	05/16	
15070	RAPPAHANNOCK RIVER ENTRANCE LIGHT 8R	37-36-06.042N 076-21-18.583W	FIR 2.5s		15	4	TR on pile.	05/16	
16335	GREAT WICOMICO RIVER LIGHT 11	37-50-55.358N 076-20-03.685W	FIG 4s		15	4	SG on pile.	05/16	
18735	<i>Anacostia River Lighted Buoy 3</i>	38-51-47.704N 077-00-35.813W	FIG 4s			4	Green.	Maintained from Mar. 15 to Dec. 1. Dec. 1 to Mar. 15 V-AIS: MMSI 993672308.	05/16
21970	Parkers Creek Junction Daybeacon PC	37-43-35.963N 075-48-35.227W					JR on pile.	05/16	
21990	* Parkers Creek Daybeacon 6	37-43-18.061N 075-48-27.535W	*		*	*	TR on multi-pile structure.	05/16	
29395	* FORT MACON REACH RANGE FRONT LIGHT	34-42-04.913N 076-40-22.469W	* Q W		*	*	On skeleton tower.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around higher intensity 1.5° either side of rangeline.	05/16
29400	FORT MACON REACH RANGE REAR LIGHT 245 yards, 338.8° from front light.	34-42-11.764N 076-40-25.462W	Iso W 6s		34		On skeleton tower.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.	05/16

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
30385	SMITH ISLAND RANGE FRONT LIGHT	33-53-36.121N 078-00-17.092W	Iso R 2s		18	On multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.	05/16
30667 30912	UPPER MIDNIGHT CHANNEL SOUTH RANGE FRONT LIGHT	34-00-07.881N 077-56-23.391W	Fl R 2.5s		21	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around; higher intensity 4.0° either side of rangeline.	05/16
			*		*		*	
30669 30914	UPPER MIDNIGHT CHANNEL SOUTH RANGE REAR LIGHT 833 yards, 178.9° from front light.	33-59-54.330N 077-56-23.254W	Iso R 6s		46	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	05/16
			*		*		*	
30870	Wilmington Marine Center North Range Front Daybeacon						Remove from list.	05/16
							*	
30875	Wilmington Marine Center North Range Rear Daybeacon						Remove from list.	05/16
							*	
30912 30667	UPPER MIDNIGHT CHANNEL SOUTH RANGE FRONT LIGHT	34-00-07.881N 077-56-23.391W	Fl R 2.5s		21	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around; higher intensity 4.0° either side of rangeline.	05/16
			*		*		*	
30914 30669	UPPER MIDNIGHT CHANNEL SOUTH RANGE REAR LIGHT 833 yards, 178.9° from front light.	33-59-54.330N 077-56-23.254W	Iso R 6s		46	Skeleton tower on multi-pile structure	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	05/16
			*		*		*	
31175	WHALE HEAD BAY LIGHT 2	36-22-18.571N 075-50-10.703W	Fl R 4s		15	4 TR on multi-pile structure.		05/16
39550	NEW RIVER - CAPE FEAR RIVER LIGHT 100	34-20-38.571N 077-42-01.506W	Fl R 4s		18	4 TR-TY on pile.		05/16
			*		*		*	
39597	New River - Cape Fear River Buoy 121	34-14-59.708N 077-46-56.972W				Green can with yellow square.		05/16
			*		*		*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5315	<i>Chincoteague Channel Lighted Buoy 11</i>	37-52-55.450N 075-24-51.420W	Q G			4 Green.		04/16
16080	INDIAN CREEK LIGHT 4	* 37-40-38.800N 076-18-57.619W	FIR 4s		15	3 TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.	04/16
21987	Parkers Creek Buoy 4A	* 37-43-18.904N 075-48-26.184W				Red nun.		04/16
* 22140	* Chesconessex Creek Daybeacon 4	*	*		*	*	* Remove from list.	04/16
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
28020	Oregon Inlet Buoy 11	35-46-34.990N 075-31-46.618W				Green can.	04/16	
		*						
28025	<i>Oregon Inlet Lighted Buoy 12</i>	35-46-37.568N 075-31-51.482W	Fl R 2.5s			4 Red.	04/16	
		*						
28430	ROANOKE SOUND CHANNEL LIGHT 16	35-50-36.500N 075-36-22.676W	Fl R 2.5s	15	4	TR on pile.	04/16	
		*						
30037	New Topsail Inlet Buoy 11	34-20-40.615N 077-40-12.848W				Green can.	04/16	
		*						
30055	BANKS CHANNEL LIGHT 2	34-21-13.554N 077-38-52.200W	Fl R 4s	15	4	TR on pile.	04/16	
		*						
30075	BANKS CHANNEL LIGHT 6	34-21-48.576N 077-38-07.914W	Fl R 4s	15	4	TR on pile.	04/16	
		*						
30140 39520	NEW RIVER TO CAPE FEAR RIVER JUNCTION LIGHT BC	34-24-37.821N 077-35-41.272W	Fl (2+1)G 6s	15	4	JG-SY on pile.	04/16	
		*						
35631	New Jersey Intracoastal Waterway Buoy 156A	39-27-17.739N 074-23-33.958W				Red nun with yellow triangle.	Maintained from May 1 to Nov. 1. Removed when endangered by ice.	04/16
		*						
35649	New Jersey Intracoastal Waterway Buoy 161	39-26-55.013N 074-23-30.929W				Green can with yellow square.	Maintained from May 1 to Nov. 1. Removed when endangered by ice.	04/16
		*						
37415	GREAT BRIDGE TO ALBEMARLE SOUND LIGHT 46	36-35-39.354N 076-03-35.292W	Fl R 4s	15	4	TR-TY on pile.	04/16	
		*						
37420	GREAT BRIDGE TO ALBEMARLE SOUND LIGHT 47	36-35-42.912N 076-03-31.464W	Q G		15	4 SG-SY on pile.	04/16	
		*						
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
39205	BOGUE SOUND - NEW RIVER LIGHT 55	34-38-34.531N 077-10-48.265W	FI G 4s		15	4	SG-SY on pile.	04/16
39520 30140	NEW RIVER TO CAPE FEAR RIVER JUNCTION LIGHT BC	* 34-24-37.821N 077-35-41.272W	FI (2+1)G 6s		15	4	JG-SY on pile.	04/16
40095	CAPE FEAR RIVER - LITTLE RIVER LIGHT 18	33-55-44.311N 078-10-17.818W	FI R 4s		15	4	TR-TY on multi-pile structure.	04/16
40100	CAPE FEAR RIVER - LITTLE RIVER LIGHT 24	* 33-55-36.459N 078-11-21.966W	FI R 4s		18	4	TR-TY on multi-pile structure.	* 04/16
91	<i>Hereford Inlet Lighted Wreck Buoy WR2</i>	*					Remove from list.	03/16
220	<i>Great Gull Bank Lighted Buoy 4</i>						Remove from list.	03/16
501	<i>Rudee Inlet Entrance Lighted Buoy 1</i>	36-49-46.993N 075-57-43.488W	FI G 2.5s			5	Green.	03/16
3820	ENTERPRISE LOWER RANGE FRONT LIGHT	40-03-06.304N 074-58-20.157W	Oc W 4s (NIGHT) Oc W 4s		16 19	*	On skeleton tower. Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT : Visible all around higher intensity 1.5° either side of rangeline.	03/16
3825	ENTERPRISE LOWER RANGE REAR LIGHT 1,056 yards, 241.5° from front light.	40-02-51.194N 074-58-55.849W	F W		50		On skeleton tower. Lighted throughout 24 hours. DAY/NIGHT: Visible 1.5° either side of rangeline.	* 03/16
			*		*		*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4310	Upper Delaware River Channel Buoy 98						Remove from list.	03/16
							*	
4315	Upper Delaware River Channel Buoy 99						Remove from list.	03/16
							*	
4320	Upper Delaware River Channel Buoy 101						Remove from list.	03/16
							*	
4325	Upper Delaware River Channel Buoy 102						Remove from list.	03/16
							*	
8595	UPPER CHESAPEAKE CHANNEL RANGE FRONT LIGHT	39-19-12.526N 076-12-58.429W	Fl W 2.5s (NIGHT) Fl W 2.5s (DAY)		35 38	On caisson.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline.	03/16
							*	
8600	UPPER CHESAPEAKE CHANNEL RANGE REAR LIGHT 863 yards, 015° from front light.	39-19-37.184N 076-12-49.665W	Oc W 4s (NIGHT) Oc W 4s (DAY)		64 61	On skeleton tower on caisson.	Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 4.0° either side of rangeline.	03/16
							*	
9255	<i>Thimble Shoal Channel Lighted Bell Buoy 9</i>	36-58-40.929N 076-07-55.243W	Fl G 4s			6 Green.		03/16
							*	
10385	Long Creek East Channel Daybeacon 13	36-54-12.971N 076-01-55.883W				SG on pile.		03/16
							*	
10410	* Broad Bay Channel Daybeacon 17	36-53-49.536N 076-02-03.132W	*		*	*	SG on pile.	03/16
							*	
10430	* Broad Bay Channel Daybeacon 20	36-53-28.692N 076-01-10.644W	*		*	*	TR on pile.	03/16
							*	
15225	* Whiting Creek Channel Buoy 6		*		*	*	Remove from list.	03/16
							*	
24425	FARM CREEK CHANNEL LIGHT 1	38-18-33.401N 076-02-18.122W	Fl G 2.5s		15	4 SG on pile.		03/16
							*	
27145	WILSON POINT JUNCTION LIGHT WP	39-18-19.745N 076-24-32.699W	Fl (2+1)R 6s		15	4 JR on pile.		03/16
							*	
	*							

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
27815	PERRYVILLE INTAKE WARNING LIGHT A	39-34-36.700N 076-05-16.800W	Fl W 4s			On pile.	Private Aid.	03/16
29372	<i>Beaufort Inlet Channel Lighted Buoy 13</i>	* 34-40-36.335N 076-40-10.995W	Fl G 2.5s		4	Green.		03/16
30390	SMITH ISLAND RANGE REAR LIGHT 242 yards, 007.6° from front light.	* 33-53-43.228N 078-00-15.857W	F R		33	On multi-pile structure.	Lighted throughout 24 hours. DAY : Visible 4.0° either side of rangeline. NIGHT : Visible all around higher intensity 4.0° either side of rangeline.	03/16
30925	FOURTH EAST JETTY RANGE FRONT LIGHT	* 34-09-56.585N 077-57-33.244W	Q W		* 13	On multi-pile structure.	* Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline.	03/16
30930	FOURTH EAST JETTY RANGE REAR LIGHT 1,137 yards, 183.5° from front light.	* 34-09-22.935N 077-57-36.132W	Iso W 6s		36	On multi-pile structure.	* Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline.	03/16
34325	CORE SOUND LIGHT 1CS	35-00-16.452N 076-12-11.430W	Fl G 4s		15	4 SG on pile.	*	03/16
37640	GREAT BRIDGE TO ALBEMARLE SOUND LIGHT 123	36-21-17.638N 075-56-44.006W	Q G		17	* 4 SG-SY on pile.		03/16
40320	Cape Fear River - Little River Buoy 75 *	33-54-41.811N 078-22-11.244W *				* Green can with yellow square. *		03/16

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
14770	Milford Haven Warning Daybeacon A	37-29-23.126N 076-19-02.154W				NW on pile worded DANGER SHOAL.	02/16
	*		*		*	*	*
14773	<i>Milford Haven Lighted Buoy 3</i>	37-29-23.822N 076-19-03.599W	Q G		4	Green.	02/16
	*	*	*		*	*	*
14775	Milford Haven Warning Daybeacon B	37-29-20.738N 076-18-58.352W				NW on pile worded DANGER SHOAL.	02/16
	*					*	
14776	Milford Haven Buoy 3A	37-29-20.038N 076-19-00.713W				Green can.	02/16
	*	*	*		*	*	*
14777	Milford Haven Buoy 3B	37-29-19.396N 076-18-53.903W				Green can.	02/16
	*	*	*		*	*	*
23395	<i>Goose Creek Channel Entrance Lighted Buoy 1</i>	38-05-40.442N 075-52-19.116W	Fl G 2.5s		4	Green.	02/16
			*				
4950	Cape Windsor Channel Daybeacon 2CW	38-27-00.494N 075-04-16.651W				TR on pile.	Private Aid. 01/16
		*					
4955	Cape Windsor Channel Daybeacon 3	38-27-04.494N 075-04-17.651W				SG on pile.	Private Aid. 01/16
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
4960	Cape Windsor Channel Daybeacon 4	38-27-06.494N 075-04-18.651W				TR on pile.	Private Aid. 01/16
4965	Cape Windsor Channel Daybeacon 5	* 38-27-06.494N 075-04-10.651W				SG on pile.	Private Aid. 01/16
4970	Cape Windsor Channel Daybeacon 7	* 38-27-12.494N 075-04-13.651W				SG on pile.	Private Aid. 01/16
13235	POQUOSON RIVER LIGHT 15	* 37-10-06.467N 076-24-06.233W	FI G 2.5s		15 4	SG on pile.	01/16
19215	CAPE ST. MARYS MARINA BREAKWATER LIGHT						* Remove from list. 01/16
24480	Muddy Hook Cove Channel Daybeacon 2	38-15-41.007N 076-10-07.649W				TR on pile.	* 01/16
24530	HONGA RIVER BACK CREEK ENTRANCE CHANNEL LIGHT 1BC 20 feet outside channel limit.	38-18-53.857N 076-12-52.878W	FI G 4s		15 4	* SG on pile.	01/16
24535	HONGA RIVER BACK CREEK CHANNEL LIGHT 3 20 feet outside channel limit.	38-18-55.290N 076-13-26.206W	Q G		15 4	* SG on multi-pile structure.	01/16
24550	Honga River Warning Daybeacon A	38-21-05.862N 076-13-04.518W					* NW on pile worded DANGER SHOAL. 01/16
24580	TAR BAY CHANNEL LIGHT 1	38-20-58.196N 076-16-18.028W	FI G 2.5s		15 4	* SG on pile.	01/16
24600	Tar Bay Channel Warning Daybeacon B	38-20-42.886N 076-14-36.976W				* NW on pile. worded DANGER SHOAL.	01/16
37083	Chesapeake Outfall Warning Daybeacon A						* Remove from list. 01/16
37083.1	Chesapeake Outfall Warning Daybeacon B						* Remove from list. 01/16
							* 01/16