

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
NO CORRECTIONS THIS WEEK								48/16
24395	MORGANS POINT APPROACH OUTER RANGE FRONT LIGHT	29-35-46.909N 094-56-56.298W	FIG 2.5s (NIGHT)	40 38		Skeleton tower on piles.	Visible 2° each side of rangeline.	47/16
	2,361 yards, 161.7° from front light.		FI W 2.5s (DAY)					
25390	HOUSTON SHIP CHANNEL LIGHT 116	29-44-02.568N 095-02-55.358W	FIR 2.5s	17	4	TR on pile. *	Ra ref.	47/16

*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
27510	MATAGORDA SHIP CHANNEL D RANGE FRONT LIGHT	28-35-46.227N 096-34-02.456W	Q G		25	KRW on skeleton tower on piles.	Visible 2° each side of rangeline.	47/16
		*						
27515	MATAGORDA SHIP CHANNEL D RANGE FRONT LIGHT PASSING LIGHT	28-35-46.227N 096-34-02.456W	Fl W 4s		27	5	On same structure as Matagorda Ship Channel Range D Front Light.	47/16
		*						
27520	MATAGORDA SHIP CHANNEL D RANGE REAR LIGHT	28-35-26.682N 096-34-02.962W	Oc G 4s		47		KRW on skeleton tower on piles.	47/16
							658.167 yards, 180.1° from front light.	
		*						
27875	Lavaca Bay Channel Daybeacon 14						Remove from list.	47/16
							*	
29101.01	LA QUINTA CHANNEL LIGHT 22						Remove from list.	47/16
							*	
29102	LA QUINTA CHANNEL EXTENSION B RANGE FRONT LIGHT	27-52-35.237N 097-17-33.462W	Q W (NIGHT) Q W (DAY)		25		Skeleton tower on piles. Visible 4° each side of rangeline. Lighted throughout 24 hours.	47/16
*	*	*	*	*	*	*	*	*
29103	LA QUINTA CHANNEL EXTENSION B RANGE REAR LIGHT	27-52-33.894N 097-17-41.116W	Iso W 6s (NIGHT) Iso W 6s (DAY)		50		Skeleton tower on piles. Visible 4° each side of rangeline. Lighted throughout 24 hours.	47/16
							233.393 yards, 258.3° from front light.	
		*	*	*	*	*	*	*
29104	LA QUINTA CHANNEL EXTENSION B RANGE REAR LIGHT PASSING LIGHT	27-52-33.894N 097-17-41.116W	Fl W 4s		16	3	On same structure as La Quinta Channel Extension B Range Rear Light.	47/16
		*	*	*	*	*	*	*
37805	PALACIOS CHANNEL LIGHT 46	28-40-51.226N 096-14-03.333W	Fl R 4s		17	3	TR on pile. Ra ref.	47/16
		*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
785	Texaco-GC-6-A RACON						Remove from list.	46/16
							*	
12552	CRIMSON GULF PIPELINE MARKER LIGHT A	29-09-03.010N 089-13-10.830W	Fl Y 2.5s			Western mark.	Private Aid.	46/16
*	*	*	*		*	*	*	*
12552.01	CRIMSON GULF PIPELINE MARKER LIGHT B	29-09-03.010N 089-13-10.600W	Fl Y 2.5s			Eastern mark,	Private Aid.	46/16
*	*	*	*		*	*	*	*
27710	Port Lavaca Channel Buoy 6	28-36-24.511N 096-35-15.389W				Red nun.		46/16
*	*	*	*		*	*	*	*
27710	Port Lavaca Channel Daybeacon 6						Remove from list.	46/16
							*	
27730	<i>Port Lavaca Channel Lighted Buoy 9</i>	28-36-48.278N 096-36-15.570W	Fl G 4s			4 Green can.		46/16
*	*	*	*		*	*	*	*
27730	PORT LAVACA CHANNEL LIGHT 9						Remove from list.	46/16
							*	
27890.01	Lavaca Bay Channel Buoy 20						Remove from list.	46/16
							*	
NO CORRECTIONS THIS WEEK								45/16
29545	<i>Laguna Madre Channel Lighted Buoy 5</i>	26-03-53.732N 097-10-00.396W	Q G			3 Green.		44/16
		*						
776	<i>BP Exploration-124-1 Lighted Buoy</i>	29-01-36.345N 091-31-36.855W	Fl W 2.5s			Marks submerged platform obstruction.	Private Aid.	43/16
*	*	*	*		*	*	*	*
3023	<i>Port St. Joe Lighted Mooring Buoy</i>	29-48-32.580N 085-30-22.340W	Fl W 2.5s			White with blue band.	Private Aid.	43/16
		*						
3990	Robinson Bayou Daybeacon 1	30-12-49.070N 085-42-12.720W				SG on pile.	Private Aid.	43/16
		*						
3995	Robinson Bayou Daybeacon 2	30-12-47.940N 085-42-15.600W				TR on pile.	Private Aid.	43/16
		*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
4000	Robinson Bayou Daybeacon 3	30-12-48.070N 085-42-07.090W				SG on pile.	Private Aid.	43/16	
		*							
4005	Robinson Bayou Daybeacon 4						Remove from list.	43/16	
							*		
4010	Robinson Bayou Daybeacon 5	30-12-45.720N 085-42-02.410W				SG on pile.	Private Aid.	43/16	
		*							
4015	Robinson Bayou Daybeacon 4	30-12-43.770N 085-42-04.180W				TR on pile.	Private Aid.	43/16	
		*							
4020	* Robinson Bayou Daybeacon 7	* 30-12-40.900N 085-41-59.550W				SG on pile.	Private Aid.	43/16	
		*							
4025	Robinson Bayou Daybeacon 6	30-12-40.240N 085-42-02.480W				TR on pile.	Private Aid.	43/16	
		*							
6963.22	* NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	* 30-20-10.284N 087-48-44.712W	FI W 2.5s				Marks shoreline restoration breakwater structure.	Private Aid.	43/16
6963.23	* NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	* 30-20-13.650N 087-48-48.010W	FI W 2.5s		*	*	Marks shoreline restoration breakwater structure.	Private Aid.	43/16
					*	*		*	
12378.03	* CRCL Danger Daybeacons (6)	* 29-45-18.560N 089-26-55.210W			*	*	Marks submerged oyster beds.	Private Aid.	43/16
					*	*		*	
12612	* South Pass Buoy 9B	* 29-03-36.700N 089-12-23.800W					Green can.		43/16
12642	* <i>South Pass Lighted Buoy 11B</i>	* 29-07-07.560N 089-14-29.100W	FI G 2.5s		*	*	Green can.		43/16
					*	*		*	
13613	* PLAQUEMINES PARISH WEST BANK FERRY MAINTENANCE DOCK MOORING LIGHTS (2)	* 29-51-13.360N 089-58-55.230W	FI G 2.5s		*	*	Marks the upper and lower mooring dolphins.	Private Aid.	43/16
					*	*		*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1495	<i>St Marks River Lighted Buoy SM</i>						Remove from list.	42/16
2287.32	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT I	30-02-33.480N 084-21-34.660W	Fl Y 2.5s			Marks aquaculture farm perimeter.	Private Aid.	42/16
10457	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	* 30-10-59.060N 089-31-22.020W	Fl W 2.5s			Marks shoreline protection breakwater.	Private Aid.	42/16
21667	EXXONMOBIL OBSTRUCTION LIGHT	*					Remove from list.	42/16
27485	PORT LAVACA CHANNEL JUNCTION LIGHT PL	28-35-50.039N 096-34-00.254W	Fl (2+1)G 6s	17	3	JG on pile.	Ra ref.	42/16
29101.07	* PORT OF CORPUS CHRISTI LA QUINTA CHANNEL EXTENSION RANGE FRONT LIGHT	27-52-53.100N 097-17-05.430W	* Q G	*	*	Marks front range.	Private Aid.	42/16
* 29101.08	* PORT OF CORPUS CHRISTI LA QUINTA CHANNEL EXTENSION RANGE REAR LIGHT	* 27-52-56.740N 097-17-23.120W	* Fl G 6s	*	*	* Marks rear range.	* Private Aid.	* 42/16
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2670.02	Carrabelle River Buoy 21A	29-51-03.123N 084-40-52.834W				Green can.		41/16
*	*	*	*	*	*	*	*	*
10457	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-19-59.060N 089-31-22.020W	Fl W 2.5s			Marks shoreline protection breakwater.	Private Aid.	41/16
*	*	*	*	*	*	*	*	*
10457.01	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-59.300N 089-31-16.720W	Fl W 2.5s			Marks shoreline protection breakwater.	Private Aid.	41/16
*	*	*	*	*	*	*	*	*
10457.02	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-59.020N 089-31-14.350W	Fl W 2.5s			Marks shoreline protection breakwater.	Private Aid.	41/16
*	*	*	*	*	*	*	*	*
10457.03	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-00.300N 089-31-07.520W	Fl W 2.5s			Marks shoreline protection breakwater.	Private Aid.	41/16
*	*	*	*	*	*	*	*	*
10457.04	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-00.540N 089-31-05.130W	Fl W 2.5s			Marks shoreline protection breakwater.	Private Aid.	41/16
*	*	*	*	*	*	*	*	*
10457.05	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-02.190N 089-30-56.570W	Fl W 2.5s			Marks shoreline protection breakwater.	Private Aid.	41/16
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
10457.06	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-05.270N 089-30-51.800W	Fl W 2.5s				Marks shoreline protection breakwater.	Private Aid.	41/16
*	*	*	*		*	*	*	*	
10457.07	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-00.300N 089-31-07.520W	Fl W 2.5s				Marks shoreline protection breakwater.	Private Aid.	41/16
*	*	*	*		*	*	*	*	
10457.08	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-02.240N 089-30-38.110W	Fl W 2.5s				Marks shoreline protection breakwater.	Private Aid.	41/16
*	*	*	*		*	*	*	*	
10457.09	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-02.440N 089-30-30.930W	Fl W 2.5s				Marks shoreline protection breakwater.	Private Aid.	41/16
*	*	*	*		*	*	*	*	
10457.11	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-00.390N 089-30-19.220W	Fl W 2.5s				Marks shoreline protection breakwater.	Private Aid.	41/16
*	*	*	*		*	*	*	*	
10457.12	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-11-00.500N 089-30-09.650W	Fl W 2.5s				Marks shoreline protection breakwater.	Private Aid.	41/16
*	*	*	*		*	*	*	*	
10457.13	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-58.810N 089-30-04.150W	Fl W 2.5s				Marks shoreline protection breakwater.	Private Aid.	41/16
*	*	*	*		*	*	*	*	
10457.14	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-56.900N 089-29-59.910W	Fl W 2.5s				Marks shoreline protection breakwater.	Private Aid.	41/16
*	*	*	*		*	*	*	*	
10457.15	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-56.150N 089-29-50.380W	Fl W 2.5s				Marks shoreline protection breakwater.	Private Aid.	41/16
*	*	*	*		*	*	*	*	
10457.16	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-57.780N 089-29-43.110W	Fl W 2.5s				Marks shoreline protection breakwater.	Private Aid.	41/16
*	*	*	*		*	*	*	*	
10457.17	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-59.270N 089-29-36.480W	Fl W 2.5s				Marks shoreline protection breakwater.	Private Aid.	41/16
*	*	*	*		*	*	*	*	
10457.18	MISSISSIPPI DEQ DANGER BREAKWATER LIGHT	30-10-59.990N 089-29-32.200W	Fl W 2.5s				Marks shoreline protection breakwater.	Private Aid.	41/16
*	*	*	*		*	*	*	*	
15490	TIGER PASS LIGHT 13							Remove from list.	41/16
15505	TIGER PASS LIGHT 17							Remove from list.	41/16
								*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
15510.01	<i>Tiger Pass Lighted Buoy 18</i>						Remove from list.	41/16
							*	
15510.02	Tiger Pass Buoy 18A						Remove from list.	41/16
							*	
15520	Tiger Pass Buoy 20						Remove from list.	41/16
							*	
8578.06	Graveline Bayou Channel Daybeacon 7	30-21-35.340N 088-39-40.000W				SG on pile.	Private Aid.	40/16
							*	
14610	Upper Grand View Reach Anchorage Upper Daybeacon 148.8	30-01-20.680N 090-42-44.060W				NY on pile.	Ra ref.	40/16
							*	
35055	LAKE COCODRIE LIGHT 10	29-36-48.162N 090-58-52.727W	FIR 2.5s		17 4	TR on pile.	Ra ref.	40/16
							*	
1445	<i>FR-TX-58 Special Lighted Buoy</i>	26-16-32.705N 097-02-19.838W	FI Y 2.5s			Marks artificial reef.	Private Aid.	39/16
							*	
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6485	<i>Mobile Channel Lighted Buoy 47</i> 300 feet outside channel limit.	30-26-14.872N 088-00-54.804W	FIG 2.5s			4 Green.		39/16
*	*	*	*	*	*	*	*	
6485	MOBILE CHANNEL LIGHT 47						Remove from list.	39/16
							*	
6525	<i>Mobile Channel Lighted Buoy 52</i> 200 feet outside channel limit.	30-27-53.028N 088-00-51.847W	FIR 2.5s			4 Red.		39/16
*	*	*	*	*	*	*	*	
6525	MOBILE CHANNEL LIGHT 52						Remove from list.	39/16
							*	
6550	<i>Mobile Channel Lighted Buoy 55</i> 200 feet outside channel limit.	30-29-22.305N 088-01-10.486W	FIG 4s			4 Green.		39/16
*	*	*	*	*	*	*	*	
6550	MOBILE CHANNEL LIGHT 55						Remove from list.	39/16
							*	
9572.01	Breton/Chandeleur ICW Alternate Route V-AIS 25	29-58-18.249N 089-00-06.207W					AIS - 993682030	39/16
	*							
9572.02	Breton/Chandeleur ICW Alternate Route V-AIS 24	29-59-17.671N 089-00-04.980W					AIS - 993682029	39/16
	*							
9572.04	Breton/Chandeleur ICW Alternate Route V-AIS 22	30-00-17.023N 089-00-01.479W					AIS - 993682092	39/16
	*							
9572.07	Breton/Chandeleur ICW Alternate Route V-AIS 19	30-01-16.241N 088-59-55.707W					AIS - 993682090	39/16
	*							
9572.09	Breton/Chandeleur ICW Alternate Route V-AIS 17	30-02-15.579N 088-59-52.204W					AIS - 993682089	39/16
	*							
9572.11	Breton/Chandeleur ICW Alternate Route V-AIS 16	30-03-14.973N 088-59-50.975W					AIS - 993682088	39/16
	*							

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
9572.14	Breton/Chandeleur ICW Alternate Route V-AIS 13	30-04-14.191N 088-59-45.198W					AIS - 993682086 39/16
	*						
9572.15	Breton/Chandeleur ICW Alternate Route V-AIS 12	30-05-13.603N 088-59-43.967W					AIS - 993682085 39/16
	*						
9572.18	Breton/Chandeleur ICW Alternate Route V-AIS 9	30-06-12.899N 088-59-38.183W					AIS - 993682084 39/16
	*						
9572.22	Breton/Chandeleur ICW Alternate Route V-AIS 6	30-08-11.464N 088-59-33.452W					AIS - 993682083 39/16
	*						
9572.25	Breton/Chandeleur ICW Alternate Route V-AIS 3	30-09-10.770N 088-59-27.662W					AIS - 993682082 39/16
	*						
11672.01	Breton/Chandeleur ICW Alternate Route V-AIS 105	29-25-51.055N 089-18-07.202W					AIS - 993682080 39/16
	*						
11672.02	Breton/Chandeleur ICW Alternate Route V-AIS 104	29-26-44.989N 089-17-38.601W					AIS - 993682079 39/16
	*						
11672.04	Breton/Chandeleur ICW Alternate Route V-AIS 102	29-27-37.973N 089-17-08.005W					AIS - 993682077 39/16
	*						
11672.07	Breton/Chandeleur ICW Alternate Route V-AIS 99	29-28-30.102N 089-16-35.357W					AIS - 993682075 39/16
	*						
11672.08	Breton/Chandeleur ICW Alternate Route V-AIS 98	29-29-23.992N 089-16-06.752W					AIS - 993682074 39/16
	*						
11672.11	Breton/Chandeleur ICW Alternate Route V-AIS 96	29-30-17.016N 089-15-36.103W					AIS - 993682073 39/16
	*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
11672.13	Breton/Chandeleur ICW Alternate Route V-AIS 94	29-31-10.004N 089-15-05.464W					AIS - 993682071 39/16
	*						
11672.16	Breton/Chandeleur ICW Alternate Route V-AIS 91	29-32-02.121N 089-14-32.781W					AIS - 993682069 39/16
	*						
11672.17	Breton/Chandeleur ICW Alternate Route V-AIS 90	29-32-55.421N 089-14-02.799W					AIS - 993682068 39/16
	*						
11672.19	Breton/Chandeleur ICW Alternate Route V-AIS 88	29-33-26.955N 089-13-43.166W					AIS - 993682067 39/16
	*						
11672.23	Breton/Chandeleur ICW Alternate Route V-AIS 84	29-34-00.406N 089-13-12.350W					AIS - 993682064 39/16
	*						
11672.26	Breton/Chandeleur ICW Alternate Route V-AIS 81	29-34-31.297N 089-12-28.017W					AIS - 993682062 39/16
	*						
11672.28	Breton/Chandeleur ICW Alternate Route V-AIS 79	29-35-03.650N 089-11-45.199W					AIS - 993682060 39/16
	*						
11672.31	Breton/Chandeleur ICW Alternate Route V-AIS 77	29-35-42.498N 089-10-53.768W					AIS - 993682059 39/16
	*						
11672.32	Breton/Chandeleur ICW Alternate Route V-AIS 76	29-36-22.837N 089-10-03.810W					AIS - 993682058 39/16
	*						
11672.34	Breton/Chandeleur ICW Alternate Route V-AIS 74	29-37-01.604N 089-09-12.449W					AIS - 993682056 39/16
	*						
11672.37	Breton/Chandeleur ICW Alternate Route V-AIS 71	29-37-38.974N 089-08-19.454W					AIS - 993682054 39/16
	*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
11672.39	Breton/Chandeleur ICW Alternate Route V-AIS 69	29-38-17.792N 089-07-27.989W					AIS - 993682053	39/16
	*							
11672.43	Breton/Chandeleur ICW Alternate Route V-AIS 65	29-39-32.925N 089-05-48.814W					AIS - 993682050	39/16
	*							
11672.45	Breton/Chandeleur ICW Alternate Route V-AIS 62	29-41-20.925N 089-05-08.860W					AIS - 993682049	39/16
	*							
11672.74	Breton/Chandeleur ICW Alternate Route V-AIS 30	29-56-19.752N 089-00-15.467W					AIS - 993682032	39/16
	*							
11695	MISSISSIPPI RIVER - GULF OUTLET PIPELINE LIGHT 25A (B-1)						Remove from list.	39/16
	*							
11700	MISSISSIPPI RIVER - GULF OUTLET PIPELINE LIGHT 26 (B-2)						Remove from list.	39/16
	*							
28775	CORPUS CHRISTI CUT B WEST RANGE REAR LIGHT	27-48-36.580N 097-25-00.684W	F G		101	KRW on skeleton tower, located south side of harbor entrance.	Visible 5° each side of rangeline.	39/16
		2,600 yards, 269.7° from front light.						
	*							
28840	TULE LAKE CHANNEL A RANGE REAR LIGHT	27-49-37.007N 097-25-56.274W	F G		63	KRW on skeleton tower on mud sills.	Lighted throughout 24 hours.	39/16
		616 yards, 066.8° from front light.						
	*							
28860	TULE LAKE CHANNEL C RANGE FRONT LIGHT	27-48-52.553N 097-27-14.383W	Q G		35	KRW on skeleton tower.	Lighted throughout 24 hours.	39/16
	*							
28865	TULE LAKE CHANNEL C RANGE REAR LIGHT	27-48-51.411N 097-27-08.678W	Iso G 6s		45	KRW on skeleton tower on mud sills.	Lighted throughout 24 hours.	39/16
		175 yards, 102.2° from front light.						
	*							
28880	TULE LAKE CHANNEL E RANGE REAR LIGHT	27-48-59.162N 097-28-12.739W	Iso G 6s		37	KRW on skeleton tower on mud sills.	Lighted throughout 24 hours.	39/16
		206 yards, 116.7° from front light.						
	*							

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6835	Bon Secour River Daybeacon 8	30-17-27.743N 087-44-56.842W				TR on pile.	Ra ref.	38/16
		*						
6850	Bon Secour River Daybeacon 11	30-17-49.281N 087-44-38.635W				SG on pile.	Ra ref.	38/16
		*						
	* Add Heading: Pascagoula Bay							38/16
8565	U.S.G.S. ROUND ISLAND MONITORING PLATFORM LIGHT	30-18-49.000N 088-35-00.000W	Fl Y 2.5s		35	On pile.	Private Aid.	38/16
							*	
8570	Pascagoula Bay Channel Daybeacon 2	30-20-02.000N 088-36-03.000W				TR on pile.	Private Aid.	38/16
							*	
8575	Pascagoula Bay Channel Daybeacon 4	30-20-39.000N 088-36-03.000W				TR on pile.	Private Aid.	38/16
							*	
8578	Graveline Bayou Channel Daybeacon 1	30-21-13.310N 088-39-44.230W				SG on pile.	Private Aid.	38/16
							*	
* 8578.01	* Graveline Bayou Channel Daybeacon 2	* 30-21-13.150N 088-39-45.000W	* Fl Y 2.5s			* TR on pile.	* Private Aid.	* 38/16
							*	
* 8578.02	* Graveline Bayou Channel Daybeacon 3	* 30-21-22.790N 088-39-42.990W	* Fl Y 2.5s			* SG on pile.	* Private Aid.	* 38/16
							*	
* 8578.03	* Graveline Bayou Channel Daybeacon 4	* 30-21-22.540N 088-39-41.650W	* Fl Y 2.5s			* TR on pile.	* Private Aid.	* 38/16
							*	
* 8578.04	* Graveline Bayou Channel Daybeacon 5	* 30-21-22.540N 088-39-41.650W	* Fl Y 2.5s			* TR on pile.	* Private Aid.	* 38/16

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
8578.04	Graveline Bayou Channel Daybeacon 5	30-21-33.450N 088-39-40.440W				SG on pile.	Private Aid. 38/16
*	*	*	*	*	*	*	*
8578.05	Graveline Bayou Channel Daybeacon 6	30-21-33.210N 088-39-39.100W				TR on pile.	Private Aid. 38/16
*	*	*	*	*	*	*	*
8578.06	Graveline Bayou Channel Daybeacon 7	30-21-35.340N 088-39-10.000W				SG on pile.	Private Aid. 38/16
*	*	*	*	*	*	*	*
8578.07	Graveline Bayou Channel Daybeacon 8	30-21-35.200N 088-39-38.640W				TR on pile.	Private Aid. 38/16
*	*	*	*	*	*	*	*
8578.08	Graveline Bayou Channel Daybeacon 9	30-21-37.610N 088-39-10.840W				SG on pile.	Private Aid. 38/16
*	*	*	*	*	*	*	*
8578.09	Graveline Bayou Channel Daybeacon 10	30-21-38.410N 088-39-39.830W				TR on pile.	Private Aid. 38/16
*	*	*	*	*	*	*	*
8578.11	Graveline Bayou Channel Daybeacon 11	30-21-39.490N 088-39-43.380W				SG on pile.	Private Aid. 38/16
*	*	*	*	*	*	*	*
8578.12	Graveline Bayou Channel Daybeacon 12	30-21-40.400N 088-39-12.500W				TR on pile.	Private Aid. 38/16
*	*	*	*	*	*	*	*
8578.13	Graveline Bayou Channel Daybeacon 13	30-21-42.910N 088-39-50.830W				SG on pile.	Private Aid. 38/16
*	*	*	*	*	*	*	*
8578.14	Graveline Bayou Channel Daybeacon 14	30-21-44.180N 088-39-50.680W				TR on pile.	Private Aid. 38/16
*	*	*	*	*	*	*	*
11715	Mississippi River - Gulf Outlet Daybeacon 62	29-40-40.343N 089-23-08.122W				TR on pile.	Ra ref. 38/16
	150 feet outside channel limit.						
*	*	*	*	*	*	*	*
11720	Mississippi River - Gulf Outlet Daybeacon 68	29-42-25.506N 089-25-40.908W				TR on pile.	Ra ref. 38/16
*	*	*	*	*	*	*	*
12355	Bayou Terre Aux Boeufs Daybeacon 2	29-37-13.261N 089-29-11.695W				TR on pile.	Ra ref. 38/16
*	*	*	*	*	*	*	*
12370	Bayou Terre Aux Boeufs Daybeacon 6	29-38-03.372N 089-32-25.433W				TR on pile.	Ra ref. 38/16
*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
12375	Bayou Terre Aux Boeufs Daybeacon 7	29-39-31.058N 089-33-50.453W				SG on pile.	Ra ref.	38/16
24752	* ENTERPRISE PRODUCTS SPECIAL LIGHT A	* 29-41-09.110N 095-00-26.650W	* Fl Y 2.5s		* *		Marks turning point for mooring.	Private Aid. 38/16
* 12380	* BAPTISTE COLLETTE BAYOU ENTRANCE LIGHT	* 29-24-43.445N 089-18-33.599W	* Oc W 4s		* 17	* 4	* NG on piles.	Ra ref. * 37/16
35140	Morgan City-Port Allen Alternate Route Daybeacon 16	* 29-43-32.506N 091-11-21.095W				TR-TY on pile.	Ra ref.	37/16

*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
2287.23	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT A	30-02-11.520N 084-21-39.680W	Fl Y 2.5s				Marks aquaculture farm perimeter.	Private Aid.	36/16
*	*	*	*		*	*	*	*	*
2287.24	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT B	30-02-11.760N 084-21-29.520W	Fl Y 2.5s				Marks aquaculture farm perimeter.	Private Aid.	36/16
*	*	*	*		*	*	*	*	*
2287.25	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT C	30-02-16.580N 084-21-29.520W	Fl Y 2.5s				Marks aquaculture farm perimeter.	Private Aid.	36/16
*	*	*	*		*	*	*	*	*
2287.26	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT D	30-02-22.550N 084-21-33.480W	Fl Y 2.5s				Marks aquaculture farm perimeter.	Private Aid.	36/16
*	*	*	*		*	*	*	*	*
2287.27	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT E	30-02-29.140N 084-21-32.610W	Fl Y 2.5s				Marks aquaculture farm perimeter.	Private Aid.	36/16
*	*	*	*		*	*	*	*	*
2287.28	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT F	30-02-34.140N 084-21-27.720W	Fl Y 2.5s				Marks aquaculture farm perimeter.	Private Aid.	36/16
*	*	*	*		*	*	*	*	*
2287.29	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT G	30-02-39.550N 084-21-25.200W	Fl Y 2.5s				Marks aquaculture farm perimeter.	Private Aid.	36/16
*	*	*	*		*	*	*	*	*
2287.31	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT H	30-02-40.230N 084-21-29.520W	Fl Y 2.5s				Marks aquaculture farm perimeter.	Private Aid.	36/16
*	*	*	*		*	*	*	*	*
2287.32	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT I	30-02-32.400N 084-21-30.290W	Fl Y 2.5s				Marks aquaculture farm perimeter.	Private Aid.	36/16
*	*	*	*		*	*	*	*	*
2287.33	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT J	30-02-29.000N 084-21-37.730W	Fl Y 2.5s				Marks aquaculture farm perimeter.	Private Aid.	36/16
*	*	*	*		*	*	*	*	*
2287.34	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT K	30-02-23.710N 084-21-38.420W	Fl Y 2.5s				Marks aquaculture farm perimeter.	Private Aid.	36/16
*	*	*	*		*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
2287.35	FLORIDA DEPARTMENT OF AGRICULTURE SKIPPER BAY OYSTER FARM SPECIAL LIGHT L	30-02-16.550N 084-21-39.600W	Fl Y 2.5s			Marks aquaculture farm perimeter.	Private Aid. 36/16
*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4580	Choctawhatchee Bay Entrance Buoy 10	30-23-31.847N 086-30-51.195W				Red nun.		35/16
*	*	*	*	*	*	*	*	*
4580	Choctawhatchee Bay Entrance Daybeacon 10						Remove from list.	35/16
							*	
5005	<i>Pensacola Bay Lighted Buoy 30</i>	30-23-16.715N 087-12-22.891W	Q R			2 Red nun.		35/16
	75 feet outside channel limit.							
	*							
5020	Pensacola Marine Terminal Buoy PMT1	30-23-45.620N 087-13-03.568W				Green can.		35/16
	*							
8222	Yazoo Channel Daybeacon 1	30-20-50.810N 088-33-35.790W				SG on pile.	Private Aid.	35/16
*	*	*	*	*	*	*	*	*
8222.01	Yazoo Channel Daybeacon 2	30-20-50.340N 088-33-35.370W				TR on pile.	Private Aid.	35/16
*	*	*	*	*	*	*	*	*
21730	CALCASIEU CHANNEL LIGHT 86	30-02-53.389N 093-19-40.121W	FIR 4s		17	4 TR on pile.		35/16
	130 feet outside channel limit.							
	*							
22535	SABINE PASS C RANGE FRONT LIGHT	29-45-28.981N 093-53-24.448W	Iso R 2s (NIGHT)	27	25	Skeleton tower on piles.	Visible all around, higher intensity on rangeline.	35/16
			Iso W 2s (DAY)					
	*		*	*				
30892	Richard Bayou Channel Daybeacon 1	30-03-38.411N 085-29-35.473W				SG on pile.	Private Aid.	35/16
*	*	*	*	*	*	*	*	*
30892.01	Richard Bayou Channel Daybeacon 2	30-03-38.147N 085-29-35.318W				TR on pile.	Private Aid.	35/16
*	*	*	*	*	*	*	*	*
30892.02	Richard Bayou Channel Daybeacon 3	30-03-40.029N 085-29-31.846W				SG on pile.	Private Aid.	35/16
*	*	*	*	*	*	*	*	*
30892.03	Richard Bayou Channel Daybeacon 4	30-03-39.748N 085-29-31.730W				TR on pile.	Private Aid.	35/16
*	*	*	*	*	*	*	*	*
30892.04	Richard Bayou Channel Daybeacon 5	30-03-40.318N 085-29-28.876W				SG on pile.	Private Aid.	35/16
*	*	*	*	*	*	*	*	*
30892.05	Richard Bayou Channel Daybeacon 6	30-03-40.086N 085-29-29.969W				TR on pile.	Private Aid.	35/16
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
370	<i>Energy XXI-102-10 (Lighted Horn Buoy)</i>	29-14-20.408N 088-52-59.480W	Q G			Green.	Private Aid.	34/16
		*						
25158	San Jacinto Bay Barge Channel Daybeacon 17	29-42-24.930N 095-02-24.300W				SG on pile.	Private Aid.	34/16
		*						
11671	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 108</i>	29-24-58.627N 089-18-38.205W	Q R			3 Red nun with yellow triangle.		33/16
*	*	*	*	*	*	*	*	
24430	BAYPORT SHIP CHANNEL OUTER RANGE FRONT LIGHT	29-36-52.254N 094-57-07.389W	Q G		25	KRW on skeleton tower on piles.	Visible 2° each side of rangeline.	33/16
		*						
	* Delete Heading: Red Bayou Channel							33/16
26005	Red Bayou Channel Daybeacon 2						Remove from list.	33/16
							*	
26010	Red Bayou Channel Daybeacon 4						Remove from list.	33/16
							*	
26015	Red Bayou Channel Daybeacon 6						Remove from list.	33/16
							*	
26020	Red Bayou Channel Daybeacon 8						Remove from list.	33/16
							*	
26025	Red Bayou Channel Daybeacon 10						Remove from list.	33/16
							*	
28960	LA QUINTA CHANNEL OUTER RANGE FRONT LIGHT	27-48-44.510N 097-13-11.467W	Q W		20	KRW on skeleton tower on piles.	Visible 2° each side of rangeline.	33/16
		*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
39575.01	Aransas Bay Alternate Route Daybeacon 48	27-56-07.506N 097-03-36.281W				TR-TY on pile.	Ra ref.	33/16	
		*							
39595	ARANSAS BAY ALTERNATE ROUTE LIGHT 49 90 feet outside channel limit.	27-55-18.077N 097-03-23.531W	Fl G 2.5s		17	3	SG-SY on pile.	Ra ref.	33/16
		*							
41085	Baffin Bay Daybeacon 22	27-15-39.534N 097-32-29.155W				TR on pile.		33/16	
		*							
41100	Baffin Bay Daybeacon 28	27-15-47.118N 097-34-55.107W				TR on pile.		33/16	
		*							
41105	Baffin Bay Daybeacon 30	27-15-48.987N 097-35-31.533W				TR on pile.		33/16	
		*							
12380	BAPTISTE COLLETTE BAYOU ENTRANCE LIGHT	29-24-40.615N 089-18-32.102W	Oc W 4s		17	4	NG on piles.	Ra ref.	32/16
		*							
14035	Huey P Long Bridge Approach Buoy A	29-56-46.075N 090-09-57.629W					* Red nun with green bands.	AIS - 993682000	32/16
		*							
14040	Huey P Long Bridge Approach Buoy B	29-56-42.112N 090-10-02.151W					Red nun with green bands.	AIS - 993682001	32/16
		*							
24755	HOUSTON SHIP CHANNEL LIGHT 93 125 feet outside channel limit.	29-41-17.601N 094-59-12.513W	Fl G 4s		17	3	SG on pile.	Ra ref.	32/16
		*							
9572.01	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 25	29-58-18.249N 089-00-06.207W						AIS - 993682030	31/16
*	*	*	*	*	*	*	*	*	
9572.02	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 24	29-59-17.671N 089-00-04.980W						AIS - 993682029	31/16
*	*	*	*	*	*	*	*	*	
9572.03	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 23	29-59-17.570N 089-00-02.708W	Fl G 4s		17	5	SG-SY on pile.	Ra ref. AIS - 993682093	31/16
		*						*	
9572.04	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 22	30-00-17.023N 089-00-01.479W						AIS - 993682092	31/16
*	*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
9572.06	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 20	30-01-16.343N 088-59-57.979W	FIR 2.5s		17	4	TR-TY on pile.	Ra ref. AIS - 993682091	31/16
							*		
9572.07	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 19	30-01-16.241N 088-59-55.707W						AIS - 993682090	31/16
	*	*	*	*	*	*	*	*	
9572.09	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 17	30-02-15.579N 088-59-52.204W						AIS - 993682089	31/16
	*	*	*	*	*	*	*	*	
9572.11	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 16	30-03-14.973N 088-59-50.975W						AIS - 993682088	31/16
	*	*	*	*	*	*	*	*	
9572.12	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 15	30-03-14.871N 088-59-48.702W	FI G 2.5s		17	4	SG-SY on pile.	Ra ref. AIS - 993682087	31/16
								*	
9572.14	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 13	30-04-14.191N 088-59-45.198W						AIS - 993682086	31/16
	*	*	*	*	*	*	*	*	
9572.15	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 12	30-05-13.603N 088-59-43.967W						AIS - 993682085	31/16
	*	*	*	*	*	*	*	*	
9572.18	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 9	30-06-12.899N 088-59-38.183W						AIS - 993682084	31/16
	*	*	*	*	*	*	*	*	
9572.22	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 6	30-08-11.464N 088-59-33.452W						AIS - 993682083	31/16
	*	*	*	*	*	*	*	*	
9572.25	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 3	30-09-10.770N 088-59-27.662W						AIS - 993682082	31/16
	*	*	*	*	*	*	*	*	
10357.01	CITY OF BAY ST. LOUIS MUNICIPAL PIER LIGHT 1	30-18-40.700N 089-19-12.200W	FI G 2.5s				Marks entrance of port side pier structure.	Private Aid.	31/16
		*							
10357.02	CITY OF BAY ST. LOUIS MUNICIPAL PIER LIGHT 2	30-18-41.700N 089-19-12.700W	FIR 2.5s				Marks entrance of starboard side pier structure.	Private Aid.	31/16
		*							
11672	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 106	29-25-51.948N 089-18-09.220W	Q R		17	5	TR-TY on pile.	Ra ref. AIS - 993682081	31/16
								*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
11672.01	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 105	29-25-51.055N 089-18-07.202W					AIS - 993682080	31/16
*	*	*	*	*	*	*	*	
11672.02	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 104	29-26-44.989N 089-17-38.601W					AIS - 993682079	31/16
*	*	*	*	*	*	*	*	
11672.03	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 103	29-26-44.096N 089-17-36.583W	Fl G 2.5s	17	5	SG-SY on pile.	Ra ref. AIS - 993682078	31/16
							*	
11672.04	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 102	29-27-37.973N 089-17-08.005W					AIS - 993682077	31/16
*	*	*	*	*	*	*	*	
11672.06	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 100	29-28-30.995N 089-16-37.377W	Fl R 2.5s	17	5	TR-TY on pile.	Ra ref. AIS - 993682076	31/16
							*	
11672.07	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 99	29-28-30.102N 089-16-35.357W					AIS - 993682075	31/16
*	*	*	*	*	*	*	*	
11672.08	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 98	29-29-23.992N 089-16-06.752W					AIS - 993682074	31/16
*	*	*	*	*	*	*	*	
11672.11	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 96	29-30-17.016N 089-15-36.103W					AIS - 993682073	31/16
*	*	*	*	*	*	*	*	
11672.12	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 95	29-30-16.123N 089-15-34.084W	Fl G 6s	17	5	SG-SY on pile.	Ra ref. AIS - 993682072	31/16
							*	
11672.13	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 94	29-31-10.004N 089-15-05.464W					AIS - 993682071	31/16
*	*	*	*	*	*	*	*	
11672.15	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 92	29-32-03.014N 089-14-34.801W	Fl R 6s	17	5	TR-TY on pile.	Ra ref. AIS - 993682070	31/16
							*	
11672.16	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 91	29-32-02.121N 089-14-32.781W					AIS - 993682069	31/16
*	*	*	*	*	*	*	*	
11672.17	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 90	29-32-55.421N 089-14-02.799W					AIS - 993682068	31/16
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
11672.19	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 88	29-33-26.955N 089-13-43.166W					AIS - 993682067	31/16	
*	*	*	*	*	*	*	*		
11672.21	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 87	29-33-26.009N 089-13-41.177W	FI G 4s		17	5	SG-SY on pile.	Ra ref. AIS - 993682066	31/16
11672.22	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 86	29-33-46.145N 089-13-31.215W	Q R		17	5	TR-TY on pile.	Ra ref. AIS - 993682065	31/16
11672.23	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 84	29-34-00.406N 089-13-12.350W					AIS - 993682064	31/16	
*	*	*	*	*	*	*	*		
11672.24	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 83	29-33-58.909N 089-13-10.869W	FI G 2.5s		17	5	SG-SY on pile.	Ra ref. AIS - 993682063	31/16
11672.26	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 81	29-34-31.297N 089-12-28.017W					AIS - 993682062	31/16	
*	*	*	*	*	*	*	*		
11672.27	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 80	29-35-05.148N 089-11-46.680W	FI R 4s		17	5	TR-TY on pile.	Ra ref. AIS - 993682061	31/16
11672.28	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 79	29-35-03.650N 089-11-45.199W					AIS - 993682060	31/16	
*	*	*	*	*	*	*	*		
11672.31	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 77	29-35-42.498N 089-10-53.768W					AIS - 993682059	31/16	
*	*	*	*	*	*	*	*		
11672.32	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 76	29-36-22.837N 089-10-03.810W					AIS - 993682058	31/16	
*	*	*	*	*	*	*	*		
11672.33	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 75	29-36-21.339N 089-10-02.329W	FI G 6s		17	5	SG-SY on pile.	Ra ref. AIS - 993682057	31/16
11672.34	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 74	29-37-01.604N 089-09-12.449W					AIS - 993682056	31/16	
*	*	*	*	*	*	*	*		
11672.36	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 72	29-37-40.473N 089-08-20.935W	FI R 2.5s		17	5	TR-TY on pile.	Ra ref. AIS - 993682055	31/16
							*		

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
11672.37	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 71	29-37-38.974N 089-08-19.454W					AIS - 993682054	31/16	
*	*	*	*	*	*	*	*		
11672.39	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 69	29-38-17.792N 089-07-27.989W					AIS - 993682053	31/16	
*	*	*	*	*	*	*	*		
11672.41	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 67	29-38-56.604N 089-06-36.514W	Fl G 4s		17	5	SG-SY on pile.	Ra ref. AIS - 993682052	31/16
							*		
11672.42	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 66	29-39-33.567N 089-05-50.959W	Q R		17	5	TR-TY on pile.	Ra ref. AIS - 993682051	31/16
							*		
11672.43	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 65	29-39-32.925N 089-05-48.814W					AIS - 993682050	31/16	
*	*	*	*	*	*	*	*		
11672.45	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 62	29-41-20.925N 089-05-08.860W					AIS - 993682049	31/16	
*	*	*	*	*	*	*	*		
11672.73	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 31	29-55-20.331N 089-00-16.692W	Fl G 6s		17	5	SG-SY on pile.	Ra ref. AIS - 993682033	31/16
							*		
11672.74	Breton/Chandeleur ICW Alternate Route V-AIS Buoy 30	29-56-19.752N 089-00-15.467W					AIS - 993682032	31/16	
*	*	*	*	*	*	*	*		
11672.77	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 28	29-57-19.071N 089-00-11.972W	Fl R 4s		17	5	TR-TY on pile.	Ra ref. AIS - 993682031	31/16
							*		
27212	MATAGORDA SHIP CHANNEL LIGHT 21	28-27-12.577N 096-21-51.996W	Fl G 4s		17	3	SG on pile.	Ra ref.	31/16
*	*	*	*	*	*	*	*		

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
1405	NOAA Lighted Data Buoy 42020	26-58-06.601N 096-41-36.894W	Fl (4)Y 20s			3	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	30/16
		*							
1470	NOAA Lighted Data Buoy 42002	26-04-31.445N 093-46-01.301W	Fl (4)Y 20s			5	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	30/16
		*							
5862	Escambia River Buoy 28A	30-34-34.524N 087-13-26.352W					Red nun.		30/16
*	*	*	*	*	*	*	*	*	
22640	Cox Sabine Facility Channel Channel Buoy 1	29-45-35.000N 093-53-19.000W					Green can.	Private Aid.	30/16
		*							
22645	Cox Sabine Facility Channel Buoy 2	29-45-33.000N 093-53-13.000W					Red nun.	Private Aid.	30/16
		*							
22650	Cox Sabine Facility Channel Buoy 3	29-45-39.000N 093-53-16.000W					Green can.	Private Aid.	30/16
		*							

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
22655	Cox Sabine Facility Channel Buoy 4	29-45-38.000N 093-53-15.000W				Red nun.	Private Aid. 30/16
	*						
22660	Cox Sabine Facility Channel Buoy 5	29-45-44.000N 093-53-13.000W				Green can.	Private Aid. 30/16
	*						
22665	Cox Sabine Facility Channel Buoy 6	29-45-43.000N 093-53-12.000W				Red nun.	Private Aid. 30/16
	*						
22670	Cox Sabine Facility Channel Buoy 7	29-45-47.000N 093-53-12.000W				Green can.	Private Aid. 30/16
	*						
22675	Cox Sabine Facility Channel Buoy 8	29-45-46.000N 093-53-10.000W				Red nun.	Private Aid. 30/16
	*						
22680	Cox Sabine Facility Channel Buoy 9	29-45-50.000N 093-53-10.000W				Green can.	Private Aid. 30/16
	*						
22685	Cox Sabine Facility Channel Buoy 10	29-45-49.000N 093-53-08.000W				Red nun.	Private Aid. 30/16
	*						
22690	Cox Sabine Facility Channel Buoy 11	29-45-53.000N 093-53-07.000W				Green can.	Private Aid. 30/16
	*						
22695	Cox Sabine Facility Channel Buoy 12	29-45-52.000N 093-53-06.000W				Red nun.	Private Aid. 30/16
	*						
22700	Cox Sabine Facility Channel Buoy 13	29-45-54.000N 093-53-06.000W				Green can.	Private Aid. 30/16
	*						
22705	Cox Sabine Facility Channel Buoy 14	29-45-52.000N 093-53-05.000W				Red nun.	Private Aid. 30/16
	*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
22710	Cox Sabine Facility Channel Buoy 15	29-45-56.000N 093-53-04.000W				Green can.	Private Aid. 30/16
	*						
22715	Cox Sabine Facility Channel Buoy 16	29-45-52.000N 093-53-03.000W				Red nun.	Private Aid. 30/16
	*						
22720	Cox Sabine Facility Channel Buoy 17	29-45-55.000N 093-53-01.000W				Green can.	Private Aid. 30/16
	*						
22725	Cox Sabine Facility Channel Buoy 18	29-45-53.000N 093-53-02.000W				Red nun.	Private Aid. 30/16
	*						
22730	Cox Sabine Facility Channel Danger Buoy A	29-45-31.000N 093-53-11.000W				White with orange diamond.	Private Aid. 30/16
	*						
22735	Cox Sabine Facility Channel Danger Buoy B	29-45-32.000N 093-53-16.000W				White with orange diamond.	Private Aid. 30/16
	*						
22740	Cox Sabine Facility Channel Danger Buoy C	29-45-37.000N 093-53-22.000W				White with orange diamond.	Private Aid. 30/16
	*						
22745	Cox Sabine Facility Channel Danger Buoy D	29-45-47.000N 093-53-18.000W				White with orange diamond.	Private Aid. 30/16
	*						
22750	Cox Sabine Facility Channel Danger Buoy E	29-45-52.000N 093-53-16.000W				White with orange diamond.	Private Aid. 30/16
	*						
22755	Cox Sabine Facility Channel Danger Buoy F	29-45-57.000N 093-53-13.000W				White with orange diamond.	Private Aid. 30/16
	*						
22760	Cox Sabine Facility Channel Rear Range Daymark	29-46-04.000N 093-53-00.000W				KRW on pile.	Private Aid. 30/16
	*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
22765	Cox Sabine Facility Channel Front Range Daymark	29-46-01.000N 093-53-02.000W				KRW on pile.	Private Aid.	30/16	
28600	* CORPUS CHRISTI CHANNEL LIGHT 13 150 feet outside channel limit.	27-49-48.152N 097-07-35.807W	Fl G 6s		17	4	SG on pile.	Ra ref.	30/16
28610	* CORPUS CHRISTI CHANNEL LIGHT 19 150 feet outside channel limit.	27-49-35.183N 097-08-49.451W	Fl G 6s		17	4	SG on pile.	Ra ref.	30/16
28615	* CORPUS CHRISTI CHANNEL LIGHT 20 150 feet outside channel limit.	27-49-43.325N 097-08-52.538W	Fl (2)R 5s		17	3	TR on pile.	Ra ref.	30/16
28775	* CORPUS CHRISTI CUT B WEST RANGE REAR LIGHT 2,600 yards, 269.7° from front light.	27-48-36.580N 097-25-00.684W	F G		101		Skeleton tower, located south side of harbor entrance.	Visible 5° each side of rangeline.	30/16
28840	* TULE LAKE CHANNEL A RANGE REAR LIGHT 616 yards, 066.8° from front light.	27-49-37.007N 097-25-56.274W	F G		63		Skeleton tower on mud sills.	Lighted throughout 24 hours.	30/16
28860	* TULE LAKE CHANNEL C RANGE FRONT LIGHT	27-48-52.553N 097-27-14.383W	Q G		35		Skeleton tower.	Lighted throughout 24 hours.	30/16
28865	* TULE LAKE CHANNEL C RANGE REAR LIGHT 175 yards, 102.2° from front light.	27-48-51.411N 097-27-08.678W	Iso G 6s		45		Skeleton tower on mud sills.	Lighted throughout 24 hours.	30/16
28880	* TULE LAKE CHANNEL E RANGE REAR LIGHT 206 yards, 116.7° from front light.	27-48-59.162N 097-28-12.739W	Iso G 6s		37		Skeleton tower on mud sills.	Lighted throughout 24 hours.	30/16
34960	* Bayou Villars Daybeacon 2	29-44-20.965N 090-08-32.797W					TR on pile.	Ra Ref	30/16

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
34965	Bayou Perot Entrance Crossing Daybeacon 2	29-41-15.172N 090-11-15.344W				TR-TY on pile.	Ra ref.	30/16
		*						
38545.01	San Antonio Bay Daybeacon 30	28-13-17.226N 096-48-17.630W				TR on pile.	Ra ref.	30/16
		*						
36110	GALVESTON-FREEPORT LIGHT 3	29-18-32.711N 094-50-16.222W	FIG 2.5s		17 3	SG-SY on pile.		29/16
		*	*		*	*	*	
36110	Galveston-Freeport Buoy 3						Remove from list.	29/16
							*	
36115	GALVESTON-FREEPORT LIGHT 4	29-18-35.897N 094-50-16.123W	FIR 2.5s		17 3	TR-TY on pile.		29/16
		*	*		*	*	*	
36115	Galveston-Freeport Buoy 4						Remove from list.	29/16
							*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
36120	GALVESTON-FREEPORT LIGHT 5	29-18-27.083N 094-50-47.982W	FI G 4s		17	3	SG-SY on pile.	29/16
*	*	*	*		*	*	*	*
36120	Galveston-Freeport Buoy 5						Remove from list.	29/16
							*	
36125	GALVESTON-FREEPORT LIGHT 6	29-18-29.956N 094-50-48.897W	FI R 4s		17	3	TR-TY on pile.	29/16
*	*	*	*		*	*	*	*
36125	Galveston-Freeport Buoy 6						Remove from list.	29/16
							*	
36150	GALVESTON-FREEPORT LIGHT 9	29-18-26.298N 094-51-21.095W	FI G 6s		17	3	SG-SY on pile.	29/16
*	*	*	*		*	*	*	*
36150	Galveston-Freeport Buoy 9						Remove from list.	29/16
							*	
36155	GALVESTON-FREEPORT LIGHT 10	29-18-29.354N 094-51-20.544W	FI R 6s		17	3	TR-TY on pile.	29/16
*	*	*	*		*	*	*	*
36155	Galveston-Freeport Buoy 10						Remove from list.	29/16
							*	
36265	GALVESTON-FREEPORT LIGHT 14	29-18-31.288N 094-52-00.478W	FI R 4s		17	3	TR-TY on pile.	29/16
*	*	*	*		*	*	*	*
36265	Galveston-Freeport Buoy 14						Remove from list.	29/16
							*	
36270	GALVESTON-FREEPORT LIGHT 15	29-18-29.159N 094-52-13.501W	Q G		17	3	SG-SY on pile.	29/16
*	*	*	*		*	*	*	*
36270	Galveston-Freeport Buoy 15						Remove from list.	29/16
							*	
36275	GALVESTON-FREEPORT LIGHT 17	29-18-29.016N 094-52-22.841W	FI G 2.5s		17	3	SG-SY on pile.	29/16
*	*	*	*		*	*	*	*
36275	Galveston-Freeport Buoy 17						Remove from list.	29/16
							*	
36280	GALVESTON-FREEPORT LIGHT 19	29-18-26.592N 094-52-32.471W	FI G 4s		17	3	SG-SY on pile.	29/16
*	*	*	*		*	*	*	*
36280	Galveston-Freeport Buoy 19						Remove from list.	29/16
							*	
36285	GALVESTON-FREEPORT LIGHT 21	29-18-22.091N 094-52-39.634W	FI G 6s		17	3	SG-SY on pile.	29/16
*	*	*	*		*	*	*	*
36285	Galveston-Freeport Buoy 21						Remove from list.	29/16
							*	
NO CORRECTIONS THIS WEEK								28/16

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
16407	LLOX MANILLA VILLAGE PILING LIGHTS (2)	29-29-11.000N 089-59-39.000W	Fl W 2.5s				Marks barge mooring pilings.	Private Aid.	27/16
*	*	*	*		*	*	*	*	
28960	LA QUINTA CHANNEL OUTER RANGE FRONT LIGHT	27-48-44.526N 097-13-11.507W	Q W		20		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.	27/16
					*				
29845	PORT ISABEL CHANNEL LIGHT 7							Remove from list.	27/16
								*	
42950	PORT ISABEL CHANNEL LIGHT 7							Remove from list.	27/16
								*	
175	Cox-104-03 RACON	30-05-39.780N 087-52-59.463W	Q W				On freestanding caisson.	RACON: C (- . - .) BAND: S, X SIGN: COX- 104-03 Private Aid.	26/16
	*		*					*	
290	Cox-104-04 RACON	30-05-04.000N 088-29-47.000W	Q W				On Cox platform A.	RACON: Q (- - . -) BAND: S, X SIGN: COX- 104-04 Private Aid.	26/16
	*		*					*	
425.01	Cox-105-1 RACON	28-50-01.000N 089-27-10.000W	Q W				On platform A.	RACON: T (-) BAND: S, X SIGN: Cox-105-1 Private Aid.	26/16
	*		*					*	
18190	GRAND BAYOU DULARGE OBSTRUCTION LIGHT WR4	29-12-55.113N 090-56-57.662W	Q R		17	3	TR on pile.		26/16
		*							
24145.01	Trinity River Channel Buoy 4							Remove from list.	26/16
								*	
24150.01	Trinity River Channel Buoy 5							Remove from list.	26/16
								*	
42820	Port Isabel Small Boat Harbor Channel Buoy 5	26-05-08.165N 097-12-43.782W					Green can.		26/16
	*	*	*		*	*	*	*	
42820	Port Isabel Small Boat Harbor Channel Daybeacon 5							Remove from list.	26/16
								*	
42830	<i>Port Isabel Small Boat Harbor Channel Lighted Buoy 10</i>	26-04-58.885N 097-13-06.520W	Q R			3	Red nun.		26/16
	*	*	*		*	*	*	*	
42830	PORT ISABEL SMALL BOAT HARBOR CHANNEL LIGHT 10							Remove from list.	26/16
								*	
42840	Port Isabel Small Boat Harbor Channel Buoy 14	26-04-51.435N 097-13-11.356W					Red nun.		26/16
	*	*	*		*	*	*	*	
42840	Port Isabel Small Boat Harbor Channel Daybeacon 14							Remove from list.	26/16
								*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
	* Add Heading: Breton/Chandeleur ICW Alternate Route							25/16
9572	Breton/Chandeleur ICW Alternate Route Buoy 26	29-58-18.351N 089-00-08.478W				Red nun with yellow triangle.		25/16
*	*	*	*	*	*	*	*	*
9572.03	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 23	29-59-17.570N 089-00-02.708W	FI G 4s		17	5	SG-SY on pile. Ra ref.	25/16
*	*	*	*	*	*	*	*	*
9572.05	Breton/Chandeleur ICW Alternate Route Buoy 21	30-00-16.921N 088-59-59.207W				Green can with yellow square.		25/16
*	*	*	*	*	*	*	*	*
9572.06	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 20	30-01-16.343N 088-59-57.979W	FI R 2.5s		17	4	TR-TY on pile. Ra ref.	25/16
*	*	*	*	*	*	*	*	*
9572.08	Breton/Chandeleur ICW Alternate Route Buoy 18	30-02-15.680N 088-59-54.476W				Red nun with yellow triangle.		25/16
*	*	*	*	*	*	*	*	*
9572.12	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 15	30-03-14.871N 088-59-48.702W	FI G 2.5s		17	4	SG-SY on pile. Ra ref.	25/16
*	*	*	*	*	*	*	*	*
9572.13	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 14</i>	30-04-14.293N 088-59-47.472W	FI R 6s			3	Red nun with yellow triangle.	25/16
*	*	*	*	*	*	*	*	*
9572.16	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 11</i>	30-05-13.501N 088-59-41.694W	FI G 6s			3	Green can with yellow square.	25/16
*	*	*	*	*	*	*	*	*
9572.17	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 10</i>	30-06-13.001N 088-59-40.457W	FI R 4s			3	Red nun with yellow triangle.	25/16
*	*	*	*	*	*	*	*	*
9572.19	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 8</i>	30-07-12.243N 088-59-36.954W	FI R 2.5s			3	Red nun with yellow triangle.	25/16
*	*	*	*	*	*	*	*	*
9572.21	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 7</i>	30-07-12.141N 088-59-34.680W	FI G 2.5s			3	Green can with yellow square.	25/16
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
9572.23	Breton/Chandeleur ICW Alternate Route Lighted Buoy 5	30-08-11.362N 088-59-31.177W	FIG 4s			3	Green can with yellow square.	25/16	
*	*	*	*	*	*	*	*	*	
9572.24	Breton/Chandeleur ICW Alternate Route Lighted Buoy 4	30-09-10.872N 088-59-29.937W	FIR 2.5s			3	Red nun with yellow triangle.	25/16	
*	*	*	*	*	*	*	*	*	
9572.26	Breton/Chandeleur ICW Alternate Route Lighted Buoy 2	30-10-10.192N 088-59-26.426W	Q R			3	Red nun with yellow triangle.	25/16	
*	*	*	*	*	*	*	*	*	
9572.27	Breton/Chandeleur ICW Alternate Route Lighted Buoy 1	30-10-10.090N 088-59-24.151W	Q G			3	Green can with yellow square.	25/16	
*	*	*	*	*	*	*	*	*	
	* Add Heading: Breton/Chandeleur ICW Alternate Route							25/16	
11672	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 106	29-25-51.948N 089-18-09.220W	Q R			17	5 TR-TY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*	
11672.03	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 103	29-26-44.096N 089-17-36.583W	FIG 2.5s			17	5 SG-SY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*	
11672.05	Breton/Chandeleur ICW Alternate Route Buoy 101	29-27-37.080N 089-17-05.986W					Green can with yellow square.	25/16	
*	*	*	*	*	*	*	*	*	
11672.06	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 100	29-28-30.995N 089-16-37.377W	FIR 2.5s			17	5 TR-TY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*	
11672.09	Breton/Chandeleur ICW Alternate Route Buoy 97	29-29-23.099N 089-16-04.733W					Green can with yellow square.	25/16	
*	*	*	*	*	*	*	*	*	
11672.12	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 95	29-30-16.123N 089-15-34.084W	FIG 6s			17	5 SG-SY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*	
11672.14	Breton/Chandeleur ICW Alternate Route Buoy 93	29-31-09.110N 089-15-03.443W					Green can with yellow square.	25/16	
*	*	*	*	*	*	*	*	*	
11672.15	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 92	29-32-03.014N 089-14-34.801W	FIR 6s			17	5 TR-TY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*	
11672.18	Breton/Chandeleur ICW Alternate Route Buoy 89	29-32-54.475N 089-14-00.810W					Green can with yellow square.	25/16	
*	*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
11672.21	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 87	29-33-26.009N 089-13-41.177W	FIG 4s		17	5	SG-SY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*	*
11672.22	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 86	29-33-46.145N 089-13-31.215W	Q R		17	5	TR-TY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*	*
11672.24	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 83	29-33-58.909N 089-13-10.869W	FIG 2.5s		17	5	SG-SY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*	*
11672.25	Breton/Chandeaur ICW Alternate Route Buoy 82	29-34-32.795N 089-12-29.499W					Red nun with yellow triangle.		25/16
*	*	*	*	*	*	*	*	*	*
11672.27	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 80	29-35-05.148N 089-11-46.680W	FIR 4s		17	5	TR-TY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*	*
11672.29	Breton/Chandeaur ICW Alternate Route Buoy 78	29-35-43.996N 089-10-55.249W					Red nun with yellow triangle.		25/16
*	*	*	*	*	*	*	*	*	*
11672.33	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 75	29-36-21.339N 089-10-02.329W	FIG 6s		17	5	SG-SY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*	*
11672.35	Breton/Chandeaur ICW Alternate Route Buoy 73	29-37-00.106N 089-09-10.967W					Green can with yellow square.		25/16
*	*	*	*	*	*	*	*	*	*
11672.36	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 72	29-37-40.473N 089-08-20.935W	FIR 2.5s		17	5	TR-TY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*	*
11672.38	Breton/Chandeaur ICW Alternate Route Buoy 70	29-38-19.291N 089-07-29.470W					Red nun with yellow triangle.		25/16
*	*	*	*	*	*	*	*	*	*
11672.41	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 67	29-38-56.604N 089-06-36.514W	FIG 4s		17	5	SG-SY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*	*
11672.42	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 66	29-39-33.567N 089-05-50.959W	Q R		17	5	TR-TY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*	*
11672.44	Breton/Chandeaur ICW Alternate Route Buoy 63	29-40-24.090N 089-05-28.754W					Green can with yellow square.		25/16
*	*	*	*	*	*	*	*	*	*
11672.46	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 61	29-41-20.283N 089-05-06.715W	FIG 2.5s		17	5	SG-SY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
11672.47	Breton/Chandeleur ICW Alternate Route Buoy 59	29-42-40.991N 089-04-35.049W				Green can with yellow square.		25/16	
*	*	*	*	*	*	*	*	*	
11672.48	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 58	29-43-13.313N 089-04-24.760W	FI R 6s		17	5	TR-TY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*	
11672.51	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT C	29-44-06.670N 089-03-27.150W	FI W 2.5s		17	5	NB on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*	
11672.52	Breton/Chandeleur ICW Alternate Route Buoy 56	29-44-09.507N 089-04-02.670W				Red nun with yellow triangle.		25/16	
*	*	*	*	*	*	*	*	*	
11672.54	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 53	29-45-05.049N 089-03-38.490W	FI G 6s		17	5	SG-SY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*	
11672.55	Breton/Chandeleur ICW Alternate Route Buoy 51	29-46-01.240N 089-03-16.415W				Green can with yellow square.		25/16	
*	*	*	*	*	*	*	*	*	
11672.56	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 50	29-46-58.068N 089-02-56.482W	FI R 4s		17	5	TR-TY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*	
11672.58	Breton/Chandeleur ICW Alternate Route Buoy 48	29-47-54.258N 089-02-34.394W				Red nun with yellow triangle.		25/16	
*	*	*	*	*	*	*	*	*	
11672.61	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 45	29-48-49.795N 089-02-10.154W	FI G 4s		17	5	SG-SY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*	
11672.62	Breton/Chandeleur ICW Alternate Route Buoy 43	29-49-45.984N 089-01-48.051W				Green can with yellow square.		25/16	
*	*	*	*	*	*	*	*	*	
11672.63	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT B	29-48-50.160N 089-01-36.480W	FI W 2.5s		17	5	NB on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*	
11672.64	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 42	29-50-42.809N 089-01-28.092W	FI R 2.5s		17	5	TR-TY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*	
11672.66	Breton/Chandeleur ICW Alternate Route Buoy 40	29-51-38.994N 089-01-05.976W				Red nun with yellow triangle.		25/16	
*	*	*	*	*	*	*	*	*	
11672.68	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 37	29-52-34.528N 089-00-41.707W	FI G 2.5s		17	5	SG-SY on pile.	Ra ref.	25/16
*	*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
11672.69	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 36	29-53-20.440N 089-00-26.027W	Q R		17	5	TR-TY on pile.	Ra ref.	25/16
*	*	*	*		*	*	*	*	
11672.71	Breton/Chandeleur ICW Alternate Route Buoy 34	29-54-21.110N 089-00-22.455W					Red nun with yellow triangle.		25/16
*	*	*	*		*	*	*	*	
11672.73	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 31	29-55-20.331N 089-00-16.692W	FI G 6s		17	5	SG-SY on pile.	Ra ref.	25/16
*	*	*	*		*	*	*	*	
11672.75	Breton/Chandeleur ICW Alternate Route Buoy 29	29-56-19.651N 089-00-13.197W					Green can with yellow square.		25/16
*	*	*	*		*	*	*	*	
11672.76	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT A	29-56-20.580N 088-59-39.610W	FI W 2.5s		17	5	NB on pile.	Ra ref.	25/16
*	*	*	*		*	*	*	*	
11672.77	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 28	29-57-19.071N 089-00-11.972W	FI R 4s		17	5	TR-TY on pile.	Ra ref.	25/16
*	*	*	*		*	*	*	*	
12080	HELIS BLACK BAY CHANNEL LIGHT 2	29-33-37.500N 089-30-36.500W	FI R 4s				TR on pile.	Private Aid.	25/16
	*								
12085	HELIS BLACK BAY CHANNEL LIGHT 3	29-33-36.500N 089-30-42.100W	FI G 4s				SG on pile.	Private Aid.	25/16
	*								
12090	HELIS BLACK BAY CHANNEL LIGHT 4	29-33-51.800N 089-30-51.000W	FI R 4s				TR on pile.	Private Aid.	25/16
	*								
12095	HELIS BLACK BAY CHANNEL LIGHT 5	29-33-50.300N 089-30-53.900W	FI G 4s				SG on pile.	Private Aid.	25/16
	*								
12100	HELIS BLACK BAY CHANNEL LIGHT 6	29-34-03.700N 089-30-59.100W	FI R 4s				TR on pile.	Private Aid.	25/16
	*								
12105	HELIS BLACK BAY CHANNEL LIGHT 7	29-34-03.800N 089-34-02.700W	FI G 4s				SG on pile.	Private Aid.	25/16
	*								

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
12110	HELIS BLACK BAY CHANNEL LIGHT 9	29-34-31.000N 089-31-00.300W	Fl G 4s			SG on pile.	Private Aid.	25/16
	*							
12115	HELIS BLACK BAY CHANNEL LIGHT 11	29-34-47.100N 089-31-03.500W	Fl G 4s			SG on pile.	Private Aid.	25/16
	*							
12120	HELIS BLACK BAY CHANNEL LIGHT 13	29-34-56.900N 089-31-09.300W	Fl G 4s			SG on pile.	Private Aid.	25/16
	*							
12125	HELIS BLACK BAY CHANNEL LIGHT 15	29-34-58.100N 089-31-23.400W	Fl G 4s			SG on pile.	Private Aid.	25/16
	*							
12135	HELIS BLACK BAY CHANNEL LIGHT 17	29-35-00.600N 089-31-57.800W	Fl G 4s			SG on pile.	Private Aid.	25/16
	*							
12140	HELIS BLACK BAY CHANNEL LIGHT 19	29-35-00.600N 089-31-57.800W	Fl G 4s			SG on pile.	Private Aid.	25/16
	*							
12145	HELIS BLACK BAY CHANNEL LIGHT 21	29-35-01.800N 089-32-12.300W	Fl G 4s			SG on pile.	Private Aid.	25/16
	*							
12150	HELIS BLACK BAY CHANNEL LIGHT 23	29-35-06.600N 089-32-29.300W	Fl G 4s			SG on pile.	Private Aid.	25/16
	*							
	* Change Heading: West Black Bay Channel							25/16
12345	WEST BLACK BAY CHANNEL LIGHT 78A	29-35-07.800N 089-33-02.100W	Fl W 4s			On dolphin.	Private Aid.	25/16
	*							
16170	BARATARIA WATERWAY LIGHT 6	29-17-26.942N 089-58-21.928W	Fl R 2.5s		17 3	TR on pile.	Ra ref.	25/16
	*							
25070	LOWER RED LIGHT BEND OUTBOUND RANGE FRONT LIGHT	29-41-58.469N 094-59-50.457W	Q R		20	KRW on skeleton tower on piles.	Visible all around, higher intensity on rangeline.	25/16
	*							

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
25075	LOWER RED LIGHT BEND OUTBOUND RANGE REAR LIGHT 170.626 yards, 094.7° from front light.	29-41-57.877N 094-59-44.692W	Iso R 6s		32	KRW on skeleton tower on piles.	Visible all around, higher intensity on rangeline.	25/16
37480	Texas Meridian Mat/Bay Reef A						Remove from list. *	25/16
37485	Texas Meridian Mat/Bay Reef B						Remove from list. *	25/16
37490	Texas Meridian Mat/Bay Reef C						Remove from list. *	25/16
	* Add Heading: Garcon Point							24/16
5478	FDOA PENSACOLA BAY OYSTER COMPANY EAST BAY SPECIAL LIGHT A	30-26-17.800N 087-05-17.800W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private Aid.	24/16
*	*	*	*	*	*	*	*	*
5478.01	FDOA PENSACOLA BAY OYSTER COMPANY EAST BAY SPECIAL LIGHT B	30-26-17.590N 087-05-14.610W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private Aid.	24/16
*	*	*	*	*	*	*	*	*
5478.02	FDOA PENSACOLA BAY OYSTER COMPANY EAST BAY SPECIAL LIGHT C	30-26-25.400N 087-05-08.400W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private Aid.	24/16
*	*	*	*	*	*	*	*	*
5478.03	FDOA PENSACOLA BAY OYSTER COMPANY EAST BAY SPECIAL LIGHT D	30-26-25.500N 087-05-11.600W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private Aid.	24/16
*	*	*	*	*	*	*	*	*
5818	FDOA PENSACOLA BAY OYSTER COMPANY ESCAMBIA BAY SPECIAL LIGHT A	30-26-17.000N 087-10-10.700W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private Aid.	24/16
*	*	*	*	*	*	*	*	*
5818.01	FDOA PENSACOLA BAY OYSTER COMPANY ESCAMBIA BAY SPECIAL LIGHT	30-26-24.300N 087-10-09.100W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private Aid.	24/16
*	*	*	*	*	*	*	*	*
5818.02	FDOA PENSACOLA BAY OYSTER COMPANY ESCAMBIA BAY SPECIAL LIGHT C	30-26-24.900N 087-10-12.800W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private Aid.	24/16
*	*	*	*	*	*	*	*	*
5818.03	FDOA PENSACOLA BAY OYSTER COMPANY ESCAMBIA BAY SPECIAL LIGHT D	30-26-17.600N 087-10-14.300W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private Aid.	24/16
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
820	<i>Byron-100-2 Lighted Buoy</i> Marks subsea installation.	28-35-56.843N 092-08-44.216W	Fl W 2.5s				White with orange bands. Sign: BYRON-SMI-71 Private Aid.	23/16
*	*	*	*	*	*	*	*	
3023	<i>Port St. Joe Lighted Mooring Buoy</i>	29-50-49.500N 085-29-00.250W	Fl W 2.5s				White with blue band. Private Aid.	23/16
*	*	*	*	*	*	*	*	
4205	Fannin Bayou Channel A Daybeacon 2						Remove from list. *	23/16
4662	Okaloosa County Crab Island Exclusion Buoys (32)	30-23-38.160N 096-31-25.140W					Marks boat Exclusion Area. Private Aid.	23/16
*	*	*	*	*	*	*	*	
30963.03	Callaway Bayou Daybeacon 2A	30-08-27.760N 085-34-08.000W					TR on pile. Private Aid.	23/16
*	*							
30963.04	Callaway Bayou Daybeacon 4A	30-08-29.820N 085-34-03.390W					TR on pile. Private Aid.	23/16
*	*							
NO CORRECTIONS THIS WEEK								22/16
4610	<i>Old East Pass Harbor Channel Lighted Buoy 8</i>	30-23-30.097N 086-30-22.394W	Fl R 4s			3	Red nun.	21/16
*	*		*			*		

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
22955 35655	SABINE-NECHES CANAL K RANGE FRONT LIGHT	29-56-04.480N 093-52-05.146W	Q W (NIGHT)		30 30			21/16
			Q W (DAY)					
			*					
35655 22955	SABINE-NECHES CANAL K RANGE FRONT LIGHT	29-56-04.480N 093-52-05.146W	Q W (NIGHT)		30 30			21/16
			Q W (DAY)					
			*					
38375.01	San Antonio Bay Daybeacon 4	28-18-14.876N 096-41-20.720W				TR-TY on pile.	Ra ref.	21/16
			*					
38390	San Antonio Bay Daybeacon 6	28-18-00.104N 096-41-40.071W				TR-TY on pile.		21/16
			*					
38500	San Antonio Bay Daybeacon 24	28-14-55.358N 096-46-00.406W				TR-TY on pile.	Ra ref.	21/16
			*					
38555.01	San Antonio Bay Daybeacon 32	28-13-02.797N 096-48-40.270W				TR on pile.	Ra ref.	21/16
			*					
7826	SANDY BAY OYSTER COMPANY SPECIAL LIGHTS (6)	30-22-48.260N 088-18-42.020W				Marks perimeter of aquaculture farm.	Private Aid.	20/16
*	*	*	*	*	*	*	*	
12155	Exxon West Black Bay Channel Daybeacon 1						Remove from list.	20/16
							*	
12160	Exxon West Black Bay Channel Daybeacon 3						Remove from list.	20/16
							*	
12165	Exxon West Black Bay Channel Daybeacon 5						Remove from list.	20/16
							*	
12170	Exxon West Black Bay Channel Daybeacon 7						Remove from list.	20/16
							*	
12175	Exxon West Black Bay Channel Daybeacon 9						Remove from list.	20/16
							*	
12180	Exxon West Black Bay Channel Daybeacon 11						Remove from list.	20/16
							*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
12185	Exxon West Black Bay Channel Daybeacon 13						Remove from list. 20/16 *
12190	Exxon West Black Bay Channel Daybeacon 15						Remove from list. 20/16 *
12195	Exxon West Black Bay Channel Daybeacon 17						Remove from list. 20/16 *
12200	Exxon West Black Bay Channel Daybeacon 19						Remove from list. 20/16 *
12205	Exxon West Black Bay Channel Daybeacon 23						Remove from list. 20/16 *
12210	Exxon West Black Bay Channel Daybeacon 25						Remove from list. 20/16 *
12215	Exxon West Black Bay Channel Daybeacon 27						Remove from list. 20/16 *
12220	Exxon West Black Bay Channel Daybeacon 29						Remove from list. 20/16 *
12225	Exxon West Black Bay Channel Daybeacon 31						Remove from list. 20/16 *
12230	Exxon West Black Bay Channel Daybeacon 33						Remove from list. 20/16 *
12235	Exxon West Black Bay Channel Daybeacon 35						Remove from list. 20/16 *
12240	Exxon West Black Bay Channel Daybeacon 37						Remove from list. 20/16 *
12245	Exxon West Black Bay Channel Daybeacon 39						Remove from list. 20/16 *
12250	Exxon West Black Bay Channel Daybeacon 41						Remove from list. 20/16 *
12255	Exxon West Black Bay Channel Daybeacon 43						Remove from list. 20/16 *
12260	Exxon West Black Bay Channel Daybeacon 45						Remove from list. 20/16 *
12265	Exxon West Black Bay Channel Daybeacon 47						Remove from list. 20/16 *
12270	Exxon West Black Bay Channel Daybeacon 49						Remove from list. 20/16 *
12275	Exxon West Black Bay Channel Daybeacon 51						Remove from list. 20/16 *
12280	Exxon West Black Bay Channel Daybeacon 53						Remove from list. 20/16 *
12285	Exxon West Black Bay Channel Daybeacon 55						Remove from list. 20/16 *
12290	Exxon West Black Bay Channel Daybeacon 57						Remove from list. 20/16 *

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
12295	Exxon West Black Bay Channel Daybeacon 59						Remove from list.	20/16	
							*		
12300	Exxon West Black Bay Channel Daybeacon 61						Remove from list.	20/16	
							*		
12305	Exxon West Black Bay Channel Daybeacon 63						Remove from list.	20/16	
							*		
12310	Exxon West Black Bay Channel Daybeacon 65						Remove from list.	20/16	
							*		
12315	Exxon West Black Bay Channel Daybeacon 67						Remove from list.	20/16	
							*		
12320	Exxon West Black Bay Channel Daybeacon 69						Remove from list.	20/16	
							*		
12325	Exxon West Black Bay Channel Daybeacon 71						Remove from list.	20/16	
							*		
12330	Exxon West Black Bay Channel Daybeacon 73						Remove from list.	20/16	
							*		
12335	Exxon West Black Bay Channel Daybeacon 75						Remove from list.	20/16	
							*		
12340	Exxon West Black Bay Channel Daybeacon 77						Remove from list.	20/16	
							*		
11045	BAYOU BONFOUCA CHANNEL LIGHT 5	30-14-24.699N 089-52-04.782W	Fl G 2.5s		17	3	SG on pile.	19/16	
	*		*		*	*			
11060	BAYOU BONFOUCA CHANNEL LIGHT 10	30-14-55.287N 089-51-55.764W	Q R		17	3	TR on pile.	19/16	
	*		*		*	*			
30963.03	Callaway Bayou Daybeacon 2	30-08-27.760N 085-34-08.000W					TR on pile.	Private Aid.	18/16
	*								

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
30963.04	Callaway Bayou Daybeacon 4	30-08-29.820N 085-34-03.390W				TR on pile.	Private Aid. 18/16
	*						
30963.05	Callaway Bayou Daybeacon 6	30-08-34.880N 085-34-00.150W				TR on pile.	Private Aid. 18/16
	*						
30963.06	Callaway Bayou Daybeacon 8	30-08-34.650N 085-33-57.980W				TR on pile.	Private Aid. 18/16
	*						
30963.07	Callaway Bayou Daybeacon 10	30-08-33.080N 085-33-55.710W				TR on pile.	Private Aid. 18/16
	*						
10827	<i>Chef Menteur Pass Lighted Buoy 6</i>	30-06-02.714N 089-48-59.962W	FIR 4s			4 Red nun.	17/16
*	*	*	*	*	*	*	*
39820	Corpus Christi Baffin Bay Daybeacon 17	27-38-53.218N 097-14-04.556W				SG-SY on pile.	Ra ref. 16/16
	*						
40930.01	Corpus Christi Baffin Bay Daybeacon 121	27-19-10.524N 097-23-56.965W				SG-SY on pile.	Ra ref. 16/16
	*						
41425	LAND CUT LIGHT 12	26-57-12.098N 097-27-18.138W	FIR 4s		17 3	TR-TY on pile.	Ra ref. 16/16
	*						
41575.01	Land Cut-Arroyo Colorado Daybeacon 35	26-44-55.452N 097-27-31.667W				SG-SY on pile.	Ra ref. 16/16
	*						
41680.01	Land Cut-Arroyo Colorado Daybeacon 51	26-40-50.901N 097-26-21.298W				SG-SY on pile.	Ra ref. 16/16
	*						
41810.01	Land Cut-Arroyo Colorado Daybeacon 65	26-36-03.890N 097-24-39.873W				SG-SY on pile.	Ra ref. 16/16
	*						
41825	Land Cut-Arroyo Colorado Daybeacon 68	26-35-40.263N 097-24-35.158W				TR-TY on pile.	Ra ref. 16/16
	*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7312.02	MOBILE BAY NATIONAL ESTUARY DANGER BREAKWATER LIGHT	30-26-55.680N 088-06-23.980W	Fl W 2.5s			Marks shoreline restoration breakwater structure.	Private Aid.	15/16
*	*	*	*	*	*	*	*	
7312.03	MOBILE BAY NATIONAL ESTUARY DANGER BREAKWATER LIGHT	30-26-51.320N 088-06-23.760W	Fl W 2.5s			Marks shoreline restoration breakwater structure.	Private Aid.	15/16
*	*	*	*	*	*	*	*	
12475	Baptiste Collette Bayou Daybeacon 19 50 feet outside channel limit.	29-19-14.529N 089-18-54.799W				SG on pile.		15/16
23020 35605	Sabine-Neches Canal Buoy 68	29-58-22.031N 093-50-33.350W				Red nun with yellow square.		15/16
23050 35575	SABINE-NECHES CANAL LIGHT 74	29-58-44.130N 093-49-21.324W	Fl R 4s		17	4	TR-SY on pile.	15/16
25380	HOUSTON SHIP CHANNEL LIGHT 114B	29-43-57.007N 095-02-37.673W	Fl R 4s		17	4	TR on pile.	15/16
35575 23050	SABINE-NECHES CANAL LIGHT 74	29-58-44.130N 093-49-21.324W	Fl R 4s		17	4	TR-SY on pile.	15/16
35605 23020	Sabine-Neches Canal Buoy 68	29-58-22.031N 093-50-33.350W				Red nun with yellow square.		15/16
39740	Corpus Christi Baffin Bay Daybeacon 3	27-41-50.973N 097-13-18.463W				SG-SY on pile.	Ra ref.	15/16
*	*	*	*	*	*	*	*	
39740	Corpus Christi Baffin Bay Buoy 5						Remove from list.	15/16
39750	CORPUS CHRISTI BAFFIN BAY LIGHT 5	27-41-25.121N 097-13-24.961W	Fl G 6s		17	4	SG-I on pile.	Ra ref. 15/16
39760	Corpus Christi Baffin Bay Daybeacon 6	27-41-18.226N 097-13-31.327W				TR-TY on pile.	Ra ref.	15/16
*	*	*	*	*	*	*	*	
39765	Corpus Christi Baffin Bay Daybeacon 7	27-41-03.809N 097-13-31.139W				SG-SY on pile.	Ra ref.	15/16
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
39775	Corpus Christi Baffin Bay Buoy 9	27-40-38.704N 097-13-37.652W				Green can with yellow square.		15/16
	*							
39780	CORPUS CHRISTI BAFFIN BAY LIGHT 11	27-40-23.676N 097-13-40.923W	Fl G 4s		17 4	SG-SY on pile.	Ra ref.	15/16
	*							
39785	Corpus Christi Baffin Bay Daybeacon 12	27-40-24.622N 097-13-44.267W				TR-TY on pile.	Ra ref.	15/16
	*							
39795	Corpus Christi Baffin Bay Daybeacon 13	27-39-55.497N 097-13-48.672W				SG-SY on pile.	Ra ref.	15/16
	*							
39795	Corpus Christi Baffin Bay Buoy 21	*	*	*	*	*	Remove from list.	15/16
	*						*	
39805	CORPUS CHRISTI BAFFIN BAY LIGHT 15	27-39-21.476N 097-13-56.833W	Fl G 2.5s		17 3	SG-SY on pile.	Ra ref.	15/16
	*							
39810	Corpus Christi Baffin Bay Daybeacon 16	27-39-22.214N 097-14-00.437W				TR-TY on pile.	Ra ref.	15/16
	*							
39820	Corpus Christi Baffin Bay Buoy Daybeacon 17	27-38-53.218N 097-14-04.556W				SG-SY on pile.	Ra ref.	15/16
	*							
39820	Corpus Christi Baffin Bay Buoy 29	*	*	*	*	*	Remove from list.	15/16
	*						*	
39830	CORPUS CHRISTI BAFFIN BAY LIGHT 19	27-38-25.581N 097-14-11.521W	Q G		17 3	SG-SY on pile.	Ra ref.	15/16
	*							
39835	Corpus Christi Baffin Bay Daybeacon 20	27-38-26.377N 097-14-14.739W				TR-TY on pile.	Ra ref.	15/16
	*							

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4560	Choctawhatchee Bay Entrance Daybeacon 5A						Remove from list.	14/16
							*	
4560	Choctawhatchee Bay Entrance Buoy 5A	30-23-09.936N 086-30-32.453W				Green can.		14/16
*	*	*	*	*	*	*	*	
6963	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-15.162N 087-47-25.445W	Fl W 2.5s				Marks shoreline restoration breakwater structure.	Private Aid. 14/16
*	*	*	*	*	*	*	*	
6963.01	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-17.260N 087-47-29.969W	Fl W 2.5s				Marks shoreline restoration breakwater structure.	Private Aid. 14/16
*	*	*	*	*	*	*	*	
6963.02	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-30.741N 087-47-56.618W	Fl W 2.5s				Marks shoreline restoration breakwater structure.	Private Aid. 14/16
*	*	*	*	*	*	*	*	
6963.03	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-21.655N 087-47-38.951W	Fl W 2.5s				Marks shoreline restoration breakwater structure.	Private Aid. 14/16
*	*	*	*	*	*	*	*	
6963.04	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-23.822N 087-47-43.441W	Fl W 2.5s				Marks shoreline restoration breakwater structure.	Private Aid. 14/16
*	*	*	*	*	*	*	*	
6963.05	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-26.069N 087-47-47.875W	Fl W 2.5s				Marks shoreline restoration breakwater structure.	Private Aid. 14/16
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6963.06	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-28.405N 087-47-52.241W	Fl W 2.5s			Marks shoreline restoration breakwater structure.	Private Aid.	14/16
*	*	*	*		*	*	*	*
6963.07	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-30.741N 087-47-56.618W	Fl W 2.5s			Marks shoreline restoration breakwater structure.	Private Aid.	14/16
*	*	*	*		*	*	*	*
6963.08	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-47.831N 087-48-20.166W	Fl W 2.5s			Marks shoreline restoration breakwater structure.	Private Aid.	14/16
*	*	*	*		*	*	*	*
6963.09	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-36.167N 087-48-04.759W	Fl W 2.5s			Marks shoreline restoration breakwater structure.	Private Aid.	14/16
*	*	*	*		*	*	*	*
6963.11	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-39.217N 087-48-08.511W	Fl W 2.5s			Marks shoreline restoration breakwater structure.	Private Aid.	14/16
*	*	*	*		*	*	*	*
6963.12	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-42.019N 087-48-12.434W				Marks shoreline restoration breakwater structure.	Private Aid.	14/16
*	*	*	*		*	*	*	*
6963.13	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-44.742N 087-48-16.470W	Fl W 2.5s			Marks shoreline restoration breakwater structure.	Private Aid.	14/16
*	*	*	*		*	*	*	*
6963.14	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-47.831N 087-48-20.166W	Fl W 2.5s			Marks shoreline restoration breakwater structure.	Private Aid.	14/16
*	*	*	*		*	*	*	*
6963.15	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-50.981N 087-48-23.793W	Fl W 2.5s			Marks shoreline restoration breakwater structure.	Private Aid.	14/16
*	*	*	*		*	*	*	*
6963.16	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-53.535N 087-48-27.977W	Fl W 2.5s			Marks shoreline restoration breakwater structure.	Private Aid.	14/16
*	*	*	*		*	*	*	*
6963.17	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-56.396N 087-48-31.912W	Fl W 2.5s			Marks shoreline restoration breakwater structure.	Private Aid.	14/16
*	*	*	*		*	*	*	*
6963.18	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-19-59.605N 087-48-35.482W	Fl W 2.5s			Marks shoreline restoration breakwater structure.	Private Aid.	14/16
*	*	*	*		*	*	*	*
6963.19	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-20-03.022N 087-48-38.779W	Fl W 2.5s			Marks shoreline restoration breakwater structure.	Private Aid.	14/16
*	*	*	*		*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
6963.21	NOAA BON SECOUR BAY DANGER BREAKWATER LIGHT	30-20-06.528N 087-48-41.951W	Fl W 2.5s				Marks shoreline restoration breakwater structure.	Private Aid.	14/16
*	*	*	*		*	*	*	*	
19090.01	Atchafalaya River Daybeacon 23	29-35-03.403N 091-13-57.934W					SG on pile.	Ra ref.	14/16
		*							
39735	Corpus Christi Baffin Bay Buoy 3							Remove from list.	14/16
								*	
39745	Corpus Christi Baffin Bay Buoy 7							Remove from list.	14/16
								*	
39755	Corpus Christi Baffin Bay Buoy 11							Remove from list.	14/16
								*	
39760	Corpus Christi Baffin Bay Buoy 12							Remove from list.	14/16
								*	
39765	Corpus Christi Baffin Bay Buoy 13							Remove from list.	14/16
								*	
39770	Corpus Christi Baffin Bay Buoy 10	27-40-41.811N 097-13-39.206W					Red nun with yellow triangle.		14/16
								*	
39775	Corpus Christi Baffin Bay Buoy 11	27-40-38.704N 097-13-37.652W					Green can with yellow square.		14/16
								*	
39790	Corpus Christi Baffin Bay Buoy 19							Remove from list.	14/16
								*	
39800	Corpus Christi Baffin Bay Buoy 23							Remove from list.	14/16
								*	
39815	Corpus Christi Baffin Bay Buoy 27							Remove from list.	14/16
								*	
39825	Corpus Christi Baffin Bay Buoy 31							Remove from list.	14/16
								*	
39840	Corpus Christi Baffin Bay Buoy 35							Remove from list.	14/16
								*	
12376	MOEM BLACK BAY PIPELINE LIGHT A	29-39-44.940N 089-36-40.850W	Fl Y 2.5s				Marks submerged pipeline.	Private Aid.	13/16
								*	
12376.01	MOEM BAYOU TERRA AUX PIPELINE LIGHT A	29-40-33.270N 089-36-57.150W	Fl Y 2.5s				Marks submerged pipeline.	Private Aid.	13/16
								*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
12376.02	MOEM LAKE JEAN LOUIS PIPELINE LIGHT A	29-42-58.880N 089-38-14.590W	Fl Y 2.5s				Marks submerged pipeline.	Private Aid.	13/16
	*								
12376.03	MOEM LAKE JEAN LOUIS PIPELINE LIGHT B	29-44-43.460N 089-39-09.960W	Fl Y 2.5s				Marks submerged pipeline.	Private Aid.	13/16
	*								
12376.04	MOEM MIDDLE BAYOU PIPELINE LIGHT A	29-46-36.280N 089-40-11.930W	Fl Y 2.5s				Marks submerged pipeline.	Private Aid.	13/16
	*								
12376.05	MOEM CROOKED BAYOU PIPELINE LIGHT A	29-48-04.830N 089-41-01.580W	Fl Y 2.5s				Marks submerged pipeline.	Private Aid.	13/16
	*								
12945	HEAD OF PASSES JUNCTION LIGHT	29-08-52.769N 089-15-05.546W	Fl (2+1)R 6s			6	JR on skeleton tower on piles.		13/16
	*					*		*	
16051	<i>Jules Melancon Aquaculture Farm Special Lighted Buoy A</i>	29-18-07.896N 089-56-14.851W	Fl Y 2.5s				Marks perimeter of aquaculture farm.	Private Aid.	13/16
	*	*	*	*	*	*	*	*	
16051.01	<i>Jules Melancon Aquaculture Farm Special Lighted Buoy B</i>	29-18-07.750N 089-56-06.599W	Fl Y 2.5s				Marks perimeter of aquaculture farm.	Private Aid.	13/16
	*	*	*	*	*	*	*	*	
16051.02	<i>Jules Melancon Aquaculture Farm Special Lighted Buoy C</i>	29-18-00.240N 089-56-06.613W	Fl Y 2.5s				Marks perimeter of aquaculture farm.	Private Aid.	13/16
	*	*	*	*	*	*	*	*	
16051.03	<i>Jules Melancon Aquaculture Farm Special Lighted Buoy D</i>	29-18-00.359N 089-56-17.782W	Fl Y 2.5s				Marks perimeter of aquaculture farm.	Private Aid.	13/16
	*	*	*	*	*	*	*	*	
	* Add Heading: Bayou Pointe au Chien								13/16
17462.03	TLCD BARGE FLOODGATE DOLPHIN LIGHT 1	29-25-04.330N 090-26-53.120W	Fl G 2.5s				Marks starboard side entry dolphin.	Private Aid.	13/16
	*	*	*	*	*	*	*	*	
17462.04	TLCD BARGE FLOODGATE DOLPHIN LIGHT 2	29-25-04.610N 090-26-52.440W	Fl R 2.5s				Marks port side entry dolphin.	Private Aid.	13/16
	*	*	*	*	*	*	*	*	
17462.05	TLCD BARGE FLOODGATE DOLPHIN LIGHT 3	29-25-06.630N 090-26-54.370W	Fl G 2.5s				Marks starboard side exit dolphin.	Private Aid.	13/16
	*	*	*	*	*	*	*	*	
17462.06	TLCD BARGE FLOODGATE DOLPHIN LIGHT 4	29-25-06.910N 090-26-53.690W	Fl R 2.5s				Marks port side exit dolphin.	Private Aid.	13/16
	*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
21895	CALCASIEU RIVER LIGHT 102	30-07-26.180N 093-19-50.443W	FI R 4s		17 4	TR on pile.		13/16
		*						
23506	ENTERPRISE PRODUCTS TERMINAL DOCK NORTH LIGHT	30-02-01.300N 094-02-01.400W	FI G 2.5s			Marks upstream end of dock.	Private Aid.	13/16
		*						
23506.01	ENTERPRISE PRODUCTS TERMINAL DOCK MIDDLE LIGHT	30-01-52.700N 094-02-01.300W	FI G 2.5s			Marks outermost center of dock.	Private Aid.	13/16
		*						
23506.02	ENTERPRISE PRODUCTS TERMINAL DOCK SOUTH LIGHT	30-01-43.100N 094-01-59.800W	FI G 2.5s			Marks downstream end of dock.	Private Aid.	13/16
		*						
24760	UPPER MORGANS POINT INBOUND RANGE FRONT LIGHT	29-42-04.783N 095-00-02.395W	Q G		20	KRW on skeleton tower on piles.	Visible only on the rangeline.	13/16
		*						
655	<i>Fugro Metocean Lighted Buoy</i>	26-41-28.445N 090-27-27.822W	FI Y 2.5s			Yellow.	SIGN: FUGRO-WR-294 Private Aid.	12/16
		*						
12022	MOEM BONNIES BAY PIPELINE LIGHT A	29-23-55.980N 089-34-19.960W	FI Y 2.5s			Marks submerged pipeline.	Private Aid.	12/16
		*						
12022.01	MOEM BONNIES BAY PIPELINE LIGHT B	29-23-57.090N 089-34-21.350W	FI Y 2.5s			Marks submerged pipeline.	Private Aid.	12/16
		*						
12032	MOEM GASPER BAY PIPELINE LIGHT A	29-27-46.530N 089-34-50.700W	FI Y 2.5s			Marks submerged pipeline.	Private Aid.	12/16
		*						
12072	MOEM LONG BAY PIPELINE LIGHT A	29-29-31.640N 089-34-39.860W	FI Y 2.5s			Marks submerged pipeline.	Private Aid.	12/16
		*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
27213	MATAGORDA SHIP CHANNEL LIGHT 22	28-27-16.287N 096-21-48.345W	Fl R 4s		17	3	TR on pile.	Ra ref.	11/16
*	*	*	*		*	*	*	*	
36965	West Bay (Texas) Buoy 11	29-10-48.949N 095-05-23.601W					Green can with yellow square		11/16
37675	<i>The Nature Conservancy Halfmoon Reef Lighted Danger Buoy</i>	28-34-18.813N 096-14-08.396W	Fl W 2.5s				Marks reef perimeter.	Private Aid.	11/16
*	*	*	*		*	*	*	*	
37675.01	<i>The Nature Conservancy Halfmoon Reef Lighted Danger Buoy</i>	28-34-07.787N 096-14-18.338W	Fl W 2.5s				Marks reef perimeter.	Private Aid.	11/16
*	*	*	*		*	*	*	*	
37675.02	<i>The Nature Conservancy Halfmoon Reef Lighted Danger Buoy</i>	28-33-56.968N 096-14-28.968W	Fl W 2.5s				Marks reef perimeter.	Private Aid.	11/16
*	*	*	*		*	*	*	*	
37675.03	<i>The Nature Conservancy Halfmoon Reef Lighted Danger Buoy</i>	28-34-15.692N 096-13-59.352W	Fl W 2.5s				Marks reef perimeter.	Private Aid.	11/16
*	*	*	*		*	*	*	*	
37675.04	<i>The Nature Conservancy Halfmoon Reef Lighted Danger Buoy</i>	28-34-04.928N 096-14-09.614W	Fl W 2.5s				Marks reef perimeter.	Private Aid.	11/16
*	*	*	*		*	*	*	*	
37675.05	<i>The Nature Conservancy Halfmoon Reef Lighted Danger Buoy</i>	28-33-53.847N 096-14-19.472W	Fl W 2.5s				Marks reef perimeter.	Private Aid.	11/16
*	*	*	*		*	*	*	*	
38385	SAN ANTONIO BAY LIGHT 5 90 feet outside channel limit.	28-17-57.455N 096-41-37.889W	Fl G 2.5s		17	4	SG-SY on pile.	Ra ref.	11/16
38440	San Antonio Bay Daybeacon 16	28-16-27.721N 096-43-50.218W					TR-TY on pile.		11/16
38575.01	San Antonio Bay Daybeacon 36	28-12-25.226N 096-49-20.021W					TR on pile.	Ra ref.	11/16
39980	Packery Channel Daybeacon 26	27-38-09.000N 097-14-18.440W					TR on pile.	Private Aid.	11/16
		*							

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4663.01	U. S. Coast Guard Base Buoy 7	30-23-36.768N 086-31-31.117W				Green can.		10/16
*	*	*	*	*	*	*	*	*
12030	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-12.000N 089-31-53.000W	Fl W 2.5s			Marks piling obstruction.	Private Aid.	10/16
12030.01	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-15.000N 089-32-04.000W	Fl W 2.5s			Marks piling obstruction.	Private Aid.	10/16
12030.02	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-18.000N 089-32-15.000W	Fl W 2.5s			Marks piling obstruction.	Private Aid.	10/16
12030.03	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-20.000N 089-32-26.000W	Fl W 2.5s			Marks piling obstruction.	Private Aid.	10/16
12030.04	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-23.000N 089-32-37.000W	Fl W 2.5s			Marks piling obstruction.	Private Aid.	10/16
12030.05	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-26.000N 089-32-47.000W	Fl W 2.5s			Marks piling obstruction.	Private Aid.	10/16
12030.06	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-28.000N 089-32-58.000W	Fl W 2.5s			Marks piling obstruction.	Private Aid.	10/16
	*							

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
12030.07	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-26.000N 089-33-05.000W	Fl W 2.5s				Marks piling obstruction.	Private Aid.	10/16
	*								
12030.08	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-20.000N 089-33-12.000W	Fl W 2.5s				Marks piling obstruction.	Private Aid.	10/16
	*								
12030.09	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-12.000N 089-33-16.000W	Fl W 2.5s				Marks piling obstruction.	Private Aid.	10/16
	*								
12030.11	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-28-03.000N 089-33-21.000W	Fl W 2.5s				Marks piling obstruction.	Private Aid.	10/16
	*								
12030.12	UPSTREAM EXPLORATION PALMETTO PROSPECT DANGER OBSTRUCTION LIGHT	29-27-54.000N 089-33-25.000W	Fl W 2.5s				Marks piling obstruction.	Private Aid.	10/16
	*								
12030.13	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-26.000N 089-33-11.000W	Fl W 2.5s				Marks sediment curtain piling obstruction.	Private Aid.	10/16
	*								
12030.14	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-23.000N 089-33-08.000W	Fl W 2.5s				Marks sediment curtain piling obstruction.	Private Aid.	10/16
	*								
12030.15	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-17.000N 089-33-18.000W	Fl W 2.5s				Marks sediment curtain piling obstruction.	Private Aid.	10/16
	*								

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
12030.16	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-25.000N 089-33-14.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.17	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-06.000N 089-33-23.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.18	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-06.000N 089-33-18.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.19	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-27-55.000N 089-33-28.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.21	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-27-52.000N 089-33-23.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.22	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-27-48.000N 089-33-28.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.23	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-26.000N 089-33-06.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						
12030.24	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-29.000N 089-33-08.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid. 10/16
	*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
12030.25	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-20.000N 089-33-11.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid.	10/16
	*							
12030.26	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-22.000N 089-33-15.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid.	10/16
	*							
12030.27	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-10.000N 089-33-16.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid.	10/16
	*							
12030.28	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-12.000N 089-33-21.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid.	10/16
	*							
12030.29	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-02.000N 089-33-20.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid.	10/16
	*							
12030.31	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-28-01.000N 089-33-26.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid.	10/16
	*							
12030.32	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-27-57.000N 089-33-21.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid.	10/16
	*							
12030.33	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-27-47.000N 089-33-26.000W	Fl W 2.5s			Marks sediment curtain piling obstruction.	Private Aid.	10/16
	*							

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
12030.34	UPSTREAM EXPLORATION PALMETTO PROSPECT SEDIMENT CURTAIN DANGER LIGHT	29-27-49.000N 089-33-31.000W	FI W 2.5s				Marks sediment curtain piling obstruction.	Private Aid.	10/16
	*								
22970 35630	SABINE-NECHES CANAL M UPPER RANGE FRONT LIGHT	29-58-15.912N 093-51-10.204W	Q W		29		On skeleton tower.	For upbound traffic. Visible 2° each side of rangeline. Lighted throughout 24 hours.	10/16
	*								
23510	ENTERPRISE PRODUCTS MOORING DOLPHIN LIGHT	30-02-10.410N 094-02-03.758W	FI G 2.5s				Marks mooring dolphin.	Private Aid.	10/16
	*	*	*	*	*	*	*	*	
34960	Bayou Villars Daybeacon 2	29-44-20.548N 090-08-33.706W					TR on pile.	Ra Ref	10/16
	*								
34965	Bayou Perot Entrance Crossing Daybeacon 2	29-41-15.200N 090-11-15.828W					TR-TY on pile.	Ra ref.	10/16
	*								
35630 22970	SABINE-NECHES CANAL M UPPER RANGE FRONT LIGHT	29-58-15.912N 093-51-10.204W	Q W		29		On skeleton tower.	For upbound traffic. Visible 2° each side of rangeline. Lighted throughout 24 hours.	10/16
	*								
36985	WEST BAY (TEXAS) LIGHT 15	29-10-32.766N 095-05-49.915W	FI G 2.5s		17	3	SG-SY on pile.		10/16
	*								
37005	CHOCOLATE BAY A RANGE FRONT LIGHT	29-10-25.726N 095-06-44.466W	Q W		15		KRW-I on pile.	For eastbound traffic. Visible all around; higher intensity on rangeline.	10/16
	*								
37005.1	CHOCOLATE BAY A RANGE FRONT LIGHT PASSING LIGHT	29-10-25.726N 095-06-44.466W	FI R 2.5s		10	3		On same structure as Chocolate Bay A Range Front Light.	10/16
	*								
37085	CHOCOLATE BAYOU CHANNEL LIGHT 5	29-10-09.694N 095-08-12.381W	FI G 2.5s		17	3	SG on pile.	Ra ref.	10/16
	*	*	*	*	*	*	*	*	
37085	Chocolate Bayou Channel Buoy 5							Remove from list.	10/16
	*							*	
37100	CHOCOLATE BAYOU CHANNEL LIGHT 6	29-10-09.156N 095-08-09.090W	FI R 2.5s		17	3	TR on pile.	Ra ref.	10/16
	*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
37100	Chocolate Bayou Channel Buoy 6						Remove from list.	10/16	
							*		
37115	CHOCOLATE BAYOU CHANNEL LIGHT 9	29-10-38.256N 095-08-20.764W	Q G		17	3	SG on pile.	Ra ref.	10/16
*	*	*	*	*	*	*	*	*	
37115	Chocolate Bayou Channel Buoy 9						Remove from list.	10/16	
							*		
37130	CHOCOLATE BAYOU CHANNEL LIGHT 10	29-10-39.981N 095-08-18.460W	Q R		17	3	TR on pile.	Ra ref.	10/16
*	*	*	*	*	*	*	*	*	
37130	Chocolate Bayou Channel Buoy 10						Remove from list.	10/16	
							*		
37135	CHOCOLATE BAYOU CHANNEL LIGHT 12	29-10-49.649N 095-08-24.797W	FIR 4s		17	3	TR on pile.	Ra ref.	10/16
*	*	*	*	*	*	*	*	*	
37135	Chocolate Bayou Channel Buoy 12						Remove from list.	10/16	
							*		
37140	CHOCOLATE BAYOU CHANNEL LIGHT 13	29-10-47.348N 095-08-26.300W	FIG 4s		17	3	SG on pile.	Ra ref.	10/16
*	*	*	*	*	*	*	*	*	
37140	Chocolate Bayou Channel Buoy 13						Remove from list.	10/16	
							*		
37145	CHOCOLATE BAYOU CHANNEL LIGHT 15	29-11-03.351N 095-08-39.339W	FIG 2.5s		17	3	SG on pile.	Ra ref.	10/16
*	*	*	*	*	*	*	*	*	
37145	Chocolate Bayou Channel Buoy 15						Remove from list.	10/16	
							*		
37150	CHOCOLATE BAYOU CHANNEL LIGHT 16	29-11-04.350N 095-08-37.216W	FIR 2.5s		17	3	TR on pile.	Ra ref.	10/16
*	*	*	*	*	*	*	*	*	
37150	Chocolate Bayou Channel Buoy 16						Remove from list.	10/16	
							*		
37155	CHOCOLATE BAYOU CHANNEL LIGHT 17	29-11-19.078N 095-08-53.074W	FIG 6s		17	3	SG on pile.	Ra ref.	10/16
*	*	*	*	*	*	*	*	*	
37155	Chocolate Bayou Channel Buoy 17						Remove from list.	10/16	
							*		
37160	CHOCOLATE BAYOU CHANNEL LIGHT 18	29-11-20.572N 095-08-51.277W	FIR 6s		17	3	TR on pile.	Ra ref.	10/16
*	*	*	*	*	*	*	*	*	
37160	Chocolate Bayou Channel Buoy 18						Remove from list.	10/16	
							*		
37195	Chocolate Bayou Channel Buoy 25	29-11-50.340N 095-09-32.305W					Green can.	10/16	
		*							

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
37205	Chocolate Bayou Channel Buoy 27	29-11-53.115N 095-09-49.138W				Green can.		10/16
659	<i>SBM Stones Special Lighted Buoy</i>	* 26-25-38.740N 090-48-45.350W	Fl Y 2.5s				Marks subsurface turret buoy. Buoy not present when FPSO is onsite. Private Aid.	09/16
* 2475	* Dog Island Reef West Buoy 2	* 	* 	* 	* 	* 	* Remove from list.	* 09/16
30985	Shoal Point Bayou Channel Buoy 5						Remove from list.	09/16
6800.05	ALABAMA RIVER CELLULOSE PILING LIGHT LDB Mile 69.9	31-34-37.980N 087-31-09.620W	Fl R 2.5s			Marks outermost upstream piling.	Private Aid.	08/16
* 12378	* CPRA ELOI POINT DANGER BREAKWATER LIGHTS 1-30	* 29-45-23.740N 089-25-00.714W	* Fl W 2.5s	* 	* 	* Marks shoreline restoration breakwater.	* Private Aid.	* 08/16
* 12378.01	* CPRA ELOI POINT DANGER BREAKWATER LIGHTS 31- 49	* 29-46-07.500N 089-24-31.320W	* Fl W 2.5s	* 	* 	* Marks shoreline restoration breakwater.	* Private Aid.	* 08/16
* 12378.02	* CPRA ELOI POINT DANGER BREAKWATER LIGHTS 50- 67	* 29-46-47.590N 089-21-58.250W	* Fl W 2.5s	* 	* 	* Marks shoreline restoration breakwater.	* Private Aid.	* 08/16
* 28980	* LA QUINTA CHANNEL LIGHT 7	* 27-49-58.432N 097-13-50.384W	* Fl G 2.5s	* 	* 17	* 3 SG on pile.	* Ra ref.	* 08/16
8115	PASCAGOULA CHANNEL C RANGE REAR LIGHT 1,381 yards, 319.8° from front light.	30-21-16.278N 088-34-45.639W	F R (NIGHT) F W (DAY)		122 120	On pile.	Lighted throughout 24 hours. Visible 2° each side of rangeline.	07/16
27120	MATAGORDA SHIP CHANNEL A RANGE FRONT LIGHT	28-26-34.408N 096-20-42.437W	Iso W 2s (NIGHT) Iso W 2s (DAY) *		22 24	On pile with platform.	Visible all around; higher intensity 1.5° each side of rangeline.	07/16
NO CORRECTIONS THIS WEEK								06/16
2675.01	Carrabelle River Buoy 23	29-51-04.832N 084-40-57.268W				Green can.		05/16
NO CORRECTIONS THIS WEEK								04/16

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1050	Coastal-WC-504-B RACON						Remove from list.	03/16
15025	ALHAMBRA RANGE FRONT D LIGHT LDB mile 189.4.	30-12-44.078N 091-05-49.124W	Iso R 2s			KRW on skeleton tower on piles.	* Visible all around; higher intensity on rangeline.	03/16
15030	ALHAMBRA RANGE REAR D LIGHT 278 yards, 043.9° from front light.	30-12-50.026N 091-05-42.532W	Iso R 6s			KRW on skeleton tower on mud sills.	* Visible all around; higher intensity on rangeline.	03/16
26965	FREEPORT JETTY INBOUND RANGE FRONT LIGHT	28-56-37.415N 095-18-16.544W	Iso G 2s (NIGHT) Iso W 2s (DAY)	42 45		KRW on skeleton tower on piles.	Visible only on range line. Lighted throughout 24 hours.	03/16
26975	FREEPORT JETTY INBOUND RANGE REAR LIGHT 2,470 yards, 315.7° from front light.	28-57-31.525N 095-19-12.869W	Oc G 4s (NIGHT) Oc W 4s (DAY)	146 143		KRW on skeleton tower on block.	* Visible only on rangeline. Lighted throughout 24 hours.	03/16
38375.01	* San Antonio Bay Daybeacon 4	* 28-18-21.435N 096-41-12.241W				TR-TY on pile.	* Ra ref.	03/16
38415.01	San Antonio Bay Daybeacon 12	* 28-17-13.822N 096-42-44.610W				TR on pile.	Ra ref.	03/16
707	<i>Fugro Lighted Scientific Monitoring Buoy</i>	* 26-24-15.420N 090-47-32.160W	Fl Y 2.5s			Provides real-time environmental reports to FPSO SBM Stone Turritella.	* Private Aid.	02/16
915	Fieldwood-100-21 Racon						Remove from list.	02/16
8580	ROUND ISLAND BREAKWATER OBSTRUCTION LIGHTS (6) *	30-17-29.277N 088-35-18.257W *	Fl W 2.5s			NW on pile worded DANGER BREAKWATER	* Private Aid.	02/16

NO CORRECTIONS THIS WEEK

01/16