

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
NO CORRECTIONS THIS WEEK								48/16
10225	Grindstone Channel Entrance Buoy 3	44-03-42.000N 082-53-48.000W				Green can.	Private Aid.	47/16
17845	St. James Light	* 45-44-34.030N 085-30-31.010W	Iso R 6s	38 12	11	Cylindrical tower. 38	Light obscured from 127°30' to 199°30'.	47/16
13275	MIDDLE NEEBISH SOUTH RANGE FRONT LIGHT	46-19-56.372N 084-11-04.615W	Q W	22 7		* KRW on red steel structure.	Visible 1.5° each side of range line.	46/16
16965	<i>Flag Island Lighted Buoy 4</i>	* 49-20-06.000N 094-52-58.500W	FIR 4s		3	Red.	Permanent buoy. Light maintained from May 7 to Oct. 14.	46/16
14750	SAND POINT LIGHT	46-47-00.246N 088-27-59.310W	FI W 4s	40 12	6	NR on skeleton tower.	*	45/16
16976	Oak Island Buoy 4	* 49-18-17.100N 094-49-23.760W				Red nun.		45/16
16977	Oak Island Buoy 2	49-18-37.000N 094-49-27.200W				Red nun.	*	45/16
16980	Sugar Point Rock Buoy 2	49-17-35.300N 094-54-14.900W				Red nun.	*	45/16
16985	Stony Point Reef Buoy 2	49-08-09.500N 095-07-14.500W				Red nun.	*	45/16
17180	CAPSTAN REEF LIGHT (C)	48-38-06.000N 093-03-00.000W	FI W 4s	17 5	6	White structure.	Radar reflector.	45/16
17277	South Shore Buoy 9	48-36-29.424N 093-01-28.920W				Green can.	*	45/16
							*	

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
3955	EASTLAKE INTAKE BREAKWATER LIGHT	41-40-27.400N 081-26-49.900W	Q Y		18 5	NW on post worded DANGER.	Maintained from Apr. 15 to Nov. 1. Private Aid.	44/16
6035	MAUMEE BAY STATE PARK ENTRANCE LT 2	41-41-11.400N 083-22-20.400W	FI R 3s		25 8		Maintained from Apr. 1 to Nov. 1 Private Aid.	44/16
*	*	*	*		*	*	*	*
6036	MAUMEE BAY STATE PARK ENTRANCE LT 1	41-41-12.000N 083-22-18.000W	FI G 3s		25 8		Maintained form Apr. 1 to Nov. 1 Private Aid.	44/16
*	*	*	*		*	*	*	*
16505	Two Harbors East Breakwater Light	47-00-38.190N 091-40-10.100W	FI R 6s		32 10	Square pyramidal skeleton tower with upper part enclosed.	Standby light shows FI R 5s of reduced intensity. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying microphone five times on VHF-FM Channel 83A.	44/16
17760	<i>Simmons Reef Lighted Bell Buoy 2</i> Marks south side of reef.	45-54-08.325N 085-12-58.713W	FI R 4s			4 Red.		44/16
3840	FAIRPORT HARBOR BREAKWATER LIGHT A	41-45-57.624N 081-16-00.198W	FI Y 2.5s		27 8	4 NY on post.	*	43/16
3845	FAIRPORT HARBOR BREAKWATER LIGHT B	* 41-46-00.102N 081-15-43.278W	FI Y 2.5s		27 8	4 NY on post.		43/16
8415	LAKE ST. CLAIR LIGHT 1	* 42-22-01.065N 082-53-59.103W	Q G		37 11	5 SG on post.		43/16
11240	Tawas Light	44-14-54.012N 083-27-32.947W	FI W 4s		46 14	11 Square skeleton tower. 46	HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). Fog signal operates by keying VHF FM Marine Radio channel 83A five times.	42/16
5170	<i>Bay Point Shoal Lighted Buoy 2</i> Marks east side of shoal.	* 41-30-12.029N 082-41-28.254W	FI R 4s			5 Red.	Maintained from Apr. 14 to Nov. 14.	41/16
8420	<i>Lake St. Clair Lighted Buoy 2</i>	42-21-54.270N 082-53-52.330W	FI R 4s			5 Red.	AIS MMSI: 993672211	41/16
						*		

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
19700	INDIANA HARBOR LIGHT 7	41-40-00.758N 087-26-31.264W	F G	45 14	8	SG on white cylindrical tower.	Higher intensity beam towards lake.	41/16
19800	Calumet Harbor Breakwater South End Light	41-43-33.652N 087-29-35.956W	Al WR 10s 0.2s W fl 4.8s ec. 0.2s R fl 4.8s ec.	50 15	W 17 R 14	White square skeleton tower with red band. Lower half open. 46	HORN: 1 blast ev 15s (2s bl). Operates by keying microphone five times on VHF-FM Ch. 83A.	41/16
11240	Tawas Light	44-14-54.000N 083-27-32.000W	Fl W 4s	46 14	11	Square skeleton tower. 46	HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). Fog signal operates by keying VHF FM Marine Radio channel 83A five times.	40/16
10115	Port Sanilac Light	43-25-44.430N 082-32-24.710W	Fl W 2.5s	69 21	14	White octagonal tower. 69		39/16
19525	ST. JOSEPH SOUTH PIERHEAD LIGHT	42-06-54.960N 086-29-39.396W	Iso R 6s	25 8	7			39/16
21490	Seul Choix Point Light	45-55-17.083N 085-54-43.142W	Fl W 6s	80 24	13	80		39/16
NO CORRECTIONS THIS WEEK								38/16
NO CORRECTIONS THIS WEEK								37/16
NO CORRECTIONS THIS WEEK								36/16
NO CORRECTIONS THIS WEEK								35/16
NO CORRECTIONS THIS WEEK								34/16
NO CORRECTIONS THIS WEEK								33/16
13353	MIDDLE NEEBISH CHANNEL LIGHT 61	46-19-57.648N 084-11-03.114W	Q G	26 8	4	SG on post.		32/16

*

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4905	<i>East Bay Channel Lighted Buoy 19</i>	41-26-55.800N 082-39-44.400W	Q G			Green.	Private Aid.	31/16
*								
5832	CATAWBA MILLER LIGHT A	41-35-16.290N 082-50-15.490W	Fl Y 4s				Maintained from Apr. 1 to November 30. Private Aid.	31/16
*								
5832.1	CATAWBA MILLER LIGHT B	41-35-15.790N 082-50-15.360W	Fl Y 4s				Maintained from Apr. 1 to Nov. 30. Private Aid.	31/16
*								
5832.2	CATAWBA MILLER LIGHT C	41-35-15.360N 082-50-15.230W	Fl Y 4s				Maintained from Apr. 1 to Nov. 30. Private Aid.	31/16
*								
CORRECTIONS THIS WEEK								30/16
18910	CONSUMERS POWER COMPANY LIGHT 1						Remove from list.	29/16
18915	CONSUMERS POWER COMPANY LIGHT 3						* Remove from list.	29/16
18920	CONSUMERS POWER COMPANY LIGHT 5						* Remove from list.	29/16
18965	Grand Haven South Pierhead Entrance Light	43-03-24.910N 086-15-21.420W	FIR 10s	42 13	15	Red fog signal building. 42	* Fog Signal operates by keying the microphone five times on VHF-FM CH 83A. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si).	28/16
*								
21765	Jackson Harbor Buoy 1	45-24-12.363N 086-50-57.274W				Green can.		28/16
*								
21766	Jackson Harbor Buoy 2	45-24-12.925N 086-50-59.576W				Red nun.		28/16
*								
3075	GRAND ISLAND DIRECTION LIGHT	42-58-40.130N 078-56-50.240W	F R W G (NIGHT)	29 9 9 3	R W G 7	4 NB on gray post.		27/16
*								
NO CORRECTIONS THIS WEEK								26/16

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
305	<i>St. Lawrence Seaway Lighted Buoy 50</i>	44-57-50.000N 074-56-51.400W	Fl R 4s			Red.	Year Round Lighted Buoy Aid maintained by S.L.S.D.C.	25/16
1020	<i>Catamaran Shoal Buoy Lighted 135</i> Marks northwest side of shoal.	44-36-55.000N 075-37-19.400W	Fl G 4s			Green can.	Aid maintained by S.L.S.D.C.	25/16
1615	<i>St. Lawrence Seaway Lighted Buoy 233</i> Marks north side of shoal.	44-12-02.600N 076-13-36.800W	Fl G 4s			Green.	Year Round Lighted Buoy Aid maintained by S.L.S.D.C.	25/16
20675	MILWAUKEE SOUTH PIERHEAD LIGHT 3	43-01-29.844N 087-53-40.782W	Fl G 4s		20 6	7 On grey pole with concrete base.		25/16
4037	<i>Cleveland Water Quality</i>	41-33-07.560N 081-46-02.640W	Fl Y 4s				Private Aid.	24/16
18647.5	<i>GLERL M45Z</i>	43-11-01.860N 086-29-38.880W	Fl Y 4s				Private Aid.	24/16
4037	<i>Cleveland Water Quality</i>	41-33-07.560N 087-46-02.640W	Fl Y 4s				Private Aid.	23/16
1765	<i>East Charity Shoal Traffic Lighted Buoy</i>	44-01-32.580N 076-27-16.020W	Mo (A) W			Red and white stripes.	Aid maintained by S.L.S.D.C.	21/16
20655	MILWAUKEE SOUTH ENTRANCE LIGHT 2	43-00-30.047N 087-52-35.428W	Fl R 4s		35 11	5 White cylindrical tower with red band.		20/16

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
12532	<i>Ailes Point Lighted Danger Buoy</i>	45-59-34.132N 084-21-17.582W	Fl W 2.5s			4	White with orange bands.	"DANGER ROCKS" 19/16
13855	Lake George Channel Buoy 7	* 46-24-17.548N 084-08-47.310W					Green can.	19/16
14740	<i>Point Abbaye Shoal Lighted Bell Buoy 3</i>	* 46-58-22.524N 088-06-15.441W	Fl G 4s			5	Green.	Maintained from May 14 to Oct. 14. 19/16
15180	* <i>Copper Harbor Entrance Lighted Bell Buoy CH</i>	* 47-28-41.094N 087-51-52.171W	* Mo (A) W			6	* Red and white stripes.	Maintained from May 14 to Oct. 14. 19/16
15205	* <i>Eagle Harbor Shoal Lighted Bell Buoy 1</i>	* 47-27-50.078N 088-09-30.239W	* Fl G 4s			5	* Green.	Maintained from May 14 to Oct. 14. 19/16
* NO CORRECTIONS THIS WEEK								18/16
19500	<i>Limno-Tech A</i>						Remove from list.	17/16
19600	BURNS WATERWAY WEST PIER LIGHT 2	41-38-00.513N 087-10-40.048W	Fl R 2.5s		27 8	6	TR on post.	* 17/16
20030	CHICAGO HARBOR OAK STREET BREAKWATER NORTHEAST END LIGHT 2	41-54-10.904N 087-36-33.989W	Fl R 2.5s		26 8	6	* TR on post.	17/16
20035	CHICAGO HARBOR OAK STREET BREAKWATER SOUTHWEST END LIGHT 3	41-54-05.076N 087-37-02.205W	Fl G 2.5s		26 8	6	* SG on post.	17/16
20282	Great Lakes Buoy N	42-19-22.620N 087-49-14.262W					* Yellow Can	Maintained from Apr. 14 to Oct. 14. 17/16
20284	* Great Lakes Buoy S	* 42-18-18.972N 087-49-06.054W					* Yellow Can	Maintained from Apr. 14 to Oct. 14. 17/16
21415	* Njord Heim Channel Buoy						* Remove from list.	17/16
21591	LITTLE FISHDAM RIVER ACCESS LIGHT						* Remove from list.	17/16

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2975.2	Limekiln Reef EU Buoy 7 (C)					Green can.	Maintained from May 1 to Oct. 7.	16/16
	*							
20282	Great Lakes Buoy "N"	42-19-22.620N 087-49-14.262W				Yellow Can	Maintained from Apr. 14 to Oct. 14.	16/16
*	*	*	*	*	*	*	*	
20284	Great Lakes Buoy "S"	42-18-18.972N 087-49-06.054W				Yellow Can	Maintained from Apr. 14 to Oct. 14.	16/16
*	*	*	*	*	*	*	*	
20285	GREAT LAKES LIGHT 2	42-18-21.270N 087-49-29.105W	FIR 4s	34 10	6	White cylindrical tower with red band.		16/16
						*		
20764	USEPA GLNPO 1						Remove from list.	16/16
							*	
20764.1	USEPA GLNPO 2						Remove from list.	16/16
							*	
21681	ESCANABA RIVER BOAT ACCESS LIGHT						Remove from list.	16/16
							*	
22230	Green Bay Harbor Entrance Channel Lighted Buoy 21	44-34-29.069N 087-59-04.716W	FI R 2.5s			4 Green.	Replaced by can from Dec. 1 to Apr. 28.	16/16
		*						
5660	Ballast Island Channel Lighted Buoy 6	41-40-25.476N 082-47-09.970W	FI R 2.5s			4 Red nun.	Maintained from May 21 to Nov 1.	15/16
	*		*			*	*	
5665	Ballast Island Channel Lighted Buoy 7	41-40-21.376N 082-47-26.670W	FI G 4s			4 Green can.	Maintained from May 21 to Nov 1.	15/16
	*		*			*	*	
8025	Trenton Channel Lighted Buoy 11	42-09-25.950N 083-09-55.680W	FI G 2.5s			4 Green can.		15/16
		*						
351.5	Wilson Hill Small boat Channel Buoy 11	44-55-50.079N 075-00-41.062W				Green can.	Private Aid.	14/16
		*						
2168	SUNY ESF Buoy	43-16-54.600N 076-57-39.000W	FI Y 4s				Maintained from Apr. 1 to Nov. 30. Private Aid.	14/16
*	*	*	*	*	*	*	*	
20835	SHEBOYGAN NORTH PIERHEAD LIGHT	43-44-57.484N 087-42-09.377W	F R	29 9	6	TR on post.		14/16
						*		

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
8010	Trenton Channel Buoy 10A	42-09-23.874N 083-09-52.980W				Red nun.		13/16
*	*	*	*	*	*	*	*	
8025	Trenton Channel Lighted Buoy 11	42-09-23.463N 083-09-57.720W	Fl G 2.5s		4	Green can.		13/16
NO CORRECTIONS THIS WEEK								12/16
17775	Grays Reef Light	45-45-56.590N 085-09-13.611W	Fl R 10s	82 25	14	Square tower. 82	RACON: G (- - .) Obscured from 080° to 170°. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si).	11/16
3802	Ashtabula Buoy 5	41-53-53.700N 080-47-36.840W				*	Maintained from Apr. 15 to Nov. 15.	10/16
3803	Ashtabula Buoy 7	41-53-41.880N 080-47-45.600W					Maintained from Apr. 15 to Nov. 15.	10/16
NO CORRECTIONS THIS WEEK								09/16
3692	DEP PA	42-08-39.840N 080-07-30.000W	Fl Y 4s				Private Aid.	08/16
*	*	*	*	*	*	*	*	
4451	VERMILION MUSEUM LIGHTHOUSE	41-25-30.800N 082-22-00.500W	F W	35 11		White conical tower.	Private Aid.	08/16
20705	Milwaukee Tanker Pier Buoy 1		*				Remove from list.	07/16
20710	Milwaukee Tanker Pier Buoy 2						Remove from list.	07/16
NO CORRECTIONS THIS WEEK								06/16
20635	Milwaukee Breakwater Light	43-01-36.992N 087-52-54.927W	Fl R 10s	61 19	14	Black lantern on white square structure. 61	Light Characteristic is FL R (2) 10s. Two Red Flashes in 10 seconds. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Operates by keying the microphone five times on channel 83A.	05/16
22240	Green Bay Harbor Entrance Channel Lighted Buoy 23	44-34-01.017N 087-59-21.705W	Fl G 4s		4	Green.	Replaced by can from Dec. 1 to Apr. 28.	05/16
NO CORRECTIONS THIS WEEK								

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
8080	<i>Trenton Channel Lighted Buoy 21</i>	42-11-54.814N 083-08-53.844W	FI G 4s			4 Green.	Replaced by can from Dec. 14 to Apr. 7.	04/16
20412	PRAIRIE HARBOR ENTRANCE NORTH PIER LIGHT 2	* 42-29-34.800N 087-48-04.200W	FI R 2.5s		21 6		Private Aid.	03/16
20413	PRAIRIE HARBOR ENTRANCE SOUTH PIER LIGHT 1	42-29-33.840N 087-48-06.800W	FI G 2.5s		21 6		* Private Aid.	03/16
3693	<i>NOAA RSC A</i>	42-08-52.520N 080-15-59.040W	FI Y 4s				* Private Aid.	02/16
*	*	*	*	*	*	*	*	
2805	<i>Black Rock Canal Lighted Buoy 5</i>	42-53-21.894N 078-53-46.545W	FI G 4s			4 Green.	Replaced by can from Dec. 21 to Apr. 14.	01/16

*