

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
181	<i>NOAA Environmental Lighted Buoy 46025</i>	33-44-57.832N 119-03-09.528W	Fl (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	10/10
		*						
2829	Anaheim Bay Channel Buoy 17	33-43-57.000N 118-05-19.998W				Green.	Buoy maybe frequently relocated due to changing conditions.	10/10
		*						
3320	Redondo Harbor Light						Remove from list.	10/10
							*	
3339.2	REDONDO HARBOR LIGHT	33-50-58.000N 118-23-39.268W	Fl W 5s		165	On generation station.	Private aid.	10/10
*	*	*	*	*	*	*	*	
3720	Ventura Marina Channel Buoy 9	34-14-57.288N 119-16-10.479W				Green can.	Buoy maybe frequently relocated due to changing conditions.	10/10
		*						
3772	<i>Santa Barbara Harbor Lighted Buoy 6</i>	34-24-30.338N 119-41-10.240W	Fl R 2.5s			3 Red.	Buoy maybe frequently relocated due to changing conditions.	10/10
		*						
3775	<i>Santa Barbara Harbor Lighted Buoy 7</i>	34-24-29.551N 119-41-12.782W	Fl G 6s			3 Green.	Buoy maybe frequently relocated due to changing conditions.	10/10
		*						
3785	<i>Santa Barbara Harbor Lighted Buoy 11</i>	34-24-30.588N 119-41-15.559W	Q G			3 Green.	Buoy maybe frequently relocated due to changing conditions.	10/10
		*						
3790	<i>Santa Barbara Harbor Lighted Buoy 10</i>	34-24-33.664N 119-41-16.211W	Fl R 4s			3 Red.	Buoy maybe frequently relocated due to changing conditions.	10/10
		*						
4672	<i>Oakland Inner Harbor Lighted Buoy 6</i>	37-47-56.800N 122-20-23.900W	Fl R 6s			4 Red.		10/10
		*						
4675	OAKLAND INNER HARBOR LIGHT 8	37-47-51.601N 122-19-57.352W	Fl R 2.5s		15	4 TR on pile.		10/10
		*						
85	<i>Scripps Offshore CCE-1 Research Buoy SIO</i>	33-25-45.600N 122-29-07.800W	Fl Y 4s			Yellow disk with skeleton tower.	Private aid.	09/10
	*	*						

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
3127	PIER 400 LIGHT E	33-43-39.996N 118-14-13.884W	Fl W 4s		35	6	NR on post. 08/10
							*
3640	CHANNEL ISLANDS HARBOR SOUTH JETTY LIGHT 2	34-09-21.714N 119-13-38.616W	Fl R 2.5s		35	3	TR on post. HORN: 1 blast ev 15s (1s 08/10 bl). The sound signal can be activated upon request to the Coast Guard via VHF-FM Ch 16.
							*
3767	SANTA BARBARA BREAKWATER EXTENSION LIGHT	34-24-27.936N 119-41-16.260W	Fl W 4s		20	6	NG on post. 08/10
							*

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
198	<i>NOAA Environmental Lighted Buoy 46054</i>	34-16-27.998N 120-27-33.984W	Fl (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	07/10
		*						
275	<i>NOAA Environmental Lighted Buoy 46028</i>	35-44-28.999N 121-53-03.001W	Fl (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	07/10
		*						
382	<i>NOAA Environmental Lighted Buoy 46059</i>	37-58-59.999N 129-59-48.998W	Fl (4)Y 20s			Yellow boat-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	07/10
		*						
505	<i>Scripps Waverider Lighted Research Buoy 168</i>	40-53-17.940N 124-21-23.880W	Fl (5)Y 20s			Yellow sphere with whip antenna.	Private aid.	07/10
*	*	*	*	*	*	*	*	
1720	<i>Navy Lighted Mooring Buoy</i>	32-43-16.000N 117-11-22.000W	Fl W 4s			White with blue band.	Navy Maintained. Private aid.	07/10
	*	*	*			*		
2014	<i>San Diego Bay Wreck Buoy WR32A</i>	32-39-31.100N 117-07-38.400W	Q R				Private aid.	07/10
*	*	*	*	*	*	*	*	
2025	NATIONAL CITY BERTH LIGHT	32-39-24.640N 117-07-20.950W	F G		10		Private aid.	07/10
*	*	*	*	*	*	*	*	
2542	Navy Science Range East Lighted Buoy						Remove from list.	07/10
							*	
2543	Navy Science Range West Lighted Buoy						Remove from list.	07/10
							*	
3770	<i>Santa Barbara Harbor Lighted Buoy 5</i>	34-24-23.669N 119-41-07.673W	Fl G 4s			3 Green.	Buoy maybe frequently relocated due to changing conditions.	07/10
		*						

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
3775	<i>Santa Barbara Harbor Lighted Buoy 7</i>	34-24-29.551N 119-41-12.782W	Q G			3 Green.	Buoy maybe frequently relocated due to changing conditions. 07/10
		*					
3855	<i>Morro Bay Channel Lighted Buoy 4</i>	35-21-44.788N 120-52-01.767W	Fl R 2.5s			3 Red.	Buoy maybe frequently relocated due to changing conditions. 07/10
		*					
3875	<i>Morro Bay Channel Lighted Buoy 8</i>	35-22-13.879N 120-51-38.572W	Fl R 2.5s			3 Red.	Buoy maybe frequently relocated due to changing conditions. 07/10
		*					
4625	OAKLAND OUTER HARBOR RANGE A REAR LIGHT 335 yards, 059° from front light.	37-49-01.873N 122-19-30.986W	Iso G 6s		35	KRW on white pile.	Visible 4° each side of the rangeline. 07/10
		*					
199	<i>Scripps SB Channel CCE-2 Research Buoy</i>	34-19-27.600N 120-48-54.600W	Fl (2)W 4s			White and orange striped disc-shaped buoy with aluminum tower.	Private aid. 06/10
		*					
*	*	*	*		*	*	*
5400	<i>San Francisco Bay North Channel Lighted Buoy 4</i>	37-50-49.338N 122-23-47.237W	Fl R 2.5s			4 Red.	06/10
		*					
5505	<i>San Francisco Bay North Channel Lighted Buoy 12</i>	37-54-48.931N 122-26-42.502W	Fl R 2.5s			4 Red.	06/10
		*					
6930	STOCKTON CHANNEL LIGHT 5	38-03-17.141N 121-30-56.184W	Fl G 4s		25	4 SG on pile.	06/10
		*					
6965	STOCKTON CHANNEL RANGE C FRONT LIGHT	38-02-42.041N 121-30-08.552W	Q W		20	KRW on pile.	Visible all around; higher intensity on rangeline. 06/10
		*					
7530	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL RANGE C REAR LIGHT 400 yards, 180° from front light.	38-27-58.634N 121-35-03.901W	Iso W 6s		36	KRW on pile.	Visible 5° each side of rangeline. 06/10
		*					
8000	<i>Bodega Harbor Channel Daybeacon 48</i>	38-19-34.033N 123-02-34.087W				TR on pile.	06/10
		*					

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6280	AMORCO WHARF WEST LIGHT	38-02-03.715N 122-07-30.875W	F R	26		On post above dolphins.	Private aid.	05/10
6281	AMORCO WHARF EAST LIGHTS	38-02-09.000N 122-07-20.000W	F R	26		On post above dolphins.	Private aid.	05/10
* 8485	* <i>Lake Tahoe Lighted Danger Buoy Q</i>	* 39-00-50.274N 119-57-33.409W	* FI W 4s		* 3	* White with orange bands.	* Private aid.	05/10
85	<i>Scripps Offshore CCE-1 Research Buoy</i>	33-29-00.000N 122-32-00.000W	FI Y 4s			Yellow disk with skeleton tower.	Private aid.	05/10
2585	<i>San Nicolas Island East End Lighted Bell Buoy 3</i>	33-13-23.172N 119-23-52.077W	FI G 4s		5	Green.		04/10
2600	<i>Begg Rock Lighted Whistle Buoy 4BR</i>	33-21-58.089N 119-41-48.412W	FI R 4s		4	Red.		04/10
2645	<i>Isthmus Cove North Entrance Lighted Buoy 1</i>	33-26-56.896N 118-29-36.284W	FI G 4s		4	Green.		04/10
2650	<i>Isthmus Cove Northwest Entrance Buoy 2</i>	33-27-39.395N 118-30-27.086W				Red.		04/10
3335	REDONDO BEACH EAST JETTY LIGHT 2	33-50-30.678N 118-23-38.935W	FI R 4s	20	6	On post.	The sound signal can be activated upon request to the Coast Guard via VHF-FM Ch 16. HORN: 1 blast ev 10s (1s bl).	04/10
4180	<i>San Francisco Main Ship Channel Lighted Bell Buoy 5</i>	37-46-38.098N 122-36-22.045W	FI G 6s		4	Green.	*	04/10
4240	<i>Four Fathom Bank Lighted Bell Buoy</i>	37-48-41.263N 122-32-24.329W	FI (2+1)R 6s		4	Red and green bands.	*	04/10
4385	* SAUSALITO CHANNEL LIGHT 2	* 37-51-21.373N 122-28-07.201W	* FI R 4s		14	3	TR on MPS.	04/10

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
4685	BROOKLYN BASIN PREFERRED SOUTH CHANNEL LIGHT S	37-47-02.705N 122-15-21.750W	Fl (2+1)G 6s	15	4	JG on pile.	Ra ref.	04/10	
						*			
4719.7	<i>Oakland Inner Harbor Wreck Lighted Buoy</i>	37-46-24.769N 122-14-25.274W	Q Y		3	Yellow	Buoy marks wreck.	04/10	
						*			
4780	BALLENA BAY LIGHT 1	37-45-49.000N 122-16-58.000W	Fl G 4s	17		Black skeleton tower.	Obscured from 300° to 070°. Private aid.	04/10	
							*		
4785	BALLENA BAY ESTUARY LIGHT	37-46-05.940N 122-17-18.240W	Fl W 4s	12		NB on post.	Private aid.	04/10	
							*		
4829	SAN LEANDRO MARINA CHANNEL DIRECTIONAL LIGHT	37-41-43.176N 122-11-29.169W	F W (R & G Sectors)			W 13 G 10 R 10	On pile. Red from 045.5° to 046.5°, white from 046.5° to 047°, green from 047° to 048°.	04/10	
							*		
4860	SAN LEANDRO MARINA CHANNEL LIGHT 6	37-40-43.653N 122-12-43.753W	Fl R 2.5s	15	3	TR on pile.	Ra ref.	04/10	
							*		
*	4860	San Leandro Marina Channel Daybeacon 7					Remove from list.	04/10	
							*		
4865	San Leandro Marina Channel Daybeacon 7	37-40-58.283N 122-12-28.590W				SG on pile.		04/10	
							*		
*	4865	San Leandro Marina Channel Daybeacon 8					Remove from list.	04/10	
							*		
4870	San Leandro Marina Channel Daybeacon 8	37-40-56.832N 122-12-26.798W				TR on pile.		04/10	
							*		
*	4870	San Leandro Marina Channel Daybeacon 9					Remove from list.	04/10	
							*		
4875	San Leandro Marina Channel Daybeacon 11						Remove from list.	04/10	
							*		
4875	San Leandro Marina Channel Daybeacon 9	37-41-13.421N 122-12-09.166W				SG on pile.		04/10	
							*		
*	4880	SAN LEANDRO MARINA CHANNEL LIGHT 10	37-41-11.958N 122-12-07.370W	Fl R 4s	15	3	TR on pile.	Ra ref.	04/10
							*		
*	4885	San Leandro Marina Channel Daybeacon 11	37-41-29.456N 122-11-48.590W				SG on pile.	04/10	
							*		
*	*								

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4885	San Leandro Marina Channel Light 14						Remove from list.	04/10
							*	
4890	SAN LEANDRO MARINA CHANNEL LIGHT 12	37-41-27.988N 122-11-46.781W	Fl R 6s	15	4	TR on pile.	Ra ref.	04/10
*								
4890	San Leandro Marina Channel Daybeacon 15						Remove from list.	04/10
							*	
4895	SAN LEANDRO MARINA CHANNEL LIGHT 14	37-41-38.863N 122-11-32.354W	Fl R 2.5s	15	3	TR on pile.		04/10
*								
4895	San Leandro Marina Channel Light 6						Remove from list.	04/10
							*	
4900	San Leandro Marina Channel Daybeacon 15	37-41-40.303N 122-11-34.598W				SG on pile.		04/10
*								
4900	San Leandro Marina Channel Light 10						Remove from list.	04/10
							*	
4905	San Leandro Marina Channel Light 12						Remove from list.	04/10
							*	
4905	San Leandro Marina Channel Light 6						Remove from list.	04/10
							*	
5670	RICHMOND HARBOR CHANNEL APPROACH RANGE FRONT LIGHT	37-54-02.689N 122-23-29.505W	Q W	20		KRW on pile.	Visible all around with higher intensity on rangeline.	04/10
*								
5675	RICHMOND HARBOR CHANNEL APPROACH RANGE REAR LIGHT 340 yards, 132° from front light.	37-53-55.548N 122-23-19.591W	Iso W 6s	35		KRW on pile.	Visible all around with higher intensity on rangeline.	04/10
*								
5695	Richmond Harbor Channel Jetty Daybeacon	37-54-13.451N 122-23-31.475W				NR on pile.		04/10
*								
5739	RICHMOND HARBOR CHANNEL LIGHT 14	37-54-08.737N 122-21-36.736W	Q R	17	3	TR on pile. On same structure as Point Potrero Reach Range Front Light.		04/10
*								
5740	POINT POTRERO REACH RANGE FRONT LIGHT	37-54-08.737N 122-21-36.736W	Q R	22		KRW on pile. On same structure as Richmond Harbor Channel Light 14.	Visible 1.5° each side of the rangeline.	04/10
*							*	

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
5760	Richmond Long Wharf Fog Signal	37-55-20.000N 122-24-36.000W				Building on wharf.	HORN: 2 blasts ev 30s (3s bl-2s si-1s bl-24s si). Private aid.
5923	PINOLE SHOAL RANGE REAR LIGHT	38-03-19.932N 122-19-17.703W	Iso G 6s	52		KRW on pile.	Visible 4° each side of rangeline.
5940	SAN PABLO BAY CHANNEL LIGHT 15	38-03-32.842N 122-17-27.596W	Fl G 2.5s	15	3	SG on pile.	HORN: 1 blast ev 10s (1s bl), operates continuously from Oct. 1 to Apr. 1. Ra ref.
6196	<i>Napa River Wreck Lighted Buoy WR16</i>	38-13-55.000 N 122-17-34.000 W	Q R		3	Red.	Buoy marks wreck
6315	Suisun Bay Buoy 2A	38-02-20.622N 122-07-03.192W				Red nun.	
6320	Suisun Bay Buoy 3A	38-02-25.872N 122-07-07.326W				Green can.	
6390	SEAL ISLANDS CHANNEL LIGHT 2	38-03-12.702N 122-04-16.571W	Fl R 6s	20	4	TR on pile.	
6395	SEAL ISLANDS CHANNEL LIGHT 3	38-03-21.826N 122-03-55.975W	Fl G 6s	20	4	SG on pile.	
6400	Seal Islands Channel Daybeacon 4	38-03-14.484N 122-03-54.830W				TR on pile.	
6405	Seal Islands Channel Daybeacon 5	38-03-12.889N 122-03-22.240W				SG on pile.	
6410	Seal Islands Channel Daybeacon 6	38-03-07.074N 122-03-22.139W				TR on pile.	
6420	Seal Islands Channel Daybeacon 9	38-03-32.177N 122-02-21.668W				SG on pile.	
6450	<i>Suisun Bay Channel Lighted Buoy 13</i>	38-03-59.196N 122-03-12.728W	Q G		3	Green.	
7005	STOCKTON CHANNEL RANGE E FRONT LIGHT	38-01-24.373N 121-27-55.298W	Q G	18		KRW on pile.	Visible all around; higher intensity on rangeline. Ra ref.

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7170	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 1	38-03-53.831N 121-51-03.896W	Fl G 4s	15	3	SG on pile.	Ra ref.	04/10
7175	<i>Sacramento River Deep Water Ship Channel Lighted Buoy 2</i> 50 feet outside channel limit.	38-03-46.984N 121-51-03.161W	Fl R 4s		3	Red.	Ra ref.	04/10
7195	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 7	38-03-44.150N 121-48-31.720W	Fl G 4s	15	4	SG on pile.	Ra ref.	04/10
7215	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 11	38-03-51.560N 121-47-38.128W	Fl G 6s	15	4	SG on pile.	Ra ref.	04/10
7465	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL RANGE A REAR LIGHT 540 yards, 200° from front light.	38-19-45.909N 121-39-01.190W	Iso W 6s	43		KRW on pile.	Visible 5° each side of rangeline.	04/10
7480	SACRAMENTO DEEP WATER CHANNEL RANGE B REAR LIGHT 600 yards, 011° from front light.	38-20-49.090N 121-38-39.442W	Iso W 6s	43		KRW on pile.	Visible 5° each side of rangeline.	04/10
7530	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL RANGE C REAR LIGHT 400 yards, 180° from front light.	38-27-58.634N 121-35-03.901W	Iso W 6s	36		KRW on pile.	Visible 5° each side of rangeline.	04/10
7541	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL RANGE D FRONT LIGHT	38-28-24.251N 121-35-07.265W	Q W	18		KRW on pile; TR facing upstream.	Visible 4° each side of rangeline. Passing light Fl R 2.5s.	04/10
7545	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL RANGE D REAR LIGHT 700 yards, 020° from front light.	38-28-45.081N 121-34-51.388W	Iso W 6s	36		KRW on pile.	Visible 5° each side of rangeline.	04/10
7570	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL RANGE E FRONT LIGHT 77	38-32-38.415N 121-35-04.653W	Q W	22		KRW on pile; SG facing upstream.	Visible all around; higher intensity on rangeline.	04/10

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7790	BODEGA HARBOR CHANNEL RANGE AB REAR LIGHT 153 yards, 269° from, Range A Front Light. 193 yards, 209° from Range B Front Light.	38-18-19.083N 123-03-30.326W	Iso G 6s	25		KRW on frame.	Visible all around; higher intensity on the rangeline.	04/10
	*							
7955	BODEGA HARBOR CHANNEL LIGHT 36	38-19-52.377N 123-03-07.488W	Q R		3	TR on pile.		04/10
	*							
8105	NOYO RIVER DIRECTIONAL LIGHT	39-25-38.236N 123-48-27.176W	F W R G	15	1	On pile.	White light in center of channel (103.5°-106.5°). Red light when right of inbound channel (100°- 103.5°). Green light when left of inbound channel (106.5°-110°).	04/10
			*					
8116	NOYO RIVER ENTRANCE SMALL BOAT WARNING LIGHT	39-25-39.644N 123-48-20.228W				NR labeled ROUGH BAR on tower.	Lights flash when seas exceed four feet in height. Lights extinguished for lesser sea conditions, but with no guarantee that bar is safe.	04/10
8135	Humboldt Bay Lighted Bell Buoy 2	40-45-59.908N 124-14-59.004W	Fl R 4s		3	Red.		04/10
8136	HUMBOLDT BAY ENTRANCE SMALL BOAT WARNING SIGN LIGHT Located at CG station.	40-45-58.878N 124-13-01.800W	Q Y	12	3		Lights flash when seas exceed four feet in height. Lights extinguished for lesser sea conditions, but with no guarantee that bar is safe.	04/10

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
90 2440	NEWPORT BAY WEST JETTY LIGHT 3	33-35-17.950N 117-52-46.428W	Fl G 6s	25	6	SG on steel monopile.	Reduced intensity from 355° to 110°. The sound signal can be activated upon request to the Coast Guard via VHF-FM Ch 16. HORN: 1 blast ev 30s (3s bl).	03/10
2052.2	SAN DIEGO BAY SPEED CONTROL LIGHT B	32-38-29.680N 117-07-45.780W	Fl W 4s	11		White sign with orange border on pile.	Private aid.	03/10
			*					
2440 90	NEWPORT BAY WEST JETTY LIGHT 3	33-35-17.950N 117-52-46.428W	Fl G 6s	25	6	SG on steel monopile.	Reduced intensity from 355° to 110°. The sound signal can be activated upon request to the Coast Guard via VHF-FM Ch 16. HORN: 1 blast ev 30s (3s bl).	03/10
8105	NOYO RIVER DIRECTIONAL LIGHT	39-25-38.236N 123-48-27.176W	F W	15	1	On pile.	White light in center of channel (103.5°-106.5°). Red light when right of inbound channel (100°- 103.5°). Green light when left of inbound channel (106.5°-110°).	03/10
			-					
8135	Humboldt Bay Lighted Bell Buoy 2	40-45-59.908N 124-14-59.004W	Fl R 4s		4			03/10
		*						
8200	<i>Humboldt Bay Lighted Buoy 10</i>	40-45-30.584N 124-13-10.225W	Fl R 4s		3	Red.		03/10
					*			

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1.1	<i>Scripps Waverider Lighted Research Buoy 191</i>	32-31-48.660N 117-25-52.260W	Fl (5)Y 20s			Yellow sphere with whip antenna.	In Mexican waters. Private aid.	02/10
*	*	*	*	*	*	*	*	*
2052.1	SAN DIEGO BAY SPEED CONTROL LIGHT A	32-38-33.850N 117-07-37.830W	Fl W 4s		11	White sign with orange border on pile.	Private aid.	02/10
*	*	*	*	*	*	*	*	*
2052.2	SAN DIEGO BAY SPEED CONTROL LIGHT B	32-38-29.680N 117-07-45.780W	Fl R 4s		11	White sign with orange border on pile.	Private aid.	02/10
*	*	*	*	*	*	*	*	*
4926	PIER 94/96 SOUTH CHANNEL RANGE FRONT LIGHT	37-44-31.950N 122-22-15.140W	Iso Y 6s		52	KRW on post.	Private aid.	02/10
*	*	*	*	*	*	*	*	*
7090	STOCKTON CHANNEL LIGHT 33	37-59-40.946N 121-24-46.819W	Fl G 4s		20	4	SG on pile.	02/10
*	*	*	*	*	*	*	*	*
7155	STOCKTON CHANNEL LIGHT 45	37-57-26.772N 121-21-14.689W	Fl G 4s		15	4	SG on pile.	02/10
*	*	*	*	*	*	*	*	*
7225	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 13	38-04-40.572N 121-46-02.256W	Fl G 2.5s		15	3	SG on pile.	Ra ref. 02/10
*	*	*	*	*	*	*	*	*
7290	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 26	38-07-59.142N 121-41-36.390W	Fl R 4s		15	3	TR on pile.	Ra ref. 02/10
*	*	*	*	*	*	*	*	*
1	<i>Scripps Waverider Lighted Research Buoy 191</i>						Remove from list.	01/10
							*	
2052.1	San Diego Bay Speed Control Light A						Remove from list.	01/10
							*	
2052.2	San Diego Bay Speed Control Light B						Remove from list.	01/10
							*	