

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2010 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
No corrections this week.								11/10	
23500	Tebenkof Bay Daybeacon 3	56-25-38.790N 134-06-27.498W				SG on post on pyramidal concrete pier.		10/10	
*									
23932	SKAGWAY HARBOR STEMWALL LIGHT	59-26-55.420N 135-19-27.250W	Fl W 4s		20	On pole.	Private aid.	10/10	
*									
23933	SKAGWAY HARBOR BREAKWATER LIGHT	59-26-53.930N 135-19-24.630W	Fl G 4s		20	On pole.	Private aid.	10/10	
*									
25050	Kasiana Island Shoal Buoy 1	57-05-18.316N 135-24-12.952W				Green can.		10/10	
*									
25050	Kasiana Island Shoal Daybeacon 1						Remove from list.	10/10	
*									
25305	MCCLELLAN ROCK LIGHT	57-27-10.830N 135-01-37.590W	Fl W 6s		17	7	NR on cylindrical pier.	10/10	
*									
25645	<i>Knowles Head Shoal Lighted Bell Buoy 4</i>	60-40-41.959N 146-43-39.486W	Fl R 4s			3	Red.	10/10	
*									
24285	LISIANSKI INLET LIGHT	58-05-56.202N 136-28-04.860W	Fl W 6s		65	6	NR on small house.	Obscured from 333° to 133°.	09/10
*									
24310	JUNCTION ISLAND LIGHT	57-59-51.619N 136-19-00.603W	Q W		20	5	NR on skeleton tower.	Obscured from 042° to 171°.	09/10
*									
25355	Dippy Island Rock Daybeacon 3	57-41-26.508N 136-07-38.544W					SG on spindle on pier.	09/10	
*									
25360	Black Bay Rocks Daybeacon 4	57-42-19.350N 136-09-20.304W					TR on pile.	09/10	
*									
25400	Graves Harbor Daybeacon 2	58-17-07.518N 136-41-36.768W					TR on pile.	09/10	
*									
26980	LARSEN BAY RANGE FRONT LIGHT	57-32-44.140N 154-00-12.901W	Q W		35		KRW on skeleton tower.	09/10	
*									
26985	LARSEN BAY RANGE REAR LIGHT 140 yards, 291.5° from light.	57-32-45.498N 154-00-19.516W	Iso W 6s		45		KRW on skeleton tower.	09/10	
*									
22660	Wrangell Harbor Daybeacon 8						Remove from list.	08/10	
*									

No corrections this week.
19-Mar-10

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2010 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
No corrections this week.								
								06/10
23490	PORT WALTER LIGHT	56-23-14.790N 134-38-11.298W	Fl W 4s	20	6	NR on skeleton tower.	Obscured from 037° to 308°.	04/10
		*						
23780	Inner Point Daybeacon	58-13-51.666N 134-35-21.912W				NR on skeleton tower.		04/10
		*						
23910	HAINES SMALL BOAT HARBOR LIGHT 2	59-13-57.882N 135-26-17.472W	Fl R 2.5s	26	3	TR on skeleton tower.		04/10
		*						
23970	NAKED ISLAND LIGHT	58-15-20.550N 134-56-43.722W	Fl W 6s	44	7	NR on square tower.		04/10
		*						
23975	FUNTER BAY ENTRANCE LIGHT 1	58-14-36.870N 134-54-59.544W	Fl G 2.5s	16	4	SG on pedestal on house.	Obscured from 114° to 248°.	04/10
		*						
24113	HAWK INLET RANGE REAR LIGHT 400 yards, 358° from front light.	58-04-55.098N 134-46-26.274W	Iso W 6s	23		KRW on single pile.		04/10
		*						
24114	HAWK INLET LIGHT 6	58-05-56.976N 134-46-23.316W	Fl R 4s	33	4	TR on pile.		04/10
		*						
24225	POINT LAVINIA LIGHT	58-13-24.024N 136-21-15.054W	Fl W 6s	60	6	NR on skeleton tower.	Obscured from 278° to 073°.	04/10
		*						
24465	POINT ARBOLEDA LIGHT	55-19-13.554N 133-28-20.274W	Fl W 4s	33	6	NR on spindle.		03/10
		*						
22985	BLIND POINT RANGE REAR LIGHT 281.5 yards, 050.4° from front light.	56-38-39.675N 132-55-13.480W	F Y		31	KRW on steel pile structure.	Visible 4° each side of rangeline.	02/10
23390	<i>Calder Rocks Lighted Whistle Buoy 6</i>	56-15-36.284N 133-43-22.705W	Fl R 4s		5	Red.	*	02/10
		*						

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2010 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
25120	WHITESTONE NARROWS RANGE FRONT LIGHT	57-15-11.259N 135-34-04.876W	Q W		24	KRW on pile.	Visible all around.	02/10
							*	
27542	SWEEPER COVE RANGE FRONT LIGHT	51-51-09.174N 176-39-15.018W	Q G		31	KRW on pile structure.		02/10
			*				*	
27543	SWEEPER COVE RANGE REAR LIGHT 475 yards, 253° from front light.	51-51-04.868N 176-39-37.761W	Oc G 4s		91	KRW on pile.		02/10
			*				*	
No corrections this week.								01/10