



U.S. Department
of Homeland Security
**United States
Coast Guard**

LOCAL NOTICE TO MARINERS

District: 13

Week: 14/09

ISSUED BY: COMMANDER, THIRTEENTH COAST GUARD DISTRICT (dpw)
915 Second Avenue, Seattle, Washington 98174-1067
Telephone (206) 220-7280 FAX # (206) 220-7265
Email: D13-PF-LNM@uscg.mil
<http://www.navcen.uscg.gov/lnm/d13/>

LIGHT LIST REFERENCE: COMDTPUB P16502.6, Light List Volume VI, 2009 Edition

UNITED STATES COAST GUARD NAVIGATION INFORMATION SERVICE (NIS)

The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information for GPS, DGPS, and LORAN-C. The NIS also disseminates Safety Broadcasts (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). NANU notices can also be obtained via e-mail subscription through the USCG Navigation Center website
<http://www.navcen.uscg.gov/gps/status/default.htm>.

In addition, the NIS investigates all reports of degradation or loss of GPS, DGPS or LORAN service. Mariners are encouraged to report all degradation of radio navigation services to the NIS via any of the following: Phone: 703-313-5900, Email: webmaster@navcen.uscg.mil or on the World Wide Web at: <http://www.navcen.uscg.gov>.

BROADCAST NOTICE TO MARINERS

This section contains a range of all the significant Broadcast Notice to Mariners (BNM's) on the date of this edition.

Originating Unit	Beginning BNM	Ending BNM
CGD THIRTEEN	D13-0212-09	D13-0223-09

ABBREVIATIONS

A through H

ACOE - Army Corps of Engineers
ADRIFT - Buoy Adrift
AICW - Atlantic Intracoastal Waterway
AI - Alternating
B - Buoy
BKW - Breakwater
bl - Blast
BNM - Broadcast Notice to Mariner
bu - Blue
C - Canadian
CHAN - Channel
CGD - Coast Guard District
C/O - Cut Off
CONT - Contour
CRK - Creek
CONST - Construction
DBN/Dbn - Daybeacon
DBD/DAYBD - Dayboard
DEFAC - Defaced
DEST - Destroyed
DISCON - Discontinued
DMGD/DAMGD - Damaged
ec - eclipse
EST - Established Aid
ev - every
EVAL - Evaluation
EXT - Extinguished
F - Fixed

I through O

I - Interrupted
ICW - Intracoastal Waterway
IMCH - Improper Characteristic
INL - Inlet
INOP - Not Operating
INT - Intensity
ISL - Islet
Iso - Isophase
kHz - Kilohertz
LAT - Latitude
LB - Lighted Buoy
LBB - Lighted Bell Buoy
LHB - Lighted Horn Buoy
LGB - Lighted Gong Buoy
LONG - Longitude
LNM - Local Notice to Mariners
LT - Light
LT CONT - Light Continuous
LTR - Letter
LWB - Lighted Whistle Buoy
LWP - Left Watching Properly
MHz - Megahertz
MISS/MSNG - Missing
Mo - Morse Code
MSLD - Misleading
N/C - Not Charted
NGA - National Geospatial-Intelligence Agency
NO/NUM - Number

P through Z

PRIV - Private Aid
Q - Quick
R - Red
RACON - Radar Transponder Beacon
Ra ref - Radar reflector
RBN - Radio Beacon
REBUILT - Aid Rebuilt
RECOVERED - Aid Recovered
RED - Red Buoy
REFL - Reflective
RRL - Range Rear Light
RELIGHTED - Aid Relit
RELOC - Relocated
RESET ON STATION - Aid Reset on Station
RFL - Range Front Light
RIV - River
s - seconds
SEC - Section
SHL - Shoaling
si - silent
SIG - Signal
SND - Sound
SPM - Single Point Mooring Buoy
SS - Sound Signal
STA - Station
STRUCT - Structure
St M - Statute Mile
TEMP - Temporary Aid Change

fl - flash
FI - Flashing
G - Green
HAZ - Hazard to Navigation
HBR - Harbor
HOR - Horizontal Clearance
HT - Height

NOS - National Ocean Service
NW - Notice Writer
OBSCU - Obscured
OBST - Obstruction
OBSTR - Obstruction
Oc - Occulting
ODAS - Anchored Oceanographic Data Buoy

TMK - Topmark
TRLB - Temporarily Replaced by Lighted Buoy
TRLT - Temporarily Replaced by Light
TRUB - Temporarily Replaced by Unlighted Buoy
W - White
Y - Yellow

Additional Abbreviations Specific to this LNM Edition: None

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

WASHINGTON - HOOD CANAL - Construction (Revision of LNM 02/09)

Kiewit-General Construction Company will be working on the Hood Canal Floating Bridge East Half Replacement Project from Jan to Oct 09. Specific projects include:

The east and west channels will be closed for the duration of the bridge closure (est 6wks) beginning 01 May 09. The main shipping channel will be closed intermittently during the 6 week closure. Work will be conducted 24hrs per day 7 days a week during the closure operations.

Temporary Skiff Docks established at the west and east bridge approaches with the anchors marked with white or yellow buoys showing FI Y. Vessels are requested to remain 500 ft clear of the docks.

Two mooring buoys established near the northwest corner of the bridge and one buoy established near the southwest corner of the bridge. These buoys are white in color showing FI Y. At times three barges may be tied up to each mooring. Vessels are requested to remain 1500 ft clear of the moorings.

Demolition and construction operations of temporary structures will be taking place in the vicinity of Lofall and South Point Docks. The barge anchors will be marked with white or yellow buoys showing FI Y. Mariners are requested to remain 500 ft clear.

Several barges and buoys will be temporarily moored in the southwest corner of Port Gamble Bay and a 925 ft pontoon will temporarily be moored adjacent to the pontoon currently moored in the bay. Anchor locations are marked with white buoys showing FI W. Vessels are requested to remain 500 ft clear.

Various vessels may be present during the construction project including DB Portland and Tug Red Bluff. Vessels present can be contacted on VHF-FM Channels 14 and 16 during working hours. For additional information, contact Kiewit-General Construction Company at (253) 439-6155.

Chart 18476

LNM: 14/09

WASHINGTON - STRAIT OF JUAN DE FUCA - Live Firing

The U.S Coast Guard will be conducting live firing in area Whiskey Hotel (Danger Area note D) from 0800 to 1600 on 14 Apr 09. Mariners are requested to use caution in the area. For additional information, contact the U.S. Coast Guard at (425) 304-5740.

Chart 18460

LNM: 14/09

WASHINGTON - STRAIT OF JUAN DE FUCA - Live Firing

The U.S Coast Guard will be conducting live firing in area Whiskey Hotel (Danger Area note D) from 0800 to 1600 on 20 through 24 Apr 09. Mariners are requested to use caution in the area. For additional information, contact the U.S. Coast Guard at (360) 461-6167.

Chart 18460

LNM: 14/09

SNAKE RIVER - Research Floats

The NOAA Fisheries Service has deployed has deployed telemetry floats on the Snake River from 06 Apr to 15 Jul 09. The telemetry floats are deployed at 46-12-01.3N 119-01-52.3W (FI Y 4s), Ice Harbor Dam Boat Restricted Zone (FI W 4s), and Lower Monumental Dam Boat Restricted Zone (FI W 4s). For additional information, contact NOAA Fisheries Service at (509) 542-4033.

Chart 18545

LNM: 13/09

COLUMBIA RIVER - Salvage Operations

Underwater Lumber will be conducting salvage operations on the Oregon side of Hayden Island (Oregon Slough) Mon through Fri from 06 Apr to 30 Sep 09 during daylight hours. Tug Oil King and Billy K will be monitoring VHF-FM Channel 77. Mariners are requested to use caution in the area.

Chart 18526

LNM: 13/09

WASHINGTON - STRAIT OF JUAN DE FUCA - Live Firing

The U.S Coast Guard will be conducting live firing in area Whiskey Hotel (Danger Area note D) from 0800 to 1600 on 13 through 19 Apr 09. Mariners are requested to use caution in the area. For additional information, contact the U.S. Coast Guard at (360) 417-5924.

Chart 18460

LNM: 12/09

THIRTEENTH COAST GUARD DISTRICT - DGPS Off Air Approvals (Revision of LNM 12/09)

The following DGPS sites are scheduled for maintenance and will be unusable during the dates and time frames indicated.

- Appleton, WA from 1600Z to 2200Z 02 Apr with the alternate of 1600Z to 2200Z 03 Apr 09.
- Robinson Point, WA from 1600Z to 2200Z 06 Apr with the alternate of 1600Z to 2200Z 07 Apr 09.
- Whidbey Island, WA from 1600Z to 2200Z 09 Apr with the alternate of 1600Z to 2200Z 10 Apr 09.
- Klamath Falls, OR from 1600Z to 2200Z 20 Apr with the alternate of 1600Z to 2200Z 21 Apr 09.
- Seneca, OR from 1600Z to 2200Z 23 Apr with the alternate of 1600Z to 2200Z 24 Apr 09.
- Fort Stevens, OR from 1600Z to 2200Z 28 Apr with the alternate of 1600Z to 2200Z 29 Apr 09.
- Polson, MT from 1500Z to 2100Z 04 May with the alternate of 1500Z to 2100Z 05 May 09.

For additional information or objections, contact Navigation Center DGPS Operations at (707) 765-7642.

LNM: 13/09

WASHINGTON - STRAIT OF JUAN DE FUCA - Live Firing

The U.S Coast Guard will be conducting live firing in area Whiskey Hotel (Danger Area note D) from 0700 to 1600 on 21 Apr 09. Mariners are requested to use caution in the area. For additional information, contact the U.S. Coast Guard at (360) 315-4967.

Chart 18460

LNM: 11/09

WASHINGTON - PUGET SOUND - Survey Operations

NOAA Ship Rainier will be conducting hydrographic survey operations in Central Puget Sound, near Port Madison and Elliott Bay between 07 and 23 Apr 09. Mariners are requested to use caution in the vicinity of the Rainer's launches. The Rainer and its launches may be contacted on VHF-FM Channels 13, 16 and 82A. For additional information, contact the NOAA at (206) 660-8747.

Charts: 18446 18449

LNM: 10/09

COLUMBIA RIVER - Research Buoys

The Columbia River Inter-Tribal Fish Commission (CRITFC) has deployed research buoys in the Mouth of the Columbia River, Jim Crow Point, Welch Island, and Warrior Rock at approximate positions 46-14-11N 123-59-33.4W, 46-14-11.9N 123-58-58.1W, 46-14-42.3N 123-58-47.5W, 46-15-27.9N 123-35-14.1W, 46-16-12.5N 123-30-06.3W, 46-15-59.9N 123-30-42.4W, 45-48-59.6N 122-47-41.0W, 45-50-28.5N 122-47-20.9W, 45-50-51.7N 122-46-55.6W, 46-14-42.0N 123-59-40.0W, 46-15-15N 123-59-14W, 46-15-23N 123-58-18W, and 46-14-50N 123-58-56W from 16 Mar to 30 Sep 08. The buoys are fluorescent orange, approximately 1.5ft long, 6in in diameter and labeled with "CRITFC". For additional information, contact the CRITFC at (503) 731-1317.

Charts: 18521 18523

LNM: 10/09

COLUMBIA RIVER - Research Buoys (Revision of LNM 08/09)

The Columbia River Inter-Tribal Fish Commission (CRITFC) has deployed research buoys in the vicinity of Bonneville Dam at approximate positions 45-37-34.0N 122-00-42.7W, 47-37-27.5N 121-59-01.7W, 45-38-25.0N 121-57-01.8NW, 45-38-55.8N 121-56-32.0W, 45-38-49.1N 121-57-05.2W, 45-38-32.9N 121-57-28.9W, 45-35-32.0N 122-07-08.3W, 45-35-10.3N 122-06-59.8W, 45-38-43.6N 121-56-51.6W, 45-38-01.9N 121-57-38.8W, 45-36-47.9N 122-01-58.9W, 45-36-20.3N 122-03-23.9W, and 45-37-01.6N 122-00-49.7W from 24 Feb to 15 Jun 09. The buoys are fluorescent orange, approximately 1.5ft long, 6in in diameter and labeled with "CRITFC". For additional information, contact the CRITFC at (503) 731-1317.

Charts: 18531 18532

LNM: 11/09

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
755	Strait Of Juan De Fuca Traffic Lane Separation Lighted Buoy J	LT EXT	18485	0987-08	53/08	
765.2	NOAA Lighted Buoy 46005	ADRIFT		0970-08	52/08	
8635	Chetco River Entrance Daybeacon 9	MISSING	18602	0997-08	53/08	
9135	Coos Bay South Slough Light 1	TRLB/LT EXT/DBN DMGD	18587	0882-08	47/08	
10040	Tansy Point Range Lighted Buoy 33	OFF STA	18521	0187-09	11/09	
11025	Columbia City Light 76	TRLB/LT EXT/DBN DEST	18524	0202-09	13/09	

11620	Cape Horn Range Rear Light	DBN DMGD	18531	0094-09	04/09
14780	Cathlamet Bay Prairie Channel Daybeacon 14	TRUB/DBN DEST	18523	0153-09	08/09
15210	Willapa Bay Entrance Light 13	DBN DMGD	18504	0072-09	03/09
15585	Point Chehalis Range Front Light	LT EXT	18502	0042-09	52/08
15935	Grays Harbor North Bay Buoy 4	OFF STA	18502	0945-08	50/08
16135	Strait Of Juan De Fuca Traffic Lane Separation Lighted Buoy J	LT EXT	18485	0987-08	53/08
16505	Bush Point Light	REDUCED INT	18477	0525-08	27/08
18895	Deception Pass Light 1	REDUCED INT	18427	0206-09	12/09
19815	Boundary Pass Shoal Isolated Danger Lighted Bell Buoy DB	TMK MISSING	18431	0110-09	46/08

DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
11695	Multnomah Falls Dike Light 84	RELIGHTED	18531	0219-09	14/09	14/09
13670	Lower Monumental Light 43	REBUILT/RECOVERED	18546	0214-09	07/09	14/09
15715	Grays Harbor North Channel C Range Front Light	RELIGHTED	18502	0223-09	14/09	14/09
16825	Tyee Shoal Light	WATCHING PROPERLY	18449	0215-09	14/09	14/09

DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
635	Heceta Head Lighthouse	LT EXT	18580	0119-09	06/09	
687	Seaside Data Lighted Buoy	MISSING	18520	0816-08	18/08	
16575	Cultus Bay Entrance Buoy 1	MISSING	18473	0057-08	03/08	
16580	Cultus Bay Entrance Buoy 2	MISSING	18473	0058-08	03/08	
18131	NOAA Research Buoy SB	OFF STA	18446	0152-08	07/08	
18465	Mukilteo Ferry Dolphin Light	LT IMCH	18443	0817-08	44/08	
18598	Tulalip Tribes Breakwater Light A	LT IMCH	18443	1018-07	47/07	
18955	Anacortes Ferry Terminal Lights (2)	LT IMCH	18427	0607-06	23/06	
19360	Skyline Marina Light 1	LT EXT/DBN DEST	18427	0157-09	08/09	

DISCREPANCIES (PRIVATE AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
613	Scripps Institute Wave Recorder Lighted Buoy	RESET ON STATION	18580	0222-09	11/09	14/09
8728	Scripps Institute Wave Recorder Lighted Buoy	RESET ON STATION	18580	0222-09	11/09	14/09

PLATFORM DISCREPANCIES

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

PLATFORM DISCREPANCIES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
586	Port Orford Jetty Light 3	DISCONTINUED	18589	1129-07	22/08	

9630	Yaquina Bay Entrance Regulated Boating Area Warning Sign	DISCONTINUED	18581	1225-06	50/06
9915	Clatsop Spit Lighted Whistle Buoy 4	DISCONTINUED	18521	0050-09	02/09
17159	Commencement Bay Directional Light	DISCONTINUED	18453	0924-08	50/08

TEMPORARY CHANGES CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

PLATFORM TEMPORARY CHANGES

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

PLATFORM TEMPORARY CHANGES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.

Chart Number	Chart Edition	Edition Date	Last Local Notice to Mariners	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariners
12327	91st Ed.	19-APR-97	Last LNM: 26/97	NAD 83		27/97
Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER						
Main Panel 2245 NEW YORK HARBOR					CGD01	
(Temp) ADD	NATIONAL DOCK CHANNEL BUOY 3				at 40-41-09.001N	074-02-48.001W
	Green can					
Corrective Action	Object of Corrective Action				Position	

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true.

Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

18423 **36th Ed.** **01-JUL-07** **Last LNM: 12/09** **NAD 83** **14/09**

Chart Title: FOLIO SMALL-CRAFT Bellingham to Everett Including San Juan Islands;Blaine

Inset 1675 BELLINGHAM TO EVERETT INCLUDING SAN JUAN ISLANDS EVERETT. Page/Side: F

DELETE	Obstruction in Fathoms and Feet; 3_5 Obstn NW-16564)	Chart No. 1: K41 (NOS	NOS	47-59-04.400N	122-13-22.000W
DELETE	Obstruction in Fathoms and Feet; 4_1 Obstn NW-16564)	Chart No. 1: K41 (NOS	NOS	47-59-08.300N	122-13-22.000W
DELETE	Obstruction in Fathoms and Feet; 4_5 Obstn NW-16564)	Chart No. 1: K41 (NOS	NOS	47-59-05.600N	122-13-18.000W
DELETE	Obstruction in Fathoms; 4 Obstn Chart No. 1: K41 (NOS NW-16564)		NOS	47-59-00.600N	122-13-20.700W
ADD	Obstruction in Fathoms and Feet; 2_4 Obstn NW-16564)	Chart No. 1: K41 (NOS	NOS	47-59-03.820N	122-13-29.730W
ADD	Obstruction in Fathoms and Feet; 3_1 Obstn NW-16564)	Chart No. 1: K41 (NOS	NOS	47-59-21.200N	122-14-37.800W
ADD	Obstruction in Fathoms and Feet; 4_3 Obstn NW-16564)	Chart No. 1: K41 (NOS	NOS	47-59-01.900N	122-13-23.200W
ADD	Obstruction in Fathoms and Feet; 4_5 Obstn	Chart No. 1: K41 (NOS	NOS	47-58-57.500N	122-13-18.900W

	NW-16564)				NOS	
ADD	Obstruction in Fathoms; 4 Obstn	Chart No. 1: K41 (NOS NW-16564)			47-59-06.800N	122-13-22.000W
Main Panel 1673 INSET 11. Page/Side: E						
DELETE	Obstruction in Fathoms and Feet; 3_5 Obstn	Chart No. 1: K41 (NOS NW-16564)			47-59-04.400N	122-13-22.000W
DELETE	Obstruction in Fathoms; 4 Obstn	Chart No. 1: K41 (NOS NW-16564)			47-59-00.600N	122-13-20.700W
ADD	Obstruction in Fathoms and Feet; 2_4 Obstn	Chart No. 1: K41 (NOS NW-16564)			47-59-03.820N	122-13-29.730W
ADD	Obstruction in Fathoms and Feet; 3_1 Obstn	Chart No. 1: K41 (NOS NW-16564)			47-59-21.200N	122-14-37.800W
ADD	Obstruction in Fathoms and Feet; 4_5 Obstn	Chart No. 1: K41 (NOS NW-16564)			47-58-57.500N	122-13-18.900W

18441 **46th Ed.** **01-DEC-07** **Last LNM: 13/09** **NAD 83** **14/09**
ChartTitle: Puget Sound-northern part

Main Panel 1689 PUGET SOUND NORTHERN PART. Page/Side: N/A						
ADD	Obstruction in Fathoms; 3 1/4 Obstn	Chart No. 1: K41 (NOS NW-16564)			47-59-21.200N	122-14-37.800W

18443 **16th Ed.** **01-JAN-04** **Last LNM: 23/08** **NAD 83** **14/09**
ChartTitle: Approaches to Everett

Main Panel 1690 APPROACHES TO EVERETT. Page/Side: N/A						
ADD	Obstruction in Fathoms and Feet; 3_1 Obstn	Chart No. 1: K41 (NOS NW-16564)			47-59-21.200N	122-14-37.800W

18444 **16th Ed.** **01-SEP-04** **Last LNM: 23/08** **NAD 83** **14/09**
ChartTitle: Everett Harbor

Main Panel 1691 EVERETT HARBOR. Page/Side: N/A						
DELETE	Obstruction in Feet; 23 Obstn	Chart No. 1: K41 (NOS NW-16564)			47-59-04.400N	122-13-22.000W
DELETE	Obstruction in Feet; 24 Obstn	Chart No. 1: K41 (NOS NW-16564)			47-59-00.600N	122-13-20.700W
DELETE	Obstruction in Feet; 24 Obstn	Chart No. 1: K41 (NOS NW-16564)			47-59-07.600N	122-13-16.500W
DELETE	Obstruction in Feet; 25 Obstn	Chart No. 1: K41 (NOS NW-16564)			47-59-08.300N	122-13-22.000W
DELETE	Obstruction in Feet; 29 Obstn	Chart No. 1: K41 (NOS NW-16564)			47-59-05.600N	122-13-18.000W
DELETE	Obstruction in Feet; 32 Obstn	Chart No. 1: K41 (NOS NW-16564)			47-58-55.500N	122-13-25.200W
DELETE	Sounding in Feet; 25 (NOS NW-16564)				47-59-01.860N	122-13-23.220W
DELETE	Sounding in Feet; 38 (NOS NW-16564)				47-59-20.000N	122-13-36.500W
DELETE	Sounding in Feet; 42 (NOS NW-16564)				47-59-14.620N	122-13-16.560W
RELOCATE	Obstruction in Feet; 20 Obstn	Chart No. 1: K41 (NOS NW-16564)			47-58-58.900N	122-13-30.900W
ADD	Obstruction in Feet; 19 Obstn	Chart No. 1: K41 (NOS NW-16564)			47-59-21.200N	122-14-37.800W
ADD	Obstruction in Feet; 24 Obstn	Chart No. 1: K41 (NOS NW-16564)			47-59-06.800N	122-13-22.000W
ADD	Obstruction in Feet; 27 Obstn	Chart No. 1: K41 (NOS NW-16564)			47-59-01.200N	122-13-28.000W
ADD	Obstruction in Feet; 27 Obstn	Chart No. 1: K41 (NOS NW-16564)			47-59-01.900N	122-13-23.200W
ADD	Obstruction in Feet; 29 Obstn	Chart No. 1: K41 (NOS NW-16564)			47-58-57.500N	122-13-18.900W
ADD	Obstruction in Feet; 29 Obstn	Chart No. 1: K41 (NOS NW-16564)			47-59-07.600N	122-13-13.100W

ADD	Obstruction in Feet; 33 Obstn	Chart No. 1: K41 (NOS NW-16564)	NOS 47-59-14.500N	122-13-16.500W
ADD	Obstruction in Feet; 34 Obstn	Chart No. 1: K41 (NOS NW-16564)	NOS 47-59-19.600N	122-13-37.500W

18502 86th Ed. 01-MAY-07 Last LNM: 51/08 NAD 83 14/09

ChartTitle: Grays Harbor;Westhaven Cove

CHART WA - GRAYS HARBOR. Page/Side: N/A

RELOCATE	Cowpoint Turn Basin Daybeacon B		CGD13 from 46-57-31.435N to 46-57-30.626N	123-50-58.808W 123-50-56.265W
RELOCATE	Cowpoint Turning Basin Daybeacon A		CGD13 from 46-57-34.402N to 46-57-33.271N	123-51-04.126W 123-51-03.198W

18504 66th Ed. 01-JUL-06 Last LNM: 04/09 NAD 83 14/09

ChartTitle: Willapa Bay;Toke Pt.

CHART WA - WILLAPA BAY. Page/Side: N/A

RELOCATE	Willapa River Channel Light 7		CGD13 from 46-41-44.350N to 46-41-44.107N	123-56-17.699W 123-56-17.243W
----------	-------------------------------	--	---	----------------------------------

18521 73rd Ed. 01-APR-08 Last LNM: 13/09 NAD 83 14/09

ChartTitle: Columbia River Pacific Ocean to Harrington Point;Ilwaco Harbor

Main Panel 1737 COLUMBIA RIVER PACIFIC OCEAN TO HARRINGTON POINT. Page/Side: N/A

DELETE	Sounding in Feet; 20 (NOS NW-17069)		NOS 46-11-10.700N	123-44-26.200W
DELETE	Sounding in Feet; 21 (NOS NW-17069)		NOS 46-12-22.420N	123-42-33.470W
DELETE	Sounding in Feet; 22 (NOS NW-17069)		NOS 46-14-25.170N	123-41-14.610W
DELETE	Sounding in Feet; 23 (NOS NW-17069)		NOS 46-10-26.500N	123-43-44.100W
DELETE	Sounding in Feet; 23 (NOS NW-17069)		NOS 46-11-34.400N	123-44-51.000W
DELETE	Sounding in Feet; 25 (NOS NW-17069)		NOS 46-14-28.970N	123-40-57.540W
DELETE	Sounding in Feet; 25 (NOS NW-17069)		NOS 46-15-50.900N	123-39-40.000W
DELETE	Sounding in Feet; 45 (NOS NW-17069)		NOS 46-12-15.600N	123-42-05.500W
DELETE	Sounding in Feet; 7 (NOS NW-17069)		NOS 46-10-36.300N	123-40-36.000W
SUBSTITUTE	Sounding in Feet; 9 for 25 (NOS NW-17069)		NOS 46-15-54.760N	123-39-47.970W
ADD	Low water area; min size (2mm) dotted circle, with green tint (NOS NW-17069)		NOS 46-10-42.570N	123-40-25.820W
ADD	Obstruction in Feet; 5 Obstn Chart No. 1: K41 (NOS NW-17069)		NOS 46-11-24.220N	123-44-17.830W
ADD	Sounding in Feet; 10 (NOS NW-17069)		NOS 46-14-27.740N	123-41-05.020W
ADD	Sounding in Feet; 12 (NOS NW-17069)		NOS 46-14-23.990N	123-41-14.280W
ADD	Sounding in Feet; 12 (NOS NW-17069)		NOS 46-15-49.150N	123-39-37.730W
ADD	Sounding in Feet; 13 (NOS NW-17069)		NOS 46-12-23.110N	123-42-25.060W
ADD	Sounding in Feet; 14 (NOS NW-17069)		NOS 46-11-30.340N	123-44-15.520W
ADD	Sounding in Feet; 14 (NOS NW-17069)		NOS 46-11-33.800N	123-44-52.950W
ADD	Sounding in Feet; 15 (NOS NW-17069)		NOS 46-11-12.260N	123-44-24.140W
ADD	Sounding in Feet; 17 (NOS NW-17069)		NOS 46-12-16.560N	123-42-07.450W
ADD	Sounding in Feet; 2 (NOS NW-17069)		NOS 46-12-23.880N	123-42-40.880W
ADD	Sounding in Feet; 26 (NOS NW-17069)		NOS 46-12-44.380N	123-45-05.420W

ADD	Sounding in Feet; 4 (NOS NW-17069)	NOS 46-10-37.430N	123-40-34.000W
ADD	Sounding in Feet; 5 (NOS NW-17069)	NOS 46-10-26.100N	123-43-42.710W

18523 56th Ed. 01-OCT-06 Last LNM: 12/09 NAD 83 14/09

ChartTitle: Columbia River Harrington Point to Crims Island

Main Panel 1739 COLUMBIA RIVER HARRINGTON POINT TO CRIMS ISLAND. Page/Side: N/A

DELETE	Sounding in Feet; 25 (NOS NW-17069)	NOS 46-15-50.900N	123-39-40.000W
DELETE	Sounding in Feet; 7 (NOS NW-17069)	NOS 46-10-36.300N	123-40-36.000W
SUBSTITUTE	Sounding in Feet; 9 for 25 (NOS NW-17069)	NOS 46-15-54.760N	123-39-47.970W
ADD	Low water area; min size (2mm) dotted circle, with green tint (NOS NW-17069)	NOS 46-10-42.570N	123-40-25.820W
ADD	Sounding in Feet; 12 (NOS NW-17069)	NOS 46-15-49.150N	123-39-37.730W
ADD	Sounding in Feet; 4 (NOS NW-17069)	NOS 46-10-37.430N	123-40-34.000W

18546 10th Ed. 01-FEB-04 Last LNM: 38/08 NAD 83 14/09

ChartTitle: Snake River-Lake Herbert G. West

CHART WA - SNAKE RIVER - LAKE HERBERT G. WEST. Page/Side: N/A

CHANGE	Lower Monumental Light 43 Characteristics to Fl G 6s 20ft 3M	CGD13 at 46-34-47.850N	118-03-02.670W
--------	---	---------------------------	----------------

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

<u>Proposed Project(s)</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
COLUMBIA RIVER - HARRINGTON POINT TO CRIMS ISLAND	10-MAR-09		09/09
COLUMBIA RIVER - KALAMA	10-MAR-09		10/09
COLUMBIA RIVER - CRIMS ISLAND TO ST. HELENS	10-MAR-09		10/09
COLUMBIA RIVER - CRIMS ISLAND TO ST. HELENS - Martin Island	10-MAR-09		10/09
COLUMBIA RIVER - CRIMS ISLAND TO ST. HELENS - Martin Island	10-MAR-09		10/09
COLUMBIA RIVER	10-APR-09		10/09
COLUMBIA RIVER	10-APR-09		10/09
COLUMBIA RIVER	10-APR-09		10/09
COLUMBIA RIVER - Longview to Portland	17-APR-09		11/09
COLUMBIA RIVER - Longview to Portland and Willamette River	17-APR-09		11/09
COLUMBIA RIVER - Longview to Portland and Willamette River	17-APR-09		11/09
OREGON - COQUILLE RIVER ENTRANCE	01-MAY-09		13/09
WASHINGTON - ADMIRALTY INLET AND PUGET SOUND TO SEATTLE	08-MAY-09		14/09

Proposed Change Notice(s)

COLUMBIA RIVER - HARRINGTON POINT TO CRIMS ISLAND

Navigation Aids: No longer considered necessary for safe navigation in the waterway.

Discontinue Cathlamet Bay Prairie Channel Daybeacon 14 (LLNR 14780).

Chart 18521

LNM: 09/09

COLUMBIA RIVER - KALAMA

Navigation Aids: To improve the visibility of the range boards

Change from KRB to KRW rangeboards on Kalama Lower Range Front/Rear Lights (LLNR 10905/10910).

Chart 18524

LNM: 10/09

COLUMBIA RIVER - CRIMS ISLAND TO ST. HELENS

Navigation Aids: No longer considered necessary for safe navigation in the waterway.

Discontinue Hunter Bar Light 1 (LLNR 10935).

Chart 18524

LNLM: 10/09

COLUMBIA RIVER - CRIMS ISLAND TO ST. HELENS - Martin Island

Navigation Aids: No longer considered necessary for safe navigation in the waterway.

Discontinue Martin Island Dike Light 62 (LLNR 10970).

Chart 18524

LNLM: 10/09

COLUMBIA RIVER - CRIMS ISLAND TO ST. HELENS - Martin Island

Navigation Aids: No longer considered necessary for safe navigation in the waterway.

Discontinue Martin Island Dike Daybeacon 67 (LLNR 10995).

Chart 18524

LNLM: 10/09

COLUMBIA RIVER

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) lantern.

Change the nominal range from six (6) to four (4) nautical miles.

Desdemona Sands Light (LLNR 9995)

Cooper Point Light 71 (LLNR 10570)

Chart 18521

LNLM: 10/09

COLUMBIA RIVER

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) lantern.

Change the nominal range from five (5) to four (4) nautical miles.

Fort Stevens Wharf Light 26 (LLNR 10005)

Miller Sands Dike Light 11 (LLNR 10230)

Pillar Rock Dike Light 14A (LLNR 10260)

Three Tree Point Light 23 (LLNR 10310)

Rockland Light 27 (LLNR 10320)

Price Island Light 35 (LLNR 10365)

Puget Island Light 47 (LLNR 10420)

Waterford Light 69 (LLNR 10560)

Eureka Dike Light 77 (LLNR 10585)

Oak Point Light 81 (LLNR 10635)

Abernathy Point Light 83 (LLNR 10640)

Fisher Island Light 7 (LLNR 10725)

Charts: 18521 18523 18524

LNLM: 10/09

COLUMBIA RIVER

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) lantern.

Change the nominal range from four (4) to three (3) nautical miles.

Miller Sands Dike Light 5 (LLNR 10215)

Skamokawa Light 31 (LLNR 10340)

Skamokawa Creek Light 33 (LLNR 10350)

Hunting Island Light 39 (LLNR 10380)

Clifton Dike Light 42 (LLNR 10400)

Puget Island Light 43 (LLNR 10401)

Clifton Dike Light 44 (LLNR 10405)

Hunts Mill Point Light 44A(LLNR 10410)

Bugby Hole Light 46 (LLNR 10415)

Puget Island Light 49 (LLNR 10425)

Westport Dike Light 58 (LLNR 10475)

Pancake Point Dike Light 59 (LLNR 10480)

Westport Dike Light 60 (LLNR 10485)

Westport Dike Light 62 (LLNR 10500)

Westport Dike Light 64 (LLNR 10505)

Westport Dike Light 66 (LLNR 10510)

Cathlamet Channel Light 8 (LLNR 10555)

Eureka Channel Light 70 (LLNR 10565)

Eureka Dike Light 76 (LLNR 10580)
Eureka Dike Light 78 (LLNR 10590)
Eureka Dike Light 80 (LLNR 10595)
Eureka Dike Light 79 (LLNR 10600)
Bunker Hill Light 85 (LLNR 10650)
Cleaveland Light 1 (LLNR 10670)
Crims Island Dike Light 2 (LLNR 10675)
Crims Island Dike Light 6 (LLNR 10685)
Cleaveland Light 3 (LLNR 10715)
Fisher Island Light 9 (LLNR 10730)
Morgan Channel Light 42 (LLNR 11211)

Charts: 18521 18523 18524

LNLM: 10/09

COLUMBIA RIVER - Longview to Portland

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) lantern.

Change the nominal range from six (6) to four (4) nautical miles.

Barlow Point Light 13 (LLNR 10750)
Coffin Rock Light (LLNR 10895)
Portland Airport Dike Light 16 (LLNR 11305)

Charts: 18524 18525 18531

LNLM: 11/09

COLUMBIA RIVER - Longview to Portland and Willamette River

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) lantern.

Change the nominal range from five (5) to four (4) nautical miles.

Walker Island Light 12 (LLNR 10745)
Kalama Dike Light 47A (LLNR 10925)
Hunter Bar Light 1 (LLNR 10935)
Burke Dike Light 69 (LLNR 11000)
St Helens Jetty Light 79 (LLNR 11050)
Duck Club Light 6 (LLNR 11085)
Henrici Crossing Light 12 (LLNR 11115)
Fales Light 17 (LLNR 11130)
Kelly Point Junction Light (LLNR 11225)
Vancouver Channel Dike Light 51 (LLNR 11270)
Hassalo Rock Light 1 (LLNR 11440)
Camas Light 4 (LLNR 11450)
Washougal Light 50 (LLNR 11545)
Tunnel Point Light 64 (LLNR 11590)
Bingham Landing Light 16 (LLNR 15060)
Starkweather Landing Light 17 (LLNR 15065)

Charts: 18524 18525 18528 18529 18531

LNLM: 11/09

COLUMBIA RIVER - Longview to Portland and Willamette River

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) lantern.

Change the nominal range from four (4) to three (3) nautical miles.

Lord Island Light 20 (LLNR 10770)
Dibblee Dike Light 22 (LLNR 10805)
Cottonwood Island Dike Light 29A (LLNR 10840)
Cottonwood Island Dike Light 31 (LLNR 10845)
Cottonwood Island Dike Light 33 (LLNR 10850)
Cottonwood Island Light 35 (LLNR 10860)
Cottonwood Island Dike Light 37 (LLNR 10870)
Cottonwood Island Light 39 (LLNR 10885)
Cottonwood Island Light 41 (LLNR 10890)
Kalama River Light 43 (LLNR 10900)
Ahle Point Light 49 (LLNR 10930)
Hunter Dike Light 52 (LLNR 10940)
Hunter Dike Light 54 (LLNR 10945)
Deer Island Lower Dike Light 62 (LLNR 10970)
Martin Island Middle Dike Light 65 (LLNR 10980)
Deer Island Upper Dike Light 72 (LLNR 11005)
Caples Dike Light 73 (LLNR 11010)
St. Helens Jetty Lower Light 77 (LLNR 11040)

St. Helens Dike Light 80 (LLNR 11055)
 Duck Club Light 4A (LLNR 11080)
 Duck Club Light 8 (LLNR 11095)
 Henrici Landing Light 10 (LLNR 11110)
 Bachelor Point Light 13 (LLNR 11120)
 Bachelor Dike Light 15 (LLNR 11125)
 Knapp Point Light 19 (LLNR 11135)
 Willow Dike Light 23 (LLNR 11150)
 Willow Dike Light 26 (LLNR 11165)
 Reeder Point Light 28 (LLNR 11170)
 Hutchinson Dike Light 30 (LLNR 11175)
 Morgan Dike Light 32 (LLNR 11180)
 Hewlett Dike Light 33 (LLNR 11185)
 Morgan Dike Light 36 (LLNR 11200)
 Morgan Dike Light 40 (LLNR 11210)
 North Portland Harbor Dike Light 2 (LLNR 11290)
 Mcguire Island Middle Dike Light 34 (LLNR 11475)
 Lady Island Upper Light 43 (LLNR 11505)
 Gary Island Dike Light 52 (LLNR 11560)
 Sand Island Light 66 (LLNR 11600)
 Cape Horn Light 67 (LLNR 11605)
 Candiana Light 69 (LLNR 11625)
 Fashion Reef Prindle Dike Light 73 (LLNR 11645)
 Multnomah Falls Dike Light 82 (LLNR 11680)
 Multnomah Falls Dike Light 84 (LLNR 11695)
 Skamania Light 85 (LLNR 11710)
 Ives Island Light 91 (LLNR 11740)
 Moffetts Creek Light 92 (LLNR 11745)
 Bonneville Lock Entrance Light 93 (LLNR 11747)
 Willamette River Light 2 (LLNR 14855)
 Willamette River Light 3 (LLNR 14860)
 Willamette River Light 4 (LLNR 14865)
 Willamette River Light 6 (LLNR 14870)
 Willamette River Light 10 (LLNR 14880)
 Multnomah Channel Junction Light (LLNR 14910)
 Elk Rock Island Light 13 (LLNR 15025)
 Willamette River Light 14 (LLNR 15055)
 Jennings Lodge Light 19 (LLNR 15070)

Charts: 18524 18525 18528 18529 18531

LNLM: 11/09

OREGON - COQUILLE RIVER ENTRANCE

Navigation Aids: No longer considered necessary for safe navigation in the waterway.

Discontinue the bell on Coquille River Entrance Lighted Bell Buoy 4 (LLNR 8680).

Chart 18588

LNLM: 13/09

WASHINGTON - ADMIRALTY INLET AND PUGET SOUND TO SEATTLE

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) lantern.

Change the nominal range of Bush Point Light (LLNR 16505) from eleven (11) to seven (7) nautical miles.

Chart 18441

LNLM: 14/09

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

OREGON - Bridge Information

New Youngs Bay Bridge

The draw need not open for vessels from 1900 13 Apr to 1900 20 Apr 09 during maintenance.

Chart 18521

LNLM: 10/09

OREGON - Bridge Information

Broadway Bridge

The draw need not open for vessels during the annual Bridge to Brew event from 0915 to 1030 19 Apr 09.

Chart 18526

LNLM: 08/09

WASHINGTON - Bridge Information

University Bridge

Debris tarps will be deployed below the drawspan from 0700 07 Nov 08 to 1600 29 May 09. The tarps will slant down from the center to the sides of the bascule span, reducing vertical clearance by 6 feet. Single-leaf openings will be provided according to the established operating schedule. Double-leaf openings will be provided if at least four hours notice is provided.

Chart 18447

LNM: 45/08

WASHINGTON - Bridge Information

University Bridge

The draw need not open for vessels from 0000 to 0600 on the following weekend dates in Apr 09: 11,12,18,19,25,26. The closures facilitate painting the structure.

Chart 18447

LNM: 09/09

Bridge Lighting Discrepancies:

Lights on the following bridges have been reported extinguished.

Waterway	Bridge Name	Location	Status	Date reported	BNM
Coos Bay	Coos Bay RR bidge	Coos Bay, OR	EXT/Bell INOP	06/14/07	0595-07
Siuslaw	CO and PRR Bridge	Acme, OR	EXT	04/06/09	0221-09
Willamette River	Lake Oswego RR Bridge	Lake Oswego, OR	EXT	05/28/07	0544-07
Willamette River	Wilsonville RR Bridge	Wilsonville, OR	EXT	09/26/08	N/A
Pend Oreille River	Spokane International RR Bridge	Sandpoint, ID	EXT	08/12/08	N/A
Commencement Bay	11th Street Bridge	Tacoma, WA	EXT	01/14/09	0076-09

LNM: 14/09

Bridge Lighting Discrepancies Corrected:

The following bridge discrepancies have been corrected since the last Local Notice to Mariners:

Waterway	Bridge Name	Location	Status	Date reported	BNM
None					

LNM: 14/09

THIRTEENTH COAST GUARD DISTRICT - LORAN

Single rated LORAN stations Jupiter, FL (7980-y), Las Cruces, NM (9610-x), and Middletown, CA, (9940-x) will be on air testing the LORAN Data Channel (LDC) uninterrupted until further notice.

Dual rated LORAN stations Dana, IN (9960-z), George (9940-w), Seneca, NY (8970-x), Gillette, WY (8290-x), and Grangeville, LA (7980-y) will be on air testing LDC between 0800 and 1500 local time Monday through Friday.

The test broadcast will use pulse position modulation of a ninth pulse added one thousand microseconds after the standard pulse group. Throughout the test period the signal will meet all service performance parameters published in the 1994 specification of the LORAN-C signal. Users should not experience any tracking errors or service interference from this test broadcast. Users will be notified of any changes to the test schedule and when the testing is complete.

Loran users are encouraged to report any LORAN service degradation or outages they experience via the following methods:

- a. NAVCEN Information Service (East) at (703) 313-5900
- b. NAVCEN Detachment (Western Operations) at (707) 765-7598
- c. NAVCEN web site's report a LORAN problem worksheet at www.navcen.uscg.gov. Additional information on the LORAN Data Channel and the 1994 LORAN-C signal specification may also be found at this web site.

LNM: 18/08

THIRTEENTH DISTRICT - NOAA CHARTS

NOAA's National Ocean Service (NOS) intends to eliminate LORAN-C lattices from future editions of NOS Paper Nautical Charts and Raster Navigational Charts starting in 2009. NOAA's Office of Coast Survey (OCS) requests that all comments about this change be sent via OCS' inquiry page <<http://ocsdta.ncd.noaa.gov/idrs/inquiry.aspx>> before April 24, 2009. Any other questions may be directed to the inquiry page or by calling NOAA's navigation inquiry hotline: 1-888-990-NOAA (6622).

LNM: 09/09

COLUMBIA AND SNAKE RIVERS - Winter Seasonal Lockage Schedule for Recreational Craft

The U.S. Army Corps of Engineers, Walla Walla and Portland Districts, have implemented the winter seasonal lockage schedule, which is effective from 16 Sep 08 to 14 May 09 for the passage of recreational craft through the navigation locks. For the lockage schedule and additional information, visit the following website <http://www.nwp.usace.army.mil> or contact the Walla Walla District at (509) 527-7115 or the Portland District at (503) 808-4333.

LNM: 39/08

COLUMBIA RIVER - Research Trawling

NOAA will be conducting research pair-trawling operations in the vicinity of Puget Island (RM 37 to 51), between 01 Mar and 01 Oct 09.

COLUMBIA RIVER - Research Trawling

Operations may occur day or night. Trawl gear extends near the surface for approximately 100 yards behind the tow vessels, terminating in a small pontoon barge. Mariners are requested to use caution in the vicinity of the operation. NOAA vessels may be contacted on VHF-FM Channels 13, 16, and 82A. For additional information contact the Vessel Operations Coordinator at (503) 861-1818, ext 35.

Chart 18523

LNM: 09/09

OREGON - WILLAMETTE FALLS LOCKS - Lock Closure

The Willamette Falls Locks located at river mile 26.1 will remain closed to river traffic until a hydraulic steel structure inspection is performed on the chamber gates. For additional information, contact the Department of the Army at (503) 808-4333.

Chart 18528

LNM: 28/08

WASHINGTON - SNAKE RIVER - LAKE SACAJAWEA - Dolphins out of service

Army Corps of Engineers has declared Hard Rock Dolphins 3, 4, and 5, located up stream of the Ice Harbor Locks, structurally unsafe for use and are now out of service until repaired or removed. They are posted with signage stating their unsafe condition. For additional information contact Walla Walla District Corps of Engineers at 509-527-7115 or 509-527-7114

Chart 18545

LNM: 07/09

WASHINGTON - STRAIT OF JUAN DE FUCA - Live Firing

The U.S Coast Guard will be conducting live firing in area Whiskey Hotel (Danger Area note D) from 0700 to 2000 from 14 Apr to 18 Apr 09. Mariners are requested to use caution in the area. For additional information, contact the U.S. Coast Guard at (360) 417-5840.

Chart 18460

LNM: 05/09

WASHINGTON - OSTRICH BAY - Discarded Munitions (Revision of LNM 52/04)

Mariners and divers are requested not to disturb the bottom sediments in the small back bay of Ostrich Bay, particularly in the vicinity of the Navy Ammo Loading Pier, due to unexploded ammunition. For additional information, contact Naval Base Kitsap Public Affairs Office at (360) 396-1631.

Chart 18474

LNM: 09/05

WASHINGTON - PUGET SOUND - DUWAMISH WATERWAY - Submerged Barge (Revision of LNM 05/03)

Six barges have sunk in the Duwamish Waterway approximately 150 yards south of the 1st Avenue Bridge and are protruding into the west side of the channel. The owner of the partially submerged barge has marked the corner in the channel with a red float and a quick flashing red light. Attempts to salvage the barge have been unsuccessful. An announcement will appear in this publication as changes occur. Contact the Army Corps of Engineers at (206) 764-3429 for more information.

Chart 18450

LNM: 16/03

SECTION VIII - LIGHT LIST CORRECTIONS

An Asterisk *, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10175	HARRINGTON POINT RANGE FRONT LIGHT	46-15-21.322N 123-40-37.065W	Q W	20		KRB on pile structure.	Visible 5.5° each side of rangeline.
13670	LOWER MONUMENTAL LIGHT 43	46-34-47.850N 118-03-02.670W	FI G 6s	20	3	SG on skeleton tower.	*
15260	WILLAPA RIVER CHANNEL LIGHT 7	46-41-44.107N 123-56-17.243W	FI G 4s	15	4	SG on pile.	14/09
15830	Cowpoint Turning Basin Daybeacon A	46-57-33.271N 123-51-03.198W				NR on pile.	14/09
15835	Cowpoint Turn Basin Daybeacon B	46-57-30.626N 123-50-56.265W				NR on pile.	14/09

ENCLOSURES

Enclosure 1

OREGON - WASHINGTON - COLUMBIA RIVER - Dredging Operations

LNM: 14/09

Enclosure 2

WASHINGTON - SEATTLE - Marine Events

LNM: 14/09

Enclosure 3

OREGON - PORTLAND - Marine Events

LNM: 14/09

If you have any questions, comments, or need additional information concerning this or other LNMs (e.g. additions, deletions, corrections) contact the address or phone number on the front page.

J. F. Moriarty
Commander, U.S. Coast Guard
Chief, Waterways Management Branch
Thirteenth Coast Guard District

OREGON – WASHINGTON – COLUMBIA RIVER – Dredging Operations

Dredging operations are planned or in progress at the following locations:

Start Date	End Date	Times	Location	Dredge Vessel	Assist Vessel	Channels Monitored	Disposal Area	LNМ
15 Jul 09	30 Sep 09	Mon-Sun 24 hrs	<u>Grays Harbor Cow Point Turning Basin and Cow Point Reach</u>	Patriot	Scows Liberty and Lummi Island	13 and 16, VHF-FM	South Jetty Disposal Site	52/08
24 Apr 09	25 May 09	Mon-Sun 24 hrs	<u>Grays Harbor Entrance and Point Chehalis Channel Reach</u>	Yaquina		13 and 16, VHF-FM	Half Moon Bay	13/09
01 Apr 09	16 Apr 09	Mon-Sun 24 hrs	<u>Grays Harbor Entrance and Point Chehalis Channel Reach</u>	Essayons		13 and 16, VHF-FM	South Beach nourishment site	13/09

*US Army Corps of Engineer dredges request mariners transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed after passing arrangements have been made.

SEATTLE MARINE EVENTS

EVENT DATE	EVENT NAME	EVENT LOCATION	SPONSOR
4/8/09	Spring Evening- Wednesday Evenings	Lake Washington	Corinthian Yacht Club of Seattle
4/8/09	Spring Evening- PHRF	Shilshole Bay	Corinthian Yacht Club of Seattle
4/8/09	BYC Wednesday Night Series	Bellingham Bay	Bellingham Bay Yacht Club
4/8/09	Windseeker Wednesday Night	Commencement Bay	Corinthian Yacht Club of Tacoma
4/9/09	Spring Evening One Design	Shilshole Bay	Corinthian Yacht Club of Seattle
4/10/09	Spring White Cap Series	Port Townsend	Port Townsend Sailing Association
4/11/09	CYCT Harbor Series	Commencement Bay	Corinthian Yacht Club of Tacoma
4/11/09	Nelson Point	Lake Washington	Corinthian Yacht Club of Seattle
4/11/09	Rich Passage Ramble	Blake Island	West Sound Corinthian Yacht Club
4/11/09	BYC Vendovi island Race	Vendovi Island	Bellingham Bay Yacht Club
4/11/09	Mid Distance #2	Port Gardner	Milltown Sailing Association
4/14/09	Spring Evening- Tuesday Evenings	Lake Washington	Corinthian Yacht Club of Seattle
4/15/09	Spring Evening- Wednesday Evenings	Lake Washington	Corinthian Yacht Club of Seattle
4/15/09	Spring Evening- PHRF	Shilshole Bay	Corinthian Yacht Club of Seattle
4/15/09	BYC Wednesday Night Series	Bellingham Bay	Bellingham Bay Yacht Club
4/15/09	Windseeker Wednesday Night	Commencement Bay	Corinthian Yacht Club of Tacoma
4/16/09	Spring Evening One Design	Shilshole Bay	Corinthian Yacht Club of Seattle
4/17/09	Spring White Cap Series	Port Townsend	Port Townsend Sailing Association
4/17/09	Spring Friday Night Series	Sinclair Inlet	Port Orchard Yacht Club
4/18/09	Spring Regatta	Central Puget Sound	Corinthian Yacht Club Of Seattle
4/18/09	Dead Mans Island 360	Henderson Bay	Flagship Development Group
4/18/09	Jetty Island	Port Gardner	Sound Rowers
4/19/09	Spring Regatta	Central Puget Sound	Corinthian Yacht Club Of Seattle
4/19/09	2009 Daffodil Marine Parade	Commencement Bay	Tacoma Yacht Club
4/20/09	STYC Ballard Cup Series	Shilshole Bay	Sloop Tavern Yacht Club
4/21/09	BYC Tuesday Series	Bellingham Bay	Bellingham Bay Yacht Club
4/21/09	Spring Evening- Tuesday Evenings	Lake Washington	Corinthian Yacht Club of Seattle
4/22/09	Spring Evening- Wednesday Evenings	Lake Washington	Corinthian Yacht Club of Seattle
4/22/09	Spring Evening- PHRF	Shilshole Bay	Corinthian Yacht Club of Seattle
4/22/09	BYC Wednesday Night Series	Bellingham Bay	Bellingham Bay Yacht Club
4/22/09	Windseeker Wednesday Night	Commencement Bay	Corinthian Yacht Club of Tacoma
4/23/09	Spring Evening One Design	Shilshole Bay	Corinthian Yacht Club of Seattle
4/24/09	Spring White Cap Series	Port Townsend	Port Townsend Sailing Association
4/24/09	Spring Friday Night Series	Sinclair Inlet	Port Orchard Yacht Club
4/25/09	Long Lake Bass Club Fishing Tournament	Lake Washington	Long Lake Bass Club
4/25/09	Cal Dual	Montlake Cut	University of Washington

EVENT DATE	EVENT NAME	EVENT LOCATION	SPONSOR
4/25/09	Easy Pickins Navigation Contest	Sinclair Inlet Washington Narrows	Bremerton Yacht Club
4/25/09	Lake Spring Regatta	Lake Washington	Corinthian Yacht Club of Seattle
4/25/09	Semiahoo Bay International Regatta	Berch Bay	Saanich Yacht Club
4/25/09	Mid Distance #2	Port Gardner	Milltown Sailing Association
4/26/09	Dan Harris Challenge	Chuckanut Island	Dirty Dan Days Organizing Committee
4/26/09	CYCT Crab Feed Race	Quartermaster Harbor	Corinthian Yacht Club of Tacoma
4/27/09	STYC Ballard Cup Series	Shilshole Bay	Sloop Tavern Yacht Club
4/28/09	BYC Tuesday Series	Bellingham Bay	Bellingham Bay Yacht Club
4/28/09	Spring Evening- Tuesday Evenings	Lake Washington	Corinthian Yacht Club of Seattle
4/29/09	Spring Evening- Wednesday Evenings	Lake Washington	Corinthian Yacht Club of Seattle
4/29/09	Spring Evening- PHRF	Shilshole Bay	Corinthian Yacht Club of Seattle
4/29/09	BYC Wednesday Night Series	Bellingham Bay	Bellingham Bay Yacht Club
4/29/09	Windseeker Wednesday Night	Commencement Bay	Corinthian Yacht Club of Tacoma
4/30/09	Spring Evening One Design	Shilshole Bay	Corinthian Yacht Club of Seattle

PORTLAND MARINE EVENTS

EVENT DATE	EVENT NAME	EVENT LOCATION	SPONSOR
04/25 & 26/2009	Loyalty Days Regatta	Yaquina Bay, Newport OR	Yaquina Bay Yacht Club