



U.S. Department
of Homeland Security
**United States
Coast Guard**

LOCAL NOTICE TO MARINERS

District: 13

Week: 43/08

ISSUED BY: COMMANDER, THIRTEENTH COAST GUARD DISTRICT (dpw)
915 Second Avenue, Seattle, Washington 98174-1067
Telephone (206) 220-7280 FAX # (206) 220-7265
Email: D13-PF-LNM@uscg.mil
<http://www.navcen.uscg.gov/lnm/d13/>

LIGHT LIST REFERENCE: COMDTPUB P16502.6, Light List Volume VI, 2007 Edition

UNITED STATES COAST GUARD NAVIGATION INFORMATION SERVICE (NIS)

The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information for GPS, DGPS, and LORAN-C. The NIS also disseminates Safety Broadcasts (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). NANU notices can also be obtained via e-mail subscription through the USCG Navigation Center website
<http://www.navcen.uscg.gov/gps/status/default.htm>.

In addition, the NIS investigates all reports of degradation or loss of GPS, DGPS or LORAN service. Mariners are encouraged to report all degradation of radio navigation services to the NIS via any of the following: Phone: 703-313-5900, Email: webmaster@navcen.uscg.mil or on the World Wide Web at: <http://www.navcen.uscg.gov>.

BROADCAST NOTICE TO MARINERS

This section contains a range of all the significant Broadcast Notice to Mariners (BNM's) on the date of this edition.

Originating Unit	Beginning BNM	Ending BNM
CGD THIRTEEN	D13-0807-08	D13-0816-08

ABBREVIATIONS

A through I

ACOE - Army Corps of Engineers
ADRIFT - Buoy Adrift
AICW - Atlantic Intracoastal Waterway
B - Buoy
BKW - Breakwater
B - Refer to Light List
BNM - Broadcast Notice to Mariner
CG - Refer to Light List
CHAN - Channel
CGD - Coast Guard District
CR - Refer to Light List
C/O - Cut Off
CONT - Contour
CONSTR - Construction
CRK - Creek
CONST - Construction
DBN - Daybeacon
DBD/DAYBD - Dayboard
DBN/DEST - Daybeacon Destroyed
DBN IMCH - Daybeacon Improper Characteristic
DISCON - Discontinued
DMGD - Daybeacon Damaged
EST - Established Aid
EVAL - Evaluation
EXT - Extinguished
FL - Flashing
FS - Fog Signal

K through M

KBG - Refer to Light List
KBG-I - Refer to Light List
KBR - Refer to Light List
KBR-I - Refer to Light List
KBW - Refer to Light List
KGB - Refer to Light List
KGB-I - Refer to Light List
KGR - Refer to Light List
KGR-I - Refer to Light List
KGW - Refer to Light List
KGW-I - Refer to Light List
KRB - Refer to Light List
KRB-I - Refer to Light List
KRG - Refer to Light List
KRG-I - Refer to Light List
KRW - Refer to Light List
KWB - Refer to Light List
KWB-I - Refer to Light List
KWG - Refer to Light List
KWG-I - Refer to Light List
KWR - Refer to Light List
KWR-I - Refer to Light List
LAT - Latitude
LB - Lighted Buoy
LBB - Lighted Bell Buoy
LHB - Lighted Horn Buoy
LGB - Lighted Gong Buoy
LONG - Longitude

N through Z

NB - Refer to Light List
N/C - Not Charted
ND - Refer to Light List
NG - Refer to Light List
NGA - National Geospatial-Intelligence Agency
NL - Refer to Light List
NO - Number
NOS - National Ocean Service
NR - Refer to Light List
NW - Refer to Light List
NW - Notice Writer
NY - Refer to Light List
OBSCU - Obscured
OBST - Obstruction
OFF STA - Off Station
OBSTR - Obstruction
PRIV - Private Aid
RBN - Radio Beacon
REBUILT - Aid Rebuilt
RECOVERED - Aid Recovered
RED - Red Buoy
REDINT - Reduced Intensity
RRL - Range Rear Light
RELIGHTED - Aid Relighted
RELOC - Relocated
RESET ON STATION - Aid Reset on Station
RFL - Range Front Light
RIV - River

HAZ - Hazard to Navigation
HBR - Harbor
HOR - Horizontal Clearance
HT - Height
ICW - Intracoastal Waterway
IMCH - Improper Characteristic
INL - Inlet
INOP - Not Operating
INT - Intensity
ISL - Islet

LNM - Local Notice to Mariners
LT - Light
LT CONT - Light Continuous
LWB - Lighted Whistle Buoy
LWP - Left Watching Properly
MISS - Missing
MR - Refer to Light List
MR-I - Refer to Light List

SEC - Section
SG - Green Square
SG-SY - Green Square with Yellow Square
SHL - Shoaling
SND - Sound
SS - Sound Signal
TEMP - Temporary Aid Change
TMK - Topmark
St M - Statute Mile
TR - Red Triangle
TRLB - Temporarily Replaced by Lighted Buoy
TRLT - Temporarily Replaced by Light
TR-TY - Red Triangle with Yellow Triangle
TRUB - Temporarily Replaced by Unlighted Buoy

Additional Abbreviations Specific to this LNM Edition: None

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

WASHINGTON - WHIDBEY ISLAND - DGPS Off Air Approval

DGPS Whidbey Island, WA will be unusable from 1730Z to 1930Z on 09 Dec 08. The alternate date will be from 1730Z to 1930Z on 10 Dec 08. For additional information or objections, contact Navigation Center DGPS Operations at (707) 765-7612.

LNM: 43/08

WASHINGTON - ELLIOTT BAY - Construction

General Construction Company will be will be conducting under dock repairs at Terminal 30, Port of Seattle, on the East Waterway from 16 Oct to 01 Apr 09. Various floating equipment will be on-site conducting piledriving, dredging, and wharf construction. For additional information, contact General Construction Company at (206) 786-1244.

Chart 18453

LNM: 43/08

WASHINGTON - ROBINSON POINT - DGPS Off Air Approval

DGPS Robinson Point, WA will be unusable from 1645Z to 1845Z on 17 Nov 08. The alternate date will be from 1645Z to 1845Z on 18 Nov 08. For additional information or objections, contact Navigation Center DGPS Operations at (707) 765-7612.

LNM: 43/08

WASHINGTON - LAKE WASHINGTON - Borings

Spud Barge Seahorse will be taking boring samples in the vicinity of the eastern end of Montlake Cut until 21 Nov 08. Mariners are requested to use caution in the area. For additional information, contact the SR 520 Bridge Replacement and HOV Program at (206) 770-3631.

Chart 18447

LNM: 43/08

WASHINGTON / OREGON - JOHN DAY NAVIGATION LOCKS - Lock Closure

The John Day Navigation Lock will be closed from 0500 to 1700 on 28 Oct and from 0700 to 1900 on 30, 31 Oct and 01 Nov 08 for the install of the new upstream gate. For additional information, contact the Department of the Army at (503) 808-4333.

Chart 18535

LNM: 42/08

WASHINGTON - HIRAM M. CHITTENDEN LOCKS - Lock Closure

The Hiram Chittenden Large Locks will be closed from 0001 22 Nov to 1800 05 Dec 08 for annual maintenance. The small locks will continue normal operations. For additional information, contact the Department of the Army at (206) 783-7000.

Chart 18447

LNM: 41/08

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
590	NOAA Lighted Buoy 46015	MISSING	18580	0581-08	31/08	

680	Tillamook Bay Approach Lighted Whistle Buoy T	MISSING	18558	0749-08	40/08
9810	Tillamook Bay Approach Lighted Whistle Buoy T	MISSING	18558	0749-08	40/08
10005	Fort Stevens Wharf Light 26	TRLB/LT EXT/DBD DEST	18521	0797-07	37/07
10025	Tansy Point Range Front Light	LT EXT/DBN DMGD	18521	1107-07	50/07
10035	Tansy Point Range Rear Light	DBD DMGD	18521	0584-07	25/07
15571	Grays Harbor Entrance Lighted Whistle Buoy 8	OFF STA	18502	0725-08	39/08
16505	Bush Point Light	REDUCED INT	18477	0525-08	27/08

DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
620	Umpqua River Light	RELIGHTED	18584	0809-08	42/08	43/08
9260	Umpqua River Light	RELIGHTED	18584	0809-08	42/08	43/08
17440	Olympia Channel Light 5	WATCHING PROPERLY	18456	0806-08	33/08	43/08

DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
687	Seaside Data Lighted Buoy	MISSING	18520	0816-08	18/08	
10013	Warrenton Outfall Lighted Buoy	LT EXT	18521	0752-08	40/08	
16575	Cultus Bay Entrance Buoy 1	MISSING	18473	0057-08	03/08	
16580	Cultus Bay Entrance Buoy 2	MISSING	18473	0058-08	03/08	
17267	Steilacoom South Mooring Buoy	OFF STA/SINKING	18448	0445-08	24/08	
18131	NOAA Research Buoy SB	OFF STA	18446	0152-08	07/08	
18598	Tulalip Tribes Breakwater Light A	LT IMCH	18443	1018-07	47/07	
18955	Anacortes Ferry Terminal Lights (2)	LT IMCH	18427	0607-06	23/06	

DISCREPANCIES (PRIVATE AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
10084	Astoria West Basin Breakwater Light	WATCHING PROPERLY	18521	0807-08	40/08	43/08
11243	Hayden Island Anchorage Lighted Buoy A	RELIGHTED	18526	0812-08	42/08	43/08
11244	Hayden Island Anchorage Lighted Buoy B	RELIGHTED	18526	0813-08	42/08	43/08

PLATFORM DISCREPANCIES

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

PLATFORM DISCREPANCIES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
586	Port Orford Jetty Light 3	DISCONTINUED	18589	1129-07	22/08	
9630	Yaquina Bay Entrance Regulated Boating Area Warning Sign	DISCONTINUED	18581	1225-06	50/06	
10045	Tansy Point Range Buoy 35A	DISCONTINUED FOR DREDGING	18521	0791-08	42/08	

TEMPORARY CHANGES CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

PLATFORM TEMPORARY CHANGES

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

PLATFORM TEMPORARY CHANGES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.

Chart Number	Chart Edition	Edition Date	Last Local Notice to Mariners	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariners
12327	91st Ed.	19-APR-97	Last LNM: 26/97	NAD 83		27/97

Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER

Corrective Action	Object of Corrective Action	Position
(Temp) ADD	NATIONAL DOCK CHANNEL BUOY 3 Green can	CGD01 at 40-41-09.001N 074-02-48.001W

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true.

Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

18400	47th Ed.	01-OCT-06	Last LNM: 40/08	NAD 83	43/08
--------------	-----------------	------------------	------------------------	---------------	--------------

Chart Title: Strait of Georgia and Strait of Juan de Fuca

Main Panel 1656 STRAIT OF GEORGIA AND STRAIT OF JUAN DE FUCA. Page/Side: N/A

RELOCATE	Point Roberts Light	CGD13 from 48-58-16.996N to 48-58-17.958N	123-05-00.925W 123-05-01.266W
----------	---------------------	---	----------------------------------

18421	49th Ed.	01-FEB-08	Last LNM: 40/08	NAD 83	43/08
--------------	-----------------	------------------	------------------------	---------------	--------------

Chart Title: Strait of Juan de Fuca to Strait of Georgia; Drayton Harbor

CHART WA - STRAIT OF JUAN DE FUCA TO STRAIT OF GEORGIA. Page/Side: N/A

RELOCATE	Point Roberts Light	CGD13 from 48-58-16.996N to 48-58-17.958N	123-05-00.925W 123-05-01.266W
----------	---------------------	---	----------------------------------

18440	29th Ed.	01-OCT-07	Last LNM: 42/08	NAD 83	43/08
--------------	-----------------	------------------	------------------------	---------------	--------------

Chart Title: Puget Sound

Main Panel 1688 PUGET SOUND. Page/Side: N/A

DELETE	Blake Island Line Mooring System Lighted Buoys (3)	CGD13 47-32-39.000N	122-30-26.000W
RELOCATE	Libby Point Light 4	CGD13 from 47-12-05.344N to 47-11-59.475N	122-59-16.530W 122-59-22.608W

18445	32nd Ed.	01-AUG-07	Last LNM: 42/08	NAD 83	43/08
--------------	-----------------	------------------	------------------------	---------------	--------------

Chart Title: FOLIO SMALL-CRAFT Puget Sound-Possession Sound to Olympia including Hood Canal

CHART WA - PUGET SOUND - POSSESSION SOUND TO OLYMPIA INCLUDING HOOD CANAL. Page/Side: N/A

RELOCATE	Libby Point Light 4	CGD13 from 47-12-05.344N to 47-11-59.475N	122-59-16.530W 122-59-22.608W
----------	---------------------	---	----------------------------------

Main Panel 1705 POSSESSION SOUND TO OLYMPIA INCLUDING HOOD CANAL HOOD CANAL - PAGE E. Page/Side: E

DELETE	Blake Island Line Mooring System Lighted Buoys (3)	CGD13 47-32-39.000N	122-30-26.000W
--------	--	------------------------	----------------

18448 34th Ed. 01-JUL-06 Last LNM: 42/08 NAD 83 43/08

ChartTitle: Puget Sound-southern part

CHART WA - PUGET SOUND - SOUTHERN PART. Page/Side: N/A

DELETE	Blake Island Line Mooring System Lighted Buoys (3)	CGD13 47-32-39.000N	122-30-26.000W
RELOCATE	Libby Point Light 4	CGD13 from 47-12-05.344N to 47-11-59.475N	122-59-16.530W 122-59-22.608W

18449 18th Ed. 01-OCT-03 Last LNM: 37/08 NAD 83 43/08

ChartTitle: Puget Sound-Seattle to Bremerton

Main Panel 1713 PUGET SOUND SEATTLE TO BREMERTON. Page/Side: N/A

DELETE	Blake Island Line Mooring System Lighted Buoys (3)	CGD13 47-32-39.000N	122-30-26.000W
--------	--	------------------------	----------------

18457 10th Ed. 01-JAN-06 Last LNM: 09/08 NAD 83 43/08

ChartTitle: Puget Sound-Hammersley Inlet to Shelton

CHART WA - PUGET SOUND - HAMMERSLEY INLET TO SHELTON. Page/Side: N/A

RELOCATE	Libby Point Light 4	CGD13 from 47-12-05.344N to 47-11-59.475N	122-59-16.530W 122-59-22.608W
----------	---------------------	---	----------------------------------

18474 8th Ed. 01-OCT-03 Last LNM: 37/08 NAD 83 43/08

ChartTitle: Puget Sound-Shilshole Bay to Commencement Bay

Main Panel 1679 PUGET SOUND - SHILSHOLE BAY TO COMMENCEMENT BAY. Page/Side: N/A

DELETE	Blake Island Line Mooring System Lighted Buoys (3)	CGD13 47-32-39.000N	122-30-26.000W
--------	--	------------------------	----------------

18542 10th Ed. 08-JAN-00 Last LNM: 03/07 NAD 83 43/08

ChartTitle: Columbia River Juniper to Pasco

Main Panel 1769 COLUMBIA RIVER JUNIPER TO PASCO. Page/Side: N/A

DELETE	Agrium Research Lighted Buoy A	CGD13 46-09-53.820N	119-00-45.000W
DELETE	Agrium Research Lighted Buoy B	CGD13 46-09-57.600N	119-00-52.200W

18547 8th Ed. 17-JUL-99 Last LNM: 18/08 NAD 83 43/08

ChartTitle: Snake River-Lake Bryon

CHART WA - SNAKE RIVER - LAKE BRYAN. Page/Side: N/A

RELOCATE	Little Goose Reservoir Light 23	CGD13 from 46-42-10.564N to 46-42-10.458N	117-39-18.113W 117-39-17.874W
----------	---------------------------------	---	----------------------------------

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

<u>Proposed Project(s)</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
OREGON - CAPE BLANCO TO YAQUINA HEAD - Coos Bay	28-OCT-08		40/08
COLUMBIA RIVER - VANCOUVER TO BONNEVILLE	28-OCT-08		40/08
WASHINGTON - PUGET SOUND - Dana Passage	31-OCT-08		40/08
WASHINGTON - PUGET SOUND - Rich Passage	31-OCT-08		41/08
WASHINGTON - PUGET SOUND - Eagle Harbor	21-NOV-08		42/08
WASHINGTON - PUGET SOUND - San Juan Channel	14-NOV-08		42/08
COLUMBIA RIVER - SNAKE RIVER - WILLAMETTE RIVER	14-NOV-08		42/08
COLUMBIA RIVER - Harrington Point	21-NOV-08		43/08
COLUMBIA RIVER - Henrici	21-NOV-08		43/08

Proposed Change Notice(s)

OREGON - CAPE BLANCO TO YAQUINA HEAD - Coos Bay

Navigation Aids: No longer considered necessary for safe navigation in the waterway.

Discontinue Baltimore Rock Bell Buoy BR (LLNR 610).

Chart 18587

LNM: 40/08

COLUMBIA RIVER - VANCOUVER TO BONNEVILLE

Navigation Aids: No longer considered necessary for safe navigation in the waterway.

Discontinue Bonneville Dam Mooring Dolphin Light C (LLNR 11785).

Chart 18531

LNM: 40/08

WASHINGTON - PUGET SOUND - Dana Passage

Navigation Aids: To accommodate the solarization of the light.

Change the flash characteristics of Dofflemyer Point Light (LLNR 17400) from Iso W 6s to FL W 4s and change the nominal range from eight (8) to seven (7) nautical miles.

Chart 18456

LNM: 40/08

WASHINGTON - PUGET SOUND - Rich Passage

Navigation Aids: To better mark the hazard.

Change the dayboards on Orchard Rocks Daybeacon from JR to NB.

Chart 18441

LNM: 41/08

WASHINGTON - PUGET SOUND - Eagle Harbor

Navigation Aids: To better name the waterway.

Discontinue Wing Point Reef Buoy 2 (LLNR 16820)

Change the name of Creosote Light 1 (LLNR 18000) to Eagle Harbor Light 1 (LLNR 18000).

Chart 18449

LNM: 42/08

WASHINGTON - PUGET SOUND - San Juan Channel

Change the name of Reid Rock Lighted Bell Buoy (LLNR 19630) to Reid Rock Isolated Danger Lighted Buoy -DR- (LLNR 19630), a black and red banded buoy with two black spherical topmarks, flash characteristics of FL (2) W 5s and a nominal range of six (6) nautical miles.

Chart 18421

LNM: 42/08

COLUMBIA RIVER - SNAKE RIVER - WILLAMETTE RIVER

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) lantern.

Change the nominal range on the below listed buoys from four (4) to three (3) nautical miles.

- Welch Island Channel Lighted Buoy 30 (LLNR 10335)
- La Du Rock Lighted Buoy 19 (LLNR 10765)
- Bybee Ledge Lighted Buoy 59 (LLNR 10960)
- Martin Island Channel Lighted Buoy 75 (LLNR 11020)
- Warrior Rock Turn Lighted Buoy 1 (LLNR 11073)
- Vancouver Upper Bar Channel Lighted Buoy 14 (LLNR 11300)
- Lieser Point Channel Lighted Buoy 18 (LLNR 11385)
- Multnomah Falls Lighted Buoy 83 (LLNR 11685)
- Bonneville Pool Lighted Buoy 32 (LLNR 11905)
- Bonneville Pool Lighted Buoy 34 (LLNR 11910)
- Bonneville Pool Lighted Buoy 39 (LLNR 11985)

Bonneville Pool Lighted Buoy 58 (LLNR 12095)
 Lake Celilo Lighted Buoy 31 (LLNR 12320)
 Lake Umatilla Lighted Buoy 2 (LLNR 12400)
 Lake Umatilla Lighted Buoy 8 (LLNR 12435)
 Lake Umatilla Lighted Buoy 10 (LLNR 12445)
 Lake Wallula Lighted Buoy 2 (LLNR 12815)
 Lake Sacajawea Lighted Buoy 2 (LLNR 13260)
 Lower Monumental Lighted Buoy 3 (LLNR 13505)
 Little Goose Reservoir Lighted Buoy 1 (LLNR 13675)
 Willamette River Lighted Buoy 12 (LLNR 14918)
 Toe Island Lighted Buoy 1 (LLNR 14978)

LNLM: 42/08

COLUMBIA RIVER - Harrington Point

Navigation Aids: To align the intensities of the range lights.

Change Harrington Point Range Front Light (LLNR 10175) from visible 14 degrees each side of rangeline to visible 5.5 degrees each side of rangeline.

Chart 18521

LNLM: 43/08

COLUMBIA RIVER - Henrici

Navigation Aids: To align the intensities of the range lights.

Change the color of Henrici Range Front Light (LLNR 11100) and Henrici Range Rear Light (LLNR 11105) from white to red. Additionally, change Henrici Range Rear Light (LLNR 11105) from visible fourteen (14) degrees each side of rangeline to visible four (4) degrees each side of rangeline.

Chart 18525

LNLM: 43/08

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

OREGON - Bridge Information

Broadway and Burnside Bridge

Notice of Proposed Rulemaking-Published in Federal Register September 12, 2008 (73FR52934)-The proposed change would require one-hour notice 0800 to 1700 local time Monday through Friday and two-hour notice at all other times for these two drawspans. The Hawthorne Bridge would become the sole point of contact for openings (county drawbridges). A copy of the notice may be requested from Austin Pratt at (206)220-7282 or from the Federal Register website. Comments from interested parties may be sent to the address provided in the notice through November 12, 2008.

Chart 18526

LNLM: 39/08

WASHINGTON - Bridge Information

Spokane Street Swing Bridge

Notice of Proposed Rulemaking for the establishment of closed periods is withdrawn-Published in the Federal Register of October 21, 2008 (73FR62450). Copies may be obtained from the Federal Register or Austin Pratt (206)220-7282.

Chart 18450

LNLM: 43/08

WASHINGTON - Bridge Information

Lake Washington - Montlake Bridge

The draw need not open for vessels on the following dates in 2008 during the hours that are noted. These closures are to accommodate heavy road traffic before and after University of Washington football games.

- 06 Sep 0930-1200 and 1500-1630
- 13 Sep 1215-1645 and 1845-2015
- 27 Sep 1630-1900 and 2200-2330
- 18 Oct 1330-1600 and 1900-2030
- 25 Oct 1430-1700 and 2000-2130

Chart 18447

LNLM: 34/08

Bridge Lighting Discrepancies:

Lights on the following bridges have been reported extinguished.

Waterway	Bridge Name	Location	Status	Date reported	BNM
Coos Bay	Coos Bay RR bidge	Coos Bay, OR	EXT/Bell INOP	06/14/07	0595-07
Siletz River	Kernville Bridge	Kernville, OR	EXT	08/25/08	0658-08
Camas Slough	Highway 14 Bridge	Camas, WA	EXT	08/20/08	0649-08
Willamette River	Lake Oswego RR Bridge	Lake Oswego, OR	EXT	05/28/07	0544-07

Bridge Lighting Discrepancies:

Willamette River	Lyons Street Bridge	Albany, OR	EXT	02/29/08	0207-08
Willamette River	Marion St Bridge	Salem, OR	EXT	08/19/08	0645-08
Willamette River	West Linn Bridge	Portland, OR	EXT	10/10/08	0798-08
Willamette River	City Pipeline Bridge	Newberg, OR	EXT	09/26/08	N/A
Willamette River	Newberg Bridge	Newberg, OR	EXT	09/26/08	N/A
Willamette River	Oregon City Bridge	Oregon City, OR	EXT	10/01/08	N/A
Willamette River	Wilsonville RR Bridge	Wilsonville, OR	EXT	09/26/08	N/A
Willamette River	Wilsonville I-5 Bridge	Wilsonville, OR	EXT	10/01/08	N/A
Clearwater River	Camas Prairie RR Bridge	Lewiston, ID	EXT	11/21/07	N/A
Pend Oreille River	Spokane International RR Bridge	Sandpoint, ID	EXT	08/12/08	N/A
Swinomish Channel	Swinomish Channel RR Bridge	Whitmarsh, WA	EXT	10/02/08	0770-08

LNM: 43/08

Bridge Lighting Discrepancies Corrected:

The following bridge discrepancies have been corrected since the last Local Notice to Mariners:

Waterway	Bridge Name	Location	Status	Date reported	BNM
Columbia River	I-5 Bridge	Portland, OR	LWP	08/07/08	0815-08
Columbia River	I-5 Bridge Marquam Bridge	Portland, OR	LWP	08/15/08	0815-08
Columbia River	Bridge of the Gods	Cascade Locks, OR	LWP	08/15/08	0815-08
Columbia River	Kalan RR Bridge	Kennewick, WA	LWP	08/25/08	0815-08
Columbia River	Pasco Kennewick BNRR Bridge	Kennewick, WA	LWP	08/28/08	0815-08
Columbia River	Pasco Kennewick Intercity Bridge	Kennewick, WA	LWP	08/28/08	0815-08

LNM: 43/08

THIRTEENTH COAST GUARD DISTRICT - LORAN

Single rated LORAN stations Jupiter, FL (7980-y), Las Cruces, NM (9610-x), and Middletown, CA, (9940-x) will be on air testing the LORAN Data Channel (LDC) uninterrupted until further notice.

Dual rated LORAN stations Dana, IN (9960-z), George (9940-w), Seneca, NY (8970-x), Gillette, WY (8290-x), and Grangeville, LA (7980-y) will be on air testing LDC between 0800 and 1500 local time Monday through Friday.

The test broadcast will use pulse position modulation of a ninth pulse added one thousand microseconds after the standard pulse group. Throughout the test period the signal will meet all service performance parameters published in the 1994 specification of the LORAN-C signal. Users should not experience any tracking errors or service interference from this test broadcast. Users will be notified of any changes to the test schedule and when the testing is complete.

Loran users are encouraged to report any LORAN service degradation or outages they experience via the following methods:

- a. NAVCEN Information Service (East) at (703) 313-5900
- b. NAVCEN Detachment (Western Operations) at (707) 765-7598
- c. NAVCEN web site's report a LORAN problem worksheet at www.navcen.uscg.gov. Additional information on the LORAN Data Channel and the 1994 LORAN-C signal specification may also be found at this web site.

LNM: 18/08

COAST GUARD HIGH FREQUENCY RADIOTELEX (SITOR) AMVER AND OBS SERVICE DISCONTINUED FROM ALL LOCATIONS EXCEPT GUAM

On September 30, 2008, the Coast Guard will terminate high frequency (HF) radiotelex Simplex Teletype Over Radio(SITOR) services from Communications Area Master Station Pacific (CAMSPAC - NMC), including Communications Station Honolulu, HI (NMO) used for the collection of AMVER ship position reports and meteorological observations effective 0000Z October 1, 2008. HF radiotelex services from Communications Area Master Station Atlantic (CAMSLANT - NMN) and Communications Station Kodiak, AK (NOJ) were terminated March 31, 2008. HF radiotelex services will continue unaffected from Communications Station Guam (NRV).

AMVER and NOAA meteorological reports will continue to be received at no charge through ShipCom HF radiotelex (NBDP) service via stations KLB near Seattle, WA (SELCAL 1113, including channels 608 and 1223), and WLO near Mobile, AL (SELCAL 1090); and NOAA's SEAS (Shipboard Environmental (data) Acquisition System) program through Inmarsat C; in addition to Communication Station Guam. AMVER reports may also be sent at no charge through Globe Wireless.

Broadcasts of maritime safety information by HF SITOR (HF NAVTEX) will not be affected by this action.

LNM: 34/08

MONTANA - BILLINGS - DGPS Off Air Approval

DGPS Billings, MT will be unusable from 1500Z to 1700Z on 31 Oct 08. The alternate time will be from 1500Z to 1700Z on 01 Nov 08. For additional information or objections, contact Navigation Center DGPS Operations at (707) 765-7642.

LNM: 38/08

COLUMBIA AND SNAKE RIVERS - Winter Seasonal Lockage Schedule for Recreational Craft

The U.S. Army Corps of Engineers, Walla Walla and Portland Districts, have implemented the winter seasonal lockage schedule, which is effective from 16 Sep 08 to 14 May 09 for the passage of recreational craft through the navigation locks. For the lockage schedule and additional

COLUMBIA AND SNAKE RIVERS - Winter Seasonal Lockage Schedule for Recreational Craft

information, visit the following website <http://www.nwp.usace.army.mil> or contact the Walla Walla District at (509) 527-7115 or the Portland District at (503) 808-4333.

LNM: 39/08

COLUMBIA RIVER - Survey Operations

S/V Theory and S/V Preston will be conducting survey operations on the Columbia River from mile 30.5 to 110 and on the Willamette River from mile 0 to 16.7 until 31 Dec 08. . Mariners are requested to use caution in the vicinity of the survey vessels which can be contacted on VHF-FM Channels 13, and 16. For additional information, contact David Evans and Associates at (360) 314-3202.

LNM: 36/08

COLUMBIA RIVER - Construction

General Construction Company will be working on the Dalles Lock and Dam Spill Bay and Wall project from 01 Sep 08 to 31 Mar 09. Various marine equipment will be on site and monitoring VHF FM Channel 14 and will be in constant contact with the Dam Control Room. Mariners are requested to use caution in the area. For additional information, contact General Construction Company at (206) 498-0198.

Chart 18531

LNM: 35/08

OREGON - WILLAMETTE FALLS LOCKS - Lock Closure

The Willamette Falls Locks located at river mile 26.1 will remain closed to river traffic until a hydraulic steel structure inspection is performed on the chamber gates. For additional information, contact the Department of the Army at (503) 808-4333.

Chart 18528

LNM: 28/08

WASHINGTON - OFF SHORE - Research Buoys

The Olympic Coast National Marine Sanctuary will be deploying oceanographic research buoys in the waters of the sanctuary from 15 Apr to 01 Nov 08 at approximate positions 48-19-30N 124-40-54W, 48-19-18N 124-44-36W, 48-09-54N 124-45-24W, 48-09-54N 124-48-12W, 48-09-54N 124-53-36W, 47-52-30N 124-37-06W, 47-52-36N 124-44-00W, 47-52-36N 124-47-48W, 47-35-54N 124-25-36W, 47-35-36N 124-29-36W, 47-21-18N 124-21-06W, 47-21-18N 124-28-06W, and 47-21-18N 124-34-06W. Each buoy will have a blinking yellow light, small orange flag and a radar reflector. For additional information, contact the Olympic Coast National Marine Sanctuary at (360) 457-6622 ext 14.

Charts: 18480 18500

LNM: 20/08

WASHINGTON - OFF SHORE - Research Mooring

The University of Washington will be deploying an subsurface oceanographic mooring from 29 Jun to 30 Nov 08 at approximate position 47-36.09N 124-31.94W. For additional information, contact the University of Washington at (206) 543-0738.

Chart 18500

LNM: 26/08

WASHINGTON - PUGET SOUND - Drifter Buoys

The University of Washington has deployed 3 current drifter buoys until Oct 08 in the vicinity of Point Heyer at approx pos 47-25.2N 122-25.6W on the eastern shoreline of Vashon Island, Puget Sound. The current drifter buoys are consist of a 16 inch (40 cm) diameter yellow buoy with reflective tape, and a 20 foot (6 m) long canvas sock drogue suspended under the buoy on thin cable [drogue depths are 16 ft (5 m), 36 ft (11 m), and 88 ft (27m)]. The drifter buoys deployed in 2007 followed a generally clockwise circulation pattern around Vashon Island, occasionally going south through the Tacoma Narrows to Steilacoom and then proceeding north through the Narrows and Colvos Passage. For additional information, contact The University of Washington at (206) 685-3270.

Chart 18440

LNM: 31/08

WASHINGTON - PUGET SOUND - Construction (Revision of LNM 24/08)

American Construction Co., Inc will be conducting construction of a temporary pile wall marked with three FI Y 4s lights in the vicinity of Point Wells commencing 15 Jun 08 to 31 Oct 08. Several floating derricks and barges will be on-site. Mariners are requested to use caution in the area. For additional information, contact American Construction Co., Inc at (253) 254-0118.

Chart 18441

LNM: 35/08

WASHINGTON - OSTRICH BAY - Discarded Munitions (Revision of LNM 52/04)

Mariners and divers are requested not to disturb the bottom sediments in the small back bay of Ostrich Bay, particularly in the vicinity of the Navy Ammo Loading Pier, due to unexploded ammunition. For additional information, contact Naval Base Kitsap Public Affairs Office at (360) 396-1631.

Chart 18474

LNM: 09/05

WASHINGTON - HOOD CANAL - Research Mooring

The University of Washington has deployed an subsurface oceanographic moorings in the Hood Canal until 31 Jan 09. It is moored at approximate position 47-25.480N 123-06.827W 30 meters below the surface. For additional information, contact the University of Washington at (206) 685-1971.

Chart 18476

LNM: 06/08

WASHINGTON - ELLIOTT BAY - Construction

Kiewit-General Construction Company will be assembling pontoons for the new Hood Canal Floating Bridge at Todd Pacific Shipyard on the North side of Harbor Island in Elliott Bay, Seattle through 31 Oct 08. Various Derek Barges will be present. Mariners are requested to maintain a 500ft minimum wake. Minimum wake requested may extend outside of 500ft as when notified by Seattle VTS. Kiewit-General Construction Company will monitor VHF-FM Channels 13 and 14. For additional information, contact Kiewit-General Construction Company at (206) 624-0573.

WASHINGTON - ELLIOTT BAY - Construction

Chart 18450

LNM: 16/08

WASHINGTON - HIRAM M. CHITTENDEN LOCKS - Lock Closure

The Hiram Chittenden Small Locks will be closed from 15 Sep to 24 Oct 08 for replacement of the pintle bearings on the operating gates. The large locks will continue normal operations. For additional information, contact the Department of the Army at (206) 783-7000.

Chart 18447

LNM: 37/08

WASHINGTON - COMMENCEMENT BAY - Construction

General Construction Company will be constructing a new dock at US Oil CHE in the Blair Waterway from 16 Jul to 28 Nov 08. Derrick Barge Olympia, GC 175, and GC 102 will be on site and may protrude of the pier 110ft. Mariners are requested to use caution in the area. For additional information, contact General Construction Company at (253) 572-7432.

Chart 18453

LNM: 28/08

SECTION VIII - LIGHT LIST CORRECTIONS

An Asterisk *, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
13017	Agrium Research Lighted Buoy A						Remove from list.	43/08
							*	
13018	Agrium Research Lighted Buoy B						Remove from list.	43/08
							*	
13805	LITTLE GOOSE RESERVOIR LIGHT 23	46-42-10.458N 117-39-17.874W	Fl G 6s	15	4	SG on platform.		43/08
		*						
16961	Blake Island Line Mooring System Lighted Buoys (3)						Remove from list.	43/08
							*	
18435	LIBBY POINT LIGHT 4	47-11-59.475N 122-59-22.608W	Fl R 4s	18	4			43/08
		*						
19965	Point Roberts Light	48-58-17.958N 123-05-01.266W	Fl (2)W 15s 0.1s fl 4.9s ec. 0.1s fl 9.9s ec.	30	15	NR on skeleton tower. 25		43/08
		*						

PUBLICATION CORRECTIONS**NOAA - RASTER NAVIGATIONAL CHARTS SERVICE RESUMES**

NOAA has resumed its full service of providing free weekly updates and new editions of Raster Navigational Charts (RNCs) via the Internet at <http://www.nauticalcharts.noaa.gov> <<http://www.nauticalcharts.noaa.gov/>> A list of certified RNC distributors is also available at the above Internet site. Address questions to NOAA at <http://ocsddata.ncd.noaa.gov/idrs/inquiry.aspx>

LNM: 40/08

ENCLOSURES**Enclosure 1**

OREGON - WASHINGTON - COLUMBIA RIVER - Dredging Operations

LNM: 43/08

Enclosure 2

WASHINGTON - SEATTLE - Marine Events

LNM: 43/08

If you have any questions, comments, or need additional information concerning this or other LNMs (e.g. additions, deletions, corrections) contact the address or phone number on the front page.

J. F. Moriarty
Commander, U.S. Coast Guard
Chief, Waterways Management Branch
Thirteenth Coast Guard District

OREGON – WASHINGTON – COLUMBIA RIVER – Dredging Operations

Dredging operations are planned or in progress at the following locations:

Start Date	End Date	Times	Location	Dredge Vessel	Assist Vessel	Channels Monitored	Disposal Area	LNМ
01 Nov 08	31 Dec 08	Mon-Sat Sunrise to sunset	<u>Coon Bay</u>	Barge Compliant	Tugs Resolute, Valiant, and Otter	16, and 68 VHF-FM	Port Townsend	43/08
27 Oct 08	15 Dec 08	Mon-Sun 24 hrs	<u>Swinomish Channel various locations</u>	Lumi Island		66 VHF-FM	Port Gardner Disposal Site	43/08
31 Oct 08	05 Nov 08	Mon-Sun 24 hrs	<u>Winchester Bay, East and West Boat Basins</u>	Patriot	Lummi Island and Betsy L	13, 16, and 66 VHF-FM	Ocean Disposal Site F or In River Mile 0.8	43/08
05 Oct 08	01 Nov 08	Mon-Sun 24 hrs	<u>Columbia Mile -2+00 to +2+30</u>	Liberty Island and Terrapin Island		13, and 16, VHF-FM	Deep Water Site	42/08
05 Oct 08	01 Nov 08	Mon-Sun 24 hrs	<u>Columbia Mile 18+30 to +20+25 Foul Weather Relief Area</u>	Terrapin Island		13, and 16, VHF-FM	In-water vicinity of +20+30 to +21+25	42/08
05 Oct 08	01 Nov 08	Mon-Sun 24 hrs	<u>Columbia Mile +11+00 to +12+30 and +27+35 to +28+40 Foul Weather Relief Area</u>	Liberty Island		13, and 16, VHF-FM	In-water vicinity of +09+20 to +10+20 and +29+50 to +30+25	42/08
20 Oct 08	31 Oct 08	Mon-Sun 24 hrs	<u>Columbia River Mile +44+03 to +45+00</u>	Oregon		13, and 16, VHF-FM	In-water vicinity of 43+50 WA side	41/08
25 Oct 08	30 Oct 08	Mon-Sun 24 hrs	<u>Port Orford</u>	Patriot	Lummi Island and Betsy L	13, 16, and 66 VHF-FM	Ocean Disposal Site	43/08
18 Sep 08	30 Oct 08	Mon-Sun 24 hrs	<u>Ilwaco Channel and Chinook Channel</u>	Viking	Tug Wollochet	8, 13, and 16, VHF-FM	BB-3 and placement area D	40/08
22 Oct 08	27 Oct 08	Mon-Sun 24 hrs	<u>Charleston Boat Basin</u>	Patriot	Lummi Island and Betsy L	13, 16, and 66 VHF-FM	Ocean Disposal Site F	43/08
17 Oct 08	23 Oct 08	Mon-Sun 24 hrs	<u>Columbia River Mile +46+30 to +48+05 OR side</u>	Yaquina		13, and 16, VHF-FM	In-water vicinity of 49+50 OR side	43/08

*US Army Corps of Engineer dredges request mariners transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed after passing arrangements have been made.

SEATTLE MARINE EVENTS

EVENT DATE	EVENT NAME	EVENT LOCATION	SPONSOR
10/23/08	Lake Washington Bass Tournament	Lake Washington	Capital City Bass Club
10/24/08	Lake Washington Bass Tournament	Lake Washington	Capital City Bass Club
10/25/08	Winter Series	Des Moines	Three Tree Point Yacht Club
10/25/08	Windseeker Fall	Commencement Bay	Corinthian Yacht Club of Tacoma
10/26/08	Commodores Cup	Port Orchard	West Sound Corinthian Yacht Club
10/26/08	Fall Nightcap Series	Port Townsend	Port Townsend Sailing Association