



LOCAL NOTICE TO MARINERS

AUGUST WEEKLY SUPPLEMENT

NOTICE NUMBER 35/04
August 31, 2004

NIS watchstander, 24 hours a day at (703) 313-5900

**** INTERNET ADDRESS ****
<http://www.navcen.uscg.gov/lnm/d14/>

ISSUED BY: Commander (oan)
Fourteenth Coast Guard District
300 Ala Moana Boulevard, 9-236
Honolulu, HI 96850-4982
Telephone: (808) 541-2316 Nights: (808) 541-2450 Fax: (808) 541-2309
Email: D14LNM@d14.uscg.mil

Navigation information having been of immediate concern to the mariner, and promulgated by the following broadcasts, has been incorporated in this notice when still significant:

- ⇒ CCGD14 (D14) BNM's: 242-04 to 251-04
- ⇒ COGARD MARIANAS SECTION (MARSEC) BNM's: 177-04 to 200-04

NOTES:

- (1) Unless otherwise indicated, missing and destroyed structures are presumed to be in the immediate vicinity. Mariners should proceed with caution.
- (2) The Local Notice to Mariners is published in its entirety once a month. The monthly edition should be retained as a reference for subsequently issued weekly supplements. The weekly supplements will be published in intervening weeks and will contain only new information with the exception of DISCREPANCIES-DISCREPANCIES CORRECTED section that is an accurate list maintained each week.

REFERENCES: Light List, Vol. VI, Pacific Coast and Pacific Islands, 2004 Edition (COMDTPUB P16502.6).
U.S. Coast Pilot 7, Pacific Coast: California, Oregon, Washington, and Hawai'i (36th Edition).

REPORT DEFECTS IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

SECTION I – SPECIAL NOTICES

This section contains information of special concern to the mariner.

HI ISLANDS – COAST GUARD SECTOR REORGANIZATION

Effective July 12, 2004 Coast Guard Group Honolulu and Coast Guard Marine Safety Office Honolulu merged to create Coast Guard Sector Honolulu. These internal organizational changes were incorporated to better meet operational demands and increase customer focus. Updates to this merge will be published in future LNM's.

SECTION II – DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

Abbreviations normally used in the Local Notice to Mariners

BNM – Broadcast Notice to Mariners	TRLB – Temporarily Replaced by Lighted Buoy
LNM – Local Notice to Mariners	TRUB – Temporarily Replaced by Unlighted Buoy
IMPCHA – Improper Characteristics	TLB – Temporary Lighted Buoy
TUB – Temporary Unlighted Buoy	TDBN – Temporary Daybeacon
TLT – Temporary Light	INOP – Inoperative
REDINT – Reduced Intensity	EXT – Extinguished
OFF STA – Off Station	

Shaded text denotes new discrepancy since last LNM.

DISCREPANCIES: Federal Aids:

LLNR	Name of Aid	Status	Chart Affected (Largest Scale)	BNM Reference	LNM Reference
29155	Kewalo Basin Lighted Buoy 2	IMPCHA	19369	251-04	35/04
29385	Pearl Harbor Entrance Range Rear Light	IMPCHA	19366	237-04	34/04
29530	Pearl Harbor West Lock Light 5	EXT	19366	246-04	35/04
30710	Glass Breakwater Light	EXT	81054	185-04	35/04
30790	Apra Inner Harbor Approach Range Front Light	REDINT	81054	180-04	35/04
30811	Agat Harbor Entrance Lighted Buoy AG	OFF STA	81048	165-04	34/04
30811.1	Agat Small Boat Harbor Entrance Lighted Buoy 1	MISSING	81048	166-04	34/04
30860	Okino Reef Buoy 1	OFF STA	81076	186-04	35/04
30865	Managaha Island Light	MISSING DAYBOARD	81076	174-04	34/04
30870	Tanapag Harbor Channel Lighted Buoy 2	OFF STA	81076	187-04	35/04
30871	Tanapag Harbor Channel Lighted Buoy 2A	OFF STA	81076	188-04	35/04
30875	Tanapag Harbor Range Front Light	MISSING DAYBOARD	81076	175-04	34/04
30880	Tanapag Harbor Range Rear Light	MISSING DAYBOARD	81076	176-04	34/04
30885	Tanapag Harbor Channel Lighted Buoy 3	OFF STA	81076	189-04	35/04
30890	Tanapag Harbor Channel Buoy 4	OFF STA	81076	190-04	35/04
30895	Tanapag Harbor Channel Buoy 5	OFF STA	81076	191-04	35/04
30900	Tanapag Harbor Channel Lighted Buoy 6	OFF STA	81076	192-04	35/04
30905	Tanapag Harbor Channel Lighted Buoy 7	OFF STA	81076	193-04	35/04
30910	Tanapag Harbor Channel Buoy 8	OFF STA	81076	194-04	35/04
30915	Tanapag Harbor Channel Buoy 10	OFF STA	81076	195-04	35/04
30919	Ushi Point Light	MISSING DAYBOARD	81067	173-04	34/04
30920	Tinian Harbor Channel Lighted Buoy 1	OFF STA	81071	167-04	34/04
30925	Tinian Harbor Channel Lighted Buoy 2	MISSING	81071	168-04	34/04
30930	Tinian Harbor Channel Lighted Buoy 3	OFF STA	81071	169-04	34/04
30935	Tinian Harbor Channel Lighted Buoy 4	OFF STA	81071	170-04	34/04
30940	Tinian Harbor Channel Light 5	MISSING DAYBOARD	81071	171-04	34/04
30945	Tinian Harbor Channel Buoy 6	OFF STA	81071	172-04	34/04
	Kailua Kona CG Mooring Buoy	SINKING	19331	212-04	29/04

SECTION II – DISCREPANCIES

(Cont.)

DISCREPANCIES: Private Aids:

LLNR	Name of Aid	Status	Chart Affected (Largest Scale)	BNM Reference	LNM Reference
28225	Puako Small Boat Harbor Buoy 1	MISSING	19330	243-04	35/04
28245	Puako Small Boat Harbor Buoy 5	MISSING	19330	244-04	35/04
28265	Puako Small Boat Harbor Buoy 9	MISSING	19330	245-04	35/04
28546	Manele Small Boat Harbor Buoy 3	MISSING	19347	169-04	25/04
28791.5	Kaneohe Bay Yacht Club Race Buoy E	MISSING	19359	213-04	30/04
30811.3	Agat Small Boat Harbor Light 3	MISSING DAYBOARD	81048	101-04	26/04
30811.4	Agat Small Boat Harbor Light 4	MISSING DAYBOARD	81048	102-04	26/04
30811.6	Agat Small Boat Harbor Daybeacon 6	MISSING DAYBOARD	81048	103-04	26/04
30815	Mamaon Channel Lighted Buoy 1	MISSING	81048	104-04	26/04

DISCREPANCIES: Private Aids: (Cont.)

LLNR	Name of Aid	Status	Chart Affected (Largest Scale)	BNM Reference	LNM Reference
	FAD Site X – Kahuku Point, Oahu	EXT / FLIPPED	19340	249-04	35/04
	FAD Site TT – Kanewaa Point, Hawai‘i	MISSING	19320	248-04	35/04

ATTENTION: SUPER – TYPHOON CHABA PASSED THROUGH THE NORTHERN MARIANAS ISLANDS ON AUGUST 22 – 23, 2004. IT IS EXPECTED THAT AIDS TO NAVIGATION WILL BE DISCREPANT, I.E. MISSING, OFF STATION, ETC. MARINERS ARE ADVISED TO USE CAUTION WHILE TRANSITING THESE AREAS.

DISCREPANCIES CORRECTED: Federal Aids:

LLNR	Name of Aid	Status	Chart Affected (Largest Scale)	BNM Reference	LNM Reference
30800	Apra Inner Harbor Range Front Light	WATCHING PROPERLY	81054	152-04	32/04

DISCREPANCIES CORRECTED: Private Aids:

LLNR	Name of Aid	Status	Chart Affected (Largest Scale)	BNM Reference	LNM Reference
	FAD Site F – Kailua Kona, Hawai‘i	WATCHING PROPERLY	19327	159-04	24/04
	FAD Site LL – Hauula, O‘ahu	WATCHING PROPERLY	19002	220-04	31/04
	FAD Site VV – Kahaluu, Hawai‘i	WATCHING PROPERLY	19320	196-04	28/04
	FAD Site ZZ – Waima Point, Hawai‘i	WATCHING PROPERLY	19320	140-04	19/04

SECTION III – TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to aids to navigation for this edition. When charted aids are temporarily relocated for dredging testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES: (None)

TEMPORARY CHANGES CORRECTED: (None)

SECTION IV - CHART CORRECTIONS

Corrective action effecting charts is contained in this section. Chart Corrections are listed numerically by chart number beginning with the lowest and progressing through all charts affected. The correction listed pertains to that chart only.

AD YR	Astronomic Datum (Year)	NAD YR	North American Datum (Year)
BABSAD	BAB South Astro Datum	OHD	Old Hawaiian Datum
LD	Local Datum	GUAM YR	Guam Datum (Togcha)
WGS YR	World Geodetic System (Year)		

Corrective action effecting charts is contained in this section. Chart Corrections are listed numerically by chart number beginning with the lowest and progressing through all charts affected. The correction listed pertains to that chart only. *It is up to the mariner to decide which charts are to be corrected.* The following example explains the individual elements of a typical correction.

Chart Number ↓	Chart Edition ↓	Edition Date ↓	Last Local Notice to Mariners ↓	Horizontal Datum Reference ↓	Source of Correction ↓	Current Local Notice to Mariners ↓
19320	16Ed.	12/14/1996	LAST LNM 50/00	WGS 84	(CCGD 14)	24/02
	ISLAND OF HAWAII					
Change ↑	Coconut Point Directional Light to: F G 38ft 10M				at 19-43-36.800 N	155-05-10.200 W
Corrective Action	Object of Corrective Action				↑	Position

A chart correction followed by:

(Temp) indicates that it is temporary in nature.

P indicates that it is preliminary, and that permanent corrective action will appear in a future Local Notice to Mariners.

The letter **M** immediately following the chart number indicates that the correction should be applied to the metric side of the chart only.

Courses and bearings are given in degrees clockwise from 000° T. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles.

19320	16Ed.	12/14/1996	LAST LNM 15/04	WGS 84	(CCGD 14)	35/04
	HI – ISLAND OF HAWAII					
Change	Kailua Bay Entrance Directional Light characteristics to: Oc WRG 4s 31ft				at	19-38-18.500N 155-59-48.600W
19327	10Ed.	12/06/1997	LAST LNM 51/03	WGS 84	(CCGD 14)	35/04
	HI – WEST COAST OF HAWAII – COOK POINT TO UPOLU POINT					
Change	Kailua Bay Entrance Directional Light characteristics to: Oc WRG 4s 31ft				at	19-38-18.500N 155-59-48.600W

SECTION V – ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc.

(None)

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the district office unless otherwise noted (see page 1 for address).

(None)

SECTION VII – GENERAL

This section contains information of general concern to the mariner. Mariners are advised to use caution while transiting these areas.

DEPARTMENT OF HOMELAND SECURITY- REPORTS OF SUSPICIOUS ACTIVITIES

The Department of Homeland Security (DHS) encourages the maritime public to report information concerning suspicious activity to their local Federal Bureau of Investigation (FBI) Joint Terrorism Task Force (JTTF) office, <http://www.fbi.gov/contact/fo/fo.htm>, or to other appropriate authorities. Individuals can contact the DHS watch and warning unit at (202) 323-3205, toll free at 1-(888) 585-9078, or by e-mail to nipc.watch@fbi.gov. The U.S. Coast Guard reminds the maritime industry that they may also report information concerning suspicious activity to the National Response Center (NRC) at 1-(800) 424-8802.

NATIONAL OCEAN SERVICE - CHARTS / PUBLICATIONS – DATES OF LATEST EDITIONS

The Dates of Latest Editions, Nautical Charts and Miscellaneous Maps, dated July 1, 2004, published by the National Ocean Service, is available for issue. It may be obtained free by mail from the National Aeronautical Charting Office, AVN-530, Federal Aviation Administration, 6303 Ivy Lane, Suite 400, Greenbelt MD, 20770-1479, by telephone at 1-800-638-8972 or from your local authorized nautical chart sales agent. This is a quarterly publication listing the most recent editions of nautical charts, miscellaneous maps and publications relating to navigation, weather, etc. with brief descriptions and up-to-date prices for most of the publications listed. Much of this information may also be obtained online at: <http://chartmaker.ncd.noaa.gov/mcd/dole.htm>.

Marine Events:

This section contains information of general concern to the mariner. Mariners are advised to use caution while transiting these areas.

HI ISLANDS - O‘AHU – FIREWORKS DISPLAY

The Hilton Hawai‘ian Village will be conducting a fireworks display in Waikiki on September 3, 2004 from 2000W – 2030W.

HI ISLANDS – LĀNA‘I – SAILBOAT RACE

Waikiki Swim Club will conduct the “Maui Channel Swim” regatta race off the waters of Kaanapali on September 4, 2004 between 0800W – 1500W.

HI ISLANDS - O‘AHU – WAIKIKI ROUGHWATER SWIM

The Waikiki Roughwater Swim Committee, Inc. will conduct the 35th Annual Waikiki Roughwater Swim in Mamala Bay in waters fronting Waikiki on September 5, 2004 from 0900W – 1200W.

SECTION VIII - LIGHT LIST CORRECTIONS VOLUME VI: PACIFIC COAST & PACIFIC ISLANDS 2004

An Asterisk *, indicates the column in which a correction has been made to new information.

(1) Number	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
28180	KAILUA BAY ENTRANCE DIRECTIONAL LIGHT	19 38 19 N 155 59 49 W	Oc W 4s (R & G sectors)	31		NB on post. 25	Centerline (bearing 023°). White visible 3° each side of centerline. Green visible from (026°- 060°). Red visible from (310°-020°).
		*					35/04

SECTION IX – ADDITIONAL ENCLOSURES

Enclosure (1) U.S. Coast Pilot 7, Pacific Coast: California, Oregon, Washington, and Hawaii, 2003 (36th) Edition, Change No. 18
Enclosure (2) U.S. Coast Pilot 7, Pacific Coast: California, Oregon, Washington, and Hawaii, 2003 (36th) Edition, Change No. 19

END OF CCGD 14 LOCAL NOTICE TO MARINERS NO. 35/04

C. D. WURSTER
Rear Admiral, U. S. Coast Guard
Commander, Fourteenth Coast Guard District

Publication-National Ocean Service-U.S. Coast Pilot 7, Pacific Coast: California, Oregon, Washington, Hawaii, and Pacific Islands, 2004 (36th) Edition. Change No. 18.

Coast Pilot 7 36th 2004

Corrections

Page 45-Paragraph 2, line 22; read:
Part 166 Shipping Safety Fairways

Part 167 Offshore Traffic
Separation Schemes

Part 168 Escort Requirements for
Certain Tankers ...
(33 CFR 167, 168)

Page 45-Paragraph 5, line 2; read:
157, 160, 161, 162, 164, 165, 166,
167, and 168; 46 CFR 15);
(33 CFR 167, 168)

Page 45-Paragraph 6, line 2; read:
334).

Environmental Protection
Agency: (40 CFR 140).
(NOS/04)

Page 290-Paragraph 90, line 7;
read:

Anacapa Island Light (34°00'56"N.,
119°21'34"W.), 277 feet ...
(23/04 CG11)

Page 293-Paragraph 131, lines 11-
13; read:
of beach; the S shore is more
precipitous than the N.
(NOS 18727; Internet/04)

Page 293-Paragraph 134, lines 1-8;
read:

Cardwell Point is the E
extremity of the island. A low
sandy area which uncovers extends
0.5 mile E of the point and a
dangerous reef extends an
additional 0.4 mile from the tip of
the area. In 1994, a shoal with
breakers was reported near the reef
in about 34°01'06"N., 120°17'24"W.
A submerged rock and rock awash are
...
(NOS 18727)

Page 293-Paragraph 138, lines 10-
11; read:

shoal extending E for over 300
yards. Anchorage may be made about
0.2 mile S of the Bat Rock where
...
(NOS 18727)

Page 470-Paragraph 16 through
Paragraph 19, read:

INMARSAT telex 04352586 "CGTC
VAS VCR";
Any Canadian Coast Guard MCTS
Centre, free of charge;
Directly to CVTS Offshore by
FAX: 604-666-8453, or;
E-mail: **rmic-pacific@pac.dfo-
mpo.gc.ca**
(29/04 CG13)

Page 576-Paragraph 130, line 9;
read:

lighted range. The range may be
obscured by vessels moored at Pier
1. In 2001, the harbormaster was
enforcing ...
(CL 947/04)

Enclosure (1)

Publication-National Ocean Service-U.S. Coast Pilot 7, Pacific Coast: California, Oregon, Washington, Hawaii, and Pacific Islands, 2004 (36th) Edition. Change No. 19.

Coast Pilot 7 36th 2004

Corrections

Page 133-Paragraph 1957, line 4;
read:
destination.

(9) Ammonium nitrate and ammonium nitrate based fertilizers, in bulk, listed as a Division 5.1 material in 49 CFR 172.101.

(10) Propylene oxide, alone or mixed with ethylene oxide, in bulk.
(FR 8/18/04)

Page 133-Paragraph 1968 through Paragraph 1972, read:

(a) [Suspended]
(FR 8/18/04)

Page 133-Paragraph 1975, read:

(d) [Suspended]

(e) *Submission to the National Vessel Movement Center (NVMC).* Except as provided in paragraphs (b) and (c) of this section, vessels must submit NOA information required by §160.206 (entries 1-9 to Table 160.206) to the NVMC, United States Coast Guard, 408 Coast Guard Drive, Kearneysville, WV 25430, By:

(1) Electronic submission via the electronic NOA (e-NOA) available on the NVMC web site at <http://www.nvmc.uscg.gov>.

(2) Electronic submission via web service of formatted XML (eXtensible Markup Language) documents. E-mail sans@nvmc.uscg.gov to ask for the XML schema details;

(3) E-mail at sans@nvmc.uscg.gov. Workbook available at <http://www.nvmc.uscg.gov>;

(4) Fax at 1-800-547-8724 or 304-264-2684. Workbook available at <http://www.nvmc.uscg.gov>; or,

(5) Telephone at 1-800-708-9823 or 304-264-2502.

(FR 8/18/04)

Enclosure (2)