

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
14450	BASS RIVER WEST JETTY LIGHT 11	41-38-38.202N 070-11-50.959W	Fl G 6s		33	6	SG on skeleton tower.	Maintained year round.	51/16
					*				
35851	<i>Shrewsbury River Channel Lighted Buoy 26</i>	40-21-27.652N 073-58-36.125W	Fl R 2.5s			3	Red.	Maintained from Apr. 15 to Dec. 1.	51/16
								*	
35860	<i>Shrewsbury River Channel Lighted Buoy 28</i>	40-21-17.017N 073-58-41.496W	Fl R 4s			3	Red.	Maintained from Apr. 15 to Dec. 1.	51/16
								*	
35875	<i>Shrewsbury River Channel Lighted Buoy 30</i>	40-21-06.042N 073-59-10.878W	Fl R 4s			3	Red.	Maintained from Apr. 15 to Dec. 1.	51/16
								*	
35890	<i>Shrewsbury River Channel Lighted Buoy 31</i>	40-20-48.419N 073-59-43.338W	Fl G 4s			3	Green.	Maintained from Apr. 15 to Dec. 1.	51/16
								*	
35910	<i>Shrewsbury River Channel Lighted Buoy 34</i>	40-20-27.890N 074-00-05.940W	Fl R 4s			3	Red.	Maintained from Apr. 15 to Dec. 1.	51/16
								*	
35915	<i>Shrewsbury River Channel Lighted Buoy 38</i>	40-20-17.561N 074-00-05.506W	Fl R 2.5s			3	Red.	Maintained from Apr. 15 to Dec. 1.	51/16
								*	
35935	<i>Shrewsbury River Channel Lighted Buoy 40</i>	40-19-50.511N 073-59-51.326W	Fl R 4s			3	Red.	Maintained from Apr. 15 to Dec. 1.	51/16
								*	
2045	BAKER ISLAND LIGHT	44-14-28.351N 068-11-56.442W	Fl W 10s		105	10	White stone tower.		50/16
								*	
5319	<i>University of Maine Research Lighted Buoy D</i>							Remove from list.	50/16
								*	
7939	<i>University of Maine Research Lighted Buoy C</i>							Remove from list.	50/16
								*	
20940	<i>Mumford Cove Lighted Research Platform</i>							Remove from list.	50/16
								*	
37970	<i>Hudson River Lighted Buoy 31</i>	41-18-46.208N 073-58-51.340W	Q G			3	Green.	Replaced by can from Nov. 1 to Apr. 1. AIS: MMSI 993672037	50/16

\*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
2398	<i>Cooke Aquaculture Lighted Buoy BIS A</i>	44-10-44.439N 068-21-18.543W	Fl Y 4s				Private Aid. 49/16
		*					
2398.1	<i>Cooke Aquaculture Lighted Buoy BIS B</i>	44-10-44.440N 068-21-26.800W	Fl Y 4s				Private Aid. 49/16
		*					
2398.2	<i>Cooke Aquaculture Lighted Buoy BIS C</i>	44-10-36.767N 068-21-29.273W	Fl Y 4s			Yellow.	Private Aid. 49/16
		*					
2398.3	<i>Cooke Aquaculture Lighted Buoy BIS D</i>	44-10-35.300N 068-21-20.470W	Fl Y 4s			Yellow.	Private Aid. 49/16
		*					
9010	Merrimack River Entrance Buoy 5						Remove from list. 49/16
		*					*
9010	MERRIMACK RIVER ENTRANCE SOUTH JETTY LIGHT 5	42-48-57.784N 070-48-15.966W	Fl G 2.5s		15	4	49/16
		*					
*	*	*	*	*	*	*	*
13695	Norton Shoal Northeast Buoy 5	41-26-09.922N 070-19-50.418W				Green can.	49/16
		*					
15620	<i>WHOI Lighted Buoy Z</i>						Remove from list. 49/16
		*					*
15625	<i>WHOI Lighted Buoy W</i>						Remove from list. 49/16
		*					*
15630	<i>WHOI Lighted Buoy V</i>						Remove from list. 49/16
		*					*
15635	<i>WHOI Lighted Buoy X</i>						Remove from list. 49/16
		*					*
16145	HOG ISLAND CHANNEL LIGHT 5	41-41-24.457N 070-40-20.643W	Fl G 6s		32	5	SG on skeleton tower on cylindrical pier. 49/16
		*					
38285	<i>Hudson River Lighted Buoy 74</i>	41-55-45.563N 073-57-33.915W	Fl R 2.5s		*	3	Red. Replaced by LIB from Nov. 1 to Apr. 1. 49/16
		*					*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
38300	<i>Hudson River Lighted Buoy 77</i>	41-56-33.286N 073-57-47.412W	Q G			3 Green.	49/16	
38380	<i>Hudson River Lighted Buoy 94</i>	42-04-34.396N 073-55-36.672W	Fl R 2.5s			3 Red.	* 49/16	
38395	<i>Hudson River Lighted Buoy 98</i>	42-06-00.645N 073-55-37.681W	Fl R 4s			3 Red.	* 49/16	
38400	<i>Hudson River Lighted Buoy 99</i>	42-06-21.874N 073-55-37.020W	Fl G 4s			4 Green.	* 49/16	
39035	Adams Island Obstruction Buoy	42-44-23.778N 073-41-17.970W					* 49/16	
* 545 13650	* <b>Nantucket (Great Point) Light</b>	* 41-23-24.600N 070-02-53.800W	* Fl W 5s (R sector)	* 71	* W 14 R 12	* On white tower. 70	* Red from 084° to 106°. Covers Cross Rip and Tuckernuck Shoals.	48/16
13650 545	<b>Nantucket (Great Point) Light</b>	41-23-24.600N 070-02-53.800W	Fl W 5s (R sector)	71	W 14 R 12	* On white tower. 70	* Red from 084° to 106°. Covers Cross Rip and Tuckernuck Shoals.	48/16
32636	Sea Dog Creek Buoy SD17A	40-36-26.040N 073-34-30.480W				* Green can.	Private Aid.	48/16
* 32637	* Sea Dog Creek Buoy SD18	* 40-36-26.760N 073-34-24.840W	* Fl W 5s (R sector)	* 71	* W 14 R 12	* Red nun.	* Private Aid.	48/16
* 32646	* Sea Dog Creek Buoy SD21	* 40-36-27.960N 073-34-20.700W	* Fl W 5s (R sector)	* 71	* W 14 R 12	* Green can.	* Private Aid.	48/16
* 39610	* <i>Appletree Shoal Lighted Buoy AS</i>	* 44-29-21.426N 073-15-58.814W	* Fl (2+1)G 6s	* 3	* W 14 R 12	* Green and red bands.	* Replaced by can from Nov 1 to May 1.	48/16

\*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
226	<i>UNH Isle of Shoals CO2 Research Lighted Buoy</i>	43-01-13.848N 070-32-33.558W	Fl Y 4s				Private Aid.	47/16	
510.1	NAUSET BEACH LIGHT	* 41-51-36.000N 069-57-12.000W	Al WR 10s 0.1s fl 4.9s ec. 0.1s fl 4.9s ec.	120		R W	Conical tower, upper part red, lower part white.	Lighted throughout 24 hours. Private Aid.	47/16
920	CHERRY ISLET LIGHT						* Remove from list.	47/16	
2711.1	<i>Scrag Island Aquaculture Lighted Buoy SI-A</i>	44-07-18.300N 068-26-28.070W	Fl Y 2.5s			Yellow.	* Private Aid.	47/16	
2711.2	<i>Scrag Island Aquaculture Lighted Buoy SI-B</i>	* 44-07-14.700N 068-26-29.570W	Fl Y 2.5s			Yellow.	Private Aid.	47/16	
2711.3	<i>Scrag Island Aquaculture Lighted Buoy SI-C</i>	* 44-07-09.800N 068-26-10.570W	Fl Y 2.5s			Yellow.	Private Aid.	47/16	
2711.4	<i>Scrag Island Aquaculture Lighted Buoy SI-D</i>	* 44-07-12.790N 068-26-07.870W	Fl Y 2.5s			Yellow.	Private Aid.	47/16	
2711.5	<i>Scrag Island Aquaculture Lighted Buoy SI-E</i>	* 44-07-12.790N 068-26-07.870W	Fl Y 2.5s			Yellow.	Remove from list.	47/16	
2711.6	<i>Scrag Island Aquaculture Lighted Buoy SI-F</i>	* 44-07-12.790N 068-26-07.870W	Fl Y 2.5s			Yellow.	* Remove from list.	47/16	
13135.81	Maraspin Creek Daybeacon 10	41-42-29.900N 070-18-03.300W				TR	* Maintained from Jun 1 to Nov 1. Private Aid.	47/16	
28792	ROBINS ISLAND SE POUND TRAP LIGHT	* 40-57-33.270N 072-27-01.530W	Fl Y 2s			On pile.	Maintained from May 15 to Nov 1. Private Aid.	47/16	
32640	Sea Dog Creek Buoy SD19	40-36-27.480N 073-34-23.400W				Green can.	* Private Aid.	47/16	
39135	STONY POINT BREAKWATER LIGHT 4	* 44-58-25.900N 073-21-00.900W	Fl R 4s	19	5	TR on skeleton tower.	Higher intensity beam north and south.	47/16	

\*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
555	<b>Sankaty Head Light</b>	41-17-03.730N 069-57-57.900W	Fl W 7.5s	158	24	White tower with red band in the middle. 70	
						*	
760	<i>Shrewsbury Rocks Lighted Buoy 1</i>						Remove from list.
							*
2685.1	<i>Toothacher Cove Aquaculture Lighted Buoy TC1</i>						Remove from list.
							*
2685.2	<i>Toothacher Cove Aquaculture Lighted Buoy TC2</i>						Remove from list.
							*
2685.3	<i>Toothacher Cove Aquaculture Lighted Buoy TC3</i>						Remove from list.
							*
2685.4	<i>Toothacher Cove Aquaculture Lighted Buoy TC4</i>						Remove from list.
							*
15205	<b>Brant Point Light</b>	41-17-24.060N 070-05-24.960W	Oc R 4s	26	10	White, cylindrical tower, footbridge to shore. 20	Light may also be displayed during daytime when sound signal is in operation. HORN: 1 blast ev 10s (1s bl).
							*
34970	<i>Robbins Reef Lighted Gong Buoy 29</i>	40-39-09.972N 074-03-49.808W	Q G			3	Green.
							*
35190	<b>Sandy Hook Point Light</b>	40-28-14.700N 074-01-07.200W	Iso W 6s	38	7	NB on skeleton tower. 30	
							*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
500	<b>Highland Light</b>	42-02-22.282N 070-03-39.377W	Fl W 5s	170	14	White conical tower. 66	Emergency light of reduced intensity when main light is extinguished . Lighted throughout 24 hours.	45/16	
13135.81	Maraspin Creek Daybeacon 10	41-42-29.900N 070-18-03.900W				*	TR	Maintained from Jun 1 to Nov 1. Private Aid.	45/16
* 13135.82	* Maraspin Creek Daybeacon 11	* 41-42-29.900N 070-18-03.900W	*	*	*	*	SG	Maintained from Jun 1 to Nov 1. Private Aid.	45/16
* 13156.1	* <i>Sesuit Harbor Lighted Buoy 2B</i>	* 41-42-29.900N 070-18-03.900W	*	*	*	*	*	Remove from list.	45/16
13156.2	Sesuit Harbor Buoy 2C						*	Remove from list.	45/16
14215	Bass River Entrance Buoy 4	41-38-14.500N 070-11-43.000W					Red nun.	Private Aid.	45/16
14220	Bass River Entrance Buoy 5	* 41-38-20.900N 070-11-45.200W					Green can.	Private Aid.	45/16
14225	Bass River Entrance Buoy 6	* 41-38-21.800N 070-11-43.200W					Red nun.	Private Aid.	45/16
14230	Bass River Entrance Buoy 7	* 41-38-27.900N 070-11-47.900W					Green can.	Private Aid.	45/16
		*							

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
14235	Bass River Entrance Buoy 8	41-38-30.100N 070-11-40.200W				Red nun.	Private Aid. 45/16
		*					
14240	Bass River Entrance Buoy 9	41-38-31.900N 070-11-46.100W				Green can.	Private Aid. 45/16
		*					
14245	Bass River Entrance Buoy 10	41-38-36.000N 070-11-45.300W				Red nun.	Private Aid. 45/16
		*					
14250	Bass River Buoy 12	41-38-52.800N 070-11-49.400W				Red nun.	Private Aid. 45/16
		*					
14255	Bass River Buoy 14	41-39-03.000N 070-11-49.400W				Red nun.	Private Aid. 45/16
		*					
14256	Bass River Buoy 14A	41-39-13.000N 070-11-47.300W				Red nun.	Private Aid. 45/16
		*					
14270	Bass River Buoy 18	41-39-27.100N 070-11-23.800W				Red nun.	Private Aid. 45/16
		*					
14281	Bass River Buoy 22A	41-39-46.200N 070-11-02.200W				Red nun.	Private Aid. 45/16
		*					
14416	Weir Creek Buoy 1	41-39-06.100N 070-11-42.200W				Green can.	Private Aid. 45/16
		*					
14417	Weir Creek Buoy 2	41-39-05.800N 070-11-40.300W				Red nun.	Private Aid. 45/16
		*					
14417.1	Weir Creek Buoy 3	41-39-09.800N 070-11-28.600W				Green can.	Private Aid. 45/16
		*					
14417.2	Weir Creek Buoy 3A	41-39-14.300N 070-11-20.900W				Green can.	Private Aid. 45/16
		*					
14417.3	Weir Creek Buoy 4	41-39-13.800N 070-11-17.300W				Red nun.	Private Aid. 45/16
		*					

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14417.4	Weir Creek Buoy 5	41-39-11.200N 070-11-05.100W				Green can.	Private Aid.	45/16
		*						
14417.5	Weir Creek Buoy 6	41-39-10.800N 070-11-04.900W				Red nun.	Private Aid.	45/16
		*						
14417.55	Weir Creek Buoy 7	41-39-12.800N 070-11-01.700W				Green can.	Private Aid.	45/16
		*						
14417.6	Weir Creek Buoy 8	41-39-12.400N 070-11-01.200W				Red nun.	Private Aid.	45/16
		*						
14725.1	Centerville River Buoy 1	41-37-32.800N 070-22-04.300W				Green can.	Private Aid.	45/16
*	*	*	*	*	*	*	*	
14725.2	Centerville River Buoy 2	41-37-33.300N 070-22-05.100W				Red nun.	Private Aid.	45/16
*	*	*	*	*	*	*	*	
	<b>* Add Heading: Wewantic River</b>							45/16
								45/16
	<b>* Add Note: Aids maintained from May to Nov. 1</b>							45/16
								45/16
17296	Wewantic River Buoy 1	41-43-18.900N 070-43-26.280W				Green can.	Private Aid.	45/16
19020	Taunton River Channel Buoy 8	41-46-37.953N 071-07-03.348W				Red nun.	Maintained from 15 Mar to 30 Nov.	45/16
19070	Taunton River Channel Buoy 22	41-48-48.649N 071-06-53.990W				Red nun.	Maintained from 15 Mar to 30 Nov.	45/16
22560	Old Saybrook North Cove Buoy 1						Remove from list.	45/16
22565	Old Saybrook North Cove Buoy 2	41-17-27.060N 072-21-08.040W				Red nun.	Private Aid.	45/16
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
22570	Old Saybrook North Cove Buoy 3	41-17-25.140N 072-21-12.180W				Green can.	Private Aid.	45/16	
		*							
22571	Old Saybrook North Cove Buoy 4	41-17-26.100N 072-21-15.060W				Red nun.	Private Aid.	45/16	
*	*	*	*	*	*	*	*		
22572	Old Saybrook North Cove Buoy 5	41-17-23.040N 072-21-32.760W				Green can.	Private Aid.	45/16	
*	*	*	*	*	*	*	*		
22573	Old Saybrook North Cove Buoy 6	41-17-24.360N 072-21-32.940W				Red nun.	Private Aid.	45/16	
*	*	*	*	*	*	*	*		
29191	COAST GUARD STATION FIRE ISLAND EAST ENTRANCE LIGHT	40-37-35.300N 073-15-35.335W	Fl W 4s			3		45/16	
*	*	*	*	*	*	*	*		
29192	COAST GUARD STATION FIRE ISLAND WEST ENTRANCE LIGHT	40-37-35.163N 073-15-36.292W	Fl W 4s			3		45/16	
*	*	*	*	*	*	*	*		
15560	<b>Nobska Point Light</b>	41-30-56.816N 070-39-18.398W	Fl W 6s		87	W 13 R 11	White tower. 40	Obscured from 125° to 195°. Red from 263° to 289°, covers Hedge Fence and L` Hommedieu Shoal. Lighted throughout 24 hours. HORN: 2 blasts ev 30s	44/16
								*	
17296	Weweantic River Buoy 1	41-43-18.900N 070-43-26.280W				Green can.	Private Aid.	44/16	
*	*	*	*	*	*	*	*		
17296.1	Weweantic River Buoy 2	41-43-36.720N 070-43-43.920W				Red nun.	Private Aid.	44/16	
*	*	*	*	*	*	*	*		
17296.2	Weweantic River Buoy 3	41-43-35.520N 070-43-43.620W				Green can.	Private Aid.	44/16	
*	*	*	*	*	*	*	*		
17296.3	Weweantic River Buoy 4	41-43-37.740N 070-43-48.540W				Red nun.	Private Aid.	44/16	
*	*	*	*	*	*	*	*		

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
17296.4	Weweantic River Buoy 5	41-43-46.660N 070-43-50.220W				Green can.	Private Aid. 44/16
*	*	*	*	*	*	*	*
17296.5	Weweantic River Buoy 6	41-43-38.280N 070-43-56.760W				Red nun.	Private Aid. 44/16
*	*	*	*	*	*	*	*
17296.6	Weweantic River Buoy 8	41-43-41.340N 070-44-01.560W				Red nun.	Private Aid. 44/16
*	*	*	*	*	*	*	*
17296.7	Weweantic River Buoy 10	41-43-44.280N 070-44-05.100W				Red nun.	Private Aid. 44/16
*	*	*	*	*	*	*	*
17296.8	Weweantic River Buoy 11	41-43-47.520N 070-44-11.640W				Green can.	Private Aid. 44/16
*	*	*	*	*	*	*	*
17296.9	Weweantic River Buoy 12	41-43-49.640N 070-44-11.580W				Red nun.	Private Aid. 44/16
*	*	*	*	*	*	*	*
17297	Weweantic River Buoy 13	41-43-52.380N 070-44-15.000W				Green can.	Private Aid. 44/16
*	*	*	*	*	*	*	*
17297.1	Weweantic River Buoy 14	41-43-53.220N 070-44-17.640W				Red nun.	Private Aid. 44/16
*	*	*	*	*	*	*	*
17297.2	Weweantic River Buoy 15	41-43-50.100N 070-44-28.440W				Green can.	Private Aid. 44/16
*	*	*	*	*	*	*	*
17297.3	Weweantic River Buoy 16	41-43-49.200N 070-44-32.880W				Red nun.	Private Aid. 44/16
*	*	*	*	*	*	*	*
17297.4	Weweantic River Buoy 18	41-43-50.100N 070-44-36.660W				Red nun.	Private Aid. 44/16
*	*	*	*	*	*	*	*
17297.5	Weweantic River Buoy 19	41-43-56.580N 070-44-43.140W				Green can.	Private Aid. 44/16
*	*	*	*	*	*	*	*
17297.6	Weweantic River Buoy 20	41-43-56.820N 070-44-42.060W				Red nun.	Private Aid. 44/16
*	*	*	*	*	*	*	*
17297.7	Weweantic River Buoy 22	41-44-01.320N 070-44-42.600W				Red nun.	Private Aid. 44/16
*	*	*	*	*	*	*	*
17297.8	Weweantic River Buoy 23	41-44-03.420N 070-44-43.080W				Green can.	Private Aid. 44/16
*	*	*	*	*	*	*	*
17297.9	Weweantic River Buoy 24	41-44-05.460N 070-44-39.060W				Red nun.	Private Aid. 44/16
*	*	*	*	*	*	*	*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
17298	Weweantic River Buoy 25	41-44-06.100N 070-44-40.020W				Green can.	Private Aid. 44/16
*	*	*	*	*	*	*	*
17380.1	Shell Point Channel Buoy 4	41-44-15.780N 070-39-43.500W				Red nun.	Maintained May 1 to Nov 1. Private Aid. 44/16
17380.2	Shell Point Channel Buoy 6	41-44-10.680N 070-39-45.000W				Red nun.	Maintained May 1 to Nov 1. Private Aid. 44/16
17380.3	Shell Point Channel Buoy 8	41-44-07.440N 070-39-47.640W				Red nun.	Maintained May 1 to Nov 1. Private Aid. 44/16
17380.4	Shell Point Channel Buoy 10	41-44-06.660N 070-39-51.120W				Red nun.	Maintained May 1 to Nov 1. Private Aid. 44/16
17380.5	Shell Point Channel Buoy 12	41-44-09.600N 070-39-55.800W				Red nun.	Maintained May 1 to Nov 1. Private Aid. 44/16
17380.6	Shell Point Channel Buoy 13	41-44-15.960N 070-39-55.080W				Green can.	Maintained May 1 to Nov 1. Private Aid. 44/16
17380.7	Shell Point Channel Buoy 14	41-44-12.720N 070-39-55.860W				Red nun.	Maintained May 1 to Nov 1. Private Aid. 44/16
17384	East River Channel Buoy 2	41-44-23.178N 070-39-20.940W				Red Nun.	Maintained May 1 to Nov 1. Private Aid. 44/16
17384.1	East River Channel Buoy 3	41-44-25.578N 070-39-18.570W				Green can.	Maintained May 1 to Nov 1. Private Aid. 44/16
17384.2	East River Channel Buoy 4	41-44-25.536N 070-39-17.784W				Red nun.	Maintained May 1 to Nov 1. Private Aid. 44/16
17384.3	East River Channel Buoy 5	41-44-28.872N 070-39-14.502W				Green can.	Maintained May 1 to Nov 1. Private Aid. 44/16
17384.4	East River Channel Buoy 6	41-44-29.634N 070-39-13.542W				Red nun.	Maintained May 1 to Nov 1. Private Aid. 44/16

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
17384.5	East River Channel Buoy 7	41-44-31.104N 070-39-13.518W				Green can.	Maintained May 1 to Nov 1. Private Aid.	44/16
39135	STONY POINT BREAKWATER LIGHT 4	44-58-25.900N 073-21-00.900W	Fl R 4s		19	TR on skeleton tower.	Higher intensity beam north and south.	44/16
2935	Horseshoe Ledge Daybeacon 2	44-19-22.260N 068-46-00.660W				TR on spindle.	Maintained from May 1 to Nov. 1. Private Aid.	43/16
2940	Horseshoe Cove Buoy 3	44-19-54.720N 068-46-07.500W				Green can.	Maintained from May 1 to Nov. 1. Private Aid.	43/16
	*	*					*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
2945	Horseshoe Cove Daybeacon 5	44-19-57.960N 068-46-07.920W				SG on spindle.	Maintained from May 1 to Nov. 1. Private Aid.	43/16	
		*							
2950	Cowpens Ledge Daybeacon 6	44-19-58.920N 068-46-06.420W				TR on spindle.	Maintained from May 1 to Nov. 1. Private Aid.	43/16	
		*							
4685	Hendrickson Point Buoy 3	44-04-02.834N 069-03-30.859W				Green can.		43/16	
		*							
16896	NEW BEDFORD EAST BARRIER LIGHT	41-37-28.900N 070-54-19.400W	Q R		33	5	On pile.	43/16	
		*							
16897	NEW BEDFORD WEST BARRIER LIGHT	41-37-27.200N 070-54-22.000W	Q G		48	8	On pile.	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 10s (1s bl).	43/16
		*							
17380.1	Shell Point Channel Buoy 4	41-44-15.780N 070-39-43.500W				Red nun.	Private Aid.	43/16	
		*							
*	*	*	*	*	*	*	*	*	
17380.2	Shell Point Channel Buoy 6	41-44-10.680N 070-39-45.000W				Red nun.	Private Aid.	43/16	
		*							
*	*	*	*	*	*	*	*	*	
17380.3	Shell Point Channel Buoy 8	41-44-07.440N 070-44-47.640W				Red nun.	Private Aid.	43/16	
		*							
*	*	*	*	*	*	*	*	*	
17380.4	Shell Point Channel Buoy 10	41-44-06.660N 070-39-51.120W				Red nun.	Private Aid.	43/16	
		*							
*	*	*	*	*	*	*	*	*	
17380.5	Shell Point Channel Buoy 12	41-44-09.600N 070-39-55.800W				Red nun.	Private Aid.	43/16	
		*							
*	*	*	*	*	*	*	*	*	
17380.6	Shell Point Channel Buoy 13	41-44-15.960N 070-39-55.080W				Green can.	Private Aid.	43/16	
		*							
*	*	*	*	*	*	*	*	*	
17380.7	Shell Point Channel Buoy 14	41-44-12.720N 070-39-55.860W				Red nun.	Private Aid.	43/16	
		*							
*	*	*	*	*	*	*	*	*	
17384	East River Channel Buoy 2	41-44-23.178N 070-39-20.940W				Red Nun.	Private Aid.	43/16	
		*							
*	*	*	*	*	*	*	*	*	
17384.1	East River Channel Buoy 3	41-44-25.578N 070-39-18.570W				Green can.	Private Aid.	43/16	
		*							
*	*	*	*	*	*	*	*	*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
17384.2	East River Channel Buoy 4	41-44-25.536N 070-39-17.784W				Red nun.	Private Aid.	43/16
*	*	*	*	*	*	*	*	*
17384.3	East River Channel Buoy 5	41-44-28.872N 070-39-14.502W				Green can.	Private Aid.	43/16
*	*	*	*	*	*	*	*	*
17384.4	East River Channel Buoy 6	41-44-29.634N 070-39-13.542W				Red nun.	Private Aid.	43/16
*	*	*	*	*	*	*	*	*
17384.5	East River Channel Buoy 7	41-44-31.104N 070-39-13.518W				Green can.	Private Aid.	43/16
*	*	*	*	*	*	*	*	*
21910	GRAVING DOCK 3 NORTH LIGHT	41-20-53.600N 072-05-03.100W	Q R				Private Aid.	43/16
*	*	*	*	*	*	*	*	*
28186	<i>Yennicott Oysters Aquaculture Lighted Buoy A</i>	41-02-10.914N 072-22-52.316W	Fl Y 5s			Yellow.	Private Aid.	43/16
*	*	*	*	*	*	*	*	*
28186.1	<i>Yennicott Oysters Aquaculture Lighted Buoy B</i>	41-02-10.791N 072-22-43.705W	Fl Y 5s			Yellow.	Private Aid.	43/16
*	*	*	*	*	*	*	*	*
28186.2	<i>Yennicott Oysters Aquaculture Lighted Buoy C</i>	41-02-04.272N 072-22-43.867W	Fl Y 5s			Yellow.	Private Aid.	43/16
*	*	*	*	*	*	*	*	*
28186.3	<i>Yennicott Oysters Aquaculture Lighted Buoy D</i>	41-02-04.394N 072-22-52.474W	Fl Y 5s			Yellow.	Private Aid.	43/16
*	*	*	*	*	*	*	*	*
29165	Fire Island Inlet Buoy 9	40-37-54.248N 073-18-01.879W				Green can.		43/16
		*						
37701	<i>Tappen Zee Construction Temporary Channel Lighted Buoy 1</i>	41-03-57.514N 073-52-56.018W	F G			Green.	Private Aid.	43/16
*	*	*	*	*	*	*	*	*
37702	<i>Tappen Zee Construction Temporary Channel Lighted Buoy 2</i>	41-03-57.514N 073-52-48.185W	F R			Red.	Private Aid.	43/16
*	*	*	*	*	*	*	*	*
37703	<i>Tappen Zee Construction Temporary Channel Lighted Buoy 3</i>	41-04-27.156N 073-52-55.740W	F G			Green.	Private Aid.	43/16
*	*	*	*	*	*	*	*	*
37704	<i>Tappen Zee Construction Temporary Channel Lighted Buoy 4</i>	41-04-27.157N 073-52-47.906W	F R			Red.	Private Aid.	43/16
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
33810	North Channel Buoy 26	40-38-57.600N 073-27-19.200W				Red nun.	Private Aid. 42/16
		*					
33860	North Channel Buoy 43	40-38-59.400N 073-25-45.600W				Green can.	Private Aid. 42/16
		*					
33867	North Channel Buoy 45	40-38-57.000N 073-25-32.400W				Green can.	Private Aid. 42/16
		*					
30905	<i>Jones Inlet Lighted Buoy 1</i>	40-34-15.957N 073-34-55.908W	Fl G 4s			3 Green.	41/16
		*					
30910	<i>Jones Inlet Lighted Buoy 2</i>	40-34-15.680N 073-34-51.266W	Fl R 4s			3 Red.	41/16
		*					

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
9420	Parker River Buoy 32	42-44-40.200N 070-49-09.600W				Red nun.	Private Aid. 40/16
		*					
9430	Parker River Buoy 35	42-45-07.200N 070-49-18.600W				Green can.	Private Aid. 40/16
		*					
9436	Parker River Buoy 37	42-45-17.400N 070-49-25.200W				Green can.	Private Aid. 40/16
		*					
9440	Parker River Buoy 38	42-45-21.600N 070-49-23.400W				Red nun.	Private Aid. 40/16
		*					
9450	Parker River Buoy 40	42-45-27.600N 070-49-30.000W				Red nun.	Private Aid. 40/16
		*					
9455	Parker River Buoy 42	42-45-30.000N 070-49-40.800W				Red nun.	Private Aid. 40/16
		*					
9465	Parker River Buoy 44	42-45-36.600N 070-49-48.600W				Red nun.	Private Aid. 40/16
		*					
9475	Parker River Buoy 46	42-45-38.400N 070-49-55.200W				Red nun.	Private Aid. 40/16
		*					
13305	<b>Chatham Inlet Bar Guide Light</b>	41-40-17.600N 069-57-00.200W	Fl Y 2.5s		62	11 NW on Pole worded DANGER ROUGH BAR. 30	Light flashing: bar condition two foot breaking seas or greater. Light extinguished: lesser sea consitions but with no guarantee that bar is safe. 40/16
						*	*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
17375	Sunset Cove Approach Buoy 1	41-44-19.500N 070-39-40.560W				Green can.	Maintained from June 1 to Oct. 1. Private Aid.	40/16
		*						
17380	Sunset Cove Approach Buoy 2	41-44-23.730N 070-39-36.960W				Red nun.	Maintained from June 1 to Oct. 1. Private Aid.	40/16
		*						
17795	<b>Castle Hill Light</b>	41-27-43.800N 071-21-46.500W	Iso R 6s	40	12	Conical granite tower, upper half white. 34	HORN: 1 blast ev 10s (1s bl). MRASS Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	40/16
							*	
24165	Fort Hale Channel Buoy 4	41-16-19.032N 072-54-22.214W				Red nun.		40/16
		*						
28708	<i>West Robins Oyster Aquaculture Lighted Buoy A</i>	40-58-10.429N 072-28-44.515W	Fl Y 2s			Yellow.	Private Aid.	40/16
*	*	*	*	*	*	*	*	*
28708.1	<i>West Robins Oyster Aquaculture Lighted Buoy B</i>	40-58-16.276N 072-28-36.742W	Fl Y 2s			Yellow.	Private Aid.	40/16
*	*	*	*	*	*	*	*	*
28708.2	<i>West Robins Oyster Aquaculture Lighted Buoy C</i>	40-58-05.755N 072-28-22.969W	Fl Y 2s			Yellow.	Private Aid.	40/16
*	*	*	*	*	*	*	*	*
28708.3	<i>West Robins Oyster Aquaculture Lighted Buoy D</i>	40-57-59.909N 072-28-30.741W	Fl Y 2s			Yellow.	Private Aid.	40/16
*	*	*	*	*	*	*	*	*
29250	FAIR HARBOR LIGHT 1	40-38-37.800N 073-11-06.000W	Fl G 4s		8	SG on pile.	Maintained from May. 1 to Nov. 25. Private Aid.	40/16
		*						
29255	DUNEWOOD LIGHT 2	40-38-39.600N 073-10-47.400W	Fl R 4s			On pile.	Maintained from May 1 to Nov. 15. Private Aid.	40/16
		*						
29915	<i>Barrett Beach Lighted Buoy 2</i>	40-40-43.800N 073-02-42.050W	Fl R 2s			Red.	Private Aid.	40/16
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
34335	OUTFALL GATE HOUSE LIGHT  On shoal northerly of Rockaway Point.	40-33-57.973N 073-55-50.851W	Fl Y 2.5s		24	Tower on gate house.	Private Aid.	40/16
24762	<i>Pine Creek Point</i> <i>Aquaculture Lighted Buoys</i> <i>(4)</i>	* 41-06-49.200N 073-15-14.000W	Fl Y 4s			Yellow.	Marks aquaculture farm. Maintained from Mar. 15 to Dec. 15. Private Aid.	39/16
31220	STATE BOAT CHANNEL LIGHT 29	40-37-15.620N 073-25-00.054W	* Fl G 4s		12	4 SG on pile.		39/16
34280	<i>Rutgers University Lighted Research Buoy JB2-RP</i>	*					Remove from list.	39/16
34737	<i>Rutgers University Lighted Research Buoy JB1-CP</i>						* Remove from list.	39/16
							*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
13139.5	Sesuit Harbor Danger Buoy	41-45-31.500N 070-10-03.100W				White with orange bands.	Private Aid.	38/16
*	*	*	*	*	*	*	*	
13141	<i>Sesuit Harbor Entrance Lighted Buoy 1A</i>						Remove from list.	38/16
							*	
13156	<i>Sesuit Harbor Lighted Buoy 2A</i>						Remove from list.	38/16
							*	
13157	<i>Sesuit Harbor Lighted Buoy 3A</i>						Remove from list.	38/16
							*	
13157.1	<i>Sesuit Harbor Lighted Buoy 3B</i>						Remove from list.	38/16
							*	
13157.2	<i>Sesuit Harbor Lighted Buoy 3C</i>						Remove from list.	38/16
							*	
13158	<i>Sesuit Harbor Lighted Buoy 4</i>	41-45-25.100N 070-09-17.400W	Fl R 2s			Red nun.	Private Aid.	38/16
		*						
13159	<i>Sesuit Harbor Lighted Buoy 5</i>	41-45-19.800N 070-09-12.600W	Fl G 2s			Green can.	Private Aid.	38/16
		*						
14291	Bass River Buoy 25A						Remove from list.	38/16
							*	
15774	Woods Hole Station Mooring Buoy A						Remove from list.	38/16
							*	
15774.2	Woods Hole Station Mooring Buoy C						Remove from list.	38/16
							*	
21930	<i>Thames River Intake Lighted Hazard Buoy A</i>	41-21-04.484N 072-05-04.477W	F W			White with orange bands.	Marks saltwater intake lines. Private Aid.	38/16
	*							
21931	<i>Thames River Intake Lighted Hazard Buoy B</i>	41-21-04.000N 072-05-03.700W	F W			White with orange bands.	Private Aid.	38/16
	*	*	*	*	*	*	*	
21932	<i>Thames River Intake Lighted Hazard Buoy C</i>	41-21-03.900N 072-05-03.100W	F W			White with orange bands.	Private Aid.	38/16
	*	*	*	*	*	*	*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
32720	Haunt's Creek Buoy R1	40-36-08.700N 073-31-34.800W				Green can.	Private Aid. 38/16
		*					
39170	<i>Great Chazy River Boat Channel Lighted Buoy 1</i>	44-55-38.220N 073-22-37.200W	Fl G 4s			Green.	Private Aid. 38/16
		*					
39175	<i>Great Chazy River Boat Channel Lighted Buoy 2</i>	44-55-39.120N 073-22-36.540W	Fl R 4s			Red.	Private Aid. 38/16
		*					
39180	Great Chazy River Boat Channel Buoy 3	44-55-41.760N 073-22-44.400W				Green can.	Private Aid. 38/16
		*					
39185	Great Chazy River Boat Channel Buoy 4	44-55-42.780N 073-22-42.900W				Red nun.	Private Aid. 38/16
		*					
39190	Great Chazy River Boat Channel Buoy 5	44-55-44.940N 073-22-48.900W				Green can.	Private Aid. 38/16
		*					
39195	Great Chazy River Boat Channel Buoy 6	44-55-45.900N 073-22-48.120W				Red nun.	Private Aid. 38/16
		*					
39200	Great Chazy River Boat Channel Buoy 7	44-55-47.820N 073-22-52.860W				Green can.	Private Aid. 38/16
		*					
39205	Great Chazy River Boat Channel Buoy 8	44-55-48.420N 073-22-52.320W				Red nun.	Private Aid. 38/16
		*					
39210	Great Chazy River Boat Channel Buoy 9	44-55-50.640N 073-22-57.000W				Green can.	Private Aid. 38/16
		*					
39215	Great Chazy River Boat Channel Buoy 10	44-55-51.120N 073-22-55.980W				Red nun.	Private Aid. 38/16
		*					

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
39220	Pelots Point North Railroad Daybeacon 1	44-50-27.060N 073-17-58.560W				SG on metal pile.	Private Aid.	38/16
		*						
39225	Pelots Point South Railroad Daybeacon 2	44-50-26.690N 073-17-59.680W				TR on metal pile.	Private Aid.	38/16
		*						
10790	<i>Nixes Mate Lighted Buoy 15</i>	42-20-02.525N 070-56-40.502W	Q G			4 Green.		37/16
	*							
13775	<b>West Chop Light</b>	41-28-50.865N 070-35-59.210W	Oc W 4s (R sector)	84	W 14 R 10	White conical tower. 45	Red from 281° to 331°, covers Squash Meadow and Norton Shoal. HORN: 1 blast ev 30s (3s bl).	37/16

\*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
14065	WYCHMERE HARBOR JETTY LIGHT 1	41-39-37.813N 070-03-47.851W	Fl G 4s		25	5	SG on spindle.	37/16	
							*		
18660	Seekonk River Channel Buoy 21						Remove from list.	37/16	
							*		
21210 24060	<b>Southwest Ledge Light</b>	41-14-03.700N 072-54-43.800W	Fl R 5s		57	14	White octagonal house on brown cylindrical pier. 45	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl).	37/16
							*		
21833	<i>UCONN Eastern Long Island Sound Research Lighted Buoy</i>						Remove from list.	37/16	
							*		
24060 21210	<b>Southwest Ledge Light</b>	41-14-03.700N 072-54-43.800W	Fl R 5s		57	14	White octagonal house on cylindrical pier. 45	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl).	37/16
							*		
35105	<i>Sandy Hook Channel Lighted Buoy 4</i>	40-27-49.867N 073-57-04.302W	Fl R 4s			3	Red.	37/16	
							*		
35125	<i>Sandy Hook Channel Lighted Buoy 7</i>	40-28-44.186N 073-58-51.398W	Q G			3	Green.	37/16	
							*		
36120	<i>Raritan Bay Channel Lighted Buoy 6</i>	40-29-03.830N 074-04-40.179W	Fl R 2.5s			3	Red.	37/16	
							*		
36145	<i>Raritan Bay Channel Lighted Buoy 14</i>	40-29-48.281N 074-08-00.554W	Fl R 2.5s			3	Red.	37/16	
							*		

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
14834	Waquoit Bay Buoy 1	41-33-07.380N 070-31-41.820W				Green can.	Private Aid. 36/16
		*					
14835	Waquoit Bay Buoy 2	41-33-07.140N 070-31-39.360W				Red nun.	Private Aid. 36/16
		*					
14845	Waquoit Bay Buoy 4	41-33-23.400N 070-31-33.540W				Red nun.	Private Aid. 36/16
		*					
14875	Seapit River Buoy 1	41-34-21.840N 070-31-47.100W				Green can.	Private Aid. 36/16
		*					
14880	Seapit River Buoy 2	41-34-20.640N 070-31-45.420W				Red nun.	Private Aid. 36/16
		*					
14885	Seapit River Buoy 3	41-34-23.940N 070-31-45.420W				Green can.	Private Aid. 36/16
		*					
14890	Seapit River Buoy 4	41-34-24.960N 070-31-46.260W				Red nun.	Private Aid. 36/16
		*					
14895	Seapit River Buoy 6	41-34-27.600N 070-31-40.740W				Red nun.	Private Aid. 36/16
		*					
14900	Seapit River Buoy 7	41-34-27.960N 070-31-39.960W				Green can.	Private Aid. 36/16
		*					
14905	Seapit River Buoy 8						Remove from list. 36/16
							*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14910	Seapit River Buoy 10						Remove from list.	36/16
							*	
14920	Eel Pond Buoy 2	41-33-02.580N 070-32-51.060W				Red nun.	Private Aid.	36/16
		*						
14955	Eel Pond Buoy 11	41-33-17.700N 070-32-36.600W				Green can.	Private Aid.	36/16
		*						
14965	Eel Pond Buoy 15	41-33-23.760N 070-32-31.560W				Green can.	Private Aid.	36/16
		*						
14966	Eel Pond Buoy 16	41-33-22.920N 070-32-30.780W				Red nun.	Private Aid.	36/16
		*						
15038	Green Pond Buoy 3A	41-32-59.460N 070-34-16.200W				Green can.	Private Aid.	36/16
		*						
15070	Great Pond Buoy 3	41-32-50.640N 070-34-54.660W				Green can.	Private Aid.	36/16
		*						
15075	Great Pond Buoy 4	41-32-51.180N 070-34-54.600W				Red nun.	Private Aid.	36/16
		*						
15095	Great Pond Buoy 8	41-32-55.860N 070-34-57.140W				Red nun.	Private Aid.	36/16
		*						
15100	Great Pond Buoy 9	41-32-56.040N 070-34-59.340W				Green can.	Private Aid.	36/16
		*						
16360	Quisset Harbor Buoy 8	41-32-32.880N 070-39-19.020W				Red nun.	Private Aid.	36/16
		*						
16400	West Falmouth Harbor Buoy 7	41-36-21.300N 070-39-01.380W				Green can.	Private Aid.	36/16
		*						
16410	West Falmouth Harbor Buoy 9	41-36-21.720N 070-38-53.100W				Green can.	Private Aid.	36/16
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
16420	West Falmouth Harbor Buoy 13	41-36-15.480N 070-38-35.520W				Green can.	Private Aid.	36/16
		*						
16425	West Falmouth Harbor Buoy 14	41-36-14.700N 070-38-36.120W				Red nun.	Private Aid.	36/16
		*						
16502	Megansett Harbor Channel Buoy 8A	41-39-30.180N 070-37-36.600W				Red nun.	Maintained from May 1 to Oct. 15. Private Aid.	36/16
		*						
16515	Megansett Harbor Buoy 11	41-39-28.920N 070-37-30.844W				Green can.	Maintained from May 15 to Oct. 15. Private Aid.	36/16
		*						
17916	Newport Naval Station Security Zone Buoy A						Remove from list.	36/16
							*	
17917	Newport Naval Station Security Zone Buoy B						Remove from list.	36/16
							*	
17918	Newport Naval Station Security Zone Buoy C						Remove from list.	36/16
							*	
17919	Newport Naval Station Security Zone Buoy D						Remove from list.	36/16
							*	
17921	Newport Naval Station Security Zone Buoy E						Remove from list.	36/16
							*	
17922	Newport Naval Station Security Zone Buoy F						Remove from list.	36/16
							*	
17923	Newport Naval Station Security Zone Buoy G						Remove from list.	36/16
							*	
17924	Newport Naval Station Security Zone Buoy H						Remove from list.	36/16
							*	
17926	Newport Naval Station Security Zone Buoy I						Remove from list.	36/16
							*	
17927	Newport Naval Station Security Zone Buoy J						Remove from list.	36/16
							*	
17928	Newport Naval Station Security Zone Buoy K						Remove from list.	36/16
							*	
17929	Newport Naval Station Security Zone Buoy L						Remove from list.	36/16
							*	
17931	Newport Naval Station Security Zone Buoy M						Remove from list.	36/16
							*	
17932	Newport Naval Station Security Zone Buoy N						Remove from list.	36/16
							*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
17933	Newport Naval Station Security Zone Buoy O						Remove from list. *
17934	Newport Naval Station Security Zone Buoy P						Remove from list. *
17936	Newport Naval Station Security Zone Buoy Q						Remove from list. *
17937	Newport Naval Station Security Zone Buoy R						Remove from list. *
17938	Newport Naval Station Security Zone Buoy S						Remove from list. *
17939	Newport Naval Station Security Zone Buoy T						Remove from list. *
17951	Newport Security Zone Buoy A						Remove from list. *
17952	Newport Security Zone Buoy B						Remove from list. *
18966	<i>URI Lighted Research Buoy CR</i>	41-42-06.682N 071-12-56.264W	Fl Y 4s			Yellow.	Property of URI. Maintained May 01 to Dec 01. Private Aid.
*	*	*	*		*	*	*
18967	<i>URI Lighted Research Buoy TR</i>	41-42-03.582N 071-11-14.298W	Fl Y 4s			Yellow.	Property of URI. Maintained May 01 to Dec 01. Private Aid.
*	*	*	*		*	*	*
20531.1	Mystic River Fairway Channel Buoy 2	41-19-32.400N 071-58-39.100W					Maintained from May 15 to Oct 1. Private Aid.
20531.3	Mystic River Fairway Channel Buoy 4	41-19-38.900N 071-58-45.000W					Maintained from May 15 to Oct 1. Private Aid.
33755	Massapequa Creek Daybeacon 8	40-38-59.800N 073-28-23.300W				TR on pile.	Private Aid.
		*					

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
525	<b>Chatham Light</b>	41-40-16.704N 069-57-00.554W	Fl (2)W 10s 0.1s fl 2s ec. 0.1s fl 7.8s ec.	80	24	White conical tower. 43	Lighted throughout 24 hours. Storm warning signals displayed by day.	35/16
11650	WINDMILL POINT LIGHT WP	42-18-10.981N 070-55-19.255W	Q W	20	6	NR on gray skeleton tower.	Horn: 1 Stroke ev 10s.	35/16
13285	PROVINCETOWN HARBOR BREAKWATER WEST END LIGHT 4	42-02-45.533N 070-10-52.025W	Fl R 2.5s	32	5	TR on skeleton tower.	*	35/16
13390	Round Cove Channel Buoy 1	41-43-02.700N 069-59-40.200W			*	Green can.	Private Aid.	35/16

\*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
13391	Round Cove Channel Buoy 2	41-43-03.900N 069-59-41.400W				Red nun.	Private Aid. 35/16
		*					
13392	Round Cove Channel Buoy 3	41-43-03.200N 069-59-43.200W				Green can.	Private Aid. 35/16
		*					
13393	Round Cove Channel Buoy 4	41-43-04.100N 069-59-43.400W				Red nun.	Private Aid. 35/16
		*					
13395	Round Cove Channel Buoy 7	41-43-10.400N 069-59-48.400W				Green can.	Private Aid. 35/16
		*					
13470	Pleasant Bay Buoy 21	41-42-53.000N 069-57-40.600W				Green can.	Private Aid. 35/16
		*					
13475	Pleasant Bay Buoy 22	41-43-00.100N 069-57-44.000W				Red nun.	Private Aid. 35/16
		*					
13475.1	Pleasant Bay Buoy 23	41-43-11.800N 069-57-49.200W				Green can.	Private Aid. 35/16
		*					
13475.2	Pleasant Bay Buoy 24	41-43-20.900N 069-57-51.900W				Red nun.	Private Aid. 35/16
		*					
13475.3	Pleasant Bay Buoy 25	41-43-26.900N 069-57-56.400W				Green can.	Private Aid. 35/16
		*					
13475.4	Pleasant Bay Buoy 26	41-43-28.900N 069-58-02.300W				Red nun.	Private Aid. 35/16
		*					
13475.5	Pleasant Bay Buoy 27	41-43-26.300N 069-58-09.700W				Green can.	Private Aid. 35/16
		*					
13475.7	Pleasant Bay Buoy 29	41-43-24.300N 069-58-23.400W				Green can.	Private Aid. 35/16
		*					
13475.92	Quanset Pond Buoy 4	41-44-14.800N 069-58-53.700W				Red nun.	Private Aid. 35/16
		*					

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14341	Bass River Buoy 38A						Remove from list.	35/16
							*	
14346.1	Bass River Buoy 39B						Remove from list.	35/16
							*	
14760.89	<i>Popponesett Bay Approach Lighted Buoy 10</i>	41-35-14.700N 070-27-14.200W	Fl R 2.5s			Red.	Private Aid.	35/16
							*	
15560	<b>Nobska Point Light</b>	41-30-56.816N 070-39-18.398W	Fl W 6s	87	W 13 R 11	White tower. 40	Obscured from 125° to 195°. Red from 263° to 289°, covers Hedge Fence and L` Hommedieu Shoal. Lighted throughout 24 hours. Floodlighted sunset to sunrise. HORN: 2 blasts ev 30s	35/16
							*	
15855	Hadley Harbor Entrance Daybeacon						Remove from list.	35/16
							*	
16250	HOG ISLAND CHANNEL LIGHT 28	41-44-12.109N 070-37-22.083W	Fl R 6s	15	4	TR on white skeleton tower.		35/16
							*	
28640	Wickham Creek Entrance Buoy 1	41-00-05.400N 072-27-52.200W				Green can.	Private Aid.	35/16
							*	
28645	Wickham Creek Entrance Buoy 2	41-00-08.220N 072-27-56.400W				Red nun.	Private Aid.	35/16
							*	
28650	Wickham Creek Entrance Buoy 3	41-00-07.200N 072-27-58.000W				Green spar.	Private Aid.	35/16
							*	
28655	<i>Wickham Creek Entrance Lighted Buoy 4</i>	41-00-09.420N 072-28-00.000W	Fl R 2s			Red spar.	Private Aid.	35/16
							*	
39490	ALLEN POINT RAILROAD SOUTH LIGHT 2	44-35-28.580N 073-18-44.940W	Q R			TR on spindle.	Maintained from May 15 to Nov. 15. Private Aid.	35/16
							*	
39495	ALLEN POINT RAILROAD NORTH LIGHT 1	44-35-30.280N 073-18-44.400W	Q G			SG on spindle.	Maintained Apr 15 to Nov 15. Private Aid.	35/16
							*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
16810	<i>New Bedford Channel Lighted Buoy 2</i>	41-31-45.969N 070-50-32.020W	Q R			4	Red.	34/16
						*		
17853.4	Newport Harbor North Channel Buoy 5	41-29-34.850N 071-19-34.408W					Green can. Private Aid.	34/16
		*						
17853.5	Newport Harbor North Channel Buoy 6	41-29-39.306N 071-19-36.872W					Red nun. Private Aid.	34/16
		*						
	<b>* Change Heading: Merrymeeting Bay</b>							33/16

**\* Merrymeeting Bay Buoy positions frequently shifted with changing conditions. Aids maintained May 25 to Oct. 1.**

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
	<b>* Change Heading: Merrymeeting Bay</b>							33/16
6226.1	Merrymeeting Bay Buoy 1	43-58-59.040N 069-51-13.560W				Green can.	Private Aid.	33/16
	<b>*</b>							
6226.2	Merrymeeting Bay Buoy 2	43-59-01.080N 069-51-01.380W				Red nun.	Private Aid.	33/16
	<b>*</b>							
6226.3	Merrymeeting Bay Buoy 3	43-58-51.000N 069-51-48.000W				Green can.	Private Aid.	33/16
	<b>*</b>							
6226.4	Merrymeeting Bay Buoy 4	43-58-52.680N 069-52-13.380W				Red nun.	Private Aid.	33/16
	<b>*</b>							
6226.5	Merrymeeting Bay Buoy 5	43-59-01.200N 069-52-30.600W				Green can.	Private Aid.	33/16
	<b>*</b>							
6226.6	Merrymeeting Bay Buoy 6	43-59-05.400N 069-52-33.720W				Red nun.	Private Aid.	33/16
	<b>*</b>							
6226.7	Merrymeeting Bay Buoy 7	43-59-04.740N 069-52-31.740W				Green nun.	Private Aid.	33/16
	<b>*</b>							
6226.8	Merrymeeting Bay Buoy 8	43-59-07.260N 069-52-59.520W				Red nun.	Private Aid.	33/16
	<b>*</b>							
12361	South River Buoy 3						Remove from list.	33/16
	<b>*</b>							
12364	South River Buoy 5						Remove from list.	33/16
	<b>*</b>							
12365	South River Buoy 6	42-09-20.900N 070-42-23.900W				Red nun.	Private Aid.	33/16
	<b>*</b>							
12369	South River Buoy 7	42-09-11.300N 070-42-08.900W				Green can.	Private Aid.	33/16
	<b>*</b>							
12370	South River Buoy 8	42-09-06.200N 070-42-02.000W				Red nun.	Private Aid.	33/16
	<b>*</b>							
12374	South River Buoy 9	42-09-05.000N 070-42-00.900W				Green can.	Private Aid.	33/16
	<b>*</b>							

## Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
12375	South River Buoy 10	42-08-54.400N 070-42-07.600W				Red nun.	Private Aid. 33/16
		*					
12405	North River Buoy 13	42-09-51.300N 070-43-20.300W				Green can.	Private Aid. 33/16
		*					
12418	North River Buoy 18	42-09-52.200N 070-43-42.000W				Red nun.	Private Aid. 33/16
		*					
12426	North River Buoy 22	42-09-45.400N 070-43-52.900W				Red nun.	Private Aid. 33/16
		*					
12450	Herring River Buoy 3	42-09-59.500N 070-43-26.800W				Green can.	Private Aid. 33/16
		*					
12460	Herring River Buoy 5	42-10-24.800N 070-44-04.200W				Green can.	Private Aid. 33/16
		*					
12465	Herring River Buoy 6	42-10-16.700N 070-43-56.000W				Red Nun.	Private Aid. 33/16
		*					
12475	Herring River Buoy 9	42-10-28.400N 070-44-07.800W				Green can.	Private Aid. 33/16
		*					
13860	STAGE HARBOR LIGHT	41-39-30.265N 069-59-04.095W	Fl W 6s		28 7	Modular tower.	33/16
		*					
14246	<i>Bass River Entrance Lighted Buoy 10A</i>				*		Remove from list. 33/16
							*
14726	Centerville River Buoy 3	41-37-38.500N 070-22-01.100W				Green can.	Private Aid. 33/16
		*					
14726.1	Centerville River Buoy 4	41-37-38.800N 070-22-00.500W				Red nun.	Private Aid. 33/16
		*					
14726.2	Centerville River Buoy 6	41-37-43.200N 070-21-53.200W				Red nun.	Private Aid. 33/16
		*					
14726.3	Centerville River Buoy 7	41-37-51.400N 070-21-48.200W				Green can.	Private Aid. 33/16
		*					

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
14726.5	Centerville River Buoy 10	41-37-54.100N 070-21-42.500W				Red nun.	Private Aid. 33/16
		*					
14726.6	Centerville River Buoy 11	41-37-58.000N 070-21-37.300W				Green can.	Private Aid. 33/16
		*					
14726.7	Centerville River Buoy 12	41-38-02.000N 070-21-29.300W				Red nun.	Private Aid. 33/16
		*					
14726.8	Centerville River Buoy 13	41-38-03.000N 070-21-26.100W				Green can.	Private Aid. 33/16
		*					
14726.9	Centerville River Buoy 14	41-38-01.697N 070-21-27.789W				Red nun.	Private Aid. 33/16
		*					
* 14727.1	* East Bay Buoy 1	* 41-37-16.100N 070-21-31.700W	*		*	* Green can.	* Private Aid. 33/16
		*					
14727.2	East Bay Buoy 2	41-37-16.300N 070-21-28.500W				Red nun.	Private Aid. 33/16
		*					
14727.3	East Bay Buoy 3	41-37-19.400N 070-21-37.600W				Green can.	Private Aid. 33/16
		*					
14727.4	East Bay Buoy 4	41-37-20.200N 070-21-36.300W				Red nun.	Private Aid. 33/16
		*					
14727.5	East Bay Buoy 6	41-37-30.200N 070-21-59.594W				Red nun.	Private Aid. 33/16
		*					
14727.6	East Bay Buoy 7						Remove from list. 33/16
							*
14727.7	East Bay Buoy 8						Remove from list. 33/16
							*
14741.13	West Bay Entrance Buoy 7	41-36-06.400N 070-24-06.100W				Green can.	Private Aid. 33/16
		*					
14741.19	West Bay Entrance Buoy 9	41-36-13.100N 070-24-05.800W				Green can.	Private Aid. 33/16
		*					

## Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
14741.2	West Bay Entrance Buoy 10	41-36-13.400N 070-24-03.300W				Red nun.	Private Aid. 33/16
		*					
14741.23	West Bay Inside Buoy 1	41-36-38.900N 070-24-03.000W				Green can.	Private Aid. 33/16
		*					
14741.28	West Bay Inside Buoy 2	41-36-38.900N 070-24-01.000W				Red nun.	Private Aid. 33/16
		*					
14741.29	West Bay Inside Buoy 3	41-36-46.900N 070-24-01.900W				Green can.	Private Aid. 33/16
		*					
14741.3	West Bay Inside Buoy 4	41-36-46.700N 070-24-00.700W				Red nun.	Private Aid. 33/16
		*					
14741.33	West Bay Inside Buoy 5	41-36-52.100N 070-24-02.000W				Green can.	Private Aid. 33/16
		*					
14741.36	West Bay Inside Buoy 6	41-36-51.800N 070-24-01.200W				Red nun.	Private Aid. 33/16
		*					
14741.39	West Bay Inside Buoy 7	41-36-55.200N 070-24-02.300W				Green can.	Private Aid. 33/16
		*					
14741.4	West Bay Inside Buoy 8	41-36-55.400N 070-24-01.500W				Red nun.	Private Aid. 33/16
		*					
14741.43	West Bay Inside Buoy 9	41-37-01.500N 070-24-03.700W				Green can.	Private Aid. 33/16
		*					
14741.46	West Bay Inside Buoy 10	41-37-01.700N 070-24-02.147W				Red nun.	Private Aid. 33/16
		*					
14741.49	West Bay Inside Buoy 11	41-37-05.300N 070-24-02.400W				Green can.	Private Aid. 33/16
		*					
14741.5	West Bay Inside Buoy 12	41-37-04.600N 070-24-01.600W				Red nun.	Private Aid. 33/16
		*					

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
14741.53	West Bay Inside Buoy 13	41-37-07.500N 070-24-00.100W				Green can.	Private Aid. 33/16
		*					
14741.56	West Bay Inside Buoy 14	41-37-09.500N 070-23-57.000W				Red nun.	Private Aid. 33/16
		*					
14741.59	West Bay Inside Buoy 15	41-37-09.700N 070-23-57.200W				Green can.	Private Aid. 33/16
		*					
14741.6	West Bay Inside Buoy 16	41-37-08.500N 070-23-56.500W				Red nun.	Private Aid. 33/16
		*					
14741.63	West Bay Inside Buoy 17	41-37-09.700N 070-23-51.900W				Green can.	Private Aid. 33/16
		*					
14741.66	West Bay Inside Buoy 18	41-37-09.100N 070-23-51.700W				Red nun.	Private Aid. 33/16
		*					
14741.69	West Bay Inside Buoy 19	41-37-10.000N 070-23-44.400W				Green can.	Private Aid. 33/16
		*					
14741.7	West Bay Inside Buoy 20	41-37-09.500N 070-23-43.000W				Red nun.	Private Aid. 33/16
		*					
14741.73	West Bay Inside Buoy 21	41-37-13.100N 070-23-45.100W				Green can.	Private Aid. 33/16
		*					
14742	North Bay Channel Buoy 21	41-37-48.700N 070-24-03.000W				Green can.	Private Aid. 33/16
		*					
14742.1	North Bay Channel Buoy 22	41-37-48.100N 070-24-03.500W				Red nun.	Private Aid. 33/16
		*					
14742.3	North Bay Channel Buoy 23	41-37-41.100N 070-23-49.300W				Green can.	Private Aid. 33/16
		*					
14742.5	North Bay Channel Buoy 25	41-37-35.700N 070-23-42.900W				Green can.	Private Aid. 33/16
		*					

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
14742.7	North Bay Channel Buoy 26	41-37-37.500N 070-23-45.600W				Red nun.	Private Aid. 33/16
		*					
14743.1	Marstons Mills River Buoy 1	41-38-08.400N 070-24-24.500W				Green can.	Private Aid. 33/16
		*					
14743.2	Marstons Mills River Buoy 2	41-38-08.300N 070-24-23.700W				Red nun.	Private Aid. 33/16
		*					
14743.3	Marstons Mills River Buoy 4	41-38-14.300N 070-24-22.500W				Red nun.	Private Aid. 33/16
		*					
14743.7	Marstons Mills River Buoy 11	41-38-24.500N 070-24-18.600W				Green can.	Private Aid. 33/16
		*					
14756	Cotuit Harbor Junction Buoy CS	41-36-43.200N 070-25-41.500W				Red and green bands; nun.	Maintained from Jun. 1 to Dec. 1. Private Aid. 33/16
		*					
14756.2	Seapuit River Buoy 1	41-36-44.200N 070-25-42.200W				Green can.	Private Aid. 33/16
		*					
14756.4	Seapuit River Buoy 2	41-36-42.700N 070-25-34.500W				Red nun.	Private Aid. 33/16
		*					
14756.6	Seapuit River Buoy 3	41-36-43.700N 070-25-34.400W				Green can.	Private Aid. 33/16
		*					
14757.4	Seapuit River Buoy 9	41-36-32.100N 070-25-04.400W				Green can.	Private Aid. 33/16
		*					
14758	Seapuit River Buoy 13	41-36-33.000N 070-24-37.900W				Green can.	Private Aid. 33/16
		*					
14759	Seapuit River Buoy 18	41-36-30.300N 070-24-26.600W				Red nun.	Private Aid. 33/16
		*					
14759.2	Seapuit River Buoy 19	41-36-31.100N 070-24-26.900W				Green can.	Private Aid. 33/16
		*					

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
14759.8	Seapuit River Buoy 24	41-36-28.100N 070-24-05.200W				Red nun.	Private Aid. 33/16
		*					
14760.1	Cotuit Entrance Channel Buoy 1	41-35-54.200N 070-25-51.800W				Green can.	Private Aid. 33/16
		*					
14760.13	Cotuit Entrance Channel Buoy 2	41-35-54.700N 070-25-50.700W				Red nun.	Private Aid. 33/16
		*					
14760.16	Cotuit Entrance Channel Buoy 3	41-36-01.100N 070-25-56.200W				Green can.	Private Aid. 33/16
		*					
14760.19	Cotuit Entrance Channel Buoy 4	41-36-01.500N 070-25-55.600W				Red nun.	Private Aid. 33/16
		*					
14760.2	Cotuit Entrance Channel Buoy 5	41-36-08.100N 070-26-01.200W				Green can.	Private Aid. 33/16
		*					
14760.23	Cotuit Entrance Channel Buoy 6	41-36-08.300N 070-26-00.000W				Red nun.	Private Aid. 33/16
		*					
14760.26	Cotuit Entrance Channel Buoy 7	41-36-19.100N 070-26-04.700W				Green can.	Private Aid. 33/16
		*					
14760.29	Cotuit Entrance Channel Buoy 8	41-36-19.700N 070-26-03.500W				Red nun.	Private Aid. 33/16
		*					
14760.3	Cotuit Entrance Channel Buoy 9	41-36-25.600N 070-26-06.300W				Green can.	Private Aid. 33/16
		*					
14760.33	Cotuit Entrance Channel Buoy 10	41-36-25.900N 070-26-04.900W				Red nun.	Private Aid. 33/16
		*					
14760.36	Cotuit Harbor Buoy 1	41-36-33.100N 070-25-56.900W				Green can.	Private Aid. 33/16
		*					

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
14760.39	Cotuit Harbor Buoy 2	41-36-32.200N 070-25-59.900W				Red nun.	Private Aid. 33/16
		*					
14760.4	Cotuit Harbor Buoy 3	41-36-32.600N 070-25-46.900W				Green can.	Private Aid. 33/16
		*					
14760.43	Cotuit Harbor Buoy 4	41-36-32.800N 070-25-42.400W				Red nun.	Private Aid. 33/16
		*					
14760.46	Cotuit Harbor Buoy 5	41-36-34.100N 070-25-44.100W				Green can.	Private Aid. 33/16
		*					
14760.49	Cotuit Harbor Buoy 7	41-36-37.500N 070-25-42.800W				Green can.	Private Aid. 33/16
		*					
14760.5	Cotuit Harbor Buoy 8	41-36-58.600N 070-25-39.800W				Red nun.	Private Aid. 33/16
		*					
14760.53	Cotuit Harbor Buoy 10	41-37-22.600N 070-25-17.600W				Red nun.	Private Aid. 33/16
		*					
14760.56	Cotuit Harbor Buoy 11	41-37-30.900N 070-25-03.800W				Green can.	Private Aid. 33/16
		*					
14760.76	Cotuit Harbor Buoy 19	41-37-51.300N 070-24-27.200W				Green can.	Private Aid. 33/16
		*					
14760.79	Cotuit Harbor Buoy 20	41-37-50.600N 070-24-26.800W				Red nun.	Private Aid. 33/16
		*					
15725	JUNIPER POINT LIGHT 6A	41-31-02.592N 070-40-05.607W	Q R		12 4	TR on spindle.	33/16
		*					
15966	Menemsha Creek Daybeacon 4A						Remove from list. 33/16
							*
28575	MASTAGLIO FISH TRAP LIGHT						Remove from list. 33/16
							*
39482	Lake Champlain Research Institute Data Lighted Buoy A	44-36-09.000N 073-23-37.000W	Fl Y 4s			Yellow.	Maintained from Apr 15 to Dec 15. Private Aid. 33/16
		*					

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
15495	Lagoon Pond Daybeacon 2	41-27-34.300N 070-35-25.460W				On pile.	Private Aid.	32/16
		*						
15510	Lagoon Pond Daybeacon 8	41-26-35.520N 070-35-43.260W				Red.	Private Aid.	32/16
		*						
15515	Lagoon Pond Buoy 9						Remove from list.	32/16
							*	
15520	Robbins Rock Daybeacon D						Remove from list.	32/16
							*	
15521.3	Maciel Marine Channel Buoy 3	41-27-15.900N 070-35-16.900W				Green can.	Private Aid.	32/16
		*						
15521.4	Maciel Marine Channel Buoy 3A						Remove from list.	32/16
							*	
15521.6	Maciel Marine Channel Buoy 4A						Remove from list.	32/16
							*	
15521.7	Maciel Marine Channel Buoy 5	41-27-13.500N 070-35-29.100W				Green can.	Private Aid.	32/16
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
15521.8	Maciel Marine Channel Buoy 6	41-27-14.000N 070-35-28.800W				Red nun.	Private Aid.	32/16
		*						
15521.9	Maciel Marine Channel Buoy 7	41-27-10.300N 070-35-33.100W				Green can.	Private Aid.	32/16
		*						
15522	Maciel Marine Channel Buoy 8	41-27-10.800N 070-35-33.200W				Red nun.	Private Aid.	32/16
		*						
15522.2	Maciel Marine Channel Buoy 9A						Remove from list.	32/16
							*	
15522.4	Maciel Marine Channel Buoy 10A						Remove from list.	32/16
							*	
15522.5	Maciel Marine Channel Buoy 11	41-27-03.700N 070-35-51.400W				Green can.	Private Aid.	32/16
		*						
15522.6	Maciel Marine Channel Buoy 12	41-27-03.800N 070-35-51.600W				Red nun.	Private Aid.	32/16
		*						
15530	Lake Tashmoo Buoy 1	41-27-55.313N 070-37-48.305W				Green can.	Private Aid.	32/16
		*						
15540	Lake Tashmoo Buoy 3	41-27-52.235N 070-37-42.851W				Green can.	Private Aid.	32/16
		*						
15545	Lake Tashmoo Buoy 4						Remove from list.	32/16
							*	
17280	Wareham River Buoy 22	41-44-57.824N 070-42-15.253W				Red nun.	Removed when endangered by ice.	32/16
							*	
17285	Wareham River Buoy 24						Remove from list.	32/16
							*	
26532	<i>Huntington Inlet Lighted No Wake Buoy A</i>	40-54-41.160N 073-25-48.960W	Fl W 4s			White with orange bands.	Maintained Apr. 15 to Nov. 15. Private Aid.	32/16
*	*	*	*		*	*	*	
26532.1	<i>Huntington Inlet Lighted No Wake Buoy B</i>	40-54-38.220N 073-25-44.640W	Fl W 4s			White with orange bands.	Maintained Apr. 15 to Nov. 15. Private Aid.	32/16
*	*	*	*		*	*	*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
26682	<i>Northport Bay Channel Lighted No Wake Buoy B</i>	40-54-46.620N 073-24-18.300W	Fl W 4s			White with orange bands.	Maintained from Apr. 15 to Oct. 15. Private Aid.	32/16
*	*	*	*	*	*	*	*	
26692	<i>Sand City Lighted No Wake Buoy H</i>	40-54-53.889N 073-24-00.660W	Fl W 4s			White with orange bands.	Maintained from Apr. 15 to Oct 15. Private Aid.	32/16
*	*	*	*	*	*	*	*	
26729	<i>Northport Harbor Lighted No Wake Buoy A</i>	40-54-43.800N 073-21-56.280W	Fl W 4s			White with orange bands.	Maintained from Apr. 15 to Nov. 15. Private Aid.	32/16
*	*	*	*	*	*	*	*	
26842	<i>Centerport Harbor Lighted No Wake Buoy A</i>	40-54-21.480N 073-22-58.620W	Fl W 4s			White with orange bands.	Maintained Apr. 15 to Nov. 15. Private Aid.	32/16
*	*	*	*	*	*	*	*	
28501.2	SEMLEAR AQUACULTURE JESSUPS LIGHT	41-00-41.880N 072-22-35.040W	Fl Y 2s			On pile.	Maintained from 01 Apr to 30 Sep. Private Aid.	32/16
*	*	*	*	*	*	*	*	
28501.3	SEMLEAR AQUACULTURE SOUTH LIGHT	41-00-14.520N 072-22-24.120W	Fl Y 2s			On pile.	Maintained from 01 Apr to 30 Sep. Private Aid.	32/16
*	*	*	*	*	*	*	*	
29570	East-West Channel Buoy 21	40-39-08.280N 073-24-12.900W				Green can.	Private Aid.	32/16
*	*	*	*	*	*	*	*	
29580	East-West Channel Buoy 22	40-39-02.040N 073-25-06.000W				Red nun.	Private Aid.	32/16
*	*	*	*	*	*	*	*	
29585	East-West Channel Buoy 23	40-38-59.160N 073-25-05.640W				Green can.	Private Aid.	32/16
*	*	*	*	*	*	*	*	
29820	<i>Sailors Haven Channel Lighted Buoy 1</i>	40-39-43.800N 073-06-23.710W	Fl G 2s			Green.	Private Aid.	32/16
*	*	*	*	*	*	*	*	
29825	<i>Sailors Haven Channel Lighted Buoy 2</i>	40-39-47.600N 073-06-28.310W	Fl R 2s			Red.	Private Aid.	32/16
*	*	*	*	*	*	*	*	
29830	<i>Sailors Haven Channel Lighted Buoy 3</i>	40-39-35.600N 073-06-19.920W	Fl G 2s			Green.	Private Aid.	32/16
*	*	*	*	*	*	*	*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
29835	<i>Sailors Haven Channel Lighted Buoy 4</i>	40-39-35.420N 073-06-21.170W	Fl R 2s			Red.	Private Aid.	32/16
29840	<i>Sailors Haven Channel Lighted Buoy 5</i>	* 40-39-29.510N 073-06-17.200W	Fl G 2s			Green.	Private Aid.	32/16
29845	<i>Sailors Haven Channel Lighted Buoy 6</i>	* 40-39-29.480N 073-06-18.300W	Fl R 2s			Red.	Private Aid.	32/16
39965	Whitehall Narrows Channel Buoy 2	* 43-43-18.822N 073-22-16.364W				Red nun.		32/16
374.1	Northeast Gateway Support Vessel Mooring Buoy	* 42-24-01.800N 070-38-42.600W					Private Aid.	31/16
12900	Kingston Channel Buoy 44	* 42-00-08.400N 070-42-33.000W				Red nun.	Private Aid.	31/16
13139	Salten Point Buoy 6	* 41-42-42.400N 070-18-41.500W				Red nun.	Private Aid.	31/16
14450	BASS RIVER WEST JETTY LIGHT 11	* 41-38-38.202N 070-11-50.959W	Fl G 6s			6	SG on skeleton tower. Maintained year round.	31/16
15532	Lake Tashmoo Buoy 2	41-28-04.403N 070-37-59.642W			*	Red nun.	Private Aid.	31/16
*	*	*	*		*	*	*	*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
15535	Lake Tashmoo Buoy 2A	41-27-54.511N 070-37-49.130W				Red nun.	Private Aid. 31/16
	*	*					
15955	MENEMSHA CREEK ENTRANCE JETTY LIGHT 3	41-21-16.164N 070-46-06.942W	Fl G 4s		25 5	SG on spindle.	31/16
						*	
29990	<i>Watch Hill Channel Lighted Buoy 1</i>	40-42-11.700N 073-00-35.800W	Fl G 4s			Green.	Private Aid. 31/16
		*					
29995	<i>Watch Hill Channel Lighted Buoy 2</i>	40-42-09.710N 073-00-35.120W	Fl R 4s			Red.	Private Aid. 31/16
		*					
30000	<i>Watch Hill Channel Lighted Buoy 3</i>	40-42-04.930N 073-00-17.010W	Fl G 4s			Green.	Private Aid. 31/16
		*					
30005	<i>Watch Hill Channel Lighted Buoy 4</i>	40-42-03.820N 073-00-17.550W	Fl R 4s			Red.	Private Aid. 31/16
		*					
30010	<i>Watch Hill Channel Lighted Buoy 5</i>	40-41-56.120N 072-59-53.200W	Fl G 2s			Green.	Private Aid. 31/16
		*					
30015	<i>Watch Hill Channel Lighted Buoy 6</i>	40-41-55.000N 072-59-53.210W	Fl R 4s			Red.	Private Aid. 31/16
		*					
30020	<i>Watch Hill Channel Lighted Buoy 7</i>	40-41-48.500N 072-59-32.820W	Fl G 4s			Green.	Private Aid. 31/16
		*					
30025	<i>Watch Hill Channel Lighted Buoy 8</i>	40-41-47.720N 072-59-33.710W	Fl R 4s			Red.	Private Aid. 31/16
		*					
30030	<i>Watch Hill Channel Lighted Buoy 9</i>	40-41-43.500N 072-59-22.910W	Fl G 4s			Green.	Private Aid. 31/16
		*					
30035	<i>Watch Hill Channel Lighted Buoy 10</i>	40-41-43.610N 072-59-23.320W	Fl R 2s			Red.	Private Aid. 31/16
		*					

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
30050	WATCH HILL CHANNEL RANGE FRONT LIGHT	40-41-43.680N 072-59-19.140W	F W			KWB on pile.	Private Aid.	31/16
		*						
30055	WATCH HILL CHANNEL RANGE REAR LIGHT	40-41-41.580N 072-59-13.980W	F W			KWB on pile.	Private Aid.	31/16
		*						
30128.6	Bellport Beach Channel Buoy 16	40-43-09.180N 072-55-36.180W				Red nun.	Private Aid.	31/16
*	*	*	*	*	*	*	*	*
30128.8	Bellport Beach Channel Buoy 18	40-43-04.260N 072-55-35.520W				Red nun.	Private Aid.	31/16
*	*	*	*	*	*	*	*	*
38534	<i>Upper Hudson River Research Lighted Buoy B</i>						Remove from list.	31/16
							*	
39835	Basin Harbor Reef Buoy 53 At west side of 9 oot rock.	44-11-38.970N 073-22-21.829W				Green can.		31/16
		*						
297	<i>NEMAC/Salem State University Aquaculture Lighted Buoy A</i>	42-40-59.998N 070-27-00.000W	Fl Y 2s			Yellow.	Property of Salem State University. Private Aid.	30/16
*	*	*	*	*	*	*	*	*
11260	Dorchester Bay Basin Channel Buoy 1	42-18-15.000N 071-02-59.200W				Green can.	Private Aid.	30/16
						*		
11265	Dorchester Bay Basin Channel Buoy 2	42-18-16.300N 071-02-58.100W				Red nun.	Private Aid.	30/16
		*				*		
11275	Dorchester Bay Basin Channel Buoy 4	42-18-17.300N 071-03-01.900W				Red nun.	Private Aid.	30/16
		*				*		
11280	Dorchester Bay Basin Channel Buoy 5	42-18-17.400N 071-03-05.200W				Green can.	Private Aid.	30/16
						*		

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
11285	Dorchester Bay Basin Channel Buoy 6	42-18-18.700N 071-03-05.600W				Red nun.	Private Aid. 30/16
*	*	*	*	*	*	*	*
13135	<i>Maraspin Creek Lighted Buoy 1</i>	41-42-44.500N 070-17-59.500W	Fl G 4s			Green	Maintained from Jun 1 to Nov 1. Private Aid. 30/16
13135.1	Maraspin Creek Daybeacon 2	41-42-40.500N 070-18-03.700W				TR	Maintained from Jun 1 to Nov 1. Private Aid. 30/16
13135.2	Maraspin Creek Daybeacon 3	41-42-40.600N 070-18-02.300W				SG	Maintained from Jun 1 to Nov 1. Private Aid. 30/16
13135.3	Maraspin Creek Daybeacon 4	41-42-38.900N 070-18-04.300W				TR	Maintained from Jun 1 to Nov 1. Private Aid. 30/16
13135.4	Maraspin Creek Daybeacon 5	41-42-38.400N 070-18-03.600W				SG	Maintained from Jun 1 to Nov 1. Private Aid. 30/16
13135.5	Maraspin Creek Daybeacon 6	41-42-35.900N 070-18-05.900W				TR	Maintained from Jun 1 to Nov 1. Private Aid. 30/16
13135.6	Maraspin Creek Daybeacon 7	41-42-35.200N 070-18-05.200W				SG	Maintained from Jun 1 to Nov 1. Private Aid. 30/16
13135.7	Maraspin Creek Daybeacon 8	41-42-31.900N 070-18-04.700W				TR	Maintained from Jun 1 to Nov 1. Private Aid. 30/16
13135.8	Maraspin Creek Daybeacon 9	41-42-32.600N 070-18-04.200W				SG	Maintained from Jun 1 to Nov 1. Private Aid. 30/16
13136	Salten Point Buoy 1	41-42-45.400N 070-18-12.000W				Green can.	Private Aid. 30/16
13137	Salten Point Buoy 2	41-42-45.300N 070-18-17.700W				Red nun.	Private Aid. 30/16

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
13137.5	Salten Point Buoy 4	41-42-44.500N 070-18-29.030W				Red nun.	Private Aid.	30/16
		*						
13138	Salten Point Buoy 5	41-42-42.500N 070-18-33.800W				Green can.	Private Aid.	30/16
		*						
13139	Salten Point Buoy 6	41-42-42.400N 070-19-41.500W				Red nun.	Private Aid.	30/16
		*						
14761.55	Popponesett Spit Channel Buoy S5A	41-35-00.600N 070-27-20.200W				Green can.	Private Aid.	30/16
*	*	*	*	*	*	*	*	*
15975	Menemsha Creek Daybeacon 6	41-20-20.860N 070-46-12.990W				TR on pile.	Private Aid.	30/16
		*						
26045	Hutchinson River Buoy 3	40-52-00.060N 073-49-11.332W				Green can.	Removed when endangered by ice.	30/16
		*					*	
28075	Dering Harbor Buoy 1	41-05-23.340N 072-21-01.620W				Green can.	Private Aid.	30/16
		*						
28080	Dering Harbor Buoy 2	41-05-23.280N 072-21-05.400W				Red nun.	Private Aid.	30/16
		*						
28085	Dering Harbor Buoy 3	41-05-17.220N 072-21-03.000W				Green can.	Private Aid.	30/16
		*						
28090	Dering Harbor Buoy 4	41-05-17.880N 072-21-05.520W				Red nun.	Private Aid.	30/16
		*						
28095	Dering Harbor Buoy 6	41-05-09.540N 072-21-05.880W				Red nun.	Private Aid.	30/16
		*						
28100	Dering Harbor Buoy 7	41-05-06.540N 072-21-05.100W				Green can.	Private Aid.	30/16
		*						
28451.1	BENNETT AQUACULTURE LIGHT F	41-01-34.400N 072-19-55.700W	Fl Y 2s			On pile.	Maintained from 01 Apr to 15 Dec. Private Aid.	30/16
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
30090	Bellport Beach Channel Buoy 1	40-43-56.880N 072-55-43.560W				Green can.	Private Aid. 30/16
		*					
30095	Bellport Beach Channel Buoy 2	40-43-56.760N 072-55-45.900W				Red nun.	Private Aid. 30/16
		*					
30100	Bellport Beach Channel Buoy 3	40-43-49.260N 072-55-42.300W				Green can.	Private Aid. 30/16
		*					
30105	Bellport Beach Channel Buoy 4	40-43-48.660N 072-55-44.460W				Red nun.	Private Aid. 30/16
		*					
30110	Bellport Beach Channel Buoy 5	40-43-43.740N 072-55-41.340W				Green can.	Private Aid. 30/16
		*					
30115	Bellport Beach Channel Buoy 6	40-43-37.800N 072-55-41.220W				Red nun.	Private Aid. 30/16
		*					
30120	Bellport Beach Channel Buoy 7	40-43-32.700N 072-55-39.360W				Green can.	Private Aid. 30/16
		*					
30125	Bellport Beach Channel Buoy 8	40-43-25.500N 072-55-39.540W				Red nun.	Private Aid. 30/16
		*					
30126	Bellport Beach Channel Buoy 9	40-43-25.860N 072-55-37.860W				Green can.	Private Aid. 30/16
		*					
30126.5	Bellport Beach Channel Buoy 11	40-43-21.240N 072-55-37.260W				Green can.	Private Aid. 30/16
		*					
30127	Bellport Beach Channel Buoy 10	40-43-21.360N 072-55-38.400W				Red nun.	Private Aid. 30/16
		*					
	*	*					

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
30127.5	Bellport Beach Channel Buoy 13	40-43-15.660N 072-55-35.800W				Green can.	Private Aid. 30/16
		*					
30128	Bellport Beach Channel Buoy 14	40-43-13.860N 072-55-37.140W				Red nun.	Private Aid. 30/16
		*					
30128.5	Bellport Beach Channel Buoy 17	40-43-05.460N 072-55-34.380W				Green can.	Private Aid. 30/16
		*					
7700.1	* South Portland Boat Ramp Buoy 1	* 43-39-20.820N 070-14-14.040W				Green can.	Private Aid. 29/16
*	*	*	*	*	*	*	*
7700.2	* South Portland Boat Ramp Buoy 3	* 43-39-19.680N 070-14-13.500W				Green can.	Private Aid. 29/16
*	*	*	*	*	*	*	*
7700.3	* South Portland Boat Ramp Buoy 5	* 43-39-18.120N 070-14-12.780W				Green can.	Private Aid. 29/16
*	*	*	*	*	*	*	*
7700.4	* South Portland Boat Ramp Buoy 6	* 43-39-17.460N 070-14-13.620W				Red nun.	Private Aid. 29/16
*	*	*	*	*	*	*	*
7700.5	* South Portland Boat Ramp Buoy 8	* 43-39-17.220N 070-14-13.200W				Red nun.	Private Aid. 29/16
*	*	*	*	*	*	*	*
13520.5	* Town Cove Buoy 2	* 41-48-44.900N 069-57-13.200W				Red nun.	Private Aid. 29/16
		*					
13521.5	* Town Cove Buoy 4	* 41-48-54.800N 069-57-26.900W				Red nun.	Private Aid. 29/16
		*					

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
13522.5	Town Cove Buoy 6	41-48-48.500N 069-57-48.000W				Red can.	Private Aid. 29/16
		*					
13523.5	Town Cove Buoy 8	41-48-27.500N 069-57-57.800W				Red nun.	Private Aid. 29/16
		*					
13524.5	Town Cove Buoy 10	41-48-19.600N 069-58-03.400W				Red nun.	Private Aid. 29/16
		*					
13524.51	Town Cove Buoy 10A	41-48-21.100N 069-58-12.700W				Red nun.	Private Aid. 29/16
		*					
13525.5	Town Cove Buoy 12	41-48-12.200N 069-58-25.700W				Red nun.	Private Aid. 29/16
		*					
13526.5	Town Cove Buoy 14	41-48-03.000N 069-58-31.000W				Red nun.	Private Aid. 29/16
		*					
13527.5	Town Cove Buoy 16	41-47-52.500N 069-58-37.800W				Red nun.	Private Aid. 29/16
		*					
17026.1	<i>Brant Island Cove Channel Lighted Buoy 1</i>	41-36-39.780N 070-48-10.020W	Fl G 2s			Green.	Private Aid. 29/16
	*	*	*			*	
17026.2	<i>Brant Island Cove Channel Lighted Buoy 2</i>	41-36-42.060N 070-48-07.620W	Fl R 2s			Red.	Private Aid. 29/16
	*	*	*			*	
17026.3	<i>Brant Island Cove Channel Lighted Buoy 3</i>	41-37-00.300N 070-48-32.040W	Fl G 2s			Green.	Private Aid. 29/16
	*	*	*			*	
17026.4	<i>Brant Island Cove Channel Lighted Buoy 4</i>	41-37-03.000N 070-48-27.780W	Fl R 2s			Red.	Private Aid. 29/16
	*	*	*			*	
17026.5	Brant Island Cove Channel Buoy 5	41-37-09.480N 070-48-39.540W				Green can.	Private Aid. 29/16
*	*	*	*	*	*	*	*
17026.6	Brant Island Cove Channel Buoy 6	41-37-11.580N 070-48-35.580W				Red nun.	Private Aid. 29/16
*	*	*	*	*	*	*	*
17026.7	Brant Island Cove Channel Buoy 7	41-37-32.220N 070-48-54.360W				Green can.	Private Aid. 29/16
*	*	*	*	*	*	*	*
17026.8	Brant Island Cove Channel Buoy 8	41-37-34.080N 070-48-53.220W				Red nun.	Private Aid. 29/16
*	*	*	*	*	*	*	*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
21190	<i>Townsend Ledge Lighted Buoy 10A</i>  Off south edge of ledge.	41-12-30.720N 072-51-47.161W	Fl R 4s			4 Red.	29/16
2293	<i>WHOI Research Lighted Buoy DMON MDR</i>	43-58-44.640N 068-05-07.284W	Fl Y 4s			Yellow.	Maintained by WHOI. Private Aid.
4105	<b>Owls Head Light</b>	* 44-05-32.058N 069-02-38.490W	F W		100	16 White tower. 26	Obscured from 324° to 354° by Monroe Island. Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 2 blast ev 20s (2s bl-2s si-2s bl-14s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.

\*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4130	<b>Rockland Harbor Breakwater Light</b>	44-06-14.546N 069-04-39.161W	Fl W 5s		39 17	Red brick tower. 25	Light also displayed during daytime when sound signal in operation. HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	28/16
						*	*	
14075	HARWICHPORT FISH TRAP LIGHT N						Remove from list.	28/16
							*	
14080	HARWICHPORT FISH TRAP LIGHT S						Remove from list.	28/16
							*	
17095	<b>Ned Point Light</b>	41-39-03.133N 070-47-44.336W	Iso W 6s		41 12	White tower. 39		28/16
							*	
18195.4	Bristol Harbor Channel Daybeacon 8	41-40-15.900N 071-16-49.500W				TR on monopile.	Private Aid.	28/16
							*	
24325	Milford Harbor Channel Buoy 8	41-12-21.587N 073-02-58.484W				Red nun.		28/16
							*	
30095	Bellport Beach Channel Buoy 2	40-43-56.400N 072-55-46.600W				Red nun.	Private Aid.	28/16
							*	
39321	Burton Island Pass Buoy 1	44-46-39.300N 073-11-31.700W				Green can.	Maintained from May 1 to Nov. 1. Private Aid.	28/16
							*	
39322	Burton Island Pass Buoy 2	44-46-39.100N 073-11-31.900W				Red nun.	Maintained from May 1 to Nov. 1. Private Aid.	28/16
							*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
12115	SPINNAKER ISLAND MARINA LIGHT						Remove from list.	27/16
							*	
14835	Waquoit Bay Buoy 2	41-33-07.380N 070-31-39.420W				Red nun.	Private Aid.	27/16
							*	
14840	Waquoit Bay Buoy 3	41-33-24.480N 070-31-35.760W				Green can.	Private Aid.	27/16
							*	
14845	Waquoit Bay Buoy 4	41-33-24.060N 070-31-34.020W				Red nun.	Private Aid.	27/16
							*	
14865	Waquoit Bay Buoy 9	41-34-03.360N 070-31-26.700W				Green can.	Private Aid.	27/16
							*	
14871.2	Little River Entrance Buoy 4	41-33-29.600N 070-31-04.100W				Red nun.	Private Aid.	27/16
							*	
14871.6	<i>Little River Lighted Buoy 8</i>	41-33-35.800N 070-30-55.500W	Fl R 2.5s			Red.	Private Aid.	27/16
							*	
15100	Great Pond Buoy 9	41-32-55.800N 070-34-59.100W				Green can.	Private Aid.	27/16
							*	
27830	<i>Threemile Harbor Lighted Buoy 10</i>	41-01-42.360N 072-10-55.740W	Fl R 2s			Red.	Private Aid.	27/16
							*	
28331	Sag Harbor Channel Buoy 2	41-00-34.680N 072-17-43.200W				Red nun.	Private Aid.	27/16
							*	
28638	<i>North Sea Harbor Aquaculture Lighted Buoy B</i>	40-56-24.900N 072-25-02.200W	Fl Y 4s			Yellow.	Private Aid.	27/16
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
7321	Chebeague Island Stone Wharf Channel Buoy 1						Remove from list. 26/16 *
7322	Chebeague Island Stone Wharf Channel Buoy 3						Remove from list. 26/16 *
7323	Chebeague Island Stone Wharf Daybeacon 5						Remove from list. 26/16 *
24885	Duck Creek Junction Buoy	41-06-17.160N 073-22-40.980W				Green and red bands; can.	Maintained from Apr. 1 to Oct. 31. Private Aid. 26/16
26075	<i>Mount Sinai Harbor Lighted Buoy 1</i>	* 40-57-46.400N 073-02-35.000W	Fl G 4s			Green.	Private Aid. 26/16
11430	* THE NARROWS LIGHT 4	* 42-19-20.501N 070-55-10.864W	* Fl R 4s	* 35	* 6	* TR on pile structure.	* 25/16
14850	Waquoit Bay Buoy 5	* 41-33-35.940N 070-31-32.040W				Green can.	Private Aid. 25/16
14880	Seapit River Buoy 2	* 41-34-20.500N 070-31-47.000W				Red nun.	Private Aid. 25/16
37209	CLAREMONT TERMINAL CHANNEL FRONT RANGE LIGHT	* 40-41-17.000N 074-04-50.000W	Iso Y 6s			On pile.	Range light is only activated when ships are actively docking. Private Aid. 25/16
37209.1	CLAREMONT TERMINAL CHANNEL REAR RANGE LIGHT	* 40-41-29.000N 074-05-09.000W	Iso Y 6s			On Pile.	* Range light is only activated when ships are actively docking. Private Aid. 25/16
8051	Factory Island Channel Buoy 1	* 43-29-32.250N 070-26-25.600W				Green can.	* Private Aid. 24/16
*	*	*	*	*	*	*	*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
8051.1	Factory Island Channel Buoy 2	43-29-32.900N 070-26-24.900W				Red nun.	Private Aid. 24/16
*	*	*	*	*	*	*	*
8051.2	Factory Island Channel Buoy 3	43-29-38.400N 070-26-41.000W				Green can.	Private Aid. 24/16
*	*	*	*	*	*	*	*
8051.3	Factory Island Channel Buoy 4	43-29-38.700N 070-26-39.900W				Red nun.	Private Aid. 24/16
*	*	*	*	*	*	*	*
8051.4	Factory Island Channel Buoy 5	43-29-34.800N 070-26-46.300W				Green can.	Private Aid. 24/16
*	*	*	*	*	*	*	*
8051.5	Factory Island Channel Buoy 6	43-29-34.900N 070-26-47.800W				Red nun.	Private Aid. 24/16
*	*	*	*	*	*	*	*
24145	New Haven Harbor Channel Buoy 16	41-16-22.282N 072-54-38.514W				Red nun.	24/16
		*					
32580	Sea Dog Creek Buoy SD3	40-35-44.880N 073-35-26.880W				Green can.	Private Aid. 24/16
		*					
37748	<i>Hook Mountain Yacht Club Hazard Lighted Buoy A</i>	41-05-47.000N 073-54-30.000W	Fl W 6s			White with orange bands.	Private Aid. 24/16
*	*	*	*	*	*	*	*
37749	<i>Hook Mountain Yacht Club Hazard Lighted Buoy B</i>	41-05-47.000N 073-54-46.000W	Fl W 6s			White with orange bands.	Private Aid. 24/16
*	*	*	*	*	*	*	*
39321	Burton Island Pass Buoy 1	44-46-39.060N 073-11-28.680W				Green can.	Maintained from May 1 to Nov. 1. Private Aid. 24/16
		*					
39322	Burton Island Pass Buoy 2	44-46-39.030N 073-11-32.180W				Red nun.	Maintained from May 1 to Nov. 1. Private Aid. 24/16
		*					

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
15105.5	<i>Vineyard Sound Lighted Research Buoy A</i>	41-32-11.000N 070-37-52.000W	Fl Y 4s			Yellow.	Private Aid.	23/16
		*						
15106	<i>NSTAR Nantucket Sound North Channel Cable Crossing Lighted Buoy A</i>						Remove from list.	23/16
							*	
15107	<i>NSTAR Nantucket Sound North Channel Cable Crossing Lighted Buoy B</i>						Remove from list.	23/16
							*	
15108	<i>NSTAR Nantucket Sound North Channel Cable Crossing Lighted Buoy C</i>						Remove from list.	23/16
							*	
15109	<i>NSTAR Nantucket Sound North Channel Cable Crossing Lighted Buoy D</i>						Remove from list.	23/16
							*	
15297	Eel Point Channel Buoy 3	41-18-21.800N 070-11-24.000W				Green can.	Private Aid.	23/16
		*						
15301	<i>Eel Point Channel Lighted Buoy 4</i>	41-18-23.800N 070-11-25.700W	Q R			Red.	Private Aid.	23/16
		*						
15301.1	Eel Point Channel Buoy 4A	41-18-26.700N 070-11-50.500W				Red nun.	Private Aid.	23/16
		*						
15301.5	<i>Eel Point Channel Lighted Buoy 5</i>	41-18-28.900N 070-12-01.700W	Q G			Green.	Private Aid.	23/16
		*						
15302	Eel Point Channel Buoy 6	41-18-27.500N 070-12-08.300W				Red nun.	Private Aid.	23/16
		*						
15302.2	Eel Point Channel Buoy 7	41-18-15.500N 070-12-13.300W				Green can.	Private Aid.	23/16
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
15305	<i>Madaket Harbor Lighted Buoy MH</i>	41-17-22.800N 070-14-21.500W	Mo (A) W			Red and white stripes.	Private Aid.	23/16
		*						
15311	Madaket Harbor Buoy 6	41-17-07.700N 070-13-30.000W				Red nun.	Private Aid.	23/16
		*						
15312	Madaket Harbor Buoy 8	41-17-05.000N 070-12-58.400W				Red nun.	Private Aid.	23/16
		*						
15314	<i>Madaket Harbor Lighted Buoy 10</i>	41-17-17.100N 070-12-28.200W	Fl R 4s			Red.	Private Aid.	23/16
		*						
15316	Madaket Harbor Buoy 12	41-17-12.800N 070-12-15.400W				Red nun.	Private Aid.	23/16
		*						
15317	Madaket Harbor Buoy 13	41-17-16.400N 070-12-06.400W				Green can.	Private Aid.	23/16
		*						
15318	Madaket Harbor Buoy 14	41-17-15.100N 070-12-05.000W				Red nun.	Private Aid.	23/16
		*						
15319	Madaket Harbor Buoy 15	41-17-18.100N 070-11-49.900W				Green can.	Private Aid.	23/16
		*						
15320	<i>Madaket Harbor Lighted Buoy 16</i>	41-17-16.100N 070-11-50.800W	Fl R 4s			Red.	Private Aid.	23/16
		*						
15322	Madaket Harbor Buoy 18	41-17-05.400N 070-11-44.000W				Red nun.	Private Aid.	23/16
		*						
15324	<i>Madaket Harbor Lighted Buoy 20</i>	41-16-56.200N 070-11-44.100W	Fl R 4s			Red.	Private Aid.	23/16
		*						
15326	Madaket Harbor Buoy 22	41-16-50.200N 070-11-50.800W				Red nun.	Private Aid.	23/16
		*						
15327	Madaket Harbor Buoy 23	41-16-42.900N 070-11-58.000W				Green can.	Private Aid.	23/16
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
15329	Madaket Harbor Buoy 25	41-16-39.000N 070-11-58.000W				Green can.	Private Aid.	23/16
17421	Buttermilk Bay Buoy 2	* 41-45-05.051N 070-37-27.502W				Red nun.	Private Aid.	23/16
17565	* <i>Sakonnet Point North Lighted Fish Trap Buoy</i>	* *	* *	*	*	*	* Remove from list.	23/16
17570	* <i>Sakonnet Point South Lighted Fish Trap Buoy</i>	* *	* *	*	*	*	* Remove from list.	23/16
658	<i>Block Island South Lighted Research Buoy</i>	41-06-36.240N 071-31-00.840W	Fl (5)Y 20s			Yellow.	Private Aid.	22/16
1401.3	* <i>Cooke Aquaculture Lighted Buoy NW</i>	* 44-29-41.040N 067-33-23.760W	* Fl Y 12s	*	*	*	* Yellow. Private Aid.	22/16
13037	<i>USGS Research Lighted Buoy W</i>	* 41-50-22.800N 070-19-44.400W	Fl Y 4s			Yellow.	Property of UCSD Scripps Institution of Oceanography. Private Aid.	22/16
20617	* Mystic Marina Approach Daybeacon 5	* 41-20-36.600N 071-57-50.800W	* *	*	*	* SG on pile.	* Private Aid.	22/16
20651	* Mystic Marina Approach Daybeacon 13	* 41-20-51.426N 071-57-41.066W	* *	*	*	* SG on pile.	* Private Aid.	22/16
20652	* Mystic Marina Approach Daybeacon 14	* 41-20-52.896N 071-57-39.255W	* *	*	*	* TR on pile.	* Private Aid.	22/16
20653	* Mystic Marina Approach Daybeacon 15	* 41-20-53.095N 071-57-39.985W	* *	*	*	* SG on pile.	* Private Aid.	22/16
30920	* Jones Inlet Buoy 3	* 40-34-36.215N 073-34-59.097W	* *	*	*	* Green can.	* *	22/16
30925	<i>Jones Inlet Lighted Buoy 4</i>	* 40-34-33.356N 073-34-54.640W	Q R		3	Red.		22/16
31535	<i>East Rockaway Inlet Lighted Buoy 6</i>	* 40-35-07.986N 073-45-28.511W	Q R		3	Red.	Replaced by nun when endangered by ice.	22/16
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
155	<b>Boon Island Light</b>	43-07-17.218N 070-28-35.119W	Fl W 5s		137	14	Gray conical tower, connected to dwelling. 133	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 10s (2s bl). Operates continuously.	21/16
1401	<i>Cooke Aquaculture Lighted Buoy NE</i>	44-29-45.210N 067-33-10.600W	Fl Y 12s		*	*	Yellow.	Private Aid.	21/16
*	*	*	*		*	*	*	*	
1401.1	<i>Cooke Aquaculture Lighted Buoy SE</i>	44-29-32.580N 067-33-02.740W	Fl Y 12s		*	*	Yellow.	Private Aid.	21/16
*	*	*	*		*	*	*	*	
1401.2	<i>Cooke Aquaculture Lighted Buoy SW</i>	44-29-29.770N 067-33-11.570W	Fl Y 12s		*	*	Yellow.	Private Aid.	21/16
*	*	*	*		*	*	*	*	
1401.3	<i>Cooke Aquaculture Lighted Buoy NW</i>	44-29-45.210N 067-33-10.600W	Fl Y 12s		*	*	Yellow.	Private Aid.	21/16
*	*	*	*		*	*	*	*	
4331.1	Camden Harbor Channel Buoy 8							Remove from list.	21/16
								*	
4331.2	Camden Harbor Channel Buoy 9							Remove from list.	21/16
								*	
4331.3	Camden Harbor Channel Buoy 10							Remove from list.	21/16
								*	
4331.4	Camden Harbor Channel Buoy 11							Remove from list.	21/16
								*	
4331.5	Camden Harbor Channel Buoy 12							Remove from list.	21/16
								*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4331.6	Camden Harbor Channel Buoy 13						Remove from list.	21/16
							*	
4331.7	Camden Harbor Channel Buoy 14						Remove from list.	21/16
							*	
4331.8	Camden Harbor Channel Buoy 15						Remove from list.	21/16
							*	
4331.9	Camden Harbor Channel Buoy 16						Remove from list.	21/16
							*	
4332	Camden Harbor Channel Buoy 17						Remove from list.	21/16
							*	
4332.1	Camden Harbor Channel Buoy 18						Remove from list.	21/16
							*	
4332.2	Camden Harbor Channel Buoy 20						Remove from list.	21/16
							*	
17421.2	Buttermilk Bay Buoy 2A	41-45-08.760N 070-37-29.700W				Red nun.	Private Aid.	21/16
	*							
20605	Mystic Marina Approach Daybeacon 1	41-20-31.342N 071-57-57.143W				SG on pile.	Private Aid.	21/16
20610	Mystic Marina Approach Daybeacon 3	41-20-32.615N 071-57-53.625W				SG on pile.	Private Aid.	21/16
20615	Mystic Marina Approach Daybeacon 4	41-20-36.383N 071-57-49.937W				TR on pile.	Private Aid.	21/16
20620	Mystic Marina Approach Daybeacon 6	41-20-40.505N 071-57-47.266W				TR on pile.	Private Aid.	21/16
20625	Mystic Marina Approach Daybeacon 7	41-20-40.733N 071-57-48.000W				SG on pile.	Private Aid.	21/16
20630	Mystic Marina Approach Daybeacon 8	41-20-45.494N 071-57-44.033W				TR on pile.	Private Aid.	21/16
20635	Mystic Marina Approach Daybeacon 9	41-20-45.747N 071-57-44.746W				SG on pile.	Private Aid.	21/16
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
20640	Mystic Marina Approach Daybeacon 10	41-20-49.037N 071-57-41.738W				TR on pile.	Private Aid.	21/16	
20645	Mystic Marina Approach Daybeacon 11	* 41-20-49.247N 071-57-42.478W				SG on pile.	Private Aid.	21/16	
20650	Mystic Marina Approach Daybeacon 12	* 41-20-51.212N 071-57-40.329W				TR on pile.	Private Aid.	21/16	
9202	Merrimack River Buoy 43A	*					Remove from list.	20/16	
9243	Merrimack River Buoy 58	42-47-47.640N 071-00-48.360W				Red nun.	*	20/16	
10133.5	Palmer Cove Channel Buoy 7	42-30-49.560N 070-53-08.220W				* Green can.	Private Aid.	20/16	
10795	<b>Deer Island Light</b>  Southwest of old stone foundation.	* 42-20-22.428N 070-57-16.290W	Al WR 10s		53	9  53	HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	20/16	
16240	<i>Hog Island Channel Lighted Bell Buoy 26</i>	* 41-44-00.486N 070-37-39.611W	Fl R 4s			3	Red.	Replaced by LIB from Dec. 15 to Mar. 15.	20/16
19020	Taunton River Channel Buoy 8	* 41-46-37.953N 071-07-03.348W					Red nun.	Maintained from 01 May to 31 Oct.	20/16
19035	Taunton River Channel Buoy 12	41-47-09.387N 071-07-03.324W					Red nun.	* Maintained from 15 Mar to 30 Nov.	20/16
19040	Taunton River Channel Buoy 14	41-47-27.081N 071-07-12.198W					Red nun.	* Maintained from 15 Mar to 30 Nov.	20/16
19045	Taunton River Channel Buoy 15	41-47-39.285N 071-07-13.368W					Green can.	* Maintained from 15 Mar to 30 Nov.	20/16
								*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
19050	Taunton River Channel Buoy 16	41-47-52.743N 071-07-06.234W				Red nun.	Maintained from 15 Mar to 30 Nov.	20/16
19055	Taunton River Channel Buoy 17	41-48-12.817N 071-07-13.338W				Green can.	Maintained from 15 Mar to 30 Nov.	20/16
19057	Taunton River Channel Buoy 18						Remove from list.	20/16
19070	Taunton River Channel Buoy 22	41-48-48.649N 071-06-53.990W				Red nun.	Maintained from 01 May to 31 Oct.	20/16
27662	Old Silas Rock Buoy 1	41-11-25.000N 072-08-43.021W				Green can.		20/16
27747	<i>Out East Oysters Lighted Aquaculture Buoy A</i>	* 41-00-07.000N 072-05-24.000W	F Y			Yellow.	Private Aid.	20/16
* 27747.1	* <i>Out East Oysters Lighted Aquaculture Buoy B</i>	* 41-00-10.000N 072-05-28.000W	* F Y		*	Yellow.	Private Aid.	20/16
* 27747.2	* <i>Out East Oysters Lighted Aquaculture Buoy C</i>	* 41-00-10.000N 072-05-20.000W	* F Y		*	Yellow.	Private Aid.	20/16
* 27747.3	* <i>Out East Oysters Lighted Aquaculture Buoy D</i>	* 41-00-04.000N 072-05-20.000W	* F Y		*	Yellow.	Private Aid.	20/16
* 16963	* <i>Buzzards Bay Environmental Monitoring Lighted Buoy</i>	* 41-33-31.680N 070-49-35.880W	* Fl Y 4s		*	Yellow.	Marked: ENVIRONMENTAL MONITORING MODULE. Maintained 01 May - 31 Oct. Private Aid.	19/16
							*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
17893	Jamestown Harbor Channel Buoy 3	41-29-43.680N 071-21-47.160W				Green can.	Private Aid.	19/16
		*						
19077	Cole River Buoy 6						Remove from list.	19/16
							*	
22700	Hamburg Cove Entrance Buoy 2	41-22-27.119N 072-22-19.770W				Red nun.	Maintained year round.	19/16
		*						
29125	<i>Fire Island Inlet Lighted Buoy 4</i>	40-37-33.191N 073-19-15.572W	Fl R 2.5s			3 Red.	Replaced by nun when endangered by ice.	19/16
		*						
29130	<i>Fire Island Inlet Lighted Buoy 3</i>	40-37-30.141N 073-19-20.053W	Fl G 4s			4 Green.	Replaced by can when endangered by ice.	19/16
		*						
29135	<i>Fire Island Inlet Lighted Buoy 6</i>	40-37-54.688N 073-19-24.469W	Q R			3 Red.	Replaced by nun when endangered by ice.	19/16
		*						
29140	Fire Island Inlet Buoy 5	40-37-58.957N 073-19-26.131W				Green can.		19/16
		*						
31755	Broad Channel Buoy B4	40-35-45.060N 073-41-03.480W				Red nun.	Private Aid.	19/16
		*						
32740	Haunt's Creek Buoy R6	40-36-27.660N 073-31-25.920W				Red nun.	Private Aid.	19/16
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
2270	Flynns Ledge Buoy 5	44-14-27.300N 068-16-59.900W				Green can.	18/16		
		*							
5380	Perkins Point Daybeacon 19  On ledge.	44-00-25.176N 069-32-44.076W				SG on pile.	18/16		
		*							
13285	PROVINCETOWN HARBOR BREAKWATER WEST END LIGHT 4	42-02-45.533N 070-10-52.025W	Fl R 2.5s		20	5	TR on skeleton tower.	18/16	
		*							
13290	PROVINCETOWN HARBOR BREAKWATER EAST END LIGHT 5	42-03-05.080N 070-10-32.707W	Fl G 6s		32	5	SG on skeleton tower.	18/16	
		*							
39500	Allen Point Buoy 1  At south end of 1-foot shoal.	44-35-29.956N 073-18-20.818W				Green can.	Maintained from 1 May to 1 Nov.	18/16	
		*							
2340	Bass Harbor Head Bell Buoy EB	44-13-14.180N 068-20-00.873W				Red and white stripes.		17/16	
		*							
20940	<i>Mumford Cove Lighted Research Platform</i>	41-19-28.500N 072-01-08.500W	Fl Y 4s			Yellow.	Private Aid.	17/16	
		*							
* 28210	* <i>Coecles Harbor Lighted Buoy 5</i>	* 41-04-09.000N 072-16-55.000W	* Q G		*	*	* Green.	* Private Aid.	17/16
		*							
500	<b>Highland Light</b>	42-02-22.282N 070-03-39.377W	Fl W 5s		170	18	White conical tower. 66	Emergency light of reduced intensity when main light is extinguished . Lighted throughout 24 hours.	16/16
		*							
9095	Merrimack River Buoy 22A	42-49-36.542N 070-53-24.025W				Red nun.		16/16	
		*							
34175	Carman Creek Daybeacon D16						Remove from list.	15/16	
		*					*		

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7350	York Ledge Daybeacon YL	43-43-31.888N 070-12-14.893W				SG on pile.		14/16
25815	<i>Huckleberry Island Lighted Buoy 2</i>	40-53-26.489N 073-45-23.325W	Fl R 4s			3 Red.	* Removed when endangered by ice.	14/16
25825	On southeast side of shoal. <i> Davids Island North Lighted Buoy 5</i>	40-53-25.189N 073-46-08.296W	Fl G 4s			4 Green.	* Replaced by can when endangered by ice.	14/16
25960	On north point of shoal. <i> Harbor Rock Lighted Buoy 14</i>	40-53-18.839N 073-46-42.107W	Q R			3 Red.	* Replaced by nun when endangered by ice.	14/16
							* *	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
26210	<i>Stony Brook Harbor Approach Channel Lighted Buoy 3</i>	40-56-15.960N 073-09-27.660W	Fl G 4s			Green.	Private Aid.	14/16
		*						
26215	<i>Stony Brook Harbor Approach Channel Lighted Buoy 5</i>	40-56-13.080N 073-09-12.780W	Fl G 4s			Green.	Private Aid.	14/16
		*						
26220	<i>Stony Brook Harbor Approach Channel Lighted Buoy 7</i>	40-56-10.980N 073-08-58.320W	Fl G 4s			Green.	Private Aid.	14/16
		*						
26225	<i>Stony Brook Harbor Approach Channel Lighted Buoy 9</i>	40-55-57.300N 073-08-48.540W	Fl G 4s			Green.	Private Aid.	14/16
		*						
26230	<i>Stony Brook Harbor Approach Channel Lighted Buoy 11</i>	40-55-50.280N 073-08-50.040W	Fl G 4s			Green.	Private Aid.	14/16
		*						
26240	<i>Porpoise Channel Lighted Buoy 1</i>	40-55-35.100N 073-08-57.360W	Fl G 4s			Green.	Private Aid.	14/16
		*						
26245	<i>Porpoise Channel Lighted Buoy 2</i>	40-55-35.700N 073-08-58.440W	Fl R 4s			Red.	Private Aid.	14/16
		*						
26250	Porpoise Channel Buoy 3	40-55-28.380N 073-09-04.920W				Green can.	Private Aid.	14/16
		*						
26255	<i>Porpoise Channel Lighted Buoy 4</i>	40-55-29.940N 073-09-06.060W	Fl R 4s			Red.	Private Aid.	14/16
		*						
26260	Porpoise Channel Buoy 5	40-55-27.240N 073-09-15.120W				Green can.	Private Aid.	14/16
		*						
26265	<i>Porpoise Channel Lighted Buoy 6</i>	40-55-26.940N 073-09-18.420W	Fl R 4s			Red.	Private Aid.	14/16
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
26270	Porpoise Channel Buoy 7	40-55-25.620N 073-09-17.760W				Green can.	Private Aid.	14/16
		*						
26275	<i>Porpoise Channel Lighted Buoy 8</i>	40-55-17.580N 073-09-24.720W	Fl R 4s			Red.	Private Aid.	14/16
		*						
26280	Porpoise Channel Buoy 9	40-55-16.920N 073-09-23.400W				Green can.	Private Aid.	14/16
		*						
26285	<i>Porpoise Channel Lighted Buoy 10</i>	40-55-08.160N 073-09-43.680W	Fl R 4s			Red.	Private Aid.	14/16
		*						
26290	Porpoise Channel Buoy 11	40-55-07.200N 073-09-43.560W				Green can.	Private Aid.	14/16
		*						
26295	<i>Porpoise Channel Lighted Buoy 12</i>	40-54-57.780N 073-10-12.240W	Fl R 4s			Red.	Private Aid.	14/16
		*						
26300	Porpoise Channel Buoy 13	40-54-56.940N 073-10-11.580W				Green can.	Private Aid.	14/16
		*						
26305	<i>Porpoise Channel Lighted Buoy 14</i>	40-54-53.400N 073-10-27.780W	Fl R 4s			Red.	Private Aid.	14/16
		*						
26310	Porpoise Channel Buoy 15	40-54-52.200N 073-10-27.060W				Green can.	Private Aid.	14/16
		*						
27115	<i>Plum Point Lighted Buoy 1</i> Southwest side of shoals.	40-49-56.182N 073-43-43.222W	Fl G 4s			4 Green.	Replaced by can when endangered by ice.	14/16
		*						
28577	MASTAGLIO POUND TRAP LIGHT B	40-59-32.970N 072-25-58.070W	Fl Y 2s			On pole.	Maintained from 15 Apr to 30 Nov. Private Aid.	14/16
		*						
28578	MASTAGLIO POUND TRAP LIGHT C	40-59-31.240N 072-26-04.880W	Fl Y 2s			On pole.	Maintained from 15 Apr to 30 Nov. Private Aid.	14/16
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
34485	<i>Grass Haddock Channel Lighted Buoy 23</i>	40-36-54.599N 073-46-25.551W	Fl G 4s			3	Green.	Replaced by can when endangered by ice.	14/16
34560	<i>Winhole Channel Lighted Buoy 2</i>	40-36-35.376N 073-48-20.982W	Fl R 2.5s			3	Red.	* Replaced by nun when endangered by ice.	14/16
36375	<i>Keyport Harbor Channel Lighted Buoy 3</i>	40-27-07.586N 074-11-49.618W	Fl G 4s			3	Green.	* Replaced by can when endangered by ice.	14/16
36405	Keyport Harbor Channel Buoy 12	40-26-22.186N 074-12-14.018W					Red nun.	* Replaced by nun when endangered by ice.	14/16
36495	<i>Raritan River Channel Lighted Buoy 17</i>	40-29-51.679N 074-19-27.132W	Fl G 4s			3	Green.	* Replaced by can when endangered by ice.	14/16
38695	<i>Hudson River Lighted Buoy 159</i>	42-20-59.971N 073-47-23.305W	Fl G 2.5s			3	Green.	* Replaced by can from Dec. 1 to Apr. 1. AIS: MMSI 993672054	14/16
38835	Coeymans Dike Buoy A	* 42-28-19.024N 073-47-12.533W					White and orange.	Worded DANGER SUBMERGED JETTY.	14/16
38840	Coeymans Dike Buoy B	* 42-28-24.254N 073-47-13.826W					White and orange.	Worded DANGER SUBMERGED JETTY.	14/16
38850	Coeymans Dike Buoy D	* 42-28-34.933N 073-47-16.472W					White and orange.	Worded DANGER SUBMERGED JETTY.	14/16
39400	GORDON LANDING BREAKWATER LIGHT	* 44-41-19.203N 073-21-06.751W	Fl W 4s		18	8	NW on skeleton tower worded DANGER JETTY.		14/16
2925	<i>Eggemoggin Lighted Bell Buoy EG</i>	44-19-13.221N 068-44-34.282W	Mo (A) W			4	* Red and white stripes with red spherical topmark.	Replaced by can when endangered by ice.	13/16
12220	<i>Cohasset Gangway Lighted Bell Buoy 1G</i>	42-16-08.047N 070-46-22.635W	Fl G 6s			3	* Green.		13/16

\*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6935.5	Mere Point Brunswick PD Boat Launch Buoy 5						Remove from list.	12/16
							*	
6935.6	Mere Point Brunswick PD Boat Launch Buoy 6						Remove from list.	12/16
							*	
29425	Dickerson Channel Buoy 3	40-40-03.393N 073-14-38.435W				Green can.	Maintained from 1 Apr. to 15 Nov.	12/16
		*						
30680	Shinnecock Bay Buoy 10	40-50-33.429N 072-32-25.839W				Red nun.	Maintained from 15 Apr. to 1 Nov.	12/16
		*						
31435	State Boat Channel Buoy 75	40-38-39.958N 073-16-32.382W				Green can.	Maintained from Apr. 1 to Nov. 15.	12/16
		*						
31436	State Boat Channel Buoy 76	40-38-34.954N 073-15-56.391W				Red nun.	Maintained from 1 April to 15 Nov.	12/16
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
12635	Duxbury Bay Channel Buoy 11	42-01-32.519N 070-39-31.171W				Green can.	11/16
		*					
12640	Duxbury Bay Channel Buoy 12	42-01-33.642N 070-39-28.925W				Red nun.	11/16
		*					
12645	Duxbury Bay Channel Buoy 13	42-01-35.519N 070-39-35.307W				Green can.	11/16
		*					
12650	Duxbury Bay Channel Buoy 14	42-01-39.481N 070-39-51.769W				Red nun.	11/16
		*					
12655	Duxbury Bay Channel Buoy 15	42-01-42.187N 070-39-58.093W				Green can.	11/16
		*					
12660	Duxbury Bay Channel Buoy 16	42-01-41.686N 070-39-55.702W				Red nun.	11/16
		*					
12665	Duxbury Bay Channel Buoy 18	42-01-44.156N 070-39-56.751W				Red nun.	11/16
		*					
12670	Duxbury Bay Channel Buoy 19	42-01-52.160N 070-39-56.197W				Green can.	11/16
		*					
12675	Duxbury Bay Channel Buoy 20	42-01-52.523N 070-39-54.897W				Red nun.	11/16
		*					
12680	Duxbury Bay Channel Buoy 21	42-02-11.436N 070-40-00.529W				Green can.	11/16
		*					

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
12685	Duxbury Bay Channel Buoy 22	42-02-09.268N 070-39-58.780W				Red nun.		11/16
15775	GRASSY ISLAND LEDGE LIGHT  On south end of ledge.	* 41-31-16.197N 070-40-33.246W	Q W (R sector)			4	NR on white skeleton tower.	11/16
17891	Jamestown Harbor Channel Buoy 1	41-29-42.781N 071-21-39.841W				*	Green can. Private Aid.	11/16
17892	<i>Jamestown Harbor Channel Lighted Buoy 2</i>	* 41-29-44.520N 071-21-39.179W	Fl R 4s				Red nun. Private Aid.	11/16
17894	Jamestown Harbor Channel Buoy 4	* 41-29-45.359N 071-21-47.459W					Red nun. Private Aid.	11/16
19076	Cole River Buoy 4	*					Remove from list.	11/16
28576	MASTAGLIO POUND TRAP LIGHT A	40-59-38.200N 072-26-49.000W				On pole.	* Maintained from 15 Apr to 30 Nov. Private Aid.	11/16
* 28577	* MASTAGLIO POUND TRAP LIGHT B	* 40-59-33.200N 072-25-57.100W	* Fl Y 2s		*	*	On pole. Maintained from 15 Apr to 30 Nov. Private Aid.	11/16
* 28578	* MASTAGLIO POUND TRAP LIGHT C	* 40-59-31.500N 072-26-03.900W	* Fl Y 2s		*	*	On pole. Maintained from 15 Apr to 30 Nov. Private Aid.	11/16
* 28977	* <i>Peconic River Lighted Buoy 3</i>	* 40-55-29.000N 072-36-50.000W	* Fl G 2s		*	*	Green. Private Aid.	11/16
* 28997	* <i>Peconic River Lighted Buoy 11</i>	* 40-55-04.000N 072-38-02.000W	* Fl G 2s		*	*	Green. Private Aid.	11/16
* 31470	* State Boat Channel Buoy 86	* 40-38-31.353N 073-14-46.853W	* Fl G 2s		*	*	Green. Removed when endangered by ice.	11/16
39400	GORDON LANDING BREAKWATER LIGHT	* 44-41-19.203N 073-21-06.751W	Fl W 4s		18	4	NW on skeleton tower worded DANGER JETTY.	11/16

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
39900	WATCH POINT LIGHT WP	43-53-08.957N 073-22-28.920W	Fl W 4s	20	6	NG on gray skeleton tower.		11/16
		*						
155	<b>Boon Island Light</b>	43-07-17.218N 070-28-35.119W	Fl W 5s	137	14	Gray conical tower, connected to dwelling. 133	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 10s (2s bl). Operates continuously.	10/16

\*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks				
3885	GOOSE ROCKS LIGHT On ledge.	44-08-07.500N 068-49-50.400W	Fl R 6s		51	7 W 12	White conical tower, black cylindrical foundation.	White sector from 301° to 304°. HORN: 1 blast ev 10s (1s bl). MRASS -Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60	10/16		
5660	Hendricks Head Buoy 8							*	Remove from list.	10/16	
16501	MEGANSETT HARBOR BREAKWATER LIGHT 8	41-39-28.588N 070-37-34.803W	Fl R 6s		25	5	TR on skeleton tower on timber structure.	*		10/16	
16845	<i>New Bedford Channel Lighted Buoy 8</i>	41-35-13.031N 070-52-55.523W	Fl R 6s		*	3	Red.			10/16	
16851	<i>New Bedford Channel Lighted Buoy 9</i>	* 41-35-11.808N 070-53-00.348W	Fl G 6s			3	Green.			10/16	
16855	<i>New Bedford Channel Lighted Buoy 10</i>	* 41-36-16.689N 070-53-32.566W	Fl R 2.5s			3	Red.			10/16	
16885	<i>New Bedford Channel Lighted Buoy 15</i>	* 41-36-58.195N 070-54-04.476W	Fl G 4s			3	Green.			10/16	
25121	Goodwives River Mid- Channel Buoy A	* 41-02-28.080N 073-29-04.020W					Red and white.	Private Aid.		10/16	
* 25122	* Goodwives River Mid- Channel Buoy B	* 41-02-32.340N 073-29-05.880W	*		*	*	Red and white.	Private Aid.	*	10/16	
* 25123	* Goodwives River Mid- Channel Buoy C	* 41-02-39.240N 073-29-07.980W	*		*	*	Red and white.	Private Aid.	*	10/16	
* 25124	* Goodwives River Mid- Channel Buoy D	* 41-02-45.240N 073-29-05.100W	*		*	*	Red and white.	Private Aid.	*	10/16	
* 26375	* <i>Northport Basin Entrance Lighted Buoy 1</i>	* 41-02-45.240N 073-29-05.100W	*		*	*			*	Remove from list.	10/16

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
35190	<b>Sandy Hook Point Light</b>	40-28-14.700N 074-01-07.200W	Iso W 6s		38	13	NB on skeleton tower. 30	10/16	
							*		
1865	<b>Egg Rock Light</b>	44-21-14.188N 068-08-18.033W	Fl R 5s		64	18	White tower. 40	Emergency light of reduced intensity Fl R 5s when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	09/16
							*		
14915	Eel Pond Entrance Buoy EP						Remove from list.	09/16	
							*		
17420	Buttermilk Bay Approach Buoy 10						Remove from list.	09/16	
							*		
27351	BROOKLYN PIER 5 MARINA LIGHT 1	40-41-52.370N 074-00-03.720W	Fl G 4s				Green	On floating dock. Private Aid.	09/16
*	*	*	*	*	*	*	*	*	
27352	BROOKLYN PIER 5 MARINA LIGHT 2	40-41-51.290N 074-00-04.400W	Fl R 4s				Red	On floating dock. Private Aid.	09/16
*	*	*	*	*	*	*	*	*	
27353	BROOKLYN PIER 5 MARINA LIGHT	40-41-44.870N 074-00-08.430W	Fl W 4s				White	On pier corner. Private Aid.	09/16
*	*	*	*	*	*	*	*	*	
700	<i>USGS Research Lighted Buoy W</i>							Remove from list.	08/16
							*		
12325	<i>New Inlet Lighted Bell Buoy 1</i>	42-10-12.606N 070-42-01.784W	Fl G 2.5s			3	Green.		08/16
28502	CLARK AQUACULTURE POUND TRAP LIGHT A	41-02-20.000N 072-17-17.000W	Fl Y 4s				On pile.	Maintained from 01 Apr to 30 Nov. Private Aid.	08/16
29108	Moriches Inlet East Cut Buoy 11E	40-46-31.483N 072-44-24.588W					Green can.	Removed when endangered by ice.	08/16
34585	Winhole Channel Shoal Daybeacon							Remove from list.	08/16
							*		

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
105 8100	<b>Goat Island Light</b>	43-21-28.300N 070-25-30.300W	Fl W 6s		38	12  25	HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	07/16
930	DOG ISLAND LIGHT DI	44-55-06.535N 066-59-21.112W	Fl W 6s		35	7 R 7	NG on skeleton tower. Red from 306° to 036°; covers Clark Ledge. HORN: 1 blast ev 30s (3s bl). MRASS -Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	07/16
1040	<b>West Quoddy Head Light</b>	44-48-54.387N 066-57-02.416W	Fl (2)W 15s 2s fl 2s ec. 2s fl 9s ec.		83	18  49	White tower with red stripes. Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS -Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	07/16
5319	<i>University of Maine Research Lighted Buoy D</i>	43-50-40.000N 069-34-09.000W	Fl Y 4s			Yellow.	Property of The University of Maine. Private Aid.	07/16
* 7939	* <i>University of Maine Research Lighted Buoy C</i>	* 43-28-37.000N 070-19-09.000W	* Fl Y 4s		* *	* Yellow.	* Property of The University of Maine. Private Aid.	* 07/16
*	*	*	*		*	*	*	*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
8100 105	<b>Goat Island Light</b>	43-21-28.300N 070-25-30.300W	Fl W 6s	38	12	25	HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
11765	Weymouth Fore River Channel Buoy 31	42-14-11.163N 070-57-55.847W				Green can.	Aid maintained from May 1 to Oct 15.
24675	<i>Black Rock Harbor Entrance Lighted Buoy 2A</i>	41-08-11.704N 073-13-01.069W	Fl R 4s		3	Red nun.	
29135	<i>Fire Island Inlet Lighted Buoy 6</i>	40-37-49.169N 073-19-19.807W	Q R		3	Red.	Replaced by nun when endangered by ice.
930	DOG ISLAND LIGHT DI	* 44-55-06.535N 066-59-21.112W	Fl W 6s	35	7	NG on skeleton tower. R 7	Red from 306° to 036°; covers Clark Ledge. HORN: 1 blast ev 30s (3s bl). MRASS -Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60
4540	<b>Two Bush Island Light</b>	43-57-51.255N 069-04-26.057W	Fl W 5s	65	W 21 R 15	White tower. 42	Red from 061° to 247°. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl). MRASS -Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7565	<b>Portland Head Light</b>	43-37-23.174N 070-12-28.312W	Fl W 4s	101	24	White tower. 80	Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl). MRASS -Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60	06/16
29196	Fire Island Inlet Buoy 19	40-37-58.348N 073-15-08.184W				Green can.	*	06/16
31485	State Boat Channel Buoy 89	* 40-38-25.956N 073-14-34.631W				Green can.		06/16
3760	HERON NECK LIGHT	* 44-01-30.400N 068-51-43.800W	F R (W sector)	92	W 9 7	White conical tower.	White sector from 030° to 063°. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	05/16
							*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4580	WHITEHEAD LIGHT	43-58-43.369N 069-07-27.397W	Oc G 4s	75	6	Gray Granite tower.	Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	05/16
5520	BURNT ISLAND LIGHT	43-49-30.700N 069-38-24.800W	Fl R 6s (2W sectors)	61	W 8 W 8 R 6 R 6	White conical tower.	* White from 307° to 316°, and from 355° to 008°, covers fairways. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	05/16
16360	Quisset Harbor Buoy 8	41-32-32.542N 070-39-18.316W				Red nun.	* Private Aid.	05/16
16365	Quisset Harbor Buoy 9	* 41-32-34.573N 070-39-16.275W				Green can.	Private Aid.	05/16
16640	Pocasset Harbor Buoy 8	* 41-41-14.387N 070-37-50.103W				Red nun.		05/16
29125	<i>Fire Island Inlet Lighted Buoy 4</i>	* 40-37-33.256N 073-19-14.350W	Fl R 2.5s		3	Red.	Replaced by nun when endangered by ice.	05/16
36840	<i>Arthur Kill Channel Lighted Buoy 38</i>	* 40-36-17.134N 074-12-07.768W	Fl R 4s		3	Red.		05/16
		*						

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
35 5590	<b>Seguin Light</b>	43-42-26.900N 069-45-28.900W	F W	180	18	Brick conical tower. 53	Emergency light of reduced intensity when main light is extinguished. Two emergency lights may be visible from 340° and 160°. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.

\*

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
60 7520	<b>Cape Elizabeth Light</b>	43-33-57.864N 070-12-00.209W	Fl (4)W 15s 0.3s fl 2.2s ec. 0.3s fl 2.2s ec. 0.3s fl 2.2s ec. 0.3s fl 7.2s ec.	129	15	White conical tower. 67	Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). Horn located 266 yards, 146° from light tower. MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	04/16
3585	<b>Fort Point Light</b>	44-28-01.682N 068-48-42.058W	F W	88	15	White house. 31	* Lighted throughout 24 hours. HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	04/16
3965	<b>Browns Head Light</b>	44-06-42.352N 068-54-34.186W	F W (2R sectors)	39	W 14 R 11 R 11	White cylindrical tower. 24	* Red from 001° to 050°, and from 061° to 091°, fairway between. Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	04/16
							*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4105	<b>Owls Head Light</b>	44-05-32.058N 069-02-38.490W	F W	100	16	White tower. 30	Obscured from 324° to 354° by Monroe Island. Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 2 blast ev 20s (2s bl-2s si-2s bl-14s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	04/16
4780	<b>Marshall Point Light</b>	43-55-02.718N 069-15-40.568W	F W	30	13	White cylindrical tower. 31	* Emergency light of reduced intensity when main light is extinguished. Lighted throughout 24 hours. HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	04/16
5590 35	<b>Seguin Light</b>	43-42-26.900N 069-45-28.900W	F W	180	18	53	* Emergency light of reduced intensity when main light is extinguished. Two emergency lights may be visible from 340° to 160°. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	04/16
							*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7520 60	<b>Cape Elizabeth Light</b>	43-33-57.864N 070-12-00.209W	Fl (4)W 15s 0.3s fl 2.2s ec. 0.3s fl 2.2s ec. 0.3s fl 7.2s ec.	129	15	White conical tower. 67	Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). Horn located 266 yards, 146° from light tower. MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	04/16
7610	SPRING POINT LEDGE LIGHT	43-39-07.612N 070-13-26.057W	Fl W 6s (2R sectors)	54	W 12 R 10 R 10	White tower.	* White from 331° to 337° covers fairway entrance, white from 074° to 288°; red in intervening sectors. Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	04/16
7700	STATE PIER LIGHT						* Remove from list.	04/16
11645	<i>Weymouth Fore River Channel Lighted Buoy 2</i>	42-18-08.412N 070-55-30.551W	Fl R 4s		3	Red.	* Replace by nun when endangered by ice. AIS: MMSI 993672282 (21)	04/16
11655	<i>Weymouth Fore River Channel Lighted Buoy 4</i>	42-17-51.640N 070-55-24.445W	Q R		3	Red.	* Replaced by nun when endangered by ice. AIS: MMSI 993672102 (21)	04/16
11665	<i>Weymouth Fore River Channel Lighted Buoy 6</i>	42-17-39.109N 070-55-30.177W	Fl R 4s		3	Red.	* Replaced by nun when endangered by ice. AIS: MMSI 993672283 (21)	04/16
							* *	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
11685	<i>Weymouth Fore River Channel Lighted Buoy 9</i>	42-17-03.064N 070-55-47.237W	Fl G 2.5s			3 Green.	Replaced by can when endangered by ice. AIS: MMSI 993672284 (21)	04/16
							*	
11695	<i>Western Way Lighted Buoy WW</i>	42-16-38.816N 070-55-55.817W	Fl (2+1)R 6s			3 Red and green bands.	Replaced by nun when endangered by ice. AIS: MMSI 993672281 (21)	04/16
							*	
11706	<i>Weymouth Fore River Channel Lighted Buoy 12</i>	42-16-23.465N 070-55-54.115W	Fl R 2.5s			3 Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672285 (21)	04/16
							*	
11712	<i>Weymouth Fore River Channel Lighted Buoy 14</i>	42-16-11.737N 070-55-58.453W	Fl R 4s			3 Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672286 (21)	04/16
							*	
11730	<i>Weymouth Fore River Channel Lighted Buoy 18</i>	42-15-43.383N 070-56-20.863W	Fl R 6s			3 Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672287 (21)	04/16
							*	
11735	<i>Weymouth Fore River Channel Lighted Buoy 19</i>	42-15-24.032N 070-56-29.419W	Fl G 2.5s			3 Green.	Replaced by can when endangered by ice. AIS: MMSI 993672288 (21)	04/16
							*	
11740	<i>Weymouth Fore River Channel Lighted Buoy 22</i>	42-15-18.013N 070-56-41.981W	Q R			3 Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672289 (21)	04/16
							*	
11755	<i>Weymouth Fore River Channel Lighted Buoy 26</i>	42-15-04.019N 070-57-14.459W	Fl R 4s			3 Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672290 (21)	04/16
							*	
11760	<i>Weymouth Fore River Channel Lighted Buoy 28</i>	42-14-53.104N 070-57-43.105W	Fl R 2.5s			3 Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672291 (21)	04/16
							*	
11825	Town River Bay Channel Buoy 2	42-14-57.064N 070-57-59.894W					Red nun. AIS: MMSI 993672292 (21)	04/16
							*	
11835	Town River Bay Channel Buoy 4	42-15-02.255N 070-58-16.897W					Red nun. AIS: MMSI 993672293 (21)	04/16
							*	
11845	Town River Bay Channel Buoy 7	42-15-09.751N 070-58-31.831W					Green can. AIS: MMSI 993672294 (21)	04/16
							*	

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
11850	Town River Bay Channel Buoy 9	42-15-13.802N 070-58-35.950W				Green can.	AIS: MMSI 993672295 (21)  *
11855	Town River Bay Channel Buoy 11	42-15-15.795N 070-58-42.562W				Green can.	AIS: MMSI 993672296 (21)  *
11870	Town River Bay Channel Buoy 16	42-15-16.679N 070-59-03.438W				Red nun.	AIS: MMSI 993672297 (21)  *
11885	<i>Weymouth Back River Channel Lighted Buoy 1</i>	42-15-56.219N 070-55-50.838W	Fl G 2.5s			3 Green.	Replaced by LIB from Dec. 1 to Apr. 15. AIS: MMSI 993672298 (21)  *
11895	Weymouth Back River Channel Buoy 3	42-15-54.690N 070-55-28.763W				Green can.	AIS: MMSI 993672299 (21)  *
11900	<i>Weymouth Back River Channel Lighted Buoy 4</i>	42-15-52.381N 070-55-25.685W	Fl R 4s			3 Red.	Replaced by LIB from Dec. 1 to Apr. 15. AIS: MMSI 993672302 (21)  *
11905	Weymouth Back River Channel Buoy 6	42-15-44.297N 070-55-16.495W				Red nun.	AIS: MMSI 993672303 (21)  *
11910	Weymouth Back River Channel Buoy 7	42-15-42.229N 070-55-12.237W				Green can.	AIS: MMSI 993672304 (21)  *
11915	<i>Weymouth Back River Channel Lighted Buoy 8</i>	42-15-30.553N 070-55-07.079W	Fl R 4s			3 Red.	Replaced by LIB from Dec. 1 to Apr. 15. AIS: MMSI 993672305 (21)  *
11920	Weymouth Back River Channel Buoy 10	42-15-25.050N 070-55-08.317W				Red nun.	AIS: MMSI 993672306 (21)  *
11925	Weymouth Back River Channel Buoy 12	42-15-19.300N 070-55-11.167W				Red nun.	AIS: MMSI 993672307 (21)  *
35160	<i>Sandy Hook Channel Lighted Buoy 14</i>	40-29-02.159N 074-00-44.496W	Q R			3 Red.	Replaced by LIB of reduced intensity when endangered by ice.  *
14945	Eel Pond Buoy 8A						Remove from list.  *
31375	State Boat Channel Daybeacon 72						Remove from list.  *

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
10451.1	Marblehead Harbor Fairway Buoy 3	42-30-30.700N 070-50-21.700W				Green can.	Private Aid.	02/16	
		*							
10451.15	Marblehead Harbor Fairway Buoy 7	42-30-24.100N 070-50-30.900W				Green can.	Private Aid.	02/16	
		*							
10451.17	Marblehead Harbor Fairway Buoy 9	42-30-21.800N 070-50-33.500W				Green can.	Private Aid.	02/16	
		*							
10451.18	Marblehead Harbor Fairway Buoy 10	42-30-23.800N 070-50-33.100W				Red nun.	Private Aid.	02/16	
		*							
10451.21	Marblehead Harbor Fairway Buoy 13	42-30-14.800N 070-50-42.800W				Green can.	Private Aid.	02/16	
		*							
15775	GRASSY ISLAND LEDGE LIGHT  On south end of ledge.	41-31-16.197N 070-40-33.246W	Q W (R sector)			4 R 4	NR on white skeleton tower.	Red from 077.5° to 194°.	02/16
		*							
16230	<i>Hog Island Channel Lighted Buoy 23</i>	41-43-52.655N 070-37-59.897W	Fl G 4s			3	Green.	Replaced by LIB from Dec. 15 to Mar. 15.	02/16
		*							
29107.3	Moriches Inlet East Cut Buoy 9E	40-46-21.799N 072-44-24.570W				Green can.	Removed when endangered by ice.	02/16	
		*							
34155	Carman Creek Daybeacon D8	40-39-13.000N 073-25-44.000W				TR on pile.	Private Aid.	02/16	
		*							
34160	Carman Creek Daybeacon D10	40-39-16.000N 073-25-46.000W				TR on pile.	Private Aid.	02/16	
		*							
34165	Carman Creek Daybeacon D12	40-39-22.000N 073-25-50.000W				TR on pile.	Private Aid.	02/16	
		*							
34170	Carman Creek Daybeacon D14						Remove from list.	02/16	
		*							
34175	Carman Creek Daybeacon D16	40-39-27.000N 073-25-54.000W				TR on pile.	Private Aid.	02/16	
		*							

Summary of corrections to Volume I of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
9030	Plum Island Point Daybeacon P						Remove from list.	01/16
							*	
9095	Merrimack River Buoy 22A	42-49-36.050N 070-53-22.886W				Red nun.		01/16
							*	
14825	<i>Waquoit Bay Entrance Lighted Bell Buoy 2</i>	41-32-29.446N 070-32-30.283W	Fl R 4s			3 Red.	Maintained from Apr. 1 to Dec. 1.	01/16
							*	