

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
NO CORRECTIONS THIS WEEK								51/16	
NO CORRECTIONS THIS WEEK								50/16	
305 4110	<b>Santa Cruz Light</b>	36-57-05.340N 122-01-36.360W	Fl W 5s			White lantern house on brick building.39.	Light Obscured from 085 - 220 degrees. Private Aid.	49/16	
*	*	*	*	*	*	*	*		
2470	NEWPORT BAY CHANNEL LIGHT 11	33-36-29.121N 117-54-15.328W	Fl G 4s		15	5	SG on pile.	Temporary lighted buoy placed in the vicinity of the broken pile. Use caution while transiting in its vicinity.	49/16
2755	SOUTH POINT LIGHT	33-53-50.430N 120-07-08.112W	Fl W 6s		530	8	Small white house.	Visible from 272° to 115°, partially obscured by hills elsewhere.	49/16
4110 305	<b>Santa Cruz Light</b>	* 36-57-05.340N 122-01-36.360W	Fl W 5s			White lantern house on brick building. 39.	Light obscured from 085- 220 degrees. Private Aid.	49/16	
*	*	*	*	*	*	*	*		
NO CORRECTIONS THIS WEEK								48/16	
197	<i>Scripps Waverider Lighted Research Buoy 107</i>						Remove from list.	47/16	
2426	<i>Scripps Waverider Lighted Research Buoy 096</i>						* Remove from list.	47/16	
NO CORRECTIONS THIS WEEK								46/16	
NO CORRECTIONS THIS WEEK								45/16	
305	<b>Santa Cruz Light</b>						Remove from list.	44/16	
4110	<b>Santa Cruz Light</b>						* Remove from list.	44/16	
NO CORRECTIONS THIS WEEK								43/16	
NO CORRECTIONS THIS WEEK								42/16	
NO CORRECTIONS THIS WEEK								41/16	
2597	USCD PT MUGU BUOY	33-21-45.000N 119-35-45.600W	Fl Y 2s			35" diameter yellow buoy with 30"mast.	Private Aid.	40/16	
NO CORRECTIONS THIS WEEK								39/16	
NO CORRECTIONS THIS WEEK								38/16	

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
3188	LOS ANGELES OUTER HARBOR LIGHT E	33-42-46.036N 118-16-32.709W	Fl W 2.5s		20	4	NW on post.	37/16
*								
NO CORRECTIONS THIS WEEK								36/16
1560	<i>San Diego Bay Channel Lighted Buoy 11</i>	32-40-54.866N 117-13-53.698W	Fl G 4s			4	Green.	35/16
*								
NO CORRECTIONS THIS WEEK								34/16
181	<i>NOAA Environmental Lighted Buoy 46025</i>	33-46-01.690N 119-03-10.015W	Fl (4)Y 20s				Yellow disc-shaped buoy. Aid maintained by National Oceanic and Atmospheric Administration.	33/16
*								
3620	<i>Port Hueneme Channel Lighted Buoy 5</i>	34-08-44.294N 119-12-44.347W	Fl G 4s			4	Green.	33/16
*								
3625	<i>Port Hueneme Channel Lighted Buoy 6</i>	34-08-42.332N 119-12-41.202W	Fl R 4s			4	Red.	33/16
*								
4120	<i>Terrace Point 1 MBARI Research Buoy</i>						Remove from list.	33/16
*								
8440	Lake Tahoe Buoy I	39-10-31.996N 120-06-52.839W					White can with orange bands.	33/16
*								
390	<i>NOAA Environmental Buoy 46013</i>	38-14-17.031N 123-18-26.606W	Fl (4)Y 20s			4	Yellow disc-shaped buoy. Aid maintained by National Oceanic and Atmospheric Administration.	32/16
*								
2300	<i>Oceanside Junction Lighted Buoy</i>	33-12-28.419N 117-24-06.177W	Fl (2+1)G 6s			4	Green and red bands.	32/16
*								
6630	NEW YORK SLOUGH LIGHT 7	38-01-55.046N 121-51-27.686W	Fl G 4s		15	4	SG on pile.	32/16
*								

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
390	NOAA Environmental Buoy 46013	38-14-17.031N 123-18-26.606W	Fl (4)Y 20s			4	Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	32/16
		*							
2300	Oceanside Junction Lighted Buoy	33-12-28.419N 117-24-06.177W	Fl (2+1)G 6s			4	Green and red bands.		32/16
		*							
6630	NEW YORK SLOUGH LIGHT 7	38-01-55.046N 121-51-27.686W	Fl G 4s		15	4	SG on pile.		32/16
		*							
45 2296	OCEANSIDE SOUTH JETTY LIGHT 2	33-12-21.732N 117-23-58.548W	Fl R 2.5s	26		5	TR on post.	HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). The sound signal can be activated by keying VHF-FM Ch. 81A 5 times within 10 seconds.	31/16
		*							
380	Noonday Rock Lighted Bell Buoy 28	37-47-31.670N 123-10-40.491W	Fl R 4s			4	Red	*	31/16
		*							
2296 45	OCEANSIDE SOUTH JETTY LIGHT 2	33-12-21.732N 117-23-58.548W	Fl R 2.5s	26		5	TR on post.	HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). The sound signal can be activated by keying VHF-FM Ch. 81A 5 times within 10 seconds.	31/16
		*							
5700	Richmond Harbor Channel Lighted Buoy 6	37-54-20.418N 122-23-38.712W	Fl R 4s			3	Red.	*	31/16
		*							
NO CORRECTIONS THIS WEEK									30/16
535	Turtle Rocks Bell Buoy 44	41-08-10.517N 124-11-47.082W					Red.		29/16
		*							
NO CORRECTIONS THIS WEEK									28/16
2597	Pt Mugu Radar Target Buoy	33-21-45.000N 119-35-45.600W	Fl Y 2s				35" diameter yellow buoy with 30"mast.	Private Aid.	27/16
		*							
* 3295	* CABRILLO BEACH LAUNCH RAMP LIGHT SOUTH	* 33-42-46.800N 118-16-58.200W	* Fl W 4s		*		* On post.	* Private Aid.	* 26/16
		*							

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
500	<i>NOAA Environmental Lighted Buoy 46022</i>	40-42-52.504N 124-31-39.073W	Fl (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	25/16
		*						
3870	<i>Morro Bay Channel Lighted Buoy 7</i>	35-22-05.035N 120-51-53.574W	Fl G 6s			4 Green.	Buoy may be frequently relocated due to changing conditions.	24/16
		*						
4010	Moss Landing Harbor Channel Buoy 1	36-48-20.842N 121-47-33.358W				Green can.		24/16
		*						
3870	<i>Morro Bay Channel Lighted Buoy 7</i>	35-22-05.035N 120-51-53.574W	Fl G 6s			4 Green.	Buoy may be frequently relocated due to changing conditions.	24/16
		*						
4010	Moss Landing Harbor Channel Buoy 1	36-48-20.842N 121-47-33.358W				Green can.		24/16
		*						
	NO CORRECTIONS THIS WEEK							23/16
	NO CORRECTIONS THIS WEEK							22/16
	NO CORRECTIONS THIS WEEK							21/16
	NO CORRECTIONS THIS WEEK							20/16
	NO CORRECTIONS THIS WEEK							19/16
	NO CORRECTIONS THIS WEEK							18/16
	NO CORRECTIONS THIS WEEK							17/16
	NO CORRECTIONS THIS WEEK							16/16
360	<i>San Francisco Approach Lighted Whistle Buoy SF</i>	37-44-59.749N 122-41-33.940W	Mo (A) W			4 Red and white stripes with spherical topmark.	RACON: M ( - - ) AIS MMSI: 993692001	15/16
		*						

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2764.1	<i>Catalina Sea Ranch Nomad Buoy</i>	33-36-28.000N 118-06-28.000W	Fl Y 4s				Private Aid.	14/16
*	*	*	*		*	*	*	*
2764.2	<i>Catalina Sea Ranch NW Buoy</i>	33-36-49.000N 118-06-28.000W	Fl Y 4s				Private Aid.	14/16
*	*	*	*		*	*	*	*
2764.3	<i>Catalina Sea Ranch NE Buoy</i>	33-36-49.000N 118-06-04.000W	Fl Y 4s				Private Aid.	14/16
*	*	*	*		*	*	*	*
2764.4	<i>Catalina Sea Ranch SE Buoy</i>	33-36-28.000N 118-06-04.000W	Fl Y 4s				Private Aid.	14/16
*	*	*	*		*	*	*	*
4670.1	OAKLAND INNER HARBOR SHALLOW WATER HABITAT LIGHT B	37-48-00.376N 122-19-52.211W	Fl W 2s				Private Aid.	14/16
*	*	*	*		*	*	*	*
4674	OAKLAND INNER HARBOR SHALLOW WATER HABITAT LIGHT B						Remove from list.	14/16
478	<i>Scripps Waverider Lighted Research Buoy 094</i>	40-17-34.860N 124-44-04.740W	Fl (5)Y 20s			Yellow sphere with whip antenna.	Private Aid.	13/16
		*						
	NO CORRECTIONS THIS WEEK							12/16
	NO CORRECTIONS THIS WEEK							11/16
	NO CORRECTIONS THIS WEEK							10/16
	NO CORRECTIONS THIS WEEK							09/16
2288	<i>Scripps Waverider Lighted Research Buoy 093</i>	32-45-00.000N 117-30-00.000W	Fl (5)Y 20s			Yellow sphere with whip antenna.	Private Aid.	08/16
415	<i>Arena Cove Lighted Bell Buoy A</i>	38-54-39.209N 123-43-34.973W	Mo (A) W		4	Red and white stripes with red spherical topmark.		07/16
4745.5	<i>Harley Marine Mooring Buoy</i>	37-46-50.340N 122-20-15.180W	Fl W 2s			9'x6' Cylindrical White Mooring Buoy.	with words "HARLEY MARINE". Private Aid.	07/16
*	*	*	*		*	*	*	*
	NO CORRECTIONS THIS WEEK							06/16

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2016 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
370 4220	<b>Point Bonita Light</b>	37-48-56.120N 122-31-46.266W	Oc W 4s	124	18	White tower on building. 33	Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). The sound signal can be activated by keying VHF-FM Ch. 81A 5 times within 10 seconds. AIS MMSI: 993692000	05/16
4220 370	<b>Point Bonita Light</b>	37-48-56.120N 122-31-46.266W	Oc W 4s	124	18	White tower on building. 33	* Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). The sound signal can be activated by keying VHF-FM Ch. 81A 5 times within 10 seconds. AIS MMSI: 993692000	05/16
4245 365	<b>Mile Rocks Light</b>	37-47-34.159N 122-30-37.350W	Fl W 5s	49	14	On cylindrical structure with white and orange bands. 49	* HORN: 1 blast ev 30s (2s bl), operates continuously. AIS MMSI: 993692039	05/16
NO CORRECTIONS THIS WEEK								04/16
NO CORRECTIONS THIS WEEK								03/16
3011	<i>Scripps Waverider Lighted Research Buoy 215</i>	33-42-01.200N 118-12-02.400W	Fl (5)Y 20s				Private Aid.	02/16
* NO CORRECTIONS THIS WEEK								01/16