



U.S. Department
of Homeland Security
**United States
Coast Guard**

LOCAL NOTICE TO MARINERS

District: 1

Week: 07/16

COASTAL WATERS FROM EASTPORT, MAINE TO SHREWSBURY, NEW JERSEY

NOTES:

- (1) Unless otherwise indicated, missing and destroyed structures are presumed to be in the immediate vicinity of assigned position. Mariners should proceed with caution.
- (2) The Local Notice to Mariners is a weekly edition.
- (3) Inquiries, published articles or Information: mail to: LNM@uscg.mil
- (4) The U.S. Coast Pilot supplements the navigational information shown on nautical charts.
- (5) The Coast Pilot, along with its corrections, are available online at <http://www.nauticalcharts.noaa.gov/nsd/cpdownload.htm>.

The Local Notice to Mariners is available online at <http://www.navcen.uscg.gov/?pageName=InmDistrict®ion=1>
The updated 2016 Light List is available online at: <http://www.navcen.uscg.gov/?pageName=lightListWeeklyUpdates>
Information on Private Aids to Navigation is available at: <http://www.uscg.mil/d1/prevention/NavInfo/navinfo/paton.htm>
Reports of Channel conditions can be found at the Army Corps of Engineers website at:
<http://www.nan.usace.army.mil/Missions/Navigation/ControllingDepthReports.aspx> .
NOAA Tides and Currents can be found at: <http://tidesandcurrents.noaa.gov/> .

The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information for GPS and DGPS. The NIS also disseminates Safety Broadcasts (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). NANU notices can be obtained via email subscription through the USCG Navigation Center website: <http://cqls.uscg.mil/mailman/listinfo/nanu> . In addition, the NIS investigates all reports of degradation or loss of GPS, DGPS or AIS service. Users are encouraged to report all degradation or loss of radio navigation services to the NIS via any of the following: Phone: (703) 313-5900, mail to: tis-sg-nisws@uscg.mil , or on the internet at: <http://www.navcen.uscg.gov> .

PLEASE IMMEDIATELY REPORT DISCREPANCIES IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

COMMANDER, FIRST COAST GUARD DISTRICT (dpw)
408 Atlantic Avenue, Boston, Massachusetts 02110-3350
Telephone: (617) 223-8356
24 Hour FAX: (617) 223-8291
<http://www.uscg.mil/d1/prevention/Marineinfoeregulations.asp>

All bearings are in degrees TRUE - All times are in Local Time unless otherwise noted.

ABBREVIATIONS

A through H

ADRIFT - Buoy Adrift
AICW - Atlantic Intracoastal Waterway
AI - Alternating
B - Buoy
BKW - Breakwater
bl - Blast
BNM - Broadcast Notice to Mariner
bu - Blue
C - Canadian
CHAN - Channel
CGD - Coast Guard District

I through O

I - Interrupted
ICW - Intracoastal Waterway
IMCH - Improper Characteristic
INL - Inlet
INOP - Not Operating
INT - Intensity
ISL - Islet
Iso - Isophase
kHz - Kilohertz
LAT - Latitude
LB - Lighted Buoy

P through Z

PRIV - Private Aid
Q - Quick
R - Red
RACON - Radar Transponder Beacon
Ra ref - Radar reflector
RBN - Radio Beacon
REBUILT - Aid Rebuilt
RECOVERED - Aid Recovered
RED - Red Buoy
REFL - Reflective
RRL - Range Rear Light

C/O - Cut Off	LBB - Lighted Bell Buoy	RELIGHTED - Aid Relit
CONT - Contour	LHB - Lighted Horn Buoy	RELOC - Relocated
CRK - Creek	LGB - Lighted Gong Buoy	RESET ON STATION - Aid Reset on Station
CONST - Construction	LONG - Longitude	RFL - Range Front Light
DAYMK/Daymk - Daymark	LNM - Local Notice to Mariners	RIV - River
DBN/Dbn - Daybeacon	LT - Light	RRASS - Remote Radio Activated Sound Signal
DBD/DAYBD - Dayboard	LT CONT - Light Continuous	s - seconds
DEFAC - Defaced	LTR - Letter	SEC - Section
DEST - Destroyed	LWB - Lighted Whistle Buoy	SHL - Shoaling
DISCON - Discontinued	LWP - Left Watching Properly	si - silent
DMGD/DAMGD - Damaged	MHz - Megahertz	SIG - Signal
ec - eclipse	MISS/MSNG - Missing	SND - Sound
EST - Established Aid	Mo - Morse Code	SPM - Single Point Mooring Buoy
ev - every	MRASS - Marine Radio Activated Sound Signal	SS - Sound Signal
EVAL - Evaluation	MSLD - Misleading	STA - Station
EXT - Extinguished	N/C - Not Charted	STRUCT - Structure
F - Fixed	NGA - National Geospatial-Intelligence Agency	St M - Statute Mile
fl - flash	NO/NUM - Number	TEMP - Temporary Aid Change
Fl - Flashing	NOS - National Ocean Service	TMK - Topmark
G - Green	NW - Notice Writer	TRLB - Temporarily Replaced by Lighted Buoy
GIWW - Gulf Intracoastal Waterway	OBSCU - Obscured	TRLT - Temporarily Replaced by Light
HAZ - Hazard to Navigation	OBST - Obstruction	TRUB - Temporarily Replaced by Unlighted Buoy
HBR - Harbor	OBSTR - Obstruction	USACE - Army Corps of Engineers
HOR - Horizontal Clearance	Oc - Occulting	W - White
HT - Height	ODAS - Anchored Oceanographic Data Buoy	Y - Yellow

Additional Abbreviations Specific to this LNM Edition:

SNNE- U.S. Coast Guard Sector Northern New England
 SBOS- U.S. Coast Guard Sector Boston
 SENE- U.S. Coast Guard Sector Southeastern New England
 SLIS- U.S. Coast Guard Sector Long Island Sound
 SNEW- U.S. Coast Guard Sector New York

AIS - Automatic Identification System
 AtoN - Aids to Navigation
 LLNR - Light List Number
 NM - Nautical Mile

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

ATLANTIC SEACOAST

The U.S. Coast Guard is conducting a Waterways Analysis and Management System Study on the Atlantic and Gulf Seacoast Systems. The study focuses on the existing offshore and near shore aids to navigation system, waterborne commerce, marine casualty information, and future development projects. The purpose of this study is to determine the navigational requirements of vessels operating in the offshore and near shore environment. Individual operators and interested maritime industry representatives are requested to provide comment and feedback using the Seacoast WAMs User Feedback Form link below. Comments must be received by March 15, 2016.

The Seacoast WAMs User Feedback Form can be found online at:
<https://docs.google.com/forms/d/1iMH8glUugWVsvxDP3LumHpCE0JXUguUlj2iko9Nc5tw/edit?usp=sharing>

Comments and feedback using the enclosed survey can be emailed to: D01-SMB-DPWPublicComments@uscg.mil with Atlantic Seacoast Systems WAMS as the subject line.

All comments can also be mailed or faxed to:
 Commander (DPW)
 First Coast Guard District
 Attn: DPW1
 408 Atlantic Avenue (Rm 628)
 Boston, MA 02110
 FAX: 1-617-223-8291

LNM 48/15

NOTICE TO ALL PRIVATE BOATS AT SEA

United States laws and regulations require that ALL private boats arriving from a foreign port or place MUST report to the Bureau of Customs and Border Protection IMMEDIATELY upon their arrival into the United States. Every person entering the United States must be seen in person for immigration purposes by a Customs and Border Protection officer, except those participating in the I-68 -Canadian Border Boat Landing Program-. However, holders of form I-68 are still required to report their arrival into the United States to the Bureau of Customs and Border Protection. Masters and passengers must provide proof of citizenship or legal immigration status, and be in possession of a valid passport and visa, if required. Citizens of countries that are participants in the Visa Waiver Program are not eligible to seek admission to the United States under that program via private vessel. Once your boat is anchored or tied, you are considered to have entered the United States. No one may leave the vessel until Customs and Border Protection grants permission. The only exception to this requirement is to report arrival. In order to fulfill the requirement to immediately report a private boat arrival, the master of the vessel must contact the nearest Customs and Border Protection Office, or if the arrival occurs after business hours, the nearest 24 hour port of entry. Upon reporting, you may be required to proceed to a staffed port for inspection by Customs and Border Protection. Failure to comply with these requirements could result in serious criminal and civil penalties, including seizure of the boat. International mariners are urged to report any suspicious or illegal activity to the Bureau of Customs and Border Protection at 1-800-BE-ALERT.

LNM 09/15

NY/NJ – OPERATION CLEAR CHANNEL IN THE PORT OF NY/NJ

The Operation Clear Channel program is designed to educate boaters about the hazards of operating small vessels and personal watercraft in the confines of navigational channels used by larger commercial ships. Federal Navigation Rules, also known as the "Rules of the Road", address this safety concern by giving commercial vessels priority, or right-of-way, over smaller vessels when navigating in narrow channels. An average of 1,400 commercial vessels navigate the waters of the Port of NY/NJ every day and the masters of these vessels, while always on the lookout, cannot always see smaller vessels operating within the channels.

Recreational boaters should keep a sharp lookout and always be prepared to give way to ships constrained in their ability to maneuver, especially when operating within close proximity of a channel. U.S. Coast Guard units in New York and New Jersey actively promote boater awareness through vessel enforcement patrols and visits to local marinas. The U.S. Coast Guard focuses Operation Clear Channel efforts on high-traffic regions, such as Ambrose Channel, Sandy Hook Channel and Raritan Bay, but patrols all of New York Harbor in an effort to promote awareness. Mariners interested in increasing their knowledge of boating safety, including the "Rules of the Road", should consider a U.S. Coast Guard Auxiliary boating safety course. Course information is available online at <http://www.cgaux.org> in the "Take a Boating Course" section, or by calling 1-800-336-BOAT. Further information can be found at <http://thesafeharbor.us/index.html>

LNM 02/15

SAFE BOATING VIDEO FOR THE PORT OF NY & NJ

This free online educational resource for safe boating in the Port of NY & NJ is a cooperative effort by the I BOAT NJ program through NJ DOT and U.S. Coast Guard Sector New York. The project contains a feature length 26 minute safety video describing the challenges of the multi user Port environment and 5 sub chapters: Paddlers, Motor Boaters, Sailors, Pilots and Operation Clear Channel. Its mission is to increase safety and awareness in the Port and its target is recreational boaters who transit and operate in the Port. It can be found online at <http://thesafeharbor.us/index.html>. Please distribute far and wide.

LNM 07/15

US NOTICE TO MARINERS (NTM)

The US Notice to Mariners provides timely marine safety information for the correction of all US Government navigation charts and publications from a wide variety of sources both foreign and domestic. To ensure the safety of life at sea, the information published in the Notice to Mariners is designed to provide for the correction of unclassified nautical charts, the Unclassified NGA/DLIS Catalog of Hydrographic Products, United States Coast Pilots, NGA List of Lights, USCG Light Lists, and other related nautical publications produced by NGA, NOS and the U.S. Coast Guard. The US Notice to Mariners will contain only those chart corrections of interest to ocean going vessels. It is available online at http://msi.nga.mil/NGAPortal/MSI.portal?nfpb=true&pageLabel=msi_portal_page_61. NTM 01 – Special Paragraphs includes information on: America's Waterway Watch program asking those who work, live, or recreate on or near the water to be aware of suspicious activity, The Prudent Mariner and the use of floating Aids to Navigation, and Northern Right Whales.

LNM 07/15

MARINER ALERT-SHIP/WHALE COLLISIONS

Collisions between vessels and whales are a threat to a number of endangered large whale species – most notably, the right whale. The United States has established measures to reduce this threat. A vessel speed restriction requires that vessels 65 feet or greater in length travel 10 knots or less in certain areas and on a rolling basis at certain times where endangered right whales may be present: http://www.fisheries.noaa.gov/pr/pdfs/shipstrike/compliance_guide.pdf). This rule applies within 20 nautical miles around all major ports and in other locations along the U.S. eastern seaboard. Temporary voluntary speed limits also may be imposed in other areas when an aggregation of three or more right whales is confirmed. In addition, ships 300 gt and greater are required to report their location and speed to a USCG shore station in certain prescribed areas: <http://www.nmfs.noaa.gov/pr/shipstrike/msr.htm>. A computer-based interactive guide and training

resource for mariners is available at: <http://www.greateratlantic.fisheries.noaa.gov/shipstrike/doc/mtr.html> . The guide provides information on endangered whales, recommended navigational actions when operating in whale habitat, a guide to reporting sightings of dead or injured right whales, and related information. Additional steps mariners can take to help reduce the chances of hitting a right whale can be found at: http://www.nero.noaa.gov/shipstrike/doc/guidelines%20placard_high.pdf .

LNM 02/15

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
1170	Foster Channel Buoy 2	SINKING	13326	SNNE-0138-14	28/14	
1475	Pomp Island Ledge Daybeacon 2	DAYMK MISSING	13326	SNNE-0215-15	02/16	
1490	Eastern Harbor Buoy 1	SINKING	13324	SNNE-0169-15	35/15	
2340	Bass Harbor Head Bell Buoy EB	OFF STA	13313	SNNE-0199-15	43/15	
3285	Foster Ledges Buoy 10	MISSING	13302	SNNE-0201-15	44/15	
4790	Marshall Point Ledge Buoy 2	SINKING	13301	SNNE-0220-15	52/15	
5380	Perkins Point Daybeacon 19	STRUCT DEST/TRUB	13293	SNNE-0209-15	47/15	
7010	Hope Island Lighted Bell Buoy 2	SS INOP	13292	SNNE-0019-16	07/16	
7565	Portland Head Light	REDUCED INT	13292	SNNE-0004-16	03/16	
8265	York Harbor Buoy 3	MISSING	13283	SNNE-0008-16	04/16	
9320	Plum Island Sound Entrance Buoy 6	OFF STA	13279	SBOS-0014-16	06/16	
10045	Salem Channel Lighted Buoy 15	LT EXT	13276	SBOS-0003-16	02/16	
11070	Winthrop Channel Buoy 2	OFF STA	13272	SBOS-009-16	05/16	
11355	Nantasket Roads Channel Lighted Bell Buoy 3	MISSING	13270	SBOS-0216-15	40/15	
11675	Harry's Rock Light HR	STRUCT DMGD	13270	SBOS-0194-15	33/15	
13025	Plymouth Harbor Channel Buoy 29	MISSING	13253	SBOS-0004-16	02/16	
14050	Saquatumet Harbor East Jetty Light 6	DAYMK MISSING	13229	SSENE-0213-13	43/13	
15135	Nantucket Bar Lighted Bell Buoy NB	TMK MISSING	13242	SSENE-0005-16	02/16	
15775	Grassy Island Ledge Light	LT IMCH	13235	SSENE-0008-16	02/16	
16205	Hog Island Channel Light 17	REDUCED INT/DAYMK MISSING	13236	SSENE-0174-14	19/14	
17805	East Passage Lighted Gong Buoy 9	SS INOP	13223	SENE-0381-15	49/15	
17850	Newport Harbor Light	LT EXT	13223	NONE	07/16	
19645	Point Judith Pond Channel Buoy 26	OFF STA	13219	SENE-0025-16	07/16	
19695	Block Island Old Harbor Channel Buoy 5	OFF STA	13217	SENE-0018-16	06/16	
21275	Old Field Point Light	LT EXT	12362	SLIS-0050-16	07/15	
21325	Eatons Neck Light	LT EXT	12365	SLIS-0003-16	02/16	
21340	Greens Ledge Light	SS IMCH	12368	SLIS-0006-16	03/16	
26530	Huntington Harbor Light	SS IMCH	12365	SLIS-0018-16	04/16	
29106	Moriches Inlet West Cut Buoy 4W	OFF STA	12352	SLIS-0034-16	07/16	
29106.2	Moriches Inlet West Cut Buoy 7W	OFF STA	12352	SLIS-0033-16	07/16	
29107	Moriches Inlet East Cut Buoy 3E	OFF STA	12352	SLIS-0035-16	07/16	
29107.1	Moriches Inlet East Cut Buoy 5E	OFF STA	12352	SLIS-0034-16	07/16	
29107.2	Moriches Inlet East Cut Buoy 7E	OFF STA	12352	SLIS-0037-16	07/16	
29107.3	Moriches Inlet East Cut Buoy 9E	OFF STA	12352	SLIS-0038-16	07/16	
30300	Moriches Bay Buoy 17	OFF STA	12352	SLIS-0040-16	07/16	
30303	Moriches Bay Buoy 17A	OFF STA	12352	SLIS-0041-16	07/16	
30305	Moriches Bay Lighted Buoy 18	OFF STA	12352	SLSIS-0040-15	07/16	
30315	Moriches Bay Buoy 21	OFF STA	12352	SLIS-0043-16	07/16	
30325	Moriches Bay Lighted Buoy 23	OFF STA	12352	SLIS-0046-16	07/16	

30330	Moriches Bay Lighted Buoy 24	OFF STA	12352	SLIS-0047016	07/16
30340	Moriches Bay Buoy 27	OFF STA	12352	SLIS-0048-16	07/16
30910	Jones Inlet Lighted Buoy 2	MISSING	12352	SLIS-0022-16	04/16
34795	Staten Island Rear Range Light	REDUCED INT	12402	SNEW-0291-15	27/15
35135	Sandy Hook Channel Range Front Light	LT IMCH	12401	SNEW-0443-15	39/15
38290	Kingston Flats Light KF	STRUCT DMGD	12347	SNEW-0015-15	03/15
	Block Island Old Harbor Channel	OFF STA	13217	SENE-0019-15	06/16
	Temporary Lighted Buoy 3				

DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
4170	Rockland Harbor Bypass Channel Buoy 3	WATCHING PROPERLY	13307	SNNE-0016-16	06/16	07/16
4230	Lermond Cove Channel Buoy 3	Correction Status Unreported	13307	SNNE-0008-16	04/16	07/16
4310	Curtis Island Light	WATCHING PROPERLY	13307	SNNE-0021-16	07/16	07/16
4780	Marshall Point Light	WATCHING PROPERLY	13301	SNNE-0022-16	07/16	07/16
16275	Cuttyhunk Harbor West Entrance Buoy 3W	WATCHING PROPERLY	13229	SSENE-0024-16	07/16	07/16
19720	Block Island Breakwater Light 3	WATCHING PROPERLY	13217	SENE-0015-16	04/16	07/16
21505	Stepping Stones Light	WATCHING PROPERLY	12366	SNEW-0513-16	52/15	52/16
22525	Connecticut River Lighted Buoy 5	WATCHING PROPERLY	12375	SLIS-0031-16	07/16	07/16
22530	Connecticut River Buoy 6	WATCHING PROPERLY	12375	SLIS-0032-16	07/16	07/16
22540	Connecticut River Lighted Buoy 8	WATCHING PROPERLY	12375	SLIS-0030-16	07/16	07/16
29108	Moriches Inlet East Cut Buoy 11E	REPORTED IN ERROR	12352	SLIS-039-16	07/16	07/16
30365	Moriches Bay Lighted Buoy 29	REPORTED IN ERROR	12352	SLIS-0042-16	07/16	07/16
37010	New Jersey Pierhead South Entrance Lighted Buoy 1	WATCHING PROPERLY	12334	SNEW-0029-16	06/16	07/16

DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
651	ACOE Block Island Lighted Research Buoy 154	OFF STA/LT EXT	12300	SSENE-0183-13	37/13	
2931	Buck's Harbor East Channel Buoy 1	MISSING	13309	SNNE-0147-15	30/15	
9416.4	Ipswich River Buoy 6	OFF STA	13282	SBOS-0239-15	51/15	
10135	Dion Yacht Yard Channel Daybeacon 1	DAYMK IMCH	13276	SBOS-0198-15	34/15	
10138	Dion Yacht Yard Channel Daybeacon 7	DAYMK IMCH	13276	SBOS-0199-15	34/15	
10138.1	Dion Yacht Yard Channel Daybeacon 8	DAYMK IMCH	13276	SBOS-0200-15	34/15	
10139	Dion Yacht Yard Channel Daybeacon 9	DAYMK IMCH	13276	SBOS-0201-15	34/15	
10140	Dion Yacht Yard Preferred Channel Daybeacon	DAYMK IMCH	13276	SBOS-0197-15	34/15	
10926	Fan Pier South Hazard Lighted Buoy	LT EXT	13272	SBOS-0084-15	12/15	
10974	Chelsea Creek NSTAR Hazard Buoy	MISSING	13272	SBOS-0066-15	09/15	
11411	Nantasket Roads DRC Lighted Hazard Buoy A	LT IMCH	13270	SBOS-00138-15	28/15	
11411.1	Nantasket Roads DRC Lighted Hazard Buoy B	MISSING	13270	SBOS-0093-15	14/15	
11411.2	Nantasket Roads DRC Lighted Hazard Buoy C	OFF STA/LT EXT	13270	SBOS-0094-15	10/15	
14833	Waquoit Bay West Jetty Light	STRUCT DEST	13229	SSENE-0234-15	18/15	
16926.4	New Bedford South Terminal Buoy 5	OFF STA	13232	SSENE-0251-15	21/15	
16926.5	New Bedford South Terminal Buoy 6	OFF STA	13232	SSENE-0250-15	21/15	
17853	Newport Harbor North Channel Buoy 1	DAYMK IMCH	13223	SENE-0384-15	51/15	
17853.2	Newport Harbor North Channel Buoy 3	DAYMK IMCH	13223	SENE-0384-15	51/15	
17853.3	Newport Harbor North Channel Buoy 4	DAYMK IMCH	13223	SENE-0384-15	51/15	
17853.4	Newport Harbor North Channel Buoy 5	DAYMK IMCH	13223	SENE-0384-15	51/15	
17853.5	Newport Harbor North Channel Buoy 6	DAYMK IMCH	13223	SENE-0384-15	51/15	
17891	Jamestown Harbor Channel Buoy 1	MSLD SIG	13223	SSENE-0131-11	29/11	
17892	Jamestown Harbor Channel Lighted Buoy 2	DAYMK IMCH	13223	SSENE-0320-15	35/15	

17893	Jamestown Harbor Channel Buoy 3	DAYMK IMCH	13223	SSENE-0134-14	29/14
17894	Jamestown Harbor Channel Buoy 4	MSLD SIG	13223	SSENE-0134-11	29/11
17915.1	Coasters Harbor Navy Channel Buoy 1	MSLD SIG	13223	SSENE-0140-14	31/14
17915.2	Coasters Harbor Navy Channel Buoy 2	OFF STA/MSLD SIG	13223	SSENE-0141-14	31/14
17915.3	Coasters Harbor Navy Channel Buoy 4	MSLD SIG	13223	SSENE-0142-14	31/14
17916	Newport Naval Station Security Zone Buoy A	OFF STA	13223	NONE	10/15
17923	Newport Naval Station Security Zone Buoy G	MISSING	13223	SSENE-0246-11	43/11
17926	Newport Naval Station Security Zone Buoy I	MISSING	13223	SSENE-0248-11	43/11
17929	Newport Naval Station Security Zone Buoy L	SINKING	13223	SSENE-0250-11	43/11
17932	Newport Naval Station Security Zone Buoy N	MISSING	13223	SSENE-0090-12	33/12
17938	Newport Naval Station Security Zone Buoy S	MISSING	13223	SSENE--0270-15	24/15
17939	Newport Naval Station Security Zone Buoy T	MISSING	13223	SSENE-0269-15	24/15
19112	Dutch Island Harbor Channel Buoy 2	MSLD SIG	13223	SSENE-0136-11	29/11
21944	State Pier Light	LT IMCH	13213	SLIS-0255-15	26/15
22470	Smith Cove Daybeacon 8	OFF STA	13211	SLIS-0256-15	26/15
23590	Hammonasset River Daybeacon 16	DAYMK MISSING	12374	SLIS-0333-15	34/15
23620	Hammonasset River Daybeacon 23	DAYMK MISSING	12374	SLIS-0329-15	34/15
23640	Hammonasset River Daybeacon 27	DAYMK MISSING	12374	SLIS-0333-15	34/15
23645	Hammonasset River Daybeacon 28	DAYMK MISSING	12374	SLIS-0333-15	34/15
23706	Hammonasset River Daybeacon 41	DAYMK MISSING	12374	SLIS-0333-15	34/15
23706.5	Hammonasset River Daybeacon 46	DAYMK MISSING	12374	SLIS-0333-15	34/15
23706.6	Hammonasset River Daybeacon 47	DAYMK MISSING	12374	SLIS-0332-15	34/15
23707	Hammonasset River Daybeacon 51	DAYMK MISSING	12372	SLIS-0331-15	34/15
23707.3	Hammonasset River Daybeacon 55	DAYMK MISSING	12374	SLIS-0333-15	34/15
23707.6	Hammonasset River Daybeacon 58	DAYMK MISSING	12374	SLIS-0330-15	34/15
23707.7	Hammonasset River Daybeacon 59	DAYMK MISSING	12374	SLIS-0333-15	34/15
23707.8	Hammonasset River Daybeacon 61	DAYMK MISSING	12374	SLIS-0333-15	34/15
23707.9	Hammonasset River Daybeacon 62	DAYMK MISSING	12374	SLIS-0333-15	34/15
26350	Nissequogue River Lighted Buoy 14	OFF STA	12364	SLIS-0266-15	27/15
26375	Northport Basin Entrance Lighted Buoy 1	OFF STA	12365	SLIS-0253-15	26/15
26770	Northport Harbor Channel Buoy 10	OFF STA/BUOY DMGD	12365	SLIS-0364-15	41/15
26775	Northport Harbor Channel Buoy 12	OFF STA	12365	SLIS-0364-15	41/15
34165	Carman Creek Daybeacon D12	MISSING	12352	SLIS-0259-15	27/15
34175	Carman Creek Daybeacon D16	MISSING	12352	SLIS-0260-15	27/15
37209.1	Claremont Terminal Channel Rear Range Light	MSLD SIG	12334	SNEW-0470-15	42/15

DISCREPANCIES (PRIVATE AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
10927	Fan Pier North Hazard Lighted Buoy	WATCHING PROPERLY	13272	SBOS-0149-15	28/15	07/16

PLATFORM DISCREPANCIES

Nam	Status	Position	BNM Ref.	LNM St	LNM End
None					

PLATFORM DISCREPANCIES CORRECTED

Nam	Status	Position	BNM Ref.	LNM St	LNM End
None					

SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
201	UNH Jeffreys Ledge Moored Observatory Lighted Buoy	DISCONTINUED	13278	NONE	16/15	
226	UNH Isle of Shoals CO2 Research Lighted Buoy	DISCONTINUED	13274	SNNE-0151-14	31/14	
1135	Stone Island Ledge Daybeacon 3	DISCONTINUED	13326	SNNE-0032-13	11/13	
3375	Isle Au Haut Thorofare Daybeacon 4	DISCONTINUED	13305	SNNE-0221-14	01/16	
7396	Cousins Island Channel Buoy 1	DISCONTINUED	13290	SNNE-0080-15	19/15	
7396.1	Cousins Island Channel Buoy 3	DISCONTINUED	13290	SNNE-0080-15	19/15	
7396.2	Cousins Island Channel Buoy 4	DISCONTINUED	13290	SNNE-0080-15	19/15	
7396.3	Cousins Island Channel Buoy 5	DISCONTINUED	13290	SNNE-0080-15	19/15	
7396.4	Cousins Island Channel Buoy 7	DISCONTINUED	13290	SNNE-0080-15	19/15	
7396.5	Cousins Island Channel Buoy 8	DISCONTINUED	13290	SNNE-0080-15	19/15	
7396.6	Cousins Island Channel Buoy 9	DISCONTINUED	13290	SNNE-0080-15	19/15	
7396.7	Cousins Island Channel Buoy 10	DISCONTINUED	13290	SNNE-0080-15	19/15	
7396.8	Cousins Island Channel Buoy 11	DISCONTINUED	13290	SNNE-0080-15	19/15	
7396.9	Cousins Island Channel Buoy 12	DISCONTINUED	13290	SNNE-0080-15	19/15	
7397	Cousins Island Channel Junction Buoy	DISCONTINUED	13290	SNNE-0080-15	19/15	
9025	Merrimack River Bar Guide Light	DISCONTINUED	13282	SBOS-0087-15	12/15	
9480	Essex Bay Entrance Lighted Bell Buoy 1	DISCONTINUED	13279	SBOS-0238-15	51/15	
9805	Annisquam River South Entrance Daybeacon	DISCONTINUED FOR DREDGING	13281	SBOS-0143-14	34/15	
9920	Gloucester Inner Harbor Junction Lighted Buoy GH	DISCONTINUED FOR DREDGING	13281	SBOS-0230-15	47/15	
9990	Whaleback Daybeacon 8	DISCONTINUED FOR DREDGING	13275	SBOS-0076-13	01/16	
12190	Cohasset Channel Buoy 9	DISCONTINUED FOR DREDGING	13269	SBOS-0212-15	39/15	
12200	Cohasset Channel Buoy 11	DISCONTINUED FOR DREDGING	13269	SBOS-0212-15	39/15	
12210	Cohasset Channel Buoy 13	DISCONTINUED FOR DREDGING	13269	SBOS-0212-15	39/15	
12635	Duxbury Bay Channel Buoy 11	RELOCATED FOR DREDGING	13253	SBOS-0223-15	44/15	
12640	Duxbury Bay Channel Buoy 12	RELOCATED FOR DREDGING	13253	SBOS-0223-15	43/15	
12645	Duxbury Bay Channel Buoy 13	RELOCATED FOR DREDGING	13253	SBOS-0223-15	43/15	
12650	Duxbury Bay Channel Buoy 14	RELOCATED FOR DREDGING	13253	SBOS-0223-15	43/15	
12655	Duxbury Bay Channel Buoy 15	RELOCATED FOR DREDGING	13253	SBOS-0223-15	43/15	
12660	Duxbury Bay Channel Buoy 16	RELOCATED FOR DREDGING	13253	SBOS-0223-15	43/15	
12665	Duxbury Bay Channel Buoy 18	RELOCATED FOR DREDGING	13253	SBOS-0223-15	43/15	
12670	Duxbury Bay Channel Buoy 19	RELOCATED FOR DREDGING	13253	SBOS-0222-15	43/15	
12675	Duxbury Bay Channel Buoy 20	RELOCATED FOR DREDGING	13253	SBOS-0223-15	43/15	
12680	Duxbury Bay Channel Buoy 21	RELOCATED FOR DREDGING	13253	SBOS-0223-15	43/15	
12685	Duxbury Bay Channel Buoy 22	RELOCATED FOR DREDGING	13253	SBOS-0223-15	43/15	
13075	Cape Cod Canal Eastern Entrance Buoy 7	DISCONTINUED FOR DREDGING	13236	SSENE-0003-16	02/16	

13333	North Beach Cut Mid-Channel Buoy A	DISCONTINUED	13248	SENE-0284-15	27/15
13333.1	North Beach Cut Mid-Channel Buoy B	DISCONTINUED	13248	SENE-0284-15	27/15
13333.2	North Beach Cut Mid-Channel Buoy C	DISCONTINUED	13248	SENE-0284-15	27/15
13333.3	North Beach Cut Mid-Channel Buoy D	DISCONTINUED	13248	SENE-0284-15	27/15
13333.4	North Beach Cut Mid-Channel Buoy E	DISCONTINUED	13248	SENE-0284-15	27/15
13333.5	North Beach Cut Mid-Channel Buoy F	DISCONTINUED	13248	SENE-0284-15	27/15
13333.6	North Beach Cut Mid-Channel Buoy G	DISCONTINUED	13248	SENE-0284-15	27/15
13333.7	North Beach Cut Mid-Channel Buoy H	DISCONTINUED	13248	SENE-0284-15	27/15
14800	Succonneset Shoal Lighted Buoy 12	DISCONTINUED	13229	SENE-0275-15	27/15
16230	Hog Island Channel Lighted Buoy 23	RELOCATED FOR DREDGING	13236	SSENE-0004-16	02/16
19720	Block Island Breakwater Light 3	TRLB	13217	SSENE-0145-12	48/12
20367	Pawcatuck River Channel Daybeacon 23	DISCONTINUED	13214	SLIS-0206-15	18/15
21436	UCONN Execution Rocks Research Lighted Buoy A	DISCONTINUED	12364	SNEW-0007-16	02/16
25090	Fivemile River Entrance Buoy 4	TRUB	12368	SLIS-0403-14	45/14
25445	Cos Cob Harbor Channel Buoy 8	TRUB	12367	SLIS-0019-16	05/16
26160	Port Jefferson Directional Light	DISCONTINUED	12362	SLIS-0380-15	45/15
26895	Oyster Bay Harbor Channel Junction Lighted Buoy B	TRUB	12365	NONE	18/15
37203	Claremont Terminal Channel Lighted Buoy 5	TRLB	12334	SNEW-0224-15	23/15
	Isle Au Haut Temporary Buoy 4	ESTABLISHED	13305		07/16

TEMPORARY CHANGES CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

PLATFORM TEMPORARY CHANGES

Nam	Status	Position	BNM Ref.	LNM St	LNM End
-----	--------	----------	----------	--------	---------

None

PLATFORM TEMPORARY CHANGES CORRECTED

Nam	Status	Position	BNM Ref.	LNM St	LNM End
-----	--------	----------	----------	--------	---------

None

SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.

Chart Number	Chart Edition	Edition Date	Last Local Notice to Mariners	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariners
12327	91st Ed.	19-APR-97	Last LNM: 26/97	NAD 83		27/97
Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER						
Main Panel 2245 NEW YORK HARBOR						
(Temp)	ADD	NATIONAL DOCK CHANNEL BUOY 3			CGD01 at 40-41-09.001N	074-02-48.001W
	Corrective Action	Green can	Object of Corrective Action		Position	

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

13003	52nd Ed.	01-OCT-15	Last LNM: 06/16	NAD 83		07/16
<i>Chart Title: Cape Sable to Cape Hatteras</i>						
Main Panel 2156 CAPE SABLE TO CAPE HATTERAS. Page/Side: A						
	CHANGE	Goat Island Light HORN (MRASS)			CGD01 at 43-21-28.300N	070-25-30.300W
13006	36th Ed.	01-JUL-12	Last LNM: 06/16	NAD 83		07/16
<i>Chart Title: West Quoddy Head to New York</i>						
Main Panel 2155 WEST QUODDY HEAD TO NEW YORK-EAST COAST. Page/Side: N/A						
	CHANGE	Goat Island Light HORN (MRASS)			CGD01 at 43-21-28.300N	070-25-30.300W
13009	36th Ed.	01-MAY-14	Last LNM: 06/16	NAD 83		07/16
<i>Chart Title: Gulf of Maine and Georges Bank</i>						
Main Panel 2154 GULF OF MAINE AND GEORGES BANK. Page/Side: N/A						
	CHANGE	Goat Island Light HORN (MRASS)			CGD01 at 43-21-28.300N	070-25-30.300W
13233	19th Ed.	01-JAN-11	Last LNM: 46/15	NAD 83		07/16
<i>Chart Title: Martha's Vineyard; Menemsha Pond</i>						
Main Panel 2110 MARTHAS VINEYARD MA. Page/Side: N/A						
	DELETE	Natural shoreline Q PT 1 OF 4; (NOS NW-25522)			NOS 41-23-27.060N	070-30-15.240W
	DELETE	Natural shoreline Q PT 2 OF 4; (NOS NW-25522)			NOS 41-23-26.960N	070-30-11.620W
	DELETE	Natural shoreline Q PT 3 OF 4; (NOS NW-25522)			NOS 41-23-33.650N	070-30-10.200W
	DELETE	Natural shoreline Q PT 4 OF 4; (NOS NW-25522)			NOS 41-23-40.790N	070-30-14.650W
	ADD	Approximate shoreline T PT 1 OF 9; (NOS NW-25522)			NOS 41-23-27.060N	070-30-15.240W
	ADD	Approximate shoreline T PT 2 OF 9; (NOS NW-25522)			NOS 41-23-25.470N	070-30-12.260W
	ADD	Approximate shoreline T PT 3 OF 9; (NOS NW-25522)			NOS 41-23-23.730N	070-30-11.810W
	ADD	Approximate shoreline T PT 4 OF 9; (NOS NW-25522)			NOS 41-23-22.700N	070-30-12.400W
	ADD	Approximate shoreline T PT 5 OF 9; (NOS NW-25522)			NOS 41-23-22.620N	070-30-11.560W
	ADD	Approximate shoreline T PT 6 OF 9; (NOS NW-25522)			NOS 41-23-24.600N	070-30-08.320W

ADD	Approximate shoreline T PT 7 OF 9; (NOS NW-25522)	41-23-27.090N	070-30-07.900W
ADD	Approximate shoreline T PT 8 OF 9; (NOS NW-25522)	NOS 41-23-30.340N	070-30-08.760W
ADD	Approximate shoreline T PT 9 OF 9; (NOS NW-25522)	NOS 41-23-32.790N	070-30-10.590W
ADD	Low Water Line S PT 01 OF 11; (NOS NW-25522)	NOS 41-23-27.000N	070-30-15.400W
ADD	Low Water Line S PT 02 OF 11; (NOS NW-25522)	NOS 41-23-25.410N	070-30-13.030W
ADD	Low Water Line S PT 03 OF 11; (NOS NW-25522)	NOS 41-23-24.560N	070-30-12.380W
ADD	Low Water Line S PT 04 OF 11; (NOS NW-25522)	NOS 41-23-23.780N	070-30-12.330W
ADD	Low Water Line S PT 05 OF 11; (NOS NW-25522)	NOS 41-23-22.830N	070-30-12.690W
ADD	Low Water Line S PT 06 OF 11; (NOS NW-25522)	NOS 41-23-22.430N	070-30-12.690W
ADD	Low Water Line S PT 07 OF 11; (NOS NW-25522)	NOS 41-23-22.170N	070-30-12.290W
ADD	Low Water Line S PT 08 OF 11; (NOS NW-25522)	NOS 41-23-22.280N	070-30-11.540W
ADD	Low Water Line S PT 09 OF 11; (NOS NW-25522)	NOS 41-23-22.740N	070-30-10.360W
ADD	Low Water Line S PT 10 OF 11; (NOS NW-25522)	NOS 41-23-23.940N	070-30-08.290W
ADD	Low Water Line S PT 11 OF 11; (NOS NW-25522)	NOS 41-23-24.580N	070-30-08.290W
ADD	Natural shoreline R PT 1 OF 2; (NOS NW-25522)	NOS 41-23-32.790N	070-30-10.590W
ADD	Natural shoreline R PT 2 OF 2; (NOS NW-25522)	NOS 41-23-41.080N	070-30-14.770W

13237 42nd Ed. 01-MAY-13 Last LNM: 28/15 NAD 83 07/16

ChartTitle: Nantucket Sound and Approaches

Main Panel 2106 NANTUCKET SOUND AND APPROACHES MA. Page/Side: N/A

DELETE	Approximate shoreline V PT 1 OF 4; (NOS NW-25522)	NOS 41-23-25.090N	070-30-12.380W
DELETE	Approximate shoreline V PT 2 OF 4; (NOS NW-25522)	NOS 41-23-23.110N	070-30-11.870W
DELETE	Approximate shoreline V PT 3 OF 4; (NOS NW-25522)	NOS 41-23-23.680N	070-30-10.280W
DELETE	Approximate shoreline V PT 4 OF 4; (NOS NW-25522)	NOS 41-23-25.140N	070-30-08.210W
ADD	Approximate shoreline U PT 1 OF 4; (NOS NW-25522)	NOS 41-23-25.670N	070-30-13.190W
ADD	Approximate shoreline U PT 2 OF 4; (NOS NW-25522)	NOS 41-23-22.700N	070-30-12.270W
ADD	Approximate shoreline U PT 3 OF 4; (NOS NW-25522)	NOS 41-23-23.450N	070-30-09.720W
ADD	Approximate shoreline U PT 4 OF 4; (NOS NW-25522)	NOS 41-23-25.140N	070-30-08.210W

13238 16th Ed. 01-AUG-07 Last LNM: 04/16 NAD 83 07/16

ChartTitle: Martha's Vineyard Eastern Part;Oak Bluffs Harbor;Vineyard Haven Harbor;Edgartown Harbor

Inset 2105 EDGARTOWN HARBOR . Page/Side: N/A

DELETE	Natural shoreline AA PT 1 OF 3; (NOS NW-25522)	NOS 41-23-27.060N	070-30-15.240W
DELETE	Natural shoreline AA PT 2 OF 3; (NOS NW-25522)	NOS 41-23-25.130N	070-30-10.850W
DELETE	Natural shoreline AA PT 3 OF 3; (NOS NW-25522)	NOS 41-23-30.340N	070-30-09.920W
ADD	Approximate shoreline Z PT 1 OF 8; (NOS NW-25522)	NOS 41-23-27.060N	070-30-15.240W
ADD	Approximate shoreline Z PT 2 OF 8; (NOS NW-25522)	NOS 41-23-25.470N	070-30-12.260W
ADD	Approximate shoreline Z PT 3 OF 8; (NOS NW-25522)	NOS 41-23-23.730N	070-30-11.810W
ADD	Approximate shoreline Z PT 4 OF 8; (NOS NW-25522)	NOS 41-23-22.700N	070-30-12.400W

ADD	Approximate shoreline Z PT 5 OF 8; (NOS NW-25522)	41-23-22.620N	070-30-11.560W
ADD	Approximate shoreline Z PT 6 OF 8; (NOS NW-25522)	NOS 41-23-24.600N	070-30-08.320W
ADD	Approximate shoreline Z PT 7 OF 8; (NOS NW-25522)	NOS 41-23-27.090N	070-30-07.900W
ADD	Approximate shoreline Z PT 8 OF 8; (NOS NW-25522)	NOS 41-23-30.340N	070-30-08.760W
ADD	Low Water Line BB PT 01 OF 11; (NOS NW-25522)	NOS 41-23-27.000N	070-30-15.400W
ADD	Low Water Line BB PT 02 OF 11; (NOS NW-25522)	NOS 41-23-25.410N	070-30-13.030W
ADD	Low Water Line BB PT 03 OF 11; (NOS NW-25522)	NOS 41-23-24.560N	070-30-12.380W
ADD	Low Water Line BB PT 04 OF 11; (NOS NW-25522)	NOS 41-23-23.780N	070-30-12.330W
ADD	Low Water Line BB PT 05 OF 11; (NOS NW-25522)	NOS 41-23-22.830N	070-30-12.690W
ADD	Low Water Line BB PT 06 OF 11; (NOS NW-25522)	NOS 41-23-22.430N	070-30-12.690W
ADD	Low Water Line BB PT 07 OF 11; (NOS NW-25522)	NOS 41-23-22.170N	070-30-12.290W
ADD	Low Water Line BB PT 08 OF 11; (NOS NW-25522)	NOS 41-23-22.280N	070-30-11.540W
ADD	Low Water Line BB PT 09 OF 11; (NOS NW-25522)	NOS 41-23-22.740N	070-30-10.360W
ADD	Low Water Line BB PT 10 OF 11; (NOS NW-25522)	NOS 41-23-23.940N	070-30-08.290W
ADD	Low Water Line BB PT 11 OF 11; (NOS NW-25522)	NOS 41-23-24.580N	070-30-08.290W

Main Panel 2102 MARTHAS VINEYARD - EASTERN PART. Page/Side: N/A

DELETE	Natural shoreline W PT 1 OF 3; (NOS NW-25522)	NOS 41-23-27.380N	070-30-15.460W
DELETE	Natural shoreline W PT 2 OF 3; (NOS NW-25522)	NOS 41-23-25.200N	070-30-10.470W
DELETE	Natural shoreline W PT 3 OF 3; (NOS NW-25522)	NOS 41-23-32.700N	070-30-10.540W
ADD	Approximate shoreline Y PT 1 OF 9; (NOS NW-25522)	NOS 41-23-27.060N	070-30-15.240W
ADD	Approximate shoreline Y PT 2 OF 9; (NOS NW-25522)	NOS 41-23-25.470N	070-30-12.260W
ADD	Approximate shoreline Y PT 3 OF 9; (NOS NW-25522)	NOS 41-23-23.730N	070-30-11.810W
ADD	Approximate shoreline Y PT 4 OF 9; (NOS NW-25522)	NOS 41-23-22.700N	070-30-12.400W
ADD	Approximate shoreline Y PT 5 OF 9; (NOS NW-25522)	NOS 41-23-22.620N	070-30-11.560W
ADD	Approximate shoreline Y PT 6 OF 9; (NOS NW-25522)	NOS 41-23-24.600N	070-30-08.320W
ADD	Approximate shoreline Y PT 7 OF 9; (NOS NW-25522)	NOS 41-23-27.090N	070-30-07.900W
ADD	Approximate shoreline Y PT 8 OF 9; (NOS NW-25522)	NOS 41-23-30.340N	070-30-08.760W
ADD	Approximate shoreline Y PT 9 OF 9; (NOS NW-25522)	NOS 41-23-32.790N	070-30-10.590W
ADD	Low Water Line X PT 01 OF 11; (NOS NW-25522)	NOS 41-23-27.000N	070-30-15.400W
ADD	Low Water Line X PT 02 OF 11; (NOS NW-25522)	NOS 41-23-25.410N	070-30-13.030W
ADD	Low Water Line X PT 03 OF 11; (NOS NW-25522)	NOS 41-23-24.560N	070-30-12.380W
ADD	Low Water Line X PT 04 OF 11; (NOS NW-25522)	NOS 41-23-23.780N	070-30-12.330W
ADD	Low Water Line X PT 05 OF 11; (NOS NW-25522)	NOS 41-23-22.830N	070-30-12.690W
ADD	Low Water Line X PT 06 OF 11; (NOS NW-25522)	NOS 41-23-22.430N	070-30-12.690W
ADD	Low Water Line X PT 07 OF 11; (NOS NW-25522)	NOS 41-23-22.170N	070-30-12.290W
ADD	Low Water Line X PT 08 OF 11; (NOS NW-25522)	NOS 41-23-22.280N	070-30-11.540W
ADD	Low Water Line X PT 09 OF 11; (NOS NW-25522)	NOS 41-23-22.740N	070-30-10.360W

ADD	Low Water Line X PT 10 OF 11; (NOS NW-25522)	NOS 41-23-23.940N	070-30-08.290W
ADD	Low Water Line X PT 11 OF 11; (NOS NW-25522)	NOS 41-23-24.580N	070-30-08.290W

13241 **18th Ed.** **01-MAR-14** **Last LNM: 28/15** **NAD 83**
ChartTitle: Nantucket Island

07/16

Main Panel 2101 NANTUCKET ISLAND MA. Page/Side: N/A

DELETE	Cable Area DD PT 1 OF 4; Cable Area (NOS NW-25519)	NOS 41-17-55.200N	070-05-10.300W
DELETE	Cable Area DD PT 2 OF 4; Cable Area (NOS NW-25519)	NOS 41-18-40.000N	070-05-55.200W
DELETE	Cable Area DD PT 3 OF 4; Cable Area (NOS NW-25519)	NOS 41-17-54.800N	070-05-26.000W
DELETE	Cable Area DD PT 4 OF 4; Cable Area (NOS NW-25519)	NOS 41-18-21.300N	070-05-51.600W
DELETE	Cable Area EE PT 1 OF 4; Cable Area (NOS NW-25519)	NOS 41-17-23.800N	070-05-24.600W
DELETE	Cable Area EE PT 2 OF 4; Cable Area (NOS NW-25519)	NOS 41-17-40.300N	070-05-03.000W
DELETE	Cable Area EE PT 3 OF 4; Cable Area (NOS NW-25519)	NOS 41-17-26.600N	070-05-29.400W
DELETE	Cable Area EE PT 4 OF 4; Cable Area (NOS NW-25519)	NOS 41-17-42.900N	070-05-07.800W
ADD	Cable Area CC PT 1 OF 7; Cable Area (NOS NW-25519)	NOS 41-17-54.100N	070-05-15.500W
ADD	Cable Area CC PT 2 OF 7; Cable Area (NOS NW-25519)	NOS 41-18-37.500N	070-05-58.000W
ADD	Cable Area CC PT 3 OF 7; Cable Area (NOS NW-25519)	NOS 41-18-36.600N	070-06-01.500W
ADD	Cable Area CC PT 4 OF 7; Cable Area (NOS NW-25519)	NOS 41-17-45.000N	070-05-39.200W
ADD	Cable Area CC PT 5 OF 7; Cable Area (NOS NW-25519)	NOS 41-17-26.900N	070-05-35.000W
ADD	Cable Area CC PT 6 OF 7; Cable Area (NOS NW-25519)	NOS 41-17-23.900N	070-05-24.600W
ADD	Cable Area CC PT 7 OF 7; Cable Area (NOS NW-25519)	NOS 41-17-40.300N	070-05-03.000W

13242 **18th Ed.** **01-DEC-11** **Last LNM: 28/15** **NAD 83**
ChartTitle: Nantucket Harbor

07/16

Main Panel 2100 NANTUCKET HARBOR MA. Page/Side: N/A

DELETE	Cable Area FF PT 1 OF 4; Cable Area (NOS NW-25519)	NOS 41-17-23.800N	070-05-24.600W
DELETE	Cable Area FF PT 2 OF 4; Cable Area (NOS NW-25519)	NOS 41-17-40.300N	070-05-03.000W
DELETE	Cable Area FF PT 3 OF 4; Cable Area (NOS NW-25519)	NOS 41-17-25.900N	070-05-27.700W
DELETE	Cable Area FF PT 4 OF 4; Cable Area (NOS NW-25519)	NOS 41-17-42.200N	070-05-06.200W
DELETE	Cable Area GG PT 1 OF 4; Cable Area (NOS NW-25519)	NOS 41-17-54.100N	070-05-15.500W
DELETE	Cable Area GG PT 2 OF 4; Cable Area (NOS NW-25519)	NOS 41-18-37.500N	070-05-58.000W
DELETE	Cable Area GG PT 3 OF 4; Cable Area (NOS NW-25519)	NOS 41-17-54.700N	070-05-21.200W
DELETE	Cable Area GG PT 4 OF 4; Cable Area (NOS NW-25519)	NOS 41-18-29.800N	070-05-55.700W
ADD	Cable Area HH PT 1 OF 7; Cable Area (NOS NW-25519)	NOS 41-17-54.100N	070-05-15.500W
ADD	Cable Area HH PT 2 OF 7; Cable Area (NOS NW-25519)	NOS 41-18-37.500N	070-05-58.000W
ADD	Cable Area HH PT 3 OF 7; Cable Area (NOS NW-25519)	NOS 41-18-36.600N	070-06-01.500W
ADD	Cable Area HH PT 4 OF 7; Cable Area (NOS NW-25519)	NOS 41-17-45.000N	070-05-39.200W
ADD	Cable Area HH PT 5 OF 7; Cable Area (NOS NW-25519)	NOS 41-17-26.900N	070-05-35.000W
ADD	Cable Area HH PT 6 OF 7; Cable Area (NOS NW-25519)	NOS 41-17-23.900N	070-05-24.600W

ADD Cable Area HH PT 7 OF 7; Cable Area (NOS NW-25519) 41-17-40.300N 070-05-03.000W

13260 41st Ed. 01-AUG-12 Last LNM: 06/16 NAD 83 07/16

ChartTitle: Bay of Fundy to Cape Cod

Main Panel 2090 BAY OF FUNDY - CAPE COD ME-NH-MA. Page/Side: N/A

CHANGE Goat Island Light
HORN (MRASS) CGD01
at 43-21-28.300N 070-25-30.300W

13269 11th Ed. 01-APR-11 Last LNM: 41/15 NAD 83 07/16

ChartTitle: Cohasset and Scituate Harbors

Main Panel 2087 COHASSET AND SCITUATE HARBORS MA. Page/Side: N/A

DELETED Sounding in Feet; 10 (NOS NW-25523) NOS
42-12-10.110N 070-42-59.730W
DELETED Sounding in Feet; 4 (NOS NW-25523) NOS
42-12-14.560N 070-43-07.050W
DELETED Sounding in Feet; 5 (NOS NW-25523) NOS
42-12-12.760N 070-43-04.540W
DELETED Sounding in Feet; 6 (NOS NW-25523) NOS
42-12-06.670N 070-43-22.810W
DELETED Sounding in Feet; 9 (NOS NW-25523) NOS
42-12-06.050N 070-43-06.380W
SUBSTITUTE Sounding in Feet; 4 for 5 (NOS NW-25523) NOS
42-12-06.910N 070-43-04.140W
SUBSTITUTE Sounding in Feet; 4 for 5 (NOS NW-25523) NOS
42-12-07.970N 070-43-22.660W
SUBSTITUTE Sounding in Feet; 5 for 7 (NOS NW-25523) NOS
42-12-11.410N 070-43-03.710W
CHANGE Depth Legend - Scituate Harbor 10-Foot Anchorage; 8 1/2 FEET OCT
2015 (NOS NW-25523) NOS
42-12-07.800N 070-43-12.100W
CHANGE Depth Legend - Scituate Harbor 10-Foot Harbor Channel; 8 1/2 FEET
FOR WIDTH OF 150-200 FEET OCT 2015 (NOS NW-25523) NOS
42-12-01.800N 070-43-18.500W
CHANGE Depth Legend - Scituate Harbor 12-Foot Entrance Channel; 10 FEET
FOR WIDTH OF 200 FEET OCT 2015 (NOS NW-25523) NOS
42-12-09.000N 070-42-51.000W
CHANGE Depth Legend - Scituate Harbor 8-Foot Anchorage; 6 FEET OCT 2015
(NOS NW-25523) NOS
42-12-11.000N 070-43-16.300W
ADD Sounding in Feet; 4 (NOS NW-25523) NOS
42-12-13.943N 070-43-07.203W
ADD Sounding in Feet; 5 (NOS NW-25523) NOS
42-12-15.410N 070-43-09.100W

13285 12th Ed. 01-FEB-13 Last LNM: 02/15 NAD 83 07/16

ChartTitle: Portsmouth to Dover and Exeter

Main Panel 2060 PORTSMOUTH TO DOVER AND EXETER. Page/Side: N/A

DELETED Sounding in Feet; 33 (NOS NW-25540) NOS
43-07-03.990N 070-48-29.100W
SUBSTITUTE Sounding in Feet; 32 for 31 (NOS NW-25540) NOS
43-06-44.160N 070-48-03.640W
CHANGE Depth Legend - Portsmouth Harbor Main Ship Channel; 33 FT FOR A
WIDTH OF 400 FT FEB 2005 - OCT 2015 (NOS NW-25540) NOS
43-06-25.200N 070-47-35.300W
CHANGE Depth Legend - Portsmouth Harbor Turning Basin; 34 FT OCT 2015
(NOS NW-25540) NOS
43-07-06.600N 070-48-36.000W
ADD Sounding in Feet; 30 (NOS NW-25540) NOS
43-06-45.050N 070-48-12.420W
ADD Sounding in Feet; 33 (NOS NW-25540) NOS
43-07-06.400N 070-48-30.110W

13286 32nd Ed. 01-DEC-13 Last LNM: 06/16 NAD 83 07/16

ChartTitle: Cape Elizabeth to Portsmouth; Cape Porpoise Harbor; Wells Harbor; Kennebunk River; Perkins Cove

CHART CAPE ELIZABETH TO PORTSMOUTH. Page/Side: N/A

CGD01

CHANGE Goat Island Light HORN (MRASS) at 43-21-28.300N 070-25-30.300W

Main Panel 2055 CAPE ELIZABETH TO PORTSMOUTH. Page/Side: N/A

ADD University of Maine Research Lighted Buoy C Yellow FI Y at 43-28-37.000N 070-19-09.000W CGD01

13287 13th Ed. 01-JUN-13 Last LNM: 06/16 NAD 83 07/16
ChartTitle: Saco Bay and Vicinity

Main Panel 2054 SACO BAY AND VICINITY ME. Page/Side: N/A

ADD University of Maine Research Lighted Buoy C Yellow FI Y at 43-28-37.000N 070-19-09.000W CGD01

13288 43rd Ed. 01-JUL-10 Last LNM: 04/16 NAD 83 07/16
ChartTitle: Monhegan Island to Cape Elizabeth

Main Panel 2053 MONHEGAN ISLAND TO CAPE ELIZABETH. Page/Side: N/A

ADD University of Maine Research Lighted Buoy D Yellow FI Y at 43-50-40.000N 069-34-09.000W CGD01

13289 2nd Ed. 08-APR-89 Last LNM: 22/13 NAD 83 07/16
ChartTitle: MAINE - APPROACHES TO KENNEBUNKPORT- FOR OFFICIAL USE ONLY

CHART MAINE - APPROACHES TO KENNEBUNKPORT- FOR OFFICIAL USE ONLY. Page/Side: N/A

CHANGE Goat Island Light HORN (MRASS) at 43-21-28.300N 070-25-30.300W CGD01

13293 35th Ed. 01-OCT-10 Last LNM: 04/16 NAD 83 07/16
ChartTitle: Damariscotta, Sheepscot and Kennebec Rivers;South Bristol Harbor;Christmas Cove

Main Panel 2047 DAMARISCOTTA AND SHEEPSCOT AND KENNEBEC RIVERS ME. Page/Side: N/A

ADD University of Maine Research Lighted Buoy D Yellow FI Y at 43-50-40.000N 069-34-09.000W CGD01

SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

Approved Project(s) **Project Date** **Ref. LNM**
None

Advance Notice(s)
None

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

Proposed Project(s) **Closing** **Docket No.** **Ref. LNM**
None

Proposed Change Notice(s)

ATLANTIC SEACOAST

The U.S. Coast Guard is conducting a Waterways Analysis and Management System Study on the Atlantic and Gulf Seacoast Systems. The study focuses on the existing offshore and near shore aids to navigation system, waterborne commerce, marine casualty information, and future development projects. The purpose of this study is to determine the navigational requirements of vessels operating in the offshore and near shore environment. Individual operators and interested maritime industry representatives are requested to provide comment and feedback using the Seacoast WAMs User Feedback Form link below. Comments must be received by March 15, 2016.

The Seacoast WAMs User Feedback Form can be found online at:
<https://docs.google.com/forms/d/1iMH8glUugWVsvxDP3LumHpCE0JXUquUlj2iko9Nc5tw/edit?usp=sharing>

Comments and feedback using the enclosed survey can be emailed to: D01-SMB-DPWPublicComments@uscg.mil with Atlantic Seacoast Systems WAMS as the subject line.

All comments can also be mailed or faxed to:
Commander (DPW)
First Coast Guard District
Attn: DPW1
408 Atlantic Avenue (Rm 628)
Boston, MA 02110
FAX: 1-617-223-8291

LNM: 48/15

MA-CAPE COD CANAL-HOG ISLAND CHANNEL

The U.S. Coast Guard is considering making the following changes to Aids to Navigation to this waterway:

PERMANENTLY RELOCATE Hog Island Channel Lighted Buoy 23 (LLNR 16230) from (PA) 41-43-47.601N/ 070-38-04.873W to (PA) 41-43-52.655N/ 070-37-59.897W and CHANGE the light characteristic from a Fl Green 4 sec to a Flashing Green 2.5 sec.

PERMANENTLY DISESTABLISH Hog Island Channel Bell Buoy 25 (LLNR 16235) from (PA) 41-43-56.520N/ 070-37-55.020W

Interested Mariners are strongly encouraged to comment on this proposal in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 11 March 2016 to complete the process. In order to most effectively consider your feedback and improve or data collection when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-16-001. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .

Charts: 13229 13230 13236

LNM: 05/16

MA-WOODS HOLE (Chart 13235)-WOODS HOLE PASSAGE

The Coast Guard is considering making the following changes to Aids to Navigation to this waterway:

DELETE the red sector (077.5T – 194T) from Grassy Island Ledge Light (LLNR 15775)

Interested Mariners are strongly encouraged to comment on this proposal in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 18 February 2016 to complete the process. In order to most effectively consider your feedback and improve or data collection when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-16-003. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.

Chart 13235

LNM: 02/16

MA-MARTHAS VINYARD TO BLOCK ISLAND SOUND-QUISSET HARBOR

The U.S. Coast Guard has cancelled the following changes to this waterway without action:

DISESTABLISH the following aid:

Quisset Harbor Buoy 6 (LLNR 16350) Project No. 01-16-002.

Charts: 13229 13230

LNM: 02/16

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

ZIKA VIRUS PRECAUTIONS

Several advisories have recently been issued and are available from the Internet. U.S.-Flag operators are requested to forward these advisories to their ships by the most expeditious means.

MARAD Advisory 2016-01 – Zika Virus (www.marad.dot.gov/newsroom/advisory)
U.S. Coast Guard Marine Safety Information Bulletin - Zika Virus Precautions (http://www.uscg.mil/msib/docs/001_16_2-4-2016.pdf)

LNM: 07/16

SUMMARY OF GENERAL PROJECTS STILL IN EFFECT

Enclosure

LNM: 07/16

MA-BOSTON HARBOR

Exploratory excavation is being done at Pier 4 until March 4, 2016. The hours of operation are Monday - Friday, 6:30 am 5:00 pm. On scene is a barge and work boat.

LNM: 07/16

NJ/NY-HUDSON RIVER (REVISED)

The Coast Guard is enforcing a temporary safety zone in the waters of the Hudson River within Anchorage Ground 19-W bound by the following points: 40-48-40.088°N, 073-58-53.026°W; thence to 40-48-34.267°N, 073-58-37.096°W; thence to 40-48-26.404°N, 073-58-42.270°W; thence to 40-48-33.882°N, 073-59-01.955°W; thence along the shoreline to the point of origin (NAD 83). The zone extends approximately 1,700 feet from the New Jersey shoreline and approximately 460 feet on either side of the charted power cable between Edgewater, NJ and W 110th street, Manhattan. Vessels may transit through the approximately 930 ft wide existing area between Anchorage Ground 19-W and the special anchorage area at W 110th street. Entry of vessels or persons into this zone is prohibited unless specifically authorized by the Captain of the Port New York. This zone is intended to restrict vessels from a portion of the Hudson River due to the presence of a dielectric oil leak from a submerged power cable, and the hazards associated with the cable repair vessels. This temporary safety zone is necessary to protect people and vessels from the hazards associated with this event. Entry of vessels or persons into this zone is prohibited unless specifically authorized by the Captain of the Port New York. The safety zone will be enforced until July 9, 2016, unless terminated sooner by the COTP. Regulations. (1) In accordance with the general regulations in 33 CFR §165.23, entry into, transiting, or anchoring within this safety zone is prohibited unless authorized by the COTP or his designated on scene representative. (2) A "on-scene representative" of the COTP is any Coast Guard commissioned, warrant or petty officer or a Federal, State or local law enforcement officer designated by or assisting the COTP to act on his behalf. (3) Vessel operators must contact the COTP via the Command Center to obtain permission to enter or operate within the safety zone. The COTP may be contacted via VHF Channel 16 or at (718) 354-4353. Vessel operators given permission to enter or operate within the safety zone must comply with all directions given to them by the COTP, via the Command Center or an on-scene representative.

LNM: 07/16

NY-FLUSHING CREEK

Bulkhead construction is being done, in the following position 40-45-31.1N 073-50-07.4W, until April 15 2016. The hours of operation are Monday - Friday, 7:00 am - 5:00 pm. On scene is the barge TOM DENIS that is monitoring VHF - FM 68. Mariners are requested to proceed with caution after passing arrangements have been (20 minutes notice only when shifting).

LNM: 07/16

NY-MANHATTAN (REVISED 26-15)

Construction of a new marine transfer facility is being done until approximately April 15, 2016. The hours of operation are Monday - Saturday, 7:00 am - 6:00 pm. On scene are the barges 737, TCC3, BILL and various other barges over the course of the work. MARINERS ARE REQUESTED TO PROCEED WITH EXTREME CAUTION AND OPERATE AT THEIR SLOWEST SAFE SPPED AS TO NOT CAUSE A WAKE.

LNM: 26/15

ME-TIBBETT NARROWS TO SCHOODIC ISLAND (REVISED 19/15)

An uncharted submerged object has been reported in approximate position 44-22-57.000N 067-52-46.002W in the vicinity of the Petit Manan Bar. All mariners are urged to use caution when transiting through the area.

LNM: 19/15

SECTION VIII - LIGHT LIST CORRECTIONS

An Asterisk *, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
------------	--------------------------	-----------------	-----------------------	---------------	--------------	------------------	----------------

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
105 8100	Goat Island Light	43-21-28.300N 070-25-30.300W	Fl W 6s	38	12	25	HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	07/16
930	DOG ISLAND LIGHT DI	44-55-06.535N 066-59-21.112W	Fl W 6s	35	7 R 7	NG on skeleton tower.	* Red from 306° to 036°; covers Clark Ledge. HORN: 1 blast ev 30s (3s bl). MRASS -Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	07/16
1040	West Quoddy Head Light	44-48-54.387N 066-57-02.416W	Fl (2)W 15s 2s fl 2s ec. 2s fl 9s ec.	83	18	White tower with red stripes. 49	* Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS -Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	07/16
5319	<i>University of Maine Research Lighted Buoy D</i>	43-50-40.000N 069-34-09.000W	Fl Y 4s			Yellow.	* Property of The University of Maine. Private Aid.	07/16
* 7939	* <i>University of Maine Research Lighted Buoy C</i>	* 43-28-37.000N 070-19-09.000W	* Fl Y 4s	* *	* *	* Yellow.	* Property of The University of Maine. Private Aid.	* 07/16
* *	* *	* *	* *	* *	* *	* *	* *	* *

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8100 105	Goat Island Light	43-21-28.300N 070-25-30.300W	Fl W 6s	38	12		HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
11765	Weymouth Fore River Channel Buoy 31	42-14-11.163N 070-57-55.847W				Green can.	Aid maintained from May 1 to Oct 15.
24675	<i>Black Rock Harbor Entrance Lighted Buoy 2A</i>	41-08-11.704N 073-13-01.069W	Fl R 4s		3	Red nun.	
29135	<i>Fire Island Inlet Lighted Buoy 6</i>	40-37-49.169N 073-19-19.807W	Q R		3	Red.	Replaced by nun when endangered by ice.

*

ENCLOSURES

ENCLOSURE

RI – RHODE ISLAND SOUND – HORIZONTAL DIRECTIONAL DRILLING

LNM: 04/16

ENCLOSURE

Marine Events

ENCLOSURE

Bridge section

NJ-BAYONNE-VESSEL TRANSIT BENEATH THE BAYONNE BRIDGE

Enclosure-Marine Safety Information Bulletin

LNM: 16/14

Linda. L. Fagan
Rear Admiral, U.S. Coast Guard
Commander, First Coast Guard District

SUMMARY OF GENERAL PROJECTS STILL IN EFFECT

LOCATION	OPERATION	COMPLETION DATE	LNLM
CT/Clinton Harbor	Shoaling	Until further notice	21/09
NJ/NY Port of NJ/NY	Harbor deepening project	Until further notice	21/10
MA-Nummet Channel	Shoaling	Until further notice	38/10
MA-Chatham Harbor	Shoaling	Until further notice	45/10
MA-Truro-Pamet Harbor	Shoaling	Until further notice	06/11
MA-Newburyport Harbor/Plum Is Sound	Shoaling	Until further notice	21/11
MA-Gloucester-Annisquam River	Shoaling	Until further notice	41/11
MA-East Falmouth	Shoaling	Until further notice	21/12
MA-Martha's Vineyard-Muskeget Channel	Soundings	Until further notice	42/12
CT-Housatonic River	Regulated Navigation Area	11/30/17	02/13
MA-Hyannis Hbr Entrance Channel	Shoaling	Until further notice	10/13
NY-Moriches Bay/Inlet	Shoaling	Until further notice	12/13
MA-Boston Inner Harbor	Marine construction	Fall 2016	32/13
ME-Kennebec River-Richmond-Dresden (SR197) Bridge	Temporary RNA	12/31/16	43/13
MA-Cape Cod Canal	Controlling depth reduction	Until further notice	01/14
MA-Annisquam River	Shoaling	Until further notice	02/14
MA-Bass River	Shoaling	Until further notice	02/14
MA-Essex Bay	Shoaling	Until further notice	02/14
MA-Green Harbor	Shoaling	Until further notice	02/14
MA-Lynn Harbor	Shoaling	Until further notice	02/14
MA-Merrimack River Entrance	Shoaling	Until further notice	02/14
MA-Merrimack River-Joppa Flat Area	Shoaling	Until further notice	02/14
MA-Plum Island Sound	Shoaling	Until further notice	02/14
MA-Plymouth Harbor	Shoaling	Until further notice	02/14
MA-Saugus	Shoaling	Until further notice	02/14
NH-Hampton Harbor	Shoaling	Until further notice	02/14
MA-Cape Cod Canal-Bourne	Controlling depth	Until further notice	03/14
ME/Rockland-Lermond Cove	Reduced water depth	Until further notice	13/14
VT-Lake Champlain	Acoustic telemetry research	Until further notice	22/14
NY-Hudson River	Lighted buoy installations	09/15/18	27/14
NY-Moriches Bay & Shinnecock Bay	Shoaling	Until further notice	27/14
NY-Kill Van Kull	Pier demolition/construction	07/31/17	32/14
NY-Sheepshead Bay	Low water at MLW	Until further notice	35/14
ME-Yarmouth-Royal River-Casco Bay	Dredging/ meteorological surveys	Until further notice	40/14
ME-Prouts Neck-Scarborough River	Dredging	Until further notice	43/14
ME-Yarmouth -Royal Rivers	Dredging	Until further notice	43/14
MA-New Bedford-Hurricane Barrier	Repairs	Until further notice	45/14
ME-Eastport Breakwater	Collapse/Safety zone	01/30/17	51/14
NY/Gravesend Bay	Dredging	06/22/16	51/14
RI/Point Judith	Sunken vessel	Until further notice	01/15
ME-Machias Bay-Cutler	US Navy Pier collapsed	Until further notice	02/15
NY-Fire Island	Shoaling	Until further notice	07/15
NY-Manhattan-East River	Pedestrian Bridge reconstruction	03/31/16	16/15
MA-Merrimack River	Jetty repairs	05/01/16	19/15
NY-East River	Bulkhead repairs	06/17/17	22/15
NY-New York Harbor	Transporting steel bridge parts	10/31/16	23/15
NY-Hudson River	Water front construction	04/30/16	25/15
NY-Raritan River-Crossman Dock	Dredging	08/31/16	27/16
MA-New Bedford	Dredging	07/27/16	30/15
NY-Harlem River	Bulkhead replacement	04/05/17	33/15

	and pile repairs		
NY-East River	Delivery of construction material	09/01/16	34/15
RI – Barrington River	Massasoit Bridge replacement	09/20/16	35/15
NY-Brooklyn	Construction	08/31/16	35/15
MA-Duxbury Harbor	Dredging	until further notice	36/15
NY-Fire Island	Beach fill work	Until further notice	39/15
NY-Manhattan	Seawall rehabilitation	Until further notice	42/15
	Current profilers		
CT-Stamford	Dredging	04/01/16	44/15
MA-New Bedford	Dredging	06/01/16	45/15
NY-Hudson River-Troy	Dredging	03/31/16	46/16
NY-Shinnecock Bay	Dredging	02/30/16	47/15
NY/NJ Anchorage Channel	Dredging	05/15/16	50/15
CT-Mystic	Dredging	03/01/16	51/15
MA-Scituate	Storm monitoring Buoy	02/28/15	01/16
ME-South Portland	Dredging	02/28/16	01/16
NJ/NY-Hudson River	Temporary safety zone	07/09/16	03/16
NY-Port of Coeymans (REVISED)	Barge work	10/31/16	03/16
NY-Raritan Bay	Acoustic doppler buoys	09/18/16	03/16
MA-Boston Harbor	Dredging	02/23/16	04/16
NY-Shelter Island Sound	Test borings	02/26/16	05/16
NY/NJ-Brooklyn & Jersey City	Fender repairs	07/29/16	06/16
RI-Narragansett Bay-Coddington Cove	Dredging	09/31/16	06/16

BRIDGE SECTION

COAST GUARD HAS GRANTED APPROVAL FOR THE FOLLOWING BRIDGE DEVIATION AND REGULATION CHANGES:

<u>BRIDGE/ WATERWAY</u>	<u>MILE</u>	<u>33CFR Sect.</u>	<u>DEVIATION/RULE</u>	<u>EFF.DATE</u>
Blynman (SR127) Bridge/Annisquam R	0.0	117.586	Temporary Deviation	1/1/2016-4/30/2016

MAINE – PENOBSCOT RIVER – Bridge Replacement – Construction to the Route 155/6 Bridge across Penobscot River is in progress. There will not be any obstruction in the navigation channel. All work will be operated from the temporary work trestle which located outside the navigation channel. This work will be completed by **December 2017**. Mariners are advised to use caution when transiting the area.

Charts 13309 LNM 07/16 (CGD1)

MAINE – DAMARISCOTTA – SHEEPSCOT AND KENNEBEC RIVERS – THE GUT – Bridge Construction- Bridge construction will commence on **September 8, 2014** and will continue through **August 19, 2016** at the Gut Bridge between Rutherford Island and Bristol Neck at South Bristol, Maine. Beginning **September 15, 2015** and running through **October 20, 2015** the installation of the temporary bridge will occur. Starting **October 21, 2015** the demolition of the existing bridge and construction of the new structure will take place. **This will cause the navigational channel to be closed to all vessel traffic until May 22, 2016.**

Working hours will be 5:30 a.m. through 7 p.m. Monday through Friday. Mariners should exercise caution while transiting the area.

Chart 13293 LNM 07/16 (CGD1)

VERMONT – LAKE CHAMPLAIN – THE GUT – Bridge Repairs- Bridge motor and drive repairs will commence on **February 8, 2016** and will continue through **May 19, 2016** at the US2 Drawbridge (Grandisle) over the gut between North Hero Island and South Hero Island at Sandy Point, Vermont. Working hours will be 7 a.m. through 4 p.m. Monday through Friday. There may be limited night or weekend work. The draw will be opened manually according to the schedule published in 33 CFR 117.993. Cinabro Corporation can be contacted at (203) 395-5667. Mariners should exercise caution while transiting the area.

Chart 14781 LNM 07/16 (CGD1)

NEW HAMPSHIRE – PORTSMOUTH TO DOVER AND EXETER – PISCATAQUA RIVER - Bridge Construction – Bridge construction to replace the superstructure at the U.S. Navy Bridge 1 at the Portsmouth Naval Shipyard will commence on **December 8, 2014** and continue through **April 1, 2016**. A 70' x 105' crane barge will be located at the bridge at various locations. One navigation channel at the bridge will always be open for the passage of vessel traffic. Working hours will be 6:30 a.m. through 5 p.m., Monday through Friday. Mariners should exercise caution while transiting the area.

Chart 13285 LNM 07/16 (CGD1)

MA-NEW BEDFORD HARBOR-ACUSHNET RIVER-Bridge Maintenance

Bridge maintenance and fender repair operations are scheduled at the Rt-6 Bridge at mile 0.0, across the Acushnet River between New Bedford and Fall River, Massachusetts. Maintenance operations will start on February 17th, 2016 and continue through February 19th, 2016 during the hours of at 7:00 a.m. and 2:30 p.m. A 50 by 22 foot motorized barge will be located in the west channel leaving approximately 70 feet of horizontal clearance in the west channel. The barge can move on demand as necessary and communications can be established via VHF channels 13 and 16. Mariners should exercise caution while transiting the area.

Chart 13232 LNM 07/16 (CGD1)

NEW HAMPSHIRE – PORTSMOUTH TO DOVER AND EXETER – PISCATAQUA RIVER – LITTLE BAY – Bridge Construction - Bridge construction at the Newington Dover (Spaulding Turnpike) Bridges across Little Bay at mile 0.1, at Dover, New Hampshire will commence on **April 15, 2015** and will continue through **September 2017**. Working hours will be 7 a.m. to 4 p.m., Monday through Friday. Mariners should exercise caution while transiting the area.

Chart 13285 LNM 07/16 (CGD1)

MASSACHUSETTS – NARRAGANSETT BAY – TAUNTON & QUEQUECHAN RIVERS – Bridge Construction – Bridge rehabilitation construction at the Central Street Bridge, mile 0.2, across the Quequechan River at Fall River, Massachusetts, will commence on **November 3, 2014** and continue through **April 30, 2016**. Working hours will be 7 a.m. to 5 p.m., Monday through Saturday. Mariners should exercise caution while transiting the area.

Chart 13221 LNM 07/16 (CGD1)

MASSACHUSETTS - NANTUCKET SOUND AND APPROACHES – MITCHELL RIVER – Bridge Construction and Bridge Closure – Bridge construction is underway at the Bridge Street Bridge mile 0.2, across the Mitchell River at Chatham, Massachusetts and will continue through **May 30, 2016**. Working hours will 7 a.m. to 4 p.m., Monday through Friday. Beginning

February 8, 2016 the channel will be temporarily be relocated from Span 4 to Span 5 for installation of the new drawspan. Mariners should exercise caution while transiting the area.

Chart 13237 LNM 07/16 (CGD1)

MASSACHUSETTS – NEWBURYPORT HARBOR AND PLUM ISLAND SOUND – MERRIMACK RIVER – Bridge Construction – Construction of the new Whittier I-95 Bridge across the Merrimack River, mile 6.0, between Newburyport and Amesbury, Massachusetts, is underway and will continue through the fall of **2016**. Tug and barges used for the construction will be conducting operations in both the Federal and Steamboat Channels. The two channels will remain open at all times; however, they will be reduced in horizontal width to allow for construction of the bridge. The main Federal channel will be reduced to approximately 145 feet in width and the Steam Boat channel will reduced to approximately 86 feet in width. Both channels will be marked by day boards on the temporary steel support structures located on the edge of the reduced channel and also with quick flashing red lights during times of reduced visibility. It is recommended that vessel traffic hail the tug Katahdin via VHF-FM Channel 16 or 13 before transiting the bridge. Mariners are urged to transit at the slowest safe speed to minimize wake and should proceed with extreme caution when transiting the construction area.

Chart 13282 LNM 07/16 (CGD1)

MASSACHUSETTS – BEVERLY HARBOR – DANVERS RIVER – Bridge Construction – Construction on the Massachusetts Bay Transportation Authority (MBTA)/AMTRAK Bridge at mile 0.05 of the Danvers River will commence on or about **October 5, 2015** and run through **February 2016**. Construction and material barges may be operating in proximity to the navigation channels. Hours of construction operations are Monday through Friday between 7:00 AM and 4:00 PM. One navigation channel is to be available at all times for navigation through the draw. Any questions concerning the bridge should be directed to the contractor, The Middlesex Corporation, Mr. Nic Sobey via land line at 508-400-3915 or via cell phone at 508-400-3915. Mariners should exercise caution when transiting the work area.

Chart 13276 LNM 07/16 (CGD1)

MASSACHUSETTS – BOSTON HARBOR – CHARLES RIVER – Bridge Construction – Bridge construction is ongoing and will continue through **May 30, 2017**, at the Longfellow Bridge across the Charles River, mile 1.5, between Boston and Cambridge, Massachusetts. Work barges will be deployed at various locations outside the main navigation channel rehabilitating the support piers at the bridge. Working hours are 6 a.m. to 5 p.m. Monday through Saturday. Any questions concerning the bridge should be directed to the contractor, J.F. White, Mr. Greg Labrum, via land line at 508-879-4700 or cell phone at 617-719-7150. Mariners should exercise caution when transiting the work area.

Chart 13272 LNM 07/16 (CGD1)

MASSACHUSETTS – BOSTON INNER HARBOR – CHARLES RIVER – Bridge Rehabilitation – Construction to the Anderson Memorial Bridge, mile 5.1, Charles River is in progress. There are barges operating in the navigation channel. Mariners can contact Massachusetts DOT Resident Engineer Mr. Roderick Connelly at 617-981-2564 for the barge locations. The project will be completed by **June 2017**. Mariners are advised to use caution when transiting the area.

Chart 13272 LNM 07/16 (CGD1)

MASSACHUSETTS - BOSTON HARBOR - WEYMOUTH - FORE RIVER - Bridge Construction – Bridge construction at the new Route 3A highway bridge, mile 0.0, across the Weymouth Fore River between Quincy and Weymouth, Massachusetts is ongoing and will continue through **March 2017**. A 30' x 90' barge will be located on the Quincy side of the main channel and a 34' x 110' barge will be located on the Weymouth side of the main channel, both outside the federal channel, to protect the construction area. Additional crane barges may be placed within the Federal channel occasionally to allow a safe working radius for the crane. The barges will be moved immediately for all commercial deep draft and barge transits. The contractor will be monitoring anticipated marine traffic and will fully remove all barges from the channel as needed. Working hours will be 7 a.m. through 4:30 p.m., Monday through Friday. The barges can be contacted on VHF-FM Channel 13 or by calling the contractor Mr. Jim Jones at 617-719-7174. Mariners should exercise caution while transiting the area.

Chart 13270 LNM 07/16 (CGD1)

MASSACHUSETTS - OAK BLUFFS HARBOR – LAGOON POND – Bridge Construction/Channel Closure – From approximately 7 a.m. on Monday, October 5th, 2015, to 7 p.m. on Monday, **February 29th, 2016**, the Massachusetts Department of Transportation (MA DOT) will conduct operations to complete the new Beach Road drawbridge over Lagoon Pond in Martha's Vineyard, Massachusetts. During this period the navigation channel will be closed to all vessel traffic to facilitate bridge replacement. Mariners are urged to use extreme caution while navigating in the vicinity of the Beach Road drawbridge over Lagoon Pond during this period. The dates listed above may change due to unforeseen circumstances. Monitor weekly Local Notice to Mariners for any changes. MA DOT's project engineer is Mr. Michael McGrath who can be contacted at 508-884-4282. MA DOT's contractor for this project is The Middlesex Corporation. The contractor's on-scene workboats monitor VHF channels 13 and 16. Mr. Jamie Doyle, project manager for The Middlesex Corporation, can be reached by cellular telephone at 617-306-8208. Questions or concerns regarding navigation issues associated with these operations may be addressed to Mr. Edward G. LeBlanc at Coast Guard Sector Southeastern New England, 401-435-2351.

Chart 13237 LNM 07/16 (CGD1)

RHODE ISLAND - MASSACHUSETTS - NARRAGANSETT BAY - TAUNTON RIVER – Bridge Restriction/One Leaf Opening – Due to an electrical component failure only a single bascule span (Somerset side) is currently operational on the Veterans Memorial Bridge at mile 2.1, across the Taunton River between Fall River and Somerset, Massachusetts. Pending repairs only one leaf will be operational providing 100’ of unobstructed horizontal clearance through the bridge. Mariners should exercise caution while transiting the area.

Chart 13221 LNM 07/16 (CGD1)

RHODE ISLAND – NARRAGANSETT BAY – EAST PASSAGE – Bridge Painting & Vertical Clearance Reduction – Bridge painting operations at the Newport Pell Bridge, mile 4.0, across Narragansett Bay East Passage at Jamestown, Rhode Island are underway and will continue through approximately **February 29, 2016**. A 25’ x 48’ barge with lighted anchor balls will be located at various locations outside the navigable channel. The vertical clearance will be reduced by 8 feet under the approach spans to facilitate a work platform. The vertical clearance will not be reduced in the navigable channel. Working hours will be 7 a.m. through 7 p.m., Monday through Friday.

Chart 13221 LNM 07/16 (CGD1)

RHODE ISLAND – NARRAGANSETT BAY – BARRINGTON RIVER – Bridge Construction – Construction on the Barrington Bridge Number 123 at mile 0.5 of the Barrington River will commence on or about **November 3, 2015** and run through approximately **March 15, 2016**. The navigational channel will be partially restricted at times during this period. Hours of construction operations are Monday through Friday between 7:00 AM and 3:30 PM. A 19 foot wide navigational clearance shall be maintained at all times during this activity and vertical clearance with the bridge shall not be reduced in conjunction with this project. Any questions concerning the bridge should be directed to the contractor, The Wallace Construction Corporation, Mr. David Manocchio via land line at 401-585-0708. Mariners should exercise caution when transiting the work area.

Chart 13224 LNM 07/16 (CGD1)

RHODE ISLAND – NARRAGANSETT BAY – WICKFORD COVE – Bridge Rehabilitation – Construction on the Hussey Memorial Bridge Number 11 at mile 0.6 across Wickford Cove will commence on or about **February 1, 2016** and run through approximately **May 31, 2016**. The navigational channel will be restricted during this period. Hours of construction operations are Monday through Friday between 7:00 AM and 9:00 PM. An 18 foot wide navigational clearance shall be maintained at all times during this activity and vertical clearance of the bridge will reduced over the blocked section of the channel in conjunction with this project. Any questions concerning the bridge should be directed to the contractor, The Aetna Bridge Company, Mr. David Struba via land line at 401-663-2292. Mariners should exercise caution when transiting the work area.

Chart 13223 LNM 07/16 (CGD1)

RHODE ISLAND – MASSACHUSETTS – NARRAGANSETT BAY – TAUNTON RIVER - Bridge Painting and Vertical Clearance Reduction – Cleaning and painting operations are underway at the I-195/Rt-79 (Braga Bridge) at mile 0.4, across the Taunton River between Fall River and Somerset, Massachusetts. Painting operations will continue through **July 2017**. A paint containment platform will be installed under the bridge beginning **February 21, 2014** reducing the vertical clearance by approximately 10 feet. The containment system will be in place through early **2017**. In addition, three work barges (124’ x 62’) (90’ x 30’) and (20’ x 8’) will be positioned at various locations outside the main navigation channel. Working hours will be 7 a.m. to 10 p.m., Monday through Friday. Mariners should exercise caution while transiting the area.

Chart 13221 LNM 07/16 (CGD1)

RHODE ISLAND - POINT JUDITH HARBOR - Bridge Replacement - Construction of the Great Island Road Bridge located approximately 0.85 above the mouth of Point Judith Pond is in progress. There will not be any obstruction in the navigation channel. Hours of construction operations are Monday through Friday between 7:00 AM and 3:30 PM. This work is scheduled to be completed by **April 2017**. Mariners are advised to use caution when transiting the area.

Charts 13219 LNM 07/16 (CGD1)

CONNECTICUT – LONG ISLAND SOUND – NIAN TIC RIVER – Bridge Inspections – Inspections to the Route 156 Bridge across Niantic River at mile 0.1 will commence on January 11, 2016. Under bridge inspection unit will be operated between 9 a.m. to 3 p.m. over the navigable channel. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM channel 13/16 or call 860-951-2585. This project is to be completed by **February 19, 2016**. Mariners are advised to exercise caution when transiting the area.

Charts 13211 LNM 07/16 (CGD1)

CONNECTICUT – LONG ISLAND SOUND – NEW HAVEN HARBOR– QUINNIPIAC RIVER – Aesthetic Lighting Installation – Construction to the I-95 Bridge, mile 0.1, across Quinnipiac River is in progress.. A 75ft by 30ft barge will be operating outside the navigation channel during daylight hours. This work is to be completed by **May 31, 2016**. Mariners are advised to transit the area with caution.

Chart 12371 LNM 07/16 (CGD1)

CONNECTICUT – LONG ISLAND SOUND – HOUSATONIC RIVER AND MILFORD HARBOR – HOUSATONIC RIVER – Bridge Replacement – Construction to the I-95 (Moses Wheeler) Bridge at mile 3.9 across Housatonic River between Milford and Stratford, Connecticut is in progress. There are barges operating IVO the channel. The project will be completed by end of **2016**. Mariners are advised to transit the area with extreme caution and reduce wake.
Chart 12370 LNM 07/16 (CGD1)

CONNECTICUT – LONG ISLAND SOUND – SHERWOOD POINT TO STAMFORD HARBOR – SAUGATUCK RIVER – Superstructure and Operator's House Repairs – Repairs to superstructure and operator's house at the Metro North Saga RR Bridge across Saugatuck River at mile 1.1 is in progress. There will be no obstructions in the navigation channel. A tug boat, work barge and safety boat will be operated outside the navigation channel. The work will be completed by **April 30, 2016**. Mariners are advised to transit the area with caution.
Chart 12368 LNM 07/16 (CGD1)

CONNECTICUT – LONG ISLAND SOUND – SHERWOOD POINT TO STAMFORD HARBOR – PEQUONNOCK RIVER – Bridge Outage – The East Washington Street Bridge across Pequonnock River at mile 0.6 is out of service due to electrical/mechanical systems (including navigation lights) were severely damaged by the Superstorm Sandy. Mariners are advised to plan their transits accordingly.
Chart 12369 LNM 07/16 (CGD1)

NEW YORK – LONG ISLAND SOUND – HEMPSTEAD HARBOR TO TALLMAN ISLAND – EASTCHESTER BAY – Bridge Replacement – Construction to the temporary City Island Bridge across Eastchester Creek at mile 2.2 is in progress. Barges are operating in and out of the navigable channel during construction. A minimum of 50ft horizontal clearance will be free of obstruction through the navigation channel at all times. Installation of the turbidity curtain along the shoreline is in progress. Mariners can contact the Community Liaison Huascar Robles at 718-885-1247 extension 114 or hrobles@zetlin.com for any construction information. The barge placement for the temporary bridge is authorized through **December 31, 2016**. The entire project is scheduled to be completed by **June 1, 2017**. Mariners are advised to exercise caution and reduce wake when transiting the area.
Chart 12366 LNM 07/16 (CGD1)

NEW YORK – LONG ISLAND SOUND – OYSTER AND HUNTINGTON BAYS – OYSTER BAY – MILL NECK CREEK – Electrical and Mechanical Upgrades – Construction to the Bayville Bridge across Mill Neck Creek at mile 0.1 at Oyster Bay, New York will commence on January 11, 2016. Barges will be operating IVO the bridge from January 18, 2016 to February 5, 2016. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM CH 13/16. The project is to be completed by **February 5, 2016**. Mariners are advised to exercise caution when transiting the area.
Chart 12365 LNM 07/16 (CGD1)

NEW YORK – SHINNECOCK BAY TO EAST ROCKAWAY INLET – STATE BOAT CHANNEL – Scours Repairs – Repairs to the Robert Moses Causeway across State Boat Channel at mile 30.7 is in progress. Working hours are between 6 a.m. and 4:30 p.m. A 60 loader barge will be operating in the main navigation channel through February 28, 2016. The barge will reduce the navigation channel by 60ft and will remain in the channel overnight. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-CH 13/16 during working hours, Monday through Friday with half an hour advance notice. The navigation channel will be free of obstruction on the weekends. Mariners are advised to exercise extreme caution when transiting the area. All work will be completed by **February 28, 2016**.
Chart 12352 LNM 07/16 (CGD1)

NEW YORK – SHINNECOCK BAY TO EAST ROCKAWAY INLET – FALSE CHANNEL – FUNDY CHANNEL – Scour Repairs – Repairs at the Meadowbrook State Parkway Bridges across False Channel at mile 0.0 and Fundy Channel at mile 2.7 are in progress. Barges will be operating IVO of the bridge. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM CH 13/16. This project is to be completed by **May 31, 2016**. Mariners are advised to exercise caution when transiting the area.
Chart 12352 LNM 07/16 (CGD1)

NEW YORK – LONG ISLAND – SHINNECOCK BAY TO EAST ROCKAWAY INLET – SLOOP CHANNEL – FUNDY CHANNEL – Bridge Inspections – Bridge inspections will be performed at the Meadowbrook Parkway bridges across Sloop Channel at mile 12.8 and Fundy Channel at mile 2.7 from January 18, 2016 to **February 6, 2016** between 8 a.m. and 4 p.m. A pontoon boat with scaffolding will be operating IVO the bridge. An underbridge inspection unit may be used under the bridge for inspection. Mariners requiring full horizontal or vertical clearances can contact the contractor via marine radio VHF-FM Ch 13/16. Mariners are advised to exercise caution and reduce wake when transiting the area.
Chart 12352 LNM 07/16 (CGD1)

NEW YORK – SHINNECOCK BAY TO EAST ROCKAWAY INLET – FIRE ISLAND INLET – Scours Repairs – Repairs to the Robert Moses Causeway across Fire Island Inlet at mile 4.0 is in progress. Working hours are between 7 a.m. and 4 p.m. A 90ft by 40ft equipment barge and 2 material barges will be operating IVO the bridge. The work platform will be installed under the last four span of the northern portion of the bridge and will reduce the vertical clearance by 2 feet. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF CH 13/16. Mariners are advised to exercise extreme caution when transiting the area. All work will be completed by **February 28, 2016**.
Chart 12352 LNM 07/16 (CGD1)

NEW YORK – SHINNECOCK BAY TO EAST ROCKAWAY INLET – SLOOP CHANNEL - Bridge Closures – To accommodate the Jones Beach State Park July 4 fireworks event, the Meadowbrook and Wantagh State Parkway Bridges, both across Sloop Channel at mile 12.8 and at mile 15.4 respectively, need not open for the passage of vessel traffic on Monday July 4, 2016 between 9 p.m. and midnight. Vessels that can pass under the draw without a bridge opening may do so at all times. Mariners are advised to plan their transits accordingly.
Chart 12352 LNM 07/16 (CGD1)

NEW YORK – LONG ISLAND – SHINNECOCK BAY TO EAST ROCKAWAY INLET – REYNOLDS CHANNEL – LONG CREEK – Bridge Inspections – Bridge inspections will be performed at the Loop Parkway bridges across Reynolds Channel at mile 8.2 and Long Creek at mile 0.7 from January 25, 2016 to **February 12, 2016** between 8 a.m. and 4 p.m. A pontoon boat with scaffolding will be operating IVO the bridge. An underbridge inspection unit may be used under the bridge for inspection. Mariners requiring full horizontal or vertical clearances can contact the contractor via marine radio VHF-FM Ch 13/16. Mariners are advised to exercise caution and reduce wake when transiting the area.
Chart 12352 LNM 07/16 (CGD1)

NEW YORK – JAMAICA BAY AND ROCKAWAY INLET – GRASSY BAY – HAWTREE BASIN – Bridge Painting – Painting at the 163rd Ave Bridge across Hawtree Basin at mile 0.4 will commence on **February 1, 2016**. Temporary painting containment will be installed under the bridge and will reduce the vertical clearance by 5 ft. The project will be completed by **May 20, 2016**. Mariners are advised to exercise caution when transiting the area.
Chart 12350 LNM 07/16 (CGD1)

NEW YORK – JAMAICA BAY AND ROCKAWAY INLET – MILL BASIN – Bridge Replacement - Replacement of the Shore (Belt) Parkway Bridge across Mill Basin at mile 0.8 is in progress. Barges are operating in and out of the navigable channel during construction. A minimum of 65ft horizontal clearance will be free of obstruction through the navigation channel at all times. Barge placement is authorized through **February 20, 2017**. Mariners can contact the Community Liaison at 347-702-6430 extension 114 or cell 347-203-9530 for any construction information. This project is scheduled to be completed by **February 13, 2021**. Mariners are advised to plan ahead and transit the area with extreme caution.
Chart 12350 LNM 07/16 (CGD1)


NEW YORK – JAMAICA BAY AND ROCKAWAY INLET – GERRITSEN INLET – Bridge Replacement - Replacement of the Shore (Belt) Parkway Bridge across Gerritsen Inlet at mile 0.0 is in progress. Barges are operating in and out of the navigable channel during construction. A minimum of 65ft horizontal clearance will be free of obstruction through the navigation channel at all times except from October 5, 2015 to April 1, 2016 the navigation channel will have 47ft available horizontal clearance. **Captain of the Port has authorized the intermittent (5 minutes as needed) channel closure of the Gerritsen Inlet from October 5, 2015 through April 1, 2016. The horizontal clearance will be reduced from 47 feet to 25 feet, from 0700 on January 11, 2016 through 2330 on March 18, 2016. The navigation channel will be widen to 47 feet during two scheduled openings per day if requested at least 24 hours in advance by calling the NYC community liaison.** Mariners can contact the NYC Community Liaison Alex Rothberg at 347-702-6430 extension 114 or cell 347-203-9530 for any construction information. This project is scheduled to be completed by **October 30, 2017**. Mariners are advised to plan ahead and transit the area with extreme caution.
Chart 12350 LNM 07/16 (CGD1)

NEW YORK - NEW YORK HARBOR - HUDSON RIVER – UPPER HUDSON - Bridge Rehabilitation – Rehabilitation of the Patroon Island (I-90) Bridge across the Hudson River, mile 150.2, between Albany and Rennselaer, NY is in progress. Temporary scaffolding which will reduce the available vertical clearance under the bridge by approximately 3 feet will be installed to prevent debris from falling into the waterway. A work barge measuring 95t X 28ft will be operating IVO the bridge from **November 16, 2015 to January 16, 2016** during daylight hours, Mondays through Fridays. This project is expected to be completed by **May 1, 2016**. Mariners are advised to reduce wake and exercise extreme caution when transiting the area.
Chart 12343 LNM 07/16 (CGD1)

NEW YORK – HUDSON RIVER– UPPER HUDSON RIVER – Bridge Painting – Painting of the Castleton on the Hudson Bridge across the Hudson River at mile 135.7 is in progress. Installation of temporary scaffolding under the bridge will commence on or about 2nd week of June reducing the vertical clearance under the scaffolding by approx. 6 feet. However a temporary 210 foot channel will be provided and it will be marked by two red margins of channel lights and a green center of channel navigational lights

on both the up and downstream sides of the bridge. The 210 foot navigational channel will be free and clear of any obstructions at all times for passage of large vessels. Orange day mark will be installed to mark the margin of channel. Vessel with an air draft of 115 or higher are requested to notify the bridge at (518) 337-7231 or (518) 755-0231 thru **1 July 2015**. Vessel with air draft of 125 or higher are requested to notify the bridge at the same number for the duration of the project. This project is estimated to be completed by November 2016.

For up to date information contact the NYS Thruway authority Resident Engineer Mr. Tim Mastro at (518) 337-7231 or Mr. Wall Werner at (518) 755-0231. For emergency 24/7 contact NYS Thruway Communication at (866) 691-8282.



Mariners are advised to exercise caution and reduce wake when transiting the area. Chart 12343 LNM 7/16 (CGD1)

NEW YORK - NEW YORK TO WAPPINGER CREEK - HUDSON RIVER - New Bridge Construction - Construction of the new Tappan Zee Bridge across the Hudson River, mile 27.7 is in progress. Work will continue constructing access trestles and cofferdams that extend +/- 1,100 ft. west from the Westchester shoreline and +/- 1,200 ft. east of the Rockland shoreline of the Hudson River north of the Tappan Zee Bridge. These structures will remain in place through 2017. Floating equipment will be located east and west of the Main Navigation channel and will include crew boats, tug boats, barge mounted cranes, barges and anchor buoys.

Work constructing the permanent bridge foundations has begun and will continue through 2017. The work will involve over a hundred pieces of floating equipment and support vessels that will be moored/anchored or transiting from the Westchester shoreline to the Rockland shoreline including the side channels and portions of the main navigation channel. Mariners are advised that the side channels to the east and west of the main channel are closed to vessel traffic and are advised to use only the center 600' of the main channel to navigate in a north-south direction through the area. Additionally, mariners are strongly advised to stay clear of all construction equipment and support vessels by 1000 feet or more when transiting the area.

Additionally there are 16 equipment moorings located west of the navigation channel, 8 to the south and 8 to the north of the bridge. The locations of the 16 moorings are as follows: (1N) N41 04.467 W73 53.669; (2N) N41 04.473 W73 54.118; (3N) N41 04.472 W73 54.563; (4N) N41 04.648 W73 53.895; (5N) N41 04.650 W73 54.340; (6N) N41 04.829 W73 53.670; (7N) N41 04.825 W73 54.118; (8N) N41 04.821 W73 54.562; (1S) N41 03.999 W73 53.894; (2S) N41 03.999 W73 54.285; (3S) N41 03.872 W73 53.540; (4S) N41 03.696 W73 54.202; (5S) N41 03.688 W73 53.820; (6S) N41 03.542 W73 53.486; (7S) N41 03.406 W73 54.092; (8S) N41 03.317 W73 53.737 they are each lit with a 360 degree steady burning white light. The Coast Guard has established a safety zone surrounding these equipment moorings. Entry into, anchoring, loitering, or movement within the Safety Zone is prohibited unless the vessel is working on the bridge construction operations or authorized by the Captain of the Port New York (COTP) or his designated representative.

Nine buoys have been installed marking the equipment mooring area safety zone. Each buoy has a 39" diameter and a height of 82.5" (64" above the waterline). The buoys are white with an orange warning decal and lit with a white flashing light visible for 3 nm. The buoys in the following approximate positions: 41-04-59.700N, 073-54-45.540W; 41-05-00.180N, 073-53-21.481W; 41-04-11.280N,

073-54-48.000W; 41-04-08.280N,073-53-19.320W; 41-03-07.080N, 073-54-14.700W; 41-03-09.240N,073-53-16.860W. These buoys are being removed for the 2015-2016 winter and will be reinstalled in spring 2016.

Mariners are advised to transit the main channel, reduce wake and use extreme caution while transiting the area in the vicinity of the Tappan Zee Bridge especially during inclement weather and darkness, and pay particular attention to vessel movements Chart 12343 LNM 07/16 (CGD1)

NEW YORK– NEW YORK TO WAPPINGER CREEK – HUDSON RIVER - Regulated Navigation Area and Safety Zone –

The Coast Guard is revising the current regulated navigation area (RNA) for the navigable waters of the Hudson River surrounding the Tappan Zee Bridge. First, the Coast Guard is establishing a new safety zone surrounding commercial mooring buoys installed for the ongoing Tappan Zee Bridge replacement project. The safety zone will prohibit all vessel traffic that could pose an imminent hazard to persons and vessels that will be transiting to and from the bridge site and maneuvering in close quarters between other construction vessels and large mooring buoys. Second, the Coast Guard is expanding the size of the current RNA and designating two areas within the RNA, the Eastern RNA and the Western RNA, based upon their respective locations in relation to the new safety zone. This rule is necessary to provide for the safety of life in the RNA and safety zone during the construction of the New NY Bridge and demolition of the existing Tappan Zee Bridge.

This rule is effective without actual notice from **July 25, 2014 to December 31, 2018**. Comments and related material will be accepted and reviewed by the Coast Guard through **December 31, 2018**. For the purposes of enforcement, actual notice will be used from the date the rule was signed, July 3, 2014 until July 25, 2014. If you have questions on this rule, call or e-mail Chief Craig Lapiejko, Waterways Management at Coast Guard First District, telephone 617-223-8351, e-mail craig.lapiejko@uscg.mil or, Mr. Jeff Yunker, Coast Guard Sector New York Waterways Management Division, U.S. Coast Guard; telephone 718-354-4195, e-mail jeff.m.yunker@uscg.mil. Comments and related material will be accepted and reviewed by the Coast Guard through September 23, 2014. You may submit comments, identified by docket number “USCG-2013-0705”, using any one of the following methods: (1) Federal eRulemaking Portal: <http://www.regulations.gov>. (2) Fax: (202) 493-2251. (3) Mail or Delivery: Docket Management Facility (M-30), U.S. Department of Transportation, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE, Washington, DC 20590-0001. Deliveries accepted between 9 a.m. and 5 p.m., Monday through Friday, except federal holidays. The telephone number is 202-366-9329.

§165.T01-0174 Regulated Navigation Areas and Safety Zone Tappan Zee Bridge Construction Project, Hudson River; South Nyack and Tarrytown, NY

(a) Regulated Navigation Area Boundaries. The following are regulated navigation areas:

(1) “Western RNA”: all waters bound by the following approximate positions: 41°04’39.16”N, 073°55’00.68”W on the western shoreline; thence to 41°04’28.34”N, 073°54’47.18”W; thence to 41°04’11.28”N, 073°54’48.00”W; thence to 41°03’57.26”N, 073°54’40.73”W; thence to 41°03’57.36”N, 073°54’47.38”W; thence to 41°03’58.66”N, 073°54’56.14”W; thence to 41°04’03.00”N, 073°55’07.60”W; thence to a point on the western shoreline at 41°04’06.69”N, 073°55’14.10”W; thence northerly along the shoreline to the point of origin (NAD 83).

(2) “Eastern RNA”: all waters bound by the following approximate positions: 41°04’21.96”N, 073°52’03.25”W on the eastern shoreline; thence to 41°04’26.27”N, 073°52’19.82”W; thence to 41°04’26.53”N, 073°53’20.07”W; thence to 41°03’56.92”N, 073°53’18.84”W; thence to 41°03’56.69”N, 073°52’24.75”W; thence to a point on the eastern shoreline at 41°03’46.91”N, 073°52’05.89”W; thence northerly along the shoreline to the point of origin (NAD 83).

(b) Safety Zone Boundaries: The following is a Safety Zone: all waters bound by the following approximate positions: 41°04’59.70”N, 073°54’45.54”W; thence to 41°05’00.18”N, 073°53’21.48”W; thence to 41°03’09.24”N, 073°53’16.86”W; thence to 41°03’07.08”N, 073°54’14.70”W; thence to 41°04’11.28”N, 073°54’48.00”W; 41-04-59.700”N, 073-54-00.420”W; 41-03-32.220”N, 073-53-18.180”W; 41-03-08.100”N, 073-53-40.800”W; thence to the point of origin (NAD 83).

(c) Regulations.

(1) The general regulations contained in 33 CFR 165.10, 165.11, and 165.13, 165.20 and 165.23 apply.

(2) Any vessel transiting through the Western RNA must make a direct and expeditious passage. No vessel may stop, moor, anchor or loiter within the RNA at any time unless they are working on the bridge construction operations.

(3) Any vessel transiting through the Eastern RNA must make a direct and expeditious passage. No vessel may stop, moor, anchor or loiter within the RNA at any time unless they are working on the bridge construction operations or they are transiting to, or from, the special anchorage area codified in 33 CFR 110.60(c)(8) located on the eastern shoreline at Tarrytown, NY and within the boundaries of the RNA.

(4) Entry and movement within the Eastern RNA or Western RNA is subject to a “Slow-No Wake” speed limit. All vessels may not produce a wake and may not attain speeds greater than five knots unless a higher minimum speed is necessary to maintain steerageway. All vessels must proceed through the Eastern RNA and Western RNA with caution and operate in such a manner as to produce no wake.

(5) Entry into, anchoring, loitering, or movement within the Safety Zone is prohibited unless the vessel is working on the bridge construction operations or authorized by the Captain of the Port New York (COTP) or his designated representative.

(6) All persons and vessels must comply with all orders and directions from the COTP or the COTP’s designated representative. The “designated representative” of the COTP is any Coast Guard commissioned, warrant or petty officer who has been designated by the COTP to act on the COTP’s behalf. The designated representative may be on a Coast Guard vessel or New York State Police, Westchester County Police, Rockland County Police, or other designated craft; or may be on shore and will communicate

with vessels via VHF-FM radio or loudhailer. Members of the Coast Guard Auxiliary may be present to inform vessel operators of this regulation.

(7) Upon being hailed by a Coast Guard vessel by siren, radio, flashing light or other means, the operator of the vessel must proceed as directed.

(8) For the purpose of this regulation, the Federal navigation channel, located in the Eastern RNA is marked by the red and green navigation lights on the existing Tappan Zee Bridge, and the New NY Bridge. As the project progresses, the Federal navigation channel will be intermittently closed, or partially restricted, to all vessel transits. While the Federal navigation channel is closed, vessels that can safely navigate outside the Federal navigation channel would still be able to transit through the Eastern RNA. These closures or partial restrictions are tentatively scheduled to take place between March 2015 and October 2016. The COTP will cause a notice of the channel closure or restrictions by appropriate means to the affected segments of the public. Such means of notification may include, but are not limited to, Broadcast Notice to Mariners and Local Notice to Mariners.

(9) Notwithstanding anything contained in this section, the Rules of the Road (33 CFR part 84—Subchapter E, inland navigational rules) are still in effect and must be strictly adhered to at all times.

(d) **Enforcement Periods.** This regulation will be enforced 24 hours a day from 5:00 a.m. on July 3, 2014 until 11:59 p.m. on December 31, 2018.

- (1) Notice of suspension of enforcement: If enforcement is suspended, the COTP will cause a notice of the suspension of enforcement by appropriate means to the affected segments of the public. Such means of notification may include, but are not limited to, Broadcast Notice to Mariners and Local Notice to Mariners. Such notification will include the date and time that enforcement will be suspended as well as the date and time that enforcement will resume.
- (2) Violations of this regulation may be reported to the COTP at 718-354-4353 or on VHF-Channel 16.

Chart-12343 LNM 07/16 (CGD1)

NEW YORK – NEW YORK TO WAPPINGER CREEK - HUDSON RIVER – Temporary Navigational Lights - Temporary navigational lights was be relocated as per the diagram below at the existing Tappan Zee Bridge across the Hudson River at mile 27.0. . The new temporary navigational lighting plan includes marking the 600 foot wide main channel by affixing four-180° steady, red navigation lights to the underside of the main span, 2 each on the upstream and downstream sides of the structure, 300 feet either side of the centerline of the bridge. Each green center of channel light will have 3 white lights stacked vertically above it. The center 600’ feet of the Main Navigation Channel will be free for the passage of marine traffic and clear of all obstructions at all times. This temporary configuration is expected to be in place through **mid-2016**, at which time more detailed information for channel restrictions and closures during the installation of the superstructure of the new main spans will be published.




Chart 12343 LNM 07/16 (CGD1)

NEW YORK – TALLMAN ISLAND TO QUEENSBORO BRIDGE – FLUSHING RIVER – Bridge Rehabilitation –

Construction to the Roosevelt Ave Bridge across Flushing River at mile 0.8 is in progress. There will not be any construction equipment in the navigable channel. The project will be completed by **May 7, 2019**.

Chart 12339 LNM 07/16 (CGD1)

NEW YORK – NEW YORK HARBOR – EAST RIVER – NEWTOWN CREEK – Bike Path Installation – From January 15, 2016 to **April 15, 2016**, Monday through Saturday, between 7 a.m. and 4 p.m., and between 9 p.m. and 6 a.m., an underbridge inspection unit will be operated under the Pulaski (McGuinness Blvd) Bridge across Newtown Creek at mile 0.6, Brooklyn, New York. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM CH 13/16 or call 917-299-4735 with 15 minutes advance notice. Mariners are advised to exercise caution when transiting the area.

Chart 12338 LNM 07/16 (CGD1)

NEW YORK – EAST RIVER – NEWTOWN CREEK – ENGLISH KILLS – Restoration of the Electrical and Mechanical Systems – The repairs for the electrical/mechanical systems at the Metropolitan Ave Bridge, mile 3.4, across English Kills in Brooklyn, New York is in progress. A barge will be operating IVO of the bridge. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM CH 13/16. The project is to be completed by **March 11, 2016**. Mariners are advised to exercise caution when transiting the area.

Chart 12338 LNM 07/16 (CGD1)

NEW YORK- NEW YORK HARBOR – EAST RIVER – Bridge Painting & Rehabilitation – Painting/approach rehabilitation of the Brooklyn Bridge across the East River, mile 0.8, is in progress. Contractor has installed scaffolding from the Brooklyn side through mid-channel. Scaffolding reduces the available vertical clearance under the bridge by approx. 6 feet. The scaffolding will be marked by three red lights, one at each end of the scaffolding and one at the center. The remainder of the channel between mid-channel and the Manhattan side will provide full vertical clearance and is clear of any obstructions, however, at times the movable platforms will be in use and occupy part of the Brooklyn half channel, the traveller platform can be move for passage of large vessels, with a one hour advance notice. Large vessels requiring the full vertical clearance of the bridge should contact the resident engineer in advance at 347-242-6442 for up to date information. This project is expected to be completed by end April **2016**. Mariners are advised to exercise caution when transiting the area and large vessels are reminded to transit the Manhattan half of the channel.

Chart 12335 LNM 07/16 (CGD1)

NEW YORK – NEW YORK HARBOR – EAST RIVER – HARLEM RIVER- Fender System Damaged – The 207 St. (University Ave.) Bridge across Harlem River at mile 6.0 suffered a major fender collapsed at the East draw (Bronx side). To prevent further damage until it can be permanently repaired NYCDOT is **requesting all mariners to transit the West Draw** (Manhattan side) until further notice. Mariners are advised to exercise extreme caution and reduce wake when transiting the area.

Chart 12327 LNM 07/16 (CGD1)

NEW YORK – NEW YORK HARBOR – EAST RIVER – HARLEM RIVER- Bridge Out of Service – The Macombs Dam and 207 St. Bridges across Harlem River at mile 3.2 and 6.0 are still unable to open due the major damaged sustain during Hurricane Sandy. Vertical clearance under the closed span of Macomb's Dam is approx. 27 feet at MHW and the 207th Bridge is approx. 26 feet at MHW. NYCDOT is now in the process of awarding the contract to repair the bridge. Vessels that can transit under the closed span may do so at any time. Mariners are advised to plan accordingly and exercise extreme caution when transiting the area.

Chart 12327 LNM 07/16 (CGD1)

NEW YORK AND NEW JERSEY – NEW YORK HARBOR – KILL VAN KULL – Bridge Construction- The construction project for the raising of the Bayonne Bridge navigational clearance across the Kill Van Kull, mile 1.5, is in progress. Phase 1 is removal of the west side sidewalk. Phase 2 involves the demolition of the eastern half approach of the span deck. All work at this time is above the bridge deck and on the bridge approaches and will not impact marine traffic. This project is expected to be completed by the end of **2016**. More information will be provided as the project progresses. Mariners are advised to exercise caution when transiting the area.

Chart 12327 LNM 07/16 (CGD1)

NEW YORK AND NEW JERSEY – NEW YORK HARBOR – ARTHUR KILL – Bridge Construction- Construction for the replacement of the Goethals Bridge across the Arthur Kill, mile 11.5, is in progress. In water work (pile driving, cofferdam installation) will commence on the New Jersey side of the waterway. A crane barge measuring 40 ft X 120 ft will be operating in the area. All work will be outside the navigable water and will not impact marine traffic. More information will be provided as the project progresses. Mariners are advised to exercise caution when transiting the area.

Chart 12327 LNM 07/16 (CGD1)

NEW JERSEY- NEWYORK HARBOR - NEWARK BAY – HACKENSACK RIVER -Notice of Temporary Final Rule - The Coast Guard is temporarily modifying the operating schedule that governs the operation of the Route 1 & 9 (Lincoln Highway) Bridge across the Hackensack River, mile 2.0. New Jersey Department of Transportation, requested to temporarily restrict bridge openings during the morning and afternoon rush hour periods to alleviate traffic congestion resulting from area (Pulaski Skyway) roadway closures. Effective **March 1, 2014** through **March 1, 2016**, the draw of the Route 1 & 9 (Lincoln Highway) Bridge, mile 2.0, across

the Hackensack River shall open on signal; except that, the draw need not open for the passage of vessel traffic between 6 a.m. and 10 a.m. and between 2 p.m. and 6 p.m., Monday through Friday, except holidays. Tide dependent deep draft vessels may request bridge openings between 6 a.m. and 10 a.m. and between 2 p.m. and 6 p.m. provided at least a twelve hour advance notice is given by calling 973-589-5143. It is expected that this temporary change to the regulations will provide relief to vehicular traffic while continuing to meet the reasonable needs of navigation. Mariners are advised to plan their transits accordingly.
Chart 12327 LNM 07/16 (CGD1)

NEW YORK AND NEW JERSEY - NEW YORK HARBOR – NEWARK BAY - HACKENSACK RIVER - New Bridge Construction – Replacement of the Whitt-Penn Bridge across the Hackensack River at mile 3.1 is in progress. At this time work on the waterway has been completed, and the channel are free and clear of any obstruction. More information will be published as received. Mariners are advised to exercise extreme caution when transiting the area.
Chart 12337 LNM 07/16 (CGD1)

NEW JERSEY – NEW YORK HARBOR - NEWARK BAY – HACKENSACK AND PASSAIC RIVER - Notice of Temporary Final Rule - The Coast Guard is temporarily modifying the operating schedule that governs the operation of the Route 1 & 9 (Lincoln Highway) Bridge across the Passaic River, mile 1.9. New Jersey Department of Transportation, requested to temporarily restrict bridge openings during the morning and afternoon rush hour periods to alleviate traffic congestion resulting from area (Pulaski Skyway) roadway closures. Effective **March 1, 2014** through **March 1, 2016**, the draw of the Route 1 & 9 (Lincoln Highway) Bridge, mile 2.0, across the Hackensack River shall open on signal; except that, the draw need not open for the passage of vessel traffic between 6 a.m. and 10 a.m. and between 2 p.m. and 6 p.m., Monday through Friday, except holidays. Tide dependent deep draft vessels may request bridge openings between 6 a.m. and 10 a.m. and between 2 p.m. and 6 p.m. provided at least a twelve hour advance notice is given by calling the 973-589-5143. It is expected that this temporary change to the regulations will provide relief to vehicular traffic while continuing to meet the reasonable needs of navigation. Mariners are advised to plan their transits accordingly.
Chart 12327 LNM 07/16 (CGD1)



Coast Guard Sector New York

**Marine Safety Information
Bulletin – 01-14**

**Vessel Air Drafts and
Bayonne Bridge Allisions**



April 18, 2014

The Bayonne Bridge is undergoing a two-year construction project to raise the roadway an average of 65 feet. The associated demolition activities and work platforms outside of the navigable channel present serious safety considerations for mariners. Despite previous Coast Guard advisories, the Bayonne Bridge has been struck twice within the past four months. The most recent allision demasted a ship's INMARSAT C and Ship Safety Alert System antennas. In this case, the Coast Guard is pursuing a civil penalty against the ship's owner.

To ensure the safety of the bridge work crews, as well as ships navigating in the vicinity of the construction project, each vessel owner, master, or person in charge is reminded to review and update as necessary their ship's particulars. In accordance with Title 33 Code of Federal Regulations Section 164.11(k), this includes knowing the distance from their ship's keel to its highest point, providing accurate information to the Pilot and the ship's agent for safe navigation, and clearly indicating whether vessel modification data or any adjustable or whip antennas are included.

Bridge allisions, including ship antenna and mast strikes, may cause severe property damage or even loss of life. Vessels must take proactive measures to ensure they can safely navigate under bridges and other overhead obstructions before attempting such transits. Depending on the facts of future incidents, the Coast Guard will likely pursue civil penalties against any vessel owner, master, or person in charge that provides inaccurate vessel information that contributes to a bridge allision within the New York-New Jersey Captain of the Port Zone. The maximum penalty authorized by the Ports and Waterway Safety Act is \$40,000 per incident.

For current vertical and horizontal clearance information and construction status at the Bayonne Bridge, refer to NOAA Chart 12333, the First Coast Guard District Local Notice to Mariners (LNM) at <http://www.navcen.uscg.gov>, and <http://www.nws.noaa.gov/om/marine/ports.htm>.

GORDON LOEBL

Captain, U.S. Coast Guard

Captain of the Port, New York-New Jersey

Sector New York, 212 Coast Guard Drive, Staten Island, NY 10305

<http://homeport.uscg.mil/newyork>

RI – RHODE ISLAND SOUND – HORIZONTAL DIRECTIONAL DRILLING

Mariners are advised that Caldwell Marine International will be conducting horizontal directional drilling operations in Rhode Island Sound, approximate location 41° 23 29.649N 071° 27 39.364W in the vicinity of Scarborough State Beach, Point Judith, RI. These operations will begin on or about February 5, 2016 and last through June 16, 2016. These operations will be carried out on a 24 hour schedule.

Vessels on Scene:

Tug Larry J. Hebert, 86' x 28' #639035 call sign WDF 5953
Crew boat Alexis, 55' x 16' # 1073420 call sign WDA 6065
Deck Barge 2002 180' x 60' x 10.5' # 1149659
Dive Barge 860 160' x 54' x 12' # 541770

The 160 foot deck barge will be set in a five-point mooring with white surface buoys set out approximately 1000 yards from the vessel and the dive barge will be set on a four point mooring with white surface buoys set out approximately 1000 yards. All barges, mooring buoys and the tug will be lit for nighttime operations. During these operations the barges will be unable to move from their respective moorings under normal circumstances. Mariners are advised to remain clear of the charted area and in all cases remain at least 1000 yards from drilling vessels. Interested mariners may contact Mr. Larrabee at (732) 620-3938.




Chart 13217

Freezing Spray Observations – All Coastal and High Seas Waters

NOAA and Environment Canada are evaluating each country's freezing spray forecast models and tools in an effort to improve freezing spray forecasts. With ship observations of freezing spray, Environment Canada and NOAA scientists and forecasters will be able to better predict freezing spray conditions to protect life and property at sea. NOAA and Environment Canada are requesting mariners that encounter freezing spray to submit observations online at <http://go.usa.gov/WYbm>.

National Oceanic and Atmospheric Administration • Environment Canada

WANTED: Freezing Spray and Icing Observations

*Ever experience
freezing spray
conditions on your
vessel? Report it!*



Ice accumulated on
NOAA Ship Oscar Dyson
Photo credits: NOAA Office of
Marine and Aircraft Operations

Send us your observation:

Date & Time
Latitude & Longitude
Icing conditions and rate
Air temperature
Sea conditions
Wind conditions
Relative Humidity

Online reporting form:
<http://go.usa.gov/WYbm>



Freezing spray is an important safety issue in coastal Canadian and United States waters. In an effort to improve freezing spray forecasts, NOAA and Environment Canada are teaming up to evaluate each country's freezing spray forecast models and tools. Analysis of freezing spray cases, forecaster feedback, and ship observations will allow Environment Canada and NOAA scientists and forecasters to better predict dangerous freezing spray conditions to protect life and property at sea.

The success of this study depends on you: whenever possible, please report icing conditions to NOAA and Environment Canada

Send reports online :
<http://go.usa.gov/WYbm>



**Environment
Canada**



that issue.

- c. This guidance applies to U.S. flagged vessels subject to U.S. domestic chart (or map) and publication carriage requirements codified in Titles 33 and 46 of the C.F.R. and provides a voluntary equivalency to comply with those requirements.

2. ACTION.

- a. Sector Commanders and Officers in Charge, Marine Inspection (OCMI) are encouraged to apprise industry representatives of this Circular and apply its provisions appropriately. Vessel owners and operators, or their representatives, are encouraged to use the procedures and guidelines detailed herein.
- b. Enclosure (1) provides guidance to vessel owners/operators, Authorized Classification Societies and U.S. Coast Guard marine inspectors regarding equivalent measures to meet the chart and publication carriage requirements in 33 C.F.R. Part 164 and the several relevant subchapters of Title 46 C.F.R.¹

3. DIRECTIVES AFFECTED. CG-543 Policy Letter 10-05, *Electronic Navigation Publications Onboard U.S. Vessels*, is superseded by this Circular.

4. BACKGROUND.

Charts:

- a. U.S. regulations require “currently corrected marine charts” of a large enough scale and with enough detail to make safe navigation possible. This requirement first appeared in 33 C.F.R. Part 164 in the mid-1970s and in 33 C.F.R. § 164.72 in the mid-1990s. At the time these regulations were initially promulgated, paper charts were the only official marine charts available. Throughout the development of electronic charts and associated display equipment, the Coast Guard has always interpreted the marine chart carriage requirements in Titles 33 and 46 C.F.R. to mean paper charts published by an official hydrographic agency. Although the U.S. Coast Guard authorized U.S. flagged SOLAS-compliant vessels to use an Electronic Chart Display and Information System (ECDIS) in lieu of paper charts (reference e), that policy did not apply to the U.S. flagged vessels engaged solely on domestic voyages.

- b. The Maritime Transportation Security Act (MTSA) of 2004 directed the Coast Guard to prescribe regulations by 2007 requiring the use of electronic charts on certain U.S. flagged vessels engaged on domestic voyages. At that time, however, U.S. official electronic charts were not available for all U.S. waters. Furthermore, the Radio Technical Commission for Maritime Services (RTCM) advised the U.S. Coast Guard that

¹ The relevant subchapters are Subchapter C (46 C.F.R. §§ 24.15-1 and 26.03-4), Subchapter D (46 C.F.R. §§ 30.15-1 and 35.20-1), Subchapter H (46 C.F.R. §§ 70.15-1 and 78.05-5), Subchapter I (46 C.F.R. §§ 90.15-1 and 97.05-5), Subchapter I-A (46 C.F.R. §§ 108.105 and 109.565), Subchapter K (46 C.F.R. §§ 114.540 and 121.420), Subchapter L (46 C.F.R. §§ 125.170 and 130.330), Subchapter T (46 C.F.R. §§ 175.540 and 184.420), and Subchapter U (46 C.F.R. §§ 188.15-1 and 196.05-5).

its Electronic Chart System (ECS) technical standard, which guides manufacturers in producing these systems, was not sufficiently mature for inclusion by reference in Federal regulations. As such, the Coast Guard continued to allow U.S. flagged vessels engaged on international voyages to use ECDIS to meet the chart carriage requirements, but still required domestic vessels to carry official paper charts. Reference (e).

c. Pursuant to references (c) and (d), NOAA has taken the position that their official electronic charts met the definition of nautical charts. Additionally, NOAA and the U.S. Army Corps of Engineers have produced official electronic nautical charts and maps for U.S. waters. In April of 2014, NOAA stopped printing lithographic nautical charts and moved to a commercially-available "print on-demand" service. Last, in July of 2015, the RTCM published its latest industry standard for ECS, which it now considers sufficiently mature for use as reference in Federal regulations. Pending promulgation of regulations, the U.S. Coast Guard now considers official electronic charts displayed on electronic charting systems (e.g., SOLAS-compliant or RTCM standard ECS) as equivalent to meeting the chart carriage requirements in Titles 33 and 46 C.F.R. if all conditions regarding electronic charts and displays of enclosure (1) are met.

Publications: Likewise, references (a) and (h) require vessels to carry currently corrected editions of, or applicable currently corrected extracts from, nautical publications necessary for the intended voyage. Paper copies were the only acceptable versions prior to 2010 when the Coast Guard published reference (g) allowing the use of electronic publications under the conditions of redundancy. As stated in Paragraph 3 above, CG-543 Policy Letter 10-05, *Electronic Navigation Publications Onboard U.S. Vessels*², is superseded by this Circular for ease and consistency of reference.

5. DISCUSSION.

Charts:

a. Through this Circular, the Coast Guard will accept SOLAS-compliant equipment, three specific RTCM classes of ECS; A, B and C and certain electronic publications as equivalent to the carriage requirements of Titles 33 and 46 of the C.F.R.³ This should benefit vessel owners and operators by allowing them to voluntarily use official electronic charts and publications in lieu of paper charts, maps, and publications. Vessel owners should note that this provides an equivalency to certain domestic requirements and does not provide that ECS will be accepted in lieu of SOLAS-required equipment for the purpose of SOLAS certificates.

b. The Coast Guard recognizes that it has become standard practice for the U.S. domestic fleet to carry and use some form of electronic charts in addition to the paper charts

² Referencing 33 C.F.R. §§ 164.33, 164.72 and 161.4, Policy Letter 10-05 authorized the following navigation publications to be carried in electronic format: U.S. Coast Guard Light List, Local Notice to Mariners, tide-current or river-current tables, U.S. Coast Pilot, and VTS Rules.

³ This guidance provides an equivalency under 46 C.F.R. §§ 24.15-1, 30.15-1, 70.15-1, 90.15-1, 108.105, 114.540, 125.170, 175.540, and 188.15-1. Vessels not regulated under these subchapters of Title 46 of the C.F.R. are not eligible for the equivalency.

required by Federal regulations. Furthermore, industry has for a number of years, requested authorization from the Coast Guard to substitute electronic charts for official paper charts, which are costly to maintain. By recognizing the use of official electronic charts with the particular system specified in enclosure (1) as equivalent to current regulatory requirements, this Circular may relieve vessel owners and operators of the cost and time spent maintaining a “currently corrected” full portfolio of official paper charts.

- c. Due to the current state of technology, the Coast Guard believes that official electronic charts provide substantially more information to the mariner, and therefore may enhance navigational safety beyond that of official paper charts. Official electronic charts, when displayed on electronic charting systems (with integrated systems such as Electronic Position-Fixing Devices, Automatic Identification System, gyro, radar), can provide the mariner with substantially more navigational information than a paper chart. These enhancements better facilitate voyage planning and monitoring and thus may reduce the potential for marine accidents.

Publications: The requirement to carry paper publications means that a large number of printed documents must be accessible to the mariner. Per current industry practice, these publications are stored and displayed by onboard computers readily accessible to the navigation watch. This widespread practice is effective for providing information to mariners and efficient for maintaining updated publications. Since most required publications are only available in electronic format, the Coast Guard considers the electronic publications listed in enclosure (1) to be an acceptable equivalent means of meeting the publication carriage requirements set forth in Titles 33 and 46 C.F.R. and SOLAS Chapter V Regulation 27.

- 6. **DISCLAIMER.** This guidance is not a substitute for applicable legal requirements, nor is it itself a rule. It is intended to provide operational guidance for Coast Guard personnel and is not intended to nor does it impose legally binding requirements on any party outside the Coast Guard. It represents the Coast Guard’s current thinking on this topic and may assist industry, mariners, the general public, and the Coast Guard, as well as other Federal and state regulators, in applying statutory and regulatory requirements. This Circular is voluntary in that it prescribes no new requirements for the maritime industry. As such, vessel owners and operators may continue using official paper charts and publications in accordance with Titles 33 and 46 C.F.R. until the relevant regulations therein are amended.

- 7. **DISTRIBUTION.** No paper distribution will be made of the Circular. An electronic version will be located on the following Commandant web sites; Internet: <http://www.uscg.mil/hq/cg5/nvic/default.asp>, and CGPortal: <https://cgportal2.uscg.mil/library/directives/SitePages/Home.aspx>.

8. **ENVIRONMENTAL ASPECT AND IMPACT CONSIDERATIONS.**

- a. The development of this NVIC and the general policies contained within it have been thoroughly review by the originating office in conjunction with the Office of Environmental Management, and are categorically excluded (CE) under current USCG CE # 33 from further environmental analysis, in accordance with Section 2.B.2 and

NAVIGATION AND VESSEL INSPECTION CIRCULAR NO. 01-16

Figure 2-1 of the National Environmental Policy Act Implementing Procedures and Policy for Considering Environmental Impacts, COMDTINST M16475.1 (series).

- b. This directive will not have any of the following: significant cumulative impacts on the human environment; substantial controversy or substantial change to existing environmental conditions; or inconsistencies with any Federal, State, or local laws or administrative determinations relating to the environment. All future specific actions resulting from the general policies in this directive must be individually evaluated for compliance with the National Environmental Policy Act (NEPA), DHS and Coast Guard NEPA policy, and compliance with all other environmental mandates.

- 9. RECORDS MANAGEMENT CONSIDERATIONS. This Circular has been thoroughly reviewed during the directives clearance process, and it has been determined there are no further records scheduling requirements, in accordance with Federal Records Act, 44 U.S.C. Chapter 31, NARA requirements, and Information and Life Cycle Management Manual, COMDTINST M5212.12 (series). This policy does not have any significant or substantial change to existing records management requirements.

- 10. FORMS/REPORTS. None.

- 11. REQUEST FOR CHANGES. Questions regarding this policy should be directed to Coast Guard Headquarters, Office of Navigation Systems (CG-NAV-2), using the contact information provided in the above letterhead.



P. F. THOMAS
Rear Admiral, U.S. Coast Guard
Assistant Commandant for Prevention Policy

Encl: (1) Use of official electronic charts, electronic charting systems and electronic publications

Use of official electronic charts, electronic charting systems and electronic publications

This guidance applies to vessels subject to U.S. chart (or map) and publication carriage requirements codified in Titles 33 or 46 of the Code of Federal Regulations (C.F.R.) and provides an equivalent voluntary means to comply with those requirements. If vessels choose to voluntarily comply with this guidance, then they are subject to the requirements herein. Vessels may continue to comply with carriage requirements using official paper charts, maps, and publications as required by Titles 33 and 46 of the C.F.R. This guidance provides an equivalency only for domestic paper chart requirements and does not provide an equivalency for chart requirements contained in the International Convention for the Safety of Life at Sea, 1974 (SOLAS).

A. Electronic Chart Carriage. Vessels may use electronic charts provided they are official charts issued by or on the authority of a Government, authorized hydrographic office, or other relevant government institution (“official electronic charts”). Additional information regarding electronic charts may be found in International Hydrographic Organization (IHO) publication, S-66 – Facts About Electronic Charts and Carriage Requirements, Edition 1.0.0 — January 2010. Under the conditions set forth herein, the Coast Guard considers official electronic charts to be equivalent to the charts prescribed in Titles 33 and 46 of the C.F.R.

B. Electronic Charting System (ECS) Carriage. When displaying official electronic charts, the Coast Guard considers:

1. SOLAS compliant vessels to meet the chart carriage requirements on all waters.
2. A Radio Technical Commission for Maritime Services (RTCM)¹ class ‘A’ ECS to meet the chart carriage requirements for vessels not on international voyages.
3. An RTCM class ‘B’ or ‘C’ ECS to meet the chart carriage requirements for vessels operating not more than 12 nautical miles from the territorial sea baseline²
4. An RTCM class ‘D’ is not equivalent to paper marine charts under this Circular, and therefore does not meet the chart carriage requirements prescribed in Titles 33 and 46 of the C.F.R.

C. Redundant Arrangement. For vessels using official electronic charts as the primary means of navigation, an independent redundant arrangement is required in order to meet the equivalency, and must be:

1. An equivalent system to the requirement in paragraph B, connected to a back-up power supply separate and independent from the primary system, or
2. A full folio of official paper charts in accordance with 33 C.F.R. part 164 for the intended voyage.³

¹ ECS classes shall meet the most current RTCM 10900 series ECS standard.

² As defined by 33 C.F.R. § 2.20 and, for the purpose of this policy, including the shoreline of the Great Lakes.

If official electronic charts are being used as the primary and back-up means of navigation, the equipment identified in Section E (Integration) of this enclosure must be integrated with the redundant arrangement as outlined.

D. Training. The following training is considered to meet the equivalency for U.S. flagged vessels electing to use official electronic charts in accordance with this Circular.

1. RTCM ECS class 'A': The Coast Guard considers an RTCM class 'A' to function closely to an Electronic Chart Display and Information System (ECDIS). Therefore, for the purposes of this policy, all mariners in charge of a navigational watch and using a class 'A' ECS must possess a successful completion certificate from a Coast Guard approved ECDIS course and have the appropriate endorsement on their Merchant Mariner Credential (MMC). The Coast Guard considers this training to meet the requirement of 46 C.F.R. § 15.405.

2. RTCM ECS class 'B' and 'C': Title 46 C.F.R. § 15.405 requires that each credentialed crewmember must be familiar with installed navigation equipment prior to assuming their duties. This requirement applies to RTCM class 'B' or 'C' ECS equipment used pursuant to this Circular. To achieve the required familiarity, companies must follow manufacturer's standards, user's manuals, and company policies to document watch stander competency.

Mariners serving on U.S. flagged vessels, currently holding the ECDIS endorsement on their MMC, are compliant with this Circular and do not require additional training in order to navigate using official electronic charts displayed on an RTCM standard ECS authorized by this Circular. Mariners will not meet the equivalency requirement using official electronic charts as the primary means of navigation without meeting the above training requirements.

E. Integration. ECSs are most functional for navigational safety when fully interfaced with installed navigation equipment.

1. The following equipment, if installed, must be integrated with the ECS in order to meet the equivalency:

- a. External electronic position-fixing device providing position information,
- b. Automatic Identification System (AIS),

³ If paper charts are being used as the back-up, they must be readily available and the voyage plan should be indicated on them. Section 164.33(c) of Title 33 of the C.F.R. defines "currently corrected" as it applies to charts, U.S. Coast Pilot, and Coast Guard Light List. The IHO defines "official charts" as those "charts issued by or on the authority of a Government, authorized hydrographic office or other relevant government institution." IHO publication, S-66 – Facts About Electronic Charts and Carriage Requirements, Edition 1.0.0—January 2010, p. 10. Section 164.33 of Title 33 of the C.F.R. includes the National Ocean Service of National Oceanic and Atmospheric Administration (NOAA) and U.S. Army Corps of Engineers as United States sources for charts.

- c. Gyro-compass or other means to determine and display the vessel's heading by vessel borne non-magnetic means and transmit heading information⁴, and
 - d. Marine radar.
2. The Coast Guard further recommends the following equipment, if installed, also be integrated with the ECS:
- a. Magnetic compass; and
 - b. Voyage data recorder or simplified voyage data recorder.
- F. Electronic Publications Carriage. Vessels may maintain the navigation publications required by 33 C.F.R. §§ 161.4, 164.33, and 164.72 and SOLAS Chapter V Regulation 27 in electronic format provided that they are derived from the original source, currently corrected/up-to-date and readily accessible on the vessel's bridge by the crew. Those publications are: U.S. Coast Pilot, Sailing Directions, Coast Guard Light List, List of Lights, tide-current and river-current tables, Notice to Mariners, Local Notice to Mariners, Notices to Navigation, and Vessel Traffic Rules. If electronic publications are used, vessels must retain a redundant copy in the event the primary electronic format becomes inaccessible. The redundant copy may be a second computer, CD, or portable mass storage device readily displayable to the navigation watch, or a paper copy.

⁴ Recommendations on Performance Standards for Marine Transmitting Heading Devices (THD) (resolution MSC.116(73)).

RI – RHODE ISLAND SOUND – HORIZONTAL DIRECTIONAL DRILLING

Mariners are advised that Caldwell Marine International will be conducting horizontal directional drilling operations in Rhode Island Sound, approximate location 41° 23 29.649N 071° 27 39.364W in the vicinity of Scarborough State Beach, Point Judith, RI. These operations will begin on or about February 5, 2016 and last through June 16, 2016. These operations will be carried out on a 24 hour schedule.

Vessels on Scene:

Tug Larry J. Hebert, 86' x 28' #639035 call sign WDF 5953
Crew boat Alexis, 55' x 16' # 1073420 call sign WDA 6065
Deck Barge 2002 180' x 60' x 10.5' # 1149659
Dive Barge 860 160' x 54' x 12' # 541770

The 160 foot deck barge will be set in a five-point mooring with white surface buoys set out approximately 1000 yards from the vessel and the dive barge will be set on a four point mooring with white surface buoys set out approximately 1000 yards. All barges, mooring buoys and the tug will be lit for nighttime operations. During these operations the barges will be unable to move from their respective moorings under normal circumstances. Mariners are advised to remain clear of the charted area and in all cases remain at least 1000 yards from drilling vessels. Interested mariners may contact Mr. Larrabee at (732) 620-3938.




Chart 13217

Seacoast WAMS User Feedback Form

1. What is your vessel type? (select one)

- Military
- Motor Vessel >300GRT
- Motor Vessel <300GRT
- Towing Vessel >26ft
- Towing Vessel <26ft
- Fishing Vessel
- Passenger Vessel
- Power Recreational Vessel
- Sailing Recreational Vessel

2. What is your position onboard the vessel? (select one)

- Owner
- Captain
- Pilot
- Mate
- Crew
- Port Captain
- Dispatcher

3. How long have you held this position? (select one)

- <1 year
- 1-5 years
- 5-10 years
- 10-20 years
- >20 years

4. What is the highest type of training/license that you hold? (select one)

- Master Unlimited
- Mate Unlimited
- Master 1600GRT
- Mate 1600GRT
- Master 500GRT
- Mate 500GRT
- Master 200GRT
- Mate 200GRT
- Master 100GRT
- Mate 100GRT
- OUPV
- State issued license
- NASBLA Approved Boating Safety Courses
- USCG Auxiliary Safe Boating Courses
- U.S. Power Squadron Safe Boating Course
- Unlicensed

5. What is your voyage type on the Seacoast Waterway? (select one)

- Transatlantic
- Coastal
- Local

6. What region(s) of the Seacoast Waterway do you routinely transit? (select all that apply)

- Northeast
- Mid-Atlantic
- Southeast
- Gulf

7. **On average, how many days do you spend at sea per year? (select one)**
- <30 days
 - 30-90 days
 - 90-180 days
 - >180 days
8. **What is your Primary means to determine your position? (select one)**
- Global Navigation Satellite System (GPS)
 - Radar
 - Fathometer
 - Pelorus
 - Handheld Bearing Observation Device
9. **What is your Secondary means to determine your position? (select one)**
- Global Navigation Satellite System (GPS)
 - Radar
 - Fathometer
 - Pelorus
 - Handheld Bearing Observation Device
10. **What navigation reference materials do you use onboard when transiting? (select all that apply)**
- Light List
 - Coast Pilot
 - Navigation Rules
 - Local Notice to Mariners
 - Weekly Notice to Mariners
 - Commercial Chart Book or Cruising Guide
 - Commercial Navigation Applications
11. **What navigation reference materials do you use for voyage planning? (select all that apply)**
- Light List
 - Coast Pilot
 - Navigation Rules
 - Local Notice to Mariners
 - Weekly Notice to Mariners
 - Commercial Chart Book or Cruising Guide
 - Commercial Navigation Applications
12. **What format do you prefer your navigation reference materials to be in? (select one)**
- Electronic (Downloaded prior to getting u/w)
 - Web-Based (Real-Time)
 - CD
 - Mobile
 - Paper
13. **If you use electronic reference material, what format do you prefer? (select one)**
- PDF
 - XML
 - KML (GIS)
 - Shape File (GIS)
 - Chart Overlay (ECDIS/ECS)
 - I do not know

14. What depth of water do you consider to be Shoal Water? *(select one)*

- <12 ft
- 12-17ft
- 18-29ft
- 30-41ft
- 42-60ft
- >60ft

15. What is your (or your company's) preferred minimum safe distance to shoal water? *(select one)*

- <1NM
- 1-2NM
- 2-3NM
- 3-5NM
- >5NM

16. When making landfall requiring you to transit within your preferred minimum safe distance to shoal water how many watchstanders do you normally have on the bridge? *(select one)*

- 1
- 2
- 3
- >3

17. How many watchstanders do you normally have on watch when transiting outside your preferred minimum distance to shoal water? *(select one)*

- 1
- 2
- 3
- >3

18. While underway, what do you use as your primary means to verify your proximity to shoal water? *(select one)*

- GPS Position
- ECDIS/ECS Cross Track Error
- Radar Ranging to Landfall
- Radar Ranging to Shoal Buoy
- Radar Indexing
- Visual Distance estimation using geographic features
- Visual Distance estimation using ATON
- Depth Finder

19. At what distance do you need a visual indication of Landfall? *(select one)*

- <1NM
- 1-2NM
- 2-3NM
- 3-5NM
- 5-7NM
- 7-10NM
- >10NM

20. If you answered >10NM, please explain why you require a visual indication of Landfall at >10NM.

21. Do you need a visual indication of Shoal Water or Hazard? *(select one)*

- Yes
- No

22. At what distance do you need a visual indication of Shoal Water or Hazard? *(select one)*

- <1NM
- 1-2NM
- 2-3NM
- 3-5NM
- 5-7NM
- 7-10NM
- >10NM

23. If you answered >10NM, please explain why you require a visual indication of Shoal Water or Hazard at >10NM.

24. Do you need an audible (bell, whistle, gong) indication of Shoal Water or Hazard? *(select one)*

- Yes
- No

25. At what distance do you need an audible indication of Shoal Water or Hazard? *(select one)*

- <1NM
- 1-2NM
- >2NM

26. If you answered >2NM, please explain why you require an audio indication of Shoal Water or Hazard at >2NM.

27. Do you use RACONS

- Yes
- No

28. If you answered yes, please explain how and why.

29. What kind of communications equipment do you have onboard? *(select all that apply)*

- GMDSS (Global Maritime Distress and Safety System)
- HF SSB (High-Frequency Single Side Band)
- VHF Marine Band
- Satellite
- Cellular
- AIS
- Internet 1-20NM offshore

- Internet >20NM offshore

30. While underway, how do you prefer to obtain weather information? (*select one*)

- GMDSS (Global Maritime Distress and Safety System)
- HF SSB (High-Frequency Single Side Band)
- VHF Marine Band
- Satellite
- Cellular
- AIS
- Internet 1-20NM offshore
- Internet >20NM offshore