



U.S. Department  
of Homeland Security  
**United States  
Coast Guard**

## LOCAL NOTICE TO MARINERS

**District: 13**

**Week: 25/16**

ISSUED BY: COMMANDER, THIRTEENTH COAST GUARD DISTRICT (dpw)  
915 Second Avenue, 35th Floor, Rm 3510, Seattle, Washington 98174-1067  
Telephone: (206) 220-7285; FAX: (206) 220-7265  
Email: D13-PF-LNM@uscg.mil  
<http://www.uscg.mil/d13/dpw/default.asp>  
<http://www.navcen.uscg.gov/?pageName=lnmDistrict&region=13>

COMDTPUB P16502.6, Light List Volume VI, 2016 Edition and Coast Pilot Volume 7, 2016.  
Coast Pilots, along with corrections, are available at: <http://www.nauticalcharts.noaa.gov/nsd/cpdownload.htm>.

### UNITED STATES COAST GUARD NAVIGATION INFORMATION SERVICE (NIS)

The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information for GPS and DGPS. The NIS also disseminates Safety Broadcasts / Broadcast Notice to Mariners (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). NANU notices can also be obtained via e-mail subscription through the USCG Navigation Center website:

<http://www.navcen.uscg.gov/?pageName=GPS>.

In addition, the NIS investigates all reports of degradation or loss of GPS or DGPS service. Mariners are encouraged to report all degradation of radio navigation services to the NIS via any of the following: Phone: 703-313-5900, Email: [webmaster@navcen.uscg.mil](mailto:webmaster@navcen.uscg.mil), or on the World Wide Web: <http://www.navcen.uscg.gov>.

### BROADCAST NOTICE TO MARINERS

This section contains a range of all the significant Broadcast Notice to Mariners (BNM's) on the date of this edition.

Originating Unit	Beginning BNM	Ending BNM
CGD THIRTEEN	D13-0516-16	D13-0537-16

### ABBREVIATIONS

#### A through H

ADRIFT - Buoy Adrift  
AICW - Atlantic Intracoastal Waterway  
AI - Alternating  
B - Buoy  
BKW - Breakwater  
bl - Blast  
BNM - Broadcast Notice to Mariner  
bu - Blue  
C - Canadian  
CHAN - Channel  
CGD - Coast Guard District  
C/O - Cut Off  
CONT - Contour  
CRK - Creek  
CONST - Construction  
DAYMK/Daymk - Daymark  
DBN/Dbn - Daybeacon  
DBD/DAYBD - Dayboard  
DEFAC - Defaced  
DEST - Destroyed  
DISCON - Discontinued  
DMGD/DAMGD - Damaged  
ec - eclipse  
EST - Established Aid  
ev - every  
EVAL - Evaluation  
EXT - Extinguished

#### I through O

I - Interrupted  
ICW - Intracoastal Waterway  
IMCH - Improper Characteristic  
INL - Inlet  
INOP - Not Operating  
INT - Intensity  
ISL - Islet  
Iso - Isophase  
kHz - Kilohertz  
LAT - Latitude  
LB - Lighted Buoy  
LBB - Lighted Bell Buoy  
LHB - Lighted Horn Buoy  
LGB - Lighted Gong Buoy  
LONG - Longitude  
LNM - Local Notice to Mariners  
LT - Light  
LT CONT - Light Continuous  
LTR - Letter  
LWB - Lighted Whistle Buoy  
LWP - Left Watching Properly  
MHz - Megahertz  
MISS/MSNG - Missing  
Mo - Morse Code  
MRASS - Marine Radio Activated Sound Signal  
MSLD - Misleading  
N/C - Not Charted

#### P through Z

PRIV - Private Aid  
Q - Quick  
R - Red  
RACON - Radar Transponder Beacon  
Ra ref - Radar reflector  
RBN - Radio Beacon  
REBUILT - Aid Rebuilt  
RECOVERED - Aid Recovered  
RED - Red Buoy  
REFL - Reflective  
RRL - Range Rear Light  
RELIGHTED - Aid Relit  
RELOC - Relocated  
RESET ON STATION - Aid Reset on Station  
RFL - Range Front Light  
RIV - River  
RRASS - Remote Radio Activated Sound Signal  
s - seconds  
SEC - Section  
SHL - Shoaling  
si - silent  
SIG - Signal  
SND - Sound  
SPM - Single Point Mooring Buoy  
SS - Sound Signal  
STA - Station  
STRUCT - Structure

F - Fixed  
fl - flash  
Fl - Flashing  
G - Green  
GIWW - Gulf Intracoastal Waterway  
HAZ - Hazard to Navigation  
HBR - Harbor  
HOR - Horizontal Clearance  
HT - Height

NGA - National Geospatial-Intelligence Agency  
NO/NUM - Number  
NOS - National Ocean Service  
NW - Notice Writer  
OBSCU - Obscured  
OBST - Obstruction  
OBSTR - Obstruction  
Oc - Occulting  
ODAS - Anchored Oceanographic Data Buoy

St M - Statute Mile  
TEMP - Temporary Aid Change  
TMK - Topmark  
TRLB - Temporarily Replaced by Lighted Buoy  
TRLT - Temporarily Replaced by Light  
TRUB - Temporarily Replaced by Unlighted Buoy  
USACE - Army Corps of Engineers  
W - White  
Y - Yellow

Additional Abbreviations Specific to this LNM Edition:

AIS - Automatic Identification System  
LLNR - Light List Number  
NM - Nautical Miles  
CPA - Closest Point of Approach  
RM - River Mile Marker

V-AIS - Virtual AIS  
VTS - Vessel Traffic Service  
WSDOT - Washington State Department of Transportation  
NUWC - Naval Undersea Warfare Center  
RAC - Racon

AtoN - Aids to Navigation  
COTP - Captain of the Port  
ODOT - Oregon Department of Transportation

---

---

## SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

---

### **NORTH AMERICA WEST COAST SAN DIEGO TO ALEUTIAN ISLANDS AND HAWAIIAN ISLANDS – Oceanographic Research**

As part of the Ocean Observatories Initiative, the University of Washington will deploy scientific instruments in the vicinity of Axial Volcano approximately 200 nautical miles offshore Tillamook Head, OR. Pending weather conditions, it is anticipated the research vessel R/V Sikuliaq will be working in the vicinity of the areas on the areas and dates listed in Enclosure (8). The OOI deployments will be performed 24 hours a day, 7 days a week with support from a remotely operated vehicle (ROV). The research vessel will monitor VHF-FM Ch. 13 and 16 during all operations. Mariners are requested to keep a 2,000-yard CPA in the vicinity of the research vessel to avoid possible entanglement or damage to equipment and/or fishing gear. For more additional information, e-mail Mr. Brian Ittig at bittig@uw.edu.

Chart 530

LNM: 25/16

### **IDAHO – LAKE PEND OREILLE – Bridge notice**

Divers will install pile support cables on the US-95 Highway Bridge (LLNR 20086) on Lake Pend Oreille, mile 2.0, from 15 Jul 16 through 15 Oct 16. A temporary mooring and work platform will be constructed on the southern end of the bridge. Diving operations will be Monday through Friday during daylight hours only. A small work boat and barge will be on site near the divers. The vessels will be moored at the temporary platform over night and weekends. Recreational diver flags and Code Alfa will be displayed while divers are working in the water. Mariners are requested to transit in the vicinity of the divers with no wake. The onsite dive supervisor can be contacted at (509) 710-5118.

LNM: 25/16

### **WASHINGTON – GRAYS HARBOR – Hazard to navigation**

The U.S. Coast Guard has designated a previously unknown wreck at approximate position 46-58-03.660N 123-52-26.520W as a hazard to navigation. The vessel is 27' in length. It is above authorized depth and will further reduce the Federal Project Depth if it remains present for the eventual deepening of the channel. The vessel is located in an area of known shoaling and would cause difficulty for vessel dredging in the area. This wreck has been charted.

Chart 18502

LNM: 25/16

### **WASHINGTON – APPROACHES TO ADMIRALTY INLET DUNGENESS TO OAK BAY - Pacific Northwest National Laboratory Sequim Bay Research Project (Revised from LNM 24/16)**

The Pacific Northwest National Laboratory (PNNL) will conduct a research project in Sequim Bay, Washington, in four separate locations starting in July 2016 and ending in September 2016, as shown in Enclosure (7). Below is a description of each site:

An Acoustic Doppler Current Profiler (ADCP) is to be deployed in approximate position 48-04-44.637N, 123-02-36.747W on the seafloor. This object has an eight inch diameter and is eight inches tall. The ADCP is battery powered. One orange and white surface warning buoy will be placed 10 yards north of the subsurface equipment to mark the location. Deployment is 10 Jul 16 to 01 Sep 16.

A Biosonic Transducer will be deployed in approximate position 48-04-46.092N, 123-02-38.076W on the seafloor. This object is a 58 inch square and 21 inches tall. The Biosonic Transducer is powered by a seafloor cable that will come ashore at the PNNL dock, which is WSW of the transducer at 100 yards. One orange and white surface warning buoy will be placed 10 yards north of the subsurface equipment to mark the location. Deployment is 10 Jul 16 to 01 Sep 16.

Mooring 1 (subsurface) is equipment that will be moored in the water column in approximate position 48-04-46.308N, 123-02-38.220W. Two yellow surface buoys will be placed 10 yards north and south of the subsurface equipment to mark the location. Deployment is 17 Jul 16 to 08

Aug 16.

Mooring 2 (subsurface) is equipment that will be moored in the water column in approximate position 48-04-51.145N, 123-01-40.827W. Two yellow surface buoys will be placed 10 yards east and west of the subsurface equipment to mark the location. Deployment is 17 Jul 16 to 08 Aug 16.

Subsurface equipment will extend approximately 16.5 ft above the bottom, leaving approximately 10-15 feet of water above the submerged float. Mariners are advised not to pass between the two yellow surface buoys marking the subsurface Mooring 1 or Mooring 2. Mariners are also requested to not anchor or drag the bottom within 100 yards of the ADCP or Biosonic seafloor equipment positions.

The research vessel Strait Science may at times be tending to the above listed equipment and can be hailed on VHF-FM Ch 16. For additional information contact PNNL Marine Sciences Laboratory, Ms. Susan Southard at 360-681-3615 (office) or 360-460-1999 (cell) or email sue.southard@pnnl.gov.

Chart 18471

LNM: 25/16

**WASHINGTON – PUGET SOUND – SOUTHERN PART – TACOMA HARBOR – Hylebos waterway rock removal**

Barge operations for dredging will take place 22 JUN 16 through 16 Jul 16 in the vicinity of the Walrath Loading Ramp in the Hylebos Waterway. Tug Pat Quigg will operate at the site with derrick barge Skookum and material barge Loyal. A sonar equipped small vessel will be on site for surveying. Mariners are requested to reduce wake and transit the area with caution. For additional information contact Mr. Justin Robinson at 360-930-1908.

Chart 18453

LNM: 25/16

**WASHINGTON – LAKE WASHINGTON SHIP CANAL – Lock closure**

The Hiram M. Chittenden large and small locks will close to all marine traffic four hours starting 0800 07 Jul 16 to inspect a saltwater drain screen structure. The structure, immediately upstream of the locks, prevents salmon from entering the locks' saltwater return intake. Divers closed the 10, 10-foot-by-6-foot doors and inspected the 30-by-60 foot curved-front, mesh screen structure on 07 June 16. Divers will perform monthly inspections like this one until the doors are opened mid-September. The inspections require lock closures to all but emergency vessels on emergency calls. The staff will complete work as quickly and safely as possible. For additional information, contact Lockmasters Larry Meyer or Vickie Shepard, at 206-789-2622 ext. 230, or Public Affairs Officer Bill Dowell, at 206-764-3464.

Chart 18447

LNM: 25/16

**WASHINGTON - LAKE WASHINGTON SHIP CANAL - LAKE WASHINGTON - SR-520 SPECIAL BRIDGE NOTICE - Critical Navigation Notice - Part A (Revised from LNM 24/16)**

The U.S. Coast Guard has established a temporary safety zone on Lake Washington around the east span of the SR-520 Bridge in Seattle, WA due to ongoing construction. The safety zone is necessary to ensure the safety of the maritime public and workers involved in the bridge construction when construction barges are located in the navigation channel under the east span of the bridge. The safety zone will prohibit any person or vessel from entering and remaining in the safety zone unless authorized by the Captain of the Port or his Designated Representative. The safety zone established in this rule encompasses all waters within 100 yards of the east span of the SR-520 Bridge. This rule is effective through 30 November 16.

From 0000 on 16 June 16 through 2400 on 29 June 16 the East Navigation channel will be closed to all marine traffic. While the East channel is blocked the West navigation channel will be open to mariners. Up to five construction barges may be operating in the navigation channel during this time.

From 0000 on 30 June 16 through 2400 on 30 June 16 the West Navigation channel will be closed to all marine traffic. While the West channel is blocked the East navigation channel will be open to mariners. Up to five construction barges may be operating in the navigation channel during this time.

From 0000 on 5 July 16 through 2400 on 9 June 16 the West Navigation channel will be closed to all marine traffic. While the West channel is blocked the East navigation channel will be open to mariners. Up to five construction barges may be operating in the navigation channel during this time.

Vessels with vertical aircraft requirements of greater than 43 feet, needing to transit the east channel are requested to provide at least 2 hours advance notice to tug Big Eagle on VHF-FM Ch. 16 or by calling the marine superintendent at 425-749-6675.

Chart 18447

LNM: 25/16

**WASHINGTON – LAKE WASHINGTON SHIP CANAL – LAKE WASHINGTON – SR-520 Special Bridge Notice – Critical Navigation Notice – Part B (Revised from LNM 24/16)**

1. The center drawspan has been permanently blocked. The new floating bridge does not have a draw span.
2. Navigation channel vertical clearance at the east span is restricted to 58 feet until approximately October 2016 when the full 70 foot vertical clearance will be established. The eastern navigation channel will be marked with red and green navigational buoys as shown in Enclosure (4) of LNM 10/15. The eastern navigation channel varies from 168 feet to 200 feet in width with the majority of it being over 180 feet wide. Exclusion area buoys and signage will mark the four Pontoon Alpha submerged anchor wires.
3. Eight temporary pilings (two groups of four pilings) marked with yellow lights flashing every 4 seconds (FI Y 4s) have been placed in the southeast part of Union Bay near the west end of the bridge for the temporary mooring of pontoons. Refer to LNM 05/13 chart 18447 for temporary chart corrections.
4. 12 temporary barge mooring pilings have been placed on the north side of the bridge just west of the west navigation channel and marked with quick flashing yellow lights (QY), which may be obscured at times when barges and other equipment are moored at the site.
5. The west navigation channel has been relocated to its final location directly west of the floating bridge pontoons as depicted in enclosure (5) of LNM 12/16. The vertical clearance for the new channel is 43 ft. Vessels with an air draft of greater than 43 feet but less than 58 feet may continue to use the east navigation channel.
6. Temporary Construction Buoys and Lighting; Eight temporary white mooring buoys (six on the north side and two on the south side) marked with white lights flashing every 4 seconds (FI W 4s) have been deployed near the bridge for the mooring of construction barges and shown as chart corrections in LNM 05/13 for chart 18447.
7. West Approach Project: Complete

For additional information, contact Mr. Matt Steffens at 425-679-6675 or email [matt.steffens@kiewit.com](mailto:matt.steffens@kiewit.com)

Chart 18447

LNM: 25/16

**OREGON – COOS BAY – Sunken vessel charted (Revised from LNM 22/16)**

A sunken 62' fishing vessel has been reported and charted approximately 250 yards north of the Coos Bay entrance channel buoys 5 and 5A at approximate position 43-21-21.000N, 124-19-45.000W. The vessel lies on her starboard side, with approximately 2-3' of the hull exposed at low water. At high water the vessel is approximately 4-6' below the surface. The wreck has large outriggers, a mast, and is marked with two orange fenders. Mariners are advised to transit the area with caution. For additional information call U.S. Coast Guard Sector North Bend at 541-756-9210.

Chart 18587

LNM: 24/16

**OREGON - WILLAMETTE RIVER – PORTLAND TO WALNUT EDDY - Bridge notice**

Demolition efforts of the old Sellwood Bridge (LLNR 14995) across the Willamette River, mile 16.5, will require restrictions of the main channel from 0500 on 28 Jun 16 until 2300 on 30 Jun 16. If deconstruction needs more time, the channel will be unrestricted no later than 1700 on 01 Jul 16. Barges and service vessels will be on site, and lighted as required after sunset. A service tug will also be available to assist vessels navigating under the Sellwood Bridge if desired. For tug assist contact Waino Toristoja at (360) 903-7191. For additional information contact Rhett Stanley at 503-602-0112.

Chart 18526

LNM: 24/16

**WASHINGTON – PUGET SOUND – PORT GAMBLE – Marine construction**

Orion Marine Contractors, Inc. will conduct construction operations including; pile removal, installation of capping materials, demolition of structures, and dredging at the former mill site located at the northwest corner of Port Gamble entrance to the south end of Port Gamble Bay. Operations will be from 15 Jun 16 through January 2017. Loaded material barges will transit through the entrance to Port Gamble from work locations on both sides of the former mill site and to work locations at the south end of the bay. All vessels will be lighted in accordance with the navigation rules. Mariners are requested to slow through the work area and stay clear of construction vessels and equipment. The crane and tugs will monitor VHF-FM Ch. 05A and 13. For additional information please contact Mr. Justin Strong at (253) 552-1140 or email [jstrong@orionmarinegroup.com](mailto:jstrong@orionmarinegroup.com).

Chart 18458

LNM: 24/16

**SAINT JOE RIVER – SAINT MARIES – Dredging at St. Maries, ID**

Arcadis U.S. Inc. will conduct sediment remediation on the south side of the St. Joe River within the town of St. Maries, ID, from 01 Jul 16 through 01 Oct 16. Site activities include dredging, backfilling, and water quality monitoring. Operations are expected to occur 24 hours a day Monday through Saturday. The work area is located at approximate position 47-19-19.420N 116-34-46.550W. Three construction barges may be positioned near the dredging area, and monitoring buoys will be deployed during the construction period. Warning buoys, lights, and day shapes will be displayed. Mariners are requested to use caution and reduce wake when transiting the area. For additional information, contact

LNM: 24/16

**OREGON - WASHINGTON – CAPE BLANCO TO CAPE FLATTERY - COAST AND RIVER SYSTEMS – Fireworks Displays with Safety Zones**

The U.S. Coast Guard has established temporary safety zones for the fireworks displays listed in Enclosure (6). The safety zones may be enforced up to one hour prior to the start and one hour after the conclusion of the fireworks displays. These zones will encompass all navigable waters within a 450 yard radius of the launch sites. For additional information contact U.S. Coast Guard Sector Columbia River at 503-861-6211.

Chart 18003

LNM: 23/16

**COLUMBIA RIVER - PACIFIC OCEAN TO HARRINGTON POINT - Bridge special notice**

ODOT is removing existing paint coating by sand blast and power tooling methods within engineered containments on the Astoria-Megler Bridge (LLNR 14630/10086) at Columbia River mile 13.5. Replacement of rivets, steel repairs, and new paint will be applied until complete on 31 Aug 18. The containment system will reduce the vertical clearance beneath the bridge by six feet. The work will be during daylight hours, generally from 0630 to 1800, Monday through Friday. Weekend work is not anticipated but could occur. The containment system will be in place for the duration of the project. The containment system is movable and will occupy approximately 300 to 400 feet at any one time. The work is anticipated to be performed year round. Mariners are advised to exercise caution when navigating under the bridge and to be aware of fall hazards while containment scaffolding is being relocated. All work will be staged from the roadway deck. On scene contacts for ODOT are Jeremy Chauvin at 503-338-8837 and Grant Hudkins at 503-338-0574.

Chart 18521

LNM: 23/16

**COLUMBIA RIVER – PORTLAND – VANCOUVER – Interstate 5 Bridges– Special bridge notice**

The U.S. Coast Guard has issued a temporary deviation from the operating schedule that governs the Interstate 5 (I-5) Bridges (LLNR 11258) across the Columbia River, mile 106.5, between Portland, OR and Vancouver, WA. This deviation is necessary to facilitate the movement of heavier than normal roadway traffic associated with the Independence Day fireworks show near the I-5 Bridges. The bridges will remain in the closed position during the event. The bridges provides three designated navigation channels with vertical clearances ranging from 39 to 72 feet above Columbia River Datum 0.0 while the lift spans are in the closed position. Vessels which do not require a bridge opening may continue to transit beneath the bridges during this closure period. This deviation period is from 2100 to 2359 on 04 Jul 16. The lift spans will be required to open, if needed, for vessels engaged in emergency response operations during this closure period. In accordance with 33 CFR 117.35(e), the drawbridges must return to their regular operating schedule immediately at the end of the designated time period. For additional information contact Marc W. Gross at 971-673-6200.

Chart 18526

LNM: 23/16

**COLUMBIA RIVER AND SNAKE RIVER – SENECA DGPS SITE –DGPS Off-air time**

The U.S. Coast Guard Navigation Center has approved off-air time at the Seneca, OR, DGPS site to conduct preventive maintenance, from 0900 to 1100 on 30 Jun 16, with an alternate date from 0900 to 1100 on 01 Jul 16. There will be minimal loss of coverage during these times. For additional information or objections, contact the USCG Navigation Center DGPS Operations at (703) 313-5902 or <http://www.navcen.uscg.gov/?pageName=dgpsSiteInfo&currentOutages>.

LNM: 23/16

**COLUMBIA RIVER – LAKE CELILO – US-97 Highway Bridge Inspection**

Washington State Department of Transportation will inspect the US-97 Highway Bridge that spans the Columbia River at Biggs Junction, OR, at approximate river mile 209. The inspection will take place between 0800 and 1530 18 Jul 16 through 21 Jul 16. The bridge will be inspected using an under-bridge inspection truck (UBIT) that occupies a portion of the roadway and extends a boom under the bridge. The boom is marked with a yellow flashing light. There is minimal impact to navigational clearance from this operation. Mariners are advised to use caution while transiting the area. For additional information contact Mr. Colt Tatum, P.E. at 360-464-0949 or [tatumc@wsdot.wa.gov](mailto:tatumc@wsdot.wa.gov).

Chart 18533

LNM: 23/16

**WASHINGTON - STRAIT OF JUAN DE FUCA – EASTERN PART - Temporary Deployment of lighted research buoy with seafloor equipment**

Oregon State University will deploy a temporary lighted research buoy at approximate position 48-13-45.840N, 123-25-33.240W, within the traffic separation zone as shown in Enclosure (5). Along with the surface buoy there is a separate piece of equipment placed on the seafloor close to the buoy's mooring. All equipment is to be deployed on or about 16 Jun 16 and recovered on or about 15 Sep 16. The surface buoy will be yellow and marked with a flashing yellow light that flashes every four seconds (FL Y 4s). For more information contact Dr. Holger Klinck at 541-867-0182 or email [Holger.Klinck@oregonstate.edu](mailto:Holger.Klinck@oregonstate.edu).

Chart 18465

LNM: 23/16

**WASHINGTON- APPROACHES TO STRAIT OF JUAN DE FUCA - DESTRUCTION ISLAND TO AMPHITRITE POINT – Olympic Coast**

### **National Marine Sanctuary – Special events**

The Olympic Coast National Marine Sanctuary will hold public outreach events at various locations on the north and west coasts of the Olympic Peninsula 17 Jun 16 through 26 Jun 16. For specific information on the subjects, times, and locations of the activities, please see Enclosure (4) of this LNM.

Charts: 18480 18500

LNM: 23/16

### **WASHINGTON – HOOD CANAL AND DABOB DAY – HOOD CANAL BRIDGE - Special bridge notice**

Northwest Underwater Construction will conduct underwater cable repairs on the Hood Canal Bridge (LLNR 17769) from 0600 on 01 Aug 16 until 1900 on 15 Oct 16. Four white mooring buoys with flashing white lights will mark the vessels conducting the operation. Working and support vessels will be on station and monitoring VHF-FM Ch 16 and 68. A remote operated vessel (ROV) will be used to assist with repairs. During these repairs, only half (300 feet) of the center span will be able to open. The center span on the Hood Canal Bridge is restricted by tidal currents to openings only at slack tide. Mariners are requested to use the east (50 feet of vertical clearance) and west (35 feet of vertical clearance) spans until the end of this deviation period. If a center span opening is required, please time the request for an opening during slack tide. For additional information contact Ms. Amy Amos at 360-874-3016.

Chart 18476

LNM: 23/16

### **WASHINGTON – LAKE WASHINGTON SHIP CANAL – Special bridge notice**

The U.S. Coast Guard has issued a temporary deviation from the operating schedule that governs three Seattle Department of Transportation bridges: The Ballard Bridge (LLNR 18180), mile 1.1, the Fremont Bridge (LLNR 18182), mile 2.6, and the University Bridge (LLNR 18235), mile 4.3, all crossing the Lake Washington Ship Canal in Seattle, WA. The deviation is necessary to accommodate heavier than normal roadway traffic associated with a fireworks display over Lake Union. The bridges will remain in the closed position immediately prior to until immediately after the fireworks display. To facilitate this event, the draws of the bridges will be maintained in the closed-to-navigation positions as follows: the Fremont Bridge need not open for vessel traffic from 2100 on 04 Jul 16 to 0030 on 05 Jul 16; the Ballard Bridge and the University Bridge need not open for vessel traffic from 2200 on 04 Jul 16 to 0100 on 05 Jul 16. Vessels which do not require bridge openings may continue to transit beneath these bridges during the closure periods. The lift spans will be required to open, if needed, for vessels engaged in emergency response operations during this closure period. In accordance with 33 CFR 117.35(e), the drawbridges must return to their regular operating schedule immediately at the end of the designated time period. For additional information contact Ms. Mary E. Brown at 206-386-4208.

Chart 18447

LNM: 23/16

### **OREGON – YAQUINA HEAD TO COLUMBIA RIVER; NETARTS BAY**

NOAA's Pacific Marine Environmental Laboratory has deployed a yellow research lighted buoy at approximate position 44-40-10.860N 124-43-12.060W, approximately twenty eight nautical miles west of Yaquina Head, OR. The buoy is marked with a FI Y 4s light and will be recovered from its station in mid-September 2016. For additional information contact Mr. Christian Meinig at 206-526-6149 or email Christian.Meinig@NOAA.gov.

Chart 18520

LNM: 22/16

### **COLUMBIA RIVER AND SNAKE RIVER – APPLETON DGPS SITE - DGPS off-air time**

The U.S. Coast Guard Navigation Center has approved off-air time for the Appleton, WA, DGPS site to conduct preventive maintenance from 0900 until 1100 on 27 Jun 16, with an alternate date of 0900 until 1100 on 28 Jun 16. There will be a minimal loss of coverage during these times. For additional information or objections, contact the USCG Navigation Center DGPS Operations at (703) 313-5902 or <http://www.navcen.uscg.gov/?pageName=dgpsSiteInfo&currentOutages>.

LNM: 22/16

### **MONTANA – POLSON - Polson DGPS site proposed off air time**

The U.S. Coast Guard Navigation Center has proposed off air times for the DGPS site at Polson, MT, for scheduled maintenance. The site will be unusable from 0900 to 1100 local on 18 Jul 16, with an alternate date from 0900 to 1100 local on 19 Jul 16. There will be no significant loss of coverage due to dual DGPS coverage in the area. For additional information or objections, contact the U.S. Coast Guard Navigation Center DGPS Operations at (703) 313-5816 or 5902.

LNM: 22/16

### **COLUMBIA RIVER - VANCOUVER TO BONNEVILLE; BONNEVILLE DAM – Waterways Analysis and Management System survey**

The U.S. Coast Guard is conducting a user survey for the Upper Columbia River from Vancouver to Bonneville Pool. The U.S. Coast Guard uses the Waterways Analysis and Management Systems (WAMS) to validate the adequacy of the existing aids to navigation (AtoN) system, as well as to get a better understanding of the uses of each waterway and general safety issues. WAMS focuses on the waterway's present AtoN system, marine casualty information, port and harbor resources, changes in recreational and commercial marine vessel usage and future development and dredging projects. The survey is available at the Coast Guard District 13 WAMS website <http://www.uscg.mil/d13/dpw/wams.asp>. The deadline for survey entries will be 31 AUG 16. For additional information please contact BMC Berryhill at (503) 240-9305 or email D13-smb-MSUPortlandFAC@uscg.mil.

Chart 18531

LNM: 21/16

**COLUMBIA RIVER - BONNEVILLE TO THE DALLES - Hood River Highway Bridge notice (Revised from LNM 09/16)**

The Hood River Bridge (LLNR 11933), at Columbia River mile 169.8, continues to be unable to open for marine traffic due to emergent mechanical repairs. The bridge provides 68 feet of vertical clearance in the closed position. The bridge draw is scheduled to be tested for an opening in late June 2016. The LNM will be updated as more information is made available. For additional information, contact Mr. Michael S. McElwee at (541) 386-1138.

Chart 18532

LNM: 21/16

**COLUMBIA RIVER AND SNAKE RIVER - Summer Seasonal Lockage Schedule for Recreational Craft (Revised from LNM 19/16)**

The USACE Portland and Walla Walla Districts will implement the summer seasonal lockage schedule, from 15 May 16 to 15 Sep 16, for the passage of recreational craft through the navigation locks. When a recreational vessel lockage schedule is in effect, recreational vessels will only be allowed to lock through at the times designated, and during these times, they will take precedence over commercial vessels. At all other times, commercial vessels will continue to have lockage precedence over recreational vessels. Recreational vessels may be allowed to lock through with commercial vessels at the discretion of the lock operator.

Portland District

Upstream	Downstream
0900	0930
1200	1230
1500	1530
1800	1830
2100	2130

Walla Walla District

Upstream	Downstream
0900	0930
1201	1230
1500	1530
1800	1830
2100	2130

The USACE will consider special lockage's, outside the above scheduled lockage times, for flotillas or other unique requirements sponsored by yacht clubs, marinas, and other groups, provided advance (at least 24-hours) arrangements have been made with the appropriate control room operator. Contact the following control room operators via VHF-FM Ch.14 or commercial telephone for scheduling of special lockage's: For the lockage schedules and additional information, visit Portland's website at: <http://www.nwp.usace.army.mil/Missions/Navigation.aspx> and the Walla Walla website at: <http://www.nww.usace.army.mil/Missions/Navigation.aspx>, or the Operations Division at (509) 527-7115 or 7112. For additional information on safe boating procedures and locking through, visit the website: <http://www.nwp.usace.army.mil/Portals/24/docs/navigation/HowToLockThru.pdf>.

LNM: 21/16

**WASHINGTON – GRAYS HARBOR – Hazard to navigation (Revised from LNM 07/16)**

A 20 foot by 20 foot section of dock has sunk in the Hoquiam River in approximate position 46-58-41.035N 123-52-56.606W causing a hazard to navigation. The hazard is marked by a white can buoy with orange bands. Vessels are advised to use extreme caution while transiting the area, especially at low tide. For additional information mariners are advised to contact U. S. Coast Guard Sector Columbia River at 503-861-6211.

Chart 18502

LNM: 21/16

**WASHINGTON – PUGET SOUND – NORTHERN PART – EVERETT HARBOR - Beach restoration (Revised from LNM 20/16)**

Redside Construction will conduct a marine construction operation at Howarth Park, southwest of the Port of Everett. A spud barge, a deck barge and an equipment barge will place sediment for a beach restoration project. Tugs Fury and Mary Margaret will be on site and will monitor VHF-FM Ch. 05A and 13. All vessels will be lighted in accordance with the Navigation Rules. Barges and equipment will be shifted between the project site and the load out site on the Snohomish River upstream of the I-5 Highway Bridges (LLNR 18594.2). Operations will be conducted at varying times of day based on tides seven days a week from June through September 2016. Mariners are requested to transit the area with caution and reduce wake. For additional information, including details of the construction location, contact Mr. David Berry at 206-940-2529 or [David@Redside.biz](mailto:David@Redside.biz) or Mr. Sam Berry at 206-940-0564 or [Sam@Redside.biz](mailto:Sam@Redside.biz).

Chart 18433

LNM: 21/16

## SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

### DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
765.2	DART Tsunami Warning Lighted Buoy 46407	MISSING	18007	0376-16	18/16	
9475	Siuslaw River Inner Range Rear Light	LT IMCH	18583	0456-16	21/16	
9605	Yaquina Bay South Jetty Light 4	STRUCT DEST	18581	1075-15	50/15	
<b>9835</b>	<b>Garibaldi Channel Light 6</b>	<b>LT EXT</b>	<b>18558</b>	<b>0536-16</b>	<b>25/16</b>	
10585	Eureka Dike Light 77	STRUCT DMGD	18523	0250-14	15/14	
11125	Bachelor Dike Light 15	LT IMCH	18525	0444-16	21/16	
11150	Willow Dike Light 23	STRUCT DEST	18525	0174-14	10/14	
11430	Fisher Quarry Channel Range Front Light	LT IMCH	18531	0359-16	18/16	
11645	Prindle Dike Light 73	LT EXT	18531	0470-16	22/16	
11770	Bonneville Pool Light 4	STRUCT DEST	18531	0905-10	37/10	
12560	Lake Umatilla Light 36	LT EXT/DAYMK MISSING/STRUCT DMGD	18537	0511-16	24/16	
12685	Lake Umatilla Light 59	LT IMCH	18539	0358-16	18/16	
13735	Little Goose Reservoir Light 9	STRUCT DEST	18547	0056-16	03/16	
13750	Little Goose Reservoir Light 12	REDUCED INT	18547	0139-16	07/16	
14610	Sand Island Lower Dike Light 1	STRUCT DMGD	18521	1092-15	51/15	
<b>15115</b>	<b>Rock Island Channel Buoy 12</b>	<b>OFF STA</b>	<b>18528</b>	<b>0531-16</b>	<b>25/16</b>	
15585	Point Chehalis Range Front Light	DAYMK MISSING/STRUCT DMGD	18502	1012-09	50/09	
15585	Point Chehalis Range Front Light	LT EXT	18502	0067-13	03/13	
<b>15600</b>	<b>Grays Harbor Channel Lighted Whistle Buoy 13</b>	<b>OFF STA</b>	<b>18502</b>	<b>0534-16</b>	<b>25/16</b>	
15610	Grays Harbor South Reach Range A Front Light	LT EXT	18502	0746-15	35/15	
15950	Grays Harbor South Channel Light 6	DAYMK IMCH	18502	0335-16	16/16	
17090	Browns Point Light	REDUCED INT	18453	0870-15	41/15	
<b>17460</b>	<b>East Bay Light 1</b>	<b>LT EXT</b>	<b>18456</b>	<b>0527-16</b>	<b>25/16</b>	
19295	Lummi Island Light 3	REDUCED INT	18424	0411-16	20/16	
19725	Mosquito Pass Daybeacon 2	MISSING/STRUCT DEST	18433	0045-16	03/16	

### DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
9630	Yaquina Bay Entrance Regulated Navigation Area Warning Sign	RELIGHTED	18581	None	25/16	25/16
9680	Yaquina River Light 17	RELIGHTED	18581	None	25/16	25/16
11065	Warrior Rock Range Front Light	RELIGHTED	18524	None	25/16	25/16
11070	Warrior Rock Range Rear Light	RELIGHTED	18524	None	25/16	25/16
11745	Moffetts Creek Light 92	WATCHING PROPERLY	18531	None	23/16	25/16
11800	Cascade Rapids Lower Range Rear Light	WATCHING PROPERLY	18532	None	23/16	25/16
15187	Willapa Bay Entrance Buoy D	RESET ON STATION	18504	0535-16	17/16	25/16
16405	Puget Sound Traffic Separation Lane Lighted Buoy SA	RESET ON STATION	18471	0530-16	23/16	25/16
18550	Snohomish River Range Front Light	RELIGHTED	18444	0519-16	24/16	25/16

### DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
652	OSU Yaquina Research Lighted Buoy	MISSING	18561	None	21/16	
19284	Bellingham Bay Research Lighted Buoy B	OFF STA	18424	0420-16	20/16	
19365	Skyline Marina Entrance Light 2	LT IMCH	18427	0478-16	22/16	

**DISCREPANCIES (PRIVATE AIDS) CORRECTED**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

**PLATFORM DISCREPANCIES**

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

**PLATFORM DISCREPANCIES CORRECTED**

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

**SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED**

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

**TEMPORARY CHANGES**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
9825	Tillamook Bay Entrance Regulated Navigation Area Warning Sign	DISCONTINUED	18558	0382-16	19/16	
10585	Eureka Dike Light 77	RELOCATED	18523	0250-14	15/14	
11150	Willow Dike Light 23	TRLB	18525	0177-14	10/14	
11770	Bonneville Pool Light 4	TRLB	18531	0909-10	38/10	
<b>12560</b>	<b>Lake Umatilla Light 36</b>	<b>TRLB</b>	<b>18537</b>	<b>0529-16</b>	<b>25/16</b>	
15595	Grays Harbor Channel Lighted Whistle Buoy 11	RELOCATED FOR DREDGING	18502	0218-16	11/16	
15655	Grays Harbor South Reach Lighted Gong Buoy 21	RELOCATED FOR DREDGING	18502	0219-16	11/16	
19725	Mosquito Pass Daybeacon 2	TRUB	18433	0045-16	04/16	

**TEMPORARY CHANGES CORRECTED**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

**PLATFORM TEMPORARY CHANGES**

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

**PLATFORM TEMPORARY CHANGES CORRECTED**

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

## SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.

Chart Number	Chart Edition	Edition Date	Last Local Notice to Mariners	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariners
12327	91st Ed.	19-APR-97	Last LNM: 26/97	NAD 83		27/97
Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER						
Main Panel 2245 NEW YORK HARBOR					CGD01	
(Temp)	ADD	NATIONAL DOCK CHANNEL BUOY 3			at 40-41-09.001N	074-02-48.001W
		Green can				
	Corrective Action	Object of Corrective Action			Position	

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true.

Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

<b>18400</b>	<b>49th Ed.</b>	<b>01-APR-12</b>	<b>Last LNM: 20/16</b>	<b>NAD 83</b>		<b>25/16</b>
<i>Chart Title: Strait of Georgia and Strait of Juan de Fuca</i>						
<b>Main Panel 1656 STRAIT OF GEORGIA AND STRAIT OF JUAN DE FUCA. Page/Side: N/A</b>						
	RELOCATE	Puget Sound Traffic Separation Lane Lighted Buoy SA and Change to Y "SA", FI Y 2.5s, AIS			CGD13 from 48-11-27.300N to 48-11-27.347N	122-49-47.400W 122-49-47.622W
<b>18440</b>	<b>30th Ed.</b>	<b>01-OCT-10</b>	<b>Last LNM: 24/16</b>	<b>NAD 83</b>		<b>25/16</b>
<i>Chart Title: Puget Sound</i>						
<b>Main Panel 1688 PUGET SOUND. Page/Side: N/A</b>						
	RELOCATE	Puget Sound Traffic Separation Lane Lighted Buoy SA and Change to Y "SA", FI Y 2.5s, AIS			CGD13 from 48-11-27.300N to 48-11-27.347N	122-49-47.400W 122-49-47.622W
<b>18441</b>	<b>47th Ed.</b>	<b>01-JUN-11</b>	<b>Last LNM: 24/16</b>	<b>NAD 83</b>		<b>25/16</b>
<i>Chart Title: Puget Sound-northern part</i>						
<b>Main Panel 1689 PUGET SOUND - NORTHERN PART. Page/Side: N/A</b>						
	RELOCATE	Puget Sound Traffic Separation Lane Lighted Buoy SA and Change to Y "SA", FI Y 2.5s, AIS			CGD13 from 48-11-27.300N to 48-11-27.347N	122-49-47.400W 122-49-47.622W
<b>18465</b>	<b>39th Ed.</b>	<b>01-OCT-11</b>	<b>Last LNM: 09/16</b>	<b>NAD 83</b>		<b>25/16</b>
<i>Chart Title: Strait of Juan de Fuca-eastern part</i>						
<b>Main Panel 1723 STRAIT OF JUAN DE FUCA EASTERN PART. Page/Side: N/A</b>						
	RELOCATE	Puget Sound Traffic Separation Lane Lighted Buoy SA and Change to Y "SA", FI Y 2.5s, AIS			CGD13 from 48-11-27.300N to 48-11-27.347N	122-49-47.400W 122-49-47.622W
<b>18471</b>	<b>11th Ed.</b>	<b>01-DEC-07</b>	<b>Last LNM: 12/16</b>	<b>NAD 83</b>		<b>25/16</b>
<i>Chart Title: Approaches to Admiralty Inlet Dungeness to Oak Bay</i>						
<b>Main Panel 1724 APPROACHES TO ADMIRALTY INLET - DUNGENESS TO OAK BAY. Page/Side: N/A</b>						
	RELOCATE	Puget Sound Traffic Separation Lane Lighted Buoy SA and Change to Y "SA", FI Y 2.5s, AIS			CGD13 from 48-11-27.300N to 48-11-27.347N	122-49-47.400W 122-49-47.622W
<b>18521</b>	<b>75th Ed.</b>	<b>01-NOV-13</b>	<b>Last LNM: 22/16</b>	<b>NAD 83</b>		<b>25/16</b>
<i>Chart Title: Columbia River Pacific Ocean to Harrington Point;Ilwaco Harbor</i>						
<b>Main Panel 1737 COLUMBIA RIVER PACIFIC OCEAN TO HARRINGTON POINT. Page/Side: N/A</b>						
	CHANGE	Tabulation - Baker Bay West Channel <a href="http://ocsddata.ncd.noaa.gov/ntm/SupportImage.aspx?ItemID=265395">http://ocsddata.ncd.noaa.gov/ntm/SupportImage.aspx?ItemID=265395</a> ; Tabulation - Baker Bay West Channel (NOS NW-25716)			NOS 46-21-59.000N	124-00-50.000W

CHANGE Tabulation - Columbia River Channel-Entrance to Miller Sands NOS  
 http://ocsddata.ncd.noaa.gov/ntm/SupportImage.aspx?ItemID=265398; 46-07-54.000N 123-45-55.000W  
 Tabulation - Columbia River Channel-Entrance to Miller Sands (NOS NW-25717)

**18523**      **58th Ed.**      **01-NOV-13**      **Last LNM: 18/16**      **NAD 83**      **25/16**  
*ChartTitle: Columbia River Harrington Point to Crims Island*

**Main Panel 1739 COLUMBIA RIVER HARRINGTON POINT TO CRIMS ISLAND. Page/Side: N/A**

CHANGE Tabulation - Columbia River Channel-Pillar Rock Lower Range To Gull Island Turn and Channel NOS  
 http://ocsddata.ncd.noaa.gov/ntm/SupportImage.aspx?ItemID=265400; 46-08-44.000N 123-32-06.000W  
 Tabulation - Columbia River Channel Depths (NOS NW-25717)

**18524**      **37th Ed.**      **01-JUN-11**      **Last LNM: 18/16**      **NAD 83**      **25/16**  
*ChartTitle: Columbia River Crims Island to Saint Helens*

**Main Panel 1740 COLUMBIA RIVER CRIMS ISLAND TO SAINT HELENS. Page/Side: N/A**

CHANGE Tabulation - Columbia River Channel-Gull Island Turn & Channel to Saint Helens Turn NOS  
 http://ocsddata.ncd.noaa.gov/ntm/SupportImage.aspx?ItemID=265397; 46-03-45.000N 122-57-49.000W  
 Tabulation - Columbia River Channel-Gull Island Turn & Channel to Saint Helens Turn (NOS NW-25717)

**18525**      **37th Ed.**      **01-JUN-12**      **Last LNM: 18/16**      **NAD 83**      **25/16**  
*ChartTitle: Columbia River Saint Helens to Vancouver*

**Main Panel 1742 COLUMBIA RIVER SAINT HELENS TO VANCOUVER. Page/Side: N/A**

CHANGE Tabulation - Columbia River Channel-Saint Helens Turn to Tomahawk Bar NOS  
 http://ocsddata.ncd.noaa.gov/ntm/SupportImage.aspx?ItemID=265399; 45-36-47.000N 122-51-51.000W  
 Tabulation - Columbia River Channel-Saint Helens Turn to Tomahawk Bar (NOS NW-25717)

**18526**      **60th Ed.**      **01-JUN-12**      **Last LNM: 18/16**      **NAD 83**      **25/16**  
*ChartTitle: Port of Portland, Including Vancouver;Multnomah Channel-southern part*

**Main Panel 1743 PORT OF PORTLAND INCLUDING VANCOUVER. Page/Side: N/A**

CHANGE Tabulation - Columbia River Channel-Morgan Channel to Tomahawk Bar NOS  
 http://ocsddata.ncd.noaa.gov/ntm/SupportImage.aspx?ItemID=265396; 45-32-36.000N 122-44-19.000W  
 Tabulation - Columbia River Channel-Morgan Channel to Tomahawk Bar (NOS NW-25717)

**18531**      **23rd Ed.**      **01-JUN-12**      **Last LNM: 18/16**      **NAD 83**      **25/16**  
*ChartTitle: Columbia River Vancouver to Bonneville; Bonneville Dam*

**Extension 1752 COLUMBIA RIVER VANCOUVER TO BONNEVILLE. Page/Side: N/A**

CHANGE Tabulation - Columbia River Channel-Tomahawk Bar To Bonneville Locks NOS  
 http://ocsddata.ncd.noaa.gov/ntm/SupportImage.aspx?ItemID=265401; 45-38-08.000N 122-14-55.000W  
 Tabulation - Columbia River Channel-Tomahawk Bar To Bonneville Locks (NOS NW-25717)

**SECTION V - ADVANCE NOTICES**

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

<u>Approved Project(s)</u>	<u>Project Date</u>	<u>Ref. LNM</u>
None		

Advance Notice(s)

**WASHINGTON – COLUMBIA RIVER TO DESTRUCTION ISLAND – Extended disestablishment of North Head Light for construction**

The Washington State Parks and Recreation Commission will be conducting extensive masonry restoration and other work at North Head Light (LLNR

700) from approximately 12 Jul 2016 through 01 Jun 2017. For the majority of this period the light will not be able to operate. Once a specific date is determined, a Broadcast Notice to Mariners will be issued upon the disestablishment of the light.

Chart 18500

LNM: 25/16

**WASHINGTON - GRAYS HARBOR – Establishment of Grays Harbor Entrance Lighted Whistle Buoy 5**

The U. S. Coast Guard will be establishing Grays Harbor Entrance Lighted Bell Buoy 5 (LLNR 15565) in approximate position 46-54-49.5N 124-12-035.0W, displaying a green light flashing every 2.5 seconds (FI G 2.5). This change is to better mark the approach to the Grays Harbor entrance for mariners approaching from the north and west.

Chart 18502

LNM: 17/16

**WASHINGTON – STRAIT OF JUAN DE FUCA – EASTERN PORTION – Relocation of Smith Island Light and the disestablishment of Minor Island Light (Revised from LNM 03/16)**

The U. S. Coast Guard has rebuilt Smith Island Light (LLNR 16375) between Smith Island and Minor Island in the eastern Strait of Juan de Fuca in approximate position 48-19-14.368N 122-49-51.449W. The U. S. Coast Guard will be discontinuing Minor Island Light (LLNR16380) due to the loss of land mass from erosion at that location. A revised notice will be published when the date of removal has been scheduled.

Chart 18465

LNM: 09/16

**SECTION VI - PROPOSED CHANGES**

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

**PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT**

<u>Proposed Project(s)</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
None			

Proposed Change Notice(s)

**WASHINGTON – COLUMBIA RIVER TO DESTRUCTION ISLAND - Disestablishment of North Head Light**

The U. S. Coast Guard is proposing to permanently disestablish North Head Light (LLNR 700) as it is considered redundant and is no longer necessary to the safe navigation of the waterway.

Chart 18500

LNM: 24/16

**SECTION VII - GENERAL**

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

**SUMMARY OF BRIDGE LIGHTING DISCREPANCIES AND CORRECTIONS**

The summary of Bridge Lighting Discrepancies and Corrections is listed in Enclosure (1) of this Local Notice to Mariners.

LNM: 25/16

**SUMMARY OF DREDGING OPERATIONS**

The summary of Dredging Operations is listed in Enclosure (2) of this Local Notice to Mariners.

LNM: 25/16

**SUMMARY OF MARINE EVENTS**

The summary of Marine Events is listed in Enclosure (3) of this Local Notice to Mariners.

LNM: 25/16

**OREGON – COOS BAY – McCullough (US101) Bridge repair**

ODOT is conducting a repair project on the McCullough Bridge (LLNR 9009) at mile 9.5 over Coos Bay on Hwy. US 101. The project will be completed sometime in 2017. The repairs are on the north side of Jarvis Upper Range 'B' Front Light (LLNR 8960) outside the main navigation channel. Two 2000 foot temporary work bridges have been constructed for the project, but will not encroach into the navigation channel. The temporary bridges will be built on steel piles placed 45 feet apart. Enclosure (5) of LNM 44/13 shows the diagram and aerial view of the project.

Chart 18587

LNM: 44/13

**OREGON - SIUSLAW RIVER - Bridge Notice**

Repairs are being conducted on the US 101 bridge (LLNR 9558) across the Siuslaw River, mile 5.0, through 31 Mar 18. Repairs include a containment system with scaffolding that reduces the bridge's vertical clearance up to 10 feet. Signs have been installed to warn mariners of the reduced clearance. Scaffolding will be installed as work progresses from north to south. The US 101 Bridge draw will not have containment installed so maritime navigation will not be impacted. Service barge(s) will be moored at the adjacent span supporting the maintenance work.

**OREGON - SIUSLAW RIVER - Bridge Notice**

Barge and work crews may be contacted using VHF-FM Channel 16. Mariners are requested to transit the construction area at minimum safe speed with no wake. For more information, contact Mr. Wade Campbell at (541) 260-3345.

Chart 18583

LNM: 09/16

**OREGON - WILLAMETTE RIVER - PORTLAND TO WALNUT EDDY - Sellwood Bridge construction (Revised from LNM 39/15)**

The Sellwood Bridge (LLNR 14995) at RM 16.6 on the Willamette River is under construction until November 2016. A no wake zone is in effect within 500 feet of the bridge. The marked navigable channel at the bridge has been relocated as shown in Enclosure (4) of LNM 01/16. Two debris booms have been added to the construction site on the upstream side of the project, as shown in enclosure (5) of LNM 28/14. Each boom is held in place by multiple pilings, which are marked with flashing yellow lights and yellow reflective tape. Mariners are cautioned to observe the temporary navigation buoys and bridge navigation lighting and comply with the exclusion area established by both the buoys and signage. For additional information, contact Mr. Chad Yount at (520) 468-9550 or email cayount@sundt.com.

Chart 18528

LNM: 50/15

**OREGON - WILLAMETTE SLOUGH - MINTO ISLAND PEDESTRIAN & BICYCLE BRIDGE - Special bridge notice**

Legacy Contracting, Inc. is constructing the Minto Island Pedestrian/Bicycle Bridge in Salem, OR, in the vicinity of Riverfront Park Playground at 44-56-19.000N, 123-02-43.000W. The construction work will be Monday through Sunday 24 hours per day until 15 Oct 16. Mariners can expect overhead cranes and pile driving while constructing temporary trestles with overhead hazards of a vertical clearance of 10 feet. A temporary 40 foot wide channel will be marked with signs for passage under the bridge and through the construction zone. Regulatory orange and white buoys will also be placed marking the construction area requesting no wake and bridge construction. For additional information, contact Mr. Monte Nunnally at (503) 510-7624 or Mr. Todd Ross at (503) 749-1818, or email: ToddR@LegacyContractingInc.com.

LNM: 22/15

**WASHINGTON - SOUTH PUGET SOUND - CHAMBERS BAY - BURLINGTON NORTHERN SANTA FE RAILROAD SPECIAL DRAWBRIDGE NOTICE - Critical Navigation Notice**

The U.S. Coast Guard is establishing a temporary deviation to test a proposed regulation change for the subject drawbridge. The temporary test deviation will be effective from midnight on 01 Jun 16 to midnight 01 Dec 16. During this period the subject bridge shall open on signal, except from 10 p.m. to 6 a.m. when the draw shall open on signal if at least 4 hours notice is given; however vessels engaged in emergency response and vessels in distress needing a drawbridge opening shall be passed as soon as possible. Interested parties are encouraged to submit comments anytime during this test deviation period. At the end of the test period the U.S. Coast Guard will make a determination if this change should be made permanent. Comments may be sent to the Bridge Administrator, Thirteenth Coast Guard District; e-mail D13-PF-D13BRIDGES@uscg.mil.

Chart 18448

LNM: 20/16

**WASHINGTON - BELLINGHAM BAY - BURLINGTON NORTHERN SANTA FE REPLACEMENT RAIL BRIDGE OVER BELLINGHAM BAY AT POST POINT LAGOON - Special Bridge Notice. (Revised from LNM 16/16)**

The U.S. Coast Guard has issued a public notice announcing a proposal from Burlington Northern Santa Fe Railway Company (BNSF), to replace a bridge over a navigable waterway of the United States at the unnamed shallow embayment informally known as Post Point Lagoon adjacent to Bellingham Bay at Bellingham, Washington at approximate position 48-43'06.22, 122-31'00.27. BNSF proposes to replace the twin parallel bridges at the subject location. For further information regarding environmental implications and the scope of work please consult Public Notice 01-14 which solicits comment and is available at <http://www.navcen.uscg.gov/?pageName=pnBridges&Active=1&region=13>. Question or comments can be addressed to the Bridge Administrator, Mr. Steve Fischer at (206) 220-7282, or email [steven.m.fischer3@uscg.mil](mailto:steven.m.fischer3@uscg.mil).  
pageName=pnBridges&Active=1&region=13. Question or comments can be addressed to the Bridge Administrator, Mr. Steve Fischer at 206-220-7282, or email [steven.m.fischer3@uscg.mil](mailto:steven.m.fischer3@uscg.mil).

Chart 18421

LNM: 17/16

**OREGON - APPROACHES TO YAQUINA AND DEPOE BAY - YAQUINA BAY ENTRANCE – Shoaling reported in the Yaquina Bay Entrance Channel**

The US Coast Guard has received a report of shoaling outside the entrance to Yaquina Bay, OR. The shoaling is reported as being 70 yards wide, 315 yards West-Southwest of the Yaquina Bay South Channel Jetty, between 44-36-31.080N 124-05-08.340W and 44-36-28.740N 124-05-06.180W. Depths 12 feet less than the charted depths have been observed. Mariners should exercise extreme caution when entering or departing Yaquina Bay, and transit on the northern side of the channel. An estimated location of the shoaling is attached as enclosure (4) of LNM 12/16.

Charts: 18561 18581

LNM: 12/16

**OREGON - CAPE BLANCO TO YAQUINA HEAD AND OFFSHORE – Cable Laying Operations off the Oregon Coast (Revised from 40/14)**

The University of Washington, as part of the Ocean Observatories Initiative (OOI), has installed underwater equipment and high voltage cable in the Pacific Ocean offshore of Pacific City and Newport, OR. This equipment is locally exposed at the seabed and/or in the water column. It is not marked by surface buoys.

Mariners are advised to avoid fishing, towing gear or anchoring in the safety areas centered on the coordinates provided in enclosure (5) of LNM 44/14. The avoidance radius is given in nautical miles and varies for each safety zone.

Positions for the OOI safety zones and submarine cable routes can be provided upon request in various formats including Nobeltec, Olex, Coastal Explorer, kml and GIS. The locations of the OOI underwater infrastructure will be charted in the near future.

For additional information or if you become entangled on the OOI infrastructure, please contact the RSN Hotline at (855) 665-1424 or OFCC cell

**OREGON - CAPE BLANCO TO YAQUINA HEAD AND OFFSHORE – Cable Laying Operations off the Oregon Coast (Revised from 40/14)**

(503) 440-3569 or email ooi-ofcc@uw.edu or 911@ofcc.com .

Charts: 18003 18580 18600

LNM: 41/14

**COLUMBIA RIVER – PACIFIC OCEAN TO HARRINGTON POINT – Deterioration of the North and South Jetties at the Columbia River Entrance**

The North and South Jetties at the Columbia River Entrance have suffered severe deterioration and may no longer be correctly represented upon the nautical charts of the area. Mariners should use caution when transiting in the vicinity of the jetties and the river entrance. The USACE has scheduled critical repairs of the North Jetty from June 2015 through October 2016, and rehabilitation of the South and North Jetties scheduled for the years 2016 through 2019. More information may be found at the USACE Portland District web site:

<http://www.nwp.usace.army.mil/Locations/OregonCoast/MouthoftheColumbia.aspx>.

Charts: 18500 18520 18521

LNM: 04/15

**COLUMBIA RIVER - HARRINGTON POINT TO CRIMS ISLAND - CATHLAMET CHANNEL - Shoaling**

Extensive shoaling has been reported on the west side of the Elochoman Slough entrance near Cathlamet, WA. Mariners should exercise caution when transiting this waterway, and keep to the east side of the channel. Mariners unfamiliar with the area should transit with extreme caution and not rely solely on aids to navigation while in the channel.

Chart 18523

LNM: 19/15

**COLUMBIA RIVER PACIFIC OCEAN TO HARRINGTON POINT; ILWACO HARBOR – Baker Bay West Channel shoaling**

Extensive shoaling has been reported on the northern edge of Baker Bay West Channel, northwest of Baker Bay West Channel Light 11 (LLNR 14455). Mariners should exercise caution when transiting this waterway. Mariners unfamiliar with the area should transit with extreme caution and not rely solely on aids to navigation while in the channel. For additional information contact Mr. Jarod Norton at 503-808-4348.

Chart 18521

LNM: 02/16

**WASHINGTON – ABERDEEN AND WESTHAVEN – Embedded log**

A dead head log that has become embedded at an angle in the harbor bottom has been located in the vicinity of the Elliot Slough turning basin at approximate position 46-58-31.447N, 123-46-54.255W. The object is submerged at high water. All mariners use caution when transiting the area. For additional information contact Mr. Craig Morton at (206) 764-3429 or email [Craig.D.Morton@usace.army.mil](mailto:Craig.D.Morton@usace.army.mil).

Chart 18502

LNM: 10/16

**WASHINGTON – COLUMBIA RIVER TO DESTRUCTION ISLAND – Subsurface moorings**

NOAA has deployed subsurface acoustic recorder moorings for research at the locations listed in Enclosure (4) of LNM 07/16. The moorings are on station and will begin to be retrieved in July 2016. They are set at various depths up to 500 meters and as shallow as 40 meters. NOAA is requesting that mariners maintain a distance of 500 yards from the positions noted. For additional information contact Dr. M. Bradley Hanson at (206) 860-3220 or email [brad.hanson@noaa.gov](mailto:brad.hanson@noaa.gov).

Charts: 18480 18500

LNM: 07/16

**WASHINGTON – AREA TO BE AVOIDED - OLYMPIC COAST NATIONAL MARINE SANCTUARY - Temporary surface buoy deployment**

NOAA has recovered most of its Olympic Coast National Marine Sanctuary scientific moorings and deployed one scientific mooring for the winter. The mooring is marked with a bright orange surface float. The mooring is located off Teahwhit Head at a depth of 42 meters at approximate position 47-52.560N 124-44.000W and will be in place until approximately June 2016. Two of the moorings previously set during the summer were not present on their assigned stations and are considered missing or adrift. Mariners are advised to use caution while transiting the area. For additional information contact LTJG Justin Ellis at [voc.ocnms@noaa.gov](mailto:voc.ocnms@noaa.gov) or (360) 457-6622 x 14.

Charts: 18480 18500

LNM: 06/16

**WASHINGTON – STRAIT OF JUAN DE FUCA AND NORTHERN PUGET SOUND – Subsea oceanographic equipment deployment**

NOAA/National Ocean Service/Center for Operational Oceanographic Products and Services has deployed oceanographic instrumentation in trawl-resistant bottom mounts (TRBM, m-TRBM, ES-2) or subsurface taut-line moorings (SUBS, DWM) within the Strait of Juan de Fuca and Puget Sound, WA, in the positions listed in Enclosure (4) of LNM 22/16. The equipment will remain in place until at least 26 Aug 16. The stations should not have any presence on the surface. The SUBS extend up to 38 meters above the seafloor. This equipment will be used for a current circulation study to improve current predictions, and may help save lives and property. The SUBS and deep water moorings are NOT TRAWL RESISTANT and may cause damage to fishing gear. If brought to the surface, please notify NOAA by calling 1-800-FOR-NOAA (367-6622). For additional information, contact Ms. Crescent Moegling at 206-526-6840, 206-707-5409 or email [crescent.moegling@noaa.gov](mailto:crescent.moegling@noaa.gov).

Charts: 18440 18460 18465

LNM: 19/16

**WASHINGTON - APPROACHES TO ADMIRALTY INLET – SEQUIM BAY – Temporary Equipment Deployment (Revised from LNM 39/15)**

The Pacific Northwest National Laboratory has temporarily deployed submerged scientific equipment in the entrance to Sequim Bay in approximate position 48-04-45.412N, 123-02-41.280W. The submerged equipment will be in place until approximately 30 Jun 16. Cables run from the equipment to the dock just west of its position on the seafloor and will be marked by two white warning buoys, one to the north and one to the south. Vessels are asked to not pass between the buoys and keep a minimum of 20 yards to from both buoys. For additional information contact Ms. Susan Southard, (360) 681-3615 or [sue.southard@pnnl.gov](mailto:sue.southard@pnnl.gov).

**WASHINGTON - APPROACHES TO ADMIRALTY INLET – SEQUIM BAY – Temporary Equipment Deployment (Revised from LNM 39/15)**

Chart 18471

LNM: 47/15

**WASHINGTON – ADMIRALTY INLET – Waterways Analysis and Management System survey**

The U.S. Coast Guard is conducting a user survey for the Admiralty Inlet area in Washington State. The U.S. Coast Guard uses the Waterways Analysis and Management Systems (WAMS) to validate the adequacy of the existing aids to navigation (AtoN) system, as well as to get a better understanding of the uses of each waterway and general safety issues. WAMS focuses on the waterway's present AtoN system, marine casualty information, port and harbor resources, changes in recreational and commercial marine vessel usage and future development and dredging projects. The survey is available at the Coast Guard District 13 WAMS website <http://www.uscg.mil/d13/dpw/wams.asp>. The deadline for survey entries will be 31 July 16. For additional information please contact LT Jeff Hiatt at (206) 220-7283 or email D13-PF-LNM@uscg.mil.

Chart 18471

LNM: 18/16

**WASHINGTON – PUGET SOUND – NORTHERN PART – HOOD CANAL – Bangor Pier Construction (revised from LNM 31/14)**

Construction of the Explosives Handling Wharf (EHW) #2 at Bangor Submarine Base at approximate position 46-45-09N 122-43-23W is ongoing until 01 Aug 16. There are two mooring buoys deployed in the area immediately surrounding the work site. Mariners can expect material barges, crane barges, tug-push boats, and work skiffs within the vicinity of the EHW piers. The majority of activity will occur within the floating security barrier. Mariners are requested to transit at a slow speed and reduce wake. Working vessels will monitor VHF-FM Channels 18A and 88A. For more information, contact Mr. Pat Moore at (360) 598-2325 ext. 112 or (757) 620-8054.

Chart 18458

LNM: 15/16

**WASHINGTON – PUGET SOUND – APPLE COVE TO POINT KEYPORT – Temporary lighted buoy deployed.**

NOAA has deployed a temporary research lighted buoy southwest of Spring Beach at approximate position 47-43-21.108N, 122-24-10.854W. The buoy is grey, conical shaped and marked with a flashing yellow four seconds (FL Y 4s) light. This buoy is scheduled to be removed prior to 01 Oct 16. For more information contact Mr. Christian Meinig at (206) 526-6149 or by e-mail at [Christian.Meinig@noaa.gov](mailto:Christian.Meinig@noaa.gov).

Chart 18446

LNM: 14/16

**WASHINGTON – TACOMA HARBOR – PUYALLUP RIVER - Tacoma/Fife- I-5 Bridge Construction**

Hamilton Construction Company is constructing the new I-5 bridge north of the existing northbound bridge over the Puyallup River. Operating hours are from 0700 to 1800, Monday through Saturday, subject to change. Two work trestles have been constructed in the river. One work trestle has been constructed along and parallel to the north bank and one along and parallel to the south bank with an 80' wide navigable channel between the 12" yellow floating booms that are anchored around the trestles at approximate position 47-14-25.700N 122-23-58.000W. The work trestle structures will remain in place until November 2017. No barges will be used on the project. There will be three yellow floating water quality monitoring stations anchored in the river that are marked with amber flashing lights. The stations' positions will move as the work progresses. There will be one station secured upriver, one downriver and one adjacent to the work area as shown in enclosure (6) of LNM 25/15. The monitoring stations are tethered to mooring buoys. Mariners are requested to not transit between the mooring buoys and the monitoring stations, remain in the 80' navigation channel, and reduce wake when transiting the area. For additional information contact Mr. Jeff Phillips at (541) 953-9179.

Chart 18453

LNM: 45/15

**WASHINGTON – STRAIT OF JUAN DE FUCA TO STRAIT OF GEORGIA – FRIDAY HARBOR – Scientific Seafloor Equipment Deployment**

Cornell University has deployed scientific seafloor equipment near the University of Washington Friday Harbor Labs dock. The equipment consists of four hydrophone mounts that extend four feet above the seafloor with a series of cables connecting them to a shore side facility. All associated equipment is scheduled to be removed by 15 Feb 18. Details of locations for the equipment and cables are shown in enclosure (4) of LNM 45/14. Mariners are advised to avoid dragging or deploying gear near these locations. For additional information, contact Mr. Charles H. Greene at (607) 275-1662 or email [chg2@cornell.edu](mailto:chg2@cornell.edu).

Chart 18434

LNM: 38/14

**STRAIT OF JUAN DE FUCA TO STRAIT OF GEORGIA – BOUNDARY PASS AND HARO STRAIT - Placement of underwater equipment**

Subsurface research buoys have been placed in Boundary Pass and Haro Strait at approximate positions 48-41-07.32N 123-16-26.10W and 48-30-23.68N 123-12-37.92W. The buoys are set to float approximately eight meters above the seabed. Additional subsea research buoys are located in Canadian waters. For additional information contact Mr. Marc LeBlanc at (250) 363-2034.

Chart 18421

LNM: 08/16

---

---

**SECTION VIII - LIGHT LIST CORRECTIONS**

An Asterisk \*, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
11065	WARRIOR ROCK RANGE FRONT LIGHT	45-51-18.195N 122-46-46.761W	Q W	46		KRW on skeleton tower.	Visible 10° each side of rangeline.

\*

## SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
16405	<i>Puget Sound Traffic Separation Lane Lighted Buoy SA</i>	48-11-27.347N 122-49-47.622W	FL Y 2.5s		5	Yellow.	RACON: M ( - - ) AIS: MMSI993692047	25/16
18603	Camano Gateway Highway Bridge						* Remove from list. *	25/16

---



---

**ENCLOSURES**


---

**Enclosure 1**

OREGON - WASHINGTON - IDAHO - MONTANA - Summary of Bridge Lighting Discrepancies and Corrections

LNM: 25/16

**Enclosure 2**

OREGON - WASHINGTON - COLUMBIA RIVER - Summary of Dredging Operations

LNM: 25/16

**Enclosure 3**

OREGON - WASHINGTON - COLUMBIA RIVER - Summary of Marine Events

LNM: 25/16

**Enclosure 4**

Olympic Coast National Marine Sanctuary public outreach

LNM: 23/16

**Enclosure 5**

OSU Lighted Research Buoy - Strait of Juan de Fuca

LNM: 23/16

**Enclosure 6**

USCG Sector Columbia River Safety Zones

LNM: 23/16

**Enclosure 7**

Sequim Bay research project chart

LNM: 24/16

**Enclosure 8**

Ocean Observatory Initiative research vessel sailplan

LNM: 25/16

---



---

If you have any questions, comments, or need additional information concerning this or other LNM's (e.g. additions, deletions, corrections) contact the address or phone number on the front page.

CDR Michele L. Schallip  
Chief, Waterways Management Branch  
Thirteenth Coast Guard District

# BRIDGE LIGHTING DISCREPANCIES AND CORRECTIONS

Enclosure (1)

BRIDGE LIGHTING DISCREPANCIES						
Waterway	Light List	Bridge Name	Location	Status	Date Reported	BNM
<b>OREGON COAST</b>						
Isthmus Slough	9089	Coos City Highway Bridge	Coos City, OR	Down river center channel green light is extinguished	06/06/2016	No BNM
South Slough	9180	South Slough	Charleston, OR	Span open position lights stay red vice green	04/27/2016	0389-16
<b>COLUMBIA RIVER</b>						
Columbia River	11933	Hood River Bridge	Hood River, OR	Draw span damaged, unable to open ETR unknown	10/21/2015	0909-15
Columbia River	12752	SR 82 Bridge	Umatilla, OR	Southbound light extinguished	06/17/2016	0525-16
Columbia River	13052.5	Pasco Kennewick Intercity Bridge	Pasco/Kennewick, WA	Multiple lights extinguished	05/27/2016	0473-16
Columbia River	13051	BNSF Railroad Bridge	Pasco/Kennewick, WA	3 white main channel span lights extinguished	05/27/2016	0466-16
Columbia River	13112	East Pasco Railroad Bridge	Pasco, WA	Up river east side red pier light extinguished	05/27/2016	0472-16
<b>SNAKE RIVER</b>						
Snake River	13113	SR-12 Bridge (East Bound)	Burbank, WA	Down river west side red pier light extinguished	05/27/2016	0468-16
Snake River	13113	SR-12 Bridge (East Bound)	Burbank, WA	Down river green center channel span light extinguished	05/27/2016	0468-16
<b>WILLAMETTE RIVER</b>						
Willamette River	15159	Lyon Street Bridge	Albany, OR	Multiple lights extinguished	06/04/2016	0487-16
<b>WASHINGTON COAST</b>						
None						
<b>PUGET SOUND</b>						
Lake WA Ship Canal	18169	Salmon Bay Bridge	Seattle, WA	Red fender light is missing on the north pier	05/18/2016	0429-16
Lake Washington	18340	Evergreen Point Bridge (SR520)	Seattle, WA	* South side red pier lights extinguished	06/07/2016	0503-16
<b>IDAHO</b>						
Pend Oreille River	20080	Spokane Int'l Railroad Bridge	Sandpoint, ID	Green center channel lights extinguished	06/13/2016	No BNM
Pend Oreille River	20075	Merritt Brothers Highway Bridge	Priest River, ID	All lights extinguished	05/21/2016	No BNM
* Updated report						

# BRIDGE LIGHTING DISCREPANCIES AND CORRECTIONS

Enclosure (1)

BRIDGE LIGHTING CORRECTIONS						
Waterway	Light List #	Bridge Name	Location	Status	Date Reported	BNM
<b>OREGON COAST</b>						
None						
<b>COLUMBIA RIVER</b>						
None						
<b>SNAKE RIVER</b>						
None						
<b>WILLAMETTE RIVER</b>						
None						
<b>WASHINGTON COAST</b>						
None						
<b>PUGET SOUND</b>						
None						
<b>IDAHO</b>						
None						

Dredging operations are scheduled or in progress at the following locations:

Start Date	End Date	Times	Location	Dredge Vessel	Assist Vessel	Channels Monitored	Disposal Area	LNM
23-Jun-16	25-Jun-16	24 Hrs, 7 Days	Coquille Entrance (RM 0-10 to 0+35)	M/V Yaquina	None	VHF-FM 13 &16	Ocean Site	25/16
21-Jun-16	25-Jun-16	24 Hrs, 7 Days	Coos Bay: Jarvis Ranges & North Bend Turn (Foul Weather Back-up) (RM 8+48 to 9+30)	M/V Yaquina	None	VHF-FM 13 &16	Ocean Site	25/16
24-Jun-16	29-Jun-16	24 Hrs, 7 Days	Yaquina Bay Entrance (RM -1 to 0+20)	M/V Yaquina	None	VHF-FM 13 &16	Ocean Site, North and South	25/16
18-Jun-16	24-Jun-16	24 Hrs, 7 Days	Columbia River; Slaughter's Bar to Lower Dobelbower Bar (RM 66+20 to 68+00)	M/V Bayport	M/V John M M/V Osprey	VHF-FM 13, 16 &66	O-61.6-IW O-62.1-IW O-62.7-IW	25/16

Dredging Sites are subject to change dependant upon weather conditions and Gill Net Fisheries. Any Location listed may be used during the time period of November, although operations at each site may be limited to only a few days.

Mariners are advised that the start and ending dates for dredging activities may vary due to unforeseen on-site conditions, weather and other factors.

The US Army Corps of Engineer dredges request mariners transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed after passing arrangements have been made. Vessel (s) and/or equipment may encroach into the channel.

# MARINE EVENTS

Enclosure (3)

## SECTOR COLUMBIA RIVER MARINE EVENTS

EVENT DATE	TIME	EVENT NAME	EVENT LOCATION
21-Jul-16	1830-sunset	OCSA Sailboat Races	Columbia River Between I-5 and I-205 Bridges
21-Jul-16	1200-1600	Rivers for Change	Home Valley Beach to Hood River Marina
21-Jul-16	1100-1600	2016 Laser North American Championship	Columbia River between Cascade Locks and Stevenson, WA
22-Jul-16	1200-1600	Rivers for Change	Home Valley Beach to Hood River Marina
22-Jul-16	1100-1600	2016 Laser North American Championship	Columbia River between Cascade Locks and Stevenson, WA
23-Jul-16	1200-1600	Rivers for Change	Home Valley Beach to Hood River Marina
23-Jul-16	0900-1300	SUP for the Cure	Willamette River; Portland, OR
23-Jul-16	1100-1600	2016 Laser North American Championship	Columbia River between Cascade Locks and Stevenson, WA
24-Jul-16	1100-1600	2016 Laser North American Championship	Columbia River between Cascade Locks and Stevenson, WA
25-Jul-16	1100-1700	Columbia Gorge Racing Association	Columbia River between Cascade Locks, OR and Home Valley, WA
26-Jul-16	1100-1700	Columbia Gorge Racing Association	Columbia River between Cascade Locks, OR and Home Valley, WA
26-Jul-16	1830-sunset	OCSA Sailboat Races	Columbia River Between I-5 and I-205 Bridges
27-Jul-16	1100-1700	Columbia Gorge Racing Association	Columbia River between Cascade Locks, OR and Home Valley, WA
28-Jul-16	1100-1700	Columbia Gorge Racing Association	Columbia River between Cascade Locks, OR and Home Valley, WA
28-Jul-16	1830-sunset	OCSA Sailboat Races	Columbia River Between I-5 and I-205 Bridges
29-Jul-16	1100-1700	Columbia Gorge Racing Association	Columbia River between Cascade Locks, OR and Home Valley, WA
29-Jul-15	0700-1730	Tri-City Water Follies	McNary Pool of the Columbia River; Between Pasco and Kennewick, WA
30-Jul-16	1100-1700	Columbia Gorge Racing Association	Columbia River between Cascade Locks, OR and Home Valley, WA
30-Jul-15	0700-1730	Tri-City Water Follies	McNary Pool of the Columbia River; Between Pasco and Kennewick, WA
30-Jul-15	0900-1400	RATI (Race Around the Island)	Columbia River - Chinook Landing Marine Park
31-Jul-16	1100-1700	Columbia Gorge Racing Association	Columbia River between Cascade Locks, OR and Home Valley, WA
31-Jul-15	0700-1730	Tri-City Water Follies	McNary Pool of the Columbia River; Between Pasco and Kennewick, WA

## SECTOR PUGET SOUND MARINE EVENTS

EVENT DATE	TIME	EVENT NAME	EVENT LOCATION
21-Jun-16	1700-2000	Lake Washington Tuesday Evening Nights	Lake Washington
21-Jun-16	1800-2200	Duck Dodge Seattle	Lake Union
21-Jun-16	1825-2130	Mid Sound Sailing Social	Des Moines, WA
22-Jun-16	1900-2100	Windseeker	Commencement Bay
22-Jun-16	1800-2100	SSSS Summer Series Wednesday Nights	Budd Inlet
22-Jun-16	1830-2030	Otterstedt Series	Fidalgo Bay
22-Jun-16	1700-2000	Lake Evening Series Wednesday Nights	Lake Washington
22-Jun-16	1700-2000	Sound Evening Series- Wednesday Night	Shilshole Bay
23-Jun-16	0600-1800	Race to Alaska	Strait of Juan de Fuca
23-Jun-16	1700-2000	Sound Evening Series- Thursday Night	Shilshole Bay
23-Jun-16	1730-1930	Duck Dodge Series Race	Sequim Bay

# MARINE EVENTS

Enclosure (3)

23-Jun-16	1830-2030	Downtown Sailing Series	Elliot Bay
23-Jun-16	1825-2130	Summer Series	Des Moines, WA
24-Jun-16	0600-1800	Race to Alaska	Strait of Juan de Fuca
24-Jun-16	1800-2100	Port Orchard Six Pack Series	Sinclair Inlet
24-Jun-16	1815-2100	Log Dodge Series	Port Gardner
24-Jun-16	1900-2200	STYC Take Your Time Fridays	Shilshole Bay
24-Jun-16	1800-2100	2016 summer cats paw series	Port Townsend Bay
25-Jun-16	0600-1800	Race to Alaska	Strait of Juan de Fuca
25-Jun-16	1000-1400	SR Rat Island Regatta	Port Townsend Bay
25-Jun-16	1000-1700	Brownsville Race WSCYC WSSA #7	Brownsville, WA
25-Jun-16	1000-1700	SBYC Saturday Series	Sequim Bay
25-Jun-16	1100-1405	Three Hour Tour Series	Commencement bay-Dalco passage
25-Jun-16	1000-1900	2016 Port to Port Race	Port Townsend Bay
25-Jun-16	2200-2230	Carroll Wedding	Hunts Point, Lake Washington
26-Jun-16	0500-0900	Ironman 70.3 Coeur d'Alene	Lake Coeur d'Alene
26-Jun-16	1000-1900	2016 Port to Port Race	Port Townsend Bay
27-Jun-16	1800-2030	STYC Ballard Cup Series	Shilshole Bay
28-Jun-16	1700-2000	Lake Washington Tuesday Evening Nights	Lake Washington
28-Jun-16	1800-2200	Duck Dodge Seattle	Lake Union
28-Jun-16	1825-2130	Mid Sound Sailing Social	Des Moines, WA
29-Jun-16	1900-2100	Windseeker	Commencement Bay
29-Jun-16	1800-2100	SSSS Summer Series Wednesday Nights	Budd Inlet
29-Jun-16	1800-2030	Refined LOV- Fun series	Guemes Channel
29-Jun-16	1700-2000	Lake Evening Series Wednesday Nights	Lake Washington
29-Jun-16	1700-2000	Sound Evening Series- Wednesday Night	Shilshole Bay
30-Jun-16	1900-2400	Cheney Cup - Lummi island race	Padilla Bay
30-Jun-16	1700-2000	Sound Evening Series- Thursday Night	Shilshole Bay
30-Jun-16	1730-1930	Duck Dodge Series Race	Sequim Bay
30-Jun-16	1830-2030	Downtown Sailing Series	Elliot Bay
30-Jun-16	1825-2130	Summer Series	Des Moines, WA



# June 17 - 26

## You're Invited!

**Friday, June 17 - 7:00pm** Celebrate at the kickoff screening of Discover the Olympic Coast with acclaimed filmmaker Florian Graner at Olympic National Park Visitor Center

**Saturday, June 25 - 9:00am** Join us at Port Angeles Library for Discover the Olympic Coast film and hands-on youth activities

**Saturday, June 25 - 9:30am** Take part in a photography-focused beach and tidepool walk at Ruby Beach near Kalaloch Lodge

**Saturday and Sunday, June 25-26** - Enjoy the variety of sustainable seafood choices along the Olympic Culinary Loop

### How to get involved:

- Join in the fun and come visit!
- Take photos while enjoying your favorite sanctuary experiences, then share with **#ILoveMySanctuary**
- Enter your best shots in the *Get into Your Sanctuary* photo contest:
  - Categories: sanctuary views, sanctuary life and sanctuary portraits
  - Photos must be received between June 1—July 15
  - Submit to [earthisblue@noaa.gov](mailto:earthisblue@noaa.gov) (Minimum size of 1200 pixels wide)

<http://sanctuaries.noaa.gov/visit/giys.html>

 [www.facebook.com/NOAAOfficeofNationalMarineSanctuaries](http://www.facebook.com/NOAAOfficeofNationalMarineSanctuaries)


 @sanctuaries

 @noaasanctuaries

 @noaasanctuaries

The Office of National Marine Sanctuaries serves as the trustee for a network of underwater parks encompassing more than 170,000 square miles of marine and Great Lakes waters. Within these protected waters, majestic whales feed and migrate, coral reefs flourish, and shipwrecks reveal secrets of our maritime history. And it's YOURS to enjoy, because the vast majority of national marine sanctuary waters are open to recreational fishing, birding, wildlife watching, diving, surfing, kayaking and many more activities that are compatible with conservation goals.

The weekend of June 25-26th marks our second National "Get into Your Sanctuary" celebration, when sites across the system will be hosting concurrent public events to help you personally experience, enjoy and protect these special places.




**OREGON - WASHINGTON – COAST AND RIVER SYSTEMS – Fireworks Displays with Safety Zones**

The U.S. Coast Guard has established temporary safety zones for the following fireworks displays. These zones may be enforced up to 1 hour prior to the start and 1 hour after the conclusion of the fireworks displays. These zones will encompass all navigable waters within a 450 yard radius of the launch sites.


Name	Location	Time
July 2, 2016		
Independence Day Fireworks at the Port	Baker Bay, Ilwaco, WA	2200
4 <sup>th</sup> of July at Pekin Ferry	Lewis River, Ridgefield, WA	2200
July 3, 2016		
Waldport Fireworks	Sand Point, Waldport, OR	2200
The Mill Casino Independence Day	Coos Bay, North Bend, OR	2200
July 4, 2016		
Brookings Harbor Fourth of July	Chetco River entrance, Brookings, OR	2200
Westport July 4 <sup>th</sup> Fireworks	Port of Grays Harbor Westport Marina, Westport, WA	2200
Splash Festival	Morrison Park, Chehalis River, Aberdeen, WA	2200
4 <sup>th</sup> of July Fireworks	Columbia River, Hood River, OR	2100
Bandon 4 <sup>th</sup> of July	Bullard Beach, Bandon, OR	2200
Winchester Bay 4 <sup>th</sup> of July	Winchester Point, Umpqua River, Winchester Bay, OR	2200
River of Fire Festival	Columbia Park, Columbia River, Kennewick, WA	2200
St. Helens 4 <sup>th</sup> of July	Columbia River, St. Helens, OR	2200
Roseburg Hometown 4 <sup>th</sup> of July	Umpqua River, Roseburg, OR	2200
Port Orford 4 <sup>th</sup> of July	Battle Rock Park, Port Orford, OR	2200
Fort Dalles Fourth	Columbia River, The Dalles, OR	2200
Huntington 4 <sup>th</sup> of July	Snake River, Huntington, OR	2200
Florence Independence Day Celebration	Port of Siuslaw, Florence, OR	2200
Washougal 4 <sup>th</sup> of July	Columbia River, Columbia River, Washougal	2200
Newport 4 <sup>th</sup> of July	Yaquina Bay, Newport, OR	2200
Fireworks over the Bay	Coos Bay, OR	2200
Cascade Locks 4 <sup>th</sup> July	Thunder Island, Cascade Locks, OR	2200
Oaks Park 4 <sup>th</sup> of July	Willamette River, Oaks Park, Portland, OR	2200
Yachats 4 <sup>th</sup> of July	Yachats State Park, Yachats, OR	2200
Waverley Country Club 4 <sup>th</sup> of	Willamette River, Portland, OR	2200

July		
Safeway Waterfront Blues Festival	Willamette River between Marquam and Hawthorne Bridges, Portland, OR	2200
July 4 <sup>th</sup> Party at the Port of Gold Beach	Rogue River, Gold Beach, OR	2200
Gardiner 4 <sup>th</sup> of July	Umpqua River, Gardiner, OR	2200
Lincoln City 4 <sup>th</sup> of July	Siletz Bay, Lincoln City, OR	2200
Astoria-Warrenton 4 <sup>th</sup> of July	East End Mooring Basin, Astoria, OR	2200
July 9, 2016		
Rainier Days	Columbia River, Rainier, OR	2200
July 23, 2016		
Garibaldi Days Fireworks	Tillamook Bay, Garibaldi, OR	2200
July 30, 2016		
Toledo Summer Festival	Yaquina River, Toledo, OR	2200

PNNL Sequim Bay Research Equipment-Part 1



### PNNL Sequim Bay Research Equipment-Part 2



## Local Notice to Mariners No.1

## Enclosure (8)

### NORTH PACIFIC – Oceanographic Research

As part of the Ocean Observatories Initiative, the University of Washington will be deploying scientific instruments in the vicinity of Axial Volcano approximately 200 nautical miles offshore Tillamook Head (OR). Pending weather conditions, it is anticipated the research vessel will be working in the vicinity of the below areas on the following dates:

#### Leg 1

45°49'13.656"N, 129°44'35.376"W (PN3A – Axial Base, WD 2600m) from July 11 to July 14  
44°30'34.452"N, 125°23'53.664"W (PN1A – Slope Base, WD 2900m) from July 15 to July 18  
44°21'49.140"N, 124°57'43.128"W (PN1C – Endurance Offshore, WD 615m) from July 19 to July 20

#### Leg 2

44°41'29.004"N, 124°27'25.236"W (PN1D – Endurance Shelf, WD 115m) from July 23 to July 25  
44°21'49.140"N, 124°57'43.128"W (PN1C – Endurance Offshore, WD 615m) from July 25 to July 26  
44°34'11.438"N, 125°08'48.541"W (Southern Hydrate Ridge, WD 800m) from July 26 until July 27  
44°30'34.452"N, 125°23'53.664"W (PN1A – Slope Base, WD 2900m) from July 27 to July 28  
45°49'13.656"N, 129°44'35.376"W (PN3A – Axial Base, WD 2600m) on July 29  
44°56'28.620"N, 129°58'11.280"W (PN3B – Axial Caldera, WD 2600m) from July 29 to August 1


#### Leg 3

44°21'49.140"N, 124°57'43.128"W (PN1C – Endurance Offshore, WD 615m) from August 4 to August 5  
44°30'34.452"N, 125°23'53.664"W (PN1A – Slope Base, WD 2900m) August 5 to August 7  
45°49'13.656"N, 129°44'35.376"W (PN3A – Axial Base, WD 2600m) from August 8 to August 12

The OOI deployments will be performed 24 hours a day, 7 days a week from the R/V Sikuliaq, with support from a remotely operated vehicle (ROV). The research vessel will monitor VHF-FM Channels 13 and 16 during all operations. Mariners are requested to keep a 2,000-yard CPA in the vicinity of the research vessel to avoid possible entanglement or damage to equipment and/or fishing gear. For more information or questions, e-mail Brian Ittig at [bittig@uw.edu](mailto:bittig@uw.edu).

Enclosure 1 shows a geographic location of the deployment areas.

Chart 18007



Enclosure 1: The OOI infrastructure offshore Oregon.