



U.S. Department
of Homeland Security
**United States
Coast Guard**

LOCAL NOTICE TO MARINERS

District: 13

Week: 31/16

ISSUED BY: COMMANDER, THIRTEENTH COAST GUARD DISTRICT (dpw)
915 Second Avenue, 35th Floor, Rm 3510, Seattle, Washington 98174-1067
Telephone: (206) 220-7285; FAX: (206) 220-7265
Email: D13-PF-LNM@uscg.mil
<http://www.uscg.mil/d13/dpw/default.asp>
<http://www.navcen.uscg.gov/?pageName=lnmDistrict®ion=13>

COMDTPUB P16502.6, Light List Volume VI, 2016 Edition and Coast Pilot Volume 7, 2016.
Coast Pilots, along with corrections, are available at: <http://www.nauticalcharts.noaa.gov/nsd/cpdownload.htm>.

UNITED STATES COAST GUARD NAVIGATION INFORMATION SERVICE (NIS)

The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information for GPS and DGPS. The NIS also disseminates Safety Broadcasts / Broadcast Notice to Mariners (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). NANU notices can also be obtained via e-mail subscription through the USCG Navigation Center website:

<http://www.navcen.uscg.gov/?pageName=GPS>.

In addition, the NIS investigates all reports of degradation or loss of GPS or DGPS service. Mariners are encouraged to report all degradation of radio navigation services to the NIS via any of the following: Phone: 703-313-5900, Email: webmaster@navcen.uscg.mil, or on the World Wide Web: <http://www.navcen.uscg.gov>.

BROADCAST NOTICE TO MARINERS

This section contains a range of all the significant Broadcast Notice to Mariners (BNM's) on the date of this edition.

Originating Unit	Beginning BNM	Ending BNM
CGD THIRTEEN	D13-0648-16-16	D13-0676-16

ABBREVIATIONS

A through H

ADRIFT - Buoy Adrift
AICW - Atlantic Intracoastal Waterway
AI - Alternating
B - Buoy
BKW - Breakwater
bl - Blast
BNM - Broadcast Notice to Mariner
bu - Blue
C - Canadian
CHAN - Channel
CGD - Coast Guard District
C/O - Cut Off
CONT - Contour
CRK - Creek
CONST - Construction
DAYMK/Daymk - Daymark
DBN/Dbn - Daybeacon
DBD/DAYBD - Dayboard
DEFAC - Defaced
DEST - Destroyed
DISCON - Discontinued
DMGD/DAMGD - Damaged
ec - eclipse
EST - Established Aid
ev - every
EVAL - Evaluation
EXT - Extinguished

I through O

I - Interrupted
ICW - Intracoastal Waterway
IMCH - Improper Characteristic
INL - Inlet
INOP - Not Operating
INT - Intensity
ISL - Islet
Iso - Isophase
kHz - Kilohertz
LAT - Latitude
LB - Lighted Buoy
LBB - Lighted Bell Buoy
LHB - Lighted Horn Buoy
LGB - Lighted Gong Buoy
LONG - Longitude
LNM - Local Notice to Mariners
LT - Light
LT CONT - Light Continuous
LTR - Letter
LWB - Lighted Whistle Buoy
LWP - Left Watching Properly
MHz - Megahertz
MISS/MSNG - Missing
Mo - Morse Code
MRASS - Marine Radio Activated Sound Signal
MSLD - Misleading
N/C - Not Charted

P through Z

PRIV - Private Aid
Q - Quick
R - Red
RACON - Radar Transponder Beacon
Ra ref - Radar reflector
RBN - Radio Beacon
REBUILT - Aid Rebuilt
RECOVERED - Aid Recovered
RED - Red Buoy
REFL - Reflective
RRL - Range Rear Light
RELIGHTED - Aid Relit
RELOC - Relocated
RESET ON STATION - Aid Reset on Station
RFL - Range Front Light
RIV - River
RRASS - Remote Radio Activated Sound Signal
s - seconds
SEC - Section
SHL - Shoaling
si - silent
SIG - Signal
SND - Sound
SPM - Single Point Mooring Buoy
SS - Sound Signal
STA - Station
STRUCT - Structure

F - Fixed
fl - flash
Fl - Flashing
G - Green
GIWW - Gulf Intracoastal Waterway
HAZ - Hazard to Navigation
HBR - Harbor
HOR - Horizontal Clearance
HT - Height

NGA - National Geospatial-Intelligence Agency
NO/NUM - Number
NOS - National Ocean Service
NW - Notice Writer
OBSCU - Obscured
OBST - Obstruction
OBSTR - Obstruction
Oc - Occulting
ODAS - Anchored Oceanographic Data Buoy

St M - Statute Mile
TEMP - Temporary Aid Change
TMK - Topmark
TRLB - Temporarily Replaced by Lighted Buoy
TRLT - Temporarily Replaced by Light
TRUB - Temporarily Replaced by Unlighted Buoy
USACE - Army Corps of Engineers
W - White
Y - Yellow

Additional Abbreviations Specific to this LNM Edition:

AIS - Automatic Identification System
LLNR - Light List Number
NM - Nautical Miles
CPA - Closest Point of Approach
RM - River Mile Marker

V-AIS - Virtual AIS
VTS - Vessel Traffic Service
WSDOT - Washington State Department of Transportation
NUWC - Naval Undersea Warfare Center
RAC - Racon

AtoN - Aids to Navigation
COTP - Captain of the Port
ODOT - Oregon Department of Transportation

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

OREGON – UMPQUA RIVER – REEDSPORT – Special Bridge Notice

The U.S. Coast Guard has issued a deviation to the operating schedule governing the U.S. 101 Bridge (LLNR 9089) crossing the Umpqua River at mile 11.1, near Reedsport, OR. The deviation allows the U.S. 101 Bridge to remain in the closed-to-navigation position and need not open for maritime traffic from 0700 16 Aug 16 through 1700 18 Aug 16. This deviation is necessary to accommodate electrical upgrades to the bridge. Vessels which do not require bridge openings may continue to transit beneath these bridges during the closure periods. For information contact Mr. Bryan Mast, Southwest Oregon Bridge Maintenance Manager, ODOT, at (541) 404-0020.

Chart 18584

LNM: 31/16

OREGON - COOS BAY - Special Bridge Notice

The U.S. Coast Guard has issued a public notice announcing a proposal from Oregon Department of Transportation (ODOT) for a temporary rule change for the Isthmus Slough Bridge (LLNR 9087) crossing Isthmus Slough at in Coos Bay, OR. ODOT is the owner of the Isthmus Slough Bridge, and is proposing to only open half the span from 0700 01 Apr 17 until 1700 31 Jul 18. A work platform and containment structure will reduce the vertical clearance by 10 feet. The span vertical clearance will be reduced from 28 feet to 18 feet; the side vertical clearances will be reduced from 19 feet to 9 feet. Isthmus Slough Bridge is located across Isthmus Slough at mile 1.0 between Bunker Hill, OR, and Eastside, OR, approximate position 43-21-23.300N, 124-11-38.400W. For further information regarding environmental implications and the scope of work please consult Public Notice 02-16 which solicits comment and is available at <http://www.navcen.uscg.gov/?pageName=pnBridges&Active=1®ion=13>. Question or comments can be addressed to the Bridge Administrator, Mr. Steve Fischer at (206) 220-7282, or email d13-pf-d13bridges@uscg.mil.

Chart 18587

LNM: 31/16

COLUMBIA RIVER – PACIFIC OCEAN TO HARRINGTON POINT - Jetty A rehabilitation (Revised from LNM 30/16)

Kiewit Infrastructure Group will conduct rehabilitation work at Jetty A from 20 Jul 16 through 02 Aug 16. Work hours will be 24/7 while the rock supply barge is being unloaded, then 0700-1700, Monday thru Saturday while it is gone for refilling. The deck barge Dioskouroi and the tug Billy H will be moored to dolphins next to the inland side of the jetty to transfer rocks for the project. Both vessels will display proper navigation lights in accordance with the navigation rules. Billy H will monitor VHF-FM Ch. 13 and 16. Excavating vehicles and equipment will be lighted with work lights at night. For additional information contact Mr. Dustin Lehman at 907-942-4317 or Mr. Jeff Villagomez at 907-942-4317.

Chart 18521

LNM: 31/16

COLUMBIA RIVER AND APPROACHES – FORT STEVENS DGPS SITE - DGPS off-air time (Revised from LNM 28/16)

The U.S. Coast Guard Navigation Center has approved off-air time for the Fort Stevens, OR, DGPS site to conduct equipment maintenance from 0900 until 1100 on 09 Aug 16, with an alternate time of 0900 until 1100 on 11 Aug 16. There will be a minimal loss of coverage during these times. For additional information or objections, contact the Navigation Center DGPS Operations at 703-313-5902 or at <http://www.navcen.uscg.gov/?pageName=dgpsSiteInfo¤tOutages>

Chart 18521

LNM: 31/16

COLUMBIA RIVER - BONNEVILLE TO THE DALLES - Hood River Highway Bridge notice (Revised from LNM 28/16)

The Hood River Bridge (LLNR 11933), at Columbia River mile 169.8, continues to be unable to open for marine traffic due to emergent mechanical repairs. The bridge provides 68 feet of vertical clearance in the closed position. The bridge draw is scheduled to be tested for an opening in mid-August 2016. The LNM will be updated as more information is made available. For additional information, contact Mr. Michael S.

McElwee at (541) 386-1138.

Chart 18532

LNM: 31/16

COLUMBIA RIVER – BLALOCK ISLANDS TO MCNARY DAM – McNary Dam Navigation Lock outage

McNary navigation lock, located at Columbia River mile 292.0, will be out of service 0800 through 1700 on 22 Aug 16. The outage is necessary to perform an underwater inspection of the downstream miter gate. The lock will be returned to service as soon as the work is completed. For additional information contact USACE Walla Walla District Operations Division at 509-527-7115 or 509-527-7112.

Chart 18539

LNM: 31/16

OREGON – CAPE BLANCO TO CAPE FLATTERY – Autonomous unmanned vehicle operations

Liquid Robotics, Inc. will conduct continuous autonomous, unmanned maritime vehicle operations from 01 Aug 16 through 15 Aug 16 within 20 nautical miles of 45-14-42.874N, 125-20-21.677W. Operations consist of scientific ocean data collection. Wave Glider will be launched from a support vessel, carries no fuel, lubricants, or hydrocarbons. The vehicle is wave powered, using a submerged wing for propulsion. It is remotely attended from the Wave Glider Operations Center (WGOC), moving at speeds of typically 1kt. It is designed to give way or part with its propulsion wing if encountered by a vessel. It is surfboard size, black in color, with a contact plaque and lighted mast extending 1 meter above the surface supporting an orange flag. Mariners are urged to transit the area with caution. For additional information, mariners can contact Liquid Robotics Operations Center at 408-636-4205, or by email at support@liquid-robotics.com.

Charts: 18003 18520

LNM: 31/16

WASHINGTON - LAKE WASHINGTON SHIP CANAL - LAKE WASHINGTON - SR-520 SPECIAL BRIDGE NOTICE - Critical Navigation Notice - Part A (Revised from LNM 30/16)

The U.S. Coast Guard has established a temporary safety zone on Lake Washington around the east span of the SR-520 Bridge in Seattle, WA due to ongoing construction. The safety zone is necessary to ensure the safety of the maritime public and workers involved in the bridge construction when construction barges are located in the navigation channel under the east span of the bridge. The safety zone will prohibit any person or vessel from entering and remaining in the safety zone unless authorized by the Captain of the Port or his Designated Representative. The safety zone established in this rule encompasses all waters within 100 yards of the east span of the SR-520 Bridge. This rule is effective through 30 Nov 16.

From 0000 01 Aug 16 through 0900 04 Aug 16 the west navigation channel will be closed to all marine traffic. While the west navigation channel is blocked the east navigation channel will be open to mariners. Up to five construction barges may be operating in the west navigation channel during this time.

From 0000 08 Aug 16 through 2400 31 Aug 16 the west navigation channel will be closed to all marine traffic. While the west navigation channel is blocked the east navigation channel will be open to mariners. Up to five construction barges may be operating in the west navigation channel during this time.

Mariners are advised to use caution while transiting near derrick (crane) barges within the SR520 project area. These vessels are currently anchored and may present submerged hazards. Mariners should maintain a safe distance and minimize wake around all floating derrick barges and other construction vessels.

Beginning the week of 18 Jul 16 through December 2016, the pontoons that made up the old SR-520 bridge will be transported from Lake Washington to Shilshole Bay.

Chart 18447

LNM: 31/16

WASHINGTON - LAKE WASHINGTON SHIP CANAL - LAKE WASHINGTON - SR-520 SPECIAL BRIDGE NOTICE - Critical Navigation Notice – Part B (Revised from LNM 30/16)

The center drawspan of the old bridge has been permanently blocked. The new floating bridge does not have a draw span.

The eastern navigation channel will be marked with red and green navigational buoys as shown in Enclosure (5) of this LNM. The eastern navigation channel will be limited to 155 feet in width from 0000 01 Aug 16 through 2400 13 Aug 16.

Exclusion area buoys and signage will mark the four Pontoon Alpha submerged anchor wires near the west navigation channel.

The west navigation channel has been relocated to its final location directly west of the floating bridge pontoons as shown in Enclosure (5) of this LNM with a varied horizontal clearance between 94 feet and 150 feet. The vertical clearance for the new west channel is 44 ft. The vertical clearance for the new east channel is 70 ft. Vessels with an air draft of greater than 44 feet but less than 70 feet may continue to use the east navigation channel.

12 temporary barge mooring pilings have been placed on the north side of the bridge just west of the east navigation channel and marked with

quick flashing yellow lights (QY), which may be obscured at times when barges and other equipment are moored at the site.

Temporary Construction Buoys and Lighting: Eight temporary white mooring buoys (six on the north side and two on the south side) marked with white lights flashing every 4 seconds (Fl W 4s) and blue retroreflective tape have been relocated near the bridge for the mooring of the deconstructed old bridge sections as shown in enclosure (5) of this LNM. The new positions are:

Buoy A 47-38-42.770N, 122-16-12.754W
Buoy B 47-38-40.363N, 122-15-57.150W
Buoy C 47-38-37.992N, 122-15-41.774W
Buoy D 47-38-35.619N, 122-15-26.398W
Buoy E 47-38-33.246N, 122-15-11.022W
Buoy F 47-38-30.872N, 122-14-55.649W
Buoy G 47-38-21.308N, 122-15-58.312W
Buoy H 47-38-14.986N, 122-15-17.343W

West Approach Project: Complete

Vessels with vertical aircraft requirements of greater than 43 feet, needing to transit the east channel are requested to provide at least 2 hours advance notice to tug Big Eagle on VHF-FM Ch. 16 or by calling the marine superintendent at 425-749-6675. For additional information, contact Mr. Matt Steffens at 425-679-6675 or email matt.steffens@kiewit.com

Chart 18447

LNM: 31/16

WASHINGTON – PUGET SOUND – SEATTLE TO OLYMPIA – ROBINSON POINT DGPS SITE – DGPS off-air time

The U.S. Coast Guard Navigation Center has approved off-air time for the Robinson Point, WA DGPS site to conduct equipment maintenance from 1000 to 1400 on 10 Aug 16 with an alternate time of 1000 to 1400 on 11 Aug 16. There will be no significant loss of coverage due to dual coverage in the area. For additional information or objections, contact the Navigation Center DGPS Operations at (703) 313-5902 or at <http://www.navcen.uscg.gov/?pageName=dgpsSiteInfo¤tOutages>.

Chart 18474

LNM: 30/16

WASHINGTON – PUGET SOUND – ELLIOTT BAY - LAKE WASHINGTON – Seafair 2016 Fleet Week Safety and Security Zones

During Seafair 2016, the following Safety and Security Zones will be enforced:

Fleet Week Parade of Ships:

The U.S. Coast Guard will enforce the Seattle's Seafair Fleet Week Moving Vessels Security Zones around the HMCS SASKATOON (MM 709), USCGC ACTIVE (WMEC 618), and two U.S. Navy vessels which include all waters within 500 yards from the vessels while each vessel is participating in the Seafair Fleet Week Parade of Ships on 02 Aug 16, and while moored following the parade until departing on 08 Aug 16. Additionally, mariners are reminded that during Fleet Week all U.S. Naval vessels are protected by a Naval Vessel Protection Zone (NVPZ). While in both the Seattle's Seafair Fleet Week Moving Vessels Security Zones and NVPZ, vessel operators within 500 yards of the protected vessels must maintain a minimum speed to stay on course and must not approach within 100 yards of the protected vessels. All vessel operators who desire to enter the security zones must obtain permission from the Captain of the Port by contacting the on-scene patrol craft on VHF-FM Channel 13 or 16. Requests must include the reason why movement within the security zones is necessary.

On 02 Aug 16, all vessels are advised that the Parade of Ships will stay western side of the between buoys SG and T buoys to allow other through southbound traffic to overtake. Northbound traffic in the TSS must be clear of the T Buoy, west of Alki Point, no later than 1300. No traffic will be allowed north of the southern boundary of the precautionary area surrounding the T buoy until the Parade of Ships has cleared the northbound traffic lanes.

No traffic will be allowed to exit the West and East Waterways of the Duwamish River after 1300. Exiting traffic prior to that time must be in the middle of Elliott Bay no later than 1355. Traffic will be allowed to enter/exit the West and East waterways of the Duwamish River after the passage of the last vessel in the formation at approximately 1410.

Elliott Bay East and Elliott Bay West anchorages have been closed to ensure a clear path for the Parade. No extensions of anchoring reservations will be granted.

Pier 66:

The Coast Guard will enforce the Fleet Week Maritime Festival's Pier 66 Safety Zone which includes all waters within 100 yards of Pier 66, Elliott Bay, WA to ensure safety during the annual parade for Fleet Week. Thirty minutes prior to, during, and thirty minutes after the annual parade of ships occurring on 02 Aug 16 no entry into, transiting through, mooring, or anchoring within the zone is permitted unless authorized by the Captain of the Port, Puget Sound. All vessel operators desiring to enter the safety zone must obtain permission from the Captain of the Port by contacting the on-scene patrol craft on VHF-FM Channel 13 or 16, or the Coast Guard Sector Puget Sound Joint Harbor Operations Center (JHOC) via telephone at (206) 217-6002.

Seafair Hydroplane Races and Air Show:

The Coast Guard will enforce the annual Seattle Seafair Unlimited Hydroplane Race Special Local Regulation (SLR) as per 33 CFR 100.1301 and the Seafair Air Show Performance Safety Zone Regulation as per 33 CFR 165.1319. The regulations in the Seattle Seafair Unlimited Hydroplane Race SLR as per 33 CFR 100.1301 will be enforced from 0800 on 02 Aug 16 through 2300 on 07 Aug 16. The Seafair Air Show Performance Safety Zone Regulation as per 33 CFR 165.1319 will be enforced from 0800 on 04 Aug 16 through 1600 on 07 Aug 16. Please refer to Enclosures (5) and (7) of this Local Notice to Mariners for the Notice of Enforcement of Safety Zone and the Seafair 2016 Boater's Notice for further details.

Charts: 18447 18450

LNM: 30/16

WASHINGTON – LAKE WASHINGTON SHIP CANAL – Special bridge notice (Revised from 29/16)

The U.S. Coast Guard has issued a temporary deviation from the operating schedule that governs the Fremont Bridge, mile 2.6, across the Lake Washington Ship Canal in Seattle, WA. The deviation is necessary to accommodate the 10K Run and Fun Ride event. This deviation allows the bridge to remain in the closed position from 0730 to 0830 and from 1030 until 1230 on 14 Aug 16. Vessels which do not require bridge openings may continue to transit beneath these bridges during the closure periods. For information, contact Mrs. Mary Brown at:

Mary.Brown@seattle.gov.

Chart 18447

LNM: 30/16

WASHINGTON – STRAIT OF JUAN DE FUCA TO STRAIT OF GEORGIA AND PUGET SOUND – WHIDBEY ISLAND DGPS SITE –DGPS off-air time

The U.S. Coast Guard Navigation Center has approved off-air time for the Whidbey Island, WA DGPS site for scheduled maintenance from 1000 to 1300 on 17 Aug 16, with an alternate time of 1000 to 1300 on 18 Aug 16. There will be no significant loss of coverage due to dual coverage in the area. For additional information or objections, contact the Navigation Center DGPS Operations at (703) 313-5902 or at <http://www.navcen.uscg.gov/?pageName=dgpsSiteInfo¤tOutages>.

Charts: 18421 18440 18465

LNM: 30/16

WASHINGTON – PUGET SOUND – NORTHERN PART – EVERETT HARBOR

Orion Marine Contractors, Inc. will be performing dredging, transloading, and rock placement at the former Weyerhaeuser Mill A Site located south of Pier 1 near the Pacific Terminal at the Port of Everett. Operations will be 0600 to 1800, Monday to Friday, 08 Aug 16 through December 2016. Loaded material barges will transit daily between the dredge site south of Pier 1 near the Pacific Terminal and the transload location on the southern tip of the South Terminal. During the project, barges loaded with sediment for open water disposal will transit from the dredge location to the Port Gardner Open Water Disposal Site. Crane barge 1601, material barges ITB 166 and Westar 204, the dump barge Orion 2001, and the tug Skagit will be onsite, as well as support provided by Dunlap Towing. Rocks will be placed at the dredge site once dredging is complete. Mariners are requested to provide minimum wake in the work area and stay clear. The crane barge and tugs will monitor VHF-Fm Ch 05A and 13. For additional information please contact Mr. Casey Shaw at (253) 298-2243 or email cshaw@orionmarinegroup.com.

Chart 18443

LNM: 30/16

OREGON – IDAHO – WASHINGTON – MONTANA – Dgps sites

Declining public use of the Nationwide Differential Global Positioning System (NDGPS), including lack of a carriage requirement, technological advances in GPS, and limited availability of consumer-grade DGPS receivers have lead to the need to reduce the amount of DGPS sites. In collaboration with the Department of Transportation and U.S. Army Corps of Engineers, the U.S. Coast Guard has finalized a Federal Register Notice (FRN) that reduces the number of Differential GPS sites throughout the country, while maintaining coverage in major maritime ports and waterways. The FRN and graphics depicting the changes to the system are accessible via the links below.

NDGPS Federal Register Notice published July 2016: <https://www.federalregister.gov/articles/2016/07/05/2016-15886/nationwide-differential-global-positioning-system-ndgps>

Graphic Depicting NDGPS After Site Reductions: <http://www.navcen.uscg.gov/images/dgps/FRNDGPS.jpg>

Graphic Depicting NDGPS Coverage After Site Reductions: http://www.navcen.uscg.gov/images/plots/NDGPS_Coverage_Aug2016_lg.jpg

Sites will be disestablished on 04 Aug 16 at 0500 PDT/1200Z. For additional information contact Navigation Center DGPS Operations at (703) 313-5902.

LNM: 29/16

OREGON - SIUSLAW RIVER - Bridge Notice

Repairs are being conducted on the U.S. 101 Bridge (LLNR 9558) across the Siuslaw River, mile 5.0, through 31 Mar 18. Repairs include a containment system with scaffolding that reduces the bridge's vertical clearance from the water line up to 5 feet. Signs and yellow lights have been installed to warn mariners of the reduced clearance. Scaffolding will be installed as work progresses from north to south. The U.S. 101

Bridge draw will not have containment installed so maritime navigation will not be impacted. Service barge(s) will be moored at the adjacent span supporting the maintenance work. Barge and work crew may be contacted using VHF-FM Ch. 16. Mariners are requested to transit the construction area at minimum safe speed with no wake. For more information, contact Mr. Wade Campbell at (541) 260-3345 or Mr. Danny McReynolds of the U.S.C.G District Thirteen Bridge Administration office at email Danny.G.McReynolds@uscg.mil.

Chart 18583

LNM: 29/16

COLUMBIA RIVER – BLALOCK ISLANDS TO MCNARY DAM – McNary Dam Navigation Lock outage

COLUMBIA RIVER – BLALOCK ISLANDS TO MCNARY DAM – McNary navigation lock, located at Columbia River mile 292.0, will be out of service 0800 through 1700 on 22 Aug 16. The outage is necessary to perform an underwater inspection of the downstream miter gate. The lock will be returned to service as soon as the work is completed. For additional information contact USACE Walla Walla District Operations Division at 509-527-7115 or 509-527-7112.

Chart 18539

LNM: 29/16

OREGON – WILLAMETTE RIVER – PORTLAND TO WALNUT EDDY – Derelict sheet pile wall removal

HME Construction, Inc. will perform work to remove a derelict sheet pile wall on the east bank of the Willamette River at approximate river mile 24.8. The worksite is near Dahl Beach, downstream of the confluence with the Clackamas River. Work will be 0700 to 1700, Monday through Friday, 18 Jul 16 through 29 Aug 16. The tug Husky, derrick barge Sea Vulture, material barge 50 and multiple HME work boats will be on scene and will monitor VHF-Fm Ch. 13 and 16 and operate on Ch. 73. For additional information contact Mr. Leland Larsen at 503-519-7091, Mr. Justin Bay at 360-601-2034, or Ms. Sheri Brenner at 360-601-2034.

Chart 18528

LNM: 29/16

WASHINGTON – STRAIT OF JUAN DE FUCA TO STRAIT OF GEORGIA – SAN JUAN CHANNEL – Bridge notice

WASHINGTON – STRAIT OF JUAN DE FUCA TO STRAIT OF GEORGIA – SAN JUAN CHANNEL – Bridge notice
Construction on the Deer Harbor Bridge has begun, and is scheduled to be complete in December 2016. The work schedule is Monday through Friday from 0800 until 1600. Crews will be clearing and grubbing on the north, east and west side of the bridge. Temporary erosion control systems will also be installed. The area will be hazardous to small vessels, and mariners are requested to stay well clear until the waterway is not impacted with water born hazards. Please contact San Juan County Public Works at: pubwks@sanjuanco.com, or (360) 370-0500.

Chart 18421

LNM: 29/16

OREGON – CAPE BLANCO TO CAPE FLATTERY – Undersea cable route survey

The R/V Geo Resolution will conduct an undersea telecommunications cable survey from 27 Jul 16 through 15 Sep 16 from Pacific City, OR, to the U.S. Exclusive Economic Zone boundary along the route shown in Enclosure (4) of this LNM between approximate positions 45-11.200N 123-56.300W and 42-50.000N 129-09.000W. The operation will consist of a 24/7 cable route survey including the stern deployment of a tethered sonar towfish at varying water depths to collect geophysical and bathymetric data for a proposed undersea cable. The maximum water depth of tow operations will be 1500 meters. The sonar sensor will be towed approx. 20-40 meters from the seafloor and up to 3 kilometers behind the vessel. The survey corridor is 500 meters centered on the survey centerline. Operations in water depths greater than 1500 meters will utilize hull mounted equipment. The vessel will stand by on VHF-FM Ch. 13 and 16. Additional vessel contact information is: Bridge VSAT PHONE: +65 3158 9828, MMSI: 538 005 923, INMARSAT-1B voice 4538 40052 or 4538 40053, vessel mobile: +852 5808 7208, or email the Captain at grcaptain@egssurvey.com.

Chart 18003

LNM: 28/16

OREGON – WILLAMETTE RIVER – PORT OF PORTLAND - Special Bridge Notice

The U.S. Coast Guard has issued a temporary deviation from the normal operating schedule that governs the Broadway Bridge (LLNR 14955.2), the Burnside Bridge (LLNR 14955.4), the Morrison Bridge (LLNR 14955.5), and the Hawthorne Bridge (LLNR 14955.6), all crossing the Willamette River at Portland, OR. This deviation is to accommodate the Providence Bridge Pedal event, and allows the draw spans to remain in the closed-to-navigation position, and need not open for maritime traffic from 0600 to 1230 on 14 Aug 16. The Broadway Bridge, RM 11.7, provides a vertical clearance of 90 feet in the closed position, the Burnside Bridge, RM 12.4, provides a vertical clearance of 64 feet in the closed position, the Morrison Bridge, RM 12.8, provides a vertical clearance of 69 feet in the closed position, and the Hawthorne Bridge, RM 13.1, provides a vertical clearance of 49 feet in the closed position; all clearances are referenced to the vertical clearance above Columbia River Datum 0.0. Vessels able to pass through the bridge in the closed-to-navigation positions may do so at any time. The bridges will be able to open for emergencies and there is no immediate alternate route for vessels to pass. The bridges shall operate in accordance to 33 CFR § 117.897 at all other times. For more information, contact Barbara Blanchard at barbara.c.blanchard@multco.us.

Chart 18526

LNM: 28/16

WASHINGTON – LAKE WASHINGTON SHIP CANAL – Lock closure

The Hiram M. Chittenden large and small locks will close to all marine traffic 0800 through 1200 10 Aug 16 to inspect a saltwater drain screen structure. The structure, immediately upstream of the locks, prevents salmon from entering the locks' saltwater return intake. Divers closed the 10, 10-foot-by-6-foot doors and inspected the 30-by-60 foot curved-front, mesh screen structure on 07 Jul 16. Divers will perform monthly

inspections like this one until the doors are opened mid-September. The inspections require lock closures to all but emergency vessels on emergency calls. The staff will complete work as quickly and safely as possible. For additional information, contact lockmasters Larry Meyer or Vickie Shepard, at 206-789-2622 ext. 230, or Public Affairs Officer Bill Dowell, at 206-764-3464.

Chart 18447

LNM: 28/16

WASHINGTON – LAKE WASHINGTON SHIP CANAL – Special bridge notice

The U.S. Coast Guard has issued a temporary deviation from the operating schedule that governs the Fremont Bridge (LLNR 18182), mile 2.6, across the Lake Washington Ship Canal in Seattle, WA. The deviation is necessary to accommodate the Fun Ride event. This deviation allows the bridge to remain in the closed position from 1030 until 1230 on 14 Aug 16. Vessels which do not require bridge openings may continue to transit beneath these bridges during the closure periods. For information, contact Mrs. Mary Brown at: Mary.Brown@seattle.gov.

Chart 18447

LNM: 28/16

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
9605	Yaquina Bay South Jetty Light 4	STRUCT DEST	18581	1075-15	50/15	
10280	Pillar Rock Upper Range Rear Light	REDUCED INT	18523	0609-16	29/16	
10585	Eureka Dike Light 77	STRUCT DMGD	18523	0250-14	15/14	
11125	Bachelor Dike Light 15	LT IMCH	18525	0444-16	21/16	
11150	Willow Dike Light 23	STRUCT DEST	18525	0174-14	10/14	
11308	Airport Bar Range Rear Light	LT EXT	18531	0563-16	26/16	
11430	Fisher Quarry Channel Range Front Light	LT IMCH	18531	0359-16	18/16	
11645	Prindle Dike Light 73	LT EXT	18531	0470-16	22/16	
11770	Bonneville Pool Light 4	STRUCT DEST	18531	0905-10	37/10	
12560	Lake Umatilla Light 36	LT EXT/DAYMK MISSING/STRUCT DMGD	18537	0511-16	24/16	
12685	Lake Umatilla Light 59	LT IMCH	18539	0358-16	18/16	
13735	Little Goose Reservoir Light 9	STRUCT DEST	18547	0056-16	03/16	
13750	Little Goose Reservoir Light 12	REDUCED INT	18547	0139-16	07/16	
14140	Franklin D. Roosevelt Lake Light C	LT EXT	18551	None	30/16	
14180	Franklin D. Roosevelt Lake Light G	LT EXT	18551	None	30/16	
14190	Franklin D. Roosevelt Lake Light H	LT EXT	18551	None	30/16	
14195	Franklin D. Roosevelt Lake Light I	REDUCED INT	18551	None	30/16	
14205	Franklin D. Roosevelt Lake Light K	LT EXT	18551	None	30/16	
14215	Spokane River Arm Light A	LT EXT	18551	None	30/16	
14225	Spokane River Arm Light C	LT EXT	18551	None	30/16	
14265	Franklin D. Roosevelt Lake Light L	REDUCED INT	18551	None	30/16	
14280	Franklin D. Roosevelt Lake Light N	REDUCED INT	18551	None	30/16	
14285	Franklin D. Roosevelt Lake Light O	LT EXT	18551	None	30/16	
14290	Franklin D. Roosevelt Lake Light P	LT EXT	18551	None	30/16	
14295	Franklin D. Roosevelt Lake Light Q	LT EXT	18551	None	30/16	
14300	Franklin D. Roosevelt Lake Light R	REDUCED INT	18551	None	30/16	
14305	Franklin D. Roosevelt Lake Light T	LT EXT	18551	None	30/16	
14310	Franklin D. Roosevelt Lake Light U	LT EXT	18553	None	30/16	
14320	Franklin D. Roosevelt Lake Light W	LT EXT	18553	None	30/16	
14335	Franklin D. Roosevelt Lake Light Y	REDUCED INT	18553	None	30/16	
14350	Franklin D. Roosevelt Lake Light BB	LT EXT	18553	None	30/16	
14360	Franklin D. Roosevelt Lake Light CC	REDUCED INT	18553	None	30/16	
14610	Sand Island Lower Dike Light 1	STRUCT DMGD	18521	1092-15	51/15	

15585	Point Chehalis Range Front Light	DAYMK MISSING/STRUCT DMGD	18502	1012-09	50/09
15585	Point Chehalis Range Front Light	LT EXT	18502	0067-13	03/13
15610	Grays Harbor South Reach Range A Front Light	LT EXT/DAYMK MISSING	18502	0746-15	35/15
17090	Browns Point Light	REDUCED INT	18453	0870-15	41/15
19170	Bellingham Channel Lighted Bell Buoy 4	OFF STA	18427	0672-16	31/16
19335	Williamson Rocks Lighted Buoy 4	OFF STA	18427	0673-16	31/16

DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
8700	Coquille River South Jetty Light 8	WATCHING PROPERLY	18588	0650-16	28/16	31/16
19655	Pole Pass Light 2	WATCHING PROPERLY	18434	0674-16	30/16	31/16

DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
620	Umpqua River Light	LT IMCH	18584	0626-16	30/16	
652	OSU Yaquina Research Lighted Buoy	MISSING	18561	None	21/16	
9260	Umpqua River Light	LT IMCH	18584	0626-16	30/16	
12485	Arlington Grain Tower Light	LT IMCH	18536	0676-16	31/16	
14959.3	Zidell Regulatory Lighted Buoy C	BUOY DMGD/LT EXT	18526		31/16	
15035	Oswego South Dock Light	LT EXT	18528	0634-16	30/16	
17731	Hood Canal Mariculture Lighted Buoys (2)	MISSING	18477	0598-16	29/16	
19282	Squalicum Creek Waterway Range Rear Light	LT EXT	18424	0652-16	31/16	
19284	Bellingham Bay Research Lighted Buoy B	OFF STA	18424	0420-16	20/16	
19360	Skyline Marina Entrance Light 1	LT EXT	18427	0648-16	31/16	
19440	Shoal Bay Aquaculture Lighted Buoy	LT EXT	18430	0665-16	31/16	

DISCREPANCIES (PRIVATE AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
14959.2	Zidell Regulatory Lighted Buoy B	WATCHING PROPERLY	18526	0658-16	29/16	31/16
16845	Smith Cove Lighted Buoy 3	RESET ON STATION	18450	0653-16	29/16	31/16

PLATFORM DISCREPANCIES

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

PLATFORM DISCREPANCIES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
9155	South Slough Lighted Buoy 6	RELOCATED FOR DREDGING	18587	0643-16	30/16	
9160	South Slough Buoy 5	RELOCATED FOR DREDGING	18587	0643-16	30/16	
9825	Tillamook Bay Entrance Regulated Navigation Area Warning Sign	DISCONTINUED	18558	0382-16	19/16	

10585	Eureka Dike Light 77	RELOCATED	18523	0250-14	15/14
10720	Fisher Island Channel Lighted Buoy 5	RELOCATED FOR DREDGING	18524	0594-16	28/16
10816	Cowlitz River Lighted Buoy 25	RELOCATED FOR DREDGING	18524	0670-16	31/16
11150	Willow Dike Light 23	TRLB	18525	0177-14	10/14
11770	Bonneville Pool Light 4	TRLB	18531	0909-10	38/10
12560	Lake Umatilla Light 36	TRLB	18537	0529-16	25/16
19365	Skyline Marina Entrance Light 2	DISCONTINUED	18427	0649-16	31/16

TEMPORARY CHANGES CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
19360	Skyline Marina Entrance Light 1	LWP	18427	0654-16	31/16	

PLATFORM TEMPORARY CHANGES

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

PLATFORM TEMPORARY CHANGES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.

Chart Number	Chart Edition	Edition Date	Last Local Notice to Mariners	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariners
12327	91st Ed.	19-APR-97	Last LNM: 26/97	NAD 83		27/97
Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER						
Main Panel 2245 NEW YORK HARBOR					CGD01	
(Temp)	ADD	NATIONAL DOCK CHANNEL BUOY 3			at 40-41-09.001N	074-02-48.001W
	Green can					
Corrective Action	Object of Corrective Action			Position		

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

18400	49th Ed.	01-APR-12	Last LNM: 31/16	NAD 83		31/16
<i>Chart Title: Strait of Georgia and Strait of Juan de Fuca</i>						
Main Panel 1656 STRAIT OF GEORGIA AND STRAIT OF JUAN DE FUCA. Page/Side: N/A						
RELOCATE	Richardson Daybeacon				CGD13 from 48-26-47.105N to 48-26-47.002N	122-54-36.421W 122-54-36.744W

18421	51st Ed.	01-MAY-13	Last LNM: 31/16	NAD 83		31/16
<i>Chart Title: Strait of Juan de Fuca to Strait of Georgia; Drayton Harbor</i>						
CHART WA - STRAIT OF JUAN DE FUCA TO STRAIT OF GEORGIA. Page/Side: N/A						
RELOCATE	Richardson Daybeacon				CGD13 from 48-26-47.105N to 48-26-47.002N	122-54-36.421W 122-54-36.744W

18434	7th Ed.	01-APR-08	Last LNM: 31/16	NAD 83	31/16
<i>ChartTitle: San Juan Channel</i>					
Main Panel 1941 SAN JUAN CHANNEL. Page/Side: N/A					
RELOCATE	Richardson Daybeacon			CGD13 from 48-26-47.105N to 48-26-47.002N	122-54-36.421W 122-54-36.744W
18465	39th Ed.	01-OCT-11	Last LNM: 31/16	NAD 83	31/16
<i>ChartTitle: Strait of Juan de Fuca-eastern part</i>					
Main Panel 1723 STRAIT OF JUAN DE FUCA EASTERN PART. Page/Side: N/A					
RELOCATE	Richardson Daybeacon			CGD13 from 48-26-47.105N to 48-26-47.002N	122-54-36.421W 122-54-36.744W
18504	66th Ed.	01-JUL-06	Last LNM: 31/16	NAD 83	31/16
<i>ChartTitle: Willapa Bay;Toke Pt.</i>					
CHART WA - WILLAPA BAY. Page/Side: N/A					
CHANGE	Willapa Bay Entrance Light 11 Nominal range to 4M and delete Ra ref.			CGD13 at 46-43-06.660N	124-02-14.580W
18525	38th Ed.	01-JUL-16	Last LNM: 31/16	NAD 83	31/16
<i>ChartTitle: Columbia River Saint Helens to Vancouver</i>					
Main Panel 1742 COLUMBIA RIVER SAINT HELENS TO VANCOUVER. Page/Side: A					
NEW EDITION	Scale 1: 40,000; New Edition (38 ed, 07/01/16) due to various general changes This NOAA chart is now available in both the Print-on Demand and digital raster formats. See http://nauticalcharts.noaa.gov/mcd/dole.htm for details.			NOS --	--
18558	39th Ed.	01-SEP-12	Last LNM: 31/16	NAD 83	31/16
<i>ChartTitle: Tillamook Bay</i>					
Main Panel 1788 TILLAMOOK BAY. Page/Side: N/A					
CHANGE	Tabulation - Tillamook Bay Channel Depths http://ocsddata.ncd.noaa.gov/ntm/SupportImage.aspx?ItemID=266346 ; Tabulation - Tillamook Bay Channel Depths (NOS NW-25790)			NOS 45-31-40.000N	123-51-00.000W
18581	19th Ed.	01-OCT-11	Last LNM: 31/16	NAD 83	31/16
<i>ChartTitle: Yaquina Bay and River;Continuation of Yaquina River</i>					
Main Panel 1792 YAQUINA BAY AND RIVER. Page/Side: N/A					
CHANGE	Tabulation - YAQUINA BAY AND RIVER CHANNEL DEPTHS http://ocsddata.ncd.noaa.gov/ntm/SupportImage.aspx?ItemID=266341 ; Tabulation - YAQUINA BAY AND RIVER CHANNEL DEPTHS (NOS NW-25789)			NOS 44-38-33.000N	124-02-33.000W
18583	40th Ed.	01-OCT-11	Last LNM: 31/16	NAD 83	31/16
<i>ChartTitle: Siuslaw River</i>					
Main Panel 1794 SIUSLAW RIVER. Page/Side: N/A					
CHANGE	Tabulation - SIUSLAW RIVER CHANNEL DEPTHS http://ocsddata.ncd.noaa.gov/ntm/SupportImage.aspx?ItemID=266340 ; Tabulation - SIUSLAW RIVER CHANNEL DEPTHS (NOS NW-25787)			NOS 44-01-10.000N	124-06-18.000W
18588	37th Ed.	01-APR-03	Last LNM: 31/16	NAD 83	31/16
<i>ChartTitle: Coquille River Entrance</i>					
Main Panel 1797 COQUILLE RIVER ENTRANCE. Page/Side: N/A					
CHANGE	Tabulation - COQUILLE RIVER CHANNEL http://ocsddata.ncd.noaa.gov/ntm/SupportImage.aspx?ItemID=266330 ; Tabulation - COQUILLE RIVER CHANNEL (NOS NW-25786)			NOS 43-06-54.000N	124-25-05.000W

SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

<u>Approved Project(s)</u>	<u>Project Date</u>	<u>Ref. LNM</u>
None		

Advance Notice(s)

COLUMBIA RIVER – VANCOUVER TO BONNEVILLE – Change of Bonneville Pool Light 4 to Lighted Buoy 4

In September of 2010 Bonneville Pool Light 4 (LLNR 11770) was destroyed. Since that time, a small temporary lighted buoy has been in place. Due to an unknown time frame for the rebuilding of the structure, the U.S. Coast Guard will change the temporary lighted buoy to a permanent and larger lighted buoy, and increase the nominal range of the light from 3 NM to 4 NM. The lighted buoy will be set in approximate position 45-38-29.011N 121-55-59.008W.

Chart 18532 LNM: 28/16

WASHINGTON – COLUMBIA RIVER TO DESTRUCTION ISLAND – Extended disestablishment of North Head Light for construction

The Washington State Parks and Recreation Commission will be conducting extensive masonry restoration and other work at North Head Light (LLNR 700) from approximately 01 Aug 2016 through 01 Jun 2017. For the majority of this period the light will not be able to operate. Once a specific date is determined, a Broadcast Notice to Mariners will be issued upon the disestablishment of the light.

Chart 18500 LNM: 25/16

WASHINGTON - GRAYS HARBOR – Establishment of Grays Harbor Entrance Lighted Whistle Buoy 5

The U.S. Coast Guard will be establishing Grays Harbor Entrance Lighted Bell Buoy 5 (LLNR 15565) in approximate position 46-54-49.5N 124-12-035.0W, displaying a green light flashing every 2.5 seconds (FI G 2.5). This change is to better mark the approach to the Grays Harbor entrance for mariners approaching from the north and west.

Chart 18502 LNM: 17/16

WASHINGTON – STRAIT OF JUAN DE FUCA – EASTERN PORTION – Relocation of Smith Island Light and the disestablishment of Minor Island Light (Revised from LNM 03/16)

The U.S. Coast Guard has rebuilt Smith Island Light (LLNR 16375) between Smith Island and Minor Island in the eastern Strait of Juan de Fuca in approximate position 48-19-14.368N 122-49-51.449W. The U.S. Coast Guard will be discontinuing Minor Island Light (LLNR16380) due to the loss of land mass from erosion at that location. A revised notice will be published when the date of removal has been scheduled.

Chart 18465 LNM: 09/16

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

<u>Proposed Project(s)</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
None			

Proposed Change Notice(s)

WASHINGTON – FRANKLIN D. ROOSEVELT LAKE & SPOKANE RIVER ARM – Reduction in nominal range of lighted aids to navigation

The U.S. Coast Guard is proposing to reduce the nominal range of the aids to navigation listed below from 5 NM to 4 NM on Franklin D. Roosevelt Lake and the Spokane River Arm. The change in nominal range will have a minimal effect upon the intensity of the lantern and will not be noticeable to majority of mariners. Although the nominal range will be reduced, the current light intensity will only be slightly decreased. The aids to navigation are:

Franklin D. Roosevelt Lake Light "F" (LLNR 14175): reduce the intensity from 5 NM to 4 NM (54 to 45 candelas)
Franklin D. Roosevelt Lake Light "G" (LLNR 14180): reduce the intensity from 5 NM to 4 NM (77 to 45 candelas)
Franklin D. Roosevelt Lake Light "I" (LLNR 14190): reduce the intensity from 5 NM to 4 NM (54 to 45 candelas)
Spokane River Arm Light "A" (LLNR 14215): reduce the intensity from 5 NM to 4 NM (77 to 45 candelas)
Spokane River Arm Light "C" (LLNR 14225): reduce the intensity from 5 NM to 4 NM (54 to 45 candelas)
Franklin D. Roosevelt Lake Light "L" (LLNR 14265): reduce the intensity from 5 NM to 4 NM (54 to 45 candelas)
Franklin D. Roosevelt Lake Light "M": (LLNR 14275): reduce the intensity from 5 NM to 4 NM (77 to 50 candelas)
Franklin D. Roosevelt Lake Light "O": (LLNR 14285): reduce the intensity from 5 NM to 4 NM (54 to 45 candelas)
Franklin D. Roosevelt Lake Light "R" (LLNR 14300): reduce the intensity from 5 NM to 4 NM (54 to 50 candelas)

Franklin D. Roosevelt Lake Light "T" (LLNR 14305): reduce the intensity from 5 NM to 4 NM (77 to 45 candelas)
Franklin D. Roosevelt Lake Light "V" (LLNR 14315): reduce the intensity from 5 NM to 4 NM (54 to 45 candelas)
Franklin D. Roosevelt Lake Light "AA" (LLNR 14345): reduce the intensity from 5 NM to 4 NM (77 to 45 candelas)
Franklin D. Roosevelt Lake Light "CC" (LLNR 14360): reduce the intensity from 5 NM to 4 NM (54 to 45 candelas)

Charts: 18551 18553

LNM: 30/16

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

SUMMARY OF BRIDGE LIGHTING DISCREPANCIES AND CORRECTIONS

The summary of Bridge Lighting Discrepancies and Corrections is listed in Enclosure (1) of this Local Notice to Mariners.

LNM: 31/16

SUMMARY OF DREDGING OPERATIONS

The summary of Dredging Operations is listed in Enclosure (2) of this Local Notice to Mariners.

LNM: 31/16

SUMMARY OF MARINE EVENTS

The summary of Marine Events is listed in Enclosure (3) of this Local Notice to Mariners.

LNM: 31/16

OREGON – COOS BAY – McCullough (US101) Bridge repair

ODOT is conducting a repair project on the McCullough Bridge (LLNR 9009) at mile 9.5 over Coos Bay on Hwy. US 101. The project will be completed sometime in 2017. The repairs are on the north side of Jarvis Upper Range 'B' Front Light (LLNR 8960) outside the main navigation channel. Two 2000 foot temporary work bridges have been constructed for the project, but will not encroach into the navigation channel. The temporary bridges will be built on steel piles placed 45 feet apart. Enclosure (5) of LNM 44/13 shows the diagram and aerial view of the project.

Chart 18587

LNM: 44/13

OREGON - SIUSLAW RIVER - Bridge Notice

Repairs are being conducted on the US 101 bridge (LLNR 9558) across the Siuslaw River, mile 5.0, through 31 Mar 18. Repairs include a containment system with scaffolding that reduces the bridge's vertical clearance up to 10 feet. Signs have been installed to warn mariners of the reduced clearance. Scaffolding will be installed as work progresses from north to south. The US 101 Bridge draw will not have containment installed so maritime navigation will not be impacted. Service barge(s) will be moored at the adjacent span supporting the maintenance work. Barge and work crews may be contacted using VHF-FM Channel 16. Mariners are requested to transit the construction area at minimum safe speed with no wake. For more information, contact Mr. Wade Campbell at (541) 260-3345.

Chart 18583

LNM: 09/16

OREGON – ASTORIA – LEWIS AND CLARK RIVER – LEWIS AND CLARK BRIDGE – Bridge notice

The U.S. Coast Guard has issued a temporary deviation change from the operating schedule that governs the Lewis and Clark River Bridge (LLNR 14607) across the Lewis and Clark River, mile 1.0, at Astoria, OR. This deviation is from 0700 16 Jul 16 through 1700 31 Oct 16. This deviation is necessary to accommodate road maintenance on the bridge. The deviation allows the bascule span of the Lewis and Clark River Bridge to remain in the closed-to-navigation position; however, the span will be available to open on Wednesdays and Sundays with at least three hour advanced notice. The bascule span will also open at any time for emergency situations with at least a three hour advanced notice. The span of the bridge will have a containment system installed which will reduce the vertical clearance by 5 feet from 17 feet above mean high water to 12 feet above mean high water. Vessels able to pass under the bridge in the closed-to-navigation position may do so at anytime. For more information contact Mr. Dave True at: Dave.True@odot.state.or.us.

Chart 18521

LNM: 26/16

COLUMBIA RIVER - PACIFIC OCEAN TO HARRINGTON POINT - Bridge special notice

ODOT is removing existing paint coating by sand blast and power tooling methods within engineered containments on the Astoria-Megler Bridge (LLNR 14630/10086) at Columbia River mile 13.5. Replacement of rivets, steel repairs, and new paint will be applied until complete on 31 Aug 18. The containment system will reduce the vertical clearance beneath the bridge by six feet. The work will be during daylight hours, generally from 0630 to 1800, Monday through Friday. Weekend work is not anticipated but could occur. The containment system will be in place for the duration of the project. The containment system is movable and will occupy approximately 300 to 400 feet at any one time. The work is anticipated to be performed year round. Mariners are advised to exercise caution when navigating under the bridge and to be aware of fall hazards while containment scaffolding is being relocated. All work will be staged from the roadway deck. On scene contacts for ODOT are Jeremy Chauvin at 503-338-8837 and Grant Hudkins at 503-338-0574.

Chart 18521

LNM: 23/16

IDAHO – LAKE PEND OREILLE – Bridge notice

Divers will install pile support cables on the US-95 Highway Bridge (LLNR 20086) on Lake Pend Oreille, mile 2.0, from 15 Jul 16 through 15 Oct 16. A temporary mooring and work platform will be constructed on the southern end of the bridge. Diving operations will be Monday through Friday during daylight hours only. A small work boat and barge will be on site near the divers. The vessels will be moored at the temporary platform over

IDAHO – LAKE PEND OREILLE – Bridge notice

night and weekends. Recreational diver flags and Code Alfa will be displayed while divers are working in the water. Mariners are requested to transit in the vicinity of the divers with no wake. The onsite dive supervisor can be contacted at (509) 710-5118.

LNM: 25/16

OREGON - WILLAMETTE RIVER - PORTLAND TO WALNUT EDDY - Sellwood Bridge construction (Revised from LNM 39/15)

The Sellwood Bridge (LLNR 14995) at RM 16.6 on the Willamette River is under construction until November 2016. A no wake zone is in effect within 500 feet of the bridge. The marked navigable channel at the bridge has been relocated as shown in Enclosure (4) of LNM 01/16. Two debris booms have been added to the construction site on the upstream side of the project, as shown in enclosure (5) of LNM 28/14. Each boom is held in place by multiple pilings, which are marked with flashing yellow lights and yellow reflective tape. Mariners are cautioned to observe the temporary navigation buoys and bridge navigation lighting and comply with the exclusion area established by both the buoys and signage. For additional information, contact Mr. Chad Yount at (520) 468-9550 or email cayount@sundt.com.

Chart 18528

LNM: 50/15

OREGON - WILLAMETTE SLOUGH - MINTO ISLAND PEDESTRIAN & BICYCLE BRIDGE - Special bridge notice

Legacy Contracting, Inc. is constructing the Minto Island Pedestrian/Bicycle Bridge in Salem, OR, in the vicinity of Riverfront Park Playground at 44-56-19.000N, 123-02-43.000W. The construction work will be Monday through Sunday 24 hours per day until 15 Oct 16. Mariners can expect overhead cranes and pile driving while constructing temporary trestles with overhead hazards of a vertical clearance of 10 feet. A temporary 40 foot wide channel will be marked with signs for passage under the bridge and through the construction zone. Regulatory orange and white buoys will also be placed marking the construction area requesting no wake and bridge construction. For additional information, contact Mr. Monte Nunnally at (503) 510-7624 or Mr. Todd Ross at (503) 749-1818, or email: ToddR@LegacyContractingInc.com.

LNM: 22/15

WASHINGTON – HOOD CANAL AND DABOB DAY – HOOD CANAL BRIDGE - Special bridge notice

Northwest Underwater Construction will conduct underwater cable repairs on the Hood Canal Bridge (LLNR 17769) from 0600 on 01 Aug 16 until 1900 on 15 Oct 16. Four white mooring buoys with flashing white lights will mark the vessels conducting the operation. Working and support vessels will be on station and monitoring VHF-FM Ch 16 and 68. A remote operated vessel (ROV) will be used to assist with repairs. During these repairs, only half (300 feet) of the center span will be able to open. The center span on the Hood Canal Bridge is restricted by tidal currents to openings only at slack tide. Mariners are requested to use the east (50 feet of vertical clearance) and west (35 feet of vertical clearance) spans until the end of this deviation period. If a center span opening is required, please time the request for an opening during slack tide. For additional information contact Ms. Amy Amos at 360-874-3016.

Chart 18476

LNM: 23/16

WASHINGTON - SOUTH PUGET SOUND - CHAMBERS BAY - BURLINGTON NORTHERN SANTA FE RAILROAD SPECIAL DRAWBRIDGE NOTICE - Critical Navigation Notice

The U.S. Coast Guard is establishing a temporary deviation to test a proposed regulation change for the subject drawbridge. The temporary test deviation will be effective from midnight on 01 Jun 16 to midnight 01 Dec 16. During this period the subject bridge shall open on signal, except from 10 p.m. to 6 a.m. when the draw shall open on signal if at least 4 hours notice is given; however vessels engaged in emergency response and vessels in distress needing a drawbridge opening shall be passed as soon as possible. Interested parties are encouraged to submit comments anytime during this test deviation period. At the end of the test period the U.S. Coast Guard will make a determination if this change should be made permanent. Comments may be sent to the Bridge Administrator, Thirteenth Coast Guard District; e-mail D13-PF-D13BRIDGES@uscg.mil.

Chart 18448

LNM: 20/16

COLUMBIA RIVER AND SNAKE RIVER - Summer Seasonal Lockage Schedule for Recreational Craft (Revised from LNM 19/16)

The USACE Portland and Walla Walla Districts will implement the summer seasonal lockage schedule, from 15 May 16 to 15 Sep 16, for the passage of recreational craft through the navigation locks. When a recreational vessel lockage schedule is in effect, recreational vessels will only be allowed to lock through at the times designated, and during these times, they will take precedence over commercial vessels. At all other times, commercial vessels will continue to have lockage precedence over recreational vessels. Recreational vessels may be allowed to lock through with commercial vessels at the discretion of the lock operator.

Portland District	
Upstream	Downstream
0900	0930
1200	1230
1500	1530
1800	1830
2100	2130
Walla Walla District	
Upstream	Downstream
0900	0930
1201	1230
1500	1530
1800	1830
2100	2130

COLUMBIA RIVER AND SNAKE RIVER - Summer Seasonal Lockage Schedule for Recreational Craft (Revised from LNM 19/16)

The USACE will consider special lockage's, outside the above scheduled lockage times, for flotillas or other unique requirements sponsored by yacht clubs, marinas, and other groups, provided advance (at least 24-hours) arrangements have been made with the appropriate control room operator. Contact the following control room operators via VHF-FM Ch. 14 or commercial telephone for scheduling of special lockage's: For the lockage schedules and additional information, visit Portland's website at: <http://www.nwp.usace.army.mil/Missions/Navigation.aspx> and the Walla Walla website at: <http://www.nwp.usace.army.mil/Missions/Navigation.aspx>, or the Operations Division at (509) 527-7115 or 7112. For additional information on safe boating procedures and locking through, visit the website: <http://www.nwp.usace.army.mil/Portals/24/docs/navigation/HowToLockThru.pdf>.

LNM: 21/16

COLUMBIA RIVER - VANCOUVER TO BONNEVILLE; BONNEVILLE DAM – Waterways Analysis and Management System survey

The U.S. Coast Guard is conducting a user survey for the Upper Columbia River from Vancouver to Bonneville Pool. The U.S. Coast Guard uses the Waterways Analysis and Management Systems (WAMS) to validate the adequacy of the existing aids to navigation (AtoN) system, as well as to get a better understanding of the uses of each waterway and general safety issues. WAMS focuses on the waterway's present AtoN system, marine casualty information, port and harbor resources, changes in recreational and commercial marine vessel usage and future development and dredging projects. The survey is available at the Coast Guard District 13 WAMS website <http://www.uscg.mil/d13/dpw/wams.asp>. The deadline for survey entries will be 31 AUG 16. For additional information please contact BMC Berryhill at (503) 240-9305 or email D13-smb-MSUPortlandFAC@uscg.mil.

Chart 18531

LNM: 21/16

OREGON – YAQUINA HEAD TO COLUMBIA RIVER – Subsurface oceanographic equipment deployment

Oregon State University will deploy oceanographic research equipment in the vicinity of Camp Rilea, OR on 30 Jun 16 and will retrieve it at approximately 19 Aug 16. The deployment of the seafloor equipment will be conducted from the vessel M/V Forerunner at approximate position 46-06-28.000N 123-57-58.000W. There will be no equipment on the surface. The M/V Forerunner will monitor VHF-FM Ch. 16. Mariners are requested to keep a safe distance when in the vicinity of the deployment and recovery of equipment. For additional information contact Mr. Joe Haxel at 541-867-0282 or email joe.haxel@oregonstate.edu.

Chart 18520

LNM: 26/16

OREGON – YAQUINA HEAD TO COLUMBIA RIVER; NETARTS BAY

NOAA's Pacific Marine Environmental Laboratory has deployed a yellow research lighted buoy at approximate position 44-40-10.860N 124-43-12.060W, approximately twenty eight nautical miles west of Yaquina Head, OR. The buoy is marked with a FI Y 4s light and will be recovered from its station in mid-September 2016. For additional information contact Mr. Christian Meinig at 206-526-6149 or email Christian.Meinig@NOAA.gov.

Chart 18520

LNM: 22/16

NORTH AMERICA WEST COAST SAN DIEGO TO ALEUTIAN ISLANDS AND HAWAI'IAN ISLANDS – Oceanographic Research

As part of the Ocean Observatories Initiative, the University of Washington will deploy scientific instruments in the vicinity of Axial Volcano approximately 200 nautical miles offshore Tillamook Head, OR. Pending weather conditions, it is anticipated the research vessel R/V Sikuliaq will be working in the vicinity of the areas on the areas and dates listed in Enclosure (5) of LNM 28/16. The OOI deployments will be performed 24 hours a day, 7 days a week with support from a remotely operated vehicle (ROV). The research vessel will monitor VHF-FM Ch. 13 and 16 during all operations. Mariners are requested to keep a 2,000-yard CPA in the vicinity of the research vessel to avoid possible entanglement or damage to equipment and/or fishing gear. For more additional information, e-mail Mr. Brian Ittig at bittig@uw.edu.

Chart 530

LNM: 25/16

OREGON - APPROACHES TO YAQUINA AND DEPOE BAY - YAQUINA BAY ENTRANCE – Shoaling reported in the Yaquina Bay Entrance Channel

The US Coast Guard has received a report of shoaling outside the entrance to Yaquina Bay, OR. The shoaling is reported as being 70 yards wide, 315 yards West-Southwest of the Yaquina Bay South Channel Jetty, between 44-36-31.080N 124-05-08.340W and 44-36-28.740N 124-05-06.180W. Depths 12 feet less than the charted depths have been observed. Mariners should exercise extreme caution when entering or departing Yaquina Bay, and transit on the northern side of the channel. An estimated location of the shoaling is attached as enclosure (4) of LNM 12/16.

Charts: 18561 18581

LNM: 12/16

OREGON - CAPE BLANCO TO YAQUINA HEAD AND OFFSHORE – Cable Laying Operations off the Oregon Coast (Revised from 40/14)

The University of Washington, as part of the Ocean Observatories Initiative (OOI), has installed underwater equipment and high voltage cable in the Pacific Ocean offshore of Pacific City and Newport, OR. This equipment is locally exposed at the seabed and/or in the water column. It is not marked by surface buoys.

Mariners are advised to avoid fishing, towing gear or anchoring in the safety areas centered on the coordinates provided in enclosure (5) of LNM 44/14. The avoidance radius is given in nautical miles and varies for each safety zone.

Positions for the OOI safety zones and submarine cable routes can be provided upon request in various formats including Nobeltec, Olex, Coastal Explorer, kml and GIS. The locations of the OOI underwater infrastructure will be charted in the near future.

For additional information or if you become entangled on the OOI infrastructure, please contact the RSN Hotline at (855) 665-1424 or OFCC cell (503) 440-3569 or email ooi-ofcc@uw.edu or 911@ofcc.com.

OREGON - CAPE BLANCO TO YAQUINA HEAD AND OFFSHORE – Cable Laying Operations off the Oregon Coast (Revised from 40/14)

Charts: 18003 18580 18600

LNM: 41/14

COLUMBIA RIVER – PACIFIC OCEAN TO HARRINGTON POINT – Deterioration of the North and South Jetties at the Columbia River Entrance

The North and South Jetties at the Columbia River Entrance have suffered severe deterioration and may no longer be correctly represented upon the nautical charts of the area. Mariners should use caution when transiting in the vicinity of the jetties and the river entrance. The USACE has scheduled critical repairs of the North Jetty from June 2015 through October 2016, and rehabilitation of the South and North Jetties scheduled for the years 2016 through 2019. More information may be found at the USACE Portland District web site: <http://www.nwp.usace.army.mil/Locations/OregonCoast/MouthoftheColumbia.aspx>.

Charts: 18500 18520 18521

LNM: 04/15

COLUMBIA RIVER - HARRINGTON POINT TO CRIMS ISLAND - CATHLAMET CHANNEL - Shoaling

Extensive shoaling has been reported on the west side of the Elochoman Slough entrance near Cathlamet, WA. Mariners should exercise caution when transiting this waterway, and keep to the east side of the channel. Mariners unfamiliar with the area should transit with extreme caution and not rely solely on aids to navigation while in the channel.

Chart 18523

LNM: 19/15

SAINT JOE RIVER – SAINT MARIES – Dredging at St. Maries, ID

Arcadis U.S. Inc. will conduct sediment remediation on the south side of the St. Joe River within the town of St. Maries, ID, from 01 Jul 16 through 01 Oct 16. Site activities include dredging, backfilling, and water quality monitoring. Operations are expected to occur 24 hours a day Monday through Saturday. The work area is located at approximate position 47-19-19.420N 116-34-46.550W. Three construction barges may be positioned near the dredging area, and monitoring buoys will be deployed during the construction period. Warning buoys, lights, and day shapes will be displayed. Mariners are requested to use caution and reduce wake when transiting the area. For additional information, contact Arcadis at 720-339-6657 or 408-772-5714.

LNM: 24/16

COLUMBIA RIVER PACIFIC OCEAN TO HARRINGTON POINT; ILWACO HARBOR – Baker Bay West Channel shoaling

Extensive shoaling has been reported on the northern edge of Baker Bay West Channel, northwest of Baker Bay West Channel Light 11 (LLNR 14455). Mariners should exercise caution when transiting this waterway. Mariners unfamiliar with the area should transit with extreme caution and not rely solely on aids to navigation while in the channel. For additional information contact Mr. Jarod Norton at 503-808-4348.

Chart 18521

LNM: 02/16

WASHINGTON – GRAYS HARBOR – Hazard to navigation (Revised from LNM 07/16)

A 20 foot by 20 foot section of dock has sunk in the Hoquiam River in approximate position 46-58-41.035N 123-52-56.606W causing a hazard to navigation. The hazard is marked by a white can buoy with orange bands. Vessels are advised to use extreme caution while transiting the area, especially at low tide. For additional information mariners are advised to contact U. S. Coast Guard Sector Columbia River at 503-861-6211.

Chart 18502

LNM: 21/16

WASHINGTON – GRAYS HARBOR – Hazard to navigation

The U.S. Coast Guard has designated a previously unknown wreck at approximate position 46-58-03.660N 123-52-26.520W as a hazard to navigation. The vessel is 27' in length. It is above authorized depth and will further reduce the Federal Project Depth if it remains present for the eventual deepening of the channel. The vessel is located in an area of known shoaling and would cause difficulty for vessel dredging in the area. This wreck has been charted.

Chart 18502

LNM: 25/16

WASHINGTON – ABERDEEN AND WESTHAVEN – Embedded log

A dead head log that has become embedded at an angle in the harbor bottom has been located in the vicinity of the Elliot Slough turning basin at approximate position 46-58-31.447N, 123-46-54.255W. The object is submerged at high water. All mariners use caution when transiting the area. For additional information contact Mr. Craig Morton at (206) 764-3429 or email Craig.D.Morton@usace.army.mil.

Chart 18502

LNM: 10/16

WASHINGTON – COLUMBIA RIVER TO DESTRUCTION ISLAND – Subsurface moorings

NOAA has deployed subsurface acoustic recorder moorings for research at the locations listed in Enclosure (4) of LNM 07/16. The moorings are on station and will begin to be retrieved in July 2016. They are set at various depths up to 500 meters and as shallow as 40 meters. NOAA is requesting that mariners maintain a distance of 500 yards from the positions noted. For additional information contact Dr. M. Bradley Hanson at (206) 860-3220 or email brad.hanson@noaa.gov.

Charts: 18480 18500

LNM: 07/16

WASHINGTON – STRAIT OF JUAN DE FUCA AND NORTHERN PUGET SOUND – Subsea oceanographic equipment deployment

NOAA/National Ocean Service/Center for Operational Oceanographic Products and Services has deployed oceanographic instrumentation in trawl-resistant bottom mounts (TRBM, m-TRBM, ES-2) or subsurface taut-line moorings (SUBS, DWM) within the Strait of Juan de Fuca and Puget Sound, WA, in the positions listed in Enclosure (4) of LNM 22/16. The equipment will remain in place until at least 26 Aug 16. The stations should not have any presence on the surface. The SUBS extend up to 38 meters above the seafloor. This equipment will be used for a current circulation study to improve current predictions, and may help save lives and property. The SUBS and deep water moorings are NOT TRAWL RESISTANT and may

WASHINGTON – STRAIT OF JUAN DE FUCA AND NORTHERN PUGET SOUND – Subsea oceanographic equipment deployment

cause damage to fishing gear. If brought to the surface, please notify NOAA by calling 1-800-FOR-NOAA (367-6622). For additional information, contact Ms. Crescent Moegling at 206-526-6840, 206-707-5409 or email crescent.moegling@noaa.gov.

Charts: 18440 18460 18465

LNM: 19/16

WASHINGTON - STRAIT OF JUAN DE FUCA – EASTERN PART - Temporary Deployment of lighted research buoy with seafloor equipment

Oregon State University will deploy a temporary lighted research buoy at approximate position 48-13-45.840N, 123-25-33.240W, within the traffic separation zone as shown in Enclosure (4) of LNM 26/16. Along with the surface buoy there is a separate piece of equipment placed on the seafloor close to the buoy's mooring. All equipment is to be deployed on or about 16 Jun 16 and recovered on or about 15 Sep 16. The surface buoy will be yellow and marked with a flashing yellow light that flashes every four seconds (FL Y 4s). For more information contact Dr. Holger Klinck at 541-867-0182 or email Holger.Klinck@oregonstate.edu.

Chart 18465

LNM: 23/16

WASHINGTON – PUGET SOUND – PORT GAMBLE – Marine construction

Orion Marine Contractors, Inc. will conduct construction operations including: pile removal, installation of capping materials, demolition of structures, and dredging at the former mill site located at the northwest corner of Port Gamble entrance to the south end of Port Gamble Bay. Operations will be from 15 Jun 16 through January 2017. Loaded material barges will transit through the entrance to Port Gamble from work locations on both sides of the former mill site and to work locations at the south end of the bay. All vessels will be lighted in accordance with the navigation rules. Mariners are requested to slow through the work area and stay clear of construction vessels and equipment. The crane and tugs will monitor VHF-FM Ch. 05A and 13. For additional information please contact Mr. Justin Strong at (253) 552-1140 or email jstrong@orionmarinegroup.com.

Chart 18458

LNM: 24/16

WASHINGTON – PUGET SOUND – APPLE COVE TO POINT KEYPORT – Temporary lighted buoy deployed.

NOAA has deployed a temporary research lighted buoy southwest of Spring Beach at approximate position 47-43-21.108N, 122-24-10.854W. The buoy is grey, conical shaped and marked with a flashing yellow four seconds (FL Y 4s) light. This buoy is scheduled to be removed prior to 01 Oct 16. For more information contact Mr. Christian Meinig at (206) 526-6149 or by e-mail at Christian.Meinig@noaa.gov.

Chart 18446

LNM: 14/16

WASHINGTON – TACOMA HARBOR – PUYALLUP RIVER - Tacoma/Fife- I-5 Bridge Construction

Hamilton Construction Company is constructing the new I-5 bridge north of the existing northbound bridge over the Puyallup River. Operating hours are from 0700 to 1800, Monday through Saturday, subject to change. Two work trestles have been constructed in the river. One work trestle has been constructed along and parallel to the north bank and one along and parallel to the south bank with an 80' wide navigable channel between the 12" yellow floating booms that are anchored around the trestles at approximate position 47-14-25.700N 122-23-58.000W. The work trestle structures will remain in place until November 2017. No barges will be used on the project. There will be three yellow floating water quality monitoring stations anchored in the river that are marked with amber flashing lights. The stations' positions will move as the work progresses. There will be one station secured upriver, one downriver and one adjacent to the work area as shown in enclosure (6) of LNM 25/15. The monitoring stations are tethered to mooring buoys. Mariners are requested to not transit between the mooring buoys and the monitoring stations, remain in the 80' navigation channel, and reduce wake when transiting the area. For additional information contact Mr. Jeff Phillips at (541) 953-9179.

Chart 18453

LNM: 45/15

WASHINGTON – PUGET SOUND – NORTHERN PART – EVERETT HARBOR - Beach restoration (Revised from LNM 20/16)

Redside Construction will conduct a marine construction operation at Howarth Park, southwest of the Port of Everett. A spud barge, a deck barge and an equipment barge will place sediment for a beach restoration project. Tugs Fury and Mary Margaret will be on site and will monitor VHF-FM Ch. 05A and 13. All vessels will be lighted in accordance with the Navigation Rules. Barges and equipment will be shifted between the project site and the load out site on the Snohomish River upstream of the I-5 Highway Bridges (LLNR 18594.2). Operations will be conducted at varying times of day based on tides seven days a week from June through September 2016. Mariners are requested to transit the area with caution and reduce wake. For additional information, including details of the construction location, contact Mr. David Berry at 206-940-2529 or David@Redside.biz or Mr. Sam Berry at 206-940-0564 or Sam@Redside.biz.

Chart 18433

LNM: 21/16

WASHINGTON – APPROACHES TO ADMIRALTY INLET DUNGENESS TO OAK BAY - Pacific Northwest National Laboratory Sequim Bay Research Project (Revised from LNM 24/16)

The Pacific Northwest National Laboratory (PNNL) will conduct a research project in Sequim Bay, Washington, in four separate locations starting in July 2016 and ending in September 2016, as shown in Enclosure (4) of LNM 28/16. Below is a description of each site:

An Acoustic Doppler Current Profiler (ADCP) is to be deployed in approximate position 48-04-44.637N, 123-02-36.747W on the seafloor. This object has an eight inch diameter and is eight inches tall. The ADCP is battery powered. One orange and white surface warning buoy will be placed 10 yards north of the subsurface equipment to mark the location. Deployment is 10 Jul 16 to 01 Sep 16.

A Biosonic Transducer will be deployed in approximate position 48-04-46.092N, 123-02-38.076W on the seafloor. This object is a 58 inch square and 21 inches tall. The Biosonic Transducer is powered by a seafloor cable that will come ashore at the PNNL dock, which is WSW of the transducer at 100 yards. One orange and white surface warning buoy will be placed 10 yards north of the subsurface equipment to mark the location. Deployment is 10 Jul 16 to 01 Sep 16.

**WASHINGTON – APPROACHES TO ADMIRALTY INLET DUNGENESS TO OAK BAY - Pacific Northwest National Laboratory
Sequim Bay Research Project (Revised from LNM 24/16)**

Mooring 1 (subsurface) is equipment that will be moored in the water column in approximate position 48-04-46.308N, 123-02-38.220W. Two yellow surface buoys will be placed 10 yards north and south of the subsurface equipment to mark the location. Deployment is 17 Jul 16 to 08 Aug 16.

Mooring 2 (subsurface) is equipment that will be moored in the water column in approximate position 48-04-51.145N, 123-01-40.827W. Two yellow surface buoys will be placed 10 yards east and west of the subsurface equipment to mark the location. Deployment is 17 Jul 16 to 08 Aug 16.

Subsurface equipment will extend approximately 16.5 ft above the bottom, leaving approximately 10-15 feet of water above the submerged float. Mariners are advised not to pass between the two yellow surface buoys marking the subsurface Mooring 1 or Mooring 2. Mariners are also requested to not anchor or drag the bottom within 100 yards of the ADCP or Biosonic seafloor equipment positions.

The research vessel Strait Science may at times be tending to the above listed equipment and can be hailed on VHF-FM Ch 16. For additional information contact PNNL Marine Sciences Laboratory, Ms. Susan Southard at 360-681-3615 (office) or 360-460-1999 (cell) or email sue.southard@pnnl.gov.

Chart 18471

LNM: 25/16

**WASHINGTON – STRAIT OF JUAN DE FUCA TO STRAIT OF GEORGIA – FRIDAY HARBOR – Scientific Seafloor Equipment
Deployment**

Cornell University has deployed scientific seafloor equipment near the University of Washington Friday Harbor Labs dock. The equipment consists of four hydrophone mounts that extend four feet above the seafloor with a series of cables connecting them to a shore side facility. All associated equipment is scheduled to be removed by 15 Feb 18. Details of locations for the equipment and cables are shown in enclosure (4) of LNM 45/14. Mariners are advised to avoid dragging or deploying gear near these locations. For additional information, contact Mr. Charles H. Greene at (607) 275-1662 or email chg2@cornell.edu.

Chart 18434

LNM: 38/14

**STRAIT OF JUAN DE FUCA TO STRAIT OF GEORGIA – BOUNDARY PASS AND HARO STRAIT - Placement of underwater
equipment**

Subsurface research buoys have been placed in Boundary Pass and Haro Strait at approximate positions 48-41-07.32N 123-16-26.10W and 48-30-23.68N 123-12-37.92W. The buoys are set to float approximately eight meters above the seabed. Additional subsea research buoys are located in Canadian waters. For additional information contact Mr. Marc LeBlanc at (250) 363-2034.

Chart 18421

LNM: 08/16

SECTION VIII - LIGHT LIST CORRECTIONS

An Asterisk *, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
15205	WILLAPA BAY ENTRANCE LIGHT 11	46-43-06.660N 124-02-14.580W	FI G 6s	15	4	SG on multi-pile structure.	31/16
19545	Richardson Daybeacon	48-26-47.002N 122-54-36.744W			*	NR on platform.	31/16

ENCLOSURES

Enclosure 1

OREGON - WASHINGTON - IDAHO - MONTANA - Summary of Bridge Lighting Discrepancies and Corrections

LNM: 31/16

Enclosure 2

OREGON - WASHINGTON - COLUMBIA RIVER - Summary of Dredging Operations

LNM: 31/16

Enclosure 3

OREGON - WASHINGTON - COLUMBIA RIVER - Summary of Marine Events

LNM: 31/16

Enclosure 4

Undersea cable route survey diagram

LNM: 28/16

Enclosure 5

Lake Washington diagrams and SR-520 navigation during Seafair

LNM: 31/16

Enclosure 6

Safety and Security Zones

LNM: 31/16

Enclosure 7

Seafair regulatory information

LNM: 31/16

If you have any questions, comments, or need additional information concerning this or other LNMs (e.g. additions, deletions, corrections) contact the address or phone number on the front page.

CDR Michele L. Schallip
Chief, Waterways Management Branch
Thirteenth Coast Guard District

BRIDGE LIGHTING DISCREPANCIES AND CORRECTIONS

Enclosure (1)

BRIDGE DISCREPANCIES						
Waterway	Light List	Bridge Name	Location	Status	Date Reported	BNM
OREGON COAST						
Isthmus Slough	9089	Coos City Highway Bridge	Coos City, OR	Down river center channel green light is extinguished	6/6/2016	No BNM
COLUMBIA RIVER						
Columbia River	11933	Hood River Bridge	Hood River, OR	Draw span damaged, unable to open ETR unknown	10/21/2015	0909-15
Cathlamet Channel	10545	Puget Island Bridge	Cathlamet, WA	East red pier light extinguished	6/23/2016	0560-16
Columbia River	13103	Olds Station Bridge (US-97)	East Wenatchee, WA	Up river green center channel light reduced intensity	6/28/2016	0564-16
Clatskanie River	10561	P&W Railroad Bridge	Clatskanie, OR	Clearance gauge broken	6/28/2016	0562-16
Lake Celilo	12333	Biggs-Maryhill HWY Bridge	Biggs, OR; Maryhill, WA	Down river red pier light extinguished	7/10/2016	0586-16
Columbia River	11392	I-205 Bridge (main channel)	Gresham, OR	Up river red pier light extinguished	7/16/2016	0607-16
Columbia River	11801	Bridge of the Gods	Cascade Locks, OR	Upriver, north red pier light extinguished	7/22/2016	0629-16
SNAKE RIVER						
Snake River	13113	SR-12 Highway Bridge	Burbank, WA	Down river green center channel extinguished.	6/24/2016	No BNM
WILLAMETTE RIVER						
Willamette River	15159	Lyon Street Bridge	Albany, OR	Multiple lights extinguished	6/4/2016	0487-16
Willamette River	14955.1	Fremote Bridge	Portland, OR	* Up river green center channel light reduced intensity	7/2/2016	0577-16
Willamette River	14959.5	Marquam Bridge	Portland, OR	Multiple lights extinguished	7/2/2016	0578-16
Willamette River	14959.6	Tillicum Highway Bridge	Portland, OR	West red pier light extinguished	7/19/2016	0618-16
Willamette River	14924	Saint Johns Bridge	Portland, OR	Multiple red margin lights extinguished	7/18/2016	0615-16
Willamette River	15028	Lake Oswego Railroad Bridge	Lake Oswego, OR	Multiple red pier lights showing improper characteristics	7/25/2016	0633-16
Willamette River	15078	I-205 Highway Bridge	Oregon City, OR	Down river, east side red pier light extinguished	7/24/2016	0632-16
Willamette River	14995	Sellwood Bridge	Portland, OR	Upriver red margin lights extinguished	7/31/2016	0662-16
WASHINGTON COAST						
None						
PUGET SOUND						
None						
IDAHO						
Pend Oreille River	20075	Merritt Brothers Highway Bridge	Priest River, ID	All lights extinguished	5/21/2016	No BNM
* Updated report						

BRIDGE LIGHTING DISCREPANCIES AND CORRECTIONS

Enclosure (1)

BRIDGE LIGHTING CORRECTIONS						
Waterway	Light List #	Bridge Name	Location	Status	Date Reported	BNM
OREGON COAST						
None						
COLUMBIA RIVER						
Lake Wallua	13027	Kalan Railroad Bridge	Burbank, WA	All lights watching properly	7/29/2016	No BNM
SNAKE RIVER						
None						
WILLAMETTE RIVER						
None						
WASHINGTON COAST						
None						
PUGET SOUND						
Lake Washington	18340	Evergreen Point Bridge (SR-520)	Seattle, WA	All lights watching properly	7/28/2016	No BNM
IDAHO						
None						

Dredging operations are scheduled or in progress at the following locations:

Start Date	End Date	Times	Location	Dredge Vessel	Assist Vessel	Channels Monitored	Disposal Area	LNM
18-Jul-16	11-Oct-16	24 Hrs, Mon-Sat	Coos Bay: (RM 11+00 to 12+32)	M/V DB Oakland	M/V Koos King & M/V Captain Louie	VHF-FM 13, 16 & 66	ODMDS H, OS Site F	29/16
30-Jul-16	15-Aug-16	24 Hrs, 7 Days	Coos Bay: Charleston Marina (RM 00+40)	M/V Heidi Renee	M/V Norton Bay, M/V Sand Island	VHF-FM 13 & 16	ODMDS H	30/16
25-Jul-16	26-Sep-16	24 Hrs, 7 Days	Columbia River: Columbia River Entrance (RM -2-10 to +2+30)	M/V Bayport	M/V John M M/V Osprey	VHF-FM 13 & 16	N. Jetty Site, DWS & SWS	31/16
26-Jul-16	10-Aug-16	24 Hrs, 7 Days	Columbia River; Columbia River Entrance (RM -2-10 to 3+00+00) Quads 2 and 4	M/V Essayons	None	VHF-FM 13 & 16	Ocean - Deep Water Site	31/16
26-Jul-16	10-Aug-16	24 Hrs, 7 Days	Columbia River Tongue Point Crossing (RM 18+20 to 21+10) (Foul-weather back-up for MCR)	M/V Essayons	None	VHF-FM 13 & 16	RM 18 - 21	31/16
28-Jul-16	15-Aug-16	24 Hrs, 7 Days	Columbia River: Cottonwood Island Lower (RM 67+15 to 68+15)	M/V Oregon	M/V Clackamas M/V Ivanoff M/V WL Williams	VHF-FM 13, 16 & 66	TBD	30/16
2-Aug-16	5-Aug-16	24 Hrs, 7 Days	Columbia River: Lower & Upper Martin (RM 79+10 to 81+00)	M/V Yaquina	None	VHF-FM 13 & 16	RM 80	31/16
6-Aug-16	9-Aug-16	24 Hrs, 7 Days	Columbia River: Upper Martin (RM 81+40 to 83+40)	M/V Yaquina	None	VHF-FM 13 & 16	RM 81 - 83	31/16
10-Aug-16	12-Aug-16	24 Hrs, 7 Days	Columbia River: Willow/Morgan Bar (RM 96+00 to 97+40)	M/V Yaquina	None	VHF-FM 13 & 16	RM 97	31/16
10-Aug-16	12-Aug-16	24 Hrs, 7 Days	Columbia River: Willow Bar (RM 93+50 to 96+00)	M/V Yaquina	None	VHF-FM 13 & 16	RM 94 - 95	31/16
10-Aug-16	12-Aug-16	24 Hrs, 7 Days	Columbia River: Henrici Bar (RM 90+20 to 93+50)	M/V Yaquina	None	VHF-FM 13 & 16	RM 91 - 95	31/16
10-Aug-16	12-Aug-16	24 Hrs, 7 Days	Columbia River: St. Helens Bar (RM 85+25 to 86+35)	M/V Yaquina	None	VHF-FM 13 & 16	RM 84 - 85	31/16
5-Aug-16	15-Sep-16	24 Hrs, 7 Days	Baker Bay West Channel, RM 00+19 to 01+47	M/V Heidi Renee	M/V Norton Bay, M/V Sand Island	VHF-FM 13 & 16	O-3.2-IW	30/16

Mariners are advised that the start and ending dates for dredging activities may vary due to unforeseen on-site conditions, gill net fishing and weather and other factors.

The US Army Corps of Engineer dredges request mariners transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed after passing arrangements have been made. Vessel (s) and/or equipment may encroach into the channel.

MARINE EVENTS

Enclosure (3)

SECTOR COLUMBIA RIVER MARINE EVENTS

6-Aug-16	1100-2000	OCSA Sailboat Races	Columbia River between Kelley Point and St. Helens
9-Aug-16	1830-sunset	OCSA Sailboat Races	Columbia River between I-5 and I-205 Bridges
10-Aug-16	1100-1700	Columbia Gorge Racing Association	Columbia River between Cascade Locks, OR and Home Valley, WA
11-Aug-16	1100-1700	Columbia Gorge Racing Association	Columbia River between Cascade Locks, OR and Home Valley, WA
11-Aug-16	1830-sunset	OCSA Sailboat Races	Columbia River between I-5 and I-205 Bridges
12-Aug-16	1100-1700	Columbia Gorge Racing Association	Columbia River between Cascade Locks, OR and Home Valley, WA
13-Aug-16	1100-1300	Swim the Snake-Safety Zone	Snake River, Lyons Ferry State Park, WA
13-Aug-16	1100-1700	Columbia Gorge Racing Association	Columbia River between Cascade Locks, OR and Home Valley, WA
13-Aug-16	1730-1900	Astoria Regatta High Water Boat Parade	Columbia River, Astoria, OR
13-Aug-16	2200-2230	Astoria Regatta Fireworks-Safety Zone	East Basin Moorage, Columbia River, Astoria, OR
14-Aug-16	1100-1700	Columbia Gorge Racing Association	Columbia River between Cascade Locks, OR and Home Valley, WA
16-Aug-16	1830-sunset	OCSA Sailboat Races	Columbia River between I-5 and I-205 Bridges
18-Aug-16	1830-sunset	OCSA Sailboat Races	Columbia River between I-5 and I-205 Bridges
20-Aug-16	1600-sunset	OCSA Sailboat Races	Columbia River between I-5 and I-205 Bridges
23-Aug-16	1830-sunset	OCSA Sailboat Races	Columbia River between I-5 and I-205 Bridges
25-Aug-16	1830-sunset	OCSA Sailboat Races	Columbia River between I-5 and I-205 Bridges
27-Aug-16	1115-1800	OCSA Sailboat Races	Columbia River between Kelley Point and St. Helens
28-Aug-16	1115-1800	OCSA Sailboat Races	Columbia River between Kelley Point and St. Helens


SECTOR PUGET SOUND MARINE EVENTS

EVENT DATE	TIME	EVENT NAME	EVENT LOCATION
2-Aug	1800-2200	Duck Dodge Seattle	Duck Dodge
3-Aug-16	1900-2100	Windseeker	Corinthian Yacht Club of Tacoma
4-Aug-16	1700-2000	Sound Evening Series- Thursday Night	Corinthian Yacht Club of Seattle
4-Aug-16	1830-2030	Downtown Sailing Series	Elliott Bay Marina
5-Aug-16	0730-1800	SeaFair Weekend: Hydroplane Race and Airshow	Seafair
6-Aug-16	1100-1900	Shaw Island Classic	San Juan Island Yacht Club
6-Aug-16	1100-1900	Shaw Island Classic	San Juan Island Yacht Club
6-Aug-16	0700-2100	STYC Down the Sound	Sloop Tavern Yacht Club
6-Aug-16	0730-1800	SeaFair Weekend: Hydroplane Race and Airshow	Seafair

MARINE EVENTS

Enclosure (3)

7-Aug-16	0700-2100	STYC Down the Sound	Sloop Tavern Yacht Club
9-Aug-16	1800-2200	Duck Dodge Seattle	Duck Dodge
10-Aug-16	1900-2100	Windseeker	Corinthian Yacht Club of Tacoma
11-Aug-16	1700-2000	Sound Evening Series- Thursday Night	Corinthian Yacht Club of Seattle
11-Aug-16	1830-2030	Downtown Sailing Series	Elliott Bay Marina
13-Aug-16	2200-2300	Medina Days	City of Medina
13-Aug-16	0800-1400	Bellingham Classic	Bellingham Bay Outrigger Paddlers
13-Aug-16	0900-1900	Oak Harbor Hydroplane Race	Oak Harbor Rotary Club
14-Aug-16	0900-1900	Oak Harbor Hydroplane Race	Oak Harbor Rotary Club
16-Aug-16	1800-2200	Duck Dodge Seattle	Duck Dodge
17-Aug-16	1900-2100	Windseeker	Corinthian Yacht Club of Tacoma
17-Aug-16	0630-1030	Bloodworks Northwest Swim for Life	Bloodworks Northwest
18-Aug-16	1700-2000	Sound Evening Series- Thursday Night	Corinthian Yacht Club of Seattle
19-Aug-16	1830-2400	Northern Century	Anacortes Yacht Club
20-Aug-16	1100-2000	Northwest Jr. Olympics Sailing Regatta	Seattle Yacht Club
20-Aug-16	1100-2000	Northwest Jr. Olympics Sailing Regatta	Seattle Yacht Club
20-Aug-16	0000-2400	Northern Century	Anacortes Yacht Club
20-Aug-16	1100-1400	Sound Rowers 'round Shaw Race	Sound Rowers
20-Aug-16	1000-2105	Vashon Challenge	CYC of Tacoma
21-Aug-16	0000-1600	Northern Century	Anacortes Yacht Club
21-Aug-16	0500-1000	Ironman Coeur d'Alene	World Triathlon Corporation
22-Aug-16	0800-1400	Swim to Live	Swim to Live
23-Aug-16	1800-2200	Duck Dodge Seattle	Duck Dodge
24-Aug-16	1900-2100	Windseeker	Corinthian Yacht Club of Tacoma
25-Aug-16	1700-2000	Sound Evening Series- Thursday Night	Corinthian Yacht Club of Seattle
27-Aug-16	0930-1300	Sound Rowers The Great Cross Sound Race	Sound Rowers
30-Aug-16	1800-2200	Duck Dodge Seattle	Duck Dodge




Enclosure (4)

Pacific City,
Oregon

Survey Route

US EEZ

SR520 construction mooring buoys as of 06Jul16



SR 520 Bridge Replacement and HOV Program





I-5 to Medina: Bridge Replacement and HOV Project

Navigation changes on Lake Washington at SR 520

March 2016


UPDATE: West navigation channel shifted east to new, permanent location on Monday, March 28



On Monday, March 28, the west navigation channel will be shifted east to its new, permanent location.

Drawspan blocked as of Feb. 17, 2015.

East navigation channel remains open.





SR 520 Bridge Replacement and HOV Program

I-5 to Medina: Bridge Replacement and HOV Project



Lake Washington East Navigation Channel

February 2015



Note: This map not intended for navigational use

SR 520 Bridge Replacement and HOV Program




I-5 to Medina: Bridge Replacement and HOV Project

Navigation changes on Lake Washington at SR 520 during Seafair

August 2016

UPDATE: East navigation channel open at full 70' height

A West navigation channel



The west navigation channel is open at its full height of 43 feet.

B Drawspan blocked




Drawspan blocked as of Feb. 17, 2015.

C East navigation channel



The east navigation channel is open at its full height of 70 feet. Please note the channel is decreased to 155 feet wide during Seafair weekend.



SAFETY AND SECURITY ZONES

Washington - Tank Ship Protection 33 CFR 165.1313

Do not approach within 100 yards of any Tank Ship. No vessel or person is allowed within 100 yards of a tank ship, unless authorized by the on-scene official patrol or tank ship master. If you need to pass within 100 yards of a Tank ship, in order to ensure a safe passage and in accordance with the Navigation Rules, you must contact the Tank Ship on VHF-FM channel 16. When within a tank ship security zone all vessels shall operate at the minimum speed necessary to maintain a safe course and shall proceed as directed by the on-scene official patrol or tank ship master.

Washington - Large Passenger Protection 33 CFR 165.1317

When within a large passenger vessel security and safety zone all vessels must operate at minimum speed necessary to maintain a safe course and must proceed as directed by the on-scene official patrol or large passenger vessel master. No vessel or person is allowed within 100 yards of a large passenger vessel that is underway or at anchor, unless authorized by the on-scene official patrol or large passenger vessel master. No vessel or person is allowed within 25 yards of a large passenger vessel that is moored.

Oregon - Large Passenger Protection 33 CFR 165.1318

When within a large passenger vessel security and safety zone all vessels must operate at minimum speed necessary to maintain a safe course and must proceed as directed by the on-scene official patrol or large passenger vessel master. No vessel or person is allowed within 100 yards of a large passenger vessel that is underway or at anchor, unless authorized by the on-scene official patrol or large passenger vessel master. No vessel or person is allowed within 25 yards of a large passenger vessel that is moored.

Washington – Protection of Military Cargo - Naval Vessel Protection Zone 33 CFR 165.1321

Do not approach within 100 yards of any U.S. Naval Vessel. Within 500 yards of operation of the U.S. Naval Vessel you must transit at minimum safe operating speed. If you need to pass within 100 yards of a U.S. Naval Vessel, in order to ensure a safe passage and in accordance with the Navigation Rules, you must contact the U.S. Naval Vessel of the Coast Guard escort vessel on VHF-FM channel 16. Vessels 20 meters or greater in length should seek permission from the COTP or a Designated Representative at least 4 hours in advance. Vessel less than 20 meters in length should seek permission at least 1 hour in advance. VTS Puget Sound may be reached on VHF-FM channel 14.

Washington - Elliot Bay – Cruise Ship Protection - Pier 91 33 CFR 165.1324

The Captain of the Port, Puget Sound has established the following areas as safety zones: All waters extending 1,000 yards due south from the end of Pier 91, to be in effect only during the arrival or departure of Large Passenger Cruise Vessels at Pier 91, Seattle, Washington. Additionally, a safety zone encompassing all waters within 100 yards surrounding Pier 91, Seattle, Washington is in effect when a Large Passenger Cruise Vessel is moored at Pier 91. In accordance with the general regulations in 33 CFR Part 165, Subpart D, no person or vessel may enter or remain in this security and safety zone, except for vessels authorized by the Captain of the Port or Designated Representatives.

Washington – Escorted U.S. Navy submarines in Sector Puget Sound COTP Zone 33 CFR 165.1327

The following area is a security zone: All waters within 1000 yards of any U.S. Navy submarine that is operating in the Sector Puget Sound Captain of the Port Zone, as defined in 33 CFR Section 3.65–10, and is being escorted by the Coast Guard. In accordance with the general regulations in 33 CFR Section 165, Subpart D, no person or vessel may enter or remain in the security zone created by paragraph (a) of this section unless authorized by the Coast Guard patrol commander. The Coast Guard patrol commander will coordinate with Vessel Traffic System users on a case-by-case basis to make appropriate passing arrangements under the circumstances. 33 CFR Section 165, Subpart D, contains additional provisions applicable to the security zone created in paragraph (a) of this section. The Coast Guard security escort will attempt, when necessary and practicable, to notify any persons or vessels inside or in the vicinity of the security zone created in this section of its existence via VHF Channel 16 and/or any other means reasonably available.

Washington – U.S. Navy submarines in Hood Canal RNA 33 CFR 165.1328

The following area is a regulated navigation area (RNA): All waters of the Hood Canal in the State of Washington whenever any U.S. Navy submarine is operating in the Hood Canal and is being escorted by the Coast Guard. For purposes of this section, "Hood Canal" means all waters of Hood Canal, including Dabob Bay, located between two lines with the first line connecting positions 47°37.9' N, 122°57.1' W and 47°37.9' N, 122°52.9' W and the second line connecting positions 48°00.7' N, 122°41.0' W and 47°56.4' N, 122°36.9' W. Regulations. All persons and vessels located within the RNA created by this section shall follow all lawful orders and/or directions given to them by Coast Guard security escort personnel. 33 CFR Section 165, Subpart B, contains additional provisions applicable to the RNA created in this section. The Coast Guard security escort will attempt, when necessary and practicable, to notify any persons or vessels in the RNA created in this section of its existence via VHF Channel 16 and/or any other means reasonably available.

Washington – Elliot Bay – Pier 36 Security Zone 33 CFR 165. 1334

The Coast Guard has established a security zone at U.S. Coast Guard (USCG) Base Support Unit Seattle, Pier 36, Elliot Bay, Seattle, WA. This permanent security zone is necessary to protect military and visiting foreign vessels, waterfront facilities, and the maritime public from destruction, loss, or injury from sabotage, subversive acts, or other malicious acts of a similar nature. Entry into or movement within this security zone is prohibited without the permission of the Captain of the Port or a Designated Representative. 165.1334 Security Zone; U.S. Coast Guard BSU Seattle, Pier 36, Elliot Bay, Seattle, WA. (a) Location: The following area is a security zone: all waters east of a line from 47-35.450°N 122-20.585°W to 47-35.409°N 122-20.585°W at Pier 36, Elliot Bay, Seattle, WA. (b) Regulations: In accordance with the general regulations in 33 CFR Part 165, Subpart D, no vessel may enter, transit, moor, or anchor within this security zone located at Pier 36, Elliot Bay, WA, except for vessels authorized by the Captain of the Port or Designated Representative. (c) Authorization: To request authorization to operate within this security zone, contact United States Coast Guard Sector Puget Sound Joint Harbor Operations Center at 206-217-6001.


2016 BOATER'S NOTICE

Logboom passes are not required on Thursday.

The Logboom is reserved for customers with passes from 6:00 a.m. Friday - 6:00 p.m. Sunday.

Should the Logboom become full, all vessels without a space on the Logboom must exit Zone 1 and Zone 2 no later than 11:30 a.m. on all days.

Logboom passes can be purchased in advance from Seafair at Seafair.com or call 206-728-0123 x114



Zone 1 HYDROPLANE RACE COURSE Restricted Area
 Closed daily, 8 a.m. until midnight. *see below

Zone 2 AIR SHOW Restricted Area
 Closed daily, 9 a.m. until completion of Blue Angels performance. *see below

	Zone 2 Restricted	Zone 2 Deadline	ALL ZONES CLOSED
Logboom passes are not required on Thursday	Zone 2 closed to the public	Boats must pass south of the I-90 bridge or north of Bailey Peninsula before the time slated below to gain access to the logboom	Boats must be tied to the logboom securely. NO boat movement allowed. Zone 2 will reopen upon completion of Blue Angels performance
Logboom pass is required Friday, Saturday, Sunday	Access allowed for vessels headed to the logboom		
Thursday, August 4	9:00 a.m. - 9:30 a.m.	9:30 a.m.	9:45 a.m. - 2:30 p.m.
Friday, August 5	9:00 a.m. - 11:30 a.m.	11:30 a.m.	12:00 p.m. - 2:30 p.m.
Saturday, August 6	9:00 a.m. - 11:30 a.m.	11:30 a.m.	12:00 p.m. - 2:30 p.m.
Sunday, August 7	9:00 a.m. - 11:30 a.m.	11:30 a.m.	12:00 p.m. - 2:30 p.m.

2016 SEAFAIR LOGBOOM

BOATERS NOTICE CONTINUED

During August 5 - 7, 2016 Lake Washington will play host to US Navy & Marine Corps Blue Angels, aerial performances and hydroplane races. Special restrictions and local regulations have been established in order to promote the safety of these events for both performers and spectators. These restrictions and local regulations will be enforced by federal, state, and local law enforcement agencies. Failure to comply with these provisions may result in expulsion from the regulated areas, citation for failure to comply, or both. The logboom is reserved for paying customers from 6:00 a.m. Friday, August 5, 2016 through 6:00 p.m. Sunday, August 7, 2016.

SPECIAL LOCAL REGULATIONS

These rules are in effect during Seafair, and apply to Logboom vessels in Zone 1 and all vessels in Zone 2:

- Boaters proceeding to the Logboom in Zone 1 or to any area in Zone 2 shall do so only at no wake speed
- Any person swimming or otherwise entering the water in Zone 1 shall remain within 10 feet of the Logboom
- No swimming is allowed on the racecourse side of the Logboom when hydroplane boats are on the race course
- Any person swimming or otherwise entering the water in Zone 2 shall remain within 10 feet of their vessel
- Vessels on the Logboom in Zone 1 may group or raft up to 3 vessels total per Logboom mooring
- Vessels in Zone 2 may group or raft up to 6 vessels
- Only vessels authorized by the Coast Guard Patrol Commander are authorized to tow other vessels including inflatable and other non machinery powered watercraft
- In order to maintain an expeditious evacuation route for official vessels, non official vessels shall avoid transiting the Medical Access area. Vessels desiring to transit the Medical Access area shall only do so at right angles, and only when the Medical Access area is not being used for official purposes

RECREATIONAL BOATING SAFETY

- Children 12 years and younger are required to wear U.S. Coast Guard approved life jackets on vessels shorter than 19 feet whenever the vessel is underway, and on larger vessels when on an open deck or open cockpit and underway.
- When not required to be worn, PFDs must be readily accessible for every person aboard.
- Don't Drink and Drive. The maximum allowable Blood Alcohol Content is less than .08%. Where no capable operator is found aboard a vessel subject to a Boating While Intoxicated citation, the operator and passengers will be removed from the vessel and the vessel will be impounded.



Performance Schedule	12 p.m.	1:30 p.m.	2:30 p.m.	6:00 p.m.
Thursday 8/4	Blue Angels Practice begins 10 a.m.	Blue Angels Practice	Race Course Closed	
Friday 8/5 Logboom Pass Required	Seafair Air Show	Blue Angels Performance	Unlimited Hydroplane Qualifying	Race Course Closed
Saturday 8/6 Logboom Pass Required	Seafair Air Show	Blue Angels Performance	Hydroplane Racing and Air Show	Race Course Closed
Sunday 8/7 Logboom Pass Required	Seafair Air Show	Blue Angels Performance	Hydroplane Racing and Air Show	Race Course Closed

Dated: July 11, 2016.

M.W. Raymond,

Captain, U.S. Coast Guard, Captain of the Port, Puget Sound.

[FR Doc. 2016-16871 Filed 7-15-16; 8:45 am]

BILLING CODE 9110-04-P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 165

[Docket No. USCG-2011-0451]

Safety Zone, Seafair Air Show Performance, 2016, Seattle, WA

AGENCY: Coast Guard, DHS.

ACTION: Notice of enforcement of regulation.

SUMMARY: The Coast Guard will enforce the annual Seafair Air Show Performance safety zone on Lake Washington, Seattle, WA daily, from 8 a.m. until 4 p.m., from August 4, 2016, through August 7, 2016. This action is necessary to ensure the safety of the public from inherent dangers associated with these annual aerial displays. During the enforcement period, no person or vessel may enter or transit this safety zone unless authorized by the Captain of the Port or his designated representative.

DATES: The regulations in 33 CFR 165.1319 will be enforced daily, from 8 a.m. until 4 p.m., from August 4, 2016, through August 7, 2016.

FOR FURTHER INFORMATION CONTACT: If you have questions on this notice of enforcement, call or email LT Kate Haseley, Sector Puget Sound Waterways Management Division, Coast Guard; telephone (206) 217-6051, email SectorPugetSoundWWM@uscg.mil.

SUPPLEMENTARY INFORMATION: The Coast Guard will enforce the Seafair Air Show Performance safety zone in 33 CFR 165.1319 daily, from 8 a.m. until 4 p.m., from August 4, 2016, through August 7, 2016 unless canceled sooner by the Captain of the Port.

Under the provisions of 33 CFR 165.1319, the following area is designated as a safety zone: All waters of Lake Washington, Washington State, south of the Interstate 90 bridge, west of Mercer Island, and north of Seward Park. The specific boundaries of the safety zone are listed in 33 CFR 165.1319(b).

In accordance with the general regulations in 33 CFR part 165, subpart C, no person or vessel may enter or remain in the zone except for support

vessels and support personnel, vessels registered with the event organizer, or other vessels authorized by the Captain of the Port or Designated Representatives. Vessels and persons granted authorization to enter the safety zone must obey all lawful orders or directions made by the Captain of the Port or his designated representative.

The Captain of the Port may be assisted by other federal, state and local law enforcement agencies in enforcing this regulation.

This document is issued under authority of 33 CFR 165.1319 and 5 U.S.C. 552(a). In addition to this notice of enforcement in the **Federal Register**, the Coast Guard will provide the maritime community with advanced notification of the safety zone via the Local Notice to Mariners and marine information broadcasts on the day of the event. If the COTP determines that the safety zone need not be enforced for the full duration stated in this notice of enforcement, he may use a Broadcast Notice to Mariners to grant general permission to enter the regulated area.

Dated: July 11, 2016.

M.W. Raymond,

Captain, U.S. Coast Guard, Captain of the Port, Puget Sound.

[FR Doc. 2016-16870 Filed 7-15-16; 8:45 am]

BILLING CODE 9110-04-P

DEPARTMENT OF VETERANS AFFAIRS

38 CFR Part 17

RIN 2900-AP42

Prescriptions in Alaska and U.S. Territories and Possessions

AGENCY: Department of Veterans Affairs.

ACTION: Final rule.

SUMMARY: The Department of Veterans Affairs (VA) is removing its medical regulation that governs medications provided in Alaska and territories and possessions of the United States because this regulation is otherwise subsumed by another VA medical regulation related to provision of medications that are prescribed by non-VA providers.

DATES: This final rule is effective August 17, 2016.

FOR FURTHER INFORMATION CONTACT: Kristin J. Cunningham, Director, Business Policy, Chief Business Office (10D), Veterans Health Administration, Department of Veterans Affairs, 810 Vermont Ave. NW., Washington, DC 20420; (202) 382-2508. (This is not a toll-free number.)

SUPPLEMENTARY INFORMATION: In a document published in the **Federal Register** on February 8, 2016 (81 FR 6479), VA proposed to amend part 17 of 38 CFR by amending the regulations that govern medication provided in Alaska and territories and possessions of the United States. We provided a 60-day comment period, which ended on April 8, 2016. We received no comments on the proposed rule. Under section 1712(d) of title 38 United States Code (U.S.C.), VA must furnish medications to veterans who receive increased compensation or pension benefits by reason of being permanently housebound or in need of regular aid and attendance, if such medications are prescribed for the treatment of any injury or illness suffered by such veteran. VA originally promulgated two regulations on October 4, 1967, to implement section 1712(d), in title 38 Code of Federal Regulations (CFR) 17.60d and 17.60e. See 32 FR 13816. Section 1712(d) does not require these certain veterans to be receiving VA hospital care or medical services as a condition of receiving medications from VA and § 17.60d provided that VA pharmacies would fill prescriptions for these veterans when they were receiving care from a non-VA provider to treat any of the veteran's illnesses or injuries. See 32 FR 13816 (October 4, 1967). Section 17.60e, in turn, addressed geographic areas that, at the time, did not have VA pharmacies—§ 17.60e provided that in those areas without VA pharmacies, VA may reimburse the cost of prescriptions that otherwise would have been filled under § 17.60d. See 32 CFR 13816 (October 4, 1967).

Sections 17.60d and 17.60e were renumbered as §§ 17.96 and 17.97, respectively, and relate to the same cohort of veterans for whom VA is authorized to provide prescription medication under section 1712(d). Because the same cohort of veterans is at issue in §§ 17.96 and 17.97, and because § 17.96 already provides for the filling of prescriptions in non-VA pharmacies, a separate § 17.97 to address prescriptions in non-VA pharmacies (pharmacies in areas without VA pharmacies) is no longer necessary. We are, therefore, removing § 17.97 and marking it as reserved for future use, and are also revising § 17.96 to clarify that any non-VA pharmacy under contract with VA may be used, not just those non-VA pharmacies in a state home under contract with VA for filling prescriptions for patients in state homes.

We are making one edit to the proposed revision of the introductory paragraph in § 17.96 for grammatical