



U.S. Department
of Homeland Security
**United States
Coast Guard**

LOCAL NOTICE TO MARINERS

District: 13

Week: 36/12

ISSUED BY: COMMANDER, THIRTEENTH COAST GUARD DISTRICT (dpw)
915 Second Avenue, 35th Floor, Rm 3510, Seattle, Washington 98174-1067
Telephone: (206) 220-7280 or 7285 FAX: (206) 220-7265
Email: D13-PF-LNM@uscg.mil
<http://www.navcen.uscg.gov/?pageName=lnmDistrict®ion=13>

LIGHT LIST REFERENCE: COMDTPUB P16502.6, Light List Volume VI, 2012 Edition

UNITED STATES COAST GUARD NAVIGATION INFORMATION SERVICE (NIS)

The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information for GPS and DGPS. The NIS also disseminates Safety Broadcasts / Broadcast Notice to Mariners (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). NANU notices can also be obtained via e-mail subscription through the USCG Navigation Center website:

<http://www.navcen.uscg.gov/?pageName=GPS>.

In addition, the NIS investigates all reports of degradation or loss of GPS or DGPS service. Mariners are encouraged to report all degradation of radio navigation services to the NIS via any of the following: Phone: 703-313-5900, Email: webmaster@navcen.uscg.mil, or on the World Wide Web: <http://www.navcen.uscg.gov>.

BROADCAST NOTICE TO MARINERS

This section contains a range of all the significant Broadcast Notice to Mariners (BNM's) on the date of this edition.

Originating Unit	Beginning BNM	Ending BNM
CGD THIRTEEN	D13-0979-12	D13-1005-12

ABBREVIATIONS

A through H

ADRIFT - Buoy Adrift
AICW - Atlantic Intracoastal Waterway
AI - Alternating
B - Buoy
BKW - Breakwater
bl - Blast
BNM - Broadcast Notice to Mariner
bu - Blue
C - Canadian
CHAN - Channel
CGD - Coast Guard District
C/O - Cut Off
CONT - Contour
CRK - Creek
CONST - Construction
DBN/Dbn - Daybeacon
DBD/DAYBD - Dayboard
DEFAC - Defaced
DEST - Destroyed
DISCON - Discontinued
DMGD/DAMGD - Damaged
ec - eclipse
EST - Established Aid
ev - every
EVAL - Evaluation
EXT - Extinguished
F - Fixed
fl - flash
FI - Flashing

I through O

I - Interrupted
ICW - Intracoastal Waterway
IMCH - Improper Characteristic
INL - Inlet
INOP - Not Operating
INT - Intensity
ISL - Islet
Iso - Isophase
kHz - Kilohertz
LAT - Latitude
LB - Lighted Buoy
LBB - Lighted Bell Buoy
LHB - Lighted Horn Buoy
LGB - Lighted Gong Buoy
LONG - Longitude
LNM - Local Notice to Mariners
LT - Light
LT CONT - Light Continuous
LTR - Letter
LWB - Lighted Whistle Buoy
LWP - Left Watching Properly
MHz - Megahertz
MISS/MSNG - Missing
Mo - Morse Code
MSLD - Misleading
N/C - Not Charted
NGA - National Geospatial-Intelligence Agency
NO/NUM - Number
NOS - National Ocean Service

P through Z

PRIV - Private Aid
Q - Quick
R - Red
RACON - Radar Transponder Beacon
Ra ref - Radar reflector
RBN - Radio Beacon
REBUILT - Aid Rebuilt
RECOVERED - Aid Recovered
RED - Red Buoy
REFL - Reflective
RRL - Range Rear Light
RELIGHTED - Aid Relit
RELOC - Relocated
RESET ON STATION - Aid Reset on Station
RFL - Range Front Light
RIV - River
s - seconds
SEC - Section
SHL - Shoaling
si - silent
SIG - Signal
SND - Sound
SPM - Single Point Mooring Buoy
SS - Sound Signal
STA - Station
STRUCT - Structure
St M - Statute Mile
TEMP - Temporary Aid Change
TMK - Topmark

G - Green
GIWW - Gulf Intracoastal Waterway
HAZ - Hazard to Navigation
HBR - Harbor
HOR - Horizontal Clearance
HT - Height

NW - Notice Writer
OBSCU - Obscured
OBST - Obstruction
OBSTR - Obstruction
Oc - Occulting
ODAS - Anchored Oceanographic Data Buoy

TRLB - Temporarily Replaced by Lighted Buoy
TRLT - Temporarily Replaced by Light
TRUB - Temporarily Replaced by Unlighted Buoy
USACE - Army Corps of Engineers
W - White
Y - Yellow

Additional Abbreviations Specific to this LNM Edition:

AtoN - Aids to Navigation LLNR - Light List Number RM - River Mile Marker IVO - In Vicinity Of NM - Nautical Miles
WSDOT - Washington Department of Transportation NUWC - Naval Undersea Warfare Center CPA - Closest Point of Approach

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

OREGON – WASHINGTON – COLUMBIA RIVER – FORT STEVENS DGPS SITE – Authorized DGPS off-air time

The USCG NAVCEN has authorized off-air time at the Fort Stevens, OR, DGPS broadcast site (886) for preventive maintenance from 1000 to 1200 PDT on 20 Sep 12, with an alternate date of 1000 to 1200 PDT on 27 Sep 12. For additional information or objections, contact the U.S. Coast Guard Navigation Center, DGPS Operations at (703) 313-5902.

LNM: 36/12

IDAHO - MONTANA – POLSON DGPS SITE – Authorized DGPS Off-air time

The USCG NAVCEN has authorized off-air time at the Polson, MT, DGPS broadcast site (849) for preventive maintenance from 0900 to 1100 on 25 Sep 12, with an alternate date of 0900 to 1100 on 26 Sep 12. No loss of coverage for the Snake River during these times is expected. For additional information or objections, contact Navigation Center DGPS Operations at (703) 313-5902.

LNM: 36/12

Snake River – Minimum Operating Pool Transition

Transition from minimum operating pool will begin on or around 01 Sep 12, in all of the lower Snake River pools (Ice Harbor, Lower Monumental, Little Goose, and Lower Granite pools). Additionally, as the Nez Perce water release is completed on or around 21 Sep 12, the Snake River pools will be returned to minimum operating pool, and will be transitioned to normal operations a second time. Around the two above dates, the "Ice Harbor special operations to aid safe navigation past shoaling" at the Navigation Coffers Cells may not be achievable because of insufficient available water to do so during the transition period.

Low river flows are expected to continue through the remainder of the calendar year 2012 in these pools. Special pool operations to aid safe navigation past shoaling at the Ice Harbor Coffers Cells will remain in place when flows are at or below 45 kcfs. Water storage to assist with navigation safety will still be limited by several constraints, and it may take many hours (up to 24 hours) to provide the water needed for several special operations during a 24-hour period.

Continue to use the call-ahead procedure that is currently in place to notify Ice Harbor control room of your need for the special pool operation. Your cooperation in this matter is much appreciated. For additional information, please call Operations Division, at (509) 527-7115 or (509) 527-7120.

Charts: 18545 18546 18547 18548

LNM: 36/12

OREGON – PORT OF BROOKINGS – Dredging in North and South Basins to Offshore Disposal Site.

The Port of Brookings Harbor (POBH) will commence dredging within the north and south basins from 09 Sep 12 until 09 Oct 12. The sediment, after removal by the hydraulic dredge 'Shark', would be pumped through direct pipeline to the Chetco ODMDS. The pipeline extending from the beach to the sediment disposal site will be marked by amber lights every 100 feet atop orange, unmarked "pencil" buoys which have light reflectors, refer to enclosure 8. The disposal site is about a mile off-shore and is called the Chetco ODMDS, or Chetco River Entrance. The four corners of this 1800 ft X 1800 ft sediment disposal area are located via four geographic points at 42-01-56N, 124-16-33W; 42-01-56N, 124-16-09W; 42-01-38N, 124-16-09W; 42-01-38N, 124-16-33W. The 'Leonard-G' will be maneuvering to positioning the end of the pipeline for disposal, and will be monitoring VHF-FM channels 13 and 16. The Leonard-G will be display lights and day shapes per the Navigation Rules of the Road. Mariners are requested to use caution and reduce wake when transiting the area. For additional information, contact EMC-Engineers/Scientists at (541) 261-9929, or the Harbormaster at (541) 661-4421.

Chart 18602

LNM: 36/12

SNAKE RIVER – LITTLE GOOSE POOL – Low River Flow Expected (Revised from LNM 31/12)

River flows in the Lower Snake River are forecasted to drop and may approach 30 kcfs. These lower flow conditions, in conjunction with MOP operations set up local hydraulic effects that can impede safe navigation during lock transit at Lower Granite navigation lock. As provided in the 2012 Summer Fish Operations Plan (FOP) "...adjustments to pool elevation in the Little Goose pool of up to 1.0 ft. above the MOP operating range may be necessary to accommodate safe entrance to the navigation lock..." To ensure safe navigation and meet minimum

tailwater elevations at the Lower Granite navigation lock, the Corps is likely to begin operating the Little Goose forebay in a 1-foot range between 633.5 ft and 634.5 ft beginning 28 July 12 and most likely, lasting through the month of September 2012. Reservoir Control Center will be monitoring the conditions closely and make adjustments for safe navigation as needed.

Chart 18546

LNM: 36/12

WASHINGTON – PUGET SOUND – HOOD CANAL – Bangor Pier Construction

Construction of the Explosives Handling Wharf (EHW) #2 at Bangor Submarine Base, at approximately 46-45-09 N / 122-43-23 W, will begin 10 Sep 12, and continue through 09 Jan 16. Mariners can expect material barges, crane barges, tug/push boats, and work skiffs within the vicinity of the EHW piers. VHF-FM Channel 13 will be monitored. For more information, contact Bill Eskins at (678) 449-3892.

Chart 18458

LNM: 36/12

OREGON – CAPE BLANCO TO YAQUINA HEAD – APPROACHES TO COOS BAY – Test Research Buoy Deployment (Revised from LNM 35/12)

Atmocean, Inc. (www.atmocean.com) will be deploying the below listed test research buoys off of Coos Bay, OR from 12 Sep 12 to 01 Oct 12. Please review Enclosure 6 for a detailed mooring plan. For more information contact Mr. Philip Kithil at (505) 310-2294 or atmocean.kithil@gmail.com and Mr. Gary Taylor at (541) 404-1115 or misslindacharters@gmail.com.

Seafloor mooring		43-17-44.790N, 124-28-50.320W
Yellow Buoy A	FL Y 4s Light	43-17-35.700N, 124-28-50.990W
Yellow Buoy B	FL Y 4s Light	43-17-34.210N, 124-28-51.260W

- Each buoy will have a "FL Y 4s" (flashing yellow four seconds, 15 flashes per minute) 2 NM Light Emitting Diode (LED) type light.
- Each buoy will have yellow light reflective tape.
- Each buoy will have a radar reflective cross section.

NOTE: Buoys A and B have a 200' long subsea hydraulic hose and safety line at depth of approximately 20', marked with surface floats. Vessels are recommended to stay clear and not pass between the buoys.

Chart 18580

LNM: 35/12

Columbia River – Pasco to Richland – Special Bridge Notice

WSDOT will be performing minor maintenance to the US 395 bridge, also known as the Pioneer Memorial Bridge or Blue Bridge, which crosses the Columbia River, RM 330, between Kennewick and Pasco Washington. The maintenance activity is scheduled from 27 Sept 12 through 4 Dec 12 during which time a portable work platform approximately 4-8 feet wide will be intermittently deployed up to 15 ft below the bottom of the bridge. Mariners are advised to use caution when transiting beneath the bridge during maintenance activities.

Chart 18543

LNM: 35/12

WASHINGTON – APPLETON, WA DGPS SITE – Authorized DGPS Off-Air Time

The USCG NAVCEN has authorized off-air time at the Appleton, WA, (871) DGPS site for preventive maintenance from 0900 to 1100 on 14 Sep 12. An alternate off-air time will be from 0900 to 1100 on 15 Sep 12. No loss of coverage during these times is expected. For additional information or objections, contact the USCG Navigation Center DGPS Operations at (703) 313-5902 or at <http://www.navcen.uscg.gov/?pageName=dgpsSiteInfo¤tOutages>.

LNM: 35/12

WASHINGTON – LAKE WASHINGTON SHIP CANAL – HIRAM M. CHITTENDEN LOCKS – Large Lock Closure

The Hiram M. Chittenden large lock will be closed for an annual inspection and repairs at 0900 on 06 Nov 12. The planned reopening is scheduled for 1700 on 20 Nov 12. Any questions should be referred to Mr. David Carpenter, Navigation Supervisor at (206) 789-2622 ext. 202, or the Lockmaster on duty at (206) 783-7000.

Chart 18447

LNM: 35/12

COLUMBIA RIVER – Interstate 5 (I-5) Lift Bridges - Special Notice

The USCG has issued a temporary deviation from the operating regulation that governs the Interstate 5 Bridges across the Columbia River, RM 106.5, between Portland, OR. and Vancouver, WA. The deviation allows the lift spans of the I-5 Bridges across the Columbia River to be raised to a reduced height of 130 feet above Columbia River Datum from 0700, 15 Sept 12 through 1800, 14 Oct 12. Under normal condition the bridges, when fully lifted, provide a vertical clearance of 178 feet above CRD. The restricted vertical clearance will be 130 feet above CRD. The restricted lift height is needed to facilitate heavy maintenance on the lift-span.

Chart 18526

LNM: 34/12

OREGON – APPROACHES TO YAQUINA HEAD – Test Buoy Deployment

Oregon State University has deployed the below listed temporary test research buoys off of Yaquina Head until 15 Oct 12. Lighted buoys A, B,

C and D mark the boundaries of a box that will contain all of the test research equipment. Enclosures 4 and 5 show the mooring site and plan.

NW Corner Lighted Buoy 'A' FL Y 2s 44-40-48N, 124-08-42W
 NE Corner Lighted Buoy 'B' FL Y 2s 44-41-54N, 124-07-18W
 SE Corner Lighted Buoy 'C' FL Y 2s 44-40-54N, 124-07-18W
 SW Corner Lighted Buoy 'D' FL Y 2s 44-40-48N, 124-08-42W
 Tri-AXYS Research Lighted Buoy FL (5) Y 20s 44-41-43N, 124-07-42W
 Wet-NZ Device Research Lighted Buoy FL (5) Y 20s 44-41-42N, 124-07-37W
 - The Wet-NZ has a three point mooring systems with associated mooring lines and anchors.
 Ocean Sentinel Research Lighted Buoy FL (5) Y 20s 44-41-45N, 124-07-36W
 - The Ocean Sentinel has a three point mooring systems with associated mooring lines and anchors.
 - The Ocean Sentinel moorings have anchor marker buoys with lights, radar reflectors, reflective tape.

NOTE: The Wet-NZ and Ocean Sentinel buoys have a subsea and near surface power-communications cable connected between each of the buoys. The cable is marked with surface floats. However, it is recommended that vessels stay clear of these buoys.

For more information contact the Manager of Wave Energy Ocean Test Facilities, Mr. Sean Moran at (541) 737-5315 or sean.moran@oregonstate.edu or visit "NW National Marine Renewable Energy Center" at <http://nrmec.oregonstate.edu>.

Chart 18520

LNM: 34/12

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
690	Columbia River Approach Lighted Whistle Buoy CR	OFF STA	18521	0944-12	34/12	
725	Grays Harbor Approach Lighted Whistle Buoy GH	LT EXT	18502	0959-12	35/12	
765.2	DART Tsunami Warning Lighted Buoy 46407	ADRIFT	18007	0512-12	18/12	
765.4	DART Tsunami Warning Lighted Buoy 46404	MISSING	18007	0179-12	06/12	
765.7	DART Tsunami Warning Lighted Buoy 46419	MISSING	18007	0927-10	39/10	
10415	Bugby Hole Light 46	STRUCT DEST	18523	1156-11	25/11	
10480	Pancake Point Dike Light 59	STRUCT DEST	18523	0609-11	25/11	
10980	Martin Island Middle Dike Light 65	STRUCT DMGD	18524	1076-11	45/11	
11140	Willow Lower Range Front Light	DAYMK IMCH	18525	0695-12	25/12	
11475	Mcguire Island Middle Dike Light 34	DAYMK MISSING/STRUCT DMGD	18531	0754-12	27/12	
11625	Candiana Light 69	LT IMCH	18531	0571-11	23/11	
11770	Bonneville Pool Light 4	STRUCT DEST/LT EXT	18531	0905-10	37/10	
11855	Bonneville Pool Light 22	LT EXT	18532	0222-12	07/12	
13360	Lake Sacajawea Buoy 29	MISSING	18545	0983-12	36/12	
14978	Toe Island Light 1	STRUCT DMGD	18528	0616-12	22/12	
15135	New Era Bar Range Front Daybeacon	DAYMK IMCH	18528	0723-11	30/11	
15140	New Era Bar Range Rear Daybeacon	DAYMK IMCH	18528	0724-11	30/11	
15535	Grays Harbor Approach Lighted Whistle Buoy GH	LT EXT	18502	0959-12	35/12	
15585	Point Chehalis Range Front Light	DAYMK MISSING	18502	1012-09	50/09	
15640	Grays Harbor South Reach Lighted Buoy 17	OFF STA	18502	0902-12	33/12	
15981	Point Chehalis Lighted Buoy 2	REDUCED INT	18502	0302-12	10/12	
17730	Point Hannon Light 2	LT EXT	18477	1000-12	36/12	
18300	Kenmore Channel Lighted Buoy 4	OFF STA	18447	0975-12	35/12	

19395	Belle Rock Sector Light	MSLD SIG	18429	0766-12	29/12
19490	Peapod Rocks Light 15	DAYMK IMCH	18430	0797-11	34/11
19855	Ewing Island Reef Danger Buoy	MISSING	18431	0585-12	21/12
19875	Alden Bank Buoy 5	OFF STA	18431	0916-12	33/12

DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
590	NOAA Environmental Lighted Buoy 46015	RESET ON STATION	18580	No BNM	49/11	36/12
641	NOAA Environmental Lighted Buoy 46050	RESET ON STATION	18561	No BNM	23/11	36/12
688	NOAA Environmental Lighted Buoy 46029	RESET ON STATION	18520	No BNM	13/12	36/12
9452	Siuslaw River North Jetty Sound Signal	WATCHING PROPERLY	18583	0990-12	36/12	36/12
9607	Yaquina Bay South Jetty Sound Signal	WATCHING PROPERLY	18581	1005-12	36/12	36/12
11465	Government Island Range Front Light	RELIGHTED	18531	1004-12	33/12	36/12
11480	Government Island Upper Range Front Light	WATCHING PROPERLY	18531	0996-12	36/12	36/12
11495	Lady Island Range Rear Light	WATCHING PROPERLY	18531	1003-12	36/12	36/12
15215	Willapa Bay Channel Light 15	RELIGHTED	18504	0985-12	34/12	36/12
17770	Sisters Rock Light 4	WATCHING PROPERLY	18477	1002-12	36/12	36/12
19205	Viti Rocks Lighted Bell Buoy 9	WATCHING PROPERLY	18424	0995-12	36/12	36/12

DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
687	Seaside Data Lighted Buoy	MISSING	18520	0962-12	35/12	
18547	Port Of Everett Jetty Island Light A	LT IMCH	18444	0925-12	34/12	
18549	Port Of Everett Jetty Island Light C	LT EXT	18444	0926-12	34/12	
19745	Pearl Island Pier Lights (2)	LT IMCH	18433	0874-12	32/12	

DISCREPANCIES (PRIVATE AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

PLATFORM DISCREPANCIES

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

PLATFORM DISCREPANCIES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
586	Port Orford Jetty Light 3	DISCONTINUED	18589	1129-07	22/08	
635	Heceta Head Lighthouse	DISCONTINUED	18580	0049-12	03/12	
10415	Bugby Hole Light 46	TRLB	18523	1166-11	49/11	
10480	Pancake Point Dike Light 59	TRLT	18523	No BNM	21/12	
11770	Bonneville Pool Light 4	TRLB	18531	0909-10	38/10	

19395	Belle Rock Sector Light	TRLT	18429	0766-12	29/12
19855	Ewing Island Reef Danger Buoy	TRUB	18431	0650-12	23/12

TEMPORARY CHANGES CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

PLATFORM TEMPORARY CHANGES

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

PLATFORM TEMPORARY CHANGES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.

Chart Number	Chart Edition	Edition Date	Last Local Notice to Mariners	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariners
12327	91st Ed.	19-APR-97	Last LNM: 26/97	NAD 83		27/97

Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER

Main Panel 2245 NEW YORK HARBOR

CGD01

(Temp) ADD NATIONAL DOCK CHANNEL BUOY 3

at 40-41-09.001N 074-02-48.001W

Green can

Corrective Action Object of Corrective Action

Position

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true.

Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

18447 29th Ed. 01-MAY-08 Last LNM: 33/12 NAD 83 36/12

Chart Title: Lake Washington Ship Canal and Lake Washington

CHART 3A - LAKE WASHINGTON SHIP CANAL AND LAKE WASHINGTON. Page/Side: N/A

RELOCATE Kenmore Channel Lighted Buoy 4

CGD13

from 47-45-13.768N
to 47-45-14.155N

122-15-40.463W
122-15-41.459W

18465 39th Ed. 01-OCT-11 Last LNM: 20/12 NAD 83 36/12

Chart Title: Strait of Juan de Fuca-eastern part

Main Panel 1723 STRAIT OF JUAN DE FUCA EASTERN PART. Page/Side: N/A

CHANGE Coast Guard Mooring Breakwater Obstruction Light
Nominal range to 4 M.

CGD13

at 48-08-22.500N

123-24-42.600W

18468 18th Ed. 01-APR-06 Last LNM: 20/12 NAD 83 36/12

Chart Title: Port Angeles

Main Panel 1725 PORT ANGELES. Page/Side: N/A

CHANGE Coast Guard Mooring Breakwater Obstruction Light
Nominal range to 4 M.

CGD13

at 48-08-22.500N

123-24-42.600W

18502 87th Ed. 01-SEP-11 Last LNM: 13/12 NAD 83 36/12

Chart Title: Grays Harbor; Westhaven Cove

CHART WA - GRAYS HARBOR. Page/Side: N/A

The closure is required to perform heavy maintenance including replacing operating strut guides on the bascule span. The closure time frame will coincide with the closure of the Hiram M. Chittenden large lock at Ballard. Please direct comments or concerns to the Coast Guard Bridge Administrator, Mr. Randall Overton, at randall.d.overton@uscg.mil or 206-220-7282.

Chart 18447

LNM: 33/12

WASHINGTON – COLUMBIA RIVER TO DESTRUCTION ISLAND – Temporary discontinuance of North Head Light

The U.S. Coast Guard is proposing to temporarily discontinue North Head Light (LLNR 700) from 04 Sep 12 until approximately 02 Oct 12. The reason for the discontinuance is to facilitate the replacement of the glass in the lantern room cupola by the Washington State Parks and Recreation Commission. The light will be restored to normal operations after the completion of the window replacement.

Chart 18500

LNM: 33/12

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

BRIDGE LIGHTING DISCREPANCIES

Lights on the following bridges have been reported extinguished:

Waterway	Bridge Name	Location	Status	Date reported	BNM
FDR Lake Columbia R.	Kettle Falls RR Bridge	Kettle Falls, WA	EXT	07/18/12	No BNM
Willamette River	Wilsonville RR Bridge	Wilsonville, OR	EXT	07/14/12	No BNM
Columbia River	Kettle Falls Hwy Bridge	Kettle Falls, WA	EXT	07/18/12	No BNM
Columbia River	Lady Island Bridge	Camas, WA	EXT	08/05/12	No BNM
Snake River	Lewiston-Clarkston Bridge	Lewiston, ID	EXT	08/08/12	0895-12
Columbia River	Old Youngs Bay Bridge	Astoria, OR	EXT	08/14/12	0919-12
Columbia River	Union Pacific RR Bridge	Kennewick, WA	EXT	08/20/12	0941-12
Snake River	SR-12 Bridge	Pasco, WA	EXT	08/20/12	0942-12
Columbia River	BNSF RR Bridge	Pasco, WA	EXT	08/22/12	0955-12
Columbia River	SR-12 Blue Bridge	Kennewick, WA	R Pier LT EXT	08/22/12	0956-12
Snake River	BNSF RR Bridge	Burbank, WA	EXT	08/23/12	0963-12
Puget Sound	Tacoma Narrows Bridge	Tacoma, WA	EXT	08/25/12	0969-12
Duwamish Waterway	West Seattle Bridge	Seattle, WA	SW LT EXT	08/25/12	0970-12
Thea Foss Waterway	11th Street Bridge	Tacoma, WA	EXT	08/26/12	0971-12
Willamette River	Lake Oswego RR Bridge	Oswego, OR	EXT	09/04/12	No BNM
Snake River	Joso Bridge	Lyons Ferry, WA	Down River G LT EXT	09/04/12	No BNM
Snake River	Sargent Bridge	Starbuck, WA	R LTs EXT	09/04/12	No BNM
Snake River	Central Ferry Bridge	Central Ferry, WA	R Pier LTs EXT	09/04/12	No BNM

LNM: 36/12

BRIDGE LIGHTING DISCREPANCIES CORRECTED

The following bridge discrepancies have been corrected since the last Local Notice to Mariners:

None

LNM: 36/12

OREGON – YAQUINA BAY – Yaquina Bay Bridge paint and repair

The Yaquina Bay Bridge paint and repair project may reduce the vertical clearance by 10 feet in various locations underneath the bridge from 01 Apr 11 until 31 Oct 12. The work platforms and containment systems will be marked with yellow flashing lights.

Chart 18581

LNM: 13/11

COLUMBIA RIVER – Astoria Megler Bridge Painting

A painting containment system may be installed at various locations on the Astoria Megler Bridge, Columbia River RM 13.5, except the main span, until 31 Oct 12. This will reduce vertical clearance by ten feet. The main navigation span will not be affected. Installations will be marked at each corner by flashing red lights.

Chart 18521

LNM: 13/12

COLUMBIA RIVER – LONGVIEW - Lewis and Clark Bridge painting

The WSDOT has commenced painting on the Lewis and Clark Bridge superstructure over the Columbia River at RM 66.0 at Longview, WA. Painting will take place through the winter of 2013. Platforms and cables may be in rigged seasonally, in one or more spans with work commencing on the center span. The vertical clearance will be reduced by five feet. For additional information, contact WSDOT at (360) 442-1369.

Chart 18524

LNM: 13/11

OREGON – WILLAMETTE RIVER – PORT OF PORTLAND – Broadway Bridge Special Bridge Notice

The USCG has issued a deviation to the operation of the Broadway Bridge across the Willamette River, at RM 11.7. This deviation allows the draw span of the Broadway Bridge across the Willamette River to remain in the closed position and need not open for maritime traffic from 0800 until 0900 on 9 Sep 12. The Broadway Bridge provides 90 feet of vertical clearance above Columbia River Datum 0.0 while in the closed position.

OREGON – WILLAMETTE RIVER – PORT OF PORTLAND – Broadway Bridge Special Bridge Notice

Vessels which do not require a bridge opening may continue to transit beneath the bridge during this closure period. The draw span will be required to open, if needed, for vessels engaged in emergency response operations during this closure period. The bridge shall operate in accordance to 33 CFR § 117.897 at all other times.

Chart 18526

LNM: 32/12

OREGON – WILLAMETTE RIVER – PORT OF PORTLAND – Steel Bridge Special Bridge Notice

Scaffolding will be placed on the Steel Bridge, RM 12.1, Willamette River, Portland, Oregon beginning 01 Apr 12. The scaffolding is being placed beneath the lower deck of Steel Bridge to facilitate track maintenance to include the replacement of rail cross ties. Scaffolding may be installed under the bridge so that the vertical clearance is not reduced by more than 4 feet for maritime traffic passing beneath the bridge. The scaffolding may be in place at various locations under the structure from 01 Apr 12 until 01 Apr 13. The lift span of the Steel Bridge will continue to operate as normal in accordance with 33 CFR 117.5 unless otherwise authorized by this office. Questions may be directed to the Coast Guard Bridge Administrator, Randall Overton at 206-220-7282 or email Randall.d.overton@uscg.mil.

Chart 18526

LNM: 13/12

OREGON – WILLAMETTE RIVER – Port of Portland temporary Lighted Buoys for construction

Orange and white lighted buoys have been placed in the following positions for construction:

- Willamette River, Tri-Met Bridge at RM 13.5: Orange and white buoys showing a flashing white six (6) second light (FI W 6s)
- A) 45-30-19.900N, 122-40-08.200W B) 45-30-23.400N, 122-40-02.900W C) 45-29-25.200N, 122-40-00.000W
 - D) 45-30-14.800N, 122-39-55.400W E) 45-30-10.900N, 122-40-01.500W.

Chart 18526

LNM: 11/12

OREGON – WILLAMETTE RIVER – Sellwood Bridge construction

The Sellwood Bridge at RM 16.6 on the Willamette River is under construction for replacement from Dec 11 to Mar 15. A no wake zone is in effect within five hundred feet (500') of the bridge. Mariners are advised to use caution and slow to no wake at idle speed. The marked navigable channel at the bridge has been relocated. Mariners are cautioned to observe the temporary navigation buoys and bridge navigation lighting and comply with the exclusion established by both the buoys and signage.

Chart 18526

LNM: 47/11

WASHINGTON – PUGET SOUND – HOOD CANAL BRIDGE – Special Notice

The USCG has signed a final rule which modifies the drawbridge operating regulation for the Hood Canal floating drawbridge near Port Gamble. The new rule allows the draw of the bridge not open for maritime traffic from 1500 until 1815 everyday during the summer months; from 22 May until 30 September, every year. Vessels which do not require a bridge opening may continue to transit beneath the fixed sections of the bridge during this closure period. Vessels of the U.S. Navy and vessels assisting with U. S. Naval operations, as well as, commercial tug and tow vessels are exempt from this regulation; therefore the draw span will be required to open, if needed, for these vessels during the closure period. This rule will be published in the Federal Register and become part of the Code of Federal Regulations (CFR), under article 33 CFR § 117.1045.

Charts: 18473 18476 18477

LNM: 19/12

WASHINGTON – EVERETT – SNOHOMISH RIVER – Snohomish River Bridge

Construction is being conducted on the SR 522 Snohomish River Bridge until Oct 2012. A temporary work trestle will be built extending halfway into the Snohomish River from the east bank, and is marked with yellow dayboards, and lighted with flashing yellow (FI Y) lights. Mariners exercise caution. For more information, visit www.wsdot.wa.gov/projects/SR522/Widen/SnoRiver_US2/, or contact Janice Fahning at (425) 225-8725.

LNM: 27/12

WASHINGTON – LAKE WASHINGTON – SR520 BRIDGE: Special Bridge Notice (REVISED Draw Operations)

The Coast Guard has revised the draw span operating schedule for the SR 520 Evergreen Point Floating Bridge. The east side navigation channel is currently completely closed or partially blocked during construction activity associated with the replacement bridge. Construction activities will continue in and around the east navigation channel for the duration of the bridge replacement project until approximately 30 Aug 15. Vessels which are impacted by the closure of the east channel that are not able to navigate through the west channel of the existing bridge may request an opening of the center draw span for passage. Boaters may request a draw span opening by calling WSDOT at (206) 440-4490. The draw of the Evergreen Point Floating Bridge between Seattle and Bellevue shall operate as follows (revised schedule):

- (a) The draw need not open from 0630 to 0959 and from 1500 to 1900 Monday through Friday, except Federal Holidays other than Columbus Day.
- (b) The draw need open only on the hour and half hour from 1000 to 1430 every day of the week, if at least 2 hour advance notice is given.
- (c) The draw will open on request at all other times if at least 2 hours advance notice is given.
- (d) Telephone requests for bridge opening may be directed as collect calls to the Highway Radio, or made by direct telephone communication through the Seattle Marine Operator, Station KOH, or through other marine wire or radiotelephone service.

Chart 18447

LNM: 27/12

OREGON – REEDSPORT – Temporary Buoy

A temporary lighted buoy flashing yellow every 4 seconds (FI Y 4s) has been set at approximate position 43-46-05.663N, 124-14-12.880W.

Chart 18580

LNM: 31/12

OREGON – CAPE BLANCO TO YAQUINA HEAD – Heceta Head Lighthouse Restoration Project

Heceta Head Lighthouse (LLNR 635) will be extinguished for approximately two years for the Heceta Head Lighthouse Restoration Project, that

OREGON – CAPE BLANCO TO YAQUINA HEAD – Heceta Head Lighthouse Restoration Project

began on 01 Jan 12. The project will involve replacing the electrical system in the lighthouse. More information can be found at: heceta.h.lighthouse@state.or.us.

Chart 18580

LNM: 03/12

COLUMBIA RIVER – CATHLAMET CHANNEL – Severe Shoaling

During an Aids to Navigation verification, the USCG discovered increased shoaling inside the Cathlamet Channel IVO Buoy 5 (LLNR 10543). Depths up to two feet were observed around Buoy 5. Note the chart correction "Shoaling Rep 2001" IVO Buoy 5 on chart 18523. Depths shallower than charted were observed between Buoys 5 and 7. Mariners are urged to transit the area at high tide and use extreme caution.

Chart 18523

LNM: 36/11

COLUMBIA RIVER – ILWACO WASHINGTON – Temporary Acoustic Telemetry Equipment Deployment

The Washington Department of Fish and Wildlife, Lower Columbia River Research Group, will be deploying temporary acoustic telemetry equipment in the below listed nine locations in the lower Columbia River near RM 5.0 from 05 Jun 12 to 15 Nov 12. This equipment will be subsurface and marked with one inflatable float, and three small orange foam floats at each station. For more information contact Mr. Phillip Dionne at (360) 906-6745 or at phillip.dionne@dfw.wa.gov.

Station Latitude Longitude

- A. 46-14-10.968N, 123-59-33.432W
- B. 46-14-11.904N, 123-58-58.116W
- C. 46-15-05.544N, 123-58-39.396W
- D. 46-14-42.288N, 123-58-47.532W
- E. 46-14-42.000N, 123-59-39.984W
- F. 46-15-15.012N, 123-59-13.992W
- G. 46-15-23.004N, 123-58-18.012W
- H. 46-14-49.992N, 123-58-55.992W
- I. 46-15-56.124N, 124-02-05.280W

Chart 18521

LNM: 23/12

COLUMBIA RIVER – TENASILLAHE ISLAND – Temporary Acoustic Research Buoys

The Columbia River Inter Tribal Fish Commission will be setting four research buoys IVO Tenasillahe Island near RM 35 from 25-29 Jun 12 until Oct 2012. The buoys are unlighted foam fluorescent orange and size 1.5 ft by 6 inch diameter, and labeled "CRITFC". An additional salmon red inflatable buoy is attached to help distinguish from other recreational buoys. These buoys have an attached Vemco VR-2W receiver that is placed ~10-15- ft below the surface to a 1- inch line, which is held in place by a 50lbs kedge anchor or 22lbs claw anchor and is labeled with contact information as well. The buoys will be set at the following locations:

- TI1 46-14-56.220N / 123-26-03.000W;
- TI2 46-14-46.320N / 123-26-16.980W;
- TI3 46-14-38.700N / 123-26-27.900W;
- TI4 46-13-31.140N / 123-28-37.800W.

Chart 18523

LNM: 24/12

COLUMBIA AND SNAKE RIVERS - Summer Seasonal Lockage Schedule for Recreational Craft

The USACE, Walla Walla and Portland Districts, are implementing the summer seasonal lockage schedule, which is effective from 15 May 12 to 15 Sep 12, for the passage of recreational craft through the navigation locks. For the lockage schedule and additional information, visit Portland's website at: <http://www.nwp.usace.army.mil/locations/home.asp>, and Walla Walla's at: <https://www.nwp.usace.army.mil/op/s/nl/home.asp> or contact the Operations Division at (509) 527-7115 or (509) 527-7120.

LNM: 19/12

COLUMBIA RIVER – OREGON – BONNEVILLE – Dolphins Out of Service

Effective immediately, the Portland District USACE announces that Mooring Dolphins #1 and #3 at RM 145 are out of service for both personal water craft and commercial river traffic tie offs. On Wednesday June 20th, USACE conducted an inspection of the 6 mooring dolphins located above Bonneville Project at Ft. Rains, and determined that Mooring Dolphins #1 and #3 are unsafe for use until further notice. For identification purposes, Dolphin #1 is the lower most pier in the set of 6, and does not have a sign numbering it. Dolphin #3 is the third in the sequence upstream and is marked with a sign denoting it as #3. For more information, contact Kevin Moynahan at (503) 808-4330, or Kevin.moynahan@usace.army.mil.

Chart 18531

LNM: 26/12

COLUMBIA RIVER – BONNEVILLE TO THE DALLES – BONNEVILLE POOL – Vessel Grounding (revised from LNM 31/11)

The grounded barge previously reported anchored parallel to the Washington side of the Columbia River at RM 176.7, has sunk. Depths of 12 to 20 feet have been reported over the barge. A temporary green buoy labeled 'WK' with a quick green flashing (QG) light has been placed at approximate position 45-40-57.612N 121-15-23.880W to mark the wreck. Mariners should exercise caution when transiting the area.

Chart 18532

LNM: 41/11

SNAKE RIVER – LAKE SACAJAWEA – Obstruction to navigation between RM 7 and 8 (Revised from LNM 08/10)

A large rock shelf has been discovered on the north side of the navigation channel between RM 7 and 8 of the Snake River. This rock shelf is submerged and is extending into the navigable channel up to 15 feet in some areas, and lowered the depth of the navigation channel edge to 10 feet in some areas. Mariners are advised to use caution when transiting this area and avoid the northern edge of the navigation channel.

Chart 18545

SNAKE RIVER – LAKE SACAJAWEA – Obstruction to navigation between RM 7 and 8 (Revised from LNM 08/10)

LNM: 11/10

SNAKE RIVER – LAKE SACAJAWEA – Obstruction to navigation at the downstream approach to the Ice Harbor Lock and Dam (revised from LNM 01/12)

Please continue to use extreme caution when navigating through downstream of the approach to Ice Harbor navigation lock.

Shoaling has been discovered in the south edge of the navigation channel between RM 9 and the Ice Harbor Dam navigation cells, downstream of the dam spillway in the Snake River. This shoaling may be as much as 5 feet above the channel project depth of 12.8 feet. McNary pool is operating at 338.0 feet resulting in a tailwater at Ice Harbor navigation lock of approximately 339.0 feet. Mariners are advised to avoid the southern edge of the navigation channel.

A temporary operation to aid navigation during low flow conditions is currently in place. When possible, the Ice Harbor Operator will coordinate a temporary increase in the Ice Harbor tailwater elevation to improve conditions for tow/barges, subject to the following conditions:

- Traveling Downstream: Tow Captain to request an Ice Harbor temporary operation via the Lower Monumental Operator when leaving Lower Monumental, to allow a minimum of 2 hours lead time.
- Traveling Upstream: If aid is necessary for upstream navigation Tow Captain to call Ice Harbor control room not less than 30 minutes out, longer lead is better.
- Ice Harbor will attempt to provide the best possible conditions for navigation subject to all operating constraints and limitations.
- No increases allowed during night-time zero-generation hours 2000 to 0600.

The most current 2011 survey of the area in question is located on the Walla Walla District Navigation website. Please reference sheet 10 of 10 of the most recent hydrographic surveys located here:

http://www.nww.usace.army.mil/html/OFFICES/OP/T/NAVDATA/2011AnnualConditionSurveys/For%20WEB%20FY11_HLD_CUT_v2.pdf.

Your cooperation in this matter is much appreciated. For additional information, please call Operations Division, at (509) 527-7115 or (509) 527-7120.

Chart 18545

LNM: 06/12

SNAKE RIVER – LAKE SACAJAWEA – ICE HARBOR DAM – Special Pool Operation

A special pool operation to aid safe navigation at Ice Harbor Lock and Dam at RM 9.7 is in place for commercial vessels. See enclosure 3 for the USACE Walla Walla District's navigation notice.

Chart 18545

LNM: 30/12

WASHINGTON – APPROACHES TO STRAIT OF JUAN DE FUCA – LaPush Lighted Research Buoy

University of Washington has placed a subsurface research buoy off the Washington coast near LaPush at 47-57-51.180N, 124-56-53.880W. The buoy is 50 feet below the surface, and fishing vessels are requested to operate no closer than 300 yards of the deployed position. Contact John Mickett at (206) 897-1795, or email jmickett@apl.washington.edu.

Chart 18460

LNM: 34/11

WASHINGTON – STRAIT OF JUAN DE FUCA ENTRANCE – Subsurface Buoy Deployment

A subsurface data collection buoy has been set at approximately 58 meters below the surface at 48-30.9790N, 124-56.0996W.

Charts: 18460 18480

LNM: 25/12

WASHINGTON – STRAIT OF JUAN DE FUCA TO STRAIT OF GEORGIA – SAN JUAN ISLANDS – SUCIA ISLAND – Temporary Buoy marking Ewing Reef

The U.S. Coast Guard placed an unlighted red buoy southwest of Ewing Reef, near Sucia Island to temporarily replace the lost Ewing Island Reef Danger Buoy (LLNR 19855). The buoy is located in approximate position 48-45-35.094N 122-52-36.606W, which bears 202 degrees true, 40 feet from the Danger Buoy's charted location. Mariners should exercise extreme caution when transiting this area due to numerous rocks and shoals in the area.

Charts: 18421 18431

LNM: 23/12

WASHINGTON – STRAIT OF JUAN DE FUCA TO STRAIT OF GEORGIA – SWINOMISH CHANNEL – Reported shoaling (Revised from LNM 27/11)

Numerous soundings of shoaling in the Swinomish Channel have been reported. The primary locations for the shoaling have been from the Swinomish Channel South Entrance, north to the vicinity of La Conner, WA, with the most extreme shoaling occurring between Swinomish Channel South Entrance Buoy 1 (LLNR 18785) and Goat Island. Some depths have been reported as two (2) feet less than the charted depths. Mariners are advised to use caution when transiting this waterway due to the reported shoaling.

Charts: 18421 18427

LNM: 39/11

WASHINGTON – STRAIT OF JUAN DE FUCA TO PUGET SOUND – Bottomfish Resource Survey

The Washington Department of Fish and Wildlife (WDFW) will be conducting a resource survey of bottomfish in Strait of Juan de Fuca, San Juan Islands, Georgia Strait, Hood Canal and Puget Sound waters from 01 Apr 12 through 30 Mar 13. The survey will consist of using a small remotely-operated vehicle (ROV) deployed from the R/V Molluscan. ROV operations last approximately 90 to 120 minutes at each site, 24 hours per day. While the ROV is deployed, the support vessel will be restricted in its ability to maneuverability, and will display the appropriate day shape and

WASHINGTON – STRAIT OF JUAN DE FUCA TO PUGET SOUND – Bottomfish Resource Survey

navigation lights. Some of the survey sites may enter into the vessel traffic lanes and naval operating areas. Due caution, clearance and avoidance will be rendered to commercial vessels and naval warships and security zones. R/V Molluscan will monitor VHF FM Channel 13, 16 and the appropriate VTS frequency. For additional information, contact WDFW at (425) 379-2314 or email Robert.pacunski@dfw.wa.gov.

Charts: 18400 18440

LNM: 13/12

WASHINGTON – ADMIRALTY INLET – Temporary Research Buoy (Revised from LNM 18/12)

A yellow temporary research lighted buoy 'A', with a yellow flashing every four seconds light (FL Y 4s), has been deployed east of Point Hudson in approximate position 48-07-24.900N/122-44-44.220W.

A yellow temporary research lighted buoy 'B', with a yellow flashing every four seconds light (FL Y 4s), has been deployed north of Fort Flagler in approximate position 48-06-16.080N/122-42-13.260W.

Charts: 18464 18471

LNM: 24/12

WASHINGTON – PUGET SOUND – PORT WASHINGTON NARROWS – Bremerton – Manette Bridge (Revised from LNM 14/12)

The removal of the remaining piers and footing from the old Manette Bridge is being conducted, and is scheduled to be complete in the month of Oct 2012. Derrick barges involved in the removal will have anchor lines out; mariners are requested to stay at least 200 yards way from any barges working in the area. The existing piers have yellow flashing lights and will remain lighted until the pier is removed. If you have any questions please contact Manson-Mowat at (206) 245-8020 or (206) 947-0840. Please review the LNM for weekly updates.

Charts: 18445 18449

LNM: 27/12

WASHINGTON – ELLIOTT BAY – DUWAMISH WATERWAY – South Park Bridge Buoys

Three yellow buoys, with a yellow light flashing every four seconds (FL Y 4s), have been placed in the Duwamish Waterway until 01 Apr 13. Lighted Buoy 'F' is at 47-31-48.972N, 122-18-54.674W; Lighted Buoy 'G' is at 47-31-44.003N, 122-18-50.400W; Lighted Buoy 'H' is at: 47-31-45.516N, 122-18-48.240W. More buoys will be placed in the waterway in the near future. For additional information, please call (206) 786-9327 or (206) 391-2032.

Chart 18450

LNM: 46/11

WASHINGTON – ELLIOTT BAY – DUWAMISH WATERWAY – Bridge Construction through Feb 2013 (Revised from LNM 29/11)

Construction work will continue in the vicinity of the South Park Bridge on the Duwamish Waterway through the month of Feb 13. The waterway will be partially obstructed due to construction of concrete pillars and anchoring of barges. Mariners use caution and slowest speed while transiting the South Park Bridge area.

Complete blockage of the Duwamish Waterway for construction has been authorized by the USCG during the following dates and times:

01 Sep 12, 0700 to 1900;

06 Oct 12, 0700 to 1900;

25 Oct 12, 0700 to 1900.

Chart 18450

LNM: 29/12

OREGON – WASHINGTON – Japan Tsunami Marine Debris

Debris from the March 2011 tsunami in Japan has been sighted with satellite imagery and aerial photos in the Pacific Ocean. NOAA has used models to predict when the washed away debris may approach landfall on the coast. The results show the debris could make the coast in 2013. To read more of the report, or follow any updates, visit NOAA's web site at: <http://marinedebris.noaa.gov/info/japanfaqs.html>.

LNM: 03/12

RADIOTELEPHONE DISTRESS WATCHKEEPING

Mariners are advised that calls to the Coast Guard on the international radiotelephone distress frequency 2182 kHz may not be reliably received by the Coast Guard. Areas where maritime broadcasts on 2670 kHz are being received satisfactorily by mariners should not be affected. Similarly, mariners using high frequency (HF) radiotelephones equipped with digital selective calling (DSC) capable of operating on the 4, 6, 8, 12 and 16 MHz distress frequencies should not be affected. Coast Guard watchkeeping services on these HF radiotelephone and DSC distress frequencies are posted at <http://www.navcen.uscg.gov/?pageName=cgcommsCall>.

Mariners who receive a distress alert or call that has not been acknowledged by the Coast Guard are asked to assist if possible and advise the nearest Coast Guard unit using whatever means is practicable.

LNM: 13/12

SECTION VIII - LIGHT LIST CORRECTIONS

An Asterisk *, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
------------	--------------------------	-----------------	-----------------------	---------------	--------------	------------------	----------------

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
11155	WILLOW UPPER RANGE FRONT LIGHT	45-41-01.186N 122-46-40.222W	Q W	32		KRB on multi-pile structure. On same structure as Morgan Upper Range Front Light.	Visible all around; higher intensity on rangeline.	36/12
		*		*		*	*	
11160	WILLOW UPPER RANGE REAR LIGHT 342 yards, 193.8° from front light.	45-40-51.360N 122-46-43.664W	Iso W 6s	51		KRB on skeleton tower.	Visible 14° each side of rangeline.	36/12
		*		*		*	*	
11190	MORGAN UPPER RANGE FRONT LIGHT	45-41-01.186N 122-46-40.222W	Q W	32		KRB on multi-pile structure. On same structure as Willow Upper Range Front Light.	Visible all around; higher intensity on rangeline.	36/12
		*		*		*	*	
11195	MORGAN UPPER RANGE REAR LIGHT 241 yards, 341.3° from front light.	45-41-07.934N 122-46-43.481W	Iso W 6s	53		KRB on skeleton tower.	Visible 14° each side of rangeline.	36/12
		*		*		*	*	
15785	GRAYS HARBOR NORTH CHANNEL RANGE F FRONT LIGHT	46-58-11.631N 123-55-54.225W	Q W	24		KRB on skeleton tower on multi-pile structure.	Visible all around; higher intensity on rangeline.	36/12
		*		*		*	*	
15790	GRAYS HARBOR NORTH CHANNEL RANGE F REAR LIGHT 371 yards, 274.0° from front light.	46-58-12.405N 123-56-10.236W	Iso W 6s	53		KRB on skeleton tower on multi-pile structure.	Visible 5.5° each side of rangeline.	36/12
		*		*		*	*	
15810	COW POINT REACH RANGE G FRONT LIGHT	46-57-24.166N 123-50-16.625W	Q W	21		KRB on skeleton tower on multi-pile structure. On same structure as Aberdeen Range K Front Light.	Visible all around; higher intensity on rangeline.	36/12
		*		*		*	*	
15815	COW POINT REACH RANGE G REAR LIGHT 636 yards, 120.1° from front light.	46-57-14.725N 123-49-52.822W	Iso W 6s	34		KRB on skeleton tower.	Visible 10° each side of rangeline.	36/12
		*		*		*	*	
15870	ABERDEEN REACH RANGE K FRONT LIGHT	46-57-24.166N 123-50-16.625W	Q W	21		KRB on skeleton tower on multi-pile structure. On same structure as Cow Point Reach Range G Front Light.	Visible all around; higher intensity on rangeline.	36/12
		*		*		*	*	
15875	ABERDEEN REACH RANGE K REAR LIGHT 978 yards, 231.8° from front light.	46-57-06.269N 123-50-49.864W	Iso W 6s	42		KRB on skelton tower on multi-pile structure.	Visible 5.5° each side of range line.	36/12
		*		*		*	*	

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
16291	COAST GUARD MOORING BREAKWATER OBSTRUCTION LIGHT	48-08-22.500N 123-24-42.600W	FI Y 4s	14	4	NY on concrete wall.	36/12
18300	<i>Kenmore Channel Lighted Buoy 4</i>	47-45-14.155N 122-15-41.459W	FI R 4s		3	Red.	36/12

*

PUBLICATION CORRECTIONS

None

ENCLOSURES

Enclosure 1

OREGON - WASHINGTON - COLUMBIA RIVER - Dredging Operations

LNM: 36/12

Enclosure 2

OREGON - PORTLAND and WASHINGTON - SEATTLE - Marine Events

LNM: 36/12

Enclosure 3

SNAKE RIVER – ICE HARBOR DAM – Special Pool Operation

LNM: 30/12

Enclosure 4

Oregon State University Wave Energy Test Site Map.

LNM: 34/12

Enclosure 5

Oregon State University Wave Energy Test Mooring Plan.

LNM: 34/12

Enclosure 6

Atmocean Test Buoy Mooring Plan.

LNM: 35/12

Enclosure 7

Safety and Security Zones

LNM: 36/12

Enclosure 8

Port of Brookings Dredging Site Map.

LNM: 36/12

If you have any questions, comments, or need additional information concerning this or other LNMs (e.g. additions, deletions, corrections) contact the address or phone number on the front page.

D.R. Peloquin
Commander, U.S. Coast Guard
Chief, Waterways Management Branch
Thirteenth Coast Guard District

OREGON - WASHINGTON - COLUMBIA RIVER – Dredging Operations

Dredging operations are scheduled or in progress at the following locations:

Start Date	End Date	Times	Location	Dredge Vessel	Assist Vessel	Channels Monitored	Disposal Area	LNM
13 Aug 12	26 Sep 12	Mon-Sun 24 Hours	Columbia River (OR and WA) (RM 22 to 25)	Oregon	Ivanoff, Clackamas, WL Williams	13 and 16 VHF-FM	In- Water (RM 23.5 to 24.5)	33/12
10 Jul 12	25 Sep 12	Mon-Sun 24 Hours	Columbia River Entrance (RM -2 to 2)	Stuyvesant (Hopper)	None	13 and 16 VHF-FM	Columbia River (RM 0)	35/12
30 Jul 12	30 Sep 12	Mon-Sun 24 Hours	Gig Harbor, Murphy's Landing	Orion 1201	Skagit	13,16 and 69 VHF- FM	Commencement Bay	29/12
30 Jul 12	30 Nov 12	Mon-Sat 24 Hours	Willapa Bay, WA (IVO Entrance Light 13)	Ross Island 7	None	13,16 and 79 VHF- FM	Grave Yard Spit	29/12
06 Sep 12	09 Oct 12	Mon-Sun 24 Hours	Chetco River, OR (South to North Basin)	Shark, Leonard-G (off shore)	Little Pushy	13 and 16 VHF-FM	Chetco Open Water	36/12
06 Sep 12	13 Sep 12	Mon-Sun 24 Hours	Columbia River Entrance (RM -2 to 2)	Essayons	None	13 and 16 VHF-FM	South Jetty Site, Shallow Water Site and Deep Water Site	36/12
05 Sep 12	07 Sep 12	Mon-Sun 24 Hours	Columbia River; Pillar Rock (RM 25 to RM 26.2)	Yaquina	None	13 and 16 VHF-FM	In-Water	36/12
07 Sep 12	09 Sep 12	Mon-Sun 24 Hours	Columbia River; St. Helens (RM 84 to RM 87)	Yaquina	None	13 and 16 VHF-FM	In-Water	36/12
09 Sep 12	12 Sep 12	Mon-Sun 24 Hours	Columbia River; Airport Bar (RM 112 to RM 114.5)	Yaquina	None	13 and 16 VHF-FM	In-Water	36/12
12 Sep 12	16 Sep 12	Mon-Sun 24 Hours	Columbia River; Washougal Bar (RM 124 to RM 125)	Yaquina	None	13 and 16 VHF-FM	In-Water	36/12
16 Sep 12	18 Sep 12	Mon-Sun 24 Hours	Columbia River; Fashion Reef (RM 133 to RM 134)	Yaquina	None	13 and 16 VHF-FM	In-Water	36/12

***US Army Corps of Engineer dredges request mariners transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed after passing arrangements have been made.**

OREGON - WASHINGTON - COLUMBIA RIVER – Dredging Operations Planned

Start Date	End Date	Times	Location	Dredge Vessel	Assist Vessel	Channels Monitored	USACE #
2013	TBD	TBD	Portland, OR Willamette River (RM 5.1)	TBD	TBD	TBD	NWP-2012-302-2

SECTOR COLUMBIA RIVER MARINE EVENTS

EVENT DATE	TIME	EVENT NAME	EVENT LOCATION	SPONSOR
01 Apr 12 thru 31 Mar 13	1200-1200	OSCA 2012 Sail Boat Races	Columbia River Between I5 and 205 bridge	Oregon Corinthian Sailing Association
30 Aug 12 thru 02 Sep 12	0400-1800	Slam'n Salmon Ocean Derby	Brookings, OR	Port of Brookings Harbor POC: 541-661-1899
07 – 09 Sep 12	0100-1900	Tuna Smackdown	Bremerton, WA	Defiance Boats POC: 360 689-6767
15 Sep 12	0830-0900	Columbia Crossing Swim	Pasco, WA	Tree Rivers Road Runners
22 Sep 12	0500-1600	Potholes Bass Club Bass Tournament	Wallula Pool, WA	Pothole Bass Club POC: 509-431-3873
23 Sep 12	1000-1030	Portland Triathlon	North Breakwater to Morrison Bridge, Portland, OR	Skyline Events, LLC
29 Sep 12	0800-1200	Head of the Dog Rowing Regatta	Multnomah Channel Portland, OR	Portland Boat Club POC: 503-549-4606
30 Sep 12	0700-1000	Row For The Cure	Willamette River in downtown Portland	Meg Eastman Thompson POC: 503 459-8854
06 Oct 12	0700-1400	Great Mid Columbia Duck Race	Kennewick, WA	Tri-Cities Rotary Club POC: 509-539-6864
13-14 Oct 12	0600-1600	Couples Tournament	Lake Wallula, WA	Oregon Bass Federation POC: Jason Hooper
27 Oct 12	2000-2030	Leukemia & Lymphoma Light the Night Walk	Willamette River between Steele & Burnside Bridges, Portland, OR	Leukemia & Lymphoma Society
28 Oct 12	0700-1500	Portland Fall Classic	Willamette River, Portland, OR	Station L Rowing Club and Rose City Rowing Club

SECTOR PUGET SOUND MARINE EVENTS

EVENT DATE	TIME	EVENT NAME	EVENT LOCATION	SPONSOR
5-Sep-12	1800 - 2000	Fall Evening - Wednesday Evenings	Lake Washington	Corinthian Yacht Club of Seattle
5-Sep-12	1800 - 2000	Fall Evening - PHRF	Shilshole Bay	Corinthian Yacht Club of Seattle
6-Sep-12	1800 - 2000	Fall Evening - One Design	Shilshole Bay	Corinthian Yacht Club of Seattle
6-Sep-12	1830 - 2100	Fall Series	Des Moines Marina	Three Tree Point Yacht Club
7-Sep-12	1800 - 2000	WSCYC September Six Pack Series	Port Orchard, Sinclair Inlet	WSCYC
7-Sep-12	1430 - 1830	2012 Wooden Boat Festival under 26ft Race	Port Townsend	Port Townsend Sailing Association
8-Sep-12	0930 - 1530	Sound Rowers' The Bainbridge Marathon	Bainbridge Island	Sound Rowers
8-Sep-12	0930 - 1730	Commodore's Cup Trophy Race	Des Moines Marina	Three Tree Point Yacht Club
8-Sep-12	1000 - 1300	CYCT Awards Race	Commencement Bay	Corinthian Yacht Club of Tacoma
8-Sep-12	1100 - 1800	Snooze and Cruise C and D	Shilshole Bay, Meadow Pt	Seattle Yacht Club
8-Sep-12	1000 - 1700	BYC Commodore's Cup Race	Bellingham Bay	Bellingham Yacht Club
8-Sep-12	0900 - 1100	Whidbey Adventure Swim	Whidbey Island	South Whidbey Island Masters
8-Sep-12	1530 - 1730	36th Annual Wooden Boat Festival Schooner Cup Race	Port Townsend	Port Townsend Sailing Association
8-Sep-12	1100 - 1700	STYC - Jack and Jill Race	Shilshole Bay	Sloop Tavern Yacht Club
8-Sep-12	0600 - 1400	Edmonds Coho Fishing Derby	Port of Edmonds Marina	Puget Sound Anglers Sno-King Chapter
8-Sep-12	0800 - 2200	Swim Across America Seattle	Lake Washington	Swim Across America Seattle
9-Sep-12	1100 - 1800	Snooze and Cruise C and D	Shilshole Bay, Meadow Pt	Seattle Yacht Club
9-Sep-12	1000 - 1800	Halloween Series	Edmonds	Corinthian Yacht Club of Edmonds
9-Sep-12	0900 - 1700	Round the Rock Stand Up Paddle Race	Seward Park	Round the Rock Race
9-Sep-12	1200 - 1500	STYC Pink Boat Regatta	Shilshole Bay	Sloop Tavern Yacht Club
11-Sep-12	1700 - 2000	BYC Tuesday Series	Bellingham Bay	Bellingham Yacht Club
11-Sep-12	1800 - 2000	Fall Evening - Tuesday Evenings	Lake Washington	Corinthian Yacht Club of Seattle
12-Sep-12	1800 - 2000	Fall Evening - Wednesday Evenings	Lake Washington	Corinthian Yacht Club of Seattle
12-Sep-12	1800 - 2000	Fall Evening - PHRF	Shilshole Bay	Corinthian Yacht Club of Seattle
13-Sep-12	1800 - 2000	Fall Evening - One Design	Shilshole Bay	Corinthian Yacht Club of Seattle
14-Sep-12	1800 - 2000	WSCYC September Six Pack Series	Port Orchard, Sinclair Inlet	WSCYC
15-Sep-12	1200 - 2230	2012 Race Season	Port Gardner Bay	Milltown Sailing Association

EVENT DATE	TIME	EVENT NAME	EVENT LOCATION	SPONSOR
15-Sep-12	1000 - 1300	Sound Rowers' Budd Inlet Race	Olympia, WA	Sound Rowers
15-Sep-12	1000 - 1800	CYCT Point Beals Race	Browns Point/Beals Point	Corinthian Yacht Club of Tacoma
15-Sep-12	1000 - 2000	Star and Bar Regatta	Shilshole Bay, Meadow Pt	Seattle Yacht Club
15-Sep-12	1000 - 1700	BYC DJOD-BBOD Regatta	Bellingham Bay	Bellingham Yacht Club
16-Sep-12	1000 - 1800	Halloween Series	Edmonds	Corinthian Yacht Club of Edmonds
16-Sep-12	1000 - 2000	Star and Bar Regatta	Shilshole Bay, Meadow Pt	Seattle Yacht Club
16-Sep-12	1000 - 1700	BYC DJOD-BBOD Regatta	Bellingham Bay	Bellingham Yacht Club
16-Sep-12	1300 - 1800	Fall Night Cap Series	Port Townsend Bay	Port Townsend Sailing Association
18-Sep-12	1800 - 2000	Fall Evening - Tuesday Evenings	Lake Washington	Corinthian Yacht Club of Seattle
19-Sep-12	1800 - 2000	Fall Evening - Wednesday Evenings	Lake Washington	Corinthian Yacht Club of Seattle
19-Sep-12	1800 - 2000	Fall Evening - PHRF	Shilshole Bay	Corinthian Yacht Club of Seattle
20-Sep-12	1800 - 2000	Fall Evening - One Design	Shilshole Bay	Corinthian Yacht Club of Seattle
21-Sep-12	1800 - 2000	WSCYC September Six Pack Series	Port Orchard, Sinclair Inlet	WSCYC
22-Sep-12	0930 - 1700	Fall Series	Des Moines Marina	Three Tree Point Yacht Club
22-Sep-12	1100 - 1900	Lake Fall Regatta	Lake Washington	Corinthian Yacht Club of Seattle
22-Sep-12	1000 - 1600	ABC Challenge	Bellingham, Anacortes	Bellingham Yacht Club
22-Sep-12	1130 - 1700	2012 Stimson Navigation Contest	Bainbridge Island	Seattle Yacht Club
23-Sep-12	1200 - 2230	2012 Race Season	Port Gardner Bay	Milltown Sailing Association
23-Sep-12	1300 - 1800	Fall Night Cap Series	Port Townsend Bay	Port Townsend Sailing Association
23-Sep-12	1000 - 1600	ABC Challenge	Bellingham, Anacortes	Bellingham Yacht Club
26-Sep-12	1800 - 2000	Fall Evening - Wednesday Evenings	Lake Washington	Corinthian Yacht Club of Seattle
26-Sep-12	1800 - 2000	Fall Evening - PHRF	Shilshole Bay	Corinthian Yacht Club of Seattle
26-Sep-12	1800 - 2000	WSCYC September Six Pack Series	Port Orchard, Sinclair Inlet	WSCYC
27-Sep-12	1800 - 2000	Fall Evening - One Design	Shilshole Bay	Corinthian Yacht Club of Seattle
29-Sep-12	1000 - 1500	Sound Rowers' Mercer Island Sausage Pull	Medina Park	Sound Rowers
29-Sep-12	1000 - 1700	BYC Marmetta Cup	Bellingham Bay	Bellingham Yacht Club
30-Sep-12	1000 - 1800	Halloween Series	Edmonds	Corinthian Yacht Club of Edmonds
30-Sep-12	1300 - 1800	Fall Night Cap Series	Port Townsend Bay	Port Townsend Sailing Association
6-Oct-12	0930 - 1700	Fall Series	Des Moines Marina	Three Tree Point Yacht Club
6-Oct-12	1000 - 1800	Foulweather Bluff Race	Edmonds	Corinthian Yacht Club of Edmonds
6-Oct-12	1000 - 1700	BYC Jack Island Race	Bellingham Bay	Bellingham Yacht Club
6-Oct-12	1100 - 1900	Puget Sound Sailing Championships OD	Shilshole Bay	Corinthian Yacht Club of Seattle
7-Oct-12	1300 - 1800	Fall Night Cap Series	Port Townsend Bay	Port Townsend Sailing Association
7-Oct-12	1101 - 1900	Puget Sound Sailing Championships OD	Shilshole Bay	Corinthian Yacht Club of Seattle
7-Oct-12	0700 - 1600	NXW Soundriders, Puget Sound SUP Race	Steilacoom, WA	Tacoma South Sound Sports
13-Oct-12	1000 - 1800	Command Point Race	Browns Point/Command Point	Corinthian Yacht Club of Tacoma
13-Oct-12	0700 - 1600	Long Lake Bass Tournament	Lake Washington	Long Lake Bass club
13-Oct-12	0900 - 1800	Raid San Juan	Anacortes/San Juan Islands	Anacortes Yacht Club
14-Oct-12	1200 - 2230	2012 Race Season	Port Gardner Bay	Milltown Sailing Association
14-Oct-12	1000 - 1800	Halloween Series	Edmonds	Corinthian Yacht Club of Edmonds
14-Oct-12	1300 - 1800	Fall Night Cap Series	Port Townsend Bay	Port Townsend Sailing Association
19-Oct-12	1000 - 1700	Pacific NW Regional Opti-Regatta	Shilshole Bay	Corinthian Yacht Club of Seattle
20-Oct-12	0900 - 1800	WSCYC Commodores' Cup Regatta	Port Orchard, Sinclair Inlet	WSCYC
20-Oct-12	1100 - 1400	Ruston Way OC-1/2 Relay	Tacoma	Pacific Northwest Outriggers Assoc
21-Oct-12	1200 - 2230	2012 Race Season	Port Gardner Bay	Milltown Sailing Association
21-Oct-12	1300 - 1800	Fall Night Cap Series	Port Townsend Bay	Port Townsend Sailing Association
26-Oct-12	1000 - 2000	Grand Prix Invitational Regatta	Shilshole Bay, Meadow Pt	Seattle Yacht Club
27-Oct-12	1000 - 2000	Grand Prix Invitational Regatta	Shilshole Bay, Meadow Pt	Seattle Yacht Club
28-Oct-12	1000 - 1800	Halloween Series	Edmonds	Corinthian Yacht Club of Edmonds
28-Oct-12	1300 - 1800	Fall Night Cap Series	Port Townsend Bay	Port Townsend Sailing Association
28-Oct-12	1000 - 2000	Grand Prix Invitational Regatta	Shilshole Bay, Meadow Pt	Seattle Yacht Club



**US Army Corps
of Engineers®**
Walla Walla District

Operations Division

Walla Walla District
Corps of Engineers
201 North Third Avenue
Walla Walla, Washington 99362-1876

July 20, 2012

Special Pool Operation to Aid Safe Navigation Past Shoaling at the Ice Harbor Navigation Coffers Cells

A special pool operation to aid safe navigation during low flow river conditions is currently in place for commercial vessels at Ice Harbor Lock & Dam, located at Snake River mile 9.7. When possible, the Ice Harbor Operator will coordinate a temporary increase in the Ice Harbor tailwater elevation to improve conditions for tow/barges, subject to the following conditions:

- Situations that warrant additional flow for safe navigation include
 - Commercial tows with hazardous or flammable cargo
 - Double wide tows without means to split into single wide
 - Emergency conditions directly attributable to shoaling, where human health and safety, and watercraft are in imminent danger
- It is strongly recommended that the special pool operation be used only when absolutely necessary; example would be fully loaded tows of 3 to 4 barges. Water storage to assist with navigation safety is limited by several constraints and it may take many hours (as much as 24 hours) to provide the water needed for several special operations during a 24-hour period; possibly causing long delays.
- If the water elevation request cannot be met, the Ice Harbor Lock Operator will notify the Tow Captain as soon as possible with an estimated time of providing the desired 341.0' elevation.
- **Traveling Downstream:** The Tow Captain is to request an Ice Harbor a special navigation operation via the Lower Monumental Operator when leaving Lower Monumental, to allow a minimum of 2+ hours lead time.
- **Traveling Upstream:** If aid is necessary for upstream navigation the Tow Captain is to call Ice Harbor control room directly when entering the Snake River and not less than 30 minutes out, or notify McNary control room of intend to travel through Ice Harbor navigation lock.


- Ice Harbor will attempt to provide the best possible conditions for navigation subject to all operating constraints and limitations.

The most current 2011 survey of the area in question is located on the Walla Walla District Navigation website. Please reference sheet 10 of 10 of the most recent hydrographic surveys located here:

http://www.nww.usace.army.mil/Portals/28/docs/navigation/WEBFY11_HLD_CUT.pdf

Your cooperation in this matter is much appreciated. For additional information, please call Operations Division, at (509) 527-7115 or (509) 527-7120.

NNMREC Wave Energy Test Berth Site Map






NAVIGATIONAL LIGHTING & IDENTIFICATION NOTES

CORNER BUOYS / MARKER BUOYS:

1. Yellow in Color / Yellow Light Reflective Tape
2. 58" Steel Marker Buoy:
 - Yellow Lighting, Yellow Light Reflective Tape
 - 4 Nautical Mile Visibility
 - Radar Reflectors on All
3. Corner Buoy Identification:
 - Yellow, FL 5 20s Lighting, 15 Flashes Per Minute
 - 3 Nautical Mile Visibility
 - Radar Reflectors on All
 - Flagging or Elevated Physical Identifier?

EQUIPMENT:

1. Yellow in Color / Yellow Light Reflective Tape
2. Equipment Identification:
 - Yellow, FL 5 20s Lighting
 - 15 Flashes Per Minute
 - 2-3 Nautical Mile Visibility
 - Radar Reflectors on All



No.	Description	Latitude*	Longitude*	Equipment
1	Northwest Overall Corner	N44.69782444900	W124.14623042100	None
2	Northeast Overall Corner	N44.69857399700	W124.12288514500	None
3	Southeast Overall Corner	N44.68192379500	W124.12183891000	None
4	Southwest Overall Corner	N44.68117442700	W124.14517645600	None
5	Northwest Site Corner	N44.6965437279605	W124.129707103938	Corner Marker Buoy
6	Northeast Site Corner	N44.6966863656804	W124.125292369785	Corner Marker Buoy
7	Southeast Site Corner	N44.6944370691977	W124.125160457274	Corner Marker Buoy
8	Southwest Site Corner	N44.6942945631421	W124.129562402532	Corner Marker Buoy
9	TriAXYS Buoy	N44.6952424893169	W124.128381824207	TriAXYS Device
10	WetNZ Device	N44.6948530701238	W124.127705345208	WetNZ Device
11	Ocean Sentinel Buoy	N44.6957472225033	W124.126498440211	Ocean Sentinel Buoy

*LAMBERT CONFORMAL CONIC NAD83

DESIGNER SEAN MORAN, PE	QA REVIEWED BY STM	TEMPLATE # STANDARD
DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED. LINEAR TOLERANCES ARE: X ±0.1 X.X ±0.03 X.XX ±0.01 X.XXX ±0.003 ANGULAR TOLERANCES ARE: X.X ±0.1 X.XX ±0.05		NORTHWEST NATIONAL MARINE RENEWABLE ENERGY CENTER OREGON STATE UNIVERSITY
MOBILE OCEAN TEST BERTH WETNZ NAVIGATIONAL LIGHTING & MOORING PLAN		
MATERIAL	SCALE NTS	DRAWN BY STM DATE 04/18/12
FINISH	Sheet	SIZE A DRAWING NUMBER WETNZ4 REV 04
ACAD FILE ..\CONTROLLED DOCUMENTS\ OSU WETNZ NAV LIGHT PLN	1 of 1	

SAFETY AND SECURITY ZONES

Washington - Tank Ship Protection 33 CFR 165.1313

Do not approach within 100 yards of any Tank Ship. No vessel or person is allowed within 100 yards of a tank ship, unless authorized by the on-scene official patrol or tank ship master. If you need to pass within 100 yards of a Tank ship, in order to ensure a safe passage and in accordance with the Navigation Rules, you must contact the Tank Ship on VHF-FM channel 16. When within a tank ship security zone all vessels shall operate at the minimum speed necessary to maintain a safe course and shall proceed as directed by the on-scene official patrol or tank ship master.

Washington - Large Passenger Protection 33 CFR 165.1317

When within a large passenger vessel security and safety zone all vessels must operate at minimum speed necessary to maintain a safe course and must proceed as directed by the on-scene official patrol or large passenger vessel master. No vessel or person is allowed within 100 yards of a large passenger vessel that is underway or at anchor, unless authorized by the on-scene official patrol or large passenger vessel master. No vessel or person is allowed within 25 yards of a large passenger vessel that is moored.

Oregon - Large Passenger Protection 33 CFR 165.1318

When within a large passenger vessel security and safety zone all vessels must operate at minimum speed necessary to maintain a safe course and must proceed as directed by the on-scene official patrol or large passenger vessel master. No vessel or person is allowed within 100 yards of a large passenger vessel that is underway or at anchor, unless authorized by the on-scene official patrol or large passenger vessel master. No vessel or person is allowed within 25 yards of a large passenger vessel that is moored.

Washington – Protection of Military Cargo - Naval Vessel Protection Zone 33 CFR 165.1321

Do not approach within 100 yards of any U.S. Naval Vessel. Within 500 yards of operation of the U.S. Naval Vessel you must transit at minimum safe operating speed. If you need to pass within 100 yards of a U.S. Naval Vessel, in order to ensure a safe passage and in accordance with the Navigation Rules, you must contact the U.S. Naval Vessel of the Coast Guard escort vessel on VHF-FM channel 16. Vessels 20 meters or greater in length should seek permission from the COTP or a Designated Representative at least 4 hours in advance. Vessel less than 20 meters in length should seek permission at least 1 hour in advance. VTS Puget Sound may be reached on VHF-FM channel 14.

Washington - Elliot Bay – Cruise Ship Protection - Pier 91 33 CFR 165.1324

The Captain of the Port, Puget Sound has established the following areas as safety zones: All waters extending 1,000 yards due south from the end of Pier 91, to be in effect only during the arrival or departure of Large Passenger Cruise Vessels at Pier 91, Seattle, Washington. Additionally, a safety zone encompassing all waters within 100 yards surrounding Pier 91, Seattle, Washington is in effect when a Large Passenger Cruise Vessel is moored at Pier 91. In accordance with the general regulations in 33 CFR Part 165, Subpart D, no person or vessel may enter or remain in this security and safety zone, except for vessels authorized by the Captain of the Port or Designated Representatives.

Washington – Escorted U.S. Navy submarines in Sector Seattle COTP Zone 33 CFR 165.1327

The following area is a security zone: All waters within 1000 yards of any U.S. Navy submarine that is operating in the Sector Puget Sound Captain of the Port Zone, as defined in 33 CFR Section 3.65–10, and is being escorted by the Coast Guard. In accordance with the general regulations in 33 CFR Section 165, Subpart D, no person or vessel may enter or remain in the security zone created by paragraph (a) of this section unless authorized by the Coast Guard patrol commander. The Coast Guard patrol commander will coordinate with Vessel Traffic System users on a case-by-case basis to make appropriate passing arrangements under the circumstances. 33 CFR Section 165, Subpart D, contains additional provisions applicable to the security zone created in paragraph (a) of this section. The Coast Guard security escort will attempt, when necessary and practicable, to notify any persons or vessels inside or in the vicinity of the security zone created in this section of its existence via VHF Channel 16 and/or any other means reasonably available.

Washington – U.S. Navy submarines in Hood Canal RNA 33 CFR 165.1328


The following area is a regulated navigation area (RNA): All waters of the Hood Canal in the State of Washington whenever any U.S. Navy submarine is operating in the Hood Canal and is being escorted by the Coast Guard. For purposes of this section, "Hood Canal" means all waters of Hood Canal, including Dabob Bay, located between two lines with the first line connecting positions 47°37.9' N, 122°57.1' W and 47°37.9' N, 122°52.9' W and the second line connecting positions 48°00.7' N, 122°41.0' W and 47°56.4' N, 122°36.9' W. Regulations. All persons and vessels located within the RNA created by this section shall follow all lawful orders and/or directions given to them by Coast Guard security escort personnel. 33 CFR Section 165, Subpart B, contains additional provisions applicable to the RNA created in this section. The Coast Guard security escort will attempt, when necessary and practicable, to notify any persons or vessels in the RNA created in this section of its existence via VHF Channel 16 and/or any other means reasonably available.

Washington – Elliot Bay – Pier 36 Security Zone 33 CFR 165. 1334


The Coast Guard has established a security zone at U.S. Coast Guard (USCG) Base Support Unit Seattle, Pier 36, Elliot Bay, Seattle, WA. This permanent security zone is necessary to protect military and visiting foreign vessels, waterfront facilities, and the maritime public from destruction, loss, or injury from sabotage, subversive acts, or other malicious acts of a similar nature. Entry into or movement within this security zone is prohibited without the permission of the Captain of the Port or a Designated Representative. 165.1334 Security Zone; U.S. Coast Guard BSU Seattle, Pier 36, Elliot Bay, Seattle, WA. (a) Location: The following area is a security zone: all waters east of a line from 47-35.450°N 122-20.585°W to 47-35.409°N 122-20.585°W at Pier 36, Elliot Bay, Seattle, WA. (b) Regulations: In accordance with the general regulations in 33 CFR Part 165, Subpart D, no vessel may enter, transit, moor, or anchor within this security zone located at Pier 36, Elliot Bay, WA, except for vessels authorized by the Captain of the Port or Designated Representative. (c) Authorization: To request authorization to operate within this security zone, contact United States Coast Guard Sector Puget Sound Joint Harbor Operations Center at 206-217-6001.

PORT OF BROOKINGS GUIDING MARINER PLAN

BROOKINGS HARBOR
09-04-12





LIGHTED BUOY DETAIL
NO SCALE



DISPOSAL VESSEL LIGHTING
NO SCALE


1. Two all-round red lights or two balls in a vertical line to indicate the side on which the obstruction exists.
2. two all-round green lights or two diamonds in a vertical line to indicate the side on which another vessel may pass.
3. When at anchor, the lights or shapes prescribed in this paragraph instead of the lights or shape prescribed in rule 30.



APPROACH LIGHTED
WHISTLE BUOY CR



NOT FOR NAVIGATIONAL USE
REFER TO CHART # 18602



APPENDIX D