



U.S. Department
of Homeland Security
**United States
Coast Guard**

LOCAL NOTICE TO MARINERS

District: 17

Week: 37/16

-Navigation Information Service (NIS)-
Watchstander, 24 hours a day at (703) 313-5900
-Navcen Internet Address-
www.navcen.uscg.gov
-Local Notice to Mariners-
<http://www.navcen.uscg.gov/?pageName=lnmMain>

Issued by: Commander (DPW) Telephone: (907) 463-2269 (0800-1600)
Seventeenth Coast Guard District After Hours: (907) 463-2000 (1600-0800)
PO Box 25517, Juneau, AK 99802-5517
<http://www.uscg.mil/d17/D17%20Divisions/dpw/dpw.asp>

Questions, comments, or additional information on this Local Notice to Mariners should be sent to the address above or by E-mail to: D17-PF-D17-LNM@uscg.mil. You can get the U.S. Coast Guard 17th District Local Notice to Mariners via the Internet directly from the U.S. Coast Guard Navigation Center web site at <http://www.navcen.uscg.gov/?pageName=lnmDistrict®ion=17>.

REFERENCES: Light List, Vol. VI, Pacific Coast and Pacific Islands (COMDTPUB P16502.6).
U.S. Coast Pilot 8, Pacific Coast Alaska: Dixon Entrance to Cape Spencer, 37th Edition.
U.S. Coast Pilot 9, Pacific and Arctic Coasts Alaska: Cape Spencer to Beaufort Sea, 34th Edition.

BROADCAST NOTICE TO MARINERS

Navigation information previously promulgated by CG Sector Juneau Broadcast Notice to Mariners through J153-16 and CG Sector Anchorage Broadcast Notice to Mariners through A165-16 that are still in effect are included in this notice.

Chart Corrections

http://www.nauticalcharts.noaa.gov/mcd/updates/LNM_NM.html

Dates of Latest Editions, Nautical Charts, and Miscellaneous Maps

<http://www.nauticalcharts.noaa.gov/mcd/dole.htm>

Light List/ Summary of Corrections

<http://www.navcen.uscg.gov/index.php?pageName=lightLists>

NOAA Chart Viewer (Posting of all up to date NOAA charts for viewing on Internet browser to be used for ready reference or planning)

<http://www.nauticalcharts.noaa.gov/mcd/OnLineViewer.html>

NOAA Booklet Charts

<http://www.nauticalcharts.noaa.gov/staff/BookletChart.html>

Coast Pilots, along with corrections, are available at:

<http://nauticalcharts.noaa.gov/nsd/cpdownload.htm>

NOAA Weather Buoy Sites

<http://seaboard.ndbc.noaa.gov/Maps/wrldmap.shtml>

Tides online

<http://www.tidesonline.nos.noaa.gov>

Tides, Currents, PORTS

<http://www.co-ops.nos.noaa.gov>

Weather

<http://www.noaa.gov/wx.html>

Vessel Traffic System Prince William Sound (VTSPWS) Users Manual

[Http://homeport.uscg.mil/valdez](http://homeport.uscg.mil/valdez)

ABBREVIATIONS

A through H

ADRIFT - Buoy Adrift
AICW - Atlantic Intracoastal Waterway
AI - Alternating
B - Buoy
BKW - Breakwater
bl - Blast
BNM - Broadcast Notice to Mariner
bu - Blue
C - Canadian
CHAN - Channel
CGD - Coast Guard District
C/O - Cut Off
CONT - Contour
CRK - Creek
CONST - Construction
DAYMK/Daymk - Daymark
DBN/Dbn - Daybeacon
DBD/DAYBD - Dayboard
DEFAC - Defaced
DEST - Destroyed
DISCON - Discontinued
DMGD/DAMGD - Damaged
ec - eclipse
EST - Established Aid
ev - every
EVAL - Evaluation
EXT - Extinguished
F - Fixed
fl - flash
Fl - Flashing
G - Green
GIWW - Gulf Intracoastal Waterway
HAZ - Hazard to Navigation
HBR - Harbor
HOR - Horizontal Clearance
HT - Height

I through O

I - Interrupted
ICW - Intracoastal Waterway
IMCH - Improper Characteristic
INL - Inlet
INOP - Not Operating
INT - Intensity
ISL - Islet
Iso - Isophase
kHz - Kilohertz
LAT - Latitude
LB - Lighted Buoy
LBB - Lighted Bell Buoy
LHB - Lighted Horn Buoy
LGB - Lighted Gong Buoy
LONG - Longitude
LNM - Local Notice to Mariners
LT - Light
LT CONT - Light Continuous
LTR - Letter
LWB - Lighted Whistle Buoy
LWP - Left Watching Properly
MHz - Megahertz
MISS/MSNG - Missing
Mo - Morse Code
MRASS - Marine Radio Activated Sound Signal
MSLD - Misleading
N/C - Not Charted
NGA - National Geospatial-Intelligence Agency
NO/NUM - Number
NOS - National Ocean Service
NW - Notice Writer
OBSCU - Obscured
OBST - Obstruction
OBSTR - Obstruction
Oc - Occulting
ODAS - Anchored Oceanographic Data Buoy

P through Z

PRIV - Private Aid
Q - Quick
R - Red
RACON - Radar Transponder Beacon
Ra ref - Radar reflector
RBN - Radio Beacon
REBUILT - Aid Rebuilt
RECOVERED - Aid Recovered
RED - Red Buoy
REFL - Reflective
RRL - Range Rear Light
RELIGHTED - Aid Relit
RELOC - Relocated
RESET ON STATION - Aid Reset on Station
RFL - Range Front Light
RIV - River
RRASS - Remote Radio Activated Sound Signal
s - seconds
SEC - Section
SHL - Shoaling
si - silent
SIG - Signal
SND - Sound
SPM - Single Point Mooring Buoy
SS - Sound Signal
STA - Station
STRUCT - Structure
St M - Statute Mile
TEMP - Temporary Aid Change
TMK - Topmark
TRLB - Temporarily Replaced by Lighted Buoy
TRLT - Temporarily Replaced by Light
TRUB - Temporarily Replaced by Unlighted Buoy
USACE - Army Corps of Engineers
W - White
Y - Yellow

Additional Abbreviations Specific to this LNM Edition: None

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

423 ALASKA – SOUTHCENTRAL – KENNEDY ENTRANCE – PORT CHATHAM

HAZARDOUS OPERATIONS: A pyrotechnics exercise will be conducted in Port Chatham near position 59°12.974'N, 151°44.297'W from 160200 to 160300 UTC which is 1800 to 1900 Alaska time on September 15th, 2016. The danger radius is 2,000 yards and the danger altitude is 1,000 feet. Questions/concerns should be directed to the Coast Guard Sector Anchorage Command Center at (907) 428-4100 or on VHF/FM channel 16. The unit conducting the exercise will also be monitoring VHF/FM channel 16 during the exercise.

LNM: 37/16

424 ALASKA – BEAUFORT SEA

The following subsurface data moorings have been relocated:

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:
AL16-AU-PB1	71°12.335'N, 158°00.977'W	151 feet	121 feet
AL16-AU-WT1	71°02.502'N, 160°30.933'W	157 feet	128 feet

Questions/concerns should be directed to Catherine Berchok at (206) 526-6331 or by email to catherine.berchok@noaa.gov.

LNM: 37/16

425 ALASKA – CHUKCHI SEA

The following subsurface data moorings have been relocated:

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:
------------	-----------	--------------	------------------

AL16-AU-BF1 71°32.980'N, 155°32.310'W 220 feet 190 feet
AL16-AU-BF2 71°45.244'N, 154°27.381'W 322 feet 292 feet

Questions/concerns should be directed to Catherine Berchok at (206) 526-6331 or by email to catherine.berchok@noaa.gov.

LNLM: 37/16

426 **ALASKA – SOUTHEAST – YAKUTAT**

The Coast Guard will be conducting maintenance on the Yakutat VHF High Site from September 13th to September 15th, 2016. The Coast Guard will have no VHF/FM coverage for Yakutat Bay and its outer waters during this period. All stations are requested to relay any distress calls or requests for assistance to the nearest Coast Guard unit or the Coast Guard Sector Juneau Command Center at (907) 463-2980.

LNLM: 37/16

427 **ALASKA – CHUKCHI SEA**

The following subsurface data mooring has been relocated/reestablished by the National Ocean and Atmospheric Administration (NOAA):

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:
16CKP-4A	71°02.289'N, 160°30.868'W	141 feet	118 feet
16CKP-9A	72°27.822'N, 156°32.880'W	3,281 feet	328 feet
16CKP-5A	71°12.152'N, 158°00.662'W	161 feet	118 feet

Questions/concerns should be directed to David Strausz at (206) 526-4510 or by email to david.strausz@noaa.gov.

LNLM: 37/16

428 **ALASKA**

This notice is being issued to advise all NWS partners of a change to the email address used for obtaining weather products via the NWS FTPMail service. The NWS FTPMail was established primarily for mariners who have limited World Wide Web access but maintain the ability to interface with NWS through email services. The NWS FTPMail service allows users to request and receive weather products through a simple mail transfer protocol. By using FTPmail, a user's request is automatically sent as either an attachment or content of an email message on as needed. Further information for the FTPMail service can be obtained from the following web site: http://www.nws.noaa.gov/tg/ftpmail_using.php. In an effort to improve service and efficiency, the NWS is completing a system upgrade of the FTPMail service. As part of the upgrade, the email address used by our partners to request weather product(s) will be changed. The following email address will be operational on Wednesday, September 7, 2016. New FTPMail Service Email Address: NWS.FTPMail.OPS@noaa.gov. The old email address, ftpmail@ftpmail.nws.noaa.gov. is planned for decommissioning on Thursday October 6, 2016. NWS recommends users begin transitioning to the new email address on September 7, 2016 to ensure continuing responses to FTPMail requests. As a reminder, you must configure your email system to allow messages originating from WS.FTPMail.OPS@noaa.gov to prevent accidental deletion. Any problems experienced when using the new FTPmail address should be reported to Kevin Conaty, NOAA/NWS/IDP NRT PM, Silver Spring, MD 20910; (301) 427-9169; or kevin.conaty@noaa.gov. National Public Information Notices are online at: <http://www.nws.noaa.gov/om/notif.htm>

LNLM: 37/16

429 **ALASKA – CHUKCHI SEA**

The following subsurface data mooring has been relocated/reestablished by the Institute of Arctic Climate Research and Environment Research (IACE) of the Japan Agency for Marine-Earth Science and Technology:

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:
SCH-16 (DBO-3)	68°01.981'N, 168°50.121'W	190 feet	125 feet

Questions/concerns should be directed to Motoyo Itoh, Ph.d at +81-46-867-9488 or by email to Motoyo@jamstec.go.jp.

LNLM: 37/16

430 **ALASKA – BEAUFORT SEA**

The following subsurface data moorings have been relocated/reestablished by the Institute of Arctic Climate Research and Environment Research (IACE) of the Japan Agency for Marine-Earth Science and Technology:

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:
BCE-16	71°40.366'N, 155°00.052'W	351 feet	131 feet
BCC-16	71°44.027'N, 155°09.694'W	928 feet	131 feet
BCW-16	71°47.758'N, 155°20.730'W	554 feet	131 feet

Questions/concerns should be directed to Motoyo Itoh, Ph.d at +81-46-867-9488 or by email to Motoyo@jamstec.go.jp.

LNLM: 37/16

431 **ALASKA – ARCTIC OCEAN**

The following subsurface data moorings have been relocated/reestablished by the Institute of Arctic Climate Research and Environment Research (IACE) of the Japan Agency for Marine-Earth Science and Technology:

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:
NBC-15t	72°28.341'N, 155°24.388'W	6,561 feet	203 feet
NHC-15t	73°18.141'N, 160°46.922'W	1,396 feet	171 feet

Questions/concerns should be directed to Motoyo Itoh, Ph.D at +81-46-867-9488 or by email to Motoyo@jamstec.go.jp.

LNM: 37/16

433 **ALASKA – ARCTIC – BEAUFORT SEA**

A Commercial North Slope Communications (Com) Center facility has been established in Kaktovik in support of 2016 eastern Beaufort Sea offshore vessel traffic in Alaska. The primary objective of the Kaktovik Com Center is to prevent open water conflicts with subsistence hunters in subsistence hunting regions of the Beaufort Sea. In addition, the Kaktovik Com Center can facilitate an emergency search and rescue (SAR) response. The Kaktovik Com Center is staffed with operators hired from Kaktovik. VHF/FM communications with emergency response agencies is limited in the Arctic and, for this reason and in an effort to prevent conflict with subsistence users, participation is encouraged by all vessel operators. Vessel operators are requested to call in position reports to the nearest Com Center at 6-hour intervals beginning at 0600 hours local. Aircraft are requested to contact Com Centers at takeoff and landing phases of travel within the Com Center Zone. The Kaktovik Com Center Zone is defined as that area within 50 miles of shore, west of longitude 142°W and North of Latitude 68°N. The Com Center monitors VHF/FM Channel 16. The Kaktovik Com Center will be operating 0600 to 1600 from August 27 to September 14 or close of whaling season and can be reached by phone at (907) 640-5050 or by E-mail to KaktovikCAA@gmail.com. ExxonMobil POC: Sonia Henrick (907) 230-8063 E-mail: sonia.henrick@exxonmobil.com

LNM: 35/16

434 **ALASKA – SOUTHCENTRAL – PRINCE WILLIAM SOUND – ORCA INLET**

Channel Island Rock LT 7 (LLNR 25555) is destroyed and has been temporarily decommissioned with the structure wreckage remaining on Channel Island Rock. Channel Island Rock LB 7 (LLNR 25555.1) has been established with a 2.5 second flashing green light in position 60°36'29.000"N, 145°49'03.481"W. Mariners are requested to transit the area with caution. Chart and Light List corrections will be issued once the verification process has been completed. Questions/concerns should be directed to Todd Buck with the Coast Guard Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscg.mil.

LNM: 35/16

435 **ALASKA – SOUTHEAST – GASTINEAU CHANNEL**

Manson Construction Co. will be conducting operations to build the north Port of Juneau Cruise Ship Berth (Steamship Dock) from September 21st, 2016 through May 15th, 2017. Operations will include but are not limited to pile driving, steel erection and welding, timber installation, installation of a concrete pontoon, heavy lifting, uplands utility installation, new electrical and mechanical services, and miscellaneous marine construction. Hours of operation are up to 24 hours per day 7 days per week but will typically take place from 6 am until 6 pm daily. Marine assets may stay on location during operational and non-operational periods. Two lighted mooring buoys have been established on either side of Gastineau Channel in position 58°17.7'N, 134°24.822'W flashing white 2.5 seconds and in position 58°17.65N, 134°25.236W flashing white 1 second. The vessels involved in the project are Derrick Barges VIKING and ANDREW, deck barges MANSON 37, MANSON 58, MANSON 70, and MANSON 74, tug HARRY M and three work skiffs. When manned and operational the vessels are monitoring VHF-FM channel 8. Derrick barges will have anchors deployed with crown buoys locating each submerged anchor. Submerged anchor cables are also present and local mariners are requested to stay at least 1000 ft. from equipment. Mariners are requested to proceed with extreme caution, provide a wide berth, operate at a slow speed and keep to the Navigation Channel while transiting in this area. Questions/concerns should be directed to Erik Dolmseth at (206) 384-3025 or by email to edolmseth@mansonconstruction.com.

LNM: 35/16

436 **ALASKA – ARCTIC – CHUKCHI SEA**

Woods Hole Oceanographic Institution has deployed a temporary surface data collection buoy in the Chukchi Sea in position 70°59.684'N, 163°42.753'W. It will be recovered before October 31st, 2016. The buoy is yellow, approximately 10' tall, has a passive RADAR reflector, and has an amber light flashing every 4 seconds. Questions/concerns should be directed to Jeff Pietro at (508) 328-5890 or by email to jpietro@whoi.edu.

LNM: 35/16

441 **ALASKA – ARCTIC – BEAUFORT SEA – OLIKTOK**

Global Marine Systems LTD has been contracted to install submarine fiber optic telecommunications cable for the Quintillion Cable system in the vicinity of Oliktok, Alaska. This work will be accomplished from August 17th through October 5th, 2016. The CB NETWORKER is a non-propelled cable installation barge that will conduct pre-trenching and simultaneous subsea cable lay/burial operations. The CB NETWORKER will be towed by the VOS THALIA. These vessels will be limited in their ability to maneuver when conducting underwater operations. Mariners are requested to maintain a 1NM CPA from the barge and 500 yard CPA from cable buoys and reduce speed to minimize wake when passing. The Alpha flag will be displayed during diving operations. Questions/concerns should be directed to John Wrottesley at +44 7836 231 998 or by email to

LNM: 32/16

462 **ALASKA – NORTHWESTERN – CHUKCHI SEA – LEDYARD BAY**

Orion Marine Contractors will be conducting rock quarry operations at the north end of Cape Lisburne (approximately ½ mile west of the USAF runway at the Long Range Radar Site) in a rock quarry located in approximate position 68°52'37.51"N, 166° 9'26.41"W. Blasting operations will begin on July 27th, 2016 and continue 7 days a week until October 15th, 2016. Please avoid this area and at no time enter closer than ½ mile of the area of quarry operations. Please contact Orion Marine Contractors at (907) 433 3536 or by radio on VHF/FM channel 16 for additional information or concerns.

LNM: 30/16

465 **ALASKA – SOUTHWESTERN – BRISTOL BAY – UGASHIK**

Two vessels have been reported aground or sunk in the Ugashik river in the vicinity of the town of Ugashik. An aluminum landing craft approximately 60 feet in length has been reported aground upriver from Ugashik in approximate position 57°33.345'N, 157°24.508'W. A fiberglass set net skiff was reported sunk at a mooring ball approximately 800 feet from the river bank near the town of Ugashik in approximate position 57°30.906'N, 157°24.359'W. Questions/concerns should be directed to the Coast Guard Sector Anchorage Command Center at (907) 428-4100.

LNM: 28/16

469 **ALASKA – SOUTHWEST – BERING SEA**

NOAA's Pacific Marine Environmental Laboratory (PMEL) will be deploying and operating 2 Wavegliders in the Bering Sea from approximately July 7th, 2016 through September 25th, 2016. The wavegliders are remotely operated vehicles, yellow, approx 2 meters in length, and travel at about 1 knot. Wavegliders will be operating approximately along 60N between 168W and 175W. Questions/comments should be directed to Daniel Langis at 206-851-7098 or by email to daniel.p.langis@noaa.gov.

LNM: 28/16

496 **ALASKA – SOUTHCENTRAL – COOK INLET NAVIGATION CHANNEL**

The Cook Inlet Navigation Channel was dredged during the summer of 2014 to a project depth of -38 feet (FT) mean lower low water (MLLW). A project condition survey was conducted on April 15th, 2016 in which the following controlling depths were recorded:
Left Outside Quarter 61°12'19.44"N, 150°04'38.99"W and 61°12'29.31"N, 150°03'58.18"W both at -40.1 FT MLLW
Left Inside Quarter 61°12'0.69"N, 150°05'33.03"W at -41.1 FT MLLW
Right Inside Quarter 61°11'57.74"N, 150°05'33.02"W at -39.8 FT MLLW
Right Outside Quarter 61°12'04.17"N, 150°04'55.28"W at -39.6 FT MLLW
A chartlet of the controlling depths as well as survey data are available on the U.S. Army Corps of Engineers (USACE), Alaska District website at: <http://www.poa.usace.army.mil/About/Offices/ConstructionOperations/RiversandHarbors.aspx> No maintenance dredging is scheduled for this channel during 2016. A condition survey of the channel is tentatively scheduled for May 2017. Questions/concerns should be directed to Donna West with the USACE Anchorage office at (907) 753-2761 or by email to Donna.L.West@usace.army.mil.

LNM: 23/16

498 **ALASKA – SOUTHWESTERN – BERING SEA**

NOAA and the Pacific Marine Environmental Laboratory will be deploying two unmanned science vehicles (saildrones) in the Eastern Bering Sea for oceanographic research from June through mid-September, 2016. These saildrones will depart and return to Dutch harbor and travel as far North as 59°30'N. Vessels are requested to maintain a CPA of at least 500 meters. Additional information including a chartlet of the area of operation and a photo depicting one of the saildrones is included as an enclosure to this LNM. Questions/concerns should be directed to Noah Lawrence at (206) 526-6209 or by email to noah.lawrence-slavas@noaa.gov.

LNM: 22/16

501 **ALASKA – SOUTHEAST – GASTINEAU CHANNEL**

Manson Construction Co. has moored the North Berth Concrete Pontoon for the Port of Juneau Cruise Ship Berths project in Gastineau Channel outside of the breakwater just West of Aurora Harbor. The mooring consists of two temporary unlighted mooring buoys. Mooring Buoy "1" will be located in position 58°18'12.85"N, 134°26'9.29"W. Mooring Buoy "2" will be located in position 58°18'16.26"N, 134°26'16.38"W. These buoys were established in May of 2016 and will be removed in October of 2016. The pontoon moored between the buoys has a fixed white light with a 2 NM nominal range at each corner. Questions/concerns should be directed to Erik Dolmseth at (206) 384-3025 or by email to edolmseth@mansonconstruction.com.

LNM: 22/16

519 **ALASKA – SOUTHCENTRAL – COOK INLET**

The Furie Energy JULIUS R. gas production platform is located near Middle Ground Shoal in Cook Inlet in position 60°56'10.1620"N, 151°09'31.0270"W. It is a monopod production platform and is manned 24 hours a day and 7 days a week and monitors VHF/FM channel 12. It is

currently not charted but chart corrections will be issued as soon as the documentation has been processed. Questions/concerns should be directed to Tom Rueter with Alaska Maritime Agencies at (907) 562-8808 or by email to ncops@alaskamaritime.com.

LNM: 19/16

538 **ALASKA – ARCTIC**

The U.S. Navy has abandoned an ice camp established to conduct Navy testing, training, and research activities due to unsafe ice conditions. The last known position of the ice camp was 73°18'8"N, 151°55'31"W on April 1, 2016. All personnel and most of the material was safely evacuated, but some material from the camp remained on the ice. The remaining material included items such as tents, cardboard boxes of food, camping style foam mats, sleeping bags, pillows, foldable chairs, tables, some wiring/lighting, and cooking materials. No oil/fuel products, explosives, or hazardous materials were left behind. Questions/concerns should be directed to CDR Deborah Loomis at (757) 836-5956 or by email to Deborah.loomis@navy.mil.

LNM: 15/16

550 **ALASKA – SOUTHWESTERN – ALEUTIAN ISLANDS – DUTCH HARBOR**

Arch Rock LT 3A has been destroyed and is temporarily discontinued. The temporary lighted green buoy 3A displaying a flashing green 2.5 second light has been relocated to position 53°52'35.048"N, 166°34'02.508"W, 40 yards SW of the previous position of LT 3A. Questions/concerns should be directed to Todd Buck with the Coast Guard District 17 Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscg.mil.

LNM: 11/16

561 **ALASKA – SOUTHEAST – SOUTHERN CHATHAM STRAIT**

Twenty-four reference moorings will be deployed from approximately March 16th through December 15th, 2016 in the vicinity of Port Walter in Southern Chatham Strait. All moorings will be a minimum of 200 meters apart and at least 50 meters from shore. Additional information including a list of the mooring positions and a chartlet depicting those positions is included as an enclosure to this LNM. Please direct questions/concerns to John Eiler at (907) 789-6033 or by email to john.eiler@noaa.gov.

LNM: 06/16

568 **ALASKA – SOUTHEAST – SECURITY BAY**

An uncharted reef with a depth of 4 feet has been reported in Security Bay in approximate position 56°50.483'N, 134°20.325'W and extending shoreward to the Northeast. Soundings within Security Bay were also reported to be up to two fathoms shallower than the charted depth. Mariners are requested to transit the area with caution and report any charting discrepancies to Todd Buck with the Coast Guard Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscg.mil.

LNM: 05/16

572 **ALASKA – SOUTHCENTRAL – RESURRECTION BAY – SEWARD**

Hamilton Construction will be conducting dredging and breakwater construction at the Seward Marine Industrial Center Basin on the East shoreline of Resurrection Bay to create a new entry channel into the basin from the North as well as installing associated new navigational aids and marker piles. Work on this project will occur from January 18th, 2016 through April 30th, 2017. The tugs SKOOKUM, COSMIC WIND, and LITTLE TOOT and the barges POINT NO POINT, KVICHAK TRADER and WAYNEHOE will be involved in this project. Work may be conducted seven days a week from 0600 to 2200 local time. Vessels will be monitoring VHF/FM channel 16. Questions/concerns should be directed to Hamilton Construction at (907) 334-3910 or on VHF/FM channel 16.

LNM: 01/16

623 **ALASKA – KODIAK – ALITAK BAY**

A deck barge 72 X 25 feet has sunk in 84 feet of water in approximate position 56°53.79'N, 154°22.74'W. Mariners are requested to transit the area with caution. Questions/concerns should be directed to the Coast Guard Sector Anchorage Command Center at (907) 428-4100 or on VHF/FM channel 16.

LNM: 37/15

637 **ALASKA – WESTERN – NOME**

The Army Corps of Engineers (USACE) has discovered a potential obstruction in the outer entrance channel to the Nome Harbor. The obstruction was identified during the 2015 maintenance dredging operations and confirmed by multi-beam sonar equipment during a project condition survey. The approximate center location of the obstruction is 64°29'41.344"N 165°26'11.968"W. The least depth in the vicinity of the obstruction is 20.1 feet below mean lower low water. Mariners should exercise caution while navigating this area and report any strikes to Lucas Stotts, Harbormaster (907) 304-1906. The approximate obstruction location is based on preliminary survey data submitted by eTrac Inc. on 24 August, 2015 to the U.S. Army Corps of Engineers, Alaska District. The approximate dimensions of the obstruction are 7 feet long by 5 feet wide by 2.5 feet tall. USACE will update this notice as soon as additional information becomes available. Questions/concerns should be directed to Michael Teneza, Operations Project Manager (907) 753-2648 or Tom Sloan, Chief Geomatics Section (907) 753-2658.

LNM: 34/15

705

ALASKA – SOUTHEAST

The U.S. Coast Guard has VHF Digital Selective Calling (DSC) capability with limited coverage in Southeast Alaska. The initial coverage areas are Ketchikan, Juneau and Yakutat. Mariners are reminded to ensure that they have properly connected their GPS units to their DSC equipped marine VHF radios and registered for their Maritime Mobile Service Identity (MMSI) to utilize the DSC distress function. Additional information is available through the Alaska Outdoors Forum at [http://forums.outdoorsdirectory.com/showthread.php/142083-Digital-Selective-Calling-\(DSC\)](http://forums.outdoorsdirectory.com/showthread.php/142083-Digital-Selective-Calling-(DSC)) or by contacting Mike Folkerts with the Coast Guard District 17 Boating Safety Office at (907) 463-2297 or by email to Michael.r.folkerts@uscg.mil.

LNM: 15/15

707

ALASKA – SOUTHCENTRAL

The U.S. Coast Guard has VHF Digital Selective Calling (DSC) capability with limited coverage in Southcentral Alaska. The initial coverage areas are Upper Cook Inlet, Kodiak and Valdez Arm. Mariners are reminded to ensure that they have properly connected their GPS units to their DSC equipped marine VHF radios and registered for their Maritime Mobile Service Identity (MMSI) to utilize the DSC distress function. Additional information is available through the Alaska Outdoors Forum at [http://forums.outdoorsdirectory.com/showthread.php/142083-Digital-Selective-Calling-\(DSC\)](http://forums.outdoorsdirectory.com/showthread.php/142083-Digital-Selective-Calling-(DSC)) or by contacting Mike Folkerts with the Coast Guard District 17 Boating Safety Office at (907) 463-2297 or by email to Michael.r.folkerts@uscg.mil.

LNM: 15/15

726

ALASKA – SOUTHEAST – WESTERN BEHM CANAL

The U.S. Navy has established a temporary data collection buoy in Western Behm canal approximately 5,000 yards North of Betton Island within 400 yards of position 55°35.684'N, 131°46.503'W. The buoy is described as a 3 foot diameter yellow sphere, with the marking "Wave Buoy", with an attached telemetry whip antenna and a night time warning light that flashes 5 times at 1 second intervals with a period of 20 seconds between each series, FI(5) Y 25s. Questions/concerns should be directed to Mr. Bill Harney at (907) 247-6289.

LNM: 05/15

815

ALASKA – SOUTHEAST – ICY STRAIT – NORTH INIAN PASSAGE

The currents in North Inian Passage and Glacier Bay have been observed at up to 3 knots above the NOAA published current predictions. Mariners should exercise caution when transiting the area. Questions/concerns should be directed to LT Tim Smith at (907) 271-3327 or by email to timothy.m.smith@noaa.gov.

LNM: 25/14

816

ALASKA – SOUTHEAST – DIXON ENTRANCE – FILLMORE INLET

The chart of Fillmore Inlet on Chart 17437, 10th Edition has been reported to have significant offset and shoreline irregularities. The offset was reported to be as much as 500 yards. Mariners navigating in Fillmore Inlet using chart 17437, 10th Edition or electronic charts derived from chart 17437, 10th Edition should use extreme caution. Questions or concerns should be directed to Todd Buck at (907) 463-2269 or by email to todd.r.buck@uscg.mil.

LNM: 25/14

872

ALASKA

The Alaska Marine Safety Education Association (AMSEA) will be offering AMSEA Marine Safety Instructor Training and AMSEA Drill Conductor Courses in various locations within Alaska. The specific locations, dates, and course information can be found in an enclosure to this LNM. For more information contact AMSEA at (907) 747-3287 or view their website at www.amsea.org.

LNM: 12/14

889

ALASKA

U.S. Coast Guard to Test Automatic Identification System (AIS) Aids to Navigation (ATON). In the near future, the U.S. Coast Guard and other authorized agencies and organizations (i.e., U.S. Army Corps of Engineers, Marine Exchange of Alaska) will begin transmitting AIS ATON messages and marine safety information via AIS for testing and evaluation. The exact content, location, and times of these broadcasts will be announced in future Local Notices to Mariners. Additional information is included as an enclosure to this LNM. Questions/concerns should be directed to Todd Buck at the Coast Guard District 17 Waterways Management Office at (907) 463-2269 or by email to todd.r.buck@uscg.mil.

LNM: 05/14

992

ALASKA – ALEUTIAN ISLANDS – ADAK – SWEEPER COVE

The East side of the Pier 5 Dock located in Sweeper Cove is closed to moorage without prior approval from the Adak Harbormaster due to loose and missing pilings. Questions/concerns should be directed to Jim Fleming at (907) 277-7527 or the Port of Adak office at (907) 592-0185. The Adak harbormaster can also be contacted on VHF/FM channel 16.

LNM: 20/13

993

ALASKA – U.S. COAST GUARD MEDIUM FREQUENCY (MF) DISTRESS WATCHKEEPING

Mariners are advised that calls to the U.S. Coast Guard on the international radiotelephone distress frequency 2182 kHz or the Digital Selective Calling (DSC) frequency 2187.5 kHz may not be heard or may be severely degraded. Instead of using 2182 kHz for distress calls, mariners should use high frequency (HF) radiotelephone or DSC in the 4, 6, 8, and 12 MHz distress or calling bands. Additional information concerning U.S. Coast Guard HF watchkeeping is posted on the U.S. Coast Guard's Navigation Center website (<http://www.navcen.uscg.gov/?pageName=cgcommsCall>).

LNM: 11/13

995

ALASKA

MARINE DEBRIS: With the increase in ocean debris sightings along the coastlines of the Pacific Ocean, mariners are reminded to submit debris sighting reports to the National Oceanic and Atmospheric Administration (NOAA) Marine Debris Program at DisasterDebris@noaa.gov. Questions or concerns may be directed to the Coast Guard District 17 Waterways Management Branch at (907) 463-2269 or by email to todd.r.buck@uscg.mil.

LNM: 24/12

998

ALASKA – SUBSURFACE AND SURFACE BUOYS

Locations of all subsurface and surface oceanographic moorings that have been reported to the U.S. Coast Guard District 17 Waterways Branch are included in an enclosure to the Local Notice to Mariners. The name, type, location, depth, water depth, and a Point of Contact for all data buoys, surface and subsurface, shall be reported as quickly as is practical if they are placed within the navigable waters (within 200 nm) of the United States. Data buoys placed in the Arctic region but outside of 200 nm of the United States may be reported and will be included in this compilation (for informational purposes only). This notification process is for inclusion in the Local Notice to Mariners to provide navigational information to mariners and does not supersede any permission or permitting requirements. Any notifications, corrections, additions, deletions, or comments for the Alaska region (Coast Guard District 17) or the Arctic region should be submitted via e-mail to D17-PF-D17-LNM@uscg.mil or to Todd Buck, USCG D17(dpw), at (907) 463-2269 or by email to todd.r.buck@uscg.mil. This compilation is as current as the Local Notice to Mariners (LNM) as included in an enclosure. The referenced LNM may have additional information and indicates the last time an entry was updated.

LNM: 38/11

999

ALASKA

RANGE STRUCTURES: The U. S. Coast Guard has become aware that Coast Guard information used to depict a rangeline on NOAA Electronic Navigational Charts (ENC) may not be of sufficient accuracy to accurately portray the rangeline on the ENC. Mariners are cautioned that the position of a rangeline as shown on an ENC may not reflect its true position. If you have questions or concerns please contact Todd Buck at (907) 463-2269 or by email at todd.r.buck@uscg.mil.

LNM: 03/11

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
1100	Cape St. Elias Light	REDUCED INT	16723	A157-16	35/16	
1187	NOAA Data Lighted Buoy 46078	OFF STA	16580	A193-15	47/15	
22005	Point Davison Light	DAYMK MISSING	17434	J195-15	44/15	
22300	Guard Island Light	LT EXT	17428	J087-16	20/16	
22455	Narrow Point Light	LT EXT	17360	J153-16	37/16	
23305.7	Keku Strait Daybeacon 10	MISSING	17368	J148-13	32/13	
23305.9	Keku Strait Daybeacon 13	STRUCT DEST	17368	J103-15	23/15	
23305.95	Keku Strait Buoy 14	MISSING	17372	J032-16	06/16	
23315	Kake Entrance Light 2	STRUCT DEST	17368	J086-15	18/15	
24060	Kootznahoo Inlet Daybeacon 6	STRUCT DEST	17339	J137-15	31/15	
25080	Olga Strait Light 9	STRUCT DMGD	17324	H051-15	08/15	
25355	Dippy Island Rock Daybeacon 3	DAYMK DMGD	17321	J216-15	51/15	
25555	Channel Island Rock Light 7	LT EXT/STRUCT DMGD	16710	A150-16	31/16	

25640	Orca Inlet West Channel Lighted Buoy 4	LT EXT	16710	A163-16	37/16
25647	NOAA Data Lighted Buoy 46081	LT EXT	16705	A139-15	34/15
25970	Evans Island Light	DAYMK DMGD	16702	A116-16	27/16
26920	Cape Alitak Light	STRUCT DEST	16591	A124-16	29/16
27300	Chunak Point Daybeacon 2	DAYMK DMGD	16535	A089-13	15/13
27440	Akutan Point Light 2	LT EXT	16532	A123-16	28/16
27545	NOAA Data Lighted Buoy 46071	MISSING	16440		14/15
27610	Hague Channel Buoy 8	LT EXT	16363	A115-15	28/15
27857	Kuskokwim River Buoy 66	MISSING	16304	A101-16	24/16

DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
22505	Snow Passage Lighted Buoy 4	WATCHING PROPERLY	17383	J149-16	36/16	37/16
23631	Holkham Bay Buoy 1	WATCHING PROPERLY	17311	J150-16	36/16	37/16

DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
22201	Bar Harbor Breakwater East Light	STRUCT DEST	17430	J202-15	47/15	
22202	Bar Harbor Breakwater Middle Light	STRUCT DEST	17430	J203-15	47/15	
22203	Bar Harbor Breakwater West Light	STRUCT DEST	17430	J204-15	47/15	
23691	Manson Construction Mooring LB A	MISSING	17315		19/16	
23692	Manson Construction Mooring LB B	MISSING	17315		19/16	
23908	Port Chilkoot Mooring Dolphin Lights (2)	LT EXT	17317	J175-14	38/14	
25893	Whittier Passenger Dock Lights (2)	LT EXT	16706	A031-10	20/10	
26361.5	Dillon Oil Platform Light	LT EXT	16662	A034-16	10/16	

DISCREPANCIES (PRIVATE AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

PLATFORM DISCREPANCIES

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

PLATFORM DISCREPANCIES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
23800	Gibby Rock Light 2	TRLB	17315	J061-13	13/13	
23920	Indian Rock Light	DISCONTINUED	17317	J163-15	36/15	
27503	Arch Rock Light 3A	DISCONTINUED	16530	A170-15	41/15	

TEMPORARY CHANGES CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

PLATFORM TEMPORARY CHANGES

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

PLATFORM TEMPORARY CHANGES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only.

It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.

Chart Number	Chart Edition	Edition Date	Last Local Notice to Mariners	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariners
12327	91st Ed.	19-APR-97	Last LNM: 26/97	NAD 83		27/97
Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER						
Main Panel 2245 NEW YORK HARBOR					CGD01	
(Temp) ADD	NATIONAL DOCK CHANNEL BUOY 3				at 40-41-09.001N	074-02-48.001W
	Green can					
Corrective Action	Object of Corrective Action				Position	

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true.

Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

16006	37th Ed.	01-DEC-15	Last LNM: 36/16	NAD 83	37/16
Chart Title: Bering Sea-eastern part;St. Matthew Island, Bering Sea;Cape Etolin, Anchorage, Nunivak Island					
Main Panel 2411 BERING SEA EASTERN PART. Page/Side: A					
DELETE	Shoal area; Shoaling less than 5 fms rep (2016) Chart No. 1: K40 (NOS NW-25892)			NOS 59-45-45.200N	165-29-02.800W
DELETE	Sounding in Fathoms; 12 (NOS NW-25891)			NOS 60-25-13.500N	166-02-28.500W
ADD	Sounding in Fathoms; 2 (NOS NW-25893)			NOS 60-29-12.400N	165-20-49.900W
ADD	Sounding in Fathoms; 4 3/4 (NOS NW-25892)			NOS 59-45-53.500N	165-28-40.300W
ADD	Sounding in Fathoms; 5 (NOS NW-25894)			NOS 60-39-23.000N	166-11-40.600W
ADD	Sounding in Fathoms; 6 3/4 (NOS NW-25891)			NOS 60-25-06.000N	166-02-05.700W

OIL RIG MOVEMENT

Drill Rigs/Vessels Removed

Latitude	Longitude	Block	Rigs/Vessel	Chart	Type	Status
None						

Drill Rigs/Vessels Established

Latitude	Longitude	Block	Rigs/Vessel	Chart	Type	Status
60-56-10.205N	151-09-31.102W	-	RANDOLPH YOST	16663	JACKUP	NEW WELL
60-05-10.200N	149-21-25.800W	-	Spartan Rig 151		JACKUP	UNREPORTED

SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

Approved Project(s)

None

Project Date

Ref. LNM

Advance Notice(s)

None

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

Proposed Project(s)

None

Closing

Docket No.

Ref. LNM

Proposed Change Notice(s)

None

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

525 **ALASKA – COOK INLET – HOMER HARBOR and COAST GUARD BERTH**

Alaska Marine Excavation, LLC. will be conducting dredging operations in the Homer Harbor Entrance on September 1st, 2016, operating 24 hours a day, 7 days a week and concluding by October 11th, 2016. The dredge COMMANDER is a 50' cutter head suction dredge, red and yellow in color, with a partially submerged pipeline. The pipeline will be marked where it exits the harbor on the beach and the pipeline's anchors will be marked by buoys. The dredge COMMANDER and tug GROWLER will be working on VHF/FM channel 79 and monitoring VHF/FM channels 13 and 16. Questions/concerns can also be directed to Brok Shafer with Alaska Marine Excavation, LLC at (907) 399-4549 or by email to brokshafer@gmail.com.

LNM: 18/16

547 **ALASKA – SOUTHCENTRAL – PORT OF ANCHORAGE/COOK INLET NAVIGATION CHANNEL**

Manson Construction Company has been contracted by the U.S. Army Corp of Engineers to conduct Hopper and Suction dredging operations in the Port of Anchorage and the Cook Inlet Navigation Channel from March 21st to approximately November 10th, 2016. The dredge WESTPORT and the tug GLADYS M will be monitoring VHF/FM channels 08, 13, 16, and 66 when operating. The dredging location is approximately 61°14.5'N, 149°53.3'W. The disposal location is approximately 61°14.3'N, 149°56.500'W. A temporary mooring buoy has been established in position 61°13.216'N, 149°56.175'W. Questions/concerns should be directed to Bob Richardson at (206) 953-0211.

LNM: 13/16

SECTION VIII - LIGHT LIST CORRECTIONS

An Asterisk *, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
------------	--------------------------	-----------------	-----------------------	---------------	--------------	------------------	----------------

None

PUBLICATION CORRECTIONS

None

ENCLOSURES

ALASKA

[AIS ATON Announcement.pdf](#)

Information about USCG Test of Automatic Identification System (AIS) Aids to Navigation (ATON).

LNM: 05/14

ALASKA – SOUTHEAST – SOUTHERN CHATHAM STRAIT

[0616 NMFS Moorings.pdf](#)

NMFS Reference mooring chartlet

LNM: 06/16

ALASKA

[3716 Subsurface Buoys.pdf](#)

Compilation of Subsurface and Surface oceanography moorings properly reported to U.S. Coast Guard District 17.

LNM: 37/16

ALASKA

[2016 Kaktovik Com Center.pdf](#)

Kaktovik Com Center Notice

LNM: 35/16

ALASKA

[3716 AMSEA.pdf](#)

AMSEA Maritime Training

LNM: 37/16

ALASKA – SOUTHWESTERN – BERING SEA

[2216 Saildrone.pdf](#)

Saildrone Information

LNM: 22/16

Michael L. Newell
Waterways Management Branch
Seventeenth Coast Guard District
OPERATIONAL EXCELLENCE THROUGH LEADERSHIP, TEAMWORK, AND INNOVATION.

U.S. Coast Guard to Test Automatic Identification System (AIS) Aids to Navigation (ATON)

In the near future, the U.S. Coast Guard and other authorized agencies and organizations (i.e., U.S. Army Corps of Engineers, Marine Exchange of Alaska) will begin transmitting AIS ATON messages and marine safety information via AIS for testing and evaluation. The exact content, location, and times of these broadcasts will be announced in future Local Notices to Mariners.

AIS is an internationally adopted radio communication protocol that enables the autonomous and continuous exchange of navigation safety related messages amongst vessels, lifeboats, aircraft, shore stations, and aids to navigation (AIS ATON). AIS ATON stations broadcast their presence, identity (9-digit Marine Mobile Service Identity (MMSI) number), position, and status at least every three minutes or as needed. These broadcasts can originate from an AIS station located on an existing physical aid to navigation (Real AIS ATON) or from another location (i.e., AIS Base Station). An AIS Base Station signal broadcasted to coincide with an existing physical aid to navigation is known as a Synthetic AIS ATON. An electronically charted, but non-existent as a physical aid to navigation, is identified as a Virtual AIS ATON. The latter two can be used to depict an existing aid to navigation that is off station or not watching properly or to convey an aid to navigation that has yet to be charted. All three variants can be received by any existing AIS mobile device, but they would require an external system for their portrayal (i.e., AIS message 21 capable ECDIS, ECS, radar, PC). How they are portrayed currently varies by manufacturer, but the future intention is for the portrayal to be in accordance with forthcoming International Standards (i.e., IEC 62288 (Ed. 2), IHO S-4 (Ed. 4.4.0)).

Mariners capable of receiving and displaying these test AIS messages are encouraged to provide feedback and report any anomalies to the USCG NAVCEN Website: <http://www.navcen.uscg.gov> | Contact Us Tab | Subject: AIS | Category: AIS Testing.

Example of Local Notice to Mariners Chart Corrections for AIS ATONs

Chart Correction for *Real AIS ATON*

12326	52nd Ed.	01-JUNE-13	Last LNM: 53/13	NAD 83		LNM/14
<i>Chart Title: Approaches to New York</i>						
ADD		Magenta circle AIS Chart No. 1: S17.2 to ABC Channel Lighted Whistle Buoy A and			CGD 40-27-27.991N	073-50-12.228W
CHANGE		Characteristic to RW "A" Mo (A) WHIS Racon (^) AIS				

Chart Correction for *Synthetic AIS ATON*

18649	68th Ed.	01-JUNE-13	Last LNM: 52/13	NAD 83		LNM/14
<i>Chart Title: Entrance to San Francisco Bay</i>						
ADD		Magenta circle AIS Chart No. 1: S17.2 to ABC Approach Lighted Whistle Buoy AB and			CGD 37-44-59.749N	122-41-33.940W
CHANGE		Characteristic to RW "AB" Mo (A) WHIS Racon (-) AIS				




Chart Correction for *Virtual AIS ATON*

12314	33rd Ed.	01-JUNE-12	Last LNM: 51/13	NAD 83		LNM/14
<i>Chart Title: Delaware River Philadelphia to Trenton</i>						
ADD		ABC Railroad Bridge South Starboard V-AIS ATON Chart No. 1: S18.2		to	CGD 39-58-55.059N	075-04-06.856W
ADD		ABC Railroad Bridge South Port V-AIS ATON Chart No. 1: S18.2		to	38-58-55.803N	076-23-04.547W

Virtual AIS ATON Symbology for Electronic Chart Display and Information System (ECDIS)

Port Lateral (IALA B)	A Virtual object marking the port side of a channel	 V-AIS
Starboard Lateral (IALA B)	A Virtual object marking the starboard side of a channel	 V-AIS
Isolated Danger	A Virtual object marking an isolated danger	 V-AIS
Safe Water	A Virtual object marking safe water	 V-AIS
Special Purpose	A Virtual object used to mark an area or feature referred to in nautical documents	 V-AIS

AIS ATON Symbology of the International Electrotechnical Commission (IEC) and International Maritime Organization (IMO)



This is the current compilation of all subsurface and surface oceanographic moorings that have been reported to the U.S. Coast Guard District 17 Waterways Branch. The name, type, location, depth, water depth, and a Point of Contact for all data buoys, surface and subsurface, shall be reported as quickly as is practical if they are placed within the navigable waters (within 200 nm) of the United States. Data buoys placed in the Arctic region but outside of 200 nm of the United States may be reported and will be included in this compilation (for informational purposes only). This notification process is for inclusion in the Local Notice to Mariners to provide navigational information to mariners and does not supersede any permission or permitting requirements. Any notifications, corrections, additions, deletions, or comments for the Alaska region (Coast Guard District 17) or the Arctic region should be submitted via e-mail to D17-PF-D17-LNM@uscg.mil or to Todd Buck, USCG D17(dpw), at (907) 463-2269 or by email to todd.r.buck@uscg.mil. This compilation is as current as the Local Notice to Mariners (LNM) included in as an enclosure. The referenced LNM may have additional information and indicates the last time an entry was updated.

ALASKA – ARCTIC OCEAN

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
N/A	72°27.655'N, 157°23.774'W	780 feet	731 feet	39/10	Ethan Roth ehroth@ucsd.edu
N/A	72°47.939'N, 158°23.941'W	1,066 feet	1,017 feet	39/10	Ethan Roth ehroth@ucsd.edu
N/A	72°07.275'N, 160°29.698'W	131 feet	115 feet	35/12	Thomas Weingartner (907) 474-7993
N/A	72°09.747'N, 159°07.349'W	167 feet	85 feet	35/12	Thomas Weingartner (907) 474-7993
N/A	72°10.875'N, 159°33.117'W	184 feet	95 feet	35/12	Thomas Weingartner (907) 474-7993
N/A	72°41.745'N, 164°31.935'W	N/A	151 feet	35/12	N/A
N/A	72°31.517'N, 164°05.944'W	N/A	164 feet	35/12	N/A
N/A	72°16.850'N, 163°32.034'W	N/A	131 feet	35/12	N/A
14CKT-7A	72°25.259'N, 161°37.835'W	141 feet	115 feet	42/14	David Strousz (206) 526-4510
14CKP-7A	72°25.475'N, 161°37.240'W	141 feet	115 feet	42/14	David Strousz (206) 526-4510
14CKIP-8A	72°35.180'N, 161°12.890'W	151 feet	115 feet	42/14	David Strousz (206) 526-4510
14CKT-8A	72°34.980'N, 161°13.560'W	151 feet	115 feet	42/14	David Strousz (206) 526-4510
14CKP-8A	72°34.980'N, 161°12.310'W	151 feet	115 feet	42/14	David Strousz (206) 526-4510
14CKP-9A	72°27.473'N, 156°33.922'W	3,110 feet	1,148 feet	42/14	David Strousz (206) 526-4510
CX14_AU_HS2	72°34.803'N, 161°13.075'W	177 feet	148 feet	48/14	Catherine Berchok (206) 526-6331
CX14_AU_HS1	72°25.676'N, 161°37.726'W	138 feet	109 feet	48/14	Catherine Berchok (206) 526-6331
AIM15-1	75°05.295'N, 168°01.326'W	138 feet	138 feet	40/15	Dr. Humfrey Melling (250) 363-6552
NRS01	72°26.582'N, 156°33.101'W	3,281 feet	1,640 feet	40/15	Catherine Berchok (206) 526-6331
HARP C2	72°48.154'N, 158°25.384'W	979 feet	979 feet	48/15	Josh Jones (858) 822-1836
HARP D	72°36.925'N, 158°42.177'W	323 feet	237 feet	48/15	Josh Jones (858) 822-1836
NBC-15t	72°28.341'N, 155°24.388'W	6,561 feet	203 feet	37/16	Takashi Kikuchi +81-46-867-9486
NHC-15t	73°18.141'N, 160°46.922'W	1,396 feet	171 feet	37/16	Takashi Kikuchi +81-46-867-9486

CANADA – BEAUFORT SEA

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
CB15	70°33.775'N, 127°41.714'W	112 feet	112 feet	40/15	Dr. Humfrey Melling (250) 363-6552
iBO15-1a	70°20.035'N, 133°44.459'W	169 feet	169 feet	40/15	Dr. Humfrey Melling (250) 363-6552
iBO15-1b	70°20.029'N, 133°44.371'W	170 feet	170 feet	40/15	Dr. Humfrey Melling (250) 363-6552
iBO15-2	70°59.361'N, 133°44.627'W	143 feet	143 feet	40/15	Dr. Humfrey Melling (250) 363-6552
iBO15-20	71°00.999'N, 133°48.506'W	248 feet	248 feet	40/15	Dr. Humfrey Melling (250) 363-6552
iBO15-9a	70°03.537'N, 133°42.922'W	106 feet	106 feet	40/15	Dr. Humfrey Melling (250) 363-6552
iBO15-9b	70°03.501'N, 133°42.941'W	104 feet	104 feet	40/15	Dr. Humfrey Melling (250) 363-6552
iBO15-11	69°46.482'N, 137°02.773'W	106 feet	106 feet	40/15	Dr. Humfrey Melling (250) 363-6552
HI15	69°39.289'N, 138°55.270'W	125 feet	125 feet	40/15	Dr. Humfrey Melling (250) 363-6552
iBO15-BR1	70°25.944'N, 139°01.235'W	196 feet	196 feet	40/15	Dr. Humfrey Melling (250) 363-6552

ALASKA – BEAUFORT SEA

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
N/A	71°35.980'N, 161°30.3221'W	151 feet	111 feet	48/14	David Leech (907) 224-4319
AON-BS3	71°23.659'N, 152°03.046'W	482 feet	115 feet	49/14	Dr. Robert Pickart (508) 289-2858
BCE-16	71°40.366'N, 155°00.052'W	351 feet	131 feet	37/16	Takashi Kikuchi +81-46-867-9486
BCC-16	71°44.027'N, 155°09.694'W	928 feet	131 feet	37/16	Takashi Kikuchi +81-46-867-9486
BCW-16	71°47.758'N, 155°20.730'W	554 feet	131 feet	37/16	Takashi Kikuchi +81-46-867-9486
AL16-AU-PB1	71°12.335'N, 158°00.977'W	151 feet	121 feet	37/16	Catherine Berchok (206) 526-6331
AL16-AU-WT1	71°02.502'N, 160°30.933'W	157 feet	128 feet	37/16	Catherine Berchok (206) 526-6331

ALASKA – CHUKCHI SEA

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
WHOI-AB	70°59.954'N, 163°40.561'W	138 feet	Surface	38/12	Kristopher Newhall (508) 989-5982
CX14_AU_WT2	71°46.900'N, 161°51.503'W	138 feet	109 feet	48/14	Catherine Berchok (206) 526-6331
AW14_AU_KZ1	67°07.413'N, 168°36.266'W	167 feet	138 feet	48/14	Catherine Berchok (206) 526-6331
AW14_AU_NM1	64°50.918'N, 168°23.404'W	157 feet	128 feet	48/14	Catherine Berchok (206) 526-6331
AW14_AU_PH1	67°54.476'N, 168°12.130'W	223 feet	194 feet	48/14	Catherine Berchok (206) 526-6331
E. Barrow Canyon	71°22.569'N, 156°53.710'W	236 feet	226 feet	49/14	Steve Okkonen (907) 283-3234
MARU-14-A	71°00.0226'N, 163°40.9225'W	135 feet	126 feet	50/14	Frederick Channel (607) 254-2476
MARU-14-B	71°00.0029'N, 163°40.1865'W	135 feet	126 feet	50/14	Frederick Channel (607) 254-2476
Unnamed	71°14.459'N, 164°18.067'W	138 feet	Surface	28/15	Noah Lawrence (206) 526-6209

ALASKA – CHUKCHI SEA (Continued)

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
15CKIP-2A	71°13.829'N, 164°12.609'W	138 feet	112 feet	37/15	David Strousz (206) 526-4510
15CKP-2A	71°13.845'N, 164°12.953'W	138 feet	115 feet	37/15	David Strousz (206) 526-4510
15CKIP-1A	70°50.139'N, 163°07.431'W	138 feet	115 feet	38/15	David Strousz (206) 526-4510
15CKP-1A	70°50.310'N, 163°06.321'W	138 feet	115 feet	38/15	David Strousz (206) 526-4510
15CKT-2A	71°13.808'N, 164°13.237'W	138 feet	115 feet	38/15	David Strousz (206) 526-4510
ASL15-S5a	70°54.999'N, 161°29.978'W	125 feet	125 feet	40/15	Dr. Humfrey Melling (250) 363-6552
ASL15-S5b	70°55.072'N, 161°29.873'W	125 feet	125 feet	40/15	Dr. Humfrey Melling (250) 363-6552
ASL14-S7b	70°47.031'N, 159°54.006'W	83 feet	83 feet	40/15	Dr. Humfrey Melling (250) 363-6552
ASL14-S7p	70°47.009'N, 159°54.138'W	81 feet	81 feet	40/15	Dr. Humfrey Melling (250) 363-6552
ASL15-S8a	71°16.468'N, 161°33.773'W	145 feet	145 feet	40/15	Dr. Humfrey Melling (250) 363-6552
ASL15-S8b	71°16.603'N, 161°33.645'W	144 feet	144 feet	40/15	Dr. Humfrey Melling (250) 363-6552
ASL15-BUa	71°14.422'N, 163°16.621'W	131 feet	131 feet	40/15	Dr. Humfrey Melling (250) 363-6552
ASL15-BUB	71°14.366'N, 163°16.816'W	130 feet	130 feet	40/15	Dr. Humfrey Melling (250) 363-6552
ASL14-CJa	71°10.189'N, 166°44.912'W	131 feet	131 feet	40/15	Dr. Humfrey Melling (250) 363-6552
ASL14-CJb	71°10.219'N, 166°45.000'W	131 feet	131 feet	40/15	Dr. Humfrey Melling (250) 363-6552
ASL15-CJa	71°10.142'N, 166°44.900'W	134 feet	134 feet	40/15	Dr. Humfrey Melling (250) 363-6552
ASL15-CJb	71°10.163'N, 166°45.107'W	129 feet	129 feet	40/15	Dr. Humfrey Melling (250) 363-6552
AW15_AU_CL1	69°19.042'N, 167°37.372'W	161 feet	132 feet	40/15	Catherine Berchok (206) 526-6331
AW15_AU_IC1	70°50.132'N, 163°06.552'W	138 feet	109 feet	40/15	Catherine Berchok (206) 526-6331
CX15_AU_IC2	71°13.762'N, 164°13.573'W	135 feet	106 feet	40/15	Catherine Berchok (206) 526-6331
CX15_AU_IC3	71°49.769'N, 166°04.624'W	141 feet	112 feet	40/15	Catherine Berchok (206) 526-6331
2015MARU_1	71°17.936'N, 163°16.631'W	141 feet	137 feet	40/15	Catherine Berchok (206) 526-6331
2015MARU_2	71°29.792'N, 163°11.449'W	144 feet	140 feet	40/15	Catherine Berchok (206) 526-6331
CEM1-16	71°36.007'N, 161°30.011'W	157 feet	108 feet	32/16	Peter Shipton (907) 224-4319
CEM2-16	71°35.986'N, 161°31.653'W	157 feet	108 feet	32/16	Peter Shipton (907) 224-4319
SCH-16 (DBO-3)	68°01.981'N, 168°50.121'W	190 feet	125 feet	37/16	Takashi Kikuchi +81-46-867-9486
16CKP-4A	71°02.289'N, 160°30.868'W	141 feet	118 feet	37/16	David Strousz (206) 526-4510
16CKP-9A	72°27.822'N, 156°32.880'W	3,281 feet	328 feet	37/16	David Strousz (206) 526-4510
16CKP-5A	71°12.152'N, 158°00.662'W	161 feet	118 feet	37/16	David Strousz (206) 526-4510
AL16-AU-BF1	71°32.980'N, 155°32.310'W	220 feet	190 feet	37/16	Catherine Berchok (206) 526-6331
AL16-AU-BF2	71°45.244'N, 154°27.381'W	322 feet	292 feet	37/16	Catherine Berchok (206) 526-6331

ALASKA – KOTZEBUE SOUND

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
OTZ-N	67°6.791'N, 163°46.328'W	37 feet	27 feet	48/14	Dr. Manuel Castellote (206) 526-6866
OTZ-M	67°5.148'N, 163°48.282'W	58 feet	48 feet	48/14	Dr. Manuel Castellote (206) 526-6866
OTZ-S	67°3.365'N, 163°48.699'W	60 feet	50 feet	48/14	Dr. Manuel Castellote (206) 526-6866
OTZ-Ch	66°14.346'N, 166°51.926'W	51 feet	41 feet	48/14	Dr. Manuel Castellote (206) 526-6866

ALASKA – BERING STRAIT

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
N/A	65°00.060'N, 168°49.170'W	167 feet	Surface	29/11	Donald Gibson (250) 920-9142
AOOS-AXYS	65°00.700'N, 169°27.23'W	-----	Surface	30/15	Darcy Dugan (907) 644-6718
AW15-AU-NM1	64°50.856'N, 168°23.386'W	144 feet	115 feet	40/15	Catherine Berchok (206) 526-6331
AW15-AU-KZ1	67°07.416'N, 168°36.262'W	138 feet	109 feet	40/15	Catherine Berchok (206) 526-6331
AW15-AU-PH1	67°54.621'N, 168°11.898'W	187 feet	158 feet	40/15	Catherine Berchok (206) 526-6331
A2-15	65°46.870'N, 168°34.060'W	184 feet	49 feet	28/16	Rebecca Woodgate (206) 221-3268
A3-15	66°19.570'N, 168°57.040'W	190 feet	49 feet	28/16	Rebecca Woodgate (206) 221-3268
A4-15	65°44.760'N, 168°15.770'W	161 feet	49 feet	28/16	Rebecca Woodgate (206) 221-3268
NB-16t	65°03.660'N, 169°38.330'W	167 feet	85 feet	36/16	Makoto Sampei +81-138-40-8844
BS-16t	66°16.050'N, 168°54.020'W	184 feet	102 feet	36/16	Makoto Sampei +81-138-40-8844

ALASKA – BERING SEA

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
MARU	57°08.638'N, 164°30.563'W	230 feet	Surface	37/09	Dr. John Kemp jkemp@whoi.edu
BSP-6	53°24.480'N, 168°51.077'W	3,346 feet	558 feet	21/14	David Strousz (206) 526-4510
NMML-70	57°21.0302'N, 166°22.6197'W	226 feet	194 feet	21/14	David Strousz (206) 526-4510
14BSP-5A	59°54.800'N, 171°42.520'W	230 feet	197 feet	42/14	David Strousz (206) 526-4510
14BS-5A	59°55.070'N, 171°42.759'W	230 feet	49 feet	42/14	David Strousz (206) 526-4510
15BS-8A	62°11.561'N, 174°41.272'W	236 feet	62 feet	39/15	David Strousz (206) 526-4510
15BSP-8A	62°11.667'N, 174°41.049'W	236 feet	203 feet	39/15	David Strousz (206) 526-4510
15BSIP-8A	62°11.574'N, 174°40.986'W	236 feet	207 feet	39/15	David Strousz (206) 526-4510
15BS-4B	57°53.397'N, 168°52.309'W	230 feet	34 feet	39/15	David Strousz (206) 526-4510
15BSP-4A	57°53.672'N, 168°52.665'W	230 feet	194 feet	39/15	David Strousz (206) 526-4510
AW15_AU_BS1	61°35.155'N, 171°19.972'W	171 feet	142 feet	40/15	Catherine Berchok (206) 526-6331
AW15_AU_BS2	59°14.567'N, 169°24.751'W	172 feet	143 feet	40/15	Catherine Berchok (206) 526-6331
AW15_AU_BS3	57°40.502'N, 164°43.096'W	172 feet	143 feet	40/15	Catherine Berchok (206) 526-6331
AW15_AU_BS4	54°25.730'N, 165°16.276'W	545 feet	516 feet	40/15	Catherine Berchok (206) 526-6331
ST15_AU_NS1	63°23.945'N, 166°14.173'W	72 feet	43 feet	40/15	Catherine Berchok (206) 526-6331
BS15_AU_02b	56°52.705'N, 164°04.110'W	230 feet	201 feet	40/15	Catherine Berchok (206) 526-6331
BS15_AU_04b	57°53.672'N, 168°52.665'W	230 feet	201 feet	40/15	Catherine Berchok (206) 526-6331
BS15_AU_05a	59°54.413'N, 171°44.007'W	223 feet	201 feet	40/15	Catherine Berchok (206) 526-6331

ALASKA – BERING SEA (Continued)

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
BS15_AU_08a	62°11.667'N, 174°41.049'W	236 feet	201 feet	40/15	Catherine Berchok (206) 526-6331
16BSP-2A	56°53.364'N, 164°03.168'W	236 feet	203 feet	20/16	David Strousz (206) 526-4510
16BSM-2A	56°52.173'N, 164°02.872'W	236 feet	Surface (FI Y)	20/16	David Strousz (206) 526-4510
16BS-PITAE	56°52.080'N, 163°03.160'W	236 feet	Surface (FI Y 4s)	20/16	David Strousz (206) 526-4510
AL16_AU_BS6	53°37.989'N, 167°24.459'W	302 feet	285 feet	20/16	Catherine Berchok (206) 526-6331

ALASKA – GULF OF ALASKA – KODIAK ISLAND – CHINIAK BAY

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
15CB-1A	57°43.209'N, 152°17.588'W	636 feet	571 feet	06/15	David Strousz (206) 526-4510
13CBM-1A	57°41.82'N, 152°18.84'W	476 feet	Surface	14/13	David Strousz (206) 526-4510
16CB-1A	57°43.344'N, 152°17.384'W	623 feet	558 feet	10/16	David Strousz (206) 526-4510

ALASKA – COOK INLET

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
N-4	60°39.198'N, 151°23.244'W	50 feet	47 feet	17/16	Ben Garrett (250) 656-0177 x161
N-5	60°39.714'N, 151°23.154'W	40 feet	37 feet	17/16	Ben Garrett (250) 656-0177 x161
N-6	60°41.394'N, 151°24.300'W	40 feet	37 feet	17/16	Ben Garrett (250) 656-0177 x161

ALASKA – PRINCE WILLIAM SOUND

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
PST1	60°39.100'N, 146°16.682'W	154 feet	138 feet	18/09	Mary Anne Bishop (907) 424-5800 x228
PST2	60°39.338'N, 146°17.353'W	226 feet	210 feet	18/09	Mary Anne Bishop (907) 424-5800 x228
PST3	60°39.568'N, 146°18.040'W	390 feet	374 feet	18/09	Mary Anne Bishop (907) 424-5800 x228
PST4	60°39.798'N, 146°18.726'W	427 feet	410 feet	18/09	Mary Anne Bishop (907) 424-5800 x228
PST5	60°40.028'N, 146°19.413'W	420 feet	404 feet	18/09	Mary Anne Bishop (907) 424-5800 x228
PST6	60°40.257'N, 146°20.100'W	410 feet	394 feet	18/09	Mary Anne Bishop (907) 424-5800 x228
PST7	60°40.487'N, 146°20.786'W	295 feet	279 feet	18/09	Mary Anne Bishop (907) 424-5800 x228
PST8	60°40.717'N, 146°21.473'W	233 feet	217 feet	18/09	Mary Anne Bishop (907) 424-5800 x228
PST9	60°40.947'N, 146°22.160'W	194 feet	177 feet	18/09	Mary Anne Bishop (907) 424-5800 x228
PST10	60°41.176'N, 146°22.846'W	141 feet	125 feet	18/09	Mary Anne Bishop (907) 424-5800 x228
H01	60°20.55'N, 146°43.824'N	100 feet	61 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
H02	60°20.40'N, 146°44.52'W	879 feet	788 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
H03	60°20.256'N, 146°45.264'W	884 feet	793 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
H04	60°20.112'N, 146°45.966'W	884 feet	793 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
H05	60°19.968'N, 146°46.71'W	887 feet	796 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
H06	60°19.812'N, 146°47.418'W	895 feet	804 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
H07	60°19.668'N, 146°48.138'W	909 feet	818 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
H08	60°19.47'N, 146°48.954'W	935 feet	834 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
H09	60°19.32'N, 146°49.782'W	1007 feet	899 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
H10	60°19.188'N, 146°50.508'W	1058 feet	947 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
H11	60°19.008'N, 146°51.228'W	1136 feet	1015 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
H12	60°18.888'N, 146°51.918'W	1194 feet	1073 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
H13	60°18.738'N, 146°52.656'W	907 feet	816 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
H14	60°18.588'N, 146°53.34'W	523 feet	468 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
H15	60°18.468'N, 146°53.994'W	276 feet	221 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
H16	60°18.54'N, 146°54.552'W	84 feet	29 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
M01	59°55.482'N, 147°48.63'W	294 feet	255 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
M02	59°55.848'N, 147°49.074'W	447 feet	398 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
M03	59°56.178'N, 147°49.51'W	509 feet	454 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
M04	59°56.556'N, 147°49.956'W	577 feet	515 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
M05	59°55.686'N, 147°50.382'W	638 feet	570 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
M06	59°57.222'N, 147°50.838'W	695 feet	620 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
M07	59°57.546'N, 147°51.234'W	741 feet	663 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
M08	59°57.858'N, 147°51.63'W	767 feet	689 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
M09	59°58.146'N, 147°52.008'W	774 feet	693 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
M10	59°58.512'N, 147°52.434'W	778 feet	697 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
M11	59°58.842'N, 146°52.866'W	471 feet	419 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
LP01	59°58.848'N, 148°01.914'W	113 feet	97 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
LP02	59°59.082'N, 148°02.19'W	151 feet	135 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
EP03	59°59.46'N, 148°05.778'W	197 feet	181 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
EP04	59°59.706'N, 148°06.06'W	272 feet	256 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
POWP05	60°02.784'N, 148°07.482'W	317 feet	301 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
POWP06	60°02.79'N, 148°07.89'W	160 feet	144 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
BP07	60°06.894'N, 148°14.118'W	83 feet	67 feet	17/13	Mary Anne Bishop (907) 424-5800 x228
LH1	60°22.9662'N, 147°51.2496'W	20 feet	surface	11/14	Mary Anne Bishop (907) 424-5800 x228
LH2	60°22.7202'N, 147°51.3738'W	249 feet	233 feet	11/14	Mary Anne Bishop (907) 424-5800 x228
LH3	60°23.043'N, 147°50.1564'W	39 feet	surface	11/14	Mary Anne Bishop (907) 424-5800 x228
LH4	60°22.695'N, 147°50.2806'W	473 feet	457 feet	11/14	Mary Anne Bishop (907) 424-5800 x228
LHRT1	60°22.6596'N, 147°51.147'W	225 feet	209 feet	11/14	Mary Anne Bishop (907) 424-5800 x228
LHRT2	60°22.6482'N, 147°50.7522'W	364 feet	348 feet	11/14	Mary Anne Bishop (907) 424-5800 x228
LHRT3	60°22.668'N, 147°50.5116'W	382 feet	366 feet	11/14	Mary Anne Bishop (907) 424-5800 x228
WT1	60°44.472'N, 147°59.001'W	97 feet	81 feet	11/14	Mary Anne Bishop (907) 424-5800 x228

ALASKA – PRINCE WILLIAM SOUND (Continued)

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
WT2	60°44.4174'N, 147°59.208'W	363 feet	347 feet	11/14	Mary Anne Bishop (907) 424-5800 x228
WT3	60°44.361'N, 148°0.237'W	133 feet	117 feet	11/14	Mary Anne Bishop (907) 424-5800 x228
WT4	60°43.8774'N, 147°58.707'W	244 feet	228 feet	11/14	Mary Anne Bishop (907) 424-5800 x228
WT5	60°43.992'N, 147°59.3364'W	252 feet	236 feet	11/14	Mary Anne Bishop (907) 424-5800 x228
WT6	60°43.872'N, 148°0.1476'W	42 feet	surface	11/14	Mary Anne Bishop (907) 424-5800 x228
WTRT1	60°44.253'N, 147°59.5596'W	504 feet	488 feet	11/14	Mary Anne Bishop (907) 424-5800 x228
WTRT2	60°44.0994'N, 147°59.086'W	504 feet	488 feet	11/14	Mary Anne Bishop (907) 424-5800 x228
WTRT3	60°43.938'N, 147°59.448'W	316 feet	300 feet	11/14	Mary Anne Bishop (907) 424-5800 x228
PWSSC-15	60°36.791'N, 147°11.996'W	722 feet	197 feet (Surfacing 2X per day)	15/16	R. W. Campbell (907) 424-5800 x241

ALASKA – SOUTHEAST

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
Icy Strait	58° 14.6112'N, 136° 7.28972'W	614 feet	594 feet	35/09	Dave Carlile (907) 465-4216
Icy Strait	58° 14.5037'N, 136° 7.27185'W	541 feet	521 feet	35/09	Dave Carlile (907) 465-4216
Icy Strait	58° 14.3962'N, 136° 7.25398'W	522 feet	502 feet	35/09	Dave Carlile (907) 465-4216
Icy Strait	58° 14.2887'N, 136° 7.23611'W	358 feet	338 feet	35/09	Dave Carlile (907) 465-4216
Icy Strait	58° 14.1812'N, 136° 7.21824'W	266 feet	246 feet	35/09	Dave Carlile (907) 465-4216
Chatham Strait	56° 9.6115'N, 134° 33.78278'W	1814 feet	1795 feet	35/09	Dave Carlile (907) 465-4216
Chatham Strait	56° 9.6209'N, 134° 33.97584'W	1820 feet	1800 feet	35/09	Dave Carlile (907) 465-4216
Chatham Strait	56° 9.6303'N, 134° 34.1689'W	1811 feet	1791 feet	35/09	Dave Carlile (907) 465-4216
Chatham Strait	56° 9.6397'N, 134° 34.36195'W	1811 feet	1791 feet	35/09	Dave Carlile (907) 465-4216
Chatham Strait	56° 9.6491'N, 134° 34.55501'W	1798 feet	1778 feet	35/09	Dave Carlile (907) 465-4216
Chatham Strait	56° 8.6362'N, 134° 25.56783'W	1916 feet	417 feet	35/09	Dave Carlile (907) 465-4216
Chatham Strait	56° 8.655'N, 134° 25.95379'W	1930 feet	1910 feet	35/09	Dave Carlile (907) 465-4216
Chatham Strait	56° 8.6644'N, 134° 26.14676'W	1932 feet	1912 feet	35/09	Dave Carlile (907) 465-4216
Chatham Strait	56° 8.6738'N, 134° 26.3397'W	1936 feet	1916 feet	35/09	Dave Carlile (907) 465-4216
Chatham Strait	56° 8.6832'N, 134° 26.53272'W	1932 feet	1912 feet	35/09	Dave Carlile (907) 465-4216
Chatham Strait	56° 8.6926'N, 134° 26.7257'W	1932 feet	1912 feet	35/09	Dave Carlile (907) 465-4216
Frederick Sound	57° 3.34'N, 134° 15.64'W	1180 feet	928 feet	35/09	Dave Carlile (907) 465-4216
Frederick Sound	57° 3.1874'N, 134° 15.35938'W	1155 feet	1135 feet	35/09	Dave Carlile (907) 465-4216
Frederick Sound	57° 3.1111'N, 134° 15.21907'W	1155 feet	1135 feet	35/09	Dave Carlile (907) 465-4216
Frederick Sound	57° 3.0348'N, 134° 15.07877'W	1155 feet	1135 feet	35/09	Dave Carlile (907) 465-4216
Frederick Sound	57° 2.9584'N, 134° 14.93847'W	1158 feet	1138 feet	35/09	Dave Carlile (907) 465-4216
Frederick Sound	57° 2.8821'N, 134° 14.79818'W	1158 feet	1138 feet	35/09	Dave Carlile (907) 465-4216
Ommaney	56° 5.4812' N, 134° 47.0895' W	1181 feet	912 feet	33/10	Dave Carlile (907) 465-4216
Ommaney	56° 5.3798'N, 134° 47.0233'W	1191 feet	1171 feet	33/10	Dave Carlile (907) 465-4216
Ommaney	56° 5.2783'N, 134° 46.9572'W	1191 feet	1171 feet	33/10	Dave Carlile (907) 465-4216
Ommaney	56° 5.1769'N, 134° 46.8910'W	1191 feet	1171 feet	33/10	Dave Carlile (907) 465-4216
Ommaney	56° 5.0755'N, 134° 46.8249'W	1200 feet	1180 feet	33/10	Dave Carlile (907) 465-4216
Ommaney	56° 4.9741'N, 134° 46.7587' W	1200 feet	1180 feet	33/10	Dave Carlile (907) 465-4216
Ommaney	55° 59.6327' N, 134°57.3717' W	1214 feet	1194 feet	33/10	Dave Carlile (907) 465-4216
Ommaney	55° 59.5313'N, 134° 57.3057'W	1191 feet	1171 feet	33/10	Dave Carlile (907) 465-4216
Ommaney	55° 59.4298'N, 134° 57.2397'W	1191 feet	1171 feet	33/10	Dave Carlile (907) 465-4216
Ommaney	55° 59.3284'N, 134° 57.1737'W	1220 feet	1200 feet	33/10	Dave Carlile (907) 465-4216
Ommaney	55° 59.2270'N, 134° 57.1077'W	1220 feet	1200 feet	33/10	Dave Carlile (907) 465-4216
Ommaney	55° 59.1256'N, 134° 57.0417' W	1220 feet	1200 feet	33/10	Dave Carlile (907) 465-4216
13PC1A	56°15.87'N, 134°40.14'W	174 feet	Surface	06/13	David Strausz (206) 526-4510

ALASKA – NORTH PACIFIC OCEAN

TYPE/NAME:	POSITION:	WATER DEPTH:	TOP FLOAT DEPTH:	Ref. LNM:	POC:
HARP-CB	58°40.409'N, 148°00.546'W	2,877 feet	2,779 feet	49/14	Josh Jones (858) 822-1836
HARP-PT	56°14.635'N, 142°45.431'W	3,238 feet	3,140 feet	49/14	Josh Jones (858) 822-1836
MFM-A	49°58.60'N, 144°14.77'W	13,540 feet	49 feet	24/15	Gabriella Chavez (858) 822-4938
MFM-B	50°19.82'N, 144°23.90'W	13,599 feet	49 feet	24/15	Gabriella Chavez (858) 822-4938
GHPM-1	50°04.79'N, 144°48.18'W	13, 842 feet	483 feet	24/15	Gabriella Chavez (858) 822-4938

A Commercial North Slope Communications (Com) Center facility has been established in Kaktovik in support of 2016 eastern Beaufort Sea offshore vessel traffic in Alaska. The primary objective of the Kaktovik Com Center is to ***prevent open water conflicts with subsistence hunters in subsistence hunting regions of the Beaufort Sea.*** In addition, the Kaktovik Com Center can facilitate an emergency search and rescue (SAR) response. The Kaktovik Com Center is staffed with operators hired from Kaktovik. VHF/FM communications with emergency response agencies is limited in the Arctic and, for this reason and in an effort to prevent conflict with subsistence users, participation is encouraged by all vessel operators. Vessel operators are requested to call in position reports to the nearest Com Center at 6-hour intervals beginning at 0600 hours local. Aircraft are requested to contact Com Centers at takeoff and landing phases of travel within the Com Center Zone.

The Kaktovik Com Center Zone is defined as that area within 50 miles of shore, west of longitude 142°W and North of Latitude 68°N. The Com Center monitors VHF/FM Channel 16. The Kaktovik Com Center dates and hours of operation and contact information (phone and email) are located below.

Kaktovik Com Center

Operating 0600 to 1600 from August 27 to September 14 or close of whaling season

ExxonMobil POC: Sonia Henrick (907) 230-8063 E-mail: sonia.henrick@exxonmobil.com

Kaktovik –Operates 10 hrs/day
August 27 through September 14, 2016
Phone: (907) 640-5050
E-mail: KaktovikCAA@gmail.com



Alaska Marine Safety Education Association

2924 Halibut Point Road, Sitka, Alaska 99835-9668
phone 907-747-3287 / fax 907-747-3259 / www.amsea.org

For Immediate Release

Date Issued: September 12, 2016

Kill date: September 23, 2016

AMSEA Workshops of Interest to Mariners in District 17

The Alaska Marine Safety Education Association is offering a number of classes in U.S. Coast Guard District 17 that may be of interest to mariners. Many of these workshops are offered at no cost to commercial fishermen, thanks to support from the U.S. Coast Guard, the National Institute for Occupational Safety and Health, and the Alaska Department of Commerce, Community and Economic Development. For more information or to register for a workshop, call AMSEA at 907-747-3287 or visit our website at www.amsea.org.

Fishing Vessel Drill Conductor Workshops

These workshops give participants hands-on training with emergency equipment that should be onboard any commercial fishing vessel, such as PFDs, life rafts, immersion suits, EPIRBs, fire extinguishers. Participants practice emergency procedures like man overboard, abandon ship, firefighting and flooding control.

The workshops are US Coast Guard-accepted and meet the training requirements for drill conductors on documented commercial fishing vessels operating three or more miles offshore. The workshops are open to all mariners and are recommended for captains and crew serving on any commercial vessel.

START DATE	END DATE	LOCATION	STATE
09/20/2016	09/21/2016	Togiak	AK
09/25/2016	09/25/2016	Sitka	AK
09/28/2016	09/30/2016	Juneau	AK
05/01/2017	05/01/2017	Seward	AK

Marine Safety Instructor Training

The MSIT is an intensive train-the-trainer course that prepares individuals to effectively teach cold-water survival procedures, use of marine safety equipment, and vessel safety drills. Upon completion of the course, participants will be prepared to teach AMSEA's U.S.

AMSEA is a 501(c)(3) non-profit educational institute. Support Organizations: Alaska Native Tribal Health Consortium / National Institute for Occupational Safety & Health / Southeast Alaska Regional Health Consortium / State of Alaska Chronic Disease Prevention & Health Promotion / State of Alaska Office of Boating Safety / University of Alaska Sea Grant, Marine Advisory Program / U.S. Coast Guard 17th District

Coast Guard accepted Fishing Vessel Drill Conductor training, pending authorization from the Coast Guard.

Topic covered during the course include:

- Preparation for emergencies
- Cold-water near drowning
- Hypothermia
- Cold-water survival
- Survival equipment, procedures & onboard drills
- Risk Assessment
- Ergonomics
- Methods of instructions

START DATE	END DATE	LOCATION	STATE
09/19/2016	09/24/2016	Sitka	AK
04/25/2017	04/30/2017	Seward	AK

First Aid & CPR

The Mariner's First Aid & CPR workshop designed to meet the unique needs of commercial fishermen and other mariners. Attendees receive a U.S. Coast Guard accepted two-year certificate issued by the American Safety & Health Institute. The cost for the workshop is \$95.00. The topics covered include:

- CPR & automatic external defibrillators (AED)
- Treatment of choking
- Medical emergencies
- Trauma
- Environmental hazards
- Patient assessment
- Medical communications
- Drowning & hypothermia
- Common fishing injuries

START DATE	END DATE	LOCATION	STATE
09/26/2016	09/26/2016	Sitka	AK

AMSEA is a 501(c)(3) non-profit educational institute. Support Organizations: Alaska Native Tribal Health Consortium / National Institute for Occupational Safety & Health / Southeast Alaska Regional Health Consortium / State of Alaska Chronic Disease Prevention & Health Promotion / State of Alaska Office of Boating Safety / University of Alaska Sea Grant, Marine Advisory Program / U.S. Coast Guard 17th District



NOTICE FOR SEAFARERS of OCEANOGRAPHIC RESEARCH EQUIPMENT IN WATER

EASTERN BERING SEA Dutch Harbor, AK – St. Matthew Island June - September 2016


NOAA/PMEL & UW/JISAO will have two Unmanned Science Vehicles deployed in the Eastern Bering Sea for oceanographic research from June – mid September 2016. These will depart and return to Dutch Harbor, and travel as far north as 59.5N.

VESSELS ARE REQUESTED TO TRANSIT THE AREA WITH CAUTION, AND REMAIN GREATER THAN 500 METERS AWAY FROM THE RESEARCH EQUIPMENT.

The **Saildrones** are wind powered unmanned vehicles controlled from shore through satellite communications and carry important oceanographic research instrumentation.

- Color: Orange
- Light: single red, green and white at top of sail
- Radar Reflector: none
- Distinguishing Marks/Notation: “Saildrone”
- Length: 19 ft
- Width: 7 ft
- Height: 20 ft above water line
- Draft: 6 ft
- **Average speed: 2-4 knots**
- Maximum speed: 8 knots

Saildrone Operational Areas



<http://www.pmel.noaa.gov/itae/team-saildrone-2016>



CONTACT

Pacific Marine Environmental Laboratory
NOAA/PMEL 7600 Sand Point Way NE Seattle, WA 98115 Phone: (206) 526-6810 Email: pmel.info@noaa.gov