

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5240	REDWOOD CREEK LIGHT 13	37-31-14.979N 122-12-17.842W	Fl G 2.5s	15	3	SG on pile.	Ra ref.	44/09
	*							
7185	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 5	38-03-56.519N 121-50-08.499W	Fl G 2.5s	15	3	SG on pile.	Ra ref.	44/09
	*							
7625	SACRAMENTO RIVER LIGHT 1	38-10-40.708N 121-39-49.298W	Fl G 4s	30	4	SG on pile.		44/09
	*							
4315	Alcatraz Light	37-49-34.412N 122-25-19.655W	Fl W 5s	214	20	Gray octagonal tower. 214	Emergency light of lower intensity when main light is extinguished.	43/09
	*							
5665	<i>Richmond Harbor Channel Lighted Buoy 2</i>	37-55-06.291N 122-25-03.476W	Q R		3	Red.		43/09
						*		
5815	<i>San Francisco Bay North Channel Lighted Buoy 16</i>	37-57-17.426N 122-26-28.553W	Q R		3	Red.		43/09
						*		

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
8105	NOYO RIVER DIRECTIONAL LIGHT	39-25-38.236N 123-48-27.176W	F W -	15	1	On pile.	White light in center of channel (103.5°T-106.5°T). Red light when right of inbound channel (100°T-103.5°T). Green light when left of inbound channel (106.5°T-110°T).	42/09
8110	NOYO RIVER LIGHT 8	* 39-25-38.293N 123-48-21.914W	FIR 4s	15	4	TR on pile.	Ra ref.	42/09
8116	NOYO RIVER ENTRANCE SMALL BOAT WARNING LIGHT	* 39-25-39.644N 123-48-20.228W				4 NR labeled ROUGH BAR on tower.	Lights flash when seas exceed four feet in height. Lights extinguished for lesser sea conditions, but with no guarantee that bar is safe.	42/09
8120	NOYO RIVER LIGHT 10	* 39-25-37.002N 123-48-20.431W	FIR 2.5s	15	4	TR on pile.		42/09
2525	CHINA POINT LIGHT	* 32-48-13.050N 118-25-33.360W	FI W 2.5s	112	4	NR on pile.	Visible from 260° to 128°, partially obscured by hills elsewhere.	42/09
2540	NAVY ANCHORAGE SOUTH END LIGHT	* 32-58-30.690N 118-31-54.522W	FI W 2.5s	140	4	NR on post.	Visible from 150° to 320°, partially obscured by hills elsewhere.	42/09
2545	WILSON COVE LIGHT	* 33-00-14.058N 118-33-10.098W	FI W 4s	125	4	NR on post.	Visible from 155° to 317°, partially obscured by hills elsewhere.	42/09
2575	SAN CLEMENTE ISLAND LIGHT	* 33-01-49.986N 118-35-46.710W	FI W 4s	202	4	NR on post.	Visible from 341° to 276°, partially obscured by hills elsewhere.	42/09
5950	Rodeo Pacific Refining Wharf Fog Signal	* 38-03-11.715N 122-16-27.891W					HORN: 1 blast ev 20s (2s bl). Private aid.	42/09
8100	NOYO RIVER ENTRANCE LIGHT 5	* 39-25-41.188N 123-48-37.336W	Oc G 4s	28	4	SG on pile.		42/09
8120	NOYO RIVER LIGHT 10	* 39-25-36.984N 123-48-20.250W	FIR 2.5s	15	4	TR on pile.		41/09
8150	HUMBOLDT BAY ENTRANCE LIGHT 3	* 40-46-07.890N 124-14-19.552W	FI G 2.5s	37	4	SG on pile, NL labeled NORTH.		41/09
8205	HUMBOLDT BAY LIGHT 11	* 40-45-35.492N 124-13-16.415W	FI G 4s	35	4	SG onl pile.		41/09

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7945	Bodega Harbor Channel Daybeacon 34	38-19-48.837N 123-03-07.745W *				TR on pile.		40/09
8135	Humboldt Bay Lighted Bell Buoy 2	40-45-59.749N 124-14-59.003W *	Fl R 4s			4		40/09
8175	<i>Humboldt Bay Lighted Bell Buoy 5</i>	40-45-25.163N 124-13-49.877W *	Fl G 4s			4		40/09
8135	Humboldt Bay Lighted Bell Buoy 2	40-46-00.361N 124-14-59.579W *	Fl R 4s			4		39/09
8175	<i>Humboldt Bay Lighted Bell Buoy 5</i>	40-46-00.361N 124-14-59.579W *	Fl G 4s			4		39/09
6700	SAN JOAQUIN RIVER LIGHT 11	38-01-46.632N 121-45-59.898W *	Fl G 4s	15	4	SG on pile.	Ra ref.	38/09
203	PLATFORM HARVEST LIGHT	34-28-09.198N 120-40-57.156W	Fl W 6s		60	9		37/09
6345	SUISUN SLOUGH ENTRANCE LIGHT 9	38-06-29.345N 122-03-22.195W *	Fl G 4s	15	4	SG on pile.	Ra ref.	37/09
7240	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 16	38-05-18.341N 121-44-29.548W *	Fl R 4s	15	3	TR on pile.	Ra ref.	37/09

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
81	NOAA Environmental Lighted Buoy 46086	32-29-27.209N 118-02-05.009W	Fl (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	36/09
		*						
82	NOAA Environmental Lighted Buoy 46047	32-25-12.192N 119-31-37.588W	Fl (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	36/09
		*						
160	San Pedro Channel Traffic Lane Lighted Buoy SP	33-37-11.400N 118-22-02.821W	Fl Y 4s			5 Yellow.		36/09
		*						
181.6	NOAA Environmental Lighted Buoy 46069	33-40-12.394N 120-11-59.733W	Fl (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	36/09
		*						
236	Noaa Environmental Lighted Buoy 46063						Remove from list.	36/09
							*	
1840	San Diego Bay Channel Lighted Buoy 24	32-41-54.873N 117-09-54.036W	Fl R 4s			3 Red.		36/09
							*	
1845	San Diego Bay Channel Lighted Buoy 26	32-40-59.889N 117-08-39.315W	Fl R 4s			3 Red.		36/09
							*	
1847	San Diego Bay Channel Lighted Buoy 26A	32-40-47.759N 117-08-19.839W	Fl R 6s			4 Red.		36/09
							*	
1980	San Diego Bay Channel Lighted Buoy 28	32-40-36.190N 117-08-00.613W	Fl R 4s			3 Red.		36/09
							*	
2005	San Diego Bay Channel Lighted Buoy 30	32-40-08.391N 117-07-39.612W	Fl R 4s			3 Red.		36/09
							*	
2010	San Diego Bay Channel Lighted Buoy 32	32-39-47.236N 117-07-34.151W	Fl R 4s			3 Red.		36/09
							*	
2014	San Diego Bay Wreck Buoy WR32A	32-39-31.100N 117-07-38.400W	Q R			Red.	Private aid.	36/09
							*	

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
2015	<i>San Diego Bay Channel Lighted Buoy 33</i>	32-39-30.892N 117-07-23.511W	Fl G 2.5s			3 Green.	36/09
						*	
2020	<i>San Diego Bay Channel Lighted Buoy 34</i>	32-39-24.192N 117-07-37.111W	Fl R 2.5s			3 Red.	36/09
						*	
2035	<i>San Diego Bay Channel Lighted Buoy 36</i>	32-39-18.615N 117-07-27.278W	Fl R 4s			3 Red.	36/09
						*	
2040	<i>San Diego Bay Channel Lighted Buoy 38</i>	32-39-03.570N 117-07-23.374W	Fl R 2.5s			3 Red.	36/09
						*	
2042	<i>San Diego Bay Channel Lighted Buoy 39</i>	32-38-50.193N 117-07-13.110W	Q G			3 Green.	36/09
						*	
2045	<i>San Diego Bay Channel Lighted Buoy 40</i>	32-38-42.893N 117-07-27.410W	Fl R 4s			3 Red.	36/09
						*	
3128	PIER 400 LIGHT S	33-42-57.390N 118-14-45.762W	Fl W 6s		45	6 NR on post.	36/09
						*	
3129	PIER 400 LIGHT T	33-42-57.682N 118-15-03.867W	Oc W 4s		50	6 NR on post.	36/09
						*	
3132	<i>Terminal Island Channel Lighted Buoy 1</i>	33-43-17.028N 118-15-51.808W	Fl G 4s			4 Green.	36/09
						*	
3134	<i>Terminal Island Channel Lighted Buoy 3</i>	33-43-22.221N 118-15-50.282W	Fl G 2.5s			3 Green.	36/09
						*	
3138	<i>Terminal Island Channel Lighted Buoy 5</i>	33-43-45.636N 118-15-56.374W	Q G			4 Green.	36/09
						*	
3180	<i>Cerritos Channel Lighted Buoy 1</i>	33-45-47.567N 118-15-06.254W	Fl G 4s			4 Green.	36/09
						*	
No corrections this week.							35/09
2015	<i>San Diego Bay Channel Lighted Buoy 33</i>	32-39-30.892N 117-07-23.511W	Fl G 2.5s			3	34/09
3162.1	LONG BEACH FIREBOAT PIER D LIGHT A	33-45-53.700N 118-13-13.980W	F W		19	On pile.	Private aid. 34/09
		*					
3162.2	LONG BEACH FIREBOAT PIER D LIGHT B	33-45-54.540N 118-13-14.040W	F W		19	On pile.	Private aid. 34/09
		*					
3301	<i>West Channel No Wake Lighted Buoy</i>	33-42-55.200N 118-16-39.000W	Fl W 4s			White can labeled NO WAKE, with orange bands and an orange square.	Private aid. 34/09
	*						
4180	<i>San Francisco Main Ship Channel Lighted Bell Buoy 5</i>	37-46-38.098N 122-36-22.045W	Fl G 6s			4 Green.	HORN: 1 blast ev 30s (3s bl), operates continuously. 34/09
						*	
8101	Noyo River Sound Signal	39-25-41.190N 123-48-37.266W				On pile.	HORN: 1 blast ev 30s (3s bl). 34/09
		*					

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
No corrections this week.								33/09
2875	LONG BEACH HARBOR BAIT BARGE LIGHTED MOORING BUOY "PL-2"	33-44-39.000N 118-10-01.000W	Fl W 4s			White with blue band.	Private aid.	32/09
*	*	*	*	*	*	*	*	
3960	Constantine Rock Buoy 1CR	35-26-08.642N 120-56-48.186W				Green can.		32/09
6733	<i>San Joaquin River Lighted Buoy 17A</i>	38-01-59.262N 121-43-34.108W	Fl G 2.5s		3	Green.		32/09
2890	SHORELINE MARINA BREAKWATER LIGHT EAST	33-45-27.064N 118-10-55.243W	Fl G 4s		4	On post.	HORN: 1 blast ev 10s Private aid.	31/09
2980	QUEEN MARY CRUISE TERMINAL SOUTH LIGHT	33-44-58.800N 118-11-13.600W	Fl W 4s		20	On post.	Private aid.	31/09
2985	QUEEN MARY CRUISE TERMINAL NORTH LIGHT	33-45-10.800N 118-11-13.600W	Q W		20	On post.	Private aid.	31/09
3006	LONG BEACH HARBOR PIER J LIGHT J	33-43-58.782N 118-11-07.662W	Fl W 4s		26	8	NR on radar tower.	31/09
3028	PIER F FIREBOAT PIER LIGHT	33-44-51.066N 118-12-56.948W	F W		18	On pile.	Private aid.	31/09
3162.1	LONG BEACH FIREBOAT PIER D LIGHT A	33-45-54.065N 118-13-14.249W	F W		19	On pile.	Private aid.	31/09
3162.2	LONG BEACH FIREBOAT PIER D LIGHT B	33-45-54.065N 118-13-13.249W	F W		19	On pile.	Private aid.	31/09
3187.1	LOS ANGELES OUTER HARBOR LIGHT D	33-42-34.210N 118-16-10.760W	Oc W 3s		25		Private aid.	31/09
3255	FISH HARBOR CHANNEL LIGHT 3	33-44-01.700N 118-16-03.400W	Fl G 4s		25	4	SG on pile.	31/09
3860	<i>Morro Bay Channel Lighted Buoy 5</i>	35-21-58.272N 120-52-01.068W	Fl G 4s		3	Green.	Buoy maybe frequently relocated due to changing conditions.	30/09
4573	PIER 14 PIER END LIGHT	37-47-40.260N 122-23-22.856W	Iso W 2s			Pier end light.	Private aid.	30/09
6440	SUISUN BAY CHANNEL LIGHT 11	38-05-18.341N 121-44-29.548W	Fl G 4s		16	4	SG on pile. Ra ref.	30/09
160	<i>San Pedro Channel Traffic Lane Lighted Buoy SP</i>	33-37-07.228N 118-22-01.228W	Fl Y 4s		5	Yellow.		29/09
2565	WILSON COVE NORTH END LIGHT	33-01-25.410N 118-33-49.884W	Fl W 6s		60	3	NR on post. Visible from 139° to 330°, partially obscured by hills elsewhere.	29/09

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
3856	<i>Morro Bay Channel Lighted Buoy 4A</i>	35-21-57.373N 120-51-56.948W	Fl R 2.5s			3 Red.	Buoy maybe frequently relocated due to changing conditions.	28/09
		*						
3860	<i>Morro Bay Channel Lighted Buoy 5</i>	35-21-55.381N 120-52-01.912W	Fl G 4s			3 Green.	Buoy maybe frequently relocated due to changing conditions.	28/09
		*						
3870	<i>Morro Bay Channel Lighted Buoy 7</i>	35-22-06.079N 120-51-52.585W	Fl G 4s			3 Green.	Buoy maybe frequently relocated due to changing conditions.	28/09
		*						
4573	Pier 14 Pier End Light						Remove from list.	28/09
							*	
5665	<i>Richmond Harbor Channel Lighted Buoy 2</i>	37-55-06.291N 122-25-03.476W	Q R			4 Red.		27/09
		*						
250 3930	Estero Bay Gong Buoy 18	35-23-03.127N 120-53-12.721W				Red.		26/09
295	<i>Point Pinos Lighted Bell Buoy 2</i>	36-38-51.733N 121-56-38.822W	Fl R 6s			4 Red.		26/09
350	<i>San Francisco West Traffic Lane Lighted Gong Buoy W</i>	37-41-27.755N 122-47-39.962W	Fl Y 2.5s			5 Yellow.		26/09
357	<i>NOAA Environmental Lighted Buoy 46026</i>	37-45-21.470N 122-50-17.430W	Fl (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	26/09
1497	<i>Point Loma NPS Flux Research Buoy</i>	32-41-38.000N 117-16-42.000W	Fl Y 4s			Yellow	Research buoy with yellow Equipment tower. Private aid.	26/09
*	*	*	*	*	*	*	*	*
2585	<i>San Nicolas Island East End Lighted Bell Buoy 3</i>	33-13-23.172N 119-23-52.077W	Fl G 4s			5		26/09
3930 250	Estero Bay Gong Buoy 18	35-23-03.127N 120-53-12.721W				Red.		26/09
4395	Sausalito Cruising Club Light						Remove from list.	26/09
							*	
5465	BERKELEY MARINA NORTH LIGHT	37-52-01.680N 122-19-05.880W	Fl G 10s		35	On post.	Private aid.	26/09
		*						

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
562	NOAA Environmental Lighted Buoy 46027	41-51-06.000N 124-22-54.000W	Fl (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	25/09	
6765	SAN JOAQUIN RIVER LIGHT 26	* 38-03-57.636N 121-40-31.430W	Fl R 4s		15	3	TR on pile.	Ra ref.	25/09
320	Pigeon Point Light	37-10-54.269N 122-23-38.199W	Fl W 10s		148	20	115	Emergency light of reduced intensity when main light is extinguished.	24/09
4618	OAKLAND OUTER HARBOR CENTERLINE RANGE REAR LIGHT 267 yards, 057° from front light.	37-49-02.046N 122-19-25.644W	Iso Y 6s		42	Y	KBW on pile.		23/09
4671	Anchorage 8 MTVA Lighted Mooring Buoy	37-47-45.000N 122-20-30.000W	Fl W 2s				White with blue band.	Private aid.	23/09
4755	ALAMEDA NAVAL AIR STATION CHANNEL LIGHT 3	* 37-46-36.442N 122-19-51.819W	Fl G 2.5s		15	3	SG on pile.	Ra ref.	23/09
6070	PETALUMA RIVER ENTRANCE CHANNEL LIGHT 20	38-06-41.204N 122-29-07.315W	Fl R 4s		15	3	TR on pile.		23/09
6820	SAN JOAQUIN RIVER LIGHT 37	38-05-24.157N 121-38-09.618W	Fl G 4s		15	4	SG on pile.	Ra ref.	23/09
6825	SAN JOAQUIN RIVER LIGHT 38	38-05-47.378N 121-37-45.216W	Fl R 6s		15	4	TR on pile.	Ra ref.	23/09
6875	SAN JOAQUIN RIVER LIGHT 53	38-04-48.461N 121-34-09.617W	Fl G 4s		15	4	SG on pile.	Ra ref.	23/09
7595	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 82	38-33-12.993N 121-34-34.314W	Q R		22	3	TR on pile.		23/09
3305	CABRILLO WAY MARINA LIGHT	33-42-57.069N 118-16-42.255W	Fl W 4s		22		On post.	Private aid.	22/09
4560	Pier 17 Light							Remove from list.	22/09
6625	NEW YORK SLOUGH LIGHT 5	38-01-57.494N 121-52-04.300W	Fl G 2.5s		20	4	SG on pile.		22/09
7585	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 80	* 38-32-46.215N 121-34-54.717W	Fl R 2.5s		22	3	TR on pile.		22/09

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
198	<i>NOAA Environmental Lighted Buoy 46054</i>	34-16-22.000N 120-27-42.000W	Fl (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	21/09	
		*							
1	<i>Dart Tsunami Warning Lighted Buoy Station 46412</i>	32-45-00.000N 120-55-00.000W	Fl (4)Y 20s				Aid maintained by National Oceanic and Atmospheric Administration.	20/09	
		*							
280	Point Sur Light	36-18-22.501N 121-54-05.567W	Fl W 15s	250	25	48	Emergency light of reduced intensity when main light is extinguished.	20/09	
		*							
305 4110	Santa Cruz Light	36-57-05.340N 122-01-36.360W	Fl W 5s	60	16	White lantern house on brick building. 39	Light obscured from 085° to 220°.	20/09	
		*							
357	<i>NOAA Environmental Lighted Buoy 46026</i>	37-45-21.470N 122-50-17.430W	Fl (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	20/09	
		*							
3860	<i>Morro Bay Channel Lighted Buoy 5</i>	35-21-55.115N 120-52-01.783W	Fl G 4s			3	Green.	Buoy maybe frequently relocated due to changing conditions.	20/09
		*							
3870	<i>Morro Bay Channel Lighted Buoy 7</i>	35-22-06.065N 120-51-52.137W	Fl G 4s			3	Green.	Buoy maybe frequently relocated due to changing conditions.	20/09
		*							
4110 305	Santa Cruz Light	36-57-05.340N 122-01-36.360W	Fl W 5s	60	16	White lantern house on brick building. 39	Light obscured from 085° to 220°.	20/09	
		*							
5450	BERKELEY BREAKWATER LIGHT 2	37-52-01.210N 122-19-12.425W	Fl R 2.5s	15	5	TR on post.	Higher intensity beam towards Golden Gate.	20/09	
		*							
5665	<i>Richmond Harbor Channel Lighted Buoy 2</i>	37-55-01.913N 122-25-03.037W	Q R			4	Red.	20/09	
		*							

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4476	Bay Bridge Alternate Channel Lighted Buoy 1						Remove from list.	19/09
							*	
4477	Bay Bridge Alternate Channel Lighted Buoy 2						Remove from list.	19/09
							*	
4478	Bay Bridge Alternate Channel Lighted Buoy 3						Remove from list.	19/09
							*	
4479	Bay Bridge Alternate Channel Lighted Buoy 4						Remove from list.	19/09
							*	
390	NOAA Environmental Lighted Buoy 46013	38-14-30.592N 123-18-02.432W	Fl (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	18/09
		*						
8135	Humboldt Bay Lighted Bell Buoy 2	40-45-56.477N 124-14-57.459W	Fl R 4s			4		18/09
		*						
8175	Humboldt Bay Lighted Bell Buoy 5	40-45-28.769N 124-13-52.652W	Fl G 4s			4		18/09
		*						
2289.5	Scripps Waverider Lighted Buoy 161	33-00-10.440N 117-17-30.120W	Fl (5)Y 20s			Yellow sphere with whip antenna.	Private aid.	17/09
*	*	*	*	*	*	*	*	
3584	Scripps Waverider Lighted Buoy 141						Remove from list.	17/09
							*	
2866	Long Beach Harbor Manson Lighted Mooring Buoy M-1	33-44-23.000N 118-08-48.000W	Fl W 2s			White with blue band.	Private aid.	16/09
		*						
2867	Long Beach Harbor Manson Lighted Mooring Buoy M-2	33-44-42.000N 118-09-29.000W	Fl W 2s			White with blue band.	Private aid.	16/09
		*						
2867.2	Long Beach Harbor Manson Lighted Mooring Buoy M-3	33-44-48.000N 118-09-53.000W	Fl R 2s			White with blue band.	Private aid.	16/09
		*						
2870.1	Long Beach Harbor Manson Lighted Mooring Buoy M-4	33-44-50.200N 118-10-00.500W	Fl W 2s			12' diameter disc with Tripod.	Private aid.	16/09
		*						
No corrections this week.								15/09
2844.5	Alamitos Bait Barge Lighted Mooring Buoy						Remove from list.	14/09
							*	
No corrections this week.								13/09

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
3373	<i>King Harbor USC Lighted Research Buoy</i>	33-50-51.780N 118-24-27.300W	Fl (5)Y 20s			Yellow tower buoy with antenna.	Private aid.	12/09
*	*	*	*	*	*	*	*	*
3378	<i>El Segundo USC Lighted Research Buoy</i>	33-54-00.180N 118-26-20.580W	Fl (5)Y 20s			Yellow tower buoy with antenna.	Private aid.	12/09
*	*	*	*	*	*	*	*	*
5390	EMERYVILLE MARINA LIGHT 7	37-50-31.100N 122-18-37.030W	Fl G 4s		17	SG on breakwater.	Private aid.	12/09
						*		
8116	NOYO RIVER ENTRANCE SMALL BOAT WARNING LIGHT	39-25-39.652N 123-48-20.374W				4 NR labeled ROUGH BAR on tower.	Lights flash when seas exceed four feet in height. Lights extinguished for lesser sea conditions, but with no guarantee that bar is safe.	12/09
						*		
4386	<i>Sausalito Channel Lighted Buoy A</i>	37-51-20.375N 122-28-26.671W	Fl Y 6s				Maintained from 30 Nov. to 15 Mar.	11/09
							*	
4387	<i>Sausalito Channel Lighted Buoy B</i>	37-51-17.753N 122-28-36.798W	Fl Y 6s				Maintained from 30 Nov. to 15 Mar.	11/09
							*	
4481.4	Anchorage 6, Lighted Mooring Buoy O	37-50-26.600N 122-21-24.100W	Fl W 2s			White with blue band	Private aid.	11/09
*	*	*	*	*	*	*	*	*
4481.5	Anchorage 6 Lighted Mooring Buoy P	37-50-33.100N 122-21-34.500W	Fl W 2s			White with blue band	Private aid.	11/09
*	*	*	*	*	*	*	*	*
2856	<i>Long Beach Harbor Mooring Buoy S-1</i>	33-44-32.000N 118-09-02.000W	Fl W 2s			White with blue band	Private aid.	10/09
*	*	*	*	*	*	*	*	*
2861	<i>Long Beach Harbor Lighted Mooring Buoy S-2</i>	33-44-25.200N 118-09-21.000W	Fl W 2s			White with blue band.	Private aid.	10/09
	*							
No corrections this week.								09/09
No corrections this week.								08/09
380	<i>Noonday Rock Lighted Bell Buoy 28</i>	37-47-35.228N 123-10-43.761W	Fl R 4s			Red		07/09
			*					
448	<i>Dart Tsunami Warning Lighted Buoy Station 46411</i>	39-20-24.000N 127-00-25.000W	Fl (4)Y 20s				Aid maintained by National Oceanic and Atmospheric Administration.	06/09
*	*	*	*	*	*	*	*	*
3810	<i>NOAA Environmental Lighted Buoy 46062 (Odas)</i>	35-06-03.000N 121-00-36.000W	Fl (4)Y 20s				Aid maintained by National Oceanic and Atmospheric Administration.	06/09
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
1	<i>Dart Tsunami Warning Lighted Buoy Station 46412</i>	32-14-46.000N 120-41-54.000W	Fl (4)Y 20s				Aid maintained by National Oceanic and Atmospheric Administration. 05/09
*	*	*	*	*	*	*	*
190 3585	Port Hueneme Light	34-08-42.612N 119-12-35.868W	Fl (5)W 30s 0.1s fl 4.9sec. 0.1s fl 4.9sec. 0.1s fl 4.9sec. 0.1s fl 9.9sec.	52	20	White square tower on building. 48	Obscured from 155° to 296°. The fog signal can be activated upon request to the Coast Guard via VHF-FM Ch 16. HORN: 1 blast ev 30s (3s bl). 251 feet from light. 04/09
3585 190	Port Hueneme Light	34-08-42.612N 119-12-35.868W	Fl (5)W 30s 0.1s fl 4.9sec. 0.1s fl 4.9sec. 0.1s fl 4.9sec. 0.1s fl 9.9sec.	52	20	White square tower on building. 48	* Obscured from 155° to 296°. The fog signal can be activated upon request to the Coast Guard via VHF-FM Ch 16. HORN: 1 blast ev 30s (3s bl). 251 feet from light. 04/09
4651	<i>Oakland Outer Harbor Lighted Buoy 7A</i> 50 feet outside of channel limit.	37-48-54.699N 122-19-30.123W	Fl G 2.5s			4 Green	* 04/09
2856	Long Beach Harbor Crowley Lighted Mooring Buoy Cr-1	*					Remove from list. 03/09
3985	Special Purpose Lighted Buoy My5						Remove from list. 03/09
	* Change Note: Americas Cup Harbor						02/09
1655	<i>Americas Cup Harbor Lighted Buoy 1</i> *	32-43-09.183N 117-13-02.127W	Fl G 4s			4	02/09
8135	Humboldt Bay Lighted Bell Buoy 2 *	40-45-59.908N 124-14-59.004W	Fl R 4s			4	01/09
	*	*	*			*	