

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
29732	HALEIWA HARBOR BREAKWATER LIGHT 6	21-35-47.633N 158-06-22.416W	Fl R 4s	20	6	TR on post.	44/09
						*	
29734	HALEIWA HARBOR LIGHT 7	21-35-42.216N 158-06-21.301W	Fl G 6s	20	6	SG on post.	44/09
						*	
29654.2	BARBERS POINT HARBOR ENTRANCE CHANNEL LIGHT 6	21-19-19.075N 158-07-16.076W	Q R	25	6	TR on post.	43/09
						*	
29654.3	BARBERS POINT HARBOR ENTRANCE CHANNEL LIGHT 7	21-19-23.809N 158-07-19.817W	Q G	25	6	SG on pile.	43/09
						*	
29675	WAIANAEE HARBOR BREAKWATER LIGHT 1	21-26-50.684N 158-11-48.897W	Fl G 2.5s	20	8	SG on Spindle.	43/09
			*			*	
28675	Pyramid Rock Light	21-27-44.107N 157-45-48.690W	Fl W 6s	101	10	13	Blocking panel obscures light from 062T to 273T
			*			*	*
29420	PEARL HARBOR LIGHT 9	21-19-39.717N 157-58-15.619W	Fl G 4s	15	6	SG on pile.	42/09
						*	
29430	WEST LOCH JUNCTION LIGHT W	21-20-30.369N 157-58-17.342W	Fl (2+1)G 6s	15	6	JG on pile.	42/09
						*	
No corrections this week.							41/09
29741.1	WAIKAEA CHANNEL LIGHT 1	22-04-35.900N 159-18-49.300W	Fl G 4s	12			Remove from list Private aid. *
29741.2	WAIKAEA CHANNEL LIGHT 2	22-04-37.400N 159-18-49.600W	Fl R 4s	12			Remove from list Private aid. *
29741.3	WAIKAEA CHANNEL LIGHT 3	22-04-34.100N 159-19-00.000W	Fl G 2.5s	12			Remove from list Private aid. *
29741.4	WAIKAEA CHANNEL LIGHT 4	22-04-35.500N 159-19-01.000W	Fl R 2.5s	12			Remove from list Private aid. *
29741.5	WAIKAEA CHANNEL LIGHT 5	22-04-27.100N 159-19-05.400W	Fl G 6s	12			Remove from list Private aid. *
29741.6	WAIKAEA CHANNEL LIGHT 6	22-04-27.800N 159-19-07.100W	Fl R 6s	12			Remove from list Private aid. *
No corrections this week.							39/09
28385	Pauwela Point Light	20-56-44.035N 156-19-16.767W	Fl W 15s	161	12	White Post. 40	38/09
						*	
30315	<i>Roi-Namur Island Channel Lighted Buoy 5</i>	09-22-59.271N 167-28-10.566E	Fl G 4s		3	Green.	38/09
						*	
No corrections this week.							37/09

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
28215	KEAHOLE POINT LIGHT	19-43-40.351N 156-03-39.799W	Fl W 6s (R sector)	43	W 12 R 9	NB on post.	Red from 185° to 343°, covers rocks off Makolea and Kaiwi Points.	36/09
							*	
No corrections this week.								35/09
29070	Kaiser Boat Channel Daybeacon 1	21-16-37.800N 157-50-23.600W			8		Private aid.	34/09
*	*	*	*		*	*	*	*
29075	Kaiser Boat Channel Daybeacon 2	21-16-39.300N 157-50-22.000W			8		Private aid.	34/09
*	*	*	*		*	*	*	*
29080	Kaiser Boat Channel Daybeacon 3	21-16-42.200N 157-50-25.600W			8		Private aid.	34/09
*	*	*	*		*	*	*	*
29085	Kaiser Boat Channel Daybeacon 4	21-16-41.600N 157-50-22.800W			8		Private aid.	34/09
*	*	*	*		*	*	*	*
29167	Sea Engineering Research Buoy	21-16-56.000N 157-52-10.000W	Q Y				Private aid.	34/09
*	*	*	*		*	*	*	*
30445	Kwajalein Lagoon Obstruction Buoy 5A	08-47-41.923N 167-42-07.069E				Green nun.		34/09
28215	KEAHOLE POINT LIGHT	19-43-40.351N 156-03-39.799W	Fl W 6s (R sector)	43	W 12 R 9	NB on post.	Red from 185° to 343°, covers rocks off Makolea and Kaiwi Points.	33/09
30730	Apra Outer Harbor Lighted Buoy 3	13-27-14.248N 144-39-14.727E	Fl G 2.5s		4	Green.		33/09
30755	Apra Outer Harbor Lighted Buoy 5	13-27-12.928N 144-39-21.657E	Q G		4	Green.		33/09
No corrections this week.								32/09
28275	Kawaihae Harbor Entrance Lighted Buoy 1	20-02-32.208N 155-50-22.530W	Fl G 2.5s		5	Green.		31/09
30752	PITI CHANNEL ENTRANCE LIGHT 2	13-27-36.500N 144-40-24.900E	Fl R 4s	30	3	SR on pile.		31/09
30375	Meck Island Approach Lighted Buoy 2	08-59-59.639N 167-42-38.268E	Fl R 4s		3	Red.		30/09
No corrections this week.								29/09
No corrections this week.								28/09
29697	UH Research Lighted Buoy Makaha	21-30-06.000N 158-14-30.000W	Fl (2)W 6s			Yellow can with black mast.	Private aid.	27/09
*	*	*	*		*	*	*	*
No corrections this week.								26/09

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
No corrections this week. 25/09								
28215	Keahole Point Light	19-43-40.351N 156-03-39.799W	Fl W 6s (R sector)	43	W 9 R 7	NB on post. 28	Red from 185° to 343°, covers rocks off Makolea and Kaiwi Points.	24/09
						*	*	
30852	Rota CG Mooring Buoy	14-08-02.400N 145-08-31.200E						23/09
*	*	*	*	*	*	*	*	
29158	<i>Kewalo Basin Lighted Buoy 3</i>	21-17-22.850 N 157-51-40.930 W	Fl G 4s		4	Green.		22/09
*	*	*	*	*	*	*	*	
29160	Kewalo Basin Lighted Buoy 4	21-17-23.281N 157-51-37.646W	Fl R 2.5s		4	Red nun.		22/09
	*		*		*			
29165	<i>Kewalo Basin Lighted Buoy 6</i>	21-17-30.612N 157-51-32.425W	Fl R 2.5s		4	Red nun.		22/09
	*		*		*			
29465	FORD ISLAND JUNCTION LIGHT F	21-21-16.622N 157-57-57.021W	Fl (2+1)G 6s	18	4	JG on multi-pile structure. 18		22/09
						*		
30370	<i>Kwajalein-Roi Highway Channel Lighted Buoy 13</i>	09-18-41.224N 167-28-33.370E	Fl G 4s		5	Green.		22/09
						*		
30415	<i>Kwajalein Gea Pass Lighted Buoy 3</i>	08-49-08.956N 167-36-11.685E	Fl G 2.5s		5	Green.		22/09
						*		
30430	<i>Kwajalein Lagoon Junction Lighted Buoy V</i>	08-52-22.852N 167-43-49.599E	Fl (2+1)R 6s		4	Red and green bands.		22/09
						*		
30450	KWAJALEIN-BIGEJ CHANNEL LIGHT 7	08-47-01.440N 167-42-30.600E	Fl G 4s	13	5	SG on post.		22/09
						*		
30460	KWAJALEIN-BIGEJ JUNCTION LIGHT N	08-44-19.399N 167-43-45.359E	Fl (2+1)G 6s	12	5	Green and red bands.		22/09
						*		
30465	<i>Kwajalein Harbor Approach Channel Lighted Buoy 1</i>	08-47-33.847N 167-39-47.209E	Fl G 4s		5	Green.		22/09
						*		
30080	Johnston Atoll Channel Entrance Lighted Buoy 2						Remove from list.	21/09
							*	
30085	Johnston Atoll Channel Range Front Light						Remove from list.	21/09
							*	
30095	Johnston Atoll Channel Range Rear Light						Remove from list.	21/09
							*	
30100	Johnston Atoll Channel Buoy 4						Remove from list.	21/09
							*	

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
30105	Johnston Atoll Channel Buoy 5						Remove from list. 21/09 *
30110	Johnston Atoll Channel Daybeacon 6						Remove from list. 21/09 *
30115	Johnston Atoll Channel Daybeacon 7						Remove from list. 21/09 *
30120	Johnston Atoll Channel Daybeacon 9						Remove from list. 21/09 *
30125	Johnston Atoll Channel Daybeacon 10						Remove from list. 21/09 *
30130	Johnston Atoll Channel Buoy 11						Remove from list. 21/09 *
30135	Johnston Atoll Channel Buoy 12						Remove from list. 21/09 *
30140	Johnston Atoll Channel Daybeacon 13						Remove from list. 21/09 *
30145	Johnston Atoll Channel Daybeacon 14						Remove from list. 21/09 *
30150	Johnston Atoll Channel Articulated Beacon 16						Remove from list. 21/09 *
30155	Johnston Atoll Harbor Buoy 17						Remove from list. 21/09 *
30160	Johnston Atoll Harbor Buoy 18						Remove from list. 21/09 *
30162	Johnston Atoll Harbor Buoy 20						Remove from list. 21/09 *
30165	Johnston Atoll Harbor Buoy 22						Remove from list. 21/09 *
30170	Johnston Atoll Harbor Daybeacon 23						Remove from list. 21/09 *

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
29250	KALIHI CHANNEL RANGE REAR LIGHT 677 yards, 007° from front light.	21-18-52.484N 157-53-40.313W	Iso G 6s		68		KRW on skeleton tower.	Visible 4° each side of rangeline.	20/09
					*				
30240	OFU HARBOR LIGHT 1	14-09-48.720S 169-40-51.070W	Fl G 4s		15	4	TG on pile.		19/09
		*							
30811.1	Agat Small Boat Harbor Entrance Lighted Buoy 1	13-21-57.409N 144-38-37.340E	Q G			4	Green.		19/09
						*			
28007.5	NOAA Data Lighted Buoy 51000	23-27-50.000N 154-00-00.000 W	Fl (4)Y 20s				3 meter yellow discus buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	18/09
*	*	*	*	*	*	*	*	*	
28008.5	NOAA Data Lighted Buoy 51100	23-33-30.000N 153-54-00.000W	Fl (4)Y 20s				3 meter yellow discus buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	18/09
*	*	*	*	*	*	*	*	*	
28009	NOAA Data Lighted Buoy 51101	24-19-15.000N 162-03-30.000W	Fl (4)Y 20s				3 meter yellow discus buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	18/09
*	*	*	*	*	*	*	*	*	
29440	PEARL HARBOR LIGHT 16	21-20-57.524N 157-58-05.020W	Q R		15	3	TR on multi-pile structure.		18/09
						*			
29465	FORD ISLAND JUNCTION LIGHT F	21-21-16.622N 157-57-57.021W	Fl (2+1)G 6s		18	4	JG on multi-pile structure. 18		18/09
					*		*		
29770	NAWILIWILI HARBOR BREAKWATER LIGHT	21-57-11.682N 159-20-54.936W	Q W		33	6	NB on post. 23		18/09
					*		*		
30240	OFU HARBOR LIGHT 1	14-10-01.687S 169-40-51.142W	Fl G 4s		15	4	TG on pile.		18/09
						*			
No corrections this week.									17/09
28315	KAWAIHAE HARBOR CHANNEL LIGHT 5	20-02-18.877N 155-49-55.083W	Fl G 4s		20	5	SG on concrete base.		16/09
	*					*			
No corrections this week.									15/09
No corrections this week.									14/09
No corrections this week.									13/09
No corrections this week.									12/09
No corrections this week.									11/09

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
28005	<i>NOAA Data Lighted Buoy 51004</i>	17-35-11.000N 152-27-39.000W	Fl (4)Y 20s			Yellow boat-shaped weather buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	10/09
		*				*		
28006.4	NOAA DART II Tsunami Warning Lighted Buoy						Remove from list.	10/09
							*	
28006.5	<i>NOAA DART Data Lighted Buoy 51407</i>	19-37-48.000N 156-31-30.000W	Fl (4)Y 20s			Red and White disk-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	10/09
*	*	*	*	*	*	*	*	
28008	<i>NOAA Data Lighted Buoy 51001</i>	23-26-42.000N 162-16-43.000W	Fl (4)Y 20s			Yellow boat-shaped weather buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	10/09
		*						
29510	PEARL HARBOR WEST LOCH ENTRANCE RANGE FRONT LIGHT	21-21-07.020N 157-58-59.420W	Q G		32	KRW on skeleton tower.	Visible 4° each side of rangeline.	10/09
			*					
29515	PEARL HARBOR WEST LOCH ENTRANCE RANGE REAR LIGHT 300 yards, 323° from front light.	21-21-14.789N 157-59-05.129W	Iso G 6s		47	KRW on skeleton tower.	Visible 4° each side of rangeline.	10/09
			*					
28580	Kaamola Point Light						Remove from list.	09/09
							*	
28605	KAUNAKAKAI HARBOR RANGE FRONT LIGHT	21-05-15.783N 157-01-29.169W	Q R		27	KRW on skeleton tower on house.	Visible 4° each side of rangeline.	09/09
			*					
28610	KAUNAKAKAI HARBOR RANGE REAR LIGHT 200 yards, 034° from front light.	21-05-20.731N 157-01-25.655W	Iso R 6s		41	KRW on skeleton tower.	Visible 4° each side of rangeline.	09/09
			*					
No corrections this week.								08/09
No corrections this week.								07/09
No corrections this week.								06/09
28350	KAHULUI HARBOR ENTRANCE BREAKWATER LIGHT 3	20-54-02.360N 156-28-17.425W	Fl G 2.5s	25	5	SG on post. 18		05/09
						*		
29310	KALIHI CHANNEL LIGHT 15	21-18-51.279N 157-53-26.361W	Fl G 4s	16	5	SG on dolphin.		05/09
				*				
29570	MERRY POINT LIGHT	21-21-07.850N 157-56-36.650W	F G	38	7	NB on post. 26		05/09
				*		*		

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
	No corrections this week.						04/09
	No corrections this week.						03/09
	No corrections this week.						02/09
	No corrections this week.						01/09