


**U.S. Department of  
Homeland Security**

**United States  
Coast Guard**



---

# **LIGHT LIST**

## **Volume II**

### **ATLANTIC COAST**

**Shrewsbury River, New Jersey to  
Little River, South Carolina**

**This publication contains a list of lights, sound  
signals, buoys, daybeacons, and other aids to navigation.**

#### **IMPORTANT**

***THIS PUBLICATION SHOULD BE CORRECTED  
EACH WEEK FROM THE LOCAL NOTICES TO MARINERS  
OR NOTICES TO MARINERS AS APPROPRIATE.***


## **2004**

**COMDTPUB P16502.2**

**U.S. GOVERNMENT PRINTING OFFICE  
WASHINGTON, DC: 2004**

**For sale by Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402  
GPO Stock Number: 050-012-00442-1  
ISBN: 0-16-067982-6**

LIMITS OF LIGHT LISTS PUBLISHED BY  
**U.S. COAST GUARD**



## Preface

Lights and other marine aids to navigation, maintained by or under authority of the U.S. Coast Guard and located on waters used by general navigation, are described in the Light List. This volume includes aids located between Shrewsbury River, New Jersey and Little River, South Carolina.

Included are all Coast Guard aids to navigation used for general navigation such as lights, sound signals, buoys, daybeacons, and other aids to navigation. Not included are Coast Guard mooring buoys and some buoys having no lateral significance, such as special purpose, anchorage, fish net, and dredging.

### PRIVATE AIDS TO NAVIGATION

Included: Class I aids to navigation on marine structures or other works which the owners are legally obligated to establish, maintain, and operate as prescribed by the Coast Guard.

Included: Class II aids to navigation exclusive of Class I, located in waters used by general navigation.

Not included: Class III aids to navigation exclusive of Class I and Class II, located in waters not ordinarily used by general navigation.

This Light List is published via hardcopy annually, and posted electronically at: <http://www.navcen.uscg.gov/pubs/LightLists/LightLists.htm> and is intended to furnish more complete information concerning aids to navigation than can be conveniently shown on charts. This Light List is not intended to be used in place of charts or Coast Pilots. Charts should be consulted for the location of all aids to navigation. It may be dangerous to use aids to navigation without reference to charts.

This list is corrected to the date of the notices to mariners shown on the title page. Changes to aids to navigation during the year are published in U.S. Coast Guard Local Notices to Mariners and National Geospatial-Intelligence Agency (NGA) Notices to Mariners. Important changes to aids to navigation are also broadcast through Coast Guard or Naval radio stations and NAVTEX. Mariners should keep their Light Lists, charts and other nautical publications corrected from these notices and should consult all notices issued after the date of publication of this Light List.

The electronic version of this publication is updated monthly, and is available at: <http://www.navcen.uscg.gov/pubs/LightLists/V2COMPLETE.PDF>

The Light List Visual Aids to Navigation are available for download via the internet at: <http://www.navcen.uscg.gov/pubs/LightLists/Ref2004W.pdf>.

**IMPORTANT:** A summary of corrections for this publication, which includes corrections from the dates shown on the title page to the date of availability, is published in the Local Notice to Mariners and the Notice to Mariners. These corrections must be applied in order to bring the Light List up-to-date. Additionally, this publication should be corrected weekly from the Local Notices to Mariners or the Notices to Mariners, as appropriate. Mariners and others are requested to bring any apparent errors or omissions in these lists to the attention of the Fifth District Commander: Federal Building; 431 Crawford Street Portsmouth, VA 23704-5004, or USCG Navigation Center, Charting Branch 7323 Telegraph Road Alexandria, Virginia 22315-3940 [USCGCharting@Navcen.uscg.mil](mailto:USCGCharting@Navcen.uscg.mil).

This Light List is corrected through: Fifth Coast Guard District Local Notice to Mariners No 35/04  
To National Geospatial-Intelligence Agency (NGA) Notice to Mariners No. 39/04

The 2004 edition supersedes the 2003 Print edition.

**RECORD OF CORRECTIONS PUBLISHED IN LOCAL/NOTICES TO MARINERS**

**YEAR 2004**

|         |         |         |         |         |
|---------|---------|---------|---------|---------|
| 1.....  | 12..... | 23..... | 33..... | 43..... |
| 2.....  | 13..... | 24..... | 34..... | 44..... |
| 3.....  | 14..... | 25..... | 35..... | 45..... |
| 4.....  | 15..... | 26..... | 36..... | 46..... |
| 5.....  | 16..... | 27..... | 37..... | 47..... |
| 6.....  | 17..... | 28..... | 38..... | 48..... |
| 7.....  | 18..... | 29..... | 39..... | 49..... |
| 8.....  | 19..... | 30..... | 40..... | 50..... |
| 9.....  | 20..... | 31..... | 41..... | 51..... |
| 10..... | 21..... | 32..... | 42..... | 52..... |
| 11..... | 22..... |         |         |         |

**YEAR 2005**

|         |         |         |         |         |
|---------|---------|---------|---------|---------|
| 1.....  | 12..... | 23..... | 33..... | 43..... |
| 2.....  | 13..... | 24..... | 34..... | 44..... |
| 3.....  | 14..... | 25..... | 35..... | 45..... |
| 4.....  | 15..... | 26..... | 36..... | 46..... |
| 5.....  | 16..... | 27..... | 37..... | 47..... |
| 6.....  | 17..... | 28..... | 38..... | 48..... |
| 7.....  | 18..... | 29..... | 39..... | 49..... |
| 8.....  | 19..... | 30..... | 40..... | 50..... |
| 9.....  | 20..... | 31..... | 41..... | 51..... |
| 10..... | 21..... | 32..... | 42..... | 52..... |
| 11..... | 22..... |         |         |         |

## **NAVIGATION CENTER Internet Service (www)**

Users with access to the World Wide Web (www) can access real time or archived LNM's, GPS, NDGPS, DGPS, Loran-C, and information at <http://www.navcen.uscg.mil> as well as subscribe to a list server that enables users to receive GPS status messages and Notice to NAVSTAR User (NANU) messages via direct Internet e-mail.

The NAVCEN also disseminates GPS and DGPS safety advisory broadcast messages through USCG broadcast stations utilizing VHF-FM voice, HF-SSB voice, and NAVTEX broadcasts. The broadcasts provide the GPS and DGPS user in the marine environment with the current status of the navigation systems, as well as any planned/unplanned system outages that could affect GPS, DGPS, and LORAN navigational accuracy.

To comment on any of these services or ask questions about the service offered, contact the NAVCEN at: Commanding Officer U.S. Coast Guard NAVCEN (NIS) 7323 Telegraph Road, Alexandria, VA 22310-3998  
Phone: (703) 313-5900 FAX: (703) 313-5920 Internet: <http://www.navcen.uscg.gov>

## **NAVIGATION INFORMATION SERVICE (NIS)**

The Coast Guard is the government interface for civil users of GPS and has established a Navigation Information Service (NIS) to meet the information needs of the civil user. The NIS is a Coast Guard facility that is manned 24 hours a day, 7 days a week, and is located at the Navigation Center (NAVCEN) in Alexandria, VA. It provides voice broadcasts, data broadcasts, facsimile, and on-line computer-based information services, which are all available 24 hours a day. The information provided includes present or future satellite outages and constellation changes, user instructions and tutorials, lists of service and receiver provider/users, and other GPS, DGPS, and LORAN related information.

## COAST GUARD DISTRICT COMMANDERS

### DISTRICT ADDRESS

### WATERS OF JURISDICTION

#### FIRST

408 Atlantic Avenue  
Boston, MA 02110-3350  
<http://www.uscg.mil/d1/>  
PHONE: DAY 617-223-8338  
NIGHT 617-223-8558

Maine, New Hampshire, Massachusetts, Vermont (Lake Champlain), Rhode Island, Connecticut, New York, to Shrewsbury River, New Jersey.

#### FIFTH

Federal Building; 431 Crawford Street  
Portsmouth, VA 23704-5004  
<http://www.uscg.mil/lantarea/index.html>  
PHONE: DAY 757-398-6486  
NIGHT 757-398-6231

Shrewsbury River, New Jersey to Delaware, Maryland, Virginia, District of Columbia and North Carolina.

#### SEVENTH

Brickell Plaza Federal Building  
909 SE 1<sup>st</sup> Avenue; Rm:406  
Miami, FL 33131-3050  
<http://www.uscg.mil/d7/>  
PHONE: DAY 305-415-6730  
NIGHT 305-415-6800

South Carolina, Georgia, Florida to 83°50'W, and Puerto Rico and adjacent islands of the United States.

#### EIGHTH

Hale Boggs Federal Building  
501 Magazine St  
New Orleans LA 70130-3396  
<http://www.uscg.mil/d8/index.htm>  
PHONE: DAY 504-589-6277  
NIGHT 504-589-6225

Florida westward from 83°50'W, Alabama, Mississippi, Louisiana, Texas, the Mississippi River System except that portion of the Illinois River north of Joliet, Illinois.

#### NINTH

1240 East 9<sup>th</sup> Street  
Cleveland, OH 44199-2060  
<http://www.uscg.mil/d9/uscgd9.html>  
PHONE: DAY 216-902-6060  
NIGHT 216-902-6117

Great Lakes and St. Lawrence River above St. Regis River.

#### ELEVENTH

Coast Guard Island Building 50-6  
Alameda, CA 94501-5100  
<http://www.uscg.mil/D11/>  
PHONE: 510-437-2976

California.

#### THIRTEENTH

Federal Building 915 Second Avenue  
Seattle, WA 98174-1067  
<http://www.uscg.mil/d13/default.htm>  
PHONE: DAY 206-220-7270  
NIGHT 206-220-7004

Oregon, Washington, Idaho, and Montana.

#### FOURTEENTH

PJKK Federal Building.  
300 Ala Moana Blvd, Room 9236  
Honolulu, HI 96850-4982  
<http://www.uscg.mil/d14/>  
PHONE: DAY 808-541-2316  
NIGHT 808-541-2500

Hawaiian, American Samoa, Marshall, Marianas, and Caroline Islands.

#### SEVENTEENTH

P.O. Box 25517  
Juneau, AK 99802-5517  
<http://www.uscg.mil/d17/>  
PHONE: DAY 907-463-2262  
NIGHT 907-463-2004

Alaska.

## Geographic Sections

| Section  | Page |
|--|------|
| 1 Seacoast Aids – New Jersey to South Carolina.....                        | 1    |
| 2 New Jersey to Delaware River .....                                       | 10   |
| 3 Delaware River.....  | 25   |
| 4 Cape Henlopen to Virginia Inside Passage.....                            | 44   |
| 5 Virginia Inside Passage to Chesapeake Bay Entrance.....                  | 57   |
| 6 Lower Chesapeake Bay.....  | 69   |
| 7 Upper Chesapeake Bay.....  | 80   |
| 8 Chesapeake Entrance to James River .....                                 | 94   |
| 9 James River.....   | 112  |
| 10 Chesapeake Bay Bridge Tunnel to Mobjack Bay.....                        | 129  |
| 11 Rappahannock River.....   | 143  |
| 12 Lower Potomac River .....   | 157  |
| 13 Upper Potomac River .....   | 169  |
| 14 St. Jerome Creek to Magothy River .....                                 | 180  |
| 15 Approaches to Baltimore Harbor .....                                    | 194  |
| 16 Chesapeake Entrance to Tangier Sound.....                               | 203  |
| 17 Tangier Sound to Little Choptank River .....                            | 215  |
| 18 Little Choptank River to Chester River .....                            | 229  |
| 19 Chester River to Head of the Chesapeake Bay .....                       | 243  |
| 20 Oregon Inlet NC to New River .....                                      | 256  |
| 21 New River and Cape Fear River.....                                      | 272  |
| 22 Currituck Sound to Pamlico Sound.....                                   | 289  |
| 23 Pamlico River, Neuse River, and Core Sound.....                         | 307  |
| 24 Intracoastal Waterway – New Jersey .....                                | 323  |
| 25 Intracoastal Waterway – Virginia to Neuse River, NC.....                | 337  |
| 26 Intracoastal Waterway – Neuse River, NC to Myrtle Grove Sound, NC.....  | 348  |
| 27 Intracoastal Waterway – Myrtle Grove Sound, NC to Little River, SC..... | 359  |

# Section 1

## Seacoast Aids

### New Jersey to South Carolina

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                    | (8)<br>Remarks                    |
|---|--|--------------------------|-----------------------|---------------|--------------|---|-----------------------------------|
| <b>SEACOAST (Atlantic Ocean)</b>                        |  |                          |                       |               |              |   |                                   |
| <b>CAPE SABLE TO CAPE HATTERAS (Chart 13003)</b>        |  |                          |                       |               |              |   |                                   |
| 5   | <i>NOAA Data Lighted Buoy 44004 (ODAS)</i>                                     | 38 27 24 N<br>70 41 24 W | <b>FI (4) Y 20s</b>   |               |              | Yellow boat-shaped buoy.                            |                                   |
| <b>SEACOAST (New Jersey) - Fifth District</b>           |  |                          |                       |               |              |   |                                   |
| <b>FIRE ISLAND TO SEA GIRT (Chart 12326)</b>            |  |                          |                       |               |              |   |                                   |
| 7<br>871  | <i>Shark River Lighted Whistle Buoy SI</i>                                     | 40 11 09 N<br>74 00 03 W | <b>Mo (A) W</b>       |               |              | 5 Red and white stripes with red spherical topmark. |                                   |
| <b>SEA GIRT TO LITTLE EGG INLET (Chart 12323)</b>       |  |                          |                       |               |              |   |                                   |
| 10  | <i>Barnegat Lighted Buoy B</i>   | 39 45 48 N<br>73 46 04 W | <b>FI Y 6s</b>        |               |              | 7 Yellow.   | RACON: B (-•••).                  |
| 15  | <i>Barnegat Offshore Lighted Gong Buoy 2</i>                                   | 39 45 30 N<br>73 59 28 W | <b>FI R 6s</b>        |               |              | 5 Red.  |                                   |
| 20  | <i>Barnegat Inlet Wreck Buoy</i>   | 39 46 24 N<br>74 05 00 W |                       |               |              | Red nun.  |                                   |
| 25<br>875   | <i>Barnegat Inlet Outer Lighted Whistle Buoy BI</i>                            | 39 44 28 N<br>74 03 51 W | <b>Mo (A) W</b>       |               |              | 5 Red and white stripes with red spherical topmark. |                                   |
| <b>LITTLE EGG INLET TO HEREFORD INLET (Chart 12318)</b> |  |                          |                       |               |              |   |                                   |
| 30  | <i>Ocean Power Technologies Research Lighted Buoy OPT</i>                      | 39 28 47 N<br>74 12 46 W | <b>FI Y 4s</b>        |               |              | Yellow.   | Private aid.                      |
| 35<br>1100  | <i>Little Egg Inlet Outer Lighted Whistle Buoy LE</i>                          | 39 27 48 N<br>74 17 22 W | <b>Mo (A) W</b>       |               |              | 5 Red and white stripes with red spherical topmark. |                                   |
| 40  | <i>Brigantine Inlet Wreck Lighted Buoy WR 2</i><br>100 yards, 090° from wreck. | 39 24 48 N<br>74 13 47 W | <b>Q R</b>            |               |              | 4 Red.  |                                   |
| 60<br>1170  | <i>Absecon Inlet Lighted Gong Buoy 1</i>                                       | 39 20 49 N<br>74 23 43 W | <b>FI G 4s</b>        |               |              | 4 Green.  |                                   |
| 65  | <i>Steel Pier Wreck Buoy WR2</i><br>Marks remains of old steel pier.           | 39 21 22 N<br>74 25 02 W |                       |               |              | Red nun.  | Maintained from Apr. 1 to Oct. 1. |
| 70<br>1265  | <i>Great Egg Harbor Inlet Outer Lighted Whistle Buoy GE</i>                    | 39 16 14 N<br>74 31 56 W | <b>Mo (A) W</b>       |               |              | 5 Red and white stripes with red spherical topmark. |                                   |
| 75<br>1410  | <i>Townsend Inlet Shoals Lighted Bell Buoy 4A</i>                              | 39 07 05 N<br>74 40 38 W | <b>FI R 4s</b>        |               |              | 4 Red.  |                                   |
| 80  | <i>Ludlam Beach Buoy L</i><br>Marks south end of shoal.                        |                          |                       |               |              | Red and green bands; nun.                           |                                   |
| 85  | <i>Avalon Shoal Lighted Bell Buoy 2</i>  | 39 05 23 N<br>74 33 57 W | <b>FI R 6s</b>        |               |              | 4 Red.  |                                   |

| (1)<br>No.                                      | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                     | (8)<br>Remarks   |
|---|---|--------------------------|-----------------------|---------------|--------------|--|--|
| <b>SEACOAST (New Jersey) - Fifth District</b>   |   |                          |                       |               |              |  |  |
| <b>CAPE MAY TO FENWICK ISLAND (Chart 12214)</b> |   |                          |                       |               |              |  |  |
| 90  | <b>Hereford Inlet Light</b>   | 39 00 24 N<br>74 47 28 W | <b>FI W</b> 10s       | 57            | 24           | White square tower with cupola on white dwelling.    |  |
| 95  | <i>Hereford Inlet Lighted Whistle Buoy H</i>  | 38 58 59 N<br>74 46 11 W | <b>Mo (A) W</b>       |               | 5            | Red and white stripes; red spherical topmark.        |  |
| 100   | <i>Five Fathom Bank Northeast Lighted Bell Buoy 2FB</i>                             | 38 58 12 N<br>74 31 35 W | <b>FI R</b> 4s        |               | 4            | Red.   |  |
| 105   | <i>Five Fathom Bank Northwest Lighted Gong Buoy 3FB</i>                             | 38 57 28 N<br>74 42 36 W | <b>FI G</b> 4s        |               | 5            | Green.   |  |
| 115   | <i>Five Fathom Bank South Lighted Buoy 4FB</i>                                      | 38 49 42 N<br>74 36 47 W | <b>Q R</b>            |               | 4            | Red.   |  |
| 120   | <i>Five Fathom Bank Lighted Buoy F</i>  | 38 46 49 N<br>74 34 32 W | <b>FI Y</b> 2.5s      |               | 6            | Yellow.  | RACON: M ( -- ).   |
| 125   | <i>Five Fathom Bank Traffic Lane Lighted Buoy FA</i>                                | 38 46 49 N<br>74 44 14 W | <b>FI Y</b> 4s        |               | 6            | Yellow.  |  |
| 130   | <i>Five Fathom Bank Traffic Lane Lighted Buoy FB</i>                                | 38 46 51 N<br>74 55 35 W | <b>FI Y</b> 6s        |               | 7            | Yellow.  |  |
| 135<br>1435                                     | <i>Cape May Harbor Inlet Lighted Bell Buoy 2CM</i>                                  | 38 55 47 N<br>74 51 21 W | <b>FI R</b> 2.5s      |               | 4            | Red.   |  |
| 145   | Sewell Point Buoy A<br>Marks firing range.  | 38 55 49 N<br>74 51 56 W |                       |               |              | Yellow can.  | Mariners are cautioned to keep outside buoys and give the area a wide berth. |
| 150   | Sewell Point Buoy C<br>Marks firing range.  | 38 55 35 N<br>74 52 44 W |                       |               |              | Yellow can.  | Mariners are cautioned to keep outside buoys and give the area a wide berth. |
| 155   | <b>Cape May Light</b>   | 38 55 59 N<br>74 57 37 W | <b>FI W</b> 15s       | 165           | 24           | White tower, red cupola, two white dwellings nearby. |  |
| 160   | <i>McCrie Shoal Lighted Gong Buoy 2MS</i>   | 38 50 29 N<br>74 50 17 W | <b>FI R</b> 4s        |               | 5            | Red.   |  |
| <b>SEACOAST (Delaware) - Fifth District</b>     |   |                          |                       |               |              |  |  |
| <b>CAPE MAY TO FENWICK ISLAND (Chart 12214)</b> |   |                          |                       |               |              |  |  |
| 165   | <i>Delaware Lighted Buoy D</i>  | 38 27 18 N<br>74 41 47 W | <b>FI Y</b> 6s        |               | 6            | Yellow.  | RACON: K ( - • - ).  |
| 168   | <i>NOAA Data Lighted Buoy 44009 (ODAS)</i>  | 38 27 54 N<br>74 42 18 W | <b>FI (4) Y</b> 20s   |               |              | Yellow disc-shape hull.                              |  |
| 170   | <i>Delaware Traffic Lane Lighted Buoy DA</i>  | 38 32 45 N<br>74 46 56 W | <b>FI Y</b> 2.5s      |               | 6            | Yellow.  |  |
| 175   | <i>Delaware Traffic Lane Lighted Buoy DB</i>  | 38 38 12 N<br>74 52 11 W | <b>FI Y</b> 4s        |               | 6            | Yellow.  |  |
| 180   | <i>Delaware Traffic Lane Lighted Buoy DC</i>  | 38 43 47 N<br>74 57 33 W | <b>FI Y</b> 2.5s      |               | 6            | Yellow.  |  |
| 190<br>1490                                     | <i>Hen and Chickens Shoal Lighted Gong Buoy 1 HC</i><br>Off southeast end of shoal. | 38 42 43 N<br>74 58 56 W | <b>FI G</b> 2.5s      |               | 4            | Green.   |  |

| (1)<br>No.   | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic                                    | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                  | (8)<br>Remarks                                 |
|--|---|--------------------------|--|---------------|--------------|---|--|
| <b>SEACOAST (Delaware) - Fifth District</b>                |   |                          |  |               |              |   |  |
| 195<br>4360  | <i>Indian River Inlet<br/>Lighted Gong Buoy 1</i>                       | 38 36 33 N<br>75 02 46 W | <b>FI G</b> 2.5s   |               | 4            | Green.  |  |
| <b>FENWICK ISLAND TO CHINCOTEAGUE ISLAND (Chart 12211)</b> |   |                          |  |               |              |   |  |
| 205  | FENWICK ISLAND LIGHT  | 38 27 06 N<br>75 03 18 W | <b>Oc W</b> 13s<br>7.5s fl 5.5s ec.                      | 83            | 8            | White tower.<br>87                                | Private aid.                                   |
| 210  | <i>Fenwick Shoal Lighted<br/>Buoy 1FS<br/>On west side of shoal.</i>    | 38 26 48 N<br>74 57 23 W | <b>FI G</b> 4s   |               | 5            | Green.  |  |
| 220  | <i>Great Gull Bank Lighted<br/>Buoy 4</i>                               | 38 16 22 N<br>75 00 20 W | <b>FI R</b> 4s   |               | 4            | Red.  |  |
| <b>SEACOAST (Maryland) - Fifth District</b>                |   |                          |  |               |              |   |  |
| <b>OCEAN CITY INLET TO CAPE HATTERAS (Chart 12200)</b>     |   |                          |  |               |              |   |  |
| 225<br>4720  | OCEAN CITY INLET JETTY<br>LIGHT   | 38 19 27 N<br>75 05 06 W | <b>Iso W</b> 6s  | 28            | 8            | NB on skeleton tower.                             | HORN: 1 blast ev 15s (2s bl).                  |
| 235  | Ocean City Research Buoy  | 38 20 48 N<br>75 01 06 W |  |               |              | Yellow.   | Maintained by U.S. Army<br>Corps of Engineers. |
| 240<br>4730  | <i>Ocean City Inlet<br/>Lighted Bell Buoy 2</i>                         | 38 19 26 N<br>75 03 41 W | <b>FI R</b> 4s   |               | 4            | Red.  |  |
| 245  | Ocean City Wreck<br>Buoy WR2  | 38 18 48 N<br>75 04 54 W |  |               |              | Red nun.  |  |
| 250  | Little Gull Bank Buoy LG  | 38 16 51 N<br>75 04 07 W |  |               |              | Green and red bands; can.                         |  |
| <b>SEACOAST (Virginia) - Fifth District</b>                |   |                          |  |               |              |   |  |
| <b>OCEAN CITY INLET TO CAPE HATTERAS (Chart 12200)</b>     |   |                          |  |               |              |   |  |
| 265  | Winter Quarter Shoal<br>Buoy 5  | 37 58 18 N<br>75 09 07 W |  |               |              | Green can.  |  |
| 270  | <i>Winter Quarter Shoal<br/>Lighted Buoy 6</i>                          | 37 59 42 N<br>75 01 23 W | <b>FI R</b> 6s   |               | 4            | Red.  |  |
| 275  | <b>Assateague Light</b>   | 37 54 40 N<br>75 21 22 W | <b>FI (2) W</b> 5s<br>0.1s fl 1s ec.<br>0.1s fl 3.8s ec. | 154           | 22           | Conical tower with red and white<br>bands.<br>142 |  |
| 285  | Blackfish Bank Buoy 8A  | 37 50 25 N<br>75 15 53 W |  |               |              | Red nun.  |  |
| 290  | <i>Blackfish Bank Lighted<br/>Gong Buoy 8<br/>East of 24 foot spot.</i> | 37 50 37 N<br>75 12 06 W | <b>FI R</b> 2.5s   |               | 4            | Red.  |  |
| 295  | Turners Lump Buoy 2   | 37 48 54 N<br>75 19 26 W |  |               |              | Red nun.  |  |
| 300  | <i>Turners Lump Lighted<br/>Bell Buoy 2TL</i>                           | 37 48 55 N<br>75 22 29 W | <b>FI R</b> 4s   |               | 4            | Red.  |  |
| 305<br>6600  | <i>Wachapreague Inlet<br/>Lighted Whistle<br/>Buoy W</i>                | 37 34 54 N<br>75 33 37 W | <b>Mo (A) W</b>  |               | 5            | Red and white stripes with red<br>spherical top.  |  |
| 315  | <i>Parramore Bank Lighted<br/>Gong Buoy 10</i>                          | 37 32 04 N<br>75 25 53 W | <b>FI R</b> 4s   |               | 5            | Red.  |  |

| (1)<br>No.                                  | (2)<br>Name and Location                               | (3)<br>Position          | (4)<br>Characteristic  | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks   |
|---|--|--------------------------|--|---------------|--------------|--|--|
| <b>SEACOAST (Virginia) - Fifth District</b> |  |                          |  |               |              |  |  |
| 320<br>6700                                 | <i>Quinby Inlet Lighted Whistle Buoy Q</i>             | 37 28 06 N<br>75 36 05 W | <b>Mo (A) W</b>  |               | 5            | Red and white stripes with spherical topmark.  |  |
| 325<br>6730                                 | QUINBY INLET ENTRANCE LIGHT                            | 37 27 50 N<br>75 40 12 W | <b>FI W 4s</b>   | 28            | 8            | NB on skeleton tower on structure.   |  |
| 330<br>6800                                 | <i>Great Machipongo Inlet Lighted Whistle Buoy GM</i>  |                          | <b>Mo (A) W</b>  |               | 5            | Red and white stripes with red spherical topmark.  |  |
| 335   | <i>Hog Island Lighted Buoy 12</i>                      | 37 17 40 N<br>75 34 39 W | <b>FI R 2.5s</b>   |               | 5            | Red.   |  |
| 340<br>6965                                 | <i>Sand Shoal Inlet Lighted Whistle Buoy A</i>         | 37 17 49 N<br>75 41 09 W | <b>Mo (A) W</b>  |               | 5            | Red and white stripes with red spherical topmark.  |  |
| 345   | <i>Cape Charles Lighted Bell Buoy 14</i>               | 37 07 24 N<br>75 40 59 W | <b>FI R 2.5s</b>   |               | 4            | Red.   |  |
| 347   | <i>Navy Surface Gunnery Area 8 Lighted Buoy GA</i>     | 37 12 00 N<br>74 52 00 W | <b>FI Y 4s</b>   |               | 5            | Yellow   |  |
| 348   | <i>Surface Gunnery Area 8 Lighted Buoy GA</i>          | 37 12 00 N<br>74 51 40 W | <b>FI Y 6s</b>   |               | 5            | Yellow.  |  |
| 349   | <i>Surface Gunnery Area 8 Lighted Buoy GC</i>          | 37 12 15 N<br>74 51 49 W | <b>FI Y 2.5s</b>   |               | 5            | Yellow.  |  |
| 350   | <b>Cape Charles Light</b>                              | 37 07 23 N<br>75 54 23 W | <b>FI W 5s</b>   | 180           | 24           | Octagonal, pyramidal skeleton tower, upper part black, lower part white.<br>191                  | Operates 24 hours.   |
| 360   | <b>Chesapeake Light</b>                                | 36 54 17 N<br>75 42 46 W | <b>FI (2) W 15s</b><br>0.1s fl 2.9s ec.<br>0.1s fl 11.9s ec.                             | 117           | 19           | Blue tower on white square superstructure on four black piles, CHESAPEAKE on sides.              | Emergency light of lower intensity will be displayed when main light is inoperative.<br>RACON: N (- *).<br>HORN: 1 blast ev 30s (3s bl).<br>Operates continuously.               |
| 361   | <i>Chesapeake Bay Entrance Lighted Buoy 2</i>          | 36 54 16 N<br>75 42 35 W | <b>Q R</b>   |               | 4            | Red.   |  |
| 365   | <i>Navy SESEF Lighted Buoy A</i>                       | 36 55 02 N<br>75 38 14 W | <b>FI Y 2.5s</b>   |               | 5            | Yellow.  |  |
| 370   | <b>Cape Henry Light</b>                                | 36 55 35 N<br>76 00 26 W | <b>Mo (U) W 20s</b><br><b>(R sector)</b><br>1s fl 2s ec.<br>1s fl 2s ec.<br>7s fl 7s ec. | 164           | W 17<br>R 15 | Octagonal pyramidal tower, upper and lower half of each face alternately black and white.<br>163 | Red from 154° to 233°, covers shoals outside Cape Charles and Middle Ground inside bay.<br>Emergency light of lower intensity will be displayed when main light is extinguished. |
| 380   | <i>Middle Ground South End Lighted Bell Buoy 4A</i>    | 37 00 23 N<br>75 55 44 W | <b>FI R 4s</b>   |               | 4            | Red.   |  |
| 385   | <i>North Chesapeake Entrance Lighted Bell Buoy NCA</i> | 36 58 40 N<br>75 48 36 W | <b>FI Y 2.5s</b>   |               | 6            | Yellow.  |  |
| 390   | <i>North Chesapeake Entrance Lighted Gong Buoy NCB</i> | 36 58 03 N<br>75 50 49 W | <b>FI Y 6s</b>   |               | 7            | Yellow.  |  |
| 395   | <i>North Chesapeake Entrance Lighted Bell Buoy NCC</i> | 36 57 26 N<br>75 52 59 W | <b>FI Y 4s</b>   |               | 6            | Yellow.  |  |
| 400   | <i>North Chesapeake Entrance Lighted Gong Buoy NCD</i> | 36 56 49 N<br>75 55 05 W | <b>FI Y 2.5s</b>   |               | 7            | Yellow.  |  |

| (1)<br>No.   | (2)<br>Name and Location                                   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                  | (8)<br>Remarks  |
|--|--|--------------------------|-----------------------|---------------|--------------|---|-----------------|
| <b>SEACOAST (Virginia) - Fifth District</b>            |  |                          |                       |               |              |   |                 |
| 405  | <i>Chesapeake Bay Entrance<br/>Lighted Whistle Buoy CH</i> | 36 56 08 N<br>75 57 27 W | <b>MO (A) W</b>       |               | 7            | Red and white stripes with red spherical topmark. | RACON: C(-•-•)  |
| <b>Chesapeake Bay Southern Approach</b>                |  |                          |                       |               |              |   |                 |
| 410  | <i>- Lighted Whistle<br/>Buoy CB</i>                       | 36 49 00 N<br>75 45 36 W | <b>Mo (A) W</b>       |               | 6            | Red and white stripes with red spherical topmark. | RACON: K(-•-•). |
| 415  | <i>- Lighted Buoy 1</i>                                    | 36 49 32 N<br>75 46 55 W | <b>FI G 2.5s</b>      |               | 4            | Green.  |                 |
| 420  | <i>- Lighted Buoy 2</i>                                    | 36 49 43 N<br>75 46 46 W | <b>FI R 2.5s</b>      |               | 4            | Red.  |                 |
| 425  | <i>- Lighted Buoy 3</i>                                    | 36 50 12 N<br>75 48 15 W | <b>FI G 4s</b>        |               | 4            | Green.  |                 |
| 430  | <i>- Lighted Buoy 4</i>                                    | 36 50 22 N<br>75 48 07 W | <b>FI R 4s</b>        |               | 4            | Red.  |                 |
| 435  | <i>- Lighted Buoy 5</i>                                    | 36 50 51 N<br>75 49 35 W | <b>FI G 4s</b>        |               | 5            | Green.  |                 |
| 440  | <i>- Lighted Buoy 6</i>                                    | 36 51 02 N<br>75 49 27 W | <b>FI R 4s</b>        |               | 4            | Red.  |                 |
| 445  | <i>- Lighted Buoy 7</i>                                    | 36 51 31 N<br>75 50 55 W | <b>FI G 2.5s</b>      |               | 4            | Green.  |                 |
| 450  | <i>- Lighted Buoy 8</i>                                    | 36 51 42 N<br>75 50 47 W | <b>FI R 2.5s</b>      |               | 4            | Red.  |                 |
| 455  | <i>- Lighted Buoy 9</i>                                    | 36 52 12 N<br>75 52 16 W | <b>Q G</b>            |               | 4            | Green.  |                 |
| 460  | <i>- Lighted Buoy 10</i>                                   | 36 52 22 N<br>75 52 06 W | <b>Q R</b>            |               | 4            | Red.  |                 |
| 465  | <i>- Lighted Buoy 11</i>                                   | 36 53 08 N<br>75 53 19 W | <b>FI G 2.5s</b>      |               | 5            | Green.  |                 |
| 470  | <i>- Lighted Buoy 12</i>                                   | 36 53 16 N<br>75 53 07 W | <b>FI R 2.5s</b>      |               | 4            | Red.  |                 |
| 475  | <i>- Lighted Buoy 13</i>                                   | 36 54 03 N<br>75 54 22 W | <b>FI G 4s</b>        |               | 5            | Green.  |                 |
| 480  | <i>- Lighted Buoy 14</i>                                   | 36 54 12 N<br>75 54 10 W | <b>FI R 4s</b>        |               | 4            | Red.  |                 |
| 485  | <i>- Lighted Buoy 15</i>                                   | 36 54 59 N<br>75 55 24 W | <b>Q G</b>            |               | 4            | Green.  |                 |
| 490  | <i>- Lighted Buoy 16</i>                                   | 36 55 07 N<br>75 55 12 W | <b>Q R</b>            |               | 4            | Red.  |                 |
| <b>OCEAN CITY INLET TO CAPE HATTERAS (Chart 12200)</b> |  |                          |                       |               |              |   |                 |
| 495  | <i>Navy SESEF Lighted<br/>Buoy B</i>                       | 36 55 02 N<br>75 45 29 W | <b>FI Y 4s</b>        |               | 5            | Yellow.   |                 |
| 500  | <i>Rudee Inlet Lighted<br/>Whistle Buoy RI</i>             | 36 49 47 N<br>75 56 57 W | <b>Mo (A) W</b>       |               | 5            | Red and white stripes.                            |                 |
| 501  | <i>Rudee Inlet Entrance<br/>Lighted Buoy 1</i>             | 36 49 47 N<br>75 57 43 W | <b>FI G 2.5s</b>      |               | 4            | Green.  |                 |
| 503  | <i>Rudee Inlet Entrance<br/>Lighted Buoy 2</i>             | 36 49 51 N<br>75 57 44 W | <b>FI R 2.5s</b>      |               | 4            | Red.  |                 |
| 505  | RUDEE INLET JETTY<br>LIGHT 4                               | 36 49 50 N<br>75 58 00 W | <b>FI R 4s</b>        | 22            | 4            | TR on pile.                                       |                 |
| 510  | Rudee Inlet Jetty<br>Daybeacon 5                           |                          |                       |               |              | SG on pile.                                       |                 |

| (1)<br>No.   | (2)<br>Name and Location                                       | (3)<br>Position          | (4)<br>Characteristic  | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks  |
|--|--|--------------------------|--|---------------|--------------|---|---|
| <b>SEACOAST (Virginia) - Fifth District</b>            |  |                          |  |               |              |   |   |
| 515  | <i>Dam Neck Disposal Area<br/>Lighted Buoy A</i>               |                          | <b>FI Y 2.5s</b>   |               | 4            | Yellow.   | Position changed frequently for dredging.   |
| 520  | <i>Dam Neck Disposal Area<br/>Lighted Buoy B</i>               |                          | <b>FI Y 4s</b>   |               | 5            | Yellow.   | Position changed frequently for dredging.   |
| 525  | <i>Dam Neck Disposal Area<br/>Lighted Buoy C</i>               |                          | <b>FI Y 6s</b>   |               | 5            | Yellow.   | Position changed frequently for dredging.   |
| 530  | <i>Dam Neck Firing Zone<br/>Lighted Buoy A</i>                 | 36 49 34 N<br>75 51 02 W | <b>FI Y 2.5s</b>   |               | 5            | Yellow.   |   |
| 540  | <i>Dam Neck Firing Zone<br/>Lighted Buoy B</i>                 | 36 43 46 N<br>75 54 23 W | <b>FI Y 4s</b>   |               | 5            | Yellow.   |   |
| 545  | <i>False Cape Lighted<br/>Buoy 4A</i>                          | 36 35 37 N<br>75 43 59 W | <b>FI R 2.5s</b>   |               | 4            | Red.  |   |
| 550  | <i>NOAA Data<br/>Lighted Buoy<br/>44014 (ODAS)</i>             | 36 36 40 N<br>74 50 11 W | <b>FI (4) Y 20s</b>  |               | 6            | Yellow disc-shaped hull.  |   |
| <b>SEACOAST (North Carolina) - Fifth District</b>      |  |                          |  |               |              |   |   |
| <b>OCEAN CITY INLET TO CAPE HATTERAS (Chart 12200)</b> |  |                          |  |               |              |   |   |
| 555  | <b>Currituck Beach Light</b>                                   | 36 22 37 N<br>75 49 47 W | <b>FI W 20s</b>  | 158           | 18           | Red conical tower.<br>163   |   |
| 560  | <i>Currituck Lighted<br/>Buoy 6</i>                            | 36 15 49 N<br>75 35 37 W | <b>FI R 4s</b>   |               | 4            | Red.  |   |
| 565  | <i>Bodie Island Lighted<br/>Buoy 8</i>                         | 35 55 49 N<br>75 27 35 W | <b>FI R 4s</b>   |               | 5            | Red.  |   |
| 570  | <b>NAVY AIR COMBAT<br/>MANEUVERING RANGE<br/>TOWER LIGHT A</b> | 36 13 36 N<br>75 15 00 W | <b>FI Y 2.5s</b>   | 71            | 5            | Yellow skeleton tower.  | Maintained by U.S. Navy.  |
| 575  | <b>NAVY AIR COMBAT<br/>MANEUVERING RANGE<br/>TOWER LIGHT B</b> | 36 03 54 N<br>74 59 00 W | <b>FI Y 2.5s</b>   | 71            | 5            | Yellow skeleton tower.  | Maintained by U.S. Navy.  |
| 580  | <b>NAVY AIR COMBAT<br/>MANEUVERING RANGE<br/>TOWER LIGHT C</b> | 35 57 00 N<br>75 16 00 W | <b>FI Y 2.5s</b>   | 71            | 5            | Yellow skeleton tower.  | Maintained by U.S. Navy.  |
| 585  | <b>NAVY AIR COMBAT<br/>MANEUVERING RANGE<br/>TOWER LIGHT G</b> | 35 47 12 N<br>75 05 42 W | <b>FI Y 2.5s</b>   | 71            | 5            | Yellow skeleton tower.  | Maintained by U.S. Navy.  |
| 590  | <b>Bodie Island Light</b>                                      | 35 49 07 N<br>75 33 48 W | <b>FI (2) W 30s</b><br>2.5s fl 2.5s ec.<br>2.5s fl 22.5s ec. | 156           | 18           | Conical tower, white and black<br>bands above granite base, black<br>ironwork.<br>166 |   |
| 595  | <i>NOAA Lighted Buoy 44DUK</i>                                 | 36 11 17 N<br>75 44 07 W | <b>FI (4) Y 20s</b>  |               |              | Yellow discshaped.  | Maintained by NOAA.   |
| <b>Oregon Inlet</b>                                    |  |                          |  |               |              |   |   |
| 600<br>27970   | <i>- Approach Lighted<br/>Whistle Buoy OI</i>                  |                          | <b>Mo (A) W</b>  |               | 6            | Red and white stripes.  | Position frequently shifted<br>with changing conditions.<br>Topmark not installed on<br>this aid. |
| 615<br>27965   | <i>- JETTY LIGHT</i>   | 35 46 22 N<br>75 31 28 W | <b>Iso W 6s</b>  | 28            | 7            | NB on pile.   |   |
| <b>OCEAN CITY INLET TO CAPE HATTERAS (Chart 12200)</b> |  |                          |  |               |              |   |   |
| 620  | <i>Wimble Shoals Lighted<br/>Buoy 10</i>                       | 35 35 43 N<br>75 19 23 W | <b>FI R 4s</b>   |               | 4            | Red.  |   |

| (1)<br>No.   | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks  |
|--|---|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>SEACOAST (North Carolina) - Fifth District</b>        |   |                          |                       |               |              |   |   |
| 625  | <b>Cape Hatteras Light</b>  | 35 15 08 N<br>75 31 44 W | <b>FI W</b> 7.5s      | 192           | 24           | Black and white spirally banded tower, red brick base with granite corners. |   |
| 630  | Outer Diamond Shoal Buoy 2  | 35 08 25 N<br>75 23 23 W |                       |               |              | Red nun.  |   |
| 635  | <i>NOAA Data Lighted Buoy 41001 (ODAS)</i>                                    | 36 41 00 N<br>72 39 42 W | <b>FI (4) Y</b> 20s   |               | 6            | Yellow boat-shaped hull.  |   |
| <b>CAPE HATTERAS TO LITTLE RIVER INLET (Chart 11520)</b> |   |                          |                       |               |              |   |   |
| 640  | <i>Diamond Shoal Lighted Buoy 12</i>  | 35 09 06 N<br>75 17 45 W | <b>Q R</b>            |               | 4            | Red disc-shaped hull..  | Marks remaining structure of Diamond Shoal Light.     |
| 645<br>28625   | <b>Hatteras Inlet Light</b>   | 35 11 52 N<br>75 43 56 W | <b>Iso W</b> 6s       | 48            | 10           | Skeleton tower on black house.  |   |
| 650<br>28630   | <i>Hatteras Inlet Entrance Lighted Whistle Buoy HI</i>                        |                          | <b>Mo (A) W</b>       |               | 6            | Red and white stripes with red spherical topmark.                           | Position frequently shifted with changing conditions. |
| 660  | <b>Ocracoke Light</b>   | 35 06 32 N<br>75 59 10 W | <b>F W</b>            | 75            | 15           | White tower.  |   |
| 665<br>28895   | <i>Ocracoke Inlet Entrance Lighted Whistle Buoy OC</i>                        |                          | <b>Mo (A) W</b>       |               | 6            | Red and white stripes with red spherical topmark.                           | Position frequently shifted with changing conditions. |
| 670  | <b>Cape Lookout Light</b>   | 34 37 22 N<br>76 31 28 W | <b>FI W</b> 15s       | 156           | 25           | Black and white diagonally checkered tower.<br>169                          |   |
| 680  | <i>Cape Lookout Shoals Lighted Buoy 2</i>                                     | 34 29 37 N<br>76 25 41 W | <b>Q R</b>            |               | 4            | Red.  |   |
| 685  | <i>Cape Lookout Lighted Bell Buoy 14</i>                                      | 34 18 07 N<br>76 23 59 W | <b>FI R</b> 4s        |               | 4            | Red.  |   |
| 689  | <i>Cape Lookout Shoals Lighted Research Buoy</i>                              | 34 20 36 N<br>76 25 12 W | <b>FI Y</b> 4s        |               |              | Yellow.   | Private aid.  |
| 690  | <i>Cape Lookout Shoals Lighted Buoy 4</i>                                     | 34 26 57 N<br>76 28 23 W | <b>Q R</b>            |               | 4            | Red.  |   |
| 695  | <i>Cape Lookout Shoals Lighted Buoy 6</i>                                     | 34 27 17 N<br>76 33 41 W | <b>FI R</b> 6s        |               | 4            | Red.  |   |
| 705  | <i>Cape Lookout Shoals Lighted Buoy 8</i><br>Marks wreck of SENATEUR DUHAMEL. | 34 32 55 N<br>76 36 10 W | <b>Q R</b>            |               | 4            | Red.  |   |
| 710<br>29125   | <i>Cape Lookout Breakwater Lighted Buoy 2</i>                                 | 34 37 08 N<br>76 33 45 W | <b>Q R</b>            |               | 3            | Red.  |   |
| 715  | Beaufort Inlet Dumping Ground Buoy A  |                          |                       |               |              | Yellow nun.   |   |
| 720<br>29328   | <i>Beaufort Inlet Channel Lighted Whistle Buoy BM</i>                         |                          | <b>Mo (A) W</b>       |               | 6            | Red and white striped with red spherical topmark.                           | RACON: M(---).  |
| 730<br>29490   | <i>Bogue Inlet Entrance Lighted Whistle Buoy BI</i>                           |                          | <b>Mo (A) W</b>       |               | 6            | Red and white stripes with red spherical topmark.                           |   |
| 735  | <i>Bogue Bank Wreck Lighted Buoy WR13</i><br>Marks wreck of SULIOD.           | 34 32 49 N<br>76 53 41 W | <b>FI G</b> 2.5s      |               | 4            | Green.  |   |
| <b>Camp Lejeune Danger Zone</b>                          |   |                          |                       |               |              |   |   |
| 740  | - <i>Lighted Buoy A</i>   | 34 36 19 N<br>77 05 34 W | <b>FI Y</b> 4s        |               | 6            | Yellow.   |   |

| (1)<br>No.   | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic  | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks  |
|--|--|--------------------------|--|---------------|--------------|--|---|
| <b>SEACOAST (North Carolina) - Fifth District</b>        |  |                          |  |               |              |  |   |
| 745  | - Lighted Buoy B   | 34 35 22 N<br>77 01 28 W | FI Y 2.5s  |               | 5            | Yellow.  |   |
| 750  | - Lighted Buoy C   | 34 30 01 N<br>77 02 04 W | FI Y 4s  |               | 6            | Yellow.  |   |
| 755  | - Lighted Buoy D   | 34 25 28 N<br>77 05 35 W | FI Y 6s  |               | 6            | Yellow.  |   |
| 760  | - Lighted Buoy E   | 34 22 34 N<br>77 11 00 W | FI Y 4s  |               | 6            | Yellow.  |   |
| 765  | - Lighted Buoy F   | 34 21 55 N<br>77 17 29 W | FI Y 6s  |               | 6            | Yellow.  |   |
| 770  | - Lighted Buoy G   | 34 23 36 N<br>77 23 35 W | FI Y 2.5s  |               | 5            | Yellow.  |   |
| 775  | - Lighted Buoy H   | 34 27 57 N<br>77 21 08 W | FI Y 4s  |               | 6            | Yellow.  |   |
| <b>CAPE HATTERAS TO LITTLE RIVER INLET (Chart 11520)</b> |  |                          |  |               |              |  |   |
| 780  | Onslow Bay Wreck<br>Lighted Buoy WR2<br>40 yards, 140° from last<br>reported position of<br>wreck. | 33 57 49 N<br>77 01 47 W | Q R  |               | 4            | Red.   |   |
| 785  | Onslow Bay Lighted<br>Buoy 4   | 33 51 52 N<br>77 28 53 W | FI R 4s  |               | 4            | Red.   |   |
| 790<br>29650   | New River Inlet Lighted<br>Whistle Buoy NR   | 34 31 08 N<br>77 19 21 W | Mo (A) W   |               | 6            | Red and white stripes with red<br>spherical topmark.                                   |   |
| 795<br>29970   | New Topsail Inlet<br>Lighted Whistle Buoy NT   |                          | Mo (A) W   |               | 6            | Red and white stripes with red<br>spherical topmark.                                   |   |
| 800<br>30145   | Masonboro Inlet Lighted<br>Whistle Buoy A  |                          | Mo (A) W   |               | 5            | Red and white stripes with red<br>spherical topmark.                                   |   |
| 805<br>30260   | Carolina Beach Inlet<br>Entrance Lighted<br>Whistle Buoy CB  |                          | Mo (A) W   |               | 5            | Red and white stripes<br>with red spherical topmark.                                   |   |
| 810  | <b>Oak Island Light</b>  | 33 53 36 N<br>78 02 06 W | FI (4) W 10s<br>0.1s fl 0.9s ec.<br>0.1s fl 0.9s ec.<br>0.1s fl 0.9s ec.<br>0.1s fl 6.9s ec. | 169           | 24           | Cylindrical tower, top third black,<br>middle third white, lower third<br>gray.<br>155 | Shows reduced intensity<br>between 190° and 250°.<br>Emergency light.                     |
| 812  | Sensor Lighted Buoy A  | 33 53 39 N<br>78 05 05 W | FI Y 6s  |               | 5            | Yellow.  | Private aid.  |
| <b>Frying Pan Shoals</b>                                 |  |                          |  |               |              |  |   |
| 820  | - Slough Approach<br>Lighted Whistle Buoy SA   | 33 42 37 N<br>77 51 05 W | Mo (A) W   |               | 6            | Red and white stripes with red<br>spherical topmark.                                   |   |
| 825  | - Slough Buoy 1  |                          |  |               |              | Green can.   |   |
| 830  | - Slough Buoy 2  |                          |  |               |              | Red nun.   |   |
| 835  | - Lighted Buoy 16  | 33 28 43 N<br>77 35 00 W | FI R 6s  |               | 4            | Red disc-shaped hull.  | Marks remaining structure of<br>Frying Pan Shoals Light.<br>HORN: 1 blast ev 30s (3s bl). |
| 840  | - Lighted Buoy 2FP   | 33 35 42 N<br>77 43 10 W | FI R 4s  |               | 4            | Red.   |   |
| 845  | - Lighted Buoy 4FP   | 33 36 30 N<br>77 54 56 W | FI R 2.5s  |               | 4            | Red.   |   |
| 850  | - Lighted Buoy 6FP   | 33 41 00 N<br>78 04 00 W | FI R 4s  |               | 4            | Red.   |   |

| (1)<br>No. | (2)<br>Name and Location | (3)<br>Position | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks |
|------------|--------------------------|-----------------|-----------------------|---------------|--------------|------------------|----------------|
|------------|--------------------------|-----------------|-----------------------|---------------|--------------|------------------|----------------|

**SEACOAST (North Carolina) - Fifth District**

**CAPE HATTERAS TO LITTLE RIVER INLET (Chart 11520)**

|              |  |                          |                 |  |  |   |  |
|--------------|--|--------------------------|-----------------|--|--|---|--|
| 855          | <i>Cape Fear River Dumping<br/>Ground Lighted<br/>Buoy A</i> | 33 48 15 N<br>78 03 55 W | <b>FI Y 4s</b>  |  |  | 5 Yellow.   |  |
| 860<br>30316 | <i>Cape Fear River Entrance<br/>Lighted Whistle Buoy CF</i>  | 33 46 17 N<br>78 03 02 W | <b>Mo (A) W</b> |  |  | 6 Red and white stripes with red<br>spherical topmark.  | RACON: C(-•-•-),<br>On channel centerline.               |
| 865<br>31005 | <i>Lockwoods Folly Inlet<br/>Lighted Whistle<br/>Buoy LW</i> |                          | <b>Mo (A) W</b> |  |  | 6 Red and white stripes with red<br>spherical topmarks. | Position frequently shifted with<br>changing conditions. |
| 870<br>31050 | <i>Shalotte Inlet Lighted<br/>Whistle Bouy SH</i>            |                          | <b>Mo (A) W</b> |  |  | 6 Red and white stripes with red<br>spherical topmark.  | Position frequently shifted with<br>changing conditions. |

# Section 2

## New Jersey to Delaware River

| (1)<br>No.   | (2)<br>Name and Location                       | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                  | (8)<br>Remarks                         |
|--|--|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>NEW JERSEY - Fifth District</b>                                     |  |                          |                       |               |              |   |  |
| <b>FIRE ISLAND TO SEA GIRT (Chart 12326)</b>                           |  |                          |                       |               |              |   |  |
| 871<br>7   | <i>Shark River Lighted Whistle Buoy SI</i>     | 40 11 06 N<br>74 00 00 W | <b>Mo (A) W</b>       |               | 5            | Red and white stripes with red spherical topmark. |  |
| 872  | SHARK RIVER SOUTH BREAKWATER LIGHT 1           | 40 11 11 N<br>74 00 27 W | <b>FI G 4s</b>        | 33            | 6            | SG on pile.                                       |  |
| 873  | SHARK RIVER NORTH BREAKWATER LIGHT 2           | 40 11 15 N<br>74 00 28 W | <b>FI R 4s</b>        | 33            | 10           | TR on multi-pile structure.                       | <b>HORN:</b> 1 blast ev 15s (2s bl).   |
| <b>SEA GIRT TO LITTLE EGG INLET (Chart 12323)</b>                      |  |                          |                       |               |              |   |  |
| <b>Barnegat Inlet</b>  |  |                          |                       |               |              |   |  |
| <i>Positions of buoys frequently shifted with changing conditions.</i> |  |                          |                       |               |              |   |  |
| 875<br>25  | - <i>Outer Lighted Whistle Buoy B1</i>         | 39 44 29 N<br>74 03 51 W | <b>Mo (A) W</b>       |               | 6            | Red and white stripes with red spherical topmark. |  |
| 880  | - North Jetty Danger Buoy B                    |                          |                       |               |              | White and orange; can.                            |  |
| 900  | - <i>Lighted Buoy 1</i>                        |                          | <b>FI G 2.5s</b>      |               | 4            | Green.  |  |
| 910  | - Buoy 2                                       |                          |                       |               |              | Red nun.  |  |
| 915  | - Buoy 3                                       |                          |                       |               |              | Green can.  |  |
| 920  | - North Jetty Danger Buoy A                    |                          |                       |               |              | White and orange; can.                            |  |
| 925  | - <i>Lighted Buoy 4</i>                        |                          | <b>FI R 6s</b>        |               | 4            | Red.  |  |
| 940  | - Bouy 5A                                      |                          |                       |               |              | Green can.  |  |
| 942  | - NORTH BREAKWATER LIGHT 6                     | 39 45 33 N<br>74 05 23 W | <b>Q R</b>            | 40            | 5            | TR on multi-pile structure.                       |  |
| 943  | - SOUTH BREAKWATER LIGHT 7                     | 39 45 26 N<br>74 05 36 W | <b>Q G</b>            | 37            | 6            | SG on skeleton tower.                             | <b>HORN:</b> 1 blast ev 30s (3s bl).   |
| 945  | - <i>Lighted Buoy 8</i>                        |                          | <b>FI R 4s</b>        |               | 3            | Red.  |  |
| 950  | - <i>Lighted Buoy 9</i>                        |                          | <b>FI G 2.5s</b>      |               | 4            | Green.  |  |
| 955  | - <i>Lighted Buoy 11</i>                       |                          | <b>Q G</b>            |               | 4            | Green.  |  |
| 960  | - <i>Lighted Buoy 12</i>                       |                          | <b>FI R 2.5s</b>      |               | 4            | Red.  |  |
| 963  | - Buoy 12A                                     |                          |                       |               |              | Red nun.  | Maintained from May 1 to Nov. 15.      |
| 965  | <i>Barnegat Harbor Channel Lighted Buoy 14</i> |                          | <b>FI R 2.5s</b>      |               | 4            | Red.  | Replaced by nun from Nov. 15 to May 1. |
| 970  | Barnegat Harbor Channel Junction Buoy          |                          |                       |               |              | Green and red bands; can.                         |  |
| 975  | - Buoy 16                                      |                          |                       |               |              | Red nun.  | Maintained from May 1 to Nov. 15.      |
| 980  | - Buoy 17                                      |                          |                       |               |              | Green can.  |  |

| (1)<br>No.   | (2)<br>Name and Location                | (3)<br>Position | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks                         |
|--|---|-----------------|-----------------------|---------------|--------------|------------------|--|
| <b>NEW JERSEY - Fifth District</b>                                     |   |                 |                       |               |              |                  |  |
| 985  | - Buoy 18<br>Marks submerged piles.     |                 |                       |               |              | Red nun.         | Maintained from May 1 to Nov. 15.      |
| 987  | - Buoy 18A                              |                 |                       |               |              | Red nun.         |  |
| 990  | - Buoy 19                               |                 |                       |               |              | Green can.       | Maintained from May 1 to Nov. 15.      |
| 995  | - Buoy 20                               |                 |                       |               |              | Red nun.         | Maintained from May 1 to Nov. 15.      |
| 1000   | - Buoy 21<br>Marks shoaling conditions. |                 |                       |               |              | Green can.       |  |
| 1005   | - Buoy 22                               |                 |                       |               |              | Red nun.         |  |
| 1010   | - Buoy 24                               |                 |                       |               |              | Red nun.         |  |
| 1015   | - Buoy 25                               |                 |                       |               |              | Green can.       |  |
| 1020   | - Lighted Buoy 26                       |                 | <b>F I R 2.5s</b>     |               | 4            | Red.             | Replaced by nun from Nov. 15 to May 1. |
| 1025   | - Buoy 27                               |                 |                       |               |              | Green can.       |  |
| 1030   | - Buoy 27A                              |                 |                       |               |              | Green can.       |  |
| 1035   | - Buoy 28                               |                 |                       |               |              | Red nun.         |  |
| 1040   | - Buoy 29                               |                 |                       |               |              | Green can.       |  |
| 1045   | - Buoy 29A                              |                 |                       |               |              | Green can.       |  |
| 1050   | - Lighted Buoy 30                       |                 | <b>F I R 2.5s</b>     |               | 3            | Red.             | Replaced by nun from Nov. 15 to May 1. |
| 1055   | - Buoy 31                               |                 |                       |               |              | Green can.       |  |
| 1060   | - Buoy 32<br>Marks shoaling conditions. |                 |                       |               |              | Red nun.         |  |
| 1065   | - Buoy 33<br>Marks shoaling conditions. |                 |                       |               |              | Green can.       |  |
| 1070   | - Lighted Buoy 34                       |                 | <b>F I R 2.5s</b>     |               | 3            | Red.             | Replaced by nun from Nov. 15 to May 1. |
| <b>Oyster Creek Channel</b>  |   |                 |                       |               |              |                  |  |
| <i>Positions of buoys frequently shifted with changing conditions.</i> |   |                 |                       |               |              |                  |  |
| 1073   | - Buoy 35                               |                 |                       |               |              | Green can.       |  |
| 1074   | - Buoy 35A                              |                 |                       |               |              |                  |  |
| 1075   | - Buoy 36<br>Marks shoal.               |                 |                       |               |              | Red nun.         |  |
| 1077   | - Buoy 36A<br>Marks shoal.              |                 |                       |               |              | Red nun.         |  |
| 1080   | - Buoy 37                               |                 |                       |               |              | Green can.       |  |
| 1085   | - Buoy 37A                              |                 |                       |               |              | Green can.       |  |
| 1090   | - Buoy 38                               |                 |                       |               |              | Red nun.         |  |
| 1095   | - Lighted Buoy 40                       |                 | <b>Q R</b>            |               | 3            | Red.             | Replaced by nun from Nov 15 to May 1.  |

| (1)<br>No.   | (2)<br>Name and Location                     | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                     | (8)<br>Remarks |
|--|--|--------------------------|-----------------------|---------------|--------------|--|----------------|
| <b>NEW JERSEY - Fifth District</b>                                     |  |                          |                       |               |              |  |                |
| <b>LITTLE EGG INLET TO HEREFORD INLET (Charts 12318)</b>               |  |                          |                       |               |              |  |                |
| <b>Little Egg Inlet</b>  |  |                          |                       |               |              |  |                |
| <i>Positions of buoys frequently shifted with changing conditions.</i> |  |                          |                       |               |              |  |                |
| 1100<br>35   | <i>Outer Lighted Whistle<br/>Buoy LE</i>     | 39 26 47 N<br>74 17 18 W | <b>Mo (A) W</b>       |               | 5            | Red and white stripes with red<br>spherical topmark. |                |
| 1105   | - Buoy 2                                     |                          |                       |               |              | Red nun.   |                |
| 1110   | - <i>Lighted Buoy 3</i>                      |                          | <b>Q G</b>            |               |              | Green.   |                |
| 1115   | - Buoy 4                                     |                          |                       |               |              | Red nun.   |                |
| 1120   | - <i>Lighted Buoy 5</i>                      |                          | <b>FI G 4s</b>        |               | 4            | Green.   |                |
| 1125   | - Buoy 6                                     |                          |                       |               |              | Red nun.   |                |
| 1130   | - <i>Lighted Buoy F</i>                      |                          | <b>Mo (A) W</b>       |               | 6            | Red and white stripes.                               |                |
| 1131   | - <i>Lighted Buoy 10</i>                     |                          | <b>Q R</b>            |               |              | Red.   |                |
| 1132   | - Buoy 11                                    | 39 29 53 N<br>74 18 29 W |                       |               |              | Green can.   |                |
| <b>Marshelder Channel</b>  |  |                          |                       |               |              |  |                |
| 1135   | - Junction Buoy                              | 39 30 36 N<br>74 18 06 W |                       |               |              | Red and green bands; nun.                            |                |
| 1140   | - Buoy 1                                     | 39 31 33 N<br>74 17 37 W |                       |               |              | Green can.   | Private aid.   |
| 1145   | - Buoy 2                                     | 39 31 33 N<br>74 17 29 W |                       |               |              | Red nun.   | Private aid.   |
| 1150   | - Buoy 2A                                    |                          |                       |               |              | Red nun.   | Private aid.   |
| 1155   | - Buoy 3                                     |                          |                       |               |              | Green can.   | Private aid.   |
| 1160   | - Buoy 4                                     |                          |                       |               |              | Red nun.   | Private aid.   |
| 1165   | - Buoy 5                                     |                          |                       |               |              | Green can.   | Private aid.   |
| <b>Absecon Inlet</b>   |  |                          |                       |               |              |  |                |
| <i>Positions of buoys frequently shifted with changing conditions.</i> |  |                          |                       |               |              |  |                |
| 1170<br>60   | <i>Absecon Inlet Lighted Gong<br/>Buoy 1</i> | 39 20 49 N<br>74 23 43 W | <b>FI G 4s</b>        |               | 4            | Green.   |                |
| 1175   | - <i>Lighted Buoy 2</i>                      |                          | <b>FI R 2.5s</b>      |               | 4            | Red.   |                |
| 1180   | - <i>Lighted Buoy 3</i>                      |                          | <b>FI G 2.5s</b>      |               | 4            | Green.   |                |
| 1185   | - <i>Lighted Buoy 4</i>                      |                          | <b>FI R 2.5s</b>      |               | 4            | Red.   |                |
| 1190   | - <i>Lighted Buoy 5</i>                      |                          | <b>FI G 2.5s</b>      |               | 4            | Green.   |                |
| 1195   | - BREAKWATER LIGHT 7                         | 39 21 50 N<br>74 24 26 W | <b>FI G 4s</b>        | 29            | 6            | SG on black skeleton tower, black<br>square box.     |                |
| 1200   | Harrah's Marina Buoy A                       |                          |                       |               |              | Orange and white.                                    | Private aid.   |
| 1205   | Harrah's Marina Buoy B                       |                          |                       |               |              | Orange and white.                                    | Private aid.   |
| 1210   | Harrah's Marina Buoy C                       |                          |                       |               |              | Orange and white.                                    | Private aid.   |
| 1215   | - Buoy 6                                     |                          |                       |               |              | Red nun.   |                |
| 1220   | - Buoy 8                                     |                          |                       |               |              | Red nun.   |                |

| (1)<br>No.   | (2)<br>Name and Location                          | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                    | (8)<br>Remarks |
|--|---|--------------------------|-----------------------|---------------|--------------|---|----------------|
| <b>NEW JERSEY - Fifth District</b>                                     |   |                          |                       |               |              |   |                |
| 1225   | - Buoy 10   |                          |                       |               |              | Red nun.  |                |
| 1230   | - Buoy 12   |                          |                       |               |              | Red nun.  |                |
| 1235   | - Buoy 13   |                          |                       |               |              | Green can.  |                |
| 1237   | - Buoy 15   |                          |                       |               |              | Green can.  |                |
| <b>Clam Creek</b>  |   |                          |                       |               |              |   |                |
| 1240   | - <i>Lighted Junction Buoy CC</i><br>Marks shoal. | 39 22 43 N<br>74 25 02 W | <b>FI (2+1) G 6s</b>  |               |              | 3 Green and red bands.                              |                |
| 1245   | - Buoy 2  |                          |                       |               |              | Red nun.  |                |
| 1250   | - Buoy 4  |                          |                       |               |              | Red nun.  |                |
| <b>Great Egg Harbor Inlet</b>  |   |                          |                       |               |              |   |                |
| <i>Positions of buoys frequently shifted with changing conditions.</i> |   |                          |                       |               |              |   |                |
| 1265<br>70   | - <i>Outer Lighted Whistle Buoy GE</i>            | 39 16 14 N<br>74 31 56 W | <b>Mo (A) W</b>       |               |              | 5 Red and white stripes with red spherical topmark. |                |
| 1270   | - <i>Lighted Buoy 1</i>                           |                          | <b>FI G 2.5s</b>      |               |              | 3 Green.  |                |
| 1275   | - <i>Lighted Buoy 2</i>                           |                          | <b>FI R 2.5s</b>      |               |              | 3 Red.  |                |
| 1277   | - Buoy 3  |                          |                       |               |              | Green can.  |                |
| 1280   | - Buoy 4  |                          |                       |               |              | Red nun.  |                |
| 1285   | - <i>Lighted Buoy 5</i>                           |                          | <b>FI G 4s</b>        |               |              | 4 Green.  |                |
| 1288   | - Buoy 7  |                          |                       |               |              | Green can.  |                |
| 1290   | - <i>Lighted Junction Buoy GH</i>                 | 39 18 10 N<br>74 32 40 W | <b>FI (2+1) G 6s</b>  |               |              | 4 Green and red bands.                              |                |
| 1292   | - Buoy 10   |                          |                       |               |              | Red nun.  | Private aid.   |
| 1293   | - Buoy 12   |                          |                       |               |              | Red nun.  | Private aid.   |
| 1295   | Longport Buoy 1                                   |                          |                       |               |              | Green can.  |                |
| 1300   | Longport Buoy 2                                   |                          |                       |               |              | Red nun.  |                |
| 1305   | Longport Buoy 3                                   |                          |                       |               |              | Green can.  |                |
| 1310   | Longport Buoy 4                                   |                          |                       |               |              | Red nun.  |                |
| 1315   | Longport Buoy 5                                   |                          |                       |               |              | Green can.  |                |
| 1317   | Longport Buoy 7                                   |                          |                       |               |              | Green can.  |                |
| 1318   | Longport Buoy 8                                   |                          |                       |               |              | Red nun.  |                |
| 1319   | Longport Buoy 9                                   |                          |                       |               |              | Green can.  |                |
| <b>Ship Channel</b>  |   |                          |                       |               |              |   |                |
| 1325   | - Buoy 1  |                          |                       |               |              | Green can.  | Private aid.   |
| 1330   | - Buoy 2  |                          |                       |               |              | Red nun.  | Private aid.   |
| 1335   | - Buoy 3  |                          |                       |               |              | Green can.  | Private aid.   |
| 1340   | - Buoy 4  |                          |                       |               |              | Red nun.  | Private aid.   |
| 1345   | - Buoy 5  |                          |                       |               |              | Green can.  | Private aid.   |

| (1)<br>No.   | (2)<br>Name and Location                                | (3)<br>Position          | (4)<br>Characteristic            | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                  | (8)<br>Remarks                         |
|--|---|--------------------------|----------------------------------|---------------|--------------|---|--|
| <b>NEW JERSEY - Fifth District</b>                                     |   |                          |                                  |               |              |   |  |
| 1350   | - Buoy 6  |                          |                                  |               |              | Red nun.  | Private aid.                           |
| 1355   | - Buoy 7  |                          |                                  |               |              | Green can.  | Private aid.                           |
| 1360   | - Buoy 8  |                          |                                  |               |              | Red nun.  | Private aid.                           |
| 1365   | - Buoy 9  |                          |                                  |               |              | Green can.  | Private aid.                           |
| 1370   | - Buoy 10   |                          |                                  |               |              | Red nun.  | Private aid.                           |
| 1375   | - Buoy 11   |                          |                                  |               |              | Green can.  | Private aid.                           |
| 1380   | - Buoy 12   |                          |                                  |               |              | Red nun.  | Private aid.                           |
| 1385   | - Buoy 13   |                          |                                  |               |              | Green can.  | Private aid.                           |
| 1390   | - Buoy 14   |                          |                                  |               |              | Red nun.  | Private aid.                           |
| <b>Great Egg Harbor River</b>  |   |                          |                                  |               |              |   |  |
| 1395   | - Lighted Buoy 1  |                          | <b>FI G 4s</b>                   |               | 3            | Green.  | Private aid.                           |
| 1400   | - Buoy 2  |                          |                                  |               |              | Red nun.  | Private aid.                           |
| <b>Townsend Inlet</b>  |   |                          |                                  |               |              |   |  |
| <i>Positions of buoys frequently shifted with changing conditions.</i> |   |                          |                                  |               |              |   |  |
| 1405   | - Lighted Buoy 2  |                          | <b>FI R 2.5s</b>                 |               | 3            | Red.  | Replaced by nun from Nov. 15 to May 1. |
| 1407   | - Lighted Buoy 3  |                          | <b>Q G</b>                       |               | 3            | Green.  | Replaced by can from Nov. 15 to May 1. |
| 1409   | - Buoy 4  |                          |                                  |               |              | Red nun.  | Maintained from May 1 to Nov. 15.      |
| 1410<br>75   | - Shoals Lighted Bell Buoy 4A                           | 39 07 05 N<br>74 40 38 W | <b>FI R 4s</b>                   |               | 4            | Red.  |  |
| 1415   | - Lighted Buoy 6  |                          | <b>FI R 4s</b>                   |               | 4            | Red.  | Replaced by nun from Nov. 15 to May 1. |
| 1420   | - Buoy 8  |                          |                                  |               |              | Red nun.  | Maintained from May 1 to Nov. 15.      |
| 1425   | - Buoy 10   |                          |                                  |               |              | Red nun.  | Maintained from May 1 to Nov. 15.      |
| 1430   | - Buoy D  |                          |                                  |               |              | Red and white stripes with red spherical topmark. |  |
| <b>CAPE MAY HARBOR (Chart 12317)</b>                                   |   |                          |                                  |               |              |   |  |
| <b>Cape May Inlet</b>  |   |                          |                                  |               |              |   |  |
| 1435<br>135  | - Lighted Bell Buoy 2CM                                 | 38 55 47 N<br>74 51 21 W | <b>FI R 2.5s</b>                 |               | 4            | Red.  |  |
| 1440   | - EAST JETTY LIGHT 4                                    |                          | <b>FI R 4s</b>                   | 25            | 6            | TR on skeleton tower.                             |  |
| 1445   | - WEST JETTY LIGHT 5                                    | 38 56 12 N<br>74 51 55 W | <b>FI G 4s</b>                   | 20            | 6            | SG on pile.                                       |  |
| 1455   | - RANGE FRONT LIGHT                                     | 38 57 12 N<br>74 52 42 W | <b>F W (Day)<br/>Q W (Night)</b> | 22<br>21      |              | KRW on pile.                                      | Visible on range line only.            |
| 1460   | - RANGE REAR LIGHT<br>660 yards, 327° from front light. |                          | <b>F W</b>                       | 40            |              | KRW on white skeleton tower.                      | Visible on range line only.            |
| 1465   | Cape May Harbor<br>Lighted Buoy 2                       |                          | <b>FI R 2.5s</b>                 |               | 4            | Red.  |  |

| (1)<br>No.   | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic            | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks  |
|--|--|--------------------------|----------------------------------|---------------|--------------|---|---|
| <b>NEW JERSEY - Fifth District</b>                   |  |                          |                                  |               |              |   |   |
| 1470<br>36725  | CAPE MAY HARBOR<br>JUNCTION LIGHT C  | 38 57 08 N<br>74 52 37 W | <b>FI (2+1) R</b> 6s             | 15            | 3            | JR-TY on pile.  |   |
| <b>NEW JERSEY AND DELAWARE - Fifth District</b>      |  |                          |                                  |               |              |   |   |
| <b>CAPE MAY TO FENWICK ISLAND (Chart 12214)</b>      |  |                          |                                  |               |              |   |   |
| <b>Delaware Bay</b>                                  |  |                          |                                  |               |              |   |   |
| 1475   | - North Approach<br>Lighted Bell Buoy 2  | 38 48 19 N<br>74 55 18 W | <b>Q R</b>                       |               | 4            | Red.  |   |
| 1480   | - North Approach<br>Lighted Buoy 4   | 38 47 56 N<br>74 58 33 W | <b>FI R</b> 4s                   |               | 4            | Red.  |   |
| 1483   | - Entrance Junction<br>Lighted Buoy DF   | 38 46 17 N<br>74 58 45 W | <b>FI R (2+1)</b> 6s             |               | 4            | Red and green bands.                                    |   |
| 1485   | - Approach Lighted<br>Whistle Buoy CH  | 38 46 14 N<br>75 01 20 W | <b>Mo (A) W</b>                  |               | 6            | Red and white stripes with red spherical topmark.       | RACON: K (-•-).   |
| <b>South Approach</b>                                |  |                          |                                  |               |              |   |   |
| 1490<br>190  | Hen and Chickens Shoal<br>Lighted Gong<br>Buoy 1HC<br>Off southeast end of<br>shoal. | 38 42 43 N<br>74 58 56 W | <b>FI G</b> 2.5s                 |               | 4            | Green.  |   |
| 1495   | Hen and Chickens Shoal<br>Lighted Buoy 3HC   | 38 44 46 N<br>75 01 24 W | <b>FI G</b> 4s                   |               | 5            | Green.  |   |
| <b>Delaware Bay</b>                                  |  |                          |                                  |               |              |   |   |
| 1505   | - Entrance Channel<br>Lighted Gong Buoy 5  | 38 46 36 N<br>75 03 33 W | <b>FI G</b> 2.5s                 |               | 5            | Green.  |   |
| 1510   | - Entrance Channel<br>Lighted Buoy 6   | 38 47 33 N<br>75 01 48 W | <b>Q R</b>                       |               | 4            | Red.  | Marks the NE corner of pilots' triangle.  |
| 1515   | - Entrance Channel<br>Lighted Buoy 8   | 38 49 21 N<br>75 02 30 W | <b>FI R</b> 2.5s                 |               | 4            | Red.  |   |
| 1520   | South Shoal Lump<br>Lighted Buoy 8A  | 38 49 18 N<br>75 01 35 W | <b>Oc R</b> 4s                   |               | 4            | Red.  |   |
| 1525   | South Shoal Lump Buoy 8B   |                          |                                  |               |              | Red nun.  |   |
| 1530   | <b>Harbor of Refuge Light</b>  | 38 48 52 N<br>75 05 33 W | <b>FI W</b> 10s<br>(2 R sectors) | 72            | W 19<br>R 16 | White conical tower, on black cylindrical substructure. | Red from 325° to 351°, covers Hen and Chicken Shoal, and 127° to 175° covers Brown Shoals.<br>HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). |
| <b>DELAWARE BAY (Chart 12304)</b>                    |  |                          |                                  |               |              |   |   |
| <b>Delaware Bay (Main Channel)</b>                   |  |                          |                                  |               |              |   |   |
| <i>Buoys located 100 feet outside channel limit.</i> |  |                          |                                  |               |              |   |   |
| 1535   | BROWN SHOAL LIGHT  | 38 55 20 N<br>75 06 03 W | <b>FI W</b> 2.5s                 | 23            | 7            | NB on skeleton tower.                                   | RACON: B (-•••).  |
| 1540   | - Lighted Buoy 10  |                          | <b>FI R</b> 4s                   |               | 5            | Red.  | Removed when endangered by ice.   |
| 1545   | - Wreck Lighted<br>Buoy WR9  | 38 55 26 N<br>75 06 00 W | <b>Q G</b>                       |               | 4            | Green.  |   |
| 1550   | - Lighted Bell Buoy 12   |                          | <b>FI R</b> 4s                   |               | 5            | Red.  | Removed when endangered by ice.   |

| (1)<br>No.                                      | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic                               | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks   |
|---|---|--------------------------|---|---------------|--------------|--|--|
| <b>NEW JERSEY AND DELAWARE - Fifth District</b> |   |                          |   |               |              |  |  |
| 1555  | <b>Brandywine Shoal Light</b><br>On shoal.  | 38 59 10 N<br>75 06 47 W | <b>FI W 10s</b><br><b>(R sector)</b>                | 60            | W 19<br>R 13 | Cylindrical concrete structure,<br>adjacent to old screw-pile.                               | Red from 151° to 338°, covers<br>shoal area southwest of<br>Cape May.<br>Emergency light of lower<br>intensity with same<br>characteristic as main light<br>when light is extinguished.<br>HORN: 1 blast ev 15s (2s bl).<br>Maintained from Mar. 15 to<br>Dec. 15.                               |
| 1560  | Brandywine Shoal Midway<br>Buoy 2   | 38 59 47 N<br>75 07 40 W |   |               |              | Red nun.   |  |
| 1565  | - <i>Lighted Buoy 14</i>  |                          | <b>FI R 2.5s</b>                                    |               | 4            | Red.   | Removed when endangered<br>by ice.   |
| 1570  | - <i>Lighted Bell Buoy 16</i>   |                          | <b>FI R 4s</b>                                      |               | 5            | Red.   | Replaced by smaller LIB of<br>reduced intensity when<br>endangered by ice.   |
| 1575  | <b>Fourteen Foot Bank<br/>Light</b>   | 39 02 54 N<br>75 10 56 W | <b>FI W 9s</b><br><b>(R sector)</b><br>3s fl 6s ec. | 59            | W 13<br>R 10 | White tower and dwelling on<br>black cylindrical pier.                                       | Red from 332.5° to 151°,<br>covers<br>Brown and Joe Flogger<br>Shoals.<br>HORN: 1 blast ev 30s (3s bl).<br>Operates continuously.  |
| 1580  | - LIGHT 19  | 39 05 02 N<br>75 11 16 W | <b>Q G</b>  | 21            | 5            | SG on pile.  |  |
| 1585  | <b>Miah Maul Shoal<br/>Light</b><br>On north end of shoal.                              | 39 07 36 N<br>75 12 36 W | <b>Oc W 4s</b><br><b>(R sector)</b>                 | 59            | W 15<br>R 12 | Red conical tower, on gray conical<br>pier; red cylindrical watch room<br>and black lantern. | Red from 137.5° to 333°,<br>covers Brandywine Shoal<br>and Cross Ledge.<br>RACON: M(- -)<br>Emergency light of lower<br>intensity with same<br>characteristic as main light<br>when main light is<br>extinguished.<br>HORN: 1 blast ev 10s (1s bl).<br>Maintained from Mar. 15 to<br>Dec. 15.    |
| 1590  | - <i>Lighted Buoy 25</i>  |                          | <b>FI G 4s</b>                                      |               | 4            | Green.   | Replaced by smaller LIB of<br>lower intensity when<br>endangered by ice.   |
| 1595  | - <i>Lighted Buoy 27</i>  |                          | <b>FI G 2.5s</b>                                    |               | 5            | Green.   | Removed when endangered<br>by ice.   |
| 1600  | <b>Elbow Of Cross Ledge<br/>Light</b>   | 39 10 56 N<br>75 16 06 W | <b>Iso W 6s</b><br><b>(R sector)</b>                | 61            | W 15<br>R 11 | Red skeleton tower with small<br>white house on international<br>orange cylindrical base.    | Red from 155° to 325°, covers<br>shoals on east side of<br>channel.<br>Emergency light of lower<br>intensity with same<br>characteristic as main light<br>when main light is<br>extinguished.<br>HORN: 2 blasts ev 20s (2s bl-<br>2s si-2s bl-14s si).<br>Maintained from Mar. 15 to<br>Dec. 15. |
| 1605  | - <i>Lighted Buoy 29</i>  |                          | <b>Q G</b>  |               | 4            | Green.   | Removed when endangered<br>by ice.   |
| 1610  | <i>Elbow of Cross Wreck</i><br><i>Lighted Buoy WR</i><br>Marks wreck of WALTER<br>GAZE. | 39 12 33 N<br>75 15 19 W | <b>FI (2+) G 6s</b>                                 |               | 4            | Green and red bands.   | Replaced by can from Dec. 15<br>to Mar. 15.  |
| 1615  | - <i>Lighted Buoy 31</i>  |                          | <b>FI G 2.5s</b>                                    |               | 5            | Green.   | Replaced by smaller LIB of<br>reduced intensity when<br>endangered by ice.   |
| 1620  | - LIGHT 32  | 39 14 04 N<br>75 18 02 W | <b>Q R</b>  | 41            | 5            | TR on pile.  |  |

| (1)<br>No.                                      | (2)<br>Name and Location                     | (3)<br>Position          | (4)<br>Characteristic                | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks   |
|---|--|--------------------------|--------------------------------------|---------------|--------------|---|--|
| <b>NEW JERSEY AND DELAWARE - Fifth District</b> |  |                          |                                      |               |              |   |  |
| 1625  | - Buoy 34                                    |                          |                                      |               |              | Red nun.  |  |
| 1630  | - Lighted Buoy 35                            |                          | <b>FI G 2.5s</b>                     |               | 5            | Green.  | Replaced by smaller LIB of reduced intensity when endangered by ice.   |
| 1635  | - Buoy 38                                    |                          |                                      |               |              | Red nun.  |  |
| 1640  | <b>Ship John Shoal Light</b><br>On shoal.    | 39 18 19 N<br>75 22 36 W | <b>FI W 5s</b><br><b>(R sector)</b>  | 50            | W 16<br>R 12 | Brown, octagonal dwelling with pyramidal roof; on cylindrical pier. | Red from 138° to 321.5°, covers shoals on east channel. High intensity beam down Miah Maul Range. RACON: O (---). Emergency light of lower intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl). (2s bl). Maintained from Mar. 15 to Dec. 15. |
| 1645  | - LIGHT 42                                   | 39 21 06 N<br>75 26 11 W | <b>FI R 4s</b>                       | 46            | 6            | TR on multi-pile structure.   | Ra ref.  |
| <b>Cape May Canal West Entrance</b>             |  |                          |                                      |               |              |   |  |
| 1650  | - Approach Lighted Buoy 2                    |                          | <b>FI R 4s</b>                       |               | 4            | Red.  | Replaced by smaller LIB of reduced intensity from Dec. 15 to Mar. 15.  |
| 1655  | - Approach Lighted Buoy 4                    |                          | <b>FI R 2.5s</b>                     |               | 4            | Red.  | Replaced by smaller LIB of reduced intensity from Dec. 15 to Mar. 15.  |
| 1660  | - Approach Lighted Buoy 5                    |                          | <b>FI G 4s</b>                       |               | 4            | Green.  | Replaced by smaller LIB of reduced intensity from Dec. 15 to Mar. 15   |
| 1665  | - Approach Lighted Buoy 8                    | 38 57 59 N<br>74 58 46 W | <b>FI R 2.5s</b>                     |               | 4            | Red.  | Maintained from May 1 to Nov. 1.   |
| 1670<br>36785                                   | - SOUTH JETTY LIGHT 10                       | 38 57 58 N<br>74 58 02 W | <b>FI R 4s</b>                       | 30            | 6            | TR-SY on skeleton tower.  |  |
| 1675<br>36790                                   | - NORTH JETTY LIGHT 11                       | 38 58 04 N<br>74 58 00 W | <b>FI G 2.5s</b>                     | 34            | 5            | SG-TY on skeleton tower.  | HORN: 1 blast ev 15s (2s bl).  |
| 1680  | <b>Cape May Ferry Fog Signal</b>             | 38 58 06 N<br>74 57 36 W |                                      |               |              |   | Private aid.<br>BELL: 3 strokes ev 10s..   |
| <b>Bay Shore Channel</b>                        |  |                          |                                      |               |              |   |  |
| 1685  | <i>Deadman Shoal Lighted Buoy 1DS</i>        | 39 05 12 N<br>74 59 53 W | <b>FI G 4s</b>                       |               | 3            | Green.  | Replaced by unlighted ice buoy from Nov. 15 to Apr. 1.   |
| 1690  | <i>Bidwell Creek Entrance Lighted Buoy 2</i> | 39 07 36 N<br>74 54 00 W | <b>FI R 4s</b>                       |               |              | Red.  | Private aid.   |
| 1695  | EAST POINT LIGHT                             | 39 11 45 N<br>75 01 38 W | <b>Iso W 6s</b><br><b>(R sector)</b> | 43            | W 9<br>R 7   | On pile on masonry structure.                                       | Red sector from 055° to 017°.  |
| <b>Maurice River</b>                            |  |                          |                                      |               |              |   |  |
| 1700  | - Entrance Lighted Buoy 1                    | 39 08 36 N<br>75 06 17 W | <b>FI G 4s</b>                       |               | 4            | Green.  | Replaced by unlighted ice buoy from Nov. 15 to Apr. 1.   |
| 1705  | - Buoy 2                                     |                          |                                      |               |              | Red nun.  |  |
| 1710  | - Lighted Buoy 3                             |                          | <b>FI G 4s</b>                       |               | 4            | Green.  | Replaced by unlighted ice buoy from Nov. 15 to Apr. 1.   |
| 1715  | - Lighted Buoy 5                             |                          | <b>FI G 2.5s</b>                     |               | 3            | Green.  | Replaced by unlighted ice buoy from Nov. 15 to Apr. 1.   |
| 1720  | - Channel Buoy 7                             | 39 11 49 N<br>75 02 23 W |                                      |               |              | Green can.  |  |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks   |
|---|---------------------------|--------------------------|-----------------------|---------------|--------------|------------------|--|
| <b>NEW JERSEY AND DELAWARE - Fifth District</b>                   |                           |                          |                       |               |              |                  |  |
| 1725  | -Channel Lighted Buoy 8   |                          | <b>Q R</b>            |               | 3            | Red.             | Replaced by unlighted ice buoy from Nov. 15 to Apr. 1. |
| 1730  | - Channel Buoy 9          |                          |                       |               |              | Green can.       |  |
| 1735  | - Channel Buoy 12         |                          |                       |               |              | Red nun.         |  |
| 1740  | - Buoy 11                 |                          |                       |               |              | Green can.       |  |
| 1745  | - Channel Lighted Buoy 13 |                          | <b>FI G 2.5s</b>      |               | 4            | Green.           | Replaced by unlighted ice buoy from Nov. 15 to Apr. 1. |
| 1748  | - Buoy 14                 | 39 13 22 N<br>75 01 46 W |                       |               |              | Red nun.         | Maintained from Apr 1 to Nov 15.                       |
| 1750  | - Wreck Buoy WR16         | 39 14 07 N<br>75 01 34 W |                       |               |              | Red nun.         |  |
| <i>Buoys 17 through 44 are maintained from Apr. 1 to Nov. 15.</i> |                           |                          |                       |               |              |                  |  |
| 1775  | - Buoy 17                 |                          |                       |               |              | Green can.       |  |
| 1780  | - Buoy 18                 |                          |                       |               |              | Red nun.         |  |
| 1790  | - Buoy 19                 |                          |                       |               |              | Green can.       |  |
| 1795  | - Buoy 21                 |                          |                       |               |              | Green can.       |  |
| 1800  | - Buoy 22                 |                          |                       |               |              | Red nun.         |  |
| 1805  | - Buoy 24                 |                          |                       |               |              | Red nun.         |  |
| 1810  | - Buoy 25                 |                          |                       |               |              | Green can.       |  |
| 1825  | - Buoy 26                 |                          |                       |               |              | Red nun.         |  |
| 1830  | - Buoy 27                 |                          |                       |               |              | Green can.       |  |
| 1840  | - Buoy 29                 |                          |                       |               |              | Green can.       |  |
| 1850  | - Buoy 30                 |                          |                       |               |              | Red nun.         |  |
| 1860  | - Buoy 32                 |                          |                       |               |              | Red nun.         |  |
| 1865  | - Danger Jetty Buoy       |                          |                       |               |              | White can.       |  |
| 1875  | - Buoy 34                 |                          |                       |               |              | Red nun.         |  |
| 1877  | - Buoy 34A                |                          |                       |               |              | Red nun.         |  |
| 1880  | - Buoy 35                 |                          |                       |               |              | Green can.       |  |
| 1885  | - Buoy 36                 |                          |                       |               |              | Red nun.         |  |
| 1887  | - Buoy 36A                |                          |                       |               |              | Red nun.         |  |
| 1890  | - Buoy 38                 |                          |                       |               |              | Red nun.         |  |
| 1893  | - Buoy 38A                |                          |                       |               |              | Red nun.         |  |
| 1895  | - Buoy 39                 |                          |                       |               |              | Green can.       |  |
| 1900  | - Buoy 40                 |                          |                       |               |              | Red nun.         |  |
| 1905  | - Buoy 41                 |                          |                       |               |              | Green can.       |  |
| 1910  | - Buoy 43                 |                          |                       |               |              | Green can.       |  |
| 1920  | - Buoy 42                 |                          |                       |               |              | Red nun.         |  |
| 1925  | - Buoy 44                 |                          |                       |               |              | Red nun.         |  |

| (1)<br>No.  | (2)<br>Name and Location                               | (3)<br>Position          | (4)<br>Characteristic             | (5)<br>Height | (6)<br>Range | (7)<br>Structure                | (8)<br>Remarks   |
|---|--|--------------------------|-----------------------------------|---------------|--------------|---------------------------------|--|
| <b>NEW JERSEY AND DELAWARE - Fifth District</b>                   |  |                          |                                   |               |              |                                 |  |
| <i>Buoys 45 through 48 are maintained from Apr. 1 to Nov. 15.</i> |  |                          |                                   |               |              |                                 |  |
| 1930  | - Buoy 45  |                          |                                   |               |              | Green can.                      |  |
| 1935  | - Buoy 46  |                          |                                   |               |              | Red nun.                        |  |
| 1940  | - Buoy 48  |                          |                                   |               |              | Red nun.                        |  |
| <b>Delaware Bay (East Side)</b>                                   |  |                          |                                   |               |              |                                 |  |
| 1945  | EGG ISLAND POINT LIGHT                                 | 39 10 21 N<br>75 07 55 W | <b>FI W 4s</b>                    | 27            | 7            | NR on skeleton tower; on piles. |  |
| 1950  | <b>Fortescue Directional Light</b>                     | 39 14 30 N<br>75 10 36 W | <b>Iso W 6s<br/>(R G sectors)</b> | 25            |              | White skeleton tower.           | Shows red from 037.2° to 043.7°, white from 043.7° to 045.6°, and green from 045.6° to 052.1°. |
| 1955  | <i>Fortescue Creek Lighted Buoy 2F</i>                 |                          | <b>FI R 4s</b>                    |               | 4            | Red.                            | Replaced by nun from Nov. 15 to Apr. 1.  |
| 1960  | Fortescue Creek Entrance Buoy 4<br>Marks end of jetty. |                          |                                   |               |              | Red nun.                        | Private aid.   |
| 1965  | <i>Hog Island Shoal Lighted Buoy 6</i>                 | 39 15 24 N<br>75 15 23 W | <b>FI R 4s</b>                    |               | 4            | Red.                            |  |
| 1970  | NANTUXENT POINT LIGHT                                  | 39 16 39 N<br>75 14 40 W | <b>FI W 4s</b>                    | 15            | 7            | NR on pile.                     |  |
| 1980  | BEN DAVIS POINT LIGHT BD                               | 39 17 27 N<br>75 17 18 W | <b>FI W 6s</b>                    | 30            | 6            | NG on skeleton tower on piles.  |  |
| 1985  | Back Creek Buoy 8<br>Marks shoal.                      | 39 17 23 N<br>75 18 41 W |                                   |               |              | Red nun.                        |  |
| <b>Cohansey</b>   |  |                          |                                   |               |              |                                 |  |
| 1990  | - LIGHT  | 39 20 30 N<br>75 21 41 W | <b>FI W 4s<br/>(2 R sectors)</b>  | 42            | W 8<br>R 6   | NB on black skeleton tower.     | Red from 068° to 098° and from 275° to 305°.   |
| 1995  | - OUTER LIGHT 1  |                          | <b>Q G</b>                        | 24            | 5            | SG on square tower.             |  |
| 2005  | - RIVER OUTFALL LIGHT                                  |                          | <b>FI W 4s</b>                    |               |              | NW on pile worded OUTFALL.      | Private aid.   |
| <b>Delaware Bay (East Side)</b>                                   |  |                          |                                   |               |              |                                 |  |
| 2010  | Dunks Bar Buoy 10<br>Marks shoal.                      |                          |                                   |               |              | Red nun.                        |  |
| 2015  | Arnold Point Shoal Buoy 2<br>At edge of 5 foot spot.   | 39 20 48 N<br>75 25 05 W |                                   |               |              | Red nun.                        |  |
| 2020  | Arnold Point Shoal Buoy 4                              |                          |                                   |               |              | Red nun.                        |  |
| <b>Delaware Bay (West Side)</b>                                   |  |                          |                                   |               |              |                                 |  |
| <b>Harbor of Refuge</b>   |  |                          |                                   |               |              |                                 |  |
| 2030  | DELAWARE BREAKWATER WEST END LIGHT 1                   |                          | <b>FI G 4s</b>                    | 45            | 7            | SG on tower.                    |  |
| 2035  | LEWES BREAKWATER FRONT LIGHT                           |                          | <b>Iso R 2s</b>                   | 49            |              | On pile.                        | Private aid.   |
| 2040  | LEWES BREAKWATER MIDDLE LIGHT                          |                          | <b>FI R 4s</b>                    | 27            |              | Pile.                           | Private aid.   |
| 2045  | <b>Lewes Ferry Terminal Fog Signal</b>                 |                          |                                   |               |              |                                 | Private aid.<br>BELL: 3 strokes ev 10s.  |
| 2050  | - NORTH END LIGHT                                      | 38 49 57 N<br>75 06 21 W | <b>FI G 4s</b>                    | 40            | 6            | SG on skeleton tower.           |  |

| (1)<br>No.  | (2)<br>Name and Location                                | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks                                     |
|---|---|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>NEW JERSEY AND DELAWARE - Fifth District</b>   |   |                          |                       |               |              |   |  |
| 2055  | DELAWARE BAY EAST<br>ICEBREAKER LIGHT                   |                          | <b>Q W</b>            | 15            | 5            | White column tower.   |  |
| 2060  | DELAWARE BAY WEST<br>ICEBREAKER LIGHT                   |                          | <b>FI W 4s</b>        | 15            | 6            | White column tower.   |  |
| <b>CAPE HENLOPEN TO INDIAN RIVER INLET (Chart 12216)</b>  |   |                          |                       |               |              |   |  |
| <b>Roosevelt Inlet</b>  |   |                          |                       |               |              |   |  |
| 2065  | - JETTY LIGHT 1R  | 38 47 38 N<br>75 09 22 W | <b>FI G 4s</b>        | 21            | 4            | SG on skeleton tower on piles.  | Higher intensity beam toward 004°.                 |
| 2070  | - JETTY LIGHT 2   |                          | <b>FI R 4s</b>        | 20            | 4            | TR on skeleton tower on piles.  |  |
| 2075  | - RANGE FRONT LIGHT                                     | 38 47 18 N<br>75 09 48 W | <b>Q W</b>            | 29            |              | KRW on skeleton tower.  | Visible all around; higher intensity on rangeline. |
| 2080  | - RANGE REAR LIGHT<br>175 yards, 213° from front light. |                          | <b>Oc W 4s</b>        | 37            |              | KRW on skeleton tower.  | Visible all around; higher intensity on rangeline. |
| 2085  | LEWES AND REHOBOTH<br>CANAL JETTY WARNING<br>LIGHT      | 38 41 15 N<br>75 05 52 W | <b>FI W 4s</b>        | 15            | 6            | NW on skeleton tower, on white cylindrical base; worded DANGER SUBMERGED JETTY. |  |
| <b>Rehoboth Bay</b>   |   |                          |                       |               |              |   |  |
| <i>Buoys maintained from May 1 to Nov. 15.<br/>Position of buoys frequently shifted with changing conditions.</i> |   |                          |                       |               |              |   |  |
| 2095  | - Channel Buoy 1  |                          |                       |               |              | Green can.  |  |
| 2097  | - LIGHT 2   |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.   |  |
| 2100  | - Channel Buoy 3  |                          |                       |               |              | Green can.  |  |
| 2105  | - Channel Buoy 5  |                          |                       |               |              | Green can.  |  |
| 2110  | - Channel Buoy 7  |                          |                       |               |              | Green can.  |  |
| 2112  | - Channel Buoy 7A                                       |                          |                       |               |              | Green can.  |  |
| 2115  | - CHANNEL LIGHT 9                                       |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.   |  |
| 2117  | - Buoy 10   |                          |                       |               |              | Red nun.  |  |
| 2118  | Burton Prong Buoy 2                                     | 38 39 39 N<br>75 10 21 W |                       |               |              | Red nun.  | Maintained from Apr. 1 to Oct. 1.<br>Private aid.  |
| 2119  | Burton Prong Buoy 4                                     |                          |                       |               |              | Red nun.  | Maintained from Apr. 1 to Oct. 1.<br>Private aid.  |
| <b>Herring Creek</b>  |   |                          |                       |               |              |   |  |
| 2119.01   | - Daybeacon 1   | 38 38 32 N<br>75 08 01 W |                       |               |              | SG on pile.   | Private aid.                                       |
| 2119.02   | - Daybeacon 2   |                          |                       |               |              | TR on pile.   | Private aid.                                       |
| 2119.03   | - Daybeacon 3   |                          |                       |               |              | SG on pile.   | Private aid.                                       |
| 2119.04   | - Daybeacon 4   |                          |                       |               |              | TR on pile.   | Private aid.                                       |
| 2119.05   | - Daybeacon 5   |                          |                       |               |              | SG on pile.   | Private aid.                                       |
| 2119.06   | - Daybeacon 6   |                          |                       |               |              | TR on pile.   | Private aid.                                       |
| 2119.07   | - Daybeacon 7   |                          |                       |               |              | SG on pile.   | Private aid.                                       |
| 2119.08   | - Daybeacon 8   |                          |                       |               |              | TR on pile.   | Private aid.                                       |

| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks |
|---|--------------------------|-----------------|-----------------------|---------------|--------------|------------------|----------------|
| <b>NEW JERSEY AND DELAWARE - Fifth District</b>                       |                          |                 |                       |               |              |                  |                |
| 2119.09   | - Daybeacon 9            |                 |                       |               |              | SG on pile.      | Private aid.   |
| 2119.1  | - Daybeacon 10           |                 |                       |               |              | TR on pile.      | Private aid.   |
| 2119.11   | - Daybeacon 11           |                 |                       |               |              | SG on pile.      | Private aid.   |
| 2119.12   | - Daybeacon 12           |                 |                       |               |              | TR on pile.      | Private aid.   |
| 2119.13   | - Daybeacon 13           |                 |                       |               |              | SG on pile.      | Private aid.   |
| 2119.14   | - Daybeacon 14           |                 |                       |               |              | TR on pile.      | Private aid.   |
| 2119.15   | - Daybeacon 15           |                 |                       |               |              | SG on pile.      | Private aid.   |
| 2119.16   | - Daybeacon 16           |                 |                       |               |              | TR on pile.      | Private aid.   |
| 2119.17   | - Daybeacon 17           |                 |                       |               |              | SG on pile.      | Private aid.   |
| 2119.18   | - Daybeacon 18           |                 |                       |               |              | TR on pile.      | Private aid.   |
| 2119.19   | - Daybeacon 19           |                 |                       |               |              | SG on pile.      | Private aid.   |
| 2119.2  | - Daybeacon 20           |                 |                       |               |              | TR on pile.      | Private aid.   |
| 2119.21   | - Daybeacon 21           |                 |                       |               |              | SG on pile.      | Private aid.   |
| 2119.22   | - Daybeacon 22           |                 |                       |               |              | TR on pile.      | Private aid.   |
| 2119.23   | - Daybeacon 23           |                 |                       |               |              | SG on pile.      | Private aid.   |
| 2119.24   | - Daybeacon 24           |                 |                       |               |              | TR on pile.      | Private aid.   |
| 2119.25   | - Daybeacon 25           |                 |                       |               |              | SG on pile.      | Private aid.   |
| 2119.26   | - Daybeacon 26           |                 |                       |               |              | TR on pile.      | Private aid.   |
| <b>Rehoboth Bay</b>   |                          |                 |                       |               |              |                  |                |
| <i>Buoys Maintained from May 1 to Nov. 15.</i>                        |                          |                 |                       |               |              |                  |                |
| <i>Position of buoys frequently shifted with changing conditions.</i> |                          |                 |                       |               |              |                  |                |
| 2120  | - Channel Buoy 11        |                 |                       |               |              | Green can.       |                |
| 2125  | - Daybeacon 12           |                 |                       |               |              | TR on pile.      |                |
| 2130  | - LIGHT 13               |                 | <b>FIG 4s</b>         | 15            | 4            | SG on pile.      |                |
| 2133  | - Channel Buoy 14        |                 |                       |               |              | Red nun.         |                |
| 2135  | - Buoy 15                |                 |                       |               |              | Green can.       |                |
| 2137  | - Channel Buoy 15A       |                 |                       |               |              | Green can.       |                |
| 2138  | - Channel Buoy 16        |                 |                       |               |              | Red nun.         |                |
| 2139  | - Daybeacon 16A          |                 |                       |               |              | TR on pile.      |                |
| 2140  | - Channel Buoy 16        |                 |                       |               |              | Red nun.         |                |
| 2142  | - Channel Buoy 17        |                 |                       |               |              | Green can.       |                |
| 2143  | - Channel Buoy 17A       |                 |                       |               |              | Green can.       |                |
| 2145  | - Daybeacon 17B          |                 |                       |               |              | SG on pile.      |                |
| 2145.1  | - Daybeacon 18A          |                 |                       |               |              | TR on pile.      |                |
| 2148  | - Daybeacon 19           |                 |                       |               |              | SG on pile.      |                |
| 2150  | - Daybeacon 20           |                 |                       |               |              | TR on pile.      |                |
| 2155  | - Daybeacon 21           |                 |                       |               |              | SG on pile.      |                |

| (1)<br>No.                                      | (2)<br>Name and Location                               | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks                          |
|---|--|--------------------------|-----------------------|---------------|--------------|--|---|
| <b>NEW JERSEY AND DELAWARE - Fifth District</b> |  |                          |                       |               |              |  |   |
| 2156  | - Buoy 21A   |                          |                       |               |              | Green can.   |   |
| 2157  | - Channel Buoy 22                                      |                          |                       |               |              | Red nun.   |   |
| 2160  | - Channel Daybeacon 23                                 |                          |                       |               |              | SG on pile.  |   |
| 2165  | - Buoy 24  |                          |                       |               |              | Red nun.   |   |
| 2170  | - Channel Daybeacon 25                                 |                          |                       |               |              | SG on pile.  |   |
| 2171  | - Buoy 26  |                          |                       |               |              | Red nun.   |   |
| 2173  | - Daybeacon 27   |                          |                       |               |              | SG on pile.  |   |
| 2175  | - Channel Buoy 27                                      |                          |                       |               |              | Green can.   |   |
| <b>DELAWARE BAY (Chart 12304)</b>               |  |                          |                       |               |              |  |   |
| <b>Delaware Bay (West Side)</b>                 |  |                          |                       |               |              |  |   |
| <b>Tanker Anchorage</b>                         |  |                          |                       |               |              |  |   |
| 2180  | - Approach Lighted Buoy A                              | 38 53 50 N<br>75 08 09 W | FI Y 2.5s             |               |              | 6 Yellow.  | Replaced by LIB when endangered by ice. |
| 2185  | - Lighted Buoy B                                       |                          | FI Y 6s               |               |              | 5 Yellow.  |   |
| 2190  | - Buoy C   |                          |                       |               |              | Yellow nun.  |   |
| 2195  | - Lighted Buoy D                                       | 39 00 50 N<br>75 14 56 W | FI Y 4s               |               |              | 6 Yellow.  |   |
| 2200  | - Buoy E   |                          |                       |               |              | Yellow can.  |   |
| 2205  | - Buoy F   |                          |                       |               |              | Yellow can.  |   |
| 2210  | - Buoy G   |                          |                       |               |              | Yellow can.  |   |
| <b>Delaware Bay (West Side)</b>                 |  |                          |                       |               |              |  |   |
| 2215  | Lower Middle Wreck Buoy LMW<br>Marks steamer MOHAWK.   | 39 00 07 N<br>75 12 03 W |                       |               |              | Red nun.   |   |
| 2220  | Channel Crossing Buoy 1                                | 39 02 45 N<br>75 13 03 W |                       |               |              | Green can.   |   |
| 2225  | Channel Crossing Buoy 2                                | 39 02 42 N<br>75 13 35 W |                       |               |              | Red nun.   |   |
| 2230  | Joe Flogger Shoal Buoy J                               | 39 04 10 N<br>75 12 23 W |                       |               |              | Green and red bands; can.  |   |
| 2235  | Blake Channel Buoy 1                                   | 39 09 42 N<br>75 17 27 W |                       |               |              | Green can.   |   |
| 2240  | Blake Channel Buoy 2                                   |                          |                       |               |              | Red nun.   |   |
| 2245  | Bombay Hook Point Shoal Buoy 5<br>Marks edge of shoal. |                          |                       |               |              | Green can.   |   |
| 2250  | Old Bare Shoal Buoy A                                  |                          |                       |               |              | Red and white stripes.   |   |
| 2255  | Cedar Beach Buoy 3                                     | 38 57 34 N<br>75 15 50 W |                       |               |              | Green can.   |   |
| <b>Mispillion</b>                               |  |                          |                       |               |              |  |   |
| 2260  | - SOUTH JETTY LIGHT 1M                                 | 38 56 12 N<br>75 17 53 W | FI G 4s               | 25            |              | 5 SG and NW on skeleton tower.<br>NW worded DANGER<br>SUBMERGED JETTY. |   |

| (1)<br>No.                                      | (2)<br>Name and Location                                    | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks  |
|---|---|--------------------------|-----------------------|---------------|--------------|--|---|
| <b>NEW JERSEY AND DELAWARE - Fifth District</b> |   |                          |                       |               |              |  |   |
| 2265  | - South Jetty Warning Daybeacon A                           |                          |                       |               |              | NW on multi-pile structure worded DANGER SUBMERGED JETTY.                  |   |
| 2270  | - South Jetty Warning Daybeacon B                           |                          |                       |               |              | NW on multi-pile structure worded DANGER SUBMERGED JETTY.                  |   |
| 2275  | - NORTH JETTY LIGHT 2                                       | 38 56 14 N<br>75 17 53 W | <b>FI R 4s</b>        | 25            | 6            | TR on skeleton tower.  | Higher intensity beam on 240°.  |
| 2285  | - River Buoy 2  |                          |                       |               |              | Red nun.   |   |
| <b>Delaware Bay (West Side)</b>                 |   |                          |                       |               |              |  |   |
| 2290  | Clark Point Wreck Buoy 1                                    | 39 01 34 N<br>75 19 32 W |                       |               |              | Green can.   |   |
| 2295  | Old Bare Shoal Buoy B                                       |                          |                       |               |              | Red and white stripes.   |   |
| <b>Murderkill River</b>                         |   |                          |                       |               |              |  |   |
| 2300  | - ENTRANCE APPROACH LIGHT 1                                 | 39 03 48 N<br>75 22 41 W | <b>FI G 4s</b>        | 15            | 3            | SG on skeleton tower.  |   |
| 2305  | - RANGE FRONT LIGHT   | 39 03 30 N<br>75 23 46 W | <b>FI G 2.5s</b>      | 25            |              | On multi-pile. On same structure as Murderkill River Light 7.              | Visible all around; higher intensity on rangeline. Lighted throughout 24 hours. |
| 2306  | - LIGHT 7   | 39 03 30 N<br>75 23 46 W | <b>FI G 2.5s</b>      | 25            | 5            | SG on multi-pile. On same structure as Murderkill River Range Front Light. |   |
| 2310  | - RANGE REAR LIGHT<br>1,037 yards, 247.7° from front light. |                          | <b>F G</b>            | 65            |              | On skeleton tower.   | Visible all around; higher intensity on rangeline. Lighted throughout 24 hours. |
| 2315  | - Buoy 2  |                          |                       |               |              | Red nun.   | Maintained from Apr. 1 to Dec. 15.  |
| 2320  | - Buoy 3  |                          |                       |               |              | Green can.   | Maintained from Apr. 1 to Dec. 15.  |
| 2325  | St. Jones River Warning Daybeacon                           | 39 03 54 N<br>75 24 12 W |                       | 12            |              | NW on pile worded DANGER SUBMERGED STRUCTURE.                              | Private aid.  |
| 2330  | - Buoy 4  |                          |                       |               |              | Red nun.   | Maintained from Apr. 1 to Dec. 15.  |
| 2335  | - Buoy 5  |                          |                       |               |              | Green can.   | Maintained from Apr. 1 to Dec. 15.  |
| 2337  | - Buoy 6  |                          |                       |               |              | Red nun.   | Maintained from Apr. 1 to Dec. 15.  |
| 2340  | - Warning Daybeacon   | 39 03 36 N<br>75 23 54 W |                       | 12            |              | NW on pile worded DANGER SUBMERGED STRUCTURE.                              | Private aid.  |
| <b>Port Mahon</b>                               |   |                          |                       |               |              |  |   |
| 2345  | - DIRECTIONAL LIGHT   | 39 10 42 N<br>75 24 23 W | <b>Oc W 4s</b>        | 14            | 6            | On skeleton tower.   | Visible all around; higher intensity to northeast.                              |
| 2350  | - Approach Buoy 1   |                          |                       |               |              | Green can.   |   |
| 2360  | - Approach Buoy 3   |                          |                       |               |              | Green can.   |   |
| 2365  | - Approach Buoy 5   |                          |                       |               |              | Green can.   |   |
| 2370  | - Approach Buoy 6   |                          |                       |               |              | Red nun.   |   |
| 2375  | - Approach Buoy 7   |                          |                       |               |              | Green can.   |   |
| 2380  | - Approach Buoy 8   |                          |                       |               |              | Red nun.   |   |

| (1)<br>No.                                      | (2)<br>Name and Location             | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                         | (8)<br>Remarks                          |
|---|--------------------------------------|--------------------------|-----------------------|---------------|--------------|--|---|
| <b>NEW JERSEY AND DELAWARE - Fifth District</b> |                                      |                          |                       |               |              |  |   |
| 2385  | - Approach Buoy 9                    |                          |                       |               |              | Green can.                               |   |
| 2390  | - Approach Buoy 10                   |                          |                       |               |              | Red nun.                                 |   |
| 2395  | - Approach Buoy 11                   |                          |                       |               |              | Green can.                               |   |
| 2400  | - Approach Buoy 12                   |                          |                       |               |              | Red nun.                                 |   |
| 2405  | - Approach Buoy 13                   |                          |                       |               |              | Green can.                               |   |
| 2410  | LITTLE RIVER LIGHT 2                 | 39 09 41 N<br>75 24 29 W | <b>FI R</b> 4s        | 23            | 5            | TR on skeleton tower.                    | Higher intensity beam to the southeast. |
| 2415  | MAHON RIVER LIGHT                    | 39 11 06 N<br>75 24 03 W | <b>FI W</b> 4s        | 37            | 7            | NB on skeleton tower, small white house. |   |
| 2420  | LEIPSIC RIVER LIGHT 2                |                          | <b>FI R</b> 4s        | 23            | 3            | TR on skeleton tower.                    |   |
| 2425  | Smyrna River South Jetty Daybeacon 1 | 39 22 11 N<br>75 30 12 W |                       |               |              | SG on pile.                              |   |
| 2430  | COLLINS BEACH LIGHT 2                | 39 23 20 N<br>75 31 03 W | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                              |   |
| 2435  | Collins Beach Daybeacon 3            |                          |                       |               |              | SG on pile.                              |   |
| 2440  | Collins Beach Daybeacon 4            |                          |                       |               |              | TR on pile.                              |   |

# Section 3

## Delaware River

| (1)<br>No.   | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks   |
|--|--|--------------------------|-----------------------|---------------|--------------|--|--|
| <b>DELAWARE RIVER (Delaware and New Jersey) - Fifth District</b> |  |                          |                       |               |              |  |  |
| <b>SMYRNA RIVER TO WILMINGTON (Chart 12311)</b>                  |  |                          |                       |               |              |  |  |
| <b>Delaware River</b>  |  |                          |                       |               |              |  |  |
| <b>Liston Range</b>  |  |                          |                       |               |              |  |  |
| <i>Buoys located 50 feet outside channel limits.</i>             |  |                          |                       |               |              |  |  |
| 2445   | - FRONT LIGHT  | 39 28 57 N<br>75 35 30 W | <b>Iso W</b> 6s       | 45            |              | White skeleton tower with small white house.                             | Visible on range line only. Lighted throughout 24 hours.               |
| 2450   | - REAR LIGHT<br>6,760 yards, 317.9°<br>from front light.                   |                          | <b>F W</b>            | 176           |              | Gallery on pyramidal skeleton tower, black central column.               | Visible on range line only. Lighted throughout 24 hours.               |
| 2455   | - Lighted Buoy 4L  |                          | <b>FI R</b> 6s        |               | 5            | Red.   | Removed when endangered by ice.  |
| 2460   | - Lighted Bell Buoy 6L   |                          | <b>FI R</b> 2.5s      |               | 5            | Red.   | Removed when endangered by ice.  |
| 2465   | - Lighted Buoy 7L  |                          | <b>FI G</b> 2.5s      |               | 5            | Green.   | Replaced by a smaller LIB at reduced intensity when endangered by ice. |
| 2470   | - Lighted Buoy 8L  |                          | <b>FI R</b> 4s        |               | 5            | Red.   | Removed when endangered by ice.  |
| 2475   | HOPE CREEK JETTY<br>LIGHT 1  | 39 26 38 N<br>75 30 41 W | <b>Q G</b>            | 16            | 5            | SG and NW on pile on red cement block, NW worded DANGER SUBMERGED JETTY. |  |
| 2480   | - Buoy 10L<br>200 yards outside<br>channel limit.                          |                          |                       |               |              | Red nun.   |  |
| <b>Baker Range</b>   |  |                          |                       |               |              |  |  |
| 2485   | - Lighted Buoy 1B  |                          | <b>Q G</b>            |               | 4            | Green.   | Replaced by smaller LIB of reduced intensity from Jan. 1 to Feb. 28.   |
| 2490   | - LIGHT 2B   | 39 27 27 N<br>75 33 23 W | <b>FI R</b> 2.5s      | 21            | 5            | TR on pile.  | Ra ref.  |
| 2495   | Reedy Island Dike Lower<br>Buoy 2<br>Marks lower end of<br>submerged dike. |                          |                       |               |              | Red nun.   |  |
| 2500   | REEDY ISLAND DIKE<br>SOUTH LIGHT   | 39 28 04 N<br>75 34 29 W | <b>FI W</b> 2.5s      | 21            | 6            | NW on skeleton tower worded DANGER SUBMERGED DIKE.                       |  |
| 2505   | - FRONT LIGHT  | 39 30 42 N<br>75 34 00 W | <b>F G</b>            | 35            |              | On skeleton tower.   | Visible on range line only. Lighted throughout 24 hours.               |
| 2506   | - FRONT PASSING LIGHT  |                          | <b>FI W</b> 4s        | 15            | 3            | On same structure as Baker Range Front Light.                            |  |
| 2510   | - REAR LIGHT<br>3,547.5 yards, 355.75°<br>from front light.                |                          | <b>F G</b>            | 110           |              | Black, pyramidal slatted structure. 57                                   | Visible on range line only. Lighted throughout 24 hours.               |
| 2515   | - Buoy 3B  |                          |                       |               |              | Green can.   |  |

| (1)<br>No.   | (2)<br>Name and Location                                 | (3)<br>Position          | (4)<br>Characteristic                | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks   |
|--|--|--------------------------|--------------------------------------|---------------|--------------|--|--|
| <b>DELAWARE RIVER (Delaware and New Jersey) - Fifth District</b>                               |  |                          |                                      |               |              |  |  |
| 2520   | - Lighted Buoy 4B  |                          | <b>FI R</b> 4s                       |               | 5            | Red.   | Replaced by LIB of lower intensity from Jan. 1 to Feb. 28.             |
| <b>Reedy Island Dike</b>   |  |                          |                                      |               |              |  |  |
| <i>Warning buoys A through H mark submerged dike. Buoys maintained from May. 15 to Nov. 1.</i> |  |                          |                                      |               |              |  |  |
| 2525   | - Special Warning Buoy A                                 |                          |                                      |               |              | White can with orange bands worded DIKE.                           |  |
| 2530   | - Special Warning Buoy B                                 |                          |                                      |               |              | White can with orange bands worded DIKE.                           |  |
| 2535   | - Special Warning Buoy C                                 |                          |                                      |               |              | White can with orange bands worded DIKE.                           |  |
| 2540   | - Special Warning Buoy D                                 |                          |                                      |               |              | White can with orange bands worded DIKE.                           |  |
| 2545   | - Special Warning Buoy E                                 |                          |                                      |               |              | White can with orange bands worded DIKE.                           |  |
| 2550   | - Special Warning Buoy F                                 |                          |                                      |               |              | White can with orange bands worded DIKE.                           |  |
| 2555   | - Special Warning Buoy G                                 |                          |                                      |               |              | White can with orange bands worded DIKE.                           |  |
| 2560   | - Special Warning Buoy H                                 |                          |                                      |               |              | White can with orange bands worded DIKE.                           |  |
| 2565   | - MIDDLE LIGHT   |                          | <b>FI W</b> 6s                       | 20            | 8            | NW on pile worded DANGER SUBMERGED DIKE.                           |  |
| <b>Reedy Island Range</b>  |  |                          |                                      |               |              |  |  |
| 2570   | - Buoy 1R  |                          |                                      |               |              | Green can.   |  |
| 2575   | - Lighted Bell Buoy 2R                                   |                          | <b>Q R</b>                           |               | 4            | Red.   | Replaced by a LIB of lower intensity from Jan. 1 to Feb. 28.           |
| 2580   | - FRONT LIGHT  | 39 26 45 N<br>75 34 35 W | <b>F R</b>                           | 22            |              | On skeleton tower.   | Visible on range line only. Lighted throughout 24 hours.               |
| 2585   | - REAR LIGHT<br>4,950 yards, 195.2°<br>from front light. |                          | <b>F R</b>                           | 134           |              | Gallery on pyramidal skeleton structure with black central column. | Visible on range line only. Lighted throughout 24 hours.               |
| 2590   | Artificial Island Anchorage<br>Buoy A                    |                          |                                      |               |              | Yellow nun.  |  |
| 2595   | - Buoy 4R  |                          |                                      |               |              | Red nun.   |  |
| 2600   | - Buoy 3R  |                          |                                      |               |              | Green can.   |  |
| 2605   | OLD REEDY ISLAND LIGHT                                   | 39 30 03 N<br>75 34 08 W | <b>Iso W</b> 6s<br><b>(R sector)</b> | 20            | W 8<br>R 6   | NR on tower.   | Red from 353° to 014°. Covers dike making out south from Reedy Island. |
| 2610   | Reedy Island Gap South<br>Daybeacon 1                    |                          |                                      |               |              | SG on pile.  |  |
| 2615   | REEDY ISLAND GAP<br>LIGHT 2                              |                          | <b>Q R</b>                           | 15            | 4            | TR on pile.  | Light equipment removed when endangered by ice.                        |
| 2620   | - Lighted Buoy 5R  |                          | <b>FI G</b> 2.5s                     |               | 5            | Green.   | Replaced by smaller LIB of reduced intensity from Jan. 1 to Feb. 28.   |
| 2625   | - Buoy 6R  |                          |                                      |               |              | Red nun.   |  |

| (1)<br>No.   | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks  |
|--|--|--------------------------|-----------------------|---------------|--------------|--------------------------------|---|
| <b>DELAWARE RIVER (Delaware and New Jersey) - Fifth District</b> |  |                          |                       |               |              |                                |   |
| 2630   | Artificial Island Anchorage<br>Buoy B  |                          |                       |               |              | Yellow nun.                    |   |
| 2635   | - <i>Wreck Lighted Buoy<br/>WR10R</i><br>93 yds, 273° from wreck.<br>Marks SS PHEONIX. | 39 32 12 N<br>75 32 30 W | <b>Q R</b>            |               | 3            | Red                            | Buoy replaced by a<br>lighted ice buoy of<br>lower intensity from<br>Jan. 1 to Feb. 28.                 |
| 2640   | Reedy Island Flats Buoy 27   |                          |                       |               |              | Green can.                     |   |
| <b>Salem River Entrance</b>                                      |  |                          |                       |               |              |                                |   |
| 2645   | - <i>Lighted Buoy 2</i>  | 39 32 40 N<br>75 32 14 W | <b>FI R 4s</b>        |               | 4            | Red.                           | Replaced by LIB of lower<br>intensity from Jan. 1 to<br>Feb. 28.  |
| 2650   | - LIGHT 3  | 39 33 12 N<br>75 31 48 W | <b>FI G 2.5s</b>      | 15            | 4            | SG on multi-pile<br>structure. |   |
| 2655   | - RANGE FRONT LIGHT  | 39 34 16 N<br>75 31 02 W | <b>FI G 2.5s</b>      | 15<br>14      |              | On skeleton tower.             | DAY: Visible on range<br>line only.<br>Night: Visible all around;<br>higher intensity on range<br>line. |
| 2660   | - RANGE REAR LIGHT<br>994 yards, 027.4°<br>from front light.                           |                          | <b>Iso G 6s</b>       | 46<br>44      |              | On skeleton tower.             | DAY: Visible on range<br>line only.<br>NIGHT: Visible all around;<br>higher intensity on range<br>line. |
| 2665   | - LIGHT 4  | 39 33 40 N<br>75 31 42 W | <b>FI R 2.5s</b>      | 15            | 4            | TR on multi-pile structure.    |   |
| 2670   | - LIGHT 5  | 39 33 37 N<br>75 31 29 W | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.    |   |
| 2675   | - LIGHT 6  | 39 33 35 N<br>75 31 27 W | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile structure.    |   |
| 2680   | - LIGHT 7  | 39 34 09 N<br>75 31 09 W | <b>Q G</b>            | 15            | 3            | SG on multi-pile structure.    |   |
| 2685   | - LIGHT 8  | 39 34 07 N<br>75 31 05 W | <b>FI R 2.5s</b>      | 15            | 3            | TR on multi-pile structure.    |   |
| 2690   | - LIGHT 9  | 39 34 14 N<br>75 30 59 W | <b>Q G</b>            | 15            | 3            | SG on multi-pile structure.    |   |
| 2695   | - LIGHT 10   | 39 34 11 N<br>75 30 56 W | <b>FI R 2.5s</b>      | 15            | 3            | TR on multi-pile structure.    |   |
| 2700   | - DIRECTIONAL LIGHT  | 39 34 16 N<br>75 30 42 W | <b>Oc W 4s</b>        | 15            | 6            | NB on multi-pile structure.    | Higher intensity beam towards<br>Salem River entrance.<br>Lighted throughout 24 hours.                  |
| 2705   | - LIGHT 11   | 39 34 13 N<br>75 30 29 W | <b>FI G 2.5s</b>      | 15            | 4            | SG on multi-pile structure.    |   |
| 2710   | - LIGHT 12   | 39 34 08 N<br>75 30 31 W | <b>Q R</b>            | 15            | 3            | TR on multi-pile structure.    |   |
| 2715   | - LIGHT 14   | 39 34 16 N<br>75 29 53 W | <b>FI R 4s</b>        | 15            | 4            | TR on multi-pile structure.    |   |
| 2716   | SALEM CANAL WEST<br>LIGHT A  |                          | <b>F Y</b>            | 15            |              | On pile.                       | Private aid.  |
| 2717   | SALEM CANAL EAST<br>LIGHT B  |                          | <b>F Y</b>            | 15            |              | On pile.                       | Private aid.  |

| (1)<br>No.  | (2)<br>Name and Location                                  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                         | (8)<br>Remarks   |
|---|---|--------------------------|-----------------------|---------------|--------------|--|--|
| <b>DELAWARE RIVER (Delaware and New Jersey) - Fifth District</b>  |   |                          |                       |               |              |  |  |
| <b>Delaware River (Main Channel)</b>  |   |                          |                       |               |              |  |  |
| <b>New Castle Range</b>   |   |                          |                       |               |              |  |  |
| <i>Buoys located 50 feet outside channel limit.</i>   |   |                          |                       |               |              |  |  |
| 2720  | - Lighted Gong<br>Buoy 1N                                 |                          | <b>Q G</b>            |               | 4            | Green.                                   | Replaced by a smaller LIB of reduced intensity from Jan. 1 to Feb. 28. |
| 2725  | - Buoy 2N   |                          |                       |               |              | Red nun.                                 |  |
| 2730  | - FRONT LIGHT   | 39 38 33 N<br>75 35 44 W | <b>Iso G 2s</b>       | 56            |              | White skeleton tower.                    | Visible on range line only. Lighted throughout 24 hours.               |
| 2735  | - REAR LIGHT<br>777 yards, 334° from front light.         |                          | <b>F G</b>            | 110           |              | White skeleton tower, small white house. | Visible on rangeline only. Lighted throughout 24 hours.                |
| 2740  | - Lighted Gong<br>Buoy 3N                                 |                          | <b>FI G 4s</b>        |               | 4            | Green.                                   | Replaced by smaller LIB of reduced intensity from Jan. 1 to Feb. 28.   |
| <b>Chesapeake and Delaware Canal</b>  |   |                          |                       |               |              |  |  |
| <i>The north and south banks of the Chesapeake and Delaware Canal between Sandy Point, Maryland, and Reedy Point, Delaware are lighted by mercury vapor luminaries, spaced 500 feet apart and are supported on poles at a height of 25 feet mean high water. They are designed to illuminate the bank at the waters edge to assist ships navigating the canal at night. (Maintained by U.S. Army Corps of Engineers).</i> |   |                          |                       |               |              |  |  |
| 2745  | - Junction Lighted Bell<br>Buoy CD                        | 39 33 52 N<br>75 33 18 W | <b>FI (2+1) R 6s</b>  |               | 4            | Red with green band.                     | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.             |
| 2750  | - SOUTH JETTY<br>LIGHT 1CD                                |                          | <b>Q G</b>            | 38            | 5            | SG on skeleton tower.                    |  |
| 2755  | - LIGHT 2   | 39 33 47 N<br>75 33 32 W | <b>Q R</b>            | 38            | 5            | TR on skeleton tower and house.          |  |
| 2760  | - LIGHT 3   | 39 33 08 N<br>75 37 16 W | <b>FI G 2.5s</b>      | 20            | 4            | SG on pile.                              | Higher intensity towards center span of bridge.                        |
| <b>Bulkhead Shoal Channel</b>   |   |                          |                       |               |              |  |  |
| 2765  | - RANGE FRONT LIGHT                                       |                          | <b>Q W</b>            | 37            |              | KRW on orange skeleton structure.        | Lighted throughout 24 hours. Private aid.                              |
| 2770  | - RANGE REAR LIGHT<br>1,000 yards, 306° from front light. |                          | <b>F W</b>            | 71            |              | KRW on orange skeleton structure.        | Lighted throughout 24 hours. Private aid.                              |
| 2775  | - Lighted Buoy 2  | 39 34 05 N<br>75 33 23 W | <b>FI R 2.5s</b>      |               |              | Red.                                     | Replaced by nun from Dec. 1 to Apr. 1. Private aid.                    |
| 2780  | - Lighted Buoy 3  |                          | <b>FI G 2.5s</b>      |               |              | Green.                                   | Replaced by can from Dec. 1 to Apr. 1. Private aid.                    |
| 2785  | - Buoy 4  |                          |                       |               |              | Red nun.                                 | Private aid.   |
| 2790  | - Buoy 4A   |                          |                       |               |              | Red nun.                                 | Private aid.   |
| 2795  | - Lighted Buoy 5  | 39 34 36 N<br>75 34 30 W | <b>FI G 2.5s</b>      |               |              | Green.                                   | Replaced by can from Dec. 1 to Apr. 1. Private aid.                    |
| 2800  | - Buoy 6  |                          |                       |               |              | Red nun.                                 | Private aid.   |
| 2805  | - Lighted Buoy 6A   |                          | <b>FI R 2.5s</b>      |               |              | Red.                                     | Replaced by nun from Dec. 1 to Apr. 1. Private aid.                    |

| (1)<br>No.   | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic                            | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                  | (8)<br>Remarks  |
|--|--|--------------------------|--|---------------|--------------|---|---|
| <b>DELAWARE RIVER (Delaware and New Jersey) - Fifth District</b> |  |                          |  |               |              |   |   |
| 2810   | DELAWARE CITY LIGHT 1  | 39 34 46 N<br>75 35 07 W | <b>FI G</b> 4s                                   | 15            | 4            | SG on multi-pile structure.                       | Light equipment removed when endangered by ice.                                 |
| 2815   | - Buoy 8   |                          |  |               |              | Red nun.  | Private aid.  |
| 2820   | - Buoy 10  |                          |  |               |              | Red nun.  | Private aid.  |
| 2825   | HAMBURG COVE TRESTLE LIGHTS (2)                                    | 39 36 06 N<br>75 36 12 W | <b>F Y</b>                                       | 28            |              |   | Private aid.  |
| <b>Delaware River (Main Channel)</b>                             |  |                          |  |               |              |   |   |
| 2830   | FORT DELAWARE LIGHT 5N   | 39 35 25 N<br>75 33 55 W | <b>FI G</b> 6s                                   | 15            | 4            | SG on pile.                                       |   |
| 2835   | <i>New Castle Range Lighted Gong Buoy 7N</i>                       | 39 36 28 N<br>75 34 33 W | <b>FI G</b> 2.5s                                 |               | 4            | Green.  | Replaced by can when endangered by ice.   |
| <b>Pea Patch Island</b>  |  |                          |  |               |              |   |   |
| 2840   | - Special Warning Marker PPA<br>On submerged dike.                 | 39 36 15 N<br>75 35 03 W |  |               |              | NW on pile worded DANGER SUBMERGED DIKE.          |   |
| 2845   | - <b>Transmisson Fog Signal</b>                                    | 39 36 42 N<br>75 34 54 W |  |               |              |   | Private aid.<br>BELL: 1 stroke ev 20s.  |
| 2850   | - <b>RACON</b>   | 39 36 42 N<br>75 34 54 W | <b>X</b><br>(---)                                |               |              | On platform on overhead power cable tower No. 97. | Private aid.  |
| 2855   | - Special Warning Marker PPC<br>On submerged dike.                 |                          |  |               |              | NW on pile worded DANGER SUBMERGED DIKE.          |   |
| 2860   | - DIKE LIGHT A<br>On south side of opening through submerged dike. |                          | <b>FI W</b> 4s                                   | 13            | 5            | NW on pole worded DANGER SUBMERGED DIKE.          |   |
| 2865   | - Special Warning Marker PPD<br>On submerged dike.                 |                          |  |               |              | NW on pile worded DANGER SUBMERGED DIKE.          |   |
| 2870   | - Special Warning Marker PPE<br>On submerged dike.                 |                          |  |               |              | NW on pole worded DANGER SUBMERGED DIKE.          |   |
| <b>Bulkhead Bar Range</b>  |  |                          |  |               |              |   |   |
| 2875   | - <i>Lighted Bell Buoy 2B</i>                                      |                          | <b>Q R</b>                                       |               | 4            | Red.  | Replaced by a smaller LIB of reduced intensity from Dec. 1 to Mar. 15.          |
| 2880   | - FRONT LIGHT  | 39 39 19 N<br>75 34 22 W | <b>Iso R</b> 2s                                  | 42            |              | On black skeleton tower on small white house.     | Visible on range line only. Lighted throughout 24 hours.                        |
| 2885   | - REAR LIGHT<br>691 yards, 008° from front light.                  |                          | <b>F R</b>                                       | 76            |              | On black skeleton tower, small white house.       | Visible on range line only. Lighted throughout 24 hours.                        |
| 2890   | - <i>Lighted Buoy 4B</i>   |                          | <b>FI R</b> 4s                                   |               | 4            | Red.  | Replaced by nun when endangered by ice.   |
| <i>Buoys located 50 feet outside channel limit.</i>              |  |                          |  |               |              |   |   |
| 2895   | DEEPWATER RANGE FRONT LIGHT  | 39 40 42 N<br>75 31 06 W | <b>Iso W</b> 2s (Day)<br><b>Iso G</b> 2s (Night) | 30<br>27      |              | On yellow cylindrical tower.                      | Visible all around. Higher intensity on rangeline. Lighted throughout 24 hours. |
| <b>Delaware River (Main Channel)</b>                             |  |                          |  |               |              |   |   |
| 2896   | - <i>Wreck Lighted Buoy WR2M</i>                                   | 39 40 46 N<br>75 31 03 W | <b>Q R</b>                                       |               | 4            | Red.  |   |

| (1)<br>No.   | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic            | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks   |
|--|---|--------------------------|----------------------------------|---------------|--------------|---|--|
| <b>DELAWARE RIVER (Delaware and New Jersey) - Fifth District</b> |   |                          |                                  |               |              |   |  |
| <b>Bulkhead Bar Range</b>  |   |                          |                                  |               |              |   |  |
| 2897   | <b>DEEPWATER RANGE FRONT PASSING LIGHT</b>                        |                          | <b>Oc R 4s</b>                   | 30            | 6            | On skeleton tower. Same structure as Deepwater Range Front Light. |  |
| <b>Deepwater Range</b>   |   |                          |                                  |               |              |   |  |
| 2900   | Pennsville Dike Danger Buoy PDA                                   |                          |                                  |               |              | White with orange bands worded DANGER DIKE.                       | Maintained from May 15 to Nov. 1.                                      |
| 2905   | Pennsville Dike Danger Buoy PDB                                   |                          |                                  |               |              | White and orange bands worded DANGER DIKE.                        | Maintained from May 15 to Nov. 1.                                      |
| 2910   | DEEPWATER RANGE REAR LIGHT<br>1,000 yards, 042° from front light. |                          | <b>F W (Day)<br/>F G (Night)</b> | 86<br>89      |              | On yellow cylindrical tower.                                      | Visible on rangeline only. Lighted throughout 24 hours.                |
| 2912   | DEEPWATER RANGE REAR PASSING LIGHTS(2)                            |                          | <b>FI W 4s</b>                   | 41            | 6            | On same structure as DEEPWATER RANGE REAR LIGHT.                  |  |
| 2915   | PEA PATCH ISLAND DIKE LIGHT B<br>On submerged dike.               |                          | <b>FI W 2.5s</b>                 | 30            | 5            | NW on skeleton tower worded DANGER SUBMERGED DIKE.                |  |
| 2920   | - Lighted Buoy 1D   |                          | <b>FI G 2.5s</b>                 |               | 4            | Green.  | Replaced by can when endangered by ice.                                |
| 2925   | - Lighted Bell Buoy 2D  |                          | <b>Q R</b>                       |               | 4            | Red.  | Replaced by a smaller LIB of reduced intensity from Jan. 1 to Feb. 28. |
| <b>Pea Patch Island</b>  |   |                          |                                  |               |              |   |  |
| 2930   | - DIKE LIGHT C<br>On submerged dike.                              |                          | <b>FI W 6s</b>                   | 20            | 6            | NW on skeleton tower worded DANGER SUBMERGED DIKE.                |  |
| 2935   | - DIKE LIGHT D<br>On submerged dike.                              |                          | <b>FI W 4s</b>                   | 30            | 6            | NW on skeleton tower worded DANGER SUBMERGED DIKE.                |  |
| 2940   | - DIKE LIGHT E<br>On north end of dike.                           |                          | <b>FI W 4s</b>                   | 21            | 5            | NW on skeleton structure worded DANGER SUBMERGED DIKE.            |  |
| 2945   | Deepwater Point Range Lighted Buoy 4D                             |                          | <b>FI R 4s</b>                   |               | 4            | Red.  | Replaced by nun when endangered by ice.                                |
| 2950   | Deepwater Point Range Lighted Gong Buoy 5D                        |                          | <b>FI G 4s</b>                   |               | 4            | Green.  | Replaced by can when endangered by ice.                                |
| 2955   | Deepwater Point Range Lighted Buoy 6D                             |                          | <b>FI R 4s</b>                   |               | 4            | Red.  | Replaced by LIB of reduced intensity from Jan. 1 to Feb. 28.           |
| 2960   | New Castle Flats Buoy 29<br>Marks east edge of flats.             |                          |                                  |               |              | Green can.  |  |
| <b>Cherry Island Range</b>                                       |   |                          |                                  |               |              |   |  |
| 2965   | - Lighted Bell Buoy 1C  |                          | <b>Q G</b>                       |               | 4            | Green.  | Replaced by smaller LIB of reduced intensity from Jan. 1 to Feb. 28.   |
| 2970   | - Lighted Buoy 2C   |                          | <b>FI R 2.5s</b>                 |               | 5            | Red.  | Replaced by LIB of reduced intensity from Jan. 1 to Feb. 28.           |
| 2975   | - FRONT LIGHT   | 39 45 03 N<br>75 29 39 W | <b>Iso R 2s</b>                  | 38            |              | On skeleton tower.  | Visible on range line only. Lighted throughout 24 hours.               |
| 2980   | - REAR LIGHT<br>1,456 yards, 017° from front light.               |                          | <b>F R</b>                       | 120           |              | On skeleton tower.  | Visible on range line only. Lighted throughout 24 hours.               |

| (1)<br>No.   | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure          | (8)<br>Remarks   |
|--|--|--------------------------|-----------------------|---------------|--------------|---------------------------|--|
| <b>DELAWARE RIVER (Delaware and New Jersey) - Fifth District</b> |  |                          |                       |               |              |                           |  |
| 2985   | NEW CASTLE FLATS LOWER DOLPHIN LIGHT                                 |                          | FI Y 2.5s             | 20            |              | On dolphin.               | Private aid.   |
| 2990   | NEW CASTLE FLATS UPPER DOLPHIN LIGHT                                 |                          | FI Y 2.5s             | 20            |              | On dolphin.               | Private aid.   |
| 2995   | - Buoy 3C  |                          |                       |               |              | Green can.                |  |
| <b>Christina River</b>   |  |                          |                       |               |              |                           |  |
| <i>Buoys located 50 feet outside of channel limit.</i>           |  |                          |                       |               |              |                           |  |
| 3000   | - SOUTH JETTY LIGHT 1  | 39 42 55 N<br>75 30 45 W | FI G 2.5s             | 21            | 7            | SG on skeleton tower.     |  |
| 3005   | - RANGE FRONT LIGHT  | 39 43 22 N<br>75 31 57 W | Q G                   | 20            |              | On skeleton tower.        | Visible on rangeline only.<br>Lighted throughout 24 hours.           |
| 3010   | - RANGE REAR LIGHT<br>285 yards, 293° from front light.              |                          | Iso G 6s              | 38            |              | On skeleton tower.        | Visible on rangeline only.<br>Lighted throughout 24 hours.           |
| 3015   | - Entrance Lighted Bell Buoy 2                                       |                          | FI R 4s               |               | 3            | Red.                      | Replaced by LIB of lower intensity from Jan. 1 to Feb. 28.           |
| <b>Cherry Island Range</b>                                       |  |                          |                       |               |              |                           |  |
| <i>Buoys located 50 feet outside of channel limit.</i>           |  |                          |                       |               |              |                           |  |
| 3020   | - Junction Lighted Bell Buoy CR<br>End of shoal.                     |                          | FI (2+1) R 6s         |               | 4            | Red and green bands.      | Replaced by nun when endangered by ice.                              |
| 3025   | - Buoy 5C  |                          |                       |               |              | Green can.                |  |
| 3030   | - Buoy 4C  |                          |                       |               |              | Red nun.                  |  |
| 3035   | - Buoy 7C  |                          |                       |               |              | Green can.                |  |
| 3040   | - Buoy 9C  |                          |                       |               |              | Green can.                |  |
| 3045   | Bellevue Range Lighted Buoy 2B                                       |                          | Q R                   |               | 4            | Red.                      | Replaced by smaller LIB of reduced intensity when endangered by ice. |
| <b>WILMINGTON TO PHILADELPHIA (Chart 12312)</b>                  |  |                          |                       |               |              |                           |  |
| <b>Cherry Island Flats</b>                                       |  |                          |                       |               |              |                           |  |
| 3050   | - East Channel Buoy 1<br>Marks lower eastern end of extending shoal. | 39 43 07 N<br>75 30 02 W |                       |               |              | Green can.                |  |
| 3055   | - East Channel Buoy 2  |                          |                       |               |              | Red nun.                  |  |
| 3060   | - East Channel Buoy 3<br>On east edge of flats.                      |                          |                       |               |              | Green can.                |  |
| 3065   | - East Channel Buoy 4<br>Off end of spit.                            |                          |                       |               |              | Red nun.                  |  |
| 3070   | - East Channel Buoy 5<br>On east side of flats.                      |                          |                       |               |              | Green can.                |  |
| 3075   | - Upper Junction Buoy CF   |                          |                       |               |              | Red and green bands; nun. |  |
| <b>Delaware River (Main Channel)</b>                             |  |                          |                       |               |              |                           |  |
| <b>Bellevue Range</b>  |  |                          |                       |               |              |                           |  |
| 3080   | - FRONT LIGHT  | 39 44 06 N<br>75 30 18 W | FI G 2.5s             | 36            |              | On tower.                 | Visible on range line only.<br>Lighted throughout 24 hours.          |

| (1)<br>No.   | (2)<br>Name and Location                                 | (3)<br>Position          | (4)<br>Characteristic         | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks   |
|--|--|--------------------------|-------------------------------|---------------|--------------|--|--|
| <b>DELAWARE RIVER (Delaware and New Jersey) - Fifth District</b> |  |                          |                               |               |              |  |  |
| 3085   | - REAR LIGHT<br>1,085 yards, 216°<br>from front light.   |                          | <b>F G</b>                    | 90            |              | On tower.  | Visible on range line only.<br>Lighted throughout 24 hours.                  |
| 3090   | EDGEMOOR OUTFALL LIGHT                                   |                          | <b>F W</b>                    | 14            |              | White square marker with orange<br>boarder and diamond marker<br>worded OUTFALL. | Private aid.   |
| 3095   | - Buoy 1B  |                          |                               |               |              | Green can.   |  |
| 3100   | - Buoy 3B  |                          |                               |               |              | Green can.   |  |
| 3105   | - Buoy 4B  |                          |                               |               |              | Red nun.   |  |
| 3110   | - <i>Lighted Buoy 6B</i>                                 |                          | <b>FI R 4s</b>                |               | 4            | Red.   | Replaced by smaller LIB of<br>reduced intensity from Jan. 1<br>to Feb. 28.   |
| 3115   | - Buoy 5B  |                          |                               |               |              | Green can.   |  |
| 3120   | - Buoy 8B  |                          |                               |               |              | Red nun.   |  |
| 3125   | GRUBBS LANDING LIGHT                                     | 39 47 09 N<br>75 27 51 W | <b>FI W 4s<br/>(R sector)</b> | 16            | W 7<br>R 5   | NG on skeleton tower.  | Red from 205° to 290°.   |
| <b>Marcus Hook Range</b>   |  |                          |                               |               |              |  |  |
| 3130   | - <i>Lighted Bell Buoy 2M</i>                            |                          | <b>Q R</b>                    |               | 4            | Red.   | Replaced by a smaller LIB at<br>reduced intensity when<br>endangered by ice. |
| 3135   | - FRONT LIGHT  | 39 46 34 N<br>75 28 31 W | <b>F R</b>                    | 81            |              | On pyramidal skeleton tower.   | Visible on range line only.<br>Lighted throughout 24 hours.                  |
| 3140   | - REAR LIGHT<br>3,094 yards, 237.5°<br>from front light. |                          | <b>F R</b>                    | 278           |              | Concrete square tower,<br>buttressed corners.                                    | Visible on range line only.<br>Lighted throughout 24 hours.                  |
| 3145   | - Buoy 2MA   |                          |                               |               |              | Red nun.   |  |
| 3150   | - <i>Lighted Buoy 1M</i><br>Marks rock ledge.            |                          | <b>FI G 2.5s</b>              |               | 4            | Green.   | Replaced by can when<br>endangered by ice.                                   |
| 3155   | - Buoy 4M  |                          |                               |               |              | Red nun.   |  |
| 3160   | - <i>Lighted Buoy 6M</i>                                 |                          | <b>FI R 4s</b>                |               | 4            | Red.   | Replaced with smaller LIB of<br>reduced intensity when<br>endangered by ice. |
| 3165   | Marcus Hook Anchorage<br>Buoy A                          |                          |                               |               |              | Yellow nun.  |  |

**DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District**

**WILMINGTON TO PHILADELPHIA (Chart 12312)**

**Delaware River (Main Channel)**

**Marcus Hook**

|      |                                |                          |                  |    |   |                               |              |
|------|--------------------------------|--------------------------|------------------|----|---|-------------------------------|--------------|
| 3170 | - INTAKE LIGHT                 |                          | <b>FI Y 2.5s</b> | 12 |   | On wood trestle on pile.      | Private aid. |
| 3180 | - Anchorage Buoy B             |                          |                  |    |   | Yellow nun.                   |              |
| 3185 | - Outfall Pipe Line Buoy       | 39 48 00 N<br>75 24 24 W |                  |    |   | Orange and white bands; spar. | Private aid. |
| 3200 | RACCOON CREEK JETTY<br>LIGHT 2 |                          | <b>FI R 4s</b>   | 15 | 4 | TR on pile.                   |              |
| 3205 | - Anchorage Buoy C             |                          |                  |    |   | Yellow nun.                   |              |

| (1)<br>No.   | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks   |
|--|--|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District</b> |  |                          |                       |               |              |   |  |
| 3210   | - Range Lighted<br>Buoy 9M   |                          | <b>FI G</b> 2.5s      |               | 4            | Green.  | Replaced by can when endangered by ice.                                |
| <b>Chester Range</b>   |  |                          |                       |               |              |   |  |
| 3215   | - Lighted Gong<br>Buoy 1C<br>Southeasterly of rock ledge.                                  |                          | <b>Q G</b>            |               | 4            | Green.  | Replaced by a smaller LIB at reduced intensity when endangered by ice. |
| 3220   | CHESTER TRANSMISSION<br>WEST LIGHTS (2)  | 39 49 30 N<br>75 23 06 W | <b>F R</b>            | 17            |              | On platform.  | Private aids.  |
| 3225   | CHESTER TRANSMISSION<br>EAST LIGHTS (4)  | 39 49 12 N<br>75 22 48 W | <b>F R</b>            | 17            |              | On platform.  | Private aids.<br>HORN: 1 blast ev 20s (2s bl).                         |
| 3230   | - FRONT LIGHT  | 39 51 14 N<br>75 19 53 W | <b>Iso G</b> 2s       | 62            |              | On square skeleton tower.   | Visible on range line only.<br>Lighted throughout 24 hours.            |
| 3235   | - REAR LIGHT<br>548 yards, 051.2° from front light.  |                          | <b>F G</b>            | 110           |              | On skeleton tower.  | Visible on range line only.<br>Lighted throughout 24 hours.            |
| 3240   | - Buoy 2C  |                          |                       |               |              | Red nun.  |  |
| 3245   | - Lighted Buoy 4C  |                          | <b>FI R</b> 4s        |               | 4            | Red.  | Replaced by smaller LIB of reduced intensity from Jan. 1 to Feb. 28.   |
| 3250   | CHESTER INTAKE LIGHT<br>Marks water intake.  | 39 50 30 N<br>75 21 24 W | <b>Oc Y</b> 1.5s      | 16            |              | On pile.  | Private aid.   |
| 3255   | - Lighted Buoy 6C  |                          | <b>Q R</b>            |               | 4            | Red.  | Replaced by a smaller LIB at reduced intensity when endangered by ice. |
| 3260   | <i>Eddystone Range Lighted Buoy 1E</i><br>50 feet outside channel limit.                   |                          | <b>FI G</b> 2.5s      |               | 4            | Green.  | Replaced by LIB of lower intensity when endangered by ice.             |
| <b>Tinicum Island</b>  |  |                          |                       |               |              |   |  |
| 3270   | <i>Tinicum Island Range Lighted Buoy 2T</i>  |                          | <b>Q R</b>            |               | 4            | Red.  | Replaced by a smaller LIB at reduced intensity when endangered by ice. |
| 3275   | EDDYSTONE GENERATING<br>STATION RANGE FRONT<br>LIGHT                                       | 39 51 24 N<br>75 19 24 W | <b>Q R</b>            | 42            |              | Rectangular white daymark with orange vertical stripe on steel tower. | Private aid.   |
| 3280   | EDDYSTONE GENERATING<br>STATION RANGE REAR<br>LIGHT<br>230 yards, 038.5° from front light. |                          | <b>Oc R</b> 4s        | 54            |              | Rectangular white daymark with orange stripe on tower.                | Private aid.   |
| 3285   | TINICUM RANGE FRONT<br>LIGHT   | 39 50 52 N<br>75 15 10 W | <b>Iso R</b> 2s       | 38            |              | On skeleton tower.  | Visible on range line only.<br>Lighted throughout 24 hours.            |
| 3290   | TINICUM RANGE REAR<br>LIGHT<br>1,216 yards, 092.1° from front light.                       |                          | <b>F R</b>            | 112           |              | Gallery on pyramidal skeleton structure, black central tower.         | Visible on range line only.<br>Lighted throughout 24 hours.            |
| 3295   | - Spit Buoy TS<br>Marks west end of shoal.   |                          |                       |               |              | Green and red bands; can.   |  |
| 3300   | - Spit Buoy 4T<br>Marks northeast point of Chester Island Bar.                             |                          |                       |               |              | Red nun.  |  |
| 3305   | THOMPSON POINT INTAKE<br>LIGHT   | 39 50 42 N<br>75 18 18 W | <b>F R</b>            | 13            |              | On pile.  | Private aid.   |
| 3310   | - Range Buoy 3T  |                          |                       |               |              | Green can.  |  |

| (1)<br>No.   | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                | (8)<br>Remarks   |
|--|--|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District</b> |  |                          |                       |               |              |   |  |
| 3315   | - Range Lighted Buoy 5T  |                          | <b>Q G</b>            |               | 4            | Green.  | Replaced by smaller LIB when endangered by ice.                                      |
| 3320   | BILLINGSPOORT RANGE FRONT LIGHT  | 39 50 30 N<br>75 17 15 W | <b>Iso R 2s</b>       | 21            |              | On tower.                                       | Visible on range line only. Lighted throughout 24 hours.                             |
| 3325   | BILLINGSPOORT RANGE REAR LIGHT<br>479 yards, 250° from front light.    |                          | <b>Oc R 4s</b>        | 43            |              | On tower.                                       | Visible on range line only. Lighted throughout 24 hours.                             |
| <b>Mantua Creek</b>  |  |                          |                       |               |              |   |  |
| 3340   | - OUTFALL PIPELINE LIGHT   | 39 51 12 N<br>75 13 36 W | <b>FI Y 2.5s</b>      | 6             |              | On dolphin.                                     | Private aid.   |
| 3345   | - UPPER JETTY LIGHT 1  |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on white pile; concrete base.                |  |
| 3350   | - LOWER JETTY LIGHT 2  | 39 51 11 N<br>75 13 52 W | <b>FI R 4s</b>        | 15            | 4            | TR on pile; concrete base.                      |  |
| 3355   | - Channel Buoy 4   |                          |                       |               |              | Red nun.  |  |
| 3360   | - Channel Buoy 6   |                          |                       |               |              | Red nun.  |  |
| 3365   | - Intake Buoy M<br>Marks end of intake pipe.                           |                          |                       |               |              | Orange and white bands; can.                    | Private aid.   |
| <b>Mifflin Range</b>   |  |                          |                       |               |              |   |  |
| 3370   | - FRONT LIGHT  | 39 50 52 N<br>75 15 09 W | <b>Iso G 2s</b>       | 48            |              | On same structure as Tinicum Range Front Light. | Visible on range line only. Visible on range line only. Lighted throughout 24 hours. |
| 3375   | - REAR LIGHT<br>640 yards, 234° from front light.<br>from front light. |                          | <b>F G</b>            | 77            |              | White skeleton tower.                           | Visible on range line only. Lighted throughout 24 hours.                             |
| 3380   | - Lighted Buoy 1F  |                          | <b>Q G</b>            |               | 4            | Green.  | Replaced with LIB of reduced intensity when endangered by ice.                       |
| 3385   | - Buoy 3F  |                          |                       |               |              | Green can.                                      |  |
| 3390   | Mantua Creek Anchorage Buoy A  |                          |                       |               |              | Yellow nun.                                     |  |
| 3395   | Mantua Creek Anchorage Buoy B  |                          |                       |               |              | Yellow nun.                                     |  |
| 3400   | Mantua Creek Anchorage Buoy C  |                          |                       |               |              | Yellow nun.                                     |  |
| 3405   | Elbow Lighted Bell Buoy 44   |                          | <b>Q R</b>            |               | 4            | Red.  | Replaced by a smaller LIB at reduced intensity when endangered by ice.               |
| <b>PHILADELPHIA AND CAMDEN WATERFRONTS (Chart 12313)</b>             |  |                          |                       |               |              |   |  |
| <b>Schuylkill River</b>  |  |                          |                       |               |              |   |  |
| 3410   | - Entrance Channel Buoy 1<br>120 feet outside channel limit.           | 39 52 53 N<br>75 11 35 W |                       |               |              | Green can.                                      |  |
| 3415   | - RANGE FRONT LIGHT  | 39 53 20 N<br>75 11 36 W | <b>Q G</b>            | 33            |              | On skeleton tower.                              | Visible on range line only. Lighted throughout 24 hours.                             |
| 3420   | - RANGE REAR LIGHT<br>229 yards, 021.5° from front light.              |                          | <b>Oc G 4s</b>        | 64            |              | On skeleton tower.                              | Visible on range line only. Lighted throughout 24 hours.                             |

| (1)<br>No.   | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                             | (8)<br>Remarks   |
|--|--|--------------------------|-----------------------|---------------|--------------|--|--|
| <b>DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District</b> |  |                          |                       |               |              |  |  |
| 3425   | - JETTY LIGHT 2<br>On outer end of<br>submerged jetty.                 | 39 53 01 N<br>75 11 41 W | <b>FI R</b> 4s        | 37            | 6            | TR on skeleton tower on<br>cylindrical base. |  |
| 3430   | <b>- Entrance Fog Signal</b>   | 39 53 06 N<br>75 11 48 W |                       |               |              |  | HORN: 1 blast ev 10s (1s bl).<br>Operates throughout 24<br>hours.            |
| 3433   | - CHANNEL LIGHT 3  |                          | <b>FI G</b> 2.5s      | 15            | 4            | SG on pile.                                  |  |
| 3435   | Reserve Basin Junction<br>Buoy RB                                      |                          |                       |               |              | Red with green band; nun.                    |  |
| 3440   | - Channel Buoy 6   |                          |                       |               |              | Red nun.                                     |  |
| 3445   | - Channel Buoy 7   |                          |                       |               |              | Green can.                                   |  |
| 3450   | - Channel Buoy 8   |                          |                       |               |              | Red nun.                                     |  |
| 3455   | - Channel Buoy 10  |                          |                       |               |              | Red nun.                                     |  |
| 3460   | - Channel Buoy 12  |                          |                       |               |              | Red nun.                                     |  |
| 3465   | - Channel Buoy 13  |                          |                       |               |              | Green can.                                   |  |
| 3470   | - Channel Buoy 14  |                          |                       |               |              | Red nun.                                     |  |
|  | <b>Eagle Point</b>   |                          |                       |               |              |  |  |
| 3490   | - <i>Lighted Buoy 44A</i>  |                          | <b>Q R</b>            |               | 4            | Red.   | Replaced by smaller LIB of<br>reduced intensity from Jan. 1<br>to Feb. 28.   |
| 3495   | - RANGE FRONT LIGHT  | 39 52 59 N<br>75 12 01 W | <b>Iso G</b> 2s       | 28            |              | On skeleton tower.                           | Visible on range line only.<br>Lighted throughout 24 hours.                  |
| 3500   | - RANGE REAR LIGHT<br>290 yards, 274.3°<br>from front light.           |                          | <b>F G</b>            | 76            |              | On white pyramidal tower.                    | Visible on range line only.<br>Lighted throughout 24 hours.                  |
| 3505   | - Buoy 46  |                          |                       |               |              | Red nun.                                     |  |
| 3507   | CEPOC Buoy A   |                          |                       |               |              | Yellow sphere.                               | Private aid.   |
| 3510   | <i>Horseshoe Lower Lighted<br/>Buoy 35</i>                             |                          | <b>Q G</b>            |               | 3            | Green.                                       | Replaced by LIB of reduced<br>intensity when endangered<br>by ice.           |
| 3512   | CEPOC Buoy B   |                          |                       |               |              | Yellow sphere.                               | Private aid.   |
| 3515   | - <i>Lighted Buoy 46A</i>  |                          | <b>FI R</b> 2.5s      |               | 4            | Red.   | Replaced by nun when<br>endangered by ice.                                   |
|  | <b>Delaware River</b>  |                          |                       |               |              |  |  |
| 3520   | <i>Horseshoe Lighted<br/>Buoy 37</i><br>On southeast side of<br>shoal. |                          | <b>Q G</b>            |               | 4            | Green.                                       | Replaced by a smaller LIB at<br>reduced intensity when<br>endangered by ice. |
| 3525   | Howell Cove Buoy 48  |                          |                       |               |              | Red nun.                                     | Removed when endangered<br>by ice.   |
| 3527.1   | CEPOC Buoy C   |                          |                       |               |              | Yellow sphere.                               | Private aid.   |
| 3527.2   | CEPOC Buoy D   |                          |                       |               |              | Yellow sphere.                               | Private aid.   |
| 3527.3   | CEPOC Buoy E   |                          |                       |               |              | Yellow sphere.                               | Private aid.   |
| 3527.4   | CEPOC Buoy F   |                          |                       |               |              | Yellow sphere.                               | Private aid.   |
| 3530   | HORSESHOE RANGE<br>FRONT LIGHT   | 39 52 41 N<br>75 08 45 W | <b>Q R</b>            | 10            |              | KRW on skeleton tower.                       | Higher intensity on rangeline.   |

| (1)<br>No.   | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks  |
|--|--|--------------------------|-----------------------|---------------|--------------|--|---|
| <b>DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District</b> |  |                          |                       |               |              |  |   |
| 3535   | HORSESHOE RANGE<br>REAR LIGHT<br>616 yards, 206.2° from<br>front light.      |                          | <b>Oc R 4s</b>        | 25            |              | KRW on skeleton tower.   | Visible on range line only.   |
| 3540   | HORSESHOE BEND RANGE<br>FRONT LIGHT  | 39 53 13 N<br>75 08 04 W | <b>Q G</b>            | 20            |              | On multi-pile structure.   | Visible on rangeline only.<br>Lighted throughout 24 hours.                            |
| 3545   | HORSESHOE BEND RANGE<br>REAR LIGHT<br>348 yards, 061.2° from<br>front light. |                          | <b>Oc G 4s</b>        | 50            |              | On building.   | Visible on rangeline only.<br>Lighted throughout 24 hours.                            |
| 3546   | BIG TIMBER CREEK<br>LIGHT 1  | 39 53 13 N<br>75 08 04 W | <b>Q G</b>            | 20            | 3            | SG on multi-pile structure. On<br>same structure as Horseshoe<br>Bend Range Front Light. | Lighted throughout 24 hours.  |
| 3550   | Big Timber Creek Channel<br>Buoy 2   | 39 53 11 N<br>75 08 07 W |                       |               |              | Red nun.   |   |
| 3555   | Big Timber Creek Channel<br>Buoy 4   |                          |                       |               |              | Red nun.   |   |
| 3560   | Big Timber Creek Channel<br>Buoy 6   |                          |                       |               |              | Red nun.   |   |
| 3565   | <i>Horseshoe Lighted<br/>Buoy 39</i>   |                          | <b>FI G 2.5s</b>      |               | 4            | Green.   | Replaced by can when<br>endangered by ice.  |
| 3570   | SOUTH JERSEY DOCK<br>LIGHT A   | 39 54 30 N<br>75 07 30 W | <b>F Y</b>            | 10            |              | On pile.   | Private aid.  |
| 3575   | SOUTH JERSEY DOCK<br>LIGHT B   | 39 54 30 N<br>75 07 36 W | <b>F Y</b>            | 10            |              | On pile.   | Private aid.  |
| 3577   | <i>Pier 34 Wreck Lighted<br/>Buoy WR3</i>                                    |                          | <b>Q G</b>            |               |              | Green.   | Private aid.  |
| 3579   | PENNS LANDING BASIN<br>PIER LIGHT 2  | 39 56 31 N<br>75 08 24 W | <b>FI R 4s</b>        | 8             |              | On concrete pier.  | Private aid.  |
| 3580   | Petty Island Lower End<br>Buoy P<br>Marks west end of shoal.                 |                          |                       |               |              | Red with green band; nun.  |   |
| 3585   | BACK CHANNEL LIGHT 1   | 39 57 30 N<br>75 06 28 W | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.  |   |
| 3605   | <i>- Lighted Buoy 50</i>   |                          | <b>FI R 2.5s</b>      |               | 4            | Red.   | Replaced by nun when<br>endangered by ice.  |
| 3610   | Port Richmond Anchorage<br>Buoy A  |                          |                       |               |              | Yellow nun.  |   |
| 3615   | Port Richmond Anchorage<br>Buoy B  |                          |                       |               |              | Yellow nun.  |   |
| 3620   | <i>- Lighted Buoy 52<br/>50 feet outside channel<br/>limit.</i>              | 39 58 27 N<br>75 05 42 W | <b>FI R 2.5s</b>      |               | 4            | Red.   | Replaced by LIB of reduced<br>intensity when endangered<br>by ice.                    |
| 3625   | FISHER POINT RANGE<br>FRONT LIGHT  | 39 58 42 N<br>75 04 18 W | <b>Iso G 6s</b>       | 37            |              | KRW on multi-pile structure.   | Visible all around; higher<br>intensity on rangeline.<br>Lighted throughout 24 hours. |
| 3630   | FISHER POINT RANGE REAR<br>LIGHT<br>183 yards, 080.5° from<br>front light.   |                          | <b>F G</b>            | 47            |              | KRW on firewall of gasoline<br>storage tank.   | Visible on range line only.<br>Lighted throughout 24 hours.                           |
| 3635   | Fisher Point Jetty Buoy 2  |                          |                       |               |              | Red nun.   |   |
| 3640   | <i>- Buoy 54</i>   |                          |                       |               |              | Red nun.   |   |
| 3645   | <i>- Channel Lighted<br/>Buoy 55</i>   |                          | <b>Q G</b>            |               | 4            | Green.   | Replaced by can when<br>endangered by ice.  |

| (1)<br>No.   | (2)<br>Name and Location                                     | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks   |
|--|--|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District</b> |  |                          |                       |               |              |   |  |
| <b>PHILADELPHIA TO TRENTON (Chart 12314)</b>                         |  |                          |                       |               |              |   |  |
| <b>Upper Delaware River</b>  |  |                          |                       |               |              |   |  |
| 3650   | DELAIR RANGE FRONT LIGHT                                     | 40 00 30 N<br>73 03 17 W | <b>Iso G</b> 2s       | 25            |              | On skeleton tower on multi-pile structure.                      | Visible on range line only. Passing light visible all around. Lighted throughout 24 hours.   |
| 3655   | DELAIR RANGE REAR LIGHT<br>168 yards, 018° from front light. |                          | <b>Oc G</b> 4s        | 41            |              | On skeleton tower.  | Lighted throughout 24 hours. Visible on rangeline only.                                      |
| 3660   | - Channel Lighted Buoy 2                                     |                          | <b>FI R</b> 2.5s      |               | 4            | Red.  | Replaced by nun when endangered by ice.  |
| 3663   | - Channel Lighted Buoy 4                                     |                          | <b>FI R</b> 4s        |               | 3            | Red.  | Replaced by LIB of lower intensity from Dec. 15 to Mar. 15.                                  |
| 3665   | - Channel Buoy 5   |                          |                       |               |              | Green can.  |  |
| 3670   | - Channel Lighted Buoy 6                                     |                          | <b>FI R</b> 2.5s      |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 15 to Mar. 15.                                  |
| 3680   | - Channel Lighted Buoy 8                                     |                          | <b>Q R</b>            |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 15 to Mar. 15.                                  |
| 3685   | - Channel Buoy 9   |                          |                       |               |              | Green can.  |  |
| 3690   | - Channel Buoy 10  |                          |                       |               |              | Red nun.  |  |
| 3695   | - Channel Buoy 10A   |                          |                       |               |              | Red nun.  |  |
| 3700   | - Channel Buoy 11  |                          |                       |               |              | Green can.  |  |
| 3705   | FRANKFORD CHANNEL LOWER DIRECTIONAL LIGHT                    | 40 00 19 N<br>75 03 26 W | <b>F G</b>            | 30            | 14           | On multi-pile structure.  | Light oriented on bearing 241°, not on centerline of channel. Lighted throughout 24 hours.   |
| 3707   | FRANKFORD CHANNEL LOWER DIRECTIONAL PASSING LIGHT            |                          | <b>FI W</b> 4s        | 17            | 5            | On same structure as Frankford Channel Lower Directional Light. |  |
| 3710   | - Channel Lighted Buoy 12                                    |                          | <b>Q R</b>            |               | 4            | Red.  | Replaced by nun when endangered by ice.  |
| 3715   | FRANKFORD CHANNEL UPPER DIRECTIONAL LIGHT                    | 40 01 13 N<br>75 01 21 W | <b>F G</b>            | 30            |              | On tower on multi-pile structure.                               | Light oriented on bearing 061.2°, not on centerline of channel. Lighted throughout 24 hours. |
| 3717   | - PASSING LIGHT  |                          | <b>FI W</b> 4s        | 18            | 5            | On same structure as Frankford Channel Upper Directional Light. |  |
| 3720   | TACONY RANGE FRONT LIGHT                                     | 40 01 32 N<br>74 59 54 W | <b>Q W</b>            | 20            |              | KRW on white skeleton tower on small white house.               | Visible on range line only.  |
| 3725   | TACONY RANGE REAR LIGHT<br>230 yards, 070° from front light. |                          | <b>Iso W</b> 6s       | 40            |              | KRW on white skeleton tower on small white house.               | Visible on range line only.  |
| 3730   | - Channel Lighted Buoy 14                                    |                          | <b>FI R</b> 4s        |               | 4            | Red.  | Replaced by nun when endangered by ice.  |
| 3735   | - Channel Lighted Buoy 15                                    |                          | <b>Q G</b>            |               | 4            | Green.  | Replaced by can when endangered by ice.  |
| <b>Torresdale</b>  |  |                          |                       |               |              |   |  |
| 3740   | - LOWER RANGE FRONT LIGHT                                    | 40 01 07 N<br>75 00 49 W | <b>Q W</b>            | 20            |              | KRW on skeleton tower.  | Visible all around; higher intensity on rangeline.   |

| (1)<br>No.   | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic                          | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks   |
|--|--|--------------------------|--|---------------|--------------|--|--|
| <b>DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District</b> |  |                          |  |               |              |  |  |
| 3745   | - LOWER RANGE REAR LIGHT<br>569 yards, 222.28° from front light.         |                          | <b>Oc W</b> 4s                                 | 42            |              | KRW on white skeleton tower.                             | Visible on range line only.  |
| 3750   | - UPPER RANGE FRONT LIGHT  | 40 03 16 N<br>74 58 18 W | <b>FI R</b> 2.5s                               | 24            |              | On skeleton tower.                                       | Visible on range line only.<br>Lighted throughout 24 hours.                                    |
| 3755   | - UPPER RANGE REAR LIGHT<br>764 yards, 042.30° from front light.         |                          | <b>Oc R</b> 4s                                 | 50            |              | On skeleton tower.                                       | Visible on range line only.<br>Lighted throughout 24 hours.                                    |
| 3760   | - Daybeacon  | 40 03 10 N<br>74 58 31 W |  |               |              | NW on skeleton tower worded<br>DANGER SUBMERGED<br>ROCK. |  |
| <b>Upper Delaware River</b>  |  |                          |  |               |              |  |  |
| 3765   | MUD ISLAND LOWER RANGE FRONT LIGHT                                       | 40 01 57 N<br>75 00 04 W | <b>Q W</b> (Day)<br><b>Q R</b> (Night)         | 21<br>18      |              | On skeleton tower.                                       | DAY: Visible on range line only.<br>NIGHT: Visible all around; higher intensity on range line. |
| 3770   | MUD ISLAND LOWER RANGE REAR LIGHT<br>617 yards, 230.4° from front light. |                          | <b>Oc W</b> 4s (Day)<br><b>Oc R</b> 4s (Night) | 42<br>45      |              | On skeleton tower.                                       | DAY: Visible on range line only.<br>NIGHT: Visible all around; higher intensity on range line. |
| 3775   | - Channel Lighted Buoy 18  |                          | <b>FI R</b> 4s                                 |               | 4            | Red.   | Replaced by nun when endangered by ice.  |
| 3777   | Tri-county Water Intake Lighted Buoy N                                   | 40 02 01 N<br>74 59 40 W | <b>FI Y</b> 6s                                 |               |              | Yellow, worded KEEP AWAY - WATER SUPPLY INTAKE.          | Maintained from Apr.15 to Nov. 15.<br>Private aid.   |
| 3778   | Tri-county Water Intake Lighted Buoy S                                   |                          | <b>FI Y</b> 6s                                 |               |              | Yellow, worded KEEP AWAY- WATER SUPPLY INTAKE.           | Maintained from Apr. 15 to Nov. 15.<br>Private aid.  |
| <b>Dredge Harbor</b>   |  |                          |  |               |              |  |  |
| 3779   | -Lighted Buoy 8  | 40 01 59 N<br>74 59 04 W | <b>Q R</b>                                     |               |              |  | Red<br>Private Aid   |
| 3779.01  | -Lighted Buoy 9  |                          | <b>Q G</b>                                     |               |              |  | Green<br>Private aid   |
| 3779.02  | -Lighted Buoy 10   |                          | <b>FI R</b> 4s                                 |               |              |  | Red<br>Private aid   |
| 3779.03  | -Lighted Buoy 11   |                          | <b>FI G</b> 4s                                 |               |              | Green.   | Private aid  |
| <b>Upper Delaware River</b>  |  |                          |  |               |              |  |  |
| 3780   | - Channel Buoy 19  |                          |  |               |              | Green can.   |  |
| 3785   | Rancocas Creek Junction Lighted Buoy RC                                  |                          | <b>FI (2+1) R</b> 6s                           |               | 4            | Red and green bands.                                     | Replaced by nun when endangered by ice.  |
| 3790   | Rancocas Creek Buoy 2  |                          |  |               |              | Red nun.   |  |
| 3795   | MUD ISLAND UPPER RANGE FRONT LIGHT                                       | 40 03 52 N<br>74 56 50 W | <b>Oc W</b> 4s                                 | 25            |              | Skeleton tower.  | Day: Visible on rangeline only.<br>Night: Visible all around, higher intensity on rangeline.   |
| 3800   | MUD ISLAND UPPER RANGE REAR LIGHT<br>945 yards, 052.6° from front light. |                          | <b>F W</b>                                     | 52            |              | On small house on concrete base.                         | Day: Visible on rangeline only.<br>Night: Visible all around, higher intensity on rangeline.   |
| 3805   | - Channel Lighted Buoy 22  |                          | <b>FI R</b> 4s                                 |               | 4            | Red.   | Replaced by nun when endangered by ice.  |

| (1)<br>No.   | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                       | (8)<br>Remarks   |
|--|--|--------------------------|-----------------------|---------------|--------------|--|--|
| <b>DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District</b> |  |                          |                       |               |              |  |  |
| 3810   | - Channel Buoy 23  |                          |                       |               |              | Green can.   |  |
| 3813   | - Channel Buoy 25  |                          |                       |               |              | Green can.   |  |
| 3815   | - <i>Channel Lighted Buoy 26</i>   |                          | <b>Q R</b>            |               | 4            | Red.   | Replaced by nun when endangered by ice.  |
| 3820   | ENTERPRISE LOWER RANGE FRONT LIGHT                                       | 40 03 06 N<br>74 58 24 W | <b>Oc W 4s</b>        | 28            |              | KWR on skeleton tower.                                 | Visible on rangeline only. Lighted throughout 24 hours.  |
| 3825   | ENTERPRISE LOWER RANGE REAR LIGHT<br>1,050 yards, 241° from front light. |                          | <b>F W</b>            | 47            |              | KWR on skeleton tower.                                 | Visible on range line only. Lighted throughout 24 hours.   |
| 3830   | - <i>Channel Lighted Buoy 28</i>   |                          | <b>FI R 4s</b>        |               | 4            | Red.   | Replaced by nun when endangered by ice.  |
| 3835   | - Channel Buoy 29  |                          |                       |               |              | Green can.   |  |
| 3840   | ENTERPRISE UPPER RANGE FRONT LIGHT                                       | 40 04 29 N<br>74 55 04 W | <b>Q W</b>            | 28            |              | KRW on skeleton tower.                                 | Visible all around with higher intensity on rangeline. Lighted throughout 24 hours.  |
| 3845   | ENTERPRISE UPPER RANGE REAR LIGHT<br>235 yards, 061° from front light.   |                          | <b>F W</b>            | 43            |              | KRW on skeleton tower.                                 | Visible all around with higher intensity on rangeline. Lighted throughout 24 hours.  |
| 3855   | - Channel Buoy 31  |                          |                       |               |              | Green can.   |  |
| 3860   | - <i>Channel Lighted Buoy 30</i>   |                          | <b>Q R</b>            |               | 4            | Red.   | Replaced by nun when endangered by ice.  |
| 3865   | BEVERLY LOWER RANGE FRONT LIGHT  | 40 04 15 N<br>74 56 05 W | <b>Oc G 4s</b>        | 34            |              | On skeleton tower.                                     | Visible on range line only. DAY: Visible on range line only. NIGHT: Visible all around with higher intensity on range line. Lighted throughout 24 hours. |
| 3870   | BEVERLY LOWER RANGE REAR LIGHT<br>160 yards, 271° from front light.      |                          | <b>F G</b>            | 43            |              | On skeleton tower.                                     | Visible on range line only. DAY: Visible on range line only. NIGHT: Visible all around with higher intensity on range line. Lighted throughout 24 hours. |
| 3875   | - <i>Channel Lighted Buoy 33</i>   |                          | <b>Q G</b>            |               | 3            | Green.   | Replaced by can when endangered by ice.  |
| 3880   | BEVERLY UPPER RANGE FRONT LIGHT  | 40 04 13 N<br>74 54 08 W | <b>Q W</b>            | 25            |              | KRW on skeleton tower.                                 | Visible all around; higher intensity on rangeline.   |
| 3885   | BEVERLY UPPER RANGE REAR LIGHT<br>156 yards, 089.4° from front light.    |                          | <b>Oc W 4s</b>        | 37            |              | KRW on skeleton tower.                                 | Visible all around; higher intensity on rangeline.   |
| 3890   | EDGEWATER UPPER RANGE FRONT LIGHT  | 40 04 54 N<br>74 52 26 W | <b>Q G</b>            | 29            |              | Skeleton tower on multi-pile structure.                | Visible on range line only. Passing light visible all around. Lighted throughout 24 hours.   |
| 3895   | EDGEWATER UPPER RANGE REAR LIGHT<br>344 yards, 069.81° from front light. |                          | <b>Oc G 4s</b>        | 49            |              | Skeleton tower on multi-pile structure.                | Visible on range line only. Lighted throughout 24 hours.   |
| 3897   | EDGEWATER UPPER RANGE REAR PASSING LIGHT                                 |                          | <b>Oc W 4s</b>        | 21            | 5            | On same structure as Edgewater Upper Range Rear Light. |  |
| 3900   | - Channel Buoy 34  |                          |                       |               |              | Red nun.   |  |
| 3905   | EDGEWATER LOWER RANGE FRONT LIGHT  | 40 04 08 N<br>74 55 08 W | <b>Q W</b>            | 21            |              | KRW on skeleton tower.                                 | Visible all around; higher intensity on rangeline. Lighted throughout 24 hours.  |

| (1)<br>No.   | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic                          | (5)<br>Height | (6)<br>Range | (7)<br>Structure         | (8)<br>Remarks   |
|--|--|--------------------------|--|---------------|--------------|--------------------------|--|
| <b>DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District</b> |  |                          |  |               |              |                          |  |
| 3910   | EDGEWATER LOWER RANGE<br>REAR LIGHT<br>228 yards, 247.61° from<br>front light. |                          | <b>F W</b>                                     | 35            |              | KRW on skeleton tower.   | Visible on range line only.<br>Lighted throughout 24 hours.  |
| 3915   | NESHAMINY MARINA JETTY<br>LIGHT N  | 40 04 24 N<br>74 54 23 W | <b>FI W 4s</b>                                 | 32            | 5            | NR on pile.              |  |
| 3920   | - Channel Lighted<br>Buoy 36   |                          | <b>FI R 4s</b>                                 |               | 4            | Red.                     | Replaced by nun when<br>endangered by ice.   |
| 3925   | - Channel Buoy 39  |                          |  |               |              | Green can.               |  |
| 3930   | - Channel Lighted<br>Buoy 40   |                          | <b>Q R</b>                                     |               | 4            | Red.                     | Replaced by nun when<br>endangered by ice.   |
| 3935   | DEVLIN LOWER RANGE<br>FRONT LIGHT  | 40 04 33 N<br>74 54 06 W | <b>Q R</b>                                     | 45            |              | KRG on skeleton tower.   | Visible all around; higher<br>intensity on range line.   |
| 3940   | DEVLIN LOWER RANGE<br>REAR LIGHT<br>267 yards, 258.2° from<br>front light.     |                          | <b>Oc R 4s</b>                                 | 60            |              | KRG on skeleton tower.   | Visible all around, higher<br>intensity on range line.   |
| 3945   | DEVLIN UPPER RANGE<br>FRONT LIGHT  | 40 05 01 N<br>74 51 11 W | <b>Q W</b>                                     | 31            |              | Skeleton tower.          | DAY: Visible on range line only.<br>NIGHT: Visible all around,<br>higher intensity on range<br>line.<br>Lighted throughout 24 hours. |
| 3950   | DEVLIN UPPER RANGE REAR<br>LIGHT<br>259 yards, 078.2° from<br>front light.     |                          | <b>Iso W 6s</b>                                | 35            |              | Skeleton tower.          | DAY: Visible on range line only.<br>NIGHT: Visible all around,<br>higher intensity on range<br>line.<br>Lighted throughout 24 hours. |
| 3955   | - Channel Lighted<br>Buoy 43   | 40 05 00 N<br>74 51 52 W | <b>Q G</b>                                     |               | 4            | Green.                   | Replaced by can when<br>endangered by ice.   |
| 3960   | - Channel Buoy 44  |                          |  |               |              | Red nun.                 |  |
| 3965   | LEHIGH LOWER RANGE<br>FRONT LIGHT  | 40 04 51 N<br>74 51 52 W | <b>Oc W 4s (Day)</b><br><b>Oc G 4s (Night)</b> | 45<br>43      |              | On skeleton tower.       | Visible all around; higher<br>intensity on range line.<br>Lighted throughout 24 hours.   |
| 3970   | LEHIGH LOWER RANGE<br>REAR LIGHT<br>44 yards, 208.6° from<br>front light.      |                          | <b>F W (Day)</b><br><b>F G (Night)</b>         | 49<br>47      |              | On skeleton tower.       | Visible all around; higher<br>intensity on range line.<br>Lighted throughout 24 hours.   |
| 3975   | LEHIGH UPPER RANGE<br>FRONT LIGHT  | 40 05 41 N<br>74 51 16 W | <b>Q G</b>                                     | 33            |              | On multi-pile structure. | Visible on rangeline only<br>Passing light visible all around.<br>Lighted throughout 24 hours.                                       |
| 3980   | LEHIGH UPPER RANGE REAR<br>LIGHT<br>77 yards, 028.5° from<br>front light.      |                          | <b>F G</b>                                     | 42            |              | On skeleton tower.       | Visible on range line only.<br>Lighted throughout 24 hours.  |
| 3985   | - Channel Lighted<br>Buoy 45   |                          | <b>FI G 2.5s</b>                               |               | 4            | Green.                   | Replaced by can when<br>endangered by ice.   |
| 3990   | - Channel Lighted<br>Buoy 48   |                          | <b>Q R</b>                                     |               | 4            | Red.                     | Replaced by nun when<br>endangered by ice.   |
| 3995   | BRISTOL RANGE FRONT<br>LIGHT   | 40 05 28 N<br>74 51 36 W | <b>Iso W 2s</b>                                | 30            |              | Skeleton tower.          | Visible on range line only.<br>Lighted throughout 24 hours.  |
| 4000   | BRISTOL RANGE REAR<br>LIGHT<br>101 yards, 241.2° from<br>front light.          |                          | <b>F R</b>                                     | 43            |              | Skeleton tower.          | Visible on range line only.<br>Lighted throughout 24 hours.  |
| 4005   | Yacht Anchorage<br>Buoy A  |                          |  |               |              | White can.               | Maintained from Apr. 1 to<br>Nov. 30.<br>Private aid.  |

| (1)<br>No.   | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks  |
|--|--|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District</b> |  |                          |                       |               |              |   |   |
| 4010   | - Channel Lighted Buoy 51  | 40 05 58 N<br>74 50 34 W | <b>Q G</b>            |               | 3            | Green.  | Replaced by can when endangered by ice.   |
| 4015   | - Channel Buoy 52  |                          |                       |               |              | Red nun.  |   |
| 4020   | KEYSTONE RANGE FRONT LIGHT   | 40 06 32 N<br>74 49 51 W | <b>Iso R 6s</b>       | 40            |              | On skeleton tower on small house.   | Visible on range line only. Lighted throughout 24 hours.                        |
| 4025   | KEYSTONE RANGE REAR LIGHT<br>66 yards, 039.1° from front light.        |                          | <b>F R</b>            | 49            |              | On skeleton tower on small house.   | Visible on range line only. Lighted throughout 24 hours.                        |
| 4030   | Yacht Anchorage Buoy B   |                          |                       |               |              | White can.  | Maintained from May 1 to Nov. 1. Private aid.                                   |
| 4035   | - Channel Lighted Buoy 53  | 40 06 19 N<br>74 50 12 W | <b>Q G</b>            |               | 3            | Green.  | Replaced by can when endangered by ice.   |
| 4040   | - Channel Buoy 54  |                          |                       |               |              | Red nun.  |   |
| 4045   | LANDRETH RANGE FRONT LIGHT   | 40 06 03 N<br>74 50 15 W | <b>Iso W 6s</b>       | 32            |              | KRW on skeleton tower on multi-pile structure.                                | Visible all around; higher intensity on rangeline.                              |
| 4050   | LANDRETH RANGE REAR LIGHT<br>362 yards, 196° from front light.         |                          | <b>F W</b>            | 47            |              | KRW on skeleton tower.  | Visible all around; higher intensity on range line.                             |
| 4055   | - Channel Buoy 55  | 40 06 35 N<br>74 50 04 W |                       |               |              | Green can.  |   |
| 4060   | - Channel Lighted Buoy 56  | 40 07 26 N<br>74 49 34 W | <b>Q R</b>            |               | 3            | Red.  | Replaced by nun when endangered by ice.   |
| 4065   | - Channel Buoy 57  |                          |                       |               |              | Green can.  |   |
| 4070   | - Channel Lighted Buoy 58  | 40 07 35 N<br>74 49 22 W | <b>FI R 2.5s</b>      |               | 4            | Red.  | Replaced by nun when endangered by ice.   |
| 4075   | - Channel Lighted Buoy 60  | 40 07 38 N<br>74 48 56 W | <b>Q R</b>            |               | 3            | Red.  | Replaced by smaller LIB of reduced intensity from Dec. 15 to Mar. 15.           |
| 4080   | FLORENCE LOWER RANGE FRONT LIGHT                                       | 40 07 46 N<br>74 49 14 W | <b>Q W</b>            | 27            |              | On skeleton tower.  | Visible all around; higher intensity on rangeline. Lighted throughout 24 hours. |
| 4085   | FLORENCE LOWER RANGE REAR LIGHT<br>252 yards, 291.3° from front light. |                          | <b>Iso W 6s</b>       | 45            |              | On skeleton tower.  | Visible on rangeline line only. Lighted throughout 24 hours.                    |
| 4090   | - Channel Lighted Buoy 63  |                          | <b>FI G 4s</b>        |               | 4            | Green.  | Replaced by can when endangered by ice.   |
| 4095   | - Channel Lighted Buoy 65  |                          | <b>Q G</b>            |               | 3            | Green.  | Replaced by smaller LIB of reduced intensity from Dec. 15 to Mar. 15.           |
| 4100   | FLORENCE UPPER RANGE FRONT LIGHT                                       | 40 07 08 N<br>74 47 07 W | <b>Q W</b>            | 25            |              | KRW on skeleton tower.  | Visible all around; higher intensity on rangeline. Lighted throughout 24 hours. |
| 4105   | FLORENCE UPPER RANGE REAR LIGHT<br>278 yards, 111.3° from front light. |                          | <b>Oc W 4s</b>        | 49            |              | KRW on skeleton tower.  | Visible on range line only. Lighted throughout 24 hours.                        |
| 4110   | KINKORA LOWER RANGE FRONT LIGHT  | 40 07 08 N<br>74 47 07 W | <b>Q W</b>            | 25            |              | KWR on skeleton tower. On same structure as Florence Upper Range Front Light. | Visible all around; higher intensity on rangeline. Lighted throughout 24 hours. |

| (1)<br>No.   | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                               | (8)<br>Remarks  |
|--|---|--------------------------|-----------------------|---------------|--------------|--|---|
| <b>DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District</b> |   |                          |                       |               |              |  |   |
| 4115   | KINKORA LOWER RANGE<br>REAR LIGHT<br>120 yards, 230.3° from<br>front light. |                          | <b>Oc W 4s</b>        | 37            |              | KRW on skeleton tower.                         | Visible all around; higher<br>intensity on rangeline.<br>Lighted throughout 24 hours. |
| 4120   | - Channel Buoy 66   |                          |                       |               |              | Red nun.                                       |   |
| 4125   | ROEBLING RANGE FRONT<br>LIGHT   | 40 07 18 N<br>74 46 42 W | <b>Oc R 4s</b>        | 35            |              | On skeleton tower.                             | Visible on range line only.<br>Lighted throughout 24 hours.                           |
| 4130   | ROEBLING RANGE REAR<br>LIGHT<br>41 yards, 079.8° from<br>front light.       |                          | <b>F R</b>            | 41            |              | On tower with small house on<br>concrete base. | Visible on range line only.<br>Lighted throughout 24 hours.                           |
| 4135   | - Channel Lighted<br>Buoy 69  |                          | <b>Q G</b>            |               | 3            | Green.   | Replaced by can when<br>endangered by ice.  |
| 4140   | - Buoy 70   |                          |                       |               |              | Red nun.                                       |   |
| 4145   | KINKORA UPPER RANGE<br>FRONT LIGHT  | 40 08 10 N<br>74 45 29 W | <b>Q G</b>            | 23            |              | KRW on skeleton tower.                         | Visible on range line only.   |
| 4150   | KINKORA UPPER RANGE<br>REAR LIGHT<br>120 yards, 050.3° from<br>front light. |                          | <b>Iso G 6s</b>       | 44            |              | KRW on skeleton tower.                         | Visible on range line only.   |
| 4155   | - Channel Lighted<br>Buoy 71  | 40 07 21 N<br>74 46 51 W | <b>Q G</b>            |               | 4            | Green.   | Replaced by smaller LIB of<br>reduced intensity from Dec.<br>15 to Mar. 15.           |
| 4160   | - Channel Lighted<br>Buoy 72  | 40 07 36 N<br>74 46 20 W | <b>FI R 4s</b>        |               | 3            | Red.   | Replaced by nun when<br>endangered by ice.  |
| 4165   | - Channel Buoy 75   |                          |                       |               |              | Green can.                                     |   |
| 4170   | - Channel Lighted<br>Buoy 76  |                          | <b>Q R</b>            |               | 4            | Red.   | Replaced by nun when<br>endangered by ice.  |
| 4175   | - Channel Lighted<br>Buoy 78  |                          | <b>FI R 2.5s</b>      |               | 4            | Red.   | Replaced by smaller LIB of<br>reduced intensity from Dec.<br>15 to Mar. 15.           |
| 4180   | - Channel Buoy 80   |                          |                       |               |              | Red nun.                                       |   |
| 4185   | NEWBOLD DIRECTIONAL<br>LIGHT  | 40 08 03 N<br>74 44 19 W | <b>Q W</b>            | 34            |              | NR on skeleton tower.                          | Visible on centerline of channel<br>(bearing 095.4°). Lighted<br>throughout 24 hours. |
| 4190   | - Channel Buoy 81   |                          |                       |               |              | Green can.                                     |   |
| 4195   | - Channel Buoy 82   |                          |                       |               |              | Red nun.                                       |   |
| 4200   | - Channel Buoy 83   |                          |                       |               |              | Green can.                                     |   |
| 4205   | WHITE HILL RANGE FRONT<br>LIGHT   | 40 07 54 N<br>74 44 48 W | <b>Q W</b>            | 20            |              | KRW on skeleton tower.                         | Visible all around, higher<br>intensity on rangeline.                                 |
| 4210   | WHITE HILL RANGE REAR<br>LIGHT<br>320 yards, 229° from<br>front light.      |                          | <b>Iso W 6s</b>       | 34            |              | KRW on tower.                                  | Visible all around, higher<br>intensity on rangeline.                                 |
| 4215   | - Channel Buoy 84   |                          |                       |               |              | Red nun.                                       |   |
| 4220   | - Channel Buoy 85   |                          |                       |               |              | Green can.                                     |   |
| 4225   | - Channel Buoy 87   |                          |                       |               |              | Green can.                                     |   |
| 4230   | Bordentown Bar Junction<br>Buoy B   | 40 08 48 N<br>74 43 24 W |                       |               |              | Red with green band; nun.                      |   |
| 4245   | - Channel Buoy 88   |                          |                       |               |              | Red nun.                                       |   |

| (1)<br>No.   | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks                                     |
|--|---|--------------------------|-----------------------|---------------|--------------|--|--|
| <b>DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District</b> |   |                          |                       |               |              |  |  |
| 4250   | - Channel Lighted Buoy 89   |                          | <b>FI G 4s</b>        |               | 4            | Green.   | Replaced by smaller LIB from Dec. 15 to Mar. 15.   |
| 4255   | BORDENTOWN RANGE FRONT LIGHT                                      | 40 09 56 N<br>74 43 20 W | <b>Q G</b>            | 23            |              | KRW on skeleton tower with small house on concrete base. | Visible on range line only.                        |
| 4260   | BORDENTOWN RANGE REAR LIGHT<br>260 yards, 359° from front light.  |                          | <b>Iso G 6s</b>       | 43            |              | KRW on skeleton tower with small house on concrete base. | Visible on range line only.                        |
| 4265   | - Channel Buoy 90   |                          |                       |               |              | Red nun.   |  |
| 4270   | - Channel Lighted Buoy 91   |                          | <b>FI G 4s</b>        |               | 3            | Green.   | Replaced by LIB from Dec. 15 to Mar. 15.           |
| 4275   | - Channel Buoy 92   |                          |                       |               |              | Red nun.   |  |
| 4280   | DUCK ISLAND RANGE FRONT LIGHT                                     | 40 10 56 N<br>74 44 30 W | <b>Q W</b>            | 30            |              | KRW on skeleton tower.                                   | Visible all around; higher intensity on rangeline. |
| 4285   | DUCK ISLAND RANGE REAR LIGHT<br>325 yards, 324° from front light. |                          | <b>Iso W 6s</b>       | 45            |              | KRW on skeleton tower.                                   | Visible all around; higher intensity on rangeline. |
| 4290   | - Channel Buoy 94   |                          |                       |               |              | Red nun.   |  |
| 4295   | - Channel Buoy 95   |                          |                       |               |              | Green can.   |  |
| 4300   | - Channel Buoy 96   |                          |                       |               |              | Red nun.   |  |
| 4305   | - Channel Buoy 97   |                          |                       |               |              | Green can.   |  |
| 4310   | - Channel Buoy 98   |                          |                       |               |              | Red nun.   |  |
| 4315   | - Channel Buoy 99   |                          |                       |               |              | Green can.   |  |
| 4320   | - Channel Buoy 101  |                          |                       |               |              | Green can.   |  |
| 4325   | - Channel Buoy 102  |                          |                       |               |              | Red nun.   |  |
| 4330   | - Channel Buoy 103  |                          |                       |               |              | Green can.   |  |
| 4335   | - Channel Buoy 104  |                          |                       |               |              | Red nun.   |  |
| 4340   | - Channel Buoy 105  |                          |                       |               |              | Green can.   | Maintained from May 15 to Sep. 30.                 |
| 4345   | - Channel Buoy 106  |                          |                       |               |              | Red nun.   | Maintained from May 15 to Sep. 30.                 |
| 4346   | Upper Delaware River Pipeline Outfall Buoy                        |                          |                       |               |              | White with orange bands.                                 | Private aid.                                       |
| 4350   | - Channel Buoy 109  |                          |                       |               |              | Green can.   | Maintained Apr. 1 to Sep. 30.                      |
| 4355   | - Channel Buoy 111  |                          |                       |               |              | Green can.   | Maintained Apr. 1 to Sep. 30.                      |

# Section 4

## Cape Henlopen to Virginia Inside Passage

| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure        | (8)<br>Remarks                       |
|---|--------------------------|--------------------------|-----------------------|---------------|--------------|-------------------------|--------------------------------------|
| <b>DELAWARE - Fifth District</b>                                      |                          |                          |                       |               |              |                         |                                      |
| <b>CAPE HENLOPEN TO INDIAN RIVER INLET (Chart 12216)</b>              |                          |                          |                       |               |              |                         |                                      |
| <b>Indian River Inlet</b>   |                          |                          |                       |               |              |                         |                                      |
| <i>Position of buoys frequently shifted with changing conditions.</i> |                          |                          |                       |               |              |                         |                                      |
| 4360<br>195   | - Lighted Gong Buoy 1    | 38 36 33 N<br>75 02 46 W | <b>FI G</b> 2.5s      |               |              | 4 Green.                |                                      |
| 4365  | - Lighted Buoy 2         | 38 36 33 N<br>75 03 22 W | <b>FI R</b> 4s        |               |              | 4 Red.                  |                                      |
| 4375  | - SOUTH JETTY LIGHT      | 38 36 28 N<br>75 03 33 W | <b>FI G</b> 4s        | 30            |              | 5 SG on skeleton tower. |                                      |
| 4380  | - Buoy 4                 |                          |                       |               |              | Red nun.                |                                      |
| 4385  | - Buoy 5                 |                          |                       |               |              | Green can.              |                                      |
| 4390  | - Buoy 7                 |                          |                       |               |              | Green can.              |                                      |
| 4395  | - Buoy 9                 |                          |                       |               |              | Green can.              |                                      |
| 4400  | - Buoy 11                |                          |                       |               |              | Green can.              |                                      |
| 4405  | - Buoy 12                |                          |                       |               |              | Red nun.                |                                      |
| 4410  | - Buoy 14                |                          |                       |               |              | Red nun.                |                                      |
| 4415  | - Buoy 15                |                          |                       |               |              | Green can.              |                                      |
| 4415.1  | - Buoy 15A               |                          |                       |               |              | Green can.              |                                      |
| 4417  | - Buoy 16                |                          |                       |               |              | Red nun.                |                                      |
| 4420  | - Buoy 17                |                          |                       |               |              | Green can.              |                                      |
| 4420.1  | - Daybeacon 17A          |                          |                       |               |              | SG on pile.             |                                      |
| 4423  | - Buoy 18                |                          |                       |               |              | Red nun.                |                                      |
| 4425  | - Buoy 19                |                          |                       |               |              | Green can.              |                                      |
| 4430  | - JUNCTION LIGHT IR      |                          | <b>FI R (2+1)</b> 6s  | 15            |              | 3 JR on pile.           |                                      |
| 4433  | - Buoy 18                |                          |                       |               |              | Red nun.                | Maintained from<br>May 1 to Nov. 15. |
| 4435  | - Buoy 19                |                          |                       |               |              | Green can.              |                                      |
| <b>Pepper Creek</b>   |                          |                          |                       |               |              |                         |                                      |
| 4440  | - Buoy 1                 | 38 34 48 N<br>75 10 30 W |                       |               |              | Green can.              | Removed when endangered<br>by ice.   |
| 4445  | - Daybeacon 2            |                          |                       |               |              | TR on pile.             |                                      |
| 4450  | - Buoy 4                 |                          |                       |               |              | Red nun.                | Removed when endangered<br>by ice.   |
| 4455  | - Buoy 5                 |                          |                       |               |              | Green can.              | Removed when endangered<br>by ice.   |
| 4460  | - Daybeacon 7            |                          |                       |               |              | SG on pile.             |                                      |

| (1)<br>No.                                     | (2)<br>Name and Location                    | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks  |
|--|---|--------------------------|-----------------------|---------------|--------------|------------------|---|
| <b>DELAWARE - Fifth District</b>               |   |                          |                       |               |              |                  |   |
| 4465   | - Daybeacon 8                               |                          |                       |               |              | TR on pile.      |   |
| 4470   | - Lighted Buoy WR10                         |                          | <b>F I R 2.5s</b>     |               | 3            | Red.             | Marks sunken daybeacon.<br>Replaced with unlighted<br>buoy when endangered by<br>ice. |
| 4475   | - Daybeacon 12                              |                          |                       |               |              | TR on pile.      |   |
| 4480   | - Daybeacon 13                              |                          |                       |               |              | SG on pile.      |   |
| 4485   | - Daybeacon 14                              |                          |                       |               |              | TR on pile.      |   |
| <b>Indian River Channel</b>                    |   |                          |                       |               |              |                  |   |
| <i>Buoys maintained from May 1 to Nov. 15.</i> |   |                          |                       |               |              |                  |   |
| 4490   | - Buoy 20                                   | 38 36 24 N<br>75 06 40 W |                       |               |              | Red nun.         |   |
| 4495   | - Buoy 22                                   |                          |                       |               |              | Red nun.         |   |
| 4500   | - Buoy 24                                   | 38 35 51 N<br>75 08 29 W |                       |               |              | Red nun.         |   |
| 4505   | - Buoy 26                                   | 38 35 45 N<br>75 09 27 W |                       |               |              | Red nun.         |   |
| 4510   | - Buoy 28                                   |                          |                       |               |              | Red nun.         |   |
| 4515   | - Buoy 30<br>Marks channel to<br>Millsboro. | 38 35 23 N<br>75 11 39 W |                       |               |              | Red nun.         |   |
| 4520   | - Buoy 31                                   |                          |                       |               |              | Green can.       | Removed when endangered<br>by ice.  |
| 4525   | - Buoy 32                                   | 38 35 32 N<br>75 12 32 W |                       |               |              | Red nun.         |   |
| 4530   | - Buoy 34                                   | 38 35 26 N<br>75 12 44 W |                       |               |              | Red nun.         |   |
| 4535   | - Daybeacon 36                              |                          |                       |               |              | TR on pile.      |   |
| 4540   | - Buoy 38                                   |                          |                       |               |              | Red nun.         |   |
| 4545   | - Buoy 40                                   |                          |                       |               |              | Red nun.         |   |
| 4547   | - Daybeacon 41                              |                          |                       |               |              | SG on pile.      | Private aid.  |
| 4550   | - Buoy 42                                   |                          |                       |               |              | Red nun.         |   |
| 4551.01  | - Daybeacon 43                              | 38 35 30 N<br>75 14 23 W |                       |               |              | SG on pile.      | Private aid.  |
| 4551.02  | - Daybeacon 44                              |                          |                       |               |              | TR on pile.      | Private aid.  |
| 4551.03  | - Daybeacon 45                              |                          |                       |               |              | SG on pile.      | Private aid.  |
| 4551.04  | - Daybeacon 46                              |                          |                       |               |              | TR on pile.      | Private aid.  |
| 4551.05  | - Daybeacon 47                              |                          |                       |               |              | SG on pile.      | Private aid.  |
| 4551.06  | - Daybeacon 48                              |                          |                       |               |              | TR on pile.      | Private aid.  |
| 4551.07  | - Daybeacon 49                              |                          |                       |               |              | SG on pile.      | Private aid.  |
| 4551.08  | - Daybeacon 50                              |                          |                       |               |              | TR on pile.      | Private aid.  |
| 4551.09  | - Daybeacon 51                              |                          |                       |               |              | SG on pile.      | Private aid.  |
| 4551.1   | - Daybeacon 52                              |                          |                       |               |              | TR on pile.      | Private aid.  |

| (1)<br>No.   | (2)<br>Name and Location                     | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure             | (8)<br>Remarks                     |
|--|--|--------------------------|-----------------------|---------------|--------------|------------------------------|------------------------------------|
| <b>DELAWARE - Fifth District</b>   |  |                          |                       |               |              |                              |                                    |
| 4551.11  | - Daybeacon 53                               |                          |                       |               |              | SG on pile.                  | Private aid.                       |
| 4551.12  | - Daybeacon 54                               |                          |                       |               |              | TR on pile.                  | Private aid.                       |
| 4551.13  | - Daybeacon 55                               |                          |                       |               |              | SG on pile.                  | Private aid.                       |
| 4551.14  | - Daybeacon 56                               |                          |                       |               |              | TR on pile.                  | Private aid.                       |
| 4551.15  | - Daybeacon 57                               |                          |                       |               |              | SG on pile.                  | Private aid.                       |
| 4551.16  | - Daybeacon 58                               |                          |                       |               |              | TR on pile.                  | Private aid.                       |
| 4551.17  | - Daybeacon 59                               |                          |                       |               |              | SG on pile.                  | Private aid.                       |
| 4551.18  | - Daybeacon 60                               |                          |                       |               |              | TR on pile.                  | Private aid.                       |
| 4551.19  | - Daybeacon 61                               |                          |                       |               |              | SG on pile.                  | Private aid.                       |
| 4551.21  | - Daybeacon 62                               |                          |                       |               |              | TR on pile.                  | Private aid.                       |
| 4551.22  | - Daybeacon 63                               |                          |                       |               |              | SG on pile.                  | Private aid.                       |
| 4551.23  | - Daybeacon 64                               |                          |                       |               |              | TR on pile.                  | Private aid.                       |
| 4551.24  | - Daybeacon 65                               |                          |                       |               |              | SG on pile.                  | Private aid.                       |
| 4551.25  | - Daybeacon 66                               |                          |                       |               |              | TR on pile.                  | Private aid.                       |
| 4551.26  | - Daybeacon 67                               |                          |                       |               |              | SG on pile.                  | Private aid.                       |
| 4551.27  | - Daybeacon 68                               |                          |                       |               |              | TR on pile.                  | Private aid.                       |
| 4551.28  | - Daybeacon 68A                              |                          |                       |               |              | TR on pile.                  | Private aid.                       |
| 4551.29  | - Daybeacon 69                               |                          |                       |               |              | SG on pile.                  | Private aid.                       |
| 4551.31  | - Daybeacon 70                               |                          |                       |               |              | TR on pile.                  | Private aid.                       |
| 4555   | - Warning Daybeacon                          |                          |                       |               |              | NW on pile.                  |                                    |
| 4560   | - Buoy 45                                    | 38 35 24 N<br>75 14 24 W |                       |               |              | Green can.                   |                                    |
| 4565   | - Buoy 47                                    |                          |                       |               |              | Green can.                   |                                    |
| 4570   | - Buoy 48                                    |                          |                       |               |              | Red nun.                     |                                    |
| 4575   | - Buoy 49                                    | 38 35 12 N<br>75 15 12 W |                       |               |              | Green can.                   |                                    |
| 4580   | - Buoy 50                                    |                          |                       |               |              | Red nun.                     |                                    |
| 4595   | - Daybeacon 55                               |                          |                       |               |              | SG on pile.                  |                                    |
| 4630   | Indian River Bay Shellfish<br>Exclusion Buoy | 38 36 24 N<br>75 08 36 W |                       |               |              | White with orange band; nun. | Private aid.                       |
| 4635   | Indian River Bay Shellfish<br>Exclusion Buoy | 38 36 06 N<br>75 08 30 W |                       |               |              | White with orange band; nun. | Private aid.                       |
| 4640   | Indian River Bay Shellfish<br>Exclusion Buoy | 38 35 42 N<br>75 08 12 W |                       |               |              | White with orange band; nun. | Private aid.                       |
| <b>White Creek</b>   |  |                          |                       |               |              |                              |                                    |
| <i>Positions of buoys frequently shifted with changing conditions.<br/>Buoys maintained from May 1 to Nov. 15.</i> |  |                          |                       |               |              |                              |                                    |
| 4645   | - Approach Buoy 1                            |                          |                       |               |              | Green can.                   | Removed when endangered<br>by ice. |
| 4650   | - Approach Buoy 3                            |                          |                       |               |              | Green can.                   | Removed when endangered<br>by ice. |

| (1)<br>No. | (2)<br>Name and Location | (3)<br>Position | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks |
|------------|--------------------------|-----------------|-----------------------|---------------|--------------|------------------|----------------|
|------------|--------------------------|-----------------|-----------------------|---------------|--------------|------------------|----------------|

**DELAWARE - Fifth District**

|                   |  |                          |  |  |  |             |                                 |
|-------------------|--|--------------------------|--|--|--|-------------|---------------------------------|
| 4655              | - Approach Buoy 5                        |                          |  |  |  | Green can.  |                                 |
| 4660              | - Approach Buoy 6                        |                          |  |  |  | Red nun.    | Removed when endangered by ice. |
| 4665              | - Daybeacon 7                            |                          |  |  |  | SG on pile. |                                 |
| 4670              | - Daybeacon 9                            |                          |  |  |  | SG on pile. |                                 |
| 4675              | - Daybeacon 9A                           |                          |  |  |  | SG on pile. |                                 |
| 4680              | - Daybeacon 11                           |                          |  |  |  | SG on pile. |                                 |
| <b>Beach Cove</b> |  |                          |  |  |  |             |                                 |
| 4685              | - Entrance Channel<br>Daybeacon 1        | 38 35 18 N<br>75 04 00 W |  |  |  | SG on pile. | Private aid.                    |
| 4690              | - Entrance Channel<br>Daybeacon 2        |                          |  |  |  | TR on pile. | Private aid.                    |
| 4695              | - Entrance Channel<br>Daybeacon 3        |                          |  |  |  | SG on pile. | Private aid.                    |
| 4700              | - Entrance Channel<br>Daybeacon 4        |                          |  |  |  | TR on pile. | Private aid.                    |
| 4705              | - North Channel Junction<br>Daybeacon BC |                          |  |  |  | JR on pile. | Private aid.                    |
| 4710              | - South Channel<br>Daybeacon 5           |                          |  |  |  | SG on pile. | Private aid.                    |
| 4712              | - South Channel<br>Daybeacon 6           |                          |  |  |  | TR on pile. | Private aid.                    |
| 4715              | - North Channel<br>Daybeacon 7           |                          |  |  |  | SG on pile. | Private aid.                    |
| 4716              | - South Channel<br>Daybeacon 8           |                          |  |  |  | TR on pile. | Private aid.                    |

**MARYLAND - Fifth District**

**FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211)**

**Ocean City Inlet**

|             |                              |                          |                  |    |   |                             |                               |
|-------------|------------------------------|--------------------------|------------------|----|---|-----------------------------|-------------------------------|
| 4720<br>225 | - JETTY LIGHT                | 38 19 27 N<br>75 05 06 W | <b>Iso W</b> 6s  | 28 | 8 | NB on skeleton tower.       | HORN: 1 blast ev 15s (2s bl). |
| 4730<br>240 | - Lighted Bell Buoy 2        | 38 19 26 N<br>75 03 41 W | <b>FI R</b> 4s   |    | 4 | Red.                        |                               |
| 4735        | - Entrance Lighted<br>Buoy 4 | 38 19 24 N<br>75 04 36 W | <b>FI R</b> 4s   |    | 3 | Red.                        |                               |
| 4740        | - Entrance Lighted<br>Buoy 5 | 38 19 22 N<br>75 05 02 W | <b>FI G</b> 4s   |    | 4 | Green.                      |                               |
| 4745        | - Lighted Buoy 8             |                          | <b>FI R</b> 2.5s |    | 3 | Red.                        |                               |
| 4750        | - Lighted Buoy 10            |                          | <b>FI R</b> 4s   |    | 3 | Red.                        |                               |
| 4755        | - Lighted Buoy 11            | 38 19 37 N<br>75 05 45 W | <b>FI G</b> 2.5s |    | 4 | Green.                      |                               |
| 4760        | - LIGHT 12                   |                          | <b>FI R</b> 2.5s | 15 | 3 | TR on multi-pile structure. |                               |

| (1)<br>No.                       | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks                                  |
|----------------------------------|----------------------------|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>MARYLAND - Fifth District</b> |                            |                          |                       |               |              |   |   |
| <b>Isle of Wight Bay</b>         |                            |                          |                       |               |              |   |   |
| 4765                             | - Warning Buoy A           |                          |                       |               |              | White can with orange bands and orange diamond worded DANGER SUBMERGED ROCKS. |   |
| 4770                             | - Warning Buoy B           |                          |                       |               |              | White can with orange bands and orange diamond worded DANGER SUBMERGED ROCKS. |   |
| 4775                             | - Junction Lighted Buoy OC | 38 19 36 N<br>75 05 36 W | <b>FI R (2+1) 6s</b>  |               |              | 3 Red and green bands.  |   |
| 4780                             | - Daybeacon 1              |                          |                       |               |              | SG on pile.   |   |
| 4785                             | - Warning Buoy C           |                          |                       |               |              | White can with orange bands worded DANGER OBSTRUCTION.                        |   |
| 4790                             | - LIGHT 3                  | 38 20 23 N<br>75 05 14 W | <b>FI G 2.5s</b>      | 15            |              | 3 SG on multi-pile structure.   |   |
| 4795                             | - Daybeacon 4              | 38 20 26 N<br>75 05 13 W |                       |               |              | TR on pile.   |   |
| 4830                             | - Daybeacon 5              | 38 20 40 N<br>75 05 28 W |                       |               |              | SG on pile.   |   |
| 4835                             | - LIGHT 6                  | 38 21 00 N<br>75 05 29 W | <b>FI R 4s</b>        | 15            |              | 3 TR on multi-pile structure.   | Light equipment removed when endangered by ice. |
| 4840                             | - Daybeacon 7              | 38 21 03 N<br>75 05 31 W |                       |               |              | SG on pile.   |   |
| 4845                             | - Daybeacon 7A             | 38 21 15 N<br>75 05 24 W |                       |               |              | SG on pile.   |   |
| 4850                             | - Daybeacon 8              | 38 21 16 N<br>75 05 21 W |                       |               |              | TR on pile.   |   |
| 4855                             | - LIGHT 9                  | 38 21 31 N<br>75 05 18 W | <b>FI G 4s</b>        | 15            |              | 4 SG on multi-pile structure.   | Light equipment removed when endangered by ice. |
| 4857                             | - Buoy 9A                  |                          |                       |               |              | Green can.  |   |
| 4860                             | - LIGHT 11                 | 38 21 46 N<br>75 05 16 W | <b>Q G</b>            | 15            |              | 3 SG on pile.   |   |
| 4861                             | - Buoy 11A.                |                          |                       |               |              | Green can.  |   |
| 4862                             | - Daybeacon 11             |                          |                       |               |              | SG on pile.   |   |
| 4865                             | - Warning Daybeacon D      | 38 21 54 N<br>75 05 20 W |                       |               |              | NW on pile.   |   |
| 4866                             | - Buoy 12                  |                          |                       |               |              | Red nun.  |   |
| 4870                             | - LIGHT 13                 | 38 22 02 N<br>75 05 25 W | <b>FI G 2.5s</b>      | 15            |              | 3 SG on pile.   | Light equipment removed when endangered by ice. |
| 4871                             | - LIGHT 14                 |                          | <b>FI R 4s</b>        | 15            |              | 3 TR on pile.   |   |
| 4873                             | - LIGHT 14                 |                          | <b>FI R 4s</b>        | 15            |              | 3 TR on pile.   |   |
| <b>Thorofare Channel</b>         |                            |                          |                       |               |              |   |   |
| 4875                             | - Buoy 3                   | 38 20 54 N<br>75 05 36 W |                       |               |              | Green can.  | Private aid.                                    |
| 4880                             | - Buoy 4                   | 38 21 12 N<br>75 05 48 W |                       |               |              | Red nun.  | Private aid.                                    |

| (1)<br>No.                       | (2)<br>Name and Location           | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure       | (8)<br>Remarks   |
|----------------------------------|------------------------------------|--------------------------|-----------------------|---------------|--------------|------------------------|--|
| <b>MARYLAND - Fifth District</b> |                                    |                          |                       |               |              |                        |  |
| 4885                             | - Buoy 5                           | 38 21 18 N<br>75 05 54 W |                       |               |              | Green can.             |  |
| 4890                             | - Buoy 6                           | 38 21 24 N<br>75 06 06 W |                       |               |              | Red nun.               | Private aid.   |
| 4895                             | - Buoy 8                           | 38 21 18 N<br>75 06 12 W |                       |               |              | Red nun.               | Private aid.   |
| 4900                             | - Buoy 10                          | 38 21 18 N<br>75 06 24 W |                       |               |              | Red nun.               | Private aid.   |
| 4905                             | - Buoy 12                          | 38 21 24 N<br>75 06 24 W |                       |               |              | Red nun.               | Private aid.   |
| 4910                             | - Buoy 14                          | 38 21 48 N<br>75 06 42 W |                       |               |              | Red nun.               | Private aid.   |
| 4915                             | - Buoy 15                          | 38 22 06 N<br>75 06 54 W |                       |               |              | Green can.             | Private aid.   |
| 4920                             | - Buoy 16                          | 38 22 06 N<br>75 06 48 W |                       |               |              | Red nun.               | Private aid.   |
| <b>Isle of Wight Bay</b>         |                                    |                          |                       |               |              |                        |  |
| 4925                             | OCEAN PINES YACHT CLUB<br>LIGHT 2  |                          | <b>FI R</b> 2.5s      | 6             |              | On pile.               | Light equipment removed from<br>Nov. 1 to Mar 31.<br>Private aid.  |
| 4930                             | OCEAN PINES YACHT CLUB<br>LIGHT 3  |                          | <b>FI G</b> 2.5s      | 6             |              | On pile.               | Light equipment removed from<br>Nov. 1 to Mar. 31.<br>Private aid. |
| 4935                             | OCEAN PINES YACHT CLUB<br>LIGHT 4  |                          | <b>FI R</b> 2.5s      | 6             |              | On pile.               | Light equipment removed from<br>Nov. 1 to Mar. 31.<br>Private aid. |
| 4940                             | OCEAN PINES OUTFALL<br>LIGHT A     |                          | <b>FI Y</b> 2.5s      | 15            |              | NY on pile on outfall. | Private aid.   |
| 4945                             | Ocean Pines Outfall<br>Daybeacon B |                          |                       |               |              | NY on pile on outfall. | Private aid.   |
| 4946                             | -Channel Buoy 1                    | 38 24 28 N<br>75 04 25 W |                       |               |              | Green can.             | Private aid.   |
| 4946.01                          | -Channel Buoy 2                    |                          |                       |               |              | Red nun.               | Private aid.   |
| 4946.02                          | -Channel Buoy 3                    |                          |                       |               |              | Green can.             | Private aid.   |
| 4946.03                          | -Channel Buoy 4                    |                          |                       |               |              | Red nun.               | Private aid.   |
| 4946.04                          | -Channel Buoy 5                    |                          |                       |               |              | Green can.             | Private aid.   |
| 4946.05                          | -Channel Buoy 6                    |                          |                       |               |              | Red nun.               | Private aid.   |
| 4946.06                          | -Channel Buoy 7                    |                          |                       |               |              | Green can.             | Private aid.   |
| 4946.07                          | -Channel Buoy 8                    |                          |                       |               |              | Red nun.               | Private aid.   |
| 4946.08                          | - Channel Buoy 9                   |                          |                       |               |              | Green can.             | Private aid.   |
| 4946.09                          | - Channel Buoy 10                  |                          |                       |               |              | Red nun.               | Private aid.   |
| <b>White Horse Park Marina</b>   |                                    |                          |                       |               |              |                        |  |
| 4947.1                           | - Entrance Buoy 1                  | 38 24 23 N<br>75 09 25 W |                       |               |              | Green can.             | Maintained from Apr. 15 to<br>Nov. 1.<br>Private aid.              |
| 4947.2                           | - Buoy 2                           |                          |                       |               |              | Red nun.               | Maintained from Apr. 15 to<br>Nov. 1.<br>Private aid               |

| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks                                      |
|---|--------------------------|--------------------------|-----------------------|---------------|--------------|------------------|---|
| <b>MARYLAND - Fifth District</b>                          |                          |                          |                       |               |              |                  |   |
| 4947.3  | - Buoy 3                 |                          |                       |               |              | Green can.       | Maintained from Apr. 15 to Nov. 1.<br>Private aid.  |
| 4947.4  | - Buoy 4                 |                          |                       |               |              | Red nun.         | Maintained from Apr. 15 to Nov. 1.<br>Private aid.  |
| <b>Assawoman Bay</b>                                      |                          |                          |                       |               |              |                  |   |
| 4948  | - Buoy 2                 | 38 23 29 N<br>75 05 29 W |                       |               |              | Red nun.         | Private aid.  |
| 4948.1  | - Buoy 3                 |                          |                       |               |              | Green can.       | Private aid.  |
| 4948.2  | - Buoy 4                 |                          |                       |               |              | Red nun.         | Private aid.  |
| 4948.3  | - Buoy 5                 |                          |                       |               |              | Green can.       | Private aid.  |
| 4948.4  | - Buoy 6                 |                          |                       |               |              | Red nun.         | Private aid.  |
| <b>Fenwick Ditch Channel</b>                              |                          |                          |                       |               |              |                  |   |
| 4949.1  | - Buoy 1                 |                          |                       |               |              | Green can.       | Maintained from Apr. 15 to Oct. 15.<br>Private aid. |
| 4949.2  | - Buoy 2                 |                          |                       |               |              | Red nun.         | Maintained from Apr. 15 to Oct. 15.<br>Private aid. |
| 4949.3  | - Buoy 3                 |                          |                       |               |              | Green can.       | Maintained from Apr. 15 to Oct. 15.<br>Private aid. |
| 4949.4  | - Buoy 4                 |                          |                       |               |              | Red nun.         | Maintained from Apr. 15 to Oct. 15.<br>Private aid. |
| <b>Cape Windsor Channel</b>                               |                          |                          |                       |               |              |                  |   |
| 4950  | - Daybeacon 2CW          | 38 27 00 N<br>75 04 17 W |                       |               |              | TR on pile.      | Private aid.  |
| 4955  | - Daybeacon 3            | 38 27 04 N<br>75 04 18 W |                       |               |              | SG on pile.      | Private aid.  |
| 4960  | - Daybeacon 4            | 38 27 06 N<br>75 04 19 W |                       |               |              | TR on pile.      | Private aid.  |
| 4965  | - Daybeacon 5            | 38 27 06 N<br>75 04 16 W |                       |               |              | SG on pile.      | Private aid.  |
| 4970  | - Daybeacon 7            | 38 27 12 N<br>75 04 14 W |                       |               |              | SG on pile.      | Private aid.  |
| <b>DELAWARE - Fifth District</b>                          |                          |                          |                       |               |              |                  |   |
| <b>FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211)</b> |                          |                          |                       |               |              |                  |   |
| <b>Roy Creek</b>  |                          |                          |                       |               |              |                  |   |
| 4975  | - Daybeacon 1            | 38 27 42 N<br>75 05 30 W |                       |               |              | SG on pile.      | Private aid.  |
| 4980  | - Daybeacon 2            |                          |                       |               |              | TR on pile.      | Private aid.  |
| 4985  | - Daybeacon 3            |                          |                       |               |              | SG on pile.      | Private aid.  |
| 4990  | - Daybeacon 4            |                          |                       |               |              | TR on pile.      | Private aid.  |

| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                  |
|---|--------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>DELAWARE - Fifth District</b>                          |                          |                          |                       |               |              |                             |   |
| <b>Little Assawoman Bay</b>                               |                          |                          |                       |               |              |                             |   |
| 4991  | - Buoy 1                 | 38 27 24 N<br>75 03 48 W |                       |               |              | Green can.                  | Private aid.                                    |
| 4991.01   | - Buoy 1A                |                          |                       |               |              | Green can.                  | Private aid.                                    |
| 4991.1  | - Buoy 2                 |                          |                       |               |              | Red nun.                    | Private aid.                                    |
| 4991.2  | - Buoy 3                 |                          |                       |               |              | Green can.                  | Private aid.                                    |
| 4991.3  | - Buoy 4                 |                          |                       |               |              | Red nun.                    | Private aid.                                    |
| 4991.4  | - Buoy 5                 |                          |                       |               |              | Green can.                  | Private aid.                                    |
| 4991.41   | - Buoy 5A                |                          |                       |               |              | Green can.                  | Private aid.                                    |
| 4991.5  | - Buoy 6                 |                          |                       |               |              | Red nun.                    | Private aid.                                    |
| 4991.51   | - Buoy 6A                |                          |                       |               |              | Red nun.                    | Private aid.                                    |
| 4991.52   | - Buoy 6B                |                          |                       |               |              | Red nun.                    | Private aid.                                    |
| 4991.6  | - Buoy 7                 |                          |                       |               |              | Green can.                  | Private aid.                                    |
| 4991.61   | - Buoy 7A                |                          |                       |               |              | Green can.                  | Private aid.                                    |
| 4991.62   | - Buoy 7B                |                          |                       |               |              | Green can.                  | Private aid.                                    |
| 4991.7  | - Buoy 8                 | 38 29 30 N<br>75 03 42 W |                       |               |              | Red nun.                    | Private aid.                                    |
| 4991.71   | - Buoy 8A                |                          |                       |               |              | Red nun.                    | Private aid.                                    |
| 4991.9  | - Buoy 10                |                          |                       |               |              | Red nun.                    | Private aid.                                    |
| 4992.1  | - Buoy 12                |                          |                       |               |              | Red nun.                    | Private aid.                                    |
| 4992.3  | - Buoy 14                |                          |                       |               |              | Red nun.                    | Private aid.                                    |
| 4992.4  | - Buoy 15                |                          |                       |               |              | Green can.                  | Private aid.                                    |
| 4992.5  | - Buoy 17                |                          |                       |               |              | Green can.                  | Private aid.                                    |
| 4992.6  | - Buoy 18                |                          |                       |               |              | Red nun.                    | Private aid.                                    |
| <b>MARYLAND - Fifth District</b>                          |                          |                          |                       |               |              |                             |   |
| <b>FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211)</b> |                          |                          |                       |               |              |                             |   |
| <b>Sinepuxent Bay</b>                                     |                          |                          |                       |               |              |                             |   |
| 4995  | - Daybeacon 1            | 38 19 34 N<br>75 05 52 W |                       |               |              | SG on pile.                 |   |
| 4996  | - Daybeacon 1A           |                          |                       |               |              | SG on pile.                 |   |
| 5000  | - Daybeacon 2            | 38 19 29 N<br>75 05 57 W |                       |               |              | TR on pile.                 |   |
| 5005  | - Daybeacon 3            |                          |                       |               |              | SG on pile.                 |   |
| 5010  | - LIGHT 4                | 38 19 04 N<br>75 06 29 W | <b>F I R 4s</b>       | 15            | 3            | TR on pile.                 |   |
| 5015  | - Channel Daybeacon 6    |                          |                       |               |              | TR on pile.                 |   |
| 5020  | - CHANNEL LIGHT 8        |                          | <b>F I R 4s</b>       | 15            | 3            | TR on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |

| (1)<br>No.                       | (2)<br>Name and Location        | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                   | (8)<br>Remarks                                  |
|----------------------------------|---------------------------------|--------------------------|-----------------------|---------------|--------------|------------------------------------|---|
| <b>MARYLAND - Fifth District</b> |                                 |                          |                       |               |              |                                    |   |
| 5035                             | - Channel Daybeacon 10          |                          |                       |               |              | TR on pile.                        |   |
| 5037                             | - Channel Buoy 10A              |                          |                       |               |              | Red nun.                           |   |
| 5040                             | - CHANNEL LIGHT 11              |                          | <b>FI G 4s</b>        | 18            | 4            | SG on pile.                        | Light equipment removed from Dec. 1 to Mar. 15. |
| 5045                             | - Channel Daybeacon 11A         |                          |                       |               |              | SG on pile.                        |   |
| 5050                             | - Channel Daybeacon 11B         |                          |                       |               |              | SG on pile.                        |   |
| 5055                             | - CHANNEL LIGHT 13              |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.        |   |
| 5060                             | - Channel Daybeacon 14          |                          |                       |               |              | TR on pile.                        |   |
| 5065                             | - CHANNEL LIGHT 15              |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.        | Light equipment removed when endangered by ice. |
| 5070                             | - Channel Daybeacon 16          |                          |                       |               |              | TR on pile.                        |   |
| 5075                             | - Channel Daybeacon 17          |                          |                       |               |              | SG on pile.                        |   |
| 5080                             | - CHANNEL LIGHT 19              |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.        | Light equipment removed from Dec. 1 to Mar. 15. |
| 5085                             | - Channel Daybeacon 20          |                          |                       |               |              | TR on pile.                        |   |
| 5090                             | - Channel Buoy 21               |                          |                       |               |              | Green can.                         |   |
| 5095                             | - Channel Buoy 23               |                          |                       |               |              | Green can.                         |   |
| 5100                             | - CHANNEL LIGHT 25              |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.        | Light equipment removed from Dec. 1 to Mar. 15. |
| 5105                             | - Channel Daybeacon 27          |                          |                       |               |              | SG on pile.                        |   |
| 5110                             | - Channel Daybeacon 27A         | 38 12 50 N<br>75 10 49 W |                       |               |              | SG on pile.                        |   |
| 5115                             | - Channel Daybeacon 28          |                          |                       |               |              | TR on pile.                        |   |
| 5120                             | - Channel Buoy 29               |                          |                       |               |              | Green can.                         |   |
| 5125                             | - Channel Lighted Buoy 31       |                          | <b>FI G 4s</b>        |               | 4            | Green.                             | Replaced by can from Dec. 1 to Mar. 15.         |
| 5130                             | - Channel Buoy 33               |                          |                       |               |              | Green can.                         |   |
| 5135                             | - CHANNEL LIGHT 35              |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                        | Light equipment removed when endangered by ice. |
| 5140                             | - Channel Daybeacon 37          |                          |                       |               |              | SG on pile.                        |   |
| 5145                             | - CHANNEL LIGHT 39              |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.        | Light equipment removed when endangered by ice. |
| <b>Chincoteague Bay</b>          |                                 |                          |                       |               |              |                                    |   |
| 5150                             | PUBLIC LANDING LIGHT 1          |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on multi-pile structure.        | Light equipment removed from Dec. 1 to Mar. 15. |
| 5155                             | TANHOUSE CREEK ENTRANCE LIGHT 2 |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.                        |   |
| <b>State Boundary Line</b>       |                                 |                          |                       |               |              |                                    |   |
| 5160                             | - Daybeacon A                   | 38 00 54 N<br>75 22 30 W |                       |               |              | NW on pile worded MD/VA.           | Private aid.                                    |
| 5165                             | - Daybeacon B                   |                          |                       |               |              | NW on pile worded MD/VA.           | Private aid.                                    |
| 5170                             | - Buoy C                        |                          |                       |               |              | Orange and white can worded MD/VA. | Private aid.                                    |

| (1)<br>No.                       | (2)<br>Name and Location      | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                  |
|----------------------------------|-------------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>MARYLAND - Fifth District</b> |                               |                          |                       |               |              |                             |   |
| 5175                             | - Daybeacon D                 |                          |                       |               |              | NW on pile worded MD/VA.    | Private aid.                                    |
| 5180                             | - Daybeacon E                 |                          |                       |               |              | NW on pile worded MD/VA.    | Private aid.                                    |
| 5185                             | - Daybeacon F                 | 38 01 18 N<br>75 18 24 W |                       |               |              | NW on pile worded MD/VA.    | Private aid.                                    |
| 5190                             | - Daybeacon G                 | 38 01 24 N<br>75 17 12 W |                       |               |              | NW on pile worded MD/VA.    | Private aid.                                    |
| 5195<br>5515                     | - Daybeacon 29                |                          |                       |               |              | SG on pile.                 |   |
| <b>Chincoteague Bay</b>          |                               |                          |                       |               |              |                             |   |
| 5200<br>5510                     | - LIGHT 28                    |                          | <b>FI R 6s</b>        | 15            | 4            | TR on multi-pile structure. | Light equipment removed when endangered by ice. |
| 5205<br>5505                     | - Daybeacon 26                |                          |                       |               |              | TR on pile.                 |   |
| 5210<br>5500                     | - LIGHT 24                    |                          | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |
| 5215<br>5495                     | - Daybeacon 23                |                          |                       |               |              | SG on pile.                 |   |
| 5220<br>5490                     | - LIGHT 21                    |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |
| 5225                             | JOHNSON BAY ENTRANCE LIGHT 1  | 38 04 00 N<br>75 19 47 W | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 5230                             | JOHNSON BAY ENTRANCE LIGHT 3  | 38 04 27 N<br>75 21 29 W | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |
| 5235<br>5485                     | - Daybeacon 19                |                          |                       |               |              | SG on pile.                 |   |
| 5240<br>5480                     | - LIGHT 18                    |                          | <b>FI R 4s</b>        | 15            | 4            | TR on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |
| <b>George Island</b>             |                               |                          |                       |               |              |                             |   |
| 5245                             | - LANDING CHANNEL LIGHT 1     | 38 01 49 N<br>75 20 42 W | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 5250                             | - Landing Channel Daybeacon 3 |                          |                       |               |              | SG on pile.                 |   |
| 5255                             | - LANDING CHANNEL LIGHT 4     |                          | <b>FI R 4s</b>        | 14            | 3            | TR on pile.                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 5260                             | - Daybeacon 6                 |                          |                       |               |              | TR on pile.                 | Private aid.                                    |
| 5265                             | - Daybeacon 8                 |                          |                       |               |              | TR on pile.                 | Private aid.                                    |

**VIRGINIA - Fifth District**

**FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211)**

**Chincoteague Inlet**

*Due to frequently changing conditions, positions of buoys are not listed.*

|      |                           |  |                  |  |   |   |  |
|------|---------------------------|--|------------------|--|---|---|--|
| 5270 | - Lighted Whistle Buoy C1 |  | <b>Mo (A) W</b>  |  | 5 | Red and white stripes with red spherical topmark. |  |
| 5275 | - Buoy 1                  |  |                  |  |   | Green can.  |  |
| 5280 | - Lighted Buoy 2          |  | <b>FI R 2.5s</b> |  | 3 | Red.  |  |

| (1)<br>No.                       | (2)<br>Name and Location                  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                   | (8)<br>Remarks                                     |
|----------------------------------|---|--------------------------|-----------------------|---------------|--------------|------------------------------------|--|
| <b>VIRGINIA - Fifth District</b> |   |                          |                       |               |              |                                    |  |
| 5283                             | - Lighted Buoy 3                          |                          | <b>FI G</b> 4s        |               | 4            | Green.                             |  |
| 5285                             | - Buoy 4                                  |                          |                       |               |              | Red nun.                           |  |
| 5295                             | - Lighted Buoy 5                          |                          | <b>FI G</b> 2.5s      |               | 3            | Green.                             |  |
| 5300                             | - Lighted Buoy 6                          |                          | <b>FI R</b> 4s        |               | 3            | Red.                               |  |
| 5305                             | - Lighted Buoy 8                          | 37 52 24 N<br>75 24 54 W | <b>FI R</b> 2.5s      |               | 3            | Red.                               |  |
| 5307                             | - Buoy 9                                  |                          |                       |               |              | Green can.                         |  |
| 5310                             | - Lighted Buoy 10                         | 37 52 45 N<br>75 24 54 W | <b>Q R</b>            |               | 3            | Red.                               |  |
| 5313                             | - Buoy 10A                                |                          |                       |               |              | Red nun.                           |  |
| <b>Chincoteague Channel</b>      |   |                          |                       |               |              |                                    |  |
| 5315                             | - Lighted Buoy 11                         | 37 52 45 N<br>75 24 03 W | <b>FI G</b> 4s        |               | 4            | Green.                             |  |
| 5320                             | - Buoy 11A                                |                          |                       |               |              | Green can.                         |  |
| 5325                             | - Lighted Buoy 12                         | 37 52 54 N<br>75 23 54 W | <b>FI R</b> 4s        |               | 3            | Red.                               |  |
| 5326                             | - Daybeacon 12A                           |                          |                       |               |              | TR on pile.                        |  |
| 5330                             | - Buoy 13                                 |                          |                       |               |              | Green can.                         |  |
| 5331                             | - Daybeacon 13A                           |                          |                       |               |              | SG on pile.                        |  |
| 5335                             | - LIGHT 14                                | 37 53 34 N<br>75 23 52 W | <b>FI R</b> 2.5s      | 15            | 3            | TR on multi-pile structure.        |  |
| 5340                             | - Daybeacon 15                            |                          |                       |               |              | SG on pile.                        |  |
| 5345                             | - LIGHT 16                                | 37 53 59 N<br>75 24 27 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                        |  |
| 5350                             | - JUNCTION LIGHT CV                       |                          | <b>FI (2+1) G</b> 6s  | 15            | 3            | JG on multi-pile structure.        |  |
| 5355                             | CURTIS MERRITT HARBOR<br>ENTRANCE LIGHT 2 | 37 54 09 N<br>75 24 28 W | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                        |  |
| 5360                             | - Buoy 20                                 |                          |                       |               |              | Red nun.                           |  |
| 5365                             | - Warning Daybeacon                       |                          |                       |               |              | NW on pile worded DANGER<br>ROCKS. |  |
| 5370                             | - Buoy 22                                 |                          |                       |               |              | Red nun.                           |  |
| 5375                             | - Lighted Buoy 23                         |                          | <b>FI G</b> 2.5s      |               | 3            | Green.                             |  |
| 5376                             | - Daybeacon 23A                           |                          |                       |               |              | SG on multi-pile structure.        |  |
| 5380                             | - Buoy 24                                 |                          |                       |               |              | Red nun.                           |  |
| 5385                             | - LIGHT 25<br>At edge of shoal.           |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.        | Light equipment removed<br>when endangered by ice. |
| 5390                             | - Daybeacon 27                            |                          |                       |               |              | SG on pile.                        |  |
| 5395                             | - LIGHT 28                                |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure.        |  |
| 5400                             | - LIGHT 29                                |                          | <b>FI G</b> 4s        | 16            | 4            | SG on pile.                        | Light equipment removed<br>when endangered by ice. |
| 5405                             | - Daybeacon 30                            |                          |                       |               |              | TR on pile.                        |  |

| (1)<br>No.                       | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks                                     |
|----------------------------------|---|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>VIRGINIA - Fifth District</b> |   |                          |                       |               |              |   |  |
| 5407                             | - WARNING LIGHT A   |                          | <b>FI W 6s</b>        |               |              | NW on pile worded DANGER<br>SUBMERGED PIPELINE.                             | Private aid.                                       |
| <b>Chincoteague Bay</b>          |   |                          |                       |               |              |   |  |
| 5410                             | - CHANNEL LIGHT 1   |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.   | Light equipment removed<br>when endangered by ice. |
| 5415                             | - CHANNEL LIGHT 3   |                          | <b>Q G</b>            | 15            | 3            | SG on multi-pile structure.   | Light equipment removed<br>when endangered by ice. |
| 5420                             | - Channel Daybeacon 4   |                          |                       |               |              | TR on pile.   |  |
| 5425                             | - Channel Daybeacon 6   |                          |                       |               |              | TR on pile.   |  |
| 5430                             | - CHANNEL LIGHT 8   |                          | <b>FI R 4s</b>        | 15            | 4            | TR on multi-pile structure.   | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| 5435                             | - CHANNEL LIGHT 9   |                          | <b>FI G 4s</b>        | 15            | 4            | SG on dolphin.  | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| 5440                             | - Daybeacon 10  |                          |                       |               |              | TR on pile.   |  |
| 5445                             | - LIGHT 12  |                          | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile structure.   | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| 5450                             | - Daybeacon 14  |                          |                       |               |              | TR on pile.   |  |
| 5453                             | Coards Marsh Submerged<br>Aquatic Vegetation Sanctuary<br>DBN A   | 37 59 35 N<br>75 21 40 W |                       |               |              | White square board with orange<br>border, red circle with SAV in<br>center. | Private aid.                                       |
| 5453.1                           | Coards Marsh Submerged<br>Aquatic Vegetation Sanctuary<br>DBN B   |                          |                       |               |              | White square board with orange<br>border, red circle with SAV in<br>center. | Private aid.                                       |
| 5453.2                           | Coards Marsh Submerged<br>Aquatic Vegetation Sanctuary<br>DBN C   |                          |                       |               |              | White sqare board with orange<br>border, red circle wiyh SAV in<br>center.  | Private aid.                                       |
| <b>Greenbackville</b>            |   |                          |                       |               |              |   |  |
| 5455                             | - LIGHT 1   |                          | <b>FI G 4s</b>        | 14            | 4            | SG on multi-pile structure.   |  |
| <b>Manatee River</b>             |   |                          |                       |               |              |   |  |
| 5457                             | Greenbackville Submerged<br>Aquatic Vegetation Sanctuary<br>DBN A | 37 59 34 N<br>75 24 03 W |                       |               |              | White square board wiyh orange<br>border, red circle with SAV in<br>center. | Private aid.                                       |
| 5457.1                           | Greenbackville Submerged<br>Aquatic Vegetation Sanctuary<br>DBN B |                          |                       |               |              | White square board with orange<br>border, red circle wiyh SAV in<br>center. | Private aid.                                       |
| <b>Chincoteague Bay</b>          |   |                          |                       |               |              |   |  |
| <b>Greenbackville</b>            |   |                          |                       |               |              |   |  |
| 5460                             | - EAST JETTY LIGHT 2  |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.   |  |
| 5465                             | - WEST JETTY LIGHT 3  |                          | <b>FI G 2.5s</b>      | 11            | 3            | SG on pile.   |  |
| 5470                             | - LIGHT 5   |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.   |  |
| <b>Chincoteague Bay</b>          |   |                          |                       |               |              |   |  |
| 5475                             | - Daybeacon 16  |                          |                       |               |              | TR on pile.   |  |
| 5477                             | - Daybeacon 16A   |                          |                       |               |              | TR on pile.   |  |
| 5480<br>5240                     | - LIGHT 18  |                          | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile structure.   | Light equipment removed from<br>Dec. 1 to Mar. 15. |

| (1)<br>No.                       | (2)<br>Name and Location | (3)<br>Position | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                  |
|----------------------------------|--------------------------|-----------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>VIRGINIA - Fifth District</b> |                          |                 |                       |               |              |                             |   |
| 5485<br>5235                     | - Daybeacon 19           |                 |                       |               |              | SG on pile.                 |   |
| 5487                             | - Daybeacon 20           |                 |                       |               |              | TR on pile.                 |   |
| 5490<br>5220                     | - LIGHT 21               |                 | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |
| 5495<br>5215                     | - Daybeacon 23           |                 |                       |               |              | SG on pile.                 |   |
| 5500<br>5210                     | - LIGHT 24               |                 | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |
| 5505<br>5205                     | - Daybeacon 26           |                 |                       |               |              | TR on pile.                 |   |
| 5510<br>5200                     | - LIGHT 28               |                 | <b>FI R 6s</b>        | 15            | 4            | TR on multi-pile structure. | Light equipment removed when endangered by ice. |
| 5515<br>5195                     | - Daybeacon 29           |                 |                       |               |              | SG on pile.                 |   |

# Section 5

## Virginia Inside Passage to Chesapeake Bay Entrance

| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                   | (8)<br>Remarks                                     |
|---|--------------------------|-----------------|-----------------------|---------------|--------------|------------------------------------|--|
| <b>VIRGINIA INSIDE PASSAGE (Virginia) - Fifth District</b>        |                          |                 |                       |               |              |                                    |  |
| <b>CHINCOTEAGUE INLET TO GREAT MACHIPONGO INLET (Chart 12210)</b> |                          |                 |                       |               |              |                                    |  |
| <b>Virginia Inside Passage</b>                                    |                          |                 |                       |               |              |                                    |  |
| 5520  | - Daybeacon 1            |                 |                       |               |              | SG on pile.                        |  |
| 5522  | - Daybeacon 1A           |                 |                       |               |              | SG on pile.                        |  |
| 5525  | - LIGHT 2                |                 | <b>FI R 2.5s</b>      | 15            | 3            | TR on multi-pile structure.        |  |
| 5528  | - Warning Daybeacon      |                 |                       |               |              | NW on pile worded<br>DANGER SHOAL. |  |
| 5530  | - Daybeacon 2A           |                 |                       |               |              | TR on pile.                        |  |
| 5531  | - Warning Daybeacon A    |                 |                       |               |              | NW on pile.                        |  |
| 5533  | - Buoy 2B                |                 |                       |               |              | Red nun.                           |  |
| 5535  | - LIGHT 3                |                 | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.        |  |
| 5540  | - LIGHT 4                |                 | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile structure.        |  |
| 5545  | - LIGHT 5                |                 | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.        | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| 5547  | - Daybeacon 6            |                 |                       |               |              | TR on pile.                        |  |
| <b>Wishart Point Channel</b>                                      |                          |                 |                       |               |              |                                    |  |
| 5550  | - Daybeacon 2            |                 |                       |               |              | TR on pile.                        |  |
| 5555  | - Daybeacon 4            |                 |                       |               |              | TR on pile.                        |  |
| 5560  | - Daybeacon 5            |                 |                       |               |              | SG on pile.                        |  |
| 5565  | - Daybeacon 6            |                 |                       |               |              | TR on pile.                        |  |
| 5570  | - Daybeacon 8            |                 |                       |               |              | TR on pile.                        |  |
| 5575  | - Daybeacon 10           |                 |                       |               |              | TR on pile.                        |  |
| 5580  | - Daybeacon 12           |                 |                       |               |              | TR on pile.                        |  |
| 5585  | - Daybeacon 14           |                 |                       |               |              | TR on pile.                        |  |
| 5590  | - Daybeacon 15           |                 |                       |               |              | SG on pile.                        |  |
| 5595  | - Daybeacon 16           |                 |                       |               |              | TR on pile.                        |  |
| 5600  | - Daybeacon 18           |                 |                       |               |              | TR on pile.                        |  |
| 5605  | - Daybeacon 20           |                 |                       |               |              | TR on pile.                        |  |
| <b>Virginia Inside Passage</b>                                    |                          |                 |                       |               |              |                                    |  |
| 5610  | - LIGHT 7                |                 | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.        |  |
| 5615  | - Daybeacon 9            |                 |                       |               |              | SG on pile.                        |  |
| 5620  | - Daybeacon 11           |                 |                       |               |              | SG on pile.                        |  |
| 5622  | - Daybeacon 12           |                 |                       |               |              | TR on pile.                        |  |

| (1)<br>No.   | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|------------------|----------------|
| <b>VIRGINIA INSIDE PASSAGE (Virginia) - Fifth District</b> |                          |                          |                       |               |              |                  |                |
| 5625   | - Daybeacon 13           |                          |                       |               |              | SG on pile.      |                |
| 5630   | - Daybeacon 14           |                          |                       |               |              | TR on pile.      |                |
| 5635   | - Daybeacon 16           |                          |                       |               |              | TR on pile.      |                |
| 5640   | - Daybeacon 17           |                          |                       |               |              | SG on pile.      |                |
| 5645   | - Daybeacon 19           |                          |                       |               |              | SG on pile.      |                |
| 5650   | - Daybeacon 20           |                          |                       |               |              | TR on pile.      |                |
| 5655   | - Daybeacon 21           |                          |                       |               |              | SG on pile.      |                |
| 5660   | - Daybeacon 23           |                          |                       |               |              | SG on pile.      |                |
| 5665   | - Daybeacon 24           |                          |                       |               |              | TR on pile.      |                |
| 5670   | - Daybeacon 26           |                          |                       |               |              | TR on pile.      |                |
| 5675   | - Daybeacon 27           |                          |                       |               |              | SG on pile.      |                |
| 5680   | - Daybeacon 29           |                          |                       |               |              | SG on pile.      |                |
| 5685   | - Daybeacon 30           |                          |                       |               |              | TR on pile.      |                |
| 5690   | - Daybeacon 32           |                          |                       |               |              | TR on pile.      |                |
| 5695   | - Daybeacon 33           |                          |                       |               |              | SG on pile.      |                |
| 5700   | - Daybeacon 34           | 37 49 36 N<br>75 30 41 W |                       |               |              | TR on pile.      |                |
| 5710   | - Daybeacon 36           |                          |                       |               |              | TR on pile.      |                |
| 5715   | - Daybeacon 37           |                          |                       |               |              | SG on pile.      |                |
| 5720   | - Daybeacon 38           |                          |                       |               |              | TR on pile.      |                |
| 5725   | - Daybeacon 40           |                          |                       |               |              | TR on pile.      |                |
| 5730   | - Daybeacon 41           |                          |                       |               |              | SG on pile.      |                |
| 5735   | - Daybeacon 43           |                          |                       |               |              | SG on pile.      |                |
| 5740   | - Daybeacon 44           |                          |                       |               |              | TR on pile.      |                |
| 5745   | - Daybeacon 46           |                          |                       |               |              | TR on pile.      |                |
| 5750   | - Daybeacon 47           |                          |                       |               |              | SG on pile.      |                |
| 5755   | - Daybeacon 49           |                          |                       |               |              | SG on pile.      |                |
| 5760   | - Daybeacon 50           |                          |                       |               |              | TR on pile.      |                |
| 5765   | - Daybeacon 51           |                          |                       |               |              | SG on pile.      |                |
| 5767   | - Daybeacon 52           |                          |                       |               |              | TR on pile.      |                |
| 5770   | - Daybeacon 53           |                          |                       |               |              | SG on pile.      |                |
| 5772   | - Buoy 55                |                          |                       |               |              | Green can.       |                |
| 5773   | - Buoy 55A               |                          |                       |               |              | Green can.       |                |
| 5775   | - Buoy 56                |                          |                       |               |              | Red nun.         |                |
| 5776   | - Buoy 57                |                          |                       |               |              | Green can.       |                |
| 5777   | - Daybeacon 59           |                          |                       |               |              | SG on pile.      |                |
| 5778   | - Daybeacon 60           |                          |                       |               |              | TR on pile.      |                |

| (1)<br>No.   | (2)<br>Name and Location       | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                     |
|--|--------------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| <b>VIRGINIA INSIDE PASSAGE (Virginia) - Fifth District</b> |                                |                          |                       |               |              |                             |  |
| 5780   | - Daybeacon 62                 |                          |                       |               |              | TR on pile.                 |  |
| 5785   | - Daybeacon 63                 |                          |                       |               |              | SG on pile.                 |  |
| 5790   | - Daybeacon 65                 |                          |                       |               |              | SG on pile.                 |  |
| 5800   | - Daybeacon 66                 |                          |                       |               |              | TR on pile.                 |  |
| 5802   | - Daybeacon 66A                |                          |                       |               |              | TR on pile.                 |  |
| 5802.1   | - Daybeacon 66B                |                          |                       |               |              | TR on pile.                 |  |
| 5803   | - Daybeacon 67                 |                          |                       |               |              | SG on pile.                 |  |
| 5805   | - Daybeacon 67A                |                          |                       |               |              | SG on pile.                 |  |
| 5810   | - Daybeacon 68                 |                          |                       |               |              | TR on pile.                 |  |
| 5815   | - Daybeacon 70                 |                          |                       |               |              | TR on pile.                 |  |
| 5820   | - Daybeacon 71                 |                          |                       |               |              | SG on pile.                 |  |
| 5825   | - Daybeacon 72                 | 37 44 23 N<br>75 33 56 W |                       |               |              | TR on pile.                 |  |
| 5830   | - Daybeacon 73                 | 37 44 29 N<br>75 34 22 W |                       |               |              | SG on pile.                 |  |
| 5835   | - Daybeacon 75                 | 37 44 19 N<br>75 34 43 W |                       |               |              | SG on pile.                 |  |
| 5840   | - Daybeacon 76                 | 37 43 54 N<br>75 35 05 W |                       |               |              | TR on pile.                 |  |
| 5845   | - Daybeacon 77                 | 37 43 28 N<br>75 35 26 W |                       |               |              | SG on pile.                 |  |
| 5850   | - LIGHT 80                     | 37 43 06 N<br>75 35 48 W | <b>FI R 2.5s</b>      | 15            | 4            | TR on multi-pile structure. |  |
| <b>Parker Creek Channel</b>                                |                                |                          |                       |               |              |                             |  |
| 5855   | Parker Creek<br>Channel Buoy 2 |                          |                       |               |              | Red nun.                    |  |
| 5860   | Parker Creek Channel<br>Buoy 4 |                          |                       |               |              | Red nun.                    |  |
| 5865   | Parker Creek<br>Channel Buoy 6 |                          |                       |               |              | Red nun.                    |  |
| <b>Virginia Inside Passage</b>                             |                                |                          |                       |               |              |                             |  |
| 5870   | - LIGHT 82                     |                          | <b>FI R 4s</b>        | 15            | 2            | TR on pile.                 |  |
| 5875   | - Daybeacon 84                 |                          |                       |               |              | TR on pile.                 |  |
| 5880   | - LIGHT 85                     |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 |  |
| 5885   | - LIGHT 87                     |                          | <b>Q G</b>            | 15            | 3            | SG on pile.                 |  |
| 5890   | - Daybeacon 89                 |                          |                       |               |              | SG on pile.                 |  |
| 5895   | - LIGHT 91                     |                          | <b>Q G</b>            | 15            | 3            | SG on multi-pile structure. |  |
| 5900   | - Daybeacon 92                 |                          |                       |               |              | TR on pile.                 |  |
| 5905   | - LIGHT 94                     |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                 | Light equipment removed<br>when endangered by ice. |
| 5910   | - Daybeacon 95                 |                          |                       |               |              | SG on pile.                 |  |

| (1)<br>No.   | (2)<br>Name and Location         | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                     |
|--|----------------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| <b>VIRGINIA INSIDE PASSAGE (Virginia) - Fifth District</b> |                                  |                          |                       |               |              |                             |  |
| 5915   | - LIGHT 97                       | 37 40 07 N<br>75 37 09 W | <b>FI G</b> 4s        | 15            | 3            | SG on pile.                 |  |
| 5920   | - Daybeacon 98                   |                          |                       |               |              | TR on pile.                 |  |
| 5925   | - LIGHT 101                      | 37 39 27 N<br>75 37 13 W | <b>FI G</b> 4s        | 15            | 3            | SG on pile.                 | Light equipment removed<br>when endangered by ice. |
| 5930   | - Daybeacon 102                  |                          |                       |               |              | TR on pile.                 |  |
| 5935   | - Daybeacon 103                  |                          |                       |               |              | SG on pile.                 |  |
| 5940   | - Daybeacon 105                  |                          |                       |               |              | SG on pile.                 |  |
| 5945   | - LIGHT 106                      |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                 | Light equipment removed<br>when endangered by ice. |
| 5950   | - Daybeacon 107                  |                          |                       |               |              | SG on pile.                 |  |
| 5955   | - Daybeacon 110                  |                          |                       |               |              | TR on pile.                 |  |
| 5960   | - LIGHT 112                      | 37 38 26 N<br>75 39 03 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                 |  |
| 5965   | - Daybeacon 114                  |                          |                       |               |              | TR on pile.                 |  |
| 5970   | - LIGHT 115                      |                          | <b>Q G</b>            | 15            | 3            | SG on pile.                 | Light equipment removed<br>when endangered by ice. |
| 5975   | - Daybeacon 116                  |                          |                       |               |              | TR on pile.                 |  |
| 5980   | - LIGHT 117                      |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. |  |
| 5985   | - Daybeacon 119                  |                          |                       |               |              | SG on multi-pile structure. |  |
| 5990   | - Daybeacon 121                  |                          |                       |               |              | SG on pile.                 |  |
| 5995   | - Daybeacon 122                  |                          |                       |               |              | TR on pile.                 |  |
| 6000<br>6680   | WACHAPREAGUE CHANNEL<br>LIGHT 10 |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                 |  |
| 6005<br>6685   | - LIGHT 124                      |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. |  |
| 6010<br>6690   | - LIGHT 125                      |                          | <b>FI G</b> 4s        | 15            | 3            | SG on multi-pile structure. |  |
| 6015<br>6695   | - LIGHT 126                      |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. |  |
| 6020   | - LIGHT 128                      |                          | <b>Q R</b>            | 15            | 3            | TR on multi-pile structure. |  |
| 6025   | - Daybeacon 129                  |                          |                       |               |              | SG on pile.                 |  |
| 6030   | - Daybeacon 131                  |                          |                       |               |              | SG on pile.                 |  |
| 6035   | - Daybeacon 132                  |                          |                       |               |              | TR on pile.                 |  |
| 6040   | - LIGHT 134                      |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. | Light equipment removed<br>when endangered by ice. |
| 6045   | - Daybeacon 136                  |                          |                       |               |              | TR on pile.                 |  |
| 6050   | - LIGHT 137                      |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. |  |
| 6055   | - LIGHT 138                      |                          | <b>Q R</b>            | 15            | 3            | TR on multi-pile structure. |  |
| 6060   | - Daybeacon 139                  |                          |                       |               |              | SG on pile.                 |  |
| 6065   | - LIGHT 140                      |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. |  |
| 6070   | - Daybeacon 141                  |                          |                       |               |              | SG on pile.                 |  |

| (1)<br>No.   | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                | (8)<br>Remarks                                  |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|---------------------------------|---|
| <b>VIRGINIA INSIDE PASSAGE (Virginia) - Fifth District</b> |                          |                          |                       |               |              |                                 |   |
| 6075   | - Daybeacon 142          |                          |                       |               |              | TR on pile.                     |   |
| 6080   | - Daybeacon 145          |                          |                       |               |              | SG on pile.                     |   |
| 6085   | - Daybeacon 146          |                          |                       |               |              | TR on pile.                     |   |
| 6090   | - LIGHT 147              |                          | <b>FIG 4s</b>         | 15            | 4            | SG on multi-pile structure.     |   |
| 6095   | - Daybeacon 149          |                          |                       |               |              | SG on pile.                     |   |
| 6100   | - Daybeacon 150          |                          |                       |               |              | TR on pile.                     |   |
| 6105   | - Daybeacon 151          |                          |                       |               |              | SG on pile.                     |   |
| 6110   | - Daybeacon 152          |                          |                       |               |              | TR on pile.                     |   |
| 6115   | - Daybeacon 153          |                          |                       |               |              | SG on pile.                     |   |
| 6120   | - Daybeacon 154          |                          |                       |               |              | TR on pile.                     |   |
| 6125   | - Daybeacon 155          |                          |                       |               |              | SG on pile.                     |   |
| 6130   | - Daybeacon 156          |                          |                       |               |              | TR on pile.                     |   |
| 6135   | - Daybeacon 157          |                          |                       |               |              | SG on pile.                     |   |
| 6136   | - Daybeacon 157A         |                          |                       |               |              | SG on pile.                     |   |
| 6137   | - Daybeacon 157B         |                          |                       |               |              | SG on pile.                     |   |
| 6138   | - Daybeacon 158          |                          |                       |               |              | TR on pile.                     |   |
| 6139   | - Daybeacon 158A         |                          |                       |               |              | TR on pile.                     |   |
| 6140   | - Warning Daybeacon      |                          |                       |               |              | NW on pile worded DANGER SHOAL. |   |
| 6145<br>6745   | - LIGHT 160              | 37 30 11 N<br>75 42 06 W | <b>FIR 4s</b>         | 15            | 3            | TR on multi-pile structure.     | Light equipment removed when endangered by ice. |
| 6150   | - Daybeacon 161          |                          |                       |               |              | SG on pile.                     |   |
| 6155   | - Daybeacon 162          |                          |                       |               |              | TR on pile.                     |   |
| 6160   | - Daybeacon 163          |                          |                       |               |              | SG on pile.                     |   |
| 6165   | - Daybeacon 164          |                          |                       |               |              | TR on pile.                     |   |
| 6170   | - Daybeacon 165          |                          |                       |               |              | SG on pile.                     |   |
| 6175   | - Daybeacon 167          |                          |                       |               |              | SG on pile.                     |   |
| 6180   | - LIGHT 169              |                          | <b>FIG 4s</b>         | 15            | 4            | SG on pile.                     |   |
| 6185   | - Daybeacon 171          |                          |                       |               |              | SG on pile.                     |   |
| 6190   | - LIGHT 173              | 37 28 22 N<br>75 44 26 W | <b>FIG 4s</b>         | 15            | 4            | SG on pile.                     |   |
| 6195   | - Daybeacon 175          |                          |                       | 15            |              | SG on pile.                     |   |
| 6200   | - LIGHT 176              |                          | <b>QR</b>             | 15            | 3            | TR on pile.                     |   |
| 6205   | - Daybeacon 178          |                          |                       |               |              | TR on pile.                     |   |
| 6210   | - LIGHT 180              |                          | <b>FIR 2.5s</b>       |               | 3            | TR on pile.                     |   |
| 6215   | - Daybeacon 181          |                          |                       |               |              | SG on pile.                     |   |
| 6220   | - Daybeacon 184          |                          |                       |               |              | TR on pile.                     |   |
| 6237   | - Daybeacon 189          |                          |                       |               |              | SG on pile.                     |   |

| (1)<br>No.   | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|------------------|----------------|
| <b>VIRGINIA INSIDE PASSAGE (Virginia) - Fifth District</b> |                          |                          |                       |               |              |                  |                |
| 6240   | - Daybeacon 190          | 37 22 36 N<br>75 46 06 W |                       |               |              | TR on pile.      |                |
| 6245   | - LIGHT 191              |                          | <b>Q G</b>            | 15            | 3            | SG on pile.      |                |
| 6250   | - Daybeacon 192          |                          |                       |               |              | TR on pile.      |                |
| 6255   | - Daybeacon 193          |                          |                       |               |              | SG on pile.      |                |
| 6260   | - Daybeacon 194          |                          |                       |               |              | TR on pile.      |                |
| 6263   | - Daybeacon 195          |                          |                       |               |              | SG on pile.      |                |
| 6265   | - Daybeacon 196          |                          |                       |               |              | TR on pile.      |                |
| 6270   | - Daybeacon 197          |                          |                       |               |              | SG on pile.      |                |
| 6275   | - Daybeacon 198          |                          |                       |               |              | TR on pile.      |                |
| 6280   | - Daybeacon 199          |                          |                       |               |              | SG on pile.      |                |
| 6285   | - Daybeacon 199A         |                          |                       |               |              | SG on pile.      |                |
| 6290   | - Daybeacon 200          | 37 24 21 N<br>75 49 20 W |                       |               |              | TR on pile.      |                |
| 6295   | - Daybeacon 202          |                          |                       |               |              | TR on pile.      |                |
| 6300   | - Daybeacon 203          |                          |                       |               |              | SG on pile.      |                |
| 6305   | - Daybeacon 204          |                          |                       |               |              | TR on pile.      |                |
| 6310   | - Daybeacon 205          |                          |                       |               |              | SG on pile.      |                |
| <b>CHESAPEAKE BAY ENTRANCE (Chart 12221)</b>               |                          |                          |                       |               |              |                  |                |
| <b>Virginia Inside Passage</b>                             |                          |                          |                       |               |              |                  |                |
| 6320   | - Daybeacon 206          | 37 24 32 N<br>75 50 20 W |                       |               |              | TR on pile.      |                |
| 6322   | - Daybeacon 206A         |                          |                       |               |              | TR on pile.      |                |
| 6325   | - Daybeacon 207          |                          |                       |               |              | SG on pile.      |                |
| 6335   | - Daybeacon 209          |                          |                       |               |              | SG on pile.      |                |
| 6340   | - Daybeacon 210          | 37 24 04 N<br>75 50 44 W |                       |               |              | TR on pile.      |                |
| 6343   | - Daybeacon 211          |                          |                       |               |              | SG on pile.      |                |
| 6345   | - Daybeacon 212          |                          |                       |               |              | TR on pile.      |                |
| 6348   | - Daybeacon 213          |                          |                       |               |              | SG on pile.      |                |
| 6350   | - Daybeacon 214          |                          |                       |               |              | TR on pile.      |                |
| 6352   | - Daybeacon 214A         |                          |                       |               |              | TR on pile.      |                |
| <b>CAPE CHARLES TO WOLF TRAP (Chart 12224)</b>             |                          |                          |                       |               |              |                  |                |
| <b>Virginia Inside Passage</b>                             |                          |                          |                       |               |              |                  |                |
| 6355   | - Daybeacon 215          | 37 23 23 N<br>75 51 14 W |                       |               |              | SG on pile.      |                |
| 6360   | - Daybeacon 216          | 37 23 10 N<br>75 51 23 W |                       |               |              | TR on pile.      |                |
| 6370   | - Daybeacon 217          |                          |                       |               |              | SG on pile.      |                |

| (1)<br>No.   | (2)<br>Name and Location                         | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks                                     |
|--|--|--------------------------|-----------------------|---------------|--------------|--------------------------------|--|
| <b>VIRGINIA INSIDE PASSAGE (Virginia) - Fifth District</b> |  |                          |                       |               |              |                                |  |
| 6375   | - Daybeacon 218                                  |                          |                       |               |              | TR on pile.                    |  |
| 6385   | - Daybeacon 219                                  | 37 22 29 N<br>75 51 45 W |                       |               |              | SG on pile.                    |  |
| 6388   | - Daybeacon 220                                  |                          |                       |               |              | TR on pile.                    |  |
| 6390   | - Daybeacon 221                                  |                          |                       |               |              | SG on pile.                    |  |
| 6400   | - Daybeacon 222                                  |                          |                       |               |              | TR on pile.                    |  |
| 6410   | - LIGHT 224                                      |                          | <b>Q R</b>            | 15            | 3            | TR on on multi-pile structure. |  |
| 6415   | - Daybeacon 225                                  |                          |                       |               |              | SG on pile.                    |  |
| 6420   | - LIGHT 226                                      |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on multi-pile structure.    |  |
| 6425   | - LIGHT 227                                      |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on multi-pile structure.    |  |
| 6427   | - LIGHT 228                                      |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on multi-pile structure.    |  |
| 6430   | - LIGHT 229                                      |                          | <b>Q G</b>            | 15            | 3            | SG on pile.                    |  |
| 6432   | - LIGHT 230                                      |                          | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile.              |  |
| 6435   | - Daybeacon 231                                  |                          |                       |               |              | SG on pile.                    |  |
| 6440   | - LIGHT 232                                      |                          | <b>FI R 4s</b>        | 15            | 4            | TR on pile.                    |  |
| 6445<br>7000   | OYSTER CREEK CHANNEL<br>JUNCTION LIGHT OC        | 37 17 45 N<br>75 54 18 W | <b>FI (2+1) R 6s</b>  | 15            | 4            | JR on slatted pile structure.  |  |
| 6450   | - Daybeacon 233                                  |                          |                       |               |              | SG on pile.                    |  |
| 6455   | - Daybeacon 235                                  |                          |                       |               |              | SG on pile.                    |  |
| 6460   | - LIGHT 236                                      |                          | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile structure.    |  |
| 6465   | - LIGHT 237                                      | 37 15 03 N<br>75 53 48 W | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.    | Light equipment removed<br>when endangered by ice. |
| 6470   | - LIGHT 239                                      |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.    | Light equipment removed<br>when endangered by ice. |
| 6475   | - Daybeacon 240<br>On edge of shoal.             |                          |                       |               |              | TR on pile.                    |  |
| 6480   | - LIGHT 242                                      |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                    | Light equipment removed<br>when endangered by ice. |
| 6485   | - Daybeacon 244<br>On eastward edge<br>of shoal. |                          |                       |               |              | TR on pile.                    |  |
| 6490   | - LIGHT 245                                      |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.    | Light equipment removed<br>when endangered by ice. |
| 6495   | - Daybeacon 245A                                 |                          |                       |               |              | SG on pile.                    |  |
| 6500   | - LIGHT 246                                      |                          | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile structure.    | Light equipment removed<br>when endangered by ice. |
| 6505   | - Daybeacon 247                                  |                          |                       |               |              | SG on pile.                    |  |
| 6510   | - LIGHT 248                                      |                          | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile structure.    | Light equipment removed<br>when endangered by ice. |
| 6515   | - Daybeacon 248A                                 |                          |                       |               |              | TR on pile.                    |  |
| 6520   | - LIGHT 249                                      |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.    | Light equipment removed<br>when endangered by ice. |

| (1)<br>No.   | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                  |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>VIRGINIA INSIDE PASSAGE (Virginia) - Fifth District</b> |                          |                          |                       |               |              |                             |   |
| 6525   | - Daybeacon 250          | 37 11 27 N<br>75 54 52 W |                       |               |              | TR on pile.                 |   |
| 6530   | - LIGHT 252              |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |
| 6535   | - Daybeacon 254          |                          |                       |               |              | TR on pile.                 |   |
| 6540   | - LIGHT 255              |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                 |   |
| 6545   | - Daybeacon 255A         |                          |                       |               |              | SG on pile.                 |   |
| 6550   | - Daybeacon 256          |                          |                       |               |              | TR on pile.                 |   |
| 6555   | - Daybeacon 259          |                          |                       |               |              | SG on pile.                 |   |
| 6560   | - Daybeacon 261          |                          |                       |               |              | SG on pile.                 |   |
| 6565   | - LIGHT 262              |                          | <b>Q R</b>            | 15            | 3            | TR on multi-pile structure. | Light equipment removed when endangered by ice. |
| 6570   | - Daybeacon 263          |                          |                       |               |              | SG on pile.                 |   |
| 6575   | - Daybeacon 264          |                          |                       |               |              | TR on pile.                 |   |
| 6580   | - LIGHT 265              |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. | Light equipment removed when endangered by ice. |
| 6585   | - LIGHT 266              |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. |   |
| 6590   | - LIGHT 267              | 37 06 54 N<br>75 58 18 W | <b>Q G</b>            | 16            | 2            | SG on pile.                 | Light equipment removed when endangered by ice. |
| 6595<br>21415  | - LIGHT 270              |                          | <b>FI R</b> 2.5s      | 18            | 4            | TR on pile.                 | Light equipment removed when endangered by ice. |

**VIRGINIA - Fifth District**

**CHINCOTEAGUE INLET TO GREAT MACHIPONGO INLET (Chart 12210)**

**Wachapreague Inlet**

*Positions of buoys frequently shifted with changing conditions.*

|                             |                                    |                          |                  |    |   |   |   |
|-----------------------------|------------------------------------|--------------------------|------------------|----|---|---|---|
| 6600<br>305                 | - Lighted Whistle<br>Buoy W        | 37 34 54 N<br>75 33 37 W | <b>Mo (A) W</b>  |    | 5 | Red and white stripes with red spherical topmark. |   |
| 6605                        | - Buoy 1                           |                          |                  |    |   | Green can.  |   |
| 6610                        | - Buoy 2                           |                          |                  |    |   | Red nun.  |   |
| 6615                        | - Buoy 3                           |                          |                  |    |   | Green can.  |   |
| 6620                        | - Buoy 6                           |                          |                  |    |   | Red nun.  |   |
| 6625                        | - Entrance Lighted<br>Buoy 5       |                          | <b>FI G</b> 2.5s |    | 3 | Green.  | Replaced by can when endangered by ice. |
| 6630                        | Wachapreague North Inlet<br>Buoy 1 |                          |                  |    |   | Green can.  |   |
| 6635                        | - Lighted Buoy 7                   |                          | <b>FI G</b> 4s   |    | 4 | Green.  |   |
| 6640                        | - Daybeacon 3                      |                          |                  |    |   | SG on pile.                                       |   |
| <b>Wachapreague Channel</b> |                                    |                          |                  |    |   |   |   |
| 6655                        | - LIGHT 4                          |                          | <b>FI R</b> 2.5s | 15 | 4 | TR on multi-pile structure.                       |   |

| (1)<br>No.  | (2)<br>Name and Location                       | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                     | (8)<br>Remarks                                     |
|---|--|--------------------------|-----------------------|---------------|--------------|--|--|
| <b>VIRGINIA - Fifth District</b>                                      |  |                          |                       |               |              |  |  |
| 6660  | - LIGHT 6                                      |                          | <b>FI R</b> 4s        | 16            | 3            | TR on pile.  |  |
| 6665  | - LIGHT 7                                      |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG on multi-pile structure.                          |  |
| 6670  | - LIGHT 8                                      | 37 36 19 N<br>75 38 43 W | <b>FI R</b> 4s        | 16            | 3            | TR on multi-pile structure.                          | Light equipment removed<br>when endangered by ice. |
| 6675  | - LIGHT 9                                      | 37 36 13 N<br>75 39 33 W | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.                          |  |
| 6680<br>6000  | - LIGHT 10                                     |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.  |  |
| 6685<br>6005  | VIRGINIA INSIDE PASSAGE<br>LIGHT 124           |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure.                          |  |
| 6690<br>6010  | VIRGINIA INSIDE PASSAGE<br>LIGHT 125           |                          | <b>FI G</b> 4s        | 15            | 3            | SG on multi-pile structure.                          |  |
| 6695<br>6015  | VIRGINIA INSIDE PASSAGE<br>LIGHT 126           |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure.                          |  |
| <b>Quinby Inlet</b>   |  |                          |                       |               |              |  |  |
| <i>Position of buoys frequently shifted with changing conditions.</i> |  |                          |                       |               |              |  |  |
| 6700<br>320   | - Lighted Whistle<br>Buoy Q                    | 37 28 06 N<br>75 36 05 W | <b>Mo (A) W</b>       |               | 5            | Red and white stripes with red<br>spherical topmark. |  |
| 6705  | - Lighted Buoy 2                               |                          | <b>FI R</b> 2.5s      |               | 4            | Red.   |  |
| 6710  | - Buoy 4                                       |                          |                       |               |              | Red nun.   |  |
| 6715  | - Lighted Buoy 6                               |                          | <b>FI R</b> 6s        |               | 3            | Red.   |  |
| 6720  | - Buoy 7                                       |                          |                       |               |              | Green can.   |  |
| 6725  | - Buoy 8                                       |                          |                       |               |              | Red nun.   |  |
| 6730<br>325   | - ENTRANCE LIGHT                               | 37 27 50 N<br>75 40 12 W | <b>FI W</b> 4s        | 28            | 8            | NB on skeleton tower on pile<br>structure.           |  |
| 6735  | - JUNCTION LIGHT QI                            | 37 27 54 N<br>75 40 50 W | <b>FI (2+1) G</b> 6s  | 15            | 6            | JG on multi-pile structure.                          |  |
| 6737  | - Daybeacon 2                                  |                          |                       |               |              | TR on pile.  |  |
| 6740  | QUINBY CHANNEL LIGHT 4                         |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.  | Light equipment removed<br>when endangered by ice. |
| 6743  | - Daybeacon 5                                  |                          |                       |               |              | SG on pile.  |  |
| 6745<br>6145  | VIRGINIA INSIDE PASSAGE<br>LIGHT 160           | 37 30 11 N<br>75 42 06 W | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure.                          | Light equipment removed<br>when endangered by ice. |
| <b>Quinby Creek</b>   |  |                          |                       |               |              |  |  |
| 6750  | - LIGHT 1                                      | 37 30 27 N<br>75 43 00 W | <b>FI G</b> 2.5s      | 18            | 3            | SG on pile.  | Light equipment removed<br>when endangered by ice. |
| 6755  | - Daybeacon 2                                  |                          |                       |               |              | TR on pile.  |  |
| 6760  | - LIGHT 3                                      | 37 31 09 N<br>75 43 04 W | <b>FI G</b> 4s        | 14            | 4            | SG on multi-pile structure.                          |  |
| 6765  | - Daybeacon 5                                  |                          |                       |               |              | SG on pile.  |  |
| 6770  | - LIGHT 7                                      |                          | <b>FI G</b> 4s        | 14            | 4            | SG on multi-pile structure.                          | Light equipment removed<br>when endangered by ice. |
| 6775  | - LIGHT 9<br>10 feet outside channel<br>limit. | 37 31 54 N<br>75 43 24 W | <b>FI G</b> 4s        | 14            | 4            | SG on pile.  | Light equipment removed<br>when endangered by ice. |

| (1)<br>No.  | (2)<br>Name and Location                                     | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                  | (8)<br>Remarks                                  |
|---|--|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>VIRGINIA - Fifth District</b>                                      |  |                          |                       |               |              |   |   |
| 6780  | - LIGHT 11   |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.                       |   |
| 6785  | - LIGHT 13   | 37 32 52 N<br>75 43 51 W | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                                       |   |
| 6788  | Quinby Inlet Mooring Buoy                                    |                          |                       |               |              | White can with blue horizontal band.              | For U.S. Coast Guard use only.                  |
| 6790  | NORTH INLET LIGHT 1  | 37 27 00 N<br>75 41 32 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                                       | Light equipment removed when endangered by ice. |
| 6795  | NORTH INLET LIGHT 2  |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure.                       | Light equipment removed when endangered by ice. |
| <b>Great Machipongo Inlet</b>   |  |                          |                       |               |              |   |   |
| <i>Position of buoys frequently shifted with changing conditions.</i> |  |                          |                       |               |              |   |   |
| 6800<br>330   | - Lighted Whistle<br>Buoy GM                                 |                          | <b>Mo (A) W</b>       |               | 5            | Red and white stripes with red spherical topmark. |   |
| 6805  | - Buoy 2   |                          |                       |               |              | Red nun.  |   |
| 6810  | - Buoy 3   |                          |                       |               |              | Green can.  |   |
| 6815  | - Lighted Buoy 4   |                          | <b>FI R</b> 2.5s      |               | 3            | Red.  |   |
| 6820  | - LIGHT 5  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                                       | Light equipment removed from Dec. 1 to Mar. 15. |
| 6825  | - Buoy 6   |                          |                       |               |              | Red nun.  |   |
| 6835  | VIRGINIA INSIDE<br>PASSAGE JUNCTION<br>LIGHT GV              | 37 22 04 N<br>77 45 19 W | <b>FI (2+1) G</b> 6s  | 15            | 3            | JG on multi-pile structure.                       |   |
| 6840  | - Daybeacon 8  |                          |                       |               |              | TR on pile.                                       |   |
| 6843  | - Daybeacon 9  |                          |                       |               |              | SG on pile.                                       |   |
| 6845  | - LIGHT 11   |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                                       | Light equipment removed when endangered by ice. |
| 6850  | - Daybeacon 12   |                          |                       |               |              | TR on pile.                                       |   |
| 6855  | - Daybeacon 13   |                          |                       |               |              | SG on pile.                                       |   |
| 6860  | - LIGHT 14   |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure.                       |   |
| 6865  | - Daybeacon 15   | 37 25 48 N<br>75 45 50 W |                       |               |              | SG on pile.                                       |   |
| 6870  | - LIGHT 17   |                          | <b>FI G</b> 4s        | 16            | 4            | SG on multi-pile structure.                       |   |
| 6873  | - Daybeacon 18   |                          |                       |               |              | TR on pile.                                       |   |
| 6875  | GREAT MACHIPONGO<br>INLET NORTH CHANNEL<br>JUNCTION LIGHT NC |                          | <b>FI (2+1) R</b> 6s  | 15            | 4            | JR on pile.                                       |   |
| <b>Great Machipongo Channel</b>                                       |  |                          |                       |               |              |   |   |
| 6885  | - Buoy 1   |                          |                       |               |              | Green can.  |   |
| 6890  | - LIGHT 1  | 37 27 50 N<br>75 45 10 W | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.                       | Light equipment removed when endangered by ice. |
| 6895  | - Daybeacon 3  |                          |                       |               |              | SG on pile.                                       |   |
| 6900  | - Daybeacon 3A   |                          |                       |               |              | SG on pile.                                       |   |
| 6910  | - LIGHT 4  |                          | <b>Q R</b>            | 15            | 4            | TR on multi-pile structure.                       |   |

| (1)<br>No.   | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                  | (8)<br>Remarks                                  |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>VIRGINIA - Fifth District</b>                                       |                          |                          |                       |               |              |   |   |
| 6912   | - Daybeacon 4A           |                          |                       |               |              | TR on pile.                                       |   |
| 6915   | - LIGHT 6                | 37 27 51 N<br>75 48 24 W | <b>FI R</b> 4s        | 15            | 4            | TR on pile.                                       | Light equipment removed when endangered by ice. |
| 6920   | - LIGHT 8                | 37 28 22 N<br>75 48 23 W | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure.                       | Light equipment removed when endangered by ice. |
| 6925   | - Daybeacon 10           | 37 29 00 N<br>75 48 00 W |                       |               |              | TR on pile.                                       |   |
| 6930   | - LIGHT 11               | 37 29 23 N<br>75 47 42 W | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.                       | Light equipment removed when endangered by ice. |
| 6935   | - LIGHT 12               | 37 29 57 N<br>75 47 39 W | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure.                       | Light equipment removed when endangered by ice. |
| 6940   | - LIGHT 13               | 37 30 12 N<br>75 47 32 W | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.                       |   |
| 6945   | - Daybeacon 15           | 37 30 17 N<br>75 48 12 W |                       |               |              | SG on pile.                                       |   |
| 6950   | - Daybeacon 17           |                          |                       |               |              | SG on pile.                                       |   |
| 6955   | - Daybeacon 18           |                          |                       |               |              | TR on pile.                                       |   |
| <b>CHESAPEAKE BAY ENTRANCE (Chart 12221)</b>                           |                          |                          |                       |               |              |   |   |
| 6960   | RAMSHORN CHANNEL LIGHT 2 | 37 23 25 N<br>75 51 16 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                                       | Light equipment removed when endangered by ice. |
| <b>Sand Shoal Inlet</b>  |                          |                          |                       |               |              |   |   |
| <i>Positions of buoys frequently shifted with changing conditions.</i> |                          |                          |                       |               |              |   |   |
| 6965<br>340  | - Lighted Whistle Buoy A | 37 17 49 N<br>75 41 09 W | <b>Mo (A) W</b>       |               | 5            | Red and white stripes with red spherical topmark. |   |
| 6970   | - Lighted Buoy 1         |                          | <b>FI G</b> 2.5s      |               | 3            | Green.  |   |
| 6975   | - Lighted Buoy 3         |                          | <b>FI G</b> 4s        |               | 3            | Green.  |   |
| 6980   | - Buoy 5                 |                          |                       |               |              | Green can.  |   |
| 6985   | - Lighted Buoy 6         |                          | <b>FI R</b> 4s        |               | 4            | Red.  |   |
| 6987   | SPIT BAR LIGHT SB        |                          | <b>FI W</b> 2.5s      | 15            | 5            | NB on multi-pile structure.                       |   |
| <b>Sand Shoal Channel</b>  |                          |                          |                       |               |              |   |   |
| 6990   | - LIGHT 1                | 37 17 53 N<br>75 48 03 W | <b>FI G</b> 2.5s      | 15            | 3            | SG on multi-pile structure.                       |   |
| 6991   | - Daybeacon 3            |                          |                       |               |              | SG on pile.                                       |   |
| 6992   | - LIGHT 4                |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure.                       |   |
| 6993   | - Daybeacon 5            |                          |                       |               |              | SG on pile.                                       |   |
| 6994   | - LIGHT 7                |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.                       |   |
| 6995   | - Daybeacon 9            |                          |                       |               |              | SG on pile.                                       |   |
| 6996   | LIGHT 10                 |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                                       |   |
| <b>Oyster Channel</b>  |                          |                          |                       |               |              |   |   |
| 7000<br>6445   | - JUNCTION LIGHT OC      | 37 17 45 N<br>75 54 18 W | <b>FI (2+1) R</b> 6s  | 15            | 4            | JR on slatted pile structure.                     |   |
| 7005   | - LIGHT 3                |                          | <b>FI G</b> 2.5s      | 16            | 5            | SG on dolphin.                                    |   |

| (1)<br>No.                       | (2)<br>Name and Location                  | (3)<br>Position | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks |
|----------------------------------|---|-----------------|-----------------------|---------------|--------------|-----------------------------|----------------|
| <b>VIRGINIA - Fifth District</b> |   |                 |                       |               |              |                             |                |
| 7010                             | - Daybeacon 5<br>Marks encroaching shoal. |                 |                       |               |              | SG on pile.                 |                |
| 7015                             | - LIGHT 6                                 |                 | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. |                |
| 7020                             | - LIGHT 8                                 |                 | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. |                |
| 7025                             | - LIGHT 10                                |                 | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                 |                |

# Section 6

## Lower Chesapeake Bay

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                 | (8)<br>Remarks  |
|---|---|--------------------------|-----------------------|---------------|--------------|----------------------------------|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |   |                          |                       |               |              |                                  |   |
| <b>CHESAPEAKE BAY ENTRANCE (Chart 12221)</b>      |   |                          |                       |               |              |                                  |   |
| <b>Chesapeake Channel</b>                         |   |                          |                       |               |              |                                  |   |
| 7030  | Cape Henry Buoy 1   | 36 55 02 N<br>75 58 00 W |                       |               |              | Green can.                       |   |
| 7035  | - Lighted Bell Buoy 2C  | 36 57 19 N<br>75 58 22 W | <b>FI R</b> 2.5s      |               | 4            | Red.                             |   |
| 7040  | Cape Henry Wreck<br>Lighted Buoy 2CH<br>250 yards, 225° from<br>last reported position of<br>wreck.<br>Marks wreck of<br>CHILORE. | 36 57 33 N<br>76 00 46 W | <b>Q R</b>            |               | 4            | Red.                             |   |
| 7045  | - Lighted Buoy 3<br>75 feet outside channel<br>limit.   |                          | <b>FI G</b> 4s        |               | 4            | Green.                           |   |
| 7050  | - Lighted Buoy 4<br>75 feet outside channel<br>limit.   |                          | <b>FI R</b> 4s        |               | 4            | Red.                             |   |
| 7055  | - Lighted Bell Buoy 5<br>75 feet outside channel<br>limit.  |                          | <b>FI G</b> 2.5s      |               | 4            | Green.                           |   |
| 7060  | - Lighted Buoy 6<br>75 feet outside channel<br>limit.   |                          | <b>Q R</b>            |               | 4            | Red.                             |   |
| 7065  | Tail Of The Horseshoe<br>Shoal Lighted Bell<br>Buoy 2T  |                          | <b>FI R</b> 4s        |               | 4            | Red.                             |   |
| 7070  | - Lighted Buoy 7<br>75 feet outside channel<br>limit.   |                          | <b>Q G</b>            |               | 4            | Green.                           |   |
| 7075  | - Lighted Buoy 9<br>75 feet outside channel<br>limit.   |                          | <b>FI G</b> 4s        |               | 4            | Green.                           |   |
| 7080  | - Lighted Buoy 10<br>75 feet outside channel<br>limit.  |                          | <b>FI R</b> 4s        |               | 4            | Red.                             |   |
| 7085  | - Lighted Buoy 11<br>75 feet outside channel<br>limit.  |                          | <b>Q G</b>            |               | 4            | Green.                           |   |
| 7090  | - Lighted Bell Buoy 12<br>75 feet outside channel<br>limit.   |                          | <b>Q R</b>            |               | 4            | Red.                             |   |
| 7095  | - TUNNEL SOUTH LIGHT  |                          | <b>F Y</b>            | 32            |              | Mounted atop wall on centerline. | Private aid.<br>BELL: 1 stroke ev 10s.<br>Operates during periods of<br>low visibility only.        |
| 7100  | - TUNNEL NORTH LIGHT  |                          | <b>F Y</b>            | 32            |              | Mounted atop wall on centerline. | Private aid.<br>HORN: 1 blast ev 20s (2s bl).<br>Operates during periods of<br>low visibility only. |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure       | (8)<br>Remarks                                 |
|---|---|--------------------------|-----------------------|---------------|--------------|------------------------|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |   |                          |                       |               |              |                        |  |
| 7105  | - <i>Lighted Buoy 13</i><br>80 feet outside channel<br>limit.                   |                          | <b>FI G</b> 4s        |               | 4            | Green.                 |  |
| 7110  | - <i>Lighted Buoy 14</i><br>80 feet outside channel<br>limit.                   |                          | <b>FI R</b> 4s        |               | 4            | Red.                   |  |
| 7115  | - <i>Lighted Buoy 15</i><br>75 feet outside channel<br>limit.                   |                          | <b>Q G</b>            |               | 4            | Green.                 |  |
| 7120  | - <i>Lighted Buoy 16</i><br>75 feet outside channel<br>limit.                   |                          | <b>Q R</b>            |               | 3            | Red.                   |  |
| 7125  | - <i>Lighted Buoy 18</i><br>75 feet outside channel<br>limit.                   |                          | <b>FI R</b> 2.5s      |               | 5            | Red.                   |  |
| 7130  | - <i>Junction Lighted Gong<br/>Buoy CY</i><br>75 feet outside channel<br>limit. |                          | <b>FI (2+1) G</b> 6s  |               | 5            | Green and red bands.   |  |
| 7135  | - <i>Lighted Buoy 19</i><br>75 feet outside channel<br>limit.                   |                          | <b>FI G</b> 4s        |               | 4            | Green.                 |  |
| 7140  | - <i>Lighted Buoy 20</i><br>75 feet outside channel<br>limit.                   |                          | <b>FI R</b> 4s        |               | 4            | Red.                   |  |
| 7145  | - <i>Lighted Bell Buoy 22</i><br>75 feet outside channel<br>limit.              |                          | <b>Q R</b>            |               | 4            | Red.                   |  |
| 7150  | - <i>Lighted Buoy 23</i><br>75 feet outside channel<br>limit.                   |                          | <b>Q G</b>            |               | 4            | Green.                 |  |
| 7155  | - <i>Lighted Buoy 24</i><br>75 feet outside channel<br>limit.                   |                          | <b>FI R</b> 2.5s      |               | 4            | Red.                   |  |
| 7160  | - <i>Lighted Buoy 25</i><br>75 feet outside channel<br>limit.                   |                          | <b>FI G</b> 4s        |               | 3            | Green.                 |  |
| 7165  | - <i>Lighted Buoy 26</i><br>75 feet outside channel<br>limit.                   |                          | <b>FI R</b> 4s        |               | 4            | Red.                   |  |
| 7170  | - <i>Lighted Buoy 28</i><br>75 feet outside channel<br>limit.                   |                          | <b>Q R</b>            |               | 4            | Red.                   |  |
| 7175  | - <i>Lighted Buoy 29</i><br>75 feet outside channel<br>limit.                   |                          | <b>Q G</b>            |               | 4            | Green.                 |  |
| 7180  | - <i>Lighted Buoy 30</i><br>75 feet outside channel<br>limit.                   |                          | <b>FI R</b> 2.5s      |               | 4            | Red.                   |  |
| 7185  | - <i>Lighted Buoy 31</i><br>75 feet outside channel<br>limit.                   |                          | <b>FI G</b> 4s        |               | 4            | Green.                 |  |
| 7190  | - <i>Lighted Buoy 32</i><br>75 feet outside channel<br>limit.                   |                          | <b>FI R</b> 4s        |               | 4            | Red.                   |  |
| 7195  | - Calibration Buoy  | 37 12 18 N<br>76 08 30 W |                       |               |              | White with green band. | Maintained by U.S. Army<br>Corps of Engineers. |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks                             |
|---|--|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |                       |               |              |   |  |
| 7200  | - <i>Lighted Buoy 33</i><br>75 feet outside channel<br>limit.                              |                          | <b>FI G</b> 6s        |               | 4            | Green.  |  |
| 7205  | - <i>Lighted Buoy 34</i><br>75 feet outside channel<br>limit.                              |                          | <b>FI R</b> 6s        |               | 4            | Red.  |  |
| 7210  | - <i>Lighted Buoy 35</i><br>75 feet outside channel<br>limit.                              |                          | <b>FI G</b> 4s        |               | 4            | Green.  |  |
| 7215  | - <i>Lighted Buoy 36</i><br>75 feet outside channel<br>limit.                              |                          | <b>FI R</b> 4s        |               | 4            | Red.  |  |
| 7220  | Chesapeake Bay Buoy 36A  | 37 15 05 N<br>76 03 55 W |                       |               |              | Red nun.  |  |
| 7225  | - <i>Lighted Buoy 37</i><br>75 feet outside channel<br>limit.                              |                          | <b>FI G</b> 2.5s      |               | 5            | Green.  |  |
| 7230  | - <i>Lighted Buoy 38</i><br>75 feet outside channel<br>limit.                              |                          | <b>FI R</b> 2.5s      |               | 5            | Red.  |  |
| 7235  | Chesapeake Bay Buoy 38A  | 37 19 14 N<br>76 02 54 W |                       |               |              | Red nun.  |  |
| 7240  | - <i>Lighted Buoy 40</i>   |                          | <b>FI R</b> 4s        |               | 5            | Red.  | Replaced by nun when<br>endangered by ice. |
| 7245<br>21435                                     | OLD PLANTATION FLATS<br>LIGHT  | 37 13 44 N<br>76 02 49 W | <b>FI W</b> 4s        | 39            | 8            | NB on pile.   | Higher intensity beam toward<br>200°.      |
| 7250  | Chesapeake Bay Buoy 40A  | 37 23 06 N<br>76 01 58 W |                       |               |              | Red nun.  |  |
| <b>WOLF TRAP TO SMITH POINT (Chart 12225)</b>     |  |                          |                       |               |              |   |  |
| <b>Chesapeake Channel</b>                         |  |                          |                       |               |              |   |  |
| 7255  | <b>Wolf Trap Light</b>   | 37 23 24 N<br>76 11 24 W | <b>FI W</b> 15s       | 52            | 14           | Octagonal red brick dwelling,<br>square tower on brown cylinder.                  |  |
| 7260  | <i>Wolf Trap Degaussing<br/>Lighted Bell Buoy WT2</i><br>150 yards west of<br>obstruction. | 37 24 13 N<br>76 03 43 W | <b>Q R</b>            |               | 3            | Red.  |  |
| 7265  | - <i>Lighted Buoy 41</i>   |                          | <b>FI G</b> 4s        |               | 4            | Green.  | Replaced by can when<br>endangered by ice. |
| 7270  | Chesapeake Bay Buoy 41A  | 37 29 37 N<br>76 11 11 W |                       |               |              | Green can.  |  |
| 7275  | - <i>Lighted Buoy 42</i>   | 37 25 37 N<br>76 05 07 W | <b>FI R</b> 4s        |               | 5            | Red.  | Racon: O (---)                             |
| 7280  | Chesapeake Bay Buoy 42A  | 37 27 27 N<br>76 00 55 W |                       |               |              | Red nun.  |  |
| 7285  | - <i>Mid Channel Lighted<br/>Whistle Buoy CB</i>   | 37 30 01 N<br>76 02 36 W | <b>Mo (A) W</b>       |               | 6            | Red and white stripes.  | Replaced by nun when<br>endangered by ice. |
| 7290  | RAPPAHANNOCK SHOAL<br>CHANNEL SOUTH RANGE<br>FRONT LIGHT                                   | 37 32 19 N<br>76 00 51 W | <b>F W</b>            | 31            |              | Red monopod with white<br>equipment hut on top.                                   | Lighted throughout 24 hours.               |
| 7291  | RAPPAHANNOCK SHOAL<br>CHANNEL SOUTH RANGE<br>FRONT PASSING LIGHT                           |                          | <b>Q W</b>            | 33            | 5            | On same structure as<br>Rappahannock Shoal<br>Channel South Range<br>Front Light. |  |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic                  | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks                                    |
|---|---|--------------------------|--|---------------|--------------|--|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |   |                          |  |               |              |  |   |
| 7295  | RAPPAHANNOCK SHOAL<br>CHANNEL SOUTH<br>RANGE REAR LIGHT<br>7,300 yards, 140° from<br>front light. |                          | <b>F W</b>                             | 220           |              | On skeleton tower on caisson.  | Lighted throughout 24 hours.                      |
| 7296  | RAPPAHANNOCK SHOAL<br>CHANNEL SOUTH RANGE<br>REAR PASSING LIGHT                                   |                          | <b>Q W</b>                             | 33            | 6            | On same structure as<br>Rappahannock Shoal<br>Channel South Range<br>Rear Light. |   |
| 7300  | - <i>Lighted Buoy 43</i>  |                          | <b>FI G</b> 2.5s                       |               | 5            | Green.   | Replaced by can when<br>endangered by ice.        |
| 7305  | - <i>Lighted Buoy 44</i>  |                          | <b>FI R</b> 2.5s                       |               | 5            | Red.   | Replaced by nun when<br>endangered by ice.        |
| 7310  | - <i>Lighted Buoy 45</i>  |                          | <b>FI G</b> 2.5s                       |               | 4            | Green.   | Replaced by can when<br>endangered by ice.        |
| 7315  | - <i>Lighted Bell Buoy 46</i>   |                          | <b>Q R</b>                             |               | 4            | Red.   | Replaced by nun when<br>endangered by ice.        |
| 7320  | - <i>Lighted Buoy 47</i>  |                          | <b>Q G</b>                             |               | 4            | Green.   | Replaced by can when<br>endangered by ice.        |
| 7325  | STINGRAY POINT LIGHT  | 37 33 42 N<br>76 16 23 W | <b>FI W</b> 4s                         | 34            | 8            | NG on platform.  |   |
| 7330  | WINDMILL POINT LIGHT  | 37 35 48 N<br>76 14 12 W | <b>FI W</b> 6s<br><b>(2 R sectors)</b> | 31            | W 8<br>R 6   | NR on platform.  | Red from 293° to 082° and<br>from 091.5° to 113°. |
| 7340  | <i>Rappahannock Dumping<br/>Ground Lighted<br/>Buoy A</i>   |                          | <b>FI Y</b> 4s                         |               |              | Yellow.  |   |
| 7345  | <i>Rappahannock Dumping<br/>Ground Lighted<br/>Buoy B</i>   |                          | <b>FI Y</b> 2.5s                       |               |              | Yellow.  |   |
| 7350  | <i>Rappahannock Dumping<br/>Ground Lighted<br/>Buoy C</i>   |                          | <b>FI Y</b> 6s                         |               |              | Yellow.  |   |
| 7360  | - <i>Lighted Gong<br/>Buoy 49</i><br>75 feet outside channel<br>limit.                            |                          | <b>FI G</b> 4s                         |               | 4            | Green.   | Replaced by can when<br>endangered by ice.        |
| 7365  | - <i>Lighted Bell Buoy 50</i><br>75 feet outside channel<br>limit.                                |                          | <b>FI R</b> 4s                         |               | 4            | Red.   | Replaced by nun when<br>endangered by ice.        |
| 7370  | - <i>Lighted Buoy 51</i><br>75 feet outside channel<br>limit.                                     |                          | <b>FI G</b> 6s                         |               | 4            | Green.   | Replaced by can when<br>endangered by ice.        |
| 7375  | - <i>Lighted Buoy 52</i><br>75 feet outside channel<br>limit.                                     |                          | <b>FI R</b> 6s                         |               | 3            | Red.   | Replaced by nun when<br>endangered by ice.        |
| 7380  | - <i>Lighted Buoy 53</i><br>75 feet outside channel<br>limit.                                     |                          | <b>FI G</b> 4s                         |               | 4            | Green.   | Replaced by can when<br>endangered by ice.        |
| 7385  | - <i>Lighted Buoy 54</i><br>75 feet outside channel<br>limit.                                     |                          | <b>FI R</b> 4s                         |               | 4            | Red.   | Replaced by nun when<br>endangered by ice.        |
| 7390  | Chesapeake Bay Buoy 54A   | 37 37 24 N<br>75 57 36 W |  |               |              | Red nun.   |   |
| 7395  | - <i>Lighted Buoy 55</i><br>75 feet outside channel<br>limit.                                     |                          | <b>FI G</b> 6s                         |               | 4            | Green.   | Replaced by can when<br>endangered by ice.        |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic            | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks  |
|---|--|--------------------------|----------------------------------|---------------|--------------|---|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |                                  |               |              |   |   |
| 7400  | - Lighted Bell Buoy 56<br>75 feet outside channel<br>limit.                      |                          | <b>FI R 6s</b>                   |               | 4            | Red.  | Replaced by nun when<br>endangered by ice.  |
| 7405  | - Lighted Gong<br>Buoy 57<br>75 feet outside<br>channel limits.                  |                          | <b>FI G 4s</b>                   |               | 3            | Green.  | Replaced by can when<br>endangered by ice.  |
| 7410  | - Lighted Bell<br>Buoy 58<br>75 feet outside<br>channel limits.                  |                          | <b>FI R 4s</b>                   |               | 4            | Red.  | Replaced by nun when<br>endangered by ice.  |
| 7415  | - Lighted Buoy 59<br>75 feet outside channel<br>limit.                           |                          | <b>FI G 2.5s</b>                 |               | 4            | Green.  | Replaced by can when<br>endangered by ice.  |
| 7420  | Chesapeake Bay Buoy 59A  | 37 40 47 N<br>76 11 29 W |                                  |               |              | Green can.  |   |
| 7425  | - Lighted Bell<br>Buoy 60  |                          | <b>FI R 2.5s</b>                 |               | 5            | Red.  | Replaced by nun when<br>endangered by ice.  |
| 7430  | - Mid Channel Lighted<br>Whistle Buoy RP   | 37 42 21 N<br>76 11 04 W | <b>Mo (A) W</b>                  |               | 6            | Red and white stripes.  |   |
| 7435<br>22715                                     | <b>Tangier Sound Light</b>   | 37 47 15 N<br>75 58 25 W | <b>FI W 6s<br/>(R sector)</b>    | 45            | W 12<br>R 9  | NB on white square tower on<br>piles.   | Red from 115° to 193°.  |
| 7440  | - Lighted Bell<br>Buoy 62  |                          | <b>FI R 4s</b>                   |               | 5            | Red.  | Replaced by nun when<br>endangered by ice.<br>RACON: Y (- • - -).                 |
| 7445  | Chesapeake Bay Buoy 63A  | 37 50 51 N<br>76 11 00 W |                                  |               |              | Green can.  |   |
| 7450  | USN Aerial Gunnery Area<br>Warning Daybeacon A                                   | 37 47 36 N<br>75 59 29 W |                                  |               |              | NW on pile worded BOMBING<br>AREA.  |   |
| 7455  | USN Aerial Gunnery Area<br>Warning Daybeacon B                                   | 37 49 12 N<br>76 01 29 W |                                  |               |              | NW on pile worded BOMBING<br>AREA.  |   |
| 7460  | Tangier Island Shoal Point<br>Buoy 2   |                          |                                  |               |              | Red nun.  |   |
| 7465  | TANGIER ISLAND WRECK<br>LIGHT WR1<br>Marks barge, submerged<br>1 foot below MLW. | 37 48 30 N<br>76 01 32 W | <b>Q G</b>                       | 15            | 3            | SG on pile.   |   |
| 7475<br>16190                                     | GREAT WICOMICO RIVER<br>LIGHT  | 37 48 12 N<br>76 15 59 W | <b>FI W 6s<br/>(2 R sectors)</b> | 42            | W 9<br>R 7   | NR on skeleton tower.   | Red from 315.5° to 062° and<br>from 107° to 232°.                                 |
| 7478  | Chesapeake Beach<br>Warning Daybeacon A  | 37 49 46 N<br>76 14 56 W |                                  |               |              | NW on pile.   |   |
| 7480  | <b>Smith Point Light</b>   | 37 52 47 N<br>76 11 01 W | <b>FI W 10s<br/>(R sector)</b>   | 52            | W 22<br>R 18 | White brick, square tower and<br>octagonal dwelling on brown<br>cylindrical pier. | Red from 003° to 156°.<br>HORN: 1 blast ev 15s (2s bl).<br>Operates continuously. |
| 7490  | Smith Point Fairway<br>Lighted Bell Buoy SP                                      | 37 52 48 N<br>76 09 12 W | <b>FI Y 2.5s</b>                 |               | 6            | Yellow.   | Replaced by nun when<br>endangered by ice.  |
| 7493  | UMCES Lighted Buoy XSP   | 37 52 41 N<br>76 09 08 W | <b>FI Y 10s</b>                  |               |              | Yellow.   | Private aid.  |
| 7495  | - Lighted Buoy 64  |                          | <b>FI R 4s</b>                   |               | 4            | Red.  | Replaced by nun when<br>endangered by ice.  |

| (1)<br>No.  | (2)<br>Name and Location                    | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                  | (8)<br>Remarks  |
|---|---|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |   |                          |                       |               |              |   |   |
| <b>SMITH POINT TO COVE POINT (Chart 12230)</b>    |   |                          |                       |               |              |   |   |
| <b>Chesapeake Channel</b>                         |   |                          |                       |               |              |   |   |
| 7500  | - Lighted Buoy 65                           |                          | <b>FI G</b> 2.5s      |               | 4            | Green.  | Replaced by can when endangered by ice.   |
| 7505  | - Lighted Bell Buoy 66                      |                          | <b>FI R</b> 6s        |               | 4            | Red.  | Replaced by nun when endangered by ice.   |
| 7515  | - Lighted Bell Buoy 68                      |                          | <b>FI R</b> 2.5s      |               | 4            | Red.  | Replaced by nun when endangered by ice.<br>RACON: X(-••-)                               |
| 7520  | - Lighted Bell Buoy 70                      |                          | <b>FI R</b> 4s        |               | 5            | Red.  | Replaced by nun when endangered by ice.   |
| 7525  | POINT LOOKOUT LIGHT                         | 38 01 30 N<br>76 19 24 W | <b>FI (2) W</b> 5s    | 39            | 8            | NB on skeleton tower on piles.                    | Higher intensity beams towards Smith Point Fairway, up Potomac River and northeastward. |
| 7530  | Chesapeake Bay Buoy 69A                     | 38 02 20 N<br>76 17 25 W |                       |               |              | Green can.  |   |
| 7535  | USN AERIAL GUNNERY AREA LIGHT A             | 38 02 36 N<br>76 09 36 W | <b>FI Y</b> 4s        |               | 5            | NY on pile.                                       |   |
| 7545  | HOLLAND ISLAND BAR LIGHT                    | 38 04 07 N<br>76 05 45 W | <b>FI W</b> 2.5s      | 37            | 7            | NB on white square house on piles.                | HORN: 1 blast ev 30s (3s bl). Operated continuously from Sept. 15 to June 1.            |
| 7550  | Holland Island Warning Daybeacon            | 38 07 22 N<br>76 05 41 W |                       |               |              | NW on pile worded DANGER WRECK.                   |   |
| 7555  | - Lighted Bell Buoy 72                      |                          | <b>FI R</b> 2.5s      |               | 5            | Red.  | Replaced by nun when endangered by ice.   |
| 7557  | - Lighted Buoy 72A                          |                          | <b>FI R</b> 4s        |               | 5            | Red   | Replaced by LIB of lower intensity when endangered by ice.                              |
| 7558  | - Lighted Buoy 72B                          |                          | <b>FI R</b> 2.5s      |               | 5            | Red.  | Replaced by LIB of lower intensity when endangered by ice.                              |
| 7560  | POINT NO POINT LIGHT                        | 38 07 42 N<br>76 17 24 W | <b>FI W</b> 6s        | 52            | 9            | White octagonal brick dwelling on brown cylinder. |   |
| 7565  | Holland Island Wreck Daybeacon WR2          |                          |                       |               |              | TR on pile.                                       |   |
| 7570<br>23600                                     | Hooper Strait Approach Lighted Bell Buoy 1  | 38 12 17 N<br>76 09 20 W | <b>FI G</b> 4s        |               | 4            | Green.  | Replaced by can when endangered by ice.   |
| 7575  | - Mid Channel Lighted Whistle Buoy HS       | 38 12 19 N<br>76 14 34 W | <b>Mo (A) W</b>       |               | 6            | Red and white stripes with red spherical topmark. | Replaced by nun when endangered by ice.   |
| 7580  | USN Aerial Gunnery Area Lighted Bell Buoy C | 38 13 09 N<br>76 18 16 W | <b>FI Y</b> 4s        |               | 4            | Yellow.   | Replaced by nun when endangered by ice.   |
| 7585  | USN Aerial Gunnery Area Lighted Bell Buoy D | 38 13 05 N<br>76 19 15 W | <b>FI Y</b> 2.5s      |               | 4            | Yellow.   | Replaced by nun when endangered by ice.   |
| 7590  | Hooper Island Light                         | 38 15 24 N<br>76 15 00 W | <b>FI W</b> 6s        | 63            | 9            | White conical tower on brown cylinder.            | HORN: 1 blast ev 30s (3s bl). Operated continuously from Sept. 15 to June 1.            |
| 7595  | - Mid Channel Lighted Whistle Buoy HI       |                          | <b>Mo (A) W</b>       |               | 6            | Red and white stripes with red spherical topmark. | Replaced by nun when endangered by ice.   |
| 7600  | - Lighted Buoy 74                           |                          | <b>FI R</b> 2.5s      |               | 5            | Red.  | Replaced by nun when endangered by ice.   |

| (1)<br>No.  | (2)<br>Name and Location            | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                     | (8)<br>Remarks   |
|---|-------------------------------------|--------------------------|-----------------------|---------------|--------------|--|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                                     |                          |                       |               |              |  |  |
| 7605<br>18885                                     | DRUM POINT LIGHT 4                  | 38 19 08 N<br>76 25 15 W | <b>FI R</b> 2.5s      | 22            | 5            | TR on platform on piles.                             |  |
| 7610  | Cedar Point Fishing<br>Reef Buoy A  | 38 18 54 N<br>76 23 06 W |                       |               |              | White spar with orange bands<br>worded FISHING REEF. | Private aid.   |
| 7615  | Cedar Point Fishing<br>Reef Buoy B  | 38 18 36 N<br>76 22 18 W |                       |               |              | White spar with orange bands<br>worded FISHING REEF. | Private aid.   |
| 7620  | - Lighted Bell Buoy 76              |                          | <b>FI R</b> 4s        |               | 5            | Red.   | Replaced by nun when<br>endangered by ice.   |
| 7625  | - Lighted Buoy 77                   |                          | <b>FI G</b> 2.5s      |               | 5            | Green.   | Replaced by can when<br>endangered by ice.   |
| 7630  | <b>Cove Point Light</b>             | 38 23 11 N<br>76 22 54 W | <b>FI W</b> 10s       | 45            | 12           | White tower.<br>51                                   | Obscured from 040° to 110°.  |
| <b>COVE POINT TO SANDY POINT (Chart 12263)</b>    |                                     |                          |                       |               |              |  |  |
| <b>Chesapeake Channel</b>                         |                                     |                          |                       |               |              |  |  |
| <b>Cove Point</b>                                 |                                     |                          |                       |               |              |  |  |
| 7640  | - PLATFORM LIGHT A                  | 38 24 06 N<br>76 23 12 W | <b>FI Y</b> 2.5s      | 40            |              | On northwest corner of concrete<br>platform.         | Private aid.   |
| 7645  | - PLATFORM LIGHT B                  |                          | <b>FI Y</b> 2.5s      | 40            |              | On southwest corner of concrete<br>platform.         | Private aid.   |
| 7650  | - SOUTH MOORING<br>DOLPHIN LIGHT C  |                          | <b>FI Y</b> 2.5s      | 40            |              | On pile on concrete platform.                        | Private aid.<br>HORN: 1 blast ev 20s (2s bl).<br>Operated during periods of<br>low visibility. |
| 7655  | - MIDDLE MOORING<br>DOLPHIN LIGHT D |                          | <b>FI Y</b> 2.5s      | 40            |              | On pile on concrete platform.                        | Private aid.   |
| 7660  | - NORTH MOORING<br>DOLPHIN LIGHT E  |                          | <b>FI Y</b> 2.5s      | 40            |              | On pile on concrete platform.                        | Private aid.<br>HORN: 1 blast ev 20s (2s bl).<br>Operated during periods of<br>low visibility. |
| <b>Chesapeake Channel</b>                         |                                     |                          |                       |               |              |  |  |
| 7665  | - Lighted Whistle<br>Buoy CP        | 38 28 11 N<br>76 22 35 W | <b>Mo (A) W</b>       |               | 6            | Red and white stripes with<br>spherical topmark.     | Replaced by nun when<br>endangered by ice.   |
| 7667  | UMCES Lighted Buoy TI               | 38 28 24 N<br>76 22 48 W | <b>FI Y</b> 4s        |               |              | Yellow.  | Private aid.   |
| 7670  | Chesapeake Bay Buoy 77A             | 38 28 34 N<br>76 27 17 W |                       |               |              | Green can.   |  |
| 7671  | FLAG HARBOR LIGHT 1                 | 38 27 54 N<br>76 28 18 W | <b>FI G</b> 4s        | 11            |              | SG on dolphin at end of stone<br>jetty.              | Private aid.<br>Removed Nov. through Apr.  |
| 7672  | FLAG HARBOR ENTRANCE<br>LIGHT 2     |                          | <b>FI R</b> 4s        | 11            |              | TR on dolphin at end of stone<br>jetty.              | Private aid.<br>Removed Nov. through Apr.  |
| 7673  | FLAG HARBOR<br>DIRECTIONAL LIGHT    |                          | <b>FI W</b> 4s        | 26            |              | NW on pile at end of stone jetty.                    | Private aid.<br>Removed Nov. through Apr.  |
| 7675  | Chesapeake Bay Buoy 77B             | 38 31 08 N<br>76 28 58 W |                       |               |              | Green can.   |  |
| 7680  | - Lighted Bell Buoy 78              | 38 33 19 N<br>76 25 39 W | <b>FI R</b> 4s        |               | 5            | Red.   | Replaced by nun when<br>endangered by ice.<br>RACON: Q(--•-)                                   |
| 7682  | - Lighted Buoy 78A                  |                          | <b>FI R</b> 2.5s      |               | 5            | Red.   | Replaced by LIB of lower<br>intensity when endangered<br>by ice.                               |
| 7685  | - Lighted Bell Buoy 80              |                          | <b>FI R</b> 2.5s      |               | 4            | Red.   |  |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic            | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                  | (8)<br>Remarks  |
|---|---|--------------------------|----------------------------------|---------------|--------------|---|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |   |                          |                                  |               |              |   |   |
| 7690  | SHARPS ISLAND LIGHT   | 38 38 20 N<br>76 22 39 W | <b>Fl W 6s<br/>(R sector)</b>    | 54            | W 9<br>R 7   | Brown tower on cylindrical pier.                  | Red from 159° to 262°, covers shoals off Poplar Island and Blackwalnut Point. Light is leaning from ice damage in 1977. |
| 7695  | - Lighted Whistle Buoy CR   | 38 38 57 N<br>76 24 54 W | <b>Mo (A) W</b>                  |               | 6            | Red and white stripes with red spherical topmark. | Replaced by nun when endangered by ice.   |
| 7697  | Chesapeake Bay Buoy 79A   | 38 38 39 N<br>76 29 11 W |                                  |               |              | Green can.  |   |
| 7700  | Chesapeake Bay Buoy 80A   | 38 39 50 N<br>76 22 59 W |                                  |               |              | Red nun.  |   |
| 7705  | Plum Point Shoal Buoy 1   |                          |                                  |               |              | Green can.  |   |
| 7707  | Chesapeake Bay Buoy 81A   | 38 43 35 N<br>76 29 56 W |                                  |               |              | Green can.  |   |
| 7710  | - Lighted Buoy 82   |                          | <b>Fl R 4s</b>                   |               | 4            | Red.  |   |
| 7720  | Holland Point Fishing Reef Buoy A                                     | 38 45 00 N<br>76 29 06 W |                                  |               |              | White spar with orange bands worded FISHING REEF. | Private aid.  |
| 7725  | Holland Point Fishing Reef Buoy B                                     | 38 44 12 N<br>76 29 06 W |                                  |               |              | White spar with orange bands worded FISHING REEF. | Private aid.  |
| 7730  | - Lighted Gong Buoy 83  |                          | <b>Fl G 4s</b>                   |               | 4            | Green.  | Replaced by can when endangered by ice.   |
| 7735  | Chesapeake Bay Buoy 83A   | 38 46 08 N<br>76 29 42 W |                                  |               |              | Green can.  |   |
| 7740  | - Lighted Bell Buoy 84  |                          | <b>Fl R 4s</b>                   |               | 5            | Red.  |   |
| 7745  | - Lighted Buoy 84A  |                          | <b>Fl R 2.5s</b>                 |               | 3            | Red.  |   |
| 7747  | Chesapeake Bay Buoy 85A   | 38 49 57 N<br>76 27 43 W |                                  |               |              | Green can.  |   |
| 7750  | BLOODY POINT BAR LIGHT  | 38 50 02 N<br>76 23 30 W | <b>Fl W 6s<br/>(2 R sectors)</b> | 54            | W 9<br>R 7   | Brown tower on cylindrical foundation.            | Red from 003° to 022° and 183° to 202°.   |
| 7755  | - Lighted Buoy 86   |                          | <b>Fl R 4s</b>                   |               | 4            | Red.  |   |
| 7760  | <b>Thomas Point Shoal Light</b>                                       | 38 53 56 N<br>76 26 09 W | <b>Fl W 5s<br/>(2 R sectors)</b> | 43            | W 16<br>R 11 | White hexagonal tower on piles.                   | Red from 011° to 051.5° and 096.5° to 202°. HORN: 1 blast ev 15s (2s bl).   |
| 7765  | Chesapeake Channel Lighted Buoy WR 87                                 | 38 55 58 N<br>76 23 33 W | <b>Q G</b>                       |               | 5            | Green.  |   |
| <b>Kent Island</b>                                |   |                          |                                  |               |              |   |   |
| 7770  | - Measured Mile Buoy S  |                          |                                  |               |              | Yellow nun.                                       |   |
| 7775  | - South Range Front Daybeacon   |                          |                                  |               |              | KRW on pile.                                      |   |
| 7780  | - South Range Rear Daybeacon<br>848 yards, 092° from front daybeacon. |                          |                                  | 60            |              | KRW on pile.                                      |   |
| 7785  | - North Range Front Daybeacon   |                          |                                  |               |              | KRW on skeleton tower.                            |   |
| 7790  | - North Range Rear Daybeacon<br>265 yards, 095° from front daybeacon. |                          |                                  | 60            |              | KRW on skeleton tower.                            |   |
| 7795  | - North Range Obstruction Daybeacon                                   |                          |                                  |               |              | NW on pile.                                       |   |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                     | (8)<br>Remarks  |
|---|--|--------------------------|-----------------------|---------------|--------------|--|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |  |                          |                       |               |              |  |   |
| 7800  | <i>Chesapeake Channel<br/>Lighted Buoy 88</i>  | 38 56 08 N<br>76 22 56 W | <b>FI R</b> 2.5s      |               | 4            | Red.   |   |
| 7805  | KENTMORR MARINA RANGE<br>FRONT LIGHT   | 38 54 54 N<br>76 21 48 W | <b>F R</b>            | 22            |              | Black and white checkered square<br>daymark on pile. | Private aid.  |
| 7810  | KENTMORR MARINA RANGE<br>REAR LIGHT<br>100 yards, 094° from<br>front light.  |                          | <b>F R</b>            | 30            |              | Black and white checkered square<br>daymark on pile. | Private aid.  |
| <b>Chesapeake Channel</b>                         |  |                          |                       |               |              |  |   |
| 7815  | Matapeake North<br>Breakwater Daybeacon 1  |                          |                       |               |              | SG on pile.  | Private aid.  |
| 7820  | Hackett Point Shoal Buoy 1   |                          |                       |               |              | Green can.   |   |
| 7825  | - <i>Lighted Buoy 90</i>   |                          | <b>FI R</b> 2.5s      |               | 4            | Red.   | Replaced by LIB of lower<br>intensity when endangered<br>by ice.  |
| 7830  | - <i>Lighted Buoy 91</i>   |                          | <b>FI G</b> 4s        |               | 4            | Green  | Replaced by LIB of lower<br>intensity when endangered<br>by ice.  |
| 7835  | - <i>Lighted Bell<br/>Buoy 92</i>  |                          | <b>FI R</b> 4s        |               | 4            | Red.   | Replaced by LIB of lower<br>intensity when endangered<br>by ice.  |
| 7837  | <i>UMCES Lighted Buoy CBB</i>  | 38 59 06 N<br>74 21 59 W | <b>FI Y</b> 4s        |               |              | Yellow.  | Private aid.  |
| <b>Pier 1</b>                                     |  |                          |                       |               |              |  |   |
| 7840  | - Buoy 1   | 38 58 48 N<br>76 20 36 W |                       |               |              | Green can.   | Private aid.  |
| 7845  | - Buoy 2   |                          |                       |               |              | Red nun.   | Private aid.  |
| 7850  | - Buoy 3   |                          |                       |               |              | Green can.   | Private aid.  |
| 7855  | - Buoy 4   |                          |                       |               |              | Red nun.   | Private aid.  |
| 7860  | - Buoy 5   |                          |                       |               |              | Green can.   | Private aid.  |
| 7865  | - Buoy 6   |                          |                       |               |              | Red nun.   | Private aid.  |
| 7870  | - Buoy 7   |                          |                       |               |              | Green can.   | Private aid.  |
| 7875  | - Buoy 8   |                          |                       |               |              | Red nun.   | Private aid.  |
| 7880  | - Buoy 9   |                          |                       |               |              | Green can.   | Private aid.  |
| 7885  | - Buoy 10  |                          |                       |               |              | Red nun.   | Private aid.  |
| <b>Chesapeake Channel</b>                         |  |                          |                       |               |              |  |   |
| 7890  | <b>William P. Lane Jr.<br/>(Chesapeake Bay) Bridge<br/>West Channel Fog Signal</b><br>Suspended from center of<br>main channel span. | 38 59 36 N<br>76 22 54 W |                       |               |              |  | Private aid.<br>HORN (2): 1 blast ev 15s (5s<br>bl). Operates during periods<br>of low visibility only. Horn,<br>directed on bearings 017°<br>and 197°. |
| 7895  | <b>William P. Lane Jr.<br/>(Chesapeake Bay) Bridge<br/>Racon</b><br>On center of south span.   | 38 59 36 N<br>76 23 00 W |                       |               |              |  | RACON: K (- • -).<br>Racon operates on X-band<br>radar only.  |
| 7900  | SANDY POINT JETTY LIGHT  | 39 00 24 N<br>76 24 06 W | <b>FI W</b> 2.5s      | 11            |              | NW on dolphin.                                       | Private aid.  |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks   |
|---|---------------------------|--------------------------|-----------------------|---------------|--------------|------------------|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                           |                          |                       |               |              |                  |  |
| <b>Sandy Point State Park</b>                     |                           |                          |                       |               |              |                  |  |
| 7905  | - Daybeacon 1             | 39 00 30 N<br>76 24 13 W |                       |               |              | SG on pile.      | Private aid.   |
| 7910  | - Daybeacon 2             |                          |                       |               |              | TR on pile.      | Private aid.   |
| 7915  | - Daybeacon 3             |                          |                       |               |              | SB on pile.      | Private aid.   |
| 7920  | - Daybeacon 4             |                          |                       |               |              | TR on pile.      | Private aid.   |
| 7925  | - Daybeacon 5             |                          |                       |               |              | SG on pile.      | Private aid.   |
| 7930  | - Danger Marker A         |                          |                       |               |              | NW on pile.      | Private aid.   |
| 7935  | - Danger Marker B         |                          |                       |               |              | NW on pile.      | Private aid.   |
| 7940  | - Danger Marker C         |                          |                       |               |              | NW on pile.      | Private aid.   |
| 7945  | - Danger Marker D         |                          |                       |               |              | NW on pile.      | Private aid.   |
| 7950  | - Danger Marker E         |                          |                       |               |              | NW on pile.      | Private aid.   |
| 7955  | - Danger Marker F         |                          |                       |               |              | NW on pile.      | Private aid.   |
| <b>Sandy Point State Park North Beach</b>         |                           |                          |                       |               |              |                  |  |
| 7957.1  | - Buoy 1                  | 39 00 46 N<br>76 23 32 W |                       |               |              | Green can.       | Maintained from Apr. 15 to<br>Oct. 15.<br>Private aid.           |
| 7957.2  | - Buoy 2                  |                          |                       |               |              | Red nun.         | Maintained from Apr. 15 to<br>Oct. 15.<br>Private aid.           |
| 7957.3  | - Buoy 3                  |                          |                       |               |              | Green can.       | Maintained from Apr. 15 to<br>Oct. 15.<br>Private aid.           |
| 7957.4  | - Buoy 4                  |                          |                       |               |              | Red nun.         | Maintained from Apr. 15 to<br>Oct. 15.<br>Private aid.           |
| 7957.5  | - Buoy 5                  |                          |                       |               |              | Green can.       | Maintained from Apr. 15 to<br>Oct. 15.<br>Private aid.           |
| 7957.6  | - Buoy 6                  |                          |                       |               |              | Red nun.         | Maintained from Apr. 15 to<br>Oct. 15.<br>Private aid.           |
| 7957.7  | - Buoy 7                  |                          |                       |               |              | Green can.       | Maintained from Apr. 15 to<br>Oct. 15.<br>Private aid.           |
| 7957.8  | - Buoy 8                  |                          |                       |               |              | Red nun.         | Maintained from Apr. 15 to<br>Oct. 15.<br>Private aid.           |
| <b>Chesapeake Channel</b>                         |                           |                          |                       |               |              |                  |  |
| 7960  | - Lighted Gong<br>Buoy 93 | 39 00 03 N<br>76 22 54 W | FI G 4s               |               |              | 4 Green.         | Replaced by LIB of lower<br>intensity when endangered<br>by ice. |
| 7965  | - Lighted Bell<br>Buoy 94 |                          | FI R 4s               |               |              | 4 Red.           | Replaced by LIB of lower<br>intensity when endangered<br>by ice. |
| 7970  | - Lighted Buoy 95         |                          | FI G 2.5s             |               |              | 4 Green.         | Replaced by LIB of lower<br>intensity when endangered<br>by ice. |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks  |
|---|---|--------------------------|-----------------------|---------------|--------------|--|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |   |                          |                       |               |              |  |   |
| 7975  | <b>William P. Lane Jr.</b><br><b>(Chesapeake Bay)</b><br><b>Bridge East Channel</b><br><b>Fog signal</b><br>Suspended from center of<br>channel span. | 38 59 18 N<br>76 21 30 W |                       |               |              |  | Private aid.<br>HORN: 1 blast ev 20s (2s bl).<br>Operates during periods of<br>low visibility only. |
| 7980  | Queen Anne's County<br>Obstruction Buoy A   | 38 59 18 N<br>76 20 30 W |                       |               |              | White with orange bands worded<br>OUTFALL.                         | Private aid.  |
| 7985  | Queen Anne's County<br>Obstruction Buoy B   |                          |                       |               |              | White with orange bands worded<br>OUTFALL.                         | Private aid.  |
| 7990  | SANDY POINT SHOAL<br>LIGHT  | 39 00 57 N<br>76 23 04 W | <b>FI W 6s</b>        | 51            | 9            | Red brick dwelling, white roof on<br>brown cylindrical foundation. |   |

# Section 7

## Upper Chesapeake Bay

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic           | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks   |
|---|---|--------------------------|---------------------------------|---------------|--------------|---|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>           |   |                          |                                 |               |              |   |  |
| <b>SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273)</b>       |   |                          |                                 |               |              |   |  |
| <b>Craighill Channel</b>                                    |   |                          |                                 |               |              |   |  |
| <i>Channel buoys located 75 feet outside channel limit.</i> |   |                          |                                 |               |              |   |  |
| 7995  | - ENTRANCE RANGE FRONT LIGHT  | 39 07 41 N<br>76 16 08 W | <b>Oc W 4s</b>                  | 24            |              | On multi-pile.  | Lighted throughout 24 hours. Visible all around; higher intensity on range line. |
| 7997  | - PASSING LIGHT   |                          | <b>Iso W 4s</b>                 | 12            | 5            | On same structure as Craighill Channel Entrance Range Front light.        |  |
| 8000  | - ENTRANCE RANGE REAR LIGHT<br>2001 yards, 343.1° from front light. |                          | <b>F W</b>                      | 88            |              | White cylindrical tankhouse on skeleton tower on multiple pile structure. | Visible on range line only. Lighted throughout 24 hours.                         |
| 8005  | - Entrance Lighted Buoy 1C  | 39 01 23 N<br>76 22 41 W | <b>Q G</b>                      |               | 5            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.                       |
| 8010  | - Entrance Lighted Buoy 2   |                          | <b>Q R</b>                      |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.                       |
| 8015  | - Lighted Buoy 3  |                          | <b>FI G 4s</b>                  |               | 4            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.                       |
| 8020  | - Lighted Buoy 4  |                          | <b>FI R 4s</b>                  |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.                       |
| 8025  | - Lighted Buoy 5  |                          | <b>FI G 6s</b>                  |               | 4            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.                       |
| 8030  | - Lighted Buoy 6  |                          | <b>FI R 6s</b>                  |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.                       |
| 8035  | BALTIMORE LIGHT   | 39 03 30 N<br>76 24 00 W | <b>FI W 2.5s<br/>(R sector)</b> | 52            | W 7<br>R 5   | White octagonal dwelling on brown cylindrical base.                       | Red from 082° to 160°.   |
| 8040  | - RANGE FRONT LIGHT   | 39 11 19 N<br>76 23 40 W | <b>FI W 3s</b>                  | 22            |              | Brown dwelling on cylindrical pier.                                       | Lighted throughout 24 hours.   |
| 8045  | - PASSING LIGHT   |                          | <b>FI W 3s<br/>(R sector)</b>   | 39            | W 8<br>R 6   | On same structure as Craighill channel Range Front Light.                 | Upper lights obscured on rangeline and from 349° to 011°, red from 311° to 316°. |
| 8050  | - RANGE REAR LIGHT<br>4907 yards, 359.6° from front light.          |                          | <b>F W</b>                      | 105           |              | Square, pyramidal tower lower part white, upper part brown.               | Lighted throughout 24 hours.   |
| 8055  | - Lighted Buoy 8  |                          | <b>Q R</b>                      |               | 4            | Red.  | Replaced by LIB of lower intensity when endangered by ice.                       |
| 8060  | - Lighted Buoy 9  |                          | <b>Q G</b>                      |               | 4            | Green.  | Replaced by LIB of lower intensity when endangered by ice.                       |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic               | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks   |
|---|--|--------------------------|-------------------------------------|---------------|--------------|---|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |  |                          |                                     |               |              |   |  |
| 8065  | - Lighted Buoy 10  |                          | <b>FI R</b> 2.5s                    |               | 4            | Red.  | Replaced by LIB of lower intensity when endangered by ice. |
| 8070  | - Lighted Buoy 11  |                          | <b>FI G</b> 4s                      |               | 4            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15. |
| 8075  | - Lighted Buoy 12  |                          | <b>FI R</b> 4s                      |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15. |
| 8077  | - Lighted Buoy 13  |                          | <b>FI G</b> 2.5s                    |               | 4            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15. |
| 8078  | - Lighted Buoy 14  |                          | <b>FI R</b> 2.5s                    |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15. |
| 8080  | - Lighted Buoy 15  |                          | <b>Q G</b>                          |               | 4            | Green.  | Replaced by LIB of lower intensity when endangered by ice. |
| 8085  | - Lighted Buoy 16  |                          | <b>FI R</b> 6s                      |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15. |
| 8090  | - UPPER RANGE FRONT LIGHT  | 39 11 49 N<br>76 26 54 W | <b>F R</b>                          | 15            |              | Red, octagonal tower, white horizontal bands at middle. | Lighted throughout 24 hours.                               |
| 8095  | - UPPER RANGE REAR LIGHT<br>2692 yards, 329.1° from front light. |                          | <b>F R</b>                          | 74            |              | White square pyramidal skeleton and central shaft.      | Lighted throughout 24 hours.                               |
| 8100  | - Lighted Buoy 18  |                          | <b>Q R</b>                          |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15. |
| 8105  | - Lighted Buoy 19  |                          | <b>FI G</b> 4s                      |               | 4            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15. |
| 8110  | - Lighted Buoy 20  |                          | <b>FI R</b> 2.5s                    |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15. |
| 8115  | - Lighted Buoy 21  |                          | <b>Q G</b>                          |               | 4            | Green.  | Replaced by LIB of lower intensity when endangered by ice. |
| 8120  | SEVENFOOT KNOLL LIGHT  | 39 09 19 N<br>76 24 33 W | <b>FI W</b> 6s<br><b>(R sector)</b> | 58            | W 9<br>R 7   | On skeleton tower.                                      | Red from 344° to 134°.                                     |
| 8125  | - Lighted Buoy 23  |                          | <b>FI G</b> 4s                      |               | 4            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15. |
| 8130  | - Lighted Buoy 24  |                          | <b>FI R</b> 4s                      |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15. |
| 8135  | - Lighted Buoy 25  |                          | <b>Q G</b>                          |               | 4            | Green.  | Replaced by LIB of lower intensity when endangered by ice. |
| 8140  | - Lighted Buoy 26  | 39 10 16 N<br>76 25 37 W | <b>FI R</b> 6s                      |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15. |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure          | (8)<br>Remarks  |
|---|--|--------------------------|-----------------------|---------------|--------------|---------------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>           |  |                          |                       |               |              |                           |   |
| <b>Brewerton Channel</b>                                    |  |                          |                       |               |              |                           |   |
| <i>Channel buoys located 75 feet outside channel limit.</i> |  |                          |                       |               |              |                           |   |
| 8145  | - Lighted Buoy 2B  |                          | <b>Q R</b>            |               | 4            | Red.                      | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.          |
| 8150  | - RANGE FRONT LIGHT<br>On shoal near Hawkins Point.                      | 39 12 28 N<br>76 31 57 W | <b>F G</b>            | 38            |              | On skeleton tower.        | Lighted throughout 24 hours.  |
| 8155  | - RANGE REAR LIGHT<br>1939 yards, 290.8° from front light.               |                          | <b>F G</b>            | 82            |              | Black skeleton tower.     | Lighted throughout 24 hours.  |
| 8160  | - Lighted Buoy 3   | 39 10 49 N<br>76 26 42 W | <b>Q G</b>            |               | 4            | Green.                    | Replaced by can when when endangered by ice.                        |
| 8165  | - Lighted Buoy 4   | 39 10 57 N<br>76 26 40 W | <b>FI R 2.5s</b>      |               | 4            | Red.                      | Replaced by nun when endangered by ice.                             |
| 8170  | - Lighted Buoy 6   |                          | <b>FI R 4s</b>        |               | 4            | Red.                      | Replaced by nun when endangered by ice.                             |
| 8175  | Penwood Channel Junction Buoy PW   |                          |                       |               |              | Red and green bands; nun. |   |
| 8180  | - Lighted Buoy 7   |                          | <b>FI G 6s</b>        |               | 4            | Green.                    | Replaced by can when endangered by ice.                             |
| 8185  | - Lighted Buoy 8   |                          | <b>FI R 4s</b>        |               | 4            | Red.                      | Replaced by nun when endangered by ice.                             |
| 8190  | - Lighted Buoy 9   |                          | <b>FI G 4s</b>        |               | 4            | Green.                    | Replaced by can when endangered by ice.                             |
| 8195  | - Lighted Buoy 11  | 39 11 42 N<br>76 29 37 W | <b>FI G 6s</b>        |               | 4            | Green.                    | Replaced by can when endangered by ice.                             |
| 8200  | - Lighted Buoy 12  |                          | <b>FI R 6s</b>        |               | 4            | Red.                      | Replaced by nun when endangered by ice.                             |
| 8205  | - Lighted Buoy 14  |                          | <b>Q R</b>            |               | 4            | Red.                      | Replaced by nun when endangered by ice.                             |
| 8210  | - Lighted Buoy 15  |                          | <b>FI G 2.5s</b>      |               | 4            | Green.                    | Replaced by can when endangered by ice.                             |
| <b>Fort McHenry Channel</b>                                 |  |                          |                       |               |              |                           |   |
| <i>Channel buoys located 75 feet outside channel limit.</i> |  |                          |                       |               |              |                           |   |
| 8215  | - Lighted Buoy 1M  |                          | <b>Q G</b>            |               | 4            | Green.                    | Replaced by lighted buoy of lower intensity when endangered by ice. |
| 8220  | - RANGE FRONT LIGHT  | 39 15 50 N<br>76 34 40 W | <b>Iso G 6s</b>       | 41            |              | On skeleton tower.        | Lighted throughout 24 hours.  |
| 8225  | - RANGE REAR LIGHT<br>1825 yards, 320.3° from front light.               |                          | <b>Iso R 10s</b>      | 113           |              | On skeleton tower.        | Lighted throughout 24 hours.  |
| 8230  | - Lighted Buoy 2   |                          | <b>Q R</b>            |               | 4            | Red.                      | Replaced by nun when endangered by ice.                             |
| 8235  | - Lighted Buoy 3   |                          | <b>FI G 4s</b>        |               | 4            | Green.                    | Replaced by can when endangered by ice.                             |
| 8240  | - Anchorage Buoy A<br>Marks northeast side of explosive anchorage No. 6. | 39 13 34 N<br>76 31 32 W |                       |               |              | Yellow can.               |   |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks   |
|---|--|--------------------------|-----------------------|---------------|--------------|--|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>           |  |                          |                       |               |              |  |  |
| 8245  | Francis Scott Key Memorial Buoy  | 39 13 27 N<br>76 31 43 W |                       |               |              | Nun with red and white stripes with blue band and white stars topmost.   | Maintained from June 1 to Nov. 1 to commemorate the writing of the Star Spangled Banner. |
| 8250  | - Lighted Buoy 6   |                          | FI R 4s               |               | 4            | Red.   | Replaced by nun when endangered by ice.  |
| 8255  | - Lighted Buoy 7   |                          | FI G 4s               |               | 4            | Green.   | Replaced by can when endangered by ice.  |
| 8260  | - Lighted Buoy 8   |                          | FI R 2.5s             |               | 4            | Red.   | Replaced by nun when endangered by ice.  |
| 8265  | - Lighted Buoy 9   |                          | FI G 4s               |               | 4            | Green.   | Replaced by can when endangered by ice.  |
| 8270  | - Lighted Buoy 10  |                          | FI R 4s               |               | 4            | Red.   | Replaced by nun when endangered by ice.  |
| 8275  | - Buoy 11  |                          |                       |               |              | Green can.   |  |
| 8280  | - Buoy 13  |                          |                       |               |              | Green can.   |  |
| 8285  | - Buoy 14  |                          |                       |               |              | Red nun.   |  |
| 8290  | - Anchorage Buoy B   | 39 14 59 N<br>76 33 15 W |                       |               |              | Yellow can.  |  |
| 8295  | - Lighted Buoy 15  |                          | FI G 4s               |               | 4            | Green.   | Replaced by can when endangered by ice.  |
| 8300  | Anchorage Buoy C   |                          |                       |               |              | Yellow can.  |  |
| 8305  | - Lighted Buoy 16  |                          | FI R 2.5s             |               | 4            | Red.   | Replaced by nun when endangered by ice.  |
| 8310  | - Lighted Buoy 18  |                          | FI R 2.5s             |               | 4            | Red.   | Replaced by nun when endangered by ice.  |
| 8315  | Fort McHenry Angle Lighted Junction Buoy FM                                | 39 15 24 N<br>76 34 18 W | FI (2+1) G 6s         |               | 4            | Green and red bands.   | Replaced by can when endangered by ice.  |
| <b>Upper Chesapeake Channel</b>                             |  |                          |                       |               |              |  |  |
| <i>Channel buoys located 75 feet outside channel limit.</i> |  |                          |                       |               |              |  |  |
| 8320  | - Lighted Buoy LP  | 39 02 35 N<br>76 20 46 W | Mo (A) W              |               | 6            | Red and white stripes.   | Replaced by lighted buoy of lower intensity from Dec. 1 to Mar. 15.                      |
| 8325  | SWAN POINT NORTH RANGE FRONT LIGHT   | 39 07 10 N<br>76 16 37 W | Iso W 6s              | 18            |              | White cylindrical house on multi-pile structure.                         | Visible all around; higher intensity on rangeline. Lighted throughout 24 hours.          |
| 8327  | SWAN POINT NORTH RANGE FRONT PASSING LIGHT                                 |                          | FI W 4s               | 18            | 5            | On same structure as Swan Point North Range Front Light.                 |  |
| 8330  | SWAN POINT NORTH RANGE REAR LIGHT<br>1,299 yards, 034.9° from front light. |                          | F W                   | 52            |              | On same structure as Brewerton Channel East Extension Range Front Light. | Visible all around; higher intensity on rangeline. Lighted throughout 24 hours.          |
| 8333  | SWAN POINT NORTH RANGE REAR PASSING LIGHT                                  |                          | F W                   | 52            | 6            | On same structure as Brewerton Channel East Extension Range Front Light. |  |
| 8335  | - Lighted Buoy 1UC   | 39 04 49 N<br>76 18 51 W | FI G 4s               |               | 4            | Green.   | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.                               |
| 8340  | LOVE POINT LIGHT<br>On shoal east side of bay.                             | 39 03 25 N<br>76 16 59 W | FI W 6s<br>(R sector) | 35            | W 9<br>R 7   | NR on skeleton tower.  | Red from 017° to 061° covers shoal off Love Point.                                       |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks   |
|---|--|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>           |  |                          |                       |               |              |   |  |
| 8345  | - Lighted Buoy 3   | 39 05 23 N<br>76 18 19 W | <b>FI G</b> 2.5s      |               | 3            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.   |
| 8350  | SWAN POINT SOUTH RANGE FRONT LIGHT                                       | 39 03 39 N<br>76 17 31 W | <b>FI W</b> 2.5s      | 18            |              | On tankhouse on multiple pile steel structure.  | Higher intensity on range line. Lighted throughout 24 hours. |
| 8355  | SWAN POINT SOUTH RANGE REAR LIGHT<br>850 yards, 169.4° from front light. |                          | <b>Oc W</b> 4s        | 51            |              | On multiple pile steel structure.   | Higher intensity on range line. Lighted throughout 24 hours. |
| 8356  | SWAN POINT SOUTH RANGE REAR PASSING LIGHT                                |                          | <b>FI W</b> 2.5s      | 25            | 5            | On same structure as Swan Point South Range Rear Light.   |  |
| 8360  | - Lighted Buoy 4   | 39 05 39 N<br>76 17 54 W | <b>Q R</b>            |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.   |
| 8365  | - Lighted Buoy 5   | 39 06 02 N<br>76 18 08 W | <b>Q G</b>            |               | 4            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.   |
| 8370  | - Lighted Buoy 7   | 39 06 35 N<br>76 18 18 W | <b>FI G</b> 6s        |               | 5            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.   |
| 8375  | - Lighted Buoy 8   |                          | <b>FI R</b> 2.5s      |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.   |
| 8380  | - Lighted Buoy 10  |                          | <b>Q R</b>            |               | 3            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.   |
| <b>Brewerton Channel Eastern Extension</b>                  |  |                          |                       |               |              |   |  |
| <i>Channel buoys located 75 feet outside channel limit.</i> |  |                          |                       |               |              |   |  |
| 8385  | - Lighted Buoy 2BE   | 39 08 55 N<br>76 19 59 W | <b>FI R</b> 2.5s      |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.   |
| 8390  | - RANGE FRONT LIGHT  | 39 07 41 N<br>76 16 08 W | <b>F R</b>            | 30            |              | White cylindrical house on skeletal tower.<br>On same structure as Swan Point North Range Rear Light. | Lighted throughout 24 hours.                                 |
| 8395  | - RANGE REAR LIGHT<br>3,836 yards, 110.8° from front light.              |                          | <b>F W</b>            | 110           |              | On skeleton tower.  | Lighted throughout 24 hours.                                 |
| 8405  | - Lighted Buoy 3   | 39 09 08 N<br>76 21 08 W | <b>FI G</b> 4s        |               | 4            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.   |
| 8410  | - Lighted Buoy 4   | 39 09 15 N<br>76 21 04 W | <b>FI R</b> 4s        |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.   |
| 8415  | - Lighted Bell Buoy 5  | 39 09 30 N<br>76 22 21 W | <b>FI G</b> 6s        |               | 5            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.   |
| 8420  | - Lighted Buoy 6   | 39 09 37 N<br>76 22 18 W | <b>FI R</b> 6s        |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.   |
| 8425  | - Lighted Buoy 7   | 39 09 53 N<br>76 23 34 W | <b>FI G</b> 4s        |               | 4            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.   |
| 8430  | - Lighted Buoy 8   | 39 09 59 N<br>76 23 31 W | <b>FI R</b> 4s        |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.   |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks   |
|---|--|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>           |  |                          |                       |               |              |   |  |
| 8435  | - Lighted Buoy 9   | 39 10 14 N<br>76 24 47 W | <b>FI G</b> 2.5s      |               | 4            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.     |
| 8440  | - Lighted Buoy 10  | 39 10 21 N<br>76 24 43 W | <b>FI R</b> 2.5s      |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.     |
| 8441  | TOLCHESTER CHANNEL<br>RANGE FRONT LIGHT  | 39 08 08 N<br>76 20 08 W | <b>FI W</b> 2.5s      | 23            |              | On platform on single pile structure.                     | Lighted throughout 24 hours.                                   |
| 8443  | TOLCHESTER CHANNEL<br>RANGE REAR LIGHT<br>1,932 yards, 220°<br>from front light. |                          | <b>Iso W</b> 6s       | 89            |              | On platform on single pile structure.                     | Lighted throughout 24 hours.                                   |
| 8444  | TOLCHESTER CHANNEL<br>RANGE REAR PASSING<br>LIGHTS                               |                          | <b>Q W</b>            | 25            |              | On same structure as Tolchester Channel Range Rear Light. | Lights are located on the north and south corners of platform. |
| <b>Upper Chesapeake Channel</b>                             |  |                          |                       |               |              |   |  |
| <i>Channel buoys located 75 feet outside channel limit.</i> |  |                          |                       |               |              |   |  |
| 8445  | - Lighted Buoy 11  | 39 09 01 N<br>76 19 14 W | <b>Q G</b>            |               | 4            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.     |
| 8450  | - Lighted Buoy 12  |                          | <b>FI R</b> 2.5s      |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.     |
| 8455  | - Lighted Buoy 13  | 39 09 48 N<br>76 18 22 W | <b>FI G</b> 2.5s      |               | 4            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.     |
| 8460  | - Lighted Buoy 14  |                          | <b>FI R</b> 2.5s      |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.     |
| 8465  | - Lighted Buoy 15  |                          | <b>FI G</b> 4s        |               | 4            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.     |
| 8470  | - Lighted Buoy 16  |                          | <b>FI R</b> 4s        |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.     |
| 8475  | - Lighted Buoy 17  | 39 11 33 N<br>76 16 25 W | <b>FI G</b> 2.5s      |               | 4            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.     |
| 8480  | - Lighted Buoy 18  |                          | <b>FI R</b> 2.5s      |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.     |
| 8485  | - Lighted Buoy 19  | 39 12 21 N<br>76 15 31 W | <b>FI G</b> 2.5s      |               | 4            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.     |
| 8490  | - Lighted Buoy 20  | 39 12 25 N<br>76 15 13 W | <b>Q R</b>            |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.     |
| 8495  | - Lighted Buoy 24  | 39 11 45 N<br>76 15 25 W | <b>FI R</b> 2.5s      |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.     |
| 8505  | - Lighted Buoy 21  | 39 12 37 N<br>76 15 17 W | <b>FI G</b> 2.5s      |               | 4            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.     |
| 8510  | - Lighted Buoy 27  | 39 12 34 N<br>76 15 10 W | <b>FI G</b> 4s        |               | 4            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.     |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic                 | (5)<br>Height | (6)<br>Range      | (7)<br>Structure   | (8)<br>Remarks  |
|---|---|--------------------------|---------------------------------------|---------------|-------------------|--|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |   |                          |                                       |               |                   |  |   |
| 8515  | - Buoy 21A  | 39 12 44 N<br>76 15 46 W |                                       |               |                   | Green can.   |   |
| 8520  | - Lighted Buoy 28   | 39 12 32 N<br>76 15 00 W | <b>FI R</b> 4s                        |               | 4                 | Red.   | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.  |
| 8525  | TOLCHESTER DIRECTIONAL LIGHT  | 39 12 24 N<br>76 14 48 W | <b>F W</b>                            | 21            |                   | On tower.  | Directional light visible from 041.5° to 046.5°. Obscured from 046.5° to 041.5°.  |
| 8530  | <b>Tolchester Light</b>   | 39 12 49 N<br>76 14 46 W | <b>F W</b><br><b>(R sector)</b>       | 25            | W 11<br>R 9       | NR on pile.  | Red from 033° to 040°. White from 040° to 045°. Obscured from 045° to 033°.   |
| 8535  | - Lighted Buoy 23   | 39 13 26 N<br>76 14 49 W | <b>FI G</b> 4s                        |               | 4                 | Green.   | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.  |
| 8540  | - Lighted Buoy 24   | 39 13 23 N<br>76 14 49 W | <b>FI R</b> 4s                        |               | 4                 | Red.   | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.  |
| 8545  | - Lighted Buoy 25   | 39 14 06 N<br>76 14 26 W | <b>FI G</b> 2.5s                      |               | 4                 | Green.   | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.  |
| 8547  | - Channel Lighted Buoy 31A  |                          | <b>FI G</b> 2.5s                      |               | 4                 | Green.   | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.  |
| 8550  | - Lighted Buoy 26   |                          | <b>Q R</b>                            |               | 4                 | Red.   | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.  |
| 8553  | - Lighted Buoy 27   |                          | <b>FI G</b> 2.5s                      |               |                   | Green.   | Replaced by LIB of lower intensity from Dec. 1 Mar. 15.   |
| 8555  | POOLES ISLAND SOUTH RANGE FRONT LIGHT                                       | 39 17 32 N<br>76 14 12 W | <b>Q W</b>                            | 37            |                   | On caisson.  | Lighted throughout 24 hours. Visible all around; higher intensity on rangeline.   |
| 8560  | POOLES ISLAND SOUTH RANGE REAR LIGHT<br>1,183 yards, 000° from front light. |                          | <b>Oc W</b> 4s                        | 72            |                   | On skeleton tower on caisson.                              | Lighted throughout 24 hours.  |
| 8561  | POOLES ISLAND SOUTH RANGE REAR PASSING LIGHTS (2)                           |                          | <b>FI W</b> 4s                        | 46            | 6                 | On same structure as Pooles Island South Range Rear Light. |   |
| 8565  | TOLCHESTER SECTOR LIGHT A   | 39 14 36 N<br>76 13 36 W | <b>F W</b><br><b>(2 R G sectors)</b>  | 45            | W 5<br>R 4<br>G 4 | NR on pile.  | Red from 001.5° to 046°, and 047.5° to 087.5°. White from 046° to 047.5° and 087.5° to 090.5°. Green from 090.5° to 187°. Obscured from 187° to 001.5°. |
| 8570  | TOWER LIGHT C   | 39 15 13 N<br>76 13 25 W | <b>FI W</b> 4s                        | 50            | 6                 | On skeleton tower.   |   |
| 8575  | POOLES ISLAND BAR LIGHT   | 39 15 42 N<br>76 16 41 W | <b>FI W</b> 2.5s<br><b>(R sector)</b> | 27            | W 6<br>R 4        | Black skeleton tower on cylindrical base.                  | Red from 058° to 225°.  |
| 8580  | - Lighted Buoy 29   | 39 15 45 N<br>76 14 17 W | <b>FI G</b> 2.5s                      |               | 4                 | Green.   | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.  |
| 8585  | - Buoy 29A  | 39 16 14 N<br>76 14 21 W |                                       |               |                   | Green can.   |   |
| 8590  | - Lighted Buoy 30   | 39 15 45 N<br>76 14 07 W | <b>Q R</b>                            |               | 4                 | Red.   | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.  |

| (1)<br>No.  | (2)<br>Name and Location                                | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks   |
|---|---|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |   |                          |                       |               |              |   |  |
| 8595  | - RANGE FRONT LIGHT                                     | 39 19 13 N<br>76 12 58 W | <b>FI W</b> 2.5s      | 35            |              | On caisson.   | Lighted throughout 24 hours. Visible all around; higher intensity on range line.         |
| 8600  | - RANGE REAR LIGHT<br>863 yards, 015° from front light. |                          | <b>Oc W</b> 4s        | 61            |              | On skeleton tower on caisson.                                   | Lighted throughout 24 hours.   |
| 8601  | - RANGE REAR PASSING LIGHT                              |                          | <b>Oc W</b> 4s        | 35            | 7            | On same structure as Upper Chesapeake Channel Range Rear Light. |  |
| 8605  | - <i>Lighted Buoy 31</i>                                | 39 16 46 N<br>76 13 54 W | <b>FI G</b> 4s        |               | 4            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.                               |
| 8610  | - <i>Lighted Buoy 32</i>                                | 39 16 43 N<br>76 13 47 W | <b>FI R</b> 4s        |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.                               |
| 8615  | - <i>Lighted Buoy 33</i>                                |                          | <b>FI G</b> 6s        |               | 6            | Green.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 8620  | - <i>Lighted Buoy 34</i>                                |                          | <b>FI R</b> 6s        |               | 5            | Red.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 8625  | - Buoy 34A  | 39 18 11 N<br>76 12 46 W |                       |               |              | Red nun.  |  |
| 8630  | - <i>Lighted Buoy 36</i>                                |                          | <b>Q R</b>            |               | 4            | Red.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 8635  | - <i>Lighted Buoy 37</i>                                |                          | <b>Q G</b>            |               | 5            | Green.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 8640  | - <i>Lighted Buoy 38</i>                                |                          | <b>FI R</b> 2.5s      |               | 5            | Red.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| <b>Pooles Island Flats Channel</b>                |   |                          |                       |               |              |   |  |
| 8645  | - <i>Lighted Buoy 1</i>                                 | 39 13 08 N<br>76 22 01 W | <b>FI G</b> 4s        |               | 4            | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.                               |
| 8646  | - <i>Lighted Buoy 2</i>                                 |                          | <b>FI R</b> 4s        |               | 4            | Red.  | Replaced by nun from Dec. 1 to Mar. 15.  |
| 8650  | - <i>Lighted Buoy 3</i>                                 |                          | <b>FI G</b> 6s        |               | 4            | Green.  | Replaced by can from Dec. 1 to Mar. 15.  |
| 8655  | - <i>Lighted Buoy 4</i>                                 |                          | <b>FI R</b> 6s        |               | 4            | Red.  | Replaced by nun from Dec. 1 to Mar. 15.  |
| 8660  | - <i>Lighted Buoy 5</i>                                 |                          | <b>FI G</b> 4s        |               | 4            | Green.  | Replaced by can from Dec. 1 to Mar. 15.  |
| 8665  | - <i>Lighted Buoy 6</i>                                 |                          | <b>FI R</b> 4s        |               | 4            | Red.  | Replaced by nun from Dec. 1 to Mar. 15.  |
| 8670  | - <i>Lighted Buoy 7</i>                                 |                          | <b>FI G</b> 4s        |               | 4            | Green.  | Replaced by can from Dec. 1 to Mar. 15.  |
| 8675  | - <i>Lighted Buoy 8</i>                                 |                          | <b>Q R</b>            |               | 4            | Red.  | Replaced by nun from Dec. 1 to Mar. 15.  |
| 8680  | POOLES ISLAND EAST RANGE FRONT LIGHT                    | 39 16 41 N<br>76 16 05 W | <b>Q W</b>            | 19            |              | KWB on skeleton tower.  |  |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks  |
|---|---|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>           |   |                          |                       |               |              |   |   |
| 8685  | POOLES ISLAND EAST<br>RANGE REAR LIGHT<br>230 yards, 264° from<br>front light.    |                          | <b>Iso W 6s</b>       | 45            |              | KWB on skeleton tower.  |   |
| 8690  | - <i>Lighted Buoy 9</i>   | 39 16 59 N<br>76 14 14 W | <b>FI G 2.5s</b>      |               | 4            | Green.  | Replaced by can from Dec. 1<br>to Mar. 15.  |
| 8695  | POOLES ISLAND NORTH<br>RANGE FRONT LIGHT  | 39 18 31 N<br>76 13 37 W | <b>FI W 2.5s</b>      | 33            |              | On skeleton tower on caisson.   | Lighted throughout 24 hours.<br>Visible all around; higher<br>intensity on range line.            |
| 8700  | POOLES ISLAND NORTH<br>RANGE REAR LIGHT<br>1,221 yards, 226° from<br>front light. |                          | <b>Oc W 4s</b>        | 72            |              | On skeleton tower on caisson.   | Lighted throughout 24 hours.  |
| 8701  | POOLES ISLAND NORTH<br>RANGE<br>REAR PASSING LIGHTS (2)                           |                          | <b>FI W 4s</b>        | 46            | 6            | On North and South corners of<br>Pooles Island North<br>Range Rear Light. |   |
| <b>Aberdeen Restricted Area</b>                             |   |                          |                       |               |              |   |   |
| 8705<br>27290   | - Buoy A  |                          |                       |               |              | Yellow can.   |   |
| 8710<br>27295   | - Buoy B  |                          |                       |               |              | Yellow can.   |   |
| 8715  | - Buoy C  |                          |                       |               |              | Yellow can.   |   |
| 8720  | - Buoy D  | 39 19 18 N<br>76 13 11 W |                       |               |              | Yellow can.   |   |
| 8725  | - Buoy E  |                          |                       |               |              | Yellow can.   |   |
| 8730  | - Buoy F  |                          |                       |               |              | Yellow can.   |   |
| 8735  | - Buoy G  |                          |                       |               |              | Yellow can.   |   |
| 8740  | - Buoy H  |                          |                       |               |              | Yellow can.   |   |
| 8745  | - Buoy J  |                          |                       |               |              | Yellow can.   |   |
| 8750  | - Buoy K  |                          |                       |               |              | Yellow can.   |   |
| 8755  | - Buoy L  |                          |                       |               |              | Yellow can.   |   |
| <b>Upper Chesapeake Channel</b>                             |   |                          |                       |               |              |   |   |
| <i>Channel buoys located 75 feet outside channel limit.</i> |   |                          |                       |               |              |   |   |
| 8760  | WORTON POINT LIGHT  | 39 19 06 N<br>76 11 11 W | <b>FI W 6s</b>        | 93            | 6            | Watch tower.  |   |
| 8770  | - <i>Lighted Buoy 38A</i>   |                          | <b>Q R</b>            |               | 4            | Red.  | Replaced by LIB of lower<br>intensity from the first<br>Tuesday after Thanksgiving<br>to Mar. 15. |
| 8775  | Abbey Point Obstruction<br>Buoy   |                          |                       |               |              | White with orange bands; can.   |   |
| 8780  | - <i>Lighted Buoy 39</i>  |                          | <b>FI G 4s</b>        |               | 5            | Green.  | Replaced by LIB of lower<br>intensity from the first<br>Tuesday after Thanksgiving<br>to Mar. 15. |
| 8785  | - <i>Lighted Buoy 40</i>  |                          | <b>FI R 4s</b>        |               | 5            | Red.  | Replaced by LIB of lower<br>intensity from the first<br>Tuesday after Thanksgiving<br>to Mar. 15. |
| 8790  | - Buoy 40A  |                          |                       |               |              | Red nun.  |   |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic               | (5)<br>Height | (6)<br>Range | (7)<br>Structure      | (8)<br>Remarks   |
|---|---|--------------------------|-------------------------------------|---------------|--------------|-----------------------|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>           |   |                          |                                     |               |              |                       |  |
| 8795  | - Lighted Buoy 41   |                          | <b>FI G</b> 2.5s                    |               | 5            | Green.                | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 8800  | - Lighted Buoy 42   | 39 20 51 N<br>76 10 14 W | <b>FI R</b> 2.5s                    |               | 4            | Red.                  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| <b>Stillpond Creek</b>                                      |   |                          |                                     |               |              |                       |  |
| 8805  | - ENTRANCE LIGHT 2S   | 39 20 07 N<br>76 08 14 W | <b>FI R</b> 2.5s                    | 15            | 3            | TR on multi-pile.     | Replaced by nun from Dec. 1 to Mar. 15.  |
| 8810  | - Daybeacon 3   |                          |                                     |               |              | SG on pile.           |  |
| 8815  | - Daybeacon 4   |                          |                                     |               |              | TR on pile.           |  |
| 8820  | - LIGHT 6   | 39 19 59 N<br>76 07 56 W | <b>FI R</b> 4s                      | 15            | 3            | TR on pile.           |  |
| 8825  | - Daybeacon 7   | 39 20 02 N<br>76 07 51 W |                                     |               |              | SG on pile.           |  |
| 8830  | - Daybeacon 9   |                          |                                     |               |              | SG on pile.           |  |
| 8835  | - Buoy 9A   |                          |                                     |               |              | Green can.            |  |
| 8840  | - Buoy 11   |                          |                                     |               |              | Green can.            |  |
| <b>Upper Chesapeake Channel</b>                             |   |                          |                                     |               |              |                       |  |
| <i>Channel buoys located 75 feet outside channel limit.</i> |   |                          |                                     |               |              |                       |  |
| 8850  | Shad Battery Shoal Buoy 1A  |                          |                                     |               |              | Green can.            |  |
| 8855  | Taylor Island Shoal Buoy 1  |                          |                                     |               |              | Green can.            |  |
| 8860  | - Lighted Buoy 43   |                          | <b>FI G</b> 4s                      |               | 5            | Green.                | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 8865  | - Lighted Buoy 44   |                          | <b>FI R</b> 4s                      |               | 5            | Red.                  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 8870  | - Lighted Buoy 45   |                          | <b>FI G</b> 2.5s                    |               | 4            | Green.                | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 8875  | - Lighted Buoy 46   | 39 22 06 N<br>76 07 41 W | <b>FI R</b> 2.5s                    |               | 5            | Red.                  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 8880  | HOWELL POINT LIGHT  | 39 22 18 N<br>76 06 42 W | <b>FI W</b> 4s<br><b>(R sector)</b> | 28            | W 6<br>R 5   | NR on skeleton tower. | Red from 049° to 059°.   |
| 8881  | UMCES Lighted Buoy HP   | 39 22 30 N<br>76 06 48 W | <b>FI Y</b> 4s                      |               |              | Yellow.               | Maintained from Mar. 1 to Dec. 15.<br>Private aid.                                       |
| 8885  | GROVE POINT RANGE FRONT LIGHT                                       | 39 24 09 N<br>76 02 17 W | <b>FI W</b> 2.5s                    | 31            |              | On platform.          | Lighted throughout 24 hours. Visible all around; higher intensity on range line.         |
| 8890  | GROVE POINT RANGE REAR LIGHT<br>1,762 yards, 066° from front light. |                          | <b>Oc W</b> 4s                      | 58            |              | On skeleton tower.    | Lighted throughout 24 hours. Higher intensity on rangeline.                              |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks   |
|---|--|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>           |  |                          |                       |               |              |   |  |
| 8891  | GROVE POINT RANGE REAR PASSING LIGHTS                                      |                          | <b>Oc W</b> 4s        | 30            | 7            | On same structure as Grove Point Range Rear Light.        |  |
| 8895  | - Lighted Buoy 47  |                          | <b>FI G</b> 4s        |               | 5            | Green.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 8900  | - Lighted Buoy 48  |                          | <b>FI R</b> 4s        |               | 5            | Red.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 8905  | - Lighted Buoy 49  |                          | <b>FI G</b> 6s        |               | 5            | Green.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 8910  | SHAD BATTERY SHOAL RANGE FRONT LIGHT                                       | 39 20 18 N<br>76 11 26 W | <b>FI W</b> 2.5s      | 33            |              | On caisson.   | Lighted throughout 24 hours. Visible all around; higher intensity on range line.         |
| 8915  | SHAD BATTERY SHOAL RANGE REAR LIGHT<br>2,585 yards, 237° from front light. |                          | <b>Oc W</b> 4s        | 61            |              | On caisson.   | Lighted throughout 24 hours.   |
| 8916  | SHAD BATTERY SHOAL RANGE REAR PASSING LIGHT                                |                          | <b>Oc W</b> 4s        | 35            | 4            | On same structure as Shad Battery Shoal Range Rear Light. |  |
| 8920  | - Lighted Buoy 50  |                          | <b>FI R</b> 6s        |               | 5            | Red.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| <b>Elk River Channel</b>                                    |  |                          |                       |               |              |   |  |
| <i>Channel buoys located 75 feet outside channel limit.</i> |  |                          |                       |               |              |   |  |
| 8925  | - Lighted Buoy 1ER   | 39 23 51 N<br>76 03 17 W | <b>FI G</b> 2.5s      |               | 5            | Green.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 8930  | - Lighted Buoy 2   |                          | <b>Q R</b>            |               | 4            | Red.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 8935  | - SOUTH RANGE FRONT LIGHT  | 39 22 12 N<br>76 05 00 W | <b>F W</b>            | 71            |              | On skeleton tower.  | Lighted throughout 24 hours.   |
| 8940  | - SOUTH RANGE REAR LIGHT<br>3,739 yards, 222.5° from front light.          |                          | <b>Iso R</b> 6s       | 184           |              | On skeleton tower.  | Lighted throughout 24 hours.   |
| 8945  | - Lighted Buoy 3   | 39 24 06 N<br>76 02 51 W | <b>Q G</b>            |               | 4            | Green.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 8950  | - Lighted Buoy 5   |                          | <b>FI G</b> 4s        |               | 5            | Green.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 8955  | - Lighted Buoy 6   |                          | <b>FI R</b> 4s        |               | 4            | Red.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 8960  | - Lighted Buoy 7   |                          | <b>FI G</b> 2.5s      |               | 5            | Green.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                              | (8)<br>Remarks   |
|---|--|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |  |                          |                       |               |              |   |  |
| 8965  | - Lighted Buoy 8   |                          | <b>FI R</b> 2.5s      |               | 5            | Red.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 8970  | Elk River Junction Buoy ER   |                          |                       |               |              | Green and red bands; can.                     |  |
| 8975  | TURKEY POINT LIGHT   |                          | <b>FI W</b> 6s        | 129           |              | White tower.                                  | Private aid.   |
| 8980  | - Lighted Buoy 9   |                          | <b>FI G</b> 4s        |               | 5            | Green.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 8985  | - Lighted Buoy 10  |                          | <b>FI R</b> 4s        |               | 5            | Red.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 8990  | - NORTH RANGE FRONT LIGHT  | 39 29 36 N<br>75 56 18 W | <b>FI W</b> 2.5s      | 40            |              | On caisson.                                   | Lighted throughout 24 hours.   |
| 8991  | - NORTH RANGE FRONT PASSING LIGHT  |                          | <b>FI W</b> 2.5s      | 42            | 5            | On same structure as North Range Front Light. |  |
| 8995  | - NORTH RANGE REAR LIGHT<br>3,275 yards, 042.5° from front light.        |                          | <b>F W</b>            | 140           |              | White skeleton tower.                         | Lighted throughout 24 hours.   |
| 9000  | ARNOLD POINT LIGHT   | 39 27 46 N<br>75 58 01 W | <b>FI W</b> 4s        | 15            | 5            | NR on multi-pile structure.                   |  |
| 9005  | - Lighted Buoy 11  |                          | <b>FI G</b> 2.5s      |               | 5            | Green.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 9010  | - Lighted Buoy 12  |                          | <b>FI R</b> 2.5s      |               | 4            | Red.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 9015  | - Lighted Buoy 13  |                          | <b>FI G</b> 6s        |               | 6            | Green.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 9020  | - Lighted Buoy 14  |                          | <b>FI R</b> 6s        |               | 5            | Red.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 9025  | OLDFIELD POINT RANGE FRONT LIGHT   | 39 30 30 N<br>75 54 51 W | <b>F W</b>            | 40            |              | On skeleton tower.                            | Lighted throughout 24 hours.   |
| 9030  | OLDFIELD POINT RANGE REAR LIGHT<br>1,925 yards, 045.2° from front light. |                          | <b>Oc W</b> 4s        | 122           |              | On skeleton tower.                            | Higher intensity on rangeline. Lighted throughout 24 hours.                              |
| 9035  | - Lighted Buoy 15  |                          | <b>FI G</b> 4s        |               | 5            | Green.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 9040  | - Lighted Buoy 16  | 39 29 26 N<br>75 56 11 W | <b>FI R</b> 4s        |               | 5            | Red.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 9045  | - Lighted Buoy 18  |                          | <b>Q R</b>            |               | 4            | Red.  | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks  |
|---|---|--------------------------|-----------------------|---------------|--------------|--|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |   |                          |                       |               |              |  |   |
| 9050  | - Lighted Buoy 19   |                          | <b>Q G</b>            |               | 4            | Green.   | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.                                      |
| 9055  | - EAST RANGE FRONT LIGHT  | 39 30 42 N<br>75 53 17 W | <b>Q W</b>            | 14            |              | On multi-pile structure.   | Day: Visible on range line only.<br>Night: Visible all around, higher intensity on rangeline.<br>Lighted throughout 24 hours. |
| 9060  | - EAST RANGE REAR LIGHT<br>217 yards, 074° from front light.                      |                          | <b>Iso W 4s</b>       | 31            |              | On multi-pile structure.   | Day: Visible on rangeline only.<br>Night: Visible all around lighted throughout 24 hours.                                     |
| 9065  | - WEST RANGE FRONT LIGHT  | 39 30 06 N<br>75 55 54 W | <b>F R</b>            | 29            |              | KWB on white skeleton tower.   |   |
| 9070  | - WEST RANGE REAR LIGHT<br>235 yards, 254.5° from front light.                    |                          | <b>F R</b>            | 60            |              | KWB on white skeleton tower.   |   |
| 9075  | - Lighted Buoy 20   |                          | <b>FI R 2.5s</b>      |               | 4            | Red.   | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.                                      |
| 9080  | - Lighted Buoy 21   |                          | <b>Q G</b>            |               | 4            | Green.   | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.                                      |
| 9085  | - Lighted Buoy 22   |                          | <b>Q R</b>            |               | 4            | Red.   | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.                                      |
| 9090  | Court House Point Obstruction Buoy<br>Marks remains of submerged dredge pipeline. | 39 30 43 N<br>75 53 21 W |                       |               |              | White can with orange bands and worded DANGER<br>SUBMERGED PIPELINE. |   |
| 9095  | - Lighted Buoy 23   |                          | <b>FI G 2.5s</b>      |               | 4            | Green.   | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.                                      |
| 9100  | - Lighted Buoy 24   |                          | <b>Q R</b>            |               | 4            | Red.   | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.                                      |
| <b>Back Creek Channel</b>                         |   |                          |                       |               |              |  |   |
| 9105  | - RANGE FRONT LIGHT   | 39 31 49 N<br>75 51 51 W | <b>Q W</b>            | 25            |              | KWB on white skeleton tower, small white house.                      |   |
| 9110  | - RANGE REAR LIGHT<br>410 yards, 048.2° from front light.                         |                          | <b>Iso W 6s</b>       | 50            |              | KWB on skeleton tower.   |   |
| <b>Harbor North Channel</b>                       |   |                          |                       |               |              |  |   |
| 9115  | - Buoy 1  |                          |                       |               |              | Green can.   | Maintained from Apr. 1 to Nov. 15.<br>Private aid.  |
| 9120  | - Buoy 2  |                          |                       |               |              | Red nun.   | Maintained from Apr. 1 to Nov. 15.<br>Private aid.  |

| (1)<br>No.  | (2)<br>Name and Location                            | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks   |
|---|---|--------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |   |                          |                       |               |              |                             |  |
| 9125  | - Buoy 3  |                          |                       |               |              | Green can.                  | Maintained from Apr. 1 to Nov. 15.<br>Private aid.                                       |
| 9130  | - Buoy 4  |                          |                       |               |              | Red nun.                    | Maintained from Apr. 1 to Nov. 15.<br>Private aid.                                       |
| 9135  | - Buoy 5  |                          |                       |               |              | Green can.                  | Maintained from Apr. 1 to Nov. 15.<br>Private aid.                                       |
| 9140  | - Buoy 6  |                          |                       |               |              | Red nun.                    | Maintained from Apr. 1 to Nov. 15.<br>Private aid.                                       |
| 9145  | - Buoy 7  |                          |                       |               |              | Green can.                  | Maintained from Apr. 1 to Nov. 15.<br>Private aid.                                       |
| 9150  | - Buoy 8  |                          |                       |               |              | Red nun.                    | Maintained from Apr. 1 to Nov. 15.<br>Private aid.                                       |
| <b>Elk River Channel</b>                          |   |                          |                       |               |              |                             |  |
| 9155  | - Lighted Buoy 25                                   |                          | <b>FI G 4s</b>        |               | 4            | Green.                      | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 9160  | - Lighted Buoy 26<br>75 feet outside channel limit. |                          | <b>FI R 4s</b>        |               | 4            | Red.                        | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 9165  | BOHEMIA RIVER LIGHT 2                               | 39 28 32 N<br>75 53 11 W | <b>FI R 4s</b>        | 15            | 4            | TR on pile.                 | Light equipment removed from Dec. 1 to Mar. 15.  |
| 9170  | Bohemia River Daybeacon 4                           |                          |                       |               |              | TR on pile.                 |  |
| <b>Back Creek Channel</b>                         |   |                          |                       |               |              |                             |  |
| 9180  | - Lighted Buoy 28                                   |                          | <b>FI R 2.5s</b>      |               | 4            | Red.                        | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 9185  | - LIGHT 29  |                          | <b>FI G 2.5s</b>      | 25            | 5            | SG on multi-pile structure. |  |
| 9190  | - LIGHT 30  |                          | <b>FI R 4s</b>        | 25            | 4            | TR on multi-pile structure. |  |
| 9195  | - Lighted Buoy 31<br>75 feet outside channel limit. |                          | <b>FI G 4s</b>        |               | 5            | Green.                      | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |
| 9200  | - Lighted Buoy 32<br>75 feet outside channel limit. |                          | <b>FI R 2.5s</b>      |               | 5            | Red.                        | Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. |

# Section 8

## Chesapeake Entrance to James River

| (1)<br>No.  | (2)<br>Name and Location         | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                 | (8)<br>Remarks   |
|---|----------------------------------|--------------------------|-----------------------|---------------|--------------|----------------------------------|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b>                               |                                  |                          |                       |               |              |                                  |  |
| <b>CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254)</b>                          |                                  |                          |                       |               |              |                                  |  |
| <b>Thimble Shoal Channel</b>  |                                  |                          |                       |               |              |                                  |  |
| <i>Vessels drawing less than 25 feet are not permitted to use this channel.</i> |                                  |                          |                       |               |              |                                  |  |
| 9205  | - Lighted Bell Buoy 1TS          | 36 57 00 N<br>76 01 25 W | FI G 2.5s             |               | 4            | Green.                           |  |
| 9210  | - Lighted Buoy 2                 |                          | FI R 2.5s             |               | 4            | Red.                             |  |
| 9215  | - Lighted Buoy 3                 |                          | FI G 4s               |               | 4            | Green.                           |  |
| 9220  | - Lighted Gong Buoy 4            |                          | FI R 4s               |               | 4            | Red.                             |  |
| 9223  | LA-17 Lighted Mooring Buoy       |                          | FI W 4s               |               |              | White with blue horizontal band. | Maintained by U.S. Navy.   |
| 9225  | - Lighted Bell Buoy 5            |                          | FI G 6s               |               | 4            | Green.                           |  |
| 9230  | - Lighted Buoy 6                 |                          | FI R 4s               |               | 4            | Red.                             |  |
| 9235  | - Lighted Buoy 7                 |                          | FI G 2.5s             |               | 4            | Green.                           |  |
| 9240  | - Lighted Gong Buoy 8            |                          | FI R 2.5s             |               | 4            | Red.                             |  |
| 9245  | THIMBLE SHOAL TUNNEL SOUTH LIGHT |                          | F G                   | 32            |              | On wall.                         | Private aid.<br>BELL: 1 stroke ev 10s.<br>Operates during periods of low visibility only.        |
| 9250  | THIMBLE SHOAL TUNNEL NORTH LIGHT |                          | F R                   | 32            |              | On wall.                         | Private aid.<br>HORN: 1 blast ev 20s (2s bl).<br>Operates during periods of low visibility only. |
| 9255  | - Lighted Bell Buoy 9            |                          | FI G 4s               |               | 4            | Green.                           |  |
| 9260  | - Lighted Buoy 10                |                          | FI R 4s               |               | 4            | Red.                             |  |
| 9265  | - Lighted Buoy 11                |                          | FI G 6s               |               | 4            | Green.                           |  |
| 9270  | - Lighted Gong Buoy 12           |                          | FI R 6s               |               | 4            | Red.                             |  |
| 9275  | - Lighted Bell Buoy 13           |                          | FI G 2.5s             |               | 4            | Green.                           |  |
| 9280  | - Lighted Buoy 14                |                          | FI R 2.5s             |               | 4            | Red.                             |  |
| 9285  | - Lighted Buoy 15                |                          | FI G 4s               |               | 4            | Green.                           |  |
| 9290  | - Lighted Gong Buoy 16           |                          | FI R 4s               |               | 4            | Red.                             |  |
| <b>CHESAPEAKE BAY - THIMBLE SHOAL CHANNEL (Chart 12245)</b>                     |                                  |                          |                       |               |              |                                  |  |
| <b>Thimble Shoal Channel</b>  |                                  |                          |                       |               |              |                                  |  |
| <i>Vessels drawing less than 25 feet are not permitted to use this channel.</i> |                                  |                          |                       |               |              |                                  |  |
| 9295  | - Lighted Gong Buoy 17           |                          | FI G 2.5s             |               | 4            | Green.                           |  |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic  | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks   |
|---|--|--------------------------|--|---------------|--------------|--|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |  |               |              |  |  |
| 9300  | - Lighted Buoy 18  |                          | <b>Q R</b>   |               | 4            | Red.   |  |
| 9305  | - Lighted Buoy 19  |                          | <b>Q G</b>   |               | 4            | Green.   |  |
| 9310  | <b>Thimble Shoal Light</b>   | 37 00 55 N<br>76 14 23 W | <b>FI W</b> 10s  | 55            | 20           | Red conical tower on brown cylindrical pier.             | HORN: 1 blast ev 30s (3s bl). Operates continuously.         |
| 9315  | - Lighted Bell Buoy 21   |                          | <b>Q G</b>   |               | 4            | Green.   |  |
| 9320  | - Lighted Buoy 22  | 37 00 10 N<br>76 17 53 W | <b>Q R</b>   |               | 4            | Red.   |  |
| <b>Naval Ordnance</b>                             |  |                          |  |               |              |  |  |
| 9325  | - Buoy F   |                          |  |               |              | Orange and white bands; sphere.                          | Maintained by U.S. Navy.                                     |
| 9330  | - Buoy G   |                          |  |               |              | Orange and white bands; sphere.                          | Maintained by U.S. Navy.                                     |
| 9335  | - Buoy H   |                          |  |               |              | Orange and white bands; sphere.                          | Maintained by U.S. Navy.                                     |
| 9340  | - Buoy K   |                          |  |               |              | Orange and white bands; sphere.                          | Maintained by U.S. Navy.                                     |
| 9345  | - Buoy L   |                          |  |               |              | Orange and white bands; sphere.                          | Maintained by U.S. Navy.                                     |
| 9350  | - Buoy M   |                          |  |               |              | Orange and white bands; sphere.                          | Maintained by U.S. Navy.                                     |
| 9355  | - Lighted Buoy P   | 37 00 21 N<br>76 16 57 W | <b>FI Y</b> 4s   |               | 6            | Yellow.  |  |
| 9360  | - Lighted Buoy R   |                          | <b>FI Y</b> 4s   |               | 6            | Yellow.  |  |
| 9365  | - Lighted Buoy T   |                          | <b>FI Y</b> 4s   |               | 6            | Yellow.  |  |
| 9370  | NORFOLK ENTRANCE REACH RANGE FRONT LIGHT                                     | 37 00 41 N<br>76 17 05 W | <b>Iso W</b> 2s  | 20            |              | On platform on multi-pile structure.                     | Lighted throughout 24 hours. Higher intensity on range line. |
| 9375  | NORFOLK ENTRANCE REACH RANGE REAR LIGHT<br>960 yards, 045° from front light. |                          | <b>Oc W</b> 4s   | 58            |              | On platform on multi-pile structure.                     | Lighted throughout 24 hours. Higher intensity on range line. |
| 9377  | NORFOLK ENTRANCE REACH RANGE REAR PASSING LIGHT                              |                          | <b>FI W</b> 4s   | 60            | 3            | On N and S corners of NORFOLK ENTRANCE RANGE REAR LIGHT. |  |
| <b>HAMPTON ROADS (Chart 12245)</b>                |  |                          |  |               |              |  |  |
| <b>Hampton Bar</b>                                |  |                          |  |               |              |  |  |
| 9380  | <b>Old Point Comfort Light</b>   | 37 00 06 N<br>76 18 23 W | <b>FI (2) R</b> 12s<br><b>(W sector)</b><br>2s fl 2s ec.<br>2s fl 6s ec. | 54            | W 16<br>R 14 | White tower.   | White from 265° to 038°.                                     |
| 9385  | FORT WOOL LIGHT  | 36 59 13 N<br>76 18 11 W | <b>FI W</b> 4s   | 25            | 5            | On small gray house.                                     |  |
| 9390  | - Buoy 14  |                          |  |               |              | Red nun.   |  |
| 9395  | - LIGHT B  | 36 59 44 N<br>76 19 48 W | <b>Q W</b>   | 15            | 5            | NB on pile.  |  |
| 9400  | - LIGHT C  |                          | <b>Q W</b>   | 15            | 5            | NB on pile.  |  |
| 9405  | - Daybeacon 16   |                          |  |               |              | TR on pile.  |  |
| 9410  | - Daybeacon 18   |                          |  |               |              | TR on pile.  |  |
| 9415  | - Buoy 20  |                          |  |               |              | Red nun.   |  |
| 9420  | - Buoy 22  |                          |  |               |              | Red nun.   |  |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks           |
|---|---|--------------------------|-----------------------|---------------|--------------|-------------------|--------------------------|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |   |                          |                       |               |              |                   |                          |
| <b>Hampton Flats Bar Channel</b>                  |   |                          |                       |               |              |                   |                          |
| 9425  | - Daybeacon 1   |                          |                       |               |              | SG on pile.       |                          |
| 9430  | - LIGHT 2   |                          | FI R 2.5s             | 15            | 3            | TR on pile.       | Ra ref.                  |
| 9435  | - Daybeacon 3   |                          |                       |               |              | SG on pile.       |                          |
| 9440  | - Daybeacon 4   |                          |                       |               |              | TR on pile.       |                          |
| <b>Elizabeth River</b>                            |   |                          |                       |               |              |                   |                          |
| 9445  | - Channel Lighted<br>Buoy 1ER   | 36 59 17 N<br>76 18 41 W | Q G                   |               |              | 4 Green.          |                          |
| 9450  | Sewells Point Spit<br>Daybeacon A   | 36 58 51 N<br>76 18 50 W |                       |               |              | NY on pile.       |                          |
| 9455  | Sewells Point Spit<br>Daybeacon B   | 36 58 48 N<br>76 18 54 W |                       |               |              | NY on pile.       |                          |
| 9460  | Sewells Point Spit<br>Daybeacon C   | 36 58 32 N<br>76 19 14 W |                       |               |              | NY on pile.       |                          |
| 9465  | - Channel Lighted Bell<br>Buoy 3  |                          | FI G 2.5s             |               |              | 4 Green.          |                          |
| 9470  | - Channel Lighted<br>Gong Buoy 5  |                          | Q G                   |               |              | 4 Green.          | Ra ref.                  |
| 9475  | - Channel Lighted<br>Buoy 7   |                          | FI G 4s               |               |              | 4 Green.          |                          |
| 9480  | NAVAL BASE BREAKWATER<br>LIGHT  |                          | FI Y 4s               | 15            |              | Small white box.  | Maintained by U.S. Navy. |
| 9485  | Naval Base Pier Buoy 1  |                          |                       |               |              | Green can.        |                          |
| 9490  | Naval Base Daybeacon 3  |                          |                       |               |              | SG on pile.       |                          |
| 9495  | SERVICE CRAFT BASIN<br>BREAKWATER LIGHT   | 36 57 12 N<br>76 20 00 W | Q R                   | 15            |              | On dolphin.       | Maintained by U.S. Navy. |
| 9500  | - Lighted Buoy 8  | 36 57 06 N<br>76 20 24 W | FI R 2.5s             |               |              | 4 Red.            |                          |
| 9505  | Naval Base Pier 2 Range<br>Front Daybeacon  | 36 56 42 N<br>76 20 00 W |                       | 8             |              | KRW on quay wall. | Maintained by U.S. Navy. |
| 9510  | Naval Base Pier 2 Range<br>Rear Daybeacon<br>380 yards, 101° from<br>front Daybeacon. |                          |                       | 12            |              | KRW on quay wall. | Maintained by U.S. Navy. |
| 9515  | - Channel Lighted<br>Buoy 9   |                          | FI G 4s               |               |              | 4 Green.          |                          |
| 9520  | - Channel Lighted Bell<br>Buoy 10   | 36 56 36 N<br>76 20 24 W | FI R 4s               |               |              | 4 Red.            |                          |
| 9522  | LEHIGH PORTLAND<br>CEMENT MOORING LIGHT   | 36 55 48 N<br>76 20 01 W | FI Y 4s               | 14            |              | On dolphin.       | Private aid.             |
| 9525  | - Channel Lighted<br>Buoy 11  |                          | FI G 6s               |               |              | 5 Green.          |                          |
| 9530  | - Channel Lighted<br>Buoy 12  | 36 55 48 N<br>76 20 27 W | FI R 6s               |               |              | 4 Red.            |                          |
| 9535  | - Channel Lighted<br>Buoy 13  |                          | FI G 2.5s             |               |              | 4 Green.          |                          |
| 9540  | - Channel Lighted<br>Buoy 14  |                          | Q R                   |               |              | 4 Red.            |                          |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                          | (8)<br>Remarks                    |
|---|---|--------------------------|-----------------------|---------------|--------------|---|-----------------------------------|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |   |                          |                       |               |              |   |                                   |
| 9545  | - Channel Lighted Buoy 15   | 36 54 44 N<br>76 20 17 W | <b>Q G</b>            |               | 4            | Green.                                    |                                   |
| <b>Norfolk International Terminal</b>             |   |                          |                       |               |              |   |                                   |
| 9550  | - Warning Daybeacon   |                          |                       |               |              | NW on pile worded DANGER SHOAL.           |                                   |
| 9551  | - North Channel Buoy 1N   | 36 55 43 N<br>76 20 08 W |                       |               |              | Green can.                                |                                   |
| 9551.5  | - North Channel Lighted Buoy 2N                                       | 36 55 37 N<br>76 20 05 W | <b>Q R</b>            |               | 3            | Red.                                      |                                   |
| 9552  | - North Channel Buoy 4  | 36 55 37 N<br>76 20 01 W |                       |               |              | Red nun.                                  |                                   |
| 9552.1  | - North Channel Buoy 5  | 36 55 44 N<br>76 19 56 W |                       |               |              | Green can.                                |                                   |
| 9552.5  | - North Channel Lighted Buoy 6  | 36 55 34 N<br>76 19 52 W | <b>Q R</b>            |               | 3            | Red.                                      |                                   |
| 9553  | - North Channel Daybeacon 7   | 36 55 44 N<br>76 19 48 W |                       |               |              | SG on pile.                               |                                   |
| 9553.5  | - North Channel Buoy 8  | 36 55 21 N<br>76 19 54 W |                       |               |              | Red nun.                                  |                                   |
| 9555  | - Buoy 2S   | 36 54 51 N<br>76 20 06 W |                       |               |              | Red nun.                                  |                                   |
| 9560  | - Buoy 4  | 36 54 47 N<br>76 19 57 W |                       |               |              | Red nun.                                  |                                   |
| 9565  | - Daybeacon 6   | 36 54 40 N<br>76 19 47 W |                       |               |              | TR on pile.                               |                                   |
| <b>Craney Island Disposal Area</b>                |   |                          |                       |               |              |   |                                   |
| 9570  | - Daybeacon 8   |                          |                       |               |              | TR on pile.                               |                                   |
| 9575  | - North Range Front Daybeacon   | 36 53 57 N<br>76 20 54 W |                       | 17            |              | KRW on pile.                              | Maintained by Corps of Engineers. |
| 9580  | - North Range Rear Daybeacon<br>206 yards, 297° from front daybeacon. |                          |                       | 23            |              | KRW on pile.                              | Maintained by Corps of Engineers. |
| 9585  | - South Range Front Daybeacon   | 36 53 41 N<br>76 20 49 W |                       | 17            |              | KRW on pile.                              | Maintained by Corps of Engineers. |
| 9590  | - South Range Rear Daybeacon<br>128 yards, 228° from front daybeacon. |                          |                       | 23            |              | KRW on pile.                              | Maintained by Corps of Engineers. |
| <b>Elizabeth River</b>                            |   |                          |                       |               |              |   |                                   |
| 9595  | - Channel Lighted Buoy 17   |                          | <b>FI G 2.5s</b>      |               | 4            | Green.                                    |                                   |
| 9600  | - Channel Lighted Buoy 18   |                          | <b>FI R 2.5s</b>      |               | 4            | Red.                                      |                                   |
| 9605  | - Channel Lighted Buoy 19   |                          | <b>FI G 4s</b>        |               | 4            | Green.                                    |                                   |
| 9610  | Craney Island Warning Daybeacon A                                     | 36 53 35 N<br>76 20 16 W |                       |               |              | NW on pile worded DANGER SUBMERGED ROCKS. |                                   |
| 9615  | Craney Island Warning Daybeacon B                                     | 36 53 31 N<br>76 20 17 W |                       |               |              | NW on pile worded DANGER SUBMERGED ROCKS. |                                   |
| 9620  | - Channel Lighted Buoy 20   |                          | <b>FI R 4s</b>        |               | 4            | Red.                                      |                                   |

| (1)<br>No.  | (2)<br>Name and Location                                       | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks                            |
|---|--|--------------------------|-----------------------|---------------|--------------|------------------|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b>       |  |                          |                       |               |              |                  |   |
| 9625  | - Channel Lighted Buoy 21                                      |                          | FI G 6s               |               | 5            | Green.           |   |
| 9630  | - Channel Lighted Buoy 23                                      |                          | FI G 4s               |               | 4            | Green.           |   |
| <b>Craney Island</b>                                    |  |                          |                       |               |              |                  |   |
| 9635  | - NORTH RANGE FRONT LIGHT                                      | 36 53 04 N<br>76 20 25 W | F R                   | 21            |              | On pile.         | Lighted throughout 24 hours. Private aid. |
| 9640  | - NORTH RANGE REAR LIGHT<br>87 yards, 284.0° from front light. |                          | F R                   | 26            |              | On pile.         | Lighted throughout 24 hours. Private aid. |
| 9645  | - SOUTH RANGE FRONT LIGHT                                      | 36 53 04 N<br>76 20 25 W | F W                   | 22            |              | On pile.         | Lighted throughout 24 hours. Private aid. |
| 9650  | - SOUTH RANGE REAR LIGHT<br>82 yards, 291.0° from front light. |                          | F W                   | 26            |              | On pile.         | Lighted throughout 24 hours. Private aid. |
| <b>NORFOLK HARBOR AND ELIZABETH RIVER (Chart 12253)</b> |  |                          |                       |               |              |                  |   |
| <b>Craney Island</b>                                    |  |                          |                       |               |              |                  |   |
| 9655  | NORFOLK AND WESTERN COAL PIER LIGHT                            | 36 52 48 N<br>76 19 55 W | FI Y 4s               | 15            |              |                  | Private aid.                              |
| 9660  | - Anchorage Daybeacon A  | 36 52 40 N<br>75 20 38 W |                       |               |              | NY on pile.      | Ra ref.                                   |
| 9665  | - CREEK LIGHT 2CI  | 36 52 51 N<br>76 20 28 W | Q R                   | 19            | 5            | TR on pile.      |   |
| 9668  | - CREEK LIGHT 4  | 36 52 51 N<br>76 20 38 W | FI R 4s               | 15            | 3            | TR on pile.      |   |
| 9670  | - CREEK LIGHT 5  |                          | Q G                   | 15            | 3            | SG on pile.      |   |
| 9675  | - CREEK LIGHT 6  |                          | Q R                   | 15            | 3            | TR on pile.      |   |
| 9677  | - Creek Daybeacon 7  |                          |                       |               |              | SG on pile.      |   |
| 9678  | - CREEK LIGHT 8  |                          | FI R 2.5s             | 15            | 3            | TR on pile.      |   |
| 9680  | - Creek Daybeacon 9  |                          |                       |               |              | SG on pile.      |   |
| 9683  | - CREEK LIGHT 10   |                          | FI R 4s               | 15            | 3            | TR on pile.      |   |
| 9684  | - Creek Daybeacon 11   |                          |                       |               |              | SG on pile.      |   |
| 9685  | - Creek Daybeacon 12   |                          |                       |               |              | TR on pile.      |   |
| 9690  | - Creek Daybeacon 13   |                          |                       |               |              | SG on pile.      |   |
| 9695  | - CREEK LIGHT 14   |                          | FI R 2.5s             | 15            | 3            | TR on pile.      |   |
| 9700  | - Anchorage Daybeacon B  | 36 52 19 N<br>76 20 35 W |                       |               |              | NY on pile.      |   |
| 9705  | - Anchorage Daybeacon C  | 36 52 18 N<br>76 20 22 W |                       |               |              | NY on pile.      |   |
| <b>Elizabeth River</b>                                  |  |                          |                       |               |              |                  |   |
| 9710  | - Channel Lighted Buoy 25                                      | 36 52 28 N<br>76 19 53 W | FI G 2.5s             |               | 4            | Green.           |   |
| 9715  | - Channel Lighted Buoy 29                                      |                          | Q G                   |               | 4            | Green.           |   |

| (1)<br>No.  | (2)<br>Name and Location                                    | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                | (8)<br>Remarks  |
|---|---|--------------------------|-----------------------|---------------|--------------|---------------------------------|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |   |                          |                       |               |              |                                 |   |
| 9720  | - OBSTRUCTION LIGHT   | 36 52 06 N<br>76 20 00 W | <b>FI Y</b> 4s        | 14            |              | On dolphin.                     | Maintained by U.S. Navy.  |
| 9725  | - <b>Deperming Range Fog Signal</b>                         | 36 52 06 N<br>76 20 00 W |                       |               |              |                                 | Maintained by U.S. Navy.<br>SIREN: 1 blast ev 30s (5s bl).<br>Continuous. |
| 9730  | - DEPERMING RANGE<br>OBSTRUCTION LIGHT                      |                          | <b>FI Y</b> 2.5s      | 25            |              | Red platform on pile structure. | Maintained by U.S. Navy.  |
| 9735  | - <i>Channel Lighted Buoy 30</i>                            |                          | <b>Q R</b>            |               | 4            | Red.                            |   |
| 9740  | - DEGAUSSING STATION<br>OBSTRUCTION LIGHT                   | 36 51 48 N<br>76 19 42 W | <b>FI Y</b> 2.5s      | 13            |              | On platform.                    | Maintained by U.S. Navy.  |
| <b>Western Branch</b>                             |   |                          |                       |               |              |                                 |   |
| 9745  | - Channel Buoy 2  |                          |                       |               |              | Red nun.                        |   |
| 9750  | - Channel Daybeacon 4<br>120 feet outside channel<br>limit. |                          |                       |               |              | TR on pile.                     |   |
| 9755  | - CHANNEL LIGHT 5<br>120 feet outside channel<br>limit.     |                          | <b>FI G</b> 4s        | 17            | 4            | SG on multi-pile structure.     |   |
| 9760  | - Channel Daybeacon 6                                       |                          |                       |               |              | TR on pile.                     |   |
| 9765  | - Channel Daybeacon 7                                       |                          |                       |               |              | SG on pile.                     |   |
| 9770  | - Channel Daybeacon 9                                       |                          |                       |               |              | SG on pile.                     |   |
| 9775  | - Channel Daybeacon 10                                      |                          |                       |               |              | TR on pile.                     |   |
| 9780  | - Daybeacon 11  |                          |                       |               |              | SG on pile.                     |   |
| 9785  | - Daybeacon 12  |                          |                       |               |              | TR on pile.                     |   |
| 9790  | - Daybeacon 14  |                          |                       |               |              | TR on pile.                     |   |
| 9795  | - Daybeacon 16  |                          |                       |               |              | TR on pile.                     |   |
| <b>Elizabeth River</b>                            |   |                          |                       |               |              |                                 |   |
| <b>Portsmouth Marine Terminal</b>                 |   |                          |                       |               |              |                                 |   |
| 9800  | - RANGE FRONT LIGHT   | 36 51 24 N<br>76 19 30 W | <b>Iso R</b> 4s       | 46            |              | KRB on light pole.              | Private aid.  |
| 9805  | - RANGE REAR LIGHT<br>185 yards, 194°<br>from front light.  |                          | <b>Iso R</b> 6s       | 62            |              | KRB on light pole.              | Private aid.  |
| 9810  | - Buoy 2PM  | 36 51 43 N<br>76 19 21 W |                       |               |              | Red nun.                        |   |
| 9815  | - Buoy 3  | 36 51 41 N<br>76 19 15 W |                       |               |              | Green can.                      |   |
| 9820  | - Buoy 4  | 36 51 39 N<br>76 19 22 W |                       |               |              | Red nun.                        |   |
| 9825  | - Buoy 5  | 36 51 35 N<br>76 19 17 W |                       |               |              | Green can.                      |   |
| 9830  | - Buoy 6  | 36 51 34 N<br>76 19 28 W |                       |               |              | Red nun.                        |   |
| 9831  | - Buoy 8  |                          |                       |               |              | Red nun                         |   |
| 9832  | - Daybeacon 10  |                          |                       |               |              | TR on pile.                     |   |

| (1)<br>No.  | (2)<br>Name and Location                     | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure        | (8)<br>Remarks |
|---|--|--------------------------|-----------------------|---------------|--------------|-------------------------|----------------|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |                       |               |              |                         |                |
| <b>Elizabeth River</b>                            |  |                          |                       |               |              |                         |                |
| 9835  | - Channel Buoy 31                            |                          |                       |               |              | Green can.              |                |
| 9840  | - <i>Channel Lighted Buoy 32</i>             |                          | <b>FI R 4s</b>        |               | 4            | Red.                    |                |
| 9845  | Sea-Land Terminal Buoy 2SL                   | 36 51 34 N<br>76 19 11 W |                       |               |              | Red nun.                |                |
| 9850  | - <i>Channel Lighted Buoy 33</i>             |                          | <b>FI G 4s</b>        |               | 4            | Green.                  |                |
| 9855  | - Channel Buoy 34                            |                          |                       |               |              | Red nun.                |                |
| <b>Scott Creek Channel</b>                        |  |                          |                       |               |              |                         |                |
| 9860  | - Daybeacon 1                                | 36 51 03 N<br>76 18 34 W |                       |               |              | SG on pile.             |                |
| 9865  | - Daybeacon 1A                               |                          |                       |               |              | SG on pile.             |                |
| 9870  | - Daybeacon 2                                |                          |                       |               |              | TR on pile.             |                |
| 9875  | - Daybeacon 3                                |                          |                       |               |              | SG on pile.             |                |
| 9880  | - Daybeacon 4                                |                          |                       |               |              | TR on pile.             |                |
| 9885  | - Daybeacon 5                                |                          |                       |               |              | SG on pile.             |                |
| 9890  | Smith Creek Buoy 2                           | 36 51 06 N<br>76 17 59 W |                       |               |              | Red nun.                |                |
| 9895  | Smith Creek Buoy 4                           |                          |                       |               |              | Red nun.                |                |
| <b>Elizabeth River</b>                            |  |                          |                       |               |              |                         |                |
| 9900  | - <i>Channel Lighted Buoy 36</i>             |                          | <b>Q R</b>            |               | 4            | Red.                    |                |
| <b>Kingfisher Berth</b>                           |  |                          |                       |               |              |                         |                |
| 9905  | - Buoy 1                                     |                          |                       |               |              | Green can.              |                |
| 9910  | - Buoy 2                                     |                          |                       |               |              | Red nun.                |                |
| 9915  | - Buoy 3                                     |                          |                       |               |              | Green can.              |                |
| 9920  | - Buoy 5                                     |                          |                       |               |              | Green can.              |                |
| <b>Elizabeth River</b>                            |  |                          |                       |               |              |                         |                |
| 9925  | NAUTICUS PIER LIGHT A                        | 36 50 55 N<br>76 17 50 W | <b>FI Y 4s</b>        | 5             |              | On post.                | Private aid.   |
| 9927  | NAUTICUS PIER LIGHT B                        | 36 50 55 N<br>76 17 50 W | <b>FI Y 4s</b>        | 5             |              | On post.                | Private aid.   |
| 9940  | NORFOLK WATERSIDE PIER LIGHT                 |                          | <b>F Y</b>            | 20            |              | On pole on end of pier. | Private aid.   |
| <b>Elizabeth River Southern Branch</b>            |  |                          |                       |               |              |                         |                |
| 9955<br>36805                                     | - LIGHT 2<br>105 feet outside channel limit. | 36 47 39 N<br>76 17 50 W | <b>FI R 2.5s</b>      | 15            | 3            | TR-TY on pile.          |                |
| 9960<br>36810                                     | - Buoy 3<br>75 feet outside channel limit.   |                          |                       |               |              | Green can.              |                |
| 9965<br>36815                                     | - Buoy 5<br>75 feet outside channel limit.   |                          |                       |               |              | Green can.              |                |

| (1)<br>No.  | (2)<br>Name and Location                                      | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                            | (8)<br>Remarks           |
|---|---|--------------------------|-----------------------|---------------|--------------|---|--------------------------|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |   |                          |                       |               |              |   |                          |
| 9970<br>36820                                     | - Daybeacon 6   |                          |                       |               |              | TR-TY on pile.                              |                          |
| 9975<br>36825                                     | - LIGHT 8<br>75 feet outside<br>channel limit.                |                          | <b>Q R</b>            | 18            | 3            | TR-TY on pile.                              |                          |
| 9980<br>36830                                     | - LIGHT 9   |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG-SY on pile.                              |                          |
| 9985<br>36835                                     | - Buoy 10   |                          |                       |               |              | Red nun.                                    |                          |
| 9990<br>36840                                     | - Buoy 12   |                          |                       |               |              | Red nun.                                    |                          |
| 9995<br>36845                                     | - Buoy 14   |                          |                       |               |              | Red nun.                                    |                          |
| 10000<br>36850                                    | - Buoy 15   |                          |                       |               |              | Green can.                                  |                          |
| 10005<br>36855                                    | - Buoy 17   |                          |                       |               |              | Green can.                                  |                          |
| 10010<br>36860                                    | - Daybeacon 19<br>75 feet outside<br>channel limit.           |                          |                       |               |              | SG-SY on pile.                              |                          |
| 10015<br>36865                                    | St. Julian Creek Lighted<br>Marker A                          | 36 47 06 N<br>76 18 24 W | <b>FI W 4s</b>        | 12            |              | SW on dolphin worded<br>NO WAKE.            | Maintained by U.S. Navy. |
| 10020<br>36870                                    | St. Julian Creek Lighted<br>Marker B                          |                          | <b>FI W 4s</b>        | 12            |              | SW on dolphin worded<br>NO WAKE.            | Maintained by U.S. Navy. |
| 10025<br>36875                                    | SWAN TERMINAL PIER<br>LIGHT                                   | 36 46 36 N<br>76 18 24 W | <b>F R</b>            | 12            |              |   | Private aid.             |
| 10030<br>36880                                    | - LIGHT 20<br>75 feet outside<br>channel limit.               |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR-TY on pile.                              |                          |
| 10035<br>36885                                    | - LIGHT 22<br>75 feet outside<br>channel limit.               |                          | <b>FI R 4s</b>        | 16            | 3            | TR-TY on pile.                              |                          |
| 10040<br>36890                                    | - Buoy 24   | 36 46 19 N<br>76 17 48 W |                       |               |              | Red nun.                                    |                          |
| 10045<br>36895                                    | VIRGINIA POWER<br>COMPANY WHARF<br>LIGHTS (2)                 | 36 46 12 N<br>76 17 54 W | <b>F Y</b>            | 10            |              | On dolphin.                                 | Private aids.            |
| 10050<br>36900                                    | Virginia Power Comany Fish<br>Return Line Daybeacon           |                          |                       |               |              | NW on pile worded DANGER<br>SUBMERGED PILE. | Private aid.             |
| 10055<br>36905                                    | Virginia Power Company<br>Fish Return Line<br>Daybeacon B     |                          |                       |               |              | NW on pile worded DANGER<br>SUBMERGED PILE. | Private aid.             |
| 10060<br>36910                                    | - Turning Basin Daybeacon A<br>50 feet outside channel.       |                          |                       |               |              | NB on pile.                                 |                          |
| 10065<br>36915                                    | - Turning Basin Daybeacon B<br>50 feet outside channel limit. |                          |                       |               |              | NB on pile.                                 |                          |
| 10070<br>36920                                    | - Buoy 26   |                          |                       |               |              | Red nun.                                    |                          |
| 10075<br>36925                                    | - Buoy 27   |                          |                       |               |              | Green can.                                  |                          |
| 10080<br>36930                                    | - Buoy 28   |                          |                       |               |              | Red nun.                                    |                          |

| (1)<br>No.   | (2)<br>Name and Location                 | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure         | (8)<br>Remarks |
|--|--|--------------------------|-----------------------|---------------|--------------|--------------------------|----------------|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b>      |  |                          |                       |               |              |                          |                |
| 10085<br>37060   | - LIGHT 30                               |                          | <b>FI R</b> 4s        | 15            | 4            | TR-TY on pile.           | Ra ref.        |
| 10090<br>37065   | - Turning Basin<br>Daybeacon C           |                          |                       |               |              | NB on pile.              |                |
| 10095<br>37070   | - Turning Basin<br>Daybeacon D           |                          |                       |               |              | NB on pile.              |                |
| 10098  | METRO CELL LIGHT                         | 36 50 30 N<br>76 17 30 W | <b>F Y</b>            | 10            |              | On pole on end of pier.  | Private aid.   |
| <b>Elizabeth River Eastern Branch</b>                  |  |                          |                       |               |              |                          |                |
| 10105  | - GAS MAIN SOUTH LIGHT                   | 36 49 54 N<br>76 12 42 W | <b>F W</b>            | 12            |              | On pile.                 | Private aid.   |
| 10110  | - GAS MAIN NORTH LIGHT<br>On gas main.   |                          | <b>F W</b>            | 12            |              | Gas main on pile.        | Private aid.   |
| 10115  | - ENTRANCE LIGHT 2                       |                          | <b>Q R</b>            | 8             |              | On pile.                 | Private aid.   |
| 10120  | - ENTRANCE LIGHT 1                       |                          | <b>Q G</b>            | 8             |              | On pile.                 | Private aid.   |
| <b>CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254)</b> |  |                          |                       |               |              |                          |                |
| <b>Lynnhaven Inlet</b>                                 |  |                          |                       |               |              |                          |                |
| 10125  | LYNNHAVEN ROADS FISHING<br>PIER LIGHT    | 36 55 00 N<br>76 04 42 W | <b>F Y</b> (2)        | 24            |              | On post.                 | Private aid.   |
| 10130  | - LIGHT 1                                | 36 55 05 N<br>76 05 22 W | <b>Q G</b>            | 15            | 5            | On multi-pile structure. |                |
| 10135  | - LIGHT 2                                |                          | <b>FI R</b> 2.5s      | 15            | 5            | TR on pile.              |                |
| 10137  | - LIGHT 3                                |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.              |                |
| 10140  | - LIGHT 4                                |                          | <b>FI R</b> 4s        | 15            | 4            | TR on pile.              |                |
| 10145  | - LIGHT 6                                | 36 54 37 N<br>76 05 29 W | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.              |                |
| 10150  | - EAST VEPCO<br>LIGHTS (2)               | 36 54 24 N<br>76 05 24 W | <b>FI Y</b> 4s        | 10            |              | On pile.                 | Private aids.  |
| 10155  | - WEST VEPCO<br>LIGHTS (2)               | 36 54 24 N<br>76 05 36 W | <b>FI Y</b> 4s        | 10            |              | On pile.                 | Private aids.  |
| <b>Long Creek Channel</b>                              |  |                          |                       |               |              |                          |                |
| 10160  | - Daybeacon 2                            |                          |                       |               |              | TR on pile.              |                |
| 10165  | - LIGHT 4                                | 36 54 16 N<br>76 05 22 W | <b>Q R</b>            | 15            | 3            | TR on pile.              |                |
| 10166  | - Daybeacon 5                            |                          |                       |               |              | SG on pile.              |                |
| 10167  | - Daybeacon 7                            |                          |                       |               |              | SG on pile.              |                |
| 10168  | - Daybeacon 8                            |                          |                       |               |              | TR on pile.              |                |
| 10170  | - Daybeacon 10                           |                          |                       |               |              | TR on pile.              |                |
| 10175  | - Daybeacon 11                           |                          |                       |               |              | SG on pile.              |                |
| 10180  | - Daybeacon 12                           |                          |                       |               |              | TR on pile.              |                |
| 10185  | Long Creek East Junction<br>Daybeacon BL | 36 54 13 N<br>76 04 22 W |                       |               |              | JG on pile.              |                |

| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks |
|---|--------------------------|--------------------------|-----------------------|---------------|--------------|------------------|----------------|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |                          |                          |                       |               |              |                  |                |
| <b>Lynnhaven River</b>                            |                          |                          |                       |               |              |                  |                |
| 10186   | - Daybeacon 1LR          |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10186.5   | - Daybeacon 3LR          |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10187   | - Junction Daybeacon EW  |                          |                       |               |              | JR on pile.      | Private aid.   |
| <b>Western Branch</b>                             |                          |                          |                       |               |              |                  |                |
| 10188   | - Daybeacon 1            |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10189   | - Daybeacon 2            |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10190   | - Daybeacon 3            |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10195   | - Daybeacon 4            |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10200   | - Daybeacon 5            |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10205   | - Daybeacon 6            |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10210   | - Daybeacon 7            |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10215   | - Daybeacon 8            |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10220   | - Daybeacon 9            |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10225   | - Daybeacon 10           |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10230   | - Daybeacon 11           |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10235   | - Daybeacon 12           |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10240   | - Daybeacon 13           |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10245   | - Daybeacon 14           |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10250   | - Daybeacon 15           |                          |                       |               |              | SG on pile.      | Private aid.   |
| <b>Gills Cove</b>                                 |                          |                          |                       |               |              |                  |                |
| 10251   | - Daybeacon 2            | 36 52 12 N<br>76 04 30 W |                       |               |              | TR on pile.      | Private aid.   |
| 10252   | - Daybeacon 4            |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10253   | - Daybeacon 6            |                          |                       |               |              | TR on pile.      | Private aid.   |
| <b>Western Branch</b>                             |                          |                          |                       |               |              |                  |                |
| 10255   | - Daybeacon 16           |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10260   | - Daybeacon 17           |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10265   | - Daybeacon 18           |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10270   | - Daybeacon 19           |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10275   | - Daybeacon 20           |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10280   | - Daybeacon 21           |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10285   | - Daybeacon 22           |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10290   | - Daybeacon 23           |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10295   | - Daybeacon 24           |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10300   | - Daybeacon 25           |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10305   | - Daybeacon 26           |                          |                       |               |              | TR on pile.      | Private aid.   |

| (1)<br>No.  | (2)<br>Name and Location                                     | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks |
|---|--|--------------------------|-----------------------|---------------|--------------|------------------|----------------|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |                       |               |              |                  |                |
| 10310   | - Daybeacon 27   |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10315   | - Daybeacon 28   |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10320   | - Daybeacon 29   |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10325   | - Daybeacon 30   |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10330   | - Daybeacon 31   |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10331   | - Daybeacon 32   |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10331.01  | - Daybeacon 33   |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10331.02  | - Daybeacon 34   | 36 51 54 N<br>76 06 54 W |                       |               |              | TR on pile.      | Private aid.   |
| <b>Lynnhaven River Saw Pen Point</b>              |  |                          |                       |               |              |                  |                |
| 10331.03  | - Daybeacon WS2  | 36 51 54 N<br>76 07 00 W |                       |               |              | TR on pile.      | Private aid.   |
| 10331.04  | - Daybeacon 3  |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10331.05  | - Daybeacon 4  |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10331.06  | - Daybeacon 5  |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10331.07  | - Daybeacon 7  |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10331.08  | Lynnhaven River Old<br>Donation Spur Channel<br>Daybeacon 1S | 36 51 48 N<br>76 07 12 W |                       |               |              | SG on pile.      | Private aid.   |
| 10331.09  | Lynnhaven River Old<br>Donation Spur Channel<br>Daybeacon 2  |                          |                       |               |              | TR on pile.      | Private aid.   |
| <b>Lynnhaven River Western Branch</b>             |  |                          |                       |               |              |                  |                |
| 10331.1   | - Daybeacon 36   | 36 51 42 N<br>76 06 54 W |                       |               |              | TR on pile.      | Private aid.   |
| 10331.11  | - Daybeacon 38   |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10331.12  | - Daybeacon 40   |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10331.13  | - Daybeacon 41   |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10331.14  | - Daybeacon 43   |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10331.15  | - Daybeacon 45   |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10331.16  | - Daybeacon 46   |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10331.17  | - Daybeacon 47   |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10331.18  | - Daybeacon 49   |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10331.19  | - Daybeacon 51   |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10331.2   | - Daybeacon 52   |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10331.21  | - Daybeacon 53   |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10331.22  | - Daybeacon 54   |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10331.23  | - Daybeacon 56   |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10331.24  | - Daybeacon 57   |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10331.25  | - Daybeacon 58   | 36 50 48 N<br>76 07 24 W |                       |               |              | TR on pile.      | Private aid.   |

| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks |
|---|--------------------------|--------------------------|-----------------------|---------------|--------------|------------------|----------------|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |                          |                          |                       |               |              |                  |                |
| <b>Eastern Branch</b>                             |                          |                          |                       |               |              |                  |                |
| 10332   | - Buoy 1EB               |                          |                       |               |              | Green can.       | Private aid.   |
| 10332.01  | - Buoy 2EB               |                          |                       |               |              | Red nun.         | Private aid.   |
| 10332.1   | - Daybeacon 3            |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10332.2   | - Daybeacon 4            |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10332.3   | - Daybeacon 5            |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10332.4   | - Daybeacon 6            |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10332.5   | - Daybeacon 7            |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10332.6   | - Daybeacon 8            |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10332.7   | - Daybeacon 10           |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10332.8   | - Daybeacon 12           |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10332.9   | - Daybeacon 13           |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10333   | - Daybeacon 14           |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10333.1   | - Daybeacon 15           |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10333.11  | Gills Cove Daybeacon 2   | 36 52 12 N<br>76 04 30 W |                       |               |              | TR on pile.      | Private aid.   |
| 10333.12  | Gills Cove Daybeacon 4   |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10333.13  | Gills Cove Daybeacon 6   |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10333.2   | - Daybeacon 17           |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10333.3   | - Daybeacon 19           |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10333.4   | - Daybeacon 20           |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10333.5   | - Daybeacon 21           |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10333.6   | - Daybeacon 23           |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10333.7   | - Daybeacon 24           |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10333.8   | - Daybeacon 25           |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10333.9   | - Daybeacon 26           |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10334   | - Daybeacon 27           |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10334.1   | - Daybeacon 28           |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10334.2   | - Daybeacon 30           |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10334.3   | - Daybeacon 32           |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10334.4   | - Daybeacon 34           |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10334.5   | - Daybeacon 35           |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10334.6   | - Daybeacon 37           |                          |                       |               |              | SG on pile.      | Private aid.   |
| 10334.7   | - Daybeacon 38           |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10334.8   | - Daybeacon 40           |                          |                       |               |              | TR on pile.      | Private aid.   |
| 10334.9   | - Daybeacon 42           |                          |                       |               |              | TR on pile.      | Private aid.   |

| (1)<br>No.  | (2)<br>Name and Location                  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks                                     |
|---|---|--------------------------|-----------------------|---------------|--------------|------------------|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |   |                          |                       |               |              |                  |  |
| <b>Long Creek East Channel</b>                    |   |                          |                       |               |              |                  |  |
| 10335   | - Daybeacon 2LE                           | 36 54 14 N<br>76 04 18 W |                       |               |              | TR on pile.      | Private aid.                                       |
| 10340   | - Daybeacon 1A                            | 36 54 32 N<br>76 03 07 W |                       |               |              | SG on pile.      |  |
| 10345   | - Daybeacon 3                             |                          |                       |               |              | SG on pile.      |  |
| 10350   | - Daybeacon 4                             |                          |                       |               |              | TR on pile.      |  |
| 10355   | - Daybeacon 5                             |                          |                       |               |              | SG on pile.      |  |
| 10360   | - Daybeacon 7                             |                          |                       |               |              | SG on pile.      |  |
| 10365   | - Daybeacon 8                             |                          |                       |               |              | TR on pile.      |  |
| 10370   | - Daybeacon 10                            |                          |                       |               |              | TR on pile.      |  |
| 10375   | - Daybeacon 11                            |                          |                       |               |              | SG on pile.      |  |
| 10380   | - Daybeacon 12                            |                          |                       |               |              | TR on pile.      |  |
| 10385   | - LIGHT 13                                |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.      | Light equipment removed<br>when endangered by ice. |
| 10390   | - Daybeacon 14                            |                          |                       |               |              | TR on pile.      |  |
| <b>Broad Bay</b>                                  |   |                          |                       |               |              |                  |  |
| 10395   | - Channel Daybeacon 13                    |                          |                       |               |              | SG on pile.      |  |
| 10400   | - CHANNEL LIGHT 14                        | 36 54 05 N<br>76 03 11 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.      |  |
| 10405   | - CHANNEL LIGHT 16                        |                          | <b>FI R</b> 6s        | 15            | 4            | TR on pile.      |  |
| 10410   | - CHANNEL LIGHT 17                        |                          | <b>FI G</b> 2.5s      | 15            | 4            | SG on pile.      |  |
| 10415   | - CHANNEL LIGHT 17A                       |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.      | Higher intensity beam toward<br>Light 16.          |
| 10420   | - Channel Daybeacon 18                    |                          |                       |               |              | TR on pile.      |  |
| 10425   | - Channel Daybeacon 19                    |                          |                       |               |              | SG on pile.      |  |
| 10430   | - CHANNEL LIGHT 20                        |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.      |  |
| <b>Linkhorn Bay</b>                               |   |                          |                       |               |              |                  |  |
| 10435   | - Channel Daybeacon 20A                   |                          |                       |               |              | TR on pile.      |  |
| 10440   | - CHANNEL LIGHT 21                        |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.      |  |
| 10445   | - Daybeacon 22                            |                          |                       |               |              | TR on pile.      |  |
| 10450   | - LIGHT 23                                | 36 53 36 N<br>76 19 27 W | <b>Q G</b>            | 15            | 3            | SG on pile.      |  |
| 10455   | - Daybeacon 24                            |                          |                       |               |              | TR on pile.      |  |
| 10460   | - Daybeacon 26                            |                          |                       |               |              | TR on pile.      |  |
| 10465   | - Daybeacon 27                            |                          |                       |               |              | SG on pile.      |  |
| <b>Little Creek Harbor</b>                        |   |                          |                       |               |              |                  |  |
| 10468   | Little Creek Entrance lighted<br>buoy 1LC | 36 58 05 N<br>76 10 04 W | <b>Q G</b>            |               | 3            | Green.           |  |
| 10470   | Little Creek Entrance<br>Lighted Buoy 2   | 36 56 29 N<br>76 10 48 W | <b>FI R</b> 2.5s      |               | 6            | Red.             |  |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                        | (8)<br>Remarks               |
|---|---|--------------------------|-----------------------|---------------|--------------|---|------------------------------|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |   |                          |                       |               |              |   |                              |
| 10475   | VMRC NE Corner Reef Buoy  | 36 56 30 N<br>76 12 12 W |                       |               |              | Yellow can worded EAST OCEAN VIEW REEF. | Private aid.                 |
| 10480   | VMRC SE Corner Reef Buoy  | 36 56 24 N<br>76 12 12 W |                       |               |              | Yellow can worded EAST OCEAN VIEW REEF. | Private aid.                 |
| 10485   | VMRC SW Corner Reef Buoy  | 36 56 24 N<br>76 12 12 W |                       |               |              | Yellow can worded EAST OCEAN VIEW REEF. | Private aid.                 |
| 10490   | VMRC NW Corner Reef Buoy  | 36 56 30 N<br>76 12 12 W |                       |               |              | Yellow can worded EAST OCEAN VIEW REEF. | Private aid.                 |
| 10495   | - RANGE FRONT LIGHT   | 36 54 42 N<br>76 10 35 W | <b>Iso G 6s</b>       | 51            |              | Skeleton tower.                         | Lighted throughout 24 hours. |
| 10500   | - RANGE REAR LIGHT<br>278 yards, 177.5°<br>from front light.      |                          | <b>F G</b>            | 76            |              | Skeleton tower.                         | Lighted throughout 24 hours. |
| 10505   | - JETTY LIGHT 3   | 36 55 55 N<br>76 10 35 W | <b>Q G</b>            | 70            | 8            | SG on skeleton tower.                   |                              |
| 10510   | - JETTY LIGHT 4   |                          | <b>Q R</b>            | 30            | 8            | TR on steel pile.                       |                              |
| 10515   | - LIGHT 6   |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.                             |                              |
| 10520   | - LIGHT 5   |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.                             |                              |
| 10525   | - LIGHT 7   |                          | <b>FI G 6s</b>        | 15            | 4            | SG on pile.                             |                              |
| 10530   | - LIGHT 8   |                          | <b>FI R 6s</b>        | 15            | 4            | TR on pile.                             |                              |
| 10535   | Fisherman's Cove Buoy 3   |                          |                       |               |              | Green can.                              |                              |
| 10540   | Fisherman's Cove Buoy 4   |                          |                       |               |              | Red nun.                                |                              |
| 10545   | Fisherman's Cove Buoy 6   |                          |                       |               |              | Red nun.                                |                              |
| <b>Little Creek Cove</b>                          |   |                          |                       |               |              |   |                              |
| 10550   | - Daybeacon 2   |                          |                       |               |              | TR on pile.                             |                              |
| 10555   | - Daybeacon 4   |                          |                       |               |              | TR on pile.                             |                              |
| 10560   | - Daybeacon 6   |                          |                       |               |              | TR on pile.                             |                              |
| 10565   | - Range Front Daybeacon   | 36 54 49 N<br>76 09 47 W |                       | 21            |              | KWR on pile.                            |                              |
| 10570   | - Range Rear Daybeacon<br>68 yards, 102° from<br>front daybeacon. |                          |                       | 29            |              | KWR on pile.                            |                              |
| <b>HAMPTON ROADS (Chart 12245)</b>                |   |                          |                       |               |              |   |                              |
| <b>Willoughby Bay</b>                             |   |                          |                       |               |              |   |                              |
| 10575   | - Channel Daybeacon 1   |                          |                       |               |              | SG on pile.                             |                              |
| 10580   | - CHANNEL LIGHT 2   | 36 58 51 N<br>76 18 40 W | <b>FI R 2.5s</b>      | 15            | 3            | TR on multi-pile structure.             |                              |
| 10585   | - Channel Daybeacon 3   |                          |                       |               |              | SG on pile.                             |                              |
| 10590   | - Channel Daybeacon 5   |                          |                       |               |              | SG on pile.                             |                              |
| 10595   | - CHANNEL LIGHT 7   | 36 58 05 N<br>76 18 19 W | <b>FI G 6s</b>        | 15            | 4            | SG on pile.                             |                              |
| 10600   | - CHANNEL LIGHT 9   |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                             |                              |
| 10605   | - CHANNEL LIGHT 11  |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.                             |                              |

| (1)<br>No.  | (2)<br>Name and Location                         | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                     |
|---|--|--------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |                       |               |              |                             |  |
| 10608   | - CHANNEL WRECK<br>LIGHT WR13                    | 36 57 45 N<br>76 17 23 W | <b>Q G</b>            | 15            | 3            | SG on pile.                 |  |
| 10610   | - Channel Daybeacon 15                           | 36 57 47 N<br>76 17 18 W |                       |               |              | SG on pile.                 |  |
| 10613   | <i>Willoughby Bay Wreck<br/>Lighted Buoy WR1</i> | 36 57 48 N<br>76 17 24 W | <b>Q G</b>            |               | 3            | Green.                      |  |
| <b>Naval Boat Channel</b>                         |  |                          |                       |               |              |                             |  |
| 10615   | - LIGHT 2  | 36 57 52 N<br>76 19 37 W | <b>FI R 4s</b>        | 15            | 4            | TR on pile.                 | Light equipment removed<br>when endangered by ice. |
| 10620   | - Daybeacon 3                                    |                          |                       |               |              | SG on pile.                 |  |
| 10622   | NAVAL BASE AREA A<br>FISHING PIER LIGHT          | 36 57 48 N<br>76 19 19 W | <b>FI Y 4s</b>        | 15            |              | On post.                    | Maintained by U.S. Navy.                           |
| 10625   | - LIGHT 4  |                          | <b>FI R 6s</b>        | 15            | 3            | TR on pile.                 |  |
| 10630   | - Daybeacon 5                                    |                          |                       |               |              | SG on pile.                 |  |
| 10635   | - LIGHT 6  |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.                 | Light equipment removed<br>when endangered by ice. |
| 10640   | - Daybeacon 7                                    |                          |                       |               |              | SG on pile.                 |  |
| 10645   | - LIGHT 8  |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.                 | Light equipment removed<br>when endangered by ice. |
| 10650   | - LIGHT 9  |                          | <b>Q G</b>            | 15            | 3            | SG on pile.                 |  |
| 10655   | - LIGHT 10                                       |                          | <b>FI R 4s</b>        | 14            | 3            | On tripod structure.        |  |
| <b>Lafayette River Channel</b>                    |  |                          |                       |               |              |                             |  |
| 10660   | - LIGHT 2  | 36 53 36 N<br>76 19 27 W | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                 |  |
| 10665   | - Daybeacon 3                                    |                          |                       |               |              | SG on pile.                 |  |
| 10670   | - Daybeacon 4                                    |                          |                       |               |              | TR on pile.                 |  |
| 10675   | - LIGHT 5  |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 |  |
| 10680   | - Daybeacon 6                                    |                          |                       |               |              | TR on pile.                 |  |
| 10685   | - Daybeacon 7                                    |                          |                       |               |              | SG on pile.                 |  |
| 10690   | - Daybeacon 9                                    |                          |                       |               |              | SG on pile.                 |  |
| 10695   | - Daybeacon 10                                   |                          |                       |               |              | TR on pile.                 |  |
| 10700   | - LIGHT 11<br>120 feet outside channel<br>limit. |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 |  |
| 10705   | - Daybeacon 13                                   |                          |                       |               |              | SG on pile.                 |  |
| 10710   | - Daybeacon 14                                   |                          |                       |               |              | TR on pile.                 |  |
| 10715   | - Daybeacon 15                                   |                          |                       |               |              | SG on pile.                 |  |
| 10720   | - Daybeacon 16                                   |                          |                       |               |              | TR on pile.                 |  |
| 10725   | - Daybeacon 17                                   |                          |                       |               |              | SG on pile.                 |  |
| 10730   | - Daybeacon 19                                   |                          |                       |               |              | SG on pile.                 |  |
| 10735   | - LIGHT 20                                       |                          | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile structure. |  |

| (1)<br>No.  | (2)<br>Name and Location                     | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure           | (8)<br>Remarks |
|---|--|--------------------------|-----------------------|---------------|--------------|----------------------------|----------------|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b>                     |  |                          |                       |               |              |                            |                |
| 10740   | - LIGHT 22                                   | 36 53 36 N<br>76 17 35 W | <b>F I R</b> 4s       | 15            | 3            | TR on pile.                |                |
| 10745   | - LIGHT 24                                   | 36 53 27 N<br>76 17 26 W | <b>Q R</b>            | 15            | 3            | TR on pile.                |                |
| 10750   | Knitting Mill Creek Buoy 2                   | 36 53 22 N<br>76 17 31 W |                       |               |              | Red nun.                   |                |
| 10755   | Knitting Mill Creek<br>Daybeacon 3           |                          |                       |               |              | SG on pile.                |                |
| 10760   | - Daybeacon 26                               |                          |                       |               |              | TR on pile.                |                |
| 10762   | - Daybeacon A                                | 36 53 16 N<br>76 16 40 W |                       |               |              | JR on pile.                | Private aid.   |
| 10762.01  | - Daybeacon 1N                               |                          |                       |               |              | SG on pile.                | Private aid.   |
| 10762.02  | - Daybeacon 2                                |                          |                       |               |              | TR on pile.                | Private aid.   |
| 10762.03  | - Daybeacon 3                                |                          |                       |               |              | SG on pile.                | Private aid.   |
| 10762.04  | - Daybeacon 4                                |                          |                       |               |              | TR on pile.                | Private aid.   |
| 10762.05  | - Daybeacon 5                                |                          |                       |               |              | SG on pile.                | Private aid.   |
| 10762.06  | - Daybeacon 6                                |                          |                       |               |              | TR on pile.                | Private aid.   |
| 10762.07  | - Daybeacon 7                                |                          |                       |               |              | SG on pile.                | Private aid.   |
| 10762.08  | - Daybeacon 8                                |                          |                       |               |              | TR on pile.                | Private aid.   |
| 10762.09  | - Daybeacon 10                               |                          |                       |               |              | TR on pile.                | Private aid.   |
| 10762.1   | Daybeacon 12                                 |                          |                       |               |              | TR on pile.                | Private aid.   |
| 10762.11  | - Daybeacon 2S                               | 36 53 14 N<br>76 16 34 W |                       |               |              | TR on pile.                | Private aid.   |
| 10762.12  | - Daybeacon 3                                |                          |                       |               |              | SG on pile.                | Private aid.   |
| 10762.13  | - Daybeacon 4                                |                          |                       |               |              | TR on pile.                | Private aid.   |
| 10762.14  | - Daybeacon 6                                |                          |                       |               |              | TR on pile.                | Private aid.   |
| <b>Newport News Middle Ground</b>                                     |  |                          |                       |               |              |                            |                |
| <i>Anchorage buoys mark junction of fairway with anchorage areas.</i> |  |                          |                       |               |              |                            |                |
| 10765   | - Anchorage Buoy H                           | 36 56 45 N<br>76 21 36 W |                       |               |              | Yellow nun.                |                |
| 10770   | - Anchorage Buoy I                           |                          |                       |               |              | Yellow nun.                |                |
| 10775   | - Anchorage Buoy J                           |                          |                       |               |              | Yellow.                    |                |
| 10780   | - Anchorage Buoy K                           |                          |                       |               |              | Yellow nun.                |                |
| 10785   | Tarmac Mooring Buoy                          | 36 58 00 N<br>76 23 42 W |                       |               |              | White with blue band; can. | Private aid.   |
| 10790   | <i>Newport News Creek<br/>Lighted Buoy 1</i> | 36 57 28 N<br>76 24 35 W | <b>F I G</b> 4s       |               | 3            | Green.                     |                |
| 10795   | NEWPORT NEWS CREEK<br>LIGHT 2                | 36 57 35 N<br>76 24 34 W | <b>F I R</b> 2.5s     | 15            | 3            | TR on pile.                |                |
| 10800   | <i>Newport News Creek<br/>Lighted Buoy 4</i> | 36 57 43 N<br>76 24 38 W | <b>F I R</b> 4s       |               | 3            | Red.                       |                |
| 10805   | NEWPORT NEWS CREEK<br>LIGHT 6                | 36 57 45 N<br>76 24 42 W | <b>Q R</b>            | 25            | 4            | TR on pile.                |                |

| (1)<br>No.  | (2)<br>Name and Location                           | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                              | (8)<br>Remarks           |
|---|--|--------------------------|-----------------------|---------------|--------------|---|--------------------------|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |                       |               |              |   |                          |
| 10810   | NEWPORT NEWS<br>OBSTRUCTION LIGHT                  | 36 57 42 N<br>76 24 24 W | FI W 4s               | 25            | 5            | NW on multi-pile structure.                   |                          |
| 10815   | - LIGHT  | 36 56 43 N<br>76 23 29 W | FI R 10s              | 52            | 12           | Red conical tower on red<br>cylindrical pier. |                          |
| 10820   | Hampton Roads Outfall<br>Warning Buoy              |                          |                       |               |              | White with orange bands; can.                 | Private aid.             |
| <b>Hampton Roads Mooring Facility</b>             |  |                          |                       |               |              |   |                          |
| 10825   | - ENTRANCE LIGHT 1                                 | 36 58 30 N<br>76 21 18 W | Q G                   | 8             |              |   | Maintained by U.S. Navy. |
| 10830   | - ENTRANCE LIGHT 2                                 | 36 58 30 N<br>76 21 12 W | Q R                   | 8             |              |   | Maintained by U.S. Navy. |
| 10835   | - PIER LIGHT                                       | 36 58 30 N<br>76 21 18 W | FI Y 4s               | 24            |              |   | Maintained by U.S. Navy. |
| <b>Newport News Channel</b>                       |  |                          |                       |               |              |   |                          |
| 10840   | - Lighted Buoy 2                                   | 36 58 07 N<br>76 20 30 W | FI R 4s               |               | 4            | Red.  |                          |
| 10843   | - Gulf 2 Anchorage Lighted<br>Mooring Buoy A       |                          | FI W 6s               |               |              | White with blue stripe.                       | Maintained by U.S. Navy. |
| 10845   | - Lighted Buoy 4                                   |                          | Q R                   |               | 4            | Red.  |                          |
| 10850   | - Lighted Buoy 5                                   |                          | Q G                   |               | 4            | Green.  |                          |
| 10855   | - Lighted Buoy 6                                   |                          | FI R 4s               |               | 4            | Red.  |                          |
| 10860   | - Lighted Buoy 7                                   |                          | FI G 4s               |               | 4            | Green.  |                          |
| 10865   | - Lighted Buoy 8                                   |                          | FI R 4s               |               | 4            | Red.  |                          |
| 10870   | - Lighted Buoy 9                                   |                          | FI G 4s               |               | 4            | Green.  |                          |
| 10875   | - Lighted Buoy 10                                  |                          | FI R 4s               |               | 4            | Red.  |                          |
| 10880   | - Lighted Bell Buoy 12                             |                          | FI R 2.5s             |               | 4            | Red.  |                          |
| 10881   | HRSD Newport News Point<br>Outfall Lighted Buoy BH |                          | FI W 4s               |               |              | White.  | Private aid.             |
| 10885   | - Lighted Buoy 13                                  |                          | FI G 2.5s             |               | 4            | Green.  |                          |
| 10890   | - Lighted Buoy 14                                  |                          | FI R 2.5s             |               | 4            | Red.  |                          |
| <b>Hampton River</b>                              |  |                          |                       |               |              |   |                          |
| 10895   | - CHANNEL LIGHT 2                                  | 36 59 57 N<br>76 19 08 W | FI R 4s               | 15            | 3            | TR on multi-pile structure.                   |                          |
| 10900   | - Channel Daybeacon 5                              |                          |                       |               |              | SG on pile.                                   |                          |
| 10905   | - LIGHT 6  |                          | Q R                   | 15            | 3            | TR on multi-pile structure.                   |                          |
| 10910   | - Channel Daybeacon 7                              |                          |                       |               |              | SG on pile.                                   |                          |
| 10915   | - Channel Daybeacon 8                              |                          |                       |               |              | TR on pile.                                   |                          |
| 10920   | - Channel Daybeacon 10                             |                          |                       |               |              | TR on pile.                                   |                          |
| 10925   | - CHANNEL LIGHT 11                                 |                          | Q G                   | 15            | 3            | SG on multi-pile structure.                   |                          |
| 10930   | - Channel Daybeacon 12                             |                          |                       |               |              | TR on pile.                                   |                          |
| 10935   | - Channel Daybeacon 13                             |                          |                       |               |              | SG on pile.                                   |                          |
| 10940   | - Channel Daybeacon 14                             |                          |                       |               |              | TR on pile.                                   |                          |

| (1)<br>No.  | (2)<br>Name and Location                  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                           | (8)<br>Remarks |
|---|---|--------------------------|-----------------------|---------------|--------------|--|----------------|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |   |                          |                       |               |              |  |                |
| 10945   | - CHANNEL LIGHT 16                        |                          | <b>FI R 4s</b>        | 15            | 4            | TR on pile.                                |                |
| 10950   | - Channel Daybeacon 17                    |                          |                       |               |              | SG on multi-pile structure.                |                |
| 10955   | - Channel Daybeacon 18                    |                          |                       |               |              | TR on pile.                                |                |
| 10960   | - Channel Daybeacon 20                    |                          |                       |               |              | TR on pile.                                |                |
| 10962   | - Channel Buoy 22                         |                          |                       |               |              | Red nun.                                   | Private aid.   |
| 10963   | - Channel Buoy 24                         |                          |                       |               |              | Red nun.                                   | Private aid.   |
| 10964   | - Channel Daybeacon 26                    |                          |                       |               |              | TR on dolphin.                             | Private aid.   |
| 10965   | SUNSET CREEK JUNCTION LIGHT SC            | 37 01 03 N<br>76 20 29 W | <b>FI (2+1) G 6s</b>  | 15            | 3            | JG on multi-pile structure.                |                |
| 10970   | Sunset Creek Daybeacon 1                  |                          |                       |               |              | SG on pile.                                |                |
| 10975   | Sunset Creek Daybeacon 3                  |                          |                       |               |              | SG on pile.                                |                |
| 10980   | West Flats Daybeacon 1                    | 37 00 12 N<br>76 20 30 W |                       |               |              | SG on pile.                                |                |
| 10985   | Merrimac Harbor Daybeacon 1               | 37 00 36 N<br>76 20 30 W |                       |               |              | SG on pile.                                | Private aid.   |
| 10990   | MERRIMAC HARBOR LIGHT 2                   | 37 00 41 N<br>76 20 29 W | <b>FI R4s</b>         | 15            |              | TR on pile.                                | Private aid.   |
| <b>Phoebus Channel</b>                            |   |                          |                       |               |              |  |                |
| 10995   | - OBSTRUCTION LIGHT                       | 36 59 58 N<br>76 18 43 W | <b>Q W</b>            | 15            | 5            | NW on pile worded DANGER SUBMERGED PILING. |                |
| 11000   | - ENTRANCE LIGHT 1                        | 36 59 57 N<br>76 18 54 W | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.                                |                |
| 11005   | - Daybeacon 3                             |                          |                       |               |              | SG on pile.                                |                |
| <b>Hurricane Pass</b>                             |   |                          |                       |               |              |  |                |
| 11007   | Old Point Comfort Marina Sea Wall Light A | 37 00 12 N<br>75 18 55 W | <b>FI Y 2.5s</b>      | 9             |              | On platform above sea wall.                | Private aid.   |
| 11007.1   | Sea Wall Light B                          |                          | <b>FI Y 4s</b>        | 9             |              | On platform above sea wall.                | Private aid.   |
| 11007.2   | Sea Wall Light C                          |                          | <b>FI Y 4s</b>        | 9             |              | On platform above sea wall.                | Private aid.   |
| 11007.3   | Sea Wall Light D                          |                          | <b>FI Y 2.5s</b>      | 9             |              | On platform above sea wall.                | Private aid.   |
| <b>Hampton River</b>                              |   |                          |                       |               |              |  |                |
| <b>Phoebus Channel</b>                            |   |                          |                       |               |              |  |                |
| 11010   | - Daybeacon 4                             |                          |                       |               |              | TR on pile.                                |                |
| 11015   | - Daybeacon 5                             |                          |                       |               |              | SG on pile.                                |                |

# Section 9

## James River

| (1)<br>No.  | (2)<br>Name and Location                       | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                              | (8)<br>Remarks                                     |
|---|--|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b>     |  |                          |                       |               |              |   |  |
| <b>NEWPORT NEWS TO JAMESTOWN ISLAND (Chart 12248)</b> |  |                          |                       |               |              |   |  |
| <b>Nansemond River</b>                                |  |                          |                       |               |              |   |  |
| 11017   | - CHANNEL LIGHT 2                              | 36 55 47 N<br>76 25 00 W | <b>FI R</b> 2.5s      | 15            | 4            | TR on pile.                                   |  |
| 11018   | - Channel Daybeacon 3                          |                          |                       |               |              | SG on pile.                                   |  |
| 11020   | Nansemond Ordinance Depot<br>Warning Daybeacon |                          |                       |               |              | NW on pile worded DANGER<br>SUBMERGED PILING. |  |
| 11025   | - CHANNEL LIGHT 5                              | 36 54 45 N<br>76 27 03 W | <b>FI G</b> 4s        | 17            | 4            | SG on pile.                                   |  |
| 11030   | - Channel Daybeacon 7                          |                          |                       |               |              | SG on pile.                                   |  |
| 11035   | - Channel Daybeacon 8                          |                          |                       |               |              | TR on pile.                                   |  |
| 11040   | - CHANNEL LIGHT 9                              |                          | <b>FI G</b> 4s        | 16            | 4            | SG on multi-pile structure.                   | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| <b>Bennett Creek</b>                                  |  |                          |                       |               |              |   |  |
| 11045   | - LIGHT 1                                      | 36 53 13 N<br>76 28 49 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                                   | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| 11050   | - Daybeacon 2                                  | 36 52 56 N<br>76 28 54 W |                       |               |              | TR on pile.                                   |  |
| 11055   | - Daybeacon 3                                  | 36 52 42 N<br>76 28 56 W |                       |               |              | SG on pile.                                   |  |
| <b>Nansemond River</b>                                |  |                          |                       |               |              |   |  |
| 11060   | - CHANNEL LIGHT 11                             |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.                   | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| 11065   | VIRGINIA POWER WEST<br>TOWER LIGHT             | 36 52 36 N<br>76 30 18 W | <b>F Y</b>            | 7             |              | On tower.                                     | Private aid.                                       |
| 11070   | VIRGINIA POWER EAST<br>TOWER LIGHT             | 36 52 36 N<br>76 30 06 W | <b>F Y</b>            | 7             |              | On tower.                                     | Private aid.                                       |
| 11075   | - CHANNEL LIGHT 12                             |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure.                   | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| 11080   | - Channel Daybeacon 14                         |                          |                       |               |              | TR on pile.                                   |  |
| 11085   | - Channel Daybeacon 15                         |                          |                       |               |              | SG on pile.                                   |  |
| 11090   | - CHANNEL LIGHT 16                             |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure.                   | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| 11095   | - Channel Daybeacon 18                         | 36 50 45 N<br>76 31 38 W |                       |               |              | TR on pile.                                   |  |
| 11100   | - CHANNEL LIGHT 19                             |                          | <b>FI G</b> 4s        | 15            | 4            | SG on slatted pile structure.                 | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| 11105   | - Channel Daybeacon 21                         |                          |                       |               |              | SG on pile.                                   |  |
| 11110   | - Channel Daybeacon 22                         |                          |                       |               |              | TR on pile.                                   |  |
| 11115   | - Channel Daybeacon 23                         |                          |                       |               |              | SG on pile.                                   |  |

| (1)<br>No.  | (2)<br>Name and Location                   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                  |
|---|--|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |                       |               |              |                             |   |
| 11120   | - CHANNEL LIGHT 25                         |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 11125   | - Channel Daybeacon 26                     |                          |                       |               |              | TR on pile.                 |   |
| 11130   | - CHANNEL LIGHT 28                         |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |
| 11135   | - Channel Daybeacon 29                     |                          |                       |               |              | SG on multi-pile structure. |   |
| 11140   | - Channel Daybeacon 31                     |                          |                       |               |              | SG on pile.                 |   |
| 11145   | - Channel Daybeacon 33                     |                          |                       |               |              | SG on pile.                 |   |
| 11150   | - Channel Daybeacon 35                     |                          |                       |               |              | SG on pile.                 |   |
| 11155   | - Channel Daybeacon 36                     |                          |                       |               |              | TR on pile.                 |   |
| 11160   | - Channel Daybeacon 38                     |                          |                       |               |              | TR on pile.                 |   |
| 11165   | - Channel Daybeacon 40                     |                          |                       |               |              | TR on pile.                 |   |
| 11170   | - Channel Daybeacon 41                     |                          |                       |               |              | SG on pile.                 |   |
| 11175   | - Channel Daybeacon 43                     |                          |                       |               |              | SG on pile.                 |   |
| <b>Western Branch</b>                             |  |                          |                       |               |              |                             |   |
| 11180   | - Junction Daybeacon A                     |                          |                       |               |              | JR on pile.                 |   |
| 11185   | - Daybeacon 2                              |                          |                       |               |              | TR on pile.                 |   |
| 11190   | - Daybeacon 3                              |                          |                       |               |              | SG on pile.                 |   |
| 11195   | - Daybeacon 4                              |                          |                       |               |              | TR on pile.                 |   |
| <b>Chuchatuck Creek</b>                           |  |                          |                       |               |              |                             |   |
| 11205   | - Approach Daybeacon CC                    |                          |                       |               |              | MR on pile.                 |   |
| 11210   | - ENTRANCE LIGHT 2                         | 36 55 59 N<br>76 28 57 W | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                 |   |
| 11215   | - ENTRANCE LIGHT 3                         |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. |   |
| 11220   | - Entrance Daybeacon 5                     |                          |                       |               |              | SG on pile.                 |   |
| 11225   | - ENTRANCE LIGHT 7                         | 36 55 07 N<br>76 29 29 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                 |   |
| 11230   | - ENTRANCE LIGHT 8                         |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 11235   | - Daybeacon 10                             |                          |                       |               |              | TR on pile.                 |   |
| <b>James River</b>                                |  |                          |                       |               |              |                             |   |
| 11240   | - Anchorage I Buoy A                       | 36 56 04 N<br>76 24 36 W |                       |               |              | Yellow can.                 |   |
| 11245   | - Anchorage I Buoy B                       | 36 57 28 N<br>76 26 09 W |                       |               |              | Yellow can.                 |   |
| 11250   | - Anchorage I Buoy C                       | 36 58 24 N<br>76 27 10 W |                       |               |              | Yellow can.                 |   |
| 11255   | EXXON SEWELLS POINT<br>TERMINAL DOCK LIGHT | 36 57 37 N<br>76 24 59 W | <b>F R</b>            | 15            |              | On dolphin.                 | Private aid.                                    |
| 11260   | CSX PIER 15 LIGHTS (2)                     | 36 57 36 N<br>76 25 06 W | <b>FI Y</b> 2.5s      | 23            |              | On pile on end of pier.     | Private aid.                                    |

| (1)<br>No.  | (2)<br>Name and Location                                       | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks  |
|---|--|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |                       |               |              |                             |   |
| 11265   | CSX PIER 14 LIGHTS (2)   | 36 57 36 N<br>76 25 12 W | FI Y 2.5s             | 23            |              | On pile on end of pier.     | Private aids.   |
| 11270   | NEWPORT NEWS POINT<br>PIER LIGHTS (2)                          | 36 57 37 N<br>76 25 00 W | F Y                   | 12            |              | On dolphins.                | Private aid.  |
| 11275   | PIER 9 TERMINAL<br>COMPANY LIGHTS (2)                          |                          | F Y                   | 30            |              | On metal frame on pier.     | Private aids.<br>SIREN: 1 blast ev 15s (5s bl).<br>Operates only during periods<br>of low visibility. |
| 11280   | Newport News Pier Eight<br>Warning Daybeacon A                 |                          |                       |               |              | NW on pile.                 |   |
| 11285   | Newport News Pier Eight<br>Warning Daybeacon B                 |                          |                       |               |              | NW on pile.                 |   |
| 11290   | VIRGINIA INTERNATIONAL<br>TERMINAL PIER C<br>LIGHT A           | 36 58 06 N<br>76 25 54 W | FI Y 6s               | 18            |              |                             | Private aid.  |
| 11295   | VIRGINIA INTERNATIONAL<br>TERMINAL PIER C<br>LIGHT B           |                          | FI Y 6s               | 18            |              |                             | Private aid.  |
| 11300   | VIRGINIA MARITIME<br>DOLPHIN LIGHT A<br>Marks mooring dolphin. | 36 58 24 N<br>76 26 12 W | FI Y 2.5s             | 11            |              | On platform on piles.       | Private aid.  |
| 11305   | NEWPORT NEWS<br>SHIPBUILDING PIER 2<br>LIGHT                   | 36 58 48 N<br>76 26 24 W | F R                   | 7             |              | Gray cone.                  | Private aid.  |
| 11310   | NEWPORT NEWS<br>SHIPBUILDING BUFFER<br>PIER LIGHT              | 36 59 24 N<br>76 26 48 W | Q R                   | 16            |              | On piles.                   | Private aid.  |
| 11315   | VIRGINIA POWER WEST<br>TOWER PIER LIGHTS (3)                   | 37 00 12 N<br>76 28 18 W | F Y                   | 7             |              | On pier.                    | Private aids.   |
| 11320   | VIRGINIA POWER EAST<br>TOWER PIER LIGHTS (3)                   | 37 00 18 N<br>76 28 12 W | F Y                   | 7             |              | On pier.                    | Private aids.   |
| <b>Huntington Park Channel</b>                    |  |                          |                       |               |              |                             |   |
| 11325   | - Daybeacon 1  | 37 00 54 N<br>76 27 36 W |                       |               |              | SG on pile.                 | Private aid.  |
| 11330   | - Daybeacon 2  |                          |                       |               |              | TR on pile.                 | Private aid.  |
| 11335   | - Daybeacon 3  |                          |                       |               |              | SG on pile.                 | Private aid.  |
| 11340   | - Daybeacon 4  |                          |                       |               |              | TR on pile.                 | Private aid.  |
| 11345   | - Daybeacon 6  |                          |                       |               |              | TR on pile.                 | Private aid.  |
| <b>Leeward Marina Channel</b>                     |  |                          |                       |               |              |                             |   |
| 11350   | - Daybeacon 1  |                          |                       |               |              | SG on pile.                 | Private aid.  |
| 11355   | - Daybeacon 2  |                          |                       |               |              | TR on pile.                 | Private aid.  |
| 11357   | - Daybeacon 3  |                          |                       |               |              | SG on pile.                 | Private aid.  |
| 11360   | - Daybeacon 4  |                          |                       |               |              | TR on pile.                 | Private aid.  |
| 11365   | - Daybeacon 5  |                          |                       |               |              | SG on pile.                 | Private aid.  |
| <b>James River</b>                                |  |                          |                       |               |              |                             |   |
| 11367   | - Channel Lighted<br>Buoy 1                                    | 37 00 46 N<br>76 29 54 W | FI G 2.5s             |               | 4            | Green.                      |   |
| 11370   | - CHANNEL LIGHT 2  | 37 01 15 N<br>76 30 17 W | FI R 4s               | 15            | 4            | TR on multi-pile structure. |   |

| (1)<br>No.  | (2)<br>Name and Location          | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                            | (8)<br>Remarks |
|---|-----------------------------------|--------------------------|-----------------------|---------------|--------------|---|----------------|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |                                   |                          |                       |               |              |   |                |
| <b>Pagan River</b>                                |                                   |                          |                       |               |              |   |                |
| 11375   | - Entrance Channel<br>Daybeacon 2 |                          |                       |               |              | TR on pile.                                 |                |
| 11380   | - ENTRANCE LIGHT 3                | 37 00 43 N<br>76 32 11 W | FI G 2.5s             | 15            | 3            | SG on pile.                                 |                |
| 11385   | Oyster Rock Warning<br>Daybeacon  | 37 00 25 N<br>76 32 17 W |                       |               |              | NW on pile worded DANGER<br>SUBMERGED ROCK. |                |
| 11390   | - Channel Daybeacon 4             |                          |                       |               |              | TR on pile.                                 |                |
| 11395   | - Channel Daybeacon 6             |                          |                       |               |              | TR on pile.                                 |                |
| 11400   | - CHANNEL LIGHT 8                 |                          | FI R 4s               | 15            | 3            | TR on pile.                                 |                |
| 11405   | - Channel Daybeacon 10            |                          |                       |               |              | TR on pile.                                 |                |
| 11410   | - CHANNEL LIGHT 12                |                          | FI R 2.5s             | 15            | 3            | TR on pile.                                 |                |
| 11415   | - CHANNEL LIGHT 13                |                          | FI G 4s               | 15            | 4            | SG on multi-pile structure.                 |                |
| 11420   | Jones Creek Daybeacon 2           |                          |                       |               |              | TR on pile.                                 |                |
| 11425   | JONES CREEK LIGHT 4               |                          | FI R 4s               | 15            | 3            | TR on pile.                                 |                |
| 11430   | - CHANNEL LIGHT 14                |                          | FI R 4s               | 15            | 4            | TR on multi-pile structure.                 |                |
| 11435   | - Channel Daybeacon 15            |                          |                       |               |              | SG on pile.                                 |                |
| 11440   | - CHANNEL LIGHT 16                |                          | FI R 6s               | 15            | 4            | TR on multi-pile structure.                 |                |
| 11445   | - Channel Daybeacon 17            |                          |                       |               |              | SG on pile.                                 |                |
| 11450   | - Channel Daybeacon 18            |                          |                       |               |              | TR on pile.                                 |                |
| 11455   | - CHANNEL LIGHT 19                |                          | FI G 2.5s             | 15            | 3            | SG on multi-pile structure.                 |                |
| 11460   | - Channel Daybeacon 21            |                          |                       |               |              | SG on pile.                                 |                |
| <b>James River</b>                                |                                   |                          |                       |               |              |   |                |
| 11463   | - CHANNEL LIGHT 3                 |                          | FI G 4s               | 15            | 4            | SG on multi-pile structure.                 |                |
| 11465   | - CHANNEL LIGHT 4                 | 37 01 47 N<br>76 31 10 W | FI R 2.5s             | 15            | 4            | TR on multi-pile structure.                 |                |
| 11467   | - CHANNEL LIGHT 5                 |                          | FI G 2.5s             | 15            | 4            | SG on multi-pile structure.                 |                |
| <b>Deep Creek Channel</b>                         |                                   |                          |                       |               |              |   |                |
| 11470   | DEEP CREEK JUNCTION<br>LIGHT      |                          | FI (2+1) R 6s         | 15            | 3            | JR on multi-pile structure.                 |                |
| 11475   | - ENTRANCE LIGHT 2                | 37 03 36 N<br>76 32 06 W | FI R 4s               | 15            | 3            | TR on pile.                                 |                |
| 11480   | - Daybeacon 4                     |                          |                       |               |              | TR on pile.                                 |                |
| 11485   | - Daybeacon 6                     |                          |                       |               |              | TR on pile.                                 |                |
| 11490   | - LIGHT 7                         |                          | FI G 4s               | 15            | 4            | SG on multi-pile structure.                 |                |
| 11495   | - Daybeacon 8                     |                          |                       |               |              | TR on pile.                                 |                |
| 11500   | - Daybeacon 10                    |                          |                       |               |              | TR on pile.                                 |                |
| 11510   | - Daybeacon 11                    |                          |                       |               |              | SG on pile.                                 |                |
| 11515   | - LIGHT 12                        |                          | FI R 4s               | 15            | 3            | TR on pile.                                 |                |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure              | (8)<br>Remarks                             |
|---|--|--------------------------|-----------------------|---------------|--------------|-------------------------------|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |                       |               |              |                               |  |
| 11520   | - Daybeacon 14   |                          |                       |               |              | TR on pile.                   |  |
| 11521.1   | - Daybeacon 15   |                          |                       |               |              | SG on pile.                   | Private aid.                               |
| 11521.2   | - Daybeacon 16   |                          |                       |               |              | TR on pile.                   | Private aid.                               |
| 11521.3   | - Daybeacon 17   |                          |                       |               |              | SG on pile.                   | Private aid.                               |
| 11521.4   | - Daybeacon 18   |                          |                       |               |              | TR on pile.                   | Private aid.                               |
| 11521.5   | - Daybeacon 19   |                          |                       |               |              | SG on pile.                   | Private aid.                               |
| <b>Warwick River</b>                              |  |                          |                       |               |              |                               |  |
| 11525   | - Daybeacon 2  | 37 04 57 N<br>76 32 35 W |                       |               |              | TR on pile.                   | Ra ref.                                    |
| 11530   | - Daybeacon 4  |                          |                       |               |              | TR on pile.                   | Ra ref.                                    |
| 11535   | - Daybeacon 6  |                          |                       |               |              | TR on pile.                   | Ra ref.                                    |
| 11537   | - Daybeacon 3  |                          |                       |               |              | SG on pile.                   | Private aid.                               |
| 11540   | - Daybeacon 8  |                          |                       |               |              | TR on pile.                   | Ra ref.                                    |
| 11545   | - Daybeacon 10   |                          |                       |               |              | TR on pile.                   |  |
| 11550   | - Daybeacon 11   |                          |                       |               |              | SG on pile.                   |  |
| 11555   | - Daybeacon 13   |                          |                       |               |              | SG on pile.                   |  |
| 11560   | White Shoal Daybeacon 2  | 37 01 27 N<br>76 32 05 W |                       |               |              | TR on pile.                   |  |
| 11565   | Days Point Wreck<br>Buoy WR2                                       | 37 01 54 N<br>76 33 54 W |                       |               |              | Red nun.                      |  |
| <b>James River</b>                                |  |                          |                       |               |              |                               |  |
| 11570   | - Channel Lighted<br>Buoy 6  |                          | <b>FI R 4s</b>        |               |              | 4 Red.                        | Replaced by nun when<br>endangered by ice. |
| 11575   | - Channel Lighted<br>Buoy 7<br>100 feet outside<br>channel limit.  |                          | <b>Q G</b>            |               |              | 3 Green.                      | Replaced by can when<br>endangered by ice. |
| 11580   | - Channel Lighted<br>Buoy 9<br>75 feet outside<br>channel limit.   |                          | <b>FI G 4s</b>        |               |              | 3 Green.                      |  |
| 11585   | - CHANNEL LIGHT 10<br>195 feet outside<br>channel limit.           | 37 03 12 N<br>76 34 37 W | <b>FI R 4s</b>        | 15            |              | 4 TR on multi-pile structure. | Ra ref.                                    |
| 11590   | - Channel Buoy 10A<br>350 feet outside<br>channel limit.           |                          |                       |               |              | Red nun.                      |  |
| 11595   | - Channel Lighted<br>Buoy 11<br>450 feet outside<br>channel limit. |                          | <b>Q G</b>            |               |              | 4 Green.                      |  |
| <b>Burwell Bay</b>                                |  |                          |                       |               |              |                               |  |
| 11600   | - Daybeacon 1  | 37 02 59 N<br>76 36 56 W |                       |               |              | SG on pile.                   |  |
| 11605   | - Daybeacon 2  |                          |                       |               |              | TR on pile.                   |  |
| 11610   | - Daybeacon 3  |                          |                       |               |              | SG on pile.                   |  |

| (1)<br>No.  | (2)<br>Name and Location                                 | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                     |
|---|--|--------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |                       |               |              |                             |  |
| 11615   | - Daybeacon 4  |                          |                       |               |              | TR on pile.                 |  |
| 11620   | - Daybeacon 5  |                          |                       |               |              | SG on pile.                 |  |
| 11625   | - Daybeacon 6  |                          |                       |               |              | TR on pile.                 |  |
| 11630   | - Daybeacon 7  |                          |                       |               |              | SG on pile.                 |  |
| 11635   | - Daybeacon 8  |                          |                       |               |              | TR on pile.                 |  |
| 11640   | - Daybeacon 10   |                          |                       |               |              | TR on pile.                 |  |
| <b>James River</b>                                |  |                          |                       |               |              |                             |  |
| 11645   | - CHANNEL LIGHT 12<br>135 feet outside<br>channel limit. | 37 03 21 N<br>76 35 29 W | <b>FI R</b> 2.5s      | 15            | 4            | TR on pile.                 | Ra ref.  |
| 11650   | - Channel Buoy 13<br>135 feet outside<br>channel limit.  |                          |                       |               |              | Green can.                  |  |
| 11655   | - CHANNEL LIGHT 15<br>140 feet outside<br>channel limit. |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                 |  |
| 11660   | - CHANNEL LIGHT 16<br>160 feet outside<br>channel limit. | 37 04 21 N<br>76 36 14 W | <b>FI R</b> 4s        | 15            | 4            | TR on pile.                 |  |
| 11665   | - Channel Buoy 17<br>180 feet outside<br>channel limit.  |                          |                       |               |              | Green can.                  |  |
| 11670   | - CHANNEL LIGHT 18<br>200 feet outside<br>channel limit. | 37 04 54 N<br>76 36 35 W | <b>FI R</b> 4s        | 15            | 4            | TR on pile.                 | Ra ref.  |
| 11675   | - CHANNEL LIGHT 19<br>100 feet outside channel<br>limit. |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                 |  |
| 11680   | - Channel Buoy 20<br>100 feet outside channel<br>limit.  |                          |                       |               |              | Red nun.                    |  |
| 11685   | - Channel Buoy 21<br>100 feet outside channel<br>limit.  |                          |                       |               |              | Green can.                  |  |
| 11690   | - Channel Lighted Buoy 22                                | 37 06 20 N<br>76 37 37 W | <b>FI R</b> 4s        |               | 4            | Red.                        | Replaced by nun when<br>endangered by ice.         |
| 11695   | - Channel Lighted<br>Buoy 23                             | 37 07 01 N<br>76 38 14 W | <b>FI G</b> 2.5s      |               | 4            | Green.                      | Replaced by can when<br>endangered by ice.         |
| 11700   | - CHANNEL LIGHT 24<br>100 feet outside channel<br>limit. |                          | <b>Q R</b>            | 19            | 3            | TR on pile.                 |  |
| <b>Tylers Beach Channel</b>                       |  |                          |                       |               |              |                             |  |
| 11705   | - LIGHT 1<br>10 feet outside channel<br>limit.           | 37 04 46 N<br>76 39 18 W | <b>FI G</b> 2.5s      | 15            | 3            | SG on multi-pile structure. | Light equipment removed<br>when endangered by ice. |
| 11710   | - Daybeacon 3<br>10 feet outside channel<br>limit.       |                          |                       |               |              | SG on pile.                 |  |
| 11715   | - Daybeacon 5<br>10 feet outside channel<br>limit.       |                          |                       |               |              | SG on pile.                 |  |

| (1)<br>No.  | (2)<br>Name and Location                                  | (3)<br>Position          | (4)<br>Characteristic                  | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks  |
|---|---|--------------------------|--|---------------|--------------|------------------|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |   |                          |  |               |              |                  |   |
| 11720   | - LIGHT 7<br>10 feet outside channel<br>limit.            |                          | <b>FI G 4s</b>                         | 15            | 4            | SG on pile.      | Light equipment removed<br>when endangered by ice.  |
| 11725   | - Daybeacon 8   |                          |  |               |              | TR on pile.      |   |
| <b>Mulberry Island</b>                            |   |                          |  |               |              |                  |   |
| 11730   | - ENTRANCE LIGHT 1  | 37 08 06 N<br>76 38 06 W | <b>F W</b>                             | 12            | 5            | SW on pile.      | Maintained by U.S. Maritime<br>Commission.  |
| 11735   | - Entrance Buoy 2   |                          |  |               |              | Red sphere.      | Maintained by U.S. Maritime<br>Commission.  |
| 11740   | - RANGE FRONT LIGHT                                       | 37 08 12 N<br>76 37 18 W | <b>F R</b>                             | 16            |              | KRW on pile.     | Maintained by U.S. Maritime<br>Commission.  |
| 11745   | - RANGE REAR LIGHT<br>200 yards 075° from<br>front light. |                          | <b>F G</b>                             | 20            |              | KRW on pile.     | Maintained by U.S. Maritime<br>Commission.  |
| 11750   | - Daybeacon 3   |                          |  |               |              | SW on pile.      | Maintained by U.S. Maritime<br>Commission.  |
| 11755   | - Daybeacon 5   |                          |  |               |              | SW on pile.      | Maintained by U.S. Maritime<br>Commission.  |
| 11760   | - Daybeacon 7   |                          |  |               |              | SW on pile.      | Maintained by U.S. Maritime<br>Commission.  |
| 11765   | - Daybeacon 9   |                          |  |               |              | SW on pile.      | Maintained by U.S. Maritime<br>Commission.  |
| 11770   | - Daybeacon 11  |                          |  |               |              | SW on pile.      | Maintained by U.S. Maritime<br>Commission.  |
| 11775   | - LIGHT 13  |                          | <b>FI G 4s</b>                         | 12            |              | SW on pile.      | Maintained by U.S. Maritime<br>Commission.  |
| <b>James River</b>                                |   |                          |  |               |              |                  |   |
| 11780   | DEEP WATER SHOALS LIGHT                                   | 37 08 54 N<br>76 38 12 W | <b>FI W 6s</b><br><b>(2 R sectors)</b> | 34            | W 8<br>R 6   | NB on pile.      | Red from 344° to 004°<br>and 156° to 184°.<br>BELL: 1 stroke ev 15s.<br>Operates continuously from<br>Sept. 15 to June 1. |
| 11785   | - Channel Buoy 25   |                          |  |               |              | Green can.       |   |
| 11790   | VIRGINIA POWER<br>INSTRUMENT TOWER<br>LIGHT A             | 37 09 24 N<br>76 37 30 W | <b>FI Y 2.5s</b>                       | 15            |              | NY on tower.     | Private aid.  |
| <b>Surry Power Station</b>                        |   |                          |  |               |              |                  |   |
| 11795   | - Daybeacon 1   | 37 09 40 N<br>76 39 06 W |  |               |              | SG on pile.      | Private aid.  |
| 11800   | - Daybeacon 2   |                          |  |               |              | TR on pile.      | Private aid.  |
| 11805   | - Daybeacon 3   |                          |  |               |              | SG on pile.      | Private aid.  |
| 11810   | - Daybeacon 5   |                          |  |               |              | SG on pile.      | Private aid.  |
| 11815   | - Daybeacon 7   |                          |  |               |              | SG on pile.      | Private aid.  |
| 11820   | - Daybeacon 9   |                          |  |               |              | SG on pile.      | Private aid.  |
| <b>Skiffes Creek Channel</b>                      |   |                          |  |               |              |                  |   |
| 11825   | - Entrance Lighted<br>Buoy 2                              | 37 09 52 N<br>76 37 45 W | <b>Q R</b>                             |               | 4            | Red.             | Replaced by nun when<br>endangered by ice.  |
| 11830   | - Entrance Buoy 1   | 37 09 56 N<br>76 37 45 W |  |               |              | Green can.       |   |

| (1)<br>No.  | (2)<br>Name and Location                                    | (3)<br>Position          | (4)<br>Characteristic                   | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks  |
|---|---|--------------------------|---|---------------|--------------|------------------|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |   |                          |   |               |              |                  |   |
| 11835   | - DIRECTIONAL LIGHT   | 37 09 00 N<br>76 36 24 W | <b>Iso W 6s</b><br><b>(R G sectors)</b> | 42            | 16           | NR on pile.      | White when on centerline of channel (bearing 086.5°), red when right, and green when left of white beam when entering from seaward. |
| 11840   | - Daybeacon 3   | 37 09 57 N<br>76 37 21 W |   |               |              | SG on pile.      |   |
| 11845   | - Daybeacon 4   | 37 09 53 N<br>76 37 19 W |   |               |              | TR on pile.      |   |
| 11850   | - LIGHT 5   | 37 09 57 N<br>76 36 55 W | <b>FI G 4s</b>                          | 15            | 4            | SG on pile.      |   |
| 11855   | - LIGHT 6   | 37 09 55 N<br>76 36 49 W | <b>FI R 4s</b>                          | 15            | 3            | TR on pile.      | Ra ref.   |
| 11860   | - Daybeacon 7   | 37 10 01 N<br>76 36 42 W |   |               |              | SG on pile.      |   |
| 11865   | - Daybeacon 8   | 37 09 54 N<br>76 36 37 W |   |               |              | TR on pile.      |   |
| 11870   | - Daybeacon 9   | 37 10 05 N<br>76 36 32 W |   |               |              | SG on pile.      |   |
| <b>Hog Island Cutoff</b>                          |   |                          |   |               |              |                  |   |
| 11875   | - Channel Buoy 2  | 37 09 49 N<br>76 38 42 W |   |               |              | Red Nun.         |   |
| 11880   | - Channel Buoy 3  |                          |   |               |              | Green can.       |   |
| 11885   | - Channel Buoy 4  |                          |   |               |              | Red Nun.         |   |
| 11890   | - Channel Buoy 6  | 37 12 16 N<br>76 40 58 W |   |               |              | Red Nun.         |   |
| 11893   | - Daybeacon 7   | 37 12 21 N<br>76 41 27 W |   |               |              | SG on pile.      |   |
| <b>James River</b>                                |   |                          |   |               |              |                  |   |
| 11895   | - Channel Lighted Buoy 27<br>50 feet outside channel limit. |                          | <b>FI G 4s</b>                          |               | 4            | Green.           |   |
| 11897   | - Channel Lighted Buoy 27A                                  |                          | <b>FI G 2.5s</b>                        |               | 3            | Green.           |   |
| 11900   | - Channel Buoy 28<br>50 feet outside channel limit.         |                          |   |               |              | Red nun.         |   |
| 11901   | - Channel Wreck Lighted Buoy WR28A                          | 37 10 36 N<br>76 37 48 W | <b>Q R</b>                              |               | 4            | Red.             |   |
| 11903   | - Channel Lighted Buoy 29<br>50 feet outside channel limit. |                          | <b>Q G</b>                              |               | 4            | Green.           |   |
| 11905   | - Channel Lighted Buoy 30<br>50 feet outside channel limit. |                          | <b>FI R 2.5s</b>                        |               | 4            | Red.             |   |
| 11910   | - Channel Buoy 31   |                          |   |               |              | Green can.       |   |
| 11915   | - Channel Lighted Buoy 32<br>50 feet outside channel limit. |                          | <b>FI R 4s</b>                          |               | 4            | Red.             |   |
| 11920   | - Channel Buoy 34   |                          |   |               |              | Red nun.         |   |

| (1)<br>No.  | (2)<br>Name and Location                                    | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks |
|---|---|--------------------------|-----------------------|---------------|--------------|---|----------------|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |   |                          |                       |               |              |   |                |
| 11922   | - Channel Lighted Buoy 35<br>50 feet outside channel limit. |                          | <b>FI G 4s</b>        |               | 4            | Green.  |                |
| 11925   | - CHANNEL LIGHT 36<br>85 feet outside channel limit.        | 37 12 13 N<br>76 38 52 W | <b>FI R 4s</b>        | 15            | 4            | TR on multi-pile structure.                                   |                |
| 11930   | - Channel Buoy 38<br>50 feet outside channel limit.         |                          |                       |               |              | Red nun.  |                |
| 11933   | - HRSD Williamsburg WWTP<br>Outfall Warning Buoy A          | 37 12 45 N<br>76 38 59 W |                       |               |              | White/Orange buoy worded<br>DANGER PIPELINE DO NOT<br>ANCHOR. | Private aid.   |
| 11935   | - Channel Lighted Buoy 39<br>50 feet outside channel limit. |                          | <b>FI G 2.5s</b>      |               | 3            | Green.  |                |
| 11940   | - CHANNEL LIGHT 40<br>200 feet outside channel limit.       | 37 12 48 N<br>76 39 38 W | <b>FI R 4s</b>        | 15            | 4            | TR on multi-pile structure.                                   | Ra ref.        |
| 11945   | - Channel Buoy 41<br>50 feet outside channel limit.         |                          |                       |               |              | Green can.  |                |
| 11950   | - Channel Lighted Buoy 42<br>50 feet outside channel limit. |                          | <b>FI R 4s</b>        |               | 4            | Red.  |                |
| 11955   | KINGS MILL MARINA<br>LIGHT 1                                | 37 13 18 N<br>76 39 42 W | <b>FI G 4s</b>        | 7             |              | Pile structure.   | Private aid.   |
| 11960   | KINGS MILL MARINA<br>LIGHT 2                                | 37 13 18 N<br>76 39 36 W | <b>FI R 4s</b>        | 7             |              | Pile structure.   | Private aid.   |
| 11965   | Hog Island Junction<br>Lighted Buoy HI                      | 37 12 30 N<br>76 41 18 W | <b>FI (2+1) G 6s</b>  |               | 3            | Green with red band.  |                |
| 11970   | VIRGINIA POWER<br>INSTRUMENT TOWER<br>LIGHT C               | 37 12 00 N<br>76 41 12 W | <b>FI Y 2.5s</b>      | 15            |              | NY on tower.  | Private aid.   |
| 11985   | - Channel Lighted Buoy 43                                   |                          | <b>Q G</b>            |               | 4            | Green.  |                |
| 11987   | - Channel Lighted Buoy 44<br>75 feet outside channel limit. |                          | <b>Q R</b>            |               | 3            | Red.  |                |
| 11990   | VIRGINIA POWER<br>INSTRUMENT TOWER<br>LIGHT D               | 37 12 18 N<br>76 43 18 W | <b>FI Y 2.5s</b>      | 15            |              | NY on tower.  | Private aid.   |
| <b>Jamestown Island</b>                           |   |                          |                       |               |              |   |                |
| 11995   | - Daybeacon 2   | 37 12 34 N<br>76 42 40 W |                       |               |              | TR on pile.   |                |
| 12000   | - Daybeacon 4   |                          |                       |               |              | TR on pile.   |                |
| 12005   | - Daybeacon 5   |                          |                       |               |              | SG on pile.   |                |
| 12010   | - Daybeacon 6   |                          |                       |               |              | TR on pile.   |                |
| 12015   | - Daybeacon 8   |                          |                       |               |              | TR on pile.   |                |
| 12020   | - Daybeacon 9   |                          |                       |               |              | SG on pile.   |                |
| 12025   | - Buoy 12   | 37 13 02 N<br>76 46 53 W |                       |               |              | Red nun.  |                |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure         | (8)<br>Remarks   |
|---|--|--------------------------|-----------------------|---------------|--------------|--------------------------|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b>     |  |                          |                       |               |              |                          |  |
| 12030   | - Buoy 11  |                          |                       |               |              | Green can.               |  |
| 12035   | - Daybeacon 13   |                          |                       |               |              | SG on pile.              |  |
| <b>James River</b>                                    |  |                          |                       |               |              |                          |  |
| 12040   | - Channel Lighted Buoy 45<br>40 feet outside channel limit.              |                          | <b>FI G 4s</b>        |               | 4            | Green.                   |  |
| 12045   | - Channel Lighted Buoy 46<br>205 feet outside channel limit.             |                          | <b>Q R</b>            |               | 4            | Red.                     | Replaced by nun when endangered by ice.  |
| 12050   | VIRGINIA POWER INSTRUMENT TOWER LIGHT F                                  | 37 10 48 N<br>76 42 30 W | <b>FI Y 2.5s</b>      | 15            |              | NY on tower.             | Private aid.   |
| 12055   | VIRGINIA POWER GROIN LIGHT A   | 37 10 18 N<br>76 42 24 W | <b>Q R</b>            | 20            |              | Pile structure.          | Private aid.   |
| 12060   | VIRGINIA POWER GROIN LIGHT B   | 37 10 18 N<br>76 42 30 W | <b>Q R</b>            | 20            |              | Pile structure.          | Private aid.   |
| 12065   | GOOSE HILL CHANNEL RANGE FRONT LIGHT                                     | 37 10 18 N<br>76 45 12 W | <b>FI W 2.5s</b>      | 16            |              | On multi-pile structure. | Lighted throughout 24 hours.<br>Day: Visible on range line only.<br>Night: Visible all around; higher intensity on range line. |
| 12070   | GOOSE HILL CHANNEL RANGE REAR LIGHT<br>633 yards, 227° from front light. |                          | <b>Iso W 6s</b>       | 40            |              | On multi-pile structure. | Lighted throughout 24 hours.<br>Day: Visible on range line only.<br>Night: Visible all around; higher intensity on range line. |
| 12075   | - Channel Lighted Buoy 47  |                          | <b>FI G 2.5s</b>      |               | 4            | Green.                   |  |
| 12080   | - Channel Buoy 48  |                          |                       |               |              | Red nun.                 |  |
| 12085   | - Channel Lighted Buoy 49<br>70 feet outside channel limit.              |                          | <b>Q G</b>            |               | 3            | Green.                   | Replaced by can when endangered by ice.  |
| 12090   | - Channel Lighted Bell Buoy 50   |                          | <b>FI R 4s</b>        |               | 4            | Red.                     |  |
| 12095   | - Channel Buoy 51<br>75 feet outside channel limit.                      |                          |                       |               |              | Green can.               |  |
| 12100   | - Channel Lighted Buoy 52<br>135 feet outside channel limit.             |                          | <b>Q R</b>            |               | 3            | Red.                     | Replaced by nun when endangered by ice.  |
| 12105   | - Channel Buoy 53  |                          |                       |               |              | Green can.               |  |
| 12110   | - Channel Lighted Buoy 54<br>375 feet outside channel limit.             |                          | <b>FI R 4s</b>        |               | 4            | Red.                     |  |
| <b>JAMESTOWN ISLAND TO JORDAN POINT (Chart 12251)</b> |  |                          |                       |               |              |                          |  |
| <b>Scotland Wharf Ferry</b>                           |  |                          |                       |               |              |                          |  |
| 12115   | - LIGHT A  | 37 11 06 N<br>76 47 06 W | <b>F Y</b>            | 18            |              | On dolphin.              | Private aid.   |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure         | (8)<br>Remarks  |
|---|--|--------------------------|-----------------------|---------------|--------------|--------------------------|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |                       |               |              |                          |   |
| 12116   | - LIGHT 2  |                          | <b>Oc R 4s</b>        | 18            |              | On dolphin.              | Private aid.<br>SIREN: 1 blast ev 60s (5s bl).<br>Operated during period of<br>low visibility only.                                 |
| 12116.5   | - LIGHT 3  |                          | <b>Oc G 4s</b>        | 18            |              | On dolphin.              | Private aid.  |
| 12117   | - LIGHT B  |                          | <b>F Y</b>            | 18            |              | On dolphin.              | Private aid.  |
| 12118   | - LIGHT C  |                          | <b>F Y</b>            | 18            |              | On dolphin.              | Private aid.  |
| 12119   | - LIGHT D  |                          | <b>F Y</b>            | 18            |              | On dolphin.              | Private aid.  |
| 12119.5   | - Daybeacon 2S   |                          |                       |               |              | On dolphin.              | Private aid.  |
| 12120   | <i>James River Channel<br/>Lighted Gong Buoy 55</i>  |                          | <b>FI G 4s</b>        |               | 4            | Green.                   | Replaced by can when<br>endangered by ice.  |
| 12121   | - James River Channel<br>Buoy 55A  |                          |                       |               |              | Green can.               |   |
| 12122   | JAMESTOWN FESTIVAL<br>PARK LIGHT   | 37 13 18 N<br>76 47 18 W | <b>F W</b>            | 7             |              | On pile.                 | Private aid.  |
| 12125   | GLASS HOUSE POINT<br>UPPER FERRY LIGHT   | 37 13 06 N<br>76 47 30 W | <b>Oc G 4s</b>        | 18            |              | On dolphins.             | Maintained by U.S. National<br>Park Service.<br>SIREN: 1 blast ev 60s (5s bl).<br>Operated during period of<br>low visibility only. |
| 12126   | GLASS HOUSE POINT<br>CENTER FERRY LIGHT  |                          | <b>F Y</b>            | 18            |              | On dolphin.              | Private aid.  |
| 12127   | GLASS HOUSE POINT<br>LOWER FERRY LIGHT   |                          | <b>Oc R 4s</b>        | 18            |              | On dolphin.              | Private aid.  |
| 12130   | SWANN POINT SHOAL<br>CHANNEL RANGE FRONT<br>LIGHT  | 37 13 19 N<br>76 47 42 W | <b>FI W 2.5s</b>      | 16            |              | On multi-pile structure. | Lighted throughout 24 hours.<br>Visible all around; higher<br>intensity on range line.  |
| 12135   | SWANN POINT SHOAL<br>CHANNEL RANGE REAR<br>LIGHT<br>1,030 yards, 083° from<br>front light. |                          | <b>ISO R 6s</b>       | 62            |              | On white tower.          | Visible all around.<br>Lighted throughout 24 hours.   |
| 12140   | <i>Swann Point Junction<br/>Lighted Buoy SP</i>  | 37 13 19 N<br>76 48 06 W | <b>FI (2+1) R 6s</b>  |               | 4            | Red and green bands.     | Replaced by nun when<br>endangered by ice.  |
| <b>Chickahominy River</b>                         |  |                          |                       |               |              |                          |   |
| 12141   | - Channel Daybeacon 1  | 37 13 44 N<br>76 49 18 W |                       |               |              | SG on pile.              |   |
| 12141.5   | - Channel Daybeacon 2  |                          |                       |               |              | TR on pile.              |   |
| 12142   | - Channel Daybeacon 3  |                          |                       |               |              | SG on pile.              |   |
| 12142.5   | - Channel Daybeacon 4  |                          |                       |               |              | TR on pile.              |   |
| 12143   | - Channel Daybeacon 5  |                          |                       |               |              | SG on pile.              |   |
| 12143.5   | - Channel Daybeacon 6  |                          |                       |               |              | TR on pile.              |   |
| 12143.7   | <i>Barretts Point<br/>Lighted Buoy 2</i>   |                          | <b>FI R 2.5s</b>      |               | 4            | Red.                     | Replaced by nun from Nov. 30<br>to Apr. 30.<br>Private aid.   |
| 12143.71  | Barretts Point Daybeacon 3   |                          |                       |               |              | SG on pile.              | Private aid.  |
| 12143.72  | Barretts Point Daybeacon 4   |                          |                       |               |              | TR on pile.              | Private aid.  |
| 12143.73  | BARRETTS POINT LIGHT 5   | 37 14 30 N<br>76 52 00 W | <b>FI G 3s</b>        | 7             |              | SG on pile.              | Private aid.  |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks  |
|---|--|--------------------------|-----------------------|---------------|--------------|--|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |                       |               |              |  |   |
| 12143.74  | BARRETTS POINT LIGHT 6   |                          | <b>FI R</b> 3s        | 7             |              | TR on pile.  | Private aid.  |
| 12143.75  | BARRETTS POINT<br>WARNING LIGHT  |                          | <b>FI W</b> 4s        |               |              | Pile on jetty end.   | Private aid.  |
| 12144   | - Daybeacon 7  |                          |                       |               |              | SG on pile.  |   |
| 12145   | - Channel Buoy 8   | 37 14 17 N<br>76 52 18 W |                       |               |              | Red nun.   | Maintained from Mar. 15 to<br>Dec. 15.  |
| 12150   | - Channel Buoy 10  |                          |                       |               |              | Red nun.   | Maintained from Mar. 15 to<br>Dec. 15.  |
| 12155   | - Channel Buoy 12  |                          |                       |               |              | Red nun.   | Maintained from Mar. 15 to<br>Dec. 15.  |
| 12160   | - Channel Buoy 14<br>Marks sunken barge.   |                          |                       |               |              | Red nun.   |   |
| 12165   | - Channel Buoy 15  |                          |                       |               |              | Green can.   | Maintained from Mar. 15 to<br>Dec. 15.  |
| 12170   | - Channel Buoy 17  |                          |                       |               |              | Green can.   | Maintained from Mar. 15 to<br>Dec. 15.  |
| 12175   | - Channel Buoy 18  |                          |                       |               |              | Red nun.   | Maintained from Mar. 15 to<br>Dec. 15.  |
| 12180   | - Buoy 19  |                          |                       |               |              | Green can.   |   |
| 12185   | - Channel Buoy 21  |                          |                       |               |              | Green can.   |   |
| 12190   | - Channel Buoy 23  |                          |                       |               |              | Green can.   | Maintained from Mar. 15 to<br>Dec. 15.  |
| 12195   | - DAM LIGHT A  | 37 24 22 N<br>76 56 21 W | <b>FI W</b> 2.5s      | 10            |              | Daymark on pile worded<br>DANGER KEEP AWAY,<br>DAM SPILLWAY. | Private aid.  |
| 12195.1   | - DAM LIGHT B  | 37 24 23 N<br>76 56 18 W | <b>FI W</b> 2.5       | 10            |              | Daymark on pile worded<br>DANGER KEEP AWAY,<br>DAM SPILLWAY. | Private aid.  |
| <b>James River</b>                                |  |                          |                       |               |              |  |   |
| 12200   | - Lighted Buoy 57  |                          | <b>Q G</b>            |               | 4            | Green.   |   |
| 12203   | - Lighted Buoy 58  |                          | <b>FI R</b> 2.5s      |               | 4            | Red.   |   |
| 12205   | - Lighted Buoy 59  |                          | <b>FI G</b> 4s        |               | 4            | Green.   |   |
| 12210   | - Lighted Buoy 60  |                          | <b>FI R</b> 4s        |               | 4            | Red.   |   |
| 12215   | - Lighted Buoy 61  |                          | <b>FI G</b> 2.5s      |               | 5            | Green.   |   |
| 12220   | - Channel Lighted<br>Buoy 62   |                          | <b>FI R</b> 2.5s      |               | 4            | Red.   |   |
| 12225   | - Channel Lighted<br>Buoy 63   |                          | <b>Q G</b>            |               | 3            | Green.   |   |
| 12230   | - Channel Lighted<br>Buoy 64   |                          | <b>Q R</b>            |               | 4            | Red.   | Replaced by nun when<br>endangered by ice.  |
| 12235   | DANCING POINT SHOAL<br>CHANNEL RANGE FRONT<br>LIGHT  | 37 12 48 N<br>76 54 30 W | <b>F W</b>            | 24            |              | On skeleton tower on platform.                               | Lighted throughout 24 hours.<br>DAY: Visible on rangeline only.<br>NIGHT: Visible all around;<br>higher intensity on rangeline. |
| 12240   | DANCING POINT SHOAL<br>CHANNEL RANGE REAR<br>LIGHT<br>980 yards, 264° from<br>front light. |                          | <b>F W</b>            | 54            |              | On skeleton tower on platform.                               | Lighted throughout 24 hours.<br>DAY: Visible on rangeline only.<br>NIGHT: Visible all around;<br>higher intensity on rangeline. |

| (1)<br>No.  | (2)<br>Name and Location                                     | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                          |
|---|--|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |                       |               |              |                             |   |
| 12245   | - Channel Lighted Buoy 65                                    |                          | <b>FI G</b> 2.5s      |               | 3            | Green.                      |   |
| 12250   | - Channel Lighted Buoy 66                                    |                          | <b>FI R</b> 2.5s      |               | 4            | Red.                        |   |
| 12275   | - Wreck Lighted Buoy WR67                                    |                          | <b>Q G</b>            |               | 3            | Green.                      | Replaced by LIB when endangered by ice. |
| 12280   | - Channel Lighted Buoy 68                                    |                          | <b>Q R</b>            |               | 3            | Red.                        |   |
| 12285   | - LIGHT 73   |                          | <b>FI G</b> 4s        | 15            | 5            | SG on multi-pile structure. |   |
| 12290   | - Channel Buoy 74  |                          |                       |               |              | Red nun.                    |   |
| 12295   | - LIGHT 74A  |                          | <b>FI R</b> 4s        | 15            | 5            | TR on multi-pile structure. |   |
| 12300   | - LIGHT 74B  | 37 18 25 N<br>77 00 23 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                 |   |
| 12305   | - LIGHT 74C  |                          | <b>FI R</b> 6s        | 15            | 5            | TR on multi-pile structure. |   |
|   | <i>Channel buoys located 50 feet outside channel limit.</i>  |                          |                       |               |              |                             |   |
| 12310   | - Channel Buoy 75  |                          |                       |               |              | Green can.                  |   |
| 12315   | - Channel Lighted Buoy 75A                                   |                          | <b>FI G</b> 4s        |               | 4            | Green.                      | Replaced by can when endangered by ice. |
| 12320   | - Channel Lighted Buoy 76                                    | 37 16 23 N<br>77 03 16 W | <b>FI R</b> 2.5s      |               | 4            | Red.                        |   |
| 12325   | - CHANNEL LIGHT 76A  | 37 16 18 N<br>77 04 23 W | <b>FI R</b> 4s        | 15            | 4            | TR on multi-pile structure. | Ra ref.                                 |
| 12330   | - Channel Buoy 77  |                          |                       |               |              | Green can.                  |   |
| 12335   | - LIGHT 77A  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. |   |
| 12340   | - LIGHT 77B  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. |   |
| 12345   | - CHANNEL LIGHT 79   | 37 17 37 N<br>77 05 02 W | <b>FI G</b> 2.5s      | 15            | 3            | SG on multi-pile structure. |   |
| 12350   | - Channel Lighted Buoy 81<br>10 feet outside channel limit.  |                          | <b>FI G</b> 4s        |               | 4            | Green.                      | Replaced by can when endangered by ice. |
| 12355   | - Channel Lighted Buoy 82<br>90 feet outside channel limit.  | 37 18 17 N<br>77 04 50 W | <b>FI R</b> 4s        |               | 4            | Red.                        |   |
| 12360   | - Channel Lighted Buoy 83<br>75 feet outside channel limit.  |                          | <b>FI G</b> 4s        |               | 4            | Green.                      | Replaced by can when endangered by ice. |
| 12365   | - Channel Buoy 84<br>135 feet outside channel limit.         |                          |                       |               |              | Red nun.                    |   |
| 12370   | - Channel Lighted Buoy 85<br>60 feet outside channel limit.  | 37 18 42 N<br>77 05 37 W | <b>FI G</b> 2.5s      |               | 5            | Green.                      |   |
| 12375   | - Channel Lighted Buoy 86<br>120 feet outside channel limit. |                          | <b>FI R</b> 4s        |               | 4            | Red.                        | Replaced by nun when endangered by ice. |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks                             |
|---|--|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |                       |               |              |   |  |
| 12380   | - Channel Lighted<br>Buoy 87   | 37 18 40 N<br>77 06 04 W | <b>FI G</b> 4s        |               | 4            | Green.  |  |
| 12385   | - Channel Lighted<br>Buoy 89<br>90 feet outside<br>channel limit.          | 37 18 28 N<br>77 06 34 W | <b>FI G</b> 2.5s      |               | 5            | Green.  |  |
| 12390   | VIRGINIA POWER SOUTH<br>TOWER OBSTRUCTION<br>LIGHTS (2)                    | 37 18 36 N<br>77 05 48 W | <b>F Y</b>            | 15            |              | On skeleton tower.                                      | Private aids.                              |
| 12395   | VIRGINIA POWER NORTH<br>TOWER OBSTRUCTION<br>LIGHTS (2)                    | 37 19 00 N<br>77 05 48 W | <b>F Y</b>            | 15            |              | On skeleton tower.                                      | Private aids.                              |
| 12400   | - Channel Lighted<br>Buoy 90   | 37 18 10 N<br>77 07 15 W | <b>FI R</b> 2.5s      |               | 4            | Red.  |  |
| 12405   | - Channel Lighted<br>Buoy 91   |                          | <b>FI G</b> 4s        |               | 4            | Green.  |  |
| 12410   | - Channel Lighted<br>Buoy 92   | 37 18 07 N<br>77 07 50 W | <b>Q R</b>            |               | 4            | Red.  |  |
| 12415   | JORDAN POINT RANGE<br>FRONT LIGHT  | 37 18 31 N<br>77 11 26 W | <b>F W</b>            | 23            |              | KWB on skeleton structure.                              | Lighted throughout 24 hours.               |
| 12417   | JORDAN POINT RANGE<br>FRONT PASSING LIGHT                                  | 37 18 31 N<br>77 11 26 W | <b>Q W</b>            | 23            | 2            | On same structure as Jordan<br>Point Range Front Light. |  |
| 12420   | JORDAN POINT RANGE REAR<br>LIGHT<br>3,200 yards, 279° from<br>front light. |                          | <b>Iso W</b> 2s       | 65            |              | KWB on white skeleton tower.                            | Lighted throughout 24 hours.               |
| 12425   | - Channel Lighted<br>Buoy 93   | 37 18 13 N<br>77 09 20 W | <b>FI G</b> 4s        |               | 4            | Green.  |  |
| 12430   | - Channel Lighted<br>Buoy 94   | 37 18 17 N<br>77 09 23 W | <b>FI R</b> 4s        |               | 4            | Red.  |  |
| 12435   | - Channel Lighted<br>Buoy 97   |                          | <b>FI G</b> 4s        |               | 3            | Green.  |  |
| 12440   | - CHANNEL LIGHT 98<br>140 feet outside<br>channel limit.                   | 37 18 27 N<br>77 10 46 W | <b>FI R</b> 4s        | 15            | 4            | TR on multi-pile structure.                             |  |
| 12445   | - Channel Buoy 99<br>100 feet outside<br>channel limit.                    |                          |                       |               |              | Green can.  |  |
| 12450   | - Channel Lighted<br>Buoy 100<br>90 feet outside<br>channel limit.         |                          | <b>FI R</b> 4s        |               | 4            | Red.  | Replaced by nun when<br>endangered by ice. |
| 12453   | -Channel Buoy 101<br>100 feet outside<br>channel limit.                    |                          |                       |               |              | Green can.  |  |
| 12455   | - Channel Lighted<br>Buoy 102<br>85 feet outside<br>channel limit.         | 37 19 03 N<br>77 12 01 W | <b>FI R</b> 4s        |               | 4            | Red.  |  |
| 12460   | - Channel Buoy 103<br>60 feet outside<br>channel limit.                    |                          |                       |               |              | Green can.  |  |
| 12465   | - Channel Lighted<br>Buoy 104<br>190 feet outside<br>channel limit.        |                          | <b>FI R</b> 4s        |               | 3            | Red.  |  |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks   |
|---|---|--------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |   |                          |                       |               |              |                             |  |
| 12470   | - Channel Buoy 105<br>80 feet outside<br>channel limit.                     |                          |                       |               |              | Green can.                  |  |
| 12475   | - <i>Channel Lighted<br/>Buoy 106</i><br>100 feet outside<br>channel limit. |                          | <b>FI R</b> 4s        |               | 3            | Red.                        | Replaced by nun when<br>endangered by ice.   |
| 12480   | - CHANNEL LIGHT 107   | 37 18 44 N<br>77 13 56 W | <b>FI G</b> 6s        | 15            | 4            | SG on multi-pile structure. | Ra ref.  |
| <b>JORDAN POINT TO RICHMOND (Chart 12252)</b>     |   |                          |                       |               |              |                             |  |
| <b>James River</b>                                |   |                          |                       |               |              |                             |  |
| 12485   | - CHANNEL LIGHT 108<br>60 feet outside<br>channel limit.                    | 37 18 36 N<br>77 14 25 W | <b>FI R</b> 4s        | 18            | 4            | TR on multi-pile structure. |  |
| 12490   | - LIGHT 109   |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. |  |
| 12495   | - CHANNEL LIGHT 110   | 37 18 23 N<br>77 15 02 W | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. |  |
| 12500   | - <i>Channel Lighted<br/>Buoy 111</i>                                       |                          | <b>FI G</b> 4s        |               | 3            | Green.                      |  |
| 12505   | STONE CONTAINER CORP.<br>DOCK LIGHT A                                       | 37 18 18 N<br>77 15 36 W | <b>FI Y</b> 4s        | 9             |              | On pier.                    | Private aid.   |
| 12510   | STONE CONTAINER CORP.<br>DOCK LIGHT B                                       |                          | <b>FI Y</b> 4s        | 9             |              | On pier.                    | Private aid.   |
| 12515   | - CHANNEL LIGHT 112<br>175 feet outside<br>channel limit.                   | 37 18 26 N<br>77 15 31 W | <b>FI R</b> 4s        | 15            | 4            | TR on multi-pile structure. |  |
| 12520   | - CHANNEL LIGHT 118   | 37 19 02 N<br>77 16 17 W | <b>FI R</b> 4s        | 14            | 4            | TR on multi-pile structure. |  |
| 12525   | - Channel Buoy 119  |                          |                       |               |              | Green can.                  |  |
| 12530   | - CHANNEL LIGHT 120   | 37 19 22 N<br>77 16 36 W | <b>FI R</b> 4s        | 15            | 4            | TR on multi-pile structure. |  |
| <b>Appomattox River</b>                           |   |                          |                       |               |              |                             |  |
| 12535   | - JUNCTION LIGHT AR   | 37 19 19 N<br>77 16 47 W | <b>FI (2+1) G</b> 6s  | 19            | 3            | JG on multi-pile structure. |  |
| 12540   | - Channel Buoy 1  |                          |                       |               |              | Green can.                  |  |
| 12545   | - Channel Daybeacon 2   |                          |                       |               |              | TR on pile.                 |  |
| 12550   | - Channel Daybeacon 4   |                          |                       |               |              | TR on pile.                 |  |
| 12555   | - CHANNEL LIGHT 5   |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. | Higher intensity beam down<br>river.<br>Light equipment removed<br>when endangered by ice. |
| 12560   | - Channel Daybeacon 6   |                          |                       |               |              | TR on pile.                 |  |
| 12565   | - CHANNEL LIGHT 8   |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. | Light equipment removed<br>when endangered by ice.   |
| 12570   | Sunken Island Junction<br>Daybeacon   |                          |                       |               |              | JR on pile.                 |  |
| 12575   | - Channel Daybeacon 9   |                          |                       |               |              | SG on pile.                 |  |
| 12580   | - Channel Daybeacon 10  |                          |                       |               |              | TR on pile.                 |  |
| 12585   | - Channel Daybeacon 14  |                          |                       |               |              | TR on pile.                 |  |

| (1)<br>No.  | (2)<br>Name and Location                                       | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks |
|---|--|--------------------------|-----------------------|---------------|--------------|-----------------------------|----------------|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |                       |               |              |                             |                |
| 12590   | - Channel Daybeacon 16   |                          |                       |               |              | TR on pile.                 |                |
| 12595   | - Channel Daybeacon 17   |                          |                       |               |              | SG on pile.                 |                |
| <b>James River</b>                                |  |                          |                       |               |              |                             |                |
| 12600   | - CHANNEL LIGHT 121<br>40 feet outside<br>channel limit.       | 37 19 32 N<br>77 16 41 W | <b>FIG 4s</b>         | 15            | 4            | SG on pile.                 |                |
| 12605   | - CHANNEL LIGHT 122<br>160 feet outside<br>channel limit.      | 37 19 33 N<br>77 16 54 W | <b>QR</b>             | 15            | 3            | TR on pile.                 |                |
| 12610   | - CHANNEL LIGHT 124<br>190 feet outside<br>channel limit.      | 37 20 01 N<br>77 16 21 W | <b>FIR 4s</b>         | 15            | 4            | TR on multi-pile structure. |                |
| 12615   | - CHANNEL LIGHT 125<br>75 feet outside<br>channel limit.       | 37 20 10 N<br>77 16 21 W | <b>FIG 4s</b>         | 15            | 4            | SG on multi-pile structure. |                |
| 12616   | <i>Weanack Channel Entrance<br/>Lighted Buoy 2WC</i>           | 37 20 12 N<br>77 16 16 W | <b>QR</b>             |               |              | Red nun.                    | Private aid.   |
| 12617   | Weanack Channel Buoy 4   |                          |                       |               |              | Red nun.                    | Private aid.   |
| 12618   | <i>Weanack Channel Buoy 5</i>                                  |                          |                       |               |              | Green can.                  | Private aid.   |
| 12620   | - Channel Lighted<br>Buoy 126                                  | 37 20 23 N<br>77 16 09 W | <b>FIR 4s</b>         |               | 3            | Red.                        |                |
| 12625   | - LIGHT 127  |                          | <b>FIG 2.5s</b>       | 15            | 3            | SG on multi-pile structure. |                |
| 12630   | - Lighted Buoy 128<br>300 feet outside<br>channel limit.       | 37 20 39 N<br>77 15 59 W | <b>FIR 4s</b>         |               | 3            | Red.                        |                |
| 12635   | - LIGHT 132  | 37 21 13 N<br>77 16 29 W | <b>FIR 4s</b>         | 15            | 3            | TR on pile.                 |                |
| 12640   | - LIGHT 133  |                          | <b>FIG 4s</b>         | 15            | 4            | SG on pile.                 |                |
| 12645   | - BERMUDA 100 LIGHT A  | 37 21 06 N<br>77 17 06 W | <b>FY</b>             | 15            |              | On dolphin.                 | Private aid.   |
| 12650   | - LIGHT 135  |                          | <b>FIG 2.5s</b>       | 15            | 3            | SG on multi-pile structure. |                |
| 12655   | - LIGHT 137<br>170 feet outside channel limit.                 |                          | <b>FIG 4s</b>         | 18            | 4            | SG on multi-pile structure. |                |
| 12660   | - Channel Lighted Buoy 138<br>180 feet outside channel limits. | 37 21 48 N<br>77 18 25 W | <b>FIR 4s</b>         |               | 3            | Red.                        |                |
| 12665   | - LIGHT 139  |                          | <b>FIG 6s</b>         | 18            | 4            | SG on multi-pile structure. |                |
| 12670   | - Channel Lighted<br>Buoy 140                                  | 37 22 06 N<br>77 18 32 W | <b>FIR 4s</b>         |               | 3            | Red.                        |                |
| 12675   | - LIGHT 143  |                          | <b>FIG 4s</b>         | 15            | 4            | SG on pile.                 |                |
| 12680   | - LIGHT 144  |                          | <b>FIR 4s</b>         | 15            | 4            | TR on pile.                 |                |
| 12685   | - LIGHT 146  |                          | <b>FIR 4s</b>         | 15            | 3            | TR on multi-pile structure. |                |
| 12690   | - LIGHT 147  |                          | <b>FIG 4s</b>         | 15            | 4            | SG on pile.                 |                |
| 12695   | - LIGHT 150  |                          | <b>FIR 4s</b>         | 18            | 3            | TR on multi-pile structure. |                |
| 12705   | - LIGHT 151  |                          | <b>QG</b>             | 15            | 3            | SG on multi-pile structure. |                |
| 12710   | - LIGHT 152  | 37 22 42 N<br>77 21 42 W | <b>FIR 4s</b>         | 19            | 3            | TR on pile.                 |                |

| (1)<br>No.  | (2)<br>Name and Location      | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks |
|---|-------------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|----------------|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |                               |                          |                       |               |              |                             |                |
| 12715   | - LIGHT 152A                  |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on multi-pile structure. |                |
| 12720   | - LIGHT 154                   |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. |                |
| 12735   | - LIGHT 155                   |                          | <b>Q G</b>            | 15            | 3            | SG on pile.                 |                |
| 12740   | - LIGHT 155A                  |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                 |                |
| 12745   | - LIGHT 156                   |                          | <b>Q R</b>            | 18            | 3            | TR on multi-pile structure. |                |
| 12750   | - LIGHT 157                   |                          | <b>FI G</b> 4s        | 18            | 4            | SG on multi-pile structure. |                |
| 12755   | - LIGHT 158                   |                          | <b>FI R</b> 4s        | 18            | 3            | TR on multi-pile structure. |                |
| 12760   | - LIGHT 160                   |                          | <b>Q R</b>            | 15            | 3            | TR on pile.                 |                |
| 12765   | - LIGHT 161                   |                          | <b>FI G</b> 4s        | 15            | 3            | SG on multi-pile structure. |                |
| 12770   | - Channel Lighted<br>Buoy 162 | 37 25 20 N<br>77 25 03 W | <b>FI R</b> 2.5s      |               | 3            | Red.                        |                |
| 12780   | - LIGHT 163                   |                          | <b>FI G</b> 4s        | 18            | 4            | SG on multi-pile structure. |                |
| 12785   | - LIGHT 165                   | 37 26 10 N<br>77 25 40 W | <b>FI G</b> 4s        | 20            | 4            | SG on multi-pile structure. |                |
| 12790   | - LIGHT 166                   |                          | <b>FI R</b> 4s        | 18            | 3            | TR on pile.                 |                |
| 12795   | - LIGHT 168                   |                          | <b>FI R</b> 4s        | 18            | 3            | TR on pile.                 |                |
| 12800   | - Channel Buoy 169            |                          |                       |               |              | Green can.                  |                |
| 12805   | - Channel Buoy 171            |                          |                       |               |              | Green can.                  |                |
| 12810   | - Channel Buoy 172            |                          |                       |               |              | Red nun.                    |                |
| 12815   | - LIGHT 173                   |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. |                |

# Section 10

## Chesapeake Bay Bridge Tunnel to Mobjack Bay

| (1)<br>No.   | (2)<br>Name and Location                         | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks                                    |
|--|--|--------------------------|-----------------------|---------------|--------------|------------------|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b>        |  |                          |                       |               |              |                  |   |
| <b>CAPE CHARLES TO NORFOLK HARBOR (Chart 12222)</b>      |  |                          |                       |               |              |                  |   |
| <b>Chesapeake Bay</b>                                    |  |                          |                       |               |              |                  |   |
| 12820  | Horseshoe Crossing<br>Lighted Whistle<br>Buoy HC | 37 01 20 N<br>76 08 57 W | <b>Mo (A) W</b>       |               |              | 6                | Red and white stripes with red spherical topmark. |
| 12825  | BUCKROE BEACH FISHING<br>PIER LIGHT              | 37 02 18 N<br>76 17 18 W | <b>F Y</b>            | 16            |              |                  | On end of pier. Private aid.                      |
| 12830  | Horseshoe West Channel<br>Daybeacon 2            | 37 01 59 N<br>76 15 45 W |                       |               |              |                  | TR on pile.                                       |
| 12835  | HORSESHOE WEST CHANNEL<br>LIGHT 3                | 37 03 14 N<br>76 15 39 W | <b>FI G 2.5s</b>      | 15            | 4            |                  | SG on pile.                                       |
| 12840  | Horseshoe West Channel<br>Buoy 4                 | 37 04 31 N<br>76 15 00 W |                       |               |              |                  | Red nun.  |
| <b>Salt Ponds</b>  |  |                          |                       |               |              |                  |   |
| 12845  | - Daybeacon 1                                    |                          |                       |               |              |                  | SG on pile. Private aid.                          |
| 12850  | - Daybeacon 2                                    |                          |                       |               |              |                  | TR on pile. Private aid.                          |
| 12855  | - Daybeacon 3                                    |                          |                       |               |              |                  | SG on pile. Private aid.                          |
| 12860  | - Daybeacon 4                                    |                          |                       |               |              |                  | TR on pile. Private aid.                          |
| 12865  | - Daybeacon 5                                    |                          |                       |               |              |                  | SG on multi-pile structure. Private aid.          |
| 12870  | - LIGHT 6  | 37 03 47 N<br>76 16 46 W | <b>FI R 2.5s</b>      | 19            |              |                  | TR on multi-pile structure.. Private aid.         |
| 12875  | - Daybeacon 7                                    | 37 03 48 N<br>76 16 54 W |                       |               |              |                  | SG on pile. Private aid.                          |
| 12880  | - Daybeacon 8                                    |                          |                       |               |              |                  | TR on pile. Private aid.                          |
| 12885  | - LIGHT 9  |                          | <b>FI G 4s</b>        | 12            |              |                  | SG on pile. Private aid.                          |
| 12885.5  | - Daybeacon 10                                   |                          |                       |               |              |                  | TR on pile. Private aid.                          |
| 12890  | - Daybeacon 11                                   |                          |                       |               |              |                  | SG on pile. Private aid.                          |
| 12895  | - Daybeacon 12                                   |                          |                       |               |              |                  | TR on pile. Private aid.                          |
| 12900  | - Daybeacon 14                                   |                          |                       |               |              |                  | TR on pile. Private aid.                          |
| 12905  | GRAND VIEW FISHING<br>PIER LIGHT                 | 37 04 24 N<br>76 16 30 W | <b>F Y</b>            | 20            |              |                  | On end of pier. Private aid.                      |
| <b>MOBJACK BAY AND YORK RIVER ENTRANCE (Chart 12238)</b> |  |                          |                       |               |              |                  |   |
| <b>Back River</b>  |  |                          |                       |               |              |                  |   |
| 12910  | - ENTRANCE LIGHT 1BR                             | 37 05 37 N<br>76 15 04 W | <b>FI G 4s</b>        | 15            | 4            |                  | SG on multi-pile structure.                       |
| 12915  | - Channel Daybeacon 2                            |                          |                       |               |              |                  | TR on pile.                                       |
| 12920  | - CHANNEL LIGHT 4                                |                          | <b>FI R 4s</b>        | 17            | 3            |                  | TR on pile.                                       |

| (1)<br>No.  | (2)<br>Name and Location        | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                  | (8)<br>Remarks                                     |
|---|---------------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------------|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |                                 |                          |                       |               |              |                                   |  |
| 12925   | - CHANNEL LIGHT 5               |                          | <b>FI G</b> 4s        | 19            | 4            | SG on pile.                       |  |
| 12930   | - Channel Daybeacon 6           |                          |                       |               |              | TR on pile.                       |  |
| 12933   | Plumtree Bar Wreck<br>Daybeacon | 37 07 14 N<br>76 16 36 W |                       |               |              | NW on pile worded<br>DANGER ROCK. |  |
| 12935   | - CHANNEL LIGHT 7               |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                       |  |
| 12940   | - CHANNEL LIGHT 8               |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure.       | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| 12945   | - CHANNEL LIGHT 9               | 37 06 37 N<br>76 17 23 W | <b>FI G</b> 4s        | 19            | 4            | SG on multi-pile structure.       |  |
| 12946   | -Channel Daybeacon 9A           |                          |                       |               |              | SG on pile.                       |  |
| 12947   | -Channel Day beacon 9B          |                          |                       |               |              | SG on pile.                       |  |
| 12948   | - South Channel<br>Daybeacon 1  |                          |                       |               |              | SG on pile.                       |  |
| 12950   | - South Channel<br>Daybeacon 2  |                          |                       |               |              | TR on pile.                       |  |
| 12952   | - South Channel<br>Daybeacon 3  |                          |                       |               |              | SG on pile.                       |  |
| 12954   | - South Channel<br>Daybeacon 4  |                          |                       |               |              | TR on pile.                       |  |
| 12956   | - South Channel<br>Daybeacon 6  |                          |                       |               |              | TR on pile.                       |  |
| 12957   | - South Channel Daybeacon 7     |                          |                       |               |              | SG on pile.                       |  |
| 12958   | - South Channel<br>Daybeacon 8  |                          |                       |               |              | TR on pile.                       |  |
| 12960   | - South Channel<br>Daybeacon 9  |                          |                       |               |              | SG on pile.                       |  |
| 12963   | South Channel Daybeacon 10      |                          |                       |               |              | TR on pile.                       |  |
| <b>Dandy Haven Marina Entrance</b>                |                                 |                          |                       |               |              |                                   |  |
| 12965   | - Daybeacon 2                   |                          |                       |               |              | TR on pile.                       | Private aid.                                       |
| 12970   | - Daybeacon 3                   |                          |                       |               |              | SG on pile.                       | Private aid.                                       |
| 12975   | - Daybeacon 4                   |                          |                       |               |              | TR on pile.                       | Private aid.                                       |
| 12980   | - Daybeacon 5                   |                          |                       |               |              | SG on pile.                       | Private aid.                                       |
| 12985   | - Daybeacon 6                   |                          |                       |               |              | TR on pile.                       | Private aid.                                       |
| 12990   | - Daybeacon 7                   |                          |                       |               |              | SG on pile.                       | Private aid.                                       |
| 12995   | - Daybeacon 8                   |                          |                       |               |              | TR on pile.                       | Private aid.                                       |
| 13000   | - Daybeacon 9                   |                          |                       |               |              | SG on pile.                       | Private aid.                                       |
| 13005   | - Daybeacon 10                  |                          |                       |               |              | TR on pile.                       | Private aid.                                       |
| 13010   | - Daybeacon 11                  |                          |                       |               |              | SG on pile.                       | Private aid.                                       |
| 13015   | - Daybeacon 12                  |                          |                       |               |              | TR on pile.                       | Private aid.                                       |
| 13015.5   | - Daybeacon 13                  |                          |                       |               |              | SG on pile.                       | Private aid.                                       |
| <b>Back River</b>                                 |                                 |                          |                       |               |              |                                   |  |
| 13020   | - Channel Daybeacon 10          |                          |                       |               |              | TR on pile.                       |  |

| (1)<br>No.  | (2)<br>Name and Location       | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks                                  |
|---|--------------------------------|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |                                |                          |                       |               |              |   |   |
| 13025   | - Channel Daybeacon 12         |                          |                       |               |              | TR on pile.   |   |
| 13030   | - CHANNEL LIGHT 13             |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.                                   |   |
| 13035   | - Channel Daybeacon 14         |                          |                       |               |              | TR on pile.   |   |
| 13040   | - Channel Daybeacon 16         |                          |                       |               |              | TR on pile.   |   |
| <b>Harris River Approach</b>                      |                                |                          |                       |               |              |   |   |
| 13045   | - Daybeacon 2                  | 37 06 06 N<br>76 19 00 W |                       |               |              | TR on pile.   | Private aid.                                    |
| 13050   | - Daybeacon 3                  |                          |                       |               |              | SG on pile.   | Private aid.                                    |
| 13055   | - Daybeacon 4                  |                          |                       |               |              | TR on pile.   | Private aid.                                    |
| 13060   | - Daybeacon 5                  |                          |                       |               |              | SG on pile.   | Private aid.                                    |
| 13065   | - Daybeacon 6                  |                          |                       |               |              | TR on pile.   | Private aid.                                    |
| 13070   | - Daybeacon 8                  |                          |                       |               |              | TR on pile.   | Private aid.                                    |
| <b>Back River</b>                                 |                                |                          |                       |               |              |   |   |
| 13075   | - CHANNEL LIGHT 17             |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on multi-pile structure.                                   | Light equipment removed when endangered by ice. |
| 13080   | - CHANNEL LIGHT 18             |                          | <b>Q R</b>            | 15            | 3            | TR on pile.   | Light equipment removed when endangered by ice. |
| 13085   | - Channel Daybeacon 20         |                          |                       |               |              | TR on pile.   |   |
| 13090   | - CHANNEL LIGHT 21             |                          | <b>FI G 4s</b>        | 15            | 3            | SG on pile.   | Light equipment removed when endangered by ice. |
| 13095   | - CHANNEL LIGHT 22             |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.   | Light equipment removed from Dec. 1 to Mar. 15. |
| 13100   | - CHANNEL LIGHT 25             |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.   | Light equipment removed when endangered by ice. |
| 13105   | - CHANNEL LIGHT 27             |                          | <b>FI G 4s</b>        | 15            | 3            | SG on pile.   | Light equipment removed when endangered by ice. |
| 13110   | Langley Yacht Club Buoy A      | 37 04 48 N<br>76 20 30 W |                       |               |              | White can with orange bands and orange circle worded NO WAKE. | Private aid.                                    |
| 13115   | Langley Yacht Club Buoy B      |                          |                       |               |              | White can with orange bands and orange circle worded NO WAKE. | Private aid.                                    |
| 13120   | - NORTHWEST BRANCH LIGHT 1     |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.   | Light equipment removed when endangered by ice. |
| 13125   | - NORTHWEST BRANCH LIGHT 3     |                          | <b>FI G 4s</b>        | 15            | 3            | SG on pile.   | Light equipment removed when endangered by ice. |
| 13130   | - Northwest Branch Daybeacon 4 |                          |                       |               |              | TR on pile.   |   |
| 13135   | - Northwest Branch Daybeacon 5 |                          |                       |               |              | SG on pile.   |   |
| 13140   | - Northwest Branch Daybeacon 6 |                          |                       |               |              | TR on pile.   |   |
| <b>Poquoson Flats</b>                             |                                |                          |                       |               |              |   |   |
| 13145   | - Channel Daybeacon 2PF        | 37 06 27 N<br>76 14 46 W |                       |               |              | TR on pile.   |   |
| 13150   | - Channel Daybeacon 3          |                          |                       |               |              | SG on pile.   |   |

| (1)<br>No.  | (2)<br>Name and Location                 | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                | (8)<br>Remarks                                  |
|---|--|--------------------------|-----------------------|---------------|--------------|---------------------------------|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |                       |               |              |                                 |   |
| 13155   | - Channel Daybeacon 4                    |                          |                       |               |              | TR on pile.                     |   |
| 13160   | - Channel Daybeacon 5                    |                          |                       |               |              | SG on pile.                     |   |
| <b>Poquoson River</b>                             |  |                          |                       |               |              |                                 |   |
| 13165   | - Junction Lighted Buoy P                | 37 13 31 N<br>76 19 30 W | FI (2+1) G 6s         |               | 4            | Green and red.                  |   |
| 13170   | - Entrance Buoy 4                        |                          |                       |               |              | Red nun.                        |   |
| 13172   | - Daybeacon 5                            |                          |                       |               |              | SG on pile.                     |   |
| 13175   | - ENTRANCE LIGHT 6                       |                          | FI R 4s               | 15            | 3            | TR on pile.                     |   |
| 13180   | - Entrance Daybeacon 8                   |                          |                       |               |              | TR on pile.                     |   |
| 13185   | - ENTRANCE LIGHT 10                      |                          | FI R 2.5s             | 15            | 3            | TR on multi-pile structure.     |   |
| 13190   | - ENTRANCE LIGHT 11                      |                          | FI G 4s               | 15            | 4            | SG on multi-pile structure.     |   |
| 13195   | - Daybeacon 13                           |                          |                       |               |              | SG on pile.                     |   |
| 13200   | - LIGHT 14                               |                          | FI R 4s               | 16            | 4            | TR on pile.                     | Light equipment removed from Dec. 1 to Mar. 15. |
| 13205   | Chisman Creek Daybeacon 2                |                          |                       |               |              | TR on pile.                     |   |
| 13210   | Chisman Creek Daybeacon 4                | 37 10 49 N<br>76 24 29 W |                       |               |              | TR on pile.                     |   |
| 13213   | - Chrisman Creek Buoy 5                  |                          |                       |               |              | Green can.                      |   |
| 13215   | - Chisman Creek Warning Daybeacon        |                          |                       |               |              | NW on pile worded DANGER SHOAL. |   |
| 13220   | GOOSE CREEK JUNCTION LIGHT GC            | 37 11 06 N<br>76 25 24 W | FI (2+1) R 6s         | 15            | 4            | JR on pile.                     | Light equipment removed from Dec. 1 to Mar. 15. |
| 13225   | Chisman Creek Daybeacon 6                |                          |                       |               |              | TR on pile.                     |   |
| 13230   | Goose Creek Daybeacon 2                  |                          |                       |               |              | TR on pile.                     |   |
| 13235   | - LIGHT 15                               |                          | FI G 2.5s             | 15            | 3            | SG on pile.                     | Light equipment removed from Dec. 1 to Mar. 15. |
| 13240   | - Daybeacon 16                           |                          |                       |               |              | TR on pile.                     |   |
| 13245   | - Daybeacon 17                           |                          |                       |               |              | SG on pile.                     |   |
| 13250   | Quarter March Creek Entrance Daybeacon 2 |                          |                       |               |              | TR on pile.                     |   |
| 13255   | Quarter March Creek Daybeacon 4          |                          |                       |               |              | TR on pile.                     |   |
| <b>Bennett Creek</b>                              |  |                          |                       |               |              |                                 |   |
| 13260   | - Daybeacon 1                            | 37 09 43 N<br>76 22 47 W |                       |               |              | SG on pile.                     |   |
| 13265   | - LIGHT 2                                |                          | FI R 4s               | 15            | 4            | TR on pile.                     | Light equipment removed from Dec. 1 to Mar. 15. |
| 13270   | - Daybeacon 4                            |                          |                       |               |              | TR on pile.                     |   |
| 13275   | - Daybeacon 6                            |                          |                       |               |              | TR on pile.                     |   |
| 13280   | - Daybeacon 8                            |                          |                       |               |              | TR on pile.                     |   |
| 13285   | - LIGHT 10                               |                          | FI R 4s               | 19            | 4            | TR on pile.                     |   |

| (1)<br>No.   | (2)<br>Name and Location                     | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                     |
|--|--|--------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b>                    |  |                          |                       |               |              |                             |  |
| 13290  | White House Cove<br>Daybeacon 1              | 37 08 46 N<br>76 22 25 W |                       |               |              | SG on pile.                 |  |
| 13295  | White House Cove<br>Daybeacon 1A             | 37 08 39 N<br>76 22 32 W |                       |               |              | SG on pile.                 |  |
| 13300  | White House Cove<br>Daybeacon 2              |                          |                       |               |              | TR on pile.                 |  |
| 13305  | POQUOSON RIVER MARINA<br>PIER LIGHTS (3)     | 37 08 30 N<br>76 22 48 W | <b>F W</b>            | 8             |              |                             | Private aids.                                      |
| <b>Goodwin Thorofare</b>   |  |                          |                       |               |              |                             |  |
| 13310  | - LIGHT 2                                    | 37 12 21 N<br>76 22 56 W | <b>FI R 2.5s</b>      | 18            | 3            | TR on multi-pile structure. | Light equipment removed<br>when endangered by ice. |
| 13315  | - LIGHT 3                                    | 37 12 32 N<br>76 23 27 W | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure. |  |
| 13320  | - LIGHT 4                                    |                          | <b>FI R 4s</b>        | 18            | 3            | TR on pile.                 |  |
| 13325  | - Daybeacon 5                                |                          |                       |               |              | SG on pile.                 |  |
| 13330  | - Daybeacon 7                                |                          |                       |               |              | SG on pile.                 |  |
| 13335  | - Daybeacon 8                                |                          |                       |               |              | TR on pile.                 |  |
| 13340  | - CHANNEL LIGHT 10                           |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                 |  |
| 13345  | - CHANNEL LIGHT 12                           |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                 |  |
| 13350  | - CHANNEL LIGHT 13                           |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 |  |
| 13355  | - Channel Daybeacon 14                       |                          |                       |               |              | TR on pile.                 |  |
| 13360  | - Channel Daybeacon 15                       |                          |                       |               |              | SG on pile.                 |  |
| 13365  | - CHANNEL LIGHT 16                           |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                 | Light equipment removed<br>when endangered by ice. |
| <b>Back Creek</b>  |  |                          |                       |               |              |                             |  |
| 13370  | - LIGHT 1                                    | 37 12 37 N<br>76 24 47 W | <b>FI G 4s</b>        | 15            | 3            | SG on pile.                 |  |
| 13372  | - Daybeacon 2                                |                          |                       |               |              | TR on pile.                 |  |
| 13375  | - Daybeacon 3                                |                          |                       |               |              | SG on pile.                 |  |
| 13380  | - Daybeacon 4                                |                          |                       |               |              | TR on pile.                 |  |
| 13383  | - Daybeacon 5                                |                          |                       |               |              | SG on pile.                 |  |
| 13385  | - Daybeacon 6                                |                          |                       |               |              | TR on pile.                 |  |
| 13390  | - Daybeacon 7                                |                          |                       |               |              | SG on pile.                 |  |
| <b>CHESAPEAKE BAY ENTRANCE (Chart 12221)</b>                         |  |                          |                       |               |              |                             |  |
| <b>York River</b>  |  |                          |                       |               |              |                             |  |
| <i>Entrance channel buoys located 75 feet outside channel limit.</i> |  |                          |                       |               |              |                             |  |
| 13395  | - Entrance Channel<br>Lighted Buoy 1YR       | 37 07 38 N<br>76 09 51 W | <b>FI G 2.5s</b>      |               | 4            | Green.                      |  |
| 13400  | - Entrance Channel<br>Lighted Gong<br>Buoy 2 |                          | <b>FI R 2.5s</b>      |               | 4            | Red.                        |  |
| 13405  | - Entrance Channel<br>Lighted Buoy 3         |                          | <b>FI G 4s</b>        |               | 4            | Green.                      |  |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic                       | (5)<br>Height | (6)<br>Range | (7)<br>Structure                           | (8)<br>Remarks  |
|---|---|--------------------------|---|---------------|--------------|--|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b>       |   |                          |   |               |              |  |   |
| 13410   | - Entrance Channel<br>Lighted Buoy 4                            |                          | <b>FI R</b> 4s                              |               | 4            | Red.                                       |   |
| 13415   | - Entrance Channel<br>Lighted Buoy 5                            |                          | <b>FI G</b> 2.5s                            |               | 4            | Green.                                     |   |
| 13420   | - Entrance Channel<br>Lighted Buoy 6                            |                          | <b>FI R</b> 2.5s                            |               | 4            | Red.                                       |   |
| 13425   | - Entrance Channel<br>Lighted Buoy 7                            |                          | <b>FI G</b> 6s                              |               | 4            | Green.                                     |   |
| 13430   | - Entrance Channel<br>Lighted Buoy 8                            |                          | <b>FI R</b> 6s                              |               | 4            | Red.                                       |   |
| 13435   | - Entrance Channel<br>Lighted Buoy 9                            |                          | <b>FI G</b> 4s                              |               | 4            | Green.                                     |   |
| 13440   | - Entrance Channel<br>Lighted Buoy 10                           |                          | <b>FI R</b> 4s                              |               | 4            | Red.                                       |   |
| 13455   | YORK SPIT LIGHT   | 37 12 35 N<br>76 15 15 W | <b>FI W</b> 6s                              | 30            | 8            | NR on multi-pile structure.                |   |
| 13460   | - Entrance Channel<br>Lighted Buoy 11                           |                          | <b>FI G</b> 2.5s                            |               | 4            | Green.                                     |   |
| 13465   | - Entrance Channel<br>Lighted Buoy 12                           |                          | <b>FI R</b> 2.5s                            |               | 4            | Red.                                       |   |
| 13470   | - Entrance Channel<br>Lighted Buoy 13                           |                          | <b>Q G</b>                                  |               | 4            | Green.                                     |   |
| 13475   | - Entrance Channel<br>Lighted Gong<br>Buoy 14                   |                          | <b>Q R</b>                                  |               | 4            | Red.                                       |   |
| 13490   | York Spit Warning<br>Daybeacon                                  |                          |   |               |              | NW on pile worded DANGER<br>SHOAL.         |   |
| 13492   | - Lighted Buoy 16   |                          | <b>FI R</b> 2.5s                            |               | 4            | Red.                                       |   |
| <b>YORK RIVER - YORKTOWN AND VICINITY (Chart 12241)</b> |   |                          |   |               |              |  |   |
| <b>York River</b>                                       |   |                          |   |               |              |  |   |
| 13494   | - Lighted Buoy 17   |                          | <b>FI G</b> 4s                              |               | 4            | Green.                                     |   |
| 13495   | - Lighted Buoy 18   |                          | <b>FI R</b> 4s                              |               | 4            | Red.                                       |   |
| 13496   | - EAST RANGE FRONT<br>LIGHT                                     | 37 15 00 N<br>76 20 48 W | <b>F W</b> (Day)<br><b>Q W</b> (Night)      | 20            |              | Multi-pile structure.                      | Lighted throughout 24 hours.<br>DAY: Visible on rangeline only.<br>NIGHT: Visible all around;<br>higher intensity on rangeline. |
| 13497   | - EAST RANGE REAR LIGHT<br>447 yards, 077° from<br>front light. |                          | <b>F W</b> (Day)<br><b>Iso W</b> 6s (Night) | 54            |              | Skeleton tower on multi-pile<br>structure. | Lighted throughout 24 hours.<br>DAY: Visible on rangeline only.<br>NIGHT: Visible all around;<br>higher intensity on rangeline. |
| 13498   | - Lighted Bell Buoy 19  |                          | <b>Q G</b>                                  |               | 4            | Green.                                     |   |
| 13500   | - Lighted Bell Buoy 20  |                          | <b>Q R</b>                                  |               | 4            | Red.                                       |   |
| 13505   | TUE MARSHES LIGHT   | 37 14 07 N<br>76 23 11 W | <b>FI W</b> 6s                              | 41            | 7            | NG on platform.                            |   |
| <b>Perrin River</b>                                     |   |                          |   |               |              |  |   |
| 13510   | - Junction Lighted<br>Buoy PR                                   | 37 14 50 N<br>76 23 30 W | <b>FI (2+1) R</b> 6s                        |               | 4            | Red and green bands.                       |   |
| 13515   | - Entrance Buoy 2   |                          |   |               |              | Red nun.                                   |   |
| 13520   | - ENTRANCE LIGHT 4  |                          | <b>FI R</b> 4s                              | 19            | 3            | TR on multi-pile structure.                |   |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic                       | (5)<br>Height | (6)<br>Range | (7)<br>Structure                              | (8)<br>Remarks  |
|---|--|--------------------------|---|---------------|--------------|---|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |   |               |              |   |   |
| 13525   | - Entrance Daybeacon 6   |                          |   |               |              | TR on pile.                                   |   |
| 13530   | - ENTRANCE LIGHT 7   |                          | <b>FI G</b> 4s                              | 19            | 4            | SG on multi-pile structure.                   |   |
| 13535   | - ENTRANCE LIGHT 8   | 37 15 41 N<br>76 25 14 W | <b>FI R</b> 4s                              | 19            | 3            | TR on multi-pile structure.                   |   |
| 13540   | - Entrance Daybeacon 9   |                          |   |               |              | SG on pile.                                   |   |
| 13545   | - Daybeacon 11   |                          |   |               |              | SG on pile.                                   |   |
| <b>York River</b>                                 |  |                          |   |               |              |   |   |
| 13550   | - WEST RANGE<br>FRONT LIGHT  | 37 13 36 N<br>76 29 18 W | <b>F W</b> (Day)<br><b>Q W</b> (Night)      | 10            |              | Small white house on pile structure.          | Lighted throughout 24 hours.<br>DAY: Visible on rangeline only.<br>NIGHT: Visible all around;<br>higher intensity on rangeline. |
| 13555   | - WEST RANGE<br>REAR LIGHT<br>575 yards, 258°<br>from front light. |                          | <b>F W</b> (Day)<br><b>Iso W</b> 6s (Night) | 65            |              | Skeleton tower.                               | Lighted throughout 24 hours.<br>DAY: Visible on rangeline only.<br>NIGHT: Visible all around;<br>higher intensity on rangeline. |
| 13560   | - <i>Lighted Buoy 21</i>   |                          | <b>FI G</b> 2.5s                            |               | 4            | Green.  |   |
| 13565   | - <i>Lighted Buoy 22</i>   |                          | <b>FI R</b> 2.5s                            |               | 4            | Red.  |   |
| 13570   | BULL CREEK PIER LIGHT A  | 37 13 42 N<br>76 26 06 W | <b>F Y</b>                                  | 28            |              | On pole on east end of pier.                  | Private aid.  |
| 13572   | BULL CREEK PIER LIGHT B  | 37 13 30 N<br>76 26 36 W | <b>F Y</b>                                  | 28            |              | On pole on west end of pier.                  | Private aid.  |
| 13575   | VIRGINIA POWER<br>UNDERWATER<br>OBSTRUCTION LIGHT A                | 37 13 36 N<br>76 27 18 W | <b>FI W</b> 3s                              | 7             |              | NW on piles worded DANGER<br>SUBMERGED PIPES. | Private aid.  |
| 13577   | <i>VIMS-York River Lighted Data<br/>Buoy A</i>                     | 37 14 23 N<br>76 27 33 W | <b>FI Y</b> 2.5s                            |               |              | Yellow.                                       | Private aid.  |
| 13580   | - <i>Lighted Buoy 24</i>   |                          | <b>Q R</b>                                  |               | 4            | Red.  |   |
| <b>West Branch Channel</b>                        |  |                          |   |               |              |   |   |
| 13585   | VIRGINIA POWER INTAKE<br>JETTY LIGHT A                             | 37 13 12 N<br>76 27 48 W | <b>FI Y</b> 2.5s                            | 7             |              | On pile.                                      | Private aid.  |
| 13590   | VIRGINIA PWER INTAKE<br>JETTY LIGHT B                              |                          | <b>FI Y</b> 4s                              | 7             |              | On pile.                                      | Private aid.  |
| 13595   | - ENTRANCE LIGHT 1   | 37 13 12 N<br>76 27 58 W | <b>FI G</b> 4s                              | 15            | 4            | SG on pile.                                   |   |
| 13600   | - Daybeacon 2  |                          |   |               |              | TR on pile.                                   |   |
| 13605   | - Daybeacon 4  |                          |   |               |              | TR on pile.                                   |   |
| 13610   | - Daybeacon 6  |                          |   |               |              | TR on pile.                                   |   |
| 13615   | - Daybeacon 7  |                          |   |               |              | SG on pile.                                   |   |
| 13620   | - Daybeacon 9  |                          |   |               |              | SG on pile.                                   |   |
| 13625   | - Daybeacon 10   |                          |   |               |              | TR on pile.                                   |   |
| <b>Wormley Creek Marina</b>                       |  |                          |   |               |              |   |   |
| 13630   | - Buoy 1   | 37 12 54 N<br>76 28 06 W |   |               |              | Green can.                                    | Private aid.  |
| 13635   | - Buoy 2   |                          |   |               |              | Red nun.                                      | Private aid.  |
| 13640   | - Buoy 4   |                          |   |               |              | Red nun.                                      | Private aid.  |

| (1)<br>No.  | (2)<br>Name and Location        | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                     |
|---|---------------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |                                 |                          |                       |               |              |                             |  |
| 13645   | - Buoy 6                        |                          |                       |               |              | Red nun.                    | Private aid.                                       |
| 13650   | - Buoy 8                        |                          |                       |               |              | Red nun.                    | Private aid.                                       |
| <b>West Branch Channel</b>                        |                                 |                          |                       |               |              |                             |  |
| 13655   | - Daybeacon 11                  |                          |                       |               |              | SG on pile.                 |  |
| 13660   | - Daybeacon 12                  |                          |                       |               |              | TR on pile.                 |  |
| 13665   | - Daybeacon 13                  |                          |                       |               |              | SG on pile.                 |  |
| 13670   | - Daybeacon 14                  |                          |                       |               |              | TR on pile.                 |  |
| 13675   | - Daybeacon 16                  |                          |                       |               |              | TR on pile.                 |  |
| 13680   | - Daybeacon 18                  |                          |                       |               |              | TR on pile.                 |  |
| 13685   | - Daybeacon 20                  |                          |                       |               |              | TR on pile.                 |  |
| 13690   | - Daybeacon 22                  |                          |                       |               |              | TR on pile..                |  |
| 13695   | - Daybeacon 24                  |                          |                       |               |              | TR on pile.                 |  |
| 13700   | - Daybeacon 26                  |                          |                       |               |              | TR on pile.                 |  |
| 13703   | - Daybeacon 28                  |                          |                       |               |              | TR on pile.                 |  |
| 13705   | - Daybeacon 29                  |                          |                       |               |              | SG on pile.                 |  |
| <b>Sarah Creek</b>                                |                                 |                          |                       |               |              |                             |  |
| 13710   | - ENTRANCE LIGHT 2              | 37 14 46 N<br>76 29 10 W | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. | Light equipment removed<br>when endangered by ice. |
| 13715   | - Daybeacon 4                   |                          |                       |               |              | TR on pile.                 |  |
| 13720   | - Daybeacon 5                   |                          |                       |               |              | SG on pile.                 |  |
| 13725   | - Daybeacon 6                   |                          |                       |               |              | TR on pile.                 |  |
| 13730   | - LIGHT 8                       |                          | <b>FI R</b> 4s        | 16            | 3            | TR on multi-pile structure. |  |
| 13735   | - Daybeacon 9                   |                          |                       |               |              | SG on pile.                 |  |
| 13740   | - Daybeacon 11                  |                          |                       |               |              | SG on pile.                 |  |
| <b>YORKTOWN TO WEST POINT (Chart 12243)</b>       |                                 |                          |                       |               |              |                             |  |
| <b>Upper York River</b>                           |                                 |                          |                       |               |              |                             |  |
| 13745   | - LIGHT 2                       | 37 15 49 N<br>76 31 13 W | <b>FI R</b> 2.5s      | 16            | 4            | TR on multi-pile structure. |  |
| 13750   | - LIGHT 3                       |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. |  |
| 13755   | - LIGHT 4                       |                          | <b>FI R</b> 4s        | 16            | 4            | TR on multi-pile structure. |  |
| 13760   | - LIGHT 6                       |                          | <b>FI R</b> 2.5s      | 16            | 4            | TR on pile.                 | Light equipment removed<br>when endangered by ice. |
| 13765   | Timberneck Creek<br>Daybeacon 2 | 37 17 19 N<br>76 32 29 W |                       |               |              | TR on pile.                 |  |
| 13770   | Timberneck Creek<br>Daybeacon 3 |                          |                       |               |              | SG on pile.                 |  |
| 13775   | - LIGHT 8                       |                          | <b>FI R</b> 4s        | 16            | 4            | TR on multi-pile structure. |  |

| (1)<br>No.  | (2)<br>Name and Location       | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                   | (8)<br>Remarks                                     |
|---|--------------------------------|--------------------------|-----------------------|---------------|--------------|------------------------------------|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |                                |                          |                       |               |              |                                    |  |
| <b>Queen Creek</b>                                |                                |                          |                       |               |              |                                    |  |
| 13780   | - Entrance Daybeacon 1         |                          |                       |               |              | SG on multi-pile structure.        |  |
| 13785   | - ENTRANCE LIGHT 2QC           | 37 18 01 N<br>76 36 30 W | <b>FI R</b> 2.5s      | 15            | 4            | TR on multi-pile structure.        | Light equipment removed<br>when endangered by ice. |
| 13790   | - Entrance Daybeacon 3         |                          |                       |               |              | SG on pile.                        |  |
| 13795   | - Entrance Daybeacon 4         |                          |                       |               |              | TR on pile                         |  |
| 13800   | - Daybeacon 5                  |                          |                       |               |              | SG on pile.                        |  |
| 13805   | - Daybeacon 6                  |                          |                       |               |              | TR on pile.                        |  |
| 13810   | - Daybeacon 7                  |                          |                       |               |              | SG on pile.                        |  |
| 13815   | - Daybeacon 8                  |                          |                       |               |              | TR on pile.                        |  |
| 13820   | - Daybeacon 10                 |                          |                       |               |              | TR on pile.                        |  |
| 13825   | - Daybeacon 11                 |                          |                       |               |              | SG on pile.                        |  |
| 13830   | - Daybeacon 12                 |                          |                       |               |              | TR on pile.                        |  |
| 13835   | - Daybeacon 13                 |                          |                       |               |              | SG on pile.                        |  |
| 13840   | - Daybeacon 14                 |                          |                       |               |              | TR on pile.                        |  |
| 13845   | - Daybeacon 15                 |                          |                       |               |              | SG on pile.                        |  |
| 13850   | - Daybeacon 15A                |                          |                       |               |              | SG on pile.                        |  |
| 13855   | - Daybeacon 16                 |                          |                       |               |              | TR on pile.                        |  |
| 13860   | - Daybeacon 18                 |                          |                       |               |              | TR on pile.                        |  |
| 13865   | - Daybeacon 20                 |                          |                       |               |              | TR on pile.                        |  |
| <b>Upper York River</b>                           |                                |                          |                       |               |              |                                    |  |
| 13870   | Cedarbush Creek<br>Daybeacon 2 | 37 18 39 N<br>76 33 49 W |                       |               |              | TR on pile.                        |  |
| 13875   | PAGES ROCK LIGHT<br>Off rock.  | 37 18 39 N<br>76 35 12 W | <b>FI W</b> 6s        | 43            | 7            | NB on skeleton tower.              |  |
| 13880   | - Daybeacon 9                  |                          |                       |               |              | SG on pile.                        |  |
| <b>Aberdeen Creek</b>                             |                                |                          |                       |               |              |                                    |  |
| 13885   | - ENTRANCE LIGHT 2             | 37 20 05 N<br>76 36 02 W | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure.        |  |
| 13890   | - Warning Daybeacon            |                          |                       |               |              | NW on pile worded<br>DANGER SHOAL. |  |
| 13895   | - Danger Wreck Daybeacon       |                          |                       |               |              | NW on pile.                        |  |
| 13900   | - Warning Daybeacon            |                          |                       |               |              | NW on pile worded<br>DANGER SHOAL. |  |
| 13905   | - Danger Daybeacon             |                          |                       |               |              | NW on pile worded<br>DANGER SHOAL. |  |
| 13910   | - Warning Daybeacon            |                          |                       |               |              | NW on pile worded<br>DANGER SHOAL. |  |
| <b>Upper York River</b>                           |                                |                          |                       |               |              |                                    |  |
| 13915   | - LIGHT 11                     |                          | <b>FI G</b> 2.5s      | 16            | 4            | SG on multi-pile structure.        | Light equipment removed<br>when endangered by ice. |

| (1)<br>No.  | (2)<br>Name and Location                 | (3)<br>Position          | (4)<br>Characteristic               | (5)<br>Height | (6)<br>Range | (7)<br>Structure                     | (8)<br>Remarks                                  |
|---|--|--------------------------|-------------------------------------|---------------|--------------|--------------------------------------|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |                                     |               |              |                                      |   |
| 13920   | - LIGHT 12                               |                          | <b>FI R</b> 4s                      | 16            | 4            | TR on multi-pile structure.          | Light equipment removed when endangered by ice. |
| 13925   | - LIGHT 13                               |                          | <b>FI G</b> 4s                      | 15            | 4            | SG on multi-pile structure.          | Light equipment removed when endangered by ice. |
| 13930   | - LIGHT 14                               |                          | <b>FI R</b> 2.5s                    | 16            | 4            | TR on multi-pile structure.          | Light equipment removed when endangered by ice. |
| 13935   | - LIGHT 16                               |                          | <b>FI R</b> 4s                      | 15            | 4            | TR on pile.                          | Light equipment removed when endangered by ice. |
| 13940   | - LIGHT 17                               |                          | <b>FI G</b> 4s                      | 16            | 4            | SG on pile.                          | Light equipment removed when endangered by ice. |
| 13945   | - LIGHT 18                               |                          | <b>FI R</b> 4s                      | 16            | 4            | TR on pile.                          | Light equipment removed when endangered by ice. |
| 13950   | - LIGHT 20                               |                          | <b>FI R</b> 2.5s                    | 16            | 4            | TR on pile.                          | Light equipment removed when endangered by ice. |
| 13955   | - Daybeacon 21                           |                          |                                     |               |              | SG on pile.                          |   |
| <b>Croaker Landing</b>                            |  |                          |                                     |               |              |                                      |   |
| 13960   | - Daybeacon 1                            | 32 25 42 N<br>76 43 24 W |                                     |               |              | SG on pile.                          | Private aid.                                    |
| 13965   | - Daybeacon 2                            |                          |                                     |               |              | TR on pile.                          | Private aid.                                    |
| 13970   | - Daybeacon 3                            |                          |                                     |               |              | SG on pile.                          | Private aid.                                    |
| 13975   | - Daybeacon 4                            |                          |                                     |               |              | TR on pile.                          | Private aid.                                    |
| <b>Upper York River</b>                           |  |                          |                                     |               |              |                                      |   |
| 13980   | - LIGHT 22                               |                          | <b>FI R</b> 4s                      | 16            | 4            | TR on pile.                          | Light equipment removed when endangered by ice. |
| 13985   | - LIGHT 23                               |                          | <b>FI G</b> 4s                      | 16            | 4            | SG on pile.                          | Light equipment removed when endangered by ice. |
| 13990   | - LIGHT 25                               |                          | <b>FI G</b> 2.5s                    | 16            | 4            | SG on pile.                          | Light equipment removed when endangered by ice. |
| 13995   | BELLS ROCK LIGHT                         |                          | <b>FI W</b> 4s<br><b>(R sector)</b> | 40            | W 7<br>R 5   | NR on white skeleton tower on piles. | Red from 120° to 329°.                          |
| 14000   | - LIGHT 27                               |                          | <b>FI G</b> 4s                      | 16            | 4            | SG on pile.                          | Light equipment removed when endangered by ice. |
| 14005   | - Daybeacon 28                           |                          |                                     |               |              | TR on pile.                          |   |
| 14010   | - LIGHT 29                               |                          | <b>FI G</b> 4s                      | 15            | 4            | SG on pile.                          | Light equipment removed when endangered by ice. |
| 14015   | - LIGHT 30                               |                          | <b>Q R</b>                          | 16            | 4            | TR on pile.                          | Light equipment removed when endangered by ice. |
| 14020   | - LIGHT 31                               |                          | <b>Q G</b>                          | 16            | 4            | SG on pile.                          | Light equipment removed when endangered by ice. |
| 14025   | - Daybeacon 33                           |                          |                                     |               |              | SG on pile.                          |   |
| 14030   | West Point Spit Junction<br>Daybeacon WP |                          |                                     |               |              | JR on pile.                          |   |
| 14035   | - LIGHT 35                               |                          | <b>FI G</b> 2.5s                    | 16            | 4            | SG on pile.                          | Light equipment removed when endangered by ice. |
| 14040   | - Daybeacon 36                           |                          |                                     |               |              | TR on pile.                          |   |
| 14045   | - LIGHT 37                               |                          | <b>Q G</b>                          | 16            | 4            | SG on pile.                          | Light equipment removed when endangered by ice. |

| (1)<br>No.   | (2)<br>Name and Location                     | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                     |
|--|--|--------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b>        |  |                          |                       |               |              |                             |  |
| <b>MOBJACK BAY AND YORK RIVER ENTRANCE (Chart 12238)</b> |  |                          |                       |               |              |                             |  |
| <b>Mobjack Bay</b>                                       |  |                          |                       |               |              |                             |  |
| 14050  | - Channel Buoy 1MB                           | 37 11 28 N<br>76 12 29 W |                       |               |              | Green can.                  |  |
| 14052  | - Channel Buoy 2MB                           |                          |                       |               |              | Red nun.                    |  |
| 14055  | - Channel Buoy 3MB                           |                          |                       |               |              | Green can.                  |  |
| 14057  | - Channel Buoy MB                            | 37 14 31 N<br>76 15 25 W |                       |               |              | Red and white stripes.      |  |
| 14060  | - Channel Buoy 4MB                           |                          |                       |               |              | Red nun.                    |  |
| 14065  | - Channel Buoy 5MB                           |                          |                       |               |              | Green can.                  |  |
| 14070  | - Channel Daybeacon 6MB                      |                          |                       |               |              | TR on pile.                 |  |
| 14075  | NEW POINT COMFORT SPIT<br>LIGHT 2            |                          | <b>FI R 2.5s</b>      | 15            | 5            | TR on pile.                 | Light equipment removed<br>when endangered by ice. |
| 14080  | NEW POINT COMFORT SPIT<br>LIGHT 4            | 37 17 42 N<br>76 17 11 W | <b>FI R 4s</b>        | 15            | 6            | TR on pile.                 |  |
| 14085  | - Channel Daybeacon 7MB                      |                          |                       |               |              | SG on pile.                 |  |
| 14090  | - Channel Daybeacon 8MB                      |                          |                       |               |              | TR on pile.                 |  |
| 14095  | - Channel Daybeacon 10MB                     |                          |                       |               |              | TR on pile.                 |  |
| <b>York Spit Swash Channel</b>                           |  |                          |                       |               |              |                             |  |
| 14100  | - Daybeacon 1                                |                          |                       |               |              | SG on pile.                 |  |
| 14105  | - Daybeacon 2                                |                          |                       |               |              | TR on pile.                 |  |
| 14110  | - LIGHT 3                                    | 37 15 44 N<br>76 19 56 W | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 |  |
| 14115  | - Daybeacon 5                                |                          |                       |               |              | SG on pile.                 |  |
| <b>Davis Creek</b>                                       |  |                          |                       |               |              |                             |  |
| 14125  | - CHANNEL LIGHT 1                            | 37 19 13 N<br>76 18 00 W | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 |  |
| 14130  | - CHANNEL LIGHT 2                            |                          | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile structure. |  |
| 14135  | - Channel Daybeacon 4                        |                          |                       |               |              | TR on pile.                 |  |
| 14140  | - CHANNEL LIGHT 6                            |                          | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile structure. |  |
| 14145  | - CHANNEL LIGHT 8                            |                          | <b>Q R</b>            | 15            | 3            | TR on pile.                 |  |
| 14150  | - CHANNEL LIGHT 10                           |                          | <b>FI R 4s</b>        | 14            | 4            | TR on pile.                 |  |
| 14153  | PEPPER CREEK LIGHT 2P                        |                          | <b>FI R 4s</b>        | 15            | 5            | TR on multi-pile structure. |  |
| <b>Mobjack Bay</b>                                       |  |                          |                       |               |              |                             |  |
| 14155  | Pepper Creek Daybeacon 3                     | 37 20 00 N<br>76 19 35 W |                       |               |              | SG on pile.                 |  |
| 14160  | Pepper Creek Daybeacon 5                     |                          |                       |               |              | SG on pile.                 |  |
| <b>East River</b>  |  |                          |                       |               |              |                             |  |
| 14165  | - ENTRANCE LIGHT 1<br>On south end of shoal. | 37 21 18 N<br>76 21 11 W | <b>FI G 4s</b>        | 15            | 5            | SG on pile.                 | Light equipment removed<br>when endangered by ice. |
| 14170  | - Daybeacon 2                                |                          |                       |               |              | TR on pile.                 |  |

| (1)<br>No.  | (2)<br>Name and Location              | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                     |
|---|---------------------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |                                       |                          |                       |               |              |                             |  |
| 14175   | - LIGHT 3                             |                          | <b>FI G</b> 4s        | 16            | 3            | SG on pile.                 |  |
| 14180   | Mobjack Marina Channel<br>Daybeacon 1 | 37 22 42 N<br>76 20 41 W |                       |               |              | SG on pile.                 |  |
| 14185   | Mobjack Marina Channel<br>Daybeacon 3 | 37 22 42 N<br>76 20 47 W |                       |               |              | SG on pile.                 |  |
| 14190   | - LIGHT 5                             |                          | <b>Q G</b>            | 15            | 4            | SG on pile.                 |  |
| 14195   | - LIGHT 9                             |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                 |  |
| 14200   | - Daybeacon 7                         |                          |                       |               |              | SG on pile.                 |  |
| 14205   | - Daybeacon 11                        |                          |                       |               |              | SG on pile.                 |  |
| 14210   | - Daybeacon 13                        |                          |                       |               |              | SG on pile.                 |  |
| 14215   | - Daybeacon 15                        |                          |                       |               |              | SG on pile.                 |  |
| 14220   | - Daybeacon 17                        |                          |                       |               |              | SG on pile.                 |  |
| 14225   | - Daybeacon 18                        |                          |                       |               |              | TR on pile.                 |  |
| <b>Browns Bay</b>                                 |                                       |                          |                       |               |              |                             |  |
| 14230   | - LIGHT 1                             | 37 18 09 N<br>76 22 57 W | <b>FI G</b> 4s        | 16            | 4            | SG on multi-pile structure. | Light equipment removed<br>when endangered by ice. |
| 14235   | - Entrance Daybeacon 2                |                          |                       |               |              | TR on pile.                 |  |
| 14240   | - LIGHT 3                             |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                 | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| 14245   | - LIGHT 4                             |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                 |  |
| <b>Severn River</b>                               |                                       |                          |                       |               |              |                             |  |
| 14250   | - JUNCTION LIGHT SR                   | 37 20 15 N<br>76 23 41 W | <b>FI (2+1) R</b> 6s  | 16            | 4            | JR on multi-pile structure. |  |
| 14255   | - LIGHT 1                             |                          | <b>FI G</b> 4s        | 16            | 4            | SG on pile.                 | Light equipment removed<br>when endangered by ice. |
| 14260   | - Daybeacon 2                         |                          |                       |               |              | TR on pile.                 |  |
| 14265   | - LIGHT 3                             |                          | <b>FI G</b> 4s        | 16            | 4            | SG on multi-pile structure. |  |
| 14270   | - Daybeacon 5                         |                          |                       |               |              | SG on pile.                 |  |
| <b>Southwest Branch</b>                           |                                       |                          |                       |               |              |                             |  |
| 14275   | - Daybeacon 1                         |                          |                       |               |              | SG on pile.                 |  |
| 14280   | - Daybeacon 2                         |                          |                       |               |              | TR on pile.                 |  |
| 14285   | - Daybeacon 3                         |                          |                       |               |              | SG on pile.                 |  |
| 14290   | - Daybeacon 4                         |                          |                       |               |              | TR on pile.                 |  |
| 14295   | Rowes Creek Daybeacon 2               |                          |                       |               |              | TR on pile.                 | Private aid.                                       |
| 14300   | Rowes Creek Daybeacon 3               |                          |                       |               |              | SG on pile.                 | Private aid.                                       |
| 14305   | Rowes Creek Range Marker              |                          |                       |               |              | KRW on pile.                | Private aid.                                       |
| <b>Ware River</b>                                 |                                       |                          |                       |               |              |                             |  |
| 14310   | - Daybeacon 1W                        | 37 21 28 N<br>76 25 00 W |                       |               |              | SG on pile.                 |  |
| 14315   | - Daybeacon 2                         |                          |                       |               |              | TR on pile.                 |  |

| (1)<br>No.  | (2)<br>Name and Location                 | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                 | (8)<br>Remarks |
|---|--|--------------------------|-----------------------|---------------|--------------|----------------------------------|----------------|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |                       |               |              |                                  |                |
| 14320   | - LIGHT 3                                |                          | <b>FI G 2.5s</b>      | 15            | 4            | SG on multi-pile structure.      |                |
| 14325   | - Daybeacon 5                            |                          |                       |               |              | SG on pile.                      |                |
| 14330   | - LIGHT 6                                |                          | <b>Q R</b>            | 16            | 4            | TR on pile.                      |                |
| 14335   | - Daybeacon 7                            |                          |                       |               |              | SG on pile.                      |                |
| 14340   | - LIGHT 9                                |                          | <b>FI G 6s</b>        | 15            | 4            | SG on pile.                      |                |
| 14345   | - Daybeacon 10                           |                          |                       |               |              | TR on pile.                      |                |
| 14350   | - Daybeacon 11                           |                          |                       |               |              | SG on pile.                      |                |
| 14355   | - Daybeacon 12                           |                          |                       |               |              | TR on pile.                      |                |
| <b>North River</b>                                |  |                          |                       |               |              |                                  |                |
| 14360   | - ENTRANCE LIGHT 1                       | 37 22 08 N<br>76 23 34 W | <b>FI G 4s</b>        | 16            | 5            | SG on multi-pile structure.      |                |
| 14365   | - Daybeacon 2                            |                          |                       |               |              | TR on pile.                      |                |
| 14370   | BLACKWATER CREEK<br>LIGHT 2              |                          | <b>FI R 2.5s</b>      | 15            | 4            | TR on pile.                      |                |
| 14375   | Blackwater Creek<br>Daybeacon 3          |                          |                       |               |              | SG on pile.                      |                |
| 14380   | - Daybeacon 3                            |                          |                       |               |              | SG on pile.                      |                |
| 14385   | Green Mansion Cove<br>Junction Daybeacon |                          |                       |               |              | JR on pile.                      |                |
| 14390   | - LIGHT 5                                |                          | <b>FI G 4s</b>        | 16            | 4            | SG on slatted pile.              |                |
| 14395   | - LIGHT 6                                |                          | <b>FI R 4s</b>        | 16            | 3            | TR on multi-pile structure.      |                |
| 14400   | - Daybeacon 7                            |                          |                       |               |              | SG on pile.                      |                |
| 14405   | Green Mansion Cove<br>Daybeacon 2        |                          |                       |               |              | TR on pile.                      | Private aid.   |
| 14410   | Green Mansion Cove<br>Daybeacon 3        |                          |                       |               |              | SG on pile.                      | Private aid.   |
| <b>New Point Comfort Shoal</b>                    |  |                          |                       |               |              |                                  |                |
| 14415   | - Channel Buoy 1NP                       | 37 17 30 N<br>76 11 34 W |                       |               |              | Green can.                       |                |
| 14420   | - Channel Buoy 2                         |                          |                       |               |              | Red nun.                         |                |
| 14425   | - Channel Buoy 3                         |                          |                       |               |              | Green can.                       |                |
| 14430   | - Channel Buoy 4                         |                          |                       |               |              | Red nun.                         |                |
| 14435   | York Spit Daybeacon 5                    |                          |                       |               |              | SG on pile.                      |                |
| 14440   | York Spit Daybeacon 6                    | 37 13 34 N<br>76 16 50 W |                       |               |              | TR on pile.                      |                |
| <b>Horn Harbor</b>                                |  |                          |                       |               |              |                                  |                |
| 14445   | - ENTRANCE LIGHT HH                      | 37 20 11 N<br>76 15 03 W | <b>Mo (A) W</b>       | 19            | 5            | MR on pile.                      |                |
| 14450   | - LIGHT 2                                |                          | <b>FI R 4s</b>        | 15            | 3            | TR on house on cylindrical base. |                |
| 14455   | - LIGHT 3                                |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.                      |                |
| 14460   | - Daybeacon 4                            |                          |                       |               |              | TR on pile.                      |                |

| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks |
|---|--------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|----------------|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |                          |                          |                       |               |              |                             |                |
| 14465   | - LIGHT 5                |                          | <b>Q G</b>            | 15            | 3            | SG on pile.                 |                |
| 14470   | - Daybeacon 6            |                          |                       |               |              | TR on pile.                 |                |
| 14475   | - LIGHT 7                |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 |                |
| 14480   | - Daybeacon 7A           |                          |                       |               |              | SG on pile.                 |                |
| 14485   | - LIGHT 8                |                          | <b>FI R 6s</b>        | 16            | 4            | TR on pile.                 |                |
| 14490   | - LIGHT 10               |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on multi-pile structure. |                |
| 14495   | - LIGHT 12               |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                 |                |
| 14500   | - Daybeacon 14           |                          |                       |               |              | TR on pile.                 |                |
| 14505   | - LIGHT 16               |                          | <b>FI R 6s</b>        | 14            | 4            | TR on pile.                 |                |
| 14510   | - Daybeacon 17           |                          |                       |               |              | SG on pile.                 |                |
| 14515   | - Daybeacon 18           |                          |                       |               |              | TR on pile.                 |                |
| 14520   | - Daybeacon 19           |                          |                       |               |              | SG on pile.                 |                |
| <b>Winter Harbor</b>                              |                          |                          |                       |               |              |                             |                |
| 14525   | - CHANNEL LIGHT 1        | 37 21 59 N<br>76 14 44 W | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.                 |                |
| 14530   | - Channel Daybeacon 2    |                          |                       |               |              | TR on pile.                 |                |
| 14535   | - CHANNEL LIGHT 3        |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 |                |
| 14540   | - Channel Daybeacon 4    |                          |                       |               |              | TR on pile.                 |                |
| 14545   | - Channel Daybeacon 4A   |                          |                       |               |              | TR on pile..                |                |
| 14550   | - Channel Daybeacon 6    |                          |                       |               |              | TR on pile.                 |                |
| 14555   | - Channel Daybeacon 8    |                          |                       |               |              | TR on pile.                 |                |
| 14560   | - Channel Daybeacon 10   |                          |                       |               |              | TR on pile.                 |                |
| 14565   | - Channel Daybeacon 12   |                          |                       |               |              | TR on pile.                 |                |
| 14570   | - Channel Daybeacon 14   |                          |                       |               |              | TR on pile.                 |                |
| 14575   | - Channel Daybeacon 16   |                          |                       |               |              | TR on pile.                 |                |

# Section 11

## Rappahannock River

| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                   | (8)<br>Remarks                                  |
|---|--------------------------|--------------------------|-----------------------|---------------|--------------|------------------------------------|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |                          |                          |                       |               |              |                                    |   |
| <b>RAPPAHANNOCK RIVER ENTRANCE (Chart 12235)</b>  |                          |                          |                       |               |              |                                    |   |
| <b>Milford Haven</b>                              |                          |                          |                       |               |              |                                    |   |
| 14580   | - East Lighted Buoy 1MH  |                          | FI G 4s               |               | 4            | Green.                             | Remove when endangered by ice.                  |
| 14585   | - EAST LIGHT 3           | 37 27 22 N<br>76 12 44 W | FI G 2.5s             | 15            | 4            | SG on pile.                        | Light equipment removed when endangered by ice. |
| 14590   | - EAST LIGHT 5           |                          | FI G 4s               | 15            | 4            | SG on multi-pile structure.        | Light equipment removed when endangered by ice. |
| 14593   | - EAST LIGHT 6           |                          | FI R 4s               | 15            | 3            | TR on pile.                        | Light equipment removed when endangered by ice. |
| 14595   | - Warning Daybeacon      |                          |                       |               |              | NW on pile worded<br>DANGER SHOAL. |   |
| 14600   | - EAST LIGHT 8           |                          | FI R 2.5s             | 15            | 3            | TR on pile.                        |   |
| 14605   | - EAST LIGHT 9           |                          | FI G 4s               | 15            | 4            | SG on pile.                        | Light equipment removed when endangered by ice. |
| 14610   | - EAST LIGHT 11          |                          | FI G 2.5s             | 15            | 3            | SG on pile.                        |   |
| 14615   | - East Daybeacon 12      |                          |                       |               |              | TR on pile.                        |   |
| 14620   | - EAST LIGHT 14          |                          | Q R                   | 15            | 4            | TR on pile.                        |   |
| 14625   | - East Daybeacon 16      |                          |                       |               |              | TR on pile.                        |   |
| <b>Stutts Creek</b>                               |                          |                          |                       |               |              |                                    |   |
| 14630   | - Entrance Daybeacon 1   |                          |                       |               |              | SG on pile.                        |   |
| 14635   | - Entrance Daybeacon 2   |                          |                       |               |              | TR on pile.                        |   |
| 14640   | - Daybeacon 3            |                          |                       |               |              | SG on pile.                        |   |
| 14645   | - Daybeacon 4            |                          |                       |               |              | TR on pile.                        |   |
| 14650   | - Junction Daybeacon     |                          |                       |               |              | JG on pile.                        |   |
| 14655   | - Daybeacon 5            |                          |                       |               |              | SG on pile.                        |   |
| 14660   | - Daybeacon 6            |                          |                       |               |              | TR on pile.                        |   |
| 14665   | - Daybeacon 7            |                          |                       |               |              | SG on pile.                        |   |
| <b>Piankatank River</b>                           |                          |                          |                       |               |              |                                    |   |
| 14670   | - Lighted Buoy 1P        | 37 32 54 N<br>76 15 14 W | FI G 2.5s             |               | 3            | Green.                             |   |
| 14675   | - Lighted Buoy 2         |                          | FI R 4s               |               | 4            | Red.                               |   |
| 14680   | - LIGHT 3                |                          | FI G 4s               | 19            | 4            | SG on pile.                        | Light equipment removed when endangered by ice. |
| 14690   | - LIGHT 5                |                          | FI G 4s               | 15            | 4            | SG on pile.                        | Light equipment removed when endangered by ice. |
| 14695   | - LIGHT 6                |                          | Q R                   | 15            | 4            | TR on pile.                        |   |

| (1)<br>No.  | (2)<br>Name and Location                            | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks   |
|---|---|--------------------------|-----------------------|---------------|--------------|------------------|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |   |                          |                       |               |              |                  |  |
| <b>Jackson Creek</b>                              |   |                          |                       |               |              |                  |  |
| 14700   | - LIGHT 1   | 37 32 42 N<br>76 19 19 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.      |  |
| 14705   | - Daybeacon 2<br>10 feet outside channel<br>limit.  |                          |                       | 20            |              | TR on pile.      |  |
| 14710   | - Daybeacon 3<br>10 feet outside channel<br>limit.  |                          |                       |               |              | SG on pile.      |  |
| 14715   | - Daybeacon 4<br>10 feet outside channel<br>limit.  |                          |                       |               |              | TR on pile.      |  |
| 14720   | - Daybeacon 5<br>10 feet outside channel<br>limit.  |                          |                       |               |              | SG on pile.      |  |
| 14725   | - Daybeacon 7<br>10 feet outside channel<br>limit.  |                          |                       |               |              | SG on pile.      |  |
| 14730   | - Daybeacon 9<br>10 feet outside channel<br>limit.  |                          |                       |               |              | SG on pile.      |  |
| 14735   | - Daybeacon 10<br>10 feet outside channel<br>limit. |                          |                       |               |              | TR on pile.      |  |
| <b>Piankatank River</b>                           |   |                          |                       |               |              |                  |  |
| 14740   | - LIGHT 7   |                          | <b>FI G</b> 2.5s      | 16            | 4            | SG on pile.      | Light equipment removed<br>when endangered by ice.     |
| 14745   | - LIGHT 8   |                          | <b>FI R</b> 2.5s      | 15            | 4            | TR on pile.      | Light equipment removed from<br>Dec. 15<br>to Mar. 15. |
| 14746   | - Buoy 8A   |                          |                       |               |              | Red nun.         |  |
| 14750   | - Buoy 8A   | 37 30 48 N<br>76 18 54 W |                       |               |              | Red nun.         | Aid removed from station from<br>Dec. 1 to Mar. 15.    |
| 14753   | - Daybeacon 9                                       |                          |                       |               |              | SG on pile.      |  |
| 14755   | - LIGHT 10  |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.      | Light equipment removed from<br>Dec. 1 to Mar. 15.     |
| 14757   | - Daybeacon 10A                                     |                          |                       |               |              | TR on pile.      |  |
| 14758   | - Daybeacon 11                                      |                          |                       |               |              | SG on pile.      |  |
| 14760   | - Daybeacon 12                                      |                          |                       |               |              | TR on pile.      |  |
| <b>Milford Haven</b>                              |   |                          |                       |               |              |                  |  |
| 14765   | - LIGHT 1   | 37 29 32 N<br>76 19 04 W | <b>FI G</b> 4s        | 15            | 5            | SG on pile.      |  |
| 14770   | - LIGHT 3   |                          | <b>Q G</b>            | 15            | 3            | SG on pile.      |  |
| 14775   | - Daybeacon 3A                                      |                          |                       |               |              | SG on pile.      |  |
| 14780   | - Daybeacon 4                                       |                          |                       |               |              | TR on pile.      |  |
| 14785   | - Daybeacon 4A                                      |                          |                       |               |              | TR on pile.      |  |
| 14790   | - Daybeacon 5                                       |                          |                       |               |              | SG on pile.      |  |
| 14795   | - LIGHT 6   | 37 29 36 N<br>76 18 16 W | <b>Q R</b>            | 15            | 4            | TR on pile.      |  |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                          | (8)<br>Remarks                                  |
|---|----------------------------|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |                            |                          |                       |               |              |   |   |
| 14800   | - Daybeacon 8              |                          |                       |               |              | TR on pile.                               |   |
| 14805   | - Daybeacon 10             |                          |                       |               |              | TR on pile.                               |   |
| 14810   | - LIGHT 12                 |                          | <b>FI R 4s</b>        | 15            | 4            | TR on pile.                               | Light equipment removed when endangered by ice. |
| <b>Queens Creek</b>                               |                            |                          |                       |               |              |   |   |
| <i>Aids 10 feet outside channel limit.</i>        |                            |                          |                       |               |              |   |   |
| 14815   | - Channel Daybeacon 1      |                          |                       |               |              | SG on pile.                               |   |
| 14820   | - CHANNEL LIGHT 2          | 37 29 24 N<br>76 19 16 W | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                               | Light equipment removed when endangered by ice. |
| 14823   | - Warning Daybeacon A      | 37 29 19 N<br>76 19 22 W |                       |               |              | NW on pile worded DANGER SHOAL.           |   |
| 14825   | - Buoy 2A                  |                          |                       |               |              | Red nun.                                  |   |
| 14830   | - Warning Daybeacon B      | 37 29 23 N<br>76 19 18 W |                       |               |              | NW on pile worded DANGER SUBMERGED JETTY. |   |
| 14835   | - Channel Daybeacon 4      |                          |                       |               |              | TR on pile.                               |   |
| 14840   | - CHANNEL LIGHT 5          |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.                               | Light equipment removed from Dec. 1 to Mar. 15. |
| 14845   | - Channel Daybeacon 6      |                          |                       |               |              | TR on pile.                               |   |
| 14850   | - Channel Daybeacon 6A     |                          |                       |               |              | TR on pile.                               |   |
| 14855   | - Channel Daybeacon 7      |                          |                       |               |              | SG on pile.                               |   |
| 14860   | - CHANNEL LIGHT 8          |                          | <b>FI R 2.5s</b>      | 15            | 4            | TR on pile.                               |   |
| 14865   | - Channel Daybeacon 9      |                          |                       |               |              | SG on pile.                               |   |
| 14870   | - Channel Daybeacon 11     |                          |                       |               |              | SG on pile.                               |   |
| 14875   | - Channel Daybeacon 12     |                          |                       |               |              | TR on pile.                               |   |
| <b>Piankatank River</b>                           |                            |                          |                       |               |              |   |   |
| 14880   | - LIGHT 13                 | 37 31 55 N<br>76 22 22 W | <b>FI G 2.5s</b>      | 15            | 4            | SG on pile.                               |   |
| 14885   | - Daybeacon 14             |                          |                       |               |              | TR on pile.                               |   |
| 14890   | - LIGHT 15                 |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                               |   |
| 14895   | Cobbs Creek Daybeacon 1    |                          |                       |               |              | SG on pile.                               |   |
| 14900   | Cobbs Creek Daybeacon 2    |                          |                       |               |              | TR on pile.                               |   |
| <b>Rappahannock River</b>                         |                            |                          |                       |               |              |   |   |
| 14905   | - Entrance Lighted Buoy 1R | 37 32 16 N<br>76 11 29 W | <b>FI G 6s</b>        |               | 3            | Green.                                    |   |
| 14910   | - Entrance Buoy 2R         |                          |                       |               |              | Red nun.                                  |   |
| 14915   | - ENTRANCE LIGHT 3R        | 37 34 20 N<br>76 16 10 W | <b>FI G 2.5s</b>      | 15            | 4            | SG on multi-pile structure.               |   |
| 14925   | - Entrance Lighted Buoy 6R |                          | <b>FI R 4s</b>        |               | 4            | Red.                                      |   |
| <b>Windmill Point Marina</b>                      |                            |                          |                       |               |              |   |   |
| 14930   | - LIGHT 1                  | 37 36 48 N<br>76 17 36 W | <b>FI G 4s</b>        | 12            |              | SG on pile.                               | Private aid.                                    |

| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                      | (8)<br>Remarks |
|---|--------------------------|--------------------------|-----------------------|---------------|--------------|---------------------------------------|----------------|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |                          |                          |                       |               |              |                                       |                |
| 14935   | - Daybeacon 1A           | 37 36 48 N<br>76 17 30 W |                       |               |              | SG on pile.                           | Private aid.   |
| 14940   | - LIGHT 2                |                          | <b>FI W</b> 4s        | 12            |              | TR on pile.                           | Private aid.   |
| 14945   | - Daybeacon 2A           |                          |                       |               |              | TR on pile.                           | Private aid.   |
| 14950   | - LIGHT 3                |                          | <b>F G</b>            | 12            |              | SG on pile.                           | Private aid.   |
| 14955   | - LIGHT 4                |                          | <b>F R</b>            | 12            |              | TR on pile.                           | Private aid.   |
| 14960   | - Wreck Daybeacon WR     |                          |                       |               |              | NW on pile worded SUBMERGED<br>WRECK. |                |
| <b>Broad Creek</b>                                |                          |                          |                       |               |              |                                       |                |
| 14965   | - ENTRANCE LIGHT 1       | 37 34 18 N<br>76 18 28 W | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.           |                |
| 14970   | - Channel Daybeacon 2    |                          |                       |               |              | TR on pile.                           |                |
| 14975   | - Channel Daybeacon 4    |                          |                       |               |              | TR on pile.                           |                |
| 14977   | - Channel Daybeacon 5    |                          |                       |               |              | SG on pile.                           |                |
| 14980   | - CHANNEL LIGHT 6        | 37 33 47 N<br>76 18 53 W | <b>FI R</b> 4s        | 15            | 4            | TR on multi-pile structure.           |                |
| 14981   | - Buoy 6A                |                          |                       |               |              | Red nun.                              |                |
| 14985   | - Channel Daybeacon 8    |                          |                       |               |              | TR on pile.                           |                |
| 14990   | - Channel Daybeacon 10   |                          |                       |               |              | TR on pile.                           |                |
| 14995   | - Channel Daybeacon 11   |                          |                       |               |              | SG on pile.                           |                |
| 15000   | - Channel Daybeacon 11   |                          |                       |               |              | SG on pile.                           |                |
| <b>Southern Branch</b>                            |                          |                          |                       |               |              |                                       |                |
| 15003   | - Daybeacon 2S           | 37 33 31 N<br>76 19 00 W |                       |               |              | TR on dolphin.                        | Private aid.   |
| 15003.1   | - Daybeacon 4            |                          |                       |               |              | TR on pile.                           | Private aid.   |
| 15003.2   | - Daybeacon 6            |                          |                       |               |              | TR on pile.                           | Private aid.   |
| 15003.3   | - Daybeacon 8            |                          |                       |               |              | TR on pile.                           | Private aid.   |
| 15003.4   | - Daybeacon 9            |                          |                       |               |              | SG on pile.                           | Private aid.   |
| <b>Rappahannock River</b>                         |                          |                          |                       |               |              |                                       |                |
| <b>Norton's Marina</b>                            |                          |                          |                       |               |              |                                       |                |
| 15005   | - Daybeacon 1            | 37 33 42 N<br>76 18 48 W |                       |               |              | SG on pile.                           | Private aid.   |
| 15010   | - Daybeacon 2            |                          |                       |               |              | TR on pile.                           | Private aid.   |
| 15015   | - Daybeacon 4            |                          |                       |               |              | TR on pile.                           | Private aid.   |
| 15020   | - Daybeacon 5            |                          |                       |               |              | SG on pile.                           | Private aid.   |
| 15025   | - Daybeacon 7            |                          |                       |               |              | SG on pile.                           | Private aid.   |
| 15030   | - Daybeacon 8            |                          |                       |               |              | TR on pile.                           | Private aid.   |
| 15035   | - Daybeacon 9            |                          |                       |               |              | SG on pile.                           | Private aid.   |
| 15040   | - Daybeacon 10           |                          |                       |               |              | TR on pile.                           | Private aid.   |

| (1)<br>No.  | (2)<br>Name and Location               | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                          | (8)<br>Remarks                                  |
|---|--|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |                       |               |              |   |   |
| 15045   | - Daybeacon 11                         |                          |                       |               |              | SG on pile.                               | Private aid.                                    |
| 15050   | - Daybeacon 12                         |                          |                       |               |              | TR on pile.                               | Private aid.                                    |
| <b>Rappahannock River</b>                         |  |                          |                       |               |              |   |   |
| 15055   | - ENTRANCE LIGHT 7R                    | 37 35 09 N<br>76 19 45 W | <b>FI G</b> 4s        | 18            | 4            | SG on multi-pile structure.               | Higher intensity beam up and down the channel.  |
| 15060   | Grinels Breakwater Warning Daybeacon A | 37 34 30 N<br>76 21 29 W |                       |               |              | NW on pile worded DANGER SUBMERGED ROCKS. |   |
| 15065   | Grinels Breakwater Warning Daybeacon B |                          |                       |               |              | NW on pile worded DANGER SUBMERGED ROCKS. |   |
| 15070   | - ENTRANCE LIGHT 8R                    |                          | <b>FI R</b> 2.5s      | 15            | 6            | TR on multi-pile structure.               |   |
| <b>Mill Creek</b>                                 |  |                          |                       |               |              |   |   |
| 15075   | - ENTRANCE LIGHT 2                     | 37 35 29 N<br>76 24 34 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                               |   |
| 15080   | - Daybeacon 3                          |                          |                       |               |              | SG on pile.                               |   |
| 15085   | - LIGHT 4                              |                          | <b>FI R</b> 4s        | 15            | 4            | TR on multi-pile structure.               |   |
| 15090   | - Daybeacon 5                          |                          |                       |               |              | SG on pile.                               |   |
| <b>Locklies Creek</b>                             |  |                          |                       |               |              |   |   |
| 15095   | - LIGHT 1                              | 37 36 02 N<br>76 25 26 W | <b>Q G</b>            | 15            | 3            | SG on pile.                               | Light equipment removed when endangered by ice. |
| 15100   | - Daybeacon 2                          | 37 35 54 N<br>76 25 32 W |                       |               |              | TR on pile.                               |   |
| 15105   | - Daybeacon 4                          |                          |                       |               |              | TR on pile.                               |   |
| 15110   | - Daybeacon 5                          |                          |                       |               |              | SG on pile.                               |   |
| <b>Rappahannock River</b>                         |  |                          |                       |               |              |   |   |
| 15115   | - ENTRANCE LIGHT 9R                    | 37 36 06 N<br>76 21 17 W | <b>FI G</b> 4s        | 15            | 4            | SG on black house on cylindrical base.    |   |
| <b>Carter Creek</b>                               |  |                          |                       |               |              |   |   |
| 15120   | - LIGHT 1                              | 37 38 56 N<br>76 26 36 W | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.               | Higher intensity beam towards main bridge span. |
| 15125   | - Daybeacon 2                          |                          |                       |               |              | TR on pile.                               |   |
| 15130   | - Daybeacon 3                          |                          |                       |               |              | SG on pile.                               |   |
| 15135   | - Daybeacon 4                          |                          |                       |               |              | TR on pile.                               |   |
| 15140   | - Daybeacon 6                          |                          |                       |               |              | TR on pile.                               |   |
| 15145   | - LIGHT 7                              |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                               |   |
| 15150   | - EASTERN BRANCH LIGHT 1               |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                               |   |
| <b>Corrotoman River</b>                           |  |                          |                       |               |              |   |   |
| 15155   | - LIGHT 2                              | 37 40 00 N<br>76 28 56 W | <b>FI R</b> 4s        | 15            | 4            | TR on multi-pile structure.               |   |
| 15157   | - LIGHT 3                              |                          | <b>FI G</b> 4s        | 16            | 4            | SG on pile.                               |   |
| 15160   | Taylor Creek Daybeacon 1               |                          |                       |               |              | SG on pile.                               |   |
| 15165   | - Daybeacon 4                          |                          |                       |               |              | TR on pile.                               |   |

| (1)<br>No.  | (2)<br>Name and Location                  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                   | (8)<br>Remarks                                     |
|---|---|--------------------------|-----------------------|---------------|--------------|------------------------------------|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |   |                          |                       |               |              |                                    |  |
| 15170   | - Daybeacon 6                             |                          |                       |               |              | TR on pile.                        |  |
| 15175   | Myer Creek Daybeacon 2                    | 37 41 12 N<br>76 28 57 W |                       |               |              | TR on pile.                        |  |
| 15180   | Myer Creek Daybeacon 3                    |                          |                       |               |              | SG on pile.                        |  |
| 15185   | Myer Creek Daybeacon 4                    |                          |                       |               |              | TR on pile.                        |  |
| 15190   | - LIGHT 7                                 |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.        |  |
| 15195   | - LIGHT 8                                 |                          | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile structure.        |  |
| 15200   | - Daybeacon 9                             |                          |                       |               |              | SG on pile.                        |  |
| <b>Whiting Creek</b>                              |   |                          |                       |               |              |                                    |  |
| 15205   | - Channel Buoy 2W                         | 37 37 03 N<br>76 30 39 W |                       |               |              | Red nun.                           |  |
| 15210   | - Channel Buoy 3                          |                          |                       |               |              | Green can.                         |  |
| 15215   | - Channel Buoy 4                          |                          |                       |               |              | Red nun.                           |  |
| 15220   | - Channel Buoy 5                          |                          |                       |               |              | Green can.                         |  |
| 15225   | - Channel Buoy 6                          |                          |                       |               |              | Red nun.                           |  |
| <b>RAPPAHANNOCK RIVER (Chart 12237)</b>           |   |                          |                       |               |              |                                    |  |
| <b>Rappahannock River</b>                         |   |                          |                       |               |              |                                    |  |
| 15230   | - Lighted Bell Buoy 6                     |                          | <b>FI R 4s</b>        |               | 4            | Red.                               |  |
| 15235   | Beach Creek Entrance<br>Warning Daybeacon |                          |                       |               |              | NW on pile worded DANGER<br>SHOAL. |  |
| <b>Urbanna Creek</b>                              |   |                          |                       |               |              |                                    |  |
| 15240   | - CHANNEL LIGHT 2                         | 37 38 31 N<br>76 33 47 W | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile structure.        |  |
| 15245   | - Channel Daybeacon 3                     |                          |                       |               |              | SG on pile.                        |  |
| 15250   | - CHANNEL LIGHT 5                         |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.        | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| 15255   | - Channel Daybeacon 6                     |                          |                       |               |              | TR on pile.                        |  |
| 15260   | - Daybeacon 7                             |                          |                       |               |              | SG on pile.                        |  |
| 15265   | - Daybeacon 9                             |                          |                       |               |              | SG on pile.                        |  |
| 15270   | - Daybeacon 11                            |                          |                       |               |              | SG on pile.                        |  |
| 15275   | ROBINSON CREEK LIGHT 1                    | 37 39 05 N<br>76 34 34 W | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.        |  |
| 15280   | Robinson Creek Daybeacon 3                |                          |                       |               |              | SG on pile.                        |  |
| <b>Rappahannock River</b>                         |   |                          |                       |               |              |                                    |  |
| 15285   | - LIGHT 8                                 |                          | <b>FI R 2.5s</b>      | 15            | 4            | TR on multi-pile structure.        |  |
| 15290   | LA GRANGE CREEK<br>ENTRANCE LIGHT 2       | 37 39 56 N<br>76 34 49 W | <b>FI R 2.5s</b>      | 15            | 3            | TR on multi-pile structure.        | Light equipment removed<br>when endangered by ice. |
| 15295   | La Grange Creek<br>Daybeacon 4            |                          |                       |               |              | TR on pile.                        |  |
| 15300   | La Grange Creek<br>Daybeacon 5            |                          |                       |               |              | SG on pile.                        |  |

| (1)<br>No.  | (2)<br>Name and Location                  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                          | (8)<br>Remarks                                  |
|---|---|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |   |                          |                       |               |              |   |   |
| <b>Belle Isle State Park</b>                      |   |                          |                       |               |              |   |   |
| 15303   | - Daybeacon 2                             | 37 46 03 N<br>76 35 05 W |                       |               |              | TR on pile.                               | Private aid.                                    |
| 15303.1   | - Daybeacon 4                             |                          |                       |               |              | TR on pile.                               | Private aid.                                    |
| 15303.2   | - Daybeacon 6                             |                          |                       |               |              | TR on pile.                               | Private aid.                                    |
| 15303.3   | - Daybeacon 7                             |                          |                       |               |              | SG on pile.                               | Private aid.                                    |
| <b>Greenvale Creek Channel</b>                    |   |                          |                       |               |              |   |   |
| 15305   | - ENTRANCE LIGHT 2                        | 37 42 28 N<br>76 32 46 W | <b>FI R 2.5s</b>      | 15            | 4            | TR on pile.                               |   |
| 15310   | - Daybeacon 4                             |                          |                       |               |              | TR on pile.                               |   |
| 15315   | - Daybeacon 6                             |                          |                       |               |              | TR on pile.                               |   |
| 15320   | - Daybeacon 8                             |                          |                       |               |              | TR on pile.                               |   |
| 15325   | - Daybeacon 10                            |                          |                       |               |              | TR on pile.                               |   |
| 15330   | - Daybeacon 12                            |                          |                       |               |              | TR on pile.                               |   |
| 15335   | - Daybeacon 14                            |                          |                       |               |              | TR on pile.                               |   |
| <b>Rappahannock River</b>                         |   |                          |                       |               |              |   |   |
| 15340   | - LIGHT 10                                |                          | <b>FI R 2.5s</b>      | 15            | 4            | TR on multi-pile structure.               |   |
| <b>Parrotts Creek</b>                             |   |                          |                       |               |              |   |   |
| <i>Aids 20 feet outside channel limit.</i>        |   |                          |                       |               |              |   |   |
| 15345   | - ENTRANCE LIGHT 1                        | 37 43 53 N<br>76 36 28 W | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.                               | Light equipment removed when endangered by ice. |
| 15350   | - Channel Daybeacon 3                     |                          |                       |               |              | SG on pile.                               |   |
| 15355   | - CHANNEL LIGHT 4                         |                          | <b>FI R 4s</b>        | 15            | 3            | TR on on multi-pile structure.            | Higher intensity beam down channel.             |
| 15360   | - Channel Daybeacon 6                     |                          |                       |               |              | TR on pile.                               |   |
| 15365   | - Channel Daybeacon 8                     |                          |                       |               |              | TR on pile.                               |   |
| 15370   | - Channel Daybeacon 7                     |                          |                       |               |              | SG on pile.                               |   |
| <b>Rappahannock River</b>                         |   |                          |                       |               |              |   |   |
| 15375   | - <i>Lighted Buoy 11</i>                  |                          | <b>FI G 4s</b>        |               | 4            | Green.                                    |   |
| 15380   | MULBERRY CREEK LIGHT 1                    | 37 47 01 N<br>76 37 51 W | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.               | Light equipment removed when endangered by ice. |
| 15385   | Mulberry Creek Entrance Warning Daybeacon | 37 46 51 N<br>76 37 55 W |                       |               |              | NW on pile worded DANGER SUBMERGED ROCKS. |   |
| <b>Marattico River</b>                            |   |                          |                       |               |              |   |   |
| 15390   | - ENTRANCE LIGHT 1                        | 37 47 27 N<br>76 38 45 W | <b>FI G 4s</b>        | 15            | 4            | SG on on multi-pile structure.            | Higher intensity beam down Rappahannock River.  |
| 15395   | - Daybeacon 2                             |                          |                       |               |              | TR on pile.                               |   |
| 15400   | - Daybeacon 3                             |                          |                       |               |              | SG on pile.                               |   |
| 15405   | Lancaster Creek Daybeacon 1               |                          |                       |               |              | SG on pile.                               |   |

| (1)<br>No.  | (2)<br>Name and Location                    | (3)<br>Position          | (4)<br>Characteristic        | (5)<br>Height | (6)<br>Range | (7)<br>Structure        | (8)<br>Remarks                                  |
|---|---|--------------------------|------------------------------|---------------|--------------|-------------------------|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |   |                          |                              |               |              |                         |   |
| 15410   | Lancaster Creek<br>Daybeacon 3              |                          |                              |               |              | SG on pile.             |   |
| <b>Rappahannock River</b>                         |   |                          |                              |               |              |                         |   |
| 15415   | - Buoy 12                                   |                          |                              |               |              | Red nun.                |   |
| 15420   | - Lighted Buoy 13                           |                          | <b>FI G 4s</b>               |               | 4            | Green.                  | Replaced by can when endangered by ice.         |
| 15425   | - Buoy 15                                   |                          |                              |               |              | Green can.              |   |
| 15430   | - Buoy 16                                   |                          |                              |               |              | Red nun.                |   |
| 15435   | WILDWOOD BEACH LIGHT 2                      | 37 48 44 N<br>76 44 35 W | <b>FI R 2.5s</b>             | 15            | 3            | TR on pile.             | Light equipment removed when endangered by ice. |
| 15440   | - Buoy 18                                   |                          |                              |               |              | Red nun.                |   |
| 15445   | - LIGHT 19                                  |                          | <b>FI G 6s</b><br>(R sector) | 23            | G 7<br>R 5   | SG on cylindrical base. | Red from 308.3° to 147°.                        |
| 15450   | - Buoy 21                                   |                          |                              |               |              | Green can.              |   |
| <b>Totuskey Creek</b>                             |   |                          |                              |               |              |                         |   |
| 15455   | - Buoy 2                                    |                          |                              |               |              | Red nun.                |   |
| 15460   | - Daybeacon 2A                              | 37 52 02 N<br>76 45 05 W |                              |               |              | TR on pile.             |   |
| 15465   | - LIGHT 3<br>50 feet outside channel limit. | 37 52 21 N<br>76 45 03 W | <b>Q G</b>                   | 15            | 3            | SG on pile.             |   |
| 15470   | - Daybeacon 5                               |                          |                              |               |              | SG on pile.             |   |
| 15475   | - Daybeacon 7                               |                          |                              |               |              | SG on pile.             |   |
| 15480   | - Daybeacon 9                               |                          |                              |               |              | SG on pile.             |   |
| 15485   | - Daybeacon 11                              |                          |                              |               |              | SG on pile.             |   |
| 15490   | - Daybeacon 12                              |                          |                              |               |              | TR on pile.             |   |
| 15495   | - Daybeacon 13                              |                          |                              |               |              | SG on pile.             |   |
| 15500   | - Daybeacon 15                              |                          |                              |               |              | SG on pile.             |   |
| 15505   | - Daybeacon 17                              |                          |                              |               |              | SG on pile.             |   |
| 15510   | - Daybeacon 18                              |                          |                              |               |              | TR on pile.             |   |
| 15515   | - Daybeacon 19                              |                          |                              |               |              | SG on pile.             |   |
| 15520   | - Daybeacon 21                              |                          |                              |               |              | SG on pile.             |   |
| 15525   | - Daybeacon 22                              |                          |                              |               |              | TR on pile.             |   |
| 15530   | - Daybeacon 24                              |                          |                              |               |              | TR on pile.             |   |
| 15535   | - Daybeacon 26                              |                          |                              |               |              | TR on pile.             |   |
| 15540   | - Daybeacon 27                              |                          |                              |               |              | SG on pile.             |   |
| 15541   | <i>TMT Lighted Mooring Buoy A</i>           |                          | <b>FI W 4s</b>               |               |              | White with blue band.   | Private aid.                                    |
| 15543   | <i>TMT Lighted Mooring Buoy B</i>           |                          | <b>FI W 4s</b>               |               |              | White with blue band.   | Private aid.                                    |
| 15545   | - Daybeacon 29                              |                          |                              |               |              | SG on pile.             |   |

| (1)<br>No.  | (2)<br>Name and Location                                     | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure             | (8)<br>Remarks  |
|---|--|--------------------------|-----------------------|---------------|--------------|------------------------------|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |                       |               |              |                              |   |
| <b>Rappahannock River</b>                         |  |                          |                       |               |              |                              |   |
| 15550   | - Buoy 22  |                          |                       |               |              | Red nun.                     |   |
| 15555   | VIRGINIA POWER CABLE<br>CROSSING EAST TOWER<br>LIGHT A       | 37 52 36 N<br>76 46 12 W | <b>FI Y 4s</b>        | 11            |              | On tower.                    | Private aid.  |
| 15560   | VIRGINIA POWER CABLE<br>CROSSING MIDDLE<br>TOWER LIGHT B (2) |                          | <b>FI Y 4s</b>        | 11            |              | Tower.                       | Private aid.  |
| 15565   | VIRGINIA POWER CABLE<br>CROSSING WEST TOWER<br>LIGHT C       |                          | <b>FI Y 4s</b>        | 11            |              | On tower.                    | Private aid.  |
| 15570   | - Buoy 23  |                          |                       |               |              | Green can.                   |   |
| 15575   | - <i>Lighted Buoy 24</i><br>West of Ross Rock.               |                          | <b>FI R 4s</b>        |               | 4            | Red.                         | Replaced by nun when<br>endangered by ice.            |
| 15580   | - Buoy 26  |                          |                       |               |              | Red nun.                     |   |
| 15585   | - Buoy 28  |                          |                       |               |              | Red nun.                     |   |
| 15590   | - LIGHT 29   |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.  |   |
| 15595   | - Buoy 30  |                          |                       |               |              | Red nun.                     |   |
| <b>Hoskins Creek</b>                              |  |                          |                       |               |              |                              |   |
| 15600   | - LIGHT 1  | 37 55 29 N<br>76 50 43 W | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.  |   |
| 15605   | - RANGE FRONT LIGHT  | 37 55 18 N<br>76 51 10 W | <b>Q W</b>            | 15            |              | KWR on pile.                 | Visible all around; higher<br>intensity on rangeline. |
| 15610   | - RANGE REAR LIGHT<br>384 yards, 235° from<br>front light.   |                          | <b>Iso W 6s</b>       | 30            |              | KWR on multi-pile structure. | Visible all around; higher<br>intensity on rangeline. |
| 15615   | - Channel Daybeacon 2  | 37 55 21 N<br>76 51 12 W |                       |               |              | TR on pile.                  |   |
| <b>Rappahannock River</b>                         |  |                          |                       |               |              |                              |   |
| 15620   | Tappahannock Channel<br>Daybeacon 2                          | 37 56 09 N<br>76 51 31 W |                       |               |              | TR on pile.                  |   |
| 15625   | - LIGHT 32   |                          | <b>FI R 4s</b>        | 15            | 4            | TR on multi-pile structure.  |   |
| 15630   | - Buoy 34  |                          |                       |               |              | Red nun.                     |   |
| 15635   | - LIGHT 35   |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile.            |   |
| 15640   | - LIGHT 36   | 37 58 36 N<br>76 51 53 W | <b>Q R</b>            | 15            | 4            | TR on multi-pile structure.  |   |
| 15645   | - Buoy 37  |                          |                       |               |              | Green can.                   |   |
| 15650   | - LIGHT 38   |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on multi-pile structure.  |   |
| 15655   | - LIGHT 40   |                          | <b>FI R 6s</b>        | 15            | 4            | TR on multi-pile.            |   |
| 15660   | - Buoy 42  |                          |                       |               |              | Red nun.                     |   |
| 15665   | - Buoy 44  |                          |                       |               |              | Red nun.                     |   |
| 15670   | - Buoy 46  |                          |                       |               |              | Red nun.                     |   |
| 15675   | - Buoy 47  |                          |                       |               |              | Green can.                   |   |
| 15680   | - Buoy 48  |                          |                       |               |              | Red nun.                     |   |

| (1)<br>No.  | (2)<br>Name and Location           | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                  |
|---|------------------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |                                    |                          |                       |               |              |                             |   |
| 15685   | - Buoy 49                          |                          |                       |               |              | Green can.                  |   |
| 15690   | - Buoy 50                          |                          |                       |               |              | Red nun.                    |   |
| 15695   | - Buoy 52                          |                          |                       |               |              | Red nun.                    |   |
| 15700   | - Buoy 54                          |                          |                       |               |              | Red nun.                    |   |
| 15705   | - Buoy 55                          |                          |                       |               |              | Green can.                  |   |
| 15710   | - Buoy 57                          |                          |                       |               |              | Green can.                  |   |
| 15715   | - Buoy 59                          |                          |                       |               |              | Green can.                  |   |
| 15720   | - Daybeacon 60                     |                          |                       |               |              | TR on pile.                 |   |
| 15725   | - Daybeacon 62                     |                          |                       |               |              | TR on pile.                 |   |
| 15730   | - Buoy 63                          |                          |                       |               |              | Green can.                  |   |
| 15735   | - Daybeacon 64                     |                          |                       |               |              | TR on pile.                 |   |
| 15740   | - Buoy 65                          |                          |                       |               |              | Green can.                  |   |
| 15745   | - Buoy 67                          |                          |                       |               |              | Green can.                  |   |
| 15750   | - LIGHT 68                         |                          | <b>F I R 4s</b>       | 15            | 4            | TR on multi-pile structure. | Light equipment removed when endangered by ice. |
| 15755   | - Daybeacon 69                     |                          |                       |               |              | SG on pile.                 |   |
| 15760   | - Daybeacon 70                     |                          |                       |               |              | TR on pile.                 |   |
| 15765   | - Daybeacon 72                     |                          |                       |               |              | TR on pile.                 |   |
| 15770   | - Daybeacon 74                     |                          |                       |               |              | TR on pile.                 |   |
| 15775   | - LIGHT 75                         |                          | <b>F I G 4s</b>       | 12            | 4            | SG on multi-pile structure. |   |
| 15780   | - Buoy 77                          |                          |                       |               |              | Green can.                  |   |
| 15785   | - Daybeacon 78                     |                          |                       |               |              | TR on pile.                 |   |
| 15790   | - Buoy 79                          |                          |                       |               |              | Green can.                  |   |
| 15795   | - Buoy 81                          |                          |                       |               |              | Green can.                  |   |
| 15800   | - Buoy 82                          |                          |                       |               |              | Red nun.                    |   |
| 15805   | - Buoy 83                          |                          |                       |               |              | Green can.                  |   |
| 15810   | - Buoy 85                          | 38 13 00 N<br>77 14 36 W |                       |               |              | Green can.                  |   |
| 15815   | - Buoy 86                          |                          |                       |               |              | Red nun.                    |   |
| 15820   | - Buoy 88                          |                          |                       |               |              | Red nun.                    |   |
| 15825   | - Buoy 89                          |                          |                       |               |              | Green can.                  |   |
| 15830   | - Buoy 90                          |                          |                       |               |              | Red nun.                    |   |
| 15835   | - Buoy 91                          |                          |                       |               |              | Green can.                  |   |
| 15840   | - Buoy 93                          |                          |                       |               |              | Green can.                  |   |
| 15845   | - Buoy 95                          |                          |                       |               |              | Green can.                  |   |
| 15850   | - Buoy 97                          |                          |                       |               |              | Green can.                  |   |
| 15855   | SOLITE CORP. UPPER DOLPHIN LIGHT A | 38 14 36 N<br>77 16 42 W | <b>F Y</b>            | 10            |              | On dolphin.                 | Private aid.                                    |

| (1)<br>No.  | (2)<br>Name and Location                      | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks                                  |
|---|---|--------------------------|-----------------------|---------------|--------------|--------------------------------|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |   |                          |                       |               |              |                                |   |
| 15860   | SOLITE CORP. LOWER DOLPHIN LIGHT B            | 38 14 30 N<br>77 16 42 W | F Y                   | 10            |              | On dolphin.                    | Private aid.                                    |
| 15980   | <i>Delco Moraine Lighted Obstruction Buoy</i> | 38 16 06 N<br>77 25 54 W | FI W 6s               |               |              | Orange and white bands.        | Private aid.                                    |
| <b>RAPPAHANNOCK RIVER ENTRANCE (Chart 12235)</b>  |   |                          |                       |               |              |                                |   |
| <b>West Side</b>                                  |   |                          |                       |               |              |                                |   |
| <b>Antipoison Creek</b>                           |   |                          |                       |               |              |                                |   |
| 16005   | - Daybeacon 2                                 |                          |                       |               |              | TR on pile.                    |   |
| 16010   | - LIGHT 4                                     | 37 37 55 N<br>76 19 29 W | FI R 2.5s             | 15            | 3            | TR on pile.                    | Light equipment removed when endangered by ice. |
| 16015   | - Daybeacon 5                                 |                          |                       |               |              | SG on pile.                    |   |
| 16020   | - Daybeacon 6                                 |                          |                       |               |              | TR on pile.                    |   |
| 16025   | - Daybeacon 7                                 |                          |                       |               |              | SG on pile.                    |   |
| <b>Dymer Creek</b>                                |   |                          |                       |               |              |                                |   |
| 16030   | NORTH POINT LIGHT N                           | 37 39 15 N<br>76 17 59 W | FI W 4s               | 15            | 6            | NG on pile.                    |   |
| 16035   | - ENTRANCE LIGHT 2                            | 37 39 21 N<br>76 19 04 W | FI R 4s               | 15            | 4            | TR on pile.                    |   |
| 16040   | - ENTRANCE LIGHT 4                            |                          | FI R 2.5s             | 15            | 3            | TR on pile.                    |   |
| 16045   | - ENTRANCE LIGHT 6                            |                          | FI R 4s               | 15            | 3            | TR on on multi-pile structure. |   |
| 16050   | - ENTRANCE LIGHT 7                            |                          | FI G 4s               | 15            | 4            | SG on pile.                    |   |
| 16055   | Johnson Creek Warning Daybeacon               | 37 40 24 N<br>76 21 05 W |                       |               |              | NW on pile worded DANGER.      |   |
| 16060   | Fleets Bay Buoy 1                             | 37 40 31 N<br>76 14 07 W |                       |               |              | Green can.                     |   |
| 16065   | Fleets Bay Buoy 2                             |                          |                       |               |              | Red nun.                       |   |
| <b>Indian Creek</b>                               |   |                          |                       |               |              |                                |   |
| 16070   | BLUFF POINT LIGHT B                           | 37 40 33 N<br>76 16 30 W | FI W 2.5s             | 19            | 5            | NR on pile.                    | Ra ref.   |
| 16075   | - ENTRANCE LIGHT 2                            |                          | FI R 2.5s             | 15            | 3            | TR on pile.                    |   |
| 16080   | - LIGHT 4                                     |                          | FI R 4s               | 15            | 3            | TR on pile.                    | Light equipment removed from Dec. 1 to Mar. 15. |
| 16085   | - LIGHT 6                                     |                          | FI R 4s               | 15            | 3            | TR on pile.                    |   |
| 16090   | Indian Creek Daybeacon 7                      | 37 41 07 N<br>76 20 01 W |                       |               |              | SG on pile.                    |   |
| 16095   | - Daybeacon 8                                 |                          |                       |               |              | TR on pile.                    |   |
| 16100   | - Daybeacon 9                                 |                          |                       |               |              | SG on pile.                    |   |
| 16105   | - LIGHT 10                                    |                          | FI R 4s               | 15            | 3            | TR on pile.                    | Light equipment removed from Dec. 1 to Mar. 15. |
| 16110   | - Daybeacon 11                                |                          |                       |               |              | SG on pile.                    |   |
| 16115   | - LIGHT 12                                    |                          | FI R 6s               | 15            | 4            | TR on pile.                    |   |

| (1)<br>No.  | (2)<br>Name and Location                                 | (3)<br>Position          | (4)<br>Characteristic                   | (5)<br>Height | (6)<br>Range | (7)<br>Structure                             | (8)<br>Remarks                               |
|---|--|--------------------------|---|---------------|--------------|--|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |   |               |              |  |  |
| <b>Dividing Creek</b>                             |  |                          |   |               |              |  |  |
| 16120   | - ENTRANCE LIGHT 3                                       | 37 42 46 N<br>76 17 00 W | <b>FI G</b> 4s                          | 15            | 4            | SG on pile.                                  |  |
| 16125   | - ENTRANCE LIGHT 4                                       |                          | <b>FI R</b> 4s                          | 15            | 3            | TR on pie.                                   |  |
| 16130   | - Entrance Daybeacon 6                                   |                          |   |               |              | TR on pile.                                  |  |
| 16135   | - ENTRANCE LIGHT 7                                       |                          | <b>FI G</b> 4s                          | 15            | 4            | SG on pile.                                  |  |
| 16140   | - Daybeacon 7A   |                          |   |               |              | SG on pile.                                  |  |
| <b>Jarvis Creek</b>                               |  |                          |   |               |              |  |  |
| 16145   | - Daybeacon 2  |                          |   |               |              | TR on pile.                                  |  |
| 16150   | - Daybeacon 3  |                          |   |               |              | SG on pile.                                  |  |
| 16155   | Prentice Creek Entrance<br>Daybeacon 1                   | 37 43 42 N<br>76 19 05 W |   |               |              | SG on pile.                                  |  |
| 16160   | Prentice Creek Daybeacon 2                               | 37 43 47 N<br>76 19 22 W |   |               |              | TR on pile.                                  |  |
| <b>Dividing Creek</b>                             |  |                          |   |               |              |  |  |
| 16165   | - Daybeacon 8  |                          |   |               |              | TR on pile.                                  |  |
| 16170   | - Daybeacon 9  |                          |   |               |              | SG on pile.                                  |  |
| 16175   | - Daybeacon 10   |                          |   |               |              | TR on pile.                                  |  |
| <b>Great Wicomico River</b>                       |  |                          |   |               |              |  |  |
| 16180   | - Lighted Buoy 1GW                                       | 37 46 56 N<br>76 12 13 W | <b>FI G</b> 4s                          |               | 4            | Green.                                       |  |
| 16185   | - Light Warning Buoy<br>Marks rocks at foot of<br>light. |                          |   |               |              | White with orange bands and<br>diamond; nun. |  |
| 16190<br>7475                                     | - LIGHT  | 37 48 12 N<br>76 15 59 W | <b>FI W</b> 6s<br>( <b>2 R</b> sectors) | 42            | W 9<br>R 7   | NR on skeleton tower.                        | Red from 315.5° to 062° and<br>107° to 232°. |
| 16195   | - Buoy 2   |                          |   |               |              | Red nun.                                     |  |
| 16200   | - Buoy 3   | 37 47 54 N<br>76 16 00 W |   |               |              | Green can.                                   |  |
| 16205   | MILL CREEK ENTRANCE<br>LIGHT 2MC                         | 37 47 37 N<br>76 17 47 W | <b>FI R</b> 4s                          | 15            | 4            | TR on pile                                   |  |
| 16210   | Mill Creek Entrance<br>Daybeacon 3                       |                          |   |               |              | SG on pile.                                  |  |
| 16215   | Mill Creek Entrance<br>Daybeacon 4                       |                          |   |               |              | TR on pile.                                  |  |
| 16220   | Mill Creek Daybeacon 5                                   |                          |   |               |              | SG on pile.                                  |  |
| <b>Ingram Bay Marina</b>                          |  |                          |   |               |              |  |  |
| 16225   | - Daybeacon 2  | 37 47 48 N<br>76 18 00 W |   |               |              | TR on pile.                                  | Private aid.                                 |
| 16230   | - Daybeacon 3  |                          |   |               |              | SG on pile.                                  | Private aid.                                 |
| 16235   | - Daybeacon 4  |                          |   |               |              | TR on pile.                                  | Private aid.                                 |
| 16240   | - Daybeacon 5  |                          |   |               |              | SG on pile.                                  | Private aid.                                 |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure              | (8)<br>Remarks |
|---|--|--------------------------|-----------------------|---------------|--------------|-------------------------------|----------------|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |                       |               |              |                               |                |
| <b>Great Wicomico River</b>                       |  |                          |                       |               |              |                               |                |
| 16245   | - Buoy 4   |                          |                       |               |              | Red nun.                      |                |
| 16250   | - Lighted Buoy 6   |                          | <b>Q R</b>            |               | 4            | Red.                          |                |
| 16255   | COCKRELL CREEK LIGHT 1   | 37 49 10 N<br>76 17 04 W | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.   |                |
| 16260   | Cockrell Creek Daybeacon 2   |                          |                       |               |              | TR on pile.                   |                |
| 16265   | Buzzards Point Daybeacon 1   | 37 50 18 N<br>76 16 54 W |                       |               |              | SG on pile.                   | Private aid.   |
| 16270   | Buzzards Point Daybeacon 2   |                          |                       |               |              | TR on pile.                   | Private aid.   |
| 16275   | Buzzards Point Daybeacon 3   |                          |                       |               |              | SG on pile.                   | Private aid.   |
| 16280   | - LIGHT 8  |                          | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile structure.   |                |
| 16285   | Cranes Creek Channel<br>Daybeacon 2  |                          |                       |               |              | TR on piles.                  |                |
| 16290   | Cranes Creek Channel<br>Daybeacon 4  |                          |                       |               |              | TR on piles.                  |                |
| 16295   | Cranes Creek Channel<br>Daybeacon 6  | 37 48 58 N<br>76 18 37 W |                       |               |              | TR on pile.                   |                |
| 16300   | - LIGHT 9  |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.   |                |
| <b>Whay's Creek</b>                               |  |                          |                       |               |              |                               |                |
| 16305   | - Daybeacon 2  |                          |                       |               |              | TR on pile.                   | Private aid.   |
| 16310   | - Daybeacon 3  |                          |                       |               |              | SG on pile.                   | Private aid.   |
| 16315   | - Daybeacon 4  |                          |                       |               |              | TR on pile.                   | Private aid.   |
| 16320   | - Daybeacon 5  |                          |                       |               |              | SG on pile.                   | Private aid.   |
| 16325   | - Daybeacon 7  |                          |                       |               |              | SG on pile.                   | Private aid.   |
| <b>Great Wicomico River</b>                       |  |                          |                       |               |              |                               |                |
| 16330   | - LIGHT 10   |                          | <b>FI R 4s</b>        | 15            | 3            | TR on slatted pile structure. |                |
| 16335   | - LIGHT 11   |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.   |                |
| <b>Warehouse Creek</b>                            |  |                          |                       |               |              |                               |                |
| 16336.01  | - Daybeacon 1WC  | 37 50 36 N<br>76 19 18 W |                       |               |              | SG on pile.                   | Private aid.   |
| 16336.02  | - Daybeacon 2  |                          |                       |               |              | TR on pile.                   | Private aid.   |
| 16336.03  | - Daybeacon 3  |                          |                       |               |              | SG on pile.                   | Private aid.   |
| 16336.04  | - Daybeacon 4  |                          |                       |               |              | TR on pile.                   | Private aid.   |
| 16336.05  | - Daybeacon 5  |                          |                       |               |              | SG on pile.                   | Private aid.   |
| 16336.06  | - Daybeacon 6  |                          |                       |               |              | TR on pile.                   | Private aid.   |
| 16336.07  | - Daybeacon 7  |                          |                       |               |              | SG on pile.                   | Private aid.   |
| <b>Great Wicomico River</b>                       |  |                          |                       |               |              |                               |                |
| 16340   | GREAT WICOMICO RIVER<br>LIGHT A<br>Marks structure<br>supporting power<br>cable poles. | 37 50 54 N<br>76 22 06 W | <b>F Y</b>            | 10            |              | On dolphin.                   | Private aid.   |

| (1)<br>No. | (2)<br>Name and Location | (3)<br>Position | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks |
|------------|--------------------------|-----------------|-----------------------|---------------|--------------|------------------|----------------|
|------------|--------------------------|-----------------|-----------------------|---------------|--------------|------------------|----------------|

**CHESAPEAKE BAY (Virginia) - Fifth District**

|       |  |     |  |    |             |              |  |
|-------|--|-----|--|----|-------------|--------------|--|
| 16345 | GREAT WICOMICO RIVER<br>LIGHT B<br>Marks structure<br>supporting power<br>cable poles. | F Y |  | 10 | On dolphin. | Private aid. |  |
|-------|--|-----|--|----|-------------|--------------|--|

# Section 12

## Lower Potomac River

| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                           | (8)<br>Remarks |
|---|--------------------------|--------------------------|-----------------------|---------------|--------------|--|----------------|
| <b>POTOMAC RIVER (Virginia - Maryland) - Fifth District</b> |                          |                          |                       |               |              |  |                |
| <b>CHESAPEAKE BAY TO PINEY POINT (Chart 12233)</b>          |                          |                          |                       |               |              |  |                |
| <b>Little Wicomico River</b>                                |                          |                          |                       |               |              |  |                |
| 16350   | - APPROACH LIGHT 2LW     | 37 53 17 N<br>76 13 52 W | <b>FI R 2.5s</b>      | 15            | 4            | TR on pile.                                |                |
| 16355   | - LIGHT 4                |                          | <b>Q R</b>            | 15            | 3            | TR on pile.                                |                |
| 16360   | - LIGHT 5                |                          | <b>FI G 2.5s</b>      | 15            | 4            | SG on black skeleton tower on white house. |                |
| 16365   | - LIGHT 7                |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.                |                |
| 16370   | - Daybeacon 9            | 37 53 20 N<br>76 14 52 W |                       |               |              | SG on pile.                                |                |
| 16375   | - Daybeacon 8            |                          |                       |               |              | TR on pile.                                |                |
| <b>Slough Creek</b>   |                          |                          |                       |               |              |  |                |
| 16380   | - Daybeacon 1S           | 37 53 20 N<br>76 14 57 W |                       |               |              | SG on pile.                                |                |
| 16385   | - Daybeacon 2            |                          |                       |               |              | TR on pile.                                |                |
| 16390   | - Daybeacon 3            |                          |                       |               |              | SG on pile.                                |                |
| 16395   | - Daybeacon 4            |                          |                       |               |              | TR on pile.                                |                |
| 16400   | - Daybeacon 5            |                          |                       |               |              | SG on pile.                                |                |
| 16405   | - Daybeacon 7            |                          |                       |               |              | SG on pile.                                |                |
| 16410   | - Daybeacon 8            |                          |                       |               |              | TR on pile.                                |                |
| 16415   | - Daybeacon 10           |                          |                       |               |              | TR on pile.                                | Private aid.   |
| 16415.1   | - Daybeacon 11           |                          |                       |               |              | SG on pile.                                | Private aid.   |
| <b>Little Wicomico River</b>                                |                          |                          |                       |               |              |  |                |
| 16420   | - LIGHT 11               |                          | <b>FI G 4s</b>        | 14            | 4            | SG on pile.                                |                |
| 16425   | - Daybeacon 12           |                          |                       |               |              | TR on pile.                                |                |
| <b>Ellyson Creek</b>  |                          |                          |                       |               |              |  |                |
| 16430   | - Channel Daybeacon 1E   | 37 53 40 N<br>76 15 51 W |                       |               |              | SG on pile.                                |                |
| 16435   | - Channel Daybeacon 2    |                          |                       |               |              | TR on pile.                                |                |
| 16440   | - Channel Daybeacon 4    |                          |                       |               |              | TR on pile.                                |                |
| 16445   | - Channel Daybeacon 5    |                          |                       |               |              | SG on pile.                                |                |
| 16450   | - Channel Daybeacon 6    |                          |                       |               |              | TR on pile.                                |                |
| <b>Little Wicomico River</b>                                |                          |                          |                       |               |              |  |                |
| 16455   | - Daybeacon 13           |                          |                       |               |              | SG on pile.                                |                |
| 16460   | - Daybeacon 14           |                          |                       |               |              | TR on pile.                                |                |

| (1)<br>No.  | (2)<br>Name and Location                   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure             | (8)<br>Remarks                               |
|---|--|--------------------------|-----------------------|---------------|--------------|------------------------------|--|
| <b>POTOMAC RIVER (Virginia - Maryland) - Fifth District</b> |  |                          |                       |               |              |                              |  |
| 16465   | - Daybeacon 15                             |                          |                       |               |              | SG on pile.                  |  |
| 16470   | - Daybeacon 17                             |                          |                       |               |              | SG on pile.                  |  |
| 16475   | - Daybeacon 18                             |                          |                       |               |              | TR on pile.                  |  |
| 16480   | - Daybeacon 20                             |                          |                       |               |              | TR on pile.                  |  |
| 16485   | - Daybeacon 21                             |                          |                       |               |              | SG on pile.                  |  |
| <b>Potomac River</b>  |  |                          |                       |               |              |                              |  |
| 16490   | - Buoy 1                                   |                          |                       |               |              | Green can.                   |  |
| 16495   | - Buoy 3                                   | 37 56 45 N<br>76 16 15 W |                       |               |              | Green can.                   |  |
| 16500   | - Buoy 5                                   |                          |                       |               |              | Green can.                   |  |
| 16505   | - <i>Midchannel Lighted Whistle Buoy A</i> |                          | <b>Mo (A) W</b>       |               |              | 6 Red and white stripes.     | Removed from station when endangered by ice. |
| 16510   | - Seed Area Daybeacon A                    | 38 05 36 N<br>76 23 54 W |                       |               |              | NW on pile worded SEED AREA. | Private aid.<br>Ra ref.                      |
| 16515   | - Seed Area Daybeacon B                    |                          |                       |               |              | NW on pile worded SEED AREA. | Private aid.<br>Ra ref.                      |
| 16520   | - Seed Area Daybeacon C                    |                          |                       |               |              | NW on pile worded SEED AREA. | Private aid.<br>Ra ref.                      |
| 16525   | - Seed Area Daybeacon D                    |                          |                       |               |              | NW on pile worded SEED AREA. | Private aid.<br>Ra ref.                      |
| 16530   | - Seed Area Daybeacon E                    |                          |                       |               |              | NW on pile worded SEED AREA. | Private aid.<br>Ra ref.                      |
| 16535   | - Seed Area Daybeacon F                    |                          |                       |               |              | NW on pile worded SEED AREA. | Private aid.<br>Ra ref.                      |
| <b>Lake Conoy</b>   |  |                          |                       |               |              |                              |  |
| 16540   | - Daybeacon 1                              |                          |                       |               |              | SG on pile.                  |  |
| 16545   | - LIGHT 2                                  | 38 03 00 N<br>76 19 46 W | <b>FI R 2.5s</b>      | 18            | 3            | TR on pile.                  |  |
| 16550   | - Daybeacon 3                              |                          |                       |               |              | SG on pile.                  |  |
| 16555   | - Daybeacon A                              | 38 03 06 N<br>76 19 42 W |                       |               |              | NW on pile.                  | Private aid.                                 |
| 16560   | - Daybeacon B                              |                          |                       |               |              | NW on pile.                  | Private aid.                                 |
| 16565   | - Daybeacon C                              |                          |                       |               |              | NW on pile.                  | Private aid.                                 |
| <b>Potomac River</b>  |  |                          |                       |               |              |                              |  |
| 16570   | - <i>Lighted Bell Buoy 7</i>               |                          | <b>FI G 4s</b>        |               | 4            | Green.                       | Replaced by can when endangered by ice.      |
| <b>Coan River</b>   |  |                          |                       |               |              |                              |  |
| 16575   | - Entrance Buoy 2                          | 38 01 07 N<br>76 26 04 W |                       |               |              | Red nun.                     |  |
| 16580   | - Entrance Buoy 4                          |                          |                       |               |              | Red nun.                     |  |
| 16585   | - ENTRANCE LIGHT 5                         |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.  |  |
| 16590   | - ENTRANCE LIGHT 6                         |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.                  |  |

| (1)<br>No.  | (2)<br>Name and Location         | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                  |
|---|----------------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>POTOMAC RIVER (Virginia - Maryland) - Fifth District</b> |                                  |                          |                       |               |              |                             |   |
| 16595   | - Daybeacon 8                    |                          |                       |               |              | TR on pile.                 |   |
| 16600   | - Daybeacon 10                   |                          |                       |               |              | TR on pile.                 |   |
| 16602   | - Warning Daybeacon              |                          |                       |               |              | NW on pile.                 |   |
| 16603   | - Daybeacon 11                   |                          |                       |               |              | SG on pile.                 |   |
| 16605   | - Daybeacon 13                   |                          |                       |               |              | SG on pile.                 |   |
| 16607   | - Daybeacon 14                   |                          |                       |               |              | TR on pile.                 |   |
| 16610   | - Daybeacon 14A                  |                          |                       |               |              | TR on pile.                 |   |
| 16612   | - Marina Buoy 1                  |                          |                       |               |              | Green can.                  | Private aid.                                    |
| 16613   | - Marina Buoy 2                  |                          |                       |               |              | Red nun.                    | Private aid.                                    |
| 16614   | - Marina Buoy 3                  |                          |                       |               |              | Green can.                  | Private aid.                                    |
| 16615   | - Daybeacon 16                   |                          |                       |               |              | TR on pile.                 |   |
| 16620   | - Daybeacon 18                   |                          |                       |               |              | TR on pile.                 |   |
| 16625   | - Daybeacon 19                   |                          |                       |               |              | SG on pile.                 |   |
| 16630   | - Daybeacon 20                   |                          |                       |               |              | TR on pile.                 |   |
| 16635   | - Daybeacon 22                   |                          |                       |               |              | TR on pile.                 |   |
| <b>Smith Creek</b>  |                                  |                          |                       |               |              |                             |   |
| 16640   | - APPROACH LIGHT 2S              | 38 05 31 N<br>76 24 15 W | <b>Q R</b>            | 15            | 5            | TR on multi-pile structure. |   |
| 16645   | - LIGHT 3                        | 38 06 01 N<br>76 24 15 W | <b>FI G 2.5s</b>      | 17            | 3            | SG on pile.                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 16650   | - LIGHT 4                        | 38 06 08 N<br>76 24 27 W | <b>FI R 4s</b>        | 17            | 3            | TR on pile.                 |   |
| 16655   | - LIGHT 6                        |                          | <b>FI R 6s</b>        | 15            | 4            | TR on pile.                 |   |
| <b>St. Marys River</b>                                      |                                  |                          |                       |               |              |                             |   |
| 16660   | - Junction Lighted Buoy SM       | 38 04 33 N<br>76 26 03 W | <b>FI (2+1) R 6s</b>  |               | 4            | Red and green bands.        | Replaced by nun when endangered by ice.         |
| 16665   | ST GEORGE CREEK JUNCTION LIGHT A | 38 07 16 N<br>76 27 29 W | <b>FI (2+1) R 6s</b>  | 18            | 4            | JR on pile.                 |   |
| 16670   | - LIGHT 1                        |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.                 |   |
| 16675   | - LIGHT 2                        |                          | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile structure. |   |
| 16680   | - LIGHT 3                        | 38 09 30 N<br>76 26 53 W | <b>FI G 6s</b>        | 15            | 4            | SG on pile.                 |   |
| 16685   | - Daybeacon 4                    |                          |                       |               |              | TR on pile.                 |   |
| 16687   | ST. INIGOES CREEK LIGHT 2S1      | 38 09 33 N<br>76 25 42 W | <b>Q R</b>            | 15            | 3            | TR on pile.                 |   |
| 16690   | Molls Cove Daybeacon 2M          |                          |                       |               |              | TR on pile.                 |   |
| <b>Island Creek Channel</b>                                 |                                  |                          |                       |               |              |                             |   |
| <i>All aids located 25 feet outside channel limit.</i>      |                                  |                          |                       |               |              |                             |   |
| 16695   | - LIGHT 1                        | 38 06 41 N<br>76 27 47 W | <b>FI G 4s</b>        | 18            | 4            | SG on multi-pile structure. |   |

| (1)<br>No.  | (2)<br>Name and Location         | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks                                  |
|---|----------------------------------|--------------------------|-----------------------|---------------|--------------|------------------|---|
| <b>POTOMAC RIVER (Virginia - Maryland) - Fifth District</b> |                                  |                          |                       |               |              |                  |   |
| 16700   | - LIGHT 3                        |                          | <b>Q G</b>            | 15            | 3            | SG on pile.      | Higher intensity beam down channel.             |
| 16705   | - Daybeacon 4                    |                          |                       |               |              | TR on pile.      |   |
| 16710   | - Daybeacon 5                    |                          |                       |               |              | SG on pile.      |   |
| 16715   | - Daybeacon 6                    |                          |                       |               |              | TR on pile.      |   |
| 16720   | - Daybeacon 7                    |                          |                       |               |              | SG on pile.      |   |
| 16725   | - Daybeacon 8                    |                          |                       |               |              | TR on pile.      |   |
| 16730   | - Daybeacon 9                    |                          |                       |               |              | SG on pile.      |   |
| <b>St. George Creek</b>                                     |                                  |                          |                       |               |              |                  |   |
| 16735   | - LIGHT 2                        | 38 07 22 N<br>76 27 56 W | <b>FI R 4s</b>        | 15            | 3            | TR on pile.      |   |
| 16740   | - LIGHT 3                        | 38 07 53 N<br>76 28 54 W | <b>FI G 4s</b>        | 17            | 4            | SG on pile.      |   |
| 16745   | - LIGHT 4                        | 38 08 04 N<br>76 29 19 W | <b>FI R 2.5s</b>      | 17            | 3            | TR on pile.      |   |
| 16750   | - LIGHT 6                        | 38 08 24 N<br>76 29 48 W | <b>FI R 4s</b>        | 15            | 3            | TR on pile.      | Light equipment removed from Dec. 1 to Mar. 15. |
| 16755   | - LIGHT 7                        |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.      |   |
| 16757   | - Buoy 9                         |                          |                       |               |              | Green can.       | Private aid.                                    |
| 16760   | - WEST CHANNEL LIGHT 1           | 38 08 01 N<br>76 30 15 W | <b>FI G 4s</b>        | 15            | 5            | SG on pile.      | Higher intensity beam across Potomac River.     |
| 16765   | - West Channel Daybeacon 3       |                          |                       |               |              | SG on pile.      |   |
| 16770   | - West Channel Daybeacon 5       |                          |                       |               |              | SG on pile.      |   |
| 16775   | - Channel Junction Daybeacon B   |                          |                       |               |              | JG on pile.      |   |
| <b>Carthagena Creek</b>                                     |                                  |                          |                       |               |              |                  |   |
| 16780   | - Daybeacon 1                    |                          |                       |               |              | SG on pile.      |   |
| 16785   | - Daybeacon 3                    |                          |                       |               |              | SG on pile.      |   |
| 16790   | - LIGHT 4                        | 38 09 09 N<br>76 28 15 W | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.      |   |
| 16795   | - Daybeacon 5                    |                          |                       |               |              | SG on pile.      |   |
| <b>CHESAPEAKE BAY TO PINEY POINT (Chart 12233)</b>          |                                  |                          |                       |               |              |                  |   |
| 16800   | Potomac River Buoy 9             |                          |                       |               |              | Green can.       |   |
| <b>Yeocomico River</b>                                      |                                  |                          |                       |               |              |                  |   |
| 16805   | - ENTRANCE LIGHT 2               | 38 02 26 N<br>76 30 02 W | <b>FI R 4s</b>        | 16            | 4            | TR on pile.      | Remains of caisson structure at base of pile.   |
| 16810   | - LIGHT 3                        |                          | <b>FI G 6s</b>        | 16            | 4            | SG on pile.      |   |
| 16815   | West Yeocomico River Daybeacon 4 | 38 01 36 N<br>76 32 54 W |                       | 7             |              | TR on pile.      | Private aid.                                    |
| 16820   | - LIGHT 5                        |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.      |   |

| (1)<br>No.  | (2)<br>Name and Location                                       | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                       |
|---|--|--------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| <b>POTOMAC RIVER (Virginia - Maryland) - Fifth District</b> |  |                          |                       |               |              |                             |  |
| 16825   | West Yeocomico River<br>Daybeacon 6                            | 38 01 42 N<br>76 33 12 W |                       | 7             |              | TR on pile.                 | Private aid.   |
| 16830   | South Yeocomico River<br>Daybeacon 2                           |                          |                       |               |              | TR on pile.                 |  |
| 16835   | South Yeocomico River<br>Daybeacon 4                           |                          |                       |               |              | TR on pile.                 |  |
| 16840   | South Yeocomico River<br>Daybeacon 6                           |                          |                       |               |              | TR on pile.                 |  |
| 16845   | Mill Creek Daybeacon 2   |                          |                       | 7             |              | TR on pile.                 | Private aid.   |
| 16850   | Mill Creek Daybeacon 4   |                          |                       | 6             |              | TR on pile.                 | Private aid.   |
| 16855   | <i>Potomac River Midchannel<br/>Lighted Whistle<br/>Buoy B</i> | 38 06 54 N<br>76 31 51 W | <b>Mo (A) W</b>       |               | 6            | Red and white stripes.      | Replaced by can when<br>endangered by ice.           |
| <b>Piney Point Oil Pier</b>                                 |  |                          |                       |               |              |                             |  |
| 16860   | - LIGHT A  |                          | <b>F Y</b>            | 26            |              |                             | Private aid.   |
| <b>Yeocomico River</b>                                      |  |                          |                       |               |              |                             |  |
| 16865   | - LIGHT B  |                          | <b>F Y</b>            | 26            |              |                             | Private aid.   |
| 16870   | - LIGHT C  |                          | <b>F Y</b>            | 26            |              |                             | Private aid.   |
| 16875   | - LIGHT D  |                          | <b>F Y</b>            | 26            |              |                             | Private aid.   |
| <b>PINEY POINT TO LOWER CEDAR POINT (Chart 12286)</b>       |  |                          |                       |               |              |                             |  |
| <b>Potomac River</b>  |  |                          |                       |               |              |                             |  |
| <b>Bonum Creek</b>  |  |                          |                       |               |              |                             |  |
| <i>Daybeacons located 10 feet outside channel limit.</i>    |  |                          |                       |               |              |                             |  |
| 16880   | - NORTH JETTY LIGHT 2  | 38 05 53 N<br>76 34 49 W | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.                 |  |
| 16885   | - Channel Daybeacon 3  |                          |                       |               |              | SG on pile.                 |  |
| 16890   | - Daybeacon 4  |                          |                       |               |              | TR on pile.                 |  |
| 16895   | - Daybeacon 5  |                          |                       |               |              | SG on pile.                 |  |
| 16900   | - Channel Daybeacon 7  |                          |                       |               |              | SG on pile.                 |  |
| 16905   | - Daybeacon 6  |                          |                       |               |              | TR on pile.                 |  |
| 16910   | - Daybeacon 8  |                          |                       |               |              | TR on pile.                 |  |
| 16912   | Maryland Historical Trust<br>Diving Preserve<br>Mooring Buoy   |                          |                       |               |              | Blue and white bands.       | Maintained from Apr. 1 to<br>Dec. 1.<br>Private aid. |
| <b>Herring Creek</b>  |  |                          |                       |               |              |                             |  |
| 16915   | - JETTY LIGHT 2  | 38 10 30 N<br>76 32 53 W | <b>FI R 4s</b>        | 15            | 4            | TR on skeleton tower.       |  |
| 16920   | - JETTY LIGHT 1  |                          | <b>FI G 4s</b>        | 15            | 4            | SG on skeleton tower.       |  |
| 16925   | - Daybeacon 4  |                          |                       |               |              | TR on pile.                 |  |
| 16930   | - Daybeacon 5  |                          |                       |               |              | SG on pile.                 |  |
| 16935   | - LIGHT 6  | 38 10 44 N<br>76 32 35 W | <b>FI R 4s</b>        | 16            | 3            | TR on multi-pile structure. | Light equipment removed from<br>Dec. 1 to Mar. 15.   |

| (1)<br>No.  | (2)<br>Name and Location            | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                            | (8)<br>Remarks                                  |
|---|-------------------------------------|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>POTOMAC RIVER (Virginia - Maryland) - Fifth District</b> |                                     |                          |                       |               |              |   |   |
| 16940   | RAGGED POINT LIGHT                  | 38 09 16 N<br>76 36 05 W | <b>FI W</b> 6s        | 44            | 9            | NG on tower and small white house on piles. | Higher intensity beam up and down river.        |
| 16945   | Coles Point Plantation Daybeacon 1  |                          |                       |               |              | SG on pile.                                 | Private aid.                                    |
| 16950   | COLES POINT PLANTATION LIGHT 2      | 38 08 36 N<br>76 36 48 W | <b>FI R</b> 4s        | 10            |              | TR on dolphin.                              | Private aid.                                    |
| 16955   | Potomac River Buoy 10               |                          |                       |               |              | Red nun.                                    |   |
| 16960   | Potomac River Buoy 11               |                          |                       |               |              | Green can.                                  |   |
| 16962   | Cabin Point Creek Daybeacon 1       | 38 08 30 N<br>76 39 18 W |                       |               |              | SG on pile.                                 | Private aid.                                    |
| 16963   | Cabin Point Creek Daybeacon 2       |                          |                       |               |              | TR on pile.                                 | Private aid.                                    |
| <b>Lower Machodoc Creek</b>                                 |                                     |                          |                       |               |              |   |   |
| 16965   | - LIGHT 1LM                         | 38 08 26 N<br>76 39 00 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                                 |   |
| 16970   | - Daybeacon 2                       |                          |                       |               |              | TR on pile.                                 |   |
| <b>Glebe Creek</b>  |                                     |                          |                       |               |              |   |   |
| 16971   | - Daybeacon 1                       | 38 08 06 N<br>76 38 54 W |                       |               |              | SG on pile.                                 | Private aid.                                    |
| 16971.5   | - Daybeacon 2                       |                          |                       |               |              | TR on pile.                                 | Private aid.                                    |
| 16972   | - Daybeacon 3                       |                          |                       |               |              | SG on pile.                                 | Private aid.                                    |
| 16972.5   | - Daybeacon 4                       |                          |                       |               |              | TR on pile.                                 | Private aid.                                    |
| 16973   | - Daybeacon 5                       |                          |                       |               |              | SG on pile.                                 | Private aid.                                    |
| 16973.5   | - Daybeacon 6                       |                          |                       |               |              | TR on pile.                                 | Private aid.                                    |
| 16975   | - LIGHT 4                           | 38 07 29 N<br>76 38 22 W | <b>FI R</b> 4s        | 17            | 3            | TR on pile.                                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 16980   | - Daybeacon 6                       |                          |                       |               |              | TR on pile.                                 |   |
| 16985   | Bransons Cove Daybeacon 1B          |                          |                       |               |              | SG on pile.                                 |   |
| 16990   | BRANSONS COVE LIGHT 3               |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.                 |   |
| 16995   | Bransons Cove Daybeacon 5           |                          |                       |               |              | SG on pile.                                 |   |
| 17000   | Potomac River Buoy 12               | 38 12 19 N<br>76 40 00 W |                       |               |              | Red nun.                                    |   |
| 17005   | Kingcopsico Point Warning Daybeacon |                          |                       |               |              | NW on pile worded DANGER SUBMERGED ROCK.    |   |
| 17007   | Potomac River Buoy 13               |                          |                       |               |              | Green can.                                  |   |
| <b>Nomini Creek</b>   |                                     |                          |                       |               |              |   |   |
| 17010   | - LIGHT 1                           | 38 08 23 N<br>76 43 23 W | <b>FI G</b> 2.5s      | 18            | 4            | SG on pile.                                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 17015   | - Channel Daybeacon 2               |                          |                       |               |              | TR on pile.                                 |   |
| 17020   | - Channel Daybeacon 4               |                          |                       |               |              | TR on pile.                                 |   |
| 17023   | - Channel Daybeacon 4A              |                          |                       |               |              | TR on pile.                                 |   |
| 17025   | - LIGHT 5                           |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                                 |   |

| (1)<br>No.  | (2)<br>Name and Location                        | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                   | (8)<br>Remarks                                  |
|---|---|--------------------------|-----------------------|---------------|--------------|------------------------------------|---|
| <b>POTOMAC RIVER (Virginia - Maryland) - Fifth District</b> |   |                          |                       |               |              |                                    |   |
| 17030   | - Channel Daybeacon 6                           |                          |                       |               |              | TR on pile.                        |   |
| 17035   | - Channel Daybeacon 8                           |                          |                       |               |              | TR on pile.                        |   |
| 17040   | - Channel Daybeacon 10                          |                          |                       |               |              | TR on pile.                        |   |
| <b>Currioman Bay</b>  |   |                          |                       |               |              |                                    |   |
| 17045   | - Buoy 2  | 38 08 18 N<br>76 43 42 W |                       |               |              | Red nun.                           | Removed from station Dec. 1 to Mar. 15.         |
| 17050   | - Buoy 4  | 38 08 12 N<br>76 44 18 W |                       |               |              | Red nun.                           | Removed from station Dec. 1 to Mar. 15.         |
| <b>Breton Bay</b>   |   |                          |                       |               |              |                                    |   |
| 17055   | Heron Island Shoals Junction<br>Buoy HI         | 38 12 39 N<br>76 42 12 W |                       |               |              | Red and green bands; nun.          |   |
| 17060   | - ENTRANCE LIGHT 2                              |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                        |   |
| 17065   | - Channel Daybeacon 4                           |                          |                       |               |              | TR on pile.                        |   |
| 17070   | - LIGHT 5                                       |                          | <b>FI G 6s</b>        | 15            | 4            | SG on pile.                        | Light equipment removed from Dec. 1 to Mar. 15. |
| 17075   | COMBS CREEK LIGHT 1                             | 38 15 34 N<br>76 41 31 W | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.                        | Light equipment removed from Dec. 1 to Mar. 15. |
| 17080   | Combs Creek Daybeacon 3                         |                          |                       |               |              | SG on pile.                        |   |
| 17085   | Combs Creek Daybeacon 4                         |                          |                       |               |              | TR on pile.                        |   |
| 17090   | - LIGHT 7                                       |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.                        | Light equipment removed from Dec. 1 to Mar. 15. |
| 17095   | - Daybeacon 7A                                  |                          |                       |               |              | SG on pile.                        |   |
| 17100   | - LIGHT 8                                       |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                        | Light equipment removed from Dec. 1 to Mar. 15. |
| 17105   | - Daybeacon 9                                   |                          |                       |               |              | SG on pile.                        |   |
| 17110   | - LIGHT 11<br>50 feet outside channel<br>limit. |                          | <b>FI G 4s</b>        | 16            | 4            | SG on pile.                        |   |
| <b>St. Patrick Creek</b>                                    |   |                          |                       |               |              |                                    |   |
| <i>Aids located 20 feet outside channel limit.</i>          |   |                          |                       |               |              |                                    |   |
| 17115   | - LIGHT 2                                       | 38 13 54 N<br>76 44 17 W | <b>FI R 4s</b>        | 16            | 3            | TR on pile.                        | Light equipment removed from Dec. 1 to Mar. 15. |
| 17120   | - Channel Daybeacon 3                           |                          |                       |               |              | SG on pile.                        |   |
| 17125   | - Channel Buoy 3A                               |                          |                       |               |              | Green can.                         |   |
| 17130   | - Channel Daybeacon 4                           |                          |                       |               |              | TR on pile.                        |   |
| 17135   | - Channel Daybeacon 5                           |                          |                       |               |              | SG on pile.                        |   |
| 17140   | - Channel Daybeacon 6                           |                          |                       |               |              | TR on pile.                        |   |
| 17145   | - Channel Daybeacon 7                           |                          |                       |               |              | SG on pile.                        |   |
| 17150   | - Channel Daybeacon 8                           |                          |                       |               |              | TR on pile.                        |   |
| <b>St. Clement Bay</b>                                      |   |                          |                       |               |              |                                    |   |
| 17155   | - Warning Daybeacon                             | 38 13 47 N<br>76 43 11 W |                       |               |              | NW on pile worded DANGER SHOALING. |   |

| (1)<br>No.  | (2)<br>Name and Location                   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                           |
|---|--|--------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| <b>POTOMAC RIVER (Virginia - Maryland) - Fifth District</b> |  |                          |                       |               |              |                             |  |
| 17160   | - LIGHT 2                                  |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                 |  |
| 17165   | - LIGHT 3                                  |                          | <b>FI G</b> 6s        | 15            | 4            | SG on pile.                 |  |
| 17170   | - LIGHT 5                                  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                 |  |
| <b>Heron Island Bar Channel</b>                             |  |                          |                       |               |              |                             |  |
| 17175   | - Buoy 1                                   | 38 12 36 N<br>76 43 43 W |                       |               |              |                             | Green can.                               |
| 17180   | - LIGHT 3                                  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                 |  |
| 17185   | - Buoy 4                                   |                          |                       |               |              |                             | Red nun.                                 |
| 17190   | - Buoy 5                                   |                          |                       |               |              |                             | Green can.                               |
| <b>Dukeharts Channel</b>                                    |  |                          |                       |               |              |                             |  |
| 17195   | - Daybeacon 7                              |                          |                       |               |              |                             | SG on pile.                              |
| 17200   | - Daybeacon 8                              |                          |                       |               |              |                             | TR on pile.                              |
| 17205   | - Daybeacon 9                              |                          |                       |               |              |                             | SG on pile.                              |
| 17210   | - Daybeacon 10                             |                          |                       |               |              |                             | TR on pile.                              |
| <b>St. Catherine Sound Lower Entrance</b>                   |  |                          |                       |               |              |                             |  |
| <i>Aids located 20 feet outside channel limit.</i>          |  |                          |                       |               |              |                             |  |
| 17215   | - LIGHT 1L                                 | 38 13 36 N<br>76 46 51 W | <b>FI G</b> 4s        | 18            | 4            | SG on pile.                 |  |
| 17220   | - Daybeacon 2L                             |                          |                       |               |              |                             | TR on pile.                              |
| 17225   | - Daybeacon 3L                             |                          |                       |               |              |                             | SG on pile.                              |
| 17230   | - Daybeacon 4L                             |                          |                       |               |              |                             | TR on pile.                              |
| 17235   | - Daybeacon 6L                             |                          |                       |               |              |                             | TR on pile.                              |
| 17240   | - Daybeacon 7L                             |                          |                       |               |              |                             | SG on pile.                              |
| 17245   | - Daybeacon 9L                             |                          |                       |               |              |                             | SG on pile.                              |
| <b>Wicomico River</b>                                       |  |                          |                       |               |              |                             |  |
| 17250   | - Junction Buoy WR                         | 38 14 01 N<br>76 49 13 W |                       |               |              |                             | Red and green bands; nun.                |
| 17255   | - ENTRANCE LIGHT 1W                        | 38 14 29 N<br>76 49 29 W | <b>FI G</b> 4s        | 18            | 6            | SG on multi-pile structure. |  |
| 17260   | - Warning Daybeacon                        |                          |                       |               |              |                             | NW on multi-pile worded<br>DANGER SHOAL. |
| 17265   | - Daybeacon 2W                             |                          |                       |               |              |                             | TR on pile.                              |
| <b>St. Catherine Sound Upper Entrance</b>                   |  |                          |                       |               |              |                             |  |
| 17270   | - LIGHT 2U                                 | 38 15 21 N<br>76 48 36 W | <b>FI R</b> 4s        | 15            | 4            | TR on pile.                 |  |
| 17275   | - St. Margaret Island<br>Warning Daybeacon |                          |                       |               |              |                             | NW on pile worded DANGER<br>SHOAL.       |
| 17280   | - Daybeacon 5U                             |                          |                       |               |              |                             | SG on pile.                              |
| 17285   | - Daybeacon 7U                             |                          |                       |               |              |                             | SG on pile.                              |
| 17290   | - Daybeacon 8U                             |                          |                       |               |              |                             | TR on pile.                              |

| (1)<br>No.  | (2)<br>Name and Location            | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                | (8)<br>Remarks                                  |
|---|-------------------------------------|--------------------------|-----------------------|---------------|--------------|---------------------------------|---|
| <b>POTOMAC RIVER (Virginia - Maryland) - Fifth District</b> |                                     |                          |                       |               |              |                                 |   |
| 17295   | WICOMICO RIVER LIGHT 3W             |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                     | Light equipment removed from Dec. 1 to Mar. 15. |
| 17300   | COBB ISLAND LIGHT 2                 | 38 15 56 N<br>76 50 22 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                     |   |
| 17305   | Cobb Island Daybeacon 4             |                          |                       |               |              | TR on pile.                     |   |
| <b>Wicomico River</b>                                       |                                     |                          |                       |               |              |                                 |   |
| 17310   | - LIGHT 5W                          |                          | <b>FI G</b> 4s        | 15            | 3            | SG on pile.                     | Light equipment removed from Dec. 1 to Mar 15.  |
| 17312   | - LIGHT 6W                          |                          | <b>FI R</b> 2.5s      | 15            | 4            | TR on pile.                     |   |
| 17315   | - Daybeacon 7W                      |                          |                       |               |              | SG on pile.                     |   |
| 17320   | - LIGHT 9W                          |                          | <b>FI G</b> 6s        | 15            | 3            | SG on pile.                     | Light equipment removed from Dec. 1 to Mar. 15. |
| 17325   | - Daybeacon 11W                     |                          |                       |               |              | SG on pile.                     |   |
| 17330   | - Daybeacon 13W                     |                          |                       |               |              | SG on pile.                     |   |
| 17335   | - Daybeacon 14W                     |                          |                       |               |              | TR on pile.                     |   |
| 17340   | - Daybeacon 16W                     |                          |                       |               |              | TR on pile.                     |   |
| 17345   | - Daybeacon 17W                     |                          |                       |               |              | SG on pile.                     |   |
| 17350   | - Daybeacon 19W                     |                          |                       |               |              | SG on pile.                     |   |
| <b>Potomac River</b>  |                                     |                          |                       |               |              |                                 |   |
| <i>Buoys located 140 feet outside channel limit.</i>        |                                     |                          |                       |               |              |                                 |   |
| 17355   | - Midchannel Lighted Whistle Buoy C | 38 11 50 N<br>76 44 40 W | <b>Mo (A) W</b>       |               | 5            | Red and white stripes.          | Replaced by can when endangered by ice.         |
| 17360   | - Buoy 14                           |                          |                       |               |              | Red nun.                        |   |
| 17365   | - Buoy 14A                          |                          |                       |               |              | Red nun.                        |   |
| 17370   | - Buoy 15                           |                          |                       |               |              | Green can.                      |   |
| 17375   | Horsehead Cliffs Warning Daybeacon  | 38 10 18 N<br>76 51 25 W |                       |               |              | NW on pile worded DANGER ROCKS. |   |
| 17380   | - Channel Lighted Buoy 17           |                          | <b>FI G</b> 4s        |               | 4            | Green.                          | Replaced by can when endangered by ice. Ra ref. |
| 17385   | - Channel Buoy 18                   |                          |                       |               |              | Red nun.                        |   |
| 17390   | - Channel Buoy 19                   |                          |                       |               |              | Green can.                      |   |
| 17395   | - Channel Buoy 20                   |                          |                       |               |              | Red nun.                        |   |
| <b>Neale Sound</b>  |                                     |                          |                       |               |              |                                 |   |
| 17400   | - CHANNEL LIGHT 2N                  | 38 16 01 N<br>76 52 02 W | <b>FI R</b> 4s        | 15            | 5            | TR on pile.                     | Light equipment removed when endangered by ice. |
| 17402   | - CHANNEL LIGHT 3                   |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                     | Light equipment removed when endangered by ice. |
| 17405   | - Channel Daybeacon 4               |                          |                       |               |              | TR on pile.                     |   |
| 17410   | - CHANNEL LIGHT 6                   |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                     | Light equipment removed when endangered by ice. |
| 17412   | - Danger Shoal Daybeacon            | 38 16 16 N<br>76 51 50 W |                       |               |              | NW on pile worded DANGER SHOAL. |   |

| (1)<br>No.  | (2)<br>Name and Location           | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                | (8)<br>Remarks                                  |
|---|------------------------------------|--------------------------|-----------------------|---------------|--------------|---------------------------------|---|
| <b>POTOMAC RIVER (Virginia - Maryland) - Fifth District</b> |                                    |                          |                       |               |              |                                 |   |
| 17415   | - CHANNEL LIGHT 7                  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                     |   |
| 17420   | - Channel Daybeacon 9              |                          |                       |               |              | SG on pile.                     |   |
| 17425   | - Channel Daybeacon 11             |                          |                       |               |              | SG on pile.                     |   |
| <b>Potomac River</b>  |                                    |                          |                       |               |              |                                 |   |
| <i>Buoys located 140 feet outside channel limit.</i>        |                                    |                          |                       |               |              |                                 |   |
| 17430   | - Channel Lighted Buoy 21          |                          | <b>FI G</b> 4s        |               | 3            | Green.                          | Replaced by can when endangered by ice.         |
| 17435   | - Channel Buoy 22                  |                          |                       |               |              | Red nun.                        |   |
| 17440   | - Channel Buoy 23                  |                          |                       |               |              | Green can.                      |   |
| 17445   | - Channel Buoy 24                  |                          |                       |               |              | Red nun.                        |   |
| 17450   | - Channel Lighted Buoy 25          |                          | <b>FI G</b> 4s        |               | 3            | Green.                          | Replaced by can when endangered by ice.         |
| 17455   | - Channel Buoy 26                  |                          |                       |               |              | Red nun.                        |   |
| 17460   | - Channel Buoy 27                  |                          |                       |               |              | Green can.                      |   |
| 17465   | - Channel Buoy 28                  |                          |                       |               |              | Red nun.                        |   |
| 17470   | Swan Point Shoal Warning Daybeacon | 38 16 46 N<br>76 55 29 W |                       |               |              | NW on pile worded DANGER SHOAL. |   |
| <b>Mattox Creek</b>   |                                    |                          |                       |               |              |                                 |   |
| 17475   | - LIGHT 1                          | 38 13 18 N<br>76 57 23 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                     |   |
| 17480   | - Daybeacon 2                      |                          |                       |               |              | TR on pile.                     |   |
| 17485   | - Daybeacon 3                      |                          |                       |               |              | SG on pile.                     |   |
| 17490   | - LIGHT 4                          |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure.     | Light equipment removed from Dec. 1 to Mar. 15. |
| <b>Harbor View</b>  |                                    |                          |                       |               |              |                                 |   |
| 17495   | - Daybeacon 6                      |                          |                       |               |              | TR on pile.                     | Private aid.                                    |
| 17500   | - Daybeacon 7                      |                          |                       |               |              | SG on pile.                     | Private aid.                                    |
| 17505   | - Daybeacon 9                      |                          |                       |               |              | SG on pile.                     | Private aid.                                    |
| 17510   | - Daybeacon 11                     |                          |                       |               |              | SG on pile.                     | Private aid.                                    |
| <b>Monroe Creek</b>   |                                    |                          |                       |               |              |                                 |   |
| 17515   | - ENTRANCE LIGHT 2                 | 38 13 55 N<br>76 56 58 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                     |   |
| 17520   | - ENTRANCE LIGHT 4                 |                          | <b>Q R</b>            | 15            | 3            | TR on pile.                     |   |
| 17525   | - Buoy 4A                          |                          |                       |               |              | Red nun.                        |   |
| 17530   | - Buoy 5                           |                          |                       |               |              | Green can.                      |   |
| 17535   | - Channel Daybeacon 6              |                          |                       |               |              | TR on pile.                     |   |
| 17540   | - LIGHT 8                          |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                     | Light equipment removed from Dec. 1 to Mar. 15. |
| 17545   | - Channel Daybeacon 9              |                          |                       |               |              | SG on pile.                     |   |
| 17550   | - Channel Daybeacon 10             |                          |                       |               |              | TR on pile.                     |   |

| (1)<br>No.  | (2)<br>Name and Location                     | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure         | (8)<br>Remarks  |
|---|--|--------------------------|-----------------------|---------------|--------------|--------------------------|---|
| <b>POTOMAC RIVER (Virginia - Maryland) - Fifth District</b> |  |                          |                       |               |              |                          |   |
| 17555   | - Channel Daybeacon 12                       |                          |                       |               |              | TR on pile.              |   |
|   | <b>Potomac River</b>                         |                          |                       |               |              |                          |   |
| 17560   | Line of Fire Buoy I                          |                          |                       |               |              | Yellow nun.              | On north side of river between Wicomico River and Swan Pt.    |
| 17565   | Line of Fire Buoy K                          |                          |                       |               |              | Yellow nun.              | On north side of river between Wicomico River and Swan Pt.    |
| 17570   | Line of Fire Buoy S                          |                          |                       |               |              | Yellow nun.              | On north side of river between Wicomico River and Swan Pt.    |
| 17575   | Line of Fire Buoy M                          |                          |                       |               |              | Yellow nun.              | On north side of river between Wicomico River and Swan Point. |
| 17580   | Line of Fire Buoy R                          |                          |                       |               |              | Yellow nun.              | On north side of river between Wicomico River and Swan Point. |
| 17585   | Line of Fire Buoy O                          |                          |                       |               |              | Yellow nun.              | On north side of river between Wicomico River and Swan Pt.    |
| 17590   | Line of Fire Buoy Q                          |                          |                       |               |              | Yellow nun.              | On north side of river between Wicomico River and Swan Pt.    |
| 17595   | Line of Fire Buoy J                          |                          |                       |               |              | Yellow nun.              | On south side of river between Popes Creek and Rosier Creek.  |
| 17600   | Line of Fire Buoy L                          |                          |                       |               |              | Yellow nun.              | On south side of river between Popes Creek and Rosier Creek.  |
| 17605   | Line of Fire Buoy N                          |                          |                       |               |              | Yellow nun.              | On south side of river between Popes Creek and Rosier Creek.  |
| 17610   | Line of Fire Buoy P                          |                          |                       |               |              | Yellow nun.              | On south side of river between Popes Creek and Rosier Creek.  |
| 17615   | - <i>Midchannel Lighted Whistle Buoy D</i>   | 38 16 48 N<br>76 57 56 W | <b>Mo (A) W</b>       |               |              | 6 Red and white stripes. | Replaced by nun when endangered by ice.                       |
|   | <b>Cuckold Creek</b>                         |                          |                       |               |              |                          |   |
| 17620   | - LIGHT 1                                    | 38 18 49 N<br>76 55 49 W | <b>FI G 2.5s</b>      | 15            |              | 3 SG on pile.            | Light equipment removed from Dec. 1 to Mar. 15.               |
| 17625   | - Daybeacon 2                                |                          |                       |               |              | TR on pile.              |   |
| 17630   | - LIGHT 3                                    |                          | <b>FI G 4s</b>        | 15            |              | 4 SG on pile.            | Light equipment removed from Dec. 1 to Mar. 15.               |
|   | <b>Potomac River</b>                         |                          |                       |               |              |                          |   |
| 17635   | <i>Potomac River Lighted Bell Buoy 29</i>    |                          | <b>FI G 4s</b>        |               |              | 4 Green.                 | Replaced by can when endangered by ice.                       |
|   | <b>Upper Machodoc Creek Dahlgren Channel</b> |                          |                       |               |              |                          |   |
| 17640   | - Buoy 2                                     | 38 18 36 N<br>76 59 54 W |                       |               |              | Red nun.                 |   |
| 17645   | - RANGE FRONT LIGHT                          | 38 18 36 N<br>77 02 06 W | <b>Q G</b>            | 14            |              | KWR on pile.             | Visible all around; higher intensity on rangeline.            |

| (1)<br>No.  | (2)<br>Name and Location                                   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks  |
|---|--|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>POTOMAC RIVER (Virginia - Maryland) - Fifth District</b> |  |                          |                       |               |              |   |   |
| 17650   | - RANGE REAR LIGHT<br>335 yards, 282°<br>from front light. |                          | <b>Iso G 6s</b>       | 32            |              | KWR on white tower.   | Visible all around; higher<br>intensity on rangeline. |
| 17655   | - Bouy 4   |                          |                       |               |              | Red nun.  |   |
| 17660   | - Buoy 6   |                          |                       |               |              | Red nun.  |   |
| 17665   | - Daybeacon 8<br>10 feet outside channel<br>limit.         |                          |                       |               |              | TR on pile.   |   |
| 17670   | - Daybeacon 9<br>10 feet outside channel<br>limit.         |                          |                       |               |              | SG on pile.   |   |
| 17675   | Dahlgren Naval Mooring<br>Buoy A                           | 38 18 54 N<br>77 01 54 W |                       |               |              | White nun.  | Maintained by U.S. Navy.                              |
| <b>    Baber Point</b>                                      |  |                          |                       |               |              |   |   |
| 17680   | - Channel Buoy 2   | 38 18 04 N<br>77 00 40 W |                       |               |              | Red nun.  |   |
| 17685   | - Channel Buoy 4   |                          |                       |               |              | Red nun.  |   |
| 17690   | - LIGHT 5  |                          | <b>FI G 4s</b>        | 16            | 5            | SG on pile.   |   |
| 17695   | - Junction Daybeacon BP                                    |                          |                       |               |              | JG on pile.   |   |
| <b>    Potomac River</b>                                    |  |                          |                       |               |              |   |   |
| 17700   | - LIGHT 30<br>On lower end of shoal.                       | 38 19 43 N<br>76 59 01 W | <b>FI R 4s</b>        | 29            | 5            | Red ball, cylindrical cage and<br>column on white cylindrical pier. |   |
| 17705   | - Buoy 32  |                          |                       |               |              | Red nun.  |   |
| 17710   | - LIGHT 33   |                          | <b>FI G 2.5s</b>      | 38            | 5            | SG on skeleton tower on pile.                                       |   |
| 17715   | PEPCO INTAKE CHANNEL<br>BAFFLE WALL LIGHT A                | 38 21 30 N<br>76 58 42 W | <b>FI Y 2.5s</b>      | 10            |              | On pile.  | Private aid.  |
| 17720   | PEPCO DISCHARGE CHANNEL<br>RETAINING WALL<br>LIGHT B       | 38 21 30 N<br>76 58 48 W | <b>FI Y 2.5s</b>      | 10            |              | On pile.  | Private aid.  |
| 17725   | PEPCO TURNING DOLPHIN<br>LIGHT C                           | 38 21 30 N<br>76 58 48 W | <b>FI Y 2.5s</b>      | 6             |              | On dolphin.   | Private aid.  |
| 17730   | PEPCO DISCHARGE CHANNEL<br>RETAINING WALL<br>LIGHT D       | 38 21 42 N<br>76 59 00 W | <b>FI Y 2.5s</b>      | 10            |              | On pile.  | Private aid.  |
| 17735   | - Buoy 35  | 38 21 12 N<br>76 59 29 W |                       |               |              | Green can.  |   |

# Section 13

## Upper Potomac River

| (1)<br>No.  | (2)<br>Name and Location        | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                      | (8)<br>Remarks  |
|---|---------------------------------|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>POTOMAC RIVER (Virginia - Maryland) - Fifth District</b> |                                 |                          |                       |               |              |   |   |
| <b>LOWER CEDAR POINT TO MATTAWOMAN CREEK (Chart 12288)</b>  |                                 |                          |                       |               |              |   |   |
| <b>Potomac River</b>  |                                 |                          |                       |               |              |   |   |
| 17740   | - Bridge East Pier Fog Signal   |                          |                       |               |              |   | BELL: 2 strokes ev 20s.<br>Manually controlled from office.<br>Activated when needed.<br>Private aid. |
| 17745   | - Bridge West Pier Fog Signal   |                          |                       |               |              |   | BELL: 1 stroke ev 20s.<br>Manually controlled from office.<br>Activated when needed.<br>Private aid.  |
| <b>Upper Potomac River</b>                                  |                                 |                          |                       |               |              |   |   |
| <i>Channel buoys located 75 feet outside channel limit.</i> |                                 |                          |                       |               |              |   |   |
| 17750   | - Buoy 1                        |                          |                       |               |              | Green can.  |   |
| 17755   | - Lighted Buoy 2                |                          | FI R 4s               |               | 4            | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.  |
| 17760   | Mathias Point Warning Daybeacon | 38 23 35 N<br>77 01 23 W |                       |               |              | NW on pile worded DANGER ROCK.                        |   |
| 17765   | - LIGHT 6                       |                          | FI R 4s               | 15            | 3            | TR on multi-pile structure.                           |   |
| <b>Port Tobacco River</b>                                   |                                 |                          |                       |               |              |   |   |
| 17770   | - LIGHT 1                       | 38 26 38 N<br>77 01 55 W | FI G 2.5s             | 17            | 3            | SG on pile.   |   |
| 17775   | - Daybeacon 3                   |                          |                       |               |              | SG on pile.   |   |
| 17780   | - Daybeacon 4                   |                          |                       |               |              | TR on pile.   |   |
| 17785   | - Daybeacon 6                   |                          |                       |               |              | TR on pile.   |   |
| 17790   | - Daybeacon 8                   |                          |                       |               |              | TR on pile.   |   |
| 17795   | - Daybeacon 10                  |                          |                       |               |              | TR on pile.   |   |
| 17800   | - Daybeacon 12                  |                          |                       |               |              | TR on pile.   |   |
| 17805   | - Daybeacon 14                  |                          |                       |               |              | TR on pile.   |   |
| 17810   | - Daybeacon 15                  |                          |                       |               |              | SG on pile.   |   |
| <b>Upper Potomac River</b>                                  |                                 |                          |                       |               |              |   |   |
| <i>Channel buoys located 75 feet outside channel limit.</i> |                                 |                          |                       |               |              |   |   |
| 17815   | - LIGHT 5                       | 38 24 19 N<br>77 02 34 W | FI G 6s               | 44            | 5            | SG on skeleton tower with small white house on piles. |   |
| 17820   | - Buoy 7                        |                          |                       |               |              | Green can.  |   |
| 17825   | - LIGHT 8                       |                          | FI R 6s               | 15            | 3            | TR on multi-pile.                                     |   |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic            | (5)<br>Height | (6)<br>Range  | (7)<br>Structure  | (8)<br>Remarks   |
|---|---|--------------------------|----------------------------------|---------------|---------------|---|--|
| <b>POTOMAC RIVER (Virginia - Maryland) - Fifth District</b> |   |                          |                                  |               |               |   |  |
| <b>Nanjemoy Creek</b>                                       |   |                          |                                  |               |               |   |  |
| 17830   | - Jurisdictional Line<br>Buoy PRM 8B                              | 38 23 54 N<br>77 06 48 W |                                  |               |               | White with orange bands; spar.                          | Private aid.   |
| 17835   | - Daybeacon 2   |                          |                                  |               |               | TR on pile.   | Private aid.   |
| 17840   | - Daybeacon 4   |                          |                                  |               |               | TR on pile.   | Private aid.   |
| 17845   | - Daybeacon 5   |                          |                                  |               |               | SB on pile.   | Private aid.   |
| 17850   | - Daybeacon 6   |                          |                                  |               |               | TR on pile.   | Private aid.   |
| 17855   | - Daybeacon 8   |                          |                                  |               |               | TR on pile.   | Private aid.   |
| 17860   | - Daybeacon 9   |                          |                                  |               |               | SB on pile.   | Private aid.   |
| <b>Upper Potomac River</b>                                  |   |                          |                                  |               |               |   |  |
| 17865   | - Lighted Buoy 11   |                          | <b>FI G 4s</b>                   |               | 3             | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15. |
| 17870   | - Lighted Buoy 13   |                          | <b>Q G</b>                       |               | 4             | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15. |
| 17875   | Riverside Warning Daybeacon                                       | 38 35 46 N<br>77 14 45 W |                                  |               |               | NW on pile.   |  |
| 17880   | - LIGHT 15  |                          | <b>FI G 4s</b>                   | 15            | 5             | SG on multi-pile structure.                             |  |
| 17882   | Metompkin Point Warning<br>Daybeacon                              | 32 22 32 N<br>77 08 35 W |                                  |               |               | NW on pile worded DANGER<br>ROCKS.                      | Marks rip-rap from previous Lighthouse.                    |
| 17885   | - Buoy 16   |                          |                                  |               |               | Red nun.  |  |
| 17890   | - Lighted Buoy 18   |                          | <b>FI R 4s</b>                   |               | 4             | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15. |
| 17895   | MARYLAND POINT<br>LIGHT   | 38 20 59 N<br>77 11 51 W | <b>FI W 6s<br/>(2 R sectors)</b> | 42            | W<br>R 6<br>5 | NB on skeleton tower and small<br>white house on piles. | Red from 243° to 285° and<br>063° to 105°.                 |
| 17900   | - Buoy 19   |                          |                                  |               |               | Green can.  |  |
| 17905   | - Lighted Buoy 21   |                          | <b>FI G 4s</b>                   |               | 4             | Green.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15. |
| 17910   | - Channel Lighted<br>Buoy 22<br>75 feet outside channel<br>limit. |                          | <b>FI R 4s</b>                   |               | 4             | Red.  | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15. |
| <b>Potomac Creek</b>  |   |                          |                                  |               |               |   |  |
| 17915   | - LIGHT 2   | 38 20 38 N<br>77 16 40 W | <b>FI R 4s</b>                   | 15            | 3             | TR on pile.   | Light equipment removed from<br>Dec. 1 to Mar. 15.         |
| 17920   | - Daybeacon 3   |                          |                                  |               |               | SG on pile.   |  |
| 17925   | - Buoy 4  |                          |                                  |               |               | Red nun.  |  |
| 17930   | - Daybeacon 5   |                          |                                  |               |               | SG on pile.   |  |
| 17935   | - Buoy 6  |                          |                                  |               |               | Red nun.  |  |
| 17940   | - Daybeacon 7   |                          |                                  |               |               | SG on pile.   |  |
| 17945   | - Daybeacon 8   |                          |                                  |               |               | TR on pile.   |  |

| (1)<br>No.  | (2)<br>Name and Location         | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                          | (8)<br>Remarks   |
|---|----------------------------------|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>POTOMAC RIVER (Virginia - Maryland) - Fifth District</b> |                                  |                          |                       |               |              |   |  |
| <b>Upper Potomac River</b>                                  |                                  |                          |                       |               |              |   |  |
| <i>Channel buoys located 75 feet outside channel limit.</i> |                                  |                          |                       |               |              |   |  |
| 17950   | - Channel Lighted Buoy 23        |                          | <b>FI G 4s</b>        |               | 4            | Green.                                    | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15. |
| 17955   | - Channel Buoy 24                |                          |                       |               |              | Red nun.                                  |  |
| 17960   | - Channel Buoy 26                |                          |                       |               |              | Red nun.                                  |  |
| 17965   | Marlboro Point Warning Daybeacon | 38 22 24 N<br>77 17 53 W |                       |               |              | NW on pile worded DANGER SUBMERGED PILES. |  |
| <b>Aquia Creek</b>  |                                  |                          |                       |               |              |   |  |
| 17970   | - LIGHT 2                        | 38 22 56 N<br>77 18 15 W | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile structure.               |  |
| 17975   | - LIGHT 3                        |                          | <b>Q G</b>            | 15            | 3            | SG on pile.                               | Light equipment removed from Dec. 1 to Mar. 15.            |
| 17980   | - Warning Daybeacon A            |                          |                       |               |              | NW on pile worded DANGER SUBMERGED PILES. |  |
| 17985   | - Warning Daybeacon C            |                          |                       |               |              | NW on pile worded DANGER SUBMERGED PILES. |  |
| 17990   | - Daybeacon 5                    |                          |                       |               |              | SG on pile.                               |  |
| 17995   | - LIGHT 6                        |                          | <b>Q R</b>            | 15            | 3            | TR on pile.                               | Light equipment removed from Dec. 1 to Mar. 15.            |
| 18000   | - Daybeacon 8                    |                          |                       |               |              | TR on pile.                               |  |
| 18005   | - LIGHT 10                       | 38 23 39 N<br>77 19 02 W | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                               | Light equipment removed from Dec. 1 to Mar. 15.            |
| 18010   | - LIGHT 12                       |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.                               | Light equipment removed from Dec. 1 to Mar. 15.            |
| 18012   | - Daybeacon 13                   |                          |                       |               |              | SG on pile.                               | Private aid.   |
| 18012.1   | - Daybeacon 14                   |                          |                       |               |              | TR on pile.                               | Private aid.   |
| 18012.2   | - Daybeacon 15                   |                          |                       |               |              | SG on pile.                               | Private aid.   |
| 18012.3   | - Daybeacon 16                   |                          |                       |               |              | TR on pile.                               | Private aid.   |
| 18012.4   | - Daybeacon 17                   |                          |                       |               |              | SG on pile.                               | Private aid.   |
| 18012.5   | - Daybeacon 18                   |                          |                       |               |              | TR on pile.                               | Private aid.   |
| 18012.6   | - Daybeacon 19                   |                          |                       |               |              | SG on pile.                               | Private aid.   |
| 18012.7   | - Daybeacon 20                   |                          |                       |               |              | TR on pile.                               | Private aid.   |
| 18012.8   | - Daybeacon 21                   |                          |                       |               |              | SG on pile.                               | Private aid.   |
| 18012.9   | - Daybeacon 23                   |                          |                       |               |              | SG on pile.                               | Private aid.   |
| 18013   | - Daybeacon 24                   |                          |                       |               |              | TR on pile.                               | Private aid.   |
| 18013.1   | - Daybeacon 25                   |                          |                       |               |              | SG on pile.                               | Private aid.   |
| 18013.2   | - Daybeacon 26                   |                          |                       |               |              | TR on pile.                               | Private aid.   |
| 18013.3   | - Daybeacon 28                   |                          |                       |               |              | TR on pile.                               | Private aid.   |
| 18013.4   | - Daybeacon 29                   |                          |                       |               |              | SG on pile.                               | Private aid.   |
| 18013.5   | - Daybeacon 30                   |                          |                       |               |              | TR on pile.                               | Private aid.   |

| (1)<br>No.  | (2)<br>Name and Location                   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                            | (8)<br>Remarks  |
|---|--|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>POTOMAC RIVER (Virginia - Maryland) - Fifth District</b> |  |                          |                       |               |              |   |   |
| 18013.6   | - Daybeacon 31                             |                          |                       |               |              | SG on pile.                                 | Private aid.  |
| 18013.7   | - Daybeacon 32                             |                          |                       |               |              | TR on pile.                                 | Private aid.  |
| 18013.8   | - Daybeacon 33                             |                          |                       |               |              | SG on pile.                                 | Private aid.  |
| 18013.9   | - Daybeacon 34                             |                          |                       |               |              | TR on pile.                                 | Private aid.  |
| <b>Upper Potomac River</b>                                  |  |                          |                       |               |              |   |   |
| 18015   | - Channel Lighted Buoy 27                  |                          | <b>FI G 4s</b>        |               | 4            | Green.                                      | Replaced by lighted ice buoy of lower intensity from Dec. 1 to Mar. 15.         |
| 18020   | - Channel Buoy 28                          |                          |                       |               |              | Red nun.                                    |   |
| 18025   | - Channel Buoy 30                          |                          |                       |               |              | Red nun.                                    |   |
| 18030   | CLIFTON BEACH LIGHT                        | 38 24 57 N<br>77 15 57 W | <b>FI W 4s</b>        | 20            | 6            | NR on pile.                                 |   |
| 18035   | - Channel Buoy 32                          |                          |                       |               |              | Red nun.                                    |   |
| 18040   | - Channel Lighted Buoy 33                  |                          | <b>Q G</b>            |               | 4            | Green.                                      | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.                      |
| 18045   | - Channel Buoy 34                          |                          |                       |               |              | Red nun.                                    |   |
| 18050   | - Buoy 40                                  |                          |                       |               |              | Red nun.                                    |   |
| 18055   | - Buoy 41                                  |                          |                       |               |              | Green can.                                  |   |
| 18065   | - Buoy 43                                  |                          |                       |               |              | Green can.                                  |   |
| 18070   | <b>Quantico Marine Barracks Fog Signal</b> | 38 31 12 N<br>77 17 12 W |                       |               |              | On tower.                                   | BELL: 2 strokes ev 20s. Operates continuously. Maintained by U.S. Marine Corps. |
| 18075   | POSSUM POINT PIER LIGHT                    | 38 32 12 N<br>77 16 37 W | <b>FI Y 4s</b>        | 11            |              | On pier.                                    | Private aid.  |
| 18080   | MOSS POINT - POSSUM POINT LIGHT A          | 38 31 42 N<br>77 15 26 W | <b>FI Y 4s</b>        | 15            |              | On powerline tower on concrete platform.    | Private aid.  |
| 18085   | MOSS POINT - POSSUM POINT LIGHT B          |                          | <b>FI Y 2.5s</b>      | 15            |              | On powerline tower on concrete platform.    | Private aid.  |
| 18090   | POTOMAC RIVER LIGHT 44                     | 38 32 06 N<br>77 15 42 W | <b>Q R</b>            | 20            |              | TR on powerline tower on concrete platform. | Private aid.  |
| 18095   | POTOMAC RIVER LIGHT 43A                    | 38 32 18 N<br>77 15 54 W | <b>Q G</b>            | 20            |              | SG on powerline tower on concrete platform. | Private aid.  |
| 18100   | MOSS POINT - POSSUM POINT LIGHT C          |                          | <b>FI Y 2.5s</b>      | 15            |              | On powerline tower on concrete platform.    | Private aid.  |
| 18105   | MOSS POINT - POSSUM POINT LIGHT D          |                          | <b>FI Y 4s</b>        | 15            |              | On powerline tower on concrete platform.    | Private aid.  |
| 18110   | COCKPIT POINT BARGE DOCK MOORING LIGHT A   | 38 33 36 N<br>77 15 18 W | <b>F Y</b>            |               |              | On dolphin.                                 | Private aid.  |
| 18115   | COCKPIT POINT BARGE DOCK MOORING LIGHT D   |                          | <b>F Y</b>            | 15            |              |   | Private aid.  |
| 18120   | STUMP NECK PIER LIGHT                      | 38 33 12 N<br>77 14 12 W | <b>F R</b>            | 17            |              | On pile.                                    | Maintained by U.S. Navy.  |
| 18125   | Mattawoman Creek Daybeacon 1               |                          |                       |               |              | SG on pile.                                 |   |

| (1)<br>No.  | (2)<br>Name and Location                             | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                          | (8)<br>Remarks   |
|---|--|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>POTOMAC RIVER (Virginia - Maryland) - Fifth District</b> |  |                          |                       |               |              |   |  |
| 18130   | MATTAWOMAN CREEK LIGHT 3                             |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                               | Light equipment removed from Dec. 1 to Mar. 15.            |
| 18135   | MATTAWOMAN CREEK LIGHT 5                             |                          | <b>FI G</b> 4s        | 15            | 3            | SG on pile.                               | Light equipment removed from Dec. 1 to Mar. 15.            |
| 18140   | Mattawoman Creek Daybeacon 6                         |                          |                       |               |              | TR on pile.                               |  |
| 18145   | STUMP NECK FENDER LIGHT 1                            |                          | <b>Q G</b>            |               |              | SG on pile.                               | Maintained by U.S. Navy.                                   |
| 18150   | STUMP NECK FENDER LIGHT 2                            |                          | <b>Q R</b>            | 15            |              | TR on pile.                               | Maintained by U.S. Navy.                                   |
| 18155   | - Lighted Buoy 45<br>165 feet outside channel limit. |                          | <b>FI G</b> 4s        |               | 4            | Green.                                    | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15. |
| 18160   | - Channel Buoy 46                                    |                          |                       |               |              | Red nun.                                  |  |
| <b>Leesylvania Park</b>                                     |  |                          |                       |               |              |   |  |
| 18165   | - LIGHT 1  | 38 35 06 N<br>77 15 24 W | <b>FI G</b> 2.5s      |               |              | SG on pile.                               | Private aid.   |
| 18170   | - LIGHT 2  | 38 35 12 N<br>77 15 12 W | <b>FI R</b> 2.5s      |               |              | TR on pile.                               | Private aid.   |
| 18175   | - Daybeacon 3  |                          |                       |               |              | SG on pile.                               | Private aid.   |
| 18180   | - Daybeacon 4  |                          |                       |               |              | TR on pile.                               | Private aid.   |
| 18185   | - Daybeacon 5  |                          |                       |               |              | SG on pile.                               | Private aid.   |
| 18190   | - Daybeacon 6  |                          |                       |               |              | TR on pile.                               | Private aid.   |
| 18195   | - Warning Daybeacon A                                |                          |                       |               |              | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid.   |
| 18200   | - Warning Daybeacon B                                |                          |                       |               |              | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid.   |
| 18205   | - Warning Daybeacon C                                |                          |                       |               |              | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid.   |
| 18210   | - Warning Daybeacon D                                |                          |                       |               |              | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid.   |
| 18215   | - Warning Daybeacon E                                |                          |                       |               |              | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid.   |
| 18220   | - Warning Daybeacon F                                |                          |                       |               |              | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid.   |
| 18225   | - Warning Daybeacon G                                |                          |                       |               |              | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid.   |
| 18230   | - Warning Daybeacon H                                |                          |                       |               |              | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid.   |
| <b>MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289)</b>         |  |                          |                       |               |              |   |  |
| <b>Upper Potomac River</b>                                  |  |                          |                       |               |              |   |  |
| <b>Neabsco Creek</b>  |  |                          |                       |               |              |   |  |
| 18231   | - Daybeacon 1  | 38 35 46 N<br>77 14 45 W |                       |               |              | SG on pile.                               |  |
| 18232   | - LIGHT 2  | 38 35 47 N<br>77 14 44 W | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                               |  |
| 18233   | - Daybeacon 3  |                          |                       |               |              | SG on pile.                               |  |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks  |
|---|---|--------------------------|-----------------------|---------------|--------------|------------------|---|
| <b>POTOMAC RIVER (Virginia - Maryland) - Fifth District</b> |   |                          |                       |               |              |                  |   |
| 18234   | - Daybeacon 4   |                          |                       |               |              | TR on pile.      |   |
| <b>Upper Potomac River</b>                                  |   |                          |                       |               |              |                  |   |
| 18235   | - <i>Channel Lighted Buoy 47</i>                                    |                          | <b>FI G 4s</b>        |               | 4            | Green.           | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.  |
| 18240   | Cornwallis Neck Warning Buoy A                                      | 38 34 35 N<br>77 12 23 W |                       |               |              | Yellow can.      |   |
| 18245   | Cornwallis Neck Warning Buoy B                                      | 38 36 08 N<br>77 10 59 W |                       |               |              | Yellow can.      |   |
| 18250   | - Channel Buoy 49   |                          |                       |               |              | Green can.       |   |
| 18255   | - <i>Channel Lighted Buoy 51</i><br>165 feet outside channel limit. |                          | <b>FI G 4s</b>        |               | 4            | Green.           | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.  |
| 18260   | - Channel Buoy 52   |                          |                       |               |              | Red nun.         |   |
| <b>Occoquan River</b>                                       |   |                          |                       |               |              |                  |   |
| 18265   | - CHANNEL LIGHT 2   | 38 37 24 N<br>77 12 48 W | <b>FI R 4s</b>        | 15            | 3            | TR on pile.      | Higher intensity beam down channel. Light equipment removed from Dec. 1 to Mar. 15.                   |
| 18270   | - Channel Daybeacon 4   |                          |                       |               |              | TR on pile.      |   |
| 18275   | - CHANNEL LIGHT 6   |                          | <b>FI R 4s</b>        | 15            | 4            | TR on pile.      | Light equipment removed from Dec. 1 to Mar. 15.   |
| 18280   | - Channel Daybeacon 7   |                          |                       |               |              | SG on pile.      |   |
| 18285   | - Channel Daybeacon 8   |                          |                       |               |              | TR on pile.      |   |
| 18290   | - CHANNEL LIGHT 9   |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.      | Light equipment removed from Dec. 1 to Mar. 15.   |
| 18293   | - Channel Daybeacon 10  |                          |                       |               |              | TR on pile.      |   |
| 18295   | - CHANNEL LIGHT 12  |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.      | Light equipment removed from Dec. 1 to Mar. 15.   |
| 18297   | - Channel Daybeacon 13  |                          |                       |               |              | SG on pile.      |   |
| 18300   | - CHANNEL LIGHT 14  |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.      | Light equipment removed from Dec. 1 to Mar. 15.   |
| 18305   | - Channel Daybeacon 15  |                          |                       |               |              | SG on pile.      |   |
| 18306   | - Channel Daybeacon 16  |                          |                       |               |              | TR on pile.      |   |
| 18307   | - Channel Daybeacon 17  |                          |                       |               |              | SG on pile..     |   |
| 18308   | - Channel Daybeacon 19  |                          |                       |               |              | SG on pile.      |   |
| <b>Upper Potomac River</b>                                  |   |                          |                       |               |              |                  |   |
| 18310   | <b>Indian Head Lower Pier Fog Signal</b>                            | 38 36 00 N<br>77 11 00 W |                       |               |              |                  | BELL: 1 stroke ev 10s.<br>Operates during periods of low visibility only.<br>Maintained by U.S. Navy. |
| 18315   | - Buoy 54   |                          |                       |               |              | Red nun.         |   |
| 18320   | NAVY ORDNANCE BREAKWATER LIGHT A                                    | 38 36 24 N<br>77 09 48 W | <b>FI Y 6s</b>        | 15            |              | NY on pile.      | Maintained by U.S. Navy.  |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                               | (8)<br>Remarks  |
|---|---------------------------|--------------------------|-----------------------|---------------|--------------|--|---|
| <b>POTOMAC RIVER (Virginia - Maryland) - Fifth District</b> |                           |                          |                       |               |              |  |   |
| 18325   | - Lighted Buoy 55         |                          | <b>FI G</b> 4s        |               | 4            | Green.   | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.  |
| 18330   | - LIGHT 56                |                          | <b>FI R</b> 4s        | 12            | 5            | TR on small white house, red cylindrical base. | Higher intensity beam down river.                           |
| 18335   | - Buoy 57                 |                          |                       |               |              | Green can.                                     |   |
| 18340   | - Buoy 58                 |                          |                       |               |              | Red nun.                                       |   |
| 18345   | - Lighted Buoy 59         |                          | <b>FI G</b> 4s        |               | 4            | Green.   | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.  |
| 18350   | - Lighted Buoy 60         |                          | <b>FI R</b> 4s        |               | 4            | Red.   | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.  |
| 18355   | HALLOWING POINT LIGHT     | 38 38 04 N<br>77 07 45 W | <b>FI W</b> 4s        | 20            | 6            | NG on pile.                                    |   |
| 18360   | - Buoy 61                 |                          |                       |               |              | Green can.                                     |   |
| 18365   | - Lighted Buoy 62         |                          | <b>FI R</b> 2.5s      |               | 3            | Red.   | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.  |
| 18370   | - Lighted Buoy 64         |                          | <b>FI R</b> 4s        |               | 4            | Red.   | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.  |
| 18375   | WHITESTONE POINT LIGHT    | 38 41 05 N<br>77 07 23 W | <b>Iso W</b> 6s       | 15            | 7            | NW on white tower.                             | Obscured from 035° to 170°.                                 |
| 18380   | - Buoy 66                 |                          |                       |               |              | Red nun.                                       |   |
| 18385   | - Channel Lighted Buoy 67 |                          | <b>FI G</b> 4s        |               | 4            | Green.   | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.  |
| 18390   | - Channel Buoy 69         |                          |                       |               |              | Green can.                                     |   |
| 18395   | - Channel Lighted Buoy 71 |                          | <b>FI G</b> 2.5s      |               | 3            | Green.   | Replaced by LIB of lower intensity from Dec. 15 to Mar. 15. |
| <b>Mount Vernon Cut</b>                                     |                           |                          |                       |               |              |  |   |
| 18400   | - Buoy 1                  |                          |                       |               |              | Green can.                                     |   |
| 18405   | - Buoy 2                  |                          |                       |               |              | Red nun.                                       |   |
| 18410   | - Buoy 3                  |                          |                       |               |              | Green can.                                     |   |
| 18415   | - Buoy 4                  |                          |                       |               |              | Red nun.                                       |   |
| <b>Little Hunting Creek</b>                                 |                           |                          |                       |               |              |  |   |
| Aids maintained from May 1 to Nov. 15.                      |                           |                          |                       |               |              |  |   |
| 18420   | - Buoy 1                  |                          |                       |               |              | Green can.                                     | Private aid.  |
| 18425   | - Buoy 2                  |                          |                       |               |              | Red nun.                                       | Private aid.  |
| 18430   | - Lighted Buoy 4          |                          | <b>FI R</b> 2.5s      |               |              | Red.   | Private aid.  |
| 18435   | - Lighted Buoy 5          |                          | <b>Q G</b>            |               |              | Green.   | Private aid.  |
| 18440   | - Buoy 7                  |                          |                       |               |              | Green can.                                     | Private aid.  |
| 18445   | - Lighted Buoy 8          |                          | <b>Q R</b>            |               |              | Red.   | Private aid.  |
| 18450   | - Buoy 9                  |                          |                       |               |              | Green can.                                     | Private aid.  |

| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                  | (8)<br>Remarks   |
|---|--------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------------|--|
| <b>POTOMAC RIVER (Virginia - Maryland) - Fifth District</b> |                          |                          |                       |               |              |                                   |  |
| 18455   | - Buoy 10                |                          |                       |               |              | Red nun.                          | Private aid.   |
| 18460   | - Lighted Buoy 11        |                          | <b>FI G 4s</b>        |               | 4            | Green.                            | Maintained from May to Nov. 15.<br>Private aid.            |
| 18465   | - Buoy 12                |                          |                       |               |              | Red nun.                          | Private aid.   |
| 18470   | - Buoy 13                |                          |                       |               |              | Green can.                        | Private aid.   |
| 18475   | - Buoy 14                |                          |                       |               |              | Red nun.                          | Private aid.   |
| 18480   | - Buoy 16                |                          |                       |               |              | Red nun.                          | Private aid.   |
| 18485   | - Buoy 17                |                          |                       |               |              | Green can.                        | Private aid.   |
| 18490   | - Buoy 18                |                          |                       |               |              | Red nun.                          | Private aid.   |
| 18495   | - Buoy 19                |                          |                       |               |              | Green can.                        | Private aid.   |
| <b>Upper Potomac River</b>                                  |                          |                          |                       |               |              |                                   |  |
| 18500   | - Channel Buoy 73        |                          |                       |               |              | Green can.                        |  |
| 18505   | - Channel Buoy 76        |                          |                       |               |              | Red nun.                          |  |
| 18510   | - Lighted Buoy 77        |                          | <b>FI G 4s</b>        |               | 4            | Green.                            | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15. |
| <b>Little Hunting Creek Northern Extension</b>              |                          |                          |                       |               |              |                                   |  |
| 18511.1   | - Lighted Buoy 1A        | 38 42 24 N<br>77 03 38 W | <b>Q G</b>            |               |              | Green.                            | Private aid.   |
| 18511.2   | - Buoy 2A                |                          |                       |               |              | Red nun.                          | Private aid.   |
| 18511.3   | - Buoy 3A                |                          |                       |               |              | Green can.                        | Private aid.   |
| 18511.4   | - Buoy 4A                |                          |                       |               |              | Red nun.                          | Private aid.   |
| 18511.5   | - Buoy 5A                |                          |                       |               |              | Green can.                        | Private aid.   |
| 18511.6   | - Buoy 6A                |                          |                       |               |              | Red nun.                          | Private aid.   |
| 18511.7   | - Lighted Buoy 7A        |                          | <b>FI G 2.5s</b>      |               |              | Green.                            | Private aid.   |
| <b>Piscataway Creek</b>                                     |                          |                          |                       |               |              |                                   |  |
| 18515   | - LIGHT 2                | 38 42 26 N<br>77 02 19 W | <b>FI (2) R 5s</b>    | 15            | 2            | TR on pile.                       | Light equipment removed from Dec. 1 to Mar. 15.            |
| 18520   | - Daybeacon 4            |                          |                       |               |              | TR on pile.                       |  |
| 18525   | - Daybeacon 6            |                          |                       |               |              | TR on pile.                       |  |
| 18530   | - Daybeacon 7            |                          |                       |               |              | SG on pile.                       | Private aid.   |
| 18535   | - Daybeacon 8            |                          |                       |               |              | TR on pile.                       | Private aid.   |
| 18540   | - Warning Daybeacon A    |                          |                       |               |              | NW on pile worded DANGER SHOAL.   | Private aid.   |
| 18545   | - Warning Daybeacon B    |                          |                       |               |              | NW on pile worded DANGER SHOAL.   | Private aid.   |
| 18550   | - Warning Daybeacon C    |                          |                       |               |              | NW on pile worded END OF CHANNEL. | Private aid.   |
| <b>Upper Potomac River</b>                                  |                          |                          |                       |               |              |                                   |  |
| 18555   | - Channel Buoy 79        |                          |                       |               |              | Green can.                        |  |

| (1)<br>No.  | (2)<br>Name and Location                  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure          | (8)<br>Remarks  |
|---|---|--------------------------|-----------------------|---------------|--------------|---------------------------|---|
| <b>POTOMAC RIVER (Virginia - Maryland) - Fifth District</b>             |   |                          |                       |               |              |                           |   |
| 18560   | FORT WASHINGTON LIGHT 80                  | 38 42 44 N<br>77 02 13 W | FI R 6s               | 28            | 6            | TR on tower.              |   |
| 18565   | - Channel Buoy 81                         |                          |                       |               |              | Green can.                |   |
| 18570   | - LIGHT 82<br>Off ruined wharf.           |                          | FI R 2.5s             | 15            | 4            | TR on pile.               |   |
| 18575   | - Channel Buoy 83                         |                          |                       |               |              | Green can.                |   |
| 18580   | - Channel Lighted Buoy 84                 |                          | FI R 4s               |               | 4            | Red.                      | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.  |
| 18585   | - Channel Buoy 86                         | 38 45 09 N<br>77 02 02 W |                       |               |              | Red nun.                  |   |
| 18590   | - Channel Buoy 87                         |                          |                       |               |              | Green can.                |   |
| 18595   | - LIGHT 88                                |                          | FI R 2.5s             | 20            | 4            | Pile on cylindrical base. | Higher intensity beam down river.   |
| 18600   | - Lighted Buoy 90                         |                          | FI R 4s               |               | 4            | Red.                      | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.  |
| 18603   | - Channel Buoy 92A                        |                          |                       |               |              | Red nun.                  | Private aid.  |
| 18603.01  | - Channel Buoy 94A                        |                          |                       |               |              | Red nun.                  | Private aid.  |
| 18603.02  | - Channel Buoy 96A                        |                          |                       |               |              | Red nun.                  | Private aid.  |
| 18603.03  | - Channel Buoy 98A                        |                          |                       |               |              | Red nun.                  | Private aid.  |
| 18603.08  | WARNING LIGHT A                           | 38 47 18 N<br>77 01 00 W | FI Y 4s               | 14            |              | On pile.                  | Private aid.  |
| 18603.09  | WARNING LIGHT B                           |                          | FI Y 4s               | 14            |              | On pile.                  | Private aid.  |
| 18603.1   | WARNING LIGHT B                           |                          | FI Y 2.5s             | 10            |              | On pile.                  | Private aid.  |
| 18603.2   | WARNING LIGHT C                           |                          | FI Y 2.5s             | 10            |              | On pile.                  | Private aid.  |
| 18603.3   | WARNING LIGHT D                           |                          | FI Y 2.5s             | 10            |              | On pile.                  | Private aid.  |
| 18603.4   | WARNING LIGHT E                           |                          | FI Y 2.5s             | 10            |              | On pile.                  | Private aid.  |
| 18603.5   | WARNING LIGHT F                           |                          | FI Y 2.5s             | 10            |              | On pile.                  | Private aid.  |
| 18603.6   | WARNING LIGHT G                           |                          | FI Y 2.5s             | 10            |              | On pile.                  | Private aid.  |
| <b>POTOMAC RIVER (Virginia - District of Columbia) - Fifth District</b> |   |                          |                       |               |              |                           |   |
| <b>MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289)</b>                     |   |                          |                       |               |              |                           |   |
| <b>Upper Potomac River</b>  |   |                          |                       |               |              |                           |   |
| <b>Alexandria Channel</b>   |   |                          |                       |               |              |                           |   |
| 18605   | Woodrow Wilson Memorial Bridge Fog Signal | 38 47 42 N<br>77 02 18 W |                       |               |              |                           | Maintained by U.S. Department Commerce, Arlington, Va.<br>Private aid.<br>HORN: 1 blast ev 20s (2s bl).<br>Operates continuously. |
| 18610   | - Buoy 2                                  |                          |                       |               |              | Red nun.                  |   |
| 18615   | - Buoy 4                                  |                          |                       |               |              | Red nun.                  |   |

| (1)<br>No.  | (2)<br>Name and Location         | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                             | (8)<br>Remarks   |
|---|----------------------------------|--------------------------|-----------------------|---------------|--------------|--|--|
| <b>POTOMAC RIVER (Virginia - District of Columbia) - Fifth District</b> |                                  |                          |                       |               |              |  |  |
| 18620   | - Lighted Buoy 6                 | 38 48 45 N<br>77 02 01 W | FI R 2.5s             |               | 4            | Red.   | Replaced by LIB of lower intensity from Dec. 1 to Mar 15.  |
| <b>Marbury Point</b>  |                                  |                          |                       |               |              |  |  |
| 18625   | - Buoy 1                         | 38 48 48 N<br>77 02 00 W |                       |               |              | Green can.                                   | Private aid.   |
| 18630   | - Buoy 2                         |                          |                       |               |              | Red nun.                                     | Private aid.   |
| 18635   | - Buoy 4                         |                          |                       |               |              | Red nun.                                     | Private aid.   |
| 18640   | - Buoy 5                         |                          |                       |               |              | Black can.                                   | Private aid.   |
| 18645   | - Buoy 6                         |                          |                       |               |              | Red nun.                                     | Private aid.   |
| 18650   | - WHARF LIGHT                    | 38 49 18 N<br>77 01 48 W | FI R 4s               | 23            | 7            | Skeleton tower.                              |  |
| 18655   | - Warning Daybeacon              | 38 48 50 N<br>77 01 54 W |                       |               |              | NW on pile worded DANGER SUBMERGED PILE.     |  |
| 18657   | MIRANT POTOMAC RIVER LLC LIGHT A |                          | FI Y 2.5s             | 6             |              | On pile supporting floating boom to Light B. | Private aid.   |
| 18659   | MIRANT POTOMAC RIVER LLC LIGHT B |                          | FI Y 2.5s             | 6             |              | On pile supporting floating boom to Light A. | Private aid.   |
| <b>Alexandria Channel</b>   |                                  |                          |                       |               |              |  |  |
| 18660   | - Lighted Buoy 7A                | 38 49 50 N<br>77 01 46 W | FI G 4s               |               | 4            | Green.                                       | Replaced by LIB of lower intensity when endangered by ice. |
| 18661   | - Buoy 7                         |                          |                       |               |              | Green can.                                   |  |
| <b>Four Mile Run</b>  |                                  |                          |                       |               |              |  |  |
| 18665   | - ENTRANCE LIGHT 1FM             | 38 48 57 N<br>77 02 11 W | FI G 2.5s             | 15            | 3            | SG on pile.                                  |  |
| 18667   | - Daybeacon 2                    |                          |                       |               |              | TR on pile.                                  |  |
| 18670   | - Daybeacon 4                    |                          |                       |               |              | TR on pile.                                  |  |
| 18671   | - Daybeacon 5                    |                          |                       |               |              | SG on pile.                                  |  |
| 18675   | - Daybeacon 6                    |                          |                       |               |              | TR on pile.                                  |  |
| 18675.1   | - Buoy WR 6A                     |                          |                       |               |              | Red nun.                                     |  |
| 18677   | - Daybeacon 7                    |                          |                       |               |              | SG on pile.                                  |  |
| 18680   | - Daybeacon 8                    |                          |                       |               |              | TR on pile.                                  |  |
| 18681   | - Daybeacon 9                    |                          |                       |               |              | SG on pile.                                  |  |
| 18685   | - Daybeacon 10                   |                          |                       |               |              | TR on pile.                                  |  |
| 18687   | - Daybeacon 11                   |                          |                       |               |              | SG on pile.                                  |  |
| 18690   | - Daybeacon 13                   |                          |                       |               |              | SG on pile.                                  |  |
| 18691   | - Daybeacon 14                   |                          |                       |               |              | TR on pile.                                  |  |
| 18693   | - Daybeacon 16                   |                          |                       |               |              |  |  |
| <b>Alexandria Channel</b>   |                                  |                          |                       |               |              |  |  |
| 18695   | - Buoy 9                         |                          |                       |               |              | Green can.                                   |  |

| (1)<br>No.  | (2)<br>Name and Location                        | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                             | (8)<br>Remarks   |
|---|---|--------------------------|-----------------------|---------------|--------------|--|--|
| <b>POTOMAC RIVER (Virginia - District of Columbia) - Fifth District</b> |   |                          |                       |               |              |  |  |
| 18700   | - Buoy 11                                       |                          |                       |               |              | Green can.                                   |  |
| 18705   | <i>Hains Point Junction<br/>Lighted Buoy HP</i> | 38 51 06 N<br>77 01 20 W | <b>FI (2+1) G 6s</b>  |               | 4            | Green and red bands.                         | Replaced by LIB of lower intensity when endangered by ice. |
| 18710   | Hains Point Buoy 1                              |                          |                       |               |              | Green can.                                   |  |
| 18715   | Hains Point Buoy 2                              |                          |                       |               |              | Red nun.                                     |  |
| <b>POTOMAC RIVER (District of Columbia) - Fifth District</b>            |   |                          |                       |               |              |  |  |
| <b>MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289)</b>                     |   |                          |                       |               |              |  |  |
| <b>Anacostia River</b>  |   |                          |                       |               |              |  |  |
| 18720   | Washington Channel<br>Junction Buoy WC          | 38 51 30 N<br>77 01 10 W |                       |               |              | Red and green bands; nun.                    |  |
| 18725   | - Buoy 1  |                          |                       |               |              | Green can.                                   |  |
| 18730   | - Buoy 2  |                          |                       |               |              | Red nun.                                     |  |
| 18735   | - <i>Lighted Buoy 3</i>                         |                          | <b>FI G 4s</b>        |               | 4            | Green.                                       | Replaced by LIB of lower intensity from Dec. 1 to Mar 15.  |
| 18740   | - Buoy 4  |                          |                       |               |              | Red nun.                                     |  |
| 18745   | WASHINGTON GAS LIGHT<br>CO PIER LIGHT           | 38 52 24 N<br>76 59 18 W | <b>F Y</b>            | 12            |              | On pile on pier.                             | Private aid.   |
| 18750   | Underwater Storage Sewer<br>Marker Buoys (2)    | 38 52 36 N<br>76 58 48 W |                       |               |              | White with orange bands; spars.              | Private aids.  |
| <b>Upper Potomac River</b>  |   |                          |                       |               |              |  |  |
| <b>Washington Channel</b>   |   |                          |                       |               |              |  |  |
| 18760   | - Warning Buoy A                                | 38 51 42 N<br>77 01 12 W |                       |               |              | White can with orange bands<br>worded ROCKS. |  |
| 18765   | - Warning Buoy B                                |                          |                       |               |              | White can with orange bands<br>worded ROCKS. |  |
| <b>Georgetown Channel</b>   |   |                          |                       |               |              |  |  |
| 18770   | - Buoy 1  | 38 51 11 N<br>77 01 27 W |                       |               |              | Green can.                                   |  |
| 18775   | - Buoy 2  |                          |                       |               |              | Red nun.                                     |  |
| 18780   | - Buoy 3  |                          |                       |               |              | Green can.                                   |  |
| 18785   | - Buoy 4  |                          |                       |               |              | Red nun.                                     |  |
| 18790   | - Buoy 6  |                          |                       |               |              | Red nun.                                     |  |

# Section 14

## St. Jerome Creek to Magothy River

| (1)<br>No.  | (2)<br>Name and Location        | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                          |
|---|---------------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>     |                                 |                          |                       |               |              |                             |   |
| <b>CHESAPEAKE BAY TO PINEY POINT (Chart 12233)</b>    |                                 |                          |                       |               |              |                             |   |
| <b>St. Jerome Creek</b>                               |                                 |                          |                       |               |              |                             |   |
| 18795   | - LIGHT 1                       | 38 06 55 N<br>76 20 09 W | <b>FI G</b> 2.5s      | 15            | 4            | SG on pile.                 |   |
| 18800   | - Daybeacon 1A                  |                          |                       |               |              | SG on pile.                 |   |
| 18805   | - Daybeacon 3                   |                          |                       |               |              | SG on pile.                 |   |
| 18810   | - LIGHT 4                       |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                 |   |
| 18815   | - Daybeacon 6                   |                          |                       |               |              | TR on pile.                 |   |
| 18820   | - LIGHT 9                       |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                 |   |
| 18825   | - Daybeacon 8                   |                          |                       |               |              | TR on pile.                 |   |
| 18830   | - Daybeacon 11                  |                          |                       |               |              | SG on pile.                 |   |
| 18835   | - Northern Prong<br>Daybeacon 1 |                          |                       |               |              | SG on pile.                 |   |
| <b>Buzz` s Marina Channel</b>                         |                                 |                          |                       |               |              |                             |   |
| 18840   | - Daybeacon 2                   |                          |                       |               |              | TR on pile.                 | Private aid.                            |
| 18845   | - Daybeacon 4                   |                          |                       |               |              | TR on pile.                 | Private aid.                            |
| 18850   | - Daybeacon 6                   |                          |                       |               |              | TR on pile.                 | Private aid.                            |
| 18855   | - Daybeacon 7                   |                          |                       |               |              | SG on pile.                 | Private aid.                            |
| <b>PATUXENT RIVER AND VICINITY (Chart 12264)</b>      |                                 |                          |                       |               |              |                             |   |
| 18860   | N.A.S BASIN ENTRANCE<br>LIGHT 2 |                          | <b>F R</b>            | 11            |              |                             | Maintained by U.S. Navy.                |
| 18865   | N.A.S BASIN ENTRANCE<br>LIGHT 1 |                          | <b>F G</b>            | 8             |              |                             | Maintained by U.S. Navy.                |
| <b>Patuxent River</b>                                 |                                 |                          |                       |               |              |                             |   |
| 18870   | - <i>Lighted Bell Buoy 1PR</i>  |                          | <b>FI G</b> 4s        |               | 4            | Green.                      | Replaced by can when endangered by ice. |
| 18880   | - LIGHT 3                       | 38 19 02 N<br>76 24 04 W | <b>FI G</b> 2.5s      | 15            | 4            | SG on multi-pile structure. |   |
| <b>PATUXENT RIVER - SOLOMONS ISLAND (Chart 12284)</b> |                                 |                          |                       |               |              |                             |   |
| <b>Patuxent River</b>                                 |                                 |                          |                       |               |              |                             |   |
| 18885<br>7605   | DRUM POINT LIGHT 4              | 38 19 08 N<br>76 25 15 W | <b>FI R</b> 2.5s      | 22            | 5            | TR on platform on piles.    |   |
| 18890   | - LIGHT 5                       |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                 |   |
| 18895   | - LIGHT 6                       |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                 |   |

| (1)<br>No.  | (2)<br>Name and Location             | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure              | (8)<br>Remarks                                  |
|---|--------------------------------------|--------------------------|-----------------------|---------------|--------------|-------------------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                                      |                          |                       |               |              |                               |   |
| <b>Solomons Island</b>                            |                                      |                          |                       |               |              |                               |   |
| 18900   | - WHARF LIGHT                        | 38 19 00 N<br>76 27 06 W | FI Y 2.5s             | 14            |              | On post on top of pump house. | Private aid.                                    |
| 18905   | - Approach Daybeacon 2               |                          |                       |               |              | TR on pile.                   |   |
| 18910   | - APPROACH LIGHT 3                   |                          | FI G 4s               | 15            | 4            | SG on pile.                   | Light equipment removed from Dec. 1 to Mar. 15. |
| 18915   | - Approach Daybeacon 4               |                          |                       |               |              | TR on pile.                   |   |
| 18920   | - HARBOR JUNCTION LIGHT              | 38 19 20 N<br>76 27 14 W | FI (2+1) R 6s         | 15            | 3            | JR on pile.                   |   |
| <b>Swash</b>                                      |                                      |                          |                       |               |              |                               |   |
| 18925   | - Daybeacon 1                        | 38 19 16 N<br>76 26 06 W |                       |               |              | SG on pile.                   |   |
| 18930   | - Daybeacon 2                        |                          |                       |               |              | TR on pile.                   |   |
| 18935   | - Daybeacon 2A                       |                          |                       |               |              | TR on pile.                   |   |
| 18940   | - Daybeacon 3                        |                          |                       |               |              | SG on pile.                   |   |
| <b>Mill Creek</b>                                 |                                      |                          |                       |               |              |                               |   |
| 18945   | - LIGHT 2                            | 38 19 27 N<br>76 27 11 W | FI R 4s               | 15            | 3            | TR on pile.                   |   |
| 18950   | - LIGHT 3                            | 38 19 35 N<br>76 27 06 W | FI G 2.5s             | 15            | 3            | SG on pile.                   |   |
| 18955   | CALVERT MARINA PIER LIGHT            | 38 19 54 N<br>76 27 00 W | FI Y 4s               | 10            |              | On pile.                      | Private aid.                                    |
| 18960   | - Daybeacon 4                        |                          |                       |               |              | TR on pile.                   |   |
| 18965   | - Daybeacon 7                        |                          |                       |               |              | SG on pile.                   | Private aid.                                    |
| 18970   | - Daybeacon 8                        |                          |                       |               |              | TR on pile.                   | Private aid.                                    |
| 18975   | - Daybeacon 9                        |                          |                       |               |              | SG on pile.                   | Private aid.                                    |
| 18980   | - Daybeacon 11                       |                          |                       |               |              | SG on pile.                   | Private aid.                                    |
| 18985   | - Daybeacon 12                       |                          |                       |               |              | TR on pile.                   | Private aid.                                    |
| 18990   | LUSBY POINT JUNCTION LIGHT           | 38 20 04 N<br>76 26 50 W | FI (2+1) G 6s         | 15            | 3            | JG on pile.                   |   |
| 18995   | St. John Creek Daybeacon 2           |                          |                       |               |              | TR on pile.                   | Private aid.                                    |
| 19000   | St. John Creek Daybeacon 3           |                          |                       |               |              | SG on pile.                   | Private aid.                                    |
| 19005   | St. John Creek Daybeacon 4           |                          |                       |               |              | TR on pile.                   | Private aid.                                    |
| <b>Back Creek</b>                                 |                                      |                          |                       |               |              |                               |   |
| 19010   | - LIGHT 2                            | 38 19 19 N<br>76 27 18 W | FI R 4s               | 15            | 3            | TR on pile.                   |   |
| 19015   | - Daybeacon 4                        |                          |                       |               |              | TR on pile.                   |   |
| 19020   | - LIGHT 5                            |                          | FI G 4s               | 15            | 4            | SG on pile.                   | Light equipment removed from Dec. 1 to Mar. 15. |
| 19025   | - Daybeacon 8                        |                          |                       |               |              | TR on pile.                   |   |
| 19030   | WEST SEAPLANE BASIN ENTRANCE LIGHT 1 | 38 17 36 N<br>76 26 54 W | FI G 2.5s             | 6             |              |                               | Maintained by U.S. Navy. Private aid.           |

| (1)<br>No.  | (2)<br>Name and Location                        | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                   | (8)<br>Remarks                                     |
|---|---|--------------------------|-----------------------|---------------|--------------|------------------------------------|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |   |                          |                       |               |              |                                    |  |
| 19035   | WEST SEAPLANE BASIN<br>ENTRANCE LIGHT 2         |                          | <b>FI R</b> 2.5s      | 6             |              |                                    | Maintained by U.S. Navy.<br>Private aid.           |
| <b>Patuxent River</b>                             |   |                          |                       |               |              |                                    |  |
| 19040   | - LIGHT 6A                                      | 38 18 45 N<br>76 27 17 W | <b>Q R</b>            | 15            | 3            | TR on pile.                        |  |
| 19045   | Lewis Creek Buoy 2                              | 38 18 48 N<br>76 28 36 W |                       |               |              | Red nun.                           | Private aid.                                       |
| 19050   | Lewis Creek Buoy 3                              | 38 18 48 N<br>76 28 36 W |                       |               |              | Green can.                         | Maintained from Mar. to Sept.<br>Private aid.      |
| 19055   | TOWN CREEK LIGHT 2                              | 38 18 55 N<br>76 28 45 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                        | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| 19060   | Town Point Warning<br>Daybeacon                 | 38 19 20 N<br>76 28 24 W |                       |               |              | NW on pile worded DANGER<br>SHOAL. |  |
| 19062   | SOLOMONS FISHING<br>PIER LIGHT                  |                          | <b>FI Y</b> 2.5s      | 14            |              | On pole on pier.                   | Private aid.                                       |
| <b>Second Cove</b>                                |   |                          |                       |               |              |                                    |  |
| 19065   | - LIGHT 1                                       | 38 19 48 N<br>76 28 24 W | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                        | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| 19070   | - Daybeacon 2                                   |                          |                       |               |              | TR on pile.                        |  |
| 19075   | - Daybeacon 3                                   |                          |                       |               |              | SG on pile.                        |  |
| 19080   | - Daybeacon 4                                   |                          |                       |               |              | TR on pile.                        |  |
| <b>Patuxent River</b>                             |   |                          |                       |               |              |                                    |  |
| 19085   | - LIGHT 8                                       |                          | <b>Q R</b>            | 15            | 3            | TR on pile.                        |  |
| 19090   | - LIGHT 9                                       |                          | <b>FI G</b> 2.5s      | 15            | 4            | SG on pile.                        |  |
| 19095   | Cuckold Creek Daybeacon 2                       |                          |                       |               |              | TR on pile.                        |  |
| 19100   | Cuckold Creek Daybeacon 3                       |                          |                       |               |              | SG on pile.                        |  |
| 19105   | CUCKOLD CREEK LIGHT 4                           |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                        |  |
| 19110   | - LIGHT 11                                      |                          | <b>Q G</b>            | 15            | 4            | SG on pile.                        |  |
| 19115   | - LIGHT 12                                      |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                        |  |
| 19120   | Hellen Creek Buoy 1                             |                          |                       |               |              | Green can.                         | Private aid.                                       |
| 19125   | Hellen Creek Buoy 1A                            |                          |                       |               |              | Green can.                         | Private aid.                                       |
| <b>PATUXENT RIVER AND VICINITY (Chart 12264)</b>  |   |                          |                       |               |              |                                    |  |
| <b>Patuxent River</b>                             |   |                          |                       |               |              |                                    |  |
| 19130   | - Daybeacon 13                                  |                          |                       |               |              | SG on pile.                        |  |
| 19135   | - LIGHT 14                                      |                          | <b>FI R</b> 6s        | 15            | 4            | TR on pile.                        | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| 19140   | St. Leonard Creek Entrance<br>Daybeacon 1       |                          |                       |               |              | SG on pile.                        |  |
| 19142   | ACADEMY OF NATURAL<br>SCIENCE INTAKE<br>LIGHT A |                          | <b>FI Y</b> 4s        | 16            |              | NY on pile.                        | Private aid.                                       |
| 19145   | - ½ Measured Mile Marker<br>Buoy A              | 38 23 24 N<br>76 31 00 W |                       |               |              | Orange and white.                  | Maintained from May to Oct.<br>Private aid.        |

| (1)<br>No.  | (2)<br>Name and Location                        | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                   | (8)<br>Remarks                                      |
|---|---|--------------------------|-----------------------|---------------|--------------|------------------------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |   |                          |                       |               |              |                                    |   |
| 19150   | - ½ Measured Mile Marker<br>Buoy B              |                          |                       |               |              | Orange and white.                  | Maintained from May to Oct.<br>Private aid.         |
| 19152   | ACADEMY OF NATURAL<br>SCIENCE INTAKE<br>LIGHT B |                          | <b>FI Y 4s</b>        | 16            |              | NY on pile.                        | Private aid.  |
| 19155   | - Daybeacon 15                                  |                          |                       |               |              | SG on pile.                        |   |
| 19158   | <i>UMCES Lighted Data Buoy PX</i>               | 38 23 32 N<br>76 31 59 W | <b>FI Y 4s</b>        |               |              | Yellow.                            | Private aid.<br>Maintained from May 1 to Nov.<br>1. |
| 19160   | ISLAND CREEK LIGHT 2                            |                          | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile structure.        |   |
| 19165   | - LIGHT 16                                      |                          | <b>FI R 2.5s</b>      | 15            | 4            | TR on pile.                        |   |
| <b>Nan Cove</b>                                   |   |                          |                       |               |              |                                    |   |
| 19170   | - ENTRANCE LIGHT 1                              | 38 25 11 N<br>76 33 15 W | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                        | Light equipment removed from<br>Dec. 1 to Mar. 15.  |
| 19175   | - Channel Daybeacon 3                           |                          |                       |               |              | SG on pile.                        |   |
| 19180   | - Channel Daybeacon 5                           |                          |                       |               |              | SG on pile.                        |   |
| 19185   | - Channel Daybeacon 6                           |                          |                       |               |              | TR on pile.                        |   |
| 19190   | - CHANNEL LIGHT 7                               |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                        |   |
| 19195   | - Channel Daybeacon 9                           |                          |                       |               |              | SG on pile.                        |   |
| 19200   | - Channel Daybeacon 10                          |                          |                       |               |              | TR on pile.                        |   |
| 19205   | - Channel Daybeacon 11                          |                          |                       |               |              | SG on pile.                        |   |
| <b>Patuxent River</b>                             |   |                          |                       |               |              |                                    |   |
| 19210   | - LIGHT 18                                      |                          | <b>FI R 6s</b>        | 15            | 5            | TR on pile.                        | Light equipment removed from<br>Dec. 1 to Mar. 15.  |
| 19215   | CAPE ST. MARYS MARINA<br>BREAKWATER LIGHT       | 38 25 12 N<br>76 37 00 W | <b>F Y</b>            | 16            |              | On pile.                           | Private aid.  |
| 19217   | Cat Creek<br>Buoy 1                             |                          |                       |               |              | Green can.                         | Private aid.  |
| 19217.1   | Cat Creek<br>Buoy 2                             |                          |                       |               |              | Red nun.                           | Private aid.  |
| 19217.2   | Cat Creek<br>Buoy 3                             |                          |                       |               |              | Green can.                         | Private aid.  |
| 19217.3   | Cat Creek<br>Buoy 5                             |                          |                       |               |              | Green can.                         | Private aid.  |
| 19220   | Battle Creek Channel<br>Daybeacon 1             |                          |                       |               |              | SG on pile.                        | Private aid.  |
| 19221   | Battle Creek Channel Warning<br>Daybeacon       |                          |                       |               |              | NW on pile worded DANGER<br>SHOAL. | Private aid.  |
| 19222   | Battle Creek Channel Daybeacon<br>3             |                          |                       |               |              | SG on pile.                        | Private aid.  |
| 19223   | Battle Creek Channel Daybeacon<br>4             |                          |                       |               |              | TR on pile.                        | Private aid.  |
| 19224   | Battle Creek Channel Daybeacon<br>5             |                          |                       |               |              | SG on pile.                        | Private aid.  |
| 19225   | Battle Creek Channel<br>Daybeacon 2             |                          |                       |               |              | TR on pile.                        | Private aid.  |

| (1)<br>No.  | (2)<br>Name and Location                                   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                 | (8)<br>Remarks                                     |
|---|--|--------------------------|-----------------------|---------------|--------------|--|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>   |  |                          |                       |               |              |  |  |
| 19230   | - Daybeacon 20   |                          |                       |               |              | TR on pile.                                      |  |
| 19235   | - LIGHT 21   |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                                      | Light equipment removed from Dec. 1 to Mar. 15.    |
| 19240   | - LIGHT 24   |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                                      |  |
| 19245   | - Daybeacon 23   |                          |                       |               |              | SG on pile.                                      |  |
| 19250   | - Daybeacon 25   |                          |                       |               |              | SG on pile.                                      |  |
| <b>Chalk Point Cable Crossing</b>                   |  |                          |                       |               |              |  |  |
| 19260   | - TOWER LIGHT 27   |                          | <b>FI G</b> 4s        | 10            |              | SG on pile structure at base of tower.           | Private aid.                                       |
| 19265   | - TOWER LIGHT 28   |                          | <b>FI R</b> 4s        | 10            |              | TR on pile structure at base of tower.           | Private aid.                                       |
| 19270   | - TOWER LIGHT A  |                          | <b>FI Y</b> 2.5s      | 10            |              | On pile structure at base of tower.              | Private aid.                                       |
| 19275   | - TOWER LIGHT B  |                          | <b>FI Y</b> 2.5s      | 10            |              | On pile structure at base of tower.              | Private aid.                                       |
| 19277   | - TOWER LIGHT 29   |                          | <b>FI G</b> 2.5s      | 12            |              |  | Private aid.                                       |
| 19278   | - TOWER LIGHT 30   |                          | <b>FI R</b> 2.5s      | 12            |              |  | Private aid.                                       |
| 19279   | - TOWER LIGHT C  |                          | <b>FI Y</b> 2.5s      |               |              |  | Private aid.                                       |
| 19280   | - TOWER LIGHT D  |                          | <b>FI Y</b> 2.5s      | 12            |              |  | Private aid.                                       |
| 19281   | Patuxent River<br>Daybeacon 32                             | 38 34 24 N<br>76 40 42 W |                       |               |              | TR on pile.                                      |  |
| <b>CHOPTANK RIVER AND HERRING BAY (Chart 12266)</b> |  |                          |                       |               |              |  |  |
| <b>Chesapeake Beach</b>                             |  |                          |                       |               |              |  |  |
| 19283   | NAVAL RESEARCH<br>LABORATORY PIER<br>LIGHT                 | 38 39 24 N<br>76 31 36 W | <b>FI Y</b> 4s        | 12            |              | On end of pier.                                  |  |
| 19285   | - LIGHT 1<br>50 feet outside channel<br>limit.             | 38 41 31 N<br>76 31 16 W | <b>FI G</b> 4s        | 15            | 3            | SG on pile.                                      |  |
| 19290   | - RANGE FRONT LIGHT  |                          | <b>Q W</b>            | 20            |              | KWR on pile.                                     | Visible all around, higher intensity on rangeline. |
| 19295   | - RANGE REAR LIGHT<br>235 yards, 265° from<br>front light. |                          | <b>Iso W</b> 6s       | 30            |              | KRW on skeleton tower on slatted pile structure. | Visible on rangeline only.                         |
| 19300   | - LIGHT 2  |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                                      |  |
| 19305   | - LIGHT 3  |                          | <b>FI G</b> 6s        | 15            | 4            | SG on pile.                                      |  |
| 19310   | - Daybeacon 4  |                          |                       |               |              | TR on pile.                                      |  |
| 19315   | - Daybeacon 5  |                          |                       |               |              | SG on pile.                                      |  |
| <b>Herring Bay</b>                                  |  |                          |                       |               |              |  |  |
| 19320   | - ENTRANCE LIGHT 1   | 38 44 25 N<br>76 30 51 W | <b>FI G</b> 2.5s      | 21            | 4            | SG on multi-pile structure.                      |  |
| 19325   | - LIGHT 2  | 38 44 26 N<br>76 32 39 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                                      |  |
| 19326.1   | - Middle Marshes Daybeacon 3                               |                          |                       |               |              | SG on pile.                                      |  |
| 19330   | - Daybeacon 3  | 38 45 18 N<br>76 32 55 W |                       |               |              | SG on pile.                                      |  |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks                                     |
|---|--|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |  |                          |                       |               |              |   |  |
| 19335   | ROSE HAVEN CHANNEL<br>LIGHT 1<br>30 feet outside channel<br>limit.             | 38 44 02 N<br>76 32 19 W | <b>Q G</b>            | 15            | 3            | SG on multi-pile structure.                                   |  |
| <b>South Herrington Harbor</b>                    |  |                          |                       |               |              |   |  |
| 19345   | - ENTRANCE CHANNEL<br>RANGE FRONT LIGHT  | 38 43 30 N<br>76 32 36 W | <b>Q G</b>            | 15            |              | Orange daymark with black and<br>white stripes on white post. | Private aid.                                       |
| 19350   | - ENTRANCE CHANNEL<br>RANGE REAR LIGHT<br>150 yards, 199° from<br>front light. |                          | <b>F G</b>            | 23            |              | Orange daymark with black and<br>white stripes on white post. | Private aid.                                       |
| 19355   | - Entrance Daybeacon 1A  | 38 43 54 N<br>76 32 24 W |                       |               |              | SG on pile.   | Private aid.                                       |
| 19360   | - Entrance Daybeacon 2   |                          |                       |               |              | TR on pile.   | Private aid.                                       |
| 19365   | - Entrance Daybeacon 3   |                          |                       |               |              | SG on pile.   | Private aid.                                       |
| 19370   | - Entrance Daybeacon 4   |                          |                       |               |              | TR on pile.   | Private aid.                                       |
| 19375   | - Entrance Daybeacon 5   |                          |                       |               |              | SG on pile.   | Private aid.                                       |
| 19380   | - Entrance Daybeacon 6   |                          |                       |               |              | TR on pile.   | Private aid.                                       |
| <b>Rockhold Creek</b>                             |  |                          |                       |               |              |   |  |
| 19395   | - CHANNEL LIGHT 1  | 38 45 56 N<br>76 33 09 W | <b>FI G 4s</b>        | 15            | 4            | SG on pile.   |  |
| 19400   | - JETTY LIGHT 2  |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.   |  |
| 19405   | - Channel Daybeacon 3  |                          |                       |               |              | SG on pile.   |  |
| 19407   | - Channel Daybeacon 4  |                          |                       |               |              | TR on pile.   |  |
| 19410   | - CHANNEL LIGHT 6  | 38 46 15 N<br>76 33 39 W | <b>FI R 4s</b>        | 15            | 3            | TR on pile.   |  |
| 19415   | - CHANNEL LIGHT 7  |                          | <b>Q G</b>            | 15            | 3            | SG on pile.   |  |
| 19420   | - Channel Daybeacon 9  |                          |                       |               |              | SG on pile.   |  |
| 19425   | - Channel Daybeacon 9  |                          |                       |               |              | SG on pile.   |  |
| 19430   | - Channel Daybeacon 10   |                          |                       |               |              | TR on pile.   |  |
| <b>Herrington Harbor</b>                          |  |                          |                       |               |              |   |  |
| 19435   | - North Daybeacon 1  |                          |                       |               |              | SG on pile.   | Private aid.                                       |
| 19440   | - North Daybeacon 2  |                          |                       |               |              | TR on pile.   | Private aid.                                       |
| 19445   | - North Daybeacon 3  |                          |                       |               |              | SG on pile.   | Private aid.                                       |
| <b>EASTERN BAY AND SOUTH RIVER (Chart 12270)</b>  |  |                          |                       |               |              |   |  |
| <b>West River</b>                                 |  |                          |                       |               |              |   |  |
| 19450   | SAUNDERS POINT SHOAL<br>JUNCTION LIGHT   | 38 53 02 N<br>76 28 37 W | <b>FI (2+1) R 6s</b>  | 15            | 4            | JR on pile.   | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| 19455   | Saunders Point Warning<br>Daybeacon<br>10 yards, 140° from<br>wreck.           | 38 52 55 N<br>76 28 55 W |                       |               |              | NW on pile worded DANGER<br>WRECK.                            |  |
| 19460   | - Lighted Buoy 1   |                          | <b>FI G 4s</b>        |               | 4            | Green.  | Removed from station when<br>endangered by ice.    |

| (1)<br>No.  | (2)<br>Name and Location     | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks   |
|---|------------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                              |                          |                       |               |              |                             |  |
| 19465   | - Lighted Buoy 1A            |                          | <b>FI G</b> 2.5s      |               | 3            | Green.                      | Replaced by can when endangered by ice.  |
| 19470   | - ENTRANCE LIGHT 2           |                          | <b>FI R</b> 2.5s      | 15            | 4            | TR on pile.                 | Higher intensity beam towards entrance through fish net area.<br>Light equipment removed from Dec. 1 to Mar. 15. |
| <b>Parish Creek</b>                               |                              |                          |                       |               |              |                             |  |
| 19475   | - LIGHT 1                    |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                 | Light equipment removed from Dec. 1 to Mar. 15.  |
| 19480   | - LIGHT 3                    |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                 | Light equipment removed from Dec. 1 to Mar. 15.  |
| 19485   | - Daybeacon 5                | 38 50 45 N<br>76 30 31 W |                       |               |              | SG on pile.                 |  |
| 19490   | - Daybeacon 6                |                          |                       |               |              | TR on pile.                 |  |
| <b>West River</b>                                 |                              |                          |                       |               |              |                             |  |
| 19495   | - Daybeacon 3                |                          |                       |               |              | SG on pile.                 |  |
| 19500   | - LIGHT 4                    |                          | <b>FI R</b> 4s        | 15            | 4            | TR on pile.                 | Higher intensity beam up and down river.<br>Light equipment removed from Dec. 1 to Mar. 15.                      |
| 19505   | - Daybeacon 5                |                          |                       |               |              | SG on pile.                 |  |
| 19510   | - LIGHT 6                    |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                 | Light equipment removed from Dec. 1 to Mar. 15.  |
| 19512   | - Buoy 7                     |                          |                       |               |              | Green can.                  | Private aid.   |
| <b>Rhode River</b>                                |                              |                          |                       |               |              |                             |  |
| 19515   | - ENTRANCE LIGHT 2           | 38 52 00 N<br>76 30 47 W | <b>FI R</b> 4s        | 15            | 4            | TR on multi-pile structure. |  |
| 19520   | - Daybeacon 3                |                          |                       |               |              | SG on pile.                 |  |
| 19525   | - Daybeacon 4                |                          |                       |               |              | TR on pile.                 |  |
| 19530   | Cadle Creek Daybeacon 1      |                          |                       |               |              | SG on pile.                 |  |
| 19535   | Cadle Creek Daybeacon 2      |                          |                       |               |              | TR on pile.                 |  |
| 19540   | - Daybeacon 6                |                          |                       |               |              | TR on pile.                 |  |
| 19545   | - LIGHT 7                    | 38 53 00 N<br>76 31 22 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                 |  |
| 19550   | Whitemarsh Creek Daybeacon 1 | 38 53 18 N<br>76 31 29 W |                       |               |              | SG on pile.                 |  |
| 19555   | Whitemarsh Creek Daybeacon 3 |                          |                       |               |              | SG on pile.                 |  |
| <b>South River</b>                                |                              |                          |                       |               |              |                             |  |
| 19560   | - Junction Buoy SR           |                          |                       |               |              | Green and red bands; can.   |  |
| 19565   | - Entrance Buoy 2            | 38 53 44 N<br>76 27 52 W |                       |               |              | Red nun.                    |  |
| 19570   | - LIGHT 4                    |                          | <b>FI R</b> 2.5s      | 15            | 4            | TR on multi-pile structure. |  |
| 19575   | - Daybeacon 5                |                          |                       |               |              | SG on pile.                 |  |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                  |
|---|---------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                           |                          |                       |               |              |                             |   |
| 19580   | - LIGHT 6                 | 38 54 55 N<br>76 29 27 W | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. |   |
| <b>Selby Bay</b>                                  |                           |                          |                       |               |              |                             |   |
| 19585   | - ENTRANCE LIGHT 2        |                          | <b>FI R</b> 2.5s      | 15            | 4            | TR on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |
| 19590   | - SOUTH BASIN LIGHT 2     | 38 54 11 N<br>76 30 24 W | <b>FI R</b> 4s        | 15            | 4            | TR on pile.                 |   |
| 19595   | - LIGHT 4                 |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                 |   |
| 19600   | - South Basin Daybeacon 1 |                          |                       |               |              | SG on pile.                 |   |
| <b>South River</b>                                |                           |                          |                       |               |              |                             |   |
| 19605   | - LIGHT 8                 |                          | <b>FI R</b> 6s        | 15            | 4            | TR on pile.                 |   |
| 19610   | - Daybeacon 9             |                          |                       |               |              | SG on pile.                 |   |
| 19615   | - LIGHT 10                | 38 55 51 N<br>76 31 01 W | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                 |   |
| 19625   | - LIGHT 11                |                          | <b>FI G</b> 2.5s      | 15            | 4            | SG on pile.                 |   |
| 19630   | GLEBE BAY LIGHT           |                          | <b>F Y</b>            | 12            |              | On pile on wharf.           | Private aid.                                    |
| 19635   | - LIGHT 12                |                          | <b>FI R</b> 4s        | 15            | 4            | TR on pile.                 |   |
| 19640   | - Daybeacon 14            |                          |                       |               |              | TR on pile.                 |   |
| 19645   | - LIGHT 15                |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. |   |
| 19650   | - LIGHT 16                |                          | <b>FI R</b> 2.5s      | 15            | 4            | TR on pile.                 |   |
| 19655   | - LIGHT 17                |                          | <b>FI G</b> 2.5s      | 15            | 4            | SG on pile.                 |   |
| 19660   | - LIGHT 18                |                          | <b>FI R</b> 4s        | 15            | 4            | TR on pile.                 |   |
| 19665   | - Junction Daybeacon      |                          |                       |               |              | JG on pile.                 |   |
| <b>Fishing Creek</b>                              |                           |                          |                       |               |              |                             |   |
| 19670   | - LIGHT 2F                | 38 54 41 N<br>76 27 18 W | <b>FI R</b> 2.5s      | 15            | 4            | TR on pile.                 |   |
| 19675   | - LIGHT 3                 |                          | <b>Q G</b>            | 15            | 3            | SG on pile.                 |   |
| 19680   | - LIGHT 5                 |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                 |   |
| 19685   | - LIGHT 6                 |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                 |   |
| <b>Manatee Cove Marina Race Course</b>            |                           |                          |                       |               |              |                             |   |
| 19687   | Buoy 1                    |                          |                       |               |              | Green can.                  | Private aid.                                    |
| 19687   | Buoy 1                    |                          |                       |               |              | Green can.                  | Private aid                                     |
| 19687.1   | Buoy 2                    |                          |                       |               |              | Red nun.                    | Private aid.                                    |
| 19687.2   | Buoy 3                    |                          |                       |               |              | Green can.                  | Private aid.                                    |
| 19687.3   | Buoy 4                    |                          |                       |               |              | Red nun.                    | Private aid.                                    |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic  | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks   |
|---|---|--------------------------|--|---------------|--------------|---|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |   |                          |  |               |              |   |  |
| <b>SEVERN AND MAGOTHY RIVERS (Chart 12282)</b>    |   |                          |  |               |              |   |  |
| <b>Severn River</b>                               |   |                          |  |               |              |   |  |
| <b>Annapolis Harbor (Main Channel)</b>            |   |                          |  |               |              |   |  |
| 19690   | CHANNEL LIGHT 1A  | 35 56 01 N<br>76 26 10 W | <b>FI G</b> 4s   | 15            | 4            | SG on multi-pile structure.   |  |
| 19695   | - Channel Lighted Bell Buoy 2   |                          | <b>FI R</b> 2.5s   |               | 4            | Red.  | Replaced by nun when endangered by ice.  |
| 19705   | - CHANNEL LIGHT 4   |                          | <b>FI R</b> 6s   | 15            | 7            | TR on multi-pile structure.   |  |
| 19725   | Greenbury Point Warning Daybeacon   | 38 58 06 N<br>76 27 15 W |  |               |              | NW on red skeleton tower on multi-pile structure worded DANGER OBSTRUCTION. |  |
| 19730   | - Channel Lighted Buoy 6  |                          | <b>FI R</b> 2.5s   |               | 3            | Red.  | Replaced by nun when endangered by ice.  |
| 19740   | - Channel Lighted Buoy 5  |                          | <b>FI G</b> 4s   |               | 4            | Green.  | Replaced by can when endangered by ice.  |
| 19745   | HORN POINT LIGHT HP   | 38 58 25 N<br>76 28 09 W | <b>FI W</b> 6s   | 15            | 6            | NG on pile.   | Light equipment removed when endangered by ice.  |
| 19750   | - Channel Buoy 7  |                          |  |               |              | Green can.  |  |
| 19755   | - Channel Buoy 8  |                          |  |               |              | Red nun.  |  |
| 19760   | - Channel Lighted Buoy 9  |                          | <b>Q G</b>   |               | 3            | Green.  | Replaced by can when endangered by ice.  |
| 19762   | NAVAL ANCHORAGE LIGHT A   |                          | <b>FI Y</b> 2.5s   | 15            | 5            | NY on multi-pile structure.   |  |
| 19765   | Spa Creek Channel Junction Buoy SC  |                          |  |               |              | Green and red bands; can.   |  |
| 19770   | Severn River Restricted Area Buoy A<br>Marks southeast corner of restricted area. | 38 58 53 N<br>76 28 15 W |  |               |              | Yellow can.   |  |
| 19775   | - Channel Buoy 13   |                          |  |               |              | Green can.  |  |
| 19780   | TRITON LIGHT  | 38 58 54 N<br>76 28 36 W | <b>FI (4+5) G</b> 30s<br>0.3s fl 1.3s ec.<br>0.3s fl 1.3s ec.<br>0.3s fl 1.3s ec.<br>0.3s fl 3.4s ec.<br>0.3s fl 1.3s ec.<br>0.3s fl 1.3s ec.<br>0.3s fl 1.3s ec.<br>0.3s fl 1.3s ec.<br>0.3s fl 14.8s ec. | 25            |              | On pile.  | Maintained by U.S. Naval Academy.  |
| 19781   | CLASS OF 43 LIGHT   |                          | <b>FI (4+3) Y</b> 30s  | 15            |              | Black wrought iron structure on stone foundation.                           | Maintained by U.S. Naval Academy.  |
| 19785   | NAVAL ACADEMY LIGHT   |                          | <b>Q W</b><br>(R sector)   | 10            |              |   | Red from 220° to 259.2° white from 259.2° to 273.2°. Maintained by U.S. Naval Academy. |
| 19790   | Naval Station Ramp Obstruction Daybeacon  | 38 58 52 N<br>76 27 55 W |  |               |              | NW on pile worded DANGER ROCK.  |  |
| 19795   | Severn River Restricted Area Buoy B<br>Marks southwest corner of restricted area. | 38 58 59 N<br>76 28 26 W |  |               |              | Yellow can.   |  |
| 19800   | Severn River Restricted Area Buoy C   | 38 58 59 N<br>76 28 39 W |  |               |              | Yellow can.   |  |

| (1)<br>No.  | (2)<br>Name and Location               | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks                                     |
|---|--|--------------------------|-----------------------|---------------|--------------|------------------|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |  |                          |                       |               |              |                  |  |
| 19805   | Severn River Restricted Area<br>Buoy D | 38 59 03 N<br>76 28 46 W |                       |               |              | Yellow can.      |  |
| 19810   | - Channel Buoy 14                      |                          |                       |               |              | Red nun.         |  |
| <b>Lake Ogleton Entrance</b>                      |  |                          |                       |               |              |                  |  |
| 19815   | - LIGHT 1L                             | 38 57 08 N<br>76 27 28 W | <b>FI G 4s</b>        | 15            | 4            | SG on pile.      | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| 19820   | - Daybeacon 2                          |                          |                       |               |              | TR on pile.      |  |
| 19825   | - Daybeacon 3                          |                          |                       |               |              | SG on pile.      |  |
| 19830   | - Daybeacon 4                          |                          |                       |               |              | TR on pile.      |  |
| 19835   | - LIGHT 5                              |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.      |  |
| <b>Lake Ogleton</b>                               |  |                          |                       |               |              |                  |  |
| 19837   | - Buoy 1                               | 38 56 47 N<br>76 27 54 W |                       |               |              | Green can.       | Private aid.                                       |
| 19837.1   | - Buoy 2                               |                          |                       |               |              | Red nun.         | Private aid.                                       |
| 19837.2   | - Buoy 3                               |                          |                       |               |              | Green can.       | Private aid.                                       |
| 19837.3   | - Buoy 4                               |                          |                       |               |              | Red nun.         | Private aid.                                       |
| 19837.4   | - Buoy 5                               |                          |                       |               |              | Red nun.         | Private aid.                                       |
| 19837.5   | - Buoy 6                               |                          |                       |               |              | Red nun.         | Private aid.                                       |
| 19837.6   | - Buoy 7                               |                          |                       |               |              | Green can.       | Private aid.                                       |
| <b>Chesapeake Harbor</b>                          |  |                          |                       |               |              |                  |  |
| Aids maintained from Mar. 1 to Dec. 1.            |  |                          |                       |               |              |                  |  |
| 19840   | - ENTRANCE LIGHT 2                     | 38 57 36 N<br>75 28 00 W | <b>FI R 4s</b>        | 14            |              | TR on pile.      | Private aid.                                       |
| 19845   | - Buoy 3                               | 38 57 36 N<br>76 28 06 W |                       |               |              | Green can.       | Private aid.                                       |
| 19850   | - Buoy 4                               | 38 57 36 N<br>76 28 06 W |                       |               |              | Red nun.         | Private aid.                                       |
| 19855   | - Buoy 5                               | 38 57 36 N<br>76 28 12 W |                       |               |              | Green can.       | Private aid.                                       |
| 19860   | - Buoy 6                               | 38 57 36 N<br>76 28 18 W |                       |               |              | Red nun.         | Private aid.                                       |
| 19865   | - Buoy 7                               | 38 57 36 N<br>76 28 18 W |                       |               |              | Green can.       | Private aid.                                       |
| 19870   | - JETTY LIGHT 8                        | 38 57 36 N<br>76 28 24 W | <b>FI R 4s</b>        | 14            |              | On pile.         | Private aid.                                       |
| 19875   | - JETTY LIGHT 9                        | 38 57 36 N<br>76 28 24 W | <b>FI G 4s</b>        | 14            |              | On pile.         | Private aid.                                       |
| <b>Eastport Harbor</b>                            |  |                          |                       |               |              |                  |  |
| 19880   | - LIGHT 1E                             | 38 57 57 N<br>76 28 09 W | <b>FI G 2.5s</b>      | 15            | 4            | SG on pile.      |  |
| 19885   | - LIGHT 2E                             |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.      |  |
| 19890   | - JETTY LIGHT 3                        |                          | <b>Q G</b>            | 15            | 3            | SG on pile.      |  |
| 19895   | - ENTRANCE LIGHT 5                     |                          | <b>FI G 4s</b>        | 15            | 3            | SG on pile.      |  |

| (1)<br>No.  | (2)<br>Name and Location             | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure              | (8)<br>Remarks                                     |
|---|--------------------------------------|--------------------------|-----------------------|---------------|--------------|-------------------------------|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                                      |                          |                       |               |              |                               |  |
| 19900   | - Daybeacon 7                        |                          |                       |               |              | SG on pile.                   |  |
| <b>Spa Creek</b>                                  |                                      |                          |                       |               |              |                               |  |
| 19905   | - Entrance Buoy 1SC                  | 38 58 35 N<br>76 28 48 W |                       |               |              | Green can.                    |  |
| 19915   | - Daybeacon 3                        |                          |                       |               |              | SG on pile.                   |  |
| 19920   | - Anchoage Buoy A                    | 38 58 24 N<br>76 29 00 W |                       |               |              | White with orange bands; can. | Maintained from May 15 to Oct. 31.<br>Private aid. |
| 19925   | - Anchorage Buoy B                   |                          |                       |               |              | White with orange bands; can. | Maintained from May 15 to Oct. 15.<br>Private aid. |
| 19930   | - Anchorage Buoy C                   |                          |                       |               |              | White with orange bands; can. | Maintained from May 15 to Oct. 31.<br>Private aid. |
| <b>Severn River</b>                               |                                      |                          |                       |               |              |                               |  |
| 19935   | Weems Creek Junction<br>Daybeacon WC | 39 00 04 N<br>76 29 56 W |                       |               |              | JG on pile.                   |  |
| 19940   | - Daybeacon 1S                       | 38 59 47 N<br>76 29 27 W |                       |               |              | SG on pile.                   |  |
| 19945   | - LIGHT 2                            | 39 00 15 N<br>76 29 42 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                   | Light equipment removed from Dec. 1 to Mar. 15.    |
| 19950   | - LIGHT 2A                           | 39 01 08 N<br>76 31 12 W | <b>Q R</b>            | 15            | 4            | TR on pile.                   | Light equipment removed from Dec. 1 to Mar. 15.    |
| 19955   | - LIGHT 4                            |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                   | Light equipment removed from Dec. 1 to Mar. 15.    |
| 19960   | - LIGHT 5                            |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                   | Light equipment removed from Dec. 1 to Mar. 15.    |
| 19965   | - LIGHT 6                            | 39 02 07 N<br>76 32 10 W | <b>FI R</b> 4s        | 15            | 4            | TR on pile.                   | Light equipment removed from Dec. 1 to Mar. 15.    |
| <b>Little Round Bay</b>                           |                                      |                          |                       |               |              |                               |  |
| 19970   | - South Daybeacon 2                  |                          |                       |               |              | TR on pile.                   |  |
| 19975   | - South Daybeacon 3                  |                          |                       |               |              | SG on pile.                   |  |
| 19980   | - South Daybeacon 5                  |                          |                       |               |              | SG on pile.                   |  |
| 19985   | - North Daybeacon 2                  |                          |                       |               |              | TR on pile.                   |  |
| 19990   | - North Daybeacon 3                  |                          |                       |               |              | SG on pile.                   |  |
| 19995   | - North Daybeacon 5                  |                          |                       |               |              | SG on pile.                   |  |
| <b>Severn River</b>                               |                                      |                          |                       |               |              |                               |  |
| 20000   | - Daybeacon 7                        |                          |                       |               |              | SG on pile.                   |  |
| 20005   | - Daybeacon 9                        |                          |                       |               |              | SG on pile.                   |  |
| 20010   | - Daybeacon 10                       |                          |                       |               |              | TR on pile.                   |  |
| 20020   | - LIGHT 12                           |                          | <b>FI R</b> 4s        | 15            | 4            | TR on pile.                   |  |
| 20025   | — Daybeacon 13                       |                          |                       |               |              | SG on pile.                   |  |
| <b>Mill Creek</b>                                 |                                      |                          |                       |               |              |                               |  |
| 20030   | - LIGHT 2M                           | 38 59 34 N<br>76 26 49 W | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                   |  |

| (1)<br>No.  | (2)<br>Name and Location                            | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                     |
|---|---|--------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |   |                          |                       |               |              |                             |  |
| 20035   | - Daybeacon 3                                       |                          |                       |               |              | SG on pile.                 |  |
| 20040   | - Daybeacon 5                                       |                          |                       |               |              | SG on pile.                 |  |
| 20045   | - Daybeacon 6                                       |                          |                       |               |              | TR on pile.                 |  |
| 20050   | - Daybeacon 7                                       |                          |                       |               |              | SG on pile.                 |  |
| 20055   | - Daybeacon 8                                       |                          |                       |               |              | TR on pile.                 |  |
| 20060   | - Daybeacon 10                                      |                          |                       |               |              | TR on pile.                 |  |
| 20063   | - Buoy 11   |                          |                       |               |              | Green can.                  | Private aid.                                       |
| <b>Whitehall Creek</b>                            |   |                          |                       |               |              |                             |  |
| 20065   | - LIGHT 2W  | 38 59 13 N<br>76 26 17 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                 | Light equipment removed from Dec. 1 to Mar. 15.    |
| 20067   | SHARPS POINT LIGHT                                  | 38 59 42 N<br>76 26 06 W | <b>FI W</b> 10s       | 58            |              | White house with red roof.  | Obscured from 067° to 263°. Private aid.           |
| 20070   | - Daybeacon 4                                       |                          |                       |               |              | TR on pile.                 |  |
| 20075   | - Daybeacon 5                                       |                          |                       |               |              | SG on pile.                 |  |
| 20080   | - Daybeacon 6                                       |                          |                       |               |              | TR on pile.                 |  |
| 20085   | - Daybeacon 7                                       |                          |                       |               |              | SG on pile.                 |  |
| <b>Magothy River</b>                              |   |                          |                       |               |              |                             |  |
| <b>Little Magothy River</b>                       |   |                          |                       |               |              |                             |  |
| 20090   | - Daybeacon 8                                       |                          |                       |               |              | TR on pile.                 |  |
| 20092   | - Buoy 1LM  | 39 02 57 N<br>76 25 43 W |                       |               |              | Green can.                  | Private aid.                                       |
| 20092.01  | - Buoy 2  |                          |                       |               |              | Red nun.                    | Private aid.                                       |
| 20092.02  | - Buoy 3  |                          |                       |               |              | Green can.                  | Private aid.                                       |
| 20092.03  | - Buoy 4  |                          |                       |               |              | Red nun.                    | Private aid.                                       |
| 20092.04  | - Buoy 5  |                          |                       |               |              | Green can.                  | Private aid.                                       |
| 20092.05  | - Buoy 6  |                          |                       |               |              | Red nun.                    | Private aid.                                       |
| 20092.06  | - Buoy 7  |                          |                       |               |              | Green can.                  | Private aid.                                       |
| 20092.07  | - Buoy 8  |                          |                       |               |              | Red nun.                    | Private aid.                                       |
| <b>Magothy River</b>                              |   |                          |                       |               |              |                             |  |
| 20095   | - ENTRANCE LIGHT 2                                  | 39 03 22 N<br>76 25 47 W | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. |  |
| 20100   | - LIGHT 3<br>On point of shoal off Persimmon Point. |                          | <b>FI G</b> 4s        | 18            | 4            | SG on multi-pile structure. |  |
| 20105   | - Entrance Daybeacon 4                              |                          |                       |               |              | TR on pile.                 |  |
| 20110   | - Daybeacon 5                                       |                          |                       |               |              | SG on pile.                 |  |
| 20115   | SILLERY BAY LIGHT 1                                 |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                 | Higher intensity beam towards Magothy Narrows.     |
| 20120   | SILLERY BAY LIGHT 3                                 |                          | <b>FI G</b> 4s        | 15            | 5            | SG on pile.                 | Higher intensity beam towards Sillery Bay Light 1. |
| 20125   | SILLERY BAY LIGHT 4                                 |                          | <b>Q R</b>            | 15            | 3            | TR on pile.                 |  |

| (1)<br>No.  | (2)<br>Name and Location         | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure         | (8)<br>Remarks                                 |
|---|----------------------------------|--------------------------|-----------------------|---------------|--------------|--------------------------|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                                  |                          |                       |               |              |                          |  |
| <b>Gibson Island</b>                              |                                  |                          |                       |               |              |                          |  |
| 20130   | - Inner Harbor Lighted Buoy 2    | 39 05 36 N<br>76 25 42 W | Q R                   |               |              | Red.                     | Maintained from May 1 to Nov. 1. Private aid.  |
| 20131   | - Inner Harbor Lighted Buoy 3    |                          | Q G                   |               |              | Green.                   | Maintained from May 1 to Nov. 1. Private aid.  |
| 20132   | - Inner Harbor Lighted Buoy 4    |                          | Q R                   |               |              | Red.                     | Maintained from May 1 to Nov. 1. Private aid.  |
| <b>Grays Creek</b>                                |                                  |                          |                       |               |              |                          |  |
| 20135   | - Entrance Daybeacon 2           | 39 05 12 N<br>76 27 35 W |                       |               |              | TR on pile.              |  |
| 20140   | - Daybeacon 1                    |                          |                       |               |              | SG on pile.              | Private aid.                                   |
| 20145   | - Daybeacon 2                    |                          |                       |               |              | TR on pile.              | Private aid.                                   |
| 20150   | - Daybeacon 3                    |                          |                       |               |              | SG on pile.              | Private aid.                                   |
| 20155   | - Buoy 4                         |                          |                       |               |              | Red nun.                 | Private aid.                                   |
| <b>Deep Creek</b>                                 |                                  |                          |                       |               |              |                          |  |
| 20160   | - Daybeacon 1                    |                          |                       |               |              | SG on pile.              |  |
| 20165   | FAIRWINDS MARINA PIER LIGHT      | 39 03 06 N<br>76 27 12 W | FI Y 4s               | 12            |              | On post on end of pier.  | Private aid.                                   |
| 20170   | - LIGHT 3                        |                          | FI G 4s               | 15            | 4            | SG on pile.              |  |
| 20175   | - Daybeacon 4                    |                          |                       |               |              | TR on pile.              |  |
| <b>Magothy River</b>                              |                                  |                          |                       |               |              |                          |  |
| 20180   | - Daybeacon 7                    |                          |                       |               |              | SG on pile.              |  |
| 20185   | - LIGHT 9                        |                          | FI G 4s               | 15            | 4            | SG on pile.              |  |
| 20190   | Broad Creek Entrance Daybeacon 2 | 39 04 38 N<br>76 28 39 W |                       |               |              | TR on pile.              |  |
| 20195   | Broad Creek Entrance Daybeacon 3 |                          |                       |               |              | SG on pile.              |  |
| 20200   | - LIGHT 10                       |                          | FI R 4s               | 15            | 4            | TR on pile.              |  |
| 20205   | Forked Creek Daybeacon 1         |                          |                       |               |              | SG on pile.              | Private aid.                                   |
| 20210   | Forked Creek Daybeacon 2         |                          |                       |               |              | TR on pile.              | Private aid.                                   |
| 20215   | Forked Creek Daybeacon 4         |                          |                       |               |              | TR on pile.              | Private aid.                                   |
| 20220   | Cool Spring Cove Daybeacon 1     |                          |                       |               |              | SG on pile.              | Private aid.                                   |
| 20225   | Cool Spring Cove Daybeacon 2     |                          |                       |               |              | TR on pile.              | Private aid.                                   |
| 20230   | Spriggs Pond Warning Daybeacon A | 39 04 00 N<br>76 29 48 W |                       |               |              | NW on pile worded JETTY. | Private aid.                                   |
| 20235   | BLACKHOLE CREEK LIGHT 2          | 39 04 54 N<br>76 29 48 W | FI R 2.5s             | 7             |              | TR on pile.              | Maintained from May 1 to Nov. 15. Private aid. |
| 20240   | BLACKHOLE CREEK LIGHT 3          |                          | Q W                   | 7             |              | SG on pile.              | Maintained from May 1 to Nov. 15. Private aid. |

| (1)<br>No.  | (2)<br>Name and Location                                   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks |
|---|--|--------------------------|-----------------------|---------------|--------------|-----------------------------|----------------|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |  |                          |                       |               |              |                             |                |
| 20245   | - Daybeacon 11   |                          |                       |               |              | SG on pile.                 |                |
| 20250   | - LIGHT 12   |                          | <b>F I R</b> 4s       | 15            | 4            | TR on pile.                 |                |
| 20255   | Cypress Creek Daybeacon 1<br>Marks north edge of<br>shoal. |                          |                       |               |              | SG on pile.                 |                |
| 20260   | Cypress Creek Daybeacon 3<br>Marks north edge of<br>shoal. |                          |                       |               |              | SG on pile.                 |                |
| 20265   | - <i>Wreck Lighted<br/>Buoy WR13A</i>                      |                          | <b>Q G</b>            |               | 4            | Green.                      |                |
| 20270   | - LIGHT 13   | 39 04 55 N<br>76 30 58 W | <b>F I G</b> 2.5s     | 15            | 4            | SG on multi-pile structure. |                |
| 20275   | - LIGHT 14   |                          | <b>F I R</b> 4s       | 15            | 3            | TR on pile.                 |                |
| 20280   | - Preferred Channel<br>Daybeacon MR                        | 39 05 10 N<br>76 31 30 W |                       |               |              | JG on pile.                 |                |
| 20285   | Cattail Creek Daybeacon 2                                  |                          |                       |               |              | TR on pile.                 |                |
| 20290   | - Daybeacon 15   |                          |                       |               |              | SG on pile.                 |                |
| 20295   | - Daybeacon 16   |                          |                       |               |              | TR on pile.                 |                |

# Section 15

## Approaches to Baltimore Harbor

| (1)<br>No.  | (2)<br>Name and Location                          | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                       | (8)<br>Remarks                                       |
|---|---|--------------------------|-----------------------|---------------|--------------|--|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>   |   |                          |                       |               |              |  |  |
| <b>APPROACHES TO BALTIMORE HARBOR (Chart 12278)</b> |   |                          |                       |               |              |  |  |
| <b>Patapsco River</b>                               |   |                          |                       |               |              |  |  |
| <b>Bodkin Creek</b>                                 |   |                          |                       |               |              |  |  |
| 20300   | WHITEHURST ASSOCIATION<br>PIER LIGHT A            |                          | <b>F Y</b>            | 8             |              | NY on pile.                            | Private aid.   |
| 20302   | WHITEHURST ASSOCIATION<br>PIER LIGHT B            |                          | <b>F Y</b>            | 8             |              | NY on pile.                            | Private aid.   |
| 20305   | - Royal Beach Association<br>Buoy 2               | 39 06 24 N<br>76 32 12 W |                       |               |              |  | Maintained from Apr. 1<br>to Nov. 1.<br>Private aid. |
| 20310   | Bodkin Point Shoal Buoy 1<br>Marks edge of shoal. | 39 07 50 N<br>76 24 36 W |                       |               |              | Green can.                             |  |
| 20315   | BODKIN POINT SHOAL<br>LIGHT 3                     |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.            |  |
| 20320   | - Approach Daybeacon 5                            |                          |                       | 15            |              | SG on pile.                            |  |
| 20325   | - Warning Buoy BC                                 | 39 08 58 N<br>76 25 27 W |                       |               |              | Green and red bands; can.              |  |
| 20330   | - ENTRANCE LIGHT 7                                |                          | <b>FI G 2.5s</b>      | 15            | 4            | SG on multi-pile structure.            |  |
| 20335   | - Daybeacon 9                                     |                          |                       |               |              | SG on pile.                            |  |
| 20340   | - Daybeacon 9A                                    |                          |                       |               |              | SG on pile.                            |  |
| 20345   | - Daybeacon 10                                    |                          |                       |               |              | TR on pile.                            |  |
| 20350   | - LIGHT 11  |                          | <b>FI G 4s</b>        | 19            | 4            | SG on pile.                            | Light equipment removed from<br>Dec. 1 to Mar. 15.   |
| 20355   | - Daybeacon 12                                    |                          |                       |               |              | TR on pile.                            |  |
| <b>Patapsco River</b>                               |   |                          |                       |               |              |  |  |
| 20360   | Patapsco River 1/2 Measured<br>Mile Marker Buoy A | 39 09 48 N<br>76 27 00 W |                       |               |              | Orange and white can.                  | Maintained from May to Oct.<br>Private aid.          |
| 20365   | Patapsco River 1/2 Measured<br>Mile Marker Buoy B |                          |                       |               |              | Orange and white can.                  | Maintained from May to Oct.<br>Private aid.          |
| <b>Rock Creek</b>                                   |   |                          |                       |               |              |  |  |
| 20370   | WHITE ROCKS LIGHT                                 | 39 10 26 N<br>76 29 17 W | <b>FI W 4s</b>        | 19            | 7            | Black house on concrete<br>foundation. |  |
| 20375   | - ENTRANCE LIGHT 2                                |                          | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile structure.            |  |
| 20385   | - LIGHT 3   |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                            |  |
| 20390   | - Channel Daybeacon 4                             |                          |                       |               |              | TR on pile.                            |  |
| 20395   | - Channel Daybeacon 6                             |                          |                       |               |              | TR on pile.                            |  |
| <b>Stony Creek</b>                                  |   |                          |                       |               |              |  |  |
| 20400   | - Entrance Buoy 2                                 |                          |                       |               |              | Red nun.                               |  |

| (1)<br>No.  | (2)<br>Name and Location                                       | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                            | (8)<br>Remarks                                  |
|---|--|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>           |  |                          |                       |               |              |   |   |
| 20405   | - Entrance Buoy 3  |                          |                       |               |              | Green can.                                  |   |
| 20410   | - ENTRANCE LIGHT 4   |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 20415   | - LIGHT 5  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.                 |   |
| 20420   | - Daybeacon 6  |                          |                       |               |              | TR on pile.                                 |   |
| 20425   | - Daybeacon 8  |                          |                       |               |              | TR on pile.                                 |   |
| <b>Pennwood Channel</b>                                     |  |                          |                       |               |              |   |   |
| <i>Channel buoys located 50 feet outside channel limit.</i> |  |                          |                       |               |              |   |   |
| 20430   | - RANGE FRONT LIGHT  | 39 13 06 N<br>76 27 42 W | <b>Q G</b>            | 25            |              | KRW on pile.                                | Private aid.                                    |
| 20435   | - RANGE REAR LIGHT<br>1,000 yards, 353.6°<br>from front light. |                          | <b>Iso G</b> 6s       | 45            |              | KRW on pile.                                | Private aid.                                    |
| 20440   | - Buoy 2PW   |                          |                       |               |              | Red nun.                                    |   |
| 20445   | - Buoy 3   |                          |                       |               |              | Green can.                                  |   |
| 20450   | - Buoy 5   |                          |                       |               |              | Green can.                                  |   |
| 20455   | - Buoy 6   |                          |                       |               |              | Red nun.                                    |   |
| 20460   | - Buoy 7   |                          |                       |               |              | Green can.                                  |   |
| 20465   | - Buoy 8   |                          |                       |               |              | Red nun.                                    |   |
| 20470   | - Buoy 9   |                          |                       |               |              | Green can.                                  |   |
| 20475   | - Buoy 10  |                          |                       |               |              | Red nun.                                    |   |
| 20480   | - Buoy 12  |                          |                       |               |              | Red nun.                                    |   |
| 20485   | - Buoy 14  |                          |                       |               |              | Red nun.                                    |   |
| 20490   | - Buoy 16  |                          |                       |               |              | Red nun.                                    |   |
| <b>Old Road Bay</b>   |  |                          |                       |               |              |   |   |
| 20495   | - LIGHT 2  |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                                 | Light equipment removed from Dec. 1 to Mar. 15  |
| 20500   | - LIGHT 4  |                          | <b>Q R</b>            | 15            | 4            | TR on pile.                                 | Light equipment removed when endangered by ice. |
| <b>Jones Creek</b>  |  |                          |                       |               |              |   |   |
| 20505   | - LIGHT 1<br>Off end of shoal.                                 | 39 12 54 N<br>76 27 08 W | <b>FI G</b> 2.5s      | 15            | 4            | SG on pile.                                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 20510   | - Daybeacon 2  |                          |                       |               |              | TR on pile.                                 |   |
| 20515   | NORTH POINT CREEK<br>LIGHT 2                                   | 39 13 08 N<br>76 26 29 W | <b>FI R</b> 4s        | 15            | 4            | TR on pile.                                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 20520   | - Daybeacon 3  |                          |                       |               |              | SG on pile.                                 |   |
| 20525   | - Daybeacon 4  |                          |                       |               |              | TR on pile.                                 |   |
| 20530   | - Daybeacon 5  |                          |                       |               |              | SG on pile.                                 |   |
| 20535   | - LIGHT 6  | 39 13 05 N<br>76 27 31 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 20540   | - Warning Daybeacon  |                          |                       |               |              | NW on pile worded DANGER<br>SUBMERGED PILE. |   |

| (1)<br>No.   | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                | (8)<br>Remarks |
|--|--|--------------------------|-----------------------|---------------|--------------|---------------------------------|----------------|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>                |  |                          |                       |               |              |                                 |                |
| <b>Sparrows Point Steel Work Channel</b>                         |  |                          |                       |               |              |                                 |                |
| <i>Channel buoys located 15 - 45 feet outside channel limit.</i> |  |                          |                       |               |              |                                 |                |
| 20545  | - RANGE FRONT LIGHT  | 39 12 42 N<br>76 29 06 W | <b>F G</b>            | 72            |              | Black pyramidal skeleton tower. | Private aid.   |
| 20550  | - RANGE REAR LIGHT<br>250 yards, 354° from<br>front light.                 |                          | <b>F R</b>            | 104           |              | Red building.                   | Private aid.   |
| 20555  | - Buoy 1   |                          |                       |               |              | Green can.                      |                |
| 20560  | - Buoy 2   |                          |                       |               |              | Red nun.                        |                |
| 20565  | - Buoy 3   |                          |                       |               |              | Green can.                      |                |
| 20570  | - Buoy 4   |                          |                       |               |              | Red nun.                        |                |
| 20575  | - Buoy 6   |                          |                       |               |              | Red nun.                        |                |
| 20580  | SPARROWS POINT ORE PIER<br>LIGHTS (2)                                      | 39 12 06 N<br>76 28 30 W | <b>F R</b>            | 28            |              | Yellow dolphin.                 | Private aid.   |
| 20585  | - Buoy 7   |                          |                       |               |              | Green can.                      |                |
| 20590  | - Buoy 8   |                          |                       |               |              | Red nun.                        |                |
| 20595  | - Buoy 10  |                          |                       |               |              | Red nun.                        |                |
| <b>Patapsco River</b>  |  |                          |                       |               |              |                                 |                |
| 20600  | SPARROWS POINT<br>BULKHEAD LIGHT A   | 39 12 06 N<br>76 29 30 W | <b>F R</b>            | 7             |              | On steel box on bulkhead.       | Private aid.   |
| 20605  | SPARROWS POINT<br>BULKHEAD LIGHT B   |                          | <b>F R</b>            | 7             |              | On steel box on bulkhead.       | Private aid.   |
| 20610  | SPARROWS POINT<br>BULKHEAD LIGHT C   |                          | <b>F R</b>            | 7             |              | On steel box on bulkhead.       | Private aid.   |
| 20615  | Coal Pier Channel Entrance<br>Buoy 2                                       | 39 12 37 N<br>76 30 46 W |                       |               |              | Red nun.                        |                |
| 20620  | Coal Pier Channel Junction<br>Buoy CP<br>50 feet outside channel<br>limit. | 39 12 42 N<br>76 30 42 W |                       |               |              | Red and green bands; nun.       |                |
| 20625  | SPARROWS POINT DRYDOCK<br>LIGHT P3   | 39 12 48 N<br>76 30 06 W | <b>Q R</b>            | 20            |              | On steel box.                   | Private aid.   |
| 20630  | SPARROWS POINT DRYDOCK<br>LIGHT P4   |                          | <b>Q R</b>            | 20            |              | On steel box.                   | Private aid.   |
| <b>Marine Pier Channel</b>                                       |  |                          |                       |               |              |                                 |                |
| <i>Channel buoys located 15 - 50 feet outside channel limit.</i> |  |                          |                       |               |              |                                 |                |
| 20635  | - RANGE FRONT LIGHT  | 39 13 36 N<br>76 29 48 W | <b>Q R</b>            | 26            |              | KRW on pile.                    | Private aid.   |
| 20640  | - RANGE REAR LIGHT<br>800 yards, 038° from<br>front light.                 |                          | <b>Iso R 6s</b>       | 60            |              | KRW on pile.                    | Private aid.   |
| 20641  | - Buoy 1   | 39 12 32 N<br>76 30 59 W |                       |               |              | Green can.                      |                |
| 20643  | - Buoy 2   | 39 12 39 N<br>76 30 45 W |                       |               |              | Red nun.                        |                |
| 20645  | - Buoy 3   | 39 12 50 N<br>76 30 39 W |                       |               |              | Green can.                      |                |

| (1)<br>No.  | (2)<br>Name and Location                                       | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure          | (8)<br>Remarks |
|---|--|--------------------------|-----------------------|---------------|--------------|---------------------------|----------------|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |  |                          |                       |               |              |                           |                |
| 20650   | - Buoy 4   | 39 12 48 N<br>76 30 36 W |                       |               |              | Red nun.                  |                |
| 20655   | - Buoy 6   | 39 12 59 N<br>76 30 24 W |                       |               |              | Red nun.                  |                |
| 20660   | - Buoy 7   | 39 13 03 N<br>76 30 26 W |                       |               |              | Green can.                |                |
| 20665   | - Buoy 8   | 39 13 03 N<br>76 30 16 W |                       |               |              | Red nun.                  |                |
| <b>Bear Creek</b>                                 |  |                          |                       |               |              |                           |                |
| 20670   | - Junction Buoy BC   | 39 13 09 N<br>76 30 14 W |                       |               |              | Green and red bands; can. |                |
| 20675   | - ENTRANCE LIGHT 3   | 39 13 51 N<br>76 30 30 W | <b>FIG 2.5s</b>       | 15            | 4            | SG on pile.               |                |
| 20680   | - EAST OBSTRUCTION LIGHTS (2)<br>Marks overhead wire crossing. | 39 14 12 N<br>76 29 48 W | <b>F Y</b>            | 20            |              | On tower.                 | Private aid.   |
| 20685   | - WEST OBSTRUCTION LIGHTS<br>Marks overhead wire crossing.     |                          | <b>F Y</b>            | 20            |              | On tower.                 | Private aid.   |
| 20690   | LONG POINT LIGHT 5   | 39 14 41 N<br>76 29 34 W | <b>FIG 4s</b>         | 15            | 4            | SG on pile.               |                |
| 20695   | Lynch Cove Point Daybeacon<br>Marks 4-foot shoal.              |                          |                       |               |              | JG on pile.               |                |
| 20700   | SPARROWS POINT COUNTRY CLUB PIER LIGHT                         | 39 15 24 N<br>76 28 42 W | <b>F Y</b>            |               |              | On post at pier corner.   | Private aid.   |
| <b>Sollers Point Channel</b>                      |  |                          |                       |               |              |                           |                |
| 20705   | Sollers Point Daybeacon 1                                      | 39 14 00 N<br>76 31 30 W |                       |               |              | SG on pile.               | Private aid.   |
| 20710   | - Buoy 3   | 39 14 06 N<br>76 31 24 W |                       |               |              | Green can.                | Private aid.   |
| 20715   | - Buoy 4   |                          |                       |               |              | Red nun.                  | Private aid.   |
| 20720   | - Buoy 5   |                          |                       |               |              | Green can.                | Private aid.   |
| 20725   | - Buoy 6   |                          |                       |               |              | Red nun.                  | Private aid.   |
| <b>Herbert A. Wagner Generating Plant Channel</b> |  |                          |                       |               |              |                           |                |
| 20730   | - Buoy 1   |                          |                       |               |              | Green can.                | Private aid.   |
| 20735   | - Buoy 2   |                          |                       |               |              | Red nun.                  | Private aid.   |
| 20740   | - Buoy 3   |                          |                       |               |              | Green can.                | Private aid.   |
| 20745   | - Buoy 4   |                          |                       |               |              | Red nun.                  | Private aid.   |
| 20750   | - Buoy 5   |                          |                       |               |              | Green can.                | Private aid.   |
| 20755   | - Buoy 6   |                          |                       |               |              | Red nun.                  | Private aid.   |
| 20760   | - Buoy 7   |                          |                       |               |              | Green can.                | Private aid.   |
| 20765   | - Buoy 9   |                          |                       |               |              | Green can.                | Private aid.   |
| 20770   | - Buoy 11  |                          |                       |               |              | Green can.                | Private aid.   |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks  |
|---|---|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>         |   |                          |                       |               |              |                             |   |
| <b>Herbert A. Wagner Generating Plant (North Channel)</b> |   |                          |                       |               |              |                             |   |
| 20775   | - Buoy 2  | 39 12 00 N<br>76 31 06 W |                       |               |              | Red nun.                    | Private aid.  |
| 20780   | - Buoy 4  | 39 11 36 N<br>76 31 00 W |                       |               |              | Red nun.                    | Private aid.  |
| 20785   | - Buoy 6  | 39 11 18 N<br>76 31 00 W |                       |               |              | Red nun.                    | Private aid.  |
| <b>Hawkins Point Pier</b>                                 |   |                          |                       |               |              |                             |   |
| 20788   | MILLENNIUM HAWKINS POINT<br>OUTFALL LIGHT                               | 39 12 15 N<br>76 31 46 W | <b>FI Y 4s</b>        |               |              | 8 On pile.                  | Private aid.  |
| 20790   | Hawkins Point Buoy WR1  |                          |                       |               |              | Green can.                  |   |
| 20795   | Hawkins Point Shoal<br>Buoy 11S<br>Marks northeast end of<br>shoal.     | 39 12 41 N<br>76 31 41 W |                       |               |              | Green can.                  |   |
| 20800   | - Buoy 1  |                          |                       |               |              | Green can.                  | Private aid.  |
| 20805   | - Buoy 2  |                          |                       |               |              | Red nun.                    | Private aid.  |
| 20810   | - Buoy 3  |                          |                       |               |              | Green can.                  | Private aid.  |
| 20815   | - Buoy 4  |                          |                       |               |              | Red nun.                    | Private aid.  |
| 20820   | - LIGHT A   |                          | <b>F W</b>            | 17            |              | On pile.                    | Private aid.  |
| 20825   | - LIGHT B   |                          | <b>F W</b>            | 17            |              | On pile.                    | Private aid.  |
| 20830   | - LIGHT C   |                          | <b>F W</b>            | 17            |              | On pile.                    | Private aid.  |
| 20835   | - LIGHT D   |                          | <b>F W</b>            | 17            |              | On pile.                    | Private aid.  |
| 20840   | - LIGHT E   |                          | <b>F W</b>            | 17            |              | On pile.                    | Private aid.  |
| 20845   | - LIGHT F   |                          | <b>F W</b>            | 17            |              | On pile.                    | Private aid.  |
| 20850   | - LIGHT G   |                          | <b>F W</b>            | 17            |              | On pile.                    | Private aid.  |
| 20855   | - LIGHT H   |                          | <b>F W</b>            | 17            |              | On pile.                    | Private aid.  |
| <b>Curtis Bay</b>   |   |                          |                       |               |              |                             |   |
| <i>Buoys located 75 feet outside channel limit.</i>       |   |                          |                       |               |              |                             |   |
| 20860   | - Entrance Channel Lighted<br>Buoy 1CB                                  | 39 13 12 N<br>76 32 06 W | <b>Q G</b>            |               |              | 4 Green.                    |   |
| 20865   | - Channel Lighted<br>Buoy 2   |                          | <b>FI R 2.5s</b>      |               |              | 4 Red.                      |   |
| 20870   | - CHANNEL RANGE FRONT<br>LIGHT  | 39 13 16 N<br>76 34 35 W | <b>Q G</b>            |               | 20           | On on multi-pile structure. | Visible on range line only.                                 |
| 20875   | - CHANNEL RANGE REAR<br>LIGHT<br>402 yards, 267.8° from<br>front light. |                          | <b>Iso G 6s</b>       |               | 50           | On skeleton tower.          | Visible on range line only.<br>Lighted throughout 24 hours. |
| 20880   | - Channel Lighted<br>Buoy 3   |                          | <b>FI G 2.5s</b>      |               |              | 4 Green.                    |   |
| 20885   | - Channel Lighted<br>Buoy 4   |                          | <b>FI R 6s</b>        |               |              | 4 Red.                      |   |
| 20890   | - Channel Lighted<br>Buoy 5   |                          | <b>FI G 4s</b>        |               |              | 4 Green.                    |   |

| (1)<br>No.  | (2)<br>Name and Location                               | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure             | (8)<br>Remarks                          |
|---|--|--------------------------|-----------------------|---------------|--------------|------------------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |  |                          |                       |               |              |                              |   |
| 20895   | - Channel Lighted Bell Buoy 6                          |                          | <b>FI R</b> 4s        |               | 4            | Red.                         | Replaced by nun when endangered by ice. |
| 20900   | - Channel Lighted Buoy 7                               |                          | <b>FI G</b> 2.5s      |               | 4            | Green.                       |   |
| 20905   | - Channel Lighted Buoy 8                               |                          | <b>Q R</b>            |               | 4            | Red.                         |   |
| 20910   | - Channel Lighted Buoy 9                               |                          | <b>FI G</b> 2.5s      |               | 4            | Green.                       |   |
| 20915   | - Channel Lighted Buoy 10                              |                          | <b>FI R</b> 4s        |               | 4            | Red.                         |   |
| 20920   | - Channel Lighted Buoy 11                              |                          | <b>FI G</b> 4s        |               | 4            | Green.                       |   |
| 20925   | - Channel Lighted Buoy 12                              |                          | <b>FI R</b> 4s        |               | 3            | Red.                         | Replaced by nun when endangered by ice. |
| 20930   | Hess Lighted Mooring Buoy                              | 39 12 48 N<br>76 34 42 W | <b>FI W</b> 2s        |               |              | Orange can.                  | Private aid.                            |
| 20935   | - Channel Lighted Buoy 13                              |                          | <b>Q G</b>            |               | 4            | Green.                       |   |
| 20940   | Curtis Creek Buoy 14                                   |                          |                       |               |              | Red nun.                     |   |
| 20945   | Curtis Creek Buoy 16                                   |                          |                       |               |              | Red nun.                     |   |
| 20950   | Curtis Creek Buoy 18                                   |                          |                       |               |              | Red nun.                     |   |
| 20955   | Marley Creek Daybeacon 1                               |                          |                       |               |              | SG on pile.                  |   |
| 20960   | Marley Creek Daybeacon 3                               |                          |                       |               |              | SG on pile.                  |   |
| 20965   | Marley Creek Daybeacon 5                               |                          |                       |               |              | SG on pile.                  |   |
| 20970   | Marley Creek Daybeacon 7                               |                          |                       |               |              | SG on pile.                  |   |
| 20973   | CURTIS BAY COMPANY TERMINAL DOCK LIGHT                 | 39 13 24 N<br>76 34 36 W | <b>F R</b>            | 12            |              | On southeast corner of pier. | Private aid.                            |
| 20975   | - CSX COAL PIER DOLPHIN LIGHT A                        | 39 13 24 N<br>76 34 42 W | <b>FI Y</b> 2.5s      | 16            |              | On southside end of pier.    | Private aid.                            |
| 20980   | - CSX COAL PIER DOLPHIN LIGHT B                        |                          | <b>FI Y</b> 2.5s      | 16            |              | On northside end of pier     | Private aid.                            |
| 20985   | - CSX ASH PIER LIGHT C                                 | 39 13 24 N<br>76 34 54 W | <b>FI Y</b> 2.5s      | 15            |              | On southeast dolphin.        | Private aid.                            |
| 20990   | CSX ORE PIER OBSTRUCTION LIGHT D                       | 39 13 30 N<br>76 34 54 W | <b>F Y</b>            | 15            |              | On end of pier.              | Private aid.                            |
| 20995   | CSX ORE PIER OBSTRUCTION LIGHT E                       |                          | <b>F Y</b>            | 15            |              | On end of pier.              | Private aid.                            |
| <b>BALTIMORE HARBOR (Chart 12281)</b>             |  |                          |                       |               |              |                              |   |
| <b>Dundalk Terminal East Channel</b>              |  |                          |                       |               |              |                              |   |
| Buoys located 75 feet outside channel limit.      |  |                          |                       |               |              |                              |   |
| 21000   | - RANGE FRONT LIGHT                                    | 39 14 24 N<br>76 31 54 W | <b>Q G</b>            | 42            |              | KRW on pile.                 | Private aid.                            |
| 21005   | - RANGE REAR LIGHT 304 yards, 032.8° from front light. |                          | <b>Iso G</b> 6s       | 54            |              | KRW on pile.                 | Private aid.                            |
| 21010   | - Buoy 2DE   |                          |                       |               |              | Red nun.                     |   |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure           | (8)<br>Remarks                               |
|---|---|--------------------------|-----------------------|---------------|--------------|----------------------------|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>   |   |                          |                       |               |              |                            |  |
| 21020   | - Buoy 3  |                          |                       |               |              | Green can.                 |  |
| 21025   | - Lighted Buoy 4  |                          | <b>FI R</b> 4s        |               | 3            | Red.                       |  |
| 21027   | - Lighted Buoy 5  |                          | <b>FI G</b> 4s        |               | 4            | Green.                     |  |
| 21030   | - Buoy 7  | 39 14 22 N<br>76 32 10 W |                       |               |              | Green can.                 |  |
| 21035   | - Buoy 6  |                          |                       |               |              | Red nun.                   |  |
| 21040   | DUNDALK TERMINAL<br>SOUTHEAST BULKHEAD<br>LIGHT                               |                          | <b>F Y</b>            | 11            |              | On post.                   | Private aid.                                 |
| <b>Seagirt Marine Terminal East Channel</b>         |   |                          |                       |               |              |                            |  |
| <i>Buoys located 75 feet outside channel limit.</i> |   |                          |                       |               |              |                            |  |
| 21045   | - Lighted Buoy 2SE  | 39 14 19 N<br>76 32 37 W | <b>FI R</b> 4s        |               | 3            | Red.                       |  |
| 21050   | -Lighted Buoy 3   |                          | <b>FI G</b> 4s        |               | 4            | Green.                     |  |
| 21052   | - Buoy 4  |                          |                       |               |              | Red nun.                   |  |
| 21055   | - Lighted Buoy 5  |                          | <b>Q G</b>            |               | 4            | Green.                     |  |
| 21060   | - Buoy 6  |                          |                       |               |              | Red nun.                   |  |
| 21065   | - Lighted Buoy 7  | 39 15 06 N<br>76 32 46 W | <b>FI G</b> 4s        |               | 3            | Green.                     |  |
| 21070   | - Colgate Creek<br>Entrance Buoy 1C   |                          |                       |               |              | Green can.                 |  |
| 21075   | Dundalk Terminal West<br>Channel Buoy 6                                       | 39 14 32 N<br>76 32 17 W |                       |               |              | Red nun.                   |  |
| 21080   | - RANGE FRONT LIGHT   | 39 14 48 N<br>76 32 18 W | <b>Q G</b>            | 45            |              | On pile.                   | Lighted throughout 24 hours.<br>Private aid. |
| 21085   | - RANGE REAR LIGHT<br>95 yards, 030° from<br>front light.                     |                          | <b>Iso G</b> 6s       | 55            |              | On pile.                   | Lighted throughout 24 hours.<br>Private aid. |
| 21090   | DUNDALK TERMINAL<br>NORTHWEST BULKHEAD<br>LIGHT                               |                          | <b>F Y</b>            | 10            |              | On pedestal.               | Private aid.                                 |
| 21095   | - Junction Buoy SM  | 39 15 10 N<br>76 33 50 W |                       |               |              | Red and green bands; nun.  |  |
| 21100   | - Lighted Buoy 11   | 39 15 03 N<br>76 32 43 W | <b>FI G</b> 4s        |               | 4            | Green.                     |  |
| 21105   | SEAGIRT TERMINAL EAST<br>END BULKHEAD LIGHT                                   | 39 15 06 N<br>76 32 36 W | <b>F Y</b>            | 10            |              | On post on bulkhead.       | Private aid.                                 |
| <b>Fairfield Piers</b>                              |   |                          |                       |               |              |                            |  |
| 21110   | SHELL OIL COMPANY<br>RANGE FRONT LIGHT  | 39 14 18 N<br>76 33 42 W | <b>F R</b>            | 20            |              | On skeleton tower on pier. | Private aid.                                 |
| 21115   | SHELL OIL COMPANY<br>RANGE REAR LIGHT<br>189 yards, 237° from<br>front light. |                          | <b>F G</b>            | 70            |              |                            | Private aid.                                 |
| 21120   | VISTA CHEMICAL PIER LIGHT   | 39 14 30 N<br>76 33 48 W | <b>FI Y</b> 2.5s      | 12            |              | On pile at end of pier.    | Private aid.                                 |

| (1)<br>No.   | (2)<br>Name and Location                                   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure          | (8)<br>Remarks                             |
|--|--|--------------------------|-----------------------|---------------|--------------|---------------------------|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>    |  |                          |                       |               |              |                           |  |
| <b>Seagirt Marine Terminal West Channel</b>          |  |                          |                       |               |              |                           |  |
| 21135  | - Junction Buoy SW   | 39 15 10 N<br>76 33 50 W |                       |               |              | Red and green bands; nun. |  |
| 21140  | - Buoy 3   | 39 15 12 N<br>76 33 43 W |                       |               |              | Green can.                |  |
| 21145  | - Lighted Buoy 4   | 39 15 09 N<br>76 33 38 W | <b>F I R</b> 4s       |               | 4            | Red.                      |  |
| 21150  | - Buoy 5   | 39 15 24 N<br>76 33 28 W |                       |               |              | Green can.                |  |
| 21155  | - Lighted Buoy 6   | 39 15 19 N<br>76 33 25 W | <b>Q R</b>            |               | 3            | Red.                      |  |
| 21160  | - Buoy 8   | 39 15 19 N<br>76 33 14 W |                       |               |              | Red nun.                  |  |
| 21165  | - Buoy 10  | 39 15 14 N<br>76 32 58 W |                       |               |              | Red nun.                  |  |
| 21170  | - Buoy 2<br>25 feet outside channel<br>limit.              |                          |                       |               |              | Red nun.                  |  |
| <b>Fairfield Channel</b>                             |  |                          |                       |               |              |                           |  |
| 21175  | - Buoy 2   |                          |                       |               |              | Red nun.                  | Private aid.                               |
| 21180  | - Buoy 4   |                          |                       |               |              | Red nun.                  | Private aid.                               |
| 21185  | - Buoy 6   |                          |                       |               |              | Red nun.                  | Private aid.                               |
| 21190  | - DOLPHIN LIGHT  |                          | <b>F W</b>            | 15            |              | On dolphin.               | Private aid.                               |
| 21195  | - RANGE FRONT LIGHT  |                          | <b>F G</b>            |               |              | On pile.                  | Private aid.                               |
| 21200  | - RANGE REAR LIGHT<br>300 yards, 211° from<br>front light. |                          | <b>F G</b>            |               |              | On pile.                  | Private aid.                               |
| <b>Ferry Bar Channel</b>                             |  |                          |                       |               |              |                           |  |
| <i>Buoys located 75 feet outside channel limits.</i> |  |                          |                       |               |              |                           |  |
| 21205  | - Lighted Buoy 1FB   | 39 15 16 N<br>76 34 16 W | <b>Q G</b>            |               | 4            | Green.                    | Replaced by can when<br>endangered by ice. |
| 21210  | - Lighted Buoy 2   |                          | <b>F I R</b> 4s       |               | 4            | Red.                      |  |
| 21215  | - Lighted Buoy 3   |                          | <b>F I G</b> 6s       |               | 4            | Green.                    |  |
| 21220  | - Lighted Buoy 4   |                          | <b>F I R</b> 2.5s     |               | 4            | Red.                      |  |
| <b>Locust Point East Channel</b>                     |  |                          |                       |               |              |                           |  |
| 21225  | - Buoy 1LE   | 39 15 23 N<br>76 35 29 W |                       |               |              | Green can.                |  |
| 21230  | - Buoy 2   |                          |                       |               |              | Red nun.                  |  |
| 21233  | - Buoy 4   |                          |                       |               |              | Red nun.                  |  |
| 21235  | - Buoy 5   |                          |                       |               |              | Green can.                |  |
| <b>Locust Point West Channel</b>                     |  |                          |                       |               |              |                           |  |
| 21240  | - Buoy 1LW   | 39 15 25 N<br>76 35 54 W |                       |               |              | Green can.                |  |
| 21245  | - Buoy 2   | 39 15 25 N<br>76 35 44 W |                       |               |              | Red nun.                  |  |

| (1)<br>No.   | (2)<br>Name and Location                             | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks                                  |
|--|--|--------------------------|-----------------------|---------------|--------------|--------------------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>    |  |                          |                       |               |              |                                |   |
| 21250  | - Buoy 4   |                          |                       |               |              | Red nun.                       |   |
| 21255  | - Buoy 6   |                          |                       |               |              | Red nun.                       |   |
| 21260  | - Buoy 8   |                          |                       |               |              | Red nun.                       |   |
| <b>Ferry Bar Channel</b>                             |  |                          |                       |               |              |                                |   |
| <i>Buoys located 75 feet outside channel limits.</i> |  |                          |                       |               |              |                                |   |
| 21265  | - Lighted Buoy 6                                     | 39 15 23 N<br>76 35 36 W | <b>Q R</b>            |               | 4            | Red.                           | Light equipment removed when endangered by ice. |
| 21270  | - Lighted Buoy 7                                     |                          | <b>FI G 2.5s</b>      |               | 4            | Green.                         | Replaced by can when endangered by ice.         |
| 21275  | - Junction Buoy FB                                   |                          |                       |               |              | Green and red bands; can.      |   |
| 21280  | - Daybeacon 8  |                          |                       |               |              | TR on pile.                    |   |
| 21285  | - Daybeacon 9  |                          |                       |               |              | SG on pile.                    |   |
| 21290  | - Daybeacon 10                                       |                          |                       |               |              | TR on pile.                    |   |
| 21295  | - Daybeacon 12                                       |                          |                       |               |              | TR on pile.                    |   |
| 21300  | - LIGHT 13   | 39 15 19 N<br>76 36 40 W | <b>Q G</b>            | 15            | 3            | SG on pile.                    | Higher intensity beam down channel.             |
| 21305  | - Daybeacon 14                                       |                          |                       |               |              | TR on pile.                    |   |
| <b>Spring Garden Channel</b>                         |  |                          |                       |               |              |                                |   |
| 21310  | - Daybeacon 2  | 39 15 34 N<br>76 37 07 W |                       |               |              | TR on pile.                    |   |
| 21315  | - Daybeacon 4  |                          |                       |               |              | TR on pile.                    |   |
| 21320  | - Daybeacon 6  |                          |                       |               |              | TR on pile.                    |   |
| 21325  | PORT COVINGTON MOORING PLATFORM LIGHT                | 39 15 30 N<br>76 36 18 W | <b>F R</b>            | 12            |              | On 20' X 30' mooring platform. | Private aid.                                    |
| <b>Northwest Harbor</b>                              |  |                          |                       |               |              |                                |   |
| 21330  | - Lighted Buoy 2NH<br>75 feet outside channel limit. |                          | <b>Q R</b>            |               | 4            | Red.                           | Replaced by nun when endangered by ice.         |
| 21335  | - Lighted Buoy 3<br>75 feet outside channel limit.   |                          | <b>Q G</b>            |               | 4            | Green.                         | Replaced by can when endangered by ice.         |
| 21340  | - Lighted Buoy 5                                     |                          | <b>FI G 4s</b>        |               | 4            | Green.                         |   |
| 21345  | - Lighted Buoy 7                                     |                          | <b>Q G</b>            |               | 3            | Green.                         |   |
| 21350  | Navy Reserve Pier Buoy                               |                          |                       |               |              | Orange sphere.                 | Maintained by U.S. Navy.                        |
| 21352  | Erasmus Property<br>Dolphin Light A                  |                          | <b>FI Y 4s</b>        |               |              | NY on dolphin.                 | Private aid.                                    |
| 21360  | - Junction Lighted Buoy NH                           |                          | <b>FI (2+1) R 6s</b>  |               | 4            | Red and green bands.           |   |

# Section 16

## Chesapeake Bay Entrance to Tangier Sound

| (1)<br>No.  | (2)<br>Name and Location                    | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks   |
|---|---|--------------------------|-----------------------|---------------|--------------|--------------------------------|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |   |                          |                       |               |              |                                |  |
| <b>CHESAPEAKE BAY ENTRANCE (Chart 12221)</b>      |   |                          |                       |               |              |                                |  |
| <b>North Channel</b>                              |   |                          |                       |               |              |                                |  |
| 21365   | - Entrance Buoy 2                           | 37 01 20 N<br>75 54 07 W |                       |               |              | Red nun.                       |  |
| 21370   | - Buoy 4                                    |                          |                       |               |              | Red nun.                       |  |
| 21375   | - Buoy 6                                    |                          |                       |               |              | Red nun.                       |  |
| 21380   | - Buoy 8                                    |                          |                       |               |              | Red nun.                       |  |
| 21385   | - Buoy 10                                   |                          |                       |               |              | Red nun.                       |  |
| 21390   | - Buoy 11                                   |                          |                       |               |              | Green can.                     |  |
| 21395   | <b>North Channel Bridge<br/>Fog Signals</b> | 37 05 18 N<br>75 59 12 W |                       |               |              |                                | Private aid.<br>HORN: 1 blast ev 20s (2s bl).<br>Continuous. |
| <b>CAPE CHARLES TO WOLF TRAP (Chart 12224)</b>    |   |                          |                       |               |              |                                |  |
| <b>North Channel</b>                              |   |                          |                       |               |              |                                |  |
| 21400   | - Buoy 13                                   |                          |                       |               |              | Green can.                     |  |
| 21405   | Latimer Shoal Junction<br>Buoy LS           | 37 05 49 N<br>75 59 32 W |                       |               |              | Red and green bands; nun.      |  |
| 21410   | - Buoy 16                                   |                          |                       |               |              | Red nun.                       |  |
| 21413   | - Buoy 18                                   |                          |                       |               |              | Red nun.                       |  |
| 21415<br>6595                                     | VIRGINIA INSIDE PASSAGE<br>LIGHT 270        |                          | <b>FI R 2.5s</b>      | 18            | 4            | TR on pile.                    | Light equipment removed<br>when endangered by ice.           |
| <b>Kiptopeke Beach</b>                            |   |                          |                       |               |              |                                |  |
| 21420   | - BREAKWATER SOUTH<br>LIGHT A               |                          | <b>FI Y 4s</b>        | 14            |              | NY on black skeleton tower.    | Private aid.   |
| 21425   | - BREAKWATER NORTH LIGHT<br>B               |                          | <b>FI Y 4s</b>        | 14            |              | NY on black skeleton tower.    | Private aid.   |
| 21427   | - BOAT RAMP ENTRANCE<br>LIGHT 1             |                          | <b>Q G</b>            | 15            |              | SG on pile.                    | Private aid.   |
| 21429   | - BOAT RAMP ENTRANCE<br>LIGHT 2             |                          | <b>FI R 2.5s</b>      | 15            |              | TR on pile.                    | Private aid.   |
| <b>CAPE CHARLES TO WOLF TRAP (Chart 12224)</b>    |   |                          |                       |               |              |                                |  |
| 21430   | CHERRYSTONE CHANNEL<br>LIGHT 2              | 37 12 02 N<br>76 01 32 W | <b>FI R 2.5s</b>      | 18            | 4            | TR on pile.                    | Light equipment removed<br>when endangered by ice.           |
| 21435<br>7245                                     | OLD PLANTATION FLATS<br>LIGHT               | 37 13 44 N<br>76 02 49 W | <b>FI W 4s</b>        | 39            | 8            | NB on pile.                    | Higher intensity beam toward<br>200°.                        |
| 21440   | CAPE CHARLES CITY RANGE<br>A FRONT LIGHT    | 37 14 46 N<br>76 01 28 W | <b>Q W</b>            | 19            |              | KRW on slatted pile structure. | Visible on range line only.                                  |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                        | (8)<br>Remarks   |
|---|---|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |   |                          |                       |               |              |   |  |
| 21445   | CAPE CHARLES CITY RANGE<br>A REAR LIGHT<br>400 yards, 054° from<br>front light. |                          | <b>Iso W 6s</b>       | 33            |              | KRW on skeleton tower.                  | Visible on range line only.                                      |
| <b>Cape Charles City</b>                          |   |                          |                       |               |              |   |  |
| 21450   | - LIGHT 1   |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                             |  |
| 21455   | - Lighted Buoy 2  |                          | <b>Q R</b>            |               | 3            | Red.                                    |  |
| 21460   | - RANGE B FRONT<br>LIGHT 8  | 37 15 44 N<br>76 01 41 W | <b>Q R</b>            | 16            |              | KRW and TR on upstream side of<br>pile. | Visible all around; higher<br>intensity on rangeline.<br>Ra ref. |
| 21465   | - RANGE B REAR LIGHT<br>520 yards, 020.3°<br>from front light.                  |                          | <b>Iso R 6s</b>       | 41            |              | KRW on white skeleton tower.            |  |
| 21470   | - LIGHT 4   |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                             |  |
| 21475   | - APPROACH LIGHT C  | 37 15 23 N<br>76 01 57 W | <b>FI W 4s</b>        | 30            | 5            | NB on pile on caisson.                  |  |
| 21480   | - Buoy 5  |                          |                       |               |              | Green can.                              |  |
| 21485   | - Buoy 6  |                          |                       |               |              | Red nun.                                |  |
| 21490   | - LIGHT 7   |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                             | Light equipment removed<br>when endangered by ice.               |
| 21495   | - JETTY LIGHT   |                          | <b>Q W</b>            | 18            | 5            | NR on red skeleton tower.               |  |
| 21500   | - LIGHT 11  |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.                             | Light equipment removed<br>when endangered by ice.               |
| 21510   | Mud Creek Channel<br>Daybeacon 1  |                          |                       |               |              | SG on pile.                             |  |
| 21515   | Mud Creek Channel<br>Daybeacon 2  |                          |                       |               |              | TR on pile.                             |  |
| <b>CAPE CHARLES TO WOLF TRAP (Chart 12224)</b>    |   |                          |                       |               |              |   |  |
| 21520   | KINGS CREEK LIGHT 1   | 37 16 14 N<br>76 01 39 W | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.             | Light equipment removed<br>when endangered by ice.               |
| <b>Kings Creek</b>                                |   |                          |                       |               |              |   |  |
| 21525   | - LIGHT 3   |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                             | Light equipment removed<br>when endangered by ice.               |
| 21530   | - JUNCTION LIGHT KC   | 37 16 56 N<br>76 01 20 W | <b>FI (2+1) G 6s</b>  | 15            | 3            | JG on multi-pile structure.             |  |
| 21535   | - LIGHT 6   |                          | <b>FI R 2.5s</b>      | 15            | 4            | TR on pile.                             | Light equipment removed<br>when endangered by ice.               |
| 21540   | - Daybeacon 7   |                          |                       |               |              | SG on pile.                             |  |
| 21545   | - LIGHT 8   |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                             | Light equipment removed<br>when endangered by ice.               |
| 21550   | - LIGHT 9   |                          | <b>FI G 4s</b>        | 15            | 3            | SG on multi-pile structure.             |  |
| 21555   | - Daybeacon 10  |                          |                       |               |              | TR on pile.                             |  |
| 21560   | - LIGHT 11  |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.             |  |
| 21565   | - Daybeacon 12  |                          |                       |               |              | TR on pile.                             |  |
| 21570   | - LIGHT 15  |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.             |  |
| 21575   | - Daybeacon 14  |                          |                       |               |              | TR on pile.                             |  |

| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                | (8)<br>Remarks                                  |
|---|--------------------------|--------------------------|-----------------------|---------------|--------------|---------------------------------|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b>   |                          |                          |                       |               |              |                                 |   |
| <b>WOLF TRAP TO PUNGOTEAGUE CREEK (Chart 12226)</b> |                          |                          |                       |               |              |                                 |   |
| <b>Mattawoman Creek</b>                             |                          |                          |                       |               |              |                                 |   |
| 21580   | - LIGHT 1                | 37 23 22 N<br>75 59 39 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                     | Light equipment removed when endangered by ice. |
| 21585   | - LIGHT 2                |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                     | Light equipment removed when endangered by ice. |
| 21590   | - LIGHT 3                |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                     | Light equipment removed when endangered by ice. |
| 21595   | - Daybeacon 5            |                          |                       |               |              | SG on pile.                     |   |
| 21600   | - LIGHT 6                |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                     | Light equipment removed when endangered by ice. |
| <b>Hungar Creek</b>                                 |                          |                          |                       |               |              |                                 |   |
| 21605   | - Daybeacon 2            | 37 24 21 N<br>75 58 31 W |                       |               |              | TR on pile.                     |   |
| 21610   | - Daybeacon 3            |                          |                       |               |              | SG on pile.                     |   |
| 21615   | - Daybeacon 5            |                          |                       |               |              | SG on pile.                     |   |
| 21620   | - Daybeacon 7            |                          |                       |               |              | SG on pile.                     |   |
| 21625   | - Daybeacon 9            |                          |                       |               |              | SG on pile.                     |   |
| <b>Nassawadox Creek</b>                             |                          |                          |                       |               |              |                                 |   |
| 21630   | - LIGHT 1                | 37 27 51 N<br>75 58 21 W | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                     | Light equipment removed when endangered by ice. |
| 21635   | - Daybeacon 1A           |                          |                       |               |              |                                 | Remove from list.                               |
| 21640   | Warning Daybeacon A      | 37 27 58 N<br>75 58 13 W |                       |               |              | NW on pile worded DANGER SHOAL. |   |
| 21643   | - Buoy 3                 |                          |                       |               |              | Green can.                      |   |
| 21645   | - Daybeacon 5            | 37 28 10 N<br>75 57 56 W |                       |               |              | SG on pile.                     |   |
| 21650   | - Daybeacon 6            |                          |                       |               |              | TR on pile.                     |   |
| 21651   | - Buoy 6A                |                          |                       |               |              | Red nun.                        |   |
| 21652   | - Buoy 6B                |                          |                       |               |              | Red nun.                        |   |
| 21653   | - Buoy 6C                |                          |                       |               |              | Red nun.                        |   |
| 21655   | - Daybeacon 7            |                          |                       |               |              | SG on pile.                     |   |
| 21656   | - Buoy 7A                |                          |                       |               |              | Green can.                      |   |
| 21657   | - Buoy 7B                |                          |                       |               |              | Green can.                      |   |
| 21658   | - Buoy 7C                |                          |                       |               |              | Green can.                      |   |
| 21660   | Warning Daybeacon B      | 37 28 19 N<br>75 57 36 W |                       |               |              | NW on pile worded DANGER SHOAL. |   |
| 21665   | - Buoy 8                 |                          |                       |               |              | Red nun.                        |   |
| 21670   | - Daybeacon 10           |                          |                       |               |              | TR on pile.                     |   |
| 21675   | - Daybeacon 12           |                          |                       |               |              | TR on pile.                     |   |
| 21680   | - Daybeacon 14           |                          |                       |               |              | TR on pile.                     |   |

| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                | (8)<br>Remarks                                  |
|---|--------------------------|--------------------------|-----------------------|---------------|--------------|---------------------------------|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |                          |                          |                       |               |              |                                 |   |
| 21685   | - Daybeacon 15           |                          |                       |               |              | SG on pile.                     |   |
| 21690   | - Daybeacon 16           |                          |                       |               |              | TR on pile.                     |   |
| <b>Occohannock Creek</b>                          |                          |                          |                       |               |              |                                 |   |
| 21695   | - ENTRANCE LIGHT 1       | 37 32 34 N<br>75 57 51 W | FI G 4s               | 15            | 4            | SG on pile.                     | Light equipment removed when endangered by ice. |
| 21700   | - LIGHT 3                |                          | FI G 4s               | 15            | 4            | SG on pile.                     | Light equipment removed from Dec. 1 to Mar. 15. |
| 21705   | - Daybeacon 5            |                          |                       |               |              | SG on pile.                     |   |
| 21710   | - Daybeacon 6            |                          |                       |               |              | TR on pile.                     |   |
| 21715   | - Daybeacon 7            |                          |                       |               |              | SG on pile.                     |   |
| 21720   | - LIGHT 9                |                          | FI G 4s               | 15            | 4            | SG on pile.                     |   |
| 21725   | - Daybeacon 10           |                          |                       |               |              | TR on pile.                     |   |
| 21730   | - Daybeacon 10A          |                          |                       |               |              | TR on pile.                     |   |
| 21735   | - Daybeacon 12           |                          |                       |               |              | TR on pile.                     |   |
| 21740   | - Daybeacon 13           |                          |                       |               |              | SG on pile.                     |   |
| 21745   | - Daybeacon 15           |                          |                       |               |              | SG on pile.                     |   |
| 21750   | - Daybeacon 16           |                          |                       |               |              | TR on pile.                     |   |
| 21755   | - Daybeacon 17           |                          |                       |               |              | SG on pile.                     |   |
| 21760   | - Daybeacon 19           |                          |                       |               |              | SG on pile.                     |   |
| <b>Nandua Creek</b>                               |                          |                          |                       |               |              |                                 |   |
| 21765   | - ENTRANCE LIGHT 1N      | 37 38 08 N<br>75 56 27 W | FI G 4s               | 15            | 4            | SG on multi-pile structure.     | Light equipment removed when endangered by ice. |
| 21770   | - CHANNEL LIGHT 3        |                          | FI G 4s               | 15            | 4            | SG on pile.                     | Light equipment removed when endangered by ice. |
| 21773   | - Channel Daybeacon 3A   |                          |                       |               |              | SG on pile.                     |   |
| 21774   | - Channel Daybeacon 5    |                          |                       |               |              | SG on pile.                     |   |
| 21775   | - Channel Daybeacon 5A   |                          |                       |               |              | SG on pile.                     |   |
| 21780   | - Warning Daybeacon AA   |                          |                       |               |              | NW on pile worded DANGER SHOAL. |   |
| 21781   | Warning Daybeacon A      |                          |                       |               |              | NW on pile worded DANGER SHOAL. |   |
| 21783   | - Channel Daybeacon 6    |                          |                       |               |              | TR on pile.                     |   |
| 21785   | - Channel Daybeacon 7    | 37 37 49 N<br>75 54 13 W |                       |               |              | SG on pile.                     |   |
| 21790   | - Warning Daybeacon B    |                          |                       |               |              | NW on pile worded DANGER SHOAL. |   |
| 21792   | - Channel Daybeacon 8    |                          |                       |               |              | TR on pile.                     |   |
| 21795   | - Channel Daybeacon 9    |                          |                       |               |              | SG on pile.                     |   |
| 21797   | - Channel Daybeacon 10   |                          |                       |               |              | TR on pile.                     |   |
| 21800   | - Warning Daybeacon C    |                          |                       |               |              | NW on pile worded DANGER SHOAL. |   |

| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks  |
|---|--------------------------|--------------------------|-----------------------|---------------|--------------|-------------------|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |                          |                          |                       |               |              |                   |   |
| 21805   | - Channel Daybeacon 11   |                          |                       |               |              | SG on pile.       |   |
| 21810   | — Channel Daybeacon 13   |                          |                       |               |              |                   | Remove from list.   |
| 21815   | - Channel Daybeacon 15   |                          |                       |               |              | SG on pile.       |   |
| 21820   | - Channel Daybeacon 17   |                          |                       |               |              | SG on pile.       |   |
| 21825   | - Channel Daybeacon 19   | 37 36 45 N<br>75 53 13 W |                       |               |              | SG on pile.       |   |
| 21830   | - Channel Daybeacon 21   |                          |                       |               |              | SG on pile.       |   |
| 21835   | - Channel Daybeacon 22   |                          |                       |               |              | TR on pile.       |   |
| 21840   | - Channel Daybeacon 23   |                          |                       |               |              | SG on pile.       |   |
| <b>Pungoteague Creek</b>                          |                          |                          |                       |               |              |                   |   |
| 21845   | - LIGHT                  | 37 39 48 N<br>75 53 53 W | <b>Q W</b>            | 15            | 5            | NB on multi-pile. |   |
| 21850   | - LIGHT 1                |                          | <b>Q G</b>            | 15            | 4            | SG on multi-pile. |   |
| 21855   | - Daybeacon 2            |                          |                       |               |              | TR on pile.       |   |
| 21860   | - LIGHT 4                |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.       | Light equipment removed from Dec. 1 to Mar. 15.                 |
| 21865   | - Channel Daybeacon 5    |                          |                       |               |              | SG on pile.       |   |
| 21870   | - Channel Daybeacon 6    |                          |                       |               |              | TR on pile.       |   |
| 21875   | - Channel Daybeacon 8    |                          |                       |               |              | TR on pile.       |   |
| 21880   | - Channel Daybeacon 9    |                          |                       |               |              | SG on pile.       |   |
| 21885   | - Channel Daybeacon 10   |                          |                       |               |              | TR on pile.       |   |
| 21890   | - Channel Daybeacon 10A  |                          |                       |               |              | TR on pile.       |   |
| 21895   | - Channel Daybeacon 11   |                          |                       |               |              | SG on pile.       |   |
| 21900   | - Channel Daybeacon 12   |                          |                       |               |              | TR on pile.       |   |
| 21902   | - Channel Daybeacon 12A  |                          |                       |               |              | TR on pile.       |   |
| 21905   | - LIGHT 13               | 37 40 11 N<br>75 49 57 W | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile. | Light equipment removed from Dec. 1 to Mar. 15.                 |
| 21910   | - Daybeacon 14           | 37 40 03 N<br>75 49 50 W |                       |               |              | TR on pile.       |   |
| 21915   | - Daybeacon 15           |                          |                       |               |              | SG on pile.       |   |
| 21920   | - Daybeacon 16           |                          |                       |               |              | TR on pile.       |   |
| <b>POCOMOKE AND TANGIER SOUNDS (Chart 12228)</b>  |                          |                          |                       |               |              |                   |   |
| <b>Onancock Creek</b>                             |                          |                          |                       |               |              |                   |   |
| 21925   | - CHANNEL LIGHT 1        |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile. | Higher intensity beam toward Pocomoke Sound and Chesapeake Bay. |
| 21930   | - Channel Daybeacon 2    |                          |                       |               |              | TR on pile.       |   |
| 21935   | - Channel Daybeacon 3    |                          |                       |               |              | SG on pile.       |   |
| 21940   | - Channel Daybeacon 4    |                          |                       |               |              | TR on pile.       |   |
| 21945   | - Channel Daybeacon 5    |                          |                       |               |              | SG on pile.       |   |

| (1)<br>No.  | (2)<br>Name and Location             | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                  |
|---|--------------------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |                                      |                          |                       |               |              |                             |   |
| 21950   | - Channel Daybeacon 7                |                          |                       |               |              | SG on pile.                 |   |
| 21955   | - CHANNEL LIGHT 9                    |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 |   |
| 21957   | - Channel Daybeacon 9A               |                          |                       |               |              | SG on pile.                 |   |
| 21960   | - Channel Daybeacon 11               |                          |                       |               |              | SG on pile.                 |   |
| 21965   | - Channel Daybeacon 12               |                          |                       |               |              | TR on pile.                 |   |
| <b>Parkers Creek</b>                              |                                      |                          |                       |               |              |                             |   |
| 21970   | - JUNCTION LIGHT                     | 37 43 36 N<br>75 48 36 W | <b>FI (2+1) R 6s</b>  | 15            | 4            | JR on multi-pile structure. |   |
| 21975   | - Daybeacon 1                        |                          |                       |               |              | SG on pile.                 |   |
| 21980   | - Daybeacon 2                        |                          |                       |               |              | TR on pile.                 |   |
| 21985   | - Daybeacon 4                        |                          |                       |               |              | TR on pile.                 |   |
| 21990   | - LIGHT 6                            | 37 43 18 N<br>75 48 28 W | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |
| 21995   | - Daybeacon 7                        |                          |                       |               |              | SG on pile.                 |   |
| 22000   | - Daybeacon 8                        |                          |                       |               |              | TR on pile.                 |   |
| <b>Onancock Creek</b>                             |                                      |                          |                       |               |              |                             |   |
| 22005   | - CHANNEL LIGHT 13                   |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 22010   | - Channel Daybeacon 14               |                          |                       |               |              | TR on pile.                 |   |
| 22015   | - Channel Daybeacon 16               |                          |                       |               |              | TR on pile.                 |   |
| 22020   | - Channel Daybeacon 18               |                          |                       |               |              | TR on pile.                 |   |
| 22025   | - Channel Daybeacon 19               |                          |                       |               |              | SG on pile.                 |   |
| 22030   | - Channel Daybeacon 20               |                          |                       |               |              | TR on pile.                 |   |
| 22035   | - Channel Daybeacon 22               |                          |                       |               |              | TR on pile.                 |   |
| 22040   | - Channel Daybeacon 24               |                          |                       |               |              | TR on pile.                 |   |
| 22045   | - Channel Daybeacon 26               |                          |                       |               |              | TR on pile.                 |   |
| 22050   | - Channel Daybeacon 27               |                          |                       |               |              | SG on pile.                 |   |
| 22055   | - Channel Daybeacon 29               |                          |                       |               |              | SG on pile.                 |   |
| 22060   | - Channel Daybeacon 31               |                          |                       |               |              | SG on pile.                 |   |
| 22065   | - Channel Daybeacon 33               |                          |                       |               |              | SG on pile.                 |   |
| 22070   | - Channel Daybeacon 34               |                          |                       |               |              | TR on pile.                 |   |
| 22075   | - Channel Daybeacon 34A              |                          |                       |               |              | TR on pile.                 |   |
| 22080   | - Channel Daybeacon 35               |                          |                       |               |              | SG on pile.                 |   |
| 22085   | - Channel Daybeacon 36               |                          |                       |               |              | TR on pile.                 |   |
| 22090   | - Channel Daybeacon 37               |                          |                       |               |              | SG on pile.                 |   |
| 22095   | - (South Branch) Channel Daybeacon 1 | 37 42 30 N<br>75 45 30 W |                       |               |              | SB on pile.                 | Private aid.                                    |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                  | (8)<br>Remarks                                  |
|---|----------------------------|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |                            |                          |                       |               |              |   |   |
| <b>Pocomoke Sound</b>                             |                            |                          |                       |               |              |   |   |
| 22100   | - LIGHT 2                  | 37 43 37 N<br>75 54 37 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                                       |   |
| 22105   | - SHOAL LIGHT 3            |                          | <b>FI G</b> 2.5s      | 15            | 4            | SG on multi-pile structure.                       |   |
| 22110   | - LIGHT 5                  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.                       |   |
| 22115   | WATTS ISLAND WARNING LIGHT | 37 46 46 N<br>75 53 43 W | <b>Q W</b>            | 15            | 6            | NW on pile worded DANGER SUBMERGED ROCKS.         |   |
| <b>Chesconessex Creek</b>                         |                            |                          |                       |               |              |   |   |
| 22120   | - Approach Buoy            | 37 45 30 N<br>75 50 47 W |                       |               |              | Red and white stripes with red spherical topmark. |   |
| 22125   | - Shoal Buoy 1             |                          |                       |               |              | Green can.  |   |
| 22130   | - LIGHT 2                  | 37 45 18 N<br>75 48 53 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile structure.                             | Light equipment removed from Dec. 1 to Mar. 15. |
| 22135   | - Daybeacon 3              |                          |                       |               |              | SG on pile.                                       |   |
| 22140   | - Daybeacon 4              |                          |                       |               |              | TR on pile.                                       |   |
| 22145   | - Daybeacon 5              |                          |                       |               |              | SG on pile.                                       |   |
| 22150   | - Daybeacon 6              |                          |                       |               |              | TR on pile.                                       |   |
| 22155   | - Daybeacon 8              |                          |                       |               |              | TR on pile.                                       |   |
| 22160   | - Daybeacon 10             |                          |                       |               |              | TR on pile.                                       |   |
| 22165   | - Daybeacon 11             |                          |                       |               |              | SG on pile.                                       |   |
| 22170   | - Daybeacon 12             |                          |                       |               |              | TR on pile.                                       |   |
| 22175   | - South Basin Daybeacon 1  |                          |                       |               |              | SG on pile.                                       |   |
| 22180   | - South Basin Daybeacon 2  |                          |                       |               |              | TR on pile.                                       |   |
| <b>Pocomoke Sound</b>                             |                            |                          |                       |               |              |   |   |
| 22185   | - LIGHT 6                  | 37 47 49 N<br>75 50 19 W | <b>FI R</b> 4s        | 18            | 4            | TR on multi-pile structure.                       |   |
| <b>Deep Creek</b>                                 |                            |                          |                       |               |              |   |   |
| 22190   | - ENTRANCE LIGHT 1         |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile.                                 |   |
| 22195   | - LIGHT 3                  | 37 49 10 N<br>75 47 20 W | <b>FI G</b> 6s        | 15            | 4            | SG on pile.                                       | Light equipment removed from Dec. 1 to Mar. 15. |
| 22200   | - LIGHT 4                  |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                                       | Light equipment removed from Dec. 1 to Mar. 15. |
| 22205   | - LIGHT 6                  |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                                       | Light equipment removed from Dec. 1 to Mar. 15. |
| 22210   | - LIGHT 7                  |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                                       | Light equipment removed from Dec. 1 to Mar. 15. |
| 22215   | - Daybeacon 9              |                          |                       |               |              | SG on pile.                                       |   |
| 22220   | - CHANNEL LIGHT 11         |                          | <b>FI G</b> 6s        | 15            | 4            | SG on pile.                                       | Light equipment removed from Dec. 1 to Mar. 15. |
| 22225   | - Channel Daybeacon 12     |                          |                       |               |              | TR on pile.                                       |   |
| 22230   | - Channel Daybeacon 14     |                          |                       |               |              | TR on pile.                                       |   |

| (1)<br>No.  | (2)<br>Name and Location       | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                  |
|---|--------------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |                                |                          |                       |               |              |                             |   |
| 22235   | - CHANNEL LIGHT 15             |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 22240   | - Channel Daybeacon 16         |                          |                       |               |              | TR on pile.                 |   |
| 22245   | - Channel Daybeacon 17         |                          |                       |               |              | SG on pile.                 |   |
| <b>Pocomoke Sound</b>                             |                                |                          |                       |               |              |                             |   |
| 22250   | - LIGHT 7                      |                          | <b>FI G</b> 2.5s      | 15            | 4            | SG on multi-pile structure. |   |
| 22255   | GUILFORD FLATS JUNCTION LIGHT  | 37 50 57 N<br>75 46 38 W | <b>FI (2+1) R</b> 6s  | 18            | 4            | JR on multi-pile structure. |   |
| <b>Hunting Creek</b>                              |                                |                          |                       |               |              |                             |   |
| 22260   | - LIGHT 2<br>On edge of shoal. | 37 49 29 N<br>75 43 54 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 22265   | - Daybeacon 3                  |                          |                       |               |              | SG on pile.                 |   |
| 22270   | - LIGHT 5                      |                          | <b>FI G</b> 4s        | 19            | 3            | SG on pile.                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 22275   | - LIGHT 6                      |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 22280   | - Daybeacon 7                  |                          |                       |               |              | SG on pile.                 |   |
| 22285   | - Daybeacon 9                  |                          |                       |               |              | SG on pile.                 |   |
| 22290   | - Daybeacon 11                 |                          |                       |               |              | SG on pile.                 |   |
| 22295   | - Daybeacon 12                 |                          |                       |               |              | TR on pile.                 |   |
| 22300   | - Daybeacon 14                 |                          |                       |               |              | TR on pile.                 |   |
| 22301   | - Buoy 16                      |                          |                       |               |              | Red nun.                    |   |
| 22302   | - Buoy 18                      |                          |                       |               |              | Red nun.                    |   |
| 22303   | - Buoy 19                      |                          |                       |               |              | Green can.                  |   |
| <b>Guilford Creek</b>                             |                                |                          |                       |               |              |                             |   |
| 22305   | - LIGHT 2                      | 37 51 23 N<br>75 42 38 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 22310   | - Daybeacon 4                  | 37 51 24 N<br>75 42 11 W |                       |               |              | TR on pile.                 |   |
| 22315   | - LIGHT 6                      |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                 |   |
| 22320   | - Daybeacon 7                  |                          |                       |               |              | SG on pile.                 |   |
| 22325   | Young Creek Daybeacon 2        | 37 50 00 N<br>75 41 12 W |                       |               |              | TR on pile.                 |   |
| 22330   | Muddy Creek Daybeacon 1        | 37 51 01 N<br>75 40 56 W |                       |               |              | SG on pile.                 |   |
| 22335   | Muddy Creek Daybeacon 3        |                          |                       |               |              | SG on pile.                 |   |
| <b>Messongo Creek</b>                             |                                |                          |                       |               |              |                             |   |
| 22340   | - Entrance Buoy 1              | 37 52 06 N<br>75 47 47 W |                       |               |              | Green can.                  |   |
| 22345   | - LIGHT 2                      | 37 53 14 N<br>75 43 52 W | <b>FI R</b> 4s        | 15            | 5            | TR on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |
| 22350   | - Daybeacon 4                  |                          |                       |               |              | TR on pile.                 |   |

| (1)<br>No.  | (2)<br>Name and Location                        | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks  |
|---|---|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |   |                          |                       |               |              |   |   |
| 22355   | - LIGHT 5                                       | 37 53 46 N<br>75 42 03 W | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.   | Light equipment removed from Dec. 1 to Mar. 15.                   |
| 22360   | - LIGHT 6                                       | 37 54 05 N<br>75 41 18 W | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure.   | Light equipment removed from Dec. 1 to Mar. 15.                   |
| <b>Pocomoke Sound</b>                             |   |                          |                       |               |              |   |   |
| 22365   | - SHOAL LIGHT 8                                 | 37 52 28 N<br>75 49 24 W | <b>FI R</b> 4s        | 15            | 4            | TR on multi-pile structure.   |   |
| 22370   | - SHOAL LIGHT 9                                 |                          | <b>FI G</b> 2.5s      | 15            | 4            | SG on multi-pile structure.   |   |
| 22375   | - LIGHT 10                                      |                          | <b>FI R</b> 2.5s      | 15            | 4            | TR on multi-pile structure.   |   |
| 22380   | State Boundary Line Watkins Point Daybeacon     | 37 54 42 N<br>75 54 54 W |                       |               |              | Dayboards with orange borders, upper board worded RANGE, lower boards MD/VA LINE. | Private aid.  |
| 22385   | - State Boundary Line Daybeacon BB              |                          |                       |               |              | NW on pile worded MD/VA LINE.   | Private aid.  |
| 22390   | - State Boundary Line Daybeacon CC              |                          |                       |               |              | NW on pile worded MD/VA LINE.   | Private aid.  |
| 22395   | - State Boundary Line Daybeacon A               | 37 54 42 N<br>75 48 06 W |                       |               |              | NW on pile worded MD/VA LINE.   | Private aid.  |
| 22400   | - State Boundary Line Daybeacon B               |                          |                       |               |              | NW on pile worded MD/VA LINE.   | Private aid.  |
| 22405   | - State Boundary Line Daybeacon C               |                          |                       |               |              | NW on pile worded MD/VA LINE.   | Private aid.  |
| 22410   | - State Boundary Line Daybeacon D               |                          |                       |               |              | NW on pile worded MD/VA LINE.   | Private aid.  |
| 22415   | - State Boundary Line Buoy E                    |                          |                       |               |              | White with orange bands; can, lettered MD/VA LINE.                                | Private aid.  |
| 22420   | - State Boundary Line Daybeacon F               |                          |                       |               |              | NW on pile worded MD/VA LINE.   | Private aid.  |
| 22425   | - State Boundary Line Buoy G                    |                          |                       |               |              | White with orange bands; can, lettered MD/VA LINE.                                | Private aid.  |
| 22430   | - State Boundary Line Daybeacon H               |                          |                       |               |              | NW on pile worded MD/VA LINE.   | Private aid.  |
| 22435   | - State Boundary Line Daybeacon J               | 37 57 18 N<br>75 41 30 W |                       | 15            |              | NW on pile worded MD/VA LINE.   | Private aid.  |
| 22440   | - State Boundary Line Daybeacon K               | 37 56 54 N<br>75 40 06 W |                       | 15            |              | NW on pile worded MD/VA LINE.   | Private aid.  |
| 22445   | - State Boundary Line Daybeacon L               | 37 56 42 N<br>75 39 24 W |                       | 22            |              | NW on pile worded MD/VA LINE.   | Private aid.  |
| 22450   | - State Boundary Line Daybeacon M               | 37 56 48 N<br>75 38 54 W |                       | 19            |              | NW on pile worded MD/VA LINE.   | Private aid.  |
| <b>Starling Creek</b>                             |   |                          |                       |               |              |   |   |
| 22455   | - LIGHT 1                                       | 37 55 29 N<br>75 44 11 W | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.   | HORN: 1 blast ev 30s (3s bl). Maintained from Sept. 15 to June 1. |
| 22460   | - Daybeacon 2                                   |                          |                       |               |              | TR on pile.   |   |
| 22465   | - Daybeacon 3<br>10 feet outside channel limit. |                          |                       |               |              | SG on pile.   |   |
| 22470   | - LIGHT 4                                       |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.   | Light equipment removed from Dec. 1 to Mar. 15.                   |

| (1)<br>No.  | (2)<br>Name and Location             | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                       |
|---|--------------------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|--------------------------------------|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |                                      |                          |                       |               |              |                             |                                      |
| 22475   | - Daybeacon 6                        |                          |                       |               |              | TR on pile.                 |                                      |
| 22480   | - Daybeacon 8                        |                          |                       |               |              | TR on pile.                 |                                      |
| 22485   | - Daybeacon 10                       |                          |                       |               |              | TR on pile.                 |                                      |
| 22490   | - Daybeacon 12                       |                          |                       |               |              | TR on pile.                 |                                      |
| <b>Pocomoke Sound</b>                             |                                      |                          |                       |               |              |                             |                                      |
| 22495   | - Daybeacon 11                       |                          |                       |               |              | SG on pile.                 |                                      |
| 22500   | - LIGHT 12                           |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. |                                      |
| 22505   | POCOMOKE RIVER<br>ENTRANCE LIGHT 1PR | 37 57 12 N<br>75 43 18 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                 | Higher intensity beam<br>downstream. |

**CHESAPEAKE BAY (Maryland) - Fifth District**

**POCOMOKE AND TANGIER SOUNDS (CHART 12228)**

**Pocomoke Sound**

**Pocomoke River**

|       |                        |                          |                  |    |   |                             |  |
|-------|------------------------|--------------------------|------------------|----|---|-----------------------------|--|
| 22510 | - Channel Buoy 2       |                          |                  |    |   | Red nun.                    |  |
| 22515 | - Buoy 3               | 37 57 26 N<br>75 42 48 W |                  |    |   | Green can.                  |  |
| 22520 | - Channel Buoy 4       |                          |                  |    |   | Red nun.                    |  |
| 22525 | - Channel Buoy 5       |                          |                  |    |   | Green can.                  |  |
| 22530 | - Channel Buoy 7       |                          |                  |    |   | Green can.                  |  |
| 22535 | - Channel Buoy 8       |                          |                  |    |   | Red nun.                    |  |
| 22540 | - Channel Buoy 9       | 38 43 14 N<br>76 16 11 W |                  |    |   | Green can.                  |  |
| 22545 | - Channel Buoy 10      |                          |                  |    |   | Red nun.                    |  |
| 22550 | - Channel Buoy 11      |                          |                  |    |   | Green can.                  |  |
| 22555 | - Channel Buoy 12      |                          |                  |    |   | Red nun.                    |  |
| 22560 | - Channel Buoy 13      |                          |                  |    |   | Green can.                  |  |
| 22565 | - Channel Buoy 14      |                          |                  |    |   | Red nun.                    |  |
| 22570 | - CHANNEL LIGHT 15     | 37 58 03 N<br>75 40 41 W | <b>FI G</b> 2.5s | 15 | 3 | SG on multi-pile structure. |  |
| 22575 | - Channel Buoy 17      |                          |                  |    |   | Green can.                  |  |
| 22580 | - Channel Buoy 18      |                          |                  |    |   | Red nun.                    |  |
| 22585 | - Channel Buoy 19      |                          |                  |    |   | Green can.                  |  |
| 22590 | - CHANNEL LIGHT 20     | 37 57 38 N<br>75 39 49 W | <b>FI R</b> 4s   | 15 | 3 | TR on pile.                 |  |
| 22595 | - Channel Daybeacon 22 |                          |                  |    |   | TR on pile.                 |  |
| 22600 | - CHANNEL LIGHT 23     |                          | <b>FI G</b> 4s   | 15 | 4 | SG on multi-pile structure. | Light equipment removed from<br>Dec. 1 to Mar. 15. |

| (1)<br>No.  | (2)<br>Name and Location                   | (3)<br>Position          | (4)<br>Characteristic         | (5)<br>Height | (6)<br>Range | (7)<br>Structure                      | (8)<br>Remarks         |
|---|--|--------------------------|-------------------------------|---------------|--------------|---------------------------------------|------------------------|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |  |                          |                               |               |              |                                       |                        |
| <b>SMITH POINT TO COVE POINT (Chart 12230)</b>    |  |                          |                               |               |              |                                       |                        |
| <b>Pocomoke River</b>                             |  |                          |                               |               |              |                                       |                        |
| <b>Upper Pocomoke River</b>                       |  |                          |                               |               |              |                                       |                        |
| 22605   | - LIGHT 2                                  | 38 08 35 N<br>75 26 30 W | <b>FI R 2.5s</b>              | 15            | 3            | TR on pile.                           |                        |
| 22610   | - Daybeacon 3                              |                          |                               |               |              | SG on pile.                           |                        |
| 22615   | Shad Landing Park Junction<br>Daybeacon SL | 38 08 35 N<br>75 26 29 W |                               |               |              | JR on pile.                           |                        |
| 22620   | - Daybeacon 4                              |                          |                               |               |              | TR on pile.                           |                        |
| 22625   | - LIGHT 6                                  |                          | <b>FI R 4s</b>                | 15            | 3            | TR on multi-pile structure.           |                        |
| 22630   | - Daybeacon 8                              |                          |                               |               |              | TR on pile.                           |                        |
| 22635   | - Daybeacon 9                              |                          |                               |               |              | SG on pile.                           |                        |
| 22640   | - LIGHT 10                                 |                          | <b>FI R 2.5s</b>              | 15            | 3            | TR on pile.                           |                        |
| 22645   | - LIGHT 11                                 |                          | <b>FI G 4s</b>                | 15            | 4            | SG on pile.                           |                        |
| 22650   | - LIGHT 12                                 |                          | <b>FI R 4s</b>                | 15            | 3            | TR on pile.                           |                        |
| 22655   | - Daybeacon 13                             |                          |                               |               |              | SG on pile.                           |                        |
| 22660   | - LIGHT 14                                 | 38 10 18 N<br>75 24 35 W | <b>FI R 4s</b>                | 15            | 3            | TR on pile.                           |                        |
| <b>POCOMOKE AND TANGIER SOUNDS (Chart 12228)</b>  |  |                          |                               |               |              |                                       |                        |
| <b>Pocomoke Sound</b>                             |  |                          |                               |               |              |                                       |                        |
| <b>Broad Creek</b>                                |  |                          |                               |               |              |                                       |                        |
| 22665   | - SOUTH ENTRANCE<br>LIGHT 2                | 37 54 59 N<br>75 50 44 W | <b>FI R 2.5s</b>              | 15            | 4            | TR on pile.                           |                        |
| 22670   | - Channel Daybeacon 4                      |                          |                               |               |              | TR on pile.                           |                        |
| 22675   | - Channel Daybeacon 6                      |                          |                               |               |              | TR on pile.                           |                        |
| 22680   | - CHANNEL LIGHT 8                          |                          | <b>FI R 4s</b>                | 15            | 3            | TR on pile.                           |                        |
| 22685   | - CHANNEL LIGHT 9                          |                          | <b>FI G 4s</b>                | 15            | 4            | SG on pile.                           |                        |
| 22690   | - Channel Daybeacon 11                     |                          |                               |               |              | SG on pile.                           |                        |
| 22695   | - CHANNEL LIGHT 12                         |                          | <b>FI R 2.5s</b>              | 15            | 3            | TR on pile.                           |                        |
| 22700   | - Channel Daybeacon 13                     | 37 56 20 N<br>75 51 29 W |                               |               |              | SG on pile.                           |                        |
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |  |                          |                               |               |              |                                       |                        |
| <b>POCOMOKE AND TANGIER SOUNDS (Chart 12228)</b>  |  |                          |                               |               |              |                                       |                        |
| <b>Tangier Sound</b>                              |  |                          |                               |               |              |                                       |                        |
| 22705   | - Buoy A                                   | 37 44 25 N<br>76 02 41 W |                               |               |              | Yellow nun.                           |                        |
| 22710   | - Buoy 1                                   |                          |                               |               |              | Green can.                            |                        |
| 22715<br>7435                                     | - Light                                    | 37 47 15 N<br>75 58 25 W | <b>FI W 6s<br/>(R sector)</b> | 45            | W 12<br>R 9  | NB on white square tower on<br>piles. | Red from 115° to 193°. |

| (1)<br>No.  | (2)<br>Name and Location           | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                            | (8)<br>Remarks  |
|---|------------------------------------|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>CHESAPEAKE BAY (Virginia) - Fifth District</b> |                                    |                          |                       |               |              |   |   |
| 22720   | - Buoy 3                           |                          |                       |               |              | Green can.                                  |   |
| <b>Tangier Island West Channel</b>                |                                    |                          |                       |               |              |   |   |
| 22725   | - LIGHT 1                          |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                                 |   |
| 22730   | - LIGHT 3                          | 37 49 58 N<br>75 59 54 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                                 | Light equipment removed from Dec. 1 to Mar. 15.                   |
| 22735   | - LIGHT 4                          | 37 49 56 N<br>75 59 55 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                                 |   |
| <b>Tangier Island East Channel</b>                |                                    |                          |                       |               |              |   |   |
| 22740   | - LIGHT 1                          | 37 50 24 N<br>75 58 16 W | <b>FI G</b> 2.5s      | 15            | 4            | SG on multi-pile structure.                 | HORN: 1 blast ev 30s (3s bl). Maintained from Sept. 15 to June 1. |
| 22745   | - Daybeacon 2                      |                          |                       |               |              | TR on pile.                                 |   |
| 22750   | - Daybeacon 3                      |                          |                       |               |              | SG on pile.                                 |   |
| 22755   | - Daybeacon 4                      |                          |                       |               |              | TR on pile.                                 |   |
| 22760   | - LIGHT 5                          | 37 50 05 N<br>75 58 47 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                                 | Light equipment removed from Dec. 1 to Mar. 15.                   |
| 22765   | - Daybeacon 6                      |                          |                       |               |              | TR on pile.                                 |   |
| 22770   | - LIGHT 7                          | 37 49 58 N<br>75 59 01 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                                 | Light equipment removed from Dec. 1 to Mar. 15.                   |
| 22775   | - Daybeacon 8                      |                          |                       |               |              | TR on pile.                                 |   |
| 22780   | - Daybeacon 9                      |                          |                       |               |              | SG on pile.                                 |   |
| 22785   | - Daybeacon 10                     |                          |                       |               |              | TR on pile.                                 |   |
| 22790   | - Daybeacon 12                     |                          |                       |               |              | TR on pile.                                 |   |
| 22795   | - Daybeacon 14                     |                          |                       |               |              | TR on pile.                                 |   |
| <b>Tangier Sound</b>                              |                                    |                          |                       |               |              |   |   |
| 22800   | - <i>Lighted Bell Buoy 5</i>       |                          | <b>FI G</b> 6s        |               | 4            | Green.                                      | Replaced by can when endangered by ice.                           |
| 22805   | - <i>Lighted Bell Buoy 6</i>       |                          | <b>FI R</b> 4s        |               | 3            | Red.  | Replaced by nun when endangered by ice.                           |
| 22810   | State Boundary Line<br>Daybeacon G | 37 54 36 N<br>75 53 48 W |                       |               |              | KWB on pile worded MD-VA LINE. Private aid. |   |

# Section 17

## Tangier Sound to Little Choptank River

| (1)<br>No.   | (2)<br>Name and Location           | (3)<br>Position          | (4)<br>Characteristic         | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks  |
|--|------------------------------------|--------------------------|-------------------------------|---------------|--------------|--|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>  |                                    |                          |                               |               |              |  |   |
| <b>TANGIER SOUND - NORTHERN PART (Chart 12231)</b> |                                    |                          |                               |               |              |  |   |
| <b>Tangier Sound</b>                               |                                    |                          |                               |               |              |  |   |
| 22815  | JANES ISLAND LIGHT                 | 37 57 48 N<br>75 55 00 W | <b>FI W 4s<br/>(R sector)</b> | 37            | W 8<br>R 6   | NB on skeleton tower on cylindrical base, small black house. | Red from 195° to 246°.<br>HORN: 1 blast ev 30s.<br>Operates continuously from Sept. 15 to June 1. |
| <b>Little Annemessex River</b>                     |                                    |                          |                               |               |              |  |   |
| 22820  | - Entrance Buoy 1                  |                          |                               |               |              | Green can.   |   |
| 22825  | - LIGHT 2                          | 37 57 57 N<br>75 54 05 W | <b>Q R</b>                    | 15            | 4            | TR on pile.  | Higher intensity beam down channel.   |
| 22830  | - LIGHT 4                          |                          | <b>FI R 4s</b>                | 19            | 3            | TR on pile.  | Light equipment removed from Dec. 1 to Mar. 15.   |
| 22835  | - Channel Daybeacon 5              |                          |                               |               |              | SG on pile.  |   |
| 22840  | - LIGHT 7                          | 37 58 00 N<br>75 52 39 W | <b>FI G 4s</b>                | 40            | 4            | SG on skeleton tower on piles.                               | Obscured from 112° to 202°.   |
| 22845  | - Channel Daybeacon 8              |                          |                               |               |              | TR on pile.  |   |
| 22850  | BROAD CREEK NORTH ENTRANCE LIGHT 1 | 37 57 10 N<br>75 51 55 W | <b>FI G 2.5s</b>              | 15            | 3            | SG on pile.  |   |
| 22855  | - Channel Daybeacon 9              |                          |                               |               |              | SG on pile.  |   |
| <b>Jenkins Creek</b>                               |                                    |                          |                               |               |              |  |   |
| 22860  | - Daybeacon 1                      | 37 57 24 N<br>75 51 54 W |                               |               |              | SG on pile.  | Private aid.  |
| 22865  | - Daybeacon 3                      |                          |                               |               |              | SG on pile.  | Private aid.  |
| 22870  | - Daybeacon 4                      |                          |                               |               |              | TR on pile.  | Private aid.  |
| 22875  | - Daybeacon 6                      |                          |                               |               |              | TR on pile.  | Private aid.  |
| 22880  | - Daybeacon 7                      |                          |                               |               |              | SG on pile.  | Private aid.  |
| 22885  | - Daybeacon 9                      |                          |                               |               |              | SG on pile.  | Private aid.  |
| <b>Little Annemessex River</b>                     |                                    |                          |                               |               |              |  |   |
| 22890  | - CHANNEL LIGHT 10                 |                          | <b>FI R 4s</b>                | 18            | 3            | TR on pile.  | Light equipment removed from Dec. 1 to Mar. 15.   |
| 22895  | - CHANNEL LIGHT 11                 |                          | <b>FI G 2.5s</b>              | 15            | 4            | SG on pile.  | Light equipment removed from Dec. 1 to Mar. 15.   |
| 22900  | - Daybeacon 11A                    |                          |                               |               |              | SG on pile.  |   |
| 22905  | CRISFIELD HARBOR JUNCTION LIGHT CH | 37 59 01 N<br>75 51 48 W | <b>FI (2+1) R 6s</b>          | 15            | 3            | JR on pile.  |   |
| 22910  | Hop Point Daybeacon 1              | 37 59 07 N<br>75 51 37 W |                               |               |              | SG on pile.  |   |
| 22915  | - CHANNEL LIGHT 13                 |                          | <b>FI G 4s</b>                | 15            | 4            | SG on pile.  |   |

| (1)<br>No.  | (2)<br>Name and Location          | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks  |
|---|-----------------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                                   |                          |                       |               |              |                             |   |
| 22920   | Brick Kiln Channel<br>Daybeacon 2 | 37 59 30 N<br>75 51 37 W |                       |               |              | TR on pile.                 |   |
| 22925   | BRICK KILN CHANNEL<br>LIGHT 3     |                          | FI G 4s               | 15            | 4            | SG on pile.                 | Light equipment removed from<br>Dec. 1 to Mar. 15.  |
| 22930   | - Channel Daybeacon 14            |                          |                       |               |              | TR on pile.                 |   |
| 22935   | - CHANNEL LIGHT 16                |                          | FI R 4s               | 16            | 3            | TR on pile.                 |   |
| 22940   | - CHANNEL LIGHT 18                |                          | FI R 6s               | 15            | 4            | TR on pile.                 |   |
| <b>Ward Creek</b>                                 |                                   |                          |                       |               |              |                             |   |
| 22945   | - Daybeacon 1                     |                          |                       |               |              | SG on pile.                 | Private aid.  |
| 22950   | - Daybeacon 2                     |                          |                       |               |              | TR on pile.                 | Private aid.  |
| 22955   | - Daybeacon 3                     |                          |                       |               |              | SG on pile.                 | Private aid.  |
| 22960   | - Daybeacon 4                     |                          |                       |               |              | TR on pile.                 | Private aid.  |
| 22965   | - Daybeacon 5                     |                          |                       |               |              | SG on pile.                 | Private aid.  |
| 22970   | - Daybeacon 6                     |                          |                       |               |              | TR on pile.                 | Private aid.  |
| 22985   | - Danger Marker A                 |                          |                       |               |              | NW on piles.                | Private aid.  |
| <b>Rhodes Point Gut Channel</b>                   |                                   |                          |                       |               |              |                             |   |
| 22990   | - Daybeacon 1                     |                          |                       |               |              | SG on pile.                 |   |
| 22995   | - Daybeacon 2                     |                          |                       |               |              | TR on pile.                 |   |
| 23000   | - Daybeacon 3                     |                          |                       |               |              | SG on pile.                 |   |
| 23005   | - Buoy 5                          |                          |                       |               |              | Green can.                  |   |
| 23010   | - Buoy 7                          |                          |                       |               |              | Green can.                  |   |
| <b>Big Thorofare</b>                              |                                   |                          |                       |               |              |                             |   |
| 23015   | - CHANNEL LIGHT 1                 | 37 58 24 N<br>75 58 47 W | FI G 2.5s             | 15            | 4            | SG on multi-pile structure. | Higher intensity beam toward<br>Little Annemesex River.<br>HORN: 1 blast ev 30s (3s bl).<br>Operates continuously from<br>Sept. 15 to June 1. |
| 23020   | - Channel Daybeacon 2             |                          |                       |               |              | TR on pile.                 |   |
| 23025   | - CHANNEL LIGHT 3                 |                          | FI G 4s               | 15            | 4            | SG on pile.                 | Light equipment removed from<br>Dec. 1 to Mar. 15.  |
| 23030   | - Channel Daybeacon 4             |                          |                       |               |              | TR on pile.                 |   |
| 23035   | - Channel Daybeacon 8             |                          |                       |               |              | TR on pile.                 |   |
| 23040   | - Channel Daybeacon 10            |                          |                       |               |              | TR on pile.                 |   |
| 23045   | - Channel Daybeacon 12            |                          |                       |               |              | TR on pile.                 |   |
| 23050   | - Channel Daybeacon 14            |                          |                       |               |              | TR on pile.                 |   |
| 23055   | - Channel Daybeacon 15            |                          |                       |               |              | SG on pile.                 |   |
| 23060   | - Channel Daybeacon 16            |                          |                       |               |              | TR on pile.                 |   |
| 23065   | - Channel Daybeacon 17            |                          |                       |               |              | SG on pile.                 |   |
| 23070   | - Channel Daybeacon 19            |                          |                       |               |              | SG on pile.                 |   |
| 23075   | - Channel Daybeacon 20            |                          |                       |               |              | TR on pile.                 |   |

| (1)<br>No.  | (2)<br>Name and Location         | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                          | (8)<br>Remarks   |
|---|----------------------------------|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                                  |                          |                       |               |              |   |  |
| 23080   | - Channel Daybeacon 21           |                          |                       |               |              | SG on pile.                               |  |
| 23085   | - CHANNEL LIGHT 23               |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                               | Light equipment removed from Dec. 1 to Mar. 15.  |
| 23090   | - Channel Daybeacon 25           |                          |                       |               |              | SG on pile.                               |  |
| 23095   | - Channel Daybeacon 27           |                          |                       |               |              | SG on pile.                               |  |
| 23100   | - Channel Daybeacon 29           |                          |                       |               |              | SG on pile.                               |  |
| 23105   | - CHANNEL LIGHT 31               |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.                               |  |
| 23110   | - Channel Daybeacon 33           |                          |                       |               |              | SG on pile.                               |  |
| 23115   | - CHANNEL LIGHT 35               |                          | <b>FI G 4s</b>        | 15            | 3            | SG on pile.                               | Light equipment removed from Dec. 1 to Mar. 15.  |
| 23120   | - CHANNEL LIGHT 37               |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.                               | Light equipment removed from Dec. 1 to Mar. 15.  |
| <b>Tyler Creek</b>                                |                                  |                          |                       |               |              |   |  |
| 23125   | - Channel Daybeacon 1            | 37 59 27 N<br>76 01 03 W |                       |               |              | SG on pile.                               | Ra ref.  |
| 23130   | - CHANNEL LIGHT 3                |                          | <b>FI G 4s</b>        | 16            | 4            | SG on pile.                               |  |
| 23135   | - Channel Daybeacon 5            |                          |                       |               |              | SG on pile.                               |  |
| 23140   | - Channel Daybeacon 7            |                          |                       |               |              | SG on pile.                               |  |
| 23145   | - Channel Daybeacon 9            |                          |                       |               |              | SG on pile.                               |  |
| 23150   | - CHANNEL LIGHT 11               |                          | <b>FI G 6s</b>        | 16            | 4            | SG on black box on pile.                  |  |
| 23155   | Tylerton Harbor Daybeacon 2      |                          |                       |               |              | TR on pile.                               |  |
| 23160   | - Channel Daybeacon 13           |                          |                       |               |              | SG on pile.                               |  |
| 23165   | - Channel Daybeacon 14           |                          |                       |               |              | TR on pile.                               |  |
| 23170   | - Channel Daybeacon 15           |                          |                       |               |              | SG on pile.                               |  |
| <b>Sheep Pen Cut</b>                              |                                  |                          |                       |               |              |   |  |
| 23175   | - Warning Daybeacon A            |                          |                       |               |              | NW on pile worded DANGER SHOAL.           |  |
| 23180   | - Warning Daybeacon B            |                          |                       |               |              | NW on pile worded DANGER SHOAL.           |  |
| 23185   | - Warning Buoy C                 |                          |                       |               |              | White and orange can worded DANGER SHOAL. |  |
| <b>Big Thorofare West</b>                         |                                  |                          |                       |               |              |   |  |
| 23190   | - Approach Buoy BT               |                          |                       |               |              | Red and white stripes; can.               |  |
| 23195   | Smith Island West Side Daybeacon |                          |                       |               |              | NW on pile worded DANGER SHOAL.           |  |
| 23200   | - LIGHT 1                        | 38 00 00 N<br>76 03 22 W | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.               | HORN: 1 blast ev 30s (3s bl). Baffled 341° to 064°. Operates continuously from Sept. 15 to June 1. |
| 23205   | - LIGHT 2                        |                          | <b>FI R 6s</b>        | 15            | 4            | TR on multi-pile structure.               | Light equipment removed from Dec. 1 to Mar. 15.  |
| 23210   | - Daybeacon 2A                   |                          |                       |               |              | TR on pile.                               |  |
| 23215   | - Daybeacon 3                    |                          |                       |               |              | SG on pile.                               |  |

| (1)<br>No.  | (2)<br>Name and Location     | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks  |
|---|------------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                              |                          |                       |               |              |                             |   |
| 23220   | - LIGHT 4                    |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                 | Light equipment removed from Dec. 1 to Mar. 15.                   |
| 23225   | - Daybeacon 6                |                          |                       |               |              | TR on pile.                 |   |
| 23230   | - Daybeacon 8                |                          |                       |               |              | TR on pile.                 |   |
| 23235   | - LIGHT 9                    |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                 | Light equipment removed from Dec. 1 to Mar. 15.                   |
| 23240   | - Daybeacon 10               |                          |                       |               |              | TR on pile.                 |   |
| 23245   | - Daybeacon 12               |                          |                       |               |              | TR on pile.                 |   |
| 23250   | - Daybeacon 13               |                          |                       |               |              | SG on pile.                 |   |
| 23255   | - Daybeacon 14               |                          |                       |               |              | TR on pile.                 |   |
| 23260   | - LIGHT 15                   |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15.                   |
| 23265   | - Daybeacon 16               |                          |                       |               |              | TR on pile.                 |   |
| <b>Tangier Sound</b>                              |                              |                          |                       |               |              |                             |   |
| 23270   | - <i>Lighted Buoy 8</i>      | 37 57 55 N<br>75 55 47 W | <b>FI R</b> 2.5s      |               | 4            | Red.                        | Replaced by Lighted Buoy of lower intensity from Dec.1 to Mar.15. |
| 23275   | - <i>Lighted Bell Buoy 9</i> |                          | <b>Q G</b>            |               | 4            | Green.                      | Replaced by Lighted Buoy of lower intensity from Dec.1 to Mar.15. |
| <b>Big Annemessex River</b>                       |                              |                          |                       |               |              |                             |   |
| 23280   | - LIGHT 1                    | 38 02 10 N<br>75 52 09 W | <b>FI G</b> 2.5s      | 18            | 4            | SG on pile.                 | Light equipment removed from Dec. 1 to Mar. 15.                   |
| 23285   | - Daybeacon 2                |                          |                       |               |              | TR on pile.                 |   |
| 23290   | - Daybeacon 4                |                          |                       |               |              | TR on pile.                 |   |
| 23295   | - Daybeacon 5                |                          |                       |               |              | SG on pile.                 |   |
| 23300   | - LIGHT 6                    |                          | <b>FI R</b> 4s        | 16            | 3            | TR on pile.                 |   |
| <b>Jones Creek</b>                                |                              |                          |                       |               |              |                             |   |
| 23305   | - Daybeacon 1                | 38 02 06 N<br>75 50 24 W |                       |               |              | SG on pile.                 | Private aid.  |
| 23310   | - Daybeacon 3                |                          |                       |               |              | SG on pile.                 | Private aid.  |
| 23315   | - Daybeacon 4                |                          |                       |               |              | TR on pile.                 | Private aid.  |
| 23320   | - Daybeacon 5                |                          |                       |               |              | SG on pile.                 | Private aid.  |
| 23325   | - Daybeacon 7                |                          |                       |               |              | SG on pile.                 | Private aid.  |
| 23330   | - Daybeacon 9                |                          |                       |               |              | SG on pile.                 | Private aid.  |
| 23335   | - Buoy 11                    |                          |                       |               |              | Green can.                  | Private aid.  |
| 23340   | - Daybeacon 12               |                          |                       |               |              | TR on pile.                 | Private aid.  |
| 23345   | - Daybeacon 14               |                          |                       |               |              | TR on pile.                 | Private aid.  |
| 23350   | - Daybeacon 15               |                          |                       |               |              | SG on pile.                 | Private aid.  |
| 23355   | - Daybeacon 16               |                          |                       |               |              | TR on pile.                 | Private aid.  |

| (1)<br>No.  | (2)<br>Name and Location                         | (3)<br>Position          | (4)<br>Characteristic                  | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks   |
|---|--|--------------------------|--|---------------|--------------|---|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |  |                          |  |               |              |   |  |
| <b>Daugherty Creek</b>                            |  |                          |  |               |              |   |  |
| 23360   | - LIGHT 1  | 38 03 15 N<br>75 50 33 W | <b>FI G</b> 4s                         | 19            | 4            | SG on pile.   | Light equipment removed from Dec. 1 to Mar. 15.                            |
| 23365   | - CHANNEL LIGHT 3                                |                          | <b>FI G</b> 4s                         | 15            | 4            | SG on pile.   |  |
| 23370   | - CHANNEL LIGHT 5                                |                          | <b>FI G</b> 4s                         | 16            | 4            | SG on pile.   |  |
| <b>Manokin River</b>                              |  |                          |  |               |              |   |  |
| 23375   | - <i>Junction Lighted Buoy MR</i>                | 38 02 14 N<br>75 55 26 W | <b>FI (2+1) R</b> 6s                   |               | 3            | Red and green bands.  | Replaced by Lighted Buoy of lower intensity from Dec.1 to Mar.15.          |
| 23380   | - CHANNEL LIGHT 2                                | 38 04 11 N<br>75 53 20 W | <b>FI R</b> 2.5s                       | 18            | 4            | TR on pile.   | Light equipment removed from Dec. 1 to Mar. 15.                            |
| 23385   | MINE CREEK ENTRANCE LIGHT 2                      | 38 05 00 N<br>75 52 22 W | <b>FI R</b> 4s                         | 15            | 4            | TR on pile.   | Light equipment removed from Dec. 1 to Mar. 15.                            |
| 23390   | - LIGHT 4  |                          | <b>Q R</b>                             | 15            | 4            | TR on pile.   | Light equipment removed from Dec. 1 to Mar. 15.                            |
| <b>Goose Creek Channel</b>                        |  |                          |  |               |              |   |  |
| 23395   | - ENTRANCE LIGHT 1                               | 38 05 41 N<br>75 52 19 W | <b>FI G</b> 2.5s                       | 19            | 3            | SG on multi-pile structure.   | Light equipment removed from Dec. 1 to Mar. 15.                            |
| 23400   | - Daybeacon 2                                    |                          |  |               |              | TR on pile.   |  |
| 23405   | - LIGHT 4  |                          | <b>FI R</b> 4s                         | 15            | 3            | TR on pile.   |  |
| 23410   | - Daybeacon 6                                    |                          |  |               |              | TR on pile.   |  |
| <b>Manokin River</b>                              |  |                          |  |               |              |   |  |
| 23415   | - CHANNEL LIGHT 5                                |                          | <b>FI G</b> 2.5s                       | 15            | 3            | SG on pile.   |  |
| 23420   | - Daybeacon 6                                    | 38 07 54 N<br>75 50 30 W |  |               |              | TR on pile.   |  |
| 23425   | - Daybeacon 8                                    |                          |  |               |              | TR on pile.   |  |
| 23430   | - Daybeacon 9                                    |                          |  |               |              | SG on pile.   |  |
| <b>St. Peters Creek</b>                           |  |                          |  |               |              |   |  |
| 23435   | - ENTRANCE LIGHT 1                               | 38 08 29 N<br>75 49 53 W | <b>FI G</b> 4s                         | 15            | 4            | SG on pile.   | Light equipment removed from Dec. 1 to Mar. 15.                            |
| 23440   | - Daybeacon 2                                    |                          |  |               |              | TR on pile.   |  |
| 23445   | - LIGHT 3  | 38 08 50 N<br>75 49 07 W | <b>Q G</b>                             | 19            | 3            | SG on pile.   | Light equipment removed from Dec. 1 to Mar. 15.                            |
| 23450   | - Daybeacon 5                                    |                          |  |               |              | SG on pile.   |  |
| 23455   | - Daybeacon 6                                    |                          |  |               |              | TR on pile.   |  |
| <b>Kedges Straits</b>                             |  |                          |  |               |              |   |  |
| 23460   | FOG POINT LIGHT<br>30 yards west of obstruction. | 38 02 12 N<br>76 02 37 W | <b>Q W</b>                             | 15            | 5            | NB on multi-pile structure.   | Light equipment removed from Dec. 1 to Mar. 15.                            |
| 23465   | - Buoy 2   | 38 03 12 N<br>76 03 21 W |  |               |              | Red nun.  |  |
| 23470   | - Buoy 4   |                          |  |               |              | Red nun.  |  |
| 23475   | SOLOMONS LUMP LIGHT                              | 38 02 54 N<br>76 00 54 W | <b>FI W</b> 6s<br><b>(2 R sectors)</b> | 47            | W 8<br>R 6   | White octagonal dwelling with square tower on brown cylindrical base. | Red from 086° to 111° and from 288° to 294°. Obscured from 331.5° to 039°. |

| (1)<br>No.  | (2)<br>Name and Location                  | (3)<br>Position          | (4)<br>Characteristic        | (5)<br>Height | (6)<br>Range | (7)<br>Structure                       | (8)<br>Remarks   |
|---|---|--------------------------|------------------------------|---------------|--------------|--|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |   |                          |                              |               |              |  |  |
| 23480   | - Lighted Buoy 5                          |                          | <b>FI G</b> 4s               |               | 4            | Green.                                 | Replaced by lighted buoy of lower intensity from Dec.1 to Mar.15.            |
| <b>Tangier Sound</b>                              |   |                          |                              |               |              |  |  |
| 23485   | - Lighted Buoy 10                         |                          | <b>FI R</b> 2.5s             |               | 4            | Red.                                   | Replaced by Lighted Buoy of lower intensity from Dec.1 to Mar.15.            |
| 23490   | - Lighted Bell Buoy 12                    |                          | <b>FI R</b> 4s               |               | 4            | Red.                                   | Replaced by lighted buoy of lower intensity from Dec. 1 to Mar. 15.          |
| <b>Lower Thorofare</b>                            |   |                          |                              |               |              |  |  |
| 23495   | - CHANNEL LIGHT 2                         | 38 07 22 N<br>75 57 19 W | <b>FI R</b> 4s               | 15            | 4            | TR on multi-pile structure.            | HORN: 1 blast ev 30s (3s bl). Operates continuously from Sept. 15 to June 1. |
| 23500   | - CHANNEL LIGHT 4                         |                          | <b>Q R</b>                   | 16            | 4            | TR on multi-pile structure.            |  |
| 23505   | - Channel Daybeacon 5                     |                          |                              |               |              | SG on pile.                            |  |
| 23510   | - CHANNEL LIGHT 6                         |                          | <b>FI R</b> 4s               | 16            | 3            | TR on slatted pile structure.          |  |
| <b>Tangier Sound</b>                              |   |                          |                              |               |              |  |  |
| 23515   | - Mid Channel Buoy T                      | 38 10 07 N<br>75 58 39 W |                              |               |              | Red and white stripes; nun.            |  |
| 23520   | - Buoy 14                                 |                          |                              |               |              | Red nun.                               |  |
| 23535   | Dorchester/Somerset County Line Marker H  | 38 08 12 N<br>76 02 18 W |                              |               |              | NW on pile worded DOR-SOM COUNTY LINE. | Private aid.   |
| 23545   | Dorchester/Somerset County Line Marker K  | 38 06 30 N<br>76 03 24 W |                              |               |              | NW on pile worded DOR-SOM COUNTY LINE. | Private aid.   |
| <b>Upper Thorofare</b>                            |   |                          |                              |               |              |  |  |
| 23550   | HAINES POINT LIGHT                        | 38 10 20 N<br>75 57 52 W | <b>FI W</b> 4s               | 15            | 6            | NR on pile.                            |  |
| 23555   | Haines Point Obstruction Buoy HP          |                          |                              |               |              | Yellow can.                            |  |
| 23560   | - CHANNEL LIGHT 1                         |                          | <b>FI G</b> 2.5s             | 15            | 3            | SG on pile.                            |  |
| 23565   | - CHANNEL LIGHT 4                         | 38 10 12 N<br>75 57 00 W | <b>FI R</b> 6s               | 19            | 4            | TR on pile.                            |  |
| 23570   | - Channel Daybeacon 6                     |                          |                              |               |              | TR on pile.                            |  |
| <b>Tangier Sound</b>                              |   |                          |                              |               |              |  |  |
| 23575   | Dorchester/Somerset County Line Marker AA | 38 10 42 N<br>76 00 06 W |                              |               |              | NW on pile worded DOR-SOM COUNTY LINE. | Private aid.   |
| 23585   | - Lighted Buoy 16                         |                          | <b>FI R</b> 6s               |               | 4            | Red.                                   | Replaced by Lighted Buoy of lower intensity from Dec.1 to Mar.15.            |
| 23590   | SHARKFIN SHOAL LIGHT                      | 38 12 06 N<br>75 59 12 W | <b>FI W</b> 6s<br>(R sector) | 44            | W 9<br>R 6   | NB on skeleton tower.                  | Red from 000° to 091°.   |
| 23595   | Sharkfin Shoal Warning Buoy               | 38 12 16 N<br>75 59 09 W |                              |               |              | White with orange bands.               | Removed from Dec. 1 to Mar. 15.  |
| <b>Hooper Strait</b>                              |   |                          |                              |               |              |  |  |
| 23600<br>7570                                     | - Approach Lighted Bell Buoy 1            | 38 12 17 N<br>76 09 20 W | <b>FI G</b> 4s               |               | 4            | Green.                                 | Replaced by can when endangered by ice.                                      |

| (1)<br>No.   | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic               | (5)<br>Height | (6)<br>Range | (7)<br>Structure                             | (8)<br>Remarks   |
|--|--|--------------------------|-------------------------------------|---------------|--------------|--|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>                      |  |                          |                                     |               |              |  |  |
| 23605  | OKAHANIKAN POINT LIGHT   | 38 11 42 N<br>76 05 35 W | <b>FI Y</b> 6s                      | 25            | 5            | On concrete pile.                            |  |
| 23610  | - Channel Buoy 2   |                          |                                     |               |              | Red nun.                                     |  |
| 23615  | HOOPER STRAIT LIGHT  | 38 13 36 N<br>76 04 30 W | <b>FI W</b> 6s<br><b>(R sector)</b> | 41            | W 8<br>R 6   | NB on skeleton tower.                        | Higher intensity beam toward Hooper Strait.<br>Red from 083° to 100°.    |
| 23620  | - CHANNEL LIGHT 4  |                          | <b>FI R</b> 2.5s                    | 16            | 4            | TR on multi-pile.                            |  |
| 23625  | - Channel Buoy 6   |                          |                                     |               |              | Red nun.                                     |  |
| 23630  | - Channel Lighted Bell Buoy 7  |                          | <b>FI G</b> 2.5s                    |               | 4            | Green.                                       | Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.               |
| 23640  | - CHANNEL LIGHT 8  |                          | <b>FI R</b> 2.5s                    | 16            | 4            | TR on pile.                                  |  |
| 23643  | - CHANNEL LIGHT 10   |                          | <b>FI R</b> 4s                      | 16            | 3            | TR on pile.                                  |  |
| 23645  | SHARKFIN SHOAL CHANNEL RANGE FRONT LIGHT                                       | 38 13 00 N<br>76 01 24 W | <b>Q W</b>                          | 14            |              | KRG on pile.                                 |  |
| 23650  | SHARKFIN SHOAL CHANNEL RANGE REAR LIGHT<br>860 yards, 278.6° from front light. |                          | <b>Iso W</b> 6s                     | 20            |              | KRG on pile.                                 |  |
| 23655  | - Channel Buoy 12  |                          |                                     |               |              | Red nun.                                     |  |
| 23660  | - Channel Lighted Buoy 14  |                          | <b>FI R</b> 2.5s                    |               | 3            | Red.   | Replaced by lighted buoy of lower intensity from Dec. 1 to Mar. 15.      |
| <b>Tangier Sound</b>   |  |                          |                                     |               |              |  |  |
| 23665  | Dorchester/Somerset County Line Marker CC                                      | 38 13 36 N<br>75 57 54 W |                                     |               |              | NW on pile worded DOR-SOM COUNTY RANGE LINE. | Private aid.   |
| 23670  | Dorchester/Somerset County Line Marker DD                                      | 38 13 54 N<br>75 57 54 W |                                     |               |              | NW on pile worded DOR-SOM COUNTY RANGE LINE. | Private aid.   |
| 23673  | Clay Island Shoal Wreck Lighted Buoy WR1<br>Marks sunken barge.                | 38 12 45 N<br>75 57 24 W | <b>Q G</b>                          |               | 3            | Green.                                       |  |
| <b>HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261)</b> |  |                          |                                     |               |              |  |  |
| <b>Wicomico River</b>  |  |                          |                                     |               |              |  |  |
| 23675  | - Junction Buoy WR   |                          |                                     |               |              | Green and red bands; can.                    |  |
| 23680  | - Lighted Bell Buoy 1  | 38 12 21 N<br>75 55 55 W | <b>FI G</b> 4s                      |               | 4            | Green.                                       | Replaced by lighted buoy of lower intensity from Dec. 1 to Mar. 15.      |
| 23685  | - Channel Buoy 2   |                          |                                     |               |              | Red nun.                                     |  |
| 23690  | - Channel Lighted Buoy 4   |                          | <b>FI R</b> 6s                      |               | 3            | Red.   | Replaced by lighted buoy of lower intensity from Dec. 1 to Mar. 15.      |
| 23695  | - Channel Buoy 5   |                          |                                     |               |              | Green can.                                   |  |
| 23700  | GREAT SHOALS LIGHT   | 38 12 52 N<br>75 52 46 W | <b>FI W</b> 6s                      | 37            | 8            | NB on white skeleton tower on piles.         | BELL: 1 stroke ev 15s.<br>Operates continuously from Sept. 15 to June 1. |
| <b>Dames Quarter Creek</b>   |  |                          |                                     |               |              |  |  |
| 23705  | - Channel Buoy 2   | 38 12 12 N<br>75 52 42 W |                                     |               |              | Red nun.                                     | Private aid.   |
| 23710  | - Channel Daybeacon 3  |                          |                                     |               |              | SG on pile.                                  | Private aid.   |

| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                  |
|---|--------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                          |                          |                       |               |              |                             |   |
| 23715   | - Channel Daybeacon 4    |                          |                       |               |              | TR on pile.                 | Private aid.                                    |
| 23720   | - Channel Daybeacon 5    |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| 23725   | - Channel Daybeacon 6    |                          |                       |               |              | TR on pile.                 | Private aid.                                    |
| <b>Wicomico River</b>                             |                          |                          |                       |               |              |                             |   |
| 23730   | - Channel Buoy 7         |                          |                       |               |              | Green can.                  |   |
| 23735   | - Channel Buoy 7A        |                          |                       |               |              | Green can.                  |   |
| 23740   | - Channel Buoy 8         |                          |                       |               |              | Red nun.                    |   |
| 23745   | - Channel Buoy 9         |                          |                       |               |              | Green can.                  |   |
| 23750   | - CHANNEL LIGHT 10       |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 23755   | - Channel Buoy 11        |                          |                       |               |              | Green can.                  |   |
| 23760   | - CHANNEL LIGHT 12       |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 23765   | Danger Shoal Daybeacon   |                          |                       |               |              | NW on dolphin.              |   |
| 23767   | - CHANNEL LIGHT 14       |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                 |   |
| 23770   | - Channel Buoy 15        |                          |                       |               |              | Green can.                  |   |
| 23775   | - CHANNEL LIGHT 15A      |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 |   |
| 23780   | - CHANNEL LIGHT 16       |                          | <b>FI R 4s</b>        | 19            | 3            | TR on pile.                 |   |
| 23785   | - CHANNEL LIGHT 17       |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure. |   |
| 23790   | - CHANNEL LIGHT 18       |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                 | Ra ref.   |
| <b>Webster Cove</b>                               |                          |                          |                       |               |              |                             |   |
| 23795   | - Channel Buoy 1         | 38 15 06 N<br>75 50 05 W |                       |               |              | Green can.                  |   |
| 23800   | - CHANNEL LIGHT 3        |                          | <b>FI G 2.5s</b>      | 15            | 4            | SG on multi-pile structure. | Higher intensity beam down channel.             |
| <b>Wicomico River</b>                             |                          |                          |                       |               |              |                             |   |
| 23805   | - Channel Daybeacon 19   |                          |                       |               |              | SG on pile.                 |   |
| 23810   | - Channel Daybeacon 21   |                          |                       |               |              | SG on pile.                 |   |
| 23815   | - Channel Daybeacon 22   |                          |                       |               |              | TR on pile.                 |   |
| 23820   | - CHANNEL LIGHT 23       |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure. | Ra ref.   |
| 23825   | - Channel Daybeacon 24   |                          |                       |               |              | TR on pile.                 |   |
| 23830   | - CHANNEL LIGHT 25       |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on multi-pile structure. | Ra ref.   |
| 23835   | - CHANNEL LIGHT 26       |                          | <b>FI R 4s</b>        | 19            | 3            | TR on multi-pile structure. |   |
| 23840   | - CHANNEL LIGHT 27       | 38 16 00 N<br>75 47 46 W | <b>FI G 2.5s</b>      | 15            | 4            | SG on multi-pile structure. |   |
| 23845   | - CHANNEL LIGHT 28       |                          | <b>FI R 6s</b>        | 15            | 4            | TR on pile.                 |   |
| 23850   | - CHANNEL LIGHT 29       |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |

| (1)<br>No.  | (2)<br>Name and Location                                   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                 | (8)<br>Remarks                                  |
|---|--|--------------------------|-----------------------|---------------|--------------|--|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |  |                          |                       |               |              |  |   |
| <b>Wicomico Creek</b>                             |  |                          |                       |               |              |  |   |
| 23855   | - RANGE FRONT LIGHT  |                          | <b>F G</b>            | 15            |              | White square daymark with black diamond center.  | Private aid.                                    |
| 23860   | - RANGE REAR LIGHT<br>120 yards, 102°<br>from front light. |                          | <b>F G</b>            | 20            |              | White diamond daymark with black diamond center. | Private aid.                                    |
| 23865   | - Daybeacon 2  |                          |                       |               |              | TR on pile.                                      |   |
| 23870   | - Daybeacon 3  |                          |                       |               |              | SG on pile.                                      |   |
| <b>Wicomico River</b>                             |  |                          |                       |               |              |  |   |
| 23875   | - Channel Daybeacon 30                                     |                          |                       |               |              | TR on pile.                                      |   |
| 23880   | - CHANNEL LIGHT 32   | 38 18 19 N<br>75 45 44 W | <b>FI R 2.5s</b>      | 15            | 3            | TR on multi-pile structure.                      | Light equipment removed when endangered by ice. |
| 23885   | - Channel Daybeacon 33                                     |                          |                       |               |              | SG on pile.                                      |   |
| 23890   | - CHANNEL LIGHT 35   |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on multi-pile structure.                      |   |
| 23895   | - CHANNEL LIGHT 37   |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.                      |   |
| 23900   | - CHANNEL LIGHT 38   | 38 19 48 N<br>75 44 07 W | <b>FI R 4s</b>        | 15            | 4            | TR on multi-pile structure.                      |   |
| 23905   | - CHANNEL LIGHT 39   | 38 20 25 N<br>75 42 46 W | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                                      | Light equipment removed when endangered by ice. |
| 23910   | - Channel Daybeacon 41                                     |                          |                       |               |              | SG on multi-pile structure.                      |   |
| 23915   | - CHANNEL LIGHT 43   | 38 20 25 N<br>75 41 59 W | <b>FI G 2.5s</b>      | 15            | 3            | SG on multi-pile structure.                      | Light equipment removed when endangered by ice. |
| 23920   | - CHANNEL LIGHT 45   | 38 20 23 N<br>75 40 12 W | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.                      |   |
| 23925   | - Channel Daybeacon 46                                     |                          |                       |               |              | TR on pile.                                      |   |
| 23930   | - CHANNEL LIGHT 47   | 38 20 27 N<br>75 39 19 W | <b>FI G 2.5s</b>      | 15            | 3            | SG on multi-pile structure.                      |   |
| 23935   | - CHANNEL LIGHT 49   |                          | <b>FI G 4s</b>        | 19            | 4            | SG on pile.                                      |   |
| 23940   | - Channel Daybeacon 50                                     |                          |                       |               |              | TR on pile.                                      |   |
| 23945   | - CHANNEL LIGHT 51   |                          | <b>FI G 2.5s</b>      | 18            | 3            | SG on multi-pile structure.                      |   |
| 23950   | - CHANNEL LIGHT 53   |                          | <b>FI G 4s</b>        | 15            | 3            | SG on pile.                                      |   |
| 23955   | - CHANNEL LIGHT 55   |                          | <b>FI G 6s</b>        | 15            | 4            | SG on pile.                                      |   |
| 23960   | - CHANNEL LIGHT 57   |                          | <b>FI G 2.5s</b>      | 15            | 4            | SG on pile.                                      |   |
| <b>Nanticoke River</b>                            |  |                          |                       |               |              |  |   |
| 23965   | - ENTRANCE LIGHT 1N  | 38 13 04 N<br>75 56 34 W | <b>FI G 2.5s</b>      | 15            | 4            | SG on pile.                                      | Ra ref.   |
| 23970   | - Daybeacon 4  |                          |                       |               |              | TR on pile.                                      |   |
| 23975   | - LIGHT 5  | 38 14 42 N<br>75 55 47 W | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                                      | Light equipment removed when endangered by ice. |
| 23980   | - LIGHT 6  |                          | <b>Q R</b>            | 15            | 3            | TR on pile.                                      | Light equipment removed from Dec. 1 to Mar. 15. |
| 23985   | Nanticoke Cut Buoy 2                                       |                          |                       |               |              | Red nun.   |   |

| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                      | (8)<br>Remarks                                     |
|---|--------------------------|--------------------------|-----------------------|---------------|--------------|---------------------------------------|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                          |                          |                       |               |              |                                       |  |
| 23990   | NANTICOKE CUT LIGHT 3    |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                           |  |
| 23995   | NANTICOKE CUT LIGHT 4    |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                           |  |
| 24000   | - JUNCTION LIGHT B       | 38 17 06 N<br>75 55 15 W | <b>FI (2+1) R</b> 6s  | 15            | 3            | JR on pile.                           |  |
| 24005   | - LIGHT 7                | 38 17 41 N<br>75 55 55 W | <b>FI G</b> 6s        | 15            | 4            | SG on pile.                           |  |
| 24010   | - Channel Buoy 8         |                          |                       |               |              | Red nun.                              |  |
| 24015   | - Warning Daybeacon      |                          |                       |               |              | NW on pile worded DANGER<br>SHOALING. |  |
| 24020   | - LIGHT 9                |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                           | Light equipment removed<br>when endangered by ice. |
| 24025   | - LIGHT 9A               | 38 19 25 N<br>75 54 40 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                           | Light equipment removed<br>when endangered by ice. |
| 24030   | - Channel Buoy 10        |                          |                       |               |              | Red nun.                              |  |
| 24035   | - East Channel Buoy 2    |                          |                       |               |              | Red nun.                              |  |
| 24040   | - East Channel Buoy 4    |                          |                       |               |              | Red nun.                              |  |
| <b>Bivalve Channel</b>                            |                          |                          |                       |               |              |                                       |  |
| 24045   | - LIGHT 1                | 38 18 45 N<br>75 53 47 W | <b>FI G</b> 6s        | 15            | 4            | SG on pile.                           | Light equipment removed<br>from Dec. 1 to Mar. 15. |
| 24050   | - Daybeacon 2            |                          |                       |               |              | TR on pile.                           |  |
| 24055   | - Daybeacon 3            |                          |                       |               |              | SG on pile.                           |  |
| 24060   | - LIGHT 5                | 38 18 39 N<br>75 53 29 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                           |  |
| <b>Nanticoke River</b>                            |                          |                          |                       |               |              |                                       |  |
| 24065   | - LIGHT 11               |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile.                     |  |
| 24070   | - Daybeacon 12           |                          |                       |               |              | TR on pile.                           |  |
| 24075   | - LIGHT 14               | 38 21 23 N<br>75 51 20 W | <b>FI R</b> 4s        | 15            | 4            | TR on pile.                           | Light equipment removed<br>when endangered by ice. |
| 24080   | - LIGHT 15               | 38 22 48 N<br>75 51 58 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                           | Light equipment removed<br>when endangered by ice. |
| 24085   | - Daybeacon 16           |                          |                       |               |              | TR on pile.                           |  |
| 24090   | - Daybeacon 17           |                          |                       |               |              | SG on pile.                           |  |
| 24095   | - LIGHT 18               | 38 23 12 N<br>75 50 16 W | <b>FI R</b> 4s        | 15            | 4            | TR on pile.                           | Light equipment removed<br>when endangered by ice. |
| 24100   | - LIGHT 20               | 38 24 14 N<br>75 50 57 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                           | Light equipment removed<br>when endangered by ice. |
| 24105   | - LIGHT 22               | 38 25 21 N<br>75 50 36 W | <b>FI R</b> 4s        | 15            | 4            | TR on pile.                           | Light equipment removed<br>when endangered by ice. |
| 24110   | - LIGHT 23               | 38 25 27 N<br>75 49 46 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                           | Light equipment removed<br>when endangered by ice. |
| 24115   | - LIGHT 25               | 38 26 15 N<br>75 49 24 W | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                           | Light equipment removed<br>when endangered by ice. |
| 24120   | - LIGHT 26               |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                           | Light equipment removed<br>when endangered by ice. |

| (1)<br>No.   | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks                                  |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>                      |                          |                          |                       |               |              |                  |   |
| 24125  | - LIGHT 28               | 38 27 26 N<br>75 49 56 W | FI R 4s               | 15            | 4            | TR on pile.      | Light equipment removed when endangered by ice. |
| 24130  | - LIGHT 30               |                          | FI R 4s               | 15            | 3            | TR on pile.      | Light equipment removed when endangered by ice. |
| 24135  | - Daybeacon 31           |                          |                       |               |              | SG on pile.      |   |
| 24140  | - LIGHT 32               | 38 28 41 N<br>75 49 24 W | FI R 4s               | 15            | 4            | TR on pile.      | Light equipment removed when endangered by ice. |
| 24145  | - LIGHT 34               |                          | FI R 4s               | 15            | 3            | TR on pile.      | Light equipment removed when endangered by ice. |
| 24150  | - LIGHT 35               | 38 30 14 N<br>75 46 51 W | FI G 4s               | 15            | 4            | SG on pile.      | Light equipment removed when endangered by ice. |
| 24155  | - LIGHT 36               |                          | FI R 4s               | 15            | 4            | TR on pile.      | Light equipment removed when endangered by ice. |
| 24160  | - LIGHT 38               |                          | FI R 4s               | 15            | 4            | TR on pile.      |   |
| 24165  | - LIGHT 39               |                          | FI G 4s               | 15            | 4            | SG on pile.      |   |
| 24170  | - Daybeacon 41           |                          |                       |               |              | SG on pile.      |   |
| 24175  | - LIGHT 43               |                          | FI G 4s               | 15            | 4            | SG on pile.      |   |
| 24180  | - LIGHT 45               |                          | FI G 4s               | 15            | 4            | SG on pile.      |   |
| <b>CHESAPEAKE BAY (Delaware) - Fifth District</b>                      |                          |                          |                       |               |              |                  |   |
| <b>HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261)</b> |                          |                          |                       |               |              |                  |   |
| <b>Nanticoke River</b>   |                          |                          |                       |               |              |                  |   |
| 24185  | - LIGHT 46               |                          | FI R 4s               | 15            | 3            | TR on pile.      |   |
| 24190  | - LIGHT 48               |                          | FI R 4s               | 15            | 4            | TR on pile.      |   |
| 24195  | - LIGHT 50               |                          | FI R 4s               | 16            | 4            | TR on pile.      |   |
| <b>Broad Creek</b>   |                          |                          |                       |               |              |                  |   |
| 24200  | - Daybeacon 2            | 38 34 07 N<br>75 40 27 W |                       |               |              | TR on pile.      |   |
| 24205  | - Daybeacon 3            |                          |                       |               |              | SG on pile.      |   |
| 24210  | - Daybeacon 4            |                          |                       |               |              | TR on pile.      |   |
| 24215  | - Daybeacon 5            |                          |                       |               |              | SG on pile.      |   |
| 24220  | - Daybeacon 6            |                          |                       |               |              | TR on pile.      |   |
| 24225  | - Daybeacon 7            |                          |                       |               |              | SG on pile.      |   |
| 24230  | - Daybeacon 8            |                          |                       |               |              | TR on pile.      |   |
| 24235  | - Daybeacon 10           |                          |                       |               |              | TR on pile.      |   |
| 24240  | - Daybeacon 12           |                          |                       |               |              | TR on pile.      |   |
| 24245  | - Daybeacon 13           |                          |                       |               |              | SG on pile.      |   |
| 24250  | - Daybeacon 15           |                          |                       |               |              | SG on pile.      |   |
| 24255  | - Daybeacon 16           |                          |                       |               |              | TR on pile.      |   |

| (1)<br>No.   | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                | (8)<br>Remarks                                  |
|--|---------------------------|--------------------------|-----------------------|---------------|--------------|---------------------------------|---|
| <b>CHESAPEAKE BAY (Delaware) - Fifth District</b>                      |                           |                          |                       |               |              |                                 |   |
| <b>Nanticoke River</b>   |                           |                          |                       |               |              |                                 |   |
| 24275  | - Daybeacon 51            |                          |                       |               |              | SG on pile.                     |   |
| 24280  | - LIGHT 52                |                          | FI R 4s               | 15            | 4            | TR on pile.                     |   |
| 24285  | - Daybeacon 53            |                          |                       |               |              | SG on pile.                     |   |
| 24290  | - LIGHT 54                |                          | FI R 4s               | 15            | 4            | TR on pile.                     |   |
| 24295  | - LIGHT 56                |                          | FI R 4s               | 15            | 3            | TR on pile.                     |   |
| 24300  | - LIGHT 57                |                          | FI G 4s               | 15            | 4            | SG on pile.                     |   |
| 24305  | - LIGHT 58                |                          | FI R 4s               | 15            | 4            | TR on pile.                     |   |
| 24310  | - Daybeacon 59            |                          |                       |               |              | SG on pile.                     |   |
| 24315  | - LIGHT 61                |                          | FI G 4s               | 15            | 4            | SG on pile.                     |   |
| 24320  | - LIGHT 62                |                          | FI R 4s               | 15            | 4            | TR on pile.                     |   |
| 24325  | - LIGHT 63                |                          | FI G 4s               | 15            | 3            | SG on pile.                     |   |
| 24330  | - LIGHT 65                |                          | Q G                   | 15            | 3            | SG on pile.                     |   |
| 24335  | - LIGHT 66                |                          | FI R 4s               | 15            | 4            | TR on pile.                     |   |
| 24340  | - Daybeacon 67            |                          |                       |               |              | SG on pile.                     |   |
| 24345  | - LIGHT 68                |                          | FI R 4s               | 15            | 3            | TR on pile.                     |   |
| 24350  | - Daybeacon 70            |                          |                       |               |              | TR on pile.                     |   |
| <b>Cannons Ferry</b>   |                           |                          |                       |               |              |                                 |   |
| 24355  | - EAST LIGHT A            |                          | F Y                   | 12            |              | Yellow diamond daymark on pile. | Private aid.                                    |
| 24360  | - EAST LIGHT B            |                          | F Y                   | 12            |              | Yellow diamond daymark on pile. | Private aid.                                    |
| 24365  | - WEST LIGHT A            |                          | F Y                   | 12            |              | Yellow diamond daymark on pile. | Private aid.                                    |
| 24370  | - WEST LIGHT B            |                          | F Y                   | 12            |              | Yellow diamond daymark on pile. | Private aid.                                    |
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>                      |                           |                          |                       |               |              |                                 |   |
| <b>HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261)</b> |                           |                          |                       |               |              |                                 |   |
| <b>Fishing Bay</b>   |                           |                          |                       |               |              |                                 |   |
| 24375  | - ENTRANCE LIGHT 2        | 38 13 34 N<br>75 59 19 W | FI R 4s               | 15            | 3            | TR on pile.                     |   |
| <b>Tedious Creek</b>   |                           |                          |                       |               |              |                                 |   |
| 24380  | - LIGHT 1                 |                          | FI G 4s               | 15            | 4            | SG on multi-pile structure.     |   |
| 24385  | - JUNCTION LIGHT          | 38 14 50 N<br>76 02 49 W | FI (2+1) R 6s         | 15            | 3            | JR on multi-pile structure.     |   |
| 24390  | - North Basin Daybeacon 2 |                          |                       |               |              | TR on pile.                     |   |
| 24395  | - South Basin Daybeacon 3 |                          |                       |               |              | SG on pile.                     |   |
| <b>Fishing Bay</b>   |                           |                          |                       |               |              |                                 |   |
| 24400  | GOOSE CREEK LIGHT 1       |                          | FI G 2.5s             | 15            | 3            | SG on pile.                     | Light equipment removed from Dec. 1 to Mar. 15. |

| (1)<br>No.  | (2)<br>Name and Location                     | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                | (8)<br>Remarks                                     |
|---|--|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |  |                          |                       |               |              |   |  |
| 24405   | Goose Creek Daybeacon 3                      |                          |                       |               |              | SG on pile.                                     |  |
| 24410   | - LIGHT 3                                    | 38 16 51 N<br>76 00 53 W | <b>FI G</b> 2.5s      | 15            | 3            | SG on multi-pile structure.                     |  |
| 24415   | - LIGHT 4                                    |                          | <b>Q R</b>            | 15            | 3            | TR on pile.                                     |  |
| 24420   | McCREADY'S CREEK<br>LIGHT 1                  | 38 18 00 N<br>76 00 21 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                                     |  |
| <b>Farm Creek</b>                                 |  |                          |                       |               |              |   |  |
| 24425   | - CHANNEL LIGHT 1                            | 38 18 33 N<br>76 02 18 W | <b>FI G</b> 2.5s      | 15            | 4            | SG on multi-pile structure.                     |  |
| 24430   | - Channel Daybeacon 2                        |                          |                       |               |              | TR on pile.                                     |  |
| 24435   | - Channel Daybeacon 3                        |                          |                       |               |              | SG on pile.                                     |  |
| 24440   | - CHANNEL LIGHT 5                            |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.                     |  |
| 24445   | - Channel Daybeacon 7                        |                          |                       |               |              | SG on pile.                                     |  |
| <b>Honga River</b>                                |  |                          |                       |               |              |   |  |
| 24450   | - LIGHT 1<br>On point of shoal.              | 38 13 57 N<br>76 06 38 W | <b>FI G</b> 4s        | 16            | 4            | SG on multi-pile structure.                     |  |
| 24455   | HEARNS COVE LIGHT 2                          |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                                     | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| 24460   | Paul Point Shoal<br>Daybeacon 1              |                          |                       |               |              | SG on pile.                                     |  |
| 24465   | HEARNS COVE CHANNEL<br>LIGHT 3               | 38 16 23 N<br>76 05 36 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                                     | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| 24470   | HEARNS COVE CHANNEL<br>LIGHT 5               |                          | <b>FI G</b> 6s        | 15            | 4            | SG on pile.                                     | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| 24475   | HEARNS COVE CHANNEL<br>LIGHT 7               |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.                     |  |
| 24480   | MUDDY HOOK COVE<br>CHANNEL LIGHT 2           | 38 15 40 N<br>76 10 07 W | <b>FI R</b> 2.5s      | 15            | 4            | TR on multi-pile structure.                     |  |
| 24485   | Muddy Hook Cove Channel<br>Daybeacon 3       |                          |                       |               |              | SG on pile.                                     |  |
| 24490   | Muddy Hook Cove Channel<br>Daybeacon 4       |                          |                       |               |              | TR on pile.                                     |  |
| 24495   | - LIGHT 2                                    |                          | <b>FI R</b> 4s        | 16            | 3            | TR on pile.                                     |  |
| 24500   | - Daybeacon 4                                | 38 16 35 N<br>76 09 29 W |                       |               |              | TR on pile.                                     | Ra ref.  |
| 24505   | - LIGHT 5                                    |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile structure with small<br>black house. |  |
| 24510   | - Daybeacon 6                                | 38 18 37 N<br>76 09 46 W |                       |               |              | TR on pile.                                     | Ra ref.  |
| 24515   | MIDDLE ISLAND BRIDGE<br>WEST CHANNEL LIGHT 1 | 38 17 42 N<br>76 12 48 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                                     |  |
| 24520   | MIDDLE ISLAND BRIDGE<br>EAST CHANNEL LIGHT 1 | 38 18 01 N<br>76 11 59 W | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                                     | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| 24525   | - LIGHT 12                                   |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure.                     |  |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                  |
|---|---|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |   |                          |                       |               |              |                             |   |
| 24530   | HONGA RIVER - BACK CREEK ENTRANCE CHANNEL LIGHT 1<br>20 feet outside channel limit. | 38 18 54 N<br>76 12 53 W | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. |   |
| 24535   | HONGA RIVER - BACK CREEK CHANNEL LIGHT 3<br>20 feet outside channel limit.          |                          | <b>Q G</b>            | 15            | 4            | SG on multi-pile structure. | Higher intensity beam down channel.             |
| 24540   | HONGA RIVER - BACK CREEK CHANNEL LIGHT 4<br>20 feet outside channel limit.          |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on multi-pile structure. |   |
| 24545   | - CHANNEL LIGHT 15  |                          | <b>FI G</b> 6s        | 15            | 4            | SG on pile.                 |   |
| 24550   | - CHANNEL LIGHT 17  | 38 21 04 N<br>76 13 05 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                 |   |
| <b>Wallace Creek</b>                              |   |                          |                       |               |              |                             |   |
| 24555   | - Entrance Daybeacon 2  |                          |                       |               |              | TR on pile.                 | Private aid.                                    |
| 24560   | - Entrance Daybeacon 3  |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| 24562   | - Entrance Daybeacon 4  |                          |                       |               |              | TR on pile.                 | Private aid.                                    |
| 24565   | - Entrance Daybeacon 5  |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| 24567   | - Entrance Daybeacon 6  |                          |                       |               |              | TR on pile.                 | Private aid.                                    |
| 24570   | - Entrance Daybeacon 7  |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| 24575   | - Entrance Daybeacon 9  |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| <b>Tar Bay</b>                                    |   |                          |                       |               |              |                             |   |
| 24580   | - CHANNEL LIGHT 1   | 38 21 07 N<br>76 16 20 W | <b>FI G</b> 4s        | 15            | 5            | SG on multi-pile structure. |   |
| 24585   | - CHANNEL LIGHT 2   | 38 21 05 N<br>76 15 56 W | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |
| 24590   | - CHANNEL LIGHT 3   | 38 21 04 N<br>76 15 40 W | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |
| 24595   | - CHANNEL LIGHT 4   | 38 20 53 N<br>76 15 26 W | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |
| 24600   | - CHANNEL LIGHT 5   | 38 20 49 N<br>76 14 51 W | <b>FI G</b> 6s        | 15            | 4            | SG on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |
| 24605   | - CHANNEL LIGHT 6   | 38 20 36 N<br>76 14 23 W | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |
| 24610   | - CHANNEL LIGHT 7   | 38 20 39 N<br>76 14 09 W | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |
| 24615   | - CHANNEL LIGHT 8   |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. |   |
| 24620   | Tyler Cove Channel Daybeacon 1  |                          |                       |               |              | SG on multi-pile structure. |   |
| 24625   | Tyler Cove Channel Daybeacon 2  |                          |                       |               |              | TR on multi-pile structure. |   |

# Section 18

## Little Choptank River to Chester River

| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                            | (8)<br>Remarks                                     |
|---|--------------------------|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>   |                          |                          |                       |               |              |   |  |
| <b>CHOPTANK RIVER AND HERRING BAY (Chart 12266)</b> |                          |                          |                       |               |              |   |  |
| <b>Little Choptank River</b>                        |                          |                          |                       |               |              |   |  |
| 24630   | - LIGHT 1                | 38 33 14 N<br>76 19 15 W | <b>FI G</b> 2.5s      | 18            | 5            | SG on multi-pile structure.                 |  |
| 24635   | - LIGHT 3                |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.                 |  |
| 24640   | - LIGHT 5                |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG on multi-pile structure.                 |  |
| <b>Slaughter Creek</b>                              |                          |                          |                       |               |              |   |  |
| 24645   | - LIGHT 2                | 38 30 18 N<br>76 16 19 W | <b>FI R</b> 2.5s      | 15            | 4            | TR on multi-pile structure.                 |  |
| 24650   | - Warning Daybeacon A    |                          |                       |               |              | NW on pile worded DANGER<br>SUBMERGED PILE. |  |
| 24655   | - Daybeacon 3            | 38 30 14 N<br>76 16 15 W |                       |               |              | SG on multi-pile structure.                 |  |
| 24660   | - LIGHT 4                | 38 30 08 N<br>76 16 15 W | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure.                 | Light equipment removed from<br>Dec. 1 to Mar. 15. |
| 24665   | - Daybeacon 5            | 38 30 05 N<br>76 16 12 W |                       |               |              | SG on pile                                  |  |
| 24670   | - Daybeacon 6            | 38 29 59 N<br>76 16 22 W |                       |               |              | TR on pile.                                 |  |
| 24675   | - Daybeacon 7            | 38 29 52 N<br>76 16 27 W |                       |               |              | SG on pile.                                 |  |
| 24680   | - Daybeacon 8            | 38 29 43 N<br>76 16 44 W |                       |               |              | TR on pile.                                 |  |
| 24685   | - LIGHT 9                | 38 29 41 N<br>76 16 42 W | <b>FI G</b> 2.5s      | 15            | 3            | SG on multi-pile structure.                 |  |
| 24690   | - LIGHT 10               | 38 29 07 N<br>76 17 08 W | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure.                 |  |
| 24695   | Brooks Creek Daybeacon 2 |                          |                       |               |              | TR on pile.                                 |  |
| 24700   | Brooks Creek Daybeacon 3 |                          |                       |               |              | SG on pile.                                 |  |
| 24705   | Brooks Creek Daybeacon 5 |                          |                       |               |              | SG on pile.                                 |  |
| <b>Little Choptank River</b>                        |                          |                          |                       |               |              |   |  |
| 24710   | - Daybeacon 7            |                          |                       |               |              | SG on pile.                                 |  |
| 24715   | Hudson Creek Daybeacon 1 |                          |                       |               |              | SG on pile.                                 |  |
| 24720   | Hudson Creek Daybeacon 2 |                          |                       |               |              | TR on pile.                                 |  |
| 24725   | Hudson Creek Daybeacon 3 |                          |                       |               |              | SG on pile.                                 |  |
| 24730   | - LIGHT 9                |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.                 |  |
| <b>Madison Bay</b>                                  |                          |                          |                       |               |              |   |  |
| 24735   | - LIGHT 2                | 38 31 51 N<br>76 13 32 W | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure.                 |  |

| (1)<br>No.  | (2)<br>Name and Location        | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure             | (8)<br>Remarks                                     |
|---|---------------------------------|--------------------------|-----------------------|---------------|--------------|------------------------------|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                                 |                          |                       |               |              |                              |  |
| 24740   | - Daybeacon 4                   |                          |                       |               |              | TR on pile.                  |  |
| 24745   | - Daybeacon 6                   |                          |                       |               |              | TR on pile.                  |  |
| <b>Little Choptank River</b>                      |                                 |                          |                       |               |              |                              |  |
| 24750   | - Daybeacon 11                  |                          |                       |               |              | SG on pile.                  |  |
| 24755   | - LIGHT 13                      | 38 33 00 N<br>76 13 06 W | FI G 2.5s             | 15            | 4            | SG on multi-pile structure.  | Light equipment removed from Dec. 1 to Mar. 15.    |
| 24760   | Fishing Creek Daybeacon 2       |                          |                       |               |              | TR on pile.                  |  |
| 24765   | Fishing Creek Daybeacon 3       |                          |                       |               |              | SG on pile.                  |  |
| 24770   | Fishing Creek Daybeacon 4       |                          |                       |               |              | TR on pile.                  |  |
| <b>Choptank River</b>                             |                                 |                          |                       |               |              |                              |  |
| 24775   | - Approach Buoy 2               |                          |                       |               |              | Red nun.                     |  |
| 24780   | - Entrance Lighted Buoy 3       |                          | FI G 2.5s             |               | 4            | Green.                       | Replaced by can when endangered by ice.            |
| 24785   | - Entrance Buoy 4               | 38 34 28 N<br>76 22 25 W |                       |               |              | Red nun.                     |  |
| 24790   | - Entrance Buoy 5               |                          |                       |               |              | Green can.                   |  |
| 24795   | - Entrance Lighted Buoy 6       |                          | Q R                   |               | 4            | Red.                         | Replaced by unlighted buoy when endangered by ice. |
| 24800   | Trippe Bay Buoy 2               |                          |                       |               |              | Red nun.                     | Maintained from Mar. 15 to Dec. 1.                 |
| 24805   | Trippe Bay Buoy 4               |                          |                       |               |              | Red nun.                     | Maintained from Mar. 15 to Dec. 1.                 |
| 24810   | Sharps Island Ice Breaker Buoy  | 38 37 57 N<br>76 22 27 W |                       |               |              | Green and red bands; can.    |  |
| 24815   | Sharps Island Junction Buoy SI  | 38 38 06 N<br>76 20 44 W |                       |               |              | Green with red band; can.    |  |
| 24820   | - Entrance Lighted Buoy 7       |                          | FI G 4s               |               | 4            | Green.                       | Replaced by can when endangered by ice.            |
| 24825   | - Entrance Buoy 9               |                          |                       |               |              | Green can.                   |  |
| 24830   | - Entrance Lighted Bell Buoy 10 |                          | FI R 2.5s             |               | 4            | Red.                         | Replaced by unlighted buoy when endangered by ice. |
| 24835   | - Entrance Lighted Buoy 12      |                          | FI R 4s               |               | 4            | Red.                         | Replaced by nun when endangered by ice.            |
| 24840   | COOK POINT COVE LIGHT 2         | 38 37 28 N<br>76 16 10 W | FI R 2.5s             | 15            | 3            | TR on pile.                  | Light equipment removed from Dec. 1 to Mar. 15.    |
| 24845   | - Entrance Lighted Buoy 12A     |                          | Q R                   |               | 4            | Red.                         | Replaced by unlighted buoy when endangered by ice. |
| 24850   | - Entrance Lighted Buoy 13      |                          | FI G 2.5s             |               | 4            | Green.                       | Replaced by can when endangered by ice.            |
| <b>Scraping Limit</b>                             |                                 |                          |                       |               |              |                              |  |
| 24855   | - Buoy A                        |                          |                       |               |              | White and orange bands; can. | Private aid.                                       |
| 24860   | - Buoy B                        |                          |                       |               |              | White and orange bands; can. | Private aid.                                       |
| 24865   | - Buoy C                        |                          |                       |               |              | White and orange bands; can. | Private aid.                                       |
| 24870   | - Buoy D                        |                          |                       |               |              | White and orange bands; can. | Private aid.                                       |

| (1)<br>No.  | (2)<br>Name and Location    | (3)<br>Position          | (4)<br>Characteristic          | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                | (8)<br>Remarks   |
|---|-----------------------------|--------------------------|--------------------------------|---------------|--------------|---|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>             |                             |                          |                                |               |              |   |  |
| 24875   | - Buoy E                    |                          |                                |               |              | White and orange bands; can.                    | Private aid.   |
| 24880   | - Buoy F                    |                          |                                |               |              | White and orange bands; can.                    | Private aid.   |
| 24885   | - Buoy G                    |                          |                                |               |              | White and orange bands; can.                    | Private aid.   |
| 24890   | - Buoy H                    |                          |                                |               |              | White and orange bands; can.                    | Private aid.   |
| 24895   | - Buoy J                    |                          |                                |               |              | White and orange bands; can.                    | Private aid.   |
| 24900   | - Buoy K                    |                          |                                |               |              | White and orange bands; can.                    | Private aid.   |
| 24905   | - Buoy L                    |                          |                                |               |              | White and orange bands; can.                    | Private aid.   |
| 24910   | - Buoy M                    |                          |                                |               |              | White and orange bands; can.                    | Private aid.   |
| <b>Choptank River</b>   |                             |                          |                                |               |              |   |  |
| 24915   | - LIGHT                     | 38 39 22 N<br>76 11 04 W | <b>FI W</b> 4s                 | 35            | 8            | Skeleton tower with small white house on piles. |  |
| 24920   | ISLAND CREEK LIGHT 1        | 38 39 19 N<br>76 09 33 W | <b>FI G</b> 4s                 | 15            | 4            | SG on multi-pile structure.                     |  |
| 24925   | Island Creek Daybeacon 2    |                          |                                |               |              | TR on pile.                                     |  |
| 24930   | - Entrance Lighted Buoy 14  |                          | <b>FI R</b> 2.5s               |               | 3            | Red.  | Replaced by unlighted buoy when endangered by ice.                               |
| 24935   | - CHANNEL LIGHT 16          | 38 38 01 N<br>76 09 38 W | <b>FI R</b> 4s                 | 15            | 4            | TR on multi-pile structure.                     |  |
| 24937   | UMCES Lighted Buoy CR       | 38 38 06 N<br>76 09 33 W | <b>FI Y</b> 4s                 |               |              | Yellow  | Private aid. Maintained from Mar. 1 to Jan. 1.                                   |
| 24940   | Lecompte Bay Buoy 2         | 38 37 30 N<br>76 09 07 W |                                |               |              | Red nun.  |  |
| 24945   | - Channel Lighted Buoy 18   |                          | <b>FI R</b> 2.5s               |               | 3            | Red.  | Replaced by nun when endangered by ice.  |
| 24950   | - Channel Buoy 18A          | 38 37 39 N<br>76 08 08 W |                                |               |              | Red nun.  |  |
| 24955   | LA TRAPPE CREEK LIGHT 1     | 38 37 27 N<br>76 07 17 W | <b>FI G</b> 4s                 | 21            | 4            | SG on black cylindrical structure.              |  |
| 24960   | La Trappe Creek Daybeacon 2 |                          |                                |               |              | TR on caisson.                                  |  |
| 24965   | - Lighted Buoy 19           | 38 36 33 N<br>76 07 47 W | <b>FI G</b> 2.5s               |               | 4            | Green.  | Replaced by can when endangered by ice.  |
| 24970   | - Channel Daybeacon 19A     |                          |                                |               |              | SG on pile.                                     |  |
| 24975   | - CHANNEL LIGHT 20          | 38 36 01 N<br>76 06 53 W | <b>FI R</b> 4s                 | 15            | 4            | TR on multi-pile structure.                     |  |
| 24985   | - Channel Lighted Buoy 21   |                          | <b>FI G</b> 4s                 |               | 4            | Green.  | Replaced by unlighted buoy when endangered by ice.                               |
| 24990   | - Channel Buoy 23           |                          |                                |               |              | Green can.                                      |  |
| <b>CHOPTANK RIVER - CAMBRIDGE TO GREENSBORO (Chart 12268)</b> |                             |                          |                                |               |              |   |  |
| <b>Choptank River</b>   |                             |                          |                                |               |              |   |  |
| 24995   | HAMBROOKS BAR LIGHT         | 38 35 42 N<br>76 04 53 W | <b>FI W</b> 2.5s<br>(R sector) | 19            | W 6<br>R 5   | On white cylindrical structure on red base.     | Red from 312° to 335° covers shoal south side of river at entrance to Cambridge. |
| 25000   | - Channel Buoy 24           |                          |                                |               |              | Red nun.  |  |

| (1)<br>No.  | (2)<br>Name and Location                                    | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                            | (8)<br>Remarks                             |
|---|---|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |   |                          |                       |               |              |   |  |
| 25005   | - Channel Buoy 25   |                          |                       |               |              | Green can.                                  |  |
| 25010   | MUNICIPAL BASIN LIGHT 1                                     | 38 34 36 N<br>76 04 20 W | <b>FI G</b> 2.5s      | 14            |              | On pile.                                    | Private aid.                               |
| 25015   | MUNICIPAL BASIN LIGHT 2                                     |                          | <b>FI R</b> 2.5s      | 14            |              | On pile.                                    | Private aid.                               |
| <b>Cambridge Channel</b>                          |   |                          |                       |               |              |   |  |
| 25020   | - RANGE FRONT LIGHT   | 38 34 18 N<br>76 04 12 W | <b>F G</b>            | 26            |              | KRW on pile.                                | Private aid.                               |
| 25025   | - RANGE REAR LIGHT<br>77 yards, 216.5° from<br>front light. |                          | <b>F G</b>            | 32            |              | KRW on pile.                                | Private aid.                               |
| 25030   | - <i>Lighted Buoy 1</i>                                     |                          | <b>FI G</b> 4s        |               | 4            | Green.                                      | Replaced by can when<br>endangered by ice. |
| 25035   | - Buoy 2  |                          |                       |               |              | Red nun.                                    |  |
| 25040   | - Buoy 3  |                          |                       |               |              | Green can.                                  |  |
| 25045   | - Buoy 4  |                          |                       |               |              | Red nun.                                    |  |
| 25050   | - Buoy 6  |                          |                       |               |              | Red nun.                                    |  |
| 25055   | CAMBRIDGE SEWER<br>OUTFALL WARNING LIGHT                    | 38 34 22 N<br>76 03 10 W | <b>Q W</b>            | 15            | 4            | NW on pile worded DANGER<br>SUBMERGED PIPE. |  |
| <b>Choptank River</b>                             |   |                          |                       |               |              |   |  |
| 25060   | Choptank Fishing Pier<br>Warning Daybeacon A                | 38 35 24 N<br>76 02 42 W |                       |               |              | NW on pile worded DANGER.                   | Private aid.                               |
| 25065   | Choptank Fishing Pier<br>Warning Daybeacon B                |                          |                       |               |              | NW on pile worded DANGER.                   | Private aid.                               |
| 25070   | Choptank Fishing Pier<br>Warning Daybeacon C                | 38 35 18 N<br>76 02 36 W |                       |               |              | NW on pile worded DANGER.                   | Private aid.                               |
| 25075   | - Channel Buoy 27   |                          |                       |               |              | Green can.                                  |  |
| 25080   | - Channel Daybeacon 29                                      |                          |                       |               |              | SG on pile.                                 |  |
| 25085   | - Channel Daybeacon 30                                      |                          |                       |               |              | TR on pile.                                 |  |
| <b>White Hall Creek</b>                           |   |                          |                       |               |              |   |  |
| 25090   | - Buoy 1  | 38 34 15 N<br>76 00 58 W |                       |               |              | Green can.                                  | Private aid.                               |
| 25095   | - Buoy 3  | 38 34 12 N<br>76 00 54 W |                       |               |              | Green can.                                  | Private aid.                               |
| 25100   | - Daybeacon 5   | 38 34 08 N<br>76 00 50 W |                       | 12            |              | SG on pile.                                 | Private aid.                               |
| 25105   | - Daybeacon 6   | 38 34 07 N<br>76 00 49 W |                       | 12            |              | TR on pile.                                 | Private aid.                               |
| 25110   | - Daybeacon 7   | 38 34 00 N<br>76 00 45 W |                       | 12            |              | SG on pile.                                 | Private aid.                               |
| 25115   | - Daybeacon 8   | 38 33 59 N<br>76 00 44 W |                       | 12            |              | TR on pile.                                 | Private aid.                               |
| 25120   | - Daybeacon 9   | 38 33 55 N<br>76 00 43 W |                       | 12            |              | SG on pile.                                 | Private aid.                               |
| 25122   | - Daybeacon 10  | 38 33 53 N<br>76 00 42 W |                       | 12            |              | TR on pile.                                 | Private aid.                               |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks                                  |
|---|---|--------------------------|-----------------------|---------------|--------------|------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |   |                          |                       |               |              |                  |   |
| <b>Choptank River</b>                             |   |                          |                       |               |              |                  |   |
| 25125   | - LIGHT 31  | 38 34 42 N<br>76 01 32 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.      | Light equipment removed from Dec. 1 to Mar. 15. |
| 25130   | - CHANNEL LIGHT 32  |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.      | Light equipment removed from Dec. 1 to Mar. 15. |
| 25135   | - Channel Buoy 33   |                          |                       |               |              | Green can.       |   |
| 25140   | - CHANNEL LIGHT 34  |                          | <b>FI R</b> 4s        | 15            | 4            | TR on pile.      | Light equipment removed from Dec. 1 to Mar. 15. |
| 25145   | - Channel Buoy 35   |                          |                       |               |              | Green can.       |   |
| 25150   | - Channel Buoy 36   |                          |                       |               |              | Red nun.         |   |
| 25155   | Warwick River Daybeacon 1<br>20-30 feet outside<br>channel limit. |                          |                       |               |              | SG on pile.      |   |
| 25160   | Warwick River Daybeacon 2<br>20-30 feet outside<br>channel limit. |                          |                       |               |              | TR on pile.      |   |
| 25161   | - Channel Buoy 4  |                          |                       |               |              | Red nun.         | Private aid.                                    |
| 25165   | - Channel Daybeacon 37  |                          |                       |               |              | SG on pile.      |   |
| 25170   | - CHANNEL LIGHT 38  |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.      | Light equipment removed from Dec. 1 to Mar. 15. |
| 25175   | - Channel Daybeacon 39  |                          |                       |               |              | SG on pile.      |   |
| 25180   | - CHANNEL LIGHT 40  |                          | <b>FI R</b> 6s        | 15            | 4            | TR on pile.      | Light equipment removed from Dec. 1 to Mar. 15. |
| 25185   | - CHANNEL LIGHT 41  |                          | <b>Q G</b>            | 15            | 3            | SG on pile.      | Light equipment removed from Dec. 1 to Mar. 15. |
| 25190   | - Channel Daybeacon 43  |                          |                       |               |              | SG on pile.      |   |
| 25195   | - Channel Daybeacon 45  | 38 41 32 N<br>75 58 30 W |                       |               |              | SG on pile.      |   |
| 25200   | - Channel Daybeacon 47  |                          |                       |               |              | SG on pile.      |   |
| 25205   | - Channel Daybeacon 49  |                          |                       |               |              | SG on pile.      |   |
| 25210   | - Channel Daybeacon 50  |                          |                       |               |              | TR on pile.      |   |
| 25215   | - Channel Daybeacon 51  |                          |                       |               |              | SG on pile.      |   |
| 25220   | - Channel Daybeacon 52  | 38 43 29 N<br>76 00 45 W |                       |               |              | TR on pile.      |   |
| 25225   | - Channel Daybeacon 54  |                          |                       |               |              | TR on pile.      |   |
| 25230   | - Channel Daybeacon 55  |                          |                       |               |              | SG on pile.      |   |
| 25235   | - Channel Daybeacon 57  | 38 46 25 N<br>75 58 11 W |                       |               |              | SG on pile.      |   |
| 25240   | - Channel Daybeacon 58  |                          |                       |               |              | TR on pile.      |   |
| 25245   | - Channel Daybeacon 59  |                          |                       |               |              | SG on pile.      |   |
| 25250   | - Channel Daybeacon 60  |                          |                       |               |              | TR on pile.      |   |
| 25255   | - Channel Daybeacon 62  |                          |                       |               |              | TR on pile.      |   |
| 25260   | - Channel Daybeacon 64  |                          |                       |               |              | TR on pile.      |   |

| (1)<br>No.  | (2)<br>Name and Location     | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks                                  |
|---|------------------------------|--------------------------|-----------------------|---------------|--------------|------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>   |                              |                          |                       |               |              |                  |   |
| 25265   | - Channel Daybeacon 66       |                          |                       |               |              | TR on pile.      |   |
| 25270   | - Channel Daybeacon 67       |                          |                       |               |              | SG on pile.      |   |
| 25275   | - Channel Daybeacon 68       |                          |                       |               |              | TR on pile.      |   |
| 25280   | - CHANNEL LIGHT 70           |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.      |   |
| 25285   | - CHANNEL LIGHT 71           |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.      |   |
| 25290   | - Channel Daybeacon 73       |                          |                       |               |              | SG on pile.      |   |
| 25295   | - Channel Daybeacon 75       |                          |                       |               |              | SG on pile.      |   |
| 25300   | - Channel Daybeacon 77       |                          |                       |               |              | SG on pile.      |   |
| 25305   | - Channel Daybeacon 78       |                          |                       |               |              | TR on pile.      |   |
| 25310   | - Channel Daybeacon 79       |                          |                       |               |              | SG on pile.      |   |
| <b>Upper Choptank River</b>                         |                              |                          |                       |               |              |                  |   |
| 25315   | - Channel Daybeacon 80       |                          |                       |               |              | TR on pile.      |   |
| 25316.01  | Upper Choptank River Buoy 1  | 38 53 25 N<br>75 49 58 W |                       |               |              | Green can.       | Private aid.                                    |
| 25316.02  | Upper Choptank River Buoy 2  |                          |                       |               |              | Red nun.         | Private aid.                                    |
| 25316.03  | Upper Choptank River Buoy 3  |                          |                       |               |              | Green can.       | Private aid.                                    |
| 25316.04  | Upper Choptank River Buoy 4  |                          |                       |               |              | Red nun.         | Private aid.                                    |
| 25316.05  | Upper Choptank River Buoy 5  |                          |                       |               |              | Green can.       | Private aid.                                    |
| 25316.06  | Upper Choptank River Buoy 6  |                          |                       |               |              | Red nun.         | Private aid.                                    |
| 25316.07  | Upper Choptank River Buoy 8  |                          |                       |               |              | Red nun.         | Private aid.                                    |
| 25316.08  | Upper Choptank River Buoy 10 |                          |                       |               |              | Red nun.         | Private aid.                                    |
| 25316.1   | Upper Choptank River Buoy 13 |                          |                       |               |              | Green can.       | Private aid.                                    |
| 25316.11  | Upper Choptank River Buoy 15 |                          |                       |               |              | Green can.       | Private aid.                                    |
| 25316.12  | Upper Choptank River Buoy 17 |                          |                       |               |              | Green can.       | Private aid.                                    |
| 25316.13  | Upper Choptank River Buoy 19 |                          |                       |               |              | Green can.       | Private aid.                                    |
| 25316.14  | Upper Choptank River Buoy 20 |                          |                       |               |              | Red nun.         | Private aid.                                    |
| 25316.15  | Upper Choptank River Buoy 22 |                          |                       |               |              | Red nun.         | Private aid.                                    |
| 25316.16  | Upper Choptank River Buoy 23 |                          |                       |               |              | Green can.       | Private aid.                                    |
| 25316.17  | Upper Choptank River Buoy 23 |                          |                       |               |              | Green can.       | Private aid.                                    |
| 25316.18  | Upper Choptank River Buoy 27 |                          |                       |               |              | Green can.       | Private aid.                                    |
| 25316.19  | Upper Choptank River Buoy 29 |                          |                       |               |              | Green can.       | Private aid.                                    |
| 25316.2   | Upper Choptank River Buoy 30 |                          |                       |               |              | Red nun.         | Private aid.                                    |
| <b>CHOPTANK RIVER AND HERRING BAY (Chart 12266)</b> |                              |                          |                       |               |              |                  |   |
| <b>Tred Avon River</b>                              |                              |                          |                       |               |              |                  |   |
| 25320   | - LIGHT 1                    | 38 39 54 N<br>76 11 19 W | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.      | Light equipment removed from Dec. 1 to Mar. 15. |
| 25325   | - <i>Lighted Buoy 2</i>      |                          | <b>FI R 4s</b>        |               | 4            | Red.             | Replaced by nun when endangered by ice.         |

| (1)<br>No.  | (2)<br>Name and Location           | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure              | (8)<br>Remarks |
|---|------------------------------------|--------------------------|-----------------------|---------------|--------------|-------------------------------|----------------|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                                    |                          |                       |               |              |                               |                |
| <b>Pier Street Marina</b>                         |                                    |                          |                       |               |              |                               |                |
| 25330   | - Daybeacon 1                      | 38 41 00 N<br>76 10 06 W |                       |               |              | SB on pile.                   | Private aid.   |
| 25335   | - Daybeacon 2                      |                          |                       |               |              | TR on pile.                   | Private aid.   |
| 25340   | - Daybeacon 3                      |                          |                       |               |              | SB on pile.                   | Private aid.   |
| 25345   | - Daybeacon 5                      |                          |                       |               |              | SB on pile.                   | Private aid.   |
| 25350   | - Daybeacon 7                      |                          |                       |               |              | SB on pile.                   | Private aid.   |
| 25355   | - Daybeacon 8                      |                          |                       |               |              | TR on pile.                   | Private aid.   |
| 25360   | - Daybeacon 9                      |                          |                       |               |              | SB on pile.                   | Private aid.   |
| 25365   | - Daybeacon 10                     |                          |                       |               |              | TR on pile.                   | Private aid.   |
| 25370   | - Daybeacon 11                     |                          |                       |               |              | SB on pile.                   | Private aid.   |
| <b>Town Creek</b>                                 |                                    |                          |                       |               |              |                               |                |
| 25375   | - LIGHT 2                          | 38 41 55 N<br>76 10 05 W | <b>Q R</b>            | 15            | 3            | TR on pile.                   |                |
| 25380   | - LIGHT 3                          |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                   |                |
| 25385   | - Daybeacon 4                      |                          |                       |               |              | TR on pile.                   |                |
| 25390   | - LIGHT 6                          |                          | <b>FI R 4s</b>        | 15            | 3            | TR on slatted pile structure. |                |
| 25395   | - Channel Daybeacon 7              |                          |                       |               |              | SG on pile.                   |                |
| 25400   | - Channel Daybeacon 8              |                          |                       |               |              | TR on pile.                   |                |
| 25405   | - CHANNEL LIGHT 9                  |                          | <b>Q G</b>            | 16            | 3            | SG on pile.                   |                |
| 25410   | - Channel Daybeacon 10             |                          |                       |               |              | TR on piles.                  |                |
| 25415   | - CHANNEL LIGHT 12                 |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                   |                |
| 25420   | - CHANNEL LIGHT 13                 |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                   |                |
| <b>Tred Avon River</b>                            |                                    |                          |                       |               |              |                               |                |
| 25425   | Plain Dealing Creek<br>Daybeacon 1 | 38 42 34 N<br>76 10 07 W |                       |               |              | SG on pile.                   |                |
| 25430   | - LIGHT 4                          |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.                   |                |
| 25435   | - Daybeacon 5                      |                          |                       |               |              | SG on pile.                   |                |
| 25440   | - LIGHT 6                          |                          | <b>Q R</b>            | 15            | 4            | TR on pile.                   |                |
| 25445   | Trippe Creek Daybeacon 1           |                          |                       |               |              | SG on pile.                   |                |
| 25450   | - Daybeacon 8                      |                          |                       |               |              | TR on pile.                   |                |
| 25455   | - LIGHT 10                         |                          | <b>FI R 2.5s</b>      | 15            | 4            | TR on pile.                   |                |
| 25460   | - Daybeacon 11                     |                          |                       |               |              | SG on pile.                   |                |
| 25465   | - Daybeacon 12                     |                          |                       |               |              | TR on pile.                   |                |
| 25470   | - LIGHT 13                         |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                   |                |
| 25475   | - Daybeacon 15                     |                          |                       |               |              | SG on pile.                   |                |
| 25480   | - LIGHT 16                         |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                   |                |
| 25485   | - LIGHT 18                         |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                   |                |

| (1)<br>No.  | (2)<br>Name and Location          | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                  |
|---|-----------------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                                   |                          |                       |               |              |                             |   |
| 25490   | - Daybeacon 20                    |                          |                       |               |              | TR on pile.                 |   |
| 25495   | - Daybeacon 21                    |                          |                       |               |              | SG on pile.                 |   |
| 25500   | - Daybeacon 22                    |                          |                       |               |              | TR on pile.                 |   |
| <b>Irish Creek</b>                                |                                   |                          |                       |               |              |                             |   |
| 25505   | - Buoy 1                          | 38 40 52 N<br>76 13 33 W |                       |               |              | Green can.                  |   |
| 25510   | - Buoy 2                          |                          |                       |               |              | Red nun.                    |   |
| 25515   | - Daybeacon 3                     | 38 41 35 N<br>76 13 13 W |                       |               |              | SG on pile.                 |   |
| 25520   | - Daybeacon 4                     |                          |                       |               |              | TR on pile.                 |   |
| 25525   | - Daybeacon 6                     |                          |                       |               |              | TR on pile.                 |   |
| <b>Broad Creek</b>                                |                                   |                          |                       |               |              |                             |   |
| 25530   | - LIGHT 1                         | 38 41 39 N<br>76 14 58 W | FI G 4s               | 15            | 4            | SG on pile.                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 25535   | - Shoal Buoy 2                    |                          |                       |               |              | Red nun.                    |   |
| <b>Balls Creek</b>                                |                                   |                          |                       |               |              |                             |   |
| 25540   | - LIGHT 1                         | 38 43 12 N<br>76 16 11 W | FI G 4s               | 15            | 4            | SG on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |
| 25545   | - Daybeacon 2                     |                          |                       |               |              | TR on pile.                 |   |
| 25550   | - Daybeacon 3                     |                          |                       |               |              | SG on pile.                 |   |
| 25555   | - Daybeacon 4                     |                          |                       |               |              | TR on pile.                 |   |
| 25560   | - Junction Daybeacon              | 38 43 40 N<br>76 16 45 W |                       |               |              | JR on pile.                 |   |
| <b>Broad Creek</b>                                |                                   |                          |                       |               |              |                             |   |
| 25565   | Neavitt Harbor Junction Daybeacon | 38 43 15 N<br>76 16 27 W |                       |               |              | JG on pile.                 |   |
| 25570   | Neavitt Harbor Daybeacon 2        |                          |                       |               |              | TR on pile.                 |   |
| <b>Bridge Creek</b>                               |                                   |                          |                       |               |              |                             |   |
| 25575   | - Daybeacon 1                     |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| 25580   | - Daybeacon 2                     |                          |                       |               |              | TR on pile.                 | Private aid.                                    |
| 25585   | - Daybeacon 3                     |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| 25590   | - Daybeacon 4                     |                          |                       |               |              | TR on pile.                 | Private aid.                                    |
| 25595   | - Daybeacon 5                     |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| 25600   | - Daybeacon 6                     |                          |                       |               |              | TR on pile.                 | Private aid.                                    |
| 25605   | - Daybeacon 7                     |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| 25610   | - Daybeacon 8                     |                          |                       |               |              | TR on pile.                 | Private aid.                                    |
| 25615   | - Daybeacon 9                     |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| 25620   | - Daybeacon 10                    |                          |                       |               |              | TR on pile.                 | Private aid.                                    |
| 25625   | - Daybeacon 11                    |                          |                       |               |              | SG on pile.                 | Private aid.                                    |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                  |
|---|----------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                            |                          |                       |               |              |                             |   |
| 25630   | - Daybeacon 12             |                          |                       |               |              | TR on pile.                 | Private aid.                                    |
| 25635   | - Daybeacon 13             |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| 25640   | - Daybeacon 14             |                          |                       |               |              | TR on pile.                 | Private aid.                                    |
| 25645   | - Daybeacon 15             |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| 25650   | - Daybeacon 16             |                          |                       |               |              | TR on pile.                 | Private aid.                                    |
| 25655   | - Daybeacon 17             |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| 25660   | - Daybeacon 18             |                          |                       |               |              | TR on pile.                 | Private aid.                                    |
| 25665   | - Daybeacon 19             |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| <b>Broad Creek</b>                                |                            |                          |                       |               |              |                             |   |
| 25670   | - LIGHT 4                  |                          | <b>F I R 4s</b>       | 15            | 4            | TR on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |
| <b>Grace Creek</b>                                |                            |                          |                       |               |              |                             |   |
| 25675   | - Entrance Daybeacon 1     | 38 44 40 N<br>76 15 26 W |                       |               |              | SG on pile.                 |   |
| 25680   | - Entrance Daybeacon 2     |                          |                       |               |              | TR on pile.                 |   |
| 25685   | - Daybeacon 3              |                          |                       |               |              | SG on pile.                 |   |
| 25690   | - Daybeacon 5              |                          |                       |               |              | SG on pile.                 |   |
| 25695   | - Daybeacon 6              |                          |                       |               |              | TR on pile.                 |   |
| <b>Broad Creek</b>                                |                            |                          |                       |               |              |                             |   |
| 25700   | - Daybeacon 5              |                          |                       |               |              | SG on pile.                 |   |
| 25705   | - Daybeacon 6              |                          |                       |               |              | TR on pile.                 |   |
| 25710   | - Daybeacon 7              |                          |                       |               |              | SG on pile.                 |   |
| 25715   | - Daybeacon 8              |                          |                       |               |              | TR on pile.                 |   |
| 25720   | - Daybeacon 9              |                          |                       |               |              | SG on pile.                 |   |
| <b>Edge Creek</b>                                 |                            |                          |                       |               |              |                             |   |
| 25725   | - Daybeacon 2EC            | 38 44 42 N<br>76 13 49 W |                       |               |              | TR on pile.                 |   |
| 25727   | - Daybeacon 3              |                          |                       |               |              | SG on pile.                 |   |
| 25730   | - Daybeacon 5              |                          |                       |               |              | SG on pile.                 |   |
| 25735   | Solitude Creek Daybeacon 1 |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| 25740   | Solitude Creek Daybeacon 3 |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| <b>Upper Edge Creek</b>                           |                            |                          |                       |               |              |                             |   |
| 25745   | - Daybeacon 1              |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| 25755   | - Daybeacon 3              |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| 25760   | - Daybeacon 5              |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| 25765   | - Daybeacon 7              |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| 25770   | - Daybeacon 7A             |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| 25775   | - Daybeacon 9              |                          |                       |               |              | SG on pile.                 | Private aid.                                    |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                  |
|---|---|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |   |                          |                       |               |              |                             |   |
| 25780   | - Daybeacon 11  |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| 25785   | - Daybeacon 12  |                          |                       |               |              | TR on pile.                 | Private aid.                                    |
| <b>San Domingo Creek</b>                          |   |                          |                       |               |              |                             |   |
| 25795   | - Daybeacon 2SD   | 38 45 14 N<br>76 13 37 W |                       |               |              | TR on pile.                 |   |
| 25800   | - Daybeacon 3   |                          |                       |               |              | SG on pile.                 |   |
| 25805   | - Daybeacon 4   |                          |                       |               |              | TR on pile.                 |   |
| 25810   | - Daybeacon 6   |                          |                       |               |              | TR on pile.                 |   |
| <b>Blackwalnut Harbor</b>                         |   |                          |                       |               |              |                             |   |
| 25815   | - CHANNEL LIGHT 1   | 38 40 36 N<br>76 20 02 W | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |
| 25820   | - CHANNEL LIGHT 3   |                          | <b>FI G</b> 6s        | 15            | 4            | SG on multi-pile structure. |   |
| 25825   | - CHANNEL LIGHT 5   |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. |   |
| 25830   | KNAPPS NARROWS EAST CHANNEL APPROACH LIGHT 1<br>On east point of shoal. | 38 41 24 N<br>76 18 43 W | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. | Light equipment removed from Dec. 1 to Mar. 15. |
| 25835   | KNAPPS NARROWS EAST CHANNEL APPROACH LIGHT 2                            |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. |   |
| <b>Tilghman Island</b>                            |   |                          |                       |               |              |                             |   |
| 25840   | - HARBOR LIGHT 2  | 38 42 35 N<br>76 19 45 W | <b>FI R</b> 2.5s      | 15            | 3            | TR on multi-pile structure. |   |
| 25845   | - Daybeacon 3   |                          |                       |               |              | SG on pile.                 |   |
| 25850   | - Daybeacon 4   |                          |                       |               |              | TR on pile.                 |   |
| 25855   | - HARBOR LIGHT 5  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. |   |
| 25860   | - Harbor Daybeacon 6  |                          |                       |               |              | TR on pile.                 |   |
| 25865   | - Harbor Daybeacon 7  |                          |                       |               |              | SG on pile.                 |   |
| <b>Harris Creek</b>                               |   |                          |                       |               |              |                             |   |
| 25870   | - LIGHT 2   | 38 42 50 N<br>76 18 19 W | <b>FI R</b> 2.5s      | 18            | 4            | TR on pile.                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 25875   | - Daybeacon 4   |                          |                       |               |              | TR on pile.                 |   |
| 25880   | - LIGHT 5   |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                 |   |
| 25885   | - Daybeacon 6   |                          |                       |               |              | TR on pile.                 |   |
| 25890   | - Daybeacon 7   |                          |                       |               |              | SG on pile.                 |   |
| 25895   | - Daybeacon 9   |                          |                       |               |              | SG on pile.                 |   |
| 25900   | - Daybeacon 10  |                          |                       |               |              | TR on pile.                 |   |
| 25905   | - Daybeacon 11  |                          |                       |               |              | SG on pile.                 |   |
| 25910   | - Daybeacon 13  |                          |                       |               |              | SG on pile.                 |   |
| 25915   | - JUNCTION LIGHT  | 38 46 18 N<br>76 17 29 W | <b>FI (2+1) G</b> 6s  | 15            | 3            | JG on multi-pile structure. |   |

| (1)<br>No.  | (2)<br>Name and Location                                | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                  |
|---|---|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>                 |   |                          |                       |               |              |                             |   |
| <b>Knapps Narrows</b>   |   |                          |                       |               |              |                             |   |
| 25920   | - WEST CHANNEL LIGHT 1                                  | 38 43 17 N<br>76 20 46 W | FI G 4s               | 15            | 4            | SG on pile.                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 25925   | - West Channel Daybeacon 2                              | 38 43 17 N<br>76 20 36 W |                       |               |              | TR on pile.                 |   |
| 25930   | - WEST CHANNEL LIGHT 4                                  |                          | FI R 4s               | 15            | 3            | TR on pile.                 |   |
| 25935   | - West Channel Daybeacon 5                              |                          |                       |               |              | SG on pile.                 |   |
| 25940   | - EAST CHANNEL LIGHT 3                                  | 38 42 35 N<br>76 19 25 W | FI G 4s               | 15            | 4            | SG on multi-pile structure. |   |
| 25945   | - East Channel Daybeacon 5                              |                          |                       |               |              | SG on pile.                 |   |
| 25950   | - EAST CHANNEL LIGHT 6                                  |                          | FI R 4s               | 15            | 3            | TR on multi-pile structure. |   |
| <b>CHESAPEAKE BAY - EASTERN BAY AND SOUTH RIVER (Chart 12270)</b> |   |                          |                       |               |              |                             |   |
| <b>Eastern Bay</b>  |   |                          |                       |               |              |                             |   |
| <b>Poplar Island Narrows</b>                                      |   |                          |                       |               |              |                             |   |
| 25955   | - LIGHT 1   | 38 44 00 N<br>76 21 24 W | FI G 4s               | 14            | 4            | SG on pile.                 |   |
| 25960   | - Daybeacon 3   | 38 44 24 N<br>76 21 11 W |                       |               |              | SG on pile.                 |   |
| 25965   | - Daybeacon 4   |                          |                       |               |              | TR on pile.                 |   |
| 25970   | - Daybeacon 5   |                          |                       |               |              | SG on pile.                 |   |
| 25975   | - Daybeacon 6   |                          |                       |               |              | TR on pile.                 |   |
| 25980   | FERRY COVE LIGHT  | 38 46 06 N<br>76 20 38 W | FI W 4s               | 15            | 5            | NB on pile.                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 25985   | - Buoy 8  |                          |                       |               |              | Red nun.                    |   |
| <b>Lowes Wharf</b>  |   |                          |                       |               |              |                             |   |
| 25990   | - Channel Daybeacon 1<br>30 feet outside channel limit. |                          |                       |               |              | SG on pile.                 |   |
| 25995   | - CHANNEL LIGHT 2<br>30 feet outside channel limit.     |                          | FI R 4s               | 15            | 3            | TR on pile.                 | Light equipment removed from Dec. 1 to Mar. 15. |
| <b>Eastern Bay</b>  |   |                          |                       |               |              |                             |   |
| 26000   | - Lighted Bell Buoy 1                                   | 38 49 07 N<br>76 22 08 W | FI G 4s               |               | 4            | Green.                      | Replaced by can when endangered by ice.         |
| 26005   | - Entrance Buoy 2                                       |                          |                       |               |              | Red nun.                    |   |
| 26010   | - Lighted Bell Buoy 2A                                  |                          | FI R 4s               |               | 4            | Red.                        | Replaced by nun when endangered by ice.         |
| <b>Claiborne Channel</b>  |   |                          |                       |               |              |                             |   |
| 26015   | - LIGHT 1   |                          | FI G 4s               | 15            | 4            | SG on pile.                 | Light equipment removed from Dec. 1 to Mar. 15. |
| 26020   | - Buoy 3  | 38 50 06 N<br>76 17 12 W |                       |               |              | Green can.                  | Private aid.                                    |

| (1)<br>No.  | (2)<br>Name and Location                  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                   | (8)<br>Remarks                                  |
|---|---|--------------------------|-----------------------|---------------|--------------|------------------------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |   |                          |                       |               |              |                                    |   |
| 26025   | - Buoy 4                                  | 38 50 12 N<br>76 17 06 W |                       |               |              | Red nun.                           | Private aid.                                    |
| 26030   | - Warning Daybeacon                       | 38 50 06 N<br>76 17 06 W |                       |               |              | NW on pile worded SHOALS.          | Private aid.                                    |
| 26035   | - Daybeacon 5                             | 38 50 12 N<br>76 17 00 W |                       |               |              | SG on pile.                        | Private aid.                                    |
| 26040   | - Daybeacon 7                             | 38 50 12 N<br>76 16 54 W |                       |               |              | SG on pile.                        | Private aid.                                    |
| <b>Eastern Bay</b>                                |   |                          |                       |               |              |                                    |   |
| 26045   | - Buoy 3                                  |                          |                       |               |              | Green can.                         |   |
| 26050   | - Lighted Buoy 4                          |                          | <b>FI R 4s</b>        |               | 3            | Red.                               | Replaced by nun when endangered by ice.         |
| 26055   | TILGHMAN CREEK LIGHT 1                    | 38 50 47 N<br>76 15 43 W | <b>FI G 4s</b>        | 17            | 4            | SG on pile.                        | Light equipment removed from Dec. 1 to Mar. 15. |
| 26060   | Tilghman Creek Daybeacon 3                | 38 50 43 N<br>76 15 46 W |                       |               |              | SG on pile.                        |   |
| 26065   | Tilghman Creek Daybeacon 4                | 38 50 41 N<br>76 15 48 W |                       |               |              | TR on pile.                        |   |
| 26070   | - Buoy 6                                  |                          |                       |               |              | Red nun.                           |   |
| 26075   | - Buoy 8                                  |                          |                       |               |              | Red nun.                           |   |
| 26080   | - Buoy 9                                  |                          |                       |               |              | Green can.                         |   |
| 26085   | - Lighted Buoy 11                         | 38 49 48 N<br>76 13 11 W | <b>FI G 4s</b>        |               | 3            | Green.                             | Replaced by can when endangered by ice.         |
| 26090   | - Buoy 10                                 |                          |                       |               |              | Red nun.                           |   |
| 26095   | - Buoy 12                                 |                          |                       |               |              | Red nun.                           |   |
| 26100   | Herring Island Shoal<br>Warning Daybeacon | 38 50 02 N<br>76 12 53 W |                       |               |              | NW on pile worded DANGER<br>SHOAL. |   |
| 26105   | - Daybeacon 14                            |                          |                       |               |              | TR on pile.                        |   |
| <b>Wye River</b>                                  |   |                          |                       |               |              |                                    |   |
| 26110   | - Entrance Buoy 1                         | 38 49 56 N<br>76 12 38 W |                       |               |              | Green can.                         |   |
| 26115   | - Entrance Daybeacon 3                    |                          |                       |               |              | SG on pile.                        |   |
| 26120   | - ENTRANCE LIGHT 4                        |                          | <b>FI R 2.5s</b>      | 15            | 4            | TR on pile.                        | Light equipment removed from Dec. 1 to Mar. 15. |
| 26125   | - Daybeacon 1                             |                          |                       |               |              | SG on pile.                        | Private aid.                                    |
| 26130   | - Daybeacon 3                             |                          |                       |               |              | SG on pile.                        | Private aid.                                    |
| 26135   | - Daybeacon 5                             |                          |                       |               |              | SG on pile.                        | Private aid.                                    |
| 26140   | - Daybeacon 6                             |                          |                       |               |              | TR on pile.                        | Private aid.                                    |
| 26145   | - Daybeacon 7                             |                          |                       |               |              | SG on pile.                        | Private aid.                                    |
| 26150   | - Swash Daybeacon 2                       |                          |                       |               |              | TR on pile.                        |   |
| 26155   | Wye East River Daybeacon 2                |                          |                       |               |              | TR on pile.                        | Private aid.                                    |
| 26160   | Wye East River Daybeacon 3                |                          |                       |               |              | SG on pile.                        | Private aid.                                    |

| (1)<br>No.  | (2)<br>Name and Location               | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks   |
|---|--|--------------------------|-----------------------|---------------|--------------|-------------------|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |  |                          |                       |               |              |                   |  |
| <b>Miles River</b>                                |  |                          |                       |               |              |                   |  |
| 26165   | - LIGHT 1                              | 38 48 10 N<br>76 12 31 W | <b>FI G 4s</b>        | 15            | 4            | SG on pile.       |  |
| 26170   | - Daybeacon 2                          |                          |                       |               |              | TR on pile.       |  |
| 26175   | - LIGHT 4                              | 38 47 42 N<br>76 12 25 W | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.       | Light equipment removed from Dec. 1 to Mar. 15.  |
| 26180   | Leeds Creek Daybeacon 1                |                          |                       |               |              | SG on pile.       |  |
| 26185   | ST MICHAELS HARBOR<br>ENTRANCE LIGHT 2 | 38 47 21 N<br>76 12 59 W | <b>FI R 4s</b>        | 15            | 4            | TR on pile.       |  |
| 26190   | St. Michaels Harbor<br>Daybeacon 3     |                          |                       |               |              | SG on pile.       |  |
| 26195   | - Daybeacon 5                          |                          |                       |               |              | SG on pile.       |  |
| 26200   | - LIGHT 7                              |                          | <b>FI G 4s</b>        | 15            | 5            | SG on multi-pile. |  |
| <b>Oak Creek</b>                                  |  |                          |                       |               |              |                   |  |
| 26205   | - Daybeacon 2                          |                          |                       |               |              | TR on pile.       | Private aid.   |
| 26210   | - Daybeacon 3                          |                          |                       |               |              | SG on pile.       | Private aid.   |
| 26215   | - Daybeacon 4                          |                          |                       |               |              | TR on pile.       | Private aid.   |
| 26220   | - Daybeacon 6                          |                          |                       |               |              | TR on pile.       | Private aid.   |
| 26225   | - Daybeacon 7                          |                          |                       |               |              | SG on pile.       | Private aid.   |
| <b>Miles River</b>                                |  |                          |                       |               |              |                   |  |
| 26230   | - Daybeacon 8                          |                          |                       |               |              | TR on pile.       |  |
| 26235   | - Daybeacon 9                          |                          |                       |               |              | SG on pile.       |  |
| 26240   | - Daybeacon 10                         |                          |                       |               |              | TR on pile.       |  |
| <b>Eastern Bay</b>                                |  |                          |                       |               |              |                   |  |
| 26245   | Philpots Island Daybeacon 2            |                          |                       |               |              | TR on pile.       | Private aid.   |
| 26250   | Philpots Island Daybeacon 4            |                          |                       |               |              | TR on pile.       | Private aid.   |
| 26255   | Philpots Island Daybeacon 6            |                          |                       |               |              | TR on pile.       | Private aid.   |
| <b>Cox Creek</b>                                  |  |                          |                       |               |              |                   |  |
| 26260   | - Daybeacon 1                          | 38 54 06 N<br>76 19 36 W |                       |               |              | SG on pile.       |  |
| 26265   | - LIGHT 2CC                            | 38 53 56 N<br>76 18 51 W | <b>FI R 2.5s</b>      | 15            | 4            | TR on pile.       | Higher intensity beam down the channel.<br>Light equipment removed from Dec. 1 to Mar. 15. |
| 26267   | -Daybeacon 3                           |                          |                       |               |              | SG on pile.       |  |
| 26270   | -Daybeacon 4                           | 38 56 00 N<br>76 18 42 W |                       |               |              | TR on pile.       | Private aid.<br>Private aid  |
| 26275   | - Daybeacon 5                          |                          |                       |               |              | SG on pile.       | Private aid.   |
| <b>Crab Alley Bay</b>                             |  |                          |                       |               |              |                   |  |
| 26280   | - Buoy 1                               | 38 54 23 N<br>76 16 17 W |                       |               |              | Green can.        |  |
| 26285   | - Daybeacon 3                          |                          |                       |               |              | SG on pile.       |  |

| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks                          |
|---|--------------------------|--------------------------|-----------------------|---------------|--------------|------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                          |                          |                       |               |              |                  |   |
| 26290   | - Daybeacon 4            |                          |                       |               |              | TR on pile.      |   |
| 26295   | - Junction Daybeacon     |                          |                       |               |              | JR on pile.      |   |
| 26300   | - Daybeacon 6            |                          |                       |               |              | TR on pile.      |   |
| 26305   | - Daybeacon 7            |                          |                       |               |              | SG on pile.      |   |
| <b>Crab Alley - Little Creek</b>                  |                          |                          |                       |               |              |                  |   |
| 26310   | - Daybeacon 1            | 38 55 42 N<br>76 17 20 W |                       |               |              | SG on pile.      |   |
| 26315   | - Daybeacon 2            |                          |                       |               |              | TR on pile.      |   |
| 26320   | - Daybeacon 4            |                          |                       |               |              | TR on pile.      |   |
| 26325   | - Daybeacon 6            |                          |                       |               |              | TR on pile.      |   |
| 26330   | - Daybeacon 8            |                          |                       |               |              | TR on pile.      |   |
| <b>Prospect Bay</b>                               |                          |                          |                       |               |              |                  |   |
| 26335   | - Lighted Buoy 1         | 38 54 04 N<br>76 14 00 W | <b>FIG 4s</b>         |               |              | 4 Green.         | Replaced by can when endangered by ice. |
| 26340   | - Buoy 2                 |                          |                       |               |              | Red nun.         |   |
| <b>Greenwood Creek</b>                            |                          |                          |                       |               |              |                  |   |
| 26343   | -Buoy 1G                 | 38 52 50 N<br>76 12 17 W |                       |               |              | Green Can.       | Private aid.                            |
| 26343.1   | -Buoy 2                  |                          |                       |               |              | Red nun.         | Private aid.                            |
| 26343.2   | -Buoy 3                  |                          |                       |               |              | Green can.       | Private aid.                            |
| 26343.3   | -Buoy 4                  |                          |                       |               |              | Red nun.         | Private aid.                            |
| 26343.4   | -Buoy 5                  |                          |                       |               |              | Green can.       | Private aid.                            |
| 26343.5   | -Buoy 6                  |                          |                       |               |              | Red nun.         | Private aid.                            |
| 26343.6   | Buoy 8                   |                          |                       |               |              | Red nun.         | Private aid.                            |
| 26343.7   | -Buoy 10                 |                          |                       |               |              | Red nun.         | Private aid.                            |
| 26343.8   | -Buoy 12                 |                          |                       |               |              | Red nun.         | Private aid.                            |
| 26343.9   | -Buoy 13                 |                          |                       |               |              | Green can.       | Private aid.                            |

# Section 19

## Chester River to Head of the Chesapeake Bay

| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                  |
|---|--------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                          |                          |                       |               |              |                             |   |
| <b>CHESTER RIVER (Chart 12272)</b>                |                          |                          |                       |               |              |                             |   |
| <b>Kent Island Narrows South Approach</b>         |                          |                          |                       |               |              |                             |   |
| 26345   | - LIGHT 1K               | 38 57 14 N<br>76 14 36 W | <b>FI G 4s</b>        | 18            | 4            | SG on pile.                 | Higher intensity down channel.                  |
| 26350   | Marshy Creek Daybeacon 1 |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| 26355   | Marshy Creek Daybeacon 3 |                          |                       |               |              | SG on pile.                 | Private aid.                                    |
| 26360   | - Channel Daybeacon 4    |                          |                       |               |              | TR on pile.                 |   |
| 26365   | - CHANNEL LIGHT 3        |                          | <b>FI G 2.5s</b>      | 15            | 4            | SG on pile.                 | Light equipment removed when endangered by ice. |
| 26370   | - Channel Daybeacon 5    |                          |                       |               |              | SG on pile.                 |   |
| 26375   | - Channel Daybeacon 6    |                          |                       |               |              | TR on pile.                 |   |
| 26380   | - Channel Daybeacon 7    |                          |                       |               |              | SG on pile.                 |   |
| 26385   | - Channel Daybeacon 8    |                          |                       |               |              | TR on pile.                 |   |
| 26390   | - Channel Daybeacon 9    |                          |                       |               |              | SG on pile.                 |   |
| <b>Wells Cove</b>                                 |                          |                          |                       |               |              |                             |   |
| 26395   | - Daybeacon 2            | 38 57 55 N<br>76 14 26 W |                       |               |              | TR on pile.                 |   |
| 26400   | - Daybeacon 4            |                          |                       |               |              | TR on pile.                 |   |
| 26405   | - Daybeacon 5            |                          |                       |               |              | SG on pile.                 |   |
| 26410   | - Daybeacon 6            |                          |                       |               |              | TR on pile.                 |   |
| <b>Kent Island Narrows North Approach</b>         |                          |                          |                       |               |              |                             |   |
| 26413   | - LIGHT 1K               | 38 59 13 N<br>76 14 45 W | <b>Q G</b>            | 15            | 3            | SG on multi-pile structure. |   |
| 26415   | - LIGHT 2K               |                          | <b>Q R</b>            | 15            | 3            | TR on multi-pile structure. |   |
| 26420   | - LIGHT 3                |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure. |   |
| 26425   | - LIGHT 4                |                          | <b>FI R 4s</b>        | 15            | 4            | TR on multi-pile structure. |   |
| 26430   | - LIGHT 5                |                          | <b>Q G</b>            | 15            | 4            | SG on multi-pile.           |   |
| 26435   | - LIGHT 6                |                          | <b>Q R</b>            | 15            | 4            | TR on multi-pile.           |   |
| 26440   | - LIGHT 8                |                          | <b>FI R 2.5s</b>      | 15            | 4            | TR on pile.                 |   |
| 26445   | - Daybeacon 9            |                          |                       | 15            |              | SG on pile.                 |   |
| 26450   | - Daybeacon 11           |                          |                       |               |              | SG on pile.                 |   |
| 26455   | - Daybeacon 12           |                          |                       |               |              | TR on pile.                 |   |
| 26460   | - CHANNEL LIGHT 13       |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 |   |
| 26465   | - Daybeacon 15           |                          |                       |               |              | SG on pile.                 |   |

| (1)<br>No.  | (2)<br>Name and Location     | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks  |
|---|------------------------------|--------------------------|-----------------------|---------------|--------------|------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                              |                          |                       |               |              |                  |   |
| <b>Chester River</b>                              |                              |                          |                       |               |              |                  |   |
| 26500   | - Entrance Buoy 2            | 39 04 02 N<br>76 16 21 W |                       |               |              | Red nun.         |   |
| 26505   | - Buoy 3                     |                          |                       |               |              | Green can.       |   |
| 26510   | - Lighted Buoy 6             |                          | FI R 4s               |               | 3            | Red.             | Replaced by unlighted ice buoy from Dec. 1 to Apr. 1. |
| 26515   | - Buoy 7                     |                          |                       |               |              | Green can.       |   |
| 26520   | - Lighted Buoy 9             |                          | FI G 4s               |               | 3            | Green.           | Replaced by unlighted ice buoy from Dec. 1 to Apr. 1. |
| <b>Kent Haven Yacht Channel</b>                   |                              |                          |                       |               |              |                  |   |
| 26525   | - LIGHT 1                    | 38 59 24 N<br>76 16 36 W | FI G 4s               | 12            |              | SG on pile.      | Maintained from Apr. 1 to Nov. 1.<br>Private aid.     |
| 26530   | - LIGHT 2                    |                          | FI R 4s               | 12            |              | TR on pile.      | Maintained from Apr. 1 to Nov. 1.<br>Private aid.     |
| 26535   | - Daybeacon 3                |                          |                       |               |              | SG on pile.      | Private aid.  |
| 26540   | - Daybeacon 4                |                          |                       |               |              | TR on pile.      | Private aid.  |
| 26545   | - Daybeacon 5                |                          |                       |               |              | SG on pile.      | Private aid.  |
| 26550   | - Daybeacon 6                |                          |                       |               |              | TR on pile.      | Private aid.  |
| 26555   | - Daybeacon 7                |                          |                       |               |              | SG on pile.      | Private aid.  |
| 26560   | - Daybeacon 8                |                          |                       |               |              | TR on pile.      | Private aid.  |
| <b>Jackson Creek</b>                              |                              |                          |                       |               |              |                  |   |
| 26570   | - Daybeacon 2                | 38 58 32 N<br>76 13 16 W |                       |               |              | TR on pile.      |   |
| 26575   | - Daybeacon 3                |                          |                       |               |              | SG on pile.      |   |
| 26580   | - Daybeacon 5                |                          |                       |               |              | SG on pile.      |   |
| <b>Chester River</b>                              |                              |                          |                       |               |              |                  |   |
| 26585   | Queenstown Creek Buoy 2      | 39 00 16 N<br>76 10 24 W |                       |               |              | Red nun.         |   |
| 26590   | Queenstown Creek Daybeacon 3 |                          |                       |               |              | SG on pile.      |   |
| 26595   | Queenstown Creek Buoy 5      |                          |                       |               |              | Green can.       |   |
| <b>Queenstown Harbor</b>                          |                              |                          |                       |               |              |                  |   |
| 26600   | - Channel Daybeacon 2        | 38 59 40 N<br>76 09 43 W |                       |               |              | TR on pile.      |   |
| 26605   | - Daybeacon 3                |                          |                       |               |              | SG on pile.      |   |
| 26610   | - Channel Daybeacon 3A       |                          |                       |               |              | SG on pile.      |   |
| 26615   | - Channel Daybeacon 4        |                          |                       |               |              | TR on pile.      |   |
| 26620   | - Channel Daybeacon 6        |                          |                       |               |              | TR on pile.      |   |
| <b>Chester River</b>                              |                              |                          |                       |               |              |                  |   |
| 26625   | - Channel Buoy 11            |                          |                       |               |              | Green can.       |   |

| (1)<br>No.  | (2)<br>Name and Location         | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure          | (8)<br>Remarks  |
|---|----------------------------------|--------------------------|-----------------------|---------------|--------------|---------------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                                  |                          |                       |               |              |                           |   |
| 26630   | - Channel Lighted Buoy 12        |                          | <b>FI R</b> 4s        |               | 3            | Red.                      | Replaced by unlighted ice buoy from Dec. 1 to Apr. 1. |
| 26645   | - Channel Buoy 14                |                          |                       |               |              | Red nun.                  |   |
| 26647   | - CHANNEL LIGHT 15               | 39 03 11 N<br>76 12 22 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.               | Light equipment removed from Dec. 1 to Mar. 15.       |
| 26650   | NICHOLS POINT LIGHT              | 39 05 34 N<br>76 09 52 W | <b>FI W</b> 6s        | 15            | 6            | NR on cylindrical base.   |   |
| 26655   | Gordon Point Shoal Buoy 1        | 39 04 08 N<br>76 09 51 W |                       |               |              | Green can.                |   |
| 26660   | Gordon Point Shoal Buoy 2        |                          |                       |               |              | Red nun.                  |   |
| <b>Langford Creek</b>                             |                                  |                          |                       |               |              |                           |   |
| 26665   | - Junction Buoy LC               | 39 04 46 N<br>76 10 43 W |                       |               |              | Green and red bands; can. |   |
| 26670   | - Buoy 1                         |                          |                       |               |              | Green can.                |   |
| 26675   | - Buoy 3                         |                          |                       |               |              | Green can.                |   |
| 26680   | - Buoy 5                         |                          |                       |               |              | Green can.                |   |
| 26685   | - Buoy 7                         |                          |                       |               |              | Green can.                |   |
| 26690   | Long Cove Daybeacon 1            |                          |                       |               |              | SG on pile.               |   |
| 26695   | Long Cove Daybeacon 3            |                          |                       |               |              | SG on pile.               |   |
| 26700   | Davis Creek Entrance Daybeacon 2 | 39 07 10 N<br>76 10 27 W |                       |               |              | TR on pile.               | Private aid.  |
| <b>Chester River</b>                              |                                  |                          |                       |               |              |                           |   |
| 26705   | - Channel Buoy 16                |                          |                       |               |              | Red nun.                  |   |
| 26710   | Corsica River Junction Buoy CR   | 39 05 19 N<br>76 09 24 W |                       |               |              | Red and green bands; nun. |   |
| 26715   | Corsica River Buoy 2             |                          |                       |               |              | Red nun.                  |   |
| 26720   | Corsica River Daybeacon 4        |                          |                       |               |              | TR on pile.               |   |
| 26725   | Corsica River Daybeacon 6        |                          |                       |               |              | TR on pile.               |   |
| 26730   | - Channel Buoy 18                |                          |                       |               |              | Red nun.                  |   |
| 26735   | - Channel Buoy 19                |                          |                       |               |              | Green can.                |   |
| 26740   | - Channel Buoy 20                | 39 06 08 N<br>76 07 51 W |                       |               |              | Red nun.                  |   |
| 26745   | - Channel Buoy 21                |                          |                       |               |              | Green can.                |   |
| 26750   | - CHANNEL LIGHT 23               | 39 06 31 N<br>76 07 07 W | <b>FI G</b> 4s        | 21            | 4            | SG on pile.               |   |
| 26755   | - Channel Buoy 24                |                          |                       |               |              | Red nun.                  |   |
| 26760   | - Channel Buoy 25                |                          |                       |               |              | Green can.                |   |
| 26765   | - CHANNEL LIGHT 27               |                          | <b>FI G</b> 4s        | 18            | 4            | SG on pile.               |   |
| 26770   | - Channel Buoy 28                |                          |                       |               |              | Red nun.                  |   |
| 26775   | - Channel Buoy 30                |                          |                       |               |              | Red nun.                  |   |
| 26780   | Southeast Creek Daybeacon 2      |                          |                       |               |              | TR on pile.               |   |

| (1)<br>No.  | (2)<br>Name and Location         | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks   |
|---|----------------------------------|--------------------------|-----------------------|---------------|--------------|------------------|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                                  |                          |                       |               |              |                  |  |
| 26785   | - Channel Buoy 32                |                          |                       |               |              | Red nun.         |  |
| 26790   | - CHANNEL LIGHT 34               |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.      |  |
| 26795   | - Channel Buoy 35                |                          |                       |               |              | Green can.       |  |
| 26800   | - Channel Buoy 37                |                          |                       |               |              | Green can.       |  |
| 26805   | - Channel Buoy 37A               |                          |                       |               |              | Green can.       |  |
| 26810   | - CHANNEL LIGHT 39               |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.      |  |
| 26815   | - Channel Buoy 40                |                          |                       |               |              | Red nun.         |  |
| 26820   | - CHANNEL LIGHT 41               |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.      |  |
| 26825   | - Channel Buoy 42                |                          |                       |               |              | Red nun.         | Private aid.   |
| 26830   | - Channel Buoy 43                |                          |                       |               |              | Green can.       | Private aid.   |
| 26835   | - Channel Buoy 44                |                          |                       |               |              | Red nun.         | Private aid.   |
| 26840   | - Channel Buoy 44A               |                          |                       |               |              | Red nun.         | Private aid.   |
| 26845   | - Channel Buoy 45                |                          |                       |               |              | Green can.       | Private aid.   |
| <b>Swan Creek</b>                                 |                                  |                          |                       |               |              |                  |  |
| 26850   | - Entrance Buoy 1                | 39 05 34 N<br>76 15 16 W |                       |               |              | Green can.       |  |
| 26855   | - Entrance Buoy 3                |                          |                       |               |              | Green can.       |  |
| 26860   | - <i>Entrance Lighted Buoy 4</i> |                          | <b>FI R 4s</b>        |               | 3            | Red.             | Replaced by unlighted ice buoy from Dec. 1 to Mar. 15. |
| 26865   | - Entrance Buoy 5                |                          |                       |               |              | Green can.       |  |
| 26870   | - ENTRANCE LIGHT 6               |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.      |  |
| 26871   | GRATITUDE MARINA LIGHT A         | 39 08 24 N<br>76 15 42 W | <b>F Y</b>            | 15            |              | White tripod.    | Private aid.   |
| 26871.1   | GRATITUDE MARINA LIGHT B         |                          | <b>F Y</b>            | 15            |              | White tripod.    | Private aid.   |
| 26872   | -Buoy 6A                         |                          |                       |               |              | Red nun.         | Private aid.   |
| 26873   | -Buoy 8                          |                          |                       |               |              | Red nun.         | Private aid.   |
| 26874   | -Buoy 9                          |                          |                       |               |              | Green can.       | Private aid.   |
| 26874.1   | -Buoy 9A                         |                          |                       |               |              | Green can.       | Private aid.   |
| 26875   | - Daybeacon 10                   |                          |                       |               |              | TR on pile.      | Private aid.   |
| 26876   | -Buoy 11                         |                          |                       |               |              | Green can.       | Private aid.   |
| 26880   | GRATITUDE MARINA LIGHT A         | 39 08 24 N<br>76 15 42 W | <b>F Y</b>            | 15            |              | White tripod.    | Private aid.   |
| 26885   | GRATITUDE MARINA LIGHT B         |                          | <b>F Y</b>            | 15            |              | White tripod.    | Private aid.   |
| <b>The Haven Channel</b>                          |                                  |                          |                       |               |              |                  |  |
| 26886   | - Daybeacon 1                    | 39 08 48 N<br>76 14 54 W |                       |               |              | SG on pile.      | Private aid.   |
| 26887   | - Daybeacon 2                    |                          |                       |               |              | TR on pile.      | Private aid.   |
| 26887.5   | - Daybeacon 3                    |                          |                       |               |              | SG on pile.      | Private aid.   |

| (1)<br>No.   | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks                                  |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>            |                          |                          |                       |               |              |                  |   |
| 26888  | - Daybeacon 4            |                          |                       |               |              | TR on pile.      | Private aid.                                    |
| 26888.5  | - Daybeacon 5            |                          |                       |               |              | SG on pile.      | Private aid.                                    |
| 26889  | - Daybeacon 7            |                          |                       |               |              | SG on pile.      | Private aid.                                    |
| <b>Rock Hall Harbor</b>                                      |                          |                          |                       |               |              |                  |   |
| <i>All daybeacons located 20 feet outside channel limit.</i> |                          |                          |                       |               |              |                  |   |
| 26890  | - Entrance Buoy 1        | 39 07 43 N<br>76 15 06 W |                       |               |              | Green can.       |   |
| 26895  | - LIGHT 4                |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.      |   |
| 26900  | - LIGHT 5                | 39 07 50 N<br>76 14 54 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.      |   |
| 26905  | - Daybeacon 6            |                          |                       |               |              | TR on pile.      |   |
| 26910  | - Daybeacon 8            |                          |                       |               |              | TR on pile.      |   |
| 26915  | - Daybeacon 10           |                          |                       |               |              | TR on pile.      |   |
| 26920  | - Daybeacon 12           |                          |                       |               |              | TR on pile.      |   |
| 26925  | - Daybeacon 14           |                          |                       |               |              | TR on pile.      |   |
| 26930  | - East Daybeacon 2E      | 39 07 53 N<br>76 14 51 W |                       |               |              | TR on pile.      |   |
| 26935  | - Junction Daybeacon RH  |                          |                       |               |              | JG on pile.      |   |
| 26940  | - East Daybeacon 4E      |                          |                       |               |              | TR on pile.      |   |
| 26945  | - East Daybeacon 6E      |                          |                       |               |              | TR on pile.      |   |
| <b>APPROACHES TO BALTIMORE HARBOR (Chart 12278)</b>          |                          |                          |                       |               |              |                  |   |
| <b>Shallow Creek</b>   |                          |                          |                       |               |              |                  |   |
| 26950  | - LIGHT 1SC              | 39 11 59 N<br>76 26 04 W | <b>FI G</b> 4s        | 15            | 3            | SG on pile.      |   |
| 26955  | - Daybeacon 2            |                          |                       |               |              | TR on pile.      |   |
| 26960  | - Daybeacon 3            |                          |                       |               |              | SG on pile.      | Private aid.                                    |
| 26965  | - Daybeacon 4            |                          |                       |               |              | TR on pile.      | Private aid.                                    |
| 26970  | - Daybeacon 5            |                          |                       |               |              | SG on pile.      |   |
| 26975  | - Daybeacon 6            |                          |                       |               |              | TR on pile.      | Private aid.                                    |
| 26980  | - Daybeacon 7            |                          |                       |               |              | SG on pile.      | Private aid.                                    |
| 26985  | - Daybeacon 8            |                          |                       |               |              | TR on pile.      | Private aid.                                    |
| 26990  | - Daybeacon 9            |                          |                       |               |              | SG on pile.      | Private aid.                                    |
| 26995  | - Daybeacon 10           |                          |                       |               |              | TR on pile.      | Private aid.                                    |
| <b>Harts Island Channel</b>                                  |                          |                          |                       |               |              |                  |   |
| 27000  | - LIGHT 1                | 39 13 34 N<br>76 23 46 W | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.      | Light equipment removed from Dec. 1 to Mar. 15. |
| 27005  | - Daybeacon 2            |                          |                       |               |              | TR on pile.      |   |
| 27010  | - Daybeacon 3            |                          |                       |               |              | SG on pile.      |   |
| 27015  | - Daybeacon 4            |                          |                       |               |              | TR on pile.      |   |

| (1)<br>No.  | (2)<br>Name and Location      | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks  |
|---|-------------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                               |                          |                       |               |              |                             |   |
| 27020   | - LIGHT 5                     |                          | <b>Q G</b>            | 15            | 3            | SG on pile.                 | Light equipment removed from Dec. 1 to Mar. 15.                     |
| 27025   | - Daybeacon 6                 |                          |                       |               |              | TR on pile.                 |   |
| 27030   | - Daybeacon 8                 |                          |                       |               |              | TR on pile.                 |   |
| 27035   | - LIGHT 9                     |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.                 | Light equipment removed from Dec. 1 to Mar. 15.                     |
| 27040   | - Daybeacon 10                |                          |                       |               |              | TR on pile.                 |   |
| <b>Back River</b>                                 |                               |                          |                       |               |              |                             |   |
| 27045   | - Buoy 2                      | 39 16 18 N<br>76 22 18 W |                       |               |              | Red nun.                    |   |
| 27050   | - LIGHT 3                     | 39 15 07 N<br>76 23 29 W | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure. |   |
| 27055   | - LIGHT 5                     |                          | <b>FI G 6s</b>        | 15            | 4            | SG on multi-pile structure. |   |
| 27060   | - Buoy 6                      |                          |                       |               |              | Red nun.                    | Maintained from Apr. 1 to Nov. 1.<br>Private aid.                   |
| 27065   | Longs Creek Daybeacon 1       |                          |                       |               |              | SG on pile.                 | Private aid.  |
| 27070   | Longs Creek Daybeacon 2       |                          |                       |               |              | TR on pile.                 | Private aid.  |
| 27075   | Longs Creek Daybeacon 4       |                          |                       |               |              | TR on pile.                 | Private aid.  |
| 27080   | - Daybeacon 7                 |                          |                       |               |              | SG on pile.                 | Private aid.  |
| 27085   | - Buoy 10                     |                          |                       |               |              | Red nun.                    | Private aid.  |
| 27090   | - Daybeacon 12                |                          |                       |               |              | TR on pile                  | Private aid.  |
| 27095   | - Buoy 14                     |                          |                       |               |              | Red nun.                    | Maintained from Apr. 1 to Nov. 1.<br>Private aid.                   |
| <b>Middle River</b>                               |                               |                          |                       |               |              |                             |   |
| 27110   | - Approach Lighted Buoy 1     | 39 16 16 N<br>76 20 01 W | <b>Q G</b>            |               | 3            | Green.                      | Replaced by lighted buoy of lower intensity from Dec. 1 to Mar. 15. |
| 27115   | - Approach Lighted Buoy 3     |                          | <b>FI G 4s</b>        |               | 3            | Green.                      | Replaced by can from Dec. 1 to Apr. 1.                              |
| 27117   | - LIGHT 5                     | 39 17 12 N<br>76 22 33 W | <b>FI G 2.5s</b>      | 15            | 4            | SG on multi-pile structure. |   |
| 27120   | - LIGHT 6                     |                          | <b>FI R 2.5s</b>      | 15            | 4            | TR on multi-pile structure. |   |
| 27125   | BOWLEY BAR OBSTRUCTION LIGHT  | 39 18 06 N<br>76 23 12 W | <b>Q R</b>            | 8             |              |                             | Maintained from Apr. 1 to Dec. 1.<br>Private aid.                   |
| 27130   | SUE ISLAND ENTRANCE LIGHT 1   | 39 17 24 N<br>76 23 53 W | <b>FI G 2.5s</b>      | 15            | 4            | SG on pile.                 | Light equipment removed from Dec. 1 to Mar. 15.                     |
| 27135   | Frog Mortar Creek Daybeacon 2 |                          |                       |               |              | TR on pile.                 |   |
| 27140   | Frog Mortar Creek Daybeacon 4 |                          |                       |               |              | TR on pile.                 |   |
| 27145   | WILSON POINT JUNCTION LIGHT   |                          | <b>FI (2+1) R 6s</b>  | 15            | 4            | JR on pile.                 |   |
| 27150   | Norman Creek Daybeacon 2      |                          |                       |               |              | TR on pile.                 |   |

| (1)<br>No.  | (2)<br>Name and Location               | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                      |
|---|--|--------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |  |                          |                       |               |              |                             |   |
| 27155   | - Daybeacon 7                          |                          |                       |               |              | SG on pile.                 |   |
| 27160   | - Clark Point Junction<br>Daybeacon CP | 39 18 53 N<br>76 25 28 W |                       |               |              | JG on pile.                 |   |
| <b>Seneca Creek</b>                               |  |                          |                       |               |              |                             |   |
| 27165   | - Entrance Buoy WR1                    |                          |                       |               |              | Green can.                  |   |
| 27170   | - ENTRANCE LIGHT 2S                    | 39 18 11 N<br>76 21 26 W | <b>FI R 4s</b>        | 18            | 3            | TR on multi-pile structure. |   |
| <b>HEAD OF CHESAPEAKE BAY (Chart 12274)</b>       |  |                          |                       |               |              |                             |   |
| <b>Gunpowder River</b>                            |  |                          |                       |               |              |                             |   |
| 27175   | - Lighted Buoy 2G                      |                          | <b>FI R 4s</b>        |               | 3            | Red.                        | Replaced by nun from Dec. 1 to Apr. 1.              |
| 27185   | - Lighted Buoy 4                       |                          | <b>FI R 4s</b>        |               | 3            | Red.                        | Replaced by nun from Dec. 1 to Apr. 1.              |
| 27195   | - Lighted Buoy 6                       |                          | <b>FI R 4s</b>        |               | 3            | Red.                        | Replaced by nun from Dec. 1 to Apr. 1.              |
| 27200   | - Lighted Buoy 7                       |                          | <b>FI G 4s</b>        |               | 4            | Green.                      | Replaced by can from Dec. 1 to Apr. 1.              |
| 27205   | - LIGHT 9                              |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 |   |
| 27215   | - LIGHT 11                             |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 |   |
| 27220   | - LIGHT 13                             |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 |   |
| <b>Upper Gunpowder River</b>                      |  |                          |                       |               |              |                             |   |
| 27225   | - Daybeacon 1                          | 39 29 54 N<br>76 20 30 W |                       |               |              | SG on pile.                 | Private aid.  |
| 27230   | - Buoy 2                               |                          |                       |               |              | Red nun.                    | Maintained from Apr. 15 to Nov. 15.<br>Private aid. |
| 27235   | - Daybeacon 3                          |                          |                       |               |              | SG on pile.                 | Private aid.  |
| 27240   | - Buoy 4                               |                          |                       |               |              | Red nun.                    | Maintained from Apr. 15 to Nov. 15.<br>Private aid. |
| 27245   | - Daybeacon 5                          |                          |                       |               |              | SG on pile.                 | Private aid.  |
| 27250   | - Buoy 6                               |                          |                       |               |              | Red nun.                    | Maintained from Apr. 15 to Nov. 15.<br>Private aid. |
| 27255   | - Buoy 7                               |                          |                       |               |              | Green can.                  | Maintained from Apr. 15 to Nov. 15.<br>Private aid. |
| 27260   | - Daybeacon 8                          |                          |                       |               |              | TR on pile.                 | Private aid.  |
| 27265   | - Buoy 9                               |                          |                       |               |              | Green can.                  | Maintained from Apr. 15 to Nov. 15.<br>Private aid. |
| 27270   | - Buoy 10                              |                          |                       |               |              | Red nun.                    | Private aid.  |
| 27275   | - Daybeacon 11                         |                          |                       |               |              | SG on pile.                 | Private aid.  |
| 27280   | - Daybeacon 12                         |                          |                       |               |              | TR on pile.                 | Private aid.  |

| (1)<br>No.  | (2)<br>Name and Location                 | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                   | (8)<br>Remarks   |
|---|--|--------------------------|-----------------------|---------------|--------------|--|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>   |  |                          |                       |               |              |  |  |
| <b>APPROACHES TO BALTIMORE HARBOR (Chart 12278)</b> |  |                          |                       |               |              |  |  |
| <b>Pooles Island - West Channel</b>                 |  |                          |                       |               |              |  |  |
| 27285   | Robins Point Shoal Buoy 1                | 39 17 06 N<br>76 17 02 W |                       |               |              | Green can.   |  |
| 27290<br>8705                                       | Aberdeen Restricted Area<br>Buoy A       | 39 16 46 N<br>76 17 11 W |                       |               |              | Yellow can.  |  |
| 27295<br>8710                                       | Aberdeen Restricted Area<br>Buoy B       |                          |                       |               |              | Yellow can.  |  |
| <b>HEAD OF CHESAPEAKE BAY (Chart 12274)</b>         |  |                          |                       |               |              |  |  |
| <b>Bush River</b>                                   |  |                          |                       |               |              |  |  |
| 27305   | - Approach Obstruction<br>Buoy           | 39 20 18 N<br>76 12 35 W |                       |               |              | Green and red bands; can.                          |  |
| 27310   | - Approach Buoy 2                        |                          |                       |               |              | Red nun.   |  |
| 27315   | - Lighted Buoy 3                         |                          | <b>FI G</b> 2.5s      |               | 3            | Green.   | Replaced by can from Nov. 25 to Apr. 1.  |
| 27320   | - Buoy 4                                 |                          |                       |               |              | Red nun.   |  |
| 27325   | - LIGHT 5                                |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.  | Higher intensity beam up and down river. Light equipment removed from Dec. 1 to Mar. 15. |
| 27330   | - WRECK LIGHT WR6<br>Marks sunken barge. | 39 23 04 N<br>76 15 29 W | <b>Q R</b>            | 15            | 3            | TR on multi-pile structure.                        |  |
| 27340   | - WRECK LIGHT WR7<br>Marks sunken barge. | 39 23 48 N<br>76 15 38 W | <b>Q G</b>            | 15            | 3            | SG on multi-pile structure.                        |  |
| 27345   | SOD RUN OBSTRUCTION<br>LIGHT A           | 39 25 48 N<br>76 14 00 W | <b>Q R</b>            | 10            |              | NW on dolphin worded DANGER<br>SUBMERGED PIPELINE. | Private aid.   |
| 27350   | Sod Run Obstruction<br>Daybeacon B       |                          |                       | 10            |              | NW on dolphin worded DANGER<br>SUBMERGED PIPELINE. | Private aid.   |
| 27355   | Sod Run Obstruction<br>Daybeacon C       |                          |                       | 10            |              | NW on dolphin worded DANGER<br>SUBMERGED PIPELINE. | Private aid.   |
| 27360   | - LIGHT                                  |                          | <b>FI W</b> 4s        | 15            | 6            | NB on multi-pile structure.                        | Higher intensity beam downstream.  |
| 27363   | - LIGHT 9                                |                          | <b>FI G</b> 2.5s      | 6             |              | SG on electric tower.                              | Private aid.   |
| 27364   | - LIGHT 10                               |                          | <b>FI R</b> 4s        | 6             |              | TR on electric tower.                              | Private aid.   |
| 27365   | - LIGHT 11                               | 39 26 06 N<br>76 14 36 W | <b>Q G</b>            | 6             |              | SG on electric tower.                              | Private aid.   |
| 27367   | - LIGHT A                                |                          | <b>FI Y</b> 4s        | 6             |              | NY on electric tower.                              | Private aid.   |
| <b>Otter Point Creek</b>                            |  |                          |                       |               |              |  |  |
| 27370   | - Buoy 1                                 |                          |                       |               |              | Green can.   | Maintained from May 1 to Oct. 1.<br>Private aid.   |
| 27373   | - LIGHT 3                                |                          | <b>FI G</b> 4s        | 6             |              | SG on electric tower.                              | Private aid.   |
| 27374   | - LIGHT 4                                |                          | <b>FI R</b> 4s        | 6             |              | TR on electric tower.                              | Private aid.   |
| 27375   | - Buoy 6                                 |                          |                       |               |              | Red nun.   | Maintained from May 1 to Oct. 1.<br>Private aid.   |

| (1)<br>No.  | (2)<br>Name and Location     | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                               | (8)<br>Remarks                                  |
|---|------------------------------|--------------------------|-----------------------|---------------|--------------|--|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>   |                              |                          |                       |               |              |  |   |
| 27380   | - Buoy 7                     |                          |                       |               |              | Green can.                                     | Maintained from May 1 to Oct. 1. Private aid.   |
| <b>APPROACHES TO BALTIMORE HARBOR (Chart 12278)</b> |                              |                          |                       |               |              |  |   |
| <b>Worton Creek</b>                                 |                              |                          |                       |               |              |  |   |
| 27390   | - Lighted Buoy 2             | 39 17 28 N<br>76 10 16 W | <b>Q R</b>            |               |              | 3 Red.   | Replaced by nun from Dec. 15 to Apr. 15.        |
| 27395   | - Daybeacon 3                |                          |                       |               |              | SG on pile.                                    |   |
| 27400   | - Daybeacon 5                |                          |                       |               |              | SG on pile.                                    |   |
| <b>Fairlee Creek</b>                                |                              |                          |                       |               |              |  |   |
| 27405   | - LIGHT 2F                   | 39 16 15 N<br>76 12 31 W | <b>FI (2) R 5s</b>    | 15            |              | 3 TR on pile.                                  |   |
| 27410   | - Buoy 7                     | 39 15 54 N<br>76 12 24 W |                       |               |              | Black can.                                     | Maintained from May to Oct. Private aid.        |
| 27415   | - Buoy 8                     |                          |                       |               |              | Red nun.                                       | Maintained from May to Oct. Private aid.        |
| 27420   | - Buoy 9                     |                          |                       |               |              | Black can.                                     | Maintained from May to Oct. Private aid.        |
| 27425   | - Buoy 10                    |                          |                       |               |              | Red nun.                                       | Maintained from May to Oct. Private aid.        |
| 27430   | - Range Daybeacon            |                          |                       |               |              | White diamond daymark with red border on pile. | Private aid.                                    |
| <b>HEAD OF CHESAPEAKE BAY (Chart 12274)</b>         |                              |                          |                       |               |              |  |   |
| <b>Sassafras River</b>                              |                              |                          |                       |               |              |  |   |
| 27435   | - Lighted Buoy 2             | 39 22 41 N<br>75 59 39 W | <b>FI R 4s</b>        |               |              | 3 Red.   | Replaced by nun from Nov. 25 to Apr. 10.        |
| 27438   | RIGBIE BLUFF PIER LIGHT      | 39 22 30 N<br>76 03 48 W | <b>F Y</b>            | 19            |              | On pile.                                       | Private aid.                                    |
| 27440   | - Channel Buoy 3             |                          |                       |               |              | Green can.                                     |   |
| 27445   | Turner Creek Entrance Buoy 1 | 39 21 36 N<br>75 59 12 W |                       |               |              | Black can.                                     | Maintained from Apr. to Oct. Private aid.       |
| 27450   | - Channel Lighted Buoy 5     |                          | <b>FI G 6s</b>        |               |              | 4 Green.                                       | Replaced by can from Nov. 25 to Apr. 10.        |
| 27455   | - Channel Buoy 6             |                          |                       |               |              | Red nun.                                       |   |
| 27460   | - LIGHT 7                    |                          | <b>FI G 2.5s</b>      | 15            |              | 3 SG on pile.                                  | Light equipment removed from Dec. 1 to Mar. 15. |
| 27465   | - Channel Buoy 8             |                          |                       |               |              | Red nun.                                       |   |
| 27470   | - LIGHT 9                    |                          | <b>FI G 6s</b>        | 18            |              | 4 SG on pile.                                  | Light equipment removed from Dec. 1 to Mar. 15. |
| <b>Swantown Creek</b>                               |                              |                          |                       |               |              |  |   |
| 27475   | - Buoy 1                     | 39 21 54 N<br>75 51 36 W |                       |               |              | Green can.                                     | Private aid.                                    |
| 27480   | - Buoy 2                     |                          |                       |               |              | Red nun.                                       | Private aid.                                    |
| 27485   | - Buoy 3                     |                          |                       |               |              | Green can.                                     | Private aid.                                    |
| 27490   | - Buoy 4                     |                          |                       |               |              | Red nun.                                       | Private aid.                                    |

| (1)<br>No.   | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks   |
|--|--|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>                |  |                          |                       |               |              |   |  |
| <b>Sassafras River</b>   |  |                          |                       |               |              |   |  |
| 27495  | - LIGHT 10   |                          | <b>FI R 4s</b>        | 18            | 3            | TR on pile.   | Light equipment removed from Dec. 1 to Mar. 15.            |
| 27500  | - Channel Buoy 12  |                          |                       |               |              | Red nun.  |  |
| 27505  | - Channel Buoy 14  |                          |                       |               |              | Red nun.  |  |
| 27510  | SKIPJACK COVE MARINA LIGHT 1   | 39 22 00 N<br>75 53 42 W | <b>F W</b>            | 12            |              | On corner of pier.  | Private aid.   |
| 27515  | SKIPJACK COVE MARINA LIGHT 2   |                          | <b>F W</b>            | 12            |              | On corner of pier.  | Private aid.   |
| 27517  | BUDDS LANDING PIER LIGHT   | 39 22 18 N<br>75 50 24 W | <b>F Y</b>            |               |              |   | Private aid.   |
| <b>Spesutie Narrows</b>  |  |                          |                       |               |              |   |  |
| <b>Aberdeen Proving Ground Channel</b>                           |  |                          |                       |               |              |   |  |
| 27520  | - Lighted Buoy 2   |                          | <b>FI R 2.5s</b>      |               | 3            | Red.  | Replaced by unlighted ice buoy from Nov. 25 to Apr. 10.    |
| 27525  | - ENTRANCE RANGE FRONT LIGHT   | 39 27 00 N<br>76 05 12 W | <b>Q G</b>            | 30            |              | White square daymark with black diamond on white house.                     | Maintained by the U.S. Army.                               |
| 27530  | - ENTRANCE RANGE REAR LIGHT<br>1,760 yards, 013.2° from front light. |                          | <b>Oc G 4s</b>        | 60            |              | White square daymark with black bullseye in center on white skeleton tower. | Maintained by the U.S. Army.                               |
| 27535  | - Buoy 4   |                          |                       |               |              | Red nun.  |  |
| 27540  | - Buoy 5   |                          |                       |               |              | Green can.  |  |
| 27545  | - Buoy 6   |                          |                       |               |              | Red nun.  |  |
| 27550  | - INNER RANGE FRONT LIGHT  | 39 26 48 N<br>76 06 00 W | <b>F G</b>            | 15            |              | White daymark with black diamond on white tower.                            | Maintained by the U.S. Army.                               |
| 27555  | - INNER RANGE REAR LIGHT<br>165 yards, 337° from front light.        |                          | <b>F G</b>            | 29            |              | White daymark with black bullseye on white tower.                           | Maintained by the U.S. Army.                               |
| 27565  | - Buoy 7   |                          |                       |               |              | Green can.  |  |
| 27570  | - Daybeacon 9  |                          |                       |               |              | SG on pile.   |  |
| 27575  | - Daybeacon 11   |                          |                       |               |              | SG on pile.   |  |
| 27580  | - Daybeacon 12   |                          |                       |               |              | TR on pile.   |  |
| <b>Susquehanna River</b>   |  |                          |                       |               |              |   |  |
| <i>Channel buoys located 30 - 50 feet outside channel limit.</i> |  |                          |                       |               |              |   |  |
| 27585  | - Junction Lighted Buoy A  | 39 26 31 N<br>76 02 05 W | <b>FI (2+1) R 6s</b>  |               | 3            | Red and green bands.  | Replaced by LIB of lower intensity from Nov. 25 to Apr. 1. |
| 27590  | - Channel Lighted Buoy 1   |                          | <b>FI G 2.5s</b>      |               | 3            | Green.  | Replaced by unlighted ice buoy from Nov. 25 to Apr. 1.     |
| 27595  | - Channel Buoy 2<br>Marks stone pile.                                |                          |                       |               |              | Red nun.  |  |
| 27600  | - Channel Lighted Buoy 3   |                          | <b>FI G 4s</b>        |               | 4            | Green.  | Replaced by unlighted ice buoy from Nov. 25 to Apr. 1.     |
| 27605  | - Channel Buoy 5   |                          |                       |               |              | Green can.  |  |

| (1)<br>No.  | (2)<br>Name and Location                               | (3)<br>Position          | (4)<br>Characteristic           | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks  |
|---|--|--------------------------|---------------------------------|---------------|--------------|--------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |  |                          |                                 |               |              |                    |   |
| 27610   | - Channel Buoy 6<br>100 feet outside channel<br>limit. |                          |                                 |               |              | Red nun.           |   |
| 27615   | - Channel Buoy 7                                       |                          |                                 |               |              | Green can.         |   |
| 27620   | - Channel Buoy 8                                       |                          |                                 |               |              | Red nun.           |   |
| 27625   | - Channel Buoy 9                                       |                          |                                 |               |              | Green can.         |   |
| 27630   | FISHING BATTERY LIGHT                                  | 39 29 42 N<br>76 04 59 W | <b>FI W 6s<br/>(2 R sector)</b> | 38            | W 6<br>R 3   | On skeleton tower. | Red from 322° to 346° and<br>246° to 276°.                |
| 27635   | Fishing Battery Obstruction<br>Buoy 5                  | 39 29 42 N<br>76 05 12 W |                                 |               |              | Green can.         | Private aid.  |
| 27640   | Fishing Battery Obstruction<br>Buoy 6                  |                          |                                 |               |              | Red nun.           | Private aid.  |
| 27645   | - Channel Lighted<br>Buoy 11                           |                          | <b>FI G 4s</b>                  |               | 4            | Green.             | Replaced by unlighted ice buoy<br>from Nov. 25 to Apr. 1. |
| 27650   | - Channel Buoy 12                                      |                          |                                 |               |              | Red nun.           |   |
| 27655   | - Channel Buoy 13                                      |                          |                                 |               |              | Green can.         |   |
| 27660   | - Channel Lighted<br>Buoy 14                           |                          | <b>FI R 4s</b>                  |               | 3            | Red.               | Replaced by unlighted ice buoy<br>from Nov. 25 to Apr. 1. |
| 27665   | - Channel Buoy 15                                      |                          |                                 |               |              | Green can.         |   |
| 27670   | - Channel Lighted<br>Buoy 17                           |                          | <b>FI G 4s</b>                  |               | 4            | Green.             | Replaced by unlighted ice buoy<br>from Nov. 25 to Apr. 1. |
| <b>Havre De Grace Yacht Basin</b>                 |  |                          |                                 |               |              |                    |   |
| 27675   | - Buoy 1   | 39 32 12 N<br>76 05 06 W |                                 |               |              | Green can.         | Private aid.  |
| 27680   | - Buoy 2   |                          |                                 |               |              | Red nun.           | Private aid.  |
| 27683   | - Buoy 3   |                          |                                 |               |              | Green can.         | Private aid.  |
| 27685   | - Buoy 4   |                          |                                 |               |              | Red nun.           | Private aid.  |
| 27690   | - Buoy 5   |                          |                                 |               |              | Green can.         | Private aid.  |
| 27693   | - Buoy 6   |                          |                                 |               |              | Red nun.           | Private aid.  |
| <b>Havre De Grace Entrance</b>                    |  |                          |                                 |               |              |                    |   |
| 27695   | - Buoy 2   |                          |                                 |               |              | Red nun.           | Private aid.  |
| 27700   | - Buoy 3   |                          |                                 |               |              | Green can.         | Private aid.  |
| 27705   | - Buoy 4   |                          |                                 |               |              | Red nun.           | Private aid.  |
| 27710   | - Buoy 6   |                          |                                 |               |              | Red nun.           | Private aid.  |
| 27715   | - Buoy 7   |                          |                                 |               |              | Green can.         | Private aid.  |
| 27720   | - Buoy 8   |                          |                                 |               |              | Red nun.           | Private aid.  |
| 27725   | - Buoy 9   |                          |                                 |               |              | Green can.         | Private aid.  |
| 27730   | - Buoy 10  |                          |                                 |               |              | Red nun.           | Private aid.  |
| 27735   | - Buoy 11  |                          |                                 |               |              | Green can.         | Private aid.  |
| 27740   | - Buoy 12  |                          |                                 |               |              | Red nun.           | Private aid.  |
| 27745   | - Buoy 13  |                          |                                 |               |              | Green can.         | Private aid.  |

| (1)<br>No.   | (2)<br>Name and Location           | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks  |
|--|------------------------------------|--------------------------|-----------------------|---------------|--------------|--|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b>                |                                    |                          |                       |               |              |  |   |
| 27750  | - Buoy 14                          |                          |                       |               |              | Red nun.   | Private aid.  |
| 27755  | - Buoy 15                          |                          |                       |               |              | Green can.   | Private aid.  |
| 27760  | - Buoy 16                          |                          |                       |               |              | Red nun.   | Private aid.  |
| 27765  | - Buoy 17                          |                          |                       |               |              | Green can.   | Private aid.  |
| 27770  | - Buoy 18                          |                          |                       |               |              | Red nun.   | Private aid.  |
| 27775  | - Buoy 19                          |                          |                       |               |              | Green can.   | Private aid.  |
| 27780  | - Buoy 20                          |                          |                       |               |              | Red nun.   | Private aid.  |
| 27785  | - Buoy 21                          |                          |                       |               |              | Green can.   | Private aid.  |
| 27790  | - Buoy 22                          |                          |                       |               |              | Red nun.   | Private aid.  |
| 27795  | - Buoy 23                          |                          |                       |               |              | Green can.   | Private aid.  |
| 27800  | - Buoy 24                          |                          |                       |               |              | Red nun.   | Private aid.  |
| <b>Susquehanna River</b>   |                                    |                          |                       |               |              |  |   |
| <i>Channel buoys located 30 - 50 feet outside channel limit.</i> |                                    |                          |                       |               |              |  |   |
| 27805  | - Buoy 18                          |                          |                       |               |              | Red nun.   |   |
| 27810  | Perry Point Warning Buoy           | 39 32 46 N<br>76 04 21 W |                       |               |              | White can with orange bands and orange diamond worded SUBMERGED PILES. |   |
| 27815  | Perryville Intake Structure Buoy A |                          |                       |               |              | White can with orange bands and orange diamond.                        | Private aid.  |
| 27820  | - Junction Buoy SR                 |                          |                       |               |              | Green and red bands; can.  |   |
| 27825  | - Channel Buoy 19                  |                          |                       |               |              | Green can.   |   |
| 27830  | - Channel Alternate Route Buoy 2   |                          |                       |               |              | Red nun.   |   |
| <b>Northeast River</b>   |                                    |                          |                       |               |              |  |   |
| 27835  | - Lighted Buoy 2                   | 39 29 12 N<br>75 59 56 W | FI R 4s               |               | 4            | Red.   | Replaced by unlighted ice buoy from Nov. 25 to Apr. 10. |
| 27840  | - Buoy 4                           |                          |                       |               |              | Red nun.   |   |
| 27845  | - Buoy 5                           | 39 31 18 N<br>75 59 11 W |                       |               |              | Green can.   |   |
| 27850  | - Lighted Buoy 6                   |                          | FI R 4s               |               | 3            | Red.   | Replaced by nun from Nov. 25 to Apr. 10.                |
| 27855  | - Buoy 7                           |                          |                       |               |              | Green can.   |   |
| 27860  | - LIGHT 8                          | 39 32 36 N<br>75 58 22 W | FI R 2.5s             | 15            | 4            | TR on pile.  | Light equipment removed from Dec. 1 to Mar. 15.         |
| 27865  | - Buoy 9                           |                          |                       |               |              | Green can.   |   |
| 27870  | - Daybeacon 12                     |                          |                       |               |              | TR on pile.  |   |
| 27875  | - LIGHT 10                         |                          | FI R 4s               | 15            | 3            | TR on pile.  | Light equipment removed from Dec. 1 to Mar. 15.         |
| 27880  | - LIGHT 14                         |                          | FI R 2.5s             | 15            | 3            | TR on pile.  | Light equipment removed from Dec. 1 to Mar. 15.         |
| 27885  | - Obstruction Buoy A               | 39 34 42 N<br>75 57 42 W |                       |               |              | White can with orange bands worded DANGER OBSTRUCTION.                 | Private aid.  |

| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks                                  |
|---|--------------------------|-----------------|-----------------------|---------------|--------------|------------------|---|
| <b>CHESAPEAKE BAY (Maryland) - Fifth District</b> |                          |                 |                       |               |              |                  |   |
| 27890   | - Buoy 16                |                 |                       |               |              | Red nun.         |   |
| 27895   | - LIGHT 17               |                 | <b>FIG 4s</b>         | 15            | 4            | SG on pile.      | Light equipment removed from Dec. 1 to Mar. 15. |
| <b>Upper Elk River</b>                            |                          |                 |                       |               |              |                  |   |
| <i>Buoys maintained from Apr. 15 to Nov. 1.</i>   |                          |                 |                       |               |              |                  |   |
| 27900   | - Buoy 2                 |                 |                       |               |              | Red nun.         | Private aid.                                    |
| 27905   | - Buoy 4                 |                 |                       |               |              | Red nun.         | Private aid.                                    |
| 27910   | - Buoy 6                 |                 |                       |               |              | Red nun.         | Private aid.                                    |
| 27915   | - Buoy 7                 |                 |                       |               |              | Green can.       | Private aid.                                    |
| 27920   | - Buoy 8                 |                 |                       |               |              | Red nun.         | Private aid.                                    |
| 27925   | - Buoy 9                 |                 |                       |               |              | Green can.       | Private aid.                                    |
| 27930   | - Buoy 10                |                 |                       |               |              | Red nun.         | Private aid.                                    |
| 27935   | - Buoy 11                |                 |                       |               |              | Green can.       | Private aid.                                    |
| 27940   | - Buoy 12                |                 |                       |               |              | Red nun.         | Private aid.                                    |
| 27945   | - Buoy 13                |                 |                       |               |              | Green can.       | Private aid.                                    |
| 27950   | - Buoy 14                |                 |                       |               |              | Red nun.         | Private aid.                                    |
| 27955   | - Buoy 16                |                 |                       |               |              | Red nun.         | Private aid.                                    |

# Section 20

## Oregon Inlet NC to New River

| (1)<br>No.  | (2)<br>Name and Location              | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure       | (8)<br>Remarks  |
|---|---------------------------------------|--------------------------|-----------------------|---------------|--------------|------------------------|---|
| <b>NORTH CAROLINA - Fifth District</b>  |                                       |                          |                       |               |              |                        |   |
| <b>CURRITUCK BEACH LIGHT TO WIMBLE SHOALS (Chart 12204)</b>                     |                                       |                          |                       |               |              |                        |   |
| <b>Oregon Inlet</b>   |                                       |                          |                       |               |              |                        |   |
| <i>Due to frequently changing conditions, positions of aids are not listed.</i> |                                       |                          |                       |               |              |                        |   |
| 27965<br>615  | - JETTY LIGHT                         | 35 46 22 N<br>75 31 28 W | <b>Iso W</b> 6s       | 28            | 7            | NB on pile.            |   |
| 27970<br>600  | - Approach Lighted<br>Whistle Buoy 01 |                          | <b>Mo (A) W</b>       |               | 6            | Red and white stripes. | Position frequently shifted<br>with changing conditions.<br>Topmark not installed on<br>this aid. |
| 27975   | - Lighted Buoy 1                      |                          | <b>Fl G</b> 2.5s      |               | 4            | Green.                 |   |
| 27980   | - Buoy 2                              |                          |                       |               |              | Red nun.               |   |
| 27985   | - Buoy 3                              |                          |                       |               |              | Green can.             |   |
| 27990   | - Buoy 4                              |                          |                       |               |              | Red nun.               |   |
| 28000   | - Research Buoy A                     |                          |                       |               |              | Yellow can.            |   |
| 28003   | - Lighted Buoy 6                      |                          | <b>Q R</b>            |               | 3            | Red.                   |   |
| 28005   | - Buoy 7                              |                          |                       |               |              | Green can.             |   |
| 28007   | - Buoy 8                              |                          |                       |               |              | Red nun.               |   |
| 28010   | - Lighted Buoy 10                     |                          | <b>Fl R</b> 2.5s      |               | 3            | Red.                   |   |
| 28015   | - Lighted Buoy 9                      |                          | <b>Fl G</b> 4s        |               | 4            | Green.                 |   |
| 28020   | - Lighted Buoy 11                     |                          | <b>Fl G</b> 2.5s      |               | 2            | Green.                 |   |
| 28025   | - Buoy 12                             |                          |                       |               |              | Red nun.               |   |
| 28050   | - Daybeacon 16                        |                          |                       |               |              | TR on pile.            |   |
| 28055   | - Daybeacon 17                        |                          |                       |               |              | SG on pile.            |   |
| 28065   | - Lighted Buoy 19                     |                          | <b>Fl G</b> 4s        |               | 4            | Green.                 |   |
| 28067   | - Buoy 20                             |                          |                       |               |              | Red nun.               |   |
| 28070   | - Channel Buoy 21                     |                          |                       |               |              | Green can.             |   |
| 28075   | - Channel Buoy 23                     |                          |                       |               |              | Green can.             |   |
| 28077   | - Channel Buoy 24                     |                          |                       |               |              | Red nun.               |   |
| 28080   | - Channel Buoy 25                     |                          |                       |               |              | Green can.             |   |
| 28085   | - Channel Lighted<br>Buoy 27          |                          | <b>Q G</b>            |               | 4            | Green.                 |   |
| 28090   | - Channel Buoy 28                     |                          |                       |               |              | Red nun.               |   |
| 28093   | - Channel Buoy 28A                    |                          |                       |               |              | Red nun.               |   |
| 28095   | - CHANNEL LIGHT 29                    | 35 46 06 N<br>75 33 58 W | <b>Fl G</b> 4s        | 15            | 3            | SG on pile.            |   |

| (1)<br>No.   | (2)<br>Name and Location           | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure     | (8)<br>Remarks                                     |
|--|------------------------------------|--------------------------|-----------------------|---------------|--------------|----------------------|--|
| <b>NORTH CAROLINA - Fifth District</b>                         |                                    |                          |                       |               |              |                      |  |
| 28097  | - Channel Buoy 30                  |                          |                       |               |              | Red nun.             |  |
| 28100  | - Channel Buoy 30A                 |                          |                       |               |              | Red nun.             |  |
| 28105  | - CHANNEL LIGHT 31                 | 35 45 51 N<br>75 35 20 W | <b>Q G</b>            | 15            | 3            | SG on pile.          |  |
| 28110  | - Channel Buoy 32                  |                          |                       |               |              | Red nun.             |  |
| 28113  | - Channel Buoy 32A                 |                          |                       |               |              | Red nun.             |  |
| 28115  | - Channel Daybeacon 33             |                          |                       |               |              | SG on pile.          |  |
| 28117  | - Channel Buoy 34                  |                          |                       |               |              | Red nun.             |  |
| 28120  | - Channel Junction<br>Lighted Buoy |                          | <b>FI (2+1) G 6s</b>  |               | 3            | Green and red bands. |  |
| 28123  | - Channel Buoy 35                  |                          |                       |               |              | Green can.           |  |
| 28125  | - Channel Buoy 36A                 |                          |                       |               |              | Red nun.             |  |
| 28126  | - Channel Buoy 36                  |                          |                       |               |              | Red nun.             |  |
| 28127  | - Channel Daybeacon 36C            |                          |                       |               |              | TR on pile.          |  |
| 28130  | - Channel Buoy 37                  |                          |                       |               |              | Green can.           |  |
| 28135  | - Channel Buoy 38                  |                          |                       |               |              | Red nun.             |  |
| 28140  | - Channel Buoy 40                  |                          |                       |               |              | Red nun.             |  |
| 28141  | - CHANNEL LIGHT 41                 |                          | <b>Q G</b>            | 15            | 4            | SG on pile.          |  |
| 28145  | - Channel Buoy 42                  |                          |                       |               |              | Red nun.             |  |
| 28146  | - Channel Daybeacon 43             |                          |                       |               |              | SG on pile.          |  |
| 28150  | - Channel Buoy 44                  |                          |                       |               |              | Red nun.             |  |
| 28155  | - Buoy 45                          |                          |                       |               |              |                      | Remove from list.                                  |
| 28160  | - Channel Daybeacon 46             |                          |                       |               |              | TR on pile.          |  |
| 28165  | - Channel Daybeacon 47             |                          |                       |               |              | SG on pile.          |  |
| 28170  | - Channel Daybeacon 48             |                          |                       |               |              | TR on pile.          |  |
| 28175  | - Channel Daybeacon 49             |                          |                       |               |              | SG on pile.          |  |
| 28180  | - CHANNEL LIGHT 50                 |                          | <b>FI R 4s</b>        | 18            | 3            | TR on pile.          | Light equipment removed<br>when endangered by ice. |
| 28185  | - CHANNEL LIGHT 52                 |                          | <b>Q R</b>            | 18            | 3            | TR on pile.          |  |
| 28190  | - Channel Daybeacon 53             |                          |                       |               |              | SG on pile.          |  |
| 28195  | - CHANNEL LIGHT 55                 |                          | <b>Q G</b>            | 15            | 3            | SG on pile.          |  |
| <b>CAPE HENRY TO PAMLICO SOUND (Chart 12205)</b>               |                                    |                          |                       |               |              |                      |  |
| <b>Old House Channel</b>                                       |                                    |                          |                       |               |              |                      |  |
| <i>Aids located 25 feet outside the dredged channel limit.</i> |                                    |                          |                       |               |              |                      |  |
| 28200  | - Buoy 1                           |                          |                       |               |              | Green can.           |  |
| 28205  | - Buoy 2                           |                          |                       |               |              | Red nun.             |  |
| 28210  | - Buoy 3                           |                          |                       |               |              | Green can.           |  |
| 28215  | - Daybeacon 5                      |                          |                       |               |              | SG on pile.          |  |

| (1)<br>No.   | (2)<br>Name and Location          | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                           | (8)<br>Remarks   |
|--|-----------------------------------|--------------------------|-----------------------|---------------|--------------|--|--|
| <b>NORTH CAROLINA - Fifth District</b>                         |                                   |                          |                       |               |              |  |  |
| 28220  | - LIGHT 6                         |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                                |  |
| 28225  | - Daybeacon 7                     |                          |                       |               |              | SG on pile.                                |  |
| <i>Aids located 25 feet outside the dredged channel limit.</i> |                                   |                          |                       |               |              |  |  |
| 28230  | - LIGHT 8                         |                          | <b>Q R</b>            | 15            | 3            | TR on pile.                                | Light equipment removed from endangered by ice.            |
| 28235  | - Buoy 9                          |                          |                       |               |              | Green can.                                 |  |
| 28240  | - LIGHT 10                        |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                                | Light equipment removed when endangered by ice.            |
| 28245  | - Daybeacon 11                    |                          |                       |               |              | SG on pile.                                |  |
| 28250  | - Daybeacon 12                    |                          |                       |               |              | TR on pile.                                |  |
| 28255  | - Daybeacon 13                    |                          |                       |               |              | SG on pile.                                |  |
| 28260  | - LIGHT 14                        |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                                | Light equipment removed when endangered by ice.            |
| 28265  | - Daybeacon 15                    |                          |                       |               |              | SG on pile.                                |  |
| 28270  | - Daybeacon 16                    |                          |                       |               |              | TR on pile.                                |  |
| 28275  | - Buoy 17                         |                          |                       |               |              | Green can.                                 |  |
| 28280  | - LIGHT 18                        |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                                | Light equipment removed when endangered by ice.<br>Ra ref. |
| 28285  | - Daybeacon 19                    |                          |                       |               |              | SG on pile.                                |  |
| 28290  | - Daybeacon 20                    |                          |                       |               |              | TR on pile.                                |  |
| 28295  | - LIGHT 21                        |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                                |  |
| 28300  | - LIGHT 24 OH                     |                          | <b>FI R</b> 4s        | 15            | 4            | TR on multi-pile structure.                | Ra ref.  |
| 28301  | Pea Island Refuge<br>North Marker | 35 43 30 N<br>75 36 18 W |                       |               |              | On pile worded NATIONAL<br>WILDLIFE REFUGE |  |
| 28302  | Pea Island Refuge<br>South Marker | 35 43 00 N<br>75 36 54 W |                       |               |              | On pile worded NATIONAL<br>WILDLIFE REFUGE |  |
| <b>Walter Slough</b>   |                                   |                          |                       |               |              |  |  |
| 28305  | - Daybeacon 2                     | 35 47 16 N<br>75 34 07 W |                       |               |              | TR on pile.                                |  |
| 28310  | - LIGHT 3                         | 35 47 22 N<br>75 34 00 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                                |  |
| 28315  | - Daybeacon 4                     | 35 47 22 N<br>75 33 59 W |                       |               |              | TR on pile.                                |  |
| 28320  | - LIGHT 5                         | 35 47 29 N<br>75 33 51 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                                |  |
| 28325  | - Daybeacon 6                     | 35 47 28 N<br>75 33 50 W |                       |               |              | TR on pile.                                |  |
| 28330  | - Daybeacon 7                     |                          |                       |               |              | SG on pile.                                |  |
| 28335  | - Daybeacon 8                     | 35 47 30 N<br>75 33 30 W |                       |               |              | TR on pile.                                |  |
| 28337  | - Buoy 8A                         |                          |                       |               |              | Red nun.                                   |  |
| 28340  | - LIGHT 9                         | 35 47 31 N<br>75 33 31 W | <b>FI G</b> 2.5s      | 18            | 3            | SG on pile.                                |  |

| (1)<br>No.   | (2)<br>Name and Location                       | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                                     |
|--|--|--------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| <b>NORTH CAROLINA - Fifth District</b>                   |  |                          |                       |               |              |                             |  |
| 28345  | - Daybeacon 10                                 | 35 47 35 N<br>75 33 17 W |                       |               |              | TR on pile.                 |  |
| 28350  | - LIGHT 11                                     | 35 47 42 N<br>75 33 06 W | <b>FI G 4s</b>        | 18            | 4            | SG on pile.                 |  |
| 28355  | - Daybeacon 12                                 | 35 47 42 N<br>75 33 06 W |                       |               |              | TR on pile.                 |  |
| 28360  | - LIGHT 13                                     | 35 47 43 N<br>75 32 58 W | <b>Q G</b>            | 16            | 3            | SG on pile.                 |  |
| <b>Roanoke Sound</b>                                     |  |                          |                       |               |              |                             |  |
| 28365  | - CHANNEL LIGHT 1                              |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 | Light equipment removed<br>when endangered by ice. |
| 28370  | - Channel Daybeacon 2                          |                          |                       |               |              | TR on pile.                 |  |
| 28375  | - CHANNEL LIGHT 4                              |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on multi-pile structure. |  |
| 28380  | - Channel Daybeacon 5                          |                          |                       |               |              | SG on pile.                 |  |
| 28385  | - CHANNEL LIGHT 7                              |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 | Light equipment removed<br>when endangered by ice. |
| 28390  | ROANOKE ISLAND CUT<br>THROUGH LIGHT 1          | 35 48 19 N<br>75 37 05 W | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 |  |
| 28395  | - Channel Daybeacon 8                          |                          |                       |               |              | TR on pile.                 |  |
| 28400  | - CHANNEL LIGHT 10                             |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                 | Light equipment removed<br>when endangered by ice. |
| 28405  | - CHANNEL LIGHT 11                             |                          | <b>FI G 6s</b>        | 15            | 4            | SG on multi-pile structure. | Light equipment removed<br>when endangered by ice. |
| 28410  | - Channel Daybeacon 12                         |                          |                       |               |              | TR on pile.                 |  |
| 28415  | - Channel Daybeacon 13                         |                          |                       |               |              | SG on pile.                 |  |
| 28420  | - Channel Daybeacon 14                         |                          |                       |               |              | TR on pile.                 |  |
| 28425  | - Channel Daybeacon 14A                        |                          |                       |               |              | TR on pile.                 |  |
| 28430  | - CHANNEL LIGHT 16                             |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.                 |  |
| 28435  | - Channel Daybeacon 16A                        |                          |                       |               |              | TR on pile.                 |  |
| <b>Wanchese Channel</b>                                  |  |                          |                       |               |              |                             |  |
| <i>Daybeacons located 25 feet outside channel limit.</i> |  |                          |                       |               |              |                             |  |
| 28440  | - Buoy 1                                       |                          |                       |               |              | Green can.                  |  |
| 28445  | - Buoy 2                                       |                          |                       |               |              | Red nun.                    |  |
| 28450  | - Daybeacon 3                                  |                          |                       |               |              | SG on pile.                 |  |
| 28455  | - Daybeacon 4                                  |                          |                       |               |              | TR on pile.                 |  |
| 28460  | - Daybeacon 5                                  | 35 50 24 N<br>75 36 59 W |                       |               |              | SG on pile.                 |  |
| 28465  | - LIGHT 6<br>25 feet outside channel<br>limit. |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                 |  |
| <b>Roanoke Sound</b>                                     |  |                          |                       |               |              |                             |  |
| 28470  | - CHANNEL LIGHT 17                             |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 | Light equipment removed<br>when endangered by ice. |

| (1)<br>No.                             | (2)<br>Name and Location        | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                    | (8)<br>Remarks                                  |
|--|---------------------------------|--------------------------|-----------------------|---------------|--------------|-------------------------------------|---|
| <b>NORTH CAROLINA - Fifth District</b> |                                 |                          |                       |               |              |                                     |   |
| 28475                                  | - CHANNEL LIGHT 19              |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on multi-pile structure.         | Light equipment removed when endangered by ice. |
| 28480                                  | - Channel Daybeacon 21          |                          |                       |               |              | SG on pile.                         |   |
| 28485                                  | - CHANNEL LIGHT 22              |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on multi-pile structure.         | Light equipment removed when endangered by ice. |
| 28490                                  | - Channel Daybeacon 24          |                          |                       |               |              | TR on pile.                         |   |
| 28495                                  | - Channel Daybeacon 24A         |                          |                       |               |              | TR on pile.                         |   |
| 28500                                  | - Channel Daybeacon 24B         |                          |                       |               |              | TR on pile.                         |   |
| 28505                                  | - Channel Daybeacon 25          |                          |                       |               |              | SG on pile.                         |   |
| 28510                                  | - CHANNEL LIGHT 27              |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.         | Light equipment removed when endangered by ice. |
| 28515                                  | - Channel Daybeacon 28          |                          |                       |               |              | TR on pile.                         |   |
| 28520                                  | - CHANNEL LIGHT 29              |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.                         |   |
| 28525                                  | - Channel Daybeacon 29A         |                          |                       |               |              | SG on pile.                         |   |
| 28527                                  | - Channel Daybeacon 29B         |                          |                       |               |              | SG on pile.                         |   |
| 28530                                  | - CHANNEL LIGHT 30              |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.                         |   |
| 28531                                  | - CHANNEL LIGHT 30A             |                          | <b>Q R</b>            | 15            | 3            | TR on pile.                         |   |
| <b>Manteo Channel</b>                  |                                 |                          |                       |               |              |                                     |   |
| 28535                                  | Daybeacon 2M                    | 35 55 06 N<br>75 39 01 W |                       |               |              | TR on pile.                         |   |
| 28537                                  | - Daybeacon 3                   |                          |                       |               |              | SG on pile.                         |   |
| 28540                                  | - Daybeacon 5                   | 35 54 54 N<br>75 39 09 W |                       |               |              | SG on pile.                         |   |
| 28545                                  | DOUGHS CREEK LIGHT 2            |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.                         |   |
| 28550                                  | - LIGHT 6                       | 35 54 44 N<br>75 39 23 W | <b>FI R 4s</b>        | 15            | 4            | TR on multi-pile structure.         |   |
| 28551                                  | - LIGHT 8                       |                          | <b>Q R</b>            | 15            | 4            | TR on pile.                         |   |
| 28551.1                                | Doughs Creek Junction Daybeacon |                          |                       |               |              | JG on pile.                         |   |
| 28551.5                                | - Daybeacon 10                  |                          |                       |               |              | TR on pile.                         |   |
| <b>Shallowbag Bay</b>                  |                                 |                          |                       |               |              |                                     |   |
| 28552                                  | - WARNING LIGHT A               | 35 54 24 N<br>75 39 30 W | <b>FI W 4s</b>        | 10            |              | NW on pile worded SUBMERGED PIPING. | Private aid.                                    |
| 28552.5                                | - Warning Daybeacon B           |                          |                       |               |              | NW on pile worded SUBMERGED PIPING. | Private aid.                                    |
| 28553                                  | - Warning Daybeacon C           |                          |                       |               |              | NW on pile worded SUBMERGED PIPING. | Private aid.                                    |
| 28553.5                                | - WARNING LIGHT D               |                          | <b>FI W 4s</b>        | 10            |              | NW on pile worded SUBMERGED PIPING. | Private aid.                                    |
| <b>Roanoke Sound</b>                   |                                 |                          |                       |               |              |                                     |   |
| 28555                                  | DOUGHS CREEK LIGHT 2            |                          | <b>FI R 2.5s</b>      | 15            | 2            | TR on pile.                         |   |
| 28560                                  | MANTEO CHANNEL LIGHT 8          |                          | <b>Q R</b>            | 16            | 4            | TR on pile.                         |   |

| (1)<br>No.   | (2)<br>Name and Location           | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                  | (8)<br>Remarks  |
|--|------------------------------------|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>NORTH CAROLINA - Fifth District</b>   |                                    |                          |                       |               |              |   |   |
| 28565  | Manteo Channel Daybeacon 10        |                          |                       |               |              | TR on pile.                                       |   |
| 28570  | - Channel Daybeacon 31             |                          |                       |               |              | SG on pile.                                       |   |
| 28571  | - Channel Daybeacon 31A            |                          |                       |               |              | SG on pile.                                       |   |
| 28575  | - Channel Daybeacon 32             |                          |                       |               |              | TR on pile.                                       |   |
| 28576  | - Channel Daybeacon 32A            |                          |                       |               |              | TR on pile.                                       |   |
| 28580  | - CHANNEL LIGHT 33                 |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                                       | Light equipment removed when endangered by ice.       |
| 28585  | - Channel Daybeacon 34             |                          |                       |               |              | TR on pile.                                       |   |
| 28590  | - LIGHT 36                         |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.                                       | Light equipment removed when endangered by ice.       |
| 28595  | COLINGTON CUT ENTRANCE LIGHT 2C    | 35 59 50 N<br>75 41 39 W | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.                                       |   |
| 28600  | - Daybeacon 37                     |                          |                       |               |              | SG on pile.                                       |   |
| 28605  | - LIGHT 39                         |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                                       | Light equipment removed when endangered by ice.       |
| 28610  | - LIGHT 40                         |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                                       |   |
| 28615  | - Daybeacon 41                     |                          |                       |               |              | SG on pile.                                       |   |
| 28620  | - LIGHT 42                         |                          | <b>FI R 6s</b>        | 15            | 4            | TR on pile.                                       | Light equipment removed when endangered by ice.       |
| <b>CAPE HATTERAS (Chart 11555)</b>   |                                    |                          |                       |               |              |   |   |
| <b>Hatteras Inlet</b>  |                                    |                          |                       |               |              |   |   |
| <i>Due to frequently changing conditions, positions of buoys are not listed.</i> |                                    |                          |                       |               |              |   |   |
| 28625<br>645   | - Light                            | 35 11 52 N<br>75 43 56 W | <b>Iso W 6s</b>       | 48            | 10           | Skeleton tower on black house.                    |   |
| 28630<br>650   | - Entrance Lighted Whistle Buoy H1 |                          | <b>Mo (A) W</b>       |               | 6            | Red and white stripes with red spherical topmark. | Position frequently shifted with changing conditions. |
| 28640  | - Lighted Buoy 1                   |                          | <b>FI G 2.5s</b>      |               | 3            | Green.  |   |
| 28645  | - Lighted Buoy 2                   |                          | <b>FI R 2.5s</b>      |               | 3            | Red.  |   |
| 28647  | - Buoy 3                           |                          |                       |               |              | Green can.  | Ra ref.   |
| 28650  | - Lighted Buoy 4                   |                          | <b>FI R 2.5s</b>      |               | 3            | Red.  |   |
| 28655  | - Lighted Buoy 5                   |                          | <b>FI G 4s</b>        |               | 3            | Green.  |   |
| 28660  | - Lighted Buoy 6                   |                          | <b>FI R 4s</b>        |               | 3            | Red.  |   |
| 28663  | - Lighted Buoy 6A                  |                          | <b>Q R</b>            |               | 3            | Red.  | Ra ref.   |
| 28663  | - Lighted Buoy 6A                  |                          | <b>Q R</b>            |               | 3            | Red.  |   |
| 28665  | - Buoy 7                           |                          |                       |               |              | Green can.  |   |
| 28667  | - Lighted Buoy 8                   |                          | <b>Q R</b>            |               | 2            | Red.  |   |
| 28670  | - Lighted Buoy 8                   |                          | <b>Q R</b>            |               | 3            | Red.  |   |
| 28671  | - Buoy 8A                          |                          |                       |               |              | Red nun.  |   |
| 28672  | - Buoy 8B                          |                          |                       |               |              | Red nun.  |   |
| 28673  | - Buoy 8C                          |                          |                       |               |              | Red nun.  |   |

| (1)<br>No.                             | (2)<br>Name and Location                       | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks |
|--|--|--------------------------|-----------------------|---------------|--------------|---|----------------|
| <b>NORTH CAROLINA - Fifth District</b> |  |                          |                       |               |              |   |                |
| 28675                                  | Tideland Electrical Warning Buoy               |                          |                       |               |              | White with orange bands worded DANGER UNDERWATER CABLE. | Private aid.   |
| 28680                                  | Tideland Electrical Warning Buoy               |                          |                       |               |              | White with orange bands worded DANGER UNDERWATER CABLE. | Private aid.   |
| 28685                                  | Tideland Electrical Warning Buoy               |                          |                       |               |              | White with orange bands worded DANGER UNDERWATER CABLE. | Private aid.   |
| 28690                                  | - SOUTH FERRY TERMINAL JUNCTION LIGHT          | 35 11 41 N<br>75 46 07 W | <b>FI (2+1) G 6s</b>  | 15            | 5            | JG on multi-pile structure.                             |                |
| 28691                                  | - SOUTH FERRY TERMINAL JUNCTION LIGHT          | 35 11 42 N<br>75 46 12 W | <b>FI (2+1) G 6s</b>  | 19            | 5            | JG on pile.   |                |
| 28695                                  | - <i>South Ferry Terminal Lighted Buoy SF</i>  | 35 11 36 N<br>75 46 00 W | <b>FI (2+1) G 6s</b>  |               | 4            | Green with red band.                                    |                |
| 28696                                  | - South Ferry Terminal Buoy FD1                |                          |                       |               |              | Green can.  | Private aid.   |
| 28697                                  | - South Ferry Terminal Buoy FD2                |                          |                       |               |              | Red nun.  | Private aid.   |
| 28698                                  | - South Ferry Terminal Buoy FD3                |                          |                       |               |              | Green can.  | Private aid.   |
| 28699                                  | - South Ferry Terminal Buoy FD4                |                          |                       |               |              | Red nun.  | Private aid.   |
| 28699.1                                | - <i>South Ferry Terminal Lighted Buoy 1SF</i> |                          | <b>FI G 2.5s</b>      |               | 3            | Green.  |                |
| 28700                                  | - South Ferry Terminal Buoy 2SF                |                          |                       |               |              | Red nun.  |                |
| 28701                                  | - <i>South Ferry Terminal Lighted Buoy 3SF</i> |                          | <b>FI G 2.5s</b>      |               | 3            | Green.  |                |
| 28705                                  | - South Ferry Terminal Buoy 4                  | 35 11 27 N<br>75 46 19 W |                       |               |              | Red nun.  |                |
| 28710                                  | - SOUTH FERRY TERMINAL LIGHT 5                 | 35 11 28 N<br>75 46 27 W | <b>FI G 2.5s</b>      | 15            | 4            | NG on multi-pile structure.                             |                |
| 28715                                  | - SOUTH FERRY TERMINAL LIGHT 7                 | 35 11 30 N<br>75 46 50 W | <b>FI G 4s</b>        | 15            | 4            | SG on pile.   | Ra ref.        |
| 28720                                  | - SOUTH FERRY TERMINAL LIGHT 6                 |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.   |                |
| 28725                                  | - LIGHT 9                                      |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on multi-pile structure.                             |                |
| 28730                                  | - LIGHT 11                                     | 35 11 56 N<br>75 44 20 W | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.                             | Ra ref.        |
| 28732                                  | - Buoy 12                                      |                          |                       |               |              | Red nun.  |                |
| 28735                                  | - LIGHT 13                                     | 35 12 13 N<br>75 43 53 W | <b>Q G</b>            | 15            | 3            | SG on pile.   |                |
| 28736                                  | - Buoy 13A                                     |                          |                       |               |              | Green can.  |                |
| 28740                                  | - Channel Daybeacon 15                         | 35 12 13 N<br>75 43 36 W |                       |               |              | SG on pile.   |                |
| 28745                                  | I. W. P. PIER LIGHT                            | 35 14 02 N<br>75 45 58 W | <b>Q W</b>            | 20            | 3            | NW on pile worded DANGER SUBMERGED PILING.              |                |
| 28750                                  | - LIGHT 16                                     | 35 12 10 N<br>75 43 32 W | <b>FI R 4s</b>        | 15            | 3            | TR on pile.   | Ra ref.        |

| (1)<br>No.                             | (2)<br>Name and Location              | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                          | (8)<br>Remarks |
|--|---------------------------------------|--------------------------|-----------------------|---------------|--------------|---|----------------|
| <b>NORTH CAROLINA - Fifth District</b> |                                       |                          |                       |               |              |   |                |
| 28755                                  | - Daybeacon 17                        | 35 12 14 N<br>75 43 28 W |                       |               |              | SG on pile.                               |                |
| 28760                                  | - Daybeacon 18                        | 35 12 14 N<br>75 43 16 W |                       |               |              | TR on pile.                               |                |
| 28765                                  | - CHANNEL LIGHT 19                    | 35 12 17 N<br>75 43 18 W | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                               |                |
| 28767                                  | - Daybeacon 20                        | 35 12 28 N<br>75 43 13 W |                       |               |              | TR on pile.                               |                |
| 28770                                  | - CHANNEL LIGHT 21                    |                          | <b>Q G</b>            | 15            | 3            | SG on pile.                               | Ra ref.        |
| 28775                                  | - Channel Daybeacon 23                |                          |                       |               |              | SG on pile.                               |                |
| 28780                                  | - Junction Daybeacon HF               |                          |                       |               |              | RG on pile.                               |                |
| 28785                                  | - CHANNEL LIGHT 24                    |                          | <b>Q R</b>            | 19            | 3            | TR on pile.                               | Ra ref.        |
| 28786                                  | - Buoy 24A                            |                          |                       |               |              | Red nun.                                  |                |
| 28790                                  | - CHANNEL LIGHT 25                    |                          | <b>FI G</b> 4s        | 19            | 4            | SG on pile.                               |                |
| 28795                                  | - Channel Daybeacon 26                |                          |                       |               |              | TR on pile.                               |                |
| 28800                                  | - Channel Daybeacon 27                |                          |                       |               |              | SG on pile.                               |                |
| 28805                                  | - JUNCTION LIGHT HR                   | 35 13 18 N<br>75 41 43 W | <b>FI (2+1) R</b> 6s  | 15            | 3            | JR on pile.                               |                |
| 28810                                  | - HATTERAS HARBOR LIGHT 2             |                          | <b>FI R</b> 4s        | 24            | 7            | TR on multi-pile structure.               |                |
| <b>Rollinson Channel</b>               |                                       |                          |                       |               |              |   |                |
| 28815                                  | - LIGHT 30                            |                          | <b>Q R</b>            | 15            | 3            | TR on pile.                               |                |
| 28820                                  | - LIGHT 32                            |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                               |                |
| 28825                                  | - LIGHT 33                            |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                               |                |
| 28830                                  | - LIGHT 34                            |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                               |                |
| 28835                                  | - LIGHT 35                            |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                               |                |
| 28840                                  | - LIGHT 36                            |                          | <b>FI R</b> 6s        | 15            | 4            | TR on pile.                               |                |
| 28845                                  | - LIGHT 38                            |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                               |                |
| 28850                                  | - LIGHT 39                            |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG on multi-pile structure.               |                |
| 28855                                  | Oliver Reef Warning Daybeacon         |                          |                       |               |              | NW on pile worded DANGER SUBMERGED WRECK. |                |
| 28860                                  | - Daybeacon 41                        |                          |                       |               |              | SG on pile.                               |                |
| 28865                                  | - LIGHT 42RC                          |                          | <b>FI R</b> 2.5s      | 15            | 5            | TR on multi-pile structure.               | Ra ref.        |
| 28870                                  | AUSTIN CREEK ENTRANCE CHANNEL LIGHT 1 | 35 12 38 N<br>75 42 21 W | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.               |                |
| 28875                                  | AUSTIN CREEK LIGHT 2                  |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                               |                |
| 28880                                  | Hatteras Fishing Center Daybeacon 2   | 35 12 36 N<br>75 42 18 W |                       |               |              | TR on pile.                               | Private aid.   |
| 28885                                  | Hatteras Fishing Center Daybeacon 3   |                          |                       |               |              | SG on pile.                               | Private aid.   |
| 28890                                  | Hatteras Fishing Center Daybeacon 4   |                          |                       |               |              | TR on pile.                               | Private aid.   |

| (1)<br>No.  | (2)<br>Name and Location           | (3)<br>Position | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                  | (8)<br>Remarks |
|---|------------------------------------|-----------------|-----------------------|---------------|--------------|---|----------------|
| <b>NORTH CAROLINA - Fifth District</b>  |                                    |                 |                       |               |              |   |                |
| <b>OCRACOKE INLET AND NORTHERN CORE SOUND (Chart 11550)</b>                     |                                    |                 |                       |               |              |   |                |
| <b>Ocracoke Inlet</b>   |                                    |                 |                       |               |              |   |                |
| <i>Due to frequently changing conditions, positions of aids are not listed.</i> |                                    |                 |                       |               |              |   |                |
| 28895<br>665  | - Entrance Lighted Whistle Buoy OC |                 | <b>Mo (A) W</b>       |               | 6            | Red and white stripes with red spherical topmark. |                |
| 28900   | - Buoy 1                           |                 |                       |               |              | Green can.  |                |
| 28905   | - Lighted Buoy 2                   |                 | <b>FI R 4s</b>        |               | 3            | Red.  |                |
| 28910   | - Buoy 3                           |                 |                       |               |              | Green can.  |                |
| 28915   | - Buoy 4                           |                 |                       |               |              | Red nun.  |                |
| 28917   | - Lighted Buoy 5                   |                 | <b>FI G 2.5s</b>      |               | 3            | Green.  |                |
| 28920   | - Lighted Buoy 6                   |                 | <b>FI R 4s</b>        |               | 3            | Red.  |                |
| 28927   | - Lighted Buoy 8                   |                 | <b>FI R 4s</b>        |               | 3            | Red.  |                |
| 28929   | - Buoy 9                           |                 |                       |               |              | Green can.  |                |
| 28930   | - Lighted Buoy 10                  |                 | <b>FI R 2.5s</b>      |               | 3            | Red.  |                |
| 28934   | - Buoy 13                          |                 |                       |               |              | Green can.  |                |
| 28935   | - Lighted Buoy 14                  |                 | <b>FI R 4s</b>        |               | 3            | Red.  |                |
| 28940   | - Lighted Buoy 16                  |                 | <b>FI R 2.5s</b>      |               | 3            | Red.  |                |
| <b>Teaches Hole Channel</b>   |                                    |                 |                       |               |              |   |                |
| 28943   | - Buoy 17                          |                 |                       |               |              | Green can.  |                |
| 28945   | - Buoy 18                          |                 |                       |               |              | Red nun.  |                |
| 28955   | - Lighted Buoy 20                  |                 | <b>FI R 2.5s</b>      |               | 4            | Red.  |                |
| 28960   | - Lighted Buoy 22                  |                 | <b>FI R 4s</b>        |               | 3            | Red.  |                |
| <b>PORT OF WALCOTT:</b>   |                                    |                 |                       |               |              |   |                |
| <b>Clinch River</b>   |                                    |                 |                       |               |              |   |                |
| 28961   | -Buoy 23                           |                 |                       |               |              | Green can.  |                |
| <b>OCRACOKE INLET AND NORTHERN CORE SOUND (Chart 11550)</b>                     |                                    |                 |                       |               |              |   |                |
| <b>Ocracoke Inlet</b>   |                                    |                 |                       |               |              |   |                |
| <b>Teaches Hole Channel</b>   |                                    |                 |                       |               |              |   |                |
| 28962   | - Lighted Buoy 24                  |                 | <b>FI R 2.5s</b>      |               | 3            | Red.  |                |
| 28962.1   | - Buoy 24A                         |                 |                       |               |              | Red nun.  |                |
| <b>PORT OF WALCOTT:</b>   |                                    |                 |                       |               |              |   |                |
| <b>Clinch River</b>   |                                    |                 |                       |               |              |   |                |
| 28962.2   | -Buoy 25                           |                 |                       |               |              | Green can.  |                |
| <b>OCRACOKE INLET AND NORTHERN CORE SOUND (Chart 11550)</b>                     |                                    |                 |                       |               |              |   |                |
| <b>Ocracoke Inlet</b>   |                                    |                 |                       |               |              |   |                |
| <b>Teaches Hole Channel</b>   |                                    |                 |                       |               |              |   |                |
| 28963   | - Buoy 26                          |                 |                       |               |              | Red nun.  |                |

| (1)<br>No.                             | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                    | (8)<br>Remarks |
|--|----------------------------|--------------------------|-----------------------|---------------|--------------|---|----------------|
| <b>NORTH CAROLINA - Fifth District</b> |                            |                          |                       |               |              |   |                |
| 28964                                  | - Lighted Buoy 27          | 35 04 47 N<br>76 00 18 W | <b>Q G</b>            |               | 3            | Green.  |                |
| 28964.5                                | - Buoy 27A                 |                          |                       |               |              | Green can.  |                |
| 28965                                  | - LIGHT 29                 |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.   |                |
| 28970                                  | - LIGHT 30                 |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.   | Ra ref.        |
| <b>Pamlico River</b>                   |                            |                          |                       |               |              |   |                |
| 28971                                  | - Buoy 30A                 |                          |                       |               |              | Red nun.  |                |
| <b>Ocracoke Inlet</b>                  |                            |                          |                       |               |              |   |                |
| <b>Teaches Hole Channel</b>            |                            |                          |                       |               |              |   |                |
| 28975                                  | - Daybeacon 31             |                          |                       |               |              | SG on pile.   | Ra ref.        |
| 28977                                  | - Buoy 31A                 |                          |                       |               |              | Green can.  |                |
| 28980                                  | - Daybeacon 33             |                          |                       |               |              | SG on pile.   |                |
| <b>Silver Lake</b>                     |                            |                          |                       |               |              |   |                |
| 28985                                  | - JUNCTION LIGHT           | 35 06 38 N<br>75 59 31 W | <b>FI (2+1) R</b> 6s  | 15            | 4            | JR on multi-pile structure.                         | Ra ref.        |
| 28990                                  | - Entrance Daybeacon 2     | 35 06 29 N<br>75 59 25 W |                       |               |              | TR on pile.   |                |
| 28995                                  | - Entrance Daybeacon 4     |                          |                       |               |              | TR on pile.   |                |
| 29000                                  | Silver Lake Warning Buoy A | 35 06 42 N<br>75 59 36 W |                       |               |              | White can with orange bands<br>worded DANGER SHOAL. |                |
| 29005                                  | Silver Lake Warning Buoy B | 35 06 42 N<br>75 06 36 W |                       |               |              | White can with orange bands<br>worded DANGER SHOAL. |                |
| 29010                                  | - ENTRANCE LIGHT 6         | 35 06 50 N<br>75 59 23 W | <b>Q R</b>            | 15            | 4            | TR on pile.   |                |
| 29015                                  | - ENTRANCE LIGHT 7         |                          | <b>Q G</b>            | 15            | 4            | SG on pile.   |                |
| 29020                                  | - LIGHT 9                  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.   |                |
| <b>Big Foot Slough Channel</b>         |                            |                          |                       |               |              |   |                |
| 29025                                  | - Daybeacon 1              |                          |                       |               |              | SG on pile.   |                |
| 29030                                  | - Daybeacon 3              |                          |                       |               |              | SG on pile.   | Ra ref.        |
| 29035                                  | - Daybeacon 4              |                          |                       |               |              | TR on pile.   |                |
| 29040                                  | - Daybeacon 6              |                          |                       |               |              | TR on pile.   |                |
| 29045                                  | - LIGHT 8                  |                          | <b>FI R</b> 6s        | 15            | 3            | TR on pile.   |                |
| 29050                                  | - Daybeacon 8A             | 35 08 05 N<br>76 00 09 W |                       |               |              | TR on pile.   |                |
| 29055                                  | - LIGHT 9                  | 35 08 18 N<br>76 00 19 W | <b>FI G</b> 4s        | 15            | 3            | SG on pile.   |                |
| 29056                                  | - LIGHT 9A                 | 35 08 35 N<br>76 00 20 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.   | Ra ref.        |
| 29060                                  | - Buoy 9B                  | 35 08 35 N<br>76 00 20 W | <b>FI R</b> 4s        | 15            | 3            | Green can.  | Ra ref.        |
| 29070                                  | - Daybeacon 10A            |                          |                       |               |              | TR on pile.   |                |
| 29070.1                                | - Daybeacon 10B            |                          |                       |               |              | TR on pile.   |                |

| (1)<br>No.  | (2)<br>Name and Location                                | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                   | (8)<br>Remarks                |
|---|---|--------------------------|-----------------------|---------------|--------------|--|-------------------------------|
| <b>NORTH CAROLINA - Fifth District</b>  |   |                          |                       |               |              |  |                               |
| 29070.2   | - Buoy 10C  |                          |                       |               |              | Red nun.   |                               |
| 29070.3   | -Buoy 11  |                          |                       |               |              | Green can.   |                               |
| 29071   | -Warning Daybeacon NG                                   |                          |                       |               |              | NW on pile worded.<br>DANGER SHOAL.                |                               |
| 29075   | - Warning Daybeacon                                     | 35 09 12 N<br>76 00 33 W |                       |               |              | NW on pile worded DANGER<br>SHOAL.                 |                               |
| 29077   | - Daybeacon 12  |                          |                       |               |              | TR on pile.  |                               |
| 29080   | - Warning Light NB Marks<br>LEHIGH wreck.               |                          | <b>FI W</b> 4s        | 15            | 5            | NW on multi-pile structure worded<br>DANGER WRECK. | HORN: 1 blast ev 30s (3s bl). |
| 29083   | - LIGHT 13  |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG on multi-pile structure.                        |                               |
| 29085   | - Warning Daybeacon                                     |                          |                       | 15            | 3            | NW on pile worded DANGER<br>SHOAL.                 |                               |
| <b>Silver Lake</b>  |   |                          |                       |               |              |  |                               |
| 29087   | - LIGHT 14BF  |                          | <b>FI R</b> 4s        |               | 4            | TR on multi-pile structure.                        |                               |
| <b>Swash Channel</b>  |   |                          |                       |               |              |  |                               |
| 29090   | - Daybeacon 1   |                          |                       |               |              | SG on pile.  |                               |
| 29095   | - Daybeacon 2   |                          |                       |               |              | TR on pile.  |                               |
| 29100   | - LIGHT 4   | 35 07 36 N<br>76 00 23 W | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.  |                               |
| <b>Nine Foot Shoal Channel</b>  |   |                          |                       |               |              |  |                               |
| 29105   | - Daybeacon 5   |                          |                       |               |              | SG on pile.  |                               |
| 29110   | - LIGHT 6   | 35 08 02 N<br>76 01 02 W | <b>FI R</b> 4s        | 16            | 4            | TR on pile.  |                               |
| 29115   | - Daybeacon 8   |                          |                       |               |              | TR on pile.  |                               |
| 29120   | - LIGHT 9   |                          | <b>FI G</b> 2.5s      | 17            | 4            | SG on pile.  |                               |
| <b>BEAUFORT INLET AND CORE SOUND (Chart 11545)</b>                              |   |                          |                       |               |              |  |                               |
| <b>Lookout Bight</b>  |   |                          |                       |               |              |  |                               |
| 29125<br>710  | <i>Cape Lookout<br/>Breakwater Lighted<br/>Buoy 2</i>   | 34 37 08 N<br>76 33 45 W | <b>Q R</b>            |               | 3            | Red.   |                               |
| 29130   | - <i>Lighted Buoy 4</i><br>Marks north end of<br>shoal. | 34 38 10 N<br>76 33 00 W | <b>FI R</b> 6s        |               | 4            | Red.   |                               |
| 29135   | - Daybeacon 6   |                          |                       | 15            |              | TR on pile.  |                               |
| <b>Barden Inlet</b>   |   |                          |                       |               |              |  |                               |
| <i>Due to frequently changing conditions, positions of aids are not listed.</i> |   |                          |                       |               |              |  |                               |
| 29140   | - LIGHT 1   | 34 37 28 N<br>76 32 24 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.  |                               |
| 29145   | - Buoy 2  |                          |                       |               |              | Red nun.   |                               |
| 29150   | - Buoy 3  |                          |                       |               |              | Green can.   |                               |
| 29155   | - Buoy 3A   |                          |                       |               |              | Green can  |                               |
| 29160   | - Buoy 4  |                          |                       |               |              | Red nun.   |                               |

| (1)<br>No.   | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                      | (8)<br>Remarks |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|---------------------------------------|----------------|
| <b>NORTH CAROLINA - Fifth District</b>                           |                          |                          |                       |               |              |                                       |                |
| 29165  | - Wreck Buoy WR5         |                          |                       |               |              | Green can.                            |                |
| 29170  | - Buoy 6                 |                          |                       |               |              | Red nun.                              |                |
| 29175  | - Buoy 7                 |                          |                       |               |              | Green can.                            |                |
| 29180  | - Buoy 8                 |                          |                       |               |              | Red nun.                              |                |
| 29185  | - Buoy 9                 |                          |                       |               |              | Green can.                            |                |
| 29190  | - Buoy 10                |                          |                       |               |              | Red nun.                              |                |
| 29195  | - Buoy 12                |                          |                       |               |              | Red nun.                              |                |
| 29205  | - Buoy 14                |                          |                       |               |              | Red nun.                              |                |
| 29210  | - Buoy 15                |                          |                       |               |              | Green can.                            |                |
| 29215  | - Buoy 17                |                          |                       |               |              | Green can.                            |                |
| 29220  | - Buoy 18                |                          |                       |               |              | Red nun.                              |                |
| 29225  | - LIGHT 19               |                          | <b>Q G</b>            | 15            | 3            | SG on pile.                           |                |
| 29230  | - Daybeacon 20           |                          |                       |               |              | TR on pile.                           |                |
| 29235  | - LIGHT 21               |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                           |                |
| 29240  | - Buoy 24                |                          |                       |               |              | Red nun.                              |                |
| 29245  | - LIGHT 26               |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                           |                |
| 29247  | - Buoy 27                |                          |                       |               |              | Green can.                            |                |
| 29250  | - Buoy 28                |                          |                       |               |              | Red nun.                              |                |
| 29253  | - Buoy 30                |                          |                       |               |              | Red nun.                              |                |
| 29255  | - Warning Daybeacon A    |                          |                       |               |              | NW on pile worded DANGER<br>SHOALING. |                |
| 29257  | - Buoy 31                |                          |                       |               |              | Green can.                            |                |
| 29260  | - LIGHT 32               |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                           |                |
| 29263  | - Buoy 33                |                          |                       |               |              | Green can.                            |                |
| 29265  | - Daybeacon 34           |                          |                       |               |              | TR on pile.                           |                |
| 29270  | - LIGHT 35               |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.                           |                |
| <b>Harkers Island East Channel</b>                               |                          |                          |                       |               |              |                                       |                |
| <i>Aids to navigation located 20 feet outside channel limit.</i> |                          |                          |                       |               |              |                                       |                |
| 29275  | - Daybeacon 1            | 34 40 53 N<br>76 31 23 W |                       |               |              | SG on pile.                           |                |
| 29280  | - LIGHT 2                | 34 41 07 N<br>76 31 11 W | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                           |                |
| 29285  | - Daybeacon 4            |                          |                       |               |              | TR on pile.                           |                |
| 29290  | - LIGHT 6                |                          | <b>Q R</b>            | 15            | 3            | TR on pile.                           |                |
| 29295  | - Daybeacon 8            |                          |                       |               |              | TR on pile.                           |                |
| 29300  | - LIGHT 10               |                          | <b>Q R</b>            | 15            | 3            | TR on pile.                           |                |
| 29305  | - Daybeacon 12           |                          |                       |               |              | TR on pile.                           |                |
| 29310  | - LIGHT 14               |                          | <b>FI R 4s</b>        | 15            | 4            | TR on pile.                           |                |

| (1)<br>No.                                | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic    | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks  |
|---|---|--------------------------|--------------------------|---------------|--------------|--|---|
| <b>NORTH CAROLINA - Fifth District</b>    |   |                          |                          |               |              |  |   |
| <b>Back Sound</b>                         |   |                          |                          |               |              |  |   |
| 29315                                     | - LIGHT 1   | 34 41 01 N<br>76 32 07 W | FI G 4s                  | 15            | 4            | SG on pile.  |   |
| 29320                                     | - LIGHT 3   |                          | FI G 2.5s                | 15            | 3            | SG on pile.  |   |
| 29325                                     | MIDDLE MARSHES<br>JUNCTION LIGHT MM<br>20 feet outside channel<br>limit.  | 34 41 40 N<br>76 35 22 W | FI (2+1) R 6s            | 15            | 4            | JR on pile.  | Ra ref.   |
| 29326                                     | Middle Marshes Daybeacon 1  |                          |                          |               |              | SG on pile.  |   |
| 29326.1                                   | - Middle Marshes Daybeacon 3  |                          |                          |               |              | SG on pile.  |   |
| 29327                                     | Middle Marshes Daybeacon 4  |                          |                          |               |              | TR on pile.  |   |
| <b>Beaufort Inlet</b>                     |   |                          |                          |               |              |  |   |
| 29328<br>720                              | - Channel Lighted Whistle Buoy<br>BM                                      |                          | Mo (A) W                 |               | 6            | Red and white with red sperical<br>topmark.                                | RACON: M(- -).  |
| 29329                                     | - Channel Lighted Buoy 1  |                          | Q G                      |               | 4            | Green.   |   |
| 29330                                     | - Channel Lighted Buoy 2  |                          | Q R                      |               | 4            | Red.   |   |
| 29331                                     | - Channel Lighted Buoy 3  |                          | FI G 2.5s                |               | 4            | Green.   |   |
| 29332                                     | - Channel Lighted Buoy 4  |                          | FI R 2.5s                |               | 4            | Red.   |   |
| 29333                                     | - Channel Lighted Buoy 5  |                          | FI G 4s                  |               | 4            | Green.   |   |
| 29334                                     | - Channel Lighted Buoy 6  |                          | FI R 4s                  |               | 4            | Red.   |   |
| 29335                                     | - CHANNEL RANGE FRONT<br>LIGHT  | 34 42 13 N<br>76 39 47 W | F W (Day)<br>Q G (Night) | 15            |              | Skeleton tower on platform.  | Visible on range line only.<br>Lighted throughout 24 hours. |
| 29336                                     | - CHANNEL RANGE<br>FRONT PASSING LIGHT                                    |                          | FI W 2.5s                | 15            | 5            | On same structure as<br>Beaufort Inlet Channel<br>Range Front Light.       | Marks corner of platform<br>nearest channel.                |
| 29340                                     | - CHANNEL RANGE REAR<br>LIGHT<br>1,125 yards, 009.9°<br>from front light. |                          | F W (Day)<br>F G (Night) | 55            |              | Skeleton tower on platform.  | Visible on range line only.<br>Lighted throughout 24 hours. |
| 29341                                     | - CHANNEL RANGE<br>REAR PASSING LIGHT                                     |                          | FI W 2.5s                | 20            | 5            | On same structure as<br>Beaufort Inlet Channel<br>Range Rear Light.        | Marks corner of platform<br>nearest channel.                |
| <b>MOREHEAD CITY HARBOR (Chart 11547)</b> |   |                          |                          |               |              |  |   |
| <b>Beaufort Inlet</b>                     |   |                          |                          |               |              |  |   |
| 29345                                     | - Channel Lighted Buoy 7  |                          | Q G                      |               | 4            | Green.   |   |
| 29350                                     | - Channel Lighted Buoy 8  |                          | Q R                      |               | 4            | Red.   |   |
| 29355                                     | - Channel Lighted Buoy 9  |                          | FI G 4s                  |               | 4            | Green.   |   |
| 29360                                     | - Channel Lighted Bell<br>Buoy 10   |                          | FI R 4s                  |               | 4            | Red.   |   |
| 29363                                     | Beaufort Inlet Shipwreck Site<br>Warning Buoy                             |                          |                          |               |              | White foam can worded DO NOT<br>DIVE DO NOT ANCHOR STAY<br>CLEAR 300 YARDS | Private aid.  |
| 29365                                     | - Channel Lighted Buoy 11   |                          | FI G 2.5s                |               | 4            | Green.   |   |
| 29370                                     | - Channel Lighted Buoy 12   |                          | FI R 2.5s                |               | 4            | Red.   |   |
| 29375                                     | - Channel Lighted Buoy 14   |                          | FI R 4s                  |               | 4            | Red.   |   |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks  |
|---|--|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>NORTH CAROLINA - Fifth District</b>                      |  |                          |                       |               |              |   |   |
| 29380   | - Channel Lighted<br>Gong Buoy 15  |                          | <b>FI G</b> 4s        |               | 4            | Green.  |   |
| 29385   | - CHANNEL LIGHT 16   |                          | <b>Q R</b>            | 15            | 4            | TR on pile.   | Ra ref.   |
| 29390   | - Channel Lighted Buoy 17  |                          | <b>FI G</b> 2.5s      |               | 4            | Green.  |   |
| 29395   | FORT MACON REACH<br>RANGE FRONT LIGHT  | 34 42 44 N<br>76 40 40 W | <b>Q W</b>            | 32            |              | On skeleton tower.  | Visible on range line only.<br>Lighted throughout<br>24 hours.  |
| 29397   | FORT MACON REACH<br>RANGE FRONT<br>PASSING LIGHT                               |                          | <b>FI W</b> 4s        | 34            | 5            | On same structure as Fort Macon<br>Reach Range Front Light. |   |
| 29400   | FORT MACON REACH<br>RANGE REAR LIGHT<br>245 yards, 338.6° from<br>front light. |                          | <b>Iso W</b> 6s       | 45            |              | On skeleton tower.  | Visible on range line only.<br>Lighted throughout 24 hours.   |
| 29403   | FORT MACON REACH<br>RANGE REAR<br>PASSING LIGHT                                |                          | <b>FI W</b> 4s        | 15            | 5            | On same structure as Fort Macon<br>Reach Range Rear Light.  | Located on East end of<br>platform.   |
| <b>BEAUFORT INLET AND SOUTHERN CORE SOUND (Chart 11545)</b> |  |                          |                       |               |              |   |   |
| <b>Beaufort Inlet</b>                                       |  |                          |                       |               |              |   |   |
| 29405   | Shackleford Banks Rock Jetty<br>Buoy 2   |                          |                       |               |              | Red nun.  |   |
| 29410   | SHACKLEFORD SLUE<br>JUNCTION LIGHT NR  | 34 41 29 N<br>76 38 02 W | <b>FI (2+1) R</b> 6s  | 15            | 4            | JR on pile.   |   |
| 29411   | - Channel Buoy 1   |                          |                       |               |              | Green can.  |   |
| 29413   | - Channel Buoy 3   |                          |                       |               |              | Green can.  |   |
| 29415   | SHACKLEFORD SLUE<br>LIGHT  |                          | <b>FI W</b> 4s        | 15            | 6            | NB on pile.   |   |
| <b>MOREHEAD CITY HARBOR (Chart 11547)</b>                   |  |                          |                       |               |              |   |   |
| <b>Morehead City Channel</b>                                |  |                          |                       |               |              |   |   |
| 29420   | - Lighted Buoy 18  |                          | <b>FI R</b> 4s        |               | 4            | Red.  |   |
| 29425   | - Lighted Buoy 19  |                          | <b>Q G</b>            |               | 4            | Green.  |   |
| 29427   | - Lighted Buoy 20  |                          | <b>FI (2) R</b> 5s    |               | 4            | Red.  |   |
| 29430   | - RANGE FRONT LIGHT  | 34 41 30 N<br>76 39 43 W | <b>Q W</b>            | 18            |              | On skeleton tower.  | Lighted throughout 24 hours.<br>DAY: Visible on rangeline only.<br>NIGHT: Visible all around;<br>higher intensity on rangeline. |
| 29435   | - RANGE REAR LIGHT<br>640 yards, 127° from<br>front light.                     |                          | <b>F W</b>            | 40            |              | On skeleton tower.  | Lighted throughout 24 hours.<br>DAY: Visible on rangeline only.<br>NIGHT: Visible all around;<br>higher intensity on rangeline. |
| 29440   | - Lighted Buoy 21  |                          | <b>FI G</b> 4s        |               | 4            | Green.  |   |
| 29445   | - Lighted Buoy 22  |                          | <b>FI R</b> 4s        |               | 4            | Red.  |   |
| 29450   | FORT MACON CREEK<br>WARNING LIGHT  | 34 42 00 N<br>76 41 00 W | <b>FI W</b> 2.5s      | 15            | 4            | NW on pile.   |   |
| 29453   | Fort Macon Creek Buoy 2  |                          |                       |               |              | Red nun.  |   |
| 29455   | - Lighted Buoy 23  |                          | <b>FI G</b> 2.5s      |               | 4            | Green.  |   |
| 29460   | - Lighted Buoy 24  | 34 42 30 N<br>76 41 16 W | <b>FI R</b> 2.5s      |               | 4            | Red.  |   |

| (1)<br>No.  | (2)<br>Name and Location                   | (3)<br>Position | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                     | (8)<br>Remarks |
|---|--|-----------------|-----------------------|---------------|--------------|--|----------------|
| <b>NORTH CAROLINA - Fifth District</b>  |  |                 |                       |               |              |  |                |
| 29465   | - Lighted Buoy 25                          |                 | <b>Q G</b>            |               | 4            | Green.   |                |
| 29470<br>38525  | - Lighted Buoy 27                          |                 | <b>FI G 2.5s</b>      |               | 3            | Green with yellow square.                            |                |
| 29475   | AVIATION FUEL TERMINAL<br>PIER SOUTH LIGHT |                 | <b>F Y</b>            | 17            |              | On dolphin at end of pier.                           | Private aid.   |
| 29480   | AVIATION FUEL TERMINAL<br>PIER NORTH LIGHT |                 | <b>F Y</b>            | 17            |              | On dolphin at end of pier.                           | Private aid.   |
| 29485<br>38523  | - Daybeacon 28                             |                 |                       |               |              | TR-SY on pile.                                       |                |
| <b>NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541)</b>                          |  |                 |                       |               |              |  |                |
| <b>Bogue Inlet</b>  |  |                 |                       |               |              |  |                |
| <i>Due to frequently changing conditions, positions of aids are not listed.</i> |  |                 |                       |               |              |  |                |
| 29490<br>730  | - Entrance Lighted<br>Whistle Buoy B1      |                 | <b>Mo (A) W</b>       |               | 6            | Red and white stripes with red<br>spherical topmark. |                |
| 29495   | - Buoy 1                                   |                 |                       |               |              | Green can.   |                |
| 29500   | - Buoy 2                                   |                 |                       |               |              | Red nun.   |                |
| 29505   | - Buoy 3                                   |                 |                       |               |              | Green can.   |                |
| 29510   | - Buoy 4                                   |                 |                       |               |              | Red nun.   |                |
| 29515   | - Buoy 5                                   |                 |                       |               |              | Green can.   |                |
| 29520   | - Buoy 5A                                  |                 |                       |               |              | Green can.   |                |
| 29522   | - Buoy 5B                                  |                 |                       |               |              | Green can.   |                |
| 29523   | - Buoy 5C                                  |                 |                       |               |              | Green can.   |                |
| 29525   | - Buoy 6                                   |                 |                       |               |              | Red nun.   |                |
| 29530   | - Buoy 7                                   |                 |                       |               |              | Green can.   |                |
| 29535   | - Buoy 8                                   |                 |                       |               |              | Red nun.   |                |
| 29538   | - Buoy 9                                   |                 |                       |               |              | Green can.   |                |
| 29540   | - Buoy 10                                  |                 |                       |               |              | Red nun.   |                |
| 29545   | - Buoy 10A                                 |                 |                       |               |              | Red nun.   |                |
| 29548   | - Buoy 10B                                 |                 |                       |               |              | Red nun.   |                |
| 29550   | - Buoy 11                                  |                 |                       |               |              | Green.   |                |
| 29555   | - Buoy 12                                  |                 |                       |               |              | Red nun.   |                |
| 29557   | -Buoy 12A                                  |                 |                       |               |              | Red nun.   |                |
| 29560   | - Buoy 15                                  |                 |                       |               |              | Green can.   |                |
| 29565   | - Channel Lighted Buoy 13                  |                 | <b>FI G 2.5s</b>      |               | 3            | Green.   |                |
| 29565.5   | - Buoy 17                                  |                 |                       |               |              | Green can.   |                |
| 29566   | - Buoy 18                                  |                 |                       |               |              | Red nun.   |                |
| 29570   | - Buoy 19                                  |                 |                       |               |              | Green can.   |                |
| 29575   | - Warning Daybeacon                        |                 |                       |               |              | NW on multi-pile structure worded<br>DANGER SHOAL.   |                |

| (1)<br>No.                             | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|------------------|----------------|
| <b>NORTH CAROLINA - Fifth District</b> |                          |                          |                       |               |              |                  |                |
| 29580                                  | - Buoy 19A               |                          |                       |               |              | Green can.       |                |
| 29582                                  | - Buoy 19B               |                          |                       |               |              | Green can.       |                |
| 29585<br>39045                         | - CHANNEL LIGHT 21       |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.   |                |
| <b>Swansboro Harbor</b>                |                          |                          |                       |               |              |                  |                |
| 29590                                  | - Buoy 2                 |                          |                       |               |              | Red nun.         |                |
| 29595                                  | - Daybeacon 4            |                          |                       |               |              | TR on pile.      |                |
| <b>Swansboro Coast Guard Channel</b>   |                          |                          |                       |               |              |                  |                |
| 29605                                  | - Buoy 2                 | 34 39 18 N<br>77 06 20 W |                       |               |              | Red nun.         |                |
| 29610                                  | - Buoy 3                 |                          |                       |               |              | Green can.       |                |
| 29615                                  | - Buoy 4                 |                          |                       |               |              | Red nun.         |                |
| 29620                                  | - Buoy 5                 |                          |                       |               |              | Green can.       |                |
| 29625                                  | - Buoy 6                 |                          |                       |               |              | Red nun.         |                |
| 29630                                  | - Buoy 7                 |                          |                       |               |              | Green can.       |                |
| 29635                                  | - Buoy 7A                |                          |                       |               |              | Green can.       |                |
| 29640                                  | - Buoy 8                 |                          |                       |               |              | Red nun.         |                |
| 29645                                  | - Daybeacon 9            |                          |                       |               |              | SG on pile.      |                |

# Section 21

## New River and Cape Fear River

| (1)<br>No.  | (2)<br>Name and Location                        | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks                                    |
|---|---|--------------------------|-----------------------|---------------|--------------|------------------|---|
| <b>NORTH CAROLINA - Fifth District</b>  |   |                          |                       |               |              |                  |   |
| <b>NEW RIVER (Chart 11542)</b>  |   |                          |                       |               |              |                  |   |
| <b>New River Inlet</b>  |   |                          |                       |               |              |                  |   |
| <i>Due to frequently changing conditions, positions of aids are not listed.</i> |   |                          |                       |               |              |                  |   |
| 29650<br>790  | - Lighted Whistle<br>Buoy NR                    | 34 31 08 N<br>77 19 21 W | <b>Mo (A) W</b>       |               |              | 6                | Red and white stripes with red spherical topmark. |
| 29655   | - Buoy 1  |                          |                       |               |              |                  | Green can.  |
| 29657   | - Buoy 1A                                       |                          |                       |               |              |                  | Green can.  |
| 29660   | - Buoy 2  |                          |                       |               |              |                  | Red nun.  |
| 29663   | - Buoy 2A                                       |                          |                       |               |              |                  | Red nun.  |
| 29665   | - Buoy 3  |                          |                       |               |              |                  | Green can.  |
| 29670   | - Buoy 4  |                          |                       |               |              |                  | Red nun.  |
| 29675   | - Lighted Buoy 5                                |                          | <b>FI G 2.5s</b>      |               |              | 3                | Green.  |
| 29680   | - Buoy 6  |                          |                       |               |              |                  | Red nun.  |
| 29685   | - Buoy 6A                                       |                          |                       |               |              |                  | Red nun.  |
| 29690   | - Buoy 7  |                          |                       |               |              |                  | Green can.  |
| 29695   | - Buoy 7A                                       |                          |                       |               |              |                  | Green can.  |
| 29700   | - Buoy 8  |                          |                       |               |              |                  | Red nun.  |
| 29705   | - Buoy 8A                                       |                          |                       |               |              |                  | Red nun.  |
| 29710   | - Buoy 9  |                          |                       |               |              |                  | Green can.  |
| 29715   | - Buoy 9A                                       |                          |                       |               |              |                  | Green can.  |
| 29720   | - Buoy 10                                       |                          |                       |               |              |                  | Red nun.  |
| 29721   | - Buoy 10A                                      |                          |                       |               |              |                  | Red nun.  |
| 29725   | - Buoy 11                                       |                          |                       |               |              |                  | Green can.  |
| 29730   | - Buoy 11A                                      |                          |                       |               |              |                  | Green can.  |
| 29731   | - Buoy 11B                                      |                          |                       |               |              |                  | Green can.  |
| 29733   | - Buoy 11C                                      |                          |                       |               |              |                  | Green can.  |
| <b>New River</b>  |   |                          |                       |               |              |                  |   |
| 29735   | - LIGHT 12                                      |                          | <b>FI R 4s</b>        | 15            |              | 3                | TR on pile.                                       |
| 29740   | - LIGHT 13<br>35 feet outside channel<br>limit. |                          | <b>FI G 4s</b>        | 15            |              | 4                | SG on pile.                                       |
| 29745   | - Channel Daybeacon 15                          | 34 33 30 N<br>77 21 24 W |                       |               |              |                  | SG on pile.                                       |
| 29750   | - Daybeacon 16                                  | 34 33 40 N<br>77 21 33 W |                       |               |              |                  | TR on pile.                                       |

| (1)<br>No.                             | (2)<br>Name and Location                                    | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks   |
|--|---|--------------------------|-----------------------|---------------|--------------|------------------|--|
| <b>NORTH CAROLINA - Fifth District</b> |   |                          |                       |               |              |                  |  |
| 29751                                  | - Buoy 16A  |                          |                       |               |              | Red nun.         |  |
| 29755                                  | Traps Bay Warning<br>Daybeacon (2)                          | 34 33 30 N<br>77 21 18 W |                       |               |              |                  | NW on pile worded DANGER<br>LIVE<br>FIRE SECTOR, CONSULT<br>NOTICE<br>TO MARINERS. |
| 29760                                  | - CHANNEL LIGHT 17<br>35 feet outside channel<br>limit.     |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.      |  |
| <b>Courthouse Bay</b>                  |   |                          |                       |               |              |                  |  |
| 29765                                  | - Daybeacon 1   |                          |                       |               |              | SG on pile.      |  |
| 29770                                  | - Daybeacon 2   |                          |                       |               |              | TR on pile.      |  |
| 29775                                  | - Daybeacon 3   |                          |                       |               |              | SG on pile.      |  |
| 29780                                  | - Daybeacon 4   |                          |                       |               |              | TR on pile.      |  |
| 29785                                  | - Daybeacon 5   |                          |                       |               |              | SG on pile.      |  |
| 29790                                  | - Daybeacon 7   |                          |                       |               |              | SG on pile.      |  |
| <b>New River</b>                       |   |                          |                       |               |              |                  |  |
| 29795                                  | - Channel Daybeacon 18<br>35 feet outside channel<br>limit. |                          |                       |               |              | TR on pile.      |  |
| 29800                                  | - Channel Daybeacon 21<br>20 feet outside channel<br>limit. |                          |                       |               |              | SG on pile.      |  |
| 29805                                  | - CHANNEL LIGHT 23  |                          | <b>Q G</b>            | 15            | 3            | SG on pile.      |  |
| 29810                                  | - CHANNEL LIGHT 25  |                          | <b>FI G 4s</b>        | 14            | 4            | SG on pile.      |  |
| 29815                                  | - CHANNEL LIGHT 27  |                          | <b>Q G</b>            | 15            | 5            | SG on pile.      |  |
| 29820                                  | - Channel Daybeacon 28                                      | 34 34 44 N<br>77 25 08 W |                       |               |              | TR on pile.      |  |
| 29825                                  | - CHANNEL LIGHT 28A   | 34 34 53 N<br>76 25 08 W | <b>Q R</b>            | 15            | 3            | TR on pile.      |  |
| 29830                                  | - Channel Daybeacon 29                                      |                          |                       |               |              | SG on pile.      |  |
| 29835                                  | - CHANNEL LIGHT 31  |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.      |  |
| 29840                                  | Stones Creek Warning<br>Daybeacon                           | 34 36 25 N<br>77 25 59 W |                       |               |              |                  | NW on pile worded DANGER<br>LIVE FIRE SECTOR -<br>CONSULT NOTICE TO<br>MARINERS.   |
| 29845                                  | Stones Bay Warning<br>Daybeacon                             | 34 36 13 N<br>77 24 09 W |                       |               |              |                  | NW on pile worded DANGER<br>LIVE FIRE SECTOR -<br>CONSULT NOTICE TO<br>MARINERS.   |
| 29845.1                                | Stones Bay Warning<br>Daybeacon A                           |                          |                       |               |              |                  | NW on pile worded DANGER<br>LIVE FIRE SECTOR -<br>CONSULT NOTICE TO<br>MARINERS.   |
| 29845.2                                | Stones Bay Warning<br>Daybeacon B                           |                          |                       |               |              |                  | NW on pile worded DANGER<br>LIVE FIRE SECTOR -<br>CONSULT NOTICE TO<br>MARINERS.   |

| (1)<br>No.                             | (2)<br>Name and Location               | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks   |
|--|--|--------------------------|-----------------------|---------------|--------------|------------------|--|
| <b>NORTH CAROLINA - Fifth District</b> |  |                          |                       |               |              |                  |  |
| 29845.3                                | Stones Bay Warning<br>Daybeacon C      |                          |                       |               |              |                  | NW on pile worded DANGER<br>LIVE FIRE SECTOR -<br>CONSULT NOTICE TO<br>MARINERS. |
| 29845.4                                | Stones Bay Warning<br>Daybeacon D      |                          |                       |               |              |                  | NW on pile worded DANGER<br>LIVE FIRE SECTOR -<br>CONSULT NOTICE TO<br>MARINERS. |
| 29845.5                                | Stones Bay Warning<br>Daybeacon E      |                          |                       |               |              |                  | NW on pile worded DANGER<br>LIVE FIRE SECTOR -<br>CONSULT NOTICE TO<br>MARINERS. |
| 29845.6                                | Stones Bay Warning<br>Daybeacon F      |                          |                       |               |              |                  | NW on pile worded DANGER<br>LIVE FIRE SECTOR -<br>CONSULT NOTICE TO<br>MARINERS. |
| 29850                                  | - Channel Daybeacon 33                 |                          |                       |               |              |                  | SG on pile.  |
| 29855                                  | - Channel Daybeacon 35                 |                          |                       |               |              |                  | SG on pile.  |
| 29860                                  | - CHANNEL LIGHT 37                     |                          | <b>FI G 4s</b>        | 15            | 4            |                  | SG on pile.  |
| 29865                                  | Grey Point Warning<br>Daybeacon.       | 34 37 41 N<br>77 22 04 W |                       |               |              |                  | NW on pile worded DANGER<br>LIVE FIRE SECTOR -<br>CONSULT NOTICE TO<br>MARINERS. |
| 29870                                  | - Daybeacon 39                         |                          |                       |               |              |                  | SG on pile.  |
| 29875                                  | Spring Point Warning<br>Daybeacon      | 34 38 37 N<br>77 21 58 W |                       |               |              |                  | NW on pile worded DANGER<br>LIVE FIRE SECTOR -<br>CONSULT NOTICE TO<br>MARINERS. |
| 29880                                  | - CHANNEL LIGHT 42                     |                          | <b>FI R 4s</b>        | 15            | 4            |                  | TR on pile.  |
| 29885                                  | - Daybeacon 43                         |                          |                       |               |              |                  | SG on pile.  |
| 29890                                  | Farnell Bay Warning<br>Daybeacon       | 34 39 58 N<br>77 22 39 W |                       |               |              |                  | NW on pile worded DANGER<br>LIVE FIRE SECTOR -<br>CONSULT NOTICE TO<br>MARINERS. |
| 29895                                  | - CHANNEL LIGHT 46                     |                          | <b>FI R 2.5s</b>      | 15            | 4            |                  | TR on pile.  |
| 29900                                  | WALLACE CREEK LIGHT 2                  |                          | <b>FI R 2.5s</b>      | 15            | 3            |                  | TR on pile.  |
| 29905                                  | Wallace Creek Daybeacon 4              |                          |                       |               |              |                  | TR on pile.  |
| 29910                                  | - Channel Daybeacon 47                 |                          |                       |               |              |                  | SG on pile.  |
| 29915                                  | - CHANNEL LIGHT 50                     |                          | <b>FI R 4s</b>        | 15            | 3            |                  | TR on pile.  |
| 29920                                  | Morgan Bay Warning<br>Daybeacon        | 34 42 12 N<br>77 24 14 W |                       |               |              |                  | NW on pile worded DANGER<br>LIVE FIRE SECTOR -<br>CONSULT NOTICE TO<br>MARINERS. |
| 29925                                  | Southwest Creek Warning<br>Daybeacon 1 | 34 42 01 N<br>77 25 05 W |                       |               |              |                  | SG on pile.  |
| 29930                                  | Southwest Creek<br>Daybeacon 2         |                          |                       |               |              |                  | TR on pile.  |
| 29935                                  | - CHANNEL LIGHT 52                     |                          | <b>FI R 2.5s</b>      | 15            | 3            |                  | TR on pile.  |
| 29940                                  | Jacksonville Warning<br>Daybeacon      | 34 42 54 N<br>77 25 06 W |                       |               |              |                  | NW on pile worded DANGER<br>LIVE FIRE SECTOR -<br>CONSULT NOTICE TO<br>MARINERS. |
| 29945                                  | - Daybeacon 53                         |                          |                       |               |              |                  | SG on pile.  |

| (1)<br>No.  | (2)<br>Name and Location             | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                       | (8)<br>Remarks    |
|---|--------------------------------------|--------------------------|-----------------------|---------------|--------------|--|-------------------|
| <b>NORTH CAROLINA - Fifth District</b>  |                                      |                          |                       |               |              |  |                   |
| 29950   | - Channel Daybeacon 55               |                          |                       |               |              | SG on pile.  |                   |
| 29955   | - Channel Daybeacon 57               |                          |                       |               |              | SG on pile.  |                   |
| 29960   | - Channel Daybeacon 60               |                          |                       |               |              | TR on pile.  |                   |
| 29965   | - Channel Daybeacon 61               |                          |                       |               |              | SG on pile.  |                   |
| <b>NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541)</b>                          |                                      |                          |                       |               |              |  |                   |
| <b>New Topsail Inlet</b>  |                                      |                          |                       |               |              |  |                   |
| <i>Due to frequently changing conditions, positions of aids are not listed.</i> |                                      |                          |                       |               |              |  |                   |
| 29970<br>795  | - Lighted Whistle<br>Buoy NT         |                          | <b>Mo (A) W</b>       |               | 6            | Red and white stripes with<br>red spherical topmarks . |                   |
| 29975   | - Buoy 1                             |                          |                       |               |              | Green can.   |                   |
| 29980   | - Buoy 1A                            |                          |                       |               |              | Green can.   |                   |
| 29983   | - Buoy 1B                            |                          |                       |               |              | Green can.   |                   |
| 29985   | - Buoy 2                             |                          |                       |               |              | Red nun.   |                   |
| 29987   | - Buoy 2A                            |                          |                       |               |              | Red nun.   |                   |
| 29995   | - Buoy 3                             |                          |                       |               |              | Green can.   |                   |
| 29997   | - Buoy 3A                            |                          |                       |               |              | Green can.   |                   |
| 30000   | - Buoy 4                             |                          |                       |               |              | Red nun.   |                   |
| 30003   | - Buoy 4A                            |                          |                       |               |              | Red nun.   |                   |
| 30010   | - Lighted Buoy 5                     |                          | <b>FI G 4s</b>        |               | 4            | Green.   |                   |
| 30015   | - Buoy 6                             |                          |                       |               |              | Red nun.   |                   |
| 30017   | - Buoy 6A                            |                          |                       |               |              | Red nun.   |                   |
| 30025   | - Buoy 8                             |                          |                       |               |              | Red nun.   |                   |
| 30026   | - Buoy 8A                            |                          |                       |               |              | Red nun.   |                   |
| 30027   | - Buoy 9                             |                          |                       |               |              |  | Remove from list. |
| 30035   | - Buoy 10                            |                          |                       |               |              | Red nun.   |                   |
| 30037   | - Buoy 11                            |                          |                       |               |              | Green can.   |                   |
| 30040   | - Buoy 12                            |                          |                       |               |              |  | Remove from list. |
| 30045   | - Buoy 13                            |                          |                       |               |              | Green can.   |                   |
| 30047   | - Buoy 15                            |                          |                       |               |              | Green can.   |                   |
| <b>Banks Channel</b>  |                                      |                          |                       |               |              |  |                   |
| 30050   | - LIGHT 1                            | 34 21 06 N<br>77 39 10 W | <b>FI G 4s</b>        | 15            | 4            | SG on pile.  |                   |
| 30055   | - LIGHT 2                            | 34 21 14 N<br>77 38 52 W | <b>FI R 4s</b>        | 15            | 3            | TR on pile.  |                   |
| 30060   | NEW TOPSAIL BEACH PIER<br>LIGHTS (2) | 34 21 18 N<br>77 38 48 W | <b>F Y</b>            | 20            |              | On post on pier.                                       | Private aid.      |
| 30065   | - Daybeacon 3                        |                          |                       |               |              | SG on pile.  |                   |
| 30070   | - Daybeacon 5                        |                          |                       |               |              | SG on pile.  |                   |

| (1)<br>No.  | (2)<br>Name and Location                       | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure          | (8)<br>Remarks    |
|---|--|--------------------------|-----------------------|---------------|--------------|---------------------------|-------------------|
| <b>NORTH CAROLINA - Fifth District</b>                                  |  |                          |                       |               |              |                           |                   |
| 30075   | - LIGHT 6                                      |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.               |                   |
| 30080   | - LIGHT 7                                      |                          | <b>Q G</b>            | 15            | 3            | SG on pile.               |                   |
| 30082   | - Buoy 7A                                      |                          |                       |               |              | Green can.                |                   |
| 30085   | - Daybeacon 9                                  |                          |                       |               |              | SG on pile.               |                   |
| 30090   | - Daybeacon 10                                 |                          |                       |               |              | TR on pile.               |                   |
| 30095   | - LIGHT 11                                     |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.               |                   |
| 30100   | - Daybeacon 12                                 |                          |                       |               |              | TR on pile.               |                   |
| 30104.2   | - Junction Buoy OT                             |                          |                       |               |              |                           | Remove from list. |
| 30105   | - Daybeacon 13                                 |                          |                       |               |              | SG on pile.               |                   |
| 30110   | - Daybeacon 14                                 |                          |                       |               |              | TR on pile.               |                   |
| 30115   | - Daybeacon 15                                 |                          |                       |               |              | SG on pile.               |                   |
| 30120   | - Daybeacon 16                                 |                          |                       |               |              | TR on pile.               |                   |
| 30125   | - LIGHT 18                                     |                          | <b>FI R</b> 4s        | 15            | 4            | TR on pile.               |                   |
| 30130   | - Daybeacon 19                                 |                          |                       |               |              | SG on pile.               |                   |
| 30135   | - Daybeacon 21                                 |                          |                       |               |              | SG on pile.               |                   |
| 30140<br>39520  | NEW RIVER-CAPE FEAR<br>RIVER JUNCTION LIGHT BC | 34 24 37 N<br>77 35 43 W | <b>FI (2+1) G</b> 6s  | 15            | 3            | JG-SY on pile.            |                   |
| 30140.02  | - Buoy 2                                       |                          |                       |               |              | Red nun.                  |                   |
| 30140.04  | - Buoy 4                                       |                          |                       |               |              | Red nun.                  |                   |
| 30140.06  | - Buoy 6                                       |                          |                       |               |              | Red nun.                  |                   |
| 30140.07  | - Buoy 7                                       |                          |                       |               |              | Green can.                |                   |
| 30140.09  | - Buoy 9                                       |                          |                       |               |              | Green can.                |                   |
| <b>Old Topsail Creek</b>  |  |                          |                       |               |              |                           |                   |
| Due to frequently changing conditions positions of aids are not listed. |  |                          |                       |               |              |                           |                   |
| 30140.1   | - Buoy 10                                      |                          |                       |               |              | Red nun.                  |                   |
| 30140.12  | - Buoy 12                                      |                          |                       |               |              | Red nun.                  |                   |
| 30140.14  | - Buoy 14                                      |                          |                       |               |              | Red nun.                  |                   |
| 30140.16  | - Buoy 16                                      |                          |                       |               |              | Red nun.                  |                   |
| 30140.17  | - Buoy 17                                      |                          |                       |               |              | Green can.                |                   |
| 30140.18  | - Buoy 18                                      |                          |                       |               |              | Red nun.                  |                   |
| 30140.19  | - Buoy 19                                      |                          |                       |               |              | Green can.                |                   |
| 30140.2   | - Junction Buoy OT                             |                          |                       |               |              | Green and red bands; can. |                   |
| 30140.21  | - Buoy 20                                      |                          |                       |               |              | Red nun.                  |                   |
| 30140.22  | - Buoy 22                                      |                          |                       |               |              | Red nun.                  |                   |
| 30140.23  | - Buoy 23                                      |                          |                       |               |              | Green can.                |                   |
| 30140.5   | - Buoy 1                                       | 34 20 48 N<br>77 39 54 W |                       |               |              | Green can.                |                   |

| (1)<br>No.  | (2)<br>Name and Location    | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                     | (8)<br>Remarks    |
|---|-----------------------------|--------------------------|-----------------------|---------------|--------------|--|-------------------|
| <b>NORTH CAROLINA - Fifth District</b>  |                             |                          |                       |               |              |  |                   |
| 30140.7   | - Buoy 2                    |                          |                       |               |              | Red nun.   |                   |
| 30141   | - Buoy 3                    |                          |                       |               |              | Green can.   |                   |
| 30141.5   | - Buoy 5                    |                          |                       |               |              | Green can.   |                   |
| 30142.5   | - Buoy 6                    |                          |                       |               |              |  | Remove from list. |
| 30143   | - Buoy 7                    |                          |                       |               |              | Green can.   |                   |
| 30143.5   | - Buoy 8                    |                          |                       |               |              | Red nun.   |                   |
| 30144   | - Daybeacon 10              |                          |                       |               |              | TR on pile.  |                   |
| 30144.5   | - Buoy 11                   | 34 21 30 N<br>77 40 00 W |                       |               |              | Green can.   |                   |
| 30144.6   | - Buoy 13                   |                          |                       |               |              | Green can.   |                   |
| 30144.7   | - Buoy 14                   |                          |                       |               |              | Red nun.   |                   |
| <b>Masonboro Inlet</b>  |                             |                          |                       |               |              |  |                   |
| <i>Due to frequently changing conditions, positions of aids are not listed.</i> |                             |                          |                       |               |              |  |                   |
| 30145<br>800  | - Lighted Whistle<br>Buoy A |                          | <b>Mo (A) W</b>       |               | 5            | Red and white stripes with red<br>spherical topmark. |                   |
| 30147   | - Danger Buoy B             |                          |                       |               |              | White nun.   |                   |
| 30150   | - Buoy 1                    |                          |                       |               |              | Green can.   |                   |
| 30155   | - Lighted Buoy 2            |                          | <b>FI R 2.5s</b>      |               | 3            | Red.   |                   |
| 30160   | - Buoy 3                    |                          |                       |               |              | Green can.   |                   |
| 30165   | - Buoy 4                    |                          |                       |               |              | Red nun.   |                   |
| 30170   | - Lighted Buoy 5            |                          | <b>FI G 2.5s</b>      |               | 3            | Green.   |                   |
| 30175   | - Lighted Buoy 6            |                          | <b>FI R 2.5s</b>      |               | 3            | Red.   |                   |
| 30180   | - Buoy 7                    |                          |                       |               |              | Green can.   |                   |
| 30185   | - Lighted Buoy 8            |                          | <b>Q R</b>            |               | 3            | Red.   |                   |
| 30190   | SHINN CREEK LIGHT 1         |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.  |                   |
| 30195   | Shinn Creek Daybeacon 3     |                          |                       |               |              | SG on pile.  |                   |
| <b>Wrightsville Channel</b>   |                             |                          |                       |               |              |  |                   |
| <i>Daybeacons located 30 feet outside channel limit.</i>                        |                             |                          |                       |               |              |  |                   |
| 30200   | - Junction Daybeacon WC     | 34 11 20 N<br>77 49 00 W |                       |               |              | JG on pile.  |                   |
| 30202   | - Danger Buoy A             |                          |                       |               |              | White nun.   |                   |
| 30205   | - Daybeacon 10              | 34 11 19 N<br>77 48 49 W |                       |               |              | TR on pile.  |                   |
| 30210   | - LIGHT 11                  | 34 11 44 N<br>77 48 31 W | <b>FI G 4s</b>        | 15            | 4            | SG on pile.  |                   |
| 30215   | - Daybeacon 13              | 34 11 54 N<br>77 48 21 W |                       |               |              | SG on pile.  |                   |
| 30220   | - Daybeacon 14              |                          |                       |               |              | TR on pile.  |                   |
| 30223   | - LIGHT 15                  | 34 12 17 N<br>77 48 12 W | <b>Q G</b>            | 15            | 3            | SG on pile.  |                   |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic                            | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks  |
|---|--|--------------------------|--|---------------|--------------|---|---|
| <b>NORTH CAROLINA - Fifth District</b>  |  |                          |  |               |              |   |   |
| 30225   | - Daybeacon 16   |                          |  |               |              | TR on pile.   |   |
| 30230   | - Daybeacon 18   |                          |  |               |              | TR on pile.   |   |
| 30235   | - Daybeacon 19   |                          |  |               |              | SG on pile.   |   |
| 30240   | - Daybeacon 21   |                          |  |               |              | SG on pile.   |   |
| 30245   | - Daybeacon 23   |                          |  |               |              | SG on pile.   |   |
| 30250   | - Daybeacon 24   | 34 12 53 N<br>77 48 50 W |  |               |              | TR on pile.   |   |
| 30255   | - Daybeacon 25   | 34 12 52 N<br>77 48 54 W |  |               |              | SG on pile.   |   |
| <b>Carolina Beach Inlet</b>   |  |                          |  |               |              |   |   |
| <i>Due to frequently changing conditions, positions of aids are not listed.</i> |  |                          |  |               |              |   |   |
| 30260<br>805  | - Entrance Lighted<br>Whistle Buoy CB  |                          | <b>Mo (A) W</b>                                  |               | 5            | Red and white stripes with red<br>spherical topmark.                                  |   |
| 30265   | - Buoy 1   |                          |  |               |              | Green can.  |   |
| 30270   | - Buoy 2   |                          |  |               |              | Red nun.  |   |
| 30271   | - Buoy 2A  |                          |  |               |              | Red nun.  |   |
| 30275   | - Buoy 3   |                          |  |               |              | Green can.  |   |
| 30280   | - Buoy 4   |                          |  |               |              | Red nun.  |   |
| 30285   | - Buoy 5   |                          |  |               |              | Green can.  |   |
| 30290   | - Buoy 6   |                          |  |               |              | Red nun.  |   |
| 30295   | - Buoy 7   |                          |  |               |              | Green can.  |   |
| 30300   | - Buoy 8   |                          |  |               |              | Red nun.  |   |
| 30305   | - Buoy 9   |                          |  |               |              | Green can.  |   |
| <b>CAPE FEAR RIVER (Chart 11537)</b>  |  |                          |  |               |              |   |   |
| <b>Cape Fear River</b>  |  |                          |  |               |              |   |   |
| 30310   | CAPE FEAR RIVER ENTRANCE<br>RANGE FRONT LIGHT  | 33 52 24 N<br>78 01 09 W | <b>Iso W 2s (Day)</b><br><b>Iso W 2s (Night)</b> | 20<br>23      |              | Visible all around: Higher intensity<br>on rangeline. Lighted<br>throughout 24 hours. | Skeleton tower on platform.                                 |
| 30312   | CAPE FEAR RIVER ENTRANCE<br>RANGE REAR LIGHT<br>2,420 yards, 013.5° from front<br>light. |                          | <b>Iso W 6s (Day)</b><br><b>Iso W 6s (Night)</b> | 98<br>101     |              | Skeleton tower on platform.   | Visible on range line only.<br>Lighted throughout 24 hours. |
| 30313   | CAPE FEAR RIVER ENTRANCE<br>RANGE REAR PASSING<br>LIGHTS (2)                             |                          | <b>Fl W 4s</b>                                   | 20            | 4            | On same structure as Cape Fear<br>River Entrance Range Rear<br>Light.                 | Visible all around. Lighted only<br>at night.               |
| 30315   | - Buoy 11  |                          |  |               |              | Green can.  |   |
| <i>Buoys located 50 feet outside channel limit.</i>                             |  |                          |  |               |              |   |   |
| 30316<br>860  | - Entrance Lighted Whistle<br>Buoy CF  | 33 46 17 N<br>78 03 02 W | <b>Mo (A) W</b>                                  |               | 6            | Red and white stripes with red<br>spherical topmark.                                  | RACON: C (- • - •).<br>On channel centerline.               |
| 30317   | - Channel Lighted<br>Buoy 1  |                          | <b>Fl G 2.5s</b>                                 |               | 4            | Green.  |   |
| 30318   | - Channel Lighted Buoy 2   |                          | <b>Q R</b>                                       |               | 4            | Red.  |   |

| (1)<br>No.                             | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic                          | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                     | (8)<br>Remarks  |
|--|---|--------------------------|--|---------------|--------------|--|---|
| <b>NORTH CAROLINA - Fifth District</b> |   |                          |  |               |              |  |   |
| 30319                                  | - Channel Lighted Buoy 3  |                          | <b>FI G</b> 4s                                 |               | 3            | Green.   |   |
| 30320                                  | - Channel Lighted Buoy 4  | 33 49 34 N<br>78 03 36 W | <b>FI R</b> 4s                                 |               | 4            | Red.   |   |
| 30325                                  | - Channel Lighted Buoy 5  |                          | <b>FI G</b> 4s                                 |               | 4            | Green.   |   |
| 30330                                  | BALD HEAD SHOAL CHANNEL RANGE FRONT LIGHT   | 33 53 00 N<br>77 59 48 W | <b>Iso W</b> 2s(Day)<br><b>Iso W</b> 2s(Night) | 18<br>15      |              | Skeleton tower on platform.                          | DAY: Visible on rangeline only.<br>NIGHT: Visible all around;<br>higher intensity on rangeline. |
| 30335                                  | BALD HEAD SHOAL CHANNEL RANGE REAR LIGHT<br>2,350 yards, 042.9° from front light. |                          | <b>Iso W</b> 6s(Day)<br><b>Iso W</b> 6s(Night) | 70<br>73      |              | Skeleton tower on platform.                          | DAY: Visible on rangeline only.<br>NIGHT: Visible all around;<br>higher intensity on rangeline. |
| 30340                                  | - Channel Lighted Buoy 6  |                          | <b>FI R</b> 4s                                 |               | 4            | Red.   |   |
| 30345                                  | - Channel Lighted Buoy 7  |                          | <b>FI G</b> 2.5s                               |               | 4            | Green.   |   |
| 30350                                  | - Channel Lighted Buoy 8  |                          | <b>FI R</b> 2.5s                               |               | 4            | Red.   |   |
| 30355                                  | - Channel Lighted Buoy 9  |                          | <b>FI G</b> 2.5s                               |               | 4            | Green.   |   |
| 30360                                  | - Channel Lighted Buoy 10   |                          | <b>Q R</b>                                     |               | 4            | Red.   |   |
| 30365                                  | - TIDE GAUGE LIGHT  | 33 51 24 N<br>78 01 57 W | <b>FI Y</b> 4s                                 |               | 3            | NY on pile.  |   |
| 30370                                  | - Lighted Buoy 11   |                          | <b>FI G</b> 4s                                 |               | 4            | Green.   |   |
| 30372                                  | - Lighted Buoy 12   |                          | <b>FI R</b> 2.5s                               |               | 3            | Red.   |   |
| 30373                                  | - Lighted Buoy 13   |                          | <b>Q G</b>                                     |               | 3            | Green.   |   |
| 30375                                  | BALD HEAD ISLAND MARINE JETTY LIGHT 1   | 33 52 42 N<br>78 00 06 W | <b>FI G</b> 2.5s                               | 12            |              | On concrete wall.                                    | Private aid.  |
| 30380                                  | BALD HEAD ISLAND MARINE JETTY LIGHT 2   | 33 52 36 N<br>78 00 12 W | <b>FI R</b> 2.5s                               | 12            |              | On concrete wall.                                    | Private aid.  |
| 30385                                  | SMITH ISLAND RANGE FRONT LIGHT  | 33 53 42 N<br>78 00 16 W | <b>Q R</b>                                     | 10            |              | On white skeleton structure on piles.                | Visible on range line only.<br>Visible on rangeline only.<br>Lighted throughout 24 hours.       |
| 30387                                  | SMITH ISLAND RANGE FRONT PASSING LIGHT  |                          | <b>Q R</b>                                     | 12            | 3            | On same structure as Smith Island Range Front Light. |   |
| 30390                                  | SMITH ISLAND RANGE REAR LIGHT<br>871 yards, 007.4° from front light.              |                          | <b>Iso R</b> 6s                                | 43            |              | On white skeleton structure on piles.                | Visible on range line only.<br>Visible on rangeline only.<br>Lighted throughout 24 hours.       |
| 30395                                  | - Lighted Buoy 13A  |                          | <b>FI G</b> 4s                                 |               | 4            | Green.   |   |
| 30400                                  | - Channel Lighted Buoy 15   |                          | <b>FI G</b> 2.5s                               |               | 4            | Green.   |   |
| 30405                                  | SOUTHPORT CHANNEL RANGE FRONT LIGHT   | 33 54 26 N<br>78 01 23 W | <b>Q W</b>                                     | 19            |              | KRW on multi-pile structure.                         | Visible all around; higher intensity on rangeline.  |
| 30410<br>40040                         | SOUTHPORT CHANNEL RANGE REAR LIGHT<br>1,426 yards, 319.5° from front light.       |                          | <b>Iso W</b> 6s                                | 42            |              | KRW and SG-SY on multi-pile structure.               | Visible all around; higher intensity on rangeline.  |

| (1)<br>No.                             | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic                            | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks  |
|--|---|--------------------------|--|---------------|--------------|--|---|
| <b>NORTH CAROLINA - Fifth District</b> |   |                          |  |               |              |  |   |
| <b>Oak Island Channel</b>              |   |                          |  |               |              |  |   |
| 30415                                  | - LIGHT 1   | 33 54 02 N<br>78 01 13 W | <b>FI G</b> 4s                                   | 15            | 4            | SG on pile.  |   |
| 30420                                  | - Daybeacon 2   | 33 54 04 N<br>78 01 15 W |  |               |              | TR on pile.  |   |
| 30425                                  | - Daybeacon 4   |                          |  |               |              | TR on pile.  |   |
| 30430                                  | - Daybeacon 5   |                          |  |               |              | SG on pile.  |   |
| 30435                                  | - Daybeacon 6   |                          |  |               |              | TR on pile.  |   |
| 30440                                  | - Daybeacon 7   |                          |  |               |              | SG on pile.  |   |
| 30445                                  | - LIGHT 8   |                          | <b>FI R</b> 4s                                   | 14            | 3            | TR on pile   |   |
| 30447                                  | - Buoy 9  |                          |  |               |              | Green can.   |   |
| <b>Cape Fear River</b>                 |   |                          |  |               |              |  |   |
| 30450                                  | - Channel Lighted<br>Buoy 16  |                          | <b>Q R</b>                                       |               | 4            | Red.   |   |
| 30455<br>40035                         | SOUTHPORT LIGHT 1   | 33 54 53 N<br>78 01 12 W | <b>FI G</b> 2.5s                                 | 15            | 4            | SG-SY on multi-pile structure.   |   |
| 30460<br>40025                         | LOWER SWASH CHANNEL<br>RANGE FRONT LIGHT  | 33 55 51 N<br>77 59 05 W | <b>Q W</b> (day)<br><b>Q W</b> (night)           | 17<br>20      |              | On multi-pile structure.   | Lighted throughout 24 hours.<br>Day: Visible on rangeline only.<br>Night: Visible all around; higher<br>intensity on rangeline. |
| 30465<br>40030                         | LOWER SWASH CHANNEL<br>RANGE REAR LIGHT<br>767 yards, 055.1° from<br>front light. |                          | <b>Iso W</b> 6s (day)<br><b>Iso W</b> 6s (night) | 28<br>31      |              | On multi-pile structure.   | Lighted throughout 24 hours.<br>Day: Visible on rangeline only.<br>Night: Visible all around; higher<br>intensity on rangeline. |
| 30470                                  | - Channel Lighted<br>Buoy 18  |                          | <b>FI R</b> 4s                                   |               | 3            | Red.   |   |
| 30475<br>40020                         | - Channel Lighted<br>Buoy 19<br>50 feet outside channel<br>limit.                 | 33 55 16 N<br>78 00 16 W | <b>FI G</b> 4s                                   |               | 4            | Green with yellow triangle.  | Marks pile of stone ballast.  |
| 30480<br>40015                         | - Channel Lighted<br>Buoy 20  |                          | <b>Q R</b>                                       |               | 3            | Red with yellow square.  |   |
| 30485<br>39970                         | SNOWS MARSH CHANNEL<br>RANGE FRONT LIGHT  | 33 57 42 N<br>77 57 00 W | <b>Q W</b>                                       | 22            |              | KWR on multi-pile.<br>On same structure as<br>Reaves Point Channel Range<br>Front Light. |   |
| 30490<br>39975                         | SNOWS MARSH CHANNEL<br>RANGE REAR LIGHT<br>1,494 yards, 046° from<br>front light. |                          | <b>Iso W</b> 6s                                  | 42            |              | KWR on skeleton tower. Same<br>structure as Upper Midnight<br>Channel Range Rear Light.  |   |
| 30491<br>39966                         | FEDERAL POINT RANGE<br>FRONT LIGHT  | 38 58 12 N<br>77 56 48 W | <b>FI W</b> 2.5s                                 | 22            |              | On multi-pile.   | Visible all around; higher<br>intensity on range line.<br>Lighted throughout 24 hours.  |
| 30492<br>39967                         | FEDERAL POINT RANGE<br>REAR LIGHT<br>880 yards, 338° from front<br>light.         |                          | <b>Iso W</b> 6s                                  | 42            |              | On multi-pile.   | Visible on range line only.<br>Lighted throughout 24 hours.   |
| 30493<br>39968                         | FEDERAL POINT RANGE<br>FRONT PASSING LIGHT  |                          | <b>FI W</b> 4s                                   | 15            | 3            | On same structure as<br>Federal Point Range<br>Front Light.                              | Visible all around only at night.   |
| 30494<br>39969                         | FEDERAL POINT RANGE<br>REAR PASSING LIGHT   |                          | <b>FI W</b> 4s                                   | 17            | 3            | On same structure as<br>Federal Point Range<br>Rear Light.                               | Visible all around only at night.   |

| (1)<br>No.                             | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic              | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks   |
|--|--|--------------------------|------------------------------------|---------------|--------------|---|--|
| <b>NORTH CAROLINA - Fifth District</b> |  |                          |                                    |               |              |   |  |
| <b>Price Creek</b>                     |  |                          |                                    |               |              |   |  |
| 30495<br>39985                         | - SOUTH MOORING<br>DOLPHIN LIGHT   | 33 56 00 N<br>77 59 12 W | FI Y 4s                            | 12            |              | On dolphin.   | Private aid.   |
| 30500<br>39990                         | - SOUTH BREASTING<br>DOLPHIN LIGHT   |                          | FI Y 4s                            | 12            |              | On dolphin.   | Private aid.   |
| 30505<br>39995                         | - LOADING PLATFORM<br>LIGHTS (2)   |                          | FI Y 4s                            | 12            |              | On dolphin.   | Private aids.  |
| 30510<br>40000                         | - NORTH BREASTING<br>DOLPHIN LIGHT   |                          | FI Y 4s                            | 12            |              | On dolphin.   | Private aid.   |
| 30515<br>40005                         | - NORTH MOORING<br>DOLPHIN LIGHT   |                          | FI Y 4s                            | 12            |              | On dolphin.   | Private aid.   |
| <b>Cape Fear River</b>                 |  |                          |                                    |               |              |   |  |
| 30520<br>40010                         | - Channel Lighted<br>Buoy 22   |                          | FI R 4s                            |               | 4            | Red with yellow square.   |  |
| 30525<br>39980                         | - Channel Lighted<br>Buoy 23   |                          | FI G 4s                            |               | 4            | Green with yellow triangle.   |  |
| 30530<br>39965                         | - Channel Lighted<br>Buoy 25   |                          | Q G                                |               | 4            | Green with yellow triangle.   |  |
| 30535<br>39950                         | HORSESHOE SHOAL<br>CHANNEL RANGE<br>FRONT LIGHT  | 33 56 35 N<br>77 57 49 W | Q W (day)<br>Q W (night)           | 20<br>23      |              | On skeleton tower.  | Visible all around; higher<br>intensity on range line.<br>Lighted throughout 24 hours. |
| 30540<br>39955                         | HORSESHOE SHOAL<br>CHANNEL RANGE REAR<br>LIGHT<br>1,482 yards, 203.1° from<br>front light. |                          | Iso W 6s (day)<br>Iso W 6s (night) | 45<br>48      |              | On skeleton tower.  | Visible on range line only.<br>Lighted throughout 24 hours.                            |
| 30541                                  | HORSESHOE SHOAL<br>CHANNEL RANGE REAR<br>PASSING LIGHT                                     |                          | FI W 4s                            | 45            | 3            | On same structure as<br>Horseshoe Shoal Channel<br>Range Rear Light.              |  |
| 30545<br>39960                         | - Channel Lighted<br>Buoy 26   |                          | FI R 4s                            |               | 4            | Red with yellow square.   |  |
| 30550<br>39945                         | - Channel Lighted<br>Buoy 27   |                          | Q G                                |               | 4            | Green with yellow triangle.   |  |
| 30555<br>39935                         | REAVES POINT CHANNEL<br>RANGE FRONT LIGHT  | 33 57 42 N<br>77 57 00 W | Q W                                | 22            |              | KWR on dolphin. On same<br>structure as Snows Marsh<br>Channel Range Front Light. |  |
| 30560<br>39940                         | REAVES POINT CHANNEL<br>RANGE REAR LIGHT<br>1,400 yards, 185.4° from<br>front light.       |                          | Iso W 6s                           | 42            |              | KWR on skeleton tower.  |  |
| <b>Cape Fear River</b>                 |  |                          |                                    |               |              |   |  |
| 30561.1                                | -WARNING LIGHT A   |                          | FI Y 4s                            | 15            |              | NW on pile worded:<br>WARNING RESTRICTED<br>AREA.                                 | Army maintained.   |
| <b>Cape Fear River</b>                 |  |                          |                                    |               |              |   |  |
| 30561.2                                | -WARNING LIGHT B   |                          | FI Y 2.5s                          | 15            |              | NW on pile worded<br>WARNING RESTRICTED<br>AREA.                                  | Army maintained  |
| 30561.3                                | -WARNING LIGHT C   |                          | FI Y 4s                            | 15            |              | NW on pile worded:<br>WARNING RESTRICTED<br>AREA.                                 | Army maintained.   |
| 30561.4                                | -WARNING LIGHT D   |                          | FI Y 2.5s                          | 15            |              | NW on pile worded:<br>WARNING RESTRICTED<br>AREA.                                 | Army maintained.   |

| (1)<br>No.   | (2)<br>Name and Location | (3)<br>Position | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                  | (8)<br>Remarks   |
|--|--------------------------|-----------------|-----------------------|---------------|--------------|---|------------------|
| <b>NORTH CAROLINA - Fifth District</b>                       |                          |                 |                       |               |              |   |                  |
| 30561.5  | -WARNING LIGHT E         |                 | FI Y 4s               | 15            |              | NW on pile worded:<br>WARNING RESTRICTED<br>AREA. | Army maintained. |
| 30561.6  | -WARNING LIGHT F         |                 | FI Y 2.5s             | 15            |              | NW on pile worded:<br>WARNING RESTRICTED<br>AREA. | Army maintained. |
| 30561.7  | -WARNING LIGHT G         |                 | FI Y 4s               | 15            |              | NW on pile worded:<br>WARNING RESTRICTED<br>AREA. | Army maintained. |
| 30561.8  | -WARNING LIGHT H         |                 | FI Y 2.5s             | 15            |              | NW on pile worded:<br>WARNING RESTRICTED<br>AREA. | Army maintained. |
| 30561.9  | -WARNING LIGHT I         |                 | FI Y 4s               | 15            |              | NW on pile worded:<br>WARNING RESTRICTED<br>AREA. | Army maintained. |
| 30562.1  | -WARNING LIGHT J         |                 | FI Y 2.5s             | 15            |              | NW on pile worded:<br>WARNING RESTRICTED<br>AREA. | Army maintained. |
| 30562.2  | -WARNING LIGHT K         |                 | FI Y 4s               | 15            |              | NW on pile worded:<br>WARNING RESTRICTED<br>AREA. | Army maintained. |
| 30562.3  | -WARNING LIGHT L         |                 | FI Y 2.5s             | 15            |              | NW on pile worded:<br>WARNING RESTRICTED<br>AREA. | Army maintained. |
| 30562.4  | -WARNING LIGHT M         |                 | FI Y 4s               | 15            |              | NW on pile worded:<br>WARNING RESTRICTED<br>AREA. | Army maintained. |
| 30562.5  | WARNING LIGHT N          |                 | FI Y 2.5s             | 15            |              | NW on pile worded:<br>WARNING RESTRICTED<br>AREA. | Army maintained. |
| 30562.6  | -WARNING LIGHT O         |                 | FI Y 4s               | 15            |              | NW on pile worded:<br>WARNING RESTRICTED<br>AREA. | Army maintained. |
| <b>Sunny Point Terminal</b>                                  |                          |                 |                       |               |              |   |                  |
| <b>South Channel</b>   |                          |                 |                       |               |              |   |                  |
| <i>Lights located 50 feet outside dredged channel limit.</i> |                          |                 |                       |               |              |   |                  |
| 30565  | - Lighted Buoy 1S        |                 | FI G 2.5s             |               | 4            | Green.  |                  |
| 30570  | - Lighted Buoy 2S        |                 | FI R 4s               |               | 3            | Red.  |                  |
| 30573  | - Lighted Buoy 4S        |                 | Q R                   |               | 3            | Red.  |                  |
| 30575  | - LIGHT 5S               |                 | Q G                   | 15            | 3            | SG on multi-pile structure.                       |                  |
| 30577  | - Lighted Buoy 6S        |                 | FI R 2.5s             |               | 3            | Red.  |                  |
| 30580  | - Lighted Buoy 7S        |                 | Q G                   |               | 3            | Green.  |                  |
| 30586  | - Lighted Buoy 9S        |                 | FI G 2.5s             |               | 3            | Green.  |                  |
| 30588  | - Lighted Buoy 10S       |                 | FI R 2.5s             |               | 3            | Red.  |                  |
| <b>Central Channel</b>                                       |                          |                 |                       |               |              |   |                  |
| 30591  | - Lighted Buoy 1C        |                 | FI G 2.5s             |               | 3            | Green.  |                  |
| 30592  | - Lighted Buoy 2C        |                 | FI R 4s               |               | 3            | Red.  |                  |
| 30594  | - Lighted Buoy 4C        |                 | Q R                   |               | 3            | Red.  |                  |
| 30596  | - Lighted Buoy 5C        |                 | Q G                   |               | 3            | Green.  |                  |

| (1)<br>No.                             | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks   |
|--|---|--------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| <b>NORTH CAROLINA - Fifth District</b> |   |                          |                       |               |              |                             |  |
| 30600                                  | - Lighted Buoy 6C   |                          | <b>FI R</b> 4s        |               | 3            | Red.                        |  |
| 30601                                  | - Lighted Buoy 8C   |                          | <b>FI R</b> 2.5s      |               | 3            | Red.                        |  |
| 30603                                  | - Lighted Buoy 10C  |                          | <b>FI R</b> 4s        |               | 3            | Red.                        |  |
| 30605                                  | - LIGHT 12  |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on multi-pile structure. |  |
| 30610                                  | - LIGHT 14  |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. |  |
| 30615                                  | - LIGHT 16  |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. |  |
| 30620                                  | - LIGHT 17  |                          | <b>FI G</b> 4s        | 13            | 4            | SG on multi-pile structure. |  |
| 30625                                  | - LIGHT 18  |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. |  |
| 30630                                  | - Cut-Off Channel<br>Buoy 19  |                          |                       |               |              | Green can.                  |  |
| <b>Cape Fear River</b>                 |   |                          |                       |               |              |                             |  |
| 30635<br>39930                         | - Channel Lighted<br>Buoy 28  |                          | <b>Q R</b>            |               | 4            | Red with yellow square.     |  |
| 30640<br>39915                         | LOWER MIDNIGHT CHANNEL<br>RANGE FRONT LIGHT   | 34 01 24 N<br>77 56 06 W | <b>Q W</b>            | 22            |              | KWR on skeleton tower.      |  |
| 30645<br>39920                         | LOWER MIDNIGHT CHANNEL<br>RANGE REAR LIGHT<br>3,000 yards, 014.5° from<br>front light.        |                          | <b>Iso W</b> 6s       | 42            |              | KWR on skeleton tower.      |  |
| 30650<br>39925                         | - Channel Lighted<br>Buoy 29  |                          | <b>FI G</b> 4s        |               | 4            | Green with yellow triangle. |  |
| 30665<br>39910                         | Channel Lighted Buoy 30   |                          | <b>Q R</b>            |               | 3            | Red with yellow square.     |  |
| 30670<br>39905                         | - Channel Lighted<br>Buoy 31<br>50 feet outside<br>channel limit.                             |                          | <b>Q G</b>            |               | 4            | Green.                      |  |
| 30675<br>39890                         | UPPER MIDNIGHT CHANNEL<br>NORTH RANGE FRONT<br>LIGHT  | 34 03 24 N<br>77 56 24 W | <b>Q W</b>            | 22            |              | KWR on skeleton tower.      |  |
| 30680<br>39895                         | UPPER MIDNIGHT CHANNEL<br>NORTH RANGE REAR<br>LIGHT<br>850 yards, 359.5° from<br>front light. |                          | <b>Iso W</b> 6s       | 42            |              | KWR on skeleton tower.      |  |
| 30685<br>39900                         | - Channel Lighted<br>Buoy 33  |                          | <b>FI G</b> 2.5s      |               | 3            | Green.                      |  |
| 30690<br>39880                         | NEW RIVER - CAPE FEAR<br>RIVER LIGHT 177  |                          | <b>FI G</b> 4s        | 16            | 4            | SG-SY on pile.              |  |
| 30695<br>39885                         | - Channel Lighted<br>Buoy 35  |                          | <b>FI G</b> 4s        |               | 4            | Green.                      |  |
| 30700                                  | - Channel Lighted<br>Buoy 36<br>50 feet outside channel<br>limit.                             |                          | <b>FI R</b> 4s        |               | 4            | Red.                        |  |
| 30705                                  | - CHANNEL LIGHT 38  |                          | <b>Q R</b>            | 17            | 7            | TR on multi-pile structure. | Higher intensity beam up and<br>down channel.<br>Ra ref. |
| 30710                                  | LOWER LILIPUT RANGE<br>FRONT LIGHT  | 34 05 12 N<br>77 55 48 W | <b>Q W</b>            | 22            |              | KWR on skeleton tower.      |  |

| (1)<br>No.                             | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic                              | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks   |
|--|--|--------------------------|--|---------------|--------------|--|--|
| <b>NORTH CAROLINA - Fifth District</b> |  |                          |  |               |              |  |  |
| 30715                                  | LOWER LILIPUT RANGE<br>REAR LIGHT<br>1,130 yards, 012.5° from<br>front light.        |                          | <b>Iso W 6s</b>                                    | 42            |              | KWR on skeleton tower.   |  |
| 30720                                  | - Channel Lighted<br>Buoy 39   |                          | <b>FI G 4s</b>                                     |               | 4            | Green.   |  |
| 30725                                  | - Channel Lighted<br>Buoy 40<br>50 feet outside channel<br>limit.                    |                          | <b>FI R 4s</b>                                     |               | 3            | Red.   |  |
| 30730                                  | - CHANNEL LIGHT 41   |                          | <b>Q G</b>   | 14            | 4            | SG on multi-pile structure.  | Ra ref.  |
| 30735                                  | UPPER LILIPUT RANGE<br>FRONT LIGHT   | 34 04 13 N<br>77 55 53 W | <b>Q W</b>   | 22            |              | KWR on skeleton tower.   |  |
| 30740                                  | UPPER LILIPUT RANGE<br>REAR LIGHT<br>1,900 yards, 173° from<br>front light.          |                          | <b>Iso W 6s</b>                                    | 42            |              | KWR on skeleton tower.   |  |
| 30745                                  | - Channel Lighted<br>Buoy 42<br>50 feet outside channel<br>limit.                    |                          | <b>FI R 4s</b>                                     |               | 4            | Red.   |  |
| 30750                                  | - Channel Lighted<br>Buoy 44<br>50 feet outside channel<br>limit.                    |                          | <b>Q R</b>   |               | 3            | Red.   |  |
| 30755                                  | KEG ISLAND RANGE FRONT<br>LIGHT  | 34 07 47 N<br>77 56 05 W | <b>Q W</b> (day)<br><b>Q W</b> (night)             | 19<br>22      |              | On multi-pile structure. Same<br>structure as Big Island Upper<br>South Range Front Light. | Lighted throughout 24 hours.<br>Day: Visible on rangeline only.<br>Night: Visible all around; higher<br>intensity on rangeline.                                |
| 30760                                  | KEG ISLAND RANGE REAR<br>LIGHT<br>622 yards, 002.7° from<br>front light.             |                          | <b>Iso W 6s</b> (day)<br><b>Iso W 6</b> (night)    | 35<br>38      |              | Skeleton tower on multi-pile<br>structure.   | Lighted throughout 24 hours.<br>Day: Visible on rangeline only.<br>Night: Visible all around; higher<br>intensity on rangeline.                                |
| 30765                                  | - Channel Lighted<br>Buoy 46<br>50 feet outside channel<br>limit.                    |                          | <b>FI R 4s</b>                                     |               | 3            | Red.   |  |
| 30770                                  | - Channel Lighted Buoy 47<br>50 feet outside channel limit.                          |                          | <b>FI G 4s</b>                                     |               | 4            | Green.   |  |
| 30775                                  | BIG ISLAND LOWER<br>SOUTH RANGE FRONT<br>LIGHT                                       | 34 07 26 N<br>77 56 02 W | <b>Q W</b> (day)<br><b>Q W</b> (night)             | 29<br>32      |              | Skeleton tower on multi-pile<br>structure.   | Visible on range line only.<br>Lighted throughout 24 hours.<br>Day: Visible on rangeline only.<br>Night: Visible all around; higher<br>intensity on rangeline. |
| 30780                                  | BIG ISLAND LOWER SOUTH<br>RANGE REAR LIGHT<br>300 yards, 151.2° from<br>front light. |                          | <b>Iso W 6s</b> (day)<br><b>Iso W 6s</b> (night)   | 34<br>37      |              | Skeleton tower on multi-pile<br>structure.   | Visible on range line only.<br>Lighted throughout 24 hours.<br>Day: Visible on rangeline only.<br>Night: Visible all around; higher<br>intensity on rangeline. |
| 30783                                  | BIG ISLAND LOWER<br>NORTH RANGE FRONT<br>LIGHT                                       | 34 08 21 N<br>77 56 37 W | <b>FI G 2.5s</b> (day)<br><b>FI G 2.5s</b> (night) | 16<br>19      |              | On multi-pile structure.   | Lighted throughout 24 hours.<br>Day: Visible on rangeline only.<br>Night: Visible all around; higher<br>intensity on rangeline.                                |
| 30784                                  | BIG ISLAND LOWER NORTH<br>RANGE REAR LIGHT<br>166 yards, 331.2°<br>from front light. |                          | <b>Oc G 4s</b> (day)<br><b>Oc G 4s</b> (night)     | 30<br>33      |              | Skeleton tower on multi-pile<br>structure.   | Lighted throughout 24 hours.<br>Day: Visible on rangeline only.<br>Night: Visible all around; higher<br>intensity on rangeline.                                |
| 30785                                  | - Channel Lighted Buoy 49<br>50 feet outside channel<br>limit.                       |                          | <b>FI G 2.5s</b>                                   |               | 4            | Green.   | Ra ref.  |

| (1)<br>No.                             | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic                            | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks   |
|--|--|--------------------------|--|---------------|--------------|---|--|
| <b>NORTH CAROLINA - Fifth District</b> |  |                          |  |               |              |   |  |
| 30790                                  | - Channel Lighted<br>Buoy 51<br>50 feet outside channel limit.                       |                          | <b>Q G</b>                                       |               | 4            | Green.  |  |
| 30795                                  | - Channel Lighted Buoy 52<br>50 feet outside channel limit.                          |                          | <b>FI R 4s</b>                                   |               | 4            | Red.  |  |
| 30796                                  | BIG ISLAND UPPER NORTH<br>RANGE FRONT LIGHT  | 34 08 41 N<br>77 57 11 W | <b>Iso G 2s (day)</b><br><b>Iso G 2s (night)</b> | 18<br>21      |              | On multi-pile structure.  | Lighted throughout 24 hours.<br>Day: Visible on rangeline only.<br>Night: Visible all around; higher<br>intensity on rangeline.                                |
| 30797                                  | BIG ISLAND UPPER NORTH<br>RANGE REAR LIGHT<br>101 yards, 313.8°<br>from front light. |                          | <b>Iso G 6s (day)</b><br><b>Iso G 6s (night)</b> | 30<br>33      |              | Skeleton tower on multi-pile<br>structure.  | Lighted throughout 24 hours.<br>Day: Visible on rangeline only.<br>Night: Visible all around; higher<br>intensity on rangeline.                                |
| 30800                                  | BIG ISLAND UPPER SOUTH<br>RANGE FRONT LIGHT  | 34 07 47 N<br>77 56 05 W | <b>Q W (day)</b><br><b>Q W (night)</b>           | 19<br>22      |              | On multi-pile structure.<br>On same structure as Keg Island<br>Channel Range Front light. | Visible on range line only.<br>Lighted throughout 24 hours.<br>Day: Visible on rangeline only.<br>Night: Visible all around; higher<br>intensity on rangeline. |
| 30805                                  | BIG ISLAND UPPER SOUTH<br>RANGE REAR LIGHT<br>400 yards, 151.2° from<br>front light. |                          | <b>Iso W 6s (day)</b><br><b>Iso W 6s (night)</b> | 32<br>35      |              | Skeleton tower on multi-pile<br>structure.  | Visible on range line only.<br>Lighted throughout 24 hours.<br>Day: Visible on rangeline only.<br>Night: Visible all around; higher<br>intensity on rangeline. |
| 30810                                  | - Channel Lighted<br>Buoy 54<br>50 feet outside channel limit.                       |                          | <b>FI R 2.5s</b>                                 |               | 3            | Red.  |  |
| 30815                                  | - Channel Lighted Buoy 55<br>50 feet outside channel limit.                          |                          | <b>FI G 4s</b>                                   |               | 4            | Green.  |  |
| 30820                                  | LOWER BRUNSWICK RANGE<br>FRONT LIGHT   | 34 09 47 N<br>77 57 49 W | <b>Q W</b>                                       | 20            |              | KWR on square pyramidal<br>skeleton tower.  | Visible all around; higher<br>intensity on rangeline.  |
| 30825                                  | LOWER BRUNSWICK RANGE<br>REAR LIGHT<br>400 yards, 333.3° from<br>front light.        |                          | <b>Iso W 6s</b>                                  | 34            |              | KWR on square pyramidal<br>skeleton tower.  | Visible on range line only.  |
| 30830                                  | - Channel Lighted<br>Buoy 56<br>50 feet outside channel limit.                       |                          | <b>FI R 4s</b>                                   |               | 4            | Red.  |  |
| 30835                                  | - CHANNEL LIGHT 57<br>50 feet outside channel<br>limit.                              |                          | <b>FI G 4s</b>                                   | 15            | 4            | SG on pile.   |  |
| 30840                                  | - Channel Lighted<br>Buoy 58<br>50 feet outside channel<br>limit.                    | 34 09 31 N<br>77 57 31 W | <b>Q R</b>                                       |               | 3            | Red.  |  |
| 30845                                  | UPPER BRUNSWICK RANGE<br>FRONT LIGHT   | 34 11 06 N<br>77 57 24 W | <b>Q R</b>                                       | 22            |              | KWR on square pyramidal<br>skeleton tower.  |  |
| 30850                                  | UPPER BRUNSWICK RANGE<br>REAR LIGHT<br>350 yards, 011.4° from<br>front light.        |                          | <b>Iso R 6s</b>                                  | 42            |              | KWR on square pyramidal<br>skeleton tower.  |  |
| 30855                                  | - Lighted Buoy 59  |                          | <b>FI G 4s</b>                                   |               | 4            | Green.  |  |
| 30860                                  | EXXON PIER LIGHT A   | 34 10 36 N<br>77 57 24 W | <b>F Y</b>                                       | 10            |              | On pier.  | Private aid.   |
| 30865                                  | EXXON PIER LIGHT B   |                          | <b>F Y</b>                                       | 10            |              | On pier.  | Private aid.   |
| <b>Wilmington Marine Center</b>        |  |                          |  |               |              |   |  |
| 30870                                  | - North Range Front<br>Daybeacon   | 34 10 18 N<br>77 57 06 W |  |               |              | Black diamond with white border<br>on pile.   | Private aid.   |

| (1)<br>No.   | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic                          | (5)<br>Height | (6)<br>Range | (7)<br>Structure                        | (8)<br>Remarks   |
|--|---|--------------------------|--|---------------|--------------|---|--|
| <b>NORTH CAROLINA - Fifth District</b>                   |   |                          |  |               |              |   |  |
| 30875  | - North Range Rear Daybeacon  |                          |  |               |              | Black circle with white border on pile. | Private aid.   |
| 30880  | - Daybeacon 1   |                          |  |               |              | SG on pile.                             | Private aid.   |
| 30885  | - Daybeacon 2   |                          |  |               |              | TR on pile.                             | Private aid.   |
| 30890  | - Daybeacon 3   |                          |  |               |              | SG on pile.                             | Private aid.   |
| 30895  | - Daybeacon 4   |                          |  |               |              | TR on pile.                             | Private aid.   |
| 30900  | - Daybeacon 5   |                          |  |               |              | SG on pile.                             | Private aid.   |
| 30905  | - Daybeacon 6   |                          |  |               |              | TR on pile.                             | Private aid.   |
| 30910  | - Daybeacon 7   |                          |  |               |              | SG on pile.                             | Private aid.   |
| 30915  | - Daybeacon 9   |                          |  |               |              | SG on pile.                             | Private aid.   |
| <b>Cape Fear River</b>                                   |   |                          |  |               |              |   |  |
| 30925  | FOURTH EAST JETTY RANGE FRONT LIGHT                                       | 34 09 57 N<br>77 57 33 W | <b>Q W</b> (Day)<br><b>Q W</b> (Night)         | 13<br>16      |              | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible on rangeline only. NIGHT: Visible all around; higher intensity on rangeline. |
| 30930  | FOURTH EAST JETTY RANGE REAR LIGHT<br>173 yards, 183.7° from front light. |                          | <b>Iso W</b> 6s(Day)<br><b>Iso W</b> 6s(Night) | 36<br>39      |              | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible on rangeline only. NIGHT: Visible all around; higher intensity on rangeline. |
| 30935  | - Lighted Buoy 61   |                          | <b>FI G</b> 4s                                 |               | 4            | Green.                                  |  |
| 30940  | - TURNING BASIN LIGHT A   | 34 12 28 N<br>77 57 34 W | <b>FI W</b> 2.5s                               | 15            | 5            | NR on pile.                             |  |
| 30945  | PAKTANK PIER LIGHT  | 34 12 36 N<br>77 57 18 W | <b>FI Y</b> 2.5s                               | 16            |              | On post on A-frame on pier.             | Private aid.   |
| 30950  | - TURNING BASIN LIGHT B   | 34 12 52 N<br>77 57 29 W | <b>FI W</b> 4s                                 | 15            | 4            | NR on multi-pile structure.             |  |
| 30955  | - CHANNEL LIGHT 63  |                          | <b>FI G</b> 2.5s                               | 15            | 3            | SG on pile.                             |  |
| 30960  | - JUNCTION LIGHT A  | 34 14 26 N<br>77 57 17 W | <b>FI (2+1) G</b> 6s                           | 15            | 3            | JG on pile.                             |  |
| <b>Northeast Cape Fear River</b>                         |   |                          |  |               |              |   |  |
| <i>Daybeacons located 50 feet outside channel limit.</i> |   |                          |  |               |              |   |  |
| 30970  | - TURNING BASIN LIGHT   | 34 14 48 N<br>77 57 19 W | <b>FI W</b> 4s                                 | 15            | 5            | NB on pile.                             |  |
| 30975  | - LIGHT 1   | 34 15 44 N<br>77 51 04 W | <b>FI G</b> 2.5s                               | 15            | 3            | SG on pile.                             |  |
| 30980  | - LIGHT 2   |                          | <b>FI R</b> 4s                                 | 15            | 3            | TR on pile.                             |  |
| 30985  | - LIGHT 4   |                          | <b>FI R</b> 2.5s                               | 15            | 6            | TR on pile.                             |  |
| 30990  | - LIGHT 6   |                          | <b>FI R</b> 4s                                 | 16            | 2            | TR on pile.                             |  |
| 30995  | - Daybeacon 8   |                          |  |               |              | TR on pile.                             |  |
| 31000  | - Daybeacon 10  |                          |  |               |              | TR on pile.                             |  |
| 31002  | PCS NITROGEN PIER LIGHT A   | 34 16 35 N<br>77 57 06 W | <b>F Y</b>                                     | 10            |              | On north end of pier.                   | Private aid.   |
| 31002.1  | PCS NITROGEN PIER LIGHT B   |                          | <b>F Y</b>                                     | 10            |              | On south end of pier.                   | Private aid.   |

| (1)<br>No.  | (2)<br>Name and Location     | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                  | (8)<br>Remarks |
|---|------------------------------|--------------------------|-----------------------|---------------|--------------|---|----------------|
| <b>NORTH CAROLINA - Fifth District</b>  |                              |                          |                       |               |              |   |                |
| <b>MYRTLE GROVE SOUND TO CASINO CREEK (Chart 11534)</b>                         |                              |                          |                       |               |              |   |                |
| <b>Lockwoods Folly Inlet</b>  |                              |                          |                       |               |              |   |                |
| <i>Due to frequently changing conditions, positions of aids are not listed.</i> |                              |                          |                       |               |              |   |                |
| 31005<br>865  | - Lighted Whistle<br>Buoy LW |                          | <b>Mo (A) W</b>       |               | 6            | Red and white stripes with red spherical topmark. |                |
| 31010   | - Buoy 1                     |                          |                       |               |              | Green can.  |                |
| 31015   | - Buoy 2                     |                          |                       |               |              | Red nun.  |                |
| 31020   | - Buoy 3                     |                          |                       |               |              | Green can.  |                |
| 31025   | - Buoy 4                     |                          |                       |               |              | Red nun.  |                |
| 31027   | - Buoy 5                     |                          |                       |               |              | Green can.  |                |
| 31030   | - Buoy 6                     |                          |                       |               |              | Red nun.  |                |
| 31035   | - Buoy 7                     |                          |                       |               |              | Green can.  |                |
| 31040   | - Buoy 8                     |                          |                       |               |              | Red nun.  |                |
| <i>Due to frequently changing conditions, positions of aids are not listed.</i> |                              |                          |                       |               |              |   |                |
| 31045   | - Buoy 10                    |                          |                       |               |              | Red nun.  |                |
| 31047   | - Buoy 12                    |                          |                       |               |              | Red nun.  |                |
| 31048   | - Buoy 12A                   |                          |                       |               |              | Red nun.  |                |
| <b>Shalote Inlet</b>  |                              |                          |                       |               |              |   |                |
| <i>Due to frequently changing conditions, positions of aids are not listed.</i> |                              |                          |                       |               |              |   |                |
| 31050<br>870  | - Lighted Whistle<br>Buoy SH |                          | <b>Mo (A) W</b>       |               | 6            | Red and white stripes with red spherical topmark. |                |
| 31055   | - Buoy 1                     |                          |                       |               |              | Green can.  |                |
| 31060   | - Buoy 2                     |                          |                       |               |              | Red nun.  |                |
| 31065   | - Buoy 3                     |                          |                       |               |              | Green can.  |                |
| 31070   | - Buoy 4                     |                          |                       |               |              | Red nun.  |                |
| 31075   | - Buoy 5                     |                          |                       |               |              | Green can.  |                |
| 31080   | - Buoy 6                     |                          |                       |               |              | Red nun.  |                |
| 31085   | - Buoy 8                     |                          |                       |               |              | Red nun.  |                |
| 31090   | - Buoy 10                    |                          |                       |               |              | Red nun.  |                |
| 31095   | - Bouy 11                    |                          |                       |               |              | Green can.  |                |
| 31100   | - Buoy 12                    |                          |                       |               |              | Red nun.  |                |
| 31105   | - Buoy 12A                   |                          |                       |               |              | Red nun.  |                |
| 31110   | - Buoy 13                    |                          |                       |               |              | Green can.  |                |
| <b>Calabash Creek</b>   |                              |                          |                       |               |              |   |                |
| 31115   | - Daybeacon 2                | 33 52 16 N<br>78 34 14 W |                       |               |              | TR on pile.                                       |                |
| 31120   | - Daybeacon 3                |                          |                       |               |              | SG on pile.                                       |                |
| 31125   | - LIGHT 4                    |                          | <b>F I R 2.5s</b>     | 15            | 2            | TR on pile.                                       |                |

| (1)<br>No.                             | (2)<br>Name and Location | (3)<br>Position | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks |
|--|--------------------------|-----------------|-----------------------|---------------|--------------|------------------|----------------|
| <b>NORTH CAROLINA - Fifth District</b> |                          |                 |                       |               |              |                  |                |
| 31130                                  | - Daybeacon 6            |                 |                       |               |              |                  | TR on pile.    |
| 31135                                  | - Daybeacon 7            |                 |                       |               |              |                  | SG on pile.    |
| 31140                                  | - Daybeacon 8            |                 |                       |               |              |                  | TR on pile.    |
| 31145                                  | - Daybeacon 9            |                 |                       |               |              |                  | SG on pile.    |
| 31150                                  | - LIGHT 10               |                 | <b>FI R 4s</b>        | 15            | 3            |                  | TR on pile.    |
| 31155                                  | - Daybeacon 12           |                 |                       |               |              |                  | TR on pile.    |

# Section 22

## Currituck Sound to Pamlico Sound

| (1)<br>No.                                       | (2)<br>Name and Location             | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks |
|--|--------------------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|----------------|
| <b>NORTH CAROLINA - Fifth District</b>           |                                      |                          |                       |               |              |                             |                |
| <b>CAPE HENRY TO PAMLICO SOUND (Chart 12205)</b> |                                      |                          |                       |               |              |                             |                |
| <b>Currituck Sound</b>                           |                                      |                          |                       |               |              |                             |                |
| 31160  | MONKEY TAIL SHOAL LIGHT 1            | 36 24 01 N<br>75 52 11 W | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. |                |
| 31165  | WATERLILY LIGHT 1W                   | 36 22 46 N<br>75 55 02 W | <b>FI G</b> 4s        | 15            | 5            | SG on multi-pile structure. |                |
| 31170  | WHALE HEAD BAY LIGHT 1               | 36 21 55 N<br>75 51 05 W | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. |                |
| 31175  | WHALE HEAD BAY LIGHT 2               |                          | <b>FI R</b> 4s        | 16            | 3            | TR on multi-pile structure. |                |
| <b>North Carolina Power</b>                      |                                      |                          |                       |               |              |                             |                |
| 31180  | - Cable Warning Daybeacon            |                          |                       |               |              | NW on pile.                 | Private aid.   |
| 31185  | - Cable Warning Daybeacon            |                          |                       |               |              | NW on pile.                 | Private aid.   |
| 31190  | - Cable Warning Daybeacon            |                          |                       |               |              | NW on pile.                 | Private aid.   |
| 31195  | - Cable Warning Daybeacon            |                          |                       |               |              | NW on pile.                 | Private aid.   |
| 31200  | - Cable Warning Daybeacon            |                          |                       |               |              | NW on pile.                 | Private aid.   |
| 31205  | - Cable Warning Daybeacon            |                          |                       |               |              | NW on pile.                 | Private aid.   |
| 31210  | - Cable Warning Daybeacon            |                          |                       |               |              | NW on pile.                 | Private aid.   |
| 31215  | - Cable Warning Daybeacon            |                          |                       |               |              | NW on pile.                 | Private aid.   |
| <b>Currituck Sound</b>                           |                                      |                          |                       |               |              |                             |                |
| 31220  | POPLAR BRANCH LIGHT 1                | 36 17 19 N<br>75 52 59 W | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. |                |
| 31225  | LONE OAK CHANNEL LIGHT 1             | 36 17 37 N<br>75 51 29 W | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. |                |
| 31230  | - WELLS CREEK LIGHT 1                | 36 17 19 N<br>75 49 23 W | <b>FI G</b> 4s        | 15            | 5            | SG on multi-pile structure. |                |
| 31235  | BEASLEY BAY LIGHT 2                  | 36 17 13 N<br>75 48 29 W | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure. |                |
| 31240  | - Approach Daybeacon 1               |                          |                       |               |              | SG on pile.                 |                |
| 31245  | CURRITUCK FERRY TERMINAL LIGHT 2     | 36 27 19 N<br>75 59 33 W | <b>Q R</b>            | 15            | 3            | TR on pile.                 | Ra ref.        |
| 31250  | CURRITUCK FERRY TERMINAL LIGHT 3     | 36 26 59 N<br>76 00 30 W | <b>FI G</b> 4s        | 16            | 4            | SG on multi-pile structure. | Ra ref.        |
| 31255  | KNOTTS ISLAND FERRY TERMINAL LIGHT 2 |                          | <b>Q R</b>            | 15            | 3            | TR on pile.                 | Ra ref.        |
| 31260  | KNOTTS ISLAND FERRY TERMINAL LIGHT 4 |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                 | Ra ref.        |
| 31265  | KNOTTS ISLAND FERRY TERMINAL LIGHT 6 | 36 28 51 N<br>75 55 50 W | <b>FI R</b> 4s        | 16            | 3            | TR on pile.                 | Ra ref.        |

| (1)<br>No.                             | (2)<br>Name and Location                   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks   |
|--|--|--------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| <b>NORTH CAROLINA - Fifth District</b> |  |                          |                       |               |              |                             |  |
| <b>Jean Guite Creek</b>                |  |                          |                       |               |              |                             |  |
| 31270                                  | - Southern Shores<br>Daybeacon 1           |                          |                       |               |              | SG on pile.                 | Private aid.   |
| 31275                                  | - Southern Shores<br>Daybeacon 2           |                          |                       |               |              | TR on pile.                 | Private aid.   |
| 31280                                  | - Southern Shores<br>Daybeacon 3           |                          |                       |               |              | SG on pile.                 | Private aid.   |
| 31285                                  | - Southern Shores<br>Daybeacon 4           |                          |                       |               |              | TR on pile.                 | Private aid.   |
| 31290                                  | - Southern Shores<br>Daybeacon 5           |                          |                       |               |              | SG on pile.                 | Private aid.   |
| 31291                                  | - Southern Shores<br>Daybeacon 5A          |                          |                       |               |              | SG on pile.                 | Private aid.   |
| 31295                                  | - Southern Shores<br>Daybeacon 6           |                          |                       |               |              | TR on pile.                 | Private aid.   |
| 31296                                  | - Southern Shores<br>Daybeacon 6A          |                          |                       |               |              | TR on pile.                 | Private aid.   |
| 31300                                  | - Southern Shores<br>Daybeacon 7           |                          |                       |               |              | SG on pile.                 | Private aid.   |
| 31305                                  | - Southern Shores Junction<br>Daybeacon JG | 36 07 42 N<br>75 44 48 W |                       |               |              | JR on pile.                 | Private aid.   |
| 31307                                  | - Daybeacon 1                              |                          |                       |               |              | SG on pile.                 | Private aid.   |
| 31308                                  | - Daybeacon 2                              |                          |                       |               |              | TR on pile.                 | Private aid.   |
| 31310                                  | - Southern Shores<br>Daybeacon 9           |                          |                       |               |              | SG on pile.                 | Private aid.   |
| 31315                                  | - Southern Shores<br>Daybeacon 10          |                          |                       |               |              | TR on pile.                 | Private aid.   |
| 31320                                  | - Southern Shores<br>Daybeacon 11          |                          |                       |               |              | SG on pile.                 | Private aid.   |
| 31325                                  | - Southern Shores<br>Daybeacon 12          |                          |                       |               |              | TR on pile.                 | Private aid.   |
| <b>Albemarle Sound</b>                 |  |                          |                       |               |              |                             |  |
| <b>Kitty Hawk Bay</b>                  |  |                          |                       |               |              |                             |  |
| 31330                                  | - Light 2KH                                |                          | FI R 4s               | 16            | 5            | TR on pile.                 |  |
| 31335                                  | - Daybeacon 3                              |                          |                       |               |              | SG on pile.                 |  |
| 31340                                  | - Daybeacon 4                              |                          |                       |               |              | TR on pile.                 |  |
| 31345                                  | - Daybeacon 6                              |                          |                       |               |              | TR on pile.                 |  |
| <b>Albemarle Sound</b>                 |  |                          |                       |               |              |                             |  |
| 31350                                  | Colington Harbor Entrance<br>Daybeacon 3   |                          |                       |               |              | SG on pile.                 | Private aid.   |
| 31355                                  | MIDDLE GROUND LIGHT MG                     |                          | Iso W 6s              | 15            | 6            | NR on multi-pile structure. | Higher intensity beams toward Albemarle Sound Light, North Point, Colington Island, and Croaton Channel. |
| 31360                                  | Durant Island Daybeacon 1D                 | 36 00 16 N<br>75 51 59 W |                       |               |              | SG on pile.                 |  |

| (1)<br>No.                                      | (2)<br>Name and Location                                   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                             | (8)<br>Remarks  |
|---|--|--------------------------|-----------------------|---------------|--------------|--|---|
| <b>NORTH CAROLINA - Fifth District</b>          |  |                          |                       |               |              |  |   |
| 31365   | Powells Point Daybeacon 2P                                 | 36 03 00 N<br>75 50 14 W |                       |               |              | TR on pile.                                  | Ra ref.   |
| 31370   | Powells Point Daybeacon 4P                                 | 36 06 33 N<br>75 52 25 W |                       |               |              | TR on pile.                                  | Ra ref.   |
| 31375   | Durant Island Daybeacon 3D                                 | 36 00 12 N<br>75 55 20 W |                       |               |              | SG on pile.                                  |   |
| 31380<br>37055                                  | - ENTRANCE LIGHT AS  | 36 03 44 N<br>75 56 08 W | <b>Mo (A) W</b>       | 16            | 6            | MR-I on multipile structure.                 | Higher intensity beam up and down channel.                    |
| <b>NORFOLK TO ALBEMARLE SOUND (Chart 12206)</b> |  |                          |                       |               |              |  |   |
| <b>Albemarle Sound</b>                          |  |                          |                       |               |              |  |   |
| <b>Pasquotank River</b>                         |  |                          |                       |               |              |  |   |
| 31390<br>37045                                  | - ENTRANCE LIGHT PR<br>On east part of shoal<br>off point. | 36 09 23 N<br>75 58 39 W | <b>FI W 2.5s</b>      | 23            | 11           | NB on multi-pile structure.                  |   |
| 31393   | - Entrance Warning Daybeacon A                             |                          |                       |               |              | NW on pile worded<br>DANGER SUBMERGED ROCKS. |   |
| 31395<br>37040                                  | - SLUE LIGHT 1PR   | 36 09 02 N<br>76 01 18 W | <b>FI G 4s</b>        | 15            | 5            | SG-TY on pile.                               | Light equipment removed<br>when endangered by ice.<br>Ra ref. |
| 31400<br>37035                                  | - LIGHT 2  |                          | <b>FI R 4s</b>        | 15            | 3            | TR-SY on multi-pile structure.               |   |
| 31405<br>37030                                  | - LIGHT 3  |                          | <b>FI G 4s</b>        | 17            | 4            | SG-TY on pile.                               | Light equipment removed<br>when endangered by ice.            |
| 31410<br>37025                                  | - LIGHT 4  |                          | <b>FI R 4s</b>        | 15            | 3            | TR-SY on pile.                               |   |
| 31415<br>37020                                  | - LIGHT 5  |                          | <b>Q G</b>            | 16            | 3            | SG-TY on pile.                               | Light also shows through<br>zenith.                           |
| <b>Whitehall Shores</b>                         |  |                          |                       |               |              |  |   |
| 31416   | - LIGHT 1  | 36 17 06 N<br>76 08 36 W | <b>FI G 2.5s</b>      | 12            |              | SG on pile.                                  | Private aid.  |
| 31416.5   | - Daybeacon 2  |                          |                       |               |              | TR on pile.                                  | Private aid.  |
| 31417   | - Daybeacon 3  |                          |                       |               |              | SG on pile.                                  | Private aid.  |
| 31417.5   | - Daybeacon 4  |                          |                       |               |              | TR on pile.                                  | Private aid.  |
| 31418   | - Daybeacon 5  |                          |                       |               |              | SG on pile.                                  | Private aid.  |
| 31418.5   | - Daybeacon 6  |                          |                       |               |              | TR on pile.                                  | Private aid.  |
| 31419   | - Daybeacon 7  |                          |                       |               |              | SG on pile.                                  | Private aid.  |
| 31419.5   | - Daybeacon 8  |                          |                       |               |              | TR on pile.                                  | Private aid.  |
| 31419.6   | West Channel Daybeacon 1                                   |                          |                       |               |              | SG on pile.                                  | Private aid.  |
| 31419.7   | West Channel Daybeacon 3                                   |                          |                       |               |              | SG on pile.                                  | Private aid.  |
| <b>Pasquotank River</b>                         |  |                          |                       |               |              |  |   |
| 31420<br>37005                                  | - LIGHT 5A   |                          | <b>FI G 4s</b>        | 15            | 4            | SG-TY on pile.                               | Light equipment removed<br>when endangered by ice.            |
| 31425<br>37010                                  | Coast Guard Base<br>Daybeacon 1                            | 36 16 16 N<br>76 10 39 W |                       |               |              | SG on pile.                                  |   |
| 31430<br>37015                                  | COAST GUARD BASE<br>LIGHT 2                                | 36 16 15 N<br>76 10 40 W | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                                  |   |

| (1)<br>No.                                       | (2)<br>Name and Location           | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                       | (8)<br>Remarks                    |
|--|------------------------------------|--------------------------|-----------------------|---------------|--------------|--|-----------------------------------|
| <b>NORTH CAROLINA - Fifth District</b>           |                                    |                          |                       |               |              |  |                                   |
| 31435<br>37000                                   | - LIGHT 7                          |                          | <b>Q G</b>            | 18            | 4            | SG-TY on pile.                         | Higher intensity beam downstream. |
| 31440<br>36995                                   | - Daybeacon 8                      |                          |                       |               |              | TR-SY on pile.                         |                                   |
| 31445<br>36990                                   | - LIGHT 9                          |                          | <b>FI G 4s</b>        | 16            | 4            | SG-TY on slatted pile structure.       |                                   |
| 31450<br>36985                                   | - Daybeacon 11                     |                          |                       |               |              | SG-TY on pile.                         |                                   |
| 31455<br>36980                                   | - Daybeacon 13                     |                          |                       |               |              | SG-TY on pile.                         |                                   |
| 31460<br>36975                                   | - Daybeacon 15                     |                          |                       |               |              | SG-TY on pile.                         |                                   |
| 31465<br>36970                                   | - Daybeacon 16                     |                          |                       |               |              | TR-SY on pile.                         |                                   |
| 31470<br>36965                                   | - Daybeacon 17                     |                          |                       |               |              | SG-TY on pile.                         |                                   |
| 31475<br>36960                                   | - Daybeacon 18                     |                          |                       |               |              | TR-SY on pile.                         |                                   |
| 31480<br>36955                                   | - Daybeacon 19                     |                          |                       |               |              | SG-TY on pile.                         |                                   |
| <b>CAPE HENRY TO PAMLICO SOUND (Chart 12205)</b> |                                    |                          |                       |               |              |  |                                   |
| <b>Albemarle Sound</b>                           |                                    |                          |                       |               |              |  |                                   |
| 31485  | - LIGHT 1AS                        | 36 02 39 N<br>76 04 30 W | <b>FI G 6s</b>        | 16            | 6            | SG on pile.                            |                                   |
| 31490  | - Warning Daybeacon A              |                          |                       |               |              | NW on pile worded DANGER BOMBING AREA. |                                   |
| 31491  | - Warning Daybeacon B              |                          |                       |               |              | NW on pile worded DANGER BOMBING AREA. |                                   |
| 31493  | - Warning Daybeacon D              |                          |                       |               |              | NW on pile worded DANGER BOMBING AREA. |                                   |
| 31494  | - Warning Daybeacon E              |                          |                       |               |              | NW on pile worded DANGER BOMBING AREA. |                                   |
| 31495  | - WARNING LIGHT F                  | 36 00 43 N<br>76 19 21 W | <b>FI W 4s</b>        | 15            | 5            | NW on pile worded DANGER BOMBING AREA. |                                   |
| 31496  | - Warning Daybeacon G              |                          |                       |               |              | NW on pile worded DANGER BOMBING AREA. |                                   |
| 31497  | - Warning Daybeacon H              |                          |                       |               |              | NW on pile worded DANGER BOMBING AREA. |                                   |
| 31498  | - Warning Daybeacon I              |                          |                       |               |              | NW on pile worded DANGER BOMBING AREA. |                                   |
| 31500  | - Warning Daybeacon J              |                          |                       |               |              | NW on pile worded DANGER BOMBING AREA. |                                   |
| 31501  | - Warning Daybeacon K              |                          |                       |               |              | NW on pile worded DANGER BOMBING AREA. |                                   |
| 31502  | - Warning Daybeacon L              |                          |                       |               |              | NW on pile worded DANGER BOMBING AREA. |                                   |
| 31505  | Little River Entrance Daybeacon 1L |                          |                       |               |              | SG on pile.                            |                                   |

| (1)<br>No.                             | (2)<br>Name and Location                            | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                             | (8)<br>Remarks                                  |
|--|---|--------------------------|-----------------------|---------------|--------------|--|---|
| <b>NORTH CAROLINA - Fifth District</b> |   |                          |                       |               |              |  |   |
| <b>Perquimans River</b>                |   |                          |                       |               |              |  |   |
| 31510                                  | - ENTRANCE LIGHT 2P                                 | 36 04 31 N<br>76 12 55 W | <b>FI R</b> 2.5s      | 15            | 5            | TR on pile.                                  | Light equipment removed when endangered by ice. |
| 31515                                  | - Entrance Daybeacon 3P                             |                          |                       |               |              | SG on pile.                                  |   |
| 31520                                  | - LIGHT 5   | 36 06 08 N<br>76 17 47 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                                  | Light equipment removed when endangered by ice. |
| 31525                                  | - Daybeacon 7                                       |                          |                       |               |              | SG on pile.                                  |   |
| 31530                                  | - LIGHT 8   |                          | <b>FI R</b> 4s        | 12            | 3            | TR on pile.                                  | Light equipment removed when endangered by ice. |
| 31535                                  | - Daybeacon 9                                       |                          |                       |               |              | SG on pile.                                  |   |
| 31540                                  | - Daybeacon 11                                      |                          |                       |               |              | SG on pile.                                  |   |
| <b>Albemarle Plantation Marina</b>     |   |                          |                       |               |              |  |   |
| 31545                                  | - LIGHT 1   | 36 03 54 N<br>76 24 00 W | <b>FI G</b> 2.5s      | 15            |              | SG on dolphin.                               | Private aid.                                    |
| 31550                                  | - Daybeacon 3                                       |                          |                       |               |              | SG on pile.                                  | Private aid.                                    |
| 31555                                  | - Daybeacon 4                                       |                          |                       |               |              | TR on pile.                                  | Private aid.                                    |
| 31560                                  | - LIGHT 5   |                          | <b>FI G</b> 4s        | 15            |              | SG on pile.                                  | Private aid.                                    |
| 31565                                  | - Daybeacon 6                                       |                          |                       |               |              | TR on pile.                                  | Private aid.                                    |
| 31570                                  | - Daybeacon 8                                       | 36 04 36 N<br>76 21 48 W |                       |               |              | TR on pile.                                  | Private aid.                                    |
| <b>Bull Bay</b>                        |   |                          |                       |               |              |  |   |
| 31575                                  | - Warning Daybeacon<br>15 feet, 092° from<br>wreck. | 35 58 07 N<br>76 21 47 W |                       |               |              | NW on pile worded DANGER<br>SUBMERGED WRECK. |   |
| 31580                                  | - Daybeacon 2BB                                     |                          |                       |               |              | TR on pile.                                  |   |
| <b>Scuppernong River</b>               |   |                          |                       |               |              |  |   |
| 31585                                  | - CHANNEL LIGHT 1SR                                 | 35 56 58 N<br>76 19 36 W | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.                  |   |
| 31590                                  | - Channel Daybeacon 2                               | 35 56 48 N<br>76 19 29 W |                       |               |              | TR on pile.                                  |   |
| 31595                                  | - Channel Daybeacon 2A                              |                          |                       | 14            |              | TR on pile.                                  |   |
| 31600                                  | - CHANNEL LIGHT 3                                   |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                                  |   |
| 31605                                  | - CHANNEL LIGHT 4                                   |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                                  |   |
| 31610                                  | - Channel Daybeacon 5                               |                          |                       |               |              | SG on pile.                                  |   |
| 31615                                  | - CHANNEL LIGHT 7                                   |                          | <b>Q G</b>            | 15            | 3            | SG on pile.                                  |   |
| 31620                                  | - Channel Daybeacon 8                               |                          |                       |               |              | TR on pile.                                  |   |
| 31625                                  | - CHANNEL LIGHT 10                                  |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                                  |   |
| <b>Albemarle Sound</b>                 |   |                          |                       |               |              |  |   |
| 31630                                  | - LIGHT 2AS   | 36 03 20 N<br>76 18 33 W | <b>Q R</b>            | 16            | 3            | TR on multi-pile structure.                  |   |
| 31632                                  | - Daybeacon 4AS                                     |                          |                       |               |              | TR on pile.                                  |   |

| (1)<br>No.   | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                         | (8)<br>Remarks   |
|--|---|--------------------------|-----------------------|---------------|--------------|--|--|
| <b>NORTH CAROLINA - Fifth District</b>             |   |                          |                       |               |              |  |  |
| 31635  | - LIGHT 5AS   | 36 00 06 N<br>76 23 32 W | <b>FI G</b> 4s        | 48            | 5            | SG on skeleton tower.                    |  |
| 31640  | Laurel Point Warning<br>Daybeacon C   |                          |                       |               |              | NW on pile worded DANGER<br>OBSTRUCTION. |  |
| 31645  | - LIGHT 6AS   |                          | <b>FI R</b> 4s        | 15            | 4            | TR on pile.                              |  |
| 31650  | - LIGHT 8AS   | 35 59 11 N<br>76 35 15 W | <b>FI R</b> 4s        | 20            | 5            | TR on multi-pile structure.              | Higher intensity beam toward<br>089°.                  |
| 31655  | - LIGHT 9AS   | 35 59 05 N<br>76 35 20 W | <b>FI G</b> 4s        | 20            | 5            | SG on multi-pile structure.              | Higher intensity beam toward<br>336°.                  |
| 31660  | KENDRICK CREEK CHANNEL<br>ENTRANCE LIGHT 1KC<br>10 feet outside channel<br>limit. | 35 56 33 N<br>76 36 42 W | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                              |  |
| 31665  | Kendrick Creek Channel<br>Entrance Daybeacon 2                                    |                          |                       |               |              | TR on pile.                              |  |
| <b>Roanoke River</b>                               |   |                          |                       |               |              |  |  |
| <i>Aids located 15 feet outside channel limit.</i> |   |                          |                       |               |              |  |  |
| 31670  | - CHANNEL ENTRANCE<br>LIGHT 1RR   | 35 57 18 N<br>76 39 31 W | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.              | Higher intensity beam toward<br>drawbridge.            |
| 31675  | - Channel Daybeacon 2   |                          |                       |               |              | TR on pile.                              |  |
| 31680  | - CHANNEL LIGHT 3   |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                              |  |
| 31685  | - Channel Daybeacon 5   |                          |                       |               |              | SG on pile.                              |  |
| 31690  | - CHANNEL LIGHT 6   |                          | <b>Q R</b>            | 15            | 3            | TR on pile.                              |  |
| 31695  | - Channel Daybeacon 8   | 35 56 36 N<br>74 41 44 W |                       |               |              | TR on pile.                              |  |
| 31700  | - CHANNEL LIGHT 10  |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                              |  |
| 31705  | - CHANNEL LIGHT 11  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                              |  |
| 31710  | - Channel Daybeacon 12  |                          |                       |               |              | TR on pile.                              |  |
| 31715  | - CHANNEL LIGHT 13  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                              |  |
| 31720  | - CHANNEL LIGHT 14  |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                              |  |
| 31725  | - CHANNEL LIGHT 15  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                              |  |
| 31730  | - Channel Daybeacon 16  | 35 54 43 N<br>76 43 31 W |                       |               |              | TR on pile.                              |  |
| 31735  | - CHANNEL LIGHT 17  |                          | <b>FI G</b> 2.5s      | 15            | 4            | SG on pile.                              |  |
| <b>Edenton Bay</b>                                 |   |                          |                       |               |              |  |  |
| 31740  | - LIGHT 2   | 36 01 57 N<br>76 36 55 W | <b>FI R</b> 2.5s      | 15            | 4            | TR on multi-pile structure.              | Higher intensity beam towards<br>192°.                 |
| 31745  | - LIGHT 4   |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                              |  |
| 31750  | EDENTON LIGHT   | 36 03 19 N<br>76 36 35 W | <b>Iso W</b> 6s       | 19            | 6            | NR on pile.                              | Directional light centered on<br>channel axis of 015°. |
| 31755  | - Daybeacon 6   |                          |                       |               |              | TR on pile.                              |  |
| 31760  | - Daybeacon 8   |                          |                       |               |              | TR on pile.                              |  |

| (1)<br>No.                             | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                      |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------|-------------------------------------|
| <b>NORTH CAROLINA - Fifth District</b> |                          |                          |                       |               |              |                             |                                     |
| <b>Pembroke Creek</b>                  |                          |                          |                       |               |              |                             |                                     |
| 31765                                  | - Daybeacon 1            | 36 03 20 N<br>76 36 44 W |                       |               |              | SG on pile.                 |                                     |
| 31770                                  | - Daybeacon 3            |                          |                       |               |              | SG on pile.                 |                                     |
| 31775                                  | - Daybeacon 4            |                          |                       |               |              | TR on pile.                 |                                     |
| 31780                                  | - Daybeacon 6            |                          |                       |               |              | TR on pile.                 |                                     |
| 31782                                  | - Daybeacon 7            |                          |                       |               |              | SG on pile.                 |                                     |
| 31783                                  | - Daybeacon 8            |                          |                       |               |              | TR on pile.                 |                                     |
| <b>Chowan River</b>                    |                          |                          |                       |               |              |                             |                                     |
| 31785                                  | - ENTRANCE LIGHT CR      | 36 00 12 N<br>76 37 27 W | <b>Mo (A) W</b>       | 17            | 5            | NB on pile.                 |                                     |
| 31790                                  | - ENTRANCE LIGHT 2CR     | 36 01 45 N<br>76 40 21 W | <b>FI R 4s</b>        | 15            | 4            | TR on multi-pile structure. | Higher intensity beam towards 133°. |
| 31795                                  | - LIGHT 3                |                          | <b>FI G 4s</b>        | 19            | 4            | SG on multi-pile structure. | Higher intensity beam towards 157°. |
| 31800                                  | - LIGHT 5                |                          | <b>FI G 2.5s</b>      | 16            | 5            | SG on multi-pile structure. | Higher intensity beam towards 166°. |
| 31805                                  | - Daybeacon 7            |                          |                       |               |              | SG on pile.                 |                                     |
| 31810                                  | - LIGHT 9                |                          | <b>FI G 4s</b>        | 16            | 5            | SG on pile.                 |                                     |
| 31815                                  | - Daybeacon 10           |                          |                       |               |              | TR on pile.                 |                                     |
| 31820                                  | - LIGHT 12               |                          | <b>FI R 2.5s</b>      | 18            | 3            | TR on multi-pile structure. | Higher intensity beam towards 205°. |
| 31825                                  | - LIGHT 13               |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 |                                     |
| 31830                                  | - Daybeacon 14           |                          |                       |               |              | TR on pile.                 |                                     |
| 31835                                  | - LIGHT 16               | 36 19 25 N<br>76 44 00 W | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                 | Ra ref.                             |
| 31840                                  | - Daybeacon 18           |                          |                       |               |              | TR on pile.                 |                                     |
| 31845                                  | - LIGHT 19               |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure. |                                     |
| 31850                                  | - Daybeacon 20           |                          |                       |               |              | TR on pile.                 |                                     |
| 31855                                  | - LIGHT 22               |                          | <b>FI R 4s</b>        | 15            | 4            | TR on pile.                 |                                     |
| 31860                                  | - Daybeacon 24           |                          |                       |               |              | TR on pile.                 |                                     |
| 31861                                  | NUCOR DOLPHIN LIGHT A    | 36 21 38 N<br>76 48 20 W | <b>FI Y 4s</b>        | 18            |              | On multi-pile dolphin.      | Private aid.                        |
| 31863                                  | NUCOR DOLPHIN LIGHT B    | 36 21 40 N<br>76 48 29 W | <b>FI Y 2.5s</b>      | 18            |              | On multi-pile dolphin.      | Private aid.                        |
| 31865                                  | - LIGHT 26               |                          | <b>FI R 4s</b>        | 15            | 4            | TR on multi-pile structure. |                                     |
| 31870                                  | - Daybeacon 27           |                          |                       |               |              | SG on pile.                 |                                     |
| 31875                                  | - Daybeacon 28           |                          |                       |               |              | TR on pile.                 |                                     |
| 31880                                  | - LIGHT 29               |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure. |                                     |
| 31885                                  | - Daybeacon 30           |                          |                       |               |              | TR on pile.                 |                                     |
| 31890                                  | - Daybeacon 31           |                          |                       |               |              | SG on pile.                 |                                     |

| (1)<br>No.                             | (2)<br>Name and Location                    | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                | (8)<br>Remarks                                     |
|--|---|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>NORTH CAROLINA - Fifth District</b> |   |                          |                       |               |              |   |  |
| 31895                                  | - Daybeacon 32                              |                          |                       |               |              | TR on pile.                                     |  |
|  | <b>Croatan Sound</b>                        |                          |                       |               |              |   |  |
| 31900                                  | - Approach Daybeacon 2<br>On edge of shoal. | 35 57 39 N<br>75 47 31 W |                       |               |              | TR on multi-pile structure.                     |  |
| 31905                                  | - LIGHT 3CS                                 |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                                     |  |
| 31906                                  | - North Warning Daybeacon.                  | 35 56 43 N<br>75 46 40 W |                       |               |              | NW on pile worded<br>DANGER SUBMERGED<br>ROCKS. |  |
| 31907                                  | - South Warning Daybeacon                   | 35 56 42 N<br>75 46 40 W |                       |               |              | NW on pile worded<br>DANGER SUBMERGED<br>ROCKS. |  |
| 31910                                  | - Daybeacon 3A                              |                          |                       |               |              | SG on pile.                                     |  |
| 31915                                  | MANN'S HARBOR LIGHT 2                       | 35 54 37 N<br>75 46 01 W | <b>FI R 4s</b>        | 18            | 4            | TR on multi-pile structure.                     |  |
| 31920                                  | MANN'S HARBOR CANAL<br>LIGHT 1              |                          | <b>FI G 2.5s</b>      | 16            | 3            | SG on pile.                                     | Light equipment removed<br>when endangered by ice. |
| 31925                                  | - LIGHT 4                                   |                          | <b>FI R 4s</b>        | 20            | 4            | TR on multi-pile structure.                     | Light equipment removed<br>when endangered by ice. |
| 31930                                  | - LIGHT 6                                   |                          | <b>FI R 2.5s</b>      | 18            | 4            | TR on pile.                                     | Light equipment removed<br>when endangered by ice. |
| 31931                                  | - Buoy 6A                                   |                          |                       |               |              | Red nun.  |  |
| 31933                                  | - LIGHT 7                                   |                          | <b>Q G</b>            | 15            | 4            | SG on pile.                                     |  |
| 31935                                  | - LIGHT 8                                   | 35 53 09 N<br>75 43 05 W | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                                     |  |
| 31937                                  | - LIGHT 9                                   |                          | <b>FI G 2.5s</b>      | 15            | 4            | SG on pile.                                     |  |
| 31945                                  | Spencer Creek Daybeacon 3                   |                          |                       | 15            |              | SG on pile.                                     |  |
|  | <b>Spencer Creek</b>                        |                          |                       |               |              |   |  |
| 31946                                  | - Daybeacon 1                               | 35 50 18 N<br>75 43 00 W |                       |               |              | SG on pile.                                     | Private aid.                                       |
| 31946.1                                | - Daybeacon 2                               |                          |                       |               |              | TR on pile.                                     | Private aid.                                       |
| 31946.2                                | - Daybeacon 3                               |                          |                       |               |              | SG on pile.                                     | Private aid.                                       |
| 31946.3                                | - Daybeacon 4                               |                          |                       |               |              | TR on pile.                                     | Private aid.                                       |
| 31946.4                                | - Daybeacon 5                               |                          |                       |               |              | SG on pile.                                     | Private aid.                                       |
| 31946.5                                | - Daybeacon 6                               |                          |                       |               |              | TR on pile.                                     | Private aid.                                       |
| 31946.6                                | - Daybeacon 7                               |                          |                       |               |              | SG on pile.                                     | Private aid.                                       |
|  | <b>Croatan Sound</b>                        |                          |                       |               |              |   |  |
| 31950                                  | - LIGHT 10                                  |                          | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile.                               | Light equipment removed<br>when endangered by ice. |
| 31955                                  | - Warning Daybeacon                         |                          |                       |               |              | NW on pile worded DANGER<br>SUBMERGED ROCKS.    |  |
| 31960                                  | ROANOKE ISLAND WEST<br>SIDE LIGHT 2         |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.                                     | Light equipment removed<br>when endangered by ice. |
| 31965                                  | ROANOKE ISLAND WEST<br>SIDE LIGHT 4         |                          | <b>FI R 4s</b>        | 15            | 4            | TR on pile.                                     | Light equipment removed<br>when endangered by ice. |

| (1)<br>No.  | (2)<br>Name and Location                | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                 | (8)<br>Remarks                                     |
|---|---|--------------------------|-----------------------|---------------|--------------|--|--|
| <b>NORTH CAROLINA - Fifth District</b>                      |   |                          |                       |               |              |  |  |
| 31970   | Roanoke Island West Side<br>Daybeacon 6 |                          |                       |               |              | TR on pile.                                      |  |
| 31975   | ROANOKE MARSHES<br>LIGHT RM             | 35 48 40 N<br>75 42 02 W | FI W 6s               | 20            | 7            | NG on pile.                                      |  |
| 31976   | - Roanoke Marshes Warning<br>Daybeacon. |                          |                       |               |              | NW on pile worded<br>DANGER SUBMERGED<br>ROCKS.  |  |
| <b>Pamlico Sound</b>  |   |                          |                       |               |              |  |  |
| 31980   | PAMLICO SOUND NORTH<br>LIGHT N          | 35 41 49 N<br>75 40 40 W | FI W 2.5s             | 27            | 6            | NR on skeleton tower on multi-pile<br>structure. |  |
| <b>Stumpy Point Bay</b>                                     |   |                          |                       |               |              |  |  |
| 31985   | - Channel Daybeacon 1                   |                          |                       |               |              | SG on pile.                                      |  |
| 31990   | - CHANNEL LIGHT 2SP                     |                          | FI R 2.5s             | 15            | 4            | TR on pile.                                      |  |
| 31995   | - CHANNEL LIGHT 3                       |                          | FI G 4s               | 15            | 4            | SG on pile.                                      |  |
| <b>Stumpy Point</b>   |   |                          |                       |               |              |  |  |
| 32000   | - Channel Daybeacon 4                   |                          |                       |               |              | TR on pile.                                      |  |
| 32005   | - Channel Daybeacon 5                   |                          |                       |               |              | SG on pile.                                      |  |
| 32010   | - CHANNEL LIGHT 6                       |                          | FI R 4s               | 15            | 3            | TR on pile.                                      | Light equipment removed<br>when endangered by ice. |
| <b>Stumpy Point Harbor</b>                                  |   |                          |                       |               |              |  |  |
| 32015   | - CHANNEL LIGHT 1                       | 35 41 20 N<br>75 44 29 W | FI G 4s               | 15            | 4            | SG on pile.                                      |  |
| <b>Stumpy Point</b>   |   |                          |                       |               |              |  |  |
| 32020   | - CHANNEL LIGHT 7                       |                          | FI G 2.5s             | 15            | 3            | SG on pile.                                      | Light equipment removed<br>when endangered by ice. |
| 32025   | - Channel Daybeacon 8                   |                          |                       |               |              | TR on pile.                                      |  |
| 32030   | - CHANNEL LIGHT 10                      |                          | FI R 2.5s             | 15            | 3            | TR on pile.                                      |  |
| 32035   | - CHANNEL LIGHT 11                      |                          | FI G 6s               | 15            | 4            | SG on pile.                                      |  |
| 32040   | - Channel Daybeacon 13                  |                          |                       |               |              | SG on pile.                                      |  |
| 32042   | - SANDY POINT WARNING<br>LIGHT          | 35 36 57 N<br>75 43 54 W | FI W 6s               | 15            | 4            | NW on pile worded<br>DANGER.                     |  |
| <b>CURRITUCK BEACH LIGHT TO WIMBLE SHOALS (Chart 12204)</b> |   |                          |                       |               |              |  |  |
| <b>Chicamacomico Channel</b>                                |   |                          |                       |               |              |  |  |
| 32045   | - LIGHT 1CC                             | 35 35 54 N<br>75 31 09 W | FI G 4s               | 18            | 4            | SG on multi-pile structure.                      | Light equipment removed<br>when endangered by ice. |
| 32050   | - Channel Daybeacon 2                   |                          |                       |               |              | TR on pile.                                      |  |
| 32055   | - LIGHT 3                               |                          | FI G 4s               | 17            | 4            | SG on pile.                                      | Light equipment removed when<br>endangered by ice. |
| 32060   | - Channel Daybeacon 4                   |                          |                       |               |              | TR on pile.                                      |  |
| 32065   | - CHANNEL LIGHT 6                       |                          | FI R 4s               | 15            | 4            | TR on pile.                                      |  |

| (1)<br>No.                             | (2)<br>Name and Location                         | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                   | (8)<br>Remarks |
|--|--|--------------------------|-----------------------|---------------|--------------|--|----------------|
| <b>NORTH CAROLINA - Fifth District</b> |  |                          |                       |               |              |  |                |
| <b>CAPE HATTERAS (Chart 11555)</b>     |  |                          |                       |               |              |  |                |
| <b>Pamlico Sound</b>                   |  |                          |                       |               |              |  |                |
| 32070                                  | LONG SHOAL LIGHT LS2                             | 35 33 33 N<br>74 43 12 W | FI R 4s               | 15            | 4            | TR on pile.  |                |
| 32075                                  | STUMPY POINT TARGET<br>WARNING LIGHT E           | 35 33 03 N<br>75 39 01 W | FI W 4s               | 15            | 5            | NW on slatted pile worded<br>DANGER BOMBING RANGE. | Ra ref.        |
| 32080                                  | STUMPY POINT TARGET<br>WARNING LIGHT S           | 35 30 49 N<br>75 40 32 W | FI W 2.5s             | 15            | 5            | NW on slatted pile worded<br>DANGER BOMBING RANGE. | Ra ref.        |
| 32085                                  | STUMPY POINT TARGET<br>WARNING LIGHT W           | 35 33 01 N<br>75 42 12 W | FI W 6s               | 15            | 6            | NW on slatted pile worded<br>DANGER BOMBING RANGE. | Ra ref.        |
| 32090                                  | Long Shoal River<br>Daybeacon 2                  | 35 34 04 N<br>75 51 36 W |                       |               |              | TR on pile.  |                |
| 32095                                  | Long Shoal River<br>Daybeacon 3                  |                          |                       |               |              | SG on pile.  |                |
| 32100                                  | PINGLETON SHOAL<br>LIGHT 1PS                     | 35 32 45 N<br>75 51 12 W | FI G 4s               | 15            | 4            | SG on pile.  |                |
| <b>Far Creek Channel</b>               |  |                          |                       |               |              |  |                |
| 32105                                  | - LIGHT 1FC<br>20 feet outside channel<br>limit. | 35 30 27 N<br>75 56 59 W | FI G 2.5s             | 15            | 4            | SG on multi-pile structure.                        |                |
| 32110                                  | - Daybeacon 3                                    |                          |                       |               |              | SG on pile.  |                |
| 32115                                  | - LIGHT 5  |                          | FI G 4s               | 15            | 4            | SG on pile.  |                |
| 32120                                  | - Daybeacon 7                                    |                          |                       |               |              | SG on pile.  |                |
| 32125                                  | - LIGHT 9  |                          | Q G                   | 15            | 3            | SG on pile.  |                |
| 32130                                  | - LIGHT 10                                       |                          | FI R 4s               | 15            | 3            | TR on pile.  |                |
| <b>Pamlico Sound</b>                   |  |                          |                       |               |              |  |                |
| 32135                                  | GIBBS SHOAL LIGHT GBS                            |                          | FI W 4s               | 15            | 6            | NB on pile.  |                |
| 32140                                  | PAMLICO SOUND LIGHT PS                           | 35 25 30 N<br>75 50 01 W | Mo (A) W              | 35            | 7            | MR on skeleton tower on multi-pile<br>structure.   |                |
| 32145                                  | GULL SHOAL LIGHT GS                              | 35 21 58 N<br>75 57 27 W | FI W 4s               | 45            | 5            | NB on skeleton tower on piles.                     |                |
| <b>Wysocking Bay</b>                   |  |                          |                       |               |              |  |                |
| 32150                                  | - Entrance Daybeacon 2                           | 35 23 21 N<br>75 58 52 W |                       |               |              | TR on pile.  |                |
| 32155                                  | - ENTRANCE LIGHT 3                               |                          | FI G 4s               | 15            | 4            | SG on multi-pile structure.                        |                |
| 32160                                  | - Entrance Daybeacon 4                           |                          |                       |               |              | TR on pile.  |                |
| 32165                                  | - Entrance Daybeacon 5                           |                          |                       |               |              | SG on pile.  |                |
| 32170                                  | - LIGHT 6  |                          | FI R 4s               | 15            | 3            | TR on multi-pile structure.                        |                |
| 32175                                  | -LIGHT 7   | 35 26 01 N<br>76 03 29 W | FI G 4s               | 15            | 4            | SG on multi-pile structure.                        |                |
| <b>Pamlico Sound</b>                   |  |                          |                       |               |              |  |                |
| 32180                                  | HOG ISLAND SHOAL LIGHT                           |                          | FI R 4s               | 15            | 3            | TR on pile.  |                |
| 32185                                  | Hog Island Daybeacon 2A                          |                          |                       |               |              | TR on pile.  |                |

| (1)<br>No.                             | (2)<br>Name and Location    | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                              | (8)<br>Remarks                                  |
|--|-----------------------------|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>NORTH CAROLINA - Fifth District</b> |                             |                          |                       |               |              |   |   |
| 32190                                  | PAMLICO SOUND SOUTH LIGHT S | 35 17 16 N<br>75 59 10 W | <b>FI W</b> 2.5s      | 27            | 6            | NR on skeleton tower on multi-pile structure. |   |
| <b>Buxton Harbor</b>                   |                             |                          |                       |               |              |   |   |
| 32195                                  | - APPROACH LIGHT 1          | 35 18 31 N<br>75 37 25 W | <b>FI G</b> 2.5s      | 15            | 5            | SG on pile.                                   | Light equipment removed when endangered by ice. |
| 32200                                  | - LIGHT 2                   | 35 18 58 N<br>75 36 05 W | <b>FI R</b> 4s        | 18            | 3            | TR on pile.                                   | Light equipment removed when endangered by ice. |
| 32205                                  | - LIGHT 3                   | 35 18 54 N<br>75 34 45 W | <b>FI G</b> 4s        | 19            | 4            | SG on pile.                                   | Light equipment removed when endangered by ice. |
| 32210                                  | - LIGHT 5                   | 35 18 29 N<br>75 34 11 W | <b>FI G</b> 6s        | 15            | 4            | SG on pile.                                   | Light equipment removed when endangered by ice. |
| 32215                                  | - LIGHT 7                   | 35 18 10 N<br>75 33 38 W | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                                   | Light equipment removed when endangered by ice. |
| 32220                                  | - LIGHT 8                   | 35 17 36 N<br>75 33 48 W | <b>FI R</b> 6s        | 15            | 3            | TR on pile.                                   | Light equipment removed when endangered by ice. |
| 32225                                  | - LIGHT 10                  |                          | <b>FI R</b> 4s        | 19            | 4            | TR on pile.                                   | Light equipment removed when endangered by ice. |
| 32230                                  | - LIGHT 12                  |                          | <b>FI R</b> 6s        | 15            | 4            | TR on pile.                                   | Light equipment removed when endangered by ice. |
| 32235                                  | - Daybeacon 14              | 35 16 19 N<br>75 33 41 W |                       |               |              | TR on pile.                                   |   |
| 32240                                  | - Daybeacon 16              | 35 16 05 N<br>75 33 32 W |                       |               |              | TR on pile.                                   |   |
| 32245                                  | - LIGHT 17                  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                                   | Light equipment removed when endangered by ice. |
| <b>Avon Channel</b>                    |                             |                          |                       |               |              |   |   |
| 32250                                  | -AVON CHANNEL LIGHT 1 AV    | 35 22 50 N<br>75 33 35 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                                   | Light equipment removed when endangered by ice. |
| 32255                                  | - Buoy 1A                   | 35 22 30 N<br>75 33 18 W |                       |               |              | Green can.                                    |   |
| 32260                                  | - Buoy 2                    |                          |                       |               |              | Red nun.                                      |   |
| 32265                                  | - Buoy 3                    |                          |                       |               |              | Green can.                                    |   |
| 32270                                  | - Buoy 4                    |                          |                       |               |              | Red nun.                                      |   |
| 32275                                  | - Buoy 5                    |                          |                       |               |              | Green can.                                    |   |
| 32280                                  | - Lighted Buoy 6            |                          | <b>FI R</b> 4s        |               | 5            | Red.  |   |
| 32285                                  | -AVON CHANNEL LIGHT 8       | 35 21 00 N<br>75 30 49 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                                   |   |
| <b>Pamlico Sound</b>                   |                             |                          |                       |               |              |   |   |
| 32290                                  | FRISCO APPROACH LIGHT 2F    | 35 15 23 N<br>75 41 02 W | <b>FI R</b> 2.5s      | 15            | 4            | TR on multi-piles structure.                  | Light equipment removed when endangered by ice. |
| 32295                                  | FRISCO APPROACH LIGHT 4     |                          | <b>FI R</b> 6s        | 15            | 4            | TR on multi-pile structure.                   | Light equipment removed when endangered by ice. |
| 32300                                  | FRISCO LIGHT 6              |                          | <b>FI R</b> 4s        | 17            | 3            | TR on pile.                                   | Light equipment removed when endangered by ice. |
| 32305                                  | Frisco Daybeacon 8          |                          |                       |               |              | TR on pile.                                   |   |
| 32315                                  | FRISCO LIGHT 10             |                          | <b>FI R</b> 6s        | 15            | 3            | TR on pile.                                   |   |

| (1)<br>No.   | (2)<br>Name and Location                               | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks   |
|--|--|--------------------------|-----------------------|---------------|--------------|--|--|
| <b>NORTH CAROLINA - Fifth District</b>             |  |                          |                       |               |              |  |  |
| <b>Durant Point</b>                                |  |                          |                       |               |              |  |  |
| 32320  | - LIGHT 2  | 35 14 15 N<br>75 40 49 W | <b>Q R</b>            |               | 3            | Red.   |  |
| 32325  | - Daybeacon 4  |                          |                       |               |              | TR on pile.  |  |
| 32330  | - Buoy 6   |                          |                       |               |              | Red nun.   |  |
| 32335  | - LIGHT 8  |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.  |  |
| 32340  | OLIVER REEF LIGHT                                      | 35 15 48 N<br>75 45 38 W | <b>FI W 6s</b>        | 40            | 7            | NB on skeleton tower on piles.                               |  |
| 32345  | <i>Clark Reef Obstruction<br/>Lighted Buoy</i>         |                          | <b>Q W</b>            |               |              | White can with orange bands<br>worded DANGER<br>OBSTRUCTION. |  |
| <b>WESTERN PART OF PAMLICO SOUND (Chart 11548)</b> |  |                          |                       |               |              |  |  |
| 32350  | Bluff Shoal Slue<br>Daybeacon 1                        |                          |                       |               |              | SG on pile.  |  |
| 32355  | Bluff Shoal Slue<br>Daybeacon 2                        |                          |                       |               |              | TR on pile.  |  |
| 32360  | BLUFF SHOAL LIGHT BL<br>Near middle of shoal.          | 35 12 37 N<br>76 04 23 W | <b>Iso W 2s</b>       | 40            | 5            | NB on skeleton tower on piles.                               | Higher intensity beam towards<br>Brant Island Shoal Light and<br>Gull Shoal Light. |
| 32365  | ROYAL SHOAL LIGHT 1                                    | 35 09 42 N<br>76 04 43 W | <b>FI G 4s</b>        | 19            | 5            | SG on pile.  | Ra ref.  |
| 32370  | ROYAL SHOAL LIGHT 3                                    |                          | <b>FI G 2.5s</b>      | 15            | 2            | SG on multi-pile structure.                                  | Ra ref.  |
| 32375  | ROYAL SHOAL LIGHT 5RS                                  | 35 09 17 N<br>76 09 37 W | <b>Q G</b>            | 40            | 4            | SG on multi-pile structure.                                  | Ra ref.  |
| 32380  | ROYAL SHOAL WRECK LIGHT<br>WR7<br>Marks sunken dredge. | 35 06 29 N<br>76 08 30 W | <b>Q G</b>            | 15            | 4            | SG on multi-pile structure.                                  |  |
| 32385  | Southwest Point Royal Shoal<br>Warning Daybeacon RS    | 35 06 03 N<br>76 08 29 W |                       |               |              | NW on pile worded DANGER<br>SHOAL.                           |  |
| <b>Hodges Reef</b>                                 |  |                          |                       |               |              |  |  |
| 32390  | - LIGHT HR<br>On end of reef.                          |                          | <b>FI W 2.5s</b>      | 16            | 5            | NR on multi-pile structure.                                  |  |
| 32395  | - Outer Shoal<br>Daybeacon OS                          |                          |                       |               |              | NB on pile.  | Ra ref.  |
| 32410  | - LOWER LIGHT HL                                       |                          | <b>FI W 4s</b>        | 15            | 5            | NR on pile.  |  |
| <b>Pamlico River Approach</b>                      |  |                          |                       |               |              |  |  |
| 32415  | North Bluff Point Warning<br>Daybeacon                 | 35 18 15 N<br>76 04 47 W |                       |               |              | NW on pile worded DANGER<br>SUBMERGED WRECK.                 |  |
| 32420  | OUTFALL CANAL ENTRANCE<br>LIGHT                        | 35 21 22 N<br>76 06 23 W | <b>Mo (A) W</b>       | 15            | 6            | MR on multi-pile structure.                                  | Higher intensity beam toward<br>Bluff Shoal Light.                                 |
| 32425  | BLUFF POINT SHOAL LIGHT                                | 35 19 19 N<br>76 07 14 W | <b>FI W 4s</b>        | 15            | 5            | NB on multi-pile structure.                                  |  |
| 32430  | West Bluff Daybeacon 1                                 |                          |                       |               |              | SG on pile.  |  |
| 32435  | West Bluff Bay Daybeacon 2                             |                          |                       |               |              | TR on pile.  |  |
| 32440  | JUNIPER BAY APPROACH<br>LIGHT 1                        | 35 17 32 N<br>76 13 49 W | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.                                  |  |

| (1)<br>No.                             | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks |
|--|--|--------------------------|-----------------------|---------------|--------------|---|----------------|
| <b>NORTH CAROLINA - Fifth District</b> |  |                          |                       |               |              |   |                |
| 32445                                  | JUNIPER BAY LIGHT 2  |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.   |                |
| 32450                                  | Juniper Bay Daybeacon 3  |                          |                       |               |              | SG on pile.   |                |
| 32455                                  | Lower Middle Ground<br>Obstruction Daybeacon NE  | 35 14 11 N<br>76 13 34 W |                       |               |              | NW on pile worded DANGER<br>SUBMERGED WRECK.                  |                |
| 32460                                  | JUNIPER BAY LIGHT 4  |                          | <b>FI R</b> 6s        | 15            | 4            | TR on pile.   |                |
| 32465                                  | Lower Middle Ground<br>Obstruction Daybeacon SW  | 35 14 10 N<br>76 13 39 W |                       |               |              | NW on pile worded DANGER<br>SUBMERGED WRECK.                  |                |
| 32470                                  | LOWER MIDDLE GROUND<br>LIGHT LM  | 35 14 01 N<br>76 13 28 W | <b>FI W</b> 2.5s      | 40            | 6            | NB on skeleton tower on multi-pile<br>structure.              | Ra ref.        |
| 32475                                  | INNER MIDDLE GROUND<br>LIGHT M   |                          | <b>FI W</b> 4s        | 15            | 6            | NB on multi-pile structure.                                   |                |
| 32480                                  | UPPER MIDDLE GROUND<br>LIGHT UM  | 35 16 45 N<br>76 20 44 W | <b>FI W</b> 6s        | 15            | 6            | NB on pile.   | Ra ref.        |
| 32485                                  | UPPER MIDDLE GROUND<br>WRECK LIGHT<br>7 yards, 245° from<br>wreck.                     | 35 18 31 N<br>76 23 46 W | <b>FI W</b> 2.5s      | 15            | 5            | NW on pile worded DANGER<br>SUBMERGED WRECK.                  |                |
| 32490                                  | GOVERNOR SCOTT FERRY<br>WRECK LIGHT WR2<br>150 feet from southeast<br>corner of wreck. | 35 08 18 N<br>76 16 40 W | <b>Q R</b>            | 15            | 3            | TR on multi-pile structure.                                   |                |
| <b>Brant Island</b>                    |  |                          |                       |               |              |   |                |
| 32495                                  | - WARNING LIGHT A  | 35 11 54 N<br>76 27 24 W | <b>FI W</b> 4s        | 30            | 5            | NW on dolphin worded DANGER<br>BOMBING RANGE.                 |                |
| 32500                                  | - Warning Daybeacon A  |                          |                       |               |              | NW on pile worded DANGER<br>BOMBING RANGE.                    |                |
| 32505                                  | - Warning Daybeacon B  |                          |                       |               |              | NW on pile worded DANGER<br>BOMBING RANGE.                    |                |
| 32510                                  | - Warning Daybeacon C  |                          |                       |               |              | NW on pile worded DANGER<br>BOMBING RANGE.                    |                |
| 32515                                  | - Warning Daybeacon D  |                          |                       |               |              | NW on pile worded DANGER<br>BOMBING RANGE.                    |                |
| 32520                                  | - Warning Daybeacon E  |                          |                       |               |              | NW on pile worded DANGER<br>BOMBING RANGE.                    |                |
| 32525                                  | - Warning Daybeacon F  |                          |                       |               |              | NW on pile worded DANGER<br>BOMBING RANGE.                    |                |
| 32530                                  | - WARNING LIGHT G  | 35 15 02 N<br>76 25 46 W | <b>FI W</b> 2.5s      | 15            | 5            | NW on multi-pile structure<br>worded DANGER BOMBING<br>RANGE. |                |
| 32535                                  | - Warning Daybeacon H  |                          |                       |               |              | NW on multi-pile worded<br>DANGER BOMBING RANGE.              |                |
| 32540                                  | - Warning Daybeacon I  |                          |                       |               |              | NW on multi-pile worded<br>DANGER BOMBING RANGE.              |                |
| 32545                                  | - WARNING LIGHT J  | 35 14 18 N<br>76 24 14 W | <b>FI W</b> 4s        | 15            | 5            | NW on pile worded DANGER<br>BOMBING RANGE.                    |                |
| 32550                                  | - Warning Daybeacon K  |                          |                       |               |              | NW on pile worded DANGER<br>BOMBING RANGE.                    |                |
| 32555                                  | - Warning Daybeacon L  |                          |                       |               |              | NW on pile worded DANGER<br>BOMBING RANGE.                    |                |

| (1)<br>No.                             | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|---|----------------|
| <b>NORTH CAROLINA - Fifth District</b> |                          |                          |                       |               |              |   |                |
| 32560                                  | - WARNING LIGHT M        | 35 12 57 N<br>76 23 24 W | FI W 2.5s             | 15            | 5            | NW on multi-pile structure worded DANGER BOMBING RANGE. |                |
| 32565                                  | - Warning Daybeacon N    |                          |                       |               |              | NW on multi-pile structure worded DANGER BOMBING RANGE. |                |
| 32570                                  | - Warning Daybeacon O    |                          |                       |               |              | NW on pile worded DANGER BOMBING RANGE.                 |                |
| 32575                                  | - Warning Daybeacon P    |                          |                       |               |              | NW on pile worded DANGER BOMBING RANGE.                 |                |
| 32580                                  | - Warning Daybeacon Q    |                          |                       |               |              | NW on pile worded DANGER BOMBING RANGE.                 |                |
| 32585                                  | - Warning Daybeacon R    |                          |                       |               |              | NW on pile worded DANGER BOMBING RANGE.                 |                |
| 32590                                  | - WARNING LIGHT S        | 35 10 23 N<br>76 24 40 W | FI W 4s               | 15            | 5            | NW on multi-pile structure worded DANGER BOMBING RANGE. |                |
| 32595                                  | - Warning Daybeacon T    |                          |                       |               |              | NW on pile worded DANGER BOMBING RANGE.                 |                |
| 32600                                  | - Warning Daybeacon U    |                          |                       |               |              | NW on pile worded DANGER BOMBING RANGE.                 |                |
| 32605                                  | - WARNING LIGHT V        | 35 09 54 N<br>76 26 24 W | FI W 2.5s             | 15            | 5            | NW on pile worded DANGER BOMBING RANGE.                 |                |
| 32610                                  | - Warning Daybeacon W    |                          |                       |               |              | NW on multipile worded DANGER BOMBING RANGE.            |                |
| 32615                                  | - Warning Daybeacon X    |                          |                       |               |              | NW on multi-pile worded DANGER BOMBING RANGE.           |                |
| 32620                                  | - WARNING LIGHT Y        |                          | FI W 6s               | 15            | 5            | NW on multi-pile structure worded DANGER BOMBING RANGE. |                |
| 32625                                  | - Warning Daybeacon Z    |                          |                       |               |              | NW on multi-pile structure worded DANGER BOMBING RANGE. |                |
| 32630                                  | - Warning Daybeacon AA   |                          |                       |               |              | NW on pile worded DANGER BOMBING RANGE.                 |                |
| 32635                                  | - Warning Daybeacon BB   |                          |                       |               |              | NW on pile worded DANGER BOMBING RANGE.                 |                |
| 32640                                  | - Warning Daybeacon CC   |                          |                       |               |              | NW on pile worded DANGER BOMBING RANGE.                 |                |
| 32645                                  | - WARNING LIGHT DD       | 35 12 24 N<br>76 29 42 W | FI W 2.5s             | 15            | 5            | NW on pile worded DANGER BOMBING RANGE.                 |                |
| 32650                                  | - SHOAL LIGHT BI         | 35 08 09 N<br>76 17 35 W | FI W 6s               | 40            | 7            | NR on skeleton tower on multi-pile structure.           | Ra ref.        |
| 32655                                  | - WARNING LIGHT B        | 35 11 54 N<br>76 25 54 W | FI W 2.5s             | 30            | 5            | NW on dolphin worded DANGER BOMBING RANGE.              |                |
| 32660                                  | - SLUE LIGHT 1           |                          | FI G 4s               | 16            | 5            | SG on pile.   |                |
| 32665                                  | - Slue Daybeacon 2       |                          |                       |               |              | TR on pile.   |                |
| <b>Swanquarter Bay</b>                 |                          |                          |                       |               |              |   |                |
| 32670                                  | - ENTRANCE LIGHT 1SQ     | 35 17 49 N<br>76 18 32 W | FI G 2.5s             | 15            | 4            | SG on multi-pile structure.                             | Ra ref.        |
| 32675                                  | - LIGHT 2                |                          | Q R                   | 15            | 4            | TR on pile.   |                |
| 32680                                  | - LIGHT 3                |                          | FI G 4s               | 15            | 4            | SG on pile.   | Ra ref.        |
| 32685                                  | - LIGHT 3A               |                          | FI G 4s               | 15            | 4            | SG on pile.   | Ra ref.        |

| (1)<br>No.                             | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure              | (8)<br>Remarks                          |
|--|--|--------------------------|-----------------------|---------------|--------------|-------------------------------|---|
| <b>NORTH CAROLINA - Fifth District</b> |  |                          |                       |               |              |                               |   |
| 32690                                  | - LIGHT 5  |                          | <b>Q G</b>            | 15            | 3            | SG on pile.                   | Ra ref.                                 |
| 32695                                  | - LIGHT 5A   |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.                   |   |
| 32700                                  | - Daybeacon 6  |                          |                       |               |              | TR on pile.                   |   |
| 32705                                  | - LIGHT 7  |                          | <b>FI G 6s</b>        | 15            | 4            | SG on pile.                   |   |
| 32710                                  | - LIGHT 8  |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.                   |   |
| 32715                                  | - LIGHT 10   |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                   |   |
| 32720                                  | FODREY CREEK LIGHT 1   | 35 24 17 N<br>76 20 42 W | <b>FI G 2.5s</b>      | 15            | 2            | SG on pile.                   |   |
| 32725                                  | Fodrey Creek Daybeacon 3   |                          |                       |               |              | SG on pile.                   |   |
| 32730                                  | JUDITH ISLAND CUT EAST LIGHT 2   |                          | <b>FI R 4s</b>        | 14            | 3            | TR on pile.                   |   |
| <b>Rose Bay</b>                        |  |                          |                       |               |              |                               |   |
| 32735                                  | DEEP COVE LIGHT 1  | 35 19 49 N<br>76 23 37 W | <b>FI G 2.5s</b>      | 15            | 4            | SG on pile.                   |   |
| 32740                                  | DEEP COVE LIGHT 2  |                          | <b>FI R 6s</b>        | 15            | 4            | TR on pile.                   |   |
| 32745                                  | - ENTRANCE LIGHT 2   | 35 22 24 N<br>76 26 28 W | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                   |   |
| <b>Germantown Bay</b>                  |  |                          |                       |               |              |                               |   |
| 32750                                  | - Approach Daybeacon 2   | 35 23 10 N<br>76 27 41 W |                       |               |              | TR on pile.                   |   |
| 32755                                  | - LIGHT 3  |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.                   |   |
| 32760                                  | - Daybeacon 4  |                          |                       |               |              | TR on pile.                   |   |
| 32765                                  | - Daybeacon 5  |                          |                       |               |              | SG on pile.                   |   |
| 32770                                  | - LIGHT 7  |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                   |   |
| 32775                                  | - Daybeacon 9  |                          |                       |               |              | SG on pile.                   |   |
| 32780                                  | DEEP BAY LIGHT 1   |                          | <b>FI G 4s</b>        | 16            | 4            | SG on slatted pile structure. |   |
| 32785                                  | DEEP BAY LIGHT 2   | 35 22 34 N<br>76 21 50 W | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                   |   |
| <b>Rose Bay</b>                        |  |                          |                       |               |              |                               |   |
| 32790                                  | - Daybeacon 3  |                          |                       |               |              | SG on pile.                   |   |
| 32795                                  | - Daybeacon 4  |                          |                       |               |              | TR on pile.                   |   |
| 32800                                  | - LIGHT 5  |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                   |   |
| 32805                                  | - LIGHT 6  |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                   |   |
| <b>Pamlico River</b>                   |  |                          |                       |               |              |                               |   |
| 32810                                  | PAMLICO POINT LIGHT PP<br>On east point of shoal.                          | 35 18 49 N<br>76 27 00 W | <b>FI W 4s</b>        | 25            | 7            | NB on multi-pile structure.   | Higher intensity towards Pamlico Sound. |
| 32813                                  | PAMLICO POINT WARNING LIGHT<br>Marks remains of old light house structure. |                          | <b>FI W 6s</b>        | 15            | 5            | NW on pile.                   |   |
| 32815                                  | - Daybeacon 1  |                          |                       |               |              | SG on pile.                   |   |

| (1)<br>No.                             | (2)<br>Name and Location                         | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                  | (8)<br>Remarks  |
|--|--|--------------------------|-----------------------|---------------|--------------|-----------------------------------|---|
| <b>NORTH CAROLINA - Fifth District</b> |  |                          |                       |               |              |                                   |   |
| <b>Oyster Creek</b>                    |  |                          |                       |               |              |                                   |   |
| 32820                                  | - ENTRANCE LIGHT 2                               | 35 19 29 N<br>76 31 05 W | FI R 4s               | 15            | 3            | TR on multi-pile structure.       |   |
| 32825                                  | - LIGHT 4  |                          | Q R                   | 16            | 3            | TR on pile.                       | Obscured from 090° to 265°.   |
| 32830                                  | - Daybeacon 6                                    |                          |                       |               |              | TR on pile.                       |   |
| 32835                                  | - Daybeacon 8                                    |                          |                       |               |              | TR on pile.                       |   |
| 32840                                  | - LIGHT 10                                       |                          | FI R 4s               | 15            | 4            | TR on pile.                       | Obscured from 060° to 260°  |
| <b>Pamlico River</b>                   |  |                          |                       |               |              |                                   |   |
| 32845                                  | WILLOW POINT SHOAL<br>LIGHT                      | 35 21 48 N<br>76 28 49 W | FI W 4s               | 15            | 5            | NB on pile.                       |   |
| 32850                                  | ABEL BAY LIGHT 1                                 |                          | FI G 4s               | 15            | 4            | SG on pile.                       |   |
| <b>Pungo River</b>                     |  |                          |                       |               |              |                                   |   |
| 32855<br>38140                         | - JUNCTION LIGHT PR                              | 35 22 40 N<br>76 33 35 W | FI (2+1) R 6s         | 29            | 5            | JR-TY on multi-pile<br>structure. | Higher intensity beam toward<br>Pamlico River Entrance,<br>Pungo River Light 3 and<br>Goose Creek Light 1.<br>Ra ref. |
| 32860<br>38135                         | -WRECK LIGHT WR2<br>5 yards, 245° from<br>wreck. | 35 25 18 N<br>76 33 30 W | Q R                   | 15            | 3            | TR-SY on pile.                    |   |
| <b>Wright Creek</b>                    |  |                          |                       |               |              |                                   |   |
| 32865                                  | - LIGHT 2WC                                      | 35 25 01 N<br>76 35 10 W | FI R 2.5s             | 15            | 4            | TR on pile.                       |   |
| 32870                                  | - Daybeacon 4                                    |                          |                       |               |              | TR on pile.                       |   |
| 32875                                  | - LIGHT 5  |                          | FI G 4s               | 15            | 4            | SG on pile.                       |   |
| 32880                                  | - Buoy 6   |                          |                       |               |              | Red.                              |   |
| 32885                                  | - Daybeacon 8                                    |                          |                       |               |              | TR on pile.                       |   |
| 32890                                  | - Daybeacon 10                                   |                          |                       |               |              | TR on pile.                       |   |
| <b>Pungo River</b>                     |  |                          |                       |               |              |                                   |   |
| 32895<br>38130                         | - LIGHT 3  |                          | FI G 4s               | 15            | 4            | SG-TY on pile.                    |   |
| 32900<br>38125                         | - LIGHT 4  |                          | FI R 4s               | 15            | 3            | TR-SY on pile.                    |   |
| 32902                                  | <i>Jordan Creek Lighted Buoy 1</i>               | 35 27 22 N<br>76 36 20 W | FI G 4s               |               |              | Green.                            | Private aid.  |
| 32905<br>38120                         | - Daybeacon 5                                    |                          |                       |               |              | SG-TY on pile.                    |   |
| 32910<br>38115                         | - LIGHT 7  |                          | FI G 4s               | 15            | 3            | SG-TY on pile.                    |   |
| 32915<br>38110                         | - LIGHT 8  |                          | FI R 4s               | 15            | 3            | TR-SY on pile.                    |   |
| 32920                                  | Pungo Creek Daybeacon 2PC                        |                          |                       |               |              | TR on pile.                       |   |
| 32925                                  | PUNGO CREEK LIGHT 3                              |                          | FI G 4s               | 15            | 4            | SG on multi-pile structure.       |   |

| (1)<br>No.                             | (2)<br>Name and Location       | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                  | (8)<br>Remarks |
|--|--------------------------------|--------------------------|-----------------------|---------------|--------------|-----------------------------------|----------------|
| <b>NORTH CAROLINA - Fifth District</b> |                                |                          |                       |               |              |                                   |                |
| <b>Belhaven Channel</b>                |                                |                          |                       |               |              |                                   |                |
| 32930                                  | - LIGHT 1BC                    | 35 31 12 N<br>76 36 06 W | <b>FI G</b> 2.5s      | 15            | 4            | SG on pile.                       |                |
| 32935                                  | - Daybeacon 2BC                |                          |                       |               |              | TR on pile.                       |                |
| 32940                                  | - Daybeacon 3                  |                          |                       |               |              | SG on pile.                       |                |
| 32945                                  | - Daybeacon 4                  |                          |                       |               |              | TR on pile.                       |                |
| 32950                                  | - LIGHT 5                      |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                       |                |
| 32955                                  | - LIGHT 6                      |                          | <b>FI R</b> 4s        | 15            | 4            | TR on pile.                       |                |
| 32960                                  | - Daybeacon 8                  |                          |                       |               |              | TR on pile.                       |                |
| 32965                                  | - Daybeacon 9                  |                          |                       |               |              | SG on pile.                       |                |
| 32970                                  | - Daybeacon 11                 |                          |                       |               |              | SG on pile.                       |                |
| 32975                                  | - Daybeacon 12                 |                          |                       |               |              | TR on pile.                       |                |
| <b>Pungo River</b>                     |                                |                          |                       |               |              |                                   |                |
| 32980                                  | TOOLEYS CREEK LIGHT 1          |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                       |                |
| 32985<br>38105                         | - CHANNEL LIGHT 10             |                          | <b>Q R</b>            | 15            | 3            | TR-SY on pile.                    | Ra ref.        |
| 32990<br>38100                         | - Channel Daybeacon 11         |                          |                       |               |              | SG-TY on pile.                    |                |
| 32995<br>38095                         | - Channel Daybeacon 12         |                          |                       |               |              | TR-SY on pile.                    |                |
| 33000<br>38090                         | - CHANNEL LIGHT 13             |                          | <b>FI G</b> 4s        | 15            | 3            | SG-TY on pile.                    |                |
| 33005<br>38085                         | - Channel Daybeacon 14         |                          |                       |               |              | TR-SY on pile.                    |                |
| 33010<br>38080                         | - Channel Daybeacon 15         |                          |                       |               |              | SG-TY on pile.                    |                |
| 33015<br>38075                         | - Channel Daybeacon 16         |                          |                       |               |              | TR-SY on pile.                    |                |
| 33017                                  | SMITH CREEK WRECK LIGHT<br>WR1 | 35 30 50 N<br>76 29 13 W | <b>Q G</b>            | 15            | 3            | SG on pile.                       |                |
| 33020<br>38070                         | - Channel Daybeacon 17         |                          |                       |               |              | SG-TY on pile.                    |                |
| 33025<br>38065                         | - CHANNEL LIGHT 18             |                          | <b>Q R</b>            | 15            | 4            | TR-SY on multi-pile<br>structure. |                |
| 33030<br>38060                         | - Channel Daybeacon 19         |                          |                       |               |              | SG-TY on pile.                    |                |
| 33035<br>38055                         | - CHANNEL LIGHT 21             |                          | <b>FI G</b> 4s        | 15            | 3            | SG-TY on multi-pile structure.    |                |
| 33040<br>38050                         | - Channel Daybeacon 22         |                          |                       |               |              | TR-SY on pile                     |                |
| 33045<br>38045                         | - CHANNEL LIGHT 23             |                          | <b>Q G</b>            | 19            | 3            | SG-TY on pile.                    |                |
| 33050<br>38040                         | - Channel Daybeacon 24         |                          |                       |               |              | TR-SY on pile.                    |                |
| 33055<br>38035                         | - CHANNEL LIGHT 25             | 35 33 08 N<br>76 27 25 W | <b>FI G</b> 4s        | 15            | 4            | SG-TY on pile.                    |                |

| (1)<br>No.                             | (2)<br>Name and Location                  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks |
|--|---|--------------------------|-----------------------|---------------|--------------|------------------|----------------|
| <b>NORTH CAROLINA - Fifth District</b> |   |                          |                       |               |              |                  |                |
| 33060<br>38030                         | - Daybeacon 27PR                          |                          |                       |               |              | SG-TY on pile.   |                |
| 33065<br>38025                         | - Daybeacon 28                            |                          |                       |               |              | TR-SY on pile.   |                |
|  | <b>Pamlico River</b>                      |                          |                       |               |              |                  |                |
|  | <b>Eastham Creek</b>                      |                          |                       |               |              |                  |                |
| 33070                                  | - Daybeacon 1                             | 35 17 35 N<br>76 36 47 W |                       |               |              | SG on pile.      | Ra Ref.        |
| 33075                                  | - Daybeacon 3                             |                          |                       |               |              | SG on pile.      |                |
| 33080                                  | -Daybeacon 4                              | 35 17 45 N<br>76 36 15 W |                       |               |              | TR on pile.      |                |
| 33085                                  | - Daybeacon 5                             |                          |                       |               |              | SG on pile.      |                |
| 33090                                  | - Daybeacon 7                             |                          |                       |               |              | SG on pile.      |                |
| 33095                                  | - Daybeacon 9                             |                          |                       |               |              | SG on pile.      |                |
| 33100                                  | - Daybeacon 10                            |                          |                       |               |              | TR on pile.      |                |
| 33105                                  | Indian Island Shoal East End<br>Daybeacon | 35 21 37 N<br>76 37 44 W |                       |               |              | JG on pile.      | Ra ref.        |

# Section 23

## Pamlico River, Neuse River, and Core Sound

| (1)<br>No.                             | (2)<br>Name and Location                                    | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks |
|--|---|--------------------------|-----------------------|---------------|--------------|-----------------------------|----------------|
| <b>NORTH CAROLINA - Fifth District</b> |   |                          |                       |               |              |                             |                |
| <b>PAMLICO RIVER (Chart 11554)</b>     |   |                          |                       |               |              |                             |                |
| <b>South Creek</b>                     |   |                          |                       |               |              |                             |                |
| 33110                                  | - Daybeacon 2   |                          |                       |               |              | TR on pile.                 |                |
| 33115                                  | - LIGHT 4   | 35 21 27 N<br>76 40 36 W | <b>F I R 4s</b>       | 15            | 3            | TR on multi-pile structure. |                |
| 33120                                  | - Daybeacon 5   |                          |                       |               |              | SG on pile.                 |                |
| 33125                                  | Bond Creek Daybeacon 2                                      |                          |                       |               |              | TR on pile.                 |                |
| 33130                                  | Bond Creek Daybeacon 3                                      |                          |                       |               |              | SG on pile.                 |                |
| 33135                                  | - Daybeacon 7   |                          |                       |               |              | SG on pile.                 |                |
| 33140                                  | - Channel Daybeacon 8<br>25 feet outside channel<br>limit.  |                          |                       |               |              | TR on pile.                 |                |
| 33145                                  | - Channel Daybeacon 9<br>25 feet outside channel<br>limit.  |                          |                       |               |              | SG on pile.                 |                |
| 33150                                  | - Channel Daybeacon 10<br>25 feet outside channel<br>limit. |                          |                       |               |              | TR on pile.                 |                |
| 33155                                  | - Channel Daybeacon 12<br>25 feet outside channel<br>limit. |                          |                       |               |              | TR on pile.                 |                |
| 33160                                  | - Channel Daybeacon 14<br>25 feet outside channel<br>limit. |                          |                       |               |              | TR on pile.                 |                |
| 33165                                  | - Channel Daybeacon 16<br>25 feet outside channel<br>limit. |                          |                       |               |              | TR on pile.                 |                |
| 33170                                  | - Channel Daybeacon 18<br>25 feet outside channel<br>limit. |                          |                       |               |              | TR on pile.                 |                |
| 33175                                  | - Channel Daybeacon 20<br>25 feet outside channel<br>limit. |                          |                       |               |              | TR on pile.                 |                |
| 33180                                  | - Channel Daybeacon 21<br>25 feet outside channel<br>limit. |                          |                       |               |              | SG on pile.                 |                |
| 33185                                  | - Channel Daybeacon 22<br>25 feet outside channel<br>limit. |                          |                       |               |              | TR on pile.                 |                |
| 33190                                  | - Channel Daybeacon 24<br>25 feet outside channel<br>limit. |                          |                       |               |              | TR on pile.                 |                |
| 33195                                  | - Channel Daybeacon 25<br>25 feet outside channel<br>limit. |                          |                       |               |              | SG on pile.                 |                |
| 33200                                  | Jacobs Creek Canal<br>Daybeacon 1                           |                          |                       |               |              | SG on pile.                 | Private aid.   |

| (1)<br>No.                             | (2)<br>Name and Location                                    | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks |
|--|---|--------------------------|-----------------------|---------------|--------------|-----------------------------|----------------|
| <b>NORTH CAROLINA - Fifth District</b> |   |                          |                       |               |              |                             |                |
| 33205                                  | Jacobs Creek Canal<br>Daybeacon 2                           |                          |                       |               |              | TR on pile.                 | Private aid.   |
| <b>Pamlico River</b>                   |   |                          |                       |               |              |                             |                |
| 33210                                  | - LIGHT 3   | 35 22 19 N<br>76 38 49 W | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure. | Ra ref.        |
| 33215                                  | Indian Island Channel<br>Daybeacon 1                        |                          |                       |               |              | SG on pile.                 |                |
| 33220                                  | NORTH CREEK ENTRANCE<br>LIGHT 1                             | 32 24 46 N<br>76 40 05 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                 |                |
| 33225                                  | North Creek Daybeacon 2                                     |                          |                       |               |              | TR on pile.                 |                |
| 33230                                  | North Creek Daybeacon 4                                     |                          |                       |               |              | TR on pile.                 |                |
| 33235                                  | LONG POINT FERRY<br>TERMINAL CHANNEL<br>LIGHT 1             | 35 23 06 N<br>76 44 39 W | <b>FI G</b> 2.5s      | 15            | 3            | SG on multi-pile structure. |                |
| 33240                                  | Long Point Ferry Terminal<br>Channel Daybeacon 2            |                          |                       |               |              | TR on pile.                 | Ra ref.        |
| 33245                                  | GAYLORD BAY FERRY<br>TERMINAL CHANNEL<br>LIGHT 1            |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                 | Ra ref.        |
| 33250                                  | Gaylord Bay Ferry Terminal<br>Channel Daybeacon 3           |                          |                       |               |              | SG on pile.                 | Ra ref.        |
| 33255                                  | - LIGHT 4   |                          | <b>FI R</b> 6s        | 15            | 5            | TR on pile.                 | Ra ref.        |
| 33260                                  | Texasgulf Entrance<br>Daybeacon 1                           | 35 23 36 N<br>76 46 18 W |                       |               |              | SG on pile.                 | Private aid.   |
| 33265                                  | Texasgulf Entrance<br>Daybeacon 2                           |                          |                       |               |              | TR on dolphin.              | Private aid.   |
| 33270                                  | Durham Creek Daybeacon 2                                    |                          |                       |               |              | TR on pile.                 |                |
| 33275                                  | BATH CREEK LIGHT 1  | 35 27 07 N<br>76 49 13 W | <b>FI G</b> 2.5s      | 15            | 4            | SG on pile.                 |                |
| 33280                                  | Bath Creek Daybeacon 2                                      |                          |                       |               |              | TR on pile.                 |                |
| 33285                                  | Bath Creek Daybeacon 3                                      |                          |                       |               |              | SG on pile.                 |                |
| 33290                                  | BATH CREEK LIGHT 4  |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                 |                |
| 33295                                  | - LIGHT 5   |                          | <b>FI G</b> 4s        | 15            | 5            | SG on pile.                 | Ra ref.        |
| 33300                                  | - LIGHT 7   |                          | <b>FI G</b> 6s        | 15            | 5            | SG on pile.                 | Ra ref.        |
| 33305                                  | - Channel Daybeacon 8<br>25 feet outside channel<br>limit.  |                          |                       |               |              | TR on pile.                 |                |
| 33310                                  | Blounts Creek Daybeacon 2                                   |                          |                       |               |              | TR on pile.                 |                |
| 33315                                  | - CHANNEL LIGHT 9<br>25 feet outside channel<br>limit.      | 35 27 42 N<br>76 57 34 W | <b>FI G</b> 2.5s      | 15            | 4            | SG on pile.                 |                |
| 33320                                  | BROAD CREEK ENTRANCE<br>LIGHT 1                             |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                 |                |
| 33325                                  | - Channel Daybeacon 10<br>25 feet outside channel<br>limit. |                          |                       |               |              | TR on pile.                 |                |
| 33330                                  | Broad Creek Daybeacon 3                                     |                          |                       |               |              | SG on pile.                 |                |

| (1)<br>No.                             | (2)<br>Name and Location                                    | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                         |
|--|---|--------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| <b>NORTH CAROLINA - Fifth District</b> |   |                          |                       |               |              |                             |  |
| 33335                                  | BROAD CREEK LIGHT 4   |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                 |  |
| 33340                                  | Broad Creek Daybeacon 6                                     |                          |                       |               |              | TR on pile.                 |  |
| 33345                                  | - CHANNEL LIGHT 12<br>25 feet outside channel<br>limit.     |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                 |  |
| 33350                                  | - CHANNEL LIGHT 14<br>25 feet outside channel<br>limit.     |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on multi-pile structure. |  |
| 33355                                  | - CHANNEL LIGHT 16<br>25 feet outside channel<br>limit.     |                          | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile structure. |  |
| 33360                                  | - CHANNEL LIGHT 17<br>25 feet outside channel<br>limit.     |                          | <b>Q G</b>            | 15            | 3            | SG on pile.                 |  |
| 33365                                  | - Channel Daybeacon 18<br>25 feet outside channel<br>limit. |                          |                       |               |              | TR on pile.                 |  |
| <b>Fountain Powerboats Factory</b>     |   |                          |                       |               |              |                             |  |
| 33367.1                                | - LIGHT 1F  | 35 31 48 N<br>77 02 36 W | <b>FI G 4s</b>        | 13            |              | SG on pile.                 | Private aid.                           |
| 33367.2                                | - Daybeacon 3   |                          |                       |               |              | SG on pile.                 | Private aid.                           |
| 33367.3                                | - Daybeacon 4   |                          |                       |               |              | TR on pile.                 | Private aid.                           |
| 33367.4                                | - Daybeacon 5   |                          |                       |               |              | SG on pile.                 | Private aid.                           |
| 33367.5                                | - Daybeacon 6   |                          |                       |               |              | TR on pile.                 | Private aid.                           |
| 33367.6                                | - Daybeacon 7   |                          |                       |               |              | SG on pile.                 | Private aid.                           |
| 33367.7                                | - Daybeacon 8   |                          |                       |               |              | TR on pile.                 | Private aid.                           |
| 33367.8                                | - Daybeacon 9   |                          |                       |               |              | SG on pile.                 | Private aid.                           |
| 33367.9                                | - Daybeacon 10  |                          |                       |               |              | TR on pile.                 | Private aid.                           |
| <b>Pamlico River</b>                   |   |                          |                       |               |              |                             |  |
| 33370                                  | - CHANNEL LIGHT 19<br>25 feet outside channel<br>limit.     |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG on pile.                 |  |
| <b>PAMLICO SOUND (Chart 11548)</b>     |   |                          |                       |               |              |                             |  |
| <b>Neuse River Approach</b>            |   |                          |                       |               |              |                             |  |
| <b>Jones Bay</b>                       |   |                          |                       |               |              |                             |  |
| 33380                                  | - LIGHT 2   |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                 |  |
| 33385                                  | - LIGHT 3   |                          | <b>FI G 2.5s</b>      | 15            | 4            | SG on multi-pile structure. |  |
| 33390                                  | - LIGHT 5   |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                 |  |
| <b>Bay River</b>                       |   |                          |                       |               |              |                             |  |
| 33395<br>38255                         | BAY POINT LIGHT<br>On south end of shoal.                   | 35 10 21 N<br>76 30 19 W | <b>FI W 4s</b>        | 15            | 6            | NB on pile.                 |  |
| 33400<br>38245                         | - LIGHT 1   | 35 09 48 N<br>76 32 01 W | <b>FI G 4s</b>        | 15            | 4            | SG-TY on pile.              |  |
| 33405<br>38250                         | - LIGHT 3   | 35 10 48 N<br>76 33 31 W | <b>FI G 4s</b>        | 15            | 4            | SG-TY on pile.              | Higher intensity beam down<br>channel. |

| (1)<br>No.                             | (2)<br>Name and Location                           | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks                              |
|--|--|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>NORTH CAROLINA - Fifth District</b> |  |                          |                       |               |              |   |   |
| 33410                                  | - LIGHT 4  |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure.   |   |
| 33415                                  | - LIGHT 5  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.   |   |
| 33420                                  | - Daybeacon 6                                      |                          |                       |               |              | TR on pile.   |   |
| 33425                                  | - Daybeacon 8                                      |                          |                       |               |              | TR on pile.   |   |
| 33427                                  | Swan Point Warning<br>Daybeacon A                  | 35 09 00 N<br>76 42 12 W |                       |               |              | NW on pile worded DANGER<br>SUBMERGED PIPELINE.                     | Private aid.                                |
| 33427.5                                | Swan Point Warning<br>Daybeacon B                  |                          |                       |               |              | NW on pile worded DANGER<br>SUBMERGED PIPELINE.                     | Private aid.                                |
| 33428                                  | SWAN POINT WARNING<br>LIGHT C                      | 35 04 42 N<br>76 42 06 W | <b>FI W</b> 4s        | 12            |              | NW on pile worded DANGER<br>SUBMERGED PIPELINE.                     | Private aid.                                |
| 33428.5                                | Swan Point Warning<br>Buoy D                       |                          |                       |               |              | White can with orange bands<br>worded DANGER<br>SUBMERGED PIPELINE. | Private aid.                                |
| 33430                                  | - LIGHT 9  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.   | Higher intensity beam down<br>channel.      |
| 33435                                  | - Daybeacon 10                                     |                          |                       |               |              | TR on pile.   |   |
| 33440                                  | - Daybeacon 11                                     |                          |                       |               |              | SG on pile.   |   |
| 33445                                  | - Daybeacon 12                                     |                          |                       |               |              | TR on pile.   |   |
| 33450                                  | - Daybeacon 14                                     |                          |                       |               |              | TR on pile.   |   |
| 33455                                  | - Daybeacon 15                                     |                          |                       |               |              | SG on pile.   |   |
| 33460                                  | - Daybeacon 16                                     |                          |                       |               |              | TR on pile.   |   |
| 33465                                  | - Daybeacon 18                                     |                          |                       |               |              | TR on pile.   |   |
| 33470                                  | - Daybeacon 20                                     |                          |                       |               |              | TR on pile.   |   |
| 33475                                  | - Daybeacon 22                                     |                          |                       |               |              | TR on pile.   |   |
| <b>West Bay</b>                        |  |                          |                       |               |              |   |   |
| 33480                                  | CEDAR ISLAND FERRY SLIP<br>BREAKWATER LIGHT 3      | 35 01 11 N<br>76 18 41 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.   |   |
| 33485                                  | CEDAR ISLAND FERRY SLIP<br>BREAKWATER LIGHT 2      |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.   |   |
| 33487                                  | Cedar Island Ferry Slip<br>Breakwater Daybeacon 2A |                          |                       |               |              | TR on multi-pile.   |   |
| 33490                                  | CEDAR ISLAND NORTH<br>LIGHT                        | 35 02 08 N<br>76 20 54 W | <b>FI W</b> 6s        | 24            | 5            | On multi-pile structure.  | Maintained for Marine Corps<br>Air Station. |
| 33495                                  | - LIGHT 2WB  | 35 02 53 N<br>76 21 58 W | <b>FI R</b> 2.5s      | 15            | 4            | TR on multi-pile structure.   |   |
| 33500                                  | Point of Marsh Daybeacon                           | 35 04 42 N<br>76 27 48 W |                       |               |              | NB on pile.   |   |
| 33505                                  | Raccoon Island North<br>Daybeacon                  | 35 04 24 N<br>76 26 11 W |                       |               |              | NR on pile.   |   |
| 33510                                  | Raccoon Island South<br>Daybeacon                  | 35 03 43 N<br>76 25 53 W |                       |               |              | NG on pile.   |   |
| 33515                                  | - LIGHT A  | 35 02 06 N<br>76 25 16 W | <b>FI W</b> 4s        | 24            | 5            | Rectangular structure.  | Maintained for Marine Corps<br>Air Station. |
| 33520                                  | - LIGHT 5<br>Marks shoal.                          |                          | <b>FI G</b> 2.5s      | 15            | 4            | SG on pile.   |   |

| (1)<br>No.                             | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                   | (8)<br>Remarks                   |
|--|--|--------------------------|-----------------------|---------------|--------------|------------------------------------|----------------------------------|
| <b>NORTH CAROLINA - Fifth District</b> |  |                          |                       |               |              |                                    |                                  |
| 33525                                  | - Daybeacon 6  |                          |                       |               |              | TR on pile.                        |                                  |
| 33530                                  | MILE MARKER LIGHT  | 35 02 08 N<br>76 24 15 W | FI Y 6s               | 15            | 5            | On multi-pile structure.           | Maintained by U.S. Marine Corps. |
| 33535                                  | - LIGHT 7WB  |                          | FI G 4s               | 15            | 4            | SG on multi-pile structure.        |                                  |
| 33540                                  | - LIGHT 8WB  |                          | FI R 2.5s             | 15            | 3            | TR on pile.                        |                                  |
| 33545                                  | - LIGHT 10WB   |                          | FI R 4s               | 15            | 4            | TR on pile.                        |                                  |
| 33550                                  | - LIGHT 11WB   | 34 56 32 N<br>76 23 16 W | FI G 2.5s             | 15            | 3            | SG on pile.                        |                                  |
| 33555                                  | - Daybeacon 13WB   |                          |                       |               |              | SG on pile.                        |                                  |
| 33560                                  | - LIGHT 15WB   |                          | FI G 4s               | 16            | 4            | SG on pile.                        |                                  |
| 33565                                  | LONG BAY LIGHT 2   | 34 58 10 N<br>76 25 29 W | FI R 2.5s             | 15            | 4            | TR on pile.                        |                                  |
| 33570                                  | LONG BAY LIGHT 4   |                          | FI R 6s               | 15            | 4            | TR on pile.                        |                                  |
| 33575                                  | LONG BAY LIGHT 6   |                          | FI R 4s               | 15            | 3            | TR on pile.                        |                                  |
| <b>Neuse River</b>                     |  |                          |                       |               |              |                                    |                                  |
| 33580<br>38260                         | - JUNCTION LIGHT   | 35 08 47 N<br>76 30 11 W | FI (2+1) R 6s         | 15            | 6            | JR-TY on multi-pile structure.     | Ra ref.                          |
| 33585<br>38265                         | - ENTRANCE LIGHT 2   | 35 08 08 N<br>76 30 51 W | FI R 4s               | 15            | 3            | TR-TY on pile.                     |                                  |
| 33590<br>38270                         | - ENTRANCE LIGHT NR<br>Marks northerly side of<br>Point Marsh Shoal. | 35 06 37 N<br>76 28 32 W | FI W 6s               | 24            | 6            | NB on multi-pile structure.        | Ra ref.                          |
| 33595<br>38275                         | - LIGHT 4  |                          | FI R 2.5s             | 15            | 5            | TR-TY on pile.                     | Ra ref.                          |
| 33597                                  | UNC Research Lighted Buoy A  | 35 03 51 N<br>76 31 35 W | FL Y 6s               |               |              | 6'x6' orange platform with mast.   | Ra ref.                          |
| 33598                                  | - Shoal Warning Daybeacon  |                          |                       |               |              | NW on pile worded DANGER<br>SHOAL. |                                  |
| <b>Broad Creek</b>                     |  |                          |                       |               |              |                                    |                                  |
| 33600                                  | - Entrance Daybeacon   | 35 05 19 N<br>76 32 53 W |                       |               |              | NB on skeleton tower on piles.     | Ra ref.                          |
| 33605                                  | - LIGHT 1  |                          | FI G 4s               | 16            | 4            | SG on pile.                        |                                  |
| 33608                                  | - WRECK LIGHT WR2  | 35 05 12 N<br>76 32 54 W | Q R                   | 15            | 3            | TR on pile.                        |                                  |
| 33610                                  | - Daybeacon 2A   | 35 05 33 N<br>76 35 17 W |                       |               |              | TR on pile.                        |                                  |
| 33615                                  | - Daybeacon 3  |                          |                       |               |              | SG on pile.                        |                                  |
| 33620                                  | - Daybeacon 4  |                          |                       |               |              | TR on pile.                        |                                  |
| <b>Neuse River</b>                     |  |                          |                       |               |              |                                    |                                  |
| 33625<br>38280                         | - LIGHT 6  |                          | FI R 4s               | 15            | 4            | TR-TY on multi-pile structure.     | Ra ref.                          |
| <b>Turnagain Bay</b>                   |  |                          |                       |               |              |                                    |                                  |
| 33627                                  | - WRECK LIGHT WR1  | 35 01 19 N<br>76 29 58 W | Q G                   | 15            | 3            | SG on pile.                        | Marks submerged barge.           |

| (1)<br>No.                             | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                              | (8)<br>Remarks  |
|--|--|--------------------------|-----------------------|---------------|--------------|---|---|
| <b>NORTH CAROLINA - Fifth District</b> |  |                          |                       |               |              |   |   |
| 33630                                  | - LIGHT 1A   | 35 00 26 N<br>76 30 11 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                                   |   |
| 33635                                  | - Daybeacon 2  |                          |                       |               |              | TR on pile.                                   |   |
| 33640                                  | - LIGHT 4  |                          | <b>FI R</b> 6s        | 15            | 4            | TR on pile.                                   |   |
| 33645                                  | - LIGHT 5  |                          | <b>FI G</b> 6s        | 15            | 4            | SG on pile.                                   |   |
| <b>Orchard Creek Channel</b>           |  |                          |                       |               |              |   |   |
| 33647.01                               | - Daybeacon 1  | 35 03 28 N<br>76 37 59 W |                       | 7             |              | SG on pile.                                   | Private aid.  |
| 33647.03                               | - Daybeacon 3  |                          |                       | 7             |              | SG on pile.                                   | Private aid.  |
| 33647.05                               | - Daybeacon 5  |                          |                       | 7             |              | SG on pile.                                   | Private aid.  |
| 33647.06                               | - Daybeacon 6  |                          |                       | 7             |              | TR on pile.                                   | Private aid.  |
| 33647.08                               | - Dyabeacon 8  |                          |                       | 7             |              | TR on pile.                                   | Private aid.  |
| 33647.1                                | - Daybeacon 10   |                          |                       | 7             |              | TR on pile.                                   | Private aid.  |
| 33647.11                               | - Daybeacon 11   |                          |                       | 7             |              | SG on pile.                                   | Private aid.  |
| <b>Turnagain Bay</b>                   |  |                          |                       |               |              |   |   |
| 33650                                  | Cockle Point Warning<br>Daybeacon                                | 35 02 55 N<br>76 37 59 W |                       |               |              | NW on pile; worded DANGER<br>SUBMERGED WRECK. |   |
| <b>South River</b>                     |  |                          |                       |               |              |   |   |
| 33655                                  | - LIGHT 1  | 34 59 23 N<br>76 35 25 W | <b>FI G</b> 2.5s      | 15            | 4            | SG on multi-pile structure.                   |   |
| 33660                                  | - LIGHT 2  | 34 58 56 N<br>76 35 04 W | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                                   |   |
| 33665                                  | - Wreck Daybeacon WR3<br>30 yards, 270° from<br>submerged wreck. | 34 58 52 N<br>76 34 59 W |                       |               |              | SG on multi-pile structure.                   | Least depth over wreck is 5<br>feet at mean low water.<br>U.S. Army maintained. |
| 33670                                  | - Daybeacon 5  |                          |                       |               |              | SG on pile.                                   |   |
| 33675                                  | Hardy Creek Junction<br>Daybeacon HC                             | 34 58 02 N<br>76 35 08 W |                       |               |              | JR on pile.                                   |   |
| 33680                                  | Hardy Creek Daybeacon 1  |                          |                       |               |              | SG on pile.                                   |   |
| 33685                                  | - LIGHT 6  | 34 57 24 N<br>76 34 43 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                                   |   |
| <b>NEUSE RIVER (Chart 11552)</b>       |  |                          |                       |               |              |   |   |
| <b>Pierce Creek</b>                    |  |                          |                       |               |              |   |   |
| 33690                                  | - LIGHT 2  | 35 02 19 N<br>76 39 16 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                                   |   |
| 33695                                  | - Daybeacon 4  |                          |                       |               |              | TR on pile.                                   |   |
| 33700                                  | - Daybeacon 5  |                          |                       |               |              | SG on pile.                                   |   |
| 33705                                  | - Daybeacon 6  |                          |                       |               |              | TR on pile.                                   |   |
| 33710                                  | - Daybeacon 8  |                          |                       |               |              | TR on pile.                                   |   |
| <b>Neuse River</b>                     |  |                          |                       |               |              |   |   |
| 33715<br>38285                         | - LIGHT 7  |                          | <b>FI G</b> 4s        | 15            | 5            | SG-SY on multi-pile structure.                | Ra ref.   |

| (1)<br>No.                             | (2)<br>Name and Location                                   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                   | (8)<br>Remarks |
|--|--|--------------------------|-----------------------|---------------|--------------|------------------------------------|----------------|
| <b>NORTH CAROLINA - Fifth District</b> |  |                          |                       |               |              |                                    |                |
| <b>Whittaker Creek</b>                 |  |                          |                       |               |              |                                    |                |
| 33718                                  | - Daybeacon 1  |                          |                       |               |              | SG on pile.                        |                |
| 33720                                  | - LIGHT 2  | 35 01 23 N<br>76 41 09 W | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                        |                |
| 33723                                  | - Daybeacon 3  |                          |                       |               |              | SG on pile.                        |                |
| 33725                                  | - Daybeacon 4  |                          |                       |               |              | TR on pile.                        |                |
| 33730                                  | - LIGHT 5  |                          | <b>FI G</b> 4s        | 15            | 3            | SG on pile.                        |                |
| 33735                                  | - Daybeacon 7  |                          |                       |               |              | SG on pile.                        |                |
| <b>Greens Creek</b>                    |  |                          |                       |               |              |                                    |                |
| 33740                                  | - Daybeacon 1  |                          |                       |               |              | SG on pile.                        |                |
| 33745                                  | - Daybeacon 2  |                          |                       |               |              | TR on pile.                        |                |
| 33750                                  | - Daybeacon 3  |                          |                       |               |              | SG on pile.                        |                |
| <b>Smith Creek Channel</b>             |  |                          |                       |               |              |                                    |                |
| 33755                                  | - LIGHT 1  | 35 00 54 N<br>76 41 28 W | <b>FI G</b> 4s        | 15            | 4            | SG on multi-pile structure.        |                |
| 33760                                  | - Daybeacon 3  |                          |                       |               |              | SG on pile.                        |                |
| 33765                                  | - Daybeacon 5  |                          |                       |               |              | SG on pile.                        |                |
| 33770                                  | - LIGHT 6  |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                        |                |
| 33775                                  | - LIGHT 8  |                          | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure.        |                |
| 33780                                  | - Daybeacon 9  | 35 01 31 N<br>76 42 06 W |                       |               |              | SG on pile.                        |                |
| 33785                                  | - Daybeacon 10   | 35 01 42 N<br>76 42 09 W |                       |               |              | TR on pile.                        |                |
| <b>Neuse River</b>                     |  |                          |                       |               |              |                                    |                |
| 33790<br>38290                         | ADAMS CREEK LIGHT 1AC<br>35 feet outside channel<br>limit. | 34 58 30 N<br>76 41 46 W | <b>FI G</b> 4s        | 15            | 4            | SG-SY on multi-pile<br>structure.  | Ra ref.        |
| 33795                                  | Dawson Creek Entrance<br>Daybeacon 2                       |                          |                       |               |              | TR on pile.                        |                |
| 33800                                  | Dawson Creek Entrance<br>Warning Daybeacon                 |                          |                       |               |              | NW on pile worded DANGER<br>SHOAL. |                |
| 33801                                  | Dawson Creek Entrance<br>Buoy 4                            |                          |                       |               |              | Red nun.                           |                |
| <b>Clubfoot Creek</b>                  |  |                          |                       |               |              |                                    |                |
| 33805                                  | - Entrance Daybeacon 1                                     | 34 56 00 N<br>76 45 13 W |                       |               |              | SG on pile.                        |                |
| 33810                                  | - ENTRANCE LIGHT 3   | 34 55 25 N<br>76 45 34 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                        |                |
| 33815                                  | - Daybeacon 5  |                          |                       |               |              | SG on pile.                        |                |
| 33820                                  | - Daybeacon 6  |                          |                       |               |              | TR on pile.                        |                |
| 33825                                  | - Daybeacon 8  |                          |                       |               |              | TR on pile.                        |                |

| (1)<br>No.                             | (2)<br>Name and Location                                 | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure              | (8)<br>Remarks  |
|--|--|--------------------------|-----------------------|---------------|--------------|-------------------------------|---|
| <b>NORTH CAROLINA - Fifth District</b> |  |                          |                       |               |              |                               |   |
| <b>Neuse River</b>                     |  |                          |                       |               |              |                               |   |
| 33830                                  | - Daybeacon 8  |                          |                       |               |              | TR on pile.                   |   |
| 33835                                  | - LIGHT 9  | 34 56 51 N<br>76 48 32 W | FI G 2.5s             | 15            | 4            | SG on multi-pile structure.   | Higher intensity beam up and down channel.<br>Ra ref. |
| 33840                                  | WILKINSON POINT FERRY<br>TERMINAL CHANNEL<br>LIGHT 2     | 34 57 49 N<br>76 48 35 W | FI R 2.5s             | 15            | 3            | TR on pile.                   |   |
| 33845                                  | Wilkinson Point Ferry<br>Terminal Channel<br>Daybeacon 3 |                          |                       |               |              | SG on pile.                   |   |
| 33850                                  | Wilkinson Point Ferry<br>Terminal Channel<br>Daybeacon 4 |                          |                       |               |              | TR on pile.                   |   |
| 33853                                  | - Buoy 9   |                          |                       |               |              | Green can with yellow square. |   |
| 33855                                  | Cherry Point Channel<br>Daybeacon 2                      | 34 56 46 N<br>76 48 35 W |                       |               |              | TR on pile.                   |   |
| 33860                                  | Cherry Point Channel<br>Daybeacon 3                      |                          |                       |               |              | SG on pile.                   |   |
| 33865                                  | Cherry Point Channel<br>Daybeacon 4                      | 34 56 27 N<br>76 48 36 W |                       |               |              | TR on pile.                   |   |
| <b>Minnesott Beach Yacht Basin</b>     |  |                          |                       |               |              |                               |   |
| 33870                                  | - ENTRANCE LIGHT 1                                       | 34 58 12 N<br>76 49 12 W | Q G                   | 14            |              | SG on pile.                   | Private aid.  |
| 33875                                  | - Entrance Daybeacon 2                                   |                          |                       |               |              | TR on pile.                   | Private aid.  |
| 33880                                  | - Entrance Daybeacon 3                                   |                          |                       |               |              | SG on pile.                   | Private aid.  |
| 33885                                  | - Entrance Daybeacon 4                                   |                          |                       |               |              | TR on pile.                   | Private aid.  |
| 33890                                  | - Entrance Daybeacon 5                                   |                          |                       |               |              | SG on pile.                   | Private aid.  |
| 33895                                  | - Entrance Daybeacon 6                                   |                          |                       |               |              | TR on pile.                   | Private aid.  |
| <b>Hancock Creek</b>                   |  |                          |                       |               |              |                               |   |
| 33900                                  | - LIGHT 1  | 34 56 24 N<br>76 50 48 W | FI G 2.5s             | 15            | 3            | SG on pile.                   |   |
| 33905                                  | - Daybeacon 3  |                          |                       |               |              | SG on pile.                   |   |
| 33910                                  | - Daybeacon 5  |                          |                       |               |              | SG on pile.                   |   |
| 33915                                  | - LIGHT 6  |                          | FI R 4s               | 15            | 3            | TR on pile.                   |   |
| <b>Slocum Creek</b>                    |  |                          |                       |               |              |                               |   |
| 33920                                  | - LIGHT 2  | 34 57 04 N<br>76 53 17 W | Q R                   | 15            | 3            | TR on pile.                   |   |
| 33925                                  | - Daybeacon 1  |                          |                       |               |              | SG on pile.                   |   |
| 33930                                  | - Daybeacon 4  |                          |                       |               |              | TR on pile.                   |   |
| 33935                                  | - Daybeacon 4A   |                          |                       |               |              | TR on pile.                   |   |
| 33940                                  | - Daybeacon 5  |                          |                       |               |              | SG on pile.                   |   |
| 33945                                  | - Daybeacon 7  |                          |                       |               |              | SG on pile.                   |   |
| 33950                                  | - Daybeacon 8  |                          |                       |               |              | TR on pile.                   |   |

| (1)<br>No.                             | (2)<br>Name and Location                                    | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks |
|--|---|--------------------------|-----------------------|---------------|--------------|--|----------------|
| <b>NORTH CAROLINA - Fifth District</b> |   |                          |                       |               |              |  |                |
| 33955                                  | - Daybeacon 10  |                          |                       |               |              | TR on pile.  |                |
| 33960                                  | Beard Creek Entrance<br>Daybeacon 1                         | 34 59 50 N<br>76 51 55 W |                       |               |              | SG on pile.  |                |
| <b>Neuse River</b>                     |   |                          |                       |               |              |  |                |
| 33965                                  | - CHANNEL LIGHT 11  |                          | <b>Q G</b>            | 15            | 4            | SG on multi-pile structure.                                      |                |
| 33970                                  | - Channel Daybeacon 13                                      |                          |                       |               |              | SG on pile.  |                |
| 33975                                  | - Channel Daybeacon 15<br>25 feet outside channel<br>limit. |                          |                       |               |              | SG on pile.  |                |
| 33980                                  | - CHANNEL LIGHT 17<br>25 feet outside channel<br>limit.     |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.  |                |
| 33985                                  | - CHANNEL LIGHT 19  |                          | <b>FI G 4s</b>        | 16            | 4            | SG on pile.  |                |
| 33990                                  | UPPER BROAD CREEK<br>LIGHT 2                                | 35 02 56 N<br>76 57 25 W | <b>FI R 4s</b>        | 15            | 3            | TR on pile.  |                |
| 33995                                  | Upper Broad Creek<br>Daybeacon 3                            | 35 03 22 N<br>76 57 02 W |                       |               |              | SG on pile.  |                |
| 33996                                  | Northwest Creek Entrance<br>Light 1N                        | 35 03 36 N<br>76 57 54 W | <b>FI G 4s</b>        | 15            |              | SG on pile.  | Private aid.   |
| 33997                                  | Northwest Creek Channel<br>Daybeacon 3                      | 35 03 18 N<br>76 57 54 W |                       |               |              | SG on pile.  | Private aid.   |
| 33998                                  | Northwest Creek Channel<br>Daybeacon 4                      | 35 03 18 N<br>76 57 50 W |                       |               |              | TR on pile.  | Private aid.   |
| 33998.1                                | Northwest Creek Channel<br>Daybeacon 5                      | 35 03 23 N<br>76 58 01 W |                       |               |              | SG on pile.  | Private aid.   |
| 34000                                  | - CHANNEL LIGHT 22  |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.  |                |
| 34005                                  | - Channel Daybeacon 24<br>25 feet outside channel<br>limit. |                          |                       |               |              | TR on pile.  |                |
| 34010                                  | - Channel Daybeacon 26                                      |                          |                       |               |              | TR on pile.  |                |
| 34015                                  | - CHANNEL LIGHT 27  |                          | <b>FI G 4s</b>        | 16            | 4            | SG on pile structure.  |                |
| 34020                                  | - CHANNEL LIGHT 28<br>25 feet outside channel<br>limit.     |                          | <b>FI R 4s</b>        | 15            | 3            | TR on multi-pile structure.                                      |                |
| 34025                                  | - Channel Daybeacon 29<br>25 feet outside channel<br>limit. |                          |                       |               |              | SG on pile.  |                |
| 34030                                  | - CHANNEL LIGHT 32<br>25 feet outside channel<br>limit.     |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR on pile.  |                |
| 34040                                  | - Channel Daybeacon 34<br>25 feet outside channel<br>limit. |                          |                       |               |              | TR on pile.  |                |
| 34045                                  | - Channel Daybeacon 38<br>25 feet outside channel<br>limit. |                          |                       |               |              | TR on pile.  |                |
| 34047                                  | BRIDGETON WARNING LIGHT                                     | 35 07 24 N<br>77 01 42 W | <b>FI W 4s</b>        | 6             | 3            | NW on pile worded DANGER<br>SUBMERGED PIPELINE DO<br>NOT ANCHOR. | Private aid.   |
| 34050                                  | - CHANNEL LIGHT 39  |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.  |                |

| (1)<br>No.                             | (2)<br>Name and Location | (3)<br>Position | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                             | (8)<br>Remarks |
|--|--------------------------|-----------------|-----------------------|---------------|--------------|--|----------------|
| <b>NORTH CAROLINA - Fifth District</b> |                          |                 |                       |               |              |  |                |
| 34055                                  | - Channel Daybeacon 41   |                 |                       |               |              | SG on pile.                                  |                |
| 34060                                  | - Channel Daybeacon 43   |                 |                       |               |              | SG on pile.                                  |                |
| 34065                                  | - Channel Daybeacon 45   |                 |                       |               |              | SG on pile.                                  |                |
| 34070                                  | - Channel Daybeacon 47   |                 |                       |               |              | SG on pile.                                  |                |
| 34075                                  | - Channel Daybeacon 48   |                 |                       |               |              | TR on pile.                                  |                |
| 34080                                  | - RIVER LIGHT 48A        |                 | <b>FI R 4s</b>        | 15            | 2            | TR on pile.                                  |                |
| <b>Taylor Creek</b>                    |                          |                 |                       |               |              |  |                |
| 34083                                  | - Daybeacon 1            |                 |                       |               |              | SG on pile.                                  | Private aid.   |
| 34085                                  | - Daybeacon 2            |                 |                       |               |              | TR on pile.                                  | Private aid.   |
| 34087                                  | - Daybeacon 3            |                 |                       |               |              | SG on pile.                                  | Private aid.   |
| 34090                                  | - Daybeacon 4            |                 |                       |               |              | TR on pile.                                  | Private aid.   |
| 34095                                  | - Daybeacon 6            |                 |                       |               |              | TR on pile.                                  | Private aid.   |
| 34100                                  | - Daybeacon 8            |                 |                       |               |              | TR on pile.                                  | Private aid.   |
| <b>Neuse River</b>                     |                          |                 |                       |               |              |  |                |
| 34110                                  | - Daybeacon 49           |                 |                       |               |              | SG on pile.                                  |                |
| 34115                                  | - Daybeacon 50           |                 |                       |               |              | TR on pile.                                  |                |
| 34120                                  | - Daybeacon 50A          |                 |                       |               |              | TR on pile.                                  |                |
| 34125                                  | - Daybeacon 50B          |                 |                       |               |              | TR on pile.                                  |                |
| 34126                                  | - Daybeacon 50BB         |                 |                       |               |              | TR on pile.                                  |                |
| 34127                                  | - Obstruction Daybeacon  |                 |                       |               |              | NW on pile worded DANGER<br>SUBMERGED WRECK. |                |
| 34130                                  | - Daybeacon 50C          |                 |                       |               |              | TR on pile.                                  |                |
| 34135                                  | - Daybeacon 50D          |                 |                       |               |              | TR on pile.                                  |                |
| 34140                                  | - Daybeacon 51           |                 |                       |               |              | SG on pile.                                  |                |
| 34145                                  | - Daybeacon 51A          |                 |                       |               |              | SG on pile.                                  |                |
| 34150                                  | - Daybeacon 51B          |                 |                       |               |              | SG on pile.                                  |                |
| 34151                                  | - Buoy 51C               |                 |                       |               |              | Green can.                                   |                |
| 34155                                  | - Buoy 52                |                 |                       |               |              | Red nun.                                     |                |
| 34160                                  | - Daybeacon 52A          |                 |                       |               |              | TR on pile.                                  |                |
| 34165                                  | - Daybeacon 53           |                 |                       |               |              | SG on pile.                                  |                |
| 34170                                  | - Daybeacon 54           |                 |                       |               |              | TR on pile.                                  |                |
| 34175                                  | - Daybeacon 55           |                 |                       |               |              | SG on pile.                                  |                |
| 34180                                  | - Daybeacon 57           |                 |                       |               |              | SG on pile.                                  |                |
| 34185                                  | - Daybeacon 58           |                 |                       |               |              | TR on pile.                                  |                |
| 34190                                  | - Daybeacon 60           |                 |                       |               |              | TR on pile.                                  |                |
| 34195                                  | - Daybeacon 62           |                 |                       |               |              | TR on pile.                                  |                |
| 34200                                  | - Daybeacon 64           |                 |                       |               |              | TR on pile.                                  |                |

| (1)<br>No.   | (2)<br>Name and Location                               | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks |
|--|--|--------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| <b>NORTH CAROLINA - Fifth District</b>                       |  |                          |                       |               |              |                                |                |
| 34205  | - Daybeacon 65   |                          |                       |               |              | SG on pile.                    |                |
| 34210  | - Daybeacon 67   |                          |                       |               |              | SG on pile.                    |                |
| 34215  | - Daybeacon 68   |                          |                       |               |              | TR on pile.                    |                |
| 34220  | - Daybeacon 70   |                          |                       |               |              | TR on pile.                    |                |
| 34225  | - Daybeacon 72   |                          |                       |               |              | TR on pile.                    |                |
| 34230  | - Daybeacon 74   |                          |                       |               |              | TR on pile.                    |                |
| 34235  | - Daybeacon 76   |                          |                       |               |              | TR on pile.                    |                |
| <b>Trent River</b>   |  |                          |                       |               |              |                                |                |
| 34240  | - Daybeacon 1  | 35 05 06 N<br>77 03 10 W |                       |               |              | SG on pile.                    |                |
| 34245  | - LIGHT 2  |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                    |                |
| 34250  | - Daybeacon 3  |                          |                       |               |              | SG on pile.                    |                |
| 34255  | - Daybeacon 4  |                          |                       |               |              | TR on pile.                    |                |
| 34260  | - Daybeacon 4A   |                          |                       |               |              | TR on pile.                    |                |
| 34266  | - LIGHT 5  |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                    |                |
| 34270  | - Daybeacon 6  |                          |                       |               |              | TR on pile.                    |                |
| 34275  | - LIGHT 8  |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                    |                |
| 34280  | - Daybeacon 9  |                          |                       |               |              | SG on pile.                    |                |
| 34285  | - LIGHT 10   |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                    |                |
| 34290  | - Daybeacon 12   |                          |                       |               |              | TR on pile.                    |                |
| 34295  | - LIGHT 13   |                          | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile structure.    |                |
| 34300  | - Daybeacon 14   |                          |                       |               |              | TR on pile.                    |                |
| 34305  | - Daybeacon 16   |                          |                       |               |              | TR on pile.                    |                |
| 34310  | - Daybeacon 18   |                          |                       |               |              | TR on pile.                    |                |
| 34315  | - Daybeacon 20   |                          |                       |               |              | TR on pile.                    |                |
| <b>OCRACOCKE INLET AND NORTHERN CORE SOUND (Chart 11550)</b> |  |                          |                       |               |              |                                |                |
| <b>Core Sound</b>  |  |                          |                       |               |              |                                |                |
| 34320  | Harbor Island Warning<br>Daybeacon                     | 35 00 27 N<br>76 13 16 W |                       |               |              | NW on multiple pile structure. |                |
| 34325  | - LIGHT 1CS  | 35 00 16 N<br>76 12 11 W | <b>FI G 4s</b>        | 15            | 3            | SG on pile.                    |                |
| 34330  | - CHANNEL LIGHT 3<br>25 feet outside channel<br>limit. | 34 59 50 N<br>76 12 16 W | <b>FI G 4s</b>        | 15            | 4            | SG on multi-pile<br>structure. |                |
| 34335  | - Buoy 3A  | 34 59 44 N<br>76 12 18 W |                       |               |              | Green can.                     |                |
| 34340  | - Buoy 4   |                          |                       |               |              | Red nun.                       |                |
| 34341  | - Buoy 4A  |                          |                       |               |              | Red nun.                       |                |
| 34345  | - CHANNEL LIGHT 5<br>25 feet outside channel<br>limit. | 34 59 21 N<br>76 12 21 W | <b>FI G 2.5s</b>      | 17            | 3            | SG on multi-pile structure.    |                |

| (1)<br>No.                             | (2)<br>Name and Location                               | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                             | (8)<br>Remarks                              |
|--|--|--------------------------|-----------------------|---------------|--------------|--|---|
| <b>NORTH CAROLINA - Fifth District</b> |  |                          |                       |               |              |  |   |
| 34349                                  | - Buoy 5A  |                          |                       |               |              | Green can.                                   |   |
| 34350                                  | - Daybeacon 5B   | 34 59 09 N<br>76 12 33 W |                       |               |              | SG on pile.                                  |   |
| 34355                                  | - Daybeacon 6  |                          |                       |               |              | TR on pile.                                  |   |
| 34360                                  | - CHANNEL LIGHT 7                                      | 34 58 59 N<br>76 12 38 W | <b>Q G</b>            | 15            | 3            | SG on slatted pile structure.                |   |
| 34365                                  | - CHANNEL LIGHT 9<br>25 feet outside channel<br>limit. | 34 58 47 N<br>76 13 04 W | <b>FI G 4s</b>        | 18            | 4            | SG on multi-pile structure.                  |   |
| 34370                                  | - LIGHT 11   |                          | <b>FI G 6s</b>        | 15            | 4            | SG on pile.                                  |   |
| 34375                                  | - LIGHT 13   |                          | <b>FI G 4s</b>        | 15            | 3            | SG on pile.                                  |   |
| 34380                                  | - LIGHT 15   |                          | <b>FI G 6s</b>        | 15            | 4            | SG on pile.                                  |   |
| 34385                                  | - LIGHT 16   |                          | <b>FI R 2.5s</b>      | 15            | 4            | TR on pile.                                  |   |
| 34389.3                                | - Buoy 24  |                          |                       |               |              | Red nun.                                     |   |
| 34390                                  | - LIGHT 18   |                          | <b>FI R 4s</b>        | 15            | 4            | TR on pile.                                  |   |
| 34395                                  | - Daybeacon 18A  |                          |                       |               |              | TR on pile.                                  |   |
| <b>Cedar Island Bay Channel</b>        |  |                          |                       |               |              |  |   |
| 34400                                  | - LIGHT 2<br>20 feet outside channel<br>limit.         | 34 58 05 N<br>76 15 37 W | <b>FI R 4s</b>        | 18            | 4            | TR on pile.                                  |   |
| 34405                                  | - Daybeacon 3<br>20 feet outside channel<br>limit.     |                          |                       |               |              | SG on pile.                                  |   |
| 34410                                  | - Daybeacon 5<br>25 feet outside channel<br>limit.     |                          |                       |               |              | SG on pile.                                  |   |
| 34415                                  | - LIGHT 6<br>25 feet outside channel<br>limit.         |                          | <b>FI R 6s</b>        | 15            | 4            | TR on pile.                                  |   |
| 34420                                  | - LIGHT 8<br>25 feet outside channel<br>limit.         |                          | <b>FI R 2.5s</b>      | 18            | 3            | TR on pile.                                  |   |
| <b>Thorofare Channel</b>               |  |                          |                       |               |              |  |   |
| 34425                                  | - LIGHT 1  | 34 55 32 N<br>76 19 25 W | <b>FI W 4s</b>        | 15            | 4            | SG on pile.                                  | Higher intensity beam toward<br>Core Sound. |
| 34430                                  | - LIGHT 1A   |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                                  |   |
| 34435                                  | - Daybeacon 2  |                          |                       |               |              | TR on pile.                                  |   |
| 34440                                  | - LIGHT 4  |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                                  |   |
| 34445                                  | - Daybeacon 6  |                          |                       |               |              | TR on pile.                                  |   |
| 34450                                  | - Daybeacon 7  |                          |                       |               |              | SG on pile.                                  |   |
| <b>Core Sound</b>                      |  |                          |                       |               |              |  |   |
| 34455                                  | - LIGHT 19   |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                                  |   |
| 34460                                  | - LIGHT 19A  |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                                  |   |
| 34465                                  | - Warning Daybeacon<br>2 yards, 295° from<br>wreck.    | 34 54 18 N<br>76 17 20 W |                       |               |              | NW on pile worded DANGER<br>SUBMERGED WRECK. |   |

| (1)<br>No.  | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure              | (8)<br>Remarks |
|---|---|--------------------------|-----------------------|---------------|--------------|-------------------------------|----------------|
| <b>NORTH CAROLINA - Fifth District</b>                      |   |                          |                       |               |              |                               |                |
| 34470   | - LIGHT 20  |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                   |                |
| 34475   | - LIGHT 22  |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                   |                |
| 34480   | - Daybeacon 22A   | 34 52 31 N<br>76 19 59 W |                       |               |              | TR on pile.                   |                |
| 34485   | - Daybeacon 23  | 34 52 26 N<br>76 20 11 W |                       |               |              | SG on pile.                   |                |
| <b>BEAUFORT INLET AND SOUTHERN CORE SOUND (Chart 11545)</b> |   |                          |                       |               |              |                               |                |
| <b>Core Sound</b>   |   |                          |                       |               |              |                               |                |
| 34490   | ATLANTIC ENTRANCE LIGHT<br>On edge of shoal.                              |                          | <b>Mo (A) W</b>       | 15            | 5            | MR on slatted pile structure. |                |
| 34495   | Atlantic Channel<br>Daybeacon 1   |                          |                       |               |              | SG on pile.                   |                |
| 34500   | ATLANTIC CHANNEL LIGHT 2  | 34 52 50 N<br>76 20 10 W | <b>Q R</b>            | 15            | 3            | TR on pile.                   |                |
| 34505   | Atlantic Channel<br>Buoy 4  |                          |                       |               |              | Red nun.                      |                |
| 34515   | ATLANTIC CHANNEL LIGHT 6  | 34 53 02 N<br>76 19 56 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                   |                |
| 34520   | - LIGHT 24  |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.                   |                |
| 34525   | - LIGHT 25  | 34 51 27 N<br>76 21 11 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                   |                |
| 34535   | CEDAR CREEK LIGHT 1   |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                   |                |
| 34540   | - LIGHT 27  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on slatted pile structure. |                |
| 34545   | - LIGHT 28  |                          | <b>FI R</b> 2.5s      | 15            | 4            | TR on pile.                   |                |
| 34550   | SEALEVEL CHANNEL<br>ENTRANCE LIGHT 1<br>30 feet outside channel<br>limit. | 34 51 11 N<br>76 23 09 W | <b>FI G</b> 2.5s      | 15            | 4            | SG on pile.                   |                |
| 34555   | - Buoy 3  |                          |                       |               |              | Green can.                    |                |
| 34560   | NELSON BAY LIGHT 1  | 34 51 19 N<br>76 24 17 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                   |                |
| 34565   | NELSON BAY LIGHT 3  | 34 52 12 N<br>76 24 06 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                   |                |
| 34570   | FULCHERS CREEK LIGHT 1  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                   |                |
| 34575   | - LIGHT 29  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                   |                |
| 34580   | - LIGHT 31  |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                   |                |
| 34585   | - LIGHT 33  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                   |                |
| 34590   | OYSTER CREEK ENTRANCE<br>LIGHT 2  |                          | <b>FI R</b> 2.5s      | 15            | 4            | TR on pile.                   |                |
| 34595   | Oyster Creek Daybeacon 3  |                          |                       |               |              | SG on pile.                   |                |
| 34600   | SALTER CREEK LIGHT 1  | 34 48 19 N<br>76 26 56 W | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.                   |                |
| 34605   | Salter Creek Entrance<br>Daybeacon 3                                      |                          |                       |               |              | SG on pile.                   | Private aid.   |
| 34610   | DAVIS CHANNEL LIGHT 1   |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.                   |                |

| (1)<br>No.                             | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks |
|--|---|--------------------------|-----------------------|---------------|--------------|------------------|----------------|
| <b>NORTH CAROLINA - Fifth District</b> |   |                          |                       |               |              |                  |                |
| 34615                                  | - LIGHT 34  |                          | <b>FI R</b> 4s        | 15            | 4            | TR on pile.      |                |
| 34620                                  | - LIGHT 35  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.      |                |
| 34625                                  | - CHANNEL LIGHT 36<br>25 feet outside channel<br>limit.                     |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.      |                |
| 34628                                  | - Daybeacon 37  |                          |                       |               |              | SG on pile.      |                |
| 34630                                  | - LIGHT 37A   |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.      |                |
| 34635                                  | - LIGHT 39  |                          | <b>FI G</b> 4s        | 15            | 3            | SG on pile.      |                |
| 34640                                  | - CHANNEL LIGHT 41<br>25 feet outside channel<br>limit.                     |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG on pile.      |                |
| 34645                                  | - Daybeacon 42  |                          |                       |               |              | TR on pile.      |                |
| 34650                                  | - LIGHT 42A   |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.      |                |
| <b>Marshallberg</b>                    |   |                          |                       |               |              |                  |                |
| 34655                                  | - Channel Daybeacon 1   | 34 43 07 N<br>76 31 15 W |                       |               |              | SG on pile.      |                |
| 34660                                  | - Channel Daybeacon 3   |                          |                       |               |              | SG on pile.      |                |
| 34665                                  | - Channel Daybeacon 4   |                          |                       |               |              | TR on pile.      |                |
| <b>Core Sound</b>                      |   |                          |                       |               |              |                  |                |
| 34670                                  | - LIGHT 44  |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR on pile.      |                |
| 34675                                  | - LIGHT 46  |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.      |                |
| 34680                                  | - LIGHT 47  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.      |                |
| 34681                                  | - Daybeacon 47A   |                          |                       |               |              | SG on pile.      |                |
| 34685                                  | WESTMOUTH BAY LIGHT A   | 34 42 12 N<br>76 33 06 W | <b>FI W</b> 4s        | 15            | 5            | NR on pile.      |                |
| 34690                                  | - Channel Daybeacon 48  |                          |                       |               |              | TR on pile.      |                |
| 34695                                  | - Channel Daybeacon 50  | 34 42 55 N<br>76 35 06 W |                       |               |              | TR on pile.      |                |
| 34700                                  | - Channel Buoy 51   |                          |                       |               |              | Green can.       |                |
| 34705                                  | - CHANNEL LIGHT 55  |                          | <b>FI G</b> 4s        | 15            | 4            | SG on pile.      |                |
| 34710                                  | Brooks Creek Daybeacon 1  | 34 42 36 N<br>76 35 16 W |                       |               |              | SG on pile.      |                |
| 34715                                  | Brooks Creek Daybeacon 2  |                          |                       |               |              | TR on pile.      |                |
| 34720                                  | Brooks Creek Daybeacon 3  |                          |                       |               |              | SG on pile.      |                |
| 34725                                  | - LIGHT 56  |                          | <b>FI R</b> 4s        | 15            | 3            | TR on pile.      |                |
| 34730                                  | HARKERS ISLAND WEST<br>CHANNEL LIGHT 1<br>20 feet outside channel<br>limit. | 34 42 08 N<br>76 35 46 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.      |                |
| 34735                                  | Harkers Island West Channel<br>Daybeacon 3                                  |                          |                       |               |              | SG on pile.      |                |
| 34739                                  | - Daybeacon 56A   |                          |                       |               |              | TR on pile.      |                |
| 34740                                  | - Daybeacon 56B   |                          |                       |               |              | TR on pile.      |                |

| (1)<br>No.                             | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks                                     |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|------------------|--|
| <b>NORTH CAROLINA - Fifth District</b> |                          |                          |                       |               |              |                  |  |
| 34741                                  | - Buoy 56B               |                          |                       |               |              |                  | Red nun.   |
| 34745                                  | - LIGHT 58               |                          | <b>FI R 2.5s</b>      | 15            | 3            |                  | TR on pile.  |
| <b>North River</b>                     |                          |                          |                       |               |              |                  |  |
| 34748                                  | - Daybeacon 1NR          | 34 42 21 N<br>76 36 50 W |                       |               |              |                  | SG on pile.  |
| 34750                                  | - Daybeacon 2            | 34 42 22 N<br>76 36 47 W |                       |               |              |                  | TR on pile.  |
| 34755                                  | - Daybeacon 4            |                          |                       |               |              |                  | TR on pile.  |
| 34760                                  | - Daybeacon 6            |                          |                       |               |              |                  | TR on pile.  |
| 34765                                  | - Buoy 8                 |                          |                       |               |              |                  | Red nun.   |
| 34770                                  | - WARNING LIGHT          |                          | <b>FI Y 4s</b>        | 15            | 5            |                  | NW on pile worded DANGER<br>SUBMERGED OBSTRUCTION. |
| <b>Core Sound</b>                      |                          |                          |                       |               |              |                  |  |
| 34775                                  | - LIGHT 59               |                          | <b>FI G 4s</b>        | 15            | 4            |                  | SG on pile.  |
| <b>Taylor Creek</b>                    |                          |                          |                       |               |              |                  |  |
| 34780                                  | - Buoy 1TC               | 34 42 20 N<br>76 36 59 W |                       |               |              |                  | Green can.   |
| 34785                                  | - Warning Daybeacon      | 34 42 20 N<br>76 37 03 W |                       |               |              |                  | NW on pile worded<br>DANGER SHOAL.                 |
| 34787                                  | - Channel Buoy 3         |                          |                       |               |              |                  | Green can.   |
| 34790                                  | - Buoy 4                 |                          |                       |               |              |                  | Red nun.   |
| 34793                                  | - Channel Daybeacon 5    | 34 42 24 N<br>76 37 00 W |                       |               |              |                  | SG on pile.  |
| 34795                                  | - Channel Daybeacon 7    | 34 42 48 N<br>76 39 43 W |                       |               |              |                  | SG on pile.  |
| 34800                                  | - Channel Daybeacon 9    |                          |                       |               |              |                  | SG on pile.  |
| 34802                                  | - Junction Daybeacon BH  | 34 42 58 N<br>76 40 08 W |                       |               |              |                  | JR on pile.  |
| 34803                                  | - Buoy 1                 |                          |                       |               |              |                  | Green can.   |
| <b>Newport River</b>                   |                          |                          |                       |               |              |                  |  |
| <b>Beaufort Harbor Channel</b>         |                          |                          |                       |               |              |                  |  |
| 34805                                  | - <i>Lighted Buoy 2</i>  | 34 42 15 N<br>76 40 42 W | <b>FI R 2.5s</b>      |               | 3            |                  | Red.   |
| 34805.1                                | - Buoy 2A                |                          |                       |               |              |                  | Red nun.   |
| 34806                                  | - Buoy 2B                |                          |                       |               |              |                  | Red nun.   |
| 34810                                  | - LIGHT 1A               | 34 42 17 N<br>76 40 41 W | <b>FI G 4s</b>        | 15            | 4            |                  | SG on pile.  |
| 34815                                  | - Buoy 3                 |                          |                       |               |              |                  | Green can.   |
| 34820                                  | - Daybeacon 4            |                          |                       |               |              |                  | TR on pile.  |
| 34825                                  | - Daybeacon 3A           |                          |                       |               |              |                  | SG on pile.  |
| 34826                                  | - Daybeacon 4            |                          |                       |               |              |                  | TR on pile.  |
| 34830                                  | - Daybeacon 6            |                          |                       |               |              |                  | TR on pile.  |

| (1)<br>No.                             | (2)<br>Name and Location                            | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks |
|--|---|--------------------------|-----------------------|---------------|--------------|------------------|----------------|
| <b>NORTH CAROLINA - Fifth District</b> |   |                          |                       |               |              |                  |                |
| 34835                                  | - Daybeacon 7                                       |                          |                       |               |              |                  | SG on pile.    |
| 34840                                  | - Daybeacon 8                                       | 34 42 49 N<br>76 40 36 W |                       |               |              |                  | TR on pile.    |
| 34845                                  | - Daybeacon 10<br>20 feet outside channel<br>limit. |                          |                       |               |              |                  | TR on pile.    |
| <b>Russell Slough</b>                  |   |                          |                       |               |              |                  |                |
| 34855<br>38475                         | - CHANNEL JUNCTION LIGHT<br>RG                      | 34 44 10 N<br>76 40 38 W | <b>FI (2+1) R6s</b>   | 15            | 3            |                  | JR on pile.    |
| 34860                                  | - Daybeacon 10                                      |                          |                       |               |              |                  | TR on pile.    |
| 34865                                  | - CHANNEL LIGHT 12                                  |                          | <b>Q R</b>            | 15            | 3            |                  | TR on pile.    |
| 34870                                  | - Channel Daybeacon 14                              |                          |                       |               |              |                  | TR on pile.    |
| 34875                                  | - Daybeacon 15                                      |                          |                       |               |              |                  | SG on pile.    |
| <b>Town Creek</b>                      |   |                          |                       |               |              |                  |                |
| 34880                                  | - Channel Daybeacon 1                               |                          |                       |               |              |                  | SG on pile.    |
| 34885                                  | - Channel Daybeacon 2                               |                          |                       |               |              |                  | TR on pile.    |
| 34890                                  | - Channel Daybeacon 3                               |                          |                       |               |              |                  | SG on pile.    |
| 34895                                  | - Basin Daybeacon A                                 |                          |                       |               |              |                  | NB on pile.    |
| 34900                                  | - Basin Daybeacon B                                 |                          |                       |               |              |                  | NB on pile.    |
| 34905                                  | - Basin Daybeacon C                                 |                          |                       |               |              |                  | NB on pile.    |
| <b>Chimney Island Slough</b>           |   |                          |                       |               |              |                  |                |
| 34907.1                                | - Buoy 2  | 34 43 22 N<br>76 41 24 W |                       |               |              |                  | Red nun.       |
| 34907.2                                | - Daybeacon 3                                       |                          |                       |               |              |                  | SG on pile.    |
| 34907.3                                | - Daybeacon 4                                       |                          |                       |               |              |                  | TR on pile.    |
| 34907.4                                | - Daybeacon 5                                       |                          |                       |               |              |                  | SG on pile.    |
| 34907.5                                | - Daybeacon 6                                       |                          |                       |               |              |                  | TR on pile.    |
| <b>Calico Creek</b>                    |   |                          |                       |               |              |                  |                |
| 34910                                  | - Buoy 2  | 34 43 25 N<br>76 41 45 W |                       |               |              |                  | Red nun.       |
| 34915                                  | - Entrance Daybeacon 2A                             |                          |                       |               |              |                  | TR on pile.    |
| 34920                                  | - Entrance Daybeacon 3                              |                          |                       |               |              |                  | SG on pile.    |
| 34925                                  | - Entrance Daybeacon 4                              |                          |                       |               |              |                  | TR on pile.    |
| 34930                                  | - Entrance Daybeacon 5                              |                          |                       |               |              |                  | SG on pile.    |

# Section 24

## Intracoastal Waterway New Jersey

| (1)<br>No.  | (2)<br>Name and Location      | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                                     | (8)<br>Remarks                                       |
|---|-------------------------------|--------------------------|-----------------------|---------------|--------------|--|--|
| <b>INTRACOASTAL WATERWAY (New Jersey) - Fifth District</b>  |                               |                          |                       |               |              |  |  |
| <b>SANDY HOOK TO LITTLE EGG HARBOR (Chart 12324)</b>  |                               |                          |                       |               |              |  |  |
| <b>Manasquan - Atlantic City</b>  |                               |                          |                       |               |              |  |  |
| <b>Manasquan Inlet</b>  |                               |                          |                       |               |              |  |  |
| 34931   | - Lighted Bell Buoy 2M        |                          | <b>FI R</b> 4s        |               | 4            | Red.   |  |
| 34932   | - LIGHT 3                     | 40 00 01 N<br>74 01 55 W | <b>FI G</b> 6s        | 35            | 8            | SG on skeleton tower.                                | HORN: 1 blast ev<br>30s (3s bl)                      |
| 34934   | - LIGHT 4                     |                          | <b>FI R</b> 4s        | 30            | 6            | TR on skeleton tower.                                |  |
| <b>Manasquan River</b>  |                               |                          |                       |               |              |  |  |
| 34935   | - LIGHT 2                     | 40 06 25 N<br>74 02 47 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.  |  |
| 34940   | RIVIERA BEACH LIGHT           | 40 06 06 N<br>74 06 00 W | <b>F W</b>            |               |              | On pile.   | Maintained from Apr. 1<br>to Sep. 1.<br>Private aid. |
| 34945   | - LIGHT 4                     | 40 06 10 N<br>74 03 22 W | <b>FI R</b> 4s        | 15            | 3            | TR on multi-pile structure.                          | Light equipment removed from<br>Nov. 15 to May 1.    |
| 34950   | - Daybeacon 5                 |                          |                       |               |              | SG on pile.  |  |
| 34955   | - Daybeacon 7                 |                          |                       |               |              | SG on pile.  |  |
| 34960   | - LIGHT 6                     | 40 05 51 N<br>74 03 30 W | <b>FI R</b> 4s        | 17            | 3            | TR on pile.  | Light equipment removed from<br>Nov. 15 to May 1.    |
| 34965   | - LIGHT 9                     | 40 05 33 N<br>74 05 50 W | <b>FI G</b> 4s        | 15            | 4            | SG on pile.  |  |
| 34970   | - Daybeacon 8                 |                          |                       |               |              | TR on pile.  |  |
| 34975   | - Daybeacon 11                |                          |                       |               |              | SG on pile.  |  |
| <b>Shark River</b>  |                               |                          |                       |               |              |  |  |
| 34977   | - Lighted Whistle<br>Buoy S1  | 40 11 06 N<br>74 00 00 W | <b>Mo (A) W</b>       |               | 6            | Red and white stripes with red<br>spherical topmark. |  |
| 34978   | - SOUTH BREAKWATER<br>LIGHT 1 |                          | <b>FI G</b> 4s        | 33            | 6            | SG on pile.  |  |
| 34979   | - NORTH BREAKWATER<br>LIGHT 2 |                          | <b>FI R</b> 4s        | 33            | 10           | TR on multi-pile structure.                          |  |
| <b>New Jersey Intracoastal Waterway</b>   |                               |                          |                       |               |              |  |  |
| <i>Lights and buoys are maintained from May 1 to Nov. 15.<br/>Positions of buoys frequently shifted with changing conditions.</i> |                               |                          |                       |               |              |  |  |
| 34980   | - JUNCTION LIGHT NJICW        | 40 05 18 N<br>74 04 06 W | <b>FI (2+1) R</b> 6s  | 17            | 3            | JR-I on pile.  |  |
| 34985   | - LIGHT 2                     | 40 03 49 N<br>74 03 02 W | <b>Q R</b>            | 17            | 3            | TR-TY on pile.                                       |  |
| 34990   | - LIGHT 3                     | 40 03 34 N<br>74 03 07 W | <b>FI G</b> 4s        | 17            | 4            | SG-SY on pile.                                       |  |

| (1)<br>No.   | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks                                  |
|--|----------------------------|--------------------------|-----------------------|---------------|--------------|--------------------------------|---|
| <b>INTRACOASTAL WATERWAY (New Jersey) - Fifth District</b> |                            |                          |                       |               |              |                                |   |
| 34995  | - LIGHT 4                  | 40 03 25 N<br>74 03 12 W | <b>FI R</b> 4s        | 15            | 3            | TR-TY on multi-pile structure. |   |
| 35000  | - Daybeacon 6              |                          |                       |               |              | TR-TY on pile.                 |   |
| 35005  | - Daybeacon 8              |                          |                       |               |              | TR-TY on pile.                 |   |
| 35010  | - LIGHT 10                 | 40 02 59 N<br>74 03 01 W | <b>FI R</b> 4s        | 15            | 3            | TR-TY on multi-pile structure. |   |
| 35015  | - Daybeacon 12             |                          |                       |               |              | TR-TY on pile.                 |   |
| 35020  | - Daybeacon 13             |                          |                       |               |              | SG-SY on pile.                 |   |
| 35025  | - Daybeacon 14             |                          |                       |               |              | TR-TY on pile.                 |   |
| 35030  | - LIGHT 15                 | 40 01 53 N<br>74 03 24 W | <b>Q G</b>            | 17            | 3            | SG-SY on pile.                 |   |
| 35035  | - LIGHT 17                 |                          | <b>FI G</b> 6s        | 17            | 4            | SG-SY on pile.                 |   |
| 35040  | - LIGHT 19                 | 40 01 15 N<br>74 04 09 W | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.                 |   |
| 35045  | - LIGHT 20                 |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR-TY on pile.                 |   |
| 35050  | - Daybeacon 21             |                          |                       |               |              | SG-SY on pile.                 |   |
| 35055  | - LIGHT 22                 | 39 59 36 N<br>74 06 21 W | <b>Q R</b>            | 15            | 3            | TR-TY on pile.                 |   |
| 35060  | - LIGHT 24                 |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR-TY on pile.                 |   |
| 35065  | - LIGHT 26                 |                          | <b>FI R</b> 6s        | 16            | 4            | TR-TY on pile.                 |   |
| 35070  | - LIGHT 27                 |                          | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.                 |   |
| 35075  | - LIGHT 28                 | 39 57 37 N<br>74 06 17 W | <b>FI R</b> 4s        | 15            | 3            | TR-TY on pile.                 |   |
| 35080  | - LIGHT 29                 |                          | <b>Q G</b>            | 16            | 3            | SG-SY on pile.                 |   |
| 35085  | - Daybeacon 31             |                          |                       |               |              | SG-SY on pile.                 |   |
| 35090  | - Daybeacon 33             |                          |                       |               |              | SG-SY on pile.                 |   |
| 35095  | - LIGHT 34                 | 39 56 19 N<br>74 06 20 W | <b>Q R</b>            | 17            | 3            | TR-TY on pile.                 |   |
| 35100  | RIVERBANK LIGHT            |                          | <b>FI Y</b> 2.5s      | 11            |              | On dolphin.                    | Maintained from May 1 to Sept. 30. Private aid. |
| 35105  | - LIGHT 36                 |                          | <b>FI R</b> 2.5s      | 17            | 3            | TR-TY on pile.                 |   |
| 35110  | - Daybeacon 37             |                          |                       |               |              | SG-SY on pile.                 |   |
| 35115  | - LIGHT 38                 | 39 54 48 N<br>74 06 57 W | <b>Q R</b>            | 17            | 3            | TR-TY on pile.                 |   |
| 35120  | - LIGHT 39                 |                          | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.                 |   |
| 35125  | - LIGHT 40                 | 39 51 42 N<br>74 07 21 W | <b>FI R</b> 2.5s      | 17            | 3            | TR-TY on multi-pile structure. | Maintained year round.                          |
| 35130  | BARNEGAT BAY LIGHT BB      | 39 49 21 N<br>74 08 46 W | <b>Mo (A) W</b>       | 17            | 5            | MR-I on multi-pile structure.  | Maintained year round.                          |
| 35135  | BARNEGAT INLET LIGHT BI    | 39 47 32 N<br>74 09 55 W | <b>Mo (A) W</b>       | 17            | 5            | MR-I on multi-pile structure.  | Maintained year round.                          |
| 35140  | Waretown Shellfish Buoy AA |                          |                       |               |              | White with orange bands; can.  | Maintained from Nov. 1 to Apr. 30. Private aid. |

| (1)<br>No.   | (2)<br>Name and Location               | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks                                     |
|--|--|--------------------------|-----------------------|---------------|--------------|--------------------------------|--|
| <b>INTRACOASTAL WATERWAY (New Jersey) - Fifth District</b> |  |                          |                       |               |              |                                |  |
| 35145  | Waretown Shellfish Buoy BB             |                          |                       |               |              | White with orange bands; can.  | Maintained from Nov 1 to Apr. 30.<br>Private aid.  |
| 35150  | Waretown Shellfish Buoy CC             |                          |                       |               |              | White with orange bands; can.  | Maintained from Nov. 1 to Apr. 30.<br>Private aid. |
| 35155  | - LIGHT 42                             | 39 45 47 N<br>74 10 14 W | <b>Q R</b>            | 17            | 3            | TR-TY on multi-pile structure. | Maintained year round.                             |
| 35160  | - Daybeacon 44                         |                          |                       |               |              | TR-TY on pile.                 |  |
| 35165  | - Daybeacon 45                         |                          |                       |               |              | SG-SY on pile.                 |  |
| 35167  | - Daybeacon 46                         |                          |                       |               |              | TR-TY on pile.                 |  |
| 35170  | - LIGHT 47                             | 39 44 33 N<br>74 08 50 W | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                 |  |
| 35175  | - LIGHT 48                             | 39 43 51 N<br>74 09 03 W | <b>FI R 2.5s</b>      | 17            | 3            | TR-TY on pile.                 |  |
| 35180  | - Daybeacon 49                         |                          |                       |               |              | SG-SY on pile.                 |  |
| 35185  | - LIGHT 49A                            | 39 43 16 N<br>74 08 28 W | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                 |  |
| 35190  | - Daybeacon 51                         |                          |                       |               |              | SG-SY on pile.                 |  |
| 35195  | - LIGHT 52                             | 39 42 21 N<br>74 08 46 W | <b>FI R 4s</b>        | 15            | 3            | TR-TY on pile.                 |  |
| 35196  | - Daybeacon 53                         |                          |                       |               |              | SG-SY on pile.                 |  |
| 35198  | - Daybeacon 54                         |                          |                       |               |              | TR-TY on pile.                 |  |
| 35200  | - LIGHT 55                             |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                 |  |
| 35205  | - LIGHT 56                             | 39 41 22 N<br>74 09 44 W | <b>FI R 4s</b>        | 15            | 3            | TR-TY on pile.                 |  |
| 35210  | - LIGHT 57                             | 39 41 07 N<br>74 09 49 W | <b>FI G 2.5s</b>      | 15            | 3            | SG-SY on pile.                 |  |
| 35215  | - Daybeacon 58                         |                          |                       |               |              | TR-TY on pile.                 |  |
| 35220  | - Daybeacon 60                         |                          |                       |               |              | TR-TY on pile.                 |  |
| 35225  | - LIGHT 62                             |                          | <b>Q R</b>            | 15            | 3            | TR-TY on pile.                 |  |
| 35230  | MANAHAWKIN BAY LOWER OBSTRUCTION LIGHT | 39 40 00 N<br>74 12 42 W | <b>FI W 4s</b>        | 10            |              | NW on pile worded DANGER.      | Private aid.                                       |
| 35235  | - Daybeacon 63                         |                          |                       |               |              | SG-SY on pile.                 |  |
| 35240  | - Daybeacon 64                         |                          |                       |               |              | TR-TY on pile.                 |  |
| 35245  | - Daybeacon 65                         |                          |                       |               |              | SG-SY on pile.                 |  |
| 35250  | - Daybeacon 67                         |                          |                       |               |              | SG-SY on pile.                 |  |
| 35255  | - LIGHT 68                             | 39 39 56 N<br>74 12 11 W | <b>Q R</b>            | 15            | 3            | TR-TY on pile.                 |  |
| 35260  | - Daybeacon 69                         |                          |                       |               |              | SG-SY on pile.                 |  |
| 35265  | EAST THOROFARE PIER LIGHT              |                          | <b>F Y</b>            | 11            |              | Green pyramidal structure.     | Maintained from May 15 to Nov. 15.<br>Private aid. |
| 35270  | - LIGHT 70                             |                          | <b>Q R</b>            | 15            | 4            | TR-TY on pile.                 |  |
| 35275  | - Daybeacon 71                         |                          |                       |               |              | SG-SY on pile.                 |  |

| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks |
|---|--------------------------|--------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| <b>INTRACOASTAL WATERWAY (New Jersey) - Fifth District</b>  |                          |                          |                       |               |              |                                |                |
| 35280   | - Daybeacon 72           |                          |                       |               |              | TR-TY on pile.                 |                |
| 35285   | - LIGHT 74               | 39 38 26 N<br>74 12 19 W | <b>FI R</b> 4s        | 15            | 3            | TR-TY on multi-pile structure. |                |
| 35290   | - Daybeacon 75           |                          |                       |               |              | SG-SY on pile.                 |                |
| 35295   | - Daybeacon 76           |                          |                       |               |              | TR-TY on pile.                 |                |
| 35300   | - LIGHT 78               |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR-TY on pile.                 |                |
| 35305   | - Daybeacon 79           |                          |                       |               |              | SG-SY on pile.                 |                |
| 35310   | - Daybeacon 80           | 39 37 03 N<br>74 12 27 W |                       |               |              | TR-TY on pile.                 |                |
| 35315   | - LIGHT 81               | 39 36 50 N<br>74 12 35 W | <b>FI G</b> 2.5s      | 15            | 3            | SG-SY on pile.                 |                |
| 35320   | - Daybeacon 82           |                          |                       |               |              | TR-TY on pile.                 |                |
| 35325   | - LIGHT 83               |                          | <b>FI G</b> 4s        | 15            | 3            | SG-SY on pile.                 |                |
| 35330   | - Daybeacon 84           |                          |                       |               |              | TR-TY on pile.                 |                |
| 35332   | LONG BEACH PIER LIGHT    | 39 36 00 N<br>74 13 00 W | <b>F Y</b>            | 12            |              | On end of pier.                | Private aid.   |
| 35335   | - LIGHT 86               | 39 36 13 N<br>74 12 54 W | <b>FI R</b> 4s        | 15            | 3            | TR-TY on pile.                 |                |
| 35340   | - Daybeacon 87           |                          |                       |               |              | SG-SY on pile.                 |                |
| 35345   | - LIGHT 88               |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR-TY on pile.                 |                |
| 35350   | - Daybeacon 89           |                          |                       |               |              | SG-SY on pile.                 |                |
| 35355   | - Daybeacon 91           |                          |                       |               |              | SG-SY on pile.                 |                |
| 35360   | - LIGHT 92               | 39 35 47 N<br>74 13 35 W | <b>FI R</b> 4s        | 15            | 4            | TR-TY on pile.                 |                |
| 35365   | - Daybeacon 94           |                          |                       |               |              | TR-TY on pile.                 |                |
| 35370   | - LIGHT 95               | 38 35 15 N<br>74 13 59 W | <b>Q G</b>            | 15            | 3            | SG-SY on pile.                 |                |
| 35375   | - Daybeacon 96           |                          |                       |               |              | TR-TY on pile.                 |                |
| 35380   | - LIGHT 97               |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG-SY on pile.                 |                |
| 35385   | - Daybeacon 98           |                          |                       |               |              | TR-TY on pile.                 |                |
| <b>LITTLE EGG HARBOR TO CAPE MAY (Chart 12316)</b>  |                          |                          |                       |               |              |                                |                |
| <b>Manasquan - Atlantic City</b>  |                          |                          |                       |               |              |                                |                |
| <b>New Jersey Intracoastal Waterway</b>   |                          |                          |                       |               |              |                                |                |
| <i>Lights and buoys are maintained from May 1 to Nov. 15.<br/>Positions of buoys frequently shifted with changing conditions.</i> |                          |                          |                       |               |              |                                |                |
| 35390   | - LIGHT 99               |                          | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.                 |                |
| 35395   | - Daybeacon 101          | 39 34 20 N<br>74 14 21 W |                       |               |              | SG-SY on pile.                 |                |
| 35400   | - Daybeacon 102          | 39 34 19 N<br>74 14 24 W |                       |               |              | TR-TY on pile.                 |                |
| 35405   | - LIGHT 104              | 39 34 14 N<br>74 14 28 W | <b>FI R</b> 2.5s      | 15            | 3            | TR-TY on pile.                 |                |

| (1)<br>No.   | (2)<br>Name and Location                | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                  | (8)<br>Remarks                                      |
|--|---|--------------------------|-----------------------|---------------|--------------|-----------------------------------|---|
| <b>INTRACOASTAL WATERWAY (New Jersey) - Fifth District</b> |   |                          |                       |               |              |                                   |   |
| 35410  | - Daybeacon 106                         |                          |                       |               |              | TR-TY on pile.                    |   |
| 35415  | - Daybeacon 107                         | 39 33 56 N<br>74 14 56 W |                       |               |              | SG-SY on pile.                    |   |
| 35420  | - JUNCTION LIGHT LB                     | 39 33 49 N<br>74 15 12 W | <b>FI (2+1) R 6s</b>  | 15            | 3            | JR-TY on pile.                    |   |
| 35425  | - Daybeacon 108                         |                          |                       |               |              | TR-TY on pile.                    |   |
| 35430  | - LIGHT 109                             | 39 33 19 N<br>74 15 28 W | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                    |   |
| 35435  | - LIGHT 110                             | 39 32 25 N<br>74 16 15 W | <b>FI R 4s</b>        | 15            | 3            | TR-TY on pile.                    |   |
| 35440  | - Warning Daybeacon                     |                          |                       |               |              | NW on pile worded DANGER SHOAL.   |   |
| 35445  | - Buoy 112                              |                          |                       |               |              | Red nun with yellow triangle.     |   |
| 35450  | - Buoy 113                              |                          |                       |               |              | Green can with yellow square.     |   |
| 35455  | - Buoy 114                              |                          |                       |               |              | Red nun with yellow triangle.     | Maintained year round.                              |
| 35457  | - Buoy 114A                             |                          |                       |               |              | Red nun with yellow triangle.     |   |
| 35460  | - LIGHT 115                             |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                    |   |
| 35465  | - Lighted Buoy 116                      |                          | <b>FI R 4s</b>        |               | 3            | Red with yellow triangle.         |   |
| 35467  | - Buoy 116A                             |                          |                       |               |              | Red nun.                          |   |
| 35470  | - Buoy 117                              |                          |                       |               |              | Green can with yellow square.     |   |
| 35475  | - LIGHT 118                             | 39 30 43 N<br>74 18 18 W | <b>FI R 2.5s</b>      | 15            | 6            | TR-TY on pile.                    |   |
| 35480  | - Lighted Buoy 120                      |                          | <b>Q R</b>            |               | 3            | Red with yellow triangle.         | Replaced by nun from Nov. 15 to May 1.              |
| 35485  | Lighted Junction Buoy LE1               |                          | <b>FI G (2+1) 6s</b>  |               | 3            | Green and red with yellow square. | Replaced with unlighted buoy from Nov. 15 to May 1. |
| 35490  | - Buoy 123                              | 39 30 20 N<br>74 18 48 W |                       |               |              | Green can with yellow square.     |   |
| 35495  | - LIGHT 124                             | 39 30 30 N<br>74 19 24 W | <b>FI R 4s</b>        | 15            | 3            | TR-TY on pile.                    |   |
| 35497  | - Buoy 125                              |                          |                       |               |              | Green can with yellow square.     |   |
| 35500  | - LIGHT 126                             |                          | <b>Q R</b>            | 15            | 4            | TR-TY on multi-pile structure.    |   |
| 35502  | - Buoy 126 A                            |                          |                       |               |              | Red nun.                          |   |
| 35505  | OSBORN ISLAND LIGHT 2                   |                          | <b>Q R</b>            |               |              | On pile.                          | Maintained from Mar. 1 to Dec. 1. Private aid.      |
| 35510  | GRAVELING POINT BASIN RANGE FRONT LIGHT | 39 32 30 N<br>74 23 12 W | <b>Q R</b>            | 25            |              | On pile.                          | Maintained from Mar. 1 to Dec. 1. Private aid.      |
| 35515  | GRAVELING POINT BASIN RANGE REAR LIGHT  |                          | <b>FI G</b>           | 30            |              | On pile.                          | Maintained from Mar. 1 to Dec. 1. Private aid.      |
| 35520  | - LIGHT 127                             | 39 30 18 N<br>74 20 32 W | <b>FI G 2.5s</b>      | 15            | 3            | SG-SY on pile.                    |   |
| 35525  | - Buoy 128                              |                          |                       |               |              | Red nun with yellow triangle.     | Maintained year round.                              |
| 35530  | - Buoy 129                              |                          |                       |               |              | Green can with yellow square.     |   |

| (1)<br>No.   | (2)<br>Name and Location                                       | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                         | (8)<br>Remarks         |
|--|--|--------------------------|-----------------------|---------------|--------------|--|------------------------|
| <b>INTRACOASTAL WATERWAY (New Jersey) - Fifth District</b> |  |                          |                       |               |              |  |                        |
| 35535  | - <i>Lighted Buoy 130</i><br>80 feet west of channel<br>limit. |                          | <b>FI R</b> 4s        |               | 3            | Red with yellow triangle.                |                        |
| 35537  | - Buoy 130A  |                          |                       |               |              | Red nun with yellow square.              |                        |
| 35540  | - Buoy 131   |                          |                       |               |              | Green can with yellow square.            |                        |
| 35540.1  | - Buoy 131A  |                          |                       |               |              | Green can with yellow square.            |                        |
| 35542  | FISH ISLAND SHOAL LIGHT  |                          | <b>FI W</b> 4s        | 15            | 6            | NW on multi-pile worded<br>DANGER SHOAL. |                        |
| 35545  | - <i>Lighted Buoy 132</i>                                      |                          | <b>FI R</b> 2.5s      |               | 3            | Red with yellow triangle.                |                        |
| 35550  | - Buoy 134   |                          |                       |               |              | Red nun with yellow triangle.            |                        |
| 35555  | - Buoy 135   |                          |                       |               |              | Green can with yellow square.            |                        |
| 35560  | - Buoy 136   |                          |                       |               |              | Red nun with yellow triangle.            | Maintained year round. |
| 35565  | - Buoy 138   | 39 29 55 N<br>74 22 20 W |                       |               |              | Red nun with yellow triangle.            |                        |
| 35570  | - LIGHT 139  |                          | <b>Q G</b>            | 15            | 3            | SG-SY on multi-pile structure.           | Maintained year round. |
| 35575  | - LIGHT 141  | 39 29 25 N<br>74 22 54 W | <b>FI G</b> 2.5s      | 15            | 3            | SG-SY on multi-pile structure.           |                        |
| 35580  | - Daybeacon 143  |                          |                       |               |              | SG-SY on pile.                           |                        |
| 35585  | - Daybeacon 144  |                          |                       |               |              | TR-TY on pile.                           |                        |
| 35590  | - LIGHT 145  | 39 29 02 N<br>74 22 28 W | <b>Q G</b>            | 15            | 3            | SG-SY on pile.                           |                        |
| 35595  | - Daybeacon 147  |                          |                       |               |              | SG-SY on pile.                           |                        |
| 35600  | - Daybeacon 148  | 39 28 35 N<br>74 21 59 W |                       |               |              | TR-TY on pile.                           |                        |
| 35605  | - LIGHT 149  | 39 28 23 N<br>74 23 14 W | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.                           |                        |
| 35610  | - Daybeacon 150  |                          |                       |               |              | TR-TY on pile.                           |                        |
| 35615  | - Daybeacon 152  |                          |                       |               |              | TR-TY on pile.                           |                        |
| 35620  | - LIGHT 153  |                          | <b>Q G</b>            | 15            | 3            | SG-SY on pile.                           |                        |
| 35625  | - Daybeacon 155  |                          |                       |               |              | SG-SY on pile.                           |                        |
| 35630  | - Daybeacon 156  | 39 27 35 N<br>74 23 38 W |                       |               |              | TR-TY on pile.                           |                        |
| 35635  | - Daybeacon 157  | 39 27 16 N<br>74 23 33 W |                       |               |              | SG-SY on pile.                           |                        |
| 35640  | - Daybeacon 159  |                          |                       |               |              | SG-SY on pile.                           |                        |
| 35645  | - LIGHT 160  | 39 26 52 N<br>74 23 31 W | <b>FI R</b> 4s        | 15            | 3            | TR-TY on pile.                           |                        |
| 35650  | - Daybeacon 162  |                          |                       |               |              | TR-TY on pile.                           |                        |
| 35655  | - LIGHT 163  | 39 26 33 N<br>74 23 29 W | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.                           |                        |
| 35660  | - Daybeacon 164  |                          |                       |               |              | TR-TY on pile.                           |                        |
| 35665  | - Daybeacon 165  | 39 26 16 N<br>74 23 55 W |                       |               |              | SG-SY on pile.                           |                        |

| (1)<br>No.   | (2)<br>Name and Location                                  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks                                      |
|--|---|--------------------------|-----------------------|---------------|--------------|--------------------------------|---|
| <b>INTRACOASTAL WATERWAY (New Jersey) - Fifth District</b> |   |                          |                       |               |              |                                |   |
| 35670  | - Daybeacon 166   | 39 26 10 N<br>74 24 06 W |                       |               |              | TR-TY on pile.                 |   |
| 35675  | - LIGHT 167   | 39 26 05 N<br>74 24 12 W | <b>Q G</b>            | 15            | 3            | SG-SY on pile.                 |   |
| 35680  | - Daybeacon 168   |                          |                       |               |              | TR-TY on pile.                 |   |
| 35685  | - LIGHT 170   |                          | <b>Q R</b>            | 15            | 3            | TR-TY on pile.                 |   |
| 35687  | - Buoy 170A   |                          |                       |               |              | Red nun.                       |   |
| 35690  | - Daybeacon 171   |                          |                       |               |              | SG-SY on pile.                 |   |
| 35695  | - LIGHT 172   | 39 25 47 N<br>74 25 04 W | <b>FI R 4s</b>        | 15            | 3            | TR-TY on pile.                 |   |
| 35700  | - LIGHT 173   | 39 25 34 N<br>74 25 20 W | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                 |   |
| 35705  | - LIGHT 174   |                          | <b>FI R 6s</b>        | 15            | 4            | TR-TY on pile.                 |   |
| 35710  | - Daybeacon 175   | 39 25 10 N<br>74 25 36 W |                       |               |              | SG-SY on pile.                 |   |
| 35715  | - Daybeacon 176   |                          |                       |               |              | TR-TY on pile.                 |   |
| 35720  | - LIGHT 177   |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG-SY on pile.                 |   |
| 35725  | - Daybeacon 178   | 39 24 17 N<br>74 26 06 W |                       |               |              | TR-TY on pile.                 |   |
| 35730  | - LIGHT 179   | 39 24 02 N<br>74 26 01 W | <b>Q G</b>            | 15            | 3            | SG-SY on pile.                 |   |
| 35735  | - JUNCTION LIGHT AB                                       | 39 23 47 N<br>74 26 01 W | <b>FI (2+1) R 6s</b>  | 15            | 3            | JR-TY on pile.                 |   |
| 35740  | - <i>Lighted Buoy 181</i>                                 |                          | <b>FI G 4s</b>        |               | 3            | Green with yellow square.      |   |
| 35745  | - LIGHT 182   |                          | <b>Q R</b>            | 15            | 3            | TR-TY on pile.                 |   |
| 35750  | - Daybeacon 184   |                          |                       |               |              | TR-TY on pile.                 |   |
| 35755  | - Daybeacon 185   |                          |                       |               |              | SG-SY on pile.                 |   |
| 35760  | - LIGHT 186   |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR-TY on multi-pile structure. |   |
| 35765  | - Daybeacon 187   |                          |                       |               |              | SG-SY on pile.                 |   |
| 35770  | - LIGHT 189   |                          | <b>FI G 4s</b>        | 15            | 3            | SG-SY on pile.                 |   |
| 35775  | - Daybeacon 191   |                          |                       |               |              | SG-SY on pile.                 |   |
| 35780  | - UPPER PIER LIGHT  |                          | <b>F Y</b>            | 9             |              | Pile.                          | Private aid.  |
| 35785  | - LOWER PIER LIGHT  |                          | <b>F W</b>            |               |              |                                | Maintained from May 1<br>to Dec. 1.<br>Private aid. |
| 35790  | - Daybeacon 193<br>60 feet northeast of<br>channel limit. |                          |                       |               |              | SG-SY on pile.                 |   |
| 35795  | - Daybeacon 195   | 39 22 26 N<br>74 27 33 W |                       |               |              | SG-SY on pile.                 |   |
| 35800  | - Daybeacon 197   |                          |                       |               |              | SG-SY on pile.                 |   |
| 35805  | - Daybeacon 199   |                          |                       |               |              | SG-SY on pile.                 |   |
| 35810  | - Daybeacon 201   |                          |                       |               |              | SG-SY on pile.                 |   |

| (1)<br>No.  | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure              | (8)<br>Remarks |
|---|----------------------------|--------------------------|-----------------------|---------------|--------------|-------------------------------|----------------|
| <b>INTRACOASTAL WATERWAY (New Jersey) - Fifth District</b>  |                            |                          |                       |               |              |                               |                |
| 35815   | - Daybeacon 202            |                          |                       |               |              | TR-TY on pile.                |                |
| 35820   | - Daybeacon 204            |                          |                       |               |              | TR-TY on pile.                |                |
| 35825   | - Daybeacon 206            | 39 21 38 N<br>74 26 50 W |                       |               |              | TR-TY on pile.                |                |
| <b>Atlantic City - Cape May</b>   |                            |                          |                       |               |              |                               |                |
| <b>New Jersey Intracoastal Waterway</b>   |                            |                          |                       |               |              |                               |                |
| <i>Lights and buoys are maintained from May 1 to Nov. 15.<br/>Positions of buoys frequently shifted with changing conditions.</i> |                            |                          |                       |               |              |                               |                |
| 35830   | - Daybeacon 207            | 39 21 35 N<br>74 26 59 W |                       |               |              | SG-SY on pile.                |                |
| 35835   | - Daybeacon 209            | 39 21 30 N<br>74 27 06 W |                       |               |              | SG-SY on pile.                |                |
| 35840   | - LIGHT 211                |                          | <b>Q G</b>            | 15            | 3            | SG-SY on pile.                |                |
| 35845   | - Daybeacon 213            |                          |                       |               |              | SG-SY on pile.                |                |
| 35850   | - LIGHT 215                |                          | <b>Q G</b>            | 15            | 3            | SG-SY on pile.                |                |
| 35855   | - Daybeacon 217            |                          |                       |               |              | SG-SY on pile.                |                |
| 35860   | - LIGHT 219                |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                |                |
| 35865   | - LIGHT 220                |                          | <b>FI R 4s</b>        | 15            | 3            | TR-TY on pile.                |                |
| 35870   | - Daybeacon 222            |                          |                       |               |              | TR-TY on pile.                |                |
| 35875   | - Daybeacon 223            |                          |                       |               |              | SG-SY on pile.                |                |
| 35880   | - LIGHT 225                |                          | <b>FI G 4s</b>        | 15            | 4            | TR-TY on pile.                |                |
| 35885   | - LIGHT 226                | 39 19 36 N<br>74 31 12 W | <b>FI R 2.5s</b>      | 15            | 3            | TR-TY on pile.                |                |
| 35890   | - Daybeacon 228            |                          |                       |               |              | TR-TY on pile.                |                |
| 35895   | - LIGHT 230                |                          | <b>Q R</b>            | 15            | 3            | TR-TY on pile.                |                |
| 35900   | - Daybeacon 231            |                          |                       |               |              | SG-SY on pile.                |                |
| 35905   | LIGHT 223                  | 39 19 41 N<br>74 32 17 W | <b>Q G</b>            | 15            | 3            | SG-SY on pile.                |                |
| 35910   | - Daybeacon 234            |                          |                       |               |              | TR-TY on pile.                |                |
| 35915   | - Daybeacon 235            |                          |                       |               |              | SG-SY on pile.                |                |
| 35920   | - Daybeacon 236            |                          |                       |               |              | TR-TY on pile.                |                |
| 35925   | - Daybeacon 238            |                          |                       |               |              | TR-TY on pile.                |                |
| 35930   | - Daybeacon 239            |                          |                       |               |              | SG-SY on pile.                |                |
| 35935   | - Buoy 241                 |                          |                       |               |              | Green can with yellow square. |                |
| 35940   | - Buoy 243                 |                          |                       |               |              | Green can with yellow square. |                |
| 35945   | - Daybeacon 245            |                          |                       |               |              | SG-SY on pile.                |                |
| 35950   | - Buoy 246<br>Marks shoal. |                          |                       |               |              | Red nun with yellow triangle. |                |
| 35955   | - Buoy 246                 |                          |                       |               |              | Green can with yellow square. |                |

| (1)<br>No.   | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks                |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|------------------|-------------------------------|
| <b>INTRACOASTAL WATERWAY (New Jersey) - Fifth District</b> |                          |                          |                       |               |              |                  |                               |
| 35960  | - Buoy 246A              |                          |                       |               |              |                  | Red nun with yellow triangle. |
| 35965  | - Buoy 247               |                          |                       |               |              |                  | Green can with yellow square. |
| 35970  | - Buoy 248               |                          |                       |               |              |                  | Red nun with yellow triangle. |
| 35975  | - Buoy 249               |                          |                       |               |              |                  | Green can with yellow square. |
| 35977  | - Buoy 250               |                          |                       |               |              |                  | Red nun with yellow triangle. |
| 35979  | - Buoy 251               |                          |                       |               |              |                  | Green can with yellow square. |
| 35980  | - LIGHT 252              | 39 17 11 N<br>74 34 40 W | <b>FI R 2.5s</b>      | 15            | 3            |                  | TR-TY on pile.                |
| 35985  | - Daybeacon 254          |                          |                       |               |              |                  | TR-TY on pile.                |
| 35990  | - Daybeacon 256          | 39 16 48 N<br>74 35 06 W |                       |               |              |                  | TR-TY on pile.                |
| 35995  | - Daybeacon 258          |                          |                       |               |              |                  | TR-TY on pile.                |
| 36000  | - LIGHT 260              |                          | <b>FI R 4s</b>        | 15            | 3            |                  | TR-TY on pile.                |
| 36005  | - LIGHT 262              | 39 16 50 N<br>74 35 51 W | <b>Q R</b>            | 15            | 3            |                  | TR-TY on pile.                |
| 36007  | - Buoy 263               |                          |                       |               |              |                  | Green can with yellow square. |
| 36009  | - Buoy 263A              |                          |                       |               |              |                  | Green can with yellow square. |
| 36010  | - LIGHT 264              | 39 16 46 N<br>74 36 04 W | <b>FI R 2.5s</b>      | 15            | 3            |                  | TR-TY on pile.                |
| 36011  | - Buoy 264A              |                          |                       |               |              |                  | Red nun with yellow triangle. |
| 36015  | - Daybeacon 265          | 39 16 38 N<br>74 36 03 W |                       |               |              |                  | SG-SY on pile.                |
| 36020  | - Daybeacon 266          | 39 16 17 N<br>74 36 16 W |                       |               |              |                  | TR-TY on pile.                |
| 36025  | - Daybeacon 268          |                          |                       |               |              |                  | TR-TY on pile.                |
| 36030  | - Daybeacon 270          |                          |                       |               |              |                  | TR-TY on pile.                |
| 36035  | - Daybeacon 272          |                          |                       |               |              |                  | TR-TY on pile.                |
| 36040  | - Daybeacon 273          |                          |                       |               |              |                  | SG-SY on pile.                |
| 36045  | - LIGHT 275              |                          | <b>FI G 4s</b>        | 15            | 4            |                  | SG-SY on pile.                |
| 36050  | - Daybeacon 276          | 39 15 48 N<br>74 37 12 W |                       |               |              |                  | TR-TY on pile.                |
| 36055  | - Daybeacon 277          |                          |                       |               |              |                  | SG-SY on pile.                |
| 36060  | - Daybeacon 278          |                          |                       |               |              |                  | TR-TY on pile.                |
| 36065  | - LIGHT 280              | 39 15 32 N<br>74 37 29 W | <b>Q R</b>            | 15            | 3            |                  | TR-TY on pile.                |
| 36070  | - Daybeacon 282          |                          |                       |               |              |                  | TR-TY on pile.                |
| 36075  | - Daybeacon 284          |                          |                       |               |              |                  | TR-TY on pile.                |
| 36080  | - Daybeacon 285          |                          |                       |               |              |                  | SG-SY on pile.                |
| 36085  | - Daybeacon 286          |                          |                       |               |              |                  | TR-TY on pile.                |
| 36090  | - Daybeacon 288          |                          |                       |               |              |                  | TR-TY on pile.                |

| (1)<br>No.   | (2)<br>Name and Location                             | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks |
|--|--|--------------------------|-----------------------|---------------|--------------|------------------|----------------|
| <b>INTRACOASTAL WATERWAY (New Jersey) - Fifth District</b> |  |                          |                       |               |              |                  |                |
| 36095  | - Daybeacon 290                                      |                          |                       |               |              |                  | TR-TY on pile. |
| 36100  | - Daybeacon 291                                      |                          |                       |               |              |                  | SG-SY on pile. |
| 36105  | - LIGHT 293  |                          | <b>FI G 4s</b>        | 15            | 4            |                  | SG-SY on pile. |
| 36110  | - Daybeacon 295                                      |                          |                       |               |              |                  | SG-SY on pile. |
| 36115  | - Daybeacon 296                                      |                          |                       |               |              |                  | TR-TY on pile. |
| 36120  | - Daybeacon 297                                      |                          |                       |               |              |                  | SG-SY on pile. |
| 36125  | - Daybeacon 298                                      | 39 14 06 N<br>74 38 54 W |                       |               |              |                  | TR-TY on pile. |
| 36130  | - LIGHT 299  |                          | <b>FI G 4s</b>        | 15            | 4            |                  | SG-SY on pile. |
| 36135  | - Daybeacon 301                                      |                          |                       |               |              |                  | SG-SY on pile. |
| 36140  | - Daybeacon 302                                      |                          |                       |               |              |                  | TR-TY on pile. |
| 36145  | - LIGHT 304  |                          | <b>Q R</b>            | 15            | 3            |                  | TR-TY on pile. |
| 36150  | - Daybeacon 306                                      |                          |                       |               |              |                  | TR-TY on pile. |
| 36155  | - Daybeacon 308                                      |                          |                       |               |              |                  | TR-TY on pile. |
| 36160  | - LIGHT 309  |                          | <b>FI G 4s</b>        | 15            | 4            |                  | SG-SY on pile. |
| 36165  | - LIGHT 310  |                          | <b>FI R 2.5s</b>      | 15            | 3            |                  | TR-TY on pile. |
| 36170  | - Daybeacon 311                                      |                          |                       |               |              |                  | SG-SY on pile. |
| 36175  | - Daybeacon 313                                      |                          |                       |               |              |                  | SG-SY on pile. |
| 36180  | - Daybeacon 314<br>70 feet west of channel<br>limit. |                          |                       |               |              |                  | TR-TY on pile. |
| 36185  | - Daybeacon 316                                      |                          |                       |               |              |                  | TR-TY on pile. |
| 36190  | - LIGHT 317  |                          | <b>FI G 2.5s</b>      | 15            | 3            |                  | SG-SY on pile. |
| 36195  | - Daybeacon 318                                      |                          |                       |               |              |                  | TR-TY on pile. |
| 36200  | - Daybeacon 319                                      |                          |                       |               |              |                  | SG-SY on pile. |
| 36205  | - Daybeacon 320                                      |                          |                       |               |              |                  | TR-TY on pile. |
| 36210  | - LIGHT 322  |                          | <b>FI R 2.5s</b>      | 15            | 3            |                  | TR-TY on pile. |
| 36215  | - Daybeacon 323                                      |                          |                       |               |              |                  | SG-SY on pile. |
| 36220  | - Daybeacon 325                                      |                          |                       |               |              |                  | SG-SY on pile. |
| 36225  | - Daybeacon 327                                      |                          |                       |               |              |                  | SG-SY on pile. |
| 36230  | - LIGHT 328  |                          | <b>Q R</b>            | 15            | 3            |                  | TR-TY on pile. |
| 36235  | - Daybeacon 329                                      |                          |                       |               |              |                  | SG-SY on pile. |
| 36240  | - Daybeacon 330                                      |                          |                       |               |              |                  | TR-TY on pile. |
| 36245  | - LIGHT 331  |                          | <b>FI G 2.5s</b>      | 15            | 3            |                  | SG-SY on pile. |
| 36250  | - Daybeacon 333                                      |                          |                       |               |              |                  | SG-SY on pile. |
| 36255  | - Daybeacon 335                                      |                          |                       |               |              |                  | SG-SY on pile. |
| 36260  | - LIGHT 336  |                          | <b>FI R 4s</b>        | 15            | 3            |                  | TR-TY on pile. |
| 36265  | - Daybeacon 337                                      |                          |                       |               |              |                  | SG-SY on pile. |

| (1)<br>No.   | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| <b>INTRACOASTAL WATERWAY (New Jersey) - Fifth District</b> |                          |                          |                       |               |              |                                |                |
| 36270  | - Daybeacon 339          |                          |                       |               |              | SG-SY on pile.                 |                |
| 36275  | - LIGHT 340              |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR-TY on multi-pile structure. |                |
| 36280  | - Daybeacon 342          |                          |                       |               |              | TR-TY on pile.                 |                |
| 36285  | - Daybeacon 344          | 39 10 46 N<br>74 41 59 W |                       |               |              | TR-TY on pile.                 |                |
| 36290  | - Daybeacon 345          |                          |                       |               |              | SG-SY on pile.                 |                |
| 36295  | - LIGHT 346              |                          | <b>Q R</b>            | 15            | 4            | TR-TY on pile.                 |                |
| 36300  | - Daybeacon 348          |                          |                       |               |              | TR-TY on pile.                 |                |
| 36305  | - LIGHT 349              |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG-SY on pile.                 |                |
| 36310  | - Daybeacon 350          |                          |                       |               |              | TR-TY on pile.                 |                |
| 36315  | - Daybeacon 352          |                          |                       |               |              | TR-TY on pile.                 |                |
| 36320  | - Daybeacon 354          |                          |                       |               |              | TR-TY on pile.                 |                |
| 36325  | - Daybeacon 356          |                          |                       |               |              | TR-TY on pile.                 |                |
| 36330  | - Daybeacon 357          |                          |                       |               |              | SG-SY on pile.                 |                |
| 36335  | - LIGHT 359              | 39 09 07 N<br>74 42 28 W | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                 |                |
| 36340  | - Daybeacon 361          |                          |                       |               |              | SG-SY on pile.                 |                |
| 36345  | - LIGHT 362              |                          | <b>Q R</b>            | 15            | 3            | TR-TY on pile.                 |                |
| 36350  | - Daybeacon 363          |                          |                       |               |              | SG-SY on pile.                 |                |
| 36355  | - Daybeacon 364          |                          |                       |               |              | TR-TY on pile.                 |                |
| 36360  | - LIGHT 365              |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG-SY on pile.                 |                |
| 36365  | - Daybeacon 367          |                          |                       |               |              | SG-SY on pile.                 |                |
| 36370  | - Daybeacon 368          |                          |                       |               |              | TR-TY on pile.                 |                |
| 36375  | - Daybeacon 370          |                          |                       |               |              | TR-TY on pile.                 |                |
| 36380  | - Lighted Buoy 372       |                          | <b>Q R</b>            |               | 4            | Red with yellow triangle.      |                |
| 36385  | - Buoy 374               |                          |                       |               |              | Red nun with yellow triangle.  |                |
| 36390  | - LIGHT 375              | 39 06 42 N<br>74 43 54 W | <b>FI G 4s</b>        | 15            | 3            | SG-SY on pile.                 |                |
| 36393  | - Buoy 376               |                          |                       |               |              | Red nun with yellow triangle.  |                |
| 36395  | - LIGHT 377              | 39 06 26 N<br>74 44 43 W | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                 |                |
| 36400  | - LIGHT 378              | 39 06 03 N<br>74 45 00 W | <b>FI R 4s</b>        | 17            | 4            | TR-TY on pile.                 |                |
| 36405  | - Daybeacon 380          |                          |                       |               |              | TR-TY on pile.                 |                |
| 36410  | - Daybeacon 381          |                          |                       |               |              | SG-SY on pile.                 |                |
| 36415  | - Daybeacon 382          |                          |                       |               |              | TR-TY on pile.                 |                |
| 36420  | - LIGHT 383              |                          | <b>FI G 2.5s</b>      | 15            | 4            | SG-SY on pile.                 |                |
| 36425  | - Daybeacon 384          |                          |                       |               |              | TR-TY on pile.                 |                |

| (1)<br>No.   | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure              | (8)<br>Remarks         |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|-------------------------------|------------------------|
| <b>INTRACOASTAL WATERWAY (New Jersey) - Fifth District</b> |                          |                          |                       |               |              |                               |                        |
| 36430  | - LIGHT 386              | 39 05 32 N<br>75 46 01 W | <b>FI R</b> 4s        | 15            | 3            | TR-TY on pile.                |                        |
| 36435  | - Daybeacon 388          |                          |                       |               |              | TR-TY on pile.                |                        |
| 36440  | - Daybeacon 389          |                          |                       |               |              | SG-SY on pile.                |                        |
| 36445  | - Daybeacon 390          |                          |                       |               |              | TR-TY on pile.                |                        |
| 36450  | - LIGHT 392              |                          | <b>FI R</b> 4s        | 15            | 4            | TR-TY on pile.                |                        |
| 36455  | - Daybeacon 393          |                          |                       |               |              | SG-SY on pile.                |                        |
| 36460  | - Daybeacon 395          | 39 04 41 N<br>74 46 21 W |                       |               |              | SG-SY on pile.                |                        |
| 36465  | - Daybeacon 397          |                          |                       |               |              | SG-SY on pile.                |                        |
| 36470  | - Daybeacon 399          |                          |                       |               |              | SG-SY on pile.                |                        |
| 36475  | - Daybeacon 401          |                          |                       |               |              | SG-SY on pile.                |                        |
| 36480  | - Daybeacon 402          |                          |                       |               |              | TR-TY on pile.                |                        |
| 36485  | - Daybeacon 404          |                          |                       |               |              | TR-TY on pile.                |                        |
| 36490  | - Daybeacon 406          |                          |                       |               |              | TR-TY on pile.                |                        |
| 36495  | - Daybeacon 408          |                          |                       |               |              | TR-TY on pile.                |                        |
| 36500  | - Daybeacon 410          |                          |                       |               |              | TR-TY on pile.                |                        |
| 36505  | - Daybeacon 412          |                          |                       |               |              | TR-TY on pile.                |                        |
| 36510  | - Daybeacon 414          |                          |                       |               |              | TR-TY on pile.                |                        |
| 36515  | - Buoy 416               |                          |                       |               |              | Red nun with yellow triangle. |                        |
| 36517  | - Buoy 417               |                          |                       |               |              | Green can with yellow square. |                        |
| 36518  | - Buoy 418               |                          |                       |               |              | Red nun with yellow square.   |                        |
| 36520  | - Buoy 419               |                          |                       |               |              | Green can with yellow square. |                        |
| 36525  | - Buoy 421               |                          |                       |               |              | Green can with yellow square. |                        |
| 36530  | - Buoy 423               |                          |                       |               |              | Green can with yellow square. |                        |
| 36535  | - Buoy 424               |                          |                       |               |              | Red nun with yellow triangle. | Maintained year round. |
| 36540  | - Buoy 425               |                          |                       |               |              | Green can with yellow square. |                        |
| 36545  | - Daybeacon 427          |                          |                       |               |              | SG-SY on pile.                |                        |
| 36550  | - Daybeacon 429          |                          |                       |               |              | SG-SY on pile.                |                        |
| 36555  | - Daybeacon 430          |                          |                       |               |              | TR-TY on pile.                |                        |
| 36560  | - LIGHT 431              | 39 02 15 N<br>74 47 53 W | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.                |                        |
| 36565  | - Daybeacon 433          |                          |                       |               |              | SG-SY on pile.                |                        |
| 36570  | - Daybeacon 434          |                          |                       |               |              | TR-TY on pile.                |                        |
| 36575  | - LIGHT 436              |                          | <b>Q R</b>            | 15            | 3            | TR-TY on pile.                |                        |
| 36580  | - LIGHT 437              | 39 01 58 N<br>74 48 21 W | <b>FI G</b> 2.5s      | 15            | 3            | SG-SY on pile.                |                        |
| 36585  | - Daybeacon 439          |                          |                       |               |              | SG-SY on pile.                |                        |

| (1)<br>No.   | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|------------------|----------------|
| <b>INTRACOASTAL WATERWAY (New Jersey) - Fifth District</b> |                          |                          |                       |               |              |                  |                |
| 36590  | - Daybeacon 441          |                          |                       |               |              | SG-SY on pile.   |                |
| 36595  | - LIGHT 442              |                          | <b>FI R</b> 4s        | 15            | 3            | TR-TY on pile.   |                |
| 36600  | - LIGHT 443              |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG-SY on pile.   |                |
| 36605  | - Daybeacon 444          |                          |                       |               |              | TR-TY on pile.   |                |
| 36610  | - LIGHT 445              |                          | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.   |                |
| 36615  | - Daybeacon 446          |                          |                       |               |              | TR-TY on pile.   |                |
| 36620  | - Daybeacon 448          |                          |                       |               |              | TR-TY on pile.   |                |
| 36625  | - LIGHT 449              | 39 00 25 N<br>74 49 24 W | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.   |                |
| 36630  | - Daybeacon 450          |                          |                       |               |              | TR-TY on pile.   |                |
| 36635  | - Daybeacon 452          |                          |                       |               |              | TR-TY on pile.   |                |
| 36640  | - Daybeacon 453          |                          |                       |               |              | SG-SY on pile.   |                |
| 36645  | - LIGHT 454              |                          | <b>FI R</b> 4s        | 15            | 3            | TR-TY on pile.   |                |
| 36650  | - Daybeacon 455          |                          |                       |               |              | SG-SY on pile.   |                |
| 36655  | - Daybeacon 457          | 39 00 07 N<br>74 50 06 W |                       |               |              | SG-SY on pile.   |                |
| 36660  | - Daybeacon 459          |                          |                       |               |              | SG-SY on pile.   |                |
| 36665  | - LIGHT 461              |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG-SY on pile.   |                |
| 36670  | - LIGHT 463              |                          | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.   |                |
| 36675  | - LIGHT 465              |                          | <b>Q G</b>            | 15            | 3            | SG-SY on pile.   |                |
| 36680  | - Daybeacon 466          |                          |                       |               |              | TR-TY on pile.   |                |
| 36685  | - LIGHT 468              |                          | <b>Q R</b>            | 15            | 4            | TR-TY on pile.   |                |
| 36690  | - Daybeacon 469          |                          |                       |               |              | SG-SY on pile.   |                |
| 36695  | - LIGHT 470              |                          | <b>FI R</b> 2.5s      | 15            | 3            | TR-TY on pile.   |                |
| 36700  | - LIGHT 471              |                          | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.   |                |
| 36705  | - Daybeacon 473          |                          |                       |               |              | SG-SY on pile.   |                |
| 36710  | - LIGHT 475              | 38 58 06 N<br>74 52 01 W | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.   |                |
| 36715  | - Daybeacon 477          |                          |                       |               |              | SG-SY on pile.   |                |
| 36720  | - Daybeacon 479          |                          |                       |               |              | SG-SY on pile.   |                |
| <b>Cape May Harbor</b>                                     |                          |                          |                       |               |              |                  |                |
| 36725<br>1470  | - JUNCTION LIGHT C       | 38 57 08 N<br>74 52 37 W | <b>FI (2+1) R</b> 6s  | 15            | 3            | JR-TY on pile.   |                |
| 36730  | - <i>Lighted Buoy 3</i>  |                          | <b>FI G</b> 2.5s      |               | 3            | Green.           |                |
| 36735  | - LIGHT 4                | 38 57 08 N<br>74 52 49 W | <b>FI R</b> 4s        | 15            | 3            | TR-TY on pile.   |                |
| 36740  | - LIGHT 5                |                          | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.   |                |
| 36745  | - LIGHT 6                | 38 57 04 N<br>74 53 19 W | <b>FI R</b> 6s        | 15            | 4            | TR-TY on pile.   |                |

| (1)<br>No.   | (2)<br>Name and Location                        | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure            | (8)<br>Remarks                |
|--|---|--------------------------|-----------------------|---------------|--------------|-----------------------------|-------------------------------|
| <b>INTRACOASTAL WATERWAY (New Jersey) - Fifth District</b> |   |                          |                       |               |              |                             |                               |
| 36750  | - Daybeacon 8                                   | 38 57 02 N<br>74 53 28 W |                       |               |              | TR-TY on pile.              |                               |
| 36755  | - Daybeacon 10                                  | 38 57 00 N<br>74 53 36 W |                       |               |              | TR-TY on pile.              |                               |
| 36760  | - Daybeacon 11                                  | 38 56 54 N<br>74 53 42 W |                       |               |              | SG-SY on pile.              |                               |
| 36765  | - LIGHT 12                                      | 38 56 58 N<br>74 53 52 W | <b>FI R</b> 4s        | 15            | 4            | TR-TY on pile.              |                               |
| 36770  | - Schellenger Landing<br>Daybeacon 1            | 38 56 55 N<br>74 54 05 W |                       |               |              | SG on pile.                 |                               |
| 36775  | - Schellenger Landing<br>Daybeacon 2            | 38 56 56 N<br>74 54 06 W |                       |               |              | TR on pile.                 |                               |
| <b>Cape May Village</b>                                    |   |                          |                       |               |              |                             |                               |
| 36777  | - Daybeacon 1                                   | 38 56 54 N<br>74 54 12 W |                       |               |              | SG on pile.                 | Private aid.                  |
| 36777.1  | - Daybeacon 2                                   |                          |                       |               |              | TR on pile.                 | Private aid.                  |
| 36777.2  | - Daybeacon 3                                   |                          |                       |               |              | SG on pile.                 | Private aid.                  |
| 36777.3  | - Daybeacon 4                                   |                          |                       |               |              | TR on pile.                 | Private aid.                  |
| 36777.4  | - Daybeacon 5                                   |                          |                       |               |              | SG on pile.                 | Private aid.                  |
| 36777.5  | - Daybeacon 6                                   |                          |                       |               |              | TR on pile.                 | Private aid.                  |
| 36780  | CAPE MAY CANAL EAST<br>END ENTRANCE<br>LIGHT 14 | 38 57 08 N<br>74 54 09 W | <b>FI R</b> 4s        | 12            | 3            | TR on multi-pile structure. |                               |
| <b>Cape May Canal West Entrance</b>                        |   |                          |                       |               |              |                             |                               |
| 36785<br>1670  | - SOUTH JETTY LIGHT 10                          | 38 57 58 N<br>74 58 02 W | <b>FI R</b> 4s        | 30            | 6            | TR-SY on skeleton tower.    |                               |
| 36790<br>1675  | - NORTH JETTY LIGHT 11                          | 38 58 04 N<br>74 58 00 W | <b>FI G</b> 2.5s      | 34            | 5            | SG-TY on skeleton tower.    | HORN: 1 blast ev 15s (2s bl). |

# Section 25

## Intracoastal Waterway Virginia to Neuse River, NC

| (1)<br>No.   | (2)<br>Name and Location                            | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure              | (8)<br>Remarks           |
|--|---|--------------------------|-----------------------|---------------|--------------|-------------------------------|--------------------------|
| <b>INTRACOASTAL WATERWAY (Virginia) - Fifth District</b> |   |                          |                       |               |              |                               |                          |
| <b>NORFOLK TO ABLEMARLE SOUND (Chart 12206)</b>          |   |                          |                       |               |              |                               |                          |
| <b>Elizabeth River Southern Branch</b>                   |   |                          |                       |               |              |                               |                          |
| 36805<br>9955  | - LIGHT 2<br>105 feet outside<br>channel limit.     | 36 47 39 N<br>76 17 50 W | <b>FI R 2.5s</b>      | 15            | 3            | TR-TY on pile.                |                          |
| 36810<br>9960  | - Buoy 3<br>75 feet outside<br>channel limit.       |                          |                       |               |              | Green can.                    |                          |
| 36815<br>9965  | - Buoy 5<br>75 feet outside<br>channel limit.       |                          |                       |               |              | Green can.                    |                          |
| 36820<br>9970  | - Daybeacon 6                                       |                          |                       |               |              | TR-TY on pile.                |                          |
| 36825<br>9975  | - LIGHT 8<br>75 feet outside<br>channel limit.      |                          | <b>Q R</b>            | 18            | 3            | TR-TY on pile.                |                          |
| 36830<br>9980  | - LIGHT 9<br>75 feet outside<br>channel limit.      |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG-SY on pile.                |                          |
| 36835<br>9985  | - Buoy 10   |                          |                       |               |              | Red nun.                      |                          |
| 36840<br>9990  | - Buoy 12   |                          |                       |               |              | Red nun.                      |                          |
| 36845<br>9995  | - Buoy 14   |                          |                       |               |              | Red nun.                      |                          |
| 36850<br>10000   | - Buoy 15   |                          |                       |               |              | Green can.                    |                          |
| 36855<br>10005   | - Buoy 17   |                          |                       |               |              | Green can.                    |                          |
| 36860<br>10010   | - Daybeacon 19<br>75 feet outside<br>channel limit. |                          |                       |               |              | SG-I on pile.                 |                          |
| 36865<br>10015   | St. Julian Creek Lighted<br>Marker A                | 36 47 06 N<br>76 18 24 W | <b>FI W 4s</b>        | 12            |              | SW on dolphin worded NO WAKE. | Maintained by U.S. Navy. |
| 36870<br>10020   | St. Julian Creek Lighted<br>Marker B                |                          | <b>FI W 4s</b>        | 12            |              | SW on dolphin worded NO WAKE. | Maintained by U.S. Navy. |
| 36875<br>10025   | SWAN TERMINAL PIER<br>LIGHT                         | 36 46 36 N<br>76 18 24 W | <b>F R</b>            | 12            |              |                               | Private aid.             |
| 36880<br>10030   | - LIGHT 20<br>75 feet outside<br>channel limit.     |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR-TY on pile.                |                          |
| 36885<br>10035   | - LIGHT 22<br>75 feet outside<br>channel limit.     |                          | <b>FI R 4s</b>        | 16            | 3            | TR-TY on pile.                |                          |
| 36890<br>10040   | - Buoy 24   | 36 46 19 N<br>76 17 48 W |                       |               |              | Red nun.                      |                          |

| (1)<br>No.   | (2)<br>Name and Location                                      | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                            | (8)<br>Remarks                       |
|--|---|--------------------------|-----------------------|---------------|--------------|---|--------------------------------------|
| <b>INTRACOASTAL WATERWAY (Virginia) - Fifth District</b>       |   |                          |                       |               |              |   |                                      |
| 36895<br>10045   | VIRGINIA POWER COMPANY<br>WHARF LIGHTS (2)                    | 36 46 12 N<br>76 17 54 W | <b>F Y</b>            | 10            |              | On dolphin.                                 | Private aids.                        |
| 36900<br>10050   | Virginia Power Company<br>Fish Return Line<br>Daybeacon       |                          |                       |               |              | NW on pile worded DANGER<br>SUBMERGED PILE. | Private aid.                         |
| 36905<br>10055   | Virginia Power Company<br>Fish Return Line<br>Daybeacon B     |                          |                       |               |              | NW on pile worded DANGER<br>SUBMERGED PILE. | Private aid.                         |
| 36910<br>10060   | - Turning Basin Daybeacon A<br>50 feet outaide channel limit. |                          |                       |               |              | NB on pile.                                 |                                      |
| 36915<br>10065   | - Turning Basin Daybeacon B<br>50 feet outside channel limit. |                          |                       |               |              | NB on pile.                                 |                                      |
| 36920<br>10070   | - Buoy 26   |                          |                       |               |              | Red nun.                                    |                                      |
| 36925<br>10075   | - Buoy 27   |                          |                       |               |              | Green can.                                  |                                      |
| 36930<br>10080   | - Buoy 28   |                          |                       |               |              | Red nun.                                    |                                      |
| <b>Deep Creek (Via Dismal Swamp Canal)</b>                     |   |                          |                       |               |              |   |                                      |
| 36935  | - Daybeacon 1   | 36 45 21 N<br>76 17 49 W |                       |               |              | SG-SY on pile.                              |                                      |
| 36940  | - Daybeacon 2   |                          |                       |               |              | TR-TY on pile.                              |                                      |
| 36945  | - Daybeacon 4   |                          |                       |               |              | TR on pile.                                 |                                      |
| 36950  | - Daybeacon 5   |                          |                       |               |              | SG-SY on pile.                              |                                      |
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |   |                          |                       |               |              |   |                                      |
| <b>NORFOLK TO ALBEMARLE SOUND (Chart 12206)</b>                |   |                          |                       |               |              |   |                                      |
| <b>Pasquotank River</b>  |   |                          |                       |               |              |   |                                      |
| 36955<br>31480   | - Daybeacon 19  |                          |                       |               |              | SG-TY on pile.                              |                                      |
| 36960<br>31475   | - Daybeacon 18  |                          |                       |               |              | TR-SY on pile.                              |                                      |
| 36965<br>31470   | - Daybeacon 17  |                          |                       |               |              | SG-TY on pile.                              |                                      |
| 36970<br>31465   | - Daybeacon 16  |                          |                       |               |              | TR-SY on pile.                              |                                      |
| 36975<br>31460   | - Daybeacon 15  |                          |                       |               |              | SG-TY on pile.                              |                                      |
| 36980<br>31455   | - Daybeacon 13  |                          |                       |               |              | SG-TY on pile.                              |                                      |
| 36985<br>31450   | - Daybeacon 11  |                          |                       |               |              | SG-TY on pile.                              |                                      |
| 36990<br>31445   | - LIGHT 9   |                          | <b>FI G 4s</b>        | 16            | 4            | SG-TY on slatted pile structure.            |                                      |
| 36995<br>31440   | - Daybeacon 8   |                          |                       |               |              | TR-SY pile.                                 |                                      |
| 37000<br>31435   | - LIGHT 7   |                          | <b>Q G</b>            | 18            | 4            | SG-TY on pile.                              | Higher intensity beam<br>downstream. |

| (1)<br>No.   | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                             | (8)<br>Remarks  |
|--|--|--------------------------|-----------------------|---------------|--------------|--|---|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |  |                          |                       |               |              |  |   |
| 37005<br>31420   | - LIGHT 5A   |                          | <b>FI G</b> 4s        | 15            | 4            | SG-TY on pile.                               | Light equipment removed when endangered by ice.         |
| 37010<br>31425   | Coast Guard Base<br>Daybeacon 1  | 36 16 16 N<br>76 10 39 W |                       |               |              | SG on pile.                                  |   |
| 37015<br>31430   | COAST GUARD BASE<br>LIGHT 2  | 36 16 15 N<br>76 10 40 W | <b>FI R</b> 4s        | 15            | 3            | TR on pile.                                  |   |
| 37020<br>31415   | - LIGHT 5  |                          | <b>Q G</b>            | 16            | 3            | SG-TY on pile.                               | Light also shows through zenith.                        |
| 37025<br>31410   | - LIGHT 4  |                          | <b>FI R</b> 4s        | 15            | 3            | TR-SY on pile.                               |   |
| 37030<br>31405   | - LIGHT 3  |                          | <b>FI G</b> 4s        | 17            | 4            | SG-TY on pile.                               | Light equipment removed when endangered by ice.         |
| 37035<br>31400   | - LIGHT 2  |                          | <b>FI R</b> 4s        | 15            | 3            | TR-SY on multi-pile structure.               |   |
| 37040<br>31395   | - SLUE LIGHT 1PR   | 36 09 02 N<br>76 01 18 W | <b>FI G</b> 4s        | 15            | 5            | SG-TY on piles.                              | Light equipment removed when endangered by ice. Ra ref. |
| <b>ALBEMARLE SOUND TO NEUSE RIVER (Chart 11553)</b>            |  |                          |                       |               |              |  |   |
| <b>Albemarle Sound</b>   |  |                          |                       |               |              |  |   |
| 37045<br>31390   | PASQUOTANK RIVER<br>ENTRANCE LIGHT PR<br>On east part of shoal<br>off point. | 36 09 23 N<br>75 58 39 W | <b>FI W</b> 2.5s      | 23            | 11           | NB on multi-pile structure.                  |   |
| 37047  | - Entrance Warning Daybeacon A   |                          |                       |               |              | NW on pile worded<br>DANGER SUBMERGED ROCKS. |   |
| 37055<br>31380   | - ENTRANCE LIGHT AS  | 36 03 44 N<br>75 56 08 W | <b>Mo (A) W</b>       | 16            | 6            | MR-I on multipile structure.                 | Higher intensity beam up and down channel.              |
| <b>INTRACOASTAL WATERWAY (Virginia) - Fifth District</b>       |  |                          |                       |               |              |  |   |
| <b>NORFOLK TO ALBEMARLE SOUND (Chart 12206)</b>                |  |                          |                       |               |              |  |   |
| <b>Elizabeth River Southern Branch</b>                         |  |                          |                       |               |              |  |   |
| 37060<br>10085   | - LIGHT 30   |                          | <b>FI R</b> 4s        | 15            | 4            | TR-TY on pile.                               | Ra ref.   |
| 37065<br>10090   | - Turning Basin<br>Daybeacon C   |                          |                       |               |              | NB on pile.                                  |   |
| 37070<br>10095   | - Turning Basin<br>Daybeacon D   |                          |                       |               |              | NB on pile.                                  |   |
| 37075  | - Daybeacon 31   |                          |                       |               |              | SG-SY on pile.                               |   |
| 37080  | - LIGHT 32   |                          | <b>FI R</b> 4s        | 15            | 3            | TR-TY on pile.                               |   |
| 37083  | Chesapeake Outfall<br>Warning Daybeacon A                                    | 36 44 09 N<br>76 17 42 W |                       | 12            |              | NW on bridge pile.                           | Private aid.  |
| 37083.1  | Chesapeake Outfall<br>Warning Daybeacon B                                    |                          |                       |               |              | NW on bridge pile.                           | Private aid.  |
| 37085  | - Daybeacon 33   |                          |                       |               |              | SG-SY on pile.                               |   |
| 37090  | - Buoy 34  |                          |                       |               |              | Red nun with TY.                             |   |
| 37095  | - Buoy 36  |                          |                       |               |              | Red nun with TY.                             |   |

| (1)<br>No.   | (2)<br>Name and Location            | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks |
|--|-------------------------------------|--------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| <b>INTRACOASTAL WATERWAY (Virginia) - Fifth District</b> |                                     |                          |                       |               |              |                                |                |
| 37100  | - LIGHT 37                          |                          | <b>FI G</b> 4s        | 15            | 3            | SG-SY on pile.                 |                |
| 37105  | - LIGHT 38                          |                          | <b>FI R</b> 4s        | 15            | 3            | TR-TY on pile.                 |                |
| 37110  | - Daybeacon 39                      |                          |                       |               |              | SG-SY on pile.                 |                |
| 37115  | - Daybeacon 41                      |                          |                       |               |              | SG-SY on pile.                 |                |
| 37120  | - LIGHT 42                          |                          | <b>FI R</b> 4s        | 14            | 3            | TR-TY on pile.                 |                |
| 37125  | - Daybeacon 43                      |                          |                       |               |              | SG-SY on pile.                 |                |
| 37130  | - Daybeacon 44                      |                          |                       |               |              | TR-TY on pile.                 |                |
| 37135  | - LIGHT 45                          |                          | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.                 |                |
| 37140  | - LIGHT 47                          |                          | <b>FI G</b> 4s        | 14            | 4            | SG-SY on pile.                 |                |
| 37145  | - Daybeacon 48                      |                          |                       |               |              | TR-TY on pile.                 |                |
| <b>Great Bridge to Albemarle Sound</b>                   |                                     |                          |                       |               |              |                                |                |
| 37150  | Great Bridge Wreck<br>Daybeacon WR1 | 36 43 37 N<br>76 14 53 W |                       |               |              | SG on pile.                    |                |
| 37155  | - LIGHT 1                           |                          | <b>FI G</b> 4s        | 19            | 4            | SG-SY on pile.                 |                |
| 37160  | - LIGHT 2                           |                          | <b>FI R</b> 4s        | 15            | 3            | TR-TY on pile.                 |                |
| 37165  | - LIGHT 3                           |                          | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.                 |                |
| 37170  | - LIGHT 4                           |                          | <b>FI R</b> 4s        | 15            | 3            | TR-TY on pile.                 |                |
| 37175  | - Daybeacon 5                       |                          |                       |               |              | SG-SY on pile.                 |                |
| 37180  | - LIGHT 6                           |                          | <b>FI R</b> 4s        | 17            | 3            | TR-TY on pile.                 |                |
| 37185  | - LIGHT 8                           |                          | <b>FI R</b> 4s        | 19            | 3            | TR-TY on multi-pile structure. |                |
| 37190  | - LIGHT 10                          |                          | <b>FI R</b> 4s        | 19            | 3            | TR-TY on pile.                 |                |
| 37195  | - LIGHT 11                          |                          | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.                 |                |
| 37200  | - Daybeacon 13                      |                          |                       |               |              | SG-SY on pile.                 |                |
| 37205  | - LIGHT 14                          |                          | <b>FI R</b> 4s        | 15            | 3            | TR-TY on pile.                 |                |
| 37210  | - LIGHT 15                          |                          | <b>FI G</b> 4s        | 14            | 4            | SG-SY on pile.                 |                |
| <b>West Neck Creek</b>                                   |                                     |                          |                       |               |              |                                |                |
| 37215  | - Daybeacon 1                       |                          |                       |               |              | SG on pile.                    | Private aid.   |
| 37220  | - Daybeacon 2                       |                          |                       |               |              | TR on pile.                    | Private aid.   |
| 37225  | - Daybeacon 3                       |                          |                       |               |              | SG on pile.                    | Private aid.   |
| 37230  | - Daybeacon 3A                      |                          |                       |               |              | SG on pile.                    | Private aid.   |
| 37235  | - Daybeacon 4                       |                          |                       |               |              | TR on pile.                    | Private aid.   |
| 37240  | - Daybeacon 4A                      |                          |                       |               |              | TR on pile.                    | Private aid.   |
| 37245  | - Daybeacon 5                       |                          |                       |               |              | SG on pile.                    | Private aid.   |
| 37250  | - Daybeacon 5A                      |                          |                       |               |              | SG on pile.                    | Private aid.   |
| 37255  | - Daybeacon 6                       |                          |                       |               |              | TR on pile.                    | Private aid.   |
| 37260  | - Daybeacon 7                       |                          |                       |               |              | SG on pile.                    | Private aid.   |
| 37265  | - Daybeacon 8                       |                          |                       |               |              | TR on pile.                    | Private aid.   |

| (1)<br>No.   | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                             | (8)<br>Remarks |
|--|--|--------------------------|-----------------------|---------------|--------------|--|----------------|
| <b>INTRACOASTAL WATERWAY (Virginia) - Fifth District</b> |  |                          |                       |               |              |  |                |
| 37270  | - Daybeacon 9  |                          |                       |               |              | SG on pile.                                  | Private aid.   |
| 37275  | - Daybeacon 10   |                          |                       |               |              | TR on pile.                                  | Private aid.   |
| 37280  | - Daybeacon 11   |                          |                       |               |              | SG on pile.                                  | Private aid.   |
| 37285  | - Daybeacon 12   |                          |                       |               |              | TR on pile.                                  | Private aid.   |
| 37290  | - Daybeacon 12A  |                          |                       |               |              | TR on pile.                                  | Private aid.   |
| 37295  | - Daybeacon 13   |                          |                       |               |              | SG on pile.                                  | Private aid.   |
| 37300  | - Daybeacon 14   |                          |                       |               |              | TR on pile.                                  | Private aid.   |
| <b>Great Bridge to Albemarle Sound</b>                   |  |                          |                       |               |              |  |                |
| 37305  | - Daybeacon 16   |                          |                       |               |              | TR-TY on pile.                               |                |
| 37310  | - LIGHT 18   |                          | <b>FI R 4s</b>        | 15            | 3            | TR-TY on pile.                               |                |
| 37315  | - LIGHT 20   |                          | <b>FI R 4s</b>        | 15            | 3            | TR-TY on multi-pile structure.               |                |
| 37320  | - Daybeacon 21   |                          |                       |               |              | SG-SY on pile.                               |                |
| 37325  | - LIGHT 23   |                          | <b>FI G 4s</b>        | 19            | 4            | SG-SY on pile.                               |                |
| 37330  | - LIGHT 25   |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                               |                |
| 37335  | - LIGHT 27   |                          | <b>FI G 4s</b>        | 19            | 4            | SG-SY on pile.                               |                |
| 37340  | - LIGHT 29   |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                               |                |
| 37345  | - LIGHT 30   |                          | <b>FI R 4s</b>        | 15            | 3            | TR-TY on pile.                               |                |
| 37350  | - LIGHT 32   |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR-TY on pile.                               |                |
| 37355  | - LIGHT 33   |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on multi-pile structure.               |                |
| 37360  | - Daybeacon 34   |                          |                       |               |              | TR-TY on pile.                               |                |
| 37365  | - LIGHT 35   |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                               |                |
| 37370  | North Landing River Warning<br>Daybeacon<br>66 feet, 090° from<br>wreck.<br>Marks barge. | 36 38 07 N<br>76 03 11 W |                       |               |              | NW on pile worded DANGER<br>SUBMERGED WRECK. | Ra ref.        |
| 37375  | - Daybeacon 36   |                          |                       |               |              | TR-TY on pile.                               |                |
| 37380  | - LIGHT 38   |                          | <b>FI R 4s</b>        | 14            | 3            | TR-TY on pile.                               |                |
| 37385  | - LIGHT 40   |                          | <b>FI R 4s</b>        | 15            | 3            | TR-TY on pile.                               |                |
| 37390  | - LIGHT 41   |                          | <b>FI G 4s</b>        | 18            | 4            | SG-SY on multi-pile structure.               |                |
| 37395  | - Daybeacon 42   |                          |                       |               |              | TR-TY on pile.                               |                |
| 37400  | - LIGHT 43   |                          | <b>FI G 4s</b>        | 16            | 4            | SG-SY on pile.                               |                |
| 37405  | - LIGHT 44   |                          | <b>FI R 4s</b>        | 15            | 3            | TR-TY on pile.                               |                |
| 37410  | - Daybeacon 45   |                          |                       |               |              | SG-SY on pile.                               |                |
| 37415  | - LIGHT 46   |                          | <b>FI R 4s</b>        | 14            | 3            | TR-TY on pile.                               |                |
| 37420  | - LIGHT 47   |                          | <b>Q G</b>            | 19            | 3            | SG-SY on pile.                               |                |
| 37425  | - LIGHT 49   |                          | <b>Q G</b>            | 19            | 3            | SG-SY on pile.                               | Ra ref.        |
| 37430  | - Daybeacon 51   |                          |                       |               |              | SG-SY on pile.                               |                |

| (1)<br>No.   | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks                                  |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|------------------|---|
| <b>INTRACOASTAL WATERWAY (Virginia) - Fifth District</b>       |                          |                          |                       |               |              |                  |   |
| 37435  | - Daybeacon 53           |                          |                       |               |              | SG-SY on pile.   |   |
| 37440  | - LIGHT 55               |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.   | Light equipment removed from Dec. 1 to Mar. 15. |
| 37445  | - Daybeacon 57           |                          |                       |               |              | SG-SY on pile.   |   |
| 37450  | - Daybeacon 59           |                          |                       |               |              | SG-SY on pile.   |   |
| 37455  | - LIGHT 61               |                          | <b>FI G 4s</b>        | 16            | 4            | SG-SY on pile.   | Light equipment removed from Dec. 1 to Mar. 15. |
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |                          |                          |                       |               |              |                  |   |
| <b>NORFOLK TO ALBEMARLE SOUND (Chart 12206)</b>                |                          |                          |                       |               |              |                  |   |
| <b>Great Bridge to Albemarle Sound</b>                         |                          |                          |                       |               |              |                  |   |
| 37460  | - Daybeacon 63           |                          |                       |               |              | SG-SY on pile.   |   |
| 37465  | - Daybeacon 65           |                          |                       |               |              | SG-SY on pile.   |   |
| 37470  | - LIGHT 67               |                          | <b>FI G 4s</b>        | 19            | 4            | SG-SY on pile.   |   |
| 37475  | - Daybeacon 70           |                          |                       |               |              | TR-TY on pile.   |   |
| 37480  | - LIGHT 73               |                          | <b>FI G 6s</b>        | 15            | 4            | SG-SY on pile.   | Light equipment removed from Dec. 1 to Mar. 15. |
| 37485  | - Daybeacon 71           |                          |                       |               |              | SG-SY on pile.   |   |
| 37490  | - Daybeacon 76           |                          |                       |               |              | TR-TY on pile.   |   |
| 37495  | — Daybeacon 77           |                          |                       |               |              | SG-SY on pile.   |   |
| 37500  | - LIGHT 79               |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.   | Light equipment removed from Dec. 1 to Mar. 15. |
| 37505  | - Daybeacon 82           |                          |                       |               |              | TR-TY on pile.   |   |
| 37510  | - Daybeacon 83           |                          |                       |               |              | SG-SY on pile.   |   |
| 37515  | - Daybeacon 85           |                          |                       |               |              | SG-SY on pile.   |   |
| 37520  | - Daybeacon 86           |                          |                       |               |              | TR-TY on pile.   |   |
| 37525  | - LIGHT 87               |                          | <b>Q G</b>            | 15            | 4            | SG-SY on pile.   |   |
| 37530  | - Daybeacon 89           |                          |                       |               |              | SG-SY on pile.   |   |
| 37535  | - Daybeacon 91           |                          |                       |               |              | SG-SY on pile.   |   |
| 37540  | - LIGHT 93               |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.   | Light equipment removed from Dec. 1 to Mar. 15. |
| 37545  | - LIGHT 95               |                          | <b>FI G 6s</b>        | 19            | 4            | SG-SY on pile.   | Ra ref.   |
| 37550  | - Daybeacon 97           |                          |                       |               |              | SG-SY on pile.   |   |
| 37555  | - LIGHT 99               |                          | <b>Q G</b>            | 15            | 3            | SG-SY on pile.   |   |
| 37560  | - Daybeacon 100          |                          |                       |               |              | TR-TY on pile.   |   |
| 37565  | - Daybeacon 101          |                          |                       |               |              | SG-SY on pile.   |   |
| 37570  | - Daybeacon 104          | 36 26 17 N<br>75 57 38 W |                       |               |              | TR-TY on pile.   |   |
| 37575  | - LIGHT 105              |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.   | Light equipment removed from Dec. 1 to Mar. 15. |

| (1)<br>No.   | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                 | (8)<br>Remarks                                  |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|----------------------------------|---|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |                          |                          |                       |               |              |                                  |   |
| 37580  | - Daybeacon 107          |                          |                       |               |              | SG-SY on pile.                   |   |
| 37585  | - Daybeacon 109          |                          |                       |               |              | SG-SY on pile.                   |   |
| 37590  | - LIGHT 111              |                          | <b>Q G</b>            | 15            | 3            | SG-SY on pile.                   |   |
| 37595  | - Warning Daybeacon      |                          |                       |               |              | NW on pile worded DANGER SHOAL.  |   |
| 37600  | - Daybeacon 112          |                          |                       |               |              | TR-TY on pile.                   |   |
| 37605  | - Daybeacon 113          |                          |                       |               |              | SG-SY on pile.                   |   |
| 37610  | - Daybeacon 115          |                          |                       |               |              | SG-SY on pile.                   |   |
| 37615  | - LIGHT 116              |                          | <b>Q R</b>            | 15            | 3            | TR-TY on pile.                   |   |
| 37620  | - LIGHT 118              |                          | <b>FI R 4s</b>        | 15            | 3            | TR-TY on pile.                   |   |
| 37622  | - Daybeacon 119          |                          |                       |               |              | SG-SY on pile.                   |   |
| 37625  | - Daybeacon 120          |                          |                       |               |              | TR-TY on pile.                   |   |
| 37630  | - LIGHT 121              |                          | <b>FI G 4s</b>        | 19            | 4            | SG-SY on pile.                   | Light equipment removed from Dec. 1 to Mar. 15. |
| 37635  | - Daybeacon 122          |                          |                       |               |              | TR-TY on pile.                   |   |
| 37640  | - LIGHT 123              |                          | <b>Q G</b>            | 17            | 3            | SG-SY on pile.                   | Higher intensity beam up channel.               |
| 37645  | - LIGHT 125              | 36 19 24 N<br>75 57 56 W | <b>FI G 4s</b>        | 16            | 4            | SG-SY on pile.                   |   |
| 37650  | - Daybeacon 127          |                          |                       |               |              | SG-SY on pile.                   |   |
| 37655  | - LIGHT 128              | 36 18 55 N<br>75 58 20 W | <b>Q R</b>            | 15            | 3            | TR-TY on pile.                   |   |
| 37660  | - Daybeacon 129          |                          |                       |               |              | SG-SY on pile.                   |   |
| 37665  | - Daybeacon 132          |                          |                       |               |              | TR-TY on pile.                   |   |
| 37670  | - Daybeacon 133          |                          |                       |               |              | SG-SY on pile.                   |   |
| 37675  | - Daybeacon 134          |                          |                       |               |              | TR-TY on pile.                   |   |
| 37680  | - LIGHT 135              |                          | <b>FI G 4s</b>        | 16            | 4            | SG-SY on slatted pile structure. |   |
| 37685  | - Daybeacon 137          |                          |                       |               |              | SG-SY on pile.                   |   |
| 37690  | - LIGHT 138              |                          | <b>Q R</b>            | 15            | 3            | TR-TY on pile.                   |   |
| 37695  | - LIGHT 139              |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                   |   |
| 37700  | - Daybeacon 140          |                          |                       |               |              | TR-TY on pile.                   |   |
| 37705  | - LIGHT 141              |                          | <b>Q G</b>            | 15            | 3            | SG-SY on pile.                   |   |
| 37710  | - LIGHT 143              |                          | <b>Q G</b>            | 18            | 3            | SG-SY on pile.                   |   |
| 37715  | - Daybeacon 142          |                          |                       |               |              | TR-TY on pile.                   |   |
| 37720  | - Daybeacon 145          |                          |                       |               |              | SG-SY on pile.                   |   |
| 37725  | - Daybeacon 147          |                          |                       |               |              | SG-SY on pile.                   |   |
| 37730  | - LIGHT 149              |                          | <b>FI G 4s</b>        | 16            | 4            | SG-SY on multi-pile structure.   |   |
| 37735  | - Daybeacon 151          |                          |                       |               |              | SG-SY on pile.                   |   |
| 37740  | - Daybeacon 152          |                          |                       |               |              | TR-TY on pile.                   |   |

| (1)<br>No.   | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks  |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|--------------------------------|---|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |                          |                          |                       |               |              |                                |   |
| 37745  | - LIGHT 153              |                          | <b>Q G</b>            | 15            | 3            | SG-SY on pile.                 |   |
| 37750  | - LIGHT 154              |                          | <b>FI R 4s</b>        | 15            | 4            | TR-TY on multi-pile structure. |   |
| 37755  | - LIGHT 155              |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                 |   |
| 37760  | - Daybeacon 156          |                          |                       |               |              | TR-TY on pile.                 |   |
| 37765  | - LIGHT 157              |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on multi-pile structure. |   |
| 37770  | - LIGHT 159              |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on multi-pile structure. |   |
| 37775  | - LIGHT 161              |                          | <b>Q G</b>            | 15            | 3            | SG-SY on pile.                 |   |
| 37780  | - Daybeacon 163          |                          |                       |               |              | SG-SY on pile.                 |   |
| 37785  | - LIGHT 164              |                          | <b>Q R</b>            | 15            | 3            | TR-TY on pile.                 |   |
| 37790  | - LIGHT 165              |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on multi-pile structure. |   |
| 37795  | - Daybeacon 166          |                          |                       |               |              | TR-TY on pile.                 |   |
| 37800  | - LIGHT 167              |                          | <b>Q G</b>            | 15            | 3            | SG-SY on pile.                 |   |
| 37805  | - Daybeacon 169          |                          |                       |               |              | SG-SY on pile.                 |   |
| 37810  | - LIGHT 170              |                          | <b>FI R 4s</b>        | 15            | 4            | TR-TY on pile.                 |   |
| 37815  | - Daybeacon 171          |                          |                       |               |              | SG-SY on pile.                 |   |
| 37820  | - LIGHT 173              |                          | <b>FI G 2.5s</b>      | 18            | 4            | SG-SY on pile.                 | Higher intensity beams towards 283° and 201°. Ra ref. |
| <b>ALBEMARLE SOUND TO NEUSE RIVER (Chart 11553)</b>            |                          |                          |                       |               |              |                                |   |
| <b>Albemarle Sound</b>   |                          |                          |                       |               |              |                                |   |
| 37825  | - NORTH LIGHT N          | 36 06 06 N<br>75 54 45 W | <b>Iso W 6s</b>       | 21            | 6            | NB-I on multipile structure.   |   |
| 37830  | - SOUTH LIGHT S          | 36 01 05 N<br>75 57 37 W | <b>FI W 4s</b>        | 15            | 6            | NR-I on multi-pile structure.  |   |
| <b>Alligator River</b>   |                          |                          |                       |               |              |                                |   |
| 37835  | - LIGHT 1AR              | 35 58 09 N<br>75 58 46 W | <b>FI G 2.5s</b>      | 15            | 4            | SG-I on multi-pile structure.  | Higher intensity beam towards South Light. Ra ref.    |
| 37840  | - LIGHT 3                | 33 57 32 N<br>75 59 30 W | <b>Q G</b>            | 15            | 4            | SG-SY on pile.                 |   |
| 37842  | - LIGHT 5                |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                 |   |
| 37844  | - Daybeacon 6            |                          |                       |               |              | TR-TY on pile.                 |   |
| 37845  | - LIGHT 7                |                          | <b>FI G 2.5s</b>      | 15            | 4            | SG-SY on pile.                 |   |
| 37850  | - LIGHT 8                | 35 56 38 N<br>75 59 19 W | <b>Q R</b>            | 15            | 4            | TR-TY on multi-pile structure. |   |
| 37853  | - Buoy 9                 |                          |                       |               |              | Green can.                     |   |
| 37855  | - LIGHT 10               |                          | <b>FI R 2.5s</b>      | 15            | 4            | TR-TY on multi-pile structure. |   |
| 37860  | - LIGHT 12               | 35 54 54 N<br>76 00 13 W | <b>FI R 4s</b>        | 15            | 3            | TR-TY on pile.                 |   |
| 37865  | - LIGHT 14               |                          | <b>FI R 2.5s</b>      | 18            | 3            | TR-TY on pile.                 |   |
| 37870  | - LIGHT 16               |                          | <b>FI R 4s</b>        | 15            | 3            | TR-TY on pile.                 |   |

| (1)<br>No.   | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks                                  |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|--------------------------------|---|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |                          |                          |                       |               |              |                                |   |
| 37875  | - LIGHT 18               |                          | <b>Q R</b>            | 15            | 3            | TR-TY on pile.                 |   |
| 37880  | - LIGHT 20               |                          | <b>FI R 4s</b>        | 15            | 3            | TR-TY on pile.                 |   |
| 37885  | - LIGHT 22               |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR-TY on pile.                 |   |
| 37890  | - LIGHT 24               |                          | <b>FI R 4s</b>        | 15            | 3            | TR-TY on pile.                 | Light equipment removed when endangered by ice. |
| 37895  | - LIGHT 26               |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR-TY on pile.                 | Light equipment removed Dec. 1 to Mar. 15.      |
| 37900  | - LIGHT 28               |                          | <b>FI R 4s</b>        | 16            | 3            | TR-TY on multi-pile structure. | Light equipment removed when endangered by ice. |
| 37905  | - Daybeacon 30           |                          |                       |               |              | TR-TY on pile.                 |   |
| 37910  | - LIGHT 31               |                          | <b>Q G</b>            | 15            | 4            | SG-SY on pile.                 |   |
| 37915  | - Daybeacon 33           |                          |                       |               |              | SG-SY on pile.                 |   |
| 37920  | - Daybeacon 35           |                          |                       |               |              | SG-SY on pile.                 |   |
| 37925  | - LIGHT 37               |                          | <b>Q G</b>            | 15            | 3            | SG-SY on pile.                 |   |
| 37930  | - LIGHT 39               |                          | <b>Q G</b>            | 15            | 4            | SG-SY on multi-pile structure. |   |
| <b>Chip Mill</b>   |                          |                          |                       |               |              |                                |   |
| 37935  | - Daybeacon 2            |                          |                       |               |              | TR on pile.                    | Private aid.                                    |
| 37940  | - Daybeacon 4            |                          |                       |               |              | TR on pile.                    | Private aid.                                    |
| 37945  | - Daybeacon 6            |                          |                       |               |              | TR on pile.                    | Private aid.                                    |
| 37950  | - Daybeacon 8            |                          |                       |               |              | TR on pile.                    | Private aid.                                    |
| 37955  | - Daybeacon 9            | 35 38 54 N<br>76 02 12 W |                       |               |              | SG on pile.                    | Private aid.                                    |
| 37960  | - Daybeacon 10           | 35 38 54 N<br>76 02 18 W |                       |               |              | TR on pile.                    | Private aid.                                    |
| <b>Alligator River</b>   |                          |                          |                       |               |              |                                |   |
| 37965  | - Daybeacon 41           |                          |                       |               |              | SG-SY on pile.                 |   |
| 37970  | - Daybeacon 43           |                          |                       |               |              | SG-SY on pile.                 |   |
| 37975  | - Daybeacon 45           |                          |                       |               |              | SG-SY on pile.                 |   |
| 37980  | - LIGHT 46               | 35 40 32 N<br>76 04 25 W | <b>Q R</b>            | 15            | 4            | TR-TY on multi-pile structure. |   |
| 37985  | - Daybeacon 47           |                          |                       |               |              | SG-SY on pile.                 |   |
| 37990  | - Daybeacon 49           |                          |                       |               |              | SG-SY on pile.                 |   |
| 37995  | - Daybeacon 52           |                          |                       |               |              | TR-TY on pile.                 |   |
| 38000  | - LIGHT 54               |                          | <b>Q R</b>            | 16            | 4            | TR-TY on pile.                 |   |
| <b>Alligator River - Pungo River</b>                           |                          |                          |                       |               |              |                                |   |
| 38005  | - LIGHT 55               | 35 35 51 N<br>76 13 18 W | <b>FI G 2.5s</b>      | 15            | 4            | SG-SY on pile.                 | Higher intensity toward Alligator River.        |
| 38010  | - LIGHT 57               |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                 | Higher intensity toward Pungo River.            |
| 38015  | - LIGHT 59AR             |                          | <b>FI G 6s</b>        | 15            | 4            | SG-SY on pile.                 |   |

| (1)<br>No.   | (2)<br>Name and Location                 | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                | (8)<br>Remarks |
|--|--|--------------------------|-----------------------|---------------|--------------|---------------------------------|----------------|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |  |                          |                       |               |              |                                 |                |
| 38020  | - Warning Daybeacon                      |                          |                       |               |              | NW on pile worded DANGER SHOAL. |                |
|  | <b>Pungo River</b>                       |                          |                       |               |              |                                 |                |
| 38025<br>33065   | - Daybeacon 28                           |                          |                       |               |              | TR-SY on pile.                  |                |
| 38030<br>33060   | - Daybeacon 27PR                         |                          |                       |               |              | SG-TY on pile.                  |                |
| 38035<br>33055   | - CHANNEL LIGHT 25                       | 35 33 08 N<br>76 27 25 W | <b>FI G</b> 4s        | 15            | 4            | SG-TY on pile.                  |                |
| 38040<br>33050   | - Channel Daybeacon 24                   |                          |                       |               |              | TR-SY on pile.                  |                |
| 38045<br>33045   | - CHANNEL LIGHT 23                       |                          | <b>Q G</b>            | 19            | 3            | SG-TY on pile structure.        |                |
| 38050<br>33040   | - Channel Daybeacon 22                   |                          |                       |               |              | TR-SY on pile.                  |                |
| 38055<br>33035   | - CHANNEL LIGHT 21                       |                          | <b>FI G</b> 4s        | 15            | 3            | SG-TY on multi-pile structure.  |                |
| 38060<br>33030   | - Channel Daybeacon 19                   |                          |                       |               |              | SG-TY on pile.                  |                |
| 38065<br>33025   | - CHANNEL LIGHT 18                       |                          | <b>Q R</b>            | 15            | 4            | TR-SY on multi-pile structure.  |                |
| 38070<br>33020   | - Channel Daybeacon 17                   |                          |                       |               |              | SG-TY on pile.                  |                |
| 38073  | SMITH CREEK LIGHT WR1                    | 35 30 50 N<br>76 29 13 W | <b>Q G</b>            | 15            | 3            | SG on pile.                     |                |
| 38075<br>33015   | - Channel Daybeacon 16                   |                          |                       |               |              | TR-SY on pile.                  |                |
| 38080<br>33010   | - Channel Daybeacon 15                   |                          |                       |               |              | SG-TY on pile.                  |                |
| 38082  | Upper Dowry Creek<br>Channel Daybeacon 2 | 35 31 36 N<br>76 31 48 W |                       |               |              | TR on pile.                     | Private aid.   |
| 38083  | Upper Dowry Creek<br>Channel Daybeacon 3 |                          |                       |               |              | SG on pile.                     | Private aid.   |
| 38085<br>33005   | - Channel Daybeacon 14                   |                          |                       |               |              | TR-SY on pile.                  |                |
| 38090<br>33000   | - CHANNEL LIGHT 13                       |                          | <b>FI G</b> 4s        | 15            | 3            | SG-TY on pile.                  |                |
| 38095<br>32995   | - Channel Daybeacon 12                   |                          |                       |               |              | TR-SY on pile.                  |                |
| 38100<br>32990   | - Channel Daybeacon 11                   |                          |                       |               |              | SG-TY on pile.                  |                |
| 38105<br>32985   | - CHANNEL LIGHT 10                       |                          | <b>Q R</b>            | 15            | 3            | TR-SY on pile.                  |                |
| 38110<br>32915   | - LIGHT 8                                |                          | <b>FI R</b> 4s        | 15            | 3            | TR-SY on pile.                  |                |
| 38115<br>32910   | - LIGHT 7                                |                          | <b>FI G</b> 4s        | 15            | 3            | SG-TY on pile.                  |                |
| 38120<br>32905   | - Daybeacon 5                            |                          |                       |               |              | SG-TY on pile.                  |                |

| (1)<br>No.   | (2)<br>Name and Location                          | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                               | (8)<br>Remarks   |
|--|---|--------------------------|-----------------------|---------------|--------------|--|--|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |   |                          |                       |               |              |  |  |
| 38125<br>32900   | - LIGHT 4   |                          | <b>FI R</b> 4s        | 15            | 3            | TR-SY on pile.                                 |  |
| 38130<br>32895   | - LIGHT 3   |                          | <b>FI G</b> 4s        | 15            | 4            | SG-TY on pile.                                 |  |
| 38135<br>32860   | - WRECK LIGHT WR2<br>5 yards, 245° from<br>wreck. |                          | <b>Q R</b>            | 15            | 3            | TR-SY on pile.                                 |  |
| 38140<br>32855   | - JUNCTION LIGHT PR                               | 35 22 40 N<br>76 33 35 W | <b>FI (2+1) R</b> 6s  | 29            | 5            | JR-TY on multi-pile<br>structure.              | Higher intensity beam toward<br>Pamlico River entrance,<br>Pungo River Light 3, and<br>Goose Creek Light 1.<br>Ra ref. |
| <b>Goose Creek</b>   |   |                          |                       |               |              |  |  |
| 38145  | - LIGHT 1   | 35 20 24 N<br>76 35 45 W | <b>FI G</b> 2.5s      | 15            | 8            | SG-SY on multi-pile structure.                 | Higher intensity beam toward<br>Pungo River Junction Light<br>PR.<br>Ra ref.   |
| 38150  | - Daybeacon 3                                     |                          |                       |               |              | SG-SY on pile.                                 |  |
| 38155  | - Daybeacon 4                                     |                          |                       |               |              | TR-TY on pile.                                 |  |
| 38160  | - Daybeacon 5                                     |                          |                       |               |              | SG-SY on pile.                                 |  |
| 38165  | - LIGHT 6   |                          | <b>Q R</b>            | 15            | 3            | TR-TY on multi-pile<br>structure.              |  |
| 38170  | - Daybeacon 7                                     |                          |                       |               |              | SG-SY on pile.                                 |  |
| 38175  | - Daybeacon 8                                     |                          |                       |               |              | TR-TY on pile.                                 |  |
| 38180  | - Daybeacon 10                                    |                          |                       |               |              | TR-TY on pile.                                 |  |
| 38185  | - LIGHT 11  |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG-SY on pile.                                 |  |
| 38190  | - Daybeacon 13                                    |                          |                       |               |              | SG-SY on pile.                                 |  |
| 38195  | - Daybeacon 14                                    |                          |                       |               |              | TR-TY on pile.                                 |  |
| 38200  | - LIGHT 15  |                          | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.                                 |  |
| 38205  | - Daybeacon 17                                    |                          |                       |               |              | SG-SY on pile.                                 |  |
| 38210  | - LIGHT 19  |                          | <b>Q G</b>            | 15            | 3            | SG-SY on pile.                                 |  |
| 38215  | - LIGHT 21  |                          | <b>Q G</b>            | 15            | 4            | SG-SY on pile.                                 |  |
| 38220  | - LIGHT 22  |                          | <b>FI R</b> 2.5s      | 15            | 4            | TR-TY on pile structure on small<br>red house. |  |
| 38225  | - Daybeacon 23                                    |                          |                       |               |              | SG-SY on pile.                                 |  |
| 38230  | - Daybeacon 24                                    |                          |                       |               |              | TR-TY on pile.                                 |  |
| 38235  | - Buoy 25   |                          |                       |               |              | Green can with yellow square.                  |  |
| 38240  | - LIGHT 27  |                          | <b>Q G</b>            | 15            | 4            | SG-SY on multi-pile<br>structure.              |  |
| <b>Bay River</b>   |   |                          |                       |               |              |  |  |
| 38245<br>33400   | - LIGHT 1   | 35 09 48 N<br>76 32 01 W | <b>FI G</b> 4s        | 14            | 4            | SG-TY on pile.                                 | Higher intensity beam down<br>channel.   |
| 38250<br>33405   | - LIGHT 3   | 35 10 48 N<br>76 33 31 W | <b>FI G</b> 4s        | 15            | 4            | SG-TY on pile.                                 |  |
| 38255<br>33395   | BAY POINT LIGHT<br>On south end of shoal.         | 35 10 21 N<br>76 30 19 W | <b>FI W</b> 4s        | 15            | 6            | NB on pile.                                    |  |

# Section 26

## Intracoastal Waterway Neuse River, NC to Myrtle Grove Sound, NC

| (1)<br>No.   | (2)<br>Name and Location   | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                        | (8)<br>Remarks                                     |
|--|--|--------------------------|-----------------------|---------------|--------------|---|--|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |  |                          |                       |               |              |   |  |
| <b>NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541)</b>         |  |                          |                       |               |              |   |  |
| <b>Neuse River</b>   |  |                          |                       |               |              |   |  |
| 38260<br>33580   | - JUNCTION LIGHT   | 35 08 47 N<br>76 30 11 W | <b>FI (2+1) R 6s</b>  | 15            | 6            | JR-TY on multi-pile structure.          | Ra ref.  |
| 38265<br>33585   | - ENTRANCE LIGHT 2   | 35 08 08 N<br>76 30 51 W | <b>FI R 4s</b>        | 15            | 3            | TR-TY on pile.                          |  |
| 38270<br>33590   | - ENTRANCE LIGHT NR<br>Marks northerly side<br>of Point Marsh Shoal. | 35 06 37 N<br>76 28 32 W | <b>FI W 6s</b>        | 24            | 6            | NB on multi-pile structure.             | Ra ref.  |
| 38275<br>33595   | - LIGHT 4  |                          | <b>FI R 2.5s</b>      | 15            | 5            | TR-TY on pile.                          | Ra ref.  |
| 38277  | - Shoal Warning Daybeacon  |                          |                       |               |              | NW on pile worded DANGER SHOAL.         |  |
| 38280<br>33625   | - LIGHT 6  |                          | <b>FI R 4s</b>        | 15            | 4            | TR-TY on multi-pile structure.          | Ra ref.  |
| 38285<br>33715   | - LIGHT 7  |                          | <b>FI G 4s</b>        | 15            | 5            | SG-SY on multi-pile structure.          | Ra ref.  |
| <b>Adams Creek</b>   |  |                          |                       |               |              |   |  |
| <i>Aids located 30 - 35 feet outside channel limit.</i>        |  |                          |                       |               |              |   |  |
| 38290<br>33790   | - LIGHT 1AC  | 34 58 30 N<br>76 41 46 W | <b>FI G 4s</b>        | 15            | 4            | SG-SY on multi-pile structure.          | Ra ref.  |
| 38295  | - Buoy 2   |                          |                       |               |              | Red nun with yellow triangle.           |  |
| 38300  | - LIGHT 3  |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG-SY on pile.                          |  |
| 38305  | - LIGHT 4  |                          | <b>Q R</b>            | 15            | 3            | TR-TY on multi-pile structure.          |  |
| 38310  | - RANGE A FRONT LIGHT 7  | 34 56 33 N<br>76 39 34 W | <b>Q W</b>            | 15            | 6            | KWB-I and SG-I on multi-pile structure. | Visible all around; higher intensity on rangeline. |
| 38315  | - RANGE A REAR LIGHT<br>1,200 yards, 129° from front light.          |                          | <b>Iso W 6s</b>       | 35            |              | KWB-I on skeleton tower.                | Visible all around; higher intensity on rangeline. |
| 38320  | - Daybeacon 4A   |                          |                       |               |              | TR-TY on pile.                          |  |
| 38325  | - Daybeacon 6  |                          |                       |               |              | TR-TY on pile.                          |  |
| 38330  | - RANGE B FRONT LIGHT 9  | 34 55 59 N<br>76 39 07 W | <b>Q W</b>            | 19            | 6            | KWB-I and SG-I on multi-pile structure. | Visible all around; higher intensity on rangeline. |
| 38335  | - RANGE B REAR LIGHT<br>400 yards, 026° from front light.            |                          | <b>Iso W 6s</b>       | 35            |              | KWB-I on skeleton tower.                | Visible all around; higher intensity on rangeline. |
| 38340  | - Daybeacon 10   |                          |                       |               |              | TR-TY on pile.                          |  |
| 38345  | - Daybeacon 11   |                          |                       |               |              | SG-SY on pile.                          |  |
| 38350  | - Daybeacon 12   |                          |                       |               |              | TR-TY on pile.                          |  |
| 38355  | - LIGHT 13   |                          | <b>FI G 2.5s</b>      | 15            | 4            | SG-SY on multi-pile structure.          |  |

| (1)<br>No.   | (2)<br>Name and Location                                | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks                                     |
|--|---|--------------------------|-----------------------|---------------|--------------|--|--|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |   |                          |                       |               |              |  |  |
| 38360  | - Daybeacon 14  |                          |                       |               |              | TR-TY on pile.   |  |
| 38365  | - Daybeacon 15  |                          |                       |               |              | SG-SY on pile.   |  |
| 38370  | - LIGHT 16  |                          | <b>FI R 2.5s</b>      | 14            | 3            | TR-TY on pile.   |  |
| 38375  | - LIGHT 17  |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.   |  |
| 38380  | - LIGHT 18  |                          | <b>FI R 4s</b>        | 15            | 3            | TR-TY on pile.   |  |
| <b>Core Creek</b>  |   |                          |                       |               |              |  |  |
| <i>Aids located 30 - 35 feet outside channel limit.</i>        |   |                          |                       |               |              |  |  |
| 38385  | - LIGHT 19  | 34 48 25 N<br>76 41 08 W | <b>Q G</b>            | 15            | 3            | SG-SY on pile.   |  |
| 38390  | - LIGHT 20  |                          | <b>FI R 4s</b>        | 15            | 4            | TR-TY on multi-pile structure.                           |  |
| 38395  | - Daybeacon 21  |                          |                       |               |              | SG-SY on pile.   |  |
| 38400  | - RANGE FRONT LIGHT                                     | 34 46 21 N<br>76 41 08 W | <b>Q W</b>            | 16            |              | KRW on small red house on multi-pile structure.          | Visible all around; higher intensity on rangeline. |
| 38405  | - RANGE REAR LIGHT<br>630 yards, 177° from front light. |                          | <b>Iso W 6s</b>       | 42            |              | KRW-I on skeleton tower.                                 | Visible all around; higher intensity on rangeline. |
| 38407  | - LIGHT 24  |                          | <b>Q W</b>            | 16            | 5            | TR-TY on same structure as Core Creek Range Front Light. |  |
| 38410  | - Daybeacon 23  | 34 46 23 N<br>76 41 05 W |                       |               |              | SG-SY on pile.   |  |
| 38415  | - Daybeacon 25  |                          |                       |               |              | SG-SY on pile.   |  |
| 38420  | - Daybeacon 26  |                          |                       |               |              | TR-TY on pile.   |  |
| 38425  | - Daybeacon 27  |                          |                       |               |              | SG-SY on pile.   |  |
| 38430  | - Daybeacon 28  |                          |                       |               |              | TR-TY on pile.   |  |
| 38435  | - LIGHT 29  | 34 45 33 N<br>76 40 21 W | <b>Q G</b>            | 15            | 3            | SG-SY on multi-pile structure.                           |  |
| <b>Russell Slough</b>  |   |                          |                       |               |              |  |  |
| 38440  | - JUNCTION LIGHT RS                                     | 34 45 21 N<br>76 40 22 W | <b>FI (2+1) G 6s</b>  | 15            | 3            | JG on multi-pile structure                               |  |
| 38445  | - Daybeacon 2   |                          |                       |               |              | TR on pile.  |  |
| 38450  | - Daybeacon 3   |                          |                       |               |              | SG on pile.  |  |
| 38455  | - Daybeacon 4   |                          |                       |               |              | TR on pile.  |  |
| 38460  | - LIGHT 5   |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.  |  |
| 38465  | - Daybeacon 6   |                          |                       |               |              | TR on pile.  |  |
| 38467  | - Daybeacon 6A  |                          |                       |               |              | TR on pile.  |  |
| 38470  | - Daybeacon 7   |                          |                       |               |              | SG on pile.  |  |
| 38475<br>34855   | - CHANNEL JUNCTION<br>LIGHT RG                          | 34 44 10 N<br>76 40 38 W | <b>FI (2+1) R 6s</b>  | 15            | 3            | JR on pile.  |  |
| <b>Core Creek</b>  |   |                          |                       |               |              |  |  |
| 38480  | - Daybeacon 30  |                          |                       |               |              | TR-TY on pile.   |  |
| 38482  | - Daybeacon 30A   |                          |                       |               |              | TR-TY on pile.   |  |

| (1)<br>No.   | (2)<br>Name and Location                               | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure                     | (8)<br>Remarks                                |
|--|--|--------------------------|-----------------------|---------------|--------------|--------------------------------------|---|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |  |                          |                       |               |              |                                      |   |
| 38485  | - Daybeacon 31   |                          |                       |               |              | SG-SY on pile.                       |   |
|  | <b>Newport Marshes</b>                                 |                          |                       |               |              |                                      |   |
| 38490  | - Daybeacon 32   |                          |                       |               |              | TR-TY on pile.                       |   |
| 38493  | - Daybeacon 33   |                          |                       |               |              | SG-SY on pile.                       |   |
| 38495  | - LIGHT 34   |                          | <b>Q R</b>            | 15            | 4            | TR-TY on pile.                       |   |
| 38497  | Newport Marshes Warning<br>Daybeacon A                 |                          |                       |               |              | NW on pile worded<br>DANGER SHOALING |   |
| 38500  | - LIGHT 35   |                          | <b>Q G</b>            | 15            | 3            | SG-SY on pile.                       |   |
| 38505  | -LIGHT 36  |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR-TY on pile.                       |   |
| 38510  | - Buoy 37  |                          |                       |               |              | Green can with yellow square.        |   |
| 38515  | - LIGHT 38   |                          | <b>FI R 4s</b>        | 15            | 4            | TR-TY on multi-pile structure.       | Higher intensity beam up and<br>down channel. |
| 38520  | - Buoy 39  |                          |                       |               |              | Green can with yellow square.        |   |
| 38523<br>29485   | Morehead City Channel<br>Daybeacon 28                  |                          |                       |               |              | TR-SY on pile.                       |   |
| 38525<br>29470   | <i>Morehead City Channel</i><br><i>Lighted Buoy 27</i> |                          | <b>FI G 2.5s</b>      |               | 3            | Green with<br>yellow square.         |   |
|  | <b>Bogue Sound</b>                                     |                          |                       |               |              |                                      |   |
| 38530  | - Daybeacon 1B   |                          |                       |               |              | SG on pile.                          |   |
|  | <b>Triple S. Marina</b>                                |                          |                       |               |              |                                      |   |
| 38535  | - Daybeacon 1  |                          |                       |               |              | SG on pile.                          | Private aid.                                  |
| 38540  | - Daybeacon 2  |                          |                       |               |              | TR on pile.                          | Private aid.                                  |
| 38545  | - Daybeacon 3  |                          |                       |               |              | SG on pile.                          | Private aid.                                  |
| 38550  | - Daybeacon 4  |                          |                       |               |              | TR on pile.                          | Private aid.                                  |
| 38555  | - Daybeacon 5  |                          |                       |               |              | SG on pile.                          | Private aid.                                  |
| 38560  | - Daybeacon 6  |                          |                       |               |              | TR on pile.                          | Private aid.                                  |
| 38565  | - Daybeacon 7  |                          |                       |               |              | SG on pile.                          | Private aid.                                  |
| 38570  | - Daybeacon 8  |                          |                       |               |              | TR on pile.                          | Private aid.                                  |
| 38575  | - Daybeacon 9  |                          |                       |               |              | SG on pile.                          | Private aid.                                  |
| 38580  | - Daybeacon 10   |                          |                       |               |              | TR on pile.                          | Private aid.                                  |
| 38585  | - Daybeacon 11   |                          |                       |               |              | SG on pile.                          | Private aid.                                  |
| 38590  | - Daybeacon 12   |                          |                       |               |              | TR on pile.                          | Private aid.                                  |
| 38595  | - Daybeacon 13   |                          |                       |               |              | SG on pile.                          | Private aid.                                  |
|  | <b>Morehead City Harbor Channel</b>                    |                          |                       |               |              |                                      |   |
| 38600  | - JUNCTION LIGHT MC                                    | 34 42 51 N<br>76 42 27 W | <b>FI (2+1) R 6s</b>  | 15            | 3            | JR on pile.                          |   |
| 38605  | - Daybeacon 3  |                          |                       |               |              | SG on pile.                          |   |
| 38610  | - Daybeacon 5  |                          |                       |               |              | SG on pile.                          |   |
| 38615  | - Daybeacon 6  |                          |                       |               |              | TR on pile.                          |   |

| (1)<br>No.   | (2)<br>Name and Location                       | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks |
|--|--|--------------------------|-----------------------|---------------|--------------|---|----------------|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |  |                          |                       |               |              |   |                |
| 38620  | - Daybeacon 7                                  |                          |                       |               |              | SG on pile.   |                |
| 38625  | - Daybeacon 8                                  |                          |                       |               |              | TR on pile.   |                |
| 38627  | -Daybeacon A                                   |                          |                       |               |              | NB on pile.   |                |
| 38629  | -Daybeacon B                                   |                          |                       |               |              | NB on pile.   |                |
| 38630  | - LIGHT 2<br>50 feet outside channel<br>limit. |                          | <b>Q R</b>            | 15            | 3            | TR-TY on pile.  |                |
| <b>Money Island Channel</b>                                    |  |                          |                       |               |              |   |                |
| 38635  | - JUNCTION LIGHT                               |                          | <b>FI (2+1) R 6s</b>  | 15            | 3            | JR on pile.   |                |
| 38640  | - Warning Buoy B                               | 34 42 36 N<br>76 43 18 W |                       |               |              | White with orange band and<br>orange diamond worded<br>DANGER SHOALING. |                |
| 38645  | - Daybeacon 1                                  | 34 42 42 N<br>76 43 18 W |                       |               |              | SG on pile.   |                |
| 38647  | - Buoy 1A                                      |                          |                       |               |              | Green can.  |                |
| 38650  | - Buoy 1B                                      |                          |                       |               |              | Green can.  |                |
| 38652  | - Buoy 2                                       |                          |                       |               |              | Red nun.  |                |
| 38655  | - Daybeacon 2A                                 |                          |                       |               |              | TR on pile.   |                |
| 38660  | - Daybeacon 3                                  |                          |                       |               |              | SG on pile.   |                |
| 38665  | - Daybeacon 4                                  |                          |                       |               |              | TR on pile.   |                |
| 38670  | - LIGHT 5                                      | 34 42 10 N<br>76 43 44 W | <b>FI G 4s</b>        | 15            | 4            | SG on pile.   |                |
| 38675  | - Daybeacon 6                                  |                          |                       |               |              | TR on pile.   |                |
| 38677  | - Buoy 7                                       |                          |                       |               |              | Green can.  |                |
| 38679  | -Buoy 8  |                          |                       |               |              | Red nun.  |                |
| <b>Eight and One Half Marina</b>                               |  |                          |                       |               |              |   |                |
| 38680  | - Daybeacon 1                                  |                          |                       |               |              | SG on pile.   | Private aid.   |
| 38685  | - Daybeacon 2                                  |                          |                       |               |              | TR on pile.   | Private aid.   |
| 38690  | - Daybeacon 3                                  |                          |                       |               |              | SG on pile.   | Private aid.   |
| 38695  | - Daybeacon 4                                  |                          |                       |               |              | TR on pile.   | Private aid.   |
| 38700  | - Daybeacon 5                                  |                          |                       |               |              | SG on pile.   | Private aid.   |
| 38705  | - Daybeacon 6                                  |                          |                       |               |              | TR on pile.   | Private aid.   |
| 38710  | - Daybeacon 7                                  |                          |                       |               |              | SG on pile.   | Private aid.   |
| 38715  | - Daybeacon 8                                  |                          |                       |               |              | TR on pile.   | Private aid.   |
| <b>Causeway Channel</b>  |  |                          |                       |               |              |   |                |
| 38720  | - Daybeacon 2                                  |                          |                       |               |              | TR on pile.   |                |
| 38725  | - Daybeacon 3                                  |                          |                       |               |              | SG on pile.   |                |
| 38727  | - Buoy 4                                       |                          |                       |               |              | Red nun.  |                |
| 38730  | - Daybeacon 5                                  |                          |                       |               |              | SG on pile.   |                |

| (1)<br>No.   | (2)<br>Name and Location                       | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks |
|--|--|--------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |  |                          |                       |               |              |                                |                |
| 38731  | - Buoy 5A                                      |                          |                       |               |              | Green can.                     |                |
| 38735  | - Buoy 6                                       |                          |                       |               |              | Red nun.                       |                |
| 38736  | - Buoy 6A                                      |                          |                       |               |              | Red nun.                       |                |
| 38740  | - Daybeacon 7                                  |                          |                       |               |              | SG on pile.                    |                |
| 38745  | - Buoy 7A                                      | 34 42 42 N<br>76 44 08 W |                       |               |              | Green can.                     |                |
| 38750  | - Daybeacon 8                                  |                          |                       |               |              | TR on pile.                    |                |
| <b>Bogue Sound</b>   |  |                          |                       |               |              |                                |                |
| 38755  | - Buoy 3                                       | 34 42 45 N<br>76 43 07 W |                       |               |              | Green can with yellow square.  |                |
| 38760  | - Daybeacon 3A                                 |                          |                       |               |              | SG-SY on pile.                 |                |
| 38765  | BOGUE SOUND LIGHT 3B                           | 34 43 10 N<br>76 44 42 W | FI R 2.5s             | 15            | 5            | SG-SY on pile.                 |                |
| 38770  | - LIGHT 4<br>50 feet outside channel<br>limit. |                          | FI R 2.5s             | 15            | 3            | TR-TY on pile.                 |                |
| <b>Moonlight Boat Access Channel</b>                           |  |                          |                       |               |              |                                |                |
| 38775  | - Daybeacon 1                                  | 34 42 42 N<br>76 44 18 W |                       |               |              | SG on pile.                    | Private aid.   |
| 38780  | - Daybeacon 2                                  |                          |                       |               |              | TR on pile.                    | Private aid.   |
| 38785  | - Daybeacon 3                                  |                          |                       |               |              | SG on pile.                    | Private aid.   |
| 38790  | - Daybeacon 4                                  |                          |                       |               |              | TR on pile.                    | Private aid.   |
| 38795  | - Daybeacon 5                                  |                          |                       |               |              | SG on pile.                    | Private aid.   |
| 38800  | - Daybeacon 6                                  |                          |                       |               |              | TR on pile.                    | Private aid.   |
| <b>Bogue Sound</b>   |  |                          |                       |               |              |                                |                |
| 38810  | - Daybeacon 5                                  |                          |                       |               |              | SG-SY on pile.                 |                |
| 38815  | - LIGHT 6                                      |                          | FI R 2.5s             | 15            | 3            | TR-TY on multi-pile structure. |                |
| <b>Peletier Creek Entrance Channel</b>                         |  |                          |                       |               |              |                                |                |
| 38820  | - Daybeacon 1                                  | 34 43 22 N<br>76 46 49 W |                       |               |              | SG on pile.                    |                |
| 38825  | - Daybeacon 2                                  |                          |                       |               |              | TR on pile.                    |                |
| 38830  | - Daybeacon 3                                  |                          |                       |               |              | SG on pile.                    |                |
| 38835  | - Daybeacon 5                                  |                          |                       |               |              | SG on pile.                    |                |
| <b>Bogue Sound</b>   |  |                          |                       |               |              |                                |                |
| <i>Aids located 30 feet outside channel limit.</i>             |  |                          |                       |               |              |                                |                |
| 38840  | - Daybeacon 7                                  |                          |                       |               |              | SG-SY on pile.                 |                |
| 38845  | - Daybeacon 8                                  |                          |                       |               |              | TR-TY on pile.                 |                |
| 38850  | - LIGHT 9                                      | 34 43 20 N<br>76 48 10 W | FI G 2.5s             | 15            | 4            | SG-SY on pile.                 |                |
| <b>Spooner Creek</b>   |  |                          |                       |               |              |                                |                |
| 38855  | - Daybeacon 1                                  |                          |                       |               |              | SG on pile.                    | Private aid.   |

| (1)<br>No.   | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |                          |                          |                       |               |              |                                |                |
| 38860  | - Daybeacon 2            |                          |                       |               |              | TR on pile.                    | Private aid.   |
| 38865  | - Daybeacon 3            |                          |                       |               |              | SG on pile.                    | Private aid.   |
| 38870  | - Daybeacon 4            |                          |                       |               |              | TR on pile.                    | Private aid.   |
| <b>Bogue Sound</b>   |                          |                          |                       |               |              |                                |                |
| <i>Aids located 30 feet outside channel limit.</i>             |                          |                          |                       |               |              |                                |                |
| 38875  | - Daybeacon 10           |                          |                       |               |              | TR-TY on pile.                 |                |
| 38880  | - Daybeacon 11           | 34 43 22 N<br>76 49 17 W |                       |               |              | SG-SY on pile.                 |                |
| 38885  | - Daybeacon 12           |                          |                       |               |              | TR-TY on pile.                 |                |
| 38890  | - LIGHT 13               | 34 43 25 N<br>76 50 14 W | <b>FIG 4s</b>         | 15            | 4            | SG-SY on multi-pile structure. |                |
| 38895  | - Daybeacon 14           |                          |                       |               |              | TR-TY on pile.                 |                |
| 38900  | - Daybeacon 15           |                          |                       |               |              | SG-SY on pile.                 |                |
| 38905  | - LIGHT 17               | 34 43 30 N<br>76 51 40 W | <b>FIG 2.5s</b>       | 15            | 3            | SG-SY on pile.                 |                |
| 38910  | - Daybeacon 18           |                          |                       |               |              | TR-TY on pile.                 |                |
| 38915  | - Daybeacon 19           |                          |                       |               |              | SG-SY on pile.                 |                |
| 38920  | - Daybeacon 20           |                          |                       |               |              | TR-TY on pile.                 |                |
| 38925  | - LIGHT 21               | 34 43 08 N<br>76 53 55 W | <b>FIG 4s</b>         | 15            | 4            | SG-SY on pile.                 |                |
| 38930  | - Daybeacon 22           |                          |                       |               |              | TR-TY on pile.                 |                |
| 38935  | - Daybeacon 23           |                          |                       |               |              | SG-SY on pile.                 |                |
| 38940  | - Daybeacon 24           |                          |                       |               |              | TR-TY on pile.                 |                |
| 38945  | - LIGHT 25               |                          | <b>FIG 2.5s</b>       | 15            | 4            | SG-SY on pile.                 |                |
| 38950  | - Daybeacon 26           |                          |                       |               |              | TR-TY on pile.                 |                |
| 38955  | - Daybeacon 27           |                          |                       |               |              | SG-SY on pile.                 |                |
| 38960  | - Daybeacon 28           |                          |                       |               |              | TR-TY on pile.                 |                |
| 38965  | - LIGHT 29               |                          | <b>FIG 4s</b>         | 15            | 4            | SG-SY on pile.                 |                |
| 38970  | - Daybeacon 30           |                          |                       |               |              | TR-TY on pile.                 |                |
| 38975  | - Daybeacon 31           |                          |                       |               |              | SG-SY on pile.                 |                |
| 38980  | - Daybeacon 32           |                          |                       |               |              | TR-TY on pile.                 |                |
| 38985  | - LIGHT 33               | 34 41 56 N<br>76 59 10 W | <b>FIG 2.5s</b>       | 15            | 3            | SG-SY on pile.                 |                |
| 38990  | - Daybeacon 34           |                          |                       |               |              | TR-TY on pile.                 |                |
| 38995  | - Daybeacon 35           |                          |                       |               |              | SG-SY on pile.                 |                |
| 39000  | - Daybeacon 36           |                          |                       |               |              | TR-TY on pile.                 |                |
| 39005  | - LIGHT 37               |                          | <b>FIG 4s</b>         | 15            | 4            | SG-SY on multi-pile structure. |                |
| 39010  | - Daybeacon 38           |                          |                       |               |              | TR-TY on pile.                 |                |

| (1)<br>No.   | (2)<br>Name and Location        | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks |
|--|---------------------------------|--------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |                                 |                          |                       |               |              |                                |                |
| 39015  | - Daybeacon 40                  | 34 40 49 N<br>77 01 48 W |                       |               |              | TR-TY on pile.                 |                |
| 39020  | - Daybeacon 40A                 |                          |                       |               |              | TR-TY on pile.                 |                |
| 39025  | - LIGHT 41                      | 34 40 35 N<br>77 02 14 W | <b>Q G</b>            | 15            | 4            | SG-SY on multi-pile structure. |                |
| 39030  | - Daybeacon 42                  |                          |                       |               |              | TR-TY on pile.                 |                |
| 39031  | -Daybeacon 42A                  |                          |                       |               |              | TR-TY on pile.                 |                |
| 39035  | - Daybeacon 44                  |                          |                       |               |              | TR-I on pile.                  |                |
| 39040  | - LIGHT 45                      | 34 40 20 N<br>77 05 27 W | <b>FI G 2.5s</b>      | 15            | 4            | SG-SY on pile.                 |                |
| 39045<br>29585   | BOGUE INLET CHANNEL<br>LIGHT 21 | 34 40 20 N<br>77 05 41 W | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                 |                |
| 39050  | - Buoy 45A                      |                          |                       |               |              | Green can with yellow square.  |                |
| 39055  | - Buoy 45C                      |                          |                       |               |              | Green can with yellow square.  |                |
| 39060  | - Daybeacon 45B                 |                          |                       |               |              | SG-SY on pile.                 |                |
| 39065  | - LIGHT 46                      |                          | <b>FI R 4s</b>        | 15            | 3            | TR-TY on pile.                 |                |
| 39070  | - Daybeacon 46A                 |                          |                       |               |              | TR-TY on pile.                 |                |
| 39075  | - Daybeacon 46B                 |                          |                       |               |              | TR-TY on pile.                 |                |
| 39080  | - Daybeacon 47                  |                          |                       |               |              | SG-SY on pile.                 |                |
| <b>Bogue Sound - New River</b>                                 |                                 |                          |                       |               |              |                                |                |
| <i>Aids located 35 feet outside channel limit.</i>             |                                 |                          |                       |               |              |                                |                |
| 39085  | - LIGHT 46C                     |                          | <b>Q R</b>            | 17            | 4            | TR-TY on pile.                 |                |
| 39090  | - Buoy 47A                      |                          |                       |               |              | Green can with yellow square.  |                |
| 39095  | - Buoy 47B                      |                          |                       |               |              | Green can with yellow square.  |                |
| 39100  | - LIGHT 48                      |                          | <b>Q R</b>            | 16            | 4            | TR-TY on pile.                 |                |
| 39105  | - Daybeacon 48A                 |                          |                       |               |              | TR-TY on pile.                 |                |
| 39110  | - LIGHT 49                      |                          | <b>Q G</b>            | 15            | 4            | SG-SY on multi-pile structure. |                |
| 39115  | - Buoy 50                       |                          |                       |               |              | Red nun with yellow triangle.  |                |
| 39120  | - Daybeacon 51                  |                          |                       |               |              | SG-SY on pile.                 |                |
| <b>Cow Creek Channel</b>                                       |                                 |                          |                       |               |              |                                |                |
| 39125  | - Daybeacon 1                   |                          |                       |               |              | SG on pile.                    | Private aid.   |
| 39130  | - Daybeacon 2                   |                          |                       |               |              | TR on pile.                    | Private aid.   |
| 39132  | - Daybeacon 3                   |                          |                       |               |              | SG on pile.                    | Private aid.   |
| 39135  | - Daybeacon 4                   |                          |                       |               |              | TR on pile.                    | Private aid.   |
| 39137  | - Daybeacon 5                   |                          |                       |               |              | SG on pile.                    | Private aid.   |
| 39140  | - Daybeacon 6                   |                          |                       |               |              | TR on pile.                    | Private aid.   |
| 39145  | - Daybeacon 7                   |                          |                       |               |              | SG on pile.                    | Private aid.   |
| 39147  | - Daybeacon 8                   |                          |                       |               |              | TR on pile.                    | Private aid.   |

| (1)<br>No.   | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure              | (8)<br>Remarks |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|-------------------------------|----------------|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |                          |                          |                       |               |              |                               |                |
| 39150  | - Daybeacon 9            |                          |                       |               |              | SG on pile.                   | Private aid.   |
| 39155  | - Daybeacon 10           |                          |                       |               |              | TR on pile.                   | Private aid.   |
| 39160  | - Daybeacon 11           |                          |                       |               |              | SG on pile.                   | Private aid.   |
| 39165  | - Daybeacon 12           |                          |                       |               |              | TR on pile.                   | Private aid.   |
| 39170  | - Daybeacon 13           |                          |                       |               |              | SG on pile.                   | Private aid.   |
| 39175  | - Daybeacon 15           |                          |                       |               |              | SG on pile.                   | Private aid.   |
| 39180  | - Daybeacon 16           |                          |                       |               |              | TR on pile.                   | Private aid.   |
| 39185  | - Daybeacon 17           |                          |                       |               |              | SG on pile.                   | Private aid.   |
| 39190  | - Daybeacon 18           |                          |                       |               |              | TR on pile.                   | Private aid.   |
| 39195  | - Daybeacon 19           |                          |                       |               |              | SG on pile.                   | Private aid.   |
| <b>Bogue Sound - New River</b>                                 |                          |                          |                       |               |              |                               |                |
| <i>Aids located 35 feet outside channel limit.</i>             |                          |                          |                       |               |              |                               |                |
| 39200  | - Daybeacon 53           |                          |                       |               |              | SG-SY on pile.                |                |
| 39205  | - LIGHT 55               |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                |                |
| 39210  | - Daybeacon 58           |                          |                       |               |              | TR-TY on pile.                |                |
| 39215  | - LIGHT 59               |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                |                |
| 39220  | - LIGHT 61               |                          | <b>FI G 4s</b>        | 16            | 4            | SG-SY on pile.                |                |
| 39225  | - Daybeacon 63           |                          |                       |               |              | SG-SY on pile.                |                |
| 39230  | - LIGHT 64               |                          | <b>FI R 4s</b>        | 15            | 4            | TR-TY on pile                 |                |
| 39235  | - LIGHT 65               |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                |                |
| 39240  | - LIGHT 65A              |                          | <b>Q G</b>            | 15            | 3            | SG-SY on pile.                |                |
| 39245  | - LIGHT 66               |                          | <b>FI R 4s</b>        | 16            | 3            | TR-TY on pile.                |                |
| <b>Mile Hammock Bay</b>  |                          |                          |                       |               |              |                               |                |
| <i>Aids located 30 feet outside channel limit.</i>             |                          |                          |                       |               |              |                               |                |
| 39250  | - Daybeacon 1            |                          |                       |               |              | SG-I on multi-pile structure. |                |
| 39255  | - Daybeacon 2            |                          |                       |               |              | TR on pile.                   |                |
| 39260  | - Daybeacon 3            |                          |                       |               |              | SG on pile.                   |                |
| 39265  | - Daybeacon 4            |                          |                       |               |              | TR on pile.                   |                |
| 39270  | - Daybeacon 6            | 34 33 00 N<br>77 19 24 W |                       |               |              | TR on pile.                   |                |
| <b>Bogue Sound - New River</b>                                 |                          |                          |                       |               |              |                               |                |
| 39275  | - Daybeacon 67           |                          |                       |               |              | SG-SY on pile.                |                |
| 39280  | - LIGHT 68               |                          | <b>FI R 4s</b>        | 16            | 3            | TR-TY on pile.                |                |
| 39285  | - Daybeacon 69           |                          |                       |               |              | SG-SY on pile.                |                |
| 39290  | - Daybeacon 70           | 34 33 08 N<br>77 20 34 W |                       |               |              | TR-TY on pile.                |                |
| 39295  | - LIGHT 72               |                          | <b>Q R</b>            | 15            | 3            | TR-TY on pile.                |                |

| (1)<br>No.   | (2)<br>Name and Location                        | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure              | (8)<br>Remarks |
|--|---|--------------------------|-----------------------|---------------|--------------|-------------------------------|----------------|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |   |                          |                       |               |              |                               |                |
| 39300  | - Buoy 72A<br>35 feet outside channel<br>limit. |                          |                       |               |              | Red nun with yellow triangle. |                |
| 39303  | - Buoy 72B                                      |                          |                       |               |              | Red nun with yellow triangle. |                |
| 39305  | - Buoy 74                                       |                          |                       |               |              | Red nun with yellow triangle. |                |
| 39310  | - Daybeacon 76                                  |                          |                       |               |              | TR-TY on pile.                |                |
| <b>New River - Cape Fear River</b>                             |   |                          |                       |               |              |                               |                |
| <i>Aids located 30 feet outside channel limit.</i>             |   |                          |                       |               |              |                               |                |
| 39315  | - LIGHT 2                                       | 34 32 57 N<br>77 21 35 W | <b>Q R</b>            | 18            | 3            | TR-TY on pile.                |                |
| 39320  | - Daybeacon 4                                   |                          |                       |               |              | TR-TY on pile.                |                |
| 39325  | - Daybeacon 6                                   |                          |                       |               |              | TR-TY on pile.                |                |
| 39330  | - LIGHT 9                                       |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                |                |
| 39335  | - Daybeacon 10                                  |                          |                       |               |              | TR-TY on pile.                |                |
| 39340  | - Daybeacon 12                                  |                          |                       |               |              | TR-TY on pile.                |                |
| 39345  | - Daybeacon 14                                  |                          |                       |               |              | TR-TY on pile.                |                |
| 39350  | - LIGHT 15                                      |                          | <b>Q G</b>            | 15            | 4            | SG-SY on pile.                |                |
| 39355  | - Daybeacon 17                                  |                          |                       |               |              | SG-SY on pile.                |                |
| 39360  | - Daybeacon 19                                  |                          |                       |               |              | SG-SY on pile.                |                |
| 39365  | - LIGHT 23                                      |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                |                |
| 39370  | - Daybeacon 25                                  |                          |                       |               |              | SG-SY on pile.                |                |
| 39375  | - LIGHT 27                                      |                          | <b>FI G 4s</b>        | 18            | 4            | SG-SY on pile.                |                |
| 39380  | - Daybeacon 29                                  |                          |                       |               |              | SG-SY on pile.                |                |
| 39385  | - Daybeacon 31                                  |                          |                       |               |              | SG-SY on pile.                |                |
| 39390  | - Daybeacon 32                                  |                          |                       |               |              | TR-TY on pile.                |                |
| 39395  | - Daybeacon 37                                  |                          |                       |               |              | SG-SY on pile.                |                |
| 39400  | - LIGHT 39                                      |                          | <b>FI G 4s</b>        | 18            | 4            | SG-SY on pile.                |                |
| 39405  | - Daybeacon 41                                  |                          |                       |               |              | SG-SY on pile.                |                |
| 39410  | - Daybeacon 43                                  |                          |                       |               |              | SG-SY on pile.                |                |
| 39415  | - Daybeacon 45                                  |                          |                       |               |              | SG-SY on pile.                |                |
| 39420  | - Daybeacon 47                                  |                          |                       |               |              | SG-SY on pile.                |                |
| 39425  | - LIGHT 49                                      |                          | <b>Q G</b>            | 18            | 4            | SG-SY on pile.                |                |
| 39430  | - Daybeacon 51                                  |                          |                       |               |              | SG-SY on pile.                |                |
| 39435  | - Daybeacon 53                                  |                          |                       |               |              | SG-SY on pile.                |                |
| 39440  | - Daybeacon 57                                  |                          |                       |               |              | SG-SY on pile.                |                |
| 39445  | - Daybeacon 59                                  |                          |                       |               |              | SG-SY on pile.                |                |
| 39450  | - LIGHT 61                                      |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                |                |
| 39455  | - Daybeacon 65                                  |                          |                       |               |              | SG-SY on pile.                |                |

| (1)<br>No.   | (2)<br>Name and Location     | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks |
|--|------------------------------|--------------------------|-----------------------|---------------|--------------|------------------|----------------|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |                              |                          |                       |               |              |                  |                |
| 39460  | - Daybeacon 69               |                          |                       |               |              | SG-SY on pile.   |                |
| 39465  | - LIGHT 71                   |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.   |                |
| 39470  | - Daybeacon 72               |                          |                       |               |              | TR-TY on pile.   |                |
| 39475  | - Daybeacon 76               |                          |                       |               |              | TR-TY on pile.   |                |
| 39480  | - Daybeacon 78               |                          |                       |               |              | TR-TY on pile.   |                |
| 39485  | - Daybeacon 80               |                          |                       |               |              | TR-TY on pile.   |                |
| 39490  | - Daybeacon 82               |                          |                       |               |              | TR-TY on pile.   |                |
| 39495  | - LIGHT 83                   |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.   |                |
| 39500  | - Daybeacon 84               |                          |                       |               |              | TR-TY on pile.   |                |
| 39505  | - Daybeacon 86               |                          |                       |               |              | TR-TY on pile.   |                |
| 39507  | LIGHT 89                     |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG-SY on pile.   |                |
| 39510  | - Daybeacon 90               |                          |                       |               |              | TR-TY on pile.   |                |
| 39515  | - Daybeacon 92               |                          |                       |               |              | TR-TY on pile.   |                |
| 39520<br>30140   | - JUNCTION LIGHT BC          | 34 24 37 N<br>77 35 43 W | <b>FI (2+1) G 6s</b>  | 15            | 3            | JG-SY on pile.   |                |
| 39525  | - LIGHT 93                   |                          | <b>FI G 4s</b>        | 16            | 4            | SG-SY on pile.   |                |
| 39527  | - LIGHT 94                   |                          | <b>FI R 2.5s</b>      | 15            | 3            | TR-TY on pile.   |                |
| 39530  | - LIGHT 96                   |                          | <b>FI R 4s</b>        | 15            | 3            | TR-TY on pile.   |                |
| 39535  | Old Topsail Creek<br>Buoy 17 |                          |                       |               |              | Green can.       |                |
| 39540  | - Junction Daybeacon TC      |                          |                       |               |              | JG-SY on pile.   |                |
| 39545  | - LIGHT 98                   |                          | <b>FI R 4s</b>        | 15            | 3            | TR-TY on pile.   |                |
| 39550  | - LIGHT 100                  |                          | <b>FI R 4s</b>        | 18            | 4            | TR-TY on pile.   |                |
| 39555  | - Daybeacon 102              |                          |                       |               |              | TR-TY on pile.   |                |
| 39560  | - LIGHT 103                  |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.   |                |
| 39565  | - Daybeacon 105              |                          |                       |               |              | SG-SY on pile.   |                |
| 39570  | - LIGHT 107                  |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.   |                |
| 39575  | - Daybeacon 108              |                          |                       |               |              | TR-TY on pile.   |                |
| 39580  | - Daybeacon 110              |                          |                       |               |              | TR-TY on pile.   |                |
| 39585  | - Daybeacon 114              |                          |                       |               |              | TR-TY on pile.   |                |
| 39590  | - LIGHT 118                  |                          | <b>FI R 4s</b>        | 15            | 3            | TR-TY on pile.   |                |
| 39595  | - Daybeacon 120              |                          |                       |               |              | TR-TY on pile.   |                |
| 39600  | - LIGHT 122                  |                          | <b>FI R 4s</b>        | 18            | 3            | TR-TY on pile.   |                |
| 39605  | - Daybeacon 123              | 34 14 46 N<br>77 47 07 W |                       |               |              | SG-SY on pile.   |                |
| 39610  | - Daybeacon 124              |                          |                       |               |              | TR-TY on pile.   |                |
| 39615  | - LIGHT 125                  |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.   |                |
| 39620  | - LIGHT 127                  |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.   |                |

| (1)<br>No.   | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |                          |                          |                       |               |              |                                |                |
| <b>Bradley Creek</b>   |                          |                          |                       |               |              |                                |                |
| 39621.1  | - Daybeacon 1            | 34 12 24 N<br>77 49 13 W |                       |               |              | SG on pile.                    | Private aid.   |
| 39621.2  | - Daybeacon 2            |                          |                       |               |              | TR on pile.                    | Private aid.   |
| 39621.3  | - Daybeacon 3            |                          |                       |               |              | SG on pile.                    | Private aid.   |
| 39621.4  | - Daybeacon 4            |                          |                       |               |              | TR on pile.                    | Private aid.   |
| 39621.5  | - Daybeacon 5            |                          |                       |               |              | SG on pile.                    | Private aid.   |
| 39621.6  | - Daybeacon 6            |                          |                       |               |              | TR on pile.                    | Private aid.   |
| 39621.7  | - Daybeacon 7            |                          |                       |               |              | SG on pile.                    | Private aid.   |
| 39621.8  | - Daybeacon 8            |                          |                       |               |              | TR on pile.                    | Private aid.   |
| 39621.9  | - Daybeacon 9            |                          |                       |               |              | SG on pile.                    | Private aid.   |
| 39623.1  | - Daybeacon 10           |                          |                       |               |              | TR on pile.                    | Private aid.   |
| 39623.2  | - Daybeacon 12           |                          |                       |               |              | TR on pile.                    | Private aid.   |
| 39623.3  | - Daybeacon 14           |                          |                       |               |              | TR on pile.                    | Private aid.   |
| 39623.4  | - Daybeacon 16           |                          |                       |               |              | TR on pile.                    | Private aid.   |
| <b>New River - Cape Fear River</b>                             |                          |                          |                       |               |              |                                |                |
| 39625  | - LIGHT 128              |                          | <b>FI R</b> 4s        | 15            | 3            | TR-TY on pile.                 |                |
| 39630  | - Buoy 129               |                          |                       |               |              | Green can with yellow square.  |                |
| 39635  | - LIGHT 129A             |                          | <b>FI G</b> 2.5s      | 15            | 3            | SG-SY on multi-pile structure. |                |
| 39640  | - LIGHT 130              |                          | <b>FI R</b> 4s        | 15            | 4            | TR-TY on pile.                 |                |
| 39645  | - Daybeacon 134          |                          |                       |               |              | TR-TY on pile.                 |                |
| 39650  | - Daybeacon 135          |                          |                       |               |              | SG-SY on pile.                 |                |
| 39651  | - Buoy 135A              |                          |                       |               |              | Green can with yellow square.  |                |
| 39655  | - LIGHT 137              |                          | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.                 |                |
| 39660  | - Daybeacon 138          |                          |                       |               |              | TR-TY on multi-pile structure. |                |
| 39665  | - Daybeacon 139          |                          |                       |               |              | SG-SY on pile.                 |                |
| 39670  | - Daybeacon 140          |                          |                       |               |              | TR-TY on pile.                 |                |

# Section 27

## Intracoastal Waterway Myrtle Grove Sound, NC to Little River, SC

| (1)<br>No.   | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks |
|--|--------------------------|--------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |                          |                          |                       |               |              |                                |                |
| <b>MYRTLE GROVE SOUND TO LITTLE RIVER (Chart 11534)</b>        |                          |                          |                       |               |              |                                |                |
| <b>New River - Cape Fear River</b>                             |                          |                          |                       |               |              |                                |                |
| 39675  | - Daybeacon 141          |                          |                       |               |              | SG-SY on pile.                 |                |
| 39680  | - Daybeacon 143          |                          |                       |               |              | SG-SY on pile.                 |                |
| 39685  | - LIGHT 145              |                          | <b>FI G 4s</b>        | 18            | 4            | SG-SY on pile.                 |                |
| 39690  | - Daybeacon 146          |                          |                       |               |              | TR-TY on pile.                 |                |
| 39695  | - Daybeacon 148          |                          |                       |               |              | TR-TY on pile.                 |                |
| 39700  | - Daybeacon 149          |                          |                       |               |              | SG-SY on pile.                 |                |
| 39705  | - Daybeacon 150          |                          |                       |               |              | TR-TY on pile.                 |                |
| 39710  | - Daybeacon 151          |                          |                       |               |              | SG-SY on pile.                 |                |
| 39715  | - Daybeacon 152          |                          |                       |               |              | TR-TY on pile.                 |                |
| 39720  | - LIGHT 153              |                          | <b>FI G 4s</b>        | 15            | 3            | SG-SY on multi-pile structure. |                |
| 39725  | - Buoy 154               |                          |                       |               |              | Red nun with yellow triangle.  |                |
| 39726  | - Buoy 154A              |                          |                       |               |              | Red nun with yellow triangle.  |                |
| 39730  | - Buoy 155               |                          |                       |               |              | Green can with yellow square.  |                |
| <b>Inlet Watch Yacht club Harbor</b>                           |                          |                          |                       |               |              |                                |                |
| 39733  | - LIGHT 1                |                          | <b>FI G 2.5s</b>      | 10            |              | SG on pile.                    | Private aid.   |
| <b>New River-Cape Fear River</b>                               |                          |                          |                       |               |              |                                |                |
| 39735  | - Buoy 155A              |                          |                       |               |              | Green can with yellow square.  |                |
| <b>New River - Cape Fear River</b>                             |                          |                          |                       |               |              |                                |                |
| 39740  | - Daybeacon 156          |                          |                       |               |              | TR-TY on pile.                 |                |
| 39745  | - Daybeacon 157          |                          |                       |               |              | SG-SY on pile.                 |                |
| 39750  | - Daybeacon 159          |                          |                       |               |              | SG-SY on pile.                 |                |
| 39755  | - LIGHT 161              |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on multi-pile structure. |                |
| 39756  | - Buoy 161A              |                          |                       |               |              | Green can with yellow square.  |                |
| 39757  | - Buoy 162               |                          |                       |               |              | Red nun with yellow triangle.  |                |
| 39758  | - Buoy 162A              |                          |                       |               |              | Red nun with yellow triangle.  |                |
| <b>Carolina Beach Harbor</b>                                   |                          |                          |                       |               |              |                                |                |
| 39760  | - Channel Daybeacon 2    |                          |                       |               |              | TR on pile.                    |                |
| 39765  | - Channel Daybeacon 4    |                          |                       |               |              | TR on pile.                    |                |
| 39770  | - Channel Daybeacon 5    |                          |                       |               |              | SG on pile.                    |                |
|  |                          | 34 03 06 N<br>77 53 22 W |                       |               |              |                                |                |

| (1)<br>No.   | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks |
|--|---|--------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |   |                          |                       |               |              |                                |                |
| 39780  | - Channel Daybeacon 7   |                          |                       |               |              | SG on pile.                    |                |
| <b>Wilmington Short Cut</b>                                    |   |                          |                       |               |              |                                |                |
| <i>Structures 35 feet outside channel limit.</i>               |   |                          |                       |               |              |                                |                |
| 39785  | - Daybeacon 1   | 34 03 13 N<br>77 55 16 W |                       |               |              | SG on pile                     |                |
| 39790  | - Daybeacon 3   |                          |                       |               |              | SG on pile.                    |                |
| 39795  | - Daybeacon 4   | 34 03 36 N<br>77 55 31 W |                       |               |              | TR on pile.                    |                |
| 39800  | - LIGHT 5   |                          | <b>FI G 4s</b>        | 15            | 4            | SG on pile.                    |                |
| 39805  | - Daybeacon 7   |                          |                       |               |              | SG on pile.                    |                |
| 39810  | - Daybeacon 9   |                          |                       |               |              | SG on pile.                    |                |
| 39815  | - LIGHT 10  |                          | <b>FI R 4s</b>        | 15            | 3            | TR on pile.                    |                |
| 39820  | - Daybeacon 12  |                          |                       |               |              | TR on pile.                    |                |
| <b>New River - Cape Fear River</b>                             |   |                          |                       |               |              |                                |                |
| <i>Aids located 35 feet outside channel limit.</i>             |   |                          |                       |               |              |                                |                |
| 39825  | - LIGHT 163   |                          | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.                 |                |
| 39830  | SNOWS CUT RANGE FRONT LIGHT A                                     |                          | <b>Q W</b>            | 15            |              | KWR-I on multi-pile structure. |                |
| 39835  | SNOWS CUT RANGE REAR LIGHT A<br>200 yards, 245° from front light. |                          | <b>Iso W 6s</b>       | 27            |              | KWR-I on skeleton tower.       |                |
| 39840  | SNOWS CUT RANGE FRONT LIGHT B                                     |                          | <b>Q R</b>            | 20            |              | KWR-I on multi-pile structure. |                |
| 39845  | SNOWS CUT RANGE REAR LIGHT B<br>700 yards, 026° from front light. |                          | <b>Iso R 6s</b>       | 33            |              | KWR-I on pile structure.       |                |
| 39850  | - Daybeacon 165   |                          |                       |               |              | SG-SY on pile.                 |                |
| 39855  | - Daybeacon 167   |                          |                       |               |              | SG-SY on pile.                 |                |
| 39860  | - Daybeacon 170   |                          |                       |               |              | TR-TY on pile.                 |                |
| 39865  | - Daybeacon 172   |                          |                       |               |              | TR-TY on pile.                 |                |
| 39870  | - Daybeacon 174   |                          |                       |               |              | TR-TY on pile.                 |                |
| 39875  | - Daybeacon 176   |                          |                       |               |              | TR-TY on pile.                 |                |
| 39880<br>30690   | - LIGHT 177   |                          | <b>FI G 4s</b>        | 16            | 4            | SG-SY on pile.                 |                |
| <b>Cape Fear River</b>   |   |                          |                       |               |              |                                |                |
| 39885<br>30695   | - Channel Lighted Buoy 35   |                          | <b>FI G 4s</b>        |               | 4            | Green.                         |                |
| 39890<br>30675   | UPPER MIDNIGHT CHANNEL NORTH RANGE FRONT LIGHT                    | 34 03 24 N<br>77 56 24 W | <b>Q W</b>            | 22            |              | KWR on skeleton tower.         |                |

| (1)<br>No.   | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic                      | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks   |
|--|---|--------------------------|--|---------------|--------------|---|--|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |   |                          |  |               |              |   |  |
| 39895<br>30680   | UPPER MIDNIGHT CHANNEL<br>NORTH RANGE REAR<br>LIGHT<br>850 yards, 359.5° from<br>front light. |                          | <b>Iso W 6s</b>                            | 42            |              | KWR on structure.   |  |
| 39900<br>30685   | - <i>Channel Lighted<br/>Buoy 33</i>  |                          | <b>FI G 2.5s</b>                           |               | 3            | Green.  |  |
| 39905<br>30670   | - <i>Channel Lighted Buoy 31<br/>50 feet outside channel<br/>limit.</i>                       |                          | <b>Q G</b>                                 |               | 4            | Green.  |  |
| 39910<br>30665   | - <i>Channel Lighted Buoy 30</i>  |                          | <b>FI R 4s</b>                             | 15            | 3            | Red nun.  |  |
| 39915<br>30640   | LOWER MIDNIGHT CHANNEL<br>RANGE FRONT LIGHT   | 34 01 24 N<br>77 56 06 W | <b>Q W</b>                                 | 22            |              | KRW on skeleton tower.  |  |
| 39920<br>30645   | LOWER MIDNIGHT CHANNEL<br>RANGE REAR LIGHT<br>3,000 yards, 014.5° from<br>front light.        |                          | <b>Iso W 6s</b>                            | 42            |              | KWR on structure.   |  |
| 39925<br>30650   | - <i>Channel Lighted<br/>Buoy 29</i>  |                          | <b>FI G 4s</b>                             |               | 4            | Green with yellow triangle.   |  |
| 39930<br>30635   | - <i>Channel Lighted<br/>Buoy 28</i>  |                          | <b>Q R</b>                                 |               | 4            | Red with yellow square.   |  |
| 39935<br>30555   | REAVES POINT CHANNEL<br>RANGE FRONT LIGHT   | 33 57 42 N<br>77 57 00 W | <b>Q W</b>                                 | 22            |              | KWR on dolphin. On same<br>structure as Snows Marsh<br>Channel Range Front Light. |  |
| 39940<br>30560   | REAVES POINT CHANNEL<br>RANGE REAR LIGHT<br>1,400 yards, 185.4° from<br>front light.          |                          | <b>Iso W 6s</b>                            | 42            |              | KWR on skeleton tower.  |  |
| 39945<br>30550   | - <i>Channel Lighted<br/>Buoy 27</i>  |                          | <b>Q G</b>                                 |               | 4            | Green with yellow triangle.   |  |
| 39950<br>30535   | HORSESHOE SHOAL<br>CHANNEL RANGE FRONT<br>LIGHT   | 33 56 36 N<br>77 57 48 W | <b>Q W (day)<br/>Q W (night)</b>           | 20<br>23      |              | On skeleton tower.  | Visible all around; higher<br>intensity on range line.<br>Lighted throughout 24 hours.     |
| 39955<br>30540   | HORSESHOE SHOAL<br>CHANNEL RANGE REAR<br>LIGHT<br>1,482 yards, 203.1° from<br>front light.    |                          | <b>Iso W 6s (day)<br/>Iso W 6s (night)</b> | 45<br>48      |              | On skeleton tower.  | Visible on range line only.<br>Lighted throughout 24 hours.                                |
| 39960<br>30545   | - <i>Channel Lighted<br/>Buoy 26</i>  |                          | <b>FI R 4s</b>                             |               | 4            | Red with yellow square.   |  |
| 39965<br>30530   | - <i>Channel Lighted<br/>Buoy 25</i>  |                          | <b>Q G</b>                                 |               | 4            | Green with yellow triangle.   |  |
| 39966<br>30491   | FEDERAL POINT RANGE<br>FRONT LIGHT  | 38 58 12 N<br>77 56 48 W | <b>FI W 2.5s<br/>1s fl 1.5s ec.</b>        | 22            |              | On multi-pile.  | Visible all around with higher<br>intensity on range line.<br>Lighted throughout 24 hours. |
| 39967<br>30492   | FEDERAL POINT RANGE REAR<br>LIGHT<br>880 yards, 338° from front<br>light.                     |                          | <b>ISO W 6s</b>                            | 42            |              | On multi-pile.  | Visible on range line only.<br>Lighted throughout 24 hours.                                |
| 39968<br>30493   | FEDERAL POINT RANGE<br>FRONT PASSING LIGHT  |                          | <b>FI W 4s</b>                             | 15            | 3            | On same structure as<br>Federal Point Range<br>Front Light.                       | Visible all around only at night.  |
| 39969<br>30494   | FEDERAL POINT RANGE REAR<br>PASSING LIGHT   |                          | <b>FI W 4s</b>                             | 17            | 3            | On same structure as<br>Federal Point Range<br>Rear Light.                        | Visible all around only at night.  |

| (1)<br>No.   | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic                            | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks  |
|--|---|--------------------------|--|---------------|--------------|--|---|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |   |                          |  |               |              |  |   |
| 39970<br>30485   | SNOWS MARSH CHANNEL<br>RANGE FRONT LIGHT  | 33 57 42 N<br>77 57 00 W | <b>Q W</b>                                       | 22            |              | KWR on multi-pile.<br>On same structure as<br>Reaves Point Channel Range<br>Front Light. |   |
| 39975<br>30490   | SNOWS MARSH CHANNEL<br>RANGE REAR LIGHT<br>1,494 yards, 046° from<br>front light.   |                          | <b>Iso W 6s</b>                                  | 42            |              | KWR on skeleton tower. Same<br>structure as Upper Midnight<br>Channel Range Rear Light.  |   |
| 39980<br>30525   | - Channel Lighted<br>Buoy 23  |                          | <b>FI G 4s</b>                                   |               | 4            | Green with yellow triangle.  |   |
| <b>Price Creek</b>   |   |                          |  |               |              |  |   |
| 39985<br>30495   | - SOUTH MOORING<br>DOLPHIN LIGHT  | 33 56 00 N<br>77 59 18 W | <b>FI Y 4s</b>                                   | 12            |              | On dolphin.  | Private aid.  |
| 39990<br>30500   | - SOUTH BREASTING<br>DOLPHIN LIGHT  |                          | <b>FI Y 4s</b>                                   | 12            |              | On dolphin.  | Private aid.  |
| 39995<br>30505   | - LOADING PLATFORM<br>LIGHTS (2)  |                          | <b>FI Y 4s</b>                                   | 12            |              | On platform.   | Private aids.   |
| 40000<br>30510   | - NORTH BREASTING<br>DOLPHIN LIGHT  |                          | <b>FI Y 4s</b>                                   | 12            |              | On dolphin.  | Private aid.  |
| 40005<br>30515   | - NORTH MOORING<br>DOLPHIN LIGHT  |                          | <b>FI Y 4s</b>                                   | 12            |              | On dolphin.  | Private aid.  |
| <b>Cape Fear River</b>   |   |                          |  |               |              |  |   |
| 40010<br>30520   | - Channel Lighted<br>Buoy 22  |                          | <b>FI R 4s</b>                                   |               | 4            | Red with yellow square.  |   |
| 40011  | DEEP POINT<br>MARINA LIGHT 1  | 33 55 46 N<br>77 59 40 W | <b>FI G 2s</b>                                   | 12            |              | SG on pile.  | Private aid.  |
| 40013  | DEEP POINT<br>MARINA LIGHT 2  | 33 55 47 N<br>77 59 38 W | <b>FI R 2s</b>                                   | 12            |              | TR on pile.  | Private aid.  |
| 40015<br>30480   | - Channel Lighted<br>Buoy 20  |                          | <b>Q R</b>                                       |               | 3            | Red with yellow square.  |   |
| 40020<br>30475   | - Channel Lighted<br>Buoy 19<br>50 feet outside channel<br>limit.                   | 33 55 16 N<br>78 00 16 W | <b>FI G 4s</b>                                   |               | 4            | Green with yellow triangle.  | Marks pile of stone ballast.  |
| 40025<br>30460   | LOWER SWASH CHANNEL<br>RANGE FRONT LIGHT  | 33 55 51 N<br>77 59 05 W | <b>Q W (day)</b><br><b>Q W (night)</b>           | 17<br>20      |              | On multi-pile structure.   | Lighted throughout 24 hours.<br>Day: Visible on rangeline only.<br>Night: Visible all around; higher<br>intensity on rangeline. |
| 40030<br>30465   | LOWER SWASH CHANNEL<br>RANGE REAR LIGHT<br>767 yards, 055.1° from<br>front light.   |                          | <b>Iso W 6s (day)</b><br><b>Iso W 6s (night)</b> | 28<br>31      |              | Skeleton tower on multi-pile<br>structure.   | Lighted throughout 24 hours.<br>Day: Visible on rangeline only.<br>Night: Visible all around; higher<br>intensity on rangeline. |
| 40035<br>30455   | SOUTHPORT LIGHT 1   | 33 54 53 N<br>78 01 12 W | <b>FI G 2.5s</b>                                 | 15            | 4            | SG-SY on multi-pile structure.   |   |
| <b>Cape Fear River - Little River</b>                          |   |                          |  |               |              |  |   |
| 40040<br>30410   | SOUTHPORT CHANNEL<br>RANGE<br>REAR LIGHT<br>1,426 yards, 319.5° from front<br>light |                          | <b>Iso W 6s</b>                                  | 42            |              | KRW and SG-SY on multi-pile<br>structure.  | Visible all around; higher<br>intensity on rangeline.   |
| 40045  | - Buoy 2  | 33 54 55 N<br>78 01 09 W |  |               |              | Red nun with yellow triangle.  |   |
| 40050  | - LIGHT 2A  |                          | <b>FI R 4s</b>                                   | 15            | 3            | TR-TY on pile.   |   |
| 40055  | - Daybeacon 5   |                          |  |               |              | SG-SY on pile.   |   |

| (1)<br>No.   | (2)<br>Name and Location                            | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks   |
|--|---|--------------------------|-----------------------|---------------|--------------|------------------|--|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |   |                          |                       |               |              |                  |  |
| 40060  | - LIGHT 7<br>35 feet outside channel<br>limit.      |                          | <b>FI G 2.5s</b>      | 15            | 3            | SG-SY on pile.   |  |
| 40065  | - Daybeacon 8                                       |                          |                       |               |              | TR-TY on pile.   |  |
| 40070  | - Daybeacon 9<br>35 feet outside channel<br>limit.  |                          |                       |               |              | SG-SY on pile.   |  |
| 40075  | - LIGHT 11  |                          | <b>FI G 4s</b>        | 18            | 4            | SG-SY on pile.   |  |
| 40080  | - Daybeacon 13                                      |                          |                       |               |              | SG-SY on pile.   |  |
| 40085  | - Daybeacon 15                                      |                          |                       |               |              | SG-SY on pile.   |  |
| 40090  | - LIGHT 16  |                          | <b>FI R 4s</b>        | 18            | 4            | TR-TY on pile.   | Higher intensity beam toward<br>Lockwoods Folly River. |
| 40095  | - LIGHT 18  |                          | <b>FI R 4s</b>        | 15            | 7            | TR-TY on pile.   | Higher intensity beam toward<br>Southport.             |
| 40100  | - LIGHT 24  |                          | <b>FI R 4s</b>        | 18            | 4            | TR-TY on pile.   |  |
| 40105  | - Daybeacon 26                                      |                          |                       |               |              | TR-TY on pile.   |  |
| 40110  | - Daybeacon 28                                      |                          |                       |               |              | TR-TY on pile.   |  |
| 40115  | - LIGHT 29  |                          | <b>FI G 4s</b>        | 18            | 4            | SG-SY on pile.   |  |
| 40120  | - Daybeacon 32                                      |                          |                       |               |              | TR-TY on pile.   |  |
| 40125  | - LIGHT 33<br>35 feet outside channel<br>limit.     | 33 55 16 N<br>78 12 45 W | <b>FI G 4s</b>        | 15            | 4            | SG-SY on pile.   |  |
| 40130  | - Daybeacon 36<br>35 feet outside channel<br>limit. |                          |                       |               |              | TR-TY on pile.   |  |
| <b>Lockwoods Folly River</b>                                   |   |                          |                       |               |              |                  |  |
| 40135  | - Daybeacon 1                                       | 33 55 29 N<br>78 12 58 W |                       |               |              | SG on pile.      |  |
| 40140  | - Daybeacon 2                                       |                          |                       |               |              | TR on pile.      |  |
| 40145  | - Daybeacon 4                                       |                          |                       |               |              | TR on pile.      |  |
| 40150  | - Daybeacon 5                                       |                          |                       |               |              | SG on pile.      |  |
| 40155  | - Daybeacon 6                                       |                          |                       |               |              | TR on pile.      |  |
| 40160  | - Daybeacon 7                                       |                          |                       |               |              | SG on pile.      |  |
| 40165  | - Daybeacon 8                                       |                          |                       |               |              | TR on pile.      |  |
| 40170  | - Daybeacon 9                                       |                          |                       |               |              | SG on pile.      |  |
| 40175  | - Daybeacon 10                                      |                          |                       |               |              | TR on pile.      |  |
| 40180  | - Daybeacon 12                                      |                          |                       |               |              | TR on pile.      |  |
| 40185  | - Daybeacon 14                                      |                          |                       |               |              | TR on pile.      |  |
| 40190  | - Daybeacon 16                                      |                          |                       |               |              | TR on pile.      |  |
| <b>Cape Fear River - Little River</b>                          |   |                          |                       |               |              |                  |  |
| 40195  | - Daybeacon 39<br>35 feet outside channel<br>limit. |                          |                       |               |              | SG-SY on pile.   |  |

| (1)<br>No.   | (2)<br>Name and Location                            | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks |
|--|---|--------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |   |                          |                       |               |              |                                |                |
| 40200  | - LIGHT 40<br>35 feet outside channel<br>limit.     | 33 55 32 N<br>78 13 11 W | <b>FI R</b> 4s        | 15            | 3            | TR-TY on pile.                 |                |
| 40205  | - Daybeacon 41<br>35 feet outside channel<br>limit. |                          |                       |               |              | SG-SY on pile.                 |                |
| 40210  | - Daybeacon 42<br>35 feet outside channel<br>limit. |                          |                       |               |              | TR-TY on pile.                 |                |
| 40215  | - LIGHT 44<br>35 feet outside channel<br>limit.     |                          | <b>FI R</b> 4s        | 15            | 3            | TR-TY on pile.                 |                |
| 40220  | - Daybeacon 46                                      |                          |                       |               |              | TR-TY on pile.                 |                |
| 40223  | - Buoy 46A  |                          |                       |               |              | Red nun with yellow triangle.  |                |
| 40225  | - Buoy 47   |                          |                       |               |              | Green can with yellow square.  |                |
| 40230  | - Buoy 47A  |                          |                       |               |              | Green can with yellow square.  |                |
| 40235  | - Buoy 48   |                          |                       |               |              | Red nun with yellow triangle.  |                |
| 40240  | - LIGHT 48A   |                          | <b>FI R</b> 4s        | 15            | 3            | TR-TY on pile.                 |                |
| 40245  | - LIGHT 50  |                          | <b>FI R</b> 4s        | 14            | 3            | TR-TY on pile.                 |                |
| 40250  | - LIGHT 51  |                          | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.                 |                |
| 40255  | - LIGHT 51A   |                          | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.                 |                |
| 40260  | - Daybeacon 53                                      |                          |                       |               |              | SG-SY on pile.                 |                |
| 40265  | - Daybeacon 55                                      |                          |                       |               |              | SG-SY on pile.                 |                |
| 40270  | - Daybeacon 57                                      |                          |                       |               |              | SG-SY on pile.                 |                |
| 40275  | - LIGHT 59  |                          | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.                 |                |
| 40280  | - Daybeacon 61                                      |                          |                       |               |              | SG-SY on pile.                 |                |
| 40285  | - Daybeacon 63                                      |                          |                       |               |              | SG-SY on pile.                 |                |
| 40290  | - Daybeacon 65                                      |                          |                       |               |              | SG-SY on pile.                 |                |
| 40295  | - LIGHT 67  |                          | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.                 |                |
| 40300  | - Daybeacon 69                                      |                          |                       |               |              | SG-SY on pile.                 |                |
| 40305  | - Daybeacon 71                                      |                          |                       |               |              | SG-SY on pile.                 |                |
| 40310  | - LIGHT 71A<br>35 feet outside channel<br>limit.    |                          | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.                 |                |
| 40315  | - Daybeacon 73<br>35 feet outside channel<br>limit. |                          |                       |               |              | SG-SY on pile.                 |                |
| 40320  | - Daybeacon 75<br>35 feet outside channel<br>limit. |                          |                       |               |              | SG-SY on pile.                 |                |
| 40325  | - LIGHT 77  |                          | <b>FI G</b> 4s        | 15            | 3            | SG-SY on multi-pile structure. |                |
| 40330  | - LIGHT 78  |                          | <b>FI R</b> 4s        | 15            | 3            | TR-TY on pile.                 |                |
| 40335  | - Daybeacon 80                                      |                          |                       |               |              | TR-TY on pile.                 |                |
| 40340  | - Buoy 81   | 33 54 25 N<br>78 23 04 W |                       |               |              | Green can with yellow square.  |                |

| (1)<br>No.   | (2)<br>Name and Location                             | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks                |
|--|--|--------------------------|-----------------------|---------------|--------------|------------------|-------------------------------|
| <b>INTRACOASTAL WATERWAY (North Carolina) - Fifth District</b> |  |                          |                       |               |              |                  |                               |
| 40345  | - Buoy 82  |                          |                       |               |              |                  | Red nun with yellow triangle. |
| 40350  | - LIGHT 83   | 33 54 17 N<br>78 23 21 W | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.   |                               |
| 40355  | - LIGHT 84   |                          | <b>FI R</b> 4s        | 15            | 3            | TR-TY on pile.   |                               |
| 40360  | - LIGHT 85   |                          | <b>FI G</b> 4s        | 16            | 4            | SG-SY on pile.   |                               |
| 40365  | - Daybeacon 87                                       |                          |                       |               |              | SG-SY on pile.   |                               |
| 40370  | - Daybeacon 89                                       |                          |                       |               |              | SG-SY on pile.   |                               |
| 40375  | - LIGHT 90   | 33 53 53 N<br>78 25 36 W | <b>FI R</b> 4s        | 15            | 3            | TR-TY on pile.   |                               |
| 40380  | - Daybeacon 91                                       |                          |                       |               |              | SG-SY on pile.   |                               |
| 40385  | - LIGHT 93   |                          | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.   |                               |
| 40390  | - Daybeacon 95                                       |                          |                       |               |              | SG-SY on pile.   |                               |
| 40395  | - Daybeacon 97                                       |                          |                       |               |              | SG-SY on pile.   |                               |
| 40400  | - LIGHT 98   |                          | <b>FI R</b> 4s        | 12            | 3            | TR-TY on pile.   |                               |
| 40405  | - Daybeacon 99                                       |                          |                       |               |              | SG-SY on pile.   |                               |
| 40410  | - LIGHT 101<br>35 feet outside channel<br>limit.     | 33 53 15 N<br>78 29 08 W | <b>FI G</b> 4s        | 15            | 4            | SG-SY on pile.   |                               |
| 40415  | - Daybeacon 103<br>35 feet outside channel<br>limit. |                          |                       |               |              | SG-SY on pile.   |                               |
| 40420  | - Daybeacon 105<br>35 feet outside channel<br>limit. |                          |                       |               |              | SG-SY on pile.   |                               |
| 40425  | - LIGHT 108<br>35 feet outside channel<br>limit.     |                          | <b>FI R</b> 4s        | 15            | 3            | TR-TY on pile.   |                               |
| 40430  | - Daybeacon 109<br>35 feet outside channel<br>limit. |                          |                       |               |              | SG-SY on pile.   |                               |
| 40435  | - LIGHT 111<br>35 feet outside channel<br>limit.     |                          | <b>FI G</b> 4s        | 15            | 3            | SG-SY on pile.   |                               |
| 40440  | - Daybeacon 113                                      |                          |                       |               |              | SG-SY on pile.   |                               |
| 40445  | - Daybeacon 115                                      |                          |                       |               |              | SG-SY on pile.   |                               |

**INTRACOASTAL WATERWAY (South Carolina) - Fifth District**

**MYRTLE GROVE SOUND TO LITTLE RIVER (Chart 11534)**

**Cape Fear River - Little River**

|       |             |  |                |    |   |                |  |
|-------|-------------|--|----------------|----|---|----------------|--|
| 40450 | - LIGHT 116 |  | <b>FI R</b> 4s | 18 | 3 | TR-TY on pile. |  |
| 40455 | - LIGHT 117 |  | <b>FI G</b> 4s | 15 | 4 | SG-SY on pile. |  |
| 40460 | - LIGHT 119 |  | <b>FI G</b> 4s | 15 | 4 | SG-SY on pile. |  |



INDEX

**A**

ABEL BAY LIGHT 1 ..... 32850  
**Aberdeen Creek** ..... 13885  
**Aberdeen Proving Ground Channel** ..... 27520  
**Aberdeen Restricted Area** ..... 8705  
Aberdeen Restricted Area  
    Buoy A ..... 27290  
**Absecon Inlet** ..... 1170  
*Absecon Inlet Lighted*  
    *Gong Buoy 1* ..... 60  
**Adams Creek** ..... 38290  
ADAMS CREEK LIGHT 1AC ..... 33790  
**Albemarle Plantation Marina** ..... 31545  
**Albemarle Sound** ..... 31330,37045  
**Alexandria Channel** ..... 18605  
**Alligator River** ..... 37835  
**Alligator River - Pungo River** ..... 38005  
**Anacostia River** ..... 18720  
    -Anchorage Buoy C ..... 8300  
**Annapolis Harbor** ..... 19690  
**Antipooison Creek** ..... 16005  
**Appomattox River** ..... 12535  
**Aquia Creek** ..... 17970  
ARNOLD POINT LIGHT ..... 9000  
Arnold Point Shoal Buoy 2 ..... 2015  
Artificial Island Anchorage  
    Buoy A ..... 2590  
**Assateague Light** ..... 275  
Atlantic Channel  
    Daybeacon 1 ..... 34495  
ATLANTIC ENTRANCE LIGHT ..... 34490  
AUSTIN CREEK ENTRANCE  
    CHANNEL LIGHT 1 ..... 28870  
*Avalon Shoal Lighted*  
    *Bell Buoy 2* ..... 85  
AVIATION FUEL TERMINAL  
    PIER SOUTH LIGHT ..... 29475

**B**

**Baber Point** ..... 17680  
BACK CHANNEL LIGHT 1 ..... 3585  
Back Creek (Delaware River) ..... 1985  
**Back Creek (Mobjack Bay)** ..... 13370  
**Back Creek (Patuxent River)** ..... 19010  
**Back Creek Channel (Elk River Channel)** ..... 9180  
**Back Creek Channel (Susquehanna River)** ..... 9105  
**Back River**  
    (APPROACHES TO BALTIMORE  
    HARBOR (Chart 12272)) ..... 27045  
**Back River**  
    (MOJACK BAY AND YORK RIVER  
    ENTRANCE (Chart 12238)) ..... 12910  
**Back Sound** ..... 29315  
**Baker Range** ..... 2485  
BALD HEAD ISLAND  
    MARINE JETTY LIGHT 1 ..... 30375  
BALD HEAD SHOAL  
    CHANNEL RANGE ..... 30330  
**Balls Creek** ..... 25540  
BALTIMORE LIGHT ..... 8035  
**Banks Channel** ..... 30050  
**Barden Inlet** ..... 29140  
BARNEGAT BAY LIGHT BB ..... 35130  
*Barnegat Harbor*  
    *Channel Lighted*  
    *Buoy 14* ..... 965  
**Barnegat Inlet** ..... 875  
BARNEGAT INLET LIGHT BI ..... 35135  
*Barnegat Inlet Outer*  
    *Lighted Whistle*  
    *Buoy BI* ..... 25  
*Barnegat Lighted*  
    *Buoy B* ..... 10  
*Barnegat Offshore*  
    *Lighted Gong Buoy 2* ..... 15  
BATH CREEK LIGHT 1 ..... 33275  
Battle Creek Channel  
    Daybeacon 1 ..... 19220  
**Bay River** ..... 33395,38245  
**Bay Shore Channel** ..... 1685

Beach Creek Entrance  
    Warning Daybeacon ..... 15235  
**Bear Creek** ..... 20670  
Beard Creek Entrance  
    Daybeacon 1 ..... 33960  
BEASLEY BAY LIGHT 2 ..... 31235  
**Beaufort Harbor Channel** ..... 34805  
**Beaufort Inlet** ..... 29328  
*Beaufort Inlet Channel*  
    *Lighted Whistle Buoy BM* ..... 720  
**Belhaven Channel** ..... 32930  
**Belle Isle State Park** ..... 15303  
*Bellevue Range Lighted*  
    *Buoy 2B* ..... 3045  
BEN DAVIS POINT  
    LIGHT ..... 1980  
**Bennett Creek**  
    (MOJACK BAY AND YORK RIVER  
    ENTRANCE (Chart 12238)) ..... 13260  
**Bennett Creek**  
    (NEWPORT NEWS TO  
    JAMESTOWN ISLAND (Chart 12248)) ..... 11045  
BEVERLY LOWER RANGE ..... 3865  
*Bidwell Creek Entrance*  
    *Lighted Buoy 2* ..... 1690  
**Big Annesmessex River** ..... 23280  
**Big Foot Slough Channel** ..... 29025  
BIG ISLAND LOWER  
    SOUTH RANGE FRONT  
    LIGHT ..... 30775  
**Big Thorofare** ..... 23015  
**Big Thorofare West** ..... 23190  
Big Timber Creek Channel ..... 3550  
BILLINGSPOUR RANGE ..... 3320  
**Bivalve Channel** ..... 24045  
Blackfish Bank Buoy 8A ..... 285  
**Blackwalnut Harbor** ..... 25815  
BLACKWATER CREEK  
    LIGHT 2 ..... 14370  
Blake Channel Buoy 1 ..... 2235  
BLOODY POINT BAR LIGHT ..... 7750  
BLUFF POINT LIGHT B ..... 16070  
BLUFF POINT SHOAL LIGHT ..... 32425  
BLUFF SHOAL LIGHT BL ..... 32360  
Bluff Shoal Slue  
    Daybeacon 1 ..... 32350  
**Bodie Island Light** ..... 590  
**Bodkin Creek** ..... 20300  
Bodkin Point Shoal Buoy 1 ..... 20310  
*Bogue Bank Wreck*  
    *Lighted Buoy WR13* ..... 735  
**Bogue Inlet** ..... 29490  
BOGUE INLET CHANNEL ..... 39045  
*Bogue Inlet Entrance*  
    *Lighted Whistle*  
    *Buoy BI* ..... 730  
**Bogue Sound** ..... 38530  
**Bogue Sound - New River** ..... 39085  
Bombay Hook Point Shoal  
    Buoy 5 ..... 2245  
Bond Creek Daybeacon 2 ..... 33125  
**Bonum Creek** ..... 16880  
Bordentown Bar Junction  
    Buoy B ..... 4230  
BORDENTOWN RANGE ..... 4255  
BOWLEY BAR OBSTRUCTION  
    LIGHT ..... 27125  
**Bradley Creek** ..... 39621.1  
Brandywine Shoal Light ..... 1555  
Bransons Cove Daybeacon 1B ..... 16985  
**Brant Island** ..... 32495  
**Breton Bay** ..... 17055  
**Brewerton Channel** ..... 8145  
**Brewerton Channel Eastern Extension** ..... 8385  
Brick Kiln Channel  
    Daybeacon 2 ..... 22920  
**Bridge Creek** ..... 25575  
BRISTOL RANGE ..... 3995  
**Broad Bay** ..... 10395  
**Broad Creek (Nanticoke River)** ..... 24200  
**Broad Creek (Neuse River)** ..... 33600  
**Broad Creek (Pocomoke Sound)** ..... 22665  
**Broad Creek (Rappahannock River)** ..... 14965

**Broad Creek (Tred Avon River)** ..... 25530  
Broad Creek Entrance  
    Daybeacon 2 ..... 20190  
BROAD CREEK ENTRANCE  
    LIGHT 1 ..... 33320  
BROAD CREEK NORTH  
    ENTRANCE LIGHT 1 ..... 22850  
**Broad Creek Southern Branch** ..... 15003  
Brooks Creek Daybeacon 1 ..... 34710  
Brooks Creek Daybeacon 2 ..... 24695  
BROWN SHOAL LIGHT ..... 1535  
**Browns Bay** ..... 14230  
BUCKROE BEACH FISHING  
    PIER LIGHT ..... 12825  
**Bulkhead Bar Range** ..... 2875  
**Bulkhead Shoal Channel** ..... 2765  
**Bull Bay** ..... 31575  
BULL CREEK PIER LIGHT A ..... 13570  
**Burwell Bay** ..... 11600  
**Bush River** ..... 27305  
**Buxton Harbor** ..... 32195  
**Buzz's Marina Channel** ..... 18840  
Buzzards Point Daybeacon 1 ..... 16265

**C**

Cadle Creek Daybeacon 1 ..... 19530  
**Calabash Creek** ..... 31115  
**Calico Creek** ..... 34910  
**Cambridge Channel** ..... 25020  
CAMBRIDGE SEWER  
    OUTFALL WARNING LIGHT ..... 25055  
**Camp Lejeune Danger Zone** ..... 740  
**Cannons Ferry** ..... 24355  
**Cape Charles City** ..... 21450  
CAPE CHARLES CITY RANGE  
    A ..... 21440  
**Cape Charles Light** ..... 350  
**Cape Fear River** ..... 39885  
*Cape Fear River Dumping*  
    *Ground Lighted*  
    *Buoy A* ..... 855  
**Cape Hatteras Light** ..... 625  
**Cape Henry Light** ..... 370  
*Cape Henry Wreck*  
    *Lighted Buoy 2CH* ..... 7040  
**Cape Lookout Light** ..... 670  
*Cape Lookout Shoals*  
    *Lighted Buoy 2* ..... 680  
CAPE MAY CANAL ..... 36780  
**Cape May Canal West Entrance** ..... 1650,36785  
**Cape May Ferry Fog Signal** ..... 1680  
**Cape May Harbor** ..... 36725  
*Cape May Harbor Inlet*  
    *Lighted Bell Buoy 2CM* ..... 135  
**Cape May Inlet** ..... 1435  
**Cape May Light** ..... 155  
CAPE ST. MARYS MARINA  
    BREAKWATER LIGHT ..... 19215  
**Cape Windsor Channel** ..... 4950  
**Carolina Beach Harbor** ..... 39760  
**Carolina Beach Inlet** ..... 30260  
    *Carolina Beach Inlet*  
    *Entrance Lighted*  
    *Buoy CB* ..... 805  
**Carter Creek** ..... 15120  
**Carthagea Creek** ..... 16780  
**Causeway Channel** ..... 38720  
Cedar Beach Buoy 3 ..... 2255  
CEDAR CREEK LIGHT 1 ..... 34535  
**Cedar Island Bay Channel** ..... 34400  
CEDAR ISLAND NORTH  
    LIGHT ..... 33490  
Cedar Point Fishing  
    Reef Buoy A ..... 7610  
Cedarbush Creek  
    Daybeacon 2 ..... 13870  
**Chalk Point Cable Crossing** ..... 19260  
Channel Crossing Buoy 1 ..... 2220  
**Cherry Island Flats** ..... 3050  
**Cherry Island Range** ..... 2965  
Cherry Point Channel  
    Daybeacon 2 ..... 33855

# INDEX

CHERRYSTONE CHANNEL  
 LIGHT 2 . . . . . 21430  
**Chesapeake and Delaware Canal** . . . . . 2745  
**Chesapeake Bay** . . . . . 12820  
**Chesapeake Bay Southern Approach** . . . . . 410  
**Chesapeake Channel** . . . . . 7030  
**Chesapeake Harbor** . . . . . 19840  
**Chesapeake Light** . . . . . 360  
**Chesconessex Creek** . . . . . 22120  
**CHESTER INTAKE LIGHT** . . . . . 3250  
**Chester Range** . . . . . 3215  
**Chester River** . . . . . 26500  
**CHESTER TRANSMISSION**  
 WEST LIGHTS (2) . . . . . 3220  
**Chicamacomico Channel** . . . . . 32045  
**Chickahominy River** . . . . . 12141  
**Chincoteague Bay** . . . . . 5150  
**Chincoteague Inlet** . . . . . 5270  
**Chip Mill** . . . . . 37935  
 Chisman Creek Daybeacon 2 . . . . . 13205  
**Choptank River** . . . . . 24775  
**Chowan River** . . . . . 31785  
**Christina River** . . . . . 3000  
**Claiborne Channel** . . . . . 26015  
**Clam Creek** . . . . . 1240  
 Clark Point Wreck Buoy 1 . . . . . 2290  
**CLIFTON BEACH LIGHT** . . . . . 18030  
**Clubfoot Creek** . . . . . 33805  
**Coan River** . . . . . 16575  
**COBB ISLAND LIGHT 2** . . . . . 17300  
 Cobbs Creek Daybeacon 1 . . . . . 14895  
 Cockle Point Warning  
 Daybeacon . . . . . 33650  
**COCKPIT POINT BARGE**  
 DOCK MOORING LIGHT A . . . . . 18110  
**COCKRELL CREEK LIGHT 1** . . . . . 16255  
**COHANSEY** . . . . . 1990  
**COLINGTON CUT ENTRANCE LIGHT 2C** . . . . . 28595  
 Colington Harbor Entrance  
 Daybeacon 3 . . . . . 31350  
**COLLINS BEACH LIGHT 2** . . . . . 2430  
**COMBS CREEK LIGHT 1** . . . . . 17075  
**COOK POINT COVE LIGHT 2** . . . . . 24840  
 Cool Spring Cove  
 Daybeacon 1 . . . . . 20220  
**Core Creek** . . . . . 38385  
**Core Sound** . . . . . 34320  
 Cornwallis Neck Warning  
 Buoy A . . . . . 18240  
**Corrotoman River** . . . . . 15155  
 Corsica River Daybeacon 4 . . . . . 26720  
 Corsica River Junction  
 Buoy CR . . . . . 26710  
**Courthouse Bay** . . . . . 29765  
**Cove Point Light** . . . . . 7630  
**Cow Creek Channel** . . . . . 39125  
**Cox Creek** . . . . . 26260  
**Crab Alley - Little Creek** . . . . . 26310  
**Crab Alley Bay** . . . . . 26280  
**Craighill Channel** . . . . . 7995  
 Cranes Creek Channel  
 Daybeacon 2 . . . . . 16285  
**Crane Island** . . . . . 9635  
**CRISFIELD HARBOR**  
 JUNCTION LIGHT CH . . . . . 22905  
**Croaker Landing** . . . . . 13960  
**Croatan Sound** . . . . . 31900  
 CSX PIER 15 LIGHTS (2) . . . . . 11260  
**Cuckold Creek** . . . . . 17620  
**Currioman Bay** . . . . . 17045  
**Currituck Beach Light** . . . . . 555  
**CURRITUCK FERRY**  
 TERMINAL LIGHT 2 . . . . . 31245  
**Currituck Sound** . . . . . 31160  
**Curtis Bay** . . . . . 20860  
 Curtis Creek Buoy 14 . . . . . 20940  
**CURTIS MERRITT HARBOR**  
 ENTRANCE LIGHT 2 . . . . . 5355  
 Cypress Creek Daybeacon 1 . . . . . 20255

## D

Dahlgren Naval Mooring  
 Buoy A . . . . . 17675  
*Dam Neck Firing Zone*  
*Lighted Buoy A* . . . . . 530  
**Dames Quarter Creek** . . . . . 23705  
**DANCING POINT SHOAL**  
**CHANNEL** . . . . . 12235  
**Daugherty Creek** . . . . . 23360  
**DAVIS CHANNEL LIGHT 1** . . . . . 34610  
**Davis Creek** . . . . . 14125  
 Davis Creek Entrance  
 Daybeacon 2 . . . . . 26700  
 Dawson Creek Entrance  
 Daybeacon 2 . . . . . 33795  
*Deadman Shoal Lighted*  
*Buoy IDS* . . . . . 1685  
**DEEP BAY LIGHT 1** . . . . . 32780  
**DEEP COVE LIGHT 1** . . . . . 32735  
**Deep Creek (Elizabeth River)** . . . . . 36935  
**Deep Creek (Magothy River)** . . . . . 20160  
**Deep Creek (Pocomoke Sound)** . . . . . 22190  
**Deep Creek Channel** . . . . . 11470  
**Deepwater Range** . . . . . 2920  
**DELAIR RANGE** . . . . . 3650  
**Delaware Bay** . . . . . 1475  
**Delaware Bay (East Side)** . . . . . 1945  
**Delaware Bay (Main Channel)** . . . . . 1535  
**DELAWARE BAY EAST**  
**ICEBREAKER LIGHT** . . . . . 2055  
*Delaware Lighted Buoy D* . . . . . 165  
**Delaware River** . . . . . 2445  
*Delco Moraine Lighted*  
*Obstruction Buoy* . . . . . 15980  
**DEVLIN LOWER RANGE** . . . . . 3935  
*Diamond Shoal Lighted Buoy 12* . . . . . 640  
**Dividing Creek** . . . . . 16120  
**DOUGHS CREEK LIGHT 2** . . . . . 28555  
**DRUM POINT LIGHT 4** . . . . . 7605  
**DUCK ISLAND RANGE** . . . . . 4280  
**Dukeharts Channel** . . . . . 17195  
**Dundalk Terminal East Channel** . . . . . 21000  
**DUNDALK TERMINAL**  
**NORTHWEST BULKHEAD**  
**LIGHT** . . . . . 21090  
**DUNDALK TERMINAL**  
**SOUTHEAST BULKHEAD**  
**LIGHT** . . . . . 21040  
 Dunks Bar Buoy 10 . . . . . 2010  
**Durant Point** . . . . . 32320  
 Durham Creek Daybeacon 2 . . . . . 33270  
**Dymer Creek** . . . . . 16030

## E

**Eagle Point** . . . . . 3490  
**EAST POINT LIGHT** . . . . . 1695  
**East River** . . . . . 14165  
**EAST THOROFARE PIER**  
**LIGHT** . . . . . 35265  
**Eastern Bay** . . . . . 25955,26000  
**Eastham Creek** . . . . . 33070  
**Eastport Harbor** . . . . . 19880  
**EDDYSTONE GENERATING**  
**STATION RANGE** . . . . . 3275  
*Eddystone Range Lighted*  
*Buoy 1E* . . . . . 3260  
**Edenton Bay** . . . . . 31740  
**EDENTON LIGHT** . . . . . 31750  
**Edge Creek** . . . . . 25725  
**EDGEWOOD OUTFALL LIGHT** . . . . . 3090  
**EDGEWATER LOWER RANGE** . . . . . 3905  
**EGG ISLAND POINT LIGHT** . . . . . 1945  
**Eight and One Half Marina** . . . . . 38680  
*Elbow Lighted Bell*  
*Buoy 44* . . . . . 3405  
**Elbow Of Cross Ledge**  
**Light** . . . . . 1600  
**Elizabeth River** . . . . . 9445  
**Elizabeth River Eastern Branch** . . . . . 10105  
**Elk River Channel** . . . . . 8925  
 Elk River Junction Buoy ER . . . . . 8970

**ENTERPRISE LOWER RANGE** . . . . . 3820  
**EXXON PIER LIGHT A** . . . . . 30860  
**EXXON SEWELLS POINT**  
**TERMINAL DOCK LIGHT** . . . . . 11255

## F

**Fairfield Channel** . . . . . 21175  
**Fairfield Piers** . . . . . 21110  
**Fairlee Creek** . . . . . 27405  
*False Cape Lighted*  
*Buoy 4A* . . . . . 545  
**Far Creek Channel** . . . . . 32105  
**Farm Creek** . . . . . 24425  
 Farnell Bay Warning  
 Daybeacon . . . . . 29890  
**FENWICK ISLAND LIGHT** . . . . . 205  
*Fenwick Shoal Lighted*  
*Buoy 1FS* . . . . . 210  
**Ferry Bar Channel** . . . . . 21205  
**FERRY COVE LIGHT** . . . . . 25980  
 Fisher Point Jetty Buoy 2 . . . . . 3635  
**FISHER POINT RANGE** . . . . . 3625  
 Fisherman's Cove . . . . . 10545  
**FISHING BATTERY LIGHT** . . . . . 27630  
**Fishing Bay** . . . . . 24375  
**Fishing Creek** . . . . . 19670  
 Fishing Creek Daybeacon 2 . . . . . 24760  
*Five Fathom Bank*  
*Northeast Lighted Bell*  
*Buoy 2FB* . . . . . 100  
 Fleets Bay . . . . . 16060  
**FLORENCE LOWER RANGE** . . . . . 4080  
**FODREY CREEK LIGHT 1** . . . . . 32720  
**FOG POINT LIGHT** . . . . . 23460  
 Forked Creek Daybeacon 1 . . . . . 20205  
**FORT DELAWARE LIGHT 5N** . . . . . 2830  
**FORT MACON CREEK**  
**WARNING LIGHT** . . . . . 29450  
**FORT MACON REACH**  
**RANGE** . . . . . 29395  
**Fort McHenry Channel** . . . . . 8215  
**FORT WASHINGTON**  
**LIGHT 80** . . . . . 18560  
**FORT WOOL LIGHT** . . . . . 9385  
**Fortescue Directional**  
**Light** . . . . . 1950  
**Four Mile Run** . . . . . 18665  
**Fourteen Foot Bank**  
**Light** . . . . . 1575  
**FOURTH EAST JETTY**  
**RANGE FRONT LIGHT** . . . . . 30925  
 Francis Scott Key Memorial  
 Buoy . . . . . 8245  
**FRANKFORD CHANNEL**  
**LOWER DIRECTIONAL**  
**LIGHT** . . . . . 3705  
**FRISCO APPROACH LIGHT 2F** . . . . . 32290  
**Frying Pan Shoals** . . . . . 820  
**FULCHERS CREEK LIGHT 1** . . . . . 34570

## G

**GAYLORD BAY FERRY**  
**TERMINAL CHANNEL**  
**LIGHT 1** . . . . . 33245  
**George Island** . . . . . 5245  
**Georgetown Channel** . . . . . 18770  
**Germantown Bay** . . . . . 32750  
**GIBBS SHOAL LIGHT GBS** . . . . . 32135  
**Gibson Island** . . . . . 20130  
**GLEBE BAY LIGHT** . . . . . 19630  
**Goodwin Thorofare** . . . . . 13310  
**Goose Creek** . . . . . 38145  
**Goose Creek Channel** . . . . . 23395  
**GOOSE CREEK JUNCTION**  
**LIGHT GC** . . . . . 13220  
**GOOSE CREEK LIGHT 1** . . . . . 24400  
**GOOSE HILL CHANNEL** . . . . . 12065  
 Gordon Point Shoal Buoy 1 . . . . . 26655  
**GOVERNOR SCOTT FERRY**  
**WRECK LIGHT WR2** . . . . . 32490  
**Grace Creek** . . . . . 25675

INDEX

GRAND VIEW FISHING  
PIER LIGHT ..... 12905  
GRAVELING POINT BASIN  
RANGE ..... 35510  
**Grays Creek** ..... 20135  
**Great Bridge to Albemarle Sound** ..... 37150  
Great Bridge Wreck  
Daybeacon WR1 ..... 37150  
**Great Egg Harbor Inlet** ..... 1265  
*Great Egg Harbor Inlet  
Outer Lighted Whistle  
Buoy GE* ..... 70  
**Great Egg Harbor River** ..... 1395  
*Great Gull Bank Lighted  
Buoy 4* ..... 220  
**Great Machipongo Channel** ..... 6885  
**Great Machipongo Inlet** ..... 6800  
*Great Machipongo Inlet  
Lighted Whistle  
Buoy GM* ..... 330  
GREAT SHOALS LIGHT ..... 23700  
**Great Wicomico River** ..... 16180  
GREAT WICOMICOMICO RIVER  
LIGHT ..... 7475  
Green Mansion Cove  
Junction Daybeacon ..... 14385  
**Greenbackville** ..... 5455  
**Greens Creek** ..... 33740  
**Greenvale Creek Channel** ..... 15305  
Grinels Breakwater Warning  
Daybeacon A ..... 15060  
GROVE POINT RANGE ..... 8885  
GRUBBS LANDING LIGHT ..... 3125  
**Guilford Creek** ..... 22305  
GUILFORD FLATS JUNCTION  
LIGHT ..... 22255  
GULL SHOAL LIGHT GS ..... 32145  
**Gunpowder River** ..... 27175

H

Hackett Point Shoal Buoy 1 ..... 7820  
HAINES POINT LIGHT ..... 23550  
*Hains Point Junction  
Lighted Buoy HP* ..... 18705  
HALLOWING POINT LIGHT ..... 18355  
HAMBURG COVE TRESTLE  
LIGHTS (2) ..... 2825  
**Hampton Bar** ..... 9380  
**Hampton Flats Bar Channel** ..... 9425  
**Hampton River** ..... 10895  
**Hampton Roads Mooring Facility** ..... 10825  
**Hancock Creek** ..... 33900  
Harbor Island Warning  
Daybeacon ..... 34320  
**Harbor North Channel** ..... 9115  
**Harbor of Refuge Light** ..... 1530  
**Harbor View** ..... 17495  
Hardy Creek ..... 33680  
Hardy Creek Junction  
Daybeacon HC ..... 33675  
**Harkers Island East Channel** ..... 29275  
HARKERS ISLAND WEST  
CHANNEL LIGHT 1 ..... 34730  
Harrah's Marina Buoy A ..... 1200  
**Harris Creek** ..... 25870  
**Harris River Approach** ..... 13045  
**Harts Island Channel** ..... 27000  
Hatteras Fishing Center  
Daybeacon 2 ..... 28880  
**Hatteras Inlet** ..... 28625  
*Hatteras Inlet Entrance  
Lighted Whistle  
Buoy HI* ..... 650  
**Hatteras Inlet Light** ..... 645  
**Havre De Grace Entrance** ..... 27695  
**Havre De Grace Yacht Basin** ..... 27675  
**Hawkins Point Pier** ..... 20790  
HEARNS COVE CHANNEL ..... 24465  
*Hen and Chickens Shoal  
Lighted Buoy 3HC* ..... 1495

*Hen and Chickens Shoal  
Lighted Gong Buoy  
1 HC* ..... 190  
**Herbert A. Wagner  
Generating Plant Channel** ..... 20730  
**Hereford Inlet Light** ..... 90  
**Heron Island Bar Channel** ..... 17175  
Heron Island Shoals Junction  
Buoy HI ..... 17055  
**Herring Bay** ..... 19320  
**Herring Creek** ..... 16915  
Herring Island Shoal  
Warning Daybeacon ..... 26100  
*Hess Lighted Mooring  
Buoy* ..... 20930  
**Hodges Reef** ..... 32390  
*Hog Island Junction  
Lighted Buoy HI* ..... 11965  
*Hog Island Lighted  
Buoy 12* ..... 335  
HOG ISLAND SHOAL LIGHT ..... 32180  
HOLLAND ISLAND BAR  
LIGHT ..... 7545  
Holland Point  
Fishing Reef Buoy A ..... 7720  
**Honga River** ..... 24450  
**Hooper Island Light** ..... 7590  
**Hooper Strait** ..... 23600  
*Hooper Strait Approach  
Lighted Bell Buoy 1* ..... 7570  
HOOPER STRAIT LIGHT ..... 23615  
Hop Point Daybeacon 1 ..... 22910  
HOPE CREEK JETTY  
LIGHT 1 ..... 2475  
**Horn Harbor** ..... 14445  
Horsehead Cliffs Warning  
Daybeacon ..... 17375  
HORSESHOE BEND RANGE ..... 3540  
*Horseshoe Crossing  
Lighted Whistle  
Buoy HC* ..... 12820  
*Horseshoe Lower Lighted  
Buoy 35* ..... 3510  
HORSESHOE RANGE ..... 3530  
HORSESHOE SHOAL  
CHANNEL RANGE ..... 30535  
**Hoskins Creek** ..... 15600  
Howell Cove ..... 3525  
HOWELL POINT LIGHT ..... 8880  
Hudson Creek Daybeacon 1 ..... 24715  
**Hungar Creek** ..... 21605  
**Hunting Creek** ..... 22260  
**Huntington Park Channel** ..... 11325  
**Hurst Creek** ..... 25090

I

I. W. P. PIER LIGHT ..... 28745  
**Indian Creek** ..... 16070  
**Indian Head Lower** ..... 18310  
Indian Island Channel  
Daybeacon 1 ..... 33215  
Indian Island Shoal East End  
Daybeacon ..... 33105  
Indian River Bay Shellfish  
Exclusion Buoy ..... 4630  
**Indian River Channel** ..... 4490  
**Indian River Inlet** ..... 4360  
*Indian River Inlet  
Lighted Gong Buoy 1* ..... 195  
**Ingram Bay Marina** ..... 16225  
INNER MIDDLE GROUND  
LIGHT M ..... 32475  
**Irish Creek** ..... 25505  
Island Creek ..... 24925  
**Island Creek Channel** ..... 16695  
**Isle of Wight Bay** ..... 4765

J

**Jackson Creek** ..... 14700  
Jacksonville Warning  
Daybeacon ..... 29940

Jacobs Creek Canal  
Daybeacon 1 ..... 33200  
**James River** ..... 11240  
**Jamestown Island** ..... 11995  
**Jarvis Creek** ..... 16145  
**Jean Guite Creek** ..... 31270  
**Jenkins Creek** ..... 22860  
Joe Flogger Shoal Buoy J ..... 2230  
JOHNSON BAY ENTRANCE  
LIGHT 1 ..... 5225  
Jones Creek (Pagan River) ..... 11420  
**Jones Creek (Patapsco River)** ..... 20505  
**Jones Creek (Tangier Sound)** ..... 23305  
JORDAN POINT RANGE ..... 12415  
JUDITH ISLAND CUT EAST  
LIGHT 2 ..... 32730  
JUNIPER BAY APPROACH  
LIGHT 1 ..... 32440

K

**Kedges Straits** ..... 23460  
KEG ISLAND RANGE ..... 30755  
KENDRICK CREEK CHANNEL  
ENTRANCE LIGHT 1 ..... 31660  
**Kent Haven Yacht Channel** ..... 26525  
**Kent Island** ..... 7770  
KENTMORR MARINA RANGE  
FRONT LIGHT ..... 7805  
KEYSTONE RANGE ..... 4020  
Kingcopsico Point Warning  
Daybeacon ..... 17005  
**Kingfisher Berth** ..... 9905  
KINGS MILL MARINA  
LIGHT 1 ..... 11955  
KINKORA LOWER RANGE ..... 4110  
**Kiptopeke Beach** ..... 21420  
**Knapps Narrows** ..... 25920  
Knitting Mill Creek Buoy 2 ..... 10750  
KNOTTS ISLAND FERRY  
TERMINAL LIGHT 2 ..... 31255

L

LA GRANGE CREEK  
ENTRANCE LIGHT 2 ..... 15290  
LA TRAPPE CREEK LIGHT 1 ..... 24955  
**Lafayette River Channel** ..... 10660  
**Lake Conoy** ..... 16540  
**Lake Ogleton Entrance** ..... 19815  
Lancaster Creek  
Daybeacon 1 ..... 15405  
LANDRETH RANGE ..... 4045  
**Langford Creek** ..... 26665  
Langley Yacht Club Buoy A ..... 13110  
Latimer Shoal Junction  
Buoy LS ..... 21405  
Laurel Point Warning  
Daybeacon C ..... 31640  
Lecompte Bay Buoy 2 ..... 24940  
Leeds Creek Daybeacon 1 ..... 26180  
**Leesylvania Park** ..... 18165  
**Leeward Marina Channel** ..... 11350  
LEHIGH LOWER RANGE ..... 3965  
LEIPSIC RIVER LIGHT ..... 2420  
LEWES AND REHOBOTH  
CANAL JETTY WARNING  
LIGHT ..... 2085  
LEWES BREAKWATER  
FRONT LIGHT ..... 2035  
**Lewes Ferry Terminal Fog  
Signal** ..... 2045  
Lewis Creek ..... 19045  
Line of Fire Buoy ..... 17560  
**Linhorn Bay** ..... 10435  
**Liston Range** ..... 2445  
**Little Annessex River** ..... 22820  
**Little Assawoman Bay** ..... 4991  
**Little Choptank River** ..... 24630  
**Little Creek Cove** ..... 10550  
**Little Creek Harbor** ..... 10470  
**Little Egg Inlet** ..... 1100

## INDEX

|                                  |       |
|----------------------------------|-------|
| Little Gull Bank Buoy LG         | 250   |
| <b>Little River</b>              | 31505 |
| LITTLE RIVER LIGHT               | 2410  |
| <b>Little Round Bay</b>          | 19970 |
| <b>Little Wicomico River</b>     | 16350 |
| <b>Locklies Creek</b>            | 15095 |
| <b>Lockwoods Folly Inlet</b>     | 31005 |
| <i>Lockwoods Folly Inlet</i>     |       |
| <i>Lighted Whistle</i>           |       |
| <i>Buoy LW</i>                   | 865   |
| <b>Lockwoods Folly River</b>     | 40135 |
| <b>Locust Point East Channel</b> | 21225 |
| LONE OAK CHANNEL                 |       |
| LIGHT 1                          | 31225 |
| LONG BAY LIGHT 2                 | 33565 |
| Long Cove Daybeacon 1            | 26690 |
| <b>Long Creek Channel</b>        | 10160 |
| LONG POINT FERRY                 |       |
| TERMINAL CHANNEL                 |       |
| LIGHT 1                          | 33235 |
| LONG POINT LIGHT 5               | 20690 |
| LONG SHOAL LIGHT LS2             | 32070 |
| Long Shoal River                 |       |
| Daybeacon 2                      | 32090 |
| Longport                         | 1295  |
| Longs Creek Daybeacon 1          | 27065 |
| <b>Lookout Bight</b>             | 29125 |
| LOVE POINT LIGHT                 | 8340  |
| LOWER BRUNSWICK RANGE            | 30820 |
| LOWER LILIPUT RANGE              | 30710 |
| <b>Lower Machodoc Creek</b>      | 16965 |
| Lower Middle Ground              |       |
| Obstruction Daybeacon NE         | 32455 |
| Lower Middle Wreck               |       |
| Buoy LMW                         | 2215  |
| LOWER MIDNIGHT CHANNEL           |       |
| RANGE                            | 30640 |
| LOWER SWASH CHANNEL              |       |
| RANGE                            | 30460 |
| <b>Lower Thorofare</b>           | 23495 |
| <b>Lowes Wharf</b>               | 25990 |
| Ludlam Beach Buoy L              | 80    |
| LUSBY POINT JUNCTION             |       |
| LIGHT                            | 18990 |
| Lynch Cove Point                 | 20695 |
| <b>Lynnhaven Inlet</b>           | 10125 |
| LYNNHAVEN ROADS FISHING          |       |
| PIER LIGHT                       | 10125 |

## M

|                                |       |
|--------------------------------|-------|
| <b>Madison Bay</b>             | 24735 |
| <b>Magothy River</b>           | 20095 |
| MAHON RIVER LIGHT              | 2415  |
| MANAHAWKIN BAY                 | 35230 |
| <b>Manasquan Inlet</b>         | 34931 |
| MANN'S HARBOR LIGHT 2          | 31915 |
| <b>Manokin River</b>           | 23375 |
| <b>Mantua Creek</b>            | 3340  |
| <b>Marattico River</b>         | 15390 |
| <b>Marbury Point</b>           | 18625 |
| <b>Marcus Hook</b>             | 3170  |
| <b>Marine Pier Channel</b>     | 20635 |
| Marlboro Point Warning         |       |
| Daybeacon                      | 17965 |
| Marley Creek Daybeacon 1       | 20955 |
| <b>Marshallberg</b>            | 34655 |
| Marshy Creek Daybeacon 1       | 26350 |
| MARYLAND POINT                 |       |
| LIGHT                          | 17895 |
| <b>Masonboro Inlet</b>         | 30145 |
| <i>Masonboro Inlet Lighted</i> |       |
| <i>Whistle Buoy A</i>          | 800   |
| Mathias Point Warning          |       |
| Daybeacon                      | 17760 |
| <b>Mattawoman Creek</b>        | 21580 |
| Mattawoman Creek               |       |
| Daybeacon 1                    | 18125 |
| <b>Mattox Creek</b>            | 17475 |
| <b>Maurice River</b>           | 1700  |
| McCREADY'S CREEK               |       |
| LIGHT 1                        | 24420 |

|  |       |
|--|-------|
| <i>McCrie Shoal Lighted</i>            |       |
| <i>Gong Buoy 2MS</i>                   | 160   |
| Merrimac Harbor                        |       |
| Daybeacon 1                            | 10985 |
| <b>Messongo Creek</b>                  | 22340 |
| <b>Miah Maul Shoal</b>                 |       |
| Light                                  | 1585  |
| MIDDLE GROUND LIGHT MG                 | 31355 |
| <i>Middle Ground South</i>             |       |
| <i>End Lighted Bell</i>                |       |
| <i>Buoy 4A</i>                         | 380   |
| MIDDLE ISLAND BRIDGE                   |       |
| WEST CHANNEL LIGHT 1                   | 24515 |
| MIDDLE MARSHES                         |       |
| JUNCTION LIGHT MM                      | 29325 |
| <b>Middle River</b>                    | 27110 |
| <b>Mifflin Range</b>                   | 3370  |
| <b>Mile Hammock Bay</b>                | 39250 |
| <b>Miles River</b>                     | 26165 |
| <b>Milford Haven</b>                   | 14580 |
| <b>Mill Creek (Patuxent River)</b>     | 18945 |
| <b>Mill Creek (Rappahannock River)</b> | 15075 |
| <b>Mill Creek (Severn River)</b>       | 20030 |
| MINE CREEK ENTRANCE                    |       |
| LIGHT 2                                | 23385 |
| <b>Minnesott Beach Yacht Basin</b>     | 33870 |
| <b>Mobjack Bay</b>                     | 14050 |
| Molls Cove Daybeacon 2M                | 16690 |
| <b>Money Island Channel</b>            | 38635 |
| MONKEY TAIL SHOAL                      |       |
| LIGHT 1                                | 31160 |
| <b>Monroe Creek</b>                    | 17515 |
| <b>Morehead City Channel</b>           | 29420 |
| <b>Morehead City Harbor Channel</b>    | 38600 |
| Morgan Bay Warning                     |       |
| Daybeacon                              | 29920 |
| MOSS POINT - POSSUM                    |       |
| POINT LIGHT A                          | 18080 |
| <b>Mount Vernon Cut</b>                | 18400 |
| MUD ISLAND LOWER                       |       |
| RANGE                                  | 3765  |
| Muddy Creek Daybeacon 1                | 22330 |
| MUDDY HOOK COVE                        |       |
| CHANNEL LIGHT 2                        | 24480 |
| MULBERRY CREEK                         |       |
| LIGHT 1                                | 15380 |
| <b>Mulberry Island</b>                 | 11730 |
| MUNICIPAL BASIN LIGHT 1                | 25010 |
| <b>Murderkill River</b>                | 2300  |
| Myer Creek Daybeacon 2                 | 15175 |

## N

|                           |       |
|---------------------------|-------|
| N.A.S BASIN ENTRANCE      |       |
| LIGHT 2                   | 18860 |
| <b>Nan Cove</b>           | 19170 |
| <b>Nandua Creek</b>       | 21765 |
| <b>Nanjemoy Creek</b>     | 17830 |
| Nansemond Ordinance Depot |       |
| Warning Daybeacon         | 11020 |
| <b>Nansemond River</b>    | 11017 |
| <b>Nanticoke River</b>    | 23965 |
| NANTUXENT POINT LIGHT     | 1970  |
| <b>Nassawadox Creek</b>   | 21630 |
| NAVAL ACADEMY LIGHT       | 19785 |
| NAVAL BASE BREAKWATER     |       |
| LIGHT                     | 9480  |
| <b>Naval Boat Channel</b> | 10615 |
| <b>Naval Ordnance</b>     | 9325  |
| Naval Station Ramp        |       |
| Obstruction Daybeacon     | 19790 |
| NAVY AIR COMBAT           |       |
| MANEUVERING RANGE         |       |
| TOWER LIGHT A             | 570   |
| NAVY ORDNANCE             |       |
| BREAKWATER LIGHT A        | 18320 |
| Navy Reserve Pier Buoy    | 21350 |
| <i>Navy SESEF Lighted</i> |       |
| <i>Buoy A</i>             | 365   |
| <i>Navy SESEF Lighted</i> |       |
| <i>Buoy B</i>             | 495   |
| <b>Neale Sound</b>        | 17400 |

|   |             |
|---|-------------|
| Neavitt Harbor Junction                 |             |
| Daybeacon                               | 25565       |
| NELSON BAY LIGHT 1                      | 34560       |
| NESHAMINY MARINA JETTY                  |             |
| LIGHT N                                 | 3915        |
| <b>Neuse River</b>                      | 33580,38260 |
| New Castle Flats                        | 2960        |
| <b>New Castle Range</b>                 | 2720        |
| <i>New Castle Range</i>                 |             |
| <i>Lighted Gong</i>                     |             |
| <i>Buoy 7N</i>                          | 2835        |
| <b>New Jersey Intracoastal Waterway</b> | 34980       |
| <b>New Point Comfort Shoal</b>          | 14415       |
| <b>New River</b>                        | 29735       |
| <b>New River - Cape Fear River</b>      | 39315       |
| <b>New River Inlet</b>                  | 29650       |
| <i>New River Inlet Lighted</i>          |             |
| <i>Whistle Buoy NR</i>                  | 790         |
| NEW RIVER-CAPE FEARRIVER                |             |
| JUNCTIONLIGHT BC                        | 30140       |
| NEW TOPSAIL BEACH                       | 30060       |
| NEWBOLD DIRECTIONAL                     |             |
| LIGHT                                   | 4185        |
| <b>Newport News Channel</b>             | 10840       |
| <i>Newport News Creek</i>               |             |
| <i>Lighted Buoy 1</i>                   | 10790       |
| <b>Newport News Middle Ground</b>       | 10765       |
| NEWPORT NEWS POINT                      |             |
| PIER LIGHT                              | 11270       |
| NEWPORT NEWS                            |             |
| SHIPBUILDING PIER 2                     |             |
| LIGHT                                   | 11305       |
| <b>Newport River</b>                    | 34805       |
| NICHOLS POINT LIGHT                     | 26650       |
| <b>Nine Foot Shoal Channel</b>          | 29105       |
| <i>NOAA Data Lighted</i>                |             |
| <i>Buoy 41001</i>                       | 635         |
| <b>Nomini Creek</b>                     | 17010       |
| NORFOLK ENTRANCE REACH                  |             |
| RANGE                                   | 9370        |
| <b>Norfolk International Terminal</b>   | 9550        |
| NORFOLK WATERSIDE PIER                  |             |
| LIGHT                                   | 9940        |
| Norman Creek Daybeacon 2                | 27150       |
| North Bluff Point Warning               |             |
| Daybeacon                               | 32415       |
| <b>North Channel</b>                    | 21365,21400 |
| <b>North Channel Bridge</b>             |             |
| Fog Signals                             | 21395       |
| <i>North Chesapeake</i>                 |             |
| <i>Entrance Lighted Bell</i>            |             |
| <i>Buoy NCA</i>                         | 385         |
| <b>North Creek (Core Sound)</b>         | 34750       |
| <b>North Creek (Mobjack Bay)</b>        | 14360       |
| NORTH CREEK ENTRANCE                    |             |
| LIGHT 1                                 | 33220       |
| NORTH INLET LIGHT 1                     | 6790        |
| North Landing River Warning             |             |
| Daybeacon                               | 37370       |
| NORTH POINT CREEK                       |             |
| LIGHT 2                                 | 20515       |
| NORTH POINT LIGHT N                     | 16030       |
| <b>Northeast River</b>                  | 27835       |
| <b>Northwest Harbor</b>                 | 21330       |
| <b>Norton's Marina</b>                  | 15005       |

## O

|                           |       |
|---------------------------|-------|
| <b>Oak Creek</b>          | 26205 |
| <b>Oak Island Channel</b> | 30415 |
| <b>Oak Island Light</b>   | 810   |
| <b>Ocohannock Creek</b>   | 21695 |
| <b>Occoquan River</b>     | 18265 |
| <b>Ocean City Inlet</b>   | 4720  |
| OCEAN CITY INLET JETTY    |       |
| LIGHT                     | 225   |
| OCEAN PINES YACHT CLUB    | 4925  |
| <b>Ocracoke Inlet</b>     | 28895 |
| <b>Ocracoke Light</b>     | 660   |
| OKAHANIKAN POINT LIGHT    | 23605 |
| Old Bare Shoal Buoy A     | 2250  |
| <b>Old House Channel</b>  | 28200 |

## INDEX

|  |             |  |             |   |       |
|--|-------------|--|-------------|---|-------|
| OLD PLANTATION FLATS LIGHT                     | 7245        | Plum Point Shoal Buoy 1                                | 7705        | <b>Roanoke Sound</b>                        | 28365 |
| <b>Old Point Comfort Light</b>                 | 9380        | <b>Pocomoke River</b>                                  | 22510       | Robins Point Shoal Buoy 1                   | 27285 |
| OLD REEDY ISLAND LIGHT                         | 2605        | <b>Pocomoke Sound</b>                                  | 22100       | ROBINSON CREEK LIGHT 1                      | 15275 |
| <b>Old Road Bay</b>                            | 20495       | POINT LOOKOUT LIGHT                                    | 7525        | <b>Rock Creek</b>                           | 20370 |
| Old Topsail Creek Buoy 17                      | 39535       | POINT NO POINT LIGHT                                   | 7560        | <b>Rock Hall Harbor</b>                     | 26890 |
| OLDFIELD POINT RANGE FRONT LIGHT               | 9025        | Point of Marsh Daybeacon                               | 33500       | <b>Rockhold Creek</b>                       | 19395 |
| OLIVER REEF LIGHT                              | 32340       | <b>Pooles Island - West Channel</b>                    | 27285       | ROEBLING RANGE                              | 4125  |
| Oliver Reef Warning Daybeacon                  | 28855       | POOLES ISLAND BAR LIGHT                                | 8575        | <b>Rollinson Channel</b>                    | 28815 |
| <b>Onancock Creek</b>                          | 21925       | <b>Pooles Island Flats Channel</b>                     | 8645        | <b>Roosevelt Inlet</b>                      | 2065  |
| <i>Onslow Bay Wreck Lighted Buoy WR2</i>       | 780         | POPLAR BRANCH LIGHT 1                                  | 31220       | <b>Rose Bay</b>                             | 32735 |
| <b>Oregon Inlet</b>                            | 27965       | <b>Poplar Island Narrows</b>                           | 25955       | ROSE HAVEN CHANNEL LIGHT 1                  | 19335 |
| OSBORN ISLAND LIGHT 2                          | 35505       | <b>Poquoson River</b>                                  | 13165       | Rowes Creek Daybeacon 2                     | 14295 |
| <b>Otter Point Creek</b>                       | 27370       | POQUOSON RIVER MARINA PIER LIGHTS (3)                  | 13305       | <b>Roy Creek</b>                            | 4975  |
| Outer Diamond Shoal Buoy 2                     | 630         | <b>Port Mahon</b>                                      | 2345        | ROYAL SHOAL LIGHT 1                         | 32365 |
| OUTFALL CANAL ENTRANCE LIGHT                   | 32420       | Port Richmond Anchorage Buoy A                         | 3610        | RUDEE INLET JETTY LIGHT 4                   | 505   |
| <b>Oyster Creek</b>                            | 32820       | <b>Port Tobacco River</b>                              | 17770       | <i>Rudee Inlet Lighted Whistle Buoy RI</i>  | 500   |
| OYSTER CREEK CHANNEL JUNCTION LIGHT OC         | 6445        | <b>Portsmouth Marine Terminal</b>                      | 9800        | <b>Russell Slough</b>                       | 38440 |
| OYSTER CREEK ENTRANCE LIGHT 2                  | 34590       | POSSUM POINT PIER LIGHT                                | 18075       |   |       |
| Oyster Rock Warning Daybeacon                  | 11385       | <b>Potomac Creek</b>                                   | 17915       | <b>S</b>                                    |       |
|  |             | <i>Potomac River Midchannel Lighted Whistle Buoy B</i> | 16855       | <b>Salem River Entrance</b>                 | 2645  |
| <b>P</b>                                       |             | Prentice Creek Daybeacon 2                             | 16160       | <b>Salt Ponds</b>                           | 12845 |
| PAGES ROCK LIGHT                               | 13875       | Prentice Creek Entrance                                | 16155       | Salter Creek Entrance                       | 34605 |
| PAMLICO POINT LIGHT PP                         | 32810       | <b>Price Creek</b>                                     | 30495       | <b>San Domingo Creek</b>                    | 25795 |
| <b>Pamlico River</b>                           | 32810       | <b>Prospect Bay</b>                                    | 26335       | <b>Sand Shoal Inlet</b>                     | 6965  |
| <b>Pamlico River Approach</b>                  | 32415       | PUBLIC LANDING LIGHT 1                                 | 5150        | SANDY POINT JETTY LIGHT                     | 7900  |
| <b>Pamlico Sound</b>                           | 31980       | Pungo Creek Daybeacon 2PC                              | 32920       | <b>Sandy Point State Park</b>               | 7905  |
| <b>Parish Creek</b>                            | 19475       | <b>Pungo River</b>                                     | 32855,38025 | <b>Sarah Creek</b>                          | 13710 |
| <b>Parkers Creek</b>                           | 21970       | <b>Pungoteague Creek</b>                               | 21845       | <b>Sassafras River</b>                      | 27435 |
| <i>Parramore Bank Lighted Gong Buoy 10</i>     | 315         |  |             | SAUNDERS POINT SHOAL JUNCTION LIGHT         | 19450 |
| <b>Parrotts Creek</b>                          | 15345       | <b>Q</b>   |             | <b>Schuykill River</b>                      | 3410  |
| <b>Pasquotank River</b>                        | 31390,36955 | <b>Quantico Marine Barracks Fog Signal</b>             | 18070       | <b>Scott Creek Channel</b>                  | 9860  |
| <b>Patapsco River</b>                          | 20300       | Quarter March Creek Entrance Daybeacon 2               | 13250       | <b>Scraping Limit</b>                       | 24855 |
| <b>Patuxent River</b>                          | 18870       | Queen Anne's County Obstruction Buoy A                 | 7980        | <b>Scuppernong River</b>                    | 31585 |
| Paul Point Shoal                               | 24460       | <b>Queen Creek</b>                                     | 13780       | <b>Seagirt Marine Terminal East Channel</b> | 21045 |
| <b>Pea Patch Island</b>                        | 2840        | <b>Queens Creek</b>                                    | 14815       | SEALEVEL CHANNEL ENTRANCE LIGHT 1           | 34550 |
| PEA PATCH ISLAND DIKE LIGHT B                  | 2915        | QUINBY CHANNEL LIGHT 4                                 | 6740        | <b>Second Cove</b>                          | 19065 |
| <b>Peletier Creek Entrance Channel</b>         | 38820       | <b>Quinby Creek</b>                                    | 6750        | <b>Selby Bay</b>                            | 19585 |
| <b>Pembroke Creek</b>                          | 31765       | <b>Quinby Inlet</b>                                    | 6700        | <b>Seneca Creek</b>                         | 27165 |
| Pennsville Dike Danger Buoy PDA                | 2900        | <i>Quinby Inlet Lighted Whistle Buoy Q</i>             | 320         | SERVICE CRAFT BASIN BREAKWATER LIGHT        | 9495  |
| <b>Pennwood Channel</b>                        | 20430       |  |             | <b>Seyvern River</b>                        | 19690 |
| PEPCO DISCHARGE CHANNEL RETAINING WALL LIGHT B | 17720       | <b>R</b>   |             | <b>Seyvern River (Mobjack Bay)</b>          | 14250 |
| PEPCO INTAKE CHANNEL BAFFLE WALL LIGHT A       | 17715       | Raccoon Island   | 33505       | Seyvern River Restricted Area Buoy A        | 19770 |
| PEPCO TURNING DOLPHIN LIGHT C                  | 17725       | RAGGED POINT LIGHT                                     | 16940       | Sewell Point Buoy A                         | 145   |
| <b>Pepper Creek</b>                            | 4440        | RAMSHORN CHANNEL LIGHT 2                               | 6960        | SHACKLEFORD SLUE LIGHT                      | 29415 |
| Pepper Creek Daybeacon 3                       | 14155       | <i>Rancocas Creek Junction Lighted Buoy RC</i>         | 3785        | Shad Battery Shoal Buoy 1A                  | 8850  |
| <b>Perquimans River</b>                        | 31510       | <i>Rappahannock Dumping Ground Lighted Buoy A</i>      | 7340        | Shad Landing Park                           | 22615 |
| <b>Perrin River</b>                            | 13510       | <b>Rappahannock River</b>                              | 14905       | <b>Shallotte Inlet</b>                      | 31050 |
| Perry Point Warning Buoy                       | 27810       | RAPPAHANNOCK SHOAL CHANNEL SOUTH RANGE FRONT LIGHT     | 7290        | <b>Shallow Creek</b>                        | 26950 |
| Perryville Intake Structure Buoy A             | 27815       | REAVES POINT CHANNEL RANGE                             | 30555       | SHARKFIN SHOAL CHANNEL RANGE                | 23645 |
| Petty Island                                   | 3580        | <b>Reedy Island Dike</b>                               | 2525        | SHARKFIN SHOAL LIGHT                        | 23590 |
| Philpotts Island Daybeacon 2                   | 26245       | <b>Reedy Island Range</b>                              | 2570        | Sharkfin Shoal Warning Buoy                 | 23595 |
| <b>Phoebus Channel</b>                         | 10995       | <b>Rehoboth Bay</b>                                    | 2095        | Sharps Island Ice Breaker Buoy              | 24810 |
| <b>Piankatank River</b>                        | 14670       | Reserve Basin Junction Buoy RB                         | 3435        | Sharps Island Junction Buoy SI              | 24815 |
| <b>Pier 1</b>                                  | 7840        | <b>Rhode River</b>                                     | 19515       | SHARPS ISLAND LIGHT                         | 7690  |
| PIER 9 TERMINAL COMPANY LIGHTS                 | 11275       | <b>Rhodes Point Gut Channel</b>                        | 22990       | <b>Sheep Pen Cut</b>                        | 23175 |
| <b>Pier Street Marina</b>                      | 25330       | RIVERBANK LIGHT  | 35100       | SHELL OIL COMPANY RANGE                     | 21110 |
| <b>Pierce Creek</b>                            | 33690       | Riverside Warning Daybeacon                            | 17875       | SHINN CREEK LIGHT 1                         | 30190 |
| PINGLETON SHOAL LIGHT 1PS                      | 32100       | ROANOKE ISLAND CUT THROUGH LIGHT 1                     | 28390       | <b>Ship Channel</b>                         | 1325  |
| <b>Piscataway Creek</b>                        | 18515       | ROANOKE ISLAND WEST SIDE LIGHT 2                       | 31960       | <b>Ship John Shoal Light</b>                | 1640  |
| Plain Dealing Creek Daybeacon 1                | 25425       | ROANOKE MARSHES LIGHT RM                               | 31975       | SILLERY BAY LIGHT 1                         | 20115 |
|  |             | <b>Roanoke River</b>                                   | 31670       | <b>Silver Lake</b>                          | 28985 |

## INDEX

|  |       |
|--|-------|
| Smith Creek Buoy 2   | 9890  |
| <b>Smith Creek Channel</b>   | 33755 |
| SMITH ISLAND RANGE   | 30385 |
| Smith Island West Side<br>Daybeacon                                  | 23195 |
| <i>Smith Point Fairway</i><br><i>Lighted Bell Buoy SP</i>            | 7490  |
| <b>Smith Point Light</b>   | 7480  |
| SNOWS CUT RANGE  | 39830 |
| SNOWS MARSH CHANNEL<br>RANGE FRONT LIGHT                             | 30485 |
| SOD RUN OBSTRUCTION<br>LIGHT A                                       | 27345 |
| Solitude Creek Daybeacon 1   | 25735 |
| <b>Solomons Island</b>   | 18900 |
| SOLOMONS LUMP LIGHT  | 23475 |
| <b>South Creek</b>   | 33110 |
| SOUTH JERSEY DOCK<br>LIGHT A   | 3570  |
| <b>South River</b><br>(EASTERN BAY AND<br>SOUTH RIVER (Chart 12270)) | 19560 |
| <b>South River</b><br>(PAMLICO SOUND (Chart 11548))                  | 33655 |
| South Yeocomico River<br>Daybeacon 2                                 | 16830 |
| Southeast Creek<br>Daybeacon 2                                       | 26780 |
| SOUTHPORT CHANNEL<br>RANGE   | 30405 |
| SOUTHPORT LIGHT 1  | 30455 |
| <b>Southwest Branch</b>  | 14275 |
| Southwest Creek Warning<br>Daybeacon 1                               | 29925 |
| <b>Spa Creek</b>   | 19905 |
| SPARROWS POINT COUNTRY<br>CLUB PIER LIGHT                            | 20700 |
| <b>Sparrows Point Steel Work Channel</b>                             | 20545 |
| <b>Spesutie Narrows</b>  | 27520 |
| <b>Spooner Creek</b>   | 38855 |
| Spriggs Pond Warning<br>Daybeacon A                                  | 20230 |
| <b>Spring Garden Channel</b>   | 21310 |
| Spring Point Warning<br>Daybeacon                                    | 29875 |
| ST GEORGE CREEK<br>JUNCTION LIGHT A                                  | 16665 |
| ST MICHAELS HARBOR<br>ENTRANCE LIGHT 2                               | 26185 |
| <b>St. Catherine Sound</b>   | 17215 |
| <b>St. Catherine Sound Upper Entrance</b>                            | 17270 |
| <b>St. Clement Bay</b>   | 17155 |
| <b>St. George Creek</b>  | 16735 |
| <b>St. Jerome Creek</b>  | 18795 |
| St. John Creek Daybeacon 2   | 18995 |
| St. Jones River Warning<br>Daybeacon                                 | 2325  |
| St. Julian Creek Lighted<br>Marker A                                 | 10015 |
| St. Leonard Creek Entrance<br>Daybeacon 1                            | 19140 |
| <b>St. Marys River</b>   | 16660 |
| <b>St. Patrick Creek</b>   | 17115 |
| <b>St. Peters Creek</b>  | 23435 |
| <b>Starling Creek</b>  | 22455 |
| <b>State Boundary Line</b>   | 5160  |
| State Boundary Line Watkins<br>Point Daybeacon                       | 22380 |
| State Boundary Line<br>Daybeacon G                                   | 22810 |
| Steel Pier Wreck<br>Buoy WR2   | 65    |
| <b>Stilpond Creek</b>  | 8805  |
| STINGRAY POINT LIGHT   | 7325  |
| STONE CONTAINER CORP.<br>DOCK LIGHT A                                | 12505 |
| Stones Bay Warning<br>Daybeacon                                      | 29845 |
| Stones Creek Warning<br>Daybeacon                                    | 29840 |
| <b>Stony Creek</b>   | 20400 |
| STUMP NECK PIER LIGHT  | 18120 |
| <b>Stumpy Point</b>  | 32000 |

|   |       |
|---|-------|
| <b>Stumpy Point Bay</b>                               | 31985 |
| STUMPY POINT TARGET<br>WARNING LIGHT E                | 32075 |
| <b>Stutts Creek</b>                                   | 14630 |
| SUE ISLAND ENTRANCE<br>LIGHT 1                        | 27130 |
| Sunken Island Junction                                | 12570 |
| <b>Sunny Point Terminal</b>                           | 30565 |
| SUNSET CREEK JUNCTION<br>LIGHT SC                     | 10965 |
| <b>Surry Power Station</b>                            | 11795 |
| <b>Susquehanna River</b>                              | 27585 |
| <b>Swan Creek</b>                                     | 26850 |
| Swan Point Shoal Warning<br>Daybeacon                 | 17470 |
| SWAN TERMINAL PIER<br>LIGHT                           | 10025 |
| <i>Swann Point Junction</i><br><i>Lighted Buoy SP</i> | 12140 |
| SWANN POINT SHOAL                                     | 12130 |
| <b>Swanquarter Bay</b>                                | 32670 |
| <b>Swansboro Harbor</b>                               | 29590 |
| <b>Swantown Creek</b>                                 | 27475 |
| <b>Swash</b>  | 18925 |
| <b>Swash Channel</b>                                  | 29090 |

## T

|   |       |
|---|-------|
| TACONY RANGE FRONT<br>LIGHT   | 3720  |
| <i>Tail Of The Horseshoe</i><br><i>Shoal Lighted Bell</i><br><i>Buoy 2T</i>         | 7065  |
| <b>Tangier Island East Channel</b>  | 22740 |
| Tangier Island Shoal Point<br>Buoy 2  | 7460  |
| <b>Tangier Island West Channel</b>  | 22725 |
| <b>Tangier Sound</b>  | 22705 |
| <b>Tangier Sound Light</b>  | 7435  |
| TANHOUSE CREEK<br>ENTRANCE LIGHT 2  | 5155  |
| <b>Tanker Anchorage</b>   | 2180  |
| Tappahannock Channel<br>Daybeacon 2   | 15620 |
| <b>Tar Bay</b>  | 24580 |
| Tarmac Mooring Buoy   | 10785 |
| <b>Taylor Creek (Core Sound)</b>  | 34780 |
| <b>Taylor Creek (Neuse River)</b>   | 34083 |
| Taylor Creek Daybeacon 1  | 15160 |
| Taylor Island Shoal Buoy 1  | 8855  |
| <b>Teaches Hole Channel</b>   | 28943 |
| <b>Tedious Creek</b>  | 24380 |
| Texasgulph Entrance<br>Daybeacon 1  | 33260 |
| <b>The Haven Channel</b>  | 26886 |
| <b>Thimble Shoal Channel</b>  | 9205  |
| <b>Thimble Shoal Light</b>  | 9310  |
| THIMBLE SHOAL TUNNEL<br>SOUTH LIGHT   | 9245  |
| <b>Thomas Point Shoal</b><br>Light  | 7760  |
| THOMPSON POINT INTAKE<br>LIGHT  | 3305  |
| <b>Thorofare Channel</b><br>(FENWICK ISLAND TO<br>CHINCOTEAGUE INLET (Chart 12211)) | 4875  |
| Tideland Electrical Warning<br>Buoy   | 28675 |
| TILGHMAN CREEK LIGHT 1  | 26055 |
| <b>Tilghman Island</b><br>Timberneck Creek<br>Daybeacon 2                           | 25840 |
| <i>Tinicum Island</i>   | 13765 |
| <b>Tolchester Light</b>   | 3270  |
| TOOLEYS CREEK LIGHT 1   | 8530  |
| <b>Torresdale</b>   | 32980 |
| <b>Totuskey Creek</b>   | 3740  |
| <b>Town Creek (Newport River)</b>   | 15455 |
| <b>Town Creek (Tred Avon River)</b>   | 34880 |
| <b>Town Creek (Tred Avon River)</b>   | 25375 |
| TOWN CREEK LIGHT 2  | 19055 |
| Town Point Warning<br>Daybeacon   | 19060 |

|   |       |
|---|-------|
| <i>Townsend Inlet Shoals</i><br><i>Lighted Bell Buoy 4A</i> | 75    |
| <b>Townsend's Inlet</b>                                     | 1405  |
| Traps Bay Warning<br>Daybeacon                              | 29755 |
| <b>Tred Avon River</b>                                      | 25320 |
| <b>Trent River</b>  | 34240 |
| <b>Triple S. Marina</b>                                     | 38535 |
| Trippe Bay Buoy 2   | 24800 |
| Trippe Creek Daybeacon 1                                    | 25445 |
| TRITON LIGHT  | 19780 |
| TUE MARSHES LIGHT   | 13505 |
| TURKEY POINT LIGHT  | 8975  |
| <b>Turnagain Bay</b>  | 33630 |
| Turner Creek Entrance<br>Buoy 1                             | 27445 |
| Turners Lump Buoy 2   | 295   |
| Tyler Cove Channel<br>Daybeacon 1                           | 24620 |
| <b>Tyler Creek</b>  | 23125 |
| <b>Tylers Beach Channel</b>                                 | 11705 |
| Tylerton Harbor Daybeacon 2                                 | 23155 |

## U

|  |              |
|--|--------------|
| Underwater Storage Sewer<br>Marker Buoys               | 18750        |
| UPPER BROAD CREEK<br>LIGHT 2                           | 33990        |
| UPPER BRUNSWICK RANGE                                  | 30845        |
| <b>Upper Chesapeake Channel</b>                        | 8320         |
| <b>Upper Delaware River</b>                            | 3650         |
| <b>Upper Edge Creek</b>                                | 25745        |
| <b>Upper Elk River</b>                                 | 27900        |
| <b>Upper Gunpowder River</b>                           | 27225        |
| UPPER LILIPUT RANGE                                    | 30735        |
| <b>Upper Machodoc Creek</b><br><b>Dahlgren Channel</b> | 17640        |
| UPPER MIDDLE GROUND<br>LIGHT UM                        | 32480        |
| UPPER MIDNIGHT CHANNEL<br>NORTH RANGE FRONT<br>LIGHT   | 30675        |
| <b>Upper Potomac River</b>                             | 17750, 18760 |
| <b>Upper Thorofare</b>                                 | 23550        |
| <b>Urbanna Creek</b>                                   | 15240        |
| USN Aerial Gunnery Area<br>Warning Daybeacon A         | 7450         |
| USN AERIAL GUNNERY<br>AREA LIGHT A                     | 7535         |

## V

|   |       |
|---|-------|
| Virginia Power Comany Fish<br>Return Line Daybeacon | 10050 |
| VIRGINIA POWER INTAKE<br>JETTY LIGHT A              | 13585 |
| VIRGINIA POWER WEST<br>TOWER LIGHT                  | 11065 |
| VIRGINIA POWER<br>COMPANY WHARF<br>LIGHTS           | 10045 |
| VIRGINIA POWER<br>INSTRUMENT TOWER<br>LIGHT A       | 11790 |
| VIRGINIA POWER<br>INSTRUMENT TOWER<br>LIGHT C       | 11970 |
| VIRGINIA POWER<br>INSTRUMENT TOWER<br>LIGHT F       | 12050 |
| VIRGINIA POWER<br>UNDERWATER<br>OBSTRUCTION LIGHT A | 13575 |
| VISTA CHEMICAL PIER LIGHT                           | 21120 |
| VMRC NE Corner Reef Buoy                            | 10475 |

## W

|                             |      |
|-----------------------------|------|
| <b>Wachapreague Channel</b> | 6655 |
| <b>Wachapreague Inlet</b>   | 6600 |

## INDEX

|                                  |       |
|----------------------------------|-------|
| <i>Wachapreague Inlet</i>        |       |
| <i>Lighted Whistle</i>           |       |
| <i>Buoy W</i> .....              | 305   |
| Wachapreague North Inlet         |       |
| Buoy 1 .....                     | 6630  |
| <b>Wallace Creek</b> .....       | 24555 |
| WALLACE CREEK LIGHT 2 .....      | 29900 |
| <b>Walter Slough</b> .....       | 28305 |
| <b>Wanchese Channel</b> .....    | 28440 |
| <b>Ward Creek</b> .....          | 22945 |
| <b>Ware River</b> .....          | 14310 |
| <b>Warwick River</b> .....       | 11525 |
| Warwick River Daybeacon 1 .....  | 25155 |
| WASHINGTON GAS LIGHT             |       |
| CO PIER LIGHT .....              | 18745 |
| WATERLILY LIGHT 1W .....         | 31165 |
| WATTS ISLAND WARNING             |       |
| LIGHT .....                      | 22115 |
| <b>Webster Cove</b> .....        | 23795 |
| Weems Creek Junction             |       |
| Daybeacon WC .....               | 19935 |
| <b>Wells Cove</b> .....          | 26395 |
| <b>West Bay</b> .....            | 33480 |
| West Bluff Daybeacon 1 .....     | 32430 |
| <b>West Branch Channel</b> ..... | 13585 |
| West Flats Daybeacon 1 .....     | 10980 |
| <b>West Neck Creek</b> .....     | 37215 |
| <b>West River</b> .....          | 19450 |
| WEST SEAPLANE BASIN              |       |
| ENTRANCE LIGHT 1 .....           | 19030 |

|                                       |             |
|---------------------------------------|-------------|
| West Yeocomico River                  |             |
| Daybeacon 4 .....                     | 16815       |
| WESTMOUTH BAY LIGHT A .....           | 34685       |
| WHALE HEAD BAY LIGHT 1 .....          | 31170       |
| <b>Whay's Creek</b> .....             | 16305       |
| <b>White Creek</b> .....              | 4645        |
| WHITE HILL RANGE .....                | 4205        |
| White House Cove                      |             |
| Daybeacon 1 .....                     | 13290       |
| WHITE ROCKS LIGHT .....               | 20370       |
| <b>Whitehall Creek</b> .....          | 20065       |
| Whitemarsh Creek                      |             |
| Daybeacon 1 .....                     | 19550       |
| WHITESTONE POINT LIGHT .....          | 18375       |
| <b>Wicomico Creek</b> .....           | 23855       |
| <b>Wicomico River</b> .....           | 17250,23675 |
| WILDWOOD BEACH LIGHT 2 .....          | 15435       |
| WILKINSON POINT FERRY                 |             |
| TERMINAL CHANNEL                      |             |
| LIGHT 2 .....                         | 33840       |
| <b>William P. Lane Jr.</b>            |             |
| (Chesapeake Bay) Bridge .....         | 7890        |
| <b>Willoughby Bay</b> .....           | 10575       |
| WILLOW POINT SHOAL                    |             |
| LIGHT .....                           | 32845       |
| <b>Wilmington Marine Center</b> ..... | 30870       |
| <b>Wilmington Short Cut</b> .....     | 39785       |
| WILSON POINT JUNCTION LIGHT .....     | 27145       |
| <i>Wimble Shoals Lighted</i>          |             |
| <i>Buoy 10</i> .....                  | 620         |

|                                    |       |
|------------------------------------|-------|
| WINDMILL POINT LIGHT .....         | 7330  |
| <b>Windmill Point Marina</b> ..... | 14930 |
| <b>Winter Harbor</b> .....         | 14525 |
| Winter Quarter Shoal               |       |
| Buoy 5 .....                       | 265   |
| <b>Wishart Point Channel</b> ..... | 5550  |
| <b>Woodrow Wilson</b>              |       |
| <b>Memorial Bridge</b>             |       |
| <b>Fog Signal</b> .....            | 18605 |
| <b>Wormley Creek Marina</b> .....  | 13630 |
| WORTON POINT LIGHT .....           | 8760  |
| <b>Wright Creek</b> .....          | 32865 |
| <b>Wrightsville Channel</b> .....  | 30200 |
| Wye East River Daybeacon 2 .....   | 26155 |
| <b>Wye River</b> .....             | 26110 |
| <b>Wysocking Bay</b> .....         | 32150 |

## Y

|                                      |       |
|--------------------------------------|-------|
| Yacht Anchorage                      |       |
| Buoy A .....                         | 4005  |
| <b>Yeocomico River</b> .....         | 16805 |
| <b>York River</b> .....              | 13395 |
| YORK SPIT LIGHT .....                | 13455 |
| <b>York Spit Swash Channel</b> ..... | 14100 |
| Young Creek Daybeacon 2 .....        | 22325 |



**CROSS REFERENCE - INTERNATIONAL vs. U.S. LIGHT NUMBER**

| Inter.   | — | U.S.        | Inter.   | — | U.S. | Inter.   | — | U.S.      | Inter.   | — | U.S.  |
|----------|---|-------------|----------|---|------|----------|---|-----------|----------|---|-------|
| J1240    |   | 1195        | J1304.1  |   | 2770 | J1328.31 |   | 3770      | J1411.2  |   | 10155 |
| J1244    |   | 90          | J1304.4  |   | 2825 | J1328.4  |   | 3795      | J1411.3  |   | 10165 |
| J1250    |   | 1440        | J1305    |   | 2830 | J1328.41 |   | 3800      | J1411.4  |   | 10385 |
| J1252    |   | 1445        | J1305.6  |   | 2860 | J1328.6  |   | 3820      | J1411.42 |   | 10400 |
| J1253    |   | 1455        | J1305.7  |   | 2845 | J1328.7  |   | 3825      | J1411.44 |   | 10405 |
| J1253.1  |   | 1460        | J1306    |   | 2880 | J1329    |   | 3840      | J1411.46 |   | 10415 |
| J1254    |   | 36780       | J1306.1  |   | 2885 | J1329.1  |   | 3845      | J1411.48 |   | 10430 |
| J1256    |   | 155         | J1307.4  |   | 2915 | J1329.4  |   | 3865      | J1411.6  |   | 10440 |
| J1258    |   | 1670, 36785 | J1308    |   | 2895 | J1329.41 |   | 3870      | J1411.8  |   | 10450 |
| J1260    |   | 1675, 36790 | J1308.1  |   | 2910 | J1329.6  |   | 3880      | J1413    |   | 10495 |
| J1261    |   | 1680        | J1308.4  |   | 2930 | J1329.61 |   | 3885      | J1413.1  |   | 10500 |
| J1262    |   | 1535        | J1308.5  |   | 2935 | J1329.8  |   | 3890      | J1414    |   | 10505 |
| J1264    |   | 1555        | J1308.6  |   | 2940 | J1329.81 |   | 3895      | J1415    |   | 10510 |
| J1266    |   | 1575        | J1309    |   | 2975 | J1330    |   | 3905      | J1416    |   | 9310  |
| J1268    |   | 1585        | J1309.1  |   | 2980 | J1330.1  |   | 3910      | J1420    |   | 9380  |
| J1270    |   | 1600        | J1309.7  |   | 2985 | J1330.25 |   | 3915      | J1425    |   | 10895 |
| J1272    |   | 1640        | J1309.8  |   | 2990 | J1330.3  |   | 3935      | J1426    |   | 10905 |
| J1273    |   | 1645        | J1311    |   | 3000 | J1330.31 |   | 3940      | J1427    |   | 10925 |
| J1273.6  |   | 1695        | J1312    |   | 3005 | J1330.6  |   | 3945      | J1428    |   | 10945 |
| J1274    |   | 1945        | J1312.1  |   | 3010 | J1330.7  |   | 3950      | J1429    |   | 10965 |
| J1276    |   | 1950        | J1313    |   | 3080 | J1331    |   | 3965      | J1430    |   | 10995 |
| J1278    |   | 1980        | J1313.1  |   | 3085 | J1331.1  |   | 3970      | J1430.2  |   | 11000 |
| J1280    |   | 1530        | J1313.6  |   | 3090 | J1331.2  |   | 3975      | J1431    |   | 10580 |
| J1280.2  |   | 2050        | J1314    |   | 3135 | J1331.3  |   | 3980      | J1433    |   | 10595 |
| J1281.2  |   | 2030        | J1314.1  |   | 3140 | J1331.6  |   | 3995      | J1433.4  |   | 10600 |
| J1281.6  |   | 2035        | J1314.2  |   | 3125 | J1331.7  |   | 4000      | J1433.6  |   | 10605 |
| J1281.62 |   | 2040        | J1314.3  |   | 3170 | J1332    |   | 4020      | J1434    |   | 10615 |
| J1281.64 |   | 2045        | J1314.6  |   | 3200 | J1332.1  |   | 4025      | J1434.15 |   | 10625 |
| J1282    |   | 2055        | J1314.7  |   | 3220 | J1332.4  |   | 4045      | J1434.2  |   | 10635 |
| J1282.2  |   | 2060        | J1314.8  |   | 3225 | J1332.5  |   | 4050      | J1434.4  |   | 10645 |
| J1283    |   | 2070        | J1315    |   | 3230 | J1333    |   | 4080      | J1434.6  |   | 10650 |
| J1283.2  |   | 2065        | J1315.1  |   | 3235 | J1333.1  |   | 4085      | J1434.8  |   | 10655 |
| J1284    |   | 2075        | J1315.4  |   | 3250 | J1333.49 |   | 4105      | J1435    |   | 9480  |
| J1284.1  |   | 2080        | J1315.7  |   | 3275 | J1333.5  |   | 4100      | J1436    |   | 9495  |
| J1285.2  |   | 2260        | J1315.71 |   | 3280 | J1333.51 |   | 4115      | J1439    |   | 9585  |
| J1285.4  |   | 2275        | J1316    |   | 3370 | J1335    |   | 4125      | J1439.1  |   | 9590  |
| J1285.8  |   | 2300        | J1316.1  |   | 3375 | J1335.1  |   | 4130      | J1440    |   | 9635  |
| J1286    |   | 2305        | J1317    |   | 3305 | J1336    |   | 4145      | J1440.05 |   | 9640  |
| J1286.1  |   | 2310        | J1319    |   | 3320 | J1336.1  |   | 4150      | J1440.1  |   | 9645  |
| J1287    |   | 2410        | J1319.1  |   | 3325 | J1338    |   | 4185      | J1440.15 |   | 9650  |
| J1288    |   | 2345        | J1320.6  |   | 3340 | J1339    |   | 4205      | J1440.2  |   | 10660 |
| J1289    |   | 2415        | J1322    |   | 3415 | J1339.1  |   | 4210      | J1440.4  |   | 10675 |
| J1290    |   | 2420        | J1322.1  |   | 3420 | J1340    |   | 4255      | J1440.6  |   | 10700 |
| J1292    |   | 2445        | J1322.3  |   | 3425 | J1340.1  |   | 4260      | J1440.8  |   | 10735 |
| J1292.1  |   | 2450        | J1322.5  |   | 3430 | J1341    |   | 4280      | J1440.94 |   | 10745 |
| J1293    |   | 1990        | J1323    |   | 3495 | J1341.1  |   | 4285      | J1441.6  |   | 9665  |
| J1294    |   | 1995        | J1323.1  |   | 3500 | J1348    |   | 2085      | J1441.7  |   | 9675  |
| J1296.5  |   | 2475        | J1323.4  |   | 3540 | J1349    |   | 2115      | J1441.8  |   | 9695  |
| J1296.7  |   | 2490        | J1323.41 |   | 3545 | J1353.2  |   | 4375      | J1442.6  |   | 9655  |
| J1297    |   | 2500        | J1323.5  |   | 3530 | J1354    |   | 205       | J1443    |   | 9725  |
| J1297.2  |   | 2565        | J1323.51 |   | 3535 | J1359    |   | 4760      | J1443.2  |   | 9730  |
| J1297.4  |   | 2605        | J1324.4  |   | 3625 | J1364    |   | 275       | J1443.4  |   | 9740  |
| J1298    |   | 2505        | J1324.41 |   | 3630 | J1374    |   | 5530      | J1446    |   | 9800  |
| J1298.1  |   | 2510        | J1325    |   | 3650 | J1375    |   | 5535      | J1446.1  |   | 9805  |
| J1299    |   | 2580        | J1325.1  |   | 3655 | J1387    |   | 325, 6730 | J1448.6  |   | 9940  |
| J1299.1  |   | 2585        | J1325.4  |   | 3705 | J1388    |   | 6735      | J1449.3  |   | 36805 |
| J1299.4  |   | 2635        | J1325.6  |   | 3715 | J1393    |   | 6990      | J1449.4  |   | 36825 |
| J1300    |   | 2655        | J1326    |   | 3720 | J1403    |   | 360       | J1449.5  |   | 36830 |
| J1300.1  |   | 2660        | J1326.1  |   | 3725 | J1404    |   | 350       | J1449.6  |   | 36865 |
| J1301    |   | 2730        | J1327    |   | 3740 | J1408    |   | 370       | J1449.7  |   | 36870 |
| J1301.1  |   | 2735        | J1327.1  |   | 3745 | J1408.4  |   | 9245      | J1450    |   | 36875 |
| J1303.2  |   | 2755        | J1328    |   | 3750 | J1408.42 |   | 9250      | J1450.2  |   | 36880 |
| J1303.3  |   | 2760        | J1328.1  |   | 3755 | J1410    |   | 10125     | J1450.3  |   | 36885 |
| J1304    |   | 2765        | J1328.3  |   | 3765 | J1411    |   | 10150     | J1452    |   | 9395  |

CROSS REFERENCE - INTERNATIONAL vs. U.S. LIGHT NUMBER

| Inter.   | — | U.S.  | Inter.   | — | U.S.  | Inter.   | — | U.S.  | Inter.  | — | U.S.        |
|----------|---|-------|----------|---|-------|----------|---|-------|---------|---|-------------|
| J1454    |   | 9400  | J1477.5  |   | 12640 | J1952    |   | 18560 | J2032   |   | 23605       |
| J1456    |   | 9430  | J1477.55 |   | 12645 | J1954    |   | 18570 | J2034   |   | 24450       |
| J1458    |   | 10815 | J1477.6  |   | 12650 | J1956    |   | 18595 | J2036   |   | 24455       |
| J1461.6  |   | 10790 | J1477.65 |   | 12655 | J1960    |   | 18605 | J2037   |   | 24465       |
| J1466    |   | 11255 | J1477.7  |   | 12665 | J1962    |   | 18650 | J2037.2 |   | 24470       |
| J1467    |   | 11260 | J1477.75 |   | 12675 | J1970    |   | 18745 | J2037.4 |   | 24475       |
| J1467.2  |   | 11265 | J1477.8  |   | 12680 | J1974    |   | 7560  | J2038   |   | 24495       |
| J1467.3  |   | 11275 | J1477.85 |   | 12685 | J1974.7  |   | 18795 | J2039   |   | 24480       |
| J1467.4  |   | 11290 | J1477.9  |   | 12690 | J1975    |   | 18810 | J2040   |   | 24505       |
| J1467.5  |   | 11295 | J1477.95 |   | 12695 | J1975.4  |   | 18820 | J2044   |   | 24515       |
| J1468    |   | 11305 | J1478.05 |   | 12705 | J1978    |   | 7545  | J2045   |   | 24520       |
| J1468.2  |   | 11310 | J1478.1  |   | 12710 | J1979    |   | 23460 | J2046   |   | 24525       |
| J1469    |   | 11315 | J1478.15 |   | 12720 | J1980    |   | 23475 | J2060   |   | 24580       |
| J1469.2  |   | 11320 | J1478.25 |   | 12735 | J1982    |   | 23280 | J2061   |   | 24585       |
| J1470    |   | 11215 | J1478.3  |   | 12745 | J1984    |   | 23300 | J2062   |   | 24590       |
| J1472    |   | 11225 | J1478.35 |   | 12750 | J1986    |   | 23360 | J2064   |   | 24595       |
| J1474    |   | 11230 | J1478.4  |   | 12755 | J1986.2  |   | 23365 | J2068   |   | 24600       |
| J1475    |   | 11380 | J1478.45 |   | 12760 | J1986.4  |   | 23370 | J2070   |   | 24605       |
| J1475.05 |   | 11400 | J1478.5  |   | 12765 | J1987    |   | 23380 | J2072   |   | 24610       |
| J1475.2  |   | 11470 | J1478.6  |   | 12780 | J1987.4  |   | 23385 | J2076   |   | 24615       |
| J1475.25 |   | 11475 | J1478.65 |   | 12785 | J1987.6  |   | 23390 | J2080   |   | 7590        |
| J1475.3  |   | 11490 | J1478.7  |   | 12790 | J1987.7  |   | 23395 | J2082   |   | 18860       |
| J1475.4  |   | 11515 | J1478.75 |   | 12795 | J1988    |   | 23405 | J2082.2 |   | 18865       |
| J1475.45 |   | 11645 | J1478.8  |   | 12815 | J1988.2  |   | 23410 | J2085   |   | 18880       |
| J1475.5  |   | 11655 | J1489    |   | 12825 | J1988.4  |   | 23435 | J2086   |   | 7605, 18885 |
| J1475.55 |   | 11675 | J1489.5  |   | 12870 | J1988.6  |   | 23445 | J2086.2 |   | 18890       |
| J1475.6  |   | 11700 | J1489.7  |   | 12875 | J1992    |   | 23495 | J2086.4 |   | 18895       |
| J1475.65 |   | 11705 | J1490    |   | 12905 | J1992.2  |   | 23500 | J2087   |   | 18900       |
| J1475.7  |   | 11720 | J1500    |   | 13265 | J1992.4  |   | 23510 | J2087.2 |   | 18910       |
| J1475.75 |   | 11730 | J1500.6  |   | 13285 | J1994    |   | 23550 | J2087.4 |   | 18920       |
| J1475.8  |   | 11740 | J1501    |   | 13190 | J1995    |   | 23560 | J2087.6 |   | 18945       |
| J1475.81 |   | 11745 | J1502    |   | 13200 | J2000    |   | 23700 | J2087.7 |   | 18950       |
| J1475.85 |   | 11775 | J1502.2  |   | 13220 | J2000.2  |   | 23750 | J2087.8 |   | 18960       |
| J1475.9  |   | 11780 | J1502.4  |   | 13235 | J2000.25 |   | 23760 | J2088   |   | 18990       |
| J1475.95 |   | 11790 | J1502.6  |   | 13305 | J2000.3  |   | 23765 | J2088.4 |   | 19010       |
| J1476    |   | 11835 | J1504    |   | 13455 | J2000.4  |   | 23780 | J2088.5 |   | 19020       |
| J1476.05 |   | 11970 | J1506    |   | 14110 | J2000.6  |   | 23785 | J2089   |   | 19030       |
| J1476.1  |   | 11990 | J1508    |   | 13550 | J2000.8  |   | 23820 | J2089.2 |   | 19035       |
| J1476.15 |   | 12050 | J1508.1  |   | 13555 | J2002    |   | 23965 | J2090   |   | 19055       |
| J1476.2  |   | 12055 | J1509    |   | 13570 | J2003    |   | 23975 | J2092   |   | 19065       |
| J1476.25 |   | 12060 | J1509.2  |   | 13575 | J2004    |   | 23980 | J2092.6 |   | 19085       |
| J1476.3  |   | 12065 | J1916    |   | 17995 | J2007    |   | 23990 | J2093   |   | 19090       |
| J1476.31 |   | 12070 | J1916.4  |   | 18005 | J2007.4  |   | 23995 | J2093.8 |   | 19115       |
| J1476.4  |   | 12125 | J1917    |   | 18010 | J2008    |   | 24005 | J2094   |   | 19135       |
| J1476.55 |   | 12130 | J1918    |   | 18030 | J2008.6  |   | 24020 | J2096   |   | 19160       |
| J1476.56 |   | 12135 | J1926    |   | 18070 | J2009    |   | 24025 | J2098   |   | 19165       |
| J1476.6  |   | 12235 | J1928    |   | 18110 | J2010    |   | 24045 | J2099   |   | 19170       |
| J1476.61 |   | 12240 | J1928.2  |   | 18115 | J2012    |   | 24060 | J2099.4 |   | 19190       |
| J1476.7  |   | 12285 | J1930    |   | 18120 | J2014    |   | 24065 | J2100   |   | 19210       |
| J1476.75 |   | 12295 | J1930.2  |   | 18145 | J2015    |   | 24075 | J2100.4 |   | 19215       |
| J1476.8  |   | 12300 | J1930.4  |   | 18150 | J2016    |   | 24080 | J2100.5 |   | 19235       |
| J1476.85 |   | 12305 | J1931    |   | 18130 | J2017    |   | 24095 | J2100.6 |   | 19240       |
| J1476.9  |   | 12335 | J1931.2  |   | 18135 | J2018    |   | 24375 | J2102   |   | 19260       |
| J1476.95 |   | 12340 | J1932    |   | 18265 | J2019    |   | 24420 | J2102.2 |   | 19265       |
| J1477    |   | 12390 | J1934    |   | 18275 | J2020    |   | 24425 | J2102.4 |   | 19270       |
| J1477.05 |   | 12395 | J1934.2  |   | 18290 | J2022    |   | 24400 | J2102.6 |   | 19275       |
| J1477.1  |   | 12415 | J1934.4  |   | 18295 | J2022.4  |   | 24410 | J2104   |   | 7630        |
| J1477.11 |   | 12420 | J1934.6  |   | 18300 | J2022.6  |   | 24415 | J2106   |   | 24630       |
| J1477.15 |   | 12490 | J1936    |   | 18310 | J2024    |   | 24380 | J2107   |   | 24635       |
| J1477.2  |   | 12505 | J1937    |   | 18320 | J2025    |   | 24385 | J2108   |   | 24640       |
| J1477.25 |   | 12510 | J1938    |   | 18330 | J2028    |   | 23590 | J2109   |   | 24645       |
| J1477.3  |   | 12535 | J1940    |   | 18355 | J2029    |   | 23645 | J2110   |   | 24660       |
| J1477.35 |   | 12625 | J1944    |   | 18375 | J2029.1  |   | 23650 | J2110.4 |   | 24730       |
| J1477.45 |   | 12635 | J1950    |   | 18515 | J2030    |   | 23615 | J2110.6 |   | 24735       |

CROSS REFERENCE - INTERNATIONAL vs. U.S. LIGHT NUMBER

| Inter.  | — | U.S.  | Inter.   | — | U.S.  | Inter.   | — | U.S.  | Inter.   | — | U.S.  |
|---------|---|-------|----------|---|-------|----------|---|-------|----------|---|-------|
| J2112   |   | 7690  | J2204    |   | 7760  | J2250.1  |   | 8395  | J2338    |   | 8885  |
| J2114   |   | 24840 | J2206    |   | 7805  | J2251    |   | 8150  | J2338.1  |   | 8890  |
| J2115   |   | 24915 | J2206.1  |   | 7810  | J2251.1  |   | 8155  | J2340    |   | 8935  |
| J2116   |   | 25320 | J2206.3  |   | 19670 | J2252    |   | 8090  | J2340.1  |   | 8940  |
| J2118   |   | 25375 | J2206.4  |   | 19675 | J2252.1  |   | 8095  | J2342    |   | 8975  |
| J2124   |   | 24920 | J2206.8  |   | 19570 | J2254    |   | 20315 | J2346    |   | 9000  |
| J2128   |   | 24935 | J2206.9  |   | 19580 | J2254.6  |   | 20330 | J2348.1  |   | 8995  |
| J2130   |   | 24955 | J2207    |   | 19585 | J2256    |   | 20370 | J2351    |   | 9025  |
| J2134   |   | 24975 | J2207.1  |   | 19595 | J2257    |   | 20385 | J2351.1  |   | 9030  |
| J2136   |   | 24995 | J2207.3  |   | 19590 | J2258    |   | 20410 | J2352    |   | 9055  |
| J2138   |   | 25010 | J2207.4  |   | 19605 | J2260    |   | 20430 | J2352.1  |   | 9060  |
| J2139   |   | 25015 | J2207.8  |   | 19625 | J2260.1  |   | 20435 | J2353    |   | 9065  |
| J2140   |   | 25020 | J2208    |   | 19630 | J2260.8  |   | 20495 | J2353.1  |   | 9070  |
| J2140.1 |   | 25025 | J2208.4  |   | 19645 | J2261    |   | 20510 | J2356    |   | 9105  |
| J2141   |   | 25055 | J2209    |   | 19725 | J2263    |   | 20535 | J2356.1  |   | 9110  |
| J2142   |   | 25125 | J2210    |   | 19780 | J2264    |   | 20545 | J2364    |   | 27525 |
| J2142.2 |   | 25130 | J2210.4  |   | 19785 | J2264.1  |   | 20550 | J2364.1  |   | 27530 |
| J2142.6 |   | 25170 | J2210.5  |   | 19745 | J2264.2  |   | 20580 | J2365    |   | 27550 |
| J2146   |   | 25980 | J2210.6  |   | 19815 | J2264.22 |   | 20600 | J2365.1  |   | 27555 |
| J2148   |   | 25540 | J2210.8  |   | 19835 | J2264.24 |   | 20605 | J2368    |   | 27630 |
| J2149   |   | 25670 | J2211    |   | 19880 | J2264.26 |   | 20610 | J2371    |   | 27860 |
| J2150   |   | 25830 | J2211.1  |   | 19890 | J2266    |   | 20625 | J2371.4  |   | 27875 |
| J2150.4 |   | 25835 | J2211.2  |   | 19895 | J2266.2  |   | 20630 | J2373    |   | 27880 |
| J2151   |   | 25840 | J2212.2  |   | 20030 | J2268    |   | 20635 | J2374    |   | 27895 |
| J2156   |   | 25870 | J2212.4  |   | 7815  | J2268.1  |   | 20640 | J2384    |   | 555   |
| J2157   |   | 25880 | J2212.8  |   | 7840  | J2270    |   | 8220  | J2385    |   | 570   |
| J2158   |   | 25915 | J2213    |   | 7890  | J2270.1  |   | 8225  | J2385.2  |   | 575   |
| J2159   |   | 25815 | J2213.2  |   | 7975  | J2271    |   | 20680 | J2385.4  |   | 580   |
| J2160   |   | 25820 | J2214    |   | 7990  | J2271.2  |   | 20685 | J2385.6  |   | 585   |
| J2161   |   | 25825 | J2215    |   | 7900  | J2274    |   | 20705 | J2386    |   | 590   |
| J2165   |   | 19285 | J2218    |   | 8340  | J2280    |   | 20870 | J2388.4  |   | 28105 |
| J2166   |   | 19290 | J2222    |   | 26590 | J2280.1  |   | 20875 | J2388.6  |   | 28180 |
| J2166.1 |   | 19295 | J2223    |   | 26595 | J2282.4  |   | 20975 | J2388.8  |   | 28195 |
| J2168   |   | 19300 | J2224    |   | 26600 | J2282.42 |   | 20980 | J2389    |   | 28220 |
| J2170   |   | 19305 | J2227    |   | 26750 | J2282.5  |   | 20985 | J2389.1  |   | 28230 |
| J2170.6 |   | 19320 | J2227.2  |   | 26765 | J2284    |   | 20990 | J2389.2  |   | 28240 |
| J2171   |   | 19345 | J2227.4  |   | 26790 | J2284.2  |   | 20995 | J2389.4  |   | 28260 |
| J2171.1 |   | 19350 | J2227.6  |   | 26810 | J2284.4  |   | 21000 | J2389.6  |   | 28280 |
| J2171.4 |   | 19335 | J2227.8  |   | 26820 | J2284.41 |   | 21005 | J2389.7  |   | 28295 |
| J2174   |   | 19325 | J2228.8  |   | 20095 | J2284.5  |   | 21040 | J2389.8  |   | 28300 |
| J2176   |   | 19395 | J2229    |   | 20100 | J2284.6  |   | 21080 | J2390    |   | 31905 |
| J2177   |   | 19400 | J2229.2  |   | 20115 | J2284.61 |   | 21085 | J2390.2  |   | 31920 |
| J2179   |   | 19415 | J2229.4  |   | 20120 | J2284.7  |   | 21090 | J2390.4  |   | 31915 |
| J2182   |   | 25955 | J2229.6  |   | 20125 | J2285    |   | 21110 | J2390.5  |   | 31925 |
| J2184.4 |   | 25995 | J2229.7  |   | 20130 | J2285.1  |   | 21115 | J2390.6  |   | 31930 |
| J2186   |   | 7750  | J2230    |   | 20160 | J2287    |   | 21120 | J2390.64 |   | 31935 |
| J2190   |   | 26015 | J2230.1  |   | 20185 | J2288    |   | 21300 | J2390.9  |   | 31950 |
| J2192   |   | 26055 | J2230.6  |   | 20240 | J2291.4  |   | 21325 | J2391.4  |   | 31960 |
| J2192.5 |   | 26120 | J2230.8  |   | 20250 | J2298    |   | 8575  | J2391.6  |   | 31965 |
| J2193   |   | 26165 | J2230.9  |   | 20270 | J2298.9  |   | 8680  | J2396    |   | 625   |
| J2194   |   | 26185 | J2230.94 |   | 20275 | J2299    |   | 8685  | J2400    |   | 640   |
| J2194.2 |   | 26200 | J2231    |   | 20300 | J2299.1  |   | 8695  | J2401    |   | 645   |
| J2195   |   | 26265 | J2236    |   | 26880 | J2310    |   | 27125 | J2403.4  |   | 28745 |
| J2195.4 |   | 26270 | J2236.2  |   | 26885 | J2311    |   | 27130 | J2404    |   | 32340 |
| J2196   |   | 26345 | J2240    |   | 8530  | J2313    |   | 27145 | J2408    |   | 660   |
| J2196.8 |   | 26460 | J2241    |   | 8565  | J2320    |   | 27360 | J2410    |   | 28970 |
| J2197   |   | 19450 | J2242    |   | 8570  | J2322    |   | 8760  | J2414    |   | 28985 |
| J2197.4 |   | 19470 | J2246    |   | 8040  | J2325    |   | 8820  | J2416    |   | 29015 |
| J2198   |   | 19475 | J2246.1  |   | 8050  | J2328    |   | 8880  | J2416.2  |   | 29020 |
| J2199   |   | 19480 | J2246.5  |   | 27000 | J2330    |   | 27460 | J2417    |   | 29045 |
| J2200   |   | 19500 | J2246.6  |   | 27020 | J2331    |   | 27470 | J2417.2  |   | 29055 |
| J2201   |   | 19510 | J2246.7  |   | 27035 | J2332    |   | 27495 | J2419    |   | 29080 |
| J2202   |   | 19515 | J2248    |   | 8120  | J2333    |   | 27510 | J2419.2  |   | 29085 |
| J2203   |   | 19545 | J2250    |   | 8390  | J2334    |   | 27515 | J2420    |   | 29100 |

**CROSS REFERENCE - INTERNATIONAL vs. U.S. LIGHT NUMBER**

| Inter.  | — | U.S.         | Inter.   | — | U.S.         | Inter.   | — | U.S.         | Inter.  | — | U.S.  |
|---------|---|--------------|----------|---|--------------|----------|---|--------------|---------|---|-------|
| J2421   |   | 29110        | J2450    |   | 38515        | J2494.8  |   | 30575        | J2538   |   | 30785 |
| J2421.2 |   | 29120        | J2450.2  |   | 38500        | J2495    |   | 30580        | J2540   |   | 30790 |
| J2423   |   | 32365        | J2450.4  |   | 38495        | J2496.2  |   | 30605        | J2541   |   | 30795 |
| J2424   |   | 32370        | J2452.2  |   | 34865        | J2496.4  |   | 30610        | J2542   |   | 30815 |
| J2425   |   | 32375        | J2454    |   | 29565        | J2496.6  |   | 30615        | J2542.5 |   | 30830 |
| J2426   |   | 32360        | J2455    |   | 29575        | J2496.8  |   | 30620        | J2542.7 |   | 30835 |
| J2430   |   | 670          | J2455.14 |   | 29585, 39045 | J2497    |   | 30625        | J2544   |   | 30775 |
| J2433   |   | 29135        | J2466    |   | 835          | J2500    |   | 30640, 39915 | J2544.1 |   | 30780 |
| J2434.2 |   | 29140        | J2470    |   | 810          | J2500.1  |   | 30645, 39920 | J2550   |   | 30820 |
| J2436   |   | 29335        | J2472    |   | 30330        | J2501    |   | 30665, 39910 | J2550.1 |   | 30825 |
| J2436.1 |   | 29340        | J2472.1  |   | 30335        | J2501.4  |   | 39905        | J2552   |   | 30860 |
| J2436.6 |   | 29385        | J2473    |   | 30375        | J2501.4. |   | 30670        | J2552.4 |   | 30865 |
| J2437   |   | 29395        | J2473.1  |   | 30380        | J2502    |   | 30675, 39890 | J2554   |   | 30845 |
| J2437.1 |   | 29400        | J2474    |   | 30385        | J2502.1  |   | 30680, 39895 | J2554.1 |   | 30850 |
| J2437.4 |   | 29410        | J2474.1  |   | 30390        | J2506    |   | 30690, 39880 | J2556   |   | 30855 |
| J2437.6 |   | 29415        | J2476    |   | 30405        | J2514    |   | 30735        | J2560   |   | 30925 |
| J2438   |   | 29430        | J2476.1  |   | 30410        | J2514.1  |   | 30740        | J2560.1 |   | 30930 |
| J2438.1 |   | 29435        | J2477    |   | 30420        | J2516    |   | 30705        | J2564   |   | 30935 |
| J2438.4 |   | 29450        | J2478    |   | 30445        | J2518    |   | 30730        | J2565   |   | 30945 |
| J2439   |   | 34810        | J2480    |   | 30455, 40035 | J2524    |   | 30710        | J2566   |   | 30940 |
| J2445   |   | 29470, 38525 | J2484    |   | 30460, 40025 | J2524.1  |   | 30715        | J2567   |   | 30950 |
| J2446   |   | 38630        | J2484.1  |   | 30465, 40030 | J2526    |   | 30770        | J2569   |   | 30955 |
| J2446.2 |   | 38635        | J2488    |   | 30540, 39955 | J2531.9  |   | 30760        | J2570   |   | 30960 |
| J2446.4 |   | 38670        | J2494    |   | 30485, 39970 | J2532    |   | 30755, 30800 | J2571   |   | 30970 |
| J2447   |   | 38600        | J2494.1  |   | 30490, 39975 | J2532.1  |   | 30805        |         |   |       |

## CONVERSION TABLES

### FEET TO METERS

(1 foot = 0.3048 meters) - (1 meter = 3.2808 feet)

| Feet | Meters |
|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 0    | 0      | 35   | 10.7   | 70   | 21.3   | 105  | 32.0   | 140  | 42.7   | 175  | 53.3   |
| 1    | 0.3    | 36   | 11.0   | 71   | 21.6   | 106  | 32.3   | 141  | 43.0   | 176  | 53.6   |
| 2    | 0.6    | 37   | 11.3   | 72   | 22.0   | 107  | 32.6   | 142  | 43.3   | 177  | 54.0   |
| 3    | 0.9    | 38   | 11.6   | 73   | 22.3   | 108  | 32.9   | 143  | 43.6   | 178  | 54.3   |
| 4    | 1.2    | 39   | 11.9   | 74   | 22.6   | 109  | 33.2   | 144  | 43.9   | 179  | 54.6   |
| 5    | 1.5    | 40   | 12.2   | 75   | 22.9   | 110  | 33.5   | 145  | 44.2   | 180  | 54.9   |
| 6    | 1.8    | 41   | 12.5   | 76   | 23.2   | 111  | 33.8   | 146  | 44.5   | 181  | 55.2   |
| 7    | 2.1    | 42   | 12.8   | 77   | 23.5   | 112  | 34.1   | 147  | 44.8   | 182  | 55.5   |
| 8    | 2.4    | 43   | 13.1   | 78   | 23.8   | 113  | 34.4   | 148  | 45.1   | 183  | 55.8   |
| 9    | 2.7    | 44   | 13.4   | 79   | 24.1   | 114  | 34.8   | 149  | 45.4   | 184  | 56.1   |
| 10   | 3.1    | 45   | 13.7   | 80   | 24.4   | 115  | 35.1   | 150  | 45.7   | 185  | 56.4   |
| 11   | 3.4    | 46   | 14.0   | 81   | 24.7   | 116  | 35.4   | 151  | 46.0   | 186  | 56.7   |
| 12   | 3.7    | 47   | 14.3   | 82   | 25.0   | 117  | 35.7   | 152  | 46.3   | 187  | 57.0   |
| 13   | 4.0    | 48   | 14.6   | 83   | 25.3   | 118  | 36.0   | 153  | 46.6   | 188  | 57.3   |
| 14   | 4.3    | 49   | 14.9   | 84   | 25.6   | 119  | 36.3   | 154  | 46.9   | 189  | 57.6   |
| 15   | 4.6    | 50   | 15.2   | 85   | 25.9   | 120  | 36.6   | 155  | 47.2   | 190  | 57.9   |
| 16   | 4.9    | 51   | 15.5   | 86   | 26.2   | 121  | 36.9   | 156  | 47.6   | 191  | 58.2   |
| 17   | 5.2    | 52   | 15.9   | 87   | 26.5   | 122  | 37.2   | 157  | 47.9   | 192  | 58.5   |
| 18   | 5.5    | 53   | 16.2   | 88   | 26.8   | 123  | 37.5   | 158  | 48.2   | 193  | 58.8   |
| 19   | 5.8    | 54   | 16.5   | 89   | 27.1   | 124  | 37.8   | 159  | 48.5   | 194  | 59.1   |
| 20   | 6.1    | 55   | 16.8   | 90   | 27.4   | 125  | 38.1   | 160  | 48.8   | 195  | 59.4   |
| 21   | 6.4    | 56   | 17.1   | 91   | 27.7   | 126  | 38.4   | 161  | 49.1   | 196  | 59.7   |
| 22   | 6.7    | 57   | 17.4   | 92   | 28.0   | 127  | 38.7   | 162  | 49.4   | 197  | 60.1   |
| 23   | 7.0    | 58   | 17.7   | 93   | 28.4   | 128  | 39.0   | 163  | 49.7   | 198  | 60.4   |
| 24   | 7.3    | 59   | 18.0   | 94   | 28.7   | 129  | 39.3   | 164  | 50.0   | 199  | 60.7   |
| 25   | 7.6    | 60   | 18.3   | 95   | 29.0   | 130  | 39.6   | 165  | 50.3   | 200  | 61.0   |
| 26   | 7.9    | 61   | 18.6   | 96   | 29.3   | 131  | 39.9   | 166  | 50.6   | 300  | 91.4   |
| 27   | 8.2    | 62   | 18.9   | 97   | 29.6   | 132  | 40.2   | 167  | 50.9   | 400  | 121.9  |
| 28   | 8.5    | 63   | 19.2   | 98   | 29.9   | 133  | 40.5   | 168  | 51.2   | 500  | 152.4  |
| 29   | 8.8    | 64   | 19.5   | 99   | 30.2   | 134  | 40.8   | 169  | 51.5   | 600  | 182.9  |
| 30   | 9.1    | 65   | 19.8   | 100  | 30.5   | 135  | 41.2   | 170  | 51.8   | 700  | 213.4  |
| 31   | 9.5    | 66   | 20.1   | 101  | 30.8   | 136  | 41.5   | 171  | 52.1   | 800  | 243.8  |
| 32   | 9.8    | 67   | 20.4   | 102  | 31.1   | 137  | 41.8   | 172  | 52.4   | 900  | 274.3  |
| 33   | 10.1   | 68   | 20.7   | 103  | 31.4   | 138  | 42.1   | 173  | 52.7   | 1000 | 304.8  |
| 34   | 10.4   | 69   | 21.0   | 104  | 31.7   | 139  | 42.4   | 174  | 53.0   | 2000 | 609.6  |

### STATUTE MILES (St M) TO NAUTICAL MILES (NM)

(1 St M = 5,280 feet) - (1 NM = 6,076.1 feet)

| St M | NM    |
|------|------|------|------|------|------|------|------|------|------|------|-------|
| 1    | 0.9  | 21   | 18.3 | 41   | 35.6 | 61   | 53.0 | 81   | 70.4 | 101  | 87.8  |
| 2    | 1.7  | 22   | 19.1 | 42   | 36.5 | 62   | 53.9 | 82   | 71.3 | 102  | 88.6  |
| 3    | 2.6  | 23   | 20.0 | 43   | 37.4 | 63   | 54.8 | 83   | 72.1 | 103  | 89.5  |
| 4    | 3.5  | 24   | 20.9 | 44   | 38.2 | 64   | 55.6 | 84   | 73.0 | 104  | 90.3  |
| 5    | 4.4  | 25   | 21.7 | 45   | 39.1 | 65   | 56.5 | 85   | 73.9 | 105  | 91.2  |
| 6    | 5.2  | 26   | 22.6 | 46   | 40.0 | 66   | 57.4 | 86   | 74.7 | 106  | 92.1  |
| 7    | 6.1  | 27   | 23.5 | 47   | 40.8 | 67   | 58.2 | 87   | 75.6 | 107  | 93.0  |
| 8    | 7.0  | 28   | 24.3 | 48   | 41.7 | 68   | 59.1 | 88   | 76.4 | 108  | 93.8  |
| 9    | 7.8  | 29   | 25.2 | 49   | 42.6 | 69   | 60.0 | 89   | 77.3 | 109  | 94.7  |
| 10   | 8.7  | 30   | 26.1 | 50   | 43.5 | 70   | 60.8 | 90   | 78.2 | 110  | 95.6  |
| 11   | 9.6  | 31   | 26.9 | 51   | 44.3 | 71   | 61.7 | 91   | 79.1 | 111  | 96.5  |
| 12   | 10.4 | 32   | 27.8 | 52   | 45.2 | 72   | 62.6 | 92   | 80.0 | 112  | 97.3  |
| 13   | 11.3 | 33   | 28.7 | 53   | 46.1 | 73   | 63.4 | 93   | 80.9 | 113  | 98.2  |
| 14   | 12.2 | 34   | 29.6 | 54   | 46.9 | 74   | 64.3 | 94   | 81.7 | 114  | 99.1  |
| 15   | 13.0 | 35   | 30.4 | 55   | 47.8 | 75   | 65.2 | 95   | 82.6 | 115  | 99.9  |
| 16   | 13.9 | 36   | 31.3 | 56   | 48.7 | 76   | 66.0 | 96   | 83.4 | 116  | 100.8 |
| 17   | 14.8 | 37   | 32.2 | 57   | 49.5 | 77   | 66.9 | 97   | 84.3 | 117  | 101.7 |
| 18   | 15.6 | 38   | 33.0 | 58   | 50.4 | 78   | 67.8 | 98   | 85.2 | 118  | 102.5 |
| 19   | 16.5 | 39   | 33.9 | 59   | 51.3 | 79   | 68.7 | 99   | 86.0 | 119  | 103.4 |
| 20   | 17.4 | 40   | 34.8 | 60   | 52.1 | 80   | 69.5 | 100  | 86.9 | 120  | 104.3 |



NSN 7642014014635 Ed.000

NIMA Ref No. COMDTM165022

LIGHT LIST

VOL II

ATLANTIC COAST

2004