

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5175	Bay Point State Park Hazard Buoy A						Remove from list.	11/10 *
5180	Bay Point State Park Hazard Buoy B						Remove from list.	11/10 *
5185	Bay Point State Park Hazard Buoy C						Remove from list.	11/10 *
5190	Bay Point State Park Hazard Buoy D						Remove from list.	11/10 *
5195	Bay Point State Park Hazard Buoy E						Remove from list.	11/10 *
5200	Bay Point State Park Hazard Buoy F						Remove from list.	11/10 *
5205	Bay Point State Park Hazard Buoy G						Remove from list.	11/10 *
14320	<i>Vidal Shoals West Lighted Buoy QM24 (C)</i>	46-30-01.789N 084-23-53.609W	Fl R 4s			Red.	Spar; winter marker. Seasonal.	11/10
14385	<i>Point Louise Lighted Buoy P20 (C)</i>	46-27-39.900N 084-28-42.120W	Fl R 4s			Red.	Spar; winter marker. Seasonal.	11/10
14473	<i>Pointe De Chenes Lighted Buoy P34</i>	46-27-54.156N 084-33-28.453W	Fl R 4s					11/10

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
13110	<i>Everens Point Lighted Buoy Q16 (C)</i>	46-14-46.982N 084-06-12.478W	FI R 4s			Red.	Spar; winter marker. Seasonal.	10/10
		*	*					
13130	<i>Lighted Buoy Q22 (C)</i>	46-15-35.723N 084-06-02.419W	FI R 4s			Red.	Spar; winter marker. Seasonal.	10/10
		*						
13225	<i>Coyle Point North Lighted Buoy Q30 (C)</i>	46-16-51.555N 084-06-57.946W	FI R 4s			Red.	Spar; winter marker. Seasonal.	10/10
		*						
13240	<i>Green Point Lighted Buoy Q34 (C)</i>	46-17-26.367N 084-07-01.140W	FI R 4s			Red.	Spar; winter marker. Seasonal.	10/10
		*						
13250	<i>Munuscong Channel Lighted Buoy Q36 (C)</i>	46-18-00.259N 084-07-03.331W	FI R 4s			Red.		10/10
		*						
14300	<i>Vidal Shoals Channel Upper Turning Lighted Buoy QM11 (C)</i>	46-30-41.969N 084-22-31.589W	Q G			Green.	Spar; winter marker. Seasonal.	10/10
		*						
14305	<i>Vidal Shoals Northeast Lighted Buoy QM13 (C)</i>	46-30-29.018N 084-22-56.089W	FI G 4s			Green.	Spar; winter marker. Seasonal.	10/10
		*						
14310	<i>Vidal Shoals North Lighted Buoy QM14 (C)</i>	46-30-24.613N 084-23-13.421W	FI R 4s			Red.	Spar; winter marker. Seasonal.	10/10
		*						
14315	<i>Vidal Shoals Southwest Lighted Buoy P (C)</i>	46-30-06.647N 084-23-34.365W	IQ W			Yellow with black band.	Spar; winter marker. Cardinal buoyage. Seasonal.	10/10
		*						
14320	<i>Vidal Shoals West Lighted Buoy QM24 (C)</i>	46-30-01.789N 084-23-53.609W				Red.	Spar; winter marker. Seasonal.	10/10
		*						
14345	<i>Pointe Aux Pins Bay Lighted Buoy P12 (C)</i>	46-28-45.322N 084-27-13.728W	FI R 4s			Red.	Spar; winter marker. Seasonal.	10/10
		*						

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14360	<i>Pointe Aux Pins Bay Lighted Buoy P14 (C)</i>	46-28-21.878N 084-27-53.274W	Fl R 4s			Red.	Spar; winter marker. Seasonal.	10/10
		*						
14380	<i>Brush Point Lighted Buoy P19 (C)</i>	46-27-28.692N 084-28-41.258W	Fl G 4s			Green.	Spar; winter marker. Seasonal.	10/10
		*						
14385	<i>Point Louise Lighted Buoy P20 (C)</i>	46-27-39.900N 084-28-42.120W				Red.	Spar; winter marker. Seasonal.	10/10
		*						
14405	<i>Cedar Point Lighted Buoy P22 (C)</i>	46-27-27.134N 084-29-46.155W	Fl R 4s			Red.	Spar; winter marker. Seasonal.	10/10
		*						
14473	<i>Pointe De Chenes Lighted Buoy P34</i>	46-27-54.156N 084-33-28.453W						10/10
*	*	*	*	*	*	*	*	
19515	St. Joseph North Pierhead Light	42-06-55.160N 086-29-44.070W	Iso W 6s	31 9	13	White cylindrical tower. 31	HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 79.	10/10
						*	*	
22400	BROTHERTOWN MARINA ENTRANCE LIGHT 1	43-57-59.000N 088-19-11.000W	Fl G 6s	15 5			Private aid.	10/10
		*						
22400	BROTHERTOWN MARNIA ENTRANCE LIGHT 1	43-57-59.000N 088-19-11.000W	Fl G 6s	15 5			Private aid.	09/10
*	*	*	*	*	*	*	*	

No corrections this week.
08/10

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
3505	INTERNATIONAL PAPER EAST CRIB LIGHT	42-09-06.000N 080-03-30.000W	Q W		15 5	NG on gray pile.	Maintained from May 1 to 07/10 Nov. 1. Private aid.	
							*	
3510	International Paper Obstruction Buoy	42-08-48.200N 080-03-29.000W				White can with orange bands and diamond worded ROCKS.	Maintained from May 1 to 07/10 Nov. 1. Private aid.	
							*	
3645	Erie Harbor Water Pipe Intake Buoy A	42-08-07.500N 080-05-57.500W				White and orange bands; spar.	Maintained from May 1 to 07/10 Nov. 1. Private aid.	
							*	
3650	Erie Harbor Water Pipe Intake Buoy B	42-08-27.300N 080-06-47.500W				White with orange bands; spar.	Maintained from May 1 to 07/10 Nov. 1. Private aid.	
							*	
3655	Erie Harbor Water Pipe Intake Buoy C	42-08-18.900N 080-07-39.800W				White with orange bands; spar.	Maintained from May 1 to 07/10 Nov. 1. Private aid.	
							*	
6716	Enrico Fermi Nuclear Power Plant Security Zone Buoy A	41-58-26.220N 083-15-19.980W				White with orange bands.	Private aid.	07/10
	*		*					
6716.1	Enrico Fermi Nuclear Power Plant Security Zone Buoy B	41-58-30.600N 083-15-00.000W				White with orange bands.	Private aid.	07/10
	*		*					
6716.2	Enrico Fermi Nuclear Power Plant Security Zone Buoy C	41-58-27.960N 083-14-49.020W				White with orange bands.	Private aid.	07/10
	*		*					
6716.3	Enrico Fermi Nuclear Power Plant Security Zone Buoy D	41-58-20.100N 083-14-15.000W				White with orange bands.	Private aid.	07/10
	*		*					
6716.4	Enrico Fermi Nuclear Power Plant Security Zone Buoy E	41-58-12.000N 083-13-42.000W				White with orange bands.	Private aid.	07/10
	*		*					
6716.5	Enrico Fermi Nuclear Power Plant Security Zone Buoy F	41-57-45.960N 083-13-44.220W				White with orange bands.	Private aid.	07/10
	*		*					
6716.6	Enrico Fermi Nuclear Power Plant Security Zone Buoy G	41-57-19.920N 083-13-46.020W				White with orange bands.	Private aid.	07/10
	*		*					
6716.7	Enrico Fermi Nuclear Power Plant Security Zone Buoy H	41-56-54.000N 083-13-48.000W				White with orange bands.	Private aid.	07/10
	*		*					

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6716.8	Enrico Fermi Nuclear Power Plant Security Zone Buoy I	41-56-54.000N 083-14-22.920W				White with orange bands.	Private aid.	07/10
	*		*					
6716.9	Enrico Fermi Nuclear Power Plant Security Zone Buoy J	41-56-54.000N 083-14-57.900W				White with orange bands.	Private aid.	07/10
	*		*					
6717	Enrico Fermi Nuclear Power Plant Security Zone Buoy K	41-56-54.060N 083-15-10.560W				White with orange bands.	Private aid.	07/10
	*		*					
6717.1	Enrico Fermi Nuclear Power Plant Security Zone Buoy L	41-56-54.000N 083-15-12.000W					Private aid.	07/10
	*		*					
19290	HOLLAND HARBOR NORTH PIERHEAD LIGHT	42-46-23.850N 086-12-45.756W	Fl G 4s		25 8	4 SG on cylindrical tower.		07/10
	*							
155	St. Lawrence Seaway Light Buoy 26						Remove from list.	06/10
							*	
155	<i>St. Lawrence Seaway Lighted Buoy 26</i>	44-59-10.000N 074-47-37.000W	Fl R 4s				Aid maintained by S.L.S.D.C.	06/10
	*	*	*	*	*	*	*	
6995	Bar Point Pier Light D33 (C)	42-02-24.100N 083-08-03.600W	Fl G 10s		46 14	10 White square tower.	Light obscured from 090° to 191°.	06/10
	*	*	*	*	*	*	*	
14370	POINTE AUX PINS MAIN LIGHT (C)	46-27-50.800N 084-28-22.300W	Iso R 4s		27 8	8 On circular tower with red and white bands.	Seasonal.	06/10
	*	*	*	*	*	*	*	
21320	Porte Des Morts Passage Outer Shoal Buoy 1 Marks east side of shoal.	45-13-57.799N 086-55-28.876W					Green can.	06/10
							*	

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
16830	Locke Point Buoy 2	48-11-17.006N 088-27-10.716W				Red nun.	Maintained from May 28 to Oct. 14.	05/10
		*						
16850	NOAA Lighted Weather Buoy 45004	47-35-03.039N 086-35-12.270W	Fl (4)Y 20s			Yellow disc-shaped hull with tripod mast.	Replaced by nun from Nov. 1 to Apr. 1. Aid maintained by National Oceanic and Atmospheric Administration.	05/10
		*						
16880	NOAA Lighted Weather Buoy 45001	48-03-45.106N 087-47-37.224W	Fl (4)Y 20s		4	Yellow disc-shaped hull with tripod mast.	Replaced by nun from Nov. 1 to Apr. 1. Aid maintained by National Oceanic and Atmospheric Administration.	05/10
		*						
19910	Clemson Shoal Lighted Bell Buoy 4	41-48-24.565N 087-32-04.726W	Fl R 4s		4	Red.	Replaced by nun from Dec. 14 to Mar. 28.	05/10
		*						
20330	Waukegan Shoals Lighted Buoy 3 Marks northeast side of shoal.	42-21-40.899N 087-47-52.820W	Fl G 2.5s		4	Green.	Can; winter marker. Maintained from Mar. 21 to Dec. 1.	05/10
		*						
20610	Wind Point North Shoal Lighted Buoy 14 Marks southeast side of shoals.	42-47-34.085N 087-43-33.352W	Fl R 4s		4	Red.	Replaced by nun from Dec. 7 to Mar. 21.	05/10
		*						
20775	Port Washington South Projection Jetty Light						Remove from list.	05/10
							*	
20785	Port Washington South Pier Light						Remove from list.	05/10
							*	
4100	Forest City Yacht Club 4	41-31-38.487N 081-39-40.278W				Red nun.	Private aid.	05/10
		*						
*	*	*	*	*	*	*	*	
15585	CORNUCOPIA EAST PIER LIGHT	46-51-34.848N 091-06-17.232W	Fl G 2.5s	29 9	8	SG on post.	Higher intensity beam lakeward.	05/10
		*						

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2009 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4100	Forest City Yacht Club Buoy 4						Remove from list.	04/10
							*	
4323	LORAIN HARBOR DETACHED BREAKWATER MIDDLE LIGHT	41-28-49.800N 082-11-29.100W	Fl Y 4s	20 6	3	On post.		04/10
							*	
12220	Crow Island Leading Light	45-58-06.000N 084-14-24.000W	Iso W 6s	31 9	11	Black rectangular daymark on gray tower. 32	Higher intensity beam on bearing 160° diminishing around remainder of horizon.	04/10
							*	
12815	<i>De Tour Passage Lighted Buoy 2</i>	45-56-34.371N 083-52-33.887W	Fl R 6s		5	Red.	Replaced by nun from Dec. 1 to May 1.	04/10
							*	
12825	<i>Crab Island Shoal Lighted Bell Buoy 4</i> Marks west side of shoal.	45-57-36.244N 083-53-10.902W	Fl R 2.5s		5	Red.	Replaced by nun from Dec. 1 to May 1.	04/10
							*	
14460	<i>Round Island Lighted Buoy 32</i>	46-27-19.511N 084-32-45.709W	Fl R 2.5s		4	Red.	Replaced by nun from Dec. 14 to May 1.	04/10
							*	
21040	STURGEON BAY SHIP CANAL LIGHT 7	44-48-19.720N 087-19-50.514W	Fl G 4s	31 9	4	SG on post.		04/10
							*	
	No corrections this week.							03/10
	No corrections this week.							02/10
	No corrections this week.							01/10