

# Local Notice to Mariners for Southeast District 07/22/2026

## Alafia River

### Federal Discrepancies

| NAME                           | LLNR  | STATUS      | AID TYPE |
|--------------------------------|-------|-------------|----------|
| Alafia River Range Front Light | 23240 | REDUCED INT | FD       |

## Altamaha Sound

### Federal Discrepancies

| NAME                               | LLNR  | STATUS           | AID TYPE |
|------------------------------------|-------|------------------|----------|
| Altamaha Sound Daybeacon 197       | 36887 | STRUCT DEST/TRUB | FD       |
| Altamaha Sound Light 201           | 36905 | STRUCT DEST/TRLB | FD       |
| Altamaha Sound Light 202           | 36910 | STRUCT DEST/TRLB | FD       |
| Altamaha Sound Light 209           | 36930 | STRUCT DEST/TRLB | FD       |
| Altamaha Sound Range Front Light C | 36935 | STRUCT DEST      | FD       |

## Amelia River

### Federal Discrepancies

| NAME                        | LLNR  | STATUS      | AID TYPE |
|-----------------------------|-------|-------------|----------|
| Amelia River Lighted Buoy 8 | 7080  | OFF STATION | FD       |
| Amelia River Lighted Buoy 4 | 37940 | MISSING     | FD       |

## Anclote Anchorage North Entrance

### Federal Discrepancies

| NAME                                     | LLNR  | STATUS                   | AID TYPE |
|------------------------------------------|-------|--------------------------|----------|
| Anclote Anchorage North Entrance Light 7 | 26130 | STRUCT DEST/HAZ NAV/TRLB | FD       |

### Private Discrepancies

| NAME                                | LLNR    | STATUS              | AID TYPE |
|-------------------------------------|---------|---------------------|----------|
| Upper Cross Bayou Daybeacon 1       | 26453   | STRUCT DEST         | PA       |
| Sea Forest Cut Channel Daybeacon 6  | 26451.5 | STRUCT DEST         | PA       |
| Sea Forest Cut Channel Daybeacon 9  | 26451.8 | STRUCT DEST/HAZ NAV | PA       |
| Upper Cross Bayou Daybeacon 7       | 26453.3 | STRUCT DEST/HAZ NAV | PA       |
| Big Bayou Point Channel Daybeacon 5 | 26454.2 | STRUCT DEST/HAZ NAV | PA       |

## Anclote River

### Federal Discrepancies

| NAME                                          | LLNR    | STATUS                   | AID TYPE |
|-----------------------------------------------|---------|--------------------------|----------|
| Anclote River Light 9                         | 26180   | STRUCT DEST/TRLB/SINKING | FD       |
| Anclote River Daybeacon 11                    | 26190   | STRUCT DEST/TRLB/HAZ NAV | FD       |
| Anclote River Daybeacon 12                    | 26190.5 | HAZ NAV/STRUCT DEST/TRLB | FD       |
| Anclote River Turning Basin Shoal Daybeacon A | 26360   | STRUCT MISSING/TRUB      | FD       |
| Anclote River Turning Basin Shoal Daybeacon B | 26365   | STRUCT MISSING/TRUB      | FD       |
| Anclote River Daybeacon 38                    | 26305   | STRUCT DEST/TRUB         | FD       |

### Private Discrepancies

| NAME                               | LLNR    | STATUS        | AID TYPE |
|------------------------------------|---------|---------------|----------|
| Anclote Village Marina Daybeacon 7 | 26233.7 | DAYMK MISSING | PA       |

## Angelfish Creek

### Federal Discrepancies

| NAME                        | LLNR  | STATUS           | AID TYPE |
|-----------------------------|-------|------------------|----------|
| Angelfish Creek Daybeacon 3 | 11195 | STRUCT DEST/TRUB | FD       |

Army Terminal Channel

Additional MSI Categories

| TITLE                                                                    | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | LOCATION                            |
|--------------------------------------------------------------------------|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Bahia De San Juan - Army Terminal Channel/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2026-06-04 45425 Location: 18-25-28.632N/066-06-27.504W Aid Name: Army Terminal Channel Range Rear Light LLNR: 30870 Action: CHANGE Action Type Change Light System Primary The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Army Terminal Channel, Bahia de San Juan, Puerto Rico: Army Terminal Channel Range Rear Light (LLNR 30870) will be changed to Army Terminal Channel Port Entry Light (LLNR 30870) in approximate position 18-25-28.622N / 066-06-27.515W. This is an establishment of a day and night single station oscillating boundary system. Army Terminal Channel Range Front Light (LLNR 30865) in approximate position 18-25-39.901N/ 066-06-28.253W, will be permanently discontinued due to the establishment of Army Terminal Channel Port Entry Light (LLNR 30870). All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Army Terminal Channel as the subject line. Comments can also be mailed to Commander (dpw), Southeast Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by August 5, 2026. | Lat: 18° 25' 29" Lon: -066° 06' 28" |
| Bahia De San Juan - Army Terminal Channel/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2026-06-04 45426 Location: 18-25-39.900N/066-06-28.260W Aid Name: Army Terminal Channel Range Front Light LLNR: 30865 Action: DISCONTINUE The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Army Terminal Channel, Bahia de San Juan, Puerto Rico: Army Terminal Channel Range Rear Light (LLNR 30870) will be changed to Army Terminal Channel Port Entry Light (LLNR 30870) in approximate position 18-25-28.622N / 066-06-27.515W. This is an establishment of a day and night single station oscillating boundary system. Army Terminal Channel Range Front Light (LLNR 30865) in approximate position 18-25-39.901N/ 066-06-28.253W, will be permanently discontinued due to the establishment of Army Terminal Channel Port Entry Light (LLNR 30870). All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Army Terminal Channel as the subject line. Comments can also be mailed to Commander (dpw), Southeast Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by August 5, 2026.                                   | Lat: 18° 25' 40" Lon: -066° 06' 28" |

Ashley River

Additional MSI Categories

| TITLE                                                                                                    | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | LOCATION                            |
|----------------------------------------------------------------------------------------------------------|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Charleston Harbor South Channel - Ashley River/ATON/Advanced Notice of Change                            | Advanced Notice of Change | ATON/Advanced Notice of Change From: 2026-06-01 44973 Location: 32-49-28.956N/079-57-50.436W Aid Name: Ashley River Daybeacon 16 LLNR: 3645 Action: DISCONTINUE The following change has been approved to the aids to navigation system in the Ashley River. Ashley River DBN 16 (LLNR 3645) will be permanently discontinued. Due to construction for a large marina, DBN 16 impedes the expansion of the waterfront facilities for the new marina. After reviewing the waterway and surrounding aids to navigation the Coast Guard has determined that DBN 16 will no longer be needed                                                                                                                                                                                                                                                                                                                                                                | Lat: 32° 49' 29" Lon: -079° 57' 50" |
| Ashley River/General/Bridges                                                                             | Bridges                   | Ashley River/General/Bridges From: 2026-04-16 To: 2027-09-30 Location: 32.78257, -79.96052 Bridge Name: Ashley River Pedestrian Bridge Construction of the Ashley River Crossing Pedestrian Bridge continues on the Ashley River, in Charleston, SC. The new bridge will be constructed to the southeast (immediately adjacent) of the T. Allen Legare / US 17 Bridge. Construction barges will be partially obstructing the channel, approximately 50 to 60 feet of the channel will be available to navigation. Vessels requiring a full channel passage must contact Keith Simmons, 843-514-0257, at least 24 hours prior to the transit. Construction activities will be 24 hours a day, seven days a week. UPDATE 04/16/2026: The SE and SW section of the T. Allen Legare / US 17 Bridge fender will be removed and extended to include the new pedestrian bridge. Vessels should use caution and maintain safe speeds while transiting the area. | Lat: 32° 46' 57" Lon: -079° 57' 38" |
| Charleston Harbor South Channel - Ashley River/General/Naval Activity/Naval Testing (Surface/Underwater) | Naval Activity            | General/Naval Activity/Naval Testing (Surface/Underwater) From: 2025-09-16 28228 Location: 32.7683° N / 79.9422° W Naval Information Warfare Center (NIWC) Atlantic is deploying research and data buoys within the Charleston Harbor, Cooper River, Wando River, and Ashley River. The buoys are yellow and white with 2' diameter and 3' height above waterline. The buoys will be lit with a yellow flashing light. More information can be found at: <a href="https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/">https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/</a>                                                                                                                                                                                                | Lat: 32° 46' 06" Lon: -079° 56' 32" |

Atlantic IWW

Federal Discrepancies

| NAME                         | LLNR | STATUS       | AID TYPE |
|------------------------------|------|--------------|----------|
| Bethel Shoal Lighted Buoy 10 | 660  | SINKING/TRLB | FD       |

Private Discrepancies

| NAME                                      | LLNR  | STATUS              | AID TYPE |
|-------------------------------------------|-------|---------------------|----------|
| Sebastian Inlet North Jetty Light         | 655   | LT EXT              | PA       |
| Sailfish Point Marina Channel Daybeacon 5 | 10025 | STRUCT DEST/HAZ NAV | PA       |
| Sailfish Point Marina Channel Daybeacon 7 | 10035 | STRUCT DEST         | PA       |
| Sailfish Point Marina Channel Daybeacon 1 | 10005 | STRUCT DEST/HAZ NAV | PA       |
| Sailfish Point Marina Channel Daybeacon 2 | 10010 | STRUCT DEST         | PA       |

Bahia De Guayanilla

Federal Discrepancies

| NAME                                          | LLNR  | STATUS | AID TYPE |
|-----------------------------------------------|-------|--------|----------|
| Bahia De Guayanilla Entrance Range Rear Light | 32075 | LT EXT | FD       |

Additional MSI Categories

| TITLE | SUBCATEGORY | DESCRIPTION | LOCATION |
|-------|-------------|-------------|----------|
|       |             |             |          |

|                                                    |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                     |
|----------------------------------------------------|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Bahia De Guayanilla/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2026-07-13 To: 2031-06-18 Location: 17-59-06.972N/066-45-50.868W Aid Name: Bahia De Guayanilla Entrance Range Rear Light LLNR: 32075 Action: CHANGE Action Type Change Light System Primary The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Bahia de Guayanilla: Bahia de Guayanilla Entrance Range Rear Light (LLNR 32075) will be changed to Bahia de Guayanilla Entrance Port Entry Light (LLNR 32075) in approximate position 17-59-06.987N / 066-45-50.877W. This is an establishment of a single station oscillating boundary system. Bahia De Guayanilla Entrance Range Front Light (LLNR 32070), 17-58-36.849N / 066-45-49.823W, will be permanently discontinued due to the establishment of Bahia De Guayanilla Entrance Port Entry Light (LLNR 32075). All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Bahia de Guayanilla as the subject line. Comments can also be mailed to Commander (dpw), Southeast Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by September 15, 2026. | Lat: 17° 59' 07" Lon: -066° 45' 51" |
| Bahia De Guayanilla/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2026-07-13 To: 2031-06-18 Location: 17-58-36.840N/066-45-49.824W Aid Name: Bahia De Guayanilla Entrance Range Front Light LLNR: 32070 Action: DISCONTINUE The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Bahia de Guayanilla: Bahia de Guayanilla Entrance Range Rear Light (LLNR 32075) will be changed to Bahia de Guayanilla Entrance Port Entry Light (LLNR 32075) in approximate position 17-59-06.987N / 066-45-50.877W. This is an establishment of a single station oscillating boundary system. Bahia De Guayanilla Entrance Range Front Light (LLNR 32070), 17-58-36.849N / 066-45-49.823W, will be permanently discontinued due to the establishment of Bahia De Guayanilla Entrance Port Entry Light (LLNR 32075). All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Bahia de Guayanilla as the subject line. Comments can also be mailed to Commander (dpw), Southeast Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by September 15, 2026.                                   | Lat: 17° 58' 37" Lon: -066° 45' 50" |

**Bahia De Jobos**

**Private Discrepancies**

| NAME                               | LLNR  | STATUS  | AID TYPE |
|------------------------------------|-------|---------|----------|
| Aguirre Power Plant Lighted Buoy 1 | 31890 | OFF STA | PA       |
| Aguirre Power Plant Lighted Buoy 2 | 31895 | OFF STA | PA       |
| Aguirre Power Plant Lighted Buoy 3 | 31900 | OFF STA | PA       |
| Aguirre Power Plant Lighted Buoy 4 | 31905 | OFF STA | PA       |
| Aguirre Power Plant Lighted Buoy 5 | 31910 | OFF STA | PA       |
| Aguirre Power Plant Lighted Buoy 6 | 31915 | OFF STA | PA       |
| Aguirre Power Plant Lighted Buoy 8 | 31920 | OFF STA | PA       |

**Bahia De Ponce**

**Federal Discrepancies**

| NAME                            | LLNR  | STATUS      | AID TYPE |
|---------------------------------|-------|-------------|----------|
| Isla De Cardona Light           | 31950 | STRUCT DEST | FD       |
| Bahia De Ponce Range Rear Light | 31965 | REDUCED INT | FD       |

**Private Discrepancies**

| NAME                                     | LLNR  | STATUS      | AID TYPE |
|------------------------------------------|-------|-------------|----------|
| Ponce Harbor Pier Obstruction Lights (4) | 31985 | STRUCT DMGD | PA       |

**Bahia De Ponce And Approaches**

**Federal Discrepancies**

| NAME                       | LLNR  | STATUS | AID TYPE |
|----------------------------|-------|--------|----------|
| Isla Caja De Muertos Light | 31925 | LT EXT | FD       |

**Private Discrepancies**

| NAME                                              | LLNR  | STATUS      | AID TYPE |
|---------------------------------------------------|-------|-------------|----------|
| Ponce Yacht & Fishing Club Special Purpose Buoy A | 31927 | MISSING     | PA       |
| Rio Bucana East Jetty Light                       | 31940 | STRUCT DEST | PA       |

**Bahia De San Juan**

**Federal Discrepancies**

| NAME                             | LLNR  | STATUS  | AID TYPE |
|----------------------------------|-------|---------|----------|
| Bahia De San Juan Lighted Buoy 2 | 30760 | MISSING | FD       |

**Private Discrepancies**

| NAME                                 | LLNR    | STATUS  | AID TYPE |
|--------------------------------------|---------|---------|----------|
| Bahia De San Juan FAD Lighted Buoy E | 30736.4 | MISSING | PA       |
| Bahia De San Juan FAD Lighted Buoy F | 30736.5 | OFF STA | PA       |

**Additional MSI Categories**

| TITLE | SUBCATEGORY | DESCRIPTION | LOCATION |
|-------|-------------|-------------|----------|
|       |             |             |          |

|                                                  |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                     |
|--------------------------------------------------|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Bahia De San Juan/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2026-07-13 To: 2031-06-18 Location: 18-28-19.812N/066-07-46.308W Aid Name: Bahia De San Juan Lighted Buoy 2 LLNR: 30760 Action: CHANGE Action Type Change Aid Subtype Action Type Change AIS The following change is being proposed to the aids to navigation (ATON) system in Bahia de San Juan, San Juan, Puerto Rico. Bahia de San Juan Lighted Buoy 2 (LLNR 30760) located at position 18-28-19.812N / 066-07-46.323W, will be converted from a physical ATON to a virtual Automatic Identification System (AIS) ATON. The new virtual ATON will broadcast with MMSI number 993672167. This change is due to significant environmental challenges at the assigned position that make the physical maintenance of the buoy difficult. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Bahia de San Juan Lighted Buoy 2 as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by September 15, 2026.                   | Lat: 18° 28' 20" Lon: -066° 07' 46" |
| Bahia De San Juan/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2026-07-16 To: 2031-06-21 Location: 18-27-18.396N/066-07-42.564W Aid Name: Bahia De San Juan Range Rear Light LLNR: 30750 Action: CHANGE Action Type Change Light System Primary The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Bahia de San Juan: Bahia de San Juan Range Rear Light (LLNR 30750) will be changed to Bahia de San Juan Port Entry Light (LLNR 30750), in approximate position 18-27-18.392N / 066-07-42.552W. This is an establishment of a single station oscillating boundary system. Bahia De San Juan Range Front Light (LLNR 30745), in approximate position 18-27-25.530N / 066-07-42.424W, will be permanently discontinued due to the establishment of Bahia De San Juan Port Entry Light (LLNR 30750). All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Bahia de San Juan as the subject line. Comments can also be mailed to Commander (dpw), Southeast Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by September 15, 2026. | Lat: 18° 27' 18" Lon: -066° 07' 43" |
| Bahia De San Juan/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2026-07-16 To: 2027-01-12 Location: 18-27-25.524N/066-07-42.420W Aid Name: Bahia De San Juan Range Front Light LLNR: 30745 Action: DISCONTINUE The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Bahia de San Juan: Bahia de San Juan Range Rear Light (LLNR 30750) will be changed to Bahia de San Juan Port Entry Light (LLNR 30750), in approximate position 18-27-18.392N / 066-07-42.552W. This is an establishment of a single station oscillating boundary system. Bahia De San Juan Range Front Light (LLNR 30745), in approximate position 18-27-25.530N / 066-07-42.424W, will be permanently discontinued due to the establishment of Bahia De San Juan Port Entry Light (LLNR 30750). All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Bahia de San Juan as the subject line. Comments can also be mailed to Commander (dpw), Southeast Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by September 15, 2026.                                   | Lat: 18° 27' 26" Lon: -066° 07' 42" |

Banana River

Private Discrepancies

| NAME                                       | LLNR               | STATUS              | AID TYPE |
|--------------------------------------------|--------------------|---------------------|----------|
| Tortoise Island Channel Daybeacon 1        | 42463              | STRUCT DEST/HAZ NAV | PA       |
| Hospital Cut Daybeacon 6                   | 42611.5            | DAYMK MISSING       | PA       |
| Kelly Park Channel Daybeacon 3             | 43040              | STRUCT DEST/HAZ NAV | PA       |
| Tortoise Island Ctr Channel Daybeacon 2    | 42450              | DAYMK IMCH          | PA       |
| Tortoise Island Center Channel Daybeacon 4 | 42460              | DAYMK IMCH          | PA       |
| Tortoise Island Center Channel Daybeacon 5 | 42460.1            | DAYMK IMCH          | PA       |
| Tortoise Island Center Channel Daybeacon 6 | 42460.200000000004 | DAYMK MISSING       | PA       |
| Tortoise Island Center Channel Daybeacon 7 | 42460.3            | DAYMK IMCH          | PA       |
| Tortoise Island Center Channel Daybeacon 8 | 42460.4            | DAYMK IMCH          | PA       |
| Manatee Cove Marina Daybeacon 1            | 42490.1            | STRUCT DEST/HAZ NAV | PA       |
| Manatee Cove Marina Daybeacon 4            | 42490.4            | STRUCT DMGD         | PA       |
| Pelican Creek Light 2                      | 42615              | STRUCT DEST         | PA       |
| Kelly Park Channel Daybeacon 4             | 43045              | STRUCT DEST         | PA       |
| Kelly Park Channel Daybeacon 5             | 43050              | STRUCT DEST/HAZ NAV | PA       |

Additional MSI Categories

| TITLE                                                                                                                                           | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | LOCATION |
|-------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Canaveral Barge Canal - Banana River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-02-17 37215 Location: 28-19-23.268N/080-38-41.856W 28-18-45.108N/080-37-37.416W 28-18-33.084N/080-38-44.664W 28-19-23.268N/080-38-41.856W JF Brennan Co will be performing marine construction consisting of capping along the shoreline. The project is expected to being on or about April 6, 2026, with an estimated completion date of October 1, 2027. Operations will be conducted Monday thru Saturday, 7 a.m. to 7 p.m. Marine equipment to be used: Broadcast Capping System (60'x120' barge), utility barge (30'x40'), pipeline tugger (12'x12') Brennan will have mooring lights on all corners of the stationary platforms and vessels will utilize marine lighting during movements. Equipment will be spudded down and vessels docked during non-working hours. 4 Floating "Construction Ahead" warning signs will be placed, 1 on each end of the zone and the other 2 in between. Vessels will be monitoring VHF-FM channel 16. |          |

Banana River North

Federal Discrepancies

| NAME                            | LLNR  | STATUS           | AID TYPE |
|---------------------------------|-------|------------------|----------|
| Banana River North Daybeacon 34 | 41920 | STRUCT DEST/TRUB | FD       |
| Banana River North Light 35     | 41925 | STRUCT DEST/TRLB | FD       |

Additional MSI Categories

| TITLE | SUBCATEGORY | DESCRIPTION | LOCATION |
|-------|-------------|-------------|----------|
|       |             |             |          |

|                                       |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                 |
|---------------------------------------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|
| Banana River<br>North/General/Bridges | Bridges | Banana River North/General/Bridges From: 2026-06-15 To: 2026-12-12 Location: 28.513111, -80.611376 Bridge Name: National Aeronautics and Space Administration Parkway Bridge The Banana River Bridge, also known as the NASA Parkway Bridge and the Roy D. Bridge, is unable to provide a full opening. The horizontal clearance when the drawspans are in the up/open position to 79.5 feet. All mariners are advised to transit with extreme caution.                                                             | Lat:<br>28° 30' 47"<br>Lon:<br>-080° 36'<br>41" |
| Banana River<br>North/General/Bridges | Bridges | Banana River North/General/Bridges From: 2026-07-21 To: 2026-08-10 Location: 28.513111, -80.611376 Bridge Name: National Aeronautics and Space Administration Parkway Bridge The bridge need not open to navigation as follows: - July 23, 2026, from 9 a.m. to 3 p.m. - July 24, 2026, from 9 a.m. to 3 p.m. - July 31, 2026, from 10:30 a.m. through 6 p.m. on August 2, 2026. - August 7, 2026, from 10:30 a.m. through 6 p.m. on August 9, 2026. Vessels able to pass without an opening may do so at any time. | Lat:<br>28° 30' 47"<br>Lon:<br>-080° 36'<br>41" |

**Barnes Sound**

**Private Discrepancies**

| NAME                       | LLNR  | STATUS      | AID TYPE |
|----------------------------|-------|-------------|----------|
| Manatee Creek Daybeacon 5  | 50255 | STRUCT DEST | PA       |
| Manatee Creek Daybeacon 6  | 50260 | STRUCT DEST | PA       |
| Manatee Creek Daybeacon 7  | 50265 | STRUCT DEST | PA       |
| Manatee Creek Daybeacon 8  | 50270 | STRUCT DEST | PA       |
| Manatee Creek Daybeacon 8A | 50275 | STRUCT DEST | PA       |
| Manatee Creek Daybeacon 9  | 50280 | STRUCT DEST | PA       |
| Manatee Creek Daybeacon 10 | 50285 | STRUCT DEST | PA       |
| Manatee Bay Daybeacon 2    | 50310 | STRUCT DEST | PA       |
| Manatee Bay Daybeacon 3    | 50315 | STRUCT DEST | PA       |

**Additional MSI Categories**

| TITLE                           | SUBCATEGORY | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | LOCATION                                        |
|---------------------------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|
| Barnes<br>Sound/General/Bridges | Bridges     | Barnes Sound/General/Bridges From: 2026-01-21 To: 2027-08-31 Location: 25.28265, -80.35424 Bridge Name: Mosquito Creek Bridge Monroe County has contracted for the replacement of the bridge. The project will begin February 16, 2026, and be completed by August 2027. The bridge will be replaced along the same alignment. A turbidity curtain will be placed around the bridge piers. Work hours will be Monday through Friday from 7 a.m. to 5 p.m. Mariners are advised to transit the area with caution. | Lat:<br>25° 16' 58"<br>Lon:<br>-080° 21'<br>15" |
| Barnes<br>Sound/General/Bridges | Bridges     | Barnes Sound/General/Bridges From: 2026-01-21 To: 2027-08-31 Location: 25.27943, -80.34303 Bridge Name: Tubbys Creek Bridge Monroe County has contracted for the replacement of the bridge. The project will begin February 16, 2026, and be completed by August 2027. The bridge will be replaced along the same alignment. A turbidity curtain will be placed around the bridge piers. Work hours will be Monday through Friday from 7 a.m. to 5 p.m. Mariners are advised to transit the area with caution.   | Lat:<br>25° 16' 46"<br>Lon:<br>-080° 20'<br>35" |

**Barron River Channel**

**Federal Discrepancies**

| NAME                              | LLNR  | STATUS           | AID TYPE |
|-----------------------------------|-------|------------------|----------|
| Barron River Channel Daybeacon 37 | 16180 | STRUCT DEST/TRUB | FD       |

**Beaufort River**

**Private Discrepancies**

| NAME                     | LLNR | STATUS      | AID TYPE |
|--------------------------|------|-------------|----------|
| Broad Creek Daybeacon 13 | 4490 | STRUCT DEST | PA       |
| Broad Creek Daybeacon 19 | 4510 | DAYMK IMCH  | PA       |
| Broad Creek Daybeacon 21 | 4515 | DAYMK IMCH  | PA       |

**Additional MSI Categories**

| TITLE                                                                  | SUBCATEGORY | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | LOCATION                                        |
|------------------------------------------------------------------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|
| Port Royal Sound - Beaufort<br>River/General/Bridges/Temp<br>Deviation | Bridges     | General/Bridges/Temp Deviation Location: 32.42753° N / 80.66921° W Bridge Name: Lady's Island Woods Memorial Bridge The bridge need not open for navigation, including tugs with tows during the following: - October 3, 2026, from 6:30 a.m. to 9:45 a.m. to facilitate the 2026 Shrimp Festival 5K. - November 7, 2026, from 7:15 a.m. to 9:45 a.m. to facilitate the 2026 Holy Trinity Swing Bridge Run 5K. - November 26, 2026, from 7:15 a.m. to 9 a.m. to facilitate the Habitat for Humanity Turkey Trot 5K 2026. - January 16, 2027, from 7:15 a.m. to 10 a.m. to facilitate the Beaufort Area Hospitality Association Oyster Festival 5K 2027. Public Vessels, vessels in emergency situations, and vessels that may pass through the bridge without an opening should be passed at any time. | Lat:<br>32° 25' 39"<br>Lon:<br>-080° 40'<br>09" |

**Benner Bay Channel**

**Federal Discrepancies**

| NAME                          | LLNR  | STATUS | AID TYPE |
|-------------------------------|-------|--------|----------|
| Buck Island Light (St Thomas) | 32565 | LT EXT | FD       |

Big Bend Channel

Federal Discrepancies

| NAME                     | LLNR  | STATUS | AID TYPE |
|--------------------------|-------|--------|----------|
| Big Bend Channel Light 4 | 23055 | LT EXT | FD       |

Private Discrepancies

| NAME                            | LLNR    | STATUS      | AID TYPE |
|---------------------------------|---------|-------------|----------|
| North Apollo Beach Daybeacon 4  | 24675   | STRUCT DEST | PA       |
| North Apollo Beach Daybeacon 17 | 24696.5 | STRUCT DEST | PA       |

Big Marco Pass Gordon Pass

Federal Discrepancies

| NAME                                     | LLNR    | STATUS              | AID TYPE |
|------------------------------------------|---------|---------------------|----------|
| Big Marco Pass-Gordon Pass Daybeacon 2   | 17095   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 1A  | 17100   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 2A  | 17160   | STRUCT MISSING/TRUB | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 3   | 17165   | STRUCT MISSING/TRUB | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 17  | 17210   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 18A | 17220   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 26  | 17255   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 28A | 17275   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 33  | 17300   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 36  | 17310   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordan Pass Daybeacon 40  | 17320   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 46  | 17335   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 53  | 17370   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 56  | 17385   | STRUCT MISSING/TRUB | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 60  | 17400   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 65  | 17415   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 66  | 17420   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 67  | 17420.5 | STRUCT MISSING/TRUB | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 27A | 17265   | HAZ NAV/STRUCT DEST | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 68  | 17425   | STRUCT DEST/TRUB    | FD       |

Private Discrepancies

| NAME                                   | LLNR    | STATUS         | AID TYPE |
|----------------------------------------|---------|----------------|----------|
| Big Marco Pass Obstruction Daybeacon C | 17087.2 | STRUCT DEST    | PA       |
| Big Marco Pass Obstruction Daybeacon A | 17087   | STRUCT DEST    | PA       |
| Big Marco Pass Obstruction Daybeacon B | 17087.1 | STRUCT DEST    | PA       |
| Big Marco Pass Obstruction Light E     | 17087.4 | STRUCT DEST    | PA       |
| Isles Of Capri Daybeacon 6             | 17125   | STRUCT MISSING | PA       |

Biscayne Bay.

Federal Discrepancies

| NAME                      | LLNR  | STATUS           | AID TYPE |
|---------------------------|-------|------------------|----------|
| Biscayne Bay Daybeacon 57 | 48490 | STRUCT DEST/TRUB | FD       |

Private Discrepancies

| NAME                                             | LLNR  | STATUS                    | AID TYPE |
|--------------------------------------------------|-------|---------------------------|----------|
| Bakers Haulover Smallboat Channel Daybeacon 2    | 47795 | STRUCT DEST               | PA       |
| Miami Seaquarium Inlet Pipe Obstruction Light    | 48600 | STRUCT DEST/HAZ NAV       | PA       |
| Matheson Hammock South Channel Light 2           | 49455 | LT EXT                    | PA       |
| John A Brennan Channel Light 13                  | 49040 | LT EXT                    | PA       |
| Coral Gables Waterway Light 1                    | 49285 | STRUCT DEST               | PA       |
| Coral Gables Waterway Daybeacon 2                | 49290 | STRUCT DEST               | PA       |
| Coral Gables Waterway Daybeacon 3                | 49295 | STRUCT DEST               | PA       |
| Coral Gables Waterway Daybeacon 4                | 49300 | STRUCT DEST               | PA       |
| Coral Gables Waterway Daybeacon 6                | 49310 | DAYMK IMCH                | PA       |
| Matheson Hammock South Channel Range Front Light | 49445 | DAYMK MISSING/STRUCT DMGD | PA       |
| Matheson Hammock South Channel Range Rear Light  | 49450 | DAYMK MISSING             | PA       |

|                                            |       |                      |    |
|--------------------------------------------|-------|----------------------|----|
| Matheson Hammock South Channel Daybeacon 9 | 49485 | DAYMK MISSING        | PA |
| Black Point Channel Daybeacon 6            | 49760 | STRUCT DEST          | PA |
| Adams Key Light                            | 50105 | LT EXT/DAYMK MISSING | PA |

Temporary Changes

| NAME                 | LLNR  | STATUS       | AID TYPE |
|----------------------|-------|--------------|----------|
| Biscayne Bay Buoy 7A | 47824 | DISCONTINUED | FD       |
| Biscayne Bay Buoy 7B | 47828 | DISCONTINUED | FD       |

Additional MSI Categories

| TITLE                                       | SUBCATEGORY | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | LOCATION                               |
|---------------------------------------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Biscayne Bay/General/Bridges/Temp Deviation | Bridges     | General/Bridges/Temp Deviation From: 2025-04-08 To: 2027-12-31 Location: 25.80607° N / 80.25855° W Bridge Name: South Florida Rail Corridor Railroad Bridge - Miami River The draw of the FDOT Railroad Bridge, mile 5.3 at Miami, Florida need not open to navigation. This temporary interim rule (TIR) is effective April 4, 2025, through 11:59 p.m. on December 31, 2027. Documents are available in the docket, USCG-2025-0204. To view, go to <a href="https://www.regulations.gov">https://www.regulations.gov</a> . Type the docket number (USCG-2025-0204) in the "SEARCH" box and click "SEARCH". In the Document Type column, select "Supporting & Related Material".                                                  | Lat: 25° 48' 22"<br>Lon: -080° 15' 31" |
| Biscayne Bay/General/Bridges                | Bridges     | Biscayne Bay/General/Bridges From: 2026-04-24 To: 2027-10-21 Location: 25.78398, -80.21856 Bridge Name: 836 Double-Decked State Route Bridge Construction continues on the double-decked bridge. Gantry operations are expected to begin across the Miami River starting April 24, 2026 and last through September 30, 2026. Impacts to navigation are not anticipated, however, overnight waterway closures may be necessary. The Coast Guard will provide advanced notice if impacts to navigation are expected. Beginning late August 2026, the fender system will be replaced. The navigation channel will be partially obstructed with in-water equipment. Future updates will be made with dates/times for waterway impacts. | Lat: 25° 47' 02"<br>Lon: -080° 13' 07" |
| Biscayne Bay/General/Bridges                | Bridges     | Biscayne Bay/General/Bridges From: 2026-07-17 To: 2027-01-13 Location: 25.74644, -80.18379 Bridge Name: Rickenbacker Causeway Bridge The east fender is damaged. The wood bunk has broke free but remains attached on one side. Mariners are advised to use caution when transiting the area.                                                                                                                                                                                                                                                                                                                                                                                                                                      | Lat: 25° 44' 47"<br>Lon: -080° 11' 02" |

Biscayne Channel

Private Discrepancies

| NAME                                     | LLNR  | STATUS   | AID TYPE |
|------------------------------------------|-------|----------|----------|
| Miami Springs Boat Club Shoal Buoy West  | 10886 | MSLD SIG | PA       |
| Miami Springs Boat Club Shoal Buoy North | 10887 | MISSING  | PA       |
| Miami Springs Boat Club Shoal Buoy South | 10889 | MISSING  | PA       |

Blackwater Sound

Federal Discrepancies Corrected

| NAME                      | LLNR  | STATUS    | AID TYPE | CORRECTION DATE |
|---------------------------|-------|-----------|----------|-----------------|
| Blackwater Sound Light 38 | 50365 | RELIGHTED | FD       | 2026-07-08      |

Bloody Point Range

Federal Discrepancies

| NAME                                   | LLNR | STATUS  | AID TYPE |
|----------------------------------------|------|---------|----------|
| Bloody Point Range Lighted Bell Buoy 8 | 4580 | SS INOP | FD       |

Blount Island

Additional MSI Categories

| TITLE                                                        | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                         | LOCATION                               |
|--------------------------------------------------------------|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Fulton Cutoff - Blount Island/ATON/Advanced Notice of Change | Advanced Notice of Change | Blount Island Turning Basin LB 45 (LLNR 7395) will be permanently relocated to 30-23-08.280N/081-32-35.920W. The flash characteristic will remain a FL G 4s, but the nominal range will be reduced from 5NM to 4NM. | Lat: 30° 23' 08"<br>Lon: -081° 32' 36" |

Boca Chita Channel

Private Discrepancies

| NAME                                            | LLNR    | STATUS        | AID TYPE |
|-------------------------------------------------|---------|---------------|----------|
| East Featherbeds Obstruction Daybeacon A        | 49703   | DAYMK MISSING | PA       |
| East Featherbed North Obstruction Daybeacon     | 49703.1 | DAYMK MISSING | PA       |
| East Featherbed West Obstruction Daybeacon      | 49703.3 | STRUCT DEST   | PA       |
| East Featherbed Northeast Obstruction Daybeacon | 49703.5 | STRUCT DEST   | PA       |
| East Featherbed Southeast Obstruction Daybeacon | 49703.6 | DAYMK IMCH    | PA       |

|                                                |                    |                     |    |
|------------------------------------------------|--------------------|---------------------|----|
| East Featherbed NNE Obstruction Daybeacon      | 49703.700000000004 | STRUCT DEST         | PA |
| Middle Featherbeds North Obstruction Daybeacon | 49704              | DAYMK MISSING       | PA |
| Middle Featherbed NNE Obstruction Daybeacon    | 49704.3            | DAYMK MISSING       | PA |
| Featherbed Bank Shoal Daybeacon X              | 49725              | STRUCT DEST/HAZ NAV | PA |

**Boca Ciega Bay**

**Federal Discrepancies**

| NAME                         | LLNR  | STATUS           | AID TYPE |
|------------------------------|-------|------------------|----------|
| Boca Ciega Bay Daybeacon 27  | 60875 | STRUCT DEST/TRUB | FD       |
| Boca Ciega Bay Daybeacon 35  | 60915 | STRUCT DEST/TRUB | FD       |
| Boca Ciega Bay Daybeacon 7   | 60550 | STRUCT DEST/TRUB | FD       |
| Boca Ciega Bay Daybeacon 13  | 60580 | STRUCT DEST/TRUB | FD       |
| Boca Ciega Bay Daybeacon 13A | 60585 | STRUCT DEST/TRUB | FD       |

**Boca Ciega Bay To Anclote Anchorage**

**Federal Discrepancies**

| NAME                     | LLNR  | STATUS              | AID TYPE |
|--------------------------|-------|---------------------|----------|
| The Narrows Daybeacon 14 | 61535 | STRUCT MISSING/TRUB | FD       |
| The Narrows Daybeacon 38 | 61660 | STRUCT DEST/TRUB    | FD       |
| The Narrows Light 47     | 61700 | STRUCT DEST/TRLB    | FD       |

**Boca Ciega Key**

**Federal Discrepancies**

| NAME                        | LLNR  | STATUS           | AID TYPE |
|-----------------------------|-------|------------------|----------|
| Boca Ciega Bay Daybeacon 39 | 61040 | STRUCT DEST/TRUB | FD       |

**Boca De Cangrejos**

**Additional MSI Categories**

| TITLE                                            | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | LOCATION                            |
|--------------------------------------------------|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Boca De Cangrejos/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2025-09-16 28227 Location: 18.46878° N / 66.01088° W Aid Name: Boca De Cangrejos Lighted Buoy BC LLNR: 31130 Action: DISCONTINUE The following change is being proposed to the aids to navigation system in Boca De Cangreos, San Juan, Puerto Rico. Boca De Cangreos Lighted Buoy BC (LLNR 31130) will be permanently discontinued, as it has been deemed non-essential for maritime navigation. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Isla Palominos as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by March 1, 2026. | Lat: 18° 28' 08" Lon: -066° 00' 39" |

**Boca Grande Yacht Basin Channel**

**Federal Discrepancies**

| NAME                                    | LLNR  | STATUS           | AID TYPE |
|-----------------------------------------|-------|------------------|----------|
| Boca Grande Yacht Basin Channel Light 7 | 21340 | STRUCT DEST/TRLB | FD       |

**Bohicket Creek**

**Federal Discrepancies**

| NAME                       | LLNR | STATUS         | AID TYPE |
|----------------------------|------|----------------|----------|
| Bohicket Creek Daybeacon 5 | 3905 | STRUCT MISSING | FD       |

**Bowlegs Cut**

**Private Discrepancies**

| NAME              | LLNR  | STATUS | AID TYPE |
|-------------------|-------|--------|----------|
| Bay Harbour Light | 12378 | LT EXT | PA       |

**Braden River**

**Private Discrepancies**

| NAME                     | LLNR    | STATUS              | AID TYPE |
|--------------------------|---------|---------------------|----------|
| Braden River Daybeacon 9 | 22097.8 | STRUCT DEST/HAZ NAV | PA       |

Brunswick River

Federal Discrepancies

| NAME                                    | LLNR | STATUS                   | AID TYPE |
|-----------------------------------------|------|--------------------------|----------|
| Brunswick Point Cut Range Front Light 2 | 6230 | REDUCED INT              | FD       |
| Turtle River Lower Range Rear Light     | 6245 | LT EXT/STRUCT DMGD       | FD       |
| Brandy Point Jetty Daybeacon            | 6290 | STRUCT DEST/HAZ NAV/TRUB | FD       |

Butchers Bend

Federal Discrepancies

| NAME                    | LLNR | STATUS           | AID TYPE |
|-------------------------|------|------------------|----------|
| Butchers Bend Light 109 | 9200 | STRUCT DEST/TRLB | FD       |

Buttermilk Sound

Federal Discrepancies

| NAME                           | LLNR  | STATUS           | AID TYPE |
|--------------------------------|-------|------------------|----------|
| Buttermilk Sound Daybeacon 217 | 36967 | STRUCT DEST/TRUB | FD       |
| Buttermilk Sound Daybeacon 218 | 36975 | DBD DEST/TRUB    | FD       |
| Buttermilk Sound Light 219     | 37030 | STRUCT DEST      | FD       |

Caesar Creek

Federal Discrepancies

| NAME                      | LLNR  | STATUS                   | AID TYPE |
|---------------------------|-------|--------------------------|----------|
| Caesar Creek Daybeacon 14 | 11050 | STRUCT DEST/TRUB/MISSING | FD       |
| Caesar Creek Daybeacon 20 | 11080 | STRUCT DEST              | FD       |

Calibogue Sound

Additional MSI Categories

| TITLE                                                                     | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | LOCATION                            |
|---------------------------------------------------------------------------|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Calibogue Sound Entrance - Calibogue Sound/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 32.1499° N / 80.83043° W Aid Name: Calibogue Sound Light 32 LLNR: 35800 Action: CHANGE Action Type Change Light Characteristic The following change has been approved to the Aid to Navigation system in the Intracoastal Waterway Calibogue Sound, part of the Intracoastal Waterway (ICW). The nominal range permanently reduced from 5NM to 4NM. The current nominal range of 5NM is not necessary. Based on the design of the Short-Range Aids System (SRA), mariners should be able to see two lighted aids to navigation forward of the aid from which they are alongside. Based on this data, a nominal range of 4NM is more than adequate. | Lat: 32° 08' 60" Lon: -080° 49' 50" |

Caloosahatchee River

Federal Discrepancies

| NAME                              | LLNR  | STATUS                   | AID TYPE |
|-----------------------------------|-------|--------------------------|----------|
| Caloosahatchee River Daybeacon 19 | 52210 | STRUCT MISSING           | FD       |
| Caloosahatchee River Daybeacon 34 | 52475 | STRUCT DEST/HAZ NAV      | FD       |
| Caloosahatchee River Light 70     | 53725 | STRUCT DEST/TRLB         | FD       |
| Caloosahatchee River Light 72     | 53790 | STRUCT DEST/TRLB/HAZ NAV | FD       |
| Caloosahatchee River Daybeacon 97 | 54770 | STRUCT DEST/TRUB         | FD       |
| Caloosahatchee River Daybeacon 80 | 54255 | STRUCT DEST/TRUB/MISSING | FD       |
| Caloosahatchee River Daybeacon 61 | 53265 | STRUCT DEST/TRUB         | FD       |

Private Discrepancies

| NAME                                             | LLNR    | STATUS                | AID TYPE |
|--------------------------------------------------|---------|-----------------------|----------|
| Caloosahatchee River Mooring Channel Daybeacon 4 | 52644   | DAYMK MISSING         | PA       |
| Marinatown Daybeacon 23                          | 52765   | DAYMK MISSING         | PA       |
| Cape Coral Rim Channel Daybeacon 23              | 53070   | HAZ NAV/DAYMK MISSING | PA       |
| Van Riper Channel Daybeacon 2                    | 54296   | DAYMK MISSING         | PA       |
| Van Riper Channel Daybeacon 4                    | 54296.5 | DAYMK MISSING         | PA       |
| Van Riper Channel Daybeacon 6                    | 54297   | DAYMK MISSING         | PA       |
| Van Riper Channel Daybeacon 8                    | 54297.5 | DAYMK MISSING         | PA       |
| Van Riper Channel Daybeacon 10                   | 54298   | DAYMK MISSING         | PA       |

|                                                  |                    |                  |    |
|--------------------------------------------------|--------------------|------------------|----|
| Van Riper Channel Daybeacon 12                   | 54298.5            | DAYMK MISSING    | PA |
| Redfish Cove Channel Daybeacon 18                | 54445              | STRUCT DEST      | PA |
| Redfish Cove Channel Daybeacon 20                | 54455              | STRUCT DEST      | PA |
| Ft Myers Yacht Basin Breakwater Light            | 52640              | STRUCT DEST      | PA |
| Caloosahatchee River Mooring Channel Daybeacon 2 | 52642              | DAYMK MISSING    | PA |
| Caloosahatchee River Mooring Channel Daybeacon 6 | 52644.200000000004 | DAYMK MISSING    | PA |
| Ft Myers Yacht Basin Breakwater West Light       | 52645              | STRUCT DEST      | PA |
| Marinatown Daybeacon 7                           | 52685              | DAYMK MISSING    | PA |
| Marinatown Daybeacon 12                          | 52710              | STRUCT DMGD      | PA |
| Marinatown Daybeacon 22                          | 52760              | STRUCT DEST      | PA |
| Marinatown Daybeacon 24                          | 52770              | DAYMK MISSING    | PA |
| Gulf Acres Channel Daybeacon 1                   | 52825              | STRUCT DEST      | PA |
| Gulf Acres Channel Daybeacon 4                   | 52840              | STRUCT DEST      | PA |
| Gulf Acres Channel Daybeacon 5                   | 52845              | STRUCT DEST      | PA |
| Gulf Acres Channel Daybeacon 9                   | 52870              | STRUCT DEST      | PA |
| Cape Coral Rim Channel Daybeacon 39              | 53110              | STRUCT DEST      | PA |
| Bimini Entrance Channel Daybeacon 24             | 54360              | STRUCT DEST/TRUB | PA |
| Cape Coral Southwest Channel Daybeacon 8         | 54665              | STRUCT DEST/TRUB | PA |
| Cape Coral Southwest Channel Daybeacon 9         | 54670              | STRUCT DEST/TRUB | PA |
| Shell Point Obstruction Daybeacon A              | 54763              | STRUCT DEST      | PA |

Additional MSI Categories

| TITLE                                | SUBCATEGORY | DESCRIPTION                                                                                                                                                                                                                                                                                                                                            | LOCATION                            |
|--------------------------------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Caloosahatchee River/General/Bridges | Bridges     | Caloosahatchee River/General/Bridges From: 2026-07-14 To: 2026-07-27 Location: 26.76951, -81.43741 Bridge Name: LaBelle Bridge The bridge will provide single-leaf only openings from 7 a.m. on Friday, July 17, 2026, through 6 p.m. on Sunday, July 26, 2026. During this time, a full drawbridge opening will not be provided.                      | Lat: 26° 46' 10" Lon: -081° 26' 15" |
| Caloosahatchee River/General/Bridges | Bridges     | Caloosahatchee River/General/Bridges From: 2026-07-21 To: 2027-01-17 Location: 26.76951, -81.43741 Bridge Name: LaBelle Bridge The bridge need not open to navigation from 10 p.m. on July 30 until 5 a.m. on July 31 and again from 10 p.m. on July 31 until 5 a.m. on August 1, 2026. Vessels able to pass without an opening may do so at any time. | Lat: 26° 46' 10" Lon: -081° 26' 15" |

Canal Del Este

Federal Discrepancies

| NAME                          | LLNR  | STATUS      | AID TYPE |
|-------------------------------|-------|-------------|----------|
| Punta Colorada Lighted Buoy 9 | 31655 | OFF STATION | FD       |

Canaveral Barge Canal

Federal Discrepancies

| NAME                              | LLNR  | STATUS           | AID TYPE |
|-----------------------------------|-------|------------------|----------|
| Canaveral Barge Canal Daybeacon 2 | 41710 | STRUCT DEST/TRUB | FD       |
| Canaveral Barge Canal Daybeacon 6 | 41695 | STRUCT DEST/TRUB | FD       |

Private Discrepancies

| NAME                     | LLNR  | STATUS        | AID TYPE |
|--------------------------|-------|---------------|----------|
| Sykes Creek Daybeacon 5  | 41575 | DAYMK MISSING | PA       |
| Sykes Creek Daybeacon 19 | 41620 | STRUCT DEST   | PA       |

Cape Haze Shoal

Federal Discrepancies

| NAME                    | LLNR  | STATUS                   | AID TYPE |
|-------------------------|-------|--------------------------|----------|
| Cape Haze Shoal Light 5 | 19990 | HAZ NAV/STRUCT DEST/TRLB | FD       |

Private Discrepancies

| NAME                                 | LLNR    | STATUS              | AID TYPE |
|--------------------------------------|---------|---------------------|----------|
| Pine Island West Channel Daybeacon 5 | 56510.1 | STRUCT DEST/HAZ NAV | PA       |
| Burnt Store Marina Daybeacon 5       | 20015   | STRUCT DEST         | PA       |
| Alligator Creek Daybeacon 23         | 20305   | STRUCT DMGD         | PA       |
| Alligator Creek Daybeacon 33         | 20335   | STRUCT DEST/HAZ NAV | PA       |

Capri Pass

Federal Discrepancies

| NAME                         | LLNR  | STATUS              | AID TYPE |
|------------------------------|-------|---------------------|----------|
| Capri Pass Light 3           | 16955 | TRLB/STRUCT MISSING | FD       |
| Capri Pass Daybeacon C       | 16980 | TRUB/STRUCT DEST    | FD       |
| Capri Pass Shoal Daybeacon B | 17050 | STRUCT DEST/TRUB    | FD       |
| Capri Pass Light 9           | 16985 | STRUCT DEST         | FD       |

Private Discrepancies

| NAME                                          | LLNR    | STATUS              | AID TYPE |
|-----------------------------------------------|---------|---------------------|----------|
| Addison Bay Daybeacon 1                       | 16901.1 | STRUCT DEST         | PA       |
| Addison Bay Daybeacon 2                       | 16901.2 | STRUCT DEST         | PA       |
| Addison Bay Daybeacon 4                       | 16901.4 | STRUCT DEST/HAZ NAV | PA       |
| Addison Bay Daybeacon 5                       | 16901.5 | STRUCT DEST         | PA       |
| South Point North Obstruction Daybeacon       | 16961   | STRUCT DEST/HAZ NAV | PA       |
| South Point S. Obstruction Daybeacon          | 16962   | STRUCT DEST/HAZ NAV | PA       |
| Royal Marco Point North Obstruction Daybeacon | 16986   | STRUCT DEST         | PA       |
| Royal Marco Point S. Obst. Daybeacon          | 16987   | STRUCT DEST         | PA       |
| Collier Bay Daybeacon 13                      | 17021   | DAYMK MISSING       | PA       |
| Collier Bay Daybeacon 15                      | 17023   | DAYMK MISSING       | PA       |
| Factory Bay E Channel Daybeacon 2             | 17070   | DBD DMGD            | PA       |
| Factory Bay E Channel Daybeacon 4             | 17075   | DBD DEST            | PA       |

Captiva Channel

Private Discrepancies

| NAME                        | LLNR  | STATUS      | AID TYPE |
|-----------------------------|-------|-------------|----------|
| Captiva Channel Daybeacon 5 | 55620 | STRUCT DEST | PA       |

Caxambas Bay

Private Discrepancies

| NAME                                    | LLNR               | STATUS              | AID TYPE |
|-----------------------------------------|--------------------|---------------------|----------|
| Moran's Marina Channel Daybeacon 1      | 16835              | DAYMK MISSING       | PA       |
| Moran's Marina Channel Daybeacon 2      | 16840              | DAYMK MISSING       | PA       |
| Blackwater River Daybeacon 10           | 16505              | DAYMK MISSING       | PA       |
| Blackwater River Daybeacon 11           | 16510              | STRUCT DEST/HAZ NAV | PA       |
| Blackwater River Daybeacon 13           | 16520              | STRUCT DEST         | PA       |
| Blackwater River Daybeacon 15           | 16530              | STRUCT DEST         | PA       |
| Blackwater River Daybeacon 22           | 16555              | STRUCT DEST         | PA       |
| Blackwater River Daybeacon 24           | 16565              | STRUCT DEST/HAZ NAV | PA       |
| Caxambas Bay South Approach Daybeacon 2 | 16675              | STRUCT DEST         | PA       |
| Caxambas Bay Daybeacon 11               | 16715              | DAYMK MISSING       | PA       |
| Horris Island North Channel Daybeacon 8 | 16790              | STRUCT DEST/HAZ NAV | PA       |
| Snook Hole Channel Daybeacon 1          | 16790.010000000002 | STRUCT DEST         | PA       |
| Snook Hole Channel Daybeacon 4          | 16790.04           | STRUCT DEST/HAZ NAV | PA       |
| Big Marco River Daybeacon 3             | 16800              | STRUCT DEST         | PA       |
| Moran's Marina Channel Daybeacon 3      | 16845              | DAYMK MISSING       | PA       |
| Big Marco River Daybeacon 16            | 16860              | STRUCT DEST         | PA       |
| Big Marco River Daybeacon 21            | 16880              | STRUCT DMGD         | PA       |
| Big Marco River Daybeacon 26            | 16900              | STRUCT DEST/HAZ NAV | PA       |

Additional MSI Categories

| TITLE                        | SUBCATEGORY | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | LOCATION                            |
|------------------------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Caxambas Bay/General/Bridges | Bridges     | Caxambas Bay/General/Bridges From: 2026-01-09 To: 2027-03-01 Location: 25.93286, -81.65347 Bridge Name: Goodland Bridge Bridge repairs will begin February 16, 2026. The contractor will be working daily, from 7 a.m. to 5 p.m. The main channel may be partially obstructed, with 45 feet of horizontal clearance available for marine traffic. There will be work boats and barges in the vicinity of the bridge. The repairs are expected to be completed on March 1, 2027. All mariners are advised to transit the area with caution. | Lat: 25° 55' 58" Lon: -081° 39' 12" |

Cedar Keys Main Channel

Federal Discrepancies

| NAME                                | LLNR  | STATUS              | AID TYPE |
|-------------------------------------|-------|---------------------|----------|
| Cedar Keys Main Channel Daybeacon 8 | 29770 | STRUCT MISSING/TRUB | FD       |
| Cedar Keys Main Channel Light 14    | 29790 | STRUCT MISSING/TRLB | FD       |
| Cedar Keys Main Channel Light 18    | 29800 | STRUCT MISSING/TRLB | FD       |

Additional MSI Categories

| TITLE                                                         | SUBCATEGORY           | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                         | LOCATION                               |
|---------------------------------------------------------------|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Cedar Keys Main Channel/General/Hazards To Navigation/Hazards | Hazards To Navigation | General/Hazards To Navigation/Hazards From: 2024-12-06 To: 2025-06-04 Location: 29.11403° N / 83.04028° W Cedar Key Main Channel 19A has been temporarily established to guide vessel traffic channel ward and away from submerged wreckage between Cedar Keys Main Channel Daybeacon 19 (LLNR 29805) and Cedar Keys Main Channel Light 21 (LLNR 29810). All mariners are advised to transit the area with caution. | Lat: 29° 06' 51"<br>Lon: -083° 02' 25" |

Cedar Keys Northwest Channel

Federal Discrepancies

| NAME                                      | LLNR  | STATUS                   | AID TYPE |
|-------------------------------------------|-------|--------------------------|----------|
| Cedar Keys Northwest Channel Daybeacon 14 | 29965 | STRUCT MISSING/TRUB      | FD       |
| Cedar Keys Northwest Channel Daybeacon 17 | 29980 | STRUCT MISSING/TRUB      | FD       |
| Cedar Keys Northwest Channel Light 19     | 29995 | STRUCT DEST/HAZ NAV/TRLB | FD       |
| Cedar Keys Northwest Channel Daybeacon 21 | 30005 | TRLB/STRUCT DEST/HAZ NAV | FD       |
| Cedar Key Northwest Channel Daybeacon 22  | 30010 | TRLB/HAZ NAV/STRUCT DEST | FD       |

Cedar Keys South Bar Channel

Federal Discrepancies

| NAME                                     | LLNR  | STATUS         | AID TYPE |
|------------------------------------------|-------|----------------|----------|
| Cedar Keys South Bar Channel Daybeacon 4 | 29900 | STRUCT MISSING | FD       |

Charleston Harbor

Federal Discrepancies

| NAME                               | LLNR | STATUS   | AID TYPE |
|------------------------------------|------|----------|----------|
| Charleston Entrance Lighted Buoy C | 200  | RAC INOP | FD       |
| Fort Sumter Range Rear Light       | 2390 | LT EXT   | FD       |
| Fort Sumter Range Front Light      | 2385 | LT EXT   | FD       |
| Mount Pleasant Range Front Light   | 2455 | LT EXT   | FD       |

Federal Discrepancies Corrected

| NAME                                     | LLNR | STATUS           | AID TYPE | CORRECTION DATE |
|------------------------------------------|------|------------------|----------|-----------------|
| Hog Island Reach Channel Lighted Buoy 42 | 2620 | RESET ON STATION | FD       | 2026-07-16      |

Additional MSI Categories

| TITLE                                                                                                                                                                      | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | LOCATION                               |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Sector Charleston, Submerged Land Act (SLA) - Charleston Harbor/ATON/Advanced Notice of Change                                                                             | Advanced Notice of Change               | Charleston Harbor Channel LB 18 (LLNR 2420) will have the bell permanently removed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Lat: 32° 43' 27"<br>Lon: -079° 48' 37" |
| Sector Charleston, Submerged Land Act (SLA) - Charleston Harbor/ATON/Advanced Notice of Change                                                                             | Advanced Notice of Change               | Charleston Harbor Channel LB 22 (LLNR 2440) will have the bell permanently removed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Lat: 32° 44' 26"<br>Lon: -079° 50' 41" |
| Sector Charleston, Submerged Land Act (SLA) - Charleston Harbor/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-02-25 To: 2026-11-13 Location: 32.75328° N / 79.87473° W 32.75232° N / 79.87355° W 32.75075° N / 79.87546° W 32.75198° N / 79.87705° W 32.75328° N / 79.87473° W Cape Romain Contractors will be replacing Fort Sumter and Fort Moultrie Docks and rehabilitate Liberty Square Pier. They will have a crane barge starting March 3, 2025, until May 31, 2026, at Fort Moultrie and crane barges at Fort Sumter and Liberty Square Pier as the project progresses. Estimated completion date of the entire project is 31October 31, 2026. All Vessels should use caution when transiting the work area. The crew at Fort Moultrie will monitor VHF-FM channels 13 and 16. |                                        |
| Sector Charleston, Submerged Land Act (SLA) - Charleston Harbor/General/Naval Activity/Naval Testing (Surface/Underwater)                                                  | Naval Activity                          | General/Naval Activity/Naval Testing (Surface/Underwater) From: 2025-09-16 28230 Location: 32.8063° N / 79.9186° W Naval Information Warfare Center (NIWC) Atlantic is deploying research and data buoys within the Charleston Harbor, Cooper River, Wando River, and Ashley River. The buoys are yellow and white with 2' diameter and 3' height above waterline. The buoys will be lit with a yellow flashing light. More information can be found at: <a href="https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/">https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/</a>                                       | Lat: 32° 48' 23"<br>Lon: -079° 55' 07" |

|                                                                                                                           |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                        |
|---------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Sector Charleston, Submerged Land Act (SLA) - Charleston Harbor/General/Naval Activity/Naval Testing (Surface/Underwater) | Naval Activity | General/Naval Activity/Naval Testing (Surface/Underwater) From: 2025-09-16 28233 Location: 32.754° N / 79.8662° W Naval Information Warfare Center (NIWC) Atlantic is deploying research and data buoys within the Charleston Harbor, Cooper River, Wando River, and Ashley River. The buoys are yellow and white with 2' diameter and 3' height above waterline. The buoys will be lit with a yellow flashing light. More information can be found at: <a href="https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/">https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/</a> | Lat: 32° 45' 14"<br>Lon: -079° 51' 58" |
|---------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|

**Charleston Harbor North Channel**

**Federal Discrepancies**

| NAME                                            | LLNR | STATUS  | AID TYPE |
|-------------------------------------------------|------|---------|----------|
| Rebellion Reach Range Front Light               | 2485 | LT EXT  | FD       |
| Charleston Harbor North Channel Lighted Buoy 34 | 2540 | SINKING | FD       |

**Additional MSI Categories**

| TITLE                                                                                                                                                          | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | LOCATION |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Charleston Harbor - Charleston Harbor North Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-02-25 To: 2026-11-13 Location: 32.78003° N / 79.92337° W 32.77867° N / 79.9233° W 32.77871° N / 79.92452° W 32.77997° N / 79.92455° W 32.78003° N / 79.92337° W Cape Romain Contractors will be replacing Fort Sumter and Fort Moultrie Docks and rehabilitate Liberty Square Pier. They will have a crane barge starting March 3, 2025, until May 31, 2026, at Fort Moultrie and crane barges at Fort Sumter and Liberty Square Pier as the project progresses. Estimated completion date of the entire project is 31October 31, 2026. All Vessels should use caution when transiting the work area. The crew at Fort Moultrie will monitor VHF-FM channels 13 and 16. |          |

**Charleston Harbor Savannah River**

**Federal Discrepancies**

| NAME                    | LLNR  | STATUS           | AID TYPE |
|-------------------------|-------|------------------|----------|
| Ramshorn Creek Light 39 | 35825 | STRUCT DEST/TRLB | FD       |

**Private Discrepancies**

| NAME                            | LLNR    | STATUS  | AID TYPE |
|---------------------------------|---------|---------|----------|
| Braddock Cove Creek Jetty Light | 35815.5 | LT IMCH | PA       |
| Parris Island Fish Haven Buoy   | 35600   | MISSING | PA       |

**Additional MSI Categories**

| TITLE                                                                                                       | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | LOCATION |
|-------------------------------------------------------------------------------------------------------------|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Calibogue Sound - Charleston Harbor Savannah River/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-05-26 44431 Cottrell Contracting Corporation of Chesapeake, Virginia advises that the Dredge Newmarket will be conducting dredging operations in Ramshorn Creek between Ramshorn Creek Light 39(32.114533N, 80.897550W) and Ramshorn Creek Light 37 (32.130050N, 80.889317W) of the Georgia Intracoastal Waterway (AIWW). The work is estimated to begin on May 17, 2026 and be completed by June 10, 2026. The Dredge Newmarket monitors VHF-FM channels 13 and 16. All mariners are requested to contact the dredge prior to passing. For emergencies the dredge can be reached at (757) 635-4513. All mariners are requested to stay clear of the dredge, pipelines, barge, derricks and operating wires about the dredge. All operators should be aware that the dredge and pontoon lines are held in place by cables, which are attached to anchors some distance from the dredge and pontoons. Buoys are attached to the anchors so that they may be moved as the dredge moves. Submerged lines should be avoided. Mariners are requested to exercise extreme caution when approaching, passing, and leaving the dredging plant. The dredge Newmarket monitors VHF channels 13 and 16. Mariners are cautioned to strictly comply with the Inland Rules of the Road when approaching, passing and leaving the area of operations, and remain a safe distance away from the dredge, booster, buoys, cables, pipeline, barges, derricks, wires and related equipment. Owners and lessees of .fishnets, crabpots and other structures that may be in the vicinity and that may hinder the free navigation of attending vessels and equipment must remove these from the area where tugs, tenderboats and other attendant equipment will be navigating. Dredging operations will be conducted 24/7, all fishnets, crab pots and structures in the general area must be removed prior to commencement of any work, a slow NO WAKE speed is requested of transiting vessels. All vessels are requested to contact the dredge prior to passing. |          |

**Charleston Harbor South Channel**

**Additional MSI Categories**

| TITLE                                                                                                         | SUBCATEGORY    | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | LOCATION                               |
|---------------------------------------------------------------------------------------------------------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Charleston Harbor - Charleston Harbor South Channel/General/Naval Activity/Naval Testing (Surface/Underwater) | Naval Activity | General/Naval Activity/Naval Testing (Surface/Underwater) From: 2025-09-16 28229 Location: 32.7562° N / 79.9137° W Naval Information Warfare Center (NIWC) Atlantic is deploying research and data buoys within the Charleston Harbor, Cooper River, Wando River, and Ashley River. The buoys are yellow and white with 2' diameter and 3' height above waterline. The buoys will be lit with a yellow flashing light. More information can be found at: <a href="https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/">https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/</a> | Lat: 32° 45' 22"<br>Lon: -079° 54' 49" |
| Charleston Harbor - Charleston Harbor South Channel/General/Naval Activity/Naval Testing (Surface/Underwater) | Naval Activity | General/Naval Activity/Naval Testing (Surface/Underwater) From: 2025-09-16 28232 Location: 32.7563° N / 79.9184° W Naval Information Warfare Center (NIWC) Atlantic is deploying research and data buoys within the Charleston Harbor, Cooper River, Wando River, and Ashley River. The buoys are yellow and white with 2' diameter and 3' height above waterline. The buoys will be lit with a yellow flashing light. More information can be found at: <a href="https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/">https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/</a> | Lat: 32° 45' 23"<br>Lon: -079° 55' 06" |

**Chokoloskee Bay Channel**

**Private Discrepancies**

| NAME                                                       | LLNR  | STATUS      | AID TYPE |
|------------------------------------------------------------|-------|-------------|----------|
| National Park Service Boat Basin South Channel Daybeacon 1 | 16105 | STRUCT DEST | PA       |
| National Park Service Boat Basin South Channel Daybeacon 5 | 16125 | STRUCT DEST | PA       |
| National Park Service Boat Basin West Channel Daybeacon 1  | 16135 | STRUCT DEST | PA       |
| National Park Service Boat Basin West Channel Daybeacon 2  | 16140 | STRUCT DEST | PA       |
| National Park Service Boat Basin West Channel Daybeacon 5  | 16150 | STRUCT DEST | PA       |
| National Park Service Boat Basin West Channel Daybeacon 6  | 16155 | STRUCT DEST | PA       |
| National Park Service Boat Basin West Channel Daybeacon 7  | 16160 | STRUCT DEST | PA       |

**Christiansted Harbor Channel**

**Private Discrepancies**

| NAME                                           | LLNR  | STATUS         | AID TYPE |
|------------------------------------------------|-------|----------------|----------|
| Christiansted Schooner Channel Lighted Buoy 7  | 32965 | BUOY DMGD      | PA       |
| Christiansted Schooner Channel Lighted Buoy 5  | 32950 | OFF STA/LT EXT | PA       |
| Christiansted Schooner Channel Lighted Buoy 6  | 32955 | LT EXT         | PA       |
| Christiansted Schooner Channel Lighted Buoy 10 | 32980 | LT EXT         | PA       |
| Christiansted Schooner Lighted Buoy 11         | 32985 | LT EXT         | PA       |

**Additional MSI Categories**

| TITLE                                                                              | SUBCATEGORY           | DESCRIPTION                                                                                                                                                                                                                                                                                                         | LOCATION                               |
|------------------------------------------------------------------------------------|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Virgin Islands - Christiansted Harbor Channel/General/Hazards To Navigation/Wrecks | Hazards To Navigation | General/Hazards To Navigation/Wrecks From: 2026-05-20 44160 Location: 17-45-02.988N/064-41-50.388W SAILING VESSEL LUCKY ME HAS BEEN REPORTED SUNKEN AND CAUSING A HAZARD TONAVIGATION INSIDE ALTONA LAGOON IN POSITION 17-45.05N 064-41.84W. MARINERSARE RQST TO TRANSIT WITH CAUTION AND MAKE REPORTS TO THE USCG. | Lat: 17° 45' 03"<br>Lon: -064° 41' 50" |

**Clarks Creek**

**Federal Discrepancies**

| NAME                           | LLNR | STATUS           | AID TYPE |
|--------------------------------|------|------------------|----------|
| Clarks Creek Lighted Buoy 6    | 2247 | MISSING          | FD       |
| Five Fathom Creek Daybeacon 13 | 2320 | STRUCT DEST/TRUB | FD       |
| Five Fathom Creek Daybeacon 14 | 2325 | STRUCT DEST/TRUB | FD       |

**Clearwater Harbor**

**Federal Discrepancies**

| NAME                           | LLNR  | STATUS              | AID TYPE |
|--------------------------------|-------|---------------------|----------|
| Clearwater Wreck Light WR14A   | 61805 | STRUCT MISSING/TRLB | FD       |
| Clearwater Harbor Daybeacon 20 | 61847 | STRUCT DEST/TRUB    | FD       |
| Clearwater Harbor Daybeacon 1A | 61710 | STRUCT DEST/TRUB    | FD       |

**Clearwater Marina Channel**

**Additional MSI Categories**

| TITLE                                                                              | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | LOCATION                               |
|------------------------------------------------------------------------------------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Clearwater Pass Channel - Clearwater Marina Channel/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change 35342 From: 2026-01-16 Location: 27-57-47.160N/082-49-09.012W Aid Name: Clearwater Marina Channel Light 2 LLNR: 25730 Action: CHANGE Action Type Change Light Signals The U.S. Coast Guard has approved the following changes in the Clearwater Marina Channel and Causeway Channel to improve the aids to navigation within the waterway and to create a safer transit. Clearwater Marina Channel LT 2 (LLNR 25730) will be changed to Clearwater Marina Preferred Channel LT "CM" (LLNR 25730). The new flash characteristics will be changed to a FL (2+1)R 6s and the Day Mark will show a red over green signal. Currently Clearwater Marina Channel LT 2 sits across from Clearwater Pass LT 14 (LLNR 25575) at the junction of Clearwater Marina Channel and Clearwater Pass Channel causing confusion on outbound transits from the Clearwater Pass Channel. Causeway Channel DBN 7 (LLNR 25845.5) will be changed to Causeway Preferred Channel DBN "CC" (LLNR 25845.5). The Day Mark will show a green over red signal. Causeway Channel DBN 7 is currently aligned with red lateral aids marking the Clearwater Marina Channel and causes confusion on inbound transits of the Clearwater Marina Channel. Converting these aids to a "preferred" channel mark will alleviate any confusion for the mariner while transiting through the Clearwater Marina Channel, Clearwater Pass Channel, and the Causeway Channel. | Lat: 27° 57' 47"<br>Lon: -082° 49' 09" |

**Clearwater Pass**

**Federal Discrepancies**

| NAME                         | LLNR    | STATUS           | AID TYPE |
|------------------------------|---------|------------------|----------|
| Causeway Channel Daybeacon 7 | 25845.5 | STRUCT DEST/TRUB | FD       |

**Additional MSI Categories**

| TITLE                                                              | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | LOCATION                               |
|--------------------------------------------------------------------|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Clearwater Harbor - Clearwater Pass/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change From: 2026-01-16 35343 Location: 27-58-17.328N/082-49-02.352W Aid Name: Causeway Channel Daybeacon 7 LLNR: 25845.5 The U.S. Coast Guard has approved the following changes in the Clearwater Marina Channel and Causeway Channel to improve the aids to navigation within the waterway and to create a safer transit. Causeway Channel DBN 7 (LLNR 25845.5) will be changed to Causeway Preferred Channel DBN "CC" (LLNR 25845.5). The Day Mark will show a green over red signal. Causeway Channel DBN 7 is currently aligned with red lateral aids marking the Clearwater Marina Channel and causes confusion on inbound transits of the Clearwater Marina Channel. Clearwater Marina Channel LT 2 (LLNR 25730) will be changed to Clearwater Marina Preferred Channel LT "CM" (LLNR 25730). The new flash characteristics will be changed to a FL (2+1)R 6s and the Day Mark will show a red over green signal. Currently Clearwater Marina Channel LT 2 sits across from Clearwater Pass LT 14 (LLNR 25575) at the junction of Clearwater Marina Channel and Clearwater Pass Channel causing confusion on outbound transits from the Clearwater Pass Channel. Converting these aids to a "preferred" channel mark will alleviate any confusion for the mariner while transiting through the Clearwater Marina Channel, Clearwater Pass Channel, and the Causeway Channel. | Lat: 27° 58' 17"<br>Lon: -082° 49' 02" |

Clearwater Pass Channel

Federal Discrepancies

| NAME                            | LLNR  | STATUS      | AID TYPE |
|---------------------------------|-------|-------------|----------|
| Clearwater Pass Channel Light 7 | 25700 | STRUCT DMGD | FD       |

Additional MSI Categories

| TITLE                                                                   | SUBCATEGORY           | DESCRIPTION                                                                                                                                                                                                                                                                                                                      | LOCATION |
|-------------------------------------------------------------------------|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Clearwater Pass Channel/General/Hazards To Navigation/Shoaling Reported | Hazards To Navigation | General/Hazards To Navigation/Shoaling Reported From: 2025-11-25 32849 Shoaling has been reported near Clearwater Pass Channel DBN 19. all mariners should transit the area with caution. Clearwater Pass Channel DBN 19 has been destroyed and the TRUB has been moved 12 yards channelward do better mark the shifting shoals. |          |

Clewiston Channel Route 1B

Federal Discrepancies

| NAME                                   | LLNR  | STATUS           | AID TYPE |
|----------------------------------------|-------|------------------|----------|
| Clewiston Channel (Rt 1B) Daybeacon 5  | 51275 | STRUCT DEST/TRLB | FD       |
| Clewiston Channel (Rt 1B) Daybeacon 9  | 51295 | STRUCT DEST      | FD       |
| Clewiston Channel (Rt 1b) Light 12     | 51340 | STRUCT DMGD      | FD       |
| Clewiston Channel (Rt 1B) Daybeacon 14 | 51350 | STRUCT DEST/TRUB | FD       |

Cooper River

Federal Discrepancies

| NAME                          | LLNR | STATUS      | AID TYPE |
|-------------------------------|------|-------------|----------|
| Cooper River Lighted Buoy 52  | 2855 | LT EXT      | FD       |
| Cooper River Lighted Buoy 52A | 2860 | LT EXT      | FD       |
| Cooper River Lighted Buoy 49  | 2803 | OFF STATION | FD       |

Federal Discrepancies Corrected

| NAME                         | LLNR | STATUS            | AID TYPE | CORRECTION DATE |
|------------------------------|------|-------------------|----------|-----------------|
| Cooper River Lighted Buoy 46 | 2740 | WATCHING PROPERLY | FD       | 2026-07-16      |
| Cooper River Lighted Buoy 52 | 2855 | RESET ON STATION  | FD       | 2026-07-16      |

Private Discrepancies

| NAME                                       | LLNR   | STATUS      | AID TYPE |
|--------------------------------------------|--------|-------------|----------|
| Cooper River Ammunition Pier Light         | 3015   | LT EXT      | PA       |
| Upper Cooper River Daybeacon 22            | 3288.5 | DAYMK DMGD  | PA       |
| Don Holt I-526 Bridge Racon                | 2905.5 | RAC INOP    | PA       |
| South Carolina Gas & Elec North Pier Light | 3260   | LT EXT      | PA       |
| South Carolina Gas & Elec South Pier Light | 3265   | LT EXT      | PA       |
| Upper Cooper River Daybeacon 12            | 3287.8 | STRUCT DEST | PA       |

Temporary Changes

| NAME                         | LLNR | STATUS    | AID TYPE |
|------------------------------|------|-----------|----------|
| Cooper River Lighted Buoy 49 | 2803 | RELOCATED | FD       |

Additional MSI Categories

| TITLE                                                           | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | LOCATION                               |
|-----------------------------------------------------------------|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Charleston Harbor - Cooper River/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change From: 2026-02-10 36867 Location: 32-50-36.096N/079-55-48.000W Aid Name: Cooper River Lighted Buoy 49 LLNR: 2803 Action: RELOCATE The U.S. Coast Guard has approved the following changes to the Aids to Navigation System in the Cooper River. Cooper River LB 49 (LLNR 2803) will be permanently relocated to approximate position 32-50-39.792N / 079-55-48.068W. All other characteristics including the flash characteristics will remain the same. The new position is approximately 120 yards NNW from the current location. New location will provide additional maneuverability in the turning basin. This will also create a "gated pair" with Cooper River LB 48A (LLNR 2801). | Lat: 32° 50' 36"<br>Lon: -079° 55' 48" |

|                                                                                                                                             |                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                     |
|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Charleston Harbor - Cooper River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes 2786 Location: 32.85289° N / 79.94381° W The USCG will be demolishing, rebuilding and dredging pier november in approximate position 32-51-09.7N/079-56-48.8W. The contractor is getting ready to remove the old Pier N "mega dolphin" which represents the old pier's closest point to the Clouter Creek Reach Channel. Operations are expected to commence January 15, 2024, with an estimated completion date of December 31, 2026. During the construction phase operations will be conducted Monday-Friday 7 a.m. to 7 p.m., during dredging operations may be continuous 24 hours a day/ 7 days a week. For further information contact: LCDR John Houk at John.R.Houk@uscg.mil.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Lat: 32° 51' 12" Lon: -079° 56' 45" |
| Charleston Harbor - Cooper River/General/Marine Construction (Excluding Bridges)/Dredging                                                   | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-03-17 39325 Southern Dredging Co., Inc. and their Dredge BRUNSWICK will be working in the Port Terminal Reach of the Cooper River at the North Charleston Terminal between Buoys 58 and 60 commencing on or about June 7, 2026. The Dredge will operate on a 24 hour per day, 7 day per week basis until approximately June 21, 2026. To ensure safe passage in the vicinity of the operation, boaters should establish contact with the dredge on VHF-FM 13 and 16.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                     |
| Charleston Harbor - Cooper River/General/Marine Construction (Excluding Bridges)/Dredging                                                   | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-05-29 44834 Marinex Construction, Inc. will begin mobilizing equipment and pipeline to commence work at the USCG Station Pier November in the Cooper River. All submerged pipeline for this work will be appropriately lit and laid from the South cell of the CI outer Creek Disposal Area across the river to Pier November. The Dredge Wadmalaw will operate in this area through approximately July 31, 2026. The Dredge Wadmalaw will operate 24-7 and monitor VHF-FM channels 13 and 16.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                     |
| Charleston Harbor - Cooper River/ATON/Proposed Notice of Change                                                                             | Proposed Notice of Change               | ATON/Proposed Notice of Change Location: 32.9403° N / 79.92368° W Aid Name: Cooper River Range D Rear Light LLNR: 3045 Action: RELOCATE The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in the Cooper River: Cooper River Range D Rear Light (LLNR 3045) will be permanently relocated to approximate position 32-56-27.083N / 079-55-21.194W. Cooper River Range D/F Front Light (LLNR 3040) will have the flash characteristic changed from a Q W to a FL W 2.5s. The light will continue to be an all-around light. Due to the current location of Cooper River Range D Rear Light (LLNR 30465) being inaccessible for a Coast Guard asset to effectively repair the structure, it was determined by relocating the rear range approximately 400 feet further from its current location will offer a much improved range quality and allow CG personnel to service at any tidal state. All comments should be emailed to: d07-smb-dpwpubliccomments@uscg.mil or andrew.m.engle@uscg.mil with Cooper River Range D/F as the subject line. Comments can also be mailed to Commander (dpw), Seventh Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by March 16, 2026.                                    | Lat: 32° 56' 25" Lon: -079° 55' 25" |
| Charleston Harbor - Cooper River/ATON/Proposed Notice of Change                                                                             | Proposed Notice of Change               | ATON/Proposed Notice of Change Location: 32.93982° N / 79.92463° W Aid Name: Cooper River Range D/F Front Light LLNR: 3040 Action: CHANGE Action Type Change Light Signals The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in the Cooper River: Cooper River Range D Rear Light (LLNR 3045) will be permanently relocated to approximate position 32-56-27.083N / 079-55-21.194W. Cooper River Range D/F Front Light (LLNR 3040) will have the flash characteristic changed from a Q W to a FL W 2.5s. The light will continue to be an all-around light. Due to the current location of Cooper River Range D Rear Light (LLNR 30465) being inaccessible for a Coast Guard asset to effectively repair the structure, it was determined by relocating the rear range approximately 400 feet further from its current location will offer a much improved range quality and allow CG personnel to service at any tidal state. All comments should be emailed to: d07-smb-dpwpubliccomments@uscg.mil or andrew.m.engle@uscg.mil with Cooper River Range D/F as the subject line. Comments can also be mailed to Commander (dpw), Seventh Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by March 16, 2026. | Lat: 32° 56' 23" Lon: -079° 55' 29" |

Coosaw River

Federal Discrepancies

| NAME                       | LLNR  | STATUS              | AID TYPE |
|----------------------------|-------|---------------------|----------|
| Coosaw River Light 189     | 35255 | STRUCT DEST/HAZ NAV | FD       |
| Coosaw River Daybeacon 206 | 35310 | STRUCT DEST/TRUB    | FD       |

Private Discrepancies

| NAME                     | LLNR  | STATUS      | AID TYPE |
|--------------------------|-------|-------------|----------|
| Parrot Creek Daybeacon 3 | 35235 | STRUCT DEST | PA       |

Cowpens

Federal Discrepancies

| NAME                  | LLNR  | STATUS           | AID TYPE |
|-----------------------|-------|------------------|----------|
| Cowpens Daybeacon 73A | 50605 | STRUCT DEST/TRUB | FD       |
| Cowpens Daybeacon 76A | 50625 | STRUCT DEST/TRUB | FD       |

Cranes Bayou

Private Discrepancies

| NAME                        | LLNR  | STATUS        | AID TYPE |
|-----------------------------|-------|---------------|----------|
| Dock On The Bay Daybeacon 7 | 59015 | DAYMK MISSING | PA       |

Cross Florida Greenway

Federal Discrepancies

| NAME                                | LLNR  | STATUS              | AID TYPE |
|-------------------------------------|-------|---------------------|----------|
| Cross Florida Greenway Daybeacon 27 | 29265 | STRUCT DEST/TRUB    | FD       |
| Cross Florida Greenway Daybeacon 30 | 29280 | HAZ NAV/STRUCT DEST | FD       |
| Cross Florida Greenway Daybeacon 33 | 29295 | STRUCT MISSING      | FD       |
| Cross Florida Greenway Daybeacon 36 | 29310 | STRUCT DEST         | FD       |

Cruz Bay.

Federal Discrepancies

| NAME           | LLNR  | STATUS        | AID TYPE |
|----------------|-------|---------------|----------|
| Cruz Bay Light | 32775 | DAYMK MISSING | FD       |

Private Discrepancies

| NAME            | LLNR  | STATUS  | AID TYPE |
|-----------------|-------|---------|----------|
| Cruz Bay Buoy 2 | 32785 | OFF STA | PA       |

Crystal River

Federal Discrepancies

| NAME                                | LLNR  | STATUS              | AID TYPE |
|-------------------------------------|-------|---------------------|----------|
| Crystal River Entrance Daybeacon 14 | 28855 | STRUCT MISSING/TRUB | FD       |

Cumberland Dividings

Federal Discrepancies

| NAME                           | LLNR  | STATUS           | AID TYPE |
|--------------------------------|-------|------------------|----------|
| Cumberland Dividings Light 63A | 37625 | STRUCT DEST/TRLB | FD       |

Cumberland River

Federal Discrepancies

| NAME                           | LLNR  | STATUS                          | AID TYPE |
|--------------------------------|-------|---------------------------------|----------|
| Cumberland River Light 33      | 37390 | STRUCT DEST/TRLB                | FD       |
| Cumberland River Light 35      | 37405 | STRUCT MISSING/TRLB             | FD       |
| Cumberland River Light 46      | 37540 | STRUCT MISSING/TRLB/OFF STATION | FD       |
| Cumberland River Daybeacon 51  | 37560 | STRUCT DEST/TRUB                | FD       |
| Cumberland River Daybeacon 58A | 37603 | STRUCT DEST/HAZ NAV/TRLB        | FD       |
| Cumberland River Daybeacon 59A | 37607 | STRUCT DEST/TRUB                | FD       |
| Cumberland River Light 60      | 37610 | STRUCT DEST/TRLB                | FD       |
| Cumberland River Daybeacon 63  | 37623 | STRUCT DEST/TRUB                | FD       |

Additional MSI Categories

| TITLE                                                             | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | LOCATION                                     |
|-------------------------------------------------------------------|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|
| St Andrew Sound - Cumberland River/ATON/Advanced Notice of Change | Advanced Notice of Change | Cumberland River LT 35 (LLNR 37405) will be relocated due to the water depth at current location being too deep for CG assets to effect repairs. The aid will be relocated approximately 453 yards south of its current location in a depth of 15 feet. This change will ensure safe navigation and keep the same alignment with the surrounding aids in the Cumberland River. Cumberland River LT 35 (LLNR 37405) will be relocated to approximate position 30-57-14.700N/081-25-44.460W. | Lat:<br>30° 57' 15"<br>Lon:<br>-081° 25' 44" |

Cumberland Sound

Federal Discrepancies

| NAME                                            | LLNR | STATUS                   | AID TYPE |
|-------------------------------------------------|------|--------------------------|----------|
| Cumberland Sound Shoal Light A                  | 6773 | STRUCT DEST              | FD       |
| Cumberland Sound Shoal Light B                  | 6837 | STRUCT DEST              | FD       |
| Cumberland Sound Upper Range C Rear Light       | 6855 | LT EXT                   | FD       |
| Cumberland Sound Shoal Light D                  | 6867 | STRUCT DEST              | FD       |
| Cumberland Sound Shoal Light G                  | 6892 | STRUCT DEST              | FD       |
| Cumberland Sound Shoal Light H                  | 6894 | STRUCT DEST/TRLB/MISSING | FD       |
| Cumberland Sound Range D Front Light            | 6905 | HAZ NAV/STRUCT DEST/TRLT | FD       |
| Cumberland Sound Shoal Light I                  | 6927 | STRUCT DEST              | FD       |
| Cumberland Sound Lower Range C Range Rear Light | 6885 | HAZ NAV/STRUCT DEST      | FD       |

Federal Discrepancies Corrected

| NAME                                      | LLNR | STATUS            | AID TYPE | CORRECTION DATE |
|-------------------------------------------|------|-------------------|----------|-----------------|
| Cumberland Sound Upper Range A Rear Light | 6695 | WATCHING PROPERLY | FD       | 2026-07-14      |

Temporary Changes

| NAME                             | LLNR | STATUS                 | AID TYPE |
|----------------------------------|------|------------------------|----------|
| Cumberland Sound Lighted Buoy 26 | 6725 | RELOCATED FOR DREDGING | FD       |

|                                  |      |                        |    |
|----------------------------------|------|------------------------|----|
| Cumberland Sound Lighted Buoy 27 | 6730 | RELOCATED FOR DREDGING | FD |
| Cumberland Sound Lighted Buoy 28 | 6755 | RELOCATED FOR DREDGING | FD |
| Cumberland Sound Lighted Buoy 30 | 6775 | RELOCATED FOR DREDGING | FD |
| Cumberland Sound Lighted Buoy 32 | 6845 | RELOCATED FOR DREDGING | FD |
| Cumberland Sound Lighted Buoy 33 | 6865 | RELOCATED FOR DREDGING | FD |
| Cumberland Sound Lighted Buoy 35 | 6875 | RELOCATED FOR DREDGING | FD |
| Cumberland Sound Lighted Buoy 37 | 6915 | RELOCATED FOR DREDGING | FD |
| Cumberland Sound Lighted Buoy 39 | 6920 | RELOCATED FOR DREDGING | FD |
| Cumberland Sound Lighted Buoy 40 | 6925 | RELOCATED FOR DREDGING | FD |
| Cumberland Sound Lighted Buoy 41 | 6930 | RELOCATED FOR DREDGING | FD |

**Cut A Channel**

**Federal Discrepancies**

| NAME                                         | LLNR  | STATUS            | AID TYPE |
|----------------------------------------------|-------|-------------------|----------|
| Tampa Bay Cut A Channel Range Front Light    | 22405 | REDUCED INT       | FD       |
| Tampa Bay Cut A Channel Lighted Bell Buoy 1A | 22400 | BUOY DMGD/HAZ NAV | FD       |

**Private Discrepancies**

| NAME                                  | LLNR  | STATUS | AID TYPE |
|---------------------------------------|-------|--------|----------|
| Tampa Bay Skyway Pier Southeast Light | 22425 | LT EXT | PA       |
| Tampa Bay Skyway Pier Northeast Light | 22430 | LT EXT | PA       |

**Cut G Channel**

**Private Discrepancies**

| NAME                      | LLNR               | STATUS              | AID TYPE |
|---------------------------|--------------------|---------------------|----------|
| Smacks Bayou Daybeacon 8  | 25025.600000000002 | STRUCT DEST         | PA       |
| Smacks Bayou Daybeacon 10 | 25025.7            | STRUCT DEST/HAZ NAV | PA       |
| Shore Acres Daybeacon 4   | 25032              | DAYMK MISSING       | PA       |
| Shore Acres Daybeacon 6   | 25033.5            | STRUCT DEST         | PA       |
| Smacks Bayou Daybeacon 2  | 25025.100000000002 | STRUCT DEST         | PA       |
| Smacks Bayou Daybeacon 3  | 25025.2            | STRUCT DEST         | PA       |
| Smacks Bayou Daybeacon 4  | 25025.3            | DBD DMGD/DBD DEST   | PA       |
| Smacks Bayou Daybeacon 13 | 25025.9            | STRUCT DEST         | PA       |
| Shore Acres Daybeacon 4   | 25032              | STRUCT DEST         | PA       |

**Cut K Channel**

**Private Discrepancies**

| NAME                                | LLNR               | STATUS              | AID TYPE |
|-------------------------------------|--------------------|---------------------|----------|
| Shore Acres Daybeacon 5             | 25033              | STRUCT DEST/HAZ NAV | PA       |
| Bayou Grande Channel Daybeacon 2    | 25040              | STRUCT DEST         | PA       |
| Bayou Grande Channel Daybeacon 3    | 25045              | DAYMK DMGD          | PA       |
| Bayou Grande Channel Daybeacon 9    | 25065              | STRUCT DEST         | PA       |
| Bayou Grande Channel Daybeacon 21   | 25105              | DAYMK MISSING       | PA       |
| Bayou Grande Channel Daybeacon 30   | 25150              | STRUCT DEST         | PA       |
| Bayou Grande Channel Daybeacon 31   | 25155              | DAYMK MISSING       | PA       |
| Rattlesnake Channel Daybeacon A     | 23814              | DAYMK IMCH          | PA       |
| Westshore Yacht Club Light 2        | 23814.100000000002 | STRUCT DEST         | PA       |
| Westshore Yacht Club Daybeacon 4    | 23814.2            | STRUCT DEST         | PA       |
| Old Tampa Bay Pipeline West Light   | 23950.5            | STRUCT DEST/HAZ NAV | PA       |
| Bay Crest Daybeacon 5               | 24275              | DAYMK MISSING       | PA       |
| Bayou Grande Channel Daybeacon 1    | 25035              | STRUCT DEST         | PA       |
| Bayou Grande Channel Daybeacon 5    | 25055              | DBD DEST            | PA       |
| Bayou Grande Channel Daybeacon 7    | 25060              | DBD DEST            | PA       |
| Bayou Grande Channel Daybeacon 18   | 25090              | STRUCT DEST/HAZ NAV | PA       |
| Bayou Grande Channel Daybeacon 41   | 25200              | STRUCT DEST         | PA       |
| Bayou Grande Channel Daybeacon 48   | 25230              | STRUCT DEST/HAZ NAV | PA       |
| Bayou Grande Channel Daybeacon 48   | 25230              | STRUCT DEST         | PA       |
| Mobel Americana Channel Daybeacon 3 | 25260.2            | DAYMK MISSING       | PA       |
| Tanglewood Channel Daybeacon 1      | 25265              | STRUCT DEST         | PA       |

Cutter Bank

Federal Discrepancies

| NAME                 | LLNR  | STATUS     | AID TYPE |
|----------------------|-------|------------|----------|
| Cutter Bank Light 10 | 50125 | DAYMK DMGD | FD       |

Darien River

Federal Discrepancies

| NAME                      | LLNR               | STATUS           | AID TYPE |
|---------------------------|--------------------|------------------|----------|
| Darien River Daybeacon 17 | 36826.700000000004 | STRUCT DEST/TRUB | FD       |
| Darien River Daybeacon 20 | 36826.9            | DBD DEST         | FD       |

Derrick Key Gap Channel

Federal Discrepancies

| NAME                                | LLNR  | STATUS              | AID TYPE |
|-------------------------------------|-------|---------------------|----------|
| Derrick Key Gap Channel Daybeacon 2 | 33055 | STRUCT DEST         | FD       |
| Derrick Key Gap Channel Daybeacon 3 | 33060 | TRLB/STRUCT MISSING | FD       |

District 7, Oceanic boundary to EEZ

Federal Discrepancies

| NAME                             | LLNR  | STATUS                   | AID TYPE |
|----------------------------------|-------|--------------------------|----------|
| St Nicolas Point Channel Light 4 | 33400 | STRUCT DEST/HAZ NAV/TRLB | FD       |
| Radio Point Light 1              | 33490 | LT EXT                   | FD       |
| Guantanamo Bay Lighted Buoy 3    | 33425 | LT EXT                   | FD       |
| St Nicolas Point Channel Light 7 | 33415 | STRUCT DEST/TRLB         | FD       |

Additional MSI Categories

| TITLE                                                                                                               | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | LOCATION |
|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| NAVEAREA IV - District 7, Oceanic boundary to EEZ/General/Marine Construction (Excluding Bridges)/Survey Operations | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Survey Operations From: 2026-04-28 42418 Geographic Limits (WGS 84): 25-55.8297N / 080-05.5986W 25-55.0886N / 080-03.0306W 25-53.5676N / 080-00.7379W 25-48.4968N / 079-58.4025W 25-47.6777N / 079-57.1534W 25-46.5503N / 079-53.1630W 25-44.2914N / 079-50.8214W 25-41.5609N / 079-49.0514W 25-38.8241N / 079-47.1306W 25-37.2588N / 079-42.4347W Submarine cable survey operations will be conducted along the route described above. Activities will be performed by dynamically positioned research vessel OCEAN INVINCIBLE and may include slow speed transits and stationary operations. Operations are expected to begin on or about 29 April 29, 2026, with an expected completion date of May 8, 2026, 24/7, weather permitting. Mariners are advised to exercise caution while transiting the area, maintain a safe distance from the vessel and associated operations, avoid anchoring or fishing adjacent to or along the survey corridor, and monitor VHF-FM channel 16 for safety broadcasts. For further information cpntact: Sarah K. Leighton Marine Routing Specialist, SubCom Phone: +1 617 775 6109 Email: sleighton@subcom.com |          |

Doboy Sound

Federal Discrepancies

| NAME               | LLNR | STATUS  | AID TYPE |
|--------------------|------|---------|----------|
| Doboy Sound Buoy 2 | 5920 | OFF STA | FD       |
| Doboy Sound Buoy 3 | 5925 | MISSING | FD       |
| Doboy Sound Buoy 4 | 5930 | OFF STA | FD       |

Private Discrepancies

| NAME             | LLNR | STATUS | AID TYPE |
|------------------|------|--------|----------|
| Sapelo Island LT | 5946 | LT EXT | PA       |

Drummond Creek

Federal Discrepancies

| NAME                            | LLNR | STATUS | AID TYPE |
|---------------------------------|------|--------|----------|
| Drummond Creek Range Rear Light | 7520 | LT EXT | FD       |

Additional MSI Categories

| TITLE | SUBCATEGORY | DESCRIPTION | LOCATION |
|-------|-------------|-------------|----------|
|       |             |             |          |

|                                                                |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                        |
|----------------------------------------------------------------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| St Johns River - Drummond Creek/ATON/Advanced Notice of Change | Advanced Notice of Change | Drummond Creek RFL (LLNR 7515) will be permanently relocated to approximate position 30-24-45.104N / 081-35-35.319W. The RFL will remain a nighttime optic only and flash characteristic will remain as a Q R. The RFL will continue to display daymarks for the day-time signal. Both Drummond Creek RFL and RRL will be upgraded with LED light signals to provide a much more reliable signal when using this channel. An additional light will be established and mounted on top of the Drummond Creek RFL optic and synchronized with the RFL to display a Q R flash characteristics during nighttime hours only, with a nominal range of 3NM. | Lat: 30° 24' 44"<br>Lon: -081° 35' 38" |
|----------------------------------------------------------------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|

**Dumfoundling Bay**

**Federal Discrepancies**

| NAME                          | LLNR  | STATUS           | AID TYPE |
|-------------------------------|-------|------------------|----------|
| Dumfoundling Bay Light 49     | 47695 | LT EXT           | FD       |
| Dumfoundling Bay Daybeacon 54 | 47725 | STRUCT DEST/TRUB | FD       |

**Duplin River**

**Federal Discrepancies**

| NAME                  | LLNR  | STATUS              | AID TYPE |
|-----------------------|-------|---------------------|----------|
| Doboy Sound Light 178 | 36795 | STRUCT MISSING/TRLB | FD       |

**East Cape**

**Federal Discrepancies**

| NAME                   | LLNR  | STATUS                           | AID TYPE |
|------------------------|-------|----------------------------------|----------|
| East Cape Daybeacon 1A | 15655 | STRUCT DEST/HAZ NAV/TRUB/MISSING | FD       |

**East Gregerie Channel**

**Federal Discrepancies**

| NAME                                      | LLNR  | STATUS | AID TYPE |
|-------------------------------------------|-------|--------|----------|
| Gregerie Junction Channel Lighted Buoy GC | 32670 | LT EXT | FD       |

**Entrada Channel**

**Private Discrepancies**

| NAME                         | LLNR  | STATUS        | AID TYPE |
|------------------------------|-------|---------------|----------|
| Entrada Channel Daybeacon 11 | 49265 | DAYMK MISSING | PA       |
| Entrada Channel Daybeacon 13 | 49270 | DAYMK MISSING | PA       |

**Fernandina Beach**

**Federal Discrepancies**

| NAME                          | LLNR  | STATUS           | AID TYPE |
|-------------------------------|-------|------------------|----------|
| Fernandina Beach Daybeacon 1A | 37986 | STRUCT DEST/TRUB | FD       |

**Fields Cut**

**Federal Discrepancies**

| NAME                | LLNR  | STATUS           | AID TYPE |
|---------------------|-------|------------------|----------|
| Fields Cut Light 50 | 35870 | STRUCT DEST/TRLB | FD       |

**Fishermans Channel**

**Federal Discrepancies**

| NAME                       | LLNR  | STATUS      | AID TYPE |
|----------------------------|-------|-------------|----------|
| Fishermans Channel Light 3 | 10585 | STRUCT DMGD | FD       |

**Private Discrepancies**

| NAME                                   | LLNR  | STATUS      | AID TYPE |
|----------------------------------------|-------|-------------|----------|
| Dodge Island Mooring Obstruction Light | 10692 | STRUCT DEST | PA       |

**Florida Bay**

**Federal Discrepancies**

| NAME                       | LLNR  | STATUS           | AID TYPE |
|----------------------------|-------|------------------|----------|
| Long Key Light 44          | 13495 | TRLB             | FD       |
| East Turtle Shoal Light 45 | 13610 | STRUCT DEST/TRLB | FD       |

Private Discrepancies

| NAME                          | LLNR  | STATUS        | AID TYPE |
|-------------------------------|-------|---------------|----------|
| Flamingo Channel Light 9      | 15680 | DAYMK MISSING | PA       |
| Flamingo Channel Light 15     | 15710 | STRUCT DEST   | PA       |
| Flamingo Channel Daybeacon 16 | 15715 | DAYMK MISSING | PA       |
| Coot Bay Daybeacon 2          | 15730 | STRUCT DEST   | PA       |
| Coot Bay Daybeacon 8          | 15755 | DAYMK MISSING | PA       |

Additional MSI Categories

| TITLE                       | SUBCATEGORY | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                            | LOCATION                               |
|-----------------------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Florida Bay/General/Bridges | Bridges     | Florida Bay/General/Bridges From: 2026-05-26 To: 2027-06-30 Location: 24.6704, -81.24984 Bridge Name: United States 1 Highway Bridge The bridge across the Ohio Bahia Honda Channel is undergoing a rehabilitation. Repairs include concrete repair of the substructure and concrete beam restoration of the super structure. The contractor will have floating platforms and various support vessels in-water. Mariners are advised to transit the area with caution. | Lat: 24° 40' 13"<br>Lon: -081° 14' 59" |

Floyd Creek

Federal Discrepancies

| NAME                      | LLNR  | STATUS           | AID TYPE |
|---------------------------|-------|------------------|----------|
| Floyd Creek Daybeacon A27 | 37496 | STRUCT DEST/TRUB | FD       |

Folly River

Federal Discrepancies

| NAME               | LLNR   | STATUS      | AID TYPE |
|--------------------|--------|-------------|----------|
| Folly River Buoy 4 | 3735.1 | OFF STATION | FD       |

Fort Gates

Federal Discrepancies

| NAME                | LLNR | STATUS           | AID TYPE |
|---------------------|------|------------------|----------|
| Fort Gates Light 67 | 8525 | STRUCT DEST/TRLB | FD       |

Fort Pierce Inlet

Federal Discrepancies

| NAME                                         | LLNR | STATUS | AID TYPE |
|----------------------------------------------|------|--------|----------|
| Fort Pierce Inlet Entrance Range Front Light | 9820 | LT EXT | FD       |
| Fort Pierce Inlet Entrance Range Rear Light  | 9825 | LT EXT | FD       |

Additional MSI Categories

| TITLE                                                                                                                                                                 | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | LOCATION |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Sector Miami, Submerged Land Act (SLA) - Fort Pierce Inlet/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-03-09 38719 The installation of new signage and buoys used to delineate Anchoring Limitation Areas is expected to begin on or about March 23, 2026 near the Ft. Pierce Inlet in St. Lucie County, FL. The project areas are immediately adjacent to the Northern and Southern extents of the Ft. Pierce Inlet. There will be construction activities as well as new signage and buoys near the Inlet. |          |

Fort Pierce Inlet Inner Harbor

Additional MSI Categories

| TITLE                                                                             | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | LOCATION                               |
|-----------------------------------------------------------------------------------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Fort Pierce Inlet - Fort Pierce Inlet Inner Harbor/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2025-12-29 34416 Location: 27-28-16.248N/080-17-49.668W Aid Name: Fort Pierce Inlet Inner Harbor Outbound Range Front Light LLNR: 9843 Action: CHANGE Action Type Change Light Signals The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Fort Pierce Inlet: Fort Pierce Inlet Inner Harbor Outbound Range Front Light (LLNR 9843) will be changed to Fort Pierce Inlet Inner Harbor Port Entry Light (LLNR 9843) in approximate position 27-28-16.255N / 080-17-49.682W. This is an establishment of a single station oscillating boundary system. Fort Pierce Inlet Inner Harbor Outbound Range Rear Light (LLNR 9844) in approximate position 27-28-19.981N / 080-17-41.890W, will be permanently discontinued due to the establishment of Fort Pierce Inlet Entrance Port Entry Light (LLNR 9843). All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Fort Pierce Inlet as the subject line. Comments can also be mailed to Commander (dpw), Southeast Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by March 1, 2026. | Lat: 27° 28' 16"<br>Lon: -080° 17' 50" |

|                                                                                   |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                        |
|-----------------------------------------------------------------------------------|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Fort Pierce Inlet - Fort Pierce Inlet Inner Harbor/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2025-12-29 34417 Location: 27-28-19.992N/080-17-41.892W Aid Name: Fort Pierce Inlet Inner Harbor Outbound Range Rear Light LLNR: 9844 Action: DISCONTINUE The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Fort Pierce Inlet: Fort Pierce Inlet Inner Harbor Outbound Range Front Light (LLNR 9843) will be changed to Fort Pierce Inlet Inner Harbor Port Entry Light (LLNR 9843) in approximate position 27-28-16.255N / 080-17-49.682W. This is an establishment of a single station oscillating boundary system. Fort Pierce Inlet Inner Harbor Outbound Range Rear Light (LLNR 9844) in approximate position 27-28-19.981N / 080-17-41.890W, will be permanently discontinued due to the establishment of Fort Pierce Inlet Entrance Port Entry Light (LLNR 9843). All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Fort Pierce Inlet as the subject line. Comments can also be mailed to Commander (dpw), Southeast Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by March 1, 2026. | Lat: 27° 28' 20"<br>Lon: -080° 17' 42" |
|-----------------------------------------------------------------------------------|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|

**Frederica River**

**Federal Discrepancies**

| NAME                        | LLNR | STATUS           | AID TYPE |
|-----------------------------|------|------------------|----------|
| Frederica River Daybeacon 7 | 6165 | STRUCT DEST/TRUB | FD       |

**Private Discrepancies**

| NAME                                    | LLNR | STATUS | AID TYPE |
|-----------------------------------------|------|--------|----------|
| Fredericka Yacht Club Obstruction Light | 6170 | LT EXT | PA       |

**Frederiksted Road**

**Additional MSI Categories**

| TITLE                                            | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | LOCATION                               |
|--------------------------------------------------|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Frederiksted Road/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2025-09-25 29122 Location: 17.65044° N / 64.90953° W Aid Name: Southwest Cape Shoal Buoy 2 LLNR: 33345 Action: DISCONTINUE The following change is being proposed to the aids to navigation system in Frederiksted Road, St Croix, USVI. Southwest Cape Shoal Buoy 2 (LLNR 33345) in position 17-39-01.579N / 064-54-34.311W, will be permanently discontinued, as it has been deemed non-essential for maritime navigation. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Frederiksted Road as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by March 1, 2026. | Lat: 17° 39' 02"<br>Lon: -064° 54' 34" |

**Fulton Cutoff**

**Federal Discrepancies**

| NAME                   | LLNR | STATUS           | AID TYPE |
|------------------------|------|------------------|----------|
| Fulton Cutoff Light 36 | 7360 | STRUCT DEST/TRLB | FD       |

**Additional MSI Categories**

| TITLE                                                         | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | LOCATION                               |
|---------------------------------------------------------------|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| St Johns River - Fulton Cutoff/ATON/Advanced Notice of Change | Advanced Notice of Change | Fulton Cutoff LB 35 (LLNR 7345) will be permanently relocated to 30-23-24.090N/081-30-22.230W. This change calls to relocate (6) lighted buoys in the White Shells, St. Johns Bluff, Fulton Cutoff, and Blount Island Turning Basin channels of the St. Johns River. These relocations are needed as a result of channel deepening and widening, as part of the JaxPort expansion project. The position changes will allow safe navigation for vessels transiting the St. Johns River. The following aids to navigation are being proposed to be relocated to facilitate this change. All positions listed are approximate. Permanent positions will be advertised when the work is completed. | Lat: 30° 23' 24"<br>Lon: -081° 30' 22" |
| St Johns River - Fulton Cutoff/ATON/Advanced Notice of Change | Advanced Notice of Change | Blount Island Turning Basin LB 43 (LLNR 7385) will be permanently relocated to 30-23-13.450N/081-32-05.380W. The flash characteristic will remain a FI G 6s, but the nominal range will be reduced from 5NM to 4NM.                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Lat: 30° 23' 13"<br>Lon: -081° 32' 05" |

**Gables Estates**

**Private Discrepancies**

| NAME                        | LLNR  | STATUS              | AID TYPE |
|-----------------------------|-------|---------------------|----------|
| Gables Estates Light 2      | 49340 | LT EXT              | PA       |
| Gables Estates Daybeacon 2A | 49345 | STRUCT DEST/HAZ NAV | PA       |

**Gadsden Point Cut**

**Federal Discrepancies**

| NAME                                              | LLNR    | STATUS  | AID TYPE |
|---------------------------------------------------|---------|---------|----------|
| Gadsden Point Cut Range Rear Light Passing Lights | 22855.5 | LT EXT  | FD       |
| Gadsden Point Cut Lighted Buoy 2                  | 22865   | SINKING | FD       |

**Garden Cove**

**Private Discrepancies**

| NAME                     | LLNR  | STATUS        | AID TYPE |
|--------------------------|-------|---------------|----------|
| Garden Cove Daybeacon 3  | 11550 | DAYMK MISSING | PA       |
| Garden Cove Daybeacon 10 | 11585 | STRUCT DEST   | PA       |

**Gasparilla Sound Channel**

**Federal Discrepancies**

| NAME                                  | LLNR  | STATUS              | AID TYPE |
|---------------------------------------|-------|---------------------|----------|
| Gasparilla Sound Channel Daybeacon 6  | 56535 | STRUCT DEST         | FD       |
| Gasparilla Sound Channel Daybeacon 21 | 56650 | STRUCT MISSING/TRUB | FD       |
| Gasparilla Sound Channel Daybeacon 30 | 57070 | STRUCT DEST/TRUB    | FD       |
| Gasparilla Sound Channel Light 1      | 56512 | STRUCT DEST/TRLB    | FD       |
| Gasparilla Sound Channel Daybeacon 5  | 56530 | STRUCT DEST/TRUB    | FD       |

**Private Discrepancies**

| NAME                                      | LLNR               | STATUS      | AID TYPE |
|-------------------------------------------|--------------------|-------------|----------|
| Gasparilla Island South Obstruction Light | 1305.2             | LT EXT      | PA       |
| Gaparilla Island West Obstruction Light   | 1305.4             | LT EXT      | PA       |
| Gasparilla Island North Obstruction Light | 1305.6000000000001 | LT EXT      | PA       |
| Gasparilla Marina Channel Daybeacon 6     | 56715              | STRUCT DEST | PA       |

**Additional MSI Categories**

| TITLE                                                                                                 | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | LOCATION |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Pine Island Sound - Gasparilla Sound Channel/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-04-28 42338 42333 42340 Starting approximately May 5, 2026, and continuing until approximately June 15, 2026, Weeks Marine Inc. "Weeks" will be mobilizing dredge pipelines and equipment for the above-referenced project. During this time Weeks will install a submerged line in a designed pipeline corridor bound by the following approximate positions: 27-06-41.27N, 82-27-55.36W 27-03-10.98N, 82-26-33.13W 27-03-27.09N, 82-30-19.42W 27-06-22.65N, 82-30-08.46W The submerged line(s) will be removed at the completion of dredging operations. Starting approximately June 16, 2026 and continuing until approximately July 30, 2026, Weeks Marine hydraulic dredge "C.R. MCCASKILL" will be dredging fill material from the Borrow Area "8S", located approximately 11 nautical miles from the center of the beach fill area. The borrow area will be bound by following approximate positions: 26-54-37.54N, 82-31-11.89W 26-55-16.24N, 82-30-43.71W 26-54-24.58N, 82-29-04.95W 26-53-47.36N, 82-29-32.43W A sail route limits for Tugboats, Scows and Vessels will be bound by the following approximate positions: 26-54-59.52N, 82-30-39.25W 27-01-51.97N, 82-29-46.91W 27-05-24.28N, 82-29-19.68W 27-05-27.41N, 82-28-15.67W 27-02-08.91N, 82-28-49.71W 26-54-19.06N, 82-29-19.16W Offshore staging areas for pipeline and equipment: An anchorage area located just South of Fort De Soto Park will be bound by the following approximate positions: 27-36-53.22N, 82-43-06.99W 27-37-59.50N, 82-41-37.52W 27-37-24.82N, 82-41-04.47W 27-36-14.44N, 82-42-31.02W An anchorage area at Venice Inlet will be bound by the following approximate positions: 27-06-44.65N, 82-28-10.99W 27-06-46.43N, 82-28-03.46W 27-06-45.68N, 82-27-55.37W 27-06-44.17N, 82-27-55.56W 27-06-43.58N, 82-28-10.60W And 27-06-52.10N, 82-27-53.81W 27-06-48.28N, 82-27-52.29W 27-06-47.47N, 82-27-56.59W 27-06-51.35N, 82-27-57.16W An anchorage area just East of Gasparilla Island will be bound by the following approximate positions: 26-43-32.53N, 82-15-02.92W 26-43-12.39N, 82-15-03.85W 26-42-55.44N, 82-15-24.55W 26-43-03.24N, 82-15-30.39W 26-43-14.69N, 82-15-15.85W 26-43-32.22N, 82-15-16.06W The staging areas will be utilized for the duration of the project. Once underway, operations will conducted 24/7. Vessels, pipelines, and equipment will have all required Coast Guard lighting for night operations. On-scene vessels will monitor marine VHF-FM channels 13, 16 and 72. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made. |          |

**Gordon Pass Channel**

**Federal Discrepancies**

| NAME                             | LLNR  | STATUS              | AID TYPE |
|----------------------------------|-------|---------------------|----------|
| Gordon Pass Channel Light 3      | 17460 | STRUCT MISSING/TRLB | FD       |
| Gordon Pass Channel Daybeacon 18 | 17530 | STRUCT DEST/TRUB    | FD       |
| Gordon Pass Channel Daybeacon 5  | 17470 | STRUCT DEST/TRUB    | FD       |

**Graving Dock Channel**

**Additional MSI Categories**

| TITLE                                                                   | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | LOCATION                            |
|-------------------------------------------------------------------------|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Bahia De San Juan - Graving Dock Channel/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2026-07-20 To: 2031-06-25 Location: 18-26-25.332N/066-04-54.588W Aid Name: Graving Dock Channel Range Rear Light LLNR: 31065 Action: CHANGE Action Type Change Light System Primary The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Bahia de San Juan: Graving Dock Channel Range Rear Light (LLNR 31065) will be converted to Graving Dock Channel Port Entry Light (LLNR 31065), in approximate position 18-26-25.317N / 066-04-54.575W. This is an establishment of a single station oscillating boundary system. Graving Dock Channel Range Front Light (LLNR 31060), in approximate position 18-26-27.054N / 066-04-59.378W, will be permanently discontinued due to the establishment of Graving Dock Channel Port Entry Light (LLNR 31065). All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Graving Dock Channel as the subject line. Comments can also be mailed to Commander (dpw), Southeast Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by September 20, 2026. | Lat: 18° 26' 25" Lon: -066° 04' 55" |

|                                                                         |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                     |
|-------------------------------------------------------------------------|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Bahia De San Juan - Graving Dock Channel/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2026-07-20 To: 2031-06-25 Location: 18-26-27.060N/066-04-59.376W Aid Name: Graving Dock Channel Range Front Light LLNR: 31060 Action: DISCONTINUE The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Bahia de San Juan: Graving Dock Channel Range Rear Light (LLNR 31065) will be converted to Graving Dock Channel Port Entry Light (LLNR 31065), in approximate position 18-26-25.317N / 066-04-54.575W. This is an establishment of a single station oscillating boundary system. Graving Dock Channel Range Front Light (LLNR 31060), in approximate position 18-26-27.054N / 066-04-59.378W, will be permanently discontinued due to the establishment of Graving Dock Channel Port Entry Light (LLNR 31065). All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Graving Dock Channel as the subject line. Comments can also be mailed to Commander (dpw), Southeast Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by September 20, 2026. | Lat: 18° 26' 27" Lon: -066° 04' 59" |
|-------------------------------------------------------------------------|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|

Great Pee Dee River

Federal Discrepancies Corrected

| NAME                            | LLNR | STATUS            | AID TYPE | CORRECTION DATE |
|---------------------------------|------|-------------------|----------|-----------------|
| Great Pee Dee River Daybeacon 3 | 2200 | WATCHING PROPERLY | FD       | 2026-07-09      |

Great Pocket

Federal Discrepancies

| NAME                      | LLNR  | STATUS           | AID TYPE |
|---------------------------|-------|------------------|----------|
| Great Pocket Daybeacon 12 | 46020 | STRUCT DEST/TRUB | FD       |

Grouper Creek

Federal Discrepancies

| NAME                        | LLNR  | STATUS                   | AID TYPE |
|-----------------------------|-------|--------------------------|----------|
| Grouper Creek Daybeacon 52A | 50425 | STRUCT DEST/HAZ NAV/TRLB | FD       |

Gunnison Cut

Federal Discrepancies

| NAME                      | LLNR  | STATUS      | AID TYPE |
|---------------------------|-------|-------------|----------|
| Gunnison Cut Daybeacon 66 | 38240 | STRUCT DEST | FD       |

Halifax Creek

Federal Discrepancies

| NAME                       | LLNR  | STATUS           | AID TYPE |
|----------------------------|-------|------------------|----------|
| Halifax Creek Daybeacon 28 | 39810 | STRUCT DEST/TRUB | FD       |

Halifax River

Federal Discrepancies

| NAME                        | LLNR  | STATUS              | AID TYPE |
|-----------------------------|-------|---------------------|----------|
| Halifax River Daybeacon 39A | 40125 | STRUCT DEST/TRUB    | FD       |
| Halifax River Daybeacon 40  | 40180 | STRUCT DEST/TRUB    | FD       |
| Halifax River Daybeacon 48  | 40215 | STRUCT DEST/TRUB    | FD       |
| Halifax River Daybeacon 53  | 40235 | STRUCT MISSING/TRUB | FD       |
| Halifax River Daybeacon 56  | 40245 | TRUB/STRUCT DEST    | FD       |
| Halifax River Daybeacon 57  | 40335 | STRUCT DEST/TRUB    | FD       |
| Halifax River Daybeacon 60  | 40435 | STRUCT DEST/TRUB    | FD       |
| Halifax River Daybeacon 72  | 40490 | STRUCT DEST/TRUB    | FD       |
| Halifax River Daybeacon 20  | 39955 | STRUCT DEST/TRUB    | FD       |
| Halifax River Light 43      | 40190 | LT EXT              | FD       |
| Halifax River Light 47      | 40210 | LT EXT              | FD       |
| Halifax River Light 52      | 40230 | STRUCT DEST         | FD       |
| Halifax River Daybeacon 61  | 40440 | STRUCT DEST/TRUB    | FD       |

Private Discrepancies

| NAME                       | LLNR  | STATUS        | AID TYPE |
|----------------------------|-------|---------------|----------|
| Halifax Harbor Daybeacon 1 | 40055 | DAYMK MISSING | PA       |
| Halifax Harbor Daybeacon 4 | 40070 | DAYMK MISSING | PA       |
| Halifax Harbor Daybeacon 6 | 40080 | DAYMK MISSING | PA       |
| Halifax Harbor Daybeacon 8 | 40090 | STRUCT DEST   | PA       |

|                                           |       |               |    |
|-------------------------------------------|-------|---------------|----|
| Halifax Harbor Daybeacon 9                | 40095 | STRUCT DEST   | PA |
| Boat Works Channel Daybeacon 2            | 40135 | DAYMK MISSING | PA |
| Boat Works Channel Daybeacon 3            | 40140 | DAYMK MISSING | PA |
| Boat Works Channel Daybeacon 4            | 40145 | DAYMK MISSING | PA |
| Boat Works Channel Daybeacon 5            | 40150 | DAYMK MISSING | PA |
| Boat Works Channel Daybeacon 7            | 40160 | DAYMK DMGD    | PA |
| Boat Works Channel Daybeacon 9            | 40170 | STRUCT DEST   | PA |
| Seven Seas Marina Daybeacon 11            | 40330 | DAYMK MISSING | PA |
| Adventure Yacht Harbor Daybeacon 4        | 40365 | DAYMK MISSING | PA |
| Adventure Yacht Harbor Daybeacon 6        | 40375 | STRUCT DEST   | PA |
| Adventure Yacht Harbor Daybeacon 7        | 40380 | STRUCT DEST   | PA |
| Adventure Yacht Harbor Daybeacon 8        | 40385 | DAYMK MISSING | PA |
| Adventure Yacht Harbor Daybeacon 9        | 40390 | DAYMK MISSING | PA |
| Adventure Yacht Harbor Junction Daybeacon | 40410 | DAYMK IMCH    | PA |

Hampton River

Federal Discrepancies

| NAME                       | LLNR | STATUS                   | AID TYPE |
|----------------------------|------|--------------------------|----------|
| Hampton River Daybeacon 12 | 5975 | STRUCT DEST/TRUB         | FD       |
| Hampton River Daybeacon 14 | 5980 | STRUCT DEST              | FD       |
| Hampton River Daybeacon 23 | 6015 | HAZ NAV/STRUCT DEST/TRLB | FD       |

Hillsboro Inlet

Federal Discrepancies

| NAME                                   | LLNR  | STATUS        | AID TYPE |
|----------------------------------------|-------|---------------|----------|
| Hillsboro Inlet Entrance Daybeacon 5   | 10303 | DBD DEST/TRLB | FD       |
| Hillsboro Inlet Entrance Shl Daybeacon | 10304 | STRUCT DEST   | FD       |

Hillsboro River

Private Discrepancies

| NAME                    | LLNR  | STATUS  | AID TYPE |
|-------------------------|-------|---------|----------|
| Moran Dock North Light  | 47175 | LT IMCH | PA       |
| Moran Dock Center Light | 47180 | LT IMCH | PA       |
| Moran Dock South Light  | 47185 | LT EXT  | PA       |

Additional MSI Categories

| TITLE                           | SUBCATEGORY | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | LOCATION                            |
|---------------------------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Hillsboro River/General/Bridges | Bridges     | Hillsboro River/General/Bridges From: 2026-06-17 To: 2026-12-31 Location: 26.21122, -80.12006 Bridge Name: Southeast 15th Street Bridge The replacement of the bridge has begun. UPDATE: From 7 a.m. on Wednesday, July 22, 2026 through 7 a.m. on Friday, July 31, 2026, the waterway beneath the McNab Road Bridge will be temporarily closed to all navigation. The waterway will be partially obstructed during daytime hours. The contractor will provide passage for vessels. Mariners are advised to transit the area with caution. | Lat: 26° 12' 40" Lon: -080° 07' 12" |

Hillsborough Cut C Channel

Federal Discrepancies Corrected

| NAME                                                 | LLNR  | STATUS            | AID TYPE | CORRECTION DATE |
|------------------------------------------------------|-------|-------------------|----------|-----------------|
| Hillsborough Cut C Channel Inbound Range Front Light | 23435 | WATCHING PROPERLY | FD       | 2026-07-15      |
| Hillsborough Cut C Channel Inbound Range Rear Light  | 23440 | WATCHING PROPERLY | FD       | 2026-07-15      |

Private Discrepancies

| NAME                                   | LLNR  | STATUS              | AID TYPE |
|----------------------------------------|-------|---------------------|----------|
| Hookers Point North Warning Daybeacon  | 23515 | STRUCT DEST/HAZ NAV | PA       |
| Tampa Yacht & Country Club Daybeacon 4 | 23454 | STRUCT DEST         | PA       |

Additional MSI Categories

| TITLE                                                                        | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                               | LOCATION                            |
|------------------------------------------------------------------------------|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Big Bend Channel - Hillsborough Cut C Channel/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 27.90797° N / 82.43823° W Aid Name: Hillsborough Cut C Channel Inbound Range Front Light LLNR: 23435 Action: CHANGE Action Type Change Light Characteristic Hillsborough Cut C Channel Inbound Range Front Light (LLNR 23435) characteristic will change to Iso W 2s (NIGHT) and Iso W 2s (Day). | Lat: 27° 54' 29" Lon: -082° 26' 18" |

|                                                                              |                           |                                                                                                                                                                                                                                                                                                                                         |                                     |
|------------------------------------------------------------------------------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Big Bend Channel - Hillsborough Cut C Channel/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 27.92022° N / 82.43696° W Aid Name: Hillsborough Cut C Channel Inbound Range Rear Light LLNR: 23440 Action: CHANGE Action Type Change Light Characteristic Hillsborough Cut C Channel Inbound Range Rear Light (LLNR 23440) characteristic will change to Iso W 6s (NIGHT) and Iso W 6s (Day). | Lat: 27° 55' 13" Lon: -082° 26' 13" |
|------------------------------------------------------------------------------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|

**Hillsborough Cut D Channel**

**Federal Discrepancies**

| NAME                                                  | LLNR  | STATUS                     | AID TYPE |
|-------------------------------------------------------|-------|----------------------------|----------|
| Hillsborough Cut D Channel Outbound Range Front Light | 23500 | STRUCT DEST/HAZ NAV/LT EXT | FD       |
| Hillsborough Cut D Channel Outbound Range Rear Light  | 23505 | LT EXT                     | FD       |

**Private Discrepancies**

| NAME                                          | LLNR  | STATUS      | AID TYPE |
|-----------------------------------------------|-------|-------------|----------|
| Bulk Liquid Cargo Dolphin 4 Obstruction Light | 23530 | STRUCT DEST | PA       |

**Additional MSI Categories**

| TITLE                                                                                  | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | LOCATION                            |
|----------------------------------------------------------------------------------------|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Hillsborough Cut C Channel - Hillsborough Cut D Channel/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change From: 2026-05-29 44830 Location: 27-53-55.392N/082-26-05.460W Aid Name: Hillsborough Cut D Channel Outbound Range Front Light LLNR: 23500 Action: RELOCATE The U.S. Coast Guard has approved the following changes to the Aids to Navigation system in the Hillsborough Cut D Channel. Hillsborough Cut D Channel OB Range Front Light (LLNR 23500) will be permanently relocated from 27°-53-55.381N/082°-26-05.474W to 27°-54-02.974N/082°-26-09.602W. The range front light will also include (1) additional light mounted on top of and synchronized with the range front light. Hillsborough Cut D Channel OB Range Rear Light (LLNR 23505) will be permanently relocated from 27°-53-38.418N/082°-25-56.223W to 27°-53-33.933N/082°-25-53.800W. Hillsborough Cut D Channel OB Range Rear Passing Light (LLNR 23505.5) will be permanently relocated to the same position as Hillsborough Cut D Channel OB Range Rear Light (LLNR 23505). Two lights will be synchronized to display a FI W 2.5s flash characteristic with one mounted on the NW corner of the platform and the other mounted on the SE corner of the platform. In their current location, CG assets are unable to access both aids to navigation. This change will improve navigational safety and provide platforms in a location that can be easier accessed by U.S. Coast Guard assets to service the aids safely.          | Lat: 27° 53' 55" Lon: -082° 26' 05" |
| Hillsborough Cut C Channel - Hillsborough Cut D Channel/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change From: 2026-05-29 44831 Location: 27-53-38.400N/082-25-56.208W Aid Name: Hillsborough Cut D Channel Outbound Range Rear Light LLNR: 23505 Action: RELOCATE The U.S. Coast Guard has approved the following changes to the Aids to Navigation system in the Hillsborough Cut D Channel. Hillsborough Cut D Channel OB Range Front Light (LLNR 23500) will be permanently relocated from 27°-53-55.381N/082°-26-05.474W to 27°-54-02.974N/082°-26-09.602W. The range front light will also include (1) additional light mounted on top of and synchronized with the range front light. Hillsborough Cut D Channel OB Range Rear Light (LLNR 23505) will be permanently relocated from 27°-53-38.418N/082°-25-56.223W to 27°-53-33.933N/082°-25-53.800W. Hillsborough Cut D Channel OB Range Rear Passing Light (LLNR 23505.5) will be permanently relocated to the same position as Hillsborough Cut D Channel OB Range Rear Light (LLNR 23505). Two lights will be synchronized to display a FI W 2.5s flash characteristic with one mounted on the NW corner of the platform and the other mounted on the SE corner of the platform. In their current location, CG assets are unable to access both aids to navigation. This change will improve navigational safety and provide platforms in a location that can be easier accessed by U.S. Coast Guard assets to service the aids safely.           | Lat: 27° 53' 38" Lon: -082° 25' 56" |
| Hillsborough Cut C Channel - Hillsborough Cut D Channel/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change From: 2026-05-29 44832 Location: 27-53-38.400N/082-25-56.244W Aid Name: Hillsborough Cut D Channel Outbound Range Rear Passing Light LLNR: 23505.5 Action: RELOCATE The U.S. Coast Guard has approved the following changes to the Aids to Navigation system in the Hillsborough Cut D Channel. Hillsborough Cut D Channel OB Range Front Light (LLNR 23500) will be permanently relocated from 27°-53-55.381N/082°-26-05.474W to 27°-54-02.974N/082°-26-09.602W. The range front light will also include (1) additional light mounted on top of and synchronized with the range front light. Hillsborough Cut D Channel OB Range Rear Light (LLNR 23505) will be permanently relocated from 27°-53-38.418N/082°-25-56.223W to 27°-53-33.933N/082°-25-53.800W. Hillsborough Cut D Channel OB Range Rear Passing Light (LLNR 23505.5) will be permanently relocated to the same position as Hillsborough Cut D Channel OB Range Rear Light (LLNR 23505). Two lights will be synchronized to display a FI W 2.5s flash characteristic with one mounted on the NW corner of the platform and the other mounted on the SE corner of the platform. In their current location, CG assets are unable to access both aids to navigation. This change will improve navigational safety and provide platforms in a location that can be easier accessed by U.S. Coast Guard assets to service the aids safely. | Lat: 27° 53' 38" Lon: -082° 25' 56" |

**Hillsborough River**

**Additional MSI Categories**

| TITLE                                                                                                                                                      | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | LOCATION |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Hillsborough Cut C Channel - Hillsborough River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-01-18 35372 Orion Marine Group (Orion) is currently contracted by The Haskell Company, through the City of Tampa, to construct two new pedestrian bridges beneath the Platt Street and Brorein Street bridges, in addition to an overlook at Tony Jannus Park. The construction operations will utilize a combination of Orion floating vessels as well as rental material barges provided by McDonough Marine Services (specifically MCD 354, MCD 365, and MCD 545), in conjunction with the Orion 2508 Tug. Floating equipment will be strategically positioned within the designated Jobsite Working Limits, which are delineated in the attached drawing of the City of Tampa West Riverwalk project site. To secure the floating equipment in place within the job site limits, Orion will deploy spud barges and a mooring pile at the construction site. All floating equipment will be equipped with illuminating lights at all times to enhance visibility during operational activities and in low-visibility conditions. Additionally, Orion will actively monitor VHF-FM channels 13, 16, and 74 for vessel communications. Construction is scheduled to take place from February 9, 2026, to March 31, 2027. During this period, operations will take place from 6 a.m. to 6 p.m., six days a week (Monday through Saturday). The floating equipment will remain on-site for the duration of the project. Orion advises all mariners to exercise heightened caution when navigating in the construction area. They kindly request that vessels reduce speed while transiting through this section of the Hillsborough River. |          |

Homosassa River

Private Discrepancies

| NAME                        | LLNR  | STATUS              | AID TYPE |
|-----------------------------|-------|---------------------|----------|
| Homosassa River Daybeacon 2 | 28715 | STRUCT DEST/HAZ NAV | PA       |

Horseshoe Beach

Federal Discrepancies

| NAME                                 | LLNR  | STATUS                   | AID TYPE |
|--------------------------------------|-------|--------------------------|----------|
| Horseshoe Beach Approach Daybeacon 4 | 30365 | STRUCT MISSING/TRUB      | FD       |
| Horseshoe Beach Approach Light 7     | 30375 | STRUCT MISSING/TRLB      | FD       |
| Horseshoe Beach Approach Light 9     | 30380 | STRUCT MISSING/TRLB      | FD       |
| Horseshoe Beach Channel Light 10     | 30385 | TRLB/STRUCT DEST/HAZ NAV | FD       |
| Horseshoe Beach Channel Daybeacon 12 | 30395 | STRUCT MISSING           | FD       |
| Horseshoe Beach Channel Daybeacon 13 | 30400 | STRUCT MISSING           | FD       |
| Horseshoe Beach Channel Daybeacon 14 | 30410 | HAZ NAV/STRUCT DEST/TRUB | FD       |
| Horseshoe Beach Channel Daybeacon 15 | 30420 | STRUCT MISSING/TRLB      | FD       |
| Horseshoe Beach Channel Light 16A    | 30425 | STRUCT MISSING           | FD       |
| Horseshoe Beach Channel Daybeacon 21 | 30445 | STRUCT MISSING           | FD       |
| Horseshoe Beach Channel Daybeacon 23 | 30450 | STRUCT MISSING           | FD       |

Indian Key Pass

Federal Discrepancies

| NAME                         | LLNR  | STATUS           | AID TYPE |
|------------------------------|-------|------------------|----------|
| Indian Key Pass Daybeacon 13 | 16020 | STRUCT DEST/TRUB | FD       |

Indian River Lagoon

Federal Discrepancies

| NAME                                      | LLNR  | STATUS           | AID TYPE |
|-------------------------------------------|-------|------------------|----------|
| Indian River (North Section) Daybeacon 17 | 41170 | STRUCT DEST/TRUB | FD       |

Indian River North Section

Federal Discrepancies

| NAME                                      | LLNR  | STATUS              | AID TYPE |
|-------------------------------------------|-------|---------------------|----------|
| Indian River (North Section) Light 1      | 41100 | STRUCT DEST/TRLB    | FD       |
| Indian River (North Section) Light 7      | 41130 | STRUCT MISSING/TRLB | FD       |
| Indian River (North Section) Daybeacon 34 | 41315 | STRUCT MISSING/TRUB | FD       |
| Indian River (North Section) Daybeacon 44 | 41415 | STRUCT DEST/TRUB    | FD       |
| Indian River (North Section) Daybeacon 51 | 41435 | STRUCT DEST/TRUB    | FD       |
| Indian River (North Section) Daybeacon 71 | 42090 | STRUCT DEST/TRUB    | FD       |
| Indian River (North Section) Daybeacon 81 | 42185 | STRUCT DEST/TRUB    | FD       |
| Indian River (North Section) Daybeacon 91 | 42270 | STRUCT DEST/TRUB    | FD       |
| Indian River (North Section) Daybeacon 94 | 42280 | STRUCT DEST/TRUB    | FD       |
| Indian River (North Section) Daybeacon 99 | 42335 | STRUCT DEST/TRUB    | FD       |
| Indian River (North Section) Light 55     | 41485 | TRLB                | FD       |
| Indian River (North Section) Daybeacon 69 | 42085 | STRUCT DEST/TRUB    | FD       |
| Indian River (North Section) Daybeacon 74 | 42105 | STRUCT DEST/TRUB    | FD       |
| Indian River (North Section) Daybeacon 76 | 42110 | STRUCT DEST/TRUB    | FD       |

Private Discrepancies

| NAME                                | LLNR                | STATUS                          | AID TYPE |
|-------------------------------------|---------------------|---------------------------------|----------|
| POW-MIA Channel Danger Daybeacon A  | 42254               | DAYMK MISSING                   | PA       |
| POW-MIA Channel Danger Daybeacon D  | 42254.3             | DAYMK MISSING                   | PA       |
| POW-MIA Channel Danger Daybeacon E  | 42254.4             | DAYMK MISSING                   | PA       |
| Grills Riverside Marina Daybeacon 1 | 42286               | DAYMK DMGD                      | PA       |
| Grills Riverside Marina Daybeacon 3 | 42286.2000000000004 | DAYMK MISSING                   | PA       |
| Grills Riverside Marina Daybeacon 4 | 42286.3             | DAYMK MISSING                   | PA       |
| Grills Riverside Marina Daybeacon 5 | 42286.4             | HAZ NAV/DAYMK MISSING           | PA       |
| Grills Riverside Marina Daybeacon 4 | null                | Missing 01 Dayboard (East side) | PA       |

|                            |       |         |    |
|----------------------------|-------|---------|----|
| Jones Point Channel Buoy 1 | 41495 | MISSING | PA |
| Jones Point Channel Buoy 2 | 41500 | MISSING | PA |

Additional MSI Categories

| TITLE                                                                                              | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | LOCATION                            |
|----------------------------------------------------------------------------------------------------|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Indian River North Section/General/Bridges                                                         | Bridges                                 | Indian River North Section/General/Bridges From: 2026-06-18 To: 2026-12-15 Location: 28.73639, -80.75466 Bridge Name: Courtenay Parkway Bridge The bridge is unable to provide a full opening. The horizontal clearance when the drawspans are in the up/open position to 85.9 feet. All mariners are advised to transit with extreme caution.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Lat: 28° 44' 11" Lon: -080° 45' 17" |
| Banana River - Indian River North Section/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-04-07 40757 Location: 28-09-14.544N/080-36-39.384W 28-07-10.092N/080-35-28.176W 28-02-43.980N/080-33-14.688W 28-02-02.976N/080-34-46.632W 28-08-45.348N/080-38-00.420W 28-09-14.544N/080-36-39.384W Gator Dredging will begin dredging of the Indian River on or about April 7, 2026, with an estimated completion dats of April 1, 2027. Dredge vessel MACKENZIE LYNNE will be working 7 days per week during daylight hours. Mariners are urged to use extreme caution in the area, transit at their slowest safe speed to minimize wake, and proceed with caution after passing arrangements have been made. floating and submerged high density polyethylene (hdpe) and steel pipeline associated with the hydraulic dredging operations of the river will be utilized. Pipeline, work vessels, dredge barge, booster pump barge(s) and buoys will be visibly lighted and marked according to Coast Guard regulations and will be in the area until all work is complete and can change configuration daily. Vessels and/or Equipment will be in multiple locations at the same time. Dredge vessel MACKENZIE LYNNE will be monitoring VHF-FM channel 16. For Further information contact: CHARLIE GERTZ (727) 902-6055, HORACE HUGGINS (850) 447-4757, or CHRIS COUGHLIN (727) 742-4704 |                                     |

Indian River South Section

Federal Discrepancies

| NAME                                        | LLNR  | STATUS                   | AID TYPE |
|---------------------------------------------|-------|--------------------------|----------|
| Indian River (South Section) Light 187      | 45115 | STRUCT DEST/HAZ NAV/TRLB | FD       |
| Indian River (South Section) Daybeacon 3    | 43110 | STRUCT DEST/TRUB         | FD       |
| Indian River (South Section) Light 33       | 43420 | LT EXT                   | FD       |
| Indian River (South Section) Light 79       | 43775 | STRUCT DEST              | FD       |
| Indian River (South Section) Daybeacon 126  | 44125 | HAZ NAV/STRUCT DEST/TRLB | FD       |
| Indian River (South Section) Daybeacon 194  | 45280 | DBD DEST/TRLB            | FD       |
| Indian River (South Section) Daybeacon 208  | 45370 | STRUCT DEST/TRLB         | FD       |
| Indian River (South Section) Light 5        | 43170 | STRUCT DEST/TRLB         | FD       |
| Indian River (South Section) Daybeacon 10   | 43265 | STRUCT DEST/TRUB         | FD       |
| Indian River (South Section) Light 63       | 43570 | STRUCT DEST/TRLB         | FD       |
| Indian River (South Section) Daybeacon 66A  | 43670 | STRUCT DEST/TRUB         | FD       |
| Indian River (South Section) Daybeacon 114  | 43930 | STRUCT DEST/TRLB         | FD       |
| Indian River (South Section) Daybeacon 125  | 44060 | STRUCT DEST/TRLB         | FD       |
| Indian River (South Section) Daybeacon 172A | 44885 | STRUCT DEST/TRUB         | FD       |
| Indian River (South Section) Daybeacon 174  | 44895 | STRUCT DEST              | FD       |

Private Discrepancies

| NAME                                            | LLNR               | STATUS              | AID TYPE |
|-------------------------------------------------|--------------------|---------------------|----------|
| Turkey Creek Daybeacon 22                       | 43272.200000000004 | STRUCT DEST         | PA       |
| River Run Daybeacon 5                           | 43720              | DAYMK MISSING       | PA       |
| Tidewater Island Club Channel Daybeacon 3       | 44390.3            | STRUCT MISSING      | PA       |
| Queens Cove Daybeacon 10                        | 44945              | STRUCT DEST/HAZ NAV | PA       |
| Outrigger Harbour Daybeacon 1                   | 45710              | STRUCT DEST         | PA       |
| Ind River Plantation Marina Channel Daybeacon 2 | 45825              | STRUCT DMGD         | PA       |
| Breakwater Danger Daybeacon A                   | 45863              | DAYMK MISSING       | PA       |
| Breakwater Danger Daybeacon B                   | 45863.1            | DAYMK MISSING       | PA       |

Temporary Changes

| NAME                                       | LLNR  | STATUS                    | AID TYPE |
|--------------------------------------------|-------|---------------------------|----------|
| Indian River (South Section) Daybeacon 228 | 45840 | DISCONTINUED FOR DREDGING | FD       |

Additional MSI Categories

| TITLE                                                                                                                | SUBCATEGORY | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | LOCATION                            |
|----------------------------------------------------------------------------------------------------------------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Fort Pierce Inlet Inner Harbor - Indian River South Section/General/Bridges/Repairs, Painting, Or Fender Replacement | Bridges     | General/Bridges/Repairs, Painting, Or Fender Replacement From: 2024-10-29 To: 2028-01-31 Location: 27.632319° N / 80.371113° W Bridge Name: 17th St Bridge Vecellio Grogan, on behalf of the bridge owner, Florida Department of Transportation, will be conducting bridge repairs on the 17th street (SR 656) Bridge over the AICW (Indian River) mile marker 952.9 at Vero Beach, FL beginning November 13, 2023, with an estimated completion during January 2028. The project will remove and replace 400 feet of the eastern portion of the bridge beginning with the north section before continuing with the south section. The contractor will utilize in water equipment which will remain on site, all vessels are advised to transit the area with caution. For further information, contact: Kyle Tatum at (407) 361- 6506. For waterways questions, please contact USCG Sector Miami Waterways Division at (305) 535-4317, email SectorMiamiWaterways@uscg.mil. | Lat: 27° 37' 56" Lon: -080° 22' 16" |
|                                                                                                                      |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                     |

|                                                                                            |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                        |
|--------------------------------------------------------------------------------------------|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Fort Pierce Inlet Inner Harbor - Indian River South Section/General/Bridges/Conversion     | Bridges                   | General/Bridges/Conversion From: 2024-10-29 To: 2026-12-31 Location: 27.47199° N / 80.32452° W Bridge Name: A1A State Route Bridge UPDATE 7/8/2026: The replacement of the A1A North Causeway Drawbridge is ongoing. The existing fender system will be removed to assist with the demolition of the bascule bridge piers. The new high-level fixed bridge now spans the navigable channel which permanently limits the vertical clearance to 85 ft. at mean high water. The existing drawbridge will remain in use until sometime in late 2026. There will be impacts to navigation from August 2026 through December 2026. Updates will be provided. A temporary work trestle (platform) has been installed on the northeast side of the existing A1A North Causeway Bridge. In water work continues directly adjacent to and across the navigable waterway with barge(s) in order to perform other associated construction activities. All in-water equipment will be properly lighted. All mariners are requested to use caution and transit the area at a slow speed                                                                                                                                                                                                                                                                                                                                                           | Lat: 27° 28' 19"<br>Lon: -080° 19' 28" |
| Indian River South Section/General/Bridges                                                 | Bridges                   | Indian River South Section/General/Bridges From: 2026-06-08 To: 2032-06-01 Location: 27.86024, -80.44845 Bridge Name: A1A Hwy (Sebastian Inlet) Bridge The bridge replacement project began on June 1, 2026 through Spring 2032. Project improvements consist of constructing a new fixed bridge east of the existing bridge with a vertical clearance of 51 feet and horizontal clearance of 140 feet between fenders. In-water work occur in the future. Impacts to navigation are not expected at this time. The Coast Guard will provide advanced notice of impact to navigation. Mariners are advised to transit the are with caution.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Lat: 27° 51' 37"<br>Lon: -080° 26' 54" |
| Indian River South Section/General/Bridges                                                 | Bridges                   | Indian River South Section/General/Bridges From: 2026-07-08 To: 2026-08-03 Location: 27.47199, -80.32452 Bridge Name: A1A State Route Bridge A temporary deviation to drawbridge operations has been authorized. Beginning June 2, 2026 through 7 a.m. on August 3, 2026 the drawbridge will operate as follows: - Monday through Friday, from 6 a.m. to 6 p.m. the drawbridge will open on the hour and half-hour. From 6 p.m. to 6 a.m., the drawbridge will be maintained in the open to navigation position and untended. - Each weekend beginning at 6 p.m. on Friday and ending at 6 a.m. on Monday, the drawbridge will be maintained in the open to navigation position and untended.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Lat: 27° 28' 19"<br>Lon: -080° 19' 28" |
| Indian River South Section/General/Bridges                                                 | Bridges                   | Indian River South Section/General/Bridges From: 2026-07-16 To: 2026-08-09 Location: 27.47199, -80.32452 Bridge Name: A1A State Route Bridge Under this temporary deviation, A1A North Causeway Bridge will operate as follows: - August 3, 2026, from 7 a.m. through 7 a.m. on August 6, 2026, the drawbridge need not open to marine traffic. The channel will be fully obstructed. Mariners are advised to seek an alternate route around this portion of the Atlantic Intracoastal Waterway. - August 6, 2026, from 7 a.m. until 6 p.m., single-leaf openings will be provided. The channel will be partially obstructed. The channel will be fully obstructed for a 2-hour period for the removal of the steel bascule leaf. After 6 p.m. the channel will be fully open to navigation. - August 7, 2026, from 7 a.m. until 6 p.m., single-leaf openings will be provided. The channel will be partially obstructed. The channel will be fully obstructed for a 2-hour period for the removal of the steel bascule leaf. After 6 p.m. the channel will be fully open to navigation. - August 8, 2026, from 7 a.m. to 6 p.m., single-leaf openings will be provided. The channel will be partially obstructed. The channel will be fully obstructed for a 2-hour period for the removal of the steel bascule leaf. At 6 p.m. on August 8, 2026, the drawbridge operation regulation is obsolete and will no longer be enforced. | Lat: 27° 28' 19"<br>Lon: -080° 19' 28" |
| Fort Pierce Inlet Inner Harbor - Indian River South Section/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2026-07-07 To: 2031-06-12 Location: 27-27-47.808N/080-19-11.244W Aid Name: Indian River (South Section) Light 187 LLNR: 45115 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard is proposing to change the Aids to Navigation system in the Indian River (South Section) near Fort Pierce Harbor to enhance navigational safety for all waterway users. Indian River (South Section) Light 187 (LLNR 45115) will be permanently changed to Indian River (South Section) Lighted Buoy 187 (LLNR 45115) in approximate position: 27-27-47.803N / 080-19-11.262W. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Indian River (South Section) as the subject line. Comments can also be mailed to Commander (dpw), Southeast Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by September 15, 2026.                                                                                                                                                                                                                                                                                                                                                                                                                                             | Lat: 27° 27' 48"<br>Lon: -080° 19' 11" |

**Intracoastal Waterway Florida Seventh District**

**Federal Discrepancies**

| NAME                                | LLNR  | STATUS         | AID TYPE |
|-------------------------------------|-------|----------------|----------|
| Lake Okeechobee (Rt 2) Daybeacon 13 | 51445 | STRUCT MISSING | FD       |

**Isla Magueyes**

**Federal Discrepancies**

| NAME                                       | LLNR  | STATUS        | AID TYPE |
|--------------------------------------------|-------|---------------|----------|
| Canal De La Mona East Shoal Lighted Buoy 2 | 32300 | LT EXT/ADRIFT | FD       |

**Isla Palominos Marina**

**Additional MSI Categories**

| TITLE                                                | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | LOCATION                               |
|------------------------------------------------------|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Isla Palominos Marina/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2025-09-18 28458 Location: 18.3313° N / 65.59129° W Aid Name: Cayo Largo Buoy 1 LLNR: 31300 Action: DISCONTINUE The following change is being proposed to the aids to navigation system in Isla Palominos Marina, Puerto Rico East Coast. Cayo Largo Buoy 1 (LLNR 31300) in position 18-19-52.666N / 065-35-28.657W will be permanently discontinued, as it has been deemed non-essential for maritime navigation. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Isla Palominos Marina as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by March 1, 2026. | Lat: 18° 19' 53"<br>Lon: -065° 35' 29" |

**Jekyll Creek**

**Federal Discrepancies**

| NAME                                   | LLNR  | STATUS              | AID TYPE |
|----------------------------------------|-------|---------------------|----------|
| Jekyll Creek Daybeacon 3               | 37287 | HAZ NAV/STRUCT DEST | FD       |
| Jekyll Creek Jetty Warning Daybeacon 8 | 37305 | DAYMK MISSING       | FD       |
| Jekyll Creek Light 20                  | 37345 | LT EXT              | FD       |

|                        |       |                  |    |
|------------------------|-------|------------------|----|
| Jekyll Creek Light 20A | 37346 | STRUCT DEST/TRLB | FD |
| Jekyll Creek Light 29  | 37370 | STRUCT DEST/TRLB | FD |

**Jewfish Creek**

**Federal Discrepancies Corrected**

| NAME                   | LLNR  | STATUS    | AID TYPE | CORRECTION DATE |
|------------------------|-------|-----------|----------|-----------------|
| Jewfish Creek Light 29 | 50330 | RELIGHTED | FD       | 2026-07-08      |

**Johns Pass Channel**

**Federal Discrepancies**

| NAME                           | LLNR  | STATUS           | AID TYPE |
|--------------------------------|-------|------------------|----------|
| Johns Pass Channel Daybeacon 1 | 25580 | STRUCT DEST/TRUB | FD       |

**Jug Creek Shoal**

**Federal Discrepancies**

| NAME                        | LLNR  | STATUS           | AID TYPE |
|-----------------------------|-------|------------------|----------|
| Jug Creek Shoal Daybeacon 9 | 56375 | TRUB/STRUCT DEST | FD       |

**Keaton Beach**

**Federal Discrepancies**

| NAME                      | LLNR  | STATUS           | AID TYPE |
|---------------------------|-------|------------------|----------|
| Keaton Beach Daybeacon 2  | 30600 | STRUCT DEST/TRUB | FD       |
| Keaton Beach Daybeacon 4  | 30610 | STRUCT DEST/TRUB | FD       |
| Keaton Beach Daybeacon 4A | 30615 | STRUCT DEST/TRUB | FD       |
| Keaton Beach Light 5      | 30620 | TRLB/STRUCT DEST | FD       |
| Keaton Beach Daybeacon 10 | 30635 | TRUB/STRUCT DEST | FD       |
| Keaton Beach Light 11     | 30640 | STRUCT DEST/TRLB | FD       |
| Keaton Beach Daybeacon 13 | 30650 | TRUB/STRUCT DEST | FD       |
| Keaton Beach Daybeacon 18 | 30675 | STRUCT DEST/TRUB | FD       |

**Key Biscayne Yacht Club**

**Private Discrepancies**

| NAME                            | LLNR  | STATUS        | AID TYPE |
|---------------------------------|-------|---------------|----------|
| Key Biscayne Yacht Club Light 4 | 49085 | DAYMK MISSING | PA       |

**Kings Bay**

**Federal Discrepancies Corrected**

| NAME               | LLNR | STATUS            | AID TYPE | CORRECTION DATE |
|--------------------|------|-------------------|----------|-----------------|
| Kings Bay Light 46 | 6995 | WATCHING PROPERLY | FD       | 2026-07-16      |

**Temporary Changes**

| NAME                      | LLNR | STATUS                 | AID TYPE |
|---------------------------|------|------------------------|----------|
| Kings Bay Lighted Buoy 43 | 6955 | RELOCATED FOR DREDGING | FD       |

**Additional MSI Categories**

| TITLE                                                              | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | LOCATION |
|--------------------------------------------------------------------|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Kings Bay/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-03-03 38297 38297 Cottrell Contracting Corporation ofChesapeake, Virginia advises that the Dredge Newmarket will be conducting dredging operations at Kings Bay Submarine Base,Camden County, GA. The work will be ongoing from March 4, 2026 through May 9, 2026 from Kings Bay Lighted Buoy 43 (LLNR6955) to Marker Kings Bay Light 60 (LLNR 7035). All mariners are requested to stay clear of the dredge, pipelines, barge, derricksand operating wires about the dredge. All operators should be aware that the dredge and pontoon lines are held in place bycables, which are attached to anchors some distance from the dredge and pontoons. Buoys are attached to the anchors so thatthey may be moved as the dredge moves. Submerged- lines should be avoided. Mariners are requested to exercise extremecaution when approaching, passing, and leaving the dredging plant. The dredge Newmarket monitors VHF-FM channels 13 and16. Mariners are cautioned to strictly comply with the Inland Rules of the Road when approaching, passing and leaving the areaof operations, and remain a safe distance away from the dredge, booster, buoys, cables, pipeline, barges, derricks, wires andrelated equipment. |          |

**Kings Island Turning Basin**

**Additional MSI Categories**

| TITLE                                                                                                  | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | LOCATION |
|--------------------------------------------------------------------------------------------------------|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Oglethorpe Range - Kings Island Turning Basin/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-04-22 41867 Marinex Construction, Inc. has shifted the DREDGE HAMPTON ROADS to the Savannah River near Sharks Tooth Beach. Their current orders of work will have them dredging the channel, along side Sharks Tooth Beach from, 32.13622301685029N, -81.14110522861196W to 32.142416N, -81.142037W. Their estimated completion date for that section is TBD. Operations will continue 24/7. The dredge will monitor VHF-FM channels 13 and 16. |          |

**Kingsley Creek**

**Federal Discrepancies**

| NAME                        | LLNR  | STATUS           | AID TYPE |
|-----------------------------|-------|------------------|----------|
| Kingsley Creek Daybeacon 13 | 38010 | STRUCT DEST/TRUB | FD       |

**Kissimmee River**

**Federal Discrepancies**

| NAME                    | LLNR  | STATUS      | AID TYPE |
|-------------------------|-------|-------------|----------|
| Kissimmee River Light 1 | 51930 | LT EXT/TRLT | FD       |

**Lake Boca Raton**

**Federal Discrepancies**

| NAME                         | LLNR  | STATUS           | AID TYPE |
|------------------------------|-------|------------------|----------|
| Lake Boca Raton Daybeacon 64 | 47150 | STRUCT DEST/TRLB | FD       |

**Private Discrepancies**

| NAME                       | LLNR  | STATUS      | AID TYPE |
|----------------------------|-------|-------------|----------|
| Hillsboro Mile Daybeacon 1 | 47151 | STRUCT DEST | PA       |
| Hillsboro Mile Daybeacon 3 | 47152 | STRUCT DEST | PA       |
| Hillsboro Mile Daybeacon 7 | 47153 | STRUCT DEST | PA       |

**Additional MSI Categories**

| TITLE                           | SUBCATEGORY | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                | LOCATION                               |
|---------------------------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Lake Boca Raton/General/Bridges | Bridges     | Lake Boca Raton/General/Bridges From: 2026-07-17 To: 2026-08-27 Location: 26.33942, -80.07719 Bridge Name: East Camino Real Bridge East Camino Real Bridge need not open to navigation, including tugs with tows, on Wednesday, August 26, 2026, from 7 a.m. until 11 a.m. Public vessels of the United States and vessels declaring an emergency must be passed any time. | Lat: 26° 20' 22"<br>Lon: -080° 04' 38" |

**Lake George**

**Private Discrepancies**

| NAME                                | LLNR | STATUS            | AID TYPE |
|-------------------------------------|------|-------------------|----------|
| Silver Glen Springs Run Buoy 1      | 8595 | MISSING           | PA       |
| Silver Glen Springs Run Buoy 9      | 8630 | STRUCT DMGD       | PA       |
| Silver Glen Springs Run Buoy 24     | 8695 | MISSING           | PA       |
| Silver Glen Springs Run Buoy 25     | 8700 | OFF STA           | PA       |
| Silver Glen Springs Run Buoy 1A     | 8710 | OFF STATION       | PA       |
| Silver Glen Springs Run Buoy 2A     | 8715 | SINKING/BUOY DMGD | PA       |
| Silver Glen Springs Run Buoy 9A     | 8740 | MISSING           | PA       |
| Silver Glen Springs Run Pref Buoy A | 8750 | MISSING           | PA       |

**Lake Monroe**

**Federal Discrepancies**

| NAME                    | LLNR | STATUS                   | AID TYPE |
|-------------------------|------|--------------------------|----------|
| Lake Monroe Bar Light 1 | 9240 | STRUCT DEST/HAZ NAV/TRLB | FD       |

**Lake Okeechobee Route 2**

**Federal Discrepancies**

| NAME                                | LLNR  | STATUS           | AID TYPE |
|-------------------------------------|-------|------------------|----------|
| Lake Okeechobee (Rt 2) Light 2      | 51405 | STRUCT DEST/TRLB | FD       |
| Lake Okeechobee (Rt 2) Daybeacon 94 | 51820 | STRUCT DEST      | FD       |

Lake Worth Creek

Federal Discrepancies

| NAME                         | LLNR  | STATUS           | AID TYPE |
|------------------------------|-------|------------------|----------|
| Lake Worth Creek Daybeacon 7 | 46375 | STRUCT DEST/TRUB | FD       |

Lake Worth Inlet

Federal Discrepancies

| NAME                           | LLNR  | STATUS              | AID TYPE |
|--------------------------------|-------|---------------------|----------|
| Palm Beach Channel Daybeacon 2 | 10220 | HAZ NAV/STRUCT DEST | FD       |

Additional MSI Categories

| TITLE                                                                                                              | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | LOCATION |
|--------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Sector Miami, Submerged Land Act (SLA) - Lake Worth Inlet/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2025-12-11 33756 Great Lakes Dredge and Dock Company, LLC will be conducting dredging operations for Delray Beach Renourishment project. Operations are expected to begin on or about January 20, 2026, with an estimated completion date of May 15, 2026. The project is located in Palm Beach County, FL and consists of the CSD DREDGE ILLINOIS dredging approximately 1,300,000 Cubic Yards of beach compatible sand from offshore Borrow Areas D-IV and D-V. The material will be transported, through a 30-inch diameter pipe, from the dredge to the beach. The excavated material will be placed along approximately 2.7 miles of shoreline. The shoreline runs through Delray Beach, between FDEP Range Monuments R-175(north) and R-188a(south). The Borrow Areas are located approximately 0.9 nautical miles offshore (from the midpoint of the placement site to the midpoint of Borrow Area D-IV. Borrow Area D-V is located directly North of Borrow Area D-IV). The survey vessel, SAGINAW RIVER, will conduct survey operations of the offshore borrow areas and pipeline corridors during daylight hours / 7 days per week. The turbidity vessel, TBD, will work to collect water samples within the vicinity of the discharge location. The crew boat vessel, MUSKEGON RIVER, will run crew and supplies to the dredge 24 hours / 7 days a week. The survey vessel, MIAMI RIVER, will conduct survey operations of the offshore borrow areas and pipeline corridors during daylight hours /7 days per week. The turbidity vessel, TBD, will work to collect water samples within the vicinity of the discharge location. Waterside equipment will be staged and stored in the Palm Beach Inlet. All equipment will be lighted as per USCG requirements. All vessels will be monitoring VHF-FM channels 5 and 13/16. |          |
| Sector Miami, Submerged Land Act (SLA) - Lake Worth Inlet/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-02-06 36653 Great Lakes Dredge & Dock Company, LLC will be dredging for the FY26 Beach Renourishment Palm Beach Mid-Town. Operations are expected to start on or about March 3, 2026, with an estimated completion date of May 1, 2026. The project is located in Palm Beach County, FL and consists of the Trailing Suction Hopper Dredge PADRE ISLAND dredging approximately 480,000 Cubic Yards of beach compatible sand from Palm Beach Harbor Entrance Channel and Settling Basins, Northern Borrow Area 1, and Northern Borrow Area 2 The material will be transported, through 30" diameter pipes, from the dredge to the beach. The shoreline runs through Palm Beach, between FDEP Range Monuments R-92.1 and R-102. The Palm Beach Harbor Entrance Channel and Settling Basins and Northern Borrow Area 2 are approximately 4 nautical miles from the midpoint of the project fill area while the Northern Borrow Area 1 is approximately 5 nautical miles from the midpoint of the project fill area. Waterside equipment will be staged and stored in the Palm Beach Inlet, as depicted in the attached drawings. A crew transfer vessel, the EAST RIVER, will transfer crew between the shoreside boarding location and the waterside equipment. The survey vessel, MIAMI RIVER, will conduct survey operations of the offshore borrow areas and pipeline corridors during daylight hours, 7 days per week. The turbidity vessel, TBD, will work to collect water samples within the vicinity of the discharge location. All equipment will be lighted as per USCG requirements. Vessels will be monitoring VHF-FM channels 5, 13 and 16.                                                                                                                                                                            |          |

Lake Worth North

Federal Discrepancies

| NAME                              | LLNR  | STATUS           | AID TYPE |
|-----------------------------------|-------|------------------|----------|
| Lake Worth North Light 27         | 46435 | STRUCT DEST/TRLB | FD       |
| Lake Worth North Daybeacon 32     | 46515 | STRUCT DEST/TRUB | FD       |
| Lake Worth North Daybeacon 41     | 46700 | STRUCT DEST/TRUB | FD       |
| Lake Worth North Daybeacon 33     | 46520 | STRUCT DEST/TRUB | FD       |
| Lake Park Channel Shoal Daybeacon | 46527 | TRLB/STRUCT DEST | FD       |
| Lake Worth North Buoy 40          | 46655 | OFF STATION      | FD       |

Federal Discrepancies Corrected

| NAME                       | LLNR  | STATUS            | AID TYPE | CORRECTION DATE |
|----------------------------|-------|-------------------|----------|-----------------|
| Lake Worth North Light 30A | 46505 | WATCHING PROPERLY | FD       | 2026-07-21      |

Additional MSI Categories

| TITLE                                         | SUBCATEGORY | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | LOCATION                            |
|-----------------------------------------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Lake Worth North/General/Bridges/Construction | Bridges     | General/Bridges/Construction From: 2025-01-14 To: 2027-01-31 Location: 26.808528° N / 80.056123° W Bridge Name: US Hwy 1/SR 5 Bridge - Earman River The waterway at the bridge will be obstructed and closed to navigation from 2/10/2025 through 1/7/2027 for the replacement of the US Hwy 1/SR 5 Bridge. Mariners are advised to utilize the northern canal to access the Atlantic Intracoastal Waterway. The Lighthouse Drive Bridge across the northern canal provides a vertical clearance of 14.5 feet and a horizontal clearance of 22.5 feet. For waterways questions, please contact USCG Sector Miami Waterways Division at (305) 535-4317, email SectorMiamiWaterways@uscg.mil | Lat: 26° 48' 31" Lon: -080° 03' 22" |

|                                                                  |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                        |
|------------------------------------------------------------------|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Lake Worth North/General/Bridges                                 | Bridges               | Lake Worth North/General/Bridges From: 2026-07-01 To: 2026-08-01 Location: 26.81748, -80.06837 Bridge Name: Lighthouse Drive Bridge The Coast Guard has issued a public notice announcing a permit application from WGI, Inc on behalf of the Village of North Palm Beach requesting approval of the location and plans for the replacement of the Lighthouse Drive Bridge over the North Palm Beach Waterway, mile point 1.4 at the Village of North Palm Beach, Florida. Public Notice 06-26 provides details of the proposed bridge project and solicits comments concerning the project. The public notice is available at <a href="http://www.navcen.uscg.gov/?pageName=pnBridges&amp;Active=1&amp;region=7">http://www.navcen.uscg.gov/?pageName=pnBridges&amp;Active=1&amp;region=7</a> . | Lat: 26° 49' 03"<br>Lon: -080° 04' 06" |
| Lake Worth North/General/Hazards To Navigation/Shoaling Reported | Hazards To Navigation | General/Hazards To Navigation/Shoaling Reported From: 2026-07-15 48850 Shoaling has been reported near Lake Worth North Light 39 (LLNR 46610). All vessels should transit at a safe speed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                        |

Lake Worth South

Federal Discrepancies

| NAME                          | LLNR  | STATUS                   | AID TYPE |
|-------------------------------|-------|--------------------------|----------|
| Lake Worth South Daybeacon 4  | 46740 | STRUCT DEST/HAZ NAV/TRLB | FD       |
| Lake Worth South Daybeacon 7  | 46830 | STRUCT DEST/HAZ NAV/TRLB | FD       |
| Lake Worth South Daybeacon 34 | 46965 | STRUCT DEST/HAZ NAV/TRLB | FD       |
| Lake Worth South Daybeacon 45 | 47010 | HAZ NAV/STRUCT DEST/TRLB | FD       |
| Delray Beach Daybeacon 52A    | 47105 | STRUCT DEST/TRUB         | FD       |
| Lake Worth South Daybeacon 2  | 46720 | STRUCT DEST/TRUB         | FD       |
| Lake Worth South Daybeacon 51 | 47090 | HAZ NAV/STRUCT DEST/TRLB | FD       |

Largo Sound Channel

Private Discrepancies

| NAME                    | LLNR    | STATUS              | AID TYPE |
|-------------------------|---------|---------------------|----------|
| Newport Bay Daybeacon 7 | 11851.6 | HAZ NAV/STRUCT DMGD | PA       |

Additional MSI Categories

| TITLE                                              | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | LOCATION                               |
|----------------------------------------------------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Largo Sound Channel/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2025-09-11 27898 Location: 25.13693° N / 80.39505° W Aid Name: Marvin D Adams Waterway Light A LLNR: 11880 Action: DISCONTINUE The following change is being proposed to the aids to navigation system in Largo Sound Channel, Marvin D. Adams Waterway, Key Largo, Florida. Marvin D. Adams Waterway Light A (LLNR 11880) and Marvin D. Adams Waterway Light B (LLNR 11885) will be permanently discontinued because they are not within or marking a federal maintained channel. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Isla Palominos as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by March 1, 2026. | Lat: 25° 08' 13"<br>Lon: -080° 23' 42" |
| Largo Sound Channel/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2025-09-11 27899 Location: 25.13928° N / 80.4044° W Aid Name: Marvin D Adams Waterway Light B LLNR: 11885 Action: DISCONTINUE The following change is being proposed to the aids to navigation system in Largo Sound Channel, Marvin D. Adams Waterway, Key Largo, Florida. Marvin D. Adams Waterway Light A (LLNR 11880) and Marvin D. Adams Waterway Light B (LLNR 11885) will be permanently discontinued because they are not within or marking a federal maintained channel. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Isla Palominos as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by March 1, 2026.  | Lat: 25° 08' 21"<br>Lon: -080° 24' 16" |

Lemon Bay Channel

Federal Discrepancies

| NAME                            | LLNR    | STATUS                   | AID TYPE |
|---------------------------------|---------|--------------------------|----------|
| Lemon Bay Channel Daybeacon 2   | 57140   | TRUB                     | FD       |
| Lemon Bay Channel Daybeacon 16  | 57275.5 | STRUCT MISSING/TRUB      | FD       |
| Lemon Bay Channel Daybeacon 20A | 57340   | STRUCT DEST              | FD       |
| Lemon Bay Channel Daybeacon 40  | 57625   | STRUCT MISSING/TRUB      | FD       |
| Lemon Bay Channel Daybeacon 21  | 57345   | STRUCT DEST/TRUB         | FD       |
| Lemon Bay Channel Daybeacon 28A | 57450   | STRUCT DEST/TRUB         | FD       |
| Lemon Bay Channel Daybeacon 46  | 57650   | HAZ NAV/STRUCT DEST/TRLB | FD       |

Private Discrepancies

| NAME                                     | LLNR    | STATUS              | AID TYPE |
|------------------------------------------|---------|---------------------|----------|
| Forked Creek West Obstruction Daybeacon  | 57618.9 | STRUCT DEST         | PA       |
| Forked Creek North Obstruction Daybeacon | 57619   | STRUCT DEST         | PA       |
| Forked Creek East Obstruction Daybeacon  | 57619.3 | STRUCT DEST         | PA       |
| Gottfried Creek Daybeacon 5              | 57357.4 | DAYMK DMGD          | PA       |
| Forked Creek Daybeacon 1                 | 57617   | STRUCT DEST/HAZ NAV | PA       |

Additional MSI Categories

| TITLE | SUBCATEGORY | DESCRIPTION | LOCATION |
|-------|-------------|-------------|----------|
|       |             |             |          |

|                                   |         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                        |
|-----------------------------------|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Lemon Bay Channel/General/Bridges | Bridges | Lemon Bay Channel/General/Bridges From: 2026-04-28 To: 2026-10-25 Location: 26.93092, -82.33669 Bridge Name: Placida Road Bridge - Rock Creek The southern span is closed to navigation for repairs to the bridge structure. All marine traffic should utilized the northern span. The county has placed buoys, a turbidity curtain and signage across the southern span alerting mariners of the closure. All mariners are advised to transit the area with caution. | Lat: 26° 55' 51"<br>Lon: -082° 20' 12" |
|-----------------------------------|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|

Little Lake George

Federal Discrepancies

| NAME                             | LLNR | STATUS           | AID TYPE |
|----------------------------------|------|------------------|----------|
| Little Lake George Light 53      | 8435 | LT EXT           | FD       |
| Little Lake George Daybeacon 54  | 8450 | STRUCT DEST/TRLB | FD       |
| Little Lake George Daybeacon 53B | 8445 | STRUCT DEST/TRUB | FD       |

Little Manatee River

Federal Discrepancies

| NAME                                   | LLNR  | STATUS         | AID TYPE |
|----------------------------------------|-------|----------------|----------|
| Little Manatee River Approach Light LM | 24481 | STRUCT MISSING | FD       |

Private Discrepancies

| NAME                      | LLNR               | STATUS      | AID TYPE |
|---------------------------|--------------------|-------------|----------|
| Shell Point Daybeacon 3   | 22698.2            | STRUCT DEST | PA       |
| Shell Point Daybeacon 7   | 22698.600000000002 | STRUCT DEST | PA       |
| Cabbage Creek Daybeacon 5 | 24605              | STRUCT DEST | PA       |

Little Mud River

Federal Discrepancies

| NAME                           | LLNR  | STATUS              | AID TYPE |
|--------------------------------|-------|---------------------|----------|
| Little Mud River Daybeacon 189 | 36855 | STRUCT DEST/TRUB    | FD       |
| Little Mud River Light 190     | 36865 | STRUCT DEST/TRLB    | FD       |
| Little Mud River Light 195     | 36875 | STRUCT MISSING/TRLB | FD       |
| Little Mud River Light 196     | 36880 | STRUCT DEST/TRLB    | FD       |

Little River Winyah Bay

Federal Discrepancies

| NAME                                            | LLNR  | STATUS                   | AID TYPE |
|-------------------------------------------------|-------|--------------------------|----------|
| Little River-Winyah Bay Daybeacon 6             | 33615 | STRUCT DEST/TRUB         | FD       |
| Little River-Winyah Bay Obstruction Daybeacon B | 33647 | STRUCT MISSING/TRUB      | FD       |
| Little River-Winyah Bay Light 29                | 33815 | HAZ NAV/STRUCT DEST/TRLB | FD       |
| Little River-Winyah Bay Light 9                 | 33630 | STRUCT DEST/TRLB         | FD       |
| Little River-Winyah Bay Light 4                 | 33610 | STRUCT DEST/TRLB         | FD       |
| Little River-Winyah Bay Light 36                | 33840 | HAZ NAV/STRUCT DEST/TRLB | FD       |
| Little River-Winyah Bay Daybeacon 50            | 33885 | LT EXT                   | FD       |
| Little River-Winyah Bay Light 53                | 33895 | STRUCT DEST/TRLB         | FD       |

Additional MSI Categories

| TITLE                                                                       | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | LOCATION                               |
|-----------------------------------------------------------------------------|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Winyah Bay Channel - Little River Winyah Bay/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 33.76374° N / 78.81957° W Aid Name: Little River-Winyah Bay Daybeacon 21B LLNR: 33705.5 Action: RENAME Little River-Winyah Bay DBN 21B (LLNR 33705.5) will be renamed Little River-Winyah Bay DBN 21C (LLNR 33705.5). Establish Little River-Winyah Bay LT 21B (LLNR 33705.3) in approximate position 33-46-56.075N, 078-47-21.582W. The light will display a flash characteristic of Q G, with a nominal range of 4 nautical miles. | Lat: 33° 45' 49"<br>Lon: -078° 49' 10" |
| Winyah Bay Channel - Little River Winyah Bay/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change 19407 Location: 33.82754° N / 78.70574° W Aid Name: Little River-Winyah Bay Buoy 15B The U.S. Coast Guard has approved the following change in the Little River-Winyah Bay Channel, Intracoastal Waterway, to improve navigational safety and reliability. Little River-Winyah Bay Buoy 15B (LLNR 33660.1) will be permanently established in approximate position 33-49-39.137N, 078-42-20.648W.                                              | Lat: 33° 49' 39"<br>Lon: -078° 42' 21" |

Little Shark River Entrance

Federal Discrepancies

| NAME | LLNR | STATUS | AID TYPE |
|------|------|--------|----------|
|------|------|--------|----------|

|                                         |       |             |    |
|-----------------------------------------|-------|-------------|----|
| Little Shark River Entrance Daybeacon 3 | 15955 | STRUCT DEST | FD |
| Little Shark River Entrance Light 1     | 15950 | STRUCT DEST | FD |

Private Discrepancies

| NAME                            | LLNR  | STATUS        | AID TYPE |
|---------------------------------|-------|---------------|----------|
| Cormorant Pass Daybeacon 48     | 15870 | DAYMK IMCH    | PA       |
| Oyster Bay Daybeacon 53         | 15885 | DAYMK MISSING | PA       |
| Oyster Bay Daybeacon 63         | 15915 | DAYMK MISSING | PA       |
| Little Shark River Daybeacon 69 | 15940 | DAYMK IMCH    | PA       |

Long Branch

Federal Discrepancies

| NAME                                       | LLNR | STATUS      | AID TYPE |
|--------------------------------------------|------|-------------|----------|
| Chaseville Middle Ground Shoal Daybeacon N | 7595 | STRUCT DEST | FD       |

Long Key

Federal Discrepancies

| NAME                  | LLNR  | STATUS           | AID TYPE |
|-----------------------|-------|------------------|----------|
| Long Key Daybeacon 1X | 12385 | STRUCT DEST/TRUB | FD       |

Additional MSI Categories

| TITLE                                   | SUBCATEGORY | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | LOCATION                               |
|-----------------------------------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Long Key/General/Bridges/Rehabilitation | Bridges     | General/Bridges/Rehabilitation From: 2025-07-02 To: 2026-10-31 Location: 24.83801° N / 80.77337° W Bridge Name: US1/SR5 Highway Bridge - Channel 5 The bridge is undergoing a rehabilitation and repairs through October 2026. There will be barges, floating work platforms and work boats in the area behind the fender systems, but no obstructions to navigation are expected. Beginning July 14, 2025, through August 1, 2025, underwater work will begin with divers at two piers adjacent to the navigational channel, behind the fenders. All mariners are advised to proceed with caution and transit the area at a minimum wake speed. For waterways related questions, contact, Coast Guard Sector Key West Waterways, 305-292-8768 or email: SKWWaterways@uscg.mil | Lat: 24° 50' 17"<br>Lon: -080° 46' 24" |

Long Key Cape Sable

Federal Discrepancies

| NAME                  | LLNR  | STATUS                   | AID TYPE |
|-----------------------|-------|--------------------------|----------|
| Sprigger Bank Light 5 | 15605 | HAZ NAV/STRUCT DEST/TRLB | FD       |

Longboat Pass

Additional MSI Categories

| TITLE                                                         | SUBCATEGORY           | DESCRIPTION                                                                                                                                                                                                                                                                                                                                | LOCATION |
|---------------------------------------------------------------|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Longboat Pass/General/Hazards To Navigation/Shoaling Reported | Hazards To Navigation | General/Hazards To Navigation/Shoaling Reported From: 2026-03-16 39234 Location: 27-26-33.972N/082-41-44.088W 27-26-23.568N/082-41-31.920W 27-26-01.716N/082-42-06.156W 27-26-14.820N/082-42-17.640W 27-26-33.972N/082-41-44.088W Extreme shoaling has been reported inside the channel. All vessels should transit the area with caution. |          |

Lower Flats Range

Federal Discrepancies

| NAME                 | LLNR | STATUS      | AID TYPE |
|----------------------|------|-------------|----------|
| Elba Island Light 39 | 4850 | STRUCT DEST | FD       |

Additional MSI Categories

| TITLE                                                                   | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | LOCATION                               |
|-------------------------------------------------------------------------|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Long Island Crossing - Lower Flats Range/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change From: 2025-12-08 To: 2030-11-13 Location: 32-04-22.512N/080-58-30.504W Aid Name: Elba Island Light 37 LLNR: 4845 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard is proposing to make the following changes in the Savannah River, Elba Island Channel to improve the waterway. Elba Island LT 37 (LLNR 4845) will be changed to Elba Island LB 37 (LLNR 4845) and relocated to 32-04-24.404N, 080-58-28.548W. Light characteristics for LB 37 will remain a FI G 4s. Elba Island LT 39 (LLNR 4850) will be changed to Elba Island LB 39 (LLNR 48450) and relocated to 32-04-34.342N, 080-58-54.089W. Light characteristics for LB 39 will remain a FI G 4s. Waterway changes associated with the Savannah Harbor Expansion Project (SHEP) have made the federal channel and surrounding areas too deep for Coast Guard assets to adequately mark the channel with fixed aids to navigation. | Lat: 32° 04' 23"<br>Lon: -080° 58' 31" |
| ATON/Advanced Notice of Change                                          | Advanced Notice of Change | ATON/Advanced Notice of Change From: 2025-12-08 To: 2030-11-13 Location: 32-04-32.988N/080-58-55.272W Aid Name: Elba Island Light 39 LLNR: 4850 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard has approved the following changes in the Savannah River, Elba Island Channel to improve the waterway. Elba Island LT 37 (LLNR 4845) will be changed to Elba Island LB 37 (LLNR 4845) and relocated to 32-04-24.404N, 080-58-28.548W. Light characteristics for LB 37 will remain a FI G 4s. Elba Island LT 39 (LLNR 4850) will be changed to Elba Island LB 39 (LLNR 48450) and relocated to 32-04-34.342N, 080-58-54.089W. Light characteristics for LB 39 will remain a FI G 4s. Waterway changes associated with the Savannah Harbor Expansion Project (SHEP) have made the federal channel and surrounding areas too deep for Coast Guard assets to adequately mark the channel with fixed aids to navigation.         | Lat: 32° 04' 33"<br>Lon: -080° 58' 55" |

Loxahatchee River

Private Discrepancies

| NAME                                         | LLNR               | STATUS      | AID TYPE |
|----------------------------------------------|--------------------|-------------|----------|
| Loxahatchee River Daybeacon 7                | 46280              | DAYMK IMCH  | PA       |
| Loxahatchee River Daybeacon 15               | 46320              | DAYMK IMCH  | PA       |
| Loxahatchee River South Channel Daybeacon 7  | 46373.5            | STRUCT DMGD | PA       |
| Loxahatchee River South Channel Daybeacon 14 | 46374.200000000004 | STRUCT DEST | PA       |

Mackay River

Federal Discrepancies

| NAME                          | LLNR  | STATUS                   | AID TYPE |
|-------------------------------|-------|--------------------------|----------|
| Mackay River Cutoff Light 229 | 37090 | STRUCT DEST/TRLB         | FD       |
| Mackay River Cutoff Light 231 | 37095 | STRUCT DEST/TRLB         | FD       |
| Mackay River Light 239        | 37160 | STRUCT DEST/HAZ NAV/TRLB | FD       |
| Mackay River Light 241        | 37170 | STRUCT DEST/TRLB         | FD       |
| Mackay River Light 244        | 37190 | STRUCT DEST/TRLB         | FD       |
| Mackay River Light 247        | 37205 | STRUCT DEST              | FD       |
| Mackay River Light 250        | 37215 | STRUCT DEST/TRLB         | FD       |

Manatee River

Federal Discrepancies

| NAME                       | LLNR  | STATUS           | AID TYPE |
|----------------------------|-------|------------------|----------|
| Manatee River Daybeacon 3  | 21867 | STRUCT DEST/TRUB | FD       |
| Manatee River Daybeacon 21 | 22050 | STRUCT MISSING   | FD       |
| Manatee River Daybeacon 28 | 22095 | STRUCT DEST/TRUB | FD       |

Private Discrepancies

| NAME                                     | LLNR  | STATUS           | AID TYPE |
|------------------------------------------|-------|------------------|----------|
| Colony Cove Daybeacon 2                  | 22110 | STRUCT DEST/TRUB | PA       |
| Fifty-Ninth Street Boat Ramp Daybeacon 5 | 21960 | STRUCT DEST      | PA       |
| Colony Cove Daybeacon 8                  | 22135 | STRUCT DEST      | PA       |

Matanzas Inlet Mosquito Lagoon

Federal Discrepancies

| NAME                     | LLNR  | STATUS           | AID TYPE |
|--------------------------|-------|------------------|----------|
| Smith Creek Daybeacon 17 | 39770 | STRUCT DEST/TRUB | FD       |
| Fox Cut Light 3          | 39680 | STRUCT DEST/TRLB | FD       |

Matanzas Pass Channel

Federal Discrepancies

| NAME                               | LLNR  | STATUS                      | AID TYPE |
|------------------------------------|-------|-----------------------------|----------|
| Matanzas Pass Channel Daybeacon 3  | 18090 | STRUCT DEST                 | FD       |
| Matanzas Pass Channel Daybeacon 24 | 18290 | STRUCT MISSING/TRUB         | FD       |
| Matanzas Pass Channel Daybeacon 26 | 18295 | HAZ NAV/STRUCT MISSING/TRUB | FD       |
| Matanzas Pass Channel Daybeacon 18 | 18275 | STRUCT DEST                 | FD       |

Private Discrepancies

| NAME                                          | LLNR               | STATUS              | AID TYPE |
|-----------------------------------------------|--------------------|---------------------|----------|
| Matanzas Harbor Channel Daybeacon 3           | 18296.100000000002 | STRUCT DEST/HAZ NAV | PA       |
| North Estero Bay Daybeacon 63                 | 18725              | STRUCT DEST/TRUB    | PA       |
| Mullock Creek Daybeacon 13                    | 18835              | STRUCT DEST/HAZ NAV | PA       |
| Hurricane Bay Marina West Channel Daybeacon 2 | 18140              | STRUCT DEST         | PA       |
| Siesta Isles Daybeacon 4                      | 18215              | STRUCT DEST         | PA       |
| Matanzas Harbor Channel Daybeacon 5           | 18296.3            | STRUCT DEST         | PA       |
| Bayside Estates Channel Daybeacon 2           | 18405              | STRUCT DEST         | PA       |
| Bayside Estates Channel Daybeacon 4           | 18415              | HAZ NAV/STRUCT DEST | PA       |
| Bayside Estates Channel Daybeacon 14          | 18450              | STRUCT DEST         | PA       |
| North Estero Bay Daybeacon 19                 | 18565              | STRUCT DMGD         | PA       |

|                               |       |                  |    |
|-------------------------------|-------|------------------|----|
| North Estero Bay Daybeacon 35 | 18605 | STRUCT DEST      | PA |
| North Estero Bay Daybeacon 39 | 18620 | STRUCT DEST/TRUB | PA |
| Mullock Creek Daybeacon 2A    | 18760 | STRUCT DEST      | PA |
| Mullock Creek Daybeacon 45    | 18920 | STRUCT DEST      | PA |

Matanzas River

Federal Discrepancies

| NAME                         | LLNR    | STATUS                   | AID TYPE |
|------------------------------|---------|--------------------------|----------|
| Matanzas River Buoy 2        | 39040   | OFF STA                  | FD       |
| Matanzas River Daybeacon 4   | 39050   | DBD DMGD                 | FD       |
| Matanzas River Daybeacon 6A  | 39060.1 | STRUCT DEST/TRUB         | FD       |
| Matanzas River Daybeacon 37  | 39305   | DBD DEST/STRUCT DMGD     | FD       |
| Matanzas River Daybeacon 38  | 39310   | STRUCT DEST              | FD       |
| Matanzas River Daybeacon 38  | 39310   | HAZ NAV/STRUCT DEST/TRLB | FD       |
| Matanzas River Light 43      | 39330   | STRUCT MISSING/TRLB      | FD       |
| Matanzas River Daybeacon 47  | 39350   | DBD DEST                 | FD       |
| Matanzas River Light 50      | 39370   | STRUCT DEST/TRLB         | FD       |
| Matanzas River Daybeacon 60  | 39455   | STRUCT DEST/TRUB         | FD       |
| Matanzas River Light 79      | 39520   | STRUCT MISSING/TRLB      | FD       |
| Matanzas River Daybeacon 89  | 39600   | STRUCT DEST/TRUB         | FD       |
| Matanzas River Light 90      | 39605   | STRUCT DEST/TRLB         | FD       |
| Matanzas River Daybeacon 92  | 39610   | STRUCT DEST/TRUB         | FD       |
| Matanzas River Daybeacon 7   | 39061   | STRUCT DEST/TRUB         | FD       |
| Matanzas River Light 45      | 39340   | STRUCT DEST/TRLB         | FD       |
| Matanzas River Daybeacon 10A | 39065   | STRUCT DEST/TRUB         | FD       |
| Matanzas River Daybeacon 35  | 39295   | HAZ NAV/STRUCT DEST/TRLB | FD       |

Private Discrepancies

| NAME                           | LLNR  | STATUS              | AID TYPE |
|--------------------------------|-------|---------------------|----------|
| Salt Run Daybeacon 11          | 38965 | STRUCT DEST/HAZ NAV | PA       |
| Salt Run Daybeacon 1           | 38915 | STRUCT DEST         | PA       |
| Salt Run Daybeacon 3           | 38925 | STRUCT DEST         | PA       |
| Salt Run Daybeacon 4           | 38930 | STRUCT DEST         | PA       |
| Salt Run Daybeacon 6           | 38940 | STRUCT MISSING      | PA       |
| Salt Run Daybeacon 7           | 38945 | STRUCT DMGD         | PA       |
| Fish Island Marina Daybeacon 1 | 39080 | DAYMK MISSING       | PA       |

Matheny Creek

Federal Discrepancies

| NAME                                  | LLNR  | STATUS                   | AID TYPE |
|---------------------------------------|-------|--------------------------|----------|
| Venice Inlet-Siesta Key Daybeacon 42  | 58145 | HAZ NAV/STRUCT DEST/TRLB | FD       |
| Venice Inlet-Siesta Key Daybeacon 39  | 58125 | STRUCT DEST/TRUB         | FD       |
| Venice Inlet-Siesta Key Daybeacon 43  | 58150 | STRUCT DEST/TRUB         | FD       |
| Venice Inlet-Siesta Key Daybeacon 49A | 58230 | STRUCT DEST              | FD       |
| Venice Inlet-Siesta Key Light 60      | 58305 | STRUCT DEST/HAZ NAV      | FD       |

Private Discrepancies

| NAME                             | LLNR                | STATUS           | AID TYPE |
|----------------------------------|---------------------|------------------|----------|
| Lyons Bay Daybeacon 11           | 57830               | STRUCT DEST/TRUB | PA       |
| Snake Island Daybeacon A         | 57834               | STRUCT DEST      | PA       |
| Snake Island Daybeacon B         | 57834.1             | STRUCT DEST      | PA       |
| Snake Island Daybeacon C         | 57834.2000000000004 | STRUCT DEST      | PA       |
| Midnight Pass Lagoon Daybeacon 4 | 58185               | STRUCT DEST      | PA       |
| Midnight Pass Lagoon Daybeacon 5 | 58190               | STRUCT DEST      | PA       |
| Midnight Pass Lagoon Daybeacon 7 | 58200               | STRUCT DEST      | PA       |
| Midnight Pass Daybeacon 11       | 58205.2000000000004 | STRUCT DEST      | PA       |
| Midnight Pass Daybeacon 13       | 58205.3             | STRUCT DMGD      | PA       |
| Midnight Pass Daybeacon 15       | 58205.4             | STRUCT DEST      | PA       |
| Midnight Pass Daybeacon 17       | 58205.5             | STRUCT DEST      | PA       |
| Matheny Creek Daybeacon 1        | 58292               | STRUCT DMGD      | PA       |
| Phillippi Creek Daybeacon 2      | 58365.2000000000004 | DAYMK MISSING    | PA       |

|                              |         |                     |    |
|------------------------------|---------|---------------------|----|
| Phillippi Creek Daybeacon 7  | 58365.6 | DAYMK MISSING       | PA |
| Phillippi Creek Daybeacon 11 | 58365.9 | STRUCT DEST/HAZ NAV | PA |
| Phillippi Creek Daybeacon 13 | 58366   | STRUCT DEST         | PA |

Additional MSI Categories

| TITLE                                                                                                                                   | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | LOCATION                            |
|-----------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Matheny Creek/General/Bridges                                                                                                           | Bridges                                 | Matheny Creek/General/Bridges From: 2026-02-09 To: 2026-09-30 Location: 27.30272, -82.54529 Bridge Name: Siesta Key Bridge Bridge rehabilitation is scheduled to begin April 2026, and end late November 2026. Channel restrictions and single-leaf openings are expected to begin early June 2026. The Coast Guard will provide advanced notice of any waterway restrictions. Mariners are advised to transit the area with caution.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Lat: 27° 18' 10" Lon: -082° 32' 43" |
| Matheny Creek/General/Bridges                                                                                                           | Bridges                                 | Matheny Creek/General/Bridges From: 2026-06-04 To: 2026-07-25 Location: 27.30272, -82.54529 Bridge Name: Siesta Drive Bridge In support of the ongoing rehabilitation, the bridge will operate as follows from June 22, 2026, through July 24, 2026: - From 10 p.m. Sunday through 6 a.m. Friday, weekly, a drawbridge opening, single-leaf or full, will be provided with a 4-hour advance notice. - The channel will be partially obstructed during the overnight hours providing 45 feet of horizontal clearance. Vessels able to pass without an opening may do so at any time. - From 6 a.m. on Friday through 10 p.m. on Sunday, weekly, the drawbridge will operate normally. - Except that from 6 a.m. on July 2, 2026, through 6 a.m. on July 6, 2026, the drawbridge will operate normally.                                                                                                                                                                                                                                     | Lat: 27° 18' 10" Lon: -082° 32' 43" |
| Venice Inlet - Matheny Creek/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes 17465 Continental Heavy Civil Corp. will conduct shoreline reconstruction and coastal armoring. Work will be performed between 22 North Casey Key Road to 400 N Casey Key Road, and 526 to 840 N Casey Key Road. Staging and loading area will be the entire footprint of the Nokomis Beach "spillover" parking lot, located at 101 S Casey Key Road. Heavy equipment such as lattice-boom crawler cranes and heavy excavators will load onto barges from Albee Road and will route down to intercoastal to the Venice inlet, proceed to the Gulf and then up the coast to the jobsite and back. Continental Heavy Civil expects to work a regular schedule from 6am to 6pm Monday through Saturday, with some necessary Sundays. Estimated completion time for the entire project May 1st, 2027. All Vessels should use caution when transiting the work area. The crew at Casey Road will monitor VHF-FM channels 13 and 16. |                                     |
| Venice Inlet - Matheny Creek/General/Marine Construction (Excluding Bridges)/Dredging                                                   | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-03-16 39218 Location: 27-16-32.592N/082-31-27.552W 27-16-15.240N/082-32-04.380W 27-16-15.564N/082-32-30.336W 27-16-17.616N/082-32-31.020W 27-16-16.068N/082-32-25.404W 27-16-20.316N/082-32-01.608W 27-16-32.592N/082-31-27.552W Sully's LLC General and Marine Contractor is performing maintenance dredging in Phillippi Creek. Operations will ongoing until approximately July 31, 2026. Barge will be in center of channel and at times the channel at Phillippi Creek will be obstructed by dredging operations, however this will be on occasion. Equipment being used is a 20x30 working barge with cranes, IMS 4010 Dredge barge with 4000 feet of 10 inch dredge hose, push boat and hopper barge.                                                                                                                                                                                                                                                          |                                     |

Mayport Basin

Federal Discrepancies

| NAME                           | LLNR | STATUS               | AID TYPE |
|--------------------------------|------|----------------------|----------|
| Mayport Basin Range Rear Light | 7160 | NIGHT LT BURNING DAY | FD       |

Miami Beach Channel

Federal Discrepancies

| NAME                         | LLNR  | STATUS           | AID TYPE |
|------------------------------|-------|------------------|----------|
| Miami Beach Channel Light 11 | 48015 | STRUCT DEST/TRLB | FD       |

Additional MSI Categories

| TITLE                                                    | SUBCATEGORY           | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | LOCATION                            |
|----------------------------------------------------------|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Miami Beach Channel/General/Bridges                      | Bridges               | Miami Beach Channel/General/Bridges From: 2026-07-08 To: 2026-07-24 Location: 25.844365, -80.122309 Bridge Name: 63rd Street Bridge The bridge need not open to navigation from 9 a.m. to 8 p.m. on Thursday, July 23, 2026. Vessels able to pass without an opening may do so at any time.                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Lat: 25° 50' 40" Lon: -080° 07' 20" |
| Miami Beach Channel/General/Hazards To Navigation/Wrecks | Hazards To Navigation | General/Hazards To Navigation/Wrecks From: 2025-09-17 28343 Mariners are advised that Fast Response Marine Towing and Salvage is conducting the recovery and salvage operation of the partially capsized 60-foot barge located at 688 88th Street, Surfside, FL, East of Biscaya Island. The barge is currently resting half-submerged at the location above, oriented away from the seawall, with its deck-mounted crane submerged. Vessels are urged to be aware of the barge location and exercise caution when transiting the area to avoid collision with the submerge barge. Boaters with questions about the waterway should contact USCG Sector Miami Waterways Division at (305) 535-4317 or Sector Command Center via VHF-FM channel 16. |                                     |

Miami Main Channel

Private Discrepancies

| NAME                                      | LLNR  | STATUS | AID TYPE |
|-------------------------------------------|-------|--------|----------|
| Miami Beach Marina Breakwater North Light | 10570 | LT EXT | PA       |

Miami Turning Basin

Federal Discrepancies

| NAME                                    | LLNR  | STATUS                   | AID TYPE |
|-----------------------------------------|-------|--------------------------|----------|
| Miami Turning Basin Articulated Light E | 10770 | STRUCT DEST/TRLB/HAZ NAV | FD       |

Mile Point

Federal Discrepancies

| NAME                               | LLNR | STATUS        | AID TYPE |
|------------------------------------|------|---------------|----------|
| Mile Point Lower Range Front Light | 7260 | REDUCED INT   | FD       |
| Mile Point Light A                 | 7281 | DAYMK MISSING | FD       |
| Mile Point Light C                 | 7283 | STRUCT DEST   | FD       |
| Mile Point Upper Range Front Light | 7287 | REDUCED INT   | FD       |
| Mile Point Upper Range Rear Light  | 7290 | LT EXT        | FD       |

Temporary Changes

| NAME                       | LLNR | STATUS                 | AID TYPE |
|----------------------------|------|------------------------|----------|
| Mile Point Lighted Buoy 22 | 7270 | RELOCATED FOR DREDGING | FD       |

Additional MSI Categories

| TITLE                                                      | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                           | LOCATION                               |
|------------------------------------------------------------|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| St Johns River - Mile Point/ATON/Advanced Notice of Change | Advanced Notice of Change | Mile Point Lower RFL (LLNR 7260) will be relocated to approximate position: 30-22-44.551N/081-27-11.480W to align with the newly dredged channel. In addition, both Mile Point Lower RFL and Mile Point Lower RRL will be changed to a 24-hour optic. All day marks will be permanently discontinued. | Lat: 30° 22' 44"<br>Lon: -081° 27' 11" |
| St Johns River - Mile Point/ATON/Advanced Notice of Change | Advanced Notice of Change | Mile Point Lower RRL (LLNR 7265) will be relocated to approximate position: 30-22-43.316N/081-27-14.558W to align with the newly dredged channel. In addition, both Mile Point Lower RFL and Mile Point Lower RRL will be changed to a 24-hour optic. All day marks will be permanently discontinued. | Lat: 30° 22' 42"<br>Lon: -081° 27' 14" |
| St Johns River - Mile Point/ATON/Advanced Notice of Change | Advanced Notice of Change | Mile Point Upper RFL (LLNR 7287) will be relocated to approximate position: 30-22-44.266N/081-27-12.139W to align with the newly dredged channel. In addition, both Mile Point Upper RFL and Mile Point Upper RRL will be changed to a 24-hour optic. All day marks will be permanently discontinued. | Lat: 30° 22' 44"<br>Lon: -081° 27' 11" |
| St Johns River - Mile Point/ATON/Advanced Notice of Change | Advanced Notice of Change | Mile Point Upper RRL (LLNR 7290) will be relocated to approximate position: 30-22-34.772N/081-26-58.725W to align with the newly dredged channel. In addition, both Mile Point Upper RFL and Mile Point Upper RRL will be changed to a 24-hour optic. All day marks will be permanently discontinued. | Lat: 30° 22' 35"<br>Lon: -081° 26' 58" |

Mosquito Lagoon

Federal Discrepancies

| NAME                         | LLNR  | STATUS              | AID TYPE |
|------------------------------|-------|---------------------|----------|
| Mosquito Lagoon Daybeacon 8  | 40925 | STRUCT DEST/TRUB    | FD       |
| Mosquito Lagoon Daybeacon 47 | 41095 | STRUCT DEST/HAZ NAV | FD       |
| Mosquito Lagoon Daybeacon 46 | 41090 | STRUCT DEST/TRUB    | FD       |

Mullet Key Channel

Federal Discrepancies

| NAME                                 | LLNR  | STATUS                   | AID TYPE |
|--------------------------------------|-------|--------------------------|----------|
| Mullet Key Channel Range Front Light | 22355 | HAZ NAV/STRUCT DEST/TRLB | FD       |

Temporary Changes

| NAME                                | LLNR  | STATUS       | AID TYPE |
|-------------------------------------|-------|--------------|----------|
| Mullet Key Channel Range Rear Light | 22360 | DISCONTINUED | FD       |

Additional MSI Categories

| TITLE | SUBCATEGORY | DESCRIPTION | LOCATION |
|-------|-------------|-------------|----------|
|       |             |             |          |

|                                                                             |                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |
|-----------------------------------------------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Mullet Key Channel/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-04-28 42338 42333 42340 Starting approximately May 5, 2026, and continuing until approximately June 15, 2026, Weeks Marine Inc. "Weeks" will be mobilizing dredge pipelines and equipment for the above-referenced project. During this time Weeks will install a submerged line in a designed pipeline corridor bound by the following approximate positions: 27-06-41.27N, 82-27-55.36W 27-03-10.98N, 82-26-33.13W 27-03-27.09N, 82-30-19.42W 27-06-22.65N, 82-30-08.46W The submerged line(s) will be removed at the completion of dredging operations. Starting approximately June 16, 2026 and continuing until approximately July 30, 2026, Weeks Marine hydraulic dredge "C.R. MCCASKILL" will be dredging fill material from the Borrow Area "8S", located approximately 11 nautical miles from the center of the beach fill area. The borrow area will be bound by following approximate positions: 26-54-37.54N, 82-31-11.89W 26-55-16.24N, 82-30-43.71W 26-54-24.58N, 82-29-04.95W 26-53-47.36N, 82-29-32.43W A sail route limits for Tugboats, Scows and Vessels will be bound by the following approximate positions: 26-54-59.52N, 82-30-39.25W 27-01-51.97N, 82-29-46.91W 27-05-24.28N, 82-29-19.68W 27-05-27.41N, 82-28-15.67W 27-02-08.91N, 82-28-49.71W 26-54-19.06N, 82-29-19.16W Offshore staging areas for pipeline and equipment: An anchorage area located just South of Fort De Soto Park will be bound by the following approximate positions: 27-36-53.22N, 82-43-06.99W 27-37-59.50N, 82-41-37.52W 27-37-24.82N, 82-41-04.47W 27-36-14.44N, 82-42-31.02W An anchorage area at Venice Inlet will be bound by the following approximate positions: 27-06-44.65N, 82-28-10.99W 27-06-46.43N, 82-28-03.46W 27-06-45.68N, 82-27-55.37W 27-06-44.17N, 82-27-55.56W 27-06-43.58N, 82-28-10.60W And 27-06-52.10N, 82-27-53.81W 27-06-48.28N, 82-27-52.29W 27-06-47.47N, 82-27-56.59W 27-06-51.35N, 82-27-57.16W An anchorage area just East of Gasparilla Island will be bound by the following approximate positions: 26-43-32.53N, 82-15-02.92W 26-43-12.39N, 82-15-03.85W 26-42-55.44N, 82-15-24.55W 26-43-03.24N, 82-15-30.39W 26-43-14.69N, 82-15-15.85W 26-43-32.22N, 82-15-16.06W The staging areas will be utilized for the duration of the project. Once underway, operations will conducted 24/7. Vessels, pipelines, and equipment will have all required Coast Guard lighting for night operations. On-scene vessels will monitor marine VHF-FM channels 13, 16 and 72. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made. |  |
|-----------------------------------------------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

Murphy Island

Federal Discrepancies

| NAME                   | LLNR | STATUS        | AID TYPE |
|------------------------|------|---------------|----------|
| Murphy Island Light 23 | 8295 | LT EXT        | FD       |
| Murphy Island Light 26 | 8305 | DAYMK MISSING | FD       |

Myakka River

Private Discrepancies

| NAME                                 | LLNR  | STATUS              | AID TYPE |
|--------------------------------------|-------|---------------------|----------|
| South Gulf Cove Entrance Daybeacon 5 | 20175 | DAYMK MISSING       | PA       |
| Upper Myakka River Daybeacon 12      | 20395 | HAZ NAV/STRUCT DEST | PA       |

Additional MSI Categories

| TITLE                        | SUBCATEGORY | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                | LOCATION                            |
|------------------------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Myakka River/General/Bridges | Bridges     | Myakka River/General/Bridges From: 2026-07-15 To: 2027-01-11 Location: 27.01836, -82.22602 Bridge Name: Chamberlain Boulevard Bridge The bridge is undergoing a rehabilitation. A work barge and small boat will be partially obstructing the waterway. Work hours will be from 7 a.m. to 5:30 p.m., daily. A turbidity curtain will be placed around bridge piles. Mariners are advised to transit the area with caution. | Lat: 27° 01' 06" Lon: -082° 13' 34" |

Naples Bay Channel

Federal Discrepancies

| NAME                            | LLNR  | STATUS                   | AID TYPE |
|---------------------------------|-------|--------------------------|----------|
| Naples Bay Channel Daybeacon 22 | 17550 | TRUB/STRUCT DEST         | FD       |
| Naples Bay Channel Daybeacon 25 | 17595 | HAZ NAV/STRUCT DEST/TRLB | FD       |
| Naples Bay Channel Daybeacon 26 | 17600 | STRUCT DEST/TRUB         | FD       |

Private Discrepancies

| NAME                          | LLNR  | STATUS        | AID TYPE |
|-------------------------------|-------|---------------|----------|
| Naples Yacht Club Daybeacon 5 | 17667 | DAYMK MISSING | PA       |
| Royal Harbor Daybeacon 2      | 17580 | STRUCT DEST   | PA       |

New Channel Range

Federal Discrepancies Corrected

| NAME                          | LLNR | STATUS    | AID TYPE | CORRECTION DATE |
|-------------------------------|------|-----------|----------|-----------------|
| New Channel Range Front Light | 4770 | RELIGHTED | FD       | 2026-07-08      |

New Pass

Federal Discrepancies

| NAME                          | LLNR  | STATUS              | AID TYPE |
|-------------------------------|-------|---------------------|----------|
| New Pass Channel Daybeacon 11 | 21650 | HAZ NAV/STRUCT DEST | FD       |
| New Pass Channel Light 13     | 21705 | STRUCT MISSING/TRLB | FD       |

|                              |       |                  |    |
|------------------------------|-------|------------------|----|
| New Pass Channel Daybeacon 9 | 21640 | STRUCT DEST/TRUB | FD |
|------------------------------|-------|------------------|----|

Private Discrepancies

| NAME                                   | LLNR  | STATUS      | AID TYPE |
|----------------------------------------|-------|-------------|----------|
| Anglers Club Reef Daybeacon AC         | 21701 | STRUCT DEST | PA       |
| City Island Breakwater Light           | 21710 | STRUCT DEST | PA       |
| Sarasota Basin Obstruction Light A     | 21752 | STRUCT DEST | PA       |
| Sarasota Basin Obstruction Daybeacon B | 21754 | STRUCT DEST | PA       |

New Smyrna Beach

Federal Discrepancies

| NAME                          | LLNR  | STATUS           | AID TYPE |
|-------------------------------|-------|------------------|----------|
| New Smyrna Beach Daybeacon 28 | 40645 | STRUCT DEST/TRUB | FD       |
| New Smyrna Beach Daybeacon 37 | 40730 | STRUCT DEST/TRUB | FD       |
| New Smyrna Beach Daybeacon 39 | 40740 | STRUCT DEST/TRUB | FD       |
| New Smyrna Beach Light 42     | 40745 | STRUCT DEST/TRLB | FD       |
| New Smyrna Beach Daybeacon 43 | 40750 | STRUCT DEST/TRUB | FD       |
| New Smyrna Beach Daybeacon 51 | 40805 | STRUCT DEST/TRUB | FD       |
| New Smyrna Beach Daybeacon 62 | 40845 | STRUCT DEST/TRUB | FD       |
| New Smyrna Beach Light 57     | 40830 | STRUCT DEST/TRLB | FD       |

Additional MSI Categories

| TITLE                                                    | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | LOCATION |
|----------------------------------------------------------|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2025-12-29 34359 Gator Dredging has begun dredging operations for the Rattlesnake Island offloading, New Smyrna Beach project. The estimated completion date is June 1, 2026. Operations will be conducted 24 hours a day, 7 days a week. Mariners are urged to use extreme caution in the area, transit at their slowest safe speed to minimize wake and proceed with caution. Floating and submerged high density polyethylene (HDPE) and steel pipeline associated with the hydraulic slurry pumping of the Rattlesnake Island dredge material will be utilized. Pipeline, work vessels, booster pump barge(s), work barges, and buoys will be visibly lit and marked according to coast guard regulations and will be in the area until all work is complete and can change configuration daily. Vessels and/or equipment will be in multiple locations at the same time. Vessels will be monitoring VHF-FM channel 16. |          |

North Newport River

Private Discrepancies

| NAME                                 | LLNR  | STATUS      | AID TYPE |
|--------------------------------------|-------|-------------|----------|
| Timmons Reef E Obstruction Daybeacon | 36500 | STRUCT DEST | PA       |

Ogeechee River

Federal Discrepancies

| NAME               | LLNR  | STATUS           | AID TYPE |
|--------------------|-------|------------------|----------|
| Hell Gate Light 92 | 36290 | STRUCT DEST/TRLB | FD       |

Private Discrepancies

| NAME                               | LLNR  | STATUS | AID TYPE |
|------------------------------------|-------|--------|----------|
| Fort Mcallister Fishing Pier Light | 36360 | LT EXT | PA       |

Oglethorpe Range

Federal Discrepancies

| NAME                                  | LLNR | STATUS      | AID TYPE |
|---------------------------------------|------|-------------|----------|
| Barnwell Island Flats Lighted Buoy 50 | 4970 | OFF STATION | FD       |

Okeechobee Waterway

Federal Discrepancies

| NAME                     | LLNR  | STATUS           | AID TYPE |
|--------------------------|-------|------------------|----------|
| Taylor Creek Daybeacon 6 | 51915 | STRUCT DEST/TRUB | FD       |

Private Discrepancies

| NAME                           | LLNR  | STATUS      | AID TYPE |
|--------------------------------|-------|-------------|----------|
| Dyess Canal Safewater Light DC | 51980 | STRUCT DEST | PA       |
| Indian Creek Daybeacon 1       | 52420 | STRUCT DEST | PA       |

Ossabaw Sound

Federal Discrepancies

| NAME                                     | LLNR | STATUS           | AID TYPE |
|------------------------------------------|------|------------------|----------|
| Ossabaw Sound Preferred Channel Buoy N   | 5740 | MISSING          | FD       |
| Ossabaw Sound North Channel Daybeacon 10 | 5760 | STRUCT DEST/TRUB | FD       |
| Ossabaw Sound North Channel Buoy 11      | 5765 | OFF STATION      | FD       |
| Ossabaw Sound North Channel Daybeacon 12 | 5770 | STRUCT DEST/TRUB | FD       |
| Ossabaw Sound South Channel Daybeacon 5  | 5780 | STRUCT DEST      | FD       |

Private Discrepancies

| NAME                          | LLNR  | STATUS      | AID TYPE |
|-------------------------------|-------|-------------|----------|
| Delegal Creek Channel Light 1 | 36229 | STRUCT DEST | PA       |
| Delegal Creek Channel Buoy 2  | 36230 | MISSING     | PA       |
| Delegal Creek Channel Buoy 4  | 36233 | OFF STA     | PA       |

Additional MSI Categories

| TITLE                                                                                      | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | LOCATION                            |
|--------------------------------------------------------------------------------------------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Sector Charleston, Submerged Land Act (SLA) - Ossabaw Sound/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 31.86196° N / 81.03488° W Aid Name: Ossabaw Sound North Channel Daybeacon 10 LLNR: 5760 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard has approved the following change to the Aids to Navigation System in Ossabaw Sound. Ossabaw Sound North Channel DBN 10 (LLNR 5760) will be changed to Ossabaw Sound North Channel Buoy 10, using the same LLNR. Ossabaw Sound North Channel DBN 12 (LLNR 5770) will be changed to Ossabaw Sound North Channel Buoy 12, using the same LLNR. Ossabaw Sound South Channel DBN 5 (LLNR 5780) will be changed to Ossabaw Sound South Channel Buoy 5, using the same LLNR.                                | Lat: 31° 51' 43" Lon: -081° 02' 06" |
| Sector Charleston, Submerged Land Act (SLA) - Ossabaw Sound/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 31.8645° N / 81.05731° W Aid Name: Ossabaw Sound North Channel Daybeacon 12 LLNR: 5770 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard has approved the following change to the Aids to Navigation System in Ossabaw Sound. Ossabaw Sound North Channel DBN 10 (LLNR 5760) will be changed to Ossabaw Sound North Channel Buoy 10, using the same LLNR. Ossabaw Sound North Channel DBN 12 (LLNR 5770) will be changed to Ossabaw Sound North Channel Buoy 12, using the same LLNR. Ossabaw Sound South Channel DBN 5 (LLNR 5780) will be changed to Ossabaw Sound South Channel Buoy 5, using the same LLNR.                                 | Lat: 31° 51' 52" Lon: -081° 03' 26" |
| Sector Charleston, Submerged Land Act (SLA) - Ossabaw Sound/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change From: 2025-03-12 To: 2026-09-08 Location: 31.82121° N / 81.03359° W Aid Name: Ossabaw Sound South Channel Daybeacon 5 LLNR: 5780 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard has approved the following change to the Aids to Navigation System in Ossabaw Sound. Ossabaw Sound North Channel DBN 10 (LLNR 5760) will be changed to Ossabaw Sound North Channel Buoy 10, using the same LLNR. Ossabaw Sound North Channel DBN 12 (LLNR 5770) will be changed to Ossabaw Sound North Channel Buoy 12, using the same LLNR. Ossabaw Sound South Channel DBN 5 (LLNR 5780) will be changed to Ossabaw Sound South Channel Buoy 5, using the same LLNR. | Lat: 31° 49' 16" Lon: -081° 02' 01" |

Pablo Creek

Federal Discrepancies

| NAME                 | LLNR  | STATUS              | AID TYPE |
|----------------------|-------|---------------------|----------|
| Pablo Creek Light 17 | 38440 | STRUCT MISSING/TRLB | FD       |

Private Discrepancies

| NAME                               | LLNR  | STATUS              | AID TYPE |
|------------------------------------|-------|---------------------|----------|
| Queens Harbour Channel Daybeacon 4 | 38405 | STRUCT DEST/HAZ NAV | PA       |

Palma Sola Bay.

Private Discrepancies

| NAME                                | LLNR  | STATUS                | AID TYPE |
|-------------------------------------|-------|-----------------------|----------|
| Palma Sola Park Channel Daybeacon 1 | 59890 | HAZ NAV/DAYMK MISSING | PA       |
| Palma Sola Park Channel Daybeacon 4 | 59905 | DAYMK MISSING         | PA       |
| Palma Sola Park Channel Daybeacon 5 | 59910 | HAZ NAV/DAYMK MISSING | PA       |
| Palma Sola Park Channel Daybeacon 6 | 59915 | DAYMK MISSING         | PA       |
| Palma Sola Park Channel Daybeacon 7 | 59920 | DAYMK MISSING         | PA       |
| Palma Sola Park Channel Daybeacon 8 | 59925 | DAYMK IMCH            | PA       |

Paradise Bay Estates Channel

Federal Discrepancies

| NAME                               | LLNR  | STATUS      | AID TYPE |
|------------------------------------|-------|-------------|----------|
| Siesta Key- Tampa Bay Daybeacon 16 | 58675 | STRUCT DEST | FD       |

Private Discrepancies

| NAME | LLNR | STATUS | AID TYPE |
|------|------|--------|----------|
|      |      |        |          |

|                                                   |                    |                               |    |
|---------------------------------------------------|--------------------|-------------------------------|----|
| Holiday Inn Marina Daybeacon 3                    | 22047.3            | STRUCT DEST                   | PA |
| Holiday Inn Marina Daybeacon 6                    | 22047.7            | STRUCT DEST                   | PA |
| Evans Artificial Reef Daybeacon                   | 58480.5            | STRUCT DEST/HAZ NAV           | PA |
| Bay Isles Perimeter Channel Daybeacon 2           | 58667              | DAYMK MISSING                 | PA |
| Bay Isles Perimeter Channel Daybeacon 9           | 58667.25           | DAYMK MISSING                 | PA |
| Bay Isles Perimeter Channel Daybeacon 15          | 58667.450000000004 | STRUCT DEST                   | PA |
| Bay Isles Perimeter Channel Daybeacon 24          | 58667.75           | DAYMK MISSING                 | PA |
| Palma Sola Bay Channel Junction A                 | 59647              | STRUCT DEST                   | PA |
| Cove Sound Moorings Daybeacon 1                   | 59650              | OFF STA/HAZ NAV/DAYMK MISSING | PA |
| Cove Sound Moorings Daybeacon 2                   | 59655              | OFF STA/HAZ NAV/DAYMK MISSING | PA |
| Cove Sound Moorings Channel Daybeacon 3           | 59657              | DAYMK MISSING                 | PA |
| Perico Bayou Channel Daybeacon 9                  | 59720              | STRUCT DEST                   | PA |
| San Remo Shore Channel Daybeacon 2                | 59760              | DAYMK MISSING                 | PA |
| San Remo Shore Channel Daybeacon 8                | 59785              | STRUCT DEST                   | PA |
| San Remo Shore Channel Daybeacon 13               | 59800              | DAYMK MISSING                 | PA |
| Bradenton Beach City Channel Daybeacon 1          | 59935              | DAYMK MISSING                 | PA |
| Bradenton Beach City Channel Daybeacon 2          | 59940              | STRUCT DEST                   | PA |
| Bradenton Beach City Channel Daybeacon 3          | 59945              | DAYMK MISSING                 | PA |
| Bradenton Beach City Channel Daybeacon 5          | 59955              | STRUCT DEST                   | PA |
| Bradenton Beach City Channel Junction Daybeacon A | 59980              | STRUCT DEST                   | PA |
| Anna Maria Channel Daybeacon 1                    | 60190              | STRUCT DMGD                   | PA |
| Anna Maria Channel Daybeacon 2                    | 60195              | DAYMK MISSING                 | PA |
| Anna Maria Channel Daybeacon 7                    | 60220              | STRUCT DEST                   | PA |
| Anna Maria Channel Daybeacon 9                    | 60230              | STRUCT DEST/HAZ NAV           | PA |
| Anna Maria Channel Daybeacon 11                   | 60240              | STRUCT DEST                   | PA |

**Pasaje De San Juan To Puerto De Humacao**

**Additional MSI Categories**

| TITLE                                                                  | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | LOCATION                               |
|------------------------------------------------------------------------|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Pasaje De San Juan To Puerto De Humacao/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change 27802 Location: 18.35272° N / 65.55882° W Aid Name: Isla Palominos Lighted Buoy 2 LLNR: 31265 Action: DISCONTINUE All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Isla Palominos as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by March 1, 2026. | Lat: 18° 21' 10"<br>Lon: -065° 33' 32" |

**Pass-A-Grille**

**Federal Discrepancies**

| NAME                                            | LLNR  | STATUS                      | AID TYPE |
|-------------------------------------------------|-------|-----------------------------|----------|
| Pass-A-Grille Channel Daybeacon 1               | 25460 | STRUCT MISSING/TRLB/HAZ NAV | FD       |
| Pass-A-Grille Channel Daybeacon 2               | 25465 | STRUCT DEST/HAZ NAV/TRLB    | FD       |
| Pass-A-Grille Channel Light 10                  | 25505 | STRUCT DEST/TRLB            | FD       |
| Pass-A-Grille Channel Temporary Lighted Buoy 3A | null  | OFF STATION                 | FD       |
| Pass-A-Grille Channel Daybeacon 12              | 25565 | STRUCT DEST/TRUB            | FD       |

**Temporary Changes**

| NAME                                            | LLNR | STATUS      | AID TYPE |
|-------------------------------------------------|------|-------------|----------|
| Pass-A-Grille Channel Temporary Lighted Buoy 3A | null | ESTABLISHED | FD       |

**Peace River**

**Federal Discrepancies**

| NAME                | LLNR  | STATUS              | AID TYPE |
|---------------------|-------|---------------------|----------|
| Peace River Light 4 | 20675 | STRUCT MISSING/TRLB | FD       |

**Private Discrepancies**

| NAME                                    | LLNR    | STATUS              | AID TYPE |
|-----------------------------------------|---------|---------------------|----------|
| Manchester Waterway Daybeacon 17        | 20981.9 | STRUCT DEST         | PA       |
| Countryman Waterway Channel Daybeacon 6 | 20997   | STRUCT DEST         | PA       |
| Spring Lake Waterway Daybeacon 21       | 21056.8 | STRUCT DEST/HAZ NAV | PA       |
| Ponce De Leon Park Channel Daybeacon 4  | 20455   | STRUCT DEST         | PA       |
| Ponce De Leon Park Channel Light 9      | 20470   | LT EXT              | PA       |
| Ponce de Leon Park Channel Daybeacon 18 | 20474.5 | STRUCT DEST         | PA       |

|                                          |         |                     |    |
|------------------------------------------|---------|---------------------|----|
| Elkcam Waterway Light 1                  | 20905   | LT EXT              | PA |
| Manchester Waterway Daybeacon 14         | 20981.5 | STRUCT DEST         | PA |
| Manchester Waterway Daybeacon 24         | 20982.8 | STRUCT DEST         | PA |
| Countryman Waterway Channel Daybeacon 3  | 20990   | DAYMK MISSING       | PA |
| Countryman Waterway Channel Daybeacon 8  | 21003   | STRUCT MISSING      | PA |
| Sunrise Waterway Daybeacon 2             | 21020   | STRUCT DEST/HAZ NAV | PA |
| Spring Lake Waterway Daybeacon 23        | 21056.9 | STRUCT DMGD         | PA |
| Spring Lake Waterway Daybeacon 27        | 21057.2 | STRUCT DEST         | PA |
| Peace River (North Section) Daybeacon 7  | 21210   | OFF STA             | PA |
| Peace River (North Section) Daybeacon 9  | 21215   | OFF STA             | PA |
| Peace River (North Section) Daybeacon 10 | 21220   | STRUCT DEST         | PA |
| Peace River (North Section) Daybeacon 11 | 21225   | OFF STA             | PA |
| Peace River (North Section) Daybeacon 14 | 21235   | STRUCT DEST         | PA |

Peck Lake

Federal Discrepancies

| NAME                   | LLNR  | STATUS           | AID TYPE |
|------------------------|-------|------------------|----------|
| Peck Lake Daybeacon 18 | 46045 | STRUCT DEST/TRUB | FD       |

Pine Island Sound

Federal Discrepancies

| NAME                           | LLNR    | STATUS                   | AID TYPE |
|--------------------------------|---------|--------------------------|----------|
| Pine Island Sound Daybeacon 5  | 54825   | STRUCT DEST/TRUB         | FD       |
| Pine Island Sound Light 20     | 55425   | STRUCT DEST/HAZ NAV/TRLB | FD       |
| Pine Island Sound Daybeacon 34 | 55590   | STRUCT DEST/TRUB         | FD       |
| Pine Island Sound Daybeacon 45 | 55895.5 | STRUCT DEST/TRUB         | FD       |
| Pine Island Sound Light 76     | 56145   | STRUCT DEST/TRLB         | FD       |

Private Discrepancies

| NAME                               | LLNR               | STATUS              | AID TYPE |
|------------------------------------|--------------------|---------------------|----------|
| Matlacha Pass Daybeacon 26         | 55015              | STRUCT DEST         | PA       |
| Matlacha Pass Daybeacon 38A        | 55065.1            | STRUCT DEST         | PA       |
| Matlacha Pass Daybeacon 58         | 55145              | STRUCT DEST         | PA       |
| Matlacha Pass Daybeacon 81         | 55230              | DAYMK MISSING       | PA       |
| Matlacha Pass Daybeacon 93         | 55265              | STRUCT DEST         | PA       |
| Matlacha Pass Daybeacon 99         | 55275.200000000004 | STRUCT DEST         | PA       |
| Paradise Canal Daybeacon 1         | 55310              | DAYMK MISSING       | PA       |
| Paradise Canal Daybeacon 2         | 55315              | DAYMK MISSING       | PA       |
| Paradise Canal Daybeacon 3         | 55320              | STRUCT DEST         | PA       |
| Paradise Canal Daybeacon 5         | 55330              | STRUCT DEST         | PA       |
| Long Cutoff Daybeacon 2            | 55370              | STRUCT DEST/HAZ NAV | PA       |
| Safety Harbor Channel Daybeacon 1  | 55915              | STRUCT DEST         | PA       |
| Safety Harbor Channel Daybeacon 3  | 55923              | STRUCT DEST         | PA       |
| Safety Harbor Channel Daybeacon 5  | 55925              | DAYMK MISSING       | PA       |
| Safety Harbor Channel Daybeacon 4  | 55930              | DAYMK MISSING       | PA       |
| Safety Harbor Channel Daybeacon 7  | 55933              | STRUCT DEST         | PA       |
| Safety Harbor Channel Daybeacon 9  | 55935              | STRUCT DEST         | PA       |
| Safety Harbor Channel Daybeacon 11 | 55940              | STRUCT DEST         | PA       |
| Safety Harbor Channel Daybeacon 12 | 55950              | DAYMK MISSING       | PA       |
| Safety Harbor Channel Daybeacon 17 | 55960              | DAYMK MISSING       | PA       |
| Safety Harbor Channel Daybeacon 19 | 55965              | DAYMK MISSING       | PA       |
| Jug Creek Channel Daybeacon 10     | 56410              | STRUCT DEST         | PA       |

Plantation Creek

Federal Discrepancies

| NAME                         | LLNR | STATUS           | AID TYPE |
|------------------------------|------|------------------|----------|
| Plantation Creek Daybeacon 4 | 6265 | STRUCT DEST/TRUB | FD       |

Point Pinellas Channel

Federal Discrepancies

| NAME                            | LLNR               | STATUS              | AID TYPE |
|---------------------------------|--------------------|---------------------|----------|
| Point Pinellas Channel Light 9  | 24735.100000000002 | STRUCT MISSING      | FD       |
| Point Pinellas Channel Light 10 | 24735.2            | STRUCT MISSING/TRLB | FD       |
| Point Pinellas Channel Light 6  | 24725              | STRUCT DEST         | FD       |

Private Discrepancies

| NAME                                   | LLNR  | STATUS              | AID TYPE |
|----------------------------------------|-------|---------------------|----------|
| Little Bayou Approachroach Daybeacon 3 | 24765 | DAYMK MISSING       | PA       |
| Little Bayou Approachroach Daybeacon 7 | 24775 | STRUCT MISSING      | PA       |
| Little Bayou Approachroach Daybeacon 9 | 24780 | STRUCT DEST         | PA       |
| Coquina Key Cut Daybeacon 3            | 24835 | STRUCT DEST/HAZ NAV | PA       |
| Big Bayou Daybeacon 4                  | 24875 | STRUCT DMGD         | PA       |

Additional MSI Categories

| TITLE                                                                      | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | LOCATION                            |
|----------------------------------------------------------------------------|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Mullet Key Channel - Point Pinellas Channel/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change From: 2026-06-24 47143 Location: 27-43-53.148N/082-36-39.816W Aid Name: Point Pinellas Channel Light 9 LLNR: 24735.1 Action: CHANGE Action Type Change Aid Subtype The following changes have been approved to the aids to navigation system on the Pinellas Point Channel. Point Pinellas Channel LT 9 (LLNR 24735.1) will be converted to Point Pinellas Channel LB 9 (LLNR 24735). Point Pinellas Channel LT 10 (LLNR 24735.2) will be permanently discontinued. The two lights have experienced several allisions resulting in both lights being out of service for extended periods of time and being replaced by a small lighted temporary buoy. In addition, the depth of water in these locations exceeds the maximum water depth that a U.S. Coast Guard asset can safely rebuild the lights. Given these conditions the channel will be better served with one lighted buoy in this location. | Lat: 27° 43' 53" Lon: -082° 36' 40" |
| Mullet Key Channel - Point Pinellas Channel/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change From: 2026-06-24 47144 Location: 27-43-53.220N/082-36-37.260W Aid Name: Point Pinellas Channel Light 10 LLNR: 24735.2 Action: DISCONTINUE The following changes have been approved to the aids to navigation system on the Pinellas Point Channel. Point Pinellas Channel LT 9 (LLNR 24735.1) will be converted to Point Pinellas Channel LB 9 (LLNR 24735). Point Pinellas Channel LT 10 (LLNR 24735.2) will be permanently discontinued. The two lights have experienced several allisions resulting in both lights being out of service for extended periods of time and being replaced by a small lighted temporary buoy. In addition, the depth of water in these locations exceeds the maximum water depth that a U.S. Coast Guard asset can safely rebuild the lights. Given these conditions the channel will be better served with one lighted buoy in this location.                          | Lat: 27° 43' 53" Lon: -082° 36' 37" |

Ponce De Leon Cut

Federal Discrepancies

| NAME                           | LLNR  | STATUS           | AID TYPE |
|--------------------------------|-------|------------------|----------|
| Ponce De Leon Cut Daybeacon 18 | 40610 | STRUCT DEST/TRUB | FD       |

Ponce De Leon Inlet

Federal Discrepancies

| NAME                                  | LLNR | STATUS              | AID TYPE |
|---------------------------------------|------|---------------------|----------|
| Ponce De Leon Inlet North Jetty Light | 9520 | STRUCT DEST/HAZ NAV | FD       |
| Ponce De Leon Inlet Lighted Buoy 9    | 9550 | MISSING/TRLB        | FD       |
| Ponce De Leon Inlet Light 12          | 9570 | STRUCT DEST/TRLB    | FD       |
| Ponce De Leon Inlet Lighted Buoy 4    | 9530 | MISSING             | FD       |

Federal Discrepancies Corrected

| NAME                        | LLNR | STATUS            | AID TYPE | CORRECTION DATE |
|-----------------------------|------|-------------------|----------|-----------------|
| Ponce De Leon Inlet Buoy 8A | 9546 | WATCHING PROPERLY | FD       | 2026-07-12      |

Port Everglades

Federal Discrepancies

| NAME                                   | LLNR  | STATUS      | AID TYPE |
|----------------------------------------|-------|-------------|----------|
| Port Everglades South Regulatory Light | 10349 | STRUCT DMGD | FD       |

Additional MSI Categories

| TITLE | SUBCATEGORY | DESCRIPTION | LOCATION |
|-------|-------------|-------------|----------|
|       |             |             |          |

|                                                                                                                                                                     |                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Sector Miami, Submerged Land Act (SLA) - Port Everglades/General/Marine Construction (Excluding Bridges)/Dredging                                                   | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging 27918 Great Lakes Dredge and Dock Company, LLC will begin mobilizing for a dredge project on or about September 22, 2025. Vessels and equipment being used are DREDGE 54 (Mechanical Clamshell Dredge), DREDGE NEW YORK (Backhoe Bucket Dredge),Tug BERING DAWN, Tug AMY E. HEBERT, Tug LARRY J. HEBERT and Tug LIZ ALMA, SURVEY BOAT PEARL RIVER, CREW BOAT COOPER RIVER, Scows GL501, GL502, GL701, GL702. Vessels will be monitoring VHF-FM channels 07 and 12/16 The purpose of the Port Everglades Sand Bypass project is to create infrastructure on the north side of the Port Everglades Inlet in Broward County, Florida. Work to be completed under this contract consists of dredging a sand trap and a portion of the rubble spoil shoal and disposal of the dredge material in the Port Everglades Harbor Ocean Dredged Material Disposal Site (ODMDS). Dredging operations are anticipated to commence on October 22, 2025, and will take place 24 hours a day, 7 days a week. With an estimated completion date of July 18, 2027. The DREDGE 54, along with DREDGE NEW YORK which will start on or about December 18, 2025, are planned to collectively dredge more than 400,000 CY of material from the north side of the Port Everglades entrance channel, immediately seaward of the north jetty and beach north of the inlet. The dredges would appreciate slow bell passing. While approaching the jetty dredging work area location. The material will be placed into scows and towed to the Port Everglades Harbor ODMDS, which is located approximately 3.1 nautical miles northeast of the entrance to Port Everglades Channel, outside of State Waters. There is a project tow route between Red Buoy 2 and the ODMDS CenterPoint. Fishermen and trawlers should be aware of limited mobility for tug and scow transits. Small-Vessel Captains should take caution to avoid passing between the scow and towing tug while under transit. While not always visible at a distance, there is a large steel-tow cable that passes between the bow of the scow and the stern of the towing tug. The survey vessel, Pearl River, will conduct survey operations of the ODMDS disposal area and work area corridors (during daylight hours/7 days per week). A crew transfer vessel, the Cooper River, will transfer crew between the shoreside boarding location at Bahia Mar Yachting Center and the dredging equipment. Disposal Location: 26.1315693N / 080.0333404W 26.1315700N / 080.0305700W 26.1211186N / 080.0305709W 26.1211207N / 080.0333410W Dredging Location: 26.0942747N / 080.1060199W 26.0945457N / 080.1057116W 26.0947778N / 080.1053881W 26.0947770N / 080.1049664W 26.0948133N / 080.1046524W 26.0948637N / 080.1045246W 26.0949547N / 080.1044314W 26.0952883N / 080.1040902W 26.0954573N / 080.1040690W 26.0969380N / 080.1038831W 26.0969390N / 080.1040363W 26.0977375N / 080.1039367W 26.0977215N / 080.1013560W 26.0961361N / 080.1013842W 26.0961403N / 080.1020684W 26.0958314N / 080.1022291W 26.0953104N / 080.1022933W 26.0949923N / 080.1025778W 26.0949941N / 080.1028349W 26.0943524N / 080.1027938W 26.0942799N / 080.1052630W |  |
| Sector Miami, Submerged Land Act (SLA) - Port Everglades/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-04-28 42427 Location: 26-05-39.732N/080-06-04.284W 26-04-50.160N/080-06-51.156W 26-05-39.264N/080-07-02.136W 26-05-39.732N/080-06-04.284W Continental Heavy Civil Corp. will begin the Port Everglades Inlet Sand Bypass Jetty Improvements Project on or about May 25, 2026, with an estimated completion date of June 1, 2027. Vessels used: •LIL T (pushboat for barge movements) •MARK Z (truckable pushboat) •HERCULES (tug for barge movements) •OLIVER (tug for barge movements) •MB 154 (spud barge) •MOP 19 (deck barge) •MOP 18 (deck barge) Vessels will monitor VHF-FM channels 9, 13, 14 and 16. Project vessels may be working 24/7. Project consists of improving and extending the Fort Lauderdale North Jetty. Various stone materials and equipment will be transported to the jetty work location by tugs and barges. Various smaller vessels will support the project for crew transportation and survey activities. The North Jetty will be extended approximately 200 feet northeast of the existing jetty head by placing stone materials. All construction work will be performed outside the Federal Navigation Channel and Intracoastal Waterway limits. Barge movements and work activities will not hinder ICWW traffic.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |

Port Manatee Channel

Federal Discrepancies

| NAME                                                   | LLNR  | STATUS      | AID TYPE |
|--------------------------------------------------------|-------|-------------|----------|
| Port Manatee Channel Outbound Range Rear Passing Light | 22559 | STRUCT DEST | FD       |

Port Royal Sound

Federal Discrepancies

| NAME                                    | LLNR | STATUS  | AID TYPE |
|-----------------------------------------|------|---------|----------|
| Port Royal Sound Lighted Buoy P         | 310  | MISSING | FD       |
| Port Royal Sound Channel Lighted Buoy 6 | 4100 | MISSING | FD       |

Private Discrepancies

| NAME                 | LLNR | STATUS              | AID TYPE |
|----------------------|------|---------------------|----------|
| Mackay Creek Light 1 | 4170 | LT IMCH/STRUCT DMGD | PA       |

Port Sutton Channel

Federal Discrepancies

| NAME                                 | LLNR  | STATUS                   | AID TYPE |
|--------------------------------------|-------|--------------------------|----------|
| Port Sutton Channel Range Rear Light | 23580 | LT IMCH                  | FD       |
| Port Sutton Channel Light 1          | 23585 | HAZ NAV/STRUCT DEST/TRLB | FD       |

Ppg Industries

Private Discrepancies

| NAME                          | LLNR  | STATUS  | AID TYPE |
|-------------------------------|-------|---------|----------|
| Ppg Industries Lighted Buoy 1 | 32150 | MISSING | PA       |
| Ppg Industries Lighted Buoy 2 | 32155 | MISSING | PA       |
| PPG Industries Lighted Buoy 3 | 32160 | OFF STA | PA       |

Puerto Arecibo

Federal Discrepancies

| NAME                  | LLNR  | STATUS      | AID TYPE |
|-----------------------|-------|-------------|----------|
| Puerto Arecibo Buoy 1 | 30725 | OFF STATION | FD       |

Puerto Del Rey Marina

Federal Discrepancies

| NAME                           | LLNR  | STATUS      | AID TYPE |
|--------------------------------|-------|-------------|----------|
| Bajos Chinchorro Del Sur Light | 31380 | STRUCT DEST | FD       |

Private Discrepancies

| NAME                                        | LLNR  | STATUS | AID TYPE |
|---------------------------------------------|-------|--------|----------|
| Puerto Del Rey Marina North Channel Light 4 | 31330 | LT EXT | PA       |

Puerto Nuevo Channel

Private Discrepancies

| NAME                                | LLNR  | STATUS | AID TYPE |
|-------------------------------------|-------|--------|----------|
| Isla Grande Pier 16 Southeast Light | 30920 | LT EXT | PA       |

Additional MSI Categories

| TITLE                                                                   | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | LOCATION                            |
|-------------------------------------------------------------------------|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Bahia De San Juan - Puerto Nuevo Channel/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2026-07-20 To: 2031-06-25 Location: 18-26-37.644N/066-04-54.012W Aid Name: Puerto Nuevo Channel Range Rear Light LLNR: 30905 Action: CHANGE Action Type Change Light System Primary The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Bahia de San Juan: Puerto Nuevo Channel Range Rear Light (LLNR 30905) will be converted to Puerto Nuevo Channel Port Entry Light (LLNR 30905), in approximate position 18-26-37.637N / 066-04-54.022W. This is an establishment of a single station oscillating boundary system. Puerto Nuevo Channel Range Front Light (LLNR 30900), in approximate position 18-26-28.033N / 066-05-10.376W, will be permanently discontinued due to the establishment of Puerto Nuevo Channel Port Entry Light (LLNR 30905). All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Puerto Nuevo Channel as the subject line. Comments can also be mailed to Commander (dpw), Southeast Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by September 20, 2026. | Lat: 18° 26' 38" Lon: -066° 04' 54" |
| Bahia De San Juan - Puerto Nuevo Channel/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2026-07-20 To: 2031-06-25 Location: 18-26-28.032N/066-05-10.392W Aid Name: Puerto Nuevo Channel Range Front Light LLNR: 30900 Action: DISCONTINUE The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Bahia de San Juan: Puerto Nuevo Channel Range Rear Light (LLNR 30905) will be converted to Puerto Nuevo Channel Port Entry Light (LLNR 30905), in approximate position 18-26-37.637N / 066-04-54.022W. This is an establishment of a single station oscillating boundary system. Puerto Nuevo Channel Range Front Light (LLNR 30900), in approximate position 18-26-28.033N / 066-05-10.376W, will be permanently discontinued due to the establishment of Puerto Nuevo Channel Port Entry Light (LLNR 30905). All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Puerto Nuevo Channel as the subject line. Comments can also be mailed to Commander (dpw), Southeast Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by September 20, 2026.                                   | Lat: 18° 26' 28" Lon: -066° 05' 10" |

Punta Gorda

Private Discrepancies

| NAME                           | LLNR  | STATUS      | AID TYPE |
|--------------------------------|-------|-------------|----------|
| Punta Gorda East Seawall Light | 31190 | STRUCT DEST | PA       |
| Punta Gorda West Seawall Light | 31195 | STRUCT DEST | PA       |

Radas Roosevelt Passage

Federal Discrepancies

| NAME                                   | LLNR  | STATUS       | AID TYPE |
|----------------------------------------|-------|--------------|----------|
| Radas Roosevelt Passage Lighted Buoy 3 | 31565 | SINKING/TRLB | FD       |

Additional MSI Categories

| TITLE                                                         | SUBCATEGORY           | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | LOCATION |
|---------------------------------------------------------------|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Radas Roosevelt Passage/General/Hazards To Navigation/Hazards | Hazards To Navigation | General/Hazards To Navigation/Hazards From: 2025-01-29 To: 2027-07-28 Location: 18.17261° N / 65.39295° W 18.15467° N / 65.30472° W 18.15924° N / 65.28892° W 18.13738° N / 65.25219° W 18.13445° N / 65.26798° W 18.14815° N / 65.28824° W 18.14162° N / 65.30128° W 18.16218° N / 65.39432° W 18.15533° N / 65.44273° W 18.16283° N / 65.44548° W 18.17261° N / 65.39295° W The U.S. NAVY is advising all mariners to refrain from entering the following areas in Vieques, Puerto Rico: Northeast from Puerto Diablo to Punta Este and on the Southeast on Bahia Salinas Del Sur. Mariners are advised to stay away from this danger zone until further notice, as it contains (UXO) Unexploded Ordnance. The U.S. Coast Guard may be contacted via VHF-FM Channel 16 or via landline at (787) 289-2041. For more information, contact Mrs. Maria Danois at: (757) 412-7843 or email: maria.m.danois.civ@us.navy.mil. |          |

Redfish Pass

Private Discrepancies

| NAME                      | LLNR | STATUS           | AID TYPE |
|---------------------------|------|------------------|----------|
| Redfish Pass Daybeacon 21 | 1283 | STRUCT DEST/TRUB | PA       |

Redhook Bay.

Federal Discrepancies

| NAME               | LLNR  | STATUS | AID TYPE |
|--------------------|-------|--------|----------|
| Current Rock Light | 32470 | LT EXT | FD       |

Private Discrepancies

| NAME               | LLNR  | STATUS  | AID TYPE |
|--------------------|-------|---------|----------|
| Redhook Bay Buoy 2 | 32425 | OFF STA | PA       |

Riverside

Federal Discrepancies

| NAME                   | LLNR | STATUS           | AID TYPE |
|------------------------|------|------------------|----------|
| Riverside Daybeacon 43 | 8980 | STRUCT DEST/TRUB | FD       |

Roberts Bay Channel

Private Discrepancies

| NAME                            | LLNR               | STATUS              | AID TYPE |
|---------------------------------|--------------------|---------------------|----------|
| Higel Park North Channel Buoy 1 | 57776              | MISSING             | PA       |
| Dona Bay Channel Daybeacon 6    | 21455.600000000002 | STRUCT DEST         | PA       |
| Dona Bay Channel Daybeacon 9    | 21455.9            | STRUCT DEST         | PA       |
| Dona Bay Channel Daybeacon 10   | 21456              | STRUCT DEST/HAZ NAV | PA       |
| Higel Park North Channel Buoy 3 | 57777              | MISSING             | PA       |

Rockdedundy River

Federal Discrepancies

| NAME                            | LLNR  | STATUS              | AID TYPE |
|---------------------------------|-------|---------------------|----------|
| Rockdedundy River Daybeacon 188 | 36850 | TRUB/STRUCT MISSING | FD       |

Rocky Reef

Federal Discrepancies

| NAME                    | LLNR  | STATUS           | AID TYPE |
|-------------------------|-------|------------------|----------|
| Rocky Reef Daybeacon 12 | 51235 | STRUCT DEST/TRUB | FD       |

Sampit Point

Additional MSI Categories

| TITLE                                                                                      | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | LOCATION |
|--------------------------------------------------------------------------------------------|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Winyah Bay Channel - Sampit Point/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-06-24 47073 Southern Dredging’s dredge “BRUNSWICK” will be working in the Bypass Channel and the Steel Mill Channel of Georgetown Harbor commencing on or about June 26, 2026. The Dredge will operate on a 24 hour per day, 7 day per week basis until approximately August 31, 2026. To ensure safe passage in the vicinity of the operation, boaters should establish contact with the dredge on VHF-FM channel13 and 16 or by telephone at (843) 729-1691. |          |

San Carlos Bay.

Federal Discrepancies

| NAME                            | LLNR  | STATUS                     | AID TYPE |
|---------------------------------|-------|----------------------------|----------|
| San Carlos Bay Channel Light 2  | 18000 | LT EXT                     | FD       |
| San Carlos Bay Channel Light 2  | 18000 | STRUCT DEST                | FD       |
| Punta Rassa Light 3             | 18020 | STRUCT MISSING/TRLB        | FD       |
| San Carlos Bay Channel Light 10 | 18035 | STRUCT MISSING/TRLB/LT EXT | FD       |

Private Discrepancies

| NAME                                      | LLNR               | STATUS                | AID TYPE |
|-------------------------------------------|--------------------|-----------------------|----------|
| Punta Rassa Boat Ramp Channel Daybeacon 3 | 18050              | STRUCT DEST           | PA       |
| Port Sanibel Marina Daybeacon 12          | 18068.100000000002 | HAZ NAV/DAYMK MISSING | PA       |
| Port Sanibel Marina Daybeacon 26          | 18069.3            | DAYMK MISSING         | PA       |
| Port Sanibel Marina Daybeacon 30          | 18069.5            | DAYMK DMGD            | PA       |
| Port Sanibel Marina Daybeacon 33          | 18069.7            | DAYMK MISSING         | PA       |
| Port Sanibel Marina Daybeacon 42          | 18069.98           | DAYMK MISSING         | PA       |

Additional MSI Categories

| TITLE                                       | SUBCATEGORY | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | LOCATION                            |
|---------------------------------------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| San Carlos Bay/General/Bridges/Construction | Bridges     | General/Bridges/Construction From: 2024-11-12 To: 2026-12-31 Location: 26.40435° N / 81.88092° W Bridge Name: Big Carlos Pass Bridge - Big Carlos Pass UPDATE 12/3/2025 - Marine traffic will be shifted to the new navigation channel on 12/5/2025. The new navigation clearances are a fixed vertical clearance of 60 feet at mean high water and a horizontal clearance of 139 feet between the pier supports. Passage through the bascule spans will be discontinued. Mariners are advised to transit the new channel with caution. The existing bascule bridge will be replaced with a higher-level fixed bridge. In-water work is expected through December 2026. A temporary work trestle will be installed oceanward of the bridge and will span the waterway except across the main navigational channel. The work trestle will provide only 5 feet of vertical clearance throughout the structure. The installation of girder beams will set a permanent fixed/limited vertical clearance of 49 feet at mean high water across the navigational channel. Temporary bridge lighting will be installed on the new structure. The drawbridge will remain fully operational. All mariners are requested to use extreme caution and proceed at slow speed when transiting Big Carlos Pass and remain in the main channel when proceeding through the bridge. All in-water equipment is required to be lighted at night. | Lat: 26° 24' 15" Lon: -081° 52' 51" |

San Sebastian River

Federal Discrepancies

| NAME                             | LLNR  | STATUS                   | AID TYPE |
|----------------------------------|-------|--------------------------|----------|
| San Sebastian River Daybeacon 11 | 39145 | STRUCT DEST/TRUB         | FD       |
| San Sebastian River Daybeacon 30 | 39195 | STRUCT DEST/HAZ NAV/TRLB | FD       |
| San Sebastian River Daybeacon 20 | 39170 | STRUCT DEST/TRUB         | FD       |

Additional MSI Categories

| TITLE                                            | SUBCATEGORY | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | LOCATION                            |
|--------------------------------------------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| San Sebastian River/General/Bridges/Construction | Bridges     | General/Bridges/Construction Location: 29-53-28.176N/081-19-21.468W King Street Bridge J. B. Coxwell Contracting, Inc. will begin preparations Monday, October 20, 2025. The project consists of the removal and replacement of the King Street Bridge crossing over the San Sebastian River. Although the project begins on October 20th, their work on the bridge will not begin until January of 2026. The initial phase is to set up a temporary detour to divert traffic then the bridge work will begin. This will consist of multiple barges for cranes and material will be in the water adjacent to the bridge along with equipment landside for roadway construction. The barges will be on the South side of the bridge and work daytime, up to 7 days a week. | Lat: 29° 53' 28" Lon: -081° 19' 21" |

Sand Key

Federal Discrepancies

| NAME                  | LLNR  | STATUS                            | AID TYPE |
|-----------------------|-------|-----------------------------------|----------|
| Sand Key Daybeacon 25 | 61465 | STRUCT DEST/DBD DEST/HAZ NAV/TRLB | FD       |
| Sand Key Daybeacon 2  | 61365 | STRUCT DEST/TRUB                  | FD       |
| Sand Key Daybeacon 5  | 61380 | STRUCT DEST/TRUB                  | FD       |

Sanford Cut

Federal Discrepancies

| NAME                    | LLNR | STATUS           | AID TYPE |
|-------------------------|------|------------------|----------|
| Sanford Cut Daybeacon 9 | 9275 | STRUCT DEST/TRUB | FD       |

Sapelo Sound

Federal Discrepancies

| NAME                        | LLNR    | STATUS           | AID TYPE |
|-----------------------------|---------|------------------|----------|
| Sapelo Sound Buoy 2         | 5840    | MISSING          | FD       |
| Sapelo Sound Buoy 5         | 5850    | OFF STATION      | FD       |
| Sapelo Sound Light 138      | 36630.1 | STRUCT DEST/TRLB | FD       |
| Sapelo Sound Daybeacon 136A | 36630   | STRUCT DEST      | FD       |

Sawpit Creek

Temporary Changes

| NAME                      | LLNR  | STATUS                 | AID TYPE |
|---------------------------|-------|------------------------|----------|
| Sawpit Creek Daybeacon 50 | 38195 | RELOCATED FOR DREDGING | FD       |

**Sector Charleston, Exclusive Economic Zone (EEZ).**

**Federal Discrepancies**

| NAME                                | LLNR | STATUS | AID TYPE |
|-------------------------------------|------|--------|----------|
| NOAA Data Lighted Buoy 41010 (ODAS) | 845  | ADRIFT | FD       |

**Private Discrepancies**

| NAME                           | LLNR | STATUS | AID TYPE |
|--------------------------------|------|--------|----------|
| Tybee Creek Fishing Pier Light | 370  | LT EXT | PA       |

**Additional MSI Categories**

| TITLE                                                                                                                                                                                             | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | LOCATION                               |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| District 7, Oceanic boundary to EEZ - Sector Charleston, Exclusive Economic Zone (EEZ)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-06-03 45254 Location: 30-59-50.244N/081-02-28.104W The Georgia Department of Natural Resources (GADNR) intends to deploy the tug SEGA at SFC Reef between June 15 and July 15, 2026. The SEGA is 64.5' x 24.5' x 27' and is expected to land on her keel for a max height of 27'. SFC Reef is approximately 60' deep at the proposed location and has an approved clearance of -28' MLW. Material placements will not exceed this site's approved clearance. All deployments are conducted in favorable weather conditions and during daylight hours. The proposed material deployment location is at 30.99729°N, 81.04114°W (30°59.837'N 81°2.468'W). The Offshore Artificial Reef Program covers 111 square miles, consists of 20 offshore reefs, eight decommissioned Department of Defense Tactical Air Crew Training System Towers, and three beach reefs. This Program was established to develop long-term fisheries habitat to increase the availability of quality recreational fishing and diving sites in the Atlantic Ocean near Georgia. These artificial reefs provide habitat for both fishes and other marine life; act as attachment points for fouling and sessile organisms in search of hard substrates such as anemones, octocorals, sponges, algae, and others; and provide habitat for organisms to forage, shelter, and evade predators. | Lat: 30° 59' 50"<br>Lon: -081° 02' 28" |
| District 7, Oceanic boundary to EEZ - Sector Charleston, Exclusive Economic Zone (EEZ)/General/Marine Construction (Excluding Bridges)/Survey Operations                                          | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Survey Operations From: 2026-04-07 40749 Location: 32-38-23.280N/078-54-59.400W 31-47-18.600N/079-58-57.000W 32-07-30.000N/080-15-05.760W 32-30-31.680N/079-39-09.000W 32-38-23.280N/078-54-59.400W NOAA Ship Ferdinand R. Hassler (S250) will be conducting hydrographic survey operations in the approaches to Charleston Harbor from April 1, 2026, to August 31, 2026. Ferdinand R. Hassler is a 124-foot, white, twin-hulled survey vessel; the ship can be identified on AIS, and will be monitoring VHF channels 13 and 16. Survey operations will be conducted 24-hrs a day from the ship. Mariners are requested to exercise caution when transiting the operational area. When towed hydrographic instrumentation is deployed, Ferdinand R. Hassler will be restricted in her ability to maneuver. Questions or concerns can be addressed to the ship's Operations Officer via phone at: (757) 655-1807 or via email at: ops.ferdinand.hassler@noaa.gov.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                        |

**Sector Charleston, Submerged Land Act (SLA).**

**Federal Discrepancies**

| NAME                            | LLNR   | STATUS              | AID TYPE |
|---------------------------------|--------|---------------------|----------|
| Little River Inlet Daybeacon 19 | 1750.5 | STRUCT DEST/TRUB    | FD       |
| Murrells Inlet Light 10         | 1800   | TRLB/STRUCT MISSING | FD       |

**Additional MSI Categories**

| TITLE                                                                                                                                                                                       | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | LOCATION                               |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/ATON/Advanced Notice of Change                                                                             | Advanced Notice of Change               | ATON/Advanced Notice of Change From: 2025-11-20 32528 Location: 33-51-17.064N/078-32-51.864W Aid Name: Little River Inlet Temporary Buoy 7A LLNR: Not Provided Action: ESTABLISH The U.S. Coast Guard has approved the following change in the Little River Inlet, to improve the navigational safety and reliability of the federal aids to navigation system. Due to sever shoaling in the vicinity of Little River Inlet B 9 (LLNR 1715), Little River Inlet LB 7A (LLNR 1708) will be established in position 33-51-15.939N, 078-32-52.059W. The LB will display a flash characteristic of Q G, with a nominal range of 4 nautical miles. A temporary lighted buoy, "7A" is currently located in the proposed position listed above. | Lat: 33° 51' 17"<br>Lon: -078° 32' 52" |
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/ATON/Advanced Notice of Change                                                                             | Advanced Notice of Change               | ATON/Advanced Notice of Change From: 2026-01-16 35345 Location: 33-32-09.492N/079-01-58.368W Aid Name: Murrells Inlet Light 10 LLNR: 1800 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard has approved the following changes in Murrells Inlet to improve the aids to navigation within the waterway. Murrells Inlet LT 10 (LLNR 1800) will be changed to Murrells Inlet LB 10 (LLNR 1800). The light characteristics of LB 10 will remain FI R 4s. Due to the location of LT 10, a CG asset is unable to safely transit to this aid to rebuild the structure. LT 10 has been destroyed since April 2025 with a temporary lighted buoy on its assigned position. This buoy will become permanent.                     | Lat: 33° 32' 09"<br>Lon: -079° 01' 58" |
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/General/Hazards To Navigation/Wrecks                                                                       | Hazards To Navigation                   | General/Hazards To Navigation/Wrecks From: 2025-10-07 29864 The Coast Guard is reporting a sunken fishing vessel approximately 1 NM southeast of the Cherry Grove Pier in North Myrtle Beach, SC, in approximate position 33-48-46.6N / 78-38-03.4W. All mariners are requested to transit the area with caution and report any additional findings to the Coast Guard.                                                                                                                                                                                                                                                                                                                                                                  |                                        |
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes 19760 Location: 33.44887° N / 80.16122° W South Carolina Public Service Authority will be removing a land mass on the Santee River beginning May 1, 2025, until December 31, 2025, and May 1, 2026, until December 31, 2026. Hours of operation are Monday – Friday 6 a.m. to 6 p.m. Vessels will be monitoring VHF-FM channel 16.                                                                                                                                                                                                                                                                                            | Lat: 33° 26' 56"<br>Lon: -080° 09' 40" |

|                                                                                                                                                                                             |                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging                                                   | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2025-09-24 28996 Location: 32.91317° N / 79.615° W Dredging for the Bulls Island Government Landing Improvements project is expected to begin on or about October 15, 2025, with an estimated completion date of July 7, 2026. Mechanical dredging of mooring basin with barge-mounted excavator, transport of ~1,400 CY to upland DMPF, and associated dock and ramp replacement. Hours of operation are 5 a.m. to 7 p.m. Vessels will be monitoring VHF-FM channel 16.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Lat: 32° 54' 47"<br>Lon: -079° 36' 54" |
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-06-24 47084 Location: 32-31-06.708N/080-06-03.492W The Georgia Department of Natural Resources (GADNR) intends to deploy the Shellfish deck barge between July 6th and July 10, 2026. The barge dimensions are 34' L x 15' W x 4' H and is expected to land on her keel for a max height of 4'. SFC Reef is approximately 30' deep at the proposed location and has an approved clearance of -26' MLW. Material placements will not exceed this site's approved clearance. All deployments are conducted in favorable weather conditions and during daylight hours. The proposed material deployment location is 32-31-06.708N/080-06-03.492W. The Offshore Artificial Reef Program was established to develop long-term fisheries habitat to increase the availability of quality recreational fishing and diving sites in the Atlantic Ocean near Georgia. These artificial reefs provide habitat for both fishes and other marine life; act as attachment points for fouling and sessile organisms in search of hard substrates such as anemones, octocorals, sponges, algae, and others; and provide habitat for organisms to forage, shelter, and evade predators.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Lat: 32° 31' 07"<br>Lon: -080° 06' 03" |
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-07-22 To: 2026-08-20 Location: 33-40-03.936N/079-03-38.556W 49368 Seaward Marine Corp. will be conducting marine piling and floating dock repairs to the Enterprise Boat Ramp, Waccamaw River, Harry County, SC. Operations are expected to begin on or about July 27, 2026 with an estimated completion date of August 6, 2026. Tugs will have running lights and the crane barge will have 2NM white light on all four corners. Vessels will be monitoring VHF-FM channels 16,13,03 and call sign Florence T.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Lat: 33° 40' 04"<br>Lon: -079° 03' 39" |
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging                                                   | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2025-10-24 30938 Great Lakes Dredge & Dock Company, LLC (GLDD) will resume dredging activities for the next phase of FY24 Myrtle Beach Emergency Renourishment Project, beginning on or around May 23, 2026. These operations will utilize designated areas offshore and extend through to the shoreline and active beach work zones. For this phase of work, submerged pipelines will be placed in three different areas extending from offshore of Myrtle Beach to the shoreline and will be marked with yellow can buoys. Boaters should avoid these areas. The TSHD Padre Island is expected to commence pumping material from Borrow Area Cane South to the beach beginning on or around May 23, 2026, and continuing through the middle of June 2026. The Padre Island will start by pumping through submerged dredge pipeline 2-3 for an estimated 10 days. The dredge will then shift to Subline 2-4 for an estimated 7 days and then demobilize from the project. The TSHD Amelia Island is expected to resume pumping material from Borrow Area Cane South to the beach beginning on or around May 24, 2026, on Subline 2-5 for an estimated 32-days, The Amelia Island will then relocate to Reach 3, Subline 3-1. Equipment being used: Tug BAYOU BRAVE, EVERGREEN STATE, CAPE CANAVERAL, Derrick Barge 64, Anchor Barge, Crew/Survey Vessel ST JOHNS RIVER, and Hopper Dredge AMELIA ISLAND and PADRE ISLAND. Little River Staging Area 33-51.90147N / 078-34.45133W 33-51.90979N / 078-34.41234W 33-51.36061N / 078-33.77017W 33-51.31399N / 078-33.77702W Cane South Borrow Area 33-38.79839N / 078-53.40689W 33-39.54862N / 078-52.48496W 33-38.21411N / 078-51.43486W 33-37.47282N / 078-52.29550W Surfside Borrow Area 33-32.82023N / 078-58.51570W 33-34.40117N / 078-57.20107W 33-33.69146N / 078-56.09151W 33-32.15614N / 078-57.52680W Subline 2-1 33-44.55927N / 078-48.88852W 33-43.93452N / 078-48.28760W Subline 2-2 33-43.73423N / 078-50.12075W 33-43.10958N / 078-49.51977W Subline 2-3 33-42.90920N / 078-51.13826W 33-42.33078N / 078-50.47441W Subline 2-4 33-42.06742N / 078-52.08347W 33-41.53964N / 078-51.36185W Subline 2-5 33-40.81401N / 078-53.51260W 33-40.12990N / 078-52.72720W Vessels will be monitoring VHF-FM channels 13 and 16. Mariners are urged to use extreme caution in the area. For dredging and placement operations, mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. |                                        |
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-01-21 35520 Manson Construction will be building a temporary work trestle starting at the public beach access parking lot on 24th Ave N, Myrtle Beach, SC that extends approximately 1400 LF into the open water. Dive operations will be performed within/around the coffer cell and trestle footprint. The trestle will be furnished with appropriate signage and lighting. This work will commence on November 1, 2024, with an estimated completion date of September 1, 2026. During this time, the temporary trestle and adjacent structure will act as an obstruction in the water. This operation poses a hazard to vessels traveling within 1400 LF of the beach at 24th Ave N, Myrtle Beach, SC. Mariners are advised to take caution and observe all dive flags, signage, and lighting. For further information, please contact Jerry Martinez at GMartinez@mansonconstruction.com or (904) 821-0211.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                        |
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging                                                   | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-03-31 40306 Location: 33-50-21.984N/078-33-47.988W 33-50-16.008N/078-33-36.000W 33-49-03.000N/078-32-30.012W 33-49-09.012N/078-32-42.000W 33-50-21.984N/078-33-47.988W Dredgit Corp. will be conducting maintenance dredging in the Little River Inlet. Operations are expected to begin on or about April 3, 2026, with an estimated completion date of June 18, 2026. Dredge M/V LADY DIANA and Tug PATRICIA will be monitoring VHF-FM channels 13, 16 and 22. Dredge requests mariners contact them on VHF-FM channel 22 for passage coordination Tow Configuration: Towing approximately 4,500 LF of discharge pipeline and one 40' x 40' work barge. Pipeline Type: Hydraulic discharge pipeline (floating/submerged as required) approximately 4,500 LF deployed AIS Status: AIS transponders active on all floating plant at all times per contract requirements. Material Placement Area: Upcoast Sand Dike and Beach Berm, Bird Island / Waites Island area. Pipeline Corridor Floating/submerged pipeline routed from borrow area to beach fill placement area; submerged to project depth where crossing navigation channel; marked per 33 CFR 88.15 Jetty Reference Points North jetty: 3,284 ft seaward from Bird Island, NC; South jetty: 3,830 ft seaward from Waites Island, SC. Buoy Marking: All marker buoys painted yellow with yellow flashing lights; pipeline, booster pumps, and equipment.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                        |
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-07-13 48632 Location: 32-48-18.108N/079-43-32.304W 32-45-47.448N/079-44-16.188W 32-46-33.708N/079-48-17.208W 32-47-29.040N/079-46-13.296W 32-48-18.108N/079-43-32.304W Marinex Construction, Inc. will perform dredging and beach renourishment for Isle of Palms with a borrow site located approximately 1.5 miles offshore of Isle of Palms in the area around WGS84 coordinates (32-45.57148N, 079-45.359447W). Two pipeline corridors will be utilized. The Dredge Wadmalaw will mobilize beginning July 7, 2026 through January 15, 2027 and may make use of a marine staging area from approximately Fort Johnson and Melton Peter Demetre Park. The Dredge Wadmalaw will operate 24-7 and monitor VHF-FM channels 13 and 16.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                        |

|                                                                                                                                                                                             |                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-07-14 48710 Great Lakes Dredge & Dock Company, LLC (GLDD) has commenced dredging activities for the next phase of FY24 Myrtle Beach Emergency Renourishment Project in Surfside and Garden City, SC. These operations will utilize a designated dig area offshore and will extend through to the shoreline and active beach work zones. For this phase of work, submerged pipelines will be placed in three different areas extending from offshore of Surfside and Garden City to the shoreline and will be marked with yellow can buoys for submerged pipeline locations 3-1, 3-2 & 3-3). Boaters should avoid these areas. The Hopper Dredge Amelia Island is currently pumping material from the Surfside Borrow Area to the beach through Submerged Dredge Pipeline (Subline) 3-2, with work expected to continue until approximately July 15, 2026. The Amelia Island will then move to Subline 3-1 for approximately one month, during which an offshore jack-up booster pump will be installed in that line. The dredge will then pump through Subline 3-3 for an estimated ten days to complete the scope of work, followed by demobilization activities. Equipment: Tug Bayou Brave Tug Evergreen State Tug Cape Hatteras Derrick Barge 64 Anchor Barge Crew/Survey Vessel St Johns River & Miami River Trailing Suction Hopper Dredges Amelia Island Booster Platform Jack Locations: A. Submerged Dredge Pipe 3-1 Offshore – 33-35.95123N, 078-57.25453W; Inshore – 33-36.53762N, 078-58.03521W B. Submerged Dredge Pipe 3-2 Offshore – 33-34.51684N, 078-58.73770W; Inshore – 33-34.97945N, 078-59.50451W C. Submerged Dredge Pipe 3-3 Offshore – 33-33.55514N, 078-59.35334W; Inshore – 33-34.13119N, 079-00.28532W D. Borrow Area SW 33-32.88950N, 078-58.62019W SE 33-31.35121N, 078-56.33010W NE 33-32.93328N, 078-54.90790W NW 33-34.40101N, 078-57.20237W VHF-FM channels 13 and 16. Mariners are urged to use extreme caution in the area for dredging and placement operations, and to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. |                                        |
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/ATON/Proposed Notice of Change                                                                             | Proposed Notice of Change               | ATON/Proposed Notice of Change From: 2026-07-06 48036 Location: 33-31-38.136N/079-01-48.864W Aid Name: Murrells Inlet Buoy 4 LLNR: 1775 Action: CHANGE Action Type Change Light System Primary The U.S. Coast Guard is proposing to make the following changes in the Murrells Inlet Channel. In response to the increased maritime traffic the changes below are aimed at increasing safe navigation and improving the waterway during night operations. Murrells Inlet B 4 (LLNR 1775) will be changed to Murrells Inlet LB 4 (LLNR 1775) and display a flash characteristic of FI R 4s with a nominal range of 4NM. Murrells Inlet B 8 (LLNR 1790) will be changed to Murrells Inlet LB 8 (LLNR 1790) and display a flash characteristic of FI R 2.5s with a nominal range of 3NM. Murrells Inlet B 9 (LLNR 1795.5) will be changed to Murrells Inlet LB 9 (LLNR 1795.5) and display a flash characteristic of FI G 4s with a nominal range of 3NM. Murrells Inet B 16 (LLNR 1820) will be changed to Murrells Inlet LB 16 (LLNR 1820) and display a flash characteristic of FI R 2.5s with a nominal range of 3NM. Murrells Inlet B 19 (LLNR 1830) will be changed to Murrells Inlet LB 19 (LLNR 1830) and display a flash characteristic of Q G with a nominal range of 3NM. Murrells Inlet B 23 (LLNR 1840) will be changed to Murrells Inlet LB 23 (LLNR 1840) and display a flash characteristic of FI G 2.5s with a nominal range of 3NM. Murrells Inlet B 26 (LLNR 1851) will be changed to Murrells Inlet LB 26 (LLNR 1851) and display a flash characteristic of FI R 4s with a nominal range of 3NM. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or Andrew.m.ingle@uscg.mil with Murrells Inlet Channel as the subject line. Comments can also be mailed to: Commander (dpw), U.S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Bldg, Miami, FL. 33131-3050 to be received by September 6, 2026.                                                                                                                                                                                                                                                                                 | Lat: 33° 31' 38"<br>Lon: -079° 01' 49" |
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/ATON/Proposed Notice of Change                                                                             | Proposed Notice of Change               | ATON/Proposed Notice of Change From: 2026-07-06 48037 Location: 33-31-50.628N/079-02-06.504W Aid Name: Murrells Inlet Buoy 8 LLNR: 1790 Action: CHANGE Action Type Change Light System Primary The U.S. Coast Guard is proposing to make the following changes in the Murrells Inlet Channel. In response to the increased maritime traffic the changes below are aimed at increasing safe navigation and improving the waterway during night operations. Murrells Inlet B 4 (LLNR 1775) will be changed to Murrells Inlet LB 4 (LLNR 1775) and display a flash characteristic of FI R 4s with a nominal range of 4NM. Murrells Inlet B 8 (LLNR 1790) will be changed to Murrells Inlet LB 8 (LLNR 1790) and display a flash characteristic of FI R 2.5s with a nominal range of 3NM. Murrells Inlet B 9 (LLNR 1795.5) will be changed to Murrells Inlet LB 9 (LLNR 1795.5) and display a flash characteristic of FI G 4s with a nominal range of 3NM. Murrells Inet B 16 (LLNR 1820) will be changed to Murrells Inlet LB 16 (LLNR 1820) and display a flash characteristic of FI R 2.5s with a nominal range of 3NM. Murrells Inlet B 19 (LLNR 1830) will be changed to Murrells Inlet LB 19 (LLNR 1830) and display a flash characteristic of Q G with a nominal range of 3NM. Murrells Inlet B 23 (LLNR 1840) will be changed to Murrells Inlet LB 23 (LLNR 1840) and display a flash characteristic of FI G 2.5s with a nominal range of 3NM. Murrells Inlet B 26 (LLNR 1851) will be changed to Murrells Inlet LB 26 (LLNR 1851) and display a flash characteristic of FI R 4s with a nominal range of 3NM. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or Andrew.m.ingle@uscg.mil with Murrells Inlet Channel as the subject line. Comments can also be mailed to: Commander (dpw), U.S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Bldg, Miami, FL. 33131-3050 to be received by September 6, 2026.                                                                                                                                                                                                                                                                                 | Lat: 33° 31' 51"<br>Lon: -079° 02' 07" |
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/ATON/Proposed Notice of Change                                                                             | Proposed Notice of Change               | ATON/Proposed Notice of Change From: 2026-07-06 48038 Location: 33-32-03.408N/079-02-05.676W Aid Name: Murrells Inlet Buoy 9 LLNR: 1795.5 Action: CHANGE Action Type Change Light System Primary The U.S. Coast Guard is proposing to make the following changes in the Murrells Inlet Channel. In response to the increased maritime traffic the changes below are aimed at increasing safe navigation and improving the waterway during night operations. Murrells Inlet B 4 (LLNR 1775) will be changed to Murrells Inlet LB 4 (LLNR 1775) and display a flash characteristic of FI R 4s with a nominal range of 4NM. Murrells Inlet B 8 (LLNR 1790) will be changed to Murrells Inlet LB 8 (LLNR 1790) and display a flash characteristic of FI R 2.5s with a nominal range of 3NM. Murrells Inlet B 9 (LLNR 1795.5) will be changed to Murrells Inlet LB 9 (LLNR 1795.5) and display a flash characteristic of FI G 4s with a nominal range of 3NM. Murrells Inet B 16 (LLNR 1820) will be changed to Murrells Inlet LB 16 (LLNR 1820) and display a flash characteristic of FI R 2.5s with a nominal range of 3NM. Murrells Inlet B 19 (LLNR 1830) will be changed to Murrells Inlet LB 19 (LLNR 1830) and display a flash characteristic of Q G with a nominal range of 3NM. Murrells Inlet B 23 (LLNR 1840) will be changed to Murrells Inlet LB 23 (LLNR 1840) and display a flash characteristic of FI G 2.5s with a nominal range of 3NM. Murrells Inlet B 26 (LLNR 1851) will be changed to Murrells Inlet LB 26 (LLNR 1851) and display a flash characteristic of FI R 4s with a nominal range of 3NM. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or Andrew.m.ingle@uscg.mil with Murrells Inlet Channel as the subject line. Comments can also be mailed to: Commander (dpw), U.S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Bldg, Miami, FL. 33131-3050 to be received by September 6, 2026.                                                                                                                                                                                                                                                                               | Lat: 33° 32' 03"<br>Lon: -079° 02' 06" |
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/ATON/Proposed Notice of Change                                                                             | Proposed Notice of Change               | ATON/Proposed Notice of Change From: 2026-07-06 48040 Location: 33-33-03.960N/079-01-30.216W Aid Name: Murrells Inlet Buoy 16 LLNR: 1820 Action: CHANGE Action Type Change Light System Primary The U.S. Coast Guard is proposing to make the following changes in the Murrells Inlet Channel. In response to the increased maritime traffic the changes below are aimed at increasing safe navigation and improving the waterway during night operations. Murrells Inlet B 4 (LLNR 1775) will be changed to Murrells Inlet LB 4 (LLNR 1775) and display a flash characteristic of FI R 4s with a nominal range of 4NM. Murrells Inlet B 8 (LLNR 1790) will be changed to Murrells Inlet LB 8 (LLNR 1790) and display a flash characteristic of FI R 2.5s with a nominal range of 3NM. Murrells Inlet B 9 (LLNR 1795.5) will be changed to Murrells Inlet LB 9 (LLNR 1795.5) and display a flash characteristic of FI G 4s with a nominal range of 3NM. Murrells Inet B 16 (LLNR 1820) will be changed to Murrells Inlet LB 16 (LLNR 1820) and display a flash characteristic of FI R 2.5s with a nominal range of 3NM. Murrells Inlet B 19 (LLNR 1830) will be changed to Murrells Inlet LB 19 (LLNR 1830) and display a flash characteristic of Q G with a nominal range of 3NM. Murrells Inlet B 23 (LLNR 1840) will be changed to Murrells Inlet LB 23 (LLNR 1840) and display a flash characteristic of FI G 2.5s with a nominal range of 3NM. Murrells Inlet B 26 (LLNR 1851) will be changed to Murrells Inlet LB 26 (LLNR 1851) and display a flash characteristic of FI R 4s with a nominal range of 3NM. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or Andrew.m.ingle@uscg.mil with Murrells Inlet Channel as the subject line. Comments can also be mailed to: Commander (dpw), U.S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Bldg, Miami, FL. 33131-3050 to be received by September 6, 2026.                                                                                                                                                                                                                                                                                | Lat: 33° 33' 04"<br>Lon: -079° 01' 30" |

|                                                                                                                 |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                     |
|-----------------------------------------------------------------------------------------------------------------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2026-07-06 48041 Location: 33-33-11.232N/079-01-16.320W Aid Name: Murrells Inlet Buoy 19 LLNR: 1830 Action: CHANGE Action Type Change Light System Primary The U.S. Coast Guard is proposing to make the following changes in the Murrells Inlet Channel. In response to the increased maritime traffic the changes below are aimed at increasing safe navigation and improving the waterway during night operations. Murrells Inlet B 4 (LLNR 1775) will be changed to Murrells Inlet LB 4 (LLNR 1775) and display a flash characteristic of FI R 4s with a nominal range of 4NM. Murrells Inlet B 8 (LLNR 1790) will be changed to Murrells Inlet LB 8 (LLNR 1790) and display a flash characteristic of FI R 2.5s with a nominal range of 3NM. Murrells Inlet B 9 (LLNR 1795.5) will be changed to Murrells Inlet LB 9 (LLNR 1795.5) and display a flash characteristic of FI G 4s with a nominal range of 3NM. Murrells Inet B 16 (LLNR 1820) will be changed to Murrells Inlet LB 16 (LLNR 1820) and display a flash characteristic of FI R 2.5s with a nominal range of 3NM. Murrells Inlet B 19 (LLNR 1830) will be changed to Murrells Inlet LB 19 (LLNR 1830) and display a flash characteristic of Q G with a nominal range of 3NM. Murrells Inlet B 23 (LLNR 1840) will be changed to Murrells Inlet LB 23 (LLNR 1840) and display a flash characteristic of FI G 2.5s with a nominal range of 3NM. Murrells Inlet B 26 (LLNR 1851) will be changed to Murrells Inlet LB 26 (LLNR 1851) and display a flash characteristic of FI R 4s with a nominal range of 3NM. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or Andrew.m.ingle@uscg.mil with Murrells Inlet Channel as the subject line. Comments can also be mailed to: Commander (dpw), U.S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Bldg, Miami, FL. 33131-3050 to be received by September 6, 2026. | Lat: 33° 33' 11" Lon: -079° 01' 16" |
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2026-07-06 48042 Location: 33-33-19.800N/079-01-22.116W Aid Name: Murrells Inlet Buoy 23 LLNR: 1840 Action: CHANGE Action Type Change Light System Primary The U.S. Coast Guard is proposing to make the following changes in the Murrells Inlet Channel. In response to the increased maritime traffic the changes below are aimed at increasing safe navigation and improving the waterway during night operations. Murrells Inlet B 4 (LLNR 1775) will be changed to Murrells Inlet LB 4 (LLNR 1775) and display a flash characteristic of FI R 4s with a nominal range of 4NM. Murrells Inlet B 8 (LLNR 1790) will be changed to Murrells Inlet LB 8 (LLNR 1790) and display a flash characteristic of FI R 2.5s with a nominal range of 3NM. Murrells Inlet B 9 (LLNR 1795.5) will be changed to Murrells Inlet LB 9 (LLNR 1795.5) and display a flash characteristic of FI G 4s with a nominal range of 3NM. Murrells Inet B 16 (LLNR 1820) will be changed to Murrells Inlet LB 16 (LLNR 1820) and display a flash characteristic of FI R 2.5s with a nominal range of 3NM. Murrells Inlet B 19 (LLNR 1830) will be changed to Murrells Inlet LB 19 (LLNR 1830) and display a flash characteristic of Q G with a nominal range of 3NM. Murrells Inlet B 23 (LLNR 1840) will be changed to Murrells Inlet LB 23 (LLNR 1840) and display a flash characteristic of FI G 2.5s with a nominal range of 3NM. Murrells Inlet B 26 (LLNR 1851) will be changed to Murrells Inlet LB 26 (LLNR 1851) and display a flash characteristic of FI R 4s with a nominal range of 3NM. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or Andrew.m.ingle@uscg.mil with Murrells Inlet Channel as the subject line. Comments can also be mailed to: Commander (dpw), U.S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Bldg, Miami, FL. 33131-3050 to be received by September 6, 2026. | Lat: 33° 33' 20" Lon: -079° 01' 22" |
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2026-07-06 48043 Location: 33-33-12.204N/079-01-41.160W Aid Name: Murrells Inlet Buoy 26 LLNR: 1851 Action: CHANGE Action Type Change Light System Primary The U.S. Coast Guard is proposing to make the following changes in the Murrells Inlet Channel. In response to the increased maritime traffic the changes below are aimed at increasing safe navigation and improving the waterway during night operations. Murrells Inlet B 4 (LLNR 1775) will be changed to Murrells Inlet LB 4 (LLNR 1775) and display a flash characteristic of FI R 4s with a nominal range of 4NM. Murrells Inlet B 8 (LLNR 1790) will be changed to Murrells Inlet LB 8 (LLNR 1790) and display a flash characteristic of FI R 2.5s with a nominal range of 3NM. Murrells Inlet B 9 (LLNR 1795.5) will be changed to Murrells Inlet LB 9 (LLNR 1795.5) and display a flash characteristic of FI G 4s with a nominal range of 3NM. Murrells Inet B 16 (LLNR 1820) will be changed to Murrells Inlet LB 16 (LLNR 1820) and display a flash characteristic of FI R 2.5s with a nominal range of 3NM. Murrells Inlet B 19 (LLNR 1830) will be changed to Murrells Inlet LB 19 (LLNR 1830) and display a flash characteristic of Q G with a nominal range of 3NM. Murrells Inlet B 23 (LLNR 1840) will be changed to Murrells Inlet LB 23 (LLNR 1840) and display a flash characteristic of FI G 2.5s with a nominal range of 3NM. Murrells Inlet B 26 (LLNR 1851) will be changed to Murrells Inlet LB 26 (LLNR 1851) and display a flash characteristic of FI R 4s with a nominal range of 3NM. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or Andrew.m.ingle@uscg.mil with Murrells Inlet Channel as the subject line. Comments can also be mailed to: Commander (dpw), U.S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Bldg, Miami, FL. 33131-3050 to be received by September 6, 2026. | Lat: 33° 33' 12" Lon: -079° 01' 41" |

Sector Charleston, Territorial Sea

Federal Discrepancies

| NAME                   | LLNR | STATUS  | AID TYPE |
|------------------------|------|---------|----------|
| East Bank Buoy 2EB     | 140  | ADRIFT  | FD       |
| Bull Breakers Buoy 2BB | 165  | MISSING | FD       |

Private Discrepancies

| NAME                                       | LLNR | STATUS      | AID TYPE |
|--------------------------------------------|------|-------------|----------|
| Capers Island Lighted Buoy D               | 169  | OFF STATION | PA       |
| Charleston Sixty Foot Reef Buoy            | 230  | OFF STA     | PA       |
| Folly Beach Fishing Pier Obstruction Light | 235  | LT EXT      | PA       |
| North Edisto Reef Lighted Buoy             | 260  | MISSING     | PA       |
| Edisto Sixty Foot Reef Buoy                | 270  | OFF STA     | PA       |
| General Gordon Wreck Fish Haven Buoy       | 305  | OFF STA     | PA       |
| Whitewater Reef Buoy                       | 335  | OFF STA     | PA       |

Additional MSI Categories

| TITLE                                                                                                                | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | LOCATION                            |
|----------------------------------------------------------------------------------------------------------------------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Sector Charleston, Exclusive Economic Zone (EEZ) - Sector Charleston, Territorial Sea/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 31.04263° N / 81.25632° W Aid Name: Brunswick Spoil Area Lighted Buoy C LLNR: 518 Action: RENAME Brunswick Spoil Area Lighted Buoy C (LLNR 518) will be changed to Brunswick Spoil Area Lighted Buoy D (LLNR 518). The name change is to alleviate confusion when the Brunswick Pilots instruct commercial vessels to rendezvous with the pilot boat at the “Sea Buoy” (St Simons Sound Lighted Buoy STS). The similarity in names between the two aids has caused confusion amongst mariners. With the Brunswick Spoil Area Lighted Buoy C marking a shoal, this confusion could lead to a potential grounding. | Lat: 31° 02' 33" Lon: -081° 15' 23" |
|                                                                                                                      |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                     |

|                                                                                                                                                                                                  |                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Sector Charleston, Exclusive Economic Zone (EEZ) - Sector Charleston, Territorial Sea/ATON/Advanced Notice of Change                                                                             | Advanced Notice of Change               | ATON/Advanced Notice of Change 22457 Location: 32.75793° N / 79.84324° W Aid Name: Charleston Light LLNR: 195 Action: CHANGE Action Type Change Light Signals The U.S. Coast Guard has approved the following changes to the Aids to Navigation System in the Charleston Harbor: Charleston Light (LLNR 195) will permanently have the nominal range reduced from 20NM to 17NM due to the installation of an LED optic. This optic will ensure the light is more reliable as parts and essential components become harder to source for the existing optic. Any part or component failure with the current equipment could potentially lead to an extended period where the light would be extinguished. The flash characteristic and color will remain the same. | Lat: 32° 45' 29" Lon: -079° 50' 36" |
| Sector Charleston, Exclusive Economic Zone (EEZ) - Sector Charleston, Territorial Sea/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes 22053 South Carolina Department of Natural Resources will be establishing an artificial fishing reef. Estimated completion date is December 31, 2028.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                     |

**Sector Jacksonville, Submerged Land Act (SLA)**

**Additional MSI Categories**

| TITLE                                                                                                                               | SUBCATEGORY    | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                       | LOCATION |
|-------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Sector Jacksonville, Territorial Sea - Sector Jacksonville, Submerged Land Act (SLA)/General/MSIB                                   | MSIB           | General/MSIB 400014 The U.S. Space Force and Kennedy Space Center may choose to enforce a restricted area as specified in 33 CFR 334.525 and 33 CFR 334.595. Primarily beginning 2 hours prior to the scheduled launch window of any rocket launches. The restricted area would remain in effect until suspended by Space Launch Delta 45.                                                                                                        |          |
| Sector Jacksonville, Territorial Sea - Sector Jacksonville, Submerged Land Act (SLA)/General/Naval Activity/Naval Gunnery Exercises | Naval Activity | General/Naval Activity/Naval Gunnery Exercises From: 2025-11-13 31956 Location: 29-19-59.988N/079-49-59.988W 29-19-59.988N/079-40-00.012W 29-10-00.012N/079-40-00.012W 29-10-00.012N/079-49-59.988W 29-19-59.988N/079-49-59.988W C. GUNEX AREA 31J The following area will contain US Navy exercises hazardous to surface vessels in the areas until further notice. FACSFAC POC: (904)542-2113                                                   |          |
| Sector Jacksonville, Territorial Sea - Sector Jacksonville, Submerged Land Act (SLA)/General/Naval Activity/Naval Gunnery Exercises | Naval Activity | General/Naval Activity/Naval Gunnery Exercises From: 2025-11-13 31960 Location: 30-28-00.012N/080-22-00.012W 30-28-00.012N/080-00-00.000W 30-03-00.000N/080-05-60.000W 30-03-00.000N/080-28-59.988W 30-28-00.012N/080-22-00.012W E. JSWTR (underwater shallow water training range with hydrophones) The following area will contain US Navy exercises hazardous to surface vessels in the areas until further notice. FACSFAC POC: (904)542-2113 |          |

**Sector Jacksonville, Territorial Sea**

**Additional MSI Categories**

| TITLE                                                                               | SUBCATEGORY           | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | LOCATION |
|-------------------------------------------------------------------------------------|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Sector Jacksonville, Territorial Sea/General/Hazards To Navigation/Obstructions     | Hazards To Navigation | General/Hazards To Navigation/Obstructions From: 2026-07-20 To: 2027-07-20 49147 Location: 28-20-17.196N/080-31-12.396W 28-18-53.424N/080-29-17.340W 28-17-12.084N/080-30-53.100W 28-18-36.324N/080-32-41.604W 28-20-17.196N/080-31-12.396W Upon completion of a recent dredging project, USACE identified a few high-spots that don't exceed the stated mound heights but could potentially impact safe navigation. There's one mound in particular that go up to -36.6ft MLLW in the western release zone and appears to be the shallowest one. |          |
| Sector Jacksonville, Territorial Sea/General/Naval Activity/Naval Gunnery Exercises | Naval Activity        | General/Naval Activity/Naval Gunnery Exercises From: 2025-11-13 31954 Location: 30-45-00.000N/080-55-59.988W 30-45-00.000N/080-30-00.000W 30-34-00.012N/080-30-00.000W 30-34-00.012N/080-57-00.000W 30-36-00.000N/080-57-00.000W 30-45-00.000N/080-55-59.988W A. GUNEX AREA W-137L The following area will contain US Navy exercises hazardous to surface vessels until further notice. FACSFAC POC: (904)542-2113                                                                                                                                |          |
| Sector Jacksonville, Territorial Sea/General/Naval Activity/Naval Gunnery Exercises | Naval Activity        | General/Naval Activity/Naval Gunnery Exercises From: 2025-11-13 31955 Location: 30-45-00.000N/080-30-00.000W 30-45-00.000N/079-37-59.988W 30-34-00.012N/079-40-59.988W 30-34-00.012N/080-30-00.000W 30-45-00.000N/080-30-00.000W B. GUNEX AREA W-138L The following areas will contain US Navy exercises hazardous to surface vessels until further notice. FACSFAC POC: (904)542-2113                                                                                                                                                            |          |
| Sector Jacksonville, Territorial Sea/General/Naval Activity/Naval Gunnery Exercises | Naval Activity        | General/Naval Activity/Naval Gunnery Exercises From: 2025-11-13 31968 Location: 30-10-00.012N/080-10-00.012W 30-00-00.000N/080-05-60.000W 30-00-00.000N/080-10-00.012W 30-04-00.012N/080-19-59.988W 30-10-00.012N/080-19-59.988W 30-10-00.012N/080-10-00.012W F. DIPPING AREA 26G The following area will contain US Navy exercises hazardous to surface vessels in the areas until further notice. FACSFAC POC: (904)542-2113                                                                                                                    |          |
| General/Naval Activity/Naval Gunnery Exercises                                      | Naval Activity        | General/Naval Activity/Naval Gunnery Exercises From: 2025-11-13 31970 Location: 30-00-00.000N/080-49-59.988W 30-00-00.000N/080-40-00.012W 29-49-59.988N/080-40-00.012W 29-49-59.988N/080-49-59.988W 30-00-00.000N/080-49-59.988W G. DIPPING AREA 27D The following area will contain US Navy exercises hazardous to surface vessels in the area until further notice. FACSFAC POC: (904)542-2113                                                                                                                                                  |          |

**Sector Key West, Exclusive Economic Zone (EEZ)**

**Federal Discrepancies**

| NAME                                     | LLNR  | STATUS                       | AID TYPE |
|------------------------------------------|-------|------------------------------|----------|
| Dry Tortugas Southeast Channel Light 1   | 15440 | HAZ NAV/LT EXT/DAYMK MISSING | FD       |
| Dry Tortugas Southeast Channel Light 3   | 15450 | STRUCT DEST/HAZ NAV/TRLB     | FD       |
| Fort Jefferson West Channel Daybeacon 10 | 15560 | STRUCT DEST/TRUB             | FD       |
| Bird Key Harbor Daybeacon 3BK            | 15580 | HAZ NAV/STRUCT DEST/TRLB     | FD       |

**Additional MSI Categories**

| TITLE                                                                                                                                                                                            | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                     | LOCATION |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| District 7, Oceanic boundary to EEZ - Sector Key West, Exclusive Economic Zone (EEZ) /General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-04-16 41386 The vessel ILE DE SEIN (ISN) (9247039) is looking to come to Tampa area April 26, 2026, conduct a crew swap, and begin trenching and burying fiber optic cable for for Telcosub. More information will be provided as soon as it's available. |          |

|                                                                                                                                      |                |                                                                                                                                                                                                                                                                                                                                                                                         |  |
|--------------------------------------------------------------------------------------------------------------------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| General/Naval Activity/Naval Gunnery Exercises                                                                                       | Naval Activity | General/Naval Activity/Naval Gunnery Exercises From: 2025-11-13 31980 Location: 24-06-00.000N/082-15-00.000W 24-00-00.000N/082-15-00.000W 24-00-00.000N/081-49-00.000W 24-15-00.000N/081-49-00.000W 24-15-00.000N/081-55-00.000W H. GUNEX AREA W-174C The following area will contain US Navy exercises hazardous to surface vessels until further notice. FACSFAC POC: (904)542-2113   |  |
| District 7, Oceanic boundary to EEZ - Sector Key West, Exclusive Economic Zone (EEZ) /General/Naval Activity/Naval Gunnery Exercises | Naval Activity | General/Naval Activity/Naval Gunnery Exercises From: 2025-11-13 31981 Location: 24-15-00.000N/081-46-59.988W 24-15-00.000N/081-16-59.988W 24-00-00.000N/081-19-00.012W 24-00-00.000N/081-46-59.988W 24-15-00.000N/081-46-59.988W I. GUNEX AREA W-174C The following area will contain US Navy exercises hazardous to surface vessels until further notice. FACSFAC POC: (904)542-2113   |  |
| District 7, Oceanic boundary to EEZ - Sector Key West, Exclusive Economic Zone (EEZ) /General/Naval Activity/Naval Gunnery Exercises | Naval Activity | General/Naval Activity/Naval Gunnery Exercises From: 2025-11-13 31982 Location: 24-25-00.012N/080-55-59.988W 24-25-00.012N/080-25-00.012W 24-13-00.012N/080-25-00.012W 24-13-00.012N/080-55-59.988W 24-25-00.012N/080-55-59.988W J. GUNEX AREA W-465A/B The following area will contain US Navy exercises hazardous to surface vessels until further notice. FACSFAC POC: (904)542-2113 |  |
| District 7, Oceanic boundary to EEZ - Sector Key West, Exclusive Economic Zone (EEZ) /General/Naval Activity/Naval Gunnery Exercises | Naval Activity | General/Naval Activity/Naval Gunnery Exercises From: 2025-11-13 31983 Location: 24-13-00.012N/080-55-59.988W 24-13-00.012N/080-25-00.012W 24-00-00.000N/080-25-00.012W 24-00-00.000N/080-55-59.988W 24-13-00.012N/080-55-59.988W K. GUNEX AREA W-465A/B The following area will contain US Navy exercises hazardous to surface vessels until further notice. FACSFAC POC: (904)542-2113 |  |

Sector Key West, Submerged Land Act (SLA)

Federal Discrepancies

| NAME                                                    | LLNR   | STATUS                          | AID TYPE |
|---------------------------------------------------------|--------|---------------------------------|----------|
| Cosgrove Shoal Light                                    | 1070   | LT EXT                          | FD       |
| Halfmoon Shoal Light WR2                                | 1085   | STRUCT DEST                     | FD       |
| New Ground Rocks Light                                  | 1190   | HAZ NAV/LT EXT/STRUCT DMGD/TRLB | FD       |
| Smith Shoal Light                                       | 1200   | STRUCT DMGD/LT EXT              | FD       |
| Broad Creek Light 6                                     | 1215   | DAYMK MISSING                   | FD       |
| Key Largo Light 25                                      | 11485  | STRUCT DEST                     | FD       |
| Key Largo Daybeacon 27                                  | 11490  | HAZ NAV/STRUCT DEST             | FD       |
| Basin Hills Light 31BH                                  | 11500  | STRUCT DEST                     | FD       |
| Mosquito Bank Light 2                                   | 11895  | STRUCT DEST/HAZ NAV/TRLB        | FD       |
| Channel Key Daybeacon 7                                 | 12430  | TRUB/STRUCT DEST                | FD       |
| Porpoise Key Daybeacon 2                                | 12685  | HAZ NAV/DAYMK MISSING/TRLB      | FD       |
| Moser Channel South Daybeacon 5                         | 13865  | STRUCT DEST/TRUB                | FD       |
| Bahia Honda Key Light 49A                               | 13875  | DAYMK MISSING                   | FD       |
| Niles Channel Daybeacon 6                               | 13955  | STRUCT DEST/TRUB                | FD       |
| Pirates Cove Daybeacon 3                                | 14140  | HAZ NAV/STRUCT DEST/TRLB        | FD       |
| Pirates Cove Daybeacon 10                               | 14175  | HAZ NAV/STRUCT DEST/TRLB        | FD       |
| Pelican Key Daybeacon 55                                | 14400  | STRUCT DEST                     | FD       |
| Calda Channel Light 1                                   | 15330  | STRUCT DEST/HAZ NAV/TRLB        | FD       |
| Calda Channel Daybeacon 5                               | 15340  | HAZ NAV/STRUCT DEST/TRLB        | FD       |
| Calda Channel Daybeacon 25                              | 15425  | HAZ NAV/STRUCT DEST/TRLB        | FD       |
| Fort Jefferson East Channel Daybeacon 3                 | 15470  | STRUCT DEST/HAZ NAV/TRLB        | FD       |
| Fort Jefferson East Channel Daybeacon 6                 | 15480  | STRUCT DEST/HAZ NAV/TRLB        | FD       |
| Fort Jefferson East Channel Daybeacon 7                 | 15485  | STRUCT DEST/HAZ NAV/TRLB        | FD       |
| Davis Reef Light 14                                     | 970    | STRUCT DEST/HAZ NAV/TRLB        | FD       |
| Western Sambos West Shoal Daybeacon                     | 1030.4 | HAZ NAV/STRUCT DEST/TRLB        | FD       |
| Key Largo Daybeacon 37                                  | 11920  | STRUCT DEST                     | FD       |
| Loggerhead Key Light 50A                                | 13980  | STRUCT DEST/TRLB/MISSING        | FD       |
| Key West Northwest Channel Entrance Lighted Bell Buoy 1 | 15160  | LT EXT                          | FD       |
| Fort Jefferson East Channel Daybeacon 5                 | 15475  | STRUCT DEST                     | FD       |

Federal Discrepancies Corrected

| NAME                                          | LLNR  | STATUS            | AID TYPE | CORRECTION DATE |
|-----------------------------------------------|-------|-------------------|----------|-----------------|
| Key West Main Channel Cut B Range Front Light | 14870 | WATCHING PROPERLY | FD       | 2026-07-21      |

Private Discrepancies

| NAME                                         | LLNR               | STATUS              | AID TYPE |
|----------------------------------------------|--------------------|---------------------|----------|
| Western Sambo Buoy B                         | 1024.2             | MISSING             | PA       |
| Sand Key Buoy B                              | 1054.2             | MISSING             | PA       |
| Upper Matecumbe West Channel Daybeacon 1     | 12825              | STRUCT DEST/HAZ NAV | PA       |
| Kemp Channel Daybeacon 2                     | 13990              | STRUCT DEST/HAZ NAV | PA       |
| Tamarac Park Channel Obstruction E Daybeacon | 14450              | STRUCT DEST         | PA       |
| Key West Mooring Field Light A               | 14980.1            | LT EXT              | PA       |
| Key West Mooring Field Light B               | 14980.2            | LT EXT              | PA       |
| Key West Mooring Field Light C               | 14980.300000000001 | STRUCT DEST/HAZ NAV | PA       |
| Key West Mooring Field Light D               | 14980.4            | LT EXT              | PA       |

|                                       |                    |                     |    |
|---------------------------------------|--------------------|---------------------|----|
| Key West Mooring Field Light E        | 14980.5            | LT EXT              | PA |
| Newfound Harbor Key Buoy C            | 1003.4             | MISSING             | PA |
| Newfound Harbor Key Buoy D            | 1003.6             | MISSING             | PA |
| Lewis Cut Shoal West Buoy             | 10907.5            | MISSING             | PA |
| Dispatch Creek Channel Daybeacon 20   | 11435              | DAYMK IMCH          | PA |
| Harbor Course Creek Daybeacon 1       | 11440              | DAYMK IMCH          | PA |
| Harbor Course Creek Daybeacon 2       | 11445              | DAYMK IMCH          | PA |
| Garden Cove Daybeacon 22              | 11645              | STRUCT DEST         | PA |
| Port Largo Channel Light 7            | 11765.300000000001 | STRUCT DEST         | PA |
| Blue Water Trailer Vill Daybeacon 2   | 12015              | STRUCT DEST         | PA |
| Red Bay Shoal Daybeacon A             | 12511              | STRUCT DEST         | PA |
| La Siesta Resort Daybeacon 2          | 12810              | STRUCT DEST/HAZ NAV | PA |
| Duck Key Inlet Channel Light 1        | 13500              | STRUCT DEST         | PA |
| Duck Key Inlet Channel Daybeacon 5    | 13520              | STRUCT DEST         | PA |
| Duck Key Inlet Channel Daybeacon 7    | 13525.5            | STRUCT DEST         | PA |
| Duck Key Inlet Channel Daybeacon 8    | 13530              | STRUCT DMGD         | PA |
| Bonefish Bay Channel Daybeacon 2      | 13670              | STRUCT DEST         | PA |
| Bonefish Bay Channel Daybeacon 4      | 13673              | STRUCT DEST         | PA |
| Bonefish Bay Channel Daybeacon 5      | 13675              | STRUCT DEST         | PA |
| Bonefish Bay Channel Daybeacon 7      | 13676              | STRUCT DEST         | PA |
| Bonefish Bay Channel Daybeacon 8      | 13676.300000000001 | STRUCT DEST         | PA |
| Bonefish Bay Shoal Daybeacon          | 13676.5            | STRUCT DEST         | PA |
| Bonefish Bay Channel Daybeacon 10     | 13676.7            | STRUCT DEST         | PA |
| Bonefish Bay Channel Daybeacon 11     | 13676.9            | STRUCT DEST         | PA |
| Bonefish Bay Channel Daybeacon 13     | 13677              | STRUCT DEST         | PA |
| Boat House Channel Buoy 3             | 13680.2            | MISSING             | PA |
| Dolphin Marina Channel Daybeacon 4    | 13936.300000000001 | STRUCT DEST         | PA |
| Summerland Key Daybeacon 2            | 14055              | HAZ NAV/STRUCT DEST | PA |
| Kemp Channel Daybeacon 19             | 14073              | STRUCT DEST         | PA |
| Kemp Channel Daybeacon 24             | 14095              | STRUCT DEST/HAZ NAV | PA |
| Key West Oceanside Marina Daybeacon 2 | 14670              | DAYMK MISSING       | PA |
| Casa Marina Daybeacon 4               | 14795              | STRUCT DEST         | PA |
| Fort Taylor West Obstruction Light    | 14887              | LT EXT              | PA |

Private Discrepancies Corrected

| NAME                        | LLNR  | STATUS            | AID TYPE | CORRECTION DATE |
|-----------------------------|-------|-------------------|----------|-----------------|
| Cow Key Channel Daybeacon 7 | 14727 | REBUILT/RECOVERED | PA       | 2026-07-22      |

Additional MSI Categories

| TITLE                                                                                                       | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | LOCATION                               |
|-------------------------------------------------------------------------------------------------------------|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Advanced Notice of Change | Advanced Notice of Change | Key West Main Channel Range Front Light (LLNR 14815) will be relocated to approximate position 24-32-17.396N/081-48-22.958W. The RFL will be changed to a day/night optic, continuing to display a Q G flash characteristic for a 24hr continuous cycle. The daymarks will be discontinued.                                                                                                                                                                                                                                                                                                                                      | Lat: 24° 32' 17"<br>Lon: -081° 48' 23" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Advanced Notice of Change | Advanced Notice of Change | Key West Main Channel Range Rear Light (LLNR 14820) will be changed to a day/night optic, continuing to display an ISO G 6s flash characteristic for a 24hr continuous cycle. The daymarks will be discontinued.                                                                                                                                                                                                                                                                                                                                                                                                                 | Lat: 24° 32' 56"<br>Lon: -081° 48' 26" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 24.56043° N / 81.8144° W Aid Name: Key West Main Channel Cut B Range Front Light LLNR: 14870 Action: CHANGE Action Type Change Structure The U.S. Coast Guard has approved the following change to the Aids to Navigation System in the Key West Main Channel: Key West Main Channel Cut B Range Front Light (LLNR 14870) will be rebuilt at a new focal height of 40 feet. All other characteristics will remain the same. Key West Main Channel Cut B Range Rear Light (LLNR 14875) will be rebuilt at a new focal height of 65 feet. All other characteristics will remain the same. | Lat: 24° 33' 38"<br>Lon: -081° 48' 52" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 24.5629° N / 81.81427° W Aid Name: Key West Main Channel Cut B Range Rear Light LLNR: 14875 Action: CHANGE Action Type Change Structure The U.S. Coast Guard has approved the following change to the Aids to Navigation System in the Key West Main Channel: Key West Main Channel Cut B Range Front Light (LLNR 14870) will be rebuilt at a new focal height of 40 feet. All other characteristics will remain the same. Key West Main Channel Cut B Range Rear Light (LLNR 14875) will be rebuilt at a new focal height of 65 feet. All other characteristics will remain the same.  | Lat: 24° 33' 46"<br>Lon: -081° 48' 51" |

|                                                                                                                                                                                         |                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Advanced Notice of Change                                                                             | Advanced Notice of Change               | ATON/Advanced Notice of Change Location: 24.57937° N / 81.79983° W Aid Name: Key West Harbor Range Front Light LLNR: 14900 Action: CHANGE Action Type Change Light Signals The U.S. Coast Guard has approved the following change to the Aids to Navigation System in the Key West Main Channel: Key West Harbor Range Front Light (LLNR 14900) will be changed to a day/night optic, continuing to display Q W flash characteristic for a 24hr continuous cycle. The daymarks will be discontinued. Key West Harbor Range Rear Light (LLNR 14905) will be rebuilt to a focal height of 46 feet and changed to a day/night optic, continuing to display ISO W 6s flash characteristic for a 24hr continuous cycle. The daymarks will be discontinued.                                                                                                                                                                                             | Lat: 24° 34' 46"<br>Lon: -081° 47' 59" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Advanced Notice of Change                                                                             | Advanced Notice of Change               | ATON/Advanced Notice of Change Location: 24.58519° N / 81.79695° W Aid Name: Key West Harbor Range Rear Light LLNR: 14905 Action: CHANGE Action Type Change Light Signals The U.S. Coast Guard has approved the following change to the Aids to Navigation System in the Key West Main Channel: Key West Harbor Range Front Light (LLNR 14900) will be changed to a day/night optic, continuing to display Q W flash characteristic for a 24hr continuous cycle. The daymarks will be discontinued. Key West Harbor Range Rear Light (LLNR 14905) will be rebuilt to a focal height of 46 feet and changed to a day/night optic, continuing to display ISO W 6s flash characteristic for a 24hr continuous cycle. The daymarks will be discontinued.                                                                                                                                                                                              | Lat: 24° 35' 07"<br>Lon: -081° 47' 49" |
| ATON/Advanced Notice of Change                                                                                                                                                          | Advanced Notice of Change               | ATON/Advanced Notice of Change From: 2025-12-11 33751 Location: 24-37-48.072N/081-49-34.104W Aid Name: Calda Channel Light 1 LLNR: 15330 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard has approved the following changes to the Aids to Navigation System in Calda Channel: Calda Channel Light 1 (LLNR 15330) will be changed to Calda Channel Lighted Buoy 1 (LLNR 15330) in approximate position 24-37-48.072N/081-49-34.088W. Calda Channel Daybeacon 3 (LLN 15335) will be changed to Calda Channel Buoy 3 (LLNR 15335) in approximate position 24-37-44.219N, 081-49-16.081W. Calda Channel Daybeacon 5 (LLNR 15340) will be changed to Calda Channel Buoy 5 (LLNR 15340) in approximate position 24-37-38.542N/081-49-04.046W.                                                                                                                                                                                       | Lat: 24° 37' 48"<br>Lon: -081° 49' 34" |
| ATON/Advanced Notice of Change                                                                                                                                                          | Advanced Notice of Change               | ATON/Advanced Notice of Change From: 2025-12-11 33752 Location: 24-37-44.220N/081-49-16.068W Aid Name: Calda Channel Daybeacon 3 LLNR: 15335 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard has approved the following changes to the Aids to Navigation System in Calda Channel: Calda Channel Light 1 (LLNR 15330) will be changed to Calda Channel Lighted Buoy 1 (LLNR 15330) in approximate position 24-37-48.072N/081-49-34.088W. Calda Channel Daybeacon 3 (LLN 15335) will be changed to Calda Channel Buoy 3 (LLNR 15335) in approximate position 24-37-44.219N, 081-49-16.081W. Calda Channel Daybeacon 5 (LLNR 15340) will be changed to Calda Channel Buoy 5 (LLNR 15340) in approximate position 24-37-38.542N/081-49-04.046W.                                                                                                                                                                                   | Lat: 24° 37' 44"<br>Lon: -081° 49' 16" |
| ATON/Advanced Notice of Change                                                                                                                                                          | Advanced Notice of Change               | ATON/Advanced Notice of Change From: 2025-12-11 33753 Location: 24-37-38.532N/081-49-04.044W Aid Name: Calda Channel Daybeacon 5 LLNR: 15340 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard has approved the following changes to the Aids to Navigation System in Calda Channel: Calda Channel Light 1 (LLNR 15330) will be changed to Calda Channel Lighted Buoy 1 (LLNR 15330) in approximate position 24-37-48.072N/081-49-34.088W. Calda Channel Daybeacon 3 (LLN 15335) will be changed to Calda Channel Buoy 3 (LLNR 15335) in approximate position 24-37-44.219N, 081-49-16.081W. Calda Channel Daybeacon 5 (LLNR 15340) will be changed to Calda Channel Buoy 5 (LLNR 15340) in approximate position 24-37-38.542N/081-49-04.046W.                                                                                                                                                                                   | Lat: 24° 37' 39"<br>Lon: -081° 49' 04" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/General/Bridges/Rehabilitation                                                                             | Bridges                                 | General/Bridges/Rehabilitation From: 2025-07-31 To: 2029-03-31 Location: 24.65831° N / 81.28705° W Bridge Name: United States 1 Highway Bridge 8/11/2025 through 3/31/2029 Rehabilitation/maintenance/repair of the existing structure on SR 5 / US 1 Overseas Highway over Bahia Honda Channel. Project consists of Concrete Repair, Concrete Encapsulation, Pile Jacket Installation, Minor Painting, and Bearing Pad Replacement. The contractor will have work boats, barges and associated construction equipment in and around the bridge structure. Mariners are advised to transit the area with caution.                                                                                                                                                                                                                                                                                                                                 | Lat: 24° 39' 30"<br>Lon: -081° 17' 13" |
| Sector Key West, Submerged Land Act (SLA)/General/Bridges                                                                                                                               | Bridges                                 | Sector Key West, Submerged Land Act (SLA)/General/Bridges From: 2026-06-03 To: 2029-08-01 Location: 24.699004, -81.16916 Bridge Name: Seven Mile Bridge The bridge is undergoing a rehabilitation. Repairs include concrete repair of the substructure . The contractor will have floating platforms and various support vessels in-water. Work will begin on the north end of the bridge and progress south. Impacts to navigation at Moser Channel are not expected. Mariners are advised to transit the area with caution.                                                                                                                                                                                                                                                                                                                                                                                                                     | Lat: 24° 41' 56"<br>Lon: -081° 10' 09" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-05-26 44436 Location: 24-48-00.072N/081-41-19.500W 24-47-44.988N/081-41-19.500W 24-47-52.548N/081-41-27.744W 24-47-44.988N/081-41-36.024W 24-48-00.072N/081-41-36.024W 24-48-00.072N/081-41-19.500W Monroe County Florida has a 10-year Corps permit to construct an offshore artificial reef to be known as the Monroe County BOCC Gulfside Five Mile Artificial Reef. The artificial reef site area would measure 0.25 nautical miles by 0.25 nautical miles, encompassing a total area of 53 acres of submerged sand sea-bottom of which less than 1 acre of artificial reef material footprint would be deployed during the lifetime of the permit. The navigational vertical clearance at the site shall be -25' MLLW. Operations are expected to be completed by November 3, 2035.                                    |                                        |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-05-26 44441 Location: 24-54-21.852N/081-33-29.916W 24-54-21.852N/081-33-13.428W 24-54-06.876N/081-33-13.428W 24-54-06.876N/081-33-29.916W 24-54-21.852N/081-33-29.916W Monroe County Florida has a 10-year Corps permit to construct an offshore artificial reef to be known as the Monroe County BOCC Gulfside Eight (8) Mile Artificial Reef. The approved artificial reef footprint is 0.25 nautical miles by 0.25 nautical miles, encompassing a total area of 53 acres of submerged sand sea-bottom, of which less than 1 acre of the artificial reef material would be deployed during the lifetime of the Corps permit, 10-years. The site will maintain a navigational vertical clearance at the site of -22' MLLW from the top of any deployed structure. Operations are expected to be completed by May 12, 2036. |                                        |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-05-26 44446 Location: 24-54-03.852N/081-36-29.916W 24-54-03.852N/081-36-13.428W 24-53-48.876N/081-36-13.428W 24-53-48.876N/081-36-29.916W 24-54-03.852N/081-36-29.916W Monroe County Florida has a 10-year Corps permit to construct an offshore artificial reef to be known as the Monroe County BOCC Gulfside 9 Mile Artificial Reef. The artificial reef site area would measure 0.25 nautical miles by 0.25 nautical miles, encompassing a total area of 53 acres of submerged sand sea-bottom of which less than 1 acre of artificial reef material footprint would be deployed during the lifetime of the permit. The navigational vertical clearance at the site shall be -25' MLLW. Operations are expected to be completed by February 4, 2036.                                                                    |                                        |

|                                                                                                             |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                        |
|-------------------------------------------------------------------------------------------------------------|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2025-08-11 To: 2026-02-07 Location: 24.6361° N / 82.875° W Aid Name: Fort Jefferson East Channel Daybeacon 2 LLNR: 15465 Action: CHANGE Action Type Change Waterway The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Dry Tortugas National Park. The following aids to navigation will be permanently discontinued: Fort Jefferson East Channel Daybeacon 3 (LLNR 15470) Fort Jefferson East Channel Daybeacon 5 (LLNR 15475) Fort Jefferson East Channel Daybeacon 6 (LLNR 15480) Fort Jefferson East Channel Daybeacon 7 (LLNR 15485) Fort Jefferson East Channel Daybeacon 8 (LLNR 15490) Fort Jefferson East Channel Daybeacon 9 (LLNR 15495) Fort Jefferson East Channel Daybeacon 2 (LLNR 15465) will be changed to Dry Tortugas Southeast Channel Daybeacon 5 (LLNR 15465) All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Dry Tortugas National Park as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by February 1, 2026. | Lat: 24° 38' 10"<br>Lon: -082° 52' 30" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change 25743 Location: 24.63545° N / 82.8726° W Aid Name: Fort Jefferson East Channel Daybeacon 3 LLNR: 15470 Action: DISCONTINUE The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Dry Tortugas National Park. The following aids to navigation will be permanently discontinued: Fort Jefferson East Channel Daybeacon 3 (LLNR 15470) Fort Jefferson East Channel Daybeacon 5 (LLNR 15475) Fort Jefferson East Channel Daybeacon 6 (LLNR 15480) Fort Jefferson East Channel Daybeacon 7 (LLNR 15485) Fort Jefferson East Channel Daybeacon 8 (LLNR 15490) Fort Jefferson East Channel Daybeacon 9 (LLNR 15495) Fort Jefferson East Channel Daybeacon 2 (LLNR 15465) will be changed to Dry Tortugas Southeast Channel Daybeacon 5 (LLNR 15465) All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Dry Tortugas National Park as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by February 1, 2026.                                                | Lat: 24° 38' 08"<br>Lon: -082° 52' 21" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change 25744 Location: 24.63411° N / 82.87154° W Aid Name: Fort Jefferson East Channel Daybeacon 5 LLNR: 15475 Action: DISCONTINUE The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Dry Tortugas National Park. The following aids to navigation will be permanently discontinued: Fort Jefferson East Channel Daybeacon 3 (LLNR 15470) Fort Jefferson East Channel Daybeacon 5 (LLNR 15475) Fort Jefferson East Channel Daybeacon 6 (LLNR 15480) Fort Jefferson East Channel Daybeacon 7 (LLNR 15485) Fort Jefferson East Channel Daybeacon 8 (LLNR 15490) Fort Jefferson East Channel Daybeacon 9 (LLNR 15495) Fort Jefferson East Channel Daybeacon 2 (LLNR 15465) will be changed to Dry Tortugas Southeast Channel Daybeacon 5 (LLNR 15465) All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Dry Tortugas National Park as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by February 1, 2026.                                               | Lat: 24° 38' 03"<br>Lon: -082° 52' 18" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change 25745 Location: 24.63342° N / 82.87258° W Aid Name: Fort Jefferson East Channel Daybeacon 6 LLNR: 15480 Action: DISCONTINUE The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Dry Tortugas National Park. The following aids to navigation will be permanently discontinued: Fort Jefferson East Channel Daybeacon 3 (LLNR 15470) Fort Jefferson East Channel Daybeacon 5 (LLNR 15475) Fort Jefferson East Channel Daybeacon 6 (LLNR 15480) Fort Jefferson East Channel Daybeacon 7 (LLNR 15485) Fort Jefferson East Channel Daybeacon 8 (LLNR 15490) Fort Jefferson East Channel Daybeacon 9 (LLNR 15495) Fort Jefferson East Channel Daybeacon 2 (LLNR 15465) will be changed to Dry Tortugas Southeast Channel Daybeacon 5 (LLNR 15465) All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Dry Tortugas National Park as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by February 1, 2026.                                               | Lat: 24° 38' 00"<br>Lon: -082° 52' 21" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change 25746 Location: 24.63268° N / 82.87075° W Aid Name: Fort Jefferson East Channel Daybeacon 7 LLNR: 15485 Action: DISCONTINUE The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Dry Tortugas National Park. The following aids to navigation will be permanently discontinued: Fort Jefferson East Channel Daybeacon 3 (LLNR 15470) Fort Jefferson East Channel Daybeacon 5 (LLNR 15475) Fort Jefferson East Channel Daybeacon 6 (LLNR 15480) Fort Jefferson East Channel Daybeacon 7 (LLNR 15485) Fort Jefferson East Channel Daybeacon 8 (LLNR 15490) Fort Jefferson East Channel Daybeacon 9 (LLNR 15495) Fort Jefferson East Channel Daybeacon 2 (LLNR 15465) will be changed to Dry Tortugas Southeast Channel Daybeacon 5 (LLNR 15465) All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Dry Tortugas National Park as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by February 1, 2026.                                               | Lat: 24° 37' 58"<br>Lon: -082° 52' 15" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change 25747 Location: 24.63072° N / 82.8713° W Aid Name: Fort Jefferson East Channel Daybeacon 8 LLNR: 15490 Action: DISCONTINUE The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Dry Tortugas National Park. The following aids to navigation will be permanently discontinued: Fort Jefferson East Channel Daybeacon 3 (LLNR 15470) Fort Jefferson East Channel Daybeacon 5 (LLNR 15475) Fort Jefferson East Channel Daybeacon 6 (LLNR 15480) Fort Jefferson East Channel Daybeacon 7 (LLNR 15485) Fort Jefferson East Channel Daybeacon 8 (LLNR 15490) Fort Jefferson East Channel Daybeacon 9 (LLNR 15495) Fort Jefferson East Channel Daybeacon 2 (LLNR 15465) will be changed to Dry Tortugas Southeast Channel Daybeacon 5 (LLNR 15465) All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Dry Tortugas National Park as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by February 1, 2026.                                                | Lat: 24° 37' 51"<br>Lon: -082° 52' 17" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change 25748 Location: 24.63108° N / 82.87009° W Aid Name: Fort Jefferson East Channel Daybeacon 9 LLNR: 15495 Action: DISCONTINUE The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Dry Tortugas National Park. The following aids to navigation will be permanently discontinued: Fort Jefferson East Channel Daybeacon 3 (LLNR 15470) Fort Jefferson East Channel Daybeacon 5 (LLNR 15475) Fort Jefferson East Channel Daybeacon 6 (LLNR 15480) Fort Jefferson East Channel Daybeacon 7 (LLNR 15485) Fort Jefferson East Channel Daybeacon 8 (LLNR 15490) Fort Jefferson East Channel Daybeacon 9 (LLNR 15495) Fort Jefferson East Channel Daybeacon 2 (LLNR 15465) will be changed to Dry Tortugas Southeast Channel Daybeacon 5 (LLNR 15465) All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Dry Tortugas National Park as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by February 1, 2026.                                               | Lat: 24° 37' 52"<br>Lon: -082° 52' 12" |

## Sector Key West, Territorial Sea

### Federal Discrepancies

| NAME | LLNR | STATUS | AID TYPE |
|------|------|--------|----------|
|------|------|--------|----------|

|                        |     |                          |    |
|------------------------|-----|--------------------------|----|
| Pacific Reef Light     | 935 | LT EXT/TRLT              | FD |
| Molasses Reef Light 10 | 960 | LT EXT/STRUCT DMGD       | FD |
| Tennessee Reef Light   | 990 | LT EXT/STRUCT DMGD       | FD |
| Elbow Reef Light 6     | 950 | STRUCT DEST/HAZ NAV/TRLT | FD |

Private Discrepancies

| NAME                                  | LLNR               | STATUS   | AID TYPE |
|---------------------------------------|--------------------|----------|----------|
| Looe Key Buoy C                       | 1007.4             | MISSING  | PA       |
| Looe Key Telemetrying Lighted Buoy LR | 1007.8000000000001 | MISSING  | PA       |
| Carysfort Reef Buoy C                 | 947.4              | MISSING  | PA       |
| The Elbow Buoy B                      | 948.2              | MISSING  | PA       |
| The Elbow Buoy C                      | 948.4              | MISSING  | PA       |
| The Elbow Buoy D                      | 948.6              | MISSING  | PA       |
| Dry Rocks Buoy A                      | 953                | MISSING  | PA       |
| Grecian Rocks Buoy D                  | 954.6              | MISSING  | PA       |
| Sombrero Key Buoy B                   | 1002.2             | MSLD SIG | PA       |

Additional MSI Categories

| TITLE                                                                                                                                                                                        | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | LOCATION |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Sector Key West, Exclusive Economic Zone (EEZ) - Sector Key West, Territorial Sea/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-11-26 To: 2024-11-27 Location: 24.88752° N / 81.7° W 24.88333° N / 81.7° W 24.88333° N / 81.70458° W 24.88752° N / 81.7° W A 10-year Corps permit to construct an offshore artificial reef to be known as The Gulfside Ten Mile Reef. All deployed material will retain at least a 25-foot navigational clearance. Authorization of a new artificial reef site with multiple deployments of approved materials to enhance the marine habitat in the offshore waters of the Gulf of Mexico, north of Monroe County, Florida.                                                                                                                                                                                                                                                                                                         |          |
| Sector Key West, Exclusive Economic Zone (EEZ) - Sector Key West, Territorial Sea/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes Location: 24.88752° N / 81.7° W 24.88333° N / 81.7° W 24.88333° N / 81.70458° W 24.88752° N / 81.7° W Monroe County has continued adding to a new artificial reef site off Monroe County with a 10-year permit. The Gulfside Ten Mile Reef site is a 0.25 nautical mile by 0.25 nautical mile square, encompassing 53 acres of sand bottom of which less than one acre of artificial reef material footprint will be deployed during the lifetime of the permit. The site is located in the Gulf of America within federal waters and lies outside of the boundaries for the Florida Keys National Marine Sanctuary. The center of the site is located approximately 16.7 nautical miles at a bearing of 23° north of Key West at an average depth of 45 feet MLLW. All deployed material will retain at least a 25-ft navigational clearance. |          |

Sector Miami, Submerged Land Act (SLA)

Federal Discrepancies

| NAME                           | LLNR | STATUS                   | AID TYPE |
|--------------------------------|------|--------------------------|----------|
| Hillsboro Inlet Entrance Light | 775  | LT EXT                   | FD       |
| NSWC Lighted Buoy E            | 811  | HAZ NAV/BUOY DMGD/LT EXT | FD       |
| Fowey Rocks Light              | 920  | LT IMCH/TRLT             | FD       |

Private Discrepancies

| NAME                                          | LLNR              | STATUS      | AID TYPE |
|-----------------------------------------------|-------------------|-------------|----------|
| Jupiter Inlet Jetty Light 2                   | 735               | LT EXT      | PA       |
| FPL St. Lucie Plant Breakwater Lighted Buoy G | 706.6             | OFF STATION | PA       |
| Key Biscayne FAD Northwest Buoy               | 900               | MISSING     | PA       |
| Key Biscayne FAD Northeast Buoy               | 905               | MISSING     | PA       |
| Key Biscayne FAD Southwest Buoy               | 910               | MISSING     | PA       |
| Key Biscayne FAD Southeast Buoy               | 915               | MISSING     | PA       |
| Neptune Memorial Reef Buoy AA                 | 915.1             | STRUCT DEST | PA       |
| Neptune Memorial Reef Buoy BB                 | 915.2             | STRUCT DEST | PA       |
| Neptune Memorial Reef Buoy CC                 | 915.3000000000001 | STRUCT DEST | PA       |
| Neptune Memorial Reef Buoy DD                 | 915.4             | STRUCT DEST | PA       |

Additional MSI Categories

| TITLE                                                                                                                            | SUBCATEGORY           | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | LOCATION                               |
|----------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Sector Miami, Territorial Sea - Sector Miami, Submerged Land Act (SLA)/General/Hazards To Navigation/Shoaling Reported           | Hazards To Navigation | General/Hazards To Navigation/Shoaling Reported From: 2026-04-28 42423 The offshore conditions at the mouth of Jupiter Inlet have become unpredictable and hazardous to mariners due to the shifting shoal, which has been a topic of discussion in the local news. Jupiter Inlet is not a federally maintained inlet; however, the Jupiter Inlet District does maintain the sand trap inside the inlet. All mariners should transit the area with caution. Depths vary and have been reported from -4 ft-MLLW to -10 ft- MLLW |                                        |
| Sector Miami, Territorial Sea - Sector Miami, Submerged Land Act (SLA)/General/Naval Activity/Naval Testing (Surface/Underwater) | Naval Activity        | General/Naval Activity/Naval Testing (Surface/Underwater) From: 2026-08-01 47078 Location: 27-25-41.016N/080-13-42.996W The Spaceport Company will be launching low-altitude rocket activity, approximately 5 statute miles southeast of the Fort Pierce Inlet. Operations will be completed between sunrise to sunset, on August 11, 2026. Mariners should stay at least 5,000 feet from from the mobile sea-based launch platform (27-25-41.016N/080-13-42.996W).                                                            | Lat: 27° 25' 41"<br>Lon: -080° 13' 43" |
|                                                                                                                                  |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                        |

|                                                                                                                   |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
|-------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Sector Miami, Territorial Sea - Sector Miami, Submerged Land Act (SLA)/General/Naval Activity/Military Operations | Naval Activity | General/Naval Activity/Military Operations From: 2026-07-08 48339 Location: 26-05-03.012N/080-05-44.988W 26-05-03.012N/080-01-05.988W 26-01-27.012N/080-01-05.988W 26-01-27.012N/080-05-44.988W 26-05-03.012N/080-05-44.988W A naval vessel will be conducting maneuvers between ¾ NM to 5 NM offshore, and from ½ NM south of the Port Everglades inlet to 2 NM south of the Dania Beach Pier. The vessel will be restricted in maneuverability and these operations are considered a hazard to navigation. All traffic must remain clear of the area bounded by the coordinates for the duration of the operations. Local law enforcement, U.S. Navy security boats, and Tow Boat US small craft will provide security and range clearance for the naval vessel during these operations. Ships entering/departing Port Everglades are requested to do so from the northeast thereby avoiding the waters south of the channel. To allow for the safe operation of the naval vessel, all maritime traffic transiting the area is requested to stay 5 NM east of Port Everglades or inshore of the Barracuda Reef mooring buoys. Any concerned vessels may contact U.S. Navy Fort Lauderdale on VHF-FM channel 16. |  |
|-------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

Sector San Juan, Territorial Sea

Federal Discrepancies

| NAME               | LLNR  | STATUS             | AID TYPE |
|--------------------|-------|--------------------|----------|
| Isla De Mona Light | 32295 | LT EXT/STRUCT DMGD | FD       |

Private Discrepancies

| NAME                                          | LLNR  | STATUS      | AID TYPE |
|-----------------------------------------------|-------|-------------|----------|
| Devcon International Channel Buoy 3           | 33005 | OFF STA     | PA       |
| Devcon International Channel Buoy 2           | 33000 | OFF STA     | PA       |
| Devcon International Channel Buoy 5           | 33015 | OFF STA     | PA       |
| Devcon International Channel Buoy 7           | 33025 | MISSING     | PA       |
| Lime Tree Bay Port Basin Light 15             | 33200 | STRUCT DEST | PA       |
| Krause Lagoon Channel Entrance Lighted Buoy 1 | 33210 | TRLB        | PA       |

Additional MSI Categories

| TITLE                                                                                     | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | LOCATION                            |
|-------------------------------------------------------------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Sector San Juan, Territorial Sea/General/Hazards To Navigation/Wrecks                     | Hazards To Navigation                   | General/Hazards To Navigation/Wrecks From: 2026-02-09 36778 Location: 18-28-18.876N/066-07-29.748W The barge DEFIANT is on the rocks and has residues of diesel cargo.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Lat: 18° 28' 19" Lon: -066° 07' 30" |
| Sector San Juan, Territorial Sea/General/Hazards To Navigation/Obstructions               | Hazards To Navigation                   | General/Hazards To Navigation/Obstructions From: 2024-10-20 2800 The United States Navy has installed subsurface structures offshore of Isla de Vieques for a Navy environmental restoration project. The structures include 2 geodesic spheres that are 8 feet diameter, and are anchored to the seafloor such that the tops of the structures sit at approximately 30 feet below the surface. The structures are secured to the seafloor with a 5-anchor system, without surface marker buoys. The Navy and partners will continue to scientifically monitor the ecology and environmental conditions around the structures, and request that the public avoid impacts that could invalidate the scientific experiment. The structures are expected to remain in place until at least June 2026 in the approximate coordinates: 18-06-00.3N / 065-35-09.6W 18-05-56.1N / 065-35-02.9W For further information, contact: Jessica Carilli, US Navy, at (760)815-2629. |                                     |
| Sector San Juan, Territorial Sea/General/Hazards To Navigation/Hazards                    | Hazards To Navigation                   | General/Hazards To Navigation/Hazards From: 2025-01-29 To: 2027-07-28 Location: 18.26572° N / 65.57337° W 18.23996° N / 65.57028° W 18.23931° N / 65.60289° W 18.26474° N / 65.60444° W 18.26572° N / 65.57337° W The U.S. NAVY is advising all mariners to refrain from entering the following area in Ceiba, Puerto Rico: the waters surrounding Isla Piñeros. Mariners are advised to stay away from this danger zone until further notice, as it contains (UXO) Unexploded Ordnance. The U.S. Coast Guard may be contacted via VHF-FM Channel 16 or via landline at (787) 289-2041. For more information, contact Mrs. Maria Danois at (757) 412-7843 or email: maria.m.danois.civ@us.navy.mil.                                                                                                                                                                                                                                                                   |                                     |
| Sector San Juan, Territorial Sea/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-05-26 44409 On or about May 29, 2026, Cashman Dredging and Marine Contracting Co., LLC will begin dredging operations of the Puerto Yabucoa Channel. The project will utilize the Dredge Dale Pyatt, dump scows GL603 and GL69. Loaded scows will be transported by tug (TBD) to the designated disposal site located approximately 8 miles Southeast from the entrance of the Puerto Yabucoa Channel. All vessels will monitor VHF-FM channels 14, 13, and 67. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. Marine operations will be conducted 24 hours a day, Monday through Sunday, and will be completed on or before September 1, 2026.                                                                                                                                                   |                                     |
| Sector San Juan, Territorial Sea/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-05-26 44415 On or about May 29, 2026, Cashman Dredging and Marine Contracting Co., LLC will begin dredging operations of the Laguna de las Mareas Channel. The project will utilize the Dredge Dale Pyatt, Offloading platform Kraken and dump scows GL603 and GL69. Loaded scows will be transported by tug (TBD) to the designated offloading area, Kraken will be used to transport material from loaded scows to the disposal site. The marine equipment will be supported by the survey vessel Cape Elizabeth. All vessels will monitor VHF-FM channels 14, 13, and 67. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. Marine operations will be conducted 12 hours a day 06 a.m. to 6 p.m., Monday through Sunday, and will be completed on or before August 29, 2026.                      |                                     |

Sector St. Peterburg, Exclusive Economic Zone (EEZ)

Additional MSI Categories

| TITLE                                                                                                                                                                                                | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | LOCATION |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| District 7, Oceanic boundary to EEZ - Sector St. Peterburg, Exclusive Economic Zone (EEZ)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-05-27 44595 26-19.8197N / 81-51.0155W to 26-13.2594N / 82-06.9393W Cable Laying Vessel SARAHA BORDELON will be completing a cable route running from the HDD exit located 500 m offshore to the cable abandonment position located around 30 km offshore. operations are expected to begin on or about May 6, 2026 with an estimated completion date of July 25, 2026. Vessel will be monitoring VHF-FM channel 16. |          |

Sector St. Petersburg, Submerged Land Act (SLA).

Federal Discrepancies

| NAME                                     | LLNR  | STATUS                   | AID TYPE |
|------------------------------------------|-------|--------------------------|----------|
| Anclote Anchorage South Entrance Light 1 | 1535  | HAZ NAV/STRUCT DEST/TRLB | FD       |
| Anclote Anchorage South Entrance Light 1 | 1535  | STRUCT DEST/TRLB/HAZ NAV | FD       |
| Egmont Channel Lighted Buoy 3            | 22240 | LT EXT                   | FD       |

Private Discrepancies

| NAME                                            | LLNR     | STATUS                   | AID TYPE |
|-------------------------------------------------|----------|--------------------------|----------|
| Port of Islands Marina Daybeacon 3              | 16235    | STRUCT DEST              | PA       |
| Big Carlos Pass Lighted Buoy 1                  | 17975    | MISSING                  | PA       |
| Big Carlos Pass Buoy 2                          | 17976    | MISSING                  | PA       |
| Big Carlos Pass Buoy 3                          | 17977    | MISSING                  | PA       |
| Big Carlos Pass Buoy 4                          | 17980    | MISSING                  | PA       |
| Big Carlos Pass Buoy 5                          | 17985    | MISSING                  | PA       |
| Coconut Jacks Daybeacon 5                       | 19786.2  | STRUCT DEST              | PA       |
| Hudson Creek Daybeacon 5                        | 27030    | STRUCT DEST/TRDBN        | PA       |
| Hudson Creek Daybeacon 7                        | 27040    | STRUCT DEST/HAZ NAV/TRUB | PA       |
| Hudson Creek Daybeacon 23                       | 27095    | STRUCT DEST              | PA       |
| Aripeka Daybeacon 7                             | 27310    | STRUCT DEST/HAZ NAV      | PA       |
| Florida Power Corporation Channel Light 32      | 29075    | STRUCT DEST/HAZ NAV      | PA       |
| Port of Islands Marina Daybeacon 4              | 16240    | STRUCT DEST              | PA       |
| Port of Islands Marina Daybeacon 5              | 16245    | STRUCT DMGD              | PA       |
| Port of Islands Marina Daybeacon 6              | 16250    | STRUCT DEST/HAZ NAV      | PA       |
| Port of Islands Marina Daybeacon 11             | 16265    | DAYMK MISSING            | PA       |
| Port of Islands Marina Daybeacon 15             | 16280    | STRUCT DEST              | PA       |
| Port of Islands Marina Daybeacon 26             | 16310    | STRUCT DEST              | PA       |
| Port of Islands Marina Daybeacon 27             | 16315    | STRUCT DEST              | PA       |
| Port of Islands Marina Daybeacon 42             | 16380    | STRUCT DEST/HAZ NAV      | PA       |
| Port of Islands Marina Daybeacon 44             | 16390    | STRUCT DEST              | PA       |
| Cape Romano Channel Daybeacon 2                 | 16792    | STRUCT DEST              | PA       |
| Cape Romano Channel Daybeacon 4                 | 16792.1  | STRUCT DEST              | PA       |
| Cape Romano Channel Daybeacon 17                | 16793    | DAYMK MISSING            | PA       |
| Caxambas Breakwater North Obstruction Daybeacon | 16917    | STRUCT DEST              | PA       |
| Caxambas Breakwater South Obstruction Light     | 16918    | LT EXT                   | PA       |
| Caxambas Breakwater South Obstruction Daybeacon | 16918.5  | DAYMK MISSING            | PA       |
| Doctors Pass Light DP                           | 17700    | LT EXT                   | PA       |
| Doctors Pass Daybeacon 16                       | 17770    | STRUCT DEST              | PA       |
| Wiggins Pass Daybeacon 12                       | 17815    | STRUCT DEST              | PA       |
| Barefoot Boat Club Daybeacon 10                 | 17915    | STRUCT DEST              | PA       |
| Barefoot Boat Club Daybeacon 12                 | 17920    | STRUCT DEST              | PA       |
| Estero Pointe Channel Daybeacon 29              | 18996.07 | STRUCT DEST/HAZ NAV      | PA       |
| Southern Passage Daybeacon 5                    | 19250    | STRUCT DEST              | PA       |
| Baywinds Channel Daybeacon 3                    | 19347.3  | STRUCT DEST              | PA       |
| Spring Creek Daybeacon 17                       | 19400    | STRUCT DEST              | PA       |
| South Estero Bay Daybeacon 96                   | 19765    | STRUCT DEST              | PA       |
| Scripps Wave Data Lighted Buoy CDIP STA 214     | 22247    | OFF STA                  | PA       |
| Hudson Creek Daybeacon 16                       | 27070    | STRUCT DEST/TRUB         | PA       |
| Hudson Creek Daybeacon 20                       | 27085    | STRUCT DEST/TRUB         | PA       |
| Hudson Creek Daybeacon 24                       | 27100    | HAZ NAV/STRUCT DEST      | PA       |
| Hernando Beach Channel Daybeacon 6              | 27530    | STRUCT DEST              | PA       |
| Hernando Beach Channel Daybeacon 7              | 27535    | STRUCT DEST              | PA       |
| Hernando Beach Channel Daybeacon 10             | 27550    | STRUCT DEST              | PA       |
| Hernando Beach Channel Daybeacon 22             | 27610    | STRUCT DEST              | PA       |
| Hernando Beach Channel Daybeacon 23             | 27615    | STRUCT MISSING           | PA       |
| Hernando Beach Channel Daybeacon 40             | 27685    | STRUCT DEST/HAZ NAV      | PA       |
| Hernando Beach Channel Daybeacon 44             | 27705    | STRUCT DEST              | PA       |
| Hernando Beach Channel Light 53                 | 27737    | STRUCT DEST/HAZ NAV      | PA       |
| Johnson Rock Obstruction Daybeacon              | 27930    | STRUCT MISSING           | PA       |
| Bayport Channel Daybeacon 15                    | 28075    | STRUCT DEST              | PA       |
| Bayport Channel Daybeacon 17                    | 28095    | STRUCT DEST/HAZ NAV      | PA       |
| Chassahowitzka Daybeacon 17                     | 28305    | STRUCT DEST              | PA       |

|                                            |       |                           |    |
|--------------------------------------------|-------|---------------------------|----|
| Chassahowitzka Daybeacon 21                | 28320 | STRUCT DEST               | PA |
| Chassahowitzka Daybeacon 22                | 28325 | STRUCT DEST               | PA |
| Chassahowitzka Daybeacon 23                | 28330 | STRUCT DEST               | PA |
| Florida Power Corporation Channel Light 6  | 28975 | LT EXT                    | PA |
| Florida Power Corporation Channel Light 8  | 28985 | LT EXT                    | PA |
| Florida Power Corporation Channel Light 13 | 29005 | STRUCT DEST               | PA |
| Florida Power Corporation Channel Light 14 | 29010 | LT EXT                    | PA |
| Florida Power Corporation Channel Light 16 | 29015 | LT EXT                    | PA |
| Florida Power Corporation Channel Light 21 | 29035 | LT EXT                    | PA |
| Waccasassa Bay And River Daybeacon 5       | 29665 | STRUCT DEST               | PA |
| Waccasassa Bay And River Daybeacon 9       | 29675 | STRUCT DEST               | PA |
| Waccasassa Bay And River Daybeacon 11      | 29680 | STRUCT DMGD               | PA |
| Waccasassa Bay And River Daybeacon 13      | 29685 | STRUCT DEST               | PA |
| Waccasassa Bay And River Daybeacon 15      | 29690 | STRUCT DEST               | PA |
| Waccasassa Bay And River Daybeacon 17      | 29695 | STRUCT DMGD               | PA |
| Waccasassa Bay And River Daybeacon 21      | 29705 | STRUCT DEST               | PA |
| Waccasassa Bay And River Daybeacon 23      | 29710 | DAYMK DMGD                | PA |
| Waccasassa Bay And River Daybeacon 25      | 29720 | STRUCT DEST               | PA |
| Waccasassa Bay And River Daybeacon 27      | 29725 | DAYMK MISSING/STRUCT DMGD | PA |
| Waccasassa Bay And River Daybeacon 30      | 29735 | STRUCT DEST/HAZ NAV       | PA |
| Waccasassa Bay And River Daybeacon 32      | 29740 | STRUCT DMGD               | PA |

Temporary Changes

| NAME                | LLNR | STATUS       | AID TYPE |
|---------------------|------|--------------|----------|
| Seahorse Reef Light | 1615 | DISCONTINUED | FD       |

Additional MSI Categories

| TITLE                                                                                                                                                                                               | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | LOCATION                            |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Sector St. Petersburg, Territorial Sea - Sector St. Petersburg, Submerged Land Act (SLA)/ATON/Advanced Notice of Change                                                                             | Advanced Notice of Change               | ATON/Advanced Notice of Change From: 2026-05-29 44827 Location: 28-58-31.224N/083-09-13.284W Aid Name: Seahorse Reef Light LLNR: 1615 Action: DISCONTINUE The following change have been approved to the aids to navigation system in the Gulf of America off Cedar Key, FL. Seahorse Reef Light (LLNR 1615) will be permanently discontinued. The reef light was discovered as destroyed in April of 2025 by U.S. Coast Guard servicing personnel. Due to the reef light being in an exposed location, CG assets are not capable of rebuilding the structure.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Lat: 28° 58' 31" Lon: -083° 09' 13" |
| Sector St. Petersburg, Territorial Sea - Sector St. Petersburg, Submerged Land Act (SLA)/General/Hazards To Navigation/Obstructions                                                                 | Hazards To Navigation                   | General/Hazards To Navigation/Obstructions From: 2026-07-20 To: 2027-07-15 49154 Location: 28-47-05.748N/082-50-54.888W 28-46-25.140N/082-50-00.780W 28-46-27.840N/082-50-56.400W 28-46-23.592N/082-50-00.456W 28-45-41.436N/082-50-57.264W 28-46-30.828N/082-51-54.684W 28-47-05.748N/082-50-54.888W The area has been reported to have numerous submerged boulders and unseen obstructions scattered across the area. The center position 28.77440N / 82.84900W, was a recent allision occurred with a 23 ft recreational vessel. All mariners should transit the area at a safe speed and be on the look out for submerged objects.                                                                                                                                                                                                                                                                                                                                                                                                              |                                     |
| Sector St. Petersburg, Territorial Sea - Sector St. Petersburg, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-03-23 39689 Location: 26-07-57.216N/081-48-24.264W 26-07-50.016N/081-48-22.788W 26-07-48.468N/081-48-37.620W 26-07-56.244N/081-48-38.484W 26-07-57.216N/081-48-24.264W Shoreline Foundation, Inc. will be conducting demolition and reconstruction of the City of Naples Fishing Pier. Operations are expected to begin on or about March 1, 2026, with an estimated completion date of September 1, 2027. Hours of operation will be Monday – Saturday 7 a.m. to 6 p.m. No work will be occurring at night or on Sundays, but barges may still be moored at site during non-work periods. They request a 300 foot no-entry zone around the pier construction site. Multiple barges, tugs, and constructed trestle will be used. Barges have running lights as well as secondary white lights for visibility in low-light conditions and be monitoring VHF-FM channel 16. For further information contact: Tim@thanaples.com. |                                     |
| Sector St. Petersburg, Territorial Sea - Sector St. Petersburg, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-07-14 48725 RJ Gorman Contracting, will be completing demo and construction of the Ft Myers Fishing Pier (10 Old San Carlos Blvd., Fort Myers Beach, FL ) The project will consist of demolition of existing pier, installation of concrete piles, crane barge operations, and pier reconstruction. Operations are expected to begin on or about august 15, 2026 with an estimated completion date of November 1, 2027. Daily work hours will be from 7 a.m. to 6 p.m. Equipment used will be: 2 crane barges, spud barge, tug/workboat, work skiffs, vibratory hammer, impact hammer, floating turbidity curtain Mariners are requested to transit with caution and maintain safe distances from construction equipment and floating turbidity barriers. No closure of the federal navigation channel is anticipated unless separately announced.                                                                            |                                     |

Sheephead Cut

Federal Discrepancies

| NAME                      | LLNR  | STATUS           | AID TYPE |
|---------------------------|-------|------------------|----------|
| Sheephead Cut Daybeacon 7 | 40705 | STRUCT DEST/TRUB | FD       |

Shell Key

Private Discrepancies

| NAME                          | LLNR  | STATUS        | AID TYPE |
|-------------------------------|-------|---------------|----------|
| Little Basin East Daybeacon 1 | 50540 | DAYMK MISSING | PA       |

|                               |       |                     |    |
|-------------------------------|-------|---------------------|----|
| Little Basin East Daybeacon 2 | 50545 | STRUCT DEST/HAZ NAV | PA |
| Little Basin East Daybeacon 4 | 50555 | DAYMK MISSING       | PA |

Sherman Cut

Federal Discrepancies

| NAME                         | LLNR | STATUS      | AID TYPE |
|------------------------------|------|-------------|----------|
| Sherman Cut Range Rear Light | 7240 | STRUCT DEST | FD       |

Federal Discrepancies Corrected

| NAME                        | LLNR | STATUS            | AID TYPE | CORRECTION DATE |
|-----------------------------|------|-------------------|----------|-----------------|
| Sherman Cut Lighted Buoy 18 | 7250 | WATCHING PROPERLY | FD       | 2026-07-13      |

Temporary Changes

| NAME                        | LLNR | STATUS                 | AID TYPE |
|-----------------------------|------|------------------------|----------|
| Sherman Cut Lighted Buoy 18 | 7250 | RELOCATED FOR DREDGING | FD       |
| Sherman Cut Lighted Buoy 20 | 7255 | RELOCATED FOR DREDGING | FD       |

Additional MSI Categories

| TITLE                                                       | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                   | LOCATION                               |
|-------------------------------------------------------------|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| St Johns River - Sherman Cut/ATON/Advanced Notice of Change | Advanced Notice of Change | Sherman Cut RFL (LLNR 7235) will be relocated to approximate position: 30-22-44.220N/081-26-46.188W to align with the newly dredged channel. In addition, Sherman Cut RFL will be changed to a 24-hour optic. All day marks will be permanently discontinued. | Lat: 30° 22' 44"<br>Lon: -081° 26' 45" |
| St Johns River - Sherman Cut/ATON/Advanced Notice of Change | Advanced Notice of Change | Sherman Cut RRL (LLNR 7240) will be relocated to approximate position: 30-22-26.194N/081-27-03.893W to align with the newly dredged channel. In addition Sherman Cut RRL will be changed to a 24-hour optic. All day marks will be permanently discontinued.  | Lat: 30° 22' 35"<br>Lon: -081° 26' 55" |

Sim-Par Marina Channel

Private Discrepancies

| NAME                           | LLNR  | STATUS      | AID TYPE |
|--------------------------------|-------|-------------|----------|
| Marina Bay Channel Daybeacon 4 | 39715 | STRUCT DEST | PA       |

Sisters Creek

Federal Discrepancies

| NAME                   | LLNR  | STATUS                   | AID TYPE |
|------------------------|-------|--------------------------|----------|
| Sisters Creek Light 74 | 38300 | DAYMK IMCH/LT IMCH       | FD       |
| Sisters Creek Light 83 | 38330 | STRUCT DEST/HAZ NAV/TRLB | FD       |
| Sisters Creek Light 75 | 38305 | STRUCT DEST              | FD       |

Skull Creek

Federal Discrepancies

| NAME                     | LLNR  | STATUS                   | AID TYPE |
|--------------------------|-------|--------------------------|----------|
| Skull Creek Daybeacon 20 | 35700 | STRUCT DEST/HAZ NAV/TRLB | FD       |

Additional MSI Categories

| TITLE                                                                                                     | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | LOCATION                               |
|-----------------------------------------------------------------------------------------------------------|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Skull Creek/General/Bridges                                                                               | Bridges                                 | Skull Creek/General/Bridges From: 2026-04-30 To: 2026-10-27 Location: 32.22483, -80.78188 Bridge Name: United States 278 Highway Bridge The southern section of the fender system is damaged and missing. Mariners are advised to transit the area with caution.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Lat: 32° 13' 29"<br>Lon: -080° 46' 55" |
| Jenkins Island Flat - Skull Creek/General/Marine Construction (Excluding Bridges)/Boring and Core Samples | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Boring and Core Samples From: 2026-01-18 35376 F&ME Consultants, Inc. will be creating three geotechnical test borings to aid in deep foundation design for the replacement of transmission line poles. Each boring will take place adjacent to the existing electric transmission line pole slated for replacement. The borings will be 6 inches in diameter and 50 feet deep. The in-water boring will be done with a flat barge with centrally located drill. All work is expected to remain outside of the navigable channel. The barge is approximately 41 feet x 62 feet and will be lit at night using white lights. The barge will be scuppered at the boring location for the duration of each test. The estimated completion date is February 19, 2026. Skull Creek SB-5: 32.225644N / -080.782546W Skull Creek SB-6: 32.224283N / -080.781334W Mackays Creek SB-3: 32.230178N / -080.790522W |                                        |

Snapper Creek Marina

Federal Discrepancies Corrected

| NAME                       | LLNR  | STATUS            | AID TYPE | CORRECTION DATE |
|----------------------------|-------|-------------------|----------|-----------------|
| Safety Valve Bank Light 1A | 49530 | REBUILT/RECOVERED | FD       | 2026-07-16      |

Private Discrepancies

| NAME                             | LLNR  | STATUS        | AID TYPE |
|----------------------------------|-------|---------------|----------|
| Snapper Creek Marina Daybeacon 2 | 49515 | DAYMK MISSING | PA       |

Sonde De Vieques

Federal Discrepancies

| NAME              | LLNR  | STATUS      | AID TYPE |
|-------------------|-------|-------------|----------|
| Cayo Lobito Light | 31525 | STRUCT DEST | FD       |

Private Discrepancies

| NAME                           | LLNR  | STATUS             | AID TYPE |
|--------------------------------|-------|--------------------|----------|
| North St Thomas Lighted Buoy H | 31683 | LT EXT/OFF STATION | PA       |

South Altamaha River

Federal Discrepancies

| NAME                             | LLNR  | STATUS              | AID TYPE |
|----------------------------------|-------|---------------------|----------|
| South Altamaha River Daybeacon 4 | 36995 | STRUCT MISSING/TRUB | FD       |

South Amelia River

Federal Discrepancies

| NAME                        | LLNR  | STATUS | AID TYPE |
|-----------------------------|-------|--------|----------|
| South Amelia River Light 37 | 38110 | LT EXT | FD       |

South Channel

Federal Discrepancies

| NAME                                 | LLNR | STATUS           | AID TYPE |
|--------------------------------------|------|------------------|----------|
| South Channel Daybeacon 5 (Savannah) | 4660 | STRUCT DEST/TRUB | FD       |

South Edisto River

Federal Discrepancies

| NAME                             | LLNR    | STATUS      | AID TYPE |
|----------------------------------|---------|-------------|----------|
| South Edisto River Daybeacon 152 | 35090   | STRUCT DMGD | FD       |
| South Edisto River Daybeacon 156 | 35105   | DBD DMGD    | FD       |
| Fenwick Cut Daybeacon 162A       | 35140.5 | STRUCT DMGD | FD       |

South Gandy Channel

Additional MSI Categories

| TITLE                                              | SUBCATEGORY | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | LOCATION                               |
|----------------------------------------------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| South Gandy Channel/General/Bridges/Rehabilitation | Bridges     | General/Bridges From: 2025-11-14 To: 2026-11-01 Location: 27.88515, -82.56113 Bridge Name: Gandy Eastbound Bridge The Florida Department of Transportation is repairing the Gandy Eastbound Boulevard (US 92) bridge. The contractor, Structural Technologies, will have work boats and barges in the vicinity of the bridge. The main navigation channel will remain open and unobstructed to navigation. All mariners are advised to use caution when transiting the area. | Lat: 27° 53' 07"<br>Lon: -082° 33' 40" |

South Newport River

Federal Discrepancies

| NAME                              | LLNR  | STATUS                   | AID TYPE |
|-----------------------------------|-------|--------------------------|----------|
| South Newport River Daybeacon 136 | 36625 | HAZ NAV/STRUCT DEST/TRUB | FD       |

Southwest Channel

Federal Discrepancies

| NAME | LLNR | STATUS | AID TYPE |
|------|------|--------|----------|
|      |      |        |          |

St Andrew Sound

Federal Discrepancies

| NAME                            | LLNR  | STATUS                                       | AID TYPE |
|---------------------------------|-------|----------------------------------------------|----------|
| St Andrew Sound Buoy 29A        | 37375 | MISSING                                      | FD       |
| St Andrew Sound Lighted Buoy 30 | 37380 | BUOY DMGD/HAZ NAV/LT EXT/SINKING/OFF STATION | FD       |
| St Andrew Sound Lighted Buoy 32 | 37385 | OFF STA                                      | FD       |
| St Andrew Sound Lighted Buoy 31 | 37383 | STRUCT DMGD/MISSING                          | FD       |

St Augustine Inlet

Federal Discrepancies

| NAME                       | LLNR | STATUS      | AID TYPE |
|----------------------------|------|-------------|----------|
| St Augustine Inlet Buoy 2  | 9480 | MISSING     | FD       |
| St Augustine Inlet Buoy 3  | 9485 | MISSING     | FD       |
| St Augustine Inlet Buoy 10 | 9510 | OFF STA     | FD       |
| St Augustine Inlet Buoy 8  | 9505 | OFF STATION | FD       |

St Catherines Sound

Federal Discrepancies

| NAME                               | LLNR | STATUS  | AID TYPE |
|------------------------------------|------|---------|----------|
| St Catherines Sound Lighted Buoy 2 | 5795 | MISSING | FD       |
| St Catherines Sound Buoy 1         | 5800 | MISSING | FD       |
| St Catherines Sound Buoy 3         | 5805 | MISSING | FD       |
| St Catherines Sound Lighted Buoy 5 | 5810 | MISSING | FD       |

St Helena Sound

Federal Discrepancies

| NAME                            | LLNR | STATUS  | AID TYPE |
|---------------------------------|------|---------|----------|
| St Helena Sound Entrance Buoy 4 | 3965 | MISSING | FD       |
| Egg Bank Buoy 4                 | 4010 | MISSING | FD       |

Private Discrepancies

| NAME                        | LLNR | STATUS             | AID TYPE |
|-----------------------------|------|--------------------|----------|
| Fripp Island Lighted Buoy E | 297  | OFF STATION        | PA       |
| Hunting Island Pier Light   | 4070 | STRUCT DEST/LT EXT | PA       |

St Johns River

Federal Discrepancies

| NAME                             | LLNR | STATUS                   | AID TYPE |
|----------------------------------|------|--------------------------|----------|
| Pilot Town Cut Range Front Light | 7200 | NIGHT LT BURNING DAY     | FD       |
| Mayport Cut Range Rear Light     | 7220 | REDUCED INT              | FD       |
| St Johns Bluff Light S           | 7335 | STRUCT DEST/TRLB         | FD       |
| Trapac Turning Basin Buoy C      | 7463 | SINKING                  | FD       |
| Winter Point Daybeacon           | 7670 | STRUCT DEST/TRUB         | FD       |
| Winter Point Light 1             | 7675 | STRUCT DEST/TRLB         | FD       |
| Winter Point Light 2             | 7680 | STRUCT DEST/TRLB         | FD       |
| Ortega River Shoal Daybeacon     | 7685 | STRUCT DEST/TRUB         | FD       |
| Beauclerc Bluff Light 9          | 7770 | STRUCT DEST              | FD       |
| Red Bay Point Light 22           | 7895 | STRUCT DEST/TRLB         | FD       |
| Tocoi Cut Entrance Light 33      | 7935 | HAZ NAV/STRUCT DMGD/TRLB | FD       |
| Forrester Point Light 42B        | 8135 | DAYMK MISSING            | FD       |
| Upper Palatka Light 1            | 8195 | LT EXT                   | FD       |
| Upper Palatka Light 2            | 8200 | LT EXT                   | FD       |
| Upper Palatka Daybeacon 3        | 8205 | STRUCT MISSING/TRUB      | FD       |
| Rivercrest Light 10              | 8235 | LT EXT                   | FD       |
| Nashua Daybeacon 42A             | 8390 | STRUCT DEST/TRUB         | FD       |
| Stephens Point Daybeacon 46      | 8415 | STRUCT DEST/TRUB         | FD       |

|                                    |      |                          |    |
|------------------------------------|------|--------------------------|----|
| Adams Lake Daybeacon 23            | 8910 | STRUCT DEST/HAZ NAV/TRLB | FD |
| Mothers Arms Daybeacon 4           | 9425 | STRUCT DEST/TRUB         | FD |
| St Johns Bar Cut Range Front Light | 7115 | LT EXT                   | FD |
| Turkey Island Light 43             | 8395 | DBD DEST                 | FD |
| Stephens Point Light 45            | 8405 | STRUCT DEST              | FD |

Private Discrepancies

| NAME                         | LLNR              | STATUS  | AID TYPE |
|------------------------------|-------------------|---------|----------|
| Goodbys Creek Channel Buoy 4 | 7765.3            | OFF STA | PA       |
| Ortega River Lighted Buoy 2  | 7696              | MISSING | PA       |
| Ortega River Lighted Buoy 13 | 7697              | MISSING | PA       |
| Goodbys Creek Channel Buoy 5 | 7765.400000000001 | OFF STA | PA       |

Temporary Changes

| NAME                           | LLNR | STATUS                 | AID TYPE |
|--------------------------------|------|------------------------|----------|
| St Johns River Lighted Buoy 11 | 7195 | RELOCATED FOR DREDGING | FD       |

Additional MSI Categories

| TITLE                                                                                                                                                                     | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | LOCATION                               |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Sector Jacksonville, Submerged Land Act (SLA) - St Johns River/ATON/Advanced Notice of Change                                                                             | Advanced Notice of Change               | St. Johns Bluff LB 30 (LLNR 7329) will be permanently relocated to 30-23-32.020N/081-29-29.730W. This change calls to relocate (6) lighted buoys in the White Shells, St. Johns Bluff, Fulton Cutoff, and Blount Island Turning Basin channels of the St. Johns River. These relocations are needed as a result of channel deepening and widening, as part of the JaxPort expansion project. The position changes will allow safe navigation for vessels transiting the St. Johns River. The following aids to navigation are being proposed to be relocated to facilitate this change. All positions listed are approximate. Permanent positions will be advertised when the work is completed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Lat: 30° 23' 32"<br>Lon: -081° 29' 30" |
| Sector Jacksonville, Submerged Land Act (SLA) - St Johns River/ATON/Advanced Notice of Change                                                                             | Advanced Notice of Change               | Training Wall RFL (LLNR 7295) will be relocated to approximate position: 30-23-48.120N/081-28-41.707W to align with the newly dredged channel. In addition, both Training Wall RFL and Training Wall RRL will be changed to a 24-hour optic. All day marks will be permanently discontinued.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Lat: 30° 23' 47"<br>Lon: -081° 28' 39" |
| Sector Jacksonville, Submerged Land Act (SLA) - St Johns River/ATON/Advanced Notice of Change                                                                             | Advanced Notice of Change               | Training Wall RRL (LLNR 7300) will be relocated to approximate position: 30-23-57.479N/081-28-54.848W to align with the newly dredged channel. In addition, both Training Wall RFL and Training Wall RRL will be changed to a 24-hour optic. All day marks will be permanently discontinued.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Lat: 30° 23' 58"<br>Lon: -081° 28' 55" |
| Sector Jacksonville, Submerged Land Act (SLA) - St Johns River/General/Bridges/Construction                                                                               | Bridges                                 | Sector Jacksonville, Submerged Land Act (SLA) - St Johns River/General/Bridges/Construction From: 2025-05-06T00:00:00.000Z To: 2026-06-01T23:59:59.000Z Location: 29.98428, -81.6189 Bridge Name: Shands Bridge Construction continues new high-level fixed bridge and will continue until an estimated completion date of September 1, 2030. The new bridge will consist of a vertical clearance of 65 feet and a 150-Ft. horizontal clearance at the navigation channel. Construction will require the use of material storage barges and barge-mounted cranes; all in-water equipment is required to be lighted at night. Work activities on the new bridge will include pier construction, girder erection, fender system installation, and overhead deck operations that could present a hazard to marine traffic. This phase will require periodic channel restrictions or short-term closures and is tentatively scheduled to take place in 2027. Short-term channel closures will also be required during the demolition of the existing structure tentatively scheduled to take place in 2029. Work barges and associated in-water equipment will be in the vicinity of the bridge. All mariners are advised to transit the area with caution.      | Lat: 29° 59' 03"<br>Lon: -081° 37' 08" |
| St Johns River/General/Bridges                                                                                                                                            | Bridges                                 | St Johns River/General/Bridges From: 2025-12-03 To: 2026-09-30 Location: 29.16746, -81.52311 Bridge Name: Astor Bridge The bridge will be undergoing a rehabilitation beginning January 5, 2026 through October 2026. Work hours will be daily, 8 a.m. to 5 p.m. Work boats will be in and around the channel, approximately one-half of the channel will be available for marine traffic to pass. Mariners are advised to transit the area with caution.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Lat: 29° 10' 03"<br>Lon: -081° 31' 23" |
| Sector Jacksonville, Submerged Land Act (SLA) - St Johns River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-01-21 35540 Location: 30-23-40.668N/081-30-25.344W Beginning on or about February 1, 2026, with an estimated completion date of August 30, 2027, Manson will be performing construction activities that could impact navigation including, but limited to: • Crane mounted spud barge mobilization • Deck/material barge mobilization and loading/unloading • Relocation of temporary lighterage docking structures • Construction of a new lighterage wharf • Construction of a new bulkhead (seawall) • Shoreline protection work This work is scheduled to occur at the unrestricted channel entrance at the Blount Island Marine Terminal on the St. Johns River. The crane barges, material barges, and support vessels in the area will be assisting construction operations from 7 a.m. to 7 p.m. 7 days a week. These activities pose a hazard to vessels traveling within 500 feet from Marine Corps Support Facility - Blount Island. Mariners should exercise caution when transiting the area. Please stay clear of the construction area and away from any working equipment. Crews will be monitoring VHF-FM channel 61. | Lat: 30° 23' 46"<br>Lon: -081° 30' 43" |
| Sector Jacksonville, Submerged Land Act (SLA) - St Johns River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-05-26 44433 Location: 30-19-07.068N/081-37-42.996W Branch Diversified for the dredging and Hal Jones for construction will be conducting initial dredging and then construction of mooring dolphins. Operations will be ongoing until approximately February 28, 2027, during day light hours Monday to Friday. Entire work area will be within turbidity barrier attached to piles to hold them in position.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Lat: 30° 19' 07"<br>Lon: -081° 37' 43" |

|                                                                                                                          |                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
|--------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Sector Jacksonville, Submerged Land Act (SLA) - St Johns River/General/Marine Construction (Excluding Bridges)/Dredging  | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-05-12 43572 Great Lakes Dredge and Dock Company, LLC will be dredging for the FY26 Jacksonville Harbor maintenance dredging project. Estimated project start date May 31, 2026, with an estimated completion date of August 16, 2026. Project work consists of maintenance dredging the Jacksonville Harbor channel with the Trailing Suction Hopper Dredge Padre Island. Work to be performed consists of maintenance dredging portions of Bar Cut-3 through Cut-17 with disposal of material into the Ocean Dredge Material Disposal Site (ODMDS) Zone C1 and maintenance dredging portions of Cut-55 through the Lower Terminal Channel (LTC) with disposal of material into Bartram Island Dredge Material Management Area (DMMA) Cell F. Approximately 340 feet of subline on pontoon tanks and float hose will be utilized for disposal in the Bartram Island Dredge Material Management Area Cell F. A spud barge will also be anchored off in this location (approximate coordinates below). All equipment will be lighted as per USCG requirements. Dredging Locations: Base Dredging (Centerline Coordinates) 30-23-22.8313N / 081-28-06.1896W 30-23-00.5389N / 081-27-34.8890W 30-22-53.1663N / 081-27-14.7951W 30-22-51.7378N / 081-27-09.4080W 30-22-50.9085N / 081-27-02.7334W 30-22-51.4059N / 081-26-54.2071W 30-23-01.2354N / 081-26-29.4729W 30-23-21.8009N / 081-26-09.2672W 30-23-45.0736N / 081-25-58.9144W 30-24-03.2149N / 081-25-39.9706W 30-24-08.6656N / 081-25-25.7923W 30-24-10.9524N / 081-25-08.4181W 30-23-58.8435N / 081-23-09.3296W Option Dredging (Centerline Coordinates) 30-20-45.3435N / 081-37-13.7692W 30-21-48.7627N / 081-37-01.2716W 30-22-09.1706N / 081-37-30.5299W Disposal Locations: ODMDS Zone C1 30-20-21.0016N / 081-17-59.3152W 30-20-21.0062N / 081-17-31.0248W 30-19-10.3157N / 081-17-59.3053W 30-19-10.3203N / 081-17-31.0206W Pump-Off Location - Bartram Island Cell F (Approximate) 30-22-54.4359N / 081-33-16.1997W 30-22-52.9081N / 081-32-58.6148W 30-22-49.7482N / 081-33-00.1075W 30-22-45.0987N / 081-32-57.4276W 30-22-42.6701N / 081-33-11.4548W Subline Location 30-22-59.9602N / 081-33-15.7946W 30-22-56.6154N / 081-33-16.2238W Proposed Spud Barge Location 30-23-00.0446N / 081-33-13.9827W 30-23-00.1562N / 081-33-11.5886W 30-22-59.6422N / 081-33-11.5567W 30-22-59.5306N / 081-33-13.9508W Dredging and disposal operations are often done at slow speeds with limited maneuverability. Mariners are urged to use extreme caution in the area of the dredge. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. There will be a small survey vessel conducting surveys operations daily and will be crossing perpendicular to channel. Please pass survey vessels stern and provide a slow bell. |  |
| Sector Jacksonville, Submerged Land Act (SLA) - St Johns River/General/Marine Construction (Excluding Bridges)/Dredging  | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-07-11 48629 Location: 30-21-37.296N/081-18-37.728W 30-21-36.288N/081-17-35.916W 30-20-14.748N/081-17-37.212W 30-20-16.044N/081-18-38.916W 30-21-37.296N/081-18-37.728W Starting approximately July 20, 2026 and continuing until approximately July 30, 2026, Weeks Marine hopper dredge "R.B. Weeks" will be operating in the St. Johns River Entrance Channel, FL, between V-AIS "2" (LLNR 7124) and G-LT "7" (LLNR 7145) and in the Mayport Entrance Channel, FL between G-LT "7" (LLNR 7145) and G-LT "1" (LLNR 7170). The dredged material will be released into an Ocean Dredged Material Disposal Site (ODMDS)- Zone A, bound by the following approximate positions: 30-21-37.29N, 81-18-37.74W 30-21-36.29N, 81-17-35.93W 30-20-14.76N, 81-17-37.21W 30-20-16.06N, 81-18-38.93W Once underway, operations will continue on a twenty-four (24) hours per day, seven days per week basis. Vessels, barges, and equipment will have all required Coast Guard lighting for night operations. On-scene vessels will monitor marine VHF-FM channels 13, 16 and 72. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |
| Sector Jacksonville, Submerged Land Act (SLA) - St Johns River/General/Marine Construction (Excluding Bridges)/Dredging  | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-07-11 48629 Location: 30-21-37.296N/081-18-37.728W 30-21-36.288N/081-17-35.916W 30-20-14.748N/081-17-37.212W 30-20-16.044N/081-18-38.916W 30-21-37.296N/081-18-37.728W Starting approximately July 20, 2026 and continuing until approximately July 30, 2026, Weeks Marine hopper dredge "R.B. Weeks" will be operating in the St. Johns River Entrance Channel, FL, between V-AIS "2" (LLNR 7124) and G-LT "7" (LLNR 7145) and in the Mayport Entrance Channel, FL between G-LT "7" (LLNR 7145) and G-LT "1" (LLNR 7170). The dredged material will be released into an Ocean Dredged Material Disposal Site (ODMDS)- Zone A, bound by the following approximate positions: 30-21-37.29N, 81-18-37.74W 30-21-36.29N, 81-17-35.93W 30-20-14.76N, 81-17-37.21W 30-20-16.06N, 81-18-38.93W Once underway, operations will continue on a twenty-four (24) hours per day, seven days per week basis. Vessels, barges, and equipment will have all required Coast Guard lighting for night operations. On-scene vessels will monitor marine VHF-FM channels 13, 16 and 72. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |
| Sector Jacksonville, Submerged Land Act (SLA) - St Johns River/General/Naval Activity/Naval Testing (Surface/Underwater) | Naval Activity                          | General/Naval Activity/Naval Testing (Surface/Underwater) From: 2026-05-14 43708 US Navy watercraft will be operating from the SE of Blount Island transiting the St Johns River to Naval Station Mayport from May 18 to May 19, 2026 daily between 7 a.m. until 6 p.m. Water craft will monitor VHF-FM channels 13, 16, 72 and 74.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |

St Joseph Sound

Federal Discrepancies

| NAME                         | LLNR  | STATUS                   | AID TYPE |
|------------------------------|-------|--------------------------|----------|
| St Joseph Sound Daybeacon 1  | 61850 | STRUCT MISSING           | FD       |
| St Joseph Sound Daybeacon 9  | 61885 | STRUCT DEST/TRUB         | FD       |
| St Joseph Sound Daybeacon 15 | 61970 | STRUCT DEST/TRUB         | FD       |
| St Joseph Sound Daybeacon 21 | 62035 | STRUCT DEST/TRUB         | FD       |
| St Joseph Sound Daybeacon 38 | 62275 | STRUCT DEST/HAZ NAV/TRLB | FD       |
| St Joseph Sound Light 39     | 62280 | STRUCT DEST/TRLB/HAZ NAV | FD       |
| St Joseph Sound Daybeacon 40 | 62285 | STRUCT DEST/HAZ NAV/TRLB | FD       |

Private Discrepancies

| NAME                                            | LLNR  | STATUS        | AID TYPE |
|-------------------------------------------------|-------|---------------|----------|
| Safety Harbor Marina Light 2                    | 24375 | DAYMK MISSING | PA       |
| Safety Harbor Marina Daybeacon 3                | 24380 | DAYMK DMGD    | PA       |
| Safety Harbor Marina Daybeacon 4                | 24385 | DAYMK MISSING | PA       |
| Honeymoon Island Ferry Dock Channel Daybeacon 2 | 26035 | STRUCT DEST   | PA       |
| Caladesi Island Channel Daybeacon 7             | 61935 | DAYMK MISSING | PA       |
| Caladesi Island Channel Daybeacon 7             | 61935 | DAYMK DMGD    | PA       |
| Caladesi Island Channel Daybeacon 8             | 61940 | DAYMK DMGD    | PA       |

Additional MSI Categories

| TITLE                                                                                                                                          | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | LOCATION                            |
|------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| St Joseph Sound/General/Bridges                                                                                                                | Bridges                                 | St Joseph Sound/General/Bridges From: 2026-06-04 To: 2026-12-28 Location: 28.05115, -82.79542 Bridge Name: Dunedin Causeway Bridge From 7 a.m. on Wednesday, July 1, 2026, through 11:59 on Sunday, December 27, 2026, the Dunedin Causeway Bridge will provide single-leaf only openings on signal. A full opening will not be able to be provided due to necessary repairs. The horizontal clearance will be reduced to 45ft through the operational bascule leaf. When the bridge is in the down/closed position, the vertical clearance will be reduced to 18ft beneath the inoperable bascule leaf. The operational bascule leaf will provide 24ft of vertical clearance in the down/closed position. Mariners are advised to transit the area with caution.                                         | Lat: 28° 03' 04" Lon: -082° 47' 44" |
| St Joseph Sound/General/Bridges                                                                                                                | Bridges                                 | St Joseph Sound/General/Bridges From: 2026-06-04 To: 2027-02-01 Location: 28.05115, -82.79542 Bridge Name: Dunedin Causeway Bridge The Dunedin Causeway Bridge is scheduled to undergo necessary maintenance. The project start date is July 1, 2026 and will end on or around January 31, 2027. The scope of the project includes removing and replacing existing steel coatings on the bridge and the removal and replacement of damages steel structure. The bridge is authorized to provide single-leaf only openings on signal, which will provide 45ft of horizontal clearance. A containment system will be installed across one-half of the navigation channel reducing the vertical clearance by 6ft beneath the inoperable bascule span. Mariners are advised to transit the area with caution. | Lat: 28° 03' 04" Lon: -082° 47' 44" |
| Clearwater Harbor - St Joseph Sound/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2026-04-16 41393 On-Point Contracting Company will be conducting pier demo and rebuild back new in approximate position 28-00-46.5N / 82-47-37.9W for the Dunedin Marina Fishing Pier. Operations will be conducting Monday – Friday 7:30 a.m. to 5:30 p.m. starting during June 2026, with an estimated completion date of November 2026.                                                                                                                                                                                                                                                                                                                                               |                                     |

St Lucie Canal

Federal Discrepancies

| NAME                         | LLNR  | STATUS                   | AID TYPE |
|------------------------------|-------|--------------------------|----------|
| St Lucie Canal Daybeacon 38  | 51120 | STRUCT DEST/TRUB         | FD       |
| St Lucie Canal Daybeacon 40A | 51140 | STRUCT DEST/TRUB         | FD       |
| St Lucie Canal Daybeacon 52  | 51180 | HAZ NAV/STRUCT DEST/TRLB | FD       |

St Lucie Inlet

Federal Discrepancies

| NAME                        | LLNR  | STATUS                   | AID TYPE |
|-----------------------------|-------|--------------------------|----------|
| St Lucie Inlet Light 3      | 10000 | STRUCT MISSING/TRLB      | FD       |
| St Lucie Inlet Light 4      | 10003 | STRUCT MISSING           | FD       |
| St Lucie Inlet Daybeacon 16 | 10165 | HAZ NAV/STRUCT DEST/TRLB | FD       |

Private Discrepancies

| NAME                              | LLNR  | STATUS      | AID TYPE |
|-----------------------------------|-------|-------------|----------|
| Southern Port Salerno Daybeacon 2 | 10177 | STRUCT DEST | PA       |

Temporary Changes

| NAME                          | LLNR  | STATUS                    | AID TYPE |
|-------------------------------|-------|---------------------------|----------|
| St Lucie Inlet Lighted Buoy 8 | 10140 | DISCONTINUED FOR DREDGING | FD       |

St Lucie River

Federal Discrepancies

| NAME                         | LLNR    | STATUS                   | AID TYPE |
|------------------------------|---------|--------------------------|----------|
| St Lucie River Daybeacon 5   | 50675   | STRUCT DEST/TRUB         | FD       |
| St Lucie River Light 13      | 50730   | STRUCT DMGD/TRLB         | FD       |
| St Lucie River Light 19      | 50755   | STRUCT DEST/HAZ NAV/TRLB | FD       |
| St Lucie River Daybeacon 22A | 50780   | STRUCT DEST/TRUB         | FD       |
| St Lucie River Light 23A     | 50835   | STRUCT DEST/HAZ NAV/TRLB | FD       |
| St Lucie River Daybeacon 12A | 50725.5 | STRUCT DEST/TRUB         | FD       |

Federal Discrepancies Corrected

| NAME                    | LLNR  | STATUS    | AID TYPE | CORRECTION DATE |
|-------------------------|-------|-----------|----------|-----------------|
| St Lucie River Light 21 | 50770 | RELIGHTED | FD       | 2026-07-14      |

Private Discrepancies

| NAME                                               | LLNR               | STATUS              | AID TYPE |
|----------------------------------------------------|--------------------|---------------------|----------|
| Rocky Point Access Channel Daybeacon 1             | 50641              | STRUCT DEST         | PA       |
| Manatee Pocket Channel Daybeacon 2                 | 50677.1            | STRUCT DEST         | PA       |
| Manatee Pocket Channel Daybeacon 10                | 50677.5            | STRUCT DEST         | PA       |
| Manatee Pocket Channel Daybeacon 4                 | 50678              | STRUCT DEST/HAZ NAV | PA       |
| Manatee Pocket Channel North Extension Daybeacon 5 | 50678.200000000004 | STRUCT DEST         | PA       |

Temporary Changes

| NAME                                  | LLNR | STATUS      | AID TYPE |
|---------------------------------------|------|-------------|----------|
| St Lucie River Danger Shoal Daybeacon | null | ESTABLISHED | FD       |

St Lucie River North Fork

Private Discrepancies

| NAME                                      | LLNR  | STATUS              | AID TYPE |
|-------------------------------------------|-------|---------------------|----------|
| Seagate Harbor Daybeacon 1                | 50861 | STRUCT DEST/HAZ NAV | PA       |
| St. Lucie River (North Fork) Daybeacon 11 | 50905 | STRUCT DEST         | PA       |
| St. Lucie River (North Fork) Daybeacon 31 | 50975 | STRUCT DEST         | PA       |

Additional MSI Categories

| TITLE                                                                     | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | LOCATION                               |
|---------------------------------------------------------------------------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| St Lucie River - St Lucie River North Fork/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change 22880 Location: 27.20914° N / 80.26947° W Aid Name: St Lucie River (North Fork) Daybeacon 5 LLNR: 50855 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard has approved the following change in the St. Lucie River. St. Lucie River N. Fork DBN 5 (LLNR 50855) will be changed to St. Lucie River N. Fork LT 5, using the same LLNR. This aid is currently located near a bend on the St Lucie River (North Fork) and unlighted. Given the turn for the channel it is best to install a light on the aid to provide a better signal during nighttime hours. There are currently no lighted aids in the immediate area. Lighting this aid would keep the maritime community safer and assist with navigation while transiting the river. | Lat: 27° 12' 33"<br>Lon: -080° 16' 10" |

St Lucie River South Fork

Federal Discrepancies

| NAME                                     | LLNR  | STATUS           | AID TYPE |
|------------------------------------------|-------|------------------|----------|
| St Lucie River (South Fork) Daybeacon 24 | 51000 | STRUCT DEST/TRUB | FD       |

St Marys Entrance

Federal Discrepancies

| NAME                               | LLNR | STATUS              | AID TYPE |
|------------------------------------|------|---------------------|----------|
| St Marys South Jetty Buoy B        | 6615 | MISSING             | FD       |
| St Marys North Jetty Buoy C        | 6620 | MISSING             | FD       |
| St Marys South Jetty Buoy D        | 6625 | MISSING             | FD       |
| St Marys Daybeacon N               | 6680 | STRUCT DEST/HAZ NAV | FD       |
| St Marys Entrance Range Rear Light | 6530 | LT EXT              | FD       |

Temporary Changes

| NAME                              | LLNR | STATUS                 | AID TYPE |
|-----------------------------------|------|------------------------|----------|
| St Marys Entrance Lighted Buoy 7  | 6555 | RELOCATED FOR DREDGING | FD       |
| St Marys Entrance Lighted Buoy 8  | 6560 | RELOCATED FOR DREDGING | FD       |
| St Marys Entrance Lighted Buoy 9  | 6565 | RELOCATED FOR DREDGING | FD       |
| St Marys Entrance Lighted Buoy 10 | 6570 | RELOCATED FOR DREDGING | FD       |
| St Marys Entrance Lighted Buoy 11 | 6575 | RELOCATED FOR DREDGING | FD       |
| St Marys Entrance Lighted Buoy 12 | 6580 | RELOCATED FOR DREDGING | FD       |
| St Marys Entrance Lighted Buoy 13 | 6585 | RELOCATED FOR DREDGING | FD       |
| St Marys Entrance Lighted Buoy 14 | 6590 | RELOCATED FOR DREDGING | FD       |
| St Marys Entrance Lighted Buoy 15 | 6595 | RELOCATED FOR DREDGING | FD       |
| St Marys Entrance Lighted Buoy 16 | 6600 | RELOCATED FOR DREDGING | FD       |
| St Marys Entrance Lighted Buoy 17 | 6605 | RELOCATED FOR DREDGING | FD       |
| St Marys Entrance Lighted Buoy 18 | 6630 | RELOCATED FOR DREDGING | FD       |
| St Marys Entrance Lighted Buoy 19 | 6635 | RELOCATED FOR DREDGING | FD       |
| St Marys Entrance Lighted Buoy 20 | 6650 | RELOCATED FOR DREDGING | FD       |
| St Marys Entrance Lighted Buoy 21 | 6655 | RELOCATED FOR DREDGING | FD       |

St Marys River

Federal Discrepancies

| NAME                        | LLNR | STATUS           | AID TYPE |
|-----------------------------|------|------------------|----------|
| St Marys River Daybeacon 8  | 6810 | STRUCT DEST/TRUB | FD       |
| St Marys River Daybeacon 12 | 6820 | STRUCT DEST/TRUB | FD       |

St Petersburg Channel

Private Discrepancies

| NAME                         | LLNR                | STATUS              | AID TYPE |
|------------------------------|---------------------|---------------------|----------|
| Snell Isle Daybeacon 4       | 25020.2             | STRUCT DEST/HAZ NAV | PA       |
| Snell Isle Daybeacon 5       | 25020.3             | STRUCT DEST         | PA       |
| Snell Isle Daybeacon 10      | 25020.6000000000002 | STRUCT DEST         | PA       |
| Coffee Pot Bayou Daybeacon 3 | 25021.2             | STRUCT DEST         | PA       |
| Coffee Pot Bayou Daybeacon 4 | 25021.3             | STRUCT DEST         | PA       |

St Petersburg Yacht Basin

Private Discrepancies

| NAME                                | LLNR                | STATUS  | AID TYPE |
|-------------------------------------|---------------------|---------|----------|
| St. Petersburg Mooring Field Buoy B | 25009.1000000000002 | MISSING | PA       |
| St. Petersburg Mooring Field Buoy C | 25009.2             | MISSING | PA       |

St Simons Sound

Federal Discrepancies

| NAME                                     | LLNR | STATUS      | AID TYPE |
|------------------------------------------|------|-------------|----------|
| St Simons Sound Entrance Lighted Buoy 9  | 6075 | LT EXT      | FD       |
| Plantation Creek Range Rear Light        | 6135 | STRUCT DEST | FD       |
| Cedar Hammock Range Rear Light           | 6200 | LT EXT      | FD       |
| Cedar Hammock Outbound Range Front Light | 6205 | STRUCT DEST | FD       |

Temporary Changes

| NAME                                     | LLNR | STATUS                 | AID TYPE |
|------------------------------------------|------|------------------------|----------|
| St Simons Sound Entrance Lighted Buoy 4  | 6050 | RELOCATED FOR DREDGING | FD       |
| St Simons Sound Entrance Lighted Buoy 5  | 6055 | RELOCATED FOR DREDGING | FD       |
| St Simons Sound Entrance Lighted Buoy 6  | 6060 | RELOCATED FOR DREDGING | FD       |
| St Simons Sound Entrance Lighted Buoy 7  | 6065 | RELOCATED FOR DREDGING | FD       |
| St Simons Sound Entrance Lighted Buoy 8  | 6070 | RELOCATED FOR DREDGING | FD       |
| St Simons Sound Entrance Lighted Buoy 9  | 6075 | RELOCATED FOR DREDGING | FD       |
| St Simons Sound Entrance Lighted Buoy 10 | 6080 | RELOCATED FOR DREDGING | FD       |
| St Simons Sound Entrance Lighted Buoy 12 | 6090 | RELOCATED FOR DREDGING | FD       |
| St Simons Sound Lighted Buoy 24          | 6215 | RELOCATED FOR DREDGING | FD       |

Additional MSI Categories

| TITLE                                                                                                                  | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | LOCATION |
|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Sector Charleston, Submerged Land Act (SLA) - St Simons Sound/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-03-04 38369 Great Lakes Dredge & Dock Company will be commencing operations for the Brunswick Entrance Channel Widener Maintenance Dredging Project March of 2026. This project consists of 2.3M CY of maintenance dredging with disposal in the Brunswick Harbor ODMDS. Operations are expected to be completed on October 31, 2026. Equipment being used: TSHD PADRE ISLAND and AMELIA ISLAND; Mechanical Dredges GL 54 and GL 58; Dump Scows GL 701 and 702. Vessels will be monitoring VHF-FM channels 13 and 16. |          |

St Simons Sound Fernandina Beach

Federal Discrepancies

| NAME                            | LLNR  | STATUS | AID TYPE |
|---------------------------------|-------|--------|----------|
| St Simons Sound Lighted Buoy 22 | 37260 | LT EXT | FD       |

Steinhatchee River

Federal Discrepancies

| NAME                            | LLNR    | STATUS                      | AID TYPE |
|---------------------------------|---------|-----------------------------|----------|
| Steinhatchee River Light 9      | 30480   | STRUCT DEST/TRLB/HAZ NAV    | FD       |
| Steinhatchee River Daybeacon 14 | 30490.5 | STRUCT DEST/TRUB            | FD       |
| Steinhatchee River Daybeacon 34 | 30570   | STRUCT MISSING/HAZ NAV/TRLB | FD       |
| Steinhatchee River Daybeacon 48 | 30580.9 | STRUCT DEST/TRUB            | FD       |
| Steinhatchee River Daybeacon 23 | 30530   | STRUCT DEST/TRLB            | FD       |

**Stono River**

**Federal Discrepancies Corrected**

| NAME                     | LLNR  | STATUS            | AID TYPE | CORRECTION DATE |
|--------------------------|-------|-------------------|----------|-----------------|
| Stono River Daybeacon 36 | 34720 | REBUILT/RECOVERED | FD       | 2026-07-14      |

**Stranahan River**

**Additional MSI Categories**

| TITLE                           | SUBCATEGORY | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | LOCATION                            |
|---------------------------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Stranahan River/General/Bridges | Bridges     | Stranahan River/General/Bridges From: 2025-12-04 To: 2027-02-06 Location: 26.11977, -80.10904 Bridge Name: East Las Olas Boulevard Bridge UPDATE 6/18/2026 The bridge will undergo a rehabilitation beginning 5/4/2026 and end on or around 10/2027. There will be in-water construction equipment, which will be lighted in accordance with Inland Nav Rules. Work will take place around the clock. Beginning July 13, 2026, through November 13, 2026, the vertical clearance will be reduced by to 2 feet due to the installation of a containment system A temporary deviation to drawbridge operations has been authorized: East Las Olas Bridge will operate as follows: - From 8 a.m. on May 18, 2026, through 10 p.m. on November 13, 2026, the drawbridge shall open on the quarter-hour and three-quarter hour providing a single-leaf opening. A full opening will be provided on the quarter-hour and three-quarter hour with a 2-hour advanced notice to the bridge tender. - From July 13, 2026, through November 13, 2026, navigation channel will be partially obstructed between the hours of 10 p.m. to 8 a.m. Mariners are advised to transit the are with caution. | Lat: 26° 07' 11" Lon: -080° 06' 33" |

**Sunset Harbour Channel**

**Federal Discrepancies**

| NAME                         | LLNR  | STATUS           | AID TYPE |
|------------------------------|-------|------------------|----------|
| Flagler Monument Daybeacon 2 | 48145 | STRUCT DEST/TRUB | FD       |

**Private Discrepancies**

| NAME                               | LLNR  | STATUS   | AID TYPE |
|------------------------------------|-------|----------|----------|
| Sunset Harbour Channel Daybeacon 4 | 48095 | DBD DMGD | PA       |
| Sunset Harbour Channel Light 8     | 48110 | LT EXT   | PA       |

**Sunshine Skyway Channel**

**Federal Discrepancies**

| NAME                                 | LLNR  | STATUS              | AID TYPE |
|--------------------------------------|-------|---------------------|----------|
| Sunshine Skyway Channel Daybeacon 20 | 60405 | STRUCT DEST/HAZ NAV | FD       |

**Suwannee Sound South Entrance**

**Federal Discrepancies**

| NAME                                       | LLNR  | STATUS         | AID TYPE |
|--------------------------------------------|-------|----------------|----------|
| Suwannee Sound South Entrance Daybeacon 2  | 30015 | STRUCT MISSING | FD       |
| Suwannee Sound South Entrance Daybeacon 7  | 30030 | STRUCT MISSING | FD       |
| Suwannee Sound South Entrance Daybeacon 11 | 30040 | STRUCT MISSING | FD       |
| Suwannee Sound South Entrance Daybeacon 15 | 30050 | STRUCT MISSING | FD       |

**Tamp Bay Cut C Channel**

**Federal Discrepancies**

| NAME                                               | LLNR  | STATUS             | AID TYPE |
|----------------------------------------------------|-------|--------------------|----------|
| Tampa Bay Cut C Channel Outbound Range Front Light | 22580 | TRLT/REDUCED INT   | FD       |
| Tampa Bay Cut C Channel Inbound Range Rear Light   | 22605 | STRUCT DMGD/LT EXT | FD       |
| Tampa Bay Cut C Channel Outbound Range Rear Light  | 22585 | LT EXT             | FD       |

**Tampa Bay.**

**Private Discrepancies**

| NAME                               | LLNR    | STATUS                | AID TYPE |
|------------------------------------|---------|-----------------------|----------|
| Cockroach Bay Channel Daybeacon 2  | 22635   | HAZ NAV/DAYMK MISSING | PA       |
| Cockroach Bay Channel Daybeacon 8  | 22665   | DAYMK MISSING         | PA       |
| Cockroach Bay Channel Daybeacon 11 | 22680   | DAYMK MISSING         | PA       |
| Cockroach Bay Channel Daybeacon 15 | 22696   | STRUCT DEST           | PA       |
| Little Harbor Channel Daybeacon 7  | 24515   | STRUCT DEST           | PA       |
| Little Harbor Marina Daybeacon 6   | 24585   | HAZ NAV/DAYMK MISSING | PA       |
| Simmons Park Channel Daybeacon 3   | 24606.2 | HAZ NAV/DAYMK MISSING | PA       |

|                                   |         |                     |    |
|-----------------------------------|---------|---------------------|----|
| Simmons Park Channel Daybeacon 4  | 24606.3 | STRUCT DEST/HAZ NAV | PA |
| Apollo Beach Daybeacon 4          | 24625   | DAYMK DMGD          | PA |
| Apollo Beach Daybeacon 9          | 24643   | STRUCT DEST         | PA |
| Little Harbor Channel Daybeacon 4 | 24505   | STRUCT DEST         | PA |
| Little Harbor Marina Daybeacon 3  | 24570   | STRUCT DEST         | PA |
| Simmons Park Channel Daybeacon 13 | 24607.2 | STRUCT DEST         | PA |
| Harbor Channel Daybeacon 3        | 24663.2 | STRUCT DEST         | PA |

Additional MSI Categories

| TITLE                                                                                             | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | LOCATION |
|---------------------------------------------------------------------------------------------------|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Paradise Bay Estates Channel - Tampa Bay/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-04-14 41058 Location: 27-46-43.248N/082-31-00.624W 27-44-44.844N/082-31-07.284W 27-41-01.644N/082-33-09.396W 27-37-32.988N/082-36-51.876W 27-36-07.776N/082-39-47.880W 27-37-02.532N/082-40-30.432W 27-38-30.264N/082-37-51.492W 27-41-28.176N/082-35-07.584W 27-46-42.600N/082-31-35.472W 27-46-43.248N/082-31-00.624W On or about March 31, 2026, Cashman Dredging and Marine Contracting Company, LLC will be moving dredging operations from the northern channels of Hillsborough Bay in Tampa Bay to the Tampa Bay Channel Cuts A through E. Dredging operations will be conducted within the Federal Navigation Channel encompassing Tampa Bay Cuts A through E. The project will involve the Trailing Suction Hopper Dredge "Mighty Quinn" removing shoaled material from the Federal Channel and will then transit to our mooring barge to pump the material onto DMPF-2D Island. The mooring barge will be positioned on the north side of DMPF-2D Island, about 3,200 feet east of the Federal Channel. The dredge will be supported by the survey vessel "Survey 7", tug "John Joseph", tug "Michael Daigle" and "Dana 55" bedleveling barge. All vessels will monitor VHF channels 16,13,12, and use 74 as the working channel. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. The dredge will operate 7 days a week, 24 hours a day. The work is scheduled to be completed on or about May 17, 2026. |          |

Tampa Bay Cut B Channel

Federal Discrepancies

| NAME                                             | LLNR  | STATUS      | AID TYPE |
|--------------------------------------------------|-------|-------------|----------|
| Tampa Bay Cut B Channel Inbound Range Rear Light | 22485 | REDUCED INT | FD       |

Tampa Bay Cut D Channel

Federal Discrepancies

| NAME                                                      | LLNR               | STATUS      | AID TYPE |
|-----------------------------------------------------------|--------------------|-------------|----------|
| Tampa Bay Cut D Channel Outbound Range Rear Passing Light | 22715.100000000002 | STRUCT DEST | FD       |

Tampa Bay Cut E Channel

Federal Discrepancies

| NAME                                                           | LLNR    | STATUS                          | AID TYPE |
|----------------------------------------------------------------|---------|---------------------------------|----------|
| Tampa Bay Cut E Channel Inbound Range Rear Light               | 22765   | STRUCT DEST/HAZ NAV/TRLB/LT EXT | FD       |
| Tampa Bay Cut E Channel Inbound Range Rear Light Passing Light | 22765.5 | STRUCT DEST                     | FD       |

Private Discrepancies

| NAME                          | LLNR  | STATUS      | AID TYPE |
|-------------------------------|-------|-------------|----------|
| North Yacht Basin Daybeacon 2 | 22786 | STRUCT DEST | PA       |

Tampa Bay Cut F Channel

Federal Discrepancies

| NAME                                             | LLNR    | STATUS | AID TYPE |
|--------------------------------------------------|---------|--------|----------|
| Tampa Bay Cut F Inbound Range Rear Passing Light | 22815.2 | LT EXT | FD       |

Tampa Bay Cut J Channel

Federal Discrepancies

| NAME                                             | LLNR  | STATUS | AID TYPE |
|--------------------------------------------------|-------|--------|----------|
| Tampa Bay Cut J Channel Inbound Range Rear Light | 23715 | LT EXT | FD       |

Tampa Bay Cut J-2 Channel

Federal Discrepancies

| NAME                                                | LLNR  | STATUS | AID TYPE |
|-----------------------------------------------------|-------|--------|----------|
| Tampa Bay Cut J-2 Channel Outbound Range Rear Light | 23770 | LT EXT | FD       |

Tarpon Basin

Federal Discrepancies

| NAME                       | LLNR  | STATUS                   | AID TYPE |
|----------------------------|-------|--------------------------|----------|
| Tarpon Basin Daybeacon 46A | 50400 | HAZ NAV/STRUCT DEST/TRLB | FD       |

Terminal Channel

Private Discrepancies

| NAME                                | LLNR | STATUS | AID TYPE |
|-------------------------------------|------|--------|----------|
| Jacksonville Shipyards Pier 6 Light | 7655 | LT EXT | PA       |

Terra Ceia Bay

Federal Discrepancies

| NAME                       | LLNR  | STATUS      | AID TYPE |
|----------------------------|-------|-------------|----------|
| Terra Ceia Bay Daybeacon 3 | 22150 | STRUCT DEST | FD       |

Titusville Yacht Basin

Federal Discrepancies

| NAME                               | LLNR  | STATUS           | AID TYPE |
|------------------------------------|-------|------------------|----------|
| Titusville Yacht Basin Daybeacon 1 | 41210 | STRUCT DEST/TRUB | FD       |
| Titusville Yacht Basin Daybeacon 3 | 41220 | STRUCT DEST/TRUB | FD       |

Tolomato River

Federal Discrepancies

| NAME                     | LLNR  | STATUS                   | AID TYPE |
|--------------------------|-------|--------------------------|----------|
| Tolomato River Light 9   | 38645 | STRUCT DEST/HAZ NAV/TRLB | FD       |
| Tolomato River Light 45  | 38800 | STRUCT DEST/TRLB         | FD       |
| Tolomato River Light 57A | 38885 | STRUCT DEST/TRLB         | FD       |
| Tolomato River Light 58A | 38893 | STRUCT DEST/TRLB         | FD       |
| Tolomato River Light 48  | 38810 | STRUCT DEST/TRLB         | FD       |

Private Discrepancies

| NAME                                      | LLNR  | STATUS | AID TYPE |
|-------------------------------------------|-------|--------|----------|
| Fdot Villano Bridge South Breasting Light | 38834 | LT EXT | PA       |

Treasure Island

Private Discrepancies

| NAME                      | LLNR  | STATUS                            | AID TYPE |
|---------------------------|-------|-----------------------------------|----------|
| Jungle Beach Daybeacon 2  | 61170 | STRUCT DEST/HAZ NAV/DAYMK MISSING | PA       |
| Jungle Beach Daybeacon 4  | 61180 | DAYMK DMGD                        | PA       |
| Jungle Beach Daybeacon 11 | 61215 | STRUCT DEST                       | PA       |

Trout River

Federal Discrepancies

| NAME                    | LLNR | STATUS           | AID TYPE |
|-------------------------|------|------------------|----------|
| Trout River Daybeacon 2 | 7550 | STRUCT DEST/TRUB | FD       |

Private Discrepancies

| NAME                                  | LLNR              | STATUS          | AID TYPE |
|---------------------------------------|-------------------|-----------------|----------|
| Maxwell Boat Ramp Channel Daybeacon 5 | 7557.900000000001 | STRUCT DEST     | PA       |
| Ribault River Channel Lighted Buoy 1  | 7559              | MISSING/HAZ NAV | PA       |
| Ribault River Channel Lighted Buoy 3  | 7559.150000000001 | ADRIFT          | PA       |

Turtle River

Federal Discrepancies

| NAME                      | LLNR | STATUS                       | AID TYPE |
|---------------------------|------|------------------------------|----------|
| Turtle River Light 4      | 6325 | STRUCT DEST/TRLB/OFF STATION | FD       |
| Turtle River Daybeacon 10 | 6385 | STRUCT DEST/TRUB             | FD       |

Private Discrepancies

| NAME                                             | LLNR | STATUS      | AID TYPE |
|--------------------------------------------------|------|-------------|----------|
| Hermitage Island Plant Outfall Obstruction Light | 6395 | STRUCT DEST | PA       |

Umbrella Creek

Federal Discrepancies

| NAME                        | LLNR  | STATUS        | AID TYPE |
|-----------------------------|-------|---------------|----------|
| Umbrella Creek Daybeacon A9 | 37440 | DAYMK MISSING | FD       |

Unknown

Private Discrepancies

| NAME                                                     | LLNR               | STATUS                            | AID TYPE |
|----------------------------------------------------------|--------------------|-----------------------------------|----------|
| Baynard Cove Creek Daybeacon 2                           | 4355               | STRUCT DEST                       | PA       |
| Haig Point Light                                         | 4370               | LT IMCH                           | PA       |
| Sebastian Inlet Channel Daybeacon 5                      | 9750               | STRUCT DEST                       | PA       |
| Sebastian Inlet Channel Daybeacon 10                     | 9775               | HAZ NAV/DAYMK MISSING             | PA       |
| Sebastian Inlet Channel Daybeacon 28                     | 9812.2             | STRUCT DEST/HAZ NAV               | PA       |
| Big Sarasota Pass Buoy 7                                 | 21500.7            | MISSING                           | PA       |
| Plymouth Harbor East Obstruction Daybeacon               | 21547              | STRUCT DEST/HAZ NAV               | PA       |
| Plymouth Harbor West Obstruction Daybeacon               | 21547.100000000002 | STRUCT DEST/HAZ NAV               | PA       |
| South Lido North Obstruction Daybeacon                   | 21555.100000000002 | STRUCT DEST/HAZ NAV               | PA       |
| South Lido South Obstruction Daybeacon                   | 21555.2            | STRUCT DEST/HAZ NAV               | PA       |
| North Siesta Key Daybeacon 1                             | 21570.100000000002 | STRUCT DEST                       | PA       |
| Big Sarasota Pass Daybeacon 18                           | 21577              | STRUCT DEST/HAZ NAV               | PA       |
| Point Pinellas Daybeacon 1                               | 24740              | HAZ NAV/STRUCT DMGD               | PA       |
| Indian Cove Marina Daybeacon 3                           | 42140              | DAYMK DMGD                        | PA       |
| Indian Cove Marina Daybeacon 5                           | 42150              | DAYMK DMGD                        | PA       |
| Indian Cove Marina Daybeacon 7                           | 42160              | DAYMK DMGD                        | PA       |
| Jays Harbor Lights Marina Daybeacon 1                    | 42205              | HAZ NAV/DAYMK MISSING             | PA       |
| Jays Harbor Lights Marina Daybeacon 2                    | 42210              | HAZ NAV/DAYMK DMGD/STRUCT DMGD    | PA       |
| Jays Harbor Lights Marina Daybeacon 3                    | 42215              | DAYMK MISSING                     | PA       |
| Jays Harbor Lights Marina Daybeacon 4                    | 42220              | HAZ NAV/DAYMK MISSING/STRUCT DMGD | PA       |
| Grove Island Channel Daybeacon 2                         | 48670              | STRUCT DEST                       | PA       |
| Turkey Point Channel Buoy 3                              | 49960              | MISSING                           | PA       |
| Turkey Point Channel Buoy 6                              | 49985              | OFF STA                           | PA       |
| Turkey Point Channel Buoy 21                             | 50060              | MISSING                           | PA       |
| Turkey Point Channel Buoy 23                             | 50070              | MISSING                           | PA       |
| Turkey Point Channel Buoy 24                             | 50075              | MISSING                           | PA       |
| Paradise Yacht Club Daybeacon 12                         | 52965              | HAZ NAV/DAYMK MISSING             | PA       |
| Landings Marina Daybeacon 6                              | 53755              | DAYMK MISSING                     | PA       |
| Uncle Henry's Marina Daybeacon 5                         | 56800              | STRUCT DEST/HAZ NAV               | PA       |
| Bayview Channel Daybeacon 3                              | 57380              | DAYMK DMGD                        | PA       |
| Bayview Channel Daybeacon 4                              | 57385              | STRUCT DEST                       | PA       |
| Bayview Channel Daybeacon 6                              | 57395              | STRUCT DEST                       | PA       |
| Bayview Channel Daybeacon 8                              | 57405              | STRUCT DEST                       | PA       |
| Bayview Channel Daybeacon 9                              | 57410              | DAYMK MISSING                     | PA       |
| Bayview Channel Daybeacon 10                             | 57415              | STRUCT DEST                       | PA       |
| Bay Heights Daybeacon 1                                  | 57418              | DAYMK MISSING                     | PA       |
| Bay Heights Daybeacon 2                                  | 57418.1            | DAYMK MISSING                     | PA       |
| Sebastian Inlet Channel Daybeacon 1A                     | 9730               | STRUCT DEST                       | PA       |
| Sebastian Inlet Channel Daybeacon 17                     | 9810               | DAYMK MISSING                     | PA       |
| Sebastian Inlet Channel Daybeacon 18                     | 9810.1             | STRUCT DMGD                       | PA       |
| Sebastian Inlet Channel Daybeacon 20                     | 9810.300000000001  | DAYMK MISSING                     | PA       |
| Sebastian Inlet Channel Daybeacon 25                     | 9810.9             | DBD DEST                          | PA       |
| Sebastian Inlet Channel Daybeacon 26                     | 9812               | STRUCT DEST                       | PA       |
| Fisher Island Marina Channel North Obstruction Daybeacon | 10605              | DAYMK MISSING                     | PA       |
| Fisher Island Breakwater East Obstruction Daybeacon      | 10650              | DAYMK MISSING                     | PA       |

|                                            |                    |                     |    |
|--------------------------------------------|--------------------|---------------------|----|
| Msrc Boundary Shoal Daybeacon              | 10735              | DAYMK MISSING       | PA |
| Ohio Key Channel Daybeacon 4               | 12595              | STRUCT DEST/HAZ NAV | PA |
| Bass Inlet Daybeacon 7                     | 20655              | STRUCT DEST         | PA |
| Stump Pass Marina Daybeacon 2              | 21390              | STRUCT DEST/HAZ NAV | PA |
| Stump Pass Marina Daybeacon 3              | 21395              | STRUCT DEST/HAZ NAV | PA |
| Stump Pass Marina Daybeacon 4              | 21400              | STRUCT DEST         | PA |
| Big Sarasota Pass Daybeacon 8              | 21500.8            | STRUCT DEST         | PA |
| Big Sarasota Pass Daybeacon 11             | 21510              | STRUCT DEST         | PA |
| Big Sarasota Pass Daybeacon 11A            | 21510.5            | STRUCT DEST         | PA |
| Big Sarasota Pass Daybeacon 13             | 21515              | STRUCT DEST         | PA |
| Big Sarasota Pass Daybeacon 15             | 21525              | STRUCT DEST         | PA |
| Big Sarasota Pass Daybeacon 16             | 21570              | STRUCT DEST         | PA |
| North Siesta Key Daybeacon 3               | 21570.2            | STRUCT DEST         | PA |
| North Siesta Key Daybeacon 9               | 21570.5            | STRUCT DEST         | PA |
| North Siesta Key Daybeacon 11              | 21570.600000000002 | STRUCT MISSING      | PA |
| Big Sarasota Pass Daybeacon 19             | 21580              | STRUCT DEST         | PA |
| Country Club Shores Daybeacon 2            | 21660              | DAYMK MISSING       | PA |
| Country Club Shores Daybeacon 4            | 21665              | DAYMK DMGD          | PA |
| MacDill Marina Channel Daybeacon 2         | 22975              | STRUCT DEST         | PA |
| Point Pinellas Daybeacon 3                 | 24745              | STRUCT DEST/HAZ NAV | PA |
| Point Pinellas Daybeacon 6                 | 24755              | STRUCT DEST         | PA |
| Isleta Marina Pier A Light                 | 31240              | LT EXT              | PA |
| Isleta Marina Pier B Light                 | 31245              | LT EXT              | PA |
| Isleta Marina Pier C Light                 | 31250              | LT EXT              | PA |
| Puerto Yabucoa Channel Range Front Light   | 31745              | LT EXT/STRUCT DMGD  | PA |
| Puerto Yabucoa Channel Range Rear Light    | 31750              | LT EXT/STRUCT DMGD  | PA |
| Las Mareas Range Front Light               | 31810              | LT EXT              | PA |
| Las Mareas Range Rear Light                | 31815              | LT EXT              | PA |
| Las Mareas Lighted Buoy 1                  | 31820              | OFF STA/LT EXT      | PA |
| Las Mareas Lighted Buoy 2                  | 31825              | MISSING             | PA |
| Las Mareas Light 4                         | 31835              | LT EXT              | PA |
| Las Mareas Articulated Light 5             | 31840              | LT EXT              | PA |
| Las Mareas Light 6                         | 31845              | LT EXT              | PA |
| Las Mareas Pier Light (3)                  | 31850              | LT EXT              | PA |
| Marsh Harbor Marina Daybeacon 3            | 35420              | DAYMK MISSING       | PA |
| Marsh Harbor Marina Daybeacon 5            | 35430              | DAYMK MISSING       | PA |
| Matthews Marina Daybeacon 2                | 40255              | STRUCT DEST         | PA |
| Matthews Marina Daybeacon 3                | 40260              | DAYMK IMCH          | PA |
| Matthews Marina Daybeacon 5                | 40270              | DAYMK MISSING       | PA |
| Harbor Towne Marina Daybeacon 2            | 41245              | STRUCT DEST         | PA |
| Harbor Towne Marina Daybeacon 4            | 41250              | STRUCT DEST         | PA |
| Harbor Towne Marina Daybeacon 9            | 41265              | DAYMK MISSING       | PA |
| Riverdeck Channel Daybeacon 1              | 41295              | STRUCT DEST         | PA |
| Riverdeck Channel Daybeacon 2              | 41300              | STRUCT DEST         | PA |
| Riverdeck Channel Daybeacon 3              | 41305              | STRUCT DEST         | PA |
| Riverdeck Channel Daybeacon 4              | 41310              | STRUCT DEST         | PA |
| Kennedy Yacht Club Channel Daybeacon 1     | 41345              | DAYMK MISSING       | PA |
| Kennedy Yacht Club Channel Daybeacon 2     | 41350              | DAYMK MISSING       | PA |
| Kennedy Yacht Club Channel Daybeacon 3     | 41355              | DAYMK IMCH          | PA |
| Kennedy Yacht Club Channel Daybeacon 4     | 41360              | DAYMK IMCH          | PA |
| Kennedy Yacht Club Channel Daybeacon 5     | 41365              | STRUCT DEST         | PA |
| Kennedy Yacht Club Channel Daybeacon 7     | 41375              | STRUCT DEST         | PA |
| Kennedy Yacht Club Channel Daybeacon 8     | 41380              | STRUCT DEST         | PA |
| Kennedy Yacht Club Channel Daybeacon 9     | 41385              | STRUCT DEST         | PA |
| Kennedy Yacht Club Channel Daybeacon 10    | 41390              | STRUCT DEST         | PA |
| Orlando Utilities Comission Channel Buoy 2 | 41445              | MISSING             | PA |
| Orlando Utilities Comission Channel Buoy 4 | 41450              | MISSING             | PA |
| Orlando Utilities Comission Channel Buoy 5 | 41455              | MISSING             | PA |
| Orlando Utilities Comission Channel Buoy 6 | 41460              | MISSING             | PA |
| Orlando Utilities Comission Channel Buoy 7 | 41465              | MISSING             | PA |
| Orlando Utilities Comission Channel Buoy 8 | 41470              | MISSING             | PA |
| Indian Cove Marina Daybeacon 1             | 42130              | STRUCT DMGD         | PA |
| Indian Cove Marina Daybeacon 4             | 42145              | DBD DEST            | PA |

|                                              |                    |                           |    |
|----------------------------------------------|--------------------|---------------------------|----|
| Indian Cove Marina Daybeacon 6               | 42155              | STRUCT DMGD               | PA |
| Diamond 99 Marina Daybeacon 1                | 42290              | DAYMK MISSING             | PA |
| Diamond 99 Marina Daybeacon 2                | 42295              | DAYMK IMCH                | PA |
| Diamond 99 Marina Daybeacon 3                | 42300              | DAYMK MISSING             | PA |
| Diamond 99 Marina Daybeacon 4                | 42305              | DAYMK MISSING             | PA |
| Diamond 99 Marina Daybeacon 5                | 42310              | STRUCT DEST               | PA |
| Diamond 99 Marina Daybeacon 6                | 42315              | DAYMK MISSING             | PA |
| Diamond 99 Marina Daybeacon 7                | 42320              | DAYMK MISSING             | PA |
| Diamond 99 Marina Light 8                    | 42325              | STRUCT DEST               | PA |
| Inlet Marina Daybeacon 1                     | 43615              | DAYMK MISSING             | PA |
| Inlet Marina Daybeacon 2                     | 43620              | DAYMK MISSING             | PA |
| Inlet Marina Daybeacon 4                     | 43630              | DAYMK MISSING             | PA |
| Sembler Daybeacon 5                          | 43655              | DAYMK MISSING             | PA |
| Channel 68 Marina Daybeacon 1 (Abandoned)    | 43685.1            | STRUCT DEST/HAZ NAV       | PA |
| Channel 68 Marina Daybeacon 2 (Abandoned)    | 43685.200000000004 | STRUCT DEST               | PA |
| Channel 68 Marina Daybeacon 6 (Abandoned)    | 43685.6            | STRUCT DEST               | PA |
| Loggerhead Marina Daybeacon 10               | 44015              | DAYMK MISSING             | PA |
| Vero Isles Daybeacon 4                       | 44405              | STRUCT DEST               | PA |
| Riverside Marina(Ft. Pierce) Daybeacon 3     | 45045              | STRUCT DEST               | PA |
| Faber Cove Daybeacon 3                       | 45135              | STRUCT DEST/HAZ NAV       | PA |
| Jensen Beach Channel Daybeacon 4             | 45495              | STRUCT MISSING            | PA |
| Jensen Beach Channel Daybeacon 5             | 45500              | STRUCT MISSING            | PA |
| Jensen Beach Channel Daybeacon 6             | 45505              | STRUCT MISSING            | PA |
| New Port Cove Marine Ctr Daybeacon 2         | 46620              | STRUCT DEST               | PA |
| Rybovich Spencer Ctr Channel Daybeacon 1     | 46780              | STRUCT DEST               | PA |
| Rybovich Spencer Ctr Channel Daybeacon 3     | 46790              | STRUCT DEST               | PA |
| Rybovich Spencer South Channel Daybeacon 1   | 46800              | STRUCT DEST               | PA |
| Rybovich Spencer South Channel Daybeacon 3   | 46810              | STRUCT DEST               | PA |
| Manalapan Channel Buoy 1                     | 47007              | STRUCT DEST               | PA |
| Manalapan Channel Daybeacon 2                | 47007.5            | STRUCT DEST               | PA |
| Manalapan Channel Buoy 2                     | 47008              | STRUCT DEST               | PA |
| Manalapan Channel Daybeacon 3                | 47008.5            | STRUCT DEST               | PA |
| Williams Island Daybeacon 1                  | 47645              | STRUCT DEST               | PA |
| Williams Island Daybeacon 3                  | 47650              | DAYMK MISSING/STRUCT DMGD | PA |
| Williams Island Daybeacon 4                  | 47655              | DAYMK IMCH/STRUCT DMGD    | PA |
| Williams Island Daybeacon 5                  | 47660              | STRUCT DEST               | PA |
| Williams Island Daybeacon 6                  | 47665              | STRUCT DEST               | PA |
| Williams Island Light 1                      | 47685              | STRUCT DEST               | PA |
| Williams Island Light 2                      | 47690              | STRUCT DEST               | PA |
| Intracoastal Yacht Club Channel Daybeacon 7  | 47737.1            | DAYMK MISSING             | PA |
| Intracoastal Yacht Club Channel Daybeacon 8  | 47737.200000000004 | DAYMK MISSING             | PA |
| Intracoastal Yacht Club Channel Daybeacon 9  | 47737.3            | DAYMK MISSING             | PA |
| Intracoastal Yacht Club Channel Daybeacon 10 | 47737.4            | DAYMK MISSING             | PA |
| Intracoastal Yacht Club Channel Daybeacon 11 | 47737.5            | DAYMK MISSING             | PA |
| Intracoastal Yacht Club Channel Daybeacon 12 | 47737.6            | DAYMK MISSING             | PA |
| Intracoastal Yacht Club Channel Daybeacon 13 | 47737.700000000004 | DAYMK MISSING             | PA |
| Mariners Bay Daybeacon 1                     | 47890              | DAYMK DMGD/STRUCT DMGD    | PA |
| Mariners Bay Daybeacon 3                     | 47895              | STRUCT DEST               | PA |
| Mariners Bay Daybeacon 5                     | 47900              | DAYMK MISSING             | PA |
| Jockey Club Marina Daybeacon 5               | 47930              | STRUCT DMGD               | PA |
| Jockey Club Marina Daybeacon 10              | 47953              | DAYMK MISSING             | PA |
| Jockey Club Marina Daybeacon 15              | 47960              | STRUCT DEST               | PA |
| Jockey Club Marina Daybeacon 17              | 47965              | STRUCT DEST               | PA |
| Mike Gordon Restaurant Daybeacon 1           | 48220              | STRUCT DEST               | PA |
| Mike Gordon Restaurant Daybeacon 3           | 48230              | DAYMK MISSING             | PA |
| Palm Bay Club Channel Daybeacon 2            | 48290              | DAYMK MISSING             | PA |
| Palm Bay Club Channel Daybeacon 4            | 48300              | DAYMK MISSING             | PA |
| Palm Bay Club Channel Daybeacon 5            | 48305              | DAYMK IMCH                | PA |
| Palm Bay Club Channel Daybeacon 6            | 48310              | DAYMK DMGD                | PA |
| Palm Bay Club Channel Daybeacon 7            | 48315              | DAYMK MISSING             | PA |
| Palm Bay Club Channel Daybeacon 8            | 48320              | DAYMK MISSING             | PA |
| Sea Isle Marina Daybeacon 1                  | 48400              | STRUCT DEST               | PA |
| Sea Isle Marina Daybeacon 2                  | 48405              | STRUCT DEST               | PA |

|                                            |                    |                          |    |
|--------------------------------------------|--------------------|--------------------------|----|
| Sea Isle Marina Daybeacon 3                | 48410              | STRUCT DEST              | PA |
| Sea Isle Marina Daybeacon 4                | 48415              | STRUCT DEST              | PA |
| Sea Isle Marina Daybeacon 5                | 48420              | STRUCT DEST              | PA |
| Sea Isle Marina Daybeacon 6                | 48425              | STRUCT DEST              | PA |
| Sea Isle Marina Daybeacon 7                | 48430              | STRUCT DEST              | PA |
| Deering Channel Daybeacon 1                | 48610              | STRUCT DEST              | PA |
| Deering Channel Light 2                    | 48615              | HAZ NAV/DAYMK MISSING    | PA |
| Deering Channel Daybeacon 3                | 48620              | DAYMK MISSING            | PA |
| Deering Channel Daybeacon 4                | 48625              | DAYMK MISSING            | PA |
| Deering Channel Daybeacon 5                | 48630              | HAZ NAV/DAYMK MISSING    | PA |
| Deering Channel Daybeacon 6                | 48635              | HAZ NAV/DAYMK MISSING    | PA |
| Deering Channel Daybeacon 7                | 48640              | DAYMK MISSING            | PA |
| Deering Channel Daybeacon 8                | 48645              | DAYMK MISSING            | PA |
| Deering Channel Daybeacon 9                | 48650              | HAZ NAV/DAYMK MISSING    | PA |
| Grove Island Channel Daybeacon 1A          | 48665              | STRUCT DEST              | PA |
| Grove Island Channel Light 9               | 48705              | LT EXT                   | PA |
| Grove Island Channel Light 10              | 48710              | LT EXT                   | PA |
| Grove Island Channel Light 18              | 48745              | LT EXT                   | PA |
| L'Hermitage Light 1                        | 48750              | DAYMK MISSING            | PA |
| L'Hermitage Light 2                        | 48755              | DAYMK MISSING            | PA |
| L'Hermitage Daybeacon 4                    | 48765              | DAYMK MISSING            | PA |
| Crandon Park Marina Channel Light 14       | 48845              | STRUCT DEST/HAZ NAV/TRLB | PA |
| John A Brennan Channel Daybeacon 2         | 48985              | STRUCT DEST/HAZ NAV      | PA |
| Dinner Key Mooring Field 4 Lighted Buoy AA | 49051              | STRUCT DEST              | PA |
| Dinner Key Mooring Field 4 Buoy CC         | 49051.200000000004 | MISSING                  | PA |
| Dinner Key Mooring Field 4 Buoy HH         | 49051.700000000004 | MISSING                  | PA |
| Dinner Key Mooring Field 4 Lighted Buoy II | 49051.8            | MISSING                  | PA |
| Island E Channel Daybeacon 2               | 49055.1            | STRUCT DEST              | PA |
| Island E Channel Daybeacon 8               | 49055.700000000004 | STRUCT DEST              | PA |
| Island E Channel Daybeacon 12              | 49056              | STRUCT DEST              | PA |
| Four Way Entrance Channel Light 2          | 49090              | STRUCT DEST              | PA |
| Four Way Entrance Channel Daybeacon 3      | 49095              | DAYMK MISSING            | PA |
| Four Way Entrance Channel Daybeacon 4      | 49100              | DAYMK MISSING            | PA |
| Four Way Entrance Channel Daybeacon 4      | 49100              | STRUCT DMGD              | PA |
| Middle Ground Obstruction Buoy             | 49105              | MISSING                  | PA |
| Four Way Entrance Channel Daybeacon 5      | 49110              | DBD DMGD                 | PA |
| Four Way Entrance Channel Daybeacon 6      | 49115              | DAYMK MISSING            | PA |
| Four Way Entrance Channel Daybeacon 7      | 49120              | STRUCT DMGD              | PA |
| Four Way Channel Daybeacon 1               | 49150              | DAYMK MISSING            | PA |
| Four Way Channel Daybeacon 2               | 49155              | DAYMK MISSING            | PA |
| Anchorage Channel Daybeacon 2              | 49215              | DAYMK IMCH               | PA |
| Anchorage Channel Daybeacon 4              | 49220              | DAYMK MISSING            | PA |
| Deering Bay Channel Daybeacon 4            | 49585              | STRUCT DEST/HAZ NAV      | PA |
| Deering Bay Channel Daybeacon 6            | 49595              | STRUCT MISSING           | PA |
| Convoy Point Light 1                       | 49865              | LT EXT/STRUCT DMGD       | PA |
| Convoy Point Light 2                       | 49870              | LT EXT                   | PA |
| Turkey Point Channel Buoy 4A               | 49975              | MISSING                  | PA |
| Turkey Point Channel Buoy 7                | 49990              | OFF STA                  | PA |
| Turkey Point Channel Buoy 11               | 50010              | OFF STA                  | PA |
| Community Harbor Daybeacon 6               | 50535.4            | DAYMK MISSING            | PA |
| Royal Palm Yacht Club Channel Daybeacon 4  | 52800              | STRUCT DEST              | PA |
| Paradise Yacht Club Daybeacon 5            | 52930              | DAYMK MISSING            | PA |
| Paradise Yacht Club Daybeacon 9            | 52950              | DAYMK IMCH/STRUCT DMGD   | PA |
| Paradise Yacht Club Daybeacon 11           | 52960              | DAYMK MISSING            | PA |
| Whiskey Creek Channel Daybeacon 3          | 53370              | HAZ NAV/STRUCT DEST      | PA |
| Caloosa Yacht Club Channel Daybeacon 1     | 53475              | DAYMK MISSING            | PA |
| McGregor Isles Daybeacon 13                | 53511              | STRUCT DEST              | PA |
| McGregor Isles Daybeacon 15                | 53515              | STRUCT DEST              | PA |
| McGregor Isles Daybeacon 17                | 53520              | STRUCT DEST              | PA |
| Riverside Marina(Ft. Myers) Daybeacon 3    | 53685              | DAYMK MISSING            | PA |
| Cape Coral Boat Ramp Channel Daybeacon 6   | 54185              | STRUCT DEST              | PA |
| Cabbage Key Channel Daybeacon 6            | 56060              | HAZ NAV/STRUCT DEST      | PA |
| Fishery Restaurant Channel Daybeacon 3     | 56665              | STRUCT DEST/HAZ NAV      | PA |

|                                                |                    |                           |    |
|------------------------------------------------|--------------------|---------------------------|----|
| Uncle Henry's Marina Daybeacon 2               | 56785              | STRUCT DEST               | PA |
| Uncle Henry's Marina Daybeacon 3               | 56790              | DAYMK MISSING             | PA |
| Uncle Henry's Marina Daybeacon 7               | 56805              | STRUCT DEST               | PA |
| Uncle Henry's Marina Daybeacon 11              | 56825              | DAYMK MISSING             | PA |
| Uncle Henry's Marina Daybeacon 12              | 56830              | STRUCT DEST/HAZ NAV       | PA |
| Uncle Henry's Marina Daybeacon 13              | 56835              | STRUCT DEST/HAZ NAV       | PA |
| Uncle Henry's Marina Daybeacon 15              | 56845              | DAYMK MISSING/STRUCT DMGD | PA |
| Uncle Henry's Marina Daybeacon 16              | 56850              | DAYMK MISSING             | PA |
| Uncle Henry's Marina Daybeacon 24              | 56890              | STRUCT DEST               | PA |
| Uncle Henry's Marina Daybeacon 27              | 56905              | DAYMK MISSING             | PA |
| Uncle Henry's Marina Daybeacon 30              | 56920              | DAYMK MISSING             | PA |
| Uncle Henry's Marina Daybeacon 31              | 56925              | DAYMK MISSING             | PA |
| Uncle Henry's Marina Daybeacon 35              | 56945              | STRUCT DMGD               | PA |
| Uncle Henry'S Marina Daybeacon 36              | 56950              | DAYMK MISSING             | PA |
| Uncle Henry's Marina Daybeacon 37              | 56955              | DAYMK MISSING             | PA |
| Uncle Henry's Marina Daybeacon 40              | 56970              | DAYMK MISSING             | PA |
| Uncle Henry's Marina Daybeacon 41              | 56975              | DAYMK MISSING             | PA |
| Uncle Henry's Marina Daybeacon 42              | 56980              | DAYMK MISSING             | PA |
| Uncle Henry's Marina Daybeacon 43              | 56985              | STRUCT DEST               | PA |
| Uncle Henry's Marina Daybeacon 47              | 57005              | STRUCT DEST               | PA |
| Englewood Channel Daybeacon 22                 | 57359.130000000005 | STRUCT DEST               | PA |
| Englewood Channel Daybeacon 8                  | 57359.5            | STRUCT DEST               | PA |
| Englewood Channel Daybeacon 10                 | 57359.6            | STRUCT DEST               | PA |
| Venice Yacht Club Obstruction Light A          | 57779              | STRUCT DEST               | PA |
| Blackburn Point Channel Daybeacon 1            | 58101              | DAYMK MISSING             | PA |
| Blackburn Point Channel Daybeacon 2            | 58102              | DAYMK MISSING             | PA |
| San Remo Daybeacon 1                           | 58446              | STRUCT DEST               | PA |
| San Remo Daybeacon 2                           | 58447              | DAYMK IMCH                | PA |
| San Remo Daybeacon 2                           | 58447              | STRUCT DEST               | PA |
| San Remo Daybeacon 3                           | 58448              | STRUCT DEST               | PA |
| San Remo Daybeacon 5                           | 58449              | STRUCT DEST               | PA |
| San Remo Daybeacon 5                           | 58449              | STRUCT DEST               | PA |
| San Remo North Obstruction Daybeacon           | 58449.1            | STRUCT DEST/HAZ NAV       | PA |
| San Remo South Obstruction Daybeacon           | 58449.200000000004 | STRUCT DEST/HAZ NAV       | PA |
| Hudson Bayou Daybeacon 1                       | 58485.1            | DAYMK IMCH                | PA |
| Hudson Bayou Daybeacon 3                       | 58485.3            | STRUCT MISSING            | PA |
| Bird Key Channel Daybeacon 2                   | 58510              | DAYMK MISSING             | PA |
| Bird Key Channel Daybeacon 3                   | 58515              | DAYMK MISSING             | PA |
| Bird Key Channel Daybeacon 7                   | 58525              | DAYMK MISSING             | PA |
| Sarasota Sail Squad Rc Buoy A                  | 58580              | MISSING                   | PA |
| Sarasota Sail Squad Rc Buoy B                  | 58585              | MISSING                   | PA |
| Sarasota Sail Squad Rc Buoy C                  | 58590              | MISSING                   | PA |
| Sarasota Sail Squad Rc Buoy D                  | 58595              | MISSING                   | PA |
| Sarasota Sail Squad Rc Buoy E                  | 58600              | MISSING                   | PA |
| Sarasota Sail Squad Rc Buoy F                  | 58605              | MISSING                   | PA |
| Sarasota Sail Squad Rc Buoy H                  | 58615              | MISSING                   | PA |
| Sarasota Sail Squad Rc Buoy I                  | 58620              | MISSING                   | PA |
| Sarasota Sail Squad Rc Buoy J                  | 58625              | MISSING                   | PA |
| Sarasota Sail Squad Rc Buoy K                  | 58630              | MISSING                   | PA |
| Bay Isles South Channel Daybeacon 1            | 58640              | STRUCT DMGD               | PA |
| Bay Isles South Channel Daybeacon 4            | 58650              | DAYMK DMGD                | PA |
| Bay Isles South Channel Daybeacon 6            | 58655              | DAYMK MISSING             | PA |
| Bay Isles South Channel Daybeacon 10           | 58665              | HAZ NAV/DAYMK MISSING     | PA |
| Longboat Key Moorings Light 1                  | 58680              | STRUCT DEST/HAZ NAV       | PA |
| Buttonwood Harbor Channel Junction Daybeacon B | 58905              | DAYMK MISSING             | PA |
| Buttonwood Harbor Channel Daybeacon 13         | 58910              | DAYMK MISSING             | PA |
| Buttonwood Harbor Channel Daybeacon 20         | 58935              | DAYMK MISSING             | PA |
| Buttonwood Harbor Channel Daybeacon 23         | 58945              | HAZ NAV/DAYMK MISSING     | PA |
| Buttonwood Harbor Channel Daybeacon 24         | 58950              | DAYMK MISSING             | PA |
| Buttonwood Harbor Channel Daybeacon 26         | 58955              | DAYMK MISSING             | PA |
| Longboat Harbor Channel Daybeacon 13A          | 59050              | DAYMK MISSING             | PA |
| Longboat Harbor Channel Daybeacon 17           | 59070              | DAYMK MISSING             | PA |
| Longboat Harbor North Marina Daybeacon 2       | 59135              | DAYMK MISSING             | PA |

|                                                |       |                       |    |
|------------------------------------------------|-------|-----------------------|----|
| Buccaneer Inn Daybeacon 14                     | 59265 | DAYMK IMCH            | PA |
| Buccaneer Inn Daybeacon 16                     | 59270 | DAYMK IMCH            | PA |
| Buccaneer Inn Daybeacon 20                     | 59285 | STRUCT DEST           | PA |
| Buccaneer Inn Daybeacon 24                     | 59300 | DAYMK IMCH            | PA |
| Catalina Channel Daybeacon 1                   | 59620 | STRUCT DEST           | PA |
| Catalina Channel Daybeacon 3                   | 59625 | STRUCT DEST           | PA |
| Catalina Channel Daybeacon 5                   | 59630 | STRUCT DEST           | PA |
| Bradenton Beach City South Channel Daybeacon 1 | 59960 | STRUCT DEST           | PA |
| Bradenton Beach City South Channel Daybeacon 3 | 59965 | STRUCT DEST           | PA |
| Perico Harbor Marina Daybeacon 13              | 60120 | HAZ NAV/DAYMK MISSING | PA |
| Bayway Isles Channel Daybeacon 3               | 60635 | STRUCT DEST           | PA |
| Bayway Isles Channel Daybeacon 10              | 60660 | DAYMK MISSING         | PA |
| Gulfport Yacht Basin Channel Range Front Light | 60700 | LT EXT                | PA |
| Gulfport Yacht Basin Channel Range Rear Light  | 60705 | LT EXT                | PA |
| Gulfport Yacht Club Channel Daybeacon 4        | 60745 | STRUCT DEST           | PA |
| Pasadena Yacht Club Channel Daybeacon 6        | 60770 | STRUCT DEST/HAZ NAV   | PA |
| Pasadena Yacht Club Channel Daybeacon 9        | 60780 | STRUCT DEST           | PA |
| Jungle Estates Daybeacon 2                     | 61130 | STRUCT DEST           | PA |
| Jungle Estates Daybeacon 4                     | 61140 | STRUCT DEST           | PA |
| Jungle Estates Daybeacon 6                     | 61150 | STRUCT DEST           | PA |
| Jungle Estates Daybeacon 6                     | 61150 | STRUCT DEST           | PA |

Upper Savannah River

Private Discrepancies

| NAME                                                  | LLNR   | STATUS      | AID TYPE |
|-------------------------------------------------------|--------|-------------|----------|
| Southern Nuclear Operating Co Obstruction Daybeacon A | 5295   | STRUCT DEST | PA       |
| Southern Nuclear Operating Co Obstruction Daybeacon B | 5295.1 | STRUCT DEST | PA       |

Venice Inlet

Additional MSI Categories

| TITLE                                                                 | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | LOCATION |
|-----------------------------------------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Venice Inlet/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-04-28 42338 42333 42340 Starting approximately May 5, 2026, and continuing until approximately June 15, 2026, Weeks Marine Inc. "Weeks" will be mobilizing dredge pipelines and equipment for the above-referenced project. During this time Weeks will install a submerged line in a designed pipeline corridor bound by the following approximate positions: 27-06-41.27N, 82-27-55.36W 27-03-10.98N, 82-26-33.13W 27-03-27.09N, 82-30-19.42W 27-06-22.65N, 82-30-08.46W The submerged line(s) will be removed at the completion of dredging operations. Starting approximately June 16, 2026 and continuing until approximately July 30, 2026, Weeks Marine hydraulic dredge "C.R. MCCASKILL" will be dredging fill material from the Borrow Area "8S", located approximately 11 nautical miles from the center of the beach fill area. The borrow area will be bound by following approximate positions: 26-54-37.54N, 82-31-11.89W 26-55-16.24N, 82-30-43.71W 26-54-24.58N, 82-29-04.95W 26-53-47.36N, 82-29-32.43W A sail route limits for Tugboats, Scows and Vessels will be bound by the following approximate positions: 26-54-59.52N, 82-30-39.25W 27-01-51.97N, 82-29-46.91W 27-05-24.28N, 82-29-19.68W 27-05-27.41N, 82-28-15.67W 27-02-08.91N, 82-28-49.71W 26-54-19.06N, 82-29-19.16W Offshore staging areas for pipeline and equipment: An anchorage area located just South of Fort De Soto Park will be bound by the following approximate positions: 27-36-53.22N, 82-43-06.99W 27-37-59.50N, 82-41-37.52W 27-37-24.82N, 82-41-04.47W 27-36-14.44N, 82-42-31.02W An anchorage area at Venice Inlet will be bound by the following approximate positions: 27-06-44.65N, 82-28-10.99W 27-06-46.43N, 82-28-03.46W 27-06-45.68N, 82-27-55.37W 27-06-44.17N, 82-27-55.56W 27-06-43.58N, 82-28-10.60W And 27-06-52.10N, 82-27-53.81W 27-06-48.28N, 82-27-52.29W 27-06-47.47N, 82-27-56.59W 27-06-51.35N, 82-27-57.16W An anchorage area just East of Gasparilla Island will be bound by the following approximate positions: 26-43-32.53N, 82-15-02.92W 26-43-12.39N, 82-15-03.85W 26-42-55.44N, 82-15-24.55W 26-43-03.24N, 82-15-30.39W 26-43-14.69N, 82-15-15.85W 26-43-32.22N, 82-15-16.06W The staging areas will be utilized for the duration of the project. Once underway, operations will conducted 24/7. Vessels, pipelines, and equipment will have all required Coast Guard lighting for night operations. On-scene vessels will monitor marine VHF-FM channels 13, 16 and 72. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made. |          |

Vernon River

Federal Discrepancies

| NAME                        | LLNR  | STATUS           | AID TYPE |
|-----------------------------|-------|------------------|----------|
| Vernon River Light Wreck 86 | 36260 | STRUCT DEST/TRLB | FD       |

Additional MSI Categories

| TITLE                                                       | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | LOCATION                               |
|-------------------------------------------------------------|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Ossabaw Sound - Vernon River/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 31.87195° N / 81.07605° W Aid Name: Vernon River Light Wreck 86 LLNR: 36260 Action: CHANGE Action Type Change Light Characteristic The following change has been approved to the Aid to Navigation system in the Intracoastal Waterway the Vernon River, part of the Intracoastal Waterway (ICW). The nominal range permanently reduced from 5NM to 4NM. The current nominal range of 5NM is not necessary. Based on the design of the Short-Range Aids System (SRA), mariners should be able to see two lighted aids to navigation forward of the aid from which they are alongside. Based on this data, a nominal range of 4NM is more than adequate. | Lat: 31° 52' 19"<br>Lon: -081° 04' 34" |

Villas Continental Club

Private Discrepancies

| NAME                                | LLNR | STATUS              | AID TYPE |
|-------------------------------------|------|---------------------|----------|
| Villas Continental Club Daybeacon 2 | 7790 | STRUCT DEST/HAZ NAV | PA       |
| Villas Continental Club Daybeacon 3 | 7795 | STRUCT DEST         | PA       |
| Villas Continental Club Daybeacon 4 | 7800 | STRUCT DEST         | PA       |
| Villas Continental Club Daybeacon 5 | 7805 | STRUCT DEST         | PA       |

Virgin Island National Park

Federal Discrepancies

| NAME                      | LLNR  | STATUS      | AID TYPE |
|---------------------------|-------|-------------|----------|
| Mingo Rock Lighted Buoy 2 | 32705 | OFF STATION | FD       |

Virgin Passage

Additional MSI Categories

| TITLE                                         | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | LOCATION                            |
|-----------------------------------------------|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Virgin Passage/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2025-09-30 29393 Location: 18.28404° N / 65.10852° W Aid Name: Sail Rock Lighted Buoy 1 LLNR: 31695 Action: DISCONTINUE The following change is being proposed to the aids to navigation system in Virgin Passage, Southwest St. Thomas, USVI. Sail Rock Lighted Buoy 1 (LLNR 31695) in position 18-17-02.545N / 065-06-30.669W, will be permanently discontinued, as it has been deemed non-essential for maritime navigation. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Virgin Passage, Sail Rock Lighted Buoy 1 as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by March 1, 2026. | Lat: 18° 17' 03" Lon: -065° 06' 31" |

Volusia

Federal Discrepancies

| NAME             | LLNR | STATUS           | AID TYPE |
|------------------|------|------------------|----------|
| Volusia Light 23 | 8820 | STRUCT DEST/TRLB | FD       |

Wadmalaw River

Federal Discrepancies

| NAME                        | LLNR  | STATUS           | AID TYPE |
|-----------------------------|-------|------------------|----------|
| Wadmalaw River Daybeacon 87 | 34890 | STRUCT DEST/TRUB | FD       |
| Wadmalaw River Daybeacon 96 | 34920 | STRUCT DEST/TRUB | FD       |

Additional MSI Categories

| TITLE                                                              | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | LOCATION                            |
|--------------------------------------------------------------------|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| North Edisto River - Wadmalaw River/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 32.69507° N / 80.22075° W Aid Name: Wadmalaw River Daybeacon 87 LLNR: 34890 Action: CHANGE Action Type Change Aid Subtype The following changes have been approved in the Wadmalaw River to improve aids to navigation reliability. Wadmalaw River DBN 87 (LLNR 34890) and Wadmalaw River DBN 96 (LLNR 34920) will be changed to Wadmalaw River Buoy 87 (Same LLNR) and Wadmalaw River Buoy 96 (Same LLNR). Both aids to navigation are currently destroyed and have a Temporary Unlighted Buoy on station. Both assigned positions are presenting depths of over 28 feet. This depth makes it impossible for a CG asset to rebuild the structures. Changing the aids to navigation from fixed to floating allows the CG primary servicing unit the flexibility to relocate the aid to mark safe water. | Lat: 32° 41' 42" Lon: -080° 13' 15" |
| North Edisto River - Wadmalaw River/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 32.66553° N / 80.23956° W Aid Name: Wadmalaw River Daybeacon 96 LLNR: 34920 Action: CHANGE Action Type Change Aid Subtype The following changes have been approved in the Wadmalaw River to improve aids to navigation reliability. Wadmalaw River DBN 87 (LLNR 34890) and Wadmalaw River DBN 96 (LLNR 34920) will be changed to Wadmalaw River Buoy 87 (Same LLNR) and Wadmalaw River Buoy 96 (Same LLNR). Both aids to navigation are currently destroyed and have a Temporary Unlighted Buoy on station. Both assigned positions are presenting depths of over 28 feet. This depth makes it impossible for a CG asset to rebuild the structures. Changing the aids to navigation from fixed to floating allows the CG primary servicing unit the flexibility to relocate the aid to mark safe water. | Lat: 32° 39' 56" Lon: -080° 14' 22" |

Walls Cut

Federal Discrepancies

| NAME               | LLNR  | STATUS           | AID TYPE |
|--------------------|-------|------------------|----------|
| Walls Cut Light 42 | 35840 | STRUCT DEST/TRLB | FD       |

Additional MSI Categories

| TITLE | SUBCATEGORY | DESCRIPTION | LOCATION |
|-------|-------------|-------------|----------|
|       |             |             |          |

|                                                                                 |                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
|---------------------------------------------------------------------------------|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Fields Cut - Walls Cut/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-04-22 41863 Cottrell Contracting Corporation of Chesapeake, Virginia advises that the DREDGE NEWMARKET will be conducting dredging operations in "Walls Cut" of the Georgia Atlantic Intracoastal Waterway (AIWW). Work will take place between Walls Cut Light 44 (LLNR 35850) and New River Daybeacon 41 (LLNR 35835). Specifically, between coordinates 32.08339N / 080.91960W and 32.27027N / 080.9105W. Pipeline will be submerged and run from the work area to a disposal island on the north side of the Savannah River. The work is estimated to begin on April 27, 2026, and be completed by May 17, 2026. The DREDGE NEWMARKET monitors VHF-FM station 13 and 16. All mariners are requested to contact the dredge prior to passing. For emergencies the dredge can be reached at (757) 635-4513. All mariners are requested to stay clear of the dredge, pipelines, barge, derricks and operating wires about the dredge. All operators should be aware that the dredge and pontoon lines are held in place by cables, which are attached to anchors some distance from the dredge and pontoons. Buoys are attached to the anchors so that they may be moved as the dredge moves. Submerged lines should be avoided. Mariners are requested to exercise extreme caution when approaching, passing, and leaving the dredging plant. Mariners are cautioned to strictly comply with the Inland Rules of the Road when approaching, passing and leaving the area of operations, and remain a safe distance away from the dredge, booster, buoys, cables, pipeline, barges, derricks, wires and related equipment. Owners and lessees of fishnets, crabpots and other structures that may be in the vicinity and that may hinder the free navigation of attending vessels and equipment must remove these from the area where tugs, tenderboats and other attendant equipment will be navigating. Dredging operations will be conducted 24/7, all fishnets, crabpots and structures in the general area must be removed prior to commencement of any work, a slow NO WAKE speed is requested of transiting vessels. All vessels are requested to contact the dredge prior to passing. |  |
|---------------------------------------------------------------------------------|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

Wando River

Federal Discrepancies Corrected

| NAME                     | LLNR | STATUS            | AID TYPE | CORRECTION DATE |
|--------------------------|------|-------------------|----------|-----------------|
| Wando River Daybeacon 30 | 3455 | REBUILT/RECOVERED | FD       | 2026-07-16      |

Additional MSI Categories

| TITLE                                                                                     | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | LOCATION                            |
|-------------------------------------------------------------------------------------------|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Charleston Harbor - Wando River/General/Marine Construction (Excluding Bridges)/Dredging  | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-02-24 37760 Great Lakes Dredge and Dock Company, LLC will begin work for the Wando Welch Terminal Maintenance Dredging 2026 project. Mobilize and beginning dredging operations are expected to begin on or about March 1, 2026, with an estimated completion date of March 15, 2026. Equipment: - Mechanical (Clamshell) Dredge GL 54 - Scow GL 701, 702 - Tug JACE JAMES - Tug LIZ ALMA - Crew Vessel MIAMI RIVER Dredging operations by the mechanical (clamshell) Dredge GL54 and support equipment will occur 24 hours a day, 7 days a week. Tugs will tow the loaded scows and will place the dredged material in the Ocean Dredged Material Disposal Site (ODMDS). Please note that during construction, depths in the active placement area may be above -25 feet MLLW. Vessels are requested to avoid the active placement area during construction. The crew transfer vessels Miami River will transport crew and personnel daily from Salmons Dredging Marina located at 32 49-55N / 079-56-31W to the Dredge 54 at their location at the time of transfer. Crew and material transfers will occur periodically between all equipment. The vessels will be docked as needed at Salmons Dredging Marina located at 32-49-55N / 079-56-31W or Veterans Terminal, zulu dock. Vessels will be monitoring VHF-FM channels 5, 13, and 16 |                                     |
| Charleston Harbor - Wando River/General/Naval Activity/Naval Testing (Surface/Underwater) | Naval Activity                          | General/Naval Activity/Naval Testing (Surface/Underwater) From: 2025-09-16 28231 Location: 32.8401° N / 79.8933° W Naval Information Warfare Center (NIWC) Atlantic is deploying research and data buoys within the Charleston Harbor, Cooper River, Wando River, and Ashley River. The buoys are yellow and white with 2' diameter and 3' height above waterline. The buoys will be lit with a yellow flashing light. More information can be found at: <a href="https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/">https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Lat: 32° 50' 24" Lon: -079° 53' 36" |

Wassaw Sound

Federal Discrepancies

| NAME                        | LLNR | STATUS           | AID TYPE |
|-----------------------------|------|------------------|----------|
| Wassaw Sound Lighted Buoy 8 | 5595 | MISSING          | FD       |
| Wassaw Sound Lighted Buoy 4 | 5585 | BUOY DMGD/LT EXT | FD       |
| Wassaw Sound Buoy 9         | 5600 | MISSING          | FD       |

Waterway Name Not Found

Federal Discrepancies

| NAME                   | LLNR  | STATUS | AID TYPE |
|------------------------|-------|--------|----------|
| North River Light 178A | 36800 | LT EXT | FD       |

Private Discrepancies

| NAME                                | LLNR | STATUS     | AID TYPE |
|-------------------------------------|------|------------|----------|
| Wexford Harbour Daybeacon 3         | 4420 | MSLD SIG   | PA       |
| Wexford Harbour Daybeacon 4         | 4425 | MSLD SIG   | PA       |
| Wexford Harbour Daybeacon 8         | 4445 | MSLD SIG   | PA       |
| Palmetto Dunes Marina West Light 22 | 4520 | DAYMK IMCH | PA       |

Western Gulf Intracoastal Waterway.

Private Discrepancies

| NAME                              | LLNR  | STATUS                | AID TYPE |
|-----------------------------------|-------|-----------------------|----------|
| South Seas Boat Basin Daybeacon 3 | 55650 | HAZ NAV/DAYMK MISSING | PA       |

## Whale Harbor

### Private Discrepancies

| NAME                            | LLNR  | STATUS      | AID TYPE |
|---------------------------------|-------|-------------|----------|
| Holiday Isle Marina Daybeacon 1 | 12765 | STRUCT DEST | PA       |
| Holiday Isle Marina Daybeacon 2 | 12770 | STRUCT DEST | PA       |

## White Shells Cut

### Federal Discrepancies

| NAME                              | LLNR | STATUS | AID TYPE |
|-----------------------------------|------|--------|----------|
| White Shells Cut Range Rear Light | 7325 | LT EXT | FD       |

### Additional MSI Categories

| TITLE                                                            | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | LOCATION                               |
|------------------------------------------------------------------|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| St Johns River - White Shells Cut/ATON/Advanced Notice of Change | Advanced Notice of Change | White Shells Cut LB 27 (LLNR 7315) will be permanently relocated to 30-23-36.040N/081-28-48.780W. This change calls to relocate (6) lighted buoys in the White Shells, St. Johns Bluff, Fulton Cutoff, and Blount Island Turning Basin channels of the St. Johns River. These relocations are needed as a result of channel deepening and widening, as part of the JaxPort expansion project. The position changes will allow safe navigation for vessels transiting the St. Johns River. The following aids to navigation are being proposed to be relocated to facilitate this change. All positions listed are approximate. Permanent positions will be advertised when the work is completed. | Lat: 30° 23' 36"<br>Lon: -081° 28' 49" |
| St Johns River - White Shells Cut/ATON/Advanced Notice of Change | Advanced Notice of Change | White Shells Cut LB 29 (LLNR 7316) will be permanently relocated to 30-23-32.900N/081-29-05.750W. This change calls to relocate (6) lighted buoys in the White Shells, St. Johns Bluff, Fulton Cutoff, and Blount Island Turning Basin channels of the St. Johns River. These relocations are needed as a result of channel deepening and widening, as part of the JaxPort expansion project. The position changes will allow safe navigation for vessels transiting the St. Johns River. The following aids to navigation are being proposed to be relocated to facilitate this change. All positions listed are approximate. Permanent positions will be advertised when the work is completed. | Lat: 30° 23' 33"<br>Lon: -081° 29' 06" |

## Wilmington River

### Additional MSI Categories

| TITLE                                                                                       | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | LOCATION |
|---------------------------------------------------------------------------------------------|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Skidaway Island - Wilmington River/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2026-06-11 46169 Cottrell Contracting Corporation of Chesapeake, Virginia advises that the Dredge Newmarket will be conducting dredging operations in the Wilmington River (AIWW-Isle of Hope) of the Georgia Atlantic Intracoastal Waterway. Dredging will take place between Wilmington River Buoy 27 and Wilmington River Light 34. The pipeline will be submerged and run from the Dredging work area through the Wilmington River north and crossing the Savannah River between the Elba Island Cut Light 6 and the Elba Island Cut Light 37 to a disposal island on the North side of the Savannah River. The pipeline installation and dredging are estimated to begin June 22, 2026, and be completed by August 10, 2026. The Dredge Newmarket monitors VHF-FM channel 13 and 16. All mariners are requested to contact the dredge prior to passing. For emergencies the dredge can be reached at (757) 635-4513. All mariners are requested to stay clear of the dredge, pipelines, barge, derricks and operating wires about the dredge. All operators should be aware that the dredge and pontoon lines are held in place by cables, which are attached to anchors some distance from the dredge and pontoons. Buoys are attached to the anchors so that they may be moved as the dredge moves. Submerged lines should be avoided. Mariners are requested to exercise extreme caution when approaching, passing, and leaving the dredging plant. Mariners are cautioned to strictly comply with the Inland Rules of the Road when approaching, passing and leaving the area of operations, and remain a safe distance away from the dredge, booster, buoys, cables, pipeline, barges, derricks, wires and related equipment. |          |

## Winyah Bay Channel

### Federal Discrepancies

| NAME                           | LLNR | STATUS                   | AID TYPE |
|--------------------------------|------|--------------------------|----------|
| Winyah Bay Range A Front Light | 1875 | LT EXT                   | FD       |
| Winyah Bay Range A Rear Light  | 1880 | LT EXT                   | FD       |
| Winyah Bay Range B Rear Light  | 1915 | STRUCT DEST/HAZ NAV/TRLT | FD       |

### Federal Discrepancies Corrected

| NAME                               | LLNR | STATUS    | AID TYPE | CORRECTION DATE |
|------------------------------------|------|-----------|----------|-----------------|
| Winyah Bay Channel Lighted Buoy 27 | 2090 | RELIGHTED | FD       | 2026-07-09      |

### Additional MSI Categories

| TITLE                                                                                           | SUBCATEGORY               | DESCRIPTION                                                                                                                                                                                                                                                           | LOCATION                               |
|-------------------------------------------------------------------------------------------------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Sector Charleston, Submerged Land Act (SLA) - Winyah Bay Channel/ATON/Advanced Notice of Change | Advanced Notice of Change | The Coast Guard Mooring Buoy WB (LLNR 1958) will be permanently relocated to approximate position 33-14-59.160N/079-12-47.580W. The new location will provide a more protected environment from the previous exposed location for CG assets when moored to this buoy. | Lat: 33° 13' 54"<br>Lon: -079° 11' 30" |
| Sector Charleston, Submerged Land Act (SLA) - Winyah Bay Channel/ATON/Advanced Notice of Change | Advanced Notice of Change | Winyah Bay Channel LB 4 (LLNR 1885) will have the bell permanently removed.                                                                                                                                                                                           | Lat: 33° 11' 37"<br>Lon: -079° 07' 13" |

Winyah Bay Charleston Harbor

Federal Discrepancies

| NAME                                       | LLNR  | STATUS              | AID TYPE |
|--------------------------------------------|-------|---------------------|----------|
| Winyah Bay-Charleston Harbor Daybeacon 117 | 34510 | STRUCT DEST/HAZ NAV | FD       |

Federal Discrepancies Corrected

| NAME                                       | LLNR  | STATUS            | AID TYPE | CORRECTION DATE |
|--------------------------------------------|-------|-------------------|----------|-----------------|
| Winyah Bay-Charleston Harbor Daybeacon 119 | 34520 | REBUILT/RECOVERED | FD       | 2026-07-15      |
| Winyah Bay-Charleston Harbor Light 130     | 34555 | REBUILT/RECOVERED | FD       | 2026-07-15      |

Additional MSI Categories

| TITLE                                                                                                                                                                                    | SUBCATEGORY                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | LOCATION |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Sector Charleston, Submerged Land Act (SLA)<br>- Winyah Bay Charleston Harbor/General/Hazards To Navigation/Shoaling Reported                                                            | Hazards To Navigation                   | General/Hazards To Navigation/Shoaling Reported From: 2025-08-08 25632 Mariners should proceed with caution when transiting between Winyah Bay-Charleston Harbor Daybeacon 37 (LLNR 34240) and Winyah Bay-Charleston Harbor Light 50 (LLNR 34300) due to shoaling. During low tide, there have been reported depths less than 3.5 ft inside the channel in various locations.                                                                                                                                                                                                                                                                                                                                                                                                               |          |
| Sector Charleston, Submerged Land Act (SLA)<br>- Winyah Bay Charleston Harbor/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-02-25 To: 2026-11-13 Location: 32.7602° N / 79.86088° W 32.75736° N / 79.85803° W 32.7566° N / 79.85931° W 32.75944° N / 79.86219° W 32.7602° N / 79.86088° W Cape Romain Contractors will be replacing Fort Sumter and Fort Moultrie Docks and rehabilitate Liberty Square Pier. They will have a crane barge starting March 3, 2025, until May 31, 2026, at Fort Moultrie and crane barges at Fort Sumter and Liberty Square Pier as the project progresses. Estimated completion date of the entire project is 31October 31, 2026. All Vessels should use caution when transiting the work area. The crew at Fort Moultrie will monitor VHF-FM channels 13 and 16. |          |

Withlacoochee River

Federal Discrepancies

| NAME                                       | LLNR  | STATUS              | AID TYPE |
|--------------------------------------------|-------|---------------------|----------|
| Withlacoochee River Entrance Daybeacon 8   | 29410 | STRUCT MISSING/TRUB | FD       |
| Withlacoochee River Entrance Daybeacon 16  | 29455 | STRUCT MISSING/TRUB | FD       |
| Withlacoochee River Entrance Daybeacon 26  | 29520 | STRUCT MISSING/TRUB | FD       |
| Withlacoochee River Entrance Daybeacon 29  | 29535 | STRUCT MISSING/TRUB | FD       |
| Withlacoochee River Entrance Daybeacon 30  | 29545 | STRUCT MISSING/TRUB | FD       |
| Withlacoochee River Entrance Daybeacon 31  | 29550 | STRUCT MISSING/TRUB | FD       |
| Withlacoochee River Entrance Light 32      | 29555 | STRUCT MISSING/TRLB | FD       |
| Withlacoochee River Entrance Daybeacon 32B | 29565 | STRUCT DEST/TRUB    | FD       |