

# Local Notice to Mariners for District 7 11/05/2025

## Alafia River

### Federal Discrepancies

| NAME                  | LLNR  | STATUS                   | AID TYPE |
|-----------------------|-------|--------------------------|----------|
| Alafia River Light 7  | 23275 | STRUCT MISSING/TRLB      | FD       |
| Alafia River Light 15 | 23315 | STRUCT DEST/TRLB/HAZ NAV | FD       |

## Altamaha Sound

### Federal Discrepancies

| NAME                               | LLNR  | STATUS           | AID TYPE |
|------------------------------------|-------|------------------|----------|
| Altamaha Sound Daybeacon 197       | 36887 | STRUCT DEST/TRUB | FD       |
| Altamaha Sound Light 201           | 36905 | STRUCT DEST/TRLB | FD       |
| Altamaha Sound Light 202           | 36910 | STRUCT DEST/TRLB | FD       |
| Altamaha Sound Range Front Light C | 36935 | STRUCT DEST      | FD       |
| Altamaha Sound Light 209           | 36930 | STRUCT DEST/TRLB | FD       |

## Amelia River

### Federal Discrepancies

| NAME                        | LLNR  | STATUS      | AID TYPE |
|-----------------------------|-------|-------------|----------|
| Amelia River Lighted Buoy 8 | 7080  | OFF STATION | FD       |
| Amelia River Lighted Buoy 4 | 37940 | ADRIFT      | FD       |

## Anclote Anchorage North Entrance

### Federal Discrepancies

| NAME                                     | LLNR  | STATUS                               | AID TYPE |
|--|-------|--------------------------------------|----------|
| Anclote Anchorage North Entrance Light 7 | 26130 | STRUCT DEST/HAZ NAV/TRLB/OFF STATION | FD       |

### Private Discrepancies

| NAME                                    | LLNR    | STATUS              | AID TYPE |
|---|---------|---------------------|----------|
| Gulf Harbors South Channel Light 1      | 26410   | LT EXT              | PA       |
| Gulf Harbors North Channel Light 2      | 26460   | STRUCT DEST         | PA       |
| Sea Forest Cut Channel Daybeacon 6      | 26451.5 | STRUCT DEST         | PA       |
| Sea Forest Cut Channel Daybeacon 9      | 26451.8 | STRUCT DEST/HAZ NAV | PA       |
| Upper Cross Bayou Daybeacon 1           | 26453   | STRUCT DEST         | PA       |
| Big Bayou Point Channel Daybeacon 5     | 26454.2 | STRUCT DEST/HAZ NAV | PA       |
| Gulf Harbors North Channel Daybeacon 10 | 26500   | STRUCT DEST         | PA       |

## Anclote River

### Federal Discrepancies

| NAME  | LLNR    | STATUS                   | AID TYPE |
|---|---------|--------------------------|----------|
| Anclote River Light 9                         | 26180   | STRUCT DEST/TRLB/SINKING | FD       |
| Anclote River Daybeacon 11                    | 26190   | STRUCT DEST/TRLB/HAZ NAV | FD       |
| Anclote River Daybeacon 12                    | 26190.5 | HAZ NAV/STRUCT DEST/TRLB | FD       |
| Anclote River Turning Basin Shoal Daybeacon A | 26360   | STRUCT MISSING/TRUB      | FD       |
| Anclote River Turning Basin Shoal Daybeacon B | 26365   | STRUCT MISSING/TRUB      | FD       |

### Private Discrepancies

| NAME                               | LLNR    | STATUS        | AID TYPE |
|------------------------------------|---------|---------------|----------|
| Anclote Village Marina Daybeacon 7 | 26233.7 | DAYMK MISSING | PA       |

## Angelfish Creek

### Federal Discrepancies

| NAME                        | LLNR  | STATUS           | AID TYPE |
|-----------------------------|-------|------------------|----------|
| Angelfish Creek Daybeacon 3 | 11195 | STRUCT DEST/TRUB | FD       |

## Ashley River

### Additional MSI Categories

| TITLE  | SUBCATEGORY               | DESCRIPTION   | LOCATION                            |
|--|---------------------------|---|-------------------------------------|
| Charleston Harbor South Channel - Ashley River/General/Bridges/Construction                              | Bridges                   | General/Bridges/Construction From: 2025-02-12 To: 2026-01-30 Location: 32.78257° N / 79.96052° W Bridge Name: Ashley River Pedestrian Bridge Construction of the Ashley River Crossing Pedestrian Bridge has begun on the Ashley River, in Charleston, SC. The new bridge will be constructed to the southeast (immediately adjacent) of the T. Allen Legare / US 17 Bridge. Construction barges will be partially obstructing the channel, approximately 65-70 feet of the channel will be available to navigation. Vessels requiring a full channel passage must contact Mr. Sean Lynch, 728-205-1580, at least 24 hours prior to the transit. Construction activities will be 24 hours a day, seven days a week. The SE section of the T. Allen Legare / US 17 Bridge fender will be temporarily removed. The remaining section will be properly lighted. One dolphin at the NE fender will be removed during the construction. Vessels should use caution and maintain safe speeds while transiting the area. | Lat: 32° 46' 57" Lon: -079° 57' 38" |
| Charleston Harbor South Channel - Ashley River/General/Naval Activity/Naval Testing (Surface/Underwater) | Naval Activity            | General/Naval Activity/Naval Testing (Surface/Underwater) From: 2025-09-16 28228 Location: 32.7683° N / 79.9422° W Naval Information Warfare Center (NIWC) Atlantic is deploying research and data buoys within the Charleston Harbor, Cooper River, Wando River, and Ashley River. The buoys are yellow and white with 2' diameter and 3' height above waterline. The buoys will be lit with a yellow flashing light. More information can be found at: <a href="https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/">https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/</a>  | Lat: 32° 46' 06" Lon: -079° 56' 32" |
| Charleston Harbor South Channel - Ashley River/ATON/Proposed Notice of Change                            | Proposed Notice of Change | ATON/Proposed Notice of Change 26813 Location: 32.82471° N / 79.96401° W Aid Name: Ashley River Daybeacon 16 LLNR: 3645 Action: DISCONTINUE The following change is being proposed to the aids to navigation system in the Ashley River. Ashley River DBN 16 (LLNR 3645) will be permanently discontinued. Due to construction for a large marina, DBN 16 impedes the expansion of the waterfront facilities for the new marina. After reviewing the waterway and surrounding aids to navigation the Coast Guard has determined that DBN 16 will no longer be needed All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or andrew.m.engle@uscg.mil with Ashely River DBN 16 as the subject line and be received by October 19, 2025. Comments can also be mailed to Commander (DPW), Southeast Coast Guard District 909 SE 1st Avenue (STE 406) Brickell Federal Plaza Bldg Miami FL 33131   | Lat: 32° 49' 29" Lon: -079° 57' 50" |

## Atlantic IWW

### Private Discrepancies

| NAME                                      | LLNR  | STATUS              | AID TYPE |
|---|-------|---------------------|----------|
| Sebastian Inlet North Jetty Light         | 655   | LT EXT              | PA       |
| Sailfish Point Marina Channel Daybeacon 1 | 10005 | STRUCT DEST/HAZ NAV | PA       |
| Sailfish Point Marina Channel Daybeacon 2 | 10010 | STRUCT DEST         | PA       |
| Sailfish Point Marina Channel Daybeacon 5 | 10025 | STRUCT DEST/HAZ NAV | PA       |
| Sailfish Point Marina Channel Daybeacon 7 | 10035 | STRUCT DEST         | PA       |

## Bahia De Boqueron

### Federal Discrepancies

| NAME                              | LLNR  | STATUS       | AID TYPE |
|-----------------------------------|-------|--------------|----------|
| Bajo Enmedio South Lighted Buoy 1 | 32325 | SINKING/TRLB | FD       |

## Bahia De Guayanilla

### Federal Discrepancies

| NAME  | LLNR  | STATUS | AID TYPE |
|---|-------|--------|----------|
| Bahia De Guayanilla Entrance Range Rear Light | 32075 | LT EXT | FD       |

## Bahia De Jobos

### Federal Discrepancies

| NAME               | LLNR  | STATUS  | AID TYPE |
|--------------------|-------|---------|----------|
| Cayo Puerca Buoy 5 | 31865 | MISSING | FD       |

### Private Discrepancies

| NAME                               | LLNR  | STATUS  | AID TYPE |
|------------------------------------|-------|---------|----------|
| Aguirre Power Plant Lighted Buoy 1 | 31890 | OFF STA | PA       |
| Aguirre Power Plant Lighted Buoy 2 | 31895 | OFF STA | PA       |
| Aguirre Power Plant Lighted Buoy 3 | 31900 | OFF STA | PA       |
| Aguirre Power Plant Lighted Buoy 4 | 31905 | OFF STA | PA       |
| Aguirre Power Plant Lighted Buoy 5 | 31910 | OFF STA | PA       |
| Aguirre Power Plant Lighted Buoy 6 | 31915 | OFF STA | PA       |
| Aguirre Power Plant Lighted Buoy 8 | 31920 | OFF STA | PA       |

## Bahia De Ponce

### Federal Discrepancies

| NAME | LLNR | STATUS | AID TYPE |
|------|------|--------|----------|
|      |      |        |          |

|                                 |       |             |    |
|---------------------------------|-------|-------------|----|
| Bahia De Ponce Range Rear Light | 31965 | REDUCED INT | FD |
| Isla De Cardona Light           | 31950 | STRUCT DEST | FD |

### Private Discrepancies

| NAME                                     | LLNR  | STATUS      | AID TYPE |
|--|-------|-------------|----------|
| Ponce Harbor Pier Obstruction Lights (4) | 31985 | STRUCT DMGD | PA       |

## Bahia De Ponce And Approaches

### Federal Discrepancies

| NAME                       | LLNR  | STATUS | AID TYPE |
|----------------------------|-------|--------|----------|
| Isla Caja De Muertos Light | 31925 | LT EXT | FD       |

### Private Discrepancies

| NAME  | LLNR  | STATUS      | AID TYPE |
|---|-------|-------------|----------|
| Ponce Yacht & Fishing Club Special Purpose Buoy A | 31927 | MISSING     | PA       |
| Rio Bucana East Jetty Light                       | 31940 | STRUCT DEST | PA       |

## Bahia De San Juan

### Federal Discrepancies

| NAME                                | LLNR  | STATUS                | AID TYPE |
|-------------------------------------|-------|-----------------------|----------|
| Bahia De San Juan Range Front Light | 30745 | LT EXT                | FD       |
| Bahia De San Juan Lighted Buoy 2    | 30760 | BUOY DMGD/OFF STATION | FD       |

### Federal Discrepancies Corrected

| NAME                               | LLNR  | STATUS    | AID TYPE | CORRECTION DATE |
|------------------------------------|-------|-----------|----------|-----------------|
| Bahia De San Juan Range Rear Light | 30750 | RELIGHTED | FD       | 2025-10-28      |

### Private Discrepancies

| NAME                                 | LLNR    | STATUS  | AID TYPE |
|--------------------------------------|---------|---------|----------|
| Bahia De San Juan FAD Lighted Buoy E | 30736.4 | MISSING | PA       |
| Bahia De San Juan FAD Lighted Buoy F | 30736.5 | OFF STA | PA       |

### Additional MSI Categories

| TITLE  | SUBCATEGORY               | DESCRIPTION   | LOCATION                            |
|--|---------------------------|---|-------------------------------------|
| Bahia De San Juan/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 18.43499° N / 66.10732° W Aid Name: Army Terminal Channel Lighted Buoy 7 LLNR: 30885 Action: RELOCATE Army Terminal Channel Lighted Buoy 7 (LLNR 30885) will be permanently relocated to position 18-26-10.272N/066-06-27.668W. Army Terminal Channel Lighted Buoy 7A (LLNR 30885 .5) will be permanently established in position 18-26-03.650N/066-06-25.656W.      | Lat: 18° 26' 06" Lon: -066° 06' 26" |
| Bahia De San Juan/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 18.43435° N / 66.10713° W Aid Name: Army Terminal Channel Lighted Buoy 7A LLNR: 30885 .5 Action: ESTABLISH Army Terminal Channel Lighted Buoy 7 (LLNR 30885) will be permanently relocated to position 18-26-10.272N/066-06-27.668W. Army Terminal Channel Lighted Buoy 7A (LLNR 30885 .5) will be permanently established in position 18-26-03.650N/066-06-25.656W. | Lat: 18° 26' 04" Lon: -066° 06' 26" |

## Banana River

### Federal Discrepancies

| NAME                      | LLNR  | STATUS           | AID TYPE |
|---------------------------|-------|------------------|----------|
| Banana River Daybeacon 7A | 42490 | STRUCT DEST/TRUB | FD       |
| Banana River Daybeacon 15 | 42555 | STRUCT DEST/TRUB | FD       |

### Private Discrepancies

| NAME                                       | LLNR               | STATUS              | AID TYPE |
|--|--------------------|---------------------|----------|
| Tortoise Island Ctr Channel Daybeacon 2    | 42450              | DAYMK IMCH          | PA       |
| Tortoise Island Center Channel Daybeacon 4 | 42460              | DAYMK IMCH          | PA       |
| Tortoise Island Center Channel Daybeacon 5 | 42460.1            | DAYMK IMCH          | PA       |
| Tortoise Island Center Channel Daybeacon 6 | 42460.200000000004 | DAYMK MISSING       | PA       |
| Tortoise Island Center Channel Daybeacon 7 | 42460.3            | DAYMK IMCH          | PA       |
| Tortoise Island Center Channel Daybeacon 8 | 42460.4            | DAYMK IMCH          | PA       |
| Tortoise Island Channel Daybeacon 1        | 42463              | STRUCT DEST/HAZ NAV | PA       |
| Manatee Cove Marina Daybeacon 1            | 42490.1            | STRUCT DEST/HAZ NAV | PA       |
| Manatee Cove Marina Daybeacon 4            | 42490.4            | STRUCT DMGD         | PA       |
| Hospital Cut Daybeacon 6                   | 42611.5            | DAYMK MISSING       | PA       |
| Pelican Creek Light 2                      | 42615              | STRUCT DEST         | PA       |

|                                |       |                     |    |
|--------------------------------|-------|---------------------|----|
| Kelly Park Channel Daybeacon 3 | 43040 | STRUCT DEST/HAZ NAV | PA |
| Kelly Park Channel Daybeacon 4 | 43045 | STRUCT DEST         | PA |
| Kelly Park Channel Daybeacon 5 | 43050 | STRUCT DEST/HAZ NAV | PA |

### Additional MSI Categories

| TITLE   | SUBCATEGORY                             | DESCRIPTION   | LOCATION |
|---|---|---|----------|
| Canaveral Barge Canal - Banana River/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2024-10-20 To: 2025-04-18 Location: 28.2669° N / 80.6097° W 28.17191° N / 80.61245° W 28.25602° N / 80.6612° W 28.2669° N / 80.6097° W Gator Dredging will continue muck removal operations within the Grand Canal and adjacent canals within a subdivision, north of Samson Island Park and south of Patrick Air Force Base. Operations will begin on or about March 15, 2022 until approximately November 30, 2025 - Monday through Saturday, 30 minutes after sunrise until 30 minutes before sunset. The dredge DANI L will monitor VHF-FM channels 16 and 68. Mariners are urged to use extreme caution in the area, transit at their slowest safe speed to minimize wake, and proceed with caution after passing arrangements have been made. Floating and submerged high density polyethylene pipeline associated with the hydraulic dredging operations of the canals will be utilized. Pipeline, work vessels, dredge barge, booster pump barges and buoys will be visibly lighted and will be in the area until all work is complete. The configuration will change daily and Vessels and/or equipment will be in multiple locations at the same time. For further information, contact: Charlie Gertz (727) 902-6055. |          |

## Banana River North

### Federal Discrepancies

| NAME                            | LLNR  | STATUS           | AID TYPE |
|---------------------------------|-------|------------------|----------|
| Banana River North Daybeacon 34 | 41920 | STRUCT DEST/TRUB | FD       |
| Banana River North Light 35     | 41925 | STRUCT DEST/TRLB | FD       |

## Barnes Sound

### Private Discrepancies

| NAME                       | LLNR  | STATUS      | AID TYPE |
|----------------------------|-------|-------------|----------|
| Manatee Creek Daybeacon 5  | 50255 | STRUCT DEST | PA       |
| Manatee Creek Daybeacon 6  | 50260 | STRUCT DEST | PA       |
| Manatee Creek Daybeacon 7  | 50265 | STRUCT DEST | PA       |
| Manatee Creek Daybeacon 8  | 50270 | STRUCT DEST | PA       |
| Manatee Creek Daybeacon 8A | 50275 | STRUCT DEST | PA       |
| Manatee Creek Daybeacon 9  | 50280 | STRUCT DEST | PA       |
| Manatee Creek Daybeacon 10 | 50285 | STRUCT DEST | PA       |
| Manatee Bay Daybeacon 2    | 50310 | STRUCT DEST | PA       |
| Manatee Bay Daybeacon 3    | 50315 | STRUCT DEST | PA       |

## Barron River Channel

### Federal Discrepancies

| NAME                              | LLNR  | STATUS           | AID TYPE |
|-----------------------------------|-------|------------------|----------|
| Barron River Channel Daybeacon 37 | 16180 | STRUCT DEST/TRUB | FD       |

## Beaufort River

### Private Discrepancies

| NAME                     | LLNR | STATUS      | AID TYPE |
|--------------------------|------|-------------|----------|
| Broad Creek Daybeacon 13 | 4490 | STRUCT DEST | PA       |
| Broad Creek Daybeacon 19 | 4510 | DAYMK IMCH  | PA       |
| Broad Creek Daybeacon 21 | 4515 | DAYMK IMCH  | PA       |

### Additional MSI Categories

| TITLE  | SUBCATEGORY | DESCRIPTION   | LOCATION                            |
|--|-------------|---|-------------------------------------|
| Port Royal Sound - Beaufort River/General/Bridges/Temp Deviation | Bridges     | General/Bridges/Temp Deviation From: 2024-10-29 To: 2024-11-29 Location: 32.42753° N / 80.66921° W Bridge Name: Lady's Island Woods Memorial Bridge The bridge need not open for navigation, including tugs with tows during the following: - September 11, 2025, from 8 p.m. to 9 p.m. to facilitate Patriot Day 2025. - October 4, 2025, from 6:30 a.m. to 9:45 a.m. to facilitate the SC Shrimp Festival 5k 2025. - November 1, 2025, from 7:15 a.m. to 9:45 a.m. to facilitate the Holy Trinity Classic Christian School Swing Bridge Run 2025. - November 27, 2025, from 7:15 a.m. to 9:15 a.m. to facilitate the Habitat for Humanity Turkey Trot 5K 2025. - January 17, 2026, from 7:15 a.m. to 10:15 a.m. to facilitate the Beaufort Area Hospitality Association Oyster Festival 5K 2026. Public Vessels, vessels in emergency situations, and vessels that may pass through the bridge without an opening should be passed at any time. | Lat: 32° 25' 39" Lon: -080° 40' 09" |

## Big Bend Channel

### Federal Discrepancies

| NAME                                      | LLNR  | STATUS | AID TYPE |
|---|-------|--------|----------|
| Big Bend Channel Inbound Range Rear Light | 23118 | LT EXT | FD       |

Private Discrepancies

| NAME                           | LLNR  | STATUS      | AID TYPE |
|--------------------------------|-------|-------------|----------|
| North Apollo Beach Daybeacon 4 | 24675 | STRUCT DEST | PA       |

Big Marco Pass Gordon Pass

Federal Discrepancies

| NAME                                     | LLNR    | STATUS              | AID TYPE |
|--|---------|---------------------|----------|
| Big Marco Pass-Gordon Pass Daybeacon 53  | 17370   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 56  | 17385   | STRUCT MISSING      | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 67  | 17420.5 | STRUCT MISSING/TRUB | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 2   | 17095   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 1A  | 17100   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 2A  | 17160   | STRUCT MISSING/TRUB | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 3   | 17165   | STRUCT MISSING/TRUB | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 17  | 17210   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 18A | 17220   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 26  | 17255   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 28A | 17275   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 33  | 17300   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 36  | 17310   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordan Pass Daybeacon 40  | 17320   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 46  | 17335   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 60  | 17400   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 65  | 17415   | STRUCT DEST/TRUB    | FD       |
| Big Marco Pass-Gordon Pass Daybeacon 66  | 17420   | STRUCT DEST/TRUB    | FD       |

Private Discrepancies

| NAME                                   | LLNR    | STATUS         | AID TYPE |
|--|---------|----------------|----------|
| Big Marco Pass Obstruction Daybeacon A | 17087   | STRUCT DEST    | PA       |
| Big Marco Pass Obstruction Daybeacon B | 17087.1 | STRUCT DEST    | PA       |
| Big Marco Pass Obstruction Daybeacon C | 17087.2 | STRUCT DEST    | PA       |
| Big Marco Pass Obstruction Light E     | 17087.4 | STRUCT DEST    | PA       |
| Isles Of Capri Daybeacon 6             | 17125   | STRUCT MISSING | PA       |

Biscayne Bay.

Federal Discrepancies

| NAME                  | LLNR  | STATUS                   | AID TYPE |
|-----------------------|-------|--------------------------|----------|
| Biscayne Bay Light 69 | 48590 | STRUCT DEST/HAZ NAV/TRLB | FD       |

Private Discrepancies

| NAME   | LLNR  | STATUS                    | AID TYPE |
|--|-------|---------------------------|----------|
| Bakers Haulover Smallboat Channel Daybeacon 2    | 47795 | STRUCT DEST               | PA       |
| Miami Seaquarium Inlet Pipe Obstruction Light    | 48600 | STRUCT DEST/HAZ NAV       | PA       |
| John A Brennan Channel Light 13                  | 49040 | LT EXT                    | PA       |
| Coral Gables Waterway Light 1                    | 49285 | STRUCT DEST               | PA       |
| Coral Gables Waterway Daybeacon 3                | 49295 | STRUCT DEST               | PA       |
| Coral Gables Waterway Daybeacon 4                | 49300 | STRUCT DEST               | PA       |
| Coral Gables Waterway Daybeacon 6                | 49310 | DAYMK IMCH                | PA       |
| Matheson Hammock South Channel Range Front Light | 49445 | DAYMK MISSING/STRUCT DMGD | PA       |
| Matheson Hammock South Channel Range Rear Light  | 49450 | DAYMK MISSING             | PA       |
| Matheson Hammock South Channel Light 2           | 49455 | LT EXT                    | PA       |
| Matheson Hammock South Channel Daybeacon 9       | 49485 | DAYMK MISSING             | PA       |
| Black Point Channel Daybeacon 1                  | 49735 | STRUCT DEST               | PA       |
| Black Point Channel Daybeacon 6                  | 49760 | STRUCT DEST               | PA       |
| Black Point Channel Daybeacon 12                 | 49790 | STRUCT DEST               | PA       |
| Adams Key Light                                  | 50105 | LT EXT/DAYMK MISSING      | PA       |

Additional MSI Categories

| TITLE | SUBCATEGORY | DESCRIPTION | LOCATION |
|-------|-------------|-------------|----------|
|       |             |             |          |

|   |   |   |                                     |
|---|---|---|-------------------------------------|
| Biscayne Bay/General/Bridges/Temp Deviation                           | Bridges                                 | General/Bridges/Temp Deviation From: 2025-04-08 To: 2027-12-31 Location: 25.80607° N / 80.25855° W Bridge Name: South Florida Rail Corridor Railroad Bridge - Miami River The draw of the FDOT Railroad Bridge, mile 5.3 at Miami, Florida need not open to navigation. This temporary interim rule (TIR) is effective April 4, 2025, through 11:59 p.m. on December 31, 2027. Documents are available in the docket, USCG-2025-0204. To view, go to <a href="https://www.regulations.gov">https://www.regulations.gov</a> . Type the docket number (USCG-2025-0204) in the "SEARCH" box and click "SEARCH". In the Document Type column, select "Supporting & Related Material".   | Lat: 25° 48' 22" Lon: -080° 15' 31" |
| Biscayne Bay/General/Bridges/Temp Deviation                           | Bridges                                 | General/Bridges/Temp Deviation From: 2025-05-19 To: 2025-08-30 Location: 25.78882° N / 80.23137° W Bridge Name: Northwest 22nd Avenue Bridge - Miami River - From 8 a.m. on Wednesday, May 28, 2025, through 11:59 p.m. on Monday, November 24, 2025, the drawbridge will provide single-leaf openings with a 2-hour notice for a full opening. - The bridge will continue to operate on demand, except during the curfew hours from 7:35 a.m. to 8:59 a.m. and 4:45 p.m. to 5:59 p.m., Monday through Friday, except Federal holidays, the bridge need not open to navigation. (33 CFR 117.305(b)) - When the southern leaf is left in the down position, approximately 20 ft of horizontal clearance is available for navigation. The northern leaf, when in the down position, provides approximately 40 ft of horizontal clearance. - Mariners are advised to contact the bridge tender at least 2 hours prior to transiting the Miami River if a full channel passage is necessary.  | Lat: 25° 47' 20" Lon: -080° 13' 53" |
| Biscayne Bay/General/Bridges/Rehabilitation                           | Bridges                                 | General/Bridges/Rehabilitation From: 2025-07-17 To: 2025-12-31 Location: 25.76553° N / 80.18723° W Bridge Name: Brickell Key Bridge Bridge repairs to begin July 17, 2025, through December 31, 2025. A turbidity barrier will be installed around the bridge structure. In-water equipment will be and will be properly lighted. All mariners are advised to use caution when transiting the area.   | Lat: 25° 45' 56" Lon: -080° 11' 14" |
| Biscayne Bay/General/Bridges/Temp Deviation                           | Bridges                                 | General/Bridges/Temp Deviation From: 2025-09-19 To: 2026-01-26 Location: 25.76969° N / 80.19345° W Bridge Name: South Miami Avenue Bridge The bridge need not open to navigation including tugs with tows, from 6 a.m. until 2:15 p.m. on Sunday, January 25, 2026. This closure is to facilitate the 2026 Annual Miami Marathon and Half Marathon. Public vessels of the United States and vessels in distress shall be passed at any time.  | Lat: 25° 46' 11" Lon: -080° 11' 36" |
| Biscayne Bay/General/Bridges/Temp Deviation                           | Bridges                                 | General/Bridges/Temp Deviation From: 2025-09-19 To: 2026-01-26 Location: 25.78984° N / 80.18214° W Bridge Name: West Venetian Bridge - AICW The bridge need not open to navigation tugs with tows, from 6:10 a.m. until 10 a.m. on Sunday, January 25, 2026. This closure is to facilitate the 2026 Annual Miami Marathon and Half Marathon. Public vessels of the United States and vessels in distress shall be passed at any time.   | Lat: 25° 47' 23" Lon: -080° 10' 56" |
| Biscayne Bay/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2024-10-20 To: 2025-04-18 Location: 25.6632° N / 80.24784° W Fincantieri Infrastructure Florida & GLF USA will be conducting pile driving, dredging and water sampling in the vicinity of Biscayne Bay Aquatic Preserve and Government Cut at future MSC berths 8 and 9 (25-46-21.1332N/080-9-25.5348W to 25-46-9.1848N/080-8-57.0084W). The estimated completion date is December 15, 2025, hours of operation are 6:30 a.m. to 6:30 p.m., 7 days a week. GLF Construction Corporation will be mobilizing a Crane Barge (54 feet x 150 feet), Service Barge (30 feet X 150 feet), and a Push Boat (15 feet x 25 feet) to the project site on or around June 16, 2022. The equipment is being mobilized to install and maintain the turbidity control system required to perform both land and water-based dredging works. During the installation of the system the above equipment will be operating in the area south of the north navigation channel adjacent to Port Miami. If and when necessary, the equipment will be moved along the southern edge of the north navigation channel to perform any maintenance. Upon arrival at the site the GLF equipment will be positioned inside the Turbidity Control System south of the Navigation Channel and will not move out until completion of the work. GLF will continuously monitor VHF-FM channel 16 and use Channel 9 to maneuver barge and vessels. For further information contact: Alejandro Brito (786) 821-4587 or <a href="mailto:Alejandro.brito@fl.fcinfrastucture.com">Alejandro.brito@fl.fcinfrastucture.com</a> . | Lat: 25° 39' 48" Lon: -080° 14' 52" |

### Biscayne Channel

#### Private Discrepancies

| NAME                                     | LLNR  | STATUS   | AID TYPE |
|--|-------|----------|----------|
| Miami Springs Boat Club Shoal Buoy West  | 10886 | MSLD SIG | PA       |
| Miami Springs Boat Club Shoal Buoy North | 10887 | MISSING  | PA       |
| Miami Springs Boat Club Shoal Buoy South | 10889 | MISSING  | PA       |

### Blackwater Sound

#### Federal Discrepancies

| NAME                      | LLNR  | STATUS | AID TYPE |
|---------------------------|-------|--------|----------|
| Blackwater Sound Light 38 | 50365 | LT EXT | FD       |

### Bloody Point Range

#### Federal Discrepancies Corrected

| NAME                           | LLNR | STATUS    | AID TYPE | CORRECTION DATE |
|--------------------------------|------|-----------|----------|-----------------|
| Bloody Point Range Front Light | 4585 | RELIGHTED | FD       | 2025-10-30      |

#### Temporary Changes

| NAME                                   | LLNR | STATUS                 | AID TYPE |
|--|------|------------------------|----------|
| Bloody Point Range Lighted Bell Buoy 8 | 4580 | RELOCATED FOR DREDGING | FD       |
| Bloody Point Range Lighted Buoy 13     | 4615 | RELOCATED FOR DREDGING | FD       |

#### Additional MSI Categories

| TITLE | SUBCATEGORY | DESCRIPTION | LOCATION |
|-------|-------------|-------------|----------|
|       |             |             |          |

|  |               |   |  |
|--|---------------|---|--|
| Sector Charleston, Submerged Land Act (SLA) - Bloody Point Range/General/Miscellaneous | Miscellaneous | General/Miscellaneous 25767 The U.S. Coast Guard is conducting a Waterway Analysis and Management System (WAMS) review of the Savannah River from the entrance channel through the Upper Savannah River. The study focuses on the area's aids to navigation, waterborne commerce, marine casualty information, port/harbor resources, emergency response plans, routing and emergency communication capabilities, and future development projects. Input regarding the waterway and aids to navigation system must be received by October 1, 2025. Input can be sent directly to the point of contact listed below. Send comments to: U.S. Coast Guard Marine Safety Unit Savannah Attn: LT Anthony Harris Prevention Department Waterways Management 100 W Oglethorpe Ave Savannah, GA 31401 Teams Phone: (774) 392-3271 Email: msusavannahwaterways@uscg.mil There is a survey available at https://forms.osi.apps.mil/Pages/ResponsePage.aspx?id=1aCbNssCL02U_ZISzCS3jGS-jUqZ_BJDofERnrcu8ZUNzJWNzBLRjdXVVRKSfo2SDFISzJPUUpBNi4u |  |
|--|---------------|---|--|

Blount Island

Additional MSI Categories

| TITLE  | SUBCATEGORY                             | DESCRIPTION  | LOCATION                               |
|--|---|--|--|
| Fulton Cutoff - Blount Island/ATON/Advanced Notice of Change                           | Advanced Notice of Change               | Blount Island Turning Basin LB 45 (LLNR 7395) will be permanently relocated to 30-23-08.280N/081-32-35.920W. The flash characteristic will remain a FL G 4s, but the nominal range will be reduced from 5NM to 4NM.  | Lat: 30° 23' 08"<br>Lon: -081° 32' 36" |
| Fulton Cutoff - Blount Island/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2025-10-06 29727 Ahtna Marine and Construction's Dredge, KATIE JOHN will be dredging portions of St. Johns River at the Marine Corps Support Facility – Blount Island (MCSF-BI). Dredging operations are expected to begin on or around October 2025 and will be complete no later than January 2026. The dredge will be disposing of the material via floating, submerged and landward pipelines. The placement location of the dredged material will be Dayson Island Disposal Area (D/A-D). The Portions of the pipeline closest to the dredge will remain floating and will be marked with flashing lights at night. The pipeline will be sunk along the shoreline. Boaters are urged to maintain safe distance from the dredge to avoid potential interference with the pipeline. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after arrangements have been made. The Dredge and barges will be monitoring VHF-FM channels 16 and 79. |  |

Boca Chita Channel

Private Discrepancies

| NAME  | LLNR               | STATUS              | AID TYPE |
|---|--------------------|---------------------|----------|
| East Featherbeds Obstruction Daybeacon A        | 49703              | DAYMK MISSING       | PA       |
| East Featherbed North Obstruction Daybeacon     | 49703.1            | DAYMK MISSING       | PA       |
| East Featherbed West Obstruction Daybeacon      | 49703.3            | STRUCT DEST         | PA       |
| East Featherbed Northeast Obstruction Daybeacon | 49703.5            | STRUCT DEST         | PA       |
| East Featherbed Southeast Obstruction Daybeacon | 49703.6            | DAYMK IMCH          | PA       |
| East Featherbed NNE Obstruction Daybeacon       | 49703.700000000004 | STRUCT DEST         | PA       |
| Middle Featherbeds North Obstruction Daybeacon  | 49704              | DAYMK MISSING       | PA       |
| Middle Featherbed NNE Obstruction Daybeacon     | 49704.3            | DAYMK MISSING       | PA       |
| Featherbed Bank Shoal Daybeacon X               | 49725              | STRUCT DEST/HAZ NAV | PA       |

Boca Ciega Bay.

Federal Discrepancies

| NAME                        | LLNR  | STATUS           | AID TYPE |
|-----------------------------|-------|------------------|----------|
| Boca Ciega Bay Daybeacon 35 | 60915 | STRUCT DEST/TRUB | FD       |

Boca Ciega Bay To Anclote Anchorage

Federal Discrepancies

| NAME                     | LLNR  | STATUS              | AID TYPE |
|--------------------------|-------|---------------------|----------|
| The Narrows Daybeacon 14 | 61535 | STRUCT MISSING/TRUB | FD       |
| The Narrows Daybeacon 25 | 61580 | TRUB/STRUCT MISSING | FD       |
| The Narrows Light 27B    | 61600 | STRUCT MISSING/TRLB | FD       |
| The Narrows Daybeacon 38 | 61660 | STRUCT DEST/TRUB    | FD       |

Additional MSI Categories

| TITLE  | SUBCATEGORY | DESCRIPTION  | LOCATION                               |
|--|-------------|--|--|
| Clearwater Harbor - Boca Ciega Bay To Anclote Anchorage/General/Bridges/Temp Deviation | Bridges     | General/Bridges/Temp Deviation From: 2025-08-13 To: 2025-12-20 Location: 27.84389° N / 82.83822° W Bridge Name: Park Boulevard Bridge - GICW The bridge shall provide single-leaf opening on signal with a full opening provided with a 4-hour advanced notice. The bridge will be painted beginning August 11, 2025 through December 19, 2025. A barge will be located outside the channel, behind the fenders. Mariners are advised to use caution when transiting the area. | Lat: 27° 50' 38"<br>Lon: -082° 50' 18" |

Boca Ciega Key.

Federal Discrepancies

| NAME | LLNR | STATUS | AID TYPE |
|------|------|--------|----------|
|      |      |        |          |

|                             |       |                  |    |
|-----------------------------|-------|------------------|----|
| Boca Ciega Bay Daybeacon 39 | 61040 | STRUCT DEST/TRUB | FD |
|-----------------------------|-------|------------------|----|

### Boca De Cangrejos

#### Additional MSI Categories

| TITLE  | SUBCATEGORY               | DESCRIPTION  | LOCATION                            |
|--|---------------------------|--|-------------------------------------|
| Boca De Cangrejos/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2025-09-16 28227 Location: 18.46878° N / 66.01088° W Aid Name: Boca De Cangrejos Lighted Buoy BC LLNR: 31130 Action: DISCONTINUE The following change is being proposed to the aids to navigation system in Boca De Cangreos, San Juan, Puerto Rico. Boca De Cangreos Lighted Buoy BC (LLNR 31130) will be permanently discontinued, as it has been deemed non-essential for maritime navigation. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Isla Palominos as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by November 16, 2025. | Lat: 18° 28' 08" Lon: -066° 00' 39" |

### Boca Grande Yacht Basin Channel

#### Federal Discrepancies

| NAME                                    | LLNR  | STATUS           | AID TYPE |
|---|-------|------------------|----------|
| Boca Grande Yacht Basin Channel Light 7 | 21340 | STRUCT DEST/TRLB | FD       |

#### Additional MSI Categories

| TITLE  | SUBCATEGORY | DESCRIPTION  | LOCATION                            |
|--|-------------|--|-------------------------------------|
| Gasparilla Sound Channel - Boca Grande Yacht Basin Channel/General/Bridges/Maintenance | Bridges     | General/Bridges/Maintenance From: 2025-01-07 To: 2025-11-03 Location: 26.75371° N / 82.2584° W Bridge Name: Boca Grande Bayou Temporary Bridge Temporary Construction Bridge (TCB) across the Boca Grande Bayou is authorized to remain in place through April 1, 2026, to allow for the completion of work at the Gasparilla Island Water Association Wastewater Treatment Plant. Remaining work includes final site work, demolition of existing structures and removal of the TCB. The center span shall be removed to allow for unrestricted boating traffic from January 1, 2025, through May 1, 2025, and again from January 1, 2026, through the end of the project. The TCB shall be removed in its entirety by April 1, 2026. | Lat: 26° 45' 13" Lon: -082° 15' 30" |

### Bohicket Creek

#### Federal Discrepancies

| NAME                       | LLNR | STATUS         | AID TYPE |
|----------------------------|------|----------------|----------|
| Bohicket Creek Daybeacon 5 | 3905 | STRUCT MISSING | FD       |

### Bowlegs Cut

#### Private Discrepancies

| NAME              | LLNR  | STATUS | AID TYPE |
|-------------------|-------|--------|----------|
| Bay Harbour Light | 12378 | LT EXT | PA       |

### Braden River

#### Private Discrepancies

| NAME                      | LLNR    | STATUS              | AID TYPE |
|---------------------------|---------|---------------------|----------|
| Braden River Daybeacon 9  | 22097.8 | STRUCT DEST/HAZ NAV | PA       |
| Braden River Daybeacon 11 | 22098   | STRUCT DEST         | PA       |

### Brills Cut

#### Federal Discrepancies

| NAME                        | LLNR | STATUS  | AID TYPE |
|-----------------------------|------|---------|----------|
| Brills Cut Range Rear Light | 7480 | LT IMCH | FD       |

#### Federal Discrepancies Corrected

| NAME                         | LLNR | STATUS    | AID TYPE | CORRECTION DATE |
|------------------------------|------|-----------|----------|-----------------|
| Brills Cut Range Front Light | 7475 | RELIGHTED | FD       | 2025-10-27      |

### Brunswick River

#### Federal Discrepancies

| NAME                                    | LLNR | STATUS                   | AID TYPE |
|---|------|--------------------------|----------|
| Turtle River Lower Range Rear Light     | 6245 | LT EXT/STRUCT DMGD       | FD       |
| Brandy Point Jetty Daybeacon            | 6290 | STRUCT DEST/HAZ NAV/TRUB | FD       |
| Brunswick Point Cut Range Front Light 2 | 6230 | REDUCED INT              | FD       |



## Buck Island

### Additional MSI Categories

| TITLE                                  | SUBCATEGORY   | DESCRIPTION   | LOCATION |
|--|---------------|---|----------|
| Buck Island/General/Marine Events/Swim | Marine Events | General/Marine Events/Swim From: 2025-09-22 28782 The U.S. Coast Guard will be enforcing a Special Local Regulation for the ST Croix Coral Reef Swim described in Title 33 Code of Federal Regulations (CFR) 100.701 Table 1 on November 09, 2025, from 7 a.m. to 12:30 p.m. The regulated area encompasses all waters of St. Thomas Harbor encompassed within the following points: i. Race Area. St. Croix, U.S. Virgin Islands; All waters of Christiansted Harbor within the following points: Starting at Point 1 in position 18°45.7'N, 64°40.6' W; then northeast to Point 2 in position 18°47.3' N, 64°37.5 W; then southeast to Point 3 in position 17°46.9' N, 64°37.2' W; then southwest to point 4 in position 17°45.51' N, 64°39.7' W; then northwest to the origin. The U.S. Coast Guard may be contacted via VHF-FM channel 16. For more information, contact Mrs. Kim Sanford at (253) 904-7390 or via email at kimusvi@gmail.com |          |

## Butchers Bend

### Federal Discrepancies

| NAME                    | LLNR | STATUS           | AID TYPE |
|-------------------------|------|------------------|----------|
| Butchers Bend Light 109 | 9200 | STRUCT DEST/TRLB | FD       |

## Buttermilk Sound

### Federal Discrepancies

| NAME                           | LLNR  | STATUS           | AID TYPE |
|--------------------------------|-------|------------------|----------|
| Buttermilk Sound Daybeacon 217 | 36967 | STRUCT DEST/TRUB | FD       |
| Buttermilk Sound Daybeacon 218 | 36975 | DBD DEST/TRUB    | FD       |

## Caesar Creek

### Federal Discrepancies

| NAME                      | LLNR  | STATUS      | AID TYPE |
|---------------------------|-------|-------------|----------|
| Caesar Creek Daybeacon 14 | 11050 | STRUCT DEST | FD       |

## Calibogue Sound

### Additional MSI Categories

| TITLE   | SUBCATEGORY               | DESCRIPTION   | LOCATION                               |
|---|---------------------------|---|--|
| Calibogue Sound Entrance - Calibogue Sound/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 32.1499° N / 80.83043° W Aid Name: Calibogue Sound Light 32 LLNR: 35800 Action: CHANGE Action Type Change Light Characteristic The following change has been approved to the Aid to Navigation system in the Intracoastal Waterway Calibogue Sound, part of the Intracoastal Waterway (ICW). The nominal range permanently reduced from 5NM to 4NM. The current nominal range of 5NM is not necessary. Based on the design of the Short-Range Aids System (SRA), mariners should be able to see two lighted aids to navigation forward of the aid from which they are alongside. Based on this data, a nominal range of 4NM is more than adequate. | Lat: 32° 08' 60"<br>Lon: -080° 49' 50" |

## Caloosahatchee River

### Federal Discrepancies

| NAME                              | LLNR  | STATUS                   | AID TYPE |
|-----------------------------------|-------|--------------------------|----------|
| Caloosahatchee River Daybeacon 19 | 52210 | STRUCT MISSING           | FD       |
| Caloosahatchee River Daybeacon 34 | 52475 | STRUCT DEST/HAZ NAV      | FD       |
| Caloosahatchee River Light 70     | 53725 | STRUCT DEST/TRLB         | FD       |
| Caloosahatchee River Daybeacon 99 | 54785 | TRUB/STRUCT MISSING      | FD       |
| Caloosahatchee River Light 72     | 53790 | STRUCT DEST/TRLB/HAZ NAV | FD       |
| Caloosahatchee River Daybeacon 94 | 54760 | STRUCT MISSING/TRUB      | FD       |

### Private Discrepancies

| NAME   | LLNR               | STATUS        | AID TYPE |
|--|--------------------|---------------|----------|
| Ft Myers Yacht Basin Breakwater Light            | 52640              | STRUCT DEST   | PA       |
| Caloosahatchee River Mooring Channel Daybeacon 1 | 52641              | STRUCT DEST   | PA       |
| Caloosahatchee River Mooring Channel Daybeacon 2 | 52642              | DAYMK MISSING | PA       |
| Caloosahatchee River Mooring Channel Daybeacon 3 | 52643              | DBD DEST      | PA       |
| Caloosahatchee River Mooring Channel Daybeacon 4 | 52644              | DAYMK MISSING | PA       |
| Caloosahatchee River Mooring Channel Daybeacon 5 | 52644.1            | DBD DEST      | PA       |
| Caloosahatchee River Mooring Channel Daybeacon 6 | 52644.200000000004 | DAYMK MISSING | PA       |
| Ft Myers Yacht Basin Breakwater West Light       | 52645              | STRUCT DEST   | PA       |
| Marinatown Daybeacon 1                           | 52655              | DBD DEST      | PA       |
| Marinatown Daybeacon 3                           | 52665              | STRUCT DEST   | PA       |
| Marinatown Daybeacon 4                           | 52670              | STRUCT DEST   | PA       |

|                                     |         |                       |    |
|-------------------------------------|---------|-----------------------|----|
| Marinatown Daybeacon 5              | 52675   | DBD DEST              | PA |
| Marinatown Daybeacon 7              | 52685   | DAYMK MISSING         | PA |
| Marinatown Daybeacon 8              | 52690   | DBD DEST              | PA |
| Marinatown Daybeacon 12             | 52710   | STRUCT DMGD           | PA |
| Marinatown Daybeacon 13             | 52715   | DBD DMGD              | PA |
| Marinatown Daybeacon 22             | 52760   | STRUCT DEST           | PA |
| Marinatown Daybeacon 23             | 52765   | DAYMK MISSING         | PA |
| Marinatown Daybeacon 24             | 52770   | DAYMK MISSING         | PA |
| Marinatown Daybeacon 26             | 52780   | STRUCT DEST           | PA |
| Gulf Acres Channel Daybeacon 1      | 52825   | STRUCT DEST           | PA |
| Gulf Acres Channel Daybeacon 4      | 52840   | STRUCT DEST           | PA |
| Gulf Acres Channel Daybeacon 5      | 52845   | STRUCT DEST           | PA |
| Gulf Acres Channel Daybeacon 9      | 52870   | STRUCT DEST           | PA |
| Cape Coral Rim Channel Daybeacon 23 | 53070   | HAZ NAV/DAYMK MISSING | PA |
| Cape Coral Rim Channel Daybeacon 39 | 53110   | STRUCT DEST           | PA |
| Van Riper Channel Daybeacon 2       | 54296   | DAYMK MISSING         | PA |
| Van Riper Channel Daybeacon 4       | 54296.5 | DAYMK MISSING         | PA |
| Van Riper Channel Daybeacon 6       | 54297   | DAYMK MISSING         | PA |
| Van Riper Channel Daybeacon 8       | 54297.5 | DAYMK MISSING         | PA |
| Van Riper Channel Daybeacon 10      | 54298   | DAYMK MISSING         | PA |
| Van Riper Channel Daybeacon 12      | 54298.5 | DAYMK MISSING         | PA |
| Bimini Entrance Channel Daybeacon 2 | 54305   | STRUCT DMGD           | PA |
| Redfish Cove Channel Daybeacon 18   | 54445   | STRUCT DEST           | PA |
| Redfish Cove Channel Daybeacon 20   | 54455   | STRUCT DEST           | PA |
| Shell Point Obstruction Daybeacon A | 54763   | STRUCT DEST           | PA |

### Canaveral Barge Canal

#### Private Discrepancies

| NAME                     | LLNR  | STATUS      | AID TYPE |
|--------------------------|-------|-------------|----------|
| Sykes Creek Daybeacon 19 | 41620 | STRUCT DEST | PA       |

### Canaveral Harbor

#### Temporary Changes

| NAME  | LLNR | STATUS                 | AID TYPE |
|---|------|------------------------|----------|
| Canaveral Harbor Entrance Channel Lighted Buoy 13 | 9650 | RELOCATED FOR DREDGING | FD       |
| Canaveral Harbor Entrance Channel Lighted Buoy 13 | 9650 | RELOCATED FOR DREDGING | FD       |

### Cape Haze Shoal

#### Federal Discrepancies

| NAME                    | LLNR  | STATUS                   | AID TYPE |
|-------------------------|-------|--------------------------|----------|
| Cape Haze Shoal Light 5 | 19990 | HAZ NAV/STRUCT DEST/TRLB | FD       |

#### Private Discrepancies

| NAME                                 | LLNR    | STATUS              | AID TYPE |
|--------------------------------------|---------|---------------------|----------|
| Burnt Store Marina Daybeacon 5       | 20015   | STRUCT DEST         | PA       |
| Alligator Creek Daybeacon 23         | 20305   | STRUCT DMGD         | PA       |
| Alligator Creek Daybeacon 24         | 20310   | STRUCT DEST         | PA       |
| Pine Island West Channel Daybeacon 5 | 56510.1 | STRUCT DEST/HAZ NAV | PA       |

### Capri Pass

#### Federal Discrepancies

| NAME                         | LLNR  | STATUS              | AID TYPE |
|------------------------------|-------|---------------------|----------|
| Capri Pass Light 3           | 16955 | TRLB/STRUCT MISSING | FD       |
| Capri Pass Daybeacon C       | 16980 | TRLB                | FD       |
| Capri Pass Shoal Daybeacon B | 17050 | STRUCT DEST/TRUB    | FD       |

#### Private Discrepancies

| NAME                    | LLNR    | STATUS      | AID TYPE |
|-------------------------|---------|-------------|----------|
| Addison Bay Daybeacon 1 | 16901.1 | STRUCT DEST | PA       |
| Addison Bay Daybeacon 2 | 16901.2 | STRUCT DEST | PA       |

|   |         |                     |    |
|---|---------|---------------------|----|
| Addison Bay Daybeacon 4                       | 16901.4 | STRUCT DEST/HAZ NAV | PA |
| Addison Bay Daybeacon 5                       | 16901.5 | STRUCT DEST         | PA |
| South Point North Obstruction Daybeacon       | 16961   | STRUCT DEST/HAZ NAV | PA |
| South Point S. Obstruction Daybeacon          | 16962   | STRUCT DEST/HAZ NAV | PA |
| Royal Marco Point North Obstruction Daybeacon | 16986   | STRUCT DEST         | PA |
| Royal Marco Point S. Obst. Daybeacon          | 16987   | STRUCT DEST         | PA |
| Collier Bay Daybeacon 13                      | 17021   | DAYMK MISSING       | PA |
| Collier Bay Daybeacon 15                      | 17023   | DAYMK MISSING       | PA |
| Factory Bay E Channel Daybeacon 2             | 17070   | DBD DMGD            | PA |
| Factory Bay E Channel Daybeacon 4             | 17075   | DBD DEST            | PA |

### Captiva Channel

#### Private Discrepancies

| NAME                        | LLNR  | STATUS      | AID TYPE |
|-----------------------------|-------|-------------|----------|
| Captiva Channel Daybeacon 5 | 55620 | STRUCT DEST | PA       |

### Caxambas Bay

#### Private Discrepancies

| NAME                                    | LLNR               | STATUS              | AID TYPE |
|---|--------------------|---------------------|----------|
| Blackwater River Daybeacon 10           | 16505              | DAYMK MISSING       | PA       |
| Blackwater River Daybeacon 11           | 16510              | STRUCT DEST/HAZ NAV | PA       |
| Blackwater River Daybeacon 13           | 16520              | STRUCT DEST         | PA       |
| Blackwater River Daybeacon 15           | 16530              | STRUCT DEST         | PA       |
| Blackwater River Daybeacon 22           | 16555              | STRUCT DEST         | PA       |
| Blackwater River Daybeacon 24           | 16565              | STRUCT DEST/HAZ NAV | PA       |
| Caxambas Bay South Approach Daybeacon 2 | 16675              | STRUCT DEST         | PA       |
| Caxambas Bay Daybeacon 11               | 16715              | DAYMK MISSING       | PA       |
| Horrs Island North Channel Daybeacon 8  | 16790              | STRUCT DEST/HAZ NAV | PA       |
| Snook Hole Channel Daybeacon 1          | 16790.010000000002 | STRUCT DEST         | PA       |
| Snook Hole Channel Daybeacon 4          | 16790.04           | STRUCT DEST/HAZ NAV | PA       |
| Big Marco River Daybeacon 3             | 16800              | STRUCT DEST         | PA       |
| Moran's Marina Channel Daybeacon 1      | 16835              | DAYMK MISSING       | PA       |
| Moran's Marina Channel Daybeacon 2      | 16840              | DAYMK MISSING       | PA       |
| Moran's Marina Channel Daybeacon 3      | 16845              | DAYMK MISSING       | PA       |
| Big Marco River Daybeacon 16            | 16860              | STRUCT DEST         | PA       |
| Big Marco River Daybeacon 21            | 16880              | STRUCT DMGD         | PA       |
| Big Marco River Daybeacon 26            | 16900              | STRUCT DEST/HAZ NAV | PA       |

### Cedar Keys Main Channel

#### Federal Discrepancies

| NAME                                | LLNR  | STATUS              | AID TYPE |
|-------------------------------------|-------|---------------------|----------|
| Cedar Keys Main Channel Light 21    | 29810 | STRUCT DEST/HAZ NAV | FD       |
| Cedar Keys Main Channel Daybeacon 8 | 29770 | STRUCT MISSING/TRUB | FD       |
| Cedar Keys Main Channel Light 14    | 29790 | STRUCT MISSING/TRLB | FD       |
| Cedar Keys Main Channel Light 18    | 29800 | STRUCT MISSING/TRLB | FD       |

#### Additional MSI Categories

| TITLE   | SUBCATEGORY           | DESCRIPTION   | LOCATION                            |
|---|-----------------------|---|-------------------------------------|
| Cedar Keys Main Channel/General/Hazards To Navigation/Hazards | Hazards To Navigation | General/Hazards To Navigation/Hazards From: 2024-12-06 To: 2025-06-04 Location: 29.11403° N / 83.04028° W Cedar Key Main Channel 19A has been temporarily established to guide vessel traffic channel ward and away from submerged wreckage between Cedar Keys Main Channel Daybeacon 19 (LLNR 29805) and Cedar Keys Main Channel Light 21 (LLNR 29810). All mariners are advised to transit the area with caution. | Lat: 29° 06' 51" Lon: -083° 02' 25" |

### Cedar Keys Northwest Channel

#### Federal Discrepancies

| NAME                                      | LLNR  | STATUS                   | AID TYPE |
|---|-------|--------------------------|----------|
| Cedar Keys Northwest Channel Daybeacon 14 | 29965 | STRUCT MISSING/TRUB      | FD       |
| Cedar Keys Northwest Channel Daybeacon 17 | 29980 | STRUCT MISSING/TRUB      | FD       |
| Cedar Keys Northwest Channel Light 19     | 29995 | STRUCT DEST/HAZ NAV/TRLB | FD       |
| Cedar Keys Northwest Channel Daybeacon 21 | 30005 | TRLB/STRUCT DEST/HAZ NAV | FD       |

|  |       |                          |    |
|--|-------|--------------------------|----|
| Cedar Key Northwest Channel Daybeacon 22 | 30010 | TRLB/HAZ NAV/STRUCT DEST | FD |
|--|-------|--------------------------|----|

### Cedar Keys South Bar Channel

#### Federal Discrepancies

| NAME                                     | LLNR  | STATUS         | AID TYPE |
|--|-------|----------------|----------|
| Cedar Keys South Bar Channel Daybeacon 4 | 29900 | STRUCT MISSING | FD       |

### Charleston Harbor

#### Federal Discrepancies

| NAME   | LLNR | STATUS      | AID TYPE |
|--|------|-------------|----------|
| Charleston Entrance Lighted Buoy C             | 200  | RAC INOP    | FD       |
| Charleston Harbor Channel Lighted Bell Buoy 18 | 2420 | OFF STATION | FD       |

#### Additional MSI Categories

| TITLE  | SUBCATEGORY                             | DESCRIPTION  | LOCATION                               |
|--|---|--|--|
| Sector Charleston, Submerged Land Act (SLA) - Charleston Harbor/ATON/Advanced Notice of Change   | Advanced Notice of Change               | Charleston Harbor Channel LB 18 (LLNR 2420) will have the bell permanently removed.  | Lat: 32° 43' 27"<br>Lon: -079° 48' 37" |
| Sector Charleston, Submerged Land Act (SLA) - Charleston Harbor/ATON/Advanced Notice of Change   | Advanced Notice of Change               | Charleston Harbor Channel LB 22 (LLNR 2440) will have the bell permanently removed.  | Lat: 32° 44' 26"<br>Lon: -079° 50' 41" |
| Sector Charleston, Submerged Land Act (SLA) - Charleston Harbor/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-02-25 To: 2026-11-13 Location: 32.75328° N / 79.87473° W 32.75232° N / 79.87355° W 32.75075° N / 79.87546° W 32.75198° N / 79.87705° W 32.75328° N / 79.87473° W Cape Romain Contractors will be replacing Fort Sumter and Fort Moultrie Docks and rehabilitate Liberty Square Pier. They will have a crane barge starting March 3, 2025, until May 31, 2026, at Fort Moultrie and crane barges at Fort Sumter and Liberty Square Pier as the project progresses. Estimated completion date of the entire project is 31October 31, 2026. All Vessels should use caution when transiting the work area. The crew at Fort Moultrie will monitor VHF-FM channels 13 and 16. |  |
| Sector Charleston, Submerged Land Act (SLA) - Charleston Harbor/General/Naval Activity/Naval Testing (Surface/Underwater)  | Naval Activity                          | General/Naval Activity/Naval Testing (Surface/Underwater) From: 2025-09-16 28230 Location: 32.8063° N / 79.9186° W Naval Information Warfare Center (NIWC) Atlantic is deploying research and data buoys within the Charleston Harbor, Cooper River, Wando River, and Ashley River. The buoys are yellow and white with 2’ diameter and 3’ height above waterline. The buoys will be lit with a yellow flashing light. More information can be found at: <a href="https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/">https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/</a>                                       | Lat: 32° 48' 23"<br>Lon: -079° 55' 07" |
| Sector Charleston, Submerged Land Act (SLA) - Charleston Harbor/General/Naval Activity/Naval Testing (Surface/Underwater)  | Naval Activity                          | General/Naval Activity/Naval Testing (Surface/Underwater) From: 2025-09-16 28233 Location: 32.754° N / 79.8662° W Naval Information Warfare Center (NIWC) Atlantic is deploying research and data buoys within the Charleston Harbor, Cooper River, Wando River, and Ashley River. The buoys are yellow and white with 2’ diameter and 3’ height above waterline. The buoys will be lit with a yellow flashing light. More information can be found at: <a href="https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/">https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/</a>  | Lat: 32° 45' 14"<br>Lon: -079° 51' 58" |

### Charleston Harbor North Channel

#### Federal Discrepancies

| NAME  | LLNR | STATUS  | AID TYPE |
|---|------|---------|----------|
| Rebellion Reach Range Front Light               | 2485 | LT EXT  | FD       |
| Charleston Harbor North Channel Lighted Buoy 34 | 2540 | SINKING | FD       |

#### Additional MSI Categories

| TITLE  | SUBCATEGORY                             | DESCRIPTION   | LOCATION                               |
|--|---|---|--|
| Charleston Harbor - Charleston Harbor North Channel/ATON/Advanced Notice of Change   | Advanced Notice of Change               | Bennis Reach RFL (LLNR 2505.5) will be relocated to approximate position 32-47-15.433N/079-55-25.965W with an approximate focal height of 29'. The flash characteristics of the optic will remain a Q R. Two passing lights displaying a Fl W 2.5s will be mounted on opposite corners of the platform with both lights synchronized.   | Lat: 32° 47' 18"<br>Lon: -079° 55' 29" |
| Charleston Harbor - Charleston Harbor North Channel/ATON/Advanced Notice of Change   | Advanced Notice of Change               | Bennis Reach RRL (LLNR 2506) will be relocated to approximate position 32-47-22.658N/079-55-42.841W with an approximate focal height of 71 feet. The new position will keep the RRL on land, located on the top level of a parking garage in downtown Charleston. The flash characteristics of the optic will remain a R Iso 6s.  | Lat: 32° 47' 24"<br>Lon: -079° 55' 43" |
| Charleston Harbor - Charleston Harbor North Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-02-25 To: 2026-11-13 Location: 32.78003° N / 79.92337° W 32.77867° N / 79.9233° W 32.77871° N / 79.92452° W 32.77997° N / 79.92455° W 32.78003° N / 79.92337° W Cape Romain Contractors will be replacing Fort Sumter and Fort Moultrie Docks and rehabilitate Liberty Square Pier. They will have a crane barge starting March 3, 2025, until May 31, 2026, at Fort Moultrie and crane barges at Fort Sumter and Liberty Square Pier as the project progresses. Estimated completion date of the entire project is 31October 31, 2026. All Vessels should use caution when transiting the work area. The crew at Fort Moultrie will monitor VHF-FM channels 13 and 16. |  |

## Charleston Harbor Savannah River

### Federal Discrepancies

| NAME                    | LLNR  | STATUS           | AID TYPE |
|-------------------------|-------|------------------|----------|
| Ramshorn Creek Light 39 | 35825 | STRUCT DEST/TRLB | FD       |

### Private Discrepancies

| NAME                            | LLNR    | STATUS  | AID TYPE |
|---------------------------------|---------|---------|----------|
| Parris Island Fish Haven Buoy   | 35600   | MISSING | PA       |
| Braddock Cove Creek Jetty Light | 35815.5 | LT IMCH | PA       |

## Charleston Harbor South Channel

### Additional MSI Categories

| TITLE   | SUBCATEGORY    | DESCRIPTION  | LOCATION                            |
|---|----------------|--|-------------------------------------|
| Charleston Harbor - Charleston Harbor South Channel/General/Naval Activity/Naval Testing (Surface/Underwater) | Naval Activity | General/Naval Activity/Naval Testing (Surface/Underwater) From: 2025-09-16 28229 Location: 32.7562° N / 79.9137° W Naval Information Warfare Center (NIWC) Atlantic is deploying research and data buoys within the Charleston Harbor, Cooper River, Wando River, and Ashley River. The buoys are yellow and white with 2' diameter and 3' height above waterline. The buoys will be lit with a yellow flashing light. More information can be found at: <a href="https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/">https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/</a> | Lat: 32° 45' 22" Lon: -079° 54' 49" |
| Charleston Harbor - Charleston Harbor South Channel/General/Naval Activity/Naval Testing (Surface/Underwater) | Naval Activity | General/Naval Activity/Naval Testing (Surface/Underwater) From: 2025-09-16 28232 Location: 32.7563° N / 79.9184° W Naval Information Warfare Center (NIWC) Atlantic is deploying research and data buoys within the Charleston Harbor, Cooper River, Wando River, and Ashley River. The buoys are yellow and white with 2' diameter and 3' height above waterline. The buoys will be lit with a yellow flashing light. More information can be found at: <a href="https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/">https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/</a> | Lat: 32° 45' 23" Lon: -079° 55' 06" |

## Chokoloskee Bay Channel

### Private Discrepancies

| NAME   | LLNR  | STATUS      | AID TYPE |
|--|-------|-------------|----------|
| National Park Service Boat Basin South Channel Daybeacon 1 | 16105 | STRUCT DEST | PA       |
| National Park Service Boat Basin South Channel Daybeacon 5 | 16125 | STRUCT DEST | PA       |
| National Park Service Boat Basin West Channel Daybeacon 1  | 16135 | STRUCT DEST | PA       |
| National Park Service Boat Basin West Channel Daybeacon 2  | 16140 | STRUCT DEST | PA       |
| National Park Service Boat Basin West Channel Daybeacon 5  | 16150 | STRUCT DEST | PA       |
| National Park Service Boat Basin West Channel Daybeacon 6  | 16155 | STRUCT DEST | PA       |
| National Park Service Boat Basin West Channel Daybeacon 7  | 16160 | STRUCT DEST | PA       |

## Christiansted Harbor Channel

### Private Discrepancies

| NAME   | LLNR  | STATUS         | AID TYPE |
|--|-------|----------------|----------|
| Christiansted Schooner Channel Lighted Buoy 5  | 32950 | OFF STA/LT EXT | PA       |
| Christiansted Schooner Channel Lighted Buoy 6  | 32955 | LT EXT         | PA       |
| Christiansted Schooner Channel Lighted Buoy 7  | 32965 | BUOY DMGD      | PA       |
| Christiansted Schooner Channel Lighted Buoy 10 | 32980 | LT EXT         | PA       |
| Christiansted Schooner Lighted Buoy 11         | 32985 | LT EXT         | PA       |

## Clarks Creek

### Federal Discrepancies

| NAME                        | LLNR | STATUS  | AID TYPE |
|-----------------------------|------|---------|----------|
| Clarks Creek Lighted Buoy 6 | 2247 | MISSING | FD       |

## Clearwater Harbor

### Federal Discrepancies

| NAME                           | LLNR  | STATUS                   | AID TYPE |
|--------------------------------|-------|--------------------------|----------|
| Clearwater Harbor Daybeacon 3  | 61720 | HAZ NAV/STRUCT DEST/TRLB | FD       |
| Clearwater Harbor Daybeacon 3  | 61720 | STRUCT DEST/HAZ NAV      | FD       |
| Clearwater Harbor Light 4      | 61725 | STRUCT MISSING/TRLB      | FD       |
| Clearwater Wreck Light WR14A   | 61805 | STRUCT MISSING/TRLB      | FD       |
| Clearwater Harbor Daybeacon 20 | 61847 | STRUCT DEST/TRUB         | FD       |

## Clearwater Marina Channel

### Additional MSI Categories

| TITLE  | SUBCATEGORY               | DESCRIPTION   | LOCATION                            |
|--|---------------------------|---|-------------------------------------|
| Clearwater Pass Channel - Clearwater Marina Channel/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change 26659 Location: 27.9631° N / 82.81917° W Aid Name: Clearwater Marina Channel Light 2 LLNR: 25730 Action: CHANGE Action Type Change Waterway Action Type Change Light Signals The U.S. Coast Guard is proposing to make the following changes in the Clearwater Marina Channel and Causeway Channel to improve the aids to navigation within the waterway and to create a safer transit. Clearwater Marina Channel LT 2 (LLNR 25730) will be changed to Clearwater Marina Preferred Channel LT "CM" (LLNR 25730). The new flash characteristics will be changed to a FL (2+1)R 6s and the Day Mark will show a red over green signal. Currently Clearwater Marina Channel LT 2 sits across from Clearwater Pass LT 14 (LLNR 25575) at the junction of Clearwater Marina Channel and Clearwater Pass Channel causing confusion on outbound transits from the Clearwater Pass Channel. Causeway Channel DBN 7 (LLNR 25845.5) will be changed to Causeway Preferred Channel DBN "CC" (LLNR 25845.5). The Day Mark will show a green over red signal. Causeway Channel DBN 7 is currently aligned with red lateral aids marking the Clearwater Marina Channel and causes confusion on inbound transits of the Clearwater Marina Channel. Converting these aids to a "preferred" channel mark will alleviate any confusion for the mariner while transiting through the Clearwater Marina Channel, Clearwater Pass Channel, and the Causeway Channel. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or Andrew.m.engle@uscg.mil with Clearwater Harbor ATON Changes as the subject line. Comments can also be mailed to: Commander (dpw), U.S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Bldg, Miami, FL 33131-3050 to be received by October 22, 2025. | Lat: 27° 57' 47" Lon: -082° 49' 09" |

## Clearwater Pass

### Federal Discrepancies

| NAME                         | LLNR    | STATUS           | AID TYPE |
|------------------------------|---------|------------------|----------|
| Causeway Channel Daybeacon 7 | 25845.5 | STRUCT DEST/TRUB | FD       |

### Additional MSI Categories

| TITLE  | SUBCATEGORY               | DESCRIPTION   | LOCATION                            |
|--|---------------------------|---|-------------------------------------|
| Clearwater Harbor - Clearwater Pass/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change 26660 Location: 27.97148° N / 82.81732° W Aid Name: Causeway Channel Daybeacon 7 LLNR: 25845.5 Action: CHANGE Action Type Change Waterway Action Type Change Light Signals The U.S. Coast Guard is proposing to make the following changes in the Clearwater Marina Channel and Causeway Channel to improve the aids to navigation within the waterway and to create a safer transit. Clearwater Marina Channel LT 2 (LLNR 25730) will be changed to Clearwater Marina Preferred Channel LT "CM" (LLNR 25730). The new flash characteristics will be changed to a FL (2+1)R 6s and the Day Mark will show a red over green signal. Currently Clearwater Marina Channel LT 2 sits across from Clearwater Pass LT 14 (LLNR 25575) at the junction of Clearwater Marina Channel and Clearwater Pass Channel causing confusion on outbound transits from the Clearwater Pass Channel. Causeway Channel DBN 7 (LLNR 25845.5) will be changed to Causeway Preferred Channel DBN "CC" (LLNR 25845.5). The Day Mark will show a green over red signal. Causeway Channel DBN 7 is currently aligned with red lateral aids marking the Clearwater Marina Channel and causes confusion on inbound transits of the Clearwater Marina Channel. Converting these aids to a "preferred" channel mark will alleviate any confusion for the mariner while transiting through the Clearwater Marina Channel, Clearwater Pass Channel, and the Causeway Channel. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or Andrew.m.engle@uscg.mil with Clearwater Harbor ATON Changes as the subject line. Comments can also be mailed to: Commander (dpw), U.S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Bldg, Miami, FL 33131-3050 to be received by October 22, 2025. | Lat: 27° 58' 17" Lon: -082° 49' 02" |

## Clearwater Pass Channel

### Federal Discrepancies

| NAME                                 | LLNR  | STATUS           | AID TYPE |
|--------------------------------------|-------|------------------|----------|
| Clearwater Pass Channel Light 7      | 25700 | STRUCT DMGD      | FD       |
| Clearwater Pass Light 14             | 25725 | STRUCT DEST/TRLB | FD       |
| Clearwater Pass Channel Daybeacon 16 | 25795 | STRUCT DEST/TRUB | FD       |

## Clewiston Channel Route 1B

### Federal Discrepancies

| NAME                                   | LLNR  | STATUS           | AID TYPE |
|--|-------|------------------|----------|
| Clewiston Channel (Rt 1b) Light 12     | 51340 | STRUCT DMGD      | FD       |
| Clewiston Channel (Rt 1B) Daybeacon 5  | 51275 | STRUCT DEST/TRLB | FD       |
| Clewiston Channel (Rt 1B) Daybeacon 9  | 51295 | STRUCT DEST      | FD       |
| Clewiston Channel (Rt 1B) Daybeacon 14 | 51350 | STRUCT DEST/TRUB | FD       |

## Cooper River

### Federal Discrepancies

| NAME                            | LLNR | STATUS  | AID TYPE |
|---------------------------------|------|---------|----------|
| Cooper River Lighted Buoy 44    | 2695 | SINKING | FD       |
| Cooper River Dike Light 47      | 2750 | LT EXT  | FD       |
| Cooper River Range B Rear Light | 2970 | LT EXT  | FD       |

### Private Discrepancies

| NAME                               | LLNR   | STATUS   | AID TYPE |
|------------------------------------|--------|----------|----------|
| Don Holt I-526 Bridge Racon        | 2905.5 | RAC INOP | PA       |
| Cooper River Ammunition Pier Light | 3015   | LT EXT   | PA       |

|  |        |             |    |
|--|--------|-------------|----|
| South Carolina Gas & Elec North Pier Light | 3260   | LT EXT      | PA |
| South Carolina Gas & Elec South Pier Light | 3265   | LT EXT      | PA |
| Upper Cooper River Daybeacon 12            | 3287.8 | STRUCT DEST | PA |
| Upper Cooper River Daybeacon 22            | 3288.5 | DAYMK DMGD  | PA |

## Additional MSI Categories

| TITLE   | SUBCATEGORY                             | DESCRIPTION   | LOCATION                               |
|---|---|---|--|
| Charleston Harbor - Cooper River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes 2786 Location: 32.85289° N / 79.94381° W The USCG will be demolishing, rebuilding and dredging pier november in approximate position 32-51-09.7N/079-56-48.8W. The contractor is getting ready to remove the old Pier N "mega dolphin" which represents the old pier's closest point to the Clouter Creek Reach Channel. Operations are expected to commence January 15, 2024, with an estimated completion date of December 31, 2026. During the construction phase operations will be conducted Monday-Friday 7 a.m. to 7 p.m., during dredging operations may be continuous 24 hours a day/ 7 days a week. For further information contact: LCDR John Houk at John.R.Houk@uscg.mil.   | Lat: 32° 51' 12"<br>Lon: -079° 56' 45" |
| Charleston Harbor - Cooper River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes 9392 Location: 32.8512° N / 79.94134° W Beginning October 30, 2024, and ending October 30, 2026, Manson Construction will be performing construction of a new pier, bulkhead, and shoreline at the Romeo Pier NOAA Facility on the Cooper River. There will be a crane barge, material barges, and support vessels in the area assisting construction operations from 7am to 7pm, 7 days a week. These activities could pose a hazard to vessels traveling within 900 feet from the bulkhead to the center of the river. Mariners need to take caution when transiting the area. Please watch for dive flags, stay clear of the construction area, and away from any working equipment. Crews will be monitoring VHF-FM channel 61. For more information, please contact Robert Stalcup (904) 707-3896.  | Lat: 32° 51' 04"<br>Lon: -079° 56' 29" |
| Charleston Harbor - Cooper River/General/Marine Construction (Excluding Bridges)/Dredging   | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2025-09-24 29001 Location: 33.23668° N / 80.01429° W Michels Construction, Inc. ("Michels") will begin mechanical dredging on or about October 6, 2025, with an estimated completion date of January 31, 2026. Dredging will be in Lake Moultrie near Lyons Beach, for the proposed Mega Boat Ramp located in Moncks Corner, SC; approximately 1.27 Nautical Miles southwest of the Pinopolis Lock & Dam. Hours of Operation: Monday thru Saturday; 6 a.m. to 7 p.m. VHF-FM channel 16, 13, and operating standby channel 88A. Operations will not interfere or effect navigational traffic on Lake Moultrie, nor block passage, except for in the immediate vicinity of the shoreline where turbidity curtain will be placed to perform contracted work.  | Lat: 33° 14' 12"<br>Lon: -080° 00' 51" |
| Charleston Harbor - Cooper River/General/Marine Construction (Excluding Bridges)/Dredging   | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging 13304 SOUTHERN DREDGING CO. INC. DREDGE BRUNSWICK will be working in the Town Creek Lower Reach and Tidewater reach of the Cooper River at the Columbus Street and Union Pier Terminals commencing on or about September 19, 2025. The Dredge will operate on a 24 hour per day, 7 day per week basis until approximately October 19, 2025. To ensure safe passage in the vicinity of the operation, boaters should establish contact with the dredge on VHF marine channels 13 and 16 or by telephone at 843-729-1691.  |  |
| Charleston Harbor - Cooper River/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes 18251 Orion Marine Construction, Inc. will begin construction work at the Hugh K. Leatherman, Sr. Terminal located along the western shore of the Cooper River, North Charleston, SC at (32° 50' 28N/079° 55' 58W). Within the scope of the jobsite, there will be temporary steel structures that will be periodically move as the job progresses. The structures will display a FL 2.5 W, 2NM lights. Operations will consist of dredging, armor stone slope protection installation, pile driving, and new wharf construction. Operations at the project site will commence in May 2025 and will extend through December 2026. Tugboats will monitor VHF channel 13. Mariners are urged to use extreme caution when transiting the work area. For more information, contact the Project Superintendent, Dustyn Fields at dfields@orionmarinegroup.com, or Project Manager, Tyler Satterfield at tsatterfield@orionmarinegroup.com.  |  |
| General/Marine Construction (Excluding Bridges)/Dredging  | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2025-10-24 30936 Cottrell Contracting Corporation of Chesapeake, Virginia advises that the dredge NEWMARKET will be conducting dredging operations in and adjacent to the Cooper River at USCG Pier Papa, Charleston County, SC. The work will be ongoing from October 30, 2025 through January 1, 2026 from Cooper River Lighted Buoy 50 to Cooper River Lighted Buoy 52. All mariners are requested to stay clear of the dredge, pipelines, barge, derricks and operating wires about the dredge. All operators should be aware that the dredge and pontoon lines are held in place by cables, which are attached to anchors some distance from the dredge and pontoons. Buoys are attached to the anchors so that they may be moved as the dredge moves. Submerged lines should be avoided. Mariners are requested to exercise extreme caution when approaching, passing, and leaving the dredging plant. The dredge NEWMARKET monitors VHF-FM channels 13 and 16. Mariners are cautioned to strictly comply with the Inland Rules of the Road when approaching, passing and leaving the area of operations, and remain a safe distance away from the dredge, booster, buoys, cables, pipeline, barges, derricks, wires and related equipment. Owners and lessees of fishnets, crabpots and other structures that may be in the vicinity and that may hinder the free navigation of attending vessels and equipment must remove these from the area where tugs, tenderboats and other attendant equipment will be navigating. Dredging operations will be conducted twenty-four (24) hours a day seven (7) days a week, all fishnets, crabpots and structures in the general area must be removed prior to commencement of any work, a slow NO WAKE speed is requested of transiting vessels. All vessels are requested to contact the dredge prior to passing. |  |
| Charleston Harbor - Cooper River/ATON/Proposed Notice of Change   | Proposed Notice of Change               | ATON/Proposed Notice of Change Location: 32.9403° N / 79.92368° W Aid Name: Cooper River Range D Rear Light LLNR: 3045 Action: RELOCATE The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in the Cooper River: Cooper River Range D Rear Light (LLNR 3045) will be permanently relocated to approximate position 32-56-27.083N / 079-55-21.194W. Cooper River Range D/F Front Light (LLNR 3040) will have the flash characteristic changed from a Q W to a FL W 2.5s. The light will continue to be an all-around light. Due to the current location of Cooper River Range D Rear Light (LLNR 30465) being inaccessible for a Coast Guard asset to effectively repair the structure, it was determined by relocating the rear range approximately 400 feet further from its current location will offer a much improved range quality and allow CG personnel to service at any tidal state. All comments should be emailed to: d07-smb-dpwpubliccomments@uscg.mil or andrew.m.ingle@uscg.mil with Cooper River Range D/F as the subject line. Comments can also be mailed to Commander (dpw), Seventh Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by November 1, 2025.  | Lat: 32° 56' 25"<br>Lon: -079° 55' 25" |
| Charleston Harbor - Cooper River/ATON/Proposed Notice of Change   | Proposed Notice of Change               | ATON/Proposed Notice of Change Location: 32.93982° N / 79.92463° W Aid Name: Cooper River Range D/F Front Light LLNR: 3040 Action: CHANGE Action Type Change Light Signals The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in the Cooper River: Cooper River Range D Rear Light (LLNR 3045) will be permanently relocated to approximate position 32-56-27.083N / 079-55-21.194W. Cooper River Range D/F Front Light (LLNR 3040) will have the flash characteristic changed from a Q W to a FL W 2.5s. The light will continue to be an all-around light. Due to the current location of Cooper River Range D Rear Light (LLNR 30465) being inaccessible for a Coast Guard asset to effectively repair the structure, it was determined by relocating the rear range approximately 400 feet further from its current location will offer a much improved range quality and allow CG personnel to service at any tidal state. All comments should be emailed to: d07-smb-dpwpubliccomments@uscg.mil or andrew.m.ingle@uscg.mil with Cooper River Range D/F as the subject line. Comments can also be mailed to Commander (dpw), Seventh Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by November 1, 2025.   | Lat: 32° 56' 23"<br>Lon: -079° 55' 29" |

## Coosaw River

### Federal Discrepancies

| NAME | LLNR | STATUS | AID TYPE |
|------|------|--------|----------|
|------|------|--------|----------|

|                        |       |             |    |
|------------------------|-------|-------------|----|
| Coosaw River Light 200 | 35295 | STRUCT DEST | FD |
|------------------------|-------|-------------|----|

Private Discrepancies

| NAME                     | LLNR  | STATUS      | AID TYPE |
|--------------------------|-------|-------------|----------|
| Parrot Creek Daybeacon 3 | 35235 | STRUCT DEST | PA       |

Cowpens

Federal Discrepancies

| NAME                  | LLNR  | STATUS                   | AID TYPE |
|-----------------------|-------|--------------------------|----------|
| Cowpens Daybeacon 73A | 50605 | STRUCT DEST/HAZ NAV/TRLB | FD       |

Cranes Bayou

Private Discrepancies

| NAME                        | LLNR  | STATUS        | AID TYPE |
|-----------------------------|-------|---------------|----------|
| Dock On The Bay Daybeacon 7 | 59015 | DAYMK MISSING | PA       |

Cross Florida Greenway

Federal Discrepancies

| NAME                                | LLNR  | STATUS           | AID TYPE |
|-------------------------------------|-------|------------------|----------|
| Cross Florida Greenway Daybeacon 27 | 29265 | STRUCT DEST/TRUB | FD       |
| Cross Florida Greenway Daybeacon 33 | 29295 | STRUCT MISSING   | FD       |
| Cross Florida Greenway Daybeacon 36 | 29310 | STRUCT DEST      | FD       |

Cruz Bay.

Federal Discrepancies

| NAME           | LLNR  | STATUS        | AID TYPE |
|----------------|-------|---------------|----------|
| Cruz Bay Light | 32775 | DAYMK MISSING | FD       |

Private Discrepancies

| NAME            | LLNR  | STATUS  | AID TYPE |
|-----------------|-------|---------|----------|
| Cruz Bay Buoy 2 | 32785 | OFF STA | PA       |

Crystal River

Federal Discrepancies

| NAME                                | LLNR  | STATUS              | AID TYPE |
|-------------------------------------|-------|---------------------|----------|
| Crystal River Entrance Daybeacon 14 | 28855 | STRUCT MISSING/TRUB | FD       |

Private Discrepancies

| NAME                       | LLNR               | STATUS      | AID TYPE |
|----------------------------|--------------------|-------------|----------|
| Crystal River Daybeacon 9  | 28912.600000000002 | DBD DMGD    | PA       |
| Crystal River Daybeacon 25 | 28952.600000000002 | STRUCT DEST | PA       |
| Crystal River Daybeacon 29 | 28953.4            | STRUCT DEST | PA       |

Cumberland Dividings

Federal Discrepancies

| NAME                           | LLNR  | STATUS           | AID TYPE |
|--------------------------------|-------|------------------|----------|
| Cumberland Dividings Light 63A | 37625 | STRUCT DEST/TRLB | FD       |

Cumberland River

Federal Discrepancies

| NAME                           | LLNR  | STATUS                   | AID TYPE |
|--------------------------------|-------|--------------------------|----------|
| Cumberland River Light 46      | 37540 | STRUCT MISSING/TRLB      | FD       |
| Cumberland River Daybeacon 63  | 37623 | STRUCT DEST/TRUB         | FD       |
| Cumberland River Light 33      | 37390 | STRUCT DEST/TRLB         | FD       |
| Cumberland River Light 35      | 37405 | STRUCT MISSING/TRLB      | FD       |
| Cumberland River Daybeacon 51  | 37560 | STRUCT DEST/TRUB         | FD       |
| Cumberland River Daybeacon 58A | 37603 | STRUCT DEST/HAZ NAV/TRLB | FD       |



|                                |       |                  |    |
|--------------------------------|-------|------------------|----|
| Cumberland River Daybeacon 59A | 37607 | STRUCT DEST/TRUB | FD |
| Cumberland River Light 60      | 37610 | STRUCT DEST/TRLB | FD |

### Temporary Changes

| NAME                                | LLNR | STATUS      | AID TYPE |
|-------------------------------------|------|-------------|----------|
| Cumberland River Temporary Buoy 47A | null | ESTABLISHED | FD       |

### Additional MSI Categories

| TITLE   | SUBCATEGORY               | DESCRIPTION  | LOCATION                               |
|---|---------------------------|--|--|
| St Andrew Sound - Cumberland River/ATON/Advanced Notice of Change | Advanced Notice of Change | Cumberland River LT 35 (LLNR 37405) will be relocated due to the water depth at current location being too deep for CG assets to effect repairs. The aid will be relocated approximately 453 yards south of its current location in a depth of 15 feet. This change will ensure safe navigation and keep the same alignment with the surrounding aids in the Cumberland River. Cumberland River LT 35 (LLNR 37405) will be relocated to approximate position 30-57-14.700N/081-25-44.460W. | Lat: 30° 57' 15"<br>Lon: -081° 25' 44" |

## Cumberland Sound

### Federal Discrepancies

| NAME                                      | LLNR  | STATUS                   | AID TYPE |
|---|-------|--------------------------|----------|
| Cumberland Sound Shoal Light A            | 6773  | STRUCT DEST              | FD       |
| Cumberland Sound Shoal Light D            | 6867  | STRUCT DEST              | FD       |
| Cumberland Sound Shoal Light H            | 6894  | STRUCT DEST/TRLB/MISSING | FD       |
| Cumberland Sound Range D Front Light      | 6905  | HAZ NAV/STRUCT DEST/TRLT | FD       |
| Cumberland Sound Range F Front Light      | 37645 | LT EXT                   | FD       |
| Cumberland Sound Upper Range A Rear Light | 6695  | STRUCT DEST              | FD       |
| Cumberland Sound Shoal Light B            | 6837  | STRUCT DEST              | FD       |
| Cumberland Sound Shoal Light G            | 6892  | STRUCT DEST              | FD       |
| Cumberland Sound Shoal Light I            | 6927  | STRUCT DEST              | FD       |

## Cut A Channel

### Private Discrepancies

| NAME                                  | LLNR  | STATUS | AID TYPE |
|---------------------------------------|-------|--------|----------|
| Tampa Bay Skyway Pier Southeast Light | 22425 | LT EXT | PA       |
| Tampa Bay Skyway Pier Northeast Light | 22430 | LT EXT | PA       |

### Additional MSI Categories

| TITLE  | SUBCATEGORY                             | DESCRIPTION   | LOCATION |
|--|---|---|----------|
| Mullet Key Channel - Cut A Channel/General/Marine Construction (Excluding Bridges)/Survey Operations | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Survey Operations 27916 Fugro USA Marine Inc. will be conducting a hydrographic survey under Sunshine Skyway Bridge, Tampa Bay, Florida. Operations are expected to begin on or about September 17, 2025, with an estimated completion date of October 1, 2025. work schedule will be 3 days per week: 8 hours per day. 27.621847N / -82.657814W 27.617926N / -82.655002W 27.618979N / -82.653277W 27.622825N / -82.656054W FUGRO ROOSTER will be monitoring VHF-FM channel 16. |          |

## Cut G Channel

### Private Discrepancies

| NAME                      | LLNR               | STATUS                | AID TYPE |
|---------------------------|--------------------|-----------------------|----------|
| Smacks Bayou Daybeacon 3  | 25025.2            | STRUCT DEST           | PA       |
| Smacks Bayou Daybeacon 1  | 25025              | STRUCT DEST           | PA       |
| Smacks Bayou Daybeacon 5  | 25025.4            | STRUCT DEST           | PA       |
| Smacks Bayou Daybeacon 6  | 25025.5            | DAYMK MISSING         | PA       |
| Smacks Bayou Daybeacon 8  | 25025.600000000002 | STRUCT DEST           | PA       |
| Smacks Bayou Daybeacon 10 | 25025.7            | STRUCT DEST/HAZ NAV   | PA       |
| Smacks Bayou Daybeacon 13 | 25025.9            | STRUCT DEST           | PA       |
| Smacks Bayou Daybeacon 14 | 25026              | HAZ NAV/DAYMK MISSING | PA       |
| Smacks Bayou Daybeacon 15 | 25026.100000000002 | DAYMK MISSING         | PA       |
| Smacks Bayou Daybeacon 16 | 25026.2            | DAYMK MISSING         | PA       |
| Shore Acres Daybeacon 2   | 25031              | STRUCT DEST           | PA       |
| Shore Acres Daybeacon 4   | 25032              | DAYMK MISSING         | PA       |
| Shore Acres Daybeacon 6   | 25033.5            | STRUCT DEST           | PA       |

## Cut K Channel

### Private Discrepancies

| NAME | LLNR | STATUS | AID TYPE |
|------|------|--------|----------|
|      |      |        |          |

|                                     |                    |                     |    |
|-------------------------------------|--------------------|---------------------|----|
| Rattlesnake Channel Daybeacon A     | 23814              | DAYMK IMCH          | PA |
| Westshore Yacht Club Light 2        | 23814.100000000002 | STRUCT DEST         | PA |
| Westshore Yacht Club Daybeacon 4    | 23814.2            | STRUCT DEST         | PA |
| Old Tampa Bay Pipeline West Light   | 23950.5            | STRUCT DEST/HAZ NAV | PA |
| Culbreath Bayou North Daybeacon 3   | 24070              | DAYMK MISSING       | PA |
| Bay Crest Daybeacon 5               | 24275              | DAYMK MISSING       | PA |
| Shore Acres Daybeacon 5             | 25033              | STRUCT DEST/HAZ NAV | PA |
| Bayou Grande Channel Daybeacon 2    | 25040              | STRUCT DEST         | PA |
| Bayou Grande Channel Daybeacon 3    | 25045              | DAYMK DMGD          | PA |
| Bayou Grande Channel Daybeacon 9    | 25065              | STRUCT DEST         | PA |
| Bayou Grande Channel Daybeacon 21   | 25105              | DAYMK MISSING       | PA |
| Bayou Grande Channel Daybeacon 30   | 25150              | STRUCT DEST         | PA |
| Bayou Grande Channel Daybeacon 31   | 25155              | DAYMK MISSING       | PA |
| Bayou Grande Channel Daybeacon 41   | 25200              | STRUCT DEST         | PA |
| Bayou Grande Channel Daybeacon 48   | 25230              | STRUCT DEST/HAZ NAV | PA |
| Bayou Grande Channel Daybeacon 48   | 25230              | STRUCT DEST         | PA |
| Mobel Americana Channel Daybeacon 3 | 25260.2            | DAYMK MISSING       | PA |
| Tanglewood Channel Daybeacon 1      | 25265              | STRUCT DEST         | PA |

### Additional MSI Categories

| TITLE  | SUBCATEGORY | DESCRIPTION  | LOCATION                            |
|--|-------------|--|-------------------------------------|
| Tampa Bay Cut J Channel - Cut K Channel/General/Bridges/Construction | Bridges     | General/Bridges/Construction From: 2024-11-19 To: 2026-01-31 Location: 27.92889° N / 82.58725° W Bridge Name: Howard Frankland I-275 Bridges Construction of the new I-275 Howard Frankland Bridge crossing Old Tampa Bay is ongoing. Bridge work will be performed 24 hours per day, Monday through Saturday. 9/19/2025 THROUGH 12/31/2025 CHANNEL TRAFFIC WILL BE OBSTRUCTED DURING DEOMOLITION OF THE 60'S BRIDGE (SOUTHERN MOST BRIDGE). DIVERS TO BE ACTIVELY WORKING AT/NEAR DEMOLITION OPERATIONS DURING THE DAY. WE WILL HAVE TUGBOATS ACTIVELY WORKING EVERY SHIFT WHILE THE CHANNEL IS OBSTRUCTED AND BARGES CAN BE MOVED OUT OF THE CHANNEL WITHIN 30 MINUTES TO AN HOUR. VHF RADIO CHANNELS MONITORED: 13, 22A, AND 16 TO ESTABLISH AND MAINTAIN A 1,000 FOOT WORK ZONE ON THE SOUTH SIDE OF THE BRIDGE AND A 500 FOOT WORK ZONE ON THE NORTH SIDE OF THE BRIDGE. DEMOLITION OPERATIONS EXTEND FROM NAVIGATIONAL CHANNEL TO THE HILLSBOROUGH CAUSEWAY AND THE PINELLAS CAUSEWAY. MOORING BUOY'S TO BE PLACED ON THE SOUTH SIDE OF THE BRIDGE. ALL MARINERS ARE ADVISED TO TRANSIT THE AREA AT A SLOW SPEED AS TO NOT CAUSE A WAKE. | Lat: 27° 55' 44" Lon: -082° 35' 14" |

## Darien River

### Federal Discrepancies

| NAME                      | LLNR               | STATUS           | AID TYPE |
|---------------------------|--------------------|------------------|----------|
| Darien River Daybeacon 17 | 36826.700000000004 | STRUCT DEST/TRUB | FD       |

## Derrick Key Gap Channel

### Federal Discrepancies

| NAME                                | LLNR  | STATUS              | AID TYPE |
|-------------------------------------|-------|---------------------|----------|
| Derrick Key Gap Channel Daybeacon 2 | 30055 | STRUCT DEST         | FD       |
| Derrick Key Gap Channel Daybeacon 3 | 30060 | TRLB/STRUCT MISSING | FD       |

## Dinner Key Channel

### Federal Discrepancies

| NAME                       | LLNR  | STATUS | AID TYPE |
|----------------------------|-------|--------|----------|
| Dinner Key Channel Light 1 | 48915 | LT EXT | FD       |

## District 7, Oceanic boundary to EEZ

### Federal Discrepancies

| NAME                                   | LLNR  | STATUS                   | AID TYPE |
|--|-------|--------------------------|----------|
| Guantanamo Bay Entrance Lighted Buoy 2 | 33390 | LT EXT                   | FD       |
| St Nicolas Point Channel Light 7       | 33415 | STRUCT DEST/TRLB         | FD       |
| Guantanamo Bay Lighted Buoy 7          | 33455 | LT EXT                   | FD       |
| Guantanamo Bay Lighted Buoy 9          | 33540 | LT EXT                   | FD       |
| St Nicolas Point Channel Light 4       | 33400 | STRUCT DEST/HAZ NAV/TRLB | FD       |
| Radio Point Light 1                    | 33490 | LT EXT                   | FD       |
| Evans Point Light 8                    | 33530 | DBD DEST                 | FD       |

### Temporary Changes

| NAME                                    | LLNR  | STATUS                 | AID TYPE |
|---|-------|------------------------|----------|
| St Nicolas Point Channel Lighted Buoy 6 | 33410 | RELOCATED FOR DREDGING | FD       |

Doboy Sound

Federal Discrepancies

| NAME               | LLNR | STATUS  | AID TYPE |
|--------------------|------|---------|----------|
| Doboy Sound Buoy 2 | 5920 | OFF STA | FD       |
| Doboy Sound Buoy 3 | 5925 | MISSING | FD       |
| Doboy Sound Buoy 4 | 5930 | OFF STA | FD       |

Private Discrepancies

| NAME             | LLNR | STATUS | AID TYPE |
|------------------|------|--------|----------|
| Sapelo Island LT | 5946 | LT EXT | PA       |

Drummond Creek

Federal Discrepancies

| NAME                             | LLNR | STATUS           | AID TYPE |
|----------------------------------|------|------------------|----------|
| Drummond Creek Range Front Light | 7515 | STRUCT DEST/TRLB | FD       |
| Drummond Creek Range Rear Light  | 7520 | LT EXT           | FD       |

Additional MSI Categories

| TITLE  | SUBCATEGORY               | DESCRIPTION   | LOCATION                               |
|--|---------------------------|---|--|
| St Johns River - Drummond Creek/ATON/Advanced Notice of Change | Advanced Notice of Change | Drummond Creek RFL (LLNR 7515) will be permanently relocated to approximate position 30-24-45.104N / 081-35-35.319W. The RFL will remain a nighttime optic only and flash characteristic will remain as a Q R. The RFL will continue to display daymarks for the day-time signal. Both Drummond Creek RFL and RRL will be upgraded with LED light signals to provide a much more reliable signal when using this channel. An additional light will be established and mounted on top of the Drummond Creek RFL optic and synchronized with the RFL to display a Q R flash characteristics during nighttime hours only, with a nominal range of 3NM. | Lat: 30° 24' 44"<br>Lon: -081° 35' 38" |

Dumfoundling Bay

Federal Discrepancies

| NAME                      | LLNR  | STATUS | AID TYPE |
|---------------------------|-------|--------|----------|
| Dumfoundling Bay Light 49 | 47695 | LT EXT | FD       |

Duplin River

Federal Discrepancies

| NAME                  | LLNR  | STATUS              | AID TYPE |
|-----------------------|-------|---------------------|----------|
| Doboy Sound Light 178 | 36795 | STRUCT MISSING/TRLB | FD       |

East Cape

Federal Discrepancies

| NAME                   | LLNR  | STATUS                   | AID TYPE |
|------------------------|-------|--------------------------|----------|
| East Cape Daybeacon 1A | 15655 | STRUCT DEST/HAZ NAV/TRUB | FD       |

Elba Island Cut

Additional MSI Categories

| TITLE  | SUBCATEGORY               | DESCRIPTION  | LOCATION                               |
|--|---------------------------|--|--|
| Lower Flats Range - Elba Island Cut/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 32.06387° N / 80.99495° W Aid Name: Elba Island Cut Light 10 LLNR: 35900 Action: CHANGE Action Type Change Light Characteristic The following change has been approved to the Aid to Navigation system in the Intracoastal Waterway Elba Island Cut Channel, part of the Intracoastal Waterway (ICW). The nominal range permanently reduced from 5NM to 4NM. The current nominal range of 5NM is not necessary. Based on the design of the Short-Range Aids System (SRA), mariners should be able to see two lighted aids to navigation forward of the aid from which they are alongside. Based on this data, a nominal range of 4NM is more than adequate. | Lat: 32° 03' 50"<br>Lon: -080° 59' 42" |

Entrada Channel

Private Discrepancies

| NAME                         | LLNR  | STATUS              | AID TYPE |
|------------------------------|-------|---------------------|----------|
| Entrada Channel Daybeacon 1  | 49240 | STRUCT DEST/HAZ NAV | PA       |
| Entrada Channel Daybeacon 3  | 49245 | STRUCT DEST/HAZ NAV | PA       |
| Entrada Channel Daybeacon 5  | 49250 | DAYMK MISSING       | PA       |
| Entrada Channel Daybeacon 7  | 49255 | DAYMK MISSING       | PA       |
| Entrada Channel Daybeacon 9  | 49260 | DAYMK MISSING       | PA       |
| Entrada Channel Daybeacon 11 | 49265 | DAYMK MISSING       | PA       |

|                              |       |               |    |
|------------------------------|-------|---------------|----|
| Entrada Channel Daybeacon 13 | 49270 | DAYMK MISSING | PA |
|------------------------------|-------|---------------|----|

### Fernandina Beach

#### Additional MSI Categories

| TITLE  | SUBCATEGORY                             | DESCRIPTION   | LOCATION |
|--|---|---|----------|
| Amelia River - Fernandina Beach/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging 27334 Curtin Maritime Corporation (CMC) will commence maintenance dredging operations in Fernandina Harbor on or about September 28, 2025, with work expected to conclude on or about October 31, 2025. Dredging will occur 24 hours a day, 7 days a week within the Amelia River, specifically in the Fernandina Harbor and Turning Basin between buoys 6 and 10. Dredged material will be transported in scows and disposed of offshore at the Ocean Dredged Material Disposal Site (ODMDS), located approximately 11.7 nautical miles southeast of the South Jetty to the center of the ODMDS. The fleet supporting this operation will consist of the following vessels: (1) Mechanical Dredge: DB AVALON (3) Split Hull Scows: CROWN POINT, INSPIRATION POINT, SAND POINT (4) Support Tugs: KAREN C, ALICE C, KIMBERLY C, and MARY EMMA All manned equipment will monitor VHF-FM channels 13, and 16. Project Manager, Mr. Robert Collaro can be reached at (772) 643-0784. |          |

### Fields Cut

#### Additional MSI Categories

| TITLE  | SUBCATEGORY           | DESCRIPTION   | LOCATION                                     |
|--|-----------------------|---|--|
| Lower Flats Range - Fields Cut/General/Hazards To Navigation/Shoaling Reported | Hazards To Navigation | General/Hazards To Navigation/Shoaling Reported 21052 Location: 32.08666° N / 80.9333° W<br>Shoaling reported 3 FT at MLW | Lat:<br>32° 05' 12"<br>Lon:<br>-080° 55' 60" |

### Fishermans Channel

#### Federal Discrepancies

| NAME                                | LLNR               | STATUS                   | AID TYPE |
|-------------------------------------|--------------------|--------------------------|----------|
| Lummus Island Turning Basin Light C | 10680.300000000001 | STRUCT DEST/TRLB/HAZ NAV | FD       |
| Fishermans Channel Light 11         | 10685              | STRUCT DEST/TRLB         | FD       |

#### Private Discrepancies

| NAME                                   | LLNR  | STATUS      | AID TYPE |
|--|-------|-------------|----------|
| Dodge Island Mooring Obstruction Light | 10692 | STRUCT DEST | PA       |

### Florida Bay

#### Federal Discrepancies

| NAME                       | LLNR  | STATUS                   | AID TYPE |
|----------------------------|-------|--------------------------|----------|
| Long Key Light 44          | 13495 | STRUCT DEST/HAZ NAV/TRLB | FD       |
| East Turtle Shoal Light 45 | 13610 | STRUCT DEST/HAZ NAV/TRLB | FD       |

#### Private Discrepancies

| NAME                          | LLNR  | STATUS        | AID TYPE |
|-------------------------------|-------|---------------|----------|
| Flamingo Channel Light 9      | 15680 | DAYMK MISSING | PA       |
| Flamingo Channel Light 15     | 15710 | STRUCT DEST   | PA       |
| Flamingo Channel Daybeacon 16 | 15715 | DAYMK MISSING | PA       |
| Coot Bay Daybeacon 2          | 15730 | STRUCT DEST   | PA       |
| Coot Bay Daybeacon 8          | 15755 | DAYMK MISSING | PA       |

### Florida Passage

#### Federal Discrepancies

| NAME                          | LLNR  | STATUS              | AID TYPE |
|-------------------------------|-------|---------------------|----------|
| Florida Passage Daybeacon 102 | 36385 | STRUCT MISSING/TRUB | FD       |

### Floyd Creek

#### Federal Discrepancies

| NAME                      | LLNR  | STATUS           | AID TYPE |
|---------------------------|-------|------------------|----------|
| Floyd Creek Daybeacon A27 | 37496 | STRUCT DEST/TRUB | FD       |

### Folly River

#### Federal Discrepancies

| NAME | LLNR | STATUS | AID TYPE |
|------|------|--------|----------|
|      |      |        |          |

|                     |      |             |    |
|---------------------|------|-------------|----|
| Folly River Buoy 19 | 3760 | OFF STATION | FD |
|---------------------|------|-------------|----|

## Fort Gates

### Federal Discrepancies

| NAME                | LLNR | STATUS           | AID TYPE |
|---------------------|------|------------------|----------|
| Fort Gates Light 67 | 8525 | STRUCT DEST/TRLB | FD       |

## Fort Pierce Inlet

### Federal Discrepancies

| NAME   | LLNR | STATUS | AID TYPE |
|--|------|--------|----------|
| Fort Pierce Inlet Entrance Range Front Light | 9820 | LT EXT | FD       |

## Frederica River

### Federal Discrepancies

| NAME                        | LLNR | STATUS           | AID TYPE |
|-----------------------------|------|------------------|----------|
| Frederica River Daybeacon 7 | 6165 | STRUCT DEST/TRUB | FD       |

### Private Discrepancies

| NAME                                    | LLNR | STATUS | AID TYPE |
|---|------|--------|----------|
| Fredericka Yacht Club Obstruction Light | 6170 | LT EXT | PA       |

## Frederiksted Road

### Additional MSI Categories

| TITLE  | SUBCATEGORY               | DESCRIPTION  | LOCATION                               |
|--|---------------------------|--|--|
| Frederiksted Road/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2025-09-25 29122 Location: 17.65044° N / 64.90953° W Aid Name: Southwest Cape Shoal Buoy 2 LLNR: 33345 Action: DISCONTINUE The following change is being proposed to the aids to navigation system in Frederiksted Road, St Croix, USVI. Southwest Cape Shoal Buoy 2 (LLNR 33345) in position 17-39-01.579N / 064-54-34.311W, will be permanently discontinued, as it has been deemed non-essential for maritime navigation. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Frederiksted Road as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by November 25, 2025. | Lat: 17° 39' 02"<br>Lon: -064° 54' 34" |

## Fulton Cutoff

### Federal Discrepancies

| NAME                   | LLNR | STATUS           | AID TYPE |
|------------------------|------|------------------|----------|
| Fulton Cutoff Light 36 | 7360 | STRUCT DEST/TRLB | FD       |

### Additional MSI Categories

| TITLE   | SUBCATEGORY               | DESCRIPTION  | LOCATION                               |
|---|---------------------------|--|--|
| St Johns River - Fulton Cutoff/ATON/Advanced Notice of Change | Advanced Notice of Change | Fulton Cutoff LB 35 (LLNR 7345) will be permanently relocated to 30-23-24.090N/081-30-22.230W. This change calls to relocate (6) lighted buoys in the White Shells, St. Johns Bluff, Fulton Cutoff, and Blount Island Turning Basin channels of the St. Johns River. These relocations are needed as a result of channel deepening and widening, as part of the JaxPort expansion project. The position changes will allow safe navigation for vessels transiting the St. Johns River. The following aids to navigation are being proposed to be relocated to facilitate this change. All positions listed are approximate. Permanent positions will be advertised when the work is completed. | Lat: 30° 23' 24"<br>Lon: -081° 30' 22" |
| St Johns River - Fulton Cutoff/ATON/Advanced Notice of Change | Advanced Notice of Change | Blount Island Turning Basin LB 43 (LLNR 7385) will be permanently relocated to 30-23-13.450N/081-32-05.380W. The flash characteristic will remain a FI G 6s, but the nominal range will be reduced from 5NM to 4NM.  | Lat: 30° 23' 13"<br>Lon: -081° 32' 05" |

## Gables Estates

### Private Discrepancies

| NAME                        | LLNR  | STATUS              | AID TYPE |
|-----------------------------|-------|---------------------|----------|
| Gables Estates Light 2      | 49340 | LT EXT              | PA       |
| Gables Estates Daybeacon 2A | 49345 | STRUCT DEST/HAZ NAV | PA       |

## Gadsden Point Cross Channel

### Federal Discrepancies

| NAME                                     | LLNR  | STATUS              | AID TYPE |
|--|-------|---------------------|----------|
| Gadsden Point Cross Channel Daybeacon 10 | 22965 | STRUCT MISSING/TRUB | FD       |

## Gadsden Point Cut

### Federal Discrepancies

| NAME                                | LLNR  | STATUS      | AID TYPE |
|-------------------------------------|-------|-------------|----------|
| Gadsden Point Cut Range Front Light | 22850 | REDUCED INT | FD       |

## Garden Cove

### Private Discrepancies

| NAME                     | LLNR  | STATUS                 | AID TYPE |
|--------------------------|-------|------------------------|----------|
| Garden Cove Daybeacon 3  | 11550 | DAYMK MISSING          | PA       |
| Garden Cove Daybeacon 4  | 11555 | DBD DEST               | PA       |
| Garden Cove Daybeacon 4  | 11555 | DAYMK IMCH/STRUCT DMGD | PA       |
| Garden Cove Daybeacon 6  | 11565 | STRUCT DEST/HAZ NAV    | PA       |
| Garden Cove Daybeacon 8  | 11575 | DAYMK IMCH             | PA       |
| Garden Cove Daybeacon 9  | 11580 | DAYMK MISSING          | PA       |
| Garden Cove Daybeacon 11 | 11590 | RBN IMCH               | PA       |

### Additional MSI Categories

| TITLE   | SUBCATEGORY                             | DESCRIPTION   | LOCATION |
|---|---|---|----------|
| Garden Cove/General/Marine Construction (Excluding Bridges)/Survey Operations | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Survey Operations 21792 Fugro USA Marine inc will be conducting hydrographic surveys from the Florida Keys west and south coast up the east coast to Port Canaveral, FL. Operations are expected to begin on or about June 22, 2025, with an estimated completion date of December 31, 2025, and be conducted. R/V RENEGADE and R/V INVADER will be operating Multi Beam Echo Sounders and deploying sound velocity profilers from stern 7 days a week, 24 hours day. They will be monitoring VHF-FM channel 16. Average vessel speed will be 10-14 knots with sensor down. Maximum vessel speed is 24 knots during transits. |          |

## Gasparilla Sound Channel

### Federal Discrepancies

| NAME                                  | LLNR  | STATUS              | AID TYPE |
|---------------------------------------|-------|---------------------|----------|
| Gasparilla Sound Channel Daybeacon 30 | 57070 | STRUCT DEST/TRUB    | FD       |
| Gasparilla Sound Channel Daybeacon 21 | 56650 | STRUCT MISSING/TRUB | FD       |

### Private Discrepancies

| NAME                                      | LLNR               | STATUS      | AID TYPE |
|---|--------------------|-------------|----------|
| Gasparilla Island South Obstruction Light | 1305.2             | LT EXT      | PA       |
| Gaparilla Island West Obstruction Light   | 1305.4             | LT EXT      | PA       |
| Gasparilla Island North Obstruction Light | 1305.6000000000001 | LT EXT      | PA       |
| Gasparilla Marina Channel Daybeacon 6     | 56715              | STRUCT DEST | PA       |

## Gordon Pass Channel

### Federal Discrepancies

| NAME                             | LLNR  | STATUS              | AID TYPE |
|----------------------------------|-------|---------------------|----------|
| Gordon Pass Channel Daybeacon 18 | 17530 | STRUCT DEST         | FD       |
| Gordon Pass Channel Light 3      | 17460 | STRUCT MISSING/TRLB | FD       |

## Great Pocket

### Federal Discrepancies

| NAME                      | LLNR  | STATUS           | AID TYPE |
|---------------------------|-------|------------------|----------|
| Great Pocket Daybeacon 10 | 45970 | STRUCT DEST/TRUB | FD       |

## Grouper Creek

### Federal Discrepancies

| NAME                        | LLNR  | STATUS                   | AID TYPE |
|-----------------------------|-------|--------------------------|----------|
| Grouper Creek Daybeacon 52A | 50425 | STRUCT DEST/HAZ NAV/TRLB | FD       |

## Gunnison Cut

### Federal Discrepancies

| NAME                      | LLNR  | STATUS      | AID TYPE |
|---------------------------|-------|-------------|----------|
| Gunnison Cut Light 57     | 38215 | STRUCT DEST | FD       |
| Gunnison Cut Daybeacon 59 | 38220 | STRUCT DEST | FD       |

**Halifax River**

**Federal Discrepancies**

| NAME                        | LLNR  | STATUS              | AID TYPE |
|-----------------------------|-------|---------------------|----------|
| Halifax River Daybeacon 39A | 40125 | STRUCT DEST         | FD       |
| Halifax River Daybeacon 40  | 40180 | STRUCT DMGD         | FD       |
| Halifax River Daybeacon 53  | 40235 | STRUCT MISSING/TRUB | FD       |
| Halifax River Daybeacon 56  | 40245 | STRUCT MISSING/TRUB | FD       |
| Halifax River Daybeacon 48  | 40215 | STRUCT DEST/TRUB    | FD       |
| Halifax River Daybeacon 57  | 40335 | STRUCT DEST/TRUB    | FD       |
| Halifax River Daybeacon 60  | 40435 | STRUCT DEST/TRUB    | FD       |
| Halifax River Daybeacon 72  | 40490 | STRUCT DEST/TRUB    | FD       |

**Private Discrepancies**

| NAME                                      | LLNR  | STATUS        | AID TYPE |
|---|-------|---------------|----------|
| Halifax Harbor Daybeacon 1                | 40055 | DAYMK MISSING | PA       |
| Halifax Harbor Daybeacon 4                | 40070 | DAYMK MISSING | PA       |
| Halifax Harbor Daybeacon 6                | 40080 | DAYMK MISSING | PA       |
| Halifax Harbor Daybeacon 8                | 40090 | STRUCT DEST   | PA       |
| Halifax Harbor Daybeacon 9                | 40095 | STRUCT DEST   | PA       |
| Adventure Yacht Harbor Daybeacon 4        | 40365 | DAYMK MISSING | PA       |
| Adventure Yacht Harbor Daybeacon 6        | 40375 | STRUCT DEST   | PA       |
| Adventure Yacht Harbor Daybeacon 7        | 40380 | STRUCT DEST   | PA       |
| Adventure Yacht Harbor Daybeacon 8        | 40385 | DAYMK MISSING | PA       |
| Adventure Yacht Harbor Daybeacon 9        | 40390 | DAYMK MISSING | PA       |
| Adventure Yacht Harbor Junction Daybeacon | 40410 | DAYMK IMCH    | PA       |

**Hampton River**

**Federal Discrepancies**

| NAME                       | LLNR | STATUS           | AID TYPE |
|----------------------------|------|------------------|----------|
| Hampton River Daybeacon 12 | 5975 | STRUCT DEST/TRUB | FD       |

**Hillsboro Inlet**

**Federal Discrepancies**

| NAME                             | LLNR  | STATUS   | AID TYPE |
|----------------------------------|-------|----------|----------|
| Hillsboro Inlet Entrance Light 2 | 10293 | DBD DEST | FD       |

**Hillsboro River**

**Federal Discrepancies**

| NAME                     | LLNR  | STATUS   | AID TYPE |
|--------------------------|-------|----------|----------|
| Hillsboro River Light 73 | 47225 | DBD DMGD | FD       |

**Private Discrepancies**

| NAME                    | LLNR  | STATUS  | AID TYPE |
|-------------------------|-------|---------|----------|
| Moran Dock North Light  | 47175 | LT IMCH | PA       |
| Moran Dock Center Light | 47180 | LT IMCH | PA       |
| Moran Dock South Light  | 47185 | LT EXT  | PA       |

**Additional MSI Categories**

| TITLE  | SUBCATEGORY | DESCRIPTION  | LOCATION                               |
|--|-------------|--|--|
| Hillsboro Inlet - Hillsboro River/General/Bridges/Temp Deviation | Bridges     | General/Bridges/Temp Deviation From: 2025-09-23 To: 2025-11-09 Location: 26.25026° N / 80.09003° W Bridge Name: Northeast 14th Street Bridge The bridge need not open to navigation including tugs with tows, from 7 p.m. to 9:30 p.m. on Saturday November 8, 2025, to facilitate the City of Pompano Beach Veteran's Day Drone Show Extravaganza. Public vessels of the United States and vessels in distress shall be passed at any time.   | Lat: 26° 15' 01"<br>Lon: -080° 05' 24" |
| Hillsboro Inlet - Hillsboro River/General/Bridges/Temp Deviation | Bridges     | General/Bridges/Temp Deviation From: 2025-09-23 To: 2025-11-09 Location: 26.23187° N / 80.09382° W Bridge Name: East Atlantic Boulevard Bridge The bridge need not open to navigation including tugs with tows, from 7 p.m. to 9:30 p.m. on Saturday November 8, 2025, to facilitate the City of Pompano Beach Veteran's Day Drone Show Extravaganza. Public vessels of the United States and vessels in distress shall be passed at any time. | Lat: 26° 13' 55"<br>Lon: -080° 05' 38" |

## Hillsborough Cut C Channel

### Federal Discrepancies

| NAME  | LLNR  | STATUS | AID TYPE |
|---|-------|--------|----------|
| Hillsborough Cut C Channel Outbound Range Front Light | 23185 | LT EXT | FD       |
| Hillsborough Cut C Channel Inbound Range Front Light  | 23435 | LT EXT | FD       |

### Private Discrepancies

| NAME                                   | LLNR  | STATUS              | AID TYPE |
|--|-------|---------------------|----------|
| Tampa Yacht & Country Club Daybeacon 4 | 23454 | STRUCT DEST         | PA       |
| Hookers Point North Warning Daybeacon  | 23515 | STRUCT DEST/HAZ NAV | PA       |

### Temporary Changes

| NAME                                       | LLNR  | STATUS                 | AID TYPE |
|--|-------|------------------------|----------|
| Hillsborough Cut C Channel Lighted Buoy 11 | 23195 | RELOCATED FOR DREDGING | FD       |
| Hillsborough Cut C Channel Buoy 12         | 23200 | RELOCATED FOR DREDGING | FD       |
| Hillsborough Cut C Channel Lighted Buoy 13 | 23205 | RELOCATED FOR DREDGING | FD       |
| Hillsborough Cut C Channel Lighted Buoy 15 | 23210 | RELOCATED FOR DREDGING | FD       |
| Hillsborough Cut C Channel Lighted Buoy 17 | 23220 | RELOCATED FOR DREDGING | FD       |
| Hillsborough Cut C Channel Lighted Buoy 18 | 23225 | RELOCATED FOR DREDGING | FD       |
| Hillsborough Cut C Channel Lighted Buoy 19 | 23230 | RELOCATED FOR DREDGING | FD       |
| Hillsborough Cut C Channel Lighted Buoy 21 | 23330 | RELOCATED FOR DREDGING | FD       |
| Hillsborough Cut C Channel Lighted Buoy 22 | 23335 | RELOCATED FOR DREDGING | FD       |
| Hillsborough Cut C Channel Lighted Buoy 23 | 23425 | RELOCATED FOR DREDGING | FD       |
| Hillsborough Cut C Channel Lighted Buoy 24 | 23430 | RELOCATED FOR DREDGING | FD       |
| Hillsborough Cut C Channel Lighted Buoy 25 | 23445 | RELOCATED FOR DREDGING | FD       |
| Hillsborough Cut C Channel Lighted Buoy 26 | 23450 | RELOCATED FOR DREDGING | FD       |
| Hillsborough Cut C Channel Lighted Buoy 28 | 23485 | RELOCATED FOR DREDGING | FD       |
| Hillsborough Cut C Channel Lighted Buoy 31 | 23490 | RELOCATED FOR DREDGING | FD       |
| Hillsborough Cut C Channel Buoy 32         | 23495 | RELOCATED FOR DREDGING | FD       |

### Additional MSI Categories

| TITLE  | SUBCATEGORY                             | DESCRIPTION  | LOCATION                            |
|--|---|--|-------------------------------------|
| Big Bend Channel - Hillsborough Cut C Channel/ATON/Advanced Notice of Change   | Advanced Notice of Change               | ATON/Advanced Notice of Change Location: 27.90797° N / 82.43823° W Aid Name: Hillsborough Cut C Channel Inbound Range Front Light LLNR: 23435 Action: CHANGE Action Type Change Light Characteristic Hillsborough Cut C Channel Inbound Range Front Light (LLNR 23435) characteristic will change to Iso W 2s (NIGHT) and Iso W 2s (Day).  | Lat: 27° 54' 29" Lon: -082° 26' 18" |
| Big Bend Channel - Hillsborough Cut C Channel/ATON/Advanced Notice of Change   | Advanced Notice of Change               | ATON/Advanced Notice of Change Location: 27.92022° N / 82.43696° W Aid Name: Hillsborough Cut C Channel Inbound Range Rear Light LLNR: 23440 Action: CHANGE Action Type Change Light Characteristic Hillsborough Cut C Channel Inbound Range Rear Light (LLNR 23440) characteristic will change to Iso W 6s (NIGHT) and Iso W 6s (Day).  | Lat: 27° 55' 13" Lon: -082° 26' 13" |
| Big Bend Channel - Hillsborough Cut C Channel/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes Orion Marine Group is currently contracted by the Tampa Bay Port Authority, operating as Port Tampa Bay, to construct the new berth (Berth 218 Wharf) at the Titan America facility. Orion respectfully requests that a revised Notice to Mariners be issued concerning our construction operations at 4231 Maritime Boulevard, Tampa, FL, specifically for Berth 218 Wharf. The construction activities will be conducted using the ORION IS-1505 Barge, a rental material barge from McDonough Marine Services (unnamed), as well as the ORION BRAVE. Floating equipment will be positioned within the designated Jobsite Working Limits, as delineated in the attached drawing of the Berth 218 project site. Orion will deploy spuds on the ORION IS-1505 Barge, which will be equipped with illuminating lights to enhance visibility. All floating equipment will be staged east of the channel inlet and equipped with marine lights. The ORION BRAVE will operate under the "WDM4416" call sign and actively monitor channels 13, 16, and 74 for communications. Construction is scheduled from October 21, 2024, to November 15, 2025. During this timeframe, operations will occur from 6 a.m. to 6 p.m., six days per week (Monday through Saturday). The floating equipment will remain onsite for the duration of the project. Orion respectfully advises all mariners to exercise heightened caution when navigating the construction area. We kindly request that vessels reduce speed while transiting through the Port Tampa Bay channel at Berth 218. |                                     |

## Hillsborough Cut D Channel

### Federal Discrepancies

| NAME  | LLNR  | STATUS                     | AID TYPE |
|---|-------|----------------------------|----------|
| Hillsborough Cut D Channel Outbound Range Front Light | 23500 | STRUCT DEST/HAZ NAV/LT EXT | FD       |
| Hillsborough Cut D Channel Outbound Range Rear Light  | 23505 | LT EXT                     | FD       |

### Private Discrepancies

| NAME  | LLNR  | STATUS      | AID TYPE |
|---|-------|-------------|----------|
| Bulk Liquid Cargo Dolphin 4 Obstruction Light | 23530 | STRUCT DEST | PA       |



## Hillsborough River

### Additional MSI Categories

| TITLE  | SUBCATEGORY | DESCRIPTION  | LOCATION                               |
|--|-------------|--|--|
| Hillsborough Cut C Channel - Hillsborough River/General/Bridges/Temp Deviation | Bridges     | General/Bridges/Temp Deviation From: 2025-07-24 To: 2025-12-15 Location: 27.94174° N / 82.45855° W Bridge Name: Platt Street Bridge The bridge need not open to navigation during the following dates and times: - September 27, 2025, from 7 a.m. to 10 a.m. to facilitate the St. Jude Walk/Run. - October 11, 2025, from 7 a.m. to 10:30 a.m. to facilitate the TPD Memorial Run/Walk. - October 18, 2025, from 7:30 a.m. to 11 a.m. to facilitate the Walk to End Alzheimer's. - November 1, 2025, from 6:30 a.m. to 10 a.m. to facilitate the Bolt Run. - November 22, 2025, from 4 a.m. to 11 a.m. to facilitate Miles for Moffitt. - November 27, 2025, from 6 a.m. to 9 a.m. to facilitate the YMCA Turkey Gobble. - December 6, 2025, from 8 a.m. to 11 a.m. to facilitate OnBikes Winter Wonder Ride 2025. - December 14, 2025, from 6:30 a.m. to 11 a.m. to facilitate the Hot Chocolate Runs. Public vessels of the United States and vessels in distress shall be passed at any time.   | Lat: 27° 56' 30"<br>Lon: -082° 27' 31" |
| Hillsborough Cut C Channel - Hillsborough River/General/Bridges/Temp Deviation | Bridges     | General/Bridges/Temp Deviation From: 2025-07-24 To: 2025-12-15 Location: 27.94343° N / 82.45907° W Bridge Name: Brorain Street Bridge The bridge need not open to navigation during the following dates and times: - September 27, 2025, from 7 a.m. to 10 a.m. to facilitate the St. Jude Walk/Run. - October 11, 2025, from 7 a.m. to 10:30 a.m. to facilitate the TPD Memorial Run/Walk. - October 18, 2025, from 7:30 a.m. to 11 a.m. to facilitate the Walk to End Alzheimer's. - November 1, 2025, from 6:30 a.m. to 10 a.m. to facilitate the Bolt Run. - November 22, 2025, from 4 a.m. to 11 a.m. to facilitate Miles for Moffitt. - November 27, 2025, from 6 a.m. to 9 a.m. to facilitate the YMCA Turkey Gobble. - December 6, 2025, from 8 a.m. to 11 a.m. to facilitate OnBikes Winter Wonder Ride 2025. - December 14, 2025, from 6:30 a.m. to 11 a.m. to facilitate the Hot Chocolate Runs. Public vessels of the United States and vessels in distress shall be passed at any time. | Lat: 27° 56' 36"<br>Lon: -082° 27' 33" |

## Hobe Sound

### Federal Discrepancies

| NAME                    | LLNR  | STATUS                   | AID TYPE |
|-------------------------|-------|--------------------------|----------|
| Hobe Sound Daybeacon 38 | 46140 | STRUCT DEST/TRLB/HAZ NAV | FD       |
| Hobe Sound Daybeacon 44 | 46165 | STRUCT DMGD              | FD       |

## Homosassa River

### Federal Discrepancies

| NAME                    | LLNR  | STATUS      | AID TYPE |
|-------------------------|-------|-------------|----------|
| Homosassa River Buoy 63 | 28600 | OFF STATION | FD       |

### Private Discrepancies

| NAME                        | LLNR  | STATUS              | AID TYPE |
|-----------------------------|-------|---------------------|----------|
| Homosassa River Daybeacon 2 | 28715 | STRUCT DEST/HAZ NAV | PA       |

## Horseshoe Beach

### Federal Discrepancies

| NAME                                 | LLNR  | STATUS                   | AID TYPE |
|--------------------------------------|-------|--------------------------|----------|
| Horseshoe Beach Channel Daybeacon 13 | 30400 | STRUCT MISSING           | FD       |
| Horseshoe Beach Channel Daybeacon 15 | 30420 | STRUCT MISSING/TRLB      | FD       |
| Horseshoe Beach Approach Daybeacon 4 | 30365 | STRUCT MISSING/TRUB      | FD       |
| Horseshoe Beach Approach Light 7     | 30375 | STRUCT MISSING/TRLB      | FD       |
| Horseshoe Beach Approach Light 9     | 30380 | STRUCT MISSING/TRLB      | FD       |
| Horseshoe Beach Channel Light 10     | 30385 | TRLB/STRUCT DEST/HAZ NAV | FD       |
| Horseshoe Beach Channel Daybeacon 12 | 30395 | STRUCT MISSING           | FD       |
| Horseshoe Beach Channel Daybeacon 14 | 30410 | HAZ NAV/STRUCT DEST/TRUB | FD       |
| Horseshoe Beach Channel Light 16A    | 30425 | STRUCT MISSING           | FD       |
| Horseshoe Beach Channel Daybeacon 21 | 30445 | STRUCT MISSING           | FD       |
| Horseshoe Beach Channel Daybeacon 23 | 30450 | STRUCT MISSING           | FD       |

## Indian Key Pass

### Federal Discrepancies

| NAME                         | LLNR  | STATUS           | AID TYPE |
|------------------------------|-------|------------------|----------|
| Indian Key Pass Daybeacon 13 | 16020 | STRUCT DEST/TRUB | FD       |

## Indian River North Section

### Federal Discrepancies

| NAME                                      | LLNR  | STATUS           | AID TYPE |
|---|-------|------------------|----------|
| Indian River (North Section) Light 1      | 41100 | STRUCT DEST/TRLB | FD       |
| Indian River (North Section) Daybeacon 49 | 41430 | DAYMK MISSING    | FD       |
| Indian River (North Section) Daybeacon 51 | 41435 | STRUCT DEST      | FD       |
| Indian River (North Section) Daybeacon 99 | 42335 | STRUCT DEST      | FD       |

|   |       |                     |    |
|---|-------|---------------------|----|
| Indian River (North Section) Light 7      | 41130 | STRUCT MISSING/TRUB | FD |
| Indian River (North Section) Daybeacon 34 | 41315 | STRUCT MISSING/TRUB | FD |
| Indian River (North Section) Daybeacon 44 | 41415 | STRUCT DEST/TRUB    | FD |
| Indian River (North Section) Daybeacon 71 | 42090 | STRUCT DEST/TRUB    | FD |
| Indian River (North Section) Daybeacon 81 | 42185 | STRUCT DEST/TRUB    | FD |
| Indian River (North Section) Daybeacon 91 | 42270 | STRUCT DEST/TRUB    | FD |
| Indian River (North Section) Daybeacon 94 | 42280 | STRUCT DEST/TRUB    | FD |

### Private Discrepancies

| NAME                                | LLNR               | STATUS                          | AID TYPE |
|-------------------------------------|--------------------|---------------------------------|----------|
| Grills Riverside Marina Daybeacon 4 | null               | Missing 01 Dayboard (East side) | PA       |
| Jones Point Channel Buoy 1          | 41495              | MISSING                         | PA       |
| Jones Point Channel Buoy 2          | 41500              | MISSING                         | PA       |
| POW-MIA Channel Danger Daybeacon A  | 42254              | DAYMK MISSING                   | PA       |
| POW-MIA Channel Danger Daybeacon D  | 42254.3            | DAYMK MISSING                   | PA       |
| POW-MIA Channel Danger Daybeacon E  | 42254.4            | DAYMK MISSING                   | PA       |
| Grills Riverside Marina Daybeacon 1 | 42286              | DAYMK DMGD                      | PA       |
| Grills Riverside Marina Daybeacon 3 | 42286.200000000004 | DAYMK MISSING                   | PA       |
| Grills Riverside Marina Daybeacon 4 | 42286.3            | DAYMK MISSING                   | PA       |
| Grills Riverside Marina Daybeacon 5 | 42286.4            | HAZ NAV/DAYMK MISSING           | PA       |

### Additional MSI Categories

| TITLE  | SUBCATEGORY | DESCRIPTION   | LOCATION                            |
|--|-------------|---|-------------------------------------|
| Banana River - Indian River North Section/General/Bridges/Construction | Bridges     | General/Bridges/Construction From: 2024-11-12 To: 2026-04-30 Location: 28.527349° N / 80.765526° W Bridge Name: NASA Causeway Bridges - AICW Construction continues on the new high-level bridges which is expected to be completed April 2026. The navigational clearances provide a fixed vertical clearance of 66 feet at mean high water and 125 feet between the new fender system. Construction vessels on the project will monitor channels 13, 16 and Working Channel 1. Mariners are urged to use extreme caution in the area, transit at their slowest safe speed to minimize wake. | Lat: 28° 31' 38" Lon: -080° 45' 56" |

## Indian River South Section

### Federal Discrepancies

| NAME                                       | LLNR  | STATUS                                | AID TYPE |
|--|-------|---------------------------------------|----------|
| Indian River (South Section) Daybeacon 34  | 43425 | STRUCT DEST                           | FD       |
| Indian River (South Section) Light 53      | 43520 | HAZ NAV/STRUCT DEST/TRLB              | FD       |
| Indian River (South Section) Light 71      | 43735 | LT EXT                                | FD       |
| Indian River (South Section) Daybeacon 143 | 44380 | STRUCT DEST                           | FD       |
| Indian River (South Section) Daybeacon 181 | 45075 | DAYMK MISSING                         | FD       |
| Indian River (South Section) Light 187     | 45115 | STRUCT DEST/HAZ NAV/TRLB              | FD       |
| Indian River (South Section) Daybeacon 188 | 45195 | STRUCT MISSING/TRUB                   | FD       |
| Indian River (South Section) Light 192     | 45270 | LT EXT/DAYMK MISSING/STRUCT DMGD/TRLB | FD       |
| Indian River (South Section) Light 197     | 45295 | LT EXT                                | FD       |
| Indian River (South Section) Daybeacon 212 | 45390 | STRUCT MISSING/TRUB                   | FD       |
| Indian River (South Section) Daybeacon 225 | 45785 | HAZ NAV/STRUCT DEST                   | FD       |
| Indian River (South Section) Daybeacon 10  | 43265 | STRUCT DEST/TRUB                      | FD       |
| Indian River (South Section) Daybeacon 17  | 43290 | DAYMK MISSING                         | FD       |
| Indian River (South Section) Daybeacon 32  | 43415 | STRUCT DEST/TRUB                      | FD       |
| Indian River (South Section) Light 112     | 43920 | DAYMK DMGD                            | FD       |
| Indian River (South Section) Daybeacon 132 | 44150 | STRUCT DEST                           | FD       |
| Indian River (South Section) Daybeacon 144 | 44385 | STRUCT DEST/TRUB                      | FD       |
| Indian River (South Section) Daybeacon 170 | 44830 | STRUCT DMGD                           | FD       |
| Indian River (South Section) Daybeacon 170 | 44830 | STRUCT DEST/TRUB                      | FD       |

### Private Discrepancies

| NAME  | LLNR               | STATUS              | AID TYPE |
|---|--------------------|---------------------|----------|
| Turkey Creek Daybeacon 22                       | 43272.200000000004 | STRUCT DEST         | PA       |
| River Run Daybeacon 5                           | 43720              | DAYMK MISSING       | PA       |
| Tidewater Island Club Channel Daybeacon 3       | 44390.3            | STRUCT MISSING      | PA       |
| Queens Cove Daybeacon 10                        | 44945              | STRUCT DEST/HAZ NAV | PA       |
| Outrigger Harbour Daybeacon 1                   | 45710              | STRUCT DEST         | PA       |
| Ind River Plantation Marina Channel Daybeacon 2 | 45825              | STRUCT DMGD         | PA       |
| Breakwater Danger Daybeacon A                   | 45863              | DAYMK MISSING       | PA       |
| Breakwater Danger Daybeacon B                   | 45863.1            | DAYMK MISSING       | PA       |

### Additional MSI Categories

| TITLE | SUBCATEGORY | DESCRIPTION | LOCATION |
|-------|-------------|-------------|----------|
|-------|-------------|-------------|----------|

|   |   |   |  |
|---|---|---|--|
| Fort Pierce Inlet Inner Harbor - Indian River South<br>Section/General/Bridges/Repairs, Painting, Or Fender Replacement | Bridges                                 | General/Bridges/Repairs, Painting, Or Fender Replacement From: 2024-10-29 To: 2028-01-31 Location: 27.632319° N / 80.371113° W Bridge Name: 17th St Bridge Vecellio Grogan, on behalf of the bridge owner, Florida Department of Transportation, will be conducting bridge repairs on the 17th street (SR 656) Bridge over the AICW (Indian River) mile marker 952.9 at Vero Beach, FL beginning November 13, 2023, with an estimated completion during January 2028. The project will remove and replace 400 feet of the eastern portion of the bridge beginning with the north section before continuing with the south section. The contractor will utilize in water equipment which will remain on site, all vessels are advised to transit the area with caution. For further information, contact: Kyle Tatum at (407) 361- 6506. For waterways questions, please contact USCG Sector Miami Waterways Division at (305) 535-4317, email SectorMiamiWaterways@uscg.mil.  | Lat: 27° 37' 56"<br>Lon: -080° 22' 16" |
| Fort Pierce Inlet Inner Harbor - Indian River South<br>Section/General/Bridges/Conversion                               | Bridges                                 | General/Bridges/Conversion From: 2024-10-29 To: 2025-04-27 Location: 27.47199° N / 80.32452° W Bridge Name: A1A State Route Bridge Vecellio & Grogan, Inc. ("V&G"), on behalf of the bridge owner, FDOT, are conducting construction operations for the replacement of the A1A North Causeway Drawbridge across the AICW, mile 964.8, at Ft. Pierce, FL. A temporary work trestle (platform) has been installed on the northeast side of the existing A1A North Causeway Bridge. In water work continues directly adjacent to and across the navigable waterway with barge(s) in order to perform other associated construction activities. In April 2025, new bridge beams will be installed over the channel which will permanently limit the vertical clearance to 85 ft. at mean high water. The existing drawbridge will remain in use until sometime in late 2026. During bridge beam setting operations in April and May 2025, there will be intermittent closures of the channel for 3-4 hours at a time for safety. Vessels needing a full channel passage are required to provide the bridge tender with a 2-hour advance notice to allow for the barges to clear the channel. During the evening/overnight hours the channel will be unobstructed. All in-water equipment will be properly lighted. All mariners are requested to use caution and transit the area at a slow speed. For waterways questions or drawbridge operating issues, please contact USCG Sector Miami Waterways Division at (305) 535-4317, email SectorMiamiWaterways@uscg.mil | Lat: 27° 28' 19"<br>Lon: -080° 19' 28" |
| General/Marine Construction (Excluding Bridges)/Dredging  | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2025-10-20 30612 ATL Diversified, Inc. will be dredging for a beach renourishment project. Operations are expected to begin November 1, 2024, with an estimated completion date of April 30, 2025. Dredge hours will be from dawn to dusk but dredge equipment will always be in place. All local boat traffic will need to take extreme caution. 215,000 CY of material will be hydraulically dredged from within the Sebastian Inlet. Material will be dredged and pumped by dredge pipeline out of the inlet and onto the beach. Material will be placed on the South side of the inlet for beach restoration. Piping within the inlet channel will be submerged and held by anchors, floating pipe will travel the length of the South side of inlet to the beach. Staged and stored piping, barges and work vessels will be staged on the South Side of the inlet. All boat traffic needs to take caution of floating dredge pipelines. All vessels are requested to travel at a slow speed when maneuvering around the dredge barges and dredging area. There is over 4,000LF of submerged pipe and 500LF of floating pipe. All boat traffic will need to take extreme caution when traveling through the inlet.   |  |

## Intracoastal Waterway Florida Seventh District

### Federal Discrepancies

| NAME                                | LLNR  | STATUS         | AID TYPE |
|-------------------------------------|-------|----------------|----------|
| Lake Okeechobee (Rt 2) Daybeacon 13 | 51445 | STRUCT MISSING | FD       |

## Isla De Vieques

### Additional MSI Categories

| TITLE   | SUBCATEGORY           | DESCRIPTION  | LOCATION |
|---|-----------------------|--|----------|
| Isla De Vieques/General/Hazards To Navigation/Hazards | Hazards To Navigation | The U.S. NAVY is advising all mariners to refrain from entering the following areas in Vieques, Puerto Rico: Northeast from Puerto Diablo to Punta Este and on the Southeast on Bahia Salinas Del Sur. Mariners are advised to stay away from this danger zone until further notice, as it contains (UXO) Unexploded Ordnance. The U.S. Coast Guard may be contacted via VHF-FM Channel 16 or via landline at (787) 289-2041. For more information, contact Mrs. Maria Danois at: (757) 412-7843 or email: maria.m.danois.civ@us.navy.mil. |          |

## Isla Magueyes

### Federal Discrepancies

| NAME               | LLNR  | STATUS             | AID TYPE |
|--------------------|-------|--------------------|----------|
| Isla De Mona Light | 32295 | LT EXT/STRUCT DMGD | FD       |

### Federal Discrepancies Corrected

| NAME            | LLNR  | STATUS            | AID TYPE | CORRECTION DATE |
|-----------------|-------|-------------------|----------|-----------------|
| Cabo Rojo Light | 32290 | WATCHING PROPERLY | FD       | 2025-10-28      |

## Isla Palominos Marina

### Additional MSI Categories

| TITLE  | SUBCATEGORY               | DESCRIPTION  | LOCATION                               |
|--|---------------------------|--|--|
| Isla Palominos Marina/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2025-09-18 28458 Location: 18.3313° N / 65.59129° W Aid Name: Cayo Largo Buoy 1 LLNR: 31300 Action: DISCONTINUE The following change is being proposed to the aids to navigation system in Isla Palominos Marina, Puerto Rico East Coast. Cayo Largo Buoy 1 (LLNR 31300) in position 18-19-52.666N / 065-35-28.657W will be permanently discontinued, as it has been deemed non-essential for maritime navigation. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Isla Palominos Marina as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by November 18, 2025. | Lat: 18° 19' 53"<br>Lon: -065° 35' 29" |

## Jekyll Creek

### Federal Discrepancies

| NAME | LLNR | STATUS | AID TYPE |
|------|------|--------|----------|
|      |      |        |          |

|  |       |                  |    |
|--|-------|------------------|----|
| Jekyll Creek Light 29                  | 37370 | STRUCT DEST/TRLB | FD |
| Jekyll Creek Jetty Warning Daybeacon 8 | 37305 | DAYMK MISSING    | FD |
| Jekyll Creek Light 20A                 | 37346 | STRUCT DEST/TRLB | FD |

### Jewfish Creek

#### Federal Discrepancies

| NAME                   | LLNR  | STATUS | AID TYPE |
|------------------------|-------|--------|----------|
| Jewfish Creek Light 29 | 50330 | LT EXT | FD       |

### Johns Pass Channel

#### Federal Discrepancies

| NAME                           | LLNR  | STATUS           | AID TYPE |
|--------------------------------|-------|------------------|----------|
| Johns Pass Channel Daybeacon 1 | 25580 | STRUCT DEST/TRUB | FD       |

### Jug Creek Shoal

#### Federal Discrepancies

| NAME                        | LLNR  | STATUS         | AID TYPE |
|-----------------------------|-------|----------------|----------|
| Jug Creek Shoal Daybeacon 9 | 56375 | STRUCT MISSING | FD       |

### Jupiter Sound

#### Federal Discrepancies

| NAME                       | LLNR  | STATUS                           | AID TYPE |
|----------------------------|-------|----------------------------------|----------|
| Jupiter Sound Daybeacon 48 | 46180 | STRUCT MISSING/TRUB              | FD       |
| Jupiter Sound Light 53     | 46200 | STRUCT DMGD/TRLB/HAZ NAV/MISSING | FD       |
| Jupiter Sound Daybeacon 56 | 46210 | STRUCT DEST                      | FD       |

### Keaton Beach

#### Federal Discrepancies

| NAME                      | LLNR  | STATUS           | AID TYPE |
|---------------------------|-------|------------------|----------|
| Keaton Beach Daybeacon 4  | 30610 | STRUCT DEST/TRUB | FD       |
| Keaton Beach Daybeacon 4A | 30615 | STRUCT DEST/TRUB | FD       |
| Keaton Beach Daybeacon 10 | 30635 | TRUB/STRUCT DEST | FD       |
| Keaton Beach Daybeacon 13 | 30650 | TRUB/STRUCT DEST | FD       |
| Keaton Beach Daybeacon 18 | 30675 | STRUCT DEST/TRUB | FD       |
| Keaton Beach Daybeacon 2  | 30600 | STRUCT DEST/TRUB | FD       |
| Keaton Beach Light 5      | 30620 | TRLB/STRUCT DEST | FD       |
| Keaton Beach Light 11     | 30640 | STRUCT DEST/TRLB | FD       |

### Key Biscayne Yacht Club

#### Private Discrepancies

| NAME                            | LLNR  | STATUS        | AID TYPE |
|---------------------------------|-------|---------------|----------|
| Key Biscayne Yacht Club Light 4 | 49085 | DAYMK MISSING | PA       |

### Kings Bay

#### Federal Discrepancies

| NAME               | LLNR | STATUS           | AID TYPE |
|--------------------|------|------------------|----------|
| Kings Bay Light 48 | 7000 | STRUCT DEST/TRLB | FD       |
| Kings Bay Light 50 | 7005 | STRUCT DEST      | FD       |
| Kings Bay Light 52 | 7010 | STRUCT DEST      | FD       |
| Kings Bay Light 53 | 7015 | STRUCT DMGD      | FD       |
| Kings Bay Light 54 | 7020 | STRUCT DEST      | FD       |
| Kings Bay Light 56 | 7025 | STRUCT DEST      | FD       |

#### Additional MSI Categories

| TITLE | SUBCATEGORY | DESCRIPTION | LOCATION |
|-------|-------------|-------------|----------|
|       |             |             |          |

|  |   |   |  |
|--|---|---|--|
| Kings Bay/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-03-06 To: 2026-04-10<br>Location: 30.7818° N / 81.49075° W 30.77592° N / 81.49028° W 30.77585° N / 81.49391° W 30.78155° N / 81.4947° W 30.7818° N / 81.49075° W<br>UMX Crew will be starting dredging and underwater diving repairs work at MSF Facility (East River), Kings Bay Base, GA (30-46-45.5N / 81-29-29.5W).<br>The crew will have a 120' x 45' Crane barge and 60' x 70' ton crane barge on-site. No wake is allowed near the job location. The project is scheduled to start on March 17, 2025, and is estimated to finish on March 17, 2026.  |  |
| Kings Bay/General/Marine Construction (Excluding Bridges)/Dredging   | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging 23905 Cottrell Contracting Corporation of Chesapeake, Virginia advises that the DREDGE NEWMARKET will be conducting dredging operations at Kings Bay Submarine Base, Camden County, GA. The work will be ongoing from July 21, 2025, through December 31, 2025, from Kings Bay Lighted Buoy 43 (LLNR 37735) to Kings Bay Light 60 (LLNR 37735). All mariners are requested to stay clear of the dredge, pipelines, barge, derricks and operating wires about the dredge. All operators should be aware that the dredge and pontoon lines are held in place by cables, which are attached to anchors some distance from the dredge and pontoons. Buoys are attached to the anchors so that they may be moved as the dredge moves. Submerged lines should be avoided. Mariners are requested to exercise extreme caution when approaching, passing, and leaving the dredging plant. The DREDGE NEWMARKET monitors VHF-FM channels 13 and 16. Mariners are cautioned to strictly comply with the Inland Rules of the Road when approaching, passing and leaving the area of operations, and remain a safe distance away from the dredge, booster, buoys, cables, pipeline, barges, derricks, wires and related equipment. Owners and lessees of fishnets, crab pots and other structures that may be in the vicinity and that may hinder the free navigation of attending vessels and equipment must remove these from the area where tugs, tender boats and other attendant equipment will be navigating. Dredging operations will be conducted twenty-four (24) hours a day seven (7) days a week, all fishnets, crab pots and structures in the general area must be removed prior to commencement of any work, a slow NO WAKE speed is requested of transiting vessels. All vessels are requested to contact the dredge prior to passing. |  |

**Kings Island Turning Basin**

**Additional MSI Categories**

| TITLE  | SUBCATEGORY                             | DESCRIPTION  | LOCATION |
|--|---|--|----------|
| General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2025-11-03 31438 Marinex Construction, Inc. will continue dredging operations with the Dredge Hampton Roads on November 3, 2025. Dredging the channel along Kings Island turning basin 32.128298, -81.136983 to 32.137676, -81.141326. They will be digging upriver on the South Carolina and Georgia sides of the channel in the Savannah River, Savannah GA. They are not working near any channel markers. The estimated time of completion in this area is November 18, 2025. |          |

**Kingsley Creek**

**Federal Discrepancies**

| NAME                        | LLNR  | STATUS           | AID TYPE |
|-----------------------------|-------|------------------|----------|
| Kingsley Creek Daybeacon 13 | 38010 | STRUCT DEST/TRUB | FD       |

**Kissimmee River**

**Federal Discrepancies**

| NAME                    | LLNR  | STATUS      | AID TYPE |
|-------------------------|-------|-------------|----------|
| Kissimmee River Light 1 | 51930 | LT EXT/TRLT | FD       |

**Lake Boca Raton**

**Private Discrepancies**

| NAME                       | LLNR  | STATUS      | AID TYPE |
|----------------------------|-------|-------------|----------|
| Hillsboro Mile Daybeacon 1 | 47151 | STRUCT DEST | PA       |
| Hillsboro Mile Daybeacon 3 | 47152 | STRUCT DEST | PA       |
| Hillsboro Mile Daybeacon 7 | 47153 | STRUCT DEST | PA       |

**Lake Dexter**

**Additional MSI Categories**

| TITLE | SUBCATEGORY | DESCRIPTION | LOCATION |
|-------|-------------|-------------|----------|
|       |             |             |          |

|  |               |   |  |
|--|---------------|---|--|
| St Johns River - Lake Dexter/General/Miscellaneous | Miscellaneous | General/Miscellaneous 20018 HURRICANE INFORMATION: The hurricane season extends from June 1st through November 30th. Hurricanes can cause excessive damage to vessels and loss of life. To minimize these dangers, the following precautions should be taken by all mariners before getting underway during the hurricane season: (a) Instruction of crew and passengers in location of emergency equipment and emergency procedures; (b) Pre-sailing check of vessel, machinery, and equipment for seaworthiness; (c) Installation of strong ground tackle; (d) Review of storm center evasion procedures; (e) Knowledge of nearest hurricane shelter or port; and (f) Constant radio watches on channel 16 VHF-FM and frequent monitoring of weather broadcasts. The civilian hurricane warning service for the North Atlantic is provided by the National Hurricane Center, Miami, Florida. The center collates ship, aircraft, radar, and satellite data to produce and issue tropical cyclone warnings and forecasts for the North Atlantic Ocean, including the Caribbean Sea and the Gulf of Mexico. A Tropical Cyclone Public Advisory (TCP) is issued every six hours, with intermediate bulletins provided as needed. For tropical storms and hurricanes threatening to cross the coast of the U.S., coastal warnings are issued to the public so that precautionary actions, including evacuation, can be initiated to minimize damage and loss of life. Four alerts are issued: (a) TROPICAL STORM WATCH – An announcement that sustained winds of 34 to 63 knots (39 to 73 mph or 63 to 118 km/hr) are possible within the specified area within 48 hours in association with a tropical, subtropical, or post-tropical cyclone. (b) TROPICAL STORM WARNING – An announcement that sustained winds of 34 to 63 knots (39 to 73 mph or 63 to 118 km/hr) are expected somewhere within the specified area within 36 hours in association with a tropical, subtropical, or post-tropical cyclone. (c) HURRICANE WATCH – An announcement that sustained winds of 64 knots (74 mph or 119 km/hr) or higher are possible within the specified area in association with a tropical, subtropical, or post-tropical cyclone. Because hurricane preparedness activities become difficult once winds reach tropical storm force, the hurricane watch is issued 48 hours in advance of the anticipated onset of tropical storm force winds. (d) HURRICANE WARNING – An announcement that sustained winds of 64 knots (74 mph or 119 km/hr) or higher are expected somewhere within the specified area in association with a tropical, subtropical, or post-tropical cyclone. Because hurricane preparedness activities become difficult once winds reach tropical storm force, the warning is issued 36 hours in advance of the anticipated onset of tropical-storm-force winds. The warning can remain in effect when dangerously high water or a combination of dangerously high water and waves continue, even though winds may be less than hurricane force. |  |
| St Johns River - Lake Dexter/General/Miscellaneous | Miscellaneous | General/Miscellaneous 20019 HURRICANE INFORMATION CONT: Additional information of interest to mariners is included in the Tropical Cyclone Forecast/Advisory (TCM) and the Tropical Cyclone Surface Wind Speed Probabilities (PWS) products. The TCM provides current and forecast storm positions, intensities, and wind fields out to 120 hours. The PWS provides probabilities of sustained wind speeds equal to or exceeding 34-, 50-, and 64-kt wind speed thresholds for select coastal and offshore locations. Mariners are reminded that aids to navigation, particularly lighted and unlighted buoys, may be moved from charted position, damaged, destroyed, extinguished, or otherwise deemed discrepant as a result of hurricanes and storms. Mariners should not rely solely upon the position or operation of an aid to navigation, but also employ such other methods of determining position as may be available. Port Hurricane Conditions are set up by the COTP and will change as the threat of severe weather increases, or as a storm approaches a specific COTP Area of Responsibility. For COTP-specific Port Hurricane Conditions, you should review information provided under the Port Directory tab of <a href="http://homeport.uscg.mil">http://homeport.uscg.mil</a> Condition 4 – Hurricane Seasonal Alert. 01 June–30 November; port status: open. Condition Whiskey – Sustained Gale Force winds associated with Tropical Cyclone activity are predicted within 72 hours; port status: open. Condition X-Ray – Sustained Gale Force winds associated with Tropical Cyclone activity are predicted within 48 hours; port status: open. Condition Yankee – Sustained Gale Force winds associated with Tropical Cyclone activity are predicted within 24 hours; port status: restricted; vessel/facility control measures in effect. Condition Zulu – Sustained Gale Force winds associated with Tropical Cyclone activity are predicted within 12 hours; port status: closed to all vessel traffic and waterside activities except for activities approved by the COTP. Drawbridges along the coast may deviate from normal operating procedures. Drawbridges are authorized to remain closed upon approach of Gale Force winds of 34 knots or greater. Extended closure periods may be authorized up to 8 hours prior to arrival of Gale Force winds to facilitate evacuation of land traffic. Due to the uncertainty of hurricane movements and bridge closures, mariners are urged to seek passage through drawbridges well in advance of the arrival of Gale Force winds. <a href="http://www.nws.noaa.gov/com/weatherreadynation/hurricane_preparedness.html">http://www.nws.noaa.gov/com/weatherreadynation/hurricane_preparedness.html</a>  |  |

## Lake George

### Private Discrepancies

| NAME                                | LLNR | STATUS            | AID TYPE |
|-------------------------------------|------|-------------------|----------|
| Silver Glen Springs Run Buoy 1      | 8595 | MISSING           | PA       |
| Silver Glen Springs Run Buoy 24     | 8695 | MISSING           | PA       |
| Silver Glen Springs Run Buoy 25     | 8700 | OFF STA           | PA       |
| Silver Glen Springs Run Buoy 2A     | 8715 | SINKING/BUOY DMGD | PA       |
| Silver Glen Springs Run Buoy 9A     | 8740 | MISSING           | PA       |
| Silver Glen Springs Run Pref Buoy A | 8750 | MISSING           | PA       |

## Lake Monroe

### Federal Discrepancies

| NAME                    | LLNR | STATUS                   | AID TYPE |
|-------------------------|------|--------------------------|----------|
| Lake Monroe Bar Light 1 | 9240 | STRUCT DEST/HAZ NAV/TRLB | FD       |

## Lake Okeechobee Route 1

### Federal Discrepancies

| NAME                               | LLNR  | STATUS   | AID TYPE |
|------------------------------------|-------|----------|----------|
| Lake Okeechobee (Rt 1) Daybeacon 3 | 51195 | DBD DEST | FD       |

## Lake Worth Creek

### Federal Discrepancies

| NAME                         | LLNR  | STATUS           | AID TYPE |
|------------------------------|-------|------------------|----------|
| Lake Worth Creek Daybeacon 7 | 46375 | STRUCT DEST/TRUB | FD       |

## Lake Worth North

### Federal Discrepancies

| NAME                          | LLNR  | STATUS              | AID TYPE |
|-------------------------------|-------|---------------------|----------|
| Lake Worth North Daybeacon 28 | 46490 | DBD DMGD            | FD       |
| Lake Worth North Daybeacon 32 | 46515 | STRUCT DEST/HAZ NAV | FD       |
| Lake Worth North Daybeacon 41 | 46700 | STRUCT DEST/TRUB    | FD       |
| Lake Worth North Light 36     | 46600 | STRUCT DEST         | FD       |

### Additional MSI Categories

| TITLE   | SUBCATEGORY                             | DESCRIPTION  | LOCATION                            |
|---|---|--|-------------------------------------|
| Lake Worth North/General/Bridges/Construction                             | Bridges                                 | General/Bridges/Construction From: 2025-01-14 To: 2027-01-31 Location: 26.808528° N / 80.056123° W Bridge Name: US Hwy 1/SR 5 Bridge - Earman River The waterway at the bridge will be obstructed and closed to navigation from 2/10/2025 through 1/7/2027 for the replacement of the US Hwy 1/SR 5 Bridge. Mariners are advised to utilize the northern canal to access the Atlantic Intracoastal Waterway. The Lighthouse Drive Bridge across the northern canal provides a vertical clearance of 14.5 feet and a horizontal clearance of 22.5 feet. For waterways questions, please contact USCG Sector Miami Waterways Division at (305) 535-4317, email SectorMiamiWaterways@uscg.mil   | Lat: 26° 48' 31" Lon: -080° 03' 22" |
| Lake Worth North/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging 22452 Atlantic & Gulf Dredging & Marine, LLC will be conducting dredging and upland disposal. AGD will establish a waterside staging area to secure the submerged pipeline barge. Rafted pipeline and equipment will be staged in this location during the mobilization and demobilization phases of the work. The Cutter Suction DREDGE COMMODORE is scheduled to commence dredging/fill operations on July 16, 2025. Dredging operations will commence at the southern end of the dredge area and progress to the north. The material will be hydraulically placed via submerged/floating/shoreline into the FIND Peanut Island DMMA site. All operations are scheduled to be completed no later than December 4, 2025. All pipeline will be lit per USCG regulations. Periodic hydrographic surveys will be conducted within the dredge area and along the pipeline corridor. Dredging and survey operations will occur 7 days a week, 7 a.m. to 7 pm. Vessels should avoid the active dredge area during construction and proceed at slow speed in the area surrounding the Dredge, pipeline and other support equipment. Proceed with utmost caution in the dredging area. Please contact DREDGE COMMODORE on VHF-FM channel 1 for passing arrangements. |                                     |

## Lake Worth South

### Federal Discrepancies

| NAME                          | LLNR  | STATUS                   | AID TYPE |
|-------------------------------|-------|--------------------------|----------|
| Lake Worth South Daybeacon 3  | 46730 | STRUCT DEST/TRUB         | FD       |
| Lake Worth South Daybeacon 4  | 46740 | STRUCT DEST/HAZ NAV/TRLB | FD       |
| Lake Worth South Daybeacon 7  | 46830 | STRUCT DEST              | FD       |
| Lake Worth South Daybeacon 40 | 46985 | TRUB/STRUCT MISSING      | FD       |
| Lake Worth South Daybeacon 34 | 46965 | STRUCT DEST/HAZ NAV/TRLB | FD       |

## Largo Sound Channel

### Private Discrepancies

| NAME                    | LLNR    | STATUS              | AID TYPE |
|-------------------------|---------|---------------------|----------|
| Newport Bay Daybeacon 7 | 11851.6 | HAZ NAV/STRUCT DMGD | PA       |

### Additional MSI Categories

| TITLE  | SUBCATEGORY               | DESCRIPTION   | LOCATION                            |
|--|---------------------------|---|-------------------------------------|
| Largo Sound Channel/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2025-09-11 27898 Location: 25.13693° N / 80.39505° W Aid Name: Marvin D Adams Waterway Light A LLNR: 11880 Action: DISCONTINUE The following change is being proposed to the aids to navigation system in Largo Sound Channel, Marvin D. Adams Waterway, Key Largo, Florida. Marvin D. Adams Waterway Light A (LLNR 11880) and Marvin D. Adams Waterway Light B (LLNR 11885) will be permanently discontinued because they are not within or marking a federal maintained channel. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Isla Palominos as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by November 10, 2025. | Lat: 25° 08' 13" Lon: -080° 23' 42" |
| Largo Sound Channel/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2025-09-11 27899 Location: 25.13928° N / 80.4044° W Aid Name: Marvin D Adams Waterway Light B LLNR: 11885 Action: DISCONTINUE The following change is being proposed to the aids to navigation system in Largo Sound Channel, Marvin D. Adams Waterway, Key Largo, Florida. Marvin D. Adams Waterway Light A (LLNR 11880) and Marvin D. Adams Waterway Light B (LLNR 11885) will be permanently discontinued because they are not within or marking a federal maintained channel. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Isla Palominos as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by November 10, 2025.  | Lat: 25° 08' 21" Lon: -080° 24' 16" |

## Lemon Bay Channel

### Federal Discrepancies

| NAME                            | LLNR    | STATUS              | AID TYPE |
|---------------------------------|---------|---------------------|----------|
| Lemon Bay Channel Daybeacon 2   | 57140   | TRUB                | FD       |
| Lemon Bay Channel Daybeacon 16  | 57275.5 | STRUCT MISSING/TRUB | FD       |
| Lemon Bay Channel Daybeacon 17  | 57280   | STRUCT DEST/TRUB    | FD       |
| Lemon Bay Channel Daybeacon 20A | 57340   | STRUCT DEST         | FD       |

|                                |       |                          |    |
|--------------------------------|-------|--------------------------|----|
| Lemon Bay Channel Light 24     | 57360 | STRUCT MISSING/TRLB      | FD |
| Lemon Bay Channel Daybeacon 26 | 57420 | STRUCT MISSING/TRUB      | FD |
| Lemon Bay Channel Daybeacon 40 | 57625 | STRUCT MISSING/TRUB      | FD |
| Lemon Bay Channel Light 47     | 57655 | STRUCT DEST/HAZ NAV/TRLB | FD |

#### Private Discrepancies

| NAME                                     | LLNR    | STATUS              | AID TYPE |
|--|---------|---------------------|----------|
| Gottfried Creek Daybeacon 5              | 57357.4 | DAYMK DMGD          | PA       |
| Forked Creek Daybeacon 1                 | 57617   | STRUCT DEST/HAZ NAV | PA       |
| Forked Creek West Obstruction Daybeacon  | 57618.9 | STRUCT DEST         | PA       |
| Forked Creek North Obstruction Daybeacon | 57619   | STRUCT DEST         | PA       |
| Forked Creek East Obstruction Daybeacon  | 57619.3 | STRUCT DEST         | PA       |

### Little Lake George

#### Federal Discrepancies

| NAME                            | LLNR | STATUS           | AID TYPE |
|---------------------------------|------|------------------|----------|
| Little Lake George Daybeacon 54 | 8450 | STRUCT DEST/TRLB | FD       |
| Little Lake George Light 53     | 8435 | LT EXT           | FD       |

### Little Manatee River

#### Federal Discrepancies

| NAME                                   | LLNR  | STATUS         | AID TYPE |
|--|-------|----------------|----------|
| Little Manatee River Approach Light LM | 24481 | STRUCT MISSING | FD       |

#### Private Discrepancies

| NAME                      | LLNR               | STATUS      | AID TYPE |
|---------------------------|--------------------|-------------|----------|
| Cabbage Creek Daybeacon 5 | 24605              | STRUCT DEST | PA       |
| Shell Point Daybeacon 3   | 22698.2            | STRUCT DEST | PA       |
| Shell Point Daybeacon 7   | 22698.600000000002 | STRUCT DEST | PA       |

### Little Mud River

#### Federal Discrepancies

| NAME                           | LLNR  | STATUS              | AID TYPE |
|--------------------------------|-------|---------------------|----------|
| Little Mud River Light 195     | 36875 | STRUCT MISSING/TRLB | FD       |
| Little Mud River Light 196     | 36880 | STRUCT DEST/TRLB    | FD       |
| Little Mud River Daybeacon 189 | 36855 | STRUCT DEST/TRUB    | FD       |
| Little Mud River Light 190     | 36865 | STRUCT DEST/TRLB    | FD       |

### Little River Winyah Bay

#### Federal Discrepancies

| NAME  | LLNR  | STATUS              | AID TYPE |
|---|-------|---------------------|----------|
| Little River-Winyah Bay Obstruction Daybeacon B | 33647 | STRUCT MISSING/TRUB | FD       |
| Little River-Winyah Bay Daybeacon 17A           | 33680 | STRUCT DEST         | FD       |
| Little River-Winyah Bay Light 36                | 33840 | STRUCT DEST/TRLB    | FD       |
| Little River-Winyah Bay Light 90                | 34035 | TRLB/STRUCT DEST    | FD       |

#### Additional MSI Categories

| TITLE   | SUBCATEGORY               | DESCRIPTION  | LOCATION                            |
|---|---------------------------|--|-------------------------------------|
| Winyah Bay Channel - Little River Winyah Bay/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 33.76374° N / 78.81957° W Aid Name: Little River-Winyah Bay Daybeacon 21B LLNR: 33705.5 Action: RENAME Little River-Winyah Bay DBN 21B (LLNR 33705.5) will be renamed Little River-Winyah Bay DBN 21C (LLNR 33705.5). Establish Little River-Winyah Bay LT 21B (LLNR 33705.3) in approximate position 33-46-56.075N, 078-47-21.582W. The light will display a flash characteristic of Q G, with a nominal range of 4 nautical miles.  | Lat: 33° 45' 49" Lon: -078° 49' 10" |
| Winyah Bay Channel - Little River Winyah Bay/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change 19407 Location: 33.82754° N / 78.70574° W Aid Name: Little River-Winyah Bay Buoy 15B The U.S. Coast Guard has approved the following change in the Little River-Winyah Bay Channel, Intracoastal Waterway, to improve navigational safety and reliability. Little River-Winyah Bay Buoy 15B (LLNR 33660.1) will be permanently established in approximate position 33-49-39.137N, 078-42-20.648W.   | Lat: 33° 49' 39" Lon: -078° 42' 21" |
| Winyah Bay Channel - Little River Winyah Bay/General/Bridges/Inspection     | Bridges                   | General/Bridges/Inspection From: 2025-10-03 29586 Location: 33.803° N / 78.74143° W HNTB Corporation Inc. will be on site performing a routine bridge inspection on Barefoot Landing/Beach Resort Bridge on or about November 3 to November 7, 2025. There will be a manlift operating on the bridge that can be relocated when the bridge needs to be operated. They will also have a Boat Lift out there for inspecting the underside of the bridge and will move out of the navigable channel as needed for vessels | Lat: 33° 48' 11" Lon: -078° 44' 29" |



|  |  |  |  |
|--|--|--|--|
| Winyah Bay Channel - Little River<br>Winyah Bay/General/Marine<br>Construction (Excluding<br>Bridges)/Dredging | Marine<br>Construction<br>(Excluding<br>Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2025-09-30 29403 Location: 33.4319° N / 79.2484° W Wedgefield Plantation Association (WPA), is notifying mariners regarding the upcoming dredging operations within the Wedgefield Plantation Canals in Georgetown County, South Carolina. The project is scheduled to commence in October 2025, with an estimated completion date of January 31, 2026. The project consists of the excavation of 48,752 cubic yards of material from 14.07 acres within the Wedgefield Plantation canals. The excavated material will be placed within the existing 12-acre on-site upland-confined disposal facility. Dredging activities are not authorized between February 1st to April 1st to limit impacts to essential fish habitat. hours of operation will be from 7:00 AM to 7:00 PM, five days a week. Equipment being used is a 10-inch hydraulic cutterhead dredge, suction pipeline and dredge pump. Vessels will be monitoring VHF-FM channel 16.   | Lat:<br>33° 25' 55"<br>Lon:<br>-079° 14' 54" |
| Winyah Bay Channel - Little River<br>Winyah Bay/ATON/Proposed Notice of<br>Change                              | Proposed Notice<br>of Change                     | ATON/Proposed Notice of Change From: 2025-08-15 26037 Location: 33.85442° N / 78.54783° W Aid Name: Little River Inlet Temporary Buoy 7A LLNR: Not Provided Action: ESTABLISH The U.S. Coast Guard is proposing to make the following change in the Little River Inlet, to improve the navigational safety and reliability of the federal aids to navigation system. Due to sever shoaling in the vicinity of Little River Inlet B 9 (LLNR 1715), Little River Inlet LB 7A (LLNR 1708) will be established in position 33-51-15.939N, 078-32-52.059W. The LB will display a flash characteristic of Q G, with a nominal range of 4 nautical miles. A temporary lighted buoy, "7A" is currently located in the proposed position listed above. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or Andrew.m.engle@uscg.mil with Little River Inlet LB 7A as the subject line. Comments can also be mailed to: Commander (dpw), Southeast Coast Guard District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Bldg, Miami, FL. 33131-3050 to be received by October 15, 2025. | Lat:<br>33° 51' 16"<br>Lon:<br>-078° 32' 52" |

### Little Shark River Entrance

#### Federal Discrepancies

| NAME                                    | LLNR  | STATUS      | AID TYPE |
|---|-------|-------------|----------|
| Little Shark River Entrance Daybeacon 3 | 15955 | STRUCT DEST | FD       |

#### Private Discrepancies

| NAME                            | LLNR  | STATUS        | AID TYPE |
|---------------------------------|-------|---------------|----------|
| Cormorant Pass Daybeacon 48     | 15870 | DAYMK IMCH    | PA       |
| Oyster Bay Daybeacon 53         | 15885 | DAYMK MISSING | PA       |
| Oyster Bay Daybeacon 63         | 15915 | DAYMK MISSING | PA       |
| Little Shark River Daybeacon 69 | 15940 | DAYMK IMCH    | PA       |

### Long Key

#### Federal Discrepancies

| NAME                  | LLNR  | STATUS           | AID TYPE |
|-----------------------|-------|------------------|----------|
| Long Key Daybeacon 1X | 12385 | STRUCT DEST/TRUB | FD       |

#### Additional MSI Categories

| TITLE                                      | SUBCATEGORY | DESCRIPTION  | LOCATION                                     |
|--|-------------|--|--|
| Long<br>Key/General/Bridges/Rehabilitation | Bridges     | General/Bridges/Rehabilitation From: 2025-07-02 To: 2026-10-31 Location: 24.83801° N / 80.77337° W Bridge Name: US1/SR5 Highway Bridge - Channel 5 The bridge is undergoing a rehabilitation and repairs through October 2026. There will be barges, floating work platforms and work boats in the area behind the fender systems, but no obstructions to navigation are expected. Beginning July 14, 2025, through August 1, 2025, underwater work will begin with divers at two piers adjacent to the navigational channel, behind the fenders. All mariners are advised to proceed with caution and transit the area at a minimum wake speed. For waterways related questions, contact, Coast Guard Sector Key West Waterways, 305-292-8768 or email: SKWWaterways@uscg.mil | Lat:<br>24° 50' 17"<br>Lon:<br>-080° 46' 24" |

### Longboat Pass

#### Federal Discrepancies

| NAME                      | LLNR  | STATUS           | AID TYPE |
|---------------------------|-------|------------------|----------|
| Longboat Pass Daybeacon 9 | 21829 | STRUCT DEST/TRUB | FD       |

### Lower Flats Range

#### Federal Discrepancies

| NAME                 | LLNR | STATUS      | AID TYPE |
|----------------------|------|-------------|----------|
| Elba Island Light 39 | 4850 | STRUCT DEST | FD       |

#### Additional MSI Categories

| TITLE  | SUBCATEGORY                  | DESCRIPTION  | LOCATION                                     |
|--|------------------------------|--|--|
| Long Island Crossing -<br>Lower Flats<br>Range/ATON/Proposed<br>Notice of Change | Proposed Notice<br>of Change | ATON/Proposed Notice of Change 24532 Location: 32.07292° N / 80.97514° W Aid Name: Elba Island Light 37 LLNR: 4845 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard is proposing to make the following changes in the Savannah River, Elba Island Channel to improve the waterway. Elba Island LT 37 (LLNR 4845) will be changed to Elba Island LB 37 (LLNR 4845) and relocated to 32-04-24.404N, 080-58-28.548W. Light characteristics for LB 37 will remain a FI G 4s. Elba Island LT 39 (LLNR 4850) will be changed to Elba Island LB 39 (LLNR 48450) and relocated to 32-04-34.342N, 080-58-54.089W. Light characteristics for LB 39 will remain a FI G 4s. Waterway changes associated with the Savannah Harbor Expansion Project (SHEP) have made the federal channel and surrounding areas too deep for Coast Guard assets to adequately mark the channel with fixed aids to navigation. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or Andrew.m.engle@uscg.mil with Elba Island Channel Changes as the subject line. Comments can also be mailed to: Commander (dpw), U.S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Bldg, Miami, FL. 33131-3050 to be received by September 24, 2025. | Lat:<br>32° 04' 23"<br>Lon:<br>-080° 58' 31" |
|  |                              |  |  |

|   |                           |   |  |
|---|---------------------------|---|--|
| Long Island Crossing - Lower Flats Range/ATON/Proposed Notice of Change | Proposed Notice of Change | <p>ATON/Proposed Notice of Change 24533 Location: 32.07583° N / 80.98202° W Aid Name: Elba Island Light 39 LLNR: 4850 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard is proposing to make the following changes in the Savannah River, Elba Island Channel to improve the waterway. Elba Island LT 37 (LLNR 4845) will be changed to Elba Island LB 37 (LLNR 4845) and relocated to 32-04-24.404N, 080-58-28.548W. Light characteristics for LB 37 will remain a FI G 4s. Elba Island LT 39 (LLNR 4850) will be changed to Elba Island LB 39 (LLNR 48450) and relocated to 32-04-34.342N, 080-58-54.089W. Light characteristics for LB 39 will remain a FI G 4s. Waterway changes associated with the Savannah Harbor Expansion Project (SHEP) have made the federal channel and surrounding areas too deep for Coast Guard assets to adequately mark the channel with fixed aids to navigation. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or Andrew.m.engle@uscg.mil with Elba Island Channel Changes as the subject line. Comments can also be mailed to: Commander (dpw), U.S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Bldg, Miami, FL. 33131-3050 to be received by September 24, 2025.</p> | <p>Lat: 32° 04' 33" Lon: -080° 58' 55"</p> |
|---|---------------------------|---|--|

### Loxahatchee River

#### Private Discrepancies

| NAME  | LLNR    | STATUS      | AID TYPE |
|---|---------|-------------|----------|
| Loxahatchee River Daybeacon 7               | 46280   | DAYMK IMCH  | PA       |
| Loxahatchee River Daybeacon 15              | 46320   | DAYMK IMCH  | PA       |
| Loxahatchee River South Channel Daybeacon 7 | 46373.5 | STRUCT DMGD | PA       |

### Mackay River

#### Federal Discrepancies

| NAME                          | LLNR  | STATUS                   | AID TYPE |
|-------------------------------|-------|--------------------------|----------|
| Mackay River Cutoff Light 229 | 37090 | STRUCT DEST/TRLB         | FD       |
| Mackay River Light 239        | 37160 | STRUCT DEST/HAZ NAV/TRLB | FD       |
| Mackay River Light 250        | 37215 | STRUCT DEST/TRLB         | FD       |
| Mackay River Cutoff Light 231 | 37095 | STRUCT DEST/TRLB         | FD       |
| Mackay River Light 241        | 37170 | STRUCT DEST/TRLB         | FD       |
| Mackay River Light 244        | 37190 | STRUCT DEST/TRLB         | FD       |

### Manatee River

#### Federal Discrepancies

| NAME                       | LLNR  | STATUS           | AID TYPE |
|----------------------------|-------|------------------|----------|
| Manatee River Daybeacon 3  | 21867 | STRUCT DEST/TRUB | FD       |
| Manatee River Daybeacon 21 | 22050 | STRUCT MISSING   | FD       |
| Manatee River Daybeacon 28 | 22095 | STRUCT DEST/TRUB | FD       |

#### Private Discrepancies

| NAME                                     | LLNR    | STATUS           | AID TYPE |
|--|---------|------------------|----------|
| Fifty-Ninth Street Boat Ramp Daybeacon 5 | 21960   | STRUCT DEST      | PA       |
| Tidewater Preserve Marina Daybeacon 2    | 22105.2 | STRUCT DEST      | PA       |
| Colony Cove Daybeacon 2                  | 22110   | STRUCT DEST/TRUB | PA       |

### Matanzas Inlet Mosquito Lagoon

#### Federal Discrepancies

| NAME                     | LLNR  | STATUS           | AID TYPE |
|--------------------------|-------|------------------|----------|
| Smith Creek Daybeacon 17 | 39770 | STRUCT DEST/TRUB | FD       |

### Matanzas Pass Channel

#### Federal Discrepancies

| NAME                               | LLNR  | STATUS                      | AID TYPE |
|------------------------------------|-------|-----------------------------|----------|
| Matanzas Pass Channel Daybeacon 3  | 18090 | STRUCT DEST                 | FD       |
| Matanzas Pass Channel Daybeacon 24 | 18290 | STRUCT MISSING/TRUB         | FD       |
| Matanzas Pass Channel Daybeacon 26 | 18295 | HAZ NAV/STRUCT MISSING/TRUB | FD       |

#### Private Discrepancies

| NAME  | LLNR               | STATUS              | AID TYPE |
|---|--------------------|---------------------|----------|
| Hurricane Bay Marina West Channel Daybeacon 7 | 18160              | STRUCT DEST/HAZ NAV | PA       |
| Siesta Isles Daybeacon 4                      | 18215              | STRUCT DEST         | PA       |
| Matanzas Harbor Channel Daybeacon 3           | 18296.100000000002 | STRUCT DEST/HAZ NAV | PA       |
| Matanzas Harbor Channel Daybeacon 5           | 18296.3            | STRUCT DEST         | PA       |
| North Estero Bay Daybeacon 4                  | 18315              | STRUCT DEST         | PA       |
| North Estero Bay Daybeacon 5                  | 18316              | STRUCT MISSING      | PA       |
| Bayside Estates Channel Daybeacon 2           | 18405              | STRUCT DEST         | PA       |

|                                      |       |                     |    |
|--------------------------------------|-------|---------------------|----|
| Bayside Estates Channel Daybeacon 4  | 18415 | HAZ NAV/STRUCT DEST | PA |
| Bayside Estates Channel Daybeacon 14 | 18450 | STRUCT DEST         | PA |
| North Estero Bay Daybeacon 7         | 18520 | STRUCT DEST/HAZ NAV | PA |
| North Estero Bay Daybeacon 10        | 18530 | STRUCT DEST         | PA |
| North Estero Bay Daybeacon 19        | 18565 | STRUCT DMGD         | PA |
| North Estero Bay Daybeacon 35        | 18605 | STRUCT DEST         | PA |
| North Estero Bay Daybeacon 63        | 18725 | STRUCT DEST/TRUB    | PA |
| Mullock Creek Daybeacon 2A           | 18760 | STRUCT DEST         | PA |
| Mullock Creek Daybeacon 13           | 18835 | STRUCT DEST/HAZ NAV | PA |
| Mullock Creek Daybeacon 45           | 18920 | STRUCT DEST         | PA |

### Additional MSI Categories

| TITLE   | SUBCATEGORY                             | DESCRIPTION  | LOCATION |
|---|---|--|----------|
| San Carlos Bay - Matanzas Pass Channel/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2025-07-07 23056 San Carlos Bay Staging Area: 26-27.78841N / -081-58.39124W 26-27.77701N / -081-58.77906W 26-27.93963N / -081-58.81786W 26-27.95552N / -081-58.51561W 26-27.78841N / -081-58.39124W Great Lakes Dredge and Dock Company, LLC has begun dredging for the Captiva Island Beach Renourishment Project. They have one 750 foot subline raft staged in the Cayo Costa Staging Area. The derrick 77, JMC, and fuel barge will be staged in the San Carlos Bay Staging Area beginning October 4, 2025, supporting offshore operations as required. All vessel traffic is advised to avoid active work areas. Mariners are urged to exercise extreme caution, maintain a slow safe speed to minimize wake, and coordinate passing arrangements before transiting the area. All floating and submerged pipelines, anchors, and related equipment are marked in accordance with U.S. Coast Guard regulations. Operations are being conducted 24 hours per day, 7 days per week. TUG EVERGREEN STATE, TUG SYLVIE FAYE, MULTI-CAT VESSEL CAPE CANAVERAL, BOOSTER JACK, BOOSTER REGGIE, DERRICK 77 BARGE, JMC BARGE, FUEL BARGE F002, 750 FOOT SUBLINE RAFT, SURVEY BOAT ST LOUIS RIVER, SURVEY BOAT MIAMI RIVER, CREW BOAT KITTY BELLE, will all be monitoring VHF-FM channel 13 and 16. Operations are expected to be completed on or about November 30, 2025. |          |

## Matanzas River

### Federal Discrepancies

| NAME                        | LLNR    | STATUS              | AID TYPE |
|-----------------------------|---------|---------------------|----------|
| Matanzas River Light 1      | 39035   | STRUCT DEST/TRLB    | FD       |
| Matanzas River Daybeacon 5  | 39055   | STRUCT MISSING      | FD       |
| Matanzas River Light 43     | 39330   | STRUCT MISSING/TRLB | FD       |
| Matanzas River Daybeacon 60 | 39455   | STRUCT DEST/TRUB    | FD       |
| Matanzas River Light 72     | 39495   | DAYMK MISSING       | FD       |
| Matanzas River Light 79     | 39520   | STRUCT MISSING/TRLB | FD       |
| Matanzas River Daybeacon 89 | 39600   | STRUCT DEST/TRUB    | FD       |
| Matanzas River Light 90     | 39605   | STRUCT DEST/TRLB    | FD       |
| Matanzas River Daybeacon 92 | 39610   | STRUCT DEST/TRUB    | FD       |
| Matanzas River Buoy 2       | 39040   | OFF STA             | FD       |
| Matanzas River Daybeacon 6A | 39060.1 | STRUCT DEST/TRUB    | FD       |

### Private Discrepancies

| NAME                           | LLNR  | STATUS              | AID TYPE |
|--------------------------------|-------|---------------------|----------|
| Salt Run Daybeacon 1           | 38915 | STRUCT DEST         | PA       |
| Salt Run Daybeacon 3           | 38925 | STRUCT DEST         | PA       |
| Salt Run Daybeacon 4           | 38930 | STRUCT DEST         | PA       |
| Salt Run Daybeacon 6           | 38940 | STRUCT MISSING      | PA       |
| Salt Run Daybeacon 7           | 38945 | STRUCT DMGD         | PA       |
| Salt Run Daybeacon 11          | 38965 | STRUCT DEST/HAZ NAV | PA       |
| Fish Island Marina Daybeacon 1 | 39080 | DAYMK MISSING       | PA       |

### Temporary Changes

| NAME                      | LLNR | STATUS      | AID TYPE |
|---------------------------|------|-------------|----------|
| Matanzas River Wreck Buoy | null | ESTABLISHED | FD       |

## Matheny Creek

### Federal Discrepancies

| NAME                                 | LLNR  | STATUS           | AID TYPE |
|--------------------------------------|-------|------------------|----------|
| Venice Inlet-Siesta Key Daybeacon 7  | 57870 | DAYMK MISSING    | FD       |
| Venice Inlet-Siesta Key Daybeacon 57 | 58295 | STRUCT DEST/TRUB | FD       |

### Private Discrepancies

| NAME                     | LLNR               | STATUS      | AID TYPE |
|--------------------------|--------------------|-------------|----------|
| Snake Island Daybeacon A | 57834              | STRUCT DEST | PA       |
| Snake Island Daybeacon B | 57834.1            | STRUCT DEST | PA       |
| Snake Island Daybeacon C | 57834.200000000004 | STRUCT DEST | PA       |

|                                  |                    |                     |    |
|----------------------------------|--------------------|---------------------|----|
| Midnight Pass Lagoon Daybeacon 4 | 58185              | STRUCT DEST         | PA |
| Midnight Pass Lagoon Daybeacon 5 | 58190              | STRUCT DEST         | PA |
| Midnight Pass Lagoon Daybeacon 7 | 58200              | STRUCT DEST         | PA |
| Midnight Pass Daybeacon 11       | 58205.200000000004 | STRUCT DEST         | PA |
| Midnight Pass Daybeacon 13       | 58205.3            | STRUCT DMGD         | PA |
| Midnight Pass Daybeacon 15       | 58205.4            | STRUCT DEST         | PA |
| Midnight Pass Daybeacon 17       | 58205.5            | STRUCT DEST         | PA |
| Matheny Creek Daybeacon 1        | 58292              | STRUCT DMGD         | PA |
| Phillippi Creek Daybeacon 2      | 58365.200000000004 | DAYMK MISSING       | PA |
| Phillippi Creek Daybeacon 7      | 58365.6            | DAYMK MISSING       | PA |
| Phillippi Creek Daybeacon 11     | 58365.9            | STRUCT DEST/HAZ NAV | PA |
| Phillippi Creek Daybeacon 13     | 58366              | STRUCT DEST         | PA |

### Additional MSI Categories

| TITLE   | SUBCATEGORY                             | DESCRIPTION   | LOCATION |
|---|---|---|----------|
| Venice Inlet - Matheny Creek/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes 17465 Continental Heavy Civil Corp. will conduct shoreline reconstruction and coastal armoring. Work will be performed between 22 North Casey Key Road to 400 N Casey Key Road, and 526 to 840 N Casey Key Road. Staging and loading area will be the entire footprint of the Nokomis Beach "spillover" parking lot, located at 101 S Casey Key Road. Heavy equipment such as lattice-boom crawler cranes and heavy excavators will load onto barges from Albee Road and will route down to intercoastal to the Venice inlet, proceed to the Gulf and then up the coast to the jobsite and back. Continental Heavy Civil expects to work a regular schedule from 6am to 6pm Monday through Saturday, with some necessary Sundays. Estimated completion time for the entire project May 1st, 2027. All Vessels should use caution when transiting the work area. The crew at Casey Road will monitor VHF-FM channels 13 and 16. |          |

## Miami Beach Channel

### Federal Discrepancies

| NAME                         | LLNR  | STATUS           | AID TYPE |
|------------------------------|-------|------------------|----------|
| Miami Beach Channel Light 11 | 48015 | STRUCT DEST/TRLB | FD       |

### Additional MSI Categories

| TITLE  | SUBCATEGORY           | DESCRIPTION  | LOCATION                            |
|--|-----------------------|--|-------------------------------------|
| Miami Beach Channel/General/Bridges/Rehabilitation       | Bridges               | General/Bridges/Rehabilitation From: 2025-08-22 To: 2026-03-27 Location: 25.81343° N / 80.12459° W Bridge Name: 41st Street Bridge - Indian Creek The bridge will undergo a rehabilitation beginning 9/2/2025 through 3/26/2026. One-half of the center channel will be partially obstructed with the vertical clearance reduced by approximately 3 feet. In-water construction equipment will be present. All mariners are advised to transit the area with caution.  | Lat: 25° 48' 48" Lon: -080° 07' 29" |
| Miami Beach Channel/General/Hazards To Navigation/Wrecks | Hazards To Navigation | General/Hazards To Navigation/Wrecks From: 2025-09-17 28343 Mariners are advised that Fast Response Marine Towing and Salvage is conducting the recovery and salvage operation of the partially capsized 60-foot barge located at 688 88th Street, Surfside, FL, East of Biscaya Island. The barge is currently resting half-submerged at the location above, oriented away from the seawall, with its deck-mounted crane submerged. Vessels are urged to be aware of the barge location and exercise caution when transiting the area to avoid collision with the submerge barge. Boaters with questions about the waterway should contact USCG Sector Miami Waterways Division at (305) 535-4317 or Sector Command Center via VHF-FM channel 16. |                                     |

## Miami Main Channel

### Federal Discrepancies

| NAME  | LLNR  | STATUS      | AID TYPE |
|---|-------|-------------|----------|
| Miami Main Channel Entrance Range Front Light | 10460 | STRUCT DEST | FD       |

### Private Discrepancies

| NAME                                      | LLNR  | STATUS | AID TYPE |
|---|-------|--------|----------|
| Miami Beach Marina Breakwater North Light | 10570 | LT EXT | PA       |

### Additional MSI Categories

| TITLE  | SUBCATEGORY                             | DESCRIPTION  | LOCATION |
|--|---|--|----------|
| General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-10-24 30934 Ebsary Foundation Company will be working on the water just north of terminal G, approximately 30 feet from bulkhead beginning on or about November 1, 2025. The construction will last until approximately November 30, 2025. There will be a 50 ft x 120 ft barge. All mariners are requested to transit the with the area with caution and at a slow speed. |          |

## Miami Turning Basin

### Federal Discrepancies

| NAME                                    | LLNR  | STATUS                   | AID TYPE |
|---|-------|--------------------------|----------|
| Miami Turning Basin Articulated Light E | 10770 | STRUCT DEST/TRLB/HAZ NAV | FD       |

## Mile Point

### Federal Discrepancies

| NAME                               | LLNR | STATUS        | AID TYPE |
|------------------------------------|------|---------------|----------|
| Mile Point Lower Range Front Light | 7260 | REDUCED INT   | FD       |
| Mile Point Upper Range Front Light | 7287 | REDUCED INT   | FD       |
| Mile Point Light A                 | 7281 | DAYMK MISSING | FD       |
| Mile Point Light C                 | 7283 | STRUCT DEST   | FD       |
| Mile Point Upper Range Rear Light  | 7290 | LT EXT        | FD       |

### Additional MSI Categories

| TITLE  | SUBCATEGORY               | DESCRIPTION   | LOCATION                               |
|--|---------------------------|---|--|
| St Johns River - Mile Point/ATON/Advanced Notice of Change | Advanced Notice of Change | Mile Point Lower RFL (LLNR 7260) will be relocated to approximate position: 30-22-44.551N/081-27-11.480W to align with the newly dredged channel. In addition, both Mile Point Lower RFL and Mile Point Lower RRL will be changed to a 24-hour optic. All day marks will be permanently discontinued. | Lat: 30° 22' 44"<br>Lon: -081° 27' 11" |
| St Johns River - Mile Point/ATON/Advanced Notice of Change | Advanced Notice of Change | Mile Point Lower RRL (LLNR 7265) will be relocated to approximate position: 30-22-43.316N/081-27-14.558W to align with the newly dredged channel. In addition, both Mile Point Lower RFL and Mile Point Lower RRL will be changed to a 24-hour optic. All day marks will be permanently discontinued. | Lat: 30° 22' 42"<br>Lon: -081° 27' 14" |
| St Johns River - Mile Point/ATON/Advanced Notice of Change | Advanced Notice of Change | Mile Point Upper RFL (LLNR 7287) will be relocated to approximate position: 30-22-44.266N/081-27-12.139W to align with the newly dredged channel. In addition, both Mile Point Upper RFL and Mile Point Upper RRL will be changed to a 24-hour optic. All day marks will be permanently discontinued. | Lat: 30° 22' 44"<br>Lon: -081° 27' 11" |
| St Johns River - Mile Point/ATON/Advanced Notice of Change | Advanced Notice of Change | Mile Point Upper RRL (LLNR 7290) will be relocated to approximate position: 30-22-34.772N/081-26-58.725W to align with the newly dredged channel. In addition, both Mile Point Upper RFL and Mile Point Upper RRL will be changed to a 24-hour optic. All day marks will be permanently discontinued. | Lat: 30° 22' 35"<br>Lon: -081° 26' 58" |

## Mosquito Lagoon

### Federal Discrepancies

| NAME                        | LLNR  | STATUS           | AID TYPE |
|-----------------------------|-------|------------------|----------|
| Mosquito Lagoon Daybeacon 8 | 40925 | STRUCT DEST/TRLB | FD       |

## Mullet Key Channel

### Federal Discrepancies

| NAME                                 | LLNR  | STATUS                   | AID TYPE |
|--------------------------------------|-------|--------------------------|----------|
| Mullet Key Channel Range Front Light | 22355 | HAZ NAV/STRUCT DEST/TRLB | FD       |

## Murphy Island

### Federal Discrepancies

| NAME                   | LLNR | STATUS        | AID TYPE |
|------------------------|------|---------------|----------|
| Murphy Island Light 23 | 8295 | LT EXT        | FD       |
| Murphy Island Light 26 | 8305 | DAYMK MISSING | FD       |

## Myakka River

### Private Discrepancies

| NAME                                 | LLNR  | STATUS              | AID TYPE |
|--------------------------------------|-------|---------------------|----------|
| South Gulf Cove Entrance Daybeacon 5 | 20175 | DAYMK MISSING       | PA       |
| Upper Myakka River Daybeacon 12      | 20395 | HAZ NAV/STRUCT DEST | PA       |

## Naples Bay Channel

### Federal Discrepancies

| NAME                            | LLNR  | STATUS                   | AID TYPE |
|---------------------------------|-------|--------------------------|----------|
| Naples Bay Channel Daybeacon 25 | 17595 | HAZ NAV/STRUCT DEST/TRLB | FD       |
| Naples Bay Channel Daybeacon 22 | 17550 | STRUCT MISSING/TRLB      | FD       |

### Private Discrepancies

| NAME                          | LLNR  | STATUS        | AID TYPE |
|-------------------------------|-------|---------------|----------|
| Naples Yacht Club Daybeacon 5 | 17667 | DAYMK MISSING | PA       |

### Additional MSI Categories

| TITLE  | SUBCATEGORY           | DESCRIPTION  | LOCATION                                     |
|--|-----------------------|--|--|
| Gordon Pass Channel - Naples Bay Channel/General/Hazards To Navigation/Shoaling Reported | Hazards To Navigation | General/Hazards To Navigation/Shoaling Reported 22051 Location: 26.1285° N / 81.79073° W<br>Oyster bed encroaching into the channel. | Lat:<br>26° 07' 43"<br>Lon:<br>-081° 47' 27" |

### Nassau Cutoff

#### Federal Discrepancies

| NAME                   | LLNR  | STATUS              | AID TYPE |
|------------------------|-------|---------------------|----------|
| Nassau Cutoff Light 47 | 38175 | STRUCT MISSING/TRLB | FD       |

### New Pass

#### Federal Discrepancies

| NAME                          | LLNR  | STATUS              | AID TYPE |
|-------------------------------|-------|---------------------|----------|
| New Pass Channel Daybeacon 11 | 21650 | HAZ NAV/STRUCT DEST | FD       |
| New Pass Channel Light 13     | 21705 | STRUCT MISSING/TRLB | FD       |

#### Private Discrepancies

| NAME                                   | LLNR  | STATUS      | AID TYPE |
|--|-------|-------------|----------|
| City Island Breakwater Light           | 21710 | STRUCT DEST | PA       |
| Anglers Club Reef Daybeacon AC         | 21701 | STRUCT DEST | PA       |
| Sarasota Basin Obstruction Light A     | 21752 | STRUCT DEST | PA       |
| Sarasota Basin Obstruction Daybeacon B | 21754 | STRUCT DEST | PA       |

### New River Sound

#### Temporary Changes

| NAME                            | LLNR  | STATUS       | AID TYPE |
|---------------------------------|-------|--------------|----------|
| New River Sound Lighted Buoy 11 | 47265 | DISCONTINUED | FD       |

### New Smyrna Beach

#### Federal Discrepancies

| NAME                          | LLNR  | STATUS           | AID TYPE |
|-------------------------------|-------|------------------|----------|
| New Smyrna Beach Daybeacon 28 | 40645 | STRUCT DEST/TRUB | FD       |
| New Smyrna Beach Daybeacon 51 | 40805 | STRUCT DEST/TRUB | FD       |
| New Smyrna Beach Daybeacon 62 | 40845 | STRUCT DEST/TRUB | FD       |

#### Additional MSI Categories

| TITLE   | SUBCATEGORY | DESCRIPTION   | LOCATION                                     |
|---|-------------|---|--|
| Ponce De Leon Cut - New Smyrna Beach/General/Bridges/Temp Deviation | Bridges     | General/Bridges/Temp Deviation From: 2025-09-18 To: 2025-12-07 Location: 29.03875° N / 80.90522° W Bridge Name: George Musson Bridge - AICW The bridge need not open to navigation including tugs with tows on Saturday, December 6, 2025, from 3 p.m. to 6 p.m. to facilitate the City of New Smyrna Beach's Annual Christmas Parade. Public vessels of the United States and vessels in distress shall be passed at any time. | Lat:<br>29° 02' 20"<br>Lon:<br>-080° 54' 19" |

### North Edisto River

#### Federal Discrepancies

| NAME                                       | LLNR | STATUS  | AID TYPE |
|--|------|---------|----------|
| North Edisto River Entrance Lighted Buoy 6 | 3865 | LT EXT  | FD       |
| North Edisto River Inner Buoy 7            | 3880 | MISSING | FD       |

### North Newport River

#### Private Discrepancies

| NAME                                 | LLNR  | STATUS      | AID TYPE |
|--------------------------------------|-------|-------------|----------|
| Timmons Reef E Obstruction Daybeacon | 36500 | STRUCT DEST | PA       |

### Ogeechee River

#### Private Discrepancies

| NAME | LLNR | STATUS | AID TYPE |
|------|------|--------|----------|
|      |      |        |          |

|                                    |       |        |    |
|------------------------------------|-------|--------|----|
| Fort Mcallister Fishing Pier Light | 36360 | LT EXT | PA |
|------------------------------------|-------|--------|----|

### Oglethorpe Range

#### Additional MSI Categories

| TITLE  | SUBCATEGORY                             | DESCRIPTION   | LOCATION |
|--|---|---|----------|
| Fort Jackson - Oglethorpe Range/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging 24677 Marinex Construction, Inc. will begin mobilizing equipment and pipeline to commence work at Gold Bond Building Products dock in the Savannah River. All pipeline for this work will be appropriately lighted and laid outside the channel on the South Carolina side of the river. The Dredge WADMALAW will operate in this area through approximately August 31, 2025. Operations will be conducted 24 hours a day / seven days a week and monitor VHF-FM channels 13 and 16. |          |

### Okeechobee Waterway

#### Federal Discrepancies

| NAME                     | LLNR  | STATUS           | AID TYPE |
|--------------------------|-------|------------------|----------|
| Taylor Creek Daybeacon 6 | 51915 | STRUCT DEST/TRUB | FD       |

#### Private Discrepancies

| NAME                           | LLNR  | STATUS      | AID TYPE |
|--------------------------------|-------|-------------|----------|
| Dyess Canal Safewater Light DC | 51980 | STRUCT DEST | PA       |
| Indian Creek Daybeacon 1       | 52420 | STRUCT DEST | PA       |

### Ossabaw Sound

#### Federal Discrepancies

| NAME                                     | LLNR | STATUS           | AID TYPE |
|--|------|------------------|----------|
| Ossabaw Sound Preferred Channel Buoy N   | 5740 | MISSING          | FD       |
| Ossabaw Sound North Channel Daybeacon 10 | 5760 | STRUCT DEST/TRUB | FD       |
| Ossabaw Sound North Channel Buoy 11      | 5765 | OFF STATION      | FD       |
| Ossabaw Sound North Channel Daybeacon 12 | 5770 | STRUCT DEST/TRUB | FD       |
| Ossabaw Sound South Channel Daybeacon 5  | 5780 | STRUCT DEST      | FD       |

#### Private Discrepancies

| NAME                          | LLNR  | STATUS      | AID TYPE |
|-------------------------------|-------|-------------|----------|
| Delegal Creek Channel Light 1 | 36229 | STRUCT DEST | PA       |
| Delegal Creek Channel Buoy 2  | 36230 | MISSING     | PA       |
| Delegal Creek Channel Buoy 4  | 36233 | OFF STA     | PA       |

#### Additional MSI Categories

| TITLE  | SUBCATEGORY               | DESCRIPTION   | LOCATION                            |
|--|---------------------------|---|-------------------------------------|
| Sector Charleston, Submerged Land Act (SLA) - Ossabaw Sound/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 31.86196° N / 81.03488° W Aid Name: Ossabaw Sound North Channel Daybeacon 10 LLNR: 5760 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard has approved the following change to the Aids to Navigation System in Ossabaw Sound. Ossabaw Sound North Channel DBN 10 (LLNR 5760) will be changed to Ossabaw Sound North Channel Buoy 10, using the same LLNR. Ossabaw Sound North Channel DBN 12 (LLNR 5770) will be changed to Ossabaw Sound North Channel Buoy 12, using the same LLNR. Ossabaw Sound South Channel DBN 5 (LLNR 5780) will be changed to Ossabaw Sound South Channel Buoy 5, using the same LLNR.                                | Lat: 31° 51' 43" Lon: -081° 02' 06" |
| Sector Charleston, Submerged Land Act (SLA) - Ossabaw Sound/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 31.8645° N / 81.05731° W Aid Name: Ossabaw Sound North Channel Daybeacon 12 LLNR: 5770 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard has approved the following change to the Aids to Navigation System in Ossabaw Sound. Ossabaw Sound North Channel DBN 10 (LLNR 5760) will be changed to Ossabaw Sound North Channel Buoy 10, using the same LLNR. Ossabaw Sound North Channel DBN 12 (LLNR 5770) will be changed to Ossabaw Sound North Channel Buoy 12, using the same LLNR. Ossabaw Sound South Channel DBN 5 (LLNR 5780) will be changed to Ossabaw Sound South Channel Buoy 5, using the same LLNR.                                 | Lat: 31° 51' 52" Lon: -081° 03' 26" |
| Sector Charleston, Submerged Land Act (SLA) - Ossabaw Sound/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change From: 2025-03-12 To: 2026-09-08 Location: 31.82121° N / 81.03359° W Aid Name: Ossabaw Sound South Channel Daybeacon 5 LLNR: 5780 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard has approved the following change to the Aids to Navigation System in Ossabaw Sound. Ossabaw Sound North Channel DBN 10 (LLNR 5760) will be changed to Ossabaw Sound North Channel Buoy 10, using the same LLNR. Ossabaw Sound North Channel DBN 12 (LLNR 5770) will be changed to Ossabaw Sound North Channel Buoy 12, using the same LLNR. Ossabaw Sound South Channel DBN 5 (LLNR 5780) will be changed to Ossabaw Sound South Channel Buoy 5, using the same LLNR. | Lat: 31° 49' 16" Lon: -081° 02' 01" |

### Pablo Creek

#### Federal Discrepancies

| NAME                 | LLNR  | STATUS              | AID TYPE |
|----------------------|-------|---------------------|----------|
| Pablo Creek Buoy 4   | 38355 | MISSING             | FD       |
| Pablo Creek Light 5  | 38360 | STRUCT DEST         | FD       |
| Pablo Creek Light 6  | 38365 | STRUCT DEST/TRLB    | FD       |
| Pablo Creek Light 17 | 38440 | STRUCT MISSING/TRLB | FD       |

### Private Discrepancies

| NAME                               | LLNR  | STATUS              | AID TYPE |
|------------------------------------|-------|---------------------|----------|
| Queens Harbour Channel Daybeacon 4 | 38405 | STRUCT DEST/HAZ NAV | PA       |

### Temporary Changes

| NAME                          | LLNR               | STATUS      | AID TYPE |
|-------------------------------|--------------------|-------------|----------|
| Pablo Creek Temporary Light 9 | 38380.200000000004 | ESTABLISHED | FD       |

## Palma Sola Bay.

### Private Discrepancies

| NAME                                | LLNR  | STATUS                | AID TYPE |
|-------------------------------------|-------|-----------------------|----------|
| Palma Sola Park Channel Daybeacon 1 | 59890 | HAZ NAV/DAYMK MISSING | PA       |
| Palma Sola Park Channel Daybeacon 4 | 59905 | DAYMK MISSING         | PA       |
| Palma Sola Park Channel Daybeacon 5 | 59910 | HAZ NAV/DAYMK MISSING | PA       |
| Palma Sola Park Channel Daybeacon 6 | 59915 | DAYMK MISSING         | PA       |
| Palma Sola Park Channel Daybeacon 7 | 59920 | DAYMK MISSING         | PA       |
| Palma Sola Park Channel Daybeacon 8 | 59925 | DAYMK IMCH            | PA       |

## Paradise Bay Estates Channel

### Federal Discrepancies

| NAME                              | LLNR  | STATUS           | AID TYPE |
|-----------------------------------|-------|------------------|----------|
| Siesta Key-Tampa Bay Daybeacon 8A | 58490 | STRUCT DEST/TRUB | FD       |
| Siesta Key-Tampa Bay Light 11     | 58537 | STRUCT DEST/TRLB | FD       |

### Private Discrepancies

| NAME                                     | LLNR               | STATUS                        | AID TYPE |
|--|--------------------|-------------------------------|----------|
| Holiday Inn Marina Daybeacon 3           | 22047.3            | STRUCT DEST                   | PA       |
| Holiday Inn Marina Daybeacon 6           | 22047.7            | STRUCT DEST                   | PA       |
| Evans Artificial Reef Daybeacon          | 58480.5            | STRUCT DEST/HAZ NAV           | PA       |
| Bay Isles Perimeter Channel Daybeacon 2  | 58667              | DAYMK MISSING                 | PA       |
| Bay Isles Perimeter Channel Daybeacon 9  | 58667.25           | DAYMK MISSING                 | PA       |
| Bay Isles Perimeter Channel Daybeacon 15 | 58667.450000000004 | STRUCT DEST                   | PA       |
| Bay Isles Perimeter Channel Daybeacon 24 | 58667.75           | DAYMK MISSING                 | PA       |
| Coral Shores Channel Daybeacon 3         | 59375              | STRUCT DEST                   | PA       |
| Coral Shores Channel Daybeacon 12        | 59420              | DAYMK MISSING                 | PA       |
| Coral Shores Channel Daybeacon 30        | 59510              | STRUCT DEST                   | PA       |
| Mt Vernon & Coral Shores Daybeacon 1N    | 59535              | STRUCT DEST                   | PA       |
| Palma Sola Bay Channel Daybeacon 2       | 59636              | STRUCT DEST                   | PA       |
| Palma Sola Bay Channel Daybeacon 3       | 59640              | STRUCT DEST                   | PA       |
| Palma Sola Bay Channel Daybeacon 3A      | 59641              | STRUCT DEST/HAZ NAV           | PA       |
| Palma Sola Bay Channel Daybeacon 4       | 59642              | STRUCT DEST                   | PA       |
| Palma Sola Bay Channel Daybeacon 5       | 59645              | STRUCT DEST                   | PA       |
| Palma Sola Bay Channel Daybeacon 6       | 59646              | STRUCT DEST/HAZ NAV           | PA       |
| Palma Sola Bay Channel Junction A        | 59647              | STRUCT DEST                   | PA       |
| Cove Sound Moorings Daybeacon 1          | 59650              | OFF STA/HAZ NAV/DAYMK MISSING | PA       |
| Cove Sound Moorings Daybeacon 2          | 59655              | OFF STA/HAZ NAV/DAYMK MISSING | PA       |
| Cove Sound Moorings Channel Daybeacon 3  | 59657              | DAYMK MISSING                 | PA       |
| Perico Bayou Channel Daybeacon 9         | 59720              | STRUCT DEST                   | PA       |
| San Remo Shore Channel Daybeacon 2       | 59760              | DAYMK MISSING                 | PA       |
| San Remo Shore Channel Daybeacon 8       | 59785              | STRUCT DEST                   | PA       |
| San Remo Shore Channel Daybeacon 13      | 59800              | DAYMK MISSING                 | PA       |
| Palma Sola Bay Channel Daybeacon 9       | 59815              | STRUCT DEST                   | PA       |
| Palma Sola Bay Channel Daybeacon 10      | 59820              | STRUCT DMGD                   | PA       |
| Palma Sola Bay Channel Daybeacon 11      | 59825              | STRUCT DEST/HAZ NAV           | PA       |
| Palma Sola Bay Channel Daybeacon 12      | 59830              | DAYMK MISSING                 | PA       |
| Palma Sola Bay Channel Daybeacon 15      | 59845              | DAYMK MISSING                 | PA       |
| Palma Sola Bay Channel Daybeacon 18      | 59860              | STRUCT DEST                   | PA       |
| Palma Sola Bay Channel Daybeacon 19      | 59865              | DAYMK MISSING                 | PA       |
| Palma Sola Bay Channel Daybeacon 21      | 59870.5            | DAYMK MISSING/STRUCT DMGD     | PA       |
| Bradenton Beach City Channel Daybeacon 1 | 59935              | DAYMK MISSING                 | PA       |
| Bradenton Beach City Channel Daybeacon 2 | 59940              | STRUCT DEST                   | PA       |
| Bradenton Beach City Channel Daybeacon 3 | 59945              | DAYMK MISSING                 | PA       |



|   |       |                     |    |
|---|-------|---------------------|----|
| Bradenton Beach City Channel Daybeacon 5          | 59955 | STRUCT DEST         | PA |
| Bradenton Beach City Channel Junction Daybeacon A | 59980 | STRUCT DEST         | PA |
| Anna Maria Channel Daybeacon 1                    | 60190 | STRUCT DMGD         | PA |
| Anna Maria Channel Daybeacon 2                    | 60195 | DAYMK MISSING       | PA |
| Anna Maria Channel Daybeacon 9                    | 60230 | STRUCT DEST/HAZ NAV | PA |
| Anna Maria Channel Daybeacon 11                   | 60240 | STRUCT DEST         | PA |

### Pasaje De San Juan To Puerto De Humacao

#### Additional MSI Categories

| TITLE  | SUBCATEGORY               | DESCRIPTION   | LOCATION                               |
|--|---------------------------|---|--|
| Pasaje De San Juan To Puerto De Humacao/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change 27802 Location: 18.35272° N / 65.55882° W Aid Name: Isla Palominos Lighted Buoy 2 LLNR: 31265 Action: DISCONTINUE All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Isla Palominos as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by November 9, 2025. | Lat: 18° 21' 10"<br>Lon: -065° 33' 32" |

### Pass-A-Grille

#### Federal Discrepancies

| NAME                              | LLNR  | STATUS                      | AID TYPE |
|-----------------------------------|-------|-----------------------------|----------|
| Pass-A-Grille Channel Light 10    | 25505 | STRUCT DEST/TRLB            | FD       |
| Pass-A-Grille Channel Daybeacon 1 | 25460 | STRUCT MISSING/TRLB/HAZ NAV | FD       |
| Pass-A-Grille Channel Daybeacon 2 | 25465 | STRUCT DEST/HAZ NAV/TRLB    | FD       |

### Peace River

#### Federal Discrepancies

| NAME                | LLNR  | STATUS              | AID TYPE |
|---------------------|-------|---------------------|----------|
| Peace River Light 4 | 20675 | STRUCT MISSING/TRLB | FD       |

#### Private Discrepancies

| NAME                                     | LLNR    | STATUS              | AID TYPE |
|--|---------|---------------------|----------|
| Ponce de Leon Park Channel Daybeacon 18  | 20474.5 | STRUCT DEST         | PA       |
| Ponce De Leon Park Channel Daybeacon 4   | 20455   | STRUCT DEST         | PA       |
| Ponce De Leon Park Channel Light 9       | 20470   | LT EXT              | PA       |
| Elkcam Waterway Light 1                  | 20905   | LT EXT              | PA       |
| Manchester Waterway Daybeacon 14         | 20981.5 | STRUCT DEST         | PA       |
| Manchester Waterway Daybeacon 17         | 20981.9 | STRUCT DEST         | PA       |
| Manchester Waterway Daybeacon 24         | 20982.8 | STRUCT DEST         | PA       |
| Countryman Waterway Channel Daybeacon 3  | 20990   | DAYMK MISSING       | PA       |
| Countryman Waterway Channel Daybeacon 6  | 20997   | STRUCT DEST         | PA       |
| Countryman Waterway Channel Daybeacon 8  | 21003   | STRUCT MISSING      | PA       |
| Sunrise Waterway Daybeacon 2             | 21020   | STRUCT DEST/HAZ NAV | PA       |
| Spring Lake Waterway Daybeacon 21        | 21056.8 | STRUCT DEST/HAZ NAV | PA       |
| Spring Lake Waterway Daybeacon 23        | 21056.9 | STRUCT DMGD         | PA       |
| Spring Lake Waterway Daybeacon 27        | 21057.2 | STRUCT DEST         | PA       |
| Peace River (North Section) Daybeacon 7  | 21210   | OFF STA             | PA       |
| Peace River (North Section) Daybeacon 9  | 21215   | OFF STA             | PA       |
| Peace River (North Section) Daybeacon 10 | 21220   | STRUCT DEST         | PA       |
| Peace River (North Section) Daybeacon 11 | 21225   | OFF STA             | PA       |
| Peace River (North Section) Daybeacon 14 | 21235   | STRUCT DEST         | PA       |

### Pine Island Sound

#### Federal Discrepancies

| NAME                           | LLNR  | STATUS                   | AID TYPE |
|--------------------------------|-------|--------------------------|----------|
| Pine Island Sound Daybeacon 5  | 54825 | STRUCT MISSING/TRUB      | FD       |
| Pine Island Sound Daybeacon 28 | 55565 | STRUCT MISSING           | FD       |
| Pine Island Sound Daybeacon 34 | 55590 | STRUCT MISSING           | FD       |
| Pine Island Sound Daybeacon 50 | 55985 | STRUCT MISSING           | FD       |
| Pine Island Sound Daybeacon 53 | 56000 | TRUB/STRUCT DEST         | FD       |
| Pine Island Sound Light 54     | 56005 | STRUCT DEST              | FD       |
| Pine Island Sound Light 20     | 55425 | STRUCT DEST/HAZ NAV/TRLB | FD       |

Private Discrepancies

| NAME                               | LLNR               | STATUS              | AID TYPE |
|------------------------------------|--------------------|---------------------|----------|
| Sword Point Channel Daybeacon 19   | 54793.75           | STRUCT DEST/HAZ NAV | PA       |
| Matlacha Pass Daybeacon 34         | 55050              | STRUCT DEST/HAZ NAV | PA       |
| Matlacha Pass Daybeacon 53         | 55130              | STRUCT DEST         | PA       |
| Matlacha Pass Daybeacon 79         | 55225              | DAYMK MISSING       | PA       |
| Matlacha Pass Daybeacon 81         | 55230              | DAYMK MISSING       | PA       |
| Matlacha Pass Daybeacon 83         | 55235              | DAYMK MISSING       | PA       |
| Matlacha Pass Daybeacon 85         | 55240              | DAYMK MISSING       | PA       |
| Matlacha Pass Daybeacon 87         | 55245              | DAYMK MISSING       | PA       |
| Matlacha Pass Daybeacon 89         | 55250              | DAYMK MISSING       | PA       |
| Matlacha Pass Daybeacon 91         | 55255              | DAYMK MISSING       | PA       |
| Matlacha Pass Daybeacon 92         | 55260              | DAYMK MISSING       | PA       |
| Matlacha Pass Daybeacon 93         | 55265              | DAYMK MISSING       | PA       |
| Matlacha Pass Daybeacon 99         | 55275.200000000004 | STRUCT DEST         | PA       |
| Paradise Canal Daybeacon 1         | 55310              | DAYMK MISSING       | PA       |
| Paradise Canal Daybeacon 2         | 55315              | DAYMK MISSING       | PA       |
| Paradise Canal Daybeacon 3         | 55320              | STRUCT DEST         | PA       |
| Paradise Canal Daybeacon 5         | 55330              | STRUCT DEST         | PA       |
| Long Cutoff Daybeacon 2            | 55370              | STRUCT DEST/HAZ NAV | PA       |
| Safety Harbor Channel Daybeacon 1  | 55915              | STRUCT DEST         | PA       |
| Safety Harbor Channel Daybeacon 3  | 55923              | STRUCT DEST         | PA       |
| Safety Harbor Channel Daybeacon 5  | 55925              | DAYMK MISSING       | PA       |
| Safety Harbor Channel Daybeacon 4  | 55930              | DAYMK MISSING       | PA       |
| Safety Harbor Channel Daybeacon 7  | 55933              | STRUCT DEST         | PA       |
| Safety Harbor Channel Daybeacon 9  | 55935              | STRUCT DEST         | PA       |
| Safety Harbor Channel Daybeacon 11 | 55940              | STRUCT DEST         | PA       |
| Safety Harbor Channel Daybeacon 12 | 55950              | DAYMK MISSING       | PA       |
| Safety Harbor Channel Daybeacon 17 | 55960              | DAYMK MISSING       | PA       |
| Safety Harbor Channel Daybeacon 19 | 55965              | DAYMK MISSING       | PA       |

Additional MSI Categories

| TITLE   | SUBCATEGORY                             | DESCRIPTION   | LOCATION                            |
|---|---|---|-------------------------------------|
| San Carlos Bay - Pine Island Sound/General/Bridges/Closure (Scheduled Or Emergency)         | Bridges                                 | General/Bridges/Closure (Scheduled Or Emergency) From: 2025-09-09 To: 2026-12-31 Location: 26.63257° N / 82.06782° W Bridge Name: Matlacha Pass Bridge The bridge in unable to open to marine traffic due to Hurricane Ian damage. There is no estimated time for the bridge to return to normal drawbridge operations.   | Lat: 26° 37' 57" Lon: -082° 04' 04" |
| San Carlos Bay - Pine Island Sound/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2025-09-16 28235 Blue Terra LLC has been awarded the Henley Canal Maintenance dredge project. Operations are expected to begin on or about September 22,2025, with an estimated completion date of November 7, 2025. Vessels being used are a 8 foot by 24 foot no power barge / platform and a 25 foot push boat FL registration FL6908HX. Equipment being used is a1,800 CY hand diver dredge and 6 inch HDPE Hydraulic dredge pipe along canal side (no impact to boaters).   |                                     |
| San Carlos Bay - Pine Island Sound/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2025-10-06 29745 Cayo Costa Bay Staging Area 26°42.71766' / -082°13.82909' 26°42.07818' / -082°13.54948' 26°42.73459' / -082°12.08214' 26°43.19081' / -082°12.44880' 26°43.12380' / -082°12.71644' GLDD has one 750' Subline Raft staged in the Cayo Costa Staging Area. The derrick 77, JMC, and fuel barge will be staged in the San Carlos Bay Staging Area beginning October 4, 2025, supporting offshore operations as required. All vessel traffic is advised to avoid active work areas. Mariners are urged to exercise extreme caution, maintain a slow safe speed to minimize wake, and coordinate passing arrangements before transiting the area. All floating and submerged pipelines, anchors, and related equipment are marked in accordance with U.S. Coast Guard regulations. Operations are being conducted 24 hours per day, 7 days per week. Equipment: Tug Evergreen State, Tug Sylvie Faye, Multi-Cat Vessel Cape Canaveral, Booster Jack, Booster Reggie, Derrick 77 Barge, JMC Barge, Fuel Barge F002, 750' Subline Raft, Survey Boat St Louis River, Survey Boat Miami River, Crew Boat Kitty Belle, Mooring Cube & Float Hose, 30" Pipeline Communications: VHF Channel 13 and 16 Duration: August 1, 2025, to November 30th, 2025. |                                     |

Pithlachascotee River

Private Discrepancies

| NAME                                | LLNR  | STATUS              | AID TYPE |
|-------------------------------------|-------|---------------------|----------|
| Pithlachascottee River Daybeacon 48 | 26780 | STRUCT DEST/HAZ NAV | PA       |
| Pithlachascottee River Daybeacon 43 | 26765 | STRUCT DEST         | PA       |
| Pithlachascottee River Daybeacon 51 | 26790 | STRUCT DEST         | PA       |
| Pithlachascottee River Daybeacon 56 | 26805 | STRUCT DEST         | PA       |

Additional MSI Categories

| TITLE | SUBCATEGORY | DESCRIPTION | LOCATION |
|-------|-------------|-------------|----------|
|       |             |             |          |

|  |         |  |                                     |
|--|---------|--|-------------------------------------|
| Pithlachascotee River/General/Bridges/Repairs, Painting, Or Fender Replacement | Bridges | General/Bridges/Repairs, Painting, Or Fender Replacement From: 2025-09-23 To: 2025-12-26 Location: 28.26946° N / 82.7258° W Bridge Name: United States 19 Highway Bridge Fender repairs will begin on October 1, 2025, and end on or around December 17, 2025. Work hours will be Monday through Friday from 8 a.m. to 5 p.m., with no work on weekends or holidays. In-water equipment will encroach into the navigation channel by approximately 10 feet, leaving 38 feet available for passage. All mariners are advised to transit the area with caution and at a slow safe speed. | Lat: 28° 16' 10" Lon: -082° 43' 33" |
|--|---------|--|-------------------------------------|

Plantation Creek

Federal Discrepancies

| NAME                         | LLNR | STATUS      | AID TYPE |
|------------------------------|------|-------------|----------|
| Plantation Creek Daybeacon 4 | 6265 | STRUCT DEST | FD       |

Point Pinellas Channel

Federal Discrepancies

| NAME                            | LLNR               | STATUS              | AID TYPE |
|---------------------------------|--------------------|---------------------|----------|
| Point Pinellas Channel Light 9  | 24735.100000000002 | STRUCT MISSING      | FD       |
| Point Pinellas Channel Light 10 | 24735.2            | STRUCT MISSING/TRLB | FD       |

Private Discrepancies

| NAME                                   | LLNR  | STATUS              | AID TYPE |
|--|-------|---------------------|----------|
| Little Bayou Approachroach Daybeacon 3 | 24765 | DAYMK MISSING       | PA       |
| Little Bayou Approachroach Daybeacon 7 | 24775 | STRUCT MISSING      | PA       |
| Little Bayou Approachroach Daybeacon 9 | 24780 | STRUCT DEST         | PA       |
| Coquina Key Cut Daybeacon 3            | 24835 | STRUCT DEST/HAZ NAV | PA       |

Additional MSI Categories

| TITLE  | SUBCATEGORY               | DESCRIPTION   | LOCATION                            |
|--|---------------------------|---|-------------------------------------|
| Mullet Key Channel - Point Pinellas Channel/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2025-07-16 To: 2026-01-12 Location: 27.73145° N / 82.61035° W Aid Name: Point Pinellas Channel Light 10 LLNR: 24735.2 Action: DISCONTINUE The following change is being proposed to the aids to navigation system on the Pinellas Point Channel. Point Pinellas Channel LT 9 (LLNR 24735.1) will be converted to Point Pinellas Channel LB 9 (LLNR 24735). Point Pinellas Channel LT 10 (LLNR 24735.2) will be permanently discontinued. The two lights have experienced several allisions resulting in both lights being out of service for extended periods of time and being replaced by a small lighted temporary buoy. In addition, the depth of water in these locations exceeds the maximum water depth that a U.S. Coast Guard asset can safely rebuild the lights. Given these conditions the channel will be better served with one lighted buoy in this location. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or andrew.m.engage@uscg.mil with Point Pinellas Channel as the subject line and be received by September 16, 2025. Comments can also be mailed to Commander (DPW), U.S. Coast Guard Southeast District, 909 SE 1st Avenue (STE 406) Brickell Federal Plaza Bldg., Miami, FL. 33131. | Lat: 27° 43' 53" Lon: -082° 36' 37" |
| Mullet Key Channel - Point Pinellas Channel/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change 23809 Location: 27.73143° N / 82.61106° W Aid Name: Point Pinellas Channel Light 9 LLNR: 24735.1 Action: CHANGE Action Type Change Aid Subtype The following change is being proposed to the aids to navigation system on the Pinellas Point Channel. Point Pinellas Channel LT 9 (LLNR 24735.1) will be converted to Point Pinellas Channel LB 9 (LLNR 24735). Point Pinellas Channel LT 10 (LLNR 24735.2) will be permanently discontinued. The two lights have experienced several allisions resulting in both lights being out of service for extended periods of time and being replaced by a small lighted temporary buoy. In addition, the depth of water in these locations exceeds the maximum water depth that a U.S. Coast Guard asset can safely rebuild the lights. Given these conditions the channel will be better served with one lighted buoy in this location. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or andrew.m.engage@uscg.mil with Point Pinellas Channel as the subject line and be received by September 16, 2025. Comments can also be mailed to Commander (DPW), U.S. Coast Guard Southeast District, 909 SE 1st Avenue (STE 406) Brickell Federal Plaza Bldg., Miami, FL. 33131.  | Lat: 27° 43' 53" Lon: -082° 36' 40" |

Ponce De Leon Cut

Federal Discrepancies

| NAME                           | LLNR  | STATUS           | AID TYPE |
|--------------------------------|-------|------------------|----------|
| Ponce De Leon Cut Daybeacon 18 | 40610 | STRUCT DEST/TRUB | FD       |

Ponce De Leon Inlet

Federal Discrepancies

| NAME                                  | LLNR | STATUS           | AID TYPE |
|---------------------------------------|------|------------------|----------|
| Ponce De Leon Inlet Buoy 7B           | 9544 | OFF STATION      | FD       |
| Ponce De Leon Inlet Buoy 8A           | 9546 | MISSING          | FD       |
| Ponce De Leon Inlet Lighted Buoy 9    | 9550 | MISSING          | FD       |
| Ponce De Leon Inlet Light 12          | 9570 | STRUCT DEST/TRLB | FD       |
| Ponce De Leon Inlet North Jetty Light | 9520 | STRUCT DEST      | FD       |

Port Everglades

Federal Discrepancies

| NAME                                   | LLNR  | STATUS      | AID TYPE |
|--|-------|-------------|----------|
| Port Everglades South Regulatory Light | 10349 | STRUCT DMGD | FD       |

### Additional MSI Categories

| TITLE   | SUBCATEGORY                             | DESCRIPTION  | LOCATION                            |
|---|---|--|-------------------------------------|
| Sector Miami, Submerged Land Act (SLA) - Port Everglades/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-10-20 To: 2025-04-18 Location: 26.0961° N / 80.12005° W Orion Marine Construction, Inc. will be starting construction of the above referenced project from the water side using two crane loaded deck barges (999 crane on KS6019 barge and 1250 crane on KS6012 barge) along with four material barges (TBD1 through TBD4); all being serviced by a full-time push boat (TBD5). Orion will be on-site on July 15, 2024, and will start working on all activities related to the replacement of approximately 2300 feet of bulkhead. Hours of operation will be from 7 a.m. to 7 p.m. The estimated completion date is July 1, 2026. All the barges are intended to be spudded around the Port Everglades Berths 1-3 and 1A-1D area (26-05-53.68N / 080-07-12.11W) while working on replacing the bulkhead in those locations. Vessels will be monitoring VHF-FM channel 11.   | Lat: 26° 05' 46" Lon: -080° 07' 12" |
| General/Marine Construction (Excluding Bridges)/Dredging  | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging 27918 Great Lakes Dredge and Dock Company, LLC will begin mobilizing for a dredge project on or about September 22, 2025. Vessels and equipment being used are DREDGE 54 (Mechanical Clamshell Dredge), DREDGE NEW YORK (Backhoe Bucket Dredge), SURVEY BOAT PEARL RIVER, CREW BOAT COOPER RIVER, Scows GL501, GL502, GL701, GL702. Vessels will be monitoring VHF-FM channels 07 and 12/16 The purpose of the Port Everglades Sand Bypass project is to create infrastructure on the north side of the Port Everglades Inlet in Broward County, Florida. Work to be completed under this contract consists of dredging a sand trap and a portion of the rubble spoil shoal and disposal of the dredge material in the Port Everglades Harbor Ocean Dredged Material Disposal Site (ODMDS). Dredging operations are anticipated to commence on October 22, 2025, and will take place 24 hours a day, 7 days a week. With an estimated completion date of July 18, 2027. The DREDGE 54, along with DREDGE NEW YORK which will start later this year, are planned to collectively dredge more than 400,000 CY of material from the north side of the Port Everglades entrance channel, immediately seaward of the north jetty and beach north of the inlet. The dredges would appreciate slow bell passing. While approaching the jetty dredging work area location. The material will be placed into scows and towed to the Port Everglades Harbor ODMDS, which is located approximately 3.1 nautical miles northeast of the entrance to Port Everglades Channel, outside of State Waters. There is a project tow route between Red Buoy 2 and the ODMDS CenterPoint. Fishermen and trawlers should be aware of limited mobility for tug and scow transits. Small-Vessel Captains should take caution to avoid passing between the scow and towing tug while under transit. While not always visible at a distance, there is a large steel-tow cable that passes between the bow of the scow and the stern of the towing tug. The survey vessel, Pearl River, will conduct survey operations of the ODMDS disposal area and work area corridors (during daylight hours/7 days per week). A crew transfer vessel, the Cooper River, will transfer crew between the shoreside boarding location at Bahia Mar Yachting Center and the dredging equipment. Disposal Location: 26.1315693N / 080.0333404W 26.1315700N / 080.0305700W 26.1211186N / 080.0305709W 26.1211207N / 080.0333410W Dredging Location: 26.0942747N / 080.1060199W 26.0945457N / 080.1057116W 26.0947778N / 080.1053881W 26.0947770N / 080.1049664W 26.0948133N / 080.1046524W 26.0948637N / 080.1045246W 26.0949547N / 080.1044314W 26.0952883N / 080.1040902W 26.0954573N / 080.1040690W 26.0969380N / 080.1038831W 26.0969390N / 080.1040363W 26.0977375N/ 080.1039367W 26.0977215N / 080.1013560W 26.0961361N / 080.1013842W 26.0961403N / 080.1020684W 26.0958314N / 080.1022291W 26.0953104N / 080.1022933W 26.0949923N / 080.1025778W 26.0949941N / 080.1028349W 26.0943524N / 080.1027938W 26.0942799N / 080.1052630W |                                     |

### Port Manatee Channel

#### Federal Discrepancies

| NAME   | LLNR  | STATUS           | AID TYPE |
|--|-------|------------------|----------|
| Port Manatee Channel Outbound Range Rear Light         | 22558 | STRUCT DEST/TRLB | FD       |
| Port Manatee Channel Outbound Range Rear Passing Light | 22559 | STRUCT DEST      | FD       |

### Port Royal Sound

#### Federal Discrepancies

| NAME                                    | LLNR | STATUS      | AID TYPE |
|---|------|-------------|----------|
| Port Royal Sound Channel Lighted Buoy 5 | 4095 | MISSING     | FD       |
| Port Royal Sound Channel Lighted Buoy 8 | 4110 | OFF STATION | FD       |

#### Private Discrepancies

| NAME                 | LLNR | STATUS              | AID TYPE |
|----------------------|------|---------------------|----------|
| Mackay Creek Light 1 | 4170 | LT IMCH/STRUCT DMGD | PA       |

### Port Sutton Channel

#### Federal Discrepancies

| NAME                                 | LLNR  | STATUS  | AID TYPE |
|--------------------------------------|-------|---------|----------|
| Port Sutton Channel Range Rear Light | 23580 | LT IMCH | FD       |

### Ppg Industries

#### Private Discrepancies

| NAME                          | LLNR  | STATUS  | AID TYPE |
|-------------------------------|-------|---------|----------|
| Ppg Industries Lighted Buoy 1 | 32150 | MISSING | PA       |
| Ppg Industries Lighted Buoy 2 | 32155 | MISSING | PA       |
| PPG Industries Lighted Buoy 3 | 32160 | OFF STA | PA       |

### Puerto Del Rey Marina

#### Federal Discrepancies

| NAME | LLNR | STATUS | AID TYPE |
|------|------|--------|----------|
|      |      |        |          |

|                                |       |             |    |
|--------------------------------|-------|-------------|----|
| Bajos Chinchorro Del Sur Light | 31380 | STRUCT DEST | FD |
|--------------------------------|-------|-------------|----|

### Private Discrepancies

| NAME  | LLNR  | STATUS | AID TYPE |
|---|-------|--------|----------|
| Puerto Del Rey Marina North Channel Light 4 | 31330 | LT EXT | PA       |

### Additional MSI Categories

| TITLE   | SUBCATEGORY           | DESCRIPTION   | LOCATION |
|---|-----------------------|---|----------|
| Puerto Del Rey Marina/General/Hazards To Navigation/Hazards | Hazards To Navigation | The U.S. NAVY is advising all mariners to refrain from entering the following area in Ceiba, Puerto Rico: the waters surrounding Isla Piñeros. Mariners are advised to stay away from this danger zone until further notice, as it contains (UXO) Unexploded Ordnance. The U.S. Coast Guard may be contacted via VHF-FM Channel 16 or via landline at (787) 289-2041. For more information, contact Mrs. Maria Danois at (757) 412-7843 or email: maria.m.danois.civ@us.navy.mil. |          |

## Puerto Nuevo Channel

### Private Discrepancies

| NAME                                | LLNR  | STATUS | AID TYPE |
|-------------------------------------|-------|--------|----------|
| Isla Grande Pier 16 Southeast Light | 30920 | LT EXT | PA       |

## Punta Gorda

### Private Discrepancies

| NAME                           | LLNR  | STATUS      | AID TYPE |
|--------------------------------|-------|-------------|----------|
| Punta Gorda East Seawall Light | 31190 | STRUCT DEST | PA       |
| Punta Gorda West Seawall Light | 31195 | STRUCT DEST | PA       |

### Additional MSI Categories

| TITLE  | SUBCATEGORY                             | DESCRIPTION  | LOCATION |
|--|---|--|----------|
| Peace River - Punta Gorda/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging 27833 Kelly Brothers Inc. will be conducting dredging for the Sunrise Waterway project in Alligator Bay, Port Charlotte. 26-57-46.2N / 82-06-53.2W. Operations are expected to begin on or about October 29 2025 and be completed on or about November 13, 2025, on Monday-Friday, 7 a.m. to 5 p.m. Majority of the project will be completed from land, possible small barge for cleanup. Primary dredge area is just off the beach. |          |

## Radas Roosevelt Passage

### Federal Discrepancies

| NAME                                   | LLNR  | STATUS       | AID TYPE |
|--|-------|--------------|----------|
| Radas Roosevelt Passage Lighted Buoy 3 | 31565 | SINKING/TRLB | FD       |

### Additional MSI Categories

| TITLE   | SUBCATEGORY           | DESCRIPTION  | LOCATION |
|---|-----------------------|--|----------|
| Radas Roosevelt Passage/General/Hazards To Navigation/Hazards | Hazards To Navigation | General/Hazards To Navigation/Hazards From: 2025-01-29 To: 2027-07-28 Location: 18.17261° N / 65.39295° W 18.15467° N / 65.30472° W 18.15924° N / 65.28892° W 18.13738° N / 65.25219° W 18.13445° N / 65.26798° W 18.14815° N / 65.28824° W 18.14162° N / 65.30128° W 18.16218° N / 65.39432° W 18.15533° N / 65.44273° W 18.16283° N / 65.44548° W 18.17261° N / 65.39295° W The U.S. NAVY is advising all mariners to refrain from entering the following areas in Vieques, Puerto Rico: Northeast from Puerto Diablo to Punta Este and on the Southeast on Bahia Salinas Del Sur. Mariners are advised to stay away from this danger zone until further notice, as it contains (UXO) Unexploded Ordnance. The U.S. Coast Guard may be contacted via VHF-FM Channel 16 or via landline at (787) 289-2041. For more information, contact Mrs. Maria Danois at: (757) 412-7843 or email: maria.m.danois.civ@us.navy.mil. |          |

## Redfish Pass

### Private Discrepancies

| NAME                        | LLNR | STATUS    | AID TYPE |
|-----------------------------|------|-----------|----------|
| Redfish Pass Lighted Buoy 1 | 1255 | BUOY DMGD | PA       |
| Redfish Pass Buoy 2         | 1257 | BUOY DMGD | PA       |
| Redfish Pass Buoy 4         | 1260 | BUOY DMGD | PA       |

## Redhook Bay.

### Federal Discrepancies

| NAME                         | LLNR  | STATUS | AID TYPE |
|------------------------------|-------|--------|----------|
| Cabrita Point Lighted Buoy 1 | 32465 | LT EXT | FD       |

### Private Discrepancies

| NAME               | LLNR  | STATUS  | AID TYPE |
|--------------------|-------|---------|----------|
| Redhook Bay Buoy 2 | 32425 | OFF STA | PA       |

Riverside

Federal Discrepancies

| NAME                   | LLNR | STATUS           | AID TYPE |
|------------------------|------|------------------|----------|
| Riverside Daybeacon 43 | 8980 | STRUCT DEST/TRUB | FD       |

Roberts Bay Channel

Federal Discrepancies

| NAME                         | LLNR  | STATUS        | AID TYPE |
|------------------------------|-------|---------------|----------|
| Roberts Bay Channel Light 13 | 57760 | DAYMK MISSING | FD       |

Private Discrepancies

| NAME                            | LLNR               | STATUS              | AID TYPE |
|---------------------------------|--------------------|---------------------|----------|
| Dona Bay Channel Daybeacon 6    | 21455.600000000002 | STRUCT DEST         | PA       |
| Dona Bay Channel Daybeacon 9    | 21455.9            | STRUCT DEST         | PA       |
| Dona Bay Channel Daybeacon 10   | 21456              | STRUCT DEST/HAZ NAV | PA       |
| Higel Park North Channel Buoy 1 | 57776              | MISSING             | PA       |
| Higel Park North Channel Buoy 3 | 57777              | MISSING             | PA       |

Rockdedundy River

Federal Discrepancies

| NAME                            | LLNR  | STATUS              | AID TYPE |
|---------------------------------|-------|---------------------|----------|
| Rockdedundy River Daybeacon 188 | 36850 | TRUB/STRUCT MISSING | FD       |

Federal Discrepancies Corrected

| NAME                        | LLNR  | STATUS            | AID TYPE | CORRECTION DATE |
|-----------------------------|-------|-------------------|----------|-----------------|
| Rockdedundy River Light 183 | 36825 | WATCHING PROPERLY | FD       | 2025-10-29      |
| Rockdedundy River Light 183 | 36825 | WATCHING PROPERLY | FD       | 2025-10-29      |

Rocky Reef

Federal Discrepancies

| NAME                    | LLNR  | STATUS      | AID TYPE |
|-------------------------|-------|-------------|----------|
| Rocky Reef Daybeacon 12 | 51235 | STRUCT DEST | FD       |

San Carlos Bay.

Federal Discrepancies

| NAME                            | LLNR  | STATUS              | AID TYPE |
|---------------------------------|-------|---------------------|----------|
| San Carlos Bay Channel Light 2  | 18000 | LT EXT              | FD       |
| San Carlos Bay Channel Light 2  | 18000 | STRUCT DEST         | FD       |
| Punta Rassa Light 3             | 18020 | STRUCT MISSING/TRLB | FD       |
| San Carlos Bay Channel Light 10 | 18035 | STRUCT MISSING/TRLB | FD       |

Private Discrepancies

| NAME                                      | LLNR               | STATUS                | AID TYPE |
|---|--------------------|-----------------------|----------|
| Port Sanibel Marina Daybeacon 12          | 18068.100000000002 | HAZ NAV/DAYMK MISSING | PA       |
| Port Sanibel Marina Daybeacon 30          | 18069.5            | DAYMK DMGD            | PA       |
| Punta Rassa Boat Ramp Channel Daybeacon 3 | 18050              | STRUCT DEST           | PA       |
| Port Sanibel Marina Daybeacon 26          | 18069.3            | DAYMK MISSING         | PA       |
| Port Sanibel Marina Daybeacon 33          | 18069.7            | DAYMK MISSING         | PA       |
| Port Sanibel Marina Daybeacon 42          | 18069.98           | DAYMK MISSING         | PA       |

Additional MSI Categories

| TITLE                                       | SUBCATEGORY | DESCRIPTION   | LOCATION                            |
|---|-------------|---|-------------------------------------|
| San Carlos Bay/General/Bridges/Construction | Bridges     | General/Bridges/Construction From: 2024-11-12 To: 2026-12-31 Location: 26.40435° N / 81.88092° W Bridge Name: Big Carlos Pass Bridge - Big Carlos Pass The existing bascule bridge will be replaced with a higher-level fixed bridge. In-water work is expected through December 2026. A temporary work trestle will be installed oceanward of the bridge and will span the waterway except across the main navigational channel. The work trestle will provide only 5 feet of vertical clearance throughout the structure. The installation of girder beams will set a permanent fixed/limited vertical clearance of 49 feet at mean high water across the navigational channel. Temporary bridge lighting will be installed on the new structure. The drawbridge will remain fully operational. All mariners are requested to use extreme caution and proceed at slow speed when transiting Big Carlos Pass and remain in the main channel when proceeding through the bridge. All in-water equipment is required to be lighted at night. | Lat: 26° 24' 16" Lon: -081° 52' 51" |

**San Sebastian River**

**Federal Discrepancies**

| NAME                             | LLNR  | STATUS      | AID TYPE |
|----------------------------------|-------|-------------|----------|
| San Sebastian River Daybeacon 20 | 39170 | STRUCT DEST | FD       |

**Additional MSI Categories**

| TITLE   | SUBCATEGORY | DESCRIPTION   | LOCATION                               |
|---|-------------|---|--|
| Matanzas River - San Sebastian River/General/Bridges/Construction | Bridges     | General/Bridges/Construction From: 2025-10-09 30084 Location: 29-53-28.176N/081-19-21.468W J. B. Coxwell Contracting, Inc. will begin preparations Monday, October 20, 2025. The project consists of the removal and replacement of the King Street Bridge crossing over the San Sebastian River. Although there project begins on October 20th, their work on the bridge will not begin until January of 2026. The initial phase is to set up a temporary detour to divert traffic then the bridge work will begin. This will consist of multiple barges for cranes and material will be in the water adjacent to the bridge along with equipment landside for roadway construction. The barges will be on the South side of the bridge and work daytime, up to 7 days a week. | Lat: 29° 53' 28"<br>Lon: -081° 19' 21" |

**Sand Key**

**Federal Discrepancies**

| NAME                  | LLNR  | STATUS                            | AID TYPE |
|-----------------------|-------|-----------------------------------|----------|
| Sand Key Daybeacon 25 | 61465 | STRUCT DEST/DBD DEST/HAZ NAV/TRLB | FD       |

**Sapelo Sound**

**Federal Discrepancies**

| NAME                   | LLNR    | STATUS           | AID TYPE |
|------------------------|---------|------------------|----------|
| Sapelo Sound Buoy 2    | 5840    | MISSING          | FD       |
| Sapelo Sound Buoy 5    | 5850    | OFF STATION      | FD       |
| Sapelo Sound Light 138 | 36630.1 | STRUCT DEST/TRLB | FD       |

**Sawpit Creek**

**Temporary Changes**

| NAME                       | LLNR  | STATUS       | AID TYPE |
|----------------------------|-------|--------------|----------|
| Sawpit Creek Daybeacon 49A | 38193 | DISCONTINUED | FD       |

**Sector Charleston, Exclusive Economic Zone (EEZ)**

**Federal Discrepancies**

| NAME                                | LLNR | STATUS | AID TYPE |
|-------------------------------------|------|--------|----------|
| NOAA Data Lighted Buoy 41010 (ODAS) | 845  | ADRIFT | FD       |

**Private Discrepancies**

| NAME                           | LLNR | STATUS | AID TYPE |
|--------------------------------|------|--------|----------|
| Tybee Creek Fishing Pier Light | 370  | LT EXT | PA       |

**Additional MSI Categories**

| TITLE  | SUBCATEGORY                             | DESCRIPTION  | LOCATION                               |
|--|---|--|--|
| General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-10-28 31098 Location: 32-32-48.012N/079-19-18.012W The SC Department of Natural Resources (SCDNR) will be creating an artificial reef using an 180-foot tanker. there is currently a 95-foot depth that will be reduced to 35 feet after the vessel is placed in position. | Lat: 32° 32' 48"<br>Lon: -079° 19' 18" |

**Sector Charleston, Submerged Land Act (SLA)**

**Federal Discrepancies**

| NAME                            | LLNR   | STATUS              | AID TYPE |
|---------------------------------|--------|---------------------|----------|
| Little River Inlet Daybeacon 19 | 1750.5 | STRUCT MISSING/TRUB | FD       |
| Murrells Inlet Light 10         | 1800   | TRLB/STRUCT MISSING | FD       |

**Temporary Changes**

| NAME   | LLNR  | STATUS      | AID TYPE |
|--|-------|-------------|----------|
| Little River Inlet Temporary Buoy 7A         | null  | ESTABLISHED | FD       |
| St Andrew Sound Wreck Temporary Lighted Buoy | 37386 | ESTABLISHED | FD       |

**Additional MSI Categories**



| TITLE   | SUBCATEGORY                             | DESCRIPTION  | LOCATION                               |
|---|---|--|--|
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/General/Hazards To Navigation/Wrecks   | Hazards To Navigation                   | General/Hazards To Navigation/Wrecks From: 2025-10-07 29864 The Coast Guard is reporting a sunken fishing vessel approximately 1 NM southeast of the Cherry Grove Pier in North Myrtle Beach, SC, in approximate position 33-48-46.6N / 78-38-03.4W. All mariners are requested to transit the area with caution and report any additional findings to the Coast Guard.  |  |
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes 19760 Location: 33.44887° N / 80.16122° W South Carolina Public Service Authority will be removing a land mass on the Santee River beginning May 1, 2025, until December 31, 2025, and May 1, 2026, until December 31, 2026. Hours of operation are Monday – Friday 6 a.m. to 6 p.m. Vessels will be monitoring VHF-FM channel 16.  | Lat: 33° 26' 56"<br>Lon: -080° 09' 40" |
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging   | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2025-09-24 28996 Location: 32.91317° N / 79.615° W Dredging for the Bulls Island Government Landing Improvements project is expected to begin on or about October 15, 2025, with an estimated completion date of July 7, 2026. Mechanical dredging of mooring basin with barge-mounted excavator, transport of ~1,400 CY to upland DMPF, and associated dock and ramp replacement. Hours of operation are 5 a.m. to 7 p.m. Vessels will be monitoring VHF-FM channel 16.  | Lat: 32° 54' 47"<br>Lon: -079° 36' 54" |
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging   | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2025-09-30 24099 Marinex Construction, Inc. will perform dredging work for the 2025 Beach Renourishment Project for the Town of Hilton Head, South Carolina. The DREDGE SAVANNAH plans to begin to mobilize July 25, 2025, into the staging area and installing submerged pipeline from the Baypoint Shoals Borrow Area to the three renourishment sites: Fish Haul/Spa; Pine Island; and The Heel/Port Royal. Baypoint Shoals Borrow Site is located approximately 1.5 miles offshore of Port Royal Sound, north of Port Royal Sound Channel Lighted Buoy 14 (LLNR 4130) and Port Royal Sound Lighted Buoy 19 (LLNR 4140). The dredge pipe and equipment will be staged in the Chechessee River southwest of Daws Island beginning on July 25, 2025. The Booster Pump (Peedee) will be staged just off of Fish Haul beach for the remainder of the Pine Island Beach Renourishment. The Dredge Savannah will operate 24-7 and monitor VHF-FM channels 13 and 16, from approximately August 6, 2025, through November 30, 2025.   |  |
| General/Marine Construction (Excluding Bridges)/Dredging  | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2025-10-24 30938 Great Lakes Dredge and Dock Company, LLC (GLDD) will commence mobilization activities for FY24 Myrtle Beach Emergency Renourishment Project, USACE Contract No. W912HP-25-C-0001, beginning on or about October 26, 2025. This project consists of placing approximately 600,000 cubic yards of dredged material on North Myrtle Beach (Reach 1), 850,000 cubic yards on Myrtle Beach (Reach 2), and 600,000 cubic yards on Garden City/Surfside Beach (Reach 3). Suitable borrow material will be dredged from three (3) off shore borrow areas 2 to 3 miles offshore, the Little River Borrow Area, Cane South Borrow Area, and Surfside Borrow Area. The hopper dredge Galveston Island will be utilized for this work. Dredging operations are anticipated to commence on or around December 2, 2025, starting in the Little River Borrow Area, and will take place 24 hours a day/7 days a week. The Staging Area will be used for temporary mooring of the Derrick Barge, Anchor Barge, pipeline, and additional auxiliary. Equipment will be anchored and lit within the staging area. Boaters should avoid these areas. GLDD will begin submerged pipeline placement activities on or around November 15th for the three sets of submerged pipeline identified as Subline No. 1-1, Subline No. 1-2, and Subline 1-3. Submerged pipelines will be placed in three different areas extending from offshore of Myrtle Beach and will be marked with yellow can buoys. Boaters should avoid these areas. The GALVESTON ISLAND is anticipated to be pumping material from the Little River Borrow Area into Reach 1 – North Myrtle Beach, from December through the end of January. Dredging is anticipated to be conducted in Cane South Borrow Area to Reach 2 from mid-February through the beginning of May. Dredging is anticipated to be conducted from the Surfside Borrow Area to Reach 3 from May through the end of June. Demobilization efforts will take place during July 2026. Equipment being used: Tug BAYOU BRAVE, EVERGREEN STATE, CAPE HATTERAS, Derrick Barge, Anchor Barge , Crew/Survey Vessel ST JOHNS RIVER, and Hopper Dredge GALVESTON ISLAND Little River Staging Area 33-51.90147N / 078-34.45133W 33-51.90979N / 078-34.41234W 33-51.36061N / 078-33.77017W 33-51.31399N / 078-33.77702W Little River Borrow Area 33-48.31013N / 078-38.10387W 33-49.66036N / 078-34.15401W 33-48.11038N / 078-32.28392W 33-46.66038N / 078-36.58411W Cane South Borrow Area 33-38.79839N / 078-53.40689W 33-39.54862N / 078-52.48496W 33-38.21411N / 078-51.43486W 33-37.47282N / 078-52.29550W Surfside Borrow Area 33-32.82023N / 078-58.51570W 33-34.40117N / 078-57.20107W 33-33.69146N / 078-56.09151W 33-32.15614N / 078-57.52680W Subline 1-1 33-50.13915N / 078-37.12811W 33-49.50533N / 078-36.79312W Subline 1-2 33-49.67457N / 078-38.68997W 33-49.10828N / 078-38.39223W Subline 1-3 33-49.11001N / 078-40.29120W 33-48.58153N / 078-40.01317W Subline 1-4 33-48.50804N / 078-41.86033W 33-48.00187N / 078-41.52807W Subline 1-5 33-47.75924N / 078-43.38388W 33-47.25314N / 078-43.05152W Subline 2-1 33-44.55927N / 078-48.88852W 33-43.93452N / 078-48.28760W Subline 2-2 33-43.73423N / 078-50.12075W 33-43.10958N / 078-49.51977W Subline 2-3 33-42.90920N / 078-51.13826W 33-42.33078N / 078-50.47441W Subline 2-4 33-42.06742N / 078-52.08347W 33-41.53964N / 078-51.36185W Subline 2-5 33-40.81401N / 078-53.51260W 33-40.12990N / 078-52.72720W Subline 3-3 33-36.57527N / 078-58.10840W 33-35.99533N / 078-57.31475W Subline 3-2 33-35.02320N / 078-59.57458W 33-34.53717N / 078-58.77875W Subline 3-1 33-33.95087N / 079-00.49262W 33-33.45522N / 078-59.68096W Vessels will be monitoring VHF-FM channels 13 and 16. Mariners are urged to use extreme caution in the area. For dredging and placement operations, mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. |  |
| Sector Charleston, Territorial Sea - Sector Charleston, Submerged Land Act (SLA)/ATON/Proposed Notice of Change   | Proposed Notice of Change               | ATON/Proposed Notice of Change 25898 Location: 33.53597° N / 79.03288° W Aid Name: Murrells Inlet Light 10 LLNR: 1800 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard is proposing to make the following changes in Murrells Inlet to improve the aids to navigation within the waterway. Murrells Inlet LT 10 (LLNR 1800) will be changed to Murrells Inlet LB 10 (LLNR 1800). The light characteristics of LB 10 will remain FI R 4s. Due to the location of LT 10, a CG asset is unable to safely transit to this aid to rebuild the structure. LT 10 has been destroyed since April 2025 with a temporary lighted buoy on its assigned position. This buoy will become permanent. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or Andrew.m.ingle@uscg.mil with Murrells Inlet Light 10 as the subject line. Comments can also be mailed to: Commander (dpw), U.S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Bldg, Miami, FL. 33131-3050 to be received by October 12, 2025.  | Lat: 33° 32' 09"<br>Lon: -079° 01' 58" |

### Sector Charleston, Territorial Sea

| NAME                                       | LLNR | STATUS      | AID TYPE |
|--|------|-------------|----------|
| Capers Island Lighted Buoy D               | 169  | OFF STATION | PA       |
| Charleston Sixty Foot Reef Buoy            | 230  | OFF STA     | PA       |
| Folly Beach Fishing Pier Obstruction Light | 235  | LT EXT      | PA       |



|                                      |     |             |    |
|--------------------------------------|-----|-------------|----|
| North Edisto Reef Lighted Buoy       | 260 | MISSING     | PA |
| Edisto Sixty Foot Reef Buoy          | 270 | OFF STA     | PA |
| Fripp Island Lighted Buoy E          | 297 | OFF STATION | PA |
| General Gordon Wreck Fish Haven Buoy | 305 | OFF STA     | PA |
| Whitewater Reef Buoy                 | 335 | OFF STA     | PA |

### Temporary Changes

| NAME             | LLNR | STATUS            | AID TYPE |
|------------------|------|-------------------|----------|
| Charleston Light | 195  | Reduced Intensity | FD       |

### Additional MSI Categories

| TITLE  | SUBCATEGORY                             | DESCRIPTION   | LOCATION                               |
|--|---|---|--|
| Sector Charleston, Exclusive Economic Zone (EEZ) - Sector Charleston, Territorial Sea/ATON/Advanced Notice of Change   | Advanced Notice of Change               | ATON/Advanced Notice of Change Location: 31.04263° N / 81.25632° W Aid Name: Brunswick Spoil Area Lighted Buoy C LLNR: 518 Action: RENAME Brunswick Spoil Area Lighted Buoy C (LLNR 518) will be changed to Brunswick Spoil Area Lighted Buoy D (LLNR 518). The name change is to alleviate confusion when the Brunswick Pilots instruct commercial vessels to rendezvous with the pilot boat at the "Sea Buoy" (St Simons Sound Lighted Buoy STS). The similarity in names between the two aids has caused confusion amongst mariners. With the Brunswick Spoil Area Lighted Buoy C marking a shoal, this confusion could lead to a potential grounding.   | Lat: 31° 02' 33"<br>Lon: -081° 15' 23" |
| Sector Charleston, Exclusive Economic Zone (EEZ) - Sector Charleston, Territorial Sea/ATON/Advanced Notice of Change   | Advanced Notice of Change               | ATON/Advanced Notice of Change 22457 Location: 32.75793° N / 79.84324° W Aid Name: Charleston Light LLNR: 195 Action: CHANGE Action Type Change Light Signals The U.S. Coast Guard has approved the following changes to the Aids to Navigation System in the Charleston Harbor: Charleston Light (LLNR 195) will permanently have the nominal range reduced from 20NM to 17NM due to the installation of an LED optic. This optic will ensure the light is more reliable as parts and essential components become harder to source for the existing optic. Any part or component failure with the current equipment could potentially lead to an extended period where the light would be extinguished. The flash characteristic and color will remain the same. | Lat: 32° 45' 29"<br>Lon: -079° 50' 36" |
| Sector Charleston, Exclusive Economic Zone (EEZ) - Sector Charleston, Territorial Sea/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes 22053 South Carolina Department of Natural Resources will be establishing an artificial fishing reef. Estimated completion date is December 31, 2028.  |  |

## Sector Jacksonville, Submerged Land Act (SLA)

### Additional MSI Categories

| TITLE   | SUBCATEGORY                             | DESCRIPTION   | LOCATION |
|---|---|---|----------|
| Sector Jacksonville, Territorial Sea - Sector Jacksonville, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging   | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging 9374 From: 2025-01-21 To: 2025-11-07 Gator Dredging will be dredging Ponce Inlet and connecting ICW, disposing onto Ponce Inlet Beach. Operations are expected to commence on or about March 3, 2025, with an estimated completion date of November 7, 2025. Mariners are urged to use extreme caution in the area, transit at their slowest safe speed to minimize wake, and proceed with caution after passing arrangements have been made. Floating and submerged high density polyethylene (HDPE) and steel pipeline associated with the hydraulic dredging operations of the channel will be utilized. Pipeline, work vessels, dredge barge, booster pump barge(s) and buoys will be visibly lighted and marked according to coast guard regulations and will be in the area until all work is complete and can change configuration daily. Vessels BRITTYN B and DREDGE CLEARWATER and/or equipment will be in multiple locations at the same time and monitor VHF-FM channel 16.  |          |
| Sector Jacksonville, Territorial Sea - Sector Jacksonville, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging   | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging 18002 On or about August 25th, 2025, Cashman Dredging and Marine Contracting Company, LLC will begin dredging operations on the U.S. Naval Station Mayport Maintenance Dredging, Duval County, Florida. The work will be conducted in the St. John River Entrance Channel, from the beginning of the Mayport Entrance Channel out the main channel, 2.5 nautical miles. This work will be conducted by the Manson Trailing Suction Hopper Dredge NEWPORT and GLENN EDWARDS. The dredges will be supported by the survey/crew vessel SPEEDY and NANCY, and various other support vessels. All vessels will monitor VHF-FM channels 16, 13, 12, and 65 as the working channel. Both Dredges will be using the ODMDS, 4.9 Nautical miles SE of the south entrance jetty for open ocean disposal. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. Dredges will operate 7 days a week, 24 hours a day. The work is scheduled to be completed on or before October 1, 2025. Note: Deviations from this proposed plan would be made as situations concerning "SAFETY" dictate. |          |
| Sector Jacksonville, Territorial Sea - Sector Jacksonville, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Survey Operations  | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Survey Operations 21793 Fugro USA Marine inc will be conducting hydrographic surveys from Florida east coast from Jacksonville down to Cape Canaveral, FL. Operations are expected to begin on or about June 20, 2025, with an estimated completion date of March 15, 2026, and be conducted. R/V ANNA M will be operating Multi Beam Echo Sounders and deploying sound velocity profilers from stern 7 days a week, 24 hours day. They will be monitoring VHF-FM channel 16. Average vessel speed will be 10-14 knots with sensor down. Maximum vessel speed is 24 knots during transits.  |          |
| Sector Jacksonville, Territorial Sea - Sector Jacksonville, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes 23228 The Burrell Navigational Lock will be dewatered and closed for maintenance from July 20, 2025, until approximately October 30, 2025. Burrell Lock is in Haines Creek between Lake Eustis and Lake Griffin at 10401 Lock Road, in Leesburg, Lake County, FL. For further information contact: St. Johns River Water Management District at rtudeau@sjrwmd.com.  |          |
| Sector Jacksonville, Territorial Sea - Sector Jacksonville, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Survey Operations  | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Survey Operations 21793 Fugro USA Marine inc will be conducting hydrographic surveys Port Canaveral up to the state line in Jacksonville. Operations are expected to begin on or about June 20, 2025, with an estimated completion date of March 15, 2026, and be conducted. R/V PELAGOS will be operating Multi Beam Echo Sounders and deploying sound velocity profilers from stern 7 days a week, 12 hours day. They will be monitoring VHF-FM channel 16. Average vessel speed will be 4-6 knots with sensor down. Maximum vessel speed is 24 knots during transits.  |          |
| Sector Jacksonville, Territorial Sea - Sector Jacksonville, Submerged Land Act (SLA)/General/Miscellaneous  | Miscellaneous                           | General/Miscellaneous 20295 The U.S. Space Force may choose to enforce a restricted area as specified in 33 CFR 329.525 and 33 CFR 329.595. Primarily beginning 2 hours prior to the scheduled launch window of any rocket launches. The restricted area would remain in effect until suspended by Space Launch Delta 45.   |          |

Sector Key West, Exclusive Economic Zone (EEZ).

Federal Discrepancies

| NAME                                     | LLNR  | STATUS                       | AID TYPE |
|--|-------|------------------------------|----------|
| Dry Tortugas Southeast Channel Light 1   | 15440 | HAZ NAV/LT EXT/DAYMK MISSING | FD       |
| Dry Tortugas Southeast Channel Light 3   | 15450 | STRUCT DEST/HAZ NAV/TRLB     | FD       |
| Fort Jefferson West Channel Daybeacon 10 | 15560 | STRUCT DEST                  | FD       |

Sector Key West, Submerged Land Act (SLA).

Federal Discrepancies

| NAME   | LLNR  | STATUS                          | AID TYPE |
|--|-------|---------------------------------|----------|
| New Ground Rocks Light                           | 1190  | HAZ NAV/LT EXT/STRUCT DMGD/TRLB | FD       |
| Smith Shoal Light                                | 1200  | STRUCT DMGD/LT EXT              | FD       |
| Channel Key Daybeacon 7                          | 12430 | STRUCT MISSING/TRLB             | FD       |
| Pirates Cove Daybeacon 10                        | 14175 | STRUCT DEST/HAZ NAV/TRLB        | FD       |
| Stock Island Approach Channel Daybeacon 2        | 14495 | STRUCT DEST/TRLB                | FD       |
| Boca Chica Channel Light 1                       | 14505 | HAZ NAV/TRLB/STRUCT DEST        | FD       |
| Boca Chica Channel Light 8                       | 14540 | HAZ NAV/STRUCT DEST/TRLB        | FD       |
| Key West Northwest Channel Light 6               | 15165 | STRUCT DEST/TRLB                | FD       |
| Key West Northwest Channel Daybeacon 8           | 15200 | STRUCT DEST/TRLB                | FD       |
| Fort Jefferson East Channel Daybeacon 6          | 15480 | STRUCT DEST/HAZ NAV/TRLB        | FD       |
| Davis Reef Light 14                              | 970   | LT EXT                          | FD       |
| Cosgrove Shoal Light                             | 1070  | LT EXT                          | FD       |
| Halfmoon Shoal Light WR2                         | 1085  | STRUCT DEST                     | FD       |
| Broad Creek Light 6                              | 1215  | DAYMK MISSING                   | FD       |
| Turtle Harbor West Shoal Preferred Channel Light | 11455 | STRUCT DEST                     | FD       |
| Key Largo Light 25                               | 11485 | STRUCT DEST                     | FD       |
| Basin Hills Light 31BH                           | 11500 | STRUCT DEST                     | FD       |
| Key Largo Daybeacon 32A                          | 11675 | STRUCT DEST/TRLB                | FD       |
| Mosquito Bank Light 2                            | 11895 | STRUCT DEST/HAZ NAV/TRLB        | FD       |
| Porpoise Key Daybeacon 2                         | 12685 | HAZ NAV/DAYMK MISSING/TRLB      | FD       |
| Moser Channel South Daybeacon 5                  | 13865 | STRUCT DEST/TRLB/HAZ NAV        | FD       |
| Bahia Honda Key Light 49A                        | 13875 | DAYMK MISSING                   | FD       |
| Niles Channel Daybeacon 6                        | 13955 | STRUCT DEST/HAZ NAV/TRLB        | FD       |
| Key West Main Channel Range Front Light          | 14815 | STRUCT DEST/TRLT                | FD       |
| Key West Northwest Channel Daybeacon 15          | 15230 | STRUCT DEST/TRUB                | FD       |
| Calda Channel Light 1                            | 15330 | STRUCT DEST/HAZ NAV/TRLB        | FD       |
| Calda Channel Daybeacon 5                        | 15340 | HAZ NAV/STRUCT DEST/TRLB        | FD       |
| Fort Jefferson East Channel Daybeacon 3          | 15470 | STRUCT DEST/HAZ NAV/TRLB        | FD       |
| Fort Jefferson East Channel Daybeacon 5          | 15475 | HAZ NAV/DAYMK MISSING/TRLB      | FD       |
| Fort Jefferson East Channel Daybeacon 7          | 15485 | STRUCT DEST/HAZ NAV/TRLB        | FD       |

Federal Discrepancies Corrected

| NAME                    | LLNR               | STATUS            | AID TYPE | CORRECTION DATE |
|-------------------------|--------------------|-------------------|----------|-----------------|
| Fleming Key Daybeacon 4 | 14960.300000000001 | WATCHING PROPERLY | FD       | 2025-10-22      |

Private Discrepancies

| NAME                                | LLNR               | STATUS              | AID TYPE |
|-------------------------------------|--------------------|---------------------|----------|
| Newfound Harbor Key Buoy C          | 1003.4             | MISSING             | PA       |
| Newfound Harbor Key Buoy D          | 1003.6             | MISSING             | PA       |
| Western Sambo Buoy B                | 1024.2             | MISSING             | PA       |
| Sand Key Buoy B                     | 1054.2             | MISSING             | PA       |
| Lewis Cut Shoal West Buoy           | 10907.5            | MISSING             | PA       |
| Broad Creek Daybeacon 2             | 11177.1            | STRUCT DEST         | PA       |
| Broad Creek Daybeacon 13            | 11177.6            | STRUCT DEST         | PA       |
| Dispatch Creek Channel Daybeacon 20 | 11435              | DAYMK IMCH          | PA       |
| Harbor Course Creek Daybeacon 1     | 11440              | DAYMK IMCH          | PA       |
| Harbor Course Creek Daybeacon 2     | 11445              | DAYMK IMCH          | PA       |
| Garden Cove Daybeacon 22            | 11645              | STRUCT DEST         | PA       |
| Port Largo Channel Light 7          | 11765.300000000001 | STRUCT DEST         | PA       |
| Blue Water Trailer Vill Daybeacon 2 | 12015              | STRUCT DEST         | PA       |
| Red Bay Shoal Daybeacon A           | 12511              | STRUCT DEST         | PA       |
| Windley Key Channel Daybeacon 2     | 12687              | STRUCT DEST/HAZ NAV | PA       |

|  |                    |                     |    |
|--|--------------------|---------------------|----|
| La Siesta Resort Daybeacon 2                 | 12810              | STRUCT DEST/HAZ NAV | PA |
| Upper Matecumbe West Channel Daybeacon 1     | 12825              | STRUCT DEST/HAZ NAV | PA |
| Caloosa Cove Channel Daybeacon 11            | 13385              | STRUCT DMGD         | PA |
| Duck Key Inlet Channel Light 1               | 13500              | STRUCT DEST         | PA |
| Duck Key Inlet Channel Daybeacon 2           | 13505              | STRUCT DEST         | PA |
| Duck Key Inlet Channel Daybeacon 7           | 13525.5            | STRUCT DEST         | PA |
| Coco Plum Channel Daybeacon 2                | 13625              | STRUCT DEST         | PA |
| Coco Plum Channel Daybeacon 3                | 13630              | STRUCT DEST         | PA |
| Coco Plum Channel Daybeacon 4                | 13635              | STRUCT DEST         | PA |
| Bonefish Bay Channel Daybeacon 2             | 13670              | STRUCT DEST         | PA |
| Bonefish Bay Channel Daybeacon 4             | 13673              | STRUCT DEST         | PA |
| Bonefish Bay Channel Daybeacon 5             | 13675              | STRUCT DEST         | PA |
| Bonefish Bay Channel Daybeacon 7             | 13676              | STRUCT DEST         | PA |
| Bonefish Bay Channel Daybeacon 8             | 13676.300000000001 | STRUCT DEST         | PA |
| Bonefish Bay Shoal Daybeacon                 | 13676.5            | STRUCT DEST         | PA |
| Bonefish Bay Channel Daybeacon 10            | 13676.7            | STRUCT DEST         | PA |
| Bonefish Bay Channel Daybeacon 11            | 13676.9            | STRUCT DEST         | PA |
| Bonefish Bay Channel Daybeacon 13            | 13677              | STRUCT DEST         | PA |
| Boat House Channel Buoy 3                    | 13680.2            | MISSING             | PA |
| Dolphin Marina Channel Daybeacon 2           | 13936.2            | STRUCT DEST         | PA |
| Dolphin Marina Channel Daybeacon 4           | 13936.300000000001 | STRUCT DEST         | PA |
| Kemp Channel Daybeacon 2                     | 13990              | STRUCT DEST/HAZ NAV | PA |
| Summerland Key Daybeacon 2                   | 14055              | HAZ NAV/STRUCT DEST | PA |
| Kemp Channel Daybeacon 19                    | 14073              | STRUCT DEST         | PA |
| Kemp Channel Daybeacon 24                    | 14095              | STRUCT DEST/HAZ NAV | PA |
| Tamarac Park Channel Obstruction E Daybeacon | 14450              | STRUCT DEST         | PA |
| Key West Oceanside Marina Daybeacon 2        | 14670              | DAYMK MISSING       | PA |
| Cow Key Channel Daybeacon 11                 | 14740              | STRUCT DMGD         | PA |
| Cow Key Channel Daybeacon 13                 | 14745              | STRUCT DMGD         | PA |
| Cow Key Channel Daybeacon 25                 | 14766.5            | DAYMK MISSING       | PA |
| Cow Key Channel Daybeacon 36                 | 14767.9            | STRUCT DMGD         | PA |
| Cow Key West Channel Daybeacon 3A            | 14775              | HAZ NAV/STRUCT DEST | PA |
| Casa Marina Daybeacon 4                      | 14795              | STRUCT DEST         | PA |
| Fort Taylor West Obstruction Light           | 14887              | LT EXT              | PA |
| Key West Mooring Field Light A               | 14980.1            | LT EXT              | PA |
| Key West Mooring Field Light B               | 14980.2            | LT EXT              | PA |
| Key West Mooring Field Light C               | 14980.300000000001 | STRUCT DEST/HAZ NAV | PA |
| Key West Mooring Field Light D               | 14980.4            | LT EXT              | PA |
| Key West Mooring Field Light E               | 14980.5            | LT EXT              | PA |

## Additional MSI Categories

| TITLE   | SUBCATEGORY               | DESCRIPTION   | LOCATION                               |
|---|---------------------------|---|--|
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Advanced Notice of Change | Advanced Notice of Change | Key West Main Channel Range Front Light (LLNR 14815) will be relocated to approximate position 24-32-17.396N/081-48-22.958W. The RFL will be changed to a day/night optic, continuing to display a Q G flash characteristic for a 24hr continuous cycle. The daymarks will be discontinued.   | Lat: 24° 32' 17"<br>Lon: -081° 48' 23" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Advanced Notice of Change | Advanced Notice of Change | Key West Main Channel Range Rear Light (LLNR 14820) will be changed to a day/night optic, continuing to display an ISO G 6s flash characteristic for a 24hr continuous cycle. The daymarks will be discontinued.  | Lat: 24° 32' 56"<br>Lon: -081° 48' 26" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 24.56043° N / 81.8144° W Aid Name: Key West Main Channel Cut B Range Front Light LLNR: 14870 Action: CHANGE Action Type Change Structure The U.S. Coast Guard has approved the following change to the Aids to Navigation System in the Key West Main Channel: Key West Main Channel Cut B Range Front Light (LLNR 14870) will be rebuilt at a new focal height of 40 feet. All other characteristics will remain the same. Key West Main Channel Cut B Range Rear Light (LLNR 14875) will be rebuilt at a new focal height of 65 feet. All other characteristics will remain the same.  | Lat: 24° 33' 38"<br>Lon: -081° 48' 52" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 24.5629° N / 81.81427° W Aid Name: Key West Main Channel Cut B Range Rear Light LLNR: 14875 Action: CHANGE Action Type Change Structure The U.S. Coast Guard has approved the following change to the Aids to Navigation System in the Key West Main Channel: Key West Harbor Range Front Light (LLNR 14900) will be changed to a day/night optic, continuing to display Q W flash characteristic for a 24hr continuous cycle. The daymarks will be discontinued. Key West Harbor Range Rear Light (LLNR 14905) will be rebuilt to a focal height of 46 feet and changed to a day/night optic, continuing to display ISO W 6s flash characteristic for a 24hr continuous cycle. The daymarks will be discontinued. | Lat: 24° 33' 46"<br>Lon: -081° 48' 51" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 24.57937° N / 81.79983° W Aid Name: Key West Harbor Range Front Light LLNR: 14900 Action: CHANGE Action Type Change Light Signals The U.S. Coast Guard has approved the following change to the Aids to Navigation System in the Key West Main Channel: Key West Harbor Range Front Light (LLNR 14900) will be changed to a day/night optic, continuing to display Q W flash characteristic for a 24hr continuous cycle. The daymarks will be discontinued. Key West Harbor Range Rear Light (LLNR 14905) will be rebuilt to a focal height of 46 feet and changed to a day/night optic, continuing to display ISO W 6s flash characteristic for a 24hr continuous cycle. The daymarks will be discontinued.       | Lat: 24° 34' 46"<br>Lon: -081° 47' 59" |

|   |                           |   |  |
|---|---------------------------|---|--|
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 24.58519° N / 81.79695° W Aid Name: Key West Harbor Range Rear Light LLNR: 14905 Action: CHANGE Action Type Change Light Signals The U.S. Coast Guard has approved the following change to the Aids to Navigation System in the Key West Main Channel: Key West Harbor Range Front Light (LLNR 14900) will be changed to a day/night optic, continuing to display Q W flash characteristic for a 24hr continuous cycle. The daymarks will be discontinued. Key West Harbor Range Rear Light (LLNR 14905) will be rebuilt to a focal height of 46 feet and changed to a day/night optic, continuing to display ISO W 6s flash characteristic for a 24hr continuous cycle. The daymarks will be discontinued.  | Lat: 24° 35' 07"<br>Lon: -081° 47' 49" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/General/Bridges/Rehabilitation | Bridges                   | General/Bridges/Rehabilitation From: 2025-07-31 To: 2029-03-31 Location: 24.65831° N / 81.28705° W Bridge Name: United States 1 Highway Bridge 8/11/2025 through 3/31/2029 Rehabilitation/maintenance/repair of the existing structure on SR 5 / US 1 Overseas Highway over Bahia Honda Channel. Project consists of Concrete Repair, Concrete Encapsulation, Pile Jacket Installation, Minor Painting, and Bearing Pad Replacement. The contractor will have work boats, barges and associated construction equipment in and around the bridge structure. Mariners are advised to transit the area with caution.   | Lat: 24° 39' 30"<br>Lon: -081° 17' 13" |
| General/Marine Events/Regatta (Race)  | Marine Events             | General/Marine Events/Regatta (Race) From: 2025-10-28 31095 A powerboat race is being conducted around a designated racecourse in the Atlantic Ocean and Key West Harbor between Sunset Key and Fort Zachary Taylor State Park. A Safety Zone will be enforced by the Captain of the Port (COTP) Key West, Florida for this event. The regulated area will encompass all waters within a zone extending 800 feet from the racecourse. The special local regulation will be enforced from 9 a.m. through 6 p.m. on November 5th, 7th, and 9th, 2025, and may be extended due to inclement weather. The harbor will be open to traffic from approximately 11:30 p.m. to 12:15 p.m. During the enforcement period, no person or vessel may enter, transit through, anchor, or remain within the safety zone without permission from the COTP or his designated representative. Mariners are advised to abide by all Navigation Rules and maintain 1,000 feet from the racecourse when transiting. Designated spectator areas are identified by buoys, located southwest of Key West Main Channel Buoy number 17 near Sunset Key, and south of Fort Zachary Taylor Historic State Park. Vessels should anchor in sandy bottom to prevent damaging seagrass, coral, macroalgae, sponges, and other hardbottom community species. Vessels may contact the official event patrol on VHF-FM channel 16 to coordinate transit. For more information contact Coast Guard Sector Key West at (305) 292-8727. |  |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2025-08-11 To: 2026-02-07 Location: 24.6361° N / 82.875° W Aid Name: Fort Jefferson East Channel Daybeacon 2 LLNR: 15465 Action: CHANGE Action Type Change Waterway The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Dry Tortugas National Park. The following aids to navigation will be permanently discontinued: Fort Jefferson East Channel Daybeacon 3 (LLNR 15470) Fort Jefferson East Channel Daybeacon 5 (LLNR 15475) Fort Jefferson East Channel Daybeacon 6 (LLNR 15480) Fort Jefferson East Channel Daybeacon 7 (LLNR 15485) Fort Jefferson East Channel Daybeacon 8 (LLNR 15490) Fort Jefferson East Channel Daybeacon 9 (LLNR 15495) Fort Jefferson East Channel Daybeacon 2 (LLNR 15465) will be changed to Dry Tortugas Southeast Channel Daybeacon 5 (LLNR 15465) All comments should be emailed to: D07-SMB-DPWPUBLICComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Dry Tortugas National Park as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by October 3, 2025.   | Lat: 24° 38' 10"<br>Lon: -082° 52' 30" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change 25743 Location: 24.63545° N / 82.8726° W Aid Name: Fort Jefferson East Channel Daybeacon 3 LLNR: 15470 Action: DISCONTINUE The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Dry Tortugas National Park. The following aids to navigation will be permanently discontinued: Fort Jefferson East Channel Daybeacon 3 (LLNR 15470) Fort Jefferson East Channel Daybeacon 5 (LLNR 15475) Fort Jefferson East Channel Daybeacon 6 (LLNR 15480) Fort Jefferson East Channel Daybeacon 7 (LLNR 15485) Fort Jefferson East Channel Daybeacon 8 (LLNR 15490) Fort Jefferson East Channel Daybeacon 9 (LLNR 15495) Fort Jefferson East Channel Daybeacon 2 (LLNR 15465) will be changed to Dry Tortugas Southeast Channel Daybeacon 5 (LLNR 15465) All comments should be emailed to: D07-SMB-DPWPUBLICComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Dry Tortugas National Park as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by October 3, 2025.  | Lat: 24° 38' 08"<br>Lon: -082° 52' 21" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change 25744 Location: 24.63411° N / 82.87154° W Aid Name: Fort Jefferson East Channel Daybeacon 5 LLNR: 15475 Action: DISCONTINUE The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Dry Tortugas National Park. The following aids to navigation will be permanently discontinued: Fort Jefferson East Channel Daybeacon 3 (LLNR 15470) Fort Jefferson East Channel Daybeacon 5 (LLNR 15475) Fort Jefferson East Channel Daybeacon 6 (LLNR 15480) Fort Jefferson East Channel Daybeacon 7 (LLNR 15485) Fort Jefferson East Channel Daybeacon 8 (LLNR 15490) Fort Jefferson East Channel Daybeacon 9 (LLNR 15495) Fort Jefferson East Channel Daybeacon 2 (LLNR 15465) will be changed to Dry Tortugas Southeast Channel Daybeacon 5 (LLNR 15465) All comments should be emailed to: D07-SMB-DPWPUBLICComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Dry Tortugas National Park as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by October 3, 2025.   | Lat: 24° 38' 03"<br>Lon: -082° 52' 18" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change 25745 Location: 24.63342° N / 82.87258° W Aid Name: Fort Jefferson East Channel Daybeacon 6 LLNR: 15480 Action: DISCONTINUE The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Dry Tortugas National Park. The following aids to navigation will be permanently discontinued: Fort Jefferson East Channel Daybeacon 3 (LLNR 15470) Fort Jefferson East Channel Daybeacon 5 (LLNR 15475) Fort Jefferson East Channel Daybeacon 6 (LLNR 15480) Fort Jefferson East Channel Daybeacon 7 (LLNR 15485) Fort Jefferson East Channel Daybeacon 8 (LLNR 15490) Fort Jefferson East Channel Daybeacon 9 (LLNR 15495) Fort Jefferson East Channel Daybeacon 2 (LLNR 15465) will be changed to Dry Tortugas Southeast Channel Daybeacon 5 (LLNR 15465) All comments should be emailed to: D07-SMB-DPWPUBLICComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Dry Tortugas National Park as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by October 3, 2025.   | Lat: 24° 38' 00"<br>Lon: -082° 52' 21" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change 25746 Location: 24.63268° N / 82.87075° W Aid Name: Fort Jefferson East Channel Daybeacon 7 LLNR: 15485 Action: DISCONTINUE The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Dry Tortugas National Park. The following aids to navigation will be permanently discontinued: Fort Jefferson East Channel Daybeacon 3 (LLNR 15470) Fort Jefferson East Channel Daybeacon 5 (LLNR 15475) Fort Jefferson East Channel Daybeacon 6 (LLNR 15480) Fort Jefferson East Channel Daybeacon 7 (LLNR 15485) Fort Jefferson East Channel Daybeacon 8 (LLNR 15490) Fort Jefferson East Channel Daybeacon 9 (LLNR 15495) Fort Jefferson East Channel Daybeacon 2 (LLNR 15465) will be changed to Dry Tortugas Southeast Channel Daybeacon 5 (LLNR 15465) All comments should be emailed to: D07-SMB-DPWPUBLICComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Dry Tortugas National Park as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by October 3, 2025.   | Lat: 24° 37' 58"<br>Lon: -082° 52' 15" |
|   |                           |   |  |

|   |                           |   |                                     |
|---|---------------------------|---|-------------------------------------|
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change 25747 Location: 24.63072° N / 82.8713° W Aid Name: Fort Jefferson East Channel Daybeacon 8 LLNR: 15490 Action: DISCONTINUE The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Dry Tortugas National Park. The following aids to navigation will be permanently discontinued: Fort Jefferson East Channel Daybeacon 3 (LLNR 15470) Fort Jefferson East Channel Daybeacon 5 (LLNR 15475) Fort Jefferson East Channel Daybeacon 6 (LLNR 15480) Fort Jefferson East Channel Daybeacon 7 (LLNR 15485) Fort Jefferson East Channel Daybeacon 8 (LLNR 15490) Fort Jefferson East Channel Daybeacon 9 (LLNR 15495) Fort Jefferson East Channel Daybeacon 2 (LLNR 15465) will be changed to Dry Tortugas Southeast Channel Daybeacon 5 (LLNR 15465) All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Dry Tortugas National Park as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by October 3, 2025.  | Lat: 24° 37' 51" Lon: -082° 52' 17" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change 25748 Location: 24.63108° N / 82.87009° W Aid Name: Fort Jefferson East Channel Daybeacon 9 LLNR: 15495 Action: DISCONTINUE The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Dry Tortugas National Park. The following aids to navigation will be permanently discontinued: Fort Jefferson East Channel Daybeacon 3 (LLNR 15470) Fort Jefferson East Channel Daybeacon 5 (LLNR 15475) Fort Jefferson East Channel Daybeacon 6 (LLNR 15480) Fort Jefferson East Channel Daybeacon 7 (LLNR 15485) Fort Jefferson East Channel Daybeacon 8 (LLNR 15490) Fort Jefferson East Channel Daybeacon 9 (LLNR 15495) Fort Jefferson East Channel Daybeacon 2 (LLNR 15465) will be changed to Dry Tortugas Southeast Channel Daybeacon 5 (LLNR 15465) All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Dry Tortugas National Park as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by October 3, 2025. | Lat: 24° 37' 52" Lon: -082° 52' 12" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change 25899 Location: 24.63002° N / 81.82614° W Aid Name: Calda Channel Light 1 LLNR: 15330 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Calda Channel: Calda Channel Light 1 (LLNR 15330) will be changed to Calda Channel Lighted Buoy 1 (LLNR 15330) in approximate position 24-37-48.072N/081-49-34.088W. Calda Channel Daybeacon 3 (LLN 15335) will be changed to Calda Channel Buoy 3 (LLNR 15335) in approximate position 24-37-44.219N, 081-49-16.081W. Calda Channel Daybeacon 5 (LLNR 15340) will be changed to Calda Channel Buoy 5 (LLNR 15340) in approximate position 24-37-38.542N/081-49-04.046W. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Calda Channel as the subject line. Comments can also be mailed to Commander (dpw), Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by October 15, 2025.   | Lat: 24° 37' 48" Lon: -081° 49' 34" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change 25900 Location: 24.62737° N / 81.81779° W Aid Name: Calda Channel Daybeacon 5 LLNR: 15340 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Calda Channel: Calda Channel Light 1 (LLNR 15330) will be changed to Calda Channel Lighted Buoy 1 (LLNR 15330) in approximate position 24-37-48.072N/081-49-34.088W. Calda Channel Daybeacon 3 (LLN 15335) will be changed to Calda Channel Buoy 3 (LLNR 15335) in approximate position 24-37-44.219N, 081-49-16.081W. Calda Channel Daybeacon 5 (LLNR 15340) will be changed to Calda Channel Buoy 5 (LLNR 15340) in approximate position 24-37-38.542N/081-49-04.046W. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Calda Channel as the subject line. Comments can also be mailed to Commander (dpw), Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by October 15, 2025.   | Lat: 24° 37' 39" Lon: -081° 49' 04" |
| Sector Key West, Territorial Sea - Sector Key West, Submerged Land Act (SLA)/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2025-08-19 To: 2026-02-15 Location: 24.62895° N / 81.82113° W Aid Name: Calda Channel Daybeacon 3 LLNR: 15335 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard is proposing the following changes to the Aids to Navigation System in Calda Channel: Calda Channel Light 1 (LLNR 15330) will be changed to Calda Channel Lighted Buoy 1 (LLNR 15330) in approximate position 24-37-48.072N/081-49-34.088W. Calda Channel Daybeacon 3 (LLN 15335) will be changed to Calda Channel Buoy 3 (LLNR 15335) in approximate position 24-37-44.219N, 081-49-16.081W. Calda Channel Daybeacon 5 (LLNR 15340) will be changed to Calda Channel Buoy 5 (LLNR 15340) in approximate position 24-37-38.542N/081-49-04.046W. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Calda Channel as the subject line. Comments can also be mailed to Commander (dpw), Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami, FL. 33131-3050 to be received by October 15, 2025.   | Lat: 24° 37' 44" Lon: -081° 49' 16" |

Sector Key West, Territorial Sea

Federal Discrepancies

| NAME                   | LLNR | STATUS   | AID TYPE |
|------------------------|------|--|----------|
| Pacific Reef Light     | 935  | LT EXT/TRLT  | FD       |
| Elbow Reef Light 6     | 950  | STRUCT DEST/LT IMCH/REDUCED INT/DAYMK MISSING/TRLT | FD       |
| Molasses Reef Light 10 | 960  | LT EXT/STRUCT DMGD                                 | FD       |
| Tennessee Reef Light   | 990  | LT EXT/STRUCT DMGD                                 | FD       |

Private Discrepancies

| NAME                                  | LLNR               | STATUS   | AID TYPE |
|---------------------------------------|--------------------|----------|----------|
| Carysfort Reef Buoy C                 | 947.4              | MISSING  | PA       |
| The Elbow Buoy B                      | 948.2              | MISSING  | PA       |
| The Elbow Buoy C                      | 948.4              | MISSING  | PA       |
| The Elbow Buoy D                      | 948.6              | MISSING  | PA       |
| Dry Rocks Buoy A                      | 953                | MISSING  | PA       |
| Grecian Rocks Buoy D                  | 954.6              | MISSING  | PA       |
| Sombrero Key Buoy B                   | 1002.2             | MSLD SIG | PA       |
| Looe Key Buoy C                       | 1007.4             | MISSING  | PA       |
| Looe Key Telemetering Lighted Buoy LR | 1007.8000000000001 | MISSING  | PA       |

Additional MSI Categories

| TITLE | SUBCATEGORY | DESCRIPTION | LOCATION |
|-------|-------------|-------------|----------|
|       |             |             |          |



|  |   |   |  |
|--|---|---|--|
| Sector Key West, Exclusive Economic Zone (EEZ) - Sector Key West, Territorial Sea/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2024-11-26 To: 2024-11-27 Location: 24.88752° N / 81.7° W 24.88333° N / 81.7° W 24.88333° N / 81.70458° W 24.88752° N / 81.70458° W 24.88752° N / 81.7° W A 10-year Corps permit to construct an offshore artificial reef to be known as The Gulfside Ten Mile Reef. All deployed material will retain at least a 25-foot navigational clearance. Authorization of a new artificial reef site with multiple deployments of approved materials to enhance the marine habitat in the offshore waters of the Gulf of Mexico, north of Monroe County, Florida.   |  |
| Sector Key West, Exclusive Economic Zone (EEZ) - Sector Key West, Territorial Sea/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes Location: 24.88752° N / 81.7° W 24.88333° N / 81.7° W 24.88333° N / 81.70458° W 24.88752° N / 81.70458° W 24.88752° N / 81.7° W Monroe County has continued adding to a new artificial reef site off Monroe County with a 10-year permit. The Gulfside Ten Mile Reef site is a 0.25 nautical mile by 0.25 nautical mile square, encompassing 53 acres of sand bottom of which less than one acre of artificial reef material footprint will be deployed during the lifetime of the permit. The site is located in the Gulf of America within federal waters and lies outside of the boundaries for the Florida Keys National Marine Sanctuary. The center of the site is located approximately 16.7 nautical miles at a bearing of 23° north of Key West at an average depth of 45 feet MLLW. All deployed material will retain at least a 25-ft navigational clearance. |  |

Sector Miami, Submerged Land Act (SLA).

Federal Discrepancies

| NAME                           | LLNR | STATUS                   | AID TYPE |
|--------------------------------|------|--------------------------|----------|
| Hillsboro Inlet Entrance Light | 775  | LT EXT                   | FD       |
| NSWC Lighted Buoy E            | 811  | HAZ NAV/BUOY DMGD/LT EXT | FD       |

Private Discrepancies

| NAME  | LLNR               | STATUS      | AID TYPE |
|---|--------------------|-------------|----------|
| FPL St. Lucie Plant Breakwater Lighted Buoy G | 706.6              | OFF STATION | PA       |
| Jupiter Inlet Jetty Light 2                   | 735                | LT EXT      | PA       |
| Key Biscayne FAD Northwest Buoy               | 900                | MISSING     | PA       |
| Key Biscayne FAD Northeast Buoy               | 905                | MISSING     | PA       |
| Key Biscayne FAD Southwest Buoy               | 910                | MISSING     | PA       |
| Key Biscayne FAD Southeast Buoy               | 915                | MISSING     | PA       |
| Neptune Memorial Reef Buoy AA                 | 915.1              | STRUCT DEST | PA       |
| Neptune Memorial Reef Buoy BB                 | 915.2              | STRUCT DEST | PA       |
| Neptune Memorial Reef Buoy CC                 | 915.30000000000001 | STRUCT DEST | PA       |
| Neptune Memorial Reef Buoy DD                 | 915.4              | STRUCT DEST | PA       |

Additional MSI Categories

| TITLE   | SUBCATEGORY                             | DESCRIPTION   | LOCATION                            |
|---|---|---|-------------------------------------|
| Sector Miami, Territorial Sea - Sector Miami, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-10-06 29731 Location: 25.77298° N / 80.1271° W Kearns Construction Company, Deployment of 22 artificial reef structures in about 21 feet of water. Reef structures are manufactured from concrete and are shaped to resemble cars. Operations are expected to begin on or about October 16, 2025, with an estimated completion date of November 07, 2025 7 days a week from 9 a.m. until 5 p.m. Barge CHARLI'S ANGEL a 160 foot x 54 foot ABS crane barge and Tug KAREN a 25 foot push boat will be monitoring VHF-FM channel 5 and 16. | Lat: 25° 46' 23" Lon: -080° 07' 38" |

Sector Mobile, Submerged Land Act (SLA).

Additional MSI Categories

| TITLE  | SUBCATEGORY   | DESCRIPTION  | LOCATION                            |
|--|---------------|--|-------------------------------------|
| Sector Mobile, Territorial Sea - Sector Mobile, Submerged Land Act (SLA)/General/Miscellaneous | Miscellaneous | General/Miscellaneous 20969 Location: 26.89042° N / 82.34267° W Remove Wreck | Lat: 26° 53' 26" Lon: -082° 20' 34" |

Sector San Juan, Territorial Sea

Federal Discrepancies

| NAME                    | LLNR  | STATUS | AID TYPE |
|-------------------------|-------|--------|----------|
| Aguadilla Jetty Light 1 | 32405 | LT EXT | FD       |

Private Discrepancies

| NAME  | LLNR  | STATUS      | AID TYPE |
|---|-------|-------------|----------|
| CariCOOS Wave Buoy D                          | 32401 | ADRIFT      | PA       |
| Devcon International Channel Buoy 2           | 33000 | OFF STA     | PA       |
| Devcon International Channel Buoy 3           | 33005 | OFF STA     | PA       |
| Devcon International Channel Buoy 5           | 33015 | OFF STA     | PA       |
| Lime Tree Bay Port Basin Light 15             | 33200 | STRUCT DEST | PA       |
| Krause Lagoon Channel Entrance Lighted Buoy 1 | 33210 | TRLB        | PA       |

Additional MSI Categories

| TITLE | SUBCATEGORY | DESCRIPTION | LOCATION |
|-------|-------------|-------------|----------|
|-------|-------------|-------------|----------|

|   |                       |   |  |
|---|-----------------------|---|--|
| Sector San Juan, Territorial Sea/General/Hazards To Navigation/Obstructions | Hazards To Navigation | General/Hazards To Navigation/Obstructions From: 2024-10-20 2800 The United States Navy has installed subsurface structures offshore of Isla de Vieques for a Navy environmental restoration project. The structures include 2 geodesic spheres that are 8 feet diameter, and are anchored to the seafloor such that the tops of the structures sit at approximately 30 feet below the surface. The structures are secured to the seafloor with a 5-anchor system, without surface marker buoys. The Navy and partners will continue to scientifically monitor the ecology and environmental conditions around the structures, and request that the public avoid impacts that could invalidate the scientific experiment. The structures are expected to remain in place until at least June 2026 in the approximate coordinates: 18-06-00.3N / 065-35-09.6W 18-05-56.1N / 065-35-02.9W For further information, contact: Jessica Carilli, US Navy, at (760)815-2629. |  |
| Sector San Juan, Territorial Sea/General/Hazards To Navigation/Hazards      | Hazards To Navigation | General/Hazards To Navigation/Hazards From: 2025-01-29 To: 2027-07-28 Location: 18.26572° N / 65.57337° W 18.23996° N / 65.57028° W 18.23931° N / 65.60289° W 18.26474° N / 65.60444° W 18.26572° N / 65.57337° W The U.S. NAVY is advising all mariners to refrain from entering the following area in Ceiba, Puerto Rico: the waters surrounding Isla Piñeros. Mariners are advised to stay away from this danger zone until further notice, as it contains (UXO) Unexploded Ordnance. The U.S. Coast Guard may be contacted via VHF-FM Channel 16 or via landline at (787) 289-2041. For more information, contact Mrs. Maria Danois at (757) 412-7843 or email: maria.m.danois.civ@us.navy.mil.   |  |
| General/Marine Events/Regatta (Race)  | Marine Events         | General/Marine Events/Regatta (Race) From: 2025-10-29 31172 Mariners are advised that the Ponce Yacht and Fishing Club will be hosting the discover the Caribbean Regatta 2025 on the weekends of November 1 to 10, 2025 from 9 a.m. To 3 p.m. daily. The event is occurring in Ponce Bay, Ponce Puerto Rico. Mariners are advised to use caution when transiting near the event. The U.S. Coast Guard may be contacted via VHF-FM channel 16 or (787) 289-2041. For more information, contact Mr. Gabriel Bonnin at (787) 842-9003 or via email bonnin.gabriel@gmail.com.  |  |
| Sector San Juan, Territorial Sea/General/Miscellaneous                      | Miscellaneous         | General/Miscellaneous 25972 The U.S. Coast Guard is conducting a Waterway Analysis and Management System (WAMS) review of west coast Arecibo to Bahia de Guanica. The study focuses on the area's aids to navigation, waterborne commerce, marine casualty information, port/harbor resources, emergency response plans, routing and emergency communication capabilities, and future development projects. Input regarding the waterway and aids to navigation system must be received by September 30, 2025. Input may be provided using the survey link below or directly to the point of contact listed. <a href="https://forms.osi.apps.mil/r/6cYQn9tNvY">https://forms.osi.apps.mil/r/6cYQn9tNvY</a> Send comments to: U.S. Coast Guard Sector San Juan Attn: BMC Brandon Frisoli Prevention Department Waterways Management 5 Calle La Puntilla San Juan, PR 00901-0000 Phone: 252-626-1782 Email: brandon.c.frisoli@uscg.mil                                  |  |

### Sector St. Peterburg, Exclusive Economic Zone (EEZ).

#### Private Discrepancies

| NAME                        | LLNR | STATUS  | AID TYPE |
|-----------------------------|------|---------|----------|
| Scripps Wave Lighted Buoy A | 1367 | MISSING | PA       |

#### Additional MSI Categories

| TITLE   | SUBCATEGORY                             | DESCRIPTION   | LOCATION |
|---|---|---|----------|
| District 7, Oceanic boundary to EEZ - Sector St. Peterburg, Exclusive Economic Zone (EEZ)/General/Marine Construction (Excluding Bridges)/Survey Operations | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Survey Operations From: 2025-04-22 28777 Location: 28.735° N / 84.39833° W 28.735° N / 84.16° W 28.69333° N / 84.07333° W 28.255° N / 83.79° W 28.27167° N / 83.99667° W 28.16667° N / 83.96° W 28.16333° N / 84.13667° W 28.28667° N / 84.44333° W 28.735° N / 84.39833° W SAILDRONE, INC. will be conducting research with up to two Uncrewed Surface Vehicles (USVs), called SAILDRONE VOYAGERS, approximately 90 nautical miles northwest of St. Petersburg, FL. The vehicles are supporting the Florida Seafloor Mapping Initiative in partnership with the Florida Department of Environmental Protection to conduct a survey off the West Florida Shelf known as The Florida Middle Grounds. The vehicles are deployed from St. Petersburg, FL and are expected to make stops from the survey area to St. Petersburg throughout this period. These vehicles will conduct 24 hr operations for the aforementioned duration. Vehicles are monitored remotely 24/7 by the SAILDRONE Mission Control Team. SAILDRONE VOYAGERS are primarily wind-propelled Uncrewed Surface Vehicles (USVs) equipped with an electric thruster used for survey operations. Mariners are requested to remain clear from the research equipment. Questions regarding this notice can be directed to Saildrone Mission Control at <a href="mailto:missioncontrol@saildrone.com">missioncontrol@saildrone.com</a> or via phone at +1-510-722-6070. |          |

### Sector St. Petersburg, Submerged Land Act (SLA)

#### Federal Discrepancies

| NAME                                     | LLNR | STATUS                   | AID TYPE |
|--|------|--------------------------|----------|
| Seahorse Reef Light                      | 1615 | STRUCT DEST/HAZ NAV      | FD       |
| Anclote Anchorage South Entrance Light 1 | 1535 | HAZ NAV/STRUCT DEST/TRLB | FD       |

#### Private Discrepancies

| NAME  | LLNR    | STATUS              | AID TYPE |
|---|---------|---------------------|----------|
| Port of Islands Marina Daybeacon 3              | 16235   | STRUCT DEST         | PA       |
| Port of Islands Marina Daybeacon 4              | 16240   | STRUCT DEST         | PA       |
| Port of Islands Marina Daybeacon 5              | 16245   | STRUCT DMGD         | PA       |
| Port of Islands Marina Daybeacon 6              | 16250   | STRUCT DEST/HAZ NAV | PA       |
| Port of Islands Marina Daybeacon 11             | 16265   | DAYMK MISSING       | PA       |
| Port of Islands Marina Daybeacon 15             | 16280   | STRUCT DEST         | PA       |
| Port of Islands Marina Daybeacon 26             | 16310   | STRUCT DEST         | PA       |
| Port of Islands Marina Daybeacon 27             | 16315   | STRUCT DEST         | PA       |
| Port of Islands Marina Daybeacon 42             | 16380   | STRUCT DEST/HAZ NAV | PA       |
| Port of Islands Marina Daybeacon 44             | 16390   | STRUCT DEST         | PA       |
| Cape Romano Channel Daybeacon 2                 | 16792   | STRUCT DEST         | PA       |
| Cape Romano Channel Daybeacon 4                 | 16792.1 | STRUCT DEST         | PA       |
| Cape Romano Channel Daybeacon 17                | 16793   | DAYMK MISSING       | PA       |
| Caxambas Breakwater North Obstruction Daybeacon | 16917   | STRUCT DEST         | PA       |
| Caxambas Breakwater South Obstruction Light     | 16918   | LT EXT              | PA       |
| Caxambas Breakwater South Obstruction Daybeacon | 16918.5 | DAYMK MISSING       | PA       |
| Doctors Pass Light DP                           | 17700   | LT EXT              | PA       |

|   |          |                          |    |
|---|----------|--------------------------|----|
| Sea Pines Channel Daybeacon 3               | 27150    | STRUCT DEST/HAZ NAV      | PA |
| Doctors Pass Daybeacon 16                   | 17770    | STRUCT DEST              | PA |
| Water Turkey Bay Channel Daybeacon 3        | 17830    | DAYMK MISSING            | PA |
| Barefoot Boat Club Daybeacon 10             | 17915    | STRUCT DEST              | PA |
| Barefoot Boat Club Daybeacon 12             | 17920    | STRUCT DEST              | PA |
| Big Carlos Pass Lighted Buoy 1              | 17975    | MISSING                  | PA |
| Big Carlos Pass Buoy 2                      | 17976    | MISSING                  | PA |
| Big Carlos Pass Buoy 3                      | 17977    | MISSING                  | PA |
| Big Carlos Pass Buoy 4                      | 17980    | MISSING                  | PA |
| Big Carlos Pass Buoy 5                      | 17985    | MISSING                  | PA |
| Estero Pointe Channel Daybeacon 29          | 18996.07 | STRUCT DEST/HAZ NAV      | PA |
| South Estero Bay Daybeacon 12               | 19150    | STRUCT DEST/HAZ NAV      | PA |
| Baywinds Channel Daybeacon 3                | 19347.3  | STRUCT DEST              | PA |
| Spring Creek Daybeacon 17                   | 19400    | STRUCT DEST              | PA |
| South Estero Bay Daybeacon 37               | 19550    | STRUCT DEST              | PA |
| South Estero Bay Daybeacon 45               | 19585    | STRUCT DEST              | PA |
| Coconut Jacks Daybeacon 5                   | 19786.2  | STRUCT DEST              | PA |
| Scripps Wave Data Lighted Buoy CDIP STA 214 | 22247    | OFF STA                  | PA |
| Signal Cove Light 2                         | 26945    | LT EXT                   | PA |
| Signal Cove Daybeacon 4                     | 26955    | STRUCT DEST              | PA |
| Signal Cove Daybeacon 5                     | 26960    | STRUCT DEST              | PA |
| Hudson Creek Light 2                        | 27015    | LT EXT                   | PA |
| Hudson Creek Daybeacon 5                    | 27030    | STRUCT DEST/TRDBN        | PA |
| Hudson Creek Daybeacon 7                    | 27040    | STRUCT DEST/HAZ NAV/TRUB | PA |
| Hudson Creek Daybeacon 20                   | 27085    | STRUCT DEST/TRUB         | PA |
| Hudson Creek Daybeacon 23                   | 27095    | STRUCT DEST              | PA |
| Hudson Beach Park Daybeacon 1               | 27110    | STRUCT DEST              | PA |
| Sea Pines Channel Daybeacon 23              | 27230    | STRUCT DEST/HAZ NAV      | PA |
| Sea Pines Channel Daybeacon 29              | 27265    | STRUCT DEST              | PA |
| Aripeka Daybeacon 7                         | 27310    | STRUCT DEST/HAZ NAV      | PA |
| Hernando Beach Channel Daybeacon 6          | 27530    | STRUCT DEST              | PA |
| Hernando Beach Channel Daybeacon 7          | 27535    | STRUCT DEST              | PA |
| Hernando Beach Channel Daybeacon 10         | 27550    | STRUCT DEST              | PA |
| Hernando Beach Channel Daybeacon 22         | 27610    | STRUCT DEST              | PA |
| Hernando Beach Channel Daybeacon 23         | 27615    | STRUCT MISSING           | PA |
| Hernando Beach Channel Daybeacon 27         | 27630.5  | STRUCT DEST/HAZ NAV      | PA |
| Hernando Beach Channel Daybeacon 40         | 27685    | STRUCT DEST/HAZ NAV      | PA |
| Hernando Beach Channel Daybeacon 44         | 27705    | STRUCT DEST              | PA |
| Hernando Beach Channel Light 53             | 27737    | STRUCT DEST/HAZ NAV      | PA |
| Johnson Rock Obstruction Daybeacon          | 27930    | STRUCT MISSING           | PA |
| Bayport Channel Daybeacon 15                | 28075    | STRUCT DEST              | PA |
| Bayport Channel Daybeacon 17                | 28095    | STRUCT DEST/HAZ NAV      | PA |
| Chassahowitzka Daybeacon 17                 | 28305    | STRUCT DEST              | PA |
| Chassahowitzka Daybeacon 21                 | 28320    | STRUCT DEST              | PA |
| Chassahowitzka Daybeacon 22                 | 28325    | STRUCT DEST              | PA |
| Chassahowitzka Daybeacon 23                 | 28330    | STRUCT DEST              | PA |
| Florida Power Corporation Channel Light 3   | 28960    | LT IMCH/DAYMK MISSING    | PA |
| Florida Power Corporation Channel Light 4   | 28965    | LT IMCH/DAYMK MISSING    | PA |
| Florida Power Corporation Channel Light 6   | 28975    | LT EXT                   | PA |
| Florida Power Corporation Channel Light 8   | 28985    | LT EXT                   | PA |
| Florida Power Corporation Channel Light 13  | 29005    | STRUCT DEST              | PA |
| Florida Power Corporation Channel Light 14  | 29010    | LT EXT                   | PA |
| Florida Power Corporation Channel Light 16  | 29015    | LT EXT                   | PA |
| Florida Power Corporation Channel Light 17  | 29020    | LT IMCH                  | PA |
| Florida Power Corporation Channel Light 21  | 29035    | LT EXT                   | PA |
| Florida Power Corporation Channel Light 32  | 29075    | STRUCT DEST/HAZ NAV      | PA |
| Florida Power Corporation Channel Light 47  | 29150    | LT IMCH                  | PA |
| Florida Power Corporation Channel Light 48  | 29155    | LT IMCH                  | PA |
| Waccasassa Bay And River Daybeacon 5        | 29665    | STRUCT DEST              | PA |
| Waccasassa Bay And River Daybeacon 9        | 29675    | STRUCT DEST              | PA |
| Waccasassa Bay And River Daybeacon 11       | 29680    | STRUCT DMGD              | PA |
| Waccasassa Bay And River Daybeacon 13       | 29685    | STRUCT DEST              | PA |
| Waccasassa Bay And River Daybeacon 15       | 29690    | STRUCT DEST              | PA |
| Waccasassa Bay And River Daybeacon 17       | 29695    | STRUCT DMGD              | PA |



|  |       |                           |    |
|--|-------|---------------------------|----|
| Waccasassa Bay And River Daybeacon 21      | 29705 | STRUCT DEST               | PA |
| Waccasassa Bay And River Daybeacon 23      | 29710 | DAYMK DMGD                | PA |
| Waccasassa Bay And River Daybeacon 25      | 29720 | STRUCT DEST               | PA |
| Waccasassa Bay And River Daybeacon 27      | 29725 | DAYMK MISSING/STRUCT DMGD | PA |
| Waccasassa Bay And River Daybeacon 30      | 29735 | STRUCT DEST/HAZ NAV       | PA |
| Waccasassa Bay And River Daybeacon 32      | 29740 | STRUCT DMGD               | PA |
| Suwannee River Alligator Pass Light 2      | 30085 | STRUCT DEST               | PA |
| Suwannee River Alligator Pass Daybeacon 4  | 30090 | STRUCT DEST               | PA |
| Suwannee River Alligator Pass Daybeacon 5  | 30095 | STRUCT DEST               | PA |
| Suwannee River Alligator Pass Daybeacon 7  | 30100 | STRUCT DEST               | PA |
| Suwannee River Alligator Pass Daybeacon 9  | 30110 | STRUCT DEST               | PA |
| Suwannee River Alligator Pass Daybeacon 11 | 30115 | STRUCT DEST               | PA |
| Suwannee River Alligator Pass Daybeacon 13 | 30120 | STRUCT DEST               | PA |
| Suwannee River Alligator Pass Daybeacon 19 | 30140 | STRUCT DEST               | PA |
| Suwannee River Alligator Pass Daybeacon 27 | 30160 | STRUCT DEST/HAZ NAV       | PA |
| Suwannee River Alligator Pass Daybeacon 29 | 30165 | STRUCT DEST               | PA |
| Suwannee River McGriff Pass Daybeacon 1    | 30170 | STRUCT DEST               | PA |
| Suwannee River Mcgriff Pass Daybeacon 3    | 30180 | STRUCT DEST               | PA |
| Suwannee River Mcgriff Pass Daybeacon 5    | 30185 | STRUCT DEST               | PA |
| Suwannee River Mcgriff Pass Daybeacon 7    | 30200 | STRUCT DEST               | PA |
| Suwannee River Mcgriff Pass Daybeacon 8    | 30205 | STRUCT DEST               | PA |
| Suwannee River Mcgriff Pass Daybeacon 9    | 30210 | STRUCT DEST               | PA |
| Suwannee River Mcgriff Pass Daybeacon 20   | 30233 | STRUCT DEST               | PA |
| Salt Creek Daybeacon 15                    | 30305 | STRUCT DEST               | PA |
| Salt Creek Daybeacon 16                    | 30310 | STRUCT DEST               | PA |
| Salt Creek Daybeacon 17                    | 30315 | STRUCT DEST               | PA |
| Salt Creek Daybeacon 18                    | 30320 | STRUCT DEST               | PA |

### Additional MSI Categories

| TITLE   | SUBCATEGORY                             | DESCRIPTION  | LOCATION |
|---|---|--|----------|
| General/Marine Construction (Excluding Bridges)/Dredging  | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2025-11-03 31435 Earth Tech Enterprises will be dredging Clam Pass in Naples, Florida in approximate position 26-13-13N / 081-49-04W. Operations are expected to begin on or about November 3, 2025, with an estimated completion date of March 3, 2026. Dredging will be completed from land, during daylight hours, Monday through Saturday.  |          |
| General/Marine Construction (Excluding Bridges)/Dredging  | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2025-11-03 31439 Continental Heavy Civil will conduct dredging operations in Phillippi Creek from Tuttle Avenue north and east to Beneva Road. The projects involve dredging approximately 8,925 linear feet to a depth of -4 feet below Mean Low Water (MLW). Dredging will be performed using shallows barge equipped for mechanical dredging. 27.303938N / -82.514116W (Tuttle Avenue) to 27.326339N / -82.497658W (Beneva Road) Standard floating turbidity curtains with weighted skirts will be deployed and maintained throughout the operation. Dredging activities will occur daily Monday through Friday, with occasional work on Saturdays as needed. Boaters should expect restricted access and reduced navigability in the active dredging zones. Temporary closures or narrow passageways may occur along segments of Phillippi Creek between Tuttle Avenue and Beneva Road. All vessels transiting the area should proceed with caution, maintain Idle Speed/No Wake. Floating equipment and support vessels will be present during operational hours, and visibility may be reduced due to turbidity curtains and dredging activity. |          |
| Sector St. Petersburg, Territorial Sea - Sector St. Petersburg, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging 24019 Gator Dredging will be conducting dredging near Gasparilla Island State Park for a beach fill project. Equipment Mobilization Start is expected to begin July 23, 2025. Dredging is estimated to begin July 28, 2025, with an estimated completion date of October 29, 2025. Operations will be conducted 24 hours a day, 7 days a week. DREDGE CLEARWATER will be monitoring VHF-FM channel 16. Mariners are urged to use extreme caution in the area, transit at their slowest safe speed to minimize wake, and proceed with caution after passing arrangements have been made. Work vessels, dredge barge, crane barge, tugboats, and buoys will be visibly lighted and marked according to Coast Guard regulations and will be in the area until all work is complete and can change configuration daily. Vessels and/or equipment will be in multiple locations at the same time.  |          |
| Sector St. Petersburg, Territorial Sea - Sector St. Petersburg, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging 26815 Gator Dredging will be conducting dredging for Pinellas County’s Sand Key, Treasure Island, and Long Key Beach Renourishment Project. Operations are expected to begin on or about September 4, 2025, with an estimated completion date of December 31, 2025. Operations will be conducted 24 hours a day, 7 days a week. Mariners are urged to use extreme caution in the area, transit at their slowest safe speed to minimize wake, and proceed with caution after passing arrangements have been made. Work vessels, dredge barge, crane barge, tug boats, and buoys will be visibly lighted and marked according to Coast Guard regulations and will be in the area until all work is complete and can change configuration daily. Vessels and/or equipment will be in multiple locations at the same time. DREDGE CLEARWATER will be monitoring VHF-FM channels 13 and 16.  |          |

|   |   |   |  |
|---|---|---|--|
| Sector St. Petersburg, Territorial Sea - Sector St. Petersburg, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2025-10-06 29749 Barrow and subline work areas: Booster Reggie 26-30.61652N / -082-12.91926W Booster Jack 26-30.5400N / -082-13.308W Derrick Barge 26-27.87508N / -081-58.62864W JMC Barge 26-27.86542N / -081-58.62416W Fuel Barge 26-27.85585N / -081-58.62894W 750' Subline Raft 26-41.69928N / -082-13.03057W Norwegian Buoy 26-30.39357N / -082-13.78294W Yellow Can Buoy 26-30.52194N / -082-13.36725W Norwegian Buoy 26-30.50493N / -082-13.36134W Lemon Buoy 26-30.55643N / -082-13.25666W Yellow Can Buoy 26-30.61388N / -082-12.97613W Lemon Buoy 26-30.60166N / -082-12.88178W Norwegian Buoy 26-30.32612N / -082-12.19945W Yellow Can Buoy 26-30.33981N / -082-12.22872W Norwegian Buoy 26-30.09271N / -082-11.60229W Lemon Buoy 26-30.68897N / -082-12.89326W Yellow Can Buoy 26-31.08204N / -082-12.55116W Norwegian Buoy 26-31.18885N / -082-12.48539W Dredge Pump out Location 26-30.43951N / -082-13.65725W Great Lakes Dredge and Dock Company, LLC has begun dredging for the Captiva Island Beach Renourishment Project. They have one 750 foot subline raft staged in the Cayo Costa Staging Area. The derrick 77, JMC, and fuel barge will be staged in the San Carlos Bay Staging Area beginning October 4, 2025, supporting offshore operations as required. All vessel traffic is advised to avoid active work areas. Mariners are urged to exercise extreme caution, maintain a slow safe speed to minimize wake, and coordinate passing arrangements before transiting the area. All floating and submerged pipelines, anchors, and related equipment are marked in accordance with U.S. Coast Guard regulations. Operations are being conducted 24 hours per day, 7 days per week. TUG EVERGREEN STATE, TUG SYLVIE FAYE, MULTI-CAT VESSEL CAPE CANAVERAL, BOOSTER JACK, BOOSTER REGGIE, DERRICK 77 BARGE, JMC BARGE, FUEL BARGE F002, 750 FOOT SUBLINE RAFT, SURVEY BOAT ST LOUIS RIVER, SURVEY BOAT MIAMI RIVER, CREW BOAT KITTY BELLE, will all be monitoring VHF-FM channel 13 and 16. Operations are expected to be completed on or about November 30, 2025. |  |
| Sector St. Petersburg, Territorial Sea - Sector St. Petersburg, Submerged Land Act (SLA)/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging From: 2025-10-14 30244 Quality Enterprises USA, Inc. will be drilling two 36 inch horizontal directional drills into the Gulf. Work will involve a jack-up barge to receive the rods and pull the pipe back from land. The project is estimated to begin on or about November 7, 2025, with an estimated completion date of February 28 2025. Work will be conducted 24 hours a day, 7 days a week. The barge will remain stationary on location in approximate position 26.1671N / 081.8127W and be monitoring VHF-FM channel 16.   |  |

Sector St. Petersburg, Territorial Sea

Additional MSI Categories

| TITLE   | SUBCATEGORY                             | DESCRIPTION  | LOCATION |
|---|---|--|----------|
| Sector St. Peterburg, Exclusive Economic Zone (EEZ) - Sector St. Petersburg, Territorial Sea/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging 25356 Continuing until approximately September 15, 2025, Weeks Marine Inc. "Weeks" will be mobilizing dredge pipelines and equipment for the abovementioned project. During this time Weeks will install submerged lines in the designed pipeline corridors. Starting approximately September 8, 2025, and continuing until approximately 20 December 20, 2025, Weeks Marine hydraulic dredge "C.R. McCaskill" will be dredging fill material from the Egmont Shoals Borrow Area, bound by following approximate positions: 27-38-50.85N / 82-47-20.87W 27-37-40.61N / 82-44-46.01W 27-36-26.92N / 82-44-57.24W 27-36-57.66N / 82-47-34.02W Sail route limits for tugboats, scows and vessels will be bound by the following approximate positions: 27-35-26.31N / 82-40-21.54W 27-33-53.57N / 82-53-22.36W 27-49-34.81N / 82-57-01.10W 28-00-04.67N / 82-56-16.22W 27-58-16.13N / 82-49-56.62W A crew boat route from the landing location (Port 32) to project site(s) will be bound by the following approximate positions: 27-40-20.43N / 82-46-22.81W 27-40-34.56N / 82-43-39.10W 27-41-21.34N / 82-43-20.00W 27-40-50.55N / 82-43-51.85W 27-40-38.00N / 82-46-25.42W Anchorage Areas for dredge pipelines and equipment: An anchorage area located South of Fort De Soto Park will be bound by the following approximate positions: 27-37-03.68N / 82-43-10.85W 27-38-44.64N / 82-41-02.06W 27-38-08.85N / 82-40-16.87W 27-36-18.02N / 82-42-26.34W An anchorage area located West of Port Manatee will be bound by the following approximate positions: 27-38-28.52N / 82-34-33.24W 27-38-28.58N / 82-33-30.50W 27-37-29.36N / 82-33-27.55W 27-37-30.12N / 82-34-32.88W An anchorage area located in the vicinity of Clearwater Pass will be bound by the following approximate positions: 27-57-58.97N / 82-49-52.95W 27-57-43.57N / 82-49-26.44W 27-57-38.96N / 82-49-29.79W 27-57-54.42N / 82-49-56.43W The staging areas will be utilized for the duration of the project. Work limits for the pipeline corridors will be the perimeter bound by the following approximate positions: 27°57'33.68N / 82-49-57.38W 27-52-53.87N / 82-51-08.30W 27-50-57.77N / 82-50-45.31W 27-48-31.78N / 82-48-48.92W 27-47-49.93N / 82-49-29.76W 27-49-42.87N / 82-51-14.95W 27-52-33.86N / 82-52-15.82W 27-57-49.78N / 82-51-00.98W 27-46-23.20N / 82-48-03.85W 27-42-57.87N / 82-45-34.78W 27-43-29.86N / 82-44-40.60W 27-46-35.72N / 82-47-03.90W The submerged line(s) will be removed at the completion of dredging operations. Once underway, operations will continue on a twenty-four hours per day, seven days per week basis. Vessels, pipelines, and equipment will have all required Coast Guard lighting for night operations. On-scene vessels will monitor marine VHF channels 13 and 16. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made. |          |

Sheephead Cut

Federal Discrepancies

| NAME                      | LLNR  | STATUS           | AID TYPE |
|---------------------------|-------|------------------|----------|
| Sheephead Cut Daybeacon 7 | 40705 | STRUCT DEST/TRUB | FD       |

Shell Key.

Private Discrepancies

| NAME                          | LLNR  | STATUS              | AID TYPE |
|-------------------------------|-------|---------------------|----------|
| Little Basin East Daybeacon 1 | 50540 | DAYMK MISSING       | PA       |
| Little Basin East Daybeacon 2 | 50545 | STRUCT DEST/HAZ NAV | PA       |
| Little Basin East Daybeacon 4 | 50555 | DAYMK MISSING       | PA       |

Sherman Cut

Federal Discrepancies

| NAME                         | LLNR | STATUS      | AID TYPE |
|------------------------------|------|-------------|----------|
| Sherman Cut Range Rear Light | 7240 | STRUCT DEST | FD       |

Additional MSI Categories

| TITLE | SUBCATEGORY | DESCRIPTION | LOCATION |
|-------|-------------|-------------|----------|
|       |             |             |          |

|   |                           |   |  |
|---|---------------------------|---|--|
| St Johns River - Sherman Cut/ATON/Advanced Notice of Change | Advanced Notice of Change | Sherman Cut RFL (LLNR 7235) will be relocated to approximate position: 30-22-44.220N/081-26-46.188W to align with the newly dredged channel. In addition, Sherman Cut RFL will be changed to a 24-hour optic. All day marks will be permanently discontinued. | Lat:<br>30° 22' 44"<br>Lon:<br>-081° 26' 45" |
| St Johns River - Sherman Cut/ATON/Advanced Notice of Change | Advanced Notice of Change | Sherman Cut RRL (LLNR 7240) will be relocated to approximate position: 30-22-26.194N/081-27-03.893W to align with the newly dredged channel. In addition Sherman Cut RRL will be changed to a 24-hour optic. All day marks will be permanently discontinued.  | Lat:<br>30° 22' 35"<br>Lon:<br>-081° 26' 55" |

### Sim-Par Marina Channel

#### Private Discrepancies

| NAME                           | LLNR  | STATUS      | AID TYPE |
|--------------------------------|-------|-------------|----------|
| Marina Bay Channel Daybeacon 4 | 39715 | STRUCT DEST | PA       |

### Singer Island Channel

#### Federal Discrepancies

| NAME                              | LLNR               | STATUS                   | AID TYPE |
|-----------------------------------|--------------------|--------------------------|----------|
| Singer Island Channel Daybeacon 6 | 10212.300000000001 | STRUCT DEST/HAZ NAV/TRLB | FD       |

### Sisters Creek

#### Federal Discrepancies

| NAME                       | LLNR  | STATUS                   | AID TYPE |
|----------------------------|-------|--------------------------|----------|
| Sisters Creek Light 74     | 38300 | STRUCT DEST/TRLB         | FD       |
| Sisters Creek Daybeacon 80 | 38320 | STRUCT DEST/TRUB         | FD       |
| Sisters Creek Light 82     | 38325 | STRUCT DEST/TRLB         | FD       |
| Sisters Creek Light 83     | 38330 | STRUCT DEST/HAZ NAV/TRLB | FD       |

### Snake Creek

#### Federal Discrepancies

| NAME                    | LLNR  | STATUS           | AID TYPE |
|-------------------------|-------|------------------|----------|
| Snake Creek Daybeacon 4 | 12215 | STRUCT DEST/TRUB | FD       |
| Snake Creek Daybeacon 5 | 12225 | STRUCT DEST/TRLB | FD       |
| Snake Creek Daybeacon 7 | 12240 | STRUCT DEST/TRUB | FD       |

### Snapper Creek Marina

#### Federal Discrepancies

| NAME                       | LLNR  | STATUS           | AID TYPE |
|----------------------------|-------|------------------|----------|
| Safety Valve Bank Light 1A | 49530 | STRUCT DEST/TRLB | FD       |

#### Private Discrepancies

| NAME                             | LLNR  | STATUS        | AID TYPE |
|----------------------------------|-------|---------------|----------|
| Snapper Creek Marina Daybeacon 2 | 49515 | DAYMK MISSING | PA       |

### Sonde De Vieques

#### Federal Discrepancies

| NAME              | LLNR  | STATUS      | AID TYPE |
|-------------------|-------|-------------|----------|
| Cayo Lobito Light | 31525 | STRUCT DEST | FD       |

#### Private Discrepancies

| NAME                           | LLNR  | STATUS             | AID TYPE |
|--------------------------------|-------|--------------------|----------|
| North St Thomas Lighted Buoy H | 31683 | LT EXT/OFF STATION | PA       |

### South Altamaha River

#### Federal Discrepancies

| NAME                             | LLNR  | STATUS              | AID TYPE |
|----------------------------------|-------|---------------------|----------|
| South Altamaha River Daybeacon 4 | 36995 | STRUCT MISSING/TRUB | FD       |

**South Amelia River**

**Federal Discrepancies**

| NAME                            | LLNR  | STATUS              | AID TYPE |
|---------------------------------|-------|---------------------|----------|
| South Amelia River Daybeacon 21 | 38050 | STRUCT MISSING/TRUB | FD       |
| South Amelia River Light 24     | 38060 | DAYMK MISSING       | FD       |
| South Amelia River Daybeacon 25 | 38065 | STRUCT DEST         | FD       |

**South Channel**

**Federal Discrepancies**

| NAME                                 | LLNR | STATUS           | AID TYPE |
|--------------------------------------|------|------------------|----------|
| South Channel Daybeacon 5 (Savannah) | 4660 | STRUCT DEST/TRUB | FD       |

**South Edisto River**

**Federal Discrepancies**

| NAME                       | LLNR    | STATUS      | AID TYPE |
|----------------------------|---------|-------------|----------|
| Fenwick Cut Daybeacon 162A | 35140.5 | STRUCT DMGD | FD       |

**South Jupiter Narrows**

**Federal Discrepancies**

| NAME                               | LLNR  | STATUS                      | AID TYPE |
|------------------------------------|-------|-----------------------------|----------|
| South Jupiter Narrows Daybeacon 25 | 46085 | STRUCT MISSING/TRUB/MISSING | FD       |

**South Newport River**

**Federal Discrepancies**

| NAME                          | LLNR  | STATUS              | AID TYPE |
|-------------------------------|-------|---------------------|----------|
| South Newport River Light 135 | 36620 | STRUCT MISSING/TRLB | FD       |

**Southwest Channel**

**Federal Discrepancies**

| NAME                                  | LLNR  | STATUS         | AID TYPE |
|---------------------------------------|-------|----------------|----------|
| Southwest Channel Light 2 (Tampa Bay) | 21840 | STRUCT MISSING | FD       |

**Sparkman Channel**

**Additional MSI Categories**

| TITLE   | SUBCATEGORY   | DESCRIPTION   | LOCATION |
|---|---------------|---|----------|
| Hillsborough Cut C Channel - Sparkman Channel/General/Marine Events/Other | Marine Events | General/Marine Events/Other 27134 A high concentration of small sailing vessels will be in the vicinity of Davis Islands, Tampa, FL from 4-7 PM M-F and 9AM to 4 PM Sat and Sun. Starting September 2025 and continuing to May 2026. Mariners are advised to exercise caution while in the vicinity of the sailing vessels. |          |

**St Andrew Sound**

**Federal Discrepancies**

| NAME                            | LLNR  | STATUS                           | AID TYPE |
|---------------------------------|-------|----------------------------------|----------|
| St Andrew Sound Lighted Buoy 30 | 37380 | BUOY DMGD/HAZ NAV/LT EXT/SINKING | FD       |
| St Andrew Sound Buoy 29A        | 37375 | MISSING                          | FD       |
| St Andrew Sound Lighted Buoy 32 | 37385 | OFF STA                          | FD       |

**St Augustine Inlet**

**Federal Discrepancies**

| NAME                              | LLNR | STATUS  | AID TYPE |
|-----------------------------------|------|---------|----------|
| St Augustine Inlet Buoy 2         | 9480 | MISSING | FD       |
| St Augustine Inlet Buoy 3         | 9485 | MISSING | FD       |
| St Augustine Inlet Lighted Buoy 5 | 9495 | MISSING | FD       |
| St Augustine Inlet Lighted Buoy 6 | 9497 | MISSING | FD       |
| St Augustine Inlet Buoy 10        | 9510 | OFF STA | FD       |

**St Catherines Sound**

**Federal Discrepancies**

| NAME                               | LLNR | STATUS  | AID TYPE |
|------------------------------------|------|---------|----------|
| St Catherines Sound Lighted Buoy 2 | 5795 | MISSING | FD       |
| St Catherines Sound Buoy 1         | 5800 | MISSING | FD       |
| St Catherines Sound Buoy 3         | 5805 | MISSING | FD       |

**St Helena Sound**

**Federal Discrepancies**

| NAME                            | LLNR | STATUS  | AID TYPE |
|---------------------------------|------|---------|----------|
| St Helena Sound Entrance Buoy 4 | 3965 | MISSING | FD       |

**Private Discrepancies**

| NAME                      | LLNR | STATUS             | AID TYPE |
|---------------------------|------|--------------------|----------|
| Hunting Island Pier Light | 4070 | STRUCT DEST/LT EXT | PA       |

**St Johns River**

**Federal Discrepancies**

| NAME                             | LLNR | STATUS                   | AID TYPE |
|----------------------------------|------|--------------------------|----------|
| Pilot Town Cut Range Front Light | 7200 | LT EXT                   | FD       |
| Trapac Turning Basin Buoy C      | 7463 | SINKING                  | FD       |
| Christopher Point Light 5        | 7725 | DAYMK MISSING            | FD       |
| Goodbys Creek Light 1            | 7765 | OFF STATION              | FD       |
| Beauclerc Bluff Light 9          | 7770 | STRUCT DEST              | FD       |
| Forrester Point Light 42B        | 8135 | DAYMK MISSING            | FD       |
| Upper Palatka Daybeacon 3        | 8205 | STRUCT MISSING/TRUB      | FD       |
| Stephens Point Daybeacon 46      | 8415 | STRUCT DEST/TRUB         | FD       |
| Mothers Arms Daybeacon 4         | 9425 | STRUCT DEST              | FD       |
| St Johns Bluff Light S           | 7335 | STRUCT DEST/TRLB         | FD       |
| Winter Point Daybeacon           | 7670 | STRUCT DEST/TRUB         | FD       |
| Winter Point Light 1             | 7675 | STRUCT DEST/TRLB         | FD       |
| Winter Point Light 2             | 7680 | STRUCT DEST/TRLB         | FD       |
| Ortega River Shoal Daybeacon     | 7685 | STRUCT DEST/TRUB         | FD       |
| Red Bay Point Light 22           | 7895 | STRUCT DEST/TRLB         | FD       |
| Tocoi Cut Entrance Light 33      | 7935 | HAZ NAV/STRUCT DMGD/TRLB | FD       |
| Upper Palatka Light 1            | 8195 | LT EXT                   | FD       |
| Upper Palatka Light 2            | 8200 | LT EXT                   | FD       |
| Rivercrest Light 10              | 8235 | LT EXT                   | FD       |
| Nashua Daybeacon 42A             | 8390 | STRUCT DEST/TRUB         | FD       |
| Adams Lake Daybeacon 23          | 8910 | STRUCT DEST/HAZ NAV/TRLB | FD       |
| Wekiva Cutoff Daybeacon 95       | 9155 | STRUCT DEST              | FD       |

**Private Discrepancies**

| NAME                         | LLNR              | STATUS  | AID TYPE |
|------------------------------|-------------------|---------|----------|
| Ortega River Lighted Buoy 2  | 7696              | MISSING | PA       |
| Ortega River Lighted Buoy 13 | 7697              | MISSING | PA       |
| Goodbys Creek Channel Buoy 4 | 7765.3            | OFF STA | PA       |
| Goodbys Creek Channel Buoy 5 | 7765.400000000001 | OFF STA | PA       |

**Temporary Changes**

| NAME   | LLNR   | STATUS      | AID TYPE |
|--|--------|-------------|----------|
| Mile Point Temporary Lower Range Front Light | 7260.2 | ESTABLISHED | FD       |
| Mile Point Temporary Lower Range Rear Light  | 7265.2 | ESTABLISHED | FD       |
| Training Wall Temporary Range Front Light    | 7295.2 | ESTABLISHED | FD       |
| Drummond Creek Temporary Range Front Light   | 7515.2 | ESTABLISHED | FD       |

**Additional MSI Categories**

| TITLE | SUBCATEGORY | DESCRIPTION | LOCATION |
|-------|-------------|-------------|----------|
|       |             |             |          |

|   |                           |   |  |
|---|---------------------------|---|--|
| Sector Jacksonville, Submerged Land Act (SLA) - St Johns River/ATON/Advanced Notice of Change | Advanced Notice of Change | St. Johns Bluff LB 30 (LLNR 7329) will be permanently relocated to 30-23-32.020N/081-29-29.730W. This change calls to relocate (6) lighted buoys in the White Shells, St. Johns Bluff, Fulton Cutoff, and Blount Island Turning Basin channels of the St. Johns River. These relocations are needed as a result of channel deepening and widening, as part of the JaxPort expansion project. The position changes will allow safe navigation for vessels transiting the St. Johns River. The following aids to navigation are being proposed to be relocated to facilitate this change. All positions listed are approximate. Permanent positions will be advertised when the work is completed.  | Lat: 30° 23' 32"<br>Lon: -081° 29' 30" |
| Sector Jacksonville, Submerged Land Act (SLA) - St Johns River/ATON/Advanced Notice of Change | Advanced Notice of Change | Training Wall RFL (LLNR 7295) will be relocated to approximate position: 30-23-48.120N/081-28-41.707W to align with the newly dredged channel. In addition, both Training Wall RFL and Training Wall RRL will be changed to a 24-hour optic. All day marks will be permanently discontinued.  | Lat: 30° 23' 47"<br>Lon: -081° 28' 39" |
| Sector Jacksonville, Submerged Land Act (SLA) - St Johns River/ATON/Advanced Notice of Change | Advanced Notice of Change | Training Wall RRL (LLNR 7300) will be relocated to approximate position: 30-23-57.479N/081-28-54.848W to align with the newly dredged channel. In addition, both Training Wall RFL and Training Wall RRL will be changed to a 24-hour optic. All day marks will be permanently discontinued.  | Lat: 30° 23' 58"<br>Lon: -081° 28' 55" |
| Sector Jacksonville, Submerged Land Act (SLA) - St Johns River/General/Bridges/Construction   | Bridges                   | General/Bridges/Construction From: 2025-05-06 To: 2026-06-01 Location: No coordinates available Bridge Name: Shands Bridge Construction has begun on a new high-level fixed bridge and will continue until an estimated completion date of September 1, 2030. The new bridge will consist of a vertical clearance of 65 feet and a 150-Ft. horizontal clearance at the navigation channel. Construction will require the use of material storage barges and barge-mounted cranes; all in-water equipment is required to be lighted at night. Work activities on the new bridge will include pier construction, girder erection, fender system installation, and overhead deck operations that could present a hazard to marine traffic. This phase will require periodic channel restrictions or short-term closures and is tentatively scheduled to take place in 2027. Short-term channel closures will also be required during the demolition of the existing structure tentatively scheduled to take place in 2029. Work barges and associated in-water equipment will be in the vicinity of the bridge. All mariners are advised to transit the area with caution. | Lat: 29° 59' 03"<br>Lon: -081° 37' 08" |

## St Joseph Sound

### Federal Discrepancies

| NAME                         | LLNR  | STATUS                   | AID TYPE |
|------------------------------|-------|--------------------------|----------|
| St Joseph Sound Daybeacon 1  | 61850 | STRUCT MISSING           | FD       |
| St Joseph Sound Daybeacon 9  | 61885 | STRUCT DEST/TRUB         | FD       |
| St Joseph Sound Daybeacon 15 | 61970 | STRUCT DEST/TRUB         | FD       |
| St Joseph Sound Daybeacon 21 | 62035 | STRUCT DEST/TRUB         | FD       |
| St Joseph Sound Daybeacon 38 | 62275 | STRUCT DEST/HAZ NAV/TRLB | FD       |
| St Joseph Sound Light 39     | 62280 | STRUCT DEST/TRLB/HAZ NAV | FD       |
| St Joseph Sound Daybeacon 40 | 62285 | STRUCT DEST/HAZ NAV/TRLB | FD       |

### Private Discrepancies

| NAME                                | LLNR  | STATUS        | AID TYPE |
|-------------------------------------|-------|---------------|----------|
| Safety Harbor Marina Light 2        | 24375 | DAYMK MISSING | PA       |
| Safety Harbor Marina Daybeacon 3    | 24380 | DAYMK DMGD    | PA       |
| Safety Harbor Marina Daybeacon 4    | 24385 | DAYMK MISSING | PA       |
| Caladesi Island Channel Daybeacon 7 | 61935 | DAYMK DMGD    | PA       |
| Caladesi Island Channel Daybeacon 7 | 61935 | DAYMK MISSING | PA       |
| Caladesi Island Channel Daybeacon 8 | 61940 | DAYMK DMGD    | PA       |

### Temporary Changes

| NAME                         | LLNR  | STATUS | AID TYPE |
|------------------------------|-------|--------|----------|
| St Joseph Sound Daybeacon 38 | 62275 | TRLB   | FD       |

### Additional MSI Categories

| TITLE   | SUBCATEGORY           | DESCRIPTION   | LOCATION |
|---|-----------------------|---|----------|
| Clearwater Harbor - St Joseph Sound/General/Hazards To Navigation/Shoaling Reported | Hazards To Navigation | General/Hazards To Navigation/Shoaling Reported 20402 All mariners are advised that extreme shoaling and shallow water has developed throughout Hurricane Pass Channel in between Caladesi and Honeymoon Islands in Pinellas County, FL, specifically in the vicinity when transiting between Hurricane Pass Channel Daybeacons 8 through 11. All mariners are advised to use extreme caution while transiting Hurricane Pass Channel to the potentially hazardous conditions. For further information please contact U.S. Coast Guard Sector St. Petersburg at (727) 824-7506. |          |

## St Lucie Canal

### Federal Discrepancies

| NAME                         | LLNR  | STATUS           | AID TYPE |
|------------------------------|-------|------------------|----------|
| St Lucie Canal Daybeacon 38  | 51120 | STRUCT DEST/TRUB | FD       |
| St Lucie Canal Daybeacon 40A | 51140 | STRUCT DEST/TRUB | FD       |

## St Lucie Inlet

### Federal Discrepancies

| NAME | LLNR | STATUS | AID TYPE |
|------|------|--------|----------|
|------|------|--------|----------|

|                        |       |                     |    |
|------------------------|-------|---------------------|----|
| St Lucie Inlet Light 4 | 10003 | STRUCT MISSING      | FD |
| St Lucie Inlet Light 3 | 10000 | STRUCT MISSING/TRLB | FD |

### Private Discrepancies

| NAME                              | LLNR  | STATUS      | AID TYPE |
|-----------------------------------|-------|-------------|----------|
| Southern Port Salerno Daybeacon 2 | 10177 | STRUCT DEST | PA       |

## St Lucie River

### Federal Discrepancies

| NAME                         | LLNR    | STATUS                       | AID TYPE |
|------------------------------|---------|------------------------------|----------|
| St Lucie River Daybeacon 8A  | 50712   | STRUCT DEST/OFF STATION/TRLB | FD       |
| St Lucie River Light 11      | 50720   | STRUCT DEST/HAZ NAV/TRLB     | FD       |
| St Lucie River Light 13      | 50730   | STRUCT DMGD/TRLB             | FD       |
| St Lucie River Daybeacon 5   | 50675   | STRUCT DEST/TRUB             | FD       |
| St Lucie River Daybeacon 12A | 50725.5 | STRUCT DEST                  | FD       |
| St Lucie River Daybeacon 22A | 50780   | STRUCT DEST/TRUB             | FD       |
| St Lucie River Light 23A     | 50835   | STRUCT DEST/HAZ NAV/TRLB     | FD       |

### Private Discrepancies

| NAME   | LLNR                | STATUS      | AID TYPE |
|--|---------------------|-------------|----------|
| Rocky Point Access Channel Daybeacon 1             | 50641               | STRUCT DEST | PA       |
| Manatee Pocket Channel Daybeacon 2                 | 50677.1             | STRUCT DEST | PA       |
| Manatee Pocket Channel Daybeacon 10                | 50677.5             | STRUCT DEST | PA       |
| Manatee Pocket Channel North Extension Daybeacon 5 | 50678.2000000000004 | STRUCT DEST | PA       |
| St. Lucie River Stuart Ext Daybeacon 1             | 50838               | STRUCT DEST | PA       |

### Additional MSI Categories

| TITLE  | SUBCATEGORY               | DESCRIPTION   | LOCATION                               |
|--|---------------------------|---|--|
| St Lucie Inlet - St Lucie River/ATON/Advanced Notice of Change | Advanced Notice of Change | Woods Point Daybeacon 1 (LLNR 50760) will be changed to Woods Point Buoy 1 (LLNR 50760). This change will give mariners a more reliable signal when transiting this channel.  | Lat: 27° 12' 18"<br>Lon: -080° 12' 47" |
| St Lucie Inlet - St Lucie River/General/Bridges/Temp Deviation | Bridges                   | General/Bridges/Temp Deviation From: 2024-12-31 To: 2025-06-01 Location: 27.20368° N / 80.26011° W Bridge Name: Florida East Coast Railroad Bridge The Temporary Interim Rule (TIR) has been extended through September 30, 2025. The railroad bridge will operate in accordance with 33 CFR 117.317(k). A Final Rule has been published in the Federal Register making the specific operating requirements outlined in the TIR permanent. This action is effective November 17, 2025. The permanent specific operating requirements will be updated in 33 CFR 117.317(c) on that date. | Lat: 27° 12' 13"<br>Lon: -080° 15' 36" |

## St Lucie River North Fork

### Federal Discrepancies

| NAME                                    | LLNR  | STATUS      | AID TYPE |
|---|-------|-------------|----------|
| St Lucie River (North Fork) Daybeacon 7 | 50885 | STRUCT DEST | FD       |

### Private Discrepancies

| NAME                                      | LLNR  | STATUS              | AID TYPE |
|---|-------|---------------------|----------|
| Seagate Harbor Daybeacon 1                | 50861 | STRUCT DEST/HAZ NAV | PA       |
| St. Lucie River (North Fork) Daybeacon 11 | 50905 | STRUCT DEST         | PA       |

### Additional MSI Categories

| TITLE   | SUBCATEGORY               | DESCRIPTION   | LOCATION                               |
|---|---------------------------|---|--|
| St Lucie River - St Lucie River North Fork/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change 22880 Location: 27.20914° N / 80.26947° W Aid Name: St Lucie River (North Fork) Daybeacon 5 LLNR: 50855 Action: CHANGE Action Type Change Aid Subtype The U.S. Coast Guard has approved the following change in the St. Lucie River. St. Lucie River N. Fork DBN 5 (LLNR 50855) will be changed to St. Lucie River N. Fork LT 5, using the same LLNR. This aid is currently located near a bend on the St Lucie River (North Fork) and unlighted. Given the turn for the channel it is best to install a light on the aid to provide a better signal during nighttime hours. There are currently no lighted aids in the immediate area. Lighting this aid would keep the maritime community safer and assist with navigation while transiting the river. | Lat: 27° 12' 33"<br>Lon: -080° 16' 10" |
| St Lucie River - St Lucie River North Fork/General/Bridges/Rehabilitation | Bridges                   | General/Bridges/Rehabilitation From: 2024-11-22 To: 2025-11-30 Location: 27.27175° N / 80.32449° W Bridge Name: Port St Lucie Boulevard Bridge - Long Creek Seacoast Inc. will be conducting repairs on the bridges across Long Creek. The improvements under this contract consist of structures, riprap, bedding stone, earthwork (excavation), clearing and grubbing, MOT, environmental protections, and monitor existing structures along State Road 716 at Long Creek. In-water equipment will be present, the waterway will not be fully obstructed at any time.   | Lat: 27° 16' 18"<br>Lon: -080° 19' 28" |
| St Lucie River - St Lucie River North Fork/General/Bridges/Rehabilitation | Bridges                   | General/Bridges/Rehabilitation From: 2024-11-22 To: 2025-11-30 Location: 27.27173° N / 80.32221° W Bridge Name: Port St Lucie Boulevard Bridge - North Fork St Lucie River Seacoast Inc. will be conducting repairs on the bridges across North Fork St Lucie River. The improvements under this contract consist of structures, riprap, bedding stone, earthwork (excavation), clearing and grubbing, MOT, environmental protections, and monitor existing structures along State Road 716 at North Fork St Lucie River. In-water equipment will be present, the waterway will not be fully obstructed at any time.  | Lat: 27° 16' 18"<br>Lon: -080° 19' 20" |

## St Lucie River South Fork

### Federal Discrepancies

| NAME                                      | LLNR  | STATUS           | AID TYPE |
|---|-------|------------------|----------|
| St Lucie River South Fork Light 27        | 51050 | STRUCT DEST      | FD       |
| St Lucie River (South Fork) Daybeacon 24  | 51000 | STRUCT DEST/TRUB | FD       |
| St Lucie River (South Fork) Daybeacon 25A | 51010 | STRUCT DEST      | FD       |

## St Marys Entrance

### Federal Discrepancies

| NAME                             | LLNR | STATUS              | AID TYPE |
|----------------------------------|------|---------------------|----------|
| St Marys Entrance Lighted Buoy 3 | 6535 | MISSING             | FD       |
| St Marys Daybeacon N             | 6680 | STRUCT DEST/HAZ NAV | FD       |
| St Marys South Jetty Buoy B      | 6615 | MISSING             | FD       |
| St Marys North Jetty Buoy C      | 6620 | MISSING             | FD       |
| St Marys South Jetty Buoy D      | 6625 | OFF STATION         | FD       |

## St Marys River

### Federal Discrepancies

| NAME                       | LLNR | STATUS           | AID TYPE |
|----------------------------|------|------------------|----------|
| St Marys River Daybeacon 8 | 6810 | STRUCT DEST/TRUB | FD       |

## St Petersburg Channel

### Private Discrepancies

| NAME                         | LLNR    | STATUS              | AID TYPE |
|------------------------------|---------|---------------------|----------|
| Snell Isle Daybeacon 4       | 25020.2 | STRUCT DEST/HAZ NAV | PA       |
| Snell Isle Daybeacon 5       | 25020.3 | STRUCT DEST         | PA       |
| Coffee Pot Bayou Daybeacon 1 | 25021   | STRUCT DEST         | PA       |

## St Petersburg Yacht Basin

### Federal Discrepancies

| NAME                              | LLNR  | STATUS           | AID TYPE |
|-----------------------------------|-------|------------------|----------|
| St Petersburg Yacht Basin Light 1 | 25015 | STRUCT DMGD/TRLB | FD       |

### Private Discrepancies

| NAME                                | LLNR               | STATUS  | AID TYPE |
|-------------------------------------|--------------------|---------|----------|
| St. Petersburg Mooring Field Buoy B | 25009.100000000002 | MISSING | PA       |
| St. Petersburg Mooring Field Buoy C | 25009.2            | MISSING | PA       |

## St Simons Sound

### Federal Discrepancies

| NAME                                     | LLNR | STATUS      | AID TYPE |
|--|------|-------------|----------|
| Cedar Hammock Outbound Range Front Light | 6205 | STRUCT DEST | FD       |
| Plantation Creek Range Rear Light        | 6135 | STRUCT DEST | FD       |

## Steinhatchee River

### Federal Discrepancies

| NAME                            | LLNR    | STATUS                      | AID TYPE |
|---------------------------------|---------|-----------------------------|----------|
| Steinhatchee River Daybeacon 3  | 30460   | HAZ NAV/STRUCT DEST         | FD       |
| Steinhatchee River Light 9      | 30480   | STRUCT DEST/TRLB/HAZ NAV    | FD       |
| Steinhatchee River Daybeacon 14 | 30490.5 | STRUCT DEST/TRUB            | FD       |
| Steinhatchee River Daybeacon 34 | 30570   | STRUCT MISSING/HAZ NAV/TRLB | FD       |
| Steinhatchee River Daybeacon 48 | 30580.9 | STRUCT DEST/TRUB            | FD       |

## Stono River

### Federal Discrepancies



| NAME                      | LLNR  | STATUS           | AID TYPE |
|---------------------------|-------|------------------|----------|
| Stono River Daybeacon 19A | 34635 | STRUCT DEST/TRUB | FD       |

### Stranahan River

#### Additional MSI Categories

| TITLE   | SUBCATEGORY           | DESCRIPTION  | LOCATION                               |
|---|-----------------------|--|--|
| Port Everglades - Stranahan River/General/Bridges/Temp Deviation        | Bridges               | General/Bridges/Temp Deviation From: 2025-05-22 To: 2025-11-29 Location: 26.10057° N / 80.11856° W Bridge Name: Southeast 17th Street Bridge - AICW The Coast Guard has issued a temporary deviation to test a proposed change to the drawbridge operating schedule. This temporary deviation is effective from 6 a.m. on June 2, 2025, through 11:59 p.m. on November 28, 2025. Under the temporary deviation, the bridge shall open on the hour and half-hour; except that from 6:50 a.m. to 9:10 a.m. and from 3:50 p.m. to 6:10 p.m., Monday through Friday, except Federal holidays, the drawbridge shall open once an hour at the top of the hour. You may submit comments identified by docket number USCG-2025-0464 at https://www.regulations.gov. Comments and related material must reach the Coast Guard on or before August 25, 2025. | Lat: 26° 06' 02"<br>Lon: -080° 07' 07" |
| Port Everglades - Stranahan River/General/Hazards To Navigation/Hazards | Hazards To Navigation | General/Hazards To Navigation/Hazards 20853 Location: 26.11168° N / 80.11807° W Large concrete block just below the waterline at low tide.   | Lat: 26° 06' 42"<br>Lon: -080° 07' 05" |

### Sunset Harbour Channel

#### Federal Discrepancies

| NAME                         | LLNR  | STATUS           | AID TYPE |
|------------------------------|-------|------------------|----------|
| Flagler Monument Daybeacon 2 | 48145 | STRUCT DEST/TRUB | FD       |

#### Private Discrepancies

| NAME                           | LLNR  | STATUS | AID TYPE |
|--------------------------------|-------|--------|----------|
| Sunset Harbour Channel Light 8 | 48110 | LT EXT | PA       |

#### Additional MSI Categories

| TITLE  | SUBCATEGORY | DESCRIPTION   | LOCATION                               |
|--|-------------|---|--|
| Miami Main Channel - Sunset Harbour Channel/General/Bridges/Temp Deviation | Bridges     | General/Bridges/Temp Deviation From: 2025-08-14 To: 2025-12-08 Location: 25.79124° N / 80.15219° W Bridge Name: East Venetian Causeway Bridge The bridge need not open to navigation including tugs and tugs with tows, as follows: - From 3 p.m. to 8 p.m., December 1, 2025, through December 5, 2025 - From 3 p.m. to 7 p.m., December 6 and 7, 2025 At all other times, the bridge will operate per the drawbridge regulation. Public vessels of the United States and vessels in distress shall be passed at any time. | Lat: 25° 47' 28"<br>Lon: -080° 09' 08" |
| Miami Main Channel - Sunset Harbour Channel/General/Bridges/Temp Deviation | Bridges     | General/Bridges/Temp Deviation From: 2025-09-19 To: 2026-01-26 Location: 25.79124° N / 80.15219° W Bridge Name: East Venetian Bridge The bridge need not open to navigation tugs with tows, from 6:10 a.m. until 10 a.m. on Sunday, January 25, 2026. This closure is to facilitate the 2026 Annual Miami Marathon and Half Marathon. Public vessels of the United States and vessels in distress shall be passed at any time.  | Lat: 25° 47' 28"<br>Lon: -080° 09' 08" |

### Suwannee Sound South Entrance

#### Federal Discrepancies

| NAME                                       | LLNR  | STATUS         | AID TYPE |
|--|-------|----------------|----------|
| Suwannee Sound South Entrance Daybeacon 2  | 30015 | STRUCT MISSING | FD       |
| Suwannee Sound South Entrance Daybeacon 7  | 30030 | STRUCT MISSING | FD       |
| Suwannee Sound South Entrance Daybeacon 11 | 30040 | STRUCT MISSING | FD       |
| Suwannee Sound South Entrance Daybeacon 15 | 30050 | STRUCT MISSING | FD       |

### Tamp Bay Cut C Channel

#### Federal Discrepancies

| NAME   | LLNR  | STATUS           | AID TYPE |
|--|-------|------------------|----------|
| Tampa Bay Cut C Channel Outbound Range Front Light | 22580 | TRLT/REDUCED INT | FD       |
| Tampa Bay Cut C Channel Outbound Range Rear Light  | 22585 | TRLT             | FD       |

### Tampa Bay

#### Private Discrepancies

| NAME                               | LLNR  | STATUS                | AID TYPE |
|------------------------------------|-------|-----------------------|----------|
| Little Harbor Channel Daybeacon 4  | 24505 | STRUCT DEST           | PA       |
| Little Harbor Marina Daybeacon 3   | 24570 | STRUCT DEST           | PA       |
| Cockroach Bay Channel Daybeacon 2  | 22635 | HAZ NAV/DAYMK MISSING | PA       |
| Cockroach Bay Channel Daybeacon 8  | 22665 | DAYMK MISSING         | PA       |
| Cockroach Bay Channel Daybeacon 11 | 22680 | DAYMK MISSING         | PA       |

|                                    |         |                       |    |
|------------------------------------|---------|-----------------------|----|
| Cockroach Bay Channel Daybeacon 15 | 22696   | STRUCT DEST           | PA |
| Little Harbor Channel Daybeacon 7  | 24515   | STRUCT DEST           | PA |
| Little Harbor Marina Daybeacon 6   | 24585   | HAZ NAV/DAYMK MISSING | PA |
| Simmons Park Channel Daybeacon 3   | 24606.2 | HAZ NAV/DAYMK MISSING | PA |
| Simmons Park Channel Daybeacon 4   | 24606.3 | STRUCT DEST/HAZ NAV   | PA |
| Simmons Park Channel Daybeacon 13  | 24607.2 | STRUCT DEST           | PA |
| Apollo Beach Daybeacon 4           | 24625   | DAYMK DMGD            | PA |
| Apollo Beach Daybeacon 9           | 24643   | STRUCT DEST           | PA |
| Harbor Channel Daybeacon 3         | 24663.2 | STRUCT DEST           | PA |

### Additional MSI Categories

| TITLE   | SUBCATEGORY                             | DESCRIPTION  | LOCATION |
|---|---|--|----------|
| Paradise Bay Estates Channel - Tampa Bay/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes 22438 Archer Western/Traylor Bros. JV will be conducting demolition of the Existing Northbound HFB Bridge (The 60's Bridge - Southernmost Bridge of the 3 Howard Frankland Bridges). The project is estimated to begin on July 11, 2025, with an estimated completion date of December 31, 2025. Operations will be conducted 7 days a week 5 a.m. to 5 p.m. Divers to be actively working at/near demolition operations during the day. There will be various Crane/Material Barges, Manlift Barges, Dive Support Barges, Tugboats, and Crew boats inside a 1,000-foot work zone south of the bridge and 500-foot north of the bridge. Prior to the start of Demolition, 7 to 8 mooring buoy's will be anchored on the South Side of the Bridge about 1,000 feet off the South Bridge. Approximate positions of the buoys are as follows: 027-55-40.59N / 082-34-29.22W 027-55-35.38N / 082-34-44.80W 027-55-29.39N / 082-34-57.49W 027-55-23.05N / 082-35-22.25W 027-55-18.11N / 082-35-31.91W 027-55-26.09N / 082-35-10.15W During the removal of the Main Spans, demolition equipment will need to occupy the navigational channel between Pier 161 and 162 of Bridge No. 150107. Also, work will continue on the Fender System as demolition begins. Main Channel to be impeded during Fender Work. They will have tugboats actively working every shift while the channel is obstructed and barges can be moved out of the channel within 30 minutes to an hour. Tugboats will be bringing Material Barges to and from the Mooring Fleet to the Tyson Yard, passing through the Gandy Bridge. VHF-FM channels monitored: 13, 22A, and 16. |          |

### Tampa Bay Cut D Channel

#### Federal Discrepancies

| NAME  | LLNR               | STATUS      | AID TYPE |
|---|--------------------|-------------|----------|
| Tampa Bay Cut D Channel Outbound Range Rear Light         | 22715              | STRUCT DEST | FD       |
| Tampa Bay Cut D Channel Outbound Range Rear Passing Light | 22715.100000000002 | STRUCT DEST | FD       |

### Tampa Bay Cut E Channel

#### Federal Discrepancies

| NAME   | LLNR    | STATUS                   | AID TYPE |
|--|---------|--------------------------|----------|
| Tampa Bay Cut E Channel Inbound Range Rear Light               | 22765   | STRUCT DEST/HAZ NAV/TRLB | FD       |
| Tampa Bay Cut E Channel Inbound Range Rear Light Passing Light | 22765.5 | STRUCT DEST              | FD       |

#### Private Discrepancies

| NAME                          | LLNR  | STATUS      | AID TYPE |
|-------------------------------|-------|-------------|----------|
| North Yacht Basin Daybeacon 2 | 22786 | STRUCT DEST | PA       |

### Tampa Bay Cut F Channel

#### Federal Discrepancies

| NAME   | LLNR    | STATUS | AID TYPE |
|--|---------|--------|----------|
| Tampa Bay Cut F Inbound Range Rear Passing Light | 22815.2 | LT EXT | FD       |

### Tampa Bay Cut J Channel

#### Federal Discrepancies

| NAME   | LLNR  | STATUS | AID TYPE |
|--|-------|--------|----------|
| Tampa Bay Cut J Channel Inbound Range Rear Light | 23715 | LT EXT | FD       |

### Taylor Creek Channel

#### Federal Discrepancies

| NAME                             | LLNR  | STATUS      | AID TYPE |
|----------------------------------|-------|-------------|----------|
| Taylor Creek Channel Daybeacon 3 | 45100 | STRUCT DEST | FD       |

### Terminal Channel

#### Private Discrepancies

| NAME | LLNR | STATUS | AID TYPE |
|------|------|--------|----------|
|      |      |        |          |

|                                     |      |        |    |
|-------------------------------------|------|--------|----|
| Jacksonville Shipyards Pier 6 Light | 7655 | LT EXT | PA |
|-------------------------------------|------|--------|----|

### Terra Ceia Bay

#### Federal Discrepancies

| NAME                       | LLNR  | STATUS      | AID TYPE |
|----------------------------|-------|-------------|----------|
| Terra Ceia Bay Daybeacon 3 | 22150 | STRUCT DEST | FD       |

### The Bight Channel

#### Federal Discrepancies

| NAME                       | LLNR | STATUS              | AID TYPE |
|----------------------------|------|---------------------|----------|
| The Bight Channel Light 44 | 4920 | STRUCT MISSING/TRLB | FD       |

### Titusville Yacht Basin

#### Federal Discrepancies

| NAME                               | LLNR  | STATUS           | AID TYPE |
|------------------------------------|-------|------------------|----------|
| Titusville Yacht Basin Daybeacon 1 | 41210 | STRUCT DEST/TRUB | FD       |
| Titusville Yacht Basin Daybeacon 3 | 41220 | STRUCT DEST/TRUB | FD       |

### Tolomato River

#### Federal Discrepancies

| NAME                           | LLNR    | STATUS                   | AID TYPE |
|--------------------------------|---------|--------------------------|----------|
| Tolomato River Light 58A       | 38893   | STRUCT DEST/TRLB         | FD       |
| Tolomato River Light 9         | 38645   | STRUCT DEST/HAZ NAV/TRLB | FD       |
| Tolomato River Light 45        | 38800   | STRUCT DEST/TRLB         | FD       |
| Tolomato River Light 57A       | 38885   | STRUCT DEST/TRLB         | FD       |
| Tolomato River Lighted Buoy 59 | 38905.5 | MISSING                  | FD       |

#### Private Discrepancies

| NAME                                      | LLNR  | STATUS | AID TYPE |
|---|-------|--------|----------|
| Fdot Villano Bridge South Breasting Light | 38834 | LT EXT | PA       |

### Treasure Island

#### Private Discrepancies

| NAME                      | LLNR  | STATUS                            | AID TYPE |
|---------------------------|-------|-----------------------------------|----------|
| Jungle Beach Daybeacon 2  | 61170 | STRUCT DEST/HAZ NAV/DAYMK MISSING | PA       |
| Jungle Beach Daybeacon 4  | 61180 | DAYMK DMGD                        | PA       |
| Jungle Beach Daybeacon 11 | 61215 | STRUCT DEST                       | PA       |

### Trout River

#### Federal Discrepancies

| NAME                    | LLNR | STATUS           | AID TYPE |
|-------------------------|------|------------------|----------|
| Trout River Daybeacon 2 | 7550 | STRUCT DEST/TRUB | FD       |

#### Private Discrepancies

| NAME                                  | LLNR              | STATUS          | AID TYPE |
|---------------------------------------|-------------------|-----------------|----------|
| Maxwell Boat Ramp Channel Daybeacon 5 | 7557.900000000001 | STRUCT DEST     | PA       |
| Ribault River Channel Lighted Buoy 1  | 7559              | MISSING/HAZ NAV | PA       |
| Ribault River Channel Lighted Buoy 3  | 7559.150000000001 | ADRIFT          | PA       |

### Turtle River

#### Federal Discrepancies

| NAME                         | LLNR | STATUS           | AID TYPE |
|------------------------------|------|------------------|----------|
| Turtle River Lighted Buoy 2A | 6322 | LT EXT           | FD       |
| Turtle River Light 4         | 6325 | STRUCT DEST/TRLB | FD       |
| Turtle River Daybeacon 10    | 6385 | STRUCT DEST/TRUB | FD       |

#### Private Discrepancies

| NAME   | LLNR | STATUS      | AID TYPE |
|--|------|-------------|----------|
| Hermitage Island Plant Outfall Obstruction Light | 6395 | STRUCT DEST | PA       |

### Additional MSI Categories

| TITLE   | SUBCATEGORY                             | DESCRIPTION  | LOCATION |
|---|---|--|----------|
| St Simons Sound - Turtle River/General/Marine Construction (Excluding Bridges)/Dredging | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Dredging 25171 Marinex Construction, Inc. will mobilize August 14, 2025, into the staging area upriver of the East River Turning Basin as shown in the attached. Crews will install submerged pipeline from the Colonel's Island Disposal Area across the Turtle River with a head section near the Turtle River Lower Range Front Light. The Dredge WADMALAW will operate in this area through approximately October 31, 2025. Operations will be conducted 24 hours a day / seven days a week and monitor VHF-FM channels 13 and 16. |          |

## Umbrella Creek

### Federal Discrepancies

| NAME                        | LLNR  | STATUS        | AID TYPE |
|-----------------------------|-------|---------------|----------|
| Umbrella Creek Daybeacon A9 | 37440 | DAYMK MISSING | FD       |

## Unknown

### Private Discrepancies

| NAME   | LLNR               | STATUS                | AID TYPE |
|--|--------------------|-----------------------|----------|
| Baynard Cove Creek Daybeacon 2                           | 4355               | STRUCT DEST           | PA       |
| Haig Point Light   | 4370               | LT IMCH               | PA       |
| Sebastian Inlet Channel Daybeacon 1A                     | 9730               | STRUCT DEST           | PA       |
| Sebastian Inlet Channel Daybeacon 5                      | 9750               | STRUCT DEST           | PA       |
| Sebastian Inlet Channel Daybeacon 10                     | 9775               | HAZ NAV/DAYMK MISSING | PA       |
| Sebastian Inlet Channel Daybeacon 17                     | 9810               | DAYMK MISSING         | PA       |
| Sebastian Inlet Channel Daybeacon 20                     | 9810.300000000001  | DAYMK MISSING         | PA       |
| Sebastian Inlet Channel Daybeacon 25                     | 9810.9             | DBD DEST              | PA       |
| Sebastian Inlet Channel Daybeacon 28                     | 9812.2             | STRUCT DEST/HAZ NAV   | PA       |
| Fisher Island Marina Channel North Obstruction Daybeacon | 10605              | DAYMK MISSING         | PA       |
| Fisher Island Breakwater East Obstruction Daybeacon      | 10650              | DAYMK MISSING         | PA       |
| Msrc Boundary Shoal Daybeacon                            | 10735              | DAYMK MISSING         | PA       |
| Ohio Key Channel Daybeacon 4                             | 12595              | STRUCT DEST/HAZ NAV   | PA       |
| Plymouth Harbor East Obstruction Daybeacon               | 21547              | STRUCT DEST/HAZ NAV   | PA       |
| Plymouth Harbor West Obstruction Daybeacon               | 21547.100000000002 | STRUCT DEST/HAZ NAV   | PA       |
| South Lido North Obstruction Daybeacon                   | 21555.100000000002 | STRUCT DEST/HAZ NAV   | PA       |
| South Lido South Obstruction Daybeacon                   | 21555.2            | STRUCT DEST/HAZ NAV   | PA       |
| Country Club Shores Daybeacon 4                          | 21665              | DAYMK DMGD            | PA       |
| Point Pinellas Daybeacon 1                               | 24740              | HAZ NAV/STRUCT DMGD   | PA       |
| Stump Pass Marina Daybeacon 2                            | 21390              | STRUCT DEST/HAZ NAV   | PA       |
| Stump Pass Marina Daybeacon 3                            | 21395              | STRUCT DEST/HAZ NAV   | PA       |
| Stump Pass Marina Daybeacon 4                            | 21400              | STRUCT DEST           | PA       |
| Big Sarasota Pass Buoy 7                                 | 21500.7            | MISSING               | PA       |
| Big Sarasota Pass Daybeacon 8                            | 21500.8            | STRUCT DEST           | PA       |
| Big Sarasota Pass Daybeacon 11                           | 21510              | STRUCT DEST           | PA       |
| Big Sarasota Pass Daybeacon 11A                          | 21510.5            | STRUCT DEST           | PA       |
| Big Sarasota Pass Daybeacon 13                           | 21515              | STRUCT DEST           | PA       |
| Big Sarasota Pass Daybeacon 15                           | 21525              | STRUCT DEST           | PA       |
| Big Sarasota Pass Daybeacon 16                           | 21570              | STRUCT DEST           | PA       |
| North Siesta Key Daybeacon 1                             | 21570.100000000002 | STRUCT DEST           | PA       |
| North Siesta Key Daybeacon 9                             | 21570.5            | STRUCT DEST           | PA       |
| North Siesta Key Daybeacon 11                            | 21570.600000000002 | STRUCT MISSING        | PA       |
| Big Sarasota Pass Daybeacon 18                           | 21577              | STRUCT DEST/HAZ NAV   | PA       |
| Big Sarasota Pass Daybeacon 19                           | 21580              | STRUCT DEST           | PA       |
| Country Club Shores Daybeacon 2                          | 21660              | DAYMK MISSING         | PA       |
| MacDill Marina Channel Daybeacon 2                       | 22975              | STRUCT DEST           | PA       |
| Point Pinellas Daybeacon 3                               | 24745              | STRUCT DEST/HAZ NAV   | PA       |
| Isleta Marina Pier A Light                               | 31240              | LT EXT                | PA       |
| Isleta Marina Pier B Light                               | 31245              | LT EXT                | PA       |
| Isleta Marina Pier C Light                               | 31250              | LT EXT                | PA       |
| Puerto Yabucoa Channel Range Front Light                 | 31745              | LT EXT/STRUCT DMGD    | PA       |
| Puerto Yabucoa Channel Range Rear Light                  | 31750              | LT EXT/STRUCT DMGD    | PA       |
| Las Mareas Range Front Light                             | 31810              | LT EXT                | PA       |
| Las Mareas Range Rear Light                              | 31815              | LT EXT                | PA       |

|  |                    |                                   |    |
|--|--------------------|-----------------------------------|----|
| Las Mareas Lighted Buoy 1                  | 31820              | OFF STA/LT EXT                    | PA |
| Las Mareas Lighted Buoy 2                  | 31825              | MISSING                           | PA |
| Las Mareas Light 4                         | 31835              | LT EXT                            | PA |
| Las Mareas Articulated Light 5             | 31840              | LT EXT                            | PA |
| Las Mareas Light 6                         | 31845              | LT EXT                            | PA |
| Las Mareas Pier Light (3)                  | 31850              | LT EXT                            | PA |
| Marsh Harbor Marina Daybeacon 3            | 35420              | DAYMK MISSING                     | PA |
| Marsh Harbor Marina Daybeacon 5            | 35430              | DAYMK MISSING                     | PA |
| Boat Works Channel Daybeacon 2             | 40135              | DAYMK MISSING                     | PA |
| Boat Works Channel Daybeacon 3             | 40140              | DAYMK MISSING                     | PA |
| Boat Works Channel Daybeacon 4             | 40145              | DAYMK MISSING                     | PA |
| Boat Works Channel Daybeacon 5             | 40150              | DAYMK MISSING                     | PA |
| Boat Works Channel Daybeacon 7             | 40160              | DAYMK DMGD                        | PA |
| Boat Works Channel Daybeacon 9             | 40170              | STRUCT DEST                       | PA |
| Matthews Marina Daybeacon 2                | 40255              | STRUCT DEST                       | PA |
| Matthews Marina Daybeacon 3                | 40260              | DAYMK IMCH                        | PA |
| Matthews Marina Daybeacon 5                | 40270              | DAYMK MISSING                     | PA |
| Seven Seas Marina Daybeacon 11             | 40330              | DAYMK MISSING                     | PA |
| Harbor Towne Marina Daybeacon 2            | 41245              | STRUCT DEST                       | PA |
| Harbor Towne Marina Daybeacon 4            | 41250              | STRUCT DEST                       | PA |
| Harbor Towne Marina Daybeacon 9            | 41265              | DAYMK MISSING                     | PA |
| Riverdeck Channel Daybeacon 1              | 41295              | STRUCT DEST                       | PA |
| Riverdeck Channel Daybeacon 2              | 41300              | STRUCT DEST                       | PA |
| Riverdeck Channel Daybeacon 3              | 41305              | STRUCT DEST                       | PA |
| Riverdeck Channel Daybeacon 4              | 41310              | STRUCT DEST                       | PA |
| Kennedy Yacht Club Channel Daybeacon 1     | 41345              | DAYMK MISSING                     | PA |
| Kennedy Yacht Club Channel Daybeacon 2     | 41350              | DAYMK MISSING                     | PA |
| Kennedy Yacht Club Channel Daybeacon 3     | 41355              | DAYMK IMCH                        | PA |
| Kennedy Yacht Club Channel Daybeacon 4     | 41360              | DAYMK IMCH                        | PA |
| Kennedy Yacht Club Channel Daybeacon 5     | 41365              | STRUCT DEST                       | PA |
| Kennedy Yacht Club Channel Daybeacon 7     | 41375              | STRUCT DEST                       | PA |
| Kennedy Yacht Club Channel Daybeacon 8     | 41380              | STRUCT DEST                       | PA |
| Kennedy Yacht Club Channel Daybeacon 9     | 41385              | STRUCT DEST                       | PA |
| Kennedy Yacht Club Channel Daybeacon 10    | 41390              | STRUCT DEST                       | PA |
| Orlando Utilities Comission Channel Buoy 2 | 41445              | MISSING                           | PA |
| Orlando Utilities Comission Channel Buoy 4 | 41450              | MISSING                           | PA |
| Orlando Utilities Comission Channel Buoy 5 | 41455              | MISSING                           | PA |
| Orlando Utilities Comission Channel Buoy 6 | 41460              | MISSING                           | PA |
| Orlando Utilities Comission Channel Buoy 7 | 41465              | MISSING                           | PA |
| Orlando Utilities Comission Channel Buoy 8 | 41470              | MISSING                           | PA |
| Indian Cove Marina Daybeacon 3             | 42140              | DAYMK DMGD                        | PA |
| Indian Cove Marina Daybeacon 5             | 42150              | DAYMK DMGD                        | PA |
| Indian Cove Marina Daybeacon 7             | 42160              | DAYMK DMGD                        | PA |
| Jays Harbor Lights Marina Daybeacon 1      | 42205              | HAZ NAV/DAYMK MISSING             | PA |
| Jays Harbor Lights Marina Daybeacon 2      | 42210              | HAZ NAV/DAYMK DMGD/STRUCT DMGD    | PA |
| Jays Harbor Lights Marina Daybeacon 3      | 42215              | DAYMK MISSING                     | PA |
| Jays Harbor Lights Marina Daybeacon 4      | 42220              | HAZ NAV/DAYMK MISSING/STRUCT DMGD | PA |
| Diamond 99 Marina Daybeacon 1              | 42290              | DAYMK MISSING                     | PA |
| Diamond 99 Marina Daybeacon 2              | 42295              | DAYMK IMCH                        | PA |
| Diamond 99 Marina Daybeacon 3              | 42300              | DAYMK MISSING                     | PA |
| Diamond 99 Marina Daybeacon 4              | 42305              | DAYMK MISSING                     | PA |
| Diamond 99 Marina Daybeacon 5              | 42310              | STRUCT DEST                       | PA |
| Diamond 99 Marina Daybeacon 6              | 42315              | DAYMK MISSING                     | PA |
| Diamond 99 Marina Daybeacon 7              | 42320              | DAYMK MISSING                     | PA |
| Diamond 99 Marina Light 8                  | 42325              | STRUCT DEST                       | PA |
| Inlet Marina Daybeacon 1                   | 43615              | DAYMK MISSING                     | PA |
| Inlet Marina Daybeacon 2                   | 43620              | DAYMK MISSING                     | PA |
| Inlet Marina Daybeacon 4                   | 43630              | DAYMK MISSING                     | PA |
| Sembler Daybeacon 5                        | 43655              | DAYMK MISSING                     | PA |
| Channel 68 Marina Daybeacon 1 (Abandoned)  | 43685.1            | STRUCT DEST/HAZ NAV               | PA |
| Channel 68 Marina Daybeacon 2 (Abandoned)  | 43685.200000000004 | STRUCT DEST                       | PA |
| Channel 68 Marina Daybeacon 6 (Abandoned)  | 43685.6            | STRUCT DEST                       | PA |
| Loggerhead Marina Daybeacon 10             | 44015              | DAYMK MISSING                     | PA |
| Vero Isles Daybeacon 4                     | 44405              | STRUCT DEST                       | PA |

|  |                    |                           |    |
|--|--------------------|---------------------------|----|
| Village Marina Daybeacon 2                   | 44985              | STRUCT DEST               | PA |
| Riverside Marina (Ft. Pierce) Daybeacon 1    | 45035              | STRUCT DEST               | PA |
| Riverside Marina(Ft. Pierce) Daybeacon 3     | 45045              | STRUCT DEST               | PA |
| Riverside Marina(Ft. Pierce) Daybeacon 4     | 45050              | DAYMK IMCH                | PA |
| Riverside Marina(Ft. Pierce) Daybeacon 5     | 45055              | STRUCT DEST               | PA |
| Riverside Marina(Ft. Pierce) Daybeacon 7     | 45065              | DAYMK MISSING             | PA |
| Riverside Marina(Ft. Pierce) Daybeacon 8     | 45070              | DAYMK MISSING             | PA |
| Faber Cove Daybeacon 3                       | 45135              | STRUCT DEST/HAZ NAV       | PA |
| Faber Cove Daybeacon 14                      | 45185              | STRUCT DEST               | PA |
| Jensen Beach Channel Daybeacon 4             | 45495              | STRUCT MISSING            | PA |
| Jensen Beach Channel Daybeacon 5             | 45500              | STRUCT MISSING            | PA |
| Jensen Beach Channel Daybeacon 6             | 45505              | STRUCT MISSING            | PA |
| Miles Grant Daybeacon 2                      | 45980              | DAYMK IMCH                | PA |
| Miles Grant Daybeacon 4                      | 45990              | DAYMK IMCH                | PA |
| Miles Grant Daybeacon 6                      | 45995              | DAYMK IMCH                | PA |
| New Port Cove Marine Ctr Daybeacon 2         | 46620              | STRUCT DEST               | PA |
| Rybovich Spencer Ctr Channel Daybeacon 1     | 46780              | STRUCT DEST               | PA |
| Rybovich Spencer Ctr Channel Daybeacon 3     | 46790              | STRUCT DEST               | PA |
| Rybovich Spencer South Channel Daybeacon 1   | 46800              | STRUCT DEST               | PA |
| Rybovich Spencer South Channel Daybeacon 3   | 46810              | STRUCT DEST               | PA |
| Manalapan Channel Buoy 1                     | 47007              | STRUCT DEST               | PA |
| Manalapan Channel Daybeacon 2                | 47007.5            | STRUCT DEST               | PA |
| Manalapan Channel Buoy 2                     | 47008              | STRUCT DEST               | PA |
| Manalapan Channel Daybeacon 3                | 47008.5            | STRUCT DEST               | PA |
| Ocean Inlet Park Daybeacon 3                 | 47050              | MISSING                   | PA |
| Ocean Inlet Park Daybeacon 4                 | 47055              | STRUCT DEST               | PA |
| Ocean Inlet Park Daybeacon 5                 | 47060              | STRUCT DEST               | PA |
| Ocean Inlet Park Daybeacon 6                 | 47065              | STRUCT DEST               | PA |
| Ocean Inlet Park Daybeacon 7                 | 47070              | STRUCT DEST               | PA |
| Ocean Inlet Park Daybeacon 8                 | 47075              | STRUCT DEST               | PA |
| Williams Island Daybeacon 1                  | 47645              | STRUCT DEST               | PA |
| Williams Island Daybeacon 3                  | 47650              | DAYMK MISSING/STRUCT DMGD | PA |
| Williams Island Daybeacon 4                  | 47655              | DAYMK IMCH/STRUCT DMGD    | PA |
| Williams Island Daybeacon 5                  | 47660              | STRUCT DEST               | PA |
| Williams Island Daybeacon 6                  | 47665              | STRUCT DEST               | PA |
| Williams Island Light 1                      | 47685              | STRUCT DEST               | PA |
| Williams Island Light 2                      | 47690              | STRUCT DEST               | PA |
| Intracoastal Yacht Club Channel Daybeacon 7  | 47737.1            | DAYMK MISSING             | PA |
| Intracoastal Yacht Club Channel Daybeacon 8  | 47737.200000000004 | DAYMK MISSING             | PA |
| Intracoastal Yacht Club Channel Daybeacon 9  | 47737.3            | DAYMK MISSING             | PA |
| Intracoastal Yacht Club Channel Daybeacon 10 | 47737.4            | DAYMK MISSING             | PA |
| Intracoastal Yacht Club Channel Daybeacon 11 | 47737.5            | DAYMK MISSING             | PA |
| Intracoastal Yacht Club Channel Daybeacon 12 | 47737.6            | DAYMK MISSING             | PA |
| Intracoastal Yacht Club Channel Daybeacon 13 | 47737.700000000004 | DAYMK MISSING             | PA |
| Mariners Bay Daybeacon 1                     | 47890              | DAYMK DMGD/STRUCT DMGD    | PA |
| Mariners Bay Daybeacon 3                     | 47895              | STRUCT DEST               | PA |
| Mariners Bay Daybeacon 5                     | 47900              | DAYMK MISSING             | PA |
| Jockey Club Marina Daybeacon 10              | 47953              | DAYMK MISSING             | PA |
| Jockey Club Marina Daybeacon 15              | 47960              | STRUCT DEST               | PA |
| Jockey Club Marina Daybeacon 17              | 47965              | STRUCT DEST               | PA |
| Mike Gordon Restaurant Daybeacon 1           | 48220              | STRUCT DEST               | PA |
| Mike Gordon Restaurant Daybeacon 2           | 48225              | STRUCT DEST/HAZ NAV       | PA |
| Mike Gordon Restaurant Daybeacon 3           | 48230              | DAYMK MISSING             | PA |
| Palm Bay Club Channel Daybeacon 2            | 48290              | DAYMK MISSING             | PA |
| Palm Bay Club Channel Daybeacon 4            | 48300              | DAYMK MISSING             | PA |
| Palm Bay Club Channel Daybeacon 5            | 48305              | DAYMK IMCH                | PA |
| Palm Bay Club Channel Daybeacon 6            | 48310              | DAYMK DMGD                | PA |
| Palm Bay Club Channel Daybeacon 7            | 48315              | DAYMK MISSING             | PA |
| Palm Bay Club Channel Daybeacon 8            | 48320              | DAYMK MISSING             | PA |
| Sea Isle Marina Daybeacon 1                  | 48400              | STRUCT DEST               | PA |
| Sea Isle Marina Daybeacon 2                  | 48405              | STRUCT DEST               | PA |
| Sea Isle Marina Daybeacon 3                  | 48410              | STRUCT DEST               | PA |
| Sea Isle Marina Daybeacon 4                  | 48415              | STRUCT DEST               | PA |
| Sea Isle Marina Daybeacon 5                  | 48420              | STRUCT DEST               | PA |

|  |                    |                          |    |
|--|--------------------|--------------------------|----|
| Sea Isle Marina Daybeacon 6                | 48425              | STRUCT DEST              | PA |
| Sea Isle Marina Daybeacon 7                | 48430              | STRUCT DEST              | PA |
| Deering Channel Daybeacon 1                | 48610              | STRUCT DEST              | PA |
| Deering Channel Light 2                    | 48615              | HAZ NAV/DAYMK MISSING    | PA |
| Deering Channel Daybeacon 3                | 48620              | DAYMK MISSING            | PA |
| Deering Channel Daybeacon 4                | 48625              | DAYMK MISSING            | PA |
| Deering Channel Daybeacon 5                | 48630              | HAZ NAV/DAYMK MISSING    | PA |
| Deering Channel Daybeacon 6                | 48635              | HAZ NAV/DAYMK MISSING    | PA |
| Deering Channel Daybeacon 7                | 48640              | DAYMK MISSING            | PA |
| Deering Channel Daybeacon 8                | 48645              | DAYMK MISSING            | PA |
| Deering Channel Daybeacon 9                | 48650              | HAZ NAV/DAYMK MISSING    | PA |
| Grove Island Channel Daybeacon 1A          | 48665              | STRUCT DEST              | PA |
| Grove Island Channel Daybeacon 2           | 48670              | STRUCT DEST              | PA |
| Grove Island Channel Light 9               | 48705              | LT EXT                   | PA |
| Grove Island Channel Light 10              | 48710              | LT EXT                   | PA |
| Grove Island Channel Light 18              | 48745              | LT EXT                   | PA |
| L'Hermitage Light 1                        | 48750              | DAYMK MISSING            | PA |
| L'Hermitage Light 2                        | 48755              | DAYMK MISSING            | PA |
| L'Hermitage Daybeacon 4                    | 48765              | DAYMK MISSING            | PA |
| Crandon Park Marina Channel Light 14       | 48845              | STRUCT DEST/HAZ NAV/TRLB | PA |
| John A Brennan Channel Daybeacon 2         | 48985              | STRUCT DEST/HAZ NAV      | PA |
| Dinner Key Mooring Field 4 Lighted Buoy AA | 49051              | STRUCT DEST              | PA |
| Dinner Key Mooring Field 4 Buoy CC         | 49051.200000000004 | MISSING                  | PA |
| Dinner Key Mooring Field 4 Buoy HH         | 49051.700000000004 | MISSING                  | PA |
| Dinner Key Mooring Field 4 Lighted Buoy II | 49051.8            | MISSING                  | PA |
| Island E Channel Daybeacon 2               | 49055.1            | STRUCT DEST              | PA |
| Island E Channel Daybeacon 8               | 49055.700000000004 | STRUCT DEST              | PA |
| Island E Channel Daybeacon 12              | 49056              | STRUCT DEST              | PA |
| Four Way Entrance Channel Light 2          | 49090              | STRUCT DEST              | PA |
| Four Way Entrance Channel Daybeacon 3      | 49095              | DAYMK MISSING            | PA |
| Four Way Entrance Channel Daybeacon 4      | 49100              | STRUCT DMGD              | PA |
| Four Way Entrance Channel Daybeacon 4      | 49100              | DAYMK MISSING            | PA |
| Middle Ground Obstruction Buoy             | 49105              | MISSING                  | PA |
| Four Way Entrance Channel Daybeacon 5      | 49110              | DBD DMGD                 | PA |
| Four Way Entrance Channel Daybeacon 6      | 49115              | DAYMK MISSING            | PA |
| Four Way Entrance Channel Daybeacon 7      | 49120              | STRUCT DMGD              | PA |
| Four Way Channel Daybeacon 1               | 49150              | DAYMK MISSING            | PA |
| Four Way Channel Daybeacon 2               | 49155              | DAYMK MISSING            | PA |
| Anchorage Channel Daybeacon 2              | 49215              | DAYMK IMCH               | PA |
| Anchorage Channel Daybeacon 4              | 49220              | DAYMK MISSING            | PA |
| Deering Bay Channel Daybeacon 4            | 49585              | STRUCT DEST/HAZ NAV      | PA |
| Deering Bay Channel Daybeacon 6            | 49595              | STRUCT MISSING           | PA |
| Convoy Point Light 1                       | 49865              | LT EXT/STRUCT DMGD       | PA |
| Convoy Point Light 2                       | 49870              | LT EXT                   | PA |
| Turkey Point Channel Buoy 3                | 49960              | MISSING                  | PA |
| Turkey Point Channel Buoy 4A               | 49975              | MISSING                  | PA |
| Turkey Point Channel Buoy 6                | 49985              | OFF STA                  | PA |
| Turkey Point Channel Buoy 7                | 49990              | OFF STA                  | PA |
| Turkey Point Channel Buoy 11               | 50010              | OFF STA                  | PA |
| Turkey Point Channel Buoy 21               | 50060              | MISSING                  | PA |
| Turkey Point Channel Buoy 23               | 50070              | MISSING                  | PA |
| Turkey Point Channel Buoy 24               | 50075              | MISSING                  | PA |
| Community Harbor Daybeacon 6               | 50535.4            | DAYMK MISSING            | PA |
| Royal Palm Yacht Club Channel Daybeacon 1  | 52785              | DBD DEST                 | PA |
| Royal Palm Yacht Club Channel Daybeacon 2  | 52790              | DBD DEST                 | PA |
| Royal Palm Yacht Club Channel Daybeacon 3  | 52795              | DBD DEST                 | PA |
| Royal Palm Yacht Club Channel Daybeacon 4  | 52800              | DBD DEST                 | PA |
| Royal Palm Yacht Club Channel Daybeacon 4  | 52800              | STRUCT DEST              | PA |
| Royal Palm Yacht Club Channel Daybeacon 5  | 52805              | DBD DEST                 | PA |
| Royal Palm Yacht Club Channel Daybeacon 6  | 52810              | DBD DEST                 | PA |
| Paradise Yacht Club Daybeacon 5            | 52930              | DAYMK MISSING            | PA |
| Paradise Yacht Club Daybeacon 9            | 52950              | DAYMK IMCH/STRUCT DMGD   | PA |
| Paradise Yacht Club Daybeacon 11           | 52960              | DAYMK MISSING            | PA |
| Paradise Yacht Club Daybeacon 12           | 52965              | HAZ NAV/DAYMK MISSING    | PA |

|   |                    |                           |    |
|---|--------------------|---------------------------|----|
| Whiskey Creek Channel Daybeacon 3       | 53370              | HAZ NAV/STRUCT DEST       | PA |
| Caloosa Yacht Club Channel Daybeacon 1  | 53475              | DAYMK MISSING             | PA |
| McGregor Isles Daybeacon 13             | 53511              | STRUCT DEST               | PA |
| McGregor Isles Daybeacon 15             | 53515              | STRUCT DEST               | PA |
| McGregor Isles Daybeacon 17             | 53520              | STRUCT DEST               | PA |
| Riverside Marina(Ft. Myers) Daybeacon 3 | 53685              | DAYMK MISSING             | PA |
| Landings Marina Daybeacon 6             | 53755              | DAYMK MISSING             | PA |
| Cabbage Key Channel Daybeacon 6         | 56060              | HAZ NAV/STRUCT DEST       | PA |
| Fishery Restaurant Channel Daybeacon 3  | 56665              | STRUCT DEST/HAZ NAV       | PA |
| Uncle Henry's Marina Daybeacon 2        | 56785              | STRUCT DEST               | PA |
| Uncle Henry's Marina Daybeacon 3        | 56790              | DAYMK MISSING             | PA |
| Uncle Henry's Marina Daybeacon 5        | 56800              | STRUCT DEST/HAZ NAV       | PA |
| Uncle Henry's Marina Daybeacon 7        | 56805              | STRUCT DEST               | PA |
| Uncle Henry's Marina Daybeacon 11       | 56825              | DAYMK MISSING             | PA |
| Uncle Henry's Marina Daybeacon 12       | 56830              | STRUCT DEST/HAZ NAV       | PA |
| Uncle Henry's Marina Daybeacon 13       | 56835              | STRUCT DEST/HAZ NAV       | PA |
| Uncle Henry's Marina Daybeacon 15       | 56845              | DAYMK MISSING/STRUCT DMGD | PA |
| Uncle Henry's Marina Daybeacon 16       | 56850              | DAYMK MISSING             | PA |
| Uncle Henry's Marina Daybeacon 24       | 56890              | STRUCT DEST               | PA |
| Uncle Henry's Marina Daybeacon 27       | 56905              | DAYMK MISSING             | PA |
| Uncle Henry's Marina Daybeacon 30       | 56920              | DAYMK MISSING             | PA |
| Uncle Henry's Marina Daybeacon 31       | 56925              | DAYMK MISSING             | PA |
| Uncle Henry's Marina Daybeacon 35       | 56945              | STRUCT DMGD               | PA |
| Uncle Henry'S Marina Daybeacon 36       | 56950              | DAYMK MISSING             | PA |
| Uncle Henry's Marina Daybeacon 37       | 56955              | DAYMK MISSING             | PA |
| Uncle Henry's Marina Daybeacon 40       | 56970              | DAYMK MISSING             | PA |
| Uncle Henry's Marina Daybeacon 41       | 56975              | DAYMK MISSING             | PA |
| Uncle Henry's Marina Daybeacon 42       | 56980              | DAYMK MISSING             | PA |
| Uncle Henry's Marina Daybeacon 43       | 56985              | STRUCT DEST               | PA |
| Uncle Henry's Marina Daybeacon 47       | 57005              | STRUCT DEST               | PA |
| Englewood Channel Daybeacon 22          | 57359.130000000005 | STRUCT DEST               | PA |
| Englewood Channel Daybeacon 8           | 57359.5            | STRUCT DEST               | PA |
| Englewood Channel Daybeacon 10          | 57359.6            | STRUCT DEST               | PA |
| Bayview Channel Daybeacon 3             | 57380              | DAYMK DMGD                | PA |
| Bayview Channel Daybeacon 4             | 57385              | STRUCT DEST               | PA |
| Bayview Channel Daybeacon 6             | 57395              | STRUCT DEST               | PA |
| Bayview Channel Daybeacon 8             | 57405              | STRUCT DEST               | PA |
| Bayview Channel Daybeacon 9             | 57410              | DAYMK MISSING             | PA |
| Bayview Channel Daybeacon 10            | 57415              | STRUCT DEST               | PA |
| Bay Heights Daybeacon 1                 | 57418              | DAYMK MISSING             | PA |
| Bay Heights Daybeacon 2                 | 57418.1            | DAYMK MISSING             | PA |
| Venice Yacht Club Obstruction Light A   | 57779              | STRUCT DEST               | PA |
| Blackburn Point Channel Daybeacon 1     | 58101              | DAYMK MISSING             | PA |
| Blackburn Point Channel Daybeacon 2     | 58102              | DAYMK MISSING             | PA |
| San Remo Daybeacon 1                    | 58446              | STRUCT DEST               | PA |
| San Remo Daybeacon 2                    | 58447              | STRUCT DEST               | PA |
| San Remo Daybeacon 2                    | 58447              | DAYMK IMCH                | PA |
| San Remo Daybeacon 3                    | 58448              | STRUCT DEST               | PA |
| San Remo Daybeacon 5                    | 58449              | STRUCT DEST               | PA |
| San Remo Daybeacon 5                    | 58449              | STRUCT DEST               | PA |
| San Remo North Obstruction Daybeacon    | 58449.1            | STRUCT DEST/HAZ NAV       | PA |
| San Remo South Obstruction Daybeacon    | 58449.200000000004 | STRUCT DEST/HAZ NAV       | PA |
| Hudson Bayou Daybeacon 1                | 58485.1            | DAYMK IMCH                | PA |
| Hudson Bayou Daybeacon 3                | 58485.3            | STRUCT MISSING            | PA |
| Bird Key Channel Daybeacon 2            | 58510              | DAYMK MISSING             | PA |
| Bird Key Channel Daybeacon 3            | 58515              | DAYMK MISSING             | PA |
| Bird Key Channel Daybeacon 7            | 58525              | DAYMK MISSING             | PA |
| Sarasota Sail Squad Rc Buoy A           | 58580              | MISSING                   | PA |
| Sarasota Sail Squad Rc Buoy B           | 58585              | MISSING                   | PA |
| Sarasota Sail Squad Rc Buoy C           | 58590              | MISSING                   | PA |
| Sarasota Sail Squad Rc Buoy D           | 58595              | MISSING                   | PA |
| Sarasota Sail Squad Rc Buoy E           | 58600              | MISSING                   | PA |
| Sarasota Sail Squad Rc Buoy F           | 58605              | MISSING                   | PA |
| Sarasota Sail Squad Rc Buoy H           | 58615              | MISSING                   | PA |



|  |       |                       |    |
|--|-------|-----------------------|----|
| Sarasota Sail Squad Rc Buoy I                  | 58620 | MISSING               | PA |
| Sarasota Sail Squad Rc Buoy J                  | 58625 | MISSING               | PA |
| Sarasota Sail Squad Rc Buoy K                  | 58630 | MISSING               | PA |
| Bay Isles South Channel Daybeacon 1            | 58640 | STRUCT DMGD           | PA |
| Bay Isles South Channel Daybeacon 4            | 58650 | DAYMK DMGD            | PA |
| Bay Isles South Channel Daybeacon 6            | 58655 | DAYMK MISSING         | PA |
| Bay Isles South Channel Daybeacon 10           | 58665 | HAZ NAV/DAYMK MISSING | PA |
| Longboat Key Moorings Light 1                  | 58680 | STRUCT DEST/HAZ NAV   | PA |
| Buttonwood Harbor Channel Junction Daybeacon B | 58905 | DAYMK MISSING         | PA |
| Buttonwood Harbor Channel Daybeacon 13         | 58910 | DAYMK MISSING         | PA |
| Buttonwood Harbor Channel Daybeacon 20         | 58935 | DAYMK MISSING         | PA |
| Buttonwood Harbor Channel Daybeacon 23         | 58945 | HAZ NAV/DAYMK MISSING | PA |
| Buttonwood Harbor Channel Daybeacon 24         | 58950 | DAYMK MISSING         | PA |
| Buttonwood Harbor Channel Daybeacon 26         | 58955 | DAYMK MISSING         | PA |
| Longboat Harbor Channel Daybeacon 13A          | 59050 | DAYMK MISSING         | PA |
| Longboat Harbor Channel Daybeacon 17           | 59070 | DAYMK MISSING         | PA |
| Longboat Harbor North Marina Daybeacon 2       | 59135 | DAYMK MISSING         | PA |
| Longboat Harbor North Marina Daybeacon 4       | 59140 | STRUCT DEST           | PA |
| Longboat Harbor North Marina Daybeacon 6       | 59145 | STRUCT DEST           | PA |
| Longboat Harbor North Marina Daybeacon 8       | 59150 | STRUCT DEST           | PA |
| Buccaneer Inn Daybeacon 14                     | 59265 | DAYMK IMCH            | PA |
| Buccaneer Inn Daybeacon 16                     | 59270 | DAYMK IMCH            | PA |
| Buccaneer Inn Daybeacon 20                     | 59285 | STRUCT DEST           | PA |
| Buccaneer Inn Daybeacon 24                     | 59300 | DAYMK IMCH            | PA |
| Catalina Channel Daybeacon 1                   | 59620 | STRUCT DEST           | PA |
| Catalina Channel Daybeacon 3                   | 59625 | STRUCT DEST           | PA |
| Catalina Channel Daybeacon 5                   | 59630 | STRUCT DEST           | PA |
| Bradenton Beach City South Channel Daybeacon 1 | 59960 | STRUCT DEST           | PA |
| Bradenton Beach City South Channel Daybeacon 3 | 59965 | STRUCT DEST           | PA |
| Perico Harbor Marina Daybeacon 13              | 60120 | HAZ NAV/DAYMK MISSING | PA |
| Bayway Isles Channel Daybeacon 3               | 60635 | STRUCT DEST           | PA |
| Bayway Isles Channel Daybeacon 10              | 60660 | DAYMK MISSING         | PA |
| Gulfport Yacht Basin Channel Range Front Light | 60700 | LT EXT                | PA |
| Gulfport Yacht Basin Channel Range Rear Light  | 60705 | LT EXT                | PA |
| Gulfport Yacht Club Channel Daybeacon 4        | 60745 | STRUCT DEST           | PA |
| Pasadena Yacht Club Channel Daybeacon 6        | 60770 | STRUCT DEST/HAZ NAV   | PA |
| Pasadena Yacht Club Channel Daybeacon 9        | 60780 | STRUCT DEST           | PA |
| Jungle Estates Daybeacon 4                     | 61140 | STRUCT DEST           | PA |
| Jungle Estates Daybeacon 6                     | 61150 | STRUCT DEST           | PA |

## Upper Savannah River

### Private Discrepancies

| NAME  | LLNR   | STATUS      | AID TYPE |
|---|--------|-------------|----------|
| Southern Nuclear Operating Co Obstruction Daybeacon A | 5295   | STRUCT DEST | PA       |
| Southern Nuclear Operating Co Obstruction Daybeacon B | 5295.1 | STRUCT DEST | PA       |

### Additional MSI Categories

| TITLE   | SUBCATEGORY   | DESCRIPTION   | LOCATION                               |
|---|---------------|---|--|
| Port Wentworth Channel - Upper Savannah River/General/Miscellaneous | Miscellaneous | General/Miscellaneous 20921 Location: 33.3492° N / 81.93818° W Delete: Upper Savannah River Buoy 92 | Lat: 33° 20' 57"<br>Lon: -081° 56' 17" |

## Vernon River

### Federal Discrepancies

| NAME                 | LLNR  | STATUS           | AID TYPE |
|----------------------|-------|------------------|----------|
| Raccoon Key Light 87 | 36265 | STRUCT DEST/TRLB | FD       |

### Additional MSI Categories

| TITLE | SUBCATEGORY | DESCRIPTION | LOCATION |
|-------|-------------|-------------|----------|
|       |             |             |          |

|   |                           |  |                                     |
|---|---------------------------|--|-------------------------------------|
| Ossabaw Sound - Vernon River/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 31.87195° N / 81.07605° W Aid Name: Vernon River Light Wreck 86 LLNR: 36260 Action: CHANGE Action Type Change Light Characteristic The following change has been approved to the Aid to Navigation system in the Intracoastal Waterway the Vernon River, part of the Intracoastal Waterway (ICW). The nominal range permanently reduced from 5NM to 4NM. The current nominal range of 5NM is not necessary. Based on the design of the Short-Range Aids System (SRA), mariners should be able to see two lighted aids to navigation forward of the aid from which they are alongside. Based on this data, a nominal range of 4NM is more than adequate. | Lat: 31° 52' 19" Lon: -081° 04' 34" |
|---|---------------------------|--|-------------------------------------|

Villas Continental Club

Private Discrepancies

| NAME                                | LLNR | STATUS              | AID TYPE |
|-------------------------------------|------|---------------------|----------|
| Villas Continental Club Daybeacon 2 | 7790 | STRUCT DEST/HAZ NAV | PA       |
| Villas Continental Club Daybeacon 3 | 7795 | STRUCT DEST         | PA       |
| Villas Continental Club Daybeacon 4 | 7800 | STRUCT DEST         | PA       |
| Villas Continental Club Daybeacon 5 | 7805 | STRUCT DEST         | PA       |

Virgin Island National Park

Federal Discrepancies

| NAME                      | LLNR  | STATUS      | AID TYPE |
|---------------------------|-------|-------------|----------|
| Mingo Rock Lighted Buoy 2 | 32705 | OFF STATION | FD       |

Virgin Passage

Additional MSI Categories

| TITLE   | SUBCATEGORY               | DESCRIPTION  | LOCATION                            |
|---|---------------------------|--|-------------------------------------|
| Virgin Passage/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2025-09-30 29393 Location: 18.28404° N / 65.10852° W Aid Name: Sail Rock Lighted Buoy 1 LLNR: 31695 Action: DISCONTINUE The following change is being proposed to the aids to navigation system in Virgin Passage, Southwest St. Thomas, USVI. Sail Rock Lighted Buoy 1 (LLNR 31695) in position 18-17-02.545N / 065-06-30.669W, will be permanently discontinued, as it has been deemed non-essential for maritime navigation. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Virgin Passage, Sail Rock Lighted Buoy 1 as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by November 29, 2025. | Lat: 18° 17' 03" Lon: -065° 06' 31" |
| Virgin Passage/ATON/Proposed Notice of Change | Proposed Notice of Change | ATON/Proposed Notice of Change From: 2025-10-03 29584 Location: 18.28404° N / 65.10852° W Aid Name: Sail Rock Lighted Buoy 1 LLNR: 31695 Action: DISCONTINUE The following change is being proposed to the aids to navigation system in Virgin Passage, Southwest St. Thomas, USVI. Sail Rock Lighted Buoy 1 (LLNR 31695) in position 18-17-02.545N / 065-06-30.669W, will be permanently discontinued, as it has been deemed non-essential for maritime navigation. All comments should be emailed to: D07-SMB-DPWPublicComments@uscg.mil or scott.r.forbidussi2@uscg.mil with Virgin Passage, Sail Rock Lighted Buoy 1 as the subject line. Comments can also be mailed to Commander (dpw), U. S. Coast Guard Southeast District, 909 SE 1st Ave (STE 406) Brickell Plaza Federal Building, Miami FL 33131-3050 to be received by November 29, 2025. | Lat: 18° 17' 03" Lon: -065° 06' 31" |

Volusia

Federal Discrepancies

| NAME             | LLNR | STATUS           | AID TYPE |
|------------------|------|------------------|----------|
| Volusia Light 23 | 8820 | STRUCT DEST/TRLB | FD       |

Wadmalaw River

Federal Discrepancies

| NAME                        | LLNR  | STATUS           | AID TYPE |
|-----------------------------|-------|------------------|----------|
| Wadmalaw River Daybeacon 96 | 34920 | STRUCT DEST/TRUB | FD       |
| Wadmalaw River Daybeacon 87 | 34890 | STRUCT DEST/TRUB | FD       |

Additional MSI Categories

| TITLE  | SUBCATEGORY               | DESCRIPTION  | LOCATION                            |
|--|---------------------------|--|-------------------------------------|
| North Edisto River - Wadmalaw River/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 32.69507° N / 80.22075° W Aid Name: Wadmalaw River Daybeacon 87 LLNR: 34890 Action: CHANGE Action Type Change Aid Subtype The following changes have been approved in the Wadmalaw River to improve aids to navigation reliability. Wadmalaw River DBN 87 (LLNR 34890) and Wadmalaw River DBN 96 (LLNR 34920) will be changed to Wadmalaw River Buoy 87 (Same LLNR) and Wadmalaw River Buoy 96 (Same LLNR). Both aids to navigation are currently destroyed and have a Temporary Unlighted Buoy on station. Both assigned positions are presenting depths of over 28 feet. This depth makes it impossible for a CG asset to rebuild the structures. Changing the aids to navigation from fixed to floating allows the CG primary servicing unit the flexibility to relocate the aid to mark safe water. | Lat: 32° 41' 42" Lon: -080° 13' 15" |
| North Edisto River - Wadmalaw River/ATON/Advanced Notice of Change | Advanced Notice of Change | ATON/Advanced Notice of Change Location: 32.66553° N / 80.23956° W Aid Name: Wadmalaw River Daybeacon 96 LLNR: 34920 Action: CHANGE Action Type Change Aid Subtype The following changes have been approved in the Wadmalaw River to improve aids to navigation reliability. Wadmalaw River DBN 87 (LLNR 34890) and Wadmalaw River DBN 96 (LLNR 34920) will be changed to Wadmalaw River Buoy 87 (Same LLNR) and Wadmalaw River Buoy 96 (Same LLNR). Both aids to navigation are currently destroyed and have a Temporary Unlighted Buoy on station. Both assigned positions are presenting depths of over 28 feet. This depth makes it impossible for a CG asset to rebuild the structures. Changing the aids to navigation from fixed to floating allows the CG primary servicing unit the flexibility to relocate the aid to mark safe water. | Lat: 32° 39' 56" Lon: -080° 14' 22" |

Wando River

Additional MSI Categories

| TITLE   | SUBCATEGORY    | DESCRIPTION  | LOCATION                               |
|---|----------------|--|--|
| Charleston Harbor - Wando River/General/Naval Activity/Naval Testing (Surface/Underwater) | Naval Activity | General/Naval Activity/Naval Testing (Surface/Underwater) From: 2025-09-16 28231 Location: 32.8401° N / 79.8933° W Naval Information Warfare Center (NIWC) Atlantic is deploying research and data buoys within the Charleston Harbor, Cooper River, Wando River, and Ashley River. The buoys are yellow and white with 2' diameter and 3' height above waterline. The buoys will be lit with a yellow flashing light. More information can be found at: <a href="https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/">https://www.niwcatlantic.navy.mil/Media/Article/4198922/niwc-atlantic-south-carolina-department-of-natural-resources-partner-on-maritim/</a> | Lat: 32° 50' 24"<br>Lon: -079° 53' 36" |

### Wando River Terminal

#### Federal Discrepancies

| NAME                                | LLNR | STATUS | AID TYPE |
|-------------------------------------|------|--------|----------|
| Wando River Terminal Lighted Buoy 4 | 3310 | ADRIFT | FD       |

### Wassaw Sound

#### Federal Discrepancies

| NAME                        | LLNR | STATUS  | AID TYPE |
|-----------------------------|------|---------|----------|
| Wassaw Sound Lighted Buoy 8 | 5595 | MISSING | FD       |

### Waterway Name Not Found

#### Federal Discrepancies

| NAME                   | LLNR  | STATUS | AID TYPE |
|------------------------|-------|--------|----------|
| North River Light 178A | 36800 | LT EXT | FD       |

#### Private Discrepancies

| NAME                                | LLNR | STATUS     | AID TYPE |
|-------------------------------------|------|------------|----------|
| Wexford Harbour Daybeacon 3         | 4420 | MSLD SIG   | PA       |
| Wexford Harbour Daybeacon 4         | 4425 | MSLD SIG   | PA       |
| Wexford Harbour Daybeacon 8         | 4445 | MSLD SIG   | PA       |
| Palmetto Dunes Marina West Light 22 | 4520 | DAYMK IMCH | PA       |

### Western Gulf Intracoastal Waterway.

#### Private Discrepancies

| NAME                              | LLNR  | STATUS                | AID TYPE |
|-----------------------------------|-------|-----------------------|----------|
| South Seas Boat Basin Daybeacon 3 | 55650 | HAZ NAV/DAYMK MISSING | PA       |
| Roosevelt Channel Daybeacon 21    | 55725 | HAZ NAV/STRUCT DEST   | PA       |

### Whale Harbor

#### Federal Discrepancies

| NAME                             | LLNR  | STATUS                   | AID TYPE |
|----------------------------------|-------|--------------------------|----------|
| Whale Harbor Channel Daybeacon 6 | 12720 | STRUCT DEST/HAZ NAV/TRLB | FD       |

#### Private Discrepancies

| NAME                            | LLNR  | STATUS      | AID TYPE |
|---------------------------------|-------|-------------|----------|
| Holiday Isle Marina Daybeacon 1 | 12765 | STRUCT DEST | PA       |
| Holiday Isle Marina Daybeacon 2 | 12770 | STRUCT DEST | PA       |

### White Shells Cut

#### Temporary Changes

| NAME                                    | LLNR   | STATUS      | AID TYPE |
|---|--------|-------------|----------|
| White Shells Temporary Range Rear Light | 7325.2 | ESTABLISHED | FD       |

#### Additional MSI Categories

| TITLE  | SUBCATEGORY               | DESCRIPTION   | LOCATION                               |
|--|---------------------------|---|--|
| St Johns River - White Shells Cut/ATON/Advanced Notice of Change | Advanced Notice of Change | White Shells Cut LB 27 (LLNR 7315) will be permanently relocated to 30-23-36.040N/081-28-48.780W. This change calls to relocate (6) lighted buoys in the White Shells, St. Johns Bluff, Fulton Cutoff, and Blount Island Turning Basin channels of the St. Johns River. These relocations are needed as a result of channel deepening and widening, as part of the JaxPort expansion project. The position changes will allow safe navigation for vessels transiting the St. Johns River. The following aids to navigation are being proposed to be relocated to facilitate this change. All positions listed are approximate. Permanent positions will be advertised when the work is completed. | Lat: 30° 23' 36"<br>Lon: -081° 28' 49" |
|  |                           |   |  |

|  |                           |   |  |
|--|---------------------------|---|--|
| St Johns River - White Shells Cut/ATON/Advanced Notice of Change | Advanced Notice of Change | White Shells Cut LB 29 (LLNR 7316) will be permanently relocated to 30-23-32.900N/081-29-05.750W. This change calls to relocate (6) lighted buoys in the White Shells, St. Johns Bluff, Fulton Cutoff, and Blount Island Turning Basin channels of the St. Johns River. These relocations are needed as a result of channel deepening and widening, as part of the JaxPort expansion project. The position changes will allow safe navigation for vessels transiting the St. Johns River. The following aids to navigation are being proposed to be relocated to facilitate this change. All positions listed are approximate. Permanent positions will be advertised when the work is completed. | Lat: 30° 23' 33"<br>Lon: -081° 29' 06" |
|--|---------------------------|---|--|

Wilmington River

Additional MSI Categories

| TITLE   | SUBCATEGORY | DESCRIPTION   | LOCATION                               |
|---|-------------|---|--|
| Skidaway Island - Wilmington River/General/Bridges/Conversion | Bridges     | General/Bridges/Conversion From: 2024-10-29 To: 2025-04-27 Location: 32.062044° N / 81.02951° W Bridge Name: CR 787 (Island Expressway) Bridge Construction on the first of the two high level fixed bridges is complete and now spans the waterway providing 65 feet of vertical clearance. Marine traffic should continue to utilize the fenders marking the western side of the channel which provides a horizontal clearance of 80 feet. Construction of the second high level fixed bridge has begun. Work hours are 7 am. - 7 p.m., Monday through Saturday. During this time, there will be intermittent work inside and outside the federal channel. Mariners are reminded to proceed through the construction area at a safe speed, always maintain situational awareness, and monitor VHF radio channel 10 or 13 when in the vicinity of the Causton Bluff Bridge. For further information, please contact the U.S. Coast Guard MSU Savannah Waterways Management Division at SMB-MSUSavannah-WWM@uscg.mil or the Command Duty Officer at (912) 247-0073. | Lat: 32° 03' 43"<br>Lon: -081° 01' 46" |

Windward Passage

Private Discrepancies

| NAME                         | LLNR    | STATUS | AID TYPE |
|------------------------------|---------|--------|----------|
| Johnson Reef Lighted Buoy JD | 32680.3 | LT EXT | PA       |

Winyah Bay Channel

Federal Discrepancies

| NAME                               | LLNR | STATUS                   | AID TYPE |
|------------------------------------|------|--------------------------|----------|
| Winyah Bay Range A Front Light     | 1875 | LT EXT                   | FD       |
| Winyah Bay Range A Rear Light      | 1880 | LT EXT                   | FD       |
| Winyah Bay Range B Rear Light      | 1915 | STRUCT DEST/HAZ NAV/TRLT | FD       |
| Winyah Bay Channel Lighted Buoy 13 | 1950 | OFF STATION              | FD       |

Additional MSI Categories

| TITLE   | SUBCATEGORY               | DESCRIPTION   | LOCATION                               |
|---|---------------------------|---|--|
| Sector Charleston, Submerged Land Act (SLA) - Winyah Bay Channel/ATON/Advanced Notice of Change | Advanced Notice of Change | The Coast Guard Mooring Buoy WB (LLNR 1958) will be permanently relocated to approximate position 33-14-59.160N/079-12-47.580W. The new location will provide a more protected environment from the previous exposed location for CG assets when moored to this buoy. | Lat: 33° 13' 54"<br>Lon: -079° 11' 30" |
| Sector Charleston, Submerged Land Act (SLA) - Winyah Bay Channel/ATON/Advanced Notice of Change | Advanced Notice of Change | Winyah Bay Channel LB 4 (LLNR 1885) will have the bell permanently removed.   | Lat: 33° 11' 37"<br>Lon: -079° 07' 13" |

Winyah Bay Charleston Harbor

Federal Discrepancies

| NAME                                       | LLNR  | STATUS              | AID TYPE |
|--|-------|---------------------|----------|
| Winyah Bay-Charleston Harbor Daybeacon 19  | 34180 | STRUCT MISSING/TRUB | FD       |
| Winyah Bay-Charleston Harbor Daybeacon 117 | 34510 | STRUCT DEST/HAZ NAV | FD       |

Additional MSI Categories

| TITLE   | SUBCATEGORY                             | DESCRIPTION   | LOCATION |
|---|---|---|----------|
| Sector Charleston, Submerged Land Act (SLA) - Winyah Bay Charleston Harbor/General/Hazards To Navigation/Shoaling Reported  | Hazards To Navigation                   | General/Hazards To Navigation/Shoaling Reported From: 2025-08-08 25632 Mariners should proceed with caution when transiting between Winyah Bay-Charleston Harbor Daybeacon 37 (LLNR 34240) and Winyah Bay-Charleston Harbor Light 50 (LLNR 34300) due to shoaling. During low tide, there have been reported depths less than 3.5 ft inside the channel in various locations.   |          |
| Sector Charleston, Submerged Land Act (SLA) - Winyah Bay Charleston Harbor/General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes | Marine Construction (Excluding Bridges) | General/Marine Construction (Excluding Bridges)/Facilities, Barriers, Manmade Reefs, Riprap, Jetties/Dikes From: 2025-02-25 To: 2026-11-13 Location: 32.7602° N / 79.86088° W 32.75736° N / 79.85803° W 32.7566° N / 79.85931° W 32.75944° N / 79.86219° W 32.7602° N / 79.86088° W Cape Romain Contractors will be replacing Fort Sumter and Fort Moultrie Docks and rehabilitate Liberty Square Pier. They will have a crane barge starting March 3, 2025, until May 31, 2026, at Fort Moultrie and crane barges at Fort Sumter and Liberty Square Pier as the project progresses. Estimated completion date of the entire project is 31October 31, 2026. All Vessels should use caution when transiting the work area. The crew at Fort Moultrie will monitor VHF-FM channels 13 and 16. |          |

**Withlacoochee River**

**Federal Discrepancies**

| NAME                                       | LLNR  | STATUS              | AID TYPE |
|--|-------|---------------------|----------|
| Withlacoochee River Entrance Daybeacon 32B | 29565 | STRUCT DEST/TRUB    | FD       |
| Withlacoochee River Entrance Daybeacon 8   | 29410 | STRUCT MISSING/TRUB | FD       |
| Withlacoochee River Entrance Daybeacon 16  | 29455 | STRUCT MISSING/TRUB | FD       |
| Withlacoochee River Entrance Daybeacon 26  | 29520 | STRUCT MISSING/TRUB | FD       |
| Withlacoochee River Entrance Daybeacon 29  | 29535 | STRUCT MISSING/TRUB | FD       |
| Withlacoochee River Entrance Daybeacon 30  | 29545 | STRUCT MISSING/TRUB | FD       |
| Withlacoochee River Entrance Daybeacon 31  | 29550 | STRUCT MISSING/TRUB | FD       |
| Withlacoochee River Entrance Light 32      | 29555 | STRUCT MISSING/TRLB | FD       |