

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1099	<i>Oyster Creek Channel Lighted Buoy 42</i>	39-47-30.706N 074-09-42.852W	Q R		4	Red.		12/18
5445	<i>Chincoteague Bay Lighted Buoy 12</i>	* 37-58-27.351N 075-23-05.037W	Q R		4	Red.		12/18
16245	* Great Wicomico River Buoy 4						Remove from list.	12/18
16245	GREAT WICOMICO RIVER WRECK LIGHT WR4	37-48-10.472N 076-16-02.329W	Q R	15	4	TR on pile.	*	12/18
16250	* <i>Great Wicomico River Lighted Buoy 6</i>	* 37-48-33.697N 076-17-21.138W	* FI R 2.5s	* 15	* 4	* TR on pile.	* Remove from list.	12/18
16250	GREAT WICOMICO RIVER LIGHT 6	37-48-33.697N 076-17-21.138W	FI R 2.5s	15	4	TR on pile.	*	12/18
16255	Cockrell Creek Warning Daybeacon A	37-49-03.838N 076-17-04.023W	* *	* *	* *	* NW on pile, worded DANGER.	* *	12/18
	*		*	*	*	*		

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
16257	Cockrell Creek Buoy 1A						Remove from list.	12/18
							*	
16257	COCKRELL CREEK LIGHT 1C	37-49-09.607N 076-17-02.691W	Fl G 2.5s	15	4	SG on pile.		12/18
	*		*	*	*		*	
16280	Great Wicomico River Daybeacon 8	37-49-07.240N 076-17-44.773W				TR on pile		12/18
			*	*	*	*		
16300	GREAT WICOMICO RIVER LIGHT 9	37-49 29.273N 076-18-13.487W	Fl G 2.5s	15	4	SG on pile		12/18
		*	*			*		
16303	Great Wicomico River Buoy 9A						Remove from list.	12/18
							*	
16330	Great Wicomico River Daybeacon 10	37-49-49.565N 076-18-57.074W				TR on slatted pile structure.		12/18
		*	*	*	*			
16335	GREAT WICOMICO RIVER LIGHT 11	37-50-56.343N 076-20-01.065W	Fl G 4s	15	4	SG on pile.		12/18
		*						
17125	St. Patrick Creek Channel Buoy 3A						Remove from list.	12/18
							*	
17270	St. Catherine Sound Upper Entrance Warning Daybeacon A						Remove from list.	12/18
							*	
17920	Potomac Creek Buoy 3	38-20-48.842N 077-17-17.315W				Green can.	Maintained from Mar. 15 to Dec. 1.	
		*						
17925	Potomac Creek Buoy 4						Remove from list.	12/18
							*	
17930	Potomac Creek Buoy 5						Remove from list.	12/18
							*	
17935	Potomac Creek Buoy 6						Remove from list.	12/18
							*	
17940	Potomac Creek Daybeacon 7						Remove from list.	12/18
							*	
17945	Potomac Creek Buoy 8						Remove from list.	12/18
							*	
18233	Neabsco Creek Buoy 3						Remove from list.	12/18
							*	
18234	Neabsco Creek Buoy 4						Remove from list.	12/18
							*	
18795	ST. JEROME CREEK LIGHT 1SJ	38-06-54.494N 076-20-08.598W	Fl G 2.5s	15		SG on pile.		12/18

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
19355	SOUTH HERRINGTON HARBOUR ENTRANCE LIGHT 1	38-43-54.302N 076-32-22.927W	Q G	10		SG on pile.	Private aid.	12/18
		*						
19360	SOUTH HERRINGTON HARBOUR LIGHT 2	38-43-55.025N 076-32-24.199W	Q R	10		TR on pile.	Private aid.	12/18
		*						
19365	SOUTH HERRINGTON HARBOUR LIGHT 3	38-43-50.519N 076-32-24.726W	Q G	10		SG on pile.	Private aid.	12/18
		*						
19370	SOUTH HERRINGTON HARBOUR LIGHT 4	38-43-50.872N 076-32-26.032W	Q R	10		TR on pile.	Private aid.	12/18
		*						
19375	SOUTH HERRINGTON HARBOUR LIGHT 5	38-43-46.986N 076-32-27.396W	Q G	10		SG on pile.	Private aid.	12/18
		*						
19380	SOUTH HERRINGTON HARBOUR LIGHT 6	38-43-46.488N 076-32-28.212W	Q R	10		TR on pile.	Private aid.	12/18
		*						
24595	Tar Bay Channel Warning Daybeacon E	38-20-45.134N 076-15-01.241W				NW on pile worded DANGER SHOAL.		12/18
		*						
24601	Tar Bay Warning Daybeacon F	38-20-48.706N 076-14-50.728				NW on pile worded DANGER.		12/18
		*						
28139	Oregon Inlet Channel Buoy 40	35-46-14.116N 075-35-04.616W				Red nun.		12/18
		*						
28145	Oregon Inlet Channel Buoy 42	35-46-24.477N 075-34-52.125W				Red nun.		12/18
		*						
28150	Oregon Inlet Channel Buoy 44	35-46-30.670N 075-34-45.335W				Red nun.		12/18
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28665	<i>Hatteras Inlet Lighted Buoy 7</i>	35-11-08.241N 075-45-29.411W	Fl G 2.5s		4	Green.	12/18
28667	<i>Hatteras Inlet Lighted Buoy 8</i>	* 35-11-07.783N 075-45-22.970W	Q R		3	Red.	12/18
28732.1	<i>Hatteras Inlet Channel Lighted Buoy 12A</i>	* 35-12-15.239N 075-43-57.152W	Fl R 2.5s		4	Red.	12/18
32875	WRIGHT CREEK LIGHT 5	* 35-24-43.285N 076-35-26.492W	Q G	15	4	SG on pile.	12/18
			*				

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
5210 5500	CHINCOTEAGUE BAY LIGHT 24	38-05-53.472N 075-16-29.760W	Fl R 4s	15	4	TR on pile.	11/18
5500 5210	CHINCOTEAGUE BAY LIGHT 24	38-05-53.472N 075-16-29.760W	Fl R 4s	15	4	TR on pile.	11/18
12710	JAMES RIVER CHANNEL LIGHT 152	37-22-42.480N 077-21-41.992W	Fl R 4s	15	5	TR on pile.	11/18
				*	*		11/18
19345	* Change Heading: South Herrington Harbour SOUTH HERRINGTON HARBOUR RANGE FRONT LIGHT	38-43-28.130N 076-32-37.440W	F Y	19		Orange dayboards with black and white stripe on pile.	Private aid. 11/18
	* Add Heading: Elk River - Watch Point						11/18
27896	Elk River - Watch Point Buoy 2	39-31-45.242N 075-52-59.505W				Red nun.	1637NAV2. Private aid. 11/18
*	*	*	*	*	*	*	*
27896.01	Elk River - Watch Point Buoy 4	39-32-04.725N 075-52-47.023W				Red nun.	1638NAV. Private aid. 11/18
*	*	*	*	*	*	*	*
27896.02	Elk River - Watch Point Buoy 6	39-32-20.823N 075-52-34.316W				Red nun.	1639NAV6. Private aid. 11/18
*	*	*	*	*	*	*	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
27896.03	Elk River - Watch Point Buoy 7	39-32-42.031N 075-52-16.110W				Green can.	1640NAV7. Private aid.	11/18
*	*	*	*	*	*	*	*	*
27896.04	Elk River - Watch Point Buoy 8	39-33-12.224N 075-51-59.908W				Red nun.	1641NAV8. Private aid.	11/18
*	*	*	*	*	*	*	*	*
27896.05	Elk River - Watch Point Buoy 9	39-33-11.425N 075-52-06.505W				Green can.	1642NAV9. Private aid.	11/18
*	*	*	*	*	*	*	*	*
27896.06	Elk River - Watch Point Buoy 10	39-33-24.240N 075-51-44.902W				Red nun.	1631NAV10. Private aid.	11/18
*	*	*	*	*	*	*	*	*
27896.07	Elk River - Watch Point Buoy 11	39-33-25.341N 075-51-45.713W				Green can.	1632NAV11. Private aid.	11/18
*	*	*	*	*	*	*	*	*
27896.08	Elk River - Watch Point Buoy 12	39-33-28.816N 075-51-19.109W				Red nun.	1633NAV12. Private aid.	11/18
*	*	*	*	*	*	*	*	*
27896.09	Elk River - Watch Point Buoy 13	39-33-32.099N 075-51-19.345W				Green can.	1634NAV13. Private aid.	11/18
*	*	*	*	*	*	*	*	*
27896.11	Elk River - Watch Point Buoy 14	39-33-41.132N 075-51-09.105W				Red nun.	1635NAV14. Private aid.	11/18
*	*	*	*	*	*	*	*	*
27896.12	Elk River - Watch Point Buoy 16	39-33-49.117N 075-51-05.708W				Red nun.	1636NAV16. Private aid.	11/18
*	*	*	*	*	*	*	*	*
	* Change Note: Upper Elk River							11/18
	* Buoys maintained from Apr. 15 to Nov. 1. Aids maintained by Maryland Department of Transportation.							
27897	Upper Elk River Buoy 1	39-33-57.543N 075-50-59.392W				Green can.	4006NAV1. Private aid.	11/18
*	*	*	*	*	*	*	*	*
27900	Upper Elk River Buoy 2	39-33-56.523N 075-50-58.550W				Red nun.	4566NAV2. Private aid.	11/18
*	*	*	*	*	*	*	*	*
27903	Upper Elk River Buoy 3	39-34-05.243N 075-50-46.291W				Green can.	4007NAV3. Private aid.	11/18
*	*	*	*	*	*	*	*	*
27905	Upper Elk River Buoy 4	39-34-13.134N 075-50-34.944W				Red nun.	4008NAV4. Private aid.	11/18
*	*	*	*	*	*	*	*	*
27907	Upper Elk River Buoy 5	39-34-13.729N 075-50-35.360W				Green can.	4567NAV5. Private aid.	11/18
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
27910	Upper Elk River Buoy 6	39-34-17.138N 075-50-31.453W				Red nun.	4009NAV6. Private aid.	11/18
		*					*	
27915	Upper Elk River Buoy 7	39-34-22.399N 075-50-33.071W				Green can.	4568NAV7. Private aid.	11/18
		*					*	
27920	Upper Elk River Buoy 8	39-34-22.617N 075-50-32.315W				Red nun.	4569NAV8. Private aid.	11/18
		*					*	
27925	Upper Elk River Buoy 9	39-34-27.922N 075-50-36.767W				Green can.	4701NAV9. Private aid.	11/18
		*					*	
27930	Upper Elk River Buoy 10						Remove from list.	11/18
							*	
27935	Upper Elk River Buoy 11	39-34-30.636N 075-50-37.938W				Green can.	4700NAV11. Private aid.	11/18
		*					*	
27940	Upper Elk River Buoy 12	39-34-32.284N 075-50-37.829W				Red nun.	4571NAV12. Private aid.	11/18
		*					*	
27945	Upper Elk River Buoy 13	39-34-40.223N 075-50-34.599W				Green can.	4572NAV13. Private aid.	11/18
		*					*	
27950	Upper Elk River Buoy 14	39-34-46.065N 075-50-30.049W				Red nun.	4010NAV14. Private aid.	11/18
		*					*	
27955	Upper Elk River Buoy 16	39-34-51.600N 075-50-32.724W				Red nun.	4011NAV16. Private aid.	11/18
		*					*	
27960	Upper Elk River Buoy 18	39-34-54.843N 075-50-41.684W				Red nun.	4012NAV18. Private aid.	11/18
		*					*	
*	*	*	*	*	*	*	*	
27965	Upper Elk River Buoy 19	39-34-55.336N 075-50-53.349W				Green can.	4013NAV19. Private aid.	11/18
		*					*	
28722.3	<i>Barney Slough Channel Lighted Buoy 6</i>	35-13-46.902N 075-47-18.077W	Q R		4	Red.		11/18
		*						
29950	New River Channel Daybeacon 55						Remove from list.	11/18
							*	
33540	WEST BAY LIGHT 8WB	34-58-28.320N 076-23-56.709W	FI R 2.5s	15	4	TR on pile.		11/18
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6035	Bradford Bay Buoy 5A	37-35-15.620N 075-40-42.514W				Green can.		10/18
6695	WACHAPREAGUE CHANNEL JUNCTION LIGHT WB	37-35-56.877N 075-41-03.567W	Fl (2+1)G 6s	15	4	JG on multi-pile structure.		10/18
6992.1	Sand Shoal Channel Buoy 4A	*					Remove from list.	10/18
15305	<i>Greenvale Creek Lighted Buoy 2</i>	37-42-28.024N 076-32-46.519W	Fl R 2.5s		4	Red.	*	10/18
18812	St. Jerome Creek Daybeacon 5		*				Remove from list.	
18812	St. Jerome Creek Buoy 5	38-07-11.726N 076-20-32.369W				Green can.	* Maintained from Mar. 15 to Dec. 1.	
18815	St. Jerome Creek Daybeacon 6	*	*	*	*	*	Remove from list.	8
18815	St. Jerome Creek Buoy 6	38-07-10.268N 076-20-40.007W				Red nun.	* Maintained from Mar. 15 to Dec. 1.	8
18817	St. Jerome Creek Daybeacon 7	*	*	*	*	*	Remove from list.	18
18817	St. Jerome Creek Buoy 7	38-07-09.704N 076-20-45.335W				Green can.	* Maintained from Mar. 15 to Dec. 1.	/18
18820	St. Jerome Creek Daybeacon 9	*	*	*	*	*	Remove from list.	0/18
18820	St. Jerome Creek Buoy 9	38-07-19.148N 076-20-43.673W				Green can.	* Maintained from Mar. 15 t Dec. 1.	0/18
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
18823	ST. JEROME CREEK LIGHT 11						Remove from list.
							*
18823	St. Jerome Creek Buoy 11	38-07-22.808N 076-20-42.704W				Green can.	Maintained from Mar. 15 to Dec. 1.
		*	*	*	*	*	
22985	Ward Creek Warning Daybeacon A						Remove from list.
							*
24595	Tar Bay Channel Warning Daybeacon E	38-20-45.053N 076-15-01.083				NW on pile worded DANGER SHOAL.	10/18
24601	Tar Bay Warning Daybeacon F	38-20-48.706N 076-14-50.728W				NW on pile worded DANGER SHOAL.	10/18
		*					
24970	Choptank River Channel Daybeacon 19A						Remove from list.
							*
24970	Choptank River Channel Buoy 19A	38-36-17.777N 076-06-56.338W				Green can.	Maintained from Mar. 15 to Dec. 1.
			*	*	*		*
25130	CHOPTANK RIVER CHANNEL LIGHT 32	38-35-25.899N 076-00-19.919W	FI R 2.5s	15	3	TR on pile.	10/18
		*					
29113	Nine Foot Shoal Channel Buoy 7	35-08 03.113N 076-0 -34.091W				Green can.	10/18
			*	*	*		*
29450	FORT MACON CREEK WARNING LIGHT	34-42-00.229N 076-40-59.597W	FI W 2.5s	15	4	NW on pile.	10/18
		*					
32635	Brant Island Warning Daybeacon BB	35-11-40.887N 076-29-33.947W				NW on pile worded DANGER BOMBING RANGE.	10/18
		*					
33430	BAY RIVER LIGHT 9	35-08-32.779N 076-42-29.565W	FI G 4s	15	4	SG on pile.	10/18
							*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
9852.2	Pinner Point No Wake Buoy	36-51-25.000N 076-18-49.000W				White can with orange bands and diamond worded NO WAKE.	Private aid. Aid maintained by State DOT	09/18
		*						
13595	WEST BRANCH CHANNEL ENTRANCE LIGHT 2WB	37-13-14.960N 076-27-57.619W	FIR 2.5s	15	4	TR on pile.		09/18
		*						
13700	West Branch Channel Daybeacon 26	37-12-51.932N 076-28-33.912W				TR on pile.		09/18
		*						
16815	West Yeocomico River Daybeacon 4	38-01-38.280N 076-32-53.880W				TR on pile.	Private aid.	09/18
		*						
16825	West Yeocomico River Daybeacon 6	38-01-40.260N 076-33-13.920W				TR on pile.	Private aid.	09/18
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
17712	<i>Potomac River Morgantown Lighted Mooring Buoy A</i>						Remove from list.	09/18
20210	Forked Creek Daybeacon 2						* Remove from list.	09/18
20210	Forked Creek Buoy 2	39-03-39.801N 076-29-21.475W				Red nun.	Private aid. Aid maintained by State DOT	09/18
23340	Jones Creek Daybeacon 12	*	*	*	*	*	* Remove from list.	09/18
23340	Jones Creek Buoy 12	38-01-43.959N 075-49-26.606W				Red nun.	Private aid. Aid maintained by State DOT	09/18
23670	Dorchester/ Somerset County Line Marker DD	*	*	*	*	*	* Remove from list.	09/18
23670	Dorchester/Somerset County Line Buoy DD	38-13-52.242N 075-57-54.662W				White can with orange bands and diamond worded DOR-SOM COUNTY RANGE LINE.	Aid maintained by State DOT	09/18
23715	Dames Quarter Creek Channel Daybeacon 4	*	*	*	*	*	* Remove from list.	09/18
23715	Dames Quarter Creek Channel Buoy 4	38-11-56.569N 075-52-59.688W				Red nun.	Private aid. Aid maintained by State DOT	09/18
23720	Dames Quarter Creek Channel Daybeacon 5	*	*	*	*	*	* Remove from list.	09/18
23720	Dames Quarter Creek Channel Buoy 5	38-11-41.341N 075-52-56.555W				Green can.	Private aid. Aid maintained by State DOT	09/18
24515	Middle Island Bridge West Channel Wreck Daybeacon WR1W	38-17-42.516N 076-12-46.563W	*	*	*	SG on pile.	* Remove from list.	09/18
24590	Tar Bay Warning Daybeacon D	38-20 0.305N 076-15-26.725W	*			NW on pile worded DANGER SHOAL.	* Remove from list.	09/18
35760	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 186	39-23-19.911N 074-26-56.651W	Fl R 2.5s	15	4	TR-TY on multi-pile structure.	* Remove from list.	09/18

*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5075	Sinepuxent Bay Channel Buoy 17	38-15-06.951N 075-08-46.844W				Green can.		08/18
	*		*		*	*		
8155	BREWERTON CHANNEL RANGE REAR LIGHT 2,818 yards, 290.8° from front light.	39-12-49.217N 076-33-06.325W	F G (NIGHT) F W (DAY)	86 81		On black skeleton tower.	Lighted throughout 24 hours. Visible 0.5° either side of range line.	08/18
	*							
9678	CRANEY ISLAND CREEK LIGHT 8	36-52-58.746N 076-20-47.856W	FIR 2.5s	15	4	TR on pile.		08/18
	*				*			
9852.2	Pinner Point No Wake Buoy	35-51-25.000N 076-18-49.000W				White can with orange bands and diamond worded NO WAKE.	Private aid. Aid maintained by State DOT	08/18
	*	*	*	*	*	*	*	
9854	Hospital Point No Wake Buoy	36-51-04.000N 076-18-24.000W				White can with orange bands and diamond worded NO WAKE.	Private aid. Aid maintained by State DOT	08/18
	*	*	*	*	*	*	*	
10635	NAVAL BOAT CHANNEL LIGHT 6	36-57-45.972N 076-18-54.447W	FIR 2.5s	15	4	TR on pile.		08/18
	*				*			
12605	JAMES RIVER CHANNEL LIGHT 122 160 feet outside channel limit.	37-19-33.219N 077-16-34.090W	Q R	15	5	TR on multi-pile structure.		08/18
	*				*			
12615	JAMES RIVER CHANNEL LIGHT 125 75 feet outside channel limit.	37-20-10.698N 077-16-23.880W	FIG 4s	15	5	SG on multi-pile structure.		08/18
	*				*			
12665	JAMES RIVER CHANNEL LIGHT 139	37-21-54.093N 077-18-35.407W	FIG 6s	15	5	SG on pile.		08/18
	*				*			
17400	NEALE SOUND CHANNEL LIGHT 2N	38-16-01.142N 076-52-01.541W	FIR 4s	15	4	TR on pile.		08/18

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
17402	NEALE SOUND CHANNEL LIGHT 3	38-16-04.764N 076-52-01.756W	FIG 2.5s	15	4	SG on pile.		08/18
17520	MONROE CREEK ENTRANCE LIGHT 4	38-13-40.553N 076-57-53.652W	Q R	15	4	TR on pile.		08/18
18793.2	Tanner Creek Daybeacon 1						Remove from list.	08/18
18812	St. Jerome Creek Daybeacon 5	38-07-11.679N 076-20-32.254W				SG on pile.		08/18
21665	Nassawadox Creek Warning Daybeacon H						Remove from list.	08/18
21665	Nassawadox Creek Warning Buoy H	37-28-27.206N 075-57-01.156W				White can with orange bands and diamond worded DANGER.		08/18
21666	Nassawadox Creek Warning Daybeacon I						Remove from list.	08/18
21666	Nassawadox Creek Warning Buoy I	37-28-26.489N 075-56-43.295W				White can with orange bands and diamond worded DANGER.		08/18
26790	CHESTER RIVER CHANNEL LIGHT 34	39-10-07.504N 076-02-12.628W	FIR 4s	15	4	TR on pile.		08/18
28550	MANTEO CHANNEL LIGHT 6						Remove from list.	08/18
28550	<i>Manteo Channel Lighted Buoy 6</i>	35-54-43.987N 075-39-22.643W	FIR 4s		4	Red.		08/18
28721.6	Barney Slough Channel Buoy 3A	35-13-21.237N 075-47-12.237W				Green can.		08/18
28721.8	Barney Slough Channel Buoy 4A	35-13-35.586N 075-47-20.435W				Red nun.		08/18
28757	Hatteras Inlet Channel Buoy 17B	35-12-13.209N 075-43-20.909W				Green can.		08/18
32136	Gibbs Shoal Oyster Sanctuary Buoy A						Remove from list.	08/18

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
32136	Gibbs Shoal Oyster Sanctuary Warning Daybeacon A	35-27-19.320N 075-56-11.400W				NW on multi-pile structure worded DANGER SUBMERGED ROCKS.	OS-10A. Private aid. Aid maintained by State DOT	08/18
*	*	*	*	*	*	*	*	
32136.1	Gibbs Shoal Oyster Sanctuary Buoy B						Remove from list.	08/18
							*	
32136.2	Gibbs Shoal Oyster Sanctuary Buoy C						Remove from list.	08/18
							*	
32136.2	Gibbs Shoal Oyster Sanctuary Warning Daybeacon B	35-27-19.320N 075-55-57.540W				NW on multi-pile structure worded DANGER SUBMERGED ROCKS.	OS-10B. Private aid. Aid maintained by State DOT	08/18
*	*	*	*	*	*	*	*	
32136.3	Gibbs Shoal Oyster Sanctuary Buoy D						Remove from list.	08/18
							*	
32136.4	Gibbs Shoal Oyster Sanctuary Buoy E						Remove from list.	08/18
							*	
32136.4	Gibbs Shoal Oyster Sanctuary Warning Daybeacon C	35-27-08.040N 075-55-57.540W				NW on multi-pile structure worded DANGER SUBMERGED ROCKS.	OS-10C. Private aid. Aid maintained by State DOT	08/18
*	*	*	*	*	*	*	*	
32136.5	Gibbs Shoal Oyster Sanctuary Buoy F						Remove from list.	08/18
							*	
32136.6	Gibbs Shoal Oyster Sanctuary Buoy G						Remove from list.	08/18
							*	
32136.6	Gibbs Shoal Oyster Sanctuary Warning Daybeacon D	35-27-08.040N 075-56-11.400W				NW on multi-pile structure worded DANGER SUBMERGED ROCKS.	OS-10D. Private aid. Aid maintained by State DOT	08/18

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
*	*	*	*	*	*	*	*	
32136.7	Gibbs Shoal Oyster Sanctuary Buoy H						Remove from list.	08/18
32783	Deep Bay Oyster Sanctuary Buoy A	35-22-54.756N 076-22-09.672W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	OS-02. Private aid. Aid maintained by State DOT	08/18
32783.1	Deep Bay Oyster Sanctuary Buoy B	35-22-46.302N 076-22-09.672W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	OS-02. Private aid. Aid maintained by State DOT	08/18
32783.2	Deep Bay Oyster Sanctuary Buoy C	35-22-46.302N 076-22-20.262W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	OS-02. Private aid. Aid maintained by State DOT	08/18
32783.3	Deep Bay Oyster Sanctuary Buoy D	35-22-54.756N 076-22-20.262W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	OS-02. Private aid. Aid maintained by State DOT	08/18
33370	PAMLICO RIVER CHANNEL LIGHT 19 25 feet outside channel limit.	35-31-52.605N 077-02-53.263W	Fl G 2.5s	15	4	SG on pile.		08/18
33537	West Bay Oyster Sanctuary Buoy A	34-58-51.102N 076-21-21.792W			*	White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	OS-03. Private aid. Aid maintained by State DOT	08/18
33537.1	West Bay Oyster Sanctuary Buoy B	34-58-45.966N 076-21-21.792W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	OS-03. Private aid. Aid maintained by State DOT	08/18
33537.2	West Bay Oyster Sanctuary Buoy C	34-58-45.966N 076-21-28.410W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	OS-03. Private aid. Aid maintained by State DOT	08/18
						*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
33537.3	West Bay Oyster Sanctuary Buoy D	34-58-51.102N 076-21-28.410W				White can with orange diamond worded DANGER SUBMERGED ROCKS.	OS-03. Private aid. Aid maintained by State DOT	08/18
33660	SOUTH RIVER LIGHT 2	34-58-55.594N 076-35-03.551W	Fl R 2.5s	15	4	TR on pile.	*	08/18
34245	TRENT RIVER LIGHT 2	35-04-48.312N 077-03-27.521W	Fl R 4s	15	4	TR on pile.	*	08/18
39050	Bogue Sound Buoy 45A	34-40-23.816N 077-05-53.086W				Green can with yellow square.		08/18
39545.1	New River - Cape Fear River Buoy 98A	*					Remove from list.	08/18
39545.3	New River - Cape Fear River Buoy 98B						* Remove from list.	08/18
39615	NEW RIVER - CAPE FEAR RIVER LIGHT 125	34-13-50.642N 077-47-56.570W	Fl G 4s	15	4	SG-SY on pile.	*	08/18
40070	Cape Fear River - Little River Daybeacon 9 35 feet outside channel limit.	33-55-12.455N 078-03-45.712W				SG-SY on pile.		08/18
40115	CAPE FEAR RIVER - LITTLE RIVER LIGHT 29	33-55-08.934N 078-11-50.721W	Fl G 4s	18	4	SG-SY on pile.		08/18
40240	CAPE FEAR RIVER - LITTLE RIVER LIGHT 48A	33-55-13.061N 078-14-33.679W	Fl R 4s	15	4	TR-TY on pile.		08/18
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5235	Chincoteague Bay Buoy 19	38-01-36.107N 075-19-14.379W				Green can.		07/18
			*		*	*		
5420	Chincoteag Bay Channel Buoy 4	37-56-49.561N 075-21-53.995						07/18
			*		*	*		
5430	<i>Chincoteag Bay Channel Lighted Buoy</i>	37-57-15.438N 075-21-42.274	Q R		4	Red.		07/18
					*	*		
5520	<i>Wallops Island Lighted Buoy 2</i>	37-53-41.604N 075-24-55.627W	Fl R 2.5s		4	Red.		07/18
		*						
8150	BREWERTON CHANNEL RANGE FRONT LIGHT On shoal near Hawkins Point.	39-12-19.042N 076-31-26.152W	Iso G 2s (NIGHT) Iso W 2s (DAY)	25 28		Skeleton tower on caisson.	Lighted throughout 24 hours. DAY: Visible 0.5° either side of rangeline. NIGHT: Visible all around higher intensity 0.5° either side of rangeline.	8
		*		*				
8155	BREWERTON CHANNEL RANGE REAR LIGHT 2,818 yards, 290.8° from front light.	39-12-49.223N 076-33-06.322W	F G (NIGHT) F W (DAY)	86 81		On black skeleton tower.	Lighted throughout 24 hours. Visible 0.5° either side of rangeline.	7/18
		*		*			*	
25320	TRED AVON RIVER LIGHT 1T	38-39-53.643N 076-11-18.864W	Fl G 2.5s	15	4	SG on pile.		07/18
		*						
26205	Oak Creek Daybeacon 2	38-45-23.422N 076-10-26.801W				TR on pile.	4272NAV2. Private aid. Aid maintained by State DOT	07/18
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
26210	Oak Creek Buoy 3	38-45-21.422N 076-10-24.801W				Green can.	3964NAV3. Private aid. Aid maintained by State DOT	07/18
26215	Oak Creek Buoy 4	38-45-20.541N 076-10-23.879W				Red nun.	* 3965NAV4. Private aid. Aid maintained by State DOT	07/18
* 26220	* Oak Creek Buoy 6	* 38-45-14.600N 076-10-23.900W	*	*	*	* Red nun.	* 3966NAV6. Private aid. Aid maintained by State DOT	07/18
26225	Oak Creek Warning Buoy						* Remove from list.	07/18
28075	Oregon Inlet Channel Buoy 23	35-46-39.453N 075-32-50.705W				Green can.	*	07/18
28077	Oregon Inlet Channel Buoy 24	* 35-46-42.585N 075-32-46.836W				Red nun.		07/18
28233	<i>Old House Channel Lighted Buoy 1H</i>	* 35-45-31.905N 075-35-34.436W	Fl G 2.5s		3	Green.		07/18
39620	NEW RIVER - CAPE FEAR RIVER LIGHT 127	* 6.535N	Fl G 4s	15	4	SG-SY on pile.		07/18
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
590	Bodie Island Light	35-49-06.809N 075-33-47.895W	Fl (2)W 30s 2.5s fl 2.5s ec 2.5s fl 22.5sec	156	18	Conical brick tower, white and black bands above granite base, black ironwork. 166	Structure maintained by the National Park Service.	06/18
625	Cape Hatteras Light	35-15-01.920N 075-31-43.740W	Fl W 7.5s	192	24	Conical brick tower, black and white spirally banded, red brick base with granite corners. 200	Structure maintained by the National Park Service.	06/18
660	Ocracoke Light	35-06-32.280N 075-59-09.671W	F W	75	15	White conical tower. 85	Structure maintained by the National Park Service.	06/18
670	Cape Lookout Light	34-37-21.889N 076-31-28.341W	Fl W 15s	156	14	Conical brick tower, black and white diagonally checkered. 169	Structure maintained by the National Park Service.	06/18
810	Oak Island Light	33-53-34.164N 078-02-05.731W	Fl (4)W 10s 0.1s fl 0.9s ec. 0.1s fl 0.9s ec. 0.1s fl 0.9s ec 0.1s fl 0.9s ec.	169	24	Cylindrical tower, top third black, middle third white, lower third gray. 180	Shows reduced intensity between 190° and 250°. Structure maintained by entity outside the U.S. Coast Guard.	06/18
	* Change Heading: Bakers Channel							06/18
	* Aids maintained by the Delaware State Department of Transportation.							
2136	<i>Bakers Channel Lighted Buoy 1A</i>	38-38-01.884N 075-05-55.388W	Fl G 4s			Green.	Private aid.	06/18

*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2137	<i>Bakers Channel Lighted Buoy 1B</i>	38-37-59.812N 075-05-52.749W	FI G 4s			Green.	Private aid.	06/18
		*						
2137.01	<i>Bakers Channel Lighted Buoy 2</i>	38-38-00.360N 075-05-52.749W	FI R 4s			Red.	Private aid.	06/18
		*						
2137.02	<i>Bakers Channel Lighted Buoy 3</i>	38-37-58.392N 075-05-48.106W	FI G 4s			Green.	Private aid.	06/18
		*						
2137.03	<i>Bakers Channel Lighted Buoy 4</i>	38-37-57.591N 075-05-50.261W	FI R 4s			Red.	Private aid.	06/18
		*						
2137.04	<i>Bakers Channel Lighted Buoy 5</i>	38-37-53.716N 075-05-38.340W	FI G 4s			Green.	Private aid.	06/18
		*						
2137.05	<i>Bakers Channel Lighted Buoy 6</i>	38-37-52.915N 075-05-39.947W	FI R 4s			Red.	Private aid.	06/18
		*						
2137.06	<i>Bakers Channel Lighted Buoy 7</i>	38-37-50.168N 075-05-28.450W	FI G 4s			Green.	Private aid.	06/18
		*						
2137.07	<i>Bakers Channel Lighted Buoy 8</i>	38-37-48.214N 075-05-29.537W	FI R 4s			Red.	Private aid.	06/18
		*						
2137.08	<i>Bakers Channel Lighted Buoy 9</i>	38-37-43.813N 075-05-17.616W	FI G 4s			Green.	Private aid.	06/18
		*						
2137.09	<i>Bakers Channel Lighted Buoy 10</i>	38-37-42.658N 075-05-18.986W	FI R 4s			Red.	Private aid.	06/18
		*						
2137.11	<i>Bakers Channel Lighted Buoy 11</i>	38-37-41.200N 075-05-11.499W	FI G 4s			Green.	Private aid.	06/18
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2137.12	<i>Bakers Channel Lighted Buoy 12</i>	38-37-39.299N 075-05-13.518W	FIR 4s			Red.	Private aid.	06/18
		*						
2137.13	<i>Bakers Channel Lighted Buoy 13</i>	38-37-30.846N 075-05-12.078W	FI G 4s			Green.	Private aid.	06/18
		*						
2137.14	<i>Bakers Channel Lighted Buoy 14</i>	38-37-30.643N 075-05-14.857W	FIR 4s			Red.	Private aid.	06/18
		*						
2137.15	<i>Bakers Channel Lighted Buoy 15</i>	38-37-20.102N 075-05-15.072W	FI G 4s			Green.	Private aid.	06/18
		*						
2137.16	<i>Bakers Channel Lighted Buoy 16</i>	38-37-21.496N 075-05-17.186W	FIR 4s			Red.	Private aid.	06/18
		*						
2137.18	<i>Bakers Channel Lighted Buoy 16A</i>	38-37-12.190N 075-05-22.745W	FIR 4s			Red.	Private aid.	06/18
		*						
2920	<i>Delaware River Lighted Buoy 21</i>	39-37-44.113N 075-34-39.881W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.	06/18
		*						
7660.1	<i>Cove Point Lighted Warning Buoy F</i>	38-24-27.150N 076-23-41.876W	FI W 4s			White can with orange bands and diamond worded RESTRICTED AREA.	Private aid.	06/18
*	*	*	*	*	*	*	*	
7660.2	<i>Cove Point Lighted Warning Buoy G</i>	38-24-44.088N 076-23-10.191W	FI W 2.5s			White can with orange bands and diamond worded RESTRICTED AREA.	Private aid.	06/18
*	*	*	*	*	*	*	*	
7660.3	<i>Cove Point Lighted Warning Buoy H</i>	38-23-54.837N 076-22-26.028W	FI W 2.5s			White can with orange bands and diamond worded RESTRICTED AREA.	Private aid.	06/18
*	*	*	*	*	*	*	*	
7660.4	<i>Cove Point Lighted Warning Buoy J</i>	38-23-36.556N 076-22-57.318W	FI W 4s			White can with orange bands and diamond worded RESTRICTED AREA.	Private aid.	06/18
*	*	*	*	*	*	*	*	
7750	BLOODY POINT BAR LIGHT						Remove from list.	06/18
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7751	BLOODY POINT BAR WARNING LIGHT	38-49-59.873N 076-23-35.441W	Fl W 6s	22	7	NW on multi-pile structure.	Marks remains of Bloody Point Bar Lighthouse.	06/18
*	*	*	*	*	*	*	*	
11465	JAMES RIVER CHANNEL LIGHT 4	37-01-47.051N 076-31-10.439W	Fl R 2.5s	15	5	TR on multi-pile structure.		06/18
11645	JAMES RIVER CHANNEL LIGHT 12	37-03-21.139N 076-35-29.040W	Fl R 2.5s	15	5	TR on pile.		06/18
	135 feet outside channel limit.							
12390	VIRGINIA POWER SOUTH TOWER OBSTRUCTION LIGHTS (2)	37-18-34.030N 077-05-43.422W	F Y	15		On skeleton tower.	Private aid.	06/18
12395	VIRGINIA POWER NORTH TOWER OBSTRUCTION LIGHTS (2)	37-19-02.366N 077-05-41.733W	F Y	15		On skeleton tower.	Private aid.	06/18
13918	VIMS CLAY BANK LIGHT CB						Remove from list.	06/18
23975	NANTICOKE RIVER CHANNEL LIGHT 5	38-14-41.775N 075-55-47.331W	Fl G 4s	15	4	SG on pile.	*	06/18
24580	Tar Bay Warning Daybeacon B	38-20-58.196N 076-16-18.028W				NW on pile worded DANGER SHOAL.		06/18
24585	Tar Bay Warning Daybeacon C	38-20-53.272N 076-15-51.244W	*	*	*	NW on pile worded DANGER SHOAL.		06/18
24590	Tar Bay Warning Daybeacon D	38-20-50.466N 076-15-26.567W				NW on pile worded DANGER SHOAL.		06/18
24600	Tar Bay Warning Daybeacon G	38-20-42.886N 076-14-36.976W				NW on pile worded DANGER SHOAL.		06/18
24605	Tar Bay Warning Daybeacon H	38-20-35.910N 076-14-22.922W				NW on pile worded DANGER SHOAL.		06/18
24610	Tar Bay Warning Daybeacon J	38-20-38.589N 076-14-08.976W				NW on multi-pile structure worded DANGER SHOAL.		06/18
	*					*		

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
24615	Tar Bay Warning Daybeacon K	38-20-46.380N 076-14-01.528W				NW multi-pile structure worded DANGER SHOAL.		06/18
	*					*		
24620	Tyler Cove Warning Daybeacon A	38-20-56.923N 076-13-47.259W				NW on pile worded DANGER SHOAL.		06/18
	*					*		
24625	Tyler Cove Warning Daybeacon B	38-20-59.523N 076-13-46.017W				NW on pile worded DANGER SHOAL.		06/18
	*					*		
26215	Oak Creek Daybeacon 4						Remove from list.	06/18
							*	
26887	The Haven Channel Daybeacon 2	39-08-48.743N 076-15-10.199W				TR on pile.	Private aid.	06/18
		*						
28387	Croatan Sound Oyster Sanctuary Buoy A	35-48-17.000N 075-38-20.200W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	Private aid. Aid maintained by State DOT	06/18
		*				*		
28387.1	Croatan Sound Oyster Sanctuary Buoy B	35-48-11.500N 075-38-20.200W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	Private aid. Aid maintained by State DOT	06/18
		*				*		
28387.2	Croatan Sound Oyster Sanctuary Buoy C	35-48-11.500N 075-38-27.400W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	Private aid. Aid maintained by State DOT	06/18
		*				*		
28387.3	Croatan Sound Oyster Sanctuary Buoy D	35-48-17.000N 075-38-27.500W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	Private aid. Aid maintained by State DOT	06/18
		*				*		
28529	Roanoke Sound Channel Buoy 29C	35-55-06.272N 075-38-59.063W				Green can.		06/18
		*						
28539	Manteo Channel Buoy 4	35-55-03.917N 075-39-01.318W				Red nun.		06/18
		*						
28540	Manteo Channel Daybeacon 5						Remove from list.	06/18
		*					*	
28540	Manteo Channel Buoy 5	35-54-54.072N 075-39-08.086W				Green can.		06/18
		*						
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28732	<i>Hatteras Inlet Channel Lighted Buoy 12</i>	35-12-23.512N 075-43-54.598W	Q R		4	Red.	06/18
		*					
28735.3	<i>Hatteras Inlet Channel Lighted Buoy 13A</i>	35-12-16.187N 075-43-53.829W	Fl G 4s		4	Green.	06/18
		*					
28753	<i>Hatteras Inlet Channel Lighted Buoy 17</i>	35-12-08.004N 075-43-49.544W	Q G		4	Green.	06/18
		*					
29557	<i>Bogue Inlet Lighted Buoy 13</i>	34-39-39.214N 077-05-50.168W	Q G		4	Green.	06/18
		*					
29883	Town Point Artificial Reef Buoy AR-398A	34-39-40.300N 077-22-18.000W				White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES.	Private aid. Aid maintained by State DOT 06/18
		*					
29883.1	Town Point Artificial Reef Buoy AR-398B	34-39-31.500N 077-22-18.000W				White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES.	Private aid. Aid maintained by State DOT 06/18
		*					
29883.2	Town Point Artificial Reef Buoy AR-398C	34-39-31.500N 077-22-36.000W				White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES.	Private aid. Aid maintained by State DOT 06/18
		*					
29883.3	Town Point Artificial Reef Buoy AR-398D	34-39-40.300N 077-22-36.000W				White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES.	Private aid. Aid maintained by State DOT 06/18
		*					
32503	Middle Bay Oyster Sanctuary Buoy A	35-14-09.500N 076-30-10.700W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	Private aid. Aid maintained by State DOT 06/18
		*					
32503.1	Middle Bay Oyster Sanctuary Buoy B	35-14-06.900N 076-30-10.700W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	Private aid. Aid maintained by State DOT 06/18
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
32503.2	Middle Bay Oyster Sanctuary Buoy C	35-14-06.900N 076-30-19.900W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	Private aid. Aid maintained by State DOT	06/18
		*				*		
32503.3	Middle Bay Oyster Sanctuary Buoy D	35-14-09.500N 076-30-19.300W				White can with orange bands and diamond worded DANGER SUBMERGED ROCKS.	Private aid. Aid maintained by State DOT	06/18
		*				*		
33713	Whitehurst Point Artificial Fishing Reef Buoy AR-396A	35-01-52.200N 076-39-28.000W				White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES.	Private aid. Aid maintained by State DOT	06/18
		*				*		
33713.1	Whitehurst Point Artificial Fishing Reef Buoy AR-396B	35-01-47.100N 076-39-23.900W				White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES.	Private aid. Aid maintained by State DOT	06/18
		*				*		
33713.2	Whitehurst Point Artificial Fishing Reef Buoy AR-396C	35-01-25.300N 076-39-51.200W				White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES.	Private aid. Aid maintained by State DOT	06/18
		*				*		
33713.3	Whitehurst Point Artificial Fishing Reef Buoy AR-396D	35-01-35.900N 076-39-58.300W				White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES.	Private aid. Aid maintained by State DOT	06/18
		*				*		
	* Change Heading: New Jersey Intracoastal Waterway							06/18
	* Positions of buoys frequently shifted with changing conditions.							
34980	NEW JERSEY INTRACOASTAL WATERWAY JUNCTION LIGHT NJICW	40-05-17.956N 074-04-04.711W	Fl (2+1)R 6s	17	3	JR-TY on pile.		06/18
	* Change Heading: New Jersey Intracoastal Waterway							06/18
	* Positions of buoys frequently shifted with changing conditions.							

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
								06/18
35390	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 99	39-34-31.860N 074-14-12.000W	FIG 4s	15	4	SG-SY on pile.		06/18
35500	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 126	39-30-28.526N 074-20-18.589W	Q R	15	4	TR-TY on multi-pile structure.		06/18
35647	New Jersey Intracoastal Waterway Buoy 160A	39-26-47.409N 074-23-27.876W				Red nun with yellow triangle.	Maintained from May 1 to Nov. 1.	06/18
	* Change Heading: New Jersey Intracoastal Waterway						*	06/18
	* Positions of buoys frequently shifted with changing conditions.							
35830	New Jersey Intracoastal Waterway Daybeacon 207	39-21-34.960N 074-26-59.038W				SG-SY on pile.		06/18
36515	New Jersey Intracoastal Waterway Buoy 416	39-02-53.193N 074-46-31.130W				Red nun with yellow triangle.	Maintained from May 1 to Nov. 1.	06/18
36517	New Jersey Intracoastal Waterway Buoy 417	39-02-44.040N 074-46-36.392W				Green can with yellow square.	Maintained from May 1 to Nov. 1.	06/18
36518	New Jersey Intracoastal Waterway Buoy 418	39-02-45.571N 074-46-38.668W				Red nun with yellow triangle.	Maintained from May 1 to Nov. 1.	06/18
36520	New Jersey Intracoastal Waterway Buoy 419	39-02-41.567N 074-46-42.384W				Green can with yellow square.	Maintained from May 1 to Nov. 1.	06/18
36525	New Jersey Intracoastal Waterway Buoy 421	39-02-41.089N 074-46-50.044W				Green can with yellow square.	Maintained from May 1 to Nov. 1.	06/18
36530	New Jersey Intracoastal Waterway Buoy 423	39-02-36.506N 074-46-53.817W				Green can with yellow square.	Maintained from May 1 to Nov. 1.	06/18
36535	New Jersey Intracoastal Waterway Buoy 424	39-02-31.858N 074-46-57.945W				Red nun with yellow triangle.	Maintained from May 1 to Nov. 1.	06/18
36540	New Jersey Intracoastal Waterway Buoy 425	39-02-32.373N 074-46-55.633W				Green can with yellow square.	Maintained from May 1 to Nov. 1.	06/18

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
36607	New Jersey Intracoastal Waterway Buoy 444A	39-00-36.060N 074-49-02.040W				Red nun with yellow triangle.	Maintained from May 1 to Nov. 1.	06/18
37855	ALLIGATOR RIVER LIGHT 10	35-55-48.303N 075-59-50.941W	FIR 2.5s	15	4	TR-TY on pile.	*	06/18
37870	ALLIGATOR RIVER LIGHT 16	* 35-51-59.754N 076-01-27.144W	FIR 4s	15	4	TR-TY on pile.		06/18
39063	Cedar Point Artificial Reef Buoy AR-381A	34-40-25.800N 077-06-30.240W				White can with orange bands and diamond worded REEF.	Private aid. Aid maintained by State DOT	06/18
* 39063.1	* Cedar Point Artificial Reef Buoy AR-381B	* 34-40-25.620N 077-06-30.120W	* *	* *	* *	* White can with orange bands and diamond worded REEF.	* Private aid. Aid maintained by State DOT	* 06/18
* 39063.2	* Cedar Point Artificial Reef Buoy AR-381C	* 34-40-24.540N 077-06-33.420W	* *	* *	* *	* White can with orange bands and diamond worded REEF.	* Private aid. Aid maintained by State DOT	* 06/18
* 39063.3	* Cedar Point Artificial Reef Buoy AR-381D	* 34-40-24.780N 077-06-33.540W	* *	* *	* *	* White can with orange bands and diamond worded REEF.	* Private aid. Aid maintained by State DOT	* 06/18
* 40400	* CAPE FEAR RIVER - LITTLE RIVER LIGHT 98	* 33-53-25.412N 078-28-03.080W	* FIR 4s	* 15	* 4	* TR-TY on pile.	* *	* 06/18

*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
4755	<i>Ocean City Inlet Lighted Buoy 11</i>	38-19-36.367N 075-05-42.679W	Fl G 2.5s		4	Green.	05/18
		*					
4757	<i>Ocean City Inlet Lighted Buoy 12</i>	38-19-38.978N 075-05-47.019W	Fl R 2.5s		4	Red.	05/18
		*					
4758	<i>Ocean City Inlet Lighted Buoy 12A</i>						Remove from list. 05/18
5392	<i>Chincoteague Channel Lighted Buoy 27</i>	37-55-46.330N 075-23-33.475W	Fl G 4s		4	Green.	05/18
		*					
6690	Wachapreague Channel Daybeacon 13	37-35-57.030N 075-40-41.508W				SG on multi-pile structure.	05/18
		*					
22475	Starling Creek Buoy 6	37-55-10.456N 075-43-48.923W				Red.	Maintained from Mar. 15 to Dec. 1. 05/18
		*					
28003	<i>Oregon Inlet Lighted Buoy 6</i>	35-47-26.285N 075-31-26.332W	Q R		4	Red.	* 05/18
		*					
28005	Oregon Inlet Buoy 7	35-47-05.916N 075-31-32.223W	Fl G 4s			Green can.	05/18
		*					
28015	<i>Oregon Inlet Lighted Buoy 9</i>	35-47-05.916N 075-31-32.223W	Fl G 4s		4	Green.	05/18
		*					
28017	Oregon Inlet Buoy 10	35-47 05.522N 075-3 -40.599W				Red nun.	05/18
		*					
28327	<i>Walter Slough Lighted Buoy 6A</i>	35-47-33.016N 075-33-35.526W	Q R		4	Red.	05/18
		*					
29388	<i>Beaufort Inlet Channel Lighted Buoy 16A</i>	34-41-29.257N 076-40-07.903W	Fl R 4s		5	Red.	05/18
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
29763	New River Buoy 17A	34-34-02.974N 077-22-00.818W				Green can.		05/18
		*						
32180	HOG ISLAND SHOAL LIGHT						Remove from list.	05/18
							*	
32185	Hog Island Warning Daybeacon A	35-20-03.969N 076-02-05.664W				NW on pile worded DANGER SHOAL.		05/18
32250	AVON CHA EL WARNING LIGHT AV	35-22-49.330N 075-33-35.029	FI W 2.5s	15	4	NW on pi worded DANGER OAL.		05/18
			*					
34000	NEUSE RIVER CHANNEL LIGHT 22	35-04-47.786N 077-00-21.726W	FI R 4s	15	4	TR on pile.		05/18
							*	
37610	Great Bridge to Albemarle Sound Daybeacon 115	36-24-18.024N 075-57-11.208W				SG-SY on pile.		05/18
		*						
38965	BOGUE SOUND LIGHT 29	34-42 25.267N 076-5 -20.153W	FI G 4s	15	5	SG-SY on pile.		05/18
39305	Bogue Sound - New River Buoy 74	34-33-10.210N 077-21-14.382W				Red nun with yellow triangle.		05/18
		*						
40385	CAPE FEAR RIVER - LITTLE RIVER LIGHT 93	0.896N	FI G 4s	15	4	SG-SY on pile.		05/18
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4551.25	Indian River Channel Daybeacon 66	38-35-10.450N 075-16-33.908W				TR on pile.	Private aid.	04/18
		*						
4551.26	Indian River Channel Daybeacon 67	38-35-14.196N 075-16-39.395W				SG on pile.	Private aid.	04/18
		*						
4551.27	Indian River Channel Daybeacon 68	38-35-14.222N 075-16-38.000W				TR on pile.	Private aid.	04/18
		*						
4551.28	Indian River Channel Daybeacon 68A	38-35-18.488N 075-16-37.497W				TR on pile.	Private aid.	04/18
		*						
4551.29	Indian River Channel Daybeacon 69	38-35-24.153N 075-16-36.216W				SG on pile.	Private aid.	04/18
		*						
4551.31	Indian River Channel Daybeacon 70	38-35-24.325N 075-16-34.922W				TR on pile.	Private aid.	04/18
		*						
4745	<i>Ocean City Inlet Lighted Buoy 8</i>	38-19-24.780N 075-05-24.510W	Fl R 2.5s		4	Red.		03/18
		*						
4750	<i>Ocean City Inlet Lighted Buoy 10</i>	38-19-27.923N 075-05-30.310W	Fl R 4s		4	Red.		03/18
		*						
4757	<i>Ocean City Inlet Lighted Buoy 12</i>	38-19-38.439N 075-05-45.540W	Fl R 2.5s		4	Red.		03/18
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
802.3	<i>Scripps Lighted Data Buoy CDIP 217</i>	34-12-45.540N 076-56-47.220W	Fl (5)Y 20s			Yellow.	Private aid.	02/18
		*						
802.5	<i>UNCW/CORMP Lighted Data Buoy D</i>	34-12-30.240N 076-56-48.900W	Fl Y 4s			Yellow.	Private aid.	02/18
		*						
803	<i>UNCW/CORMP Lighted Data Buoy A</i>	34-08-35.640N 077-42-59.160W	Fl Y 4s			Yellow.	Private aid.	02/18
		*						
803.1	<i>UNCW/CORMP Lighted Data Buoy B</i>	33-59-15.720N 077-21-36.960W	Fl Y 4s			Yellow.	Private aid.	02/18
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4551.11	Indian River Channel Daybeacon 53	38-34-59.517N 075-15-26.638W				SG on pile.	Private aid.	02/18
		*						
4551.12	Indian River Channel Daybeacon 54	38-35-00.646N 075-15-26.633W				TR on pile.	Private aid.	02/18
		*						
4551.13	Indian River Channel Daybeacon 55	38-34-59.467N 075-15-34.282W				SG on pile.	Private aid.	02/18
		*						
4551.14	Indian River Channel Daybeacon 56	38-35-00.748N 075-15-34.061W				TR on pile.	Private aid.	02/18
		*						
4551.15	Indian River Channel Daybeacon 57	38-35-07.097N 075-15-49.138W				SG on pile.	Private aid.	02/18
		*						
4551.16	Indian River Channel Daybeacon 58	38-35-08.249N 075-15-48.692W				TR on pile.	Private aid.	02/18
		*						
4551.17	Indian River Channel Daybeacon 59	38-35-09.118N 075-16-06.130W				SG on pile.	Private aid.	02/18
		*						
4551.18	Indian River Channel Daybeacon 60	38-35-10.245N 075-16-05.921W				TR on pile.	Private aid.	02/18
		*						
4551.19	Indian River Channel Daybeacon 61	38-35-11.004N 075-16-16.044W				SG on pile.	Private aid.	02/18
		*						
4551.21	Indian River Channel Daybeacon 62	38-35-12.150N 075-16-16.109W				TR on pile.	Private aid.	02/18
		*						
4551.22	Indian River Channel Daybeacon 63	38-35-11.385N 075-16-22.281W				SG on pile.	Private aid.	02/18
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4551.23	Indian River Channel Daybeacon 64	7N 6-22.434W				TR on pile.	Private aid.	02/18
4551.24	Indian River Channel Daybeacon 65	* 38-35-09.947N 075-16-34.516W				SG on pile.	Private aid.	02/18
4758	<i>Ocean City Inlet Lighted Buoy 12A</i>	* 38-19 38.995N 075-0 -47.020W	Q R		4	Red.		02/18
10895	* HAMPTON RIVER CHANNEL LIGHT 2	36-59-57.092N 076-19-08.303W	FIR 4s	* 15	* 4	TR on pile.	*	02/18
13655	West Branch Channel Buoy 10	* 37-12-51.623N 076-28-10.698W				Red nun.		02/18
22255	GUILFORD FLATS JUNCTION LIGHT GF	37-50-57.138N 075-46-37.572W	Fl (2+1)R 6s	18	4	JR on mu pile structure		02/18
28335	Walter Slough Buoy 8	35-47-31.910N 075-33-26.396W				Red nun.		02/18
28340	<i>Walter Slough Lighted Buoy 9</i>	35-47-33.178N 075-33-24.503W	Fl G 2.5s		4	Green.		02/18
29495	<i>Bogue Inlet Lighted Buoy 1</i>	* 8-02.851N 077-05-53.989W	Fl G 2.5s		4	Green.		02/18
29500	Bogue Inlet Buoy 2	* 34-38-04.273N 077-05-51.143				Red nun.		02/18
29505	Bogue Inlet Buoy 3	* 34-38-10.391N 077-05-58.569				Green can.		02/18
29510	Bogue Inlet Buoy 4	* 34-38-11.459N 077-05-54.127				Red nun.		02/18
29520	<i>Bogue Inlet Lighted Buoy 6</i>	* -28.738N 077-06-06.355W	Q R		4	Red.		02/18
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
------------	--------------------------	-----------------	-----------------------	-----------	------------	------------------	----------------

No corrections this week

01/18