

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2019 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1462	NOAA Lighted Data Buoy 42S13-SCP01						Remove from list.	29/19
1463	NOAA Lighted Data Buoy 42S23-SCP03						* Remove from list.	29/19
4560	Choctawhatchee Bay Entrance Buoy 5A	30-23-03.209N 086-30-42.300W				Green can.		29/19
4565	Choctawhatchee Bay Entrance Buoy 7	* 30-23-09.286N 086-30-46.400W				Green can.		29/19
4575	Choctawhatchee Bay Entrance Buoy 9	* 30-23-17.219N 086-30-49.800W				Green can.		29/19
12622	South Pass Buoy 9D	* 29-04-46.924N 089-13-01.905W				Green can.		29/19
27175	MATAGORDA SHIP CHANNEL LIGHT 12	* 28-25-40.621N 096-19-37.261W	Fl R 4s	23	3	TR on skeleton tower on block.	On same structure as Matagorda Ship Channel B Range Front Light.	29/19
	*					*	*	
No corrections this week								28/19
1465	NOAA Lighted Buoy 42001 (ODAS)	25-56-28.000N 089-39-39.000W	Fl (4)Y 20s		3	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	27/19
7825	Portersville Bay Daybeacon A	*					Remove from list. *	27/19
34705	NEW ORLEANS CUT LIGHT 1	30-05-20.313N 089-44-29.985W	Fl G 4s	17	4	SG-SY on pile.	Ra ref.	26/19

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2019 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
39125	PALM HARBOR CANAL DANGER LIGHTS (2)	27-58-02.510N 097-05-22.130W	Fl W 2.5s			Marks ends of entrance fence to canal.	Private Aid.	25/19
* 39768	* <i>Corpus Christi Baffin Bay Lighted Buoy 8</i>	* 27-40-44.751N 097-13-37.175W	* Q R	* 	* 3	* Red nun with yellow triangle.	* 	25/19
39770	Corpus Christi Baffin Bay Buoy 10	* 27-40-41.272N 097-13-38.683W				Red nun with yellow triangle.		25/19
		*						
5040	Pensacola Bay Channel Daybeacon 1						Remove from list.	24/19
							*	
5045	Pensacola Bay Channel Daybeacon 2						Remove from list.	24/19
							*	
5050	Pensacola Bay Channel Daybeacon 3						Remove from list.	24/19
							*	
5055	Pensacola Bay Channel Daybeacon 4						Remove from list.	24/19
							*	
5060	Pensacola Bay Channel Daybeacon 5						Remove from list.	24/19
							*	
5065	Pensacola Bay Channel Daybeacon 6						Remove from list.	24/19
							*	
18202	CASTEX LAKE MECHANT DANGER LIGHT	29-18-08.000N 091-00-44.000W	Fl W 2.5s			Marks spoil obstruction.	Private Aid.	24/19
* 18202.01	* CASTEX LAKE MECHANT DANGER LIGHT	* 29-18-06.000N 091-00-43.000W	* Fl W 2.5s	* 	* 	* Marks spoil obstruction.	* Private Aid.	24/19
* 	* 	* 	* 	* 	* 	* 	* 	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2019 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
18202.02	CASTEX LAKE MECHANT DANGER LIGHT	29-18-02.000N 091-00-42.000W	Fl W 2.5s			Marks spoil obstruction.	Private Aid.	24/19
*	*	*	*	*	*	*	*	
18202.03	CASTEX LAKE MECHANT DANGER LIGHT	29-17-59.000N 091-00-40.000W	Fl W 2.5s			Marks spoil obstruction.	Private Aid.	24/19
*	*	*	*	*	*	*	*	
18202.04	CASTEX LAKE MECHANT DANGER LIGHT	29-17-57.000N 091-00-37.000W	Fl W 2.5s			Marks spoil obstruction.	Private Aid.	24/19
*	*	*	*	*	*	*	*	
18202.05	CASTEX LAKE MECHANT DANGER LIGHT	29-17-54.000N 091-00-24.000W	Fl W 2.5s			Marks spoil obstruction.	Private Aid.	24/19
*	*	*	*	*	*	*	*	
18202.06	CASTEX LAKE MECHANT DANGER LIGHT	29-17-52.000N 091-00-24.000W	Fl W 2.5s			Marks spoil obstruction.	Private Aid.	24/19
*	*	*	*	*	*	*	*	
18202.07	CASTEX LAKE MECHANT DANGER LIGHT	29-17-52.000N 091-00-22.000W	Fl W 2.5s			Marks spoil obstruction.	Private Aid.	24/19
*	*	*	*	*	*	*	*	
18202.08	CASTEX LAKE MECHANT DANGER LIGHT	29-17-50.000N 091-00-14.000W	Fl W 2.5s			Marks spoil obstruction.	Private Aid.	24/19
*	*	*	*	*	*	*	*	
18202.09	CASTEX LAKE MECHANT DANGER LIGHT	29-17-47.000N 091-00-12.000W	Fl W 2.5s			Marks spoil obstruction.	Private Aid.	24/19
*	*	*	*	*	*	*	*	
18202.11	CASTEX LAKE MECHANT DANGER LIGHT	29-17-47.000N 091-00-37.000W	Fl W 2.5s			Marks spoil obstruction.	Private Aid.	24/19
*	*	*	*	*	*	*	*	
18202.12	CASTEX LAKE MECHANT DANGER LIGHT	29-17-54.000N 091-00-10.000W	Fl W 2.5s			Marks spoil obstruction.	Private Aid.	24/19
*	*	*	*	*	*	*	*	
18202.13	CASTEX BAYOU CHEVREAU DANGER LIGHT	29-19-14.000N 091-00-27.000W	Fl W 2.5s			Marks spoil obstruction.	Private Aid.	24/19
*	*	*	*	*	*	*	*	
18202.14	CASTEX BAYOU CHEVREAU DANGER LIGHT	29-19-17.000N 091-00-24.000W	Fl W 2.5s			Marks spoil obstruction.	Private Aid.	24/19
*	*	*	*	*	*	*	*	
18202.15	CASTEX BAYOU CHEVREAU DANGER LIGHT	29-19-19.000N 091-00-21.000W	Fl W 2.5s			Marks spoil obstruction.	Private Aid.	24/19
*	*	*	*	*	*	*	*	
18202.16	CASTEX BAYOU CHEVREAU DANGER LIGHT	29-19-21.000N 091-00-18.000W	Fl W 2.5s			Marks spoil obstruction.	Private Aid.	24/19
*	*	*	*	*	*	*	*	
18202.17	CASTEX BAYOU CHEVREAU DANGER LIGHT	29-19-24.000N 091-00-17.000W	Fl W 2.5s			Marks spoil obstruction.	Private Aid.	24/19
*	*	*	*	*	*	*	*	
24600	HOUSTON SHIP CHANNEL LIGHT 92	29-41-02.015N 094-58-48.419W	Fl R 2.5s	17	4	TR on pile.	Ra ref.	24/19

*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2019 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
34825	HERO CUT OBSTRUCTION LIGHT A	29-50-02.062N 090-03-57.122W	Q W	17	5	NB on pile.		24/19
		*						
5478.06	FDOA EAST BAY SOUTH AQUACULTURE SPECIAL LIGHT G	30-24-08.950N 087-04-38.450W	Fl Y 2.5s			Marks perimeter of aquaculture farm.	Private Aid.	23/19
*	*	*	*	*	*	*	*	
5487.06	FDOA EAST BAY SOUTH AQUACULTURE SPECIAL LIGHT G						Remove from list.	23/19
							*	
17770	HOUMA NAVIGATION CANAL A RANGE FRONT LIGHT	29-11-24.532N 090-36-42.134W	Q W	25		KRW on piles.	Visible all around; higher intensity 1.5° each side of rangeline.	23/19
							*	
17776	HOUMA NAVIGATION CANAL A RANGE REAR LIGHT PASSING LIGHT	29-12-30.646N 090-37-09.330W	Fl W 4s	14	5	On same structure as Houma Navigation Canal A Range Rear Light.		23/19
*	*	*	*	*	*	*	*	
17855	HOUMA NAVIGATION CANAL B RANGE FRONT LIGHT	29-11-13.199N 090-36-33.594W	Q W	25		KRW on tower.	Visible all around; higher intensity 1.5° each side of rangeline.	23/19
							*	
28810	CORPUS CHRISTI CHANNEL LIGHT 86	27-48-45.420N 097-23-18.140W	Fl R 4s	17	3	TR on dolphin.		23/19
				*				
24770	UPPER MORGANS POINT INBOUND RANGE REAR LIGHT 235 yards, 312.5° from front light.	29-42-09.496N 095-00-08.285W	Iso G 6s	35		KRW on skeleton tower on piles.	Visible on rangeline only.	22/19
	*	*						
25245	UPPER RED LIGHT BEND OUTBOUND RANGE REAR LIGHT 365 yards, 180.1° from front light.	29-42-11.325N 095-01-16.045W	Iso R 6s	26		KRW on skeleton tower on piles.	Visible 14° each side of rangeline.	22/19
	*	*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2019 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
25525	LYNCHBURG INBOUND RANGE FRONT LIGHT	29-45-57.238N 095-04-56.641W	Q R	17		KRW on dolphin.	Visible all around; higher intensity on rangeline.	22/19
25530	LYNCHBURG INBOUND RANGE REAR LIGHT	* 29-46-01.266N 095-05-03.599W	Iso R 6s	37		KRW on skeleton tower on piles.	Visible 4° each side of rangeline.	22/19
	245 yards, 301.7° from front light.							
28225	* Aransas Channel Daybeacon 5	27-52-06.108N 097-05-05.548W				SG on pile.	Ra ref.	22/19
	60 feet outside channel limit.							
28240	Aransas Channel Daybeacon 9	27-52-55.489N 097-05-59.641W				SG on pile.	Ra ref.	22/19
28255	Aransas Channel Daybeacon 13	27-53-24.179N 097-06-31.694W				SG on pile.	Ra ref.	22/19
	60 feet outside channel limit.							
28260	ARANSAS CHANNEL LIGHT 14	27-53-32.080N 097-06-36.346W	Q R	17	4	TR on pile.	Ra ref.	22/19
	75 feet outside channel limit.							
28265	Aransas Channel Daybeacon 15	27-53-31.567N 097-06-45.683W				* SG on pile.	Ra ref.	22/19
28280	ARANSAS CHANNEL LIGHT 20	27-53-44.971N 097-07-29.852W	Fl R 2.5s	17	4	TR on pile.	Ra ref.	22/19
	60 feet outside channel limit.							
28285	Aransas Channel Daybeacon 22	27-53-51.527N 097-07-57.077W				* TR on pile.	Ra ref.	22/19
28290 39225	ARANSAS CHANNEL LIGHT 23	27-53-51.523N 097-08-06.438W	Fl G 4s	17	4	SG-TY on pile.	Ra ref.	22/19
	50 feet outside channel limit.							
28295	Aransas Channel Daybeacon 24	27-53-55.316N 097-08-07.742W				TR on pile.	Ra ref.	22/19
39225 28290	ARANSAS CHANNEL LIGHT 23	27-53-51.523N 097-08-06.438W	Fl G 4s	17	4	SG-TY on pile.	Ra ref.	22/19
	50 feet outside channel limit.							

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2019 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2287.36	FDOA OYSTER BAY AQUACULTURE SPECIAL LIGHT I	30-03-51.340N 084-20-09.530W	FI Y 2.5s			Marks aquaculture perimeter.	Private Aid.	21/19
*	*	*	*	*	*	*	*	*
2287.37	FDOA OYSTER BAY AQUACULTURE SPECIAL LIGHT J	30-04-00.160N 084-20-06.860W	FI Y 2.5s			Marks aquaculture perimeter.	Private Aid.	21/19
*	*	*	*	*	*	*	*	*
2287.38	FDOA OYSTER BAY AQUACULTURE SPECIAL LIGHT K	30-04-00.520N 084-20-10.570W	FI Y 2.5s			Marks aquaculture perimeter.	Private Aid.	21/19
*	*	*	*	*	*	*	*	*
2287.39	FDOA OYSTER BAY AQUACULTURE SPECIAL LIGHT L	30-03-52.090N 084-20-14.100W	FI Y 2.5s			Marks aquaculture perimeter.	Private Aid.	21/19
*	*	*	*	*	*	*	*	*
2328.15	<i>FDOA Alligator Harbor Aquaculture Special Light O</i>	29-54-54.550N 084-23-47.550W	FI Y 2.5s			Marks perimeter corner point of aquaculture farm.	Private Aid.	21/19
*	*	*	*	*	*	*	*	*
2328.16	<i>FDOA Alligator Harbor Aquaculture Special Light P</i>	29-55-02.360N 084-23-45.220W	FI Y 2.5s			Marks perimeter corner point of aquaculture farm.	Private Aid.	21/19
*	*	*	*	*	*	*	*	*
2328.17	<i>FDOA Alligator Harbor Aquaculture Special Light Q</i>	29-55-04.910N 084-23-56.490W	FI Y 2.5s			Marks perimeter corner point of aquaculture farm.	Private Aid.	21/19
*	*	*	*	*	*	*	*	*
2328.18	<i>FDOA Alligator Harbor Aquaculture Special Light R</i>	29-54-57.370N 084-23-59.980W				Marks perimeter corner point of aquaculture farm.	Private Aid.	21/19
*	*	*	*	*	*	*	*	*
	* Add Heading: St Vincent Sound							21/19
2947	<i>FDOA St Vincent Sound Aquaculture Special Light A</i>	29-42-41.510N 085-07-02.990W	FI Y 2.5s			Marks perimeter corner point of aquaculture farm.	Private Aid.	21/19
*	*	*	*	*	*	*	*	*
2947.01	<i>FDOA St Vincent Sound Aquaculture Special Light B</i>	29-42-44.790N 085-06-48.090W	FI Y 2.5s			Marks perimeter corner point of aquaculture farm.	Private Aid.	21/19
*	*	*	*	*	*	*	*	*
2947.02	<i>FDOA St Vincent Sound Aquaculture Special Light C</i>	29-42-49.590N 085-06-49.490W	FI Y 2.5s			Marks perimeter corner point of aquaculture farm.	Private Aid.	21/19
*	*	*	*	*	*	*	*	*
2947.03	<i>FDOA St Vincent Sound Aquaculture Special Light D</i>	29-42-46.310N 085-07-04.390W				Marks perimeter corner point of aquaculture farm.	Private Aid.	21/19
*	*	*	*	*	*	*	*	*
5478.04	FDOA EAST BAY SOUTH AQUACULTURE SPECIAL LIGHT E	30-24-06.910N 087-04-26.070W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private Aid.	21/19
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2019 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5478.05	FDOA EAST BAY SOUTH AQUACULTURE SPECIAL LIGHT F	30-24-08.880N 087-04-26.460W	Fl Y 2.5s			Marks perimeter of aquaculture farm.	Private Aid.	21/19
*	*	*	*	*	*	*	*	
5478.07	FDOA EAST BAY SOUTH AQUACULTURE SPECIAL LIGHT H	30-24-06.980N 087-04-38.440W	Fl Y 2.5s			Marks perimeter of aquaculture farm.	Private Aid.	21/19
*	*	*	*	*	*	*	*	
5487.06	FDOA EAST BAY SOUTH AQUACULTURE SPECIAL LIGHT G	30-24-08.950N 087-04-38.450W	Fl Y 2.5s			Marks perimeter of aquaculture farm.	Private Aid.	21/19
*	*	*	*	*	*	*	*	
40050	Padre Isles North Channel Daybeacon 14	27-37-37.000N 097-14-10.300W				TR on pile.	Private Aid.	21/19
						*		
40055	Padre Isles North Channel Daybeacon 15	27-37-38.100N 097-14-04.200W				SG on pile.	Private Aid.	21/19
						*		
40060	Padre Isles North Channel Daybeacon 16	27-37-36.900N 097-14-06.000W				TR on pile.	Private Aid.	21/19
						*		

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2019 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7070	Fly Creek Buoy 7	30-32-35.262N 087-54-16.643W				Green can.		20/19
37015	CHOCOLATE BAY LIGHT 3	* 29-10-10.029N 095-07-06.403W	Fl G 2.5s	17	3	SG-SY on pile.	Ra ref.	20/19
*	*	*	*	*	*	*	*	
37015	Chocolate Bay Buoy 3						Remove from list.	20/19
37020	CHOCOLATE BAY LIGHT 4	29-10-13.415N 095-07-09.041W	Fl R 2.5s	17	3	TR-TY on pile.	Ra ref.	20/19
*	*	*	*	*	*	*	*	
37020	Chocolate Bay Buoy 4						Remove from list.	20/19
37030	CHOCOLATE BAY LIGHT 7	29-09-54.141N 095-07-32.744W	Fl G 4s	17	3	SG-SY on pile.	Ra ref.	20/19
*	*	*	*	*	*	*	*	
37030	Chocolate Bay Buoy 7						Remove from list.	20/19
							*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2019 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
37035	CHOCOLATE BAY LIGHT 8	29-09-57.872N 095-07-34.724W	Fl R 4s	17	3	TR-TY on pile.	Ra ref.	20/19
*	*	*	*	*	*	*	*	
37035	Chocolate Bay Buoy 8						Remove from list.	20/19
37310	CHOCOLATE BAY LIGHT 17	29-09-09.356N 095-08-46.725W	Fl G 4s	17	3	SG-SY on pile.	Ra ref.	20/19
*	*	*	*	*	*	*	*	
37310	Chocolate Bay Buoy 17						Remove from list.	20/19
37315	CHOCOLATE BAY LIGHT 18	29-09-12.057N 095-08-50.165W	Fl R 4s	17	3	TR-TY on pile.	Ra ref.	20/19
*	*	*	*	*	*	*	*	
37315	Chocolate Bay Buoy 18						Remove from list.	20/19
37325	CHOCOLATE BAY LIGHT 21	29-08-51.942N 095-09-15.802W	Fl G 2.5s	17	3	SG-SY on pile.	Ra ref.	20/19
*	*	*	*	*	*	*	*	
37325	Chocolate Bay Buoy 21						Remove from list.	20/19
37330	CHOCOLATE BAY LIGHT 22	29-08-55.802N 095-09-16.889W	Fl R 2.5s	17	3	TR-TY on pile.	Ra ref.	20/19
*	*	*	*	*	*	*	*	
37330	Chocolate Bay Buoy 22						Remove from list.	20/19
39985	PADRE ISLES NORTH CHANNEL LIGHT 1	27-37-43.100N 097-14-32.200W	Fl G 2.5s	10		SG on pile.	Private Aid.	20/19
39990	Padre Isles North Channel Daybeacon 2	* 27-37-41.400N 097-14-33.600W				TR on pile.	Private Aid.	20/19
39995	Padre Isles North Channel Daybeacon 3	* 27-37-41.200N 097-14-29.300W				SG on pile.	Private Aid.	20/19
40000	Padre Isles North Channel Daybeacon 4	* 27-37-40.000N 097-14-30.000W				TR on pile.	Private Aid.	20/19
40005	Padre Isles North Channel Daybeacon 6	* 27-37-38.800N 097-14-27.100W				SG on pile.	Private Aid.	20/19
		*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2019 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
40010	Padre Isles North Channel Daybeacon 5	27-37-39.400N 097-14-25.800W				TR on pile.	Private Aid. 20/19
40015	Padre Isles North Channel Daybeacon 7	* 27-37-38.100N 097-14-23.100W				SG on pile.	Private Aid. 20/19
40020	Padre Isles North Channel Daybeacon 8	* 27-37-37.300N 097-14-23.700W				TR on pile.	Private Aid. 20/19
40025	Padre Isles North Channel Daybeacon 9	* 27-37-37.000N 097-14-20.600W				SG on pile.	Private Aid. 20/19
40030	Padre Isles North Channel Daybeacon 10	* 27-37-35.800N 097-14-20.100W				TR on pile.	Private Aid. 20/19
40035	Padre Isles North Channel Daybeacon 11	* 27-37-37.300N 097-14-14.300W				SG on pile.	Private Aid. 20/19
40040	Padre Isles North Channel Daybeacon 12	* 27-37-36.300N 097-14-14.500W				TR on pile.	Private Aid. 20/19
40045	Padre Isles North Channel Daybeacon 13	* 27-37-38.300N 097-14-07.700W				SG on pile.	Private Aid. 20/19
40050	Padre Isles North Channel Daybeacon 14	* 27-37-37.000N 097-14-10.300W				SG on pile.	Private Aid. 20/19
40055	* Padre Isles North Channel Daybeacon 15	* 27-37-38.100N 097-14-04.200W				TR on pile.	Private Aid. 20/19
40060	* Padre Isles North Channel Daybeacon 16	* 27-37-36.900N 097-14-06.000W				SG on pile.	Private Aid. 20/19
40065	* Padre Isles North Channel Daybeacon 18	* 					Remove from list. 20/19

*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2019 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
40070	Padre Isles North Channel Daybeacon 20						Remove from list. *	20/19
40075	Padre Isles North Channel Daybeacon 21						Remove from list. *	20/19
40080	Padre Isles North Channel Daybeacon 22						Remove from list. *	20/19
40085	Padre Isles North Channel Daybeacon 24						Remove from list. *	20/19
40145	PADRE ISLES SOUTH CHANNEL LIGHT 1	27-36-03.300N 097-15-24.700W	Fl G 2.5s	10		SG on pile.	Private Aid.	20/19
40150	Padre Isles South Channel Daybeacon 2	* 27-36-01.000N 097-15-25.900W				TR on pile.	Private Aid.	20/19
40155	Padre Isles South Channel Daybeacon 3	* 27-36-02.200N 097-15-21.600W				SG on pile.	Private Aid.	20/19
40155.01	Padre Isles South Channel Daybeacon 4	* 27-36-00.600N 097-15-22.600W				TR on pile.	Private Aid.	20/19
* 40160	* Padre Isles South Channel Daybeacon 5	* 27-36-01.300N 097-15-17.300W	*	*	*	SG on pile.	Private Aid.	20/19
40160.01	Padre Isles South Channel Daybeacon 6	* 27-35-59.900N 097-15-18.100W				TR on pile.	Private Aid.	20/19
* 40165	* Padre Isles South Channel Daybeacon 7	* 27-36-00.800N 097-15-14.400W	*	*	*	SG on pile.	Private Aid.	20/19
40170	Padre Isles South Channel Daybeacon 8	* 27-35-59.200N 097-15-14.400W				TR on pile.	Private Aid.	20/19
40175	Padre Isles South Channel Daybeacon 9	* 27-36-01.900N 097-15-10.800W				SG on pile.	Private Aid.	20/19
40180	Padre Isles South Channel Daybeacon 10	* 27-36-01.000N 097-15-10.200W				TR on pile.	Private Aid.	20/19

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2019 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
40185	Padre Isles South Channel Daybeacon 11						Remove from list.	20/19
							*	
40190	Padre Isles South Channel Daybeacon 13						Remove from list.	20/19
							*	
40195	Padre Isles South Channel Daybeacon 14						Remove from list.	20/19
							*	
1105 22440	Sabine Pass East Jetty Light	29-38-40.574N 093-49-21.938W	Iso W 2s	42	8	NB on skeleton tower.		19/19
						*		
6805 33770	BON SECOUR RIVER LIGHT 2	30-17-02.338N 087-45-23.122W	Fl R 2.5s	17	3	TR-TY on pile.	Ra ref.	19/19
						*		
22440 1105	Sabine Pass East Jetty Light	29-38-40.574N 093-49-21.938W	Iso W 2s	42	8	NB on skeleton tower.		19/19
						*		
30210	Apalachicola Bay Buoy 48	29-41-03.022N 084-52-45.916W				Red nun with yellow triangle.		19/19
						*		
33770 6805	BON SECOUR RIVER LIGHT 2	30-17-02.338N 087-45-23.122W	Fl R 2.5s	17	3	TR-TY on pile.	Ra ref.	19/19
						*		
4545	Choctawhatchee Bay Entrance Buoy 2	30-22-29.431N 086-30-46.493W				Red nun.		18/19
						*		
10175	Cat Island Channel West Buoy 2	30-10-55.359N 089-14-47.829W				Red nun.		18/19
						*		
24080	HOUSTON SHIP CHANNEL LIGHT 41 235 feet outside channel limit.	29-26-50.196N 094-50-37.363W	Fl G 2.5s	17	4	SG on pile.	Ra ref.	17/19
							*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2019 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6190	MOBILE CHANNEL B RANGE REAR LIGHT 610 yards, 350.6° from front light.	30-15-44.122N 088-02-32.077W	Iso G 6s	52		KRW on skeleton tower on piles.	Visible 2° each side of range line.	16/19
	*	*		*				
6195	MOBILE CHANNEL B RANGE REAR LIGHT PASSING LIGHT	30-15-44.122N 088-02-32.077W	Fl W 4s	17	5	On same structure as Mobile Channel B Range Rear Light.	Obscured on range line, visible elsewhere.	16/19
		*						
9265	BACK BAY OF BILOXI LIGHT 3	30-24-40.357N 088-51-14.800W	Fl G 2.5s	17	3	SG on pile.	Ra ref.	16/19
	*		*	*	*			
9332	<i>BACK BAY OF BILOXI LIGHTED BUOY 13</i>	30-25-29.322N 088-54-25.134W	Fl G 4s		3	Green can.		16/19
9357	<i>BACK BAY OF BILOXI LIGHTED BUOY 21</i>	30-25-12.147N 088-57-49.444W	Fl G 2.5s		3	Green can.		16/19
9375	BILOXI RIVER LIGHT 1	30-25-23.199N 088-58-46.522W	Fl G 4s	17	3	SG on pile.	Ra ref.	16/19
	*		*	*	*			

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2019 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
9380	BIG LAKE JUNCTION LIGHT BL	30-24-58.514N 088-58-50.143W	Fl (2+1)R 6s	17	3	JR on pile.	Ra ref.	16/19
9390	* BIG LAKE LIGHT 28	30-24-48.036N 088-59-26.093W	* Fl R 2.5s	* 17	* 3	TR on pile.	Ra ref.	16/19
24115	* HOUSTON SHIP CHANNEL LIGHT 48 235 feet outside channel limit.	29-28-42.854N 094-51-21.790W	* Fl R 2.5s	* 17	* 4	TR on pile.	Ra ref.	16/19
24270	South Boater Cut Daybeacon 3 50 feet outside channel limit.	29-32-31.998N 094-53-37.014W				SG on pile.	Ra ref.	* 16/19
24275	South Boater Cut Daybeacon 4 50 feet outside channel limit.	29-32-36.029N 094-53-37.621W				TR on pile.	Ra ref.	* 16/19
24290	SOUTH BOATER CUT LIGHT 8	29-32-25.086N 094-55-04.797W	Fl R 4s	17	3	TR on pile.	Ra ref.	* 16/19
34065	Pass Aux Herons Buoy 17	30-17-05.871N 088-08-17.979W				Green can with yellow square.		* 16/19
		*						
5025	<i>Pensacola Marine Terminal Lighted Buoy PMT2</i>	30-23-55.209N 087-12-48.660W	Fl R 4s		4	Red.		15/19
25816	Cotton Patch Bayou Security Zone Marker	*					Remove from list.	15/19
							*	
25842	Harrisburg Bend Security Zone Marker 1						Remove from list.	15/19
							*	
25842.01	Harrisburg Bend Security Zone Marker 2						Remove from list.	15/19
							*	

No corrections this week

14/19

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2019 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2880	Two Mile Channel Buoy 7	29-42-42.847N 085-00-47.413W				Green can.		13/19
		*						
29925	BROWNSVILLE CHANNEL B	26-00-52.499N	Q R	35		KRW-I on skeleton	Visible all around; higher	13/19
43045	RANGE FRONT LIGHT	097-15-45.819W				tower on piles.	intensity 5.5° each side of rangeline.	
		*						
29930	BROWNSVILLE CHANNEL B	26-00-27.963N	Iso R 6s	75		KRW on skeleton	Visible 2° each side of	13/19
43050	RANGE REAR LIGHT	097-16-39.127W				tower on piles.	rangeline.	
							1,819 yards, 242.5° from front light.	
		*						
39768	<i>Corpus Christi Baffin Bay Lighted Buoy 8</i>	27-40-44.834N 097-13-36.538W	Q R		3	Red nun with yellow triangle.		13/19
		*						
43045	BROWNSVILLE CHANNEL B	26-00-52.499N	Q R	35		KRW-I on skeleton	Visible all around; higher	13/19
29925	RANGE FRONT LIGHT	097-15-45.819W				tower on piles.	intensity 5.5° each side of rangeline.	
		*						
43050	BROWNSVILLE CHANNEL B	26-00-27.963N	Iso R 6s	75		KRW on skeleton	Visible 2° each side of	13/19
29930	RANGE REAR LIGHT	097-16-39.127W				tower on piles.	rangeline.	
							1,819 yards, 242.5° from front light.	
		*						
20995	Mermentau River Daybeacon 2	29-58-56.980N 092-48-09.065W				TR on pile.		12/19
		*						
21005	Mermentau River Daybeacon 5	29-59-30.700N 092-47-20.719W				SG on pile.		12/19
		*						
30595	Lake Wimico Daybeacon 12	29-48-30.954N 085-09-19.821W				TR-TY on pile.	Ra ref.	12/19
		*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2019 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
20950 35295	Mermentau River Crossing Buoy 1	29-58-19.041N 092-47-19.684W				Green can with yellow square.		11/19
		*						
35295 20950	Mermentau River Crossing Buoy 1	29-58-19.041N 092-47-19.684W				Green can with yellow square.		11/19
		*						
36920	WEST BAY (TEXAS) LIGHT 2	29-11-36.411N 095-04-19.594W	Fl R 2.5s	17	3	TR-TY on pile.	Ra ref.	11/19
		*						
23545	GULF STATES EROSION BARRIER LIGHTS (2)						Remove from list.	10/19
							*	
23545	<i>Entergy Powerline Barrier Lighted Buoy 2</i>	30-03-22.160N 094-01-44.570W	Fl R 2.5s			Marks outermost barrier structure.	Private aid.	10/19
*	*	*	*	*	*	*	*	
23545.01	<i>Entergy Powerline Barrier Lighted Buoy 1</i>	30-03-22.910N 094-01-52.560W	Fl G 2.5s			Marks outermost barrier structure.	Private aid.	10/19
*	*	*	*	*	*	*	*	
24000	<i>Houston Ship Channel Lighted Buoy 30</i> 235 feet outside of channel limit.	29-23-16.904N 094-48-37.555W	Fl (2)R 6s		3	Red.	Ra ref.	10/19
	*	*						
24020	<i>Houston Ship Channel Lighted Buoy 34</i> 235 feet outside of channel limit.	29-24-28.787N 094-49-13.702W	Fl R 4s		4	Red.		10/19
	*	*						
28980	LA QUINTA CHANNEL LIGHT 7	27-49-58.368N 097-13-50.408W	Fl G 2.5s	17	3	SG on pile.	Ra ref.	09/19
		*						
36035	Galveston-Freeport Cutoff Channel Junction Buoy	29-18-32.243N 094-52-25.932W				Green can with red band and yellow square.		09/19
		*						

No corrections this week

08/19

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2019 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
24565	HOUSTON SHIP CHANNEL LIGHT 89	29-40-21.194N 094-58-44.813W	Fl (2)G 6s	17	5	SG on pile.	Ra ref.	07/19
25420	HOUSTON SHIP CHANNEL LIGHT 117 210 feet outside channel limit.	* 29-44-08.654N 095-03-24.352W	Q G	17	3	SG on pile.	Ra ref.	07/19
25465	* CROSSOVER INBOUND RANGE FRONT LIGHT	* 29-45-35.958N 095-04-10.208W	Q G	32		KRW on skeleton tower on piles.	Visible only on the rangeline.	07/19
25470	CROSSOVER INBOUND RANGE FRONT PASSING LIGHT	* 29-45-35.958N 095-04-10.208W	Q R	10	3	KRW on skeleton tower on piles. On same structure as Crossover Inbound Range Front Light.		07/19
25490	HOUSTON SHIP CHANNEL LIGHT 123 180 feet outside channel limit.	* 29-45-16.862N 095-04-07.328W	Fl G 6s	17	4	SG on pile.	Ra ref.	07/19
25505	* HOUSTON SHIP CHANNEL LIGHT 125 240 feet outside channel limit.	* 29-45-27.483N 095-04-18.578W	Fl G 4s	17	4	SG on pile.	Ra ref.	07/19
25510	* HOUSTON SHIP CHANNEL LIGHT 125A 320 feet outside channel limit.	* 29-45-32.874N 095-04-29.122W	Fl G 2.5s	17	3	SG on pile.	Ra ref.	07/19
	*	*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2019 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
2430	DOG ISLAND REEF EAST LIGHT 1	29-52-12.591N 084-26-41.708W	Fl G 2.5s	17	5	SG on pile.	06/19
3346	ST ANDREW BAY A RANGE REAR PASSING LIGHT	* 30-09-27.763N 085-40-31.200W	Fl W 4s	11	3	On same structure as St Andrew Bay A Range Rear Light.	06/19
* 3406	* ST ANDREW BAY B RANGE REAR PASSING LIGHT	* 30-07-51.426N 085-43-34.783W	* Fl W 4s	* 11	* 3	* On same structure as St Andrew Bay B Range Rear Light.	* 06/19
* 4692	* <i>CHOCTAWHATCHEE BAY ENTRANCE WRECK LIGHTED BUOY WR19</i>	* 30-24-37.683N 086-31-48.741W	* Q G	* 3	* 3	* Green can.	* 06/19
* 6801.01	* <i>NEON Special Lighted Scientific Monitoring Buoy A</i>	* 31-51-13.740N 088-09-26.280W	* Fl Y 2.5s	* 11	* 3	* Marks submerged scientific monitoring equipment.	* Private aid. 06/19
* 6801.02	* <i>NEON Special Lighted Scientific Monitoring Buoy B</i>	* 31-51-09.780N 088-09-28.070W	* Fl Y 2.5s	* 11	* 3	* Marks submerged scientific monitoring equipment.	* Private aid. 06/19
* 6802	* <i>NEON Special Lighted Scientific Monitoring Buoy C</i>	* 32-32-26.420N 087-47-53.020W	* Fl Y 2.5s	* 11	* 3	* Marks submerged scientific equipment.	* Private aid. 06/19
* 6803	* <i>NEON Special Lighted Scientific Monitoring Buoy D</i>	* 32-32-31.000N 087-47-52.960W	* Fl Y 2.5s	* 11	* 3	* Marks submerged scientific equipment.	* Private aid. 06/19
* 11002	* <i>Lake Pontchartrain Hwy 11 Bridge Wreck Lighted Buoy WR2</i>	* 30-12-12.551N 089-49-59.518W	* Q R	* 3	* 3	* Red nun.	* 06/19
* 13635	* ENGLISH TURN BEND LIGHT 79 RDB Mile 78.0.	* 29-53-02.949N 089-58-06.708W	* Iso G 6s	* 5	* 5	* SG on skeleton tower.	* 06/19
16980	BELLE PASS RANGE FRONT LIGHT	* 29-05-54.934N 090-13-23.367W	Q G	27		KRW on platform.	Visible all around; higher intensity 1.5° each side of rangeline. 06/19
16982	BELLE PASS RANGE FRONT PASSING LIGHT		*	*			Remove from list. 06/19
16990	BELLE PASS RANGE REAR LIGHT PASSING LIGHT	29-07-24.356N 090-13-03.406W	Fl W 4s	12	4	On same structure as Belle Pass Range Rear Light.	* 06/19
			*				

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2019 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
26935	<i>Freeport Entrance Lighted Buoy 6</i>	28-55-27.224N 095-16-54.043W	Fl R 2.5s		3	Red.	Ra ref.	06/19
		*						
30060	ST. GEORGE SOUND LIGHT 14	29-43-56.982N 084-47-18.173W	Fl R 2.5s	17	3	TR-TY on piles.	Ra ref.	06/19
		*						
30150	ST. GEORGE SOUND LIGHT 30	29-41-45.293N 084-49-26.412W	Q R	17	3	TR-TY on pile.		06/19
		*						
30170	St. George Sound Daybeacon 35	29-41-31.795N 084-50-14.791W				SG-SY on pile.	Ra ref.	06/19
		*						
30185	St. George Sound Daybeacon 41	29-41-18.183N 084-51-20.859W				SG-SY on pile.		06/19
		*						

