

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
100	<i>Bay County Midway II Artificial Reef Lighted Buoy</i>						Remove from list.	47/20
6690	Arlington Channel Junction	30-38-40.688N				Green can with red	*	47/20
7555	Buoy A	088-02-01.991W				band.		
	60 feet outside channel limit.							
	*							
7555	Arlington Channel Junction	30-38-40.688N				Green can with red		47/20
6690	Buoy A	088-02-01.991W				band.		
	60 feet outside channel limit.							
	*							
37395	BRAZOS RIVER CROSSING LIGHT 2						Remove from list.	46/20
							*	
37400	BRAZOS RIVER CROSSING LIGHT 4						Remove from list.	46/20
							*	
39327	SAN JOSE ISLAND BREAKWATER LIGHT 1	27-57-12.000N 096-59-27.000W	Q G	6		SG on pile.	Private Aid.	46/20
*	*	*	*	*	*	*	*	
39680	SAN JOSE ISLAND BREAKWATER LIGHT 1						Remove from list.	46/20
							*	
39685	Aransas Bay Alternate Route Buoy 58	27-52-18.428N 097-02-55.197W				Red nun with yellow triangle.		46/20
39690	<i>Aransas Bay Alternate Route Lighted Danger Buoy A</i>	27-51-45.312N 097-03-00.123W	Fl W 4s		3	White with orange stripe.		46/20
13487	Phillips 66 AIS Station 1	29-40-43.000N 089-58-42.800W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663061 Private Aid.	45/20
*	*	*	*	*	*	*	*	
13487.01	Phillips 66 AIS Station 2	29-40-42.999N 089-58-42.900W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663062 Private Aid.	45/20
*	*	*	*	*	*	*	*	
15665	Tiger Pass Buoy 50	29-12-30.582N 089-21-08.622W				Red nun.		45/20
		*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
16597	Phillips 66 Pipeline 1A VAIS	29-27-18.980N 089-58-50.120W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663063 Private Aid.	45/20
*	*	*	*	*	*	*	*	
16597.01	Phillips 66 Pipeline 1B VAIS	29-27-44.810N 089-59-12.280W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663064 Private Aid.	45/20
*	*	*	*	*	*	*	*	
16907	Phillips 66 Pipeline 5A VAIS	29-41-27.180N 090-14-22.860W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663071 Private Aid.	45/20
*	*	*	*	*	*	*	*	
16907.01	Phillips 66 Pipeline 5B VAIS	29-41-14.760N 090-11-29.700W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663072 Private Aid.	45/20
*	*	*	*	*	*	*	*	
16907.02	Phillips 66 Pipeline 6A VAIS	29-39-55.020N 090-15-07.440W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663073 Private Aid.	45/20
*	*	*	*	*	*	*	*	
16907.03	Phillips 66 Pipeline 6B VAIS	29-41-41.820N 090-18-55.620W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663074 Private Aid.	45/20
*	*	*	*	*	*	*	*	
16907.04	Phillips 66 Pipeline 7A VAIS	29-43-00.900N 090-21-40.200W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663075 Private Aid.	45/20
*	*	*	*	*	*	*	*	
16907.05	Phillips 66 Pipeline 7B VAIS	29-42-55.200N 090-21-28.560W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663076 Private Aid.	45/20
*	*	*	*	*	*	*	*	
25-Nov-20								
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
16907.06	Phillips 66 Pipeline 8A VAIS	29-45-07.200N 090-22-26.580W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663077 Private Aid.	45/20
*	*	*	*	*	*	*	*	
16907.07	Phillips 66 Pipeline 8B VAIS	29-45-04.560N 090-22-14.700W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663078 Private Aid.	45/20
*	*	*	*	*	*	*	*	
16907.08	Phillips 66 Pipeline 9A VAIS	29-46-34.020N 090-25-42.000W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663079 Private Aid.	45/20
*	*	*	*	*	*	*	*	
16907.09	Phillips 66 Pipeline 9B VAIS	29-46-39.180N 090-25-43.620W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663080 Private Aid.	45/20
*	*	*	*	*	*	*	*	
34979	Phillips 66 Pipeline 10A VAIS	29-38-05.120N 090-20-17.440W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663081 Private Aid.	45/20
*	*	*	*	*	*	*	*	
34979.01	Phillips 66 Pipeline 10B VAIS	29-38-08.480N 090-20-23.660W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663082 Private Aid.	45/20
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
16668	Phillips 66 Pipeline 2A VAIS	29-34-57.330N 090-10-15.160W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663065 Private Aid.	44/20
16668.01	Phillips 66 Pipeline 2B VAIS	29-34-40.710N 090-09-21.820W					* Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663066 Private Aid.	44/20
16668.02	Phillips 66 Pipeline 3A VAIS	29-38-00.600N 090-10-06.530W					* Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663067 Private Aid.	44/20
16668.03	Phillips 66 Pipeline 3B VAIS	29-37-39.550N 090-09-02.010W					* Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663068 Private Aid.	44/20
16668.04	Phillips 66 Pipeline 4A VAIS	29-40-57.660N 090-11-04.320W					* Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663069 Private Aid.	44/20
							*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
16668.05	Phillips 66 Pipeline 4B VAIS	29-41-04.320N 090-10-32.220W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663070 Private Aid.	44/20
34993	HUTCHINSON UPSTREAM DOCK LIGHT	29-36-08.500N 090-42-36.200W	Fl W 2.5s			Marks upstream dolphin.	Private Aid.	44/20
*	*	*	*	*	*	*	*	
34993.01	HUTCHINSON DOWNSTREAM DOCK LIGHT	29-36-06.500N 090-42-36.200W	Fl W 2.5s			Marks downstream dolphin.	Private Aid.	44/20
*	*	*	*	*	*	*	*	
1255	Arena Offshore-102-1	29-07-49.000N 094-32-48.000W		55		On Exxon platform A.	RACON: M (- -) BAND: S, X SIGN: EXXON-GA-209-A. Private Aid.	43/20
14526	* MT. AIRY DOCK 2 DOWNSTREAM MOORING LIGHT	30-02-53.820N 090-38-16.010W	Fl R 2.5s			Marks downstream mooring dolphin.	Private Aid.	43/20
*	*	*	*	*	*	*	*	
14527	MT. AIRY UPSTREAM MOORING LIGHT LDB mile 144.1	30-03-08.857N 090-38-41.680W	Fl R 2.5s			Marks outermost upstream mooring structure.	Private Aid.	43/20
14532	* MT. AIRY TERMINAL DOWNSTREAM MOORING LIGHT LDB mile 144.2	30-03-04.275N 090-38-31.270W	Fl R 2.5s			Marks outermost downstream mooring structure.	Private Aid.	43/20
15857	* GRAND TERRE LAB CANAL ENTRANCE LIGHT 1						Remove from list.	43/20
15857.01	GRAND TERRE LAB CANAL ENTRANCE LIGHT 2						Remove from list.	43/20
	* Add Heading: Bayou Perot						*	43/20

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
16668	Phillips 66 Pipeline 2A	VAIS 29-34-57.330N 090-10-15.160W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663063-83 Private Aid.
*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
16668.01	Phillips 66 Pipeline 2B VAIS	29-34-40.710N 090-09-21.820W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663063-83 Private Aid.	43/20
*	*	*	*	*	*	*	*	
16668.02	Phillips 66 Pipeline 3A VAIS	29-38-00.600N 090-10-06.530W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663063-83 Private Aid.	43/20
*	*	*	*	*	*	*	*	
16668.03	Phillips 66 Pipeline 3B VAIS	29-37-39.550N 090-09-02.010W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663063-83 Private Aid.	43/20
*	*	*	*	*	*	*	*	
16668.04	Phillips 66 Pipeline 4A VAIS	29-40-57.660N 090-11-04.320W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663063-83 Private Aid.	43/20
*	*	*	*	*	*	*	*	
16668.05	Phillips 66 Pipeline 4B VAIS	29-41-04.320N 090-10-32.220W					Broadcasted only upon an intrusion on a pipeline and accompanied by an addressed AIS safety message to the intruder. MMSI: 993663063-83 Private Aid.	43/20
*	*	*	*	*	*	*	*	
20130	SOUTHWEST PASS - VERMILION BAY CHANNEL LIGHT 7	29-34-37.123N 092-02-49.960W	Fl G 2.5s	17	3	SG on pile.	Ra ref.	43/20
20145	SOUTHWEST PASS - VERMILION BAY CHANNEL LIGHT 13	29-35-13.326N 092-01-40.455W	Fl G 4s	17	4	SG on pile.	Ra ref.	43/20
21530	CALCASIEU CHANNEL B RANGE FRONT LIGHT	29-50-14.762N 093-20-56.990W	Q W	32		KRW on skeleton tower on piles.	Visible 1.5° each side of rangeline.	43/20

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
21535	CALCASIEU CHANNEL B RANGE REAR LIGHT 689 yards, 358.0° from front light.	29-50-35.207N 093-20-58.188W	Iso W 6s	62		KRW on skeleton tower on piles.	Visible 4° each side of rangeline.	43/20
	*	*		*			*	
21540	CALCASIEU CHANNEL C RANGE FRONT LIGHT	29-48-54.766N 093-21-00.228W	Q W	33		KRW on skeleton tower.	Visible 2° each side of rangeline.	43/20
		*		*				
21545	CALCASIEU CHANNEL C RANGE FRONT LIGHT PASSING LIGHT	29-48-54.766N 093-21-00.228W	Fl G 2.5s	32	4	On same structure as Calcasieu Channel Range C Front Light.		43/20
		*		*				
22475	SABINE PASS JETTY B RANGE FRONT LIGHT	29-41-37.214N 093-50-17.527W	Q R (NIGHT)	21 18			Visible 2° each side of rangeline.	43/20
			Q W (DAY)					
		*		*				
26110	TEXAS CITY CUT B INNER RANGE FRONT LIGHT	29-22-54.607N 094-53-04.317W	Fl R 2.5s	28		KRW on skeleton tower on piles.	Visible all around; higher intensity 1.5° each side of rangeline.	43/20
		*		*				
26115	TEXAS CITY CUT B INNER RANGE REAR LIGHT 429 yards, 283.2° from front light.	29-22-57.943N 094-53-18.370W	Iso R 6s	68		KRW on skeleton tower on piles.	Visible 1.5° each side of rangeline.	43/20
	*	*		*			*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1200	NOAA Lighted Data Buoy 42035	29-12-53.000N 094-25-46.000W	Fl (4)Y 20s		3	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	42/20
		*						
10277	CITY OF DIAMONDHEAD ROTTEN BAYOU BULKHEAD LIGHT 1	30-23-11.296N 089-23-19.064W	Fl G 2.5s			Marks port side bulkhead.	Private Aid.	42/20
*	*	*	*	*	*	*	*	
10277.01	CITY OF DIAMONDHEAD ROTTEN BAYOU BULKHEAD LIGHT 2	30-23-11.009N 089-23-18.819W	Fl R 2.5s			Marks starboard side bulkhead.	Private Aid.	42/20
*	*	*	*	*	*	*	*	
10277.02	CITY OF DIAMONDHEAD ROTTEN BAYOU BULKHEAD LIGHT 3	30-23-12.098N 089-23-17.802W	Fl G 2.5s			Marks port side bulkhead.	Private Aid.	42/20
*	*	*	*	*	*	*	*	
10277.03	CITY OF DIAMONDHEAD ROTTEN BAYOU BULKHEAD LIGHT 4	30-23-11.606N 089-23-17.882W	Fl R 2.5s			Marks starboard side bulkhead.	Private Aid.	42/20
*	*	*	*	*	*	*	*	
14675	COLLEGE POINT LIGHT 156	29-59-08.652N 090-49-12.840W	Q R		4	TR pile.		42/20
		*						
4590	Old East Pass Harbor Channel Buoy 2						Remove from list.	41/20
23421	PHILLIPS 66 DOCK 4 DOWNSTREAM LIGHT	30-00-44.960N 093-57-46.470W	Fl W 2.5s			Marks Dock 4.	Private Aid.	41/20
		*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4920	PENSACOLA BAY CHANNEL	30-24-25.593N	Fl G 2.5s	21		On skeleton tower on	DAY: Visible 2° each side	40/20
	RANGE FRONT LIGHT	087-11-35.542W	(NIGHT) Fl W 2.5s (DAY)	18		poles.	of rangeline. NIGHT: Visible all around, higher intensity 2° each side of rangeline.	
13790 34860	New Orleans General Anchorage Lower Daybeacon 90.1	29-55-52.026N 089-59-40.698W		*		NY on pile.	Ra ref.	40/20
16993	GRAND ISLE SEA FARM	29-08-42.185N	Fl Y 2.5s			Marks aquaculture	Private Aid.	40/20
	FERBLANC BAYOU SPECIAL LIGHT A	090-08-42.185W				farm cornerpoint.		
* 16993.01	* GRAND ISLE SEA FARM FERBLANC BAYOU SPECIAL LIGHT B	* 29-10-06.379N 090-08-46.051W	* Fl Y 2.5s	*	*	* Marks aquaculture farm cornerpoint.	* Private Aid.	* 40/20
* 16993.02	* GRAND ISLE SEA FARM FERBLANC BAYOU SPECIAL LIGHT C	* 29-09-54.227N 090-09-11.990W	* Fl Y 2.5s	*	*	* Marks aquaculture farm cornerpoint.	* Private Aid.	* 40/20
* 23720	* GALVESTON SOUTH JETTY LIGHT 5A	* 29-19-39.647N 094-41-20.402W	* Iso G 6s	* 30	* 5	* SG on pile.	* Ra ref.	* 40/20
23725	GALVESTON NORTH JETTY LIGHT 6A	29-20-42.173N 094-40-41.445W	Iso R 6s	30	5	TR on pile.	Ra ref.	40/20
34860 13790	New Orleans General Anchorage Lower Daybeacon 90.1	29-55-52.026N 089-59-40.698W			*	NY on pile.	Ra ref.	40/20

*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4920	PENSACOLA BAY CHANNEL RANGE FRONT LIGHT	30-24-25.593N 087-11-35.542W	Fl G 2.5s (NIGHT) Fl W 2.5s (DAY) *	18		On skeleton tower on piles.	DAY: Visible 2° each side of rangeline. NIGHT: Visible all around, higher intensity 2° each side of rangeline.	39/20
7755	BAYOU LA BATRE LIGHT 24	30-22-54.189N 088-16-17.369W	Q R	17	3	TR on pile.	Ra ref.	37/20
		*						
5340	Bayou Chico Buoy 13	30-24-18.213N 087-15-14.897W				Green can.		36/20
*	*	*	*	*	*	*	*	
5340	Bayou Chico Daybeacon 13						Remove from list.	36/20
28660	CORPUS CHRISTI CHANNEL LIGHT 33	27-48-56.600N 097-12-13.500W	Fl G 2.5s	17	3	SG on pile.	Ra ref.	36/20
	240 feet outside channel limit.							
28720	CORPUS CHRISTI CHANNEL LIGHT 49	27-48-34.362N 097-15-31.081W	Fl G 2.5s	17	3	SG on pile.	Ra ref.	36/20
	200 feet outside channel limit.							
						*		
28795	CORPUS CHRISTI CHANNEL LIGHT 80	27-48-40.672N 097-21-56.833W	Fl R 2.5s	17	3	TR on pile.	Ra ref.	36/20
	150 feet outside channel limit.							

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
27212	MATAGORDA SHIP CHANNEL LIGHT 21	28-27-12.344N 096-21-51.775W	Fl G 4s	17	3	SG on pile.	Ra ref.	35/20
28685	CORPUS CHRISTI CHANNEL LIGHT 38 100 feet outside channel limit.	* 27-48-54.797N 097-13-15.888W	Fl R 4s	17	3	TR on pile.	Ra ref.	35/20
28965	LA QUINTA CHANNEL OUTER RANGE REAR LIGHT 887 yards, 156.3° from front light.	* 27-48-20.271N 097-12-59.812W	Iso W 6s	58		KRW on skeleton tower on pile.	Visible 2° each side of rangeline.	35/20
33115	* Pensacola-Mobile Shoal Buoy 5A	* 30-19-54.536N 087-19-17.199W			*	Green can with yellow square.		35/20
33125	Pensacola-Mobile Buoy 6A	* 30-19-58.187N 087-19-14.248W				Red nun with yellow triangle.		35/20
		*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
1420	<i>Shoreline Ten Wreck Lighted Buoy WR2</i>	28-04-47.904N 096-42-56.155W	Q R		3	Red.	34/20
3470 31090	<i>ST ANDREW BAY LIGHTED BUOY 24</i>	* 30-07-36.807N 085-38-21.249W	Fl R 4s		3	Red with yellow square.	34/20
4705	CAUCUS CHANNEL RANGE FRONT LIGHT	30-19-33.932N 087-18-44.157W	Q G	26		* KRW on skeleton tower on piles.	* 34/20
4710	CAUCUS CHANNEL RANGE REAR LIGHT 1,408 yards, 341.4° from front light.	30-20-15.183N 087-19-00.131W	Iso G 6s	67		KRW on skeleton tower.	* 34/20
9572.01	Breton/Chandeleur ICW Alternate Route V-AIS 25	29-58-18.249N 089-00-06.207W					* AIS: MMSI 993686009 34/20
9572.02	Breton/Chandeleur ICW Alternate Route V-AIS 24	29-59-17.671N 089-00-04.980W					* AIS: MMSI 993686008 34/20
9572.04	Breton/Chandeleur ICW Alternate Route V-AIS 22	30-00-17.023N 089-00-01.479W					* AIS: MMSI 993686007 34/20
9572.07	Breton/Chandeleur ICW Alternate Route V-AIS 19	30-01-16.241N 088-59-55.707W					* AIS: MMSI 993686006 34/20
9572.09	Breton/Chandeleur ICW Alternate Route V-AIS 17	30-02-15.579N 088-59-52.204W					* AIS: MMSI 993686005 34/20
9572.11	Breton/Chandeleur ICW Alternate Route V-AIS 16	30-03-14.973N 088-59-50.975W					* AIS: MMSI 993686004 34/20
9572.12	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 15	30-03-14.871N 088-59-48.702W	Fl G 2.5s	17	4	SG-SY on pile.	* Ra ref. AIS: MMSI 993686003 34/20
9572.14	Breton/Chandeleur ICW Alternate Route V-AIS 13	30-04-14.191N 088-59-45.198W					* AIS: MMSI 993686002 34/20
9572.15	Breton/Chandeleur ICW Alternate Route V-AIS 12	30-05-13.603N 088-59-43.967W					* AIS: MMSI 993686001 34/20
9572.18	Breton/Chandeleur ICW Alternate Route V-AIS 9	30-06-12.899N 088-59-38.183W					* AIS: MMSI 993682545 34/20
							*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
9572.22	Breton/Chandeleur ICW Alternate Route V-AIS 6	30-08-11.464N 088-59-33.452W					AIS: MMSI 993682547 34/20
							*
9572.25	Breton/Chandeleur ICW Alternate Route V-AIS 3	30-09-10.770N 088-59-27.662W					AIS: MMSI 993682550 34/20
							*
11672.01	Breton/Chandeleur ICW Alternate Route V-AIS 105	29-25-54.045N 089-18-07.558W					AIS: MMSI 993682458 34/20
							*
11672.02	Breton/Chandeleur ICW Alternate Route V-AIS 104	29-26-46.868N 089-17-42.690W					AIS: MMSI 993682457 34/20
							*
11672.04	Breton/Chandeleur ICW Alternate Route V-AIS 102	29-27-39.445N 089-17-11.192W					AIS: MMSI 993682428 34/20
							*
11672.07	Breton/Chandeleur ICW Alternate Route V-AIS 99	29-28-31.141N 089-16-37.657W					AIS: MMSI 993682427 34/20
							*
11672.08	Breton/Chandeleur ICW Alternate Route V-AIS 98	29-29-24.650N 089-16-08.135W					AIS: MMSI 993682426 34/20
							*
11672.11	Breton/Chandeleur ICW Alternate Route V-AIS 96	29-30-17.016N 089-15-36.103W					AIS: MMSI 993682425 34/20
							*
11672.13	Breton/Chandeleur ICW Alternate Route V-AIS 94	29-31-10.004N 089-15-05.464W					AIS: MMSI 993682606 34/20
							*
11672.16	Breton/Chandeleur ICW Alternate Route V-AIS 91	29-32-01.521N 089-14-31.476W					AIS: MMSI 993682607 34/20
							*
11672.17	Breton/Chandeleur ICW Alternate Route V-AIS 90	29-32-55.422N 089-14-02.799W					AIS: MMSI 993682605 34/20
							*
11672.19	Breton/Chandeleur ICW Alternate Route V-AIS 88	29-33-26.788N 089-13-42.845W					AIS: MMSI 993682604 34/20
							*
11672.23	Breton/Chandeleur ICW Alternate Route V-AIS 84	29-34-00.406N 089-13-12.350W					AIS: MMSI 993682603 34/20
							*
11672.26	Breton/Chandeleur ICW Alternate Route V-AIS 81	29-34-31.297N 089-12-28.017W					AIS: MMSI 993682588 34/20
							*
11672.28	Breton/Chandeleur ICW Alternate Route V-AIS 79	29-35-03.650N 089-11-45.199W					AIS: MMSI 993682600 34/20
							*
11672.31	Breton/Chandeleur ICW Alternate Route V-AIS 77	29-35-42.498N 089-10-53.768W					AIS: MMSI 993682563 34/20
							*
11672.32	Breton/Chandeleur ICW Alternate Route V-AIS 76	29-36-22.837N 089-10-03.810W					AIS: MMSI 993682564 34/20
							*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
11672.34	Breton/Chandeleur ICW Alternate Route V-AIS 74	29-37-01.604N 089-09-12.449W					AIS: MMSI 993682565	34/20
							*	
11672.37	Breton/Chandeleur ICW Alternate Route V-AIS 71	29-37-38.974N 089-08-19.454W					AIS: MMSI 993682567	34/20
							*	
11672.39	Breton/Chandeleur ICW Alternate Route V-AIS 69	29-38-17.792N 089-07-27.989W					AIS: MMSI 993686021	34/20
							*	
11672.43	Breton/Chandeleur ICW Alternate Route V-AIS 65	29-39-32.925N 089-05-48.814W					AIS: MMSI 993686020	34/20
							*	
11672.45	Breton/Chandeleur ICW Alternate Route V-AIS 62	29-41-20.925N 089-05-08.860W					AIS: MMSI 993686019	34/20
							*	
11672.49	Breton/Chandeleur ICW Alternate Route V-AIS 57	29-43-12.672N 089-04-22.615W					AIS: MMSI 993686018	34/20
							*	
11672.52	Breton/Chandeleur ICW Alternate Route V-AIS 54	29-45-05.690N 089-03-40.636W					AIS: MMSI 993686017	34/20
							*	
11672.55	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 50	29-46-58.068N 089-02-56.482W	Fl R 4s	17	5	TR-TY on pile.	Ra ref. AIS: MMSI 993686016	34/20
							*	
11672.56	Breton/Chandeleur ICW Alternate Route V-AIS 49	29-46-57.425N 089-02-54.335W					AIS: MMSI 993686015	34/20
							*	
11672.58	Breton/Chandeleur ICW Alternate Route V-AIS 46	29-48-50.437N 089-02-12.302W					AIS: MMSI 993686014	34/20
							*	
11672.63	Breton/Chandeleur ICW Alternate Route V-AIS 41	29-50-42.166N 089-01-25.944W					AIS: MMSI 993686013	34/20
							*	
11672.65	Breton/Chandeleur ICW Alternate Route V-AIS 38	29-52-35.171N 089-00-43.856W					AIS: MMSI 993686012	34/20
							*	
11672.69	Breton/Chandeleur ICW Alternate Route V-AIS 33	29-54-21.009N 089-00-20.186W					AIS: MMSI 993686011	34/20
							*	
11672.72	Breton/Chandeleur ICW Alternate Route V-AIS 30	29-56-19.752N 089-00-15.467W					AIS: MMSI 993686010	34/20
							*	
18005	Bayou Grand Caillou Buoy 11	29-11-14.586N 090-55-40.903W				Green can.		34/20
*	*	*	*	*	*	*	*	
18005	Bayou Grand Caillou Daybeacon 11						Remove from list.	34/20
							*	
27165	MATAGORDA SHIP CHANNEL LIGHT 11	28-25-34.457N 096-19-46.130W	Fl G 2.5s	25	6	SG on skeleton tower on concrete block.		34/20

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
31090	ST ANDREW BAY	30-07-36.807N	Fl R 4s		3	Red with yellow	34/20
3470	LIGHTED BUOY 24	085-38-21.249W				square.	
						*	*
3482 31082	St Andrew Bay V-AIS 26	30-07-49.219N 085-37-51.450W					AIS: MMSI 993682546 33/20
3592 31158	St Andrew Bay West V-AIS 12	30-10-30.290N 085-43-36.975W					* AIS: MMSI 993682548 33/20
9572	Breton/Chandeleur ICW Alternate Route Buoy 26	29-58-18.351N 089-00-08.478W				Red nun with yellow triangle.	* 33/20
* 9572.01	* Breton/Chandeleur ICW Alternate Route V-AIS 25	* 29-58-18.249N 089-00-06.207W	* *	* *	* *	* *	* AIS: MMSI 33/20
* 9572.02	* Breton/Chandeleur ICW Alternate Route V-AIS 24	* 29-59-17.671N 089-00-04.980W	* *	* *	* *	* *	* AIS: MMSI 33/20
* 9572.03	* BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 23	* 29-59-17.570N 089-00-02.708W	* Fl G 4s	* 17	* 4	* SG-SY on pile.	* Ra ref. 33/20
* 9572.04	* Breton/Chandeleur ICW Alternate Route V-AIS 22	* 30-00-17.023N 089-00-01.479W	* *	* *	* *	* *	* AIS: MMSI 33/20
* 9572.05	* Breton/Chandeleur ICW Alternate Route Buoy 21	* 30-00-16.921N 088-59-59.207W	* *	* *	* *	* Green can with yellow square.	* 33/20
* 9572.06	* BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 20	* 30-01-16.343N 088-59-57.979W	* Fl R 2.5s	* 17	* 4	* TR-TY on pile.	* Ra ref. 33/20
* 9572.07	* Breton/Chandeleur ICW Alternate Route V-AIS 19	* 30-01-16.241N 088-59-55.707W	* *	* *	* *	* *	* AIS: MMSI 33/20
* 9572.08	* Breton/Chandeleur ICW Alternate Route Buoy 18	* 30-02-15.680N 088-59-54.476W	* *	* *	* *	* Red nun with yellow triangle.	* 33/20
* 9572.09	* Breton/Chandeleur ICW Alternate Route V-AIS 17	* 30-02-15.579N 088-59-52.204W	* *	* *	* *	* *	* AIS: MMSI 33/20
* 9572.11	* Breton/Chandeleur ICW Alternate Route V-AIS 16	* 30-03-14.973N 088-59-50.975W	* *	* *	* *	* *	* AIS: MMSI 33/20

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
9572.12	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 15	30-03-14.871N 088-59-48.702W	Fl G 2.5s	17	4	SG-SY on pile.	Ra ref.	33/20
*	*	*	*	*	*	*	*	
9572.13	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 14</i>	30-04-14.293N 088-59-47.472W	Fl R 6s		3	Red with yellow triangle.		33/20
*	*	*	*	*	*	*	*	
9572.14	Breton/Chandeleur ICW Alternate Route V-AIS 13	30-04-14.191N 088-59-45.198W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	
9572.15	Breton/Chandeleur ICW Alternate Route V-AIS 12	30-05-13.603N 088-59-43.967W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	
9572.16	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 11</i>	30-05-13.501N 088-59-41.694W	Fl G 6s		3	Green with yellow square.		33/20
*	*	*	*	*	*	*	*	
9572.17	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 10</i>	30-06-13.001N 088-59-40.457W	Fl R 4s		3	Red with yellow triangle.		33/20
*	*	*	*	*	*	*	*	
9572.18	Breton/Chandeleur ICW Alternate Route V-AIS 9	30-06-12.899N 088-59-38.183W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	
9572.19	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 8</i>	30-07-12.243N 088-59-36.954W	Fl R 2.5s		3	Red with yellow triangle.		33/20
*	*	*	*	*	*	*	*	
9572.21	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 7</i>	30-07-12.141N 088-59-34.680W	Fl G 2.5s		3	Green with yellow square.		33/20
*	*	*	*	*	*	*	*	
9572.22	Breton/Chandeleur ICW Alternate Route V-AIS 6	30-08-11.464N 088-59-33.452W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	
9572.23	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 5</i>	30-08-11.362N 088-59-31.177W	Fl G 4s		3	Green with yellow square.		33/20
*	*	*	*	*	*	*	*	
9572.24	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 4</i>	30-09-10.872N 088-59-29.937W	Fl R 2.5s		3	Red with yellow triangle.		33/20
*	*	*	*	*	*	*	*	
9572.25	Breton/Chandeleur ICW Alternate Route V-AIS 3	30-09-10.770N 088-59-27.662W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	
9572.26	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 2</i>	30-10-10.192N 088-59-26.426W	Q R		3	Red with yellow triangle.		33/20
*	*	*	*	*	*	*	*	
9572.27	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 1</i>	30-10-10.090N 088-59-24.151W	Q G		3	Green with yellow square.		33/20
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
11671	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 110</i>	29-24-36.200N 089-18-36.880W	Fl R 4s		3	Red with yellow triangle.	33/20
*	*	*	*	*	*	*	*
11671.01	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 108</i>	29-24-49.670N 089-18-38.130W	Fl R 6s		3	Red with yellow triangle.	33/20
*	*	*	*	*	*	*	*
11671.02	<i>Breton/Chandeleur ICW Alternate Route Lighted Buoy 107</i>	29-25-16.460N 089-18-26.150W	Fl G 2.5s		3	Green with yellow square.	33/20
*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
11672	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 106	29-25-54.846N 089-18-09.626W	Q R	17	5	TR-TY on pile.	Ra ref.	33/20
*	*	*	*	*	*	*	*	*
11672.01	Breton/Chandeleur ICW Alternate Route V-AIS 105	29-25-54.045N 089-18-07.558W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	*
11672.02	Breton/Chandeleur ICW Alternate Route V-AIS 104	29-26-46.868N 089-17-42.690W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	*
11672.03	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 103	29-26-45.950N 089-17-40.690W	Fl G 2.5s	17	5	SG-SY on pile.	Ra ref.	33/20
*	*	*	*	*	*	*	*	*
11672.04	Breton/Chandeleur ICW Alternate Route V-AIS 102	29-27-39.445N 089-17-11.192W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	*
11672.05	Breton/Chandeleur ICW Alternate Route Buoy 101	29-27-38.526N 089-17-09.188W				Green can with yellow square.		33/20
*	*	*	*	*	*	*	*	*
11672.06	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 100	29-28-32.060N 089-16-39.661W	Fl R 2.5s	17	5	TR-TY on pile.	Ra ref.	33/20
*	*	*	*	*	*	*	*	*
11672.07	Breton/Chandeleur ICW Alternate Route V-AIS 99	29-28-31.141N 089-16-37.657W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	*
11672.08	Breton/Chandeleur ICW Alternate Route V-AIS 98	29-29-24.650N 089-16-08.135W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	*
11672.09	Breton/Chandeleur ICW Alternate Route Buoy 97	29-29-23.729N 089-16-06.130W				Green can with yellow square.		33/20
*	*	*	*	*	*	*	*	*
11672.11	Breton/Chandeleur ICW Alternate Route V-AIS 96	29-30-17.016N 089-15-36.103W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	*
11672.12	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 95	29-30-16.345N 089-15-34.579W	Fl G 6s	17	5	SG-SY on pile.	Ra ref.	33/20
*	*	*	*	*	*	*	*	*
11672.13	Breton/Chandeleur ICW Alternate Route V-AIS 94	29-31-10.004N 089-15-05.464W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
11672.14	Breton/Chandeleur ICW Alternate Route Buoy 93	29-31-08.923N 089-15-03.038W				Green can with yellow square.		33/20
* 11672.15	* BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 92	* 29-32-02.441N 089-14-33.481W	* Fl R 6s	* 17	* 5	* TR-TY on pile.	* Ra ref.	33/20
* 11672.16	* Breton/Chandeleur ICW Alternate Route V-AIS 91	* 29-32-01.521N 089-14-31.476W	* 	* 	* 	* 	* AIS: MMSI	33/20

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
11672.17	Breton/Chandeleur ICW Alternate Route V-AIS 90	29-32-55.422N 089-14-02.799W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	*
11672.18	Breton/Chandeleur ICW Alternate Route Buoy 89	29-32-54.079N 089-13-59.957W				Green can with yellow square.		33/20
*	*	*	*	*	*	*	*	*
11672.19	Breton/Chandeleur ICW Alternate Route V-AIS 88	29-33-26.788N 089-13-42.845W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	*
11672.21	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 87	29-33-25.868N 089-13-40.840W	Fl G 4s	17	5	SG-SY on pile.	Ra ref.	33/20
*	*	*	*	*	*	*	*	*
11672.22	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 86	29-33-46.145N 089-13-31.215W	Q R	17	5	TR-TY on pile.	Ra ref.	33/20
*	*	*	*	*	*	*	*	*
11672.23	Breton/Chandeleur ICW Alternate Route V-AIS 84	29-34-00.406N 089-13-12.350W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	*
11672.24	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 83	29-33-58.909N 089-13-10.869W	Fl G 2.5s	17	5	SG-SY on pile.	Ra ref.	33/20
*	*	*	*	*	*	*	*	*
11672.25	Breton/Chandeleur ICW Alternate Route Buoy 82	29-34-32.795N 089-12-29.499W				Red nun with yellow triangle.		33/20
*	*	*	*	*	*	*	*	*
11672.26	Breton/Chandeleur ICW Alternate Route V-AIS 81	29-34-31.297N 089-12-28.017W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	*
11672.27	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 80	29-35-05.148N 089-11-46.681W	Fl R 4s	17	5	TR-TY on pile.	Ra ref.	33/20
*	*	*	*	*	*	*	*	*
11672.28	Breton/Chandeleur ICW Alternate Route V-AIS 79	29-35-03.650N 089-11-45.199W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	*
11672.29	Breton/Chandeleur ICW Alternate Route Buoy 78	29-35-43.996N 089-10-55.249W				Red nun with yellow triangle.		33/20
*	*	*	*	*	*	*	*	*
11672.31	Breton/Chandeleur ICW Alternate Route V-AIS 77	29-35-42.498N 089-10-53.768W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
11672.32	Breton/Chandeleur ICW Alternate Route V-AIS 76	29-36-22.837N 089-10-03.810W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	
11672.33	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 75	29-36-21.339N 089-10-02.329W	Fl G 6s	17	5	SG-SY on pile.	Ra ref.	33/20
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
11672.34	Breton/Chandeleur ICW Alternate Route V-AIS 74	29-37-01.604N 089-09-12.449W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	*
11672.35	Breton/Chandeleur ICW Alternate Route Buoy 73	29-37-00.106N 089-09-10.967W				Green can with yellow square.		33/20
*	*	*	*	*	*	*	*	*
11672.36	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 72	29-37-40.473N 089-08-20.935W	Fl R 2.5s	17	5	TR-TY on pile.	Ra ref.	33/20
*	*	*	*	*	*	*	*	*
11672.37	Breton/Chandeleur ICW Alternate Route V-AIS 71	29-37-38.974N 089-08-19.454W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	*
11672.38	Breton/Chandeleur ICW Alternate Route Buoy 70	29-38-19.291N 089-07-29.470W				Red nun with yellow triangle.		33/20
*	*	*	*	*	*	*	*	*
11672.39	Breton/Chandeleur ICW Alternate Route V-AIS 69	29-38-17.792N 089-07-27.989W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	*
11672.41	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 67	29-38-56.604N 089-06-36.514W	Fl G 4s		5	SG-SY on pile.	Ra ref.	33/20
*	*	*	*	*	*	*	*	*
11672.42	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 66	29-39-33.567N 089-05-50.959W	Q R	17	5	TR-TY on pile.	Ra ref.	33/20
*	*	*	*	*	*	*	*	*
11672.43	Breton/Chandeleur ICW Alternate Route V-AIS 65	29-39-32.925N 089-05-48.814W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	*
11672.44	Breton/Chandeleur ICW Alternate Route Buoy 63	29-40-24.090N 089-05-28.754W				Green can with yellow square.		33/20
*	*	*	*	*	*	*	*	*
11672.45	Breton/Chandeleur ICW Alternate Route V-AIS 62	29-41-20.925N 089-05-08.860W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	*
11672.46	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 61	29-41-20.283N 089-05-06.715W	Fl G 2.5s	17	5	SG-SY on pile.	Ra ref.	33/20
*	*	*	*	*	*	*	*	*
11672.47	Breton/Chandeleur ICW Alternate Route Buoy 59	29-42-40.991N 089-04-35.049W				Green can with yellow square.		33/20
*	*	*	*	*	*	*	*	*
11672.48	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 58	29-43-13.313N 089-04-24.760W	Fl R 6s	17	5	TR-TY on pile.	Ra ref.	33/20
*	*	*	*	*	*	*	*	*
11672.49	Breton/Chandeleur ICW Alternate Route V-AIS 57	29-43-12.672N 089-04-22.615W					AIS: MMSI	33/20
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
11672.51	Breton/Chandeaur ICW Alternate Route Buoy 56	29-44-09.507N 089-04-02.700W				Red nun with yellow triangle.	33/20
*	*	*	*	*	*	*	*
11672.52	Breton/Chandeaur ICW Alternate Route V-AIS 54	29-45-05.690N 089-03-40.636W					AIS: MMSI 33/20
*	*	*	*	*	*	*	*
11672.53	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 53	29-45-05.049N 089-03-38.490W	Fl G 6s	17	5	SG-SY on pile.	Ra ref. 33/20
*	*	*	*	*	*	*	*
11672.54	Breton/Chandeaur ICW Alternate Route Buoy 51	29-46-01.240N 089-03-16.415W				Green can with yellow square.	33/20
*	*	*	*	*	*	*	*
11672.55	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 50	29-46-58.068N 089-02-56.482W	Fl R 4s	17	5	TR-TY on pile.	Ra ref. 33/20
*	*	*	*	*	*	*	*
11672.56	Breton/Chandeaur ICW Alternate Route V-AIS 49	29-46-57.425N 089-02-54.335W					AIS: MMSI 33/20
*	*	*	*	*	*	*	*
11672.57	Breton/Chandeaur ICW Alternate Route Buoy 48	29-47-54.258N 089-02-34.394W				Red nun with yellow triangle.	33/20
*	*	*	*	*	*	*	*
11672.58	Breton/Chandeaur ICW Alternate Route V-AIS 46	29-48-50.437N 089-02-12.302W					AIS: MMSI 33/20
*	*	*	*	*	*	*	*
11672.59	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 45	29-48-49.795N 089-02-10.154W	Fl G 4s	17	5	SG-SY on pile.	Ra ref. 33/20
*	*	*	*	*	*	*	*
11672.61	Breton/Chandeaur ICW Alternate Route Buoy 43	29-49-45.984N 089-01-48.051W				Green can with yellow square.	33/20
*	*	*	*	*	*	*	*
11672.62	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 42	29-50-42.809N 089-01-28.092W	Fl R 2.5s	17	5	TR-TY on pile.	Ra ref. 33/20
*	*	*	*	*	*	*	*
11672.63	Breton/Chandeaur ICW Alternate Route V-AIS 41	29-50-42.166N 089-01-25.944W					AIS: MMSI 33/20
*	*	*	*	*	*	*	*
11672.64	Breton/Chandeaur ICW Alternate Route Buoy 40	29-51-38.994N 089-01-05.976W				Red nun with yellow triangle.	33/20
*	*	*	*	*	*	*	*
11672.65	Breton/Chandeaur ICW Alternate Route V-AIS 38	29-52-35.171N 089-00-43.856W					AIS: MMSI 33/20
*	*	*	*	*	*	*	*
11672.66	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 37	29-52-34.528N 089-00-41.707W	Fl G 2.5s	17	5	SG-SY on pile.	Ra ref. 33/20
*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
11672.67	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 36	29-53-20.440N 089-00-26.027W	Q R	17	5	TR-TY on pile.	Ra ref.	33/20
*	*	*	*	*	*	*	*	
11672.68	Breton/Chandeleur ICW Alternate Route Buoy 34	29-54-21.110N 089-00-22.455W				Red nun with yellow square.		33/20
*	*	*	*	*	*	*		
11672.69	Breton/Chandeleur ICW Alternate Route V-AIS 33	29-54-21.009N 089-00-20.186W					AIS: MMSI	33/20
*	*	*	*	*	*	*		
11672.71	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 31	29-55-20.331N 089-00-16.692W	Fl G 6s	17	5	SG-SY on pile.	Ra ref.	33/20
*	*	*	*	*	*	*		
11672.72	Breton/Chandeleur ICW Alternate Route V-AIS 30	29-56-19.752N 089-00-15.467W					AIS: MMSI	33/20
*	*	*	*	*	*	*		
11672.73	Breton/Chandeleur ICW Alternate Route Buoy 29	29-56-19.651N 089-00-13.197W				Green can with yellow square.		33/20
*	*	*	*	*	*	*		
11672.74	BRETON/CHANDELEUR ICW ALTERNATE ROUTE LIGHT 28	29-57-19.071N 089-00-11.972W	Fl R 4s	17	5	TR-TY on pile.	Ra ref.	33/20
*	*	*	*	*	*	*		
31082 3482	St Andrew Bay V-AIS 26	30-07-49.219N 085-37-51.450W					AIS: MMSI 993682546	33/20
31158 3592	St Andrew Bay West V-AIS 12	30-10-30.290N 085-43-36.975W					AIS: MMSI 993682548	33/20
							*	
1527	ST. MARKS LIGHTHOUSE	30-04-25.720N 084-10-46.689W	Fl W 2.5s			White brick tower.	Non-operational March 1st to May 1st and August 15th to October 31st annually.	32/20
							Private Aid.	
3482 31082	St Andrew Bay V-AIS 26	30-07-49.219N 085-37-51.450W					*	32/20
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
3592 31158	St Andrew Bay West V-AIS 12	30-10-30.290N 085-43-36.975W					
*	*	*	*	*	*	*	*
23265	<i>Old River Obstruction Lighted Buoy 2A</i>	30-04-43.790N 093-43-33.390W	Q R		3	Red nun.	
*	*	*	*	*	*	*	*
23265	OLD RIVER OBSTRUCTION LIGHT 2A						Remove from list.
28665	FLINT HILLS DOCK LIGHTS (2)	27-49-09.800N 097-12-00.800W	Fl R 2.5s	18		On dolphins.	* Private Aid.
31082 3482	St Andrew Bay V-AIS 26	30-07-49.219N 085-37-51.450W					
*	*	*	*	*	*	*	*
31158 3592	St Andrew Bay West V-AIS 12	30-10-30.290N 085-43-36.975W					
*	*	*	*	*	*	*	*
12790	SOUTHWEST PASS LIGHT 7	28-56-51.018N 089-24-09.652W	Fl G 2.5s	35	5	SG on skeleton tower on piles.	
12830	SOUTHWEST PASS LIGHT 17	29-01-19.478N 089-20-29.602W	Fl G 2.5s	35	5	SG on skeleton tower on piles.	
				*			
12790	SOUTHWEST PASS LIGHT 7	28-56-51.018N 089-24-09.652W	Fl G 2.5s	45	5	SG on skeleton tower on piles.	
13180	NEPTUNE LIGHT 24 LDB mile 23.9.	* 29-21-34.242N 089-30-39.844W	Iso R 6s		5	TR on skeleton tower on piles.	Ra ref.

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
22167.01	Contraband Bayou Daybeacon 1	30-12-30.430N 093-14-52.170W				SG on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.02	Contraband Bayou Daybeacon 2	30-12-28.480N 093-14-52.200W				TR on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.03	Contraband Bayou Daybeacon 3	30-12-29.400N 093-14-48.190W				SG on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.04	Contraband Bayou Daybeacon 4	30-12-27.700N 093-14-48.540W				TR on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.05	Contraband Bayou Daybeacon 5	30-12-28.480N 093-14-45.280W				SG on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.06	Contraband Bayou Daybeacon 6	30-12-26.520N 093-14-45.100W				TR on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.07	Contraband Bayou Daybeacon 7	30-12-26.320N 093-14-42.260W				SG on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.08	Contraband Bayou Daybeacon 8	30-12-24.000N 093-14-41.210W				TR on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.09	Contraband Bayou Daybeacon 9	30-12-25.100N 093-14-40.070W				SG on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.11	Contraband Bayou Daybeacon 10	30-12-23.210N 093-14-39.460W				TR on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.12	Contraband Bayou Daybeacon 11	30-12-24.490N 093-14-37.640W				SG on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.13	Contraband Bayou Daybeacon 12	30-12-22.920N 093-14-36.010W				TR on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.14	Contraband Bayou Daybeacon 13	30-12-24.630N 093-14-35.450W				SG on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.15	Contraband Bayou Daybeacon 14	30-12-24.010N 093-14-33.520W				TR on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.16	Contraband Bayou Daybeacon 15	30-12-26.540N 093-14-33.250W				SG on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
22167.17	Contraband Bayou Daybeacon 16	30-12-24.750N 093-14-32.130W				TR on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.18	Contraband Bayou Daybeacon 17	30-12-26.950N 093-14-30.310W				SG on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.19	Contraband Bayou Daybeacon 18	30-12-25.970N 093-14-28.810W				TR on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.21	Contraband Bayou Daybeacon 19	30-12-24.920N 093-14-25.730W				SG on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.22	Contraband Bayou Daybeacon 20	30-12-19.940N 093-14-27.600W				TR on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.23	Contraband Bayou Daybeacon 21	30-12-19.230N 093-14-26.240W				SG on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.24	Contraband Bayou Daybeacon 22	30-12-15.140N 093-14-26.330W				TR on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.25	Contraband Bayou Daybeacon 23	30-12-17.200N 093-14-26.090W				SG on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.26	Contraband Bayou Daybeacon 24	30-12-10.090N 093-14-26.000W				TR on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.27	Contraband Bayou Daybeacon 25	30-12-15.200N 093-14-25.080W				SG on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.28	Contraband Bayou Daybeacon 26	30-12-02.880N 093-14-24.700W				TR on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.29	Contraband Bayou Daybeacon 27	30-12-06.560N 093-14-24.790W				SG on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.31	Contraband Bayou Daybeacon 28	30-11-58.010N 093-14-17.360W				TR on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.32	Contraband Bayou Daybeacon 29	30-12-00.880N 093-14-22.960W				SG on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*
22167.33	Contraband Bayou Daybeacon 30	30-11-55.230N 093-14-12.360W				TR on pile.	Private Aid. 30/20
*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5555	BLACKWATER CHANNEL LIGHT 30	30-33-58.104N 086-59-52.019W	Fl R 4s	17	3	TR on dolphin.		29/20
		*						
25812	Greens Bayou Security Zone Marker						Remove from list.	29/20
							*	
26353	<i>Eagle Point Wreck Lighted Buoy WR3</i>	29-30-04.059N 094-55-02.373W	Q G		3	Green can.		29/20
*	*	*	*	*	*	*	*	
3593	<i>U.S. Naval Support Activity Lighted Mooring Buoy PC-1</i>	30-10-15.800N 085-44-10.900W	Fl W 6s		2	White.	Aid maintained by U.S. Navy.	28/20
*	*	*	*	*	*	*	*	
12385	BAPTISTE COLLETTE BAYOU LIGHT 1 50 feet outside channel limit.	29-24-16.685N 089-18-29.051W	Fl G 2.5s	17	4	SG on pile.	Ra ref.	28/20
		*						
12665	SOUTH PASS LIGHT 15	29-08-28.303N 089-15-00.739W	Iso G 6s	17	4	SG on pile.	Ra ref.	28/20
		*						
3060	ST JOSEPH BAY ENTRANCE RANGE B FRONT LIGHT	29-53-44.049N 085-23-03.893W	Q R	29		KRW on pile.	Visible all around; higher intensity on rangeline. AIS: MMSI 993682493.	27/20
							*	
25910	Anahuac Channel Daybeacon A	29-41-58.301N 094-44-09.132W				NB on pile.	Ra ref.	27/20
	*		*	*	*	*	*	
25915	Anahuac Channel Daybeacon B 50 feet outside channel limit.	29-42-21.680N 094-43-49.745W				NB on pile.	Ra ref.	27/20
	*					*	*	
25925	Anahuac Channel Daybeacon C 50 feet outside channel limit.	29-43-10.806N 094-43-12.709W				NB on pile.	Ra ref.	27/20
	*					*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
815	CORPUS CHRISTI HARBOR OUTER RANGE FRONT LIGHT	27-48-27.992N 097-22-03.261W	Q G	25		KRW on skeleton tower on piles.	Visible 4° each side of rangeline.	26/20
28820	CORPUS CHRISTI HARBOR OUTER RANGE REAR LIGHT 330 yards, 101.2° from front light.	27-48-26.098N 097-21-52.455W	Iso G 6s	42		KRW on skeleton tower on piles.	Visible 6° each side of rangeline. *	26/20
23414	PHILLIPS 66 MAIN DOCK UPSTREAM LIGHT	30-00-29.270N 093-58-35.220W	Fl W 2.5s			Marks the main dock.	Private Aid.	25/20
*	*	*	*	*	*	*	*	
23415	PHILLIPS 66 DOCK LIGHT 1	30-00-39.000N 093-58-08.000W	Fl G 2.5s	20		Pile structure.	Private Aid.	25/20
23420	* PHILLIPS 66 DOCK LIGHTS (3)	30-00-43.000N 093-57-59.000W	Fl G 2.5s	20		Pile structure.	Private Aid.	25/20
23421	* PHILLIPS 66 DOCK 4 DOWNSTREAM LIGHT	* 30-00-44.890N 093-57-46.540W	Fl W 2.5s			Marks Dock 4.	Private Aid.	25/20
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7900	HORN ISLAND PASS ENTRANCE RANGE REAR LIGHT 1,666 yards, 041.1° from front light. *	30-13-27.289N 088-29-42.235W	Iso W 6s (NIGHT) Iso W 6s (DAY)	94 91		Skeleton tower on piles.	Visible 2° each side of range line.	24/20
23800	<i>Galveston Anchorage Lighted Buoy A</i> Marks Northeast corner of anchorage area.	29-21-06.148N 094-42-52.099W	Fl Y 6s		4	Yellow.	AIS: MMSI 993682486	24/20
23805	<i>Galveston Anchorage Lighted Buoy B</i> Marks northwest corner of anchorage area.	29-21-15.848N 094-44-27.702W	Fl Y 6s		4	Yellow.	* AIS: MMSI 993682488	24/20
37620	Matagorda Bay Buoy 50	28-28-23.847N 096-22-26.658W				Red nun with yellow triangle.	*	24/20
37625	<i>Matagorda Bay Lighted Buoy 51</i>	* 28-28-05.459N 096-22-36.534W	Fl G 6s		4	Green can with yellow square.		24/20
37630	Matagorda Bay Buoy 53	* 28-27-57.946N 096-22-40.706W				Green can with yellow square.		24/20
37635.01	<i>Matagorda Bay Lighted Buoy 52</i>	* 28-28-08.172N 096-22-38.954W	Fl R 6s		4	Red nun with yellow triangle.		24/20
1105 22440	SABINE PASS EAST JETTY LIGHT	29-38-40.574N 093-49-21.938W	Iso W 2s	42	8	NB on skeleton tower.	AIS: MMSI 993682262	23/20
6697	MOBILE TURNING BASIN LIGHT A						* Remove from list. *	23/20

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
22440 1105	SABINE PASS EAST JETTY LIGHT	29-38-40.574N 093-49-21.938W	Iso W 2s	42	8	NB on skeleton tower.	AIS: MMSI 993682262	23/20
35790	EAST BAY BAYOU LIGHT 6	29-32-50.905N 094-28-17.179W	Fl R 2.5s	17	3	TR-TY on pile.	Ra ref.	23/20
36660.01	GALVESTON-FREEPORT LIGHT 52	* 29-17-21.054N 094-55-43.054W	Fl R 4s	17	3	TR-TY on pile.	Ra ref.	23/20
36985	WEST BAY (TEXAS) LIGHT 15	* 29-10-32.628N 095-05-49.950W	Fl G 2.5s	17	3	SG-SY on pile.		23/20
1468	NOAA Data Buoy 42409	* 25-55-12.000N 089-15-49.000W				Yellow DART buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	22/20
9380	BIG LAKE JUNCTION LIGHT BL	* 30-24-58.803N 088-58-50.221W	Fl (2+1)R 6s	17	3	JR on pile.	Ra ref.	22/20
29079	LA QUINTA CHANNEL LIGHT 15A	* 27-52-16.389N 097-14-58.967W	Fl G 4s	17	3	SG on pile.	Ra ref.	22/20
29079.01	* LA QUINTA CHANNEL LIGHT 16	* 27-52-17.759N 097-14-51.161W	* Fl R 2.5s	* 17	* 3	* TR on pile.	* Ra ref.	* 22/20
29092	* LA QUINTA CHANNEL LIGHT 19B	* 27-52-27.537N 097-15-55.404W	* Fl G 4s	* 17	* 3	* SG on pile.	* Ra ref.	* 22/20
29100	* LA QUINTA CHANNEL LIGHT 19A	* 27-52-25.778N 097-15-45.470W	* Fl G 6s	* 17	* 3	* SG on pile.	* Ra ref.	* 22/20
	*		*		*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
27011 37382	FREEPORT ENTRANCE LIGHT 13	28-56-28.800N 095-18-32.400W	Q G	17	3	SG-SY on pile.	Ra ref.	21/20
*	*	*	*	*	*	*	*	*
27012 37384	FREEPORT HARBOR JUNCTION LIGHT FH	28-56-26.941N 095-18-49.050W	Fl (2+1)G 6s	17	3	JG-TY on pile.	Ra ref.	21/20
*	*	*	*	*	*	*	*	*
27017	FREEPORT HARBOR LIGHT 18	28-56-10.800N 095-19-24.840W	Fl R 2.5s	17	3	TR on pile.	Ra ref.	21/20
*	*	*	*	*	*	*	*	*
27018	FREEPORT HARBOR LIGHT 19	28-55-58.380N 095-19-21.120W	Q G	17	3	SG on pile.	Ra ref.	21/20
*	*	*	*	*	*	*	*	*
33970	PASS AUX HERONS A RANGE FRONT LIGHT	30-17-37.990N 088-07-17.078W	Q R	19		KRW-I on pile.	Visible 2° each side of rangeline.	21/20
33975	PASS AUX HERONS A RANGE FRONT LIGHT PASSING LIGHT	30-17-37.990N 088-07-17.078W	Q W	18	5	On same structure as Pass Aux Herons Range A Front Light.		21/20
33980	PASS AUX HERONS A RANGE REAR LIGHT 883 yards, 287.0° from front light.	30-17-45.562N 088-07-46.023W	Iso R 6s	47		KRW-I on pile structure.	Visible 2° each side of rangeline.	21/20
37382 27011	FREEPORT ENTRANCE LIGHT 13	28-56-28.800N 095-18-32.400W	Q G	17	3	SG-SY on pile.	Ra ref.	21/20
*	*	*	*	*	*	*	*	*
37384 27012	FREEPORT HARBOR JUNCTION LIGHT FH	28-56-26.941N 095-18-49.050W	Fl (2+1)G 6s	17	3	JG-TY on pile.	Ra ref.	21/20
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
34450	Marianne Channel Daybeacon 16	30-12-39.215N 089-15-08.901W				TR-TY on pile.	Ra ref.	20/20
*	*	*	*	*	*	*	*	
34450	Marianne Channel Buoy 16						Remove from list.	20/20
							*	
34455	Marianne Channel Daybeacon 17	30-12-35.852N 089-15-06.211W				SG-SY on pile.	Ra ref.	20/20
*	*	*	*	*	*	*	*	
34455	Marianne Channel Buoy 17						Remove from list.	20/20
							*	
34460	Marianne Channel Daybeacon 18	30-12-23.448N 089-15-34.920W				TR-TY on pile.	Ra ref.	20/20
*	*	*	*	*	*	*	*	
34460	Marianne Channel Buoy 18						Remove from list.	20/20
							*	
34465	Marianne Channel Daybeacon 19	30-12-18.929N 089-15-32.593W				SG-SY on pile.	Ra ref.	20/20
*	*	*	*	*	*	*	*	
34465	Marianne Channel Buoy 19						Remove from list.	20/20
							*	
34470	Marianne Channel Daybeacon 20	30-12-08.215N 089-16-03.153W				TR-TY on pile.	Ra ref.	20/20
*	*	*	*	*	*	*	*	
34470	Marianne Channel Buoy 20						Remove from list.	20/20
							*	
34475	Marianne Channel Daybeacon 21	30-12-02.972N 089-16-01.332W				SG-SY on pile.	Ra ref.	20/20
*	*	*	*	*	*	*	*	
34475	Marianne Channel Buoy 21						Remove from list.	20/20
							*	
34485	Marianne Channel Daybeacon 23	30-11-47.959N 089-16-28.127W				SG-SY on pile.	Ra ref.	20/20
*	*	*	*	*	*	*	*	
34485	Marianne Channel Buoy 23						Remove from list.	20/20
							*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5595	BLACKWATER CHANNEL LIGHT 37	30-35-33.109N 087-00-54.847W	Fl G 4s	17	3	SG on pile.	Ra Ref.	19/20
	*		*	*	*		*	
28305	CORPUS CHRISTI CUT A EAST RANGE FRONT LIGHT	27-50-41.815N 097-03-13.687W	Q W (NIGHT) Q W (DAY)	41		KRW on skeleton tower on piles.	Lighted throughout 24 hours.	19/20
			*				*	
28310	CORPUS CHRISTI CUT A EAST RANGE REAR LIGHT 887 yards, 078.2° from front light.	27-50-47.120N 097-02-44.530W	Iso W 6s (NIGHT) Iso W 6s (DAY) *	93		KRW on skeleton tower on concrete block.	Lighted throughout 24 hours.	19/20
			*				*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
12990	Pilottown Anchorage Lower Daybeacon 1.5						Remove from list.	18/20
							*	
29325	Port Mansfield Channel Daybeacon 11	26-33-43.999N 097-18-30.600W				SG-SY on pile.	Ra ref.	18/20
							*	
29350	Port Mansfield Channel Daybeacon 16	26-33-42.756N 097-20-19.094W				TR-TY on pile.	Ra ref.	18/20
							*	
29450	Port Mansfield Channel Daybeacon 34	26-33-29.661N 097-25-28.118W				TR-TY on pile.		18/20
	50 feet outside channel limit.							
							*	
32060	Boggy Bayou Daybeacon 4	30-28-49.832N 086-28-23.084W				TR-TY on pile.	Ra ref.	18/20
							*	
32065	Boggy Bayou Daybeacon 5	30-28-52.036N 086-28-31.436W				SG-SY on pile.	Ra ref.	18/20
							*	
33530	Pensacola-Mobile Daybeacon 65	30-18-38.072N 087-31-44.080W				SG-SY on pile.		18/20
							*	
34960	Bayou Villars Daybeacon 2	29-44-20.965N 090-08-32.797W				TR-TY on pile.	Ra Ref	18/20
							*	
38400.01	San Antonio Bay Daybeacon 9	28-17-34.694N 096-42-10.405W				SG-SY on pile.	Ra ref.	18/20
							*	
38425.01	San Antonio Bay Daybeacon 13	28-16-48.947N 096-43-14.617W				SG-SY on pile.	Ra ref.	18/20
							*	
38450.01	San Antonio Bay Daybeacon 17	28-16-01.487N 096-44-20.778W				SG-SY on pile.	Ra ref.	18/20
							*	
38475.01	San Antonio Bay Daybeacon 20	28-15-41.195N 096-44-55.758W				TR-TY on pile.	Ra ref.	18/20
							*	
38485.01	San Antonio Bay Daybeacon 21	28-15-17.381N 096-45-22.838W				SG-SY on pile.	Ra ref.	18/20
							*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
38510.01	San Antonio Bay Daybeacon 25	28-14-22.154N 096-46-41.115W				SG-SY on pile.	Ra ref. 18/20
						*	
38530.01	San Antonio Bay Daybeacon 28	28-14-01.447N 096-47-15.265W				TR-TY on pile.	Ra ref. 18/20
						*	
38545.01	San Antonio Bay Daybeacon 30	28-13-17.226N 096-48-17.630W				TR-TY on pile.	Ra ref. 18/20
						*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
38550.01	San Antonio Bay Daybeacon 31	28-13-06.118N 096-48-28.524W				SG-SY on pile.	Ra ref. 18/20
38555.01	San Antonio Bay Daybeacon 32	28-13-02.434N 096-48-39.817W				* TR-TY on pile.	Ra ref. 18/20
38560.01	San Antonio Bay Daybeacon 33	28-12-49.832N 096-48-51.036W				* SG-SY on pile.	Ra ref. 18/20
38570.01	San Antonio Bay Daybeacon 35	28-12-31.428N 096-49-10.332W				* SG-SY on pile.	Ra ref. 18/20
38575.01	San Antonio Bay Daybeacon 36	28-12-25.226N 096-49-20.021W				* TR-TY on pile.	Ra ref. 18/20
38580.01	San Antonio Bay Daybeacon 37	28-12-14.417N 096-49-24.675W				* SG-SY on pile.	Ra ref. 18/20
38590.01	San Antonio Bay Daybeacon 40	28-11-45.748N 096-50-05.806W				* TR-TY on pile.	Ra ref. 18/20
41670.01	Land Cut-Arroyo Colorado Daybeacon 53	26-40-11.930N 097-26-07.870W				* SG-SY on pile.	Ra ref. 18/20
42015	Land Cut-Arroyo Colorado Daybeacon 98	26-28-36.178N 097-22-38.999W				* TR-TY on pile.	18/20
42055	Land Cut-Arroyo Colorado Daybeacon 106	26-27-10.846N 097-22-00.421W				* TR-TY on pile.	18/20
42070	Land Cut-Arroyo Colorado Daybeacon 112	26-26-27.251N 097-21-40.921W				* TR-TY on pile.	18/20
42090	Land Cut-Arroyo Colorado Daybeacon 114	26-25-43.653N 097-21-21.425W				* TR-TY on pile.	18/20
42130	Land Cut-Arroyo Colorado Daybeacon 122	26-24-16.460N 097-20-42.446W				* TR-TY on pile.	18/20
42150	Land Cut-Arroyo Colorado Daybeacon 126	26-23-32.861N 097-20-22.963W				* TR-TY on pile.	18/20
						*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
42170	Land Cut-Arroyo Colorado Daybeacon 132	26-22-49.262N 097-20-03.482W				TR-TY on pile.	18/20
						*	
42930	Harlingen-Port Isabel Daybeacon A	26-04-13.025N 097-12-10.886W				JR-TY on pile.	18/20
						*	
42935	Harlingen-Port Isabel Daybeacon B	26-04-08.797N 097-12-16.869W				JR-TY on pile.	Ra ref. 18/20
						*	
No corrections this week							17/20
803	<i>Walter Lighted Danger Buoy North</i>	28-35-01.978N 091-47-19.302W	Fl W 2.5s			Marks subsea well.	Private Aid. 16/20
		*					
12355	Bayou Terre Aux Boeufs Daybeacon 2						Remove from list. 16/20
							*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14057	IMT AVONDALE TANK TERMINAL DOCK LIGHTS (2)	29-55-18.930N 090-11-45.510W	Fl G 2.5s			Marks outermost upstream and outermost downstream dock structures.	Private Aid.	16/20
*	*	*	*	*	*	*	*	
37580	MATAGORDA BAY LIGHT 40	28-30-03.092N 096-18-13.746W	Q R	17	4	TR-TY on pile.	Ra ref.	16/20
39065.01	* Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 2	28-00-02.832N 097-02-03.659W				TR-TY on pile.	Ra ref.	16/20
39080.01	* Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 3	27-59-43.722N 097-03-01.391W				SG-SY on pile.	Ra ref.	16/20
39085.01	* Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 4	27-59-47.286N 097-03-01.823W				TR-TY on pile.	Ra ref.	16/20
39100.01	* Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 7	27-59-30.960N 097-03-56.327W				SG-SY on pile.	Ra ref.	16/20
39105.01	* Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 10	27-59-30.132N 097-04-06.095W				TR-TY on pile.	Ra ref.	16/20
1107 22442	* Sabine Pass West Jetty V- AIS	* 29-38-35.854N 093-49-40.987W					AIS: MMSI 993682364	15/20
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7760	BAYOU LA BATRE LIGHT 25	30-23-00.130N 088-16-17.687W	Fl G 2.5s	16	3	SG on pile.	Ra ref.	15/20
	*		*	*	*			
22442 1107	Sabine Pass West Jetty V- AIS	29-38-35.854N 093-49-40.987W					AIS: MMSI 993682364	15/20
30142.04	FDOA RASH RATTLESNAKE COVE SPECIAL LIGHT E	29-41-21.350N 084-47-38.940W	Fl Y 2.5s			Marks aquaculture farm perimeter corner.	Private Aid.	14/20
	*	*	*	*	*	*	*	
30142.05	FDOA RASH RATTLESNAKE COVE SPECIAL LIGHT F	29-41-25.100N 084-47-36.930W	Fl Y 2.5s			Marks aquaculture farm perimeter corner.	Private Aid.	14/20
	*	*	*	*	*	*	*	
30142.06	FDOA RASH RATTLESNAKE COVE SPECIAL LIGHT G	29-41-27.160N 084-47-42.120W	Fl Y 2.5s			Marks aquaculture farm perimeter corner.	Private Aid.	14/20
	*	*	*	*	*	*	*	
30142.07	FDOA RASH RATTLESNAKE COVE SPECIAL LIGHT H	29-41-23.680N 084-47-44.560W	Fl Y 2.5s			Marks aquaculture farm perimeter corner.	Private Aid.	14/20
	*	*	*	*	*	*	*	
2840	ST GEORGE ISLAND LIGHTED BUOY 3	29-37-06.940N 084-57-48.425W	Fl G 2.5s		3	Green can.	Relocated frequently to mark shoaling.	13/20
		*					*	
2845	ST GEORGE ISLAND LIGHTED BUOY 4	29-37-07.408N 084-57-42.223W	Fl R 2.5s		3	Red nun.	Relocated frequently to mark shoaling.	13/20
							*	
12993	Pilottown Anchorage Shoal Buoy 1	29-10-18.180N 089-15-52.356W				Green can.		13/20
	*	*	*	*	*	*	*	
13002	Pilottown Anchorage Shoal Buoy 3	29-10-34.920N 089-16-02.040W				Green can.		13/20
	*	*	*	*	*	*	*	
* 13012	Pilottown Anchorage Shoal Buoy 5	29-10-48.600N 089-16-10.380W				Green can.		13/20
	*	*	*	*	*	*	*	

No corrections this week

12/20

25-Nov-20

Page 41

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
33100	<i>Pensacola-Mobile Lighted Buoy 3</i>	30-20-04.101N 087-18-47.590W	Fl G 2.5s		3	Green can with yellow square.		11/20
40930.01	* Corpus Christi Baffin Bay Daybeacon 121	27-19-10.661N 097-23-57.049W	*		*	SG-SY on pile.	Ra ref.	11/20
1527	ST. MARKS LIGHTHOUSE	* 30-04-25.720N 084-10-46.689W	Fl W 2.5s			White brick tower.	Private Aid.	10/20
* 2947.04	* FDOA TURNER APALACHICOLA BAY AQUACULTURE SPECIAL LIGHT E	* 29-42-46.250N 085-07-04.660W	* Fl Y 2.5s	*	*	* Marks perimeter corner point of aquaculture farm.	* Private Aid.	* 10/20
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2947.05	FDOA TURNER APALACHICOLA BAY AQUACULTURE SPECIAL LIGHT F	29-42-44.080N 085-07-14.500W	Fl Y 2.5s			Marks perimeter corner point of aquaculture farm.	Private Aid.	10/20
*	*	*	*	*	*	*	*	
2947.06	FDOA TURNER APALACHICOLA BAY AQUACULTURE SPECIAL LIGHT G	29-42-39.280N 085-07-13.100W	Fl Y 2.5s			Marks perimeter corner point of aquaculture farm.	Private Aid.	10/20
*	*	*	*	*	*	*	*	
2947.07	FDOA TURNER APALACHICOLA BAY AQUACULTURE SPECIAL LIGHT H	29-42-41.450N 085-07-03.260W	Fl Y 2.5s			Marks perimeter corner point of aquaculture farm.	Private Aid.	10/20
*	*	*	*	*	*	*	*	
7925	<i>Horn Island Pass Lighted Buoy 12</i>	30-12-07.721N 088-30-56.662W	Fl R 2.5s		4	Red.		10/20
					*			
14835	Sunshine Bridge Approach Buoy 1	30-05-46.822N 090-54-53.236W				Green can.	AIS: MMSI 993682009	10/20
		*						
14845	Sunshine Bridge Approach Buoy B	30-05-59.257N 090-54-46.635W				Green can with red bands.	AIS: MMSI 993682011	10/20
		*						
18921	ATCHAFALAYA RIVER LIGHT 12	29-32-21.705N 091-15-39.483W	Fl R 6s	17	3	TR on pile.	Ra ref.	10/20
		*						
25070	LOWER RED LIGHT BEND OUTBOUND RANGE FRONT LIGHT	29-41-58.502N 094-59-50.636W	Q R	24		KRW on skeleton tower on piles.	Visible all around, higher intensity on rangeline.	10/20
		*						
25075	LOWER RED LIGHT BEND OUTBOUND RANGE REAR LIGHT	29-41-57.877N 094-59-44.692W	Iso R 6s	32		KRW on skeleton tower on piles.	Visible all around, higher intensity on rangeline.	10/20
	176 yards, 095.0° from front light.							
	*							

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
25240	UPPER RED LIGHT BEND OUTBOUND RANGE FRONT LIGHT	29-42-22.191N 095-01-16.002W	Q R	23		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.	10/20
25245	UPPER RED LIGHT BEND OUTBOUND RANGE REAR LIGHT 366 yards, 180.2° from front light.	* 29-42-11.325N 095-01-16.045W	Iso R 6s	* 26		KRW on skeleton tower on piles.	Visible 14° each side of rangeline.	10/20
25775	* HOUSTON SHIP CHANNEL LIGHT 139 150 feet outside channel limit.	29-44-17.132N 095-06-56.118W	Fl G 4s	17	4	SG on pile.		10/20
450	* <i>Fugro Geoscience Lighted Buoy</i> Marks suction piles.	28-59-49.916N 089-31-41.942W	Q R			Red.	Private Aid.	09/20
16051.04	* QUEEN BESS DANGER BREAKWATER LIGHT	29-18-11.200N 089-57-42.710W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	09/20
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
16051.05	QUEEN BESS DANGER BREAKWATER LIGHT	29-18-09.430N 089-57-36.940W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	09/20
*	*	*	*	*	*	*	*	
16051.06	QUEEN BESS DANGER BREAKWATER LIGHT	29-18-08.640N 089-57-30.600W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	09/20
*	*	*	*	*	*	*	*	
16051.07	QUEEN BESS DANGER BREAKWATER LIGHT	29-18-20.120N 089-57-27.450W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	09/20
*	*	*	*	*	*	*	*	
16051.08	QUEEN BESS DANGER BREAKWATER LIGHT	29-18-20.580N 089-57-27.910W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	09/20
*	*	*	*	*	*	*	*	
16501.04	QUEEN BESS DANGER BREAKWATER LIGHT						Remove from list.	09/20
							*	
16501.05	QUEEN BESS DANGER BREAKWATER LIGHT						Remove from list.	09/20
							*	
16501.06	QUEEN BESS DANGER BREAKWATER LIGHT						Remove from list.	09/20
							*	
16501.07	QUEEN BESS DANGER BREAKWATER LIGHT						Remove from list.	09/20
							*	
16501.08	QUEEN BESS DANGER BREAKWATER LIGHT						Remove from list.	09/20
							*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
2947	FDOA ST VINCENT SOUND	29-42-41.510N	FI Y 2.5s			Marks perimeter	Private Aid. 08/20
	AQUACULTURE SPECIAL LIGHT A	085-07-02.990W				corner point of aquaculture farm.	
	*						
2947.01	FDOA ST VINCENT SOUND	29-42-44.790N	FI Y 2.5s			Marks perimeter	Private Aid. 08/20
	AQUACULTURE SPECIAL LIGHT B	085-06-48.090W				corner point of aquaculture farm.	
	*						
2947.02	FDOA ST VINCENT SOUND	29-42-49.590N	FI Y 2.5s			Marks perimeter	Private Aid. 08/20
	AQUACULTURE SPECIAL LIGHT C	085-06-49.490W				corner point of aquaculture farm.	
	*						
2947.03	FDOA ST VINCENT SOUND	29-42-46.310N	FI Y 2.5s			Marks perimeter	Private Aid. 08/20
	AQUACULTURE SPECIAL LIGHT D	085-07-04.390W				corner point of aquaculture farm.	
	*		*				

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
9825 34380	GULFPORT SHIP CHANNEL LIGHT 42	30-16-31.829N 089-01-05.614W	Iso R 6s	17	4	TR-SY on pile.	Ra ref.	08/20
						*		
9830 34395	GULFPORT SHIP CHANNEL LIGHT 43	30-17-03.596N 089-01-40.858W	Iso G 6s	17	4	SG-TY on pile.	Ra ref.	08/20
						*		
11885 34735	MICHOU D DOCK LIGHTS (2)	30-00-24.000N 089-56-03.000W	Fl R 2.5s	6		On dock.	Private Aid.	08/20
						*		
16501.04	QUEEN BESS DANGER BREAKWATER LIGHT	29-18-11.200N 089-57-42.710W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	08/20
*	*	*	*	*	*	*	*	
16501.05	QUEEN BESS DANGER BREAKWATER LIGHT	29-18-09.430N 089-57-36.940W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	08/20
*	*	*	*	*	*	*	*	
16501.06	QUEEN BESS DANGER BREAKWATER LIGHT	29-18-08.640N 089-57-30.600W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	08/20
*	*	*	*	*	*	*	*	
16501.07	QUEEN BESS DANGER BREAKWATER LIGHT	29-18-20.120N 089-57-27.450W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	08/20
*	*	*	*	*	*	*	*	
16501.08	QUEEN BESS DANGER BREAKWATER LIGHT	29-18-20.580N 089-57-27.910W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	08/20
*	*	*	*	*	*	*	*	
23170 35450	SABINE RIVER OUTER Q RANGE FRONT LIGHT	30-02-22.394N 093-44-17.957W	Q W	25		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on rangeline.	08/20
						*		
23175 35455	SABINE RIVER OUTER Q RANGE REAR LIGHT	30-02-13.842N 093-44-30.362W	Iso W 6s	49		KRW on skeleton tower on mud sills.	Visible all around; higher intensity on rangeline.	08/20
	464 yards, 231.6° from front light.							
34385 9820	GULFPORT SHIP CHANNEL LIGHT 41	30-16-31.500N 089-01-13.828W	Fl G 2.5s	17	3	SG-SY on pile.	Ra ref.	08/20
						*		
34395 9830	GULFPORT SHIP CHANNEL LIGHT 43	30-17-03.596N 089-01-40.858W	Iso G 6s	17	4	SG-TY on pile.	Ra ref.	08/20
						*		
35455 23175	SABINE RIVER OUTER Q RANGE REAR LIGHT	30-02-13.842N 093-44-30.362W	Iso W 6s	49		KRW on skeleton tower on mud sills.	Visible all around; higher intensity on rangeline.	08/20
	464 yards, 231.6° from front light.					*		

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14693.01	YCI INTAKE PROTECTION PILE LIGHTS (3)	29-59-30.420N 090-49-59.290W	Fl W 2.5s			Marks freshwater intake piling protection structures.	Private Aid.	07/20
*	*	*	*	*	*	*	*	
16224	Barataria Waterway Buoy 17	29-20-40.368N 089-59-05.731W				Green can.		07/20
*	*	*	*	*	*	*	*	
16227	Barataria Waterway Buoy 18A	29-21-11.763N 089-59-03.993W				Red nun.		07/20
*	*	*	*	*	*	*	*	
16550	BAYOU RIGOLETTES LIGHT 1	29-39-58.304N 090-06-43.437W	Fl G 4s	17	4	SG on pile.	Ra ref.	07/20
		*						
17938	CAILLOU BOCA DANGER LIGHT A						Remove from list.	07/20
							*	
17955	Caillou Boca Daybeacon C						Remove from list.	07/20
							*	
17995	<i>Bayou Grand Caillou Entrance Lighted Buoy 5</i>	29-10-24.455N 090-56-37.747W	Fl G 2.5s		4	Green can.		07/20
*	*	*	*	*	*	*	*	
17995	BAYOU GRAND CAILLOU ENTRANCE LIGHT 5						Remove from list.	07/20
							*	
29142.01	COASTAL BENDS BAYS & ESTUARIES DANGER BREAKWATER LIGHT	27-51-18.330N 097-20-51.530W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	07/20
*	*	*	*	*	*	*	*	
29142.02	COASTAL BENDS BAYS & ESTUARIES DANGER LIGHT	27-51-10.820N 097-21-01.710W	Fl W 2.5s			Marks breakwater structure.	Private Aid.	07/20
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
855	Tiger Shoal Buoy 2						Remove from list.	06/20
1105 22440	SABINE PASS EAST JETTY LIGHT	29-38-40.574N 093-49-21.938W	Iso W 2s	42	8	NB on skeleton tower.	*	06/20
1130	* <i>Energy Resource-106- 12 Lighted Buoy</i>						Remove from list.	06/20
1385 27110	MATAGORDA SHIP CHANNEL ENTRANCE LIGHT	28-25-18.466N 096-19-05.908W	Fl W 10s	64	5	On same structure as Matagorda Ship Channel Range B Rear Light.	* Obscured from 257° to 040°.	06/20
	*							

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6300	<i>Mobile Channel Lighted Buoy 30</i> 300 feet outside channel limit.	30-18-23.839N 088-01-47.172W	Fl R 4s		4	Red.		06/20
* 6300	* MOBILE CHANNEL LIGHT 30	* 	* 	* 	* 	* 	* Remove from list.	06/20
14273	VALERO ST. CHARLES DOCK LIGHT	29-58-49.000N 090-23-41.000W	Fl W 2.5s			Marks outermost upstream corner of dock.	* Private Aid.	06/20
* 22440 1105	* SABINE PASS EAST JETTY LIGHT	* 29-38-40.574N 093-49-21.938W	* Iso W 2s	* 42	* 8	* NB on skeleton tower.	* 	06/20
27110 1385	* MATAGORDA SHIP CHANNEL ENTRANCE LIGHT	28-25-18.466N 096-19-05.908W	Fl W 10s	64	5	On same structure as Matagorda Ship Channel Range B Rear Light.	Obscured from 257° to 040°.	06/20
27897	* FORMOSA WASTEWATER DANGER LIGHT	28-40-54.354N 096-34-55.145W	Fl W 2.5s			Marks submerged wastewater discharge structure.	Private Aid.	06/20
* 27897.01	* FORMOSA WASTEWATER DANGER LIGHT	* 28-40-50.476N 096-34-58.634W	* Fl W 2.5s	* 	* 	* Marks submerged wastewater discharge structure.	* Private Aid.	06/20
* 27897.02	* FORMOSA WASTEWATER DANGER LIGHT	* 28-40-52.507N 096-34-52.506W	* Fl W 2.5s	* 	* 	* Marks submerged wastewater discharge structure.	* Private Aid.	06/20
* 27897.03	* FORMOSA WASTEWATER DANGER LIGHT	* 28-40-48.629N 096-34-55.996W	* Fl W 2.5s	* 	* 	* Marks submerged wastewater discharge structure.	* Private Aid.	06/20
* 28650	* CORPUS CHRISTI CHANNEL LIGHT 31 150 feet outside channel limit.	* 27-49-08.000N 097-11-16.330W	* Fl G 2.5s	* 17	* 3	* SG on pile.	* Ra ref.	06/20
28655	* CORPUS CHRISTI CHANNEL LIGHT 32	* 27-49-17.504N 097-11-15.468W	* Fl R 2.5s	17	3	TR on pile.	Ra ref.	06/20
		*						

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
28675	CORPUS CHRISTI CHANNEL LIGHT 36	27-49-00.367N 097-12-46.520W	Fl R 4s	17	3	TR on pile.	Ra ref.	06/20
		*						
28685	CORPUS CHRISTI CHANNEL LIGHT 38 100 feet outside channel limit.	27-48-54.527N 097-13-15.683W	Fl R 4s	17	3	TR on pile.	Ra ref.	06/20
		*						
3468 31092	<i>St Andrew Bay Lighted Buoy 22</i>	30-07-55.026N 085-39-13.757W	Q R		3	Red with yellow square.		05/20
*	*	*	*	*	*	*	*	*
5478.13	FDOA SMITH REDFISH POINT SPECIAL LIGHT I	30-24-10.120N 087-05-07.650W	Fl Y 2.5s			Marks perimeter cornerpoint for aquaculture farm.	Private Aid.	05/20
*	*	*	*	*	*	*	*	*
5478.14	FDOA SMITH REDFISH POINT SPECIAL LIGHT J	30-24-10.800N 087-05-04.250W	Fl Y 2.5s			Marks perimeter cornerpoint for aquaculture farm.	Private Aid.	05/20
*	*	*	*	*	*	*	*	*
5478.15	FDOA SMITH REDFISH POINT SPECIAL LIGHT K	30-24-17.680N 087-05-06.930W	Fl Y 2.5s			Marks perimeter cornerpoint for aquaculture farm.	Private Aid.	05/20
*	*	*	*	*	*	*	*	*
5478.16	FDOA SMITH REDFISH POINT SPECIAL LIGHT L	30-24-17.170N 087-05-10.300W	Fl Y 2.5s			Marks perimeter cornerpoint for aquaculture farm.	Private Aid.	05/20
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
6320	<i>Mobile Channel Lighted Buoy 34</i> 300 feet outside channel limit.	30-20-16.293N 088-01-30.992W	Fl R 2.5s		3	Red.	
*	*	*	*	*	*	*	*
6320	MOBILE CHANNEL LIGHT 34						Remove from list.
							*
6335	<i>Mobile Channel Lighted Buoy 38</i> 300 feet outside channel limit.	30-21-35.599N 088-01-18.887W	Fl R 4s		4	Red.	
*	*	*	*	*	*	*	*
6335	MOBILE CHANNEL LIGHT 38						Remove from list.
							*
6450	<i>Mobile Channel Lighted Buoy 44</i> 300 feet outside channel limit.	30-24-34.608N 088-00-53.789W	Fl R 2.5s		4	Red.	
*	*	*	*	*	*	*	*
6450	MOBILE CHANNEL LIGHT 44						Remove from list.
							*
6520	<i>Mobile Channel Lighted Buoy 51</i> 200 feet outside channel limit.	30-27-52.264N 088-01-00.946W	Fl G 2.5s		4	Green.	
*	*	*	*	*	*	*	*
6520	MOBILE CHANNEL LIGHT 51						Remove from list.
							*
	* Add Heading: Bayou Lafourche						
18324.01	BAYOU LAFOURCHE SWING GATE LIGHT 1	29-53-55.600N 090-59-19.500W	Fl G 2.5s			Marks navigable channel through swing gate.	Private Aid.
*	*	*	*	*	*	*	*
18324.02	BAYOU LAFOURCHE SWING GATE LIGHT 2	29-53-55.600N 090-59-19.020W	Fl R 2.5s			Marks navigable channel through swing gate.	Private Aid.
*	*	*	*	*	*	*	*
18324.03	BAYOU LAFOURCHE SWING GATE LIGHT 3	29-53-55.830N 090-59-19.500W	Fl G 2.5s			Marks navigable channel through swing gate.	Private Aid.
*	*	*	*	*	*	*	*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
18324.04	BAYOU LAFOURCHE SWING GATE LIGHT 4	29-53-55.840N 090-59-19.040W	Fl R 2.5s			Marks navigable channel through swing gate.	Private Aid.	05/20
*	*	*	*	*	*	*	*	
18324.05	BAYOU LAFOURCHE SWING GATE LIGHT 5	29-53-56.300N 090-59-19.520W	Fl G 2.5s			Marks navigable channel through swing gate.	Private Aid.	05/20
*	*	*	*	*	*	*	*	
18324.06	BAYOU LAFOURCHE SWING GATE LIGHT 6	29-53-56.260N 090-59-19.030W	Fl R 2.5s			Marks navigable channel through swing gate.	Private Aid.	05/20
*	*	*	*	*	*	*	*	
22805.01	<i>Golden Pass Special Lighted Buoy D</i>	29-45-36.910N 093-54-18.460W	Fl Y 2.5s				Private Aid.	05/20
*	*	*	*	*	*	*	*	
22805.02	<i>Golden Pass Special Lighted Buoy E</i>	29-45-40.410N 093-54-29.070W	Fl Y 2.5s				Private Aid.	05/20
*	*	*	*	*	*	*	*	
22805.03	<i>Golden Pass Special Lighted Buoy F</i>	29-45-40.870N 093-54-30.280W	Fl Y 2.5s				Private Aid.	05/20
*	*	*	*	*	*	*	*	
22805.04	<i>Golden Pass Special Lighted Buoy G</i>	29-45-44.970N 093-54-40.880W	Fl Y 2.5s				Private Aid.	05/20
*	*	*	*	*	*	*	*	
22805.05	<i>Golden Pass Special Lighted Buoy H</i>	29-45-44.820N 093-54-42.000W	Fl Y 2.5s				Private Aid.	05/20
*	*	*	*	*	*	*	*	
24286	<i>Galveston Bay Cruising Association Lighted Sailing Buoy</i>	29-31-19.950N 094-55-29.690W	Fl W 2.5s			Marks sailboat race turning point.	Private Aid.	05/20
*	*	*	*	*	*	*	*	
30210	Apalachicola Bay Buoy 48	29-41-02.808N 084-52-44.670W				Red nun with yellow triangle.		05/20
*	*	*	*	*	*	*	*	
31092 3468	<i>St Andrew Bay Lighted Buoy 22</i>	30-07-55.026N 085-39-13.757W	Q R		3	Red with yellow square.		05/20
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6610	<i>Mobile Channel Lighted Buoy 70</i> 200 feet outside channel limit.	30-35-24.577N 088-01-42.448W	Fl R 4s		5	Red.	04/20	
* 6610	* MOBILE CHANNEL LIGHT 70	*	*	*	*	*	* Remove from list. *	04/20

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6660	<i>Mobile Channel Lighted Buoy 76</i>	30-37-45.393N 088-01-52.475W	Fl R 2.5s		3	Red.		04/20
*	*	*	*	*	*	*	*	
6660	MOBILE CHANNEL LIGHT 76						Remove from list.	04/20
							*	
6685	<i>Mobile Channel Lighted Buoy 78</i>	30-38-28.668N 088-01-51.613W	Fl R 4s		5	Red.		04/20
	200 feet outside channel limit.							
*	*	*	*	*	*	*	*	
6685	MOBILE CHANNEL LIGHT 78						Remove from list.	04/20
							*	
21835 35370	DEVILS ELBOW INDUSTRIAL CANAL RANGE REAR LIGHT	30-06-31.843N 093-18-14.816W	F G	37		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on rangeline. Ra ref.	04/20
	192 yards, 046.4° from front light.							
							*	
23990	<i>Houston Ship Channel Lighted Buoy 28</i>						Remove from list.	04/20
							*	
30142	FDOA WREN RATTLESNAKE COVE SPECIAL LIGHT A	29-41-23.430N 084-47-45.350W	Fl Y 2.5s			Marks aquaculture farm perimeter cornerpoint.	Private Aid.	04/20
*	*	*	*	*	*	*	*	
30142.01	FDOA WREN RATTLESNAKE COVE SPECIAL LIGHT B	29-41-26.750N 084-47-43.160W	Fl Y 2.5s			Marks aquaculture farm perimeter cornerpoint.	Private Aid.	04/20
*	*	*	*	*	*	*	*	
30142.02	FDOA WREN RATTLESNAKE COVE SPECIAL LIGHT C	29-41-28.850N 084-47-47.940W	Fl Y 2.5s			Marks aquaculture farm perimeter cornerpoint.	Private Aid.	04/20
*	*	*	*	*	*	*	*	
30142.03	FDOA WREN RATTLESNAKE COVE SPECIAL LIGHT D	29-41-25.060N 084-47-50.010W	Fl Y 2.5s			Marks aquaculture farm perimeter cornerpoint.	Private Aid.	04/20
*	*	*	*	*	*	*	*	
37905	PORT O' CONNOR CHANNEL LIGHT 13	28-26-37.262N 096-23-39.037W	Q G	20	5	SG-SY on skeleton tower.		04/20
	*						*	
37910	PORT O' CONNOR CHANNEL LIGHT 14	28-26-44.661N 096-23-42.358W	Q R	23	5	TR-TY on skeleton tower.		04/20
							*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
25	U.S. AIR FORCE INSTRUMENTATION TOWER LIGHT N6	29-24-54.000N 084-20-42.000W	Q W	120		On pile.	Maintained by U.S. Air Force. HORN: 1 blast ev 20s (2s bl). Private Aid. *	03/20
30	U.S. AIR FORCE INSTRUMENTATION TOWER LIGHT N7	29-39-54.000N 084-22-12.000W	Q W	120		On pile.	Maintained by U.S. Air Force. HORN: 1 blast ev 20s (2s bl). Private Aid. *	03/20
35	U.S. AIR FORCE INSTRUMENTATION TOWER LIGHT N5	29-17-54.000N 084-36-42.000W	Q W	120		On pile.	Maintained by U.S. Air Force. HORN: 1 blast ev 20s (2s bl). Private Aid. *	03/20

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
40	U.S. AIR FORCE INSTRUMENTATION TOWER LIGHT N3	29-32-18.000N 084-37-00.000W	Q W	120		On pile.	Maintained by U.S. Air Force. HORN: 1 blast ev 20s (2s bl). Private Aid.	03/20
							*	
45	U.S. AIR FORCE INSTRUMENTATION TOWER LIGHT N4	29-24-42.000N 084-51-24.000W	Q W	160		On pile.	Maintained by U.S. Air Force. HORN: 1 blast ev 20s (2s bl). Private Aid.	03/20
							*	
350	Mobil-194-6 Lighted Horn Buoy	29-35-05.000N 088-40-58.000W	Q R			Red.	SIGN: MO-MP-99-1. HORN: 1 blast ev 20s (2s bl). Private Aid.	03/20
	Marks subsea installation.						*	
580	LOOP 100-7 LIGHT	29-06-00.000N 090-06-48.000W	Fl W 4s			On pile.	SIGN: LOOP-GI-25-B. HORN: 1 blast ev 20s (2s bl). Private Aid.	03/20
							*	
715	Kerr Mc Gee-111-8 Lighted Buoy)	28-30-09.000N 091-03-16.000W	Q W			Red.	SIGN: KM-SS-218-7. HORN: 1 blast ev 20s (2s bl). Private Aid.	03/20
	Marks subsea installation.						*	
735	Century Offshore-106- 2 Lighted Horn Buoy	28-44-09.000N 091-14-29.000W	Q R			Red.	SIGN: COMC-SS-150-9& 10. HORN: 1 blast ev 20s (2s bl). Private Aid.	03/20
	Marks subsea installation.						*	
1170	Mobil-213-3 Lighted Horn Buoy	28-50-11.000N 094-15-37.000W	Q R			Red.	SIGN: MO-HI-A68-2. HORN: 1 blast ev 20s (2s bl). Private Aid.	03/20
	Marks Subsea Installation.						*	
21835	DEVILS ELBOW	30-06-31.843N	F G	37		KRW-I on skeleton	Visible all around. Higher	03/20
35370	INDUSTRIAL CANAL RANGE REAR LIGHT	093-18-14.816W				tower on piles.	intrnsity on rangeline. Ra ref.	
	192 yards, 046.4° from front light.						*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
3470	ST ANDREW BAY LIGHT 24						Remove from list.	02/20
3470	<i>ST ANDREW BAY LIGHTED</i>	30-07-36.807N	Fl R 4s		3		*	
31090	<i>BUOY 24</i>	085-38-21.249W					Red with yellow square.	02/20

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
29079	La Quinta Channel Daybeacon 15A	27-52-16.389N 097-14-58.967W				SG on pile.	Ra ref.	02/20
*	*	*	*	*	*	*	*	
29079.01	La Quinta Channel Daybeacon 16	27-52-17.759N 097-14-51.161W				TR on pile.	Ra ref.	02/20
*	*	*	*	*	*	*	*	
29085	LA QUINTA CHANNEL LIGHT 18	27-52-30.536N 097-15-05.478W	Fl R 4s	17	3	TR on dolphin.		02/20
		*						
29092	La Quinta Channel Daybeacon 19B	27-52-27.537N 097-15-55.404W				SG on pile.	Ra ref.	02/20
*	*	*	*	*	*	*	*	
29095	LA QUINTA CHANNEL LIGHT 20	27-52-35.435N 097-15-23.134W	Fl R 2.5s	17	3	TR on pile.		02/20
		*						
29100	LA QUINTA CHANNEL LIGHT A	27-52-25.778N 097-15-45.470W	Fl W 4s	17	4	NG on pile.		02/20
		*						
29101	LA QUINTA CHANNEL LIGHT 21	27-52-37.470N 097-16-03.875W	Fl G 2.5s	17	3	SG on pile.	Ra ref.	02/20
		*						
30400	APALACHICOLA RIVER ENTRANCE RANGE FRONT LIGHT	29-43-22.748N 084-58-48.439W	Q G	17		KRW-I on dolphin.	Visible all around; higher intensity 2° each side of rangeline.	02/20
		*		*			*	
30405	APALACHICOLA RIVER ENTRANCE RANGE REAR LIGHT	29-44-03.119N 084-58-56.318W	F G	56		KRW-I on skeleton tower on piles.	Visible 2° each side of rangeline.	02/20
	1,379 yards, 350.5° from front light.							
*	*	*	*	*	*	*	*	
31090	ST ANDREW BAY LIGHT 24						Remove from list.	02/20
		*					*	
31090 3470	ST ANDREW BAY LIGHTED BUOY 24	30-07-36.807N 085-38-21.249W	Fl R 4s		3		Red with yellow square.	02/20
*	*	*	*	*	*	*	*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
80	<i>NOAA Lighted Buoy 42056</i>	19-49-12.000N 084-56-41.000W	Fl (4)Y 20s		4	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	01/20
		*						
1465	<i>NOAA Lighted Buoy 42001 (ODAS)</i>	25-56-31.000N 089-39-25.000W	Fl (4)Y 20s		3	Yellow disc buoy with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	01/20
		*						
11425	KOCH GATEWAY PIPELINE LIGHT A1						Remove from list. *	01/20
11430	KOCH GATEWAY PIPELINE LIGHT B1						Remove from list. *	01/20
11435	KOCH GATEWAY PIPELINE LIGHT C						Remove from list. *	01/20
11440	GULF SOUTH PIPELINE LIGHT C1	30-07-14.000N 090-15-23.000W	Fl Y 2.5s	15			Private Aid.	01/20
		*						
11445	KOCH GATEWAY PIPELINE LIGHT D						Remove from list. *	01/20
11450	KOCH GATEWAY PIPELINE LIGHT D1						Remove from list. *	01/20
11455	KOCH GATEWAY PIPELINE LIGHT E						Remove from list. *	01/20
11465	GULF SOUTH PIPELINE LIGHT E1	30-10-04.800N 090-12-53.700W	Fl Y 2.5s	17			Private Aid.	01/20
		*						
11470	KOCH GATEWAY PIPELINE LIGHT F						Remove from list. *	01/20
11475	GULF SOUTH PIPELINE LIGHT F1	30-11-30.000N 090-11-43.000W	Fl Y 2.5s	17			Private Aid.	01/20
		*						
11480	KOCH GATEWAY PIPELINE LIGHT G						Remove from list. *	01/20
11485	KOCH GATEWAY PIPELINE LIGHT H						Remove from list. *	01/20
11490	GULF SOUTH PIPELINE LIGHT I1	30-15-41.000N 090-08-28.000W	Fl Y 2.5s	17			Private Aid.	01/20
		*						
11495	KOCH GATEWAY PIPELINE LIGHT J						Remove from list. *	01/20

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2020 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
11500	GULF SOUTH PIPELINE LIGHT J1	30-16-56.500N 090-07-22.100W	Fl Y 2.5s	15			Private Aid. 01/20
	*						
11505	KOCH GATEWAY PIPELINE LIGHT K						Remove from list. 01/20
	*						
11510	GULF SOUTH PIPELINE LIGHT K1	30-18-12.300N 090-06-12.900W	Fl Y 2.5s	15			Private Aid. 01/20
	*						
11515	KOCH GATEWAY PIPELINE LIGHT L						Remove from list. 01/20
	*						
11520	GULF SOUTH PIPELINE LIGHT L1	30-19-14.000N 090-05-10.000W	Fl Y 2.5s	15			Private Aid. 01/20
	*						
11525	KOCH GATEWAY PIPELINE LIGHT M						Remove from list. 01/20
	*						
11530	GULF SOUTH PIPELINE LIGHT M1	30-20-05.000N 090-04-00.000W	Fl Y 2.5s	15			Private Aid. 01/20
	*						