

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2021 edition.

| (1)<br>No.               | (2)<br>Name and location           | (3)<br>Position                 | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure            | (8)<br>Remarks   |       |
|--------------------------|------------------------------------|---------------------------------|-----------------------|-----------|------------|-----------------------------|--|-------|
| No corrections this week |                                    |                                 |                       |           |            |                             |  | 19/21 |
| No corrections this week |                                    |                                 |                       |           |            |                             |  | 18/21 |
| 1468                     | NOAA Data Buoy 42409               | 25-54-01.000N<br>089-17-13.000W |                       |           |            | Yellow DART buoy.           | Aid maintained by National Oceanic and Atmospheric Administration. | 17/21 |
|                          |                                    | *                               |                       |           |            |                             |  |       |
| 9380                     | BIG LAKE JUNCTION LIGHT<br>BL      | 30-24-59.119N<br>088-58-50.216W | Fl (2+1)R 6s          | 17        | 3          | JR on pile.                 | Ra ref.  | 17/21 |
|                          |                                    | *                               |                       |           |            |                             |  |       |
| 115                      | NOAA Lighted Buoy<br>42039         | 28-47-12.000N<br>086-00-24.000W | Fl (4)Y 20s           |           |            | Yellow disc buoy with mast. | Aid maintained by National Oceanic and Atmospheric Administration. | 16/21 |
|                          |                                    | *                               |                       |           |            |                             |  |       |
| 138                      | NOAA Lighted Data<br>Buoy 42012    | 30-03-36.000N<br>087-32-54.000W | Fl (4)Y 20s           |           |            | Yellow disc buoy with mast. | Aid maintained by National Oceanic and Atmospheric Administration. | 16/21 |
|                          |                                    | *                               |                       |           |            |                             |  |       |
| 245                      | NOAA Lighted Buoy<br>42040 (ODAS)  | 29-12-24.000N<br>088-14-12.000W | Fl (4)Y 20s           |           |            | Yellow disc buoy with mast. | Aid maintained by National Oceanic and Atmospheric Administration. | 16/21 |
|                          |                                    | *                               |                       |           |            |                             |  |       |
| 2845                     | ST GEORGE ISLAND<br>LIGHTED BUOY 4 | 29-37-12.327N<br>084-57-48.336W | Fl R 2.5s             |           | 3          | Red nun.                    | Relocated frequently to best mark shoaling.                        | 16/21 |
|                          |                                    | *                               |                       |           |            |                             |  |       |
| 23355                    | NECHES RIVER LIGHT 20              | 29-59-15.592N<br>093-54-37.391W | Fl R 4s               | 17        | 3          | TR on pile.                 |  | 16/21 |
|                          |                                    | *                               |                       |           |            |                             | *  |       |

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2021 edition.

| (1)<br>No. | (2)<br>Name and location                     | (3)<br>Position                 | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure             | (8)<br>Remarks      |       |
|------------|--|---------------------------------|-----------------------|-----------|------------|------------------------------|---------------------|-------|
| 35940      | <i>Bolivar Peninsula<br/>Lighted Buoy 19</i> | 29-22-15.653N<br>094-47-04.354W | Q G                   |           | 4          | Green with yellow<br>square. | AIS: MMSI 993682674 | 16/21 |
|            |  |                                 |                       |           |            |                              | *                   |       |
| 35942      | Bolivar Peninsula 19A V-<br>AIS              | 29-22-07.979N<br>094-47-09.970W |                       |           |            |                              | AIS: MMSI 993682785 | 16/21 |
|            |  |                                 |                       |           |            |                              | *                   |       |
| 35945      | <i>Bolivar Peninsula<br/>Lighted Buoy 20</i> | 29-22-22.523N<br>094-47-06.983W | Q R                   |           | 4          | Red with yellow<br>triangle. | AIS: MMSI 993682791 | 16/21 |
|            |  |                                 |                       |           |            |                              | *                   |       |
| 35947      | Bolivar Peninsula 22 V-AIS                   | 29-22-18.303N<br>094-47-13.419W |                       |           |            |                              | AIS: MMSI 993682680 | 16/21 |
|            |  |                                 |                       |           |            |                              | *                   |       |
| 10145      | Cat Island Channel Buoy A                    |                                 |                       |           |            |                              | Remove from list.   | 15/21 |
|            |  |                                 |                       |           |            |                              | *                   |       |
| 10150      | Cat Island Channel Buoy B                    |                                 |                       |           |            |                              | Remove from list.   | 15/21 |
|            |  |                                 |                       |           |            |                              | *                   |       |
| 10155      | Cat Island Channel Buoy C                    |                                 |                       |           |            |                              | Remove from list.   | 15/21 |
|            |  |                                 |                       |           |            |                              | *                   |       |
| 10160      | Cat Island Channel Buoy D                    |                                 |                       |           |            |                              | Remove from list.   | 15/21 |
|            |  |                                 |                       |           |            |                              | *                   |       |
| 10165      | Cat Island Channel Buoy E                    |                                 |                       |           |            |                              | Remove from list.   | 15/21 |
|            |  |                                 |                       |           |            |                              | *                   |       |
| 10170      | Cat Island Channel Buoy F                    |                                 |                       |           |            |                              | Remove from list.   | 15/21 |
|            |  |                                 |                       |           |            |                              | *                   |       |
| 10175      | Cat Island Channel West<br>Buoy 2            |                                 |                       |           |            |                              | Remove from list.   | 15/21 |
|            |  |                                 |                       |           |            |                              | *                   |       |
| 10180      | Cat Island Channel West<br>Buoy 4            |                                 |                       |           |            |                              | Remove from list.   | 15/21 |
|            |  |                                 |                       |           |            |                              | *                   |       |
| 10745      | West Pearl River Buoy 2                      | 30-09-42.643N<br>089-38-53.885W |                       |           |            | Red nun.                     | Ra ref.             | 14/21 |

\*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2021 edition.

| (1)<br>No. | (2)<br>Name and location                                 | (3)<br>Position                      | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure                                  | (8)<br>Remarks  |       |
|------------|--|--------------------------------------|-----------------------|-----------|------------|---|---|-------|
| 16980      | BELLE PASS RANGE FRONT LIGHT                             | 29-05-55.218N<br>090-13-23.004W      | Q G                   | 27        |            | KRW on platform.                                  | Visible all around; higher intensity 1.5° each side of rangeline. | 14/21 |
| 16985      | BELLE PASS RANGE REAR LIGHT                              | *<br>29-07-24.207N<br>090-13-03.107W | Iso G 6s              | 67        |            | KRW on platform.                                  | Visible only on rangeline.  | 14/21 |
|            | 3,053 yards, 012.4°<br>from front light.                 |                                      |                       |           |            |   |   |       |
| 16990      | *<br>BELLE PASS RANGE REAR LIGHT PASSING LIGHT           | *<br>29-07-24.207N<br>090-13-03.107W | Fl W 4s               | 12        | 4          | On same structure as Belle Pass Range Rear Light. |   | 14/21 |
| 23585      | NECHES RIVER LIGHT 68                                    | *<br>30-04-26.630N<br>094-03-19.168W | Fl R 4s               | 17        | 4          | TR on pile.                                       |   | 14/21 |
| 35930      | <i>Bolivar Peninsula Lighted Buoy 17</i>                 | 29-22-20.719N<br>094-46-57.204W      | Fl G 2.5s             |           | 4          | *<br>Green can with yellow square.                |   | 14/21 |
| 35935      | *<br><i>Bolivar Peninsula Lighted Buoy 18</i>            | 29-22-25.269N<br>094-47-00.947W      | *<br>Fl R 2.5s        |           | 4          | *<br>Red nun with yellow triangle.                |   | 14/21 |
| 35940      | *<br><i>Bolivar Peninsula Lighted Buoy 19</i>            | 29-22-15.653N<br>094-47-04.354W      | *<br>Q G              |           | 4          | *<br>Green with yellow square.                    | AIS: MMSI   | 14/21 |
| *<br>35940 | *<br>BOLIVAR PENINSULA LIGHT 19                          | *<br>*                               | *<br>*                | *<br>*    | *<br>*     | *<br>*  | *<br>Remove from list.  | 14/21 |
| 35942      | Bolivar Peninsula 19A V-AIS                              | 29-22-07.979N<br>094-47-09.970W      |                       |           |            |   | *<br>AIS: MMSI  | 14/21 |
| *<br>35945 | *<br>BOLIVAR PENINSULA LIGHT 20                          | *<br>*                               | *<br>*                | *<br>*    | *<br>*     | *<br>*  | *<br>Remove from list.  | 14/21 |
| 35945      | <i>Bolivar Peninsula Lighted Buoy 20</i>                 | 29-22-22.523N<br>094-47-06.983W      | Q R                   |           | 4          | Red with yellow triangle.                         | *<br>AIS: MMSI  | 14/21 |
| *<br>35947 | *<br>Bolivar Peninsula 22 V-AIS                          | *<br>29-22-18.303N<br>094-47-13.419W | *<br>*                | *<br>*    | *<br>*     | *<br>*  | *<br>AIS: MMSI  | 14/21 |
| *<br>14502 | *<br>MARATHON MT. AIRY TERMINAL DOWNSTREAM DOLPHIN LIGHT | *<br>*                               | *<br>*                | *<br>*    | *<br>*     | *<br>*  | *<br>Remove from list.  | 13/21 |
|            |  |                                      |                       |           |            |   | *   |       |

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2021 edition.

| (1)<br>No.    | (2)<br>Name and location   | (3)<br>Position                 | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure                | (8)<br>Remarks  |       |
|---------------|--|---------------------------------|-----------------------|-----------|------------|---------------------------------|---|-------|
| 3482<br>31082 | St Andrew Bay V-AIS 26   | 30-07-47.615N<br>085-37-50.942W |                       |           |            |                                 | AIS: MMSI 993682546   | 12/21 |
|               |  | *                               |                       |           |            |                                 |   |       |
| 3592<br>31158 | St Andrew Bay West V-AIS 12  | 30-10-27.545N<br>085-43-36.967W |                       |           |            |                                 | AIS: MMSI 993682548   | 12/21 |
|               |  | *                               |                       |           |            |                                 |   |       |
| 6970          | MULLET POINT LIGHT 2   | 30-24-17.742N<br>087-55-14.713W | Fl R 4s               | 30        | 5          | TR on pile.                     | Ra ref.   | 12/21 |
|               |  | *                               |                       |           |            |                                 |   |       |
| 15075         | BAYOU GOULA E RANGE FRONT LIGHT<br><br>RDB mile 197.1.                             | 30-13-25.672N<br>091-09-07.416W | F W                   |           |            | KRW on skeleton tower.          | Visible all around; higher intensity 1.5° each side of range line.      | 12/21 |
|               |  | *                               |                       |           |            |                                 | *   |       |
| 15080         | BAYOU GOULA E RANGE REAR LIGHT<br><br>222 yards, 248.8° from front light.          | 30-13-23.292N<br>091-09-14.054W | F W                   |           |            | KRW on skeleton tower.          | Visible all around; higher intensity 1.5° each side of range line.      | 12/21 |
|               |  | *                               |                       |           |            |                                 | *   |       |
| 15300         | ARLINGTON RANGE FRONT LIGHT<br><br>LDB mile 226.3.                                 | 30-23-42.141N<br>091-12-28.968W | F R                   |           |            | KRW on skeleton tower.          | Visible all around; higher intensity 1.5° each side of range line.      | 12/21 |
|               |  | *                               |                       |           |            |                                 | *   |       |
| 15305         | ARLINGTON RANGE REAR LIGHT<br><br>267 yards, 046.5° from front light.              | 30-23-47.588N<br>091-12-22.341W | F R                   |           |            | KRW on skeleton tower.          | Visible all around; higher intensity 1.5° each side of range line.      | 12/21 |
|               |  | *                               |                       |           |            |                                 | *   |       |
| 23447         | NECHES RIVER LIGHT 38  | 30-00-51.919N<br>093-59-54.602W | Q R                   | 17        | 4          | TR on pile.                     | *   | 12/21 |
|               |  | *                               |                       |           |            |                                 | *   |       |
| *<br>23450    | NECHES RIVER LIGHT 40  | 30-00-56.364N<br>094-00-14.817W | Fl R 4s               | 17        | 4          | TR on pile.                     | *   | 12/21 |
|               |  | *                               |                       |           |            |                                 | *   |       |
| 23800         | <i>Galveston Anchorage Lighted Buoy A</i>  |                                 |                       |           |            |                                 | Remove from list.   | 12/21 |
|               |  | *                               |                       |           |            |                                 | *   |       |
| 23800         | Galveston Anchorage A V-AIS  | 29-21-06.165N<br>094-42-52.130W |                       |           |            |                                 | AIS: MMSI 993682486   | 12/21 |
|               |  |                                 |                       |           |            |                                 |   |       |
|               | Marks Northeast corner of anchorage area.  |                                 |                       |           |            |                                 |   |       |
| *<br>29420    | PORT MANSFIELD CHANNEL RANGE REAR LIGHT<br><br>849 yards, 267.1° from front light. | 26-33-28.419N<br>097-25-58.453W | Oc R 4s               | 80        |            | KRW on skeleton tower on block. | Visible 2° each side of rangeline. F R aircraft warning light on tower. | 12/21 |
|               |  | *                               |                       |           |            |                                 | *   |       |
|               |  | *                               |                       |           |            |                                 | *   |       |

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2021 edition.

| (1)<br>No.     | (2)<br>Name and location   | (3)<br>Position                      | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure          | (8)<br>Remarks                        |       |
|----------------|--|--------------------------------------|-----------------------|-----------|------------|---------------------------|---------------------------------------|-------|
| 29560          | LAGUNA MADRE CHANNEL<br>RANGE REAR LIGHT<br><br>823 yards, 055.7° from<br>front light.         | 26-04-18.418N<br>097-09-26.500W      | Iso G 6s              | 68        |            | KRW on skeleton<br>tower. | Visible 2° each side of<br>rangeline. | 12/21 |
| 29955          | BROWNSVILLE CHANNEL D<br>RANGE REAR LIGHT  | *<br>25-58-03.780N<br>097-20-40.424W | Iso W 6s              | 68        |            | KRW on skeleton<br>tower. |                                       | 12/21 |
| 43100          |  |                                      |                       |           |            |                           |                                       |       |
| 31082<br>3482  | *<br>St Andrew Bay V-AIS 26  | *<br>30-07-47.615N<br>085-37-50.942W |                       |           | *          |                           | AIS: MMSI 993682546                   | 12/21 |
| 31158<br>3592  | *<br>St Andrew Bay West V-AIS<br>12  | *<br>30-10-27.545N<br>085-43-36.967W |                       |           |            |                           | AIS: MMSI 993682548                   | 12/21 |
| 31405          | *<br>CHOCTAWHATCHEE BAY<br>LIGHT 1   | *<br>30-22-48.368N<br>086-07-01.781W | Fl G 2.5s             | 17        | 3          | SG-SY on pile.            | Ra ref.                               | 12/21 |
| 32055          | *<br>BOGGY BAYOU LIGHT 3   | *<br>30-28-44.987N<br>086-28-28.505W | Fl G 2.5s             | 17        | 3          | SG on dolphin.            | Ra ref.                               | 12/21 |
| 43100<br>29955 | *<br>BROWNSVILLE CHANNEL D<br>RANGE REAR LIGHT<br><br>1,567 yards, 237.7°<br>from front light. | *<br>25-58-03.780N<br>097-20-40.424W | Iso W 6s              | 68        |            | KRW on skeleton<br>tower. |                                       | 12/21 |
|                | *  | *                                    |                       |           | *          |                           |                                       |       |

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2021 edition.

| (1)<br>No.    | (2)<br>Name and location   | (3)<br>Position                      | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure                             | (8)<br>Remarks  |       |
|---------------|--|--------------------------------------|-----------------------|-----------|------------|--|---|-------|
| 95<br>3030    | <b>St Joseph Bay Light &amp; Entrance A Range Rear Light</b><br><br>2924 yards, 61.9°<br>from front light. | 29-55-05.530N<br>085-22-49.708W      | Iso W 6s              | 78        | 7          | KRW on skeleton tower.<br>78                 | Visible all around; higher intensity 1.5° each side of range line.      | 11/21 |
| 3030<br>95    | <b>St Joseph Bay Light &amp; Entrance A Range Rear Light</b><br><br>2924 yards, 61.9°<br>from front light. | *<br>29-55-05.530N<br>085-22-49.708W | Iso W 6s              | 78        | 7          | KRW on skeleton tower.<br>78                 | *<br>Visible all around; higher intensity 1.5° each side of range line. | 11/21 |
| 3435<br>31120 | <i>St Andrew Bay Junction Lighted Buoy</i>   | *<br>30-08-56.595N<br>085-40-48.874W | Fl (2+1)G 6s          |           | 4          | Green can with red band and yellow triangle. | *<br><br><br>*  | 11/21 |

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2021 edition.

| (1)<br>No.     | (2)<br>Name and location                                 | (3)<br>Position                      | (4)<br>Characteristic                        | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure                                 | (8)<br>Remarks   |
|----------------|--|--------------------------------------|--|-----------|------------|--|--|
| 3445<br>31115  | <i>St Andrew Bay Lighted Buoy 17</i>                     | 30-08-39.073N<br>085-39-59.131W      | Q G  |           | 3          | Green with yellow triangle.                      | 11/21  |
| 3460<br>31100  | <i>St Andrew Bay Lighted Buoy 20</i>                     | *<br>30-08-20.994N<br>085-39-28.308W | FI R 2.5s                                    |           | 3          | Red with yellow square.                          | 11/21  |
| 3465<br>31095  | <i>St Andrew Bay Lighted Buoy 21</i>                     | *<br>30-08-01.411N<br>085-39-06.251W | Q G  |           | 4          | Green with yellow triangle.                      | 11/21  |
| 3480<br>31080  | <i>St Andrew Bay Lighted Buoy 25</i>                     | *<br>30-07-53.370N<br>085-37-51.491W | FI G 2.5s                                    |           | 3          | Green with yellow triangle.                      | 11/21  |
| 13683          | ST. BERNARD VIOLET INTAKE LIGHT                          | *<br>29-53-53.490N<br>089-54-11.160W | FI W 2.5s                                    |           |            | Marks submerged intake structure.                | Private Aid. 11/21   |
| *<br>14502     | *<br>MARATHON MT. AIRY TERMINAL DOWNSTREAM DOLPHIN LIGHT | *<br>30-02-53.820N<br>090-38-16.010W | *<br>FI W 2.5s                               | *<br>*    | *<br>*     | *<br>Marks outermost downstream mooring dolphin. | *<br>Private Aid. 11/21  |
| *<br>17940     | *<br>Caillou Boca Daybeacon B                            | *<br>*                               | *<br>*                                       | *<br>*    | *<br>*     | *<br>*   | *<br>Remove from list. 11/21   |
| 21740          | CALCASIEU CHANNEL D RANGE FRONT LIGHT                    | 30-05-45.548N<br>093-19-28.190W      | Iso R 2s<br>(NIGHT)<br><br>Iso W 2s<br>(DAY) | 27<br>30  |            | Skeleton tower on piles.                         | *<br>Night: Visible 2° each side of rangeline. Day: Light visible only on rangeline. AIS: MMSI 993682018 11/21 |
| 21805<br>35395 | DEVILS ELBOW RANGE FRONT LIGHT                           | *<br>30-05-17.113N<br>093-19-44.368W | Q W  |           | 20         | KRW-I on pile.                                   | Visible all around; higher intensity on the rangeline. 11/21   |
| 31080<br>3480  | <i>St Andrew Bay Lighted Buoy 25</i>                     | *<br>30-07-53.370N<br>085-37-51.491W | FI G 2.5s                                    |           | 3          | Green with yellow triangle.                      | 11/21  |
| 31095<br>3465  | <i>St Andrew Bay Lighted Buoy 21</i>                     | *<br>30-08-01.411N<br>085-39-06.251W | Q G  |           | 4          | Green with yellow triangle.                      | 11/21  |
| 31100<br>3460  | <i>St Andrew Bay Lighted Buoy 20</i>                     | *<br>30-08-20.994N<br>085-39-28.308W | FI R 2.5s                                    |           | 3          | Red with yellow square.                          | 11/21  |

\*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2021 edition.

| (1)<br>No.     | (2)<br>Name and location                     | (3)<br>Position                      | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure                             | (8)<br>Remarks   |
|----------------|--|--------------------------------------|-----------------------|-----------|------------|--|--|
| 31115<br>3445  | <i>St Andrew Bay Lighted Buoy 17</i>         | 30-08-39.073N<br>085-39-59.131W      | Q G                   |           | 3          | Green with yellow triangle.                  | 11/21  |
| 31120<br>3435  | <i>St Andrew Bay Junction Lighted Buoy</i>   | *<br>30-08-56.595N<br>085-40-48.874W | FI (2+1)G 6s          |           | 4          | Green can with red band and yellow triangle. | 11/21  |
| 35395<br>21805 | DEVILS ELBOW RANGE FRONT LIGHT               | *<br>30-05-17.113N<br>093-19-44.368W | Q W                   | 20        |            | KRW-I on pile.                               | Visible all around; higher intensity on rangeline. 11/21 |
| 26925          | <i>Freeport Entrance Lighted Buoy 4</i>      | *<br>28-54-45.409N<br>095-16-11.170W | FI R 4s               |           | 3          | Red.   | Ra ref. 10/21  |
| 10745          | West Pearl River Buoy 2                      | *<br>30-09-42.694N<br>089-38-53.650W |                       |           |            | Red nun.                                     | Ra ref. 09/21  |
| 10865          | THE RIGOLETS LIGHT 5                         | *<br>30-10-29.468N<br>089-44-36.274W | FI G 4s               | 17        | 4          | SG on pile.                                  | Ra ref. 09/21  |
| 11740          | Mississippi River - Gulf Outlet Daybeacon 98 | *                                    |                       |           |            |  | Remove from list. 09/21                                  |
| 11790          | MISSISSIPPI RIVER - GULF OUTLET LIGHT 112    | *                                    |                       |           |            |  | Remove from list. 09/21                                  |
| 11795          | MISSISSIPPI RIVER - GULF OUTLET LIGHT 113    | *                                    |                       |           |            |  | Remove from list. 09/21                                  |
| 11800          | MISSISSIPPI RIVER - GULF OUTLET LIGHT 114    | *                                    |                       |           |            |  | Remove from list. 09/21                                  |



Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2021 edition.

| (1)<br>No. | (2)<br>Name and location                | (3)<br>Position                      | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure                   | (8)<br>Remarks   |       |
|------------|---|--------------------------------------|-----------------------|-----------|------------|------------------------------------|--|-------|
| 6495       | MOBILE CHANNEL D<br>RANGE FRONT LIGHT   | 30-26-45.235N<br>088-00-40.684W      | Q W                   | 18        |            | KGR on skeleton<br>tower on piles. | Visible all around; higher<br>intensity 1.5° each side<br>of range line. | 08/21 |
| 6500       | MOBILE CHANNEL D<br>RANGE REAR LIGHT    | *<br>30-27-28.661N<br>088-00-34.471W | Oc W 4s               | *<br>63   |            | KGR on skeleton<br>tower on piles. | Visible 2° each side of<br>range line.                                   | 08/21 |
|            | 1,473 yards, 007.4 from<br>front light. |                                      |                       |           |            |                                    |  |       |
|            | *                                       |                                      |                       |           |            |                                    |  |       |
|            | No corrections this week                |                                      |                       |           |            |                                    |  | 07/21 |
|            | No corrections this week                |                                      |                       |           |            |                                    |  | 06/21 |

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2021 edition.

| (1)<br>No. | (2)<br>Name and location                                      | (3)<br>Position                 | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure                        | (8)<br>Remarks |       |
|------------|---|---------------------------------|-----------------------|-----------|------------|---|----------------|-------|
| 6073       | <i>Fairhope Oyster<br/>Company Special<br/>Lighted Buoy A</i> | 30-13-54.670N<br>087-59-58.430W | FI Y 2.5s             |           |            | Marks perimeter of<br>aquaculture farm. | Private Aid.   | 05/21 |
| *          | *   | *                               | *                     | *         | *          | *                                       | *              |       |
| 6073.01    | <i>Fairhope Oyster<br/>Company Special<br/>Lighted Buoy B</i> | 30-13-58.030N<br>087-59-58.450W | FI Y 2.5s             |           |            | Marks perimeter of<br>aquaculture farm. | Private Aid.   | 05/21 |
| *          | *   | *                               | *                     | *         | *          | *                                       | *              |       |
| 6073.02    | <i>Fairhope Oyster<br/>Company Special<br/>Lighted Buoy C</i> | 30-14-03.000N<br>087-59-58.510W | FI Y 2.5s             |           |            | Marks perimeter of<br>aquaculture farm. | Private Aid.   | 05/21 |
| *          | *   | *                               | *                     | *         | *          | *                                       | *              |       |
| 6073.03    | <i>Fairhope Oyster<br/>Company Special<br/>Lighted Buoy D</i> | 30-14-07.980N<br>087-59-58.560W | FI Y 2.5s             |           |            | Marks perimeter of<br>aquaculture farm. | Private Aid.   | 05/21 |
| *          | *   | *                               | *                     | *         | *          | *                                       | *              |       |
| 6073.04    | <i>Fairhope Oyster<br/>Company Special<br/>Lighted Buoy E</i> | 30-14-07.860N<br>087-59-59.490W | FI Y 2.5s             |           |            | Marks perimeter of<br>aquaculture farm. | Private Aid.   | 05/21 |
| *          | *   | *                               | *                     | *         | *          | *                                       | *              |       |
| 6073.05    | <i>Fairhope Oyster<br/>Company Special<br/>Lighted Buoy F</i> | 30-14-07.700N<br>088-00-00.300W | FI Y 2.5s             |           |            | Marks perimeter of<br>aquaculture farm. | Private Aid.   | 05/21 |
| *          | *   | *                               | *                     | *         | *          | *                                       | *              |       |
| 6073.06    | <i>Fairhope Oyster<br/>Company Special<br/>Lighted Buoy G</i> | 30-14-02.750N<br>088-00-00.250W | FI Y 2.5s             |           |            | Marks perimeter of<br>aquaculture farm. | Private Aid.   | 05/21 |
| *          | *   | *                               | *                     | *         | *          | *                                       | *              |       |
| 6073.07    | <i>Fairhope Oyster<br/>Company Special<br/>Lighted Buoy H</i> | 30-13-57.830N<br>088-00-00.220W | FI Y 2.5s             |           |            | Marks perimeter of<br>aquaculture farm. | Private Aid.   | 05/21 |
| *          | *   | *                               | *                     | *         | *          | *                                       | *              |       |
| 6073.08    | <i>Fairhope Oyster<br/>Company Special<br/>Lighted Buoy I</i> | 30-13-54.420N<br>088-00-00.230W | FI Y 2.5s             |           |            | Marks perimeter of<br>aquaculture farm. | Private Aid.   | 05/21 |
| *          | *   | *                               | *                     | *         | *          | *                                       | *              |       |

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2021 edition.

| (1)<br>No. | (2)<br>Name and location   | (3)<br>Position                      | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure                         | (8)<br>Remarks                                   |
|------------|--|--------------------------------------|-----------------------|-----------|------------|--|--|
| 12785      | SOUTHWEST PASS LIGHT<br>6  | 28-56-15.791N<br>089-24-13.552W      | Iso R 6s              | 45        | 4          | TR on skeleton tower<br>on piles.        | 05/21  |
| 12830      | SOUTHWEST PASS LIGHT<br>17                                       | *<br>29-01-18.583N<br>089-20-30.399W | Fl G 2.5s             | 35        | 5          | SG on skeleton tower<br>on piles.        | 05/21  |
| 13040      | SPENCES LIGHT 6A<br><br>LDB mile 3.5.                            | *<br>29-14-24.191N<br>089-17-54.456W | Fl R 6s               |           | 4          | TR on skeleton<br>tower on piles.        | 05/21  |
| 13095      | Upper Venice Anchorage<br>Upper Daybeacon 11.2                   | *<br>29-17-09.454N<br>089-20-58.558W |                       |           |            | NY on pile.                              | Ra ref. 05/21                                    |
| 22625      | <i>Sabine Pass Anchorage<br/>Lighted Buoy B</i>                  | *<br>29-43-55.341N<br>093-51-58.783W | Fl Y 6s               |           | 3          | Yellow.                                  | Marks northern most<br>point of anchorage. 05/21 |
| 29067      | SUBSEA 7 SPECIAL LIGHT<br>A                                      | *<br>27-51-52.700N<br>097-14-38.690W | Fl Y 2.5s             |           |            | Maneuvering light on<br>pile.            | Private Aid. 05/21                               |
| * * *      | * * *  | * * *                                | * * *                 | * * *     | * * *      | * * *                                    | * * *  |
| 29067.01   | SUBSEA 7 SPECIAL LIGHT<br>B                                      | *<br>27-51-53.780N<br>097-14-38.010W | Fl Y 2.5s             |           |            | Maneuvering light on<br>pile.            | Private Aid. 05/21                               |
| * * *      | * * *  | * * *                                | * * *                 | * * *     | * * *      | * * *                                    | * * *  |
| 29067.02   | SUBSEA 7 SPECIAL LIGHT<br>C                                      | *<br>27-51-57.820N<br>097-14-39.600W | Fl Y 2.5s             |           |            | Maneuvering light on<br>pile.            | Private Aid. 05/21                               |
| * * *      | * * *  | * * *                                | * * *                 | * * *     | * * *      | * * *                                    | * * *  |
| 29067.03   | SUBSEA 7 SPECIAL LIGHT<br>D                                      | *<br>27-51-59.190N<br>097-14-41.890W | Fl Y 2.5s             |           |            | Maneuvering light on<br>pile.            | Private Aid. 05/21                               |
| * * *      | * * *  | * * *                                | * * *                 | * * *     | * * *      | * * *                                    | * * *  |
| 29067.04   | SUBSEA 7 SPECIAL LIGHT<br>E                                      | *<br>27-51-56.660N<br>097-14-48.020W | Fl Y 2.5s             |           |            | Maneuvering light on<br>pile.            | Private Aid. 05/21                               |
| * * *      | * * *  | * * *                                | * * *                 | * * *     | * * *      | * * *                                    | * * *  |
| 29067.05   | SUBSEA 7 SPECIAL LIGHT<br>F                                      | *<br>27-51-50.230N<br>097-14-44.670W | Fl Y 2.5s             |           |            | Maneuvering light on<br>pile.            | Private Aid. 05/21                               |
| * * *      | * * *  | * * *                                | * * *                 | * * *     | * * *      | * * *                                    | * * *  |
| 6802       | <i>NEON Special Lighted<br/>Scientific Monitoring<br/>Buoy C</i> | *<br>32-32-32.750N<br>087-47-52.780W | Fl Y 2.5s             |           |            | Marks submerged<br>scientific equipment. | Private Aid. 04/21                               |

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2021 edition.

| (1)<br>No. | (2)<br>Name and location   | (3)<br>Position                      | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure                         | (8)<br>Remarks |       |
|------------|--|--------------------------------------|-----------------------|-----------|------------|--|----------------|-------|
| 6803       | NEON SPECIAL LIGHTED<br>SCIENTIFIC MONITORING<br>LIGHT D                       | 32-32-31.000N<br>087-47-52.960W      | Fl Y 2.5s             |           |            | Marks submerged<br>scientific equipment. | Private Aid.   | 04/21 |
| 6935       | *<br>Bon Secour River<br>Daybeacon 34<br><br>30 feet outside channel<br>limit. | 30-18-42.876N<br>087-42-55.696W      |                       |           |            | TR on pile.                              | Ra ref.        | 04/21 |
| 10587      | PORT BIENVILLE BARGE<br>CANAL MOORING LIGHT                                    | *<br>30-13-06.180N<br>089-34-53.390W | Fl W 2.5s             |           |            | Marks mooring pile.                      | Private Aid.   | 04/21 |
| *          | *  | *                                    | *                     | *         | *          | *  | *              |       |

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2021 edition.

| (1)<br>No. | (2)<br>Name and location                              | (3)<br>Position                 | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure    | (8)<br>Remarks      |       |
|------------|---|---------------------------------|-----------------------|-----------|------------|---------------------|---------------------|-------|
| 10587.01   | PORT BIENVILLE BARGE<br>CANAL MOORING LIGHT           | 30-13-07.850N<br>089-34-54.570W | Fl W 2.5s             |           |            | Marks mooring pile. | Private Aid.        | 04/21 |
| *          | *   | *                               | *                     | *         | *          | *                   | *                   |       |
| 10587.02   | PORT BIENVILLE BARGE<br>CANAL MOORING LIGHT           | 30-13-04.030N<br>089-34-45.650W | Fl W 2.5s             |           |            | Marks mooring pile. | Private Aid.        | 04/21 |
| *          | *   | *                               | *                     | *         | *          | *                   | *                   |       |
| 10587.03   | PORT BIENVILLE BARGE<br>CANAL MOORING LIGHT           | 30-13-04.890N<br>089-34-43.640W | Fl W 2.5s             |           |            | Marks mooring pile. | Private Aid.        | 04/21 |
| *          | *   | *                               | *                     | *         | *          | *                   | *                   |       |
| 10587.04   | PORT BIENVILLE BARGE<br>CANAL MOORING LIGHT           | 30-14-09.460N<br>089-34-23.670W | Fl W 2.5s             |           |            | Marks mooring pile. | Private Aid.        | 04/21 |
| *          | *   | *                               | *                     | *         | *          | *                   | *                   |       |
| 10587.05   | PORT BIENVILLE BARGE<br>CANAL MOORING LIGHT           | 30-14-10.770N<br>089-34-22.000W | Fl W 2.5s             |           |            | Marks mooring pile. | Private Aid.        | 04/21 |
| *          | *   | *                               | *                     | *         | *          | *                   | *                   |       |
| 10587.06   | PORT BIENVILLE BARGE<br>CANAL MOORING LIGHT           | 30-14-11.220N<br>089-34-21.420W | Fl W 2.5s             |           |            | Marks mooring pile. | Private Aid.        | 04/21 |
| *          | *   | *                               | *                     | *         | *          | *                   | *                   |       |
| 10587.07   | PORT BIENVILLE BARGE<br>CANAL MOORING LIGHT           | 30-14-12.550N<br>089-34-19.740W | Fl W 2.5s             |           |            | Marks mooring pile. | Private Aid.        | 04/21 |
| *          | *   | *                               | *                     | *         | *          | *                   | *                   |       |
| 12365      | Bayou Terre Aux Boeufs<br>Daybeacon 5                 |                                 |                       |           |            |                     | Remove from list.   | 04/21 |
|            |   |                                 |                       |           |            |                     | *                   |       |
| 14045      | Huey P Long Bridge<br>Approach Buoy C                 |                                 |                       |           |            |                     | Remove from list.   | 04/21 |
|            |   |                                 |                       |           |            |                     | *                   |       |
| 14045      | Huey P Long Bridge<br>Approach C V-AIS                | 29-56-33.677N<br>090-10-11.913W |                       |           |            |                     | AIS: MMSI 993682810 | 04/21 |
| *          | *   | *                               | *                     | *         | *          | *                   | *                   |       |
| 14245      | Hale Boggs Luling Bridge<br>Approach Buoy B           |                                 |                       |           |            |                     | Remove from list.   | 04/21 |
|            |   |                                 |                       |           |            |                     | *                   |       |
| 14245      | Hale Boggs Luling Bridge<br>Approach B V-AIS          | 29-56-36.803N<br>090-22-32.818W |                       |           |            |                     | AIS: MMSI 993682805 | 04/21 |
| *          | *   | *                               | *                     | *         | *          | *                   | *                   |       |
| 14560      | Gramercy Bridge Approach<br>Buoy 3                    |                                 |                       |           |            |                     | Remove from list.   | 04/21 |
|            |   |                                 |                       |           |            |                     | *                   |       |
| 14560      | Gramercy Bridge Approach<br>3 V-AIS<br><br>Mile 145.9 | 30-02-38.526N<br>090-40-25.754W |                       |           |            |                     | AIS: MMSI 993682705 | 04/21 |
| *          | *   | *                               | *                     | *         | *          | *                   | *                   |       |

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2021 edition.

| (1)<br>No. | (2)<br>Name and location                       | (3)<br>Position                 | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure                   | (8)<br>Remarks           |       |
|------------|--|---------------------------------|-----------------------|-----------|------------|------------------------------------|--------------------------|-------|
| 14835      | Sunshine Bridge Approach<br>Buoy 1             |                                 |                       |           |            |                                    | Remove from list.<br>*   | 04/21 |
| 14835      | Sunshine Bridge Approach<br>1 V-AIS            | 30-05-46.841N<br>090-54-53.264W |                       |           |            |                                    | AIS: MMSI 993682687      | 04/21 |
| *          | *  | *                               | *                     | *         | *          | *                                  | *                        |       |
| 14845      | Sunshine Bridge Approach<br>Buoy B             |                                 |                       |           |            |                                    | Remove from<br>list.     | 04/21 |
| 14845      | Sunshine Bridge Approach<br>B V-AIS            | 30-05-59.276N<br>090-54-46.663W |                       |           |            |                                    | *<br>AIS: MMSI 993682816 | 04/21 |
| *          | *  | *                               | *                     | *         | *          | *                                  | *                        |       |
| 24077      | HOUSTON PILOTS<br>SCIENTIFIC PLATFORM<br>LIGHT | 29-26-17.280N<br>094-50-02.800W | Fl W 2.5s             |           |            | Marks small<br>platform.structure. | Private Aid.             | 04/21 |
| *          | *  | *                               | *                     | *         | *          | *                                  | *                        |       |
| 33240      | PENSACOLA-MOBILE<br>LIGHT 13                   | 30-18-50.251N<br>087-23-25.970W | Fl G 2.5s             | 17        | 3          | SG-SY on pile.                     | Ra ref.                  | 04/21 |
|            |  | *                               |                       |           |            |                                    |                          |       |

No corrections this week

03/21

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2021 edition.

| (1)<br>No. | (2)<br>Name and location                           | (3)<br>Position                 | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure              | (8)<br>Remarks       |       |
|------------|--|---------------------------------|-----------------------|-----------|------------|-------------------------------|----------------------|-------|
| 14240      | Hale Boggs Luling Bridge Approach Buoy A           | 29-56-31.031N<br>090-22-21.096W |                       |           |            | Red nun with green bands.     | AIS: MMSI 993682777. | 02/21 |
|            |  |                                 |                       |           |            |                               | *                    |       |
| 14250      | Hale Boggs Luling Bridge Approach Buoy C           | 29-56-38.941N<br>090-22-39.027W |                       |           |            | Red nun with green band.      | AIS: MMSI 993682713. | 02/21 |
|            |  |                                 |                       |           |            |                               | *                    |       |
| 14555      | Gramercy Bridge Approach Buoy 1<br><br>Mile 145.7. | 30-02-45.234N<br>090-40-11.158W |                       |           |            | Green can.                    | AIS: MMSI 993682710. | 02/21 |
|            |  |                                 |                       |           |            |                               | *                    |       |
| 14565      | Gramercy Bridge Approach Buoy 5<br><br>Mile 146.0. | 30-02-36.534N<br>090-40-29.966W |                       |           |            | Green can.                    | AIS: MMSI 993682692. | 02/21 |
|            |  |                                 |                       |           |            |                               | *                    |       |
| 14846      | Sunshine Bridge Approach 4 V-AIS                   | 30-06-00.500N<br>090-54-36.830W |                       |           |            |                               | AIS: MMSI 993682814. | 02/21 |
|            |  |                                 |                       |           |            |                               | *                    |       |
| 39768      | <i>Corpus Christi Baffin Bay Lighted Buoy 8</i>    | 27-40-45.343N<br>097-13-37.985W | Q R                   |           | 3          | Red nun with yellow triangle. |                      | 02/21 |
|            |  | *                               |                       |           |            |                               |                      |       |
| 39775      | Corpus Christi Baffin Bay Buoy 9                   | 27-40-38.425N<br>097-13-37.391W |                       |           |            | Green can with yellow square. |                      | 02/21 |
|            |  |                                 |                       |           |            |                               |                      |       |
| 14240      | Hale Boggs Luling Bridge Approach Buoy A           | 29-56-31.031N<br>090-22-21.096W |                       |           |            | Red nun with green bands.     | AIS: MMSI            | 01/21 |
|            |  |                                 |                       |           |            |                               | *                    |       |
| 14250      | Hale Boggs Luling Bridge Approach Buoy C           | 29-56-38.941N<br>090-22-39.027W |                       |           |            | Red nun with green band.      | AIS: MMSI            | 01/21 |
|            |  |                                 |                       |           |            |                               | *                    |       |
| 14555      | Gramercy Bridge Approach Buoy 1<br><br>Mile 145.7. | 30-02-45.234N<br>090-40-11.158W |                       |           |            | Green can.                    | AIS: MMSI            | 01/21 |
|            |  |                                 |                       |           |            |                               | *                    |       |
| 14565      | Gramercy Bridge Approach Buoy 5<br><br>Mile 146.0. | 30-02-36.534N<br>090-40-29.966W |                       |           |            | Green can.                    | AIS: MMSI            | 01/21 |
|            |  |                                 |                       |           |            |                               | *                    |       |
| 14846      | Sunshine Bridge Approach 4 V-AIS                   | 30-06-00.500N<br>090-54-36.830W |                       |           |            |                               | AIS: MMSI            | 01/21 |
|            |  |                                 |                       |           |            |                               | *                    |       |