

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2018 edition.

| (1)<br>No. | (2)<br>Name and location  | (3)<br>Position                 | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure                               | (8)<br>Remarks  |       |
|------------|---|---------------------------------|-----------------------|-----------|------------|--|---|-------|
| 26665      | MARINA DEL SOL<br>CHANNEL LIGHTED BUOY 1  |                                 |                       |           |            |  | Remove from list.   | 11/18 |
| 36815.01   | GALVESTON-FREEPORT<br>LIGHT 63  | 29-16-51.131N<br>094-58-25.348W | Q G                   | 17        | 3          | SG-SY on pile.                                 | *<br>Ra ref.  | 11/18 |
|            |   | *                               |                       |           |            |  |   |       |
| 1460       | <i>NOAA Lighted Data Buoy<br/>42003 (ODAS)</i>  | 25-55-48.000N<br>085-38-18.000W | Fl (4)Y 20s           |           | 3          | Yellow disc buoy with<br>mast.                 | Aid maintained by<br>National Oceanic and<br>Atmospheric<br>Administration. | 10/18 |
| 12378.02   | CPRA ELOI POINT DANGER<br>BREAKWATER LIGHTS 50-<br>53                                       | 29-46-47.590N<br>089-21-58.250W | Fl W 2.5s             |           |            | Marks shoreline<br>restoration<br>breakwater.  | Private aid.  | 10/18 |
| 14985      | PHILADELPHIA POINT C<br>RANGE FRONT LIGHT<br><br>RDB mile 182.5.                            | 8.993N                          | Iso W 2s              |           |            | Skeleton tower on<br>sills.                    | Visible 3° each side of<br>rangeline. Lighted<br>throughout 24 hours.       | 10/18 |
| 14990      | PHILADELPHIA POINT C<br>RANGE REAR LIGHT<br><br>167 yards, 166° from<br>front light.        | 30-09-34.191N<br>091-00-21.397W | Iso W 6s              |           |            | Skeleton tower on<br>sills.                    | Visible 3° each side of<br>rangeline. Lighted<br>throughout 24 hours.       | 10/18 |
| 18025      | Bayou Grand Caillou Buoy<br>16  | 5N<br>4-30.877W                 |                       |           |            | Red nun.                                       |   | 10/18 |
| 28305      | CORPUS CHRISTI CUT A<br>EAST RANGE FRONT LIGHT  | *<br>1.815N                     | Q W                   | 41        |            | KRW on skeleton<br>tower on piles.             |   | 10/18 |
|            |   |                                 |                       | *         |            |  |   |       |
| 28310      | CORPUS CHRISTI CUT A<br>EAST RANGE REAR LIGHT<br><br>887 yards, 078.2° from<br>front light. | 27-50-47.120N<br>097-02-44.530W | Iso W 6s              |           | 93         | KRW on skeleton<br>tower on concrete<br>block. |   | 10/18 |
|            | *   | *                               |                       |           |            |  |   |       |
| 11780      | MISSISSIPPI RIVER - GULF<br>OUTLET LIGHT 108  |                                 |                       |           |            |  | Remove from list.   | 09/18 |
|            |   |                                 |                       |           |            |  | *   |       |

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2018 edition.

| (1)<br>No. | (2)<br>Name and location  | (3)<br>Position                 | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure                                | (8)<br>Remarks         |       |
|------------|---|---------------------------------|-----------------------|-----------|------------|---|------------------------|-------|
| 12385      | BAPTISTE COLLETTE<br>BAYOU LIGHT 1<br><br>50 feet outside channel<br>limit. | 29-24-16.678N<br>089-18-28.712W | Fl G 2.5s             | 17        | 4          | SG on pile.                                     | Ra ref.                | 09/18 |
| 14120      | OAKLAND LIGHT 114A  | 29-58-26.382N<br>090-15-57.126W | Q R                   |           | 4          | *<br>TR on skeleton tower.                      |                        | 09/18 |
| 14900      | RIVERTON LIGHT 172<br>LDB mile 171.2.                                       | 30-08-13.248N<br>090-56-44.478W | Iso R 6s              |           | 4          | *<br>TR on skeleton tower<br>on concrete pad.   |                        | 09/18 |
| 14970      | MCMANOR LIGHT 179<br>RDB mile 178.5.  | 30-07.932N<br>091-02-11.754W    | Q G                   |           | 4          | *<br>SG on skeleton tower<br>on concrete block. |                        | 09/18 |
| 15950.01   | BAYOU RIGAUD JUNCTION<br>LIGHT A  | 29-16-01.831N<br>089-57-35.169W | Fl (2+1)G 6s          | 17        | 3          | JG on pile.                                     | Ra ref.                | 09/18 |
| 15965.01   | GRAND ISLE TURNING<br>BASIN LIGH 4  |                                 | *<br>Fl R 4s          | *         | 3          | *<br>TR on pil .                                | Ra ref.                | 09/18 |
| 16055      | *<br>Lake Five Channel<br>Daybeacon 2                                       |                                 | *                     | *         | *          | *   | Remove from list.      | 09/18 |
| 16060      | Lake Five Channel<br>Daybeacon 4  |                                 |                       |           |            |   | *<br>Remove from list. | 09/18 |
| 16065      | Lake Five Channel<br>Daybeacon 6  |                                 |                       |           |            |   | *<br>Remove from list. | 09/18 |
| 16070      | Lake Five Channel<br>Daybeacon 8  |                                 |                       |           |            |   | *<br>Remove from list. | 09/18 |
| 16075      | Lake Five Channel<br>Daybeacon 10   |                                 |                       |           |            |   | *<br>Remove from list. | 09/18 |
| 16080      | Lake Five Channel<br>Daybeacon 12   |                                 |                       |           |            |   | *<br>Remove from list. | 09/18 |
| 16085      | Lake Five Channel<br>Daybeacon 14   |                                 |                       |           |            |   | *<br>Remove from list. | 09/18 |
| 16090      | Lake Five Channel<br>Daybeacon 18   |                                 |                       |           |            |   | *<br>Remove from list. | 09/18 |
| 18815      | ATCHAFALAYA CHANNEL<br>LIGHT 47<br><br>125 feet outside<br>channel limit.   | 29-26-37.730N<br>091-19-05.404W | Q G                   | 17        | 3          | SG on pile.                                     | Ra ref.                | 09/18 |
| 18835      | *<br>ATCHAFALAYA CHANNEL<br>LIGHT 53  | 29-27-04.068N<br>091-17-45.848W | Fl G 4s               | 17        | 4          | SG on pile.                                     | Ra ref.                | 09/18 |
|            |   | *                               |                       |           |            |   |                        |       |

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2018 edition.

| (1)<br>No. | (2)<br>Name and location                                  | (3)<br>Position                 | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure                   | (8)<br>Remarks                                     |       |
|------------|---|---------------------------------|-----------------------|-----------|------------|------------------------------------|--|-------|
| 18846      | ATCHAFALAYA CHANNEL LIGHT 55                              | 29-27-19.805N<br>091-17-13.556W | FI G 6s               | 17        | 3          | SG on pile.                        | Ra ref.  | 09/18 |
|            |   | *                               |                       |           |            |                                    |  |       |
| 18856      | Atchafalaya Channel Daybeacon 57                          | 29-27-50.063N<br>091-16-57.004W |                       |           |            | SG on pile.                        | Ra ref.  | 09/18 |
|            |   | *                               |                       |           |            |                                    |  |       |
| 30062      | FDOA ST. GEORGE SOUND AQUACULTURE SPECIAL LIGHTS A THRU D | 29-45-46.760N<br>084-48-26.600W | FI Y 2.5s             |           |            | Marks aquaculture farm perimeter.  | Private aid.                                       | 09/18 |
|            | *   |                                 | *                     | *         | *          |                                    | *  |       |
| 36815.01   | GALVESTON-FREEPORT LIGHT 63                               |                                 | Q G                   | 17        | 3          | SG-SY on pile.                     | Ra ref.  | 09/18 |
|            |   |                                 | *                     | *         | *          |                                    |  |       |
| 17983      | U.S. COAST GUARD DULAC PIER LIGHT                         | 29-22-39.495N<br>090-42-51.022W | FI W 4s               | 15        |            | NW on dolphin worded SLOW NO WAKE. |  | 08/18 |
|            | *   | *                               | *                     | *         | *          | *                                  | *  |       |
| 25220      | HOUSTON SHIP CHANNEL LIGHT 107                            | 29-42-52.504N<br>095-01-19.348W | FI G 6s               | 17        |            | SG on pile.                        |  | 07/18 |
|            |   | *                               |                       |           |            |                                    |  |       |
| 25240      | UPPER RED LIGHT BEND OUTBOUND RANGE FRONT LIGHT           | 29-42-18.879N<br>095-01-15.996W | Q R                   | 15        |            | KRW on skeleton tower on piles.    | Visible all around; higher intensity on rangeline. | 07/18 |
|            |   | *                               |                       | *         |            |                                    |  |       |
| 25245      | UPPER RED LIGHT BEND OUTBOUND RANGE REAR LIGHT            | 29-42-12.372N<br>095-01-15.999W | Iso R 6s              | 26        |            | KRW on skeleton tower on piles.    | Visible 14° each side of rangeline.                | 07/18 |
|            | 219 yards, 180.2° from front light.                       |                                 |                       |           |            |                                    |  |       |
|            |   | *                               |                       |           |            |                                    |  |       |
| 37625      | MATAGORDA BAY - ALTERNATE ROUTE LIGHT 13                  | 28-28-04.304N<br>096-22-35.698W | FI G 6s               | 17        | 4          | SG-SY on pile.                     |  | 07/18 |
|            | 25 feet outside channel limit.                            |                                 |                       |           |            |                                    |  |       |
|            |   | *                               |                       |           |            |                                    |  |       |
| 38355.01   | San Antonio Bay Daybeacon 1                               | 28-18-46.534N<br>096-40-28.298W |                       |           |            | SG on pile.                        | Ra ref.  | 07/18 |
|            |   | *                               |                       |           |            |                                    |  |       |

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2018 edition.

| (1)<br>No. | (2)<br>Name and location  | (3)<br>Position                      | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure     | (8)<br>Remarks   |
|------------|---|--------------------------------------|-----------------------|-----------|------------|----------------------|--|
| 1190       | <b>Chevron-300-01<br/>(RACON)</b>   | 28-00-42.529N<br>094-21-19.216W      |                       |           |            | On Chevron platform. | CHAR: C ( - • - • )<br>BAND: S,X<br>SIGN: CHEVRON-HI-555-A<br>Private aid. 06/18 |
| 14950      | *<br>BAYOU LAFOURCHE<br>INTAKE LIGHT<br><br>RDB mile 175.4.                   | 30-06-36.307N<br>090-59-23.323W      | FI G 2.5s             |           |            | On monopile. *       | Private aid. 06/18   |
| 17222      | *<br>TIMBALIER - TERREBONNE<br>BAY LIGHT 40A                                  | *<br>29-08-05.363N<br>090-15-19.557W | *<br>FI R 2.5s        | 17        | 4          | TR on pile. *        | Ra ref. 06/18  |
| 17227.01   | *<br>TIMBALIER - TERREBONNE<br>BAY LIGHT 43                                   | *<br>29-08-21.084N<br>090-14-54.678W | FI G 4s               | 17        | 4          | SG on pile.          | Ra ref. 06/18  |
| 26165      | TEXAS CITY CHANNEL<br>LIGHT 21  | 29-22-38.479N<br>094-53-06.209W      | Q G                   | 17        | 4          | SG on pile. *        | Ra ref. 06/18  |
| 37400      | BRAZOS RIVER CROSSING<br>LIGHT 4  | 28-53-48.535N<br>095-23-09.158W      | FI R 4s               | 17        | 4          | TR-TY on pile.       | *<br>06/18   |
| 445        | <i>Tarpon-101-1 Lighted Buoy</i>  |                                      |                       |           |            |                      | Remove from list. 05/18  |
| 770        | <i>Fieldwood-103-93 Lighted<br/>Buoy</i><br><br>Marks subsea<br>installation. | 28-0-46.670N<br>091-28-57.460W       | FI W 2.5s             |           |            | Green.               | *<br>SIGN: FOC-EI-342-A.<br>Private aid. 05/18                                   |
| 809        | *<br>MERIT ENERGY<br>OBSTRUCTION LIGHTS (4)                                   |                                      | *<br>FI G 2.5s        |           |            |                      | Remove from list. 05/18  |
| 7580       | *<br>ARLINGTON CHANNEL<br>LIGHT 7   | 30-38-42.822N<br>088-02-40.302W      | FI G 2.5s             | 17        | 4          | SG on pile.          | *<br>Ra ref. 05/18   |

\*

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2018 edition.

| (1)<br>No. | (2)<br>Name and location          | (3)<br>Position                      | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure    | (8)<br>Remarks         |            |
|------------|-----------------------------------|--------------------------------------|-----------------------|-----------|------------|---------------------|------------------------|------------|
| 7590       | ARLINGTON CHANNEL<br>LIGHT 9      | 30-38-49.257N<br>088-03-00.969W      | FI G 6s               | 17        |            | SG on pile.         | Ra ref.                | 05/18      |
| 37395      | BRAZOS RIVER CROSSING<br>LIGHT 2  | *<br>28-53-48.575N<br>095-03-01.367W | FI R 4s               | 17        | 4          | TR-TY on pile.      |                        | 05/18      |
| 37400      | BRAZOS RIVER CROSSING<br>LIGHT 4  | 28-53-48.535N<br>095-23-09.158W      | FI R 4s               | 20        | 4          | *<br>TR-TY on pile. |                        | 05/18      |
| 20629      | FRESHWATER BAYOU<br>LIGHT WR15    | 29-32-36.792N<br>092-18-26.424       | Q G                   | 17        | 3          | SG on pile.         | Ra ref.                | 04/18      |
| *<br>34295 | *<br>PASS AUX HERONS LIGHT<br>40  | *<br>30-15-44.266N<br>088-16-02.012W | *<br>FI R 4s          | *<br>17   | *<br>5     | *<br>TR-TY on pile. | *<br>Ra ref.           | *<br>04/18 |
|            | 90 feet outside channel<br>limit. |                                      |                       |           |            |                     |                        |            |
| 34300      | PASS AUX HERONS LIGHT<br>41       | 30-15-40.200N<br>088-16-01.131W      | FI G 4s               | 17        | 5          | *<br>SG-SY on pile. | Ra ref.                | 04/18      |
| 25795      | HOUSTON SHIP CHANNEL<br>LIGHT 149 |                                      |                       |           |            |                     | Remove from list.      | 03/18      |
| 25800      | HOUSTON SHIP CHANNEL<br>LIGHT 150 |                                      |                       |           |            |                     | *<br>Remove from list. | 03/18      |
|            |                                   |                                      |                       |           |            |                     | *                      |            |

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2018 edition.

| (1)<br>No.   | (2)<br>Name and location   | (3)<br>Position                      | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure                                       | (8)<br>Remarks         |       |
|--------------|--|--------------------------------------|-----------------------|-----------|------------|--|------------------------|-------|
| 815          | MCMORAN-SMI-224<br>MOORING FACILITY<br>LIGHTS(8)                   |                                      |                       |           |            |  | Remove from list.<br>* | 02/18 |
| 5816         | FDOA ESCAMBIA BAY<br>TRAVIS GILL<br>AQUACULTURE SPECIAL<br>LIGHT A | 30-25-51.130N<br>087-10-10.226W      | FI Y 2.5s             |           |            | Marks perimeter<br>corner of aquaculture<br>farm.      | Private aid.<br>*      | 02/18 |
| *<br>5816.01 | FDOA ESCAMBIA BAY<br>TRAVIS GILL<br>AQUACULTURE SPECIAL<br>LIGHT B | *<br>30-25-58.186N<br>087-10-09.336W | *<br>FI Y 2.5s        | *<br>*    | *<br>*     | Marks perimeter<br>corner of aquaculture<br>farm.      | *<br>Private aid.<br>* | 02/18 |
| *<br>5816.02 | FDOA ESCAMBIA BAY<br>TRAVIS GILL<br>AQUACULTURE SPECIAL<br>LIGHT C | *<br>30-25-59.077N<br>087-10-15.917W | *<br>FI Y 2.5s        | *<br>*    | *<br>*     | *<br>*   | *<br>Private aid.<br>* | 02/18 |
| *<br>5816.03 | FDOA ESCAMBIA BAY<br>TRAVIS GILL<br>AQUACULTURE SPECIAL<br>LIGHT D | *<br>30-25-52.104N<br>087-10-17.099W | *<br>FI Y 2.5s        | *<br>*    | *<br>*     | *<br>Marks perimeter<br>corner of aquaculture<br>farm. | *<br>Private aid.<br>* | 02/18 |
| *<br>8565    | U.S.G.S. ROUND ISLAND<br>MONITORING PLATFORM<br>LIGHT              | *<br>30-18-29.600N<br>088-35-02.500W | *<br>FI Y 2.5s        | *<br>35   | *<br>*     | *<br>On pile.  | *<br>Private aid.<br>* | 02/18 |
| 11855        | MISSISSIPPI RIVER - GULF<br>OUTLET LIGHT 125                       | *                                    |                       |           |            |  | Remove from list.<br>* | 02/18 |
| 11860        | MISSISSIPPI RIVER - GULF<br>OUTLET LIGHT 126                       |                                      |                       |           |            |  | Remove from list.<br>* | 02/18 |
| 11865        | MISSISSIPPI RIVER - GULF<br>OUTLET LIGHT 127                       |                                      |                       |           |            |  | Remove from list.<br>* | 02/18 |
| 11870        | MISSISSIPPI RIVER - GULF<br>OUTLET LIGHT 128                       |                                      |                       |           |            |  | Remove from list.<br>* | 02/18 |
| 11875        | MISSISSIPPI RIVER - GULF<br>OUTLET JUNCTION LIGHT<br>MRGO          |                                      |                       |           |            |  | Remove from list.<br>* | 02/18 |
| 11880        | MISSISSIPPI RIVER - GULF<br>OUTLET LIGHT 129                       |                                      |                       |           |            |  | Remove from list.<br>* | 02/18 |
| 15235        | LONGWOOD PLANTATION<br>LIGHT 216B                                  | 30-20-14.718N<br>091-08-31.062W      | Q R                   |           | 4          | TR on skeleton tower<br>on piles.                      | *                      | 02/18 |
| 23395        | NECHES RIVER LIGHT 26A   | 16N<br>093-57-13.571W                | FI R 2.5s             | 17        | 4          | TR on pile.  | *                      | 02/18 |

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2018 edition.

| (1)<br>No. | (2)<br>Name and location  | (3)<br>Position                 | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure | (8)<br>Remarks    |       |
|------------|---|---------------------------------|-----------------------|-----------|------------|------------------|-------------------|-------|
| 28695      | CORPUS CHRISTI<br>CHANNEL LIGHT<br>44<br>200 feet outside<br>channel.       | 27-48-43.106N<br>097-14-15.531W | Q R                   | 17        | 3          | TR on pile.      | Ra ref.           | 02/18 |
| 28725      | CORPUS CHRISTI<br>CHANNEL LIGHT 50<br>200 feet outside<br>channel limit.    | 27-48-42.636N<br>097-15-31.130W | FI R 2.5s             | 17        | 3          | TR on pile.      | Ra ref.           | 02/18 |
| 28750      | CORPUS CHRISTI<br>CHANNEL LIGHT<br>61<br>150 feet outside<br>channel limit. | 27-48-33.795N<br>097-18-04.337W | FI G 6s               | 17        | 4          | SG on pile.      | Ra ref.           | 02/18 |
| 28755      | CORPUS CHRISTI<br>CHANNEL LIGHT 62<br>200 feet outside<br>channel limit.    | 27-48-41.701N<br>097-18-04.406W | FI R 6s               | 17        | 4          | TR on pile.      | Ra ref.           | 02/18 |
| 34725      | MISSISSIPPI RIVER -<br>GULF OUTLET JUNCTION<br>MRGO                         |                                 |                       |           |            |                  | Remove from list. | 02/18 |
| 34730      | MISSISSIPPI RIVER - GULF<br>OUTLET LIGHT 129                                |                                 |                       |           |            |                  | Remove from list. | 02/18 |

No corrections this week

01/18