

Summary of corrections to Volume V of the U.S. Coast Guard Light List for the 2017 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
No Corrections this week							25/17
19545	U.S. 69 Missouri River Bridge	372.6					CLEARANCES: 24/17 Horizontal, channel spans, 409.4 feet; vertical, 73.0 feet above zero on W.B. Gauge at Kansas City.
22385	Webster-Donora Bridge						* Remove from list. 24/17
1260	W.D. Mayo Lock and Dam No. 14 Normal upper pool elevation 412.0 feet MSL, normal lower pool elevation 391.0 feet MSL.	319.5	Right				* LOCK: 600 feet long, 110 feet wide. PHONE: 918-962-3481. 23/17
19545	U.S. 69 Missouri River Bridge	372.6					* CLEARANCES: 23/17 Horizontal, channel spans, 409.4 feet; vertical, 57.36 feet above zero on W.B. Gauge at Kansas City.
26627	Lewis and Clark Bridge	595.1					* CLEARANCES: 23/17 Horizontal, 900.0 feet; vertical, 75.8 feet above pool.
17425	Thebes Railroad Bridge	43.7					* CLEARANCES: 22/17 Horizontal, two side spans, each 501.0 feet, center span, 651.0 feet; vertical, 104.8 feet above zero on Thebes gauge.
12495	U. S. Highway Hastings Bridge	813.9					* CLEARANCES: 21/17 Horizontal, main channel span, 459.5 feet; vertical, main channel span, 65.0 feet above normal pool.

Summary of corrections to Volume V of the U.S. Coast Guard Light List for the 2017 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28427	Calion Highway Bridge	288.4					CLEARANCES: 20/17 Horizontal, 295.0 feet; vertical 75.6 feet above normal pool.
		*					
28475	Moro Bay Bridge	268.8					CLEARANCES: 20/17 Horizontal, 296.0 feet, vertical, 75.0 feet for mid-245.3 feet of navigation span above elevation 65.0 feet MSL (normal pool), 54.5 feet for mid-245.3 feet of navigation span above elevation 85.5 feet MSL (2% flowline).
		*					
No Corrections this week							19/17
10635	WESTOVER LIGHT						Remove from list. 18/17
							*
10645	HORSE SHOE LIGHT						Remove from list. 18/17
							*
20375	Saline Island Daybeacon						Remove from list. 18/17
							*
20385	Salt Creek Daybeacon						Remove from list. 18/17
							*
20390	Arrow Rock Daybeacon						Remove from list. 18/17
							*
20400	Howell Daybeacon	208.3	Left			CNR	CNR 18/17
							*
20515	Overton Daybeacon						Remove from list. 18/17
							*
20550	Jackson Clay Daybeacon	181	Right			CNG	CNG 18/17
							*
							*

Summary of corrections to Volume V of the U.S. Coast Guard Light List for the 2017 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
20665	Stanley Bend Lower Daybeacon						Remove from list.	18/17
							*	
20685	Gray Creek Daybeacon	145.6	Right			CNG	SG	18/17
	*						*	
20690	Jefferson City Upper Daybeacon	144.3	Right			SG	CNG	18/17
	*						*	
20740	Ewing Landing Daybeacon	137	Right			CNG	SG	18/17
	*						*	
No Corrections this week								17/17
No Corrections this week								16/17
6995	Spring Bay Daybeacon	174.3	Right			SG	CNG	15/17
							On 4 pile dolphin.	
	*						*	
13355	Minnesota Island Upper Daybeacon						Remove from list.	15/17
							*	
13615	Lost Chanel Upper Daybeacon						Remove from list.	15/17
							*	
13930	French Island Daybeacon						Remove from list.	15/17
							*	
14205	Shinkles Island Bar Daybeacon						Remove from list.	15/17
							*	
2690	Montgomery Point Lock and Dam Normal upper pool elevation 155 feet MSL	.5	Right				LOCK: 600 feet long, 110 feet wide. PHONE:870-548-3400	14/17
*	*	*	*	*		*	*	
No Corrections this week								13/17
6260	Nettle Lower Daybeacon						Remove from list.	12/17
							*	

Summary of corrections to Volume V of the U.S. Coast Guard Light List for the 2017 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6060	Cedar Creek Daybeacon						Remove from list.	11/17
							*	
7275	ILLINOIS CORN PROCESSING DOCK LIGHTS (2)	151.4	Left	Fl (2)R 6s			Private Aid.	11/17
							*	
25425	OLD CANAL LIGHT						Remove from list.	11/17
							*	
25535	Manchester Island Daybeacon						Remove from list.	11/17
							*	
25630	Maysville Bend Daybeacon						Remove from list.	11/17
							*	
26110	Stringtown Daybeacon						Remove from list.	11/17
							*	
26885	Hughes Bar Daybeacon						Remove from list.	11/17
							*	
27045	Indian Hollow Daybeacon						Remove from list.	11/17
							*	
27055	Schooner Point Daybeacon						Remove from list.	11/17
							*	
10305	Harahan Bridge Rail and highway. Note: Decorative lights on the bridge are energized from dusk to dawn. The decorative lights can be reduced to 50% illumination for 30 minutes by setting your VHF-FM radio to Channel 28 and rapidly clicking the mic 3 times when approaching the bridge. If mariners are unable to reduce the decorative lights in intensity, they are advised to report this to Sector Lower Mississippi River at (901) 521-4824.	734.8					CLEARANCES: Horizontal, main channel span, 770.0 feet; vertical, 108.3 feet above zero on Memphis gage.	10/17
							*	
	No Corrections this week							09/17
11165	LOUISIANA BAR LIGHT	491	Right	Fl G 4s		CNG	SG	08/17

*

Summary of corrections to Volume V of the U.S. Coast Guard Light List for the 2017 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
17102	GAVILON BARGE LOADING DOCK LIGHTS (3)	97.3	Left	FI (2)R 6s			Private Aid.	07/17
						Marks dock mooring monopiles.		
*	*	*	*	*		*	*	
18240	CENTRAL PLAINS CEMENT DOCK MOORING LIGHTS (2)	624.1	Right	FI G 6s			Private Aid.	07/17
	*							
19728	CENTRAL PLAINS CEMENT SUGAR CREEK DOCK LIGHTS (2)	354.8	Right	FI G 6s			Private Aid.	07/17
						Marks the upstream and downstream mooring cells.		
*	*	*	*	*		*	*	
25605	CROUNSE FLEET MOORING LIGHTS (2)	405	Left	FI (2)R 6s			Private Aid.	07/17
	*	*						
6810	Halls Landing Daybeacon	200.4	Left			TR	TR	06/17
							On sinker base tower.	
	*			*				
7380	Duck Island Daybeacon						Remove from list.	06/17
							*	
15942	SIMCO BARGE DOCK LIGHTS (2)	282.3	Left	FI W 2.5s			Private Aid.	06/17
						Marks the outermost upstream and downstream dolphins.		
*	*	*	*	*		*	*	
31280	LITTLE CEDAR MOUNTAIN LIGHT						Remove from list.	06/17
							*	
7940	FISHER ISLAND LOWER LIGHT						Remove from list.	05/17
							*	
8080	Greuters Landing Daybeacon						Remove from list.	05/17
							*	
30230	Sexton Daybeacon	611.3	Left			TR	TR	05/17
	*			*				

Summary of corrections to Volume V of the U.S. Coast Guard Light List for the 2017 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
2630	Lock No. 2 Normal upper pool elevation 162.0 feet MSL, normal lower pool elevation 142.0 feet MSL.	13.3	Left				LOCK: 600 feet long, 110 feet wide. PHONE: 870-548-2791 04/17
2635	Norrell Lock and Dam No. 1 Normal upper pool elevation 142.0 feet MSL.	10.3	Left				* LOCK: 600 feet long, 110 feet wide. PHONE: 870-548-2796 04/17

*

Summary of corrections to Volume V of the U.S. Coast Guard Light List for the 2017 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
2090	Clinton Presidential Park Bridge Note: Decorative lights on the bridge are energized from dusk to dawn. The decorative lights can be extinguished for 20-minutes by setting the VHF-FM radio to Channel 12 and rapidly clicking the microphone three times when approaching the bridges. If mariners are unable to extinguish the decorative lights, they are advised to report this to Sector Lower Mississippi River at (901) 521-4824.	118.2					CLEARANCES: 03/17 Horizontal, 318.5 feet; vertical, 61.7 feet above navigation pool.
6210	PEACOCK SLOUGH LIGHT						* Remove from list. 03/17
7365	COPPERAS CREEK LOCK LIGHT						* Remove from list. 03/17
9045	Two Mile Daybeacon						* Remove from list. 03/17
13185	Winona Highway Bridge Note: The decorative lights can be extinguished for 15 minutes by setting your VHF-FM radio to Channel 28 and rapidly clicking the mic 3 times when approaching the bridge. If mariners are unable to extinguish the decorative lights, they are advised to report this to Sector Upper Mississippi River at (314) 269-2332.	725.9					* CLEARANCES: 03/17 Horizontal, main channel span, 420.0 feet; vertical, 64.63 feet for mid 360.0 feet of channel above normal pool.
13350	Dresbach Bridge	701.7					* CLEARANCES: 03/17 Horizontal, main channel span, 406.0 feet; vertical, 63.4 feet above normal pool.
31932	Patton Island Daybeacon	256.7	Left			TR On tree.	* 03/17
*	*	*	*	*		*	*

Summary of corrections to Volume V of the U.S. Coast Guard Light List for the 2017 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
20810	Loose Creek Lower Daybeacon						Remove from list. 02/17 *
21347	St. Charles Bend Lower Daybeacon						Remove from list. 02/17 *
No Corrections this week							01/17