

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
No corrections this week								29/18
No corrections this week								28/18
No corrections this week								27/18
325	<i>NOAA Environmental Lighted Buoy 46012</i>	37-21-12.920N 122-52-47.779W	Fl (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	26/18
445	<i>NOAA Environmental Lighted Buoy 46014</i>	* 39-13-50.909N 123-58-27.374W	Fl (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	26/18
No corrections this week								25/16
No corrections this week								24/16
No corrections this week								23/16
No corrections this week								22/18
No corrections this week								21/18
357	<i>NOAA Environmental Lighted Buoy 46026</i>	37-45-13.990N 122-50-20.473W	Fl (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	20/18
500	<i>NOAA Environmental Lighted Buoy 46022</i>	* 40-42-37.706N 124-31-52.940W	Fl (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	20/18
No corrections this week								19/18
No corrections this week								18/18
No corrections this week								17/18
8135	<i>Humboldt Bay Lighted Bell Buoy 2</i>	40-45-56.803N 124-14-57.454W	Fl R 4s		3	Red.	AIS: 993692058	16/18
								*

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
3050	LONG BEACH BACK CHANNEL SOUTH SECTOR LIGHT	33-44-58.780N 118-12-47.900W		120		On 3 leg tower, Visible white light in center of the outbound channel (less than 0.1°).	FI R (158.5° - 159°) F R (157° - 158.5°) AI WR (156.5° - 157°) F W (156.5°) AI WG (156.5° - 156.5°) F G (154.5° - 156°) FI G (154° - 154.5°) Private aid.	15/18
3055	LONG BEACH BACK CHANNEL NORTH SECTOR LIGHT	33-46-19.740N 118-13-30.020W		105		* On 3 leg tower, Visible white light in center of the inbound channel (less than 0.1°).	FI R (334° - 334.5°) F R (334.5° - 335.5°) AI WR (335.5° 336.5°) F W (336.5°) AI WG (336.5° 337.5°) F G (337.5° 338.5°) FI G (338.5° 339°) Private aid.	15/18
						*	*	
	No corrections this week							14/18
	No corrections this week							13/18
	No corrections this week							12/18
4310	Alcatraz Lighted Bell Buoy	37-49-39.820N 122-25-41.158W	Fl (2+1)G 6s		4	Green and red bands.		11/18
	* No corrections this week							10/18
5925	SAN PABLO BAY CHANNEL LIGHT 12	38-02-58.915N 122-19-46.897W	Fl R 2.5s			TR on pile structure.	MMSI: 993692052	09/18
		*						
	No corrections this week							08/18
	No corrections this week							07/18
	No corrections this week							06/18
4310	Alcatraz Bell Buoy	37-49-39.820N 122-25-41.158W	Fl (2+1)G 6s		4	Green and red bands.		05/18
			*					
4310	Alcatraz Bell Buoy	37-49-39.820N 122-25-41.158W	Fl (2+1)R 6s		4	Green and red bands.		04/18
			*		*			

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2018 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5	Point Loma Light	32-39-54.246N 117-14-33.552W	Fl W 15s	88	14	Black house on white square pyramidal skeleton tower. 90	Emergency light of reduce intensity when main light is extinguished. HORN: 1 blast ev 30s (3s bl). Horn is activated by keying the mic 5 times on VHF-FM Channel 81A. Horn will operate for 30 minutes.	03/18
30 2280	MISSION BAY NORTH JETTY LIGHT 1	32-45-30.588N 117-15-33.102W	Fl G 6s	42	5	SG on skeleton tower.	* HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Operates by keying microphone five times on VHF-FM 81A.	03/18
2280 30	MISSION BAY NORTH JETTY LIGHT 1	* 32-45 0.588N 117-15-33.102W	Fl G 6s	42	5	SG on skeleton tower.	HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Operates by keying microphone five times on VHF-FM 81A.	03/18
6356	SUISUN BAY PLAINS PRODUCTS PIER LIGHT (A)	38-02-41.500N 122-06-09.390W	Fl R 4s	18		West End of Pier.	Private aid.	02/18
6357	SUISUN BAY PLAINS PRODUCTS PIER LIGHT (B)	* 38-02-43.330N 122-06-06.330W	Fl R 4s	18		On Pier.	Private aid.	02/18
6358	SUISUN BAY PLAINS PRODUCTS PIER LIGHT (C)	* 38-02-45.060N 122-06-02.280W	Fl R 4s	18		On Pier.	Private aid.	02/18
6359	SUISUN BAY PLAINS PRODUCTS PIER LIGHT (D)	* 38-02-46.000N 122-05-59.930W	Fl R 4s	18		East End of Pier.	Private aid.	02/18
No corrections this week								01/18