

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2017 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
No corrections this week								38/17
982	NOAA Data Lighted Buoy 46080	57-56-51.288N 150-02-29.890W	Fl (4)Y 20s			Yellow Disc-shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	37/17
		*				*		
984	NOAA Data Lighted Buoy 46001	56-13-56.000N 147-56-57.000W	Fl (4)Y 20s			Yellow Disc-shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	37/17
		*				*		
1028	NOAA Data Lighted Buoy 46084	56-36-46.429N 136-06-49.242W	Fl (4)Y 20s			Yellow Disc-shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	37/17
		*				*		
1082	NOAA Data Lighted Buoy 46083	58-18-01.462N 137-59-48.703W	Fl (4)Y 20s			Yellow disc-shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	37/17
		*				*		
No corrections this week								36/17
984	NOAA Data Lighted Buoy 46001	56-13-56.000N 147-56-57.000W	Fl (4)Y 20s			Yellow boat-shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	35/17
		*						
23801.5	Coghlan Island Buoy 2	58-21-46.723N 134-41-54.813W				Red nun.		35/17
*	*	*	*	*	*	*	*	
26950	NOAA Data Lighted Buoy 46077	57-54-36.000N 154-10-30.000W	Fl (4)Y 20s			Yellow disc shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	34/17
		*						
27308	Bechevin Bay Buoy 13	55-01-41.875N 163-25-22.939W				Green can.		34/17
		*				*		
26950	NOAA Data Lighted Buoy 46077	57-54-36.000N 154-10-30.000W	Fl (4)Y 20s			Yellow disc shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	34/17
		*						
27308	Bechevin Bay Buoy 13	55-01-41.875N 163-25-22.939W				Green can.		34/17
		*				*		

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2017 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
24060	KOOTZNAHOO INLET LIGHT 6	57-29-55.914N 134-34-10.890W	Fl R 2.5s		3	TR on pile.		33/17
	*	*	*			*		
26315.2	Kasilof Entrance Channel Buoy 4	60-23-15.006N 151-19-10.877W				Red nun.	Maintained from May 1 to Nov 1.	33/17
	*	*						
26315.65	Kasilof Entrance Channel Buoy 9	60-23-31.089N 151-18-39.268W				Green can.	Maintained from May 1 to Nov 1.	33/17
	*	*						
27848.2	Kuskokwim River Buoy 30	60-19-07.045N 162-30-34.718W				Red nun.	Maintained from June 1 to October 1.	33/17
	*	*						
27848.7	Kuskokwim River Buoy 32	60-19-58.964N 162-30-09.404W				Red nun.	Maintained from June 1 to October 1.	33/17
	*	*						
27849.2	Kuskokwim River Buoy 34	60-20-47.057N 162-29-23.377W				Red nun.	Maintained from June 1 to October 1.	33/17
	*	*						
No Corrections this week								32/17
27854	Kuskokwim River Buoy 53	60-31-18.230N 162-17-38.636W				Green can.	Maintained from June 1 to October 1.	31/17
	*	*						
27855	Kuskokwim River Buoy 57	60-32-58.971N 162-15-00.160W				Green can.	Maintained from June 1 to October 1.	31/17
	*	*						
27855.7	Kuskokwim River Buoy 60	60-35-13.339N 162-14-40.241W				Red nun.	Maintained from June 1 to October 1.	31/17
	*	*						
27856.2	Kuskokwim River Buoy 62	60-35-37.768N 162-13-21.175W				Red nun.	Maintained from June 1 to October 1	31/17
	*	*						
27856.4	Kuskokwim River Buoy 63	60-35-51.401N 162-14-02.531W				Green can.	Maintained from June 1 to October 1.	31/17
	*	*						
27856.5	Kuskokwim River Buoy 65	60-35-57.199N 162-12-46.259W				Green can.	Maintained from June 1 to October 1.	31/17
	*	*						
26920	CAPE ALITAK LIGHT	56-50-35.256N 154-18-25.512W	Fl W 6s		63	7	NR on small house. Obscured from 190° to 263°.	30/17
	*	*						

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2017 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
No Corrections this week								29/17
No Corrections this week								28/17
984.4	NOAA Tsunami Warning Lighted Buoy 46408	49-39-42.000N 169-54-00.000W	Fl (4)Y 20s			Yellow disc shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	27/17
		*						
984.7	NOAA Tsunami Warning Lighted Buoy 46413	48-00-00.000N 174-13-42.000W	Fl (4)Y 20s			Yellow disc shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	27/17
		*						
26950	NOAA Data Lighted Buoy 46077	57-53-01.000N 154-10-05.000W	Fl (4)Y 20s			Yellow disc shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	27/17
		*						
*	*	*	*	*	*	*	*	
27836	Kuskokwim Bay Buoy 3	59-32-09.336N 162-16-35.296W				Green Can.	Maintained from June 1 to October 1.	27/17
		*						
27837	Kuskokwim Bay Buoy 4	59-34-33.556N 162-15-34.749W				Red nun.	Maintained from June 1 to October 1.	27/17
		*						
27847	Kuskokwim River Buoy 25	60-13-19.037N 162-20-48.651W				Green can.	Maintained from June 1 to October 1.	27/17
		*						
27980	GRANTLEY HARBOR LIGHT	65-16-36.556N 166-20-51.558W	Fl G 4s		15	7	NG on skeleton tower. Maintained from July 1 to Nov. 1.	27/17
		*						
No Corrections this week								26/17
26315.2	Kasilof Entrance Channel Buoy 4	60-23-15.304N 151-19-13.850W				Red nun.	Maintained from May 1 to Nov 1.	25/17
		*						
No Corrections this week								24/17

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2017 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
25615	Orca Inlet South Channel Buoy 1	60-27-23.967N 145-59-05.786W				Green can.	23/17
		*					
25615.3	Orca Inlet South Channel Buoy 4	60-28-09.288N 145-58-09.488W				Red nun.	23/17
		*					
25615.35	Orca Inlet South Channel Buoy 5	60-28-25.969N 145-57-23.254W				Green can.	23/17
		*					
25615.4	Orca Inlet South Channel Buoy 6	60-28-21.795N 145-57-19.257W				Red nun.	23/17
		*					
25615.45	Orca Inlet South Channel Buoy 7	60-28-54.451N 145-56-11.818W				Green can.	23/17
		*					
25615.5	Orca Inlet South Channel Buoy 8	60-28-50.107N 145-56-10.656W				Red nun.	23/17
		*					

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2017 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
25455	SOFTUK BAR CHANNEL LIGHT S	60-13-13.788N 144-58-58.818W	Oc (4)W 30s	12	6	NR on skeleton tower.	Maintained from May 1 to Oct 1.	22/17
		*						
25460	KOKENHENIC BAR CHANNEL LIGHT K	60-13-31.770N 145-09-49.368W	Fl W 4s	12	6	NR on skeleton tower.	Maintained from May 1 to Oct 1.	22/17
		*						
25465	GRASS ISLAND BAR CHANNEL LIGHT G	60-15-17.964N 145-18-00.906W	Fl W 6s	12	5	NR on skeleton tower.	Maintained from May 1 to Oct 1.	22/17
		*						
25470	PETER DAHL BAR CHANNEL LIGHT P	60-18-16.878N 145-34-20.400W	Fl W 2.5s	12	5	NR on skeleton tower.	Maintained from May 1 to Oct 1.	22/17
		*						
25615.1	Orca Inlet South Channel Buoy 2	60-27-21.870N 145-59-04.032W				Red nun.		22/17
		*						
25615.15	Orca Inlet South Channel Buoy 1A	60-27-34.961N 145-58-47.792W				Green can		22/17
		*						
25615.25	Orca Inlet South Channel Buoy 3	60-27-59.575N 145-58-32.581W				Green can.		22/17
		*						
No Corrections this week								21/17
No Corrections this week								20/17
23735.65	Mendenhall Bar Buoy 12	58-20-51.204N 134-31-32.928W				Red nun.		19/17
		*						
No Corrections this week								18/17
No Corrections this week								17/17
23691	Manson Construction Mooring LB A						Remove from list.	16/17
							*	
23692	Manson Construction Mooring LB B						Remove from list.	16/17
							*	

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2017 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
22100	SCRUB ISLAND LIGHT 5						Remove from list.	15/17
							*	
22100	<i>Scrub Island Lighted Buoy 5</i>	55-08-13.740N 131-34-28.680W	Fl G 6s			Green can.		15/17
*	*							
22100.1	<i>Scrub Island Lighted Buoy 5</i>						Remove from list.	15/17
							*	
22110	<i>Lively Rock Lighted Buoy 9</i>	55-09-25.174N 131-35-09.994W	Fl G 4s		4	Green.		15/17
		*						
23733	Mendenhall Bar Channel Buoy 7A	58-19-27.966N 134-28-02.922W				Green can.	Maintained from April 1 to October 1.	15/17
*	*	*	*	*	*	*	*	
No Corrections this week								14/17
No Corrections this week								13/17
No Corrections this week								12/17
24065.1	<i>Tenakee Inlet Entrance Lighted Buoy 1</i>	57-46-19.259N 134-55-37.048W	Fl G 4s			Green.		11/17
*	*	*	*	*	*	*	*	
No Corrections this week								10/17
No Corrections this week								09/17
23920.1	<i>Indian Rock Lighted Buoy</i>						Remove from list.	08/17
							*	
No Corrections this week								07/17
1187	<i>NOAA Data Lighted Buoy 46078</i>	55-32-30.000N 152-37-42.000W	Fl (4)Y 20s			Yellow boat-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	06/17
		*						
23665	SHEEP CREEK LIGHT 2	58-15-28.410N 134-19-52.206W	Fl R 4s		12	6	TR on small house on square pile structure.	06/17
							*	
23690	LAWSON CREEK BAR LIGHT 3	58-17-16.563N 134-24-25.839W	Fl G 2.5s		22	5	SG on dolphin.	06/17
							*	
22430	Meyers Chuck Buoy 1	55-44-36.591N 132-16-32.408W				Green can.		05/17
							*	
24045.1	<i>Danger Point Lighted Buoy DP</i>	57-30-59.307N 134-36-29.103W	Fl R 6s			Red.		04/17
*	*	*	*	*	*	*	*	
26986	Larsen Bay Reef Buoy 5	57-32-00.498N 154-00-35.808W				Green can.	Position Approximate.	04/17
							*	

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2017 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
	No Corrections this week						03/17
	No Corrections this week						02/17
	No Corrections this week						01/17