

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2018 edition.

| (1)<br>No.               | (2)<br>Name and location   | (3)<br>Position                      | (4)<br>Characteristic                | (5)<br>Ht                            | (6)<br>Rng                           | (7)<br>Structure                               | (8)<br>Remarks  |        |
|--------------------------|--|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--|---|--------|
| No corrections this week |  |                                      |                                      |                                      |                                      |  |   | 28/18  |
| 4560                     | <b>Sandusky Harbor Breakwater Light</b>  | 41-29-57.148N<br>082-40-28.880W      | Fl W 6s                              | 30<br>9                              | 11                                   | White cylindrical tower with green band.<br>30 | HORN: 1 blast ev 30s (3s bl-27s si).<br>Operates by keying microphone five times on VHF-FM Ch. 83A. | 27/18  |
| 16297                    | <i>Minnesota Channel (Western Section) Lighted Buoy 30</i>                             | 46-42-17.719N<br>092-12-01.230W      | Fl R 4s                              |                                      | *                                    | 4<br>Red nun.                                  |   | 27/18  |
| 16966                    | *<br>Flag Island Danger Buoy E   | 49-20-05.388N<br>094-52-59.916W      |                                      |                                      |                                      |  |   | 27/18  |
| *<br>205                 | *<br><i>St. Lawrence Seaway Lighted Buoy 33</i>  | *<br>44-58-47.400N<br>074-50-15.600W | *<br>Fl G 4s                         | *<br>44-58-47.400N<br>074-50-15.600W | *<br>44-58-47.400N<br>074-50-15.600W | *<br>Green.                                    | *<br>Year round lighted buoy. Aid maintained by S.L.S.D.C.  | 26/18  |
| 4625                     | SANDUSKY STRAIGHT CHANNEL RANGE FRONT LIGHT  | 41-29-28.955N<br>082-41-45.730W      | Q W                                  | 33<br>10                             |                                      | KRW on white cylindrical tower.                | *<br>Higher intensity on range line.  | 26/18  |
| 4630                     | SANDUSKY STRAIGHT CHANNEL RANGE REAR LIGHT<br><br>1,513 feet, 017.1° from front light. | 41-29-43.248N<br>082-41-39.891W      | *<br>Iso W 6s                        | 77<br>23                             |                                      | KRW on white cylindrical tower.                | Higher intensity on range line.   | 26/18  |
| No corrections this week |  |                                      |                                      |                                      |                                      |  |   | 25/18  |
| No corrections this week |  |                                      |                                      |                                      |                                      |  |   | 24/18  |
| 16297                    | <i>Minnesota Channel (Western Section) Buoy 30</i>                                     | 46-42-17.719N<br>092-12-01.230W      | Fl R 4s                              |                                      | 4                                    | Red nun.                                       |   | 23/18  |
| 22285                    | *<br>Green Bay City Buoy 4   | 44-29-28.179N<br>088-01-38.832W      | *<br>44-29-28.179N<br>088-01-38.832W |                                      | *<br>44-29-28.179N<br>088-01-38.832W | Red nun.                                       |   | 23/18  |
| 22355                    | *<br>Green Bay City Buoy 26  | 44-27-13.311N<br>088-04-01.513W      | *<br>44-27-13.311N<br>088-04-01.513W |                                      |                                      | Red nun.                                       |   | 23/18  |
| No corrections this week |  |                                      |                                      |                                      |                                      |  |   | 22/18  |
| 11-Jul-18                |  |                                      |                                      |                                      |                                      |  |   | Page 1 |

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2018 edition.

| (1)<br>No.               | (2)<br>Name and location   | (3)<br>Position                 | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure                            | (8)<br>Remarks  |       |
|--------------------------|--|---------------------------------|-----------------------|-----------|------------|---|---|-------|
| No corrections this week |  |                                 |                       |           |            |   |   | 21/18 |
| 13760                    | East Neebish Island<br>Channel Buoy 1                                  | 46-19-15.261N<br>084-06-40.282W |                       |           |            | Green can.                                  | Maintained from May 07 to 20/18<br>October 28   |       |
| 13765                    | East Neebish Island<br>Channel Buoy 2                                  | 46-19-13.960N<br>084-06-33.850W |                       |           |            | Red nun.                                    | *<br>Maintained from May 7 to 20/18<br>October 28   |       |
| 20483                    | <i>Racine Reef Lighted Buoy<br/>18</i><br><br>Marks east side of reef. | 42-43-39.965N<br>087-44-01.132W | FIR 2.5s              |           | 5          | Red.  | *<br>Replaced by nun from Dec.20/18<br>1 to Apr. 21.  |       |
| 20645                    | MILWAUKEE BREAKWATER<br>ENTRANCE SOUTH SIDE<br>LIGHT                   | 43-01-31.421N<br>087-52-54.717W | FIG 2.5s              | 48<br>15  | 7          | White cylindrical tower<br>with green band. | 20/18   |       |
|                          |  |                                 |                       |           |            |   |   | *     |
| 20415                    | <b>Kenosha Light</b>   | 42-35-19.700N<br>087-48-30.830W | Iso R 6s              | 50<br>15  | 8          | 50  | HORN: 1 blast ev 30s (3s<br>19/18 bl). Operate the fog signal<br>by keying the microphone<br>on VHF-FM marine radio<br>five times on channel 83A. |       |
|                          |  |                                 |                       |           |            |   |   | *     |
| No corrections this week |  |                                 |                       |           |            |   |   | 18/18 |
| No corrections this week |  |                                 |                       |           |            |   |   | 17/18 |
| 20483                    | <i>Racine Reef Lighted Buoy<br/>18</i><br><br>Marks east side of reef. | 42-43-40.338N<br>087-44-01.614W | FIR 2.5s              |           | 5          | Red.  | Replaced by nun from Dec.16/18<br>1 to Apr. 21.   |       |
|                          |  |                                 |                       |           |            |   |   | *     |
| No corrections this week |  |                                 |                       |           |            |   |   | 15/18 |
| No corrections this week |  |                                 |                       |           |            |   |   | 14/18 |
| No corrections this week |  |                                 |                       |           |            |   |   | 13/18 |

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2018 edition.

| (1)<br>No. | (2)<br>Name and location                | (3)<br>Position                 | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure  | (8)<br>Remarks  |
|------------|---|---------------------------------|-----------------------|-----------|------------|---|---|
| 20876      | Manitowoc River Buoy 9                  | 44-05-48.284N<br>087-39-56.488W |                       |           |            |   | Maintained from Apr. 14 to 12/18<br>Nov. 14   |
| 21743      | <i>Butler Island Lighted Buoy 17</i>    | 45-51-53.000N<br>087-00-33.000W | Fl G 4s               |           | 3          |   | *<br>Maintained from May 1 to 12/18<br>Nov. 14  |
| 21746      | <i>Days River Shoal Lighted Buoy 19</i> | 45-53-09.000N<br>086-58-32.000W | Fl G 2.5s             |           | 3          |   | *<br>Maintained from May 1 to 12/18<br>Nov. 14  |
| 21793      | Cedar River Buoy 3                      | 45-24-11.634N<br>087-20-59.742W |                       |           |            | Green can.  | *<br>Maintained from May 14 to 12/18<br>Nov. 14.  |
| 21793.5    | Cedar River Buoy 4                      | 45-24-11.160N<br>087-20-53.864W |                       |           |            | Red nun.  | *<br>Maintained from May 14 to 12/18<br>Nov. 14.  |
| 21794      | Cedar River Buoy 5                      | 45-24-20.052N<br>087-21-01.260W |                       |           |            | Green can.  | *<br>Maintained from May 14 to 12/18<br>Nov. 14   |
| 21794.1    | Cedar River Buoy 6                      | 45-24-20.766N<br>087-20-59.694W |                       |           |            | Red nun.  | *<br>Maintained from May 14 to 12/18<br>Nov. 14.  |
| 21794.2    | Cedar River Buoy 9                      | 45-24-24.042N<br>087-21-02.530W |                       |           |            | Green can.  | *<br>Maintained from May 14 to 12/18<br>Nov. 14.  |
| 21794.3    | Cedar River Buoy 10                     | 45-24-23.400N<br>087-21-01.428W |                       |           |            | Red nun.  | *<br>Maintained from May 14 to 12/18<br>Nov. 14.  |
| 21794.4    | Cedar River Buoy 11                     | 45-24-25.776N<br>087-21-02.877W |                       |           |            | Green can.  | *<br>Maintained from May 14 to 12/18<br>Nov. 14.  |
| 21794.5    | Cedar River Buoy 12                     | 45-24-25.410N<br>087-21-01.536W |                       |           |            | Red nun.  | *<br>Maintained from May 14 to 12/18<br>Nov. 14.  |
| 1735       | <b>Tibbetts Point Light</b>             | 44-06-02.237N<br>076-22-14.204W | Oc W 10s              |           | 69<br>21   | 16<br>White conical tower.                              | Standby light of reduced intensity shows Oc W 4s.<br>AIS MMSI: 993672194  |
| 11370      | <b>Alpena Light</b>                     | 45-03-37.229N<br>083-25-23.022W | Fl R 6s               |           | 44<br>13   | 9<br>Red skeleton tower with upper part enclosed.<br>44 | *<br>To operate the fog signal, key the microphone on channel 83A VHF marine radio five times.<br>HORN: 1 blast ev 15s (2s bl). |
|            |   |                                 |                       |           |            | *   |   |

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2018 edition.

| (1)<br>No.               | (2)<br>Name and location   | (3)<br>Position                 | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure | (8)<br>Remarks  |
|--------------------------|--|---------------------------------|-----------------------|-----------|------------|------------------|---|
| 6960                     | <i>East Outer Channel<br/>Lighted Buoy 16</i>  | 42-00-17.260N<br>083-08-14.030W | Q R                   |           | 5          | Red.             | Replaced by nun from Dec.10/18<br>21 to Apr. 1.<br>AIS MMSI: 993672205  |
| 14105                    | <i>Little Rapids Cut Lighted<br/>Ice Buoy 98B V-AIS</i>                              | 46-29-07.000N<br>084-17-55.000W | Q R                   |           | 4          | Red ice buoy.    | Marks upstream end of ice boom on Eastern side of river. On station only during deployment of ice boom. AIS MMSI: 993683017 |
| 14455                    | *<br>Round Island Traffic Buoy (RI) V-AIS  | 46-27-07.023N<br>084-32-47.446  |                       |           |            |                  | *<br>V-AIS MMSI: 993683016 10/18  |
| 21420                    | <i>Fisherman Shoal Lighted<br/>Bell Buoy 6</i><br><br>Marks southeast side of shoal. | 45-21-32.889N<br>086-46-12.612W | FI R 4s               |           | 4          | Red.             | *<br>Replaced by nun from Nov.10/18 07 to Apr. 21.<br><br>*   |
| 21440                    | St Martin Shoal Buoy 4<br><br>Marks southwest side of shoal.                         | 45-26-39.865N<br>086-46-26.030W |                       |           |            | Red nun.         | Maintained from Apr. 21 to 10/18 Nov. 07.<br><br>*  |
| 21775                    | <i>Whaleback Shoal East End<br/>Lighted Bell Buoy 4</i>                              | 45-21-00.685N<br>087-10-12.119W | FI R 6s               |           | 4          | Red.             | *<br>Replaced by nun from Nov 10/18 21 to Apr. 28.<br><br>*   |
| 21790                    | <i>Cedar River Entrance<br/>Lighted Buoy 1</i>                                       | 45-23-43.821N<br>087-20-28.625  | FI G 6s               |           | 4          | Green can.       | Marks rock. Maintained from 28 Apr to 21 Nov. 10/18   |
| 21890                    | <i>Chambers Islands North<br/>Shoal Lighted Bell Buoy 1</i>                          | 45-14-24.042N<br>087-19-48.305  | FI G 4s               |           | 4          | Green.           | *<br>Replaced by can from Nov 10/18 14 to Apr. 21.<br><br>*   |
| 21900                    | <i>Chambers Island West<br/>Shoal Lighted Bell Buoy 3</i>                            | 45-10-48.124N<br>087-24-23.486W | FI G 2.5s             |           | 4          | Green.           | *<br>Replaced by can from Nov 10/18 14 to Apr. 21.<br>AIS MMSI: 993672243<br><br>*  |
| 8160                     | <i>River Rouge Canal<br/>Entrance Lighted Buoy 2</i>                                 | 42-16-31.188N<br>083-06-33.297W | FI R 4s               |           | 4          | Red.             | AIS MMSI: 993672207 09/18   |
| 19920                    | <i>Morgan Shoals Lighted<br/>Buoy 2</i>  | 41-48-38.600N<br>087-34-27.900W | FI R 2.5s             |           | 3          | Red.             | *<br>Maintained from Apr. 14 09/18 to Nov 1.<br><br>*   |
| No corrections this week |  |                                 |                       |           |            |                  | 08/18   |
| No corrections this week |  |                                 |                       |           |            |                  | 07/18   |

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2018 edition.

| (1)<br>No. | (2)<br>Name and location                       | (3)<br>Position                 | (4)<br>Characteristic | (5)<br>Ht | (6)<br>Rng | (7)<br>Structure                     | (8)<br>Remarks   |       |
|------------|--|---------------------------------|-----------------------|-----------|------------|--------------------------------------|--|-------|
| 14455      | Round Island Traffic Buoy<br>(RI) V-AIS        |                                 |                       |           |            |                                      | Remove from list.  | 06/18 |
|            |  |                                 |                       |           |            |                                      | *  |       |
| 21423      | Rock Island Passage<br>Traffic Buoy (RI) V-AIS | 45-26-06.012N<br>086-44-32.016W |                       |           |            |                                      | V-AIS MMSI# 993682124  | 06/18 |
|            |  |                                 |                       |           |            |                                      | *  |       |
| 6895       | <b>East Outer Channel<br/>Light 1E</b>         | 41-54-45.300N<br>083-07-17.000W | Fl G 5s               | 44<br>13  | 10         | Tour on platform<br>with green band. | HORN: 2 blasts ev 60s (3s<br>bl-3s si-3s bl-51s si).<br>Operates Year Round. | 05/18 |
|            |  |                                 |                       |           |            |                                      | *  |       |
| 2665       | Buffalo Safe Water VAIS                        | 42-50-08.639N<br>078-55-25.922W |                       |           |            |                                      | MMSI: 993682126  | 04/18 |
|            |  |                                 |                       |           |            |                                      | *  |       |
| 6040       | Maumee Safe Water VAIS                         | 41-50-07.946N<br>083-10-10.530W |                       |           |            |                                      | MMSI: 993682127  | 04/18 |
|            |  |                                 |                       |           |            |                                      | *  |       |
|            | No corrections this week                       |                                 |                       |           |            |                                      |  | 03/18 |
| 14455      | Round Island Traffic Buoy<br>(RI) V-AIS        | 46-27-07.023N<br>084-32-47.446W |                       |           |            |                                      | Virtual aid.   | 02/18 |
| 21423      | Rock Island Passage<br>Traffic Buoy (RI) V-AIS | 45-26-06.012N<br>086-44-32.016W |                       |           |            |                                      | Virtual aid.   | 02/18 |
|            |  |                                 |                       |           |            |                                      | *  |       |
|            | No corrections this week                       |                                 |                       |           |            |                                      |  | 01/18 |