

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2021 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
No corrections this week							41/21
15	<i>St. Lawrence Seaway Lighted Buoy 3</i>	44-59-57.615N 074-40-28.278W	Q G			Green.	Year Round Lighted Buoy Aid maintained by S.L.S.D.C.
155	<i>St. Lawrence Seaway Lighted Buoy 26</i>	44-59-10.625N 074-47-35.668W	Fl R 4s			Green.	* Year Round Lighted Buoy 40/21
195	<i>St. Lawrence Seaway Lighted Buoy 32</i>	44-58-53.535N 074-50-02.718W	Fl R 4s			Red.	* * Year Round Lighted Buoy 40/21 Aid maintained by S.L.S.D.C.
235	<i>St. Lawrence Seaway Lighted Buoy 39</i>	44-58-36.835N 074-51-41.918W	Fl G 4s			Green.	* Year Round Lighted Buoy 40/21 Aid maintained by S.L.S.D.C.
240	<i>St. Lawrence Seaway Lighted Buoy 40</i>	44-58-40.035N 074-51-55.018W	Fl R 4s			Red.	* Year Round Lighted Buoy 40/21 Aid maintained by S.L.S.D.C.
615	<i>St. Lawrence Seaway Lighted Buoy 93</i>	44-52-37.335N 075-13-03.418W	Fl G 4s			Green.	* Year Round Lighted Buoy 40/21 Aid maintained by S.L.S.D.C.
890	<i>St. Lawrence Seaway Lighted Buoy 126A</i>	44-45-01.935N 075-25-47.519W	Q R			Red.	* Year Round Lighted Buoy 40/21 Aid maintained by S.L.S.D.C.
1200	<i>St. Lawrence Seaway Lighted Buoy 162</i>	44-28-41.534N 075-46-56.119W	Q R			Red.	* Year Round Lighted Buoy 40/21 Aid maintained by S.L.S.D.C.
1295	<i>St. Lawrence Seaway Lighted Buoy 181</i>	44-23-30.034N 075-51-29.119W	Fl G 4s			Green.	* Year Round Lighted Buoy 40/21 Aid maintained by S.L.S.D.C.
							*

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2021 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1495	<i>St. Lawrence Seaway Lighted Buoy 217A</i>	44-15-36.034N 076-03-51.919W	Q G			Green.	Year Round Lighted Buoy Aid maintained by S.L.S.D.C.	40/21
1765	<i>East Charity Shoal Traffic Lighted Buoy</i>						* Remove from list.	40/21
2396	OLCOTT HARBOR DETACHED BREAKWATER EAST LIGHT	43-20-32.340N 078-43-12.014W	Fl W 4s			Single Pile,White Light,19.2 FT	* Maintained Year round. Private Aid.	40/21
	Detached breakwater							
* 2397	* OLCOTT HARBOR DETACHED BREAKWATER WEST LIGHT	* 43-20-32.840N 078-43-07.600W	* Fl W 4s		*	* Single Pile,White Light,19.2 FT	* Maintained Year round. Private Aid.	40/21
* 6015	* COOLEY CANAL FRONT RANGE LIGHT	* 41-40-30.720N 083-17-01.980W	* F R		*	* KRW on pile.	* Maintained from Apr.1 to Nov.15. Private Aid.	40/21
6016	COOLEY CANAL REAR RANGE LIGHT	41-40-29.580N 083-17-02.280W	F R			KRW in Pipe.	* Maintained from Apr.1 to Nov.15. Private Aid.	40/21
21210	<i>Sturgeon Bay Ship Channel Lighted Buoy 31</i>	44-52-45.739N 087-24-55.252W	Fl G 2.5s		4	Green can.	* Maintained from Apr. 21 to Nov. 21.	40/21
	Marks east side of shoal.							
* 21345	* <i>Plum Island Lighted Buoy 1</i>	* 45-19-18.472N 086-56-43.980W	* Fl G 2.5s		5	Green.	* Maintained from Apr. 21 to Nov. 7. AIS MMSI: 993682700	40/21
							* *	

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2021 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
11395	<i>Alpena Channel Lighted Buoy 1</i>	45-03-03.098N 083-24-22.186W	Fl G 2s		3	Green can.	39/21
11400	* <i>Alpena Channel Lighted Buoy 2</i>	45-03-05.773N 083-24-20.723W	Fl R 2.5s		3	Red nun.	39/21
11405	* <i>Alpena Channel Lighted Buoy 3</i>	45-03-12.960N 083-24-43.290W	Fl G 4s		3	Green can.	39/21
11410	* <i>Alpena Channel Lighted Buoy 4</i>	45-03-15.324N 083-24-38.371W	Fl R 4s		3	Red nun.	39/21
11415	* <i>Alpena Channel Lighted Buoy 5</i>	45-03-23.715N 083-25-02.356W	Fl G 4s		3	Green can.	39/21
11420	* Lafarge Corporation Channel Junction Buoy TB	45-03-26.545N 083-25-00.169W	*			Red and green bands.	39/21
15750	Superior Front Channel Buoy 1	* 46-42-47.317N 092-02-42.291W				Green can.	39/21
19775	Nipsco Obstruction Buoy A	*					Remove from list. *
20304	Great Lakes East Breakwater Danger Buoy	42-18-35.616N 087-49-25.482W				White Can	39/21
* 20304.1	* Great Lakes South Breakwater Dander Buoy	* 42-18-15.304N 087-49-36.027W	*		*	* White Can	* 39/21
* 21450	* St. Martin Island Light	* 45-30-15.968N 086-45-28.032W	* Fl W 10s		* 84 26	* 16 On hexagonal tower.	* 39/21
						* *	

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2021 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
19103	Grand River Buoy 27	43-03-10.137N 086-09-49.015W						38/21
* 19650	* CITY OF EAST CHICAGO, INDIANA PASTRICK MARINA LIGHT 3	* 41-39-14.600N 087-26-05.600W	* Fl G 2.5s		* 16 5	* SG on post.	* Maintained from Apr. 1 to Dec. 15. Visible 294° through 359°. Private Aid.	38/21
20282	Great Lakes Buoy N	42-19-42.391N 087-49-14.074W	*			Yellow Can	Maintained from Apr. 14 to Oct. 14.	38/21
21845	Hanover Shoal Buoy 2	* 45-08-33.620N 087-17-42.343W				Red nun.	Replaced by smaller nun from Oct. 14 to Apr. 1.	38/21
18940	Conservation Club Channel Buoy 4	* 43-15-30.000N 086-15-21.000W				Red nun.	Private Aid.	37/21
18945	Conservation Club Channel Dayboard 5	*					Remove from list.	37/21
18950	Conservation Club Channel Buoy 6	* 43-15-30.000N 086-15-20.000W				Red.	* Private Aid.	37/21
21210	<i>Sturgeon Bay Ship Channel Buoy 31</i> Marks east side of shoal.	* 44-52-45.739N 087-24-55.252W	Fl G 2.5s		4	Green can.	Maintained from Apr. 21 to Nov. 21.	37/21
22030	* <i>UWM GB Research Buoy</i>	* 44-48-07.350N 087-45-45.570W	Fl Y 2.5s				Maintained from Apr.1 to Nov.30. Private Aid.	37/21
* 21075	* Strawberry Creek Channel Entrance Buoy 1	* 44-48-46.000N 087-20-38.000W	* Green.				* Private Aid.	36/21
22266	* Green Bay Harbor Entrance Channel Buoy WR31	* 44-32-16.100N 088-00-18.000W				Green can.		36/21
* *	* *	* *	* *		* *	* *	* *	

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2021 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
15355	Ashland Harbor Lighted Buoy 1	46-36-06.792N 090-53-27.021W	Fl G 4s		4	Green.	Maintained from May 21 to Nov 21	35/21
15360	Ashland Harbor Buoy 2	46-36-06.502N 090-53-32.951W				Red nun.	Maintained from May 21 to Nov 21	35/21
15365	Ashland Harbor Buoy 3	46-35-57.013N 090-53-26.911W				Green can.	Maintained from May 21 to Nov 21	35/21
15370	Ashland Harbor Lighted Buoy 4	46-35-56.433N 090-53-35.312W	Q R		4	Red.	Maintained from May 21 to Nov 21	35/21
15375	Ashland Harbor Buoy 5	46-35-52.752N 090-53-30.984W				Green can.	Maintained from May 21 to Nov 21	35/21
21075	Strawberry Creek Channel Entrance Lighted Bouy 1	44-48-46.000N 087-20-38.000W				Green.	Private Aid.	35/21
9945	STAG ISLAND UPPER LIGHT	42-54-25.153N 082-27-57.678W	Fl G 2.5s	26 8	6	SG on post.	Higher intensity beam up and downstream.	34/21
20965	KEWAUNEE BREAKWATER LIGHT	44-27-29.340N 087-29-26.612W	Fl R 4s	39 12	7	White cylindrical tower with red band.		34/21
21345	Plum Island Lighted Buoy 1	45-19-18.472N 086-56-43.980W	Fl G 2.5s		5	Green.		34/21
No corrections this week								33/21
8513	ACOE Lake St Clair Water Sensor Buoy 1	42-25-55.600N 082-46-11.280W	Fl Y 4s				Maintained from Apr.15 to Dec.1. Private Aid.	32/21
* 14696	* Presque Isle Weather Wave Buoy 1	* 46-35-53.000N 087-22-19.000W	* Fl Y 2.5s	* *	* *	* *	* Maintained from Apr.1 to Dec.1. Private Aid.	32/21
* 16881	* Isle Royale North Weather Wave Buoy 1	* 48-01-30.000N 087-42-32.400W	* Fl Y 6s	* *	* *	* *	* Maintained Year round. Private Aid.	32/21
* 22070	* Suamico River Obstruction Buoy	* *	* *	* *	* *	* *	* Remove from list.	32/21
No corrections this week								31/21

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2021 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
No corrections this week							
							30/21
3895	MORTON SALT COMPANY BOATLOADING NORTH LIGHT	41-45-15.300N 081-16-49.800W	F R		13 4		Maintained from May 1 to 29/21 Nov. 1. Private Aid.
3896	* MORTON SALT COMPANY BOATLOADING SOUTH LIGHT	41-45-15.000N 081-16-50.000W	F R		13 4		Maintained from May.1 to 29/21 Nov.1. Private Aid.
22072	* <i>Green Bay Lower Weather Buoy 1</i>	* 44-39-10.400N 087-55-30.200W	* FI Y 4s		* *	* *	* Maintained from May.1 to 29/21 Oct.31. Private Aid.
19430	Lake Macatawa Buoy 23	42-47-46.780N 086-06-53.432W				Green can.	Maintained from Apr. 14 28/21 to Nov. 07.
10486	<i>SaginawBay NOAA Weather Wave Buoy 1</i>	43-43-12.640N 083-36-36.870W	FI Y 2.5s				Maintained from May.1 to 27/21 Dec.1. Private Aid.
16665	* <i>West Isle Royale Weather Wave Buoy 2</i>	* 47-54-47.000N 089-13-45.100W	* FI W 2.5s		* *	* *	* Maintained from May.1 to 27/21 Nov.31. Private Aid.
16709	* <i>East Isle Royale Weather Wave Buoy 1</i>	* 48-03-37.390N 088-34-19.510W	* FI W 2.5s		* *	* *	* Maintained from May.1 to 27/21 Nov.31. Private Aid.
18179	* <i>East Grand Traverse Bay Weather Wave Buoy 1</i>	* 44-46-10.150N 085-33-12.980W	* FI W 2.5s		* *	* *	* Maintained from May.1 to 27/21 Nov.31. Private Aid.
18266	* <i>West Grand Traverse Bay Weather Wave Buoy 2</i>	* 44-47-08.650N 085-37-28.180W	* FI W 2.5s		* *	* *	* Maintained from May.1 to 27/21 Nov.31. Private Aid.
	* *	* *	* *		* *	* *	* *

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2021 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
18341	<i>North Manitou Island Weather Wave Buoy 1</i>	45-02-41.390N 086-00-54.960W	Fl W 2.5s				Maintained from May.1 to 27/21 Nov.31. Private Aid.
*	*	*	*		*	*	*
19926	CHICAGO 31 STREET HARBOR LIGHTED FIXED AID 1	41-49-59.790N 088-36-08.380W	Fl G 4s				Maintained from Apr.1 to 27/21 Dec.1. Private Aid.
*	*	*	*		*	*	*
19927	CHICAGO 31 STREET HARBOR LIGHTED FIXED AID 2	41-49-58.660N 087-36-06.420W	Fl R 4s				Maintained from Apr.1 to 27/21 Dec.1. Private Aid.
*	*	*	*		*	*	*
20764	<i>Port Washington NOAA Weather Wave Buoy 1</i>	43-23-29.690N 087-48-13.480W	Fl Y 2.5s				Maintained from May.1 to 27/21 Nov.1. Private Aid.
*	*	*	*		*	*	*
20834	<i>Sheboygan NOAA Weather Wave Buoy 1</i>	43-43-53.460N 087-37-29.810W	Fl Y 2.5s				Maintained from May.1 to 27/21 Nov.1. Private Aid.
*	*	*	*		*	*	*
20937	<i>Manitowoc NOAA Weather Wave Buoy 1</i>	44-12-15.750N 087-26-32.640W	Fl Y 2.5s				Maintained from May.1 to 27/21 Nov.1. Private Aid.
*	*	*	*		*	*	*
21339	<i>Washington Island Weather Wave Buoy 1</i>	45-20-08.720N 086-57-35.320W	Fl W 2.5s				Maintained from May.1 to 27/21 Nov.31. Private Aid.
*	*	*	*		*	*	*
No corrections this week							26/21
3467	<i>Buffalo State College Weather Buoy 1</i>	42-33-42.000N 079-25-56.000W	Fl Y 4s				Maintained from May.1 to 25/21 Nov.30. Private Aid.
*	*	*	*		*	*	*
16500	Two Harbors Light	47-00-50.330N 091-39-48.520W	Fl (2)W 5s 0.15s fl 4.8s ec. 0.15s fl 14.8s ec.		78 24	Square tower on dwelling. 78	Light obscured from 065° 25/21 to 210°. Private Aid.
*	*	*	*		*	*	*
18367	<i>Frankfort NOAA Wave Buoy 1</i>	45-45-26.130N 086-15-45.990W	Fl Y 2.5s				Maintained from May.1 to 25/21 Dec.1. Private Aid.
*	*	*	*		*	*	*

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2021 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
18367	Frankfort NOAA Wave Buoy 1	45-55-10.980N 084-20-12.900W	FI Y 2.5s				Maintained from May.1 to Dec.1. Private Aid. 24/21
*	*	*	*	*	*	*	*
20486	Salmon Unlimited Weather Buoy	42-42-03.250N 087-38-08.333W	FI Y 2.5s				Maintained from May.1 to Oct.1. Private Aid. 24/21
*	*	*	*	*	*	*	*
10805	Saginaw River Buoy 12	43-37-09.950N 083-50-35.272W				Red.	Nun; winter marker. 23/21
12820	De Tour Passage Buoy 3	* 45-57-45.032N 083-54-00.029W	FI G 2.5s		4	Green can.	23/21
14315	Vidal Shoals Southwest Lighted Buoy P (C)	46-30-06.040N 084-23-35.363W	IQ W		*	Yellow with black band.	Spar; winter markder. Cardinal buoyage. Seasonal. 23/21
15235	Black River West Breakwater Lighted Buoy 2	* 46-40-06.446N 090-02-56.068W	FI R 4s	18 5	3	TR on tower.	Lighted Buoy replaced Light on BKW. Maintained from May 28 to Oct. 14. 23/21
15296	* Chequamegon Point Lighted Buoy 5	46-43-44.700N 090-48-46.740W	FI G 4s		7	Green	* Replaced by can from Nov. 21 to May 21. 23/21
*	*	*	*	*	*	*	*
15235	Black River West Breakwater Light 2	46-40-06.446N 090-02-56.068W	FI R 4s	18 5	3	TR on tower.	Maintained from May 28 to Oct. 14. 22/21
	*	*					

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2021 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
12820	De Tour Passage Buoy 3	45-57-45.032N 083-54-00.029W	FI G 2.5s			Green can.		21/21
17825	<i>St. James Harbor Lighted Buoy 4</i>	45-44-26.744N 085-30-31.221W	* FI R 4s		4	Red.	Replaced by nun from Nov. 14 to May 7.	21/21
18120	<i>Northport Point Lighted Bell Buoy 2</i> Marks south side of shoal.	* 45-07-43.571N 085-33-08.591W	FI R 4s		4	Red.	Replaced by nun from Nov. 14 to May. 01.	21/21
18125	Northport Bay Shoal Buoy 4 Marks southeast side of shoal.	* 45-07-41.593N 085-33-59.406W				Red nun.		21/21
18235	Suttons Bay Buoy 1 Marks north side of shoal.	* 44-59-53.610N 085-36-03.061W				Green can.		21/21
19957	<i>Purdue University Meteorological Buoy 1A</i>	41-53-33.000N 087-33-47.000W	F Y				Maintained from Apr.15 to Dec.15. Private Aid.	20/21
* 20630	* <i>Milwaukee South Point Lighted Bell Buoy 1</i> Marks east side of shoal.	* 42-59-22.598N 087-49-47.011W	* FI G 4s		* 5	* Green.	* Replaced by can from Dec. 1 to Apr. 21.	* 20/21
21794.1	Cedar River Buoy 6	* 45-24-20.770N 087-20-58.786W				Red nun.	Maintained from May 14 to Nov. 14.	20/21
21794.3	Cedar River Buoy 10	* 45-24-23.494N 087-21-00.658W				Red nun.	Maintained from May 14 to Nov. 14.	20/21
		*						

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2021 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4120	<i>Cleveland Harbor East Basin Channel Lighted Buoy 4</i>	41-31-59.272N 081-39-59.153W	Fl R 6s		4	Red.	Replaced by nun from Dec. 1 to Apr. 14.	19/21
		*						
18355	North Manitou Shoal Southwest End Buoy 6	45-00-16.315N 086-00-14.538W				Red nun.		19/21
		*						
19905	South Park Shoal Buoy 6 Marks east side of shoal.	41-47-51.314N 087-32-09.243W				Red nun.		19/21
		*						
19915	Hyde Park Shoal Outside Buoy 2	41-48-30.318N 087-32-34.792W				Red nun.		19/21
		*						
20325	Waukegan Shoals Buoy 1	42-21-27.486N 087-47-36.734W				Green can.		19/21
		*						
20483	<i>Racine Reef Lighted Buoy 18</i> Marks east side of reef.	42-43-39.992N 087-43-59.526W	Fl R 2.5s		5	Red.	Replaced by nun from Dec. 1 to Apr. 21. AIS MMSI: 993682608	19/21
		*						
20600	Wind Point South Shoal Buoy 16 Marks east side of shoal.	42-46-13.647N 087-44-00.849W				Red nun.		19/21
		*						
20610	<i>Wind Point North Shoal Lighted Buoy 14</i> Marks southeast side of shoals.	42-47-43.414N 087-43-24.189W	Fl R 4s		4	Red.	Replaced by nun from Dec. 1 to Apr. 21.	19/21
		*						
20876	Manitowoc River Buoy 9						Remove from list.	19/21
		*						
21525	<i>Boulder Reef Lighted Bell Buoy 1</i>	45-35-12.303N 085-59-06.888W	Fl G 4s		5	Green.	Replaced by can from Nov 14 to Apr. 28.	19/21
		*						
3440	<i>Dunkirk Harbor Lighted Buoy 3</i>	42-29-32.039N 079-20-32.779W	Fl G 2.5s		4	Green can.	Maintained from May 14 to Nov. 01.	18/21
		*						

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2021 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5525	<i>Starve Island Reef Lighted Buoy 2</i> Marks west side of reef.	41-36-38.529N 082-49-02.292W	Fl R 6s		4	Red.	Replaced by nun from Nov. 7 to May 7.	17/21
5620	North Bass Island Shoal Buoy 2	* 41-42-36.825N 082-51-31.905W				Red nun.	Maintained from May 7 to Nov. 7.	17/21
10590	<i>Saginaw Bay Channel Lighted Buoy 3</i>	* 43-46-52.020N 083-44-23.280W	Fl G 4s		6	Green	Replaced by can from Dec. 01 to Apr. 21.	16/21
10595	<i>Saginaw Bay Channel Lighted Buoy 4</i>	* 43-46-53.763N 083-44-27.273W	Fl R 4s		6	Red	Replaced by can from Dec. 01 to Apr. 21.	16/21
10610	<i>Saginaw Bay Channel Lighted Buoy 7</i>	* 43-43-54.183N 083-46-51.978W	Fl G 2.5s		6	Green	Replaced by can from Dec. 01 to Apr. 21.	16/21
10615	Saginaw Bay Channel Buoy 8						Remove from list.	16/21
10805	Saginaw River Buoy 12	43-37-12.191N 083-50-32.001W				Red.	* Nun; winter marker.	16/21
12263	<i>NOAA GLOS Les Cheneaux Wave Buoy 1</i>	45-55-10.980N 084-20-12.900W	* Fl Y 2.5s			*	Maintained from May.1 to Dec.1. Private Aid.	16/21
* 15183	* <i>GLOS Copper Harbor Weather Buoy 1</i>	* 47-28-36.480N 087-52-13.440W	* Fl Y 2.5s		*	*	* Maintained from Apr.1 to Nov.1. Private Aid.	16/21
* 15253	* <i>UMN Bark PT Meteorological Buoy 1</i>	* 46-53-54.000N 091-08-42.000W	* Fl Y 4s		*	*	* Maintained from May.1 to Oct.31. Private Aid.	16/21
* 16653	* <i>UMN NE of Apostle Meteorological Buoy 2</i>	* 47-25-48.000N 089-42-48.000W	* Fl Y 4s		*	*	* Maintained from May.1 to Oct.31. Private Aid.	16/21
* *	* *	* *	* *		*	*	* *	

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2021 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
10590	<i>Saginaw Bay Channel Lighted Buoy 3</i>	43-46-52.020N 083-44-23.280W	Fl G 4s		6	Green	Replaced by can from Apr. 21 to Dec. 01.	15/21
	*	*	*		*	*	*	
10595	<i>Saginaw Bay Channel Lighted Buoy 4</i>	43-46-53.763N 083-44-27.273W	Fl R 4s		6	Red	Replaced by nun from Apr. 21 to Dec. 01.	15/21
	*	*	*		*	*	*	
10600	<i>Saginaw Bay Channel Lighted Buoy 5</i>	43-45-22.814N 083-45-38.213W	Fl G 4s		4	Green.	Can; winter marker. Maintained from Apr. 21 to Dec.1. AIS MMSI: 993672221	15/21
	*	*	*		*	*	*	
10605	<i>Saginaw Bay Channel Lighted Buoy 6</i>	43-45-24.338N 083-45-42.298W	Fl R 4s		4	Red.	Nun; winter marker. Maintained from Apr. 21 to Dec. 1. AIS MMSI: 993672222	15/21
	*	*	*		*	*	*	
10610	<i>Saginaw Bay Channel Lighted Buoy 7</i>	43-43-54.183N 083-46-51.978W	Fl G 2.5s		6	Green	Replaced by can from Apr. 21 to Dec. 01.	15/21
	*	*	*		*	*	*	
10644	SAGINAW BAY CHANNEL LIGHT 8	43-43-56.385N 083-46-56.947W	Fl R 2.5s	20	6	White cylindrical tower with red stripe in middle.		15/21
	*							

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2021 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
10650	Saginaw Bay Channel V-AIS 9	43-42-59.840N 083-47-38.302W					AIS MMSI: 993682809 15/21
10655	* Saginaw Bay Channel V-AIS 10	43-43-02.031N 083-47-42.228W				*	* AIS MMSI: 993682794 15/21
10660	* <i>Saginaw Bay Channel Lighted Buoy 11</i>	43-42-07.031N 083-48-22.328W	Fl G 4s		6	Green.	* Replaced by can from Dec. 07 to Apr. 21. AIS MMSI: 993672223 15/21
10665	* <i>Saginaw Bay Channel Lighted Buoy 12</i>	43-42-08.731N 083-48-27.028W	Fl R 4s		6	Red.	* Replaced by nun from Dec. 07 to Apr. 21. AIS MMSI: 993672224 15/21
10670	* Saginaw Bay Channel V-AIS 13	43-41-13.031N 083-49-07.528W				*	AIS MMSI: 993682783 15/21
10675	* Saginaw Bay Channel V-AIS 14	43-41-15.031N 083-49-11.528W				*	* AIS MMSI: 993682676 15/21
10680	* <i>Saginaw Bay Channel Lighted Buoy 15</i>	43-40-22.006N 083-49-49.767W	Fl G 4s		4	Green.	* Replaced by can from Dec. 07 to Apr. 21. 15/21
10685	* <i>Saginaw Bay Channel Lighted Buoy 16</i>	43-40-24.062N 083-49-53.874W	Fl R 4s		4	Red.	Replaced by nun from Dec. 07 to Apr. 21. 15/21
10710	* <i>Saginaw Bay Channel Lighted Buoy 17</i>	43-39-38.598N 083-50-26.013W	Fl G 2.5s		4	Green.	Replaced by can from Dec. 01 to Apr. 21. 15/21
10715	* <i>Saginaw Bay Channel Lighted Buoy 18</i>	43-39-40.389N 083-50-30.084W	Fl R 2.5s		4	Red.	Replaced by nun from Dec. 01 to Apr. 21. 15/21
10720	* <i>Saginaw Bay Channel Lighted Buoy 19</i>	43-39-08.921N 083-50-50.778W	Fl G 2.5s		4	Green.	Replaced by can from Dec. 01 to Apr. 21. 15/21
10725	* <i>Saginaw Bay Channel Lighted Buoy 20</i>	43-39-09.321N 083-50-55.730W	Fl R 2.5s		4	Red.	Replaced by nun from Dec. 01 to Apr. 21. 15/21
10730	* SAGINAW BAY CHANNEL LIGHT 22	43-39-02.055N 083-50-59.373W	Q R		23 7	6 TR on pile.	15/21

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2021 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
10735	<i>Saginaw Bay Channel Lighted Buoy 21</i>	43-38-58.731N 083-50-54.482W	Fl G 2.5s		4	Green.	Replaced by can from Dec. 01 to Apr. 21.	15/21
10740	* <i>Saginaw Bay Channel Lighted Buoy 24</i>	43-38-46.178N 083-50-58.277W	Fl R 2.5s		4	Red.	Replaced by nun from Dec. 01 to Apr. 21.	15/21
10805	* Saginaw River Buoy 12	43-37-12.191N 083-50-32.001W	Fl R 2.5s		4	Red.	Nun; winter marker.	15/21
10820	* Saginaw River Buoy 19	* 43-36-44.732N 083-51-38.958W	Fl G 2.5s		4	Green can.		15/21
3440	<i>Dunkirk Harbor Lighted Buoy 3</i>	42-29-32.039N 079-20-32.779W	Fl (2)G 5s	*	4	Green can.	Maintained from May 14 to Nov. 01.	14/21
3453	* <i>Dunkirk Harbor Lighted Buoy 6</i>	42-29-27.139N 079-20-24.579W	Fl (2)R 5s	*	4	Red nun.	Maintained from May 14 to Nov. 01.	14/21
	* No corrections this week		*			*		13/21
	No corrections this week							12/21
	No corrections this week							11/21
	No corrections this week							10/21
	No corrections this week							09/21
	No corrections this week							08/21
	No corrections this week							07/21
21210	Sturgeon Bay Ship Channel Buoy 31 Marks east side of shoal.	44-52-45.739N 087-24-55.252W	Fl G 2.5s		4	Green can.	Maintained from Apr. 21 to Nov. 21.	06/21
19800	Calumet Harbor Breakwater South End Light	41-43-33.680N 087-29-35.986W	Fl R 10s		50 15	White square skeleton tower with red band. Lower half open. 46	HORN: 1 blast ev 15s (2s bl). Operates by keying microphone five times on VHF-FM Ch. 83A.	05/21
	No corrections this week		*			*		04/21

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2021 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
	No corrections this week						03/21
	No corrections this week						02/21
	No corrections this week						01/21