

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2017 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
No Corrections this week								25/17
10161	Harbor Beach Buoy 7	43-51-13.852N 082-38-27.115W				Green can.	Maintained 21 Apr. to 01 Nov.	24/17
		*						
10162	Harbor Beach Buoy 9	43-51-18.242N 082-38-37.236W				Green can.	Maintained 21 Apr. to 01 Nov.	24/17
		*						
15840	Duluth Harbor Breakwater Isolated Danger Buoy	46-47-14.412N 092-05-22.603W				Black and Red Can	Maintained from Apr. 21 to Oct. 14.	24/17
		*						
No Corrections this week								23/17
No Corrections this week								22/17
21355	Detroit Harbor Channel Buoy 6	45-20-04.429N 086-56-07.849W				Red nun.		21/17
		*						
21370	Detroit Harbor Channel Buoy 10	45-20-20.362N 086-56-08.562W				Red nun.		21/17
		*						
7365	<i>West Outer Channel Lighted Buoy 1W</i>	41-57-00.954N 083-09-32.344W	FIG 6s			6 Green.	Replaced by can from Dec. 7 to May 7.	20/17
		*						
8445	<i>Lake St. Clair Lighted Buoy 7</i>	42-23-19.748N 082-52-00.289W	FIG 4s			4* Green.	Replaced by can Dec 21 to Mar 28	20/17
		*						
10150	Harbor Beach Lighted Buoy 4	43-50-43.714N 082-37-54.349W	FIR 2.5s			4 Red nun.	Maintained from 21 Apr to 01 Nov	20/17
		*						
14940	PILGRIM POINT LEADING LIGHT	47-06-23.962N 088-30-26.439W	FI W 4s		22 7	9 NB on post.	Higher intensity beam on bearing 165°.	20/17
		*						
15145	LAC LA BELLE SOUTH PIERHEAD LIGHT	47-22-27.300N 087-57-46.000W	FIG 4s		29 9	7* SG on post.		20/17
		*						
19100	Grand River Buoy 26	43-03-19.424N 086-10-09.871W				* Red nun.		20/17
		*						

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2017 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
22350	Green Bay City Buoy 24	44-27-27.146N 088-03-47.615W				Red nun.		19/17	
5553	<i>Battle of Lake Erie Lighted Buoy</i>	* 41-44-50.000N 083-02-00.000W	Fl W 6s			5	Red buoy hull with a blue and white vertical tower.	Maintained from Apr. 7 to Nov. 1.	18/17
6045	<i>Maumee Bay Entrance Lighted Buoy 1</i>	41-49-26.940N 083-11-27.380W	Q G			4	Green.	Replaced by can from Dec. 14 to Apr. 7. AIS MMSI: 993672199	18/17
8495	<i>Lake St. Clair Lighted Buoy 17</i>	42-25-50.100N 082-48-17.740W	Fl G 4s			5	Green.	*	17/17
8500	<i>Lake St. Clair Lighted Buoy 18</i>	42-25-44.220N 082-48-10.560W	Fl R 4s			6	Red.		17/17
10130	HARBOR BEACH LIGHT "2"	43-50-44.196N 082-37-52.086W	Fl R 6s		20 6	8	TR on navigation pole	HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF-FM Ch. 83A.	17/17
10145	Harbor Beach Buoy 3	43-50-38.745N 082-38-05.386W					Green can.	Maintained from 21 Apr to 01 Nov	17/17
10150	Harbor Beach Buoy 4	* 43-50-43.714N 082-37-54.349W					Red nun.	Maintained from 21 Apr to 01 Nov	17/17
10155	Harbor Beach Buoy 5	* 43-51-01.156N 082-38-13.669W					Green can.	Maintained from 21 Apr to 01 Nov	17/17
10160	Harbor Beach Buoy 6	*						Remove from list.	17/17
10161	Harbor Beach Buoy 7	43-51-14.120N 082-38-32.310W					Green can.	Maintained 21 Apr. to 01 Nov.	17/17
*	*	*	*		*	*	*	*	
10162	Harbor Beach Buoy 9	43-51-19.390N 082-38-40.980W					Green can.	Maintained 21 Apr. to 01 Nov	17/17
*	*	*	*		*	*	*	*	
10195	<i>Harbor Beach Marina Lighted Buoy 1</i>							Remove from list.	17/17
10200	<i>Harbor Beach Marina Lighted Buoy 3</i>							Remove from list.	17/17
								*	

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2017 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
14495	Gros Cap Reefs Light (C)	46-30-42.000N 084-36-54.000W	FIR 5s	59	14	On white square block.	Seasonal. Emergency light.	17/17
19100	Grand River Buoy 26	43-03-19.448N 086-10-09.832W				Red nun.	*	17/17
14875	Keweenaw Waterway Buoy 24	* 47-01-50.843N 088-28-40.247W				Red nun.	Maintained from May 14 to Nov 14.	16/17
							*	

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2017 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
14926	Torch Lake Southwest Arm Wreck Buoy 2	47-08-58.889N 088-27-01.151W				Red nun.	Maintained from May 14 16/17 to Nov 14.
							*
14937	Keweenaw Waterway Buoy 30A	47-06-05.231N 088-30-03.296W				Red nun.	Maintained from May 14 16/17 to Nov 14.
							*
14955	Keweenaw Waterway Buoy 34	47-07-21.448N 088-32-47.551W				Red nun.	Maintained from May 14 16/17 to Nov 14.
							*
14985	Keweenaw Waterway Buoy 40	47-07-39.687N 088-36-58.775W				Red nun.	Maintained from May 14 16/17 to Nov 14.
							*
15000	Keweenaw Waterway Buoy 44	47-07-58.156N 088-37-20.428W				Red nun.	Maintained from May 14 16/17 to Nov 14.
							*
15005	Keweenaw Waterway Buoy 46	47-08-14.231N 088-37-28.181W				Red nun.	Maintained from May 14 16/17 to Nov 14.
							*
15035	Keweenaw Waterway Buoy 52	47-10-12.076N 088-38-20.806W				Red nun.	Maintained from May 14 16/17 to Nov 14.
							*
15050	Keweenaw Waterway Buoy 54	47-10-23.100N 088-38-13.460W				Red nun.	Maintained from May 14 16/17 to Nov 14.
							*
15060	Keweenaw Waterway Buoy 56	47-10-52.320N 088-37-45.270W				Red nun.	Maintained from May 14 16/17 to Nov 14.
							*
15065	Keweenaw Waterway Buoy 57	47-10-52.315N 088-37-50.075W				Green can.	Maintained from May 14 16/17 to Nov 14.
							*
15070	Keweenaw Waterway Buoy 59	47-11-18.724N 088-37-24.779W				Green can.	Maintained from May 14 16/17 to Nov 14.
							*
15075	Keweenaw Waterway Buoy 60	47-11-22.070N 088-37-17.074W				Red nun.	Maintained from May 14 16/17 to Nov 14.
							*
15090	Keweenaw Waterway Buoy 63	47-11-51.676N 088-37-10.593W				Green can.	Maintained from May 14 16/17 to Nov 14.
							*
20950	KEWAUNEE SHOAL LIGHT	44-27-03.941N 087-27-55.369W	FIG 4s		43 13	8 White cylindrical tower with green band.	HORN: 1 blast ev 15s (2s bl). Operates from Apr. 1 to Nov. 1. 16/17
							*
No Corrections this week							15/17
15840	Duluth Harbor Breakwater Isolated Danger Buoy	46-47-15.122N 092-05-22.602W				Black and Red Can	Maintained from Apr. 21 14/17 to Oct. 14.
							*

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2017 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
18945	Conservation Club Channel Dayboard 5	43-15-34.300N 086-15-15.000W				SG on post.	Private Aid.	14/17	
		*							
3075	GRAND ISLAND DIRECTION LIGHT	42-58-40.130N 078-56-50.240W	F R W G	29 9		R 7 G 7 W 7	4 NB on gray post. Red from 311.5° to 313.0°, white from 313.0° to 314.0°, green from 314.0° to 315.5°.	13/17	
		*	*	*	*	*	*		
10373	CASEVILLE HARBOR LIGHT	43-56-36.500N 083-16-22.000W	Fl W 10s	65 20		Square white tower with red roofed cupola.	Private Aid.	13/17	
		*	*	*	*				
2665	Buffalo Safe Water VAIS	42-50-08.639N 078-55-25.922W					MMSI:993682100	12/17	
*	*	*	*	*	*	*	*		
3375	CATTARAUGUS CREEK NORTH BREAKWATER LIGHT 1	42-34-18.804N 079-08-17.808W	Fl G 2.5s	31 9	5	SG on pile.		12/17	
		*							
3380	CATTARAUGUS CREEK SOUTH BREAKWATER LIGHT 2	42-34-21.642N 079-08-22.914W	Fl R 2.5s	31 9	4	TR on pile.		12/17	
		*							
3410	Dunkirk Light	42-29-38.022N 079-21-14.118W	Oc W 4s	82 25	16			12/17	
		*							
4233	CLEVELAND HARBOR WEST BASIN CHANNEL LIGHT 8	41-29-45.312N 081-43-37.476W	Fl R 6s	31 9	4	TR on post.	Light visible from 210° to 100°.	12/17	
		*							
6040	Maumee Safe Water VAIS	41-50-07.946N 083-10-10.530W					MMSI: 993682101	12/17	
*	*	*	*	*	*	*	*		
16883	NOAA Lighted Weather Buoy 45T01	48-02-10.000N 087-44-30.000W	Fl (4)Y 20s			4	Yellow disc-shaped hull with tripod mast.	Maintained from Apr. 1 to Nov. 1. Aid maintained by National Oceanic and Atmospheric Administration.	12/17
*	*	*	*	*	*	*	*		
No Corrections this week								11/17	
No Corrections this week								10/17	
No Corrections this week								09/17	

Summary of corrections to Volume VII of the U.S. Coast Guard Light List for the 2017 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
2370	OAK ORCHARD BREAKWATER LIGHT A	43-22-28.240N 078-11-28.480W	Q W		25 8	5	NR on post. 08/17
4040	GORDON PARK DISPOSAL LIGHT A	* 41-32-52.812N 081-38-00.696W	Fl W 4s		40 12	7	NB on post. 08/17
4045	GORDON PARK BOAT BASIN LIGHT 1	* 41-32-33.576N 081-38-17.514W	Fl G 2.5s		40 12	4	SG on post. 08/17
1635	BAYFIELD ISLAND LIGHT (C)	* 44-11-39.300N 076-19-42.400W			38 12		White square skeleton tower with orange triangular daymark. F R 260.5° to 262°, Al WR 262° to 262.25°, W phase increasing with bearing, F W 262.25° to 263.75°, Al WG 263.75° to 264°, G phase increasing with bearing, F G 264° to 265.5°. Seasonal. 07/17
*							
No Corrections this week							06/17
No Corrections this week							05/17
8025	<i>Trenton Channel Lighted Buoy 11</i>	42-09-23.518N 083-09-57.944W	Fl G 2.5s			4	Green can. 04/17
8025	<i>Trenton Channel Lighted Buoy 11</i>	* 42-09-23.518N 083-09-57.944W	Fl G 2.5s			4	Green can. 04/17
*							
No Corrections this week							03/17
825	Galop Island Sluff In Downstream Buoy						Remove from list. 02/17
*							
830	St. Lawrence Seaway Buoy 121A						Remove from list. 02/17
*							
5825	Erie Proving Ground Buoy K	41-37-40.176N 083-04-52.711W				Yellow can.	Maintained from Apr. 7 to Nov. 1. 01/17
*							
5830	Erie Proving Ground Buoy L	41-39-53.173N 083-06-17.716W				Yellow can.	Maintained from Apr. 7 to Nov. 1. 01/17
*							
17760	<i>Simmons Reef Lighted Bell Buoy 2</i>	45-54-08.325N 085-12-58.713W	Fl R 4s		4	Red.	Maintained from Apr. 21 to Nov. 28. 01/17
	Marks south side of reef.						
*							