

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>SEACOAST (Maine) - First District</b>							
<b>BAY OF FUNDY TO CAPE COD (Chart 13260)</b>							
4	<i>NOAA Data Lighted Buoy 44027</i>	44-16-59.000N 067-17-59.000W	Fl (4)Y 20s		4	Yellow.	Marked NOAA 44027 Aid maintained by National Oceanic and Atmospheric Administration.
5 2290	<b>Mount Desert Light</b>	43-58-07.010N 068-07-42.012W	Fl W 15s	75	14	Granite conical tower. 65	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
6	<i>University of Maine Jordan Basin Lighted Buoy M</i>	43-29-26.400N 067-52-47.400W	Fl Y 4s			Yellow.	Private aid.
10 3195	<b>Matinicus Rock Light</b>	43-47-00.502N 068-51-18.119W	Fl W 10s	90	20	Cylindrical gray granite tower. 41	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
20 4925	<b>Monhegan Island Light</b>	43-45-53.282N 069-18-56.981W	Fl W 15s	178	20	White tower. 47	Within 3 miles of island the light is obscured between west and southwest. Emergency light of reduced intensity when main light is extinguished.
35 5590	<b>Seguin Light</b>	43-42-26.900N 069-45-28.900W	F W	180	18	Brick conical tower. 53	Emergency light of reduced intensity when main light is extinguished. Two emergency lights may be visible from 340° and 160°. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
40 6675	<b>Halfway Rock Light</b>	43-39-20.800N 070-02-12.426W	Fl R 5s	76	19	White tower attached to dwelling. 77	Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
45 7480	<i>Portland Lighted Whistle Buoy P</i>	43-31-36.312N 070-05-28.163W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: M ( - - ) AIS: MMSI 993672144 (21)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>SEACOAST (Maine) - First District</b>							
<b>BAY OF FUNDY TO CAPE COD (Chart 13260)</b>							
60 7520	<b>Cape Elizabeth Light</b>	43-33-57.864N 070-12-00.209W	Fl (4)W 15s 0.3s fl 2.2s ec. 0.3s fl 2.2s ec. 0.3s fl 2.2s ec. 0.3s fl 7.2s ec.	129	15	White conical tower. 67	Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). Horn located 266 yards, 146° from light tower. MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
65	Taylor Reef Buoy 3 Off southeast side of reef.	43-33-22.327N 070-11-16.567W				Green can.	
70	Alden Rock Buoy 4 Southwest of rock.	43-33-04.328N 070-09-34.876W				Red nun.	
75 7500	<i>East Hue and Cry Rock</i> <b>Lighted Buoy 1 (NOAA 44007)</b> East-southeast of ledge.	43-31-30.362N 070-08-25.565W	Fl G 4s		4	Green.	3 meter discus buoy marked with 44007 on fin.  Aid maintained by National Oceanic and Atmospheric Administration.
80	<i>Old Anthony Lighted Whistle Buoy 2</i> Southwest of Old Anthony Rock.	43-32-16.308N 070-10-47.166W	Fl R 4s		4	Red.	
85	Watts Ledge Bell Buoy 1	43-32-19.707N 070-12-35.527W				Green.	
95	<b>Wood Island Light</b>	43-27-24.700N 070-19-44.600W	Al WG 10s	71	G 13 W 13	White conical tower connected to dwelling. 71	Emergency light (Fl G 10s) of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
100	Hussey Rock Buoy 1HR	43-25-28.011N 070-20-20.974W				Green can.	
105 8100	<b>Goat Island Light</b>	43-21-28.300N 070-25-30.300W	Fl W 6s	38	12	25	HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
113	<i>University of Maine Research Lighted Buoy B</i>	43-10-46.800N 070-25-36.600W	Fl Y 4s			Yellow.	Private aid.
113.1	<i>University of Maine Research Lighted Buoy E</i>	43-42-53.060N 069-21-16.800W	Fl Y 4s			Yellow.	Private aid.
113.2	<i>University of Maine Research Lighted Buoy I</i>	44-06-10.200N 068-06-43.800W	Fl Y 4s			Yellow.	Private aid.
115	Bibb Rock Buoy BR	43-16-33.122N 070-32-59.220W				Red nun with green bands.	
120	<i>Perkins Cove Lighted Bell Buoy PC</i>	43-14-26.693N 070-34-09.260W	Mo (A) W		4	Red and white stripes with red spherical topmark.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>SEACOAST (Maine) - First District</b>							
<b>BAY OF FUNDY TO CAPE COD (Chart 13260)</b>							
125	<b>Cape Neddick Light</b>	43-09-54.733N 070-35-27.943W	Iso R 6s	88	13	White conical tower connected to dwelling. 88	Lighted throughout 24 hours Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 10s (1s bl). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
130	<i>Boon Island Ledge Lighted Whistle Buoy 22A</i>	43-07-27.616N 070-24-32.851W	FI R 4s		4	Red.	
155	<b>Boon Island Light</b>	43-07-17.218N 070-28-35.119W	FI W 5s	137	14	Gray conical tower, connected to dwelling. 133	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 10s (2s bl). Operates continuously.
160 8258	<i>York Harbor Lighted Bell Buoy YH</i>	43-07-45.360N 070-37-01.316W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
165	Stones Rock Buoy 2SR	43-06-24.901N 070-37-57.587W				Red nun.	
170	York Ledge Buoy YL East of ledge.	43-05-35.214N 070-35-15.049W				Red nun with green bands.	
180	Murray Rock Buoy 2MR Southwest of Murray Rock.	43-04-08.324N 070-36-38.182W				Red nun.	
185	West Sister Buoy 2	43-03-35.893N 070-40-09.615W				Red nun.	
190	<i>Sealite Temporary Research Weather Buoy A</i>	43-02-55.320N 070-40-53.040W	FI Y 4s				Property of Sealite. Temporary until Nov 01 2019. Private aid.
195	<i>Kitts Rocks Lighted Whistle Buoy 2KR</i> South of Kitts Rocks.	43-02-57.673N 070-41-27.756W	FI R 2.5s		4	Red.	
200	<b>Whaleback Light</b>	43-03-31.534N 070-41-46.701W	FI (2)W 10s 0.1s fl 8.4s ec. 0.1s fl 1.4s ec.	59	11	Gray conical tower. 59	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
<b>SEACOAST (New Hampshire) - First District</b>							
<b>PORTSMOUTH TO CAPE ANN (Chart 13278)</b>							
205	<i>Gunboat Shoal Lighted Bell Buoy 1</i> Off northeast point of shoal.	43-01-25.814N 070-41-55.134W	FI G 4s		4	Green.	
210	Foss Ledges Buoy 1A Marks east end of ledges.	43-00-43.824N 070-43-12.865W				Green can.	
215 8870	<i>Rye Harbor Entrance Lighted Whistle Buoy RH</i>	42-59-37.515N 070-43-45.165W	Mo (A) W		6	Red and white stripes with red spherical topmark.	
<b>SEACOAST (Maine) - First District</b>							
<b>PORTSMOUTH TO CAPE ANN (Chart 13278)</b>							
220	Appledore Ledge Buoy 2	42-59-35.389N 070-37-13.138W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>SEACOAST (Maine) - First District</b>							
<b>PORTSMOUTH TO CAPE ANN (Chart 13278)</b>							
225	Isles of Shoals Bell Buoy IS North of Half way Rocks.	42-58-52.179N 070-37-15.597W				Red and white stripes with red spherical topmark.	
226	UNH Isle of Shoals CO2 Research Lighted Buoy	43-01-13.350N 070-32-34.062W	FI Y 4s				Private aid.
<b>SEACOAST (New Hampshire) - First District</b>							
<b>PORTSMOUTH TO CAPE ANN (Chart 13278)</b>							
230	Half way Rock Buoy 4 West of ledge.	42-58-41.353N 070-37-18.361W				Red nun.	
235	<b>Isles of Shoals Light</b>	42-58-02.039N 070-37-23.766W	FI W 15s	82	14	White conical tower. 58	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 30s (3s bl). Operates continuously.
237	Cedar Island Ledge Isolated Danger Buoy DC	42-58-24.960N 070-35-57.816W				Black and red bands with two black spherical topmarks; can.	
238	University of New Hampshire Lighted Research Wave Buoy	42-48-00.000N 070-10-14.880W	FI (5)Y 20s			Yellow.	Private aid.
240	Anderson Ledge Buoy 2	42-57-36.108N 070-36-08.919W				Red nun.	
245	Little Boars Head Buoy 1C	42-57-06.736N 070-45-18.255W				Green can.	
<b>SEACOAST (Massachusetts) - First District</b>							
<b>PORTSMOUTH TO CAPE ANN (Chart 13278)</b>							
250	Seabrook Station Buoy T7	42-55-15.000N 070-46-46.000W				White with orange bands, can.	Private aid.
255	Breaking Rocks Buoy 2 Off northeast end of ledge.	42-51-52.045N 070-47-46.642W				Red nun.	
260	<b>Newburyport Harbor Light</b>	42-48-54.830N 070-49-08.184W	Oc (2)G 15s 7s fl 2s ec. 4s fl 2s ec.	50	10	White conical tower. 45	Obscured by shore structure from 165° to 192° and 313° to 344°.
265 8990	Merrimack River Entrance Lighted Whistle Buoy MR	42-48-34.332N 070-47-03.181W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
275	Flat Ground Bell Buoy 1	42-41-04.442N 070-34-48.155W				Green.	
280	Flat Ground Southern Rock Buoy 2 At south end of flat ground.	42-40-36.522N 070-34-59.215W				Red nun.	
285	Dry Salvages Lighted Bell Buoy 1	42-40-37.123N 070-33-31.093W	FI G 2.5s		3	Green.	
290	STRAIGHTSMOUTH LIGHT	42-39-44.142N 070-35-17.054W	FI G 6s	46	6	White cylindrical tower.	HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
295	<b>Cape Ann Light</b>	42-38-12.444N 070-34-29.752W	FI R 5s	166	17	166	Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si).
297	NEMAC/Salem State University Aquaculture Lighted Buoy A	42-40-59.998N 070-27-00.000W	FI Y 2s			Yellow.	Property of Salem State University. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>SEACOAST (Massachusetts) - First District</b>							
<b>PORTSMOUTH TO CAPE ANN (Chart 13278)</b>							
300	Oak Rock Buoy 2	42-38-25.524N 070-35-03.053W				Red nun.	
305	THACHER ISLAND NORTH LIGHT	42-38-21.828N 070-34-30.000W	F Y	162		Gray granite conical tower.	Private aid.
310	Thacher Island Buoy 1	42-38-21.134N 070-34-47.613W				Green can.	
315	Londoner Rock Day beacon	42-38-06.444N 070-33-57.951W				Iron spindle.	
325	Salt Island Ledge Buoy 4	42-37-00.177N 070-36-54.217W				Red nun.	
<b>GEORGES BANK AND NANTUCKET SHOALS (Chart 13200)</b>							
330	<b>Eastern Point Light</b>	42-34-48.600N 070-39-52.000W	FI W 5s	57	20	White conical tower, covered way to dwelling. 57	Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished.
340	<i>Eastern Point Lighted Whistle Buoy 2</i>	42-34-14.435N 070-39-50.097W	FI R 4s		3		
350 9975	<b>Bakers Island Light</b>	42-32-11.200N 070-47-09.300W	AI WR 20s	111	W 16 R 14	White conical tower. 111	White conical tower. Emergency light, FI W 10s when main light extinguished. Light and Horn is reduced intensity when main light or horn is extinguished. HORN: 1 blast ev 30s (3s bl).
355 10383	<i>Newcomb Ledge Lighted Whistle Buoy 1</i>	42-30-27.837N 070-44-23.251W	FI G 4s		4	Green.	
365	<i>Great Pig Rocks Lighted Buoy 4</i>	42-27-37.568N 070-50-12.556W	FI R 4s		4	Red.	
367	<i>University of Maine ODAS Lighted Buoy A</i>	42-31-24.600N 070-33-58.800W	FI Y 4s			Yellow.	Private aid.
368	<i>Neptune LNG Deepwater Port Lighted Buoy North A1</i>	42-29-13.610N 070-36-33.350W	Q Y			Yellow.	Private aid.
368.2	<i>Neptune LNG Deepwater Port Lighted Buoy South B1</i>	42-27-23.350N 070-36-05.540W	Q Y			Yellow.	Private aid.
369.5	<i>Neptune LNG Deepwater Port Lighted Hazard Buoy</i>	42-29-07.572N 070-46-34.638W	FI W 4s			White and orange.	Private aid.
371	<i>Northeast Gateway Deepwater Port Lighted Buoy A1</i>	42-23-38.379N 070-35-30.955W	FI Y 2s				Private aid.
373	<i>Northeast Gateway Deepwater Port Lighted Buoy B1</i>	42-23-56.351N 070-37-00.388W	FI Y 2s				Private aid.
374.1	Northeast Gateway Support Vessel Mooring Buoy	42-24-01.800N 070-38-42.600W					Private aid.
380 10678	<i>The Graves Lighted Whistle Buoy 5</i>	42-22-32.823N 070-51-28.446W	FI G 4s		4	Green.	
385 10677	<i>Boston Approach Lighted Buoy BG</i>	42-23-26.823N 070-51-29.057W	Mo (A) W		4	Red and white stripes with red spherical topmark.	AIS: MMSI 993672145 (21)
390 10679	<b>The Graves Light</b>	42-21-53.600N 070-52-08.700W	FI (2)W 12s 0.1s fl 1.8s ec. 0.1s fl 10s ec.	98	15	On light gray conical granite tower. 98	Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
395 11334	<i>Three and One-Half Fathom Ledge Lighted Bell Buoy 2</i>	42-21-04.975N 070-50-29.784W	FI R 4s		4	Red.	
400 11335	Martin Ledge Buoy 4	42-20-45.705N 070-51-12.074W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>SEACOAST (Massachusetts) - First District</b>							
<b>GEORGES BANK AND NANTUCKET SHOALS (Chart 13200)</b>							
405 11336	Boston Ledge Buoy 6	42-20-04.645N 070-51-49.694W				Red nun.	
410 10676	<i>Boston Lighted Whistle Buoy B</i>	42-22-42.155N 070-46-58.160W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: B ( . . . ) AIS: MMSI 993672065
<b>WHOI Traffic Separation Scheme Research Lighted Buoy</b>							
415	- AB-1	42-20-50.040N 070-40-39.840W	FI Y 4s			Yellow.	Private aid.
<b>GEORGES BANK AND NANTUCKET SHOALS (Chart 13200)</b>							
420	<i>Boston Approach Lighted Buoy</i> <i>BF NOAA 44013</i>	42-20-44.014N 070-39-03.916W	FI (4)Y 20s 0.5s fl 2s ec. 0.5s fl 2s ec. 0.5s fl 2s ec. 0.5s fl 12s ec.		7	Yellow.	Aid maintained by National Oceanic and Atmospheric Administration.
425 11340	<b>Boston Light</b>	42-19-40.855N 070-53-24.266W	FI W 10s		102	27 On white conical tower. 89	Emergency light of reduced intensity when main light is extinguished. Two emergency lights may be visible from 336° to 001° and from 156° to 181°. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
430 11333	<i>Thieves Ledge Lighted Whistle Buoy 1</i>	42-19-34.067N 070-49-49.332W	Q G		3	Green.	
435 11337	<i>Harding Ledge Lighted Bell Buoy 1HL</i>	42-18-34.188N 070-50-37.872W	FI G 4s		4	Green.	
440	<b>Minots Ledge Light</b>	42-16-11.000N 070-45-32.700W	FI (1+4+3)W 45s 1.5s fl 5s ec. 1.5s fl 1.5s ec. 1.5s fl 1.5s ec. 1.5s fl 1.5s ec. 1.5s fl 5s ec. 1.5s fl 1.5s ec. 1.5s fl 1.5s ec. 1.5s fl 15.5s ec.		85	10 On gray conical tower. 87	HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
445	<i>Davis Ledge Lighted Gong Buoy 1DL</i>	42-16-20.893N 070-44-51.282W	FI G 2.5s		3	Green.	
450	<i>Twenty-one Foot Lighted Buoy 21</i>	42-16-34.762N 070-42-22.058W	FI G 4s		4	Green.	
<b>Scituate Harbor Approach</b>							
455 12256	Tar Pouch Buoy 2	42-13-10.235N 070-42-13.375W				Red nun.	
460 12258	<i>Scituate Approach Lighted Gong Buoy SA</i>	42-12-07.545N 070-41-49.344W	Mo (A) W		4	Red and white stripes with red spherical topmark.	AIS: MMSI 993672146 (21)
465 12270	SCITUATE NORTH JETTY LIGHT 2A	42-12-11.322N 070-42-47.484W	FI R 4s		23	4 TR on white skeleton tower.	Higher intensity beam eastward.
<b>WHOI Traffic Separation Scheme Research Lighted Buoy</b>							
466	- AB-2	42-20-25.140N 070-33-58.500W	FI Y 4s			Yellow.	Private aid.
467	- AB-3	42-19-59.580N 070-27-15.420W	FI Y 4s			Yellow.	Private aid.
468	- AB-4	42-19-33.780N 070-20-32.520W	FI Y 4s			Yellow.	Private aid.
471	- AB-5	42-19-08.520N 070-13-49.860W	FI Y 4s			Yellow.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>SEACOAST (Massachusetts) - First District</b>							
<b>GEORGES BANK AND NANTUCKET SHOALS (Chart 13200)</b>							
<b>WHOI Traffic Separation Scheme Research Lighted Buoy</b>							
472	- AB-6	42-18-40.920N 070-07-06.660W	FI Y 4s			Yellow.	Private aid.
473	- AB-7	42-18-11.160N 070-01-54.900W	FI Y 4s			Yellow.	Private aid.
<b>GEORGES BANK AND NANTUCKET SHOALS (Chart 13200)</b>							
485	<b>Race Point Light</b>	42-03-44.400N 070-14-34.900W	FI W 10s	41	14	On white tower.	"Obscured from 220° to 292°.
<b>WHOI Traffic Separation Scheme Research Lighted Buoy</b>							
496	- AB-8	42-13-50.100N 069-58-03.120W	FI Y 4s			Yellow.	Private aid.
497	- AB-9	42-09-23.280N 069-54-58.260W	FI Y 4s			Yellow.	Private aid.
498	- AB-10	42-03-46.044N 069-50-55.788W	FI Y 4s			Yellow.	Private aid.
<b>GEORGES BANK AND NANTUCKET SHOALS (Chart 13200)</b>							
500	<b>Highland Light</b>	42-02-22.282N 070-03-39.377W	FI W 5s	170	14	White conical tower.	Lighted throughout 24 hours.
510.1	NAUSET BEACH LIGHT	41-51-36.000N 069-57-12.000W	Al WR 10s 0.1s fl 4.9s ec. 0.1s fl 4.9s ec.	120	R W	Conical tower, upper part red, lower part white.	Lighted throughout 24 hours. Private aid.
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Chatham Harbor Approach</b>							
520	<i>Chatham Beach Lighted Whistle Buoy C</i>	41-39-12.000N 069-55-30.000W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
<b>SEACOAST (Massachusetts) - First District</b>							
<b>GEORGES BANK AND NANTUCKET SHOALS (Chart 13200)</b>							
525	<b>Chatham Light</b>	41-40-16.704N 069-57-00.554W	FI (2)W 10s 0.1s fl 2s ec. 0.1s fl 7.8s ec.	80	24	White conical tower.	Lighted throughout 24 hours. Storm warning signals displayed by day.
545 13650	<b>Nantucket (Great Point) Light</b>	41-23-24.600N 070-02-53.800W	FI W 5s (R sector)	71	W 14 R 12	On white tower. 70	Red from 084° to 106°. Covers Cross Rip and Tuckernuck Shoals.
555	<b>Sankaty Head Light</b>	41-17-03.730N 069-57-57.900W	FI W 7.5s	158	24	White tower with red band in the middle. 70	Lighted throughout 24 hours.
560	<i>NOAA Data Lighted Buoy 44018</i>	42-12-21.046N 070-08-35.891W	FI (4)Y 20s 0.5s fl 2s ec. 0.5s fl 2s ec. 0.5s fl 2s ec. 0.5s fl 12s ec.		7	Yellow.	Marked NOAA 44018. Aid maintained by National Oceanic and Atmospheric Administration.
589	WHOI RESEARCH LIGHT TOWER	41-19-30.000N 070-34-00.000W	FI Y 4s			Steel tripod with mast.	Horn. Private aid. Private aid.
<b>APPROACHES TO NEW YORK - NANTUCKET SHOALS TO FIVE FATHOM BANK (Chart 12300)</b>							
590	<i>Squibnocket Lighted Bell Buoy 1</i>	41-15-41.740N 070-46-16.422W	FI G 4s		3	Green.	
595	Squibnocket Shoal Buoy 2 On west side of shoal.	41-17-44.988N 070-48-07.794W				Red nun.	
600	Old Man Ledge Buoy 3 On north end of Rocky Shoal.	41-17-04.379N 070-48-35.764W				Green can.	
605	Lone Rock Buoy 5	41-17-18.317N 070-49-17.866W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>SEACOAST (Massachusetts) - First District</b>							
<b>APPROACHES TO NEW YORK - NANTUCKET SHOALS TO FIVE FATHOM BANK (Chart 12300)</b>							
620 15610	<b>Gay Head Light</b>	41-20-54.420N 070-50-03.676W	Al WR 15s 0.2s W fl 7.3s ec. 0.2s R fl 7.3s ec.	175	W 24 R 20	Red brick tower. 51	Obscured from 342° to 359° by Nomans Land; light occasionally visible through notches in hilltop. Emergency light (Fl W 6s) of reduced intensity when main light is extinguished. Lighted throughout 24 hours.
630 15985	<b>Buzzards Bay Entrance Light</b>	41-23-49.118N 071-02-04.866W	Fl W 2.5s	67	14	Tower on red square on 3 red piles with large tube in center, worded BUZZARDS on sides. 68	RACON: B ( . . . ) HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
<b>SEACOAST (Rhode Island) - First District</b>							
<b>APPROACHES TO NEW YORK - NANTUCKET SHOALS TO FIVE FATHOM BANK (Chart 12300)</b>							
640	<b>Block Island Southeast Light</b>	41-09-10.373N 071-33-04.196W	Fl G 5s	261	20	Red-brick octagonal, pyramidal tower attached to dwelling. 67	Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. Emergency light is off set from main light. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
<b>SEACOAST (Massachusetts) - First District</b>							
<b>APPROACHES TO NEW YORK - NANTUCKET SHOALS TO FIVE FATHOM BANK (Chart 12300)</b>							
645	<i>WHOI Research Lighted Buoy DMON</i>	41-08-49.000N 070-56-41.000W	Fl Y 4s			Yellow	Private aid.
646	<i>Caribbean Wind Lighted Research Buoy BW1</i>	40-55-12.540N 070-55-46.920W	Fl Y 4s			Yellow.	Private aid.
647	<i>Caribbean Wind Lighted Research Buoy BW2</i>	41-07-09.300N 070-35-03.900W	Fl Y 4s			Yellow.	Private aid.
648	<i>Caribbean Wind Lighted Research Buoy BW3</i>	41-06-48.060N 070-35-38.440W	Fl Y 10s			Yellow.	Private aid.
<b>SEACOAST (Rhode Island) - First District</b>							
<b>APPROACHES TO NEW YORK - NANTUCKET SHOALS TO FIVE FATHOM BANK (Chart 12300)</b>							
650	<i>Southwest Ledge Lighted Whistle Buoy 2</i> Marks southwest edge of shoals.	41-06-22.649N 071-40-14.042W	Fl R 2.5s		4	Red.	
651	<i>ACOE Block Island Lighted Research Buoy 154</i>	40-58-51.780N 071-07-18.000W	Fl (5)Y 20s			Yellow.	Private aid.
<b>SEACOAST (Massachusetts) - First District</b>							
<b>APPROACHES TO NEW YORK - NANTUCKET SHOALS TO FIVE FATHOM BANK (Chart 12300)</b>							
652	BLOCK ISLAND WIND FARM WTG-1	41-07-32.740N 071-30-27.040W	Q Y				Maintained by Deepwater Wind RI. Private aid.
653	BLOCK ISLAND WIND FARM WTG-2	41-07-11.570N 071-30-50.220W	Q Y				Maintained by Deepwater Wind RI. Private aid.
654	BLOCK ISLAND WIND FARM WTG-3	41-06-52.960N 071-31-16.180W	Q Y				Maintained by Deepwater Wind RI. Private aid.



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>SEACOAST (Massachusetts) - First District</b>							
<b>APPROACHES TO NEW YORK - NANTUCKET SHOALS TO FIVE FATHOM BANK (Chart 12300)</b>							
654.5	<b>Block Island Wind Farm WTG-3 Fog Horn</b>	41-06-52.960N 071-31-16.180W					Maintained by Deepwater Wind RI. MRASS: Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes. HORN: 1 blast ev 20s (2s bl). Private aid.
656	BLOCK ISLAND WIND FARM WTG-4	41-06-36.540N 071-31-44.620W	Q Y				Maintained by Deepwater Wind RI. Private aid.
657	BLOCK ISLAND WIND FARM WTG-5	41-06-22.790N 071-32-15.500W	Q Y				Maintained by Deepwater Wind RI. Private aid.
657.5	<i>AXYS Technologies Research Lighted Bell Buoy SFW</i>	41-05-16.000N 071-13-22.000W	FI Y 4s			Yellow.	Private aid.
658	<i>Vineyard Wind Lighted Research Buoy VWM-01</i>	41-04-21.317N 070-28-57.004W	FI Y 2.5s			Yellow.	Private aid.
658.1	<i>Vineyard Wind Lighted Research Buoy VWM-02</i>	41-00-23.137N 070-28-39.554W	FI Y 2.5s			Yellow.	Private aid.
<b>SEACOAST (New York) - First District</b>							
<b>APPROACHES TO NEW YORK - NANTUCKET SHOALS TO FIVE FATHOM BANK (Chart 12300)</b>							
660	<b>Montauk Point Light</b>	41-04-15.480N 071-51-25.528W	FI W 5s	168	18	White conical tower with red stripe. 168	Emergency light FI W 5s when main light is extinguished. HORN: 1 blast ev 15s (2s bl).
665	<i>NOAA Data Lighted Buoy NOAA 44017</i>	40-41-34.225N 072-02-56.307W	FI (4)Y 20s		4	Yellow.	Aid maintained by National Oceanic and Atmospheric Administration.
670 29035	<i>Shinnecock Inlet Approach Lighted Whistle Buoy SH</i>	40-49-00.161N 072-28-34.519W	Mo (A) W		4	Red and white stripes with red spherical topmark.	AIS: MMSI 993672147 (21)
675 29025	<b>Shinnecock Light</b>	40-50-31.401N 072-28-41.677W	FI (2)W 15s	75	11	Skeleton tower. 75	
685	<i>Moriches Inlet Approach Lighted Whistle Buoy M</i>	40-44-07.858N 072-45-11.860W	Mo (A) W		6	Red and white stripes.	AIS: MMSI 993672148 (21)
695	<b>Fire Island Light</b>	40-37-56.790N 073-13-06.890W	FI W 7.5s	167		167	Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. Private aid.
<b>SEACOAST (Massachusetts) - First District</b>							
<b>APPROACHES TO NEW YORK - NANTUCKET SHOALS TO FIVE FATHOM BANK (Chart 12300)</b>							
725	<i>NOAA Data Lighted Buoy 44065</i>	40-22-10.000N 073-42-10.000W	FI (4)Y 20s		4		Aid maintained by National Oceanic and Atmospheric Administration.
730	<i>Tetra Tech Lighted Research Buoy F1</i>	40-17-39.880N 073-19-23.020W	FI (5)Y 20s			Yellow.	Private aid.
731	<i>Tetra Tech Lighted Research Buoy F2</i>	40-21-36.580N 073-30-06.020W	FI (5)Y 20s			Yellow.	Private aid.
732	<i>Tetra Tech Lighted Research Buoy WM</i>	40-17-25.270N 073-18-45.310W	FI (5)Y 20s			Yellow.	Private aid.
<b>SEACOAST (New Jersey) - First District</b>							
<b>APPROACHES TO NEW YORK - NANTUCKET SHOALS TO FIVE FATHOM BANK (Chart 12300)</b>							
740	<i>Fishing Grounds Obstruction Lighted Buoy 5</i>	40-25-41.494N 073-50-53.151W	FI G 4s		4	Green.	
742	Fishing Grounds Obstruction Shoal Buoy 6	40-25-25.490N 073-52-19.921W				Red.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>SEACOAST (New Jersey) - First District</b>							
<b>APPROACHES TO NEW YORK - NANTUCKET SHOALS TO FIVE FATHOM BANK (Chart 12300)</b>							
755	New York Bight Dumping Ground Buoy OM	40-22-06.200N 073-50-20.861W				Yellow nun.	Aid maintained by U.S. Army Corps of Engineers.
<b>SEACOAST (Atlantic Ocean)</b>							
<b>CAPE SABLE TO CAPE HATTERAS (Chart 13003)</b>							
820	NOAA Data Lighted Buoy 44005 (ODAS)	43-12-12.845N 069-07-40.439W	FI (4)Y 20s			Yellow boat-shaped buoy.	Marked "NOAA" and "44005". Aid maintained by National Oceanic and Atmospheric Administration.
825	NOAA Data Lighted Buoy 44011 (ODAS)	41-06-00.000N 066-37-12.000W	FI (4)Y 20s			Yellow.	Aid maintained by National Oceanic and Atmospheric Administration.
827	NOAA Data Lighted Buoy 44008 (ODAS)	40-30-16.000N 069-14-52.000W	FI (4)Y 20s				Aid maintained by NOAA.
828	WHOI Research Lighted Buoy Pioneer PMUI	40-21-55.500N 070-46-59.460W	FI Y 4s			Yellow.	Maintained by WHOI. Private aid.
828.2	WHOI Research Lighted Buoy Pioneer PMUO	39-56-29.820N 070-46-51.060W	FI Y 4s			Yellow.	Maintained by WHOI. Private aid.
828.3	WHOI Research Lighted Buoy Pioneer ISSM	40-21-33.780N 070-53-07.080W	FI Y 4s			Yellow.	Maintained by WHOI. Private aid.
828.4	WHOI Research Lighted Buoy Pioneer PMCI	40-13-36.120N 070-53-19.740W	FI Y 4s			Yellow.	Maintained by WHOI. Private aid.
828.5	WHOI Research Lighted Buoy Pioneer PMCO	40-05-48.060N 070-52-45.840W	FI Y 4s			Yellow.	Maintained by WHOI. Private aid.
828.6	WHOI Research Lighted Buoy Pioneer OSPM	39-56-34.920N 070-53-07.320W	FI Y 4s			Yellow.	Maintained by WHOI. Private aid.
828.7	WHOI Lighted Research Buoy Pioneer OS	39-56-26.280N 070-52-42.780W	FI Y 4s			Yellow.	Maintained by WHOI. Private aid.
828.75	WHOI Lighted Research Buoy Pioneer CNSM	40-08-24.780N 070-46-16.620W	FI Y 4s			Yellow.	Maintained by WHOI. Private aid.
828.8	WHOI Lighted Research Buoy Pioneer IS	40-21-51.720N 070-53-17.280W	FI Y 4s			Yellow.	Maintained by WHOI. Private aid.
828.85	WHOI Lighted Research Buoy Pioneer CN	40-08-02.700N 070-46-12.480W	FI Y 4s			Yellow.	Maintained by WHOI. Private aid.
830	NOAA Data Lighted Buoy 44025	40-15-03.040N 073-09-51.579W	FI (4)Y 20s			Yellow.	Aid maintained by National Oceanic and Atmospheric Administration.
<b>MAINE - First District</b>							
<b>NEW BRUNSWICK - GRAND MANAN CHANNEL NORTHERN PART (Chart 13394)</b>							
840	West Quoddy Head Bell Buoy WQ	44-49-24.947N 066-56-41.374W				Red and white stripes with red spherical topmark.	
845	Wormell Ledges Buoy 1A	44-49-26.178N 066-57-54.540W				Green can.	
850	Quoddy Roads Buoy 2	44-49-38.708N 066-57-47.999W				Red nun.	
<b>Lubec Channel</b>							
855	- Buoy 1	44-50-15.590N 066-58-25.555W				Green can.	
860	- LIGHT	44-50-31.387N 066-58-35.822W	FI W 6s	53	6	White conical tower on black cylindrical pier.	HORN: 1 blast ev 15s (2s bl).
865	- Buoy 3	44-50-34.668N 066-58-36.152W				Green can.	
870	- Buoy 4	44-50-33.788N 066-58-31.822W				Red nun.	
875	- Buoy 5	44-51-04.757N 066-58-28.751W				Green can.	
880	- Buoy 6	44-51-02.547N 066-58-22.891W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>NEW BRUNSWICK - GRAND MANAN CHANNEL NORTHERN PART (Chart 13394)</b>							
<b>Lubec Channel</b>							
883	- Buoy 6A	44-51-16.500N 066-58-33.800W				Red nun.	
885	- Buoy 8	44-51-56.556N 066-58-55.242W				Red nun.	
<b>NEW BRUNSWICK - GRAND MANAN CHANNEL NORTHERN PART (Chart 13394)</b>							
910	Popes Folly Ledge Buoy 9	44-52-11.082N 066-58-58.337W				Green can.	
914	<i>Treat Island Shoal Lighted Buoy 3</i>	44-53-09.501N 066-59-27.383W	FI G 2.5s		3	Green can.	
915	Buckman Ledge Buoy 2	44-53-41.400N 066-59-05.400W				Red nun.	
925	Clark Ledge Daybeacon 3	44-54-55.400N 066-59-04.700W				SG on iron spindle.	
930	DOG ISLAND LIGHT DI	44-55-06.535N 066-59-21.112W	FI W 6s	35	7	NG on skeleton tower.	HORN: 1 blast ev 30s (3s bl). MRASS -Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
935	<i>University of Maine Western Passage LOBO Temporary Lighted Research Buoy</i>	44-55-12.700N 066-59-46.500W	FI Y 20s			Yellow.	Property of University of Maine. Private aid.
940	<i>Frost Ledge Lighted Bell Buoy 7</i>	44-58-02.613N 067-02-11.427W	FI G 4s		4	Green.	
<b>NEW BRUNSWICK - PASSAMAQUODDY BAY AND ST. CROIX RIVER (Chart 13398)</b>							
<b>St. Croix River</b>							
<i>Floating aids maintained from 1 Apr. to 1 Nov.</i>							
945	- <i>Lighted Buoy 11</i>	45-06-47.275N 067-07-03.945W	FI G 2.5s		4	Green.	
950	- LIGHT	45-07-41.673N 067-08-01.748W	FI W 2.5s	101	7	White skeleton tower surmounted by platform.	Higher intensity beam towards Todds Point.
955	- <i>Lighted Buoy 13</i>	45-07-48.273N 067-07-45.948W	FI G 4s		4	Green.	
960	- Buoy 17	45-09-48.957N 067-10-05.514W				Green can.	Maintained from 1Apr. to 1 Nov.
970	- <i>Lighted Buoy 19</i>	45-10-15.368N 067-12-12.597W	Q G		3	Green.	Maintained from 1 Apr. to 1 Nov.
975	- Buoy 21	45-10-09.590N 067-12-25.864W				Green can.	Maintained from 1 Apr. to 1 Nov.
985	WHITLOCKS MILL LIGHT 25	45-09-45.370N 067-13-38.566W	Iso G 6s	32	5		
990	- Buoy 27	45-09-58.970N 067-13-53.088W				Green can.	Maintained from 1 Apr. to 1 Nov.
995	- <i>Lighted Buoy 29</i>	45-10-26.919N 067-14-38.242W	FI G 2.5s		4	Green.	Maintained from 1 Apr. to 1 Nov.
<b>NEW BRUNSWICK - GRAND MANAN CHANNEL NORTHERN PART (Chart 13394)</b>							
<b>Cobscook Bay</b>							
1000	Shackford Ledge Buoy 4	44-53-34.462N 067-00-27.221W				Red nun.	
1001	COOPER ISLAND AQUACULTURE LIGHTS (4)	44-53-30.000N 067-01-30.000W	FI Y 2.5s	6		On floating fish pens.	Four or more lights marking aquaculture structures of varying sizes and shapes in a charted fish pen area. Private aid.
1004	<i>University of Maine Research Lighted Buoy J</i>	44-53-22.000N 067-00-44.000W	FI Y 4s			Yellow.	Property of University of Maine. Private aid.
1005	- Buoy 5	44-53-59.400N 067-01-51.000W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>NEW BRUNSWICK - GRAND MANAN CHANNEL NORTHERN PART (Chart 13394)</b>							
<b>Cobscook Bay</b>							
1006	DEEP COVE AQUACULTURE LIGHTS (4)	44-54-18.000N 067-01-18.000W	F Y	8		On floating fish pens.	Four or more lights marking aquaculture structures of varying sizes and shapes in a charted fish pen area. Private aid.
1010	- Buoy 7	44-54-28.305N 067-02-56.501W				Green can.	
1013	ORPC Cobscook Bay Lighted Buoy A	44-54-41.000N 067-02-56.000W	FI W 2.5s			White with orange bands.	Property of ORPC. Private aid.
1013.1	ORPC Cobscook Bay Lighted Buoy B	44-54-37.000N 067-02-33.000W	FI W 2.5s			White with orange bands.	Property of ORPC. Private aid.
1013.2	ORPC Cobscook Bay Lighted Buoy C	44-54-26.000N 067-02-38.000W	FI W 2.5s			White with orange bands.	Property of ORPC. Private aid.
1013.3	ORPC Cobscook Bay Lighted Buoy D	44-54-32.000N 067-03-03.000W	FI W 2.5s			White with orange bands.	Property of ORPC. Private aid.
1015	- Buoy 8	44-54-40.584N 067-03-31.932W				Red nun.	
1020	- Buoy 9	44-54-24.473N 067-06-12.388W				Green can.	
1023	University of Maine Cobscook Bay LOBO Temporary Lighted Research Buoy	44-53-50.500N 067-03-56.900W	FI Y 20s			Yellow.	Property of University of Maine. Private aid.
<b>Pennamaquan River</b>							
1025	- Buoy 11	44-55-06.283N 067-06-51.939W				Green can.	Maintained from April 1 to November 1.
1030	- Buoy 13	44-55-20.489N 067-07-45.441W				Green can.	Maintained from April 1 to November 1.
1035	- Buoy 15	44-55-26.388N 067-08-09.084W				Green can.	Maintained from April 1 to November 1.
<b>NEW BRUNSWICK - GRAND MANAN CHANNEL NORTHERN PART (Chart 13394)</b>							
1040	West Quoddy Head Light	44-48-54.387N 066-57-02.416W	FI (2)W 15s 2s fl 2s ec. 2s fl 9s ec.	83	18	White tower with red stripes. 49	Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS -Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
1045	Sail Rock Lighted Whistle Buoy 1	44-48-37.850N 066-56-25.665W	FI G 4s		5	Green.	
1050	Morton Ledge Buoy 2	44-47-22.550N 066-59-17.188W				Red nun.	
1055	Bailey's Mistake Whistle Buoy 2BM	44-45-30.009N 067-02-52.107W				Red.	
1060	Bailey's Mistake Entrance Buoy 1	44-45-29.842N 067-03-21.642W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>NEW BRUNSWICK - GRAND MANAN CHANNEL SOUTHERN PART (Chart 13392)</b>							
<b>Little River</b>							
1075	- Light	44-39-03.186N 067-11-31.544W	FI W 6s	56	14	35	HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
1080	- Entrance Bell Buoy LR	44-39-11.236N 067-10-53.403W				Red and white stripes with red spherical topmark.	
1085	- Ledge Buoy 2 Southwest of ledge.	44-39-12.286N 067-11-51.945W				Red nun.	
<b>Cross Island Narrows</b>							
1095	- Buoy 1	44-37-10.208N 067-15-22.848W				Green can.	
1100	<i>Thornton Point Ledge Lighted Bell Buoy 3</i>	44-37-16.875N 067-16-16.100W	FI G 4s		5	Green.	Replaced by can when endangered by ice.
1105	Thornton Point Ledge Day beacon 4	44-37-20.217N 067-16-33.101W				TR on spindle.	
1110	Mink Island Ledge Buoy 5	44-37-20.515N 067-17-07.281W				Green can.	
1115	Dogfish Rocks Buoy 7	44-37-47.824N 067-18-06.003W				Green can.	
<b>MACHIAS BAY TO TIBBETT NARROWS (Chart 13326)</b>							
<b>Libby Island</b>							
1120	- Light	44-34-05.985N 067-22-02.555W	FI (2)W 20s	91	18	White tower. 42	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
1120.1	- Light Station Mooring Buoy	44-34-22.338N 067-22-02.010W				White and blue band, nun.	
<b>Machias Bay</b>							
1125	Seal Cove Ledge Buoy 2	44-35-40.935N 067-19-22.533W				Red nun.	
<b>Cross Island</b>							
1126.1	- Aquaculture Lighted Buoy CI-A	44-36-47.760N 067-18-48.420W	FI Y 2.5s			Yellow.	Private aid.
1126.2	- Aquaculture Lighted Buoy CI-B	44-36-59.791N 067-19-03.502W	FI Y 2.5s			Yellow.	Private aid.
1126.3	- Aquaculture Lighted Buoy CI-C	44-36-47.595N 067-19-03.502W	FI Y 2.5s			Yellow.	Private aid.
1126.4	- Aquaculture Lighted Buoy CI-D	44-36-57.916N 067-18-49.053W	FI Y 2.5s			Yellow.	Private aid.
1127.1	- Aquaculture Lighted Buoy CI N A	44-37-07.703N 067-18-59.438W	FI Y 2.5s			Yellow.	Private aid.
1127.2	- Aquaculture Lighted Buoy CI N B	44-37-14.900N 067-19-13.308W	FI Y 2.5s			Yellow.	Private aid.
1127.3	- Aquaculture Lighted Buoy CI N C	44-37-24.700N 067-19-03.338W	FI Y 2.5s			Yellow.	Private aid.
1127.4	- Aquaculture Lighted Buoy CI N D	44-37-17.503N 067-18-49.468W	FI Y 2.5s			Yellow.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>MACHIAS BAY TO TIBBETT NARROWS (Chart 13326)</b>							
<b>Cross Island</b>							
1129	<i>University of Maine Machias Bay LOBO Temporary Lighted Research Buoy</i>	44-37-03.800N 067-19-00.300W	FI Y 20s			Yellow.	Property of the University of Maine. Private aid.
<b>Starboard Island</b>							
1130	- Ledge Buoy 1	44-35-07.705N 067-22-50.678W				Green can.	
1131.1	- <i>Aquaculture Lighted Buoy SI-SW</i>	44-36-06.000N 067-23-01.000W	FI Y 2.5s			Yellow.	Private aid.
1131.3	- <i>Aquaculture Lighted Buoy SI-NW</i>	44-36-23.000N 067-23-12.000W	FI Y 2.5s			Yellow.	Private aid.
1131.4	- <i>Aquaculture Lighted Buoy SI-NE</i>	44-36-27.250N 067-23-00.530W	FI Y 2.5s			Yellow.	Private aid.
1131.5	- <i>Aquaculture Lighted Buoy SI-SE</i>	44-36-10.940N 067-22-49.000W	FI Y 2.5s			Yellow.	Private aid.
<b>Machias Bay</b>							
1140	Seashore Ledge Buoy 5	44-37-07.414N 067-21-39.778W				Green can.	
1145	AVERY ROCK LIGHT AR	44-39-15.310N 067-20-38.798W	FI W 6s	16	6	NR on tower.	
<b>Machias River</b>							
1150	- Buoy 1	44-40-36.241N 067-21-13.350W				Green can.	
1155	- Buoy 3	44-40-47.891N 067-21-51.961W				Green can.	
1160	- Buoy 4	44-40-55.261N 067-23-08.002W				Red nun.	
1165	- Buoy 6	44-41-07.451N 067-23-27.033W				Red nun.	
<b>Englishman Bay</b>							
1170	Foster Channel Buoy 2	44-34-51.214N 067-23-31.028W				Red nun.	
1175	Foster Channel Buoy 1	44-34-48.464N 067-23-44.208W				Green can.	
1180	Brothers Passage Bell Buoy 1	44-33-38.285N 067-25-50.960W				Green.	
1185	Brothers Passage Buoy 2 Marks ledge east of Green Island.	44-33-45.665N 067-26-08.011W				Red nun.	
1190	Codhead Ledge Buoy 2	44-35-06.524N 067-26-16.862W				Red nun.	
1195	Halifax Island Reef Buoy 3	44-35-22.283N 067-28-28.965W				Green can.	
1200	Boundry Ledges Buoy 5	44-36-02.000N 067-29-58.000W				Green can.	
<b>Chandler Bay</b>							
1205	Jumper Ledge Buoy	44-32-33.055N 067-27-49.253W				Red nun with green bands.	
1210	Middle Back Rock Daybeacon	44-32-21.924N 067-29-11.562W				NR on spindle.	
1215	<i>Little Breaking Ledge Lighted Gong Buoy 1</i>	44-30-40.982N 067-30-11.743W	FI G 4s		4	Green.	
1220	West Black Rock Buoy 2	44-31-38.595N 067-30-24.156W				Red nun.	
1225	<i>Mark Island Lighted Bell Buoy 1</i>	44-32-11.434N 067-31-43.549W	FI G 2.5s		3	Green.	
1230	Kelp Ledge Buoy 3	44-32-25.243N 067-33-05.720W				Green can.	
1235	Ballast Island Ledge Buoy 5	44-33-40.232N 067-32-57.051W				Green can.	
1240	Roque Island Reef Buoy 2	44-35-04.635N 067-33-01.712W				Red nun.	
1244	Shorey Cove Coast Guard Mooring Buoy CG	44-35-31.364N 067-31-37.095W				White and blue.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>MACHIAS BAY TO TIBBETT NARROWS (Chart 13326)</b>							
<b>Chandler Bay</b>							
1245	Great Bar Buoy 7	44-35-42.156N 067-32-45.318W				Green can.	
<b>Seguin Passage</b>							
1250	Seguin Ledge Buoy 1	44-31-23.861N 067-31-59.348W				Green can.	
1260	Long Ledge Buoy 3	44-31-27.134N 067-33-03.210W				Green can.	
1265	Nats Rock Buoy 5	44-31-20.324N 067-33-45.011W				Green can.	
1270	Southwest Ledge Buoy 6	44-31-26.884N 067-33-54.001W				Red nun.	
<b>Moosabec Reach</b>							
1275	Bay Ledge Buoy 2	44-32-08.921N 067-32-44.118W				Red nun.	
1280	Gilchrist Rock Daybeacon 3 On rock.	44-31-53.337N 067-32-50.437W				SG on iron spindle.	
1285	Leighton Ledges Buoy 4	44-31-57.754N 067-33-02.600W				Red nun.	
1290	Virgin Island Ledge Buoy 6	44-31-52.234N 067-33-26.621W				Red nun.	
1295	Two Hour Rock Buoy 7	44-31-44.244N 067-33-34.421W				Green can.	
1300	- Buoy 8	44-31-48.004N 067-33-45.551W				Red nun.	
1305	EMMS ROCK LIGHT 9	44-31-44.363N 067-33-56.951W	FI G 4s	28	6	SG on gray tower.	Breakwater submerged at highwater.
1310	- Buoy 10	44-31-47.133N 067-34-00.492W				Red nun.	
1315	Little Ledge Buoy 11	44-31-43.703N 067-34-06.742W				Green can.	
1320	Moosabec Bar Buoy 12	44-31-46.093N 067-34-16.812W				Red nun.	
1325	Snows Rock Daybeacon 13 On ledge.	44-31-38.239N 067-34-22.373W				SG on iron spindle.	
1330	Sand Ledge Buoy 15	44-31-39.475N 067-34-41.281W				Green can.	
1335	<i>Horse Ledge Lighted Buoy 17</i>	44-31-40.394N 067-35-12.584W	FI G 4s		3	Green.	
1340	SAWYERS COVE LIGHT 18	44-31-47.198N 067-35-38.457W	FI R 4s	28	3	TR on tower on end of breakwater.	
1345	Cummings Ledge Buoy 18A	44-31-33.373N 067-36-41.066W				Red nun.	
1350	- Buoy 20	44-31-17.052N 067-38-38.880W				Red nun.	
1355	- Buoy 21	44-31-06.640N 067-39-19.172W				Green can.	
1360	<i>Fessenden Ledge Lighted Bell Buoy 22</i>	44-31-02.743N 067-39-59.302W	FI R 4s		4	Red.	
1365	Shabbit Island Ledge Buoy 23	44-30-48.002N 067-40-30.742W				Green can.	
1370	Shabbit Island Buoy 25	44-30-25.444N 067-41-11.281W				Green can.	
1375	<i>Ram Island Ledge Lighted Gong Buoy 27</i> North from ledge.	44-29-42.283N 067-42-14.885W	FI G 4s		5	Green.	
1380	Tibbet Ledge Buoy 28	44-29-45.243N 067-42-17.764W				Red nun.	
1385	Tibbet Narrows Bell Buoy 30	44-29-28.773N 067-42-46.155W				Red.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>MACHIAS BAY TO TIBBETT NARROWS (Chart 13326)</b>							
<b>Eastern Bay</b>							
1390	<b>Moose Peak Light</b>	44-28-28.487N 067-31-55.166W	FI W 30s	72	20	On white tower. 57	Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Located 129 yards, 263° from light tower. Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
1395	Mistake Harbor Buoy 1	44-29-13.656N 067-33-08.738W				Green can.	
1400	Calf Island Reef Buoy 3	44-29-24.365N 067-33-13.987W				Green can.	
1401	<i>Cooke Aquaculture Lighted Buoy NE</i>	44-29-45.210N 067-33-10.600W	FI Y 12s			Yellow.	Private aid.
1401.1	<i>Cooke Aquaculture Lighted Buoy SE</i>	44-29-32.580N 067-33-02.740W	FI Y 12s			Yellow.	Private aid.
1401.2	<i>Cooke Aquaculture Lighted Buoy SW</i>	44-29-29.770N 067-33-11.570W	FI Y 12s			Yellow.	Private aid.
1401.3	<i>Cooke Aquaculture Lighted Buoy NW</i>	44-29-41.040N 067-33-23.760W	FI Y 12s			Yellow.	Private aid.
1405	Channel Rock Daybeacon 4 On ledge.	44-30-05.502N 067-33-50.010W				TR on iron spindle.	
1409	SPECTACLE ISLAND AQUACULTURE LIGHTS (3)	44-30-15.300N 067-34-28.000W	Q Y			On floating fish pens.	Three or more lights marking aquaculture structures of varying sizes and shapes in a charted fish pen area. Private aid.
1410	Spectacle Island Buoy 5	44-30-20.324N 067-33-56.401W				Green can.	
1415	Head Harbor Island Buoy 6	44-30-51.798N 067-33-48.408W				Red nun.	
1420	Sheep Island Buoy 7	44-31-04.384N 067-33-43.337W				Green can.	
<b>Pig Island Gut</b>							
1425	- Buoy 2	44-30-49.364N 067-34-35.182W				Red nun.	
1430	- Buoy 3	44-30-57.774N 067-34-40.406W				Green can.	
1435	- Buoy 5	44-31-01.084N 067-34-51.412W				Green can.	
1440	- Buoy 6	44-31-02.234N 067-34-51.933W				Red nun.	
1445	- Buoy 8	44-31-01.614N 067-35-04.386W				Red nun.	
1450	- Buoy 10	44-31-01.505N 067-35-13.633W				Red nun.	
1455	- Buoy 12	44-31-01.984N 067-35-22.113W				Red nun.	
1460	- Buoy 14	44-31-10.023N 067-35-39.224W				Red nun.	
<b>Western Bay</b>							
1465	<i>Seahorse Lighted Bell Buoy 2SR</i>	44-25-44.948N 067-38-29.975W	FI R 4s		4	Red.	
1470	Duck Ledges Buoy 1	44-30-00.283N 067-40-09.981W				Green can.	
1475	Pomp Island Ledge Day beacon 2	44-30-24.294N 067-39-15.690W				TR on spindle.	
1480	Hardwood Island Day beacon 3	44-30-48.984N 067-39-08.634W				SG on spindle.	



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>MACHIAS BAY TO TIBBETT NARROWS (Chart 13326)</b>							
<b>Western Bay</b>							
1485	Salt Rock Day beacon 4	44-31-01.254N 067-38-54.528W					TR on spindle.
<b>TIBBETT NARROWS TO SCHOODIC ISLAND (Chart 13324)</b>							
<b>Eastern Harbor</b>							
1490	- Buoy 1	44-29-42.213N 067-43-58.768W					Green can.
1495	- Buoy 2	44-29-41.853N 067-43-49.137W					Red nun.
1500	- Buoy 5	44-30-11.840N 067-43-47.772W					Green can.
1505	- Buoy 4	44-30-03.432N 067-43-45.730W					Red nun.
<b>Pleasant Bay</b>							
1510	<i>Nash Island Lighted Whistle Buoy NI</i>	44-27-51.744N 067-45-28.659W	Mo (A) W		3		Red and white stripes with red spherical topmark.
1515	Coles Ledge Buoy 1	44-28-45.083N 067-46-24.331W					Green can.
1520	Norton Island Buoy 2	44-29-24.284N 067-45-18.633W					Red nun.
1525	Barton Ledge Buoy 2	44-31-28.800N 067-46-05.640W					Red nun.
1530	Bunker Ledge Buoy 3	44-31-51.180N 067-46-20.112W					Green can.
1535	Harthorne Ledge Buoy 5	44-33-48.279N 067-45-26.302W					Red nun.
1536	- CG Mooring Buoy	44-31-54.780N 067-45-21.480W					White and with blue stripe, can.
<b>Pleasant River</b>							
1540	- Buoy 6	44-34-15.779N 067-45-28.892W					Red nun. Maintained from May 1 to Nov. 15.
1545	- Buoy 7	44-34-36.730N 067-45-11.924W					Green can. Maintained from May 1 to Nov. 15.
1550	- Buoy 8	44-34-41.497N 067-45-06.720W					Red nun. Maintained from May 1 to Nov. 15.
1555	- Buoy 10	44-34-45.867N 067-45-04.018W					Red nun. Maintained from May 1 to Nov. 15.
1560	- Buoy 12	44-34-54.843N 067-45-02.677W					Red nun. Maintained from May 1 to Nov. 15.
1565	- Buoy 14	44-34-59.243N 067-44-58.884W					Red nun. Maintained from May 1 to Nov. 15.
1570	Bungy Rock Day beacon 15 On rock.	44-35-18.805N 067-44-52.043W					SG on spindle.
1575	- Buoy 16	44-35-59.087N 067-44-53.892W					Red nun. Maintained from May 1 to Nov. 15.
1580	- Buoy 17	44-36-24.576N 067-44-41.346W					Green can. Maintained from May 1 to Nov. 15.
<b>Dyer Island Narrows</b>							
1585	Strout Island Ledges Buoy 2	44-30-36.681N 067-47-25.613W					Red nun.
1590	Strout Island Ledges Buoy 4	44-30-35.231N 067-47-56.818W					Red nun.
1595	Strout Island Buoy	44-30-59.344N 067-48-32.851W					Green can with red bands.
1600	- Buoy 3	44-31-15.943N 067-48-59.677W					Green can.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>TIBBETT NARROWS TO SCHOODIC ISLAND (Chart 13324)</b>							
<b>Dyer Island Narrows</b>							
1605	- Buoy 5	44-31-04.234N 067-49-06.978W				Green can.	
1610	- Buoy 7	44-30-51.927N 067-49-37.053W				Green can.	
<b>Flint Island Narrows</b>							
1615	Flint Island North Point Buoy 1	44-28-56.422N 067-47-25.646W				Green can.	
1620	Western Reef Buoy 2	44-28-33.130N 067-48-50.277W				Red nun.	
<b>Narraguagus Bay</b>							
1625	Jerry Ledge Buoy 1	44-24-55.768N 067-50-53.816W				Green can.	
1630	Jordans Delight Ledge Buoy 2	44-25-23.287N 067-48-53.993W				Red nun.	
1635	<i>Pond Island Lighted Bell Buoy 1</i>	44-27-26.364N 067-49-26.595W	FI G 6s		5	Green.	
1640	Pond Island Ledge Buoy 3	44-28-12.469N 067-50-19.606W				Green can.	
1645	Lower Middle Ground Buoy 5	44-29-44.837N 067-50-38.122W				Green can.	
1650	Traf ton Half tide Ledge Day beacon 6	44-29-56.568N 067-50-06.972W				TR on spindle.	
1655	- Buoy NB	44-30-06.532N 067-50-24.099W				Red and white stripes; can.	
<b>Narraguagus River</b>							
1660	- Buoy 1	44-30-21.062N 067-50-49.469W				Green can.	
1665	- Buoy 2	44-30-36.427N 067-51-12.199W				Red nun.	
1675	- Buoy 4	44-31-03.854N 067-51-25.822W				Red nun.	
1680	- Buoy 5	44-31-15.571N 067-51-28.301W				Green can.	
1685	- Buoy 7	44-31-33.842N 067-51-35.898W				Green can.	
1690	- Buoy 8	44-31-43.151N 067-51-46.612W				Red nun.	
1700	- Buoy 9	44-31-51.746N 067-52-02.410W				Green can.	
1705	- Buoy 10	44-31-57.366N 067-52-08.955W				Red nun.	
1710	- Buoy 12	44-32-06.014N 067-52-22.361W				Red nun.	
1715	- Buoy 13	44-32-09.641N 067-52-28.863W				Green can.	
1720	- Buoy 15	44-32-21.763N 067-52-35.362W				Green can.	
1725	- Buoy 17	44-32-32.832N 067-52-41.306W				Green can.	
<b>Petit Manan Approach</b>							
1730	<i>Southeast Rock Lighted Whistle Buoy 6A</i> South of rock.	44-19-45.972N 067-48-37.038W	FI R 4s		3	Red.	
1735	<b>Petit Manan Light</b>	44-22-03.290N 067-51-51.695W	FI W 10s	123	19	Gray granite tower. 109	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>TIBBETT NARROWS TO SCHOODIC ISLAND (Chart 13324)</b>							
<b>Petit Manan Approach</b>							
1740	Simms Rock Bell Buoy 1 Northwest of rock.	44-20-31.292N 067-51-13.243W				Green.	
1745	Petit Manan Reef Buoy 2	44-21-35.630N 067-51-45.199W				Red nun.	
1750	Tibbett Rock Isolated Danger Buoy DT South-southwest of rock.	44-23-04.289N 067-47-10.488W				Black and red bands with two black spherical topmarks; can.	
1755	Tibbett Rock South Isolated Danger Buoy DTS	44-22-29.340N 067-46-27.536W				Black and red bands with two black spherical topmarks; can.	
1760	Whale Ledge Buoy 4	44-23-40.469N 067-51-54.277W				Red nun.	
1765	Petit Manan East Bar Gong Buoy EB	44-23-06.729N 067-52-49.558W				Red and white stripes.	
1770	Petit Manan West Bar Bell Buoy WB	44-22-58.880N 067-53-11.128W				Red and white stripes with red spherical topmark.	
<b>Prospect Harbor</b>							
1775	<i>Moulton Ledge Lighted Bell Buoy ML</i> West of ledge.	44-21-50.657N 067-56-18.339W	FI (2+1)R 6s		3	Red and green bands.	
1777	Little Black Ledge Buoy 1LB	44-22-05.500N 067-58-21.600W				Green can.	
1780	Cranberry Point Bell Buoy 2CP	44-22-46.289N 067-58-58.008W				Red.	
1785	- POINT LIGHT	44-24-12.088N 068-00-46.813W	FI R 6s (2 W sectors)	42	W 9 W 9 R 7	White conical tower.	White from 317° to 323° and from 348° to 356°, covers fairway. Lighted throughout 24 hours.
1790	Old Woman Ledge Bell Buoy 2	44-22-12.060N 068-00-14.240W				Red.	
1795	<i>Brown Cow Lighted Whistle Buoy BC</i>	44-20-57.291N 068-01-25.293W	FI (2+1)G 6s		4	Green and red bands.	
1800	Washrock Ledge Gong Buoy 2	44-23-10.370N 067-57-41.420W				Red.	
1805	Bunker Harbor Ledge Buoy 1 East of ledge.	44-22-04.190N 068-01-05.203W				Green can.	
1810	Clark Ledges Gong Buoy 3	44-23-44.848N 068-00-42.692W				Green.	
1815	Clark Ledges Day beacon 5	44-23-53.148N 068-00-53.652W				SG on spindle.	
<b>Schoodic Harbor</b>							
1820	<i>Schoodic Lighted Bell Buoy 2S</i>	44-19-07.102N 068-02-06.774W	FI R 4s		4	Red.	
1825	Schoodic Island Buoy 1	44-20-15.449N 068-02-06.740W				Green can.	
1830	Schoodic Ledge Buoy 2 Off south end of ledge.	44-20-26.382N 068-02-04.165W				Red nun.	
<b>FRENCHMAN AND BLUEHILL BAYS AND APPROACHES (Chart 13312)</b>							
<b>Frenchman Bay</b>							
1840	Otter Cliff Ledge Bell Buoy 1 0.1 mile southeast of ledge.	44-18-30.820N 068-10-54.611W				Green.	
1845	<i>Schooner Head Lighted Gong Buoy 3</i>	44-20-05.619N 068-10-03.299W	FI G 4s		4	Green.	
1850	<i>Egg Rock Lighted Bell Buoy 4</i>	44-20-15.639N 068-08-35.124W	FI R 2.5s		3	Red.	
1855	Turtle Island Ledge Gong Buoy 2	44-20-51.520N 068-06-09.187W				Red.	
1860	- <i>Lighted Buoy FB</i>	44-19-21.290N 068-07-24.030W	FI (2+1)R 6s		4	Red and green bands.	RACON: B ( - . . . )

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>FRENCHMAN AND BLUEHILL BAYS AND APPROACHES (Chart 13312)</b>							
<b>Frenchman Bay</b>							
1865	<b>Egg Rock Light</b>	44-21-14.188N 068-08-18.033W	FI R 5s	64	18	White tower. 40	Emergency light of reduced intensity FI R 5s when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
1866	Egg Rock Light Station CG Mooring Buoy	44-21-17.248N 068-08-26.829W				White ball with blue band marked CG.	
1870	Newport Ledge Buoy 5	44-21-16.288N 068-10-34.041W				Green can.	
1875	BALD PORCUPINE ISLAND BREAKWATER LIGHT	44-22-57.936N 068-11-33.930W	Q W	20	3	NW on spindle worded DANGER SUBMERGED BREAKWATER.	
1876	Bar Harbor Entrance Buoy 2	44-23-34.850N 068-11-55.360W				Red nun.	Maintained from 1 May to 15 Nov. Private aid.
1876.5	<i>Bar Harbor Lighted No Wake Buoy A</i>	44-23-32.000N 068-11-57.000W	FI W 4s			White with orange bands.	Maintained from 1 May to 15 Nov. Private aid.
1877	Bar Harbor CG Mooring Buoy	44-23-43.128N 068-11-51.735W				White nun with blue stripe.	Marked CG.
1878	Bar Island Buoy 1	44-24-01.690N 068-11-56.210W				Green can.	Maintained from May 1 to Oct. 31. Private aid.
1879	<i>Bar Island Lighted Buoy 2</i>	44-24-01.680N 068-11-54.260W	FI R 4s			Red	Maintained from May 1 to Oct. 31. Private aid.
1880	Sheep Porcupine Bell Buoy 7	44-24-05.015N 068-11-24.714W				Green.	
1885	Bald Rock Ledge Buoy 2	44-24-52.129N 068-13-26.531W				Red nun.	
1890	Bald Rock Buoy 9	44-25-22.364N 068-12-35.857W				Green can.	
1895	Hulls Cove Buoy 4	44-24-42.784N 068-14-19.052W				Red nun.	
1900	Half tide Ledge Buoy 11	44-25-38.993N 068-13-55.411W				Green can.	
1905	Sunken Ledge Buoy 13	44-26-19.027N 068-14-58.912W				Green can.	
<b>Eastern Bay</b>							
1910	Googins Ledge Buoy 14	44-26-36.282N 068-17-22.058W				Red nun.	
<b>FRENCHMAN BAY AND MOUNT DESERT ISLAND (Chart 13318)</b>							
<b>Winter Harbor</b>							
1915	<i>Mark Island Junction Lighted Gong Buoy MI</i>	44-21-29.289N 068-05-07.024W	FI (2+1)G 6s		4	Green and red bands.	
1920	Grindstone Ledge Junction Buoy GL	44-22-06.136N 068-05-13.156W				Green can with red bands.	
1925	Grindstone Ledge Day beacon	44-22-10.588N 068-05-16.825W				NG on iron spindle.	
1930	Abijah Ledge Buoy 2	44-23-03.588N 068-04-50.524W				Red nun.	
1935	Harbor Point Buoy 3	44-23-07.018N 068-05-02.775W				Green can.	
1940	Guptill Point Buoy 4	44-23-14.348N 068-05-03.015W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>FRENCHMAN BAY AND MOUNT DESERT ISLAND (Chart 13318)</b>							
<b>Winter Harbor</b>							
1945	Guptill Ledge Day beacon 6	44-23-18.318N 068-05-07.782W					TR on spindle.
<b>Passage West of Grindstone Neck</b>							
1950	Roaring Bull Junction Buoy RB Off north end of shoal.	44-22-05.229N 068-05-41.196W					Red nun with green bands.
1955	Pulpit Ledge Day beacon 3	44-22-22.866N 068-05-48.882W					SG on iron spindle.
1960	Crow Island Buoy 5	44-23-00.858N 068-06-26.109W					Green can.
1965	Cod Ledges Buoy 7	44-23-44.287N 068-07-05.531W					Green can.
1970	Halibut Hole Buoy 9	44-24-30.286N 068-07-58.034W					Green can.
<b>Flanders Bay</b>							
1975	Calf Island Point Buoy 1	44-27-17.333N 068-08-30.026W					Green can.
1980	Half tide Ledge Buoy 3	44-27-40.383N 068-07-53.534W					Green can.
1985	Sunken Ledge Buoy 5	44-28-21.842N 068-08-20.576W					Green can.
<b>Sullivan Harbor</b>							
1995	Dram Island Ledge Buoy 2	44-28-04.132N 068-11-55.246W					Red nun.
2000	Crabtree Ledge Bell Buoy 1	44-28-18.552N 068-13-10.820W					Green.
2005	Bean Island Ledge Buoy 3	44-28-50.591N 068-12-19.227W					Green can.
2010	Bean Island Ledge Buoy 4	44-28-50.851N 068-12-12.527W					Red nun.
2015	Ingalls Ledge Buoy 6	44-29-23.441N 068-12-46.559W					Red nun.
2020	Grant Cove Rock Buoy 7	44-29-47.570N 068-12-49.639W					Green can.
2025	Low Water Rock Day beacon 8 On rock.	44-29-52.070N 068-12-31.608W					TR on iron spindle.
2030	Moon Ledge Buoy 9	44-30-41.330N 068-12-20.668W					Green can.
<b>Somes Sound Approach</b>							
<b>Baker Island</b>							
2040	- Buoy 1	44-14-17.295N 068-11-17.800W					Green can.
2045	- LIGHT	44-14-28.351N 068-11-56.442W	FI W 10s	105	10		White stone tower.
2050	- Ledge Buoy 3	44-14-55.292N 068-11-35.042W					Green can.
<b>Somes Sound Approach</b>							
2055	Gilley Ledge Buoy 5	44-15-19.762N 068-11-58.043W					Green can.
2060	Harding Ledge Buoy 7	44-15-39.552N 068-12-23.835W					Green can.
2065	<i>East Bunker Lighted Gong Buoy 2</i>	44-16-32.291N 068-13-02.047W	FI R 4s		4		Red.
2070	East Bunker Ledge Day beacon On rock.	44-16-47.820N 068-13-23.008W					White pyramidal stone structure.
2075	Lewis Rock Buoy 3A	44-17-01.213N 068-13-28.876W					Green can.
2080	<i>Seal Harbor Lighted Bell Buoy 4</i>	44-17-09.979N 068-13-49.359W	FI R 4s		4		Red.
2085	Crownshield Point Buoy 1	44-17-17.363N 068-14-19.498W					Green can.
2090	Bowden Ledge Buoy 6 Southerly of ledge.	44-17-03.570N 068-14-33.652W					Red nun.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>FRENCHMAN BAY AND MOUNT DESERT ISLAND (Chart 13318)</b>							
<b>Somes Sound Approach</b>							
2095	Long Pond Shoal Buoy 8	44-16-57.939N 068-15-15.400W				Red nun.	
<b>Northeast Harbor</b>							
2100	Bear Island Buoy 2A	44-17-04.649N 068-16-19.205W				Red nun.	
2105	BEAR ISLAND LIGHT	44-17-00.000N 068-16-11.000W	FI W 5s	33		White tower.	Priv ate aid.
2110	<i>Bear Island Lighted Bell Buoy 10</i>	44-16-52.289N 068-16-09.905W	FI R 4s		4	Red.	
2115	- Buoy 1	44-17-08.859N 068-16-25.245W				Green can.	
2120	- <i>Lighted Bell Buoy 2</i>	44-17-06.589N 068-16-34.576W	FI R 2.5s		4	Red.	
2125	- Buoy 4	44-17-16.679N 068-16-27.055W				Red nun.	
<b>Cranberry Harbor</b>							
2165	- Buoy 1	44-15-45.330N 068-14-48.142W				Green can.	
2170	- Buoy 3	44-15-39.616N 068-14-35.435W				Green can.	
2171	Eagle Point Inner Buoy 5	44-15-37.920N 068-14-29.460W				Green can.	Priv ate aid.
2175	<i>Spurling Rock Lighted Bell Buoy 2</i>	44-15-56.830N 068-15-20.224W	FI R 2.5s		4	Red.	
2180	Long Ledge Day beacon 2A	44-15-43.150N 068-15-39.034W				TR on spindle.	
<b>Somes Sound</b>							
2185	Gilpatrick Ledge Day beacon 2	44-17-03.911N 068-17-23.378W				TR on iron spindle.	
2190	Gilpatrick Cove Day beacon 4	44-17-05.488N 068-17-26.357W				TR on iron spindle.	
2195	<i>Middle Rock Lighted Buoy 5</i>	44-17-36.748N 068-18-24.959W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
2197	Valley Cove Mooring Buoy CG	44-18-36.700N 068-18-57.000W				White with blue band, nun.	
2200	Myrtle Ledge Buoy 6	44-21-02.805N 068-19-17.097W				Red nun.	Maintained from May 15 to Nov. 1.
2205	Sargents Point Buoy 2SP	44-21-12.244N 068-18-45.151W				Red nun.	Maintained from May 15 to Nov. 1.
2210	Bar Ledge Buoy 7	44-21-16.989N 068-19-26.826W				Green can.	Maintained from May 15 to Nov. 1.
<b>Southwest Harbor</b>							
2220	Greening Island Buoy 6	44-16-26.569N 068-17-27.057W				Red nun.	
2225	<i>Greening Island Lighted Buoy 8</i>	44-16-28.810N 068-18-23.480W	FI R 2.5s		4	Red.	
2230	- Day beacon S	44-16-25.422N 068-19-10.566W				NR on spindle.	
2235	- Inner Harbor Buoy 1	44-16-31.576N 068-19-04.564W				Green can.	Removed when endangered by ice.
2240	- Inner Harbor Buoy 3	44-16-36.038N 068-19-05.010W				Green can.	Removed when endangered by ice.
2245	Clark Point Day beacon 1 On ledge.	44-16-41.352N 068-18-33.636W				SG on iron spindle.	
<b>Western Way</b>							
2250	<i>Long Ledge Lighted Gong Buoy 1</i>	44-13-15.892N 068-17-46.986W	FI G 4s		5	Green.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>FRENCHMAN BAY AND MOUNT DESERT ISLAND (Chart 13318)</b>							
<b>Western Way</b>							
2255	South Bunker Ledge Day beacon 2	44-13-35.748N 068-16-58.158W				TR on iron spindle.	
2265	<i>Cranberry Island Ledge Lighted Bell Buoy 4</i>	44-14-12.564N 068-16-57.894W	Q R		3	Red.	
2270	Flynns Ledge Buoy 5	44-14-27.300N 068-16-59.900W				Green can.	
2275	Cow Ledge Buoy 6	44-15-21.630N 068-16-45.556W				Red nun.	
2285	<i>Spurling Point Lighted Gong Buoy 8</i>	44-15-46.596N 068-16-47.970W	FI R 4s		4	Red.	
<b>APPROACHES TO BLUE HILL BAY (Chart 13313)</b>							
<b>Blue Hill Bay Approach</b>							
2290 5	<b>Mount Desert Light</b>	43-58-07.010N 068-07-42.012W	FI W 15s	75	14	Granite conical tower. 65	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
2291	Mount Desert Light Station Mooring Buoy	43-58-15.427N 068-07-51.555W				White and blue	
2293	<i>WHOI Research Lighted Buoy DMON MDR</i>	43-58-44.640N 068-05-07.284W	FI Y 4s			Yellow.	Maintained by WHOI. Private aid.
2295	<b>Great Duck Island Light</b>	44-08-31.297N 068-14-44.947W	FI R 5s	67	19	White tower. 36	Light partially obscured by trees from about 143° to 206.5°. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
2310	The Drums Junction Bell Buoy D	44-08-30.527N 068-18-33.455W				Green and red bands.	
2315	<i>Long Island Lighted Gong Buoy LI</i>	44-08-20.627N 068-20-31.238W	Mo (A) W		6	Red and white stripes with red spherical topmark.	
2320	Horseshoe Ledge Buoy 1	44-09-33.097N 068-18-41.900W				Green can.	
2325	Black Island Buoy 2	44-10-09.985N 068-20-09.018W				Red nun.	
2330	Placentia Island Buoy 1P	44-11-43.107N 068-20-45.019W				Green can.	
<b>Bass Harbor</b>							
2335	- <b>Head Light</b>	44-13-18.500N 068-20-14.200W	Oc R 4s	56	13	White tower connected to dwelling. 56	Lighted throughout 24 hours.
2340	- Head Bell Buoy EB	44-13-14.180N 068-20-00.873W				Red and white stripes.	
2345	- Head Gong Buoy WB	44-13-04.902N 068-20-28.501W				Red and white stripes with red spherical topmark.	
2350	Weaver Ledge Buoy 1 Southeast end of ledge.	44-13-33.721N 068-21-10.422W				Green can.	
2355	Weaver Ledge Buoy 2 Northwest edge of ledge.	44-13-39.771N 068-21-22.162W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>APPROACHES TO BLUE HILL BAY (Chart 13313)</b>							
<b>Bass Harbor</b>							
2360	- Buoy 5 Marks ledge.	44-14-15.640N 068-20-58.142W				Green can.	
2365	- Buoy 6 Marks ledge.	44-14-29.381N 068-21-04.462W				Red nun.	
<b>Southwest Approach</b>							
2370	Beach Ledge Bell Buoy 2	44-06-18.749N 068-23-03.592W				Red.	
2375	Harbor Island Bell Buoy 1	44-07-18.216N 068-22-32.333W				Green.	
<b>Black Island</b>							
2397.1	- Aquaculture Lighted Buoy A	44-10-53.000N 068-21-11.000W	FI Y 2.5s			Yellow.	Private aid.
2397.2	- Aquaculture Lighted Buoy B	44-10-54.000N 068-21-17.000W	FI Y 2.5s			Yellow.	Private aid.
2397.3	- Aquaculture Lighted Buoy C	44-11-08.000N 068-21-10.000W	FI Y 2.5s			Yellow.	Private aid.
2397.4	- Aquaculture Lighted Buoy D	44-11-06.000N 068-21-04.000W	FI Y 2.5s			Yellow.	Private aid.
2398	Cooke Aquaculture Lighted Buoy BIS A	44-10-44.439N 068-21-18.543W	FI Y 4s			Yellow	Private aid.
2398.1	Cooke Aquaculture Lighted Buoy BIS B	44-10-44.440N 068-21-26.800W	FI Y 4s			Yellow	Private aid.
2398.2	Cooke Aquaculture Lighted Buoy BIS C	44-10-36.767N 068-21-29.273W	FI Y 4s			Yellow.	Private aid.
2398.3	Cooke Aquaculture Lighted Buoy BIS D	44-10-35.300N 068-21-20.470W	FI Y 4s			Yellow.	Private aid.
<b>BLUE HILL BAY (Chart 13316)</b>							
<b>Eastern Passage</b>							
2400	Staple Ledge Buoy 1	44-11-19.973N 068-23-51.345W				Green can.	
2405	Ship and Barges Bell Buoy 3	44-13-36.290N 068-25-40.069W				Green.	
2410	Ship and Barges Ledge Junction Day beacon SB South end of ledge.	44-13-32.490N 068-25-52.026W				JG on spindle.	
2415	Trumpet Island Bar Buoy TI	44-14-51.794N 068-26-54.060W				Red and white stripes; can.	
2420	Bar Island Buoy 5	44-15-48.578N 068-27-13.432W				Green can.	
2425	Hardwood Island Buoy 6	44-17-41.926N 068-27-36.154W				Red nun.	
2426	Hardwood Island Aquaculture Buoy A	44-18-21.700N 068-26-48.400W				Yellow.	Private aid.
2427	Hardwood Island Aquaculture Buoy B	44-18-34.600N 068-26-47.600W				Yellow.	Private aid.
2428	Hardwood Island Aquaculture Buoy C	44-18-34.300N 068-26-40.700W				Yellow.	Private aid.
2429	Hardwood Island Aquaculture Buoy D	44-18-21.400N 068-26-41.600W				Yellow.	Private aid.
2430	Long Island Buoy 7	44-19-02.635N 068-28-28.324W				Green can.	
2435	Darling Ledge Buoy 8	44-23-40.021N 068-30-47.827W				Red nun.	
2436	Grays Mussel Farm Aquaculture Lighted Buoy	44-22-44.040N 068-29-45.480W	FI W 30s			White with orange bands.	Private aid.
<b>Union River Bay</b>							
2440	Tupper Ledge Buoy TL	44-28-20.356N 068-26-21.046W				Green can with red bands.	
<b>Union River Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
2445	- Buoy 2 Marks rock.	44-28-41.736N 068-25-39.870W				Red nun.	
2450	- Buoy 4	44-29-17.082N 068-25-28.668W				Red nun.	



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>BLUE HILL BAY (Chart 13316)</b>							
<b>Union River Bay</b>							
<b>Union River Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
2455	- Lighted Buoy 6	44-29-48.462N 068-25-43.302W	FI R 4s		3	Red.	
2460	- Buoy 7	44-31-29.706N 068-25-37.728W				Green can.	
2465	- Buoy 9	44-31-45.336N 068-25-26.922W				Green can.	
2470	- Buoy 11	44-31-57.114N 068-25-23.832W				Green can.	
<b>Patten Bay</b>							
2475	- Buoy 2	44-28-54.877N 068-27-19.971W				Red nun.	
<b>APPROACHES TO BLUE HILL BAY (Chart 13313)</b>							
<b>Mackerel Cove</b>							
2480	North Point Lighted Gong Buoy 1 Northwest from 1-foot ledge.	44-11-34.882N 068-25-47.509W	FI G 4s		5	Green.	Replaced by can when endangered by ice.
2485	Crow Island Ledge Buoy 2	44-11-12.956N 068-25-58.037W				Red nun.	
2487	Fir Point Danger Buoy	44-10-50.560N 068-25-35.063W				White with orange bands.	
2490	Fir Point Ledge Buoy 3	44-10-47.443N 068-25-45.338W				Green can.	
2495	Round Island Ledge Buoy 4	44-10-47.293N 068-26-48.070W				Red nun.	
<b>Casco Passage</b>							
2500	- Bell Buoy CP	44-11-48.178N 068-26-30.765W				Red and white stripes with red spherical topmark.	
2505	- Buoy 1	44-11-36.112N 068-27-40.982W				Green can.	
2510	- Buoy 3	44-11-38.100N 068-28-03.147W				Green can.	
2515	- Buoy 4	44-11-43.212N 068-28-15.853W				Red nun.	
2520	- Buoy 5	44-11-40.902N 068-28-18.953W				Green can.	
2525	- Buoy 7	44-11-40.212N 068-28-38.454W				Green can.	
2530	- Buoy 9	44-11-36.112N 068-29-03.124W				Green can.	
2535	- Buoy 10	44-11-37.332N 068-29-38.605W				Red nun.	
<b>Long Ledge</b>							
2540	Orono Point Daybeacon 1A	44-11-27.472N 068-27-42.642W				SG on iron spindle.	
2545	- Buoy 2 At east point of ledge.	44-11-24.992N 068-27-52.822W				Red nun.	
2550	- Buoy 4 At southeastern end of ledge.	44-11-14.402N 068-28-11.033W				Red nun.	
2555	Hawley Ledge Buoy 5	44-11-11.329N 068-28-20.634W				Green can.	
2560	- Buoy 6	44-11-13.531N 068-28-32.946W				Red nun.	
2565	Hawley Ledge Buoy 7	44-11-10.466N 068-28-43.314W				Green can.	
2570	- Lighted Bell Buoy 8	44-11-12.492N 068-28-53.074W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>BLUE HILL BAY (Chart 13316)</b>							
<b>Pond Island Passage</b>							
2575	- Buoy 1 Northeasterly of shoal.	44-14-20.199N 068-28-44.935W				Green can.	
2580	- Buoy 2 On south end of shoal.	44-14-19.929N 068-29-03.835W				Red nun.	
2585	- Buoy 3 Northwesterly of rock.	44-14-07.139N 068-29-30.356W				Green can.	
<b>Western Passage</b>							
2590	Fly e Island Channel Buoy 1	44-14-34.028N 068-29-46.426W				Green can.	
2595	BLUE HILL BAY LIGHT 3	44-14-55.388N 068-29-51.686W	FI G 4s	21	5	SG on skeleton tower.	
2600	Fly e Island Channel Bell Buoy FI	44-14-56.418N 068-29-38.336W				Red and white stripes with red spherical topmark.	
2605	Fly e Island Channel Buoy 4	44-15-07.768N 068-29-48.947W				Red nun.	
2610	Tinker Island Ledge Buoy 6	44-16-58.826N 068-29-58.467W				Red nun.	
2615	Cow and Calf Buoy 8 Northwest of ledge.	44-17-18.546N 068-29-48.656W				Red nun.	
<b>Maine Cultured Mussels Long Island East Aquaculture</b>							
2616	- Buoy A	44-20-46.410N 068-28-50.360W				Yellow can.	Private aid.
2616.1	- Buoy B	44-20-40.210N 068-28-48.680W				Yellow can.	Private aid.
2616.2	- Buoy C	44-20-39.610N 068-28-53.000W				Yellow.	Private aid.
2616.3	- Buoy D	44-20-45.810N 068-28-54.680W				Yellow.	Private aid.
<b>Western Passage</b>							
2620	Harriman Ledge Buoy 9	44-18-02.119N 068-31-20.709W				Green can.	
2625	Jims Point Buoy 10	44-19-45.803N 068-32-08.680W				Red nun.	
<b>Morgan Bay</b>							
2630	- Entrance Buoy 2 West of 4-foot rock.	44-24-04.031N 068-29-40.825W				Red nun.	
<b>Blue Hill Harbor</b>							
2635	- Buoy 1 At eastern point of middle ground.	44-24-04.770N 068-33-17.442W				Green can	
2640	- Buoy 3	44-24-08.599N 068-33-18.502W				Green can.	
2645	- Buoy 5	44-24-11.376N 068-33-39.717W				Green can.	
2650	- Buoy 6	44-24-13.114N 068-33-43.757W				Red nun.	
2655	- Buoy 7	44-24-25.467N 068-34-05.583W				Green can.	
2660	- Buoy 8	44-24-22.473N 068-34-15.660W				Red nun.	
<b>APPROACHES TO BLUE HILL BAY (Chart 13313)</b>							
<b>Toothacher Bay</b>							
<b>Burnt Coat Harbor</b>							
2670	Seal Ledge Buoy 1	44-05-04.089N 068-28-29.931W				Green can.	
2675	Johns Island Sunken Ledge Buoy J South of ledge.	44-05-44.479N 068-24-27.634W				Red nun with green bands.	
2685	Gooseberry Island Ledge Buoy 3	44-07-47.078N 068-27-14.568W				Green can.	
2690	Harbor Island Ledge Day beacon 4	44-07-55.554N 068-26-43.764W				TR on iron spindle.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>APPROACHES TO BLUE HILL BAY (Chart 13313)</b>							
<b>Toothacher Bay</b>							
<b>Burnt Coat Harbor</b>							
2695	- Gong Buoy 5	44-08-02.016N 068-26-43.419W				Green.	
2700	- LIGHT	44-08-02.800N 068-26-49.800W	Oc W 4s	75	9	White square tower.	
2705	Swans Island Gong Buoy 2 Southerly of shoal.	44-07-27.097N 068-24-46.265W				Red.	
2710	Baker Island Ledge Buoy 3	44-07-42.471N 068-25-52.819W				Green can.	
2711.1	<i>Scrag Island Aquaculture Lighted Buoy SI-A</i>	44-07-18.300N 068-26-28.070W	FI Y 2.5s			Yellow.	Private aid.
2711.2	<i>Scrag Island Aquaculture Lighted Buoy SI-B</i>	44-07-14.700N 068-26-29.570W	FI Y 2.5s			Yellow.	Private aid.
2711.3	<i>Scrag Island Aquaculture Lighted Buoy SI-C</i>	44-07-09.800N 068-26-10.570W	FI Y 2.5s			Yellow.	Private aid.
2711.4	<i>Scrag Island Aquaculture Lighted Buoy SI-D</i>	44-07-12.790N 068-26-07.870W	FI Y 2.5s			Yellow.	Private aid.
2715	Harbor Island Ledge Buoy 5	44-07-56.215N 068-26-04.955W				Green can.	
2720	Marshall Island Buoy 3	44-08-04.425N 068-30-39.916W				Green can.	
2725	Hat Island Ledge Buoy 4	44-08-23.915N 068-30-53.147W				Red nun.	
2730	Sheriff Ledges Buoy 2	44-07-47.226N 068-28-34.202W				Red nun.	
<b>Jericho Bay</b>							
2735	Drunkard Ledge Buoy 1	44-04-39.848N 068-32-30.719W				Green can.	
2740	Blue Hill Rock Buoy 3	44-05-30.757N 068-32-11.078W				Green can.	
2745	West Halibut Rock Buoy 4WH North of 2 foot shoal.	44-07-58.295N 068-32-59.080W				Red nun.	
2750	HALIBUT ROCKS LIGHT On northerly rock.	44-08-02.944N 068-31-31.767W	FI W 6s	25	6	NR on skeleton tower.	HORN: 1 blast ev 10s (1s bl). Operates continuously.
2755	Whaleback Ledge Isolated Danger Buoy DW	44-09-14.907N 068-33-10.299W				Black and red bands with two black spherical topmarks; can.	
2760	Saddleback Island Bell Buoy SI	44-09-01.993N 068-34-16.322W				Red and white stripes with red spherical topmark.	
2765	Shingle Island Sunken Ledge Buoy 2	44-09-07.923N 068-35-31.045W				Red nun.	
2770	The Woodbury Buoy 6	44-09-25.326N 068-31-27.117W				Red nun.	
2775	Hanus Ledge Buoy HL	44-09-48.130N 068-30-23.829W				Red nun with green bands.	
2780	Sunken Egg Rock Buoy 1	44-10-51.622N 068-30-46.677W				Green can.	
2785	Long Ledge Bell Buoy 2	44-10-40.232N 068-32-47.681W				Red.	
2790	Long Ledge Day beacon LL On southwest end of ledge.	44-10-46.926N 068-32-50.556W				NR on spindle.	
2795	- Buoy 2	44-10-53.002N 068-31-58.049W				Red nun.	
2805	Egg Rock Day beacon 8A	44-11-06.519N 068-30-32.314W				TR on spindle.	
2810	Green Ledge Buoy 9	44-11-32.591N 068-32-05.159W				Green can.	
2815	Mahoney Island Ledge Buoy 2	44-12-37.520N 068-31-18.878W				Red nun.	
2820	Mahoney Island Buoy 11	44-12-51.890N 068-30-26.877W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>BLUE HILL BAY (Chart 13316)</b>							
<b>Eggemoggin Reach</b>							
2825	Eggemoggin Eastern Bell Buoy EE	44-12-44.980N 068-32-18.340W				Red and white stripes with red spherical topmark.	
2830	Hay Island Ledge Buoy 4 West of ledge.	44-12-52.540N 068-32-10.365W				Red nun.	
2835	Devils Head Ledge Buoy 6	44-13-03.430N 068-32-26.550W				Red nun.	
2840	Channel Rock Buoy 5	44-12-49.620N 068-32-47.541W				Green can.	
2845	Conary Ledge Buoy 7 Northeast of ledge.	44-14-18.728N 068-35-10.285W				Green can.	
2850	Torrey Island Buoy 8	44-14-54.497N 068-36-06.787W				Red nun.	
2855	Torrey Castle Day beacon 10	44-15-05.775N 068-36-07.790W				TR on spindle.	
2860	Torrey Ledge Buoy 12	44-15-27.476N 068-36-11.927W				Red nun.	
<b>Center Harbor</b>							
2865	Chatto Island Ledge Buoy 2	44-15-39.906N 068-35-17.625W				Red nun.	
2870	- Ledge Day beacon 3	44-15-44.416N 068-35-02.994W				SG on iron spindle.	
<b>Eggemoggin Reach</b>							
2875	Bridges Point Shoal Buoy 14	44-16-09.446N 068-37-26.869W				Red nun.	
2880	Benjamin River Buoy 2	44-17-10.385N 068-37-39.289W				Red nun.	Maintained from May 15 to Nov. 15.
2885	Benjamin River Buoy 3	44-17-18.383N 068-37-40.388W				Green can.	Maintained from May 15 to Nov. 15.
2890	Benjamin River Buoy 4	44-17-28.084N 068-37-40.389W				Red nun.	Maintained from May 15 to Nov. 15.
2895	Stump Cove Ledge Buoy 16	44-16-53.145N 068-38-24.620W				Red nun.	
2900	Tinker Ledges Buoy 17	44-16-53.045N 068-39-24.582W				Green can.	
2905	Billings Cove Buoy 18	44-17-35.174N 068-40-17.624W				Red nun.	
<b>PENOBSCOT RIVER (Chart 13309)</b>							
<b>Eggemoggin Reach</b>							
2910	Howard Ledges Buoy 21	44-18-24.442N 068-43-02.249W				Green can.	
2915	The Triangles Buoy 23 North of 2 foot shoal.	44-18-50.632N 068-44-05.761W				Green can.	
2920	The Triangles Buoy 25 At western edge of ledge.	44-18-47.552N 068-44-18.351W				Green can.	
2925	<i>Eggemoggin Lighted Bell Buoy EG</i>	44-19-13.221N 068-44-34.282W	Mo (A) W		4	Red and white stripes with red spherical topmark.	Replaced by can when endangered by ice.
2930	<i>Buck Harbor Ledge Lighted Buoy</i> On north side of ledge.	44-20-16.280N 068-44-11.101W	Fl W 2s		3	White and orange bands.	Marked DANGER.
2931	Buck's Harbor East Channel Buoy 1	44-20-02.880N 068-44-03.060W				Green can.	Private aid.
2932	Buck's Harbor East Channel Buoy 2	44-20-02.700N 068-44-01.860W				Red nun.	Private aid.
2935	Horseshoe Ledge Day beacon 2	44-19-22.260N 068-46-00.660W				TR on spindle.	Maintained from May 1 to Nov. 1. Private aid.
2940	Horseshoe Cove Buoy 3	44-19-54.720N 068-46-07.500W				Green can.	Maintained from May 1 to Nov. 1. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>PENOBSCOT RIVER (Chart 13309)</b>							
<b>Eggemoggin Reach</b>							
2945	Horseshoe Cove Day beacon 5	44-19-57.960N 068-46-07.920W				SG on spindle.	Maintained from May 1 to Nov. 1. Private aid.
2950	Cowpens Ledge Day beacon 6	44-19-58.920N 068-46-06.420W				TR on spindle.	Maintained from May 1 to Nov. 1. Private aid.
2960	Pumpkin Island Ledge Buoy 27	44-18-41.417N 068-45-05.014W				Green can.	
2965	Thrumcap Ledge Buoy 28	44-18-52.333N 068-45-24.916W				Red nun.	
2970	Merriman Ledge Buoy 29	44-18-29.692N 068-45-07.832W				Green can.	
2975	- Buoy 31	44-18-24.822N 068-45-40.951W				Green can.	
2980	Spectacle Island Ledge Buoy 32	44-18-24.267N 068-46-10.221W				Red nun.	
2985	Two Bush Ledge Buoy 33	44-18-04.232N 068-45-49.863W				Green can.	
2990	- Bell Buoy ER	44-18-00.112N 068-46-28.804W				Red and white stripes with red spherical topmark.	
<b>APPROACHES TO BLUE HILL BAY (Chart 13313)</b>							
<b>Deer Island Thorofare</b>							
2995	Potato Ledge Buoy 5	44-10-35.382N 068-33-02.581W				Green can.	
3000	Lazy gut Ledge Buoy 6	44-10-34.952N 068-33-48.822W				Red nun.	
3005	Eastern Mark Island Ledge Buoy 7	44-10-22.042N 068-34-58.184W				Green can.	
3010	Haycock Rock Day beacon 9	44-10-07.991N 068-35-19.444W				SG on iron spindle.	
3015	White Rock Buoy 10	44-10-04.512N 068-35-56.416W				Red nun.	
3020	Haskell Ledge Buoy 12	44-09-57.372N 068-36-27.807W				Red nun.	
<b>Bald Island</b>							
3025	- East Ledge Buoy 11	44-09-45.352N 068-36-33.727W				Green can.	
3030	- Buoy 1	44-09-23.732N 068-36-31.047W				Green can.	
3032	- Ledges Warning Buoy	44-09-35.106N 068-36-54.048W				White can with orange bands worded ROCK.	
3035	- Western Buoy 3	44-09-29.240N 068-36-59.553W				Green can.	
3040	- Western Ledge Buoy 13 North end of shoal.	44-09-41.382N 068-37-10.088W				Green can.	
<b>Deer Island Thorofare</b>							
3045	Humpkins Islet Shoal Buoy 14	44-09-22.642N 068-38-01.050W				Red nun.	
3050	Roebuck Ledge Buoy 15	44-09-11.026N 068-38-45.113W				Green can.	
3055	Dow Ledges Buoy 16	44-09-11.292N 068-39-00.092W				Red nun.	
3060	Staple Point Ledge Buoy 18	44-09-08.682N 068-39-33.013W				Red nun.	
3065	Peggy's Island Ledge Buoy 19	44-08-57.456N 068-40-12.354W				Green can.	
3070	CROTCH ISLAND LIGHT 21	44-08-46.410N 068-40-39.066W	FIG 4s	20	5	SG on skeleton tower.	
3075	Crotch Island Buoy 23	44-08-47.493N 068-40-40.775W				Green can.	
3080	Moose Island Rock Buoy 24	44-08-45.073N 068-40-51.056W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>APPROACHES TO BLUE HILL BAY (Chart 13313)</b>							
<b>Deer Island Thorofare</b>							
3085	Crotch Island Day beacon 25	44-08-30.696N 068-41-04.986W				SG on spindle.	
3090	Field Ledge Buoy 27	44-08-24.922N 068-41-34.116W				Green can.	
3095	- LIGHT	44-08-03.721N 068-42-11.785W	FI W 6s	52	8	White and black tower.	Obscured from 240° to 335°. HORN: 1 blast ev 15s (2s bl). Operates continuously.
3100	West Mark Island Ledge Buoy 2	44-08-12.001N 068-43-05.819W				Red nun.	
<b>Oceanville Approach</b>							
3105	Boat Rock Buoy East of ledge.	44-10-45.851N 068-35-15.585W				Red nun with green bands.	
3110	Whaleback Ledge Buoy 1	44-11-17.269N 068-36-24.848W				Green can.	
<b>Crotch Island Passage</b>							
3115	Green Island Buoy 4	44-08-16.964N 068-38-41.044W				Red nun.	
3120	- Buoy 2	44-08-41.112N 068-39-54.593W				Red nun.	
3125	Two Bush Island Point Buoy 3	44-08-57.242N 068-39-44.513W				Green can.	
<b>Merchant Row</b>							
3130	Colby Ledge Day beacon 2	44-07-24.863N 068-35-34.091W				TR on spindle.	
3135	Colby Pup Buoy 1	44-06-56.625N 068-35-34.355W				Green can.	
3140	Barter Island Ledges Day beacon 8	44-07-08.052N 068-38-07.356W				TR on spindle.	
3145	- Buoy 9 North of ledge.	44-06-56.514N 068-38-55.092W				Green can.	
3150	Midchannel Ledge Buoy 10 South of ledge.	44-07-06.553N 068-39-42.523W				Red nun.	
3155	York Island Rock Buoy 1	44-04-08.178N 068-34-47.323W				Green can.	
3160	Seven Foot Shoal Buoy 2	44-04-55.038N 068-34-47.970W				Red nun.	
3165	Airy Ledge Buoy 3	44-05-08.047N 068-35-15.184W				Green can.	
3170	Burnt Ledge Buoy 5	44-05-58.996N 068-36-12.286W				Green can.	
3175	Leach Rock Buoy 7	44-06-36.035N 068-37-28.089W				Green can.	
<b>Jericho Bay</b>							
3180	Colt Ledge Buoy 2A	44-01-04.518N 068-33-54.348W				Red nun.	
3185	Eastern Ear Ledge Buoy 2	44-00-10.151N 068-35-41.335W				Red nun.	
3190	<i>Roaring Bull Lighted Bell Buoy</i> 2	43-59-24.909N 068-37-55.938W	FI R 6s		4	Red.	
<b>PENOBSCOT BAY AND APPROACHES (Chart 13302)</b>							
<b>Penobscot Bay Approaches</b>							
3195 10	<b>Matinicus Rock Light</b>	43-47-00.502N 068-51-18.119W	FI W 10s	90	20	Cylindrical gray granite tower. 41	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>PENOBSCOT BAY AND APPROACHES (Chart 13302)</b>							
<b>Penobscot Bay Approaches</b>							
3210	Matinicus South Breaker Buoy DMSB	43-47-25.303N 068-53-24.124W				Black and red bands with two black spherical topmarks.	
3215	Matinicus Inner Breaker Buoy 2 Off south end of shoal.	43-48-21.132N 068-53-48.020W				Red nun.	
3220	Southwest Ledge Bell Buoy 4	43-49-08.092N 068-54-31.247W				Red.	
3225	Bantam Ledge Buoy DBL South of ledge.	43-49-39.441N 068-57-00.154W				Black and red bands with two black spherical topmarks.	
3230	Ragged Island Harbor Ledges Buoy 6 Marks ledges west of island.	43-50-07.981N 068-54-02.546W				Red nun.	
3235	CRIEHAVEN BREAKWATER LIGHT 8	43-50-05.001N 068-53-33.434W	FI R 6s	32	5	TR on skeleton tower.	
3240	<i>Wooden Ball Island Lighted Bell Buoy 2WB</i>	43-50-24.481N 068-49-56.866W	FI R 4s		4	Red.	
3245	Harbor Ledge Bell Buoy	43-51-54.730N 068-52-44.663W				Red and green bands.	
3250	MATINICUS HARBOR LIGHT 2	43-51-54.168N 068-52-52.156W	FI R 4s		4	TR on skeleton tower.	
3255	Mackerel Ledge Buoy 5 North of northerly ledge.	43-52-06.682N 068-51-39.106W				Green can.	
3265	<i>Zephyr Rock Lighted Buoy 5</i>	43-53-46.299N 068-51-47.120W	FI G 4s		3	Green.	
3275	Beach Ledges Buoy	43-52-19.830N 068-52-47.883W				Red nun with green bands.	
3280	<i>Matinicus Island Lighted Bell Buoy 9MI</i>	43-53-06.300N 068-52-52.123W	FI G 4s		4	Green.	
3285	Foster Ledges Buoy 10 West of ledge.	43-52-05.730N 068-56-54.192W				Red nun.	
3295	Southern Triangles Buoy 1T South of rock.	43-53-45.899N 069-03-50.847W				Green can.	
3300	<i>Penobscot Bay East Approach Lighted Whistle Buoy PBA</i>	43-55-36.606N 068-39-37.077W	Mo (A) W		6	Red and white stripes with red spherical topmark.	AIS: MMSI 993672149 (21)
3302	<i>Penobscot Bay Lighted Buoy WP</i>	43-55-50.624N 068-53-08.909W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
3305	Bay Ledge Isolated Danger Gong Buoy DBL West of ledge.	43-57-57.257N 068-51-45.340W				Black and red bands with two black spherical topmarks.	
3307	<i>Three Fathom Ledge Isolated Danger Lighted Buoy DTF</i> East of 16 foot ledge.	43-54-17.913N 068-42-04.741W	FI (2)W 5s		4	Black and red bands with two black spherical topmarks.	
3310	<i>Old Horse Ledge Lighted Bell Buoy 2A</i>	43-59-55.927N 068-50-04.327W	FI R 2.5s		4	Red.	
<b>PENOBSCOT BAY (Chart 13305)</b>							
<b>Isle Au Haut Bay</b>							
3320	The Washers Buoy 2	44-00-19.620N 068-40-30.281W				Red nun.	
3325	SADDLEBACK LEDGE LIGHT	44-00-51.697N 068-43-35.217W	FI W 6s	52	9	Gray conical tower.	HORN: 1 blast ev 10s (1s bl). operates continuously .
3330	Saddleback Ledge Shoal Isolated Danger Buoy DSL Southwest of ledge.	44-01-24.586N 068-44-23.743W				Black and red bands with two black spherical topmarks; can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>PENOBSCOT BAY (Chart 13305)</b>							
<b>Isle Au Haut Bay</b>							
3335	Diamond Rock Ledge Buoy 1	44-01-35.306N 068-45-58.997W				Green can.	
3340	Triangle Ledge Buoy 5	44-03-11.950N 068-45-53.932W				Green can.	
3345	Marsh Cove Ledges Buoy 1	44-04-03.856N 068-40-33.545W				Green can.	
3350	The Brandies Buoy 4	44-01-28.298N 068-41-22.097W				Red nun.	
3355	Rock T Buoy 6 Northwest of rock.	44-02-20.297N 068-40-16.095W				Red nun.	
3360	ISLE AU HAUT LIGHT	44-03-53.076N 068-39-04.952W	FI R 4s (W sector)	48	W 8 R 6	Tower, lower part conical, gray; upper part cylindrical, white brick; white bridge to shore.	White from 034° to 060°, covers fairway to Isle au Haut Thorofare.
3365	Sawyer Ledge Buoy 1	44-04-01.446N 068-39-15.692W				Green can.	
3370	Inner Ledge Day beacon 3	44-04-09.726N 068-38-49.001W				SG on spindle.	
<b>Isle Au Haut Thorofare</b>							
3375	- Buoy 4	44-04-31.974N 068-38-13.201W				Red nun.	
3380	- Buoy 6	44-04-35.214N 068-38-09.228W				Red nun.	
3385	- Buoy 5	44-04-37.230N 068-38-07.860W				Green can.	
3390	- Buoy 7	44-04-42.413N 068-38-02.114W				Green can.	
3395	- Buoy 8	44-04-46.982N 068-37-56.453W				Red nun.	
3400	- Buoy 9	44-04-46.855N 068-37-57.950W				Green can.	
3405	Ram Island Ledge Buoy 2 North side of ledge.	44-05-52.234N 068-40-14.154W				Red nun.	
3410	Merchant Island Ledge Buoy 1	44-06-03.780N 068-39-30.360W				Green can.	
3415	North Bay Ledge Buoy 2	44-05-41.768N 068-39-16.707W				Red nun.	
3425	Birch Point Shoal Buoy 3	44-05-19.725N 068-38-33.131W				Green can.	
3430	Flake Island Buoy 5	44-05-04.576N 068-38-20.551W				Green can.	
3435	Birch Point Day beacon On ledge.	44-05-27.018N 068-37-54.186W				NG on iron spindle.	
<b>East Penobscot Bay</b>							
3440	Brown Cow Ledge Whistle Buoy 2BC Southwest of ledge.	44-06-43.942N 068-43-50.971W				Red.	
3445	Sellers Rock Buoy 2 Southwest of rock.	44-10-23.249N 068-43-46.650W				Red nun.	
3450	Porcupine Ledge Bell Buoy 3	44-12-22.188N 068-45-44.766W				Green.	
3455	EAGLE ISLAND LIGHT	44-13-03.528N 068-46-03.984W	FI W 4s	106	9	White conical tower.	
3460	Eagle Island Gong Buoy 3A	44-13-06.717N 068-45-52.152W				Green.	Replaced by can when endangered by ice.
3465	Slyvester Cove Buoy 2	44-12-45.468N 068-43-31.809W				Red nun.	
3470	Middle Rock Buoy 4 Westerly of ledge.	44-13-39.186N 068-45-51.922W				Red nun.	
3475	Fling Island Ledge Buoy 1	44-12-29.297N 068-48-17.116W				Green can.	



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>PENOBSCOT BAY (Chart 13305)</b>							
<b>East Penobscot Bay</b>							
3480	Channel Rock Buoy 2	44-12-53.696N 068-48-28.106W				Red nun.	
3485	Great Spruce Head Ledge Buoy 3	44-14-28.367N 068-48-38.625W				Green can.	
3490	Gull Ledge Buoy 1	44-14-01.836N 068-43-25.410W				Green can.	
3495	Pressey Ledge Buoy 2	44-14-08.286N 068-42-37.027W				Red nun.	
<b>PENOBSCOT RIVER (Chart 13309)</b>							
<b>East Penobscot Bay</b>							
3500	Swains Ledge Buoy 1	44-17-17.613N 068-44-11.440W				Green can.	
3505	Green Ledge Bell Buoy 2	44-17-13.482N 068-49-59.878W				Red.	Removed when endangered by ice.
3510	GREEN LEDGE LIGHT 4 On ledge west of western island.	44-17-24.612N 068-49-42.347W	FI R 6s	31	5	TR on skeleton tower.	
3515	Hewes Ledge Buoy 1 At northeast end of ledge.	44-18-33.431N 068-53-08.533W				Green can.	
3520	Hewes Ledge Buoy 2 At southwest end of ledge	44-18-25.671N 068-53-14.489W				Red nun.	
3525	Isleboro Ledge Buoy 9 East of ledge.	44-20-59.889N 068-51-21.581W				Green can.	
<b>Castine Harbor</b>							
3530	<b>Dice Head Light</b>	44-22-57.600N 068-49-07.860W	FI W 6s	134	11	White tower. 51	
3531	<i>Castine DeepC Wind Anchor Lighted Buoy NE</i>	44-23-10.800N 068-49-18.600W	FI W 4s			White with Orange bands.	Private aid.
3531.1	<i>Castine DeepC Wind Anchor Lighted Buoy SE</i>	44-22-55.400N 068-49-24.700W	FI W 4s			White with Orange bands.	Private aid.
3531.2	<i>Castine DeepC Wind Anchor Lighted Buoy W</i>	44-23-03.200N 068-49-35.580W	FI W 4s			White with Orange bands.	Private aid.
3535	Nautilus Rock Buoy 1A	44-22-19.884N 068-48-37.737W				Green can.	
3540	- Entrance Bell Buoy CH	44-22-29.777N 068-49-03.309W				Red and white stripes with red spherical topmark.	
3545	- Buoy 1	44-22-41.817N 068-48-49.898W				Green can.	
3550	Hosmer Ledge Day beacon 2	44-22-52.717N 068-47-51.767W				TR on iron spindle on stone monument.	
3555	Smith Cove Buoy 2	44-22-30.278N 068-46-38.206W				Red nun.	
3560	- Buoy 2	44-23-18.637N 068-47-28.237W				Red nun.	35 yards from old monument, awash at half tide.
3565	- Buoy 3	44-23-37.504N 068-46-54.851W				Green can.	
<b>Bagaduce River</b>							
3570	- Shoal Buoy 5	44-24-10.206N 068-46-00.786W				Green can.	
3575	- Ledge Buoy 7	44-25-42.087N 068-44-53.652W				Green can.	
<b>Penobscot River</b>							
3580	FORT POINT LEDGE LIGHT 2	44-27-39.761N 068-48-36.322W	FI R 4s	23	4	TR on spindle on stone monument.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>PENOBSCOT RIVER (Chart 13309)</b>							
<b>Penobscot River</b>							
3585	<b>Fort Point Light</b>	44-28-01.682N 068-48-42.058W	F W	88	15	White house. 31	Lighted throughout 24 hours. HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
3590	- Buoy 1	44-28-07.352N 068-48-24.310W				Green can.	
3595	- Buoy 3	44-29-36.001N 068-48-03.600W				Green can.	
3600	- Buoy 4	44-29-49.781N 068-47-33.600W				Red nun.	
3605	- Buoy 5	44-30-06.600N 068-48-03.231W				Green can.	
3610	- <i>Lighted Buoy 6</i>	44-30-48.840N 068-48-09.142W	Q R		3	Red.	
3615	Odom Ledge Day beacon 6A On highest point of ledge.	44-30-55.838N 068-48-02.762W				TR on post on square stone base.	Ra ref.
3616	WALDO HANCOCK WEST LIGHTS (2)	44-33-39.265N 068-48-10.472W	FI W 2.5s	15		White.	Marks end of bridge abutment. Private aid.
3617	WALDO HANCOCK EAST LIGHTS (2)	44-33-35.518N 068-48-00.744W	FI W 2.5s	15		White.	Marks end of bridge abutment. Private aid.
3620	- Buoy 7	44-34-52.320N 068-48-54.044W				Green can.	
3625	- Buoy 9	44-35-17.846N 068-48-55.919W				Green can.	
3630	- Buoy 11	44-36-03.075N 068-49-29.421W				Green can.	
3635	- Buoy 13	44-36-14.484N 068-50-08.895W				Green can.	
3640	- <i>Lighted Buoy 14</i>	44-36-23.086N 068-50-38.950W	FI R 4s		4	Red.	
3645	- Buoy 16	44-36-45.771N 068-51-00.409W				Red nun.	
3650	- Buoy 19	44-40-06.960N 068-48-51.840W				Green can.	
3655	- Buoy 18	44-37-12.120N 068-51-00.000W				Red nun.	
3660	Bucks Ledge Day beacon 20 On ledge.	44-40-54.261N 068-48-52.127W				TR on spindle.	
3665	- Buoy 22	44-41-24.120N 068-49-55.200W				Red nun.	
3670	- Buoy 24	44-43-41.402N 068-49-56.262W				Red nun.	
3675	- Buoy 26	44-45-02.757N 068-48-57.289W				Red nun.	
3680	- Buoy 28	44-45-15.362N 068-48-48.363W				Red nun.	
3681	CIANBRO HAZARD LIGHT A	44-46-16.650N 068-47-08.330W	Q W			On wood pile.	Private aid.
3682	CIANBRO HAZARD LIGHT B	44-46-15.950N 068-47-08.570W	Q W			On wood pile.	Private aid.
<b>PENOBSCOT BAY (Chart 13305)</b>							
<b>Carvers Harbor (Vinal Haven)</b>							
<b>Carvers Harbor From Eastward</b>							
3685	Halibut Ledge Buoy 2	44-02-40.270N 068-46-23.008W				Red nun.	
3690	Crosby Ledge Buoy 4	44-02-16.685N 068-47-01.229W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>PENOBSCOT BAY (Chart 13305)</b>							
<b>Carvers Harbor (Vinal Haven)</b>							
<b>Carvers Harbor From Eastward</b>							
3695	Sheep Island Ledge Buoy 2	44-01-38.926N 068-47-25.090W				Red nun.	
3700	Old Duke Ledges Buoy 6	44-01-53.206N 068-47-48.921W				Red nun.	
3705	Bunker Ledge Buoy 8	44-01-29.926N 068-48-51.593W				Red nun.	
3710	Point Ledge Buoy 10	44-01-40.609N 068-49-43.004W				Red nun.	
<b>Carvers Harbor From South</b>							
3715	CARVERS HARBOR ENTRANCE LIGHT 2	44-02-02.994N 068-50-37.216W	FI R 4s	19	4	TR on spindle.	
3720	<i>Green Ledge Lighted Buoy 4</i>	44-02-14.795N 068-50-38.116W	FI R 2.5s		4	Red.	
3725	<i>Norton Point Ledge Lighted Buoy 5</i>	44-02-19.495N 068-50-35.416W	FI G 2.5s		4	Green.	
3730	Colt Ledge Buoy 2	44-00-44.391N 068-50-13.197W				Red nun.	
3735	The Breakers Ledge Buoy 1	44-01-04.056N 068-50-33.637W				Green can.	
3740	Arey Ledges Buoy 4	44-01-07.206N 068-50-21.117W				Red nun.	
<b>Carvers Harbor From Westward</b>							
3745	James and Willies Ledge Buoy 1	44-01-04.235N 068-52-43.782W				Green can.	
3750	The Breakers Sunken Ledge Buoy 2	44-01-04.466N 068-51-32.511W				Red nun.	
3755	Heron Channel Ledge Buoy 4 North of shoal.	44-01-24.415N 068-51-20.149W				Red nun.	
3760	HERON NECK LIGHT	44-01-30.400N 068-51-43.800W	F R (W sector)	92	W 9 7	White conical tower.	White sector from 030° to 063°. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
<b>The Reach</b>							
3765	- <i>Rock Lighted Buoy 2</i>	44-02-18.495N 068-50-57.117W	Q R		3	Red.	
3770	WRECK POINT LIGHT 3	44-02-26.364N 068-51-08.517W	FI G 2.5s		3	SG on spindle.	
3775	- <i>Lighted Buoy 5</i>	44-02-31.859N 068-51-13.926W	FI G 4s		3	Green.	
3780	- Buoy 7	44-02-34.094N 068-51-27.618W				Green can.	
3785	- <i>Lighted Buoy 8</i>	44-02-40.294N 068-51-40.118W	FI R 2.5s		3	Red.	
3790	- <i>Ledge Lighted Buoy 9</i>	44-02-45.994N 068-51-49.119W	FI G 4s		3	Green.	
3795	<i>Dog Point Ledge Lighted Buoy 10</i>	44-02-59.294N 068-52-20.120W	FI R 2.5s		3	Red.	
3800	Green Island Sunken Ledge Buoy 11	44-02-56.164N 068-52-34.440W				Green can.	
<b>Hurricane Sound</b>							
3803	- Day beacon 2	44-02-09.240N 068-53-01.080W				TR on metal pile.	Seasonal Apr. 15 to Oct. 15. Private aid.
3805	- Buoy 15	44-02-30.759N 068-54-03.287W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>PENOBSCOT BAY (Chart 13305)</b>							
<b>Hurricane Sound</b>							
3810	- Buoy 13	44-02-39.744N 068-53-29.232W				Green can.	
3815	- Buoy 12 South of ledge.	44-02-51.000N 068-53-19.020W				Red nun.	
<b>Lawrys Narrows</b>							
3820	- East Entrance Lighted Buoy 1 East of ledge.	44-03-58.126N 068-53-38.989W	FI G 2.5s		4	Green.	
3825	- Rocks Lighted Buoy 2A	44-04-06.112N 068-54-13.122W	FI R 4s		4	Red.	
3830	- West Entrance Ledge Buoy 1	44-04-02.013N 068-54-27.133W				Green can.	
3835	Green Island Lighted Bell Buoy 3	44-04-10.800N 068-55-25.200W	FI G 4s		4	Green.	
3840	Green Island Ledge Lighted Buoy 2	44-04-21.027N 068-55-06.655W	FI R 2.5s		3	Red nun.	
3845	Seal Ledge Buoy 5	44-04-42.732N 068-56-20.296W				Green can.	
3850	Inner Bay Ledges Buoy 7	44-04-54.292N 068-56-50.127W				Green can.	
<b>Leadbetter Narrows</b>							
3855	- Buoy 1 On east side of shoal.	44-05-02.992N 068-54-03.521W				Green can.	
<b>Fox Island Thorofare</b>							
3860	- Buoy 2A	44-07-54.801N 068-46-41.106W				Red nun.	
3865	- Buoy 2 South of shoal.	44-07-50.906N 068-48-06.576W				Red nun.	
3875	Channel Rock Day beacon 4A	44-07-48.000N 068-48-30.000W				TR on iron spindle.	
3880	- Buoy 5 East of shoal.	44-07-52.901N 068-49-27.145W				Green can.	
3885	GOOSE ROCKS LIGHT On ledge.	44-08-07.500N 068-49-50.400W	FI R 6s	51	7 W 12	White conical tower, black cylindrical foundation.	White sector from 301° to 304°. HORN: 1 blast ev 10s (1s bl). MRASS -Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
3890	- Buoy 7	44-07-59.270N 068-50-26.682W				Green can.	
3895	- Buoy 6	44-08-03.410N 068-50-43.592W				Red nun.	
3900	- Buoy 8	44-07-51.990N 068-51-09.324W				Red nun.	
3905	- Buoy 10 East of shoal.	44-07-35.010N 068-51-19.574W				Red nun.	
3910	Iron Point Ledge Day beacon 11 On ledge.	44-07-29.330N 068-51-21.584W				SG on iron spindle.	
3915	- Buoy 12 South of shoal.	44-07-26.400N 068-51-37.320W				Red nun.	
3925	- Buoy 14	44-07-28.670N 068-52-11.896W				Red nun.	
3930	- Lighted Buoy 16 Southwest of ledge	44-07-29.460N 068-52-27.420W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
3935	- Lighted Buoy 17	44-07-34.467N 068-53-11.415W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>PENOBSCOT BAY (Chart 13305)</b>							
<b>Fox Island Thorofare</b>							
3940	- Lighted Buoy 18	44-07-30.850N 068-53-59.479W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
3945	Young Point Daybeacon 19	44-07-26.710N 068-53-54.239W				SG on iron spindle.	Ra ref.
3950	- Buoy 20 South of shoal.	44-07-17.310N 068-54-29.150W				Red nun.	
3955	Fox Ears Daybeacon 22 On ledge.	44-07-02.320N 068-54-46.611W				TR on iron spindle.	
3960	- Gong Buoy 23	44-06-49.890N 068-54-38.591W				Green.	
3965	<b>Browns Head Light</b>	44-06-42.352N 068-54-34.186W	F W (2R sectors)	39	W 14 R 11 R 11	White cylindrical tower. 24	Red from 001° to 050°, and from 061° to 091°, fairway between. Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
3970	- Buoy 24	44-06-30.971N 068-55-45.263W				Red nun.	
3975	- Junction Buoy	44-06-02.480N 068-55-39.583W				Green can with red bands.	
3985	Fiddler Ledge Daybeacon	44-06-05.825N 068-56-22.176W				Gray stone square shaft pyramidal top.	
3990	- Lighted Gong Buoy 26	44-05-48.461N 068-56-48.776W	FI R 2.5s		3	Red.	
3995	- Buoy 27 North of 14-foot spot.	44-05-16.931N 068-56-55.467W				Green can.	
4000	- Lighted Bell Buoy FT	44-05-17.551N 068-57-16.927W	Mo (A) W		3	Red and white stripes.	
4005	Mcintosh Ledge Buoy 1	44-09-20.988N 068-57-39.664W				Green can.	
4010	Mouse Island Reef Buoy 3	44-10-56.286N 068-56-25.120W				Green can.	
4015	Mouse Island Ledge Buoy 5	44-12-15.285N 068-56-21.118W				Green can.	
4020	Egg Rock Ledge Buoy North-northeast of ledge.	44-11-10.507N 068-53-14.755W				Red nun with green bands.	
4025	Compass Island Ledge Isolated Danger Buoy DCL East of ledge.	44-12-03.417N 068-51-23.531W				Black and red bands with two black spherical topmarks; can.	
<b>PENOBSCOT BAY AND APPROACHES (Chart 13302)</b>							
<b>West Penobscot Bay</b>							
4035	Two Bush Island Lighted Whistle Buoy TBI	43-58-16.756N 069-00-16.080W	Mo (A) W		6	Red and white stripes.	
4040	Junken Ledge Isolated Danger Buoy DJ Marks three-fathom ledge.	43-59-26.116N 068-59-29.368W				Black and red bands with two black spherical topmarks; can.	
4050	- Entrance Lighted Gong Buoy PA	44-01-08.414N 069-00-19.268W	Mo (A) W		6	Red and white stripes with red spherical topmark.	AIS: MMSI 993672150 (21)
4052	University of Maine Oceanographic Lighted Buoy F	44-03-18.600N 068-59-48.600W	FI Y 4s			Yellow.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>PENOBSCOT BAY AND APPROACHES (Chart 13302)</b>							
<b>West Penobscot Bay</b>							
4055	Twenty Five Foot Rock Buoy 9 Southeast of shoal.	44-01-40.431N 069-01-18.449W				Green can.	
4075	Monroe Island Lighted Bell Buoy 11	44-04-45.307N 069-01-40.924W	FI G 4s		3	Green.	
<b>Inner Bay Ledges</b>							
4090	- Buoy 4 At south end of ledges.	44-04-21.222N 068-57-20.028W				Red nun.	
4095	- Buoy 6	44-04-50.192N 068-57-37.739W				Red nun.	
4100	Drunkard Ledge Day beacon	44-06-08.310N 068-57-08.076W				NW on spindle.	Danger rocks.
4105	<b>Owls Head Light</b>	44-05-32.058N 069-02-38.490W	F W	100	16	White tower. 26	Obscured from 324° to 354° by Monroe Island. Lighted throughout 24 hours. HORN: 2 blast ev 20s (2s bl-2s si-2s bl-14s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
4110	Owls Head Ledge Buoy 7 East of rock.	44-05-25.004N 069-02-31.791W				Green can.	
4115	Shag Rock Day beacon 9 On northeast end of rock.	44-05-43.630N 069-02-56.538W				SG on tripod.	
4120	West Penobscot Bay Entrance Lighted Gong Buoy PB	44-05-53.570N 069-00-11.912W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
<b>CAMDEN, ROCKPORT AND ROCKLAND HARBORS (Chart 13307)</b>							
<b>Rockland Harbor</b>							
4125	Spears Rock Buoy 1 North of 5 foot shoal.	44-05-42.360N 069-04-33.462W				Green can.	
4130	- <b>Breakwater Light</b>	44-06-14.546N 069-04-39.161W	FI W 5s	39	17	Red brick tower. 25	Light also displayed during day time when sound signal in operation. HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
4140	- SOUTHWEST LIGHT	44-04-54.000N 069-05-52.000W	F Y	44		Tower on white house.	Private aid.
4145	Seals Ledge Day beacon 3	44-05-18.960N 069-05-54.360W				SG on spindle.	
4150	Railway Ledge Buoy 5	44-05-34.930N 069-06-02.640W				Green can.	
4155	- Main Channel Lighted Buoy 2 Marks 14-foot shoal.	44-06-11.440N 069-05-37.274W	FI R 4s		3	Red.	
4160	- Main Channel Lighted Buoy 4	44-06-14.749N 069-05-57.014W	FI R 2.5s		3	Red.	
<b>Rockland Harbor Bypass Channel</b>							
4165	- Buoy 2	44-06-20.801N 069-05-58.324W				Red nun.	
4170	- Buoy 3	44-06-24.960N 069-06-02.762W				Green can.	
4173	Rockland Harbor Bypass Lighted Buoy 4	44-06-27.120N 069-06-02.040W	FI R 2.5s		3	Red.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>CAMDEN, ROCKPORT AND ROCKLAND HARBORS (Chart 13307)</b>							
<b>Rockland Harbor</b>							
<b>Rockland Harbor Bypass Channel</b>							
4175	- Buoy 5	44-06-27.254N 069-06-05.968W				Green can.	
4180	- Buoy 7	44-06-28.086N 069-06-11.880W				Green can.	
4185	- Buoy 8	44-06-29.899N 069-06-11.365W				Red nun.	
<b>Rockland Harbor</b>							
4190	- Channel Junction Buoy	44-06-31.519N 069-06-13.905W				Green can with red bands.	
<b>Rockland Harbor Bypass Channel</b>							
4195	- Buoy 9	44-06-37.539N 069-06-14.244W				Green can.	
4200	- Buoy 10	44-06-37.167N 069-06-12.433W				Red nun.	
4205	- Buoy 12	44-06-41.199N 069-06-07.685W				Red nun.	
<b>Rockland Harbor</b>							
4210	- North Channel Buoy 1	44-06-35.679N 069-05-45.413W				Green can.	
4215	- North Channel Buoy 3	44-06-39.839N 069-05-57.484W				Green can.	
4220	- North Channel Buoy 5	44-06-41.189N 069-06-03.274W				Green can.	
4225	Lermond Cove Channel Buoy 2	44-06-29.175N 069-06-21.730W				Red nun.	
4230	Lermond Cove Channel Buoy 3	44-06-27.535N 069-06-22.739W				Green can.	
4235	- Town Channel Buoy 1	44-06-12.189N 069-06-01.481W				Green can.	
4240	- Town Channel Buoy 3	44-06-07.419N 069-06-11.295W				Green can.	
4245	Red City Channel Buoy 1	44-05-59.160N 069-05-47.100W				Green can.	Private aid.
4245.1	Red City Channel Buoy 2	44-06-00.660N 069-05-47.100W				Red nun.	Private aid.
4245.2	Red City Channel Buoy 3	44-05-59.880N 069-06-03.600W				Green can.	Private aid.
4245.3	Red City Channel Buoy 4	44-06-01.140N 069-06-03.600W				Red nun.	Private aid.
4245.4	Red City Channel Buoy 5	44-06-00.900N 069-06-15.900W				Green can.	Private aid.
4245.5	Red City Channel Buoy 6	44-06-01.980N 069-06-17.820W				Red nun.	Private aid.
<b>PENOBSCOT BAY (Chart 13305)</b>							
<b>West Penobscot Bay</b>							
4250	Robinson Rock Bell Buoy 12 Off southerly end of reef.	44-09-00.000N 068-59-05.000W				Red.	
4260	Brewster Point Ledge Buoy 1	44-07-51.068N 069-04-09.379W				Green can.	
4265	Ram Island Ledge Buoy 3	44-08-22.998N 069-04-15.149W				Green can.	
4270	Porterfield Ledge Day beacon	44-09-14.593N 069-03-41.287W				NG on spindle on square stone pyramid.	
4275	Rockport Outer Bell Buoy RO	44-09-29.187N 069-03-11.965W				Red and white stripes.	
<b>Rockport Harbor</b>							
4280	LOWELL ROCK LIGHT 2 On south end of rock.	44-09-46.226N 069-03-36.885W	FI R 6s	25	5	TR on spindle.	
4285	Seal Ledge Day beacon 4	44-10-29.000N 069-03-53.000W				TR on spindle.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>PENOBSCOT BAY (Chart 13305)</b>							
<b>West Penobscot Bay</b>							
4295	Deadman Point Buoy 3	44-10-35.926N 069-02-44.073W				Green can.	
4305	<i>The Graves Lighted Gong Buoy 13</i>	44-10-55.715N 069-02-00.700W	FI G 6s		5	Green.	
<b>Camden Harbor</b>							
<i>Private aids maintained from May 15 to Oct. 15.</i>							
4310	CURTIS ISLAND LIGHT	44-12-04.918N 069-02-55.891W	Oc G 4s	52	6	White tower.	
4315	- Entrance Bell Buoy 2	44-12-00.185N 069-02-25.030W				Red.	
4320	Outer Ledge Buoy 4	44-12-10.805N 069-02-38.411W				Red nun.	
4325	Inner Ledges Buoy 6 At southwest point of ledges.	44-12-23.024N 069-02-52.631W				Red nun.	
4330	- Buoy 7	44-12-19.724N 069-03-07.111W				Green can.	
4335	- Bell Buoy CH	44-12-40.964N 069-02-16.179W				Red and white stripes.	
4340	NORTHEAST POINT LIGHT 2	44-12-30.684N 069-02-47.460W	FI R 4s	20	5	TR on white skeleton tower, small white house.	
4345	Northeast Passage Ledge Buoy 1 Northeast of outer ledges.	44-12-27.274N 069-02-36.070W				Green can.	
4350	Inner Ledges Day beacon 3	44-12-25.924N 069-02-46.948W				SG on iron spindle.	
<b>West Penobscot Bay</b>							
4355	Dillingham Ledge Buoy 1 East of Ledge	44-13-38.034N 069-01-48.957W				Green can.	
4360	<i>Ensign Island Lighted Bell Buoy 1</i>	44-13-31.605N 068-57-49.520W	FI G 4s		4	Green.	
4365	Ensign Island Buoy 14	44-14-02.750N 068-58-08.359W				Red nun.	
<b>PENOBSCOT RIVER (Chart 13309)</b>							
<b>West Penobscot Bay</b>							
4370	Lincolnville Bell Buoy 7	44-16-41.072N 068-59-42.871W				Green.	
4375	LINCOLNVILLE FERRY TERMINAL LIGHT N	44-16-50.400N 069-00-18.790W	F W	20		On pile.	Private aid.
4380	LINCOLNVILLE FERRY TERMINAL LIGHT S	44-16-49.620N 069-00-19.150W	F W	20		On pile.	Private aid.
4385	Haddock Ledge Buoy 2 25 yards southwest of ledge.	44-17-07.741N 068-59-24.221W				Red nun.	
<b>Gilkey Harbor</b>							
4390	<i>Grindel Point Lighted Bell Buoy 2</i>	44-16-46.962N 068-57-05.688W	FI R 4s		4	Red.	
4395	ISLEBORO FERRY TERMINAL LIGHT S	44-16-49.600N 068-56-38.000W	F W	20		On pile.	Private aid.
4400	ISLEBORO FERRY TERMINAL LIGHT N	44-16-50.210N 068-56-35.430W	F W	20		On pile.	Private aid.
4405	GRINDEL POINT LIGHT	44-16-53.151N 068-56-34.997W	FI W 4s	39	7		
4410	Spruce Island Point Buoy 7	44-16-39.320N 068-56-23.929W				Green can.	
4415	Lobster Rock Buoy 6	44-16-38.390N 068-55-52.422W				Red nun.	
<b>PENOBSCOT BAY (Chart 13305)</b>							
<b>West Penobscot Bay</b>							
<b>Gilkey Harbor</b>							
4420	Thrumcap Ledge Buoy 4	44-15-51.961N 068-55-45.665W				Red nun.	



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>PENOBSCOT BAY (Chart 13305)</b>							
<b>West Penobscot Bay</b>							
<b>Gilkey Harbor</b>							
4425	Minot Ledge Buoy 2	44-14-45.105N 068-56-28.956W				Red nun.	
<b>PENOBSCOT RIVER (Chart 13309)</b>							
<b>West Penobscot Bay</b>							
4435	<i>Isleboro Island Lighted Bell Buoy II</i>	44-23-12.286N 068-54-54.490W	Mo (A) W		4	Red and white stripes with red spherical topmark.	Replaced by nun when endangered by ice.
<b>Belfast Harbor</b>							
4445	<i>Steels Ledge Lighted Bell Buoy 2</i> South of 14 foot spot	44-25-02.544N 068-58-17.271W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
4447	- Buoy 4	44-25-33.000N 068-59-24.000W				Red nun.	
4450	- Buoy 6	44-25-46.190N 069-00-08.447W				Red nun.	
<b>West Penobscot Bay</b>							
4452	<i>Moose Point Isolated Danger Lighted Buoy DMP</i>	44-24-51.180N 068-55-04.500W	FI (2)W 5s		4	Black and red bands with two black spherical topmarks.	
<b>Searsport Harbor</b>							
4455	Sears Island Bell Buoy 2 On south end of shoal.	44-25-21.594N 068-53-32.405W				Red.	
4460	Sears Island Buoy 4	44-26-09.733N 068-53-51.376W				Red nun.	
4465	<i>Mack Point Channel Lighted Bell Buoy 5</i>	44-26-34.543N 068-54-07.547W	FI G 4s		5	Green.	
4470	<i>Mack Point Channel Lighted Buoy 6</i>	44-26-42.679N 068-53-41.230W	FI R 4s		4	Red.	
4475	Long Cove Ledge Buoy 7	44-26-44.818N 068-54-11.217W				Green can.	
4480	Long Cove Ledge Isolated Danger Buoy DLC West of Ledge	44-26-43.576N 068-54-32.471W				Black and red bands with two black spherical topmarks; can.	
<b>Stockton Harbor</b>							
4485	- <i>Entrance Shoal Lighted Gong Buoy 1</i> South of 23-foot spot.	44-25-03.705N 068-52-26.994W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
4495	- Entrance Buoy 4 South of Squaw Head.	44-26-15.454N 068-51-39.093W				Red nun.	
4500	- Entrance Buoy 5	44-26-26.463N 068-51-58.254W				Green can.	
4505	- Entrance Buoy 6	44-27-01.723N 068-51-57.364W				Red nun.	
<b>PENOBSCOT BAY AND APPROACHES (Chart 13302)</b>							
<b>Two Bush Channel</b>							
4520	Rockweed Shoal Buoy 7 Marks 32-foot shoal.	43-58-31.924N 069-01-21.838W				Green can.	
4525	Halibut Rock Buoy 2B	43-59-00.686N 069-02-58.943W				Red nun.	
4530	- Shoal Isolated Danger Buoy DTBS Northeast of 15-foot shoal.	43-57-00.967N 069-01-57.173W				Black and red bands with two black spherical topmarks; can.	
4535	Northern Triangles Buoy 2	43-56-10.090N 069-02-34.170W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>PENOBSCOT BAY AND APPROACHES (Chart 13302)</b>							
<b>Two Bush Channel</b>							
4540	<b>Two Bush Island Light</b>	43-57-51.255N 069-04-26.057W	FI W 5s	65	W 21 R 15	White tower. 42	Red from 061° to 247°. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl). MRASS -Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
4550	- Buoy 6	43-56-41.751N 069-04-03.851W				Red nun.	
4555	<i>Two Bush Ledge Lighted Bell Buoy 5TB</i> Marks south side of 28-foot shoal.	43-56-47.424N 069-04-54.912W	FI G 4s		4	Green.	
4560	Alden Rock Isolated Danger Buoy DAR 35 yards, 212° from 4-foot spot.	43-55-21.406N 069-04-00.747W				Black and red bands with two black spherical topmarks; can.	
4565	Crow Island Ledge Buoy 2CI	43-57-22.829N 069-06-05.128W				Red nun.	
4570	Devils Half Acre Buoy 4	43-55-36.253N 069-08-52.169W				Red nun.	
<b>Muscle Ridge Channel</b>							
4575	South Breaker Bell Buoy 2SB	43-58-17.086N 069-07-31.724W				Red.	
4580	WHITEHEAD LIGHT	43-58-43.369N 069-07-27.397W	Oc G 4s	75	6	Gray Granite tower.	Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
4585	Yellow Ledge Day beacon 2 On southwest end of ledge.	43-58-49.656N 069-06-51.243W				TR on spindle.	
4590	Seal Island Ledge Buoy 3	43-59-05.810N 069-07-06.048W				Green can.	
4595	Lower Gangway Ledge Buoy 4	43-59-14.676N 069-06-47.793W				Red nun.	
4600	Burnt Island Ledge Buoy Southwest of ledge.	43-59-20.556N 069-06-59.693W				Green and red bands; can.	
4605	Hurricane Ledge Buoy 6	43-59-38.806N 069-06-08.252W				Red nun.	
4610	Sunken Ledge Buoy 7	44-00-17.515N 069-06-03.371W				Green can.	
4615	Garden Island Ledge Day beacon 9	44-00-46.984N 069-05-44.910W				SG on spindle.	
4620	Oak Island Ledge Buoy 10	44-00-55.545N 069-04-52.478W				Red nun.	
4625	Otter Island Ledge Day beacon 11	44-01-30.354N 069-04-50.357W				SG on spindle.	
4630	Otter Island Day beacon 12	44-01-21.154N 069-04-24.176W				TR on spindle.	
4635	Ash Island Ledge Buoy 13 Close to south end of ledge.	44-01-51.677N 069-04-21.324W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>PENOBSCOT BAY AND APPROACHES (Chart 13302)</b>							
<b>Muscle Ridge Channel</b>							
4640	Upper Gangway Ledge Buoy Close to southwest end of ledge.	44-01-55.034N 069-04-04.465W				Red nun with green bands.	
4645	Ash Island Rock Buoy 15 SE of rocks	44-02-06.794N 069-04-08.675W				Green can.	
4650	Inner Grindstone Ledge Buoy 16 NW of 8 foot spot	44-02-02.154N 069-03-39.544W				Red nun.	
4655	Ash Island Bell Buoy 17 SE of shoal	44-02-22.073N 069-03-55.975W				Green.	
4660	Emery Ledge Buoy Southeast of ledge.	44-02-48.143N 069-03-11.212W				Green can with red bands.	
4665	Northwest Ledge Buoy 21 South of 4 foot spot	44-02-52.813N 069-02-53.002W				Green can.	
4670	Grindstone Ledge Buoy 22 NW of 2 foot spot	44-02-52.289N 069-02-38.570W				Red nun.	
4675	Sheep Island Shoals Buoy 23 South of shoals	44-03-17.793N 069-02-44.141W				Green can.	
<b>Owls Head Bay</b>							
4680	Emery Island Day beacon 1	44-03-47.632N 069-03-50.742W				SG on iron spindle.	
4685	Hendrickson Point Buoy 3	44-04-02.834N 069-03-30.859W				Green can.	
4690	Sheep Island Bar Buoy 4	44-04-02.502N 069-03-20.511W				Red nun.	
4695	Dodge Point Ledge Day beacon 5	44-05-08.160N 069-02-45.158W				SG on spindle.	
4700	Sprucehead Island Ledge Buoy 4	43-59-37.013N 069-07-30.919W				Red nun.	
<b>Wheeler Bay</b>							
4705	- Buoy 1 South of Norton Island Ledges	43-58-11.797N 069-09-21.358W				Green can.	
4710	- Buoy 3 Off ledge.	43-58-45.496N 069-09-54.759W				Green can.	
4715	- Junction Buoy	43-59-20.357N 069-09-59.110W				Green can with red bands.	
<b>MUSCONGUS BAY (Chart 13301)</b>							
<b>Tenants Harbor Approach</b>							
<i>Aids maintained from May 15 to Oct. 15.</i>							
4720	Long Cove Buoy 2	43-58-00.570N 069-11-30.294W				Red nun.	
4725	- Lighted Bell Buoy 1	43-57-42.517N 069-10-52.541W	Fl G 6s		3	Green.	
4727	Tenants Harbor Channel Buoy 1	43-57-50.160N 069-12-00.660W				Green can.	Private aid.
4727.1	Tenants Harbor Channel Buoy 2	43-57-51.240N 069-12-00.420W				Red nun.	Private aid.
4727.2	Tenants Harbor Channel Buoy 3	43-57-50.160N 069-12-05.100W				Green can.	Private aid.
4727.3	Tenants Harbor Channel Buoy 4	43-57-51.120N 069-12-04.920W				Red nun.	Private aid.
4727.4	Tenants Harbor Channel Buoy 5	43-57-50.100N 069-12-09.900W				Green can.	Private aid.
4727.5	Tenants Harbor Channel Buoy 6	43-57-51.060N 069-12-10.320W				Red nun.	Private aid.
4727.6	Tenants Harbor Channel Buoy 7	43-57-49.920N 069-12-15.360W				Green can.	Private aid.
4727.7	Tenants Harbor Channel Buoy 8	43-57-51.060N 069-12-16.140W				Red nun.	Private aid.
4727.8	Tenants Harbor Channel Buoy 9	43-57-50.450N 069-12-21.360W				Green can.	Private aid.
4727.9	Tenants Harbor Channel Buoy 10	43-57-51.660N 069-12-21.300W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>PENOBSCOT BAY AND APPROACHES (Chart 13302)</b>							
4730	Hart Ledge Buoy 1 East of ledge	43-56-57.707N 069-11-24.232W				Green can.	
4735	Wheeler Rocks Bell Buoy 1W	43-54-31.788N 069-06-51.262W				Green.	
4740	<i>Marshall Point Lighted Buoy MP</i>	43-55-18.298N 069-10-52.161W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
4745	Metinic Island Ledge Buoy Ml Southwest of ledge.	43-53-40.299N 069-10-08.159W				Green can with red bands.	
4750	Black Ledges Buoy 3 NW of 6 foot spot	43-51-42.150N 069-12-00.952W				Green can.	
4755	Old Cilley Ledge Bell Buoy 2 OC	43-53-12.420N 069-14-32.928W				Red.	
<b>MUSCONGUS BAY (Chart 13301)</b>							
<b>Port Clyde Approach</b>							
4760	Mosquito Island Bell Buoy 2	43-54-43.116N 069-13-04.682W				Red.	
4765	Mosquito Island Ledge Buoy 4 South of 3 foot spot	43-55-04.800N 069-14-33.240W				Red nun.	
4770	Gunning Rocks Buoy 5 North of 4 foot spot	43-54-53.618N 069-14-46.708W				Green can.	
4775	Marshall Ledge Buoy 6	43-54-51.748N 069-15-35.218W				Red nun.	
4780	<b>Marshall Point Light</b>	43-55-02.718N 069-15-40.568W	F W	30	13	White cylindrical tower. 31	Lighted throughout 24 hours. HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
4785	Allen Ledge Buoy 7 North of rock	43-54-51.358N 069-16-06.478W				Green can.	
4790	Marshall Point Ledge Buoy 2	43-55-06.398N 069-15-48.758W				Red nun.	
4795	Hupper Island Ledge Buoy 3	43-55-21.500N 069-15-48.000W				Green can.	
4796	Port Clyde Channel Buoy 1	43-55-42.840N 069-15-51.480W				Green can.	Private aid.
4797	Port Clyde Channel Buoy 2	43-55-44.160N 069-15-50.580W				Red nun.	Private aid.
4798	Port Clyde Channel Buoy 3	43-55-47.580N 069-15-55.320W				Green can.	Private aid.
4799	Port Clyde Channel Buoy 4	43-55-49.380N 069-15-53.520W				Red nun.	Private aid.
4800	Channel Rock Isolated Danger Buoy DCR	43-56-08.900N 069-16-49.000W				Black and red bands with two black spherical topmarks; can.	
4803	Kelp Ledges Buoy 2	43-55-02.007N 069-17-06.973W				Red nun.	
4805	Hupper Rocks Buoy 8 SE of 6 foot spot	43-54-39.688N 069-16-44.728W				Red nun.	
4810	The Sisters Buoy 9 NW of rocks	43-54-15.968N 069-17-03.118W				Green can.	
4820	Gig Rock Bell Buoy 11 Northwest of rock.	43-53-52.368N 069-17-40.648W				Green.	
4825	Griffen Ledge Buoy 12	43-53-27.300N 069-18-24.900W				Red nun.	
<b>Muscongus Bay</b>							
4830	Two Bush Island Rock Buoy 1	43-55-18.297N 069-18-46.269W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>MUSCONGUS BAY (Chart 13301)</b>							
<b>Muscongus Bay</b>							
4835	Seavey Island Ledge Buoy 2	43-55-28.497N 069-18-50.729W				Red nun.	
<b>St. George River</b>							
4840	Jenks Ledge Buoy 2JL West of rock.	43-55-25.477N 069-19-23.169W				Red nun.	
4845	Goose Rock Ledge Buoy 1 South of 9 foot spot	43-56-08.537N 069-18-38.809W				Green can.	
4850	Gay Cove Ledge Buoy 3 South of 5 foot spot	43-56-38.042N 069-17-57.261W				Green can.	
4855	St. George River Buoy 4 Buoy marks rock.	43-56-54.977N 069-16-49.399W				Red nun.	
4860	- Buoy 5 South of 5 foot spot	43-57-21.207N 069-17-08.799W				Green can.	
4865	- Buoy 7	43-58-24.296N 069-16-16.169W				Green can.	
4870	- Buoy 9 East of 9 foot spot	43-59-53.689N 069-14-15.596W				Green can.	
4875	- Buoy 11	44-00-57.195N 069-13-04.065W				Green can.	
4880	- Buoy 13	44-02-14.401N 069-12-01.445W				Green can.	
4885	- Buoy 14	44-02-50.482N 069-11-41.090W				Red nun.	
4890	- Buoy 15	44-03-24.530N 069-11-19.953W				Green can.	
4895	- Buoy 16	44-03-52.741N 069-10-59.288W				Red nun.	
4900	- Buoy 17	44-03-59.743N 069-10-55.558W				Green can.	Maintained from Apr. 15 to Oct. 1.
4910	- Buoy 19	44-04-07.198N 069-10-47.979W				Green can.	Maintained from Apr. 15 to Oct. 1.
4915	- LIGHT 21	44-04-11.291N 069-10-47.157W	Fl W 6s	14	4	SG on white skeleton tower.	
4916	- Buoy 21A	44-04-11.280N 069-10-44.994W				Green can.	Maintained from Apr. 15 to Oct. 1.
4917	- Buoy 22	44-04-11.634N 069-10-42.984W				Red nun.	Maintained from Apr. 15 to Oct. 1.
4920	- Buoy 23	44-04-13.896N 069-10-46.584W				Green can.	Maintained from Apr. 15 to Oct. 1.
<b>Monhegan Island Approach</b>							
4925	<b>Monhegan Island Light</b>	43-45-53.282N 069-18-56.981W	Fl W 15s	178	20	White tower. 47	Within 3 miles of island the light is obscured between west and southwest. Emergency light of reduced intensity when main light is extinguished.
20							
<b>PENOBSCOT BAY AND APPROACHES (Chart 13302)</b>							
4940	Manana Island VAIS 14M	43-45-18.715N 069-22-28.075W					AIS: MMSI 993672353
<b>MUSCONGUS BAY (Chart 13301)</b>							
<b>Monhegan Island Approach</b>							
4945	Monhegan Island Gong Buoy 3 Northerly of Eastern Duck Rock.	43-46-50.823N 069-18-43.186W				Green.	
4950	<i>Duck Rocks Lighted Bell Buoy</i> 5 Northerly of 28-foot shoal.	43-46-55.173N 069-19-49.376W	Fl G 2.5s		3	Green.	
4955	Manana Island Northwest Rock Buoy 7	43-46-02.335N 069-19-44.812W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>MUSCONGUS BAY (Chart 13301)</b>							
<b>Muscongus Bay Approach</b>							
4960	Moser Ledge Isolated Danger Buoy DM South of ledge.	43-48-39.788N 069-25-43.613W				Black and red bands with two black spherical topmarks; can.	
4963	<i>University of Maine Seagnet Temporary Lighted Research Buoy</i>	43-47-22.200N 069-24-42.540W	FI Y 4s				Property of University of Maine Private aid.
4965	<i>Old Man Ledge Lighted Whistle Buoy 2 OM</i> South of ledge.	43-50-16.627N 069-18-50.256W	FI R 4s		4	Red.	
<b>Muscongus Bay</b>							
4970	New Harbor Sunken Ledge Buoy 16	43-51-23.950N 069-26-50.118W				Red nun.	
4975	Western Egg Rock Breakers Buoy 1 South of 4 foot spot	43-52-43.298N 069-24-28.168W				Green can.	
4980	FRANKLIN ISLAND LIGHT	43-53-31.400N 069-22-28.600W	FI W 6s	57	8	White tower.	Obscured by trees from 253° to 352°.
4990	Eastern Egg Rock Day beacon 15 On north end of rock.	43-51-43.118N 069-22-54.574W				SG on pile.	
4995	Egg Rock North Ledge Buoy 14 South eastern most rock	43-51-52.390N 069-22-49.808W				Red nun.	
5000	Seal Ledges Buoy 13 North of 7 foot shoal.	43-52-34.859N 069-20-28.548W				Green can.	
5005	The Kegs Day beacon TK	43-53-35.427N 069-20-33.033W				NB on pile.	
5011	Devils Back Buoy 3 South of rock	43-53-45.000N 069-24-09.000W				Green can.	
5016	Wreck Island Ledge Buoy 4 SW of southern 3 foot spot	43-54-45.000N 069-24-18.000W				Red nun.	
5021	Round Rock Buoy 5 East of 4 foot spot	43-55-17.000N 069-24-35.000W				Green can.	
5026	Jones Garden Buoy 6	43-55-55.278N 069-23-30.051W				Red nun.	
5030	Cow Island Sunken Ledges Buoy 8 South of 2 foot spot	43-56-44.515N 069-23-59.230W				Red nun.	
<b>Friendship Harbor</b>							
5035	Morse Ledge Day beacon 1 On rock.	43-56-28.296N 069-20-22.169W				SG on pile.	
5040	Gay Island Buoy 2 SW of 3 foot spot	43-56-43.956N 069-19-21.729W				Red nun.	
5045	Northeast Point Reef Buoy 3 Marks Northeastern most corner of shoal	43-57-21.846N 069-18-55.160W				Green can.	
5050	Crotch Island Ledges Buoy 4 On south end of ledges.	43-57-33.746N 069-19-26.630W				Red nun.	
5055	Garrison Island Rock Buoy 6	43-57-54.825N 069-19-57.400W				Red nun.	
5060	Garrison Island Buoy 7	43-58-12.175N 069-20-00.430W				Green can.	
5065	Murphy Ledge Day beacon 9	43-57-59.545N 069-20-24.710W				SG on pile.	
5070	Jameson Point Ledge Day beacon 10	43-58-02.685N 069-20-41.041W				TR on pile.	
5075	Martin Point Buoy 12 Marks southern of shoal	43-57-45.762N 069-21-58.922W				Red nun.	
<b>Muscongus Bay</b>							
5080	Cow Island Buoy 1	43-58-06.784N 069-23-22.581W				Green can.	
5085	Cow Island Buoy 3	43-58-07.554N 069-23-32.781W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>MUSCONGUS BAY (Chart 13301)</b>							
<b>Muscongus Bay</b>							
5090	Palmer Island Buoy 4	43-58-10.524N 069-24-00.181W				Red nun.	
<b>Hockomock Channel</b>							
5100	Oar Island Ledge Buoy 9	43-59-20.833N 069-24-11.681W				Green can.	
5105	Northeast Point Ledges Buoy 10	44-00-44.292N 069-23-08.311W				Red nun.	
<b>Flying Passage</b>							
5110	Bremen Long Island Day beacon 1	44-00-23.000N 069-22-37.000W				SG on pile.	
<b>Medomak River</b>							
5115	- Buoy 12	44-01-34.291N 069-22-27.160W				Red nun.	
5120	- Buoy 13	44-01-36.881N 069-22-24.920W				Green can.	
5125	- Buoy 15	44-02-19.140N 069-21-42.959W				Green can.	
5130	- Buoy 17	44-03-04.120N 069-21-33.398W				Green can.	
5130.1	- Buoy 18	44-03-32.695N 069-21-43.890W				Red nun.	Maintained from Apr. 15 to Oct. 1.
5130.2	- Buoy 20	44-04-02.142N 069-22-40.768W				Red nun.	Maintained from Apr. 15 to Oct. 1.
5130.3	- Buoy 22	44-04-21.402N 069-23-13.513W				Red nun.	Maintained from Apr. 15 to Oct. 1.
5130.4	- Buoy 24	44-04-28.000N 069-23-15.000W				Red nun.	Maintained from Apr. 15 to Oct. 1.
5130.5	- Buoy 25	44-04-56.604N 069-23-00.768W				Green can.	Maintained from Apr. 15 to Oct. 1.
5130.6	- Buoy 26	44-05-13.650N 069-22-51.924W				Red nun.	Maintained from Apr. 15 to Oct. 1.
5130.7	- Buoy 27	44-05-28.554N 069-22-35.166W				Green can.	Maintained from Apr. 15 to Oct. 1.
<b>Muscongus Bay</b>							
<b>Southwest Approach</b>							
5135	Pemaquid Ledge Buoy PL Southeast of ledge.	43-48-53.415N 069-31-13.973W				Green and red bands; can.	
5140	Pemaquid Point Gong Buoy 2	43-49-42.481N 069-30-54.046W				Red.	
5145	<b>Pemaquid Point Light</b>	43-50-12.300N 069-30-21.000W	Fl W 6s	79	14	White conical tower. 79	
5150	<i>New Harbor Lighted Bell Buoy NH</i>	43-52-25.959N 069-28-43.178W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
5155	New Harbor Buoy 4	43-52-27.828N 069-29-09.498W				Red nun.	
5160	New Harbor Day beacon 5 On ledge.	43-52-28.258N 069-29-17.108W				SG on pile.	
<b>Muscongus Sound</b>							
5165	Webber Sunken Ledge Buoy 2 SW of rock	43-53-19.568N 069-27-00.449W				Red nun.	
5170	Browns Head Buoy 4 West of 13 foot spot	43-53-52.997N 069-27-19.969W				Red nun.	
5175	Bar Island Ledge Buoy 6	43-54-28.059N 069-26-59.230W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>MUSCONGUS BAY (Chart 13301)</b>							
<b>Muscongus Sound</b>							
5180	Poland South Ledge Buoy 7	43-55-27.046N 069-26-50.570W				Green can.	
5185	Poland North Ledge Buoy 9	43-55-46.998N 069-26-58.985W				Green can.	
5190	Round Pond Entrance Buoy 1	43-56-36.255N 069-27-04.550W				Green can.	
5195	Ram Ledges Half tide Buoy 11 Off south end of ledge.	43-58-13.633N 069-26-00.571W				Green can.	
5200	Hockomock Point Buoy 13	43-58-36.283N 069-25-34.021W				Green can.	
5205	Hockomock Point Buoy 15 Marks rock off point.	43-58-40.293N 069-25-24.701W				Green can.	
5207	Crow Island North Ledge Buoy 16	43-58-51.051N 069-24-42.109W				Red nun.	
<b>DAMARISCOTTA, SHEEPSCOT AND KENNEBEC RIVERS (Chart 13293)</b>							
<b>Johns Bay</b>							
5210	Corvette Ledge Buoy 1	43-52-18.957N 069-32-46.617W				Green can.	
5215	McFarlands Ledges Buoy 2	43-52-28.997N 069-32-51.357W				Red nun.	
<b>Pemaquid River</b>							
5235	Johns River Ledge Buoy 4	43-53-39.905N 069-32-35.647W				Red nun.	
<b>Thread of Life</b>							
5240	- Buoy 1	43-49-42.000N 069-33-15.000W				Green can.	Leave on starboard hand when upbound Damariscotta River.
5245	- Buoy 2	43-50-21.707N 069-32-56.787W				Red nun.	
5250	- Buoy 3 Marks end of reef.	43-50-29.589N 069-32-55.906W				Green can.	
<b>Damariscotta River</b>							
5255	- Approach Buoy 1	43-46-12.305N 069-33-40.164W				Green can.	
5260	Hypocrite Ledge Day beacon H	43-47-24.942N 069-35-27.354W				NR on pile.	
5265	Hypocrite Ledge Buoy 1	43-48-15.502N 069-35-08.494W				Green can.	
5270	<i>Hypocrite Ledge Lighted Bell Buoy HL</i>	43-48-23.912N 069-34-47.745W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
5275	- Junction Gong Buoy DR	43-49-09.360N 069-34-49.286W				Green and red bands.	
5280	Little River Day beacon 1	43-49-16.897N 069-34-55.717W				Green cylinder on monopile.	
5285	Little River Buoy 2	43-49-19.886N 069-34-57.306W				Red nun.	
5290	- Buoy 2 West of ledge, dry at low water.	43-49-17.439N 069-34-11.998W				Red nun.	
5295	- Buoy 4	43-50-06.929N 069-34-00.025W				Red nun.	
<b>Christmas Cove</b>							
5300	Foster Point Shoal Buoy FP Marks 8 foot spot	43-50-27.599N 069-34-00.396W				Red nun with green bands.	
5305	Middle Ledge Day beacon 2	43-50-43.100N 069-33-26.700W				TR on pile.	
5310	North Ledge Day beacon 3	43-50-46.300N 069-33-25.300W				SG on pile.	
5315	Steamboat Wharf Day beacon 4 On point of rock.	43-50-43.200N 069-33-16.600W				TR on pile.	



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>DAMARISCOTTA, SHEEPSHOT AND KENNEBEC RIVERS (Chart 13293)</b>							
<b>Damariscotta River</b>							
5320	- Buoy 6	43-51-25.578N 069-34-01.496W				Red nun.	
5325	The Gut Day beacon 2 On ledge.	43-51-38.597N 069-33-39.866W				TR on pile.	
5330	The Gut Day beacon 3	43-51-43.797N 069-33-33.166W				SG on pile.	
5335	- Buoy 7 Off east side of Kelp Ledge.	43-51-51.036N 069-34-43.216W				Green can.	
5340	- Buoy 9	43-52-10.926N 069-34-57.506W				Green can.	
5345	- Buoy 11	43-53-01.395N 069-34-59.197W				Green can.	
5350	- Buoy 12	43-53-12.807N 069-34-56.667W				Red nun.	
5355	- Buoy 13	43-55-54.571N 069-35-08.067W				Green can.	
5360	- Buoy 14	43-57-08.650N 069-34-40.278W				Red nun.	
5365	Merry Island Day beacon 15	43-57-21.000N 069-34-32.500W				SG on pile.	
5370	Glidden Ledge Day beacon 16	43-58-11.689N 069-34-23.569W				TR on iron spindle.	
5375	- Buoy 17	44-00-04.858N 069-32-32.801W				Green can.	
5380	Perkins Point Day beacon 19 On ledge.	44-00-25.176N 069-32-44.076W				SG on pile.	
5385	- Buoy 20	44-00-42.966N 069-32-49.610W				Red nun.	
5390	- Buoy 21	44-01-19.041N 069-32-24.400W				Green can.	
5395	- Buoy 23	44-01-29.283N 069-32-16.231W				Green can.	
5400	- Buoy 24	44-01-48.282N 069-32-13.290W				Red nun.	
5401	- Buoy 26	44-01-51.746N 069-32-08.368W				Red nun.	Private aid.
5402	- Buoy 28	44-01-55.540N 069-32-05.380W				Red nun.	Private aid.
<b>Damariscove Island Approach</b>							
5405	<i>Bantam Rock Lighted Buoy 2BR</i>	43-43-40.535N 069-37-33.909W	F I R 4s		4	Red.	
5410	The Motions Gong Buoy TM	43-44-46.126N 069-37-06.303W				Red and white stripes.	
<b>Fisherman Island Passage</b>							
5415	Ram Island Ledge Buoy 3 North of 12 foot spot	43-48-22.371N 069-35-47.224W				Green can.	
5420	RAM ISLAND LIGHT	43-48-13.500N 069-35-57.100W	Iso R 6s (2W sectors)	36	W 11 R 9 W 9	White tower.	White from 258° to 261° and from 030° to 046°, covers fairways. HORN: 1 blast ev 30s (3s bl). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
5425	Gangway Ledge Buoy 4	43-48-28.577N 069-36-10.509W				Red nun.	
5430	Dictator Ledge Buoy 6	43-48-27.431N 069-36-24.004W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>DAMARISCOTTA, SHEEPSHOT AND KENNEBEC RIVERS (Chart 13293)</b>							
<b>Fisherman Island Passage</b>							
5435	Card Ledge Buoy 8	43-48-38.301N 069-36-32.304W				Red nun.	
<b>Linekin Bay</b>							
5440	Spruce Point Ledges Buoy 1 At south point of ledges.	43-49-20.170N 069-37-01.375W				Green can.	
5445	Spruce Point Ledges Buoy 2 At north point of ledges.	43-49-30.699N 069-37-12.324W				Red nun.	
5450	- Buoy 2	43-50-06.468N 069-35-58.005W				Red nun.	
5455	Cabbage Island Buoy 3	43-50-14.365N 069-36-24.288W				Green can.	
5460	- Buoy 4	43-50-32.728N 069-35-58.354W				Red nun.	
5465	- Buoy 6	43-50-58.087N 069-35-38.045W				Red nun.	
5470	Seal Rock Buoy 5	43-50-51.247N 069-36-03.755W				Green can.	
5475	Fish Hawk Island Buoy 7	43-51-22.297N 069-35-40.165W				Green can.	
<b>Booth Bay</b>							
5480	Cuckolds Bell Buoy 1C	43-46-22.874N 069-39-00.633W				Green.	
5485	<b>The Cuckolds Light</b>	43-46-46.200N 069-39-00.017W	FI (2)W 6s 1s fl 1s ec. 1s fl 3s ec.	59	12	White octagonal tower on dwelling. 59	HORN: 1 blast ev 15s (2s bl). MRASS Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
5495	Squirrel Cove Day beacon 2 Marks rock.	43-48-17.060N 069-38-10.593W				TR on pile.	
5500	<i>Squirrel Island Ledge Lighted Buoy 4</i> Northwest of ledge.	43-48-58.384N 069-38-16.344W	FI R 2.5s		3	Red.	
5505	Pig Cove Day beacon 5	43-49-03.229N 069-38-43.574W				SG on pile.	
5510	Burnt Island Ledge Buoy BL	43-49-16.976N 069-38-23.990W				Green and red bands; can.	
5515	Capitol Island Day beacon 1 On ledge.	43-49-25.800N 069-38-43.300W				SG on pile.	
5520	BURNT ISLAND LIGHT	43-49-30.700N 069-38-24.800W	FI R 6s (2W sectors)	61	W 8 W 8 R 6 R 6	White conical tower.	White from 307° to 316°, and from 355° to 008°, covers fairways. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
5525	Tumbler Island Ledge Buoy 6	43-49-41.551N 069-37-46.969W				Red nun.	
5530	<i>Tumbler Island Lighted Buoy 8</i>	43-50-17.598N 069-38-13.185W	FI R 4s		3	Red.	
5531	Tumbler Island East Day beacon 2	43-50-17.580N 069-37-56.100W					Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>DAMARISCOTTA, SHEEPSCOT AND KENNEBEC RIVERS (Chart 13293)</b>							
<b>Booth Bay</b>							
5535	- Lighted Buoy 9	43-50-46.548N 069-37-44.443W	FI G 4s		3	Green.	Remove when endangered by ice.
5535.1	McFarland Island Day beacon 11	43-50-52.380N 069-37-42.600W				SG on pile.	Private aid.
5536	Signal Point Marina Day beacon 2	43-50-59.480N 069-38-06.100W				TR on pile.	Private aid.
5540	Boothbay Harbor Mooring Buoy C	43-50-46.963N 069-38-14.301W				White and blue.	
5545	McFarland Island Day beacon	43-50-54.690N 069-37-49.800W				TR on spindle.	Private aid.
5550	McKown Point Ledge Buoy	43-50-40.020N 069-38-28.500W				White with orange bands; spar.	Private aid.
<b>Townsend Gut</b>							
5555	- Buoy 2	43-50-07.257N 069-38-57.724W				Red nun.	
5560	- Buoy 4	43-50-31.356N 069-39-11.494W				Red nun.	
5565	CAMERON POINT LIGHT 7 On ledge.	43-51-05.495N 069-40-06.164W	FI G 4s	24	4	SG on skeleton tower.	
5570	Cameron Point Buoy 6	43-51-04.285N 069-40-02.134W				Red nun.	
<b>Sheepscot Bay Approach</b>							
5585	Mile Ledge Lighted Bell Buoy 20ML South side of ledge.	43-41-24.300N 069-45-17.900W	Q R		3	Red.	
5590 35	<b>Seguin Light</b>	43-42-26.900N 069-45-28.900W	F W	180	18	53	Emergency light of reduced intensity when main light is extinguished. Two emergency lights may be visible from 340° to 160°. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
5592	Seguin Island Light Station Mooring Buoy B	43-42-35.193N 069-45-24.086W				White and blue.	
<b>Sheepscot Bay</b>							
5595	Tom Rock Buoy 2TR South-southwest of outer rock.	43-43-49.913N 069-43-03.314W				Red nun.	
5600	The Sisters Buoy 4S	43-44-33.346N 069-43-35.403W				Red nun.	
5605	Sloop Ledge Buoy 5 35 yards south of ledge.	43-45-54.374N 069-43-39.553W				Green can.	
<b>Cape Harbor</b>							
5610	- Buoy 2	43-46-53.823N 069-39-49.992W				Red nun.	
5615	Hunting Island Day beacon 4 On ledge.	43-47-07.672N 069-39-34.413W				TR on pile.	
<b>Sheepscot River</b>							
5620	- Entrance Lighted Buoy 2SR	43-45-38.205N 069-41-09.103W	FI R 4s		4	Red.	
5625	Griffith Head Ledge Buoy 3 Southeast of ledge.	43-46-54.972N 069-42-30.123W				Green can.	
5630	Cat Ledges Gong Buoy 4CL West side of shoal.	43-47-48.101N 069-41-19.863W				Red.	
5635	Harmon Harbor Buoy 2	43-48-23.089N 069-43-07.823W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>DAMARISCOTTA, SHEEPSHOT AND KENNEBEC RIVERS (Chart 13293)</b>							
<b>Sheepscot River</b>							
<b>Hendricks Harbor</b>							
5640	Nick Ledge Day beacon 2	43-49-01.528N 069-41-08.903W				TR on pile.	
5645	Petes Rock Buoy 3	43-49-01.538N 069-41-05.529W				Green can.	
<b>Sheepscot River</b>							
5650	Marrs Ledge Day beacon 5	43-49-02.266N 069-40-59.928W				SG on pile.	
5655	Cedar Bush Ledge Buoy 6 South of ledge.	43-49-05.239N 069-41-22.604W				Red nun.	
5665	HENDRICKS HEAD LIGHT	43-49-21.282N 069-41-23.011W	F W (R sector)	43	W 9 R 7	White house.	Red from 180° to 000°.
5670	Five Islands Ledge Buoy 1	43-49-22.820N 069-42-21.535W				Green can.	
5675	Five Islands Ledge Day beacon 2	43-49-36.267N 069-42-25.243W				TR on pile.	
5680	Bull Ledge Buoy 9 South of ledge.	43-50-01.076N 069-41-57.483W				Green can.	
<b>Little Sheepscot River</b>							
5685	MacMahan Ledge Buoy 2	43-50-28.575N 069-42-48.873W				Red nun.	
5690	Six Foot Rock Buoy 3	43-50-58.984N 069-42-51.963W				Green can.	
<b>Goose Rock Passage</b>							
5695	MacMahan Island Ledge Day beacon 1	43-51-12.934N 069-42-08.463W				SG on pile.	
5700	Boiler Rock Buoy 4	43-50-59.619N 069-43-07.118W				Red nun.	
5705	- LIGHT 5	43-50-56.194N 069-43-15.063W	FI G 2.5s	16	5	SG on skeleton tower on caisson.	Higher intensity beam up Knubble Bay and down Goose Rock Passage.
5710	Ebenecook Harbor Buoy 2 On north end of shoal.	43-50-17.566N 069-40-43.463W				Red nun.	
5715	Ebenecook Harbor Buoy 3	43-50-40.846N 069-40-32.144W				Green can.	
<b>Sheepscot River</b>							
5720	Harding Ledge Buoy 10	43-50-52.856N 069-41-12.144W				Red nun.	
5725	South Powderhorn Buoy 12 At end of ledge.	43-51-06.305N 069-41-10.163W				Red nun.	
5730	Middle Ledge Buoy 13	43-51-16.004N 069-41-46.883W				Green can.	
5735	Clous Ledge Day beacon 15	43-51-28.030N 069-41-48.302W				SG on pile.	
5740	Clous Ledge Bell Buoy 17	43-51-38.744N 069-41-44.453W				Green.	Removed when endangered by ice.
5750	<i>Powderhorn Ledge Lighted Buoy 16</i> Marks westerly edge of ledge.	43-51-34.729N 069-41-27.626W	FI R 4s		4	Red.	Removed when endangered by ice.
5755	Isle of Springs Day beacon 1 On ledge.	43-51-59.233N 069-40-58.164W				SG on pile.	
5760	Ram Islands Day beacon On ledge.	43-52-20.900N 069-41-00.164W				NR on pile.	
5765	Sawyer Island Buoy 1	43-52-25.262N 069-41-00.824W				Green can.	
5770	Barter Island Buoy 18	43-52-33.322N 069-41-12.714W				Red nun.	
5775	Hodgdon Ledge Buoy 19	43-52-48.968N 069-41-39.002W				Green can.	
5780	Stover Ledge Buoy 20	43-52-58.542N 069-41-19.744W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>DAMARISCOTTA, SHEEPSCOT AND KENNEBEC RIVERS (Chart 13293)</b>							
<b>Sheepscot River</b>							
5783	- Buoy 20A	43-54-11.266N 069-41-03.348W				Red nun.	
5785	Greenleaf Ledge Buoy 21	43-55-07.288N 069-40-59.565W				Green can.	
5790	<i>Cross Point Lighted Buoy CP</i>	43-55-32.938N 069-40-22.415W	Fl (2+1)R 6s		4	Red and green bands.	Replaced by nun when endangered by ice.
5795	<i>Merrill Ledge Lighted Buoy 22</i>	43-58-02.264N 069-39-59.276W	Fl R 4s		4	Red.	Replaced by nun when endangered by ice.
5800	Merrill Ledge Day beacon 22A On south point of ledge.	43-57-56.994N 069-39-56.515W				TR on spindle.	
5805	Hilton Point Buoy 23 On point of shoal extending north from point.	43-58-43.733N 069-39-37.806W				Green can.	
5810	Clough Point Buoy 25	43-59-22.612N 069-39-19.117W				Green can.	
5815	Seal Rock Junction Buoy SR	43-59-27.791N 069-39-46.706W				Green and red bands; can.	
5820	Davis Island Buoy 28	43-59-41.341N 069-39-41.696W				Red nun.	
<b>Back River Channel</b>							
5825	- Buoy 1	43-52-41.412N 069-40-39.884W				Green can.	
5830	- Day beacon 3	43-52-58.686N 069-40-14.234W				SG on spindle.	
5835	- Buoy 2	43-52-57.602N 069-40-12.324W				Red nun.	
5840	- Buoy 4	43-53-01.482N 069-40-03.454W				Red nun.	
5845	- Buoy 5	43-53-02.432N 069-40-02.614W				Green can.	
<b>Montsweag Bay</b>							
<i>Aids maintained from May 15 to Oct. 15.</i>							
5850	- Buoy 2	43-53-44.276N 069-44-26.969W				Red nun.	
5855	- Buoy 3	43-54-04.368N 069-44-10.093W				Green can.	
5860	- Buoy 4	43-54-40.020N 069-43-41.947W				Red nun.	
5865	- Buoy 6	43-55-00.276N 069-43-20.808W				Red nun.	
5870	- Buoy 7	43-55-10.650N 069-42-44.393W				Green can.	
5875	- Buoy 8	43-55-09.606N 069-42-42.329W				Red nun.	
5880	- Buoy 10	43-55-46.218N 069-42-15.923W				Red nun.	
5881	- Buoy 11	43-55-49.686N 069-42-19.555W				Green can.	
5882	- Buoy 13	43-56-25.866N 069-41-45.545W				Green can.	
<b>Cowseagan Narrows</b>							
<i>Aids maintained from May 15 to Oct. 15.</i>							
5883	- Buoy 15	43-57-35.884N 069-41-08.065W				Green can.	
5884	- Buoy 16	43-57-35.898N 069-41-05.509W				Red nun.	
5885	- Buoy 17	43-57-53.312N 069-40-45.378W				Green can.	
5886	- Buoy 18	43-57-59.388N 069-40-38.966W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>DAMARISCOTTA, SHEEPSCOT AND KENNEBEC RIVERS (Chart 13293)</b>							
<b>Sasanoa River</b>							
<i>Aids maintained from May 15 to Oct. 15 unless otherwise noted.</i>							
5890	Blacksmithshop Ledge Day beacon 1	43-51-09.000N 069-43-55.000W				SG on pile.	
5895	The Boilers Buoy 2	43-53-00.290N 069-44-07.163W				Red nun.	
5900	Bareneck Island Ledge Buoy 5	43-53-14.879N 069-44-12.363W				Green can.	Aid is maintained year round.
5905	- Buoy 7	43-53-24.589N 069-44-33.183W				Green can.	Aid is maintained year round.
5910	- Buoy 9	43-53-22.069N 069-44-43.962W				Green can.	Aid is maintained year round.
5915	- Buoy 12	43-53-17.389N 069-44-59.262W				Red nun.	Aid is maintained year round.
5920	- Buoy 13	43-53-07.500N 069-45-24.000W				Green can.	Aid is maintained year round.
5925	- Buoy 17	43-53-12.919N 069-45-43.313W				Green can.	
5930	- Buoy 20	43-53-20.454N 069-45-54.942W				Red nun.	
5935	Swett Point Day beacon 21 On ledge.	43-53-31.100N 069-46-04.500W				SG on pile.	
5940	Half tide Ledge Day beacon 22	43-53-45.774N 069-46-20.790W				TR on pile.	Maintained from Apr. 15 to Oct. 15.
5945	Lime Rock Day beacon 23 Marks ledge.	43-53-50.278N 069-46-30.274W				SG on pile.	
5950	- Buoy 27	43-54-01.641N 069-46-45.148W				Green can.	
5955	- Buoy 29	43-54-03.687N 069-46-50.635W				Green can.	
5958	- Buoy 30	43-54-04.966N 069-46-54.195W				Red nun.	
5960	- Buoy 31	43-54-05.587N 069-47-01.455W				Green can.	
5965	- Buoy 32	43-54-06.900N 069-47-02.900W				Red nun.	
5970	Carleton Ledges Jetty Day beacon 33	43-54-07.087N 069-47-14.035W				SG on wooden spindle.	Maintained from Apr. 15 to Oct. 15.
5975	- Buoy 34	43-54-08.127N 069-47-11.565W				Red nun.	
5980	- Buoy 35	43-54-20.287N 069-47-19.165W				Green can.	
5985	- Buoy 37	43-54-29.656N 069-47-21.125W				Green can.	
5990	- Buoy 39	43-54-36.436N 069-47-26.886W				Green can.	
5995	- Buoy 41	43-54-39.076N 069-47-40.926W				Green can.	
6000	- Buoy 42	43-54-40.500N 069-47-44.400W				Red nun.	
<b>Kennebec River Approach</b>							
6005	Jackknife Ledge Buoy 1	43-43-13.267N 069-46-41.943W				Green can.	
6010	Pond Island Shoal Gong Buoy 3	43-43-44.956N 069-45-52.562W				Green.	Removed when endangered by ice.
6015	<i>White Ledge Lighted Bell Buoy</i> 1 Northeast of ledge.	43-43-49.200N 069-44-54.000W	Fl G 4s		5	Green.	
6020	Kennebec River Entrance Buoy KR	43-43-57.859N 069-45-12.037W				Green and red bands; can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>DAMARISCOTTA, SHEEPSCOT AND KENNEBEC RIVERS (Chart 13293)</b>							
<b>Kennebec River</b>							
6025	POND ISLAND LIGHT	43-44-24.129N 069-46-13.088W	Iso W 6s	52	9	White tower.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
6030	- Buoy 4 On south side of rock.	43-44-27.286N 069-45-52.923W				Red nun.	
6035	Jack Rock Day beacon 5A Near top of ledge.	43-44-59.505N 069-46-17.073W				SG on pile.	
6040	- Buoy 5	43-44-49.505N 069-46-36.983W				Green can.	
6045	- Buoy 6	43-45-01.925N 069-46-39.704W				Red nun.	
6050	FORT POPHAM LIGHT	43-45-18.004N 069-47-00.200W	FI G 4s	27	4	On spindle.	
6055	- <i>Lighted Buoy 8</i>	43-45-51.793N 069-47-00.033W	FI R 4s		4	Red.	
6060	- Buoy 11	43-46-32.802N 069-47-19.164W				Green can.	
6065	- Buoy 12 On west side of Perkins Island Ledge.	43-46-44.122N 069-47-18.234W				Red nun.	
6070	PERKINS ISLAND LIGHT	43-47-12.359N 069-47-06.889W	FI R 2.5s (2W sectors)	41	W 6 W 6 R 5	White conical tower.	White from 018° to 038° and from 172° to 188°, covers fairways.
6075	- Buoy 13 Southeast of ledge.	43-47-12.781N 069-47-17.214W				Green can.	
6080	- Buoy 15 On shoal.	43-47-51.579N 069-47-13.524W				Green can.	
6085	Back River Entrance Buoy 2	43-48-05.409N 069-47-00.824W				Red nun.	
6090	- Buoy 16	43-48-10.089N 069-47-10.805W				Red nun.	
6095	- Buoy 17	43-48-34.008N 069-47-59.865W				Green can.	
6100	SQUIREL POINT LIGHT	43-48-59.483N 069-48-08.572W	Iso R 6s (W sector)	25	7 W 9	White conical tower.	White from 321° to 324°, covers fairway.
6105	- Buoy 19	43-49-11.277N 069-48-19.976W				Green can.	
6110	- Buoy 21	43-49-37.646N 069-48-11.966W				Green can.	
6120	PETTIS ROCKS LIGHT 23 Off south end of rocks.	43-49-48.675N 069-47-56.665W	FI G 2.5s	20	4	SG on skeleton tower.	
6125	- LIGHT 25	43-50-10.700N 069-47-50.900W	FI G 4s	22	4	SG on skeleton tower, small white house.	Ra ref.
6130	- Buoy 27	43-50-50.453N 069-47-46.665W				Green can.	
6135	DOUBLING POINT FRONT RANGE LIGHT	43-52-58.308N 069-47-44.346W	Q W	18		White conical tower.	Visible all around; higher intensity on range line.
6140	DOUBLING POINT REAR RANGE LIGHT 232 yards, 359.6° from front light.	43-53-05.174N 069-47-44.418W	Iso W 6s	32		White conical tower.	Visible all around; higher intensity on range line.
6145	DOUBLING POINT LIGHT	43-52-57.029N 069-48-24.376W	FI W 4s	23	9	Conical tower.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>DAMARISCOTTA, SHEEPSCOT AND KENNEBEC RIVERS (Chart 13293)</b>							
<b>Kennebec River</b>							
6150	- Buoy 28	43-53-00.925N 069-48-29.425W				Red nun.	
6155	- Buoy 29	43-53-04.140N 069-48-41.767W				Green can.	
6160	- Buoy 31	43-53-18.833N 069-48-45.599W				Green can.	
6165	- Buoy 33	43-53-48.838N 069-48-39.837W				Green can.	
6170	- Buoy 34	43-54-12.428N 069-48-32.587W				Red nun.	
<b>Upper Kennebec River</b>							
6185	- Buoy 1 South of rock.	43-55-57.849N 069-48-24.414W				Green can.	
6190	- Buoy 3	43-56-06.524N 069-48-23.698W				Green can.	
6195	- Buoy 5 Off southeasterly side of rocks.	43-56-26.720N 069-48-26.649W				Green can.	
6200	- Buoy 7	43-56-32.894N 069-48-31.867W				Green can.	
6205	- Buoy 8	43-56-42.583N 069-48-31.708W				Red nun.	
6210	- Buoy 10	43-57-06.283N 069-49-16.169W				Red nun.	
6215	- Buoy 11	43-57-09.283N 069-49-28.170W				Green can.	
6220	- Buoy 12	43-58-13.741N 069-49-44.621W				Red nun.	
6225	- Buoy 13	43-58-33.580N 069-49-41.070W				Green can.	
<b>Upper Kennebec River</b>							
<b>Merrymeeting Bay</b>							
<i>Merrymeeting Bay Buoy positions frequently shifted with changing conditions. Aids maintained May 25 to Oct. 1.</i>							
6226.1	- Buoy 1	43-58-58.190N 069-51-17.000W				Green can.	Private aid.
6226.3	- Buoy 3	43-58-51.000N 069-51-48.000W				Green can.	Private aid.
6226.4	- Buoy 4	43-58-52.310N 069-52-15.400W				Red nun.	Private aid.
6226.5	- Buoy 5	43-59-01.200N 069-52-30.600W				Green can.	Private aid.
6226.6	- Buoy 6	43-59-05.400N 069-52-33.720W				Red nun.	Private aid.
6226.7	- Buoy 7	43-59-04.740N 069-52-31.740W				Green nun.	Private aid.
6226.8	- Buoy 8	43-59-07.260N 069-52-59.520W				Red nun.	Private aid.
<b>Kennebec River</b>							
<b>Upper Kennebec River</b>							
6230	- BUOY 15 At south point of flats.	43-59-06.179N 069-49-53.271W				Green can.	
6235	- Buoy 16	43-59-20.745N 069-49-44.178W				Red nun.	
6240	- Buoy 17 Marks rock.	44-00-27.476N 069-49-16.170W				Green can.	
6245	- Buoy 19	44-01-02.475N 069-49-13.170W				Green can.	
6250	- Buoy 20	44-01-16.310N 069-48-55.439W				Red nun.	
6255	- Buoy 21	44-01-32.074N 069-48-46.469W				Green can.	
6260	- Channel Buoy 23	44-02-09.273N 069-48-02.967W				Green can.	
6265	- Channel Buoy 22	44-02-06.883N 069-48-02.501W				Red nun.	



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>DAMARISCOTTA, SHEEPSCOT AND KENNEBEC RIVERS (Chart 13293)</b>							
<b>Kennebec River</b>							
<b>Upper Kennebec River</b>							
6270	- Channel Buoy 24	44-02-31.386N 069-47-41.743W				Red nun.	
6275	- Channel Day beacon 26	44-02-50.100N 069-47-29.700W				TR on wooden spindle.	Maintained from Apr. 1 to Nov. 1.
6280	- Buoy 27	44-03-39.170N 069-47-16.365W				Green can.	
6285	- Buoy 29	44-04-13.118N 069-46-58.454W				Green can.	
6290	- Buoy 31	44-05-07.277N 069-47-09.204W				Green can.	
6295	- Buoy 33	44-05-20.238N 069-47-09.125W				Green can.	
6300	Hathorn Rock Buoy	44-08-03.331N 069-45-33.910W				Green can with red bands.	
6305	- Channel Buoy 34	44-08-49.080N 069-45-36.980W				Red nun.	
6310	- Channel Buoy 36	44-09-37.808N 069-45-53.540W				Red nun.	
6315	- Buoy 38	44-09-58.947N 069-45-37.229W				Red nun.	
6320	- Channel Buoy 40	44-10-45.076N 069-45-13.418W				Red nun.	
6325	- Buoy 42	44-11-54.714N 069-45-34.019W				Red nun.	
6330	- Buoy 44	44-12-51.572N 069-45-36.628W				Red nun.	
6335	- Channel Buoy 45	44-13-05.632N 069-45-33.488W				Green can.	
6340	- Channel Buoy 47	44-13-18.481N 069-45-36.788W				Green can.	
6345	- Buoy 47A	44-13-49.251N 069-46-10.159W				Green can.	Maintained from May 15 to Oct. 15.
6350	- Buoy 47B	44-14-35.397N 069-46-02.495W				Green can.	Maintained from May 15 to Oct. 15.
6355	- Buoy 48 On north end of shoal.	44-14-47.639N 069-46-04.788W				Red nun.	Maintained from May 15 to Oct. 15.
6357	- Buoy 48A	44-14-56.274N 069-46-05.325W				Red nun.	Maintained from May 15 to Oct. 15.
6360	- Buoy 49	44-15-15.688N 069-46-02.238W				Green can.	Maintained from May 15 to Oct. 15.
6365	- Buoy 51	44-15-35.438N 069-46-15.229W				Green can.	Maintained from May 15 to Oct. 15.
6370	- Buoy 53	44-15-54.808N 069-46-45.170W				Green can.	Maintained from May 15 to Oct. 15.
6375	- Channel Buoy 54 North of Hinkley Shoal.	44-16-11.818N 069-47-08.041W				Red nun.	Maintained from May 15 to Oct. 15.
6380	- Channel Buoy 55	44-16-15.078N 069-47-11.801W				Green can.	Maintained from May 15 to Oct. 15.
6385	- Channel Buoy 61	44-16-28.928N 069-47-18.542W				Green can.	Maintained from May 15 to Oct. 15.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>DAMARISCOTTA, SHEEPSHOT AND KENNEBEC RIVERS (Chart 13293)</b>							
<b>Kennebec River</b>							
<b>Upper Kennebec River</b>							
6390	- Channel Buoy 63	44-16-42.248N 069-47-24.952W				Green can.	Maintained from May 15 to Oct. 15.
6395	- Channel Buoy 64 On west edge of shoal.	44-16-43.428N 069-47-23.902W				Red nun.	Maintained from May 15 to Oct. 15.
6400	- Channel Buoy 68	44-16-51.168N 069-47-24.422W				Red nun.	Maintained from May 15 to Oct. 15.
6403	- Channel Buoy 68A	44-17-09.346N 069-47-18.106W				Red nun.	Maintained from May 15 to Oct. 15.
6405	- Channel Buoy 68B Marks pinnacle rock.	44-17-17.457N 069-47-12.962W				Red nun.	Maintained from May 15 to Oct. 15.
6410	- Channel Buoy 70	44-17-22.137N 069-47-04.642W				Red nun.	Maintained from May 15 to Oct. 15.
6415	- Channel Buoy 72 West of shoal.	44-17-37.597N 069-46-54.542W				Red nun.	Maintained from May 15 to Oct. 15.
6420	- Channel Buoy 74	44-17-43.377N 069-46-51.592W				Red nun.	Maintained from May 15 to Oct. 15.
6425	- Channel Buoy 75	44-17-52.117N 069-46-45.042W				Green can.	Maintained from May 15 to Oct. 15.
6430	- Channel Buoy 79	44-17-59.057N 069-46-38.392W				Green can.	Maintained from May 15 to Oct. 15.
6435	- Channel Buoy 82	44-18-28.096N 069-46-25.632W				Red nun.	Maintained from May 15 to Oct. 15.
<b>CASCO BAY (Chart 13290)</b>							
<b>New Meadows River Approach</b>							
6440	FULLER ROCK LIGHT	43-41-45.084N 069-50-01.300W	FI W 4s	39	6	NR on white skeleton tower.	
6445	Bald Head Ledge Bell Buoy 2BH	43-41-47.027N 069-51-19.134W				Red.	
6450	<i>White Bull Lighted Gong Buoy</i> <i>WB</i>	43-42-48.614N 069-55-12.796W	Mo (A) W		6	Red and white stripes.	
6455	Mark Island Ledge Buoy 2	43-43-04.350N 069-54-27.144W				Red nun.	
6460	Small Point Harbor Buoy 2	43-43-11.956N 069-51-52.586W				Red nun.	
6465	Wyman Ledge Buoy 3	43-43-10.365N 069-53-03.285W				Green can.	
6475	<i>Wood Island South Ledge</i> <i>Lighted Bell Buoy 4</i>	43-43-34.029N 069-52-23.615W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
6480	Small Point Harbor Ledge Buoy 3 Southwest of ledge.	43-44-06.606N 069-51-35.401W				Green can.	
6495	Pitchpine Ledges Buoy 4	43-44-32.943N 069-51-09.775W				Red nun.	
6500	Carrying Place Head Buoy 6	43-44-23.303N 069-52-21.666W				Red nun.	
6505	Jamison Ledge Buoy 7	43-44-43.303N 069-52-46.666W				Green can.	
6510	Burnt Coat Island Buoy 1	43-44-58.742N 069-52-12.556W				Green can.	
6515	Burnt Coat Island Buoy 2	43-45-08.772N 069-51-59.176W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>CASCO BAY (Chart 13290)</b>							
<b>New Meadows River Approach</b>							
6520	Burnt Coat Island Buoy 3	43-45-23.852N 069-51-59.836W				Green can.	
6525	Harbor Island Lighted Buoy 8	43-45-40.361N 069-52-29.036W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
6530	Harbor Island Point Buoy 1	43-45-45.705N 069-52-09.295W				Green can.	
6535	Goudy Ledge Day beacon South of ledge.	43-45-53.508N 069-53-32.250W				NR on pile.	
6540	Rouge Island South Buoy 9	43-46-06.731N 069-53-46.208W				Green can.	
6550	Malaga Island Buoy 1	43-46-29.060N 069-52-29.037W				Green can.	
6555	Malaga Island Buoy 3	43-46-41.440N 069-52-12.487W				Green can.	
6557	Fort Point Lighted Buoy 1	43-46-41.760N 069-53-25.798W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
<b>New Meadows River</b>							
6560	Cedar Ledges Buoy 3	43-47-23.899N 069-53-11.551W				Green can.	
6565	Bear Island Ledges Buoy 4	43-47-28.498N 069-52-41.908W				Red nun.	
6570	Sheep Island Ledge Buoy 5	43-48-02.537N 069-52-42.658W				Green can.	
6575	Hen Island Ledge Day beacon 6 On west part of ledge.	43-48-56.900N 069-51-51.800W				TR on pile.	
6580	BIRCH POINT LIGHT 8	43-49-32.903N 069-52-10.812W	FI R 4s	25	5	TR on white structure with small white house.	Higher intensity beam downstream.
6585	Bragdon Rock Day beacon 10 On rock.	43-51-01.400N 069-52-22.500W				TR on pile.	
6590	- Buoy 11	43-51-50.242N 069-53-50.382W				Green can.	
6595	- Buoy 12 At south end of middle ground.	43-52-01.531N 069-53-45.192W				Red nun.	
6600	- Buoy 13	43-52-28.100N 069-53-45.432W				Green can.	
6605	- Buoy 14 At north end of middle ground.	43-52-54.210N 069-53-32.662W				Red nun.	
6610	- Buoy 15	43-53-08.265N 069-53-12.381W				Green can.	
6615	- Buoy 16	43-54-02.148N 069-52-33.948W				Red nun.	
6617	- Buoy 17	43-54-12.998N 069-52-25.637W				Green can.	Maintained f from May 15 to Oct. 1.
6619	- Buoy 19	43-54-21.102N 069-52-20.281W				Green can.	Maintained f from May 15 to Oct. 1.
<b>Western Passage</b>							
6620	North Jenny Ledge Buoy 2	43-45-51.331N 069-54-07.918W				Red nun.	
6625	Elm Island Buoy 4 At south end of reef.	43-45-35.300N 069-55-26.168W				Red nun.	
6630	Elm Island Buoy 6	43-45-36.611N 069-55-53.649W				Red nun.	
6635	Oak Island Buoy 8	43-45-38.190N 069-56-59.939W				Red nun.	
6640	Quahog Bay Bell Buoy 2Q South of ledge.	43-40-48.196N 069-56-04.661W				Red.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>CASCO BAY (Chart 13290)</b>							
<b>New Meadows River</b>							
<b>Western Passage</b>							
6645	<i>Quahog Bay Lighted Buoy 3</i>	43-43-01.419N 069-57-31.410W	FI G 2.5s		3	Green.	
6650	Quahog Bay Buoy 4	43-47-16.250N 069-55-43.175W				Red nun.	
<b>Orr's Island Approach</b>							
6655	Orr's Island Approach Bell Buoy 1J	43-42-24.300N 069-59-39.500W				Green.	
6660	Orr's Island Approach Buoy 1	43-42-54.000N 069-59-15.000W				Green can.	
6665	Orr's Island Approach Buoy 4	43-44-28.301N 069-58-49.169W				Red nun.	
6670	Orr's Island Approach Buoy 6	43-44-57.830N 069-58-25.549W				Red nun.	
6671	Cribstone Bridge Day beacon 1	43-44-52.800N 069-59-15.300W				SG on pile.	Private aid.
6672	Cribstone Bridge Day beacon 2	43-44-53.200N 069-59-15.200W				TR on pile.	Private aid.
<b>Merriconeag Sound Approach</b>							
6675 40	<b>Halfway Rock Light</b>	43-39-20.800N 070-02-12.426W	FI R 5s	76	19	White tower attached to dwelling. 77	Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
6680	Webster Rock Buoy 1	43-39-37.854N 070-02-19.207W				Green can.	
6685	Eastern Drunkers Ledges Buoy 2 West-southwest of ledge.	43-41-05.053N 070-01-21.027W				Red nun.	
6690	Western Drunkers Ledges Buoy 4	43-41-14.302N 070-01-50.168W				Red nun.	
6695	- Buoy 6	43-42-11.000N 070-01-12.000W				Red nun.	
6700	LITTLE MARK ISLAND MONUMENT LIGHT	43-42-32.100N 070-01-51.900W	FI W 4s	74	5	Black and white square stone pyramid.	
6705	- <i>Lighted Gong Buoy 8</i>	43-42-43.082N 070-00-57.549W	FI R 4s		3	Red.	
6710	<i>Mackerel Cove Lighted Buoy 1</i>	43-43-24.610N 070-00-19.963W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
6715	- Buoy 9	43-44-24.520N 070-00-16.010W				Green can.	
6716	Rheubins Ledge Buoy 1	43-44-58.860N 069-59-21.180W				Green can.	Maintained May 1 to Nov 1. Private aid.
6717	Rheubins Ledge Buoy 2	43-44-57.600N 069-59-22.100W				Red nun.	Maintained May 1 to Nov 1. Private aid.
6720	- Day beacon 10	43-45-12.100N 069-59-20.900W				TR on pile.	
6725	Merriconeag Sound Buoy 12	43-45-16.730N 069-59-20.610W				Red nun.	
6730	Merriconeag Sound Buoy 13	43-45-30.619N 069-59-42.171W				Green can.	
6733	<i>Bowdoin College Harpswell Cove Research Lighted Buoy R</i>	43-45-38.280N 069-59-18.720W	FI Y 6s			Yellow.	Private aid.
6735	Merriconeag Sound Buoy 15	43-46-22.688N 069-59-12.231W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>CASCO BAY (Chart 13290)</b>							
<b>Merriconeag Sound Approach</b>							
6740	Merriconeag Sound Buoy 17	43-46-35.118N 069-59-01.482W				Green can.	
<b>Haskell Island</b>							
6745	- Buoy 2	43-42-43.101N 070-02-13.529W				Red nun.	
6750	Haddock Rock Buoy 3	43-42-49.020N 070-02-27.789W				Green can.	
<b>Potts Harbor</b>							
6755	Pinkham Island Point Buoy 2	43-43-39.830N 070-01-10.409W				Red nun.	
6760	Haskell Island Reef Buoy 3	43-43-43.080N 070-01-28.509W				Green can.	
6765	Potts Point Ledge Buoy 4	43-43-41.982N 070-01-38.328W				Red nun.	
6770	Potts Point Ledge Buoy 5	43-43-43.210N 070-01-40.460W				Green can.	
6775	Northwest Ledge Day beacon 7 On easterly edge of ledge.	43-43-46.100N 070-01-41.600W				SG on pile.	
6780	Northwest Ledge Buoy 9	43-43-48.540N 070-01-41.350W				Green can.	
6785	Torry Rock Buoy 11	43-43-53.339N 070-01-49.550W				Green can.	
6790	South Harpswell Buoy 12	43-43-58.669N 070-01-40.890W				Red nun.	
6795	Thrumcap Ledge Buoy 13	43-44-09.579N 070-01-51.310W				Green can.	
<b>Broad Sound</b>							
6800	- Entrance Bell Buoy BS	43-41-43.800N 070-03-26.569W				Red and white stripes with red spherical topmark.	
6805	- Gong Buoy 1	43-42-19.010N 070-03-49.510W				Green.	
6810	- Buoy 2	43-42-31.360N 070-03-29.880W				Red nun.	
6820	Stockman Island Day beacon 2 On ledge.	43-43-59.100N 070-04-58.300W				TR on pile.	
6825	Upper Flag Shoal Buoy 4 Southwest of shoal.	43-43-27.749N 070-03-10.190W				Red nun.	
6830	Little Birch Island Point Bell Buoy 6	43-43-44.312N 070-03-11.655W				Red.	
6835	Birch Island Ledge Buoy 8	43-44-15.950N 070-03-15.491W				Red nun.	
6840	Whaleboat Island Shoal Buoy WS South of shoal.	43-44-16.078N 070-03-44.381W				Green and red bands.	
6845	WHALEBOAT ISLAND LIGHT	43-44-31.100N 070-03-40.400W	FI W 6s	47	4	NR on white square skeleton tower.	
6850	Whaleboat Island Buoy 10	43-44-33.217N 070-03-19.031W				Red nun.	
6855	Whaleboat Ledge Buoy 6	43-45-02.776N 070-04-23.642W				Red nun.	
6860	Little Whaleboat Ledge Danger Buoy	43-45-20.216N 070-04-09.072W				White with orange bands worded DANGER.	
<b>Little Whaleboat Island</b>							
6880	- Buoy 1	43-45-37.956N 070-03-17.652W				Green can.	
6885	- Buoy 2	43-45-33.866N 070-03-05.521W				Red nun.	
6890	- Buoy 3	43-45-56.476N 070-03-03.442W				Green can.	
6895	- Buoy 4	43-45-55.836N 070-02-48.002W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>CASCO BAY (Chart 13290)</b>							
<b>Broad Sound</b>							
<b>Little Whaleboat Island</b>							
6904	- Buoy 5	43-46-36.016N 070-02-45.623W				Green can.	
6925	Lookout Point Buoy 10	43-48-41.005N 069-59-47.464W				Red nun.	
6930	Wilson Ledges Buoy 12	43-49-14.005N 069-59-07.185W				Red nun.	
6933	Branning Ledge Buoy 1	43-48-08.824N 070-01-31.464W				Green can.	
6934	Merepoint Buoy 2	43-49-20.293N 070-01-43.176W				Red nun.	
<b>Mere Point Brunswick PD Boat Launch</b>							
6935.1	- Buoy 1	43-49-38.040N 070-00-56.880W				Green can.	Private aid.
6935.2	- Buoy 2	43-49-38.820N 070-00-55.980W				Red nun.	Private aid.
6935.3	- Buoy 3	43-49-39.540N 070-00-58.440W				Green can.	Private aid.
6935.4	- Buoy 4	43-49-40.200N 070-00-57.840W				Red nun.	Private aid.
<b>Harraseeket River</b>							
6940	Crab Ledge Buoy 1	43-47-29.000N 070-05-10.000W				Green can.	
6945	- Buoy 2	43-48-02.207N 070-05-17.628W				Red nun.	
6950	- <i>Lighted Buoy 4</i>	43-48-19.992N 070-06-08.520W	F I R 4s		3	Red.	Replaced by nun when endangered by ice
6955	- Buoy 5	43-48-22.261N 070-06-13.271W				Green can.	
6960	- Buoy 7	43-48-26.853N 070-06-18.708W				Green can.	
6965	- Buoy 9	43-48-36.341N 070-06-20.586W				Green can.	
<b>Green Island Passage</b>							
6990	Green Island Reef Buoy 2	43-39-16.252N 070-06-54.229W				Red nun.	
6995	- Buoy 3	43-39-15.531N 070-07-11.249W				Green can.	
<b>Luckse Sound</b>							
7000	- East Buoy 4	43-39-30.470N 070-08-45.970W				Red nun.	
7005	- East Bell Buoy 6	43-40-35.900N 070-07-28.070W				Red.	
7010	<i>Hope Island Lighted Bell Buoy 2</i>	43-41-54.168N 070-07-27.861W	F I R 4s		4	Red.	
<b>Cliff Island</b>							
7015	- Buoy 1	43-41-04.660N 070-06-25.310W				Green can.	
7016	- Harbor Buoy 2	43-41-16.000N 070-06-25.000W				Red nun.	
7020	- Harbor Buoy 6	43-41-35.306N 070-06-12.597W				Red nun.	
7025	- Harbor Buoy 4	43-41-29.507N 070-06-16.235W				Red nun.	
7030	- Buoy 4	43-41-28.300N 070-05-24.169W				Red nun.	
7035	- Buoy 3	43-41-29.300N 070-05-29.170W				Green can.	
7040	- Buoy 5	43-42-04.674N 070-05-08.166W				Green can.	
<b>Luckse Sound</b>							
7055	Rogues Island Buoy 1	43-42-34.156N 070-06-28.793W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>CASCO BAY (Chart 13290)</b>							
<b>Luckse Sound</b>							
7060	Sand Island Buoy 2	43-42-39.773N 070-06-33.348W				Red nun.	
7065	- West Buoy 3	43-42-57.847N 070-06-49.021W				Green can.	
7070	Sand Island Ledge Buoy 7	43-43-07.647N 070-06-10.491W				Green can.	
7071	Stave Island Ledge Buoy 8	43-43-28.008N 070-04-43.481W				Red nun.	
7075	- West Buoy 5	43-43-53.996N 070-06-03.712W				Green can.	
7080	- West Buoy 6	43-44-03.717N 070-05-26.032W				Red nun.	
7081	- West Buoy 7	43-45-19.214N 070-05-39.962W				Green can.	
7081.1	- West Buoy 8	43-44-39.018N 070-05-24.917W				Red nun.	
7082	- West Buoy 9	43-45-45.294N 070-05-38.853W				Green can.	
7083	- West Buoy 10	43-46-02.124N 070-05-15.793W				Red nun.	
<b>Chandler Cove</b>							
7084	- Lighted Buoy 2	43-42-23.136N 070-07-51.976W	FI R 2.5s		3	Red.	
7085	- Buoy 3	43-42-37.417N 070-08-04.912W				Green can.	
7090	- Lighted Buoy 5	43-42-29.626N 070-08-27.962W	FI G 4s		4	Green.	
7095	- Buoy 6	43-42-27.766N 070-08-42.052W				Red nun.	
7100	- Buoy 8	43-42-12.996N 070-08-58.972W				Red nun.	
7105	- Buoy 9 On north side of ledge.	43-41-49.056N 070-09-39.492W				Green can.	
<b>Hussey Sound</b>							
7110	- Approach Lighted Buoy 2	43-39-05.300N 070-09-07.920W	FI R 6s		3	Red.	
7115	- Lighted Buoy 3	43-39-49.569N 070-10-03.821W	FI G 4s		4	Green.	
7120	- Lighted Buoy 4	43-40-03.278N 070-09-50.950W	FI R 4s		3	Red.	
7125	- Buoy 5	43-39-55.738N 070-10-26.521W				Green can.	
7130	- Lighted Buoy 6	43-40-20.127N 070-10-33.761W	Q R		3	Red.	
7135	- Lighted Bell Buoy 7	43-40-29.427N 070-10-48.511W	FI G 4s		4	Green.	
7140	Diamond Cove Buoy 1	43-41-04.166N 070-11-12.302W				Green can.	
7145	CROW ISLAND LIGHT 9	43-41-10.600N 070-11-11.800W	FI G 2.5s	41	5	SG on skeleton tower.	Higher intensity beam toward Hussey Sound.
7150	- Lighted Bell Buoy 10	43-41-31.936N 070-10-13.552W	FI R 4s		3	Red.	
7155	- Lighted Buoy 11	43-42-10.615N 070-10-25.962W	FI G 4s		3	Green.	
7160	- Buoy 12	43-42-10.136N 070-09-42.972W				Red nun.	
7165	- Lighted Buoy 14 Marks shoal.	43-43-19.905N 070-09-10.713W	FI R 4s		3	Red.	
7170	- Buoy 16	43-43-59.584N 070-08-31.502W				Red nun.	
<b>Diamond Island Pass</b>							
7175	- Lighted Buoy 1	43-40-33.737N 070-11-11.352W	FI G 2.5s		3	Green.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>CASCO BAY (Chart 13290)</b>							
<b>Diamond Island Pass</b>							
7180	- Buoy 3	43-40-20.647N 070-11-28.221W				Green can.	
7185	- Lighted Buoy 5	43-40-00.000N 070-12-05.000W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
7190	- Buoy 6	43-39-40.777N 070-12-44.742W				Red nun.	
<b>Whitehead Passage</b>							
7195	Ram Island Shoal Buoy 1	43-38-23.550N 070-10-45.900W				Green can.	
7200	Whitehead Ledge Day beacon 3	43-38-50.984N 070-11-33.927W				SG on pile.	
7205	Trotts Rock Day beacon 4 On rock.	43-38-56.373N 070-11-34.784W				TR on iron spindle.	Ra ref.
7210	- Buoy 6	43-38-53.209N 070-11-37.451W				Red nun.	
7215	- Lighted Bell Buoy 8	43-38-54.579N 070-12-07.191W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
7216	- Buoy 9	43-38-52.008N 070-12-30.581W				Green can.	
7220	House Island Buoy 1	43-39-22.408N 070-12-20.221W				Green can.	
7225	HOUSE ISLAND LIGHT 3	43-39-21.112N 070-12-27.503W	FI G 4s	20	4	SG on skeleton tower.	
<b>Casco Bay Channel</b>							
7230	- Buoy 1	43-39-49.307N 070-12-58.622W				Green can.	
7235	- Buoy 2	43-39-49.207N 070-12-51.922W				Red nun.	
7240	- Buoy 3	43-40-07.550N 070-12-54.733W				Green can.	
7245	- Buoy 4	43-40-20.226N 070-12-44.712W				Red nun.	
7250	- Buoy 6	43-40-46.845N 070-12-40.212W				Red nun.	
7255	- Buoy 8	43-41-05.155N 070-12-36.462W				Red nun.	
7260	- Buoy 9	43-41-05.675N 070-12-42.083W				Green can.	
<b>Portland To Merepoint</b>							
7265	Brimstone Point Ledge Buoy 10	43-41-31.135N 070-11-57.543W				Red nun.	
7270	Diamond Cove Ledge Buoy 2	43-41-26.505N 070-11-33.042W				Red nun.	
7275	Cow Island Shoal Buoy 4	43-41-45.875N 070-11-14.442W				Red nun.	
7280	COW ISLAND LEDGE LIGHT	43-42-10.600N 070-11-18.600W	FI W 6s	23	8	NR on spindle on red caisson.	Ra ref.
7285	Cow Island Ledge Buoy CIL	43-42-23.585N 070-11-06.543W				Green can with red bands.	
7290	Clapboard Island South Ledge Buoy Cl	43-42-17.323N 070-11-47.872W				Red nun with green bands.	
7295	Lower Basket Ledge Day beacon 15	43-43-49.399N 070-09-23.949W				SG on iron spindle.	Ra ref.
7300	Basket Island Shoal Buoy 2	43-43-44.384N 070-09-55.023W				Red nun.	
7305	Upper Basket Ledge Day beacon	43-44-24.400N 070-09-32.300W				NR on pile.	
7320	Hussey Sound Lighted Buoy 18	43-45-16.239N 070-07-35.451W	FI R 2.5s		3	Red.	
<b>Portland To Yarmouth</b>							
7330	The Brothers Buoy 11	43-42-03.403N 070-12-39.333W				Green can.	



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>CASCO BAY (Chart 13290)</b>							
<b>Portland To Yarmouth</b>							
7335	Lower Clapboard Island Ledge Buoy 12 Southwest of ledge.	43-42-41.213N 070-12-01.593W				Red nun.	
7336	Town Landing Lighted Buoy 1	43-43-36.300N 070-11-40.620W	FI G 4s			Green.	Private aid.
7336.1	Town Landing Lighted Buoy 2	43-43-39.300N 070-11-37.800W	FI R 4s			Red.	Private aid.
7337	Portland Yacht Club Lighted Buoy 1	43-43-28.080N 070-11-47.880W	FI G 4s			Green.	Private aid.
7337.1	Portland Yacht Club Lighted Buoy 2	43-43-30.720N 070-11-47.940W	FI R 4s			Red.	Private aid.
7337.2	HBS Lighted Buoy 1	43-43-23.940N 070-11-54.780W	FI G 4s			Green.	Private aid.
7338	HBS Lighted Buoy 2	43-43-25.680N 070-11-52.920W	FI R 4s			Red.	Private aid.
7340	Jones Ledge Buoy 14 South of ledge.	43-42-56.853N 070-12-03.873W				Red nun.	
7345	Prince Point Ledge Buoy 15 Off northeast end of ledge.	43-43-11.719N 070-12-22.371W				Green can.	
7350	York Ledge Day beacon YL	43-43-31.888N 070-12-14.893W				SG on pile.	
7355	York Ledge Buoy 17 East of ledge.	43-43-32.042N 070-12-10.624W				Green can.	
7360	Clapboard Island North Ledge Day beacon 18	43-43-27.000N 070-11-25.900W				TR on spindle.	
7365	Sturdivant Island Ledges Buoy SI	43-43-45.283N 070-11-26.094W				Green can with red bands.	
7370	Underwood Ledge Buoy 19 Northeast of ledge.	43-44-00.422N 070-11-43.244W				Green can.	
7375	Underwood Ledge Buoy 20	43-44-01.652N 070-11-32.954W				Red nun.	
7380	Sturdivant Island Ledges Danger Buoy	43-43-50.653N 070-11-06.424W				White with orange bands worded DANGER.	
7385	Upper Clapboard Island Ledge Lighted Buoy 3	43-43-56.047N 070-10-30.997W	FI G 2.5s		3	Green.	
7386	Basket Island Lighted Buoy 4	43-44-06.000N 070-10-14.000W	FI R 2.5s		3	Red.	
7387	Basket Island Lighted Shellfish Raft A	43-43-58.000N 070-09-52.000W	Q Y			Shellfish raft.	Private aid.
7390	Birch Point Buoy 6	43-44-57.800N 070-09-52.407W				Red nun.	
7395	Sandy Point Ledges Buoy 22 West of ledge.	43-45-57.331N 070-09-21.845W				Red nun.	
<b>Royal River</b>							
7400	- Channel Lighted Buoy 1	43-47-06.351N 070-07-24.546W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
7405	- Channel Buoy 2	43-47-09.457N 070-07-39.461W				Red nun.	Maintained from Apr. 1 to Dec. 1.
7410	- Channel Buoy 3	43-47-13.411N 070-07-57.586W				Green can.	Maintained from Apr. 1 to Dec. 1.
7415	- Channel Buoy 4	43-47-21.479N 070-08-17.532W				Red nun.	Maintained from Apr. 1 to Dec. 1.
7418	- Channel Buoy 4A	43-47-31.523N 070-08-26.893W				Red nun.	Maintained from Apr. 1 to Dec 1.
7425	- Channel Buoy 5	43-47-39.095N 070-08-29.223W				Green can.	Maintained from Apr. 1 to Dec. 1.
7430	- Channel Buoy 7	43-47-43.388N 070-08-34.194W				Green can.	Maintained from Apr. 1 to Dec. 1.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>CASCO BAY (Chart 13290)</b>							
<b>Royal River</b>							
7435	- Channel Buoy 8	43-47-45.478N 070-08-37.451W				Red nun.	Maintained from Apr. 1 to Dec. 1.
7440	- Channel Buoy 9	43-47-44.276N 070-08-42.227W				Green can.	Maintained from Apr. 1 to Dec. 1.
7442	- Channel Buoy 11	43-47-34.276N 070-08-57.305W				Green can.	Maintained from Apr. 1 to Dec. 1.
7445	- Channel Buoy 12	43-47-33.911N 070-09-00.765W				Red nun.	Maintained from Apr. 1 to Dec. 1.
7450	- Channel Buoy 13	43-47-29.289N 070-09-12.176W				Green can.	Maintained from Apr. 1 to Dec. 1.
7455	- Channel Buoy 14	43-47-22.675N 070-09-29.459W				Red nun.	Maintained from Apr. 1 to Dec. 1.
7460	- Channel Buoy 15	43-47-21.600N 070-09-31.700W				Green can.	Maintained from Apr. 1 to Dec. 1.
7462	- Channel Buoy 16	43-47-22.297N 070-09-37.461W				Red Nun.	Maintained from Apr. 1 to Dec 1.
7465	- Channel Buoy 16A	43-47-32.209N 070-09-53.348W				Red nun.	Maintained from Apr. 1 to Dec. 1.
7470	- Channel Buoy 17	43-47-38.519N 070-10-01.883W				Green can.	Maintained from Apr. 1 to Dec. 1.
7475	- Channel Buoy 18	43-47-44.452N 070-10-19.634W				Red nun.	Maintained from Apr. 1 to Dec. 1.
<b>Portland Harbor Approach</b>							
7480 45	<i>Portland Lighted Whistle Buoy P</i>	43-31-36.312N 070-05-28.163W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: M ( - - ) AIS: MMSI 993672144 (21)
7495	Bulwark Shoal Buoy BS 400 yards east of ledge.	43-36-01.767N 070-04-01.195W				Red nun with green bands.	
7500 75	<i>East Hue and Cry Rock Lighted Buoy 1 (NOAA 44007)</i> East-southeast of ledge.	43-31-30.362N 070-08-25.565W	FI G 4s		4	Green.	3 meter discus buoy marked with 44007 on fin.  Aid maintained by National Oceanic and Atmospheric Administration.
7505	<i>Portland Harbor Main Approach Lighted Whistle Buoy 4</i>	43-33-55.600N 070-08-04.800W	FI R 4s		4	Red.	
7510	West Cod Ledge Rock Buoy 4WC	43-34-18.810N 070-07-47.468W				Red nun.	
7515	<i>Corwin Rock Lighted Bell Buoy 3</i>	43-33-31.778N 070-08-31.576W	FI G 4s		4	Green.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>CASCO BAY (Chart 13290)</b>							
<b>Portland Harbor Approach</b>							
7520 60	<b>Cape Elizabeth Light</b>	43-33-57.864N 070-12-00.209W	Fl (4)W 15s 0.3s fl 2.2s ec. 0.3s fl 2.2s ec. 0.3s fl 2.2s ec. 0.3s fl 7.2s ec.	129	15	White conical tower. 67	Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). Horn located 266 yards, 146° from light tower. MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
7525	Broad Cove Rock Buoy 5 Off southeast side of shoal.	43-35-01.984N 070-11-12.368W				Green can.	
7530	<i>Willard Rock Lighted Gong Buoy 7</i> On east side of rock.	43-36-05.463N 070-10-57.679W	Fl G 4s		4	Green.	
7533	<i>East Cod Ledge Lighted Buoy 1EC</i>	43-36-30.100N 070-02-06.000W	Fl G 6s		4	Green.	
7535	<i>Portland Harbor Eastern Approach Lighted Gong Buoy 1</i>	43-37-05.182N 070-09-46.088W	Fl G 2.5s		3	Green.	
7540	<i>Portland Harbor Eastern Approach Lighted Buoy 3</i>	43-37-16.801N 070-11-03.170W	Fl G 4s		4	Green.	
7545	<i>Pine Tree Ledge Lighted Whistle Buoy 8</i>	43-36-36.280N 070-10-51.382W	Q R		3	Red.	
7550	Jordan Reef Buoy 10	43-37-00.552N 070-11-18.180W				Red nun.	
7555	<i>Witch Rock Lighted Bell Buoy 2</i> South of rock.	43-37-20.352N 070-10-31.709W	Fl R 4s		4	Red.	
7560	<i>Thirty-One Foot Spot Lighted Bell Buoy D</i>	43-37-12.701N 070-11-55.260W	Fl (2)W 5s		4	Black and red bands with two black spherical topmarks.	
<b>PORTLAND HARBOR (Chart 13292)</b>							
<b>Portland Harbor</b>							
7565	<b>Portland Head Light</b>	43-37-23.174N 070-12-28.312W	Fl W 4s	101	24	White tower. 80	Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl). MRASS -Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
7570	PORTLAND HEAD DIRECTIONAL LIGHT	43-37-23.150N 070-12-27.565W	F R W G (RWG sectors)	34	W 15 G 12 R 12	At base of Portland Head Light.	Shows red from 271.3° to 274.3°; white from 274.3° to 275.8°, green from 275.8° to 279.3°.
7575	RAM ISLAND LEDGE LIGHT	43-37-53.290N 070-11-14.562W	Fl (2)W 6s	77	9	Light-gray, conical, granite tower.	HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>PORTLAND HARBOR (Chart 13292)</b>							
<b>Portland Harbor</b>							
7578	- Main Approach Lighted Buoy 11	43-37-44.248N 070-12-37.660W	Q G		3	Green.	
7580	- Main Approach Lighted Bell Buoy 12	43-37-55.018N 070-12-31.476W	Q R		3	Red.	
7585	- Main Approach Lighted Buoy 13	43-38-05.982N 070-12-58.969W	FI G 2.5s		3	Green.	
7590	- Main Approach Lighted Buoy 14	43-38-11.360N 070-12-43.506W	FI R 2.5s		3	Red.	
7595	- Main Approach Lighted Buoy 17	43-38-47.425N 070-13-10.992W	FI G 4s		3	Green.	
7600	- Main Approach Lighted Buoy 16	43-38-40.984N 070-12-53.959W	FI R 4s		3	Red.	
7605	FORT SCAMMEL POINT LIGHT 2	43-38-56.548N 070-12-49.741W	FI R 4s		35 5	TR on tower.	Higher intensity beam up channel.
7610	SPRING POINT LEDGE LIGHT	43-39-07.612N 070-13-26.057W	FI W 6s (2R sectors)	54	W 12 R 10 R 10	White tower.	White from 331° to 337° covers fairway entrance, white from 074° to 288°; red in intervening sectors. Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
7615	- Channel Lighted Buoy 1	43-39-17.357N 070-13-31.031W	FI G 2.5s		3	Green.	
7620	SPRING POINT PIER LIGHT	43-39-19.146N 070-13-41.381W	F W			On pile.	Private aid.
7645	- Anchorage Lighted Buoy A	43-39-04.131N 070-13-00.034W	FI Y 4s		3	Yellow.	
7665	- Anchorage Lighted Bell Buoy B	43-39-35.057N 070-12-34.652W	FI Y 4s		3	Yellow.	
7675	Seventeen-Foot Shoal Lighted Buoy 3	43-39-27.197N 070-13-44.422W	FI G 4s		3	Green.	
7685	Fort Georges Island Ledge Lighted Buoy 4	43-39-33.364N 070-13-24.191W	FI R 2.5s		3	Red.	
7690	DIAMOND ISLAND LEDGE LIGHT On west side of ledge.	43-39-47.000N 070-13-29.800W	FI W 2.5s		24 5	NR on skeleton tower.	
7695	Dredged Channel Lighted Buoy 5 On edge of shoal.	43-39-27.606N 070-14-09.172W	FI G 4s		3	Green.	
7697	- CG Mooring Buoy	43-39-11.855N 070-12-17.999W				White with blue band, nun.	
7699	SOUTH PORTLAND BREAKWATER LIGHT	43-39-19.872N 070-14-05.471W	FI W 4s	30		White.	Private aid.
7700.1	South Portland Boat Ramp Buoy 1	43-39-20.820N 070-14-14.040W				Green can.	Private aid.
7700.2	South Portland Boat Ramp Buoy 3	43-39-19.680N 070-14-13.500W				Green can.	Private aid.
7700.3	South Portland Boat Ramp Buoy 5	43-39-18.120N 070-14-12.780W				Green can.	Private aid.
7700.4	South Portland Boat Ramp Buoy 6	43-39-17.460N 070-14-13.620W				Red nun.	Private aid.
7700.5	South Portland Boat Ramp Buoy 8	43-39-17.220N 070-14-13.200W				Red nun.	Private aid.
7701	SOUTH PORTLAND PIER LIGHT	43-39-11.179N 070-14-35.223W	F W			On pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>PORTLAND HARBOR (Chart 13292)</b>							
<b>Portland Harbor</b>							
7705	COAST GUARD PIERHEAD LIGHT	43-38-59.896N 070-15-12.872W	FI Y 4s	18	4	On dolphin.	
<b>Lighthouse Channel</b>							
7710	- Lighted Buoy 1	43-38-55.365N 070-15-02.985W	FI G 6s		3	Green.	
7715	- Lighted Buoy 2	43-38-54.096N 070-15-04.522W	FI R 2.5s		3	Red.	
7720	- LIGHT 3	43-38-49.951N 070-14-56.300W	FI G 4s		3	SG on dolphin.	
7725	- Lighted Buoy 4	43-38-48.900N 070-14-58.736W	FI R 2.5s		3	Red.	
7730	- Day beacon 5	43-38-49.100N 070-14-54.171W				SG on dolphin.	
7735	- Buoy 6	43-38-45.242N 070-14-57.793W				Red nun.	Removed when endangered by ice.
<b>Mill Cove</b>							
7740	- Day beacon 1	43-38-48.460N 070-15-11.719W				SG on pile.	Private aid.
7745	- Day beacon 2	43-38-48.107N 070-15-12.489W				TR on pile.	Private aid.
7750	- Buoy 3	43-38-44.980N 070-15-09.090W				Green can.	Maintained from Apr. 1 to Oct. 30. Private aid.
7755	- Day beacon 4	43-38-44.426N 070-15-10.213W				TR on pile.	Private aid.
7760	- Buoy 5	43-38-42.040N 070-15-07.780W				Green can.	Maintained from Apr. 1 to Oct. 30. Private aid.
7765	- Day beacon 6	43-38-41.608N 070-15-08.487W				TR on pile.	Private aid.
7770	- Buoy 7	43-38-39.820N 070-15-06.660W				Green can.	Maintained from Apr. 1 to Oct. 30. Private aid.
7775	- Day beacon 8	43-38-39.356N 070-15-07.134W				TR on pile.	Private aid.
7780	- Day beacon 9	43-38-36.692N 070-15-06.168W				SG on pile.	Private aid.
7790	- Day beacon 11	43-38-32.893N 070-15-02.880W				SG on pile.	Private aid.
<b>Fore River</b>							
7810	- Outfall Day beacon	43-38-32.466N 070-15-35.280W				NY on pile.	Private aid.
7815	- Lighted Buoy 1	43-38-29.986N 070-15-56.113W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.
7820	- Buoy 3	43-38-28.966N 070-16-08.493W				Green can.	
7825	- Lighted Buoy 5	43-38-27.796N 070-16-22.463W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
7827	- Day beacon 5A	43-38-15.378N 070-16-46.627W				SG on pile.	
7830	- Lighted Buoy 6	43-38-24.772N 070-16-53.985W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
<b>Back Cove Approach</b>							
7835	Fish Point Lighted Buoy 1	43-39-53.656N 070-14-08.673W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
7840	- Buoy C	43-40-09.001N 070-13-19.519W				Yellow nun.	
7845	- Buoy 3	43-40-16.995N 070-14-04.953W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>PORTLAND HARBOR (Chart 13292)</b>							
<b>Back Cove Approach</b>							
7850	- Buoy 4	43-40-20.815N 070-13-42.152W				Red nun.	
7855	- Lighted Buoy 5	43-40-30.904N 070-14-26.673W	FI G 2.5s		4	Green.	
7860	- Buoy 6	43-40-37.214N 070-14-28.903W				Red nun.	
7865	- Lighted Buoy 8	43-40-31.865N 070-14-53.954W	FI R 2.5s		3	Red.	
<b>SACO BAY AND VICINITY (Chart 13287)</b>							
7870	Seal Rocks Buoy 1	43-33-24.883N 070-13-15.005W				Green can.	
<b>Richmond Island Harbor</b>							
7875	Old Proprietor Buoy 1	43-32-07.945N 070-17-11.282W				Green can.	
7880	Chimney Rock Buoy 3	43-32-48.830N 070-15-17.013W				Green can.	
<b>Scarborough River</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
7886	- Buoy 1	43-31-43.917N 070-19-31.956W				Green can.	
7890	- Buoy 2	43-31-44.185N 070-19-29.435W				Red nun.	
7892	- Buoy 3	43-32-02.039N 070-19-30.838W				Green can.	
7895	- Buoy 4	43-32-02.206N 070-19-28.322W				Red nun.	
7900	- Buoy 5	43-32-22.483N 070-19-39.443W				Green can.	
7915	- Buoy 8	43-32-26.235N 070-19-38.569W				Red nun.	
7920	- Buoy 9	43-32-34.078N 070-19-39.740W				Green can.	
7925	- Buoy 10	43-32-36.173N 070-19-38.612W				Red nun.	
7935	Bar Ledge Buoy 2	43-31-15.910N 070-20-35.298W				Red nun.	
<b>Saco River</b>							
7940	- Approach Bell Buoy SA	43-27-55.028N 070-20-18.234W				Red and white stripes with red spherical topmark.	
7945	- Approach Buoy 1	43-27-44.020N 070-20-13.667W				Green can.	
7950	- Approach Buoy 2	43-27-59.038N 070-20-41.435W				Red nun.	
7955	Stage Island Junction Buoy SI	43-27-30.799N 070-20-50.965W				Green and red bands; can.	
7960	Stage Island Day beacon	43-27-24.500N 070-21-05.300W				Conical stone tower.	
7965	- North Breakwater Danger Buoy	43-27-50.308N 070-21-35.176W				White can with orange bands worded DANGER SUBMERGED BREAKWATER.	
7970	- Approach Lighted Buoy 4	43-27-43.378N 070-21-10.235W	FI R 4s		4	Red.	
7975	Sharps Rock Day beacon 4A	43-27-45.908N 070-21-21.175W				TR on spindle.	
7980	- South Jetty Buoy 5	43-27-40.988N 070-21-22.825W				Green can.	
7985	- Buoy 5A	43-27-41.100N 070-21-29.611W				Green can.	
7990	- Day beacon 5B	43-27-36.907N 070-21-50.716W				SG on spindle.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>SACO BAY AND VICINITY (Chart 13287)</b>							
<b>Saco River</b>							
7995	- Buoy 6	43-27-43.308N 070-21-33.176W				Red nun.	
8000	- Middle Bar Buoy 6B	43-27-42.357N 070-21-49.006W				Red nun.	
8005	- Buoy 7	43-27-40.307N 070-22-35.177W				Green can.	
8010	- Buoy 8	43-27-42.002N 070-23-19.272W				Red nun	
8015	Jordan Point Day beacon 9	43-27-41.600N 070-23-18.178W				SG on spindle.	
8020	- Buoy 10	43-27-46.095N 070-23-32.071W				Red nun.	
8025	- Buoy 10A	43-27-53.306N 070-23-38.178W				Red nun.	
8030	- Buoy 11	43-28-18.481N 070-23-51.486W				Green can.	
8035	- Buoy 12	43-28-24.584N 070-24-04.749W				Red nun.	
8040	- Jetty Buoy 14	43-28-26.250N 070-24-19.140W				Red nun.	
8043	- Buoy 14A	43-28-33.995N 070-24-37.971W				Red nun.	
8045	- Buoy 15	43-28-43.777N 070-24-39.054W				Green can.	
8047	- Buoy 16	43-29-06.009N 070-26-00.999W				Red nun.	
8050	Cow Island Ledge Day beacon 17	43-29-20.700N 070-26-02.800W				SG on spindle.	
8051	Factory Island Channel Buoy 1	43-29-32.250N 070-26-25.600W				Green can.	Private aid.
8051.1	Factory Island Channel Buoy 2	43-29-32.900N 070-26-24.900W				Red nun.	Private aid.
8051.2	Factory Island Channel Buoy 3	43-29-38.400N 070-26-41.000W				Green can.	Private aid.
8051.3	Factory Island Channel Buoy 4	43-29-38.700N 070-26-39.900W				Red nun.	Private aid.
8051.4	Factory Island Channel Buoy 5	43-29-34.800N 070-26-46.300W				Green can.	Private aid.
8051.5	Factory Island Channel Buoy 6	43-29-34.900N 070-26-47.800W				Red nun.	Private aid.
<b>Wood Island Harbor</b>							
8055	Dansbury Reef Buoy 2	43-26-48.759N 070-19-24.583W				Red nun.	
8060	Washman Rock Buoy 3A	43-26-42.201N 070-19-31.940W				Green can.	
8065	Phillip Rock Day beacon 5	43-27-08.669N 070-20-29.844W				SG on spindle.	
8070	Negro Island Bar Buoy 6 On point of bar.	43-27-17.448N 070-20-38.944W				Red nun.	
8075	- Buoy 7	43-27-15.905N 070-20-55.614W				Green can.	
8080	Half tide Rock Day beacon 9	43-27-00.058N 070-21-06.420W				SG on spindle.	
8085	Biddeford Pool Channel Buoy 10	43-26-44.428N 070-21-27.895W				Red nun.	
<b>CAPE ELIZABETH TO PORTSMOUTH (Chart 13286)</b>							
<b>Cape Porpoise Harbor</b>							
8090	Old Prince Bell Buoy 2 South-southeast of ledge.	43-21-07.312N 070-25-06.380W				Red.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>CAPE ELIZABETH TO PORTSMOUTH (Chart 13286)</b>							
<b>Cape Porpoise Harbor</b>							
8100 105	<b>Goat Island Light</b>	43-21-28.300N 070-25-30.300W	FI W 6s	38	12	25	HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
8105	- Buoy 7	43-21-24.405N 070-25-36.998W				Green can.	
8110	Folly Island Day beacon On ledge.	43-21-23.191N 070-25-38.540W				NW on pile worded DANGER.	
8115	- Buoy 6	43-21-21.005N 070-25-28.798W				Red nun.	
8120	Goat Island Day beacon 8 On ledge.	43-21-25.621N 070-25-34.060W				TR on pile.	
8125	- Channel Buoy 9	43-21-30.502N 070-25-45.343W				Green can.	
8130	- Channel Buoy 10	43-21-32.111N 070-25-43.181W				Red nun.	
8141	Presidential Security Zone East Buoy	43-20-23.978N 070-27-11.869W				White and orange nun.	
8142	Presidential Security Zone South Buoy	43-20-06.001N 070-27-35.870W				White and orange nun.	
8143	Presidential Security Zone West Buoy	43-20-11.997N 070-27-53.968W				White and orange nun.	
8144	Presidential Security Mooring Buoy	43-19-54.890N 070-27-35.931W				White ball with blue band.	
<b>Kennebunkport</b>							
8145	- Approach Lighted Bell Buoy 1	43-19-30.331N 070-28-02.964W	FI G 4s		4	Green.	
8150	- Approach Buoy 3	43-20-14.387N 070-28-26.153W				Green can.	
8155	Fishing Rock Day beacon F	43-20-11.130N 070-28-45.375W				NB on pile.	Ra ref.
8160	Oaks Reef Outer Rock Day beacon O South side of shoal.	43-20-17.550N 070-29-24.826W				NG on pile.	
8165	- BREAKWATER LIGHT 6	43-20-45.702N 070-28-33.599W	Iso R 6s	25	5	TR on spindle.	
<b>Kennebunk River</b>							
8175	- Entrance Buoy 5	43-20-43.740N 070-28-37.555W				Green can.	
8180	- Buoy 8	43-20-50.154N 070-28-31.262W				Red nun.	
8185	- Buoy 9	43-20-51.564N 070-28-30.924W				Green can.	
8190	- Buoy 10	43-20-59.937N 070-28-24.871W				Red nun.	
8195	- Day beacon 12	43-21-04.380N 070-28-26.253W				TR on spindle.	
8196	- Buoy 12A	43-21-04.854N 070-28-27.474W				Red nun.	
8205	- Buoy 15	43-21-25.109N 070-28-33.415W				Green can.	
<b>Wells Harbor</b>							
8208	- Entrance Lighted Bell Buoy WH	43-18-50.000N 070-32-52.000W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
8210	- NORTH JETTY LIGHT 2	43-19-02.209N 070-33-10.690W	FI R 4s	29	5	TR on skeleton tower.	



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE - First District</b>							
<b>CAPE ELIZABETH TO PORTSMOUTH (Chart 13286)</b>							
<b>Wells Harbor</b>							
8215	- SOUTH JETTY LIGHT 1	43-18-58.300N 070-33-13.190W	Fl G 4s	22	5	SG on skeleton tower.	
8220	- Day beacon 3	43-19-14.609N 070-33-30.890W				SG on dolphin.	
8225	- Buoy 4	43-19-18.909N 070-33-37.590W				Red nun.	
8230	- Day beacon 5	43-19-17.409N 070-33-37.890W				SG on dolphin.	
<b>Perkins Cove</b>							
8240	- Buoy 1	43-14-05.274N 070-35-05.405W				Green can.	
8245	- Buoy 2	43-14-06.867N 070-35-05.510W				Red nun.	
<b>CAPE NEDDICK HARBOR TO ISLES OF SHOALS (Chart 13283)</b>							
<b>Cape Neddick Harbor</b>							
8250	Weare Point Bell Buoy 2 Marks end of shoal off point.	43-10-55.000N 070-35-47.000W				Red.	
8255	Barn Point Buoy 1 Marks end of shoal off point.	43-10-59.456N 070-35-58.188W				Green can.	
<b>York Harbor</b>							
8258 160	- Lighted Bell Buoy YH	43-07-45.360N 070-37-01.316W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
8260	- Entrance Buoy 2	43-07-53.220N 070-37-06.376W				Red nun.	
8265	- Buoy 3	43-07-43.249N 070-37-55.697W				Green can.	
8270	- Buoy 4 Southeast of rock.	43-07-48.829N 070-37-55.697W				Red nun.	
8275	- Buoy 6	43-07-46.609N 070-38-13.587W				Red nun.	
8280	- Buoy 7	43-07-44.325N 070-38-25.395W				Green can.	
8290	- Buoy 8	43-07-41.028N 070-38-36.822W				Red nun.	
8295	- Day beacon 9	43-07-44.426N 070-38-41.880W				SG on pile.	
8300	- Buoy 11	43-07-58.012N 070-38-36.877W				Green can.	

**MAINE AND NEW HAMPSHIRE - First District**

<b>CAPE NEDDICK HARBOR TO ISLES OF SHOALS (Chart 13283)</b>							
<b>Portsmouth Harbor</b>							
8305	- CHANNEL RANGE FRONT LIGHT	43-04-57.366N 070-42-26.838W	Iso R 6s	59		KRW on skeleton tower.	Visible 4° each side of range line.
8310	- CHANNEL RANGE REAR LIGHT 154 yards, 352.9° from front light.	43-05-01.886N 070-42-27.612W	F R	79		KRW on skeleton tower.	Visible 4° each side of range line.
8315	Wood Island Lighted Buoy 2	43-03-39.752N 070-42-03.927W	Fl R 4s		3	Red.	
8320	Stielman Rocks Buoy 3	43-04-01.681N 070-42-25.348W				Green can.	
8325	Stielman Rocks Day beacon 3A On ledge.	43-04-00.625N 070-42-31.369W				SG on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE AND NEW HAMPSHIRE - First District</b>							
<b>CAPE NEDDICK HARBOR TO ISLES OF SHOALS (Chart 13283)</b>							
<b>Portsmouth Harbor</b>							
8330	- <b>(New Castle) Light</b>	43-04-15.840N 070-42-31.063W	F G	52	12	White conical tower, fog signal house attached. 52	HORN: 1 blast ev 10s (1s bl). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
8340	<i>Cod Rock Lighted Buoy 5</i>	43-04-28.390N 070-42-40.368W	FI G 4s		3	Green.	
8345	CLARK ISLAND LIGHT 8	43-04-33.819N 070-43-26.689W	FI R 2.5s	20	4	TR on sectional spindle. Red nun.	
8350	Fishing Island Ledge Buoy 4	43-04-39.820N 070-42-18.288W				Red nun.	
8351	Pepperrell Cove Buoy 2	43-04-46.000N 070-42-16.000W				Red nun.	Private aid.
8352	Pepperrell Cove Buoy 3	43-04-48.700N 070-42-15.700W				Green can.	Private aid.
8353	Pepperrell Cove Buoy 5	43-04-51.600N 070-42-15.300W				Green can.	Private aid.
8355	PIERCE ISLAND RANGE FRONT LIGHT	43-04-25.392N 070-44-25.182W	Q G	51		KRW on skeleton tower.	Visible 4° each side of range line.
8360	PIERCE ISLAND RANGE REAR LIGHT 88 yards, 266.6° from front light.	43-04-25.237N 070-44-28.737W	Iso G 6s	63		KRW on skeleton tower.	Visible 4° each side of range line.
8365	Hick Rocks Buoy 6	43-04-40.210N 070-43-09.199W				Red nun.	
8370	<i>Goat Island Ledge Lighted Buoy 9</i>	43-04-23.425N 070-43-59.243W	FI G 4s		3	Green.	
8375	HENDERSON POINT LIGHT 10	43-04-29.319N 070-44-10.189W	FI R 6s		5	TR on skeleton tower.	Higher intensity beam up and down channel.
8385	<i>South Beacon Shoal Lighted Buoy 11</i>	43-04-40.077N 070-44-34.914W	FI G 4s		3	Green.	
8386	Seavey Island Day beacon 12	43-04-45.672N 070-44-25.986W				TR on pile.	Marks remains of submerged quay wall. Private aid.
8387	Seavey Island Day beacon 12A	43-04-46.068N 070-44-28.152W				TR on pile.	Marks remains of submerged quay wall. Private aid.
8390	South Beacon Shoal Day beacon SBS	43-04-39.000N 070-44-43.600W				NG on mast, on granite pier.	
8395	<i>Gangway Rocks Lighted Buoy 13</i>	43-04-42.209N 070-44-48.190W	FI G 2.5s		4	Green.	
8405	<i>Badgers Island Lighted Buoy 14</i>	43-04-51.951N 070-45-21.518W	FI R 2.5s		3	Red.	
8406	Kittery Flats Turning Basin Buoy A	43-04-56.743N 070-45-24.928W				Yellow nun.	
8407	Kittery Flats Turning Basin Buoy B	43-05-01.710N 070-45-24.040W				Yellow nun.	
8408	Kittery Flats Turning Basin Buoy C	43-05-04.700N 070-45-25.100W				Yellow nun.	
8409	Kittery Flats Turning Basin Buoy D	43-05-08.000N 070-45-29.000W				Yellow nun.	
8425	Pierce Island Buoy 2	43-04-42.318N 070-45-02.190W				Red nun.	
8430	Pierce Island Buoy 3	43-04-40.916N 070-44-59.874W				Green can.	
8435	Pierce Island Buoy 5	43-04-37.269N 070-44-59.646W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE AND NEW HAMPSHIRE - First District</b>							
<b>PORTSMOUTH TO DOVER AND EXETER (Chart 13285)</b>							
<b>Piscataqua River</b>							
8455	- Lighted Buoy 2	43-05-38.315N 070-46-01.089W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
8460	- LIGHT 4	43-05-48.200N 070-46-42.800W	FI R 4s	18	5	TR on spindle.	Higher intensity beam up and down channel.
8470	CABLE PIER WEST LIGHT	43-06-13.200N 070-47-31.500W	F G	18		Square concrete platform.	Private aid.
8485	- Lighted Buoy 6	43-06-12.856N 070-47-06.296W	FI R 4s		4	Red.	
8490	- Lighted Buoy 7	43-06-21.531N 070-47-33.343W	FI G 4s		4	Green.	
8495	- Buoy 8	43-06-25.026N 070-47-30.300W				Red nun.	
8496	- CG Mooring Buoy	43-06-47.907N 070-48-22.624W				White and blue.	
8500	- Lighted Buoy 9	43-06-47.144N 070-48-15.428W	FI G 4s		4	Green.	
8505	- Lighted Buoy 10	43-06-49.974N 070-48-11.778W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
8510	- Lighted Buoy 11	43-06-53.954N 070-48-26.679W	FI G 2.5s		4	Green.	
8515	- Buoy 12	43-07-11.500N 070-48-38.200W				Red nun.	
8520	SPRAGUE FUEL TERMINAL LOWER DOCK LIGHT	43-06-57.000N 070-48-36.000W	F G	6		On square concrete platform.	Private aid.
8525	SPRAGUE FUEL TERMINAL CENTER DOCK LIGHT	43-06-59.000N 070-48-37.000W	F G	11		On dolphin.	Private aid.
8530	SPRAGUE FUEL TERMINAL UPPER DOCK LIGHT	43-07-03.000N 070-48-44.000W	F G	8		On square concrete platform.	Private aid.
8535	- Buoy 13 Marks rock.	43-07-10.613N 070-48-46.340W				Green can.	
8540	- Buoy 15	43-07-19.192N 070-49-31.110W				Green can.	
8545	- Buoy 16	43-07-23.402N 070-49-25.990W				Red nun.	
8550	- Buoy 17	43-07-34.822N 070-49-38.301W				Green can.	
8555	- Buoy 18	43-07-59.481N 070-49-46.452W				Red nun.	
8560	- Buoy 20	43-09-17.719N 070-49-51.643W				Red nun.	
8565	- Buoy 21	43-09-38.762N 070-49-40.566W				Green can.	
8566	<i>New Hampshire DES Oil Boom Deployment Lighted Buoy A</i>	43-06-22.320N 070-51-20.880W	FI W 2.5s			White with orange bands worded NH DES.	Replaced by unlighted buoy Dec. 1 to Apr. 1. Private aid.
8566.2	<i>New Hampshire DES Oil Boom Deployment Lighted Buoy C</i>	43-06-22.800N 070-51-23.280W	FI W 4s			White with orange bands worded NH DES.	Replaced by unlighted buoy Dec 1 to Apr. 1. Private aid.
8566.3	<i>New Hampshire DES Oil Boom Deployment Lighted Buoy D</i>	43-06-47.580N 070-51-43.620W	FI W 4s			White with orange bands worded NH DES.	Replaced by unlighted buoy Dec. 1 to Apr. 1. Private aid.
8566.4	<i>New Hampshire DES Oil Boom Deployment Lighted Buoy E</i>	43-06-48.000N 070-51-45.900W	FI W 4s			White with orange bands worded NH DES.	Replaced by unlighted buoy Dec. 1 to Apr. 1. Private aid.
8566.5	<i>New Hampshire DES Oil Boom Deployment Lighted Buoy F</i>	43-06-40.680N 070-51-37.260W	FI W 4s			White with orange bands worded NH DES.	Replaced by unlighted buoy Dec. 1 to Apr. 1. Private aid.
8566.6	<i>New Hampshire DES Oil Boom Deployment Lighted Buoy G</i>	43-06-41.280N 070-51-39.600W	FI W 4s			White with orange bands worded NH DES.	Replaced by unlighted buoy Dec.1 to Apr. 1. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE AND NEW HAMPSHIRE - First District</b>							
<b>PORTSMOUTH TO DOVER AND EXETER (Chart 13285)</b>							
<b>Piscataqua River</b>							
8566.7	<i>New Hampshire DES Oil Boom Deployment Lighted Buoy H</i>	43-06-34.320N 070-51-31.500W	FI W 4s			White with orange bands worded NH DES.	Replaced by unlighted buoy Dec1 to Apr. 1. Private aid.
8566.8	<i>New Hampshire DES Oil Boom Deployment Lighted Buoy I</i>	43-06-34.560N 070-51-33.060W	FI W 2.5s			White with orange bands worded NH DES.	Replaced by unlighted buoy Dec 1. to Apr. 1. Private aid.
8566.9	<i>New Hampshire DES Oil Boom Deployment Lighted Buoy J</i>	43-06-25.620N 070-51-23.700W	FI W 2.5s			White with orange bands worded NH DES.	Replaced by unlighted buoy Dec. 1 to Apr. 1. Private aid.
8566.91	<i>New Hampshire DES Oil Boom Deployment Lighted Buoy K</i>	43-06-26.280N 070-51-25.620W	FI W 4s			White with orange bands worded NH DES.	Replaced by unlighted buoy Dec. 1 to Apr. 1. Private aid.
<b>Little Bay</b>							
8570	Hen Island Ledge Buoy 1	43-07-20.832N 070-51-18.824W				Green can.	
8575	Eight-Foot Rock Buoy 2	43-07-20.860N 070-51-45.304W				Red nun.	
8580	Fox Point Rock Buoy 3	43-07-15.220N 070-51-50.504W				Green can.	
8585	The Rocks Buoy 4	43-06-57.981N 070-51-38.104W				Red nun.	
8587	- Buoy 4A	43-06-36.610N 070-51-30.600W				Red nun.	
8590	Great Bay Entrance Buoy 6	43-05-04.263N 070-52-02.452W				Red nun.	
8595	Great Bay Buoy 7	43-04-25.700N 070-52-18.800W				Green can.	
<b>Back Channel</b>							
8750	Hicks Rock Day beacon 2 Southwesterly of rocks.	43-04-43.869N 070-43-08.788W				TR on pile.	
8755	- Buoy 3	43-04-50.189N 070-43-16.539W				Green can.	
8760	- Buoy 4	43-04-54.559N 070-43-21.989W				Red nun.	
8765	- Buoy 5	43-05-00.392N 070-43-33.765W				Green can.	
8770	- Buoy 7	43-05-02.919N 070-43-40.929W				Green can.	
<b>CAPE NEDDICK HARBOR TO ISLES OF SHOALS (Chart 13283)</b>							
<b>Little Harbor</b>							
8775	- Entrance Buoy 1	43-03-06.880N 070-42-46.039W				Green can.	
8780	- Entrance Buoy 2	43-03-12.681N 070-42-40.196W				Red nun.	
8785	JAFFREY POINT LIGHT 4	43-03-17.501N 070-42-48.707W	FI R 4s	22	4	TR on skeleton tower.	
8790	- Buoy 5	43-03-19.641N 070-42-59.827W				Green can.	
8795	- Buoy 6	43-03-21.801N 070-42-56.527W				Red nun.	
8800	- Buoy 8	43-03-22.471N 070-43-11.821W				Red nun.	
8805	- Buoy 10	43-03-22.681N 070-43-30.487W				Red nun.	
8810	- Buoy 11	43-03-24.940N 070-43-39.256W				Green can.	
<b>Sagamore Creek</b>							
8815	- Buoy 13	43-03-33.500N 070-43-51.088W				Green can.	Removed when endangered by ice.
8820	- Buoy 15	43-03-33.920N 070-44-02.488W				Green can.	Removed when endangered by ice.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MAINE AND NEW HAMPSHIRE - First District</b>							
<b>CAPE NEDDICK HARBOR TO ISLES OF SHOALS (Chart 13283)</b>							
<b>Little Harbor</b>							
<b>Sagamore Creek</b>							
8825	- Buoy SL	43-03-33.720N 070-44-06.188W				Green and red; can.	Removed when endangered by ice.
8830	- Buoy 16	43-03-26.920N 070-44-17.148W				Red nun.	Removed when endangered by ice.
8840	- Buoy 17	43-03-22.560N 070-44-25.728W				Green can.	Removed when endangered by ice.
8842	- Buoy 18	43-03-18.456N 070-44-30.174W				Red nun.	Removed when endangered by ice.
8845	- Buoy 20	43-03-15.720N 070-44-33.688W				Red nun.	Removed when endangered by ice.
<b>Leaches Island Channel</b>							
8850	- Buoy 2	43-03-36.600N 070-44-07.208W				Red nun.	Removed when endangered by ice.
8855	- Buoy 3	43-03-43.425N 070-44-13.134W				Green can.	Removed when endangered by ice.
8860	- Buoy 4	43-03-50.818N 070-44-16.848W				Red nun.	Removed when endangered by ice.
8865	- Buoy 5	43-04-04.143N 070-44-17.630W				Green can.	
<b>NEW HAMPSHIRE - First District</b>							
<b>PORTSMOUTH TO CAPE ANN (Chart 13278)</b>							
<b>Rye Harbor</b>							
8870 215	- Entrance Lighted Whistle Buoy RH	42-59-37.515N 070-43-45.165W	Mo (A) W		6	Red and white stripes with red spherical topmark. Green can.	
8875	- Buoy 3	42-59-56.482N 070-44-37.665W					
8880	- LIGHT 4	42-59-59.000N 070-44-39.300W	FI R 6s	24	5	TR on skeleton tower. Green can.	
8885	- Buoy 5	42-59-58.215N 070-44-42.260W					
8890	Seabrook Power Plant Buoy A	42-54-17.000N 070-47-12.000W				White with orange bands.	DANGER POWER PLANT INTAKE SHAFTS. Private aid.
8895	Seabrook Power Plant Buoy B	42-53-43.000N 070-47-25.000W				White with orange bands.	DANGER POWER PLANT INTAKE SHAFTS. Private aid.
8900	Seabrook Power Plant Buoy C	42-53-36.000N 070-47-15.000W				White with orange bands.	DANGER POWER PLANT INTAKE SHAFTS. Private aid.
<b>Hampton Harbor</b>							
<i>Positions of aids frequently shifted with changing conditions.</i>							
8905	Outer Sunk Rocks Buoy 2	42-54-05.807N 070-47-01.545W				Red nun.	
8915	Seabrook Station Buoy DS	42-53-41.000N 070-47-12.000W				White with orange bands, can.	Private aid.
8920	- Channel Approach Lighted Bell Buoy 2	42-53-00.968N 070-47-16.785W	FI R 4s		4	Red.	
8923	- Channel Buoy 3	42-53-28.097N 070-48-16.694W				Green can.	Removed when endangered by ice.
8925	- Channel Gong Buoy 4	42-53-20.857N 070-48-04.486W				Red.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW HAMPSHIRE - First District</b>							
<b>PORTSMOUTH TO CAPE ANN (Chart 13278)</b>							
<b>Hampton Harbor</b>							
<i>Positions of aids frequently shifted with changing conditions.</i>							
8930	- Channel Buoy 4A	42-53-28.749N 070-48-12.678W				Red nun.	
8935	- Channel Buoy 5	42-53-35.920N 070-48-25.253W				Green can.	
8940	- Channel Buoy 7	42-53-38.187N 070-48-37.454W				Green can.	
8945	- North Jetty Daybeacon 8 125 yards from channel line.	42-53-41.557N 070-48-29.052W				TR on spindle.	
8950	- Channel Buoy 9	42-53-41.538N 070-48-47.850W				Green can.	
8955	- South Daybeacon H 185 yards from channel line.	42-53-33.042N 070-48-38.712W				NG on spindle.	
8960	- Junction Buoy	42-53-46.512N 070-49-02.837W				Green can with red bands.	
8961	- Danger Buoy	42-53-48.270N 070-49-04.930W				White and orange worded ROCKS.	Maintained from May 1 to Oct. 1.  Private aid.
<b>MASSACHUSETTS - First District</b>							
<b>NEWBURYPORT HARBOR AND PLUM ISLAND SOUND (Chart 13282)</b>							
<b>Merrimack River</b>							
8990 265	- Entrance Lighted Whistle Buoy MR	42-48-34.332N 070-47-03.181W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
8995	- Entrance Lighted Buoy 2	42-49-06.297N 070-47-36.364W	FI R 4s		4	Red.	
9005	- Entrance Buoy 3	42-48-49.863N 070-47-50.972W				Green can.	
9006	- NORTH JETTY LIGHT 4	42-49-08.250N 070-48-13.962W	FI R 2.5s	15	4	TR on skeleton tower.	
9010	- ENTRANCE SOUTH JETTY LIGHT 5	42-48-57.784N 070-48-15.966W	FI G 2.5s	15	4	SG on spindle.	
9020	- Lighted Buoy 7 On northeast edge of spit.	42-49-14.780N 070-48-46.634W	FI G 4s		3	Green.	Replaced by can from Oct 15 to May 1.
9035	- Lighted Buoy 8	42-49-08.134N 070-49-17.362W	FI R 4s		3	Red.	Replaced by nun from Oct 15 to May 1.
9040	Black Rocks Daybeacon 10 On outer rock of ledge.	42-49-13.897N 070-49-36.883W				TR on red wooden slat pyramid on granite foundation.	
9045	- Buoy 11	42-49-04.470N 070-49-46.256W				Green can.	
9050	- Lighted Buoy 13	42-49-02.430N 070-50-19.678W	FI G 4s		3	Green.	Replaced by can from Oct 15 to May 1.
9055	- Lighted Buoy 15	42-48-48.469N 070-51-07.388W	FI G 4s		3	Green.	Replaced by can from Oct 15 to May 1.
9060	- Buoy 16	42-48-49.289N 070-51-16.598W				Red nun.	
9070	NORTH PIER LIGHT 18 On ledge.	42-48-48.840N 070-51-27.372W	FI R 6s	22	3	TR on skeleton tower on concrete foundation.	
9075	- Buoy 17 Marks shoal.	42-48-46.929N 070-51-31.659W				Green can.	
9080	- Buoy 20	42-48-47.452N 070-51-49.096W				Red nun.	
9085	- Buoy 22	42-48-48.888N 070-51-56.544W				Red nun.	
9090	- Buoy 24	42-49-20.738N 070-52-40.041W				Red nun.	
9095	- Buoy 22A	42-49-36.542N 070-53-24.025W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NEWBURYPORT HARBOR AND PLUM ISLAND SOUND (Chart 13282)</b>							
<b>Merrimack River</b>							
9099	Carr Island Danger Buoy	42-49-55.000N 070-53-40.000W				White can with orange bands, worded ROCK.	Maintained from May 1 to Oct. 1.  Private aid.
9105	Steamboat Channel South Junction Buoy SCS	42-49-57.399N 070-53-53.430W				Green and red bands; can.	
9110	Steamboat Channel Buoy 2A	42-50-00.652N 070-54-08.668W				Red nun.	
9115	Steamboat Channel Buoy 4A	42-50-01.604N 070-54-37.784W				Red nun.	
9120	Steamboat Channel Buoy 6A	42-50-06.337N 070-54-49.983W				Red nun.	
9125	- Buoy 27	42-50-11.500N 070-54-02.325W				Green can.	
9145	Steamboat Channel North Junction Buoy SCN	42-50-10.980N 070-54-48.931W				Green and red bands; can.	
9155	- Buoy 30	42-50-27.084N 070-54-52.031W				Red nun.	
9160	- Buoy 31	42-50-24.656N 070-54-52.838W				Green can.	
9165	- Buoy 32	42-50-29.944N 070-55-11.044W				Red nun.	
9170	- Buoy 34	42-50-19.296N 070-55-30.336W				Red nun.	Maintained from 1 May to 15 Oct.
9175	- Buoy 35	42-49-52.722N 070-55-54.240W				Green can.	Maintained from 1 May to 15 Oct.
9180	- Buoy 36	42-49-41.473N 070-55-58.961W				Red nun.	
9185	- Buoy 38	42-49-22.796N 070-56-16.316W				Red nun.	
9190	- Buoy 40	42-49-10.676N 070-56-43.963W				Red nun.	
9195	- Buoy 42	42-49-09.695N 070-57-33.425W				Red nun.	
9197	- Buoy 42A	42-49-26.750N 070-58-14.674W				Red nun.	
9200	- Buoy 43	42-49-24.191N 070-58-14.491W				Green can.	
9204	- Buoy 44	42-49-28.744N 070-58-42.026W				Red nun.	
9205	- Buoy 45	42-49-28.036N 070-58-59.390W				Green can.	
9206	- Buoy 46	42-49-21.472N 070-59-27.222W				Red nun.	
9210	- Buoy 47	42-49-22.364N 070-59-38.320W				Green can.	
9215	- Buoy 49	42-49-08.474N 071-00-05.875W				Green can.	
9220	- Buoy 51	42-48-53.737N 071-00-05.449W				Green can.	
9223	- Buoy 52	42-48-48.433N 071-00-05.221W				Red nun.	
9225	- Buoy 53	42-48-43.076N 071-00-02.382W				Green can.	
9227	Rocks Village Hazard Buoy	42-48-51.748N 071-00-05.935W				White with orange bands marked DANGER ROCKS.	Maintained from May 1 to Nov. 1.
9230	- Buoy 54	42-48-22.213N 070-59-54.785W				Red nun.	
9235	- Buoy 55	42-48-12.016N 070-59-58.619W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NEWBURYPORT HARBOR AND PLUM ISLAND SOUND (Chart 13282)</b>							
<b>Merrimack River</b>							
9240	- Buoy 57	42-47-56.035N 071-00-35.179W				Green can.	
9243	- Buoy 58	42-47-47.640N 071-00-48.360W				Red nun.	
9245	- Buoy 59	42-47-31.583N 071-01-10.442W				Green can.	
9250	- Buoy 61	42-47-16.881N 071-01-14.384W				Green can.	
9252	- Buoy 61A	42-46-54.276N 071-01-19.548W				Green can.	
9253	- Buoy 62	42-47-05.971N 071-01-16.853W					
9255	- Buoy 63	42-46-25.256N 071-01-32.797W				Green can.	
9260	- Buoy 65	42-46-13.295N 071-01-46.898W				Green can.	
9265	- Buoy 67	42-45-35.688N 071-02-14.754W				Green can.	
9270	- Buoy 68	42-45-26.808N 071-02-24.444W				Red nun.	
9275	- Buoy 70	42-45-24.277N 071-02-36.500W				Red nun.	
9280	- Buoy 71	42-45-34.296N 071-02-56.898W				Green can.	
9285	- Buoy 73	42-46-01.026N 071-03-31.236W				Green can.	
9290	- Buoy 75	42-46-10.530N 071-03-53.766W				Green can.	
9295	- Buoy 76 Marks submerged cof ferdam.	42-46-11.670N 071-03-52.458W				Red nun.	
<b>Plum Island Sound</b>							
9300	- Entrance Lighted Buoy 2	42-42-10.000N 070-44-24.000W	F I R 4s		4	Red.	
9305	- Entrance Buoy 3	42-41-29.313N 070-44-13.636W				Green can.	Position frequently shifted with changing conditions.
9310	- Entrance Buoy 4	42-41-29.541N 070-44-44.226W				Red nun.	Position frequently shifted with changing conditions.
9315	IPSWICH LIGHT	42-41-06.900N 070-45-58.200W	Oc W 4s	30	5	NR on skeleton tower.	
9320	- Entrance Buoy 6	42-41-22.722N 070-45-08.452W				Red nun.	Position frequently shifted with changing conditions.
9325	- Entrance Buoy 8	42-41-32.354N 070-45-52.429W				Red nun.	Position frequently shifted with changing conditions. Removed when endangered by ice.
9328	- Entrance Buoy 8A	42-41-36.785N 070-46-31.089W				Red nun.	
9330	- Entrance Buoy 10	42-41-41.489N 070-46-56.424W				Red nun.	
9335	- Entrance Buoy 11	42-41-43.163N 070-47-07.824W				Green can.	Maintained f rom Apr. 15 to Oct. 15.
9340	Bass Rock Day beacon BR On ledge.	42-41-52.248N 070-47-00.822W				NR on iron spindle.	
9345	- Buoy 12	42-42-35.960N 070-47-29.474W				Red nun.	Maintained f rom Apr 15. to Oct. 15.



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NEWBURYPORT HARBOR AND PLUM ISLAND SOUND (Chart 13282)</b>							
<b>Plum Island Sound</b>							
9350	- Buoy 13	42-42-40.840N 070-47-43.443W				Green can.	Maintained from Apr 15. to Oct. 15.
9375	- Buoy 14	42-42-42.104N 070-48-34.387W				Red nun.	Maintained from Apr 15. to Oct. 15.
9380	- Buoy 16	42-42-48.598N 070-48-49.710W				Red nun.	Maintained from Apr 15. to Oct. 15.
9385	- Buoy 18	42-43-55.950N 070-48-50.761W				Red nun.	Maintained from Apr 15. to Oct. 15.
9390	- Buoy 19	42-43-13.874N 070-48-46.928W				Green can.	Maintained from Apr 15. to Oct. 15.
9392	- Buoy 21	42-43-31.218N 070-48-47.741W				Green can.	Maintained from Apr 15. to Oct. 15.
9395	- Buoy 22	42-43-39.244N 070-48-40.100W				Red nun.	Maintained from Apr 15. to Oct. 15.
9397	- Buoy 23	42-43-38.040N 070-48-27.216W				Green can.	Maintained from Apr 15. to Oct. 15.
9400	- Buoy 23A	42-43-43.862N 070-48-06.608W				Green can.	Maintained from Apr 15. to Oct. 15.
9405	- Buoy 25	42-44-01.826N 070-48-04.328W				Green can.	Maintained from Apr 15. to Oct. 15.
9410	- Buoy 27	42-44-11.593N 070-48-13.626W				Green can.	Maintained from Apr 15. to Oct. 15.
9413	- Buoy 29	42-44-23.372N 070-48-39.686W				Green can.	Maintained from Apr 15. to Oct. 15.
9415	- Buoy 30	42-44-31.968N 070-49-01.980W				Red nun.	Maintained from Apr 15. to Oct. 15.
<b>Ipswich River</b>							
<i>Maintained from May 1 to Sept. 30.</i>							
9416	- Buoy 1	42-41-34.440N 070-47-34.800W					Private aid.
9416.1	- Buoy 2	42-41-38.220N 070-47-42.360W					Private aid.
9416.2	- Buoy 3	42-41-42.900N 070-47-47.520W					Private aid.
9416.3	- Buoy 5	42-41-47.400N 070-48-06.840W					Private aid.
9416.4	- Buoy 6	42-41-46.140N 070-47-48.960W					Private aid.
9416.5	- Day beacon 7	42-41-38.160N 070-48-17.280W					Private aid.
9416.6	- Day beacon 8	42-41-35.580N 070-48-18.060W					Private aid.
9416.7	- Day beacon 10	42-41-29.580N 070-48-22.800W					Private aid.
9416.8	- Day beacon 11	42-41-26.040N 070-48-27.180W					Private aid.
9416.9	- Day beacon 12	42-41-22.200N 070-48-26.880W					Private aid.
9417	- Day beacon 14	42-41-18.480N 070-48-29.040W					Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NEWBURYPORT HARBOR AND PLUM ISLAND SOUND (Chart 13282)</b>							
<b>Ipswich River</b>							
<i>Maintained from May 1 to Sept. 30.</i>							
9417.1	- Day beacon 15	42-41-18.720N 070-48-28.660W					Private aid.
9417.2	- Day beacon 16	42-41-17.340N 070-48-27.360W					Private aid.
9417.3	- Day beacon 17	42-41-16.680N 070-48-41.400W					Private aid.
9417.4	- Day beacon 19	42-41-15.720N 070-48-45.720W					Private aid.
9417.5	- Day beacon 20	42-41-10.860N 070-48-52.920W					Private aid.
9417.6	- Day beacon 22	42-41-07.560N 070-48-56.580W					Private aid.
9417.7	- Day beacon 23	42-41-03.900N 070-49-01.080W					Private aid.
<b>Eagle River</b>							
<i>Maintained from May 1 to Sept. 30.</i>							
9418	- Day beacon 1	42-42-30.780N 070-48-54.420W					Private aid.
9418.1	- Day beacon 2	42-42-33.000N 070-48-56.880W					Private aid.
9418.2	- Day beacon 4	42-42-29.160N 070-49-03.600W					Private aid.
9418.3	- Day beacon 6	42-42-14.040N 070-49-21.420W					Private aid.
9418.4	- Day beacon 8	42-42-28.920N 070-49-03.420W					Private aid.
<b>Parker River</b>							
<i>Position of buoys are frequently shifted due to changing conditions.</i>							
9420	- Buoy 32	42-44-40.200N 070-49-09.900W				Red nun.	Private aid.
9425	- Buoy 33	42-44-47.400N 070-49-13.200W				Green can.	Private aid.
9426	- Buoy 34	42-44-59.700N 070-49-11.400W				Red nun.	Private aid.
9430	- Buoy 35	42-45-06.000N 070-49-18.700W				Green can.	Private aid.
9436	- Buoy 37	42-45-12.600N 070-49-24.000W				Green can.	Private aid.
9440	- Buoy 38	42-45-17.100N 070-49-20.400W				Red nun.	Private aid.
9445	- Buoy 39	42-45-20.500N 070-49-24.000W				Green can.	Private aid.
9450	- Buoy 40	42-45-22.800N 070-49-20.400W				Red nun.	Private aid.
9455	- Buoy 42	42-45-26.400N 070-49-27.900W				Red nun.	Private aid.
9460	- Buoy 43	42-45-25.800N 070-49-28.800W				Green can.	Private aid.
9465	- Buoy 44	42-45-27.600N 070-49-37.800W				Red nun.	Private aid.
9475	- Buoy 46	42-45-30.100N 070-49-41.100W				Red nun.	Private aid.
9476	- Buoy 47	42-45-33.600N 070-49-45.000W				Green can.	Private aid.
9477	- Buoy 48	42-45-37.200N 070-49-51.000W				Red nun.	Private aid.
<b>IPSWICH BAY TO GLOUCESTER HARBOR (Chart 13279)</b>							
<b>Essex Bay</b>							
<i>Positions of buoys frequently shifted with changing conditions. Aids maintained from Apr. 15 to Oct. 15 unless otherwise noted.</i>							
9480	- Entrance Lighted Bell Buoy 1	42-40-48.181N 070-42-17.335W	Fl G 4s		4	Green.	Removed when endangered by ice.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>IPSWICH BAY TO GLOUCESTER HARBOR (Chart 13279)</b>							
<b>Essex Bay</b>							
<i>Positions of buoys frequently shifted with changing conditions. Aids maintained from Apr. 15 to Oct. 15 unless otherwise noted.</i>							
9483	- Entrance Buoy 3	42-40-27.139N 070-42-53.808W				Green can.	
9485	- Channel Buoy 4	42-39-39.426N 070-43-24.726W				Red nun.	
9490	- Channel Buoy 6	42-39-25.800N 070-43-21.200W				Red nun.	
9495	- Danger Day beacon On ledge.	42-39-31.811N 070-43-23.728W				NW on spindle.	DANGER - SHOALING.
9500	- Channel Buoy 8 At northeast end of middle ground.	42-39-23.214N 070-43-20.634W				Red nun.	
9505	- Channel Buoy 10	42-39-13.260N 070-43-21.810W				Red nun.	
9510	- Channel Buoy 11	42-39-03.678N 070-43-25.530W				Green can.	
9515	- Channel Buoy 12 At east side of middle ground.	42-38-58.338N 070-43-42.882W				Red nun.	
9520	- Channel Buoy 14	42-38-57.358N 070-43-57.358W				Red nun.	
9525	- Channel Buoy 15	42-38-59.562N 070-44-10.292W				Green can.	
9530	- Channel Buoy 16	42-39-04.399N 070-44-17.615W				Red nun.	
9535	- Channel Buoy 17	42-39-06.900N 070-44-26.900W				Green can.	
<b>Essex River</b>							
<i>Aids maintained from May. 1 to Oct. 1 unless otherwise noted.</i>							
9540	- Channel Buoy 18	42-39-09.126N 070-45-01.242W				Red nun.	Private aid.
9545	- Channel Buoy 19	42-39-13.092N 070-45-04.044W				Green can.	Private aid.
9550	- Midchannel Buoy A	42-39-17.298N 070-45-14.322W				Red and white stripes; spar.	Private aid.
9555	- Midchannel Buoy B	42-39-15.102N 070-45-20.190W				Red and white stripes; spar.	Private aid.
9560	- Midchannel Buoy C	42-39-12.444N 070-45-23.988W				Red and white stripes; spar.	Private aid.
9565	- Midchannel Buoy D	42-39-08.868N 070-45-27.606W				Red and white stripes; spar.	Private aid.
9570	- Midchannel Buoy E	42-39-03.738N 070-45-31.122W				Red and white stripes; spar.	Private aid.
9575	- Midchannel Buoy F	42-39-01.464N 070-45-33.306W				Red and white stripes; spar.	Private aid.
9578	- Midchannel Buoy J	42-38-40.998N 070-45-39.432W				Red with white stripes; spar.	Private aid.
9580	- Midchannel Buoy G	42-38-57.666N 070-45-36.450W				Red and white stripes; spar.	Private aid.
9585	- Midchannel Buoy H	42-38-53.850N 070-45-38.724W				Red and white stripes; spar.	Private aid.
9588	- Midchannel Buoy K	42-38-35.010N 070-45-36.906W				Red and white stripes; spar.	Private aid.
9589.1	- Midchannel Buoy L	42-38-29.106N 070-45-38.760W				Red and white stripes; spar.	Private aid.
<b>Annisquam River</b>							
9590	Plum Cove Ledge Buoy 1	42-40-44.569N 070-40-06.125W				Green can.	
9595	- Entrance Lighted Bell Buoy AR	42-40-22.990N 070-40-58.355W	Mo (A) W		3	Red and white stripes with red spherical topmark.	Removed when endangered by ice.
9600	- Entrance Buoy 3	42-40-06.871N 070-40-52.784W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>IPSWICH BAY TO GLOUCESTER HARBOR (Chart 13279)</b>							
<b>Annisquam River</b>							
9605	- Channel Buoy 4	42-39-57.526N 070-40-57.800W				Red nun.	
9610	- Channel Buoy 5	42-39-47.376N 070-40-56.438W				Green can.	
9615	<b>Annisquam Harbor Light</b>	42-39-42.781N 070-40-53.440W	Fl W 7.5s (R sector)	45	W 14 R 11	White cylindrical tower; elevated walk to dwelling.	Red from 180° to 217°. HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
9620	- Channel Buoy 6	42-39-39.373N 070-40-59.438W				Red nun.	
9625	- Channel Daybeacon 7	42-39-29.862N 070-40-59.694W				SG on spindle on mound.	
9630	- Channel Buoy 8	42-39-22.486N 070-41-04.402W				Red nun.	
9635	Barn Rocks Daybeacon BN North of rocks.	42-39-16.932N 070-41-08.742W				NR on spindle.	
9640	- Channel Buoy 9	42-39-13.155N 070-40-59.534W				Green can.	
9645	- Channel Buoy 11	42-39-03.300N 070-40-46.500W				Green can.	
9647	- Channel Buoy 12	42-38-59.646N 070-40-44.822W				Red nun.	
9650	Lobster Cove Daybeacon LC	42-39-05.641N 070-40-43.283W				NG on stone crib.	
9655	- Channel Buoy 14	42-38-55.700N 070-40-43.800W				Red nun.	
9660	- CHANNEL LIGHT 15	42-38-55.866N 070-40-40.152W	Fl G 2.5s	10	3	SG on black cylindrical structure.	
9665	- Channel Buoy 16	42-38-44.161N 070-40-48.919W				Red nun.	
9670	- Channel Buoy 17	42-38-29.678N 070-40-56.315W				Green can.	
9675	- CHANNEL LIGHT 19	42-38-21.432N 070-41-04.572W	Fl G 4s	10	4	SG on black cylindrical structure.	
9680	- Channel Buoy 21	42-38-18.717N 070-41-07.563W				Green can.	
9685	- Channel Buoy 23 Close to rock.	42-38-11.214N 070-41-08.196W				Green can.	
9690	- Channel Buoy 24	42-38-08.791N 070-41-07.976W				Red nun.	
9695	- CHANNEL LIGHT 25	42-38-07.728N 070-41-06.606W	Fl G 2.5s	11	3	SG on black cylindrical structure.	
9700	- Channel Buoy 26	42-38-02.551N 070-41-13.973W				Red nun.	
9705	- Channel Buoy 28	42-37-53.310N 070-41-26.377W				Red nun.	
9710	- Channel Buoy 29	42-37-44.910N 070-41-28.459W				Green can.	
9715	- CHANNEL LIGHT 30	42-37-46.218N 070-41-31.170W	Fl R 4s	12	4	TR on red cylindrical structure.	
9720	- Channel Buoy 31	42-37-41.717N 070-41-25.803W				Green can.	
9725	- Channel Buoy 32	42-37-33.142N 070-41-21.748W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>IPSWICH BAY TO GLOUCESTER HARBOR (Chart 13279)</b>							
<b>Annisquam River</b>							
9730	- Channel Buoy 33	42-37-25.949N 070-41-17.921W				Green can.	
9735	- Channel Buoy 34 On end of shoal.	42-37-23.996N 070-41-18.871W				Red nun.	
9740	- CHANNEL LIGHT 35	42-37-19.920N 070-41-19.740W	FI G 2.5s	10	3	SG on black cylindrical structure.	
9745	- Channel Buoy 36	42-37-19.244N 070-41-21.204W				Red nun.	
9750	- Channel Buoy 38	42-37-13.994N 070-41-15.916W				Red nun.	
9755	- Channel Buoy 39	42-37-13.761N 070-41-13.818W				Green can.	
9760	- Channel Buoy 40	42-37-11.695N 070-41-12.067W				Red nun.	
9765	- CHANNEL LIGHT 41	42-37-11.748N 070-41-07.428W	FI G 4s	10	4	SG on black cylindrical structure.	
9770	- Channel Buoy 43	42-37-09.227N 070-40-56.578W				Green can.	
9775	- Channel Buoy 44	42-37-06.475N 070-40-46.115W				Red nun.	
9785	- Channel Buoy 46	42-36-56.050N 070-40-45.172W				Red nun.	
9787	- Channel Buoy 47	42-36-51.711N 070-40-44.106W				Green can.	
9790	- Channel Buoy 49	42-36-46.472N 070-40-42.637W				Green can.	
9795	- CHANNEL LIGHT 48	42-36-47.358N 070-40-44.814W	FI R 4s	10	4	TR on box on black cylindrical structure.	
9800	- Channel Buoy 50	42-36-45.445N 070-40-42.005W				Red nun.	
9805	- <i>South Entrance Danger Lighted Buoy</i>	42-36-32.124N 070-40-19.662W	Q W		3		
9810	- South Entrance Buoy BC	42-36-31.323N 070-40-15.400W				Red and white stripes; can.	
<b>Sandy Bay</b>							
9815	- <i>Breakwater Lighted Gong Buoy 3</i>	42-40-48.782N 070-36-05.367W	Q G		4	Green.	Replaced by can when endangered by ice. Do not pass to eastward of buoy.
9820	<i>Avery Ledge Lighted Buoy 2</i>	42-40-02.768N 070-35-16.714W	FI R 4s		3	Red.	
9825	Nine Foot Rock Buoy 3	42-39-50.342N 070-36-02.906W				Green can.	
9830	Harbor Rock Buoy 4 Marks granite block.	42-39-43.221N 070-36-34.640W				Red nun.	
9835	ROCKPORT BREAKWATER LIGHT 6	42-39-38.706N 070-36-42.852W	FI R 4s	32	4	TR on Spindle.	
9840	Dodge Rock Day beacon 2 Off southwest side of ledge.	42-40-03.776N 070-37-05.695W				TR on spindle.	
9845	Pigeon Cove Rock Buoy 2	42-40-27.064N 070-37-11.299W					
<b>Gloucester Harbor</b>							
9850	Eastern Point Ledge Buoy 4 Off southwest point of ledge.	42-34-36.565N 070-39-58.721W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>IPSWICH BAY TO GLOUCESTER HARBOR (Chart 13279)</b>							
<b>Gloucester Harbor</b>							
9855	GLOUCESTER BREAKWATER LIGHT	42-34-57.385N 070-40-20.464W	Oc R 4s	45	6	White house and tower on brown square skeleton framework.	HORN: 1 blast ev 10s (1s bl). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
9860	Dog Bar Buoy 2DB	42-34-58.534N 070-40-24.359W				Red nun.	
9865	Normans Woe Rock Bell Buoy 3	42-34-40.065N 070-41-19.146W				Green.	
9870	<i>Round Rock Shoal Lighted Buoy RR</i> Southwest of shoal.	42-34-53.754N 070-40-46.889W	FI (2+1)R 6s		4	Red and green bands.	
9875	Dog Bar Channel Buoy 1DB Northeast of shoal.	42-35-00.236N 070-40-31.014W				Green can.	
9880	<i>Tenpound Island Ledge Lighted Buoy 6</i>	42-35-45.934N 070-40-19.749W	FI R 4s		3	Red.	
9885	<i>Praire Ledge Lighted Buoy 7</i>	42-35-53.884N 070-40-34.570W	FI G 4s		4	Green.	
9890	Mayflower Ledge Buoy 8	42-36-02.744N 070-40-06.099W				Red nun.	
9895	TEN POUND ISLAND LIGHT	42-36-06.700N 070-39-56.000W	Iso R 6s	57	5	White conical tower.	HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
<b>Gloucester Inner Harbor</b>							
9900	- Channel Lighted Buoy 9	42-36-20.447N 070-39-59.944W	FI G 4s		3	Green.	
<b>Gloucester Harbor</b>							
9905	Black Rock Danger Day beacon	42-36-21.703N 070-39-42.949W				NW on spindle on ledge.	DANGER ROCKS
<b>Gloucester Inner Harbor</b>							
9912	- Channel Lighted Buoy 10	42-36-18.300N 070-39-50.069W	FI R 2.5s		3	Red.	
9915	- Channel Lighted Buoy 12	42-36-28.708N 070-39-32.143W	FI R 4s		3	Red.	
9920	- Junction Lighted Buoy GH	42-36-34.434N 070-39-27.219W	FI (2+1)R 6s		4	Red with green bands.	
9935	- North Channel Buoy 2	42-36-43.884N 070-39-22.839W				Red nun.	
9940	- North Channel Buoy 4	42-36-47.433N 070-39-19.619W				Red nun.	
9942	- Danger Day beacon	42-36-47.196N 070-39-17.064W				NW on spindle.	
9945	- South Channel Buoy 2S	42-36-34.254N 070-39-21.309W				Red nun.	
9950	- South Channel Buoy 3	42-36-38.795N 070-39-14.914W				Green can.	
<b>Gloucester Harbor</b>							
9960	Green Rock Danger Day beacon On outer rock of ledge.	42-36-09.483N 070-39-43.558W				NW on iron spindle.	DANGER ROCKS.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>SALEM AND LYNN HARBORS (Chart 13275)</b>							
<b>Salem Channel</b>							
9965	- Buoy 3	42-31-08.856N 070-45-04.372W				Green can.	
9970	- Buoy 5	42-31-46.005N 070-45-43.084W				Green can.	
9975 350	<b>Bakers Island Light</b>	42-32-11.200N 070-47-09.300W	Al WR 20s	111	W 16 R 14	White conical tower. 111	White conical tower. Emergency light, Fl W 10s when main light extinguished. Light and Horn is reduced intensity when main light or horn is extinguished. HORN: 1 blast ev 30s (3s bl).
9980	- Buoy 6	42-32-49.664N 070-45-53.455W				Red nun.	
9985	- Buoy 7	42-32-05.715N 070-46-29.056W				Green can.	
9990	Whaleback Day beacon 8 On rock.	42-32-54.725N 070-47-04.629W				TR on spindle.	
9995	- <i>Lighted Bell Buoy 9</i>	42-32-23.564N 070-47-17.367W	Q G		4	Green.	
10000	HOSPITAL POINT RANGE FRONT LIGHT	42-32-47.361N 070-51-21.478W	F W	69		White pyramidal tower.	Visible all around; higher intensity on range line. Floodlighted sunset to sunrise.
10005	HOSPITAL POINT RANGE REAR LIGHT 2,032 yards, 276.3° from front light.	42-32-53.942N 070-52-42.432W	F W	161		White church spire.	Visible 2° each side of range line.
10010	Salem-Eagle Island Channel Junction Buoy SE	42-32-21.411N 070-47-45.235W				Green can with red bands.	
10015	- <i>Lighted Buoy 10</i> Off southwest edge of shoal.	42-32-34.654N 070-48-01.838W	FI R 2.5s		4	Red.	
10020	- <i>Lighted Buoy 11</i>	42-32-32.900N 070-48-33.300W	FI G 4s		4	Green.	
10025	Bowditch Ledge Day beacon	42-32-25.144N 070-48-41.370W				NR on conical granite monument.	
10030	- <i>Lighted Buoy 12</i> South of ledge.	42-32-37.826N 070-48-52.905W	FI R 4s		4	Red.	
10035	- <i>Lighted Buoy 13</i>	42-32-34.684N 070-50-21.202W	FI G 4s		3	Green.	
10040	- Buoy 14	42-32-43.763N 070-50-11.952W				Red nun	
10045	- <i>Lighted Buoy 15</i>	42-32-28.744N 070-50-43.992W	Q G		3	Green.	
10050	- <i>Lighted Buoy 16</i>	42-32-14.124N 070-51-08.173W	FI R 4s		4	Red.	
10055	- <i>Lighted Buoy 17</i>	42-31-56.244N 070-51-21.273W	FI G 2.5s		4	Green.	
10060	- Buoy 18	42-31-58.624N 070-51-26.123W				Red nun.	
10065	Abbot Rock Day beacon	42-31-49.278N 070-51-44.622W				NR on staff on pyramidal granite base.	
10070	Great Aquav itae Day beacon	42-31-34.560N 070-51-26.004W				NR on spindle.	
10075	Little Aquav itae Day beacon	42-31-34.562N 070-51-11.291W				NR on spindle.	
10080	- Buoy 20	42-31-48.360N 070-51-36.000W				Red nun.	
10085	- <i>Lighted Buoy 21</i>	42-31-18.760N 070-52-01.080W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
10090	FORT PICKERING LIGHT	42-31-35.200N 070-51-59.000W	FI W 4s	28		Atop of white conical tower on concrete base.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>SALEM AND LYNN HARBORS (Chart 13275)</b>							
<b>Salem Channel</b>							
10095	- Lighted Buoy 22	42-31-28.285N 070-51-56.511W	Q R		3	Red	Replaced by nun when endangered by ice.
10100	SALEM LIGHT 23	42-31-13.218N 070-52-22.866W	Q G	20	4	SG on gray skeleton tower on pile structure.	
10105	- Buoy 24	42-31-18.344N 070-52-21.574W				Red nun.	
10110	- Buoy 25	42-31-14.984N 070-52-30.694W				Green can.	
<b>Derby Channel</b>							
10115	- Day beacon 2	42-30-54.400N 070-52-28.300W				TR on pile.	
10120	- Day beacon 3	42-30-49.512N 070-52-41.154W				SG on pile structure.	
10125	- Lighted Buoy 4	42-30-55.774N 070-52-55.044W	FI R 2.5s		4	Red.	
10129	DERBY WHARF LIGHT	42-30-59.514N 070-53-00.756W	FI R 6s	25	4	White square tower.	Maintained by the U.S.Park Service.
10130	- Day beacon 5	42-30-57.200N 070-53-02.100W				SG on spindle.	
<b>Palmer Cove Channel</b>							
<i>Maintained from May 1 to Dec. 1.</i>							
10131	- Buoy 1	42-30-52.020N 070-52-57.362W				Green can.	Private aid.
10131.5	- Buoy 2PC	42-30-52.800N 070-52-57.800W				Red nun.	Private aid.
10131.6	- Buoy 3	42-30-50.940N 070-53-00.360W				Green can.	Private aid.
10132	- Buoy 4	42-30-52.380N 070-53-00.300W				Red nun.	Private aid.
10132.5	- Buoy 5	42-30-50.040N 070-53-03.660W				Green can.	Private aid.
10133	- Buoy 6	42-30-51.700N 070-53-03.000W				Red nun.	Private aid.
10133.5	- Buoy 7	42-30-49.560N 070-53-08.220W				Green can.	Private aid.
10134	- Buoy 8	42-30-51.000N 070-53-06.100W				Red nun.	Private aid.
10134.1	- Day beacon 9	42-30-48.900N 070-53-09.200W				SG on pile.	Private aid.
10134.2	- Day beacon 10	42-30-49.980N 070-53-09.120W				TR on pile.	Private aid.
<b>Dion Yacht Yard</b>							
10135	- Channel Day beacon 1	42-30-45.900N 070-52-45.700W				SG on pile.	Private aid.
10135.1	- Channel Day beacon 2	42-30-47.200N 070-52-46.300W				TR on pile.	Private aid.
10136	- Channel Day beacon 3	42-30-43.600N 070-52-50.000W				SG on pile.	Private aid.
10136.1	- Channel Day beacon 4	42-30-44.400N 070-52-51.500W				TR on pile.	Private aid.
10137	- Channel Day beacon 5	42-30-41.500N 070-52-54.600W				SG on pile.	Private aid.
10137.1	- Channel Day beacon 6	42-30-42.500N 070-52-55.700W				TR on pile.	Private aid.
10138	- Channel Day beacon 7	42-30-39.000N 070-52-59.900W				SG on pile.	Private aid.
10138.1	- Channel Day beacon 8	42-30-40.200N 070-53-00.500W				TR on pile.	Private aid.
10139	- Channel Day beacon 9	42-30-37.700N 070-53-02.900W				SG on pile.	Private aid.
10139.1	- Channel Day beacon 10	42-30-38.900N 070-53-03.400W				TR on pile.	Private aid.



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>SALEM AND LYNN HARBORS (Chart 13275)</b>							
<b>Dion Yacht Yard</b>							
10140	- Preferred Channel Day beacon	42-30-36.420N 070-53-06.600W				GRG on pile.	Private aid.
<b>Salem Channel</b>							
10143	Forest River Rock Day beacon 2	42-30-13.800N 070-52-49.500W				TR on spindle.	
<b>Salem South Channel</b>							
10144	- Buoy 2	42-31-14.900N 070-50-00.784W				Red nun.	
10145	- Buoy 3	42-31-23.705N 070-50-36.861W				Green can.	
10150	- Buoy 4	42-31-25.605N 070-50-34.671W				Red nun.	
10152	Endeavors Rock Day beacon	42-31-17.118N 070-50-36.774W				NR on spindle.	
10155	- Buoy 6	42-31-29.354N 070-51-15.152W				Red nun.	
<b>Manchester Channel</b>							
10160	Sauli Rock Day beacon 1	42-33-07.290N 070-47-28.020W				SG on spindle.	
10165	- Buoy 2 Off southwest end of ledge.	42-33-16.898N 070-47-08.775W				Red nun.	
10170	- Buoy 4	42-33-24.064N 070-47-09.708W				Red nun.	
10175	- Buoy 5	42-33-35.753N 070-47-11.338W				Green can.	
10180	- Buoy 6	42-33-45.538N 070-46-57.330W				Red nun.	
10185	- Buoy 7	42-33-46.132N 070-46-58.339W				Green can.	
10190	- Buoy 8	42-33-51.760N 070-46-49.549W				Red nun.	
10195	- Buoy 9	42-33-52.274N 070-46-50.316W				Green can.	
10200	- Buoy 10	42-33-57.662N 070-46-42.171W				Red nun.	
10205	- Buoy 12	42-34-00.474N 070-46-38.537W				Red nun.	
10210	- Buoy 13	42-34-07.074N 070-46-29.350W				Green can.	
<b>Beverly Channel</b>							
10215	- Buoy 2	42-32-22.524N 070-51-31.334W				Red nun.	
10220	- Buoy 3	42-32-19.883N 070-51-45.134W				Green can.	
10225	- Buoy 4	42-32-30.363N 070-51-59.914W				Red nun.	
10230	- Buoy 5	42-32-28.283N 070-52-02.594W				Green can.	
10235	- Buoy 7	42-32-29.973N 070-52-13.595W				Green can.	
10240	- Buoy 8	42-32-27.906N 070-52-25.118W				Red nun.	
10245	- Buoy 9	42-32-23.833N 070-52-27.715W				Green can.	
10250	- Buoy 10	42-32-22.463N 070-52-37.135W				Red nun.	
10255	- Buoy 11	42-32-17.923N 070-52-39.785W				Green can.	
10260	- Buoy 13	42-32-19.463N 070-52-52.826W				Green can.	
10265	Lobster Rocks Day beacon 13A	42-32-18.188N 070-52-53.361W				SG on staff on square, granite cribwork.	
10268	- Buoy 15	42-32-20.732N 070-53-10.261W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>SALEM AND LYNN HARBORS (Chart 13275)</b>							
<b>Rams Horn Channel</b>							
10270	Monument Bar Day beacon 1	42-32-22.637N 070-52-23.732W				SG on spindle on cribwork base.	
10275	Rams Horn Rock Day beacon 3	42-32-09.434N 070-52-30.511W				SG on pile on granite cribwork.	
<b>Danvers River</b>							
10280	- Buoy 1	42-32-16.143N 070-53-28.176W				Green can.	
10285	- Buoy 2	42-32-19.047N 070-53-41.754W				Red nun.	
10290	- Buoy 3	42-32-23.854N 070-53-49.763W				Green can.	
10295	- Buoy 4	42-32-38.999N 070-54-05.141W				Red nun.	
10300	- Buoy 5	42-32-47.665N 070-54-25.289W				Green can.	
10305	- Buoy 6	42-32-42.162N 070-54-38.971W				Red nun.	
10310	- Buoy 8	42-32-43.566N 070-54-48.883W				Red nun.	
<b>Bass River</b>							
10320	- Channel Junction Buoy	42-32-18.315N 070-53-33.950W				Green can with red bands.	
10325	- Channel Buoy 2	42-32-20.169N 070-53-31.772W				Red nun.	
10330	- Channel Buoy 3	42-32-28.243N 070-53-37.977W				Green can.	
10335	- Channel Buoy 4	42-32-30.387N 070-53-37.255W				Red nun.	
10340	- Channel Buoy 5	42-32-31.017N 070-53-39.311W				Green can.	
10345	- Channel Buoy 6	42-32-38.622N 070-53-29.583W				Red nun.	
10350	- Channel Buoy 7	42-32-42.913N 070-53-22.760W				Green can.	
10355	- Channel Buoy 9	42-32-45.139N 070-53-19.264W				Green can.	
<b>Eagle Island Channel</b>							
10360	Hardy Rock Day beacon HR	42-32-10.194N 070-47-59.610W				NR on spindle.	
10365	- Buoy 3	42-32-01.145N 070-47-42.567W				Green can	
10370	- Buoy 4	42-31-56.255N 070-48-01.018W				Red nun.	
10375	- Buoy 5	42-31-41.205N 070-47-57.887W				Green can.	
10380	- Buoy 6	42-31-41.405N 070-48-13.848W				Red nun.	
<b>Childrens Island Channel</b>							
10383 355	<i>Newcomb Ledge Lighted Whistle Buoy 1</i>	42-30-27.837N 070-44-23.251W	Fl G 4s		4	Green.	
10385	- Buoy 2	42-30-28.646N 070-45-36.163W				Red nun.	
10390	- Buoy 4	42-30-29.166N 070-46-50.345W				Red nun.	
10395	Satan Rock Day beacon 6	42-30-36.864N 070-48-01.524W				TR on spindle.	
10400	- Buoy 7	42-30-59.235N 070-48-46.628W				Green can.	
10405	Brimbles Day beacon On rock.	42-31-16.542N 070-48-28.596W				NR on spindle.	
<b>Marblehead Channel</b>							
10410	Tinkers Rock Gong Buoy TR South of shoal.	42-28-54.737N 070-48-51.976W				Green with red bands.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>SALEM AND LYNN HARBORS (Chart 13275)</b>							
<b>Marblehead Channel</b>							
10420	Tom Moore Rock Buoy 1A	42-29-42.000N 070-49-39.500W				Green can.	
10425	<i>Fifteen-Foot Rock Lighted Bell Buoy FR</i>	42-30-14.556N 070-49-04.638W	FI (2+1)R 6s		4	Red and green bands.	
10430	- Buoy 1	42-30-26.826N 070-49-48.069W				Green can.	
10435	- Buoy 2	42-30-43.415N 070-49-25.239W				Red nun.	
<b>Marblehead Harbor</b>							
10440	- Buoy 1MH	42-30-29.585N 070-50-01.529W				Green can.	
10445	- Buoy 2MH	42-30-39.005N 070-50-14.730W				Red nun.	
10450	MARBLEHEAD LIGHT	42-30-19.445N 070-50-01.469W	F G	130	7	Square skeleton tower, brown to gallery, black above.	
10451.1	- Fairway Buoy 3	42-30-30.200N 070-50-22.800W				Green can.	Private aid.
10451.12	- Fairway Buoy 4	42-30-32.700N 070-50-22.500W				Red nun.	Private aid.
10451.13	- Fairway Buoy 5	42-30-27.000N 070-50-27.700W				Green can.	Private aid.
10451.14	- Fairway Buoy 6	42-30-28.800N 070-50-27.200W				Red nun.	Private aid.
10451.15	- Fairway Buoy 7	42-30-24.600N 070-50-30.100W				Green can.	Private aid.
10451.16	- Fairway Buoy 8	42-30-26.000N 070-50-30.000W				Red nun.	Private aid.
10451.17	- Fairway Buoy 9	42-30-20.900N 070-50-34.700W				Green can.	Private aid.
10451.18	- Fairway Buoy 10	42-30-23.700N 070-50-33.100W				Red nun.	Private aid.
10451.19	- Fairway Buoy 11	42-30-18.100N 070-50-37.600W				Green can.	Private aid.
10451.2	- Fairway Buoy 12	42-30-20.500N 070-50-36.800W				Red nun.	Private aid.
10451.21	- Fairway Buoy 13	42-30-16.500N 070-50-40.200W				Green can.	Private aid.
10451.22	- Fairway Buoy 14	42-30-18.200N 070-50-39.700W				Red nun.	Private aid.
<b>Marblehead Channel</b>							
10455	Kettle Bottom Ledge Day beacon 1	42-31-08.838N 070-50-10.788W				SG on monopole.	
10465	- <i>Lighted Buoy 3</i>	42-31-07.835N 070-49-28.189W	FI G 4s		4	Green.	
10470	- <i>Lighted Buoy 4</i>	42-31-17.405N 070-49-05.949W	FI R 4s		3	Red.	
10475	- Buoy 5	42-31-39.724N 070-49-46.530W				Green can.	
10480	- Buoy 6	42-31-47.714N 070-49-16.890W				Red nun.	
10485	Little Haste Day beacon On rock.	42-32-07.484N 070-50-34.135W				NR on spindle.	
10490	- Buoy 7	42-32-09.724N 070-50-01.021W				Green can.	
<b>Nahant Bay Approach</b>							
10495	Roaring Bull Day beacon 2 On rock.	42-28-46.620N 070-50-12.810W				TR on spindle.	
10500	Pitchers Shoal Buoy PS	42-28-03.581N 070-51-19.874W				Green can with red bands.	
10505	Middle Ground Buoy 4	42-28-08.014N 070-51-26.356W				Red nun.	
10510	Sammy Rock Buoy 6	42-28-16.127N 070-51-58.171W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>SALEM AND LYNN HARBORS (Chart 13275)</b>							
<b>Nahant Bay Approach</b>							
10520	Great Pig Rocks Buoy 6	42-27-29.048N 070-51-28.169W				Red nun.	
10525	Dolphin Rock Buoy 10	42-27-58.398N 070-51-59.771W				Red nun.	
10530	Dread Ledge Day beacon 2	42-27-22.830N 070-53-41.764W				TR on spindle.	
10535	Fishing Point Rock Buoy 2	42-27-40.347N 070-54-27.174W				Red nun.	
<b>Nahant Harbor</b>							
10540	<i>Shag Rocks Lighted Buoy 2</i> Marks south side of shoal.	42-24-43.250N 070-54-21.552W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
10545	Joe Beach Isolated Danger Buoy DJB	42-24-53.590N 070-54-54.933W				Black and red bands with two black spherical topmarks; can.	
10550	Bass Rock Isolated Danger Buoy DBR	42-24-43.350N 070-55-22.673W				Black and red bands with two black spherical topmarks; can.	
10555	Flip Rock Gong Buoy FR	42-24-08.537N 070-55-27.245W				Red with green bands.	
10560	Nahant Rock Buoy 1	42-24-22.000N 070-56-46.500W				Green can.	
<b>Lynn Harbor</b>							
10565	- <i>Channel Lighted Bell Buoy 2</i>	42-25-11.599N 070-57-10.476W	FI R 2.5s		4	Red.	Replaced by nun when endangered by ice.
10570	- Channel Buoy 4	42-25-30.675N 070-57-10.864W				Red nun.	
10575	- Channel Buoy 6	42-25-47.809N 070-56-56.069W				Red nun.	
10580	WHITE ROCKS LIGHT 7 125 feet outside channel limit.	42-25-33.579N 070-57-14.488W	FI G 2.5s	49	4	SG on multi-pile.	
10585	BLACK ROCKS LIGHT 9	42-25-59.128N 070-56-52.609W	FI G 6s	49	4	SG on multi-pile.	
10590	- <i>Channel Lighted Buoy 10</i>	42-26-04.438N 070-56-43.746W	FI R 6s		3	Red.	Replaced by nun f from Oct. 15 to Apr. 15.
10595	SANDY POINT LIGHT 11 75 feet outside channel limit.	42-26-34.242N 070-56-32.661W	FI G 2.5s	45	4	SG on multi-pile.	
10600	- Channel Buoy 12	42-26-28.927N 070-56-31.730W				Red nun.	
10605	- Channel Buoy 13	42-26-47.158N 070-56-29.106W				Green can.	
10610	- <i>Channel Lighted Buoy 14</i>	42-26-52.348N 070-56-26.176W	FI R 4s		3	Red.	Replaced by nun f from Oct. 15 to Apr. 15.
10615	BLACK MARSH CHANNEL LIGHT 15	42-26-54.336N 070-56-31.497W	FI G 4s	44	4	SG on multi-pile.	
10620	UPPER TURN LIGHT 16	42-27-10.785N 070-56-31.111W	FI R 2.5s	28	4	TR on skeleton tower.	
10625	- <i>Channel Lighted Buoy 17</i>	42-27-14.227N 070-56-38.677W	FI G 2.5s		3	Green.	Replaced by can f from Oct. 15 to Apr. 15.
10630	- Channel Buoy 18	42-27-18.077N 070-56-41.027W				Red nun.	
10635	- Channel Buoy 19	42-27-15.407N 070-56-44.247W				Green can.	
10640	- Channel Buoy 21	42-27-13.658N 070-56-53.101W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>SALEM AND LYNN HARBORS (Chart 13275)</b>							
<b>Lynn Harbor</b>							
<b>Saugus River Approach Channel</b>							
10645	- Lighted Buoy 2	42-25-34.879N 070-57-36.867W	FI R 4s		3	Red.	Replaced by nun f from Oct. 15 to Apr. 15.
10650	- Buoy 3	42-25-54.578N 070-57-32.487W				Green can.	
10655	- Lighted Buoy 5	42-26-16.259N 070-57-23.614W	FI G 4s		4	Green.	Replaced by can f from Oct. 15 to Apr. 15.
10657	- Buoy 5A	42-26-25.882N 070-57-27.362W				Green can.	
10660	- Lighted Buoy 6	42-26-24.348N 070-57-24.774W	FI R 2.5s		3	Red.	Replaced by nun f from Oct. 15 to Apr. 15.
10665	- Buoy 7	42-26-29.539N 070-57-30.509W				Green can.	
10670	- Buoy 8	42-26-33.058N 070-57-35.478W				Red nun.	
10675	- Buoy 10	42-26-35.708N 070-57-48.350W				Red nun.	
<b>BOSTON HARBOR (Chart 13270)</b>							
<b>Boston Harbor and Approaches</b>							
10676 410	Boston Lighted Whistle Buoy B	42-22-42.155N 070-46-58.160W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: B ( - . . . ) AIS: MMSI 993672065
10677 385	Boston Approach Lighted Buoy BG	42-23-26.823N 070-51-29.057W	Mo (A) W		4	Red and white stripes with red spherical topmark.	AIS: MMSI 993672145 (21)
10678 380	The Graves Lighted Whistle Buoy 5	42-22-32.823N 070-51-28.446W	FI G 4s		4	Green.	
10679 390	The Graves Light	42-21-53.600N 070-52-08.700W	FI (2)W 12s 0.1s fl 1.8s ec. 0.1s fl 10s ec.	98	15	On light gray conical granite tower. 98	Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
<b>Boston North Channel</b>							
10680	- Entrance Lighted Whistle Buoy NC	42-22-32.083N 070-54-17.830W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: N ( - . ) AIS: MMSI 993672066
10685	- Lighted Bell Buoy 2	42-22-10.633N 070-55-09.371W	Q R		4	Red.	
10690	- Lighted Buoy 3	42-21-54.603N 070-55-12.521W	Q G		4	Green.	
10695	- Lighted Buoy 4	42-21-38.963N 070-55-46.942W	FI R 2.5s		4	Red.	
10700	- Lighted Buoy 5	42-21-26.600N 070-55-32.500W	FI G 2.5s		4	Green.	
10705	- Lighted Buoy 6	42-21-16.763N 070-56-02.432W	FI R 4s		4	Red.	
10710	Great Faun Bar Buoy 6A	42-21-16.457N 070-56-24.381W				Red nun.	
10712	- Lighted Buoy 7	42-21-10.600N 070-55-44.800W	FI G 4s		4	Green.	
10715	- Lighted Buoy 8	42-20-56.600N 070-56-17.000W	FI R 6s		3	Red.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>BOSTON HARBOR (Chart 13270)</b>							
<b>Boston North Channel</b>							
10720	- Lighted Buoy 9	42-20-48.600N 070-56-00.800W	FI G 6s		4	Green.	
10730	- Lighted Bell Buoy 10 Off Little Faun Shoal.	42-20-36.687N 070-56-31.676W	Q R		3	Red.	
10735	President Roads Junction Lighted Buoy PR	42-20-29.354N 070-56-13.581W	FI (2+1)G 6s		4	Green and red bands.	
10736	Boston Pilots Mooring Buoy	42-25-00.350N 070-55-00.673W				White and blue nun.	
<b>Boston South Channel</b>							
10740	- Entrance Buoy 1	42-21-52.600N 070-53-49.800W				Green can.	
10745	- Buoy 3 On northwest side of Commissioners Ledge.	42-21-24.384N 070-54-13.339W				Green can.	
10750	- Lighted Buoy 5	42-21-06.600N 070-54-33.800W	FI G 4s		4	Green.	
10755	- Lighted Buoy 6	42-21-14.600N 070-54-46.800W	FI R 4s		4	Red.	
10760	- Buoy 7 On northwest side of Aldridge Ledge.	42-20-47.034N 070-54-51.900W				Green can.	
10765	- Lighted Buoy 9	42-20-39.000N 070-55-01.000W	Q G		4	Green.	
10768	- Lighted Buoy 10	42-20-46.000N 070-55-10.000W	Q R		4	Red.	
10770	- Buoy 11	42-20-30.100N 070-55-27.800W				Green can.	
10780	- Buoy 13	42-20-21.959N 070-55-55.175W				Green can.	
10785	Half tide Rocks Buoy 2 On south side of ledge.	42-20-48.354N 070-54-04.169W				Red nun.	
<b>President Roads</b>							
10790	Nixes Mate Lighted Buoy 15	42-20-02.525N 070-56-40.502W	Q G		4	Green.	
10795	<b>Deer Island Light</b> Southwest of old stone foundation.	42-20-22.428N 070-57-16.290W	AI WR 10s	53	9	53	HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
10800	LONG ISLAND HEAD LIGHT	42-19-48.779N 070-57-27.624W	FI W 2.5s	120	6	White cylindrical tower.	
10805	Long Island Head Lighted Buoy 17	42-19-57.334N 070-57-31.433W	FI G 2.5s		4	Green.	
10815	- Anchorage Gong Buoy A	42-20-35.500N 070-57-33.700W				Yellow.	AIS: MMSI 993672071 (21)
10820	- Anchorage Lighted Buoy B	42-20-42.938N 070-57-50.381W	FI Y 4s		3	Yellow.	AIS: MMSI 993672072 (21)
<b>Deer Island</b>							
10830	- PIER OUTER LIGHT	42-20-48.000N 070-57-35.300W	F Y	13		On pier.	Private aid.
10840	- PIER INNER LIGHT	42-20-48.000N 070-57-35.000W	F Y	13		On pier.	Private aid.
<b>President Roads</b>							
10852	- Anchorage Buoy C	42-20-38.877N 070-58-18.856W				Yellow can.	AIS: MMSI 993672073 (21)
10855	- Anchorage Lighted Buoy D	42-20-32.843N 070-58-51.018W	FI Y 4s		3	Yellow.	AIS: MMSI 993672074 (21)
10860	- Anchorage Buoy E	42-20-12.774N 070-58-46.725W				Yellow nun.	AIS: MMSI 993672075 (21)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>BOSTON INNER HARBOR (Chart 13272)</b>							
<b>President Roads</b>							
10865	<i>Boston Main Channel Lighted Buoy 1</i>	42-19-52.628N 070-58-44.135W	FI G 4s		3	Green.	
10870	<i>Boston Main Channel Lighted Buoy 2</i>	42-20-04.704N 070-58-57.155W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
10875	<i>Boston Main Channel Lighted Buoy 3</i>	42-19-52.374N 070-59-28.166W	Q G		3	Green.	Replaced by can when endangered by ice.
10885	<i>Boston Main Channel Lighted Bell Buoy 4</i>	42-20-04.100N 070-59-27.500W	Q R		3	Red.	Replaced by nun when endangered by ice.
10890	BOSTON MAIN CHANNEL LIGHT 5	42-20-00.162N 071-00-03.732W	FI G 2.5s	32	5	SG on pile.	
10895	<i>Boston Main Channel Lighted Buoy 6</i>	42-20-12.083N 070-59-54.026W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
10897	Boston Main Channel Buoy 5A	42-20-12.385N 071-00-19.588W				Green can.	
10900	BOSTON MAIN CHANNEL LIGHT 7	42-20-17.200N 071-00-29.000W	FI G 4s	15	5	SG on pile.	
10905	<i>Boston Main Channel Lighted Buoy 8</i>	42-20-26.800N 071-00-17.500W	FI R 4s		3	Red.	
<b>Logan Airport Security Zone</b>							
10909	- <i>Lighted Buoy 24</i>	42-20-45.060N 071-00-28.860W	FI W 4s			White and orange .	Marked RESTRICTED AREA. Private aid.
<b>President Roads</b>							
10910	<i>Boston Main Channel Lighted Buoy 10</i>	42-20-43.100N 071-00-43.500W	FI R 6s		3	Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672067
<b>Logan Airport Security Zone</b>							
10912	- Buoy 25	42-20-49.200N 071-00-35.400W				White and orange.	Marked RESTRICTED AREA. Private aid.
10919	- Buoy 26	42-21-02.880N 071-00-56.880W				White and orange.	Marked RESTRICTED AREA. Private aid.
<b>President Roads</b>							
10920	<i>Boston Main Channel Lighted Buoy 12</i>	42-20-57.900N 071-01-08.000W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
<b>Logan Airport Security Zone</b>							
10921	- Buoy 27	42-21-06.960N 071-01-07.920W				White and orange.	Marked RESTRICTED AREA. Private aid.
10922	- Buoy 28	42-21-15.360N 071-01-19.320W				White and orange.	Marked RESTRICTED AREA. Private aid.
10923	- Buoy 29	42-21-19.400N 071-01-27.800W				White and orange.	Marked RESTRICTED AREA. Private aid.
10923.1	- <i>Lighted Buoy 30</i>	42-21-26.040N 071-01-42.060W	FI W 4s			White and Orange.	Marked RESTRICTED AREA. Private aid.
10924	Boston Anchorage One CG Mooring Buoy	42-21-08.345N 071-01-16.079W				White and blue nun.	Marked "CG"
<b>President Roads</b>							
10925	<i>Boston Main Channel Lighted Buoy 13</i>	42-21-11.152N 071-02-07.351W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
10926	<i>Fan Pier South Hazard Lighted Buoy</i>	42-21-16.900N 071-02-29.700W	FI W 2.5s			White and orange buoy .	Marks south end of mooring field. Private aid.
10927	<i>Fan Pier North Hazard Lighted Buoy</i>	42-21-20.100N 071-02-39.000W	FI W 4s			White and orange buoys.	Marks north end of mooring field. Private aid.
10950	New England Aquarium Intake Buoy	42-21-32.000N 071-02-54.000W				White with orange bands.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>BOSTON INNER HARBOR (Chart 13272)</b>							
<b>President Roads</b>							
10957	BOSTON MAIN CHANNEL LIGHT 14	42-22-17.310N 071-02-44.620W	Q R	15	4	TR on skeleton tower.	
10960	<i>Boston Main Channel Lighted Buoy 16</i>	42-23-03.183N 071-02-31.905W	Q R		3	Red.	
<b>Chelsea River</b>							
10965	- LIGHT 1	42-23-09.696N 071-01-24.930W	FI G 2.5s	20	3	SG on wood multi-pile.	
10967	- LIGHT 2	42-23-07.886N 071-01-23.188W	FI R 2.5s	20	3	TR on wood multi-pile.	
10969	- LIGHT 3	42-23-10.583N 071-01-23.351W	Q G	20	3	SG on wood multi-pile.	
10970	- LIGHT 4	42-23-09.724N 071-01-20.448W	Q R	20	3	TR on wood multi-pile.	
10971	- LIGHT 5	42-23-11.742N 071-01-21.144W	Oc G 4s	20	3	SG on wood multi-pile.	
10972	- LIGHT 6	42-23-10.816N 071-01-18.534W	Oc R 4s	20	3	TR on wood multi-pile.	
10973	CHELSEA STREET BRIDGE NORTHSIDE BULKHEAD LIGHT	42-23-10.000N 071-01-25.000W	Q Y				Private aid.
10973.1	CHELSEA STREET BRIDGE SOUTHSIDE BULKHEAD LIGHT	42-23-08.000N 071-01-23.000W	Q Y				Private aid.
10975	- <i>Channel Lighted Buoy 8</i>	42-23-19.331N 071-01-06.841W	FI R 2.5s		3	Red.	
10980	- <i>Channel Lighted Buoy 10</i>	42-23-29.067N 071-01-00.699W	FI R 4s		3	Red.	
10985	- <i>Channel Lighted Buoy 12</i>	42-23-39.337N 071-00-58.271W	FI R 6s		3	Red.	
10990	- <i>Channel Lighted Buoy 13</i>	42-23-54.609N 071-00-52.201W	FI G 2.5s		3	Green.	
<b>Mystic River</b>							
10995	<i>Island End Flats Lighted Buoy 2</i>	42-23-11.595N 071-03-09.480W	FI R 4s		3	Red.	
11000	Island End Point Buoy 4	42-23-14.848N 071-03-17.183W				Red nun.	
11005	- Buoy 5	42-23-31.860N 071-04-25.186W				Green can.	
<b>Island End River</b>							
11015	- Day beacon 4	42-23-25.000N 071-03-10.300W				TR on pile.	Private aid.
11020	- Day beacon 6	42-23-29.200N 071-03-04.100W				TR on pile.	Private aid.
<b>Logan Airport Security Zone</b>							
11033	- Buoy 16	42-21-37.200N 070-59-08.400W				White and orange.	Marked RESTRICTED AREA. Private aid.
11034	- Buoy 15	42-21-46.500N 070-59-13.920W				White and orange.	Marked RESTRICTED AREA. Private aid.
<b>Winthrop Harbor Approach</b>							
11035	- Buoy 1	42-20-34.803N 070-58-55.826W				Green can.	
11040	- Buoy 3	42-20-57.012N 070-58-44.983W				Green can.	
11045	- Buoy 4	42-21-01.093N 070-58-42.196W				Red nun.	
11050	- <i>Lighted Buoy 5</i>	42-21-16.000N 070-58-42.000W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
11055	- Buoy 6	42-21-25.444N 070-58-44.970W				Red nun.	
<b>Logan Airport Security Zone</b>							
11056	- <i>Lighted Buoy 17</i>	42-21-27.540N 070-59-06.660W	FI W 5s			White and orange.	Marked RESTRICTED AREA. Private aid.



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>BOSTON INNER HARBOR (Chart 13272)</b>							
<b>Winthrop Harbor Approach</b>							
11060	- Buoy 7	42-21-24.281N 070-58-49.047W				Green can.	
11065	WINTHROP LIGHT 1	42-21-42.366N 070-58-46.908W	FI G 6s	24	5	SG on skeleton tower on piles.	
<b>Winthrop Channel</b>							
11067	- Buoy 1A	42-21-49.391N 070-58-38.832W				Green can.	Removed when endangered by ice.
11070	- Buoy 2	42-21-47.388N 070-58-36.609W				Red nun.	
11075	- Buoy 3	42-21-58.732N 070-58-29.739W				Green can.	
11077	Cottage Park Buoy 2	42-21-52.956N 070-59-17.016W				Red nun.	
11080	Cottage Park Buoy 4	42-21-58.037N 070-59-13.997W				Red nun.	
<b>Chelsea Point Channel</b>							
11085	- Buoy 1	42-21-48.632N 070-59-15.077W				Green can.	
<b>Logan Airport Security Zone</b>							
11094	- Buoy 14	42-21-51.600N 070-59-30.300W				White and orange.	Marked RESTRICTED AREA. Private aid.
<b>Chelsea Point Channel</b>							
11095	- Buoy 4	42-21-55.056N 070-59-31.038W				Red nun.	
<b>Logan Airport Security Zone</b>							
11099	- Buoy 13	42-21-57.600N 070-59-42.960W				White and orange.	Marked RESTRICTED AREA. Private aid.
<b>Chelsea Point Channel</b>							
11100	- Buoy 5	42-21-59.443N 070-59-42.898W				Green can.	
<b>Logan Airport Security Zone</b>							
11106	- Buoy 12	42-22-04.560N 070-59-51.840W				White and orange.	Marked RESTRICTED AREA. Private aid.
11109	- Buoy 11	42-22-12.060N 070-59-57.360W				White and orange.	Marked RESTRICTED AREA. Private aid.
<b>Chelsea Point Channel</b>							
11110	- Buoy 7	42-22-15.481N 070-59-56.758W				Green can.	
11115	- Buoy 8	42-22-16.531N 070-59-55.038W				Red nun.	
<b>Logan Airport Security Zone</b>							
11116	- Buoy 10	42-22-22.500N 070-59-56.100W				White and orange.	Marked RESTRICTED AREA. Private aid.
11119	- Buoy 9	42-22-30.600N 070-59-53.160W				White and orange.	Marked RESTRICTED AREA. Private aid.
<b>Chelsea Point Channel</b>							
11120	- Buoy 9	42-22-37.821N 070-59-48.678W				Green can.	
11125	- Buoy 10	42-22-36.371N 070-59-46.178W				Red nun.	
<b>Logan Airport Security Zone</b>							
11125.1	- Lighted Buoy 8	42-22-39.840N 070-59-50.041W	FI W 5s			White and orange.	Marked RESTRICTED AREA. Private aid.
11126	- Buoy 1	42-22-27.780N 071-00-44.640W				White and orange.	Marked RESTRICTED AREA. Private aid.
11126.1	- Buoy 2	42-22-26.220N 071-00-39.120W				White and orange.	Marked RESTRICTED AREA. Private aid.
11127	- Buoy 3	42-22-33.540N 071-00-34.560W				White and orange.	Marked RESTRICTED AREA. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>BOSTON INNER HARBOR (Chart 13272)</b>							
<b>Logan Airport Security Zone</b>							
11127.1	- Buoy 4	42-22-41.220N 071-00-30.840W				White and orange.	Marked RESTRICTED AREA. Private aid.
11128	- Buoy 5	42-22-49.800N 071-00-22.860W				White and orange.	Marked RESTRICTED AREA. Private aid.
11128.1	- Buoy 6	42-22-47.160N 071-00-14.580W				White and orange.	Marked RESTRICTED AREA. Private aid.
11129	- Buoy 7	42-22-42.660N 071-00-01.560W				White and orange.	Marked RESTRICTED AREA. Private aid.
<b>Lower Middle Channel</b>							
11130	- Buoy 1	42-20-18.863N 070-59-14.696W				Green can.	
11135	- Buoy 4	42-20-28.417N 070-59-36.757W				Red nun.	
11140	- Lighted Buoy 3	42-20-23.691N 070-59-40.446W	FI G 2.5s		3	Green.	
11145	- Buoy 5	42-20-29.513N 070-59-57.297W				Green can.	
<b>Logan Airport Security Zone</b>							
11146	- Buoy 18	42-21-22.200N 070-59-13.620W				White and orange.	Marked RESTRICTED AREA. Private aid.
11146.1	- Buoy 19	42-21-09.360N 070-59-32.160W				White and orange.	Marked RESTRICTED AREA. Private aid.
11147	- Buoy 20	42-21-02.040N 070-59-44.640W				White and orange.	Marked RESTRICTED AREA. Private aid.
11148	- Buoy 21	42-20-59.400N 070-59-55.380W				White and orange.	Marked RESTRICTED AREA. Private aid.
11149	- Buoy 22	42-20-52.500N 071-00-05.820W				White and orange.	Marked RESTRICTED AREA. Private aid.
11149.1	- Buoy 23	42-20-46.140N 071-00-18.300W				White and orange.	Marked RESTRICTED AREA. Private aid.
<b>Bird Island Flats</b>							
11150	- Anchorage Buoy A	42-21-12.232N 071-01-12.600W				Yellow can.	
11170	- Buoy 2	42-21-30.000N 071-01-45.800W				Red nun.	
11175	- Buoy 3	42-21-37.501N 071-01-45.441W				Green can.	
<b>BOSTON HARBOR (Chart 13270)</b>							
<b>Dorchester Bay</b>							
11195	- Buoy 2	42-19-38.504N 071-00-01.887W				Red nun.	
11200	- Buoy 3	42-19-27.984N 071-00-08.117W				Green can.	
11205	- Buoy 4	42-19-17.654N 071-00-48.018W				Red nun.	
11210	- Lighted Buoy 5	42-19-02.534N 071-01-15.628W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
11215	- Buoy 6	42-19-01.724N 071-01-21.418W				Red nun.	
11220	- Buoy 8	42-18-48.014N 071-01-33.889W				Red nun.	
11225	- Buoy 10	42-18-37.894N 071-01-44.979W				Red nun.	
11230	- Lighted Buoy 12	42-18-28.647N 071-01-58.133W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
11235	PLEASURE BAY LIGHT	42-19-50.600N 071-00-54.500W	FI W 2.5s			On top of cupola.	Private aid.
11236	Columbia Point Channel Buoy 1C	42-18-59.147N 071-01-28.304W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>BOSTON HARBOR (Chart 13270)</b>							
<b>Dorchester Bay</b>							
11237	Columbia Point Channel Buoy 2C	42-19-00.352N 071-01-28.415W				Red nun.	
11238	Columbia Point Channel Buoy 3	42-18-57.629N 071-01-50.944W				Green can.	
11239	Columbia Point Channel Buoy 4	42-18-58.806N 071-01-51.188W				Red nun.	
11240	UMass Buoy 1	42-18-24.402N 071-02-32.082W				Green can.	Private aid.
11240.1	UMass Buoy 2	42-18-25.494N 071-02-31.542W				Red nun.	Private aid.
11240.2	UMass Buoy 3	42-18-28.134N 071-02-34.644W				Green can.	Private aid.
11240.3	UMass Buoy 4	42-18-28.806N 071-02-33.654W				Red nun.	Private aid.
11240.4	UMass Buoy 5	42-18-30.966N 071-02-33.282W				Green can.	Private aid.
11240.5	UMass Buoy 6	42-18-32.820N 071-02-30.396W				Red nun.	Private aid.
11240.6	UMass Buoy 7	42-18-35.070N 071-02-29.268W				Green can.	Private aid.
11240.7	UMass Buoy 8	42-18-35.202N 071-02-27.798W				Red nun.	Private aid.
11240.8	UMass Buoy 9	42-18-38.220N 071-02-25.704W				Green can.	Private aid.
11240.9	UMass Buoy 10	42-18-38.500N 071-02-24.000W				Red nun.	Private aid.
<b>Squantum Channel</b>							
11245	- Buoy 1SC	42-18-27.634N 071-01-54.408W				Green can.	
11250	- Buoy 2	42-18-17.000N 071-01-55.000W				Red nun.	
11252	- Buoy 3	42-18-11.000N 071-01-52.000W				Green can.	
<b>Dorchester Bay Basin</b>							
<i>Aids maintained from May 1 to Dec. 1.</i>							
11260	- Channel Buoy 1	42-18-15.000N 071-02-59.200W				Green can.	Private aid.
11265	- Channel Buoy 2	42-18-16.300N 071-02-58.100W				Red nun.	Private aid.
11275	- Channel Buoy 4	42-18-17.300N 071-03-01.900W				Red nun.	Private aid.
11280	- Channel Buoy 5	42-18-17.400N 071-03-05.200W				Green can.	Private aid.
11285	- Channel Buoy 6	42-18-18.700N 071-03-05.600W				Red nun.	Private aid.
<b>Neponset River</b>							
11290	- Buoy 1	42-18-21.877N 071-02-18.489W				Green can.	
11292	- Buoy 2	42-18-24.144N 071-02-19.519W				Red nun.	
11295	- Buoy 3	42-18-17.104N 071-02-29.049W				Green can.	
11300	- Buoy 5	42-18-12.904N 071-02-31.339W				Green can.	
11305	- Lighted Buoy 7	42-17-49.055N 071-02-35.270W	FI G 4s		4	Green.	Replaced by can from Nov. 1 to June 1.
11310	- Buoy 9	42-17-41.884N 071-02-30.459W				Green can.	
11315	- Buoy 11	42-17-32.089N 071-02-11.041W				Green can.	
11320	- Buoy 13	42-17-25.275N 071-02-05.768W				Green can.	
11325	- Buoy 14	42-17-21.225N 071-02-06.235W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>BOSTON HARBOR (Chart 13270)</b>							
<b>Dorchester Bay</b>							
<b>Neponset River</b>							
11330	- Buoy 16	42-17-15.535N 071-02-08.496W				Red nun.	
<b>Nantasket Roads (Southern Approach)</b>							
11333	<i>Thieves Ledge Lighted Whistle</i>	42-19-34.067N	Q G		3	Green.	
430	<i>Buoy 1</i>	070-49-49.332W					
11334	<i>Three and One-Half Fathom Ledge Lighted Bell Buoy 2</i>	42-21-04.975N 070-50-29.784W	FI R 4s		4	Red.	
11335	<i>Martin Ledge Buoy 4</i>	42-20-45.705N 070-51-12.074W				Red nun.	
11336	<i>Boston Ledge Buoy 6</i>	42-20-04.645N 070-51-49.694W				Red nun.	
11337	<i>Harding Ledge Lighted Bell Buoy 1HL</i>	42-18-34.188N 070-50-37.872W	FI G 4s		4	Green.	
11340	<b>Boston Light</b>	42-19-40.855N 070-53-24.266W	FI W 10s	102	27	On white conical tower. 89	Emergency light of reduced intensity when main light is extinguished. Two emergency lights may be visible from 336° to 001° and from 156° to 181°. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
11348	LITTLE BREWSTER ISLAND DOCK LIGHT	42-19-40.000N 070-53-34.000W	FI Y 2.5s	15	3	Spindle on dock.	
11349	Boston Light Mooring Station Buoy	42-19-37.500N 070-53-41.000W				White with blue stripes, nun.	
11350	<i>Nantasket Roads Channel Lighted Buoy 4</i>	42-19-10.446N 070-53-18.106W	FI R 4s		4	Red.	
11355	<i>Nantasket Roads Channel Lighted Bell Buoy 3</i>	42-19-07.127N 070-52-46.996W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
11360	<i>Nantasket Roads Channel Lighted Buoy 6</i>	42-19-09.666N 070-53-56.197W	FI R 2.5s		4	Red.	Replaced by nun when endangered by ice.
11365	<i>Nantasket Roads Channel Lighted Buoy 7</i>	42-19-04.156N 070-54-07.357W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.
11370	<i>Nantasket Roads Channel Lighted Buoy 9</i>	42-19-00.833N 070-54-30.638W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
11380	Toddy Rocks Buoy 9A	42-18-48.885N 070-54-35.077W				Green can.	
11385	<i>Nantasket Roads Channel Lighted Buoy TN</i>	42-18-59.104N 070-54-47.132W	FI (2+1)R 6s		4	Red and green bands.	Replaced by nun when endangered by ice.
11390	Nantasket Roads Channel Buoy 10 On south side of shoal spots.	42-18-52.936N 070-55-14.199W				Red nun.	
11395	<i>Nantasket Roads Channel Lighted Buoy 11</i>	42-18-40.376N 070-55-15.949W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.
11397	Nantasket Roads Bell Buoy 10A	42-18-44.045N 070-55-41.923W				Red.	
11410	<i>Nantasket Roads Channel Lighted Buoy 14</i>	42-18-15.096N 070-55-33.779W	FI R 2.5s		4	Red.	Replaced by nun when endangered by ice.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>BOSTON HARBOR (Chart 13270)</b>							
<b>Nantasket Roads (Southern Approach)</b>							
11411	<i>Nantasket Roads DRC Lighted Hazard Buoy A</i>	42-18-56.700N 070-55-38.500W	FI W 2.5s			White with orange bands.	Private aid.
11411.1	<i>Nantasket Roads DRC Lighted Hazard Buoy B</i>	42-18-52.300N 070-55-34.500W	FI W 4s			White with orange bands.	Private aid.
11411.2	<i>Nantasket Roads DRC Lighted Hazard Buoy C</i>	42-18-32.940N 070-55-19.140W	FI W 4s			White with orange bands.	Private aid.
11411.3	<i>Nantasket Roads DRC Lighted Hazard Buoy D</i>	42-18-29.900N 070-55-18.300W	FI W 4s			White with orange bands.	Private aid.
<b>The Narrows</b>							
11415	Kelly Rock Bell Buoy 2	42-19-14.156N 070-54-42.139W				Red.	
11420	- Daybeacon 2A	42-19-22.542N 070-54-46.170W				TR on dolphin.	
11425	<i>Georges Island Rocks Lighted Buoy 3</i>	42-19-07.356N 070-55-02.049W	Q G		3	Green.	Replaced by can when endangered by ice.
11430	- LIGHT 4	42-19-20.501N 070-55-10.864W	FI R 4s	35	6	TR on pile structure.	
11435	- Bell Buoy 5	42-19-17.128N 070-55-24.308W				Green.	
11437	- Buoy 6	42-19-25.500N 070-55-28.000W				Red nun.	
11440	GALLOPS ISLAND LIGHT 7	42-19-32.200N 070-55-57.100W	FI G 4s	29	5	SG on skeleton tower.	HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si).
11441	<i>Georges Island Lighted Hazard Buoy A</i>	42-19-25.968N 070-55-48.738W	FI W 4s			White with orange bands.	Seasonal May 1 - Oct 31. Private aid.
11442	<i>Georges Island Lighted Hazard Buoy B</i>	42-19-16.277N 070-56-02.458W	FI W 4s			White with orange bands.	Seasonal May 1 - Oct 31. Private aid.
11443	<i>Georges Island Lighted Hazard Buoy C</i>	42-19-10.816N 070-55-54.480W	FI W 4s			White with orange bands.	Seasonal May 1 - Oct 31. Private aid.
11445	- Buoy 10	42-19-58.485N 070-56-14.451W				Red nun.	
11450	Nixes Mate Daybeacon Marks foul area between Nubble Channel and The Narrows.	42-19-53.232N 070-56-39.276W				Black, white band midway of height; octagonal pyramid on square granite base.	
11455	Black Rocks Channel Buoy 2B	42-19-38.008N 070-55-10.149W				Red nun.	
<b>Quincy Bay Approach</b>							
11470	- Buoy 1	42-19-01.346N 070-56-17.301W				Green can.	
11475	- Buoy 3	42-18-53.000N 070-57-18.000W				Green can.	
11477	- Buoy 4	42-18-47.000N 070-57-48.000W				Red nun.	
<b>Nubble Channel</b>							
11485	- Buoy 1	42-19-31.405N 070-56-50.522W				Green can.	
11490	- Buoy 2	42-19-33.544N 070-56-45.295W				Red nun.	
11492	- Buoy 3	42-19-43.894N 070-56-56.554W				Green can.	
11495	- Buoy 4	42-19-45.221N 070-56-52.544W				Red nun.	
11500	- Buoy 5	42-19-50.977N 070-57-02.338W				Green can.	
11502	- Buoy 6	42-19-53.163N 070-56-57.412W				Red nun.	
<b>Peddocks Island Channel</b>							
11504	- Hospital Shoal Buoy HS	42-18-44.000N 070-56-15.000W				Green and red bands; can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>BOSTON HARBOR (Chart 13270)</b>							
<b>Pedlocks Island Channel</b>							
11507	Rainsford Island Shoal Danger Buoy	42-18-37.636N 070-56-43.311W				White can with orange bands.	
11514	- Buoy 2P	42-17-58.000N 070-57-12.000W				Red nun.	
11519	- Lighted Buoy 4P	42-17-36.829N 070-57-26.508W	FI R 6s		4	Red.	Removed when endangered by ice.
11524	- Buoy 5P	42-17-27.000N 070-57-11.000W				Green can.	
<b>Western Way</b>							
11529	- LIGHT 1	42-16-47.436N 070-56-20.958W	FI G 4s	31	5	SG on pile.	
11533	NUT ISLAND PIER LIGHT	42-16-53.200N 070-57-13.100W	STROBE			On pier.	Private aid.
11537	- Lighted Buoy 2	42-17-00.287N 070-56-59.680W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
11539	- Lighted Buoy 3	42-17-12.000N 070-57-28.000W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
11544	Hangman Island Ledge Day beacon HM	42-17-19.459N 070-58-32.685W				NG on spindle.	
11549	Sunken Ledge Day beacon SL	42-17-44.536N 070-57-37.413W				NB on spindle.	
11554	- Lighted Buoy 4	42-17-48.000N 070-57-56.500W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
11564	- Buoy 6	42-18-23.598N 070-58-33.271W				Red nun.	
11564.1	- CHANNEL OBSTRUCTION LIGHT 6A	42-18-34.017N 070-58-45.200W	F R			On pole.	Private aid.
11564.2	- CHANNEL OBSTRUCTION LIGHT 6B	42-18-34.431N 070-58-45.501W	F R			On pole.	Private aid.
11566	- Buoy 5	42-18-21.000N 070-58-40.000W				Green can.	
11566.1	- CHANNEL OBSTRUCTION LIGHT 5A	42-18-32.841N 070-58-48.125W	F G			On pole.	Private aid.
11566.2	- CHANNEL OBSTRUCTION LIGHT 5B	42-18-33.254N 070-58-48.430W	F G			On pole.	Private aid.
11567	- OBSTRUCTION LIGHT A1	42-18-23.474N 070-59-11.564W	F W				Private aid.
11567.1	- OBSTRUCTION LIGHT A2	42-18-23.808N 070-59-11.806W	F W				Private aid.
11567.2	- OBSTRUCTION LIGHT B1	42-18-24.650N 070-59-08.641W	F W				Private aid.
11567.3	- OBSTRUCTION LIGHT B2	42-18-24.985N 070-59-08.880W	F W				Private aid.
11567.4	- OBSTRUCTION LIGHT C1	42-18-25.796N 070-59-05.691W	F W				Private aid.
11567.5	- OBSTRUCTION LIGHT C2	42-18-26.189N 070-59-05.979W	F W				Private aid.
11567.6	- OBSTRUCTION LIGHT D1	42-18-27.003N 070-59-02.787W	F W				Private aid.
11567.7	- OBSTRUCTION LIGHT D2	42-18-27.335N 070-59-03.027W	F W				Private aid.
11567.8	- OBSTRUCTION LIGHT E1	42-18-28.179N 070-58-59.860W	F W				Private aid.
11567.9	- OBSTRUCTION LIGHT E2	42-18-28.510N 070-59-00.101W	F W				Private aid.
11568	- Buoy 7	42-18-40.529N 070-58-58.860W				Green can.	
11569	- OBSTRUCTION LIGHT F1	42-18-29.322N 070-58-56.913W	F W				Private aid.
11569.1	- OBSTRUCTION LIGHT F2	42-18-29.719N 070-58-57.201W	F W				Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>BOSTON HARBOR (Chart 13270)</b>							
<b>Pedlocks Island Channel</b>							
<b>Western Way</b>							
11569.2	- OBSTRUCTION LIGHT G1	42-18-30.541N 070-58-54.017W	F W				Private aid.
11569.3	- OBSTRUCTION LIGHT G2	42-18-30.861N 070-58-54.250W	F W				Private aid.
11569.4	- OBSTRUCTION LIGHT H1	42-18-31.710N 070-58-51.085W	F W				Private aid.
11569.5	- OBSTRUCTION LIGHT H2	42-18-32.038N 070-58-51.324W	F W				Private aid.
11569.6	- OBSTRUCTION LIGHT K1	42-18-35.235N 070-58-42.304W	F W				Private aid.
11569.7	- OBSTRUCTION LIGHT K2	42-18-35.566N 070-58-42.546W	F W				Private aid.
11569.8	- OBSTRUCTION LIGHT L1	42-18-36.409N 070-58-39.375W	F W				Private aid.
11569.9	- OBSTRUCTION LIGHT L2	42-18-36.747N 070-58-39.612W	F W				Private aid.
11574	- Buoy 8	42-19-04.215N 070-59-12.249W				Red nun.	
11575	- Buoy 8A	42-18-54.355N 070-58-51.174W				Red nun.	
11579	- Buoy 9	42-19-15.354N 070-59-42.176W				Green can.	
11580	<i>Spectacle Island Lighted No Wake Buoy A</i>	42-19-25.440N 070-59-29.220W	FI W 5s			White with orange bands.	Private aid.
11581	<i>Spectacle Island Lighted No Wake Buoy B</i>	42-19-16.620N 070-59-25.020W	FI W 5s			White with orange bands.	Private aid.
11582	<i>Spectacle Island Lighted No Wake Buoy C</i>	42-19-09.120N 070-59-18.600W	FI W 5s			White with orange bands.	Private aid.
11583	<i>Spectacle Island Lighted No Wake Buoy D</i>	42-19-03.780N 070-59-07.380W	FI W 5s			White with orange bands.	Private aid.
11584	<i>Spectacle Island Lighted Hazard Buoy A</i>	42-19-11.580N 070-59-18.600W	FI W 5s			White with orange bands.	Marks rocks. Private aid.
11585	<i>Spectacle Island Lighted Hazard Buoy A</i>	42-19-28.520N 070-59-30.397W	FI W 4s			White with orange bands.	Seasonal May 1 - Oct 31. Private aid.
11586	<i>Spectacle Island Lighted Hazard Buoy B</i>	42-19-24.488N 070-59-30.415W	FI W 4s			White with orange bands.	Seasonal May 1 - Oct 31. Private aid.
11587	<i>Spectacle Island Lighted Hazard Buoy C</i>	42-19-19.492N 070-59-23.586W	FI W 4s			White with orange bands.	Seasonal May 1 - Oct 31. Private aid.
<b>Wollaston Channel</b>							
11599	- Buoy 2	42-17-17.816N 071-00-11.095W				Red nun.	
11601	- Buoy 4	42-16-55.984N 071-00-34.138W				Red nun.	Maintained from Apr. 1 to Nov. 1.
<b>Houghs Neck Channel</b>							
11620	- Buoy 1	42-16-31.188N 070-56-37.910W				Green can.	
11625	- Buoy 2	42-16-32.058N 070-56-39.480W				Red nun.	
<b>Spiers Stand</b>							
11635	- Day beacon	42-16-17.256N 070-56-36.570W				NW on pile worded DANGER ROCKS.	
<b>Hingham Bay</b>							
<b>Weymouth Fore River</b>							
<i>Aids maintained from Apr. 15 to Oct. 30.</i>							
11645	- Channel Lighted Buoy 2	42-18-08.412N 070-55-30.551W	FI R 4s		3	Red.	Replace by nun when endangered by ice. AIS: MMSI 993672282 (21)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>BOSTON HARBOR (Chart 13270)</b>							
<b>Hingham Bay</b>							
<b>Weymouth Fore River</b>							
<i>Aids maintained from Apr. 15 to Oct. 30.</i>							
11650	WINDMILL POINT LIGHT WP	42-18-10.981N 070-55-19.255W	Q W	20	6	NR on gray skeleton tower.	Horn: 1 Blast ev 10s. MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
11655	- Channel Lighted Buoy 4	42-17-51.640N 070-55-24.445W	Q R		3	Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672102 (21)
11660	- Channel Lighted Buoy 5	42-17-37.957N 070-55-24.259W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
11665	- Channel Lighted Buoy 6	42-17-39.109N 070-55-30.177W	FI R 4s		3	Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672283 (21)
11670	- Channel Lighted Buoy 8	42-17-12.905N 070-55-47.992W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
11675	HARRY'S ROCK LIGHT HR East of rock.	42-17-13.257N 070-55-54.268W	FI W 4s	26	4	NR on gray skeleton tower on pile structure.	
11685	- Channel Lighted Buoy 9	42-17-03.064N 070-55-47.237W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice. AIS: MMSI 993672284 (21)
11690	- Channel Lighted Buoy 10	42-16-51.358N 070-55-57.169W	Q R		3	Red.	Replaced by nun when endangered by ice.
11695	Western Way Lighted Buoy WW	42-16-38.816N 070-55-55.817W	FI (2+1)R 6s		3	Red and green bands.	Replaced by nun when endangered by ice. AIS: MMSI 993672281 (21)
11700	- Channel Lighted Buoy 11	42-16-49.358N 070-55-51.169W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
11706	- Channel Lighted Buoy 12	42-16-23.465N 070-55-54.115W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672285 (21)
11710	- CHANNEL LIGHT 13	42-16-16.236N 070-55-46.998W	Q G	28	4	SG on black skeleton tower on pile structure.	
11712	- Channel Lighted Buoy 14	42-16-11.737N 070-55-58.453W	FI R 4s		3	Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672286 (21)
11715	- CHANNEL LIGHT 16	42-16-03.095N 070-56-06.472W	FI R 2.5s	28	4	TR on skeleton tower on a pile structure.	
11720	Weymouth Back River Lighted Buoy BR	42-16-00.158N 070-56-00.138W	FI (2+1)G 6s		3	Green and red bands.	Replaced by can when endangered by ice.
11725	- Channel Lighted Buoy 17	42-15-44.179N 070-56-14.238W	FI G 6s		3	Green.	Replaced by can when endangered by ice.



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>BOSTON HARBOR (Chart 13270)</b>							
<b>Hingham Bay</b>							
<b>Weymouth Fore River</b>							
<i>Aids maintained from Apr. 15 to Oct. 30.</i>							
11730	- Channel Lighted Buoy 18	42-15-43.383N 070-56-20.863W	FI R 6s		3	Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672287 (21)
11735	- Channel Lighted Buoy 19	42-15-24.032N 070-56-29.419W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice. AIS: MMSI 993672288 (21)
11737	- Channel Buoy 21	42-15-15.335N 070-56-34.911W				Green can.	Replaced by can when endangered by ice.
11740	- Channel Lighted Buoy 22	42-15-18.013N 070-56-41.981W	Q R		3	Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672289 (21)
11746	- Channel Buoy 23	42-15-08.941N 070-56-47.058W				Green can.	
11750	- Channel Lighted Buoy 25	42-15-06.138N 070-56-59.545W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
11755	- Channel Lighted Buoy 26	42-15-04.019N 070-57-14.459W	FI R 4s		3	Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672290 (21)
11757	- Channel Buoy 27	42-14-53.373N 070-57-30.997W				Green can.	
11760	- Channel Lighted Buoy 28	42-14-53.104N 070-57-43.105W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice. AIS: MMSI 993672291 (21)
11765	- Channel Buoy 31	42-14-11.163N 070-57-55.847W				Green can.	Aid maintained from May 1 to Oct 15.
11770	- Channel Buoy 33	42-14-09.955N 070-57-41.021W				Green can.	
11775	- Channel Buoy 32	42-14-09.952N 070-57-44.820W				Red nun.	
11780	- Channel Buoy 34	42-14-05.699N 070-57-36.657W				Red nun.	
11785	- Channel Buoy 36	42-14-02.066N 070-57-35.038W				Red nun.	
11790	- Channel Buoy 38	42-13-57.605N 070-57-34.585W				Red nun.	
<b>Braintree Yacht Club Channel</b>							
<i>Aids maintained from Apr. 15 to Oct. 30.</i>							
11794	- Lighted Buoy 40	42-13-40.320N 070-57-40.500W	FI R 4s			Red.	Private aid.
11795	- Buoy 42	42-13-39.900N 070-57-40.020W				Red nun.	Private aid.
11805	- Lighted Buoy 44	42-13-36.700N 070-57-41.100W	FI R 4s			Red.	Private aid.
11810	- Buoy 46	42-13-34.800N 070-57-43.860W				Red nun.	Private aid.
11815	- Lighted Buoy 48	42-13-31.860N 070-57-48.180W	FI R 4s			Red nun.	Private aid.
11820	- Lighted Buoy 50	42-13-28.200N 070-57-54.360W	FI R 4s			Red nun.	Private aid.
<b>Town River Bay</b>							
11825	- Channel Buoy 2	42-14-57.064N 070-57-59.894W				Red nun.	AIS: MMSI 993672292 (21)
11830	- Channel Buoy 3	42-14-58.333N 070-58-15.772W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>BOSTON HARBOR (Chart 13270)</b>							
<b>Hingham Bay</b>							
<b>Town River Bay</b>							
11835	- Channel Buoy 4	42-15-02.255N 070-58-16.897W				Red nun.	AIS: MMSI 993672293 (21)
11840	- Channel Buoy 6	42-15-10.870N 070-58-27.040W				Red nun.	
11845	- Channel Buoy 7	42-15-09.751N 070-58-31.831W				Green can.	AIS: MMSI 993672294 (21)
11850	- Channel Buoy 9	42-15-13.802N 070-58-35.950W				Green can.	AIS: MMSI 993672295 (21)
11855	- Channel Buoy 11	42-15-15.795N 070-58-42.562W				Green can.	AIS: MMSI 993672296 (21)
11860	- Channel Buoy 12	42-15-21.308N 070-58-44.328W				Red nun.	
11865	- Channel Buoy 14	42-15-22.186N 070-58-54.897W				Red nun.	
11870	- Channel Buoy 16	42-15-16.679N 070-59-03.438W				Red nun.	AIS: MMSI 993672297 (21)
11875	Yacht Yard Channel Buoy 2	42-15-21.738N 070-58-40.248W				Red nun.	
11880	Yacht Yard Channel Buoy 3	42-15-22.884N 070-58-40.902W				Green can.	
<b>Weymouth Back River</b>							
11885	- Channel Lighted Buoy 1	42-15-56.219N 070-55-50.838W	FI G 2.5s		3	Green.	Replaced by LIB f from Dec. 1 to Apr. 15. AIS: MMSI 993672298 (21)
11890	- Channel Buoy 2	42-15-49.239N 070-55-42.758W				Red nun.	
11895	- Channel Buoy 3	42-15-54.690N 070-55-28.763W				Green can.	AIS: MMSI 993672299 (21)
11900	- Channel Lighted Buoy 4	42-15-52.381N 070-55-25.685W	FI R 4s		3	Red.	Replaced by LIB f from Dec. 1 to Apr. 15. AIS: MMSI 993672302 (21)
11905	- Channel Buoy 6	42-15-44.297N 070-55-16.495W				Red nun.	AIS: MMSI 993672303 (21)
11910	- Channel Buoy 7	42-15-42.229N 070-55-12.237W				Green can.	AIS: MMSI 993672304 (21)
11915	- Channel Lighted Buoy 8	42-15-30.553N 070-55-07.079W	FI R 4s		3	Red.	Replaced by LIB f from Dec. 1 to Apr. 15. AIS: MMSI 993672305 (21)
11920	- Channel Buoy 10	42-15-25.050N 070-55-08.317W				Red nun.	AIS: MMSI 993672306 (21)
11925	- Channel Buoy 12	42-15-19.300N 070-55-11.167W				Red nun.	AIS: MMSI 993672307 (21)
11930	- Channel Buoy 13	42-15-06.811N 070-55-57.500W				Green can.	
<b>Hingham Bay</b>							
11933	POINT ALLERTON NORTH BREAKWATER LIGHT	42-18-06.845N 070-54-59.328W	FI W 2.5s	20	3	On pile.	
11934	POINT ALLERTON SOUTH BREAKWATER LIGHT	42-18-05.694N 070-54-56.928W	FI W 2.5s	20	3	On pile.	
11935	Inner Seal Rock Channel Buoy 1	42-17-52.797N 070-54-33.387W				Green can.	
11940	Outer Seal Rock Isolated Danger Buoy DSR	42-17-48.007N 070-54-29.667W				Black and red bands with two black spherical topmarks; can.	
11945	Burkin Island Lighted Buoy 1 Off northwest end of shoal.	42-17-25.058N 070-54-51.548W	FI G 4s		3	Green.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>BOSTON HARBOR (Chart 13270)</b>							
<b>Hingham Bay</b>							
11970	Crow Point Flats Buoy CF	42-16-55.500N 070-54-36.000W				Red nun with green bands.	
11971	Sheep Island Buoy 1	42-16-40.000N 070-55-04.000W				Green can.	
11973	Sheep Island Buoy 2	42-16-41.000N 070-55-18.000W				Red nun.	
11975	<i>Burkin Island Lighted Bell Buoy 3</i>	42-16-50.925N 070-54-19.014W	Fl G 4s		3	Green.	Replaced by can f from Dec. 1 to Apr. 15.
11980	Crow Flats Middle Buoy 4	42-16-40.096N 070-54-14.587W				Red nun.	
<b>Hingham Harbor Approach</b>							
11985	- <i>Lighted Buoy HH</i>	42-16-27.949N 070-53-51.435W	Fl (2+1)G 6s		4	Green and red bands.	Replaced by can f from Sept. 15 to May 1.
11990	- Buoy 6	42-16-26.329N 070-53-55.906W				Red nun.	
11995	- Buoy 7	42-16-00.013N 070-53-40.640W				Green can.	
12000	- Buoy 8	42-15-58.300N 070-53-45.135W				Red nun.	
12005	- Buoy 9	42-15-36.360N 070-53-24.164W				Green can.	
12010	- Buoy 10	42-15-33.100N 070-53-18.000W				Red nun.	
12015	- Buoy 11	42-15-34.580N 070-53-21.520W				Green can.	
<b>Hingham Harbor Channel</b>							
12020	- Buoy 12	42-15-33.671N 070-53-03.102W				Red nun.	
12025	- Buoy 13	42-15-32.210N 070-53-00.100W				Green can.	
12030	- Buoy 14	42-15-27.870N 070-52-58.893W				Red nun.	
12035	- Buoy 15	42-15-22.479N 070-52-57.271W				Green can.	
12040	- Buoy 16	42-15-18.906N 070-52-57.986W				Red nun.	
12045	- Buoy 17	42-15-19.148N 070-52-56.187W				Green can.	
12050	- Buoy 18	42-15-16.850N 070-52-42.710W				Red nun.	
12055	- Buoy 19	42-15-17.028N 070-52-41.318W				Green can.	
12060	- Buoy 20	42-15-12.948N 070-52-40.368W				Red nun.	
12065	- Buoy 21	42-15-06.619N 070-52-42.934W				Green can.	
12070	- Buoy 22	42-15-02.500N 070-52-47.701W				Red nun.	
<b>Weir River</b>							
12073	- Buoy 1	42-16-29.000N 070-53-41.000W				Green can.	
12075	- Buoy 3	42-16-29.839N 070-53-05.174W				Green can.	
12078	- Buoy 4	42-16-29.500N 070-52-57.000W				Red nun.	
12080	- Buoy 6	42-16-29.739N 070-52-43.174W				Red nun.	
12085	- Buoy 7	42-16-28.938N 070-52-33.102W				Green can.	
12090	- Buoy 8	42-16-19.859N 070-52-28.397W				Red nun.	
12095	- Buoy 9	42-16-14.312N 070-52-14.112W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>BOSTON HARBOR (Chart 13270)</b>							
<b>Hingham Bay</b>							
<b>Weir River</b>							
12100	- Buoy 10	42-16-10.381N 070-52-13.714W				Red nun.	
12105	- Buoy 11	42-16-06.879N 070-52-00.229W				Green can.	
12110	- Buoy 12	42-16-03.412N 070-51-58.851W				Red nun.	
<b>Allerton Harbor</b>							
<i>Aids maintained from May 15 to Sep. 30.</i>							
12125	- Buoy 1	42-17-55.300N 070-53-19.000W				Green.	Private aid.
12130	- Buoy 2	42-17-56.100N 070-53-17.800W				Red.	Private aid.
12135	- Buoy 3	42-18-06.900N 070-53-15.480W				Green can.	Private aid.
12140	- Buoy 4	42-18-07.600N 070-53-14.100W				Red nun.	Private aid.
12145	- Buoy 5	42-18-12.180N 070-53-17.280W				Green can.	Private aid.
12150	- Buoy 6	42-18-12.800N 070-53-17.100W				Red nun.	Private aid.
12151	- Buoy 7	42-18-15.720N 070-53-23.280W				Green can.	Private aid.
12152	- Buoy 8	42-18-16.800N 070-53-23.800W				Red nun.	Private aid.
12153	- Buoy 9	42-18-17.820N 070-53-27.120W				Green can.	Private aid.
12154	- Buoy 10	42-18-18.600N 070-53-28.000W				Red nun.	Private aid.
<b>Cohasset Harbor</b>							
<b>Cohasset Western Channel</b>							
12155	- Buoy 2W	42-15-47.852N 070-47-42.476W				Red nun.	
12160	- Buoy 3	42-15-41.432N 070-47-10.585W				Green can.	
12165	- Buoy 4	42-15-34.692N 070-47-17.905W				Red nun.	
12170	- Day beacon 5 On ledge.	42-15-30.791N 070-47-06.013W				SG on spindle.	
12175	- Buoy 6W	42-15-22.023N 070-47-00.235W				Red nun.	
<b>Cohasset Channel</b>							
12185	- LIGHT 8	42-15-05.463N 070-47-00.654W	FI R 2.5s	29	4	TR on skeleton tower on pile structure.	
12190	- Buoy 9	42-14-56.474N 070-46-59.263W				Green can.	
12195	- LIGHT 10	42-14-56.612N 070-47-00.833W	FI R 4s	16	3	TR on skeleton tower, on cylindrical base.	
12200	- Buoy 11	42-14-50.988N 070-47-02.970W				Green can.	
12205	- LIGHT 12	42-14-48.121N 070-47-05.835W	FI R 6s	16	3	TR on skeleton tower, on cylindrical base.	
12210	- Buoy 13	42-14-37.188N 070-47-11.400W				Green can.	
12215	- LIGHT 14	42-14-34.504N 070-47-13.850W	FI R 2.5s	16	3	TR on skeleton tower, on cylindrical base.	
<b>COHASSET AND SCITUATE HARBORS (Chart 13269)</b>							
<b>Cohasset Harbor</b>							
12220	<i>Cohasset Gangway Lighted Bell Buoy 1G</i>	42-16-08.047N 070-46-22.635W	FI G 6s		3	Green.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>COHASSET AND SCITUATE HARBORS (Chart 13269)</b>							
<b>Cohasset Harbor</b>							
12225	Cohasset Gangway Buoy 2 Off northeast side of ledge.	42-16-04.817N 070-46-41.868W				Red nun.	
12227	Cohasset Gangway Buoy 4	42-15-54.528N 070-46-34.575W				Red nun.	
12230	Cohasset Shag Rock Buoy 1S	42-15-50.513N 070-46-05.604W				Green can.	
12235	- Buoy 5	42-15-31.143N 070-46-25.054W				Green can.	
12240	- Buoy 6	42-15-22.562N 070-46-46.774W				Red nun.	
<b>Cohasset Eastern Channel</b>							
12243	- Buoy 1E Off north end of shoal.	42-15-39.803N 070-45-40.023W				Green can.	
12245	- Buoy 2	42-15-48.273N 070-45-48.213W				Red nun.	
<b>Scituate Harbor Approach</b>							
12256 455	Tar Pouch Buoy 2	42-13-10.235N 070-42-13.375W				Red nun.	
12258 460	<i>Scituate Approach Lighted Gong Buoy SA</i>	42-12-07.545N 070-41-49.344W	Mo (A) W		4	Red and white stripes with red spherical topmark.	AIS: MMSI 993672146 (21)
<b>Scituate Harbor</b>							
12260	- Channel Buoy 1	42-12-07.755N 070-42-39.645W				Green can.	
12265	- Channel Buoy 2	42-12-09.545N 070-42-39.535W				Red nun.	
12270 465	SCITUATE NORTH JETTY LIGHT 2A	42-12-11.322N 070-42-47.484W	FI R 4s	23	4	TR on white skeleton tower.	Higher intensity beam eastward.
12275	OLD SCITUATE LIGHT	42-12-17.200N 070-42-56.700W	FI W 15s			White tower with dwelling.	Private aid.
12280	- Channel Buoy 3	42-12-08.035N 070-42-51.265W				Green can.	
12285	- Channel Buoy 4	42-12-09.966N 070-42-55.208W				Red nun.	
12290	- Channel Buoy 5	42-12-08.265N 070-43-01.386W				Green can.	
12295	- Channel Buoy 6	42-12-09.951N 070-43-02.344W				Red nun.	
12300	- Channel Buoy 7	42-12-06.094N 070-43-08.949W				Green can.	
12305	- Channel Buoy 8	42-12-02.699N 070-43-18.088W				Red nun.	
12310	- Channel Buoy 9	42-12-01.968N 070-43-16.014W				Green can.	
12315	- Channel Buoy 11	42-11-53.876N 070-43-25.998W				Green can.	
12320	- Channel Buoy 13	42-11-51.675N 070-43-25.804W				Green can.	
<b>MASSACHUSETTS BAY (Chart 13267)</b>							
<b>New Inlet</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
12325	- <i>Lighted Bell Buoy 1</i>	42-10-12.606N 070-42-01.784W	FI G 2.5s		3	Green.	
12330	- Buoy 2	42-10-04.772N 070-42-17.346W				Red nun.	
12332	- Buoy 3	42-09-58.974N 070-42-20.957W				Green can.	
12335	- Buoy 4	42-09-57.976N 070-42-23.643W				Red nun.	
12340	- Buoy 6	42-09-49.821N 070-42-32.814W				Red nun.	
12342	- Buoy 7	42-09-47.102N 070-42-34.188W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>MASSACHUSETTS BAY (Chart 13267)</b>							
<b>New Inlet</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
12345	- Buoy 8	42-09-39.671N 070-42-47.365W				Red nun.	
12350	- Buoy 9	42-09-37.528N 070-42-46.890W				Green can.	
12355	North River Junction Buoy NR	42-09-37.801N 070-42-49.159W				Green can with red bands.	
<b>South River</b>							
<i>Aids maintained from May 1 to Oct. 31.</i>							
12360	- Buoy 2	42-09-27.134N 070-42-44.745W				Red nun.	
12361.2	- Buoy 4	42-09-22.980N 070-42-39.000W				Red nun.	Private aid.
12365	- Buoy 6	42-09-20.900N 070-42-23.900W				Red nun.	Private aid.
12369	- Buoy 7	42-09-11.300N 070-42-08.900W				Green can.	Private aid.
12370	- Buoy 8	42-09-06.200N 070-42-02.000W				Red nun.	Private aid.
12374	- Buoy 9	42-09-05.000N 070-42-00.900W				Green can.	Private aid.
12375	- Buoy 10	42-08-54.400N 070-42-07.600W				Red nun.	Private aid.
12380	- Buoy 12	42-08-46.400N 070-42-09.900W				Red nun.	Private aid.
12381	- Buoy 13	42-08-42.000N 070-42-09.000W				Green can.	Private aid.
12385	- Buoy 14	42-08-39.200N 070-42-08.200W				Red nun.	Private aid.
12390	- Buoy 16	42-08-32.000N 070-41-51.000W				Red nun.	Private aid.
12392	- Buoy 18	42-08-20.000N 070-41-39.000W				Red nun.	Private aid.
<b>New Inlet</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
12395	- Buoy 10	42-09-40.463N 070-42-55.446W				Red nun.	
12400	- Buoy 12	42-09-42.620N 070-43-04.225W				Red nun.	
<b>North River</b>							
<i>Positions of buoys frequently shifted with changing conditions. Aids maintained from May 1 to Oct. 31.</i>							
12403	- Buoy 12A	42-09-43.800N 070-43-09.000W				Red nun.	Private aid.
12405	- Buoy 13	42-09-51.300N 070-43-20.300W				Green can.	Private aid.
12407	- Buoy 14	42-09-53.400N 070-43-23.500W				Red nun.	Private aid.
12410	- Buoy 15	42-09-53.300N 070-43-30.900W				Green can.	Private aid.
12412	- Buoy 16	42-09-54.500N 070-43-28.500W				Red nun.	Private aid.
12415	- Buoy 17	42-09-51.400N 070-43-41.700W				Green can.	Private aid.
12418	- Buoy 18	42-09-52.200N 070-43-42.000W				Red nun.	Private aid.
12424	- Buoy 20	42-09-49.600N 070-43-46.700W				Red nun.	Private aid.
12425	- Buoy 21	42-09-44.500N 070-43-52.400W				Green can.	Private aid.
12426	- Buoy 22	42-09-45.700N 070-43-52.900W				Red nun.	Private aid.
12430	- Day beacon 23	42-09-37.600N 070-43-58.000W				SG on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>MASSACHUSETTS BAY (Chart 13267)</b>							
<b>North River</b>							
<i>Positions of buoys frequently shifted with changing conditions. Aids maintained from May 1 to Oct. 31.</i>							
12432	- Day beacon 24	42-09-38.300N 070-43-58.600W				TR on pile.	Private aid.
12435	- Buoy 25	42-09-40.700N 070-44-03.600W				Green can.	Private aid.
12436	- Buoy 27	42-09-43.000N 070-44-06.900W				Green can.	Private aid.
12438	- Buoy 29	42-09-42.500N 070-44-15.800W				Green can.	Private aid.
<b>Herring River</b>							
<i>Aids maintained from May 1 to Oct. 31.</i>							
12440	- Buoy 1	42-09-55.800N 070-43-23.800W				Green can.	Private aid.
12445	- Buoy 2	42-09-56.100N 070-43-23.800W				Red nun.	Private aid.
12450	- Buoy 3	42-09-59.500N 070-43-26.800W				Green can.	Private aid.
12455	- Buoy 4	42-09-57.500N 070-43-24.900W				Red nun.	Private aid.
12460	- Buoy 5	42-10-24.800N 070-44-04.200W				Green can.	Private aid.
12465	- Buoy 6	42-10-16.700N 070-43-56.000W				Red Nun.	Private aid.
12470	- Buoy 8	42-10-30.900N 070-44-09.500W				Red nun.	Private aid.
12475	- Buoy 9	42-10-28.400N 070-44-07.800W				Green can.	Private aid.
12480	- Buoy 10	42-10-31.740N 070-44-12.540W				Red nun.	Private aid.
12485	- Buoy 12	42-10-32.300N 070-44-19.500W				Red nun.	Private aid.
<b>PLYMOUTH, KINGSTON AND DUXBURY HARBORS (Chart 13253)</b>							
<b>Green Harbor Approach</b>							
12490	<i>Farnham Rock Lighted Bell Buoy 6</i>	42-05-35.849N 070-36-26.088W	FI R 4s		4	Red.	
12495	- Buoy 2GH	42-04-35.000N 070-36-50.000W				Red nun.	
12500	Bartlett Rock Isolated Danger Buoy BR	42-04-43.955N 070-37-48.901W				Black and red bands with two black spherical topmarks; can.	
12505	- Buoy 4	42-04-28.070N 070-37-42.529W					
<b>PLYMOUTH, KINGSTON AND DUXBURY HARBORS (Chart 13253)</b>							
<b>Green Harbor</b>							
12510	- Entrance Lighted Buoy 3	42-04-20.869N 070-38-21.130W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
12515	- Entrance Buoy 6	42-04-33.416N 070-38-32.662W				Red nun.	
12520	- BREAKWATER LIGHT 8	42-04-38.556N 070-38-35.340W	FI R 2.5s		3	TR on spindle.	
12523	- Channel Buoy 8A	42-04-47.640N 070-38-44.520W				Red nun.	
12525	- Buoy 9	42-04-50.772N 070-38-47.963W				Green can.	
12530	High Pine Ledge Buoy 10	42-02-04.391N 070-36-18.934W				Red nun.	
12531	- Buoy 11	42-05-02.484N 070-38-53.927W				Green can.	Private aid.
<b>Plymouth Bay</b>							
12535	- Entrance Lighted Bell Buoy 1	41-59-42.835N 070-35-24.308W	Q G		3	Green.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>PLYMOUTH, KINGSTON AND DUXBURY HARBORS (Chart 13253)</b>							
<b>Plymouth Bay</b>							
12540	Gurnet Rock Buoy 2	42-00-05.827N 070-35-39.816W				Red nun.	
12545	<b>Plymouth Light</b>	42-00-13.394N 070-36-02.167W	FI (3)W 30s	102	17 R 15	White, octagonal, pyramidal tower, white dwelling. 102	Red from 323° to 352°, covers Mary Ann Rocks. Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 15s (3s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
12555	- Channel Lighted Buoy 3	41-59-41.980N 070-36-05.996W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
12560	- Channel Buoy 4	41-59-50.906N 070-35-53.275W				Red nun.	
12565	- Channel Lighted Buoy 5	41-59-41.490N 070-36-53.436W	FI G 2.5s		4	Green.	
12570	- Channel Buoy 6	41-59-20.880N 070-37-55.665W				Red nun.	
12575	- Channel Buoy 7	41-59-22.481N 070-37-24.048W				Green can.	
<b>Duxbury Bay</b>							
12580	DUXBURY PIER LIGHT	41-59-14.732N 070-38-54.773W	FI (2)R 5s	35	6	Brown conical tower; upper half white.	Higher intensity beam seaward. HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
12585	- Channel Buoy 1	41-59-21.992N 070-39-10.667W				Green can.	
12590	- Channel Buoy 2	41-59-30.322N 070-39-01.547W				Red nun.	
12595	- Channel Buoy 2A	41-59-17.439N 070-39-04.360W				Red nun.	
12600	- Channel Buoy 4	42-00-00.472N 070-38-50.277W				Red nun.	
12605	- Channel Buoy 5	42-00-15.161N 070-38-52.187W				Green can.	
12610	- Channel Lighted Buoy 6	42-00-19.231N 070-38-51.047W	FI R 4s		3	Red.	Replaced by nun f from Oct. 15 to Mar. 15.
12615	- Channel Buoy 7	42-00-32.191N 070-39-04.828W				Green can.	
12620	- Channel Buoy 8	42-00-47.403N 070-39-14.709W				Red nun.	
12625	- Channel Buoy 9	42-00-58.091N 070-39-27.529W				Green can.	
12630	- Channel Lighted Buoy 10	42-01-08.961N 070-39-28.079W	FI R 4s		3	Red.	Replaced by nun f from Oct. 15 to Mar. 15.
12635	- Channel Buoy 11	42-01-32.519N 070-39-31.171W				Green can.	
12640	- Channel Buoy 12	42-01-33.642N 070-39-28.925W				Red nun.	
12645	- Channel Buoy 13	42-01-35.519N 070-39-35.307W				Green can.	



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>PLYMOUTH, KINGSTON AND DUXBURY HARBORS (Chart 13253)</b>							
<b>Duxbury Bay</b>							
12650	- Channel Buoy 14	42-01-39.481N 070-39-51.769W				Red nun.	
12655	- Channel Buoy 15	42-01-42.187N 070-39-58.093W				Green can.	
12660	- Channel Buoy 16	42-01-41.686N 070-39-55.702W				Red nun.	
12665	- Channel Buoy 18	42-01-44.156N 070-39-56.751W				Red nun.	
12670	- Channel Buoy 19	42-01-52.160N 070-39-56.197W				Green can.	
12675	- Channel Buoy 20	42-01-52.523N 070-39-54.897W				Red nun.	
12680	- Channel Buoy 21	42-02-11.436N 070-40-00.529W				Green can.	
12685	- Channel Buoy 22	42-02-09.268N 070-39-58.780W				Red nun.	
<b>Duxbury Bay Beach Channel</b>							
<i>Positions of buoys frequently shifted with changing conditions. Use only with local knowledge. Aids maintained from June 1 to Dec. 1.</i>							
12690	- Buoy 2BC	42-01-02.460N 070-38-17.280W				Red nun.	Private aid.
12695	- Buoy 4	42-01-13.560N 070-38-16.320W				Red nun.	Private aid.
12700	- Buoy 6	42-01-28.800N 070-38-18.180W				Red nun.	Private aid.
12705	- Buoy 8	42-01-39.660N 070-38-14.400W				Red nun.	Private aid.
12710	- Buoy 10	42-01-45.840N 070-38-11.100W				Red nun.	Private aid.
12715	- Buoy 12	42-01-55.080N 070-38-07.560W				Red nun.	Private aid.
12720	- Buoy 14	42-02-10.860N 070-38-15.180W				Red nun.	Private aid.
12725	- Buoy 16	42-02-28.260N 070-38-17.340W				Red nun.	Private aid.
12727	- Buoy 17	42-02-31.100N 070-38-22.900W				Green can.	Private aid.
12730	- Buoy 18	42-02-40.920N 070-38-32.460W				Red nun.	Private aid.
12735	- Buoy 20	42-02-46.200N 070-38-46.020W				Red nun.	Private aid.
12740	- Buoy 22	42-02-51.600N 070-38-55.680W				Red nun.	Private aid.
12741	- Buoy 24	42-02-47.600N 070-38-54.900W				Red nun.	Private aid.
<b>The Nummet Channel</b>							
12744	- Buoy NC	41-59-03.361N 070-39-19.768W				Red and green bands.	
12905							
12745	- Buoy 2	41-59-05.372N 070-39-31.128W				Red nun.	
12750	- Buoy 4	41-59-13.372N 070-39-59.129W				Red nun.	
12755	- Buoy 6	41-59-21.372N 070-40-16.500W				Red nun.	
12760	- Buoy 7	41-59-26.228N 070-40-40.932W				Green can.	
12764	- Buoy 8	41-59-27.726N 070-40-41.453W				Red nun.	
12765	- Buoy 9	41-59-19.481N 070-40-49.786W				Green can.	
12766	Plymouth Boat Yard Buoy 1	41-59-10.800N 070-40-55.200W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>PLYMOUTH, KINGSTON AND DUXBURY HARBORS (Chart 13253)</b>							
<b>The Nummet Channel</b>							
<b>Kingston Channel</b>							
<i>Positions of buoys frequently shifted with changing conditions. Use only with local knowledge. Aids maintained from May 15 to Nov. 1.</i>							
12770	- Buoy 2	41-59-31.400N 070-39-40.100W				Red nun.	Private aid.
12775	- Buoy 4	41-59-38.100N 070-39-53.000W				Red nun.	Private aid.
12780	- Buoy 6	41-59-45.900N 070-40-06.700W				Red nun.	Private aid.
12785	Standish Shore Guzzle Buoy 2S	42-00-07.800N 070-40-14.400W				Red nun.	Private aid.
12790	Standish Shore Guzzle Buoy 4	42-00-19.200N 070-40-08.040W				Red nun.	Private aid.
12795	Standish Shore Guzzle Buoy 6	42-00-27.000N 070-39-56.700W				Red nun.	Private aid.
12800	- Buoy 8	41-59-53.400N 070-40-23.000W				Red nun.	Private aid.
12805	- Buoy 10	41-59-55.100N 070-40-29.700W				Red nun.	Private aid.
12815	- Buoy 12	42-00-07.200N 070-40-37.600W				Red nun.	Private aid.
12820	- Buoy 14	42-00-13.500N 070-40-53.100W				Red nun.	Private aid.
12825	- Buoy 16	42-00-17.000N 070-41-00.530W				Red nun.	Private aid.
12830	- Buoy 18	42-00-18.800N 070-41-17.070W				Red nun.	Private aid.
12835	- Buoy 20	42-00-24.700N 070-41-29.700W				Red nun.	Private aid.
12840	- Buoy 22	42-00-27.100N 070-41-37.460W				Red nun.	Private aid.
12845	- Buoy 24	42-00-27.000N 070-41-45.600W				Red nun.	Private aid.
12850	- Buoy 26	42-00-23.500N 070-41-53.300W				Red nun.	Private aid.
12855	- Buoy 28	42-00-20.200N 070-42-00.000W				Red nun.	Private aid.
12860	- Buoy 30	42-00-18.700N 070-42-07.500W				Red nun.	Private aid.
12865	- Buoy 32	42-00-12.800N 070-42-15.100W				Red nun.	Private aid.
12870	- Buoy 34	42-00-11.400N 070-42-20.800W				Red nun.	Private aid.
12875	- Buoy 36	42-00-13.500N 070-42-26.300W				Red nun.	Private aid.
12885	- Buoy 38	42-00-15.800N 070-42-30.100W				Red nun.	Private aid.
12890	- Buoy 40	42-00-16.100N 070-42-35.300W				Red nun.	Private aid.
12895	- Buoy 42	42-00-13.300N 070-42-36.800W				Red nun.	Private aid.
12900	- Buoy 44	42-00-08.400N 070-42-33.000W				Red nun.	Private aid.
<b>Plymouth Harbor</b>							
<i>Positions of buoys are frequently shifted with changing conditions. Use only with local knowledge.</i>							
12905	The Nummet Channel Buoy	41-59-03.361N				Red and green	
12744	NC	070-39-19.768W				bands.	
12910	- Channel Lighted Bell Buoy 9	41-59-06.772N 070-39-15.377W	Fl G 4s		4	Green.	Removed when endangered by ice.
12915	- Channel Buoy 10	41-58-53.952N 070-39-23.227W				Red nun.	
12920	- Channel Buoy 11	41-58-54.052N 070-39-20.307W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>PLYMOUTH, KINGSTON AND DUXBURY HARBORS (Chart 13253)</b>							
<b>Plymouth Harbor</b>							
<i>Positions of buoys are frequently shifted with changing conditions. Use only with local knowledge.</i>							
12925	- CHANNEL LIGHT 12 50 feet west of channel limit.	41-58-47.270N 070-39-24.415W	Q R	16	3	TR on skeleton tower on black cylindrical pier.	
12930	- Channel Buoy 13	41-58-44.502N 070-39-18.937W				Green can.	
12935	Plymouth Beach Jetty Day beacon	41-58-46.291N 070-39-11.586W				NW on spindle on granite cribwork worded DANGER SUBMERGED JETTY.	
12940	- Channel Buoy 14	41-58-31.102N 070-39-10.437W				Red nun.	
12945	- Channel Buoy 15	41-58-20.643N 070-38-56.507W				Green can.	
12950	- Channel Buoy 16	41-58-05.952N 070-38-46.756W				Red nun.	
12955	- CHANNEL LIGHT 17 50 feet east of channel limit.	41-58-03.096N 070-38-41.712W	FI G 4s	16	5	SG on skeleton tower on black cylindrical pier.	
12960	- Channel Buoy 18 Marks end of shoal.	41-57-59.272N 070-38-49.996W				Red nun.	
12965	- Channel Buoy 19	41-57-55.342N 070-38-50.886W				Green can.	
12980	- Channel Buoy 20	41-57-44.892N 070-39-12.046W				Red nun.	
12985	- Channel Buoy 21	41-57-42.812N 070-39-10.796W				Green can.	
12990	- Channel Buoy 22	41-57-41.950N 070-39-19.576W				Red nun.	
13005	- Channel Buoy 23	41-57-34.012N 070-39-31.287W				Green can.	
13010	- Channel Buoy 24	41-57-36.434N 070-39-34.838W				Red nun.	
13015	- Channel Buoy 25	41-57-35.722N 070-39-38.655W				Green can.	
13020	- Channel Buoy 27	41-57-39.086N 070-39-47.410W				Green can.	
13025	- Channel Buoy 29	41-57-41.262N 070-39-53.308W				Green can.	
<b>Pilgrim Power Plant Security Zone</b>							
13026	- Buoy A	41-57-02.700N 070-34-51.840W				White with orange bands, can.	Marked "Restricted Area". Private aid.
13027	- Buoy B	41-57-06.240N 070-34-48.924W				White with orange bands, can.	Marked "Restricted Area". Private aid.
13028	- Lighted Buoy C	41-57-13.056N 070-34-43.122W	FI W 4s			White with orange bands.	Marked "Restricted Area". Private aid.
13029	- Buoy D	41-57-08.346N 070-34-35.928W				White with orange bands, can.	Marked "Restricted Area". Private aid.
<b>CAPE COD BAY (Chart 13246)</b>							
<b>Pilgrim Power Plant Security Zone</b>							
13030	- Buoy E	41-57-03.942N 070-34-31.686W				White with orange bands, can.	Marked "Restricted Area". Private aid.
13031	- Buoy F	41-57-00.792N 070-34-24.216W				White with orange bands, can.	Marked "Restricted Area". Private aid.
13032	- Buoy G	41-56-55.332N 070-34-17.766W				White with orange bands, can.	Marked "Restricted Area". Private aid.
13033	- Buoy H	41-56-52.188N 070-34-12.948W				White with orange bands, can.	Marked "Restricted Area". Private aid.
13034	- Buoy I	41-56-47.802N 070-34-05.664W				White with orange bands, can.	Marked "Restricted Area". Private aid.
13034.1	- Lighted Buoy J	41-56-42.732N 070-33-57.750W	FI W 4s			White with orange bands.	Marked "Restricted Area". Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>CAPE COD BAY (Chart 13246)</b>							
<b>Pilgrim Power Plant Security Zone</b>							
13034.2	- Buoy K	41-56-40.536N 070-34-03.264W				White with orange bands, can.	Marked "Restricted Area". Private aid.
13034.3	- Buoy L	41-56-33.744N 070-34-06.426W				White with orange bands, can.	Marked "Restricted Area". Private aid.
<b>Cape Cod Canal Approach</b>							
13035	<i>Mary Ann Rocks Lighted Whistle Buoy 12</i>	41-55-06.617N 070-30-22.127W	FI R 2.5s		4	Red.	
13037	<i>WHG Research Lighted Buoy W</i>	41-50-25.038N 070-19-43.068W	FI (5)Y 20s			Yellow.	Property of Woods Hole Group Research. Private aid.
13040	- <i>Lighted Bell Buoy CC</i>	41-48-52.892N 070-27-38.799W	Mo (A) W		4	Red and white stripes with red spherical topmark.	AIS: MMSI 993672152 (21)
13045	- <i>Lighted Buoy 1</i>	41-47-05.783N 070-28-06.498W	FI G 2.5s		4	Green.	
<b>Cape Cod Canal Eastern Entrance</b>							
13050	CAPE COD CANAL BREAKWATER LIGHT 6	41-46-47.220N 070-29-23.280W	FI R 5s	43	9	TR on red cylindrical.	HORN: 1 blast ev 15s (2s bl). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
13060	- <i>Lighted Bell Buoy 3</i>	41-46-48.874N 070-28-55.972W	Q G		3	Green.	
13065	- <i>Lighted Buoy 4</i>	41-46-49.682N 070-29-17.303W	Q R		3	Red.	
13070	- Buoy 5	41-46-38.683N 070-29-24.909W				Green can.	
13075	- Buoy 7 Off end of submerged breakwater.	41-46-34.777N 070-29-36.374W				Green can.	
13080	- RANGE FRONT LIGHT	41-46-17.714N 070-30-32.515W	Oc G 4s		38	KRW on skeleton tower.	Visible 4° each side of range line.
13085	- RANGE REAR LIGHT 267 yards, 244.9° from front light.	41-46-14.356N 070-30-42.083W	F G		51	KRW on skeleton tower.	Visible 4° each side of range line.
<b>Barnstable Harbor</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
13090	- <i>Entrance Lighted Bell Buoy BH</i>	41-45-16.390N 070-16-25.678W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
13095	- Entrance Buoy 1	41-44-42.676N 070-16-22.466W				Green can.	
13100	- Entrance Buoy 2 Marks easterly side of rock.	41-44-25.381N 070-16-19.937W				Red nun.	
13105	- Entrance Buoy 3	41-44-09.659N 070-16-15.512W				Green can	
13106	- Entrance Buoy 4	41-43-51.666N 070-16-17.360W				Red nun.	
13110	- <i>Entrance Lighted Buoy 6</i> Marks outer extremity of shoal.	41-43-26.417N 070-16-12.417W	FI R 2.5s		3	Red.	Replaced by nun from Oct. 15 to Apr. 15.
13115	- Buoy 7	41-43-16.113N 070-16-44.778W				Green can.	
13117	SANDY NECK LIGHT	41-43-22.000N 070-16-52.000W	FI W 6s			Brick structure.	Private aid.
13120	- <i>Lighted Buoy 8</i>	41-43-15.593N 070-17-04.478W	FI R 4s		4	Red.	Replaced by can from Oct. 15 to Apr. 15.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>CAPE COD BAY (Chart 13246)</b>							
<b>Barnstable Harbor</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
13125	- Lighted Buoy 9 On south-southeast side of shoal.	41-42-56.867N 070-17-25.230W	FI G 4s		3	Green.	Replaced by nun from Oct. 15 to Apr. 15.
13130	- Buoy 11 Marks north side of Baxter Rock.	41-42-50.183N 070-17-41.899W				Green can.	
13135	Maraspin Creek Lighted Buoy 1	41-42-44.500N 070-17-59.500W	FI G 4s			Green	Maintained from Jun 1 to Nov 1. Private aid.
13135.1	Maraspin Creek Day beacon 2	41-42-40.500N 070-18-03.700W				TR	Maintained from Jun 1 to Nov 1. Private aid.
13135.2	Maraspin Creek Day beacon 3	41-42-40.600N 070-18-02.300W				SG	Maintained from Jun 1 to Nov 1. Private aid.
13135.3	Maraspin Creek Day beacon 4	41-42-38.900N 070-18-04.300W				TR	Maintained from Jun 1 to Nov 1. Private aid.
13135.4	Maraspin Creek Day beacon 5	41-42-38.400N 070-18-03.600W				SG	Maintained from Jun 1 to Nov 1. Private aid.
13135.5	Maraspin Creek Day beacon 6	41-42-35.900N 070-18-05.900W				TR	Maintained from Jun 1 to Nov 1. Private aid.
13135.6	Maraspin Creek Day beacon 7	41-42-35.200N 070-18-05.200W				SG	Maintained from Jun 1 to Nov 1. Private aid.
13135.7	Maraspin Creek Day beacon 8	41-42-31.900N 070-18-04.700W				TR	Maintained from Jun 1 to Nov 1. Private aid.
13135.8	Maraspin Creek Day beacon 9	41-42-32.600N 070-18-04.200W				SG	Maintained from Jun 1 to Nov 1. Private aid.
13135.81	Maraspin Creek Day beacon 10	41-42-29.900N 070-18-03.300W				TR	Maintained from Jun 1 to Nov 1. Private aid.
13135.82	Maraspin Creek Day beacon 11	41-42-29.900N 070-18-03.900W				SG	Maintained from Jun 1 to Nov 1. Private aid.
13136	Salten Point Buoy 1	41-42-45.400N 070-18-12.000W				Green can.	Private aid.
13137	Salten Point Buoy 2	41-42-45.300N 070-18-17.700W				Red nun.	Private aid.
13137.5	Salten Point Buoy 4	41-42-44.500N 070-18-29.030W				Red nun.	Private aid.
13138	Salten Point Buoy 5	41-42-42.500N 070-18-33.800W				Green can.	Private aid.
13139	Salten Point Buoy 6	41-42-42.400N 070-18-41.500W				Red nun.	Private aid.
<b>Sesuit Harbor</b>							
13139.5	- Danger Buoy	41-45-31.500N 070-10-03.100W				White with orange bands.	Private aid.
13140	- Approach Lighted Bell Buoy 1S	41-46-27.100N 070-09-48.900W	FI G 4s		4	Green.	
13150	- WEST JETTY LIGHT 2	41-45-31.520N 070-09-22.380W	FI R 2.5s	12	5	TR on modular tower.	
13155	- East Jetty Day beacon 3	41-45-30.520N 070-09-18.300W				SG on pile.	
13158	- Lighted Buoy 4	41-45-25.800N 070-09-17.700W	FI R 2s			Red nun.	Private aid.
13159	- Lighted Buoy 5	41-45-19.800N 070-09-12.600W	FI G 2s			Green can.	Private aid.
<b>Wellfleet Harbor</b>							
13160	Billingsgate Shoal Lighted Bell Buoy 1	41-48-52.707N 070-10-47.846W	FI G 4s		3	Green.	
13161	ROCK HARBOR EAST JETTY LIGHT	41-48-02.360N 070-00-32.730W	FI G 4s			Steel tower.	Private aid.
13162	ROCK HARBOR WEST JETTY LIGHT	41-48-00.540N 070-00-31.620W	FI R 4s			Steel tower.	Private aid.
13174	James Longstreet Isolated Danger Lighted Buoy DJ	41-49-52.577N 070-02-40.455W	FI (2)W 5s		4	Black and red bands with two black spherical topmarks.	Replaced by can when endangered by ice.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>CAPE COD BAY (Chart 13246)</b>							
<b>Wellfleet Harbor</b>							
13180	<i>Billingsgate Flat Lighted Buoy 3</i>	41-50-48.779N 070-02-53.368W	FI G 2.5s		4	Green.	Replaced by LIB when endangered by ice.
13185	<i>Billingsgate Lighted Buoy 5</i>	41-51-59.921N 070-03-18.550W	FI G 4s		4	Green.	Replaced by can f from Oct. 15 to Apr. 15.
13190	Billingsgate Island Buoy 6 At south end of middle ground.	41-52-18.168N 070-03-37.746W				Red nun.	
13195	<i>Billingsgate Island Lighted Buoy 8</i> At north end of middle ground.	41-52-31.738N 070-03-39.408W	FI R 2.5s		4	Red.	Replaced by nun f from Oct. 15 to Apr. 15.
13200	- <i>Channel Lighted Buoy 10</i>	41-53-49.836N 070-02-20.967W	FI R 4s		4	Red.	Replaced by nun f from Oct. 15 to Apr. 15.
13205	- Channel Buoy 11	41-54-31.680N 070-02-22.326W				Green can.	
13210	- Channel Buoy 12	41-55-05.523N 070-02-20.463W				Red nun.	
13215	- Channel Buoy 13	41-55-16.579N 070-02-15.547W				Green can.	
13220	- BREAKWATER LIGHT 14	41-55-31.477N 070-02-06.990W	FI R 2.5s	16	5	TR on spindle.	
13221	- Buoy 14A	41-55-35.000N 070-02-06.000W				Red nun.	Private aid.
13222	- Buoy 14B	41-55-38.800N 070-02-01.300W				Red nun.	Private aid.
13225	- Channel Buoy 15	41-55-36.152N 070-02-08.017W				Green can.	
13226	- Channel Buoy 15A	41-55-41.280N 070-02-01.260W				Green can.	Private aid.
13230	- Channel Buoy 16	41-55-40.974N 070-01-55.110W				Red nun.	
<b>Duck Creek</b>							
<i>Aids maintained from Apr. 15 to Oct. 15.</i>							
13235	- Buoy 1	41-55-43.000N 070-01-40.000W				Green can.	Private aid.
13240	- Buoy 2	41-55-41.800N 070-01-38.900W				Red nun.	Private aid.
13245	- Buoy 3	41-55-44.000N 070-01-29.900W				Green can.	Private aid.
13250	- Buoy 4	41-55-43.300N 070-01-29.400W				Red nun.	Private aid.
13255	- Buoy 5	41-55-47.300N 070-01-26.900W				Green can.	Private aid.
13260	- Buoy 6	41-55-46.900N 070-01-25.700W				Red nun.	Private aid.
13260.1	PAMET RIVER NORTH BREAKWATER LIGHT 1	41-59-32.100N 070-04-48.000W	FI G 4s				Private aid.
13260.2	<i>Pamet River Entrance Lighted Buoy 2</i>	41-59-30.000N 070-04-49.900W	FI R 4s			Red.	Private aid.
13260.4	Pamet River Buoy 4	41-59-30.600N 070-04-45.700W				Red nun.	Private aid.
13260.7	Pamet River Buoy 7	41-59-31.600N 070-04-34.000W				Green can.	Private aid.
13260.9	Pamet River Buoy 10	41-59-30.300N 070-04-27.300W					Private aid.
<b>Provincetown Harbor Approach</b>							
13265	- <i>Lighted Bell Buoy 1</i>	42-00-21.959N 070-11-33.348W	FI G 4s		4	Green.	
13267	Race Point Coast Guard Station Mooring Buoy C	42-02-00.514N 070-10-39.256W				White can with blue stripe.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>CAPE COD BAY (Chart 13246)</b>							
<b>Provincetown Harbor Approach</b>							
13270	<b>Wood End Light</b>	42-01-16.800N 070-11-36.500W	FI R 10s	45	13	White square tower. 39	Light may also be displayed during daytime when sound signal is in operation. HORN: 1 blast ev 30s (3s bl). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
13275	LONG POINT LIGHT	42-01-59.230N 070-10-07.150W	Oc G 4s	36	8	White square tower.	HORN: 1 blast ev 15s (2s bl). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
13280	<i>Long Point Shoal Lighted Bell Buoy 3</i>	42-02-02.561N 070-09-40.413W	Q G		3	Green.	
13283	Provincetown Harbor Mooring Buoy E	42-02-10.301N 070-10-43.654W				White and blue.	
13285	PROVINCETOWN HARBOR BREAKWATER WEST END LIGHT 4	42-02-45.533N 070-10-52.025W	FI R 2.5s	32	5	TR on spindle.	
13290	PROVINCETOWN HARBOR BREAKWATER EAST END LIGHT 5	42-03-05.080N 070-10-32.707W	FI G 6s	32	5	SG on spindle.	
13300	HIGH HEAD FISH TRAP LIGHT	42-02-45.000N 070-07-17.000W	FI Y 4s	10		White sign with black numerals.	Maintained from 15 March to 01 July. Private aid.
13301	<i>Provincetown Aquaculture Lighted Buoy A</i>	42-03-01.500N 070-09-31.000W	FI Y 4s			Yellow.	Private aid.
13301.1	<i>Provincetown Aquaculture Lighted Buoy B</i>	42-03-04.800N 070-09-29.600W	FI Y 4s			Yellow.	Private aid.
13301.2	<i>Provincetown Aquaculture Lighted Buoy C</i>	42-02-43.000N 070-08-12.000W	FI Y 4s			Yellow.	Private aid.
13301.3	<i>Provincetown Aquaculture Lighted Buoy D</i>	42-02-47.000N 070-08-12.000W	FI Y 4s			Yellow.	Private aid.
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Chatham Harbor Approach</b>							
13305	<b>Chatham Inlet Bar Guide Light</b>	41-40-17.600N 069-57-00.200W	FI Y 2.5s	62	11	NW on Pole worded DANGER ROUGH BAR. 30	Light flashing: bar condition two foot breaking seas or greater. Light extinguished: lesser sea conditions but with no guarantee that bar is safe.
<b>CAPE COD BAY (Chart 13246)</b>							
<b>Provincetown Harbor Approach</b>							
<b>Southway Mid-Channel</b>							
<i>Aids not charted due to numerous aids in area. Use with local knowledge.</i>							
13306	- Buoy A	41-39-24.300N 069-58-54.200W				Red and white sphere.	Private aid.
13306.1	- Buoy B	41-39-20.100N 069-58-49.600W				Red and white sphere.	Private aid.
13306.2	- Buoy C	41-39-15.900N 069-58-44.600W				Red and white sphere.	Private aid.
13306.3	- Buoy D	41-39-10.400N 069-58-44.900W				Red and white sphere.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>CAPE COD BAY (Chart 13246)</b>							
<b>Provincetown Harbor Approach</b>							
<b>Southway Mid-Channel</b>							
<i>Aids not charted due to numerous aids in area. Use with local knowledge.</i>							
13306.4	- Buoy E	41-39-00.600N 069-58-44.500W				Red and white sphere.	Private aid.
13306.5	- Buoy F	41-39-57.000N 069-58-34.100W				Red and white sphere.	Private aid.
13306.6	- Buoy G	41-39-05.700N 069-58-27.900W				Red and white sphere.	Private aid.
13306.7	- Buoy H	41-39-11.300N 069-58-18.800W				Red and white sphere.	Private aid.
13306.8	- Buoy I	41-39-12.200N 069-58-08.700W				Red and white sphere.	Private aid.
13306.9	- Buoy J	41-39-05.700N 069-57-50.400W				Red and white sphere.	Private aid.
13308.51	- Buoy OMH	41-39-42.660N 069-57-13.140W				Red and white.	Private aid.
<b>Chatham Midchannel</b>							
<i>Aids not charted due to numerous aids in area. Use with local knowledge.</i>							
13308.95	Outermost Harbor Mid Channel Buoy A	41-39-30.180N 069-57-18.300W				Red and white sphere.	Positions of buoys frequently shifted with changing conditions. Private aid.
<b>Chatham Harbor</b>							
<i>Aids maintained Apr. 15 to Oct. 15.</i>							
13309	- Buoy 1	41-39-59.500N 069-56-24.900W				Green can.	Positions of buoys frequently shifted with changing conditions. Private aid.
13310	- Buoy 2	41-39-58.100N 069-56-34.900W				Red nun.	Positions of buoys frequently shifted with changing conditions. Private aid.
13315	- Buoy 3	41-40-08.900N 069-56-43.900W				Green can.	Positions of buoys frequently shifted with changing conditions. Private aid.
13320	- Buoy 4	41-40-22.500N 069-56-42.400W				Red nun.	Positions of buoys frequently shifted with changing conditions. Private aid.
13325	- Buoy 5	41-40-39.100N 069-56-42.500W				Green can.	Private aid.
13330	- Buoy 6	41-40-05.940N 069-56-39.000W				Red nun.	Private aid.
13333	North Beach Cut Mid-Channel Buoy A	41-41-46.680N 069-55-36.000W				Red and white sphere.	Private aid.
13333.1	North Beach Cut Mid-Channel Buoy B	41-41-49.500N 069-55-46.440W				Red and white sphere.	Private aid.
13333.2	North Beach Cut Mid-Channel Buoy C	41-42-01.920N 069-55-46.740W				Red and white sphere.	Private aid.
13333.3	North Beach Cut Mid-Channel Buoy D	41-42-14.340N 069-55-48.900W				Red and white sphere.	Private aid.
13333.4	North Beach Cut Mid-Channel Buoy E	41-42-21.960N 069-55-54.840W				Red and white sphere.	Private aid.
13333.5	North Beach Cut Mid-Channel Buoy F	41-42-25.680N 069-56-12.540W				Red and white sphere.	Private aid.
13333.6	North Beach Cut Mid-Channel Buoy G	41-42-24.720N 069-56-29.940W				Red and white sphere.	Private aid.
13333.7	North Beach Cut Mid-Channel Buoy H	41-42-24.780N 069-56-29.700W				Red and white sphere.	Private aid.
<b>CHATHAM HARBOR AND PLEASANT BAY (Chart 13248)</b>							
<b>Aunt Lydias Cove</b>							
<i>Aids maintained Apr. 15 to Oct. 15.</i>							
13335	Bassing Harbor Buoy 2	41-42-46.600N 069-57-53.700W				Red nun.	Private aid.
13336	Bassing Harbor Buoy 3	41-42-48.840N 069-57-59.940W				Green can.	Private aid.
13337	Bassing Harbor Buoy 4	41-42-39.660N 069-58-17.460W				Red nun.	Private aid.



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>CHATHAM HARBOR AND PLEASANT BAY (Chart 13248)</b>							
<b>Aunt Lydias Cove</b>							
<i>Aids maintained Apr. 15 to Oct. 15.</i>							
13340	- Buoy 1	41-40-51.400N 069-56-50.300W				Green can.	Private aid.
13350	- Buoy 2	41-40-56.900N 069-56-50.300W				Red nun.	Private aid.
13355	- Buoy 3	41-40-59.100N 069-56-52.300W				Green can.	Private aid.
13360	- Buoy 4	41-40-23.100N 069-56-41.600W				Red nun.	Private aid.
13365	- Buoy 5	41-41-06.900N 069-56-55.400W				Green can.	Private aid.
13370	- Buoy 6	41-41-09.700N 069-56-55.900W				Red nun.	Private aid.
<b>Round Cove</b>							
<i>Aids maintained May 1 to Nov. 1.</i>							
13390	- Channel Buoy 1	41-43-02.700N 069-59-40.200W				Green can.	Private aid.
13391	- Channel Buoy 2	41-43-03.900N 069-59-41.400W				Red nun.	Private aid.
13392	- Channel Buoy 3	41-43-03.200N 069-59-43.200W				Green can.	Private aid.
13393	- Channel Buoy 4	41-43-04.100N 069-59-43.400W				Red nun.	Private aid.
13394	- Channel Buoy 6	41-43-04.140N 069-59-46.500W				Red nun.	Private aid.
13395	- Channel Buoy 7	41-43-10.400N 069-59-48.400W				Green can.	Private aid.
<b>Pleasant Bay</b>							
<i>Aids maintained from May 15 to Nov. 1.</i>							
13398	Strong Island Rock Buoy	41-43-30.900N 069-56-59.220W					Marked DANGER ROCKS Private aid.
13399	- Junction Buoy	41-42-42.400N 069-57-33.000W				Red green bands: nun.	Private aid.
13400	- Buoy 6	41-40-44.200N 069-56-35.400W				Red nun.	Private aid.
13405	- Buoy 7	41-40-54.000N 069-56-27.500W				Green can.	Private aid.
13410	- Buoy 8	41-41-07.400N 069-56-20.300W				Red nun.	Private aid.
13415	- Buoy 9	41-41-25.300N 069-56-17.900W				Green can.	Private aid.
13420	- Buoy 10	41-41-40.400N 069-56-12.400W				Red nun.	Private aid.
13425	- Buoy 11	41-41-49.900N 069-56-20.200W				Green can.	Private aid.
13430	- Buoy 12	41-42-06.400N 069-56-26.600W				Red nun.	Private aid.
13435	- Buoy 13	41-42-17.800N 069-56-36.900W				Green can.	Private aid.
13437	- Buoy 14	41-42-27.300N 069-56-40.200W				Red nun.	Private aid.
13440	- Buoy 15	41-42-28.700N 069-56-55.400W				Green can.	Private aid.
13445	- Buoy 16	41-42-34.900N 069-57-02.700W				Red nun.	Private aid.
13450	- Buoy 17	41-42-35.000N 069-57-23.400W				Green can.	Private aid.
13455	- Buoy 18	41-42-40.700N 069-57-30.500W				Red nun.	Private aid.
13460	- Buoy 19	41-42-42.900N 069-57-36.900W				Green can.	Private aid.
13465	- Buoy 20	41-42-53.600N 069-57-40.700W				Red nun.	Private aid.
13470	- Buoy 21	41-42-53.000N 069-57-40.600W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>CHATHAM HARBOR AND PLEASANT BAY (Chart 13248)</b>							
<b>Pleasant Bay</b>							
<i>Aids maintained from May 15 to Nov. 1.</i>							
13475	- Buoy 22	41-43-07.800N 069-57-46.300W				Red nun.	Private aid.
13475.1	- Buoy 23	41-43-12.600N 069-57-49.700W				Green can.	Private aid.
13475.2	- Buoy 24	41-43-20.100N 069-57-51.100W				Red nun.	Private aid.
13475.3	- Buoy 25	41-43-28.000N 069-57-56.400W				Green can.	Private aid.
13475.4	- Buoy 26	41-43-27.100N 069-57-00.080W				Red nun.	Private aid.
13475.5	- Buoy 27	41-43-23.500N 069-57-08.000W				Green can.	Private aid.
13475.6	- Buoy 28	41-43-25.620N 069-58-23.400W				Red nun.	Private aid.
13475.7	- Buoy 29	41-43-25.300N 069-58-23.900W				Green can.	Private aid.
13475.8	- Buoy 30	41-43-24.100N 069-58-15.600W				Red nun.	Private aid.
13475.9	- Buoy 31	41-43-23.900N 069-58-24.500W				Green can.	Private aid.
13475.91	Quanset Pond Buoy 2	41-44-10.000N 069-58-53.000W				Red nun.	Private aid.
13475.92	Quanset Pond Buoy 4	41-44-14.800N 069-58-53.700W				Red nun.	Private aid.
13476	- Buoy 32	41-43-25.800N 069-58-25.400W				Red nun.	Private aid.
<b>Little Pleasant Bay</b>							
<i>Aids maintained from May 1 to Nov. 1, unless otherwise noted.</i>							
13476.1	- Buoy 32A	41-43-39.700N 069-58-23.000W				Red nun.	Private aid.
13476.12	- Buoy 34	41-43-51.500N 069-58-12.700W				Red nun.	Private aid.
13476.13	- Buoy 35	41-44-03.200N 069-57-59.400W				Green can.	Private aid.
13476.14	- Buoy 36	41-44-01.400N 069-57-59.700W				Red nun.	Private aid.
13476.15	- Buoy 37	41-44-06.000N 069-57-55.800W				Green can.	Private aid.
13476.16	- Buoy 38	41-44-06.000N 069-57-54.700W				Red nun.	Private aid.
13476.17	- Buoy 39	41-44-13.100N 069-57-56.900W				Green can.	Private aid.
13476.18	- Buoy 40	41-44-23.100N 069-57-57.000W				Red nun.	Private aid.
13476.19	- Buoy 41	41-44-28.300N 069-57-54.700W				Green can.	Private aid.
13476.2	- Buoy 42	41-44-36.200N 069-57-49.200W				Red nun.	Private aid.
13476.21	- Buoy 43	41-44-42.900N 069-57-54.700W				Green can.	Private aid.
13476.22	- Buoy 44	41-44-52.300N 069-58-03.800W				Red nun.	Private aid.
13476.24	- Buoy 46	41-45-01.600N 069-58-00.400W				Red nun.	Private aid.
13476.25	Paw Wah Pond Entrance Buoy 1	41-45-12.000N 069-58-06.000W				Green can.	Private aid.
13476.26	- Buoy 48	41-45-08.400N 069-57-49.000W				Red nun.	Private aid.
13476.27	Paw Wah Pond Entrance Buoy 2	41-45-09.900N 069-58-02.100W				Red nun.	Private aid.
13476.28	- Buoy 50	41-45-12.500N 069-57-38.400W				Red nun.	Private aid.
13476.29	- Buoy 51	41-45-23.000N 069-57-29.200W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>CHATHAM HARBOR AND PLEASANT BAY (Chart 13248)</b>							
<b>Pleasant Bay</b>							
<b>Little Pleasant Bay</b>							
<i>Aids maintained from May 1 to Nov. 1, unless otherwise noted.</i>							
13476.3	- Buoy 52	41-45-31.400N 069-57-27.500W				Red nun.	Private aid.
13476.31	- Buoy 53	41-45-31.200N 069-57-29.400W				Green can.	Private aid.
13476.32	- Buoy 54	41-45-36.400N 069-57-40.200W				Red nun.	Private aid.
13476.33	- Buoy 55	41-45-43.200N 069-57-43.500W				Green can.	Private aid.
13476.34	- Buoy 56	41-45-49.900N 069-57-44.900W				Red nun.	Private aid.
13476.35	- Buoy 57	41-45-56.200N 069-57-48.900W				Green can.	Private aid.
13476.36	- Buoy 58	41-46-02.800N 069-57-51.600W				Red nun.	Private aid.
13476.37	- Buoy 59	41-46-10.100N 069-57-57.100W				Green can.	Private aid.
13476.38	- Buoy 60	41-46-15.900N 069-57-57.500W				Red nun.	Private aid.
13476.39	- Buoy 61	41-46-20.700N 069-57-52.900W				Green can.	Private aid.
13476.41	- Buoy 63	41-46-25.200N 069-57-57.000W				Green can.	Private aid.
13476.42	- Buoy 64	41-46-45.200N 069-58-05.400W				Red nun.	Private aid.
13476.43	- Buoy 65	41-46-45.700N 069-58-06.100W				Green can.	Private aid.
<b>Ryder Cove</b>							
<i>Aids maintained from May 15 to Nov. 1 unless otherwise noted.</i>							
13477	- Buoy 1	41-42-41.600N 069-57-40.700W				Green can.	Private aid.
13480	- Buoy 2	41-42-44.900N 069-57-44.000W				Red nun.	Private aid.
13485	- Buoy 3	41-42-45.100N 069-57-48.700W				Green can.	Private aid.
13486	- Buoy 4	41-42-41.000N 069-57-48.700W				Red nun.	Private aid.
13487	- Buoy 5	41-42-39.900N 069-58-00.000W				Green can.	Private aid.
13495	- Buoy 6	41-42-32.300N 069-58-08.400W				Red nun.	Private aid.
13500	- Buoy 7	41-42-28.500N 069-58-10.100W				Green can.	Private aid.
13501	- Buoy 8	41-42-24.400N 069-58-15.300W				Red nun.	Private aid.
13505	- Buoy 9	41-42-24.360N 069-58-21.600W				Green can.	Private aid.
13506	- Buoy 10	41-42-17.100N 069-58-36.060W				Red nun.	Private aid.
13510	- Buoy 11	41-42-24.500N 069-58-22.700W				Green can.	Private aid.
13515	- Buoy 12	41-42-17.300N 069-58-35.400W				Red nun.	Private aid.
<b>Town Cove</b>							
<i>Aids maintained from May 15 to Nov. 1 unless otherwise noted.</i>							
13520	- Buoy 1	41-48-33.800N 069-57-01.300W				Green can.	Private aid.
13520.11	- Buoy 1A	41-48-34.500N 069-57-03.600W				Green can.	Private aid.
13520.5	- Buoy 2	41-48-44.900N 069-57-13.200W				Red nun.	Private aid.
13521	- Buoy 3	41-48-49.200N 069-57-20.600W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>CHATHAM HARBOR AND PLEASANT BAY (Chart 13248)</b>							
<b>Pleasant Bay</b>							
<b>Town Cove</b>							
<i>Aids maintained from May 15 to Nov. 1 unless otherwise noted.</i>							
13521.5	- Buoy 4	41-48-54.800N 069-57-26.900W				Red nun.	Private aid.
13522	- Buoy 5	41-48-52.600N 069-57-39.800W				Green can.	Private aid.
13522.5	- Buoy 6	41-48-45.800N 069-57-51.400W				Red can.	Private aid.
13523	- Buoy 7	41-48-37.900N 069-57-55.700W				Green can.	Private aid.
13523.5	- Buoy 8	41-48-27.500N 069-57-56.900W				Red nun.	Private aid.
13524	- Buoy 9	41-48-24.200N 069-57-56.800W				Green can.	Private aid.
13524.5	- Buoy 10	41-48-18.900N 069-58-00.500W				Red nun.	Private aid.
13524.51	- Buoy 10A	41-48-21.500N 069-58-16.400W				Red nun.	Private aid.
13525	- Buoy 11	41-48-19.000N 069-58-19.500W				Green can.	Private aid.
13525.5	- Buoy 12	41-48-12.200N 069-58-25.700W				Red nun.	Private aid.
13526	- Buoy 13	41-48-06.900N 069-58-27.200W				Green can.	Private aid.
13526.5	- Buoy 14	41-48-03.000N 069-58-31.000W				Red nun.	Private aid.
13527	- Buoy 15	41-47-57.800N 069-58-32.200W				Green can.	Private aid.
13527.5	- Buoy 16	41-47-53.200N 069-58-36.900W				Red nun.	Private aid.
13527.7	- Buoy 17	41-47-51.200N 069-58-36.500W				Green can.	Private aid.
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Pollock Rip Channel</b>							
13530	- Buoy 2A	41-35-23.103N 069-54-56.765W				Red nun.	
13535	- <i>Lighted Buoy 4</i>	41-33-14.272N 069-54-34.225W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
13540	- Buoy 5	41-32-54.486N 069-56-02.690W				Green can.	
13545	- <i>Lighted Buoy 6</i>	41-32-59.212N 069-57-11.354W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
13550	- <i>Lighted Buoy 8</i>	41-32-42.729N 069-58-55.547W	FI R 6s		3	Red.	
13555	- <i>Lighted Buoy 9</i>	41-32-06.534N 069-59-27.213W	FI G 4s		3	Green.	
13565	- <i>Lighted Buoy 10</i>	41-31-51.416N 070-00-31.054W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
13570	Stone Horse Shoal Buoy 11	41-30-40.521N 070-00-10.013W				Green can.	
13575	Handkerchief Shoal Buoy 12	41-30-05.308N 070-03-14.836W				Red nun.	
13580	Handkerchief Shoal Buoy 14	41-29-09.295N 070-05-04.996W				Red nun.	
<b>Great Round Shoal Channel</b>							
13586	- <i>Lighted Buoy 2</i>	41-26-11.005N 069-44-32.991W	FI R 2.5s		3	Red.	
13590	- <i>Lighted Buoy 3</i>	41-25-34.467N 069-44-55.422W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Great Round Shoal Channel</b>							
13595	- Lighted Buoy 4	41-25-52.504N 069-46-02.390W	FI R 4s		3	Red.	
13600	- Lighted Buoy 5	41-24-58.178N 069-48-26.110W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
13605	- Lighted Buoy 6	41-25-16.051N 069-50-51.987W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
13610	- Lighted Buoy 7	41-24-11.429N 069-52-21.461W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
13615	- Lighted Buoy 8	41-24-53.228N 069-52-55.132W	FI R 4s		3	Red.	
13620	- Lighted Buoy 10	41-24-50.068N 069-54-26.614W	FI R 2.5s		3	Red.	
13625	- Buoy 9 East of north end of shoal.	41-23-51.769N 069-54-57.815W				Green can.	
13635	Point Rip Shoal Buoy 11	41-25-06.027N 069-58-09.299W				Green can.	
13640	- Lighted Buoy 13 Off shoal.	41-25-55.326N 069-58-54.401W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
13645	Point Rip Buoy 1 On north part of outer shoal.	41-25-13.007N 069-59-49.092W				Green can.	
13650 545	<b>Nantucket (Great Point) Light</b>	41-23-24.600N 070-02-53.800W	FI W 5s (R sector)	71	W 14 R 12	On white tower. 70	Red from 084° to 106°. Covers Cross Rip and Tuckernuck Shoals.
13655	- Lighted Buoy 15	41-26-12.105N 070-05-04.607W	FI G 4s		3	Green.	
<b>Nantucket Sound Main Channel</b>							
13660	<i>Tuckernuck Shoal Lighted Bell Buoy 1</i> Off east end of shoal.	41-24-18.710N 070-09-47.734W	FI G 4s		4	Green.	Replaced by lighted ice buoy when endangered by ice.
13665	- Lighted Buoy 17	41-26-34.808N 070-11-13.587W	FI G 6s		4	Green.	
13670	Tuckernuck Shoal Buoy 3	41-24-54.558N 070-12-55.131W				Green can.	Removed when endangered by ice.
13675	<i>Halfmoon Shoal Lighted Bell Buoy 18</i> On southeast part of shoal.	41-27-14.372N 070-14-04.197W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
13680	Cross Rip Shoal South End Buoy 4 Southeasterly of 11-foot shoal.	41-26-05.183N 070-17-04.942W				Red nun.	
13685	<i>Cross Rip Lighted Gong Buoy 21</i>	41-26-51.440N 070-17-29.713W	FI G 2.5s		4	Green.	
13690	<i>Horseshoe Shoal Lighted Buoy 20</i> On south side of shoal.	41-27-33.126N 070-16-54.911W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
13695	Norton Shoal Northeast Buoy 5	41-26-09.922N 070-19-50.418W				Green can.	
13697	CAPE WIND METEOROLOGICAL LIGHT TOWER MT	41-28-20.200N 070-18-52.900W	FI Y 6s			Monopole steel tower mounted on a pile supported platform marked "MT".	Private aid.
13700	<i>NOAA Data Lighted Buoy 44020</i>	41-29-35.000N 070-16-43.000W	FI Y 4s		3	Yellow.	Marked NOAA 44020. Aid maintained by National Oceanic and Atmospheric Administration.
13705	Horseshoe Shoal West Part South End Buoy 2	41-30-03.067N 070-23-25.067W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Nantucket Sound Main Channel</b>							
13715	CAPE POGE LIGHT	41-25-09.992N 070-27-08.348W	FI W 6s	65	9	White conical tower.	
13717	<i>Nantucket Sound Channel Lighted Buoy 21A</i>	41-26-54.600N 070-25-12.000W	FI G 4s		4	Green	Replaced by can when endangered by ice.
13720	<i>Hedge Fence Lighted Gong Buoy 22</i>	41-28-21.327N 070-29-00.748W	FI R 4s		4	Red.	
13725	Squash Meadow East End Bell Buoy	41-27-17.760N 070-30-06.000W				Green and red bands.	Removed when endangered by ice.
13730	Squash Meadow West End Buoy W	41-27-52.535N 070-31-59.270W				Green and red bands; can.	Bouy marked with letter "W".
13735	<i>East Chop Flats Lighted Bell Buoy 23</i>	41-28-22.771N 070-33-26.792W	FI G 4s		4	Green.	Removed when endangered by ice.
13740	East Chop Shoal Buoy 23A	41-28-22.232N 070-34-05.902W				Green can.	
13745	EAST CHOP LIGHT	41-28-12.950N 070-34-02.825W	Iso G 6s	79	9	White tower.	
13755	Hedge Fence West End Buoy	41-30-02.622N 070-33-55.228W				Red and green bands; nun.	
13760	<i>West Chop Lighted Gong Buoy 2</i>	41-29-10.529N 070-35-30.874W	FI R 4s		4	Red.	
13775	<b>West Chop Light</b>	41-28-50.865N 070-35-59.210W	Oc W 4s (R sector)	84	W 14 R 10	White conical tower. 45	Red from 281° to 331°, covers Squash Meadow and Norton Shoal. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
13780	Alleghany Rock Buoy 25	41-29-11.409N 070-36-02.914W				Green can.	
<b>North Side</b>							
13785	Handkerchief Shoal Buoy 2 On northwest point of shoal.	41-33-50.312N 070-03-39.748W				Red nun.	
13790	MONOMOY ISLAND FISH TRAP LIGHT E	41-35-00.000N 070-00-06.000W	FI Y 6s	10		On pile at inshore end of weir.	Maintained from Mar. 1 to Oct. 1.  Private aid.
13790.2	MONOMOY ISLAND WESTERN LIGHT	41-32-24.600N 070-00-35.160W	FI W 10s			On piling.	Private aid.
13790.3	MONOMOY ISLAND EASTERN LIGHT	41-32-59.820N 070-00-03.600W	FI W 15s			On piling.	Private aid.
13795	MONOMOY ISLAND FISH TRAP LIGHT W	41-35-06.000N 070-00-30.000W	FI Y 6s	10		On pile at of f shore end of trap.	Maintained from Mar. 1 to Oct. 1.  Private aid.
<b>Chatham Roads</b>							
<i>Aids maintained from Mar. 1 to Oct. 30 unless otherwise noted.</i>							
13800	- Bell Buoy 3	41-38-18.171N 070-02-52.540W				Green.	Removed when endangered by ice.
13835	MONOMOY ISLAND WESTERN TRAP LIGHT NE	41-36-04.000N 070-01-03.000W	FI Y 6s	10		On pile at inshore end of trap.	Private aid.
13840	MONOMOY ISLAND WESTERN TRAP LIGHT SW	41-36-02.000N 070-01-48.000W	FI Y 6s	10		On pile at of f shore end of trap.	Private aid.
13845	- Buoy 4	41-38-36.845N 070-01-23.598W				Red nun.	Maintained year round.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Stage Harbor</b>							
<i>Positions of buoys frequently shifted with changing conditions. Use only with local knowledge.</i>							
13855	- Entrance Lighted Bell Buoy SH	41-39-10.164N 069-59-58.953W	Mo (A) W		4	Red and white stripes with red spherical topmark.	Replaced by red and white striped nun when endangered by ice.
13860	- LIGHT	41-39-30.265N 069-59-04.095W	Fl W 6s	28	7	Modular tower.	
13865	- Lighted Buoy 1	41-39-13.985N 069-59-27.396W	Fl G 4s		4	Green.	Replaced by can from Dec. 1 to Apr. 15.
13870	- Buoy 2	41-39-11.096N 069-59-29.084W				Red nun.	
13875	- Buoy 4	41-39-13.205N 069-59-22.186W				Red nun.	
13880	- Buoy 5	41-39-18.775N 069-59-10.507W				Green can.	
13885	- Buoy 6	41-39-15.891N 069-59-14.197W				Red nun.	
13890	- Buoy 7	41-39-23.787N 069-59-02.801W				Green can.	
13895	- Lighted Buoy 8	41-39-23.883N 069-58-59.021W	Fl R 4s		3	Red.	Replaced by nun from Dec. 1 to Apr. 15.
13900	- Buoy 10	41-39-38.794N 069-58-37.575W				Red nun.	
13905	- Buoy 11	41-39-43.058N 069-58-33.332W				Green can.	
13910	- Buoy 12	41-39-51.864N 069-58-17.885W				Red nun.	
13915	- Buoy 13	41-39-53.544N 069-58-18.485W				Green can.	
13920	- Buoy 15	41-39-57.200N 069-58-08.500W				Green can.	Maintained from Apr. 15 to Dec.01. Private aid.
13925	- Buoy 14	41-39-56.600N 069-58-03.600W				Red nun.	Maintained from Apr. 15 to Dec. 1. Private aid.
13927	- Buoy 16	41-39-57.200N 069-57-03.080W				Red nun.	Private aid.
13930	- Buoy 17	41-39-58.000N 069-57-58.000W				Green can.	Maintained from Apr. 15 to Dec. 1. Private aid.
13930.1	- Buoy 18	41-39-57.264N 069-57-50.025W				Red nun.	Private aid.
13930.2	- Buoy 19	41-40-07.320N 069-57-42.480W				Green can.	Private aid.
13930.3	- Buoy 20	41-40-07.960N 069-57-42.494W				Red nun.	Private aid.
<b>Oyster Pond River</b>							
13931	- Buoy 1	41-39-40.446N 069-58-38.726W				Green can.	Positions of buoys frequently shifted with changing conditions. Private aid.
13932	- Buoy 2	41-39-41.940N 069-58-38.400W				Red nun.	Positions of buoys frequently shifted with changing conditions. Private aid.
13933	- Buoy 3	41-39-48.429N 069-58-46.772W				Green can.	Private aid.
13934	- Buoy 4	41-39-58.400N 069-59-04.100W				Red nun.	Private aid.
13935	- Buoy 5	41-40-02.851N 069-59-11.273W				Green can.	Private aid.
13936	- Buoy 6	41-40-08.696N 069-58-22.679W				Red nun.	Private aid.
13937	- Buoy 7	41-40-20.631N 069-59-12.764W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Oyster Pond River</b>							
13938	- Buoy 8	41-40-40.893N 069-58-44.464W				Red nun.	Private aid.
13939	- Buoy 9	41-40-45.480N 069-58-35.400W				Green can.	Private aid.
13939.1	- Buoy 10	41-40-48.432N 069-58-22.619W				Red nun.	Private aid.
<b>Stage Harbor</b>							
<b>Outermost Harbor Channel</b>							
<i>Positions of buoys frequently shifted with changing conditions. Use only with local knowledge.</i>							
13945.1	- Buoy 1	41-39-42.500N 069-57-13.500W				Green can.	Private aid.
13945.2	- Buoy 2	41-39-43.100N 069-57-13.100W				Red nun.	Private aid.
13945.3	- Buoy 3	41-39-45.200N 069-57-12.700W				Green can.	Private aid.
13945.4	- Buoy 4	41-39-48.700N 069-57-13.600W				Red nun.	Private aid.
13945.5	- Buoy 5	41-39-49.900N 069-57-14.900W				Green can.	Private aid.
13945.6	- Buoy 6	41-39-51.200N 069-57-16.500W				Red nun.	Private aid.
13945.7	- Buoy 7	41-39-51.700N 069-57-18.800W				Green can.	Private aid.
<b>Mitchell River</b>							
<b>Mill Pond</b>							
<i>Aids maintained from Apr. 1 to Dec. 1.</i>							
13960	- Buoy 2	41-40-12.769N 069-57-40.553W				Red nun.	Private aid.
13965	- Buoy 4	41-40-13.860N 069-57-43.860W				Red nun.	Private aid.
13970	- Buoy 6	41-40-15.368N 069-57-44.871W				Red nun.	Private aid.
13975	- Buoy 8	41-40-16.779N 069-57-44.397W				Red nun.	Private aid.
13980	- Buoy 10	41-40-18.000N 069-57-42.720W				Red nun.	Private aid.
13985	- Buoy 11	41-40-19.098N 069-57-42.464W				Green can.	Private aid.
13990	- Buoy 12	41-40-18.141N 069-57-37.281W				Red nun.	Private aid.
13995	- Buoy 14	41-40-20.400N 069-57-33.600W				Red nun.	Private aid.
14000	- Buoy 15	41-40-19.718N 069-57-35.758W				Green can.	Private aid.
14003	- Buoy 16	41-40-21.593N 069-57-32.983W				Red nun.	Private aid.
14005	- Buoy 17	41-40-30.300N 069-57-19.260W				Green can.	Private aid.
<b>Saquatucket Harbor</b>							
14030	- Buoy 1	41-39-23.926N 070-03-35.718W				Green can.	
14035	- Buoy 2	41-39-29.114N 070-03-33.945W				Red nun.	
14037	- Buoy 3	41-39-30.406N 070-03-37.220W				Green can.	
14040	- Junction Buoy S	41-39-38.992N 070-03-40.804W				Green and red bands.	
14045	- Buoy 4	41-39-43.917N 070-03-39.492W				Red nun.	
14050	- EAST JETTY LIGHT 6	41-39-48.602N 070-03-39.861W	FI R 4s	20	6	TR on white skeleton tower.	
14055	- Buoy 8	41-39-52.963N 070-03-41.137W				Red nun.	
14060	- Buoy 9	41-39-58.297N 070-03-39.059W				Green can.	



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Wychmere Harbor</b>							
14065	- JETTY LIGHT 1	41-39-37.813N 070-03-47.851W	FI G 4s	25	5	SG on spindle.	
14070	- Buoy 2	41-39-40.903N 070-03-49.111W				Red nun.	
14081	Harwich Harbor No Discharge Buoy	41-39-07.920N 070-03-52.560W				White and orange can.	Marks no discharge zone. Private aid.
<b>Allen Harbor Entrance</b>							
<i>Aids maintained from Jun. 15 to Oct. 1.</i>							
14085	- BREAKWATER LIGHT	41-39-40.000N 070-05-22.600W	Q G	20		On tower.	Private aid.
14090	- Buoy 1	41-39-03.200N 070-05-03.800W				Green can.	Private aid.
14095	- Buoy 2	41-39-23.800N 070-05-06.600W				Red nun.	Private aid.
14100	- Buoy 3	41-39-27.600N 070-05-11.400W				Green can.	Private aid.
14105	- Buoy 4	41-39-34.100N 070-05-14.600W				Red nun.	Private aid.
14110	- Buoy 5	41-39-34.800N 070-05-19.300W				Green can.	Private aid.
14115	- Buoy 6	41-39-39.900N 070-05-19.900W				Red nun.	Private aid.
14120	HERRING RIVER TRAP LIGHT N	41-39-04.600N 070-04-25.000W	FI Y 6s	10		On pile at inshore end of trap.	Maintained 1 March to 1 October. Private aid.
14125	HERRING RIVER TRAP LIGHT S	41-38-43.400N 070-04-20.500W	FI Y 6s	10		On pile at offshore end of trap.	Maintained 1 March to 1 October. Private aid.
<b>Herring River</b>							
<i>Aids maintained from May 1 to Oct. 30 unless otherwise noted.</i>							
14140	- Entrance Buoy 1	41-39-02.520N 070-06-53.880W				Green can.	Private aid.
14145	- Entrance Buoy 2	41-39-05.220N 070-06-53.340W				Red nun.	Private aid.
14150	- Entrance Buoy 3	41-39-07.980N 070-06-55.560W				Green can.	Private aid.
14155	- Entrance Buoy 4	41-39-10.560N 070-06-54.480W				Red nun.	Private aid.
14160	- Entrance Buoy 5	41-39-13.440N 070-06-56.520W				Green can.	Private aid.
14165	- Entrance Buoy 6	41-39-18.720N 070-06-55.560W				Red nun.	Private aid.
14170	- WEST BREAKWATER LIGHT 7	41-39-16.500N 070-06-57.500W	FI G 4s	14		On skeleton tower.	Private aid.
14175	WEST DENNIS LIGHT	41-39-07.000N 070-10-13.000W	FI W 6s	44		On white wooden building.	Maintained from May 1 to Oct. 31. Private aid.
14180	<i>Kill Pond Bar Lighted Whistle Buoy KP</i> Off southeast end of shoal.	41-37-26.384N 070-06-29.206W	FI (2+1)R 6s		4	Red and green bands.	Replaced by nun when endangered by ice.
14190	KILL POND BAR FISH TRAP LIGHT S	41-37-00.000N 070-07-38.000W	FI Y 6s	10		On pile at offshore end of weir.	Maintained from Mar. 1 to Oct. 1. Private aid.
<b>Bass River</b>							
<i>Aids maintained from May 15 to Nov. 15 unless otherwise noted.</i>							
14205	- Entrance Lighted Buoy 2	41-37-35.084N 070-11-30.298W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
14215	- Entrance Buoy 4	41-38-09.300N 070-11-44.400W				Red nun.	Private aid.
14220	- Entrance Buoy 5	41-38-12.900N 070-11-45.700W				Green can.	Private aid.
14225	- Entrance Buoy 6	41-38-12.800N 070-11-44.600W				Red nun.	Private aid.
14230	- Entrance Buoy 7	41-38-19.700N 070-11-46.300W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Bass River</b>							
<i>Aids maintained from May 15 to Nov. 15 unless otherwise noted.</i>							
14235	- Entrance Buoy 8	41-38-23.500N 070-11-44.600W				Red nun.	Private aid.
14240	- Entrance Buoy 9	41-38-31.900N 070-11-46.100W				Green can.	Private aid.
14245	- Entrance Buoy 10	41-38-32.300N 070-11-44.900W				Red nun.	Private aid.
14250	- Buoy 12	41-38-54.600N 070-11-49.600W				Red nun.	Private aid.
14255	- Buoy 14	41-39-03.000N 070-11-49.400W				Red nun.	Private aid.
14256	- Buoy 14A	41-39-13.700N 070-11-46.300W				Red nun.	Private aid.
14260	- Buoy 16	41-39-18.400N 070-11-41.000W				Red nun.	Private aid.
14265	- Buoy 16A	41-39-22.300N 070-11-32.800W				Red nun.	Private aid.
14270	- Buoy 18	41-39-26.300N 070-11-24.300W				Red nun.	Private aid.
14275	- Buoy 20	41-39-36.600N 070-11-16.900W				Red nun.	Private aid.
14280	- Buoy 22	41-39-40.400N 070-11-13.800W				Red nun.	Private aid.
14281	- Buoy 22A	41-39-45.600N 070-11-02.400W				Red nun.	Private aid.
14285	- Buoy 24	41-40-02.200N 070-10-51.300W				Red nun.	Private aid.
14290	- Buoy 25	41-40-08.200N 070-10-46.700W				Green can.	Private aid.
14295	- Buoy 26	41-40-11.800N 070-10-30.900W				Red nun.	Private aid.
14300	- Buoy 28	41-40-20.000N 070-10-20.300W				Red nun.	Private aid.
14301	- Buoy 28A	41-40-27.300N 070-10-15.800W				Red nun.	Private aid.
14305	- Buoy 30	41-40-33.500N 070-10-09.500W				Red nun.	Private aid.
14310	- Buoy 32	41-40-48.800N 070-09-43.500W				Red nun.	Private aid.
14315	- Buoy 33	41-40-51.300N 070-09-44.500W				Green can.	Private aid.
14320	- Buoy 34	41-40-57.400N 070-09-43.200W				Red nun.	Private aid.
14325	- Buoy 35	41-41-03.800N 070-09-33.800W				Green can.	Private aid.
14330	- Buoy 36	41-41-09.800N 070-09-38.800W				Red nun.	Private aid.
14335	- Buoy 37	41-41-16.300N 070-09-43.300W				Green can.	Private aid.
14340	- Buoy 38	41-41-15.100N 070-09-48.900W				Red nun.	Private aid.
14345	- Buoy 39	41-41-14.500N 070-09-49.300W				Green can.	Private aid.
14346	- Buoy 39A	41-41-18.700N 070-09-58.100W				Green can.	Private aid.
14350	- Buoy 40	41-41-21.200N 070-09-59.600W				Red nun.	Private aid.
14355	- Buoy 41	41-41-33.500N 070-10-11.300W				Green can.	Private aid.
14360	- Buoy 41A	41-41-24.200N 070-10-04.600W				Green can.	Private aid.
14365	- Buoy 42	41-41-30.700N 070-10-09.700W				Red nun.	Private aid.
14370	- Buoy 43	41-41-32.500N 070-10-10.800W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Bass River</b>							
<i>Aids maintained from May 15 to Nov. 15 unless otherwise noted.</i>							
14375	- Buoy 44	41-41-44.300N 070-10-11.700W				Red nun.	Private aid.
14380	- Buoy 45	41-41-39.800N 070-10-11.700W				Green can.	Private aid.
14385	- Buoy 46	41-41-46.500N 070-10-11.200W				Red nun.	Private aid.
14390	- Buoy 47	41-41-47.000N 070-10-12.200W				Green can.	Private aid.
14393	- Buoy 48	41-41-51.800N 070-10-11.300W				Red nun.	Private aid.
14395	- Buoy 49	41-41-51.900N 070-10-13.400W				Green can.	Private aid.
14396	- Buoy 50	41-41-52.600N 070-10-21.400W				Red nun.	Private aid.
14400	- Buoy 51	41-41-58.300N 070-10-02.200W				Green can.	Private aid.
14405	- Buoy 52	41-42-02.100N 070-10-29.300W				Red nun.	Private aid.
14410	- Buoy 53	41-42-02.600N 070-10-34.100W				Green can.	Private aid.
14415	- Buoy 54	41-42-04.400N 070-10-38.300W				Red nun.	Private aid.
<b>Weir Creek</b>							
<i>Aids maintained from May 15 to Nov. 15 unless otherwise noted.</i>							
14416	- Buoy 1	41-39-05.200N 070-11-43.100W				Green can.	Private aid.
14417	- Buoy 2	41-39-04.900N 070-11-40.500W				Red nun.	Private aid.
14417.1	- Buoy 3	41-39-09.500N 070-11-30.000W				Green can.	Private aid.
14417.2	- Buoy 3A	41-39-14.700N 070-11-19.600W				Green can.	Private aid.
14417.3	- Buoy 4	41-39-13.400N 070-11-16.000W				Red nun.	Private aid.
14417.4	- Buoy 5	41-39-11.200N 070-11-05.100W				Green can.	Private aid.
14417.5	- Buoy 6	41-39-10.700N 070-11-09.700W				Red nun.	Private aid.
14417.55	- Buoy 7	41-39-14.000N 070-11-00.100W				Green can.	Private aid.
14417.6	- Buoy 8	41-39-12.400N 070-11-01.200W				Red nun.	Private aid.
<b>Grand Cove</b>							
<i>Aids maintained from May 15 to Nov. 15.</i>							
14420	- Channel Buoy 2	41-40-22.800N 070-10-13.400W				Red nun.	Private aid.
14420.5	- Channel Buoy 3	41-40-23.700N 070-10-13.800W				Green can.	Private aid.
14421	- Channel Buoy 3A	41-40-23.800N 070-10-10.800W				Green can.	Private aid.
14425	- Buoy 4	41-40-17.700N 070-10-02.400W				Red nun.	Private aid.
14430	- Buoy 5	41-40-15.000N 070-09-57.200W				Green can.	Private aid.
<b>Bass River</b>							
<i>Aids maintained from May 15 to Nov. 15 unless otherwise noted.</i>							
14450	- WEST JETTY LIGHT 11	41-38-38.202N 070-11-50.959W	FI G 6s	33	6	SG on skeleton tower.	Maintained year round.
14460	Parkers River Buoy 2	41-37-43.700N 070-12-58.000W				Red nun.	Maintained from Apr. 1 to Nov. 1. Private aid.
14461	Parkers River Buoy 3	41-37-46.300N 070-13-01.500W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Bass River</b>							
<i>Aids maintained from May 15 to Nov. 15 unless otherwise noted.</i>							
14462	Parkers River Buoy 4	41-37-52.700N 070-13-02.800W				Red nun.	Private aid.
14463	Parkers River Buoy 5	41-37-57.600N 070-13-08.400W				Green can.	Private aid.
14464	Parkers River Buoy 6	41-38-01.200N 070-13-09.000W				Red nun.	Private aid.
<b>Bishop and Clerks</b>							
14485	- Lighted Bell Buoy 1 Off northeasterly end of shoal.	41-34-43.965N 070-14-07.027W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
14490	- Light	41-34-27.436N 070-15-00.415W	FI W 6s	45	14	White and red cylindrical tower. 30	
14495	- South Approach Lighted Gong Buoy 2	41-33-21.410N 070-14-37.070W	FI R 4s		4	Red.	
14500	- South Approach Buoy 4	41-34-28.407N 070-15-58.073W				Red nun.	
14510	Gazelle Rock Lighted Buoy 2	41-36-06.235N 070-15-48.493W	FI R 2.5s		4	Red.	Replaced by nun when endangered by ice.
<b>Hyannis Harbor</b>							
14515	- Approach Lighted Bell Buoy HH	41-35-57.404N 070-17-22.076W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
14520	Half tide Rock Buoy HR	41-36-52.000N 070-16-05.000W				White can with orange bands.	Maintained from June 1 to Sept. 30. Private aid.
14525	- Lighted Buoy 4	41-37-03.683N 070-17-25.295W	FI R 2.5s		3	Red.	Replaced by LIB from Dec. 1 to Apr. 1.
14530	Great Rock Day beacon 4A On edge of flats.	41-37-03.316N 070-17-08.561W				TR on spindle.	
14540	- BREAKWATER LIGHT H	41-37-27.099N 070-17-32.242W	FI W 6s	31	7	NB on black skeleton tower.	
14541	- Danger Buoy A	41-37-48.547N 070-17-55.415W				White can with orange bands worded ROCKS.	Marks Rocks. Maintained Jun. 1 to Nov. 1 Private aid.
14542	- Danger Buoy B	41-37-48.271N 070-17-53.077W				White can with orange bands worded ROCKS	Marks Rocks. Maintained Jun. 1 to Nov. 1 Private aid.
14543	- Danger Buoy C	41-37-45.964N 070-17-53.901W				White can with orange bands worded ROCKS	Marks Rocks. Maintained Jun. 1 to Nov. 1 Private aid.
14550	- Wreck Buoy	41-37-50.142N 070-17-26.931W				White can with orange bands.	
<b>Lewis Bay</b>							
14553	- Approach Channel Lighted Buoy 5	41-37-14.844N 070-17-22.428W	FI G 4s		4	Green.	Replaced by can f from Dec. 1 to Apr. 1.
14555	- Approach Channel Lighted Buoy 6 Marks flats.	41-37-12.000N 070-17-19.080W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
14560	- Approach Channel Buoy 7	41-37-29.316N 070-16-51.156W				Green can.	
14565	- Approach Channel Buoy 8	41-37-28.693N 070-16-43.975W				Red nun.	
14570	- Approach Channel Lighted Buoy 10	41-37-39.150N 070-16-24.732W	FI R 2.5s		4	Red.	Replaced by nun f from Dec. 1 to Apr. 1.
14575	- Approach Channel Lighted Buoy 9	41-37-39.309N 070-16-28.374W	FI G 2.5s		4	Green.	Replaced by can f from Dec. 1 to Apr. 1.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Lewis Bay</b>							
14580	- Approach Channel Lighted Buoy 11	41-37-51.980N 070-16-19.510W	FI G 4s		4	Green.	Replaced by can f from Dec. 1 to Apr. 1.
14585	- Approach Channel Buoy 12	41-37-49.131N 070-16-17.435W				Red nun.	
14590	- Approach Channel Buoy 13	41-38-01.301N 070-16-16.065W				Green can.	
14592	- Approach Channel Lighted Buoy 14	41-38-05.450N 070-16-11.141W	FI R 4s		4	Red.	Replaced by nun Dec. 1 to Apr. 1.
14600	Fiddle Head Rock Danger Buoy	41-38-15.284N 070-15-55.536W					
14601	Fiddle Head Rock Daybeacon	41-38-20.100N 070-15-54.200W				On wood pile.	Private aid.
<b>Hyannis Yacht Club</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
14605	- Channel Buoy 1A	41-38-20.200N 070-16-23.400W				Green can.	Private aid.
14610	- Channel Buoy 2A	41-38-21.300N 070-16-20.500W				Red nun.	Private aid.
14615	- Channel Buoy 3A	41-38-20.900N 070-16-28.000W				Green can.	Private aid.
14620	- Channel Buoy 4A	41-38-21.600N 070-16-27.500W				Red nun.	Private aid.
<b>Lewis Bay</b>							
14625	- Approach Channel Buoy 15	41-38-20.941N 070-16-11.415W				Green can.	
14630	- Approach Channel Buoy 19	41-38-31.929N 070-16-09.861W				Green can.	
14635	- Approach Channel Lighted Buoy 18	41-38-31.593N 070-16-06.087W	Q R		4	Red.	Replaced by nun f from Dec. 1 to Apr. 1.
14637	- Approach Channel Buoy 20	41-38-40.290N 070-16-14.928W				Red nun.	
14640	- Approach Channel Buoy 21	41-38-41.347N 070-16-20.555W				Green can.	
14645	- Approach Channel Buoy 22	41-38-51.746N 070-16-29.541W				Red nun.	
14646	Mill Creek Entrance Buoy 1	41-38-41.700N 070-15-30.069W				Green can.	Maintained from May 15 to Nov. 15. Private aid.
14647	Mill Creek Entrance Buoy 2	41-38-41.760N 070-15-27.600W				Red nun.	Maintained from May 15 to Nov. 15. Private aid.
<b>Englewood Channel</b>							
<i>Aids maintained from May 15 to Nov. 15.</i>							
14650	- Buoy 1	41-38-09.300N 070-15-03.600W				Green can.	Private aid.
14650.1	- Buoy 2	41-38-09.300N 070-15-00.240W				Red nun.	Private aid.
14650.2	- Buoy 3	41-38-10.740N 070-14-59.940W				Green can.	Private aid.
14650.3	- Buoy 4	41-38-10.680N 070-14-50.520W				Red nun.	Private aid.
14650.4	- Buoy 5	41-38-12.240N 070-14-53.460W				Green can.	Private aid.
14650.5	- Buoy 6	41-38-12.780N 070-14-49.980W				Red nun.	Private aid.
14650.6	- Buoy 7	41-38-14.460N 070-14-48.720W				Green can.	Private aid.
<b>Centerville Harbor Approach</b>							
14675	Hodges Rock Buoy 2	41-35-23.303N 070-18-58.428W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Centerville Harbor Approach</b>							
14680	Gallatin Rock Buoy 3 South of rock.	41-35-47.902N 070-20-01.080W				Green can.	
14685	Collier Ledge Lighted Isolated Danger Buoy DCL	41-35-44.301N 070-21-05.653W	FI (2)W 5s		3	Black and red bands with two black spherical topmarks. Red nun.	Replaced by can when endangered by ice.
14705	Bearse Rock Buoy 4 West of rock.	41-36-09.931N 070-19-48.130W					
14710	Channel Rock Buoy Southeast of rock.	41-36-05.831N 070-20-13.591W				Green can with red bands.	
14712	Southwest Rock Day beacon	41-36-26.566N 070-19-10.744W				NW on Spindle. worded DANGER ROCKS.	
14725	Spindle Rock Buoy 8	41-37-48.960N 070-20-16.800W				Red nun.	Private aid.
<b>Centerville River</b>							
<i>Aids maintained from Jun. 1 to Nov. 1 unless otherwise noted.</i>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
14725.1	- Buoy 1	41-37-32.800N 070-22-04.300W				Green can.	Private aid.
14725.2	- Buoy 2	41-37-33.300N 070-22-05.100W				Red nun.	Private aid.
14726	- Buoy 3	41-37-38.500N 070-22-01.100W				Green can.	Private aid.
14726.1	- Buoy 4	41-37-38.800N 070-22-00.500W				Red nun.	Private aid.
14726.2	- Buoy 6	41-37-43.200N 070-21-53.200W				Red nun.	Private aid.
14726.3	- Buoy 7	41-37-51.400N 070-21-48.200W				Green can.	Private aid.
14726.4	- Buoy 8	41-37-46.845N 070-21-52.758W				Red nun.	Private aid.
14726.5	- Buoy 10	41-37-54.100N 070-21-42.500W				Red nun.	Private aid.
14726.6	- Buoy 11	41-37-58.000N 070-21-37.300W				Green can.	Private aid.
14726.7	- Buoy 12	41-38-02.000N 070-21-29.300W				Red nun.	Private aid.
14726.8	- Buoy 13	41-38-03.000N 070-21-26.100W				Green can.	Private aid.
14726.9	- Buoy 14	41-38-01.697N 070-21-27.789W				Red nun.	Private aid.
<b>East Bay</b>							
<i>Aids maintained from Jun. 1 to Nov. 1 unless otherwise noted.</i>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
14726.91	- LIGHT	41-37-23.300N 070-21-48.025W	FI G 4s		15	On monopole.	Private aid.
14727	Dowse's Rock Danger Buoy DR	41-37-12.607N 070-21-43.870W				Red and black bands; can.	Maintained from Jun. 1 to Nov. 1. Private aid.
14727.1	- Buoy 1	41-37-16.100N 070-21-31.700W				Green can.	Private aid.
14727.2	- Buoy 2	41-37-16.300N 070-21-28.500W				Red nun.	Private aid.
14727.3	- Buoy 3	41-37-19.400N 070-21-37.600W				Green can.	Private aid.
14727.4	- Buoy 4	41-37-20.200N 070-21-36.300W				Red nun.	Private aid.
14727.5	- Buoy 6	41-37-30.200N 070-21-59.594W				Red nun.	Private aid.
<b>Cotuit Anchorage</b>							
14735	- Shoal Buoy 3 At southend of shoal.	41-35-34.929N 070-23-42.138W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>West Bay</b>							
<i>Aids maintained from Jun. 1 to Nov. 1 unless otherwise noted.</i>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
14741	- Entrance Buoy 5	41-36-02.220N 070-24-07.380W				Green can.	Private aid.
14741.1	- Entrance Lighted Buoy 6	41-36-02.340N 070-24-03.900W	FI R 4s			Red.	Private aid.
14741.13	- Entrance Buoy 7	41-36-06.400N 070-24-06.100W				Green can.	Private aid.
14741.16	- Entrance Buoy 8	41-36-06.720N 070-24-04.020W				Red nun.	Private aid.
14741.19	- Entrance Buoy 9	41-36-13.100N 070-24-05.800W				Green can.	Private aid.
14741.2	- Entrance Buoy 10	41-36-13.400N 070-24-03.300W				Red nun.	Private aid.
14741.21	- ENTRANCE LIGHT	41-36-20.139N 070-24-02.720W	FI R 2.5s			On monopole.	Private aid.
<b>West Bay Inside</b>							
<i>Aids maintained from Jun. 1 to Nov. 1 unless otherwise noted.</i>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
14741.23	- Buoy 1	41-36-38.900N 070-24-03.000W				Green can.	Private aid.
14741.28	- Buoy 2	41-36-38.900N 070-24-01.000W				Red nun.	Private aid.
14741.29	- Buoy 3	41-36-46.900N 070-24-01.900W				Green can.	Private aid.
14741.3	- Buoy 4	41-36-46.700N 070-24-00.700W				Red nun.	Private aid.
14741.33	- Buoy 5	41-36-52.100N 070-24-02.000W				Green can.	Private aid.
14741.36	- Buoy 6	41-36-51.800N 070-24-01.200W				Red nun.	Private aid.
14741.39	- Buoy 7	41-36-55.200N 070-24-02.300W				Green can.	Private aid.
14741.4	- Buoy 8	41-36-55.400N 070-24-01.500W				Red nun.	Private aid.
14741.43	- Buoy 9	41-37-01.500N 070-24-03.700W				Green can.	Private aid.
14741.46	- Buoy 10	41-37-01.700N 070-24-02.147W				Red nun.	Private aid.
14741.49	- Buoy 11	41-37-05.300N 070-24-02.400W				Green can.	Private aid.
14741.5	- Buoy 12	41-37-04.600N 070-24-01.600W				Red nun.	Private aid.
14741.53	- Buoy 13	41-37-07.500N 070-24-00.100W				Green can.	Private aid.
14741.56	- Buoy 14	41-37-09.500N 070-23-57.000W				Red nun.	Private aid.
14741.59	- Buoy 15	41-37-09.700N 070-23-57.200W				Green can.	Private aid.
14741.6	- Buoy 16	41-37-08.500N 070-23-56.500W				Red nun.	Private aid.
14741.63	- Buoy 17	41-37-09.700N 070-23-51.900W				Green can.	Private aid.
14741.66	- Buoy 18	41-37-09.100N 070-23-51.700W				Red nun.	Private aid.
14741.69	- Buoy 19	41-37-10.000N 070-23-44.400W				Green can.	Private aid.
14741.7	- Buoy 20	41-37-09.500N 070-23-43.000W				Red nun.	Private aid.
14741.73	- Buoy 21	41-37-13.100N 070-23-45.100W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>North Bay Channel</b>							
<i>Aids maintained from Jun. 1 to Nov. 1 unless otherwise noted.</i>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
14742	- Buoy 21	41-37-48.700N 070-24-03.000W				Green can.	Private aid.
14742.1	- Buoy 22	41-37-48.100N 070-24-03.500W				Red nun.	Private aid.
14742.3	- Buoy 23	41-37-41.100N 070-23-49.300W				Green can.	Private aid.
14742.5	- Buoy 25	41-37-35.700N 070-23-42.900W				Green can.	Private aid.
14742.7	- Buoy 26	41-37-37.500N 070-23-45.600W				Red nun.	Private aid.
<b>Marston Mills River</b>							
<i>Aids maintained from Jun. 1 to Nov. 1 unless otherwise noted.</i>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
14743.1	Marstons Mills River Buoy 1	41-38-08.400N 070-24-24.500W				Green can.	Private aid.
14743.2	Marstons Mills River Buoy 2	41-38-08.300N 070-24-23.700W				Red nun.	Private aid.
14743.3	Marstons Mills River Buoy 4	41-38-14.300N 070-24-22.500W				Red nun.	Private aid.
14743.4	Marstons Mills River Buoy 6	41-38-18.500N 070-24-20.869W				Red nun.	Private aid.
14743.5	Marstons Mills River Buoy 7	41-38-22.190N 070-24-18.231W				Green can.	Private aid.
14743.6	Marstons Mills River Buoy 9	41-38-23.437N 070-24-17.809W				Green can.	Private aid.
14743.7	Marstons Mills River Buoy 11	41-38-24.500N 070-24-18.600W				Green can.	Private aid.
14743.8	Marstons Mills River Buoy 12	41-38-28.087N 070-24-21.113W				Red nun.	Private aid.
14743.9	Marstons Mills River Buoy 13	41-38-31.660N 070-24-22.202W				Green can.	Private aid.
14744	Marstons Mills River Buoy 14	41-38-39.064N 070-24-26.823W				Red nun.	Private aid.
14744.1	Marstons Mills River Buoy 15	41-38-40.914N 070-24-32.434W				Green can.	Private aid.
14744.5	Marstons Mills River Buoy 16	41-38-41.678N 070-24-31.806W				Red nun.	Private aid.
<b>Cotuit Anchorage</b>							
14755	Lone Rock Buoy	41-35-11.399N 070-24-18.089W				Red and green bands; nun.	
14756	Cotuit Harbor Junction Buoy CS	41-36-43.200N 070-25-41.500W				Red and green bands; nun.	Maintained from Jun. 1 to Dec. 1. Private aid.
<b>Seapuit River</b>							
<i>Aids maintained from Jun. 1 to Nov. 1 unless otherwise noted.</i>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
14756.2	- Buoy 1	41-36-44.200N 070-25-42.200W				Green can.	Private aid.
14756.4	- Buoy 2	41-36-42.700N 070-25-34.500W				Red nun.	Private aid.
14756.6	- Buoy 3	41-36-43.700N 070-25-34.400W				Green can.	Private aid.
14756.8	- Buoy 5	41-36-43.125N 070-25-23.515W				Green can.	Private aid.
14757	- Buoy 6	41-36-42.176N 070-25-21.389W				Red nun.	Private aid.
14757.2	- Buoy 8	41-36-39.302N 070-25-17.895W				Red nun.	Private aid.
14757.4	- Buoy 9	41-36-32.100N 070-25-04.400W				Green can.	Private aid.
14757.6	- Buoy 10	41-36-32.547N 070-24-52.068W				Red nun.	Private aid.



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Seapuit River</b>							
<i>Aids maintained from Jun. 1 to Nov. 1 unless otherwise noted.</i>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
14757.8	- Buoy 12	41-36-32.390N 070-24-41.859W				Red nun.	Private aid.
14758	- Buoy 13	41-36-33.000N 070-24-37.900W				Green can.	Private aid.
14758.2	- Buoy 14	41-36-32.316N 070-24-35.768W				Red nun.	Private aid.
14758.4	- Buoy 15	41-36-32.907N 070-24-34.837W				Green can.	Private aid.
14758.6	- Buoy 16	41-36-31.543N 070-24-32.176W				Red nun.	Private aid.
14758.8	- Buoy 17	41-36-32.165N 070-24-31.884W				Green can.	Private aid.
14759	- Buoy 18	41-36-30.300N 070-24-26.600W				Red nun.	Private aid.
14759.2	- Buoy 19	41-36-31.100N 070-24-26.900W				Green can.	Private aid.
14759.4	- Buoy 21	41-36-30.515N 070-24-23.219W				Green can.	Private aid.
14759.6	- Buoy 23	41-36-30.012N 070-24-09.977W				Green can.	Private aid.
14759.8	- Buoy 24	41-36-28.100N 070-24-05.200W				Red nun.	Private aid.
<b>Cotuit Entrance Channel</b>							
<i>Aids maintained from Jun. 1 to Nov. 1 unless otherwise noted.</i>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
14760.1	- Buoy 1	41-35-54.200N 070-25-51.800W				Green can.	Private aid.
14760.13	- Buoy 2	41-35-54.700N 070-25-50.700W				Red nun.	Private aid.
14760.16	- Buoy 3	41-36-01.100N 070-25-56.200W				Green can.	Private aid.
14760.19	- Buoy 4	41-36-01.500N 070-25-55.600W				Red nun.	Private aid.
14760.2	- Buoy 5	41-36-08.100N 070-26-01.200W				Green can.	Private aid.
14760.23	- Buoy 6	41-36-08.300N 070-26-00.000W				Red nun.	Private aid.
14760.26	- Buoy 7	41-36-19.100N 070-26-04.700W				Green can.	Private aid.
14760.29	- Buoy 8	41-36-19.700N 070-26-03.500W				Red nun.	Private aid.
14760.3	- Buoy 9	41-36-25.600N 070-26-06.300W				Green can.	Private aid.
14760.33	- Buoy 10	41-36-25.900N 070-26-04.900W				Red nun.	Private aid.
<b>Cotuit Harbor</b>							
<i>Aids maintained from Jun. 1 to Nov. 1 unless otherwise noted.</i>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
14760.36	- Buoy 1	41-36-33.100N 070-25-56.900W				Green can.	Private aid.
14760.39	- Buoy 2	41-36-32.200N 070-25-59.900W				Red nun.	Private aid.
14760.4	- Buoy 3	41-36-32.600N 070-25-46.900W				Green can.	Private aid.
14760.43	- Buoy 4	41-36-32.800N 070-25-42.400W				Red nun.	Private aid.
14760.46	- Buoy 5	41-36-34.100N 070-25-44.100W				Green can.	Private aid.
14760.49	- Buoy 7	41-36-37.500N 070-25-42.800W				Green can.	Private aid.
14760.5	- Buoy 8	41-36-58.600N 070-25-39.800W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Cotuit Harbor</b>							
<i>Aids maintained from Jun. 1 to Nov. 1 unless otherwise noted.</i>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
14760.53	- Buoy 10	41-37-22.600N 070-25-17.600W				Red nun.	Private aid.
14760.56	- Buoy 11	41-37-30.900N 070-25-03.800W				Green can.	Private aid.
14760.59	- Buoy 12	41-37-31.381N 070-25-02.708W				Red nun.	Private aid.
14760.6	- Buoy 13	41-37-38.339N 070-24-54.099W				Green can.	Private aid.
14760.63	- Buoy 14	41-37-37.552N 070-24-53.443W				Red nun.	Private aid.
14760.66	- Buoy 15	41-37-44.066N 070-24-44.495W				Green can.	Private aid.
14760.69	- Buoy 16	41-37-43.425N 070-24-43.662W				Red nun.	Private aid.
14760.7	- Buoy 17	41-37-47.906N 070-24-35.410W				Green can.	Private aid.
14760.73	- Buoy 18	41-37-47.476N 070-24-34.657W				Red nun.	Private aid.
14760.76	- Buoy 19	41-37-51.300N 070-24-27.200W				Green can.	Private aid.
14760.79	- Buoy 20	41-37-50.600N 070-24-26.800W				Red nun.	Private aid.
<b>Popponesett Bay</b>							
<i>Aids maintained from May 15 to Oct. 15.</i>							
14760.8	- Approach Buoy 1	41-35-11.900N 070-26-45.600W				Green can.	Private aid.
14760.81	- Approach Lighted Buoy 2	41-35-12.800N 070-26-44.400W	FI R 2.5s			Red.	Private aid.
14760.82	- Approach Buoy 3	41-35-14.700N 070-26-48.200W				Green can.	Private aid.
14760.83	- Approach Buoy 4	41-35-15.500N 070-26-47.000W				Red nun.	Private aid.
14760.84	- Approach Buoy 5	41-35-18.300N 070-26-56.200W				Green can.	Private aid.
14760.85	- Approach Lighted Buoy 6	41-35-18.800N 070-26-50.700W	FI R 2.5s			Red.	Private aid.
14760.86	- Approach Lighted Buoy 7	41-35-19.800N 070-26-58.300W	FI G 2.5s			Green.	Private aid.
14760.87	- Approach Lighted Buoy 8	41-35-19.700N 070-27-05.100W	FI R 2.5s			Red.	Private aid.
14760.88	- Approach Buoy 9	41-35-14.100N 070-27-15.200W				Green can.	Private aid.
14760.89	- Approach Lighted Buoy 10	41-35-14.700N 070-27-14.200W	FI R 2.5s			Red.	Private aid.
14760.9	- Channel Buoy 11	41-35-15.600N 070-27-19.000W				Green can.	Private aid.
14760.91	- Channel Lighted Buoy 13	41-35-16.500N 070-27-25.500W	FI G 2.5s			Green.	Private aid.
<b>Popponesett Spit Channel</b>							
<i>Aids maintained from May 15 to Oct. 15.</i>							
14761.1	- Buoy S1	41-35-11.700N 070-27-10.600W				Green can.	Private aid.
14761.2	- Lighted Buoy S2	41-35-12.000N 070-27-11.400W	FI R 2.5s			Red.	Private aid.
14761.3	- Buoy S3	41-35-05.600N 070-27-14.300W				Green can.	Private aid.
14761.4	- Lighted Buoy S4	41-35-05.000N 070-27-16.600W	FI R 2.5s			Red.	Private aid.
14761.5	- Buoy S5	41-35-00.000N 070-27-20.900W				Green can.	Private aid.
14761.55	- Buoy S5A	41-35-00.600N 070-27-20.200W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Cotuit Harbor</b>							
<b>Popponesett Spit Channel</b>							
<i>Aids maintained from May 15 to Oct. 15.</i>							
14761.6	- Buoy S6	41-35-00.500N 070-27-21.900W				Red nun.	Private aid.
14761.7	- Lighted Buoy S7	41-34-57.400N 070-27-22.700W	FI G 2.5s			Green.	Private aid.
14761.8	- Buoy S8	41-34-57.800N 070-27-23.700W				Red nun.	Private aid.
14762.5	Popponesett Bay Mid-Channel Buoy A	41-35-19.000N 070-27-33.700W				Red and white sphere.	Private aid.
14762.6	Popponesett Bay Mid-Channel Buoy B	41-35-22.600N 070-27-39.500W				Red and white sphere.	Private aid.
14762.7	Popponesett Bay Mid-Channel Buoy C	41-35-28.500N 070-27-43.600W				Red and white sphere.	Private aid.
14762.8	Popponesett Bay Mid-Channel Buoy D	41-35-33.700N 070-27-47.000W				Red and white sphere.	Private aid.
14762.9	Popponesett Bay Mid-Channel Buoy E	41-35-40.500N 070-27-48.200W				Red and white sphere.	Private aid.
<b>Santuit River Mid-Channel</b>							
<i>Aids maintained from May 15 to Oct. 15.</i>							
14763	- Buoy F	41-35-16.800N 070-27-24.700W				Red and white sphere.	Private aid.
14763.1	- Buoy G	41-35-52.300N 070-27-57.400W				Red and white sphere.	Private aid.
14763.2	- Buoy H	41-35-55.300N 070-27-58.600W				Red and white sphere.	Private aid.
14763.3	- Buoy I	41-35-58.600N 070-27-58.000W				Red and white sphere.	Private aid.
14763.4	- Buoy J	41-36-02.700N 070-27-53.900W				Red and white sphere.	Private aid.
<b>North Channel</b>							
14765	<i>Nantucket Sound North Side Lighted Bell Buoy 5</i>	41-33-05.187N 070-20-48.456W	FI G 2.5s		4	Green.	
14770	Horseshoe Shoal Buoy 7 At northwest part of shoal.	41-32-18.808N 070-23-06.824W				Green can.	
14775	Horseshoe Shoal Wreck Buoy WR	41-30-52.137N 070-22-24.520W				Green can with red bands.	
14780	<i>Wreck Shoal Lighted Bell Buoy 8</i> Off east point of shoal.	41-32-25.971N 070-24-01.967W	FI R 2.5s		4	Red.	
14785	Eldridge Shoal Buoy 9 Off north part of shoal.	41-31-57.883N 070-24-58.830W				Green can.	
14790	<i>Wreck Shoal West Lighted Bell Buoy 10</i> Off southwest end of shoal.	41-31-58.618N 070-26-24.428W	FI R 4s		4	Red.	Replaced by nun buoy when endangered by ice.
14795	Succonneset Shoal South Buoy Off north end of shoal.	41-31-50.700N 070-27-58.867W				Green can with red bands.	
14800	<i>Succonneset Shoal Lighted Buoy 12</i>	41-32-24.399N 070-29-26.100W	FI R 2.5s		4	Red.	
14805	L'Hommedieu Shoal Buoy 11 At east end of shoal.	41-30-59.621N 070-28-24.888W				Green can.	
14810	L'Hommedieu Shoal Buoy 13	41-31-23.399N 070-30-57.102W				Green can.	
14815	L'Hommedieu Shoal Buoy 15 At west end of shoal.	41-31-16.216N 070-34-27.844W				Green can.	
14820	Davis Neck Shoal Buoy 14	41-32-00.032N 070-34-40.043W				Red nun.	
<b>Waquoit Bay</b>							
<i>Aids maintained Apr. 15 to Oct. 15. Positions of buoys frequently shifted with changing conditions.</i>							
14825	- Entrance Lighted Bell Buoy 2	41-32-29.446N 070-32-30.283W	FI R 4s		3	Red.	Maintained from Apr. 1 to Dec. 1.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Waquoit Bay</b>							
<i>Aids maintained Apr. 15 to Oct. 15. Positions of buoys frequently shifted with changing conditions.</i>							
14830	- EAST JETTY LIGHT	41-32-42.000N 070-31-48.400W	FI R 6s			Red.	Private aid.
14833	- WEST JETTY LIGHT	41-32-44.300N 070-31-50.200W	FI G 6s			On wood dolphin.	Private aid.
14834	- Buoy 1	41-33-07.380N 070-31-41.820W				Green can.	Private aid.
14835	- Buoy 2	41-33-07.140N 070-31-39.360W				Red nun.	Private aid.
14840	- Buoy 3	41-33-24.480N 070-31-35.760W				Green can.	Private aid.
14845	- Buoy 4	41-33-23.400N 070-31-33.540W				Red nun.	Private aid.
14850	- Buoy 5	41-33-35.940N 070-31-32.040W				Green can.	Private aid.
14855	- Buoy 6	41-33-36.000N 070-31-28.000W				Red nun.	Private aid.
14860	- Buoy 7	41-33-48.000N 070-31-28.000W				Green can.	Private aid.
14865	- Buoy 9	41-34-03.360N 070-31-26.700W				Green can.	Private aid.
14870	- Buoy 11	41-34-24.000N 070-31-26.000W				Green can.	Private aid.
<b>Little River Entrance</b>							
<i>Aids maintained from May 15 to Oct. 15.</i>							
14870.5	- Buoy 1	41-33-30.300N 070-31-09.200W				Green can.	Private aid.
14871	- Lighted Buoy 2	41-33-29.100N 070-31-09.300W	FI R 2.5s			Red.	Private aid.
14871.1	- Buoy 3	41-33-30.700N 070-31-05.800W				Green can.	Private aid.
14871.2	- Buoy 4	41-33-29.600N 070-31-04.100W				Red nun.	Private aid.
14871.3	- Buoy 5	41-33-31.900N 070-31-00.700W				Green can.	Private aid.
14871.4	- Lighted Buoy 6	41-33-30.400N 070-31-00.800W	FI R 2.5s			Red.	Private aid.
14871.6	Little River Lighted Buoy 8	41-33-35.800N 070-30-55.500W	FI R 2.5s			Red.	Private aid.
14871.65	Little River Lighted Buoy 9	41-33-42.500N 070-30-49.700W	FI G 2.5s			Green.	Private aid.
14871.7	Little River Buoy 10	41-33-42.200N 070-30-48.300W				Red nun.	Private aid.
<b>Great River</b>							
<i>Aids maintained from May 15 to Oct. 15.</i>							
14872.1	- Lighted Buoy G1	41-33-39.400N 070-30-44.000W	FI G 2.5s			Green.	Private aid.
14872.2	- Buoy G2	41-33-38.500N 070-30-44.300W				Red nun.	Private aid.
14872.3	- Buoy G4	41-33-51.700N 070-30-24.300W				Red nun.	Private aid.
<b>Seapit River</b>							
<i>Aids Maintained from May 15 to Oct. 15.</i>							
14875	- Buoy 1	41-34-21.840N 070-31-47.100W				Green can.	Private aid.
14880	- Buoy 2	41-34-20.640N 070-31-45.420W				Red nun.	Private aid.
14885	- Buoy 3	41-34-23.940N 070-31-45.420W				Green can.	Private aid.
14890	- Buoy 4	41-34-24.960N 070-31-46.260W				Red nun.	Private aid.
14895	- Buoy 6	41-34-27.600N 070-31-40.740W				Red nun.	Private aid.
14900	- Buoy 7	41-34-27.960N 070-31-39.960W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Eel Pond</b>							
<i>Aids maintained from May 15 to Oct. 15.</i>							
14920	- Buoy 2	41-33-02.580N 070-32-51.060W				Red nun.	Private aid.
14925	- WEST JETTY LIGHT 3	41-33-03.000N 070-32-52.000W	FI G 4s			SG on pile.	Private aid.
14935	- Buoy 6	41-33-06.000N 070-32-53.000W				Red nun.	Private aid.
14950	- Buoy 9	41-33-14.100N 070-32-52.600W				Green can.	Private aid.
14955	- Buoy 11	41-33-17.700N 070-32-36.600W				Green can.	Private aid.
14965	- Buoy 15	41-33-23.760N 070-32-31.560W				Green can.	Private aid.
14966	- Buoy 16	41-33-22.920N 070-32-30.780W				Red nun.	Private aid.
<b>Green Pond</b>							
<i>Aids maintained from May 15 to Oct. 15.</i>							
15030	- Harbor Approach Lighted Buoy 2	41-32-38.489N 070-34-10.247W	FI R 2.5s		3	Red.	Maintained from May 1 to Nov. 1.
15035	- HARBOR LIGHT 3	41-32-50.280N 070-34-14.760W	FI G 4s			SG on pile.	Private aid.
15037	- Buoy 2	41-32-57.000N 070-34-15.000W				Red nun.	Private aid.
15038	- Buoy 3A	41-32-59.460N 070-34-16.200W				Green can.	Private aid.
<b>Great Pond</b>							
15065	- WEST JETTY LIGHT	41-32-38.530N 070-34-50.350W	FI G 3s			On wood pile.	Private aid.
15070	- Buoy 3	41-32-50.640N 070-34-54.660W				Green can.	Private aid.
15075	- Buoy 4	41-32-51.180N 070-34-54.600W				Red nun.	Private aid.
15095	- Buoy 8	41-32-55.860N 070-34-57.140W				Red nun.	Private aid.
15100	- Buoy 9	41-32-56.040N 070-34-59.340W				Green can.	Private aid.
<b>Falmouth Harbor</b>							
15105	<i>Falmouth Lighted Bell Buoy 16</i>	41-32-02.764N 070-36-28.986W	FI R 6s		4	Red.	
15110	FALMOUTH INNER HARBOR LIGHT 1	41-32-31.440N 070-36-29.820W	FI G 2.5s	25	6	SG on white skeleton tower.	
15112	FALMOUTH INNER HARBOR LIGHT 2	41-32-33.000N 070-36-27.000W	FI R 2.5s	12		TR on pile.	Private aid.
15115	- East Shoal Buoy 17 On west end of shoal.	41-31-05.145N 070-36-41.606W				Green can.	
15120	- West Shoal Buoy FW	41-31-13.674N 070-37-43.206W				Red nun with green bands.	
15125	Nobska Point Ledge Buoy 18 Off east side of ledge.	41-31-00.533N 070-39-02.507W				Red nun.	
15130	Nobska Point Ledge Buoy 20	41-30-49.816N 070-39-17.518W				Red nun.	
15134	Nantucket Sound Coast Guard Mooring Buoy	41-21-00.000N 070-05-00.000W				White sphere with blue stripe.	
<b>Nantucket Harbor</b>							
15135	<i>Nantucket Bar Lighted Bell Buoy NB</i>	41-19-01.189N 070-06-13.298W	Mo (A) W		4	Red and white stripes with red spherical topmark.	Removed when endangered by ice.
15140	- Channel Buoy 1	41-18-43.309N 070-06-04.768W				Green can.	
15145	- Channel Lighted Buoy 2	41-18-39.260N 070-06-07.448W	FI R 4s		4	Red.	Replaced by LIB from Nov. 15 to May 1.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Nantucket Harbor</b>							
15150	NANTUCKET EAST BREAKWATER LIGHT 3	41-18-37.058N 070-06-00.112W	FI G 4s	30	3	SG on skeleton tower.	
15155	- West Breakwater Buoy	41-18-29.828N 070-06-10.261W				White can with orange bands and diamond worded DANGER SUBMERGED JETTY.	
15160	- RANGE FRONT LIGHT	41-17-23.592N 070-05-32.361W	Q W		35	KRW on white wooden skeleton tower.	Higher intensity beam to seaward. Lighted throughout 24 hours.
15165	- RANGE REAR LIGHT 81 yards, 161.9° from front light.	41-17-21.318N 070-05-31.377W	F W		51	KRW on white wooden skeleton tower.	Higher intensity beam to seaward. Lighted throughout 24 hours.
15170	- Channel Buoy 4	41-18-18.340N 070-05-58.288W				Red nun.	
15175	- Channel Buoy 5	41-18-18.670N 070-05-53.988W				Green can.	
15180	- Channel Buoy 6	41-17-55.421N 070-05-48.378W				Red nun.	
15185	- Channel Buoy 7	41-17-57.591N 070-05-44.958W				Green can.	
15190	- Channel Buoy 8	41-17-45.291N 070-05-43.948W				Red nun.	
15195	- Channel Buoy 9	41-17-44.141N 070-05-38.968W				Green can.	
15200	- Channel Lighted Buoy 10	41-17-36.550N 070-05-40.437W	Q R		3	Red.	Replaced by Nun f from Nov. 1 to May 1.
15205	BRANT POINT LIGHT	41-17-24.060N 070-05-24.960W	Oc R 4s	26	9	White, cylindrical tower, footbridge to shore.	HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
<b>Childrens Beach</b>							
15206	- Buoy 2	41-17-20.800N 070-05-25.500W				Red nun.	Private aid.
15206.1	- Buoy 3	41-17-18.600N 070-05-30.000W				Red nun.	Private aid.
15206.2	- Buoy 4	41-17-19.100N 070-05-34.900W				Green can.	Private aid.
15206.3	- Buoy 5	41-17-18.200N 070-05-37.100W				Green can.	Private aid.
15206.4	- Buoy 6	41-17-18.000N 070-05-38.400W				Red nun.	Private aid.
15206.5	- Buoy 7	41-17-17.500N 070-05-41.200W				Green can.	Private aid.
15206.6	- Buoy 8	41-17-17.200N 070-05-44.400W				Red nun.	Private aid.
<b>Nantucket Harbor</b>							
15213	NANTUCKET FERRY SLIP 1 LIGHT 1	41-17-10.560N 070-05-42.960W	F G		14	Green.	Private aid.
15214	NANTUCKET FERRY SLIP 2 LIGHT 2	41-17-08.880N 070-05-42.240W	F R		14	Red.	Private aid.
15225	- Channel Lighted Buoy 11 On west part of shoal.	41-17-30.721N 070-05-25.380W	FI G 2.5s		3	Green.	Replaced by can f from Nov. 1 to May 1.
15230	- Channel Buoy 13	41-17-23.500N 070-05-16.100W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Nantucket Harbor</b>							
15250	- Obstruction Buoy NH Marks stone pier.	41-17-08.277N 070-05-37.496W				Yellow can.	
<b>Nantucket Inner Harbor</b>							
<i>Aids maintained from June 15 to Oct. 1.</i>							
<b>Island Marine</b>							
15255.1	- Buoy 1	41-16-54.000N 070-05-28.200W				Green can.	Private aid.
15255.2	- Buoy 2	41-16-53.800N 070-05-30.700W				Red nun.	Private aid.
15255.3	- Buoy 3	41-16-52.100N 070-05-27.600W				Green can.	Private aid.
15255.4	- Buoy 4	41-16-51.800N 070-05-30.000W				Red nun.	Private aid.
<b>Nantucket Head of Harbor</b>							
<i>Aids maintained from June 15 to Sept. 15.</i>							
15260	Head of Harbor Buoy 2	41-17-27.900N 070-04-43.300W				Red nun.	Private aid.
15261	- Buoy 2A	41-17-49.100N 070-04-27.300W				Red nun.	Private aid.
15262	- Buoy 3	41-17-35.100N 070-04-38.400W				Green can.	Private aid.
15263	- Buoy 3A	41-17-49.900N 070-04-29.100W				Green can.	Private aid.
15264	- Buoy 3B	41-18-01.900N 070-03-42.800W				Green can.	Private aid.
15270	Head of Harbor Buoy 4	41-17-59.100N 070-03-35.400W				Red nun.	Private aid.
15275	Head of Harbor Buoy 5	41-18-09.700N 070-03-17.100W				Green can.	Private aid.
15280	Head of Harbor Buoy 6	41-18-06.400N 070-03-14.400W				Red nun.	Private aid.
15290	Head of Harbor Buoy 8	41-18-47.500N 070-02-02.400W				Red nun.	Private aid.
15290.1	- Buoy 8A	41-19-13.200N 070-02-15.000W				Red nun.	Private aid.
15290.2	- Buoy 8B	41-19-16.900N 070-02-15.400W				Red nun.	Private aid.
15291	Head of Harbor Buoy 9	41-19-23.300N 070-02-15.600W				Green can.	Private aid.
15292	Head of Harbor Buoy 10	41-19-21.700N 070-02-06.700W				Red nun.	Private aid.
15292.1	- Buoy 10A	41-19-07.800N 070-01-45.900W				Red nun.	Private aid.
<b>Polpis Harbor</b>							
<i>Aids maintained from June 15 to Sept. 15.</i>							
15293.2	- Lighted Buoy 2	41-18-19.500N 070-01-44.800W	FI R 4s			Red.	Private aid.
15293.3	- Buoy 3	41-18-18.900N 070-01-37.100W				Green can.	Private aid.
15293.4	- Buoy 4	41-18-18.000N 070-01-37.000W				Red nun.	Private aid.
15293.5	- Buoy 5	41-18-20.800N 070-01-32.400W				Green can.	Private aid.
15293.6	- Buoy 6	41-18-20.600N 070-01-30.100W				Red nun.	Private aid.
15293.7	- Buoy 7	41-18-19.900N 070-01-23.800W				Green can.	Private aid.
<b>Madaket Harbor</b>							
<i>Aids maintained from June 15 to Sept. 15. unless otherwise noted.</i>							
15297	Eel Point Channel Buoy 3	41-18-21.800N 070-11-24.000W				Green can.	Private aid.
15301	<i>Eel Point Channel Lighted Buoy 4</i>	41-18-23.800N 070-11-25.700W	Q R			Red.	Private aid.
15301.1	Eel Point Channel Buoy 4A	41-18-26.700N 070-11-50.500W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Madaket Harbor</b>							
<i>Aids maintained from June 15 to Sept. 15, unless otherwise noted.</i>							
15301.5	Eel Point Channel Lighted Buoy 5	41-18-28.900N 070-12-01.700W	Q G			Green.	Private aid.
15302	Eel Point Channel Buoy 6	41-18-27.500N 070-12-08.300W				Red nun.	Private aid.
15302.1	Eel Point Channel Buoy 6A	41-18-13.100N 070-12-17.600W				Red nun.	Private aid.
15302.2	Eel Point Channel Buoy 7	41-18-15.500N 070-12-13.300W				Green can.	Private aid.
15302.3	Eel Point Buoy 7A	41-18-01.200N 070-12-15.600W				Green can.	Private aid.
15303	Eel Point Channel Buoy 8	41-17-53.800N 070-12-17.400W				Red nun.	Private aid.
15303.1	Eel Point Buoy 8A	41-17-38.900N 070-12-22.900W				Red nun.	Private aid.
15305	- Lighted Buoy MH	41-17-22.800N 070-14-21.500W	Mo (A) W			Red and white stripes.	Private aid.
15310	- Lighted Buoy 4	41-17-11.200N 070-13-50.100W	FI R 4s			Red.	Private aid.
15311	- Buoy 6	41-17-07.700N 070-13-30.000W				Red nun.	Private aid.
15312	- Buoy 8	41-17-05.000N 070-12-58.400W				Red nun.	Private aid.
15314	- Lighted Buoy 10	41-17-17.100N 070-12-28.200W	FI R 4s			Red.	Private aid.
15315	- Buoy 11	41-17-14.700N 070-12-18.700W				Green can.	Private aid.
15316	- Buoy 12	41-17-12.800N 070-12-15.400W				Red nun.	Private aid.
15317	- Buoy 13	41-17-16.400N 070-12-06.400W				Green can.	Private aid.
15318	- Buoy 14	41-17-15.100N 070-12-05.000W				Red nun.	Private aid.
15319	- Buoy 15	41-17-18.100N 070-11-49.900W				Green can.	Private aid.
15320	- Lighted Buoy 16	41-17-16.100N 070-11-50.800W	FI R 4s			Red.	Private aid.
15321	- Buoy 17	41-17-06.600N 070-11-41.600W				Green can.	Private aid.
15322	- Buoy 18	41-17-05.400N 070-11-44.000W				Red nun.	Private aid.
15323	- Buoy 19	41-16-55.000N 070-11-44.000W				Green can.	Private aid.
15324	- Lighted Buoy 20	41-16-56.200N 070-11-44.100W	FI R 4s			Red.	Private aid.
15325	- Buoy 21	41-16-47.700N 070-11-52.200W				Green can.	Private aid.
15326	- Buoy 22	41-16-50.200N 070-11-50.800W				Red nun.	Private aid.
15327	- Buoy 23	41-16-42.900N 070-11-58.000W				Green can.	Private aid.
15328	- Lighted Buoy 24	41-16-42.700N 070-11-59.500W	FI R 4s			Red.	Private aid.
15329	- Buoy 25	41-16-39.000N 070-11-58.000W				Green can.	Private aid.
15330	- Buoy 26	41-16-38.200N 070-11-58.900W				Red nun.	Private aid.
<b>Muskeget Channel</b>							
15350	- Lighted Whistle Buoy MC	41-15-00.445N 070-26-10.082W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
15355	- Buoy 1	41-17-31.073N 070-26-43.105W				Green can.	
15360	- Lighted Bell Buoy 2	41-19-31.932N 070-25-22.184W	FI R 4s		4	Red.	



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Muskeget Channel</b>							
15365	- Buoy 3	41-19-49.571N 070-25-40.192W				Green can.	
15370	- Buoy 4 At southeast end of shoal.	41-22-57.394N 070-25-04.466W				Red nun.	
15380	- Buoy 6 On northwest part of shoal.	41-26-01.269N 070-25-15.738W				Red nun.	
<b>Edgartown Harbor</b>							
15390	Outer Flats Bell Buoy 2	41-26-16.981N 070-29-22.014W				Red.	
15395	- Channel Buoy 3	41-25-23.365N 070-28-19.693W				Green can.	
15400	- Channel Buoy 4	41-25-18.983N 070-29-17.989W				Red nun.	
15405	- <i>Channel Lighted Buoy 6</i> Off Middle Flats.	41-24-26.906N 070-29-13.973W	FI R 4s		4	Red.	Removed when endangered by ice.
15410	- Channel Buoy 7	41-23-45.369N 070-28-58.333W				Green can.	
15415	- Channel Buoy 8 On spit.	41-23-23.004N 070-29-52.550W				Red nun.	
15420	- LIGHT	41-23-27.116N 070-30-11.013W	FI R 6s	45	5	White conical tower.	
15425	- Channel Buoy 9 On west edge of shoal.	41-23-11.449N 070-30-39.715W				Green can.	
15426	- Channel Buoy 11	41-23-02.220N 070-30-33.600W				Green can.	Private aid.
15427	- Channel Buoy 13	41-22-25.080N 070-30-16.800W				Green can.	Private aid.
<b>Oak Bluffs Harbor</b>							
15447	OAK BLUFFS FERRY SLIP LIGHT 2	41-27-32.820N 070-33-15.900W	F R	14		Wharf end dolphin.	Private aid.
15448	OAK BLUFFS FERRY SLIP LIGHT 1	41-27-32.340N 070-33-14.520W	F G	14		Wharf end dolphin.	Private aid.
15460	OAK BLUFFS NORTH BREAKWATER LIGHT 2	41-27-39.718N 070-33-24.829W	FI R 4s	30	5	TR on white skeleton tower.	
<b>Vineyard Haven</b>							
15465	- Buoy 4	41-28-44.400N 070-35-17.103W				Red nun.	
15470	- Buoy 6	41-27-45.402N 070-35-32.102W				Red nun.	
15475	- LIGHT 7	41-27-38.885N 070-35-19.022W	FI G 4s	20	4	SG on spindle.	
15480	- BREAKWATER LIGHT 10	41-27-27.009N 070-35-46.882W	FI R 4s	25	4	TR on spindle.	
15490	- FERRY SLIP 2 LIGHT 1	41-27-19.080N 070-35-58.560W	F G			Wharf end dolphin.	Private aid.
15491	- FERRY SLIP 2 LIGHT 2	41-27-19.980N 070-35-57.840W	F R	14		Wharf end dolphin.	Private aid.
15493	- FERRY SLIP 1 LIGHT 1	41-27-20.640N 070-35-58.080W	F G	14		Wharf end dolphin.	Private aid.
15494	- FERRY SLIP 1 LIGHT 2	41-27-21.540N 070-35-58.920W	F R	14		Wharf end dolphin.	Private aid.
<b>Lagoon Pond</b>							
<i>Aids maintained from Apr. 1 to Nov. 1.</i>							
15495	- Day beacon 2	41-27-34.300N 070-35-25.460W				On pile.	Private aid.
15500	- Day beacon 4	41-27-25.900N 070-35-08.600W				TR on pile.	Private aid.
15505	- Day beacon 6	41-27-10.560N 070-35-13.140W				TR on pile.	Private aid.
15510	- Day beacon 8	41-26-35.520N 070-35-43.260W				Red.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>NANTUCKET SOUND AND APPROACHES (Chart 13237)</b>							
<b>Vineyard Haven</b>							
<b>Maciel Marine Channel</b>							
15521	- Buoy 1	41-27-15.900N 070-35-10.620W				Green can.	Private aid.
15521.2	- Buoy 2	41-27-16.680N 070-35-10.440W				Red nun.	Private aid.
15521.3	- Buoy 3	41-27-15.900N 070-35-16.900W				Green can.	Private aid.
15521.5	- Buoy 4	41-27-16.020N 070-35-17.460W				Red nun.	Private aid.
15521.7	- Buoy 5	41-27-13.500N 070-35-29.100W				Green can.	Private aid.
15521.8	- Buoy 6	41-27-14.000N 070-35-28.800W				Red nun.	Private aid.
15521.9	- Buoy 7	41-27-10.300N 070-35-33.100W				Green can.	Private aid.
15522	- Buoy 8	41-27-10.800N 070-35-33.200W				Red nun.	Private aid.
15522.1	- Buoy 9	41-27-04.500N 070-35-39.480W				Green can.	Private aid.
15522.3	- Buoy 10	41-27-04.800N 070-35-39.180W				Red nun.	Private aid.
15522.5	- Buoy 11	41-27-03.700N 070-35-51.400W				Green can.	Private aid.
15522.6	- Buoy 12	41-27-03.800N 070-35-51.600W				Red nun.	Private aid.
<b>Lake Tashmoo</b>							
<i>Aids maintained from Apr. 1 to Nov. 1 unless otherwise noted.</i>							
15525	- EAST JETTY LIGHT Marks end of jetty.	41-28-04.100N 070-37-58.100W	FI W 3s	13		Single metal post.	Maintained from Apr. 1 to Dec. 1. Private aid.
15530	- Buoy 1	41-27-55.313N 070-37-48.305W				Green can.	Private aid.
15532	- Buoy 2	41-28-04.403N 070-37-59.642W				Red nun.	Private aid.
15535	- Buoy 2A	41-27-54.511N 070-37-49.130W				Red nun.	Private aid.
15540	- Buoy 3	41-27-52.235N 070-37-42.851W				Green can.	Private aid.
15546	- Channel Daybeacon 4A	41-27-51.300N 070-37-44.520W				TR on pile.	Private aid.
15547	- Buoy 5	41-27-48.000N 070-37-37.740W				Green can.	Private aid.
15548	- Buoy 6	41-27-47.100N 070-37-39.100W				Red nun.	Private aid.
<b>MARTHA'S VINEYARD TO BLOCK ISLAND (Chart 13218)</b>							
<b>Vineyard Sound</b>							
<b>Main Channel</b>							
15550	Middle Ground East End Buoy	41-29-09.163N 070-36-25.764W				Green can with red bands.	
15555	Nobska Point Lighted Bell Buoy 26	41-30-19.384N 070-38-43.046W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>MARTHA'S VINEYARD TO BLOCK ISLAND (Chart 13218)</b>							
<b>Vineyard Sound</b>							
<b>Main Channel</b>							
15560	<b>Nobska Point Light</b>	41-30-56.816N 070-39-18.398W	FI W 6s	87	W 13 R 11	White tower. 40	Obscured from 125° to 195°. Red from 263° to 289°, covers Hedge Fence and L'Hommedieu Shoal. Lighted throughout 24 hours. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
15575	<i>Middle Ground Lighted Bell Buoy 27</i>	41-28-27.983N 070-41-07.919W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
15577	<i>Vineyard Sound Lighted Whistle Buoy 29</i>	41-25-08.392N 070-48-04.979W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
15580	TARPAULIN COVE LIGHT	41-28-07.740N 070-45-26.991W	FI W 6s	78	9	White tower; small white building attached to west side of tower.	
15597	<i>Vineyard Sound Entrance Lighted Buoy 30</i>	41-24-00.071N 070-50-11.004W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
15605	<i>Gay Head Lighted Gong Buoy 31</i>	41-21-49.397N 070-51-47.615W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
15610 620	<b>Gay Head Light</b>	41-20-54.420N 070-50-03.676W	Al WR 15s 0.2s W fl 7.3s ec. 0.2s R fl 7.3s ec.	175	W 24 R 20	Red brick tower. 51	Obscured from 342° to 359° by Nomans Land; light occasionally visible through notches in hilltop. Emergency light (FI W 6s) of reduced intensity when main is extinguished. Lighted throughout 24 hours.
15613	<i>Vineyard Sound Entrance Lighted Whistle Buoy 32</i>	41-22-04.917N 070-57-25.091W	FI R 2.5s		4	Red.	Replaced by nun when endangered by ice.
15617	Sow and Pigs Buoy 34	41-23-45.728N 070-57-46.360W				Red nun.	
15618	<i>Sow and Pigs Lighted Bell Buoy 36</i>	41-23-48.386N 070-59-04.132W	FI R 4s		4	Red.	
<b>WOODS HOLE (Chart 13235)</b>							
<b>Little Harbor</b>							
15650	<i>Coffin Rock Lighted Buoy 1</i>	41-30-42.810N 070-39-40.133W	Q G		3	Green.	
15655	- <i>Channel Lighted Buoy 2</i>	41-30-46.503N 070-39-30.954W	FI R 2.5s		3	Red.	
15660	- <i>Channel Lighted Buoy 4</i>	41-30-54.610N 070-39-49.252W	FI R 4s		4	Red.	
15665	- <i>Channel Lighted Buoy 6</i>	41-31-00.533N 070-39-54.328W	FI R 2.5s		4	Red.	
15670	- <i>Lighted Buoy 7</i>	41-31-00.323N 070-39-56.808W	FI G 2.5s		4	Green.	
<b>Great Harbor</b>							
15695	- Channel Entrance Gong Buoy 1 On south end of shoal.	41-30-31.200N 070-40-13.824W				Green.	
15700	- <i>Channel Entrance Lighted Bell Buoy 2</i> On southwest side of shoal.	41-30-34.202N 070-40-05.892W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>WOODS HOLE (Chart 13235)</b>							
<b>Great Harbor</b>							
15705	- Channel Buoy 4 Off west end of ledge.	41-30-42.594N 070-40-09.034W				Red nun	
15710	Great Ledge Buoy	41-30-49.275N 070-40-01.365W				White with orange bands and orange diamond.	Marked ROCKS.
15715	- Channel Lighted Buoy 5	41-30-56.360N 070-40-19.410W	Fl G 4s		4	Green.	Replaced by can when endangered by ice.
15720	- Channel Buoy 6	41-30-59.480N 070-40-06.562W				Red nun.	
15725	JUNIPER POINT LIGHT 6A	41-31-02.592N 070-40-05.607W	Q R	12	4	TR on spindle.	
15730	- Channel Buoy 8	41-31-15.071N 070-40-19.748W				Red nun.	
15737	- FERRY SLIP 1 LIGHT 2	41-31-20.580N 070-40-14.820W	F R	14		Marks ferry slip.	Private aid.
15740	- FERRY SLIP 1 LIGHT 1	41-31-21.360N 070-40-15.900W	F G	14		Marks ferry slip.	Private aid.
15740.8	- FERRY SLIP 2 LIGHT 1	41-31-20.460N 070-40-14.760W	F G	14		Marks ferry slip.	Private aid.
15740.9	- FERRY SLIP 2 LIGHT 2	41-31-19.140N 070-40-15.480W	F R	14		Red	Marks ferry slip. Private aid.
15745	- Channel Buoy 9 On north part of ledge.	41-31-22.091N 070-40-30.948W				Green can.	
15750	TIMBER PIER LIGHT	41-31-28.398N 070-40-23.008W	F R	14			Private aid.
<b>Broadway</b>							
15755	- Buoy 1	41-31-02.196N 070-40-32.842W				Green can.	
15760	- Day beacon 3	41-31-08.969N 070-40-47.825W				SG on pile.	
15765	- Buoy 2	41-31-05.939N 070-40-33.792W				Red nun.	
15770	- Buoy 4	41-31-08.540N 070-40-39.124W				Red nun.	
<b>Woods Hole Passage</b>							
15773	WOODS HOLE PASS DIRECTIONAL LIGHT	41-31-17.218N 070-40-16.513W	Oc W 4s	30		NR on dolphin.	Visible on course to steer 077°T.
15775	GRASSY ISLAND LEDGE LIGHT On south end of ledge.	41-31-16.197N 070-40-33.246W	Q W (R sector)	26	4	NR on white skeleton tower.	
15780	- Buoy 1	41-31-13.232N 070-40-30.168W				Green can.	
15783	Woods Hole Pass Buoy 1A	41-31-11.880N 070-40-39.540W				Green can.	
15785	- Buoy 2 On south part of ledge.	41-31-15.912N 070-40-30.143W				Red nun.	
15788	Woods Hole Pass Buoy 2A	41-31-14.313N 070-40-40.269W				Red nun.	
15790	- Junction Lighted Buoy SB North of ledge.	41-31-10.822N 070-40-43.997W	Fl (2+1)G 6s		3	Green can with red band.	
15795	- Buoy 7	41-31-07.536N 070-41-04.482W				Green can.	
15800	- Buoy 5	41-31-09.578N 070-40-51.623W				Green can.	
15805	- LIGHT 4	41-31-13.488N 070-40-51.552W	Fl R 2.5s	28	4	TR on skeleton tower.	
15807	- Buoy 4A	41-31-12.612N 070-40-50.829W				Red nun.	
15810	- LIGHT W At west end of ledge.	41-31-06.802N 070-41-01.010W	Fl W 2.5s	34	6	NG on skeleton tower.	
15815	- Buoy 6	41-31-10.461N 070-41-05.179W				Red nun.	
15820	- Buoy 8	41-31-11.791N 070-41-12.709W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>WOODS HOLE (Chart 13235)</b>							
<b>Woods Hole Passage</b>							
15825	- Lighted Buoy 10	41-31-14.487N 070-41-24.794W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
15830	- Buoy 11	41-31-26.451N 070-41-38.599W				Green can.	
15835	- Lighted Bell Buoy 13	41-31-41.000N 070-41-51.600W	FI G 4s		5	Green.	Replaced by can when endangered by ice.
<b>Hadley Harbor</b>							
15840	Hadley Rock Buoy North of rock.	41-31-03.501N 070-41-21.119W				White can with orange bands worded ROCK.	
15845	- Bouy 3	41-30-53.367N 070-41-52.503W				Green can.	
15850	- Buoy 2	41-30-54.323N 070-41-52.509W				Red. nun.	
<b>MARTHA'S VINEYARD TO BLOCK ISLAND (Chart 13218)</b>							
<b>Tarpaulin Cove</b>							
15867	- CG Mooring Buoy	41-28-25.904N 070-45-08.531W				White and blue.	
15870	- Rock Buoy Off east side of rock.	41-28-26.616N 070-45-27.618W				White can with orange bands worded ROCK.	
<b>Robinsons Hole</b>							
15875	- Buoy 1 On shoal.	41-26-46.492N 070-48-14.113W				Green can.	
15880	- Buoy 3	41-26-57.734N 070-48-23.600W				Green can.	
15885	- Rock Buoy 4	41-27-01.892N 070-48-25.213W				Red nun.	
15890	- Buoy 6 At northwest end of Middle Ground.	41-27-07.598N 070-48-29.714W				Red nun.	
15895	- Rock Buoy 8	41-27-12.392N 070-48-34.114W				Red nun.	
15900	- Buoy 10 At northwest end of Middle Ground.	41-27-17.982N 070-48-35.670W				Red nun.	
15905	- Rock Buoy 11 Off point of flats.	41-27-20.452N 070-48-36.678W				Green can.	
<b>Quicks Hole</b>							
15910	- Entrance Lighted Bell Buoy 1	41-25-48.392N 070-50-22.116W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
15915	- Ledge Lighted Buoy 2	41-26-39.705N 070-50-41.426W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
15920	Felix Ledge Buoy 3	41-26-46.910N 070-50-56.708W				Green can.	
<b>Canapitsit Channel</b>							
15930	- Buoy 1	41-25-13.744N 070-54-24.656W				Green can.	
15935	- Buoy 2	41-25-20.253N 070-54-22.962W				Red nun.	
15940	- Buoy 3	41-25-21.232N 070-54-24.545W				Green can.	
15945	- Buoy 5	41-25-28.780N 070-54-31.679W				Green can.	
15947	Menemsha Bight CG Mooring Buoy	41-21-22.007N 070-47-10.115W				White with blue band.	
<b>Menemsha Creek</b>							
15950	- Entrance Bell Buoy 1	41-21-21.873N 070-46-15.006W				Green.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>MARTHA'S VINEYARD TO BLOCK ISLAND (Chart 13218)</b>							
<b>Menemsha Creek</b>							
15955	- ENTRANCE JETTY LIGHT 3	41-21-16.164N 070-46-06.942W	FI G 4s	25	5	SG on spindle.	
15960	- Entrance Jetty Day beacon 2	41-21-15.150N 070-46-08.490W				TR on spindle.	
15965	- Buoy 4	41-21-05.066N 070-45-58.906W				Red nun.	
15970	- Day beacon 5	41-20-20.340N 070-46-12.060W				SG on pile.	Private aid.
15975	- Day beacon 6	41-20-20.860N 070-46-12.990W				TR on pile.	Private aid.
<b>Buzzards Bay Main Channel</b>							
15985 630	<b>Buzzards Bay Entrance Light</b>	41-23-49.118N 071-02-04.866W	FI W 2.5s	67	14	Tower on red square on 3 red piles with large red tube in center, worded BUZZARDS on sides. 68	RACON: B ( . . . . ) HORN: 2 b lasts ev 30s (2s bl-2s si-2s bl-24s si). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
16000	<i>Buzzards Bay Lighted Buoy 1</i>	41-25-50.491N 071-02-15.870W	FI G 2.5s		3	Green.	
16005	<i>Buzzards Bay Lighted Bell Buoy 2</i>	41-26-08.432N 071-00-39.317W	FI R 2.5s		3	Red.	
16010	<i>Buzzards Bay Lighted Gong Buoy 3</i>	41-27-15.000N 071-00-34.000W	FI G 4s		4	Green.	
16015	Hen and Chickens Buoy 1 Off south part of ledge.	41-27-33.699N 071-01-48.341W				Green can.	
16025	<i>Buzzards Bay Lighted Bell Buoy 4</i> West side of shoal.	41-27-01.882N 070-59-13.635W	Q R		3	Red.	
16030	<i>Buzzards Bay Lighted Gong Buoy 5</i> Off southeast side of ledge.	41-28-58.101N 070-57-22.283W	FI G 6s		4	Green.	Replaced by can when endangered by ice.
16035	<i>Buzzards Bay Lighted Buoy 6</i>	41-28-04.047N 070-56-41.038W	FI R 4s		4	Red.	
16040 16731	DUMPLING ROCKS LIGHT 7 On rock.	41-32-17.800N 070-55-17.100W	FI G 6s	52	8	SG on skeleton tower.	
16045	<i>Buzzards Bay Lighted Buoy 7</i>	41-30-24.988N 070-54-18.883W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
16050	<i>Buzzards Bay Lighted Buoy 8</i>	41-28-57.492N 070-53-50.027W	FI R 2.5s		3	Red.	Replaced by LIB when endangered.
16055	<i>Buzzards Bay Midchannel Lighted Buoy BB</i>	41-30-33.000N 070-49-54.000W	Mo (A) W		4	Red and white stripes with red spherical topmark.	Removed when endangered by ice.
16058	<i>Buzzards Bay Lighted Bell Buoy 9</i>	41-32-52.000N 070-46-27.000W	FI G 4s		4	Green.	Replaced by LIB when endangered by ice.
16060	<i>Buzzards Bay Lighted Buoy 10</i>	41-34-23.986N 070-43-11.943W	FI R 4s		4	Red.	Replaced by LIB when endangered by ice.
16075	Bird Island Bell Buoy 3	41-39-59.390N 070-42-23.299W				Green.	Removed when endangered by ice.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>MARTHA'S VINEYARD TO BLOCK ISLAND (Chart 13218)</b>							
<b>Buzzards Bay Main Channel</b>							
16080	<b>Cleveland East Ledge Light</b>	41-37-51.470N 070-41-39.046W	FI W 10s	74	14	White cylindrical tower and dwelling on red caisson. 74	RACON: C ( - . - . ) RACON: C ( - . - . ) HORN: 1 blast ev 15 (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
<b>Cleveland Ledge Channel</b>							
16085	- RANGE FRONT LIGHT On southern end of Abiels Ledge	41-41-32.941N 070-40-27.505W	Q G	27		KRW on white tower.	Visible 4° each side of rangeline.
16090	- RANGE REAR LIGHT 3,167 yards, 015° from front light.	41-43-03.299N 070-39-53.654W	F G	72		KRW on white skeleton tower.	Visible 1.5° each side of rangeline.
16095	- <i>Lighted Buoy 2</i> West of shoal.	41-36-38.662N 070-42-10.996W	FI R 4s		3	Red.	Replaced by nun from Dec. 15 to Mar. 15.
16100	- <i>Lighted Buoy 3</i>	41-37-19.000N 070-42-10.000W	Q G		3	Green.	Replaced by LIB from Dec. 15 to Mar. 15.
16105	- <i>Lighted Buoy 4</i>	41-37-17.591N 070-41-56.553W	Q R		3	Red.	Maintained from Mar. 15 to Dec. 15.
16115	- <i>Lighted Buoy 6</i>	41-37-48.290N 070-41-45.350W	FI R 2.5s		3	Red.	Replaced by nun from Dec. 15 to Mar. 15.
16120	- <i>Lighted Buoy 7</i> Marks shoal.	41-39-07.042N 070-41-27.496W	FI G 4s		3	Green.	Replaced by LIB from Dec. 15 to Mar. 15.
16125	- <i>Lighted Buoy 8</i>	41-39-05.623N 070-41-17.181W	FI R 4s		3	Red.	Replaced by nun from Dec. 15 to Mar. 15.
<b>Cape Cod Canal Approach</b>							
<b>Hog Island Channel</b>							
<i>Both banks of the Cape Cod Canal are lighted by alternating sodium vapor and incandescent lights spaced about 500 feet apart, 140 feet from the edge of the channel, 25 feet above water (maintained by Corps of Engineers). Hog Island Channel lights are located 125 feet outside the channel limits and the shoal water, except Light 6 located 174 feet outside the channel limit.</i>							
16130	- <i>Lighted Buoy 1</i>	41-40-55.400N 070-40-46.700W	Q G		3	Green.	Replaced by LIB from Dec. 15 to Mar. 15.
16135	- <i>Lighted Bell Buoy 2</i>	41-41-03.600N 070-40-30.240W	Q R		3	Red.	Replaced by LIB from Dec. 15 to Mar. 15.
16140	- Bell Buoy 3	41-41-16.700N 070-40-26.500W				Green.	Maintained from Mar. 15 to Dec. 15.
16145	- LIGHT 5	41-41-24.457N 070-40-20.643W	FI G 6s	32	5	SG on skeleton tower on cylindrical pier.	
16150	- LIGHT 4	41-41-20.469N 070-40-12.467W	FI R 6s	24	5	TR on skeleton tower on cylindrical pier.	
16155	- <i>Lighted Buoy 6</i>	41-41-36.000N 070-39-59.600W	FI R 4s		3	Red.	Replaced by LIB from Dec. 15 to Mar. 15.
16160	- <i>Lighted Buoy 7</i>	41-41-39.100N 070-40-05.400W	FI G 4s		3	Green.	Replaced by can from Dec. 15 to Mar. 15.
16165	- LIGHT 9	41-41-57.037N 070-39-50.507W	FI G 6s	24	5	SG on skeleton tower on cylindrical pier.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>Cape Cod Canal Approach</b>							
<b>Hog Island Channel</b>							
<i>Both banks of the Cape Cod Canal are lighted by alternating sodium vapor and incandescent lights spaced about 500 feet apart, 140 feet from the edge of the channel, 25 feet above water (maintained by Corps of Engineers). Hog Island Channel lights are located 125 feet outside the channel limits and the shoal water, except Light 6 located 174 feet outside the channel limit.</i>							
16170	- LIGHT 8	41-41-53.063N 070-39-42.451W	FI R 6s	24	5	TR on skeleton tower on cylindrical pier.	
16175	- Lighted Buoy 10	41-42-09.900N 070-39-28.200W	FI R 4s		3	Red.	Replaced by nun f from Dec. 15 to Mar. 15.
16180	- Lighted Buoy 11	41-42-12.800N 070-39-33.800W	FI G 4s		4	Green.	Replaced by can f from Dec. 15 to Mar. 15.
16185	- LIGHT 13	41-42-29.508N 070-39-20.112W	FI G 6s	24	5	SG on skeleton tower on cylindrical pier.	
16195	- Lighted Buoy 12	41-42-26.500N 070-39-13.000W	FI R 4s		3	Red.	Replaced by nun f from Dec. 15 to Mar. 15.
16200	- Lighted Bell Buoy 15	41-42-46.400N 070-39-02.500W	FI G 4s		3	Green.	Replaced by can f from Dec. 15 to Mar. 15.
16205	- LIGHT 17	41-42-59.309N 070-38-52.105W	FI G 6s	24	5	SG on skeleton tower on cylindrical tower.	
16210	- Lighted Buoy 16	41-42-43.473N 070-38-56.848W	FI R 4s		3	Red.	Replaced by LIB f from Dec. 15 to Mar. 15.
16215	- Lighted Buoy 19	41-43-16.500N 070-38-34.100W	FI G 4s		3	Green.	Replaced by can f from Dec. 15 to Mar. 15.
16220	- Lighted Bell Buoy 18	41-43-13.700N 070-38-28.700W	FI R 4s		3	Red.	Replaced by LIB f from Dec. 15 to Mar. 15.
16225	- LIGHT 21	41-43-28.129N 070-38-25.374W	Q G	35	5	SG on skeleton tower.	
16230	- Lighted Buoy 23	41-43-52.655N 070-37-59.897W	FI G 4s		3	Green.	Replaced by LIB f from Dec. 15 to Mar. 15.
16240	- Lighted Bell Buoy 26	41-44-00.486N 070-37-39.611W	FI R 4s		3	Red.	Replaced by LIB f from Dec. 15 to Mar. 15.
16245	- Lighted Buoy 27	41-44-03.780N 070-37-45.120W	FI G 4s		3	Green.	Replaced by LIB f from Dec. 15 to Mar. 15.
16250	- LIGHT 28	41-44-12.109N 070-37-22.083W	FI R 6s	15	4	TR on white skeleton tower.	
16251	Gray Gables Buoy 1	41-44-09.660N 070-37-24.120W				Green can.	Private aid.
16252	Gray Gables Buoy 2	41-44-09.000N 070-37-24.660W				Red nun.	Private aid.
<b>MARTHA'S VINEYARD TO BLOCK ISLAND (Chart 13218)</b>							
<b>Cuttyhunk Harbor</b>							
16260	Middle Ground Buoy MG	41-26-24.382N 070-55-43.143W				Red and green bands; nun.	
16265	- West Entrance Buoy 1W	41-26-40.386N 070-55-30.127W				Green can.	
16270	Whale Rock Danger Buoy	41-26-02.186N 070-55-12.626W				White with orange bands worded DANGER ROCK.	
16275	- West Entrance Buoy 3W	41-26-25.026N 070-54-51.745W				Green can.	
16280	- West Entrance Buoy 2W	41-26-04.758N 070-55-02.508W				Red nun.	
16285	Pease Ledge Buoy 4	41-25-46.247N 070-54-58.305W				Red nun.	



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>MARTHA'S VINEYARD TO BLOCK ISLAND (Chart 13218)</b>							
<b>Cuttyhunk Harbor</b>							
16290	- North Jetty Bell Buoy 6	41-25-34.448N 070-54-51.665W				Red.	
16295	- NORTH JETTY LIGHT 8	41-25-30.500N 070-55-00.900W	FI R 6s	29	6	TR on gray skeleton tower on concrete base.	Obscured from 284° to 044°.
16300	- Buoy 9	41-25-29.713N 070-54-57.270W				Green can.	
<b>Cuttyhunk Pond Inner Channel</b>							
16301.3	- Buoy 1	41-25-28.800N 070-55-27.600W				Green can.	Private aid.
16301.5	- Buoy 3	41-25-29.700N 070-55-36.240W				Green can.	Private aid.
<b>Cuttyhunk Pond Upper Channel</b>							
16302.1	- Buoy 1	41-25-31.440N 070-55-24.690W				Green can.	Private aid.
16302.2	- Buoy 2	41-25-31.380N 070-55-22.938W				Red nun.	Private aid.
16302.3	- Buoy 3	41-25-33.600N 070-55-24.660W				Green can.	Private aid.
16302.4	- Buoy 4	41-25-32.340N 070-55-22.980W				Red nun.	Private aid.
<b>Cuttyhunk Harbor</b>							
16305	- East Entrance Buoy 1E	41-26-13.099N 070-54-08.126W				Green can.	
16310	- East Entrance Buoy 2E	41-26-26.727N 070-54-12.114W				Red nun.	
<b>Cuttyhunk</b>							
16315	- East Entrance Lighted Bell Buoy CH	41-26-34.071N 070-53-21.805W	Mo (A) W		4	Red and white stripes with red spherical topmark.	Replaced by can when endangered by ice.
<b>South Side</b>							
16320	Lone Rock Lighted Buoy LR Southeasterly of rock.	41-27-39.346N 070-51-08.832W	FI (2+1)G 6s		4	Green and red bands.	Replaced by can when endangered by ice.
16325	Weepecket Rock Lighted Gong Buoy 8 On northeasterly end of shoal.	41-31-48.459N 070-43-26.391W	FI R 2.5s		3	Red.	
<b>Quisset Harbor</b>							
16330	- Entrance Lighted Buoy 2	41-32-32.372N 070-39-56.640W	FI R 4s		4	Red.	Replaced by nun from Dec. 1 to Apr. 1.
16335	- Buoy 4 Marks rock.	41-32-25.426N 070-39-46.876W				Red nun.	
16340	- Buoy 3	41-32-32.073N 070-39-53.353W				Green can.	
16345	- Buoy 5	41-32-26.728N 070-39-45.876W				Green can.	
16350	- Buoy 6	41-32-24.889N 070-39-40.820W				Red nun.	
16355	- Buoy 7 South side of rock.	41-32-25.759N 070-39-36.647W				Green can.	
16360	- Buoy 8	41-32-32.880N 070-39-19.020W				Red nun.	Private aid.
16365	- Buoy 9	41-32-34.573N 070-39-16.275W				Green can.	Private aid.
<b>East Side</b>							
16375	Great Sippewisset Rock Day beacon	41-35-17.500N 070-39-13.500W				TR on spindle.	Maintained from May 15 to Oct. 15. Private aid.
<b>West Falmouth Harbor</b>							
<i>Private aids are maintained from May 15 to Oct. 15 unless otherwise noted.</i>							
16380	- Entrance Buoy 1 Marks ledge.	41-36-34.836N 070-39-29.181W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>MARTHA'S VINEYARD TO BLOCK ISLAND (Chart 13218)</b>							
<b>West Falmouth Harbor</b>							
<i>Private aids are maintained from May 15 to Oct. 15 unless otherwise noted.</i>							
16385	- Entrance Lighted Bell Buoy 2	41-36-22.579N 070-39-30.249W	FI R 4s		3	Red.	Replaced by nun from Dec. 1 to Apr. 1.
16390	- Entrance Buoy 4 Marks ledge.	41-36-24.806N 070-39-09.503W				Red nun.	
16395	- Buoy 6	41-36-24.000N 070-39-00.000W				Red nun.	Private aid.
16400	- Buoy 7	41-36-21.300N 070-39-01.380W				Green can.	Private aid.
16405	- Buoy 8	41-36-12.300N 070-38-32.160W				Red nun.	Private aid.
16410	- Buoy 9	41-36-21.720N 070-38-53.100W				Green can.	Private aid.
16420	- Buoy 13	41-36-15.480N 070-38-35.520W				Green can.	Private aid.
16425	- Buoy 14	41-36-14.700N 070-38-36.120W				Red nun.	Private aid.
<b>BUZZARDS BAY (Chart 13230)</b>							
<b>Wild Harbor</b>							
16450	- Lighted Buoy 1	41-38-07.995N 070-39-16.953W	FI G 4s		4	Green.	Maintained from Apr. 1 to Dec. 1.
16460	- Buoy 4	41-38-07.165N 070-38-54.162W				Red nun.	
<b>Megansett Harbor</b>							
16461	- Lighted Buoy 1	41-39-07.037N 070-40-04.903W	FI G 4s		4	Green.	Maintained from Apr. 1 to Nov. 30.
16465	Seal Rocks Buoy 3	41-39-27.623N 070-39-29.214W				Green can.	
16475	Fiddlers Cove Marina Buoy 4FC	41-39-02.040N 070-38-08.040W				Red nun.	Private aid.
16480	Fiddlers Cove Marina Buoy 5FC	41-39-01.860N 070-38-07.020W				Green can.	Private aid.
16490	- Buoy 4	41-39-11.822N 070-38-48.130W				Red nun.	
16495	- Buoy 5	41-39-24.554N 070-38-19.452W				Green can.	
16497	- Lighted Buoy 6	41-39-11.172N 070-38-08.094W	FI R 2.5s		4	Red.	Replaced by nun from Dec. 1 to Apr. 1.
16500	- Buoy 7	41-39-29.700N 070-37-47.707W				Green can.	
16501	- BREAKWATER LIGHT 8	41-39-28.588N 070-37-34.803W	FI R 6s	25	5	TR on spindle on timber structure.	
16502	- Channel Buoy 8A	41-39-30.180N 070-37-36.600W				Red nun.	Maintained from May 1 to Oct. 15. Private aid.
16510	- Buoy 9	41-39-30.864N 070-37-33.741W				Green can.	
16512	- Buoy 10	41-39-30.228N 070-37-34.368W				Red nun.	
16515	- Buoy 11	41-39-28.920N 070-37-30.844W				Green can.	Maintained from May 15 to Oct. 15. Private aid.
<b>Squeteague Harbor</b>							
16517	- Buoy 2	41-39-33.300N 070-37-16.920W				Red nun.	Private aid.
16518	- Buoy 3	41-39-38.820N 070-37-13.020W				Green can.	Private aid.
<b>Southwest Ledge</b>							
16530	- Buoy 2	41-40-01.449N 070-40-09.526W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>CAPE COD CANAL AND APPROACHES (Chart 13236)</b>							
<b>Red Brook Harbor</b>							
16535	Eustis Rock Buoy ER	41-40-28.696N 070-38-42.770W				Red and green; nun.	
16540	Bassetts Island Shoal South Buoy 1	41-40-19.964N 070-38-15.649W				Green can.	
16543	Hospital Cove Buoy 1A	41-40-12.129N 070-38-10.148W				Green can.	
16545	Scraggy Rocks Buoy 2	41-40-14.724N 070-38-12.391W				Red nun.	
16550	Hospital Cove Buoy 3	41-40-05.940N 070-38-06.819W				Green can.	
16555	Hospital Cove Buoy 5	41-40-03.528N 070-38-02.308W				Green can.	
16557	Hospital Cove Buoy 5A	41-40-03.900N 070-37-57.114W				Green can.	
16560	Hospital Cove Buoy 6	41-40-01.470N 070-37-59.848W				Red nun.	
<b>Red Brook Harbor South Channel</b>							
16565	- Buoy 7	41-40-07.092N 070-37-52.062W				Green can.	
16570	- Buoy 8	41-40-07.982N 070-37-50.015W				Red nun.	
16575	- Buoy 9	41-40-17.994N 070-37-46.938W				Green can.	
16580	- Buoy 10	41-40-26.874N 070-37-44.160W				Red nun.	
16585	- Buoy 12	41-40-38.010N 070-37-40.794W				Red nun.	
16590	- Buoy 11	41-40-33.605N 070-37-43.150W				Green can.	
<b>Red Brook Harbor</b>							
16595	- Buoy 14	41-40-39.084N 070-37-37.662W				Red nun.	
16600	Handy Point Shoal Buoy 13	41-40-31.560N 070-37-26.040W				Green can.	Private aid.
16601	- Buoy 16	41-40-30.600N 070-37-27.000W				Red nun.	Private aid.
16602	- Buoy 18	41-40-30.400N 070-37-17.400W				Red nun.	Private aid.
16603	- Buoy 20	41-40-30.000N 070-37-09.400W				Red nun.	Private aid.
16604	- Buoy 22	41-40-29.600N 070-37-01.700W				Red nun.	Private aid.
16604.1	Hen Cove Channel Buoy 1	41-40-53.940N 070-37-24.660W				Green can.	Private aid.
16604.2	Hen Cove Channel Buoy 2	41-40-52.320N 070-37-22.560W				Red nun.	Private aid.
<b>BUZZARDS BAY (Chart 13230)</b>							
<b>Pocasset Harbor Approach</b>							
16605	Bassetts Island Buoy 2	41-40-47.431N 070-38-41.413W				Red nun.	
<b>Pocasset Harbor</b>							
16610	- Buoy 1	41-41-05.000N 070-38-14.000W				Green can.	
16615	- Buoy 2 Marks northern edge of rock.	41-41-04.098N 070-38-10.122W				Red nun.	
16620	- Buoy 3	41-41-05.417N 070-38-07.029W				Green can.	
16625	- Buoy 4	41-41-14.800N 070-38-07.113W				Red nun.	
16630	- Buoy 5	41-41-19.700N 070-37-59.112W				Green can.	
16635	- Buoy 7 Off flat.	41-41-17.706N 070-37-51.132W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>BUZZARDS BAY (Chart 13230)</b>							
<b>Pocasset Harbor</b>							
16640	- Buoy 8	41-41-14.387N 070-37-50.103W				Red nun.	
16645	- Buoy 9 Rocks just eastward of buoy.	41-41-13.382N 070-37-48.112W				Green can.	
16646	Bassetts Island East Shoals Danger Buoy	41-41-11.940N 070-37-49.320W				White with orange bands.	Private aid.
<b>CAPE COD CANAL AND APPROACHES (Chart 13236)</b>							
<b>Red Brook Harbor</b>							
16647	- Buoy 11	41-41-06.416N 070-37-50.667W				Green can.	
16648	- Buoy 12	41-40-55.461N 070-37-51.057W				Red nun.	
16649	- Buoy 13	41-40-48.895N 070-37-40.041W				Green can.	
<b>BUZZARDS BAY (Chart 13230)</b>							
<b>Phinneys Harbor</b>							
16650	- Buoy 2	41-41-19.200N 070-39-23.705W				Red nun.	
16655	- Buoy 3	41-41-27.050N 070-39-17.105W				Green can.	
16660	- Buoy 5	41-41-56.504N 070-38-24.924W				Green can.	
16665	- Buoy 6	41-42-15.162N 070-37-50.190W				Red nun.	
16670	- LIGHT 7	41-42-16.121N 070-37-56.382W	FI G 4s	26	5	SG on spindle.	
16670.5	Little Bay Buoy 1	41-42-09.900N 070-37-13.500W				Green Can.	Private aid.
16671	Little Bay Buoy 2	41-42-06.960N 070-37-12.660W				Red nun.	Private aid.
16675	- Buoy 9	41-42-36.930N 070-37-52.332W				Green can.	
16680	- Buoy 10	41-42-56.680N 070-37-33.043W				Red nun.	
16685	- Buoy 12	41-42-59.595N 070-37-15.325W				Red nun.	
16690	- Buoy 11	41-43-04.020N 070-37-24.802W				Green can.	
16695	- Buoy 13	41-43-01.949N 070-37-15.039W				Green can.	
16700	- Buoy 14	41-43-17.450N 070-37-24.693W				Red nun.	
<b>Slocums River Entrance</b>							
16705	Slocums Ledge Buoy 2 Off west side of ledge.	41-30-53.878N 070-58-05.136W				Red nun.	
<b>New Bedford Harbor</b>							
<b>Southwest Approach</b>							
16711	Salters Point Ledge Buoy 1	41-31-30.010N 070-56-08.461W				Green can.	
16716	- Buoy 2	41-31-37.744N 070-55-23.035W				Red nun.	
16721	<i>The Sandspit Lighted Bell Buoy</i> 4 On west point of shoal.	41-31-53.051N 070-54-58.647W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
16726	Dumpling Rocks Gong Buoy 5	41-32-04.970N 070-55-12.902W				Green.	
16731 16040	DUMPLING ROCKS LIGHT 7 On rock.	41-32-17.800N 070-55-17.100W	FI G 6s	52	8	SG on skeleton tower.	
16736	- <i>Lighted Bell Buoy 8</i>	41-32-20.024N 070-54-24.978W	FI R 2.5s		3	Red.	
16738	Great Ledge Buoy 8A	41-32-25.621N 070-53-55.305W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>BUZZARDS BAY (Chart 13230)</b>							
<b>New Bedford Harbor</b>							
<b>Apponaganset Bay</b>							
16741	- Lighted Gong Buoy AB	41-33-09.990N 070-54-42.057W	FI (2+1)R 6s		4	Red and green bands.	
16742	Fatal Rock Buoy DF East of rock.	41-32-44.648N 070-55-34.052W				Black and red bands with two black spherical topmarks.	
16745	Hussey Rock Buoy 1 East of rock.	41-33-21.208N 070-55-17.462W				Green can.	
16747	Barekneed Rocks Day beacon B	41-33-19.570N 070-55-54.593W				NB on spindle.	
16750	Keel Rock Buoy 3	41-33-24.878N 070-55-43.813W				Green can.	
16756	Lone Rock Buoy 4	41-33-38.108N 070-54-55.562W				Red nun.	
16760	Bents Ledge Buoy 6	41-34-03.708N 070-54-52.882W				Red nun.	
16765	PADANARAM BREAKWATER LIGHT 8	41-34-26.824N 070-56-21.370W	FI R 4s	25	5	TR on spindle.	
16771	Dartmouth Rock Buoy 10	41-34-36.334N 070-56-33.262W				Red nun.	
16774	South Dartmouth Channel Buoy 12	41-34-50.807N 070-56-45.231W				Red nun.	
16775	- Buoy 13	41-35-03.000N 070-56-46.000W				Green can.	Private aid.
<b>Southwest Approach</b>							
16780	- Buoy 10	41-33-42.979N 070-53-34.207W				Red nun.	
16791	- Buoy 12	41-34-26.006N 070-53-35.021W				Red nun.	
16796	Old Bartlemy Buoy 13	41-35-38.333N 070-53-43.805W				Green can.	
<b>MARTHA'S VINEYARD TO BLOCK ISLAND (Chart 13218)</b>							
<b>New Bedford Harbor</b>							
<b>New Bedford Channel</b>							
16805	- Lighted Buoy 1	41-31-43.995N 070-50-45.992W	Q G		3	Green.	
16810	- Lighted Buoy 2	41-31-45.969N 070-50-32.020W	Q R		4	Red.	
16815	- Buoy 3	41-32-56.306N 070-51-47.965W				Green can.	
16817	Phinney Rock Lighted Buoy DP	41-33-06.143N 070-53-05.178W	FI (2)W 5s		4	Black and red bands with two black spherical topmarks.	
16820	- Lighted Buoy 4	41-33-36.025N 070-51-41.959W	FI R 4s		3	Red.	
16825	- Lighted Buoy 5	41-33-30.029N 070-51-54.057W	FI G 4s		3	Green.	
16830	- Lighted Buoy 6 On southwest side of rock.	41-34-12.930N 070-52-15.901W	FI R 2.5s		3	Red.	
16835	- Lighted Gong Buoy 7 East of rock.	41-34-09.268N 070-52-28.723W	FI G 2.5s		3	Green.	
16845	- Lighted Buoy 8	41-35-13.031N 070-52-55.523W	FI R 6s		3	Red.	
16851	- Lighted Buoy 9	41-35-11.808N 070-53-00.348W	FI G 6s		3	Green.	
16855	- Lighted Buoy 10	41-36-16.689N 070-53-32.566W	FI R 2.5s		3	Red.	
16860	- Lighted Buoy 11	41-36-15.186N 070-53-36.489W	FI G 2.5s		3	Green.	
16870	- Buoy 12	41-36-38.757N 070-53-47.030W				Red nun.	
16875	- Buoy 13	41-36-38.132N 070-53-51.912W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>MARTHA'S VINEYARD TO BLOCK ISLAND (Chart 13218)</b>							
<b>New Bedford Harbor</b>							
<b>New Bedford Channel</b>							
16880	- Lighted Buoy 14	41-36-57.384N 070-53-59.080W	FI R 4s		3	Red.	
16885	- Lighted Buoy 15	41-36-58.195N 070-54-04.476W	FI G 4s		3	Green.	
16890	- Buoy 16	41-37-21.374N 070-54-14.493W				Red nun.	
16895	- Buoy 17	41-37-20.086N 070-54-18.896W				Green can.	
16896	NEW BEDFORD EAST BARRIER LIGHT	41-37-28.900N 070-54-19.400W	Q R	33	8	On pile.	
16897	NEW BEDFORD WEST BARRIER LIGHT	41-37-27.200N 070-54-22.000W	Q G	48	8	On pile.	HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
16898	PALMERS ISLAND LIGHT	41-37-37.020N 070-54-32.910W	FI W 4s			White conical tower on stone pier.	Private aid.
<b>New Bedford Harbor Channel</b>							
16910	- Lighted Buoy 2	41-37-40.146N 070-54-26.805W	FI R 4s		3	Red.	
16915	- Lighted Buoy 3	41-37-47.666N 070-54-39.266W	FI G 4s		3	Green.	
16920	South Terminal Approach Buoy 1	41-37-44.376N 070-54-50.136W				Green can.	
16925	South Terminal Approach Buoy 2	41-37-44.501N 070-54-59.296W				Red nun.	
16926	New Bedford South Terminal Buoy 1	41-37-17.580N 070-54-46.020W				Green can.	Private aid.
16926.1	New Bedford South Terminal Buoy 2	41-37-16.405N 070-54-48.106W				Red nun.	Private aid.
16926.2	New Bedford South Terminal Buoy 3	41-37-15.960N 070-54-46.860W				Green can.	Private aid.
16926.3	New Bedford South Terminal Buoy 4	41-37-15.240N 070-54-48.900W				Red nun.	Private aid.
16926.4	New Bedford South Terminal Buoy 5	41-37-14.940N 070-54-48.300W				Green can.	Private aid.
16926.5	New Bedford South Terminal Buoy 6	41-37-14.203N 070-54-50.461W				Red nun.	Private aid.
16926.6	New Bedford South Terminal Buoy 7	41-37-13.188N 070-54-49.914W				Green can.	Private aid.
16926.7	New Bedford South Terminal Buoy 8	41-37-13.590N 070-54-51.624W				Red nun.	Private aid.
16930	- Buoy 4	41-37-54.356N 070-54-26.205W				Red nun.	
16935	- Lighted Buoy 6	41-38-05.075N 070-54-48.846W	FI R 4s		3	Red.	
16940	Crow Island Buoy 1	41-38-10.982N 070-54-33.197W				Green can.	
16945	- Lighted Buoy 8	41-38-14.545N 070-54-56.826W	FI R 4s		3	Red.	
16950	Fish Island Flats Buoy 2	41-38-11.045N 070-55-06.936W				Red nun.	
16955	- Lighted Buoy 9	41-38-14.715N 070-55-02.737W	FI G 2.5s		3	Green.	
<b>New Bedford Southeast Approach</b>							
16960	- Bell Buoy 2SE	41-34-04.101N 070-48-45.215W				Red.	Removed when endangered by ice.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>MARTHA'S VINEYARD TO BLOCK ISLAND (Chart 13218)</b>							
<b>New Bedford Harbor</b>							
<b>New Bedford Southeast Approach</b>							
16963	<i>Buzzards Bay Environmental Monitoring Lighted Buoy</i>	41-33-59.400N 070-49-32.500W	FI Y 4s			Yellow.	Marked: ENVIRONMENTAL MONITORING MODULE. Maintained 01 May - 31 Oct. Private aid.
16965	- Buoy 4SE	41-34-00.581N 070-50-31.785W				Red nun.	
16970	- Buoy 5SE	41-34-07.000N 070-51-19.000W				Green can.	
16975	- Day beacon 6SE	41-34-41.330N 070-51-44.794W				TR on spindle.	
16980	- Buoy 8SE	41-34-38.829N 070-52-11.568W				Red nun.	
<b>Nasketucket Bay</b>							
17026.1	<i>Brant Island Cove Channel Lighted Buoy 1</i>	41-36-39.780N 070-48-10.020W	FI G 2s			Green.	Private aid.
17026.2	<i>Brant Island Cove Channel Lighted Buoy 2</i>	41-36-42.060N 070-48-07.620W	FI R 2s			Red.	Private aid.
17026.3	<i>Brant Island Cove Channel Lighted Buoy 3</i>	41-37-00.300N 070-48-32.040W	FI G 2s			Green.	Private aid.
17026.4	<i>Brant Island Cove Channel Lighted Buoy 4</i>	41-37-03.000N 070-48-27.780W	FI R 2s			Red.	Private aid.
17026.5	Brant Island Cove Channel Buoy 5	41-37-09.480N 070-48-39.540W				Green can.	Private aid.
17026.6	Brant Island Cove Channel Buoy 6	41-37-11.580N 070-48-35.580W				Red nun.	Private aid.
17026.7	Brant Island Cove Channel Buoy 7	41-37-32.220N 070-48-54.360W				Green can.	Private aid.
17026.8	Brant Island Cove Channel Buoy 8	41-37-34.080N 070-48-53.220W				Red nun.	Private aid.
<b>CAPE COD CANAL AND APPROACHES (Chart 13236)</b>							
<b>Nasketucket Bay</b>							
<b>Round Cove Aquaculture</b>							
17030	<i>Nasketucket Bay Aquaculture Lighted Buoy NW</i>	41-36-35.820N 070-50-37.560W	FI Y 4s			Yellow.	Seasonal May-Sep. Private aid.
17035	<i>Nasketucket Bay Aquaculture Lighted Buoy NE</i>	41-36-50.100N 070-50-26.040W	FI Y 4s			Yellow.	Seasonal May-Sep. Private aid.
17040	<i>Nasketucket Bay Aquaculture Lighted Buoy SE</i>	41-36-42.900N 070-50-13.380W	FI Y 4s			Yellow.	Seasonal May-Sep. Private aid.
17045	<i>Nasketucket Bay Aquaculture Lighted Buoy SW</i>	41-36-27.540N 070-50-25.320W	FI Y 4s			Yellow.	Seasonal May-Sep. Private aid.
<b>MARTHA'S VINEYARD TO BLOCK ISLAND (Chart 13218)</b>							
<b>Nasketucket Bay</b>							
17045.1	<i>Round Cove Aquaculture Lighted Buoy SE</i>	41-36-38.700N 070-48-10.700W	Q Y			Yellow.	Private aid.
17045.2	<i>Round Cove Aquaculture Buoy NE</i>	41-36-51.400N 070-48-38.200W				Yellow can.	Private aid.
17045.3	<i>Round Cove Aquaculture Lighted Buoy SW</i>	41-36-25.400N 070-48-16.400W	Q Y			Yellow.	Private aid.
17045.4	<i>Round Cove Aquaculture Buoy NW</i>	41-36-34.000N 070-48-50.700W				Yellow can.	Private aid.
<b>CAPE COD CANAL AND APPROACHES (Chart 13236)</b>							
<b>West Island Channel</b>							
<i>Aids maintained from May 1 to Nov. 30.</i>							
17046	- Buoy 1	41-36-20.000N 070-50-29.100W				Green can.	Private aid.
17046.1	- Buoy 2	41-36-20.700N 070-50-29.300W				Red nun.	Private aid.
17046.2	- Buoy 3	41-36-17.600N 070-50-32.000W				Green can.	Private aid.
17046.3	- Buoy 4	41-36-18.300N 070-50-32.100W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>CAPE COD CANAL AND APPROACHES (Chart 13236)</b>							
<b>West Island Channel</b>							
<i>Aids maintained from May 1 to Nov. 30.</i>							
17046.4	- Buoy 5	41-36-16.500N 070-50-33.600W				Green can.	Private aid.
17046.5	- Buoy 6	41-36-17.000N 070-50-34.300W				Red nun.	Private aid.
17046.6	- Buoy 7	41-36-15.600N 070-50-34.800W				Green can.	Private aid.
17046.7	- Buoy 8	41-36-15.000N 070-50-36.600W				Red nun.	Private aid.
17046.8	- Buoy 9	41-36-14.000N 070-50-37.100W				Green can.	Private aid.
17046.9	- Buoy 10	41-36-13.100N 070-50-39.500W				Red nun.	Private aid.
17047	- Buoy 11	41-36-12.060N 070-50-39.840W				Green can.	Private aid.
17047.1	- Buoy 12	41-36-11.800N 070-50-40.400W				Red nun.	Private aid.
17047.2	- Buoy 13	41-36-10.400N 070-50-39.300W				Green can.	Private aid.
17047.3	- Buoy 14	41-36-10.300N 070-50-40.200W				Red nun.	Private aid.
17047.4	- Buoy 15	41-36-08.700N 070-50-38.500W				Green can.	Private aid.
17047.5	- Buoy 16	41-36-08.800N 070-50-39.300W				Red nun.	Private aid.
<b>Mattapoisett Harbor</b>							
17050	Cormorant Rock Day beacon	41-36-16.992N 070-47-30.417W				NG on spindle.	
17055	<i>NYE Ledge Lighted Bell Buoy 1</i>	41-37-02.898N 070-46-10.267W	FI G 4s		4	Green	Replaced by can when endangered by ice.
17065	- Approach Buoy 3	41-37-35.060N 070-46-48.183W				Green Can.	
17070	ANGELICA POINT LIGHT 2 On outer rock.	41-38-20.483N 070-45-45.985W	FI R 2.5s	24	3	TR on spindle.	
17075	- Approach Buoy 5	41-37-58.249N 070-47-11.883W				Green can.	
17080	- Approach Buoy 6	41-38-15.434N 070-47-30.906W				Red nun.	
17085	- Approach Buoy 7	41-38-10.528N 070-47-42.704W				Green can.	
17095	<b>Ned Point Light</b>	41-39-03.133N 070-47-44.336W	Iso W 6s	41	12	White tower. 39	
<b>Sippican Harbor</b>							
17105	BIRD ISLAND LIGHT	41-40-10.020N 070-43-02.400W	FI W 6s			White tower.	Private aid.
17115	- <i>Lighted Buoy 2</i> Off southwest side of shoal.	41-39-43.970N 070-43-34.070W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
17130	- <i>Lighted Buoy 3</i> East of rock.	41-40-29.008N 070-44-22.162W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.
17135	- Buoy 5	41-40-49.767N 070-44-23.692W				Green can.	
17140	- Buoy 6	41-41-36.556N 070-45-00.124W				Red nun.	
17145	- Buoy 7	41-41-47.585N 070-45-10.895W				Green can.	
17150	- <i>Lighted Buoy 8</i>	41-41-54.318N 070-45-13.123W	FI R 4s		4	Red.	Replaced by nun from Oct. 15 to May 1.
17155	- Buoy 9	41-42-00.820N 070-45-14.159W				Green can.	
17156	- <i>Lighted Buoy 10</i>	41-42-04.300N 070-45-13.320W	FI R 4s			Red.	Private aid.



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>CAPE COD CANAL AND APPROACHES (Chart 13236)</b>							
<b>Sippican Harbor</b>							
<b>Sippican Harbor Upper Channel</b>							
<i>Aids maintained from Apr. 15 to Oct. 15.</i>							
17169	- Lighted Buoy 11	41-42-11.460N 070-45-22.380W	FI G 4s			Green.	Private aid.
17170	- Lighted Buoy 13	41-42-21.420N 070-45-29.520W	FI G 4s			Green.	Private aid.
17174	- Mid-Channel Lighted Buoy	41-42-18.060N 070-45-27.600W	FI W 4s			Red and white.	Private aid.
17175	- Buoy 14	41-42-25.440N 070-45-32.220W				Red nun.	Private aid.
17180	- Lighted Buoy 15	41-42-26.000N 070-45-34.000W	FI G 4s			Green can.	Private aid.
17183	- Buoy 16	41-42-31.140N 070-45-28.620W				Red nun.	Private aid.
17185	- Lighted Buoy 17	41-42-29.000N 070-45-37.000W	FI G 4s			Green can.	Private aid.
17190	- Buoy 18	41-42-36.000N 070-45-43.000W				Red nun.	Private aid.
17195	- Lighted Buoy 19	41-42-37.000N 070-45-47.000W	FI G 4s			Green can.	Private aid.
17200	- Lighted Buoy 21	41-42-39.000N 070-45-49.000W	FI G 4s			Green can.	Private aid.
<b>Burr Brothers Boatyard Channel</b>							
17201	- Buoy 1	41-42-38.880N 070-45-48.120W				Green can.	Private aid.
17201.05	- Buoy 2	41-42-43.380N 070-45-52.020W				Red nun.	Private aid.
17202	- Buoy 3	41-42-44.460N 070-45-53.340W				Green can.	Private aid.
17202.4	- Buoy 4	41-42-45.540N 070-45-54.120W				Red nun.	Private aid.
17202.6	- Buoy 6	41-42-47.460N 070-45-54.960W				Red nun.	Private aid.
17202.8	- Buoy 8	41-42-49.440N 070-45-54.780W				Red nun.	Private aid.
<b>Sippican Harbor</b>							
17205	Hammet Cove Buoy 2	41-42-38.760N 070-45-30.120W				Red nun.	Maintained from Apr. 15 to Oct. 15. Private aid.
17210	Hammet Cove Buoy 4	41-42-39.900N 070-45-27.780W				Red nun.	Maintained from Apr. 15 to Oct. 15. Private aid.
<b>Wareham River</b>							
<b>Weweantic River</b>							
<i>Private aids maintained from May to Nov. 1, unless otherwise noted.</i>							
17215	Dry Ledge Buoy 2	41-42-05.138N 070-41-37.719W				Red nun.	
17220	Wareham River Entrance Buoy 4	41-42-54.905N 070-42-58.889W				Red nun.	
17225	Wareham River Entrance Buoy 6	41-43-14.913N 070-43-06.666W				Red nun.	
17230	Wareham River Entrance Buoy 7	41-43-18.559N 070-43-07.598W				Green can.	
17235	Wareham River Entrance Buoy 9	41-43-29.325N 070-43-04.838W				Green can.	
17240	Wareham River Entrance Buoy 10	41-43-44.834N 070-43-04.648W				Red nun.	
17247	Wareham River Buoy 12	41-43-56.476N 070-42-59.287W				Red nun.	
17250	Wareham River Buoy 13 At upper part of flats.	41-44-06.943N 070-42-43.021W				Green can.	
17255	Wareham River Buoy 15	41-44-14.971N 070-42-36.085W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>CAPE COD CANAL AND APPROACHES (Chart 13236)</b>							
<b>Wareham River</b>							
<b>Weweantic River</b>							
<i>Private aids maintained from May to Nov. 1, unless otherwise noted.</i>							
17260	Wareham River Buoy 16	41-44-22.933N 070-42-31.272W				Red nun.	
17265	Wareham River Buoy 17	41-44-32.347N 070-42-28.189W				Green can.	
17270	Wareham River Buoy 19	41-44-39.634N 070-42-26.543W				Green can.	
17275	Wareham River Buoy 20	41-44-47.064N 070-42-23.128W				Red nun.	
17280	Wareham River Buoy 22	41-44-57.824N 070-42-15.253W				Red nun.	Removed when endangered by ice.
17290	Wareham River Buoy 26	41-45-07.442N 070-42-18.063W				Red nun.	
17295	Wareham River Buoy 28	41-45-12.474N 070-42-30.554W				Red nun.	
17296	- Buoy 1	41-43-18.900N 070-43-26.280W				Green can.	Private aid.
17296.1	- Buoy 2	41-43-36.720N 070-43-43.920W				Red nun.	Private aid.
17296.2	- Buoy 3	41-43-35.520N 070-43-43.620W				Green can.	Private aid.
17296.3	- Buoy 4	41-43-37.740N 070-43-48.540W				Red nun.	Private aid.
17296.4	- Buoy 5	41-43-46.660N 070-43-50.220W				Green can.	Private aid.
17296.5	- Buoy 6	41-43-38.280N 070-43-56.760W				Red nun.	Private aid.
17296.6	- Buoy 8	41-43-41.340N 070-44-01.560W				Red nun.	Private aid.
17296.7	- Buoy 10	41-43-44.280N 070-44-05.100W				Red nun.	Private aid.
17296.8	- Buoy 11	41-43-47.520N 070-44-11.640W				Green can.	Private aid.
17296.9	- Buoy 12	41-43-49.640N 070-44-11.580W				Red nun.	Private aid.
17297	- Buoy 13	41-43-52.380N 070-44-15.000W				Green can.	Private aid.
17297.1	- Buoy 14	41-43-53.220N 070-44-17.640W				Red nun.	Private aid.
17297.2	- Buoy 15	41-43-50.100N 070-44-28.440W				Green can.	Private aid.
17297.3	- Buoy 16	41-43-49.200N 070-44-32.880W				Red nun.	Private aid.
17297.4	- Buoy 18	41-43-50.100N 070-44-36.660W				Red nun.	Private aid.
17297.5	- Buoy 19	41-43-56.580N 070-44-43.140W				Green can.	Private aid.
17297.6	- Buoy 20	41-43-56.820N 070-44-42.060W				Red nun.	Private aid.
17297.7	- Buoy 22	41-44-01.320N 070-44-42.600W				Red nun.	Private aid.
17297.8	- Buoy 23	41-44-03.420N 070-44-43.080W				Green can.	Private aid.
17297.9	- Buoy 24	41-44-05.460N 070-44-39.060W				Red nun.	Private aid.
17298	- Buoy 25	41-44-06.100N 070-44-40.020W				Green can.	Private aid.
<b>Onset Bay</b>							
17300	- Channel Buoy 1	41-43-25.688N 070-38-27.141W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>CAPE COD CANAL AND APPROACHES (Chart 13236)</b>							
<b>Onset Bay</b>							
17302	- Channel Buoy 2	41-43-29.883N 070-38-28.679W				Red nun.	
17305	- Channel Buoy 3	41-43-33.698N 070-38-34.185W				Green can.	
17310	- Channel Buoy 4	41-43-33.908N 070-38-32.760W				Red nun.	
17315	- Channel Buoy 5	41-43-44.707N 070-38-34.079W				Green can.	
17320	- Channel Buoy 6	41-43-46.970N 070-38-32.769W				Red nun.	
17325	- Channel Buoy 7	41-43-47.895N 070-38-36.226W				Green can.	
17330	- Channel Buoy 8	41-43-50.952N 070-38-39.418W				Red nun.	
17335	- Channel Buoy 9	41-43-54.660N 070-38-50.013W				Green can.	
17340	- Channel Buoy 10	41-43-55.696N 070-38-48.968W				Red nun.	
17345	- Channel Buoy 11	41-44-00.347N 070-39-00.695W				Green can.	
17350	- Channel Buoy 12	41-44-05.673N 070-39-13.976W				Red nun.	
17355	- Channel Buoy 13	41-44-04.518N 070-39-15.429W				Green can.	
17360	- Channel Buoy 14	41-44-13.717N 070-39-19.008W				Red nun.	
17365	- Channel Buoy 15	41-44-13.500N 070-39-20.995W				Green can.	
17370	- Channel Buoy 16	41-44-21.632N 070-39-23.816W				Red nun.	
17375	Sunset Cove Approach Buoy 1	41-44-19.500N 070-39-40.560W				Green can.	Maintained from June 1 to Oct. 1. Private aid.
17380	Sunset Cove Approach Buoy 2	41-44-23.730N 070-39-36.960W				Red nun.	Maintained from June 1 to Oct. 1. Private aid.
17380.1	Shell Point Channel Buoy 4	41-44-15.780N 070-39-43.500W				Red nun.	Maintained May 1 to Nov 1. Private aid.
17380.2	Shell Point Channel Buoy 6	41-44-10.680N 070-39-45.000W				Red nun.	Maintained May 1 to Nov 1. Private aid.
17380.3	Shell Point Channel Buoy 8	41-44-07.440N 070-39-47.640W				Red nun.	Maintained May 1 to Nov 1. Private aid.
17380.4	Shell Point Channel Buoy 10	41-44-06.660N 070-39-51.120W				Red nun.	Maintained May 1 to Nov 1. Private aid.
17380.5	Shell Point Channel Buoy 12	41-44-09.600N 070-39-55.800W				Red nun.	Maintained May 1 to Nov 1. Private aid.
17380.6	Shell Point Channel Buoy 13	41-44-15.960N 070-39-55.080W				Green can.	Maintained May 1 to Nov 1. Private aid.
17380.7	Shell Point Channel Buoy 14	41-44-12.720N 070-39-55.860W				Red nun.	Maintained May 1 to Nov 1. Private aid.
17381	Point Independence Yacht Club Buoy 1	41-44-11.160N 070-39-02.400W				Green can.	Maintained from 1 June to Oct 1.  Private aid.
17382	Point Independence Yacht Club Buoy 2	41-44-11.340N 070-39-01.320W				Red nun.	Maintained from 1 June to Oct 1.  Private aid.
17383.1	- Marina Buoy 1	41-44-09.480N 070-38-56.220W				Green can.	Maintained 1 June to Oct 1.  Private aid.
17383.2	- Marina Buoy 2	41-44-09.180N 070-38-54.840W				Red nun.	Maintained 1 June to Oct 1.  Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>CAPE COD CANAL AND APPROACHES (Chart 13236)</b>							
<b>Onset Bay</b>							
17384	East River Channel Buoy 2	41-44-23.178N 070-39-20.940W				Red Nun.	Maintained May 1 to Nov 1. Private aid.
17384.1	East River Channel Buoy 3	41-44-25.578N 070-39-18.570W				Green can.	Maintained May 1 to Nov 1. Private aid.
17384.2	East River Channel Buoy 4	41-44-25.536N 070-39-17.784W				Red nun.	Maintained May 1 to Nov 1. Private aid.
17384.3	East River Channel Buoy 5	41-44-28.872N 070-39-14.502W				Green can.	Maintained May 1 to Nov 1. Private aid.
17384.4	East River Channel Buoy 6	41-44-29.634N 070-39-13.542W				Red nun.	Maintained May 1 to Nov 1. Private aid.
17384.5	East River Channel Buoy 7	41-44-31.104N 070-39-13.518W				Green can.	Maintained May 1 to Nov 1. Private aid.
<b>MARTHA'S VINEYARD TO BLOCK ISLAND (Chart 13218)</b>							
<b>Buttermilk Bay Approach</b>							
17385	- Buoy 1	41-44-01.600N 070-37-57.958W				Green can.	
17390	- Buoy 3	41-44-07.901N 070-38-04.025W				Green can.	
17395	- Buoy 4	41-44-12.277N 070-38-02.032W				Red nun.	
17405	- Buoy 5	41-44-16.773N 070-37-58.576W				Green can.	
17410	- Buoy 7	41-44-19.799N 070-37-54.011W				Green can.	
17415	- Day beacon 9 On rocky foundation close to edge of channel	41-44-34.089N 070-37-42.787W				SG on spindle.	
<b>Buttermilk Bay</b>							
17421	- Buoy 2	41-45-05.051N 070-37-27.502W				Red nun.	Private aid.
17421.2	- Buoy 2A	41-45-08.760N 070-37-29.700W				Red nun.	Private aid.
17421.4	- Buoy 4	41-45-17.940N 070-37-21.420W				Red nun.	Private aid.
17421.5	- Buoy 5	41-45-21.480N 070-37-17.880W				Green can.	Private aid.
<b>CAPE COD CANAL AND APPROACHES (Chart 13236)</b>							
<b>Buttermilk Bay Approach</b>							
<b>Little Buttermilk Bay</b>							
17422.2	- Buoy 2	41-45-45.600N 070-36-48.060W				Red nun.	Private aid.
17422.3	- Buoy 3	41-45-51.420N 070-36-44.340W				Green can.	Private aid.
17422.4	- Buoy 4	41-45-57.240N 070-36-37.920W				Red nun.	Private aid.
17422.5	- Buoy 5	41-45-57.780N 070-36-36.000W				Green can.	Private aid.
17422.6	- Buoy 6	41-45-53.820N 070-36-28.740W				Red nun.	Private aid.
<b>BUZZARDS BAY (Chart 13230)</b>							
<b>Westport Harbor Approach</b>							
17425	Gooseberry Neck Buoy 2	41-28-42.822N 071-01-33.412W				Red nun.	
17430	Gooseberry Rock Buoy 4	41-28-35.144N 071-02-07.327W				Red nun.	
17435	Lumber Rock Buoy 6	41-28-23.378N 071-02-51.994W				Red nun.	
17445	- Lighted Bell Buoy 1	41-29-15.326N 071-04-04.366W	FI G 2.5s		4	Green.	
17450	Two Mile Rock Day beacon 3 On northwest side of rock.	41-29-32.092N 071-04-26.144W				SG on spindle.	
17455	Westport Buoy 4	41-29-56.254N 071-04-23.273W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>BUZZARDS BAY (Chart 13230)</b>							
<b>Westport Harbor Approach</b>							
17460	Dogfish Ledge Buoy 5	41-30-10.585N 071-04-58.352W				Green can.	
17462	Half mile Rock Buoy 5A	41-30-20.091N 071-05-01.200W				Green can.	
17463	Half mile Rock Buoy 5B	41-30-24.987N 071-05-05.034W				Green can.	
17465	Half mile Rock Buoy 6	41-30-15.415N 071-04-52.662W				Red nun.	
<b>MARTHA'S VINEYARD TO BLOCK ISLAND (Chart 13218)</b>							
<b>Westport Harbor</b>							
17470	- ENTRANCE LIGHT 7	41-30-26.774N 071-05-16.951W	FI G 6s	35	9	SG on skeleton tower.	
17475	- Channel Buoy 8	41-30-27.961N 071-05-03.288W				Red nun.	
17480	- Channel Buoy 10	41-30-29.473N 071-05-18.907W				Red nun.	
17485	- Channel Buoy 12	41-30-31.392N 071-05-31.638W				Red nun.	
17490	- Channel Lighted Buoy 14	41-30-34.750N 071-05-37.721W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
17495	- Channel Buoy 15	41-30-33.854N 071-05-39.752W				Green can.	
17497	- Channel Buoy 15A	41-30-38.262N 071-05-42.888W				Green can.	
17500	- Channel Buoy 16	41-30-42.637N 071-05-44.253W				Red nun	
17505	- Channel Buoy 17	41-30-44.118N 071-05-46.098W				Green can.	
17507	- Channel Buoy 18	41-30-47.118N 071-05-42.564W				Red nun.	
17510	- Channel Buoy 19	41-30-47.550N 071-05-44.232W				Green can.	
17515	- Channel Buoy 20	41-30-52.314N 071-05-34.500W				Red nun.	
17517	- Channel Buoy 21	41-30-53.840N 071-05-35.645W				Green can.	
17520	- Channel Buoy 23	41-30-58.668N 071-05-27.787W				Green can.	
17522	- Channel Buoy 24	41-31-00.544N 071-05-20.372W				Red nun.	
17525	- Channel Buoy 26	41-31-01.344N 071-05-06.981W				Red nun.	
17527	- Channel Day beacon 27	41-31-01.214N 071-04-53.140W				SG on pile.	
17530	- Channel Buoy 29	41-30-54.224N 071-04-34.270W				Green can.	
17535	- Channel Buoy 31	41-30-53.738N 071-04-22.001W				Green can.	
17540	- Channel Buoy 32	41-30-52.871N 071-04-15.750W				Red nun.	
17545	- Channel Buoy 34	41-30-54.175N 071-04-12.349W				Red nun.	
17546	- Boat Ramp Entrance Buoy 2	41-30-56.700N 071-04-07.500W				Red nun.	Private aid.
17547	- Boat Ramp Entrance Buoy 3	41-30-54.200N 071-04-05.100W				Green can.	Private aid.
17548	- Boat Ramp Entrance Buoy 4	41-30-55.900N 071-04-08.800W				Red nun.	Private aid.
<b>Westport River West Branch</b>							
<i>Positions of buoys are frequently shifted with changing conditions. Use only with local knowledge.</i>							
17550	- Channel Buoy 1	41-30-59.400N 071-05-32.640W				Green can.	Private aid.
17550.1	- Channel Buoy 2	41-31-00.000N 071-05-32.160W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>MARTHA'S VINEYARD TO BLOCK ISLAND (Chart 13218)</b>							
<b>Westport River West Branch</b>							
<i>Positions of buoys are frequently shifted with changing conditions. Use only with local knowledge.</i>							
17550.2	- Channel Buoy 3	41-30-59.220N 071-05-37.920W				Green can.	Private aid.
17550.3	- Channel Buoy 4	41-31-00.060N 071-05-37.260W				Red nun.	Private aid.
17550.5	- Channel Buoy 6	41-31-07.200N 071-05-37.200W				Red nun.	Private aid.
17550.6	- Channel Buoy 7	41-31-16.800N 071-05-37.800W				Green can.	Private aid.
17550.7	- Channel Buoy 8	41-31-19.680N 071-05-35.760W				Red nun.	Private aid.
17550.8	- Channel Buoy 9	41-31-27.660N 071-05-42.840W				Green can.	Private aid.
17551	- Channel Buoy 11	41-31-25.880N 071-05-50.280W				Green can.	Private aid.
17551.1	- Channel Buoy 12	41-31-45.360N 071-06-02.700W				Red nun.	Private aid.
<b>Westport River</b>							
<i>Positions of buoys are frequently shifted with changing conditions. Use only with local knowledge.</i>							
17551.18	- Channel Buoy 34A	41-31-11.040N 071-03-57.420W				Red nun.	Private aid.
17551.2	- Channel Buoy 34B	41-31-25.560N 071-03-49.140W				Red nun.	Private aid.
17551.3	- Channel Buoy 35	41-31-33.400N 071-03-43.500W				Green can.	Private aid.
17551.4	- Channel Buoy 36	41-31-40.020N 071-03-40.920W				Red nun.	Private aid.
17551.5	- Channel Buoy 38	41-31-51.000N 071-03-47.900W				Red nun.	Private aid.
17551.6	- Channel Buoy 39	41-31-56.580N 071-03-46.020W				Green can.	Private aid.
17551.7	- Channel Buoy 40	41-32-02.520N 071-03-38.160W				Red nun.	Private aid.
17551.9	- Channel Buoy 42	41-32-12.720N 071-03-27.000W				Red nun.	Private aid.
17552.1	- Channel Buoy 44	41-32-12.900N 071-03-25.600W				Red nun.	Private aid.
17552.2	- Channel Buoy 45	41-32-18.540N 071-03-32.760W				Green can.	Private aid.
17552.3	- Channel Buoy 46	41-32-25.300N 071-03-35.300W				Red nun.	Private aid.
17552.5	- Channel Buoy 48	41-32-37.020N 071-03-36.060W				Red nun.	Private aid.
17552.6	- Channel Buoy 49	41-32-43.860N 071-03-36.060W				Green can.	Private aid.
17552.7	- Channel Buoy 50	41-32-44.500N 071-03-27.800W				Red nun.	Private aid.
17552.9	- Channel Buoy 52	41-32-44.600N 071-03-23.300W				Red nun.	Private aid.
17553	- Channel Buoy 53	41-32-45.500N 071-03-17.800W				Green can.	Private aid.
17553.1	- Channel Buoy 54	41-32-37.600N 071-03-13.000W				Red nun.	Private aid.
17553.2	- Channel Buoy 55	41-32-38.400N 071-03-09.240W				Green can.	Private aid.
17553.3	- Channel Buoy 56	41-32-45.060N 071-03-06.780W				Red nun.	Private aid.
17553.4	- Channel Buoy 58	41-32-54.000N 071-03-08.000W				Red nun.	Private aid.
17553.5	- Channel Buoy 59	41-32-59.500N 071-03-11.800W				Green can.	Private aid.
17553.6	- Channel Buoy 61	41-33-08.280N 071-03-15.480W				Green can.	Private aid.
17553.65	- Channel Buoy 62	41-33-17.760N 071-03-26.580W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>MASSACHUSETTS - First District</b>							
<b>MARTHA'S VINEYARD TO BLOCK ISLAND (Chart 13218)</b>							
<b>Westport River</b>							
<i>Positions of buoys are frequently shifted with changing conditions. Use only with local knowledge.</i>							
17553.7	- Channel Buoy 64	41-33-16.600N 071-03-32.100W				Red nun.	Private aid.
17553.8	- Channel Buoy 65	41-33-15.540N 071-03-37.500W				Green can.	Private aid.
17553.9	- Channel Buoy 67	41-33-17.200N 071-03-47.000W				Green can.	Private aid.
17554	- Channel Buoy 69	41-33-20.200N 071-03-54.400W				Green can.	Private aid.
17554.1	- Channel Buoy 71	41-33-26.600N 071-04-01.400W				Green can.	Private aid.
17554.2	- Channel Buoy 73	41-33-31.700N 071-04-10.500W				Green can.	Private aid.
17554.3	- Channel Buoy 75	41-33-37.380N 071-04-17.820W				Green can.	Private aid.
17554.4	- Channel Buoy 77	41-33-42.840N 071-04-24.840W				Green can.	Private aid.
17554.5	- Channel Buoy 78	41-33-52.400N 071-04-22.400W				Red nun.	Private aid.
17554.6	- Channel Buoy 80	41-34-00.600N 071-04-20.940W				Red nun.	Private aid.
<b>RHODE ISLAND - First District</b>							
<b>NARRAGANSETT BAY (Chart 13221)</b>							
<b>Sakonnet River</b>							
17555	Elisha Ledge Buoy EL On small rocky ledge.	41-26-40.376N 071-09-28.158W				Green and red bands; can.	
17560	Schuyler Ledge Bell Buoy 2	41-26-24.335N 071-11-35.322W				Red.	
17577	SAKONNET LIGHT	41-27-11.230N 071-12-08.770W	FI W 6s	70	W 7 R 5	White conical tower on granite base. b	Red from 195° to 350°.
17580	Cormorant Reef Bell Buoy 1 South of reef.	41-27-15.972N 071-14-41.580W				Green.	
17585	- Bell Buoy 2A	41-27-43.893N 071-12-54.576W				Red.	
17590	SAKONNET BREAKWATER LIGHT 2	41-27-59.600N 071-11-42.000W	FI R 4s	29	6	TR on skeleton tower on concrete base.	
17595	- Buoy 3	41-29-13.171N 071-13-44.170W				Green can.	
17600	- Buoy 4	41-29-32.371N 071-12-42.168W				Red nun.	
17605	- Buoy 5	41-32-39.170N 071-13-31.580W				Green can.	
17610	- Buoy 6	41-33-10.479N 071-13-40.880W				Red nun.	
17615	- Buoy 7	41-34-39.289N 071-13-20.259W				Green can.	
17620	- Buoy 8	41-34-33.535N 071-13-10.059W				Red nun.	
17625	- Buoy 10	41-35-24.369N 071-13-06.169W				Red nun.	
17630	- Buoy 11	41-35-55.949N 071-13-11.069W				Green can.	
17635	- Buoy 12	41-36-11.389N 071-12-59.169W				Red nun.	
17640	- Buoy 13	41-36-46.357N 071-13-05.098W				Green can.	
17643	Gould Island Shoal Danger Buoy DGI On east side of rock.	41-36-56.437N 071-13-18.236W				Black and red bands with two black spherical topmarks; can.	
17645	- Buoy 15 Marks western end of remains of stone bridge.	41-37-31.273N 071-13-02.627W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>RHODE ISLAND - First District</b>							
<b>NARRAGANSETT BAY (Chart 13221)</b>							
<b>Sakonnet River</b>							
17650	- Buoy 16 Marks eastern end of remains of stone bridge.	41-37-30.969N 071-12-59.841W				Red nun.	
17655	- Buoy 17	41-38-50.578N 071-12-51.248W				Green can.	
17660	- Buoy 19	41-39-23.778N 071-13-01.109W				Green can.	
<b>Narragansett Bay Eastern Approach</b>							
17675	<i>Narragansett Bay Entrance Lighted Whistle Buoy NB</i>	41-23-00.000N 071-23-21.470W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: B (- . . . ) AIS: MMSI 993672153 (21)
17680	Seal Ledge Bell Buoy 2A South of Seal Rock.	41-26-01.698N 071-20-48.235W				Red.	
17685	<i>Brenton Point Lighted Whistle Buoy 2</i> Southwest of shoal.	41-25-56.630N 071-21-46.727W	Q R		3	Red.	
17690	<i>URI Temporary Lighted Research Buoy HAB Sentinel</i>	41-25-53.400N 071-20-13.200W	FI Y 6s			Yellow.	Property of URI. Private aid.
<b>East Passage</b>							
17775	- Gong Buoy 4 Marks edge of reef.	41-26-34.690N 071-21-49.278W				Red.	
17780	<b>Beavertail Light</b>	41-26-57.716N 071-23-57.885W	FI W 10s	64	15	Square granite tower, attached to white dwelling. 70	Obscured from 175° to 215°. Lighted throughout 24 hours. HORN: 1 blast ev 30s (3s bl). 70
17790	- Bell Buoy 6	41-27-26.339N 071-21-58.839W				Red.	
17795	CASTLE HILL LIGHT	41-27-43.800N 071-21-46.500W	Iso R 6s	40	9	Conical granite tower, upper half white.	HORN: 1 blast ev 10s (1s bl). MRASS Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
17800	- <i>Lighted Gong Buoy 7</i>	41-28-18.368N 071-22-14.891W	FI G 4s		4	Green.	
17805	- <i>Lighted Gong Buoy 9</i>	41-28-38.369N 071-21-14.192W	FI G 2.5s		4	Green.	
17810	- <i>Lighted Bell Buoy 11</i>	41-29-00.368N 071-21-02.688W	Q G		4	Green.	
17815	FORT ADAMS LIGHT 2	41-28-54.268N 071-20-12.385W	FI R 6s	32	7	TR on white skeleton tower.	HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
<b>Newport Harbor</b>							
17820	- Buoy 4	41-28-51.969N 071-20-05.526W				Red nun.	
17825	Goat Island Southwest Buoy 1	41-28-56.869N 071-19-45.865W				Green can.	
17830	<i>Goat Island Lighted Bell Buoy 3</i>	41-28-54.099N 071-19-36.734W	FI G 2.5s		3	Green.	
17840	Little Ida Lewis Rock Day beacon 6	41-28-47.439N 071-19-10.853W				TR on spindle.	



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>RHODE ISLAND - First District</b>							
<b>NARRAGANSETT BAY (Chart 13221)</b>							
<b>Narragansett Bay</b>							
<b>Newport Harbor</b>							
17845	<i>Goat Island Southeast Lighted Buoy 7</i>	41-29-00.879N 071-19-31.034W	FI G 4s		3	Green.	
17846	RI STATE PIER NINE LIGHT 1	41-29-16.900N 071-19-20.500W	F G			Wharf end dolphin.	Private aid.
17847	RI STATE PIER NINE LIGHT 2	41-29-17.100N 071-19-19.300W	F R				Private aid.
17850	- <b>Light</b>	41-29-36.000N 071-19-37.800W	F G	33	11	White stone tower. 33	
17853	- North Channel Buoy 1	41-29-30.290N 071-19-32.520W				Green can.	Maintained 15 May - 15 Nov. Private aid.
17853.1	- North Channel Buoy 2	41-29-30.920N 071-19-30.640W				Red nun.	Maintained 15 May - 15 Nov. Private aid.
17853.2	- North Channel Buoy 3	41-29-33.760N 071-19-33.080W				Green can.	Maintained 15 May - 15 Nov. Private aid.
17853.3	- North Channel Buoy 4	41-29-34.430N 071-19-31.200W				Red nun.	Maintained 15 May - 15 Nov. Private aid.
17853.4	- North Channel Buoy 5	41-29-34.850N 071-19-34.408W				Green can.	Maintained 15 May - 15 Nov. Private aid.
17853.5	- North Channel Buoy 6	41-29-39.306N 071-19-36.872W				Red nun.	Maintained 15 May - 15 Nov. Private aid.
<b>East Passage</b>							
17855	- <i>Lighted Bell Buoy 12</i>	41-29-40.198N 071-20-40.838W	FI R 4s		4	Red.	
17857	ROSE ISLAND LIGHT	41-29-43.680N 071-20-33.780W	FI W 6s	48		White dwelling.	Private aid.
17860	Rose Island South Point Buoy 1	41-29-35.938N 071-20-24.447W				Green can.	
17865	Mitchell Rock Gong Buoy 3	41-29-33.368N 071-20-11.087W				Green.	
17870	Tracey Ledge Buoy 5	41-29-53.238N 071-20-01.557W				Green can.	
<b>Jamestown Harbor</b>							
<i>Channel buoys located 20-60 feet outside channel limit.</i>							
17891	- Channel Buoy 1	41-29-42.781N 071-21-39.841W				Green can.	Private aid.
17892	- <i>Channel Lighted Buoy 2</i>	41-29-44.520N 071-21-39.179W	FI R 4s			Red nun.	Private aid.
17893	- Channel Buoy 3	41-29-43.680N 071-21-47.160W				Green can.	Private aid.
17894	- Channel Buoy 4	41-29-45.359N 071-21-47.459W				Red nun.	Private aid.
<b>East Passage</b>							
17900	Gull Rocks South Buoy	41-30-00.626N 071-19-58.146W				Green can with red bands.	
17905	- Buoy 12A	41-29-59.687N 071-20-44.948W				Red nun.	
17910	<b>NEWPORT - PELL BRIDGE RACON</b>	41-30-17.890N 071-20-55.320W				On bridge.	RACON: N ( - . ) Private aid.
17911	<b>Newport - Pell Bridge Sound Signal</b>	41-30-20.000N 071-21-05.000W				On bridge abutment.	HORN: 2 blasts ev 20s (1s bl-1s si-1s bl-17s si). Private aid.
17913	Taylor's Point Outfall Buoy	41-30-26.000N 071-21-23.000W				White and orange can.	Private aid.
17920	Gull Rocks Shoal Buoy 7 Off north edge of shoal.	41-30-15.836N 071-19-58.741W				Green can.	
17925	Rose Island Shoal Northeast End Buoy 2	41-30-15.345N 071-20-12.535W				Red nun.	
17930	Seventeen-Foot Spot Buoy	41-30-24.432N 071-20-06.889W				Green can with red bands.	
17935	- <i>Channel Junction Lighted Bell Buoy EP</i>	41-30-40.560N 071-20-49.800W	FI (2+1)G 6s		3	Green and red bands.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>RHODE ISLAND - First District</b>							
<b>NARRAGANSETT BAY (Chart 13221)</b>							
<b>Narragansett Bay</b>							
<b>East Passage</b>							
17940	<i>East Pass Lighted Bell Buoy 14</i>	41-30-59.868N 071-20-03.187W	FI R 4s		4	Red.	
17945	- Buoy 16	41-31-23.468N 071-19-44.936W				Red nun.	
17950	Coddington Point Buoy 2	41-31-27.367N 071-19-24.184W				Red nun.	
17960	GOULD ISLAND SOUTH LIGHT	41-31-45.889N 071-20-38.460W	FI G 6s	34	6	NR on skeleton tower.	
17965	- <i>Lighted Buoy 17</i>	41-31-46.817N 071-20-07.317W	Q G		4	Green.	
18005	CODDINGTON COVE BREAKWATER LIGHT 18	41-31-56.767N 071-19-27.985W	FI R 6s	30	7	TR on red skeleton tower.	White/orange day boards for Naval Security Zone. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Operates continuously.
18010	Coddington Cove Buoy 2	41-31-59.847N 071-18-55.833W				Red nun.	
18055	Half way Rock Day beacon	41-33-49.367N 071-19-56.186W				NR on spindle.	
18060	Fiske Rock Buoy	41-34-04.887N 071-19-42.146W				Green can with red bands.	
18062	<i>Salt Water Farms Aquaculture Lighted Buoy A</i>	41-33-29.280N 071-18-38.100W	FI W 2s			White with orange bands.	Private aid.
18062.1	<i>Salt Water Farms Aquaculture Lighted Buoy B</i>	41-33-25.560N 071-18-22.740W	FI W 2s			White with orange bands.	Private aid.
18062.2	<i>Salt Water Farms Aquaculture Lighted Buoy C</i>	41-33-42.300N 071-18-13.980W	FI W 2s			White with orange bands.	Private aid.
18062.3	<i>Salt Water Farms Aquaculture Lighted Buoy D</i>	41-33-44.640N 071-18-30.180W	FI W 2s			White with orange bands.	Private aid.
18065	Dyer Island East Shoal Buoy 5	41-35-03.967N 071-17-45.490W				Green can.	
18070	Dyer Island East Shoal Buoy 7	41-35-14.637N 071-17-50.661W				Green can.	
18080	Prudence Island Southend Buoy PI	41-34-34.937N 071-19-40.116W				Red nun with green bands.	
18084	- <i>Wreck Lighted Buoy WR21</i>	41-34-32.000N 071-18-59.000W	Q G		3	Green.	
18085	- Buoy 22	41-34-39.367N 071-18-25.682W				Red nun.	
18095	- <i>Lighted Bell Buoy 24</i>	41-35-25.680N 071-18-15.540W	FI R 2.5s		3	Red.	Replaced by LIB when endangered by ice.
18100	- <i>Lighted Buoy 25</i>	41-36-00.494N 071-18-08.508W	FI G 4s		3	Green.	
18105	- <i>Lighted Bell Buoy 26</i>	41-35-58.817N 071-18-00.341W	FI R 4s		4	Red.	Replaced by LIB when endangered by ice.
18110	- Buoy 27	41-36-19.677N 071-18-03.601W				Green can.	
18113	NEBW Day beacon 1	41-35-29.781N 071-17-13.848W				SG on pole.	Private aid.
18113.1	NEBW Day beacon 2	41-35-28.734N 071-17-14.218W				TR on pole.	Private aid.
18113.2	NEBW Day beacon 3	41-35-27.729N 071-17-09.247W				SG on pole.	Private aid.
18113.3	NEBW Day beacon 4	41-35-26.188N 071-17-08.818W				TR on pole.	Private aid.
18113.4	NEBW Day beacon 5	41-35-27.542N 071-17-08.548W				SG on pole.	Private aid.
18113.5	NEBW Day beacon 6	41-35-24.457N 071-17-07.328W				TR on pole.	Private aid.
18115	Coggeshall Point Buoy 10	41-35-32.608N 071-17-19.579W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>RHODE ISLAND - First District</b>							
<b>NARRAGANSETT BAY (Chart 13221)</b>							
<b>Narragansett Bay</b>							
<b>East Passage</b>							
18120	Coggeshall Point Shoal Buoy 12	41-35-54.227N 071-17-15.339W				Red nun.	
18125	PRUDENCE ISLAND LIGHT	41-36-21.100N 071-18-12.700W	FI G 6s	28	6	White octagonal tower.	
18130	<i>Sandy Point Junction Lighted Bell Buoy SP</i>	41-36-55.387N 071-17-35.540W	FI (2+1)R 6s		3	Red and green bands.	Replaced by LIB when endangered by ice.
<b>Mount Hope Bay Approach</b>							
18131	Carnegie Abbey Yacht Club Buoy 1	41-37-03.420N 071-16-33.080W					Private aid.
18132	Carnegie Abbey Yacht Club Buoy 2	41-37-02.570N 071-16-33.050W					Private aid.
18133	CARNEGIE ABBEY YACHT CLUB CHANNEL LIGHT 3	41-37-03.240N 071-16-26.040W	FI G 4s				Private aid.
18134	CARNEGIE ABBEY YACHT CLUB CHANNEL LIGHT 4	41-37-02.400N 071-16-26.000W	FI R 4s				Private aid.
18135	- <i>Lighted Buoy 2</i>	41-37-07.800N 071-17-00.000W	FI R 2.5s		3		
18140	- <i>Lighted Bell Buoy 3</i>	41-37-47.531N 071-16-17.404W	FI G 4s		3		
18143	- Buoy 4	41-37-35.138N 071-16-25.351W					
18145	<b>Hog Island Shoal Light</b>	41-37-56.300N 071-16-23.600W	Iso W 6s	54	12	White conical tower on black cylindrical pier. 60	Higher intensity beam up and down channel. HORN: 2 blasts ev 30s (2sbl-2s si-2s bl-24s si) Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
18150	MUSSELBED SHOALS LIGHT 6A	41-38-10.665N 071-15-35.800W	FI R 6s	26	6		
18155	Musselbed Shoals Gong Buoy 6	41-38-12.377N 071-15-38.184W					
18160	MUSSELBED SHOALS DIRECTIONAL LIGHT	41-38-10.665N 071-15-35.800W	F W (R & G sectors)	26	W 9 G 7 R 7		
<b>Narragansett Bay</b>							
<b>Bristol Harbor</b>							
18165	Bristol Point Rock Buoy 2	41-38-28.127N 071-15-57.085W				Red nun.	
18170	Hog Island Rock Buoy 3	41-38-44.707N 071-16-25.526W				Green can.	
18175	Middle Ground Buoy At north end of shoal.	41-39-40.177N 071-16-52.138W				Red nun with green bands.	
18180	CASTLE ISLAND LIGHT 2 On shoal.	41-39-13.792N 071-17-10.430W	FI R 6s	26	3	TR on skeleton tower.	
18185	Usher Rocks Buoy 3	41-39-31.717N 071-17-20.959W				Green can.	
18190	- LIGHT 4	41-39-58.166N 071-16-41.777W	F R	25	11	TR on skeleton tower.	
18194	- East Channel Buoy 5	41-40-01.320N 071-16-49.020W				Green can.	Private aid.
18194.1	- East Channel Buoy 7	41-40-11.760N 071-16-52.440W				Green can.	Private aid.
18194.2	- East Channel Buoy 9	41-40-19.860N 071-16-53.640W				Green can.	Private aid.
18195.4	- Channel Day beacon 8	41-40-15.900N 071-16-49.500W				TR on monopile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>RHODE ISLAND - First District</b>							
<b>NARRAGANSETT BAY (Chart 13221)</b>							
<b>Narragansett Bay</b>							
<b>Bristol Harbor</b>							
18195.6	- East Channel Buoy 10	41-40-23.367N 071-16-52.718W				Red nun.	Private aid.
18196	- West Channel Buoy 1	41-40-09.960N 071-17-05.400W				Green can.	Private aid.
18196.1	- West Channel Buoy 2	41-40-06.720N 071-17-01.380W				Red nun.	Private aid.
18196.2	- West Channel Buoy 3	41-40-17.160N 071-17-07.200W				Green can.	Private aid.
18196.3	- West Channel Buoy 4	41-40-19.740N 071-17-06.480W				Red nun.	Private aid.
18196.4	- West Channel Buoy 5	41-40-27.900N 071-17-12.600W				Green can.	Private aid.
18196.5	- West Channel Buoy 6	41-40-31.380N 071-17-12.720W				Red nun.	Private aid.
<b>Providence River Approach</b>							
18200	- Channel Lighted Buoy 1	41-37-42.537N 071-18-05.061W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
18205	Hog Island Southwest Point Buoy 2	41-37-51.047N 071-17-21.439W				Red nun.	
18210	- Channel Lighted Buoy 2	41-38-14.297N 071-18-11.121W	FI R 2.5s		3	Red.	
18215	Potter Cove Buoy 2	41-38-32.446N 071-19-49.366W				Red nun.	
18220	Potter Cove Buoy 4	41-38-25.716N 071-20-05.697W				Red nun.	
18225	Potter Cove Buoy 6	41-38-28.026N 071-20-17.808W				Red nun.	
18230	Popasquash Point Lighted Bell Buoy PP	41-38-47.917N 071-17-58.421W	FI (2+1)R 6s		4	Red and green bands.	Replaced by nun when endangered by ice.
18235	- Channel Lighted Buoy 3	41-38-31.767N 071-18-27.062W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
18240	- Channel Lighted Buoy 4	41-38-52.299N 071-18-28.190W	Q R		3	Red.	Replaced by nun when endangered by ice.
18241	Prudence Island Monitoring Lighted Buoy	41-38-53.020N 071-19-09.420W	FI Y 4s			Yellow.	Property of URI. Maintained from May 1 to Nov 30. Private aid.
18245	- Channel Lighted Buoy 5	41-39-05.406N 071-18-42.733W	Q G		3	Green.	Replaced by can when endangered by ice.
18250	- Channel Lighted Buoy 6	41-39-20.536N 071-18-35.943W	FI R 2.5s		3	Red.	Replaced by LIB when endangered by ice.
18255	Fork Rock Buoy	41-40-33.165N 071-20-51.239W				Red nun with green bands.	
18257	North Prudence Point Monitoring Lighted Buoy	41-40-14.040N 071-21-19.080W	FI Y 2s			Yellow.	Property of URI. Maintained from May 1 - Nov 30. Private aid.
18260	Ohio Ledge Bell Buoy OL	41-40-56.166N 071-19-18.665W				Green and red bands.	Removed when endangered by ice.
18265	- Channel Lighted Buoy 7	41-40-19.336N 071-18-47.813W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
18270	- Channel Lighted Buoy 8	41-40-19.446N 071-18-39.713W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
18275	- Channel Lighted Buoy 9	41-41-19.216N 071-18-53.813W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>RHODE ISLAND - First District</b>							
<b>NARRAGANSETT BAY (Chart 13221)</b>							
<b>Narragansett Bay</b>							
<b>Providence River Approach</b>							
18280	- Channel Lighted Bell Buoy 10	41-41-21.046N 071-18-43.513W	Q R		3	Red.	Replaced by LIB when endangered by ice.
18285	- Channel Lighted Buoy 11	41-41-54.095N 071-19-28.957W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
18290	- Channel Lighted Buoy 12	41-41-58.294N 071-19-21.709W	FI R 2.5s		3	Red.	Replaced by LIB when endangered by ice.
18295	- Channel Lighted Buoy 13	41-42-41.565N 071-20-16.988W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
18300	- Channel Lighted Buoy 14	41-42-45.375N 071-20-10.175W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
18305	CONIMICUT LIGHT	41-43-01.400N 071-20-41.700W	FI W 2.5s (R sector)	58	W 8 R 5	White conical tower on cylindrical pier.	Red from 322° to 349°, covers Ohio Ledge. HORN: 2 bl ev 30s (2s bl-2s si-2s bl-24s si). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
18307	Conimicut Point Monitoring Lighted Buoy	41-42-49.870N 071-20-37.890W	FI Y 4s			Yellow.	Property of URI. Maintained May 1 - Nov 30. Private aid.
<b>Providence River</b>							
18310	- Channel Lighted Buoy 15	41-43-05.297N 071-20-41.303W	Q G		3	Green.	
18315	- Channel Lighted Buoy 16	41-43-08.815N 071-20-34.448W	Q R		3	Red.	Replaced by nun when endangered by ice.
18320	- Channel Buoy 17	41-43-22.261N 071-21-16.976W				Green can.	
18325	- Channel Lighted Buoy 18	41-43-33.524N 071-21-24.521W	FI R 2.5s		3	Red.	
18330	- Channel Lighted Buoy 19	41-43-39.134N 071-21-50.962W	Q G		3	Green.	
18335	- Channel Lighted Buoy 20	41-43-44.404N 071-21-40.312W	Q R		3	Red.	
18340	- Channel Lighted Buoy 22	41-43-58.224N 071-21-50.372W	FI R 2.5s		3	Red.	
18345	BULLOCK POINT LIGHT BP 540 feet east of channel.	41-44-15.761N 071-21-51.102W	Oc W 4s	29	6	NR on skeleton tower.	Higher intensity beam down channel.
<b>Bullock Cove</b>							
18350	- Entrance Lighted Buoy 1	41-44-15.756N 071-21-21.922W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
18360	- Entrance Buoy 2	41-44-16.384N 071-21-18.611W				Red nun.	
18370	- Entrance Buoy 3	41-44-25.613N 071-21-18.060W				Green can.	
18375	- Entrance Buoy 4	41-44-26.519N 071-21-16.058W				Red nun.	
18380	- Entrance Buoy 5	41-44-32.796N 071-21-16.242W				Green can.	
18385	- Entrance Buoy 6	41-44-33.160N 071-21-15.015W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>RHODE ISLAND - First District</b>							
<b>NARRAGANSETT BAY (Chart 13221)</b>							
<b>Narragansett Bay</b>							
<b>Bullock Cove</b>							
18390	- Day beacon 7	41-44-37.700N 071-21-15.400W				SG on pile.	Private aid.
18395	- Day beacon 8	41-44-42.240N 071-21-12.600W				TR on pile.	Private aid.
18400	- Day beacon 9	41-44-45.180N 071-21-13.260W				SG on pile.	Private aid.
18403	- Day beacon 10	41-44-51.300N 071-21-12.420W				TR on pile.	Private aid.
18405	- Day beacon 11	41-44-51.300N 071-21-14.040W				SG on pile.	Private aid.
18410	- Day beacon 12	41-44-54.000N 071-21-13.400W				TR on pile.	Private aid.
18415	- Day beacon 13	41-44-55.860N 071-21-15.240W				SG on pile.	Private aid.
18420	- Day beacon 14	41-44-59.700N 071-21-14.900W				TR on pile.	Private aid.
18425	- Day beacon 15	41-45-00.660N 071-21-16.800W				SG on pile.	Private aid.
18430	- Day beacon 16	41-45-01.980N 071-21-15.360W				TR on pile.	Private aid.
18431	- Day beacon 17	41-45-09.480N 071-21-14.580W				SG on pile.	Private aid.
18431.1	- Day beacon 18	41-45-10.100N 071-21-13.300W				TR on pile.	Private aid.
18431.2	- Day beacon 19	41-45-14.160N 071-21-12.540W				SG on pile.	Private aid.
<b>Providence River</b>							
18435	- Channel Lighted Buoy 23	41-44-20.182N 071-22-07.748W	FI G 2.5s		3	Green.	
18440	- Channel Lighted Buoy 25	41-44-47.362N 071-22-18.944W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
18445	- Channel Lighted Buoy 26	41-44-47.764N 071-22-10.933W	FI R 4s		3	Red.	
18450	- Channel Lighted Buoy 27	41-45-16.000N 071-22-30.932W	FI G 2.5s		3	Green.	
18455	Sabin Point Day beacon SP	41-45-43.355N 071-22-27.238W				NR on dolphin.	
18460	- Channel Lighted Buoy 28	41-45-28.376N 071-22-27.326W	FI R 6s		3	Red.	
<b>Pawtuxet Cove</b>							
18465	- Channel Approach Buoy 1	41-45-36.446N 071-22-48.258W				Green can.	
18470	- Channel Buoy 2	41-45-37.825N 071-22-54.278W				Red nun.	
18475	- Channel Buoy 3	41-45-36.637N 071-22-53.624W				Green can.	
18480	- Channel Buoy 4	41-45-36.121N 071-23-02.126W				Red nun.	
18485	- Channel Buoy 5	41-45-34.576N 071-23-06.561W				Green can.	
18490	- Channel Buoy 6	41-45-34.853N 071-23-09.917W				Red nun.	
<b>Providence River</b>							
18500	- Channel Lighted Buoy 29	41-45-43.943N 071-22-42.135W	Q G		3	Green.	
18505	- Channel Lighted Buoy 30	41-45-43.393N 071-22-30.745W	Q R		3	Red.	
<b>Fields Point Channel</b>							
18510	- Buoy 1	41-46-09.833N 071-22-51.406W				Green can.	
18515	- Buoy 2	41-46-28.803N 071-22-57.117W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>RHODE ISLAND - First District</b>							
<b>NARRAGANSETT BAY (Chart 13221)</b>							
<b>Narragansett Bay</b>							
<b>Fields Point Channel</b>							
18520	- Buoy 3	41-46-47.243N 071-23-06.687W				Green can.	
18525	- Buoy 5	41-46-52.912N 071-23-19.328W				Green can.	
<b>Providence River</b>							
18530	- Channel Lighted Buoy 32	41-45-58.313N 071-22-27.245W	FI R 4s		3	Red.	
18535	- Channel Lighted Buoy 33	41-46-17.623N 071-22-26.265W	FI G 4s		3	Green.	
18540	- Channel Lighted Buoy 34	41-46-25.983N 071-22-13.594W	FI R 2.5s		3	Red.	
18550	- Channel Lighted Buoy 35	41-46-30.363N 071-22-22.195W	Q G		3	Green.	
18555	POMHAM ROCKS LIGHT	41-46-39.062N 071-22-10.394W	F R	54	6	White octagonal tower.attached to dwelling.	
18560	- Channel Lighted Buoy 37	41-46-45.863N 071-22-24.195W	FI G 2.5s		3	Green.	
18565	- Channel Buoy 39	41-46-56.363N 071-22-29.696W				Green can.	
18570	- Channel Buoy 41	41-47-17.052N 071-22-44.287W				Green can.	
18575	- Channel Buoy 40	41-47-23.362N 071-22-34.196W				Red nun.	
18580	- CHANNEL LIGHT 42 Off rock.	41-47-38.810N 071-22-46.700W	Iso R 6s	31	4	TR on skeleton tower on granite pier.	
18585	Green Jacket Shoal Buoy 2	41-48-50.622N 071-23-45.149W				Red nun.	
18590	Green Jacket Shoal Buoy 4	41-48-55.787N 071-23-39.926W				Red nun.	
18595	Green Jacket Shoal Buoy 6	41-48-59.302N 071-23-30.884W				Red nun.	
<b>Seekonk River</b>							
18600	- Channel Buoy 1	41-49-16.611N 071-23-13.799W				Green can.	
18605	- Channel Buoy 2	41-49-20.799N 071-23-10.158W				Red nun.	
18620	- Channel Buoy 6	41-50-04.741N 071-22-35.668W				Red nun.	Maintained from 1 May to 31 Oct.
18630	- Channel Buoy 8	41-50-16.351N 071-22-28.168W				Red nun.	Maintained from 1 May to 31 Oct.
18640	- Channel Buoy 13	41-50-36.731N 071-22-19.788W				Green can.	Maintained from 1 May to 31 Oct.
18650	- Channel Buoy 18	41-51-00.661N 071-22-26.598W				Red nun.	Maintained from 1 May to 31 Oct.
18655	- Channel Buoy 19	41-51-14.170N 071-22-32.179W				Green can.	Maintained from 1 May to 31 Oct.
18665	- Channel Buoy 22	41-51-29.420N 071-22-35.069W				Red nun.	Maintained from 1 May to 31 Oct.
18670	- Channel Buoy 23	41-51-39.910N 071-22-40.919W				Green can.	Maintained from 1 May to 31 Oct.
18675	- Channel Buoy 27	41-51-56.290N 071-22-46.600W				Green can.	Maintained from 1 May 50 31 Oct.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>RHODE ISLAND - First District</b>							
<b>NARRAGANSETT BAY (Chart 13221)</b>							
<b>Narragansett Bay</b>							
<b>Warren River</b>							
18680	- Entrance Lighted Buoy 1 Off southeast end of Rumstick Shoal.	41-41-51.816N 071-18-01.621W	FI G 4s		3	Green.	Replaced by can f from Dec. 1 to Apr. 1.
18685	- Entrance Buoy 2	41-41-50.716N 071-17-40.500W				Red nun.	
18690	- Buoy 3	41-42-13.926N 071-17-54.801W				Green can.	
18691	Rumstick Ledge Danger Buoy	41-42-12.104N 071-18-33.613W				White with orange bands worded ROCK.	Removed when endangered by ice.
18695	- Buoy 5	41-42-20.086N 071-17-50.810W				Green can.	
18700	- Buoy 6	41-42-23.866N 071-17-51.240W				Red nun.	
18705	- Buoy 8	41-42-31.138N 071-17-52.104W				Red nun.	
18710	- Buoy 9	41-42-39.996N 071-17-50.610W				Green can.	
18715	- Buoy 10	41-42-39.306N 071-17-43.010W				Red nun.	
18720	ALLEN ROCK LIGHT 11	41-42-48.765N 071-17-35.179W	FI G 6s	28	6	SG on skeleton tower.	
18725	- Buoy 12	41-42-49.366N 071-17-29.979W				Red nun.	
18730	- Buoy 13	41-42-59.466N 071-17-18.179W				Green can.	
18735	- Buoy 14	41-43-02.066N 071-17-12.378W				Red nun.	
18740	- Buoy 15	41-43-08.966N 071-17-17.179W				Green can.	
18745	- Buoy 16	41-43-13.966N 071-17-16.379W				Red nun.	
18750	- Buoy 18	41-43-24.266N 071-17-16.379W				Red nun.	
18755	- Buoy 21	41-43-49.566N 071-17-14.879W				Green can.	
18760	- Buoy 23	41-43-53.466N 071-17-17.379W				Green can.	
<b>Barrington River</b>							
18775	- Buoy 1 Marks reef.	41-43-57.105N 071-17-27.804W				Green can.	
18776	- Buoy 2	41-43-57.540N 071-17-31.080W				Red nun.	
18778	- Buoy 4	41-43-58.140N 071-17-36.120W				Red nun.	
18779	- Fairway Channel Lighted Buoy 6	41-44-03.096N 071-17-40.344W	Q R			Red.	Maintained 15 May to 1 Nov. Private aid.
18779.1	- Fairway Channel Lighted Buoy 7	41-44-03.798N 071-17-41.148W	F G			Green.	Maintained 15 May to 1 Nov. Private aid.
18779.2	- Lighted Buoy 7A	41-44-27.400N 071-17-58.100W	Q G			Green.	Private aid.
18780	- Buoy 8	41-44-37.620N 071-18-29.040W				Red nun.	Maintained 15 May to 1 Nov. Private aid.
<b>Mount Hope Bay.</b>							
18785	<b>MOUNT HOPE BAY BRIDGE RACON</b>	41-38-23.640N 071-15-28.260W				On bridge.	RACON: MH ( - - .... ) Private aid.
18786	<b>Mount Hope Bay Bridge Fog Signal</b>	41-38-28.920N 071-15-31.920W				On bridge abutment.	HORN: 1 blast ev 20s (2s bl). Private aid. Private aid.
18788	Roger Williams Obstruction Buoy	41-38-55.920N 071-15-19.380W				White and orange.	Private aid. Private aid.



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>RHODE ISLAND - First District</b>							
<b>NARRAGANSETT BAY (Chart 13221)</b>							
<b>Mount Hope Bay.</b>							
<b>Tiverton Channel</b>							
18790	<i>Mount Hope Bay Junction Lighted Gong Buoy MH</i>	41-39-32.400N 071-14-02.625W	FI (2+1)R 6s		3	Red and green bands.	
18795	- Buoy 2	41-39-27.928N 071-14-02.010W				Red nun.	
18800	- Buoy 3	41-39-35.998N 071-13-14.779W				Green can.	
18805	- <i>Lighted Bell Buoy 4</i>	41-39-32.168N 071-13-08.279W	FI R 4s		3	Red.	
<b>Tiverton Upper Channel</b>							
18810	- Buoy 1	41-39-39.008N 071-12-38.318W				Green can.	
18815	- Buoy 2	41-39-31.868N 071-12-39.167W				Red nun.	
18820	- Buoy 4	41-39-42.968N 071-12-19.447W				Red nun.	
18825	- <i>Lighted Gong Buoy 3</i>	41-39-48.288N 071-12-24.688W	FI G 4s		3	Green.	
18830	- Buoy 5	41-40-25.958N 071-12-08.097W				Green can.	
<b>Mount Hope Bay.</b>							
18835	Seal Rock Buoy 1	41-39-42.511N 071-14-46.474W				Green can.	
18840	<i>Mount Hope Bay Lighted Buoy 1</i>	41-39-48.735N 071-13-50.527W	FI G 2.5s		3	Green.	
18845	Mount Hope Bay Buoy 2	41-39-45.288N 071-13-45.244W				Red nun.	
18850	Mount Hope Bay Channel Buoy 3	41-40-17.497N 071-13-12.082W				Green can.	
18855	<i>Mount Hope Bay Lighted Bell Buoy 4</i>	41-40-14.188N 071-13-07.716W	FI R 4s		3	Red.	
18857	<i>Mt Hope Bay Monitoring Lighted Buoy</i>	41-40-48.840N 071-12-54.360W	FI Y 4s			Yellow.	Property of URI. Maintained May 1 - Nov 30. Private aid.
18860	<i>Mount Hope Bay Lighted Buoy 5</i>	41-40-44.163N 071-12-36.421W	FI G 4s		3	Green.	
18865	Mount Hope Bay Buoy 6	41-40-40.721N 071-12-33.045W				Red nun.	
18870	Mount Hope Bay Buoy 7	41-41-11.336N 071-12-00.375W				Green can.	
18875	<i>Mount Hope Bay Lighted Bell Buoy 8</i>	41-41-07.868N 071-11-57.167W	FI R 4s		3	Red.	
18880	Mount Hope Bay Buoy 9	41-41-32.567N 071-11-32.066W				Green can.	
18885	<i>Mount Hope Bay Lighted Bell Buoy 10</i>	41-41-39.228N 071-11-15.636W	FI R 4s		3	Red.	
18890	<i>Mount Hope Bay Lighted Buoy 11</i>	41-41-54.208N 071-10-55.165W	FI G 4s		3	Green.	Replaced by LIB when endangered by ice.
18895	Mount Hope Bay Buoy 12	41-41-51.198N 071-10-51.525W				Red nun.	
18920	<i>Mount Hope Bay Channel Lighted Buoy 13</i>	41-42-00.508N 071-10-42.835W	FI G 2.5s		3	Green.	Removed when endangered by ice.
18925	BORDEN FLATS LIGHT	41-42-15.986N 071-10-27.825W	FI W 2.5s	47	9	White conical tower, on brown cylindrical pier.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>RHODE ISLAND - First District</b>							
<b>NARRAGANSETT BAY (Chart 13221)</b>							
<b>Mount Hope Bay.</b>							
18930	<b>Braga Bridge Sound Signal</b>	41-42-24.534N 071-09-58.506W					HORN: 1 blast ev 20s (2s bl-18s si). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes. Private aid.
18935	Mount Hope Bay Channel Buoy 15	41-42-27.568N 071-09-53.703W				Green can.	
18940	Mount Hope Bay Channel Buoy 17	41-42-42.788N 071-09-47.203W				Green can.	
18945	Mount Hope Bay Channel Buoy 18	41-43-16.168N 071-09-28.663W				Red nun.	
18950	<i>Mount Hope Bay Channel Lighted Buoy 19</i>	41-43-18.148N 071-09-32.533W	FI G 4s		3	Green.	Replaced by LIB when endangered by ice.
18953	Mount Hope Bay Channel Buoy 20	41-43-40.500N 071-08-56.200W				Red nun.	
18955	Mount Hope Bay Channel Buoy 21	41-43-43.500N 071-08-59.400W				Green can.	
18960	Spar Island Buoy 2	41-41-13.317N 071-13-22.079W				Red nun.	
18965	Old Bay Rock Buoy 1	41-41-47.187N 071-13-29.799W				Green can.	
18966	<i>URI Lighted Research Buoy CR</i>	41-42-06.682N 071-12-56.264W	FI Y 4s			Yellow.	Property of URI. Maintained May 01 to Dec 01. Private aid.
18967	<i>URI Lighted Research Buoy TR</i>	41-42-03.582N 071-11-14.298W	FI Y 4s			Yellow.	Property of URI. Maintained May 01 to Dec 01. Private aid.
<b>Kickamuit River</b>							
18970	- Buoy 1	41-41-37.767N 071-14-38.100W				Green can.	
18975	- Buoy 2	41-41-41.172N 071-14-40.614W				Red nun.	
18980	- Buoy 4	41-41-47.887N 071-14-41.481W				Red nun.	
18985	- Buoy 6	41-41-54.357N 071-14-39.082W				Red nun.	
18987	- Buoy 7	41-41-57.573N 071-14-39.816W				Green can.	
<b>Taunton River</b>							
18995	- Buoy 1	41-44-29.908N 071-08-05.341W				Green can.	
19000	- Buoy 4	41-45-26.631N 071-07-48.984W				Red nun.	
19005	- Buoy 3	41-44-57.867N 071-07-50.660W				Green can.	
19010	- Buoy 6	41-46-06.587N 071-07-19.391W				Red nun.	
19015	- Channel Buoy 7	41-46-24.257N 071-07-03.160W				Green can.	Maintained from 15 Mar to 30 Nov.
19020	- Channel Buoy 8	41-46-37.946N 071-07-06.604W				Red nun.	Maintained from 15 Mar to 30 Nov.
19035	- Channel Buoy 12	41-47-09.387N 071-07-03.324W				Red nun.	Maintained from 15 Mar to 30 Nov.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>RHODE ISLAND - First District</b>							
<b>NARRAGANSETT BAY (Chart 13221)</b>							
<b>Mount Hope Bay.</b>							
<b>Taunton River</b>							
19040	- Channel Buoy 14	41-47-27.081N 071-07-12.198W				Red nun.	Maintained from 15 Mar to 30 Nov.
19045	- Channel Buoy 15	41-47-39.285N 071-07-13.368W				Green can.	Maintained from 15 Mar to 30 Nov.
19050	- Channel Buoy 16	41-47-52.743N 071-07-06.234W				Red nun.	Maintained from 15 Mar to 30 Nov.
19055	- Channel Buoy 17	41-48-12.817N 071-07-13.338W				Green can.	Maintained from 15 Mar to 30 Nov.
19060	- Channel Buoy 19	41-48-31.128N 071-07-05.724W				Green can.	Maintained from 15 Mar - 30 Nov.
19070	- Channel Buoy 22	41-48-48.649N 071-06-53.990W				Red nun.	Maintained from 15 Mar to 30 Nov.
<b>Cole River</b>							
19075	- Buoy 2	41-42-47.987N 071-13-08.249W				Red nun.	Removed when endangered by ice.
<b>West Passage</b>							
19080	River Ledge Buoy 1 Marks rock.	41-26-06.311N 071-26-08.182W				Green can.	
19085	Newton Rock Bell Buoy NR	41-26-38.209N 071-24-09.254W				Green and red bands.	
19090	<i>Whale Rock Lighted Gong Buoy 3</i>	41-26-39.538N 071-25-13.887W	FI G 4s		4	Green.	
19100	Jones Ledge Buoy 5 On east side of ledge.	41-27-43.579N 071-25-01.053W				Green can.	
19101	DUTCH ISLAND LIGHT	41-29-48.270N 071-24-15.350W	FI R 6s			Brick building.	White square brick tower with black cupola Private aid.
19103	- <i>Wreck Lighted Buoy WR6</i>	41-29-13.600N 071-24-20.500W	Q R		3	Red.	
19105	<i>Dutch Island South End Lighted Gong Buoy DI</i>	41-29-42.207N 071-24-17.798W	FI (2+1)R 6s		4	Red and green bands.	
19110	Beaverhead Point Shoal Buoy 2 On north edge of shoal.	41-29-44.878N 071-23-53.554W				Red nun.	
19111	Dutch Island Harbor Channel Buoy 1	41-29-51.420N 071-23-27.660W				Green can.	Private aid.
19112	Dutch Island Harbor Channel Buoy 2	41-29-50.280N 071-23-28.500W				Red nun.	Private aid.
19113	Dutch Island Harbor Channel Buoy 3	41-29-49.980N 071-23-18.300W				Green can.	Private aid.
19114	Dutch Island Harbor Channel Buoy 4	41-29-48.960N 071-23-18.600W				Red nun.	Private aid.
19115	Dutch Island Bell Buoy 8	41-30-30.127N 071-24-08.078W				Red.	
19126	- Buoy 10	41-32-06.000N 071-23-37.000W				Red nun.	
19130	PLUM BEACH LIGHT	41-31-48.990N 071-24-18.810W	FI W 5s			Brown over white conical tower.	Private aid.
<b>Wickford Harbor</b>							
19135	- LIGHT 1	41-34-21.426N 071-26-12.540W	FI G 6s	40	6	SG on black square skeleton tower.	
19140	- Gong Buoy 2	41-34-24.830N 071-26-07.453W				Red.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>RHODE ISLAND - First District</b>							
<b>NARRAGANSETT BAY (Chart 13221)</b>							
<b>West Passage</b>							
<b>Wickford Harbor</b>							
19145	- NORTH BREAKWATER LIGHT 4	41-34-27.600N 071-26-15.700W	FI R 4s	16	5	TR on white skeleton tower.	
19150	- Buoy 7	41-34-27.168N 071-26-35.376W				Green can.	Maintained 1 May to 31 October.
19155	- Buoy 8	41-34-30.204N 071-26-35.616W				Red nun.	
19160	- Buoy 9	41-34-36.095N 071-26-45.526W				Green can.	
19165	- Buoy 10	41-34-37.416N 071-26-45.528W				Red nun.	
<b>Quonset Channel</b>							
19175	- Lighted Bell Buoy 2	41-34-40.216N 071-21-40.591W	FI R 4s		3	Red.	
19180	- Lighted Buoy 3	41-34-34.986N 071-22-06.563W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
19185	- Buoy 4	41-34-51.166N 071-22-39.544W				Red nun.	
19190	- Buoy 5	41-34-44.476N 071-22-57.935W				Green can.	
19195	- Lighted Buoy 6	41-35-01.915N 071-23-35.062W	Q R		4	Red.	
19200	- Lighted Buoy 7	41-34-53.660N 071-23-49.241W	Q G		3	Green.	
19205	Ten-Foot Shoal Buoy	41-34-45.536N 071-23-55.868W				Red nun with green bands.	
19210	- Lighted Buoy 9	41-35-26.946N 071-23-48.957W	FI G 4s		4	Green.	
19215	- Lighted Buoy 8	41-35-10.034N 071-23-41.175W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
19220	- Buoy 10	41-35-52.375N 071-23-41.277W				Red nun.	
19225	- Lighted Buoy 11	41-35-54.868N 071-23-48.457W	FI G 6s		4	Green.	
19230	- Lighted Buoy 12	41-36-18.565N 071-23-41.267W	FI R 4s		4	Red.	
19235	- Lighted Buoy 13	41-36-16.919N 071-23-47.997W	FI G 2.5s		3	Green.	
19240	- Lighted Buoy 14	41-36-37.457N 071-23-41.320W	FI R 2.5s		4	Red.	
19241	- Buoy 15	41-36-25.968N 071-23-53.064W				Green can.	
19245	- Buoy 16	41-36-46.155N 071-24-01.318W				Red nun.	
<b>Electric Boat Quonset</b>							
19270	Quonset Point Terminal Approach Buoy EB-A	41-34-51.000N 071-25-23.000W				Yellow.	Private aid.
19275	Quonset Point Terminal Approach Buoy EB-B	41-34-51.000N 071-25-19.000W				Yellow.	Private aid.
<b>West Passage</b>							
19280	Hope Island Lighted Buoy 2	41-35-33.266N 071-22-47.394W	FI R 6s		3	Red.	Replaced by nun from Dec. 1 to Apr. 1.
19283	Quonset Point Monitoring Lighted Buoy	41-35-20.300N 071-22-47.940W	FI Y 4s			Yellow.	Property of URI. Maintained May 1 - Nov 30. Private aid.
19285	Despair Island Lighted Buoy 1	41-36-29.146N 071-21-36.061W	FI G 4s		4	Green.	
<b>Allen Harbor</b>							
19290	- Buoy 1	41-37-09.525N 071-24-08.788W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>RHODE ISLAND - First District</b>							
<b>NARRAGANSETT BAY (Chart 13221)</b>							
<b>West Passage</b>							
<b>Allen Harbor</b>							
19295	- Lighted Buoy 2	41-37-10.843N 071-24-05.119W	FI R 4s		3	Red.	Replaced by nun f from Dec. 1 to Mar. 15.
19300	- Buoy 3	41-37-13.447N 071-24-17.810W				Green can.	Maintained 1 May t0 October 31.
19305	- Buoy 4	41-37-14.610N 071-24-16.866W				Red nun.	Maintained 1 May t0 October 31.
19310	- Buoy 5	41-37-16.692N 071-24-25.560W				Green can.	Maintained 1 May to October 31.
19315	- Buoy 6	41-37-17.535N 071-24-25.329W				Red nun.	Maintained 1 May t0 October 31.
<b>Greenwich Bay Approach</b>							
19320	Calf Pasture Shoal Buoy 3	41-37-25.235N 071-23-31.197W				Green can.	
19333	Mt. View Point Monitoring Lighted Buoy	41-38-21.720N 071-23-38.460W	FI Y 2s			Yellow.	Property of URI. Maintained f from May 1 - Nov 30. Private aid.
19335	Round Rock Lighted Buoy 1 On east side of shoal.	41-39-24.390N 071-23-26.286W	FI G 2.5s		3	Green.	Replaced by can f from Dec. 1 to Apr. 1.
19340	Patience Island Lighted Bell Buoy 8 On edge of shoal.	41-39-39.365N 071-22-22.054W	FI R 4s		3	Red.	
19345	<b>Warwick Light</b>	41-40-01.800N 071-22-41.900W	Oc G 4s	66	10	White conical tower. 51	Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal f or 60 minutes.
<b>Greenwich Bay</b>							
<b>Warwick Cove</b>							
19350	- Buoy 1	41-40-38.364N 071-23-32.257W				Green can.	
19355	- Buoy 2	41-40-38.644N 071-23-30.067W				Red nun.	
19360	- Buoy 3	41-40-54.387N 071-23-32.195W				Green can.	
19365	- Buoy 4	41-40-54.474N 071-23-29.757W				Red nun.	
19370	- Buoy 5	41-40-59.518N 071-23-27.059W				Green can.	Removed when endangered by ice.
19375	- Buoy 7	41-41-04.034N 071-23-28.426W				Green can.	Removed when endangered by ice.
19380	- Buoy 9	41-41-22.569N 071-23-34.176W				Green can.	Removed When Endangered By Ice.
19385	- Buoy 10	41-41-37.509N 071-23-22.746W				Red nun.	Removed When Endangered By Ice.
19390	- Buoy 12	41-41-43.364N 071-23-22.397W				Red nun.	Removed When Endangered By Ice.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>RHODE ISLAND - First District</b>							
<b>NARRAGANSETT BAY (Chart 13221)</b>							
<b>Greenwich Bay</b>							
19395	- Buoy 3	41-40-15.194N 071-23-57.228W				Green can.	
19400	- Buoy 5	41-40-33.604N 071-25-28.193W				Green can.	
19402	<i>Sally Rock Monitoring Lighted Buoy</i>	41-40-31.920N 071-25-27.480W	FI Y 4s			Yellow.	Property of URI. Private aid.
19405	- Buoy 6	41-40-14.397N 071-26-15.840W				Red nun.	
19410	- Buoy 7 On edge of shoal.	41-40-03.171N 071-26-36.330W				Green can.	
19415	- LIGHT 8	41-40-03.698N 071-26-41.423W	F R			On wooden pile.	Private aid.
19420	Apponaug Cove Approach Buoy 1	41-40-42.364N 071-26-15.205W				Green can.	
<b>Apponaug Cove</b>							
19425	- Channel Buoy 3	41-41-11.622N 071-26-43.740W				Green can.	
19426	- Channel Buoy 4	41-41-16.560N 071-26-42.660W				Red nun.	Removed when endangered by ice.
19435	- Channel Buoy 6	41-41-30.222N 071-26-41.700W				Red nun.	Removed when endangered by ice.
19440	- Channel Buoy 7	41-41-34.896N 071-26-47.310W				Green can.	Removed when endangered by ice.
19445	- Channel Buoy 8	41-41-39.854N 071-26-53.611W				Red nun.	Removed when endangered by ice.
<b>BLOCK ISLAND SOUND AND APPROACHES (Chart 13205)</b>							
<b>West Passage</b>							
19450	<b>Point Judith Light</b>	41-21-39.691N 071-28-53.025W	Oc (3)W 15s 5s fl 2s ec. 2s fl 2s ec. 2s fl 2s ec.	65	16	Octagonal tower, lower half white, upper half brown. 65	HORN: 1 blast ev 15s (2s bl). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
19460	<i>Point Judith Lighted Whistle Buoy 2</i>	41-18-27.660N 071-28-20.820W	FI R 4s		4	Red.	
19465	Point Judith Bell Buoy 4	41-20-56.089N 071-30-25.493W				Red.	
19468	Quonochontaug Pond Buoy 1	41-20-14.400N 071-43-26.400W				Green can.	Maintained from Apr. 1 to Nov. 1 Private aid.
19469	Quonochontaug Pond Buoy 2	41-20-15.240N 071-43-24.360W				Red nun.	Maintained from Apr. 1 to Nov. 1 Private aid.
19469.1	Quonochontaug Pond Buoy 3	41-20-19.680N 071-43-26.280W				Green can.	Maintained from Apr. 1 to Nov. 1 Private aid.
19469.2	Quonochontaug Pond Buoy 4	41-20-19.900N 071-43-24.000W				Red nun.	Maintained from Apr. 1 to Nov. 1 Private aid.
19469.3	Quonochontaug Pond Buoy 5	41-20-25.740N 071-43-28.140W				Green can.	Maintained from Apr. 1 to Nov. 1 Private aid.
19469.4	Quonochontaug Pond Buoy 6	41-20-26.280N 071-43-26.620W				Red nun.	Maintained from Apr. 1 to Nov. 1 Private aid.
19475	<i>Block Island North Reef Lighted Bell Buoy 1Bl</i>	41-15-29.389N 071-34-33.146W	FI G 4s		4	Green.	
19481	BLOCK ISLAND NORTH LIGHT	41-13-39.410N 071-34-33.060W	FI W 5s	58		White tower atop a house structure.	.... Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>RHODE ISLAND - First District</b>							
<b>BLOCK ISLAND SOUND AND APPROACHES (Chart 13205)</b>							
<b>Point Judith Harbor of Refuge</b>							
19485	- East Entrance Lighted Buoy 2	41-21-28.866N 071-29-37.518W	FI R 4s		4	Red.	
19490	- EAST ENTRANCE LIGHT 3	41-21-35.400N 071-29-52.700W	FI G 4s	39	5	SG on post on concrete base.	
19492	- East Entrance Lighted Buoy 5	41-21-35.307N 071-30-11.400W	FI G 2.5s		3	Green.	
19500	- WEST ENTRANCE LIGHT 2	41-21-41.100N 071-30-47.600W	FI R 4s	29	5	TR on post on concrete base.	
19505	- WEST ENTRANCE LIGHT 3	41-21-56.200N 071-30-53.000W	FI G 6s	35	5	SG on post on concrete base.	HORN: 1 blast ev 30s (3s bl). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
19510	South Lump Buoy	41-21-48.639N 071-30-28.044W				Red nun with green bands.	
19515	Point Judith Harbor Buoy 2	41-22-02.811N 071-30-50.977W				Red nun.	
19520	Point Judith Harbor Buoy 4	41-22-07.472N 071-30-52.272W				Red nun.	
19525	Point Judith Harbor Buoy 6	41-22-19.573N 071-30-50.624W				Red nun.	
19530	POINT JUDITH INNER HARBOR LIGHT 8	41-22-27.175N 071-30-47.675W	FI R 2.5s		4	TR on spindle.	
<b>Great Island Channel</b>							
19535	- Buoy 1	41-22-53.617N 071-30-49.572W				Green can.	
19540	- Buoy 3	41-23-00.613N 071-30-45.447W				Green can.	
19545	- Buoy 5	41-23-03.824N 071-30-30.695W				Green can.	
<b>Point Judith Pond</b>							
19550	- Junction Buoy	41-22-40.928N 071-30-50.266W				Red nun with green bands.	
19555	- Channel Buoy 2	41-22-45.302N 071-30-52.810W				Red nun.	
19560	- Channel Buoy 4	41-22-48.676N 071-30-55.225W				Red nun.	
19565	- Channel Buoy 6	41-22-52.452N 071-30-57.078W				Red nun.	
19570	- Channel Buoy 7	41-23-06.972N 071-30-59.662W				Green can.	Removed when endangered by ice.
19575	- Channel Buoy 8	41-23-10.074N 071-30-55.506W				Red nun.	
19580	- Channel Buoy 9	41-23-23.768N 071-30-52.207W				Green can.	Removed when endangered by ice.
19582	- Channel Buoy 11	41-23-27.099N 071-30-50.856W				Green can.	
19585	- Channel Buoy 12	41-23-32.511N 071-30-46.914W				Red nun.	Removed when endangered by ice.
19590	- Channel Buoy 14	41-23-39.656N 071-30-43.666W				Red nun.	Removed when endangered by ice.
19592	- Channel Buoy 15	41-23-42.567N 071-30-44.407W				Green can.	Removed when endangered by ice.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>RHODE ISLAND - First District</b>							
<b>BLOCK ISLAND SOUND AND APPROACHES (Chart 13205)</b>							
<b>Point Judith Pond</b>							
19600	- Channel Buoy 16	41-23-46.665N 071-30-41.406W				Red nun.	Removed when endangered by ice.
19602	- Channel Buoy 17	41-23-54.367N 071-30-42.208W				Green can.	Removed when endangered by ice.
19605	- Channel Buoy 18	41-23-56.463N 071-30-39.792W				Red nun.	Removed when endangered by ice.
19607	- Channel Buoy 19	41-24-09.067N 071-30-39.226W				Green can.	Removed when endangered by ice.
19620	- Channel Buoy 20	41-24-09.967N 071-30-38.008W				Red nun.	Removed when endangered by ice.
19630	- Channel Buoy 22	41-24-15.207N 071-30-37.146W				Red nun.	Removed when endangered by ice.
19635	- Channel Buoy 24	41-24-25.437N 071-30-27.316W				Red nun.	Removed when endangered by ice.
19636	Beach Island Oyster Culture Buoy NW	41-24-27.510N 071-30-10.190W				Yellow spar.	Private aid.
19637	Beach Island Oyster Culture Buoy NE	41-24-27.160N 071-30-07.470W				Yellow spar.	Private aid.
19638	Beach Island Oyster Culture Buoy SW	41-24-22.550N 071-30-11.570W				Yellow spar.	Private aid.
19639	Beach Island Oyster Culture Buoy SE	41-24-21.190N 071-30-08.610W				Yellow spar.	Private aid.
19640	- Channel Buoy 25	41-24-34.024N 071-30-19.690W				Green can.	Maintained from Apr. 1 to Oct. 31.
19645	- Channel Buoy 26	41-24-56.434N 071-30-09.420W				Red nun.	Maintained from Apr. 1 to Oct. 31.
19650	- Channel Buoy 28	41-25-02.170N 071-30-07.906W				Red nun.	Maintained from Apr. 1 to Oct. 31.
19655	- Channel Buoy 29	41-25-05.167N 071-30-02.270W				Green can.	Maintained from Apr. 1 to Oct. 31.
19660	- Channel Buoy 30	41-25-02.472N 071-29-51.246W				Red nun.	Maintained from Apr. 1 to Oct. 31.
19665	- Channel Buoy 31	41-25-03.810N 071-29-49.854W				Green can.	Maintained from Apr. 1 to Oct. 31.
19670	- Channel Buoy 32	41-25-20.394N 071-29-47.259W				Red nun.	Maintained from Apr. 1 to Oct. 31.
19675	- Channel Buoy 33	41-25-28.441N 071-29-47.694W				Green can.	Maintained from Apr. 1 to Oct. 31.
<b>Billington Cove Marina</b>							
19676	- Channel Buoy 1	41-25-07.260N 071-30-09.300W				Green can.	Private aid.
19677	- Channel Buoy 2	41-25-07.080N 071-30-08.040W				Red nun.	Private aid.
19678	- Channel Buoy 3	41-25-14.760N 071-30-07.680W				Green can.	Private aid.
19679	- Channel Buoy 4	41-25-14.820N 071-30-06.780W				Red nun.	Private aid.



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>RHODE ISLAND - First District</b>							
<b>BLOCK ISLAND (Chart 13217)</b>							
<b>Block Island</b>							
19685	- Northeast Whistle Buoy 5	41-12-36.582N 071-32-01.877W				Green.	
19690	- Old Harbor Channel Bell Buoy 1	41-11-06.509N 071-33-09.256W				Green.	
19695	- Old Harbor Channel Buoy 5 North end of shoal.	41-10-38.479N 071-33-16.563W				Green can.	Removed when endangered by ice.
19700	- Old Harbor Channel Buoy 6	41-10-34.131N 071-33-19.599W				Red nun.	Removed when endangered by ice.
19705	- Old Harbor Channel Buoy 7	41-10-30.737N 071-33-17.626W				Green can.	Removed when endangered by ice.
19718	Clay Head Buoy 7 Marks rock.	41-13-16.601N 071-33-10.060W				Green can.	
19720	- OLD HARBOR CHANNEL BREAKWATER LIGHT 3	41-10-38.492N 071-33-14.538W	Q G	27	6	SG on white skeleton tower on base.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 81A/157.075Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
19725	- BREAKWATER OUTER BASIN LIGHT 8	41-10-30.960N 071-33-19.860W	FI R 2.5s	30	6	TR on skeleton tower.	
19730	Black Rock Point Buoy 2 On south side of rock.	41-08-25.373N 071-35-44.202W				Red nun.	
19735	<i>Southwest Point Lighted Whistle Buoy 4</i>	41-08-43.724N 071-37-20.876W	FI R 6s		4	Red.	
19740	Dickens Point Shoal Bell Buoy 6	41-09-33.811N 071-37-08.027W				Red.	
<b>Great Salt Pond</b>							
19745	- Entrance Bell Buoy 2	41-12-05.370N 071-35-39.206W				Red.	
19750	- BREAKWATER LIGHT 4	41-11-57.485N 071-35-35.436W	F R	49	8	TR on skeleton tower.	HORN: 1 blast ev 10s (1s bl). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.
19755	- Entrance Buoy 5	41-11-59.701N 071-35-29.555W				Green can.	
19760	- Entrance Lighted Buoy 7	41-11-51.561N 071-35-23.075W	FI G 4s		4	Green.	
19765	- Entrance Lighted Buoy 8	41-11-51.261N 071-35-24.885W	FI R 4s		3	Red.	
19770	- Buoy 10	41-11-42.621N 071-35-16.869W				Red nun.	Removed when endangered by ice.
19775	- Buoy 11	41-11-38.531N 071-35-09.534W				Green can.	
19780	- Buoy 12	41-11-35.801N 071-35-11.704W				Red nun.	
19785	- Buoy 13	41-11-11.773N 071-34-37.827W				Green can.	
19790	- Buoy 14	41-11-10.768N 071-34-40.955W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>RHODE ISLAND - First District</b>							
<b>BLOCK ISLAND SOUND AND APPROACHES (Chart 13205)</b>							
19795	<b>Watch Hill Light</b>	41-18-13.999N 071-51-30.300W	Al RW 5s	61	14	Square, gray granite tower attached to white building. 61	Emergency light FI W 2.5s of reduced intensity when main light is extinguished. Lighted throughout 24 hours. HORN: 1 blast ev 30s (3s bl). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
<b>NEW YORK - First District</b>							
<b>BLOCK ISLAND SOUND AND GARDINERS BAY (Chart 13209)</b>							
19810	<i>Cerberus Shoal Lighted Gong Buoy 9</i>	41-10-27.479N 071-57-03.953W	FI G 4s		4		
19815	<b>Race Rock Light</b>	41-14-36.509N 072-02-49.676W	FI R 10s	67	16	Granite tower attached to dwelling, on granite pier. 45	Horn points southeast. Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s-bl-24s si).
19820	Race Point Buoy 2	41-14-45.676N 072-02-27.286W					
19825	<i>Valiant Rock Lighted Whistle Buoy 11</i>	41-13-46.355N 072-03-59.968W	Q G		3		RACON: B ( . . . )
19830	<b>Little Gull Island Light</b>	41-12-22.900N 072-06-24.700W	FI (2)W 15s	91	18	81	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl). Operates continuously.
19840	Little Gull Island Reef Buoy 1	41-12-29.662N 072-06-08.682W					
19845	<i>Block Island Sound South Entrance Obstruction Lighted Buoy BIS</i>	41-06-56.999N 071-43-06.318W	FI (2+1)G 6s		3	Green and red bands.	
19850	<i>Endeavor Shoals Lighted Gong Buoy 1</i>	41-06-03.438N 071-46-14.704W	FI G 4s		4	Green.	
19855	Blackfish Rock Buoy 3	41-04-55.977N 071-52-57.112W				Green can.	
<b>Montauk Harbor Approach</b>							
19860	<i>Shagwong Rock Lighted Buoy SR</i>	41-05-30.366N 071-53-43.244W	FI (2+1)G 6s		3	Green and red bands.	
19865	<i>Shagwong Reef Lighted Bell Buoy 7SR</i>	41-07-02.223N 071-54-49.540W	FI G 2.5s		4	Green.	
19870	<i>Montauk Harbor Entrance Lighted Bell Buoy M</i>	41-05-06.515N 071-56-23.211W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
19875	MONTAUK EAST JETTY LIGHT 1	41-04-46.095N 071-56-14.168W	FI G 4s	33	4	SG on skeleton tower.	
19880	MONTAUK WEST JETTY LIGHT 2	41-04-44.210N 071-56-20.308W	FI R 2.5s	36	5	TR on skeleton tower.	
<b>Montauk Harbor</b>							
<i>Aids replaced by spar buoys during winter months.</i>							
19895	- Buoy 1	41-04-23.220N 071-56-09.420W				Green can.	Private aid.
19900	- Buoy 3	41-04-20.280N 071-56-12.060W				Green can.	Private aid.
19905	- Buoy 4	41-04-13.080N 071-56-15.000W				Red nun.	Private aid.
19910	- Buoy 5	41-04-11.580N 071-56-13.080W				Green can.	Private aid.
19915	- Buoy 6	41-04-09.060N 071-56-14.580W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>BLOCK ISLAND SOUND AND GARDINERS BAY (Chart 13209)</b>							
<b>Montauk Harbor</b>							
<i>Aids replaced by spar buoys during winter months.</i>							
19920	- Buoy 8	41-04-06.060N 071-56-14.160W				Red nun.	Private aid.
<b>Lake Montauk</b>							
<i>Aids replaced by spar buoys during winter months.</i>							
19925	- Buoy 1	41-04-20.100N 071-55-51.780W				Green can.	Private aid.
19930	- Buoy 3	41-04-13.980N 071-55-40.260W				Green can.	Private aid.
19940	- Buoy 5	41-04-08.460N 071-55-43.200W				Green can.	Private aid.
19945	- Day beacon 7	41-04-06.240N 071-55-50.220W				SG on pile.	Private aid.
19950	- Day beacon 8	41-04-06.240N 071-55-51.240W				TR on pile.	Private aid.
19955	- Day beacon 9	41-03-59.580N 071-55-49.620W				SG on pile.	Private aid.
19960	- Day beacon 10	41-03-58.980N 071-55-50.520W				TR on pile.	Private aid.
19965	- Day beacon 11	41-03-54.780N 071-55-48.900W				SG on pile.	Private aid.
19970	- Day beacon 12	41-03-53.820N 071-55-49.200W				TR on pile.	Private aid.
19975	- Buoy 13	41-03-48.000N 071-55-30.600W				Green can.	Private aid.
19980	- Buoy 14	41-03-42.540N 071-55-28.500W				Red nun.	Private aid.
<b>CONNECTICUT - First District</b>							
<b>FISHERS ISLAND SOUND (Chart 13214)</b>							
<b>Southeast Entrance</b>							
19990	Catumb Passage Buoy 1C Off rock.	41-17-23.894N 071-52-48.979W				Green can.	
19995	Catumb Passage Buoy 3C Northeast side of Catumb Rocks.	41-17-37.333N 071-52-57.989W				Green can.	
20000	Catumb Rocks Buoy 2 Southwest of reef.	41-17-24.000N 071-53-12.000W				Red nun.	
20005	Lords Passage Lighted Whistle Buoy L	41-17-24.049N 071-54-19.763W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
20010	Lords Passage Buoy 2L	41-17-32.189N 071-54-02.112W				Red nun.	
20015	Wicopesset Passage Bell Buoy W	41-17-28.628N 071-54-58.464W				Red and white stripes with red spherical topmark.	
20020	Wicopesset Passage Rock Buoy 1 On north side of rock.	41-17-34.058N 071-55-04.594W				Green can.	
<b>Main Channel</b>							
20025	Watch Hill Lighted Bell Buoy 2	41-17-58.669N 071-51-33.239W	FI R 6s		4	Red.	Removed when endangered by ice.
20030	Watch Hill Reef Gong Buoy 1 On east side of reef.	41-17-43.920N 071-51-39.909W				Green.	
20035	Watch Hill Passage Buoy WH	41-17-53.549N 071-51-39.988W				Green and red can.	
20040	Sugar Reef Buoy 5	41-17-45.169N 071-52-36.670W				Green can.	
20045	Napatree Point Ledge Lighted Bell Buoy 6	41-18-01.299N 071-53-20.091W	FI R 4s		4	Red.	
20050	Wicopesset Rock Buoy 7 Northeast of rock.	41-17-46.238N 071-54-22.123W				Green can.	
20055	Wicopesset Ledge Buoy 9	41-17-52.528N 071-54-38.824W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>CONNECTICUT - First District</b>							
<b>FISHERS ISLAND SOUND (Chart 13214)</b>							
<b>Main Channel</b>							
20060	Wicopesset Island Buoy 11	41-17-50.468N 071-55-05.225W				Green can.	
20065	Latimer Reef North Isolated Danger Buoy DL	41-18-33.278N 071-55-39.807W				Black and red bands with two black spherical topmarks; can. Red nun.	
20070	Latimer Reef Buoy 12	41-18-15.476N 071-55-32.357W				Green can.	
20075	Seal Rocks Northeast Buoy 13	41-17-57.388N 071-55-30.806W				Green can.	
20080	Seal Rocks Buoy 15 On north side of rocks.	41-17-48.628N 071-55-42.826W				Green can.	
20085	LATIMER REEF LIGHT	41-18-16.227N 071-55-59.937W	FI W 6s	55	9	White conical tower, brown midway of height; brown cylinder.	BELL: 2 strokes ev 15s. Operates continuously.
20090	Youngs Rock Buoy 17 At north end of rock.	41-17-45.657N 071-56-15.977W				Green can.	
20095	Eel Grass Ground Southeast Buoy 16	41-18-30.537N 071-56-42.379W				Red nun.	
20100	East Clump Buoy 19	41-17-50.987N 071-57-36.160W				Green can.	
20105	Eel Grass Ground Northwest Buoy 18	41-18-38.987N 071-57-08.890W				Red nun.	
20110	<i>Ram Island Reef Lighted Bell Buoy 20</i>	41-18-11.357N 071-58-23.302W	FI R 4s		4	Red.	
20115	Ram Island Reef Day beacon RI	41-18-22.589N 071-58-27.507W				NW on pipe worded DANGER ROCKS.	
20120	Middle Clump Buoy 21	41-17-42.807N 071-58-38.963W				Green can.	
20130	Intrepid Rock Isolated Danger Buoy DIR On southeast side of rock.	41-17-55.976N 072-00-15.105W				Black and red bands with two black spherical topmarks; can. Red nun.	
20135	Groton Long Point Buoy 22 On southwest end of reef.	41-18-16.000N 072-00-21.000W				Red nun.	
20140	Groton Long Point Buoy 24 On southwest side of 1/2 foot spot.	41-18-20.856N 072-00-48.266W				Red nun.	
20145	NORTH DUMPLING LIGHT	41-17-16.675N 072-01-09.666W	F W (R sector)	94	W 9 R 7	Square house with light tower.	Red from 257° to 023°. HORN: 1 blast ev 30s (3s bl).
20150	Horseshoe Reef Buoy 26 On southwest side of reef.	41-18-22.704N 072-01-32.086W				Red nun.	
20155	SEAFLOWER REEF LIGHT On southwest part of reef.	41-17-45.610N 072-01-59.582W	FI W 4s	27	7	NG on skeleton tower.	
20158	Vixen Ledge Buoy 28VL Marks south side of ledge.	41-18-23.273N 072-02-54.424W				Red nun.	
<b>Stonington Harbor</b>							
20160	- Approach Buoy 2	41-18-33.458N 071-54-35.554W				Red nun.	
20165	- Approach Gong Buoy 3 On southeast end of Noyes Shoal.	41-18-46.108N 071-54-49.395W				Green.	
20170	STONINGTON OUTER BREAKWATER LIGHT 4	41-18-59.700N 071-54-28.400W	FI R 4s	46	5	TR on skeleton tower, small house, concrete base.	HORN: 1 blast ev 10s (1s bl). Operates continuously.
20175	STONINGTON BREAKWATER LIGHT 5	41-19-30.430N 071-54-47.234W	FI G 4s	22	5	SG on skeleton tower, concrete base.	
20180	Stonington Point Junction Buoy SP	41-19-29.198N 071-54-22.425W				Red and green bands; nun.	
20185	STONINGTON INNER BREAKWATER LIGHT 8	41-19-50.091N 071-54-33.998W	FI R 4s	27	4	TR on skeleton tower, concrete base.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>CONNECTICUT - First District</b>							
<b>FISHERS ISLAND SOUND (Chart 13214)</b>							
<b>Stonington Harbor</b>							
20190	- Buoy 7	41-19-44.398N 071-54-41.416W				Green can.	
20195	- Buoy 10 Marks end of outf all.	41-20-02.358N 071-54-39.256W				Red nun.	
<b>Little Narragansett Bay</b>							
20200	<i>Academy Rock Lighted Buoy 2</i> Marks west side of rock.	41-19-34.258N 071-54-13.354W	FI R 4s		3	Red.	Replaced by nun f from Nov. 15 to May 1.
20205	- Entrance Buoy 4 Marks northwesterly edge of shoal.	41-19-47.358N 071-54-05.254W				Red nun.	
20210	- <i>Entrance Lighted Buoy 5</i>	41-19-56.644N 071-53-50.447W	FI G 4s		3	Green.	Replaced by can f from Nov. 15 to May 1.
20215	- Buoy 7 On south side of rock.	41-19-54.113N 071-53-35.745W				Green can.	
20220	- Buoy 9	41-19-54.281N 071-53-24.035W				Green can.	
20225	- Buoy 10	41-19-50.844N 071-53-13.574W				Red nun.	
20230	- Channel Buoy 11	41-19-53.258N 071-53-08.453W				Green can.	
20235	- <i>Channel Lighted Buoy 13</i> 180 feet outside channel limit.	41-19-50.858N 071-52-52.252W	FI G 4s		3	Green.	Replaced by can f from Nov. 15 to May 1.
20240	- Channel Buoy 14	41-19-41.358N 071-52-32.851W				Red nun.	
20245	- Channel Buoy 16	41-19-35.359N 071-52-17.251W				Red nun.	
20250	- Channel Buoy 16A	41-19-29.604N 071-52-00.656W				Red nun.	
20255	- Channel Buoy 17	41-19-30.785N 071-52-00.250W				Green can.	
20260	- Channel Buoy 18	41-19-27.359N 071-51-55.250W				Red nun.	
20265	- <i>Channel Lighted Buoy 19</i>	41-19-28.339N 071-51-54.090W	FI G 2.5s		3	Green.	Replaced by can f from Nov. 15 to May 1.
20270	- Channel Buoy 20	41-19-20.009N 071-51-43.442W				Red nun.	
20275	- Channel Buoy 22	41-19-16.328N 071-51-37.903W				Red nun.	
20280	- <i>Channel Lighted Buoy 23</i> Marks south side of rock.	41-19-14.759N 071-51-32.509W	FI G 4s		3	Green.	Replaced by can f from Nov. 15 to May 1.
20285	- Buoy 24 Marks south side of rock.	41-19-02.579N 071-52-13.950W				Red nun.	
<b>Pawcatuck River</b>							
<i>Channel buoys located 20-30 feet outside channel limit.</i>							
20290	- Buoy 1 On south edge of shoal.	41-19-20.531N 071-51-17.800W				Green can.	
20295	- Buoy 3 On south point of shoal.	41-19-27.557N 071-51-09.511W				Green can.	
20300	- Channel Buoy 4 On south point of shoal.	41-19-35.659N 071-50-58.387W				Red nun.	
20305	- Channel Buoy 6	41-19-45.930N 071-50-46.851W				Red nun.	Removed when endangered by ice.
20310	- Channel Buoy 7	41-19-55.179N 071-50-35.324W				Green can.	
20315	- Channel Buoy 8	41-20-09.978N 071-50-13.287W				Red nun.	
20320	- Channel Buoy 10	41-20-16.930N 071-50-07.763W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>CONNECTICUT - First District</b>							
<b>FISHERS ISLAND SOUND (Chart 13214)</b>							
<b>Pawcatuck River</b>							
<i>Channel buoys located 20-30 feet outside channel limit.</i>							
20325	- Channel Buoy 12 On west edge of rocky area.	41-20-29.467N 071-49-54.800W				Red nun.	
20330	- Channel Buoy 14	41-20-32.773N 071-49-47.549W				Red nun.	
20335	- Channel Buoy 16	41-20-45.549N 071-49-46.716W				Red nun.	
20340	- Channel Buoy 17	41-20-48.121N 071-49-47.790W				Green can.	
20342	- Channel Day beacon 18	41-20-56.000N 071-49-49.000W				TR on pile.	Private aid.
20345	- Channel Day beacon 19	41-20-55.140N 071-49-49.800W				SG on pile.	Private aid.
20350	Thompson Cove Buoy 1	41-20-48.000N 071-49-46.000W				Green can.	Maintained from May 1 to Nov. 30. Private aid.
20355	Thompson Cove Buoy 3	41-20-49.000N 071-49-45.000W				Green can.	Maintained from May 1 to Nov. 30. Private aid.
20360	- Channel Day beacon 20	41-21-00.900N 071-49-53.400W				TR on pile.	Private aid.
20363	- Channel Day beacon 21	41-21-10.980N 071-50-07.680W				SG on pile.	Private aid.
20365	- Channel Day beacon 22	41-21-06.420N 071-50-01.920W				TR on pile.	Private aid.
20367	- Channel Day beacon 23	41-21-26.160N 071-50-14.760W				SG on pile.	Private aid.
20370	- Channel Day beacon 24	41-21-11.760N 071-50-06.360W				TR on pile.	Private aid.
20385	- Channel Day beacon 26	41-21-18.360N 071-50-10.200W				TR on pile.	Private aid.
20405	- Channel Day beacon 28	41-21-25.800N 071-50-13.680W				TR on pile.	Private aid.
20407	- Channel Day beacon 30	41-21-40.300N 071-50-16.500W				TR on pile.	Private aid.
20410	Gavitt Point Outfall Buoy	41-21-09.000N 071-50-07.000W				White with orange bands and diamond worded DANGER SUB PIPE.	Private aid.
<b>Watch Hill Cove</b>							
20415	- Channel Lighted Buoy 2	41-18-53.009N 071-51-42.659W	FI R 4s		3	Red.	Removed when endangered by ice.
20420	- Channel Buoy 1	41-18-52.149N 071-51-40.609W				Green can.	
20425	- Channel Buoy 3	41-18-45.474N 071-51-41.048W				Green can.	
20430	- Channel Buoy 4	41-18-45.155N 071-51-41.992W				Red nun.	
20435	- Channel Buoy 5	41-18-38.269N 071-51-32.958W				Green can.	
<b>Quiambog Cove Approach</b>							
20440	Rock Island South Buoy 2R	41-19-43.907N 071-56-00.528W				Red nun.	
<b>Mystic Harbor</b>							
20445	Red Reef Buoy 2	41-19-31.303N 071-56-23.070W				Red nun.	
20450	Dodge Island Buoy 4 On southwest end of reef.	41-19-26.357N 071-57-11.460W				Red nun.	
20455	Ellis Reef Day beacon ER On rocks.	41-19-00.591N 071-57-18.937W				NW on pipe tower worded DANGER ROCKS.	
20460	Enders Island Buoy 6 On southeast edge of shoal.	41-19-22.757N 071-57-30.561W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>CONNECTICUT - First District</b>							
<b>FISHERS ISLAND SOUND (Chart 13214)</b>							
<b>Mystic Harbor</b>							
20465	- East Approach Buoy 7	41-19-09.536N 071-58-28.053W				Green can.	
20470	- East Approach Buoy 7A	41-19-07.508N 071-58-37.225W				Green can.	
20475	- East Approach Buoy 9	41-18-59.268N 071-58-50.201W				Green can.	
20480	- East Approach Buoy 10	41-18-58.956N 071-58-58.264W				Red nun.	
20485	- Junction Buoy MH	41-18-56.526N 071-59-06.074W				Red and green bands; nun.	
20490	- West Approach Buoy 1	41-18-23.619N 071-59-24.994W				Green can.	
20495	- West Approach Buoy 2	41-18-34.503N 071-59-25.299W				Red nun.	
20500	- West Approach Buoy 3	41-18-38.356N 071-59-29.534W				Green can.	
20505	- <i>West Approach Lighted Buoy</i> 4	41-18-50.946N 071-59-21.604W	FI R 4s		3	Red.	Replaced by nun f from Nov. 15 to May 1.
20510	NOANK LIGHT 5 On East point shoal.	41-18-58.781N 071-59-13.820W	Q G	17	8	SG on skeleton tower.	Higher intensity beam toward North Dumpling.
20515	- Buoy 6	41-19-00.626N 071-59-09.914W				Red nun.	
20520	- Buoy 8	41-19-04.926N 071-59-13.844W				Red nun.	
20522	- Buoy 10	41-19-08.407N 071-59-14.774W				Red nun.	
20523	- Buoy 12	41-19-12.437N 071-59-14.814W				Red nun.	
20525	- Buoy 14	41-19-17.089N 071-59-12.962W				Red nun.	
20530	- Buoy 16	41-19-29.799N 071-59-00.928W				Red nun.	
20531	Mystic River Fairway Channel Day beacon 1	41-19-32.400N 071-58-40.200W				SG on pole.	Private aid.
20531.1	Mystic River Fairway Channel Day beacon 2	41-19-32.520N 071-58-39.120W				TR on pole.	Private aid.
20531.2	Mystic River Fairway Channel Day beacon 3	41-19-39.120N 071-58-46.860W				SG on pole.	Private aid.
20531.3	Mystic River Fairway Channel Day beacon 4	41-19-39.300N 071-58-45.840W				TR on pole.	Private aid.
20531.4	Mystic River Fairway Channel Day beacon 5	41-19-47.040N 071-58-46.560W				SG on pole.	Private aid.
20531.5	Mystic River Fairway Channel Day beacon 6	41-19-47.460N 071-58-45.600W				TR on pole.	Private aid.
20535	- Buoy 18	41-19-42.673N 071-58-58.076W				Red nun.	
20540	- Buoy 19	41-19-47.166N 071-58-58.316W				Green can.	
20542	- Buoy 20	41-19-47.075N 071-58-54.597W				Red nun.	
20545	- Buoy 21	41-19-51.393N 071-58-42.137W				Green can.	
20550	- Buoy 22	41-19-49.361N 071-58-41.306W				Red nun.	
20555	- Buoy 23	41-19-58.135N 071-58-35.888W				Green can.	
20560	- Buoy 24	41-19-58.687N 071-58-33.032W				Red nun.	
20565	- Buoy 26	41-20-07.746N 071-58-32.833W				Red nun.	
20570	- Buoy 27	41-20-14.675N 071-58-33.608W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>CONNECTICUT - First District</b>							
<b>FISHERS ISLAND SOUND (Chart 13214)</b>							
<b>Mystic Harbor</b>							
20575	- Buoy 29	41-20-24.459N 071-58-27.030W				Green can.	
20580	- Buoy 30	41-20-34.225N 071-58-20.383W				Red nun.	
20585	- Buoy 31	41-20-38.932N 071-58-18.938W				Green can.	
20590	- Buoy 33	41-20-45.888N 071-58-11.118W				Green can.	
20595	- Buoy 35	41-20-50.099N 071-58-10.359W				Green can.	
20600	- Outfall Buoy	41-20-54.700N 071-58-10.000W				White with orange bands and diamond worded DANGER SUBMERGED PIPE.	Private aid.
<b>Mystic River Auxiliary Channel</b>							
20601	- Day beacon 1	41-20-33.720N 071-58-18.540W				SG on pile.	Private aid.
20602	- Day beacon 2	41-20-33.120N 071-58-18.540W				TR on pile.	Private aid.
20603	- Day beacon 3	41-20-32.280N 071-58-11.700W				SG on pile.	Private aid.
20604	- Day beacon 4	41-20-30.660N 071-58-05.520W				TR on pile.	Private aid.
20605	- Day beacon 5	41-20-31.342N 071-57-57.143W				SG on pile.	Private aid.
20610	- Day beacon 7	41-20-32.615N 071-57-53.625W				SG on pile.	Private aid.
20615	- Day beacon 8	41-20-36.383N 071-57-49.937W				TR on pile.	Private aid.
20617	- Day beacon 9	41-20-36.600N 071-57-50.800W				SG on pile.	Private aid.
20620	- Day beacon 10	41-20-40.505N 071-57-47.266W				TR on pile.	Private aid.
20625	- Day beacon 11	41-20-40.733N 071-57-48.000W				SG on pile.	Private aid.
20630	- Day beacon 12	41-20-45.494N 071-57-44.033W				TR on pile.	Private aid.
20635	- Day beacon 13	41-20-45.747N 071-57-44.746W				SG on pile.	Private aid.
20640	- Day beacon 14	41-20-49.037N 071-57-41.738W				TR on pile.	Private aid.
20645	- Day beacon 15	41-20-49.247N 071-57-42.478W				SG on pile.	Private aid.
20650	- Day beacon 16	41-20-51.212N 071-57-40.329W				TR on pile.	Private aid.
20651	- Day beacon 17	41-20-51.426N 071-57-41.066W				SG on pile.	Private aid.
20652	- Day beacon 18	41-20-52.869N 071-57-39.255W				TR on pile.	Private aid.
20653	- Day beacon 19	41-20-53.095N 071-57-39.985W				SG on pile.	Private aid.
<b>Mystic River</b>							
<i>Channel buoys located 20 feet outside channel limit.</i>							
20670	- Channel Buoy 37	41-21-22.775N 071-58-04.983W				Green can.	Removed when endangered by ice.
20675	- Channel Buoy 38	41-21-27.559N 071-57-59.430W				Red nun.	
20680	- Channel Buoy 39	41-21-31.428N 071-57-58.802W				Green can.	
20685	- Channel Buoy 41	41-21-34.456N 071-57-58.063W				Green can.	
20695	- Channel Buoy 43	41-21-37.059N 071-57-58.588W				Green can.	



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>CONNECTICUT - First District</b>							
<b>FISHERS ISLAND SOUND (Chart 13214)</b>							
<b>Mystic River</b>							
<i>Channel buoys located 20 feet outside channel limit.</i>							
20700	- Channel Buoy 45	41-21-39.456N 071-58-01.964W				Green can.	Removed when endangered by ice.
20705	- Channel Buoy 47	41-21-41.843N 071-58-03.792W				Green can.	
20715	- Channel Buoy 49	41-21-44.951N 071-58-00.309W				Green can.	
20720	- Channel Buoy 51	41-21-48.784N 071-57-55.220W				Green can.	
20725	- Channel Buoy 53	41-21-53.845N 071-57-52.173W				Green can.	Removed when endangered by ice.
<b>West Cove</b>							
20845	- Day beacon 1	41-18-57.660N 071-59-34.020W				SG on pile.	Private aid.
20850	- Day beacon 3	41-18-59.220N 071-59-33.600W				SG on pile.	Private aid.
20855	- Day beacon 5	41-19-13.260N 071-59-35.700W				SG on pile.	Private aid.
20860	- Day beacon 8	41-19-19.680N 071-59-34.080W				TR on pile.	Private aid.
20865	- Day beacon 10	41-19-21.360N 071-59-33.360W				TR on pile.	Private aid.
20870	- Day beacon 12	41-19-25.140N 071-59-31.680W				TR on pile.	Private aid.
<b>Mumford Cove</b>							
<i>Aids maintained from May 1 to Nov. 1 unless otherwise noted.</i>							
20875	VENETIAN HARBOR ENTRANCE LIGHT 1	41-18-53.773N 072-01-09.200W	FI G 4s	14	4	SG on pile.	
20876	VENETIAN HARBOR LIGHT 2	41-18-54.777N 072-01-06.013W	FI R 4s	6		Pile.	Private aid.
20880	- Day beacon 1	41-18-57.710N 072-01-12.220W				SB on pile.	Private aid.
20885	- Day beacon 2	41-18-57.160N 072-01-11.150W				TR on pile.	Private aid.
20890	- Day beacon 3	41-19-01.780N 072-01-09.700W				SG on pile.	Private aid.
20895	- Day beacon 4	41-19-01.250N 072-01-08.650W				TR on pile.	Private aid.
20900	- Day beacon 5	41-19-10.400N 072-01-04.680W				SG on pile.	Private aid.
20905	- Day beacon 6	41-19-09.200N 072-01-03.750W				TR on pile.	Private aid.
20910	- Day beacon 7	41-19-10.500N 072-01-03.420W				SG on pile.	Private aid.
20925	- Day beacon 8	41-19-10.560N 072-00-53.400W				TR on pile.	Private aid.
20930	- Day beacon 9	41-19-11.400N 072-00-53.340W				SG on pile.	Private aid.
<b>East Harbor</b>							
20970	- Buoy 1E	41-17-13.508N 071-56-50.118W				Green can.	
20975	- Buoy 2E	41-17-15.938N 071-57-04.469W				Red nun.	
<b>West Harbor</b>							
20980	- East Channel Buoy 1W On northwest edge of shoal.	41-17-09.827N 071-58-05.571W				Green can.	
20985	- East Channel Buoy 2W	41-17-17.297N 071-58-13.991W				Red nun.	
20990	- East Channel Buoy 4 On south side of shoal.	41-17-07.347N 071-59-28.703W				Red nun.	
20995	- East Channel Buoy 5 On northwest edge of Clay Point Shoal.	41-16-53.257N 071-59-33.363W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>CONNECTICUT - First District</b>							
<b>FISHERS ISLAND SOUND (Chart 13214)</b>							
<b>West Harbor</b>							
21010	Lewis Rock Buoy 7 On north side of rock.	41-16-12.567N 072-00-09.034W				Green can.	
21015	Pulpit Rock Buoy 1 Northwest of rock.	41-17-16.166N 071-59-50.604W				Green can.	
21020	Flat Hammock Buoy 2 On northeast end of shoal	41-17-10.656N 072-00-22.865W				Red nun.	
21025	- West Entrance Lighted Bell Buoy 2 Marks edge of ledge.	41-16-47.576N 072-01-23.056W	FI R 2.5s		4	Red.	
21030	- West Entrance Buoy 3	41-16-52.126N 072-01-04.946W				Green can.	
21035	- West Entrance Channel Buoy 4 Marks northeast edge of shoal.	41-16-27.906N 072-00-50.655W				Red nun.	
21040	- Channel Lighted Buoy 6 Marks shoal off Hawks Nest Point.	41-16-18.246N 072-00-20.404W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
21045	- Channel Buoy 8	41-16-07.177N 072-00-20.324W				Red nun.	
21050	- Channel Buoy 10	41-15-59.502N 072-00-30.239W				Red nun.	
<b>Silver Eel Pond</b>							
21055	- Entrance Lighted Whistle Buoy SE	41-15-36.993N 072-02-12.067W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
<b>LONG ISLAND SOUND (Connecticut and New York) - First District</b>							
<b>LONG ISLAND SOUND (Eastern Part) (Chart 12354)</b>							
21065	Bartlett Reef Lighted Buoy 4	41-15-34.173N 072-08-21.245W	FI R 4s		4	Red.	Removed when endangered by ice.
21070	BARTLETT REEF LIGHT On south end of reef.	41-16-28.300N 072-08-14.100W	FI W 6s	35	8	NR on skeleton tower.	HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
21080	Plum Island Lighted Whistle Buoy PI	41-13-17.353N 072-10-48.279W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
21085	Plum Gut Lighted Bell Buoy 2PG	41-10-33.533N 072-13-05.884W	FI R 4s		4	Red.	
21090	PLUM GUT LIGHT	41-10-25.745N 072-12-42.137W	FI W 2.5s	21	5	On skeleton tower.	
21095	Orient Point Light	41-09-48.393N 072-13-25.014W	FI W 5s	64	17	Black conical tower with white band in center. 64	Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si).
21100	Hatchett Reef Buoy 6 On south end of reef.	41-15-53.141N 072-16-00.945W				Red nun.	
21105	Saybrook Bar Lighted Bell Buoy 8 On south point of shoal.	41-14-51.252N 072-18-50.555W	FI R 4s		4	Red.	
21110	Long Sand Shoal East End Buoy E	41-14-38.733N 072-19-21.316W				Red and green bands; nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut and New York) - First District</b>							
<b>LONG ISLAND SOUND (Eastern Part) (Chart 12354)</b>							
21115 22495	<b>Saybrook Breakwater Light</b>	41-15-47.600N 072-20-33.600W	Fl G 6s	58	14	White conical tower on brown cylindrical pier. 49	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 30s (3s bl).
21125	Orient Shoal Buoy 3 On northeast side of shoal.	41-08-58.417N 072-19-50.578W				Green can.	
21135	<i>Long Sand Shoal Lighted Buoy 8A</i>	41-13-30.355N 072-23-08.305W	Q R		3	Red.	
21145	<i>Long Sand Shoal West End Lighted Gong Buoy W</i> At west point of shoal.	41-13-35.428N 072-27-35.733W	Fl (2+1)R 6s		4	Red and green bands.	
21150	<b>Horton Point Light</b>	41-05-06.060N 072-26-44.040W	Fl G 10s	103	14	White square tower, dwelling attached. 103	
21155	<i>Sixmile Reef Lighted Buoy 8C</i> At southerly edge of reef.	41-10-47.110N 072-29-26.138W	Fl R 4s		4	Red.	
21160	<i>Twenty-Eight Foot Shoal Lighted Whistle Buoy TE</i>	41-09-15.920N 072-30-24.539W	Fl (2+1)R 6s		4	Red and green bands.	
21165	<i>Kimberly Reef Lighted Bell Buoy KR</i>	41-12-50.354N 072-37-25.336W	Fl (2+1)R 6s		3	Red and green bands.	
21170	<b>Falkner Island Light</b>	41-12-43.400N 072-39-13.100W	Fl W 10s	94	13	White octagonal tower. 94	
21171	<i>UCONN Central Long Island Sound Research Lighted Buoy</i>	41-08-15.000N 072-39-18.000W	Fl Y 4s			Yellow.	Private aid.
21175	<i>Goose Island Lighted Bell Buoy 10GI</i> Off south end of shoal.	41-12-07.952N 072-40-28.122W	Fl R 4s		4	Red.	
21180	SACHEM HEAD BREAKWATER LIGHT On rock.	41-14-44.160N 072-42-39.480W	Fl R 3s	8		Pile.	Maintained from June 1 to Oct. 1. Private aid.
21185	BRANFORD REEF LIGHT	41-13-16.694N 072-48-19.215W	Fl W 6s	22	7	NR on skeleton tower.	
21190	<i>Townsend Ledge Lighted Buoy 10A</i> Off south edge of ledge.	41-12-30.720N 072-51-47.161W	Fl R 4s		4	Red.	
21205	<i>New Haven Harbor Lighted Whistle Buoy NH</i>	41-12-07.470N 072-53-47.134W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
21210 24060	<b>Southwest Ledge Light</b>	41-14-03.700N 072-54-43.800W	Fl R 5s	57	14	White octagonal house on brown cylindrical pier. 45	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl).
21215 24075	NEW HAVEN LIGHT	41-13-16.339N 072-56-32.488W	Fl W 4s	27	7	NG on skeleton tower.	
21220	Pond Point Shoal Buoy 12 On south point of shoal.	41-11-52.522N 073-00-59.742W				Red nun.	
21225	<i>Charles Island Lighted Buoy 16</i> South point of shoal.	41-11-01.411N 073-03-05.741W	Fl R 4s		4	Red.	
21230	<b>Stratford Point Light</b>	41-09-07.300N 073-06-11.600W	Fl (2)W 20s	52	16	White conical tower, dark red band midway of height. 35	Emergency light (Fl W 6s) of reduced intensity when main light is extinguished.
21240	Stratford Point Buoy 20 On south side of Point No Point Shoal.	41-07-50.301N 073-07-29.341W				Red nun.	
21245	<i>Stratford Point Lighted Buoy 18</i>	41-06-49.081N 073-08-09.403W	Fl R 4s		4	Red.	Removed when endangered by ice.
<b>Stratford Shoal</b>							
21250	- Buoy 1	41-04-11.193N 073-05-11.544W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut and New York) - First District</b>							
<b>LONG ISLAND SOUND (Eastern Part) (Chart 12354)</b>							
<b>Stratford Shoal</b>							
21255	- Buoy 3 Off north point of shoal.	41-04-35.903N 073-06-15.467W				Green can.	
21260	- <b>(Middle Ground) Light</b>	41-03-35.300N 073-06-04.700W	FI W 5s	60	13	Gray, granite octagonal tower projection from house on pier. 35	HORN: 1 blast ev 15s (2s bl). Operates continuously.
21265	- <i>Middle Ground Lighted Bell Buoy 2</i> South of shoal.	41-03-04.003N 073-06-12.266W	FI R 4s		4	Red.	
21270	Mount Misery Shoal Buoy 11 On northeast point of shoal.	40-59-12.222N 073-04-46.330W				Green can.	
<b>LONG ISLAND SOUND (Western Part) (Chart 12363)</b>							
21275	<b>Old Field Point Light</b>	40-58-37.213N 073-07-06.803W	AI RG 24s R fl 12s ec G fl 12s ec	74	14	Black tower on granite house. 50	
21285	Old Field Point Gong Buoy 11A Off north point of shoal.	40-59-13.044N 073-07-17.418W				Green.	
21289	<i>The Little Cows Lighted Bell Buoy LC</i>	41-07-19.977N 073-12-52.002W	FI G 4s		4	Green.	
21290	<b>Penfield Reef Light</b>	41-07-01.509N 073-13-19.525W	FI R 6s	51	15	White tower on granite dwelling on pier. 51	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl).
21295	<i>Pine Creek Point Lighted Buoy 22</i> On south point of shoal.	41-06-29.959N 073-15-46.991W	FI R 4s		4	Red.	
21300	<i>Cockenoe Island Shoal Lighted Bell Buoy 24</i> Southeast of shoal.	41-04-31.659N 073-19-46.097W	FI R 2.5s		4	Red.	Removed when endangered by ice.
21305	<i>Norwalk Islands Lighted Bell Buoy 26</i> Off southeast end of shoal.	41-03-41.119N 073-21-58.751W	FI R 4s		4	Red.	Removed when endangered by ice.
21310	<i>Eatons Neck Point Lighted Gong Buoy 11B</i> On north end of shoal.	41-00-01.221N 073-23-41.652W	FI G 4s		4	Green.	Replaced by smaller LIB when endangered by ice.
21312	<i>Eatons Neck Lighted Research Buoy</i>	41-00-36.000N 073-17-24.000W	FI Y 4s			Yellow.	Maintained 15 Apr-15 Dec. Property of UCONN. Private aid.
21315	Eatons Neck Lump Buoy E On east side of shoal.	40-58-39.751N 073-24-32.145W				Green and red bands; can.	
21320	Eatons Neck Point Shoal Buoy 13 On north point of shoal.	40-58-11.801N 073-23-38.614W				Green can.	
21325	<b>Eatons Neck Light</b>	40-57-14.400N 073-23-43.400W	F W	144	14	White stone tower.	
21330	<i>Cable and Anchor Reef Lighted Bell Buoy 28C</i>	41-00-33.370N 073-25-08.415W	FI R 4s		4	Red.	Replaced by smaller LIB when endangered by ice.
21335	<i>Great Reef Lighted Buoy 28</i> Marks south edge of reef.	41-02-23.820N 073-25-28.020W	FI R 6s		4	Red.	
21336	<i>UConn Western Long Island Sound Research Lighted Buoy</i>	40-57-21.000N 073-34-48.000W	FI Y 4s			Yellow.	Maintained from 1 Apr. to 1 Oct. Private aid.
21340	<b>Greens Ledge Light</b> On north side of west end of ledge.	41-02-30.300N 073-26-37.600W	AI WR 24s W fl 12s ec R fl 12s ec	62	W 18 R 15	Conical tower, upper half white, lower half brown, on black cylindrical pier. 52	Emergency light of reduced intensity FI W 12s when main light is extinguished. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si).
21355	<i>Smith Reef Lighted Buoy 30</i> On southeast end of reef.	41-01-29.710N 073-29-30.915W	FI R 4s		3	Red.	Removed when endangered by ice.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut and New York) - First District</b>							
<b>LONG ISLAND SOUND (Western Part) (Chart 12363)</b>							
21360	<i>Lloyd Point Shoal Lighted Gong Buoy 15</i>	40-57-40.812N 073-29-15.735W	FI G 4s		4	Green.	Removed when endangered by ice.
21365	<i>The Cows Lighted Bell Buoy 32</i> On south side of reef.	41-00-12.880N 073-31-26.189W	FI R 2.5s		4	Red.	
21375 25210	STAMFORD HARBOR WEST BREAKWATER LIGHT 3	41-00-53.882N 073-32-17.335W	FI G 2.5s	37	4	SG on tower.	
21380	<i>Twenty-Six Foot Spot Lighted Bell Buoy 32A</i>	40-58-07.042N 073-32-48.393W	FI R 2.5s		4	Red.	
21385	Centre Island Reef Buoy 17 East of point of shoal.	40-56-18.610N 073-31-57.909W				Green.	
21390	Oak Neck Point Buoy 19 Off northerly point of shoal.	40-55-27.374N 073-34-11.689W				Green can.	
21395	Woolsey Reef Buoy 34 Off shoals.	40-59-56.351N 073-33-54.445W				Red nun.	
21400	<b>Great Captain Island Light</b>	40-58-56.951N 073-37-23.254W	AI WR 12s	62	14 R 14	NR on skeleton tower. 62	HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
21401	GREAT CAPTAINS ISLAND HISTORICAL LIGHT	40-58-56.850N 073-37-24.470W	FI G 5s	51			Private aid.
21405	Bluefish Shoal Bell Buoy 36	40-58-07.503N 073-38-47.178W				Red.	
21410	<i>Rye Beach Lighted Bell Buoy 38</i>	40-57-30.954N 073-39-35.960W	FI R 4s		4	Red.	Replaced by nun if endangered by ice.
21415	<i>Parsonage Point Lighted Buoy 40</i> On southeast side of Porgy Shoal.	40-56-49.664N 073-40-29.883W	FI R 6s		4	Red.	Removed when endangered by ice.
21420	<i>Matinecock Point Shoal Lighted Gong Buoy 21</i> Off north point of shoal.	40-54-31.445N 073-38-11.158W	FI G 4s		4	Green.	Removed when endangered by ice.
21425	Milton Point Buoy 40A	40-56-07.725N 073-41-16.965W				Red nun.	
21430	<i>Scotch Caps Lighted Bell Buoy 42</i>	40-55-28.726N 073-42-09.047W	FI R 2.5s		4	Red.	
21435	<i>Prospect Point Lighted Gong Buoy 23</i> Marks northerly end of shoal.	40-52-54.329N 073-42-58.926W	FI G 4s		4	Green.	
21436	<i>UCONN Execution Rocks Research Lighted Buoy A</i>	40-53-00.000N 073-43-42.000W	FI Y 4s				Private aid.
21440	<b>Execution Rocks Light</b>	40-52-41.300N 073-44-16.300W	FI W 10s	62	14	White stone tower, brown band midway of height; granite dwelling attached. 55	RACON: X ( - . . - )
21450	Execution Rocks Shoal North End Buoy 1	40-53-27.599N 073-44-09.483W				Green can.	
21455	Execution Rocks Shoal East Side Buoy 44	40-52-46.859N 073-44-06.472W				Red nun.	
21460	<i>Execution Rocks Lighted Gong Buoy 44A</i> Marks southeastern end of shoal.	40-52-23.480N 073-44-15.873W	FI R 4s		4	Red.	
21465	Execution Rocks Shoal Southwest End Buoy ER	40-52-28.480N 073-44-33.474W				Red and green bands; nun.	
21470	Sands Point Daybeacon	40-52-01.700N 073-43-57.200W				NG on skeleton tower.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut and New York) - First District</b>							
<b>LONG ISLAND SOUND (Western Part) (Chart 12363)</b>							
21475	<i>Sands Point Reef Lighted Buoy 25</i> Marks northwest edge of shoal off point.	40-52-07.260N 073-44-15.373W	FI G 2.5s		3	Green.	
21480	GANGWAY ROCK LIGHT 27A Near end of shoal.	40-51-29.200N 073-44-44.900W	FI G 6s	40	6	SG on skeleton tower.	
21485	Gangway Rock Gong Buoy 27 On northwest point of shoal.	40-51-29.761N 073-44-48.474W				Green.	
21490	Success Rock Buoy	40-51-22.361N 073-44-35.474W				White with orange bands worded ROCK.	
21495	<i>Hewlett Point Lighted Buoy 29</i> Off northwest point of shoal.	40-50-30.232N 073-45-19.986W	FI G 4s		4	Green.	
21500	HART ISLAND LIGHT 46	40-50-41.900N 073-45-59.900W	FI R 4s	23	6	TR on skeleton tower, concrete base on rocks.	
21505	STEPPING STONES LIGHT Marks outer end of reef.	40-49-28.110N 073-46-28.721W	Oc G 4s	46	8	Red brick on granite pier; white band on southwest face of pier.	
21510	Locust Point Buoy 46A	40-49-26.589N 073-47-09.867W				Red nun.	
21515	<i>Throgs Neck Lighted Bell Buoy 48</i> Marks southern end of shoal.	40-48-11.000N 073-47-15.000W	FI R 4s		4	Red.	
21519	<i>Throgs Neck Special Purpose Lighted Buoy</i>	40-48-43.000N 073-47-41.500W	Q Y			Yellow, worded EBYRA.	Maintained from May 1 to Nov. 1. Private aid.
21520	<b>Throgs Neck Light</b>	40-48-16.464N 073-47-26.112W	F R	60	11	NB on skeleton tower. 60	
<b>WATCH HILL TO NEW HAVEN HARBOR (Chart 12372)</b>							
<b>North Channel (Saybrook to New Haven)</b>							
21525	Hatchett Reef Buoy 1 On northeast point of reef.	41-16-14.451N 072-15-44.587W				Green can.	
21530	<i>Cornfield Point Shoal Lighted Bell Buoy 2</i> South of shoal.	41-15-01.325N 072-23-03.245W	FI R 4s		4	Red.	
21535	Hen and Chickens Buoy On southeast edge of shoal.	41-15-09.956N 072-24-13.298W				White can with orange bands and diamond worded ROCKS.	
21560	INDIAN TOWN EAST BREAKWATER LIGHT	41-16-34.406N 072-24-18.805W	FI W 2s	28		On pile.	Private aid.
21565	Crane Reef Buoy 4 On south side of reef.	41-14-53.006N 072-25-22.311W				Red nun.	
21570	Duck Island Reef Buoy 6 On south end of reef.	41-14-50.998N 072-28-28.459W				Red nun.	
21575	Stone Island Reef Buoy 8 On south side of reef.	41-14-14.489N 072-30-42.564W				Red nun.	
21580	Hammonasset Point Reef Buoy 10 On southwest side of shoal.	41-14-45.217N 072-33-13.809W				Red nun.	
21585	Charles Reef Buoy 14 Off south end of reef.	41-14-50.644N 072-37-26.706W				Red nun.	
21590	<i>Falkner Island Reef Lighted Gong Buoy 15</i> North of shoal.	41-13-22.963N 072-39-15.359W	FI G 4s		4	Green.	
21595	Indian Reef Southwest Buoy 16 On south side of shoal.	41-14-23.991N 072-41-04.843W				Red nun.	
21600	Chimney Corner Reef Buoy 20 South side of reef.	41-14-19.881N 072-42-19.645W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut and New York) - First District</b>							
<b>WATCH HILL TO NEW HAVEN HARBOR (Chart 12372)</b>							
<b>North Channel (Saybrook to New Haven)</b>							
21610	<i>Goose Rocks Shoal Lighted Bell Buoy 22</i> Marks southwest end of shoal.	41-14-22.910N 072-43-28.177W	FI R 4s		4	Red.	
21615	<i>Browns Reef Lighted Bell Buoy 26</i> South of reefs.	41-13-48.339N 072-46-15.331W	FI R 4s		4	Red.	
21620	<i>Negro Heads Lighted Buoy 28</i> On south end of reef.	41-14-06.109N 072-48-05.125W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
21625	Five Foot Rock Buoy 32 On southwest side of rock.	41-14-25.370N 072-49-55.126W				Red nun.	
21630	<i>Cow and Calf Lighted Bell Buoy 34</i>	41-14-16.322N 072-50-33.171W	FI R 2.5s		4	Red.	
21635	Round Rock Buoy 36 On south side of shoal.	41-13-52.600N 072-53-06.223W				Red nun.	
<b>LONG ISLAND SOUND (Eastern Part) (Chart 12354)</b>							
<b>South Side</b>							
<b>Mattituck Inlet</b>							
21645	Mattituck Gong Buoy 3A	41-01-50.880N 072-33-58.264W					
21650	MATTITUCK BREAKWATER LIGHT MI	41-00-55.380N 072-33-39.540W	FI W 4s	25	6	NR on skeleton tower.	
21653	- Buoy 1	41-00-55.555N 072-33-34.591W				Green Can.	
21655	- Buoy 2	41-00-55.623N 072-33-37.365W				Red nun.	
21660	- Buoy 3	41-00-46.648N 072-33-26.742W				Green can.	
<b>Mattituck Creek</b>							
21665	Mattituck Inner Creek Buoy 1	41-00-19.320N 072-32-48.900W				Green can.	Maintained from May 1 to Oct. 31. Private aid.
21667	Mattituck Inner Creek Buoy 2	41-00-00.000N 072-32-41.000W				Red nun.	Maintained from May 1 to Oct 31. Private aid.
21670	Mattituck Inner Creek Buoy 3	41-00-11.670N 072-32-46.840W				Green can.	Maintained from May 1 to Oct. 31. Private aid.
21673	Mattituck Inner Creek Buoy 4	40-59-52.940N 072-32-38.900W				Red nun.	Maintained from May 1 to Oct 31. Private aid.
21675	Mattituck Inner Creek Buoy 5	41-00-03.190N 072-32-41.180W				Green can.	Maintained from May 1 to Oct. 31. Private aid.
21677	Mattituck Inner Creek Buoy 6	40-59-45.780N 072-32-35.700W				Red nun.	Maintained from May 1 to Oct 31. Private aid.
<b>Jacobs Point</b>							
21680	- PLATFORM LIGHTS (4)	41-00-01.102N 072-38-47.688W	Q W	25		On platform.	Lights flash in unison.HORN: 1 blast ev 20s (2s bl). Private aid.
21685	- Rock Buoy A	40-59-47.340N 072-38-48.360W				Yellow can.	Private aid.
21690	- Shoal Buoy B	40-59-53.113N 072-38-54.175W				Yellow can.	Private aid.
21715	Roanoke Point Shoal Buoy 5 On northwest side of shoal.	41-00-12.454N 072-42-16.052W				Green can.	
<b>South Side (Mattituck to Mt. Sinai)</b>							
21720	Herod Point Shoal Buoy 7 On north point of shoal.	40-59-41.653N 072-49-26.564W				Green can.	
21725	Rocky Point Buoy 9 On north end of shoal.	40-59-34.356N 072-57-52.969W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>APPROACHES TO NEW LONDON HARBOR (Chart 13212)</b>							
<b>Pine Island Channel</b>							
21735	- <i>Lighted Bell Buoy 2</i> On southwest point of shoal.	41-18-38.085N 072-03-39.480W	FI R 4s		3	Red.	
21740	- Buoy 3 On north side of reef.	41-18-35.455N 072-04-09.021W				Green can.	
21742	AVERY POINT LIGHT	41-18-54.900N 072-03-48.840W	FI G 4s			White octagonal concrete tower.	Private aid.
21745	<i>Pine Island Lighted Buoy 1</i> On southern tip of shoal.	41-18-53.337N 072-03-40.550W	FI G 4s		3	Green.	Replaced by can from Nov. 15 to May 1.
21750	AVERY POINT BREAKWATER LIGHT 1A Marks end of breakwater.	41-18-58.000N 072-03-37.000W	Q G			SG on spindle.	Private aid.
21755	Pine Island Buoy 2 On northern tip of shoal.	41-18-54.905N 072-03-33.651W				Red nun.	
<b>West Approach</b>							
21758	Bartlett Reef Buoy 1	41-16-28.933N 072-07-53.955W				Green can.	
21760	Little Goshen Reef Buoy 3 On south point of shoal.	41-17-20.734N 072-06-43.094W				Green can.	
21765	Goshen Ledge Buoy 5 On south end of ledge.	41-17-28.734N 072-06-17.373W				Green can.	
21770	Rapid Rock Buoy R On southeast side of rock	41-17-16.054N 072-06-06.023W				Green and red bands; can.	
21775	Cormorant Rock Ledge Buoy 7 On point of ledge east of rock.	41-17-56.934N 072-05-42.653W				Green can.	
21780	Sarah Ledge Buoy SL	41-17-42.354N 072-05-23.872W				Green and red bands; can.	
<b>NEW LONDON HARBOR AND VICINITY (Chart 13213)</b>							
<b>New London Harbor</b>							
21790	- <i>Channel Lighted Buoy 2</i>	41-17-37.376N 072-04-38.546W	FI R 2.5s		4	Red.	
21795	- <i>Channel Lighted Buoy 1</i>	41-17-37.055N 072-04-46.771W	FI G 2.5s		4	Green.	
21800	- <i>Channel Lighted Buoy 3</i>	41-18-28.354N 072-04-53.472W	FI G 4s		4	Green.	
21805	- Channel Buoy 4	41-18-29.213N 072-04-44.774W				Red nun.	
21810	Black Ledge Buoy 2BL	41-18-01.145N 072-03-57.501W				Red nun.	
21815	Black Ledge Buoy 4BL	41-18-04.655N 072-04-15.831W				Red nun.	
21820	Black Ledge Buoy 6BL	41-18-17.460N 072-04-22.266W				Red nun.	
21825	<b>New London Ledge Light</b> On west side of Southwest Ledge.	41-18-21.144N 072-04-38.781W	FI (3+1) WR 30s 0.1s R fl 9.9s ec. 0.1s W fl 4.9s ec. 0.1s W fl 4.9s ec. 0.1s W fl 9.9s ec.	58	W 17 R 14	Red brick dwelling on square pier. 58	Emergency light of FI (3) W 30s and reduced intensity when main light is extinguished. HORN: 2 blast ev 20s (2s bl-2s si-2s bl-14s si).
21840	Frank Ledge Buoy F On north side of ledge.	41-18-40.634N 072-04-32.842W				Green and red bands; can.	
21845	- <b>Light</b>	41-18-59.834N 072-05-23.123W	Iso W 6s (R sector)	89	W 17 R 14	White octagonal pyramidal tower. 89	Red from 000° to 041°. Covers Sarah Ledge and shoals westward.
21850	- <i>Channel Lighted Buoy 5</i>	41-19-19.561N 072-04-59.643W	FI G 2.5s		4	Green.	
21855	- <i>Channel Lighted Buoy 6</i>	41-19-20.106N 072-04-51.246W	FI R 2.5s		4	Red.	
21859	Greens Harbor Obstruction Buoy 2A	41-20-03.660N 072-05-24.728W				Red nun.	



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>NEW LONDON HARBOR AND VICINITY (Chart 13213)</b>							
<b>New London Harbor</b>							
21860	- LOWER WHARF LIGHT	41-20-06.900N 072-04-55.000W	FI R 15s	15		Pile.	Private aid.
21865	- UPPER WHARF LIGHT	41-20-11.300N 072-04-55.900W	FI R 15s			Pile.	Private aid.
21870	Groton Outfall Hazard Buoy	41-20-16.000N 072-04-57.000W				White with orange bands.	Private aid.
21875	- Channel Lighted Buoy 7	41-20-19.201N 072-05-07.263W	FI G 6s		4	Green.	
21880	- Channel Buoy 8	41-20-19.914N 072-04-59.223W				Red nun.	
21885	Melton Rocks Buoy On north side of Melton Ledge.	41-20-23.513N 072-05-24.741W				White can with orange bands and diamond worded ROCKS.	
21890	GRAVING DOCK SOUTH LIGHT	41-20-36.000N 072-04-58.860W	Q R	22		Pier dolphin.	Private aid.
21895	GRAVING DOCK CENTER LIGHT	41-20-36.720N 072-04-59.940W	Q R	22		Pier dolphin.	Private aid.
21900	GRAVING DOCK NORTH LIGHT	41-20-37.800N 072-05-01.320W	Q R	22		Pier dolphin.	Private aid.
21905	GRAVING DOCK 3 SOUTH LIGHT	41-20-50.220N 072-05-02.640W	Q R	24		Dual light fixture on pier.	Private aid.
21910	GRAVING DOCK 3 NORTH LIGHT	41-20-53.600N 072-05-03.100W	Q R				Private aid.
21915	- Buoy 9	41-20-35.254N 072-05-13.374W				Green can.	
21920	- Buoy 11	41-20-46.854N 072-05-15.474W				Green can.	
21922	Thames River Buoy EP	41-22-26.768N 072-05-23.268W				Green and red; can.	
21930	<i>Thames River Intake Lighted Hazard Buoy A</i>	41-21-04.484N 072-05-04.477W	F W			White with orange bands.	Marks saltwater intake lines. Private aid.
21931	<i>Thames River Intake Lighted Hazard Buoy B</i>	41-21-04.000N 072-05-03.700W	F W			White with orange bands.	Private aid.
21932	<i>Thames River Intake Lighted Hazard Buoy C</i>	41-21-03.900N 072-05-03.100W	F W			White with orange bands.	Private aid.
21935	- Channel Lighted Buoy 13	41-21-05.954N 072-05-12.934W	FI G 4s		4	Green.	
21940	- Buoy 14	41-21-06.665N 072-05-05.981W				Red nun.	
21943	- Buoy 16	41-21-26.250N 072-05-09.096W				Red nun.	
21944	STATE PIER LIGHT	41-21-26.700N 072-05-20.000W	FI G 6s			Green.	Private aid.
21945	WINTHROP POINT LIGHT	41-21-34.200N 072-05-18.400W	FI G 6s	10	4	Mooring island.	
21948	- LEADING LIGHT	41-21-46.653N 072-05-14.274W	Oc R 4s	44	4	On southeast bridge abutment of railroad bridge.	Shows red from 353° to 356°. Higher intensity on 354.5°.
21956	THAMES RIVER LOWER RANGE FRONT LIGHT	41-23-26.919N 072-05-27.370W	Iso G 6s	26		On monopole.	"Visible 5.5° each side of rangeline. Lighted throughout 24 hours.
21960	THAMES RIVER LOWER RANGE REAR LIGHT 452 yards, 354.7° from front light.	41-23-40.255N 072-05-29.022W	F G	88		On skeleton tower.	Visible 4° each side of rangeline. Lighted throughout 24 hours. Note: Does not mark center of channel at far end of range.
<b>Greens Harbor</b>							
21970	- Buoy On southwest side of shoal.	41-20-08.480N 072-05-35.000W				White can with orange bands and diamond worded ROCKS.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>NEW LONDON HARBOR AND VICINITY (Chart 13213)</b>							
<b>New London Harbor</b>							
<b>Shaw Cove Entrance</b>							
21975	- Buoy 1	41-20-44.383N 072-05-24.787W				Green can.	
21980	- Buoy 3	41-20-50.704N 072-05-36.614W				Green can.	
<b>Thames River</b>							
<i>Channel buoys located 30 feet outside channel limit.</i>							
21985	- Lighted Buoy 1	41-22-01.853N 072-05-20.874W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.
21990	Academy Buoy 1A On north side of shoal.	41-22-18.374N 072-05-36.865W				Green can.	
21995	BAILEY POINT LIGHT 2	41-22-40.043N 072-05-16.044W	FI R 4s	13	3	TR on pile tower on concrete base.	Higher intensity beam up and down river.
22000	- Lighted Buoy 3	41-22-51.484N 072-05-25.534W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
22010	- Lighted Buoy 5	41-23-15.184N 072-05-33.326W	FI G 4s		3		
22020	- UPPER DIRECTIONAL LIGHT	41-23-34.264N 072-05-46.462W	F W (G & R sector)	21	W 7 R 5 G 5	On pile.	Shows green from 174.5 to 177.5; white from 177.5 to 180.5; red from 180.5 to 183.5; with a fixed white passing light.
22025	- Lighted Buoy 7	41-23-45.667N 072-05-51.336W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
22035	- MIDDLE RANGE FRONT LIGHT	41-23-55.823N 072-05-51.732W	Q G	15		on pile.	Visible all around; higher intensity on rangeline. Lighted throughout 24 hours.
22036	- MIDDLE RANGE REAR LIGHT 197 yards, 336.0° from front.	41-24-01.159N 072-05-54.889W	Iso G 6s	29			Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
22040	- Buoy 9	41-24-04.054N 072-05-48.576W				Green can.	
22055	SCOTCH CAP LIGHT 11	41-24-21.668N 072-05-50.292W	FI G 4s	21	3	SG on skeleton tower on concrete base.	
22060	- Buoy 13	41-24-36.464N 072-05-45.767W				Green can.	
22063	- Buoy 14	41-25-00.010N 072-05-25.479W				Red nun.	
22065	ICE HOUSE LIGHT 15	41-25-04.338N 072-05-33.707W	FI G 2.5s	13	3	SG on pipe tower on concrete base.	
22070	- Buoy 16	41-25-26.934N 072-05-46.817W				Red nun.	
22075	BARTLETT POINT LIGHT 17	41-25-33.532N 072-05-55.205W	FI G 4s	13	3	SG on pipe tower on concrete base.	
22078	- Buoy 18	41-25-44.869N 072-05-47.808W				Red nun.	
22080	- Buoy 20	41-26-05.181N 072-05-38.824W				Red nun.	
<b>Upper Thames River</b>							
22105	ALLYN POINT LIGHT 22	41-26-37.171N 072-05-02.598W	FI R 4s	21	3	TR on pipe tower on concrete base.	
22110	Thames River Buoy 23	41-26-49.624N 072-05-07.117W				Green can.	
22115	LONG REACH LOWER LIGHT 24	41-26-53.861N 072-04-56.331W	FI R 4s	13	3	TR on pipe tower on concrete base.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>NEW LONDON HARBOR AND VICINITY (Chart 13213)</b>							
<b>Upper Thames River</b>							
22120	Thames River Buoy 25	41-27-00.164N 072-04-57.207W				Green can.	
22125	Thames River Buoy 26	41-27-02.544N 072-04-41.337W				Red nun.	
22130	LONG REACH UPPER LIGHT 27	41-27-10.795N 072-04-24.508W	FI G 4s	21	3	SG on pipe tower on concrete base.	
22135	Thames River Buoy 29	41-27-18.654N 072-04-16.076W				Green can.	
22140	STODDARDS OLD DOCK LIGHT 30	41-27-38.420N 072-04-03.050W	FI R 4s	21	3	TR on pipe tower on concrete base.	
22143	Thames River Wreck Buoy WR30A	41-27-41.254N 072-04-05.819W				Red nun.	
22145	Thames River Buoy 31	41-27-48.863N 072-04-06.876W				Green can.	
22150	WALDEN ISLAND LIGHT 32	41-28-05.013N 072-04-06.776W	FI R 2.5s	14	3	TR on pipe tower on concrete base.	
22155	Thames River Buoy 33	41-28-05.723N 072-04-12.797W				Green can.	
22160	Thames River Buoy 34	41-28-22.043N 072-04-16.267W				Red nun.	
22165	Thames River Buoy 35	41-28-38.043N 072-04-22.997W				Green can.	
22170	MOHEGAN DIKE LIGHT 36	41-28-41.870N 072-04-19.852W	FI R 4s	13	3	TR on pipe tower on concrete base.	
22180	Thames River Buoy 38	41-28-59.723N 072-04-32.208W				Red nun.	
22195	INDIAN HILL LIGHT 39	41-29-10.753N 072-04-46.645W	FI G 4s	13	3	SG on pipe tower on concrete base.	
22200	PRIDE PIER LIGHT 40	41-29-28.645N 072-04-47.521W	FI R 4s	13	3	TR on pipe tower on concrete base.	
22205	Thames River Buoy 41	41-29-33.213N 072-04-51.198W				Green can.	
22210	BURNT HOUSE PIER LIGHT 42	41-29-40.639N 072-04-48.547W	FI R 2.5s	16	3	TR on skeleton tower on concrete base.	
22215	PERCHE ROCK LIGHT 43 On rock.	41-29-50.489N 072-04-57.104W	FI G 4s	21	3	SG on pipe tower on concrete base.	
22220	Thames River Channel Buoy 44	41-29-56.863N 072-04-57.818W				Red nun.	
22225	Thames River Channel Buoy 45	41-30-06.617N 072-05-03.745W				Green can.	
22230	SAND PIER LIGHT 47	41-30-12.992N 072-05-05.018W	FI G 2.5s	13	3	SG on pipe tower on concrete base.	
22235	Thames River Channel Buoy 48	41-30-21.353N 072-04-59.149W				Red nun.	
22240	LOWER COAL DOCK LIGHT 50	41-30-41.608N 072-04-40.121W	FI R 4s	21	3	TR on pipe tower on concrete base.	
22245	Thames River Channel Buoy 51	41-30-44.031N 072-04-43.881W				Green can.	
22250	Thames River Channel Buoy 53	41-31-00.636N 072-04-43.305W				Green can.	
<b>NIANTIC BAY AND VICINITY (Chart 13211)</b>							
22255	Bartlett Reef North End Buoy 1	41-17-45.373N 072-08-29.397W				Green can.	
22260	Two Tree Island Shoal Buoy 3	41-17-53.353N 072-09-15.678W				Green can.	
22265	Flat Rock Buoy 2 On southwest side of rock	41-18-14.974N 072-09-02.852W				Red nun.	
22270	High Rock Buoy 4	41-18-17.063N 072-09-23.678W				Red nun.	
22275	White Rock Lighted Bell Buoy 6	41-18-00.342N 072-10-29.290W	FI R 4s		3	Red.	
<b>Millstone Security Zone</b>							
22276	- Buoy A	41-18-30.480N 072-10-19.320W				White and orange can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>NIANTIC BAY AND VICINITY (Chart 13211)</b>							
<b>Millstone Security Zone</b>							
22277	- Buoy B	41-18-27.900N 072-10-15.840W				White and orange can.	Private aid.
22278	- Buoy C	41-18-25.380N 072-10-12.300W				White and orange can.	Private aid.
22279	- Buoy D	41-18-22.860N 072-10-08.640W				White and orange can.	Private aid.
22279.1	Millstone Power Plant CG Mooring Buoy	41-18-22.912N 072-10-28.925W				White and blue can.	
22279.2	- Buoy E	41-18-27.660N 072-09-36.720W				White and orange can.	Private aid.
22279.3	- Buoy F	41-18-32.220N 072-09-37.380W				White and orange can.	Private aid.
22279.4	- Buoy G	41-18-37.380N 072-09-38.040W				White and orange can.	Private aid.
22279.5	- Buoy H	41-18-12.660N 072-09-59.280W				White and orange can.	Private aid.
22279.6	- Buoy I	41-18-16.200N 072-10-02.880W				White and orange can.	Private aid.
<b>NIANTIC BAY AND VICINITY (Chart 13211)</b>							
22280	Threefoot Rock Buoy 7 On east side of rock.	41-18-21.832N 072-11-46.632W				Green can.	
22285	Black Rock Buoy 8 On west side of rock.	41-18-34.642N 072-10-42.910W				Red nun.	
22290	CRESCENT PARK BREAKWATER LIGHT	41-18-39.480N 072-12-03.060W	FI W 6s		8	On pile.	Maintained from Apr. 15 to Nov. 15. Private aid.
22300	Wigwam Rock Buoy 9	41-18-55.344N 072-11-45.866W				Green can.	Removed when endangered by ice.
<b>Niantic River</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
22305	- Channel Buoy 1	41-19-10.214N 072-10-55.174W				Green can.	
22310	- Channel Buoy 3	41-19-16.158N 072-10-45.519W				Green can.	
22315	- Channel Buoy 4	41-19-15.285N 072-10-44.867W				Red nun.	
22320	- Channel Buoy 6	41-19-31.552N 072-10-41.800W				Red nun.	Removed when endangered by ice.
22321	Mago Point West Day beacon	41-19-34.600N 072-10-39.000W				SG on pile.	Private aid.
22322	Mago Point East Day beacon	41-19-36.500N 072-10-33.300W				SG on pile.	Private aid.
22325	- Channel Day beacon 7	41-19-33.152N 072-10-48.980W				SG on pile.	
22330	- Channel Day beacon 8	41-19-34.452N 072-10-48.180W				TR on pile.	
22335	NIANTIC DOCKOMINIUM LIGHT D At end of dock.	41-19-38.500N 072-11-00.400W	FI Y 2s		9	SY on pier.	Private aid.
22340	- Channel Buoy 10	41-19-38.552N 072-10-58.080W				Red nun.	Removed when endangered by ice.
22345	- Channel Buoy 11	41-19-40.652N 072-11-01.281W				Green can.	Removed when endangered by ice.
22350	- Channel Buoy 12	41-19-41.442N 072-10-59.922W				Red nun.	
22355	- Channel Day beacon 13	41-19-44.652N 072-10-58.781W				SG on pile.	
22360	- Channel Buoy 14	41-19-46.442N 072-10-54.960W				Red nun.	Removed when endangered by ice.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>NIANTIC BAY AND VICINITY (Chart 13211)</b>							
<b>Niantic River</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
22365	- Channel Buoy 15	41-19-51.152N 072-10-52.789W				Green can.	Removed when endangered by ice.
22370	- Channel Buoy 16	41-19-52.552N 072-10-49.180W				Red nun.	Removed when endangered by ice.
22375	- Channel Day beacon 17	41-19-56.612N 072-10-48.690W				SG on pile.	
22380	- Channel Buoy 18	41-20-01.085N 072-10-43.175W				Red nun.	Removed when endangered by ice.
22385	- Channel Buoy 19	41-20-01.298N 072-10-45.120W				Green can.	Removed when endangered by ice.
22390	- Channel Buoy 21	41-20-06.222N 072-10-43.410W				Green can.	Removed when endangered by ice.
22395	- Channel Buoy 21A	41-20-07.330N 072-10-53.057W				Green can.	Removed when endangered by ice.
22400	- Channel Buoy 22	41-20-06.678N 072-10-42.480W				Red nun.	Removed when endangered by ice.
22405	- Channel Buoy 22A	41-20-08.632N 072-10-52.471W				Red nun.	Removed when endangered by ice.
22410	- Channel Buoy 23	41-20-09.594N 072-10-56.753W				Green can.	Removed when endangered by ice.
22415	- Channel Buoy 24	41-20-09.840N 072-10-54.724W				Red nun.	Removed when endangered by ice.
22420	- Channel Buoy 25	41-20-11.402N 072-10-57.421W				Green can.	Removed when endangered by ice.
22425	- Channel Buoy 26	41-20-13.672N 072-10-55.761W				Red nun.	Removed when endangered by ice.
22430	- Channel Junction Day beacon SC	41-20-18.652N 072-10-57.681W				JG on pile.	
22435	- Channel Day beacon 28	41-20-22.500N 072-10-58.400W				TR on pile.	
22440	- Channel Buoy 29	41-20-25.912N 072-11-01.641W				Green can.	Removed when endangered by ice.
22445	- Channel Buoy 30	41-20-26.622N 072-10-59.931W				Red nun.	Removed when endangered by ice.
<b>Smith Cove</b>							
22449	- Day beacon 1	41-20-17.520N 072-10-58.440W				SG on pile.	Private aid.
22450	- Day beacon 1A	41-20-16.800N 072-11-05.880W				SG on pile.	Private aid.
22455	- Day beacon 2	41-20-18.000N 072-11-05.880W				TR on pile.	Private aid.
22460	- Day beacon 4	41-20-16.680N 072-11-10.380W				TR on pile.	Private aid.
22465	- Day beacon 6	41-20-15.660N 072-11-14.160W				TR on pile.	Private aid.
22470	- Day beacon 8	41-20-16.080N 072-11-18.000W				TR on pile.	Private aid.
22475	- Day beacon 9	41-20-16.140N 072-11-19.920W				SG on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>NIANTIC BAY AND VICINITY (Chart 13211)</b>							
<b>Pattaganset River</b>							
22480	Blackboys Rocks Buoy 2 Marks southside of rock.	41-16-58.505N 072-13-29.095W				Red nun.	
22485	Long Rock Buoy 4 Marks southwest side of rocky shoal.	41-17-27.003N 072-13-48.223W				Red nun.	
22490	Seal Rock Buoy 5 Marks south end of rock.	41-17-40.484N 072-13-49.998W				Green can.	
<b>CONNECTICUT RIVER - LONG ISLAND SOUND TO DEEP RIVER (Chart 12375)</b>							
<b>Connecticut River</b>							
22495 21115	<b>Saybrook Breakwater Light</b>	41-15-47.600N 072-20-33.600W	FI G 6s	58	14	White conical tower on brown cylindrical pier. 49	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 30s (3s bl).
22505	- <i>Lighted Buoy 2</i>	41-15-47.443N 072-20-28.898W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
22510	Saybrook Day beacon	41-16-07.349N 072-20-17.131W				White globe on granite structure.	
22515	- Buoy 4	41-16-11.273N 072-20-26.239W				Red nun.	
22520	<b>Lynde Point Light</b>	41-16-17.300N 072-20-34.900W	F W	71	14	White stone tower. 71	
22525	- <i>Lighted Buoy 5</i>	41-16-18.683N 072-20-29.988W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
22530	- Buoy 6 Marks west edge of shoal	41-16-31.683N 072-20-24.198W				Red nun.	
22535	- Buoy 7 Marks east edge of shoal	41-16-35.684N 072-20-37.149W				Green can.	
22540	- <i>Lighted Buoy 8</i> Marks shoal.	41-16-42.234N 072-20-37.419W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
22545	- Buoy 10 Marks west edge of shoal.	41-16-58.812N 072-20-42.888W				Red nun.	
22550	- <i>Lighted Buoy 14</i>	41-17-20.385N 072-20-57.209W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to May 1.
22555	- Buoy 15	41-17-25.394N 072-21-03.850W				Green can.	
22565	Old Saybrook North Cove Buoy 2	41-17-27.060N 072-21-08.040W				Red nun.	Private aid.
22570	Old Saybrook North Cove Buoy 3	41-17-25.140N 072-21-12.180W				Green can.	Private aid.
22571	Old Saybrook North Cove Buoy 4	41-17-26.100N 072-21-15.060W				Red nun.	Private aid.
22572	Old Saybrook North Cove Buoy 5	41-17-23.040N 072-21-32.760W				Green can.	Private aid.
22573	Old Saybrook North Cove Buoy 6	41-17-24.360N 072-21-32.940W				Red nun.	Private aid.
22575	- Buoy 17	41-17-34.744N 072-21-01.910W				Green can.	
22580	- <i>Lighted Buoy 19</i>	41-17-52.643N 072-21-01.840W	FI G 4s		3	Green.	Replaced by can from Nov. 15 to May 1.
22585	Calves Island Bar South Junction Buoy C1 On southwest end of shoal.	41-19-19.854N 072-20-42.900W				Red and green bands; nun.	
22590	- Buoy 20 30 feet outside channel limit.	41-19-38.654N 072-20-53.300W				Red nun.	
22595	- LIGHT 22	41-19-51.514N 072-20-59.809W	FI R 4s	26	3	TR on skeleton tower.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>CONNECTICUT RIVER - LONG ISLAND SOUND TO DEEP RIVER (Chart 12375)</b>							
<b>Connecticut River</b>							
22600	- Lighted Buoy 23	41-19-57.664N 072-21-10.140W	FI G 4s		3	Green.	Replaced by can f from Nov. 15 to May 1.
22605	- Buoy 24 120 feet outside channel limit.	41-20-38.095N 072-22-16.423W				Red nun.	
22610	- LIGHT 25	41-20-42.508N 072-22-36.140W	FI G 4s	26	3	SG on skeleton tower, concrete base.	
<b>Essex Anchorage</b>							
<i>Aids maintained from Apr. 1 to Nov. 30.</i>							
22615	- Buoy A	41-20-43.320N 072-22-37.500W				Yellow can.	Private aid.
22620	- Buoy B	41-20-52.080N 072-22-48.600W				Yellow can.	Private aid.
22625	- Day beacon C	41-20-54.240N 072-23-02.400W				Yellow square on pile.	Private aid.
22630	- Buoy D	41-20-55.140N 072-22-59.940W				Yellow can.	Private aid.
22635	- Buoy E	41-20-54.060N 072-22-50.460W				Yellow can.	Private aid.
22640	- Buoy F	41-21-03.840N 072-22-51.000W				Yellow can.	Private aid.
22645	- Buoy G	41-21-06.840N 072-23-00.120W				Yellow can.	Private aid.
22650	- Buoy H	41-21-08.340N 072-22-59.520W				Yellow can.	Private aid.
22655	- Buoy I	41-21-05.820N 072-22-51.240W				Yellow can.	Private aid.
22660	- Buoy J	41-21-22.440N 072-22-51.060W				Yellow can.	Private aid.
<b>Connecticut River</b>							
22665	- Lighted Buoy 26	41-20-55.844N 072-22-46.594W	FI R 4s		3	Red.	Replaced by nun f from Nov. 15 to May 1.
22670	- Buoy 28 25 feet outside channel limit.	41-21-18.625N 072-22-46.235W				Red nun.	
22675	- LIGHT 29	41-22-07.534N 072-22-34.523W	FI G 4s	26	3	SG on skeleton tower.	
22680	- Channel Buoy 29A	41-22-41.621N 072-22-39.886W				Green can.	
22685	Essex Meadows Anchorage Buoy A	41-22-21.540N 072-22-47.880W				White with Orange bands, can.	Maintained f from Apr. 1 to Dec. 1. Private aid.
22690	Essex Meadows Anchorage Buoy B	41-22-29.220N 072-22-54.060W				Yellow can.	Maintained f from Apr. 1 to Dec. 1. Private aid.
<b>Hamburg Cove</b>							
<i>Aids maintained from May 1 to Nov. 1 unless otherwise noted.</i>							
22695	- Entrance Buoy 1	41-22-28.212N 072-22-20.619W				Green can.	Maintained year round.
22700	- Entrance Buoy 2	41-22-27.119N 072-22-19.770W				Red nun.	Maintained year round.
22703	- Entrance Buoy 2A	41-22-28.100N 072-22-12.000W				Red nun.	Private aid.
22705	- Entrance Buoy 3	41-22-29.600N 072-22-09.000W				Green can.	Private aid.
22710	- Entrance Buoy 4	41-22-28.200N 072-22-10.700W				Red nun.	Private aid.
22715	- Entrance Buoy 5	41-22-30.900N 072-22-03.200W				Green can.	Private aid.
22720	- Entrance Buoy 6	41-22-29.600N 072-22-03.700W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>CONNECTICUT RIVER - LONG ISLAND SOUND TO DEEP RIVER (Chart 12375)</b>							
<b>Connecticut River</b>							
<b>Hamburg Cove</b>							
<i>Aids maintained from May 1 to Nov. 1 unless otherwise noted.</i>							
22723	- Entrance Buoy 7	41-22-30.100N 072-21-58.300W				Green can.	Private aid.
22725	- Entrance Buoy 8	41-22-29.200N 072-21-58.600W				Red nun.	Private aid.
22727	- Entrance Buoy 9	41-22-33.900N 072-21-39.000W				Green can.	Private aid.
22735	- Entrance Day beacon 11	41-22-36.400N 072-21-36.000W				SG on pile.	Private aid.
22740	- Entrance Day beacon 13	41-22-39.000N 072-21-33.400W				SG on pile.	Private aid.
22745	- Day beacon 15	41-22-41.500N 072-21-31.100W				SG on pile.	Private aid.
22750	- Day beacon 17	41-22-42.200N 072-21-29.600W				SG on pile.	Private aid.
22755	- Day beacon 19	41-22-45.200N 072-21-27.300W				SG on pile.	Private aid.
22760	- Buoy 21	41-22-48.000N 072-21-24.800W				Green can.	Private aid.
22763	- Buoy 22	41-22-57.800N 072-21-23.100W				Red nun.	Private aid.
22765	- Buoy 23	41-22-50.400N 072-21-24.500W				Green can.	Private aid.
22767	- Buoy 24	41-22-57.100N 072-21-23.400W				Red nun.	Private aid.
22770	- Buoy 25	41-23-02.200N 072-21-15.400W				Green can.	Private aid.
22775	- Buoy 27	41-23-01.800N 072-21-13.800W				Green can.	Private aid.
22780	- Day beacon 29	41-23-01.500N 072-21-10.700W				SG on pile.	Private aid.
22785	- Day beacon 31	41-23-02.900N 072-21-07.300W				SG on pile.	Private aid.
22790	- Day beacon 33	41-23-02.700N 072-21-07.100W				SG on pile.	Private aid.
<b>Connecticut River</b>							
22860	- Buoy 30	41-23-04.208N 072-22-45.055W				Red nun.	
22865	- Buoy 31	41-23-03.215N 072-22-47.745W				Green can.	
22870	- LIGHT 32 On northeast side of Brockaway Bar cut.	41-23-09.656N 072-22-51.606W	FI R 4s	21	3	TR on skeleton tower.	
22875	- Buoy 33	41-23-11.355N 072-23-13.435W				Green can.	
22880	- LIGHT 35	41-23-22.181N 072-24-50.510W	FI G 4s	26	3	SG on skeleton tower.	
<b>BODKIN ROCK TO HARTFORD (Chart 12377)</b>							
<b>Connecticut River</b>							
22885	- Buoy 34	41-23-23.016N 072-24-33.158W				Red nun.	
22890	- LIGHT 36	41-23-59.575N 072-25-11.899W	FI R 4s	21	3	TR on pipe tower on concrete base.	
22895	- Buoy 37 25 feet outside channel limit.	41-24-28.206N 072-25-23.110W				Green can.	
22900	- RANGE A FRONT LIGHT 40	41-25-01.805N 072-25-34.946W	FI R 2.5s	36		KRW and TR on skeleton tower.	Visible all around higher intensity on range line.
22905	- RANGE A REAR LIGHT 94 yards, 343.2° from front light.	41-25-04.473N 072-25-36.016W	F R	50		KRW on skeleton tower.	Visible 1.5° each side of range line.
22910	- Buoy 39	41-24-42.906N 072-25-31.450W				Green can.	



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>BODKIN ROCK TO HARTFORD (Chart 12377)</b>							
<b>Connecticut River</b>							
22911	CHESTER FERRY DOCK NORTH LIGHT A	41-25-10.500N 072-25-57.500W	FI W 2.5s	19		On dolphin center pile.	Private aid.
22912	CHESTER FERRY DOCK SOUTH LIGHT B	41-25-09.000N 072-25-57.500W	FI Y 2.5s	20		On dolphin center pile.	Private aid.
22913	HADLYME FERRY DOCK NORTH LIGHT A	41-25-12.500N 072-25-43.000W	FI Y 2.5s	21		On dolphin center pile.	Private aid.
22914	HADLYME FERRY DOCK SOUTH LIGHT B	41-25-12.000N 072-25-43.000W	FI W 2.5s	21		On dolphin center pile.	Private aid.
22915	- LIGHT 42	41-25-44.790N 072-26-11.362W	FI R 4s	31	3	TR on skeleton tower.	
22920	- Buoy 44	41-26-08.257N 072-27-18.124W				Red nun.	
22925	- LIGHT 45	41-26-12.519N 072-27-31.856W	FI G 4s	31	3	SG on skeleton tower.	
22930	- <i>Lighted Buoy 46</i>	41-26-24.357N 072-27-41.314W	FI R 4s		3	Red.	Replaced by nun from Nov. 1 to June 1.
22935	- Buoy 47 Marks east edge of flats.	41-27-44.367N 072-27-58.775W				Green can.	
22940	- LIGHT 48	41-27-53.860N 072-27-58.730W	FI R 4s	36	3	TR on pipe tower.	
22945	- Buoy 49 Marks east edge of flats.	41-27-54.207N 072-28-08.145W				Green can.	
22950	- Buoy 50	41-28-18.976N 072-29-04.756W				Red nun.	Maintained from June 1 to Nov. 1.
22955	- Buoy 52 50 feet outside channel limit.	41-28-31.557N 072-29-55.048W				Red nun.	
22960	- LIGHT 53	41-28-33.095N 072-30-03.535W	FI G 4s	26	3	SG on skeleton tower.	
22965	- HADAM ISLAND LIGHT	41-29-36.590N 072-30-48.260W	FI W 2.5s	40		NR on skeleton tower.	Visible all around.
22975	- Buoy 55	41-29-36.621N 072-30-55.068W				Green can.	Maintained from June 1 to Nov. 1.
22980	- Buoy 57	41-29-43.476N 072-31-16.549W				Green can.	Maintained from June 1 to Nov. 1.
22985	- LIGHT 58	41-29-50.006N 072-31-23.450W	FI R 4s	31	3	TR on skeleton tower.	
22990	- RANGE C FRONT LIGHT	41-29-52.436N 072-31-25.064W	FI Y 2.5s	60		KRW on skeleton tower.	Visible 1.5° each side of range line.
22995	- RANGE C REAR LIGHT 39 yards, 097.3° from front light.	41-29-52.289N 072-31-23.545W	F Y	96		KRW on skeleton tower.	Visible 1.5° each side of range line.
23000	- Buoy 59	41-29-49.935N 072-31-29.572W				Green can.	Maintained from June 1 to Nov. 1.
23005	- LIGHT 61	41-30-04.427N 072-32-59.596W	FI G 4s	31	3	SG on skeleton tower.	
23010	- Buoy 62	41-30-24.301N 072-33-08.517W				Red nun.	Maintained from June 1 to Nov. 1.
23015	- Buoy 64	41-30-41.745N 072-33-16.906W				Red nun.	Maintained from June 1 to Nov. 1.
23020	- Buoy 66 100 feet outside channel limit.	41-30-58.461N 072-33-26.602W				Red nun.	Maintained from June 1 to Nov. 1.
23025	- RANGE D FRONT LIGHT 67	41-31-12.341N 072-33-31.544W	Q G	31		KRW and SG on skeleton tower.	Visible all around; higher intensity on range line.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>BODKIN ROCK TO HARTFORD (Chart 12377)</b>							
<b>Connecticut River</b>							
23030	- RANGE D REAR LIGHT 82 yards, 206.3° from front light.	41-31-10.161N 072-33-32.980W	Oc G 4s	43		KRW on skeleton tower.	Visible 10° each side of range line.
23035	- Buoy 69	41-31-34.716N 072-33-19.184W				Green can.	Maintained from June 1 to Nov. 1.
23040	- LIGHT 70	41-32-04.812N 072-32-58.216W	FI R 4s	27	3	TR on skeleton tower.	Higher intensity beam up and down river.
23045	MAROMAS PIER SOUTH LIGHT	41-32-28.800N 072-33-04.920W	F G	49		On pile.	Private aid.
23050	MAROMAS PIER NORTH LIGHT	41-32-29.280N 072-33-04.800W	F W	49		On pile.	Private aid.
23060	- Buoy 71	41-32-55.266N 072-33-09.863W				Green can.	Maintained from June 1 to Nov. 1.
23065	- <i>Lighted Buoy 72</i>	41-33-06.962N 072-33-15.315W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 1 to June 1.
23070	- Buoy 73	41-33-08.235N 072-33-24.459W				Green can.	Maintained from June 1 to Nov. 1.
23075	- Buoy 75	41-33-26.115N 072-34-21.285W				Green can.	Maintained from June 1 to Nov. 1.
23080	- LIGHT 76	41-33-32.246N 072-34-36.317W	FI R 4s	31	3	TR on skeleton tower.	
23085	- Buoy 78	41-33-32.355N 072-35-50.828W				Red nun.	Maintained from June 1 to Nov. 1.
23090	- LIGHT 80	41-33-40.027N 072-36-09.336W	FI R 4s	21	3	TR on skeleton tower.	
23095	STRAITS HILL LIGHT	41-33-48.968N 072-36-14.879W	Q W	23	7	NR on skeleton tower.	Higher intensity beam up river.
23100	- Buoy 84	41-33-46.797N 072-36-24.717W				Red nun.	Maintained from June 1 to Nov. 1.
23105	- Buoy 86 50 feet outside channel limit.	41-33-36.249N 072-37-11.163W				Red nun.	Maintained from June 1 to Nov. 1.
23110	- LIGHT 87	41-33-32.905N 072-37-15.241W	FI G 2.5s	32	3	SG on skeleton tower.	
23115	- Buoy 88	41-33-38.433N 072-37-36.489W				Red nun.	Maintained from June 1 to Nov. 1.
23120	- Buoy 89	41-33-36.910N 072-38-07.652W				Green can.	Maintained from June 1 to Nov. 1.
23125	- Buoy 90	41-33-36.514N 072-38-21.026W				Red nun.	Maintained from June 1 to Nov. 1.
23130	- Buoy 92	41-33-46.828N 072-38-42.176W				Red nun.	Maintained from June 1 to Nov. 1.
23135	- LIGHT 94	41-34-43.230N 072-38-40.723W	FI R 4s	14	3	TR on pipe tower on concrete base.	
23140	- LIGHT 95	41-35-46.793N 072-38-17.331W	FI G 4s	21	3	SG on skeleton tower.	
23145	- Buoy 96	41-35-45.424N 072-38-08.858W				Red nun.	Maintained from June 1 to Nov. 1.
23150	- LIGHT 98	41-36-00.089N 072-37-30.538W	FI R 2.5s	21	3	TR on skeleton tower.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>BODKIN ROCK TO HARTFORD (Chart 12377)</b>							
<b>Connecticut River</b>							
23155	- Buoy 99	41-36-02.186N 072-37-22.680W				Green can.	Maintained from June 1 to Nov. 1.
23160	- LIGHT 100	41-36-07.834N 072-36-56.170W	FI R 4s	36	3	TR on skeleton tower.	
23165	- RANGE E FRONT LIGHT 102	41-36-40.134N 072-36-42.719W	FI R 2.5s	25		KRW and TR on skeleton tower.	Visible all around; high intensity beam on range line.
23170	- RANGE E REAR LIGHT 116 yards, 126.7° from front light.	41-36-38.076N 072-36-39.038W	F R	45		KRW on skeleton tower.	Visible 1.5° each side of range line.
23175	- Buoy 104	41-36-55.026N 072-37-07.129W				Red nun.	Maintained from June 1 to Nov. 1.
23180	- LIGHT 105	41-37-09.622N 072-37-39.029W	FI G 4s	21	3	SG on skeleton tower.	
23185	- Buoy 106	41-37-39.357N 072-37-49.331W				Red nun.	Maintained from June 1 to Nov. 1.
23190	- LIGHT 107	41-37-49.669N 072-37-58.010W	FI G 2.5s	21	3	SG on skeleton tower.	
23195	- Buoy 109	41-38-13.447N 072-37-47.150W				Green can.	Maintained from June 1 to Nov. 1.
23200	- RANGE F FRONT LIGHT 110	41-38-35.577N 072-37-24.684W	FI R 2.5s	26		KRW and TR on skeleton tower.	Visible all around; higher intensity on rangeline.
23205	- RANGE F REAR LIGHT 177.1° 40 yards from front light.	41-38-34.408N 072-37-24.606W	F R	53		KRW on skeleton tower.	Visible 1.5° each side of range line.
23210	- LIGHT 113	41-40-05.171N 072-37-43.760W	FI G 4s	15	3	SG on pile.	
23215	- Buoy 115	41-40-16.456N 072-37-06.374W				Green can.	Maintained from June 1 to Nov. 1.
23220	- RANGE G FRONT LIGHT 116	41-40-24.821N 072-36-29.970W	FI R 2.5s	47		KRW and TR on skeleton tower.	Visible all around. Higher intensity on rangeline.
23225	- RANGE G REAR LIGHT 71 yards, 070.5° from front light.	41-40-25.524N 072-36-27.326W	F R	109		KRW on skeleton tower.	Visible 1.5° each side of rangeline.
23230	GLASTONBURY BAR LIGHT	41-40-32.002N 072-36-25.242W	Q W	21	5	NR on skeleton tower.	
23235	- LIGHT 120	41-41-07.789N 072-36-36.071W	FI R 4s	36	3	TR on skeleton tower.	
23240	- Buoy 121	41-41-11.858N 072-36-47.327W				Green can.	Maintained from June 1 to Nov. 1.
23245	- LIGHT 122	41-41-18.847N 072-36-53.201W	FI R 4s	36	3	TR on skeleton tower.	
23250	- Buoy 123	41-41-21.016N 072-37-15.548W				Green can.	Maintained from June 1 to Nov. 1.
23255	- Buoy 124	41-41-21.708N 072-37-34.258W				Red nun.	Maintained from June 1 to Nov. 1.
23260	- LIGHT 125	41-41-23.949N 072-38-09.026W	FI G 4s	26	3	SG on skeleton tower.	
23265	- Buoy 126	41-41-51.694N 072-38-11.192W				Red nun.	Maintained from June 1 to Nov. 1.
23270	- RANGE J FRONT LIGHT	41-41-58.884N 072-38-12.110W	FI G 2.5s	37		KRW on skeleton tower.	Visible all around. Higher intensity on rangeline.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>BODKIN ROCK TO HARTFORD (Chart 12377)</b>							
<b>Connecticut River</b>							
23275	- RANGE J REAR LIGHT 66 yards, 260.1° from front light.	41-41-58.549N 072-38-14.680W	F G	51		KRW on skeleton tower.	Visible 1.5° each side of rangeline.
23280	- Buoy 127	41-42-43.894N 072-37-12.194W				Green can.	Maintained from June 1 to Nov. 1.
23285	- LIGHT 129	41-42-42.978N 072-37-53.268W	FI G 4s	31	3	SG on skeleton tower.	
23300	- LIGHT 135	41-43-27.109N 072-39-03.277W	FI G 2.5s	21	3	SG on skeleton tower.	
23305	- Buoy 136	41-43-27.359N 072-38-57.331W				Red nun.	Maintained from June 1 to Nov. 1.
<b>Wethersfield Cove</b>							
23310	- Day beacon 1	41-43-31.331N 072-39-03.650W				SG on pile.	
23315	- Day beacon 2	41-43-31.822N 072-39-03.284W				TR on pile.	
23320	- Day beacon 3	41-43-30.581N 072-39-20.496W				SG on pile.	
23325	- Day beacon 4	41-43-30.931N 072-39-23.267W				TR on pile.	
<b>Connecticut River</b>							
23335	- Buoy 137	41-43-41.539N 072-38-51.770W				Green can.	Maintained from June 1 to Nov. 1.
23340	- LIGHT 138	41-43-49.872N 072-38-37.384W	FI R 4s	31	3	TR on skeleton tower.	
23345	- LIGHT 140	41-44-02.965N 072-38-26.687W	FI R 4s	36	3	TR on skeleton tower.	
23360	- LIGHT 142	41-44-53.612N 072-38-39.352W	FI R 4s	26	3	TR on skeleton tower.	
23365	HARTFORD JETTY LIGHT 143	41-45-03.657N 072-39-02.752W	FI G 4s	26	3	SG on pipe tower.	
23375	Westbrook Harbor Buoy Marks south side of Lobster Rock.	41-16-11.183N 072-26-50.357W				Red with green band; nun.	
23380	West Beach Shoal Buoy	41-16-16.000N 072-27-08.000W				White with orange band; can.	Maintained from May. 1 to Nov. 1. Private aid.
23385	Menunketesuck Island Shoal Buoy	41-15-32.000N 072-27-35.000W				White with orange band; can.	Maintained from May. 1 to Nov. 1. Private aid.
23390	Menunketesuck Island Rock Buoy	41-15-39.000N 072-28-02.000W				White can with orange band.	Maintained from May. 1 to Nov. 1. Private aid.
<b>DUCK ISLAND TO MADISON REEF (Chart 12374)</b>							
<b>Duck Island Roads</b>							
23395	DUCK ISLAND NORTH BREAKWATER LIGHT	41-15-36.818N 072-28-29.836W	FI W 4s	16	6	NR on skeleton tower.	
23400	DUCK ISLAND WEST BREAKWATER LIGHT 2DI	41-15-22.686N 072-29-06.556W	FI R 4s	17	4	TR on skeleton tower.	
<b>Patchogue River</b>							
23405	- BREAKWATER LIGHT 3A	41-16-07.500N 072-28-23.000W	FI G 4s	21	4	SG on skeleton tower.	
23410	- Channel Lighted Buoy 2	41-15-58.744N 072-28-21.965W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to May 1.
23415	- Channel Buoy 3	41-16-01.418N 072-28-22.794W				Green can.	
23420	- Channel Buoy 4	41-16-05.023N 072-28-20.342W				Red nun.	
23425	- Channel Buoy 5	41-16-00.000N 072-28-21.000W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>DUCK ISLAND TO MADISON REEF (Chart 12374)</b>							
<b>Duck Island Roads</b>							
<b>Patchogue River</b>							
23430	Menunketesuck River Junction Day beacon M	41-16-14.000N 072-28-20.000W				Green and red square.	Maintained from Apr. 1 to Nov. 30. Private aid.
23435	- Channel Day beacon 6	41-16-15.120N 072-28-16.860W				TR on pile.	Private aid.
23440	- Day beacon 7	41-16-25.000N 072-28-00.000W				SG on pile.	Private aid.
23445	- Day beacon 8	41-16-00.000N 072-28-11.000W				TR on pile.	Private aid.
23450	- Channel Day beacon 10	41-16-00.000N 072-28-07.000W				TR on pile.	Private aid.
23455	KELSEY POINT BREAKWATER LIGHT	41-14-36.581N 072-30-28.943W	FI W 2.5s	22	7	NG on skeleton tower.	
<b>Clinton Harbor</b>							
<i>Channel buoys located 20 feet outside channel limit.</i>							
23460	- Rock Buoy 2 West of rock.	41-15-07.308N 072-31-17.295W				Red nun.	
23465	- Lighted Buoy 3	41-15-23.238N 072-31-39.770W	FI G 4s		3	Green.	Replaced by can from Nov. 15 to May 1.
23466	- Channel Buoy 4	41-15-24.038N 072-31-37.153W				Red nun.	
23470	- Channel Buoy 6	41-15-39.201N 072-31-36.236W				Red nun.	
23475	- Channel Buoy 5	41-15-39.548N 072-31-37.413W				Green can.	
23480	- Channel Buoy 8	41-15-46.929N 072-31-33.879W				Red nun.	
23485	- Channel Buoy 9	41-15-47.765N 072-31-34.637W				Green can.	
23487	- Temporary Channel Buoy 10	41-15-54.180N 072-31-25.320W				Red nun.	Private aid.
23490	- Channel Buoy 11	41-15-57.015N 072-31-24.099W				Green can.	
23495	- Channel Buoy 11A	41-16-00.055N 072-31-23.987W				Green can.	
23500	- Channel Buoy 12	41-15-58.620N 072-31-21.480W				Red nun.	Maintained from May 1 to Dec. 1. Private aid.
23505	- Channel Buoy 13	41-16-03.180N 072-31-29.460W				Green can.	Maintained from May 1 to Dec. 1. Private aid.
23510	- Channel Buoy 14	41-16-03.300N 072-31-26.160W				Red nun.	Maintained from May 1 to Dec. 1. Private aid.
23513	- Channel Buoy 15	41-16-05.280N 072-31-33.960W				Green can.	Private aid.
23515	- Channel Buoy 16	41-16-06.600N 072-31-33.840W				Red nun.	Maintained from May 1 to Dec. 1. Private aid.
<b>Hammonasset River</b>							
23520	- Day beacon 1	41-15-59.468N 072-32-02.688W				SG on pile.	Private aid.
23530	- Day beacon 3	41-15-57.260N 072-32-04.030W				SG on pile.	Private aid.
23535	- Day beacon 4	41-15-57.692N 072-32-05.141W				TR on pile	Private aid.
23540	- Day beacon 5	41-15-55.400N 072-32-06.083W				SG on pile.	Private aid.
23545	- Day beacon 6	41-15-56.281N 072-32-07.359W				TR on pile.	Private aid.
23546	- Day beacon 7	41-15-54.396N 072-32-08.296W				SG on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>DUCK ISLAND TO MADISON REEF (Chart 12374)</b>							
<b>Hammonasset River</b>							
23550	- Day beacon 8	41-15-54.900N 072-32-09.300W				TR on pile.	Private aid.
23555	- Day beacon 9	41-15-52.266N 072-32-10.841W				SG on pile.	Private aid.
23560	- Day beacon 10	41-15-53.119N 072-32-11.863W				TR on pile.	Private aid.
23565	- Day beacon 11	41-15-50.128N 072-32-14.080W				SG on pile.	Private aid.
23570	- Day beacon 12	41-15-50.828N 072-32-15.164W				TR on pile.	Private aid.
23575	- Day beacon 13	41-15-48.305N 072-32-15.508W				SG on pile.	Private aid.
23580	- Day beacon 14	41-15-48.936N 072-32-17.035W				TR on pile.	Private aid.
23585	- Day beacon 15	41-15-46.458N 072-32-17.472W				SG on pile.	Private aid.
23590	- Day beacon 16	41-15-47.006N 072-32-18.379W				TR on pile.	Private aid.
23595	- Day beacon 17	41-15-43.285N 072-32-20.994W				SG on pile.	Private aid.
23600	- Day beacon 18	41-15-44.079N 072-32-21.654W				TR on pile.	Private aid.
23606	- Day beacon 20	41-15-42.647N 072-32-22.963W				TR on pile.	Private aid.
23610	- Day beacon 21	41-15-40.880N 072-32-23.238W				SG on pile.	Private aid.
23615	- Day beacon 22	41-15-41.287N 072-32-24.223W				TR on pile.	Private aid.
23620	- Day beacon 23	41-15-38.087N 072-32-26.307W				SG on pile.	Private aid.
23625	- Day beacon 24	41-15-38.755N 072-32-26.612W				TR on pile.	Private aid.
23630	- Day beacon 25	41-15-37.400N 072-32-28.500W				SG on pile.	Private aid.
23635	- Day beacon 26	41-15-37.893N 072-32-28.866W				TR on pile.	Private aid.
23640	- Day beacon 27	41-15-36.678N 072-32-31.382W				SG on pile.	Private aid.
23645	- Day beacon 28	41-15-37.291N 072-32-31.419W				TR on pile.	Private aid.
23650	- Day beacon 29	41-15-35.830N 072-32-35.213W				SG on pile.	Private aid.
23655	- Day beacon 30	41-15-36.513N 072-32-35.275W				TR on pile.	Private aid.
23660	- Day beacon 31	41-15-35.630N 072-32-37.968W				SG on pile.	Private aid.
23665	- Day beacon 32	41-15-36.510N 072-32-38.025W				TR on pile.	Private aid.
23670	- Day beacon 33	41-15-36.424N 072-32-40.576W				SG on pile.	Private aid.
23675	- Day beacon 34	41-15-37.205N 072-32-40.472W				TR on pile.	Private aid.
23680	- Day beacon 35	41-15-36.940N 072-32-43.578W				SG on pile.	Private aid.
23685	- Day beacon 36	41-15-38.000N 072-32-43.460W				TR on pile.	Private aid.
23690	- Day beacon 37	41-15-38.249N 072-32-47.325W				SG on pile.	Private aid.
23695	- Day beacon 38	41-15-38.900N 072-32-47.100W				TR on pile.	Private aid.
23700	- Day beacon 39	41-15-39.710N 072-32-50.157W				SG on pile.	Private aid.
23705	- Day beacon 40	41-15-39.600N 072-32-48.900W				TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>DUCK ISLAND TO MADISON REEF (Chart 12374)</b>							
<b>Hammonasset River</b>							
23706	- Day beacon 41	41-15-40.690N 072-32-50.850W				SG on pile.	Private aid.
23706.1	- Day beacon 42	41-15-41.000N 072-32-50.500W				TR on pile.	Private aid.
23706.2	- Day beacon 43	41-15-42.319N 072-32-51.557W				SG on pile.	Private aid.
23706.3	- Day beacon 44	41-15-42.400N 072-32-50.900W				TR on pile. TR on pile.	Private aid.
23706.4	- Day beacon 45	41-15-45.542N 072-32-51.976W				SG on pile.	Private aid.
23706.5	- Day beacon 46	41-15-45.581N 072-32-51.332W				Tr on pile.	Private aid.
23706.8	- Day beacon 49	41-15-49.843N 072-32-52.266W				SG on pile.	Private aid.
23706.9	- Day beacon 50	41-15-49.907N 072-32-51.654W				TR on pile.	Private aid.
23707	- Day beacon 51	41-15-51.154N 072-32-52.496W				SG on pile.	Private aid.
23707.1	- Day beacon 52	41-15-51.124N 072-32-51.681W				TR on pile.	Private aid.
23707.2	- Day beacon 53	41-15-51.900N 072-32-52.100W				SG on pile.	Private aid.
23707.3	- Day beacon 55	41-15-53.600N 072-32-50.800W				SG on pile.	Private aid.
23707.4	- Day beacon 56	41-15-52.210N 072-32-51.119W				TR on pile.	Private aid.
23707.5	- Day beacon 57	41-15-54.200N 072-32-49.800W				SG on pile.	Private aid.
23707.6	- Day beacon 58	41-15-52.863N 072-32-50.471W				TR on pile.	Private aid.
23708	- Day beacon 60	41-15-54.300N 072-32-47.700W				TR on pile.	Private aid.
<b>GUILFORD HARBOR TO FARM RIVER (Chart 12373)</b>							
<b>Guilford Harbor</b>							
23715	- Lighted Bell Buoy 4	41-15-01.610N 072-39-13.307W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
23720	Indian Reef Buoy 1 South of reef.	41-14-38.551N 072-40-30.471W				Green can.	
23725	- Buoy 3 On southeast side of Netties Reef.	41-15-03.712N 072-39-37.110W				Green can.	
23730	- Buoy 5 On east end of reef.	41-15-27.801N 072-39-38.530W				Green can.	
23735	- Channel Lighted Buoy 7	41-15-44.052N 072-39-50.440W	FI G 4s		3	Green.	Replaced by can from Nov. 15 to May 1.
23740	- Channel Buoy 9	41-15-53.944N 072-39-59.323W				Green can.	
23745	- Channel Buoy 10	41-15-55.099N 072-39-58.215W				Red nun.	
23750	- Channel Buoy 11	41-15-58.230N 072-40-00.086W				Green can.	
23755	- Channel Buoy 12	41-15-57.842N 072-39-59.411W				Red nun.	
23760	- Channel Buoy 13	41-16-05.353N 072-39-57.171W				Green can.	
23765	- Channel Buoy 14	41-16-12.216N 072-39-53.476W				Red nun.	
<b>West River Entrance</b>							
<i>Aids maintained from May 1 to Oct. 1.</i>							
23770	- Buoy 1W	41-15-21.480N 072-39-54.120W				Green can.	Private aid.
23775	- Buoy 2W	41-15-22.980N 072-39-50.640W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>GUILFORD HARBOR TO FARM RIVER (Chart 12373)</b>							
<b>Guilford Harbor</b>							
<b>West River Entrance</b>							
<i>Aids maintained from May 1 to Oct. 1.</i>							
23780	- Buoy 3	41-15-38.640N 072-40-10.320W				Green can.	Private aid.
23785	- Buoy 4	41-15-33.660N 072-40-04.080W				Red nun.	Private aid.
23790	- Buoy 5	41-15-39.480N 072-40-13.200W				Green can.	Private aid.
23795	- Buoy 6	41-15-39.780N 072-40-10.680W				Red nun.	Private aid.
23800	- Buoy 7	41-15-46.440N 072-40-18.900W				Green can.	Private aid.
23805	- Buoy 8	41-15-46.920N 072-40-18.060W				Red nun.	Private aid.
23806	- Day beacon 9	41-15-48.200N 072-40-20.600W				SG on PVC pole.	Private aid.
23806.1	- Day beacon 10	41-15-49.400N 072-40-20.400W				TR on PVC pole.	Private aid.
23806.2	- Day beacon 11	41-15-50.700N 072-40-23.200W				SG on PVC pole.	Private aid.
23806.3	- Day beacon 12	41-15-51.400N 072-40-22.600W				TR on PVC pole.	Private aid.
23806.4	- Day beacon 13	41-15-53.200N 072-40-25.900W				SG on PVC pole.	Private aid.
23806.5	- Day beacon 14	41-15-53.700N 072-40-25.100W				TR on PVC pole.	Private aid.
23806.6	- Day beacon 15	41-15-54.900N 072-40-27.600W				SG on PVC pole.	Private aid.
23806.7	- Day beacon 16	41-15-54.400N 072-40-26.700W				TR on PVC pole.	Private aid.
23810	WEST RIVER RANGE FRONT LIGHT	41-16-07.200N 072-40-40.560W	Q W		16	KRW on pile.	Visible on range line only. Private aid.
23815	WEST RIVER RANGE REAR LIGHT 215 yards, 321.3° from front light.	41-16-12.180N 072-40-45.720W	Iso W 6s		30	KRW on pile.	Visible on range line only. Private aid.
<b>The Thimbles</b>							
<b>Thimble Shoals</b>							
23820	- Buoy 4 At southwest edge of rocky shoal.	41-14-59.787N 072-44-31.327W				Red nun.	
23825	- Buoy 6	41-15-09.077N 072-44-40.100W				Red nun.	
23830	- Buoy 8	41-15-15.485N 072-44-46.884W				Red nun.	
23835	- Buoy 10	41-15-12.543N 072-44-56.538W				Red nun.	
23840	- Buoy 11 On east side of shoal.	41-15-11.985N 072-45-04.774W				Green can.	
<b>Stony Creek</b>							
23845	- Buoy 1	41-15-35.186N 072-45-15.127W				Green can.	
23850	- Buoy 3	41-15-46.148N 072-45-13.550W				Green can.	
23855	- Buoy 4	41-15-45.343N 072-45-12.267W				Red nun.	
23860	- Buoy 5	41-15-53.248N 072-45-13.067W				Green can.	
<b>The Thimbles</b>							
23865	Commander Rocks Buoy 2CR Marks southwest end of rocks.	41-14-33.167N 072-45-04.376W				Red nun.	
23870	High Island East Shoal Buoy 1 South of shoal.	41-14-52.115N 072-45-28.186W				Green can.	



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>GUILFORD HARBOR TO FARM RIVER (Chart 12373)</b>							
<b>The Thimbles</b>							
23875	East Reef Buoy 1 Marks east side of reef.	41-13-57.819N 072-45-48.451W				Green can.	
23880	Wheaton Reef Buoy 3 On north side of reef.	41-14-12.249N 072-46-13.002W				Green can.	
23885	Inner Reef North Buoy 5 Marks northeast side of rock.	41-14-31.699N 072-46-03.351W				Green can.	
23890	Gangway Rock Buoy 1 Marks southeast side of rock.	41-14-19.405N 072-47-21.539W				Green can.	
23895	Northwest Reef Buoy 2NW Marks southwest side of reef.	41-14-04.589N 072-46-37.293W				Red nun.	
23900	Hookers Rock Buoy 3 Southeast side of rock.	41-14-37.649N 072-46-57.353W				Green can.	
23905	Inner Reef South Buoy 4 Marks southwest end of reef.	41-14-26.859N 072-46-11.782W				Red nun.	
23910	<i>Pine Orchard Approach Lighted Buoy 4A</i> Southeast of Hookers Rock.	41-14-33.419N 072-46-40.782W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
23915	Pork Rocks Buoy 5 East of rocks.	41-15-07.348N 072-46-31.101W				Green can.	
23920	Dick Rocks Buoy 6 West of rocks.	41-15-00.978N 072-45-51.770W				Red nun.	
23925	<i>Pine Orchard Approach Lighted Buoy 8</i> Marks southwest edge of rocks.	41-15-17.819N 072-46-13.321W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to May 1.
<b>Duck Island Roads</b>							
23930	JUNIPER POINT SOUTH OBSTRUCTION LIGHT	41-15-51.800N 072-46-00.200W	Q Y	11		On wood dolphin.	Private aid.
23931	JUNIPER POINT MIDDLE OBSTRUCTION LIGHT	41-15-52.300N 072-45-59.500W	Q Y			On wood dolphin.	Private aid.
23932	JUNIPER POINT NORTH OBSTRUCTION LIGHT	41-15-52.800N 072-45-58.800W	Q Y			On wood dolphin.	Private aid.
23935	QUARRY RANGE FRONT LIGHT	41-15-55.100N 072-45-56.400W	F R	20		KRW on metal pile.	Private aid.
23940	QUARRY RANGE MIDDLE LIGHT 40 yards, 028° from front light.	41-15-56.300N 072-45-55.500W	F R			KRW attached to loading chute.	Private aid.
23945	Quarry Range Rear Day beacon	41-16-16.400N 072-45-40.200W				KRW on wooden pile.	Private aid.
<b>Pine Orchard Harbor</b>							
<i>Buoys maintained from May 1 to Nov. 1.</i>							
23946	- BREAKWATER LIGHT	41-15-44.000N 072-46-15.000W	FI G 6s	6		SG on pile.	Private aid.
23946.1	- Buoy 1	41-15-43.100N 072-46-14.000W				Green can.	Maintained from Apr. 1 to Nov. 1. Private aid.
23946.2	- Buoy 2	41-15-43.300N 072-46-12.400W				Red nun.	Private aid.
23946.5	- Buoy 3	41-15-45.800N 072-46-16.700W				Green can.	Maintained from Apr. 1 to Nov. 1. Private aid.
23947	- Buoy 4	41-15-46.000N 072-46-15.800W				Red nun.	Maintained from Apr. 1 to Nov. 1. Private aid.
23947.3	- Buoy 5	41-15-48.400N 072-46-17.800W				Green can.	Private aid.
23947.5	- Buoy 6	41-15-47.900N 072-46-16.800W				Red nun.	Maintained from Apr. 1 to Nov. 1. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>GUILFORD HARBOR TO FARM RIVER (Chart 12373)</b>							
<b>Duck Island Roads</b>							
<b>Pine Orchard Harbor</b>							
<i>Buoys maintained from May 1 to Nov. 1.</i>							
23948	- East Channel Buoy 1E	41-15-49.400N 072-46-14.600W				Green can.	Private aid.
23948.1	- East Channel Buoy 2E	41-15-49.800N 072-46-13.600W				Red nun.	Private aid.
23948.2	- East Channel Buoy 4E	41-15-52.900N 072-46-15.200W				Red nun.	Private aid.
23948.3	- East Channel Buoy 6E	41-15-54.800N 072-46-17.000W				Red nun.	Private aid.
<b>Branford Harbor</b>							
23950	<i>Blyn Rock Lighted Buoy 2</i> On south side of rock.	41-14-48.906N 072-49-52.658W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to May 1.
23955	Bird Rock Buoy 4 On west side of reef.	41-15-00.518N 072-49-49.627W				Red nun.	
23960	Lovers Island Rock Buoy 5 East of rock.	41-15-14.175N 072-49-50.463W				Green can.	
23965	Little Mermaid Rock Buoy 6 West of rock.	41-15-19.859N 072-49-41.017W				Red nun.	
23970	BIG MERMAID LIGHT 7	41-15-22.687N 072-49-40.444W	FI G 4s	22	5	SG on skeleton tower.	Higher intensity beam up and down channel.
<b>Farm River</b>							
23975	- Approach Buoy 1	41-14-27.569N 072-51-30.600W				Green can.	
23980	- Approach Buoy 2	41-14-37.339N 072-51-29.180W				Red nun.	
<b>NEW HAVEN HARBOR (Chart 12371)</b>							
<b>New Haven Harbor</b>							
23985	- East Entrance Buoy 1 On northeast side of shoal.	41-14-09.073N 072-53-47.440W				Green can.	
23990	- East Entrance Buoy 2 On southwest side of shoal.	41-14-12.780N 072-53-42.101W				Red nun.	
23995	- East Entrance Buoy 4 On southwest side of shoal.	41-14-22.430N 072-53-59.974W				Red nun.	
24000	- East Entrance Buoy 5 On northeast end of Old Head Reef.	41-14-26.243N 072-54-14.351W				Green can.	
24005	Adams Fall Buoy A On southwest side of shoal.	41-14-36.333N 072-54-39.150W				Red and green bands; nun.	
24010	- East Entrance Channel Buoy 6 On southwest end of Lighthouse Point Shoal.	41-14-44.559N 072-54-22.734W				Red nun.	
24020	- OUTER CHANNEL RANGE FRONT LIGHT	41-15-38.743N 072-56-05.064W	F G		34	On skeleton tower.	Visible 0.5° each side of range line. Lighted throughout 24 hours.
24025	- OUTER CHANNEL RANGE REAR LIGHT 839 yards, 333.6° from front light.	41-16-01.016N 072-56-19.741W	F G		68	On skeleton tower.	Visible 0.5° each side of range line. Lighted throughout 24 hours.
24030	- Channel Lighted Gong Buoy 1	41-13-17.590N 072-54-35.905W	FI G 2.5s		3	Green.	
24035	- Lighted Buoy 2	41-13-20.130N 072-54-30.255W	FI R 2.5s		3	Red.	
24040	- Buoy 3	41-13-38.760N 072-54-49.886W				Green can.	
24045	- Channel Lighted Buoy 4	41-13-41.030N 072-54-43.946W	FI R 4s		3	Red.	
24050	- Channel Lighted Bell Buoy 6	41-14-00.240N 072-54-56.196W	FI R 2.5s		3	Red.	Replaced by LIB of reduced intensity when endangered by ice.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>NEW HAVEN HARBOR (Chart 12371)</b>							
<b>New Haven Harbor</b>							
24055	- Channel Lighted Buoy 7	41-14-02.890N 072-55-05.486W	FI G 2.5s		3	Green.	Replaced by smaller LIB of reduced intensity when endangered by ice.
24060 21210	<b>Southwest Ledge Light</b>	41-14-03.700N 072-54-43.800W	FI R 5s	57	14	White octagonal house on cylindrical pier. 45	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl).
24065	NEW HAVEN MIDDLE BREAKWATER EAST END LIGHT	41-13-52.985N 072-55-23.703W	FI G 4s	31	4	NG on skeleton tower.	
24070	NEW HAVEN MIDDLE BREAKWATER WEST END LIGHT	41-13-27.748N 072-56-09.532W	FI R 4s	26	4	NR on skeleton tower.	
24075 21215	NEW HAVEN LIGHT	41-13-16.339N 072-56-32.488W	FI W 4s	27	7	NG on skeleton tower.	
24080	NEW HAVEN WEST BREAKWATER WEST END LIGHT 2	41-13-32.289N 072-57-21.964W	FI R 6s	21	4	TR on skeleton tower.	
24085	- Channel Lighted Buoy 8	41-14-09.880N 072-54-58.796W	Q R		3	Red.	Replaced by smaller LIB of reduced intensity when endangered by ice.
24090	- Channel Lighted Buoy 9	41-14-31.470N 072-55-00.486W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
24095	- Channel Buoy 9A	41-14-54.850N 072-54-56.506W				Green can.	
24100	- Channel Lighted Buoy 10	41-14-30.850N 072-54-55.166W	FI R 4s		3	Red.	
24105	- Channel Lighted Buoy 10A	41-14-54.550N 072-54-50.566W	FI R 2.5s		3	Red.	Replaced by smaller LIB of reduced intensity when endangered by ice.
24110	- Channel Buoy 12	41-15-16.199N 072-54-47.026W				Red nun.	
24115	- Channel Lighted Buoy 11	41-15-16.909N 072-54-52.176W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
24120	- Channel Buoy 13	41-15-47.311N 072-54-48.485W				Green can.	
24125	SANDY POINT BREAKWATER LIGHT	41-15-44.365N 072-55-04.393W	FI W 4s	17	7	NG on skeleton tower.	
24130	- Channel Lighted Bell Buoy 14	41-15-47.052N 072-54-43.280W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
24135	Black Rock Buoy	41-16-04.000N 072-54-17.122W				White can with orange bands and diamond worded ROCK.	Maintained from Apr. 15 to Nov. 15.
24140	- Channel Lighted Buoy 15	41-16-18.419N 072-54-44.706W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
24145	- Channel Buoy 16	41-16-22.282N 072-54-38.514W				Red nun.	
<b>Fort Hale Channel</b>							
24150	- Buoy 1	41-16-17.338N 072-54-26.579W				Green can.	
24155	- Buoy 2	41-16-16.592N 072-54-25.905W				Red nun.	
24160	- Buoy 3	41-16-19.705N 072-54-23.111W				Green can.	
24165	- Buoy 4	41-16-19.032N 072-54-22.214W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>NEW HAVEN HARBOR (Chart 12371)</b>							
<b>New Haven Harbor</b>							
24170	- Channel Buoy 17	41-16-45.440N 072-54-47.466W				Green can.	
24175	- Channel Lighted Buoy 18	41-16-46.449N 072-54-40.866W	FI R 2.5s		3	Red.	
24185	- Channel Buoy 20	41-16-55.610N 072-54-39.166W				Red nun.	
24200	New Haven Reach Turning Basin Lighted Buoy A	41-17-29.650N 072-54-45.366W	FI Y 2.5s		3	Yellow.	Replaced by can f from Nov. 15 to May 1.
24205	NEW HAVEN LONG WHARF LIGHT	41-17-33.731N 072-54-54.872W	FI G 4s	19	4	NG on skeleton tower.	
<b>New Haven Wharf</b>							
24230	Quinipiac River Buoy 1	41-18-03.075N 072-53-51.519W				Green can.	
<b>West Haven Channel</b>							
<i>Channel buoys located 50 feet outside channel limit.</i>							
24234	- Lighted Buoy 1	41-16-54.189N 072-54-58.286W	FI G 4s		3	Green.	Replaced by can f from Nov. 15 to May 1.
24235	- Buoy 2	41-16-55.050N 072-55-05.297W				Red nun.	
24240	- Buoy 3	41-16-53.466N 072-55-11.460W				Green can.	
24245	- Buoy 4	41-16-54.670N 072-55-18.947W				Red nun.	
24250	- Buoy 5	41-16-53.099N 072-55-22.867W				Green can.	
24255	- Buoy 7	41-16-52.348N 072-55-31.577W				Green can.	
24260	- Buoy 9	41-16-50.820N 072-55-37.540W				Green can.	
24265	- Buoy 11	41-16-46.100N 072-55-46.798W				Green can.	
24270	- Buoy 12	41-16-40.550N 072-55-59.768W				Red nun.	
24275	- Buoy 13	41-16-41.350N 072-55-56.568W				Green can.	
24280	- Buoy 14	41-16-39.660N 072-56-09.878W				Red nun.	
24285	- Buoy 16	41-16-41.310N 072-56-13.919W				Red nun.	
24290	- Buoy 18	41-16-44.976N 072-56-15.806W				Red nun.	
<b>HOUSATONIC RIVER AND MILFORD HARBOR (Chart 12370)</b>							
<b>Milford Harbor</b>							
<i>Channel buoys located 60 feet outside channel limit.</i>							
24295	Welchs Point Buoy 2 Off south end of shoal.	41-11-55.301N 073-02-11.159W				Red nun.	
24300	Charles Island Buoy 1 At northeast edge of shoal.	41-11-36.450N 073-03-03.341W				Green can.	
24305	- Channel Lighted Buoy 4	41-12-15.720N 073-02-57.051W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
24310	- Channel Buoy 5 Marks point of shoal.	41-12-21.587N 073-02-58.484W				Green can.	
24315	- Channel Buoy 6	41-12-23.957N 073-02-56.691W				Red nun.	
24318	- Channel Buoy 6A	41-12-31.158N 073-02-56.070W				Red nun.	
24320	- Channel Buoy 7 Marks outer end of submerged rocks.	41-12-34.550N 073-02-57.282W				Green can.	
24325	- Channel Buoy 8	41-12-35.888N 073-02-56.199W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>HOUSATONIC RIVER AND MILFORD HARBOR (Chart 12370)</b>							
<b>Milford Harbor</b>							
<i>Channel buoys located 60 feet outside channel limit.</i>							
24330	- LIGHT 10	41-12-36.963N 073-02-54.210W	FI R 4s	27	4	TR on skeleton tower.	
<b>Housatonic River</b>							
24355	- Entrance Channel Lighted Bell Buoy 1	41-09-24.051N 073-05-26.387W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.
24360	- Breakwater Lighted Buoy 2A	41-09-35.002N 073-05-34.477W	FI R 4s				
24365	- Channel Buoy 1A	41-09-34.351N 073-05-45.188W				Green can.	
24370	- Channel Buoy 2	41-09-36.351N 073-05-42.188W				Red nun.	
24375	- Channel Lighted Buoy 3	41-09-47.551N 073-06-03.889W	FI G 4s		3	Green.	Replaced by can from Nov. 15 to May 1.
24380	- Channel Buoy 4	41-09-52.650N 073-06-08.588W				Red nun.	
24385	- LIGHT 7	41-10-06.192N 073-06-32.462W	FI G 6s	21	3	SG on skeleton tower on concrete base.	
24390	- Channel Buoy 8	41-10-08.855N 073-06-30.341W				Red nun.	
24395	- Channel Buoy 9	41-10-18.450N 073-06-47.590W				Green can.	
24400	- Channel Buoy 10	41-10-19.830N 073-06-45.791W				Red nun.	
24405	- LIGHT 11	41-10-31.600N 073-07-15.541W	FI G 4s	14	4	SG on pipe tower on concrete base.	
24410	- Channel Buoy 12	41-10-36.820N 073-07-16.432W				Red nun.	
24415	- Channel Buoy 14	41-10-42.596N 073-07-21.895W				Red nun.	
24420	- Channel Buoy 16	41-10-57.799N 073-07-22.172W				Red nun.	
24425	- Channel Buoy 18	41-11-12.936N 073-07-17.092W				Red nun.	
24430	- Channel Buoy 19	41-11-22.379N 073-07-08.934W				Green can.	
24435	- Channel Buoy 21	41-11-24.182N 073-06-57.163W				Green can.	
24440	- Channel Buoy 23	41-11-30.339N 073-06-52.151W				Green can.	
24445	- Channel Buoy 24	41-12-11.119N 073-06-31.991W				Red nun.	
24450	- Channel Buoy 26	41-12-27.129N 073-06-35.016W				Red nun.	
24455	- Channel Buoy 27	41-12-31.581N 073-06-37.428W				Green can.	
24460	- Channel Buoy 29	41-12-52.737N 073-06-34.562W				Green can.	
24465	- Channel Buoy 31	41-13-02.048N 073-06-30.073W				Green can.	
24470	- Channel Buoy 32	41-13-13.599N 073-06-33.174W				Red nun.	
24495	- Channel Buoy 34	41-13-19.527N 073-06-38.164W				Red nun.	
24500	- Channel Buoy 36 50 feet outside channel limit.	41-13-32.632N 073-06-37.826W				Red nun.	
24505	- Channel Buoy 37	41-13-37.768N 073-06-38.902W				Green can.	
24510	- Channel Buoy 40	41-14-20.498N 073-06-15.391W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>HOUSATONIC RIVER AND MILFORD HARBOR (Chart 12370)</b>							
<b>Housatonic River</b>							
24515	- Channel Buoy 44	41-14-35.358N 073-05-46.930W					Red nun.
24520	- Channel Buoy 53	41-15-12.328N 073-05-08.968W					Green can.
24525	- Channel Buoy 54	41-15-20.958N 073-05-11.218W					Red nun.
24530	- Channel Buoy 58	41-15-59.348N 073-05-21.389W					Red nun.
24535	- Channel Buoy 62	41-16-18.042N 073-05-20.486W					Red nun.
24540	- Channel Buoy 68	41-16-55.250N 073-05-00.218W					Red nun.
<b>STRATFORD POINT TO SHERWOOD POINT (Chart 12369)</b>							
<b>Bridgeport Harbor</b>							
<i>Channel buoys 2 through 13 are located 75 feet outside channel limit.</i>							
24575	- Entrance Channel Lighted Buoy 1	41-08-30.648N 073-11-02.658W					Green.
24580	- Entrance Channel Lighted Buoy 2	41-08-29.744N 073-10-57.461W	FI R 2.5s		3		Red.
24585	- Entrance Channel Buoy 3	41-08-55.047N 073-10-55.015W					Green can.
24590	- Entrance Channel Lighted Buoy 4	41-08-54.079N 073-10-49.911W	FI R 2.5s		3		Red.
24595	- Entrance Channel Buoy 5	41-09-13.843N 073-10-48.996W					Green can.
24600	- Entrance Channel Buoy 6	41-09-12.874N 073-10-44.022W					Red nun.
24605	- LIGHT 7	41-09-24.216N 073-10-47.321W	Q G	50	5		SG on skeleton tower.
24610	BRIDGEPORT EAST BREAKWATER LIGHT 8	41-09-17.393N 073-10-36.481W	FI R 4s	21	4		TR on skeleton tower.
24620	- Channel Buoy 10	41-09-26.723N 073-10-39.668W					Red nun.
24625	- Channel Buoy 11	41-09-41.145N 073-10-40.469W					Green can.
24630	- Channel Lighted Buoy 12	41-09-40.374N 073-10-35.312W	FI R 2.5s		3		Red.
24635	TONGUE POINT LIGHT	41-09-59.900N 073-10-39.000W	FI G 4s	31	5		Black conical tower.
24640	- Channel Lighted Buoy 13	41-09-59.808N 073-10-34.596W	Q G		3		Green.
24645	- Channel Buoy 15	41-10-08.528N 073-10-36.935W					Green can.
<b>Johnson Creek</b>							
24650	- Channel Buoy 2	41-09-56.571N 073-10-12.490W					Red nun.
24655	- Channel Buoy 4	41-09-56.349N 073-09-49.498W					Red nun.
24660	- Channel Buoy 8	41-10-12.503N 073-09-47.845W					Red nun.
<b>Black Rock Harbor</b>							
<i>Channel buoys located 30 to 80 feet outside the channel limit.</i>							
24670	Black Rock Day beacon At east end of Penfield Reef.	41-07-15.451N 073-13-02.259W					NW on piling worded DANGER ROCK.
24675	- Entrance Lighted Buoy 2A	41-08-11.704N 073-13-01.069W	FI R 4s		3		Red nun.
24680	- Channel Buoy 4	41-08-18.378N 073-13-11.196W					Red nun.
24685	- Channel Buoy 6	41-08-30.838N 073-13-15.726W					Red nun.
24690	- CHANNEL LIGHT 7	41-08-34.680N 073-13-21.288W	FI G 4s	22	4		SG on skeleton tower.
24695	- Channel Buoy 8	41-08-38.288N 073-13-15.966W					Red nun.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>STRATFORD POINT TO SHERWOOD POINT (Chart 12369)</b>							
<b>Black Rock Harbor</b>							
<i>Channel buoys located 30 to 80 feet outside the channel limit.</i>							
24700	- Channel Buoy 9	41-08-50.538N 073-13-14.826W				Green can.	
24705	- Channel Buoy 10	41-09-03.878N 073-13-06.856W				Red nun.	
24710	- Channel Buoy 11	41-09-06.842N 073-13-08.133W				Green can.	
24715	- Channel Buoy 12	41-09-17.064N 073-12-55.746W				Red nun.	
24720	- Channel Buoy 13	41-09-21.635N 073-12-52.663W				Green can.	
<b>Ash Creek</b>							
<i>Aids maintained May 1 to Nov. 1</i>							
24725	- RANGE FRONT LIGHT	41-08-41.940N 073-14-10.140W	F G	25		KWR on pile.	Private aid.
24730	- RANGE REAR LIGHT 285 yards, 314° from front light.	41-08-47.940N 073-14-17.880W	FI G 2.5s	45		KRW on pile.	Private aid.
24735	- Lighted Buoy 1	41-08-23.940N 073-13-47.510W	FI G 6s			Green	Private aid.
24740	- Lighted Buoy 2	41-08-25.860N 073-13-47.820W	FI R 3s			Red	Private aid.
24745	- Lighted Buoy 3	41-08-27.720N 073-13-51.840W	FI G 6s			Green	Private aid.
24750	- Lighted Buoy 4	41-08-28.560N 073-13-51.180W	FI R 3s			Red	Private aid.
24755	- Lighted Buoy 5	41-08-30.730N 073-13-56.240W	FI G 6s			Green	Private aid.
24760	- Lighted Buoy 6	41-08-31.520N 073-13-54.760W	FI R 3s			Red	Private aid.
<b>Southport Harbor</b>							
24762	<i>Pine Creek Point Aquaculture Lighted Buoys (4)</i>	41-06-49.200N 073-15-14.000W	FI Y 4s			Yellow.	Marks aquaculture farm. Maintained from Mar. 15 to Dec. 15. Private aid.
24765	- Entrance Buoy 2	41-07-10.638N 073-17-08.004W				Red nun.	
24770	- Channel Buoy 3	41-07-13.598N 073-17-11.224W				Green can.	
24775	- Channel Buoy 4	41-07-16.658N 073-17-09.804W				Red nun.	
24780	- Channel Buoy 5	41-07-16.438N 073-17-12.034W				Green can.	
24785	- LIGHT 7	41-07-18.759N 073-17-14.189W	FI G 4s	21	4	SG on skeleton tower.	
24790	- Channel Buoy 8	41-07-23.248N 073-17-11.784W				Red nun.	
24795	- Channel Buoy 9	41-07-26.278N 073-17-14.664W				Green can.	
24800	- Channel Buoy 10	41-07-31.258N 073-17-15.934W				Red nun.	
24805	- Channel Buoy 11	41-07-31.620N 073-17-17.321W				Green can.	
24810	SOUTHPORT BREAKWATER LIGHT 12	41-07-33.377N 073-17-13.930W	FI R 4s	28	4	TR on skeleton tower.	
<b>SHERWOOD POINT TO STAMFORD HARBOR (Chart 12368)</b>							
<b>Saugatuck River</b>							
24815	<i>Georges Rock Lighted Buoy 1 On northeast side of rock.</i>	41-05-12.199N 073-19-28.671W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.
24820	- Entrance Lighted Buoy 3	41-05-52.349N 073-21-13.421W	FI G 4s		3	Green.	Replaced by can from Nov. 15 to May 1.
24825	- Buoy 5	41-05-55.299N 073-21-33.592W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>SHERWOOD POINT TO STAMFORD HARBOR (Chart 12368)</b>							
<b>Saugatuck River</b>							
24830	- Buoy 6	41-06-01.959N 073-21-27.772W				Red nun.	
24835	- Buoy 8	41-06-06.798N 073-21-32.362W				Red nun.	
24840	- Buoy 9	41-06-09.448N 073-21-39.352W				Green can.	
24845	- Buoy 10	41-06-12.738N 073-21-41.173W				Red nun.	
24850	- Buoy 11	41-06-13.416N 073-21-48.598W				Green can.	
24855	- Buoy 13	41-06-14.668N 073-21-58.883W				Green can.	
24860	- Buoy 15	41-06-10.368N 073-22-05.263W				Green can.	
24865	- Buoy 16	41-06-01.678N 073-22-12.353W				Red nun.	
24870	- Buoy 18	41-06-06.828N 073-22-26.024W				Red nun.	
24875	- Buoy 20	41-06-13.718N 073-22-37.124W				Red nun.	
24885	Duck Creek Junction Buoy	41-06-17.160N 073-22-40.980W				Green and red bands; can.	Maintained from Apr. 1 to Oct. 31. Private aid.
24890	- Buoy 22	41-06-25.478N 073-22-41.225W				Red nun.	Removed when endangered by ice.
24895	- Buoy 24	41-06-35.591N 073-22-37.405W				Red nun.	Removed when endangered by ice.
24900	- Buoy 26	41-06-40.078N 073-22-29.655W				Red nun.	Removed when endangered by ice.
24905	- Buoy 27	41-06-44.648N 073-22-23.694W				Green can.	Removed when endangered by ice.
24910	- Buoy 29	41-06-49.448N 073-22-14.124W				Green can.	Removed when endangered by ice.
24911	Compo Yacht Basin Buoy 1	41-06-11.160N 073-21-33.300W				Green can.	Private aid.
24911.1	Compo Yacht Basin Buoy 2	41-06-10.920N 073-21-31.500W				Red nun.	Private aid.
24911.2	Compo Yacht Basin Buoy 3	41-06-14.760N 073-21-31.500W				Green can.	Private aid.
24911.3	Compo Yacht Basin Buoy 4	41-06-14.220N 073-21-29.580W				Red nun.	Private aid.
24911.4	Compo Yacht Basin Buoy 5	41-06-17.880N 073-21-29.760W				Green can.	Private aid.
24911.5	Compo Yacht Basin Buoy 6	41-06-17.520N 073-21-27.780W				Red nun.	Private aid.
24911.6	Compo Yacht Basin Buoy 7	41-06-20.100N 073-21-28.440W				Green can.	Private aid.
24911.7	Compo Yacht Basin Buoy 8	41-06-19.680N 073-21-26.760W				Red nun.	Private aid.
24912	Longshore Channel Buoy 1	41-06-21.960N 073-21-58.680W				Green can.	Maintained Apr. 1 to Dec 30. Private aid.
24912.1	Longshore Channel Buoy 2	41-06-21.600N 073-21-57.000W				Red nun.	Maintained Apr. 1 to Dec 30. Private aid.
24912.2	Longshore Channel Buoy 3	41-06-24.000N 073-21-58.380W				Green can.	Maintained Apr. 1 to Dec 30. Private aid.
24912.3	Longshore Channel Buoy 4	41-06-23.820N 073-21-56.580W				Red nun.	Maintained Apr. 1 to Dec 30. Private aid.
24912.4	Longshore Channel Buoy 5	41-06-25.920N 073-21-58.380W				Green can.	Maintained Apr. 1 to Dec 30. Private aid.



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>SHERWOOD POINT TO STAMFORD HARBOR (Chart 12368)</b>							
<b>Saugatuck River</b>							
24912.5	Longshore Channel Buoy 6	41-06-25.560N 073-21-56.700W				Red nun.	Maintained Apr. 1 to Dec 30. Private aid.
24912.6	Longshore Channel Buoy 7	41-06-27.000N 073-21-58.800W				Green can.	Maintained Apr. 1 to Dec 30. Private aid.
24912.7	Longshore Channel Buoy 8	41-06-27.000N 073-21-56.940W				Red nun.	Maintained Apr. 1 to Dec 30. Private aid.
<b>Norwalk East Approach</b>							
24915	- Buoy 2	41-04-24.999N 073-20-44.069W				Red nun.	
24920	- Buoy 4 Marks southwest end of rock reef at Channel Rock.	41-04-36.259N 073-21-45.352W				Red nun.	
24925	- Buoy 5	41-04-33.559N 073-21-57.237W				Green can.	
24930	PECK LEDGE LIGHT	41-04-38.600N 073-22-10.900W	FI G 2.5s	61	5	White conical tower, middle part brown, on black cylindrical pier.	
24935	GRASSY HAMMOCK LIGHT 8	41-04-35.733N 073-23-01.288W	FI R 4s	22	5	TR on skeleton tower.	
24940	- Buoy 9 On point of shoal.	41-04-29.049N 073-23-15.724W				Green can.	
24945	- Buoy 11 Off end of shoal.	41-04-23.719N 073-23-49.956W				Green can.	
<b>Sheffield Island Harbor</b>							
24950	Noroton Point Buoy 1A At east end of shoal.	41-02-56.349N 073-26-03.429W				Green can.	
24952	Greens Ledge Lighted Buoy 2A	41-02-46.989N 073-26-04.115W	FI R 4s		3	Red.	
<b>Norwalk Channel</b>							
<i>Channel buoys located 30 to 50 feet outside channel limit.</i>							
24955	- Entrance Buoy 1	41-03-21.299N 073-25-26.957W				Green can.	
24960	- Lighted Buoy 2	41-03-30.669N 073-25-04.387W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
24965	- Buoy 3	41-03-31.569N 073-25-07.137W				Green can.	
24970	- Lighted Buoy 4	41-03-46.029N 073-24-50.367W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
24975	- Buoy 5	41-03-47.579N 073-24-52.587W				Green can.	
24980	- Buoy 7	41-03-59.089N 073-24-42.157W				Green can.	
24985	- Buoy 8 75 feet outside channel limit.	41-04-01.049N 073-24-35.626W				Red nun.	
24990	- LIGHT 10 200 yards north of rock.	41-04-08.920N 073-24-27.520W	FI R 6s	27	4	TR on skeleton tower.	
25005	- Buoy 9	41-04-11.241N 073-24-32.194W				Green can.	
25010	- LIGHT 11	41-04-23.577N 073-24-20.567W	FI G 4s	21	4	SG on skeleton tower.	
25015	- Buoy 11A	41-04-24.377N 073-24-18.647W				Green can.	
25020	- Buoy 12	41-04-33.529N 073-24-06.326W				Red nun.	
25025	- Buoy 13	41-04-36.499N 073-24-07.726W				Green can.	
25030	- LIGHT 14	41-04-42.528N 073-23-59.174W	Q R	26	4	TR on pipe tower on concrete base.	
25035	- Buoy 15	41-04-44.899N 073-24-04.326W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>SHERWOOD POINT TO STAMFORD HARBOR (Chart 12368)</b>							
<b>Norwalk Channel</b>							
<i>Channel buoys located 30 to 50 feet outside channel limit.</i>							
25040	- Buoy 17	41-04-57.716N 073-24-04.860W				Green can.	
25045	- Buoy 19 75 feet outside channel limit.	41-05-14.542N 073-24-15.199W				Green can.	
25050	- Buoy 21	41-05-26.557N 073-24-25.968W				Green can.	
<b>East Norwalk Channel</b>							
25055	- Buoy 2	41-05-28.639N 073-24-18.437W				Red nun.	
25060	FITCH POINT LIGHT 1	41-05-30.799N 073-24-20.033W	FI G 2.5s	29	4	SG on skeleton tower.	
25065	- Buoy 3	41-05-34.681N 073-24-17.632W				Green can.	
25070	- Buoy 5	41-05-40.331N 073-24-15.911W				Green can.	
<b>Fivemile River</b>							
25075	Ballast Reef Buoy 2	41-03-13.210N 073-26-33.118W				Red nun.	
25080	Fish Island Buoy 1 On southeast side of reef.	41-03-04.000N 073-26-58.000W				Green can.	
25085	- Entrance Lighted Buoy 3	41-03-21.869N 073-26-48.981W	FI G 4s		3	Green.	Replaced by can from Nov. 15 to May 1.
25090	- Entrance Buoy 4	41-03-22.859N 073-26-46.241W				Red nun.	
25090.1	- Buoy 4A	41-03-31.000N 073-26-47.000W				Red nun.	Private aid.
25091	- Buoy 5	41-03-30.000N 073-26-49.000W				Green can.	Private aid.
25095	- Channel Buoy 6	41-03-40.587N 073-26-47.190W				Red nun.	
<b>Goodwives River Approach</b>							
25100	- Lighted Buoy 1 Marks east side of shoal.	41-02-14.559N 073-29-00.744W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
25105	- Buoy 2	41-02-19.171N 073-28-56.383W				Red nun.	
25110	- Buoy 3 On east side of 3-foot spot.	41-02-21.899N 073-29-05.201W				Green can.	
25115	NOROTON RANGE FRONT LIGHT	41-02-39.000N 073-29-10.000W	F R	12		On pile.	Maintained from June 1 to Sept. 1. Private aid.
25120	NOROTON RANGE REAR LIGHT	41-02-41.000N 073-29-10.500W	F R			On pile.	Maintained from June 1 to 1 Sept. 65 yards, 352° from front light. Private aid.
25121	Goodwives River Mid-Channel Buoy A	41-02-28.080N 073-29-04.020W				Red and white.	Private aid.
25122	Goodwives River Mid-Channel Buoy B	41-02-32.340N 073-29-05.880W				Red and white.	Private aid.
25123	Goodwives River Mid-Channel Buoy C	41-02-39.240N 073-29-07.980W				Red and white.	Private aid.
25124	Goodwives River Mid-Channel Buoy D	41-02-45.240N 073-29-05.100W				Red and white.	Private aid.
<b>Cove Harbor</b>							
25125	Cove Mills Buoy 1	41-02-22.500N 073-30-11.500W				Green can.	Private aid.
25130	Cove Mills Buoy 2	41-02-25.000N 073-30-10.500W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>SHERWOOD POINT TO STAMFORD HARBOR (Chart 12368)</b>							
<b>Westcott Cove</b>							
25135	- East Entrance Lighted Buoy 1 On east side of shoal.	41-01-40.210N 073-30-36.367W	FI G 4s		3	Green.	Replaced by can f from Nov. 15 to May 1.
25140	- East Entrance Buoy 2 On south side of shoal.	41-01-46.160N 073-30-24.847W				Red nun.	
25145	- West Entrance Danger Buoy On northwest side of shoal.	41-01-40.690N 073-30-43.998W				White can with orange bands worded DANGER ROCKS. Green can.	
25150	- Buoy 3	41-01-51.480N 073-30-57.144W					
25155	- Lighted Buoy 4	41-01-55.139N 073-30-55.678W	FI R 4s		3	Red.	Replaced by nun f from Nov. 15 to May 1.
25160	- Buoy 5	41-01-56.771N 073-31-05.685W				Green can.	
25165	- Buoy 6	41-01-57.513N 073-31-04.760W				Red nun.	
25170	- Buoy 7	41-02-00.608N 073-31-10.672W				Green can.	
25175	- Buoy 8	41-02-00.942N 073-31-07.908W				Red nun.	
25180	- Buoy 9	41-02-10.089N 073-31-14.239W				Green can.	
25185	- Buoy 10	41-02-11.376N 073-31-12.966W				Red nun.	
<b>Stamford Harbor</b>							
<i>Channel buoys located 30 to 60 feet outside of channel limit.</i>							
25195	- LEDGE OBSTRUCTION LIGHT On southwest end of Harbor Ledge.	41-00-49.000N 073-32-34.000W	FI W 4s			White conical tower, on red cylindrical pier.	Private aid.
25200	- Entrance Gong Buoy 1 On southeast end of ledge.	41-00-41.490N 073-32-22.541W				Green.	
25205	- Entrance Buoy 2	41-00-44.600N 073-32-05.341W				Red nun.	
25210 21375	- WEST BREAKWATER LIGHT 3	41-00-53.882N 073-32-17.335W	FI G 2.5s	37	4	SG on tower.	
25220	- West Approach Buoy 2	41-00-59.400N 073-32-56.400W				Red nun.	Private aid.
25221.2	Rocky Point Channel Buoy 3	41-00-54.720N 073-33-31.980W				Green can.	Maintained 1 May to Oct. 31. Private aid.
25221.4	Rocky Point Channel Buoy 5	41-00-59.640N 073-33-33.060W				Green can.	Maintained 1 May to Oct. 31. Private aid.
25221.5	Rocky Point Channel Buoy 6	41-00-59.640N 073-33-32.580W				Red nun.	Maintained 1 May to Oct. 31. Private aid.
25225	- EAST BREAKWATER LIGHT 4	41-00-54.176N 073-32-06.318W	FI R 4s	21	4	TR on skeleton tower.	
25230	- RANGE FRONT LIGHT	41-01-48.884N 073-32-15.105W	Q W	26		KRW on skeleton tower.	Visible all around.
25235	- REAR RANGE LIGHT 211 yards, 356.8° f from front light.	41-01-55.114N 073-32-15.568W	Iso R 6s	45		KRW on skeleton tower.	Visible all around; higher intensity on range line.
25240	- Channel Buoy 6	41-01-11.549N 073-32-10.891W				Red nun.	
25245	- Channel Buoy 7	41-01-19.899N 073-32-14.991W				Green can.	
25250	- Channel Buoy 9	41-01-32.530N 073-32-15.932W				Green can.	
25255	- Channel Buoy 10	41-01-34.669N 073-32-12.681W				Red nun.	
25260	- Channel Buoy 11	41-01-44.459N 073-32-16.291W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>SHERWOOD POINT TO STAMFORD HARBOR (Chart 12368)</b>							
<b>Stamford Harbor</b>							
<i>Channel buoys located 30 to 60 feet outside of channel limit.</i>							
25265	- Channel Buoy 12	41-01-47.099N 073-32-13.531W				Red nun.	
<b>Stamford East Branch</b>							
25270	- CHANNEL LIGHT 1	41-02-06.849N 073-32-09.531W	FI G 4s	21	4	SG on skeleton tower.	
<b>Stamford West Branch</b>							
<i>Channel buoys located 30 to 60 feet outside of channel limit.</i>							
25275	- Channel Buoy 1	41-01-48.089N 073-32-18.651W				Green can.	
25280	- Channel Buoy 2	41-01-50.989N 073-32-21.131W				Red nun.	
25290	- Channel Buoy 3	41-01-51.710N 073-32-25.672W				Green can.	
25295	- Channel Buoy 4	41-01-54.879N 073-32-28.402W				Red nun.	
25300	- Channel Buoy 5	41-01-55.009N 073-32-31.822W				Green can.	
25305	- Channel Buoy 6	41-01-58.199N 073-32-31.292W				Red nun.	
25310	- Channel Buoy 7	41-02-02.569N 073-32-34.702W				Green can.	
25315	- Channel Buoy 9	41-02-10.210N 073-32-37.513W				Green can.	
25320	- Channel Buoy 10	41-02-15.935N 073-32-37.905W				Red nun.	
<b>GREENWICH POINT TO NEW ROCHELLE (Chart 12367)</b>							
<b>Captain Harbor (From Eastward)</b>							
25325	Flat Neck Point Shoal Buoy 2	40-59-44.901N 073-35-29.289W				Red nun.	
25330	<i>Little Captain Island East Reef Lighted Gong Buoy 1</i> Off east side of reef.	40-59-35.941N 073-35-51.970W	FI G 2.5s		4	Green.	
25335	Hen and Chickens Buoy 1A	40-59-44.991N 073-36-17.011W				Green can.	
25340	<i>Newfoundland Reef Lighted Buoy 4</i> Marks southwest side of rock.	41-00-19.797N 073-36-01.260W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to May 1.
25345	Red Rock Buoy R On southeast side of rock.	41-00-19.045N 073-36-41.393W				Red and green bands; nun.	
<b>Captain Harbor (From Westward)</b>							
25350	Great Captain Island West Reef Buoy 2 Marks southwest edge of shoal.	40-58-35.612N 073-37-56.726W				Red nun.	
25355	Fourfoot Rocks Buoy F On south side of rocks.	40-58-40.692N 073-38-31.607W				Green and red bands; can.	
25360	Calf Island Buoy 1 On southeast side of reef.	40-59-11.552N 073-38-12.266W				Green can.	
25365	JONES ROCK LIGHT 3 On rocks.	40-59-18.100N 073-38-05.300W	FI G 4s	25	4	SG on skeleton tower.	
25370	Cormorant Reef Buoy 4 On northwest side of reef.	40-59-27.482N 073-37-52.415W				Red nun.	
25375	Cormorant Reef Buoy 1 Marks south side of reef.	40-59-08.922N 073-37-42.595W				Green can.	
<b>Captain Harbor Greenwich Cove</b>							
25380	Sugar Boat Buoy 2A West of wreck.	41-00-07.300N 073-35-26.700W				Red nun.	Maintained from May 15 to Nov. 1. Private aid.
25390	Cove Rock Buoy 2 On west side of rock.	41-00-32.235N 073-35-21.052W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>GREENWICH POINT TO NEW ROCHELLE (Chart 12367)</b>							
<b>Captain Harbor</b>							
<b>Greenwich Point</b>							
25395	- Buoy 1GP	41-00-35.700N 073-34-56.000W				Green spar.	Maintained from May 15 to Nov. 1. Private aid.
25400	- Buoy 2GP	41-00-36.800N 073-34-58.700W				Red spar.	Maintained from May 15 to Nov. 1. Private aid.
25405	- Buoy 3GP	41-00-30.200N 073-34-53.000W				Green spar.	Maintained from May 15 to Nov. 1. Private aid.
25410	- Buoy 4GP	41-00-32.900N 073-34-56.000W				Red spar.	Maintained from May 15 to Nov. 1. Private aid.
<b>Greenwich Cove</b>							
25415	Inner Cove Rock Buoy 1 On east side of rock.	41-00-46.620N 073-34-52.147W				Green can.	
<b>Cos Cob Harbor</b>							
25420	- <i>Lighted Buoy 2</i> Northwest side of rock.	41-00-37.901N 073-36-15.686W	FI R 4s		3	Red.	
25425	- Buoy 3 South side of Peck Rock	41-00-46.821N 073-36-10.421W				Green can.	
25430	- Buoy 5 On southeast point of Saw Island Shoal.	41-00-51.670N 073-36-04.511W				Green can.	
25435	- Buoy 7	41-01-02.883N 073-35-49.475W				Green can.	
25440	Jake Reef Buoy 2J	41-00-54.600N 073-35-49.500W				Red spar.	Maintained from May 15 to Nov. 1. Private aid.
25445	- Channel Buoy 8	41-01-10.872N 073-35-44.324W				Red nun.	
25450	- Channel Buoy 9	41-01-14.575N 073-35-44.339W				Green can.	
25455	- Channel Buoy 10	41-01-24.745N 073-35-40.822W				Red nun.	
25460	- Channel Buoy 11	41-01-23.100N 073-35-41.750W				Green can.	
25465	- Channel Buoy 12	41-01-42.656N 073-35-40.776W				Red nun.	
25470	- Channel Buoy 13	41-01-42.200N 073-35-42.590W				Green can.	
<b>Greenwich Harbor</b>							
25480	- Channel Buoy 2	40-59-54.351N 073-37-16.353W				Red nun.	
25485	- Channel Buoy 3	41-00-11.251N 073-37-21.554W				Green can.	
25490	- Channel Buoy 4	41-00-11.752N 073-37-17.277W				Red nun.	
25495	- Channel Buoy 5	41-00-27.651N 073-37-23.054W				Green can.	
25500	- Channel Buoy 6 75 feet outside channel limit.	41-00-28.741N 073-37-20.614W				Red nun.	
25505	- Channel Buoy 8 75 feet outside channel limit.	41-00-36.651N 073-37-21.854W				Red nun.	
25510	- Channel Buoy 9	41-00-39.950N 073-37-24.954W				Green can.	
<b>Byram Harbor</b>							
25515	- Entrance Buoy 1 On end of reef.	40-59-51.336N 073-38-09.851W				Green can.	
25520	- <i>Entrance Lighted Buoy 2</i> Marks southwest side of Otter Rocks.	40-59-54.411N 073-38-13.286W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to May 1.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (Connecticut) - First District</b>							
<b>GREENWICH POINT TO NEW ROCHELLE (Chart 12367)</b>							
<b>Captain Harbor</b>							
<b>Byram Harbor</b>							
25525	- Buoy 3 On east side of Wilson Head.	40-59-59.021N 073-38-20.726W				Green can.	
25530	- Reef Buoy 4 On southwest end of rocky reef.	41-00-03.531N 073-38-17.206W				Red nun.	
<b>LONG ISLAND SOUND (New York) - First District</b>							
<b>GREENWICH POINT TO NEW ROCHELLE (Chart 12367)</b>							
<b>Port Chester Harbor</b>							
25535	<i>Great Captain Rocks Lighted Buoy 2</i> On south side of reef.	40-58-56.872N 073-39-04.378W	FI R 4s		3	Red.	
25540	Manursing Island Reef Buoy 3 Off northeast point of reef.	40-58-59.402N 073-39-17.989W				Green can.	
25545	PORT CHESTER LIGHT 4	40-59-03.932N 073-39-23.379W	FI R 2.5s	28	4	TR on skeleton tower.	
25550	- CHANNEL LIGHT 5	40-59-09.382N 073-39-35.519W	FI G 4s	25	4	SG on skeleton tower.	
25555	- Channel Buoy 6 30 feet outside channel limit.	40-59-16.482N 073-39-34.489W				Red nun.	
<b>Tide Mill Yacht Basin</b>							
25556.1	- Channel Buoy 1	40-59-06.060N 073-39-33.780W				Green can.	Private aid.
25556.2	- Channel Buoy 2	40-59-06.840N 073-39-34.020W				Red nun.	Private aid.
25556.3	- Channel Buoy 4	40-59-04.200N 073-39-39.600W					Private aid.
25556.4	- Channel Buoy 6	40-59-01.080N 073-39-43.320W					Private aid.
25556.5	- Channel Buoy 7	40-58-56.100N 073-39-47.040W					Private aid.
25556.6	- Channel Buoy 8	40-58-57.060N 073-39-48.420W					Private aid.
25556.7	- Channel Buoy 9	40-58-49.740N 073-39-47.160W					Private aid.
25556.8	- Channel Buoy 10	40-58-52.020N 073-39-48.180W					Private aid.
25556.9	- Channel Buoy 11	40-58-47.340N 073-39-47.340W					Private aid.
25557	- Channel Buoy 12	40-58-47.940N 073-39-47.880W					Private aid.
25558	- Channel Buoy 13	40-58-45.300N 073-39-49.260W					Private aid.
25559	- Channel Buoy 14	40-58-45.900N 073-39-50.460W					Private aid.
<b>Rye Beach</b>							
25560	Forbes Rocks Outer Buoy 1 On east side of reef.	40-57-12.764N 073-40-08.142W				Green can.	
25565	Forbes Rocks North Gong Buoy 1A On east side of shoal.	40-57-30.004N 073-40-08.032W				Green can.	
25570	Transport Rock Buoy 2 Off west side of rock.	40-57-35.483N 073-40-05.617W				Red nun.	
<b>Oakland Beach</b>							
25575	Forlies Rocks Buoy 2 South side of rock.	40-57-26.684N 073-40-29.833W				Red nun.	
<b>Coveleigh Yacht Club Channel</b>							
<i>Private aids are maintained from 15 Apr. to 15 Oct.</i>							
25576	- <i>Lighted Buoy 1</i>	40-56-24.600N 073-41-09.000W	FI G 4s			Green.	Private aid.
25576.5	- Buoy 4	40-56-32.580N 073-41-16.620W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (New York) - First District</b>							
<b>GREENWICH POINT TO NEW ROCHELLE (Chart 12367)</b>							
<b>Oakland Beach</b>							
<b>Coveleigh Yacht Club Channel</b>							
<i>Private aids are maintained from 15 Apr. to 15 Oct.</i>							
25577	- Lighted Buoy 3	40-56-30.420N 073-41-16.020W	FI G 2s			Green can.	Private aid.
25577.5	- Lighted Buoy 7	40-56-31.458N 073-41-31.200W	Q G			Green can.	Private aid.
25578	- Buoy 5	40-56-31.500N 073-41-24.960W				Green can.	Private aid.
25578.5	- Buoy 6	40-56-32.700N 073-41-24.120W				Red nun.	Private aid.
25579	- Buoy 8	40-56-32.460N 073-41-30.300W				Red nun.	Private aid.
25579.1	- Buoy 9	40-56-33.420N 073-41-31.680W				Green can.	Private aid.
25579.2	- Buoy 10	40-56-35.220N 073-41-31.320W				Red nun.	Private aid.
25579.3	- Buoy 12	40-56-33.420N 073-41-30.900W				Red nun.	Private aid.
25579.4	- Buoy 14	40-56-37.320N 073-41-30.660W				Red nun.	Private aid.
<b>Mamaroneck Harbor</b>							
25580	- Entrance Buoy 1 Marks south edge of shoal.	40-55-19.626N 073-43-16.160W				Green can.	
25585	- Entrance Buoy 3 Marks southeast edge of shoal.	40-55-34.436N 073-43-07.739W				Green can.	
25590	- Entrance Buoy 2 Marks west end of rocks	40-55-49.307N 073-42-24.109W				Red nun.	
25595	- <i>Lighted Buoy MM</i> Marks southwest side of Ship Rock.	40-55-52.400N 073-42-32.100W	FI (2+1)R 6s		4	Red and green bands.	Replaced by nun when endangered by ice.
25600	- Buoy 6 Marks south end of Turkey Rock.	40-56-16.635N 073-42-45.168W				Red nun.	
25605	- <i>Channel Lighted Buoy 5</i> On northeast side of Outer Steamboat Rock.	40-56-14.106N 073-43-01.119W	FI G 4s		4	Green.	Removed when endangered by ice.
25610	- Buoy 8 Southwest side of rock.	40-56-19.415N 073-42-53.568W				Red nun.	
25615	- Channel Buoy 7	40-56-24.645N 073-43-21.077W				Green can.	
25620	- <i>Channel Lighted Buoy 10</i>	40-56-25.230N 073-43-17.112W	FI R 4s		4	Red.	Removed when endangered by ice.
25625	Little Nanhook Obstruction Buoy	40-56-24.000N 073-43-24.000W				White nun.	Maintained from May 1 to Nov. 15. Private aid.
25630	- Channel Buoy 12	40-56-30.086N 073-43-35.606W				Red nun.	
25635	- Junction Buoy A	40-56-30.309N 073-43-37.686W				Green and red bands; can.	
25640	- Buoy 9	40-56-37.789N 073-43-41.991W				Green can.	
25645	- Channel Buoy 11	40-56-40.155N 073-43-43.569W				Green can.	
25650	- Channel Buoy 14	40-56-43.563N 073-43-43.621W				Red nun.	
25655	- Channel Buoy 16	40-56-46.046N 073-43-46.234W				Red nun.	
<b>Milton Harbor</b>							
25660	West Rock Obstruction Buoy	40-55-55.464N 073-42-08.440W				White can with orange bands and diamond worded ROCK.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (New York) - First District</b>							
<b>GREENWICH POINT TO NEW ROCHELLE (Chart 12367)</b>							
<b>Milton Harbor</b>							
25665	- Buoy 3 Marks southeast side of rocks.	40-56-07.485N 073-42-22.288W				Green can.	
25670	- Buoy 5 South side of rock.	40-56-32.161N 073-41-59.813W				Green can.	Remove when endangered by ice.
25675	- Buoy 6	40-56-31.230N 073-41-57.180W				Red nun.	Remove when endangered by ice.
25680	- Buoy 8	40-56-47.322N 073-41-50.639W				Red nun.	Remove when endangered by ice.
25685	- Buoy 9	40-57-02.425N 073-41-45.920W				Green can.	Remove when endangered by ice.
25690	- Buoy 10	40-57-02.696N 073-41-44.760W				Red nun.	Remove when endangered by ice.
25695	- Buoy 11	40-57-13.600N 073-41-44.046W				Green can.	Remove when endangered by ice.
25700	- Buoy 12	40-57-13.217N 073-41-42.109W				Red nun.	Remove when endangered by ice.
25705	- Buoy 13	40-57-25.628N 073-41-32.268W				Green can.	Remove when endangered by ice.
25710	- Buoy 14	40-57-25.724N 073-41-31.034W				Red nun.	Remove when endangered by ice.
<b>Larchmont Harbor (East Entrance)</b>							
25715	<i>Hen and Chickens Northeast Lighted Bell Buoy 1</i> On northeast point of shoal.	40-54-48.657N 073-44-04.372W	FI G 4s		4	Green.	
25720	LARCHMONT HARBOR LIGHT 2	40-55-05.016N 073-43-52.351W	FI R 4s	26	4	TR on skeleton tower.	
25725	Dauntless Rock Buoy 3 Northeast of rock.	40-54-59.417N 073-44-11.592W				Green can.	
<b>Larchmont Harbor (South Entrance)</b>							
25730	<i>Hen and Chickens South Lighted Buoy 2</i>	40-54-10.568N 073-44-19.833W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
25735	Hicks Ledge Junction Buoy HL	40-54-10.358N 073-45-07.974W				Green and red bands; can.	
25740	Table Rock Buoy 3 On southeast side of shoals.	40-54-29.758N 073-45-01.874W				Green can.	
25745	Hen and Chickens West Buoy 4 Marks west side of shoal.	40-54-36.368N 073-44-35.623W				Red nun.	
25750	Hen and Chickens North Buoy 6 Marks northwest edge of reef.	40-54-58.317N 073-44-19.373W				Red nun.	
25755	Umbrella Rock Buoy 7 On southeast side of rock.	40-55-04.617N 073-44-24.243W				Green can.	
25765	North Ledge South Day beacon	40-55-20.980N 073-44-32.860W				NW on spindle worded ROCKS.	Private aid.
25770	North Ledge North Day beacon	40-55-23.620N 073-44-33.570W				NW on spindle worded ROCKS.	Private aid.
<b>Echo Bay</b>							
25775	Middle Ground Buoy 1M	40-53-56.138N 073-45-31.465W				Green can.	



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (New York) - First District</b>							
<b>GREENWICH POINT TO NEW ROCHELLE (Chart 12367)</b>							
<b>Echo Bay</b>							
25780	<i>Bailey Rock Lighted Buoy 3BR</i>	40-54-13.538N 073-45-42.145W	FI G 4s		4	Green.	
25785	Premium Point Buoy 4	40-54-21.658N 073-45-41.965W				Red nun.	
25790	- Channel Buoy 5	40-54-24.658N 073-46-00.596W				Green can.	
25795	- Channel Buoy 6	40-54-25.238N 073-45-58.796W				Red nun.	
25800	- Channel Buoy 8	40-54-31.478N 073-46-01.106W				Red nun.	
25805	- Channel Buoy 10	40-54-34.018N 073-46-06.316W				Red nun.	
<b>HEMPSTEAD HARBOR TO TALLMAN ISLAND (Chart 12366)</b>							
<b>New Rochelle Harbor (North Approach)</b>							
25810	Emerald Rock Buoy On northeast side of rock.	40-53-43.269N 073-45-49.616W				Green and red bands; can.	
25815	<i>Huckleberry Island Lighted Buoy 2</i> On southeast side of shoal.	40-53-26.489N 073-45-23.325W	FI R 4s		3	Red.	Removed when endangered by ice.
25820	Old Tom Head Rocks Buoy 4 On south edge of shoal.	40-53-29.979N 073-46-05.136W				Red nun.	
25825	<i>Davids Island North Lighted Buoy 5</i> On north point of shoal.	40-53-25.189N 073-46-08.296W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
25830	Davids Island North Buoy 7	40-53-24.129N 073-46-16.067W				Green can.	
25835	Davenport Neck Buoy 8 25 yards, 089.5° from obstruction.	40-53-26.119N 073-46-20.587W				Red nun.	
25840	Spindle Rock Buoy 9 On west side of shoal.	40-53-22.259N 073-46-29.887W				Green can.	
<b>New Rochelle Harbor (Southeast Approach)</b>							
25845	Pea Island Buoy 1	40-52-32.300N 073-46-01.716W				Green can.	
<b>New Rochelle Harbor (South Approach)</b>							
25850	Hart Island East Side Gong Buoy 1 On east side of shoals.	40-51-25.061N 073-45-45.776W				Green.	
25855	Hart Island North Buoy 3 On north side of shoals.	40-51-42.161N 073-46-13.447W				Green can.	
25860	<i>South Nonations Reef Lighted Bell Buoy 4</i> On southwest end of shoal.	40-51-52.311N 073-46-16.327W	FI R 4s		4	Red.	
<b>New Rochelle Harbor (Southwest Approach)</b>							
25865	<b>City Island Ferry Sound Signal</b>	40-50-54.000N 073-46-54.000W				Wharf end dolphin.	HORN: 1 blast ev 15s (5s bl). Private aid.
25870	<i>Chirney Sweeps Lighted Buoy 1</i> On east side of shoal.	40-51-45.181N 073-46-47.318W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
25875	Orchard Beach Buoy 2 Marks southeast side of rock.	40-51-54.080N 073-47-11.048W				Red nun.	
25880	Orchard Beach Channel Buoy 2A	40-51-49.360N 073-47-19.479W				Red nun.	
25885	Orchard Beach Buoy 1 Marks northwest side of rocky shoal.	40-51-50.410N 073-47-08.748W				Green can.	
<b>Davids Island Channel</b>							
25890	<i>Machaux Rock Lighted Bell Buoy 6</i> On west side of shoals.	40-52-24.340N 073-46-39.427W	FI R 4s		4	Red.	
25895	Twin Island Buoy 7 East of shoal.	40-52-24.860N 073-46-46.378W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (New York) - First District</b>							
<b>HEMPSTEAD HARBOR TO TALLMAN ISLAND (Chart 12366)</b>							
<b> Davids Island Channel</b>							
25900	- Buoy 7A	40-52-40.510N 073-46-40.377W				Green can.	
25905	- Buoy 7B	40-52-54.549N 073-46-35.357W				Green can.	
25910	Davids Island West Buoy 8 On edge of shoal.	40-52-54.169N 073-46-31.437W				Red nun.	
<b> Glen Island Channel</b>							
25915	R.R. Stevens Rock Buoy On east side of rock.	40-52-52.789N 073-46-40.997W				Red and green bands; nun.	
25920	- Buoy 1 Marks northeast side of ledge of rocks.	40-52-50.953N 073-47-02.122W				Green can.	
25925	- Buoy 2	40-52-51.724N 073-47-01.456W				Red nun.	
25930	- Buoy 4	40-52-53.492N 073-47-07.327W				Red nun.	
25935	- Buoy 6	40-52-59.359N 073-47-15.478W				Red nun.	
<b> Middle Channel</b>							
25940	Corning Rock Buoy 9 On east side of rock.	40-53-06.059N 073-46-32.887W				Green can.	
25945	AUNT PHEBE ROCK LIGHT 10 On ledge.	40-53-08.089N 073-46-30.607W	FI R 4s	24	4	TR on skeleton tower.	
25950	Spindle Rock South Buoy 10A On southside of shoal.	40-53-16.269N 073-46-28.377W				Red nun.	
25955	Davenport Neck Buoy 12 On east side of shoal.	40-53-20.129N 073-46-35.447W				Red nun.	
25960	<i>Harbor Rock Lighted Buoy 14</i>	40-53-18.839N 073-46-42.107W	Q R		3	Red.	Replaced by nun when endangered by ice.
25965	GLEN ISLAND LIGHT 15	40-53-21.700N 073-46-49.100W	FI G 4s	20	4	SG on tower on concrete base.	
<b> City Island</b>							
25970	Big Tom Rock Buoy BT	40-50-08.062N 073-47-16.259W				White with orange bands; can.	
25975	- <i>Lighted Buoy 2</i>	40-49-58.252N 073-47-21.639W	FI R 4s		4	Red.	
25980	- Buoy 4 On west side of shoal.	40-50-06.842N 073-47-32.649W				Red nun.	
25985	- Wreck Buoy WR6	40-50-38.105N 073-47-44.229W				Red nun.	
25990	- Buoy 7 On east side of rock.	40-50-46.542N 073-47-58.850W				Green can.	
25995	- Buoy 8	40-51-05.861N 073-47-44.480W				Red nun.	
26000	<i>Cuban Ledge Junction Lighted Buoy CL</i>	40-50-05.000N 073-47-57.500W	FI (2+1)R 6s		3	Red and green bands.	Replaced by nun when endangered by ice.
26005	Cuban Ledge Day beacon	40-50-30.175N 073-48-13.734W				NW on spindle worded DANGER ROCK.	
<b> Eastchester Bay</b>							
26007	<i>Bronxonia Yacht Club Lighted No Wake Buoy</i>	40-49-37.700N 073-48-33.300W	FI W 2.5s			White with orange bands.	Private aid.
26010	<i>Cuban Ledge Lighted Buoy 2</i> Marks southwest edge of ledge.	40-50-26.221N 073-48-15.683W	FI R 4s		3	Red.	Remove when endangered by ice.
26015	- <i>Shoal Lighted Buoy 4</i> Marks southwest edge of shoal.	40-50-50.341N 073-48-32.051W	FI R 2.5s		3	Red.	
26020	- Channel Buoy 6	40-51-17.361N 073-48-32.481W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (New York) - First District</b>							
<b>HEMPSTEAD HARBOR TO TALLMAN ISLAND (Chart 12366)</b>							
<b>City Island</b>							
<b>Eastchester Bay</b>							
26025	- Channel Lighted Buoy 7	40-51-33.341N 073-48-35.741W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
26030	- Channel Buoy 9 Marks northeast edge of rocky shoals.	40-51-35.741N 073-48-37.191W				Green can.	
26035	- Channel Buoy 11 On north side of Middle Rock.	40-51-40.200N 073-48-45.021W				Green can.	
<b>Hutchinson River</b>							
26040	- Buoy 2	40-51-52.504N 073-49-08.097W				Red nun.	Removed when endangered by ice.
26045	- Buoy 3	40-52-00.060N 073-49-11.332W				Green can.	Removed when endangered by ice.
26050	- Buoy 4	40-52-13.720N 073-49-21.792W				Red nun.	Removed when endangered by ice.
26055	- Buoy 6	40-52-30.111N 073-49-21.078W				Red nun.	Removed when endangered by ice.
26060	- Buoy 7	40-52-42.849N 073-49-17.322W				Green can.	Removed when endangered by ice.
<b>PORT JEFFERSON AND MOUNT SINAI HARBORS (Chart 12362)</b>							
<b>Mount Sinai Harbor</b>							
26070	- BREAKWATER LIGHT	40-57-55.900N 073-02-33.906W	FI G 5s	20		On concrete pedestal.	Private aid.
26071	- BREAKWATER LIGHT 2	40-57-58.000N 073-02-40.700W	FI R 4s	15		On pile.	Private aid.
26075	- Lighted Buoy 3	40-57-46.400N 073-02-35.000W	FI G 4s			Green.	Private aid.
26080	- Buoy 5	40-57-46.000N 073-02-30.100W				Green can.	Private aid.
26085	- Buoy 4	40-57-44.100N 073-02-27.400W				Red nun.	Private aid.
26090	- Buoy 7	40-57-44.400N 073-02-15.300W				Green can.	Private aid.
26095	- Buoy 6	40-57-43.600N 073-02-15.200W				Red nun.	Private aid.
26100	- Buoy 9	40-57-45.500N 073-02-06.600W				Green can.	Private aid.
26105	- Buoy 8	40-57-43.300N 073-02-01.200W				Red nun.	Private aid.
26110	- Buoy 10	40-57-43.600N 073-01-55.100W				Red nun.	Private aid.
26115	- Buoy 12	40-57-44.100N 073-01-46.400W				Red nun.	Private aid.
26120	- Buoy 14	40-57-43.400N 073-01-36.900W				Red nun.	Private aid.
<b>Port Jefferson Harbor</b>							
26125	Port Jefferson Approach Lighted Whistle Buoy PJ	40-59-16.354N 073-06-26.686W	Mo (A) W		4	Red and white stripes with red spherical topmark.	AIS: MMSI 993672155 (21)
26130	- Entrance Lighted Buoy 1	40-58-24.282N 073-05-38.334W	FI G 2.5s		4	Green.	
26135	PORT JEFFERSON EAST BREAKWATER LIGHT	40-58-20.300N 073-05-29.629W	FI W 4s	27	6	NG on skeleton tower.	
26140	- Entrance Lighted Bell Buoy 2	40-58-22.460N 073-05-41.617W	FI R 2.5s		4	Red.	
26145	PORT JEFFERSON WEST BREAKWATER LIGHT 2A	40-58-13.435N 073-05-35.687W	FI R 4s	22	4	TR on skeleton tower.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (New York) - First District</b>							
<b>PORT JEFFERSON AND MOUNT SINAI HARBORS (Chart 12362)</b>							
<b>Port Jefferson Harbor</b>							
26155	PORT JEFFERSON REAR RANGE LIGHT	40-56-47.401N 073-04-14.893W	Iso R 6s	63		On Tower.	Lighted throughout 24 hours.
26160	PORT JEFFERSON FRONT RANGE LIGHT	40-56-52.225N 073-04-19.144W	Q R	39		On Tower.	Lighted throughout 24 hours.
26165	- Buoy 4	40-57-52.805N 073-05-14.845W				Red nun.	
26170	- Lighted Bell Buoy 5	40-57-49.155N 073-05-06.865W	FI G 4s		4	Green.	
26175	- Channel Buoy 7	40-57-17.951N 073-04-36.456W				Green can.	
26176	- Buoy 8	40-57-12.234N 073-04-40.513W				Red nun.	
26177	- Buoy 9	40-57-00.655N 073-04-17.184W				Green can.	
<b>Conscience Bay</b>							
26179	- Narrows Channel Buoy CN1	40-57-51.060N 073-05-19.800W				Green can.	Private aid.
26180	- Narrows Channel Buoy CN2	40-57-55.620N 073-05-24.780W				Red nun.	Private aid.
26181	- Narrows Channel Buoy CN3	40-57-52.260N 073-05-33.420W				Green can.	Private aid.
26182	- Narrows Channel Buoy CN4	40-57-53.160N 073-05-33.960W				Red nun.	Private aid.
26183	- Narrows Channel Buoy CN5	40-57-54.240N 073-06-00.000W				Green can.	Private aid.
26184	- Narrows Channel Buoy CN6	40-57-55.260N 073-06-00.000W				Red nun.	Private aid.
26185	- Narrows Channel Buoy CN8	40-58-00.240N 073-06-11.700W				Red nun.	Private aid.
26186	- Narrows Channel Buoy CN9	40-58-05.520N 073-06-26.520W				Green can.	Private aid.
26187	- Narrows Channel Buoy CN10	40-58-10.020N 073-06-33.600W				Red nun.	Private aid.
26188	- Narrows Channel Buoy CN11	40-58-12.900N 073-06-42.420W				Green can.	Private aid.
26189	- Narrows Channel Buoy CN12	40-58-13.860N 073-06-41.940W				Red nun.	Private aid.
26190	- Narrows Channel Buoy CN13	40-58-13.200N 073-06-46.920W				Green can.	Private aid.
<b>Setauket Harbor</b>							
26191	Conscience Bay Narrows Channel Buoy CN14	40-58-14.160N 073-06-45.240W				Red nun.	Private aid.
26193	- Channel Buoy S1	40-57-27.720N 073-05-22.980W				Green can.	Private aid.
26194	- Channel Buoy S2	40-57-34.560N 073-05-12.540W				Red nun.	Private aid.
26195	- Channel Buoy S3	40-57-30.420N 073-05-36.480W				Green can.	Private aid.
26196	- Channel Buoy S4	40-57-30.000N 073-05-26.700W				Red nun.	Private aid.
26197	- Channel Buoy S5	40-57-30.540N 073-05-45.720W				Green can.	Private aid.
26198	- Channel Buoy S6	40-57-32.160N 073-05-38.520W				Red nun.	Private aid.
26199	- Channel Buoy S7	40-57-29.520N 073-05-50.040W				Green can.	Private aid.
26200	- Channel Buoy S8	40-57-30.000N 073-05-52.380W				Red nun.	Private aid.
26201	- Channel Buoy S9	40-57-22.980N 073-05-56.640W				Green can.	Private aid.
26202	- Channel Buoy S10	40-57-23.460N 073-05-59.220W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (New York) - First District</b>							
<b>PORT JEFFERSON AND MOUNT SINAI HARBORS (Chart 12362)</b>							
<b>Port Jefferson Harbor</b>							
<b>Belle Terre</b>							
26203	- Channel Buoy BT2	40-57-48.060N 073-04-40.200W				Red nun.	Private aid.
26204	- Channel Buoy BT4	40-57-40.980N 073-04-34.080W				Red nun.	Private aid.
26205	- Channel Buoy BT6	40-57-24.720N 073-04-23.040W				Red nun.	Private aid.
26206	- Channel Buoy BT8	40-57-13.980N 073-04-15.000W				Red nun.	Private aid.
26207	- Channel Buoy BT10	40-57-06.360N 073-04-06.300W				Red nun.	Private aid.
<b>LONG ISLAND SOUND (Western Part) (Chart 12363)</b>							
<b>Smithtown Bay</b>							
<b>Stony Brook Harbor</b>							
26208	- Entrance Lighted Buoy 1	40-56-14.982N 073-09-46.415W	FI G 4s		4	Green.	Remove when endangered by ice.
26210	- Approach Channel Lighted Buoy 3	40-56-15.960N 073-09-27.660W	FI G 4s			Green.	Private aid.
26215	- Approach Channel Lighted Buoy 5	40-56-13.080N 073-09-12.780W	FI G 4s			Green.	Private aid.
26220	- Approach Channel Lighted Buoy 7	40-56-10.600N 073-08-58.000W	FI G 4s			Green.	Private aid.
26225	- Approach Channel Lighted Buoy 9	40-55-58.100N 073-08-48.400W	FI G 4s			Green.	Private aid.
26230	- Approach Channel Lighted Buoy 11	40-55-48.800N 073-08-51.000W	FI G 4s			Green.	Private aid.
<b>Porpoise Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
26240	- Lighted Buoy 1	40-55-33.400N 073-08-57.300W	FI G 4s			Green.	Private aid.
26245	- Lighted Buoy 2	40-55-34.400N 073-08-58.200W	FI R 4s			Red.	Private aid.
26250	- Lighted Buoy 3	40-55-28.400N 073-09-06.000W	FI G 4s			Green.	Private aid.
26255	- Lighted Buoy 4	40-55-29.500N 073-09-06.500W	FI R 4s			Red.	Private aid.
26260	- Buoy 5	40-55-27.300N 073-09-16.700W				Green can.	Private aid.
26265	- Lighted Buoy 6	40-55-26.400N 073-09-19.500W	FI R 4s			Red.	Private aid.
26270	- Buoy 7	40-55-26.100N 073-09-18.600W				Green can.	Private aid.
26275	- Lighted Buoy 8	40-55-18.210N 073-09-24.100W	FI R 4s			Red.	Private aid.
26280	- Buoy 9	40-55-16.920N 073-09-23.400W				Green can.	Private aid.
26285	- Lighted Buoy 10	40-55-08.160N 073-09-43.680W	FI R 4s			Red.	Private aid.
26290	- Buoy 11	40-55-07.200N 073-09-43.560W				Green can.	Private aid.
26295	- Lighted Buoy 12	40-55-01.600N 073-10-05.000W	FI R 4s			Red.	Private aid.
26300	- Buoy 13	40-55-00.000N 073-10-04.000W				Green can.	Private aid.
26305	- Lighted Buoy 14	40-54-53.400N 073-10-27.780W	FI R 4s			Red.	Private aid.
26310	- Buoy 15	40-54-52.200N 073-10-27.060W				Green can.	Private aid.
<b>Nissequogue River</b>							
26315	- Entrance Lighted Buoy NR	40-55-23.352N 073-13-45.407W	Mo (A) W			Red and white stripes.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (New York) - First District</b>							
<b>LONG ISLAND SOUND (Western Part) (Chart 12363)</b>							
<b>Nissequogue River</b>							
26320	- Lighted Buoy 2	40-55-03.000N 073-13-54.000W	FI R 4s			Red.	Maintained from Apr. 1 to Nov. 30. Private aid.
26325	- Lighted Buoy 4	40-54-46.000N 073-14-03.000W	FI R 4s			Red.	Maintained from Apr. 1 to Nov. 30. Private aid.
26330	- Lighted Buoy 6	40-54-32.000N 073-14-07.500W	FI R 4s			Red.	Maintained from Apr. 1 to Nov. 30. Private aid.
26335	- Lighted Buoy 8	40-54-26.600N 073-14-01.000W	FI R 4s			Red.	Maintained from Apr. 1 to Nov. 30. Private aid.
26340	- Lighted Buoy 10	40-54-18.800N 073-13-50.500W	FI R 4s			Red.	Maintained from Apr. 1 to Nov. 30. Private aid.
26345	- Lighted Buoy 12	40-54-09.000N 073-13-29.900W	FI R 4s			Red.	Maintained from Apr. 1 to Nov. 30. Private aid.
26350	- Lighted Buoy 14	40-53-58.500N 073-13-32.100W	FI R 4s			Red.	Maintained from Apr. 1 to Nov. 30. Private aid.
<b>OYSTER AND HUNTINGTON BAYS (Chart 12365)</b>							
<b>Northport</b>							
26360	- PLATFORM EAST LIGHT	40-57-16.000N 073-20-26.000W	Q W	26		On pile platform.	Private aid.
26365	- PLATFORM WEST LIGHT	40-57-17.000N 073-20-31.500W	Q W	26		On pile platform.	HORN: 1 blast ev 20s (2s bl). Private aid.
<b>Lilco Basin</b>							
<i>Aids maintained from Mar. 15 to Oct. 30.</i>							
26380	- Buoy 2	40-55-37.000N 073-20-45.000W				Red nun.	Private aid.
26385	- Buoy 3	40-55-28.000N 073-20-42.000W				Green can.	Private aid.
26390	- Buoy 4	40-55-30.000N 073-20-45.000W				Red nun.	Private aid.
26395	- Buoy 5	40-55-28.000N 073-20-41.000W				Green can.	Private aid.
26400	- Buoy 6	40-55-25.000N 073-20-43.000W				Red nun.	Private aid.
<b>Huntington Bay</b>							
<b>Eatons Neck</b>							
26420	- Lighted Buoy 1	40-56-49.945N 073-24-16.965W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
26425	- Buoy 2 Marks shoal.	40-56-49.928N 073-24-09.007W				Red nun.	Position frequently changed due to shoaling. Replaced by nun when endangered by ice.
26430	- Lighted Buoy 2A Marks shoal.	40-56-50.472N 073-24-06.527W	Q R		3	Red.	Position frequently changed due to shoaling. Replaced by nun when endangered by ice.
26435	- Basin Buoy 4	40-56-53.681N 073-24-04.422W				Red nun.	
26440	- Basin Buoy 5	40-56-56.105N 073-24-05.032W				Green can.	
26445	- Basin Buoy 6	40-57-03.107N 073-24-02.401W				Red nun.	
26450	- Basin Buoy 7	40-57-03.321N 073-24-03.636W				Green can.	
26455	- Basin Buoy 8	40-57-11.013N 073-24-00.090W				Red nun.	
26460	- Basin Buoy 9	40-57-11.260N 073-24-01.131W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (New York) - First District</b>							
<b>OYSTER AND HUNTINGTON BAYS (Chart 12365)</b>							
<b>Huntington Bay</b>							
<b>Eatons Neck</b>							
26461	- Basin Coast Guard Mooring Buoy	40-57-12.688N 073-24-00.637W				White nun with blue stripe.	Marked CG.
<b>Huntington Bay</b>							
26465	- Approach Buoy 2 On north side of rock reef.	40-57-18.002N 073-28-42.705W				Red nun.	
26470	Morris Rock Warning Buoy	40-56-53.352N 073-28-33.434W				White can with orange bands worded DANGER.	
26475	- Approach Buoy 4	40-56-46.112N 073-27-37.483W				Red nun.	
26480	- Approach Buoy 6 On northeast side of rock.	40-56-32.612N 073-26-21.811W				Red nun.	
26485	- Lighted Bell Buoy 8	40-55-51.562N 073-25-24.110W	FI R 4s		3	Red.	
<b>Price Bend</b>							
<i>Aids maintained from May 1 to Oct. 15.</i>							
26490	- Lighted Buoy 1	40-55-37.000N 073-23-56.500W	Q G			Green.	Private aid.
26495	- Lighted Buoy 2	40-55-38.100N 073-23-54.000W	Q R			Red.	Private aid.
26500	- Buoy 3	40-55-40.000N 073-23-57.800W				Green can.	Private aid.
26505	- Buoy 4	40-55-40.700N 073-23-56.100W				Red nun.	Private aid.
26510	- Buoy 5	40-55-41.100N 073-24-01.000W				Green can.	Private aid.
26515	- Buoy 6	40-55-42.000N 073-23-58.900W				Red nun.	Private aid.
26520	- Buoy 7	40-55-41.400N 073-24-04.680W				Green can.	Private aid.
26525	- Lighted Buoy 8	40-55-43.000N 073-23-58.000W	FI R 2s			Red.	Private aid.
<b>Huntington Harbor</b>							
26530	- LIGHT	40-54-38.700N 073-25-52.000W	Iso W 6s	42	9	Square concrete tower attached to dwelling on rectangular pier.	HORN: 1 bl ev 15s (2s bl).
26532	<i>Huntington Inlet Lighted No Wake Buoy A</i>	40-54-41.160N 073-25-48.960W	FI W 4s			White with orange bands.	Maintained Apr. 15 to Nov. 15. Private aid.
26532.1	<i>Huntington Inlet Lighted No Wake Buoy B</i>	40-54-38.220N 073-25-44.640W	FI W 4s			White with orange bands.	Maintained Apr. 15 to Nov. 15. Private aid.
26535	- Entrance Lighted Buoy 1	40-54-37.343N 073-25-46.141W	FI G 4s		3	Green.	Replaced by can f from Nov. 15 to May 1.
26540	- Entrance Buoy 2	40-54-34.613N 073-25-52.382W				Red nun.	
26545	- Channel Buoy 3	40-54-31.103N 073-25-51.532W				Green can.	
26550	- Channel Lighted Buoy 4	40-54-29.573N 073-25-56.069W	FI R 4s		3	Red.	Replaced by nun f from Nov. 15 to May 1.
26555	- LIGHT 6	40-54-19.653N 073-26-06.332W	FI R 4s	5	4	TR on red cylindrical structure on pile.	
26560	- Lighted Buoy 7	40-54-06.013N 073-26-04.697W	FI G 4s		3	Green.	Replaced by can f from Nov. 15 to May 1.
26565	- Channel Buoy 9	40-53-56.000N 073-25-55.600W				Green can.	Private aid.
26570	- Channel Lighted Buoy 10	40-53-49.800N 073-25-31.100W	FI R 2s			Red.	Private aid.
26575	- Channel Lighted Buoy 11	40-53-51.100N 073-25-31.500W	FI G 2.5s			Green.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (New York) - First District</b>							
<b>OYSTER AND HUNTINGTON BAYS (Chart 12365)</b>							
<b>Huntington Bay</b>							
<b>Huntington Harbor</b>							
26580	- Channel Lighted Buoy 12	40-53-45.000N 073-25-22.000W	FI R 2s			Red.	Private aid.
26585	- Channel Lighted Buoy 13	40-53-37.000N 073-25-11.500W	FI G 2s			Green.	Private aid.
26590	- Channel Junction Lighted Buoy	40-53-29.000N 073-25-01.000W	FI R 2s			Red and green bands.	Private aid.
26595	- Channel Buoy 14	40-53-21.000N 073-25-04.500W				Red nun.	Private aid.
26600	- Channel Buoy 16	40-53-17.000N 073-25-07.000W				Red nun.	Private aid.
26605	- Channel Buoy 18	40-53-10.500N 073-25-08.820W				Red nun.	Private aid.
26615	- Inner Lighted Buoy 1	40-53-27.000N 073-25-11.000W	FI G 2s			Green.	Private aid.
26620	- Inner Buoy 2	40-53-30.000N 073-25-12.000W				Red nun.	Private aid.
26625	- Inner Buoy 3	40-53-24.000N 073-25-15.000W				Green can.	Private aid.
26630	- Inner Lighted Buoy 4	40-53-29.500N 073-25-11.700W	FI R 2s			Red.	Private aid.
26635	- Inner Buoy 5	40-53-22.000N 073-25-14.000W				Green can.	Private aid.
26640	- Inner Buoy 6	40-53-24.000N 073-25-15.000W				Red nun.	Private aid.
26645	- Inner Buoy 7	40-53-18.000N 073-25-15.000W				Green can.	Private aid.
26650	- Inner Buoy 9	40-53-15.000N 073-25-15.000W				Green can.	Private aid.
<b>Lloyd Harbor</b>							
26655	- Buoy 2 Marks south end of shoal.	40-54-52.292N 073-25-51.491W				Red nun.	
26660	- Buoy 3 Marks north point of shoal.	40-54-43.983N 073-26-03.961W				Green can.	
26665	- Buoy 4 Marks south point of shoal.	40-54-47.753N 073-26-08.032W				Red nun.	
26670	- West End Buoy 5	40-54-48.000N 073-26-58.000W				Green can.	Maintained from May 1 to Nov. 1. Private aid.
26675	- West End Buoy 6	40-54-51.000N 073-26-58.000W				Red nun.	Maintained from May 1 to Nov. 1. Private aid.
<b>Northport Bay</b>							
26680	- Entrance Lighted Buoy 1	40-54-51.853N 073-24-21.428W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
26682	- Channel Lighted No Wake Buoy B	40-54-46.620N 073-24-18.300W	FI W 4s			White with orange bands.	Maintained from Apr. 15 to Oct. 15. Private aid.
26685	- Entrance Buoy 2	40-54-47.753N 073-24-13.688W				Red nun.	
26690	- Buoy 3	40-54-52.183N 073-24-01.758W				Green can.	
26692	- Sand City Lighted No Wake Buoy H	40-54-53.889N 073-24-00.660W	FI W 4s			White with orange bands.	Maintained from Apr. 15 to Oct. 15. Private aid.
26695	- Buoy 4	40-54-47.913N 073-23-52.688W				Red nun.	
26700	- Lighted Buoy 6	40-54-49.193N 073-23-34.167W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to May 1.
26705	- Lighted Buoy 8	40-55-00.153N 073-22-32.025W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to May 1.



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (New York) - First District</b>							
<b>OYSTER AND HUNTINGTON BAYS (Chart 12365)</b>							
<b>Huntington Bay</b>							
<b>Northport Bay</b>							
26710	- East Channel Buoy 1	40-55-16.500N 073-21-14.400W				Green can.	Maintained from Apr. 1 to Oct. 1.  Private aid.
26715	- East Channel Buoy 2	40-55-14.400N 073-21-14.700W				Red nun.	Maintained from Apr. 1 to Oct. 1.  Private aid.
26720	- East Channel Buoy 3	40-55-15.300N 073-21-11.600W				Green can.	Maintained from Apr. 1 to Oct. 1.  Private aid.
26725	- East Channel Buoy 4	40-55-13.700N 073-21-11.600W				Red nun.	Maintained from Apr. 1 to Oct. 1.  Private aid.
<b>Northport Harbor</b>							
<i>Aids maintained from Apr. 15 to Nov. 1.</i>							
26729	- Lighted No Wake Buoy A	40-54-43.800N 073-21-56.280W	FI W 4s			White with orange bands.	Maintained from Apr. 15 to Nov. 15. Private aid.
26730	- Channel Lighted Buoy 1	40-54-45.300N 073-21-52.500W	FI G 3s			Green.	Private aid.
26735	- Channel Lighted Buoy 2	40-54-43.300N 073-21-55.200W	FI R 2s			Red.	Private aid.
26740	- Channel Buoy 3	40-54-35.200N 073-21-42.900W				Green can.	Private aid.
26745	- Channel Buoy 4	40-54-32.700N 073-21-43.900W				Red nun.	Private aid.
26750	- Channel Buoy 5	40-54-25.000N 073-21-33.500W				Green can.	Private aid.
26755	- Channel Lighted Buoy 6	40-54-20.000N 073-21-32.300W	FI R 2s			Red.	Private aid.
26760	- Channel Buoy 7	40-54-13.000N 073-21-22.600W				Green can.	Private aid.
26765	- Channel Buoy 8	40-54-12.500N 073-21-24.500W				Red nun.	Private aid.
26767	- Channel Buoy 9	40-54-08.800N 073-21-19.000W				Green can.	Private aid.
26770	- Channel Lighted Buoy 10	40-54-06.700N 073-21-18.400W	FI R 2s			Red.	Private aid.
26775	- Channel Lighted Buoy 12	40-53-57.800N 073-21-13.500W	FI R 2s			Red.	Private aid.
26780	- Channel Buoy 13	40-53-53.000N 073-21-19.600W				Green can.	Private aid.
26781	- Channel Buoy 14	40-53-54.700N 073-21-21.600W				Red nun.	Private aid.
<b>Northport Boatyard Channel</b>							
<i>Aids maintained from Mar. 15 to Nov. 15.</i>							
26785	- Lighted Buoy 15	40-53-51.300N 073-21-21.900W	FI G 4s			Green.	Private aid.
26786	- Lighted Buoy 16	40-53-51.700N 073-21-24.100W	FI R 4s			Red.	Private aid.
26787	- Lighted Buoy 17	40-53-46.500N 073-21-24.200W	FI G 4s			Green.	Private aid.
26788	- Lighted Buoy 18	40-53-44.200N 073-21-26.100W	FI R 4s			Red.	Private aid.
26789	- Lighted Buoy 19	40-53-44.800N 073-21-24.800W	FI G 4s			Green.	Private aid.
26790	- Lighted Buoy 20	40-53-38.200N 073-21-28.700W	FI R 4s			Red.	Private aid.
26791	- Lighted Buoy 21	40-53-40.600N 073-21-26.900W	FI G 4s			Green.	Private aid.
26792	- Buoy 22	40-53-34.800N 073-21-30.200W				Red nun.	Private aid.
26793	- Buoy 23	40-53-30.900N 073-21-26.400W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (New York) - First District</b>							
<b>OYSTER AND HUNTINGTON BAYS (Chart 12365)</b>							
<b>Huntington Bay</b>							
<b>Northport Boatyard Channel</b>							
<i>Aids maintained from Mar. 15 to Nov. 15.</i>							
26794	- Lighted Buoy 24	40-53-31.100N 073-21-27.400W	FI R 4s			Red.	Private aid.
<b>Centerport Harbor Approach Channel</b>							
<i>Aids maintained from Apr. 15 to Nov. 15.</i>							
26835	- Lighted Buoy 1	40-54-21.600N 073-22-56.760W	FI G 3s			Green.	Private aid.
26840	- Lighted Buoy 2	40-54-20.340N 073-22-57.600W	Q R			Red.	Private aid.
26842	Centerport Harbor Lighted No Wake Buoy A	40-54-21.480N 073-22-58.620W	FI W 4s			White with orange bands.	Maintained Apr. 15 to Nov. 15. Private aid.
26845	- Buoy 3	40-54-13.380N 073-22-54.660W				Green can.	Private aid.
26850	- Buoy 4	40-54-12.420N 073-22-56.040W				Red nun.	Private aid.
26855	- Lighted Buoy 5	40-54-03.240N 073-22-51.780W	Q G			Green.	Private aid.
26860	- Lighted Buoy 6	40-54-01.620N 073-22-52.920W	Q R			Red.	Private aid.
26861	- Buoy 7	40-54-00.300N 073-22-45.500W				Green can.	Private aid.
26862	- Buoy 8	40-53-57.600N 073-22-44.280W				Red nun.	Private aid.
26863	- Buoy 9	40-53-52.320N 073-22-36.480W				Green can.	Private aid.
26864	- Buoy 10	40-53-51.960N 073-22-37.260W				Red nun.	Private aid.
<b>Oyster Bay</b>							
<i>Aids maintained from Apr. 15 to Nov. 1.</i>							
26865	- Gong Buoy 1 On northwest side of Northwest Bluff Shoals.	40-55-33.393N 073-30-14.640W				Green.	
26870	COLD SPRINGS HARBOR LIGHT On point of shoal.	40-54-51.300N 073-29-34.900W	F W (R sector)	37	W 8 R 6	NR on skeleton tower, on caisson.	Red from 039° to 125°; covers Plum Point and shoal off Rocky Point.
26875	- Buoy 2 South of shoal.	40-54-40.743N 073-30-08.420W				Red nun.	
26880	- Buoy 4 On east side of Plum Point Shoal.	40-54-07.183N 073-30-23.161W				Red nun.	
26885	- Lighted Buoy 5 On northwest end of Cove Point Shoal.	40-53-50.814N 073-30-35.072W	FI G 4s		3	Green.	Replaced by can f from Nov. 15 to May 1.
26890	- Buoy 6 On southwest point of Moses Point Shoal.	40-53-08.326N 073-31-05.865W				Red nun.	
26895	- Harbor Channel Junction Lighted Buoy B	40-53-00.200N 073-31-13.200W	FI (2+1)G 6s			Green and red bands.	Private aid.
26900	- Harbor Channel Buoy 2	40-53-04.000N 073-31-12.000W				Red nun.	Private aid.
26905	- Harbor Channel Buoy 3	40-53-00.120N 073-31-31.100W				Green can.	Private aid.
26910	- Harbor Channel Buoy 4	40-53-02.400N 073-31-20.400W				Red nun.	Private aid.
26915	- Harbor Channel Buoy 5	40-53-00.000N 073-31-48.900W				Green can.	Private aid.
26920	- Harbor Channel Buoy 6	40-53-02.400N 073-31-39.400W				Red nun.	Private aid.
26925	- Harbor Channel Buoy 7	40-52-59.900N 073-32-16.400W				Green can.	Private aid.
26930	- Harbor Channel Buoy 8	40-53-02.400N 073-31-58.500W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (New York) - First District</b>							
<b>OYSTER AND HUNTINGTON BAYS (Chart 12365)</b>							
<b>Oyster Bay</b>							
<i>Aids maintained from Apr. 15 to Nov. 1.</i>							
26935	- Harbor Channel Buoy 9	40-52-48.696N 073-32-15.360W				Green can.	Private aid.
26940	- Harbor Channel Buoy 11	40-52-42.782N 073-32-14.727W				Green can.	Private aid.
26980	- Harbor Inner Channel Buoy 1	40-53-00.200N 073-31-10.300W				Green can.	Private aid.
26985	- Harbor Inner Channel Buoy 3B	40-52-50.600N 073-31-16.800W				Green can.	Private aid.
26990	- Harbor Inner Channel Buoy 2B	40-52-51.500N 073-31-19.100W				Red nun.	Private aid.
26995	- Harbor Inner Channel Buoy 5B	40-52-41.400N 073-31-23.430W				Green can.	Private aid.
27000	- Harbor Inner Channel Lighted Buoy 4B	40-52-42.700N 073-31-25.000W	FI R 4s			Red.	Private aid.
27005	- Harbor Inner Channel Buoy 7B	40-52-41.844N 073-31-26.232W				Green can.	Private aid.
27020	- Harbor Inner Channel Buoy 9B	40-52-41.600N 073-31-48.700W				Green can.	Private aid.
27025	- Harbor Inner Channel Junction Buoy C	40-52-42.600N 073-31-48.700W				Red and green bands.	Private aid.
27030	- Harbor Alternate Channel Junction Buoy A	40-53-00.000N 073-31-50.200W				Green and red bands.	Private aid.
27035	- Harbor Alternate Channel Buoy 1A	40-52-50.800N 073-31-48.800W				Green can.	Private aid.
27040	- Harbor Alternate Channel Buoy 2A	40-52-50.800N 073-31-50.100W				Red nun.	Private aid.
27045	- Harbor Alternate Channel Buoy 4A	40-52-41.600N 073-31-50.000W				Red nun.	Private aid.
<b>HEMPSTEAD HARBOR TO TALLMAN ISLAND (Chart 12366)</b>							
<b>Hempstead Harbor</b>							
27047	- Buoy 1	40-52-44.043N 073-39-30.010W				Green can.	
27050	- Buoy 2 On edge of shoal.	40-52-29.000N 073-42-44.000W				Red nun.	
27055	- Buoy 4 On north side of shoal.	40-52-12.779N 073-42-01.868W				Red nun.	
27060	Mott Point Bell Buoy 6 East of Picket Rock.	40-51-39.159N 073-40-25.665W				Red.	
27065	GLEN COVE BREAKWATER LIGHT 5	40-51-43.148N 073-39-37.233W	FI G 4s	24	5	SG on skeleton tower.	
27070	- Buoy 8	40-51-19.649N 073-40-12.635W				Red nun.	
27075	- Anchorage Buoy A	40-51-09.459N 073-39-33.063W				Yellow can.	
27080	- Anchorage Buoy B	40-51-03.459N 073-39-32.563W				Yellow nun.	
27085	Glen Cove Entrance Buoy 1	40-51-14.459N 073-39-09.362W				Green can.	
27090	Glen Cove Entrance Buoy 2	40-51-13.059N 073-39-07.462W				Red nun.	
27095	- Buoy 9	40-50-24.560N 073-39-29.864W				Green can.	
27105	Tappen Beach Boat Basin Entrance Buoy 2	40-49-56.900N 073-39-11.400W				Red nun.	Maintained from May 1 to Nov. 1. Private aid.
27110	BAR BEACH LIGHT 11	40-49-54.420N 073-39-11.960W	FI G 4s	30	5	SG on skeleton tower.	
<b>Manhasset Bay</b>							
27115	Plum Point Lighted Buoy 1 Southwest side of shoals.	40-49-56.182N 073-43-43.222W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
27120	Plum Point Shoal Buoy 3	40-49-51.399N 073-43-19.489W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LONG ISLAND SOUND (New York) - First District</b>							
<b>HEMPSTEAD HARBOR TO TALLMAN ISLAND (Chart 12366)</b>							
<b>Manhasset Bay</b>							
27140	- Buoy 4	40-49-45.992N 073-43-04.311W				Red nun.	
27145	Tom Point Inner Buoy 5	40-49-46.250N 073-42-17.750W				Green can.	Maintained from Mar. 1 to Dec. 1. Private aid.
27150	Tom Point Outer Buoy 6	40-49-45.000N 073-42-21.000W				Red nun.	Maintained from Mar. 1 to Dec. 1. Private aid.
<b>Little Neck Bay Approach</b>							
27155	Elm Point Buoy 2 Marks south end of Stepping Stones Shoal.	40-49-06.084N 073-45-51.587W				Red nun.	
27160	Elm Point Buoy 4 Marks south end of Stepping Stones Shoal.	40-49-00.604N 073-46-03.257W				Red nun.	
27165	KINGS POINT LIGHT	40-48-42.000N 073-45-48.000W	Iso W 2s			White cylindrical structure.	Private aid.
27170	Willets Point Buoy 2	40-47-52.785N 073-46-32.038W				Red nun.	
27180	- Anchorage Buoy A	40-46-55.891N 073-45-51.084W				Yellow nun.	
27185	- Anchorage Buoy B	40-47-09.435N 073-45-18.344W				Yellow nun.	
<b>Little Bay</b>							
27200	- Entrance Buoy 2	40-47-49.675N 073-47-15.849W				Red nun.	
27205	- Lighted Buoy 3	40-47-42.735N 073-47-04.059W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.
27210	- Buoy 4	40-47-37.745N 073-47-01.919W				Red nun.	
<b>NEW YORK - First District</b>							
<b>HEMPSTEAD HARBOR TO TALLMAN ISLAND (Chart 12366)</b>							
<b>East River Main Channel</b>							
27215	WHITESTONE POINT LIGHT 1	40-48-06.364N 073-49-10.482W	Q G	56	3	SG on black skeleton tower.	
27216	Whitestone Point Buoy 1A	40-48-08.739N 073-49-11.006W				Green can.	
<b>TALLMAN ISLAND TO QUEENSBORO BRIDGE (Chart 12339)</b>							
<b>East River Main Channel</b>							
27220	COLLEGE POINT REEF LIGHT CP	40-47-51.494N 073-51-03.325W	FI W 2.5s	29	7	NG on skeleton tower.	
27225	- Gong Buoy 3 On point of shoal.	40-47-54.514N 073-51-05.036W				Green.	
27230	- Lighted Buoy 5	40-47-47.074N 073-51-56.907W	FI G 2.5s		4	Green.	
27235	- Lighted Buoy 6	40-47-56.064N 073-52-12.548W	FI R 2.5s		3	Red.	
27240	- Buoy 7	40-48-08.424N 073-53-45.510W				Green can.	
27245	NORTH BROTHER ISLAND NORTH LIGHT 9	40-48-08.800N 073-53-54.600W	FI G 4s	33	4	SG on tower.	
27246	EAST RIVER REGULATORY LIGHT A	40-48-18.350N 073-53-55.520W	Q W			On dolphin.	Private aid.
27246.1	EAST RIVER REGULATORY LIGHT B	40-48-20.090N 073-53-47.110W	Q W			On dolphin.	Private aid.
27246.2	EAST RIVER REGULATORY LIGHT C	40-48-21.170N 073-53-45.120W	Q W			On dolphin.	Private aid.
27246.3	EAST RIVER REGULATORY LIGHT D	40-48-21.720N 073-53-46.750W	Q W			On dolphin.	Private aid.
27246.4	EAST RIVER REGULATORY LIGHT E	40-48-21.490N 073-53-49.390W	Q W			On dolphin.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>TALLMAN ISLAND TO QUEENSBORO BRIDGE (Chart 12339)</b>							
<b>Brother Island Channel</b>							
27250	- Buoy 6	40-48-00.334N 073-53-44.000W				Red nun.	
27260	- Buoy 8	40-47-55.480N 073-53-53.834W				Red nun.	
27265	SOUTH BROTHER ISLAND LIGHT SB	40-47-50.800N 073-53-53.100W	FI W 2.5s	20	5	NG on skeleton tower.	
27270	- Buoy 9	40-47-51.164N 073-53-58.791W				Green can.	
<b>East River Main Channel</b>							
27275	- Buoy ER	40-47-39.504N 073-54-22.502W				Green and red bands; can.	
27280	- Lighted Buoy 13 On edge of flats.	40-47-30.514N 073-54-38.442W	FI G 2.5s		4	Green.	
27285	HOG BACK LIGHT 14	40-46-50.912N 073-55-55.200W	FI R 4s	25	5	TR on skeleton tower.	
27290	HELL GATE LIGHT 15	40-46-40.736N 073-56-05.345W	FI G 2.5s	33	4	SG on single pile.	
27295	MILL ROCK NORTH LIGHT 1 On ledge.	40-46-51.313N 073-56-17.611W	FI G 4s	35	4	SG on skeleton tower on white base.	
27300	MILL ROCK SOUTH LIGHT 16 On south end of ledge.	40-46-46.454N 073-56-22.305W	FI R 4s	37	4	TR on skeleton tower on white base.	
<b>HUDSON AND EAST RIVERS (Chart 12335)</b>							
<b>East River Main Channel</b>							
27305	<i>Roosevelt Island Reef Lighted Buoy B</i> Marks 29-foot shoal.	40-44-31.637N 073-58-03.999W	FI (2+1)G 6s		4	Green and red bands.	
27315	ROOSEVELT ISLAND REEF LIGHT 17	40-44-47.450N 073-57-51.980W	FI G 4s	57		SG on skeleton tower on white base.	Higher intensity beam up and down stream.
27325	POORHOUSE FLATS RANGE FRONT LIGHT	40-43-28.028N 073-57-46.370W	Q R	26		KGR on skeleton tower.	Lighted throughout 24 hours.
27330	POORHOUSE FLATS RANGE REAR LIGHT 153 yards, 160.4° from front light.	40-43-23.750N 073-57-44.368W	Iso G 6s	48		KGR on skeleton tower.	Lighted throughout 24 hours.
27335	- Lighted Buoy 18 Marks southern end of Poorhouse Flats.	40-43-22.868N 073-58-04.999W	FI R 2.5s		3	Red.	
<b>HEMPSTEAD HARBOR TO TALLMAN ISLAND (Chart 12366)</b>							
<b>East River Main Channel</b>							
27340	<i>Deep Water Channel Lighted Buoy 3</i>	40-41-57.124N 074-00-30.450W	FI G 2.5s		3	Green.	
27345	<i>Deep Water Channel Lighted Buoy 2</i>	40-41-46.730N 074-00-44.807W	Q R		3	Red.	
27350	<i>Deep Water Channel Lighted Buoy 1</i>	40-41-52.279N 074-01-16.130W	Q G		3	Green.	
27351	BROOKLYN PIER 5 MARINA LIGHT 1	40-41-52.370N 074-00-03.720W	FI G 4s			Green	On floating dock. Private aid.
27352	BROOKLYN PIER 5 MARINA LIGHT 2	40-41-51.290N 074-00-04.400W	FI R 4s			Red	On floating dock. Private aid.
27353	BROOKLYN PIER 5 MARINA LIGHT	40-41-44.870N 074-00-08.430W	FI W 4s			White	On pier corner. Private aid.
<b>HUDSON AND EAST RIVERS (Chart 12335)</b>							
<b>East River Main Channel</b>							
<b>Whitehall Ferry</b>							
27355	- EAST FOG LIGHT	40-42-00.000N 074-00-43.000W	STROBE			On dolphin.	Private aid.
27360	- WEST FOG LIGHT	40-42-00.000N 074-00-49.000W	STROBE			On dolphin.	Private aid.
27370	- Rack A Fog Signal	40-42-00.000N 074-00-48.000W				On wood platform.	HORN: 1 blast ev 13s (5s bl). Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>HEMPSTEAD HARBOR TO TALLMAN ISLAND (Chart 12366)</b>							
<b>Westchester Creek</b>							
<i>Removed when endangered by ice. Channel buoys located 60 feet outside channel limit.</i>							
27410	- Channel Buoy 1	40-48-23.347N 073-50-30.939W				Green can.	
27415	- Channel Buoy 2	40-48-22.274N 073-50-27.955W				Red nun.	
27420	- Channel Buoy 3	40-48-30.204N 073-50-34.435W				Green can.	
27425	- Channel Buoy 4	40-48-32.274N 073-50-33.695W				Red nun.	
27430	- Channel Buoy 5	40-48-40.520N 073-50-38.368W				Green can.	
27435	- Channel Buoy 6	40-48-40.776N 073-50-37.330W				Red nun.	
27440	- Channel Buoy 8	40-48-46.493N 073-50-38.125W				Red nun.	
27445	- Channel Buoy 10	40-48-52.943N 073-50-36.135W				Red nun.	
27450	- Channel Buoy 12	40-49-00.583N 073-50-31.655W				Red nun.	
27455	- Channel Buoy 13	40-49-05.553N 073-50-27.485W				Green can.	
<b>TALLMAN ISLAND TO QUEENSBORO BRIDGE (Chart 12339)</b>							
<b>Flushing Bay</b>							
27460	- Channel Lighted Buoy 1	40-47-35.364N 073-51-25.487W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.
27465	- Channel Buoy 2	40-47-36.364N 073-51-36.487W				Red nun.	
27470	- Channel Lighted Buoy 3	40-47-18.245N 073-51-42.817W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
27475	- Channel Lighted Buoy 4	40-47-01.035N 073-51-37.447W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
27480	- Channel Lighted Buoy 5	40-46-54.095N 073-51-29.197W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
27485	- Channel Buoy 6	40-46-44.815N 073-51-28.077W				Red nun.	
27490	- Channel Buoy 7	40-46-38.185N 073-51-19.927W				Green can.	
27495	- LIGHT 8	40-46-28.575N 073-51-19.886W	FI R 4s	23	4	TR on skeleton tower.	
27500	- Channel Buoy 9	40-46-22.176N 073-51-10.616W				Green can.	
27505	- Channel Buoy 10	40-46-12.996N 073-51-09.846W				Red nun.	
27507	<i>La Guardia Outfall Lighted Hazard Buoy 013</i>	40-46-13.000N 073-51-15.300W	FI Y 4s				Private aid.
27510	- Channel Buoy 11	40-46-05.936N 073-51-01.046W				Green can.	
27515	- LIGHT 12	40-45-57.900N 073-51-01.300W	FI R 4s	13	4	TR on tower on piles.	
27520	- Channel Buoy 13	40-45-54.663N 073-50-55.048W				Green can.	
27525	- Channel Lighted Buoy 15	40-45-52.306N 073-50-51.196W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
27530	- Channel Buoy 17	40-45-52.355N 073-50-44.713W				Green can.	
27535	- Channel Buoy 18	40-45-50.806N 073-50-42.406W				Red nun.	
27540	Flushing Harbor Buoy 1	40-45-44.916N 073-50-52.386W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>TALLMAN ISLAND TO QUEENSBORO BRIDGE (Chart 12339)</b>							
<b>Flushing Bay</b>							
27545	Flushing Harbor Buoy 2	40-45-48.356N 073-50-58.146W				Red nun.	
27547	<i>La Guardia Airport Security Zone Lighted Buoy A</i>	40-47-14.500N 073-52-03.050W	FI W 4s			White and orange.	Marked RESTRICTED AREA. Private aid.
27547.1	<i>La Guardia Airport Security Zone Lighted Buoy B</i>	40-47-10.600N 073-52-06.700W	FI W 4s			White and orange.	Marked RESTRICTED AREA. Private aid.
27547.2	<i>La Guardia Airport Security Zone Lighted Buoy C</i>	40-47-06.240N 073-52-04.540W	FI W 4s			White and orange.	Marked RESTRICTED AREA. Private aid.
27547.3	<i>La Guardia Airport Security Zone Lighted Buoy D</i>	40-46-23.540N 073-51-16.680W	FI W 4s			White and orange.	Marked RESTRICTED AREA. Private aid.
27547.4	<i>La Guardia Airport Security Zone Lighted Buoy E</i>	40-46-18.740N 073-51-14.020W	FI W 4s			White and orange.	Marked RESTRICTED AREA. Private aid.
27547.5	<i>La Guardia Airport Security Zone Lighted Buoy F</i>	40-46-13.270N 073-51-10.940W	FI W 4s			White and orange.	Marked RESTRICTED AREA. Private aid.
27547.6	<i>La Guardia Airport Security Zone Lighted Buoy G</i>	40-46-07.840N 073-51-07.920W	FI W 4s			White and orange	Marked RESTRICTED AREA. Private aid.
27547.7	<i>La Guardia Airport Security Zone Lighted Buoy H</i>	40-46-02.410N 073-51-04.820W	FI W 4s			White and orange	Marked RESTRICTED AREA. Private aid.
27547.8	<i>La Guardia Airport Security Zone Lighted Buoy I</i>	40-45-56.930N 073-51-01.800W	FI W 4s			White and orange	Marked RESTRICTED AREA. Private aid.
27547.9	<i>La Guardia Airport Security Zone Lighted Buoy J</i>	40-45-51.200N 073-50-59.700W	FI W 4s			White and orange	Marked RESTRICTED AREA. Private aid.
<b>Bronx River</b>							
<i>Channel buoys located 60 feet outside channel limit.</i>							
27550	- Channel Buoy 1	40-48-04.224N 073-51-54.647W				Green can.	
27555	- Channel Buoy 2	40-48-04.904N 073-51-50.637W				Red nun.	
27560	- Channel Buoy 3	40-48-14.644N 073-51-58.137W				Green can.	Removed when endangered by ice.
27565	- Channel Buoy 4	40-48-16.364N 073-51-57.327W				Red nun.	Removed when endangered by ice.
27570	- Channel Buoy 5	40-48-26.074N 073-52-03.537W				Green can.	Removed when endangered by ice.
27575	- Channel Buoy 6	40-48-27.053N 073-52-02.477W				Red nun.	Removed when endangered by ice.
27580	- Channel Buoy 7	40-48-37.173N 073-52-08.828W				Green can.	Removed when endangered by ice.
27585	- Channel Buoy 8	40-48-36.103N 073-52-06.768W				Red nun.	Removed when endangered by ice.
<b>South Brother Island Channel</b>							
27590	- <i>Lighted Buoy 1</i>	40-47-58.864N 073-53-29.490W	FI G 2.5s		3	Green.	
27595	- Junction Buoy SB	40-47-56.087N 073-53-42.471W				Green and red bands; can.	
27600	- <i>Lighted Buoy 2</i>	40-47-50.664N 073-53-40.890W	FI R 4s		3	Red.	
27605	- <i>Lighted Buoy 3</i>	40-47-50.364N 073-53-35.690W	FI G 4s		3	Green.	
27610	- Buoy 4	40-47-34.064N 073-53-41.791W				Red nun.	
27615	- <i>Lighted Buoy 5</i>	40-47-34.064N 073-53-36.290W	FI G 6s		3	Green.	
27620	- <i>Lighted Buoy 7</i>	40-47-18.964N 073-53-37.190W	FI G 2.5s		3	Green.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>TALLMAN ISLAND TO QUEENSBORO BRIDGE (Chart 12339)</b>							
<b>South Brother Island Channel</b>							
27625	<i>Rikers Island Basin Junction Lighted Buoy RI</i>	40-47-18.764N 073-53-42.591W	FI (2+1)R 6s		3	Red and green bands.	
27630	- Buoy 9	40-47-07.065N 073-53-27.890W				Green can.	
27635	STEINWAY CREEK WHARF LIGHT	40-47-07.000N 073-53-45.000W	F R	20		Wharf end dolphin.	Private aid.
<b>Rikers Island Channel</b>							
27639	<i>La Guardia Outfall Lighted Hazard Buoy 006</i>	40-46-52.600N 073-52-56.900W	FI Y 4s			Yellow.	Private aid.
27640	LAWRENCE POINT LEDGE LIGHT LP On ledge.	40-47-35.494N 073-54-14.291W	FI W 4s	25	5	NR on skeleton tower.	
27645	Lawrence Point Ledge Buoy 2	40-47-36.064N 073-54-05.621W				Red nun.	
27650	SOUTH BROTHER ISLAND LEDGE LIGHT 3 On ledge.	40-47-32.164N 073-53-54.850W	FI G 4s	17	5	SG on skeleton tower.	
27651	LA GUARDIA AIRPORT SECURITY ZONE LIGHT A	40-46-30.680N 073-53-22.940W	FI W 4s	18		On pile.	Marked RESTRICTED AREA. Private aid.
27652	LA GUARDIA AIRPORT SECURITY ZONE LIGHT B	40-46-41.960N 073-53-15.920W	FI W 4s	18		On pile.	Marked RESTRICTED AREA. Private aid.
27653	LA GUARDIA AIRPORT SECURITY ZONE LIGHT C	40-46-52.740N 073-53-09.320W	FI W 4s	14		On pile.	Marked RESTRICTED AREA. Private aid.
27653.1	LA GUARDIA AIRPORT SECURITY ZONE LIGHT D	40-46-54.800N 073-52-54.300W	FI W 4s	14		On pile.	Marked RESTRICTED AREA. Private aid.
27653.2	LA GUARDIA AIRPORT SECURITY ZONE LIGHT E	40-47-12.890N 073-52-16.970W	FI W 4s	14		On pile	Marked RESTRICTED AREA. Private aid.
27653.3	LA GUARDIA AIRPORT SECURITY ZONE LIGHT F	40-47-15.830N 073-52-11.160W	FI W 4s	14		On pile	Marked RESTRICTED AREA. Private aid.
27653.4	LA GUARDIA AIRPORT SECURITY ZONE LIGHT G	40-47-01.920N 073-52-02.480W	FI W 4s	14		On pile	Marked RESTRICTED AREA. Private aid.
27653.5	LA GUARDIA AIRPORT SECURITY ZONE LIGHT H	40-46-56.000N 073-52-05.300W	FI W 4s	14		On pile	Marked RESTRICTED AREA. Private aid.
27653.6	LA GUARDIA AIRPORT SECURITY ZONE LIGHT I	40-46-50.460N 073-52-08.050W	FI W 4s	14		On pile	Marked RESTRICTED AREA. Private aid.
27653.7	LA GUARDIA AIRPORT SECURITY ZONE LIGHT J	40-46-44.100N 073-51-54.910W	FI W 4s	14		On pile	Marked RESTRICTED AREA. Private aid.
27653.8	<i>La Guardia Airport Security Zone Light K</i>	40-46-37.800N 073-51-41.680W	FI W 4s	14		On pile	Marked RESTRICTED AREA. Private aid.
27653.9	LA GUARDIA AIRPORT SECURITY ZONE LIGHT L	40-46-31.530N 073-51-28.420W	FI W 4s	14		On pile	Marked RESTRICTED AREA. Private aid.
27654	LA GUARDIA AIRPORT SECURITY ZONE LIGHT M	40-45-58.770N 073-51-13.200W	FI W 4s	14		On pile	Marked RESTRICTED AREA. Private aid.
27654.1	LA GUARDIA AIRPORT SECURITY ZONE LIGHT N	40-46-01.470N 073-51-21.010W	FI W 4s	14		On pile	Marked RESTRICTED AREA. Private aid.
27654.2	LA GUARDIA AIRPORT SECURITY ZONE LIGHT O	40-45-52.790N 073-51-31.700W	FI W 4s	14		On pile	Marked RESTRICTED AREA. Private aid.
27654.3	LA GUARDIA AIRPORT SECURITY ZONE LIGHT P	40-45-49.690N 073-51-35.740W	FI W 4s	14		On pile	Marked RESTRICTED AREA. Private aid.
<b>BLOCK ISLAND SOUND AND GARDINERS BAY (Chart 13209)</b>							
<b>North Entrance</b>							
27655	Gardiners Island Shoal Buoy 1	41-07-18.079N 072-06-39.163W				Green can.	
27660	Constellation Rock Buoy 2 Marks 17-foot rock.	41-10-28.361N 072-06-35.714W				Red nun.	
27662	Old Silas Rock Buoy 1	41-11-25.000N 072-08-43.021W				Green can.	
27665	<i>Gardiners Island Lighted Gong Buoy 1GI</i>	41-08-59.586N 072-08-56.257W	FI G 4s		4	Green.	
27670	Plum Island Rock Buoy 4 On south side of rock.	41-10-24.390N 072-10-38.941W				Red nun.	



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>BLOCK ISLAND SOUND AND GARDINERS BAY (Chart 13209)</b>							
<b>North Entrance</b>							
27671	<i>Plum Island Aquaculture Lighted Buoy A</i>	41-10-25.000N 072-11-09.000W	FI W 6s			White and orange.	Private aid.
27671.1	<i>Plum Island Aquaculture Lighted Buoy B</i>	41-10-15.000N 072-11-09.000W	FI W 6s			White and orange.	Private aid.
27671.2	<i>Plum Island Aquaculture Lighted Buoy C</i>	41-10-15.000N 072-10-57.000W	FI W 6s			White and orange.	Private aid.
27671.3	<i>Plum Island Aquaculture Lighted Buoy D</i>	41-10-25.000N 072-10-57.000W	FI W 6s			White and orange.	Private aid.
<b>Plum Gut</b>							
27675	<i>Midway Shoal Lighted Buoy MS</i> On east side of shoal.	41-09-44.819N 072-12-38.928W	FI (2+1)G 6s		3	Green and red bands.	
27680 21095	<b>Orient Point Light</b>	41-09-48.393N 072-13-25.014W	FI W 5s	64	17	Black conical tower with white band in center. 64	Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si).
27685	PLUM ISLAND HARBOR EAST DOLPHIN LIGHT	41-10-16.704N 072-12-21.684W	F R			On dolphin.	Maintained from sundown to 0130 daily. Maintained by the U.S. Dept. of Agriculture. Private aid.
27690	PLUM ISLAND HARBOR WEST DOLPHIN LIGHT	41-10-17.262N 072-12-23.796W	F G			On dolphin.	Sounded occasionally when USDA vessels are navigating in the area. Maintained from sundown to 0130 daily. Maintained by the U.S. Dept. Agriculture. HORN: 1 blast ev 10s (5s bl). Private aid.
27695 21090	- LIGHT	41-10-25.745N 072-12-42.137W	FI W 2.5s	21	5	On skeleton tower.	
27700 21085	- <i>Lighted Bell Buoy 2PG</i>	41-10-33.533N 072-13-05.884W	FI R 4s		4	Red.	
<b>North Entrance</b>							
27705	CAR FERRY LIGHT	41-09-12.200N 072-14-20.800W	F W		18	On dolphin.	Private aid.
<b>Research Basin</b>							
<i>Aids are maintained by the U.S. Dept. of Agriculture.</i>							
27715	- Bay Daybeacon 1	41-09-02.460N 072-14-27.120W				SG on pile.	Private aid.
27720	- Bay Daybeacon 3	41-09-07.500N 072-14-29.880W				SG on pile.	Private aid.
27725	- LIGHT	41-09-12.240N 072-14-31.080W	F R		10	On pile.	Maintained from sundown to 0130 daily. HORN: 1 blast ev 30s (1s bl). Private aid.
<b>Gardiners Bay South Entrance</b>							
27730	- <i>Lighted Bell Buoy S</i>	41-02-11.404N 072-03-05.307W	Mo (A) W		4	Red and white stripes with red spherical topmark.	Replaced by red and white striped sphere when endangered by ice.
27735	- Buoy 2	41-01-30.104N 072-03-47.398W				Red nun.	
27745	- Buoy 4	41-00-54.514N 072-04-49.910W				Red nun.	
27747	<i>Out East Oysters Lighted Aquaculture Buoy A</i>	41-00-07.000N 072-05-24.000W	F Y			Yellow.	Maintained Apr 01 to Nov 01. Private aid.
27747.1	<i>Out East Oysters Lighted Aquaculture Buoy B</i>	41-00-10.000N 072-05-28.000W	F Y			Yellow.	Maintained Apr 01 to Nov 01. Private aid.
27747.2	<i>Out East Oysters Lighted Aquaculture Buoy C</i>	41-00-10.000N 072-05-20.000W	F Y			Yellow.	Maintained Apr 01 to Nov 01. Private aid.
27747.3	<i>Out East Oysters Lighted Aquaculture Buoy D</i>	41-00-04.000N 072-05-20.000W	F Y			Yellow.	Maintained Apr 01 to Nov 01. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>BLOCK ISLAND SOUND AND GARDINERS BAY (Chart 13209)</b>							
<b>Gardiners Bay South Entrance</b>							
27748	<i>Promised Land Shellfish Lighted Buoy NW</i>	40-59-58.361N 072-06-04.990W	F Y			Yellow.	Private aid.
27748.1	<i>Promised Land Shellfish Lighted Buoy NE</i>	40-59-58.221N 072-05-56.385W	F Y			Yellow.	Private aid.
27748.2	<i>Promised Land Shellfish Lighted Buoy SE</i>	40-59-51.702N 072-05-56.568W	F Y			Yellow.	Private aid.
27748.3	<i>Promised Land Shellfish Lighted Buoy SW</i>	40-59-51.842N 072-06-05.177W	F Y			Yellow.	Private aid.
27749	<i>Empire State Shellfish Aquaculture Lighted Buoy NW</i>	41-00-07.581N 072-06-04.726W	F Y			Yellow.	Private aid.
27749.1	<i>Empire State Shellfish Aquaculture Lighted Buoy NE</i>	41-00-07.440N 072-05-56.119W	F Y			Yellow.	Private aid.
27749.2	<i>Empire State Shellfish Aquaculture Lighted Buoy SE</i>	41-00-00.921N 072-05-56.305W	F Y			Yellow.	Private aid.
27749.3	<i>Empire State Shellfish Aquaculture Lighted Buoy SW</i>	41-00-01.062N 072-06-04.914W	F Y			Yellow.	Private aid.
27750	- Buoy 6	41-00-52.908N 072-06-40.114W				Red nun.	
27755	- Buoy 8	41-01-18.962N 072-07-10.375W				Red nun.	
27756	Acabonack Harbor Entrance Buoy 1	41-01-28.560N 072-07-59.460W				Green can.	Private aid.
27756.5	Acabonack Harbor Entrance Buoy 2	41-01-29.100N 072-07-59.640W				Red nun.	Private aid.
27757	Acabonack Harbor Entrance Buoy 3	41-01-26.700N 072-08-10.300W				Green can.	Private aid.
27757.5	Acabonack Harbor Entrance Buoy 4	41-01-27.660N 072-08-11.340W				Red nun.	Private aid.
27760	- Buoy 11	41-02-44.961N 072-07-57.276W				Green can.	
27765	Lionhead Rock Buoy 13	41-03-24.059N 072-09-54.110W				Green can.	
27770	Crow Shoal Buoy 14 Southwest of shoal.	41-04-34.157N 072-10-36.311W				Red nun.	
27771	HOG CREEK CHANNEL EAST LIGHT 1	41-03-01.800N 072-10-04.800W	FI G 2.5s			SG on pile.	Private aid.
27772	HOG CREEK CHANNEL EAST LIGHT 2	41-03-01.200N 072-10-05.400W	FI R 2.5s			TR on pile.	Private aid.
<b>Threemile Harbor</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
27775	- Entrance Lighted Bell Buoy TM	41-02-39.338N 072-11-18.673W	Mo (A) W		4	Red and white stripes with red spherical topmark.	Replaced by red and white striped sphere when endangered by ice.
27780	- Entrance Buoy 1	41-02-16.195N 072-11-20.859W				Green can.	
27785	- Entrance Buoy 2	41-02-15.117N 072-11-24.777W				Red nun.	
27790	- EAST BREAKWATER LIGHT	41-02-05.580N 072-11-15.780W	Q G	27		On post on dolphin.	Private aid.
27795	- WEST BREAKWATER LIGHT	41-02-06.060N 072-11-19.560W	Q R	10		On dolphin.	Private aid.
27797	- Buoy 3	41-01-57.540N 072-11-10.980W				Green can.	Private aid.
27800	- Lighted Buoy 4	41-01-56.460N 072-11-11.220W	FI R 2s			Red.	Private aid.
27805	- Buoy 5	41-01-53.700N 072-11-04.200W				Green can.	Private aid.
27810	- Lighted Buoy 6	41-01-50.000N 072-11-02.000W	FI R 2s			Red.	Private aid.
27815	- Buoy 7	41-01-48.420N 072-10-51.720W				Green can.	Private aid.
27820	- Lighted Buoy 8	41-01-46.200N 072-10-57.960W	FI R 2s			Red.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>BLOCK ISLAND SOUND AND GARDINERS BAY (Chart 13209)</b>							
<b>Threemile Harbor</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
27825	- Buoy 9	41-01-43.920N 072-10-54.000W				Green can.	Private aid.
27830	- Lighted Buoy 10	41-01-42.360N 072-10-55.740W	FI R 2s			Red.	Private aid.
27832	- Buoy 11	41-01-36.240N 072-10-52.680W				Green can.	Private aid.
27835	- Lighted Buoy 12	41-01-37.140N 072-10-55.020W	FI R 2s			Red.	Private aid.
27840	- Buoy 13	41-01-30.600N 072-10-54.240W				Green can.	Private aid.
27845	- Lighted Buoy 14	41-01-31.500N 072-10-55.620W	FI R 2s			Red.	Private aid.
27850	- Buoy 15	41-01-24.240N 072-10-54.600W				Green can.	Private aid.
27855	- Lighted Buoy 16	41-01-24.540N 072-10-56.220W	FI R 2s			Red.	Private aid.
27860	- Buoy 17	41-01-19.860N 072-10-55.550W				Green can.	Private aid.
27865	- Lighted Buoy 18	41-01-17.280N 072-10-57.780W	FI R 2s			Red.	Private aid.
27870	- Lighted Buoy 19	41-01-16.140N 072-10-55.320W	FI G 2s			Green can.	Private aid.
27875	- Lighted Buoy 20	41-01-08.580N 072-10-57.000W	FI R 2s			Red.	Private aid.
27880	- Buoy 21	41-01-09.480N 072-10-55.440W				Green can.	Private aid.
27885	- Lighted Buoy 22	41-01-00.720N 072-10-57.360W	FI R 2s			Red.	Private aid.
27890	- Buoy 23	41-01-03.000N 072-10-55.380W				Green can.	Private aid.
27895	- Lighted Buoy 24	41-00-56.760N 072-11-00.120W	FI R 2s			Red.	Private aid.
27900	- Buoy 25	41-00-56.640N 072-10-57.300W				Green can.	Private aid.
27905	- Lighted Buoy 26	41-00-49.400N 072-11-01.700W	FI R 2s			Red.	Private aid.
27910	- Buoy 27	41-00-50.900N 072-10-58.900W				Green can.	Private aid.
27915	- Lighted Buoy 28	41-00-43.100N 072-11-09.600W	FI R 2s			Red.	Private aid.
27920	- Buoy 29	41-00-38.100N 072-11-09.600W				Green can.	Private aid.
27925	- Lighted Buoy 30	41-00-35.800N 072-11-11.300W	FI R 2s			Red.	Private aid.
27927	- Buoy 31	41-00-30.200N 072-11-09.000W				Green can.	Private aid.
27929	- LIGHT 32	41-00-29.580N 072-11-10.200W	FI R 2s			Red.	Private aid.
27930	- Buoy 33	41-00-19.080N 072-11-05.160W				Green can.	Private aid.
27935	- Lighted Buoy 34	41-00-18.060N 072-11-05.880W	FI R 2s			Red.	Private aid.
27940	- Buoy 35	41-00-12.120N 072-11-02.340W				Green can.	Private aid.
27945	- Lighted Buoy 36	41-00-11.040N 072-11-04.260W	FI R 2s			Red.	Private aid.
27950	- Buoy 37	41-00-07.380N 072-11-00.900W	FI G 2s			Green can.	Private aid.
27955	- Lighted Buoy 38	41-00-05.400N 072-10-58.020W	FI R 2s			Red.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHELTER ISLAND SOUND AND PECONIC BAYS (Chart 12358)</b>							
<b>Shelter Island Sound North Channel</b>							
27960	- Lighted Whistle Buoy N	41-05-58.745N 072-15-41.450W	Mo (A) W		5	Red and white stripes with red spherical topmark.	Replaced by sphere when endangered by ice.
27965	- Lighted Bell Buoy 2	41-06-10.941N 072-18-03.547W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
27970	- Buoy 3	41-06-04.636N 072-18-23.245W				Green can.	
27975	LONG BEACH BAR LIGHT	41-06-35.100N 072-18-21.400W	FI W 4s	58	8	White tower and dwelling on piles.	
28035	- Buoy 6	41-06-51.806N 072-19-00.626W				Red nun.	
28040	- Lighted Buoy 7	41-06-33.976N 072-19-19.716W	FI G 4s		4	Green.	
28045	- Buoy 8	41-06-52.885N 072-20-01.838W				Red nun.	
28046	ROGERS POUND NET LIGHT A	41-07-17.930N 072-19-47.000W	FI Y 4s				Maintained Mar 15 to Dec 23. Private aid.
28046.1	ROGERS POUND NET LIGHT B	41-07-15.690N 072-19-43.630W	FI Y 4s				Maintained Mar 15 to Dec 23. Private aid.
28046.2	ROGERS POUND NET LIGHT C	41-07-22.060N 072-19-41.490W	FI Y 4s				Maintained Mar 15 to Dec 23. Private aid.
28046.3	ROGERS POUND NET LIGHT D	41-07-19.380N 072-19-38.230W	FI Y 4s				Maintained Mar 15 to Dec 23. Private aid.
28046.4	ROGERS POUND NET LIGHT E	41-06-48.580N 072-18-18.890W	FI Y 4s				Maintained Mar 15 to Dec 23. Private aid.
28046.5	ROGERS POUND NET LIGHT F	41-08-21.560N 072-18-42.720W	FI Y 4s				Maintained Mar 15 to Dec 23. Private aid.
28047	GULL POND LIGHT	41-06-41.860N 072-20-53.730W	FI R 4s	6		Single pile.	Private aid.
28050	GREENPORT HARBOR LIGHT 8A	41-06-12.996N 072-20-51.539W	FI R 4s	19	4	TR on skeleton tower.	
28052	- Lighted Buoy 10	41-05-26.308N 072-21-40.100W	FI R 2.5s		3	Red.	Replaced by nun from 15 Nov. to 1 May.
<b>Stirling Basin</b>							
28055	- Buoy 1	41-06-12.360N 072-21-13.440W				Green can.	Maintained from May 1 to Oct. 31. Private aid.
28060	- Buoy 2	41-06-13.380N 072-21-05.760W				Red nun.	Maintained from May 1 to Oct. 31. Private aid.
28061	- Buoy 4	41-06-18.600N 072-21-11.400W				Red nun.	Maintained from May 1 to Oct. 31. Private aid.
28062	- Buoy 6	41-06-22.620N 072-21-13.440W				Red nun.	Maintained from May 1 to Oct. 31. Private aid.
28063	- Buoy 7	41-06-22.320N 072-21-18.660W				Green can.	Maintained from May 1 to Oct. 31. Private aid.
28064	- Buoy 9	41-06-24.000N 072-21-20.100W				Green can.	Private aid.
<b>Dering Harbor</b>							
28075	- Buoy 1	41-05-23.340N 072-21-01.620W				Green can.	Private aid.
28080	- Buoy 2	41-05-23.280N 072-21-05.400W				Red nun.	Private aid.
28085	- Buoy 3	41-05-17.220N 072-21-03.000W				Green can.	Private aid.
28090	- Buoy 4	41-05-17.880N 072-21-05.520W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHELTER ISLAND SOUND AND PECONIC BAYS (Chart 12358)</b>							
<b>Dering Harbor</b>							
28093	- Buoy 5	41-05-09.600N 072-21-04.100W				Green can.	Private aid.
28095	- Buoy 6	41-05-09.540N 072-21-05.880W				Red nun.	Private aid.
28100	- Buoy 7	41-05-06.540N 072-21-05.100W				Green can.	Private aid.
28103	- Buoy 8	41-05-06.400N 072-21-06.100W				Red nun.	Private aid.
<b>SHELTER ISLAND SOUND AND PECONIC BAYS (Chart 12358)</b>							
<i>Aids maintained from May 1 to Oct. 31.</i>							
28105	Mill Creek Lighted Buoy 1	41-04-26.200N 072-23-53.800W	FI G 2s			Green.	Private aid.
28110	Mill Creek Buoy 2	41-04-26.700N 072-23-52.100W				Red.	Private aid.
28115	Mill Creek Buoy 3	41-04-29.500N 072-23-56.500W				Green can.	Private aid.
28120	Mill Creek Buoy 4	41-04-28.500N 072-23-53.800W				Red nun.	Private aid.
28125	Mill Creek Buoy 5	41-04-33.000N 072-23-59.300W				Green spar.	Private aid.
28130	Mill Creek Buoy 6	41-04-34.900N 072-23-59.700W				Red spar.	Private aid.
<b>Shelter Island Sound North Channel</b>							
28135	- Lighted Buoy 11 Off Jennings Point Shoal.	41-04-19.699N 072-23-08.313W	FI G 4s		3	Green.	Replaced by can f from Nov. 15 to May 1.
<b>Town Creek</b>							
28140	- Buoy 1	41-03-29.640N 072-24-47.160W				Green can.	Private aid.
28145	- Lighted Buoy 2	41-03-31.000N 072-24-41.000W	FI R 4s			Red.	Private aid.
28155	- Buoy 4	41-03-32.400N 072-24-49.200W				Red nun.	Private aid.
28178	Southold Bay CG Mooring Buoy	41-03-19.940N 072-23-27.851W				White with blue stripes.	
28179	REYDON SHORES MARINA LIGHT	41-02-55.700N 072-23-46.970W	FI Y 2.5s				Private aid.
<b>Shelter Island Sound North Channel</b>							
28179.5	ROGERS POUND NET LIGHT G	41-03-03.750N 072-23-39.890W	FI Y 4s				Maintained Mar 15 to Dec 23. Private aid.
28180	- Lighted Buoy 12	41-02-57.736N 072-22-40.091W	FI R 4s		3	Red.	Replaced by nun f from Nov. 15 to May 1.
28185	- Buoy 14 Off southeastern point of Paradise Point Shoal.	41-02-24.859N 072-22-27.401W				Red nun.	
28190	- Buoy 15 West of Black Dog Rock.	41-02-26.359N 072-21-58.300W				Green can.	
<b>Coecles Harbor</b>							
<i>Aids maintained from Apr. 1 to Nov. 30 unless otherwise noted.</i>							
28195	- ENTRANCE LIGHT	41-04-12.000N 072-16-48.000W	FI R 4s		12	Red skeleton tower.	Maintained from Apr. 15 to Oct. 15. Private aid.
28200	- Lighted Buoy 1	41-04-05.100N 072-16-28.000W	FI G 4s			Green.	Private aid.
28205	- Buoy 3	41-04-06.800N 072-16-39.100W				Green can.	Private aid.
28210	- Lighted Buoy 5	41-04-09.000N 072-16-55.000W	Q G			Green.	Private aid.
28215	- Buoy 7	41-04-14.000N 072-17-38.000W				Green can.	Private aid.
28220	- Buoy 10	41-04-19.000N 072-18-21.000W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHELTER ISLAND SOUND AND PECONIC BAYS (Chart 12358)</b>							
<b>Coecles Harbor</b>							
<i>Aids maintained from Apr. 1 to Nov. 30 unless otherwise noted.</i>							
28222	- Buoy 11	41-04-17.000N 072-18-30.000W				Green can.	Private aid.
28225	- Buoy 12	41-04-38.000N 072-18-53.000W				Red nun.	Private aid.
28226	- Marina Buoy 1	41-04-38.000N 072-19-01.000W				Green can.	Private aid.
28227	- Marina Buoy 3	41-04-40.000N 072-19-06.000W				Green can.	Private aid.
28228	- Marina Buoy 5	41-04-41.000N 072-19-10.000W				Green can.	Private aid.
<b>Shelter Island Sound South Channel</b>							
28235	- Buoy 1	41-03-08.878N 072-14-01.288W				Green can.	
28240	- Buoy 3 On northwest point of shoal.	41-02-49.386N 072-15-11.281W				Green can.	
28242	Nicoll Point Buoy 4	41-03-02.051N 072-15-58.111W				Red nun.	
28245	CEDAR ISLAND LIGHT 3CI	41-02-25.166N 072-15-42.971W	FI G 4s	57	5	SG on skeleton tower.	
28250	- Buoy 6	41-02-19.636N 072-16-11.812W				Red nun.	
28255	BARCELONA POINT LIGHT 7	41-01-00.750N 072-16-01.280W	FI G 4s	28	4	SG on skeleton tower.	
28295	- Buoy 8	41-01-03.357N 072-16-15.293W				Red nun.	
28300	- Buoy 9	41-00-50.077N 072-16-33.573W				Green can.	
28303	- Buoy 9A	41-00-48.809N 072-17-06.229W				Green can.	
28305	Sand Spit Rock Buoy S	41-01-15.245N 072-16-46.596W				White can with orange bands and diamond worded DANGER ROCKS.	
28310	SAND SPIT LIGHT 10A	41-00-55.456N 072-16-57.006W	FI R 4s	10	4	TR on monopole.	
28315	- Lighted Buoy 11	41-00-51.088N 072-17-21.174W	FI G 4s		3	Green.	Replaced by can from Nov. 15 to May 1.
28320	- Junction Buoy SH	41-00-53.668N 072-17-28.374W				Green and red bands; can.	
<b>Sag Harbor</b>							
<i>Private aids maintained from May 15 to Nov. 15.</i>							
28323	- Approach Channel Buoy 1	41-00-42.000N 072-17-32.000W				Green can.	
28325	- BREAKWATER LIGHT 3SH	41-00-32.107N 072-17-40.164W	FI G 2.5s	12	4	SG on monopole.	
28331	- Channel Buoy 2	41-00-34.680N 072-17-43.200W				Red nun.	Private aid.
28332	- Channel Buoy 3	41-00-18.000N 072-17-42.000W				Green can.	Private aid.
28333	- Channel Buoy 4	41-00-22.920N 072-17-51.300W				Red nun.	Private aid.
28334	- Junction Buoy	41-00-21.120N 072-17-48.060W				Green and red can.	Private aid.
28335	- Channel Buoy 5	41-00-12.480N 072-17-33.000W				Green can.	Private aid.
28336	- Channel Buoy 6	41-00-16.980N 072-17-53.160W				Red nun.	Private aid.
<b>Sag Harbor Cove</b>							
<i>Aids maintained from May 15 to Nov. 15.</i>							
28350	- Buoy 4	41-00-09.840N 072-18-02.580W				Red nun.	Private aid.
28355	- Lighted Buoy 6	41-00-09.420N 072-18-07.740W	FI R 5s			Red.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHELTER ISLAND SOUND AND PECONIC BAYS (Chart 12358)</b>							
<b>Sag Harbor Cove</b>							
<i>Aids maintained from May 15 to Nov. 15.</i>							
28360	- Buoy 6A	41-00-07.620N 072-18-18.720W				Red nun.	Private aid.
28365	- Buoy 7	41-00-07.380N 072-18-11.040W				Green can.	Private aid.
28370	- Buoy 7A	41-00-06.180N 072-18-16.920W				Green can.	Private aid.
28375	- Lighted Buoy 8	41-00-05.820N 072-18-33.180W	FI R 5s			Red.	Private aid.
28380	- Buoy 9	41-00-02.460N 072-18-34.140W				Green can.	Private aid.
28385	- Buoy 11	40-59-59.220N 072-18-39.780W				Green can.	Private aid.
28390	- Lighted Buoy 12	41-00-00.900N 072-18-43.200W	FI R 5s			Red.	Private aid.
<b>Shelter Island Sound South Channel</b>							
28395	- Buoy 12 On west side of shoal.	41-01-10.388N 072-17-32.504W				Red nun.	
28400	- Buoy 14	41-02-00.917N 072-18-00.675W				Red nun.	
28405	- Lighted Buoy 15	41-02-34.857N 072-18-41.296W	FI G 4s		3	Green.	Replaced by can f from Nov. 15 to May 1.
28407	CLARK AQUACULTURE POND TRAP LIGHT A	41-03-06.950N 072-18-45.020W	FI Y 4s			Yellow.	Seasonal 4/15 to 11/15. Private aid.
28410	- Danger Buoy	41-02-34.000N 072-19-32.000W				White with orange bands; can worded DANGER.	Maintained from June 1 to Nov. 1. Private aid.
28412	SHELL BEACH POINT LIGHT	41-02-49.400N 072-20-20.000W	FI G 4s	6		Medal tower.	Private aid.
28415	<i>West Neck Harbor Entrance</i> Lighted Buoy 2	41-02-50.000N 072-20-18.000W	FI R 4s			Red.	Private aid.
28425	West Neck Harbor Buoy 4	41-02-47.000N 072-20-34.000W				Red nun.	Maintained from May 15 to Oct. 15. Private aid.
<b>Menantic Creek</b>							
28430	- Buoy 1	41-02-54.720N 072-20-44.400W				Green can.	Private aid.
28435	- Buoy 2	41-02-54.300N 072-20-40.920W				Red nun.	Private aid.
28440	- Buoy 3	41-03-06.660N 072-20-40.860W				Green can.	Private aid.
28445	- Buoy 4	41-03-06.240N 072-20-39.720W				Red nun.	Private aid.
<b>Shelter Island Sound South Channel</b>							
28450	- Lighted Buoy 16 On south point of West Neck Point Shoal.	41-01-43.649N 072-21-16.499W	FI R 4s		3	Red.	Replaced by nun f from Nov. 15 to May 1.
28451	BENNETT AQUACULTURE LIGHT E	41-01-48.680N 072-20-05.750W	FI Y 2s			On pile.	Maintained from 01 Apr to 15 Dec. Private aid.
28451.1	BENNETT AQUACULTURE LIGHT F	41-01-34.400N 072-19-55.700W	FI Y 2s			On pile.	Maintained from 01 Apr to 15 Dec. Private aid.
<b>Mill Creek</b>							
<i>Aids maintained from May 15 to Nov. 15.</i>							
28455	- Buoy 1	41-00-03.102N 072-20-57.001W				Green can.	Private aid.
28460	- Buoy 1A	40-59-53.520N 072-20-58.380W				Green can.	Private aid.
28465	- Buoy 2A	41-00-04.440N 072-20-59.580W				Red nun.	Private aid.
28470	- Lighted Buoy 2	41-00-04.440N 072-21-00.660W	FI R 5s			Red.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHELTER ISLAND SOUND AND PECONIC BAYS (Chart 12358)</b>							
<b>Shelter Island Sound South Channel</b>							
<b>Mill Creek</b>							
<i>Aids maintained from May 15 to Nov. 15.</i>							
28475	- Buoy 3	40-59-44.520N 072-20-58.260W				Green can.	Private aid.
28480	- Lighted Buoy 4	40-59-44.820N 072-20-59.460W	FI R 5s			Red.	Private aid.
28485	- Buoy 5	40-59-46.320N 072-20-51.960W				Green can.	Private aid.
28490	- Buoy 6	40-59-44.640N 072-20-51.300W				Red nun.	Private aid.
<b>Shelter Island Sound South Channel</b>							
28495	Noyack Creek Buoy 1	40-59-54.600N 072-21-49.800W				Green can.	Maintained from May . 15 to Nov . 15. Private aid.
28500	Noyack Creek Lighted Buoy 2	40-59-47.760N 072-21-59.520W	FI R 5s			Red.	Maintained from May . 15 to Nov . 15. Private aid.
28501	SEMLEAR AQUACULTURE EAST BUNKER LIGHT	41-00-32.820N 072-21-50.370W	FI Y 2s			On pile.	Maintained from 01 Apr to 30 Sep. Private aid.
28501.1	SEMLEAR AQUACULTURE WEST BUNKER LIGHT	41-00-32.820N 072-21-58.200W	FI Y 2s			On pile.	Maintained from 01 Apr to 30 Sep. Private aid.
28501.2	SEMLEAR AQUACULTURE JESSUPS LIGHT	41-00-41.880N 072-22-35.040W	FI Y 2s			On pile.	Maintained from 01 Apr to 30 Sep. Private aid.
28501.3	SEMLEAR AQUACULTURE SOUTH LIGHT	41-00-14.520N 072-22-24.120W	FI Y 2s			On pile.	Maintained from 01 Apr to 30 Sep. Private aid.
28502	CLARK AQUACULTURE POUND TRAP LIGHT A	41-02-20.000N 072-17-17.000W	FI Y 4s			On pile.	Maintained from 01 Apr to 30 Nov . Private aid.
28502.1	CLARK AQUACULTURE POUND TRAP LIGHT B	41-01-06.000N 072-22-42.000W	FI Y 4s			On pile.	Maintained from 01 Apr to 30 Nov . Private aid.
28502.2	CLARK AQUACULTURE POUND TRAP LIGHT C	41-03-17.000N 072-16-20.000W	FI Y 4s			On pile.	Maintained from 01 Apr to 30 Nov . Private aid.
28502.3	CLARK AQUACULTURE POUND TRAP LIGHT D	41-02-36.000N 072-16-39.000W	FI Y 4s			On pile.	Maintained from 01 Apr to 30 Nov . Private aid.
28503	SHELLINGER FISH TRAP LIGHT FN4	41-00-27.010N 072-19-12.690W	FI Y 2s			On pile.	Maintained from 15 Apr to 15 Dec. Private aid.
28503.1	SHELLINGER FISH TRAP LIGHT FN38	41-00-56.960N 072-22-12.170W	FI Y 2s			On pile.	Maintained from 15 Apr to 15 Dec. Private aid.
28503.2	SHELLINGER FISH TRAP LIGHT FN63	41-00-14.070N 072-21-54.400W	FI Y 2s			On pile.	Maintained from 15 Apr to 15 Dec. Private aid.
28503.3	SHELLINGER FISH TRAP LIGHT FN32	41-00-46.810N 072-19-24.060W	FI Y 2s			On pile.	Maintained from 15 Apr to 15 Dec. Private aid.
<b>Little Peconic Bay</b>							
28503.5	BATKY FISH TRAP LIGHT A	41-00-51.270N 072-15-29.360W	FI Y 2s				Maintained Mar 15 to Nov 15. Private aid.
28503.6	BATKY FISH TRAP LIGHT B	41-00-37.500N 072-16-04.000W	FI Y 2s				Maintained Mar15 to Nov 15. Private aid.
28503.7	BATKY FISH TRAP LIGHT C	41-00-58.870N 072-15-45.600W	FI Y 2s				Maintained Mar 15 to Nov 15. Private aid.
28503.8	BATKY FISH TRAP LIGHT D	41-02-37.030N 072-17-56.330W	FI Y 2s				Maintained Mar 15 to Nov 15. Private aid.



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHELTER ISLAND SOUND AND PECONIC BAYS (Chart 12358)</b>							
<b>Little Peconic Bay</b>							
28504	CLARK AQUACULTURE POND TRAP LIGHT B	41-00-58.370N 072-22-42.730W	FI Y 2s				Maintained Apr 01 to Nov 15. Private aid.
28505	- Lighted Buoy 17	41-01-29.340N 072-22-54.451W	FI G 4s		3	Green.	Replaced by can f from Nov. 15 to May 1.
28510	- Lighted Buoy 18	41-00-41.850N 072-23-53.662W	FI R 4s		3	Red.	Replaced by nun f from Nov. 15 to May 1.
<b>Corey Creek Entrance</b>							
<i>Aids maintained from May 1 to Oct. 31.</i>							
28515	- Buoy 2	41-01-43.560N 072-25-33.480W				Red nun.	Private aid.
28520	- Buoy 1	41-01-43.320N 072-25-39.240W				Green can.	Private aid.
28523	- Buoy 3	41-01-55.800N 072-25-33.180W				Green can.	Private aid.
28525	- Buoy 4	41-01-50.940N 072-25-27.960W				Red nun.	Private aid.
28530	- Buoy 6	41-01-56.040N 072-25-26.220W				Red nun.	Private aid.
<b>Richmond Creek</b>							
<i>Aids maintained from May 1 to Oct. 31.</i>							
28535	- Buoy 1	41-01-55.400N 072-26-08.700W				Green spar.	Private aid.
28540	- Buoy 2	41-01-55.500N 072-26-07.600W				Red spar.	Private aid.
28545	- Buoy 3	41-01-59.600N 072-26-11.500W				Green spar.	Private aid.
28550	- Buoy 4	41-02-00.100N 072-26-10.700W				Red spar.	Private aid.
<b>Little Peconic Bay</b>							
28555	BENNETT AQUACULTURE LIGHT A	40-59-16.410N 072-22-43.750W	FI Y 2s			On pile.	Maintained f from 01 Apr to 15 Dec. Private aid.
28555.1	BENNETT AQUACULTURE LIGHT B	40-59-12.310N 072-22-33.310W	FI Y 2s			On pile.	Maintained f from 01 Apr to 15 Dec. Private aid.
28555.2	BENNETT AQUACULTURE LIGHT C	40-59-11.550N 072-22-47.290W	FI Y 2s			On pile.	Maintained f from 01 Apr to 15 Dec. Private aid.
28555.3	BENNETT AQUACULTURE LIGHT D	40-59-07.800N 072-22-36.660W	FI Y 2s			On pile.	Maintained f from 01 Apr to 15 Dec. Private aid.
28557	<i>Gaiergy Aquaculture Platform Light A</i>	41-01-45.329N 072-21-47.732W	FI Y 4s			On pole.	Private aid.
28560	<i>Fresh Pond Approach Lighted Buoy 1</i>	40-58-03.400N 072-23-39.000W	FI G 5s			Green.	Maintained f from May 15 to Nov. 15. Private aid.
28565	Fresh Pond Approach Buoy 2	40-58-02.300N 072-23-39.600W				Red nun.	Maintained f from May 15 to Nov. 15. Private aid.
28570	- Lighted Buoy 20 Off south end of shoal.	40-58-33.951N 072-25-46.346W	FI R 4s		3	Red.	Replaced by nun f from Nov. 1 to Apr. 15.
28576	MASTAGLIO POUND TRAP LIGHT A	40-59-36.900N 072-26-49.300W	FI Y 2s			On pole.	Maintained f from 01 Feb to 31 Dec. Private aid.
28577	MASTAGLIO POUND TRAP LIGHT B	40-59-32.900N 072-25-57.200W	FI Y 2s			On pole.	Maintained f from 01 Feb to 31 Dec. Private aid.
28578	MASTAGLIO POUND TRAP LIGHT C	40-59-31.400N 072-26-04.000W	FI Y 2s			On pole.	Maintained f from 01 Feb to 31 Dec. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHELTER ISLAND SOUND AND PECONIC BAYS (Chart 12358)</b>							
<b>Little Peconic Bay</b>							
<b>Wooley Pond</b>							
<i>Aids maintained from Apr. 15 to Nov. 15.</i>							
28590	- Entrance Lighted Buoy 1	40-57-32.600N 072-24-10.000W	FI G 5s			Green.	Private aid.
28595	- Buoy 2	40-57-31.800N 072-24-10.600W				Red nun.	Private aid.
28600	- Buoy 4	40-57-17.880N 072-23-58.980W				Red nun.	Private aid.
28605	- Buoy 5	40-57-14.940N 072-23-45.540W				Green can.	Private aid.
<b>North Sea Harbor</b>							
<i>Aids maintained from Apr. 15 to Nov. 15.</i>							
28610	- Lighted Buoy 2	40-57-02.640N 072-24-59.160W	FI R 5s			Red.	Private aid.
28615	- Buoy 1	40-57-07.020N 072-24-56.640W				Green can.	Private aid.
28620	- Buoy 3	40-56-54.780N 072-24-56.460W				Green can.	Private aid.
28625	- Buoy 4	40-56-47.900N 072-24-58.900W				Red nun.	Private aid.
28630	- Buoy 5	40-56-47.280N 072-24-57.300W				Green can.	Private aid.
28635	- Buoy 6	40-56-23.800N 072-24-54.600W				Red nun.	Private aid.
28637	- Aquaculture Lighted Buoy A	40-56-21.360N 072-24-42.260W	F Y			Yellow.	Private aid.
28638	- Aquaculture Lighted Buoy B	40-56-24.900N 072-25-02.200W	FI Y 4s			Yellow.	Private aid.
<b>Wickham Creek</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
28640	- Entrance Buoy 1	41-00-05.400N 072-27-52.200W				Green can.	Private aid.
28645	- Entrance Buoy 2	41-00-08.220N 072-27-56.400W				Red nun.	Private aid.
28650	- Entrance Buoy 3	41-00-07.200N 072-27-58.000W				Green spar.	Private aid.
28655	- Entrance Lighted Buoy 4	41-00-09.420N 072-28-00.000W	FI R 2s			Red spar.	Private aid.
<b>East Creek</b>							
<i>Maintained from May 1 to Oct. 31.</i>							
28660	- Buoy 1	41-00-17.820N 072-27-35.340W					Private aid.
28661	- Buoy 2	41-00-18.480N 072-27-34.500W					Private aid.
28662	- Buoy 3	41-00-24.600N 072-27-36.180W					Private aid.
28663	- Buoy 4	41-00-24.180N 072-27-35.520W					Private aid.
<b>Little Peconic Bay</b>							
<b>New Suffolk Channel</b>							
28665	- Buoy 1	40-59-41.000N 072-28-12.600W					Private aid.
28670	- Buoy 2	40-59-41.800N 072-28-12.900W					Private aid.
28675	- Buoy 3	40-59-40.600N 072-28-17.000W					Private aid.
28680	- Buoy 4	40-59-40.600N 072-28-18.700W					Private aid.
<b>Little Peconic Bay</b>							
28685	North Race Buoy 1	40-59-12.252N 072-26-55.317W				Green can.	
28690	North Race Lighted Buoy 3	40-59-08.372N 072-28-17.351W	FI G 4s		3	Green.	Replaced by can from Nov. 15 to Apr. 15.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHELTER ISLAND SOUND AND PECONIC BAYS (Chart 12358)</b>							
<b>Little Peconic Bay</b>							
28695	West Robins Oyster Aquaculture Lighted Buoy A	40-58-29.630N 072-28-39.870W	FI Y 2.5s			Yellow.	Season from 01 Jun to 15 Jan. Private aid.
28696	West Robins Oyster Aquaculture Lighted Buoy B	40-58-40.250N 072-28-32.380W	FI Y 2.5s			Yellow.	Seasonal from 01 Jun to 15 Jan. Private aid.
28697	West Robins Oyster Aquaculture Lighted Buoy C	40-58-31.610N 072-28-31.170W	FI Y 2.5s			Yellow.	Season from 01 Jun to 15 Jan. Private aid.
28705	North Race Buoy 4	40-58-27.223N 072-28-56.500W				Red nun.	
<b>Marratooka Point</b>							
28710	Marratooka Point Buoy 1	40-59-04.980N 072-29-54.000W				Green can.	Maintained from May 1 to Oct. 31. Private aid.
28715	Marratooka Point Buoy 2	40-59-06.900N 072-29-54.360W				Red nun.	Maintained from May 1 to Oct. 31. Private aid.
28720	Marratooka Point Buoy 3	40-59-06.480N 072-30-02.580W				Green spar.	Maintained from May 1 to Oct. 31. Private aid.
28725	Marratooka Point Buoy 4	40-59-10.800N 072-30-11.640W				Red nun.	Private aid.
<b>James Creek</b>							
<i>Aids maintained from May 1 to Oct. 31.</i>							
28730	- Buoy 1	40-58-35.100N 072-31-34.400W				Green can.	Private aid.
28735	- Lighted Buoy 2	40-58-35.800N 072-31-33.000W	FI R 4s			Red.	Private aid.
28740	- Buoy 3	40-58-40.300N 072-31-36.600W				Green can.	Private aid.
28745	- Buoy 4	40-58-44.600N 072-31-38.200W				Red nun.	Private aid.
<b>Great Peconic Bay</b>							
28750	- Lighted Buoy 22 On south point of Robins Island Shoal.	40-57-09.055N 072-27-01.100W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to May 1.
<b>Robins Island</b>							
28755	- Rock Danger Buoy Marks west side of rock.	40-57-23.259N 072-28-17.147W				White with orange bands worded DANGER ROCKS.	
<b>Great Peconic Bay</b>							
28785	- Lighted Buoy 24	40-55-57.362N 072-27-28.911W	FI R 4s		3	Red.	Replaced by nun from Nov. 15 to May 1.
28786	MARAN AQUACULTURE POUND TRAP LIGHT A	40-55-48.680N 072-27-00.330W	FI Y 2s			On wood pole.	Maintained Apr 1 to Dec 31. Private aid.
28787	MASTAGLIO POUND TRAP LIGHT D	40-55-34.200N 072-26-58.800W	FI Y 2s	8		On pole.	Private aid.
28790	Rodgers Rock Danger Buoy On northeast side of rock.	40-56-22.252N 072-28-04.261W				White with orange bands worded DANGER ROCKS.	
28792	ROBINS ISLAND SE POUND TRAP LIGHT	40-57-33.270N 072-27-01.530W	FI Y 2s			On pile.	Maintained from May 15 to Nov 1. Private aid.
<b>Sebonac Creek</b>							
<i>Aids maintained from May 15 to Nov. 15.</i>							
28795	- Buoy 1	40-55-10.020N 072-27-26.940W				Green can.	Private aid.
28800	- Buoy 1A	40-55-09.600N 072-27-24.840W				Green can.	Private aid.
28810	- Buoy 2A	40-55-07.620N 072-27-21.600W				Red nun.	Private aid.
28815	- Day beacon 2B	40-55-05.580N 072-27-12.240W				TR on pile.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHELTER ISLAND SOUND AND PECONIC BAYS (Chart 12358)</b>							
<b>Great Peconic Bay</b>							
<b>Sebonac Creek</b>							
<i>Aids maintained from May 15 to Nov. 15.</i>							
28820	- Lighted Buoy 2	40-55-09.240N 072-27-27.480W	FI R 5s			Red.	Private aid.
28825	- Lighted Buoy 3	40-55-03.780N 072-27-01.380W	FI G 5s			Green.	Private aid.
28830	- Buoy 4	40-55-01.000N 072-26-46.000W				Red nun.	Private aid.
28835	- Lighted Buoy 5	40-55-02.820N 072-26-35.040W	FI G 5s			Green.	Private aid.
28840	- Buoy 7	40-55-02.400N 072-26-35.760W				Green can.	Private aid.
28845	- Buoy 8	40-55-00.120N 072-26-29.400W				Red nun.	Private aid.
<b>Great Peconic Bay</b>							
28850	COLD SPRING POND APPROACH LIGHT 1	40-53-56.200N 072-28-41.707W	FI G 5s	6		SG on pile.	Maintained from May 1 to Nov. 1. Private aid.
28855	Cold Spring Pond Approach Buoy 2	40-53-55.200N 072-28-43.920W				Red nun.	Maintained from May 1 to Nov. 1. Private aid.
<b>Shinnecock Canal Entrance</b>							
28860	- Buoy 1	40-53-56.000N 072-30-11.428W				Green can.	
28865	- Buoy 2	40-53-56.129N 072-30-14.261W				Red nun.	
28870	- LIGHT 3	40-53-50.659N 072-30-10.359W	FI G 6s	25	5	SG on skeleton tower.	
<b>Great Peconic Bay</b>							
28882	East Creek Lighted Buoy 2	40-56-19.440N 072-34-06.780W	FI R 2s			Red.	Maintained from May 1 to Nov. 15. Private aid.
28883	East Creek Lighted Buoy 3	40-56-17.940N 072-34-06.720W	FI G 2s			Green.	Maintained from May 1 to Nov. 15. Private aid.
28884	East Creek Lighted Buoy 5	40-56-19.320N 072-34-13.560W	FI G 2s			Green.	Maintained from May 1 to Nov. 15. Private aid.
<b>Red Creek Pond Entrance</b>							
28885	- LIGHT 1	40-55-00.180N 072-33-14.880W	FI G 5s	6		SG on pile.	Maintained from Apr. 15 to Nov. 15. Private aid.
28890	- Buoy 2	40-54-58.980N 072-33-15.780W				Red nun.	Maintained from May 15 to Nov. 1. Private aid.
28895	- Buoy 3	40-54-54.900N 072-33-11.040W				Green can.	Maintained from May 15 to Nov. 1. Private aid.
28900	- Buoy 4	40-54-52.860N 072-33-13.620W				Red nun.	Maintained from May 15 to Nov. 1. Private aid.
<b>Flanders Bay</b>							
28905	- Lighted Buoy 2	40-55-45.731N 072-32-41.053W	FI R 2.5s		3	Red.	Maintained from to May 1 to Nov. 15.
28910	- Lighted Buoy 4	40-55-36.449N 072-34-21.975W	FI R 4s		3	Red.	Maintained from 1 April to 15 Nov.
28915	- Buoy 5 On northwest point of shoal.	40-55-44.274N 072-34-40.761W				Green can.	Maintained from 1 April to 15 Nov.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHELTER ISLAND SOUND AND PECONIC BAYS (Chart 12358)</b>							
<b>Flanders Bay</b>							
28920	- Buoy 7	40-55-43.111N 072-34-57.708W				Green can.	Maintained from 1 April to 15 Nov.
28925	- Lighted Buoy 8	40-55-22.593N 072-35-15.157W	FI R 4s		3	Red.	Maintained from 1 April to 15 Nov.
28930	- Lighted Buoy 9	40-55-38.534N 072-36-11.344W	FI G 4s		4	Green.	Maintained from 1 April to 15 Nov.
<b>Meeting House</b>							
<i>Aids maintained from May 1 to Nov. 15.</i>							
28955	Meetinghouse Creek Entrance Buoy 1	40-55-41.400N 072-36-48.000W				Green can.	Private aid.
28960	Meetinghouse Creek Entrance Buoy 2	40-55-41.000N 072-36-46.000W				Red nun.	Private aid.
28965	Meetinghouse Creek Entrance Buoy 3	40-55-41.880N 072-36-51.240W				Green can.	Private aid.
28970	Meetinghouse Creek Entrance Buoy 4	40-55-42.000N 072-36-05.000W				Red nun.	Private aid.
28971	Meetinghouse Creek Lighted Buoy 6	40-55-43.200N 072-36-54.480W	FI R 2s			Red.	Private aid.
28972	Reeves Creek Buoy 2	40-55-45.240N 072-36-41.350W				Red nun.	Private aid.
28972.1	Reeves Creek Buoy 4	40-55-49.200N 072-36-39.840W				Red nun.	Private aid.
28972.2	Reeves Creek Buoy 6	40-55-51.540N 072-36-38.940W				Red nun.	Private aid.
<b>Peconic River</b>							
<i>Aids maintained from May 1 to Nov. 15.</i>							
28975	- Lighted Buoy 2	40-55-30.120N 072-36-50.220W	FI R 2s			Red.	Private aid.
28977	- Lighted Buoy 3	40-55-29.000N 072-36-50.000W	FI G 2s			Green.	Private aid.
28980	- Lighted Buoy 4	40-55-17.580N 072-37-11.220W	FI R 2s			Red.	Private aid.
28985	- Lighted Buoy 6	40-55-14.040N 072-37-25.200W	FI R 2s			Red.	Private aid.
28990	- Lighted Buoy 8	40-55-10.680N 072-37-40.020W	FI R 2s			Red.	Private aid.
28995	- Lighted Buoy 10	40-55-06.120N 072-37-53.700W	FI R 2s			Red.	Private aid.
28997	- Lighted Buoy 11	40-55-04.000N 072-38-02.000W	FI G 2s			Green.	Private aid.
29000	- Lighted Buoy 12	40-55-05.220N 072-38-09.300W	FI R 2s			Red.	Private aid.
29005	- Lighted Buoy 13	40-55-03.120N 072-38-33.300W	FI G 2s			Green.	Private aid.
29010	- Lighted Buoy 14	40-55-02.280N 072-38-47.040W	FI R 2s			Red.	Private aid.
29015	- Lighted Buoy 16	40-55-02.580N 072-39-08.460W	FI R 2s			Red.	Private aid.
29020	- Lighted Buoy 17	40-55-01.620N 072-39-15.600W	FI G 2s			Green.	Private aid.
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Shinnecock Inlet</b>							
29025 675	<b>Shinnecock Light</b>	40-50-31.401N 072-28-41.677W	FI (2)W 15s	75	11	Skeleton tower. 75	
29035 670	- Approach Lighted Whistle Buoy SH	40-49-00.161N 072-28-34.519W	Mo (A) W		4	Red and white stripes with red spherical topmark.	AIS: MMSI 993672147 (21)
29040	- BREAKWATER LIGHT 1	40-50-23.490N 072-28-40.122W	FI G 2.5s	36	4	Green.	
29042	- BREAKWATER LIGHT 2	40-50-17.952N 072-28-29.010W	FI R 2.5s	36	4	Red.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Shinnecock Inlet</b>							
29045	- Lighted Buoy 4	40-50-39.592N 072-28-36.769W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
29050	- Buoy 6	40-50-34.476N 072-29-07.087W				Red nun.	
29059	- Lighted Buoy 8	40-50-39.561N 072-29-33.719W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
<b>Shinnecock Bay East Channel</b>							
29060	- Buoy 1	40-50-38.890N 072-28-25.482W				Green can.	
29065	- Buoy 3	40-50-43.671N 072-28-19.181W				Green can.	
29070	- Lighted Buoy 4	40-50-48.098N 072-28-11.163W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
29075	- Buoy 5	40-51-05.747N 072-28-10.468W				Green can.	
29080	- Buoy 6	40-51-09.959N 072-28-07.057W				Red nun.	
29085	- Lighted Buoy 7	40-51-29.160N 072-28-09.840W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
29090	- Buoy 8	40-51-30.863N 072-28-08.712W				Red nun.	
<b>Moriches Inlet</b>							
29104	- BREAKWATER LIGHT 1	40-45-49.692N 072-45-21.719W	FI G 2.5s	28	4	Skeleton tower.	
29105	- BREAKWATER LIGHT 2	40-45-47.763N 072-45-11.095W	FI R 4s	30	4	On skeleton tower.	
29106	- West Cut Buoy 4W	40-46-12.750N 072-45-25.588W				Red nun.	Maintained from Apr. 15 to Dec. 1.
29106.1	- West Cut Buoy 6W	40-46-24.706N 072-45-45.781W				Red nun.	Maintained from Apr. 15 to Dec. 1.
29106.2	- West Cut Buoy 7W	40-46-21.239N 072-45-50.520W				Green can.	Maintained from Apr. 15 to Dec. 1.
29107	- East Cut Buoy 3E	40-46-04.956N 072-44-59.834W				Green can.	Maintained from Apr. 15 to Dec. 1.
29107.1	- East Cut Buoy 5E	40-46-06.648N 072-44-47.554W				Green can.	Maintained from Apr. 15 to Dec. 1.
29107.2	- East Cut Buoy 7E	40-46-12.068N 072-44-37.029W				Green can.	Maintained from Apr. 15 to Dec. 1.
29107.3	- East Cut Buoy 9E	40-46-19.271N 072-44-25.393W				Green can.	Maintained from Apr. 15 to Dec. 1.
29108	- East Cut Buoy 11E	40-46-31.483N 072-44-24.588W				Green can.	Maintained from Apr. 15 to Dec. 1.
29109	- East Cut Rock Lighted Hazard Buoy	40-46-10.400N 072-44-34.100W	FI W 4s			White with orange bands.	Private aid.
<b>Fire Island Inlet</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
29110	- Lighted Whistle Buoy FI	40-36-08.033N 073-19-04.002W	Mo (A) W		4	Red and white stripes with red spherical topmark.	Replaced by can when endangered by ice.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Fire Island Inlet</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
29115	- Buoy 1	40-36-55.034N 073-19-11.205W				Green can.	Aid does not appear on navigational charts due to frequent shoaling and relocations.
29120	- Lighted Buoy 2	40-36-55.984N 073-19-03.382W	FI R 4s		3	Red.	Aid does not appear on navigational charts due to frequent shoaling and relocations. Replaced by nun when endangered by ice.
29125	- Lighted Buoy 4	40-37-44.533N 073-19-19.608W	FI R 2.5s		3	Red.	Aid does not appear on navigational charts due to frequent shoaling and relocations. Replaced by nun when endangered by ice.
29130	- Lighted Buoy 3	40-37-31.460N 073-19-20.029W	FI G 4s		4	Green.	Aid does not appear on navigational charts due to frequent shoaling and relocations. Replaced by can when endangered by ice.
29135	- Lighted Buoy 6	40-37-57.387N 073-19-22.651W	Q R		3	Red.	Aid does not appear on navigational charts due to frequent shoaling and relocations. Replaced by nun when endangered by ice.
29136	- Buoy 6A	40-37-59.100N 073-19-15.384W				Red nun.	Maintained from Apr 15 to Nov 15.
29140	- Buoy 5	40-37-48.186N 073-19-21.981W				Green can.	Aid does not appear on navigational charts due to frequent shoaling and relocations.
29145	- Lighted Buoy 8	40-37-46.542N 073-18-25.548W	FI R 2.5s		3	Red.	Aid does not appear on navigational charts due to frequent shoaling and relocations. Replaced by nun when endangered by ice.
29155	- Channel Lighted Buoy 7	40-37-56.451N 073-18-12.198W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
29160	- Lighted Buoy 10	40-37-45.279N 073-17-43.955W	Q R		3	Red.	Replaced by nun when endangered by ice.
29165	- Buoy 9	40-37-54.248N 073-18-01.879W				Green can.	
29170	- Lighted Buoy 11	40-37-40.808N 073-17-31.100W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.
29175	- Lighted Buoy 13	40-37-40.361N 073-17-03.429W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
29180	- Buoy 15	40-37-51.561N 073-16-17.227W				Green can.	
29190	- Buoy 16	40-37-45.933N 073-16-17.029W				Red nun.	
29191	COAST GUARD STATION FIRE ISLAND EAST ENTRANCE LIGHT	40-37-35.300N 073-15-35.335W	FI W 4s		3		

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Fire Island Inlet</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
29192	COAST GUARD STATION FIRE ISLAND WEST ENTRANCE LIGHT	40-37-35.163N 073-15-36.292W	FI W 4s		3		
29195	- Lighted Buoy 18	40-37-50.080N 073-15-29.033W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
29196	- Buoy 19	40-37-58.348N 073-15-08.184W				Green can.	
29205	<i>Captree Boat Basin Entrance</i> Lighted Buoy CB	40-38-08.908N 073-14-30.481W	FI (2+1)G 6s		4	Green and red bands.	Replaced by can when endangered by ice.
<b>Great South Bay</b>							
<b>Farm Shoals Channel</b>							
29210	- Lighted Buoy 2	40-38-01.948N 073-14-00.912W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
29215	- Buoy 3	40-38-05.777N 073-13-31.531W				Green can.	
29220	- Lighted Buoy 5	40-38-15.041N 073-12-52.209W	FI G 4s		4	Green.	Replaced by can from Nov. 15 to Apr. 1.
29225	- Buoy 6	40-38-24.363N 073-12-23.620W				Red nun.	
29230	- Buoy 7	40-38-19.573N 073-12-34.517W				Green can.	
29233	SALTAIRE DOCK ENTRANCE LIGHT 1	40-38-28.260N 073-11-57.180W	FI G 4s			SG on pile.	Private aid.
29234	SALTAIRE DOCK ENTRANCE LIGHT 2	40-38-27.900N 073-11-57.840W	FI R 2.5s			TR on pile.	Private aid.
<b>East Channel</b>							
29240	- Junction Lighted Buoy EW	40-38-46.169N 073-12-11.075W	FI (2+1)G 6s		4	Green and red bands.	Replaced by can when endangered by ice.
29245	- Lighted Buoy 8	40-39-10.490N 073-11-21.459W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 1.
29250	FAIR HARBOR LIGHT 1	40-38-37.800N 073-11-06.000W	FI G 4s	8		SG on pile.	Maintained from May. 1 to Nov. 25. Private aid.
29255	DUNEWOOD LIGHT 2	40-38-39.600N 073-10-47.400W	FI R 4s			On pile.	Maintained from May 1 to Nov. 15. Private aid.
29260	- Lighted Buoy 10	40-39-03.005N 073-10-57.229W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 1.
29265	- Buoy 11	40-39-00.385N 073-10-33.939W				Green can.	
29267	Atlantique Entrance Buoy 1	40-38-43.800N 073-10-26.400W				Green can.	Maintained from Apr. 15 to Nov. 15. Private aid.
29268	Atlantique Entrance Buoy 2	40-38-43.800N 073-10-27.960W				Red nun.	Maintained from Apr. 15 to Nov. 15. Private aid.
29269	Atlantique Entrance Buoy 3	40-38-41.100N 073-10-26.100W				Green can.	Maintained from Apr. 15 to Nov. 15. Private aid.
29269.5	Atlantique Entrance Buoy 4	40-38-41.000N 073-10-27.000W				Red nun.	Private aid.
29270	- Lighted Buoy 12	40-38-52.159N 073-10-07.313W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 1.
29272	- Buoy 14	40-39-02.440N 073-09-36.473W				Red nun.	



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Great South Bay</b>							
<b>East Channel</b>							
29275	- Buoy 15	40-39-06.559N 073-09-23.112W				Green can.	
29280	- Buoy 17	40-39-06.659N 073-09-02.011W				Green can.	
29285	- Lighted Buoy 19	40-39-10.959N 073-08-31.110W	FI G 2.5s		4	Green.	Replaced by can f from Nov. 15 to Apr. 1.
29290	- Buoy 20	40-39-32.537N 073-08-15.341W				Red nun.	
29295	- Lighted Buoy 21	40-39-56.281N 073-08-04.309W	FI G 2.5s		4	Green.	Replaced by can f from Nov. 15 to Apr. 1.
29297	- Buoy 23	40-40-20.967N 073-08-06.402W				Green can.	
29300	- Lighted Buoy 24	40-40-35.096N 073-08-04.851W	Q R		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1.
29310	- Buoy 25	40-40-58.928N 073-07-44.015W				Green can.	
29325	- Buoy 27	40-41-14.053N 073-07-15.591W				Green can.	
29330	- Buoy 28	40-41-36.683N 073-07-00.299W				Red nun.	
29335	- Lighted Buoy EN	40-41-42.551N 073-06-58.787W	FI (2+1)G 6s		4	Green and red bands.	Replaced by can f from Nov. 15 to Apr. 1.
<b>Great South Bay</b>							
29340	- Buoy 30	40-41-55.056N 073-06-13.225W				Red nun.	
29341	STONY BROOK UNIVERSITY LIGHTED RESEARCH BUOY GSB1	40-41-57.228N 073-05-12.192W	FI Y 6s			Yellow.	Private aid.
29342	- Buoy 32	40-42-18.337N 073-04-51.099W				Red nun.	
29344	- Lighted Buoy 34	40-42-41.579N 073-03-25.354W	FI R 2.5s		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1.
29345	- Lighted Buoy 35	40-43-08.146N 073-01-56.310W	FI G 4s		4	Green.	Replaced by can f from Nov. 15 to Apr. 1.
29350	- Lighted Buoy 36	40-43-41.407N 072-59-47.404W	FI R 6s		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1.
29355	- Buoy 37	40-43-50.613N 072-58-42.745W				Green can.	Maintained f from 15 April to 1 Nov.
29360	- Lighted Buoy 38	40-43-57.436N 072-57-37.523W	FI R 4s		3	Red.	Maintained f from 15 April to 1 Nov.
<b>Range Channel</b>							
29365	- Buoy 1	40-39-34.458N 073-08-40.510W				Green can.	
29370	- Lighted Buoy 4	40-40-36.057N 073-08-42.510W	FI R 2.5s		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1.
<b>West Channel</b>							
29371	- Buoy 1	40-38-50.046N 073-12-16.635W				Green can.	
29375	- Buoy 3	40-39-09.970N 073-12-25.627W				Green can.	
29380	- Lighted Buoy 4	40-39-28.359N 073-12-24.418W	FI R 2.5s		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Great South Bay</b>							
<b>West Channel</b>							
29385	- Buoy WD	40-39-59.258N 073-12-49.419W				Green and red bands; can.	
29390	- Lighted Buoy 6	40-40-07.858N 073-12-46.818W	FI R 4s		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1.
29395	- Lighted Buoy 7	40-40-28.058N 073-13-14.919W	FI G 4s		4	Green.	Replaced by can f from Nov. 15 to Apr. 1.
29400	- Buoy 8	40-40-48.318N 073-13-31.892W				Red nun.	
29405	- Lighted Buoy 10	40-41-11.881N 073-13-54.270W	FI R 2.5s		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1.
29410	- Lighted Buoy 11	40-41-22.189N 073-14-14.842W	FI G 4s		4	Green.	Replaced by can f from Nov. 15 to Apr. 1.
<b>Dickerson Channel</b>							
29420	- Buoy 2	40-39-55.058N 073-13-42.621W				Red nun.	Maintained from 1 April to 15 Nov.
29425	- Buoy 3	40-40-05.006N 073-14-38.152W				Green can.	Maintained from 1 Apr. to 15 Nov.
29430	- Buoy 4	40-40-18.058N 073-14-57.023W				Red nun.	Maintained from 1 April to 15 Nov.
29435	- Buoy 5	40-40-17.058N 073-15-09.923W				Green can.	Maintained from 1 Apr. to 15 Nov.
29440	- Buoy 6	40-40-39.218N 073-16-00.003W				Red nun.	Maintained from 1 April to 15 Nov.
29445	WEST ISLIP MARINA LIGHT 1	40-41-09.000N 073-17-26.000W	F G			On pile.	Private aid.
<b>North Channel</b>							
29449	- Lighted Buoy 1	40-41-58.367N 073-14-14.186W	FI G 2.5s		4	Green.	Replaced by can f from Nov. 15 to Apr. 1.
29450	- Lighted Buoy 3	40-41-54.056N 073-12-52.518W	FI G 4s		4	Green.	Replaced by can f from Nov. 15 to Apr. 1.
29455	- Lighted Buoy 4	40-41-28.122N 073-11-42.068W	FI R 4s		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1.
29460	- Buoy 6	40-41-28.085N 073-10-20.937W				Red nun.	
29465	- Lighted Buoy 8	40-41-27.147N 073-09-01.868W	FI R 4s		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1.
29470	- Buoy 9	40-41-32.009N 073-08-00.176W				Green can.	
<b>East-West Channel</b>							
<i>Aids maintained from May 15 to Oct. 15 unless otherwise noted.</i>							
29475	- Lighted Buoy 2	40-40-36.600N 073-18-23.200W	FI R 4s			Red.	Private aid.
29480	- Lighted Buoy 3	40-40-32.640N 073-18-23.400W	FI G 4s			Green.	Private aid.
29485	- Buoy 4	40-40-22.380N 073-19-22.780W				Red nun.	Private aid.
29490	- Buoy 5	40-40-19.300N 073-19-21.700W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Great South Bay</b>							
<b>East-West Channel</b>							
<i>Aids maintained from May 15 to Oct. 15 unless otherwise noted.</i>							
29495	West Babylon Creek Lighted Buoy 6	40-40-15.000N 073-20-06.000W	FI R 4s			Red.	Private aid.
29500	- Buoy 7	40-40-10.850N 073-20-01.440W				Green can.	Private aid.
29505	Santapogue River Buoy 8	40-40-04.680N 073-20-40.260W				Red nun.	Private aid.
29510	- Buoy 9	40-40-02.580N 073-20-38.760W				Green can.	Private aid.
29515	- Lighted Buoy 10	40-39-56.160N 073-21-05.700W	FI R 4s			Red.	Private aid.
29520	- Lighted Buoy 11	40-39-53.150N 073-21-04.100W	FI G 4s			Green.	Private aid.
29525	- Buoy 12	40-39-44.250N 073-21-50.300W				Red nun.	Private aid.
29530	- Buoy 13	40-39-41.000N 073-21-48.000W				Green can.	Private aid.
29535	Lugano Canal Lighted Buoy 14	40-39-33.300N 073-22-20.520W	FI R 4s			Red.	Private aid.
29540	- Buoy 15	40-39-31.500N 073-22-19.440W				Green can.	Private aid.
29545	Great Neck Creek Lighted Buoy 16	40-39-29.880N 073-22-34.500W	FI R 4s			Red.	Private aid.
29550	- Buoy 17	40-39-26.000N 073-22-35.000W				Green can.	Private aid.
29555	Howell Creek Lighted Buoy 18	40-39-18.840N 073-23-23.160W	FI R 4s			Red.	Private aid.
29560	- Buoy 19	40-39-17.770N 073-23-16.800W				Green can.	Private aid.
29565	Woods Creek Buoy 20	40-39-11.200N 073-24-11.300W				Red nun.	Private aid.
29570	- Buoy 21	40-39-08.280N 073-24-12.900W				Green can.	Private aid.
29575	AMITYVILLE CREEK ENTRANCE LIGHT 1	40-39-25.000N 073-24-52.000W	F G	25		On pile.	Maintained year round. Private aid.
29580	- Buoy 22	40-39-02.040N 073-25-06.000W				Red nun.	Private aid.
29585	- Buoy 23	40-38-59.160N 073-25-05.640W				Green can.	Private aid.
<b>Fox Creek</b>							
<i>Aids maintained from May 15 to Oct. 15 unless otherwise noted.</i>							
29600	- Channel Lighted Buoy 1	40-38-54.000N 073-20-11.000W	FI G 4s			Green.	Private aid.
29605	- Channel Lighted Buoy 2	40-38-56.820N 073-20-12.600W	FI R 4s			Red.	Private aid.
29610	- Channel Buoy 3	40-39-15.540N 073-20-28.440W				Green can.	Private aid.
29615	- Channel Lighted Buoy 4	40-39-15.000N 073-20-25.000W	FI R 4s			Red.	Private aid.
29620	- Channel Lighted Buoy 5	40-39-27.720N 073-20-36.720W	FI G 4s			Green.	Private aid.
29621	East Fox Creek Outfall Lighted Buoy	40-39-38.460N 073-20-41.700W	FI W 4s				Private aid.
29625	- Channel Lighted Buoy 6	40-39-28.000N 073-20-33.000W	FI R 4s			Red.	Private aid.
29630	- Channel Buoy 7	40-39-42.420N 073-20-54.960W				Green can.	Private aid.
29635	- Channel Buoy 8	40-39-43.680N 073-20-49.440W				Red nun.	Private aid.
29640	- Channel Lighted Buoy 9	40-40-06.000N 073-21-15.000W	FI G 4s			Green.	Private aid.
29645	- Channel Lighted Buoy 10	40-40-06.000N 073-21-11.000W	FI R 4s			Red.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Great South Bay</b>							
<b>North Side</b>							
29670	<i>Bay Shore Lighted Buoy 2</i>	40-42-30.576N 073-14-13.281W	FI R 2.5s		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1.
29675	BAY SHORE MARINA LIGHT	40-42-44.000N 073-14-12.000W				On pile.	Private aid.
29685	<i>Orowoc Creek Entrance Lighted Buoy 2</i>	40-42-59.100N 073-13-31.500W	FI R 4s			Red.	Maintained f from Mar. 15 to Nov. 15. Private aid.
29687	Orowoc Creek Daybeacon 4	40-43-14.820N 073-13-26.460W				TR on pile.	Private aid.
29695	<i>Champlin Creek Entrance Lighted Buoy 2</i>	40-42-36.300N 073-12-17.100W	FI R 4s			Red.	Maintained f from Apr. 15 to Nov. 15. Private aid.
29705	<i>East Islip Lighted Buoy 2</i>	40-42-18.000N 073-11-18.000W	FI R 4s			Red.	Maintained f from Apr. 15 to Nov. 15. Private aid.
29710	<i>East Islip Lighted Buoy 4</i>	40-42-22.000N 073-11-15.000W	FI R 4s			Red.	Private aid.
29715	TIMBER POINT BREAKWATER LIGHT WEST	40-42-44.000N 073-08-36.500W	FI G 4s	6		On end of breakwater.	Private aid.
29720	TIMBER POINT BREAKWATER LIGHT EAST	40-42-44.000N 073-08-36.000W	FI R 4s	6		On pile.	Private aid.
29721	GREAT RIVER ENTRANCE LIGHT 2	40-43-27.180N 073-07-47.520W	FI R 15s			TR on pile.	Light maintained f from Apr. 15 to Nov. 15. Private aid.
29722	Brick Kiln Lighted Buoy 2	40-43-36.180N 073-07-23.820W	FI R 4s			Red.	Maintained f from Apr. 15 to Nov. 15. Private aid.
29724	GREEN HARBOR LIGHT	40-43-11.000N 073-05-37.000W	F W	18		NG on pile.	Private aid.
29725	BROWN POINT WEST BREAKWATER LIGHT 1	40-43-18.935N 073-04-10.493W	FI G 4s	18	5	SG on pile.	
29730	BROWN POINT EAST BREAKWATER LIGHT 2	40-43-21.600N 073-04-08.000W	FI R 4s	20	3	TR on pile.	
29732	HOMANS CREEK LIGHT	40-43-40.000N 073-03-13.000W	FI R 15s	18			Private aid.
<b>Patchogue Bay</b>							
29740	- <i>Entrance Lighted Buoy 1</i>	40-43-46.355N 073-01-03.192W	FI G 2.5s		4	Green.	Replaced by can f from Nov. 15 to Apr. 15.
29745	- Channel Buoy 2	40-44-01.254N 073-00-58.592W				Red nun.	
29750	- Channel Buoy 3	40-44-12.754N 073-01-01.792W				Green can.	
29755	- Channel Buoy 4	40-44-30.254N 073-00-57.792W				Red nun.	
29760	PATCHOGUE BREAKWATER LIGHT 5	40-44-46.146N 073-01-00.582W	FI G 2.5s	21	4	SG on skeleton tower.	
29765	PATCHOGUE RIVER LIGHT	40-44-50.340N 073-00-56.520W	FI R 5s	18		On concrete pedestal.	Private aid.
29766	Sandspit Buoy 1	40-44-47.460N 073-00-46.740W				Green can.	Private aid.
29767	Sandspit Buoy 2	40-44-51.300N 073-00-46.740W				Red nun.	Private aid.
29770	<i>Swan River Entrance Lighted Buoy 1</i>	40-44-42.240N 072-59-50.760W	FI G 4s			Green.	Maintained f from May 1 to Nov. 1. Private aid.
29780	<i>Tuthills Creek Entrance Lighted Buoy 2</i>	40-44-46.500N 073-01-14.900W	FI R 4s			Red.	Maintained f from May 1 to Nov. 1. Private aid.
29785	COREY CREEK ENTRANCE LIGHT 1	40-44-36.720N 073-01-37.140W	FI G 4s			SB on black skeleton tower.	Maintained f from May 1 to Nov. 1. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Great South Bay</b>							
<b>Patchogue Bay</b>							
29790	COREY CREEK ENTRANCE LIGHT 2	40-44-38.160N 073-01-36.720W	FI R 4s	12		TR on red skeleton tower.	Maintained from May 1 to Nov. 1. Private aid.
29794	<i>Mud Creek Entrance Lighted Buoy 1</i>	40-44-49.800N 072-59-16.820W	FI G 4s			Green.	Private aid.
29795	<i>Mud Creek Entrance Lighted Buoy 2</i>	40-44-51.870N 072-59-10.560W	FI R 4s			Red.	Maintained from May 1 to Nov. 1. Private aid.
29796	Mud Creek Buoy 3	40-44-53.280N 072-59-14.480W				Green can.	Private aid.
29797	Mud Creek Buoy 4	40-44-53.520N 072-59-11.520W				Red nun.	Private aid.
29800	<i>Abets Creek Lighted Buoy 1</i> 50 feet, 183° from south end of sunken barge.	40-44-46.380N 072-58-40.980W	FI G 4s			Green.	Maintained from May 1 to Nov. 1. Private aid.
<b>South Side</b>							
29805	POINT O'WOODS DOCK LIGHT (2)	40-39-13.440N 073-08-14.100W	F R			On pile.	Private aid.
<b>Sailors Haven Channel</b>							
<i>Floating aids maintained from May 1 to Oct. 15.</i>							
29820	- <i>Lighted Buoy 1</i>	40-39-40.200N 073-06-20.700W	FI G 2s			Green.	Private aid.
29825	- <i>Lighted Buoy 2</i>	40-39-39.300N 073-06-24.100W	FI R 2s			Red.	Private aid.
29830	- <i>Lighted Buoy 3</i>	40-39-37.000N 073-06-19.400W	FI G 2s			Green.	Private aid.
29835	- <i>Lighted Buoy 4</i>	40-39-35.700N 073-06-22.300W	FI R 2s			Red.	Private aid.
29840	- <i>Lighted Buoy 5</i>	40-39-32.400N 073-06-17.900W	FI G 2s			Green.	Private aid.
29845	- <i>Lighted Buoy 6</i>	40-39-31.200N 073-06-19.900W	FI R 2s			Red.	Private aid.
<b>Great South Bay</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
29855	<i>Cherry Grove Entrance Lighted Buoy 1</i>	40-40-02.280N 073-05-08.640W	FI G 4s			Green.	Private aid.
29860	<i>Cherry Grove Lighted Buoy 3</i>	40-39-45.300N 073-05-19.140W	FI G 4s			Green.	Private aid.
<b>Sailors Haven Channel - Lone Hill Entrance</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
29870	<i>Fire Island Pines Lighted Buoy 1</i>	40-40-53.640N 073-03-47.400W	FI G 4s			Green.	Private aid.
29875	<i>Fire Island Pines Lighted Buoy 3</i>	40-40-25.020N 073-04-02.040W	FI G 4s			Green.	Private aid.
29885	<i>Fire Island Pines Lighted Buoy 5</i>	40-40-08.820N 073-04-12.600W	FI G 4s			Green.	Private aid.
<b>Barrett Beach</b>							
<i>Aids maintained from May 1 to Nov. 15.</i>							
29910	- <i>Lighted Buoy 1</i>	40-40-46.700N 073-02-39.400W	FI G 2s			Green.	Private aid.
29915	- <i>Lighted Buoy 2</i>	40-40-46.600N 073-02-40.800W	FI R 2s			Red.	Private aid.
29920	- <i>Lighted Buoy 3</i>	40-40-39.000N 073-02-36.600W	FI G 2s			Green.	Private aid.
29925	- <i>Lighted Buoy 4</i>	40-40-39.900N 073-02-38.400W	FI R 2s			Red.	Private aid.
29930	- <i>Lighted Buoy 5</i>	40-40-32.000N 073-02-34.200W	FI G 2s			Green.	Private aid.
29935	- <i>Lighted Buoy 6</i>	40-40-33.900N 073-02-36.400W	FI R 2s			Red.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Great South Bay</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
29937	Water Island Channel Lighted Buoy 1	40-40-54.120N 073-01-51.900W	FI G 4s			Green.	Private aid.
29938	Water Island Channel Lighted Buoy 3	40-40-44.600N 073-01-49.100W	FI G 4s			Green.	Private aid.
29950	Porgy Bar Lighted Buoy 2 Marks north edge of shoal.	40-41-21.360N 073-01-35.340W	FI R 4s			Red.	Private aid.
<b>Davis Park</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
29955	- Entrance Lighted Buoy 1	40-41-21.660N 073-00-20.280W	FI G 4s			Green.	Private aid.
29960	- Entrance Lighted Buoy 2	40-41-21.060N 073-00-22.380W	FI R 4s			Red.	Private aid.
29965	- Entrance Buoy 3	40-41-18.360N 073-00-18.600W				Green.	Private aid.
29970	- Entrance Buoy 4	40-41-17.880N 073-00-20.520W				Red.	Private aid.
29975	- Entrance Lighted Buoy 5	40-41-14.820N 073-00-16.620W	FI G 4s			Green.	Private aid.
29980	- Entrance Lighted Buoy 6	40-41-14.280N 073-00-18.420W	FI R 4s			Red.	Private aid.
<b>Watch Hill</b>							
<i>Aids maintained from May 1 to Oct. 15.</i>							
29990	- Channel Lighted Buoy 1	40-42-12.000N 073-00-34.400W	FI G 4s			Green.	Private aid.
29995	- Channel Lighted Buoy 2	40-42-10.100N 073-00-35.400W	FI R 4s			Red.	Private aid.
30000	- Channel Lighted Buoy 3	40-42-04.800N 073-00-17.100W	FI G 4s			Green.	Private aid.
30005	- Channel Lighted Buoy 4	40-42-03.800N 073-00-18.500W	FI R 4s			Red.	Private aid.
30010	- Channel Lighted Buoy 5	40-41-55.700N 072-59-53.000W	FI G 2s			Green.	Private aid.
30015	- Channel Lighted Buoy 6	40-41-54.800N 072-59-53.600W	FI R 4s			Red.	Private aid.
30020	- Channel Lighted Buoy 7	40-41-48.900N 072-59-34.000W	FI G 4s			Green.	Private aid.
30025	- Channel Lighted Buoy 8	40-41-47.900N 072-59-34.900W	FI R 4s			Red.	Private aid.
30030	- Channel Lighted Buoy 9	40-41-45.100N 072-59-24.300W	FI G 4s			Green.	Private aid.
30035	- Channel Lighted Buoy 10	40-41-43.800N 072-59-23.800W	FI R 2s			Red.	Private aid.
30040	- WEST ENTRANCE LIGHT	40-41-41.400N 072-59-24.300W	F R			On pile.	Private aid.
30045	- EAST ENTRANCE LIGHT	40-41-41.400N 072-59-20.300W	F G			On pile.	Private aid.
30050	- CHANNEL RANGE FRONT LIGHT	40-41-43.680N 072-59-19.140W	F W			KWB on pile.	Private aid.
30055	- CHANNEL RANGE REAR LIGHT	40-41-41.580N 072-59-13.980W	F W			KWB on pile.	Private aid.
<b>BELLPORT BEACH</b>							
<i>Aids maintained from May 1 to Oct 1.</i>							
30090	- Channel Buoy 1	40-43-56.880N 072-55-43.560W				Green can.	Private aid.
30095	- Channel Buoy 2	40-43-56.760N 072-55-45.900W				Red nun.	Private aid.
30100	- Channel Buoy 3	40-43-49.260N 072-55-42.300W				Green can.	Private aid.
30105	- Channel Buoy 4	40-43-48.660N 072-55-44.460W				Red nun.	Private aid.
30110	- Channel Buoy 5	40-43-43.740N 072-55-41.340W				Green can.	Private aid.
30115	- Channel Buoy 6	40-43-37.800N 072-55-41.220W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Great South Bay</b>							
<b>BELLPORT BEACH</b>							
<i>Aids maintained from May 1 to Oct 1.</i>							
30120	- Channel Buoy 7	40-43-32.700N 072-55-39.360W				Green can.	Private aid.
30125	- Channel Buoy 8	40-43-25.500N 072-55-39.540W				Red nun.	Private aid.
30126	- Channel Buoy 9	40-43-25.860N 072-55-37.860W				Green can.	Private aid.
30126.5	- Channel Buoy 11	40-43-21.240N 072-55-37.260W				Green can.	Private aid.
30127	- Channel Buoy 10	40-43-21.360N 072-55-38.400W				Red nun.	Private aid.
30127.5	- Channel Buoy 13	40-43-15.660N 072-55-35.800W				Green can.	Private aid.
30128	- Channel Buoy 14	40-43-13.860N 072-55-37.140W				Red nun.	Private aid.
30128.5	- Channel Buoy 17	40-43-05.460N 072-55-34.380W				Green can.	Private aid.
30128.6	- Channel Buoy 16	40-43-09.180N 072-55-36.180W				Red nun.	Private aid.
30128.8	- Channel Buoy 18	40-43-04.260N 072-55-35.520W				Red nun.	Private aid.
<b>Bellport Bay</b>							
30130	- <i>Lighted Buoy 1</i>	40-43-57.403N 072-56-38.927W	FI G 2.5s		4	Green.	Maintained from 15 Apr. to 1 Nov.
30135	- Buoy 2	40-44-14.255N 072-55-56.182W				Red nun.	Maintained from Apr. 15 to Nov. 1.
30140	- Buoy 4	40-44-34.615N 072-55-16.836W				Red nun.	Maintained from Apr. 15 to Nov. 1.
30145	- <i>Lighted Buoy 6</i>	40-44-58.169N 072-54-30.458W	Q R		3	Red.	Maintained from 15 April to 1 Nov.
30150	- Buoy 7	40-44-48.837N 072-54-06.448W				Green can.	Maintained from Apr. 15 to Nov. 1.
30155	- Buoy 8	40-44-38.803N 072-53-45.634W				Red nun.	Maintained from Apr. 15 to Nov. 1.
30160	- Buoy 9	40-44-28.623N 072-53-19.504W				Green can.	Maintained from 15 April to 1 Nov.
30162	- Buoy 10	40-44-18.954N 072-52-57.815W				Red nun.	Maintained from Apr. 15 to Nov. 1.
30165	- <i>Lighted Buoy 11</i>	40-44-08.466N 072-52-32.352W	Q G		3	Green.	Maintained from 15 April to 1 Nov.
30166	Smith Point Marina Buoy 1	40-44-15.000N 072-52-24.480W					Private aid.
30167	Smith Point Marina Buoy 2	40-44-15.000N 072-52-22.500W					Private aid.
30168	Smith Point Marina Buoy 3	40-44-20.460N 072-52-27.120W					Private aid.
30169	Smith Point Marina Buoy 4	40-44-20.760N 072-52-25.860W					Private aid.
<b>Beaverdam Creek Entrance</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
30175	- <i>Lighted Buoy 2</i>	40-45-21.000N 072-55-22.080W	FI R 4s			Red.	Private aid.
30180	- <i>Lighted Buoy 4</i>	40-45-33.060N 072-55-16.980W	FI R 4s			Red.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Great South Bay</b>							
<b>Beaverdam Creek Entrance</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
30190	<i>Carmans River Entrance Lighted Buoy 1</i>	40-45-39.480N 072-53-27.120W	FI G 4s			Green.	Private aid.
30195	<i>Carmans River Lighted Buoy 2</i>	40-46-04.699N 072-53-32.788W	FI R 4s			Red.	Private aid.
<b>Narrows Bay</b>							
30200	<i>Johns Neck Creek Lighted Buoy 1</i>	40-44-42.700N 072-51-47.000W	FI G 4s			Green.	Private aid.
30201	<i>Unchachogue Creek Lighted Buoy 2</i>	40-44-30.300N 072-51-58.200W	FI R 4s			Red.	Private aid.
30201.1	Unchachogue Creek Buoy 4	40-44-36.800N 072-51-57.700W				Red nun.	Private aid.
30201.2	Unchachogue Creek Buoy 6	40-44-42.100N 072-51-59.300W				Red nun.	Private aid.
30205	- Buoy 2	40-44-23.400N 072-51-49.900W				Red nun.	Removed when endangered by ice.
30210	- Buoy 4	40-44-27.248N 072-51-33.027W				Red nun.	Maintained from Apr. 15 to Nov. 1.
30211	<i>Section Five Lighted Buoy 1</i>	40-44-41.160N 072-51-09.120W	FI G 4s			Green.	Private aid.
30215	- <i>Lighted Buoy 5</i>	40-44-36.500N 072-50-56.200W	FI G 4s		4	Green.	Removed when endangered by ice.
30220	- <i>Lighted Buoy 6</i>	40-45-03.300N 072-50-10.600W	FI R 2.5s		3	Red.	Removed when endangered by ice.
30222	<i>Pattersquash Creek Lighted Buoy 1</i>	40-45-04.900N 072-50-30.400W	FI G 4s			Green.	Private aid.
30223	<i>Pattersquash Creek Lighted Buoy 2</i>	40-45-10.000N 072-50-44.000W	FI R 4s			Red.	Private aid.
30224	<i>Pattersquash Creek Lighted Buoy 4</i>	40-45-12.400N 072-50-46.800W	FI R 4s			Red.	Private aid.
30225	- Buoy 8	40-45-15.500N 072-49-22.300W				Red nun.	Maintained from Apr. 15 to Nov. 1.
30230	- Buoy 7	40-45-10.300N 072-49-47.500W				Green can.	Maintained from Apr. 15 to Nov. 1.
30231	<i>Section One Lighted Buoy 2</i>	40-45-24.800N 072-49-57.400W	FI R 4s			Red.	Private aid.
30235	- <i>Lighted Buoy 9</i>	40-45-24.480N 072-48-57.105W	FI G 2.5s		4	Green.	Removed when endangered by ice.
<b>Fire Island East End Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
30255	<i>Great Gun Beach Channel Lighted Buoy 1</i>	40-46-19.560N 072-47-09.420W	FI G 4s			Green.	Private aid.
30260	<i>Great Gun Beach Channel Lighted Buoy 2</i>	40-46-19.260N 072-47-10.440W	FI R 4s			Red.	Private aid.
30265	<i>Great Gun Beach Channel Lighted Buoy 3</i>	40-46-10.380N 072-47-04.080W	FI G 4s			Green.	Private aid.
30268	<i>Great Gun Beach Channel Lighted Buoy 4</i>	40-46-09.800N 072-47-05.700W	FI R 4s			Red.	Private aid.
30270	Great Gun Beach Channel Buoy 5	40-46-03.240N 072-46-59.220W				Green can.	Private aid.
30275	Great Gun Beach Channel Buoy 6	40-46-01.800N 072-47-00.200W				Red nun.	Private aid.
30276	<i>Great Gun Beach Channel Lighted Buoy 7</i>	40-45-59.100N 072-46-50.000W	FI G 4s			Green.	Private aid.
30277	<i>Great Gun Beach Channel Lighted Buoy 8</i>	40-45-58.100N 072-46-51.600W	FI R 4s			Red.	Private aid.



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Great South Bay</b>							
<b>Fire Island East End Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
30278	Great Gun Beach Channel Lighted Buoy 9	40-45-53.400N 072-46-39.900W	FI G 4s			Green.	Private aid.
30279	Great Gun Beach Channel Lighted Buoy 10	40-45-51.900N 072-46-41.000W	FI R 4s			Red.	Private aid.
<b>Moriches Bay</b>							
30291	- Buoy 10	40-45-45.949N 072-48-31.472W				Red nun.	Maintained from Apr. 15 to Nov. 1.
30292	- Buoy 11	40-46-12.553N 072-48-02.516W				Green can.	Maintained from 15 April to 1 Nov.
30293	- Lighted Buoy 12	40-46-27.613N 072-47-46.571W	Q R		3	Red.	Maintained from 15 April to 1 Nov.
30294	- Buoy 14	40-46-29.887N 072-47-17.462W				Red nun.	Maintained from Apr. 15 to Nov. 1.
30295	- Lighted Buoy 15	40-46-37.382N 072-46-22.449W	FI G 4s		4	Green.	Maintained from 15 April to 1 Nov.
30304	- Danger Buoy West	40-46-40.680N 072-46-02.820W				White and orange diamond marked DANGER SEVERE SHOALING AHEAD.	Maintained from 15 Apr. to 15 Nov.
30325	- Lighted Buoy 23	40-46-55.262N 072-44-56.864W	FI G 2.5s		4	Green.	Removed when endangered by ice.
30330	- Lighted Buoy 24	40-46-57.891N 072-44-42.986W	FI R 2.5s		3	Red.	Removed when endangered by ice.
30331	Hart Cove Buoy 1	40-47-02.128N 072-44-32.757W				Green can.	Maintained from 15 Apr. to 1 Nov.
30331.2	Hart Cove Buoy 2	40-47-19.404N 072-44-17.741W				Red nun.	Maintained from 15 Apr. to 1 Nov.
30331.3	Hart Cove Buoy 3	40-47-24.104N 072-44-19.747W				Green can.	Maintained from 15 Apr. to 1 Nov.
30331.5	Hart Cove Buoy 5	40-47-28.330N 072-44-19.988W				Green can.	Maintained from 15 Apr. to 1 Nov.
30331.7	Hart Cove Buoy 7	40-47-33.543N 072-44-22.436W				Green can.	Maintained from 15 Apr. to 1 Nov.
30331.8	Hart Cove Buoy 8	40-47-40.634N 072-44-18.538W				Red nun	Maintained from 15 Apr. to 1 Nov.
30331.9	Hart Cove Buoy 9	40-47-50.229N 072-43-57.815W				Green can.	Maintained from 15 Apr. to 1 Nov.
30332	Hart Cove Buoy 10	40-47-45.607N 072-44-03.466W				Red nun.	Maintained from 15 Apr. to 1 Nov.
30332.2	Hart Cove buoy 12	40-47-47.593N 072-43-42.964W				Red nun	Maintained from 15 Apr. to 1 Nov.
30332.4	Hart Cove Buoy 14	40-47-34.902N 072-43-09.560W				Red nun.	Maintained from 15 Apr. to 1 Nov.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Moriches Bay</b>							
30333	- Danger Buoy East	40-47-13.805N 072-43-33.713W				White and orange diamond marked DANGER SEVERE SHOALING AHEAD.	Maintained from 15 Apr. to 15 Nov.
30345	Fish Creek Entrance Buoy 2	40-48-16.800N 072-43-22.200W				Red nun.	Maintained from Apr. 15 to Nov. 15. Private aid.
30350	Seatuck Cove Buoy 2	40-48-34.200N 072-43-37.200W				Red nun.	Maintained from May 15 to Nov. 1. Private aid.
30355	Seatuck Cove Buoy 4	40-48-45.600N 072-43-35.400W				Red nun.	Maintained from May 15 to Nov. 1. Private aid.
30360	Seatuck Cove Buoy 6	40-48-52.200N 072-43-28.300W				Red nun.	Maintained from May 15 to Nov. 1. Private aid.
30361	<i>Heils Creek Lighted Entrance Buoy 1</i>	40-48-24.360N 072-43-50.280W	FI G 4s			Green.	Private aid.
30367	<i>Hart Cove Lighted Buoy 1</i>	40-47-54.300N 072-44-47.040W	FI G 4s			Green.	Private aid.
30368	<i>Hart Cove Lighted Buoy 2</i>	40-48-05.100N 072-45-09.000W	FI R 4s			Red.	Private aid.
30370	- <i>Lighted Buoy 30</i>	40-47-24.804N 072-42-46.482W	FI R 4s		3	Red.	Removed when endangered by ice.
30375	- <i>Lighted Buoy 31</i>	40-47-42.509N 072-41-27.503W	FI G 4s		4	Green.	Maintained from 15 April to 1 Nov.
30380	- Buoy 33	40-47-48.144N 072-41-01.082W				Green can.	Maintained from 15 April to 1 Nov.
30385	- <i>Lighted Buoy 34</i>	40-47-58.603N 072-40-12.132W	Q R		3	Red.	Removed when endangered by ice.
30390	Beaverdam Cove Buoy 1	40-48-15.000N 072-39-57.000W				Green can.	Maintained from Apr. 15 to Nov. 1. Private aid.
30395	Beaverdam Cove Buoy 2	40-48-20.400N 072-39-55.200W				Red nun.	Maintained from Apr. 15 to Nov. 1. Private aid.
30400	Beaverdam Cove Buoy 3	40-48-26.400N 072-39-55.200W				Green can.	Maintained from Apr. 15 to Nov. 1. Private aid.
30405	- Buoy 35	40-47-55.066N 072-39-44.473W				Green can.	Maintained from 15 April to 1 Nov.
30410	- Buoy 36	40-47-50.097N 072-39-15.437W				Red nun.	Maintained from 15 April to 1 Nov.
30415	- <i>Lighted Buoy 37</i>	40-47-48.161N 072-38-54.611W	Q G		3	Green.	Removed when endangered by ice.
<b>Boat Basin</b>							
<i>Aids maintained from Apr. 15 to Nov. 1.</i>							
30425	- Buoy 2	40-47-55.800N 072-38-28.800W				Red nun.	Private aid.
30430	- LIGHT 3	40-47-56.400N 072-38-29.400W	FI G 4s			On pile.	Private aid.
30435	- Buoy 4	40-48-07.200N 072-38-23.400W				Red nun.	Private aid.
30440	- LIGHT 6	40-48-12.600N 072-38-24.000W	FI R 4s			On pile.	Maintained from Apr. 15 to Nov. 1. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Moriches Bay</b>							
<b>Forge River Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
30445	- Lighted Buoy 1	40-46-29.500N 072-48-36.900W	FI G 4s			Green.	Private aid.
30450	- Lighted Buoy 2	40-46-30.700N 072-48-34.900W	FI R 4s			Red.	Private aid.
30455	- Buoy 3	40-46-46.860N 072-48-53.580W				Green can.	Private aid.
30460	- Buoy 4	40-46-47.640N 072-48-52.620W				Red nun.	Private aid.
30465	- Buoy 5	40-47-06.420N 072-49-13.500W				Green can.	Private aid.
30470	- Lighted Buoy 6	40-47-06.900N 072-49-12.540W	FI R 4s			Red.	Private aid.
30475	- Buoy 7	40-47-29.580N 072-49-35.520W				Green can.	Private aid.
30480	- Buoy 8	40-47-30.120N 072-49-34.680W				Red nun.	Private aid.
<b>Moriches Bay</b>							
30485	Senix Creek Entrance Lighted Buoy 1	40-46-57.420N 072-48-10.560W	FI G 4s			Green.	Private aid.
<b>Areskonk Creek Entrance</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
30490	- Lighted Buoy 2	40-46-49.200N 072-47-50.760W	FI R 4s			Red.	Private aid.
30495	Areskonk Creek Lighted Buoy 4	40-47-04.200N 072-47-48.700W	FI R 4s			Red.	Private aid.
<b>Moriches Bay</b>							
30510	Orchard Neck Creek Entrance Lighted Buoy 1	40-46-55.920N 072-47-23.580W	FI G 4s			Green.	Maintained from May 1 to Nov. 1. Private aid.
<b>Tuthill Cove</b>							
30515	- Buoy 2	40-47-02.535N 072-44-59.197W				Red nun.	Maintained from 15 April to 1 Nov.
30520	- Buoy 4	40-47-10.507N 072-45-03.183W				Red nun.	Maintained from 15 April to 1 Nov.
<b>Quantuck Canal</b>							
30559	- Day beacon 3	40-47-52.919N 072-38-22.918W				SG on pile.	
30560	- Day beacon 5	40-47-55.374N 072-38-08.021W				SG on pile.	
30565	- LIGHT 7 On edge of marsh.	40-48-10.144N 072-37-30.001W	FI G 4s	14	4	SG on pile.	Maintained from Apr. 15 to Nov. 1.
30570	- Buoy 9	40-48-18.942N 072-37-08.520W				Green can.	Maintained from Apr. 15 to Nov. 1.
30575	- Lighted Buoy 10	40-48-23.768N 072-36-50.496W	FI R 2.5s		3	Red.	Maintained from Apr. 15 to Nov. 1.
<b>Shinnecock Bay</b>							
30580	- Buoy 1	40-49-06.995N 072-34-57.172W				Green can.	Maintained from 15 April to 1 Nov.
30583	- Buoy 3	40-49-19.728N 072-34-41.649W				Green can.	Maintained from 15 April to 1 Nov.
30585	QUANTUCK CANAL LIGHT 12 On edge of marsh.	40-48-50.080N 072-35-05.441W	Q R	14	3	TR on pile.	Maintained from Apr. 15 to Nov. 1.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Shinnecock Bay</b>							
30590	- LIGHT 2	40-49-06.864N 072-34-55.182W	FI R 4s	16	3	TR on pile.	Maintained from Apr. 15 to Nov. 1.
30600	- Buoy 4	40-49-31.226N 072-34-27.324W				Red nun.	Maintained from 15 April to 1 Nov.
<b>Daves Creek</b>							
<i>Aids maintained from Apr. 15 to Nov. 15.</i>							
30605	- Buoy 1	40-50-12.780N 072-34-11.280W				Green can.	Private aid.
30610	- Buoy 2	40-50-13.620N 072-34-11.160W				Red nun.	Private aid.
30615	- Buoy 3	40-50-11.520N 072-34-16.800W				Green can.	Private aid.
30620	- Buoy 4	40-50-12.060N 072-34-16.800W				Red nun.	Private aid.
<b>Phillips Creek</b>							
<i>Aids maintained from Apr. 15 to Nov. 15.</i>							
30625	- Buoy 1	40-49-41.460N 072-34-24.120W				Green can.	Private aid.
30630	- Buoy 2	40-49-42.060N 072-34-23.760W				Red nun.	Private aid.
30635	- Buoy 4	40-49-47.640N 072-34-36.780W				Red nun.	Private aid.
30640	- Buoy 5	40-49-50.160N 072-34-45.300W				Green can.	Private aid.
<b>Shinnecock Bay</b>							
30645	Weesuck Creek Buoy 2	40-50-24.840N 072-34-10.620W				Red nun.	Maintained from Apr. 15 to Nov. 15. Private aid.
30650	Weesuck Creek Buoy 4	40-50-33.300N 072-34-12.960W				Red nun.	Maintained from Apr. 15 to Nov. 15. Private aid.
30655	Weesuck Creek Buoy 6	40-50-40.620N 072-34-15.000W				Red nun.	Maintained from Apr. 15 to Nov. 15. Private aid.
30660	- Lighted Buoy 6	40-49-48.160N 072-34-07.521W	FI R 2.5s		3	Red.	Maintained from 15 Apr. to 1 Nov.
30670	- Buoy 8	40-49-57.648N 072-33-34.773W				Red nun.	Maintained from 15 Apr. to 1 Nov.
30675	- Lighted Buoy 9	40-50-10.058N 072-32-56.475W	FI G 4s		4	Green.	Maintained from 15 Apr. to 1 Nov.
30680	- Buoy 10	40-50-33.429N 072-32-25.839W				Red nun.	Maintained from 15 Apr. to 1 Nov.
30685	- Lighted Buoy 13	40-50-39.131N 072-31-20.956W	FI G 4s		4	Green.	Maintained from 15 Apr. to 1 Nov.
30690	- Lighted Buoy 12	40-50-53.273N 072-32-01.609W	FI R 4s		3	Red.	Maintained from 15 Apr. to 1 Nov.
30695	- Buoy 16	40-50-37.090N 072-30-43.052W				Red nun.	Maintained from 15 Apr. to 1 Nov.
30700	Ponquogue South Channel Buoy 3S	40-50-54.987N 072-30-03.402W				Green can.	
30705	Ponquogue South Channel Buoy 2S	40-50-48.631N 072-29-58.883W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Shinnecock Bay</b>							
<b>Smith Creek</b>							
<i>Aids maintained from May 15 to Nov. 1 unless otherwise noted.</i>							
30710	- Buoy 1	40-50-41.340N 072-31-00.600W				Green can.	Private aid.
30715	- Buoy 1A	40-50-47.580N 072-31-00.960W				Green can.	Maintained from Apr. 15 to Nov. 15. Private aid.
30720	- Buoy 2	40-50-51.960N 072-31-03.600W				Red nun.	Private aid.
30725	- Buoy 3	40-51-04.800N 072-31-20.880W				Green can.	Private aid.
30730	- Buoy 4	40-51-06.060N 072-31-17.100W				Red nun.	Private aid.
30735	- Buoy 6	40-51-23.100N 072-31-29.040W				Red.	Private aid.
<b>Shinnecock Bay</b>							
30740	Wells Creek Entrance Buoy 1	40-51-01.200N 072-31-04.800W				Green can.	Maintained from Apr. 15 to Nov. 15. Private aid.
30745	Wells Creek Entrance Buoy 2	40-51-01.080N 072-31-03.780W				Red nun.	Maintained from Apr. 15 to Nov. 15. Private aid.
30750	Penny Pond Entrance Buoy 1	40-50-58.680N 072-30-48.180W				Green can.	Maintained from Apr. 15 to Nov. 15. Private aid.
30755	Penny Pond Entrance Buoy 2	40-50-58.380N 072-30-47.460W				Red nun.	Maintained from Apr. 15 to Nov. 15. Private aid.
30760	- Buoy 15	40-50-38.141N 072-30-56.428W				Green can.	Maintained from 15 Apr. to 1 Nov.
30765	- Buoy 19	40-50-41.358N 072-29-56.278W				Green can.	
30770	- Lighted Buoy 17	40-50-36.680N 072-30-13.122W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.
30820	- Junction Lighted Buoy SI	40-50-40.767N 072-29-48.336W	FI (2+1)G 6s		4	Green and red bands.	Replaced by can when endangered by ice.
30825	- Buoy 23	40-51-00.304N 072-29-46.549W				Green can.	
30830	- Buoy 22	40-50-44.361N 072-29-45.820W				Red nun.	
30835	- Buoy 24	40-51-01.910N 072-29-43.838W				Red nun.	
30845	Ponquogue Channel Buoy 4	40-50-59.786N 072-30-04.503W				Red nun.	
30847	Ponquogue Channel Buoy 4	40-51-02.952N 072-29-59.832W				Red nun.	
30850	- Lighted Buoy 25	40-51-10.358N 072-29-40.366W	FI G 4s		4	Green.	Replaced by can from Nov. 1 to Apr. 15.
30855	- Buoy 26	40-51-11.313N 072-29-38.648W				Red nun.	
30860	- Buoy 27	40-51-50.862N 072-29-21.418W				Green can.	
30865	- Lighted Buoy 29	40-52-35.995N 072-29-02.060W	FI G 4s		4	Green.	Replaced by can from Nov. 1 to Apr. 15.
30867	- Buoy 30	40-52-39.706N 072-29-23.218W				Red nun.	
30870	- Buoy 31	40-52-40.647N 072-29-30.825W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Shinnecock Bay</b>							
30872	- Buoy 32	40-52-44.267N 072-29-50.937W				Red nun.	
30875	- Lighted Buoy 34	40-52-45.548N 072-29-59.937W	Q R		3	Red.	Replaced by nun when endangered by ice.
30885	OLD FORT POND LIGHT 1	40-52-25.200N 072-26-35.880W	FI G 6s	6		SB on pile.	Maintained from May 1 to Nov. 1. Private aid.
<b>Jones Inlet</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
30890	- LIGHT	40-34-23.568N 073-34-32.364W	FI W 2.5s	33	4	NR on white skeleton tower.	
30900	- Lighted Whistle Buoy JI	40-33-36.915N 073-35-13.081W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
30905	- Lighted Buoy 1	40-34-12.885N 073-35-21.116W	FI G 4s		3	Green.	
30910	- Lighted Buoy 2	40-34-03.563N 073-35-22.042W	FI R 4s		3	Red.	
30920	- Buoy 3	40-34-36.215N 073-34-59.097W				Green can.	
30925	- Lighted Buoy 4	40-34-33.356N 073-34-54.640W	Q R		3	Red.	
30930	- Buoy 5	40-34-48.566N 073-34-50.230W				Green can.	
30935	- Lighted Buoy 6	40-34-49.676N 073-34-42.944W	FI R 2.5s		3	Red.	
30940	- Buoy 7	40-35-13.447N 073-34-24.083W				Green can.	
30945	- Buoy 8	40-35-07.672N 073-34-23.104W				Red nun.	
30950	- Buoy 9	40-35-21.987N 073-34-16.836W				Green can.	
30951	- Buoy 11	40-35-32.413N 073-34-15.728W				Green can.	
30955	- Buoy 12	40-35-33.743N 073-34-08.139W				Red nun.	
30960	- Buoy 13	40-35-41.142N 073-34-11.905W				Green can.	
30961	Alder Island Shoal Buoy 1A	40-35-40.433N 073-34-18.253W				Green can.	
30962	Alder Island Shoal Buoy 2A	40-35-42.905N 073-34-15.991W				Red nun.	
30965	- Lighted Buoy 14	40-35-46.453N 073-34-04.540W	Q R		3	Red.	Replaced by nun when endangered by ice.
30970	- Buoy 15	40-35-49.187N 073-34-08.301W				Green can.	
30975	- Lighted Buoy 16	40-36-04.695N 073-34-06.669W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
30980	- Buoy 17	40-36-06.697N 073-34-10.127W				Green can.	
<b>Sloop Channel</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
30995	- Junction Lighted Buoy SJ	40-35-20.886N 073-34-11.835W	FI (2+1)G 6s		4	Green and red bands.	
31000	- Entrance Buoy 2	40-35-18.418N 073-34-07.266W				Red nun.	
31005	- Entrance Buoy 3	40-35-28.810N 073-33-53.056W				Green can.	
31010	- LIGHT 4	40-35-30.311N 073-33-31.118W	FI R 4s	12	3	TR on pile.	
31015	West End Boat Basin Buoy 1	40-35-31.821N 073-33-20.877W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Sloop Channel</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
31020	COAST GUARD STATION JONES BEACH BREAKWATER LIGHT 2	40-35-28.031N 073-33-19.068W	FI R 2.5s	6	3	TR on breakwall.	
31025	- Buoy 5	40-35-42.275N 073-33-27.719W				Green can.	
31030	- <i>Lighted Buoy 6</i>	40-35-51.654N 073-33-03.902W	FI R 2.5s		3	Red.	
31040	- LIGHT 8	40-35-58.473N 073-31-41.046W	FI R 4s	12	3	TR on pile.	
31045	- <i>Lighted Buoy 9</i>	40-36-02.178N 073-31-20.364W	FI G 4s		4	Green.	
31050	- Day beacon 10	40-35-59.417N 073-31-10.615W				TR on pile.	
31055	- LIGHT 11	40-36-14.815N 073-31-02.583W	Q G	12	3	SG on pile.	
31070	- Buoy 12	40-36-33.246N 073-30-23.994W				Red nun.	Maintained from 1 Apr to 15 Nov.
31075	- <i>Lighted Buoy 15</i>	40-36-44.959N 073-30-14.402W	Q G		3	Green.	
31082	- Day beacon 17	40-36-58.170N 073-30-20.262W				SG on pile.	
31085	- Day beacon 18	40-37-08.004N 073-30-19.338W				TR on pile.	
31090	- Day beacon 19	40-37-08.089N 073-30-24.139W				SG on pile.	
31095	- LIGHT 20	40-37-15.010N 073-30-23.034W	Q R	14	3	TR on pile.	
31100	- Day beacon 21	40-37-17.652N 073-30-28.430W				SG on pile.	
31105	- Day beacon 23	40-37-21.852N 073-30-19.377W				SG on pile.	
<b>State Boat Channel</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
31110	- Day beacon 1	40-37-23.816N 073-29-46.545W				SG on pile.	
31120	- Day beacon 3	40-37-11.520N 073-29-53.760W				SG on pile.	
31125	- Buoy 5	40-36-54.102N 073-29-57.938W				Green can.	Maintained from 1 April to 15 Nov.
31130	- LIGHT 4	40-36-57.193N 073-30-01.518W	FI R 2.5s	10	3	TR on pile.	
31145	- Day beacon 9	40-36-41.690N 073-29-41.831W				SG on pile.	
31150	- LIGHT 10	40-36-35.254N 073-29-35.962W	FI R 2.5s	12	3	TR on pile.	
<b>Zach's Bay</b>							
<i>Maintained from May 1 to Nov. 1.</i>							
31151	- Channel Buoy ZB1	40-36-27.000N 073-29-20.880W				Green can.	Private aid.
31151.1	- Channel Buoy ZB2	40-36-27.240N 073-29-22.200W				Red nun.	Private aid.
31151.2	- Channel Buoy ZB3	40-36-22.980N 073-29-22.980W				Green can.	Private aid.
31151.3	- Channel Buoy ZB4	40-36-20.640N 073-29-25.020W				Red nun.	Private aid.
31151.5	- Channel Buoy ZB6	40-36-15.120N 073-29-26.820W				Red nun.	Private aid.
<b>State Boat Channel</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
31160	- Day beacon 13	40-36-28.398N 073-29-13.398W				SG on pile.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>State Boat Channel</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
31175	- Lighted Buoy 15	40-36-22.344N 073-29-00.042W	Q G		3	Green.	Maintained from 1 April to 15 Nov.
31180	- Buoy 16	40-36-26.519N 073-28-42.053W				Red nun.	Maintained from 1 April to 15 Nov.
31185	- Day beacon 17	40-36-37.935N 073-28-17.949W				SG on pile.	
31190	- LIGHT 19	40-36-49.824N 073-27-42.105W	FI G 2.5s	15	4	SG on pile.	
31215	- LIGHT 25	40-37-00.451N 073-25-57.386W	FI G 2.5s		3	SG on pile.	
31220	- LIGHT 29	40-37-15.620N 073-25-00.054W	FI G 4s	12	4	SG on pile.	
31235	- Lighted Buoy 35	40-37-28.764N 073-23-58.824W	FI G 2.5s		4	Green.	Maintained from 1 April to 15 Nov.
31245	- Day beacon 38	40-37-41.074N 073-22-53.710W				TR on pile.	
31255	- LIGHT 42	40-37-57.831N 073-21-42.806W	FI R 4s	12	3	TR on pile.	Removed when endangered by ice.
31260	- Day beacon 44	40-38-07.468N 073-21-04.225W				TR on pile.	
31265	- LIGHT 47	40-38-17.807N 073-20-32.830W	Q G	12	3	SG on pile.	Removed when endangered by ice.
31270	- Day beacon 48	40-38-29.186N 073-20-02.199W				TR on pile.	
31275	- LIGHT 49	40-38-38.630N 073-19-55.061W	FI G 4s	12	4	SG on pile.	Removed when endangered by ice.
31280	- Day beacon 50	40-38-37.912N 073-19-48.024W				TR on pile.	
31285	- Day beacon 52	40-38-47.970N 073-19-28.941W				TR on pile.	
31295	- Buoy 54	40-38-53.342N 073-19-18.776W				Red nun.	Maintained from 1 April to 15 Nov.
31300	- Buoy 55	40-38-56.418N 073-19-11.997W				Green can.	Maintained from 1 April to 15 Nov.
31305	- Buoy 56	40-38-58.115N 073-18-55.718W				Red nun.	Maintained from 1 April to 15 Nov.
31310	- Lighted Buoy 57	40-39-00.370N 073-18-53.503W	FI G 2.5s		4	Green.	Removed when endangered by ice.
31315	- Lighted Buoy 58	40-38-59.271N 073-18-37.386W	FI R 4s		3	Red.	Removed when endangered by ice.
31320	- Buoy 59	40-39-01.008N 073-18-34.920W				Green can.	Maintained from 1 April to 15 Nov.
31325	- Buoy 61	40-39-00.606N 073-18-21.221W				Green can.	Maintained from 1 April to 15 Nov.
31330	- Day beacon 62	40-38-58.925N 073-18-08.672W				TR on pile.	
31340	- Lighted Buoy 64	40-38-58.329N 073-17-52.221W	FI R 4s		3	Red.	Maintained from 1 April to 15 Nov.



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>State Boat Channel</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
31350	- Day beacon 66	40-38-53.944N 073-17-23.778W				TR on pile.	
31360	- LIGHT 68	40-38-44.840N 073-16-56.391W	FI R 4s	12	3	TR on pile.	Light removed when endangered by ice.
<b>Sloop Channel</b>							
<b>Oak Island Channel</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
31380	- JUNCTION LIGHT SO	40-39-00.356N 073-17-28.823W	FI (2+1)G 6s	12	4	JG on pile.	Removed when endangered by ice.
31385	- Buoy 2	40-39-12.967N 073-17-36.301W				Red nun.	Maintained from 1 April to 15 Nov.
31390	- Buoy 3	40-39-22.392N 073-17-42.864W				Green can.	Maintained from 1 April to 15 Nov.
31395	- Buoy 4	40-39-29.651N 073-17-45.155W				Red nun.	Maintained from 1 April to 15 Nov.
31400	- Buoy 5	40-39-36.058N 073-17-50.281W				Green can.	Maintained from 1 April to 15 Nov.
31405	- Buoy 6	40-39-43.798N 073-17-52.583W				Red nun.	Maintained from 1 April to 15 Nov.
31410	- Buoy 7	40-39-55.951N 073-18-01.364W				Green can.	Maintained from 1 April to 15 Nov.
31415	- Buoy 8	40-40-01.005N 073-18-02.079W				Red nun.	Maintained from 1 April to 15 Nov.
31420	- Entrance Lighted Buoy 9	40-40-08.412N 073-18-08.807W	FI G 2.5s		4	Green.	Maintained from 1 April to 15 Nov.
<b>State Boat Channel</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
31430	- Day beacon 74	40-38-32.391N 073-16-08.005W				TR on pile.	
31435	- Buoy 75	40-38-39.958N 073-16-32.382W				Green can.	Maintained from Apr. 1 to Nov. 15.
31436	- Buoy 76	40-38-34.954N 073-15-56.391W				Red nun.	Maintained from 1 April to 15 Nov.
31440	- Buoy 77	40-38-35.111N 073-15-23.223W				Green can.	Maintained from Apr. 1 to Nov. 15.
31445	- Buoy 78	40-38-33.795N 073-15-33.395W				Red nun.	Maintained from Apr. 1 to Nov. 15.
31450	- Buoy 79	40-38-36.766N 073-15-14.947W				Green can.	Maintained from Apr. 1 to Nov. 15.
31455	- Buoy 80	40-38-36.491N 073-15-05.109W				Red nun.	Removed when endangered by ice.
31460	- Buoy 81	40-38-38.219N 073-14-56.997W				Green can.	Maintained from Apr 1 to Nov 15.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Sloop Channel</b>							
<b>State Boat Channel</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
31462	- Buoy 82	40-38-36.433N 073-14-58.592W				Red nun.	Removed when endangered by ice.
31465	- Buoy 84	40-38-33.955N 073-14-50.439W				Red nun.	Removed when endangered by ice.
31470	- Buoy 86	40-38-31.353N 073-14-46.853W				Green.	Removed when endangered by ice.
31475	- Lighted Buoy 87	40-38-31.758N 073-14-43.031W	Q G		3	Green.	Replaced by can f from Nov. 1 to Apr. 15.
31480	- Buoy 88	40-38-27.888N 073-14-40.495W				Red nun.	
31485	- Buoy 89	40-38-25.956N 073-14-34.631W				Green can.	
31487	- Lighted Buoy 90	40-38-21.986N 073-14-31.955W	FI R 4s		3	Red.	Replaced by can f from Nov. 1 to Apr. 15.
31490	- Buoy 91	40-38-19.187N 073-14-24.287W				Green can.	
<b>East Rockaway Inlet</b>							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
31495	- Lighted Bell Buoy ER	40-34-16.994N 073-45-49.012W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
31500	- BREAKWATER LIGHT	40-34-56.600N 073-45-17.200W	FI W 4s	34	4	NR on skeleton tower.	
31510	- Lighted Buoy 1	40-34-42.006N 073-45-45.114W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
31515	- Lighted Buoy 2	40-34-41.994N 073-45-41.028W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
31520	- Buoy 3	40-34-55.288N 073-45-39.182W				Green can.	
31525	- Buoy 4	40-34-54.228N 073-45-36.273W				Red nun.	
31530	- Lighted Buoy 5	40-35-07.262N 073-45-42.013W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
31535	- Lighted Buoy 6	40-35-07.986N 073-45-28.511W	Q R		3	Red.	Replaced by nun when endangered by ice.
31540	- Buoy 7	40-35-16.018N 073-45-18.582W				Green can.	
31545	- Buoy 8	40-35-14.055N 073-45-16.647W				Red nun.	
31550	- Lighted Buoy 9	40-35-23.527N 073-45-05.903W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
31555	- Buoy 10	40-35-21.621N 073-45-03.866W				Red nun.	
31560	- Buoy 12	40-35-31.651N 073-44-48.508W				Red nun.	
<b>Bannister Creek</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
31561	- Channel Buoy BC1	40-35-41.820N 073-44-07.860W				Green can.	Private aid.
31562	- Channel Buoy BC2	40-35-40.020N 073-44-07.320W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>East Rockaway Inlet</b>							
<b>Bannister Creek</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
31563	- Channel Buoy BC3	40-35-44.880N 073-44-07.380W				Green can.	Private aid.
31564	- Channel Buoy BC4	40-35-44.460N 073-44-06.600W				Red nun.	Private aid.
31564.1	- Channel Buoy BC5	40-36-05.160N 073-44-03.600W				Green can.	Private aid.
31564.2	- Channel Buoy BC6	40-36-03.960N 073-44-03.600W				Red nun.	Private aid.
31564.3	- Channel Buoy BC7	40-36-06.840N 073-44-00.360W				Green can.	Private aid.
31564.4	- Channel Buoy BC8	40-36-06.120N 073-43-59.400W				Red nun.	Private aid.
<b>Hempstead Bay</b>							
<b>Reynolds Channel</b>							
31565	- Lighted Buoy 1	40-35-28.917N 073-43-35.084W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
31575	- Lighted Buoy 3	40-35-29.985N 073-42-47.339W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
31580	- Lighted Buoy 5	40-35-25.265N 073-41-45.201W	FI G 6s		3	Green.	Replaced by can when endangered by ice.
31585	- LIGHT 7	40-35-25.144N 073-41-20.737W	FI G 2.5s	16	4	SG on pile.	
<b>Woodsburgh Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
31590	- Day beacon A1	40-36-07.140N 073-41-09.180W				SG on pile.	Private aid.
31595	- Buoy A2	40-36-08.640N 073-41-08.340W				Red nun.	Private aid.
31600	- Day beacon A4	40-36-12.780N 073-41-18.480W				TR on pile.	Private aid.
31605	- Buoy A5	40-36-12.120N 073-41-19.560W				Green can.	Private aid.
31610	- Buoy A6	40-36-17.940N 073-41-27.720W				Red nun.	Private aid.
31615	- Buoy A7	40-36-14.820N 073-41-28.000W				Green can.	Private aid.
31620	- Day beacon A8	40-36-24.720N 073-41-29.880W				TR on pile.	Private aid.
31625	- Buoy A9	40-36-34.620N 073-41-30.120W				Green can.	Private aid.
31630	- Buoy A12	40-36-38.580N 073-41-28.680W				Red nun.	Private aid.
31635	- Buoy A13	40-36-41.940N 073-41-31.020W				Green can.	Private aid.
31640	- Buoy A14	40-36-43.680N 073-41-30.410W				Red nun.	Private aid.
31645	- Buoy A16	40-36-49.200N 073-41-35.880W				Red nun.	Private aid.
31650	- Buoy A17	40-36-48.240N 073-41-35.520W				Green can.	Private aid.
31653	- Buoy A18	40-36-52.080N 073-41-38.460W				Red nun.	Private aid.
31655	- Buoy A19	40-36-55.680N 073-41-41.100W				Green can.	Private aid.
31656	- Buoy A19-A	40-36-58.200N 073-41-43.020W				Green can.	Private aid.
31660	- Buoy A20	40-36-59.700N 073-41-44.100W				Red nun.	Private aid.
31665	- Buoy A21	40-37-01.200N 073-41-47.520W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Hempstead Bay</b>							
<b>Woodsburgh Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
31670	- Buoy A22	40-37-02.580N 073-41-49.560W				Red nun.	Private aid.
31675	- Buoy A23	40-37-02.520N 073-41-52.380W				Green can.	Private aid.
31677	- Buoy A24	40-37-03.600N 073-41-54.540W				Red nun.	Private aid.
31680	- Buoy A25	40-37-04.440N 073-42-00.360W				Green can.	Private aid.
31685	- Buoy A26	40-37-03.840N 073-42-01.440W				Red nun.	Private aid.
31690	- Buoy A27	40-36-59.160N 073-42-02.280W				Green can.	Private aid.
31695	- Buoy A28	40-37-00.960N 073-42-03.060W				Red nun.	Private aid.
31700	- Buoy A29	40-36-53.700N 073-42-01.860W				Green can.	Private aid.
31705	- Buoy A30	40-36-53.580N 073-42-03.240W				Red nun.	Private aid.
31710	- Buoy A31	40-36-51.660N 073-42-13.380W				Green can.	Private aid.
31715	- Buoy A32	40-36-52.620N 073-42-09.540W				Red nun.	Private aid.
31720	- Buoy A33	40-36-50.820N 073-42-19.620W				Green can.	Private aid.
31725	- Buoy A34	40-36-51.420N 073-42-19.920W				Red nun.	Private aid.
31730	- Buoy A38	40-36-55.200N 073-42-23.100W				Red nun.	Private aid.
<b>Broseware Bay - North End</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
31735	Broseware Bay North End Buoy AB1	40-37-04.620N 073-41-55.680W				Green can.	Private aid.
31740	Broseware Bay North End Buoy AB2	40-37-06.480N 073-41-54.180W				Red nun.	Private aid.
31743	Broseware Bay North End Buoy AB3	40-37-07.800N 073-41-54.600W				Green can.	Private aid.
31745	Broseware Bay North End Buoy AB4	40-37-09.780N 073-41-52.680W				Red nun.	Private aid.
<b>Broad Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
31750	- Junction Buoy B	40-35-33.720N 073-41-05.460W				Red and green bands; nun.	Private aid.
31755	- Buoy B4	40-35-45.060N 073-41-03.480W				Red nun.	Private aid.
31760	- Buoy B8	40-35-53.760N 073-41-04.380W				Red nun.	Private aid.
31762	- Buoy B10	40-36-02.940N 073-41-03.180W				Red nun.	Private aid.
31765	- Buoy B11	40-36-06.000N 073-41-03.000W				Green can.	Private aid.
31770	- Buoy B12	40-36-07.500N 073-40-58.500W				Red nun.	Private aid.
31775	- Day beacon B13	40-36-12.600N 073-40-54.840W				SG on pile.	Private aid.
31780	- Buoy B14	40-36-14.700N 073-40-48.900W				Red nun.	Private aid.
31790	- Buoy B19	40-36-24.840N 073-40-39.180W				Green can.	Private aid.
31795	- Buoy B20	40-36-23.520N 073-40-38.940W				Red nun.	Private aid.
31800	- Buoy B22	40-36-32.880N 073-40-35.760W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Hempstead Bay</b>							
<b>Broad Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
31805	- Buoy B24	40-36-38.940N 073-40-33.960W				Red nun.	Private aid.
31810	- Buoy B25	40-36-42.060N 073-40-34.680W				Green can.	Private aid.
31815	- Buoy B26	40-36-49.560N 073-40-29.040W				Red nun.	Private aid.
31820	- Day beacon B27	40-36-53.160N 073-40-29.700W				SG on pile.	Private aid.
31825	- Buoy B28	40-36-57.060N 073-40-30.120W				Red nun.	Private aid.
31830	- Day beacon B29	40-36-57.900N 073-40-31.440W				SG on pile.	Private aid.
31835	- Buoy B30	40-37-04.260N 073-40-32.280W				Red nun.	Private aid.
31836	- Day beacon B31	40-37-04.980N 073-40-34.020W				SG on pile.	Private aid.
31839	- Day beacon B33	40-37-07.500N 073-40-36.360W				SG on pile.	Private aid.
31845	- Day beacon B35	40-37-07.380N 073-40-42.540W				SG on pile.	Private aid.
31846	- Buoy B36	40-37-08.100N 073-40-52.080W				Red nun.	Private aid.
31850	- Day beacon B37	40-37-08.100N 073-40-53.940W				SG on pile.	Private aid.
31855	- Buoy B38	40-37-13.380N 073-40-56.580W				Red nun.	Private aid.
31860	- Day beacon B39	40-37-18.780N 073-40-59.760W				SG on pile.	Private aid.
31865	- Buoy B40	40-37-17.820N 073-40-58.320W				Red nun.	Private aid.
31870	- Buoy B42	40-37-25.260N 073-41-04.680W				Red nun.	Private aid.
31875	- Buoy B43	40-37-24.240N 073-41-05.580W				Green can.	Private aid.
31885	- Buoy B47	40-37-31.320N 073-40-50.460W				Green can	Private aid.
31890	- Buoy B48	40-37-33.780N 073-40-42.360W				Red nun.	Private aid.
<b>Hewlett Bay Extension</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
31900	- Buoy B50	40-37-36.420N 073-40-31.260W				Red nun.	Private aid.
31910	- Buoy B52	40-37-36.360N 073-40-22.560W				Red nun.	Private aid.
31915	- Buoy B53	40-37-37.500N 073-40-28.980W				Green can.	Private aid.
31920	- Buoy B54	40-37-36.300N 073-40-16.800W				Red nun.	Private aid.
31925	- Buoy B55	40-37-38.280N 073-40-16.500W				Green can.	Private aid.
31930	- Buoy B56	40-37-33.360N 073-40-11.580W				Red nun.	Private aid.
31935	- Buoy B57	40-37-34.500N 073-40-08.520W				Green can.	Private aid.
31940	- Buoy B58	40-37-31.860N 073-40-07.260W				Red nun.	Private aid.
31945	- Day beacon B59	40-37-34.080N 073-40-03.960W				SG on pole.	Private aid.
31950	- Buoy B60	40-37-27.720N 073-40-07.080W				Red nun.	Private aid.
31955	- Buoy B61	40-37-27.240N 073-40-04.740W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Hempstead Bay</b>							
<b>Hewlett Bay Extension</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
31960	- Buoy B62	40-37-22.560N 073-40-07.500W				Red nun.	Private aid.
31965	- Buoy B63	40-37-23.040N 073-40-04.800W				Green can.	Private aid.
<b>Reynolds Channel</b>							
31970	- LIGHT 9	40-35-44.640N 073-40-25.943W	FI G 4s	12	4	SG on pile.	
<b>Hog Island Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
31975	- Lighted Buoy C1	40-35-46.380N 073-39-55.860W	FI G 4s			Green.	Private aid.
31980	- Lighted Buoy C2	40-35-47.100N 073-39-50.880W	FI R 4s			Red.	Private aid.
31985	- Buoy C3	40-36-01.200N 073-40-10.260W				Green can.	Private aid.
31990	- Buoy C5	40-36-10.440N 073-40-15.000W				Green can.	Private aid.
31995	- Buoy C7	40-36-23.100N 073-40-04.320W				Green can.	Private aid.
32000	- Buoy C9	40-36-25.440N 073-39-50.040W				Green can.	Private aid.
32005	- Buoy C11	40-36-25.680N 073-39-38.340W				Green can.	Private aid.
32010	- Lighted Buoy C13	40-36-28.020N 073-39-29.520W	FI G 4s			Green.	Private aid.
32015	- Buoy C15	40-36-34.500N 073-39-22.500W				Green can.	Private aid.
<b>East Rockaway Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
32020	- Buoy D1	40-36-28.680N 073-40-02.640W				Green can.	Private aid.
32025	- Buoy D4	40-36-34.740N 073-39-57.900W				Red nun.	Private aid.
32030	- Buoy D7	40-36-48.240N 073-39-55.500W				Green can.	Private aid.
32035	- Day beacon D8	40-36-48.360N 073-39-51.240W				TR on pile.	Private aid.
32040	- Day beacon D9	40-36-57.240N 073-39-51.240W				SG on pile.	Private aid.
32045	- Buoy D10	40-36-55.380N 073-39-51.360W				Red nun.	Private aid.
32050	- Buoy D12	40-36-58.920N 073-39-43.680W				Red nun	Private aid.
32055	- Buoy D13	40-37-02.700N 073-39-38.880W				Green can.	Private aid.
32060	- Buoy D14	40-37-03.780N 073-39-36.240W				Red nun	Private aid.
32065	- Buoy D15	40-37-12.660N 073-39-39.000W				Green can	Private aid.
32070	- Buoy D16	40-37-21.420N 073-39-38.400W				Red nun	Private aid.
32075	- Buoy D17	40-37-18.840N 073-39-40.020W				Green can	Private aid.
<b>Reynolds Channel</b>							
32085	- LIGHT 11	40-35-50.138N 073-38-39.074W	FI G 4s	16	4	SG on pile.	
32090	- Buoy 14	40-35-49.200N 073-37-45.425W				Red nun.	Maintained from 1 Apr to 1 Dec.
<b>Garretts Lead</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
32100	- Buoy H1	40-35-51.540N 073-38-20.040W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Hempstead Bay</b>							
<b>Garretts Lead</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
32105	- Buoy H2	40-35-52.200N 073-38-17.040W				Red nun.	Private aid.
32110	- Buoy H3	40-35-58.560N 073-38-14.220W				Green can.	Private aid.
32120	- Day beacon H4	40-36-00.540N 073-38-10.320W				TR on pile.	Private aid.
32125	- Day beacon H5	40-36-03.600N 073-38-10.500W				SG on pile.	Private aid.
32135	- Buoy H7	40-36-11.940N 073-38-02.940W				Green can.	Private aid.
32140	- Buoy H8	40-36-08.520N 073-38-03.600W				Red nun.	Private aid.
32145	- Buoy H9	40-36-16.980N 073-37-58.560W				Green can.	Private aid.
32150	- Buoy H10	40-36-17.760N 073-37-56.220W				Red nun.	Private aid.
32155	- Buoy H13	40-36-22.920N 073-37-58.980W				Green can.	Private aid.
32160	- Day beacon H14	40-36-27.480N 073-37-56.760W				TR on pile.	Private aid.
32165	- Day beacon H15	40-36-29.340N 073-37-59.640W				SG on pile.	Private aid.
32170	- Buoy H16	40-36-31.740N 073-37-57.420W				Red nun.	Private aid.
32175	- Buoy H17	40-36-39.960N 073-37-54.000W				Green can.	Private aid.
32180	- Buoy H19	40-36-41.820N 073-37-47.820W				Green can.	Private aid.
32185	- Buoy H20	40-36-39.960N 073-37-37.920W				Red nun.	Private aid.
32190	- Day beacon H24	40-36-46.440N 073-37-25.500W				TR on pile.	Private aid.
32195	- Day beacon H25	40-36-56.160N 073-37-29.040W				SG on pile.	Private aid.
32200	- Day beacon H26	40-36-49.440N 073-37-24.000W				TR on pile.	Private aid.
32205	- Day beacon H27	40-36-59.520N 073-37-24.000W				SG on pile.	Private aid.
32210	- Buoy H29	40-37-02.220N 073-37-20.400W				Green can.	Private aid.
32215	- Buoy H30	40-36-59.040N 073-37-18.300W				Red nun.	Private aid.
32220	- Day beacon H31	40-37-02.760N 073-37-18.780W				SG on pile.	Private aid.
32225	- Day beacon H32	40-37-06.660N 073-37-05.220W				TR on pile.	Private aid.
32230	- Day beacon H33	40-37-06.720N 073-37-11.520W				SG on pile.	Private aid.
32235	- Day beacon H35	40-37-11.220N 073-37-03.480W				SG on pile.	Private aid.
32240	- Day beacon H36	40-37-15.360N 073-36-57.600W				TR on pile.	Private aid.
32245	- Day beacon H42	40-37-25.680N 073-36-57.960W				TR on pile.	Private aid.
32250	- Buoy H44	40-37-30.720N 073-37-00.600W				Red nun.	Private aid.
<b>Hassock Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
32255	- Buoy HK1	40-37-11.340N 073-36-55.080W				Green can.	Private aid.
32260	- Buoy HK2	40-37-10.380N 073-36-55.260W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Hempstead Bay</b>							
<b>Hassock Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
32265	- Buoy HK3	40-37-13.020N 073-36-47.100W				Green can.	Private aid.
32270	- Buoy HK4	40-37-12.300N 073-36-44.280W				Red nun.	Private aid.
32273	- Buoy HK5	40-37-14.340N 073-36-37.800W				Green can.	Private aid.
32275	- Buoy HK6	40-37-13.380N 073-36-38.340W				Red nun.	Private aid.
32280	- Buoy HK7	40-37-15.360N 073-36-30.300W				Green can.	Private aid.
32285	- Buoy HK8	40-37-14.460N 073-36-30.180W				Red nun.	Private aid.
<b>Reynolds Channel</b>							
32300	- Day beacon 13	40-35-51.737N 073-37-46.894W				SG on pile.	
32305	- Buoy 16	40-35-48.752N 073-36-58.892W				Red nun.	Maintained from 1 Apr to 1 Dec.
<b>Borrow Pit Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
32310	- Buoy K1	40-37-12.300N 073-35-41.700W				Green can.	Private aid.
32315	- Day beacon K3	40-37-11.460N 073-35-50.760W				SG on pile.	Private aid.
32320	- Buoy K6	40-37-14.460N 073-35-56.220W				Red nun.	Private aid.
32325	- Day beacon K8	40-37-17.220N 073-36-04.140W				TR on pile.	Private aid.
32330	- Buoy K9	40-37-15.000N 073-36-06.480W				Green can.	Private aid.
32335	- Buoy K10	40-37-18.360N 073-36-12.120W				Red nun.	Private aid.
32340	- Buoy K11	40-37-16.860N 073-36-18.420W				Green can.	Private aid.
32345	- Buoy K12	40-37-19.200N 073-36-20.400W				Red nun.	Private aid.
32350	- Buoy K13	40-37-18.060N 073-36-30.600W				Green can.	Private aid.
32355	- Day beacon K14	40-37-21.000N 073-36-30.240W				TR on pile.	Private aid.
32360	- Day beacon K15	40-37-19.260N 073-36-35.460W				SG on pile.	Private aid.
32365	- Buoy K19	40-37-26.820N 073-36-48.000W				Green can.	Private aid.
32370	- Buoy K20	40-37-22.860N 073-36-39.120W				Red nun.	Private aid.
32375	- Day beacon K22	40-37-32.640N 073-36-48.000W				TR on pile.	Private aid.
32380	- Day beacon K23	40-37-27.360N 073-36-54.120W				SG on pile.	Private aid.
32385	- Day beacon K25	40-37-30.360N 073-36-56.100W				SG on pile.	Private aid.
32390	- Day beacon K26	40-37-42.960N 073-36-54.420W				TR on pile.	Private aid.
32395	- Buoy K27	40-37-35.760N 073-36-58.740W				Green can.	Private aid.
<b>Oakwood Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
32400	- Buoy KK1	40-37-18.960N 073-36-02.580W				Green can.	Private aid.
32405	- Buoy KK2	40-37-19.680N 073-36-01.320W				Red nun.	Private aid.
32407	- Buoy KK 3	40-37-22.320N 073-36-04.440W				Green can.	Private aid.



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Hempstead Bay</b>							
<b>Oakwood Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
32409	- Buoy KK4	40-37-22.620N 073-36-03.240W				Red nun.	Private aid.
32410	- Day beacon KK5	40-37-24.360N 073-36-06.660W				SG on pile.	Private aid.
32412	- Buoy KK6	40-37-24.420N 073-36-05.520W				Red nun.	Private aid.
<b>Bellmore Creek Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
32415	- Buoy M1	40-38-18.360N 073-31-17.940W				Green can.	Private aid.
32420	- Buoy M2	40-38-06.480N 073-31-11.760W				Red nun.	Private aid.
32425	- Buoy M3	40-38-17.700N 073-31-12.900W				Green can.	Private aid.
32430	- Buoy M4	40-38-11.820N 073-31-10.740W				Red nun.	Private aid.
32435	- Day beacon M5	40-38-19.200N 073-31-09.660W				SG on pile.	Private aid.
32440	- Buoy M6	40-38-18.360N 073-31-07.500W				Red nun.	Private aid.
32445	- Buoy M7	40-38-26.400N 073-31-07.200W				Green can.	Private aid.
32450	- Day beacon M8	40-38-25.920N 073-31-05.700W				TR on pile.	Private aid.
32455	- Buoy M9	40-38-30.840N 073-31-00.960W				Green can.	Private aid.
32460	- Buoy M10	40-38-30.900N 073-30-57.720W				Red nun.	Private aid.
32465	- Buoy M11	40-38-34.740N 073-30-57.240W				Green can.	Private aid.
<b>Baldwin Bay</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
32475	- Buoy N1	40-37-17.580N 073-35-42.480W				Green can.	Private aid.
32480	- Buoy N2	40-37-17.760N 073-35-37.980W				Red nun.	Private aid.
32485	- Buoy N3	40-37-24.000N 073-35-38.400W				Green can.	Private aid.
32490	- Buoy N4	40-37-27.360N 073-35-35.700W				Red nun.	Private aid.
32495	- Buoy N5	40-37-28.380N 073-35-36.180W				Green can.	Private aid.
32500	- Buoy N6	40-37-32.880N 073-35-34.500W				Red nun.	Private aid.
32505	- Buoy N8	40-37-41.760N 073-35-35.220W				Red nun.	Private aid.
32510	- Buoy N10	40-37-47.820N 073-35-36.360W				Red nun.	Private aid.
32515	- Buoy N12	40-37-55.380N 073-35-44.520W				Red nun.	Private aid.
32520	- Buoy N13	40-37-58.560N 073-35-45.420W				Green can.	Private aid.
32525	- Buoy N14	40-37-59.700N 073-35-43.680W				Red nun.	Private aid.
<b>Reynolds Channel</b>							
32530	- Buoy 15 On edge of marsh.	40-35-48.737N 073-37-20.947W				Green can.	Maintained from 1 Apr to 1 Dec.
32550	- Buoy 21	40-35-47.308N 073-36-38.368W				Green can.	Maintained from 1 Apr to 1 Dec.
32555	- Lighted Buoy 24	40-35-44.001N 073-35-56.062W	Fl R 4s		3	Red.	Maintained from 1 Apr to 15 Nov.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Hempstead Bay</b>							
<b>Reynolds Channel</b>							
32565	POINT LOOKOUT WEST MARINA LIGHT	40-35-39.030N 073-35-29.790W	Q R	8		On pile.	Maintained from Apr. 1 to Nov. 1. Private aid.
<b>Sea Dog Creek</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
32580	- Buoy SD3	40-35-44.880N 073-35-26.880W				Green can.	Private aid.
32585	- Buoy SD4	40-35-46.800N 073-35-25.080W				Red nun.	Private aid.
32590	- Buoy SD5	40-35-49.020N 073-35-26.880W				Green can.	Private aid.
32595	- Buoy SD6	40-35-54.000N 073-35-24.780W				Red nun	Private aid.
32600	- Buoy SD7	40-35-59.580N 073-35-23.580W				Green can.	Private aid.
32603	- Buoy SD8	40-35-59.820N 073-35-22.680W				Red nun.	Private aid.
32605	- Buoy SD9	40-36-04.500N 073-35-21.060W				Green can.	Private aid.
32610	- Day beacon SD10	40-36-08.040N 073-35-15.840W				TR on pile.	Private aid.
32613	- Day beacon SD11	40-36-08.580N 073-35-19.200W				SG on pile	Private aid.
32615	- Buoy SD12	40-36-13.740N 073-35-09.000W				Red nun.	Private aid.
32620	- Day beacon SD13	40-36-15.480N 073-35-10.500W				SG on pile.	Private aid.
32630	- Day beacon SD16	40-36-19.560N 073-34-54.720W				TR on pile.	Private aid.
32635	- Day beacon SD17	40-36-24.600N 073-34-39.840W				SG on pile.	Private aid.
32636	- Buoy SD17A	40-36-26.040N 073-34-30.480W				Green can.	Private aid.
32637	- Buoy SD18	40-36-26.760N 073-34-24.840W				Red nun.	Private aid.
32640	- Buoy SD19	40-36-27.480N 073-34-23.400W				Green can.	Private aid.
32645	- Buoy SD20	40-36-27.000N 073-34-20.640W				Red nun.	Private aid.
32646	- Buoy SD21	40-36-27.960N 073-34-20.700W				Green can.	Private aid.
<b>Swift Creek</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
32650	- Buoy SW1	40-36-02.100N 073-33-00.360W				Green can.	Private aid.
32655	- Buoy SW2	40-36-01.800N 073-32-57.360W				Red nun.	Private aid.
32660	- Buoy SW3	40-36-10.560N 073-33-04.740W				Green can.	Private aid.
32665	- Buoy SW4	40-36-16.320N 073-33-02.500W				Red nun.	Private aid.
32670	- Buoy SW5	40-36-39.300N 073-33-21.360W				Green can.	Private aid.
32675	- Buoy SW6	40-36-45.300N 073-33-19.140W				Red nun.	Private aid.
32685	- Buoy SW7	40-36-52.320N 073-33-30.720W				Green can.	Private aid.
32690	- Buoy SW8	40-36-50.640N 073-33-24.420W				Red nun.	Private aid.
32695	- Buoy SW9	40-37-01.740N 073-33-48.360W				Green can.	Private aid.
32700	- Buoy SW10	40-37-07.560N 073-33-54.900W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Hempstead Bay</b>							
<b>Swift Creek</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
32705	- Daybeacon SW11	40-37-15.420N 073-34-17.100W				SG on pile.	Private aid.
32710	- Daybeacon SW12	40-37-24.660N 073-34-29.520W				TR on pile.	Private aid.
32715	- Buoy SW13	40-37-24.480N 073-34-35.100W				Green can.	Private aid.
<b>Crow Island Haunts Creek</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
32720	Haunt's Creek Buoy R1	40-36-08.700N 073-31-34.800W				Green can.	Private aid.
32725	Haunt's Creek Buoy R3	40-36-15.360N 073-31-30.000W				Green can.	Private aid.
32730	Haunt's Creek Buoy R4	40-36-21.360N 073-31-24.120W				Red nun.	Private aid.
32735	Haunt's Creek Buoy R5	40-36-23.460N 073-31-29.280W				Green can.	Private aid.
32740	Haunt's Creek Buoy R6	40-36-27.660N 073-31-25.920W				Red nun.	Private aid.
32745	Haunt's Creek Buoy R7	40-36-35.460N 073-31-29.940W				Green can.	Private aid.
32750	Haunt's Creek Buoy R8	40-36-36.120N 073-31-24.540W				Red nun.	Private aid.
32755	Haunt's Creek Buoy R9	40-36-44.760N 073-31-28.080W				Green can.	Private aid.
32760	Haunt's Creek Buoy R10	40-36-43.860N 073-31-23.100W				Red nun.	Private aid.
<b>Fundy Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
32763	- Junction Buoy FB	40-36-45.600N 073-33-25.080W				Green and red bands; can.	Private aid.
32764	- Buoy FB1	40-36-29.160N 073-34-10.380W				Green can.	Private aid.
32765	- Buoy FB2	40-36-27.240N 073-34-07.440W				Red nun.	Private aid.
32770	- Buoy FB3	40-36-33.780N 073-33-55.740W				Green can.	Private aid.
32775	- Buoy FB4	40-36-34.020N 073-33-47.400W				Red nun.	Private aid.
32780	- Daybeacon FB5	40-36-37.500N 073-33-45.720W				SG on pile.	Private aid.
32785	- Daybeacon FB6	40-36-38.640N 073-33-35.040W				TR on pile.	Private aid.
32786	- Buoy FB7	40-36-40.920N 073-33-36.420W				Green can.	Private aid.
32787	- Buoy FB9	40-36-45.840N 073-33-29.160W				Green can.	Private aid.
<b>Long Creek</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
32795	- Junction Lighted Buoy P	40-36-37.800N 073-34-21.240W	Q G			Green and red bands.	Private aid.
32800	- Lighted Buoy P1	40-36-41.820N 073-34-29.640W	FI G 4s			Green.	Private aid.
32805	- Lighted Buoy P2	40-36-43.740N 073-34-25.080W	FI R 4s			Red.	Private aid.
32810	- Lighted Buoy P4	40-36-50.100N 073-34-34.800W	FI R 4s			Red.	Private aid.
32815	- Lighted Buoy P6	40-36-58.260N 073-34-44.640W	FI R 4s			Red.	Private aid.
32820	- Lighted Buoy P8	40-37-07.800N 073-34-46.680W	FI R 4s			Red.	Private aid.
32825	- Lighted Buoy P9	40-37-29.040N 073-34-41.940W	FI G 4s			Green.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Hempstead Bay</b>							
<b>Long Creek</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
32830	- Lighted Buoy P10	40-37-23.040N 073-34-41.580W	FI R 4s			Red.	Private aid.
32835	- Lighted Buoy P11	40-37-36.720N 073-34-45.300W	FI G 4s			Green.	Private aid.
32840	- Buoy P12	40-37-36.180N 073-35-11.700W				Red nun.	Private aid.
32847	- Buoy P14	40-37-42.000N 073-35-12.000W				Red nun.	Private aid.
32850	- Buoy P15	40-37-51.600N 073-35-12.720W				Green can.	Private aid.
32852	- Buoy P17	40-37-56.340N 073-35-27.600W				Green can	Private aid.
<b>Scow Creek Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
32855	- Buoy PP1	40-36-36.000N 073-34-25.800W				Green can.	Private aid.
32860	- Buoy PP2	40-36-37.380N 073-34-28.620W				Red nun.	Private aid.
32865	- Buoy PP4	40-36-38.820N 073-34-36.840W				Red nun.	Private aid.
32870	- Buoy PP5	40-36-37.740N 073-34-43.860W				Green can.	Private aid.
32875	- Buoy PP6	40-36-39.240N 073-34-44.700W				Red nun.	Private aid.
32880	- Buoy PP8	40-36-36.780N 073-34-50.880W				Red nun.	Private aid.
32885	- Buoy PP10	40-36-36.960N 073-34-59.700W				Red nun.	Private aid.
32890	- Buoy PP12	40-36-37.980N 073-35-05.820W				Red nun.	Private aid.
32895	- Buoy PP14	40-36-41.640N 073-35-08.940W				Red nun.	Maintained from Apr. 1 to Nov. 1. Private aid.
32900	- Buoy PP17	40-36-54.060N 073-35-09.180W				Green can.	Private aid.
32905	- Buoy PP18	40-36-56.309N 073-35-09.180W				Red nun.	Private aid.
32910	- Buoy PP19	40-36-59.700N 073-35-14.820W				Green can.	Private aid.
32915	- Buoy PP21	40-37-01.980N 073-35-21.780W				Green can.	Private aid.
32920	- Buoy PP22	40-37-03.360N 073-35-33.660W				Red nun.	Private aid.
32925	- Buoy PP23	40-37-02.220N 073-35-34.620W				Green can.	Private aid.
32930	- Buoy PP24	40-37-06.600N 073-35-38.460W				Red nun.	Private aid.
32933	- Buoy PP24A	40-37-08.280N 073-35-39.360W				Red nun.	Private aid.
32935	- Buoy PP25	40-37-07.980N 073-35-40.380W				Green can.	Private aid.
32940	- Buoy PP26	40-37-12.000N 073-35-40.620W				Red nun.	Private aid.
<b>Freeport Narrows</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
32945	- Buoy Q1	40-37-28.860N 073-34-19.560W				Green can..	Private aid.
32950	- Buoy Q2	40-37-27.720N 073-34-18.060W				Red nun.	Private aid.
32955	- Buoy Q3	40-37-38.580N 073-34-14.940W				Green can.	Private aid.
32960	- Buoy Q4	40-37-36.660N 073-34-13.500W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Hempstead Bay</b>							
<b>Freeport Narrows</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
32965	- Buoy Q5	40-37-44.640N 073-34-08.280W				Green can.	Private aid.
32970	- Buoy Q6	40-37-41.760N 073-34-08.940W				Red nun.	Private aid.
32975	- Buoy Q7	40-37-50.880N 073-33-55.740W				Green can.	Private aid.
32980	- Day beacon Q8	40-37-48.000N 073-33-55.860W				TR on pile.	Private aid.
32985	- Buoy Q9	40-37-54.840N 073-33-54.120W				Green can.	Private aid.
32990	- Buoy Q10	40-37-50.700N 073-33-52.200W				Red nun.	Private aid.
32995	- Buoy Q13	40-38-21.000N 073-33-55.380W				Green can.	Private aid.
32996	- Buoy Q14	40-38-42.720N 073-34-24.420W				Red nun.	Private aid.
<b>Great Sand Creek</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
33005	Cedar Swamp Creek Buoy S3	40-38-20.000N 073-31-48.480W				Green can	Private aid.
33010	Cedar Swamp Creek Buoy S5	40-38-27.480N 073-31-40.800W				Green can	Private aid.
33015	Cedar Swamp Creek Buoy S7	40-38-52.440N 073-32-00.240W				Green can.	Private aid.
33020	- Buoy F2	40-37-06.600N 073-33-11.760W				Red nun.	Private aid.
33025	- Buoy F3	40-37-03.120N 073-33-15.600W				Green can.	Private aid.
33030	- Buoy F4	40-37-11.220N 073-33-12.360W				Red nun.	Private aid.
33035	- Buoy F5	40-37-09.240N 073-33-16.200W				Green can.	Private aid.
33040	- Buoy F6	40-37-17.940N 073-33-22.020W				Red nun.	Private aid.
33045	- Buoy F7	40-37-13.740N 073-33-19.800W				Green can.	Private aid.
33050	- Buoy F8	40-37-24.600N 073-33-31.140W				Red nun.	Private aid.
33055	- Buoy F10	40-37-29.400N 073-33-34.080W				Red nun.	Private aid.
33060	- Junction Buoy FF	40-37-14.640N 073-33-14.700W				Red and green bands; nun.	Private aid.
<b>Dog Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
33063	- Buoy T2	40-37-43.200N 073-33-34.920W				Red nun.	Private aid.
33075	- Buoy T7	40-38-07.860N 073-33-19.260W				Green can.	Private aid.
33085	- Day beacon T10	40-38-14.340N 073-33-18.180W				TR on pile.	Private aid.
33090	- Day beacon T11	40-38-14.340N 073-33-19.800W				SG on pile.	Private aid.
33095	- Day beacon T12	40-38-21.240N 073-33-19.860W				TR on pile.	Private aid.
33100	- Buoy T13	40-38-20.220N 073-33-22.320W				Green can.	Private aid.
33105	- Day beacon T14	40-38-26.340N 073-33-18.420W				TR on pile.	Private aid.
33110	- Day beacon T15	40-38-28.620N 073-33-22.200W				SG on pile.	Private aid.
33115	- Day beacon T16	40-38-22.080N 073-33-12.240W				TR on pile	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Hempstead Bay</b>							
<b>Dog Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
33120	- Day beacon T17	40-38-30.960N 073-33-22.920W				SG on pile.	Private aid.
33155	- Day beacon T18	40-38-18.120N 073-33-03.720W				TR on pile.	Private aid.
33160	- Day beacon T20	40-38-13.860N 073-32-55.800W				TR on pile.	Private aid.
33165	- Day beacon T22	40-38-09.900N 073-32-51.960W				TR on pile.	Private aid.
<b>Neds Creek West Branch</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
33170	- Buoy G1	40-37-19.020N 073-33-13.260W				Green can.	Private aid.
33175	- Buoy G2	40-37-19.020N 073-33-11.700W				Red nun.	Private aid.
33180	- Buoy G3	40-37-22.020N 073-33-12.120W				Green can.	Private aid.
33185	- Buoy G4	40-37-23.940N 073-33-10.680W				Red nun.	Private aid.
33186	- Buoy G5	40-37-25.920N 073-33-11.340W				Green can.	Private aid.
33190	- Buoy G6	40-37-29.400N 073-33-05.880W				Red nun.	Private aid.
33195	- Buoy G7	40-37-36.900N 073-33-00.420W				Green can.	Private aid.
33200	- Buoy G8	40-37-37.020N 073-32-58.320W				Red nun.	Private aid.
33205	- Buoy G9	40-37-41.520N 073-32-59.280W				Green can.	Private aid.
33210	- Buoy G10	40-37-47.400N 073-32-58.920W				Red nun.	Private aid.
33214	- Buoy G11	40-37-46.800N 073-32-59.400W				Green can.	Private aid.
33215	- Buoy G12	40-37-53.040N 073-33-00.300W				Red nun.	Private aid.
33219	- Buoy G13	40-38-06.360N 073-32-52.140W				Green can.	Private aid.
33220	- Buoy G14	40-38-01.020N 073-32-54.660W				Red nun.	Private aid.
33225	- Buoy G15	40-38-16.320N 073-32-44.760W				Green can.	Private aid.
33230	- Buoy G16	40-38-09.840N 073-32-49.500W				Red nun.	Private aid.
<b>Merrick Point</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
33237	- Buoy G17	40-38-17.880N 073-32-41.460W				Green can.	Private aid.
33240	- Day beacon G18	40-38-11.340N 073-32-45.660W				TR on pile.	Private aid.
33245	- Day beacon G19	40-38-22.020N 073-32-40.080W				SG on pile.	Private aid.
33250	- Buoy G20	40-38-19.200N 073-32-37.200W				Red nun.	Private aid.
<b>East Bay</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
33260	Carmen Cut Buoy G22	40-38-26.820N 073-32-37.860W				Red nun.	Private aid.
33265	Carmen Cut Buoy G23	40-38-28.920N 073-32-36.480W				Green can.	Private aid.
33266	Carmen Cut Day beacon G24	40-38-27.120N 073-32-21.780W				TR on pile.	Private aid.
33270	Carmen Cut Buoy G25	40-38-29.700N 073-32-25.200W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Hempstead Bay</b>							
<b>East Bay</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
33271	Carmen Cut Buoy G26	40-38-25.260N 073-32-15.840W				Red nun.	Private aid.
33274	WhaleNeck Point Buoy G28	40-38-20.040N 073-32-10.200W				Red nun.	Private aid.
33285	WhaleNeck Point Buoy G29	40-38-21.180N 073-32-07.500W				Green can.	Private aid.
33286	WhaleNeck Point Buoy G30	40-38-14.880N 073-32-03.780W				Red nun.	Private aid.
33290	WhaleNeck Point Buoy G31	40-38-14.820N 073-31-55.800W				Green can.	Private aid.
33291	WhaleNeck Point Buoy G32	40-38-10.320N 073-31-58.320W				Red nun.	Private aid.
<b>Broad Creek Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
33314	- Junction Buoy W	40-38-06.660N 073-31-56.100W				Green and red bands, can.	Private aid.
33315	- Buoy W1	40-36-54.060N 073-31-25.020W				Green can	Private aid.
33320	- Buoy W2	40-36-56.340N 073-31-23.880W				Red nun.	Private aid.
33323	- Buoy W3	40-36-59.460N 073-31-26.100W				Green can.	Private aid.
33325	- Day beacon W4	40-36-59.100N 073-31-23.760W				TR on pile.	Private aid.
33330	- Buoy W5	40-37-03.360N 073-31-28.260W				Green can.	Private aid.
33335	- Buoy W6	40-37-04.500N 073-31-27.900W				Red nun	Private aid.
33340	- Day beacon W7	40-37-09.480N 073-31-34.440W				SG on pile	Private aid.
33345	- Day beacon W8	40-37-11.340N 073-31-34.440W				TR on pile.	Private aid.
33350	- Buoy W9	40-37-12.180N 073-31-40.320W				Green can.	Private aid.
33355	- Day beacon W10	40-37-12.960N 073-31-40.320W				TR on pile.	Private aid.
33360	- Buoy W11	40-37-13.080N 073-31-52.800W				Green can.	Private aid.
33365	- Buoy W12	40-37-14.160N 073-31-50.940W				Red nun.	Private aid.
33370	- Buoy W13	40-37-16.620N 073-31-55.860W				Green can.	Private aid.
33375	- Buoy W14	40-37-18.000N 073-31-54.180W				Red nun.	Private aid.
33380	- Buoy W15	40-37-23.100N 073-31-59.400W				Green can.	Private aid.
33385	- Day beacon W16	40-37-30.240N 073-32-04.860W				TR on pile.	Private aid.
33390	- Day beacon W18	40-37-35.400N 073-32-09.840W				TR on pile.	Private aid.
33395	- Buoy W19	40-37-43.200N 073-32-16.140W				Green can.	Private aid.
33400	- Buoy W20	40-37-45.360N 073-32-15.840W				Red nun.	Private aid.
33405	- Buoy W21	40-37-48.360N 073-32-16.200W				Green can.	Private aid.
33410	- Buoy W22	40-37-48.180N 073-32-15.300W				Red nun.	Private aid.
33413	- Buoy W23	40-37-54.600N 073-32-09.180W				Green can	Private aid.
33415	- Buoy W24	40-37-55.560N 073-32-06.240W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Hempstead Bay</b>							
<b>Broad Creek Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
33420	- Buoy W26	40-38-00.060N 073-32-00.960W				Red nun.	Private aid.
33425	- Buoy W27	40-38-01.200N 073-32-03.180W				Green can.	Private aid.
33435	- Buoy W30	40-38-05.820N 073-31-51.300W				Red nun.	Private aid.
<b>Racehorse Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
33475	- Buoy X1	40-37-20.580N 073-30-26.640W				Green can.	Private aid.
33480	- Buoy X2	40-37-20.040N 073-30-25.320W				Red nun	Private aid.
33485	- Buoy X3	40-37-27.660N 073-30-29.100W				Green can.	Private aid.
33490	- Buoy X4	40-37-28.920N 073-30-27.300W				Red nun.	Private aid.
33495	- Buoy X5	40-37-37.380N 073-30-32.640W				Green can.	Private aid.
33500	- Buoy X7	40-37-42.780N 073-30-34.740W				Green can.	Private aid.
33505	- Buoy X8	40-37-43.020N 073-30-32.400W				Red nun.	Private aid.
33510	- Day beacon X9	40-37-54.840N 073-30-38.280W				SG on pile	Private aid.
33515	- Buoy X10	40-37-53.340N 073-30-35.100W				Red nun.	Private aid.
33520	- Day beacon X11	40-37-58.740N 073-30-37.920W				SG on pile	Private aid.
33525	- Buoy X12	40-37-58.320N 073-30-34.800W				Red nun	Private aid.
33530	- Day beacon X13	40-38-02.280N 073-30-36.540W				SG on pile.	Private aid.
33535	- Day beacon X15	40-38-08.460N 073-30-33.480W				SG on pile.	Private aid.
33540	- Day beacon X16	40-38-10.380N 073-30-30.840W				TR on pile.	Private aid.
33545	- Day beacon X17	40-38-14.160N 073-30-32.760W				SG on pile.	Private aid.
33550	- Buoy X18	40-38-19.800N 073-30-30.600W				Red nun.	Private aid.
33555	- Buoy X19	40-38-19.620N 073-30-33.840W				Green can.	Private aid.
<b>Olivers Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
33605	- Buoy L2	40-38-04.320N 073-31-04.800W				Red nun.	Private aid.
33607	- Buoy L3	40-38-06.180N 073-31-06.000W				Green can.	Private aid.
33610	- Buoy L4	40-38-06.660N 073-30-57.300W				Red nun.	Private aid.
33615	- Day beacon L5	40-38-11.400N 073-30-50.340W				SG on pile.	Private aid.
33620	- Day beacon L6	40-38-09.300N 073-30-41.520W				TR on pile.	Private aid.
33625	- Day beacon L7	40-38-14.040N 073-30-42.600W				SG on pile.	Private aid.
33626	- Buoy L8	40-38-10.740N 073-30-35.760W				Red nun.	Private aid.
33627	- Buoy L9	40-38-17.040N 073-30-35.760W				Green can.	Private aid.



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>Hempstead Bay</b>							
<b>Great Island Channel</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
33630	- Buoy Z1	40-37-36.660N 073-29-47.940W				Green can	Private aid.
33635	- Buoy Z2	40-37-37.500N 073-29-44.460W				Red nun	Private aid.
33640	- Buoy Z4	40-37-46.560N 073-29-42.600W				Red nun.	Private aid.
33645	- Buoy Z5	40-37-50.760N 073-29-46.920W				Green can.	Private aid.
33650	- Buoy Z6	40-37-53.580N 073-29-41.580W				Red nun.	Private aid.
33655	- Buoy Z7	40-37-59.580N 073-29-44.460W				Green can.	Private aid.
33660	- Buoy Z8	40-37-59.220N 073-29-39.780W				Red nun.	Private aid.
33665	- Buoy Z9	40-38-09.480N 073-29-41.340W				Green can.	Private aid.
33670	- Buoy Z10	40-38-08.100N 073-29-35.820W				Red nun.	Private aid.
33675	- Buoy Z11	40-38-16.620N 073-29-34.320W				Green can.	Private aid.
33680	- Buoy Z12	40-38-14.280N 073-29-29.220W				Red nun.	Private aid.
33685	- Buoy Z13	40-38-21.960N 073-29-23.880W				Green can.	Private aid.
33690	- Buoy Z14	40-38-21.000N 073-29-19.860W				Red nun.	Private aid.
33695	- Buoy Z15	40-38-30.840N 073-29-20.460W				Green can.	Private aid.
33700	- Buoy Z-16	40-38-28.260N 073-29-15.960W				Red nun.	Private aid.
33705	- Buoy Z-18	40-38-37.140N 073-29-12.960W				Red nun.	Private aid.
33710	- Buoy Z19	40-38-41.700N 073-29-14.760W				Green can.	Private aid.
33713	- Buoy Z20	40-38-44.760N 073-29-09.900W				Red nun.	Private aid.
33715	- Buoy Z21	40-38-45.540N 073-29-13.440W				Green can.	Private aid.
33720	- Buoy Z22	40-38-56.940N 073-29-06.480W				Red nun.	Private aid.
<b>South Oyster Bay</b>							
<b>North Channel</b>							
<i>Buoys in channel are maintained from May 1 to Nov. 1 unless otherwise noted.</i>							
33730	- Junction Buoy S	40-39-00.000N 073-29-07.000W				Green and red bands; can.	Private aid.
33735	South Oyster Bay North Channel Junction Day beacon 2S	40-39-01.000N 073-28-59.000W				TR on pile.	Private aid.
33740	South Oyster Bay North Channel Buoy 4	40-38-54.000N 073-28-48.000W				Red nun.	Private aid.
33745	South Oyster Bay North Channel Buoy 6	40-38-54.000N 073-28-33.600W				Red nun.	Private aid.
33750	South Oyster Bay North Channel Buoy 7	40-39-00.600N 073-28-26.400W				Green can.	Private aid.
<b>Massapequa Creek</b>							
<i>Buoys in channel are maintained from May 1 to Nov. 1 unless otherwise noted.</i>							
33755	- Day beacon 8	40-38-59.800N 073-28-23.300W				TR on pile.	Private aid.
33760	- Buoy 10	40-39-05.400N 073-28-18.600W				Red nun.	Private aid.
33765	- Buoy 12	40-39-07.800N 073-28-14.400W				Red nun.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>South Oyster Bay</b>							
<b>Massapequa Creek</b>							
<i>Buoys in channel are maintained from May 1 to Nov. 1 unless otherwise noted.</i>							
33770	- Buoy 14	40-39-05.000N 073-28-09.000W				Red nun.	Private aid.
<b>North Channel</b>							
<i>Buoys in channel are maintained from May 1 to Nov. 1 unless otherwise noted.</i>							
33775	- Buoy 16	40-38-56.400N 073-28-04.800W				Red nun.	Private aid.
33777	- Buoy 17	40-38-56.400N 073-28-02.400W				Green can.	Private aid.
33780	- Buoy 18	40-38-46.800N 073-27-57.600W				Red nun.	Private aid.
33785	- Buoy 19	40-38-49.200N 073-27-54.600W				Green can.	Private aid.
33790	- Buoy 20	40-38-45.600N 073-27-43.200W				Red nun.	Private aid.
33795	- Buoy 22	40-38-47.400N 073-27-32.400W				Red nun.	Private aid.
33800	- Buoy 24	40-38-51.600N 073-27-24.600W				Red nun.	Private aid.
33805	- Buoy 25	40-38-54.000N 073-27-26.400W				Green can.	Private aid.
33810	- Buoy 26	40-38-57.600N 073-27-19.200W				Red nun.	Private aid.
33815	- Buoy 28	40-39-03.000N 073-27-12.600W				Red nun.	Private aid.
33820	- Buoy 29	40-39-04.800N 073-27-12.600W				Green can.	Private aid.
33825	- Buoy 30	40-39-06.600N 073-27-01.800W				Red nun.	Private aid.
33827	- Buoy 31	40-39-09.000N 073-27-03.000W				Green can.	Private aid.
33830	- Buoy 32	40-39-10.200N 073-26-52.800W				Red nun.	Private aid.
33832	- Buoy 33	40-39-12.000N 073-26-56.400W				Green can.	Private aid.
33835	- Buoy 34	40-39-10.200N 073-26-41.400W				Red nun.	Private aid.
33840	- Buoy 36	40-39-09.000N 073-26-29.400W				Red nun.	Private aid.
33845	- Buoy 38	40-39-04.200N 073-26-22.200W				Red nun.	Private aid.
33850	- Buoy 40	40-39-00.600N 073-26-04.800W				Red nun.	Private aid.
33855	- Buoy 42	40-38-56.400N 073-25-45.000W				Red nun.	Private aid.
33860	- Buoy 43	40-38-59.400N 073-25-45.600W				Green can.	Private aid.
33865	- Buoy 44	40-38-54.600N 073-25-32.400W				Red nun.	Private aid.
33867	- Buoy 45	40-38-57.000N 073-25-32.400W				Green can.	Private aid.
<b>Amity Channel</b>							
<i>Buoys in channel are maintained from May 1 to Nov. 1 unless otherwise noted.</i>							
33875	- Buoy 51	40-37-37.200N 073-28-46.800W				Green can.	Private aid.
33880	- Buoy 52	40-37-34.800N 073-28-48.600W					Private aid.
33885	- Buoy 53	40-37-39.600N 073-28-39.000W				Green can.	Private aid.
33890	- Buoy 54	40-37-37.200N 073-28-33.600W				Red nun.	Private aid.
33895	- Buoy 55	40-37-42.000N 073-28-25.200W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>South Oyster Bay</b>							
<b>Amity Channel</b>							
<i>Buoys in channel are maintained from May 1 to Nov. 1 unless otherwise noted.</i>							
33900	- Buoy 56	40-37-37.800N 073-28-24.600W				Red nun.	Private aid.
33905	- Buoy 57	40-37-38.400N 073-28-13.200W				Green can.	Private aid.
33907	- Buoy 58	40-37-36.000N 073-28-15.600W				Red nun.	Private aid.
33910	- Buoy 59	40-37-33.000N 073-28-03.600W				Green can.	Private aid.
33915	- Buoy 60	40-37-29.400N 073-28-01.800W				Red nun.	Private aid.
33920	- Buoy 61	40-37-27.600N 073-27-50.400W				Green can.	Private aid.
33925	- Buoy 62	40-37-25.200N 073-27-50.400W				Red nun.	Private aid.
33930	- Buoy 63	40-37-22.800N 073-27-40.200W				Green can.	Private aid.
33935	- Buoy 64	40-37-21.000N 073-27-40.200W				Red nun.	Private aid.
33940	- Buoy 65	40-37-22.800N 073-27-27.600W				Green can.	Private aid.
33945	- Buoy 66	40-37-21.800N 073-27-24.000W				Red nun.	Private aid.
33950	- Buoy 67	40-37-26.400N 073-27-21.000W				Green can.	Private aid.
33953	- Buoy 67A	40-37-30.240N 073-27-06.360W				Green can.	Private aid.
33955	- Buoy 68	40-37-25.200N 073-27-13.200W				Red nun.	Private aid.
33960	- Buoy 69	40-37-36.600N 073-27-02.400W				Green can.	Private aid.
33965	- Buoy 70	40-37-35.400N 073-26-58.200W				Red nun.	Private aid.
33970	- Buoy 71	40-37-46.000N 073-26-40.700W				Green can.	Private aid.
33975	- Buoy 72	40-37-42.000N 073-26-39.200W				Red nun.	Private aid.
33980	- Buoy 74	40-37-49.200N 073-26-26.400W				Red nun.	Private aid.
33985	- Buoy 75	40-37-49.800N 073-26-28.800W				Green can.	Private aid.
33990	- Buoy 76	40-37-55.800N 073-26-22.200W				Red nun.	Private aid.
33995	- Buoy 77	40-37-56.400N 073-26-24.000W				Green can.	Private aid.
34000	- Buoy 79	40-38-04.800N 073-26-19.800W				Green can.	Private aid.
34005	- Buoy 80	40-38-05.300N 073-26-16.000W				Red nun.	Private aid.
34010	- Buoy 81	40-38-11.000N 073-26-20.500W				Green can.	Private aid.
34015	- Buoy 82	40-38-12.600N 073-26-19.800W				Red nun.	Private aid.
34020	- Buoy 83	40-38-15.000N 073-26-23.400W				Green can.	Private aid.
34025	- Buoy 84	40-38-18.600N 073-26-22.200W				Red nun.	Private aid.
34030	- Buoy 85	40-38-19.800N 073-26-23.400W				Green can.	Private aid.
34035	- Buoy 86	40-38-22.800N 073-26-21.600W				Red nun.	Private aid.
34040	- Buoy 87	40-38-25.800N 073-26-22.200W				Green can.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)</b>							
<b>South Oyster Bay</b>							
<b>Amity Channel</b>							
<i>Buoys in channel are maintained from May 1 to Nov. 1 unless otherwise noted.</i>							
34045	- Buoy 88	40-38-27.000N 073-26-16.200W				Red nun.	Private aid.
34050	- Buoy 89	40-38-31.200N 073-26-11.400W				Green can.	Private aid.
34055	- Buoy 90	40-38-30.600N 073-26-07.800W				Red nun.	Private aid.
34060	- Buoy 91	40-38-35.400N 073-25-59.400W				Green can.	Private aid.
34065	- Buoy 92	40-38-33.000N 073-25-58.800W				Red nun.	Private aid.
34070	- Buoy 93	40-38-37.200N 073-25-45.600W				Green can.	Private aid.
34075	- Buoy 94	40-38-35.400N 073-25-45.600W				Red nun.	Private aid.
<b>Carman Creek</b>							
34150	- Day beacon D6	40-39-08.000N 073-25-45.000W				TR on pile.	Private aid.
34155	- Day beacon D8	40-39-13.000N 073-25-44.000W				TR on pile.	Private aid.
34160	- Day beacon D10	40-39-16.000N 073-25-46.000W				TR on pile.	Private aid.
<b>Tobay Boat Basin Entrance</b>							
34180	- Day beacon 1	40-37-00.000N 073-25-52.000W				Green arrow on pile.	Private aid.
<b>Massapequa Cove</b>							
34190	- Buoy 1	40-39-19.440N 073-28-12.600W				Green can.	Private aid.
34195	- Day beacon 2	40-39-19.560N 073-28-17.700W				Red arrow on pile.	Private aid.
34200	- Day beacon 4	40-39-23.160N 073-28-21.720W				Red arrow on pile.	Private aid.
<b>JAMAICA BAY AND ROCKAWAY INLET (Chart 12350)</b>							
<b>Rockaway Inlet</b>							
34210	- Lighted Bell Buoy 2	40-31-45.582N 073-56-35.395W	FI R 4s		4	Red.	
34215	- Buoy RI Marks southeast side of shoal.	40-31-57.000N 073-56-48.000W				Red and green bands.	
34220	ROCKAWAY POINT BREAKWATER LIGHT 4	40-32-25.200N 073-56-26.500W	FI R 4s	34	5	TR on skeleton tower on piles.	
34225	- Buoy 5	40-32-28.707N 073-56-43.970W				Green can.	
34230	- Buoy 7	40-33-16.884N 073-56-47.361W				Green can.	
34235	- Lighted Bell Buoy 8	40-33-13.380N 073-56-34.495W	FI R 2.5s		4	Red.	
34240	- Lighted Buoy 9	40-33-29.160N 073-56-32.888W	FI G 4s		4	Green.	
34245	- Buoy 10	40-33-25.780N 073-56-19.695W				Red nun.	
34250	- Lighted Bell Buoy 12	40-33-40.370N 073-55-50.354W	FI R 4s		4	Red.	
34255	- Buoy 13	40-33-49.380N 073-55-53.094W				Green can.	
34260	- Buoy 15	40-34-03.019N 073-55-15.533W				Green can.	
34265	- Buoy 16	40-33-53.480N 073-55-01.493W				Red nun.	
34270	- Lighted Buoy 20	40-34-11.279N 073-53-54.691W	FI R 6s		4	Red.	
34285	<b>Marine Parkway Bridge Sound Signal</b>	40-34-24.000N 073-53-12.000W				On bridge abutment.	HORN: 1 blast ev 60s (10s bl). Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>JAMAICA BAY AND ROCKAWAY INLET (Chart 12350)</b>							
<b>Rockaway Inlet West Channel</b>							
34290	- Buoy 4	40-32-54.181N 073-57-29.497W				Red nun.	
<b>Gerritsen Inlet</b>							
34295	- Lighted Buoy 2	40-34-13.969N 073-55-03.203W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
34300	- Lighted Buoy 4	40-34-29.499N 073-55-01.973W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
34305	- Buoy 5	40-34-32.529N 073-55-03.943W				Green can.	
34310	- Buoy 7	40-34-36.639N 073-54-45.213W				Green can.	
34315	- Buoy 10	40-34-48.819N 073-54-29.232W				Red nun.	
34320	- Lighted Buoy 9	40-34-49.469N 073-54-31.362W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
<b>Sheepshead Bay</b>							
34325	- Approach Buoy 1	40-34-04.198N 073-56-13.225W				Green can.	
34330	- Approach Buoy 2	40-34-03.729N 073-56-06.405W				Red nun.	
34335	OUTFALL GATE HOUSE LIGHT On shoal northerly of Rockaway Point.	40-33-57.973N 073-55-50.851W	FI Y 2.5s	24		Tower on gate house.	Private aid.
34340	- Approach Buoy 3	40-34-19.249N 073-55-56.224W				Green can.	
34345	- Approach Lighted Buoy 4	40-34-18.379N 073-55-45.494W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
34350	- Lighted Buoy 6	40-34-30.974N 073-55-41.020W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
34355	- Buoy 7	40-34-31.173N 073-55-44.649W				Green can.	
34360	KINGSBOROUGH COMMUNITY COLLEGE LIGHT	40-34-34.500N 073-55-53.640W	FI W 4s			On metal tower.	Private aid.
34365	- Buoy 8	40-34-41.189N 073-55-45.894W				Red nun.	
34370	- Lighted Buoy 12	40-34-53.198N 073-55-51.984W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
34375	- Buoy 16	40-34-54.728N 073-56-14.965W				Red nun.	
34380	- Buoy 18	40-34-54.588N 073-56-24.815W				Red nun.	
<b>Beach Channel</b>							
34385	Nova Scotia Bar Junction Lighted Buoy N	40-34-39.879N 073-52-10.488W	FI (2+1)G 6s		3	Green and red bands.	Replaced by can when endangered by ice.
34390	- Buoy 1	40-34-55.878N 073-51-39.987W				Green can.	
34395	- Buoy 2	40-34-57.368N 073-51-17.597W				Red nun.	
34400	- Lighted Buoy 3	40-35-11.660N 073-51-09.880W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
34405	- Lighted Buoy 5	40-35-02.968N 073-50-14.500W	FI G 4s		4	Green.	Replaced by can when endangered by ice.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>JAMAICA BAY AND ROCKAWAY INLET (Chart 12350)</b>							
<b>Beach Channel</b>							
34410	- Buoy 7	40-35-15.618N 073-49-45.064W				Green can.	
34415	- Buoy 9	40-35-24.658N 073-49-24.484W				Green can.	
34420	Long Bar Buoy L	40-35-33.627N 073-49-04.163W				Green and red bands; can.	
34430	- Buoy 11	40-35-39.477N 073-48-52.513W				Green can.	
34431	- Buoy 12	40-35-50.020N 073-48-30.485W				Red nun.	
34445	- <i>Lighted Buoy W</i>	40-36-02.727N 073-48-15.820W	FI (2+1)G 6s		3	Green and red bands.	Replaced by can when endangered by ice.
<b>Grass Hassock Channel</b>							
34450	- Buoy 14	40-36-00.237N 073-48-13.782W				Red nun.	
34460	- Buoy 16	40-36-02.587N 073-47-57.221W				Red nun.	
34465	- Buoy 17	40-36-05.421N 073-47-48.490W				Green can.	
34470	- Buoy 19	40-36-24.639N 073-47-21.838W				Green can.	
34475	- Buoy 20	40-36-45.386N 073-46-37.429W				Red nun.	
34480	- Buoy 22	40-36-52.816N 073-46-24.129W				Red nun.	
34485	- <i>Lighted Buoy 23</i>	40-36-54.599N 073-46-25.551W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
34490	- Buoy M	40-36-54.599N 073-46-20.028W				Red and green bands; nun.	
34495	- Buoy 25	40-37-14.145N 073-46-10.228W				Green can.	
34500	- Buoy 27	40-37-32.555N 073-45-56.287W				Green can.	
<b>Motts Basin</b>							
34505	- Buoy 1	40-36-54.896N 073-45-56.708W				Green can.	
34510	- Buoy 2	40-36-52.716N 073-45-55.408W				Red nun.	
34515	- Buoy 3	40-36-51.086N 073-45-49.098W				Green can.	
34535	Inwood Channel Buoy 2	40-36-54.836N 073-45-48.888W				Red nun.	
<b>Head of Bay</b>							
34540	- Buoy 29	40-37-41.845N 073-45-49.848W				Green can.	
34545	- Buoy 30	40-37-49.635N 073-45-17.617W				Red nun.	
34550	- Buoy NP	40-38-05.491N 073-44-52.002W				Red and green bands; nun.	
<b>Winhole Channel</b>							
34555	- Buoy 1	40-36-19.437N 073-48-21.962W				Green can.	
34560	- <i>Lighted Buoy 2</i>	40-36-35.376N 073-48-20.982W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
34565	- LIGHT 3	40-36-46.100N 073-48-28.100W	FI G 4s	12	4	SG on pile.	
34570	- Buoy 5	40-37-04.176N 073-48-31.482W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>JAMAICA BAY AND ROCKAWAY INLET (Chart 12350)</b>							
<b>Winhole Channel</b>							
34575	- Buoy 6	40-37-15.776N 073-48-30.682W				Red nun.	
34580	- Lighted Buoy 8	40-37-41.846N 073-48-37.458W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
34590	- Lighted Buoy 9	40-37-48.425N 073-48-42.153W	Q G		3	Green.	
<b>Grassy Bay</b>							
34595	Bergen Basin Buoy 2	40-38-43.955N 073-49-14.117W				Red nun.	
34600	Bergen Basin Buoy 3	40-38-44.044N 073-49-17.524W				Green can.	
34610	KENNEDY AIRPORT DOCK LIGHT F	40-37-05.400N 073-46-32.640W	F R			Red conical pipe structure.	Private aid.
<b>Runway Channel</b>							
34615	- Buoy 1R	40-35-19.513N 073-51-16.067W				Green can.	
34620	- East Junction Lighted Buoy R	40-35-27.224N 073-51-03.444W	FI (2+1)R 6s		3	Red and green bands.	Replaced by nun when endangered by ice.
34625	- Buoy 3R	40-35-28.038N 073-51-52.348W				Green can.	
34630	- Junction Lighted Buoy RC	40-35-39.107N 073-52-27.569W	FI (2+1)R 6s		3	Red and green bands.	Replaced by nun when endangered by ice.
<b>The Raunt Channel</b>							
34635	- Buoy 2	40-35-54.636N 073-50-53.601W				Red nun.	
34640	- Buoy 3	40-36-00.547N 073-50-54.026W				Green can.	
34645	- Buoy 5	40-36-12.677N 073-50-33.486W				Green can.	
34650	- Buoy 6	40-36-03.977N 073-50-13.985W				Red nun.	
34655	- Buoy 7	40-35-58.034N 073-49-47.974W				Green can.	
<b>North Channel</b>							
34665	- LIGHT N	40-36-40.256N 073-52-51.389W	FI W 4s	20	5	NR on four pile structure with pipe tower.	
34670	- Buoy 2	40-35-10.058N 073-52-19.739W				Red nun.	
34675	- Buoy 4	40-36-01.985N 073-52-35.905W				Red nun.	
34680	- Lighted Buoy 5	40-36-01.197N 073-52-47.999W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
34685	- Lighted Buoy 6 75 yards, 160° from obstruction.	40-36-17.403N 073-52-45.821W	FI R 6s		3	Red.	
34695	- Lighted Buoy 9	40-36-25.980N 073-52-59.546W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
34700	Mill Basin Channel Buoy M	40-36-32.437N 073-53-10.760W				Green and red bands; can.	
34705	Mill Basin Channel Buoy 2	40-36-25.357N 073-53-27.010W				Red nun.	
34710	- Buoy 10	40-36-49.176N 073-53-07.740W				Red nun.	
34715	- Lighted Buoy 12	40-37-04.806N 073-53-16.910W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
34720	- Buoy 13	40-37-02.446N 073-53-31.521W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>JAMAICA BAY AND ROCKAWAY INLET (Chart 12350)</b>							
<b>North Channel</b>							
34725	- Buoy 15	40-37-18.666N 073-53-33.061W				Green can.	
34730	- Buoy 16	40-37-18.356N 073-53-13.880W				Red nun.	
34735	- Lighted Buoy 20	40-37-43.895N 073-52-42.949W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
34740	- Buoy 21	40-38-02.175N 073-52-25.289W				Green can.	
34750	- Lighted Buoy 24	40-38-17.122N 073-51-52.868W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice.
34755	- Lighted Buoy 26	40-38-28.398N 073-51-17.163W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
34760	- Buoy 29	40-38-37.124N 073-50-40.876W				Green can.	
34765	- Buoy 30	40-38-35.384N 073-50-34.246W				Red nun.	
34770	- Buoy 31	40-38-38.730N 073-50-23.419W				Green can.	
34775	- Lighted Buoy 32	40-38-37.354N 073-50-23.035W	FI R 6s		4	Red.	Replaced by nun when endangered by ice.
34780	- Buoy 33	40-38-37.414N 073-49-44.574W				Green can.	
34781	Howard Beach Entrance Buoy 2	40-38-44.355N 073-50-00.468W				Red nun.	Removed when endangered by ice.
<b>NEW YORK HARBOR (Chart 12327)</b>							
<b>Ambrose Channel</b>							
34785	- Lighted Whistle Buoy A	40-27-27.991N 073-50-12.228W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: N ( - . ) AIS: MMSI 993672056 (21)
34790	WEST BANK FRONT RANGE LIGHT	40-32-16.657N 074-02-34.305W	Iso W 6s (R Sector)	69		Brown conical tower on black cylindrical pier.	White from 181° to 004°, red from 004° to 181°, white higher intensity beam visible 4° each side of range line (297°). Range light is lighted throughout 24 hours. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Operates continuously.
34795	STATEN ISLAND REAR RANGE LIGHT 10,221 yards, 297.0° from front light.	40-34-33.884N 074-08-28.496W	F W	234		Octagonal brick tower, gray limestone base.	Visible on range line only .Lighted throughout 24 hours.
34796	- Lighted Buoy 1	40-28-07.492N 073-52-20.004W	FI G 2.5s		4	Green.	
34797	- Lighted Bell Buoy 2	40-28-22.513N 073-52-03.169W	FI R 2.5s		4	Red.	
34798	- Lighted Buoy 3	40-29-04.009N 073-54-45.783W	FI G 4s		4	Green.	
34799	- Lighted Buoy 4	40-29-08.224N 073-53-59.090W	FI R 4s		4	Red.	AIS; MMSI 993672057 (21)
34800	- Lighted Buoy 5	40-29-23.743N 073-55-38.063W	FI G 2.5s		4	Green.	
34805	- Lighted Buoy 6	40-29-41.141N 073-55-25.889W	FI R 2.5s		3	Red.	
34807	- Alternate Departure Lane Lighted Buoy 1A	40-28-08.292N 073-53-57.882W	Q G		3	Green.	
34815	- Lighted Buoy 7	40-30-03.549N 073-57-20.727W	FI G 4s		4	Green.	AIS: MMSI 993672058



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>NEW YORK HARBOR (Chart 12327)</b>							
<b>Ambrose Channel</b>							
34825	- Lighted Buoy 8	40-30-21.519N 073-57-09.237W	FI R 4s		3	Red.	
34830	- Lighted Buoy 9	40-30-30.000N 073-58-28.740W	FI G 2.5s		3	Green.	
34835	- Lighted Buoy 10	40-30-47.340N 073-58-17.100W	FI R 2.5s		3	Red.	
34840	- Lighted Buoy 11	40-30-56.520N 073-59-36.780W	FI G 4s		3	Green.	
34845	- Lighted Buoy 11A	40-31-09.726N 074-00-10.130W	FI G 2.5s		3	Green.	
34850	- Lighted Buoy 12	40-31-14.340N 073-59-25.140W	FI R 4s		3	Red.	
34855	- Lighted Buoy 12A	40-31-27.360N 073-59-58.920W	FI R 2.5s		3	Red.	
34860	- Lighted Gong Buoy 13	40-31-25.928N 074-00-53.002W	Q G		3	Green.	AIS: MMSI 993672059
34865	- Lighted Bell Buoy 14	40-31-40.620N 074-00-33.720W	Q R		3	Red.	AIS: MMSI 993672060
34870	- Lighted Buoy 15	40-31-49.670N 074-01-13.590W	FI G 2.5s		3	Green.	
34875	- Lighted Buoy 16	40-32-00.167N 074-00-52.672W	FI R 2.5s		3	Red.	
34880	- Lighted Gong Buoy 17	40-32-14.058N 074-01-36.498W	Q G		3	Green.	AIS: MMSI 993672061
34885	- Lighted Bell Buoy 18	40-32-22.200N 074-01-11.940W	Q R		3	Red.	AIS: MMSI 993672062
34890	- Lighted Buoy AC	40-33-07.643N 074-01-51.044W	FI (2+1)G 6s		3	Green and red bands.	
34895	- Lighted Buoy 20	40-33-11.655N 074-01-25.847W	FI R 2.5s		3	Red.	
34903	- Lighted Gong Buoy 21	40-33-57.300N 074-02-05.340W	FI G 4s		3	Green.	AIS: MMSI 993672063
34905	- Lighted Buoy 22	40-34-01.264N 074-01-39.614W	FI R 4s		3	Red.	AIS: MMSI 993672064
<b>Main Channel</b>							
34910	<b>Coney Island Light</b>	40-34-35.748N 074-00-42.322W	FI R 5s	75	16	White square skeleton tower. 75	Lighted throughout 24 hours.
34920	<i>Craven Shoal Lighted Buoy 23</i>	40-35-07.778N 074-02-28.805W	Q G		3	Green.	
34925	<b>The Verrazano-Narrows Bridge Sound Signal</b>	40-36-31.080N 074-02-18.540W					HORN: 1 blast ev 15s (2s bl). One oriented upstream and one downstream. Private aid.
34930	COAST GUARD STATION SOUTH ENTRANCE LIGHT	40-36-46.035N 074-03-36.730W	FI G 4s	20	3	On Pole.	
34935	COAST GUARD STATION NORTH ENTRANCE LIGHT	40-36-46.850N 074-03-36.325W	FI R 6s	20	3	On pole.	
34945	<i>Gowanus Flats Lighted Bell Buoy 26</i>	40-38-03.374N 074-03-02.006W	FI R 2.5s		4	Red.	
34946	CROMWELL PIER SOUTH HAZARD LIGHT	40-38-13.750N 074-04-13.800W	F W	20		On metal pole.	Private aid.
34946.1	CROMWELL PIER NORTH HAZARD LIGHT	40-38-14.860N 074-04-14.000W	F W	20		On metal pole.	Private aid.
34949	ST. GEORGE FERRY TERMINAL FOG LIGHT	40-38-38.880N 074-04-15.000W	STROBE			Marks wharf dolphin.	Private aid.
34955	<b>St. George Ferry Terminal Slip 4 Sound Signal</b>	40-38-41.000N 074-04-18.000W				On wharf dolphin.	HORN: (two-tone) 1 blast ev 15s (3s bl). Private aid.
34961	<b>ST. GEORGE FERRY RACON</b>	40-38-38.880N 074-04-15.000W					RACON: S ( . . . ) Private aid.
34965	<i>Gowanus Flats Lighted Bell Buoy 28</i>	40-38-38.773N 074-03-14.007W	Q R		3	Red.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK - First District</b>							
<b>NEW YORK HARBOR (Chart 12327)</b>							
<b>Main Channel</b>							
34970	<i>Robbins Reef Lighted Gong Buoy 29</i>	40-39-09.972N 074-03-49.808W	Q G		3	Green.	
34975	ROBBINS REEF LIGHT	40-39-26.512N 074-03-55.277W	FI G 6s	56	7	Conical tower, lower half brown, upper half white, white base.	
34980	<i>Gowanus Flats Lighted Bell Buoy 30</i>	40-39-19.672N 074-03-01.806W	FI R 2.5s		3	Red.	
34985	<i>Gowanus Flats Lighted Gong Buoy 31</i>	40-39-54.072N 074-03-09.306W	FI G 2.5s		4	Green.	
34990	<i>Gowanus Flats Lighted Buoy 32</i>	40-40-18.971N 074-02-24.006W	FI R 4s		3	Red.	
34995	<i>Liberty Island Lighted Gong Buoy 33</i>	40-41-02.070N 074-02-24.706W	FI G 2.5s		3	Green.	
35005	<i>Ellis Island Lighted Gong Buoy 35</i>	40-41-39.570N 074-02-00.305W	FI G 4s		4	Green.	
35006	Ellis Island Security Zone Buoy ELSZ1	40-42-00.570N 074-02-37.620W				White with orange bands.	Private aid.
35006.1	Ellis Island Security Zone Buoy ELSZ2	40-41-53.670N 074-02-46.200W				White with orange bands.	Private aid.
35006.2	Ellis Island Security Zone Buoy ELSZ3	40-41-47.010N 074-02-38.150W				White with orange bands.	Private aid.
35006.3	Ellis Island Security Zone Buoy ELSZ4	40-41-41.040N 074-02-30.460W				White with orange bands.	Private aid.
35006.4	Ellis Island Security Zone Buoy ELSZ5	40-41-46.200N 074-02-22.960W				White with orange bands.	Private aid.
35006.5	Ellis Island Security Zone Buoy ELSZ6	40-41-51.000N 074-02-13.500W				White with orange bands.	Private aid.
35006.6	Ellis Island Security Zone Buoy ELSZ7	40-41-57.430N 074-02-07.440W				White with orange bands.	Private aid.
35006.7	Ellis Island Security Zone Buoy ELSZ8	40-42-02.590N 074-02-14.320W				White with orange bands.	Private aid.
35006.8	Ellis Island Security Zone Buoy ELSZ9	40-42-09.290N 074-02-23.860W				White with orange bands.	Private aid.
35006.9	Ellis Island Security Zone Buoy ELSZ10	40-42-06.500N 074-02-27.740W				White with orange bands.	Private aid.
35010	GOVERNORS ISLAND LIGHT	40-41-34.600N 074-01-10.800W	Iso R 6s	75	7	Red skeleton tower, gallery at top.	
<b>NEW YORK AND NEW JERSEY - First District</b>							
<b>APPROACHES TO NEW YORK - FIRE ISLAND LIGHT TO SEA GIRT (Chart 12326)</b>							
<b>Main Channel South Approach</b>							
35020	Shrewsbury Rocks Buoy 1SR East end of rocky shoal.	40-20-32.296N 073-56-44.491W				Green can.	
35025	HIGHLANDS LIGHT	40-23-47.640N 073-59-09.000W	Iso W 10s			Brown octagonal shaped tower.	Obscured from 334° to 140°. Private aid.
<b>NEW YORK HARBOR (Chart 12327)</b>							
<b>Swash Channel</b>							
35030	- RANGE FRONT LIGHT	40-33-28.745N 074-06-26.580W	F W		80	White tower.	
35035	- RANGE REAR LIGHT 3,825 yards, 305.0° from front light.	40-34-33.810N 074-08-28.357W	F W		225	On same structure as Staten Island Light.	
35040	<b>Sandy Hook Light</b>	40-27-42.177N 074-00-07.309W	F W		88	88	Lighted throughout 24 hours.
35045	- Bell Buoy 2S	40-29-24.985N 073-58-23.098W				Red.	
35050	- Buoy 4S On southwest side of shoal.	40-29-48.085N 073-59-14.699W				Red nun.	
35055	- Bell Buoy 6S On southwest side of Romer Shoal.	40-30-09.300N 074-00-08.100W				Red.	
35060	- Buoy 7S Marks edge of shoal.	40-29-52.875N 074-00-18.861W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK AND NEW JERSEY - First District</b>							
<b>NEW YORK HARBOR (Chart 12327)</b>							
<b>Swash Channel</b>							
35065	- Lighted Bell Buoy 8S Marks southwest edge of shoal.	40-30-36.373N 074-01-01.672W	FI R 2.5s		4	Red.	
35070	<b>Romer Shoal Light</b>	40-30-46.823N 074-00-48.672W	FI (2)W 15s	54	15	Conical tower, lower part white upper part brown; on black cylindrical pier. 54	Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si) Operates continuously.
35075	- Buoy 9S	40-30-50.183N 074-01-57.704W				Green can.	
35080	- Buoy 10S	40-31-25.500N 074-02-06.900W				Red nun.	
<b>Sandy Hook Channel</b>							
35085	Scotland Lighted Whistle Buoy S	40-26-32.788N 073-55-00.591W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: M ( - - ) RACON: M ( - - )
35090	- Lighted Gong Buoy 1	40-27-10.528N 073-56-16.892W	FI G 2.5s		3	Green.	
35095	- Lighted Buoy 2	40-27-17.733N 073-56-10.905W	FI R 2.5s		3	Red.	
35100	- Lighted Buoy 3	40-27-43.087N 073-57-10.595W	FI G 4s		3	Green.	
35105	- Lighted Buoy 4	40-27-49.867N 073-57-04.302W	FI R 4s		3	Red.	
35110	- Lighted Buoy 5	40-28-13.187N 073-57-59.497W	FI G 2.5s		3	Green.	
35115	- Lighted Buoy 6	40-28-19.880N 073-57-53.240W	FI R 2.5s		3	Red.	
35120	- Lighted Bell Buoy 8	40-28-50.686N 073-58-44.798W	FI R 4s		3	Red.	
35125	- Lighted Buoy 7	40-28-44.186N 073-58-51.398W	Q G		3	Green.	
35130	- Buoy 10	40-29-08.672N 073-59-15.794W				Red nun.	
35135	- RANGE FRONT LIGHT	40-29-15.104N 073-59-35.122W	Q W (G sector) (R sector)		45	W 6 G 4 R 4	KGB (E section) KRW (Main section) on skeleton tower. RACON: C ( - . - . ) Red f from 063.0° to 073.0°. Green f from 300.5° to 315.5°.
35140	- RANGE REAR LIGHT (EAST SECTION) 1,729 yards, 308.1° f rom front light.	40-29-46.751N 074-00-27.955W	Iso G 6s	94		KGB on skeleton tower.	Range light visible 4° each side of rangeline. Passing light FI Y 4s, nominal range 5 miles.
35145	- RANGE REAR LIGHT (MAIN SECTION) 315 yards, 067.5° f rom front light.	40-29-18.416N 073-59-24.297W	Iso R 6s	68		KRW on skeleton tower.	Passing light FI Y 4s, nominal range 5 miles.
35150	- Lighted Buoy 12	40-29-09.372N 074-00-13.338W	FI R 2.5s		3	Red.	Replaced by LIB of reduced intensity when endangered by ice.
35155	- Lighted Gong Buoy 11	40-28-59.604N 074-00-14.900W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
35160	- Lighted Buoy 14	40-29-02.159N 074-00-44.496W	Q R		3	Red.	Replaced by LIB of reduced intensity when endangered by ice.
35165	- Lighted Gong Buoy 13	40-28-51.986N 074-00-39.701W	Q G		3	Green.	Replaced by LIB of reduced intensity when endangered by ice.
35170	- Lighted Buoy 16	40-28-46.476N 074-01-22.082W	FI R 2.5s		3	Red.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK AND NEW JERSEY - First District</b>							
<b>NEW YORK HARBOR (Chart 12327)</b>							
<b>Sandy Hook Channel</b>							
35175	- Lighted Gong Buoy 17	40-28-32.086N 074-01-40.603W	FI G 2.5s		3	Green.	Replaced by LIB of reduced intensity when endangered by ice.
35180	- Lighted Bell Buoy 18	40-28-33.986N 074-02-02.303W	FI R 4s		3	Red.	Replaced by LIB of reduced intensity when endangered by ice.
35185	- Lighted Buoy 20	40-28-33.586N 074-02-17.904W	FI R 2.5s		3	Red.	Replaced by LIB of reduced intensity when endangered by ice.
35190	<b>Sandy Hook Point Light</b>	40-28-14.700N 074-01-07.200W	Iso W 6s	38	7	NB on skeleton tower. 30	
<b>Chapel Hill South Channel</b>							
35195	<i>Southwest Spit Junction Lighted Gong Buoy SP</i>	40-28-45.641N 074-03-17.805W	FI (2+1)R 6s		3	Red and green bands.	Replaced by LIB of reduced intensity when endangered by ice.
35200	- Buoy 2	40-28-46.466N 074-02-39.634W				Red nun.	
35205	- Buoy 3	40-29-05.175N 074-02-55.397W				Green can.	
35210	- Buoy 4	40-29-04.455N 074-02-42.584W				Red nun.	
35215	- Lighted Buoy 5	40-29-40.434N 074-02-50.723W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
35220	- Buoy 6	40-29-36.765N 074-02-38.154W				Red nun.	
35225	- Buoy 7	40-30-11.994N 074-02-46.275W				Green can.	
35230	- Buoy 8	40-30-08.944N 074-02-33.674W				Red nun.	
35235	- Lighted Bell Buoy 10	40-30-42.703N 074-02-29.064W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
35240	- Buoy 11	40-30-53.583N 074-02-41.205W				Green can.	
35245	- Junction Buoy CH	40-31-17.783N 074-02-24.104W				Red and green bands; nun.	
35250	- Buoy 13	40-31-22.082N 074-02-37.005W				Green can.	
<b>Chapel Hill North Channel</b>							
35255	- Buoy 14	40-31-57.760N 074-02-13.942W				Red nun.	
35260	- Lighted Buoy 15	40-31-59.254N 074-02-27.308W	FI G 2.5s		3	Green.	
35265	- Lighted Bell Buoy 17	40-32-48.000N 074-02-20.000W	FI G 4s		3	Green.	
<b>Coney Island Channel</b>							
35285	- Buoy 1 On northeast point of shoal.	40-33-38.500N 073-57-27.500W				Green can.	
35286	- Buoy 2	40-33-55.500N 073-57-26.500W				Red nun.	
35290	- Buoy 3 On north side of shoal.	40-33-54.317N 073-58-25.648W				Green can.	
35295	- Buoy 5 On north side of shoal.	40-33-50.000N 073-58-59.000W				Green can.	
35305	- Lighted Buoy 6	40-33-59.500N 073-59-16.000W	FI R 4s		4	Red.	
35310	- Buoy 7 On north side of shoal.	40-33-59.000N 073-59-46.500W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK AND NEW JERSEY - First District</b>							
<b>NEW YORK HARBOR (Chart 12327)</b>							
<b>Coney Island Channel</b>							
35315	- Buoy 8	40-34-09.178N 074-00-06.577W				Red nun.	
35320	- Buoy 9	40-34-03.811N 074-00-30.390W				Green can.	
35330	- <i>Lighted Bell Buoy 10</i>	40-34-09.394N 074-00-37.604W	FI R 4s		3	Red.	
<b>Coney Island Creek Entrance</b>							
35335	- Buoy 1 On south side of 6-foot shoal.	40-34-58.578N 074-00-20.202W				Green can.	
35340	- Buoy 3 On south side of 5-foot shoal.	40-34-57.679N 074-00-07.801W				Green can.	
<b>Gravesend Bay</b>							
35345	- Anchorage Buoy A	40-35-52.000N 074-01-42.500W				Yellow nun.	AIS: MMSI 993672068 (21)
35350	- Channel Buoy 1	40-35-19.270N 074-01-02.697W				Green can.	
35360	- Channel Buoy 2	40-35-05.478N 074-00-21.202W				Red nun.	
35370	- Channel Buoy 3	40-35-13.400N 074-00-08.500W				Green can.	
35375	- Channel Buoy 4	40-35-17.400N 073-59-57.000W				Red nun.	
35380	- Channel Buoy 5	40-35-21.178N 074-00-00.401W				Green can.	
35385	- Anchorage Buoy C	40-34-58.178N 074-01-21.503W				Yellow nun.	AIS: MMSI 993672069 (21)
35390	- Anchorage Buoy B	40-35-25.500N 074-01-32.500W				Yellow nun.	AIS: MMSI 993672070 (21)
<b>Old Orchard Shoal</b>							
<i>Racing buoys are maintained from June 1 to Oct. 1.</i>							
35395	- LIGHT	40-30-44.272N 074-05-55.369W	FI W 6s	20	4	Spindle on rocks.	
<b>Great Kills Harbor</b>							
<i>Channel buoys located 50 feet outside channel limit.</i>							
35450	GREAT KILLS LIGHT On end of shoal.	40-31-17.800N 074-07-53.800W	FI W 4s	35	6	NR on skeleton tower, red base.	
35455	GREAT KILLS ENTRANCE LIGHT A	40-32-06.967N 074-08-32.015W	FI W 2.5s	27	6	NG on skeleton tower.	
35460	- Channel Buoy 2	40-31-20.985N 074-08-01.705W				Red nun.	
35465	- Channel Buoy 3	40-31-34.414N 074-08-13.224W				Green can.	
35470	- Channel Buoy 4	40-31-34.981N 074-08-11.413W				Red nun.	
35475	- Channel Buoy 5	40-31-45.939N 074-08-24.230W				Green can.	
35480	- Channel Buoy 6	40-31-46.387N 074-08-23.308W				Red nun.	Remove when endangered by ice.
35485	- Channel Buoy 8	40-31-57.498N 074-08-27.138W				Red nun.	
35488	- Channel Buoy 9	40-32-01.290N 074-08-30.895W				Green can.	
35490	- Channel Buoy 10	40-32-02.854N 074-08-28.532W				Red nun.	
35495	- Channel Buoy 11	40-32-19.380N 074-08-24.513W				Green can.	
35500	- Channel Buoy 12	40-32-19.380N 074-08-22.313W				Red nun.	
35510	- Channel Buoy 14	40-32-28.080N 074-08-24.913W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK AND NEW JERSEY - First District</b>							
<b>NEW YORK HARBOR (Chart 12327)</b>							
<b>Great Kills Harbor</b>							
<i>Channel buoys located 50 feet outside channel limit.</i>							
35515	- Channel Buoy 16	40-32-38.779N 074-08-11.913W				Red nun.	
35517	Great Kills Danger Buoy	40-32-41.689N 074-08-08.116W				White can with orange bands worded ROCK.	
<b>NEW JERSEY - First District</b>							
<b>NEW YORK HARBOR (Chart 12327)</b>							
<b>Sandy Hook Bay</b>							
35520	Sandy Hook Point Obstruction Buoy 1 On west side of obstruction.	40-28-18.977N 074-01-20.892W				Green can.	
35525	Anchorage Buoy E	40-27-57.837N 074-02-59.994W				Yellow can.	
<b>Leonardo Channel</b>							
<i>Aids maintained from June 1 to Nov. 15.</i>							
35560	- Buoy 1	40-25-42.500N 074-03-24.500W				Green can.	Private aid.
35565	- Lighted Buoy 2	40-25-43.200N 074-03-26.100W	FI R 4s			Red.	Private aid.
35570	- Buoy 3	40-25-37.400N 074-03-29.100W				Green can.	Private aid.
35575	- Buoy 4	40-25-37.800N 074-03-30.300W				Red nun.	Private aid.
35580	- Buoy 5	40-25-31.600N 074-03-33.900W				Green can.	Private aid.
35585	- Buoy 6	40-25-31.800N 074-03-35.000W				Red nun.	Private aid.
35590	- LIGHT 7	40-25-26.900N 074-03-37.000W	FI G 2.5s			On pile.	Private aid.
<b>Sandy Hook Bay</b>							
35595	ATLANTIC HIGHLANDS BREAKWATER LIGHT	40-25-07.231N 074-01-10.425W	FI W 4s	33	7	NR on skeleton tower.	
35596.2	ATLANTIC HIGHLANDS LIGHT 2	40-25-04.300N 074-01-14.400W	FI R 5s			On pile.	Private aid.
35596.3	ATLANTIC HIGHLANDS LIGHT 3	40-25-00.000N 074-01-23.200W	FI G 5s			On pile.	Private aid.
35596.4	ATLANTIC HIGHLANDS LIGHT 4	40-25-02.000N 074-01-23.600W	FI R 5s			On pile.	Private aid.
35596.5	<i>Atlantic Highlands Lighted Buoy 5</i>	40-25-01.900N 074-01-41.300W	FI G 5s			Green.	Private aid.
35596.6	<i>Atlantic Highlands Lighted Buoy 6</i>	40-25-03.000N 074-01-41.300W	FI R 5s			Red.	Private aid.
35596.7	ATLANTIC HIGHLANDS LIGHT 7	40-25-02.200N 074-01-49.000W	FI G 5s			On pile.	Private aid.
35597	<i>Atlantic Highlands West Entrance Lighted Buoy 2</i>	40-25-17.100N 074-01-59.000W	FI R 5s			Red.	Private aid.
35597.1	<i>Atlantic Highlands West Entrance Lighted Buoy 4</i>	40-25-15.400N 074-01-59.100W	FI R 5s			Red.	Private aid.
35597.2	ATLANTIC HIGHLANDS WEST ENTRANCE LIGHT 6	40-25-14.700N 074-01-59.800W	FI R 5s			On pile.	Private aid.
35597.3	ATLANTIC HIGHLANDS WEST ENTRANCE LIGHT 8.	40-25-13.300N 074-02-01.400W	FI R 5s			On pile.	Private aid.
35597.4	ATLANTIC HIGHLANDS WEST ENTRANCE LIGHT 10	40-25-12.200N 074-02-02.800W	FI R 5s			On pile.	Private aid.
35597.5	ATLANTIC HIGHLANDS WEST ENTRANCE LIGHT 11	40-25-12.000N 074-02-02.000W	FI G 5s			On pile.	Private aid.
<b>Terminal Channel</b>							
35610	- Junction Lighted Buoy TC	40-28-22.376N 074-02-18.663W	FI (2+1)G 6s		3	Green and red bands.	Replaced by LIB of reduced intensity when endangered by ice.
35615	- DOCK RANGE FRONT LIGHT	40-27-08.000N 074-03-09.000W	F R	33		KRW on pile.	Lighted throughout 24 hours. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW JERSEY - First District</b>							
<b>NEW YORK HARBOR (Chart 12327)</b>							
<b>Terminal Channel</b>							
35620	- DOCK RANGE REAR LIGHT 800 yards, 207.5° from front light.	40-26-42.000N 074-03-22.000W	F G			KRW on pile.	Lighted throughout 24 hours. Private aid.
35625	- <i>Lighted Buoy 1</i>	40-28-08.001N 074-02-20.224W	FI G 4s		3	Green.	
35630	- <i>Lighted Buoy 3</i>	40-27-37.294N 074-02-41.361W	FI G 2.5s		3	Green.	
35635	- <i>Lighted Buoy 4</i>	40-27-43.200N 074-02-43.200W	FI R 2.5s		3	Red.	
35640	- Buoy 5	40-27-26.087N 074-02-41.104W				Green can.	
35645	- Buoy 6	40-27-36.387N 074-03-06.504W				Red nun.	
35650	- Buoy 7	40-27-09.588N 074-02-49.504W				Green can.	
35655	- Buoy 8	40-27-17.079N 074-03-21.396W				Red nun.	
35660	<i>Naval Weapon Station Earl Security Zone Lighted Buoy 1</i>	40-27-35.317N 074-02-28.246W	Q W		2	White with orange diamond marked SECURITY ZONE KEEP OUT.	
35665	<i>Naval Weapon Station Earl Security Zone Lighted Buoy 2</i>	40-27-47.400N 074-03-00.600W	Q W		2	White with orange diamond marked SECURITY ZONE KEEP OUT.	
35670	<i>Naval Weapon Station Earl Security Zone Lighted Buoy 3</i>	40-27-27.800N 074-02-10.300W	Q W		2	White with orange diamond marked SECURITY ZONE KEEP OUT.	
35675	<i>Naval Weapon Station Earl Security Zone Lighted Buoy 4</i>	40-27-56.000N 074-03-24.000W	Q W		2	White with orange diamond marked SECURITY ZONE KEEP OUT.	
35680	<i>Naval Weapon Station Earl Security Zone Lighted Buoy 5</i>	40-27-00.000N 074-02-29.500W	Q W		2	White with orange diamond marked SECURITY ZONE KEEP OUT.	
35685	<i>Naval Weapon Station Earl Security Zone Lighted Buoy 6</i>	40-27-25.519N 074-03-44.662W	Q W		2	White with orange diamond marked SECURITY ZONE KEEP OUT.	
35686	<i>Naval Weapon Station Earl Security Zone Lighted Buoy 7</i>	40-26-29.470N 074-02-51.132W	Q W		2	White with orange diamond marked SECURITY ZONE KEEP OUT.	
35687	<i>Naval Weapon Station Earl Security Zone Lighted Buoy 8</i>	40-26-57.960N 074-04-03.000W	Q W		2	White with orange diamond marked SECURITY ZONE KEEP OUT.	
35688	<i>Naval Weapon Station Earl Security Zone Lighted Buoy 9</i>	40-26-06.300N 074-03-12.480W	Q W		2	White with orange diamond marked SECURITY ZONE KEEP OUT.	
<b>Compton Channel</b>							
35690	- Buoy 2	40-27-09.507N 074-04-31.496W				Red nun.	
35695	- <i>Lighted Buoy 1</i>	40-27-08.697N 074-04-29.756W	FI G 4s		4	Green.	Removed when endangered by ice.
35700	- Buoy 4	40-26-50.618N 074-04-39.907W				Red nun.	
35705	- Buoy 3	40-26-49.878N 074-04-38.156W				Green can.	
35710	- Buoy 6	40-26-30.368N 074-04-48.967W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW JERSEY - First District</b>							
<b>NEW YORK HARBOR (Chart 12327)</b>							
<b>Compton Channel</b>							
35715	- Buoy 5	40-26-29.948N 074-04-47.097W				Green can.	
35720	- Buoy 8	40-26-19.597N 074-04-53.120W				Red nun.	
35725	- Lighted Buoy 9	40-26-10.868N 074-04-55.697W	Q G		3	Green.	
<b>SANDY HOOK TO LITTLE EGG HARBOR (Chart 12324)</b>							
<b>Shrewsbury River</b>							
<i>Buoys in river are maintained from Apr. 15 to Dec. 1 unless otherwise noted.</i>							
35740	- Channel Lighted Buoy 2	40-25-12.888N 074-00-19.244W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
35745	- Channel Lighted Buoy 3	40-25-01.083N 074-00-09.605W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
35750	- Channel Buoy 4	40-24-56.653N 074-00-12.125W				Red nun.	
35755	- Channel Lighted Buoy 5	40-24-48.585N 074-00-05.967W	FI G 2.5s		3	Green.	Replaced by can from Dec. 1 to Apr. 15.
35760	- Channel Buoy 6	40-24-43.823N 074-00-06.368W				Red nun.	Maintained year round.
35765	- Channel Lighted Buoy 7	40-24-42.226N 073-59-56.766W	FI G 4s		3	Green.	
35775	- Channel Lighted Buoy 9	40-24-38.020N 073-59-45.315W	FI G 6s		3	Green.	
35780	- Channel Buoy 10	40-24-23.792N 073-59-15.997W				Red nun.	
35785	- Channel Lighted Buoy 11	40-24-23.134N 073-59-04.161W	FI G 2.5s		3	Green.	
35786	- Channel Lighted Buoy 11A	40-23-56.476N 073-58-47.782W	FI G 4s		3	Green.	
35800	- Channel Buoy 12	40-23-25.408N 073-58-47.665W				Red nun.	
35805	- Channel Buoy 13	40-23-16.028N 073-58-39.425W				Green can.	Maintained year round.
35810	- Junction Lighted Buoy NS	40-23-13.728N 073-58-42.965W	FI (2+1)R 6s		3	Red and green bands.	Replaced by nun from Dec. 1 to Apr. 15.
35815	- Channel Buoy 15	40-23-06.885N 073-58-37.571W				Green can.	
35820	- Channel Buoy 14	40-23-10.293N 073-58-40.696W				Red nun.	
35823	- Channel Buoy 16	40-22-54.224N 073-58-40.130W				Red nun.	
35825	- Channel Buoy 17	40-22-50.794N 073-58-37.395W				Green can.	Maintained year round.
35830	- Channel Lighted Buoy 18	40-22-41.894N 073-58-39.195W	FI R 4s		3	Red.	
35835	- Channel Lighted Buoy 19	40-22-24.627N 073-58-32.197W	FI G 2.5s		3	Green.	Replaced by can from Dec. 1 to Apr. 15.
35840	- Channel Buoy 20	40-22-21.694N 073-58-35.695W				Red nun.	
35845	- Channel Buoy 22	40-22-03.323N 073-58-31.902W				Red nun.	
35850	- Channel Buoy 24	40-21-42.337N 073-58-37.270W				Red nun.	
35851	- Channel Lighted Buoy 26	40-21-27.652N 073-58-36.125W	FI R 2.5s		3	Red.	Maintained from Apr. 15 to Dec. 1.
35860	- Channel Lighted Buoy 28	40-21-17.017N 073-58-41.496W	FI R 4s		3	Red.	Maintained from Apr. 15 to Dec. 1.



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW JERSEY - First District</b>							
<b>SANDY HOOK TO LITTLE EGG HARBOR (Chart 12324)</b>							
<b>Shrewsbury River</b>							
<i>Buoys in river are maintained from Apr. 15 to Dec. 1 unless otherwise noted.</i>							
35870	- Channel Buoy 29	40-21-04.643N 073-59-09.620W				Green can.	
35872	- Channel Buoy 29A	40-20-57.830N 073-59-24.180W				Green can.	
35875	- Channel Lighted Buoy 30	40-21-06.042N 073-59-10.878W	FI R 4s		3	Red.	Maintained from Apr. 15 to Dec. 1.
35877	- Channel Buoy 30A	40-20-59.057N 073-59-25.187W				Red nun.	
35885	- Channel Buoy 32	40-20-49.829N 073-59-44.388W				Red nun.	
35890	- Channel Lighted Buoy 31	40-20-48.419N 073-59-43.338W	FI G 4s		3	Green.	Maintained from Apr. 15 to Dec. 1.
35900	- Channel Buoy 33	40-20-30.006N 074-00-01.072W				Green can.	
35905	- Channel Buoy 35	40-20-24.837N 074-00-03.515W				Green can.	
35910	- Channel Lighted Buoy 34	40-20-27.890N 074-00-05.940W	FI R 4s		3	Red.	Maintained from Apr. 15 to Dec. 1.
35915	- Channel Lighted Buoy 38	40-20-17.561N 074-00-05.506W	FI R 2.5s		3	Red.	Maintained from Apr. 15 to Dec. 1.
35920	- Channel Buoy 37	40-20-16.819N 074-00-04.052W				Green can.	
35930	- Channel Buoy 39	40-19-50.296N 073-59-49.709W				Green can.	
35935	- Channel Lighted Buoy 40	40-19-50.511N 073-59-51.326W	FI R 4s		3	Red.	Maintained from Apr. 15 to Dec. 1.
35940	- Channel Buoy 42	40-19-31.956N 073-59-50.590W				Red nun.	
35945	- Channel Buoy 44	40-19-22.798N 073-59-45.596W				Red nun.	
35950	- Channel Buoy 46	40-19-00.399N 073-59-51.396W				Red nun.	
35955	- Channel Buoy 47	40-18-50.999N 074-00-01.996W				Green can.	
35960	- Channel Buoy 49	40-18-44.499N 074-00-12.196W				Green can.	
<b>Navesink River</b>							
<i>Buoys in river are maintained from Apr. 15 to Dec. 1 unless otherwise noted.</i>							
35965	- Buoy 3	40-23-02.395N 073-58-46.695W				Green can.	
35970	- Buoy 4	40-23-02.892N 073-58-49.494W				Red nun.	
35975	- Buoy 1	40-23-06.395N 073-58-46.496W				Green can.	
35980	- Buoy 2	40-23-10.693N 073-58-50.096W				Red nun.	
35985	- Danger Buoy A Marks end of submerged breakwater.	40-23-04.893N 073-58-42.996W				White with orange bands.	Maintained year round.
35990	- Danger Buoy B	40-23-03.301N 073-58-43.276W				White with orange bands.	
35995	- Danger Buoy C	40-22-59.606N 073-58-45.710W				White with orange bands.	
36000	- Lighted Buoy 5	40-22-56.994N 073-58-52.496W	FI G 2.5s		3	Green.	
36005	- Buoy 6	40-22-56.034N 073-59-00.486W				Red nun.	
36010	- Lighted Buoy 8	40-22-52.845N 073-59-24.143W	FI R 2.5s		3	Red.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW JERSEY - First District</b>							
<b>SANDY HOOK TO LITTLE EGG HARBOR (Chart 12324)</b>							
<b>Navesink River</b>							
<i>Buoys in river are maintained from Apr. 15 to Dec. 1 unless otherwise noted.</i>							
36020	- Channel Buoy 10	40-22-55.288N 073-59-39.884W					Red nun.
36025	- Channel Lighted Buoy 11	40-22-57.715N 073-59-49.981W	FI G 2.5s		3		Green.
36030	- Channel Lighted Buoy 13	40-22-56.526N 074-00-12.067W	FI G 4s		3		Green.
36035	- Channel Lighted Buoy 14	40-22-57.594N 074-00-16.477W	FI R 4s		3		Red.
36049	- Channel Buoy 15	40-22-54.350N 074-00-29.536W					Green can.
36050	- Channel Lighted Buoy 15A	40-22-55.104N 074-00-44.164W	FI G 2.5s		3		Green.
36055	- Channel Lighted Buoy 17	40-22-43.622N 074-01-24.172W	FI G 4s		3		Green.
36057	- Channel Buoy 16	40-22-56.087N 074-00-44.791W					Red nun.
36060	- Lighted Buoy 18	40-22-25.761N 074-02-15.457W	FI R 2.5s		3		Red.
36065	- Channel Buoy 19	40-22-12.741N 074-02-44.314W					Green can.
36070	- Lighted Buoy 20	40-22-07.486N 074-03-05.347W	FI R 4s		3		Red.
36075	- Lighted Buoy 21	40-21-56.083N 074-03-22.780W	FI G 2.5s		3		Green.
36090	- Channel Buoy 22	40-21-40.290N 074-03-37.405W					Red nun.
36095	- Channel Buoy 23	40-21-28.455N 074-03-45.672W					Green can.
36100	- Channel Buoy 24	40-21-24.687N 074-03-50.202W					Red nun.
<b>NEW YORK AND NEW JERSEY - First District</b>							
<b>NEW YORK HARBOR (Chart 12327)</b>							
<b>Raritan Bay</b>							
36110	- Channel Lighted Buoy 1	40-28-33.195N 074-02-59.190W	FI G 2.5s		3		Green.
36115	- Channel Buoy 4	40-28-52.750N 074-03-49.740W					Red nun.
36120	- Channel Lighted Buoy 6	40-29-03.830N 074-04-40.179W	FI R 2.5s		3		Red.
36125	- Channel Buoy 8	40-29-15.102N 074-05-30.620W					Red nun.
36130	- Channel Lighted Buoy 9	40-29-20.499N 074-06-23.315W	FI G 4s		3		Green.
36135	- Channel Lighted Bell Buoy 10	40-29-26.098N 074-06-21.238W	FI R 2.5s		3		Red.
36140	- Channel Buoy 12	40-29-37.430N 074-07-11.648W					Red nun.
36145	- Channel Lighted Buoy 14	40-29-48.281N 074-08-00.554W	FI R 2.5s		3		Red.
36150	- Channel Buoy 16	40-29-57.586N 074-08-42.777W					Red nun.
36155	- Channel Bell Buoy 18	40-30-07.142N 074-09-25.584W					Red.
36157	- Buoy 20A Southwest side of flats.	40-30-36.382N 074-09-09.314W					Red nun.
36160	- Channel Lighted Gong Buoy 19	40-30-05.705N 074-09-47.083W	FI G 4s		3		Green.
36165	- LIGHT 20	40-30-12.542N 074-09-44.244W	FI R 4s	30	6		TR on skeleton tower.
36170	- Channel Buoy 25	40-30-17.496N 074-10-40.655W					Green can.
36175	- Channel Lighted Bell Buoy 26	40-30-23.168N 074-10-38.413W	FI R 2.5s		3		Red.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK AND NEW JERSEY - First District</b>							
<b>NEW YORK HARBOR (Chart 12327)</b>							
<b>Raritan Bay</b>							
36180	- Channel Lighted Buoy 27	40-30-22.784N 074-11-04.632W	Q G		3	Green.	
36185	- Channel Buoy 28	40-30-30.504N 074-11-10.264W				Red nun.	
36190	PRINCES BAY RANGE FRONT LIGHT	40-30-27.685N 074-12-44.374W	Q R		75	KRW on white skeleton tower.	Visible all around with higher intensity on range line.
36195	PRINCES BAY RANGE REAR LIGHT 63 yards, 266.8° from front light.	40-30-27.581N 074-12-46.803W	Iso G 6s		89	KRW on grey monopole.	Visible all around with higher intensity on range line.
36200	- Channel Lighted Bell Buoy 30	40-30-34.109N 074-11-31.156W	FI R 2.5s		3	Red.	
36205	- Channel Lighted Buoy 31	40-30-26.281N 074-11-45.219W	FI G 2.5s		3	Green.	
36210	- Channel Lighted Buoy 33	40-30-25.066N 074-12-11.563W	Q G		3	Green.	
36215	- Channel Lighted Buoy 34	40-30-31.856N 074-12-24.964W	Q R		3	Red.	
36220	- Channel Lighted Buoy 35	40-30-17.273N 074-12-33.434W	Q G		3	Green.	
36225	- Channel Lighted Buoy 36	40-30-17.850N 074-12-44.025W	FI R 2.5s		3	Red.	
36230	- Channel Buoy 38	40-30-08.850N 074-12-56.334W				Red nun.	
36235	- Channel Buoy 39	40-30-04.446N 074-12-50.573W				Green Can.	
36240	- Channel Buoy 40	40-29-57.930N 074-13-10.866W				Red nun.	
36245	- LIGHT 42	40-29-47.300N 074-13-27.300W	FI R 4s	30	4	TR on square skeleton tower.	
36250	- Channel Lighted Buoy 41	40-29-53.575N 074-13-05.223W	FI G 4s		3	Green.	
36260	- Channel Lighted Bell Buoy 46	40-29-30.263N 074-13-47.405W	Q R		3	Red.	
36265	- Channel Lighted Buoy 47	40-29-25.890N 074-13-42.063W	FI G 4s		3	Green.	
36270	- Channel East Junction Buoy E	40-29-16.453N 074-14-06.171W				Green and red bands; can.	
36275	- Channel Lighted Buoy 49	40-29-15.219N 074-14-16.628W	FI G 2.5s		3	Green.	
36280	- Channel Lighted Buoy 50	40-29-22.923N 074-14-17.274W	Q R		3	Red.	
36285	- LIGHT 52	40-29-25.900N 074-14-25.200W	FI R 4s	24	4	TR on skeleton tower with base.	
36290	- Channel Lighted Buoy 53	40-29-16.277N 074-14-36.069W	FI G 2.5s		3	Green.	
36295	- Channel Buoy 54	40-29-24.025N 074-14-33.509W				Red nun.	
36300	- Channel West Junction Buoy W	40-29-20.766N 074-14-50.407W				Green and red bands; can.	
36305	- Channel Lighted Buoy 55	40-29-23.215N 074-14-58.054W	FI G 2.5s		3	Green.	
36310	- Channel Lighted Buoy 56	40-29-35.324N 074-15-01.823W	FI R 2.5s		3	Red.	
36315	- LIGHT 58	40-29-44.100N 074-15-06.200W	FI R 4s	30	5	TR on skeleton tower with red base.	
36319	- Channel Buoy 60	40-30-12.616N 074-15-23.652W				Red nun.	
<b>Ward Point Secondary Channel</b>							
36320	- Buoy 1	40-29-12.982N 074-14-02.821W				Green can.	
36325	- Buoy 4	40-29-05.982N 074-14-20.421W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK AND NEW JERSEY - First District</b>							
<b>NEW YORK HARBOR (Chart 12327)</b>							
<b>Raritan Bay</b>							
<b>Ward Point Secondary Channel</b>							
36330	- Buoy 3	40-29-01.982N 074-14-19.621W				Green can.	
36335	- LIGHT W	40-29-07.600N 074-14-27.600W	FI W 4s	30	5	NR on spindle.	
36340	- Buoy 5 Marks 12-foot spot.	40-29-03.982N 074-14-43.122W				Green can.	
36345	- Buoy 6	40-29-08.982N 074-14-43.022W				Red nun.	
36350	Ward Point Anchorage Buoy A	40-29-14.482N 074-15-24.023W				Yellow can.	
36355	Ward Point Anchorage Buoy B	40-29-21.982N 074-15-28.523W				Yellow can.	
<b>Raritan Bay</b>							
36360	<i>Point Comfort Shoal Lighted Buoy 11A</i> On north edge of shoal.	40-29-01.384N 074-07-32.711W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
<b>Keypoint Harbor</b>							
36370	- Entrance Lighted Buoy 1	40-28-27.184N 074-11-00.516W	FI G 2.5s		3	Green.	Replaced by can when endangered by ice.
36375	- Channel Lighted Buoy 3	40-27-07.586N 074-11-49.618W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
36380	- Channel Buoy 5	40-26-52.386N 074-11-53.018W				Green can.	
36385	- Channel Lighted Buoy 8	40-26-37.386N 074-11-59.618W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
36390	- Channel Buoy 7	40-26-36.586N 074-11-57.218W				Green can.	
36395	- Channel Buoy 9	40-26-28.986N 074-12-02.518W				Green can.	
36400	- Channel Buoy 10	40-26-28.786N 074-12-05.418W				Red nun.	
36405	- Channel Buoy 12	40-26-22.186N 074-12-14.018W				Red nun.	Replaced by nun when endangered by ice.
<b>Cheesequake Creek</b>							
36415	- LIGHT 1	40-27-54.773N 074-15-23.323W	FI G 4s	26	4	SG on skeleton tower.	
36420	- LIGHT 2	40-27-56.293N 074-15-25.973W	FI R 4s	28	5	TR on skeleton tower.	Higher intensity beam toward Red Bank Reach.
<b>NEW JERSEY - First District</b>							
<b>RARITAN RIVER (Chart 12332)</b>							
<b>Raritan River</b>							
<i>Private aids maintained from 05/01 to 10/31.</i>							
36425	- Channel Bell Buoy 2	40-29-06.482N 074-14-56.322W				Red.	
36430	GREAT BEDS LIGHT	40-29-11.961N 074-15-10.922W	FI R 6s	61	6	White conical tower on black conical pier.	
36435	- Channel Buoy 3	40-29-03.568N 074-15-38.479W				Green can.	
36440	- LIGHT 4	40-29-08.051N 074-15-35.643W	FI R 4s	22	3	TR on skeleton tower.	
36445	- Channel Lighted Buoy 6	40-29-53.980N 074-16-58.226W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW JERSEY - First District</b>							
<b>RARITAN RIVER (Chart 12332)</b>							
<b>Raritan River</b>							
<i>Private aids maintained from 05/01 to 10/31.</i>							
36450	- Channel Buoy 5	40-29-51.680N 074-17-04.827W				Green can.	
36455	- Channel Buoy 7	40-30-14.680N 074-17-11.427W				Green can.	
36460	- Channel Lighted Buoy 8	40-30-27.691N 074-17-13.717W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
36465	- Channel Buoy 9 North side of wreck.	40-30-37.579N 074-17-47.928W				Green can.	
36470	- Channel Buoy 11	40-30-34.979N 074-18-18.729W				Green can.	
36475	- Channel Buoy 13	40-30-25.872N 074-18-39.012W				Green can.	
36480	- LIGHT 14	40-30-24.498N 074-18-53.010W	FI R 4s	26	3	TR on skeleton tower.	
36490	- Channel Lighted Buoy 15	40-30-13.979N 074-19-00.931W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
36495	- Channel Lighted Buoy 17	40-29-51.679N 074-19-27.132W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
36500	- Lighted Buoy 25 Marks sunken end of drydock.	40-29-30.016N 074-19-44.362W	Q G		3	Green.	Replaced by can when endangered by ice.
36505	- LIGHT 27	40-29-13.900N 074-19-58.500W	FI G 2.5s	25	3	SG on skeleton tower.	
36510	- Channel Buoy 28	40-29-13.280N 074-20-09.333W				Red nun.	
36515	- LIGHT 29	40-29-03.439N 074-20-37.203W	FI G 4s	25	4	SG on skeleton tower.	
36520	- Channel Buoy 30	40-29-04.980N 074-20-43.934W				Red nun.	
36525	- Channel Buoy 31	40-29-03.880N 074-21-07.635W				Green can.	
36530	- LIGHT 32	40-29-03.839N 074-21-20.805W	FI R 2.5s	25	3	TR on skeleton tower.	
36535	- Channel Buoy 33	40-29-00.390N 074-21-17.234W				Green can.	
36536	- Lighted Buoy 34	40-28-53.140N 074-21-26.260W	FI R 3s			Red.	Private aid.
36537	- Lighted Buoy 35	40-28-33.899N 074-21-19.699W	FI G 3s			Green.	Private aid.
36538	- Buoy 36	40-28-27.800N 074-21-27.200W				Red nun.	Private aid.
36539	- Buoy 37	40-28-15.000N 074-21-43.200W				Green can.	Private aid.
36540	- LIGHT 35	40-28-18.500N 074-22-03.400W	Q G	25	3	SG on skeleton tower.	
36541	- Lighted Buoy 38	40-28-19.900N 074-21-58.700W	FI R 3s			Red.	Private aid.
36543	- Lighted Buoy 41	40-28-30.200N 074-22-05.900W	FI G 3s			Green.	Private aid.
36545	- Day beacon 37 On edge of flats.	40-28-42.339N 074-21-58.566W				SG on skeleton tower.	
36546	- Lighted Buoy 44	40-28-47.300N 074-21-55.600W	FI R 3s			Red.	Private aid.
36547	- Lighted Buoy 45	40-28-51.700N 074-22-03.000W	FI G 3s			Green.	Private aid.
36548	- Lighted Buoy 46	40-28-57.500N 074-22-11.100W	FI R 3s			Red.	Private aid.
36549	- Lighted Buoy 47	40-28-52.900N 074-22-22.400W	FI G 3s			Green.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW JERSEY - First District</b>							
<b>RARITAN RIVER (Chart 12332)</b>							
<b>Raritan River</b>							
<i>Private aids maintained from 05/01 to 10/31.</i>							
36550	- Day beacon 39 On edge of flats.	40-28-39.259N 074-22-37.758W				SG on skeleton tower.	
36551	- Lighted Buoy 48	40-28-43.200N 074-22-34.300W	FI R 3s			Red.	Private aid.
36553	- Lighted Buoy 50	40-28-49.700N 074-22-57.000W	FI R 3s			Red.	Private aid.
36555	- Day beacon 41 On edge of flats.	40-29-02.888N 074-23-00.499W				SG on skeleton tower.	
36556	- Lighted Buoy 52	40-29-09.700N 074-22-57.600W	FI R 3s			Red.	Private aid.
36557	- Lighted Buoy 53	40-29-12.900N 074-23-05.000W	FI G 3s			Green.	Private aid.
36558	- Lighted Buoy 54	40-29-16.500N 074-23-15.000W	FI R 3s			Red.	Private aid.
36559	- Lighted Buoy 55	40-29-07.400N 074-23-27.300W	FI G 3s			Green.	Private aid.
36559.5	- Lighted Buoy 56	40-29-09.000N 074-23-28.300W	FI R 3s			Red.	Private aid.
36560	- Day beacon 43 On edge of flats.	40-29-06.388N 074-23-35.370W				SG on iron spindle.	
36562	- Lighted Buoy 58	40-29-10.000N 074-23-37.900W	FI R 3s			Red.	Private aid.
36563	- Lighted Buoy 59	40-29-22.800N 074-23-54.300W	FI G 3s			Green.	Private aid.
36564	- Lighted Buoy 60	40-29-30.600N 074-24-16.400W	FI R 3s			Red.	Private aid.
36565	- Lighted Buoy 62	40-29-33.300N 074-24-30.500W	FI R 3s			Red.	Private aid.
36566	- Lighted Buoy 64	40-29-31.500N 074-24-57.500W	FI R 3s			Red.	Private aid.
36567	- Lighted Buoy 65	40-29-15.000N 074-25-15.900W	FI G 3s			Green.	Private aid.
36568	- Lighted Buoy 66	40-29-14.900N 074-25-45.100W	FI R 3s			Red.	Private aid.
36569	- Lighted Buoy 67	40-29-14.800N 074-25-55.200W	FI G 3s			Green.	Private aid.
36570	- Lighted Buoy 69	40-29-22.800N 074-26-06.100W	FI G 3s			Green.	Private aid.
36572	- Lighted Buoy 71	40-29-33.800N 074-26-10.900W	FI G 3s			Green.	Private aid.
<b>Raritan River Cutoff Channel</b>							
36585	Perth Anboy Port Authority No Wake Lighted Buoy A	40-30-16.500N 074-15-41.500W	FI W 4s			White and orange.	Seasonal. Private aid.
36586	Perth Anboy Port Authority No Wake Lighted Buoy B	40-30-17.400N 074-15-40.200W	FI W 4s			White and orange.	Seasonal. Private aid.
36587	Perth Anboy Port Authority No Wake Lighted Buoy C	40-30-16.400N 074-15-38.400W	FI W 4s			White and orange.	Seasonal. Private aid.
36588	Perth Anboy Port Authority No Wake Lighted Buoy D	40-30-15.300N 074-15-38.400W	FI W 4s			White and orange.	Seasonal. Private aid.
36590	- LIGHT 1 Northerly point of Great Bed Shoals.	40-29-54.200N 074-15-40.900W	FI G 4s	33	4	SG on skeleton tower.	
36595	Raritan River Cutoff Buoy 2	40-30-01.881N 074-15-44.524W				Red nun.	
36600	- Buoy 3	40-29-48.781N 074-15-46.324W				Green can.	
36605	- Buoy 6	40-29-36.000N 074-16-09.000W				Red nun.	
36610	- Buoy 5 100 feet outside channel limit.	40-29-36.681N 074-15-57.424W				Green can.	
36615	- LIGHT 8	40-29-34.500N 074-16-14.500W	FI R 4s	29	4	TR on skeleton tower.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW JERSEY - First District</b>							
<b>RARITAN RIVER (Chart 12332)</b>							
<b>Raritan River Cutoff Channel</b>							
36620	- Junction Lighted Buoy R	40-29-24.181N 074-16-08.725W	FI (2+1)R 6s		3	Red and green bands.	Replaced by nun when endangered by ice.
<b>NEW YORK AND NEW JERSEY - First District</b>							
<b>NEW YORK HARBOR (Chart 12327)</b>							
<b>Arthur Kill</b>							
36625	- Channel Lighted Buoy 2	40-31-16.880N 074-14-47.122W	FI R 2.5s		3	Red.	
36635	<b>Outerbridge Crossing Sound Signal</b>	40-31-29.000N 074-14-49.000W				On bridge abutment.	HORN: 1 blast ev 15s (5s bl). Private aid.
36640	OUTERBRIDGE REACH RANGE FRONT LIGHT	40-33-06.445N 074-15-12.666W	Q G		24	KRW on small white house on piles.	Visible on range line only.
36645	OUTERBRIDGE REACH RANGE REAR LIGHT 243 yards, 351.6° from front light.	40-33-13.580N 074-15-14.053W	Iso G 6s		55	KRW on black skeleton tower.	Visible on range line only.
36650	- Channel Lighted Buoy 4	40-31-56.079N 074-14-54.823W	FI R 2.5s		3	Red.	
36665	MAURER NORTH RANGE FRONT LIGHT	40-32-04.920N 074-15-14.760W	F R			KRW on orange pile.	Private aid.
36670	MAURER NORTH RANGE REAR LIGHT 120 yards, 230° from front light.	40-32-02.640N 074-15-18.060W	F G			KRW on orange pole.	Private aid.
36675	Maurer Rock Lighted Buoy A	40-32-12.000N 074-15-12.000W	FI W 5s			White with orange bands worded ROCK.	Private aid.
36680	Maurer Rock Lighted Buoy B	40-32-15.000N 074-15-07.000W	FI W 5s			White with orange bands worded ROCK.	Private aid.
36700	- Channel Lighted Buoy 5	40-32-15.378N 074-15-06.523W	FI G 2.5s		3	Green.	
36705	- Channel Lighted Buoy 6	40-32-21.478N 074-14-59.823W	FI R 4s		3	Red.	
36710	MOTIVA SEWAREN LIGHT 1	40-32-26.000N 074-15-14.000W	FI G 4s			On steel pole.	Private aid.
36725	- Channel Buoy 8	40-32-36.378N 074-15-03.123W				Red nun.	
36730	- Channel Lighted Buoy 10	40-32-45.748N 074-15-04.373W	FI R 4s		3	Red.	
36731	- Hazard Lighted Buoy	40-32-46.056N 074-15-00.981W	Q W		3		
36735	- Channel Lighted Buoy 11	40-33-03.277N 074-15-04.924W	FI G 4s		3	Green.	
36740	- Channel Lighted Buoy 12	40-33-03.977N 074-14-53.523W	FI R 2.5s		3	Red.	
36745	- Channel Lighted Buoy 13	40-33-20.377N 074-14-34.523W	FI G 4s		3	Green.	
36750	- CHANNEL LIGHT 14	40-33-14.500N 074-14-28.300W	FI R 4s		33 4	TR on skeleton tower.	
36755	- Channel Buoy 14A	40-33-16.651N 074-14-31.014W				Red nun.	
36760	- Channel Lighted Buoy 15	40-33-29.877N 074-14-01.022W	FI G 2.5s		3	Green.	
36765	- Channel Lighted Buoy 16	40-33-24.577N 074-13-57.922W	FI R 4s		3	Red.	
36770	- Channel Lighted Buoy 17	40-33-31.877N 074-13-09.721W	Q G		3	Green.	
36775	- Channel Lighted Buoy 18 Marks barge.	40-33-26.977N 074-13-07.421W	Q R		3	Red.	
36780	- Channel Lighted Buoy 20	40-33-32.377N 074-12-55.520W	FI R 2.5s		3	Red.	
36785	- Channel Lighted Buoy 21	40-33-40.077N 074-12-57.921W	FI G 4s		3	Green.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK AND NEW JERSEY - First District</b>							
<b>NEW YORK HARBOR (Chart 12327)</b>							
<b>Arthur Kill</b>							
36786	CARTERET MARINA SOUTH LIGHT	40-34-06.895N 074-12-48.395W	FI W 2s			On black metal pole.	Private aid.
36787	CARTERET MARINA NORTH LIGHT	40-34-07.955N 074-12-47.965W	FI W 2s			On black metal pole.	Private aid.
36790	- Channel Lighted Buoy 24	40-34-13.876N 074-12-37.820W	FI R 4s		3	Red.	
36795	CARTERET DOCK LIGHT A	40-35-07.200N 074-12-34.620W	Q W			On yellow pyramid tower.	Private aid.
36800	CARTERET DOCK LIGHT C	40-35-09.420N 074-12-33.240W	Q W	31		On steel pyramidal tower.	Private aid.
36805	- Channel Lighted Buoy 30	40-35-17.215N 074-12-23.290W	FI R 4s		3	Red.	
36815	- Channel Lighted Buoy 32	40-35-30.508N 074-12-14.248W	FI R 2.5s		3	Red.	
36820	- Channel Lighted Buoy 34	40-35-50.945N 074-11-56.320W	FI R 4s		3	Red.	
36825	- Channel Lighted Buoy 36	40-36-02.274N 074-11-54.930W	Q R		3	Red.	
36830	PRALLS ISLAND CHANNEL RANGE FRONT LIGHT	40-36-13.212N 074-12-17.686W	Q R	32		KRW on tower.	Visible 4° each side of range line.
36835	PRALLS ISLAND CHANNEL RANGE REAR LIGHT 189 yards, 185.2° from front light.	40-36-07.630N 074-12-18.348W	Iso R 6s	36		KRW on red tower.	Visible 4° each side of range line.
36840	- Channel Lighted Buoy 38	40-36-17.134N 074-12-07.768W	FI R 4s		3	Red.	
36845	- Channel Lighted Buoy 43	40-37-23.545N 074-12-15.584W	FI G 4s		3	Green.	
36850	GULFPORT PILE LIGHT A	40-37-38.820N 074-12-15.660W	F W	5		On dolphin.	Private aid.
36855	GULFPORT PILE LIGHT B	40-37-39.180N 074-12-15.300W	F W	5		On dolphin.	Private aid.
36860	GULFPORT PILE LIGHT C	40-37-40.800N 074-12-14.580W	F W	5		On dolphin.	Private aid.
36865	GULFPORT PILE LIGHT D	40-37-41.340N 074-12-14.580W	F W	5		On dolphin.	Private aid.
<b>Upper Bay</b>							
<b>Bay Ridge Channel</b>							
36870	- Lighted Gong Buoy 3	40-38-03.374N 074-02-47.706W	FI G 2.5s		3	Green.	
36872	- Lighted Buoy 2	40-37-21.588N 074-02-48.661W	Q R		3	Red.	
36880	- Lighted Bell Buoy 5	40-38-44.473N 074-02-28.506W	FI G 2.5s		3	Green.	
36885	- Buoy 7	40-39-16.773N 074-01-54.705W				Green can.	
36888	NYPD Buoy 1	40-38-45.000N 074-01-49.000W				Green can.	Private aid.
36889	NYPD Buoy 2	40-38-45.000N 074-01-51.000W				Red nun.	Private aid.
36890	- Lighted Buoy 9	40-39-49.272N 074-01-21.304W	Q G		3	Green.	
36891	- Lighted Gong Buoy 11	40-40-20.772N 074-01-26.704W	FI G 2.5s		3	Green.	
<b>Erie Basin</b>							
36895	- ENTRANCE LIGHT 2	40-40-17.991N 074-01-09.189W	FI R 2.5s	14	3	TR on spindle.	
<b>Bay Ridge Channel</b>							
36955	- Anchorage Lighted Buoy A	40-40-00.572N 074-01-46.205W	FI Y 4s		3	Yellow.	
36960	- Anchorage Lighted Buoy C	40-39-03.373N 074-02-24.505W	FI Y 4s		3	Yellow.	
36965	GOWANUS BAY WHARF LIGHT	40-39-53.100N 074-00-27.360W	FI W 5s	12		On wharf piling.	HORN: 1 blast ev 5s (1s bl). Private aid.



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK AND NEW JERSEY - First District</b>							
<b>NEW YORK HARBOR (Chart 12327)</b>							
<b>Upper Bay</b>							
<b>Buttermilk Channel</b>							
36975	- RANGE FRONT LIGHT	40-40-51.755N 074-00-59.923W	Q G	26		KRW on skeleton tower.	Visible 1.5° each side of range line.
36980	- RANGE REAR LIGHT 238 yards, 068.9° from front light.	40-40-54.292N 074-00-51.276W	Iso G 6s	76		KRW on skeleton tower.	Visible 1.5° each side of range line.
36985	- <i>Entrance Lighted Gong Buoy</i> 1	40-40-47.171N 074-01-43.605W	FI G 4s		4	Green.	
36990	- Buoy 5	40-41-13.371N 074-00-46.503W				Green can.	
36995	- Buoy 7	40-41-18.370N 074-00-41.503W				Green can.	
<b>Constable Hook Channel</b>							
37000	- Buoy 2	40-39-17.592N 074-04-51.977W				Red nun.	
<b>New Jersey Pierhead</b>							
37010	- <i>South Entrance Lighted Buoy</i> 1	40-39-16.172N 074-04-42.409W	Q G		3	Green.	
37015	- <i>South Entrance Lighted Buoy</i> 2	40-39-09.127N 074-04-26.800W	Q R		3	Red.	
37020	- <i>South Entrance Lighted Buoy</i> 5	40-39-25.474N 074-04-20.586W	FI G 2.5s		3	Green.	
37025	- South Entrance Buoy 4	40-39-22.290N 074-04-13.010W				Red nun.	
37030	- South Channel Buoy 7	40-39-31.172N 074-04-18.009W				Green can.	
37031	- South Channel Buoy 8	40-39-30.800N 074-04-06.500W				Red nun.	
37032	- <i>South Channel Lighted Buoy</i> 12	40-39-51.686N 074-03-54.313W	FI R 4s		3	Red.	
37033	- <i>South Channel Lighted Buoy</i> 13	40-39-56.276N 074-03-58.816W	FI G 4s		3	Green.	
37034	- South Channel Buoy 14	40-40-01.571N 074-03-48.208W				Red nun.	
37035	- <i>South Channel Lighted Buoy</i> 16	40-40-11.466N 074-03-41.227W	FI R 4s		3	Red.	
37036	- South Channel Buoy 18	40-40-17.360N 074-03-37.290W				Red nun.	
37037	- South Channel Buoy 19	40-40-20.571N 074-03-41.608W				Green can.	
37038	- <i>South Channel Lighted Buoy</i> P	40-40-26.671N 074-03-37.208W	FI (2+1)G 6s		3	Green and red bands.	
<b>New Jersey Pierhead Channel</b>							
37039	- <i>North Entrance Lighted Buoy</i> 1	40-40-39.071N 074-02-49.606W	FI G 4s		3	Green.	
37040	- North Entrance Bell Buoy 2	40-40-44.799N 074-02-40.390W				Red.	
37045	- North Entrance Buoy 3	40-40-38.471N 074-02-58.507W				Green can.	
37050	- North Entrance Buoy 4	40-40-43.171N 074-03-06.507W				Red nun.	
37055	- <i>North Entrance Lighted Buoy</i> 6	40-40-30.438N 074-03-31.763W	FI R 4s		3	Red.	
<b>Port Jersey Channel</b>							
37100	- <i>Lighted Buoy</i> 1	40-39-23.380N 074-03-29.330W	FI G 4s		3	Green.	
37103	- <i>Lighted Buoy</i> 2	40-39-37.290N 074-03-20.300W	FI R 4s		3	Red.	
37110	SEWER TERMINAL LIGHT	40-39-29.660N 074-03-52.029W	FI Y 4s	30		Gray house on terminal chamber.	Private aid.
37115	- Buoy 3	40-39-34.106N 074-03-54.211W				Green can.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK AND NEW JERSEY - First District</b>							
<b>NEW YORK HARBOR (Chart 12327)</b>							
<b>Upper Bay</b>							
<b>Port Jersey Channel</b>							
37145	- South Buoy 1	40-39-40.680N 074-04-29.064W				Green can.	
37150	<i>Bayonne Golf Club Lighted Buoy 1</i>	40-39-53.160N 074-04-59.220W	FI G 4s			Green.	Private aid.
37151	<i>Bayonne Golf Club Lighted Buoy 2</i>	40-39-54.540N 074-04-58.820W	FI R 4s			Red.	Private aid.
37152	<i>Bayonne Golf Club Lighted Buoy 3</i>	40-39-53.700N 074-05-04.440W	FI G 4s			Green.	Private aid.
37153	<i>Bayonne Golf Club Lighted Buoy 4</i>	40-39-54.540N 074-05-03.600W	FI R 4s			Red.	Private aid.
37154	<i>Bayonne Golf Club Lighted Buoy 5</i>	40-39-53.700N 074-05-18.120W	FI G 4s			Green.	Private aid.
37155	<i>Bayonne Golf Club Lighted Buoy 6</i>	40-39-54.540N 074-05-16.680W	FI R 4s			Red.	Private aid.
37170	- North Lighted Buoy 2	40-40-06.444N 074-04-28.306W	FI R 2.5s		3	Red.	Removed when endangered by ice.
37180	Port Jersey North Basin Buoy B	40-40-27.271N 074-05-25.111W				White with orange bands; can.	
37181	- RANGE FRONT LIGHT	40-40-28.448N 074-05-26.643W	Q R			KRW on skeleton tower.	Private aid.
37182	- RANGE REAR LIGHT 429 yards, 299° from front light.	40-40-34.601N 074-05-41.115W	Iso G 6s			KRW on monopole tower.	Private aid.
37185	Port Jersey North Basin Buoy C	40-40-28.071N 074-05-11.710W				White with orange bands; can.	
37190	Greenville Channel Shoal Buoy G	40-40-31.227N 074-04-07.486W				Yellow can.	
<b>Claremont Terminal Channel</b>							
37195	- Lighted Buoy 1	40-40-09.971N 074-03-13.407W	FI G 4s		4	Green.	
37200	- Lighted Buoy 2	40-40-13.771N 074-03-06.107W	FI R 4s		3	Red.	
37203	- Lighted Buoy 5	40-40-24.577N 074-03-30.293W	FI G 2.5s		3	Green.	
37205	- Lighted Buoy 4	40-40-24.671N 074-03-22.807W	FI R 2.5s		3	Red.	
37208	- Lighted Buoy 8	40-40-44.094N 074-03-54.994W	FI R 6s		3	Red.	
37208.5	<i>PVSC Research Lighted Buoy UNYB</i>	40-40-33.540N 074-04-08.280W	FI Y 4s				Maintained 01 Jul-30 Oct. Private aid.
37209	- FRONT RANGE LIGHT	40-41-17.000N 074-04-50.000W	Iso Y 6s			On pile.	Range light is only activated when ships are actively docking. Private aid.
37209.1	- REAR RANGE LIGHT	40-41-29.000N 074-05-09.000W	Iso Y 6s			On Pile.	Range light is only activated when ships are actively docking. Private aid.
<b>National Dock Channel</b>							
37210	- Buoy 2	40-41-09.370N 074-02-39.806W				Red nun.	
37215	- Buoy 3	40-41-09.870N 074-02-48.106W				Green can.	
37220	- Buoy 5	40-41-13.570N 074-02-54.607W				Green can.	
37225	- Buoy 4	40-41-15.770N 074-02-50.006W				Red nun.	
37230	- Buoy 7	40-41-18.270N 074-03-01.907W				Green can.	
37235	- Buoy 6	40-41-19.552N 074-02-58.375W				Red nun.	
37237	- Buoy L	40-41-23.375N 074-02-55.567W				Yellow nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK AND NEW JERSEY - First District</b>							
<b>NEW YORK HARBOR (Chart 12327)</b>							
<b>Upper Bay</b>							
<b>Liberty Island</b>							
37247	- Security Zone Buoy LISZ1	40-41-24.320N 074-02-29.370W				White with orange bands.	Security Zone. Private aid.
37247.1	- Security Zone Buoy LISZ2	40-41-18.880N 074-02-31.300W				White with orange bands.	Security Zone. Private aid.
37247.2	- Security Zone Buoy LISZ3	40-41-14.970N 074-02-35.840W				White with orange bands.	Security Zone. Private aid.
37247.3	- Security Zone Buoy LISZ4	40-41-15.070N 074-02-44.930W				White with orange bands.	Security Zone. Private aid.
37247.4	- Security Zone Buoy LISZ5	40-41-26.000N 074-02-58.000W				White with orange bands.	Security Zone. Private aid.
37247.5	- Security Zone Buoy LISZ6	40-41-32.000N 074-02-53.000W				White with orange bands.	Security Zone. Private aid.
37247.6	- Security Zone Buoy LISZ7	40-41-32.950N 074-02-44.400W				White with orange bands.	Security Zone. Private aid.
37247.7	- Security Zone Buoy LISZ8	40-41-30.180N 074-02-38.610W				White with orange bands.	Security Zone. Private aid.
37247.8	- Security Zone Buoy LISZ9	40-41-27.850N 074-02-33.700W				White with orange bands.	Security Zone. Private aid.
<b>Kill Van Kull</b>							
37250	CONSTABLE HOOK RANGE FRONT LIGHT	40-39-12.287N 074-05-16.731W	F R	50		KRW on skeleton tower.	Visible 5.5° each side of range line. Lighted throughout 24 hours.
37255	CONSTABLE HOOK RANGE REAR LIGHT 134 yards, 289.6° from front light.	40-39-13.620N 074-05-21.658W	F G	75		KRW on skeleton tower.	Visible 5.5° each side of range line. Lighted throughout 24 hours.
37261	- Channel Lighted Buoy 1	40-38-51.600N 074-04-19.600W	FI G 4s		3	Green.	
37263	- Channel Lighted Buoy 3	40-38-57.500N 074-04-37.800W	Q G		3	Green.	
37265	- Channel Junction Lighted Whistle Buoy KV	40-39-02.442N 074-03-50.819W	FI (2+1)R 6s		3	Red and green bands.	RACON: K ( - . - )
37270	- Channel Lighted Buoy 5	40-38-59.200N 074-04-55.400W	FI G 2.5s		3	Green.	
37271	- Channel Lighted Buoy 6	40-39-10.291N 074-04-54.611W	FI R 4s		3	Red.	
37275	- Channel Lighted Buoy 7	40-38-57.810N 074-05-09.440W	FI G 4s		3	Green.	
37280	- Channel Lighted Buoy 8	40-38-54.287N 074-05-40.581W	FI R 2.5s		3	Red.	
37285	- Channel Lighted Buoy 9	40-38-46.740N 074-06-26.148W	FI G 6s		3	Green.	
37286	- Channel Lighted Buoy 11	40-38-31.837N 074-07-55.107W	FI G 2.5s		3	Green.	
37290	PORT RICHMOND DOCK LIGHT A	40-38-28.920N 074-07-30.480W	F G			Green.	Private aid.
37295	PORT RICHMOND DOCK LIGHT B	40-38-28.440N 074-07-33.120W	F G			Green.	Private aid.
37300	- Channel Lighted Buoy 10	40-38-39.390N 074-07-32.590W	Q R		3	Red.	
37305	- Channel Lighted Buoy 13	40-38-31.622N 074-08-07.596W	FI G 4s		3	Green.	
37310	- Channel Lighted Buoy 12	40-38-39.390N 074-07-50.390W	FI R 4s		3	Red.	
37313	- Channel Buoy 12A	40-38-40.729N 074-08-01.772W					Removed when endangered by ice.
37315	- Channel Lighted Buoy 14	40-38-37.014N 074-08-21.041W	FI R 2.5s		3	Red.	
37320	- Channel Lighted Buoy 15	40-38-28.160N 074-08-27.561W	FI G 4s		3	Green.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW YORK AND NEW JERSEY - First District</b>							
<b>NEW YORK HARBOR (Chart 12327)</b>							
<b>Kill Van Kull</b>							
37325	- Channel Lighted Buoy 16	40-38-33.916N 074-08-41.306W	Q R		3	Red.	
37327	- Channel East Junction Lighted Buoy E	40-38-31.004N 074-09-15.360W	FI (2+1)G 6s		3	Green with red band.	
37332	- Channel Lighted Buoy 17	40-38-25.059N 074-09-00.136W	FI G 2.5s		3	Green.	
37335	- Channel Lighted Buoy 18	40-38-49.196N 074-09-20.065W	FI R 4s		3	Red.	
37340	- Channel Lighted Buoy 20	40-38-51.932N 074-09-33.238W	FI R 4s		3	Red.	
37345	- Channel Lighted Buoy 19	40-38-38.754N 074-09-21.858W	FI G 4s		3	Green.	
37350	- Channel Junction Lighted Buoy A	40-38-44.618N 074-10-06.546W	FI (2+1)G 6s		3	Green and red bands.	
37355	ELIZABETHPORT DIRECTIONAL LIGHT	40-38-47.281N 074-11-20.089W	F W R G	60	W 13 R 10 G 9	On skeleton tower.	Shows red from 267.25° to 268.8°; white from 268.8° to 269.2°; green from 269.2° to 270.75°.
37360	- LIGHT 22	40-38-51.360N 074-10-18.218W	FI R 4s	25	6	TR on skeleton tower.	
37365	- Channel Buoy 21	40-38-44.518N 074-10-17.768W				Green can.	
37370	- Channel Buoy 24	40-38-50.229N 074-10-35.036W				Red nun.	
37371	ELIZABETH MARINA NE LIGHT	40-38-46.400N 074-11-10.300W	Q R			Atop f ending dolphin.	Priv ate aid.
37372	ELIZABETH MARINA SW LIGHT	40-38-46.100N 074-11-10.700W	Q G			Atop f ending dolphin.	Priv ate aid.
<b>Shooters Island Channel</b>							
37374	Shooters Island South Channel Wreck Lighted Buoy WR1	40-38-27.500N 074-09-38.800W	Q G			Green.	Marks wreck in channel. Private aid.
37375	SHOOTERS ISLAND LIGHT 2	40-38-28.500N 074-09-36.100W	FI R 4s	19	3	TR on spindle.	
37380	- Buoy 4	40-38-36.792N 074-09-55.227W				Red nun.	
37381	Mariners Harbor Yacht Club Day beacon 1	40-38-39.120N 074-10-12.000W				SG on pile.	Priv ate aid.
37382	Mariners Harbor Yacht Club Day beacon 2	40-38-39.360N 074-10-12.480W				TR on pile.	Priv ate aid.
<b>NEW JERSEY - First District</b>							
<b>NEW YORK HARBOR (Chart 12327)</b>							
<b>Newark Bay</b>							
37385	- Channel Lighted Buoy 2	40-38-39.597N 074-08-51.587W	FI R 2.5s		3	Red.	
37390	- Channel Lighted Buoy 3	40-38-57.852N 074-09-10.950W	FI G 4s		3	Green.	
37395	- Channel Lighted Buoy 4	40-38-50.517N 074-08-54.877W	FI R 4s		3	Red.	
37400	- Channel Lighted Buoy 5	40-39-07.624N 074-08-58.597W	FI G 2.5s		3	Green.	
37405	- Channel Lighted Buoy 7	40-39-19.010N 074-08-51.806W	FI G 2.5s		3	Green.	
37410	- Channel Lighted Buoy 6	40-39-17.484N 074-08-38.387W	FI R 2.5s		3	Red.	
<b>Newark Bay Channel</b>							
37425	South Elizabeth Channel Buoy 1	40-39-28.380N 074-08-59.250W				Green can.	
37427	IMTT DOLPHIN LIGHT WEST	40-39-05.000N 074-05-22.000W	Q Y				Priv ate aid.
37428	IMTT DOLPHIN LIGHT EAST	40-39-10.230N 074-05-10.550W	Q Y				Priv ate aid.
37430	- Buoy 8	40-39-34.035N 074-08-28.216W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW JERSEY - First District</b>							
<b>NEW YORK HARBOR (Chart 12327)</b>							
<b>Newark Bay</b>							
<b>Newark Bay Channel</b>							
37435	- Lighted Buoy 10	40-39-48.898N 074-08-19.139W	FI R 4s		3	Red.	
37440	- Buoy 12	40-40-04.839N 074-08-09.439W				Red nun.	
<b>Port Elizabeth Channel</b>							
37445	- Buoy 2	40-40-33.666N 074-08-11.891W				Red nun.	
37450	- Buoy 4	40-40-44.499N 074-08-30.152W				Red nun.	
<b>Port Newark Pierhead Channel</b>							
37455	- Buoy 6	40-40-50.401N 074-08-30.325W				Red nun.	
37460	- Buoy 8	40-41-01.618N 074-08-20.227W				Red nun.	
37465	- Buoy 10	40-41-13.345N 074-08-09.258W				Red nun.	
<b>Newark Bay</b>							
37470	- Channel Lighted Buoy 14	40-40-20.194N 074-07-59.843W	FI R 2.5s		3	Red.	
37475	- CHANNEL LIGHT 15	40-40-36.600N 074-08-06.800W	FI G 2.5s	20	6	SG on skeleton tower.	
37477	- Channel Buoy 15A	40-40-35.846N 074-08-03.858W				Green can.	
37480	- Channel Buoy 16	40-40-40.740N 074-07-50.761W				Red nun.	
37485	- Channel Lighted Buoy 17	40-40-54.423N 074-07-55.670W	FI G 6s		3	Green.	
37490	- Channel Lighted Buoy 18	40-41-01.160N 074-07-41.747W	Q R		3	Red.	
37495	Port Newark Terminal Channel Lighted Buoy 1	40-41-03.262N 074-07-55.665W	FI G 2.5s		3	Green.	
37500	Port Newark Terminal Channel Buoy 3	40-41-13.767N 074-08-05.540W				Green can.	
37505	- LIGHT 19	40-41-11.300N 074-07-48.100W	FI G 4s	20	5	SG on skeleton tower.	
37507	- Channel Buoy 19A	40-41-10.267N 074-07-45.560W				Green can.	
37510	- Channel Lighted Buoy 20	40-41-11.978N 074-07-36.945W	FI R 4s		3	Red.	
37515	- Channel Buoy 21	40-41-38.417N 074-07-25.920W				Green can.	
37520	- LIGHT 22	40-41-35.500N 074-07-18.600W	FI R 4s	26	5	TR on skeleton tower.	
37525	- Channel Buoy 24	40-42-07.768N 074-07-00.514W				Red nun.	
37530	- LIGHT NB	40-42-27.600N 074-07-08.000W	FI (2+1)R 6s	30	4	JR on skeleton tower on white base.	
<b>PASSAIC AND HACKENSACK RIVERS (Chart 12337)</b>							
<b>Hackensack River</b>							
37535	- Channel Buoy 2	40-42-24.368N 074-06-59.614W				Red nun.	
37540	- Channel Buoy 4	40-42-33.868N 074-06-55.014W				Red nun.	
37545	- LIGHT 5	40-42-43.627N 074-06-56.043W	FI G 2.5s	34	4	SG on skeleton tower on green base.	
37550	- Channel Buoy 6	40-42-40.768N 074-06-49.213W				Red nun.	
37555	- Channel Buoy 7	40-42-52.467N 074-06-39.113W				Green can.	
37560	- Channel Buoy 8	40-42-48.767N 074-06-35.413W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>NEW JERSEY - First District</b>							
<b>PASSAIC AND HACKENSACK RIVERS (Chart 12337)</b>							
<b>Hackensack River</b>							
37565	- LIGHT 9	40-42-58.300N 074-06-31.100W	FI G 4s	34	5	SG on skeleton tower on green base.	
37570	- Channel Buoy 10	40-42-58.167N 074-06-19.913W				Red nun.	
37575	- Channel Buoy 11	40-44-15.666N 074-05-32.612W				Green can.	
37580	- Buoy 12	40-45-05.071N 074-04-41.326W				Red nun.	
37585	- Buoy 13	40-44-56.865N 074-04-46.010W				Green can.	
37590	- Buoy 15	40-44-58.565N 074-05-02.611W				Green can.	
37595	- Buoy 16	40-46-17.264N 074-05-18.111W				Red nun.	
37600	- Buoy 18	40-47-44.063N 074-04-33.110W				Red nun.	
37605	- Buoy 20	40-48-14.462N 074-03-47.608W				Red nun.	
37610	- Buoy 22	40-48-27.362N 074-02-18.505W				Red nun.	
37615	- Buoy 24	40-49-10.062N 074-01-51.304W				Red nun.	
37620	- Buoy 26	40-49-36.961N 074-02-07.405W				Red nun.	
<b>Passaic River</b>							
37625	- Channel Lighted Buoy 2	40-42-44.767N 074-07-17.514W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
37630	- Channel Buoy 4	40-43-03.567N 074-07-17.514W				Red nun.	
<b>HUDSON &amp; EAST RIVERS - GOVERNORS ISLAND TO 67th STREET (Chart 12335)</b>							
<b>Hudson River</b>							
37645	NORTH COVE MARINA LIGHT N	40-42-47.000N 074-01-04.000W	F Y			On pile.	Private aid.
37650	NORTH COVE MARINA LIGHT S	40-42-46.000N 074-01-04.000W	F Y			On pile	Private aid.
37655	Morris Canal Wreck Buoy WR2A	40-42-37.969N 074-02-03.205W				Red nun.	
37660	Morris Canal Entrance Buoy 1	40-42-33.769N 074-01-53.505W				Green can.	
37661	Stevens Institute Lighted Buoy A	40-44-37.200N 074-01-20.400W	FI Y 4s			Yellow.	Private aid.
37664	PVSC Research Lighted Buoy HR	40-46-47.320N 074-00-14.220W	FI Y 4s				Maintained 01 Jul-30 Oct. Private aid.
37665	GUTTENBERG OUTFALL LIGHT	40-47-16.000N 073-59-53.000W	Q Y			On end of walkway over outfall pipe.	Private aid.
37666	- Anchorage 16 CG Mooring Buoy	40-50-36.890N 073-57-36.840W				White and Blue.	
<b>HUDSON RIVER (New York) - First District</b>							
<b>NEW YORK TO WAPPINGER CREEK (Chart 12343)</b>							
<b>Hudson River</b>							
37667	- Channel Lighted Buoy 2	40-51-13.177N 073-56-48.036W	FI R 2.5s		3	Red.	Replaced by LIB when endangered by ice.
37668	JEFFERY'S HOOK LIGHT	40-51-00.750N 073-56-49.100W	FI R 3s			Red lighthouse.	Private aid.
37669	- Lighted Buoy 3	40-53-19.305N 073-55-38.738W	FI G 2.5s		4	Green.	Replaced by LIB when endangered by ice.
37670	- Lighted Buoy 4	40-53-35.158N 073-55-19.192W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>HUDSON RIVER (New York) - First District</b>							
<b>NEW YORK TO WAPPINGER CREEK (Chart 12343)</b>							
<b>Hudson River</b>							
37675	- Lighted Buoy 5	40-58-06.000N 073-54-12.000W	FI G 4s		4	Green.	Replaced by can f from Nov. 1 to Apr. 1.
37676	EXXON MOBIL DOCK LIGHT B	40-59-18.780N 073-53-13.990W	FI W 4s			On dolphin.	Private aid.
37677	EXXON MOBIL DOCK LIGHT A	40-59-15.000N 073-53-13.990W	FI W 4s			On dolphin.	Private aid.
37690	- Lighted Buoy 7	41-02-12.000N 073-53-06.000W	FI G 2.5s		4	Green.	Replaced by can f from Nov. 1 to Apr. 1.
37695	<b>TAPPAN ZEE BRIDGE RACON</b>	41-04-17.400N 073-52-51.600W				On bridge.	RACON: B ( - . . . ) Morse Code B ( - . . . ) Private aid.
<b>Tarrytown South Channel</b>							
37715	- Buoy 1	41-04-25.548N 073-52-26.287W				Green can.	
37720	- Buoy 2	41-04-23.678N 073-52-24.197W				Red nun.	
37725	- Buoy 3	41-04-32.898N 073-52-15.607W				Green can.	
37730	- Buoy 4	41-04-29.338N 073-52-14.867W				Red nun.	
37731	TBC MARINA ENTRANCE LIGHT 1	41-04-31.720N 073-52-07.032W	FI G 2s	10		On pile.	Private aid.
37732	TBC MARINA ENTRANCE LIGHT 2	41-04-29.721N 073-52-07.752W	FI R 2s	10		On pile.	Private aid.
<b>Tarrytown North Channel</b>							
37735	- Buoy 3	41-04-58.207N 073-52-29.388W				Green can.	
37740	- Buoy 4	41-04-51.807N 073-52-19.978W				Red nun.	
<b>Hudson River</b>							
37745	- Lighted Buoy 8	41-05-00.000N 073-52-48.000W	FI R 4s		3	Red.	Replaced by nun from Nov. 1 to Apr. 1.
37746	TARRYTOWN LIGHT	41-05-03.180N 073-52-28.380W	FI W 6s	54		Tower.	White cast iron and concrete tower. Private aid.
37746.5	<i>Nyack Boat Club Mid Channel Buoy A</i>	41-05-31.824N 073-54-20.184W	Mo (A) W			Red and white vertically striped.	Flashes Mo (A) every 10 seconds. Seasonal aid, April 15 to 01 Nov. Private aid.
37747	<i>Hook Mountain Yacht Club Lighted Buoy 1</i>	41-05-39.000N 073-54-25.000W	FI G 3s			Green.	Private aid.
37747.1	<i>Hook Mountain Yacht Club Lighted Buoy 2</i>	41-05-42.000N 073-54-25.000W	FI R 3s			Red.	Private aid.
37747.2	Hook Mountain Yacht Club Lighted Buoy 3	41-05-39.000N 073-54-32.000W	FI G 3s			Green.	Private aid.
37747.3	Hook Mountain Yacht Club Lighted Buoy 4	41-05-42.000N 073-54-32.000W	FI R 3s			Red.	Private aid.
37747.4	<i>Hook Mountain Yacht Club Lighted Buoy 5</i>	41-05-39.000N 073-54-37.000W	FI G 3s			Green.	Private aid.
37747.5	<i>Hook Mountain Yacht Club Lighted Buoy 6</i>	41-05-42.000N 073-54-37.000W	FI R 3s			Red.	Private aid.
37748	<i>Hook Mountain Yacht Club Hazard Lighted Buoy A</i>	41-05-47.000N 073-54-30.000W	FI W 6s			White with orange bands.	Private aid.
37749	<i>Hook Mountain Yacht Club Hazard Lighted Buoy B</i>	41-05-47.000N 073-54-46.000W	FI W 6s			White with orange bands.	Private aid.
37750	- Lighted Buoy 10	41-06-47.026N 073-52-35.529W	FI R 2.5s		4	Red.	Year round radar reflective LIB.
37755	- Lighted Buoy 11	41-07-32.585N 073-52-51.970W	FI G 4s		4	Green.	Replaced by can f from Nov. 1 to Apr. 1. AIS: MMSI 993672032

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>HUDSON RIVER (New York) - First District</b>							
<b>NEW YORK TO WAPPINGER CREEK (Chart 12343)</b>							
<b>Hudson River</b>							
37758	- Lighted Buoy 13	41-08-15.595N 073-52-56.833W	Q G		3	Green.	Replaced by can f from Nov. 1 to Apr. 1.
37760	- LIGHT 14	41-08-17.144N 073-52-44.489W	Q R	38	4	TR on tower, small house at base.	
37765	- Lighted Buoy 15	41-08-46.944N 073-53-18.341W	FI G 2.5s		4	Green.	Replaced by can f from Nov. 1 to Apr. 1. AIS:MMSI 993672033
37770	- Lighted Buoy 16	41-08-48.434N 073-53-02.911W	FI R 2.5s		4	Red.	Year round radar reflectiv e LIB.
37775	ROCKLAND LAKE LIGHT On shoal.	41-08-51.300N 073-54-17.200W	FI W 6s	50	4	NG on skeleton tower.	
37780	- Lighted Buoy 18	41-09-51.713N 073-54-29.684W	FI R 4s		3	Red.	Replaced by nun f from Nov. 1 to Apr. 1.
37785	- LIGHT 19	41-09-50.100N 073-55-20.300W	FI G 4s	35	4	SG on same structure as Haverstraw Bay South Reach Range Front Light.	Visible all around.
37790	HAVERSTRAW BAY SOUTH REACH RANGE FRONT LIGHT	41-09-48.516N 073-55-20.225W	Q W	20		KRW on skeleton tower.	Visible 4° each side of rangeline.
37795	HAVERSTRAW BAY SOUTH REACH RANGE REAR LIGHT 295 yards, 155.5° from front light.	41-09-40.533N 073-55-15.515W	Iso W 6s	47		KRW on skeleton tower.	Visible 4° each side of rangeline.
37800	- LIGHT 21	41-10-34.700N 073-56-08.400W	FI G 4s	38	4	SG on skeleton tower.	
37805	- Lighted Buoy 22	41-11-03.832N 073-55-59.497W	Q R		3	Red.	Replaced by LIB from Nov. 1 to Apr. 1.
37810	HALF MOON BAY SOUTH BREAKWATER LIGHT	41-11-46.100N 073-53-24.700W	Oc W 4s			On metal pole.	Priv ate aid.
37815	HALF MOON BAY NORTH BREAKWATER LIGHT	41-11-54.500N 073-53-21.300W	Oc Y 4s			On metal pole.	Priv ate aid.
37820	- Lighted Buoy 23	41-12-07.411N 073-56-47.139W	FI G 2.5s		4	Green.	Replaced by can f from Nov. 1 to Apr. 1. AIS:MMSI 993672034
37825	- Lighted Buoy 24	41-12-11.871N 073-56-39.139W	FI R 2.5s		3	Red.	Replaced by LIB from Nov. 1 to Apr. 1.
<b>Bowline Point</b>							
37830	- MARINE TERMINAL SOUTH DOLPHIN LIGHT	41-12-10.920N 073-57-21.540W	Q W	15		On mooring dolphin.	Priv ate aid.
37835	- MARINE TERMINAL NORTH DOLPHIN LIGHT	41-12-17.760N 073-57-23.100W	Q W	15		On mooring dolphin.	Priv ate aid.
37840	- Outfall Buoy A	41-12-18.000N 073-57-27.000W				White nun with orange bands worded DANGER SUBMERGED OUTFALL.	Maintained f from Apr. 1 to Nov. 15. Priv ate aid.
37845	- Outfall Buoy B	41-12-22.000N 073-57-27.000W				White nun with orange bands worded DANGER SUBMERGED OUTFALL.	Maintained f from Apr. 15 to Nov. 15. Priv ate aid.
<b>Hudson River</b>							
37850	- Lighted Buoy 25	41-13-16.259N 073-57-16.507W	FI G 4s		4	Green	Replaced by can f from Nov. 1 to Apr. 1. AIS: MMSI 993672035



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>HUDSON RIVER (New York) - First District</b>							
<b>NEW YORK TO WAPPINGER CREEK (Chart 12343)</b>							
<b>Hudson River</b>							
37860	- Lighted Buoy 26	41-13-18.440N 073-57-07.601W	FI R 4s		3	Red.	Replaced by LIB from Nov. 1 to Apr. 1.
<b>Stony Point Bay Channel</b>							
<i>Aids maintained from Apr. 15 to Nov. 15.</i>							
37865	- Lighted Buoy 1	41-13-36.000N 073-57-55.000W	Q G			Green.	Private aid.
37870	- Lighted Buoy 2	41-13-37.000N 073-57-54.000W	Q R			Red.	Private aid.
37875	- Lighted Buoy 3	41-13-37.000N 073-58-00.700W	Q G			Green.	Private aid.
37877	- Lighted Buoy 4	41-13-38.000N 073-58-00.700W	Q R			Red.	Private aid.
37880	- Lighted Buoy 5	41-13-38.000N 073-58-05.000W	Q G			Green.	Private aid.
37883	- Lighted Buoy 6	41-13-39.000N 073-58-05.000W	Q R			Red.	Private aid.
37885	- Lighted Buoy 7	41-13-37.000N 073-58-08.000W	Q G			Green.	Private aid.
37890	- Lighted Buoy 8	41-13-40.000N 073-58-09.000W	Q R			Red.	Private aid.
<b>Hudson River</b>							
37895	STONY POINT LIGHT SP	41-14-27.578N 073-58-09.363W	FI W 4s	58	5	NG on skeleton tower, central column, small house, concrete base.	
37900	HAYERSTRAW BAY NORTH REACH RANGE FRONT LIGHT	41-14-46.044N 073-57-48.290W	Q R		25	KRW on skeleton tower.	Visible on range line only.
37905	HAYERSTRAW BAY NORTH REACH RANGE REAR LIGHT 422 yards, 342.6° from front light.	41-14-57.970N 073-57-53.228W	Iso R 6s		49	KRW on skeleton tower.	Visible on range line only.
<b>Greens Cove Channel</b>							
<i>Aids maintained from Apr. 1 to Dec. 1.</i>							
37910	- Lighted Buoy 1	41-14-47.400N 073-57-32.000W	Q G			Green.	Private aid.
37915	- Lighted Buoy 2	41-14-51.060N 073-57-23.520W	Q R			Red.	Private aid.
37920	- LIGHT 3	41-14-53.400N 073-57-22.620W	FI G 4s			On pile.	Private aid.
37925	- LIGHT 4	41-14-51.660N 073-57-21.060W	FI R 4s			On pile.	Private aid.
37926	<i>Cortlandt Yacht Club Channel</i> Lighted Buoy 1	41-14-44.000N 073-57-24.000W	FI G 2s			Green.	Seasonal. Private aid.
37926.1	<i>Cortlandt Yacht Club Channel</i> Lighted Buoy 2	41-14-42.000N 073-57-23.000W	FI R 2s			Red.	Seasonal. Private aid.
37926.2	<i>Cortlandt Yacht Club Channel</i> Lighted Buoy 3	41-14-45.000N 073-57-16.000W	FI G 4s			Green.	Seasonal. Private aid.
37926.3	<i>Cortlandt Yacht Club Channel</i> Lighted Buoy 4	41-14-43.000N 073-57-16.000W	FI R 4s			Red.	Seasonal. Private aid.
<b>Hudson River</b>							
37930	- Lighted Buoy 27	41-16-34.238N 073-57-35.002W	FI G 2.5s		4	Green.	Replaced by can f from Nov. 1 to Apr. 1. AIS: MMSI 993672036
<b>Indian Point Security Zone</b>							
37931	- Buoy A	41-16-08.000N 073-57-29.000W				White and orange.	Maintained from Apr. 15 to Nov. 15. Private aid.
37931.1	- Lighted Buoy B	41-16-11.500N 073-57-34.500W	FI W 4s			White and orange.	Maintained from Apr. 15 to Nov. 15. Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>HUDSON RIVER (New York) - First District</b>							
<b>NEW YORK TO WAPPINGER CREEK (Chart 12343)</b>							
<b>Hudson River</b>							
<b>Indian Point Security Zone</b>							
37931.2	- Lighted Buoy C	41-16-16.920N 073-57-25.680W	FI W 4s			White and orange.	Maintained f from Apr. 15 to Nov. 15. Private aid.
37931.3	- Lighted Buoy D	41-16-20.100N 073-57-22.260W	FI W 4s			White and orange.	Maintained f from Apr. 15 to Nov. 15. Private aid.
37931.4	- Lighted Buoy E	41-16-23.580N 073-57-18.600W	FI W 4s			White and orange.	Maintained f from Apr. 15 to Nov. 15. Private aid.
37931.5	- Lighted Buoy F	41-16-27.060N 073-57-14.100W	FI W 4s			White and Orange.	Maintained f from Apr. 15 to Nov. 15. Private aid.
37931.6	- Buoy G	41-16-23.160N 073-57-10.860W				White and orange.	Maintained f from Apr. 15 to Nov. 15. Private aid.
<b>Hudson River</b>							
37935	CHARLES POINT MARINA LIGHT A	41-16-33.700N 073-56-42.800W	Oc W 4s			White.	Private aid.
37945	PEEKSKILL BAY LIGHT P	41-16-56.600N 073-56-36.900W	FI (2)W 6s	47	4	NB on skeleton tower.	
37950	Peekskill Bay South Channel Buoy 2	41-16-52.748N 073-56-36.590W				Red nun.	
37955	Peekskill Bay South Channel Buoy 3	41-17-02.268N 073-56-19.209W				Green can.	
37960	Peekskill Bay South Channel Buoy 4	41-16-59.958N 073-56-19.639W				Red nun.	
37963	- Lighted Buoy 28	41-17-55.779N 073-57-35.163W	FI R 4s		3	Red.	Maintained f from Apr. 1 to Nov. 1.
37965	- LIGHT 29	41-18-35.700N 073-58-41.800W	FI G 4s	52	4	SG on skeleton tower.	
37970	- Lighted Buoy 31	41-18-46.208N 073-58-51.340W	Q G		3	Green.	Replaced by can f from Nov. 1 to Apr. 1. AIS: MMSI 993672037
37975	- Lighted Buoy 33 Southeast side of rocky shoal.	41-20-46.338N 073-57-50.501W	FI G 2.5s		4	Green.	Year round radar reflectiv e LIB. AIS: MMSI 993672038
37980	- LIGHT 35	41-21-08.600N 073-57-44.300W	FI G 4s	46	4	SG on skeleton tower, small house.	
37990	GARRISON MARINA LOWER LIGHT	41-22-54.000N 073-56-54.000W	F R			Gray rectangular structure.	Maintained f from May 15 to Oct. 15. Private aid.
37995	GARRISON MARINA UPPER LIGHT	41-22-54.000N 073-56-54.000W	F R			Gray rectangular structure.	Maintained f from May 15 to Oct. 15. Private aid.
38000	- LIGHT 37	41-23-36.900N 073-57-02.400W	FI G 4s	26	4	SG on skeleton tower.	
38005	- LIGHT 39	41-23-45.900N 073-57-04.100W	Q G	39	4	SG on skeleton tower.	
38010	- Lighted Buoy 40 On west edge of flats.	41-23-53.495N 073-56-50.308W	FI R 2.5s		3	Red.	Replaced by nun f from Nov. 1 to Apr. 1.
38015	- LIGHT 44	41-24-13.400N 073-57-34.800W	FI R 4s	61	4	TR on skeleton tower.	
38020	- Lighted Buoy 46 On west side of rocks.	41-24-29.338N 073-57-43.500W	FI R 2.5s		3	Red.	Replaced by nun f from Nov. 1 to Apr. 1. AIS: MMSI 993672039
38025	- LIGHT 48	41-27-19.300N 073-59-29.500W	FI R 4s	45	4	TR on skeleton tower.	
38027	Beacon Harbor South Hazard Lighted Buoy	41-30-26.067N 073-59-29.303W	FI W 2s			White and orange.	Seasonal 04/15 - 10/31 Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>HUDSON RIVER (New York) - First District</b>							
<b>NEW YORK TO WAPPINGER CREEK (Chart 12343)</b>							
<b>Hudson River</b>							
38028	<i>Beacon Harbor North Hazard Lighted Buoy</i>	41-30-30.956N 073-59-29.303W	FI W 2s			White and orange.	Seasonal 04/15 - 10/31 Private aid.
38035	- Buoy 51	41-31-29.678N 074-00-03.043W				Green can.	
38050	<b>Newburgh-Beacon Bridge Sound Signal</b>	41-31-12.000N 073-59-58.000W				On bridge.	RACON: N ( - . ) HORN: 1 blast ev 20s (2s bl). Private aid.
38055	- <i>Lighted Buoy 52</i>	41-32-19.337N 073-59-12.501W	FI R 2.5s		3	Red.	Replaced by nun f from Dec. 1 to Apr. 1.
38060	<i>HMM Intake Hazard Lighted Buoy A</i>	41-32-52.000N 073-58-44.000W	FI (2)W 5s			White with orange bands. Can.	Private aid.
38061	<i>HMM Intake Lighted Hazard Buoy B</i>	41-32-51.000N 073-58-41.000W	FI (2)W 5s			White with orange bands. Can.	Private aid.
38062	<i>HMM Intake Lighted Hazard Buoy C</i>	41-32-50.000N 073-58-37.000W	FI (2)W 5s			White with orange bands. Can.	Private aid.
38063	<i>HMM Intake Lighted Hazard Buoy D</i>	41-32-49.000N 073-58-33.000W	FI (2)W 5s			White with orange bands. Can.	Private aid.
38064	<i>HMM Intake Lighted Hazard Buoy E</i>	41-32-48.000N 073-58-29.000W	FI (2)W 5s			White with orange bands. Can.	Private aid.
38074	<i>Chelsea Yacht Club Anchorage Lighted Buoy N</i>	41-33-21.000N 073-58-16.000W	FI W 2s			White and orange.	Private aid.
38074.3	<i>Chelsea Yatch Club Anchorage Lighted Buoy W</i>	41-32-54.000N 073-58-40.000W	FI W 2s			White and orange.	Private aid.
38074.4	<i>Chelsea Yacht Club Obstruction Lighted Buoy S</i>	41-33-14.000N 073-58-24.000W	FI W 2s			White and orange.	Private aid.
38075	- Buoy 54	41-34-35.837N 073-57-22.498W				Red nun.	
<b>WAPPINGER CREEK TO HUDSON RIVER (Chart 12347)</b>							
<b>Hudson River</b>							
38080	- <i>Lighted Buoy 56</i> On west side of rock.	41-35-05.637N 073-57-20.197W	FI R 2.5s		3	Red.	Replaced by LIB from Nov. 1 to Apr. 1.
38085	- Buoy 58	41-35-37.037N 073-57-16.897W				Red nun.	
38090	- <i>Shoal Lighted Buoy A</i> On south side of shoal.	41-38-39.337N 073-56-54.496W	FI (2+1)R 6s		3	Red and green bands.	Replaced by nun f from Nov. 1 to Apr. 1. AIS: MMSI 993672040
38095	- <i>Shoal Lighted Buoy B</i> On south side of shoal.	41-40-43.337N 073-56-36.495W	FI (2+1)R 6s		3	Red and green bands.	Replaced by nun f from Nov. 1 to Apr. 1. AIS: MMSI 993672041
38100	<b>Mid Hudson Bridge Fog Signal</b>	41-42-12.000N 073-56-44.000W				On bridge abutment.	RACON: M ( - - ) HORN: 1 blast ev 20s. Private aid.
38110	- <i>Lighted Buoy 59</i>	41-42-30.172N 073-56-44.966W	FI G 2.5s		4	Green.	Replaced by LIB f from Nov. 1 to Apr. 1.
38115	- <i>Lighted Buoy 60</i>	41-42-53.443N 073-56-36.302W	FI R 2.5s		3	Red.	Replaced by LIB f from Nov. 1 to Apr. 1.
38116	<i>Crum Elbow Lighted Buoy 62C</i>	41-47-10.000N 073-57-01.000W	FI R 4s			Red.	Maintained from May 15 to Oct. 1. Private aid.
38117	<i>Crum Elbow Lighted Buoy 62D</i>	41-47-23.400N 073-57-00.900W	FI R 4s			Red.	Maintained f from May 15 to Oct. 1. Private aid.
38120	- LIGHT 62	41-46-09.200N 073-56-49.200W	FI R 4s	46	4	TR on skeleton tower.	
38122	<i>Rogers Point Lighted Buoy 62A</i>	41-46-17.000N 073-56-58.000W	FI R 4s			Red.	Maintained f from May 1 to Oct 1. Private aid.
38125	ROGERS POINT LIGHT RP	41-46-23.700N 073-56-53.400W	FI W 4s	50	4	NR on skeleton tower.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>HUDSON RIVER (New York) - First District</b>							
<b>WAPPINGER CREEK TO HUDSON RIVER (Chart 12347)</b>							
<b>Hudson River</b>							
38127	<i>Rogers Point Lighted Buoy 62B</i>	41-46-37.000N 073-57-01.100W	FI R 4s			Red.	Maintained from May 1 to Oct 1. Private aid.
38130	ESOPUS ISLAND LIGHT EI	41-49-23.600N 073-56-52.300W	FI W 4s	57	6	NR on skeleton tower.	
38131	<i>Poughkeepsie Yacht Club Lighted Buoy A</i>	41-49-24.100N 073-56-42.700W	FI W 4s			White and orange.	Private aid.
38132	<i>Poughkeepsie Yacht Club Lighted Buoy B</i>	41-49-01.200N 073-56-45.100W	FI W 4s			White and orange.	Private aid.
38135	<i>Esopus Island North Shoal Lighted Buoy EN</i> North of Esopus Island Shoal.	41-49-50.765N 073-56-50.545W	FI (2+1)R 6s		3	Red and green bands.	Replaced by nun f from Nov. 15 to Apr. 1.
38140	INDIAN KILL SOUTH LIGHT	41-50-06.000N 073-56-36.000W	F R	6		On pile.	Maintained from May 1 to Oct. 15. Private aid.
38145	INDIAN KILL NORTH LIGHT	41-50-06.000N 073-56-36.200W	F G	6		On pile.	Maintained from May 1 to Oct. 15. Private aid.
38150	- <i>Lighted Buoy 63</i>	41-51-19.534N 073-56-43.693W	FI G 2.5s		4	Green.	Replaced by can f from Nov. 1 to Apr. 1.
38155	ESOPUS MEADOWS LIGHT	41-52-06.800N 073-56-29.100W	FI W 2.5s	52	6	White conical tower on white dwelling.	
38160	- <i>Lighted Buoy 66</i>	41-52-14.954N 073-56-02.391W	FI R 2.5s		3	Red.	Replaced by nun f from Nov. 1 to Apr. 1.
38165	- <i>Lighted Buoy 67</i>	41-52-29.754N 073-56-38.083W	FI G 4s		3	Green.	Replaced by can f from Nov. 15 to Apr. 1. AIS: MMSI 993672042
38170	- <i>Lighted Buoy 68</i>	41-53-00.297N 073-56-42.758W	FI R 4s		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1.
38175	- <i>Lighted Buoy 70</i>	41-53-52.339N 073-57-21.536W	Q R		4	Red.	Replaced by LIB of reduced intensity from Nov. 1 to Apr. 1.
38180	- <i>Lighted Buoy 71</i>	41-54-21.353N 073-57-50.495W	FI G 2.5s		3	Green.	Replaced by can f from Nov. 15 to Apr. 1. AIS: MMSI 993672043
38182	- <i>Lighted Buoy 72</i>	41-54-23.724N 073-57-30.144W	FI R 2.5s		3	Red.	Replaced by nun f from Dec. 1 to Apr. 1. AIS: MMSI 993672044
38183	- <i>Lighted Buoy 73</i>	41-54-59.712N 073-57-36.126W	Q G		3	Green.	Replaced by can f from Dec. 1 to Apr. 1.
<b>Rondout Creek</b>							
38185	- LIGHT 1	41-55-10.300N 073-57-45.300W	FI G 4s	25	4	SG on skeleton tower.	
38187	- West Jetty Warning Day beacon	41-55-10.028N 073-57-44.349W				NW on dike worded DANGER SUBMERGED JETTY.	Maintained from Apr. 1 to Dec. 1.
38188	- East Jetty Warning Day beacon	41-55-13.125N 073-57-44.390W				NW on dike worded DANGER SUBMERGED JETTY.	Maintained from Apr. 1 to Dec. 1.
38190	- LEADING LIGHT	41-55-14.736N 073-57-44.952W	FI W 6s	52	9		
38195	- East Jetty Day beacon A	41-55-19.000N 073-57-46.100W				NW on dike worded DANGER SUBMERGED JETTY.	Maintained from Apr.1 to Dec 1.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>HUDSON RIVER (New York) - First District</b>							
<b>WAPPINGER CREEK TO HUDSON RIVER (Chart 12347)</b>							
<b>Hudson River</b>							
<b>Rondout Creek</b>							
38200	- East Jetty Day beacon B	41-55-23.900N 073-57-46.200W				NW on dike worded DANGER SUBMERGED JETTY.	Maintained from Apr.1 to Dec 1.
38205	- East Jetty Day beacon C	41-55-23.900N 073-57-46.200W				NW on dike worded DANGER SUBMERGED JETTY.	Maintained from Apr.1 to Dec 1.
38210	- East Jetty Day beacon D	41-55-23.500N 073-57-45.000W				NW on dike worded DANGER SUBMERGED JETTY.	Maintained from Apr.1 to Dec 1.
38215	- Day beacon 3	41-55-12.632N 073-57-49.694W				SG on dike.	Maintained from Apr.1 to Dec 1.
38220	- Day beacon 4	41-55-16.832N 073-57-49.494W				TR on dike.	Maintained from Apr.1 to Dec 1.
38225	- Day beacon 5	41-55-13.800N 073-57-52.500W				SG on dike.	Maintained from Apr.1 to Dec 1.
38230	- Day beacon 6	41-55-18.000N 073-57-52.000W				TR on dike.	Maintained from Apr.1 to Dec 1.
38235	- Day beacon 7	41-55-15.200N 073-57-55.200W				SG on dike.	Maintained from Apr.1 to Dec 1.
38240	- Day beacon 8	41-55-19.032N 073-57-51.394W				TR on dike.	Maintained from Apr.1 to Dec 1.
38245	- Day beacon 9	41-55-16.500N 073-57-58.000W				SG on dike.	Maintained from Apr.1 to Dec 1.
38250	- Day beacon 10	41-55-20.500N 073-58-01.000W				TR on dike.	Maintained from Apr.1 to Dec 1.
<b>Rondout Creek Channel</b>							
38255	- Buoy 12	41-54-51.180N 073-59-10.255W				Red nun.	
38260	- Buoy 13	41-54-46.892N 073-59-14.239W				Green can.	
38265	- Buoy 15	41-54-08.433N 074-00-45.395W				Green can.	Maintained from Apr.1 to Dec. 1.
38270	- Buoy 16	41-54-07.432N 074-00-50.303W				Red nun.	Maintained from Apr. 1 to Dec. 1.
38275	- Buoy 17	41-54-04.354N 074-00-53.310W				Green can.	Maintained from Apr. 1 to Dec. 1.
38280	- Buoy 19	41-53-57.639N 074-00-59.813W				Green can.	Maintained from Apr. 1 to Dec. 1.
<b>Hudson River</b>							
38285	- <i>Lighted Buoy 74</i>	41-55-45.563N 073-57-33.915W	FI R 2.5s		3	Red.	Replaced by LIB from Nov. 1 to Apr. 1.
38290	KINGSTON FLATS LIGHT KF	41-56-15.400N 073-57-28.600W	FI W 4s	38	4	NR on skeleton tower.	
38295	- <i>Lighted Buoy 76</i>	41-56-17.487N 073-57-42.658W	FI R 2.5s		3	Red.	
38300	- <i>Lighted Buoy 77</i>	41-56-33.286N 073-57-47.412W	Q G		3	Green.	Year round radar reflectiv e LIB.
38305	- <i>Lighted Buoy 78</i> On west side of The Flat.	41-56-43.909N 073-57-40.983W	FI R 4s		4	Red.	Year round radar reflectiv e LIB. AIS: MMSI 993672045
38310	- <i>Lighted Buoy 80</i>	41-57-39.166N 073-57-20.476W	FI R 2.5s		3	Red.	Replaced by nun f from Nov. 1 to Apr. 1.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>HUDSON RIVER (New York) - First District</b>							
<b>WAPPINGER CREEK TO HUDSON RIVER (Chart 12347)</b>							
<b>Hudson River</b>							
38315	<b>Kingston Bridge Sound Signal</b>	41-58-44.820N 073-57-03.000W				On bridge abutment.	RACON: K ( - . - ) HORN (2): 2 blast ev 30s (2s bl-2s si-2s bl-24s si). Private aid.
38320	ASTOR POINT LIGHT	41-59-25.200N 073-56-02.200W	FI W 4s	40	5	NR on skeleton tower.	Obscured f from the north.
38325	- <i>Lighted Buoy 82</i> At north end of flat.	41-59-55.406N 073-56-32.570W	FI R 4s		3	Red.	Replaced by LIB from Nov. 1 to Apr. 1.
38330	- LIGHT 83	42-00-50.600N 073-56-20.300W	FI G 2.5s	38	4	SG on skeleton tower.	
38335	- <i>Lighted Buoy 84</i>	42-00-47.330N 073-56-05.488W	FI R 2.5s		3	Red.	Replaced by nun f from Nov. 1 to Apr. 1.
38340	<i>Hogs Back North Lighted Buoy N</i> On north edge of Hogs Back.	42-01-20.402N 073-55-56.207W	FI (2+1)R 6s		3	Red and green bands.	Replaced by nun f from Nov. 1 to Apr. 1.
38345	- <i>Lighted Buoy 85</i> On south end of Saddle Bags Shoal.	42-01-46.170N 073-56-06.395W	FI G 4s		4	Green.	Replaced by can f from Nov. 1 to Apr. 1.
38350	- LIGHT 86	42-02-03.900N 073-55-45.300W	FI R 2.5s	28	4	TR on skeleton tower.	
38355	- <i>Lighted Buoy 87</i>	42-02-15.136N 073-55-56.857W	FI G 2.5s		3	Green.	Replaced by can f from Dec. 1 to Apr. 1. AIS: MMSI 993672046
38360	- <i>Lighted Buoy 89</i>	42-03-04.308N 073-55-42.474W	FI G 2.5s		4	Green.	Replaced by LIB from Nov. 1 to Apr. 1.
38365	- <i>Lighted Buoy 91</i>	42-04-05.049N 073-55-40.469W	Q G		3	Green.	Replaced by can f from Dec. 1 to Apr. 1.
38370	- LIGHT 93	42-04-16.600N 073-55-46.100W	FI G 4s	28	4	SG on skeleton tower.	
38375	SAUGERTIES LIGHT	42-04-19.426N 073-55-46.730W	Oc W 4s	41	5	White.	
38380	- <i>Lighted Buoy 94</i>	42-04-34.396N 073-55-36.672W	FI R 2.5s		3	Red.	Year round radar reflectiv e LIB.
38385	- <i>Lighted Buoy 95</i>	42-05-10.845N 073-55-53.932W	FI G 2.5s		3	Green.	Replaced by can f from Dec. 1 to Apr. 1. AIS: MMSI 993672047
38390	- LIGHT 96	42-05-23.400N 073-55-39.100W	FI R 2.5s	24	4	TR on skeleton tower.	
38395	- <i>Lighted Buoy 98</i>	42-06-00.645N 073-55-37.681W	FI R 4s		3	Red.	Year round radar reflectiv e LIB.
38400	- <i>Lighted Buoy 99</i>	42-06-21.874N 073-55-37.020W	FI G 4s		4	Green.	Year round radar reflectiv e LIB.
38403	WANTON ISLAND DIRECTIONAL LIGHT	42-07-42.300N 073-55-01.100W	Oc W 4s	20	R 2 G 2 W 2	On skeleton tower.	Shows red from 015.25° to 016.75°; white from 016.75° to 017.25°; green from 017.25° to 018.75°.
38405	- LIGHT 101	42-07-42.800N 073-55-00.100W	FI G 2.5s	24	4	SG on skeleton tower.	
38410	- <i>Lighted Buoy 102</i> On southwest side of flats.	42-07-39.709N 073-54-51.599W	FI R 2.5s		3	Red.	Replaced by nun f from Dec. 1 to Apr. 1.
<b>Rondout Creek Channel</b>							
38413	LEHIGH MOORING DOLPHIN LIGHT 1	42-08-33.200N 073-54-31.500W	FI Y 4s	10		On dolphin.	Private aid.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>HUDSON RIVER (New York) - First District</b>							
<b>WAPPINGER CREEK TO HUDSON RIVER (Chart 12347)</b>							
<b>Hudson River</b>							
<b>Rondout Creek Channel</b>							
38414	LEHIGH MOORING DOLPHIN LIGHT 2	42-08-19.300N 073-54-40.100W	FI Y 4s	10		On dolphin.	Private aid.
<b>Hudson River</b>							
38415	- Lighted Buoy 104 Marks lower end of shoal.	42-08-21.662N 073-54-27.455W	FI R 4s		3	Red.	Replaced by nun f from Dec. 1 to Apr. 1. AIS: MMSI 993672048
38420	UPPER COALS BED LIGHT CB On south end of shoal.	42-08-45.200N 073-54-02.900W	FI W 6s	27	5	NG on skeleton tower.	
38425	- Lighted Buoy 106	42-08-46.145N 073-54-15.109W	Q R		4	Red.	
38430	SILVER POINT RANGE FRONT LIGHT	42-08-44.164N 073-54-25.631W	Q G (NIGHT) Q G (DAY)	32 30		On skeleton tower.	Passing light obscured from the south. Lighted throughout 24 hours.
38435	SILVER POINT RANGE REAR LIGHT 164 yards, 219.4° from front light.	42-08-40.402N 073-54-29.787W	Iso G 6s (NIGHT) Iso G 6s (DAY)	52 50		On skeleton tower.	Lighted throughout 24 hours.
38436	- Lighted Buoy 107	42-08-57.619N 073-54-13.521W	Q G		3	Green.	
38440	- Lighted Buoy 108	42-09-00.871N 073-54-03.725W	FI R 2.5s		3	Red.	Replaced by nun f from Dec. 1 to Apr. 1.
38445	- Lighted Buoy 109	42-09-13.001N 073-53-57.373W	FI G 2.5s		3	Green.	Replaced by can f from Dec. 1 to Apr. 1.
38450	- Lighted Buoy 110 Marks upper end of shoal.	42-09-25.621N 073-53-36.602W	FI R 2.5s		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1.
38455	- Lighted Buoy 111	42-09-50.973N 073-53-16.244W	FI G 4s		3	Green.	Replaced by can f from Nov. 15 to Apr. 1. AIS: MMSI 993672049
38457	- Lighted Buoy 112	42-09-48.883N 073-53-10.147W	FI R 4s		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1.
38460	INBOCHT BAY LIGHT IB	42-10-14.200N 073-52-59.700W	FI W 4s	26	4	NG on skeleton tower.	
38465	- Lighted Buoy 113	42-10-21.467N 073-52-42.762W	FI G 2.5s		3	Green.	Replaced by can f from Nov. 15 to Apr. 1. AIS: MMSI 993672050
38470	- Lighted Buoy 114	42-10-18.634N 073-52-38.400W	FI R 2.5s		3	Red.	Replaced by nun f from Dec. 1 to Apr. 1.
38475	- LIGHT 116	42-10-53.800N 073-51-50.900W	FI R 4s	17	4	TR on skeleton tower.	
38480	- Lighted Buoy 117	42-11-10.471N 073-51-38.061W	Q G		3	Green.	Year round radar reflective LIB.
38485	- Lighted Buoy 118	42-11-07.465N 073-51-32.562W	Q R		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1.
38490	BURDEN DOCK LIGHT BD	42-11-36.900N 073-51-08.900W	FI W 4s	28	5	NR on skeleton tower.	
38495	- Lighted Buoy 119	42-12-21.397N 073-51-05.533W	Q G		4	Green.	
38500	Catskill Creek Buoy 1	42-12-32.301N 073-51-15.464W				Green can.	Maintained f from Apr. 1 to Dec. 1.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>HUDSON RIVER (New York) - First District</b>							
<b>WAPPINGER CREEK TO HUDSON RIVER (Chart 12347)</b>							
<b>Hudson River</b>							
38505	Catskill Creek Buoy 3	42-12-34.930N 073-51-19.831W				Green can.	Maintained from Apr. 1 to Dec. 1.
38510	- <i>Lighted Buoy 120</i> Marks south end of Rogers Island Shoal.	42-12-21.403N 073-50-58.107W	Q R		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1.
38515	- LIGHT 121	42-12-53.900N 073-51-17.200W	FI G 4s	31	4	SG on skeleton tower.	
38520	- <i>Lighted Buoy 122</i>	42-13-04.657N 073-51-07.502W	FI R 4s		3	Red.	Replaced by nun f from Dec. 1 to Apr. 1. AIS: MMSI 993672051
38525	<b>RIP VAN WINKLE BRIDGE RACON (X)</b>	42-13-27.000N 073-51-07.000W				Center bridge span.	RACON: X ( . . . ) Priv ate aid.
38530	- LIGHT 123	42-13-45.300N 073-51-08.200W	FI G 2.5s	24	4	SG on skeleton tower.	
38535	- <i>Lighted Buoy 124</i>	42-13-46.729N 073-50-54.456W	FI R 2.5s		3	Red.	Replaced by nun f from Dec. 1 to Apr. 1.
38540	- LIGHT 126	42-14-11.300N 073-50-28.600W	Q R	28	4	TR on skeleton tower.	
38545	- <i>Lighted Buoy 128</i>	42-14-24.703N 073-50-12.778W	FI R 2.5s		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1. AIS: MMSI 993672052
38546	New Athens Intake Hazard Buoy	42-14-27.580N 073-50-22.740W					Priv ate aid.
38550	- LIGHT 129 On edge of shoal.	42-14-44.700N 073-49-45.800W	FI G 4s	31	4	SG on skeleton tower.	
38555	- <i>Lighted Buoy 130</i>	42-14-51.082N 073-49-01.828W	FI R 4s		3	Red.	Replaced by nun f from Dec. 1 to Apr. 1.
38560	HUDSON CITY LIGHT	42-15-08.100N 073-48-31.900W	FI G 2.5s	46	4		
38580	MIDDLE GROUND FLATS WEST CHANNEL LIGHT 2	42-16-11.700N 073-47-53.600W	FI R 4s	28	3	TR on skeleton tower.	
38585	- <i>Lighted Buoy 133</i>	42-15-21.313N 073-48-03.653W	Q G		3	Green.	Replaced by can f from Dec. 1 to Apr. 1.
38590	- <i>Lighted Buoy 135</i>	42-15-43.973N 073-47-39.492W	FI G 2.5s		3	Green.	Replaced by can f from Nov. 15 to Apr. 1.
38595	- Channel Buoy 137	42-16-02.312N 073-47-26.752W				Green can.	
38600	- <i>Lighted Buoy 138</i>	42-16-01.250N 073-47-20.969W	FI R 2.5s		4	Red.	Year round radar reflectiv e LIB.
38605	- Buoy 139	42-16-28.903N 073-47-13.557W				Green can.	
38610	- LIGHT 140	42-16-44.600N 073-46-59.600W	Q R	24	4	TR on skeleton tower.	
38614	- Buoy 141	42-16-45.490N 073-47-08.259W				Green can.	
38615	- <i>Lighted Buoy 143</i>	42-17-14.780N 073-47-01.610W	FI G 4s		3	Green.	Replaced by can f from Nov. 15 to Apr. 1. AIS: MMSI 993672053
38620	- <i>Lighted Buoy 144</i>	42-17-17.310N 073-46-55.450W	FI R 4s		3	Red.	Replaced by nun f from Dec. 1 to Apr. 1.
38625	Four Mile Point Anchorage Buoy A	42-17-26.000N 073-47-05.060W				Yellow can.	



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>HUDSON RIVER (New York) - First District</b>							
<b>COXSACKIE TO TROY (Chart 12348)</b>							
<b>Hudson River</b>							
38630	HUDSON ANCHORAGE LIGHT HA	42-17-32.400N 073-47-10.100W	FI W 6s	35	4	NG on skeleton tower.	
38635	Four Mile Point Anchorage Buoy B	42-17-38.430N 073-47-03.660W				Yellow can.	
38640	- Lighted Buoy 145	42-17-49.831N 073-46-57.554W	FI G 2.5s		3	Green.	Replaced by can f from Nov. 15 to Apr. 1.
38645	- LIGHT 147	42-18-13.100N 073-46-57.500W	Q G	46	4	SG on skeleton tower.	
38647	- Buoy 148	42-18-14.448N 073-46-48.150W				Red nun.	
38650	- Buoy 150	42-18-37.620N 073-46-52.746W				Red nun.	
38655	- Lighted Buoy 151	42-19-11.346N 073-47-05.030W	FI G 4s		3	Green.	Replaced by can f from Dec. 1 to Apr. 1.
38660	- LIGHT 152	42-19-16.300N 073-46-58.800W	FI R 4s	26	4	TR on skeleton tower.	
38665	- LIGHT 153	42-19-54.400N 073-47-09.900W	FI G 6s	52	4	SG on skeleton tower.	
38670	- Lighted Buoy 154	42-20-01.875N 073-47-01.195W	FI R 2.5s		4	Red.	Year round radar reflectiv e LIB.
38675	- Lighted Buoy 155	42-20-11.400N 073-47-10.003W	FI G 2.5s		3	Green.	Replaced by can f from Nov. 15 to Apr. 1.
38680	- LIGHT 157	42-20-30.800N 073-47-18.100W	FI G 4s	26	4	SG on skeleton tower.	
38690	- Lighted Buoy 158	42-20-45.425N 073-47-14.608W	FI R 4s		3	Red.	Replaced by nun f from Dec. 1 to Apr. 1.
38695	- Lighted Buoy 159	42-21-00.986N 073-47-28.107W	FI G 2.5s		3	Green.	Replaced by can f from Dec. 1 to Apr. 1. AIS: MMSI 993672054
38697	- Lighted Buoy 160	42-21-24.217N 073-47-24.258W	FI R 2.5s		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1.
38699	- Hazard Buoy	42-21-22.136N 073-47-33.331W				White and orange diamond. Marked "ROCKS".	
38700	- Lighted Buoy 161	42-21-24.438N 073-47-30.267W	Q G		3	Green.	Year round radar reflectiv e LIB.
38705	- Lighted Buoy 163	42-21-50.237N 073-47-31.355W	FI G 2.5s		3	Green.	Replaced by can f from Nov. 15 to Apr. 1.
38710	- Lighted Buoy 164	42-22-06.167N 073-47-26.355W	FI R 2.5s		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1.
38715	- LIGHT 166 On flats.	42-22-37.200N 073-47-32.900W	Q R	24	4	TR on skeleton tower.	
38720	RATTLESNAKE ISLAND LEADING LIGHT RI	42-22-46.700N 073-47-42.200W	FI W 4s	41	6	NG on skeleton tower.	
38725	- Lighted Buoy 168	42-22-59.384N 073-47-31.027W	FI R 2.5s		4	Red.	Year round radar reflectiv e LIB.
38730	- Buoy 168A	42-23-28.700N 073-47-17.967W				Red nun.	
38735	- LIGHT 169	42-23-46.800N 073-47-18.600W	FI G 4s	14	4	SG on pile.	
38740	- Lighted Buoy 170	42-24-03.710N 073-47-03.696W	FI R 4s		3	Red.	Replaced by nun f from Dec. 1 to Apr. 1.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>HUDSON RIVER (New York) - First District</b>							
<b>COXSACKIE TO TROY (Chart 12348)</b>							
<b>Hudson River</b>							
38745	Stuyvesant Upper Hudson River Anchorage Buoy A	42-24-13.710N 073-46-53.785W				Yellow nun.	
38750	Stuyvesant Upper Hudson River Anchorage Buoy B	42-24-25.720N 073-46-48.405W				Yellow nun.	
38755	- LIGHT 171	42-24-29.900N 073-47-00.100W	FI G 4s	26	4	SG on skeleton tower.	
38757	- Buoy 173	42-24-40.371N 073-46-53.798W				Green can.	
38760	- Buoy 174	42-24-37.917N 073-46-48.655W				Red nun.	
38765	MILL CREEK LIGHT MC	42-24-41.100N 073-46-41.100W	FI W 4s	48	5	NR on skeleton tower.	
38770	- <i>Lighted Buoy 176</i>	42-24-52.606N 073-46-42.593W	Q R		3	Red.	Replaced by nun f from Dec. 1 to Apr. 1.
38775	- <i>Lighted Buoy 177</i>	42-25-05.299N 073-46-49.105W	Q G		4	Green spar buoy.	Year round radar reflectiv e LIB.
38780	- <i>Lighted Buoy 178</i>	42-25-15.636N 073-46-45.323W	FI R 2.5s		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1.
38785	- LIGHT 180	42-25-27.228N 073-46-44.164W	FI R 4s	30	4	TR on skeleton tower.	
38790	- <i>Lighted Buoy 181</i>	42-25-49.116N 073-46-54.029W	FI G 4s		4	Green spar buoy.	Year round radar reflectiv e LIB.
38795	- <i>Lighted Buoy 182</i>	42-25-49.682N 073-46-48.490W	FI R 4s		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1.
38800	STONEHOUSE BAR CHANNEL NORTH END RANGE FRONT LIGHT	42-27-14.043N 073-47-11.927W	Q G	32		KRW on skeleton tower.	Visible on 4deg each side of range line.
38805	STONEHOUSE BAR CHANNEL NORTH END RANGE REAR LIGHT 276 yards, 350.1° from front light.	42-27-22.089N 073-47-13.817W	Iso G 6s	45		KRW on skeleton tower.	Visible on 4deg each side of range line.
38810	- LIGHT 184	42-26-38.700N 073-46-59.300W	FI R 2.5s	27	4	TR on skeleton tower.	
38815	- <i>Lighted Buoy 185</i> 150 feet outside channel limit.	42-26-49.896N 073-47-09.124W	Q G		3	Green.	Replaced by can f from Dec. 1 to Apr. 1.
38820	- <i>Lighted Buoy 187</i>	42-27-42.245N 073-47-01.513W	FI G 2.5s		3	Green.	Replaced by can f from Dec. 1 to Apr. 1.
38825	- LIGHT 188	42-27-48.604N 073-46-53.952W	Q R	27	4	TR on skeleton tower.	
38830	- LIGHT 189	42-28-15.994N 073-47-12.943W	FI G 4s	24	4	SG on skeleton tower.	
<b>Coeymans Dike</b>							
<i>Aids maintained from Apr. 1 to Dec. 1.</i>							
38835	- Buoy A	42-28-19.024N 073-47-12.533W				White and orange.	Worded DANGER SUBMERGED JETTY.
38840	- Buoy B	42-28-24.254N 073-47-13.826W				White and orange.	Worded DANGER SUBMERGED JETTY.
38845	- Buoy C	42-28-28.903N 073-47-14.947W				White and orange.	Worded DANGER SUBMERGED JETTY.
38850	- Buoy D	42-28-34.933N 073-47-16.472W				White and orange.	Worded DANGER SUBMERGED JETTY.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>HUDSON RIVER (New York) - First District</b>							
<b>COXSACKIE TO TROY (Chart 12348)</b>							
<b>Hudson River</b>							
38860	- Lighted Buoy 190	42-28-33.654N 073-47-08.453W	FI R 2.5s		3	Red.	Replaced by nun f from Dec. 1 to Apr. 1.
38865	- LIGHT 191	42-28-42.100N 073-47-19.100W	Q G	26	4	SG on skeleton tower.	
38870	- Lighted Buoy 192	42-28-46.642N 073-47-09.762W	Q R		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1.
38875	- LIGHT 193	42-29-11.692N 073-47-14.142W	Q G	26	4	SG on skeleton tower.	
38880	- Lighted Buoy 194	42-29-17.293N 073-47-05.872W	FI R 2.5s		3	Red.	Replaced by nun f from Dec. 1 to Apr. 1.
38885	- Lighted Buoy 196	42-29-41.160N 073-46-54.593W	FI R 4s		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1.
38890	- LIGHT 197	42-30-04.500N 073-46-49.900W	FI G 4s	25	4	SG on skeleton tower.	
38895	- Lighted Buoy 199	42-31-04.631N 073-46-01.449W	FI G 4s		4	Green spar buoy.	Year round radar reflectiv e LIB.
38900	- LIGHT 200	42-31-05.400N 073-45-52.000W	Q R	24	4	TR on skeleton tower.	
38903	- Lighted Buoy 201	42-31-23.148N 073-45-48.321W	FI G 2.5s		3	Green.	Replaced by can f from Nov. 15 to Apr. 1. AIS: MMSI 993672055
38905	- Lighted Buoy 202	42-31-21.518N 073-45-42.865W	FI R 2.5s		3	Red.	Replaced by nun f from Nov. 15 to Apr. 1.
38910	- LIGHT 204	42-32-15.900N 073-45-18.700W	Q R	28	4	TR on skeleton tower.	
38915	- Lighted Buoy 205	42-32-18.835N 073-45-27.649W	Q G		3	Green.	Replaced by can f from Dec. 1 to Apr. 1.
38920	- Lighted Buoy 207	42-33-10.070N 073-45-22.222W	FI G 2.5s		3	Green.	Replaced by can f from Dec. 1 to Apr. 1.
38925	- LIGHT 209	42-33-26.900N 073-45-20.700W	FI G 4s	25	4	SG on skeleton tower.	
38930	- Lighted Buoy 210	42-33-25.974N 073-45-12.900W	FI R 4s		3	Red.	Replaced by nun f from Dec. 1 to Apr. 1.
38935	- Lighted Buoy 211	42-34-12.149N 073-45-08.746W	FI G 4s		3	Green.	Replaced by can f from Dec. 1 to Apr. 1.
38940	- LIGHT 212	42-34-17.500N 073-45-02.000W	FI R 4s	24	4	TR on skeleton tower.	
38945	- Lighted Buoy 213	42-34-25.627N 073-45-08.908W	FI G 2.5s		3	Green.	Replaced by can f from Dec. 1 to Apr. 1.
38950	- LIGHT 214	42-34-39.300N 073-45-02.400W	Q R	26	4	TR on skeleton tower.	
38955	- LIGHT 215	42-35-05.000N 073-45-27.000W	FI G 4s	21	4	SG on skeleton tower.	
38960	- Lighted Buoy 216	42-35-16.603N 073-45-27.438W	FI R 2.5s		3	Red.	Replaced by nun f from Dec. 1 to Apr. 1.
38965	- Buoy 217	42-35-29.215N 073-45-35.155W				Green can.	
38970	- LIGHT 219	42-36-10.100N 073-45-46.500W	FI G 4s	29	4	SG on skeleton tower.	
38985	- LIGHT 221	42-36-48.900N 073-45-42.900W	FI G 4s	28	4	SG on skeleton tower.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>HUDSON RIVER (New York) - First District</b>							
<b>COXSACKIE TO TROY (Chart 12348)</b>							
<b>Hudson River</b>							
39000	PORT OF ALBANY MOORING DOLPHIN LIGHT	42-37-32.280N 073-45-11.040W	Q W			On pile.	Private aid.
39010	- LIGHT 223	42-39-32.000N 073-44-16.800W	FI G 4s	30	4	SG on skeleton tower.	
39015	- LIGHT 224	42-40-13.000N 073-43-23.200W	FI R 4s	30	4	TR on skeleton tower.	
39025	- Buoy 226	42-42-20.453N 073-42-09.192W				Red nun.	
39030	- Buoy 228	42-43-15.932N 073-41-55.787W				Red nun.	
39035	Adams Island Obstruction Buoy	42-44-23.778N 073-41-17.970W					
39045	- Buoy 229	42-44-40.231N 073-41-17.146W				Green can.	
39050	- Buoy 231 100 feet outside channel limit.	42-44-55.581N 073-41-09.805W				Green can.	
<b>Troy Dam</b>							
<i>Buoys mark turbulent area below dam Aids maintained from May 7 to Nov. 15.</i>							
39055	- East Danger Buoy	42-44-58.936N 073-41-11.213W				White can with orange bands and diamond.	
39060	- Central Danger Buoy	42-44-58.635N 073-41-13.947W				White can with orange bands and diamond.	
39065	- West Danger Buoy	42-44-58.105N 073-41-16.363W				White can with orange bands and diamond.	
<b>NEW YORK STATE BARGE CANAL SYSTEM (Chart 14786)</b>							
<b>Hudson River (Above Troy Lock)</b>							
39070	<i>Hudson River Lighted Buoy</i> 233	42-45-22.984N 073-41-05.500W	FI G 4s		3	Green.	Maintained from May 15 to Dec. 1.
39075	Hudson River Buoy 235	42-45-47.494N 073-40-59.000W				Green can.	Maintained from May 15 to Dec. 1.
39080	Hudson River Buoy 236	42-45-49.676N 073-40-57.075W				Red nun.	Maintained from May 15 to Dec. 1.
39085	Hudson River Buoy 237	42-45-59.448N 073-40-58.755W				Green can.	Maintained from May 15 to Dec. 1.
39090	Hudson River Buoy 238	42-46-05.574N 073-40-54.900W				Red nun.	Maintained from May 15 to Dec. 1.
39095	Hudson River Buoy 239	42-46-36.804N 073-40-47.349W				Green can.	Maintained from May 15 to Dec. 1.
39100	Hudson River Buoy 241	42-46-50.702N 073-40-42.265W				Green can.	Maintained from May 15 to Dec. 1.
39105	Hudson River Buoy 242	42-46-54.337N 073-40-37.007W				Red nun.	Maintained from May 15 to Dec. 1.
<b>LAKE CHAMPLAIN (New York and Vermont) - First District</b>							
<b>RIVIERE RICHELIEU TO SOUTH HERO ISLAND (Chart 14781)</b>							
<b>Main Passage</b>							
39110	Kelly Bay Shoal Buoy 1	44-59-58.617N 073-20-48.442W				Green can.	
39115	Rouses Point Shoal Buoy 2 At east side of 4 foot shoal.	44-59-33.441N 073-21-10.278W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LAKE CHAMPLAIN (New York and Vermont) - First District</b>							
<b>RIVIERE RICHELIEU TO SOUTH HERO ISLAND (Chart 14781)</b>							
<b>Main Passage</b>							
39120	Railroad Bridge South Shoal Buoy 3 At southwest end of 3-foot shoal.	44-59-06.808N 073-21-04.467W				Green can.	
39130	WINDMILL POINT LIGHT	44-58-54.486N 073-20-30.420W	FI W 4s	80	7	Grey conical tower.	
39135	STONY POINT BREAKWATER LIGHT 4	44-58-25.900N 073-21-00.900W	FI R 4s	19	5	TR on skeleton tower.	
39140	Windmill Point Reef Buoy 7 At west side of reef.	44-57-26.643N 073-20-08.676W				Green can.	
39145	Windmill Point Reef Buoy 9 At west side of 7-foot spot.	44-56-41.843N 073-20-13.776W				Green can.	
39150	Motte Reef Buoy 11 At northwest side of 2-foot reef.	44-56-02.044N 073-20-12.376W				Green can.	
39155	Point Au Fer Reef Buoy 12	44-55-55.444N 073-20-46.177W				Red nun.	
39160	Point Au Fer Reef Buoy 16 At east side of 1-foot reef.	44-55-18.244N 073-20-41.077W				Red nun.	
39163	Point Au Fer Reef Junction Buoy AF	44-54-54.000N 073-21-24.000W				Red and green bands; nun.	
39165	ISLE LA MOTTE LIGHT	44-54-23.389N 073-20-36.400W	FI W 4s	46	7	Red conical tower.	
<b>King Bay</b>							
<b>Great Chazy River Boat Channel</b>							
<i>Aids maintained from May 15 to Oct. 15.</i>							
39170	- Lighted Buoy 1	44-55-38.220N 073-22-37.200W	FI G 4s			Green.	Private aid.
39175	- Lighted Buoy 2	44-55-39.120N 073-22-36.540W	FI R 4s			Red.	Private aid.
39180	- Buoy 3	44-55-41.760N 073-22-44.400W				Green can.	Private aid.
39185	- Buoy 4	44-55-42.780N 073-22-42.900W				Red nun.	Private aid.
39190	- Buoy 5	44-55-44.940N 073-22-48.900W				Green can.	Private aid.
39195	- Buoy 6	44-55-45.900N 073-22-48.120W				Red nun.	Private aid.
39200	- Buoy 7	44-55-47.820N 073-22-52.860W				Green can.	Private aid.
39205	- Buoy 8	44-55-48.420N 073-22-52.320W				Red nun.	Private aid.
39210	- Buoy 9	44-55-50.640N 073-22-57.000W				Green can.	Private aid.
39215	- Buoy 10	44-55-51.120N 073-22-55.980W				Red nun.	Private aid.
<b>La Motte Passage</b>							
39220	Pelots Point North Railroad Day beacon 1	44-50-27.060N 073-17-58.560W				SG on metal pile.	Private aid.
39225	Pelots Point South Railroad Day beacon 2	44-50-26.690N 073-17-59.680W				TR on metal pile.	Private aid.
39230	Horseshoe Shoal South End Buoy 3	44-50-16.949N 073-19-00.675W				Green can.	
39235	Townes Reef West Side Buoy 2 At northwest side of 4-foot reef.	44-49-50.298N 073-18-51.703W				Red nun.	
39240	Hills Shoal Buoy 1	44-49-43.915N 073-19-16.967W				Green can.	
<b>Main Passage</b>							
39250	La Roche Reef Lighted Buoy 20	44-47-56.153N 073-21-06.589W	FI R 4s		3	Red.	Replaced by nun from Nov. 1 to May 1.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LAKE CHAMPLAIN (New York and Vermont) - First District</b>							
<b>RIVIERE RICHELIEU TO SOUTH HERO ISLAND (Chart 14781)</b>							
<b>The Gut North Entrance</b>							
39255	Middle Reef Northeast End Buoy 2 At northeast side of reef.	44-45-54.152N 073-19-43.677W				Red nun.	
<b>South Entrance</b>							
39260	Sister Shoal Buoy 1 On east side of 3-foot shoal.	44-44-06.754N 073-20-33.077W				Green can.	
<b>Main Channel</b>							
39265	Middle Reef South Shoal Buoy 1 At south end of reef.	44-45-15.080N 073-19-59.308W				Green can.	
39270	SOUTH HERO LIGHT 2	44-45-03.762N 073-19-00.828W	FI R 2.5s	25	5	TR on skeleton tower.	
39275	The Gut Western Entrance Buoy 3	44-45-06.154N 073-19-04.476W				Green can.	
39280	Simm Point South Buoy 4 At west side of 4-foot shoal.	44-45-11.954N 073-18-44.576W				Red nun.	
39285	Simm Point Buoy 6 At northwest end of 4-foot shoal.	44-45-18.253N 073-18-44.875W				Red nun.	
39290	Bow Arrow Point North Railroad Day beacon	44-45-06.120N 073-18-59.040W				SG on pile.	Private aid.
39295	Tromp Point South Railroad Day beacon	44-45-03.180N 073-18-58.260W				TR on pile.	Private aid.
39300	NORTH HERO LIGHT 8 On edge of shoal.	44-45-52.734N 073-17-32.334W	FI R 4s	23	5	TR on skeleton tower.	
39305	Sandy Point Buoy 9	44-45-55.727N 073-17-33.101W				Green can.	
<b>St. Albans Bay</b>							
39310	Ball Island South End Buoy 1 At southwest point of shoal.	44-45-21.158N 073-13-12.277W				Green can.	
39315	Hathaway Point Buoy 3 At south side of 2-foot spot.	44-46-40.284N 073-10-11.507W				Green can.	
39320	BURTON ISLAND LIGHT	44-46-38.860N 073-11-47.750W	FI W 2.5s	14			Maintained from May 15 to Sept. 15. Private aid.
39321	Burton Island Pass Buoy 1	44-46-39.300N 073-11-31.700W				Green can.	Maintained from May 1 to Nov. 1.
39322	Burton Island Pass Buoy 2	44-46-39.100N 073-11-31.900W				Red nun.	Private aid. Maintained from May 1 to Nov. 1. Private aid.
<b>City Bay</b>							
39325	City Reef Buoy 1 At east side of reef.	44-48-38.681N 073-16-36.078W				Green can.	
39330	- Buoy 2 At south point of shoal.	44-48-45.052N 073-16-54.772W				Red nun.	
<b>Gull Island Reef</b>							
39335	- South Buoy GS At south point of reef.	44-50-40.652N 073-14-14.970W				Red and green bands; nun.	
39340	- North Buoy GN At north point of reef.	44-51-52.052N 073-13-27.870W				Red and green bands; nun.	
<b>Missisquoi Bay</b>							
39345	- Buoy 2 Marks Northwest edge of Sandy Point Ledge.	44-59-06.146N 073-12-08.964W				Red nun.	Maintained from May 1 to Nov. 1.
39350	- Buoy 4 Marks Northwest point of shoal.	45-00-46.545N 073-10-11.863W				Red nun.	Maintained from May 1 to Nov. 1.
<b>Maquam Bay</b>							
39351	- Danger Buoy DM	44-54-16.568N 073-10-18.197W				White and orange.	Maintained from May 1 to Nov. 1.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LAKE CHAMPLAIN (New York and Vermont) - First District</b>							
<b>RIVIERE RICHELIEU TO SOUTH HERO ISLAND (Chart 14781)</b>							
<b>Treadwell Bay</b>							
39355	Rocky Point Reef Buoy 2 At south end of reef.	44-45-12.951N 073-23-13.981W				Red nun.	
39360	Four Foot Reef Buoy 3 At east side of 4-foot reef.	44-45-36.351N 073-23-43.982W				Green can.	
39361	<i>Bay Saint Armand Lighted Buoy 1</i>	44-44-52.000N 073-24-41.000W	FI G 4s			Green.	Maintained from May 1 to Oct. 1. Private aid.
39362	<i>Bay Saint Armand Lighted Buoy 2</i>	44-44-54.000N 073-24-41.000W	FI R 4s			Red.	Maintained from May 1 to Oct. 1. Private aid.
<b>CUMBERLAND HEAD TO FOUR BROTHERS ISLANDS (Chart 14782)</b>							
<b>Main Passage</b>							
<b>Cumberland Head</b>							
39365	- <b>Ferry Dock Sound Signal</b>	44-41-57.840N 073-22-48.840W				On wharf piling.	Maintained from Apr. 1 to Dec. 30. HORN: 1 blast ev 30s (2s bl). Private aid.
39370	- FERRY DOCK NORTH SLIP SOUTH LIGHT	44-41-57.780N 073-22-48.540W	F G	22		On piling.	Private aid.
39375	- FERRY DOCK MIDDLE SLIP NORTH LIGHT	44-41-57.720N 073-22-48.480W	F R	19		On piling.	Private aid.
39380	- LIGHT	44-41-29.467N 073-23-06.782W	FI W 4s	75	7	On Grey conical tower.	
<b>Main Passage</b>							
39385	<b>Grand Isle Ferry Dock Fog Signal</b>	44-41-16.320N 073-20-58.680W				On wharf piling.	Maintained from Apr. 1 to Dec. 30. HORN: 2 blasts ev 30s (1s bl-1s si-1s bl-27s si). Private aid.
39390	GRAND ISLE FERRY DOCK SOUTH SLIP NORTH LIGHT	44-41-18.540N 073-21-00.930W	F G	18		On dolphin.	Private aid.
39395	GRAND ISLE FERRY DOCK SOUTH SLIP SOUTH LIGHT	44-41-18.160N 073-21-01.900W	F R	18		On dolphin.	Private aid.
39400	GORDON LANDING BREAKWATER LIGHT	44-41-19.043N 073-21-06.710W	FI W 4s	18	7	NW on skeleton tower worded DANGER JETTY.	
39405	GRAND ISLE FERRY DOCK NORTH SLIP SOUTH LIGHT	44-41-18.660N 073-21-00.810W	F R			On pile cluster.	Maintained from Apr. 1 to Jan. 15. Private aid.
39410	GRAND ISLE FERRY DOCK NORTH SLIP NORTH LIGHT	44-41-19.220N 073-21-00.180W	F G			On pile cluster.	Maintained from Apr. 1 to Jan. 15. Private aid.
<b>Cumberland Bay</b>							
39415	PLATTSBURGH BREAKWATER SOUTHWEST LIGHT	44-41-35.700N 073-26-23.000W	FI W 2.5s	10	5	NW on skeleton tower.	
39420	PLATTSBURGH BREAKWATER NORTHEAST LIGHT	44-41-45.100N 073-26-09.100W	FI W 4s	29	6	NW on skeleton tower worded DANGER JETTY.	
39425	Plattsburgh Buoy 1	44-42-02.254N 073-26-00.483W				Green can.	
39428	Gunboat Rock Hazard Buoy	44-43-15.000N 073-25-04.000W				White with orange bands marked DANGER ROCKS.	Maintained from May 1 to Nov. 1.
<b>Canal Terminal</b>							
39430	- BREAKWATER LIGHT	44-42-25.560N 073-26-28.680W	Q R	20		On pile.	Private aid.
39435	- PIER LIGHT	44-42-29.580N 073-26-35.280W	Q R	15		On pile.	Private aid.
<b>Main Passage</b>							
39450	Crab Island Buoy 24 East side of 2-foot shoal.	44-39-58.558N 073-24-43.481W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LAKE CHAMPLAIN (New York and Vermont) - First District</b>							
<b>CUMBERLAND HEAD TO FOUR BROTHERS ISLANDS (Chart 14782)</b>							
<b>Main Passage</b>							
39455	Valcour East Shoal Buoy 26	44-38-00.563N 073-24-12.790W				Red nun.	At east side of shoal.
<b>Valcour Island Channel</b>							
39460	Valcour Shoal Buoy 2 At east side of 5-foot shoal.	44-38-12.783N 073-25-49.913W				Red nun.	
39465	Bluff Point Shoal Buoy 3 At north west side of 5-foot spot.	44-37-39.561N 073-25-56.182W				Green can.	
39470	BLUFF POINT LIGHT	44-37-24.700N 073-25-52.300W	FI W 4s	95	7	In abandoned light house tower.	
39475	Au Sable Point Northwest Shoal Buoy 4	44-35-14.589N 073-25-29.699W				Red nun.	At north east side of shoal.
39480	Garden Island Ledge Buoy 28 At east side of 7-foot ledge.	44-36-12.246N 073-24-15.479W				Red nun.	
39482	Lake Champlain Research Institute Data Lighted Buoy A	44-36-09.000N 073-23-37.000W	FI Y 4s			Yellow.	Maintained from Apr 15 to Dec 15. Private aid.
<b>Stave Island to Mallets Bay Channel</b>							
39485	Stave Island Rock Buoy 2 At northeast side of rock.	44-35-55.806N 073-20-13.706W				Red nun.	Maintained from May 1 to Nov. 1.
39490	ALLEN POINT RAILROAD SOUTH LIGHT 2	44-35-28.580N 073-18-44.940W	Q R			TR on spindle.	Maintained from May 15 to Nov. 15. Private aid.
39495	ALLEN POINT RAILROAD NORTH LIGHT 1	44-35-30.280N 073-18-44.400W	Q G			SG on spindle.	Maintained Apr 15 to Nov 15. Private aid.
39500	Allen Point Buoy 1 At south end of 1-foot shoal.	44-35-29.956N 073-18-20.818W				Green can.	Maintained from 1 May to 1 Nov.
39505	Mallets Bay Rock Buoy Marks south side of submerged rock.	44-34-26.874N 073-12-23.610W				White with orange bands.	Maintained from 1 May to 1 Nov.
39510	Coates Island Warning Buoy	44-33-31.820N 073-13-41.279W				White with orange bands; can.	Maintained from 1 May to 1 Nov.
<b>Main Passage</b>							
39515	Stave Island Buoy 29 At west side of 4-foot ledge.	44-35-00.373N 073-20-24.776W				Green can.	Maintained from May 1 to Nov. 1.
39520	Jones Rock Buoy 31	44-34-42.749N 073-20-24.939W				Green can.	Maintained from May 1 to Nov. 1.
39525	Au Sable Point Buoy 32 At east side of shoal.	44-34-12.834N 073-24-46.560W				Red nun.	
39530	Hogback Reef Danger Buoy	44-33-32.926N 073-19-31.752W				White and orange.	Maintained from May 1 to Nov. 1.
39535	Au Sable River Flats Buoy 34 Marks east side of shoal.	44-33-02.910N 073-24-12.996W				Red nun.	
39540	COLCHESTER REEF LIGHT	44-33-18.400N 073-19-44.300W	FI W 4s	51	6	NW on skeleton tower.	
<b>Port Kent Ferry Dock</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
39545	- NORTH SLIP NORTHEAST LIGHT	44-31-38.400N 073-24-13.060W	F G			On dolphin.	Private aid.
39550	- NORTH SLIP NORTHWEST LIGHT	44-31-39.540N 073-24-13.920W	F R	17		On dolphin.	Private aid.
39555	- SOUTH SLIP SOUTHEAST LIGHT	44-31-34.740N 073-24-10.920W	F R			On dolphin.	Private aid.
39560	- SOUTH SLIP SOUTHWEST LIGHT	44-31-33.540N 073-24-10.800W	F G			On dolphin.	Private aid.



(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LAKE CHAMPLAIN (New York and Vermont) - First District</b>							
<b>CUMBERLAND HEAD TO FOUR BROTHERS ISLANDS (Chart 14782)</b>							
<b>Main Passage</b>							
39565	Colchester Shoal Lighted Buoy 35 At northwest point of shoal.	44-32-58.070N 073-20-05.572W	FI G 2.5s		3	Green.	Maintained from May 1 to Nov. 1.
39570	Colchester Shoal Buoy 37 At Southwest side of shoal.	44-32-47.920N 073-19-57.713W				Green can.	Maintained from May 1 to Nov. 1.
39575	Ferris Rock Isolated Danger Lighted Buoy DFR	44-31-23.880N 073-21-33.459W	FI (2)W 5s		3	Black and red bands with two black spherical topmarks. Green can.	Maintained from May 1 to Nov. 1.
39585	The Pigs Shoal Buoy 39	44-30-09.273N 073-16-44.865W					
39590	SCHUYLER ISLAND LIGHT S	44-29-55.362N 073-22-14.982W	FI W 4s	27	7	NB on tower on concrete base.	
39595	Schuyler Reef Buoy SR At northeast end of reef.	44-29-23.603N 073-20-52.906W				Red and green bands; nun.	Maintained from May 1 to Nov. 1.
<b>Appletree Bay</b>							
39605	Appletree Point Buoy 1 Southeast of rock awash.	44-29-47.174N 073-16-05.963W				Green can.	
39610	Appletree Shoal Lighted Buoy AS	44-29-21.426N 073-15-58.814W	FI (2+1)G 6s		3	Green and red bands.	Replaced by can from Nov 1 to May 1.
39612	Lake Champlain Yacht Club Racing Mark A	44-28-54.000N 073-16-40.800W				Yellow can.	Maintained May 01 to Oct 31. Private aid.
<b>Burlington Bay</b>							
39615	- BREAKWATER NORTH LIGHT	44-28-50.393N 073-13-46.772W	FI R 2.5s	35	12	White square lighthouse on end of breakwater.	
39617	Lake Champlain Yacht Club Racing Mark B	44-28-35.400N 073-13-48.600W				Yellow can.	Maintained May 01 to Oct 31. Private aid.
39625	Burlington Breakwater Day beacon	44-28-46.786N 073-13-45.169W				NW on pile worded DANGER BREAKWATER.	
39630	- JETTY LIGHT	44-28-45.036N 073-13-22.830W	FI W 2.5s		3	NW on pile worded DANGER BREAKWATER.	
<b>Lake Champlain Underwater Preserve</b>							
<i>Aids maintained from June 1 to Nov. 1. Aids mark historic shipwreck diving sights.</i>							
39635	- Buoy A	44-28-18.000N 073-13-43.000W				Yellow sphere.	Private aid.
39640	- Buoy B	44-28-08.000N 073-13-43.000W				Yellow sphere.	Private aid.
39645	- Buoy C	44-27-00.000N 073-14-42.000W				Yellow sphere.	Private aid.
39650	- Buoy D	44-27-12.000N 073-14-39.000W				Yellow sphere.	Private aid.
39655	- Buoy E	44-33-01.000N 073-19-48.000W				Yellow sphere.	Private aid.
39656	- Buoy F	44-28-42.600N 073-14-26.400W				Yellow sphere.	Maintained from Jun. 1 to Nov. 1. Private aid.
<b>Burlington Bay</b>							
39660	BURLINGTON FERRY DOCK NORTH SLIP NORTH LIGHT	44-28-30.120N 073-13-18.480W	FI G	16		On dolphin.	Private aid.
39665	BURLINGTON FERRY DOCK NORTH SLIP SOUTH LIGHT	44-28-29.070N 073-13-18.240W	FI R			On dolphin.	Private aid.
39670	BURLINGTON FERRY DOCK SOUTH SLIP NORTH LIGHT	44-28-28.980N 073-13-18.300W	FI G	16		On dolphin.	Private aid.
39675	BURLINGTON FERRY DOCK SOUTH SLIP SOUTH LIGHT	44-28-28.560N 073-13-19.080W	FI R	16		On dolphin.	Private aid.
39680	- BREAKWATER SOUTH LIGHT	44-28-12.250N 073-13-32.701W	FI W 4s	12	10	White triangular lighthouse on end of breakwater.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LAKE CHAMPLAIN (New York and Vermont) - First District</b>							
<b>CUMBERLAND HEAD TO FOUR BROTHERS ISLANDS (Chart 14782)</b>							
<b>Burlington Bay</b>							
39681	CSC FLOATING BREAKWATER NORTH LIGHT	44-28-56.700N 073-13-34.620W	Q W			On end of breakwater.	Replaced by unlighted Danger Buoy when breakwater is submerged during ice. Private aid.
39682	CSC FLOATING BREAKWATER LIGHT N1	44-28-56.100N 073-13-34.740W	F W			On end of breakwater.	Aid discontinued when breakwater is endangered by ice. Private aid.
39683	CSC FLOATING BREAKWATER LIGHT N2	44-28-55.620N 073-13-34.860W	F W			On end of breakwater.	Aid discontinued when breakwater is endangered by ice. Private aid.
39684	CSC FLOATING BREAKWATER LIGHT S2	44-28-55.020N 073-13-34.920W	F W			On end of breakwater.	Aid discontinued when breakwater is endangered by ice. Private aid.
39685	CSC FLOATING BREAKWATER LIGHT S1	44-28-54.360N 073-13-35.040W	F W			On end of breakwater.	Aid discontinued when breakwater is endangered by ice. Private aid.
39686	CSC FLOATING BREAKWATER SOUTH LIGHT	44-28-54.000N 073-13-34.980W	Q W			On end of breakwater.	Replaced by unlighted Danger Buoy when breakwater is submerged during ice. Private aid.
<b>South Entrance (Burlington Bay)</b>							
39705	Juniper Ledge Buoy 1 At south side of ledge.	44-26-13.649N 073-16-24.895W				Green can.	Maintained from May 1 to Nov. 1.
39710	JUNIPER ISLAND LIGHT	44-26-58.308N 073-16-34.470W	FI W 4s	125	7	On white skeleton tower.	
39715	Juniper Island Reef Buoy 3 At east side of reef.	44-26-54.077N 073-16-11.701W				Green can.	Maintained from May 1 to Nov. 1.
39720	Juniper Island Rock Buoy 5 Northeast side of 5-foot rock.	44-27-11.320N 073-16-26.561W				Green can.	Maintained from May 1 to Nov. 1.
39725	Proctor Shoal Buoy PS Northwest side of shoal.	44-27-07.078N 073-14-38.557W				Red and green bands; nun.	Maintained from May 1 to Nov. 1.
39727	Lake Champlain Yacht Club Racing Mark P	44-26-58.200N 073-14-58.800W				Yellow can.	Maintained May 01 to Oct 31. Private aid.
<b>Main Passage</b>							
39730	Shelburne Point Shoal Buoy 2 At north end of shoal.	44-26-44.053N 073-14-53.958W				Red nun.	
39740	Shelburne Point Buoy 4 150 feet east of 3 charted wrecks.	44-26-10.669N 073-14-41.119W				Red nun.	
39741	Lake Champlain Yacht Club Racing Mark S	44-26-01.200N 073-14-24.600W				Yellow can.	Maintained May 01 to Oct 31. Private aid.
39742	Lake Champlain Yacht Club Racing Mark W	44-25-29.400N 073-14-39.000W				Yellow can.	Maintained May 01 to Oct 31. Private aid.
39743	Lake Champlain Yacht Club Racing Mark E	44-25-36.000N 073-13-27.000W				Yellow can.	Maintained May 01 to Oct 31. Private aid.
39751	Lake Champlain Yacht Club Racing Mark C	44-24-38.400N 073-13-53.400W				Yellow can.	Maintained May 01 to Oct 31. Private aid.
39755	Pumpkin Reef Buoy 40 At east side of reef.	44-26-47.473N 073-22-19.545W				Red nun.	
39760	The Four Brothers Islands Reef Buoy FB At north end of reef.	44-26-21.677N 073-19-43.266W				Red and green bands; nun.	Maintained from May 1 to Nov. 1.
<b>FOUR BROTHERS ISLANDS TO BARBER POINT (Chart 14783)</b>							
<b>Main Passage</b>							
39765	Saxton Reef Buoy 41 At west side of reef.	44-24-04.880N 073-17-04.259W				Green can.	Maintained from May 1 to Nov. 1.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LAKE CHAMPLAIN (New York and Vermont) - First District</b>							
<b>FOUR BROTHERS ISLANDS TO BARBER POINT (Chart 14783)</b>							
<b>Main Passage</b>							
39770	Four and One Half Foot Shoal Buoy 44 At east side of 4-foot reef.	44-23-36.379N 073-22-02.067W				Red nun.	
39775	Quaker Smith Reef Lighted Buoy 47 At southwest side of reef.	44-23-05.081N 073-17-45.259W	FI G 4s		3	Green.	Replaced by can f from Nov. 1 to May 1.
39780	Quaker Smith Point Shoal Buoy 49 At west end of shoal.	44-22-57.579N 073-17-12.908W				Green can.	
39785	Bouquet River Buoy 50 At east end of shoal.	44-21-19.846N 073-20-41.450W				Red nun.	Maintained f from May 1 to Nov. 1.
39787	McNeil Cove Lighted Hazard Buoy	44-18-04.920N 073-18-02.540W	FI W 2.5s			White with orange band.	Priv ate aid.
39790	ESSEX FERRY DOCK NORTH LIGHT	44-18-39.480N 073-21-01.140W	F R	14		On dolphin.	Priv ate aid.
39795	ESSEX FERRY DOCK SOUTH LIGHT	44-18-38.700N 073-21-01.140W	F G	14		On dolphin.	Priv ate aid.
39800	CHARLOTTE FERRY DOCK NORTH SLIP NORTH LIGHT	44-18-04.230N 073-17-52.060W	F G			On dolphin.	Priv ate aid.
39805	CHARLOTTE FERRY DOCK NORTH SLIP SOUTH LIGHT	44-18-03.690N 073-17-51.600W	F R	14		On dolphin.	Priv ate aid.
39810	SPLIT ROCK POINT LIGHT	44-16-05.894N 073-19-19.347W	FI W 4s	93	7		
39820	One Foot Spot Buoy 2 On west side of shoal.	44-15-58.089N 073-17-08.050W				Red nun.	
39825	DIAMOND ISLAND LIGHT	44-14-11.428N 073-20-03.152W	FI W 2.5s	37	6	Gray skeleton tower.	
39830	Summer Point Shoal Buoy 51 At northwest edge of flats.	44-13-36.528N 073-20-15.114W				Green can.	
39835	Basin Harbor Reef Buoy 53 At west side of 9 oot rock.	44-11-38.970N 073-22-21.829W				Green can.	
39840	BARBER POINT LIGHT B	44-09-15.592N 073-24-14.653W	FI W 4s	72	7	NB on skeleton tower.	
<b>BARBER POINT TO WHITEHALL (Chart 14784)</b>							
<b>Main Passage</b>							
39843	Lake Champlain Research Institute Data Lighted Buoy B	44-05-37.240N 073-25-21.710W	FI Y 4s				Seasonal, maintained f from May 5 to Nov 30. Priv ate aid.
39845	Crane Point Shoal Lighted Buoy 55 At west end of shoal.	44-02-51.449N 073-26-09.647W	FI G 4s		3	Green.	Replaced by can f from Nov. 1 to May 1.
<b>Port Henry</b>							
39850	- CANAL PIER LIGHT	44-03-01.500N 073-27-02.400W				On post.	Maintained f from May 1 to Dec. 1. Priv ate aid.
39855	- Buoy 2 Marks south end of shoal.	44-02-32.398N 073-27-16.449W				Red nun.	
<b>Main Passage</b>							
39860	Crown Point Shoal Buoy 56 At northeast side of shoal.	44-02-06.100N 073-25-41.446W				Red nun.	
39865	Crown Point Lighted Buoy 58	44-01-42.201N 073-24-57.444W	FI R 4s		3	Red.	Replaced by nun f from Nov. 1 to May 1.
39870	Crown Point Buoy 60	44-00-35.803N 073-24-35.942W				Red nun.	
39875	YELLOW HOUSE POINT LIGHT Y	43-58-31.505N 073-24-25.436W	FI W 4s	33	6	NB on black skeleton tower.	
39880	Putnam Creek Lighted Buoy 62	43-57-27.312N 073-24-24.670W	FI R 2.5s		3	Red.	Replaced by nun f from Nov. 1 to May 1.
39885	Lake Champlain Main Channel Lighted Buoy 65	43-56-07.208N 073-24-24.436W	FI G 4s		3	Green.	Replaced by can f from Nov. 1 to May 1.

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LAKE CHAMPLAIN (New York and Vermont) - First District</b>							
<b>BARBER POINT TO WHITEHALL (Chart 14784)</b>							
<b>Main Passage</b>							
39890	<i>Fivemile Point Lighted Buoy 67</i>	43-54-12.811N 073-23-43.132W	FI G 4s		3	Green.	Replaced by can f from Nov. 1 to May 1.
39895	FIVEMILE POINT LIGHT	43-54-14.651N 073-24-01.278W	FI W 4s	25	7	NR on skeleton tower.	
39900	WATCH POINT LIGHT WP	43-53-08.957N 073-22-28.920W	FI W 4s	20	6	NG on gray skeleton tower.	
39905	Kerby Middle Ground Buoy 68 At east side of middle ground.	43-52-38.113N 073-22-36.229W				Red nun.	
39910	Larabees Point Buoy 69	43-51-16.315N 073-22-43.027W				Green can.	
39915	TICONDEROGA LIGHT 70	43-50-53.052N 073-22-37.506W	FI R 4s	30	4	TR on skeleton tower.	Higher intensity toward Watch Point.
39920	Fort Ticonderoga Buoy 72 At edge of shoal.	43-50-28.016N 073-22-42.326W				Red nun.	
39925	Montcalm Landing Buoy 73	43-49-13.017N 073-23-27.526W				Green can.	
39930	Wright Point Buoy 74 At edge of shoal.	43-48-36.718N 073-23-03.224W				Red nun.	
39935	WRIGHT POINT LIGHT 76	43-48-03.761N 073-22-45.344W	FI R 4s	33	5	TR on skeleton tower.	
39940	Gourlie Point Buoy 78	43-47-19.820N 073-21-46.121W				Red nun.	
39945	ORWELL BLUFF LIGHT OB	43-46-41.087N 073-20-59.306W	FI W 4s	38	6	NG on gray skeleton tower.	
39950	- Buoy 80	43-46-00.222N 073-21-28.419W				Red nun.	
39955	<i>Stony Point Lighted Buoy 81</i> West side of shoal.	43-44-32.042N 073-22-07.891W	FI G 4s		3	Green.	Replaced by can f from Nov. 1 to May 1.
<b>Whitehall Narrows</b>							
39960	- LIGHT 1	43-43-20.441N 073-22-08.924W	FI G 2.5s	25	4	SG on skeleton tower.	
39965	- Channel Buoy 2	43-43-18.822N 073-22-16.364W				Red nun.	
39970	- Channel Buoy 3	43-43-02.479N 073-22-38.390W				Green can.	
39975	- LIGHT 4	43-42-47.243N 073-23-05.192W	FI R 4s	25	3	TR on skeleton tower.	
39980	- LIGHT 6	43-41-51.317N 073-23-43.280W	FI R 2.5s	25	4	TR on skeleton tower.	
39985	- Channel Buoy 7	43-41-42.628N 073-23-50.216W				Green can.	
39990	- LIGHT 9	43-41-29.459N 073-24-11.666W	FI G 2.5s	25	4	SG on skeleton tower.	
40000	- LIGHT 13	43-41-18.131N 073-24-15.488W	FI G 4s	25	4	SG on skeleton tower.	
40005	- LIGHT 14	43-41-02.801N 073-24-14.480W	FI R 4s	25	3	TR on skeleton tower.	
40010	- Channel Buoy 15	43-40-38.581N 073-24-18.385W				Green can.	
40015	- <i>Lighted Buoy 16</i>	43-40-13.330N 073-24-29.872W	FI R 2.5s		3	Red.	Replaced by nun f from Nov. 1 to May 1.
40020	- Channel Buoy 17	43-39-32.145N 073-24-49.669W				Green can.	
40025	- LIGHT 18	43-39-16.127N 073-24-56.684W	FI R 4s	25	4	TR on skeleton tower on concrete base.	
40030	- Channel Buoy 20	43-39-03.432N 073-25-00.813W				Red nun.	

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LAKE CHAMPLAIN (New York and Vermont) - First District</b>							
<b>BARBER POINT TO WHITEHALL (Chart 14784)</b>							
<b>Whitehall Narrows</b>							
40035	- LIGHT 21	43-38-50.837N 073-25-09.500W	FI G 2.5s	25	4	SG on skeleton tower on concrete base.	
40040	- LIGHT 22	43-38-11.951N 073-25-45.608W	FI R 2.5s	25	4	TR on skeleton tower on concrete base.	
40045	- LIGHT 24	43-37-41.501N 073-25-22.538W	FI R 4s	25	3	TR on skeleton tower on concrete base.	
40050	- LIGHT 26	43-37-18.977N 073-25-05.780W	FI R 2.5s	25	4	TR on skeleton tower on concrete base.	
40055	- Channel Buoy 27	43-37-02.536N 073-25-12.310W				Green can.	
40060	- LIGHT 28	43-36-40.415N 073-25-27.968W	FI R 4s	25	3	TR on skeleton tower on concrete base.	
40065	- LIGHT 30	43-36-10.805N 073-25-20.552W	FI R 2.5s	25	4	TR on skeleton tower on concrete base.	
40070	- LIGHT 32	43-35-24.503N 073-25-52.580W	FI R 4s	25	3	TR on skeleton tower.	
40075	- Channel Buoy 33	43-35-07.139N 073-25-47.408W				Green can.	
40080	- LIGHT 35	43-34-56.826N 073-25-17.148W	FI G 4s	25	4	SG on skeleton tower on concrete base.	
40085	- Channel Buoy 37	43-34-46.153N 073-25-06.940W				Green can.	

**VERMONT - First District****LAKE MEMPHRETAGOG***Aids maintained from Jun 15 to Oct 1 unless otherwise noted.*

40095	- Lighted Buoy 2	44-56-30.600N 072-12-56.500W	FI R 4s			Red nun.	Private aid.
40100	WHIPPLE POINT LIGHT	44-57-48.166N 072-13-52.369W	FI W 4s	25	6	On grey skeleton tower.	Maintained year round.
40105	<i>Scott's Points Lighted Buoy 1</i>	44-56-56.800N 072-13-05.500W	FI G 4s			Green.	Private aid.
40110	<i>Indian Point Lighted Buoy 3</i>	44-57-18.700N 072-13-25.700W	FI G 4s			Green.	Private aid.