

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| SEACOAST (Atlantic Ocean) | | | | | | | |
| CAPE SABLE TO CAPE HATTERAS (Chart 13003) | | | | | | | |
| 3 | NOAA Lighted Data Buoy 44066 (ODAS) | 39-34-05.000N 072-35-06.000W | Fl (4)Y 20s | | 5 | Yellow boat shaped hull. | Aid maintained by National Oceanic and Atmospheric Administration. |
| 5 | NOAA Lighted Data Buoy 44402 (DART) | 39-17-53.000N 070-39-34.000W | Fl (4)Y 20s | | 5 | Yellow disc shaped hull. | Aid maintained by National Oceanic and Atmospheric Administration. |
| SEACOAST (New Jersey) - Fifth District | | | | | | | |
| FIRE ISLAND TO SEA GIRT (Chart 12326) | | | | | | | |
| 7 871 | Shark River Inlet Lighted Whistle Buoy SI | 40-11-08.700N 074-00-03.100W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 7.5 | Lake Como Outfall Warning Light A | 40-10-01.500N 074-00-55.600W | Fl W 5s | | | NW on pile worded DANGER SUBMERGED PIPE. | Private aid. |
| 8 | SEA GIRT OUTFALL LIGHT 1 | 40-08-16.960N 074-01-27.624W | Fl W 4s | | | On pile worded DANGER SUBMERGED PIPE. | Private aid. |
| SEA GIRT TO LITTLE EGG INLET (Chart 12323) | | | | | | | |
| 10 | Barnegat Lighted Buoy B | 39-45-48.429N 073-46-04.447W | Fl Y 6s | | 6 | Yellow. | RACON: B (. . .) |
| 13 | University of California Lighted Data Buoy A | 39-46-05.520N 073-46-13.440W | Fl (5)Y 20s | | | Yellow. | Private aid. |
| 15 | Barnegat Offshore Lighted Buoy 2 | 39-45-30.434N 073-59-28.470W | Fl R 6s | | 6 | Red. | |
| 25 875 | Barnegat Inlet Outer Lighted Whistle Buoy BI | 39-44-28.486N 074-03-51.328W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| LITTLE EGG INLET TO HEREFORD INLET (Chart 12318) | | | | | | | |
| 40 | Brigantine Inlet Lighted Wreck Buoy WR2 100 yards, 090° from wreck. | 39-24-48.422N 074-13-46.504W | Q R | | 5 | Red. | |
| 60 1170 | Absecon Inlet Lighted Buoy 1 | 39-20-47.393N 074-24-01.337W | Fl G 4s | | 5 | Green. | |
| 65 | Steel Pier Wreck Lighted Buoy WR2 Marks remains of old steel pier. | 39-21-15.452N 074-25-00.307W | Q R | | 4 | Red. | |
| 67 | Fishermans Energy Lighted Data Buoy FE-C | 39-18-51.900N 074-24-02.100W | Fl Y 4s | | | Yellow. | Private aid. |
| 70 1265 | Great Egg Harbor Inlet Outer Lighted Whistle Buoy GE | 39-16-13.800N 074-31-55.800W | Mo (A) W | | 5 | Red and white stripes with red spherical topmark. | |
| 75 1410 | Townsend's Inlet Shoals Lighted Bell Buoy 4A | 39-07-05.411N 074-40-37.577W | Fl R 4s | | 5 | Red. | |
| 80 | Ludlam Beach Buoy L Marks south end of shoal. | 39-07-15.412N 074-38-09.070W | | | | Red and green bands; nun. | |
| 85 | Avalon Shoal Lighted Buoy 2 | 39-05-23.412N 074-33-56.559W | Fl R 6s | | 5 | Red. | |
| 87.1 | Ocean Wind Met Lighted Buoy A | 39-04-29.900N 074-26-40.100W | Fl Y 4s | | | Yellow. | Private aid. |
| 87.3 | Ocean Wind Met Lighted Buoy B | 39-08-05.600N 074-10-00.900W | Fl Y 4s | | | Yellow. | Private aid. |
| 87.5 | Ocean Wind Met Lighted Buoy C | 39-04-30.070N 074-26-31.700W | Fl Y 10s | | | Yellow. | Private aid. |
| CAPE MAY TO FENWICK ISLAND (Chart 12214) | | | | | | | |
| 90 | Hereford Inlet Light | 39-00-23.757N 074-47-28.017W | Fl W 10s | 57 | 18 | White square tower with cupola on white dwelling. 49 | Structure maintained by entity outside the U.S. Coast Guard. |
| 100 | Five Fathom Bank Northeast Lighted Buoy 2FB | 38-58-12.411N 074-31-34.554W | Fl R 4s | | 6 | Red. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| SEACOAST (New Jersey) - Fifth District | | | | | | | |
| CAPE MAY TO FENWICK ISLAND (Chart 12214) | | | | | | | |
| 105 | <i>Five Fathom Bank NW Lighted Buoy 3FB</i> | 38-57-28.000N 074-42-36.000W | FI G 4s | | 6 | Green. | |
| 115 | <i>Five Fathom Bank South Lighted Buoy 4FB</i> | 38-49-42.409N 074-36-46.570W | FI R 2.5s | | 6 | Red. | |
| 120 | <i>Five Fathom Bank Lighted Buoy F</i> | 38-46-49.000N 074-34-32.000W | FI Y 2.5s | | 6 | Yellow. | RACON: M (- -) |
| 125 | <i>Five Fathom Bank Traffic Lane Lighted Buoy FA</i> | 38-46-49.000N 074-44-14.000W | FI Y 4s | | 7 | Yellow. | |
| 130 | <i>Five Fathom Bank Traffic Lane Lighted Buoy FB</i> | 38-46-51.000N 074-55-35.000W | FI Y 6s | | 7 | Yellow. | |
| 135 | <i>Cape May Inlet Lighted Buoy 2CM</i> | 38-55-47.005N 074-51-20.509W | FI R 2.5s | | 5 | Red. | |
| 1435 | | | | | | | |
| 140 | <i>Deepwater Wind Met Buoy SKJ</i> | 38-40-50.930N 074-45-55.680W | FI Y 4s | | | Yellow. | Private aid. |
| 155 | Cape May Light | 38-55-58.784N 074-57-37.379W | FI W 15s | | 165 22 | White tower, red cupola, two white dwellings nearby. 157 | Structure maintained by entity outside the U.S. Coast Guard. |
| 160 | <i>McCrie Shoal Lighted Buoy 2MS</i> | 38-50-29.205N 074-50-16.607W | FI R 4s | | 5 | Red. | |
| SEACOAST (Delaware) - Fifth District | | | | | | | |
| CAPE MAY TO FENWICK ISLAND (Chart 12214) | | | | | | | |
| 165 | <i>Delaware Lighted Buoy D</i> | 38-27-18.411N 074-41-46.593W | FI Y 6s | | 6 | Yellow. | RACON: K (- -) |
| 168 | <i>NOAA Lighted Data Buoy 44009 (ODAS)</i> | 38-27-40.302N 074-42-08.480W | FI (4)Y 20s | | 5 | Yellow disc-shape hull. | Aid maintained by National Oceanic and Atmospheric Administration. |
| 170 | <i>Delaware Traffic Lane Lighted Buoy DA</i> | 38-32-44.774N 074-46-55.877W | FI Y 2.5s | | 6 | Yellow. | |
| 175 | <i>Delaware Traffic Lane Lighted Buoy DB</i> | 38-38-12.404N 074-52-10.617W | FI Y 4s | | 7 | Yellow. | |
| 180 | <i>Delaware Traffic Lane Lighted Buoy DC</i> | 38-43-47.403N 074-57-32.629W | FI Y 2.5s | | 6 | Yellow. | |
| 190 | <i>Hen and Chickens Shoal Lighted Buoy 1HC</i> | 38-42-42.761N 074-58-55.888W | FI G 2.5s | | 5 | Green. | |
| 1490 | Off southeast end of shoal. | | | | | | |
| 195 | <i>Indian River Inlet Lighted Buoy 1</i> | 38-36-32.902N 075-02-46.447W | FI G 2.5s | | 5 | Green. | |
| 4360 | | | | | | | |
| FENWICK ISLAND TO CHINCOTEAGUE ISLAND (Chart 12211) | | | | | | | |
| 205 | FENWICK ISLAND LIGHT | 38-27-06.000N 075-03-18.000W | Iso W 8s | 83 | | White conical brick tower. | Private aid. |
| 210 | <i>Fenwick Shoal Lighted Buoy 1FS</i> On west side of shoal. | 38-26-47.904N 074-57-22.637W | FI G 4s | | 6 | Green. | |
| SEACOAST (Maryland) - Fifth District | | | | | | | |
| OCEAN CITY INLET TO CAPE HATTERAS (Chart 12200) | | | | | | | |
| 225 | OCEAN CITY INLET JETTY LIGHT | 38-19-27.042N 075-05-05.581W | Iso W 6s | 38 | 6 | On skeleton tower. | HORN: 1 blast ev 10s (2s bl). HORN is activated by keying the mic 5 times on VHF-FM 81A (157.075MHz). HORN operates for 30 minutes. |
| 4720 | | | | | | | |
| 240 | <i>Ocean City Inlet Lighted Bell Buoy 2</i> | 38-19-25.536N 075-03-41.138W | FI R 4s | | 6 | Red. | |
| 4730 | | | | | | | |
| 250 | Little Gull Bank Buoy LG | 38-16-50.684N 075-04-06.689W | | | | Green and red bands; can. | |
| SEACOAST (Virginia) - Fifth District | | | | | | | |
| OCEAN CITY INLET TO CAPE HATTERAS (Chart 12200) | | | | | | | |
| 270 | <i>Winter Quarter Shoal Lighted Buoy 6</i> | 37-59-42.534N 075-01-22.477W | FI R 6s | | 5 | Red. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|---|---------------|--------------|---|--|
| SEACOAST (Virginia) - Fifth District | | | | | | | |
| OCEAN CITY INLET TO CAPE HATTERAS (Chart 12200) | | | | | | | |
| 275 | Assateague Light | 37-54-40.244N 075-21-21.699W | FI (2)W 5s 0.1s fl 1.0s ec. 0.1s fl 3.8s ec. | 154 | 22 | Conical brick tower with red and white bands. 142 | Emergency light of reduced intensity when main light is extinguished; v visible from seaward only. |
| 290 | <i>Chincoteague Shoals Lighted Buoy 2</i> | 37-47-25.430N 075-22-21.240W | FI R 2.5s | | 5 | Red. | |
| 305 6600 | <i>Wachapreague Inlet Lighted Whistle Buoy W</i> | 37-34-54.078N 075-33-36.510W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 315 | <i>Parramore Bank Lighted Buoy 10</i> | 37-32-03.989N 075-25-52.715W | FI R 4s | | 5 | Red. | |
| 335 | <i>Hog Island Lighted Buoy 12</i> | 37-17-39.510N 075-34-38.707W | FI R 2.5s | | 5 | Red. | |
| 345 | <i>Cape Charles Lighted Buoy 14</i> | 37-07-23.521N 075-40-58.707W | FI R 2.5s | | 5 | Red. | |
| 347 | <i>Surface Gunnery Area 8 Lighted Buoy GA</i> | 37-12-00.000N 074-52-00.000W | FI Y 4s | | 5 | Yellow | |
| 348 | <i>Surface Gunnery Area 8 Lighted Buoy GB</i> | 37-11-59.874N 074-51-39.622W | FI Y 6s | | 5 | Yellow. | |
| 349 | <i>Surface Gunnery Area 8 Lighted Buoy GC</i> | 37-12-14.747N 074-51-49.137W | FI Y 2.5s | | 5 | Yellow. | |
| 360 | CHESAPEAKE LIGHTS (2) | 36-54-16.696N 075-42-45.818W | FI W 4s | 84 | | Blue tower on white square superstructure on four black piles. CHESAPEAKE on sides. | Private aid. |
| 365 | <i>USN SESEF Lighted Buoy A</i> | 36-55-01.738N 075-38-13.696W | FI Y 2.5s | | 5 | Yellow. | |
| 370 | Cape Henry Light | 36-55-34.860N 076-00-25.934W | Mo (U) W 20s (R sector) 1s fl 2s ec 1s fl 2s ec 7s fl 7s ec | 164 | W 17 R 15 | Octagonal pyramidal tower, upper and lower half of each face alternately black and white. 165 | Red from 154° to 233°, covers shoals outside Cape Charles and Middle Ground inside bay. Emergency light of lower intensity will be displayed when main light is extinguished. |
| 385 | <i>North Chesapeake Entrance Lighted Bell Buoy NCA</i> | 36-57-30.000N 075-48-12.600W | FI Y 2.5s | | 6 | Yellow. | |
| 390 | <i>North Chesapeake Entrance Lighted Gong Buoy NCB</i> | 36-56-57.540N 075-50-17.040W | FI Y 6s | | 6 | Yellow. | |
| 395 | <i>North Chesapeake Entrance Lighted Bell Buoy NCC</i> | 36-56-24.000N 075-52-24.000W | FI Y 4s | | 6 | Yellow. | |
| 400 | <i>North Chesapeake Entrance Lighted Gong Buoy NCD</i> | 36-56-24.000N 075-53-42.000W | FI Y 2.5s | | 6 | Yellow. | |
| 403 | <i>North Chesapeake Entrance Lighted Buoy NCE</i> | 36-56-24.000N 075-54-57.000W | FI Y 6s | | 6 | Yellow. | |
| 405 | <i>Chesapeake Bay Entrance Lighted Whistle Buoy CH</i> | 36-56-08.329N 075-57-26.543W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | RACON: C (- . - .) AIS: MMSI 993672082. |
| Chesapeake Bay Southern Approach | | | | | | | |
| 410 | - <i>Lighted Whistle Buoy CB</i> | 36-48-59.743N 075-45-36.013W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | RACON: K (- . -) AIS: MMSI 993672083. |
| 415 | - <i>Lighted Buoy 1</i> | 36-49-31.622N 075-46-54.872W | FI G 2.5s | | 6 | Green. | |
| 420 | - <i>Lighted Buoy 2</i> | 36-49-42.555N 075-46-46.421W | FI R 2.5s | | 6 | Red. | |
| 425 | - <i>Lighted Buoy 3</i> | 36-50-11.605N 075-48-15.094W | FI G 4s | | 6 | Green. | |
| 430 | - <i>Lighted Buoy 4</i> | 36-50-22.439N 075-48-06.648W | FI R 4s | | 6 | Red. | |
| 435 | - <i>Lighted Buoy 5</i> | 36-50-51.468N 075-49-35.158W | FI G 4s | | 6 | Green. | |
| 440 | - <i>Lighted Buoy 6</i> | 36-51-02.355N 075-49-26.712W | FI R 4s | | 6 | Red. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---------------------------------------|---------------------------------|-----------------------|---------------|--------------|--------------------------|--|
| SEACOAST (Virginia) - Fifth District | | | | | | | |
| OCEAN CITY INLET TO CAPE HATTERAS (Chart 12200) | | | | | | | |
| Chesapeake Bay Southern Approach | | | | | | | |
| 445 | - Lighted Buoy 7 | 36-51-31.315N 075-50-55.159W | FI G 2.5s | | 6 | Green. | |
| 450 | - Lighted Buoy 8 | 36-51-42.253N 075-50-46.702W | FI R 2.5s | | 6 | Red. | |
| 455 | - Lighted Buoy 9 | 36-52-11.609N 075-52-15.956W | Q G | | 6 | Green. | |
| 460 | - Lighted Buoy 10 | 36-52-21.616N 075-52-05.636W | Q R | | 6 | Red. | |
| 465 | - Lighted Buoy 11 | 36-53-07.671N 075-53-19.215W | FI G 2.5s | | 6 | Green. | |
| 470 | - Lighted Buoy 12 | 36-53-16.298N 075-53-07.343W | FI R 2.5s | | 4 | Red. | |
| 475 | - Lighted Buoy 13 | 36-54-03.213N 075-54-21.780W | FI G 4s | | 6 | Green. | |
| 480 | - Lighted Buoy 14 | 36-54-11.853N 075-54-09.931W | FI R 4s | | 6 | Red. | |
| 485 | - Lighted Buoy 15 | 36-54-58.594N 075-55-24.288W | Q G | | 6 | Green. | |
| 490 | - Lighted Buoy 16 | 36-55-07.187N 075-55-12.403W | Q R | | 6 | Red. | |
| OCEAN CITY INLET TO CAPE HATTERAS (Chart 12200) | | | | | | | |
| 495 | USN SESEF Lighted Buoy B | 36-55-01.735N 075-45-28.713W | FI Y 4s | | 5 | Yellow. | |
| 500 | Rudee Inlet Lighted Whistle Buoy RI | 36-49-47.177N 075-56-57.037W | Mo (A) W | | 6 | Red and white stripes. | |
| 501 | Rudee Inlet Entrance Lighted Buoy 1 | 36-49-46.993N 075-57-43.488W | FI G 2.5s | | 5 | Green. | |
| 503 | Rudee Inlet Entrance Lighted Buoy 2 | 36-49-50.517N 075-57-44.475W | FI R 2.5s | | 5 | Red. | |
| 505 | RUDEE INLET JETTY LIGHT 4 | 36-49-49.353N 075-57-59.437W | Iso R 6s | 23 | 5 | TR on skeleton tower. | |
| 515 | Dam Neck Disposal Area Lighted Buoy A | 36-50-02.363N 075-53-24.010W | FI Y 2.5s | | 5 | Yellow. | Position changed frequently for dredging. |
| 540 | Dam Neck Firing Zone Lighted Buoy B | 36-43-45.544N 075-54-22.733W | FI Y 4s | | 5 | Yellow. | |
| 545 | False Cape Lighted Buoy 4A | 36-35-36.558N 075-43-58.701W | FI R 2.5s | | 5 | Red. | |
| 550 | NOAA Lighted Data Buoy 44014 (ODAS) | 36-36-40.000N 074-50-11.000W | FI (4)Y 20s | | 5 | Yellow disc-shaped hull. | Aid maintained by National Oceanic and Atmospheric Administration. |
| 552 | Scripps Lighted Data Buoy CDIP 171 | 36-36-14.000N 074-50-19.000W | FI (5)Y 20s | | | Yellow. | Private aid. |
| SEACOAST (North Carolina) - Fifth District | | | | | | | |
| OCEAN CITY INLET TO CAPE HATTERAS (Chart 12200) | | | | | | | |
| 555 | Currituck Beach Light | 36-22-36.565N 075-49-46.707W | FI W 20s | 158 | 18 | Red conical tower. 163 | Structure maintained by entity outside the U.S. Coast Guard. |
| 560 | Currituck Lighted Buoy 6 | 36-15-49.391N 075-35-37.052W | FI R 4s | | 5 | Red. | |
| 565 | Bodie Island Lighted Buoy 8 | 35-55-48.628N 075-27-34.596W | FI R 4s | | 5 | Red. | |
| DUCK RESEARCH BUOY AREA | | | | | | | |
| 567 | Duck Lighted Data Buoy 1 | 36-11-21.030N 075-44-37.146W | FI Y 4s | | | Yellow. | Aid maintained by U.S. Army Corps of Engineers. |
| 567.01 | Duck Lighted Data Buoy 2 | 36-11-15.042N 075-44-34.794W | FI Y 4s | | | Yellow. | Aid maintained by U.S. Army Corps of Engineers. |
| 567.02 | Duck Lighted Data Buoy 3 | 36-11-09.048N 075-44-32.364W | FI Y 4s | | | Yellow. | Aid maintained by U.S. Army Corps of Engineers. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|---|---------------|--------------|---|--|
| SEACOAST (North Carolina) - Fifth District | | | | | | | |
| OCEAN CITY INLET TO CAPE HATTERAS (Chart 12200) | | | | | | | |
| DUCK RESEARCH BUOY AREA | | | | | | | |
| 568 | DUCK RESEARCH PIER LIGHT | 36-11-01.320N 075-44-45.000W | FI W 4s | 38 | | On skeleton tower. | Aid maintained by U.S. Army Corps of Engineers. |
| 569 | <i>Duck Lighted Directional Waverider Buoy</i> | 36-11-58.440N 075-42-59.600W | Q Y | | | Yellow. | Private aid. |
| 569.3 | <i>Triaxys Lighted Directional Wave Buoy</i> | 36-15-30.000N 075-35-30.000W | Q Y | | | Yellow. | Aid maintained by U.S. Army Corps of Engineers. |
| OCEAN CITY INLET TO CAPE HATTERAS (Chart 12200) | | | | | | | |
| 570 | NAVY AIR COMBAT MANEUVERING RANGE TOWER LIGHT A | 36-13-36.040N 075-14-59.860W | FI Y 2.5s | 71 | | | Aid maintained by U.S. Navy. |
| 575 | NAVY AIR COMBAT MANEUVERING RANGE TOWER LIGHT B | 36-03-53.800N 074-58-58.070W | FI Y 2.5s | 71 | | | Aid maintained by U.S. Navy. |
| 580 | NAVY AIR COMBAT MANEUVERING RANGE TOWER LIGHT C | 35-57-00.180N 075-15-56.900W | FI Y 2.5s | 71 | | | Aid maintained by U.S. Navy. |
| 585 | NAVY AIR COMBAT MANEUVERING RANGE TOWER LIGHT G | 35-47-11.810N 075-05-40.860W | FI Y 2.5s | 71 | | | Aid maintained by U.S. Navy. |
| 590 | Bodie Island Light | 35-49-06.809N 075-33-47.895W | FI (2)W 30s 2.5s fl 2.5s ec 2.5s fl 22.5sec | 156 | 18 | Conical brick tower, white and black bands above granite base, black ironwork. 166 | Aid maintained by National Park Service. |
| 595 | <i>Scripps Lighted Data Buoy CDIP 243</i> | 36-00-00.000N 075-25-12.000W | FI (5)Y 20s | | | Yellow. | Private aid. |
| Oregon Inlet | | | | | | | |
| 600 27970 | - <i>Approach Lighted Whistle Buoy OI</i> | 35-48-38.152N 075-30-55.786W | Mo (A) W | | 6 | Red and white stripes. | Position frequently shifted with changing conditions. Topmark not installed on this aid. |
| 615 27995 | - JETTY LIGHT | 35-46-25.914N 075-31-30.012W | FI W 2.5s | 28 | 7 | NB on pile. | |
| OCEAN CITY INLET TO CAPE HATTERAS (Chart 12200) | | | | | | | |
| 616 | <i>UNC-Chapel Hill Lighted Data Buoy P</i> | 35-45-00.000N 075-19-48.000W | FI Y 4s | | | Yellow. | Private aid. |
| 618 | <i>UNC-Chapel Hill Lighted Data Buoy H</i> | 35-47-18.540N 075-06-19.200W | FI Y 4s | | | Yellow. | Private aid. |
| 625 | Cape Hatteras Light | 35-15-01.920N 075-31-43.740W | FI W 7.5s | 192 | 24 | Conical brick tower, black and white spirally banded, red brick base with granite corners. 200 | Structure maintained by the National Park Service. |
| 630 | Outer Diamond Shoals Buoy 2 | 35-08-24.645N 075-23-22.518W | | | | Red nun. | |
| 635 | <i>NOAA Lighted Data Buoy 41001 (ODAS)</i> | 34-38-48.000N 072-37-18.000W | FI (4)Y 20s | | 5 | Yellow boat-shaped hull. | Aid maintained by National Oceanic and Atmospheric Administration. |
| 637 | <i>NOAA Lighted Data Buoy 41025 (ODAS)</i> | 35-05-24.000N 075-21-26.000W | FI (4)Y 20s | | 5 | Yellow disc-shaped hull. | Aid maintained by National Oceanic and Atmospheric Administration. |
| 638 | <i>UNC-Chapel Hill Lighted Data Buoy R</i> | 34-46-56.520N 075-56-30.120W | FI Y 4s | | | Yellow. | Private aid. |
| CAPE HATTERAS TO LITTLE RIVER INLET (Chart 11520) | | | | | | | |
| 640 | <i>Diamond Shoals Lighted Buoy 12</i> | 35-09-05.000N 075-17-33.000W | Q R | | 5 | Red. | Marks remaining structure of Diamond Shoal Light. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| SEACOAST (North Carolina) - Fifth District | | | | | | | |
| CAPE HATTERAS TO LITTLE RIVER INLET (Chart 11520) | | | | | | | |
| 645 28625 | Hatteras Inlet Light | 35-11-51.513N 075-43-55.991W | Iso W 6s | 48 | 10 | Skeleton tower on black house. 45 | |
| 650 28630 | <i>Hatteras Inlet Entrance Lighted Whistle Buoy HI</i> | 35-09-47.681N 075-45-15.169W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | Position frequently shifted with changing conditions. |
| 660 | Ocracoke Light | 35-06-32.280N 075-59-09.671W | F W | 75 | 15 | White conical tower. 85 | Structure maintained by the National Park Service. |
| 665 28895 | <i>Ocracoke Inlet Entrance Lighted Whistle Buoy OC</i> | 35-03-28.437N 075-58-17.065W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | Position frequently shifted with changing conditions. |
| 670 | Cape Lookout Light | 34-37-21.889N 076-31-28.341W | Fl W 15s | 156 | 14 | Conical brick tower, black and white diagonally checkered. 169 | Structure maintained by the National Park Service. |
| 680 | <i>Cape Lookout Shoals Lighted Buoy 2</i> | 34-29-36.602N 076-25-40.701W | Q R | | 4 | Red. | |
| 685 | <i>Cape Lookout Lighted Buoy 14</i> | 34-18-06.613N 076-23-59.190W | Fl R 4s | | 6 | Red. | |
| 689 | <i>Cape Lookout Shoals Lighted Data Buoy A</i> | 34-20-36.000N 076-25-12.000W | Fl Y 4s | | | Yellow. | Private aid. |
| 690 | <i>Cape Lookout Shoals Lighted Buoy 4</i> | 34-26-56.514N 076-28-23.250W | Fl R 2.5s | | 4 | Red. | |
| 695 | <i>Cape Lookout Shoals Lighted Buoy 6</i> | 34-27-15.989N 076-33-40.432W | Fl R 6s | | 5 | Red. | |
| 705 | <i>Cape Lookout Shoals Lighted Buoy 8</i> Marks wreck of SENATEUR DUHAMEL. | 34-32-54.583N 076-36-09.520W | Q R | | 4 | Red. | |
| 710 29125 | <i>Cape Lookout Breakwater Lighted Buoy 2</i> | 34-37-06.921N 076-33-45.916W | Q R | | 4 | Red. | |
| 720 29328 | <i>Beaufort Inlet Channel Lighted Whistle Buoy BM</i> | 34-34-49.079N 076-41-33.240W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | RACON: M (- -) AIS: MMSI 993672329 |
| 730 29490 | <i>Bogue Inlet Entrance Lighted Whistle Buoy BI</i> | 34-37-34.639N 077-06-06.944W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| Camp Lejeune Danger Zone | | | | | | | |
| 740 | - <i>Lighted Buoy A</i> | 34-36-19.171N 077-05-33.602W | Fl Y 4s | | 6 | Yellow. | |
| 745 | - <i>Lighted Buoy B</i> | 34-35-22.171N 077-01-27.591W | Fl Y 2.5s | | 6 | Yellow. | |
| 750 | - <i>Lighted Buoy C</i> | 34-30-01.175N 077-02-03.589W | Fl Y 4s | | 6 | Yellow. | |
| 755 | - <i>Lighted Buoy D</i> | 34-25-28.183N 077-05-34.788W | Fl Y 6s | | 6 | Yellow. | |
| 760 | - <i>Lighted Buoy E</i> | 34-22-33.602N 077-10-59.897W | Fl Y 4s | | 6 | Yellow. | |
| 765 | - <i>Lighted Buoy F</i> | 34-21-54.972N 077-17-28.632W | Fl Y 6s | | 6 | Yellow. | |
| 770 | - <i>Lighted Buoy G</i> | 34-23-36.185N 077-23-34.649W | Fl Y 2.5s | | 6 | Yellow. | |
| 775 | - <i>Lighted Buoy H</i> | 34-27-56.981N 077-21-07.841W | Fl Y 4s | | 6 | Yellow. | |
| CAPE HATTERAS TO LITTLE RIVER INLET (Chart 11520) | | | | | | | |
| 790 29650 | <i>New River Inlet Lighted Whistle Buoy NR</i> | 34-31-02.040N 077-19-33.313W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 795 29970 | <i>New Topsail Inlet Lighted Whistle Buoy NT</i> | 34-20-11.677N 077-38-26.749W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 800 30145 | <i>Masonboro Inlet Lighted Whistle Buoy A</i> | 34-10-24.235N 077-47-51.065W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|---|---------------|--------------|---|---|
| SEACOAST (North Carolina) - Fifth District | | | | | | | |
| CAPE HATTERAS TO LITTLE RIVER INLET (Chart 11520) | | | | | | | |
| 802.3 | <i>Scripps Lighted Data Buoy CDIP 217</i> | 34-12-45.540N 076-56-47.220W | Fl (5)Y 20s | | | Yellow. | Private aid. |
| 802.5 | <i>UNCW/CORMP Lighted Data Buoy D</i> | 34-12-30.240N 076-56-48.900W | Fl Y 4s | | | Yellow. | Private aid. |
| 803 | <i>UNCW/CORMP Lighted Data Buoy A</i> | 34-08-35.640N 077-42-59.160W | Fl Y 4s | | | Yellow. | Private aid. |
| 803.1 | <i>UNCW/CORMP Lighted Data Buoy B</i> | 33-59-15.720N 077-21-36.960W | Fl Y 4s | | | Yellow. | Private aid. |
| 803.2 | <i>UNCW/CORMP Lighted Data Buoy C</i> | 34-08-27.600N 077-43-01.800W | Fl (5)Y 20s | | | Yellow. | Private aid. |
| 805 30260 | <i>Carolina Beach Inlet Entrance Lighted Whistle Buoy CB</i> | 34-04-53.957N 077-51-11.107W | Mo (A) W | | 5 | Red and white stripes with red spherical topmark. | |
| 810 | Oak Island Light | 33-53-34.164N 078-02-05.731W | Fl (4)W 10s 0.1s fl 0.9s ec. 0.1s fl 0.9s ec. 0.1s fl 0.9s ec. 0.1s fl 0.9s ec. | 169 | 24 | Cylindrical tower, top third black, middle third white, lower third gray. 180 | Shows reduced intensity between 190° and 250°. Structure maintained by entity outside the U.S. Coast Guard. |
| 812 | <i>Oak Island Lighted Sensor Buoy A</i> | 33-53-38.196N 078-05-06.558W | Fl Y 6s | | | Yellow. | Private aid. |
| 815 | <i>NOAA Lighted Data Buoy 41013 (ODAS)</i> | 33-26-11.000N 077-44-35.000W | Fl (4)Y 20s | | 5 | Yellow disc-shaped hull. | Aid maintained by National Oceanic and Atmospheric Administration. |
| 817 | <i>NOAA Lighted Data Buoy 41424 (Dart)</i> | 32-55-41.000N 072-28-11.000W | Fl (4)Y 20s | | 5 | Yellow disc shaped hull. | Aid maintained by National Oceanic and Atmospheric Administration. |
| Frying Pan Shoals | | | | | | | |
| 820 | <i>- Slough Approach Lighted Whistle Buoy SA</i> | 33-42-36.719N 077-51-04.973W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. Green can. | |
| 825 | <i>- Slough Buoy 1</i> | 33-39-06.591N 077-52-49.152W | | | | | |
| 830 | <i>- Slough Buoy 2</i> | 33-39-16.210N 077-52-56.893W | | | | Red nun. | |
| 835 | <i>- Lighted Buoy 16</i> | 33-28-47.065N 077-35-04.549W | Fl R 2.5s | | 5 | Red. | Marks remains of Frying Pan Shoals Light tower. |
| 845 | <i>- Lighted Buoy 4FP</i> | 33-36-29.705N 077-54-55.569W | Fl R 2.5s | | 4 | Red. | |
| 850 | <i>- Lighted Buoy 6FP</i> | 33-41-00.000N 078-04-00.000W | Fl R 4s | | 6 | Red. | |
| CAPE HATTERAS TO LITTLE RIVER INLET (Chart 11520) | | | | | | | |
| 857 | <i>Bald Head Island Lighted Sensor Buoy A</i> | 33-50-38.976N 078-00-43.494W | Fl Y 4s | | | Yellow. | Private aid. |
| 860 30316 | <i>Cape Fear River Entrance Lighted Whistle Buoy CF</i> | 33-46-16.703N 078-03-01.567W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | RACON: C (- . - .) On channel centerline. AIS: MMSI 993672156. |
| 867 | <i>UNC Wilmington Lighted Data Buoy SB</i> | 33-50-35.040N 078-28-57.738W | Fl Y 4s | | | Yellow. | Private aid. |
| 868 | <i>Cape Fear Lighted Research Buoy A</i> | 33-43-16.020N 078-00-52.800W | Fl (5)Y 20s | | | Yellow. | Private aid. |
| 870 31050 | <i>Shallotte Inlet Lighted Whistle Buoy SH</i> | 33-52-58.266N 078-22-53.870W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | Position frequently shifted with changing conditions. |
| NEW JERSEY - Fifth District | | | | | | | |
| FIRE ISLAND TO SEA GIRT (Chart 12326) | | | | | | | |
| 871 7 | <i>Shark River Inlet Lighted Whistle Buoy SI</i> | 40-11-08.700N 074-00-03.100W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 872 | SHARK RIVER INLET SOUTH BREAKWATER LIGHT 1 | 40-11-11.359N 074-00-26.731W | Fl G 4s | 33 | 7 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|---------------------------------------|
| NEW JERSEY - Fifth District | | | | | | | |
| FIRE ISLAND TO SEA GIRT (Chart 12326) | | | | | | | |
| 873 | SHARK RIVER INLET NORTH BREAKWATER LIGHT 2 | 40-11-14.838N 074-00-28.968W | FI R 4s | 33 | 6 | TR on skeleton tower. | |
| SEA GIRT TO LITTLE EGG INLET (Chart 12323) | | | | | | | |
| Barnegat Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 875 25 | - Outer Lighted Whistle Buoy <i>Bl</i> | 39-44-28.486N 074-03-51.328W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 880 | - North Jetty Danger Buoy B Marks submerged jetty . | 39-45-37.610N 074-05-20.824W | | | | White and orange; can. | |
| 900 | - Lighted Buoy 1 | 39-44-48.681N 074-04-36.906W | FI G 2.5s | | 5 | Green. | |
| 910 | - Buoy 2 | 39-44-53.223N 074-04-31.968W | | | | Red nun. | |
| 915 | - Buoy 3 | 39-45-00.788N 074-04-53.796W | | | | Green can. | |
| 920 | - North Jetty Danger Buoy A Marks submerged jetty . | 39-45-40.876N 074-05-23.898W | | | | White and orange; can. | |
| 925 | - Lighted Buoy 4 | 39-45-06.099N 074-04-52.129W | FI R 6s | | 5 | Red. | |
| 942 | - NORTH BREAKWATER LIGHT 6 | 39-45-32.796N 074-05-22.632W | Q R | 40 | 5 | TR on multi-pile structure. | |
| 943 | - SOUTH BREAKWATER LIGHT 7 | 39-45-25.616N 074-05-35.697W | Q G | 35 | 5 | SG on skeleton tower. | |
| 950 | - Lighted Buoy 9 | 39-45-38.704N 074-05-38.806W | FI G 2.5s | | 4 | Green. | |
| 955 | - Lighted Buoy 11 | 39-45-56.649N 074-06-03.050W | Q G | | 4 | Green. | |
| 958 | Barnegat Light | 39-45-51.540N 074-06-22.230W | FI W 10s | 163 | 22 | Conical brick tower, top half red, bottom white. 163 | Private aid. |
| 960 | - Lighted Buoy 12 | 39-46-03.009N 074-06-06.964W | FI R 2.5s | | 4 | Red. | |
| 965 | <i>Barnegat Harbor Channel Lighted Buoy 14</i> | 39-45-50.040N 074-06-33.990W | FI R 2.5s | | 4 | Red. | Replaced by nun from Nov. 1 to May 1. |
| 970 | Barnegat Harbor Channel Junction Buoy B | 39-45-39.274N 074-06-44.433W | | | | Green and red bands; can. | |
| 975 | - Buoy 16 | 39-45-41.290N 074-06-44.043W | | | | Red nun. | |
| 980 | - Buoy 17 | 39-45-41.871N 074-06-57.709W | | | | Green can. | |
| 985 | - Buoy 18 Marks submerged piles. | 39-45-46.267N 074-06-58.841W | | | | Red nun. | |
| 987 | - Buoy 18A | 39-45-55.263N 074-07-01.696W | | | | Red nun. | |
| 990 | - Buoy 19 | 39-45-56.976N 074-07-04.737W | | | | Green can. | |
| 995 | - Buoy 20 | 39-45-59.298N 074-07-01.988W | | | | Red nun. | |
| 1000 | - Buoy 21 | 39-46-12.496N 074-07-00.716W | | | | Green can. | |
| 1005 | - Buoy 22 | 39-46-11.672N 074-06-58.200W | | | | Red nun. | |
| 1010 | - Buoy 24 | 39-46-31.668N 074-06-56.994W | | | | Red nun. | |
| 1015 | - Buoy 25 | 39-46-27.915N 074-06-57.986W | | | | Green can. | |
| 1020 | - Lighted Buoy 26 | 39-46-41.956N 074-07-02.097W | FI R 2.5s | | 4 | Red. | Replaced by nun from Nov. 1 to May 1. |
| 1025 | - Buoy 27 | 39-46-41.029N 074-07-05.641W | | | | Green can. | |
| 1030 | - Buoy 27A | 39-46-56.345N 074-07-02.613W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|---------------------------------------|
| NEW JERSEY - Fifth District | | | | | | | |
| SEA GIRT TO LITTLE EGG INLET (Chart 12323) | | | | | | | |
| Barnegat Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 1035 | - Buoy 28 | 39-46-56.604N 074-07-00.670W | | | | Red nun. | |
| 1040 | - Buoy 29 | 39-47-08.601N 074-07-13.471W | | | | Green can. | |
| 1045 | - Buoy 29A | 39-47-16.426N 074-07-31.968W | | | | Green can. | |
| 1050 | - Lighted Buoy 30 | 39-47-10.972N 074-07-11.673W | FI R 2.5s | | 4 | Red. | Replaced by nun from Nov. 1 to May 1. |
| 1055 | - Buoy 31 | 39-47-20.670N 074-07-47.661W | | | | Green can. | |
| 1060 | - Buoy 32 | 39-47-23.086N 074-07-51.272W | | | | Red nun. | |
| 1065 | - Buoy 33 | 39-47-30.340N 074-08-07.808W | | | | Green can. | |
| 1070 | - Lighted Buoy 34 | 39-47-33.112N 074-08-09.518W | FI R 2.5s | | 4 | Red. | Replaced by nun from Nov. 1 to May 1. |
| Oyster Creek Channel | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 1073 | - Buoy 35 | 39-47-29.966N 074-08-31.839W | | | | Green can. | |
| 1075 | - Buoy 36 | 39-47-32.820N 074-08-40.772W | | | | Red nun. | |
| 1080 | - Buoy 37 | 39-47-29.074N 074-09-04.741W | | | | Green can. | Removed when endangered by ice. |
| 1090 | - Buoy 38 | 39-47-31.181N 074-09-04.984W | | | | Red nun. | Removed when endangered by ice. |
| 1091 | - Buoy 38A | 39-47-32.088N 074-09-19.263W | | | | Red nun. | Removed when endangered by ice. |
| 1093 | - Buoy 39 | 39-47-29.750N 074-09-17.506W | | | | Green can. | Removed when endangered by ice. |
| 1095 | - Buoy 40 | 39-47-28.137N 074-09-32.304W | | | | Red nun. | Removed when endangered by ice. |
| 1097 | - Buoy 41 | 39-47-25.654N 074-09-31.610W | | | | Green can. | Removed when endangered by ice. |
| 1099 | - Lighted Buoy 42 | 39-47-26.905N 074-09-41.783W | Q R | | 4 | Red. | Removed when endangered by ice. |
| LITTLE EGG INLET TO HEREFORD INLET (Charts 12318) | | | | | | | |
| Little Egg Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 1100 | - Lighted Buoy 1 | 39-28-05.442N 074-16-55.307W | FI G 4s | | 6 | Green. | |
| 1105 | - Lighted Buoy 2 | 39-28-31.592N 074-17-13.180W | FI R 4s | | 6 | Red. | |
| 1110 | - Lighted Buoy 3 | 39-28-23.007N 074-17-35.098W | Q G | | 4 | Green. | |
| 1115 | - Buoy 4 | 39-28-32.804N 074-17-46.679W | | | | Red nun. | |
| 1120 | - Lighted Buoy 5 | 39-28-32.781N 074-18-03.393W | FI G 4s | | 5 | Green. | |
| 1125 | - Lighted Buoy 6 | 39-28-50.468N 074-18-06.626W | Q R | | 4 | Red. | Replaced by nun from Nov. 1 to May 1. |
| 1129 | - Buoy 8 | 39-29-14.820N 074-18-14.489W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|---------------------------------------|
| NEW JERSEY - Fifth District | | | | | | | |
| LITTLE EGG INLET TO HEREFORD INLET (Charts 12318) | | | | | | | |
| Little Egg Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 1131 | - Lighted Buoy 10 | 39-29-44.200N 074-18-28.242W | FI R 2.5s | | 4 | Red. | Replaced by nun from Nov. 1 to May 1. |
| 1132 | - Buoy 11 | 39-29-54.661N 074-18-58.221W | | | | Green can. | |
| Marshelder Channel | | | | | | | |
| 1140 | - Buoy 1 | 39-31-33.224N 074-17-37.114W | | | | Green can. | Private aid. |
| 1145 | - Buoy 2 | 39-31-32.523N 074-19-29.319W | | | | Red nun. | Private aid. |
| 1150 | - Buoy 2A | 39-31-57.624N 074-17-16.313W | | | | Red nun. | Private aid. |
| 1155 | - Buoy 3 | 39-32-12.424N 074-17-22.514W | | | | Green can. | Private aid. |
| 1160 | - Buoy 4 | 39-32-24.424N 074-17-28.514W | | | | Red nun. | Private aid. |
| 1165 | - Buoy 5 | 39-32-30.424N 074-17-46.515W | | | | Green can. | Private aid. |
| Absecon Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 1170 | - Lighted Buoy 1 | 39-20-47.393N 074-24-01.337W | FI G 4s | | 5 | Green. | |
| 60 | | | | | | | |
| 1175 | - Lighted Buoy 2 | 39-20-51.336N 074-23-48.860W | FI R 2.5s | | 4 | Red. | |
| 1180 | - Lighted Buoy 3 | 39-21-23.664N 074-24-11.984W | FI G 2.5s | | 5 | Green. | |
| 1185 | - Lighted Buoy 4 | 39-21-29.610N 074-24-05.990W | FI R 2.5s | | 5 | Red. | |
| 1190 | - Lighted Buoy 5 | 39-21-41.090N 074-24-17.380W | FI G 2.5s | | 5 | Green. | |
| 1215 | - Buoy 6 | 39-22-12.560N 074-24-25.980W | | | | Red nun. | |
| 1220 | - Buoy 8 | 39-22-23.724N 074-24-36.086W | | | | Red nun. | |
| 1225 | - Buoy 10 | 39-22-36.162N 074-24-45.991W | | | | Red nun. | |
| 1230 | - Buoy 12 | 39-22-52.230N 074-25-01.447W | | | | Red nun. | |
| 1235 | - Buoy 13 | 39-22-50.411N 074-25-07.673W | | | | Green can. | |
| 1237 | - Buoy 15 | 39-22-57.920N 074-25-14.435W | | | | Green can. | |
| Clam Creek | | | | | | | |
| 1240 | - Junction Lighted Buoy CC Marks shoal. | 39-22-43.032N 074-25-01.735W | FI (2+1)G 6s | | 5 | Green and red bands. | |
| 1245 | - Buoy 2 | 39-22-41.188N 074-25-06.606W | | | | Red nun. | |
| 1250 | - Buoy 4 | 39-22-40.419N 074-25-17.272W | | | | Red nun. | |
| Great Egg Harbor Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 1265 | - Outer Lighted Whistle Buoy | 39-16-13.800N | Mo (A) W | | 5 | Red and white stripes with red spherical topmark. | |
| 70 | GE | 074-31-55.800W | | | | | |
| 1270 | - Lighted Buoy 1 | 39-16-57.358N 074-31-48.591W | FI G 2.5s | | 5 | Green. | |
| 1275 | - Lighted Buoy 2 | 39-17-00.795N 074-31-37.425W | FI R 2.5s | | 5 | Red. | |
| 1277 | - Buoy 3 | 39-17-18.276N 074-32-04.046W | | | | Green can. | |
| 1280 | - Buoy 4 | 39-17-43.127N 074-32-19.918W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|-------------------------------|---------------------------------|-----------------------|---------------|--------------|----------------------|----------------|
| NEW JERSEY - Fifth District | | | | | | | |
| LITTLE EGG INLET TO HEREFORD INLET (Charts 12318) | | | | | | | |
| Great Egg Harbor Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 1285 | - Lighted Buoy 5 | 39-17-35.381N 074-32-22.585W | FI G 4s | | 4 | Green. | |
| 1288 | - Buoy 7 | 39-18-01.566N 074-32-42.352W | | | | Green can. | |
| 1290 | - Junction Lighted Buoy GH | 39-18-09.725N 074-32-40.120W | FI (2+1)G 6s | | 5 | Green and red bands. | |
| 1291 | - Buoy 9 | 39-18-06.540N 074-32-56.100W | | | | Green can. | |
| 1292 | - Buoy 10 | 39-18-05.829N 074-33-29.031W | | | | Red nun. | |
| 1293 | - Buoy 12 | 39-18-02.436N 074-33-31.692W | | | | Red nun. | |
| Longport Channel | | | | | | | |
| 1295 | - Buoy 1 | 39-18-22.146N 074-32-21.552W | | | | Green can. | |
| 1300 | - Buoy 2 | 39-18-18.876N 074-32-19.560W | | | | Red nun. | |
| 1305 | - Buoy 3 | 39-18-27.959N 074-32-08.549W | | | | Green can. | |
| 1315 | - Buoy 5 | 39-18-35.566N 074-31-56.316W | | | | Green can. | |
| 1317 | - Buoy 7 | 39-18-42.326N 074-31-51.504W | | | | Green can. | |
| 1318 | - Buoy 8 | 39-18-49.776N 074-31-45.240W | | | | Red nun. | |
| 1319 | - Buoy 9 | 39-18-51.874N 074-31-45.311W | | | | Green can. | |
| Ship Channel | | | | | | | |
| 1325 | - Buoy 1 | 39-17-55.416N 074-34-13.559W | | | | Green can. | Private aid. |
| 1330 | - Buoy 2 | 39-18-11.416N 074-34-30.560W | | | | Red nun. | Private aid. |
| 1335 | - Buoy 3 | 39-18-33.416N 074-35-15.562W | | | | Green can. | Private aid. |
| 1340 | - Buoy 4 | 39-18-18.416N 074-35-58.564W | | | | Red nun. | Private aid. |
| 1345 | - Buoy 5 | 39-18-12.416N 074-36-16.565W | | | | Green can. | Private aid. |
| 1350 | - Buoy 6 | 39-17-42.416N 074-36-34.565W | | | | Red nun. | Private aid. |
| 1355 | - Buoy 7 | 39-17-42.415N 074-37-06.367W | | | | Green can. | Private aid. |
| Townsend Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 1405 | - Lighted Buoy 2T | 39-05-51.905N 074-41-48.370W | FI R 2.5s | | 4 | Red. | |
| 1407 | - Lighted Buoy 3 | 39-05-59.951N 074-42-09.898W | Q G | | 4 | Green. | |
| 1409 | - Buoy 4 | 39-06-03.575N 074-42-07.336W | | | | Red nun. | |
| 1410 | - Shoals Lighted Bell Buoy 4A | 39-07-05.411N 074-40-37.577W | FI R 4s | | 5 | Red. | |
| 1415 | - Lighted Buoy 6 | 39-06-32.225N 074-42-11.386W | FI R 4s | | 4 | Red. | |
| 1420 | - Buoy 8 | 39-06-53.915N 074-42-39.551W | | | | Red nun. | |
| 1425 | - Buoy 10 | 39-07-03.908N 074-42-50.136W | | | | Red nun. | |
| CAPE MAY HARBOR (Chart 12317) | | | | | | | |
| Cape May Inlet | | | | | | | |
| 1435 | - Lighted Buoy 2CM | 38-55-47.005N 074-51-20.509W | FI R 2.5s | | 5 | Red. | |
| 135 | | | | | | | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|---------------------------|---------------|--------------|--|---|
| NEW JERSEY - Fifth District | | | | | | | |
| CAPE MAY HARBOR (Chart 12317) | | | | | | | |
| Cape May Inlet | | | | | | | |
| 1440 | - EAST JETTY LIGHT 4 | 38-56-12.115N 074-51-42.661W | FI R 4s | 25 | 6 | TR on skeleton tower. | |
| 1445 | - WEST JETTY LIGHT 5 | 38-56-11.715N 074-51-55.311W | FI G 4s | 38 | 6 | SG on pile. | |
| 1455 36733 | CAPE MAY HARBOR RANGE FRONT LIGHT 4 | 38-57-07.762N 074-52-35.156W | Q R | 13 | | Light 4 TR-TY on multi-pile structure. On same structure as Cape May Harbor Range Front light. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 1460 | CAPE MAY HARBOR RANGE REAR LIGHT 327.4°, 710 yards from front light. | 38-57-25.451N 074-52-49.772W | Oc W 4s | 40 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 1463 | CAPE MAY HARBOR RANGE REAR PASSING LIGHT | 38-57-25.451N 074-52-49.772W | FI W 4s | 15 | 5 | On same structure as Cape May Harbor Range Rear Light. | On corner of platform. |
| 1465 | <i>Cape May Harbor Lighted Buoy 2</i> | 38-56-59.542N 074-52-22.879W | FI R 2.5s | | 4 | Red. | |
| NEW JERSEY AND DELAWARE - Fifth District | | | | | | | |
| CAPE MAY TO FENWICK ISLAND (Chart 12214) | | | | | | | |
| Delaware Bay | | | | | | | |
| 1475 | - <i>North Approach Lighted Buoy 2</i> | 38-48-19.000N 074-55-18.000W | Q R | | 5 | Red. | |
| 1480 | - <i>North Approach Lighted Buoy 4</i> | 38-47-56.045N 074-58-33.017W | FI R 4s | | 5 | Red. | |
| 1483 | - <i>Entrance Junction Lighted Buoy DF</i> | 38-46-17.234N 074-58-45.102W | FI (2+1)R 6s | | 5 | Red and green bands. | |
| 1485 | - <i>Approach Lighted Whistle Buoy CH</i> | 38-46-13.977N 075-01-19.524W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | RACON: K (- -) AIS: MMSI 993672076. |
| Delaware Bay South Approach | | | | | | | |
| 1490 190 | <i>Hen and Chickens Shoal Lighted Buoy 1HC</i> Off southeast end of shoal. | 38-42-42.761N 074-58-55.888W | FI G 2.5s | | 5 | Green. | |
| 1495 | <i>Hen and Chickens Shoal Lighted Buoy 3HC</i> | 38-44-46.417N 075-01-24.467W | FI G 4s | | 5 | Green. | |
| Delaware Bay | | | | | | | |
| 1505 | - <i>Entrance Channel Lighted Buoy 5</i> | 38-46-36.000N 075-03-33.000W | FI G 2.5s | | 5 | Green. | |
| 1510 | - <i>Entrance Channel Lighted Buoy 6</i> | 38-47-33.000N 075-01-48.000W | Q R | | 5 | Red. | Marks the NE corner of pilots triangle. |
| 1515 | - <i>Entrance Channel Lighted Buoy 8</i> | 38-49-21.000N 075-02-30.000W | FI R 2.5s | | 5 | Red. | |
| 1520 | <i>South Shoal Lump Lighted Buoy 8A</i> | 38-49-18.403N 075-01-34.640W | Oc R 4s | | 4 | Red. | |
| 1525 | South Shoal Lump Buoy 8B | 38-50-00.403N 075-02-04.641W | | | | Red nun. | |
| 1530 | Harbor of Refuge Light | 38-48-52.223N 075-05-32.621W | FI W 10s (2 R sectors) | 72 | W 19 R 16 | White conical tower, on black cylindrical substructure. | Red from 325° to 351°, covers Hen and Chicken Shoal, and 127° to 175° covers Brown Shoals. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si); Operates from Mar. 15 to Dec. 15. Structure maintained by entity outside the U.S. Coast Guard. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|---------------------------------------|---------------|--------------|---|--|
| NEW JERSEY AND DELAWARE - Fifth District | | | | | | | |
| DELAWARE BAY (Chart 12304) | | | | | | | |
| Delaware Bay Main Channel | | | | | | | |
| <i>Buoys located 100 feet outside channel limit.</i> | | | | | | | |
| 1535 | BROWN SHOAL LIGHT | 38-55-21.042N 075-06-00.657W | FI W 2.5s | 23 | 7 | NB on skeleton tower. | RACON: B (- . . .) |
| 1540 | - Lighted Buoy 10 | 38-56-24.769N 075-06-17.396W | FI R 4s | | 5 | Red. | Removed when endangered by ice. |
| 1550 | - Lighted Buoy 12 | 38-58-52.204N 075-07-36.658W | FI R 4s | | 5 | Red. | Removed when endangered by ice. |
| 1555 | Brandywine Shoal Light On shoal. | 38-59-10.434N 075-06-47.465W | FI W 10s (R sector) | 60 | W 19 R 13 | Cylindrical concrete structure, adjacent to old screw-pile. 60 | Red from 151° to 338°, covers shoal area southwest of Cape May. Emergency light of lower intensity with same characteristic as main light when light is extinguished. HORN: 1 blast ev 15s (2s bl). Maintained from Mar. 15 to Dec. 15. Structure maintained by entity outside the U.S. Coast Guard. |
| 1565 | - Lighted Buoy 14 | 39-00-18.404N 075-08-24.760W | FI R 2.5s | | 4 | Red. | Removed when endangered by ice. |
| 1570 | - Lighted Buoy 16 | 39-02-08.405N 075-09-23.863W | FI R 4s | | 5 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 1575 | Fourteen Foot Bank Light | 39-02-53.696N 075-10-55.938W | FI W 9s 3s fl 6s ec. (R Sector) | 59 | W 13 R 10 | White tower and dwelling on black cylindrical pier. | Red from 332.5° to 151°, covers Brown and Joe Flogger Shoals. HORN: 1 blast ev 30s (3s bl). Operates continuously from Mar. 15 to Dec. 1. Structure maintained by entity outside the U.S. Coast Guard. |
| 1580 | - LIGHT 19 | 39-05-01.400N 075-11-16.444W | Q G | 21 | 5 | SG on pile. | |
| 1585 | Miah Maul Shoal Light On north end of shoal. | 39-07-35.928N 075-12-31.255W | Oc W 4s (R Sector) | 59 | W 10 R 10 | Red conical tower, on gray caisson; red cylindrical watch room and black lantern. 59 | RACON: M (- -) Red from 137.5° to 333°, covers Brandywine Shoal and Cross Ledge. HORN: 1 blast ev 10s (1s bl). Maintained from Mar. 15 to Dec. 15. Structure maintained by entity outside the U.S. Coast Guard. |
| 1590 | - Lighted Buoy 25 | 39-07-10.894N 075-13-10.866W | FI G 4s | | 6 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 1595 | - Lighted Buoy 27 | 39-09-33.508N 075-15-20.684W | FI G 2.5s | | 6 | Green. | Removed when endangered by ice. |
| 1600 | Elbow of Cross Ledge Light | 39-10-56.014N 075-16-06.396W | Iso W 6s | 61 | 16 | Red skeleton tower with small white house on international orange cylindrical base. 61 | HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Maintained from Mar. 15 to Dec. 15. |
| 1605 | - Lighted Buoy 29 | 39-10-49.608N 075-16-28.188W | Q G | | 6 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| NEW JERSEY AND DELAWARE - Fifth District | | | | | | | |
| DELAWARE BAY (Chart 12304) | | | | | | | |
| Delaware Bay Main Channel | | | | | | | |
| <i>Buoys located 100 feet outside channel limit.</i> | | | | | | | |
| 1615 | - Lighted Buoy 31 | 39-12-42.709N 075-17-34.791W | FI G 2.5s | | 6 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 1620 | - LIGHT 32 | 39-13-59.709N 075-17-57.963W | Q R | 47 | 6 | TR on pile. | |
| 1625 | - Lighted Buoy 34 | 39-14-49.609N 075-18-57.196W | FI R 4s | | 5 | Red. | Replaced by nun from Nov. 15 to Mar. 15. |
| 1630 | - Lighted Buoy 35 | 39-16-02.208N 075-20-41.400W | FI G 2.5s | | 6 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 1635 | - Buoy 38 | 39-17-46.907N 075-22-21.903W | | | | Red nun. | |
| 1640 | Ship John Shoal Light On shoal. | 39-18-19.077N 075-22-35.944W | FI W 5s (R sector) | 50 | W 16 R 12 | Brown, octagonal dwelling with pyramidal roof; on cylindrical pier. 50 | RACON: O (- - -) Red from 138° to 321.5°, covers shoals on east channel. High intensity beam down Miah Maul Range. Emergency light of lower intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl 13s si). Maintained from Mar. 15 to Dec. 15. Structure Maintained by entity outside the U.S. Coast Guard. |
| 1645 | - Lighted Buoy 42 | 39-21-04.716N 075-26-12.588W | FI R 4s | | 6 | Red. | |
| Cape May Canal West Entrance | | | | | | | |
| 1650 | - Approach Lighted Buoy 2 | 38-54-30.000N 075-02-15.000W | FI R 4s | | 4 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 1655 | - Approach Lighted Buoy 4 | 38-55-33.000N 075-00-47.500W | FI R 2.5s | | 4 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 1660 | - Approach Lighted Buoy 5 | 38-56-30.000N 075-00-45.000W | FI G 4s | | 4 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 1665 | - Approach Lighted Buoy 8 | 38-57-58.705N 074-58-46.433W | FI R 2.5s | | 4 | Red. | Maintained from May 1 to Nov. 1. |
| 1670 36785 | CAPE MAY CANAL WEST ENTRANCE SOUTH JETTY LIGHT 10 | 38-57-57.549N 074-58-02.421W | FI R 4s | 30 | 6 | TR-SY on skeleton tower. | |
| 1675 36790 | - NORTH JETTY LIGHT 11 | 38-58-03.684N 074-57-59.690W | FI G 2.5s | 34 | 6 | SG-TY on skeleton tower. | HORN: 1 blast ev 15s (2s bl). HORN is activated by keying the mic 5 times on VHF-FM 83A (157.175MHz). HORN operates for 30 minutes. |
| 1677 | - Buoy 12 | 38-58-01.024N 074-57-31.484W | | | | Red nun. | Removed when endangered by ice. |
| 1679 | - Buoy 14 | 38-58-01.117N 074-57-27.374W | | | | Red nun. | Removed when endangered by ice. |
| 1680 | Cape May Ferry Fog Signal | 39-58-03.405N 074-57-36.606W | | 28 | | | Bell: 3 strokes ev 10s. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|------------------------|---------------|------------------|--|---|
| NEW JERSEY AND DELAWARE - Fifth District | | | | | | | |
| DELAWARE BAY (Chart 12304) | | | | | | | |
| Bay Shore Channel | | | | | | | |
| 1685 | <i>Deadman Shoal Lighted Buoy 1DS</i> | 39-05-12.407N 074-59-52.634W | FI G 4s | | 4 | Green. | Maintained from May 1 to Nov. 1. |
| 1687 | <i>Cape May Aquaculture Zone Lighted Buoy A</i> | 39-04-22.200N 074-55-10.800W | FI W 4s | | | White can with orange diamond. | Private aid. |
| 1687.1 | <i>Cape May Aquaculture Zone Lighted Buoy B</i> | 39-04-16.800N 074-54-56.400W | FI W 4s | | | White can with orange diamond. | Private aid. |
| 1687.2 | <i>Cape May Aquaculture Zone Lighted Buoy C</i> | 39-03-51.600N 074-55-11.400W | FI W 4s | | | White can with orange diamond. | Private aid. |
| 1687.3 | <i>Cape May Aquaculture Zone Lighted Buoy D</i> | 39-03-38.400N 074-55-27.000W | FI W 4s | | | White can with orange diamond. | Private aid. |
| 1690 | BIDWELL CREEK ENTRANCE LIGHT 2 | 39-07-38.700N 074-53-39.000W | FI R 4s | | | TR on pile on end of jetty. | Private aid. |
| 1695 | EAST POINT LIGHT | 39-11-45.190N 075-01-38.309W | Iso W 6s (R sector) | | 43 W 9 R 7 | Black cupola on white two story house with a red roof. | Red from 055° to 017°. Structure maintained by entity outside the U.S. Coast Guard. |
| Maurice River | | | | | | | |
| <i>Buoys 17 through 50 are maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 1700 | - Entrance Lighted Buoy 1 | 39-08-36.408N 075-06-16.655W | FI G 4s | | 5 | Green. | Replaced by can f from Nov. 1 to Apr. 1. |
| 1705 | - Buoy 2 | 39-10-39.109N 075-02-16.641W | | | | Red nun. | |
| 1710 | - Lighted Buoy 3 | 39-10-42.409N 075-02-22.642W | FI G 4s | | 4 | Green. | Replaced by can f from Nov. 1 to Apr. 1. |
| 1715 | - Lighted Buoy 5 | 39-11-18.410N 075-02-16.641W | FI G 2.5s | | 4 | Green. | Replaced by can f from Nov. 1 to Apr. 1. |
| 1720 | - Channel Buoy 7 | 39-11-49.118N 075-02-22.641W | | | | Green can. | |
| 1725 | - Channel Lighted Buoy 8 | 39-12-12.410N 075-02-28.642W | Q R | | 4 | Red. | Replaced by nun f from Nov. 1 to Apr. 1. |
| 1730 | - Channel Buoy 9 | 39-12-18.410N 075-02-34.642W | | | | Green can. | |
| 1735 | - Channel Buoy 12 | 39-12-44.433N 075-01-49.854W | | | | Red nun. | |
| 1740 | - Buoy 11 | 39-12-34.410N 075-02-20.641W | | | | Green can. | |
| 1745 | - Channel Lighted Buoy 13 | 39-13-00.158N 075-01-31.891W | FI G 2.5s | | 4 | Green. | Replaced by can f from Nov. 1 to Apr. 1. |
| 1748 | - Buoy 14 | 39-13-22.080N 075-01-46.380W | | | | Red nun. | |
| 1750 | - Wreck Buoy WR16 | 39-14-07.172N 075-01-35.002W | | | | Red nun. | |
| 1775 | - Buoy 17 | 39-18-00.240N 074-58-55.020W | | | | Green can. | |
| 1780 | - Buoy 18 | 39-18-00.420N 074-59-19.200W | | | | Red nun. | |
| 1790 | - Buoy 19 | 39-18-12.360N 074-59-31.860W | | | | Green can. | |
| 1795 | - Buoy 21 | 39-18-23.160N 074-59-23.160W | | | | Green can. | |
| 1800 | - Buoy 22 | 39-18-25.292N 074-59-46.984W | | | | Red nun. | |
| 1805 | - Buoy 24 | 39-18-45.300N 075-00-06.000W | | | | Red nun. | |
| 1810 | - Buoy 25 | 39-19-00.120N 074-59-50.760W | | | | Green can. | |
| 1825 | - Buoy 26 | 39-19-20.820N 075-00-20.880W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|--------------------------|---------------|-------------------|--|--|
| NEW JERSEY AND DELAWARE - Fifth District | | | | | | | |
| DELAWARE BAY (Chart 12304) | | | | | | | |
| Maurice River | | | | | | | |
| <i>Buoys 17 through 50 are maintained from Apr. 1 to Nov. 1.</i> | | | | | | | |
| 1830 | - Buoy 27 | 39-19-35.940N 075-00-07.800W | | | | Green can. | |
| 1840 | - Buoy 29 | 39-19-44.280N 075-00-33.120W | | | | Green can. | |
| 1850 | - Buoy 30 | 39-20-07.680N 075-00-27.480W | | | | Red nun. | |
| 1860 | - Buoy 32 | 39-20-28.840N 075-00-57.052W | | | | Red nun. | |
| 1865 | - Warning Buoy Marks jetty. | 39-20-30.306N 075-00-56.274W | | | | White can. | |
| 1875 | - Buoy 34 | 39-20-44.580N 075-01-20.629W | | | | Red nun. | |
| 1877 | - Buoy 34A | 39-20-51.329N 075-01-20.379W | | | | Red nun. | |
| 1880 | - Buoy 35 | 39-21-03.688N 075-01-21.340W | | | | Green can. | |
| 1885 | - Buoy 36 | 39-21-11.148N 075-01-39.954W | | | | Red nun. | |
| 1887 | - Buoy 36A | 39-21-14.412N 075-01-49.390W | | | | Red nun. | |
| 1890 | - Buoy 38 | 39-21-25.078N 075-01-48.982W | | | | Red nun. | |
| 1893 | - Buoy 38A | 39-21-31.737N 075-01-40.157W | | | | Red nun. | |
| 1895 | - Buoy 39 | 39-21-36.000N 075-01-41.340W | | | | Green can. | |
| 1900 | - Buoy 40 | 39-22-02.340N 075-02-15.240W | | | | Red nun. | |
| 1905 | - Buoy 41 | 39-22-04.864N 075-02-14.008W | | | | Green can. | |
| 1910 | - Buoy 43 | 39-22-08.357N 075-02-07.760W | | | | Green can. | |
| 1920 | - Buoy 42 | 39-22-07.500N 075-02-07.320W | | | | Red nun. | |
| 1925 | - Buoy 44 | 39-22-08.560N 075-02-04.864W | | | | Red nun. | |
| 1930 | - Buoy 45 | 39-22-10.383N 075-02-04.696W | | | | Green can. | |
| 1931 | - Buoy 45A | 39-22-17.418N 075-02-05.841W | | | | Green can. | |
| 1935 | - Buoy 46 | 39-22-18.230N 075-02-04.744W | | | | Red nun. | |
| 1940 | - Buoy 48 | 39-22-20.571N 075-02-07.396W | | | | Red nun. | |
| 1943 | - Buoy 50 | 39-22-25.610N 075-02-12.347W | | | | Red nun. | |
| Delaware Bay (East Side) | | | | | | | |
| 1945 | EGG ISLAND POINT LIGHT | 39-10-20.609N 075-07-55.060W | FI W 4s | 27 | 7 | NR on skeleton tower; on multi-pile structure. | |
| 1955 | <i>Fortescue Entrance Lighted Buoy 2F</i> | 39-14-14.289N 075-11-04.631W | FI R 4s | | 4 | Red. | Maintained from Apr. 1 to Dec. 1. |
| 1960 | Fortescue Creek Entrance Buoy 4 Marks end of jetty. | 39-14-33.318N 075-10-43.272W | | | | Red nun. | Private aid. |
| 1970 | NANTUXENT POINT LIGHT | 39-16-38.513N 075-14-40.388W | FI W 4s | 15 | 5 | NR on pile. | |
| Cohansey | | | | | | | |
| 1990 | - LIGHT | 39-20-30.208N 075-21-40.570W | FI W 4s (2 R sectors) | 42 | W 8 R 6 R 6 | NB on black skeleton tower. | Red from 068° to 098° and from 275° to 305°. |
| 1995 | - OUTER LIGHT 1C | 39-20-40.564N 075-22-01.049W | Q G | 36 | 5 | SG on square tower. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| NEW JERSEY AND DELAWARE - Fifth District | | | | | | | |
| DELAWARE BAY (Chart 12304) | | | | | | | |
| Delaware Bay (East Side) | | | | | | | |
| Cohansey | | | | | | | |
| 2005 | - RIVER OUTFALL LIGHT | 39-25-00.500N 075-14-00.500W | FI W 4s | | | NW on pile worded OUTFALL. | Private aid. |
| Delaware Bay (West Side) | | | | | | | |
| Harbor of Refuge | | | | | | | |
| 2030 | DELAWARE BREAKWATER WEST END LIGHT 3 | 38-48-01.783N 075-06-59.915W | FI G 4s | 45 | 7 | SG on tower. | |
| 2033 | CAPE HENLOPEN FISHING PIER LIGHT A | 38-47-26.930N 075-06-16.390W | FI W 6s | 18 | | On pier. | Private aid. |
| 2033.1 | CAPE HENLOPEN FISHING PIER LIGHT B | 38-47-27.407N 075-06-14.065W | FI W 6s | 18 | | On pier. | Private aid. |
| 2033.2 | CAPE HENLOPEN FISHING PIER LIGHT C | 38-47-28.290N 075-06-12.170W | FI W 6s | 18 | | On pier. | Private aid. |
| 2033.3 | CAPE HENLOPEN FISHING PIER LIGHT D | 38-47-23.400N 075-06-12.000W | FI W 6s | 18 | | On pier. | Private aid. |
| 2033.4 | CAPE HENLOPEN FISHING PIER LIGHT E | 38-47-18.960N 075-06-09.756W | FI W 6s | 18 | | On pier. | Private aid. |
| 2035 | LEWES BREAKWATER FRONT LIGHT | 38-47-15.982N 075-07-05.512W | Iso R 2s | 49 | | On pile. | Private aid. |
| 2040 | LEWES BREAKWATER MIDDLE LIGHT | 38-47-07.094N 075-07-17.360W | FI R 4s | 27 | | On Pile. | Private aid. |
| 2043 | - Lighted Mooring Buoy CG | 38-47-47.720N 075-07-54.300W | FI W 4s | | 4 | White with blue band. | |
| 2045 | Lewes Ferry Terminal Fog Signal | 38-46-59.200N 075-07-07.000W | | 28 | | | BELL : 3 strokes ev 10s. Private aid. |
| 2050 | - NORTH END LIGHT 1 | 38-49-57.343N 075-06-20.723W | FI G 4s | 40 | 7 | SG on skeleton tower. | |
| 2050.5 | - North End Lighted Buoy 1 | 38-50-01.062N 075-06-25.296W | FI G 4s | | 5 | Green. | Replaced by LIB of lower intensity from Nov. 1 to Apr. 1. |
| 2055 | DELAWARE BAY EAST ICEBREAKER LIGHT 2 | 38-50-17.803N 075-06-39.354W | Q R | 15 | 6 | White column tower. | |
| 2060 | DELAWARE BAY WEST ICEBREAKER LIGHT W | 38-50-08.635N 075-07-10.250W | FI W 4s | 22 | 6 | NB on multi-pile structure. | |
| CAPE HENLOPEN TO INDIAN RIVER INLET (Chart 12216) | | | | | | | |
| Roosevelt Inlet | | | | | | | |
| 2065 | - JETTY LIGHT 1R | 38-47-38.907N 075-09-21.143W | FI G 4s | 18 | 6 | SG on multi-pile structure. | Higher intensity beam toward 004°. |
| 2070 | - JETTY LIGHT 2 | 38-47-41.520N 075-09-26.426W | FI R 4s | 18 | 6 | TR on multi-pile structure. | |
| 2073 | - Buoy 4 | 38-47-26.020N 075-09-36.503W | | | | Red nun. | Maintained from May 1 to Nov. 1. |
| 2075 | - RANGE FRONT LIGHT | 38-47-15.338N 075-09-44.379W | Q W | 29 | | KRW on skeleton tower. | NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 2080 | - RANGE REAR LIGHT 175 yards, 213° from front light. | 38-47-10.974N 075-09-48.021W | Oc W 4s | 37 | | KRW on skeleton tower. | NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 2085 | LEWES AND REHOBOTH CANAL JETTY WARNING LIGHT | 38-41-15.103N 075-05-52.353W | FI W 4s | 15 | 6 | NW on skeleton tower, on white cylindrical base; worded DANGER SUBMERGED JETTY. | |
| Rehoboth Bay | | | | | | | |
| <i>Buoys maintained from May 1 to Dec. 10.</i> | | | | | | | |
| <i>Position of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 2095 | - Channel Buoy 1 | 38-41-13.856N 075-05-52.354W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|----------------|
| NEW JERSEY AND DELAWARE - Fifth District | | | | | | | |
| CAPE HENLOPEN TO INDIAN RIVER INLET (Chart 12216) | | | | | | | |
| Rehoboth Bay | | | | | | | |
| <i>Buoys maintained from May 1 to Dec. 10.</i> | | | | | | | |
| <i>Position of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 2097 | - CHANNEL LIGHT 2 | 38-41-14.570N 075-05-53.280W | FI R 4s | 15 | 4 | TR on pile. | |
| 2100 | - Channel Buoy 3 | 38-40-39.054N 075-06-04.188W | | | | Green can. | |
| 2105 | - Channel Buoy 5 | 38-40-03.120N 075-06-16.302W | | | | Green can. | |
| 2110 | - Channel Buoy 7 | 38-39-26.832N 075-06-27.366W | | | | Green can. | |
| 2112 | - Channel Buoy 7A | 38-38-56.832N 075-06-31.080W | | | | Green can. | |
| 2115 | - Channel Lighted Buoy 9 | 38-38-41.028N 075-06-25.223W | FI G 4s | | 4 | Green. | |
| 2117 | - Channel Buoy 10 | 38-38-29.820N 075-06-19.680W | | | | Red nun. | |
| Herring Creek | | | | | | | |
| 2119.01 | - Day beacon 1 | 38-38-31.960N 075-08-00.580W | | | | SG on pile. | Private aid. |
| 2119.02 | - Day beacon 2 | 38-38-32.540N 075-08-00.090W | | | | TR on pile. | Private aid. |
| 2119.03 | - Day beacon 3 | 38-38-34.760N 075-08-05.830W | | | | SG on pile. | Private aid. |
| 2119.04 | - Day beacon 4 | 38-38-35.420N 075-08-05.500W | | | | TR on pile. | Private aid. |
| 2119.05 | - Day beacon 5 | 38-38-36.140N 075-08-18.050W | | | | SG on pile. | Private aid. |
| 2119.06 | - Day beacon 6 | 38-38-36.820N 075-08-17.850W | | | | TR on pile. | Private aid. |
| 2119.07 | - Day beacon 7 | 38-38-37.520N 075-08-23.900W | | | | SG on pile. | Private aid. |
| 2119.08 | - Day beacon 8 | 38-38-38.160N 075-08-23.530W | | | | TR on pile. | Private aid. |
| 2119.09 | - Day beacon 9 | 38-38-38.900N 075-08-29.760W | | | | SG on pile. | Private aid. |
| 2119.1 | - Day beacon 10 | 38-38-39.500N 075-08-29.210W | | | | TR on pile. | Private aid. |
| 2119.11 | - Day beacon 11 | 38-38-41.790N 075-08-32.220W | | | | SG on pile. | Private aid. |
| 2119.12 | - Day beacon 12 | 38-38-42.270N 075-08-31.680W | | | | TR on pile. | Private aid. |
| 2119.13 | - Day beacon 13 | 38-38-44.340N 075-08-36.580W | | | | SG on pile. | Private aid. |
| 2119.14 | - Day beacon 14 | 38-38-44.830N 075-08-35.940W | | | | TR on pile. | Private aid. |
| 2119.15 | - Day beacon 15 | 38-38-46.900N 075-08-40.840W | | | | SG on pile. | Private aid. |
| 2119.16 | - Day beacon 16 | 38-38-47.390N 075-08-40.210W | | | | TR on pile. | Private aid. |
| 2119.17 | - Day beacon 17 | 38-38-52.590N 075-08-46.350W | | | | SG on pile. | Private aid. |
| 2119.18 | - Day beacon 18 | 38-38-52.900N 075-08-45.540W | | | | TR on pile. | Private aid. |
| 2119.19 | - Day beacon 19 | 38-38-56.440N 075-08-47.680W | | | | SG on pile. | Private aid. |
| 2119.2 | - Day beacon 20 | 38-38-56.730N 075-08-46.870W | | | | TR on pile. | Private aid. |
| 2119.21 | - Day beacon 21 | 38-39-00.290N 075-08-49.010W | | | | SG on pile. | Private aid. |
| 2119.22 | - Day beacon 22 | 38-39-00.560N 075-08-48.190W | | | | TR on pile. | Private aid. |
| 2119.23 | - Day beacon 23 | 38-39-02.210N 075-08-50.470W | | | | SG on pile. | Private aid. |
| 2119.24 | - Day beacon 24 | 38-39-02.740N 075-08-49.850W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|----------------|
| NEW JERSEY AND DELAWARE - Fifth District | | | | | | | |
| CAPE HENLOPEN TO INDIAN RIVER INLET (Chart 12216) | | | | | | | |
| Rehoboth Bay | | | | | | | |
| Herring Creek | | | | | | | |
| 2119.25 | - Day beacon 25 | 38-39-04.570N 075-08-56.600W | | | | SG on pile. | Private aid. |
| 2119.26 | - Day beacon 26 | 38-39-05.090N 075-08-55.940W | | | | TR on pile. | Private aid. |
| Rehoboth Bay | | | | | | | |
| <i>Buoys maintained from May 1 to Dec. 10.</i> | | | | | | | |
| <i>Position of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 2120 | - Channel Buoy 11 | 38-38-31.507N 075-06-16.170W | | | | Green can. | |
| 2125 | - Channel Buoy 12 | 38-38-15.184N 075-06-08.249W | | | | Red nun. | |
| 2130 | - Lighted Buoy 13 | 38-38-03.682N 075-06-01.281W | FI G 4s | | 5 | Green. | |
| 2133 | - Channel Buoy 14 | 38-38-00.510N 075-06-04.296W | | | | Red nun. | |
| 2135 | - Channel Buoy 15 | 38-37-57.778N 075-06-04.223W | | | | Green can. | |
| Bakers Channel | | | | | | | |
| <i>Aids maintained by the Delaware State Department of Transportation.</i> | | | | | | | |
| 2136 | - Lighted Buoy 1A | 38-38-01.884N 075-05-55.388W | FI G 4s | | | Green. | Private aid. |
| 2137 | - Lighted Buoy 1B | 38-37-59.812N 075-05-52.749W | FI G 4s | | | Green. | Private aid. |
| 2137.01 | - Lighted Buoy 2 | 38-38-00.360N 075-05-52.749W | FI R 4s | | | Red. | Private aid. |
| 2137.02 | - Lighted Buoy 3 | 38-37-58.392N 075-05-48.106W | FI G 4s | | | Green. | Private aid. |
| 2137.03 | - Lighted Buoy 4 | 38-37-57.591N 075-05-50.261W | FI R 4s | | | Red. | Private aid. |
| 2137.04 | - Lighted Buoy 5 | 38-37-53.716N 075-05-38.340W | FI G 4s | | | Green. | Private aid. |
| 2137.05 | - Lighted Buoy 6 | 38-37-52.915N 075-05-39.947W | FI R 4s | | | Red. | Private aid. |
| 2137.06 | - Lighted Buoy 7 | 38-37-50.168N 075-05-28.450W | FI G 4s | | | Green. | Private aid. |
| 2137.07 | - Lighted Buoy 8 | 38-37-48.214N 075-05-29.537W | FI R 4s | | | Red. | Private aid. |
| 2137.08 | - Lighted Buoy 9 | 38-37-43.813N 075-05-17.616W | FI G 4s | | | Green. | Private aid. |
| 2137.09 | - Lighted Buoy 10 | 38-37-42.658N 075-05-18.986W | FI R 4s | | | Red. | Private aid. |
| 2137.11 | - Lighted Buoy 11 | 38-37-41.200N 075-05-11.499W | FI G 4s | | | Green. | Private aid. |
| 2137.12 | - Lighted Buoy 12 | 38-37-39.299N 075-05-13.518W | FI R 4s | | | Red. | Private aid. |
| 2137.13 | - Lighted Buoy 13 | 38-37-30.846N 075-05-12.078W | FI G 4s | | | Green. | Private aid. |
| 2137.14 | - Lighted Buoy 14 | 38-37-30.643N 075-05-14.857W | FI R 4s | | | Red. | Private aid. |
| 2137.15 | - Lighted Buoy 15 | 38-37-20.102N 075-05-15.072W | FI G 4s | | | Green. | Private aid. |
| 2137.16 | - Lighted Buoy 16 | 38-37-21.496N 075-05-17.186W | FI R 4s | | | Red. | Private aid. |
| 2137.18 | - Lighted Buoy 16A | 38-37-12.190N 075-05-22.745W | FI R 4s | | | Red. | Private aid. |
| Rehoboth Bay | | | | | | | |
| <i>Buoys maintained from May 1 to Dec. 10.</i> | | | | | | | |
| <i>Position of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 2138 | - Channel Buoy 16 | 38-37-55.498N 075-06-06.647W | | | | Red nun. | |
| 2139 | - Channel Buoy 16A | 38-37-46.252N 075-06-06.365W | | | | Red nun. | |
| 2140 | - Channel Buoy 16B | 38-37-21.538N 075-05-44.391W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|------------------|--|
| NEW JERSEY AND DELAWARE - Fifth District | | | | | | | |
| CAPE HENLOPEN TO INDIAN RIVER INLET (Chart 12216) | | | | | | | |
| Rehoboth Bay | | | | | | | |
| <i>Buoys maintained from May 1 to Dec. 10.</i> | | | | | | | |
| <i>Position of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 2142 | - Channel Buoy 17 | 38-37-54.844N 075-06-05.549W | | | | Green can. | |
| 2143 | - Channel Buoy 17A | 38-37-32.947N 075-05-57.304W | | | | Green can. | |
| 2145 | - Channel Buoy 17B | 38-37-21.308N 075-05-41.551W | | | | Green can. | |
| 2145.1 | - Channel Buoy 18 | 38-37-14.507N 075-05-40.604W | | | | Red nun. | |
| 2148 | - Channel Buoy 19 | 38-37-11.568N 075-05-35.687W | | | | Green can. | |
| 2151 | - Channel Buoy 20 | 38-37-06.415N 075-05-34.697W | | | | Red nun. | |
| 2155 | - Channel Buoy 21 | 38-37-00.617N 075-05-27.401W | | | | Green can. | |
| 2157 | - Channel Buoy 22 | 38-36-54.897N 075-05-36.182W | | | | Red nun. | |
| 2165 | - Channel Buoy 23 | 38-36-43.875N 075-05-32.120W | | | | Green can. | |
| 2166 | - Channel Buoy 24 | 38-36-40.293N 075-05-37.172W | | | | Red nun. | |
| 2169 | - Channel Buoy 25 | 38-36-22.922N 075-05-13.505W | | | | Green can. | |
| DELAWARE BAY (Chart 12304) | | | | | | | |
| Delaware Bay (West Side) | | | | | | | |
| Tanker Anchorage | | | | | | | |
| 2180 | - Approach Lighted Buoy A | 38-53-50.404N 075-08-08.659W | Fl Y 2.5s | | 6 | Yellow. | Replaced by LIB of reduced intensity when endangered by ice. |
| 2185 | - Lighted Buoy B | 38-57-05.404N 075-12-11.671W | Fl Y 6s | | 7 | Yellow. | |
| 2190 | - Buoy C | 38-58-35.404N 075-13-17.674W | | | | Yellow nun. | |
| 2195 | - Buoy D | 39-00-49.405N 075-14-55.679W | | | | Yellow can. | |
| 2200 | - Buoy E | 39-01-22.405N 075-13-23.675W | | | | Yellow can. | |
| 2205 | - Buoy F | 38-59-18.404N 075-11-53.670W | | | | Yellow can. | |
| 2210 | - Lighted Buoy G | 38-57-39.404N 075-10-41.666W | Fl Y 4s | | 6 | Yellow. | |
| Delaware Bay (West Side) | | | | | | | |
| 2213 | State Of Delaware (DNREC) Lighted Waverider Buoy A | 38-53-00.000N 075-11-00.000W | Fl Y 4s | | | Yellow. | Private aid. |
| 2215 | Lower Middle Wreck Buoy LMW | 39-00-05.656N 075-12-16.779W | | | | Red nun. | |
| Marks steamer MOHAWK. | | | | | | | |
| 2220 | Channel Crossing Buoy 1 | 39-02-45.405N 075-14-02.977W | | | | Green can. | |
| 2225 | Channel Crossing Buoy 2 | 39-02-42.405N 075-13-34.676W | | | | Red nun. | |
| 2235 | Blake Channel Buoy 1 | 39-09-42.708N 075-17-26.290W | | | | Green can. | |
| 2240 | Blake Channel Buoy 2 | 39-13-42.808N 075-19-58.298W | | | | Red nun. | |
| 2245 | Bombay Hook Point Shoal Buoy 1 | 39-18-51.859N 075-24-48.378W | | | | Green can. | |
| Marks edge of shoal. | | | | | | | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| NEW JERSEY AND DELAWARE - Fifth District | | | | | | | |
| DELAWARE BAY (Chart 12304) | | | | | | | |
| Delaware Bay (West Side) | | | | | | | |
| Mispillion | | | | | | | |
| 2260 | - INLET SOUTH JETTY LIGHT 1M | 38-56-11.842N 075-17-53.406W | FI G 4s | 25 | 5 | SG and NW on skeleton tower. NW worded DANGER SUBMERGED JETTY. | |
| 2265 | - South Jetty Warning Day beacon A | 38-56-14.226N 075-17-56.694W | | | | NW on multi-pile structure worded DANGER SUBMERGED JETTY. | |
| 2270 | - South Jetty Warning Day beacon B | 38-56-17.424N 075-18-01.992W | | | | NW on multi-pile structure worded DANGER SUBMERGED JETTY. | |
| 2275 | - INLET NORTH JETTY LIGHT 2 | 38-56-13.806N 075-17-52.620W | FI R 4s | 25 | 6 | TR on skeleton tower. | |
| Murderkill River | | | | | | | |
| 2300 | - ENTRANCE APPROACH LIGHT 1 | 39-03-48.335N 075-22-40.531W | FI G 4s | 15 | 4 | SG on skeleton tower. | |
| 2305 | - RANGE FRONT LIGHT 7 | 39-03-30.071N 075-23-46.114W | FI G 2.5s | 25 | | SG on multi-pile structure. | Lighted throughout 24 hours. Visible all around; higher intensity 1.5° either side of rangeline. |
| 2310 | - RANGE REAR LIGHT 1,037 yards, 247.7° from front light. | 39-03-18.422N 075-24-22.606W | F G | 65 | | On skeleton tower. | Lighted throughout 24 hours. Visible all around; higher intensity 1.5° either side of rangeline. |
| 2315 | - Buoy 2 | 39-03-45.732N 075-23-00.996W | | | | Red nun. | Maintained from Apr. 1 to Nov. 1. |
| 2320 | - Buoy 3 | 39-03-44.244N 075-22-59.280W | | | | Green can. | Maintained from Apr. 1 to Nov. 1. |
| 2330 | - Buoy 4 | 39-03-41.760N 075-23-14.027W | | | | Red nun. | Maintained from Apr. 1 to Nov. 1. |
| 2335 | - Buoy 5 | 39-03-39.342N 075-23-13.716W | | | | Green can. | Maintained from Apr. 1 to Nov. 1. |
| 2337 | - Buoy 6 | 39-03-36.036N 075-23-29.940W | | | | Red nun. | Maintained from Apr. 1 to Nov. 1. |
| Port Mahon | | | | | | | |
| 2345 | - DIRECTIONAL LIGHT | 39-10-42.406N 075-24-22.708W | Oc W 4s | 15 | | NR on skeleton tower. | Visible all around; higher intensity to northeast. |
| 2350 | - Approach Buoy 1 | 39-12-43.796N 075-20-11.165W | | | | Green can. | |
| 2360 | - APPROACH LIGHT 3 | 39-11-46.980N 075-21-59.190W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 2362 | - Approach Buoy 4 | 39-11-39.900N 075-22-25.720W | | | | Red nun. | |
| 2365 | - APPROACH LIGHT 5 | 39-11-22.004N 075-22-46.657W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 2370 | - Approach Buoy 6 | 39-11-16.820N 075-23-12.560W | | | | Red nun. | |
| 2375 | - APPROACH LIGHT 7 | 39-11-01.030N 075-23-34.530W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 2380 | - Approach Buoy 8 | 39-11-03.556N 075-23-49.864W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| NEW JERSEY AND DELAWARE - Fifth District | | | | | | | |
| DELAWARE BAY (Chart 12304) | | | | | | | |
| Port Mahon | | | | | | | |
| 2385 | - Approach Buoy 9 | 39-10-58.501N 075-23-49.134W | | | | Green can. | |
| 2420 | LEIPSIC RIVER LIGHT 2 | 39-14-46.072N 075-24-32.668W | FI R 4s | 23 | 4 | TR on skeleton tower. | |
| 2425 | Smyrna River South Jetty Day beacon 1 | 39-22-11.128N 075-30-11.594W | | | | SG on pile. | |
| 2430 | COLLINS BEACH LIGHT 2 | 39-23-20.333N 075-31-02.812W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 2435 | Collins Beach Day beacon 3 | 39-23-18.275N 075-31-08.971W | | | | SG on pile. | |
| 2440 | Collins Beach Day beacon 4 | 39-23-19.476N 075-31-23.891W | | | | TR on pile. | |
| DELAWARE RIVER (Delaware and New Jersey) - Fifth District | | | | | | | |
| SMYRNA RIVER TO WILMINGTON (Chart 12311) | | | | | | | |
| Delaware River | | | | | | | |
| Liston Range | | | | | | | |
| <i>Buoys located 50 feet outside channel limits.</i> | | | | | | | |
| 2445 | - FRONT LIGHT | 39-28-57.135N 075-35-29.963W | Iso W 6s | 45 | | White skeleton tower with small white house. | Lighted throughout 24 hours. |
| 2450 | - REAR LIGHT 6,760 yards, 317.9° from front light. | 39-31-25.639N 075-38-22.897W | F W | 176 | | Gallery on pyramidal skeleton tower, black central column. | Lighted throughout 24 hours. |
| 2455 | <i>Delaware Bay Main Channel Lighted Buoy 44</i> | 39-22-36.076N 075-27-59.660W | FI R 6s | | 5 | Red. | Removed when endangered by ice. |
| 2460 | <i>Delaware Bay Main Channel Lighted Buoy 46</i> | 39-23-59.304N 075-29-35.421W | FI R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 2470 | <i>Delaware Bay Main Channel Lighted Buoy 48</i> | 39-25-38.203N 075-31-30.526W | FI R 4s | | 5 | Red. | Removed when endangered by ice. |
| 2472 | <i>Delaware Bay Main Channel Lighted Buoy 49</i> | 39-26-19.429N 075-32-36.487W | FI G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 2475 | HOPE CREEK JETTY LIGHT 1 | 39-26-38.363N 075-30-40.783W | Q G | 16 | 5 | SG and NW on pile on red cement block, NW worded DANGER SUBMERGED JETTY . | |
| Delaware River | | | | | | | |
| 2485 | - <i>Lighted Buoy 1DR</i> | 39-27-18.403N 075-33-42.731W | Q G | | 4 | Green. | Replaced by LIB of reduced intensity from Jan. 1 to Mar 1. |
| 2490 | - LIGHT 2 | 39-27-24.780N 075-33-26.515W | FI R 2.5s | 21 | 6 | TR on pile. | |
| 2495 | Reedy Island Dike Lower Buoy 2 Marks lower end of submerged dike. | 39-27-38.103N 075-34-13.232W | | | | Red nun. | |
| 2500 | REEDY ISLAND DIKE SOUTH WARNING LIGHT | 39-28-04.283N 075-34-28.553W | FI W 2.5s | 21 | 5 | NW on skeleton tower worded DANGER SUBMERGED DIKE. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| DELAWARE RIVER (Delaware and New Jersey) - Fifth District | | | | | | | |
| SMYRNA RIVER TO WILMINGTON (Chart 12311) | | | | | | | |
| Delaware River | | | | | | | |
| 2505 | BAKER RANGE FRONT LIGHT | 39-30-42.295N 075-33-59.818W | FI W 2.5s | 15 | | On multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline |
| 2510 | BAKER RANGE REAR LIGHT 2,316 yards, 355.8° from front light. | 39-31-50.723N 075-34-07.446W | Iso W 6s | 65 | | Skeleton tower on multipile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 2511 | BAKER RANGE REAR PASSING LIGHT | 39-31-50.723N 075-34-07.446W | FI W 4s | 18 | 4 | Located on same structure as Baker Range Rear Light. | |
| 2515 | - <i>Lighted Buoy 3</i> | 39-28-09.260N 075-33-52.940W | FI G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Jan. 1 to Feb. 28. |
| 2520 | - <i>Lighted Buoy 4</i> | 39-28-10.403N 075-33-35.731W | FI R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. |
| Reedy Island Dike | | | | | | | |
| <i>Warning buoys A through H mark submerged dike. Buoys maintained from May. 15 to Nov. 1.</i> | | | | | | | |
| 2525 | - Warning Buoy A | 39-28-20.703N 075-34-35.533W | | | | White can with orange bands worded DIKE. | |
| 2530 | - Warning Buoy B | 39-28-32.203N 075-34-22.232W | | | | White can with orange bands worded DIKE. | |
| 2535 | - Warning Buoy C | 39-29-18.060N 075-34-25.746W | | | | White can with orange bands worded DIKE. | |
| 2540 | - Warning Buoy D | 39-29-16.203N 075-34-20.832W | | | | White can with orange bands worded DIKE. | |
| 2545 | - Warning Buoy E | 39-29-49.203N 075-34-17.432W | | | | White can with orange bands worded DIKE. | |
| 2550 | - Warning Buoy F | 39-29-42.903N 075-34-09.432W | | | | White can with orange bands worded DIKE. | |
| 2555 | - Warning Buoy G | 39-30-20.503N 075-34-09.532W | | | | White can with orange bands worded DIKE. | |
| 2560 | - Warning Buoy H | 39-30-19.470N 075-33-59.986W | | | | White can with orange bands worded DIKE. | |
| 2565 | - MIDDLE LIGHT | 39-28-58.483N 075-34-26.463W | FI W 6s | 20 | 7 | NW on pile worded DANGER SUBMERGED DIKE. | |
| Delaware River | | | | | | | |
| 2570 | - Buoy 5 | 39-28-59.312N 075-33-54.155W | | | | Green can. | |
| 2575 | - <i>Lighted Bell Buoy 6</i> | 39-28-58.400N 075-33-40.416W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. |
| 2580 | REEDY ISLAND RANGE FRONT LIGHT | 39-26-44.850N 075-34-35.213W | F R | 22 | | On skeleton tower. | Lighted throughout 24 hours. Visible .9° either side of rangeline. |
| 2585 | REEDY ISLAND RANGE REAR LIGHT 4,950 yards, 195.2° from front light. | 39-24-23.568N 075-35-24.578W | F R | 134 | | Gallery on pyramidal skeleton structure with black central column. | Lighted throughout 24 hours. Visible .9° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|--|---------------|--------------|-----------------------------|--|
| DELAWARE RIVER (Delaware and New Jersey) - Fifth District | | | | | | | |
| SMYRNA RIVER TO WILMINGTON (Chart 12311) | | | | | | | |
| Delaware River | | | | | | | |
| 2590 | Artificial Island Anchorage Buoy A | 39-28-51.203N 075-33-05.929W | | | | Yellow nun. | |
| 2595 | - Lighted Buoy 8 | 39-30-35.730N 075-33-08.090W | FI R 2.5s | | 5 | Red. | Replaced by nun from Jan 1 to Feb. 28. |
| 2605 | OLD REEDY ISLAND LIGHT | 39-30-02.663N 075-34-07.692W | Iso W 6s (R sector) | 20 | W 8 R 6 | NR on tower. | Red from 353° to 014°. Covers dike making out south from Reedy Island. |
| 2610 | Reedy Island Gap South Daybeacon 1 | 39-30-12.343N 075-34-06.672W | | | | SG on pile. | |
| 2615 | REEDY ISLAND GAP NORTH LIGHT 2 | 39-30-14.153N 075-34-06.212W | Q R | 15 | 3 | TR on pile. | |
| 2620 | - Lighted Buoy 9 | 39-31-01.580N 075-33-11.690W | FI G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. |
| 2630 | Artificial Island Anchorage Buoy B | 39-31-00.403N 075-32-29.727W | | | | Yellow nun. | |
| 2635 | - Lighted Wreck Buoy WR10 93 yds, 273° from wreck. Marks SS PHOENIX. | 39-32-12.000N 075-32-30.000W | Q R | | 5 | Red | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. |
| 2641 | Reedy Island Anchorage Buoy A | 39-32-15.810N 075-33-08.900W | | | | Yellow can. | |
| 2643 | Reedy Island Anchorage Buoy B | 39-33-04.680N 075-33-02.850W | | | | Yellow can. | |
| Salem River Entrance | | | | | | | |
| 2645 | - Channel Lighted Buoy 2 | 39-32-39.655N 075-32-13.786W | FI R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. |
| 2650 | - CHANNEL LIGHT 3 | 39-33-11.946N 075-31-45.994W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 2655 | - CHANNEL DIRECTIONAL LIGHT | 39-34-15.711N 075-31-02.390W | FI G 2.5s (NIGHT) FI G 2.5s (DAY) | 12 15 | | On skeleton tower. | Light visible on a bearing of 027.4°. Lighted throughout 24 hours. |
| 2665 | - CHANNEL LIGHT 4 | 39-33-10.487N 075-31-42.046W | FI R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 2670 | - CHANNEL LIGHT 5 | 39-33-37.068N 075-31-29.419W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 2675 | - CHANNEL LIGHT 6 | 39-33-34.787N 075-31-26.320W | FI R 4s | 15 | 3 | TR on multi-pile structure. | |
| 2680 | - CHANNEL LIGHT 7 | 39-34-08.943N 075-31-08.593W | Q G | 15 | 4 | SG on multi-pile structure. | |
| 2685 | - CHANNEL LIGHT 8 | 39-34-07.426N 075-31-04.912W | FI R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 2690 | - CHANNEL LIGHT 9 | 39-34-14.135N 075-30-58.990W | Q G | 15 | 4 | SG on multi-pile structure. | |
| 2695 | - CHANNEL LIGHT 10 | 39-34-11.164N 075-30-55.644W | FI R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 2700 | SALEM RIVER DIRECTIONAL LIGHT | 39-34-14.403N 075-30-40.353W | Oc W 4s | 15 | | NB on multi-pile structure. | Higher intensity beam towards Salem River entrance. Lighted throughout 24 hours. |
| 2705 | - CHANNEL LIGHT 11 | 39-34-13.085N 075-30-28.918W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 2710 | - CHANNEL LIGHT 12 | 39-34-08.030N 075-30-27.391W | Q R | 15 | 4 | TR on multi-pile structure. | |
| 2713 | - CHANNEL LIGHT 13 | 39-34-21.770N 075-29-42.020W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 2715 | - Channel 14 V-AIS | 39-34-15.704N 075-29-53.256W | | | | | AIS: MMSI 993672159. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| DELAWARE RIVER (Delaware and New Jersey) - Fifth District | | | | | | | |
| SMYRNA RIVER TO WILMINGTON (Chart 12311) | | | | | | | |
| Delaware River (Main Channel) | | | | | | | |
| 2720 | <i>Delaware River Lighted Buoy 11</i> | 39-33-06.467N 075-32-36.904W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. AIS: MMSI 993672077. |
| 2725 | <i>Delaware River Lighted Buoy 12</i> | 39-33-07.904N 075-32-14.625W | Q R | | 5 | Red. | Replaced by nun from Jan. 1 to Feb. 28. |
| 2730 | NEW CASTLE RANGE FRONT LIGHT | 39-38-32.608N 075-35-43.527W | Iso G 2s | | 56 | On white skeleton tower. | Lighted throughout 24 hours. Visible 0.9° either side of rangeline. |
| 2735 | NEW CASTLE RANGE REAR LIGHT 777 yards, 334° from front light. | 39-38-53.366N 075-35-56.464W | F G | | 110 | White skeleton tower, small white house. | Lighted throughout 24 hours. Visible 0.9° either side or rangeline. |
| 2740 | <i>Delaware River Lighted Buoy 13</i> | 39-34-08.663N 075-33-05.702W | FI G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. AIS: MMSI 993672078. |
| 2742 | FORT MOTT STATE PARK WARNING LIGHT A | 39-36-03.980N 075-33-15.915W | FI Y 4s | | 11 | On Ferry Mooring multi-pile. | Private aid. |
| 2742.1 | FORT MOTT STATE PARK WARNING LIGHT B | 39-36-04.583N 075-33-16.537W | FI Y 4s | | 11 | On Ferry Mooring multi-pile. | Private aid. |
| Chesapeake and Delaware Canal | | | | | | | |
| <i>The north and south banks of the Chesapeake and Delaware Canal between Sandy Point, Maryland, and Reedy Point, Delaware are lighted by mercury vapor luminaries, spaced 500 feet apart and are supported on poles at a height of 25 feet mean high water. They are designed to illuminate the bank at the waters edge to assist ships navigating the canal at night. (Maintained by U.S. Army Corps. of Engineers).</i> | | | | | | | |
| 2745 | - Junction Lighted Buoy CD | 39-33-51.773N 075-33-17.564W | FI (2+1)R 6s | | 4 | Red with green band. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. AIS: MMSI 993672079. |
| 2750 | - SOUTH JETTY LIGHT 1CD | 39-33-31.954N 075-33-29.748W | Q G | | 38 | 5 SG on skeleton tower. | |
| 2755 | - LIGHT 2 | 39-33-46.584N 075-33-32.488W | Q R | | 30 | 5 TR on skeleton tower and house. | |
| 2760 | - LIGHT 3 | 39-33-07.993N 075-37-15.599W | FI G 2.5s | | 20 | 5 SG on pile. | Higher intensity towards center span of bridge. |
| Bulkhead Shoal Channel | | | | | | | |
| 2765 | - RANGE FRONT LIGHT | 39-35-37.975N 075-36-13.215W | Q R | | 37 | KRW on orange skeleton structure. | Lighted throughout 24 hours. Private aid. |
| 2770 | - RANGE REAR LIGHT 1,000 yards, 306° from front light. | 39-35-55.615N 075-36-44.226W | F R | | 71 | KRW on orange skeleton structure. | Lighted throughout 24 hours. Private aid. |
| 2775 | - Lighted Buoy 2 | 39-34-04.140N 075-33-23.482W | FI R 2.5s | | | Red. | Private aid. |
| 2780 | - Lighted Buoy 3 | 39-34-13.697N 075-33-50.459W | FI G 2.5s | | | Green. | Private aid. |
| 2785 | - Buoy 4 | 39-34-17.400N 075-33-48.065W | | | | Red nun. | Private aid. |
| 2790 | - Buoy 4A | 39-34-28.800N 075-34-06.605W | | | | Red nun. | Private aid. |
| 2795 | - Lighted Buoy 5 | 39-34-36.924N 075-34-30.660W | FI G 2.5s | | | Green. | Private aid. |
| 2800 | - Buoy 6 | 39-34-40.473N 075-34-27.840W | | | | Red nun. | Private aid. |
| 2805 | - Lighted Buoy 6A | 39-34-46.530N 075-34-38.448W | FI R 2.5s | | | Red. | Replaced by nun from Dec. 1 to Apr. 1. Private aid. |
| 2810 | DELAWARE CITY LIGHT 1 | 39-34-45.310N 075-35-06.852W | FI G 4s | | 15 | 4 SG on multi-pile structure. | |
| 2815 | - Buoy 8 | 39-35-18.108N 075-35-21.210W | | | | Red nun. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| DELAWARE RIVER (Delaware and New Jersey) - Fifth District | | | | | | | |
| SMYRNA RIVER TO WILMINGTON (Chart 12311) | | | | | | | |
| Delaware River (Main Channel) | | | | | | | |
| 2830 | DELAWARE RIVER LIGHT 15 | 39-35-24.874N 075-33-55.359W | FI G 6s | 15 | 5 | SG on pile. | |
| 2835 | <i>Delaware River Lighted Buoy 17</i> | 39-36-28.005N 075-34-33.231W | FI G 2.5s | | 5 | Green. | Replaced by can when endangered by ice. |
| Pea Patch Island | | | | | | | |
| 2840 | - Warning Day beacon PPA On submerged dike. | 39-36-14.624N 075-35-03.452W | | | | NW on pile worded DANGER SUBMERGED DIKE. | |
| 2845 | - Transmission Sound Signal | 39-36-44.205N 075-34-53.531W | | 29 | | | HORN: 1 blast ev 17s (3s bl). Private aid. |
| 2850 | - RACON | 39-36-42.000N 075-34-54.000W | | | | On platform on overhead power cable tower No. 97. | RACON: X (- . . -) Private aid. |
| 2855 | - Warning Day beacon PPC On submerged dike. | 39-36-32.564N 075-35-12.723W | | | | NW on pile worded DANGER SUBMERGED DIKE. | |
| 2860 | - DIKE WARNING LIGHT A On south side of opening through submerged dike. | 39-36-52.154N 075-35-17.582W | FI W 4s | 15 | 5 | NW on pile worded DANGER SUBMERGED DIKE. | |
| 2865 | - Dike Warning Day beacon PPD | 39-37-38.135N 075-35-09.825W | | | | NW on pile worded DANGER SUBMERGED DIKE. | |
| 2870 | - WARNING LIGHT B On submerged dike. | 39-37-31.378N 075-35-12.966W | FI W 2.5s | 12 | 4 | NW on pile worded DANGER SUBMERGED DIKE. | |
| 2872 | - DIKE WARNING LIGHT C | 39-38-05.561N 075-34-49.199W | FI W 6s | 15 | 7 | NW on multi-pile structure worded DANGER SUBMERGED DIKE. | |
| 2874 | - DIKE WARNING LIGHT E On north end of dike. | 39-38-43.974N 075-34-03.509W | FI W 4s | 32 | 5 | NW on skeleton structure worded DANGER SUBMERGED DIKE. | |
| Bulkhead Bar Range | | | | | | | |
| <i>Buoys located 50 feet outside channel limit.</i> | | | | | | | |
| 2875 | <i>Delaware River Lighted Buoy 18</i> | 39-36-51.155N 075-34-33.230W | Q R | | 4 | Red. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. |
| 2880 | - FRONT LIGHT | 39-38-19.423N 075-34-33.200W | Iso R 2s | 23 | | On multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 2885 | - REAR LIGHT 2034 yards, 008° from front light. | 39-39-19.125N 075-34-22.185W | F R | 44 | | On black skeleton tower, small white house. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 2890 | <i>Delaware River Lighted Buoy 20</i> | 39-37-15.605N 075-34-34.430W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|--|---------------|--------------|---|---|
| DELAWARE RIVER (Delaware and New Jersey) - Fifth District | | | | | | | |
| SMYRNA RIVER TO WILMINGTON (Chart 12311) | | | | | | | |
| Delaware River (Main Channel) | | | | | | | |
| 2895 | DEEPWATER POINT RANGE FRONT LIGHT | 39-40-42.079N 075-31-06.319W | Iso G 2s (NIGHT) Iso W 2s (DAY) | 27 30 | | On yellow cylindrical tower. | Lighted throughout 24 hours. DAY: Visible 0.5° either side of rangeline. NIGHT: Visible all around; higher intensity 0.5° either side of rangeline |
| 2900 | Pennsville Dike Warning Buoy PDA | 39-39-45.447N 075-31-41.719W | | | | White with orange bands worded DANGER DIKE; can. | Maintained from May 15 to Nov. 1. |
| 2905 | Pennsville Dike Warning Buoy PDB | 39-40-11.407N 075-31-12.417W | | | | White and orange bands worded DANGER DIKE; can. | Maintained from May 15 to Nov. 1. |
| 2910 | DEEPWATER POINT RANGE REAR LIGHT 1,000 yards, 041.7° from front light. | 39-41-04.209N 075-30-40.773W | F G (NIGHT) F W (DAY) | 89 86 | | On yellow cylindrical tower. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible 0.5° either side of rangeline. |
| 2912 | DEEPWATER POINT RANGE REAR PASSING LIGHTS (2) | 39-41-04.209N 075-30-40.773W | FI W 4s | 15 | 5 | On same structure as Deepwater Point Range Rear Light. | |
| 2920 | <i>Delaware River Lighted Buoy 21</i> | 39-37-44.113N 075-34-39.881W | FI G 2.5s | | 4 | Green. | Replaced by can when endangered by ice. |
| 2925 | <i>Delaware River Lighted Buoy 22</i> | 39-37-45.405N 075-34-22.029W | Q R | | 4 | Red. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. |
| 2945 | <i>Delaware River Lighted Buoy 24</i> | 39-38-25.706N 075-33-35.727W | FI R 4s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 2950 | <i>Delaware River Lighted Buoy 25</i> | 39-39-21.907N 075-32-49.724W | FI G 4s | | 4 | Green. | Replaced by can when endangered by ice. |
| 2955 | <i>Delaware River Lighted Buoy 26</i> | 39-39-24.156N 075-32-27.222W | FI R 4s | | 4 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 2965 | <i>Delaware River Lighted Buoy 27</i> | 39-40-29.287N 075-31-38.010W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 2970 | <i>Delaware River Lighted Buoy 28</i> | 39-40-22.407N 075-31-21.717W | FI R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 2973 | <i>Dupont Chambers Diffuser Warning Lighted Buoy A</i> | 39-41-53.730N 075-30-35.330W | FI W 4s | | | White with orange bands and diamond worded DANGER SUBMERGED PIPELINE. | Removed when endangered by ice. Private aid. |
| 2975 | CHERRY ISLAND RANGE FRONT LIGHT | 39-45-02.168N 075-29-39.054W | Iso R 2s | 50 | | Skeleton tower on multi-pile structure.. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 2977 | CHERRY ISLAND RANGE FRONT PASSING LIGHTS (2) | 39-45-02.168N 075-29-39.054W | FI W 4s | 15 | 4 | Located on same structure as Cherry Island Range Front Light. | |
| 2980 | CHERRY ISLAND RANGE REAR LIGHT 1,452 yards, 017° from front light. | 39-45-43.403N 075-29-23.040W | F R | 120 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 0.9° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---------------------------|---|
| DELAWARE RIVER (Delaware and New Jersey) - Fifth District | | | | | | | |
| SMYRNA RIVER TO WILMINGTON (Chart 12311) | | | | | | | |
| Delaware River (Main Channel) | | | | | | | |
| 2995 | <i>Delaware River Lighted Buoy 29</i> | 39-42-10.658N 075-30-53.214W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| Christina River | | | | | | | |
| <i>Buoys located 50 feet outside of channel limit.</i> | | | | | | | |
| 3000 | - SOUTH JETTY LIGHT 1 | 39-42-54.908N 075-30-45.013W | FI G 2.5s | 21 | 6 | SG on skeleton tower. | |
| 3005 | - RANGE FRONT LIGHT | 39-43-21.922N 075-31-56.793W | Q G | | 20 | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3010 | - RANGE REAR LIGHT 285 yards, 293° from front light. | 39-43-25.129N 075-32-06.503W | Iso G 6s | | 38 | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3015 | - Entrance Lighted Buoy 2 | 39-43-01.092N 075-30-37.910W | FI R 4s | | 4 | Red. | Removed when endangered by ice. |
| 3017 | DIAMOND STATE PIER LIGHT N | 39-42-37.400N 075-30-44.500W | FI Y 4s | | 11 | On pier. | Private aid. |
| 3017.1 | DIAMOND STATE PIER LIGHT S | 39-42-29.900N 075-30-47.700W | FI Y 2.5s | | 11 | On pier. | Private aid. |
| 3017.2 | DIAMOND STATE PIER LIGHT Q | 39-42-28.370N 075-30-49.650W | FI Y 2.5s | | 12 | On mooring dolphin. | Private aid. |
| 3017.3 | DIAMOND STATE PIER LIGHT R | 39-42-27.180N 075-30-50.100W | FI Y 2.5s | | 12 | On mooring dolphin. | Private aid. |
| Delaware River (Main Channel) | | | | | | | |
| 3020 | <i>Delaware River Lighted Buoy 30</i> Marks end of shoal. | 39-43-08.609N 075-30-16.511W | FI R 6s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 3025 | Delaware River Buoy 31 | 39-43-12.009N 075-30-28.412W | | | | Green can. | |
| 3030 | <i>Delaware River Lighted Buoy 32</i> | 39-44-09.000N 075-29-53.770W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |
| 3035 | Delaware River Buoy 33 | 39-43-43.409N 075-30-16.211W | | | | Green can. | |
| 3040 | Delaware River Buoy 35 | 39-44-23.610N 075-30-00.710W | | | | Green can. | |
| 3045 | <i>Delaware River Lighted Buoy 36</i> | 39-44-50.560N 075-29-27.150W | FI R 2.5s | | 4 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| WILMINGTON TO PHILADELPHIA (Chart 12312) | | | | | | | |
| Cherry Island Flats | | | | | | | |
| 3050 | - East Channel Buoy 1 Marks lower eastern end of extending shoal. | 39-43-06.509N 075-30-01.510W | | | | Green can. | |
| 3055 | - East Channel Buoy 2 | 39-43-28.909N 075-29-20.508W | | | | Red nun. | |
| 3060 | - East Channel Buoy 3 On east edge of flats. | 39-44-06.209N 075-29-13.208W | | | | Green can. | |
| 3065 | - East Channel Buoy 4 Marks end of shoal. | 39-44-31.409N 075-28-38.905W | | | | Red nun. | |
| 3070 | - East Channel Buoy 5 On east side of flats. | 39-45-00.609N 075-28-44.205W | | | | Green can. | |
| 3075 | - Upper Junction Buoy CF | 39-45-30.209N 075-28-31.305W | | | | Red and green bands; nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|--|---------------|--------------|---|--|
| DELAWARE RIVER (Delaware and New Jersey) - Fifth District | | | | | | | |
| WILMINGTON TO PHILADELPHIA (Chart 12312) | | | | | | | |
| Delaware River (Main Channel) | | | | | | | |
| 3080 | BELLEVUE RANGE FRONT LIGHT | 39-44-07.338N 075-30-14.298W | FI G 2.5s (NIGHT) FI G 2.5s (DAY) | 36 39 | | On tower. | Lighted throughout 24 hours. DAY : Visible 0.9° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline. |
| 3085 | BELLEVUE RANGE REAR LIGHT 1,083 yards, 216° from front light. | 39-43-41.209N 075-30-38.440W | F G (NIGHT) F G (DAY) | 63 60 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 0.9° either side of rangeline. NIGHT : Visible 0.5° either side of rangeline. |
| 3090 | EDGEMOOR OUTFALL LIGHT | 39-44-08.300N 075-30-13.800W | F W | 14 | | White square marker with orange border and diamond marker worded OUTFALL. | Private aid. |
| 3090.1 | Dupont-Edgemoor Warning Buoy D | 39-45-10.850N 075-29-24.320W | | | | White with orange band worded SUBMERGED PIPE; can. | Private aid. |
| 3110 | <i>Delaware River Lighted Buoy 38</i> | 39-45-29.710N 075-28-50.790W | FI R 4s | | 4 | Red. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. |
| 3113 | Delaware River Buoy 39 | 39-45-50.020N 075-28-48.240W | | | | Green can. | |
| 3120 | <i>Delaware River Lighted Buoy 40</i> | 39-46-41.407N 075-27-45.504W | FI R 2.5s | | 4 | Red. | Removed when endangered by ice. |
| 3123 | <i>Delaware River Lighted Buoy 41</i> | 39-47-01.720N 075-27-40.740W | FI G 4s | | 4 | Green. | Removed when endangered by ice. |
| 3125 | GRUBBS LANDING LIGHT | 39-47-08.517N 075-27-51.385W | FI W 4s | 16 | 6 | NG on skeleton tower. | |
| 3130 | <i>Delaware River Lighted Buoy 42</i> | 39-47-04.608N 075-27-13.603W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 3135 | MARCUS HOOK RANGE FRONT LIGHT | 39-46-33.577N 075-28-31.382W | F R | 81 | | On pyramidal skeleton tower. | Lighted throughout 24 hours. Visible 0.9° either side of rangeline |
| 3140 | MARCUS HOOK RANGE REAR LIGHT 3,094 yards, 237.5° from front light. | 39-45-44.043N 075-30-11.423W | F R | 278 | | Concrete square tower, buttressed corners. | Lighted throughout 24 hours. Visible 0.9° either side of rangeline. Structure maintained by entity outside the U.S. Coast Guard. |
| 3150 | <i>Delaware River Lighted Buoy 43</i> Marks rock ledge. | 39-47-23.907N 075-26-58.702W | FI G 2.5s | | 5 | Green. | Replaced by can when endangered by ice. |
| 3153 | <i>Marcus Hook Lighted Research Buoy C</i> | 39-47-31.880N 075-26-21.412W | FI Y 4s | | | Yellow. | Private aid. |
| 3155 | Delaware River Buoy 44 | 39-47-25.407N 075-26-35.601W | | | | Red nun. | |
| 3160 | <i>Delaware River Lighted Buoy 46</i> | 39-47-43.606N 075-25-59.899W | FI R 4s | | 4 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 3165 | Marcus Hook Anchorage Buoy A | 39-47-47.590N 075-25-03.127W | | | | Yellow nun. | |
| DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District | | | | | | | |
| WILMINGTON TO PHILADELPHIA (Chart 12312) | | | | | | | |
| Delaware River (Main Channel) | | | | | | | |
| 3170 | MARCUS HOOK INTAKE LIGHT | 39-48-16.326N 075-25-22.608W | FI Y 2.5s | 12 | | On wood trestle on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District | | | | | | | |
| WILMINGTON TO PHILADELPHIA (Chart 12312) | | | | | | | |
| Delaware River (Main Channel) | | | | | | | |
| 3180 | Marcus Hook Anchorage Buoy B | 39-48-11.749N 075-24-10.758W | | | | Yellow nun. | |
| 3201 | RACCOON CREEK JETTY LIGHT 2RC | 39-48-34.101N 075-23-02.740W | FI R 4s | 15 | 5 | TR on pile. | |
| 3205 | Marcus Hook Anchorage Buoy C | 39-48-37.958N 075-23-17.277W | | | | Yellow nun. | |
| 3210 | <i>Delaware River Lighted Buoy 47</i> | 39-49-03.396N 075-23-40.484W | FI G 2.5s | | 5 | Green. | Replaced by can when endangered by ice. |
| 3215 | <i>Delaware River Lighted Buoy 49</i> Southeasterly of rock ledge. | 39-49-27.105N 075-22-51.490W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 3220 | CHESTER TRANSMISSION WEST LIGHTS (2) | 39-49-30.405N 075-23-04.690W | F R | 17 | | On platf orm. | Priv ate aid. |
| 3225 | CHESTER TRANSMISSION EAST LIGHTS (4) | 39-49-12.406N 075-22-46.689W | F R | 17 | | On platf orm. | HORN : 1bl ev 20s (2s bl). Priv ate aid. |
| 3230 | CHESTER RANGE FRONT LIGHT | 39-51-14.459N 075-19-53.287W | Iso G 2s | 62 | | On square skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3235 | CHESTER RANGE REAR LIGHT 548 yards, 051.2° f from front light. | 39-51-24.757N 075-19-36.978W | Iso G 6s | 110 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3240 | Delaware River Buoy 48 | 39-49-17.106N 075-22-48.689W | | | | Red nun. | |
| 3245 | <i>Delaware River Lighted Buoy 50</i> | 39-49-52.805N 075-21-52.686W | FI R 4s | | 5 | Red. | Replaced by LIB of reduced intensity f from Jan. 1 to Mar. 1. |
| 3250 | CHESTER INTAKE LIGHTS Marks water intake. | 39-50-30.405N 075-21-22.684W | | | 16 | On pile. | Priv ate aid. |
| 3255 | <i>Delaware River Lighted Buoy 52</i> | 39-50-28.705N 075-20-51.082W | Oc Y 1.5s Q R | | 4 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 3257 | HARRAHS RACETRACK WARNING LIGHT A | 39-50-55.830N 075-20-39.640W | FI W 4s | 8 | | NW on concrete mooring cell worded DANGER. | Priv ate aid. |
| 3257.1 | HARRAHS RACETRACK WARNING LIGHT B | 39-50-52.900N 075-20-44.380W | FI W 4s | 8 | | NW on concrete mooring cell worded DANGER. | Priv ate aid. |
| 3257.2 | <i>Harrahs Racetrack Warning Lighted Buoy C</i> | 39-50-50.760N 075-20-58.080W | FI W 4s | | | White and orange buoy worded DANGER. | Priv ate aid. |
| 3260 | <i>Delaware River Lighted Buoy 53</i> 50 feet outside channel limit. | 39-50-45.670N 075-20-34.377W | FI G 2.5s | | 4 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 3270 | <i>Delaware River Lighted Buoy 54</i> | 39-50-50.506N 075-19-51.679W | Q R | | 4 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 3275 | EDDYSTONE GENERATING STATION RANGE FRONT LIGHT | 39-51-24.405N 075-19-22.677W | Q W | 42 | | Rectangular white day mark with orange vertical stripe on steel tower. | Priv ate aid. |
| 3280 | EDDYSTONE GENERATING STATION RANGE REAR LIGHT | 39-51-29.420N 075-19-17.550W | Oc W 4s | | | Rectangular white day mark with orange stripe on tower. | Priv ate aid. |
| 3285 | TINICUM RANGE FRONT LIGHT | 39-50-51.932N 075-15-09.847W | Iso R 2s | 38 | | On skeleton tower. | Lighted throughout 24 hours. Visible 0.9° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|--|---------------|--------------|---|--|
| DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District | | | | | | | |
| WILMINGTON TO PHILADELPHIA (Chart 12312) | | | | | | | |
| Delaware River (Main Channel) | | | | | | | |
| 3290 | TINICUM RANGE REAR LIGHT 1,216 yards, 092.1° f from front light. | 39-50-50.910N 075-14-23.076W | F R | 112 | | Gallery on pyramidal skeleton structure, black central tower. | Lighted throughout 24 hours. Visible 0.9° either side rangeline. |
| 3295 | Delaware River Lighted Buoy 55 Marks west end of shoal. | 39-51-02.120N 075-19-24.330W | FI G 2.5s | | 4 | Green. | Replaced by can when endangered by ice. |
| 3300 | Delaware River Buoy 56 | 39-50-51.820N 075-18-47.590W | | | | Red nun. | |
| 3305 | THOMPSON POINT INTAKE LIGHT | 39-50-42.406N 075-18-16.673W | F R | 13 | | On pile. | Private aid. |
| 3310 | Delaware River Buoy 57 | 39-51-00.115N 075-17-47.283W | | | | Green can. | |
| 3315 | <i>Delaware River Lighted Buoy 59</i> | 39-50-59.307N 075-15-53.463W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 3320 | BILLINGSPOUR RANGE FRONT LIGHT | 39-50-29.876N 075-17-14.822W | Iso R 2s (NIGHT) Iso R 2s (DAY) | 21 24 | | On tower. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible 4° either side of rangeline. |
| 3325 | BILLINGSPOUR RANGE REAR LIGHT 479 yards, 250° from front light. | 39-50-25.095N 075-17-32.179W | Oc R 4s (NIGHT) Oc R 4s (DAY) | 46 43 | | On tower. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline. |
| Mantua Creek | | | | | | | |
| 3340 | - OUTFALL PIPELINE LIGHT | 39-51-15.307N 075-13-34.254W | FI Y 2.5s | 6 | | On dolphin. | Private aid. |
| 3345 | - UPPER JETTY LIGHT 1M | 39-51-12.857N 075-13-47.965W | FI G 2.5s | 15 | 3 | SG on white pile; concrete base. | |
| 3360 | - Channel Buoy 2 | 39-51-04.307N 075-13-42.455W | | | | Red nun. | Maintained from May 15 to Nov. 1. |
| 3365 | - Intake Buoy M Marks end of intake pipe. | 39-49-14.232N 075-13-20.532W | | | | Orange and white bands; can. | Private aid. |
| Mifflin Range | | | | | | | |
| 3370 | - FRONT LIGHT | 39-50-51.879N 075-15-09.793W | Iso G 2s | 48 | | On same structure as Tinicum Range Front Light. | Lighted throughout 24 hours. Visible 0.9° either side of rangeline. |
| 3375 | - REAR LIGHT 640 yards, 234° from front light. | 39-50-40.626N 075-15-29.594W | F G | 77 | | White skeleton tower. | Lighted throughout 24 hours. Visible 0.9° either side of rangeline. |
| 3380 | <i>Delaware River Lighted Buoy 61</i> | 39-51-22.907N 075-14-30.058W | Q G | | 4 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 3385 | Delaware River Buoy 63 | 39-51-53.080N 075-13-31.904W | | | | Green can. | |
| 3390 | Mantua Creek Anchorage Buoy A | 39-51-35.147N 075-13-14.491W | | | | Yellow nun. | |
| 3395 | Mantua Creek Anchorage Buoy B | 39-52-09.941N 075-12-15.321W | | | | Yellow nun. | |
| 3400 | Mantua Creek Anchorage Buoy C | 39-52-32.856N 075-12-01.161W | | | | Yellow nun. | |
| 3405 | <i>Delaware River Lighted Buoy 64</i> | 39-52-42.681N 075-11-45.372W | Q R | | 4 | Red. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District | | | | | | | |
| PHILADELPHIA AND CAMDEN WATERFRONTS (Chart 12313) | | | | | | | |
| Schuylkill River | | | | | | | |
| 3410 | - Entrance Buoy 1 120 feet outside channel limit. | 39-52-52.907N 075-11-55.148W | | | | Green can. | |
| 3415 | - RANGE FRONT LIGHT | 39-53-20.182N 075-11-35.923W | Q G | 33 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3420 | - RANGE REAR LIGHT 229 yards, 021.5° from front light. | 39-53-26.150N 075-11-33.013W | Oc G 4s | 64 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3425 | - JETTY LIGHT 2 On outer end of submerged jetty. | 39-53-00.967N 075-11-40.847W | FI R 4s | 37 | 6 | TR on skeleton tower on cylindrical base. | |
| 3433 | - LIGHT 3 | 39-53-24.278N 075-11-46.112W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 3435 | - Reserve Basin Junction Buoy RB | 39-53-31.210N 075-11-41.264W | | | | Red and green band; nun. | |
| 3445 | - Buoy 7 | 39-53-44.917N 075-12-36.986W | | | | Green can. | |
| 3450 | - Buoy 8 | 39-54-10.306N 075-12-53.450W | | | | Red nun. | |
| 3455 | - Buoy 10 | 39-54-28.990N 075-12-55.503W | | | | Red nun. | |
| Eagle Point | | | | | | | |
| 3490 | <i>Delaware River Lighted Buoy 66</i> | 39-52-49.126N 075-10-25.074W | Q R | | 4 | Red. | Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. |
| 3495 | - RANGE FRONT LIGHT | 39-52-58.679N 075-12-01.026W | Iso G 2s | 28 | | On skeleton tower. | Lighted throughout 24 hours. Visible 4° either side of rangeline. |
| 3500 | - RANGE REAR LIGHT 290 yards, 274.3° from front light. | 39-52-59.270N 075-12-12.162W | F G | 50 | | On white pyramidal tower. | Lighted throughout 24 hours. Visible 4° either side of rangeline. |
| 3503 | - <i>Range Lighted Research Buoy B</i> | 39-52-48.090N 075-10-14.962W | FI Y 4s | | | Yellow. | Maintained from Mar. 1 to Dec. 1. Private aid. |
| 3505 | <i>Delaware River Lighted Buoy 68</i> | 39-52-47.816N 075-10-00.189W | FI R 4s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 3507 | CEPOC Buoy A | 39-52-44.040N 075-09-41.640W | | | | Yellow sphere. | Private aid. |
| 3509 | <i>Delaware River Lighted Buoy 69</i> | 39-52-56.349N 075-09-05.379W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 3512 | CEPOC Buoy B | 39-52-42.600N 075-09-03.000W | | | | Yellow sphere. | Private aid. |
| 3515 | <i>Delaware River Lighted Buoy 70</i> | 39-52-47.939N 075-08-53.139W | FI R 2.5s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 3517 | <i>Delaware River Lighted Buoy 71</i> | 39-53-00.670N 075-08-49.700W | FI G 2.5s | | 4 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| Delaware River | | | | | | | |
| 3520 | - <i>Lighted Buoy 73</i> On southeast side of shoal. | 39-53-08.599N 075-08-35.452W | Q G | | 4 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 3525 | - Buoy 74 | 39-53-02.323N 075-08-25.083W | | | | Red nun. | Removed when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District | | | | | | | |
| PHILADELPHIA AND CAMDEN WATERFRONTS (Chart 12313) | | | | | | | |
| Delaware River | | | | | | | |
| 3527.1 | CEPOC Buoy C | 39-52-58.500N 075-08-13.620W | | | | Yellow sphere. | Private aid. |
| 3527.2 | CEPOC Buoy D | 39-53-02.640N 075-08-11.640W | | | | Yellow sphere. | Private aid. |
| 3527.3 | CEPOC Buoy E | 39-53-06.600N 075-08-09.660W | | | | Yellow sphere. | Private aid. |
| 3527.4 | CEPOC Buoy F | 39-53-10.800N 075-08-08.400W | | | | Yellow sphere. | Private aid. |
| 3530 | HORSESHOE RANGE FRONT LIGHT | 39-52-40.757N 075-08-44.765W | Q R | 22 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3535 | HORSESHOE RANGE REAR LIGHT 616 yards, 206.2° from front light. | 39-52-24.314N 075-08-55.084W | Oc R 4s | 37 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3540 | HORSESHOE BEND DIRECTIONAL LIGHT | 39-53-12.524N 075-08-04.339W | Q G | 20 | | On multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of centerline of channel (bearing 061.2°) . |
| 3565 | - <i>Lighted Buoy 75</i> | 39-53-35.707N 075-08-16.735W | FI G 2.5s | | 4 | Green. | Replaced by can when endangered by ice. |
| 3567 | BKEP MATERIALS DOCK LIGHT A | 39-53-41.150N 075-07-50.950W | FI Y 4s | 15 | | Yellow. | Private aid. |
| 3567.1 | BKEP MATERIALS DOCK LIGHT B | 39-53-41.492N 075-07-50.851W | FI Y 4s | 15 | | Yellow. | Private aid. |
| 3570 | SOUTH JERSEY DOCK LIGHT A | 39-54-29.407N 075-07-32.632W | F Y | 10 | | On pier. | Private aid. |
| 3575 | SOUTH JERSEY LIGHT B | 39-54-32.407N 075-07-32.632W | F Y | 10 | | On pier. | Private aid. |
| 3580 | Petty Island Lower End Buoy P Marks west end of shoal. | 39-57-44.432N 075-07-26.209W | | | | Red and green band; nun. | |
| 3585 | BACK CHANNEL LIGHT 1BC | 39-57-29.816N 075-06-27.972W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 3605 | - <i>Lighted Buoy 76</i> | 39-58-01.605N 075-07-08.632W | FI R 2.5s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 3610 | Port Richmond Anchorage Buoy A | 39-58-01.005N 075-06-55.131W | | | | Yellow nun. | |
| 3615 | Port Richmond Anchorage Buoy B | 39-58-10.205N 075-06-17.829W | | | | Yellow nun. | |
| 3620 | - <i>Lighted Buoy 78</i> 50 feet outside channel limit. | 39-58-26.894N 075-05-41.986W | FI R 2.5s | | 4 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 3625 | FISHER POINT RANGE FRONT LIGHT | 39-58-40.268N 075-04-13.946W | Iso G 6s | 37 | | KRW on multi-pile structure. | NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 3630 | FISHER POINT RANGE REAR LIGHT 183 yards, 080.5° from front light. | 39-58-40.976N 075-04-08.470W | F G | 44 | | KRW on firewall of gasoline storage tank. | NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 3640 | - Buoy 80 | 39-58-33.605N 075-04-51.625W | | | | Red nun. | |
| 3645 | - <i>Lighted Buoy 81</i> | 39-58-42.605N 075-04-34.124W | Q G | | 4 | Green. | Replaced by can when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District | | | | | | | |
| PHILADELPHIA TO TRENTON (Chart 12314) | | | | | | | |
| Upper Delaware River | | | | | | | |
| 3650 | DELAIR RANGE FRONT LIGHT | 40-00-30.278N 075-03-16.809W | Iso G 2s | 25 | | On skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 3655 | DELAIR RANGE REAR LIGHT 168 yards, 018° from front light. | 40-00-35.019N 075-03-14.820W | Oc G 4s | 41 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3660 | - Channel Lighted Buoy 2 | 39-59-15.204N 075-03-45.422W | FI R 2.5s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 3663 | - Channel Lighted Buoy 4 | 39-59-32.933N 075-03-37.371W | FI R 4s | | 5 | Red. | Replaced by LIB of reduced intensity f from Dec. 15 to Mar. 15. |
| 3665 | - Channel Buoy 5 | 39-59-42.504N 075-03-41.923W | | | | Green can. | |
| 3670 | - Channel Lighted Buoy 6 | 40-00-06.604N 075-03-23.822W | FI R 2.5s | | 6 | Red. | Replaced by LIB of reduced intensity f from Dec. 15 to Mar. 15. |
| 3680 | - Channel Lighted Buoy 8 | 40-00-24.904N 075-03-05.021W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity f from Dec. 15 to Mar. 15. |
| 3685 | - Channel Buoy 9 | 40-00-38.603N 075-02-48.320W | | | | Green can. | |
| 3690 | - Channel Buoy 10 | 40-00-34.203N 075-02-44.820W | | | | Red nun. | |
| 3695 | - Channel Buoy 10A | 40-00-45.803N 075-02-19.018W | | | | Red nun. | |
| 3700 | - Channel Buoy 11 | 40-00-50.203N 075-02-22.419W | | | | Green can. | |
| 3705 | FRANKFORD CHANNEL LOWER DIRECTIONAL LIGHT | 40-00-19.218N 075-03-25.945W | F G | 30 | | On multi-pile structure. | Light oriented on bearing 241° (not on centerline of channel). Lighted throughout 24 hours. |
| 3707 | FRANKFORD CHANNEL LOWER DIRECTIONAL PASSING LIGHT | 40-00-19.218N 075-03-25.945W | FI W 4s | 17 | 5 | On same structure as Frankford Channel Lower Directional Light. | |
| 3710 | - Channel Lighted Buoy 12 | 40-00-54.903N 075-01-56.818W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |
| 3715 | FRANKFORD UPPER RANGE FRONT LIGHT | 40-01-12.851N 075-01-21.239W | Q G | 20 | | On tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible around higher intensity 1.5° either side of rangeline. |
| 3718 | FRANKFORD UPPER RANGE REAR LIGHT 1,500 yards, 061° from front light. | 40-01-34.468N 075-00-30.679W | Oc G 4s | 50 | | On tower on multipile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3719 | FRANKFORD UPPER RANGE REAR PASSING LIGHTS (2) | 40-01-34.468N 075-00-30.679W | FI W 4s | 15 | 4 | On same structure as Frankford Upper Range Rear Light. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|--|---------------|--------------|---|---|
| DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District | | | | | | | |
| PHILADELPHIA TO TRENTON (Chart 12314) | | | | | | | |
| Upper Delaware River | | | | | | | |
| 3720 | TACONY RANGE FRONT LIGHT | 40-01-27.702N 075-00-10.688W | Q W (NIGHT) Q W (DAY) | 20 23 | | On skeleton tower on small white house. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 3725 | TACONY RANGE REAR LIGHT 182 yards, 070.1° from front light. | 40-01-29.562N 075-00-04.117W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 43 40 | | On skeleton tower on white house. | Lighted throughout 24 hours. DAY: Visible 10° either side of rangeline. NIGHT: Visible all around higher intensity 10° either side of rangeline. |
| 3730 | - Channel Lighted Buoy 14 | 40-01-07.203N 075-01-14.716W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 3735 | - Channel Lighted Buoy 15 | 40-01-22.203N 075-00-40.514W | Q G | | 4 | Green. | Replaced by can when endangered by ice. |
| Torresdale | | | | | | | |
| 3740 | - LOWER RANGE FRONT LIGHT | 40-01-07.015N 075-00-48.938W | Q W (NIGHT) Q W (DAY) | 23 26 | | Skeleton tower. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 3745 | - LOWER RANGE REAR LIGHT 569 yards, 222.3° from front light. | 40-00-54.468N 075-01-03.632W | Oc W 4s (NIGHT) Oc W 4s (DAY) | 45 42 | | On skeleton tower. | Lighted throughout 24 hours. DAY: Visible 4° either side of rangeline. NIGHT: Visible 10° either side of rangeline. |
| 3750 | - UPPER RANGE FRONT LIGHT | 40-03-15.556N 074-58-18.482W | FI R 2.5s (NIGHT) FI R 2.5s (DAY) | 21 24 | | On skeleton tower. | Lighted throughout 24 hours. DAY: Visible 0.9° either side of rangeline. NIGHT: Visible 5.5° either side of rangeline. |
| 3755 | - UPPER RANGE REAR LIGHT 764 yards, 042.30° from front light. | 40-03-32.388N 074-57-58.756W | Oc R 4s (NIGHT) Oc R 4s (DAY) | 50 47 | | On skeleton tower. | Lighted throughout 24 hours. DAY: Visible 0.9° either side of rangeline. NIGHT: Visible 5.5° either side of rangeline. |
| 3760 | - Warning Day beacon | 40-03-09.620N 074-58-30.858W | | | | NW on skeleton tower worded DANGER SUBMERGED ROCK. | |
| Upper Delaware River | | | | | | | |
| 3765 | MUD ISLAND LOWER RANGE FRONT LIGHT | 40-02-04.388N 074-59-51.739W | Q W (NIGHT) Q W (DAY) | 18 21 | | On multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 0.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 3770 | MUD ISLAND LOWER RANGE REAR LIGHT 313 yards, 232.5° from front light. | 40-01-58.707N 075-00-01.303W | Oc W 4s (NIGHT) Oc W 4s (DAY) | 48 45 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District | | | | | | | |
| PHILADELPHIA TO TRENTON (Chart 12314) | | | | | | | |
| Upper Delaware River | | | | | | | |
| 3773 | MUD ISLAND LOWER RANGE REAR PASSING LIGHTS (2) | 40-01-58.707N 075-00-01.303W | FI W 4s | 15 | 4 | Located on same structure as Mud Island Lower Range Rear Light. | |
| 3775 | - Channel Lighted Buoy 18 | 40-01-42.102N 075-00-04.112W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 3777 | Tri-County Water Intake Lighted Buoy N | 40-02-01.200N 074-59-30.100W | FI Y 6s | | | Yellow, worded KEEP AWAY - WATER SUPPLY INTAKE. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 3778 | Tri-County Water Intake Lighted Buoy S | 40-02-00.000N 074-59-41.600W | FI Y 6s | | | Yellow, worded KEEP AWAY - WATER SUPPLY INTAKE. | Maintained from Apr. 15 to Nov. 15. Private aid. |
| 3780 | - Channel Buoy 19 | 40-02-25.369N 074-59-21.266W | | | | Green can. | |
| 3785 | - Channel Lighted Buoy 20 | 40-02-21.652N 074-59-16.765W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |
| 3795 | MUD ISLAND UPPER RANGE FRONT LIGHT | 40-03-42.027N 074-57-07.232W | Oc W 4s | 25 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 3800 | MUD ISLAND UPPER RANGE REAR LIGHT 933 yards, 052.6° from front light. | 40-03-52.472N 074-56-49.605W | Iso W 6s | 52 | | On small house on concrete base. | Lighted throughout 24 hours. Visible 0.5° either side of rangeline. |
| 3803 | MUD ISLAND UPPER RANGE REAR PASSING LIGHT | 40-03-52.472N 074-56-49.605W | FI W 4s | 15 | 5 | On same structure as Mud Island Upper Range Rear Light. | |
| 3805 | - Channel Lighted Buoy 22 | 40-02-50.201N 074-58-29.809W | FI R 4s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 3810 | - Channel Buoy 23 | 40-03-10.801N 074-58-05.408W | | | | Green can. | |
| 3813 | - Channel Buoy 25 | 40-03-22.595N 074-57-44.405W | | | | Green can. | |
| 3815 | - Channel Lighted Buoy 26 | 40-03-19.300N 074-57-41.007W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |
| 3820 | ENTERPRISE LOWER RANGE FRONT LIGHT | 40-03-06.304N 074-58-20.157W | Oc W 4s | 21 | | On skeleton tower. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT : Visible all around higher intensity 1.5° either side of rangeline. |
| 3825 | ENTERPRISE LOWER RANGE REAR LIGHT 1,056 yards, 241.5° from front light. | 40-02-51.194N 074-58-55.849W | F W | 50 | | On skeleton tower. | Lighted throughout 24 hours. DAY/NIGHT: Visible 1.5° either side of rangeline. |
| 3830 | - Channel Lighted Buoy 28 | 40-03-45.899N 074-56-40.104W | FI R 4s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 3835 | - Channel Buoy 29 | 40-03-53.599N 074-56-36.104W | | | | Green can. | |
| 3840 | ENTERPRISE UPPER RANGE FRONT LIGHT | 40-04-29.274N 074-55-04.021W | FI W 2.5s | 28 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|--|---------------|--------------|--|---|
| DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District | | | | | | | |
| PHILADELPHIA TO TRENTON (Chart 12314) | | | | | | | |
| Upper Delaware River | | | | | | | |
| 3845 | ENTERPRISE UPPER RANGE REAR LIGHT 235 yards, 061° from front light. | 40-04-32.553N 074-54-56.310W | F W | 50 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3855 | - Channel Buoy 31 | 40-04-16.999N 074-55-40.102W | | | | Green can. | |
| 3860 | - Channel Lighted Buoy 30 | 40-04-10.500N 074-55-37.902W | Q R | | 4 | Red. | |
| 3865 | BEVERLY LOWER RANGE FRONT LIGHT | 40-04-14.880N 074-56-05.170W | Oc G 4s (NIGHT) Oc G 4s (DAY) | 31 34 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around with higher intensity 1.5° either side of rangeline. |
| 3870 | BEVERLY LOWER RANGE REAR LIGHT 160 yards, 271° from front light. | 40-04-15.063N 074-56-10.070W | F G (NIGHT) F G (DAY) | 43 40 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around with higher intensity 1.5° either side of rangeline. |
| 3875 | - Channel Lighted Buoy 33 | 40-04-17.399N 074-54-46.800W | Q G | | 4 | Green. | Replaced by can when endangered by ice. |
| 3880 | BEVERLY UPPER RANGE FRONT LIGHT | 40-04-13.090N 074-54-10.163W | Q W (NIGHT) Q W (DAY) | 28 25 | | On skeleton tower. | Lighted throughout 24 hours. DAY: Visible 4° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 3885 | BEVERLY UPPER RANGE REAR LIGHT 156 yards, 089.4° from front light. | 40-04-12.961N 074-54-02.450W | Oc W 4s (NIGHT) Oc W 4s (DAY) | 43 40 | | On skeleton tower. | Lighted throughout 24 hours. DAY: Visible 4° either side of rangeline. NIGHT : Visible 14° either side of rangeline. |
| 3890 | EDGEWATER UPPER RANGE FRONT LIGHT | 40-04-54.130N 074-52-26.341W | Q G | 29 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 3895 | EDGEWATER UPPER RANGE REAR LIGHT 344 yards, 069.81° from front light. | 40-04-57.686N 074-52-13.907W | Oc G 4s | 49 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3897 | EDGEWATER UPPER RANGE REAR PASSING LIGHT | 40-04-57.686N 074-52-13.907W | Oc W 4s | 21 | 4 | On same structure as Edgewater Upper Range Rear Light. | |
| 3900 | - Channel Buoy 34 | 40-04-10.999N 074-54-48.000W | | | | Red nun. | |
| 3905 | EDGEWATER LOWER RANGE FRONT LIGHT | 40-04-08.700N 074-55-05.605W | Q W | 21 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 3910 | EDGEWATER LOWER RANGE REAR LIGHT 290 yards, 249.5° from front light. | 40-04-05.762N 074-55-15.902W | F W | 41 | | On skeleton tower. | Lighted throughout 24 hours. Visible 5.5° either side or rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|--|---------------|--------------|--------------------------|---|
| DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District | | | | | | | |
| PHILADELPHIA TO TRENTON (Chart 12314) | | | | | | | |
| Upper Delaware River | | | | | | | |
| 3915 | NESHAMINY MARINA JETTY LIGHT N | 40-04-24.399N 074-54-22.599W | FI W 4s | 32 | 5 | NR on pile. | |
| 3920 | - Channel Lighted Buoy 36 | 40-04-27.399N 074-53-51.098W | FI R 4s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 3925 | - Channel Buoy 39 | 40-04-44.698N 074-53-08.296W | | | | Green can. | |
| 3930 | - Channel Lighted Buoy 40 | 40-04-39.899N 074-53-05.797W | Q R | | 4 | Red. | Replaced by nun when endangered by ice. |
| 3935 | DEVLIN LOWER RANGE FRONT LIGHT | 40-04-37.502N 074-53-37.722W | Q R (NIGHT) Q R (DAY) | 20 23 | | On skeleton tower. | Lighted throughout 24 hours, DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 3940 | DEVLIN LOWER RANGE REAR LIGHT 833 yards, 258.3° from front light. | 40-04-31.747N 074-54-12.926W | Oc R 4s (NIGHT) Oc R 4s (DAY) | 60 57 | | On skeleton tower. | Lighted throughout 24 hours, DAY Visible 1.5° either side of rangeline. NIGHT: Visible 1.5° either side of rangeline. |
| 3945 | DEVLIN UPPER RANGE FRONT LIGHT | 40-05-01.303N 074-51-11.360W | Q W (NIGHT) Q W (DAY) | 28 31 | | Skeleton tower. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around, higher intensity 1.5° either side of rangeline. |
| 3950 | DEVLIN UPPER RANGE REAR LIGHT 259 yards, 078.2° from front light. | 40-05-02.896N 074-51-01.583W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 38 35 | | On skeleton tower. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around, higher intensity 1.5° either side of rangeline. |
| 3955 | - Channel Lighted Buoy 43 | 40-04-59.599N 074-51-52.394W | Q G | | 5 | Green. | |
| 3960 | - Channel Buoy 44 | 40-05-03.299N 074-51-39.493W | | | | Red nun. | |
| 3965 | LEHIGH LOWER RANGE FRONT LIGHT | 40-04-51.405N 074-51-51.585W | Oc G 4s | | 37 | On skeleton tower. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 3970 | LEHIGH LOWER RANGE REAR LIGHT 44 yards, 206.8° from front light. | 40-04-50.263N 074-51-52.373W | F G | | 49 | On skeleton tower. | Lighted throughout 24 hours. Higher intensity 1.5° either side of rangeline. |
| 3975 | LEHIGH UPPER RANGE FRONT LIGHT | 40-05-41.280N 074-51-16.379W | Q G | | 35 | On multi-pile structure. | Lighted throughout 24 hours. Visible all around; higher intensity 1.5° either side of rangeline. |
| 3980 | LEHIGH UPPER RANGE REAR LIGHT 77 yards, 028.5° from front light. | 40-05-43.311N 074-51-14.955W | F G | | 42 | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 3985 | - Channel Lighted Buoy 45 | 40-05-32.198N 074-51-25.792W | FI G 2.5s | | 4 | Green. | |
| 3990 | - Channel Lighted Buoy 48 | 40-05-38.098N 074-51-06.992W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|--|---------------|--------------|-----------------------------|--|
| DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District | | | | | | | |
| PHILADELPHIA TO TRENTON (Chart 12314) | | | | | | | |
| Upper Delaware River | | | | | | | |
| 3995 | BRISTOL RANGE FRONT LIGHT | 40-05-30.995N 074-51-29.288W | Iso W 2s (NIGHT) Iso W 2s (DAY) | 18 15 | | On skeleton tower. | Lighted throughout 24 hours. Day : Visible 10.0° either side of rangeline. Night : Visible all around, higher intensity 1.5° either side of rangeline. |
| 4000 | BRISTOL RANGE REAR LIGHT 83 yards, 241.2° from front light. | 40-05-29.797N 074-51-32.098W | F R (NIGHT) F R (DAY) | 29 23 | | On skeleton tower. | Lighted throughout 24 hours. Day : Visible 1.5° either side of rangeline. Night : Visible all around, higher intensity 1.5 either side of rangeline. |
| 4005 | Yacht Anchorage Buoy A | 40-05-54.397N 074-50-40.591W | | | | White can. | Maintained from Apr. 1 to Nov. 30. Private aid. |
| 4010 | - Channel Lighted Buoy 51 | 40-05-57.997N 074-50-33.590W | Q G | | 4 | Green. | Replaced by can when endangered by ice. |
| 4015 | - Channel Lighted Buoy 52 | 40-05-54.797N 074-50-27.590W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15. |
| 4030 | Yacht Anchorage Buoy B | 40-06-09.000N 074-50-21.000W | | | | White can. | Maintained from May 1 to Nov. 1. Private aid. |
| 4035 | - Channel Lighted Buoy 53 | 40-06-19.197N 074-50-12.490W | Q G | | 5 | Green. | Replaced by can when endangered by ice. |
| 4040 | - Channel Lighted Buoy 54 | 40-06-14.397N 074-50-06.589W | Q R | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15. |
| 4045 | LANDRETH RANGE FRONT LIGHT | 40-06-04.512N 074-50-13.905W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 30 27 | | On multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 5.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 4050 | LANDRETH RANGE REAR LIGHT 430 yards, 198° from front light. | 40-05-52.423N 074-50-19.013W | F W (NIGHT) F W (DAY) | 52 49 | | On skeleton tower. | Lighted through 24 hours. DAY: Visible 5.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of range line. |
| 4055 | - Channel Buoy 55 | 40-06-34.597N 074-50-04.490W | | | | Green can. | |
| 4060 | - Channel Lighted Buoy 56 | 40-07-25.996N 074-49-33.588W | Q R | | 4 | Red. | |
| 4065 | - Channel Buoy 57 | 40-07-36.096N 074-49-31.988W | | | | Green can. | |
| 4070 | - Channel Lighted Buoy 58 | 40-07-34.786N 074-49-22.088W | FI R 2.5s | | 4 | Red. | |
| 4073 | - CHANNEL LIGHT 59 | 40-07-45.003N 074-48-56.085W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 4075 | - Channel Lighted Buoy 60 | 40-07-37.696N 074-48-56.666W | Q R | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15. |
| 4080 | FLORENCE LOWER DIRECTIONAL LIGHT | 40-07-45.525N 074-49-13.515W | Q W | 27 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of centerline of channel (bearing 291.3°). |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|--|---------------|--------------|--|---|
| DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District | | | | | | | |
| PHILADELPHIA TO TRENTON (Chart 12314) | | | | | | | |
| Upper Delaware River | | | | | | | |
| 4090 | - Channel Lighted Buoy 63 | 40-07-29.196N 074-48-10.625W | FI G 4s | | 4 | Green. | |
| 4095 | - Channel Lighted Buoy 65 | 40-07-16.597N 074-47-28.585W | Q G | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15. |
| 4100 | FLORENCE UPPER RANGE FRONT LIGHT | 40-07-08.044N 074-47-07.125W | Q W | 25 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 4103 | FLORENCE UPPER RANGE FRONT PASSING LIGHT | 40-07-08.044N 074-47-07.125W | FI W 4s | 8 | 4 | Located on same structure as Florence Upper Range Front Light. | Marks side of platform nearest channel. |
| 4105 | FLORENCE UPPER RANGE REAR LIGHT 278 yards, 111.3° from front light. | 40-07-05.063N 074-46-57.105W | Oc W 4s | 49 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 4110 | KINKORA LOWER RANGE FRONT LIGHT | 40-07-09.369N 074-47-05.223W | Q W (NIGHT) Q W (DAY) | 22 25 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 0.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 4115 | KINKORA LOWER RANGE REAR LIGHT 150 yards, 230.3° from front light. | 40-07-06.525N 074-47-09.661W | Oc W 4s (NIGHT) Oc W 4s (DAY) | 40 37 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 4115.1 | KINKORA LOWER RANGE REAR PASSING LIGHT | 40-07-06.525N 074-47-09.661W | FI W 4s | 15 | 4 | Located on same structure as Kinkora Lower Range Rear Light. | Located on corner of platform. |
| 4120 | - Channel Buoy 66 | 40-07-10.096N 074-47-22.384W | | | | Red nun. | |
| 4125 | ROEBLING RANGE FRONT LIGHT | 40-07-17.740N 074-46-42.316W | Oc R 4s | 35 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 4130 | ROEBLING RANGE REAR LIGHT 41 yards, 079.8° from front light. | 40-07-17.958N 074-46-40.741W | F R | 41 | | On tower with small house on concrete base. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 4135 | - Channel Lighted Buoy 69 | 40-07-16.597N 074-47-07.684W | Q G | | 4 | Green. | Replaced by can when endangered by ice. |
| 4140 | - Channel Buoy 70 | 40-07-13.797N 074-46-54.183W | | | | Red nun. | |
| 4145 | KINKORA UPPER RANGE FRONT LIGHT | 40-08-06.608N 074-45-35.867W | FI G 2.5s (NIGHT) FI G 2.5s (DAY) | 25 26 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 4150 | KINKORA UPPER RANGE REAR LIGHT 201 yards, 050° from front light. | 40-08-10.466N 074-45-29.899W | Iso G 6s (NIGHT) Iso G 6s (DAY) | 44 41 | | On skeleton tower. | Lighted throughout 24 hours. Higher intensity 1.5° either side of rangeline. |
| 4155 | - Channel Lighted Buoy 71 | 40-07-21.297N 074-46-52.450W | Q G | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15. |
| 4160 | - Channel Lighted Buoy 72 | 40-07-36.396N 074-46-19.582W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District | | | | | | | |
| PHILADELPHIA TO TRENTON (Chart 12314) | | | | | | | |
| Upper Delaware River | | | | | | | |
| 4165 | - Channel Buoy 75 | 40-08-02.196N 074-45-47.581W | | | | Green can. | |
| 4170 | - Channel Lighted Buoy 76 | 40-08-01.396N 074-45-31.581W | Q R | | 4 | Red. | Replaced by nun when endangered by ice. |
| 4175 | - Channel Lighted Buoy 78 | 40-08-03.796N 074-45-04.780W | FI R 2.5s | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15. |
| 4180 | - Channel Buoy 80 | 40-08-02.196N 074-44-37.079W | | | | Red nun. | |
| 4185 | NEWBOLD DIRECTIONAL LIGHT | 40-08-02.742N 074-44-18.853W | Q W | 34 | | NR on skeleton tower. | Visible on centerline of channel at a bearing 095.4°. Lighted throughout 24 hours. |
| 4190 | - Channel Buoy 81 | 40-08-06.296N 074-44-39.179W | | | | Green can. | |
| 4195 | - Channel Buoy 82 | 40-08-04.396N 074-44-27.578W | | | | Red nun. | |
| 4200 | - Channel Buoy 83 | 40-08-08.396N 074-44-29.278W | | | | Green can. | |
| 4215 | - Channel Buoy 84 | 40-08-26.446N 074-43-53.577W | | | | Red nun. | |
| 4220 | - Channel Buoy 85 | 40-08-30.396N 074-43-53.667W | | | | Green can. | |
| 4223 | - Channel Buoy 86 | 40-08-48.414N 074-43-21.381W | | | | Red nun. | Maintained from 15 May to 01 Nov. |
| 4225 | - Channel Buoy 87 | 40-08-49.996N 074-43-25.976W | | | | Green can. | |
| 4245 | - Channel Buoy 88 | 40-09-00.896N 074-43-15.876W | | | | Red nun. | |
| 4250 | - Channel Lighted Buoy 89 | 40-09-01.396N 074-43-20.576W | FI G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15. |
| 4255 | BORDENTOWN RANGE FRONT LIGHT | 40-09-55.685N 074-43-19.675W | Q G | 23 | | On skeleton tower with small house on concrete base. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 4260 | BORDENTOWN RANGE REAR LIGHT 266.5 yards, 359° from front light. | 40-10-03.585N 074-43-19.874W | Iso G 6s | 43 | | On skeleton tower with small house on concrete base. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 4265 | - Channel Buoy 90 | 40-09-20.196N 074-43-16.076W | | | | Red nun. | |
| 4270 | - Channel Lighted Buoy 91 | 40-09-37.995N 074-43-22.276W | FI G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 15 to Mar. 15. |
| 4275 | - Channel Buoy 92 | 40-09-39.595N 074-43-17.176W | | | | Red nun. | |
| 4280 | DUCK ISLAND RANGE FRONT LIGHT | 40-10-57.493N 074-44-31.838W | Q W | 33 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 4285 | DUCK ISLAND RANGE REAR LIGHT 251 yards, 324° from front light. | 40-11-03.565N 074-44-37.474W | Iso W 6s | 45 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 4290 | - Channel Buoy 94 | 40-09-52.395N 074-43-28.977W | | | | Red nun. | |
| 4295 | - Channel Buoy 95 | 40-10-10.995N 074-43-51.077W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|-------------------------------|---------------------------------|-----------------------|---------------|--------------|---------------------------|-----------------------------------|
| DELAWARE RIVER (Pennsylvania and New Jersey) - Fifth District | | | | | | | |
| PHILADELPHIA TO TRENTON (Chart 12314) | | | | | | | |
| Upper Delaware River | | | | | | | |
| 4300 | - Channel Buoy 96 | 40-10-30.089N 074-44-03.786W | | | | Red nun. | |
| 4305 | - Channel Buoy 97 | 40-10-39.994N 074-44-18.678W | | | | Green can. | |
| 4346 | - Pipeline Outfall Buoy | 40-12-00.245N 074-45-34.298W | | | | White with orange bands. | Private aid. |
| DELAWARE - Fifth District | | | | | | | |
| CAPE HENLOPEN TO INDIAN RIVER INLET (Chart 12216) | | | | | | | |
| Indian River Inlet | | | | | | | |
| <i>Position of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 4360 | - Lighted Buoy 1 | 38-36-32.902N 075-02-46.447W | FI G 2.5s | | 5 | Green. | |
| 4365 | - Lighted Buoy 2 | 38-36-32.653N 075-03-22.148W | FI R 4s | | 5 | Red. | |
| 4375 | - SOUTH JETTY LIGHT 3 | 38-36-28.203N 075-03-33.049W | FI G 4s | 30 | 6 | SG on skeleton tower. | |
| 4400 | - Buoy 11 | 38-36-26.128N 075-04-40.262W | | | | Green can. | |
| 4405 | - Buoy 12 | 38-36-28.800N 075-04-47.850W | | | | Red nun. | |
| 4410 | - Buoy 14 | 38-36-10.263N 075-05-01.386W | | | | Red nun. | |
| 4415 | - Buoy 15 | 38-35-56.868N 075-05-18.929W | | | | Green can. | Maintained from May 1 to Dec. 10. |
| 4417 | - Lighted Buoy 16 | 38-36-00.358N 075-05-19.012W | Q R | | 4 | Red. | Maintained from May 1 to Dec. 10. |
| 4419 | - Buoy 16A | 38-35-58.525N 075-05-27.289W | | | | Red nun. | Maintained from May 1 to Dec. 10. |
| 4420 | - Lighted Buoy 17 | 38-36-05.152N 075-05-47.738W | FI G 2.5s | | 4 | Green. | Maintained from May 1 to Dec. 10. |
| 4430 | Indian River Junction Buoy IR | 38-36-28.145N 075-05-36.208W | | | | Red and green bands; nun. | Maintained from May 1 to Dec. 10. |
| 4433 | - Buoy 18 | 38-36-16.773N 075-06-06.068W | | | | Red nun. | Maintained from May 1 to Dec. 10. |
| Middle Island West Channel | | | | | | | |
| <i>Buoys maintained from May 1 to Dec. 10.</i> | | | | | | | |
| 4436 | - Junction Lighted Buoy MI | 38-36-22.365N 075-06-22.202W | FI (2+1)R 6s | | 4 | Red and Green. | |
| 4437 | Middle Island West Buoy 1 | 38-36-30.633N 075-06-17.900W | | | | Green can. | |
| 4438 | - Buoy 3 | 38-36-38.561N 075-06-03.052W | | | | Green can. | |
| 4439 | - Day beacon 5 | 38-36-57.040N 075-05-59.001W | | | | SG on pile. | |
| 4439.5 | - Buoy 7 | 38-37-06.810N 075-05-50.950W | | | | Green can. | |
| Pepper Creek | | | | | | | |
| <i>Buoys maintained from May 1 to Dec. 10.</i> | | | | | | | |
| 4440 | - Buoy 1 | 38-34-49.860N 075-10-28.860W | | | | Green can. | |
| 4445 | - Lighted Wreck Buoy WR2 | 38-34-34.506N 075-10-49.268W | Q R | | 3 | Red. | |
| 4450 | - Buoy 4 | 38-34-16.706N 075-11-08.369W | | | | Red nun. | |
| 4455 | - Buoy 5 | 38-34-15.600N 075-11-31.740W | | | | Green can. | |
| 4460 | - Day beacon 7 | 38-34-06.959N 075-11-53.417W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|------------------|----------------|
| DELAWARE - Fifth District | | | | | | | |
| CAPE HENLOPEN TO INDIAN RIVER INLET (Chart 12216) | | | | | | | |
| Pepper Creek | | | | | | | |
| <i>Buoys maintained from May 1 to Dec. 10.</i> | | | | | | | |
| 4465 | - Day beacon 8 | 38-33-58.481N 075-12-09.077W | | | | TR on pile. | |
| 4470 | - Lighted Wreck Buoy WR10 | 38-33-47.706N 075-12-30.360W | FI R 2.5s | | 3 | Red. | |
| 4475 | - Day beacon 12 | 38-33-43.107N 075-12-47.374W | | | | TR on pile. | |
| 4480 | - Day beacon 13 | 38-33-41.549N 075-12-59.171W | | | | SG on pile. | |
| 4485 | - Day beacon 14 | 38-33-42.109N 075-12-59.434W | | | | TR on pile. | Private aid. |
| Indian River Channel | | | | | | | |
| <i>Buoys maintained from May 1 to Dec. 10.</i> | | | | | | | |
| 4490 | - Buoy 20 | 38-36-23.504N 075-06-40.157W | | | | Red nun. | |
| 4495 | - Buoy 22 | 38-36-02.204N 075-07-34.760W | | | | Red nun. | |
| 4500 | - Buoy 24 | 38-35-50.804N 075-08-29.062W | | | | Red nun. | |
| 4505 | - Buoy 26 | 38-35-34.980N 075-09-26.940W | | | | Red nun. | |
| 4510 | - Buoy 28 | 38-35-22.440N 075-10-36.360W | | | | Red nun. | |
| 4515 | - Buoy 30 Marks channel to Millsboro. | 38-35-23.106N 075-11-38.570W | | | | Red nun. | |
| 4520 | - Buoy 31 | 38-35-23.880N 075-12-03.060W | | | | Green can. | |
| 4525 | - Buoy 32 | 38-35-31.706N 075-12-31.773W | | | | Red nun. | |
| 4530 | - Buoy 34 | 38-35-26.106N 075-12-44.373W | | | | Red nun. | |
| 4535 | - Day beacon 36 | 38-35-27.906N 075-13-08.374W | | | | TR on pile. | |
| 4540 | - Buoy 38 | 38-35-19.886N 075-13-27.350W | | | | Red nun. | |
| 4545 | - Buoy 40 | 38-35-15.700N 075-13-58.900W | | | | Red nun. | |
| 4547 | - Day beacon 41 | 38-35-14.090N 075-14-12.520W | | | | SG on pile. | Private aid. |
| 4550 | - Buoy 42 | 38-35-17.407N 075-14-09.177W | | | | Red nun. | |
| 4551.01 | - Day beacon 43 | 38-35-26.674N 075-14-24.155W | | | | SG on pile. | Private aid. |
| 4551.02 | - Day beacon 44 | 38-35-29.859N 075-14-22.933W | | | | TR on pile. | Private aid. |
| 4551.03 | - Day beacon 45 | 38-35-27.068N 075-14-41.108W | | | | SG on pile. | Private aid. |
| 4551.04 | - Day beacon 46 | 38-35-30.544N 075-14-41.079W | | | | TR on pile. | Private aid. |
| 4551.05 | - Day beacon 47 | 38-35-26.290N 075-14-49.568W | | | | SG on pile. | Private aid. |
| 4551.06 | - Day beacon 48 | 38-35-28.111N 075-14-51.420W | | | | TR on pile. | Private aid. |
| 4551.07 | - Day beacon 49 | 38-35-17.324N 075-15-00.027W | | | | SG on pile. | Private aid. |
| 4551.08 | - Day beacon 50 | 38-35-20.253N 075-15-01.384W | | | | TR on pile. | Private aid. |
| 4551.09 | - Day beacon 51 | 38-35-08.354N 075-15-13.485W | | | | SG on pile. | Private aid. |
| 4551.1 | - Day beacon 52 | 38-35-09.882N 075-15-15.047W | | | | TR on pile. | Private aid. |
| 4551.11 | - Day beacon 53 | 38-34-59.517N 075-15-26.638W | | | | SG on pile. | Private aid. |
| 4551.12 | - Day beacon 54 | 38-35-00.646N 075-15-26.633W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|------------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|----------------|
| DELAWARE - Fifth District | | | | | | | |
| CAPE HENLOPEN TO INDIAN RIVER INLET (Chart 12216) | | | | | | | |
| Indian River Channel | | | | | | | |
| <i>Buoys maintained from May 1 to Dec. 10.</i> | | | | | | | |
| 4551.13 | - Day beacon 55 | 38-34-59.467N 075-15-34.282W | | | | SG on pile. | Private aid. |
| 4551.14 | - Day beacon 56 | 38-35-00.748N 075-15-34.061W | | | | TR on pile. | Private aid. |
| 4551.15 | - Day beacon 57 | 38-35-07.097N 075-15-49.138W | | | | SG on pile. | Private aid. |
| 4551.16 | - Day beacon 58 | 38-35-08.249N 075-15-48.692W | | | | TR on pile. | Private aid. |
| 4551.17 | - Day beacon 59 | 38-35-09.118N 075-16-06.130W | | | | SG on pile. | Private aid. |
| 4551.18 | - Day beacon 60 | 38-35-10.245N 075-16-05.921W | | | | TR on pile. | Private aid. |
| 4551.19 | - Day beacon 61 | 38-35-11.004N 075-16-16.044W | | | | SG on pile. | Private aid. |
| 4551.21 | - Day beacon 62 | 38-35-12.150N 075-16-16.109W | | | | TR on pile. | Private aid. |
| 4551.22 | - Day beacon 63 | 38-35-11.385N 075-16-22.281W | | | | SG on pile. | Private aid. |
| 4551.23 | - Day beacon 64 | 38-35-12.277N 075-16-22.434W | | | | TR on pile. | Private aid. |
| 4551.24 | - Day beacon 65 | 38-35-09.947N 075-16-34.516W | | | | SG on pile. | Private aid. |
| 4551.25 | - Day beacon 66 | 38-35-10.450N 075-16-33.908W | | | | TR on pile. | Private aid. |
| 4551.26 | - Day beacon 67 | 38-35-14.196N 075-16-39.395W | | | | SG on pile. | Private aid. |
| 4551.27 | - Day beacon 68 | 38-35-14.222N 075-16-38.000W | | | | TR on pile. | Private aid. |
| 4551.28 | - Day beacon 68A | 38-35-18.488N 075-16-37.497W | | | | TR on pile. | Private aid. |
| 4551.29 | - Day beacon 69 | 38-35-24.153N 075-16-36.216W | | | | SG on pile. | Private aid. |
| 4551.31 | - Day beacon 70 | 38-35-24.325N 075-16-34.922W | | | | TR on pile. | Private aid. |
| White Creek | | | | | | | |
| <i>Positions of buoys frequently shifted due to changing conditions. Buoys maintained from May 1 to Dec. 10.</i> | | | | | | | |
| 4645 | - Buoy 1 | 38-36-01.980N 075-06-39.300W | | | | Green can. | |
| 4650 | - Buoy 3 | 38-35-35.700N 075-06-32.400W | | | | Green can. | |
| 4655 | - Buoy 5 | 38-35-15.402N 075-06-09.180W | | | | Green can. | |
| 4660 | - Buoy 6 | 38-34-46.620N 075-05-30.060W | | | | Red nun. | |
| 4665 | - Day beacon 7 | 38-34-33.504N 075-05-49.856W | | | | SG on pile. | |
| 4670 | - Day beacon 9 | 38-34-06.419N 075-05-42.587W | | | | SG on pile. | |
| 4675 | - Day beacon 9A | 38-33-52.463N 075-05-29.723W | | | | SG on pile. | |
| 4680 | - Day beacon 11 | 38-33-42.303N 075-05-24.955W | | | | SG on pile. | |
| Beach Cove | | | | | | | |
| 4685 | - Entrance Channel Day beacon 1 | 38-35-15.000N 075-04-00.000W | | | | SG on pile. | Private aid. |
| 4690 | - Entrance Day beacon 2 | 38-35-16.000N 075-04-01.000W | | | | TR on pile. | Private aid. |
| 4695 | - Day beacon 3 | 38-35-10.000N 075-04-13.000W | | | | SG on pile. | Private aid. |
| 4700 | - Channel Day beacon 4 | 38-35-10.000N 075-04-15.000W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| MARYLAND - Fifth District | | | | | | | |
| FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211) | | | | | | | |
| Ocean City Inlet | | | | | | | |
| 4720 225 | - JETTY LIGHT | 38-19-27.042N 075-05-05.581W | Iso W 6s | 38 | 6 | On skeleton tower. | HORN: 1 blast ev 10s (2s bl). HORN is activated by keying the mic 5 times on VHF-FM 81A (157.075MHz). HORN operates for 30 minutes. |
| 4730 240 | - Lighted Bell Buoy 2 | 38-19-25.536N 075-03-41.138W | FI R 4s | | 6 | Red. | |
| 4735 | - Entrance Lighted Buoy 4 | 38-19-23.712N 075-04-55.860W | FI R 4s | | 4 | Red. | |
| 4740 | - Lighted Buoy 5 | 38-19-22.213N 075-05-01.760W | FI G 4s | | 4 | Green. | |
| 4745 | - Lighted Buoy 8 | 38-19-24.780N 075-05-24.510W | FI R 2.5s | | 4 | Red. | |
| 4750 | - Lighted Buoy 10 | 38-19-27.923N 075-05-30.310W | FI R 4s | | 4 | Red. | |
| 4753 | - Junction Lighted Buoy OC | 38-19-35.064N 075-05-34.620W | FI (2+1)R 6s | | 4 | Red and green. | |
| 4755 | - Lighted Buoy 11 | 38-19-36.367N 075-05-42.679W | FI G 2.5s | | 4 | Green. | |
| 4757 | - Lighted Buoy 12 | 38-19-38.978N 075-05-47.019W | FI R 2.5s | | 4 | Red. | |
| Isle of Wight Bay | | | | | | | |
| 4765 | - Warning Buoy A | 38-19-39.374N 075-05-34.609W | | | | White can with orange bands and orange diamond. | |
| 4770 | - Warning Buoy B | 38-19-40.589N 075-05-40.268W | | | | White can with orange bands and orange diamond. | |
| 4780 | - Buoy 1 | 38-20-10.224N 075-05-20.748W | | | | Green can. | |
| 4785 | - Warning Buoy C | 38-20-30.550N 075-05-07.369W | | | | White can with orange bands worded DANGER OBSTRUCTION. | |
| 4790 | - LIGHT 2 | 38-20-23.226N 075-05-14.460W | FI R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 4830 | - Buoy 5 | 38-20-40.249N 075-05-27.448W | | | | Green can. | |
| 4835 | - Warning Daybeacon A | 38-20-59.712N 075-05-28.794W | | | | NW on multi-pile structure worded DANGER. | |
| 4837 | - Buoy 6 | 38-21-00.035N 075-05-30.049W | | | | Red nun. | |
| 4840 | - Buoy 7 | 38-21-09.186N 075-05-26.022W | | | | Green can. | |
| 4850 | - Warning Daybeacon B | 38-21-16.093N 075-05-20.841W | | | | NW on pile worded DANGER. | |
| 4853 | - Buoy 8 | 38-21-20.563N 075-05-20.757W | | | | Red nun. | |
| 4855 | - LIGHT 9 | 38-21-30.432N 075-05-17.808W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 4857 | - Buoy 9A | 38-21-39.780N 075-05-14.595W | | | | Green can. | |
| 4860 | - Warning Daybeacon C | 38-21-46.284N 075-05-15.636W | | | | NW on pile worded DANGER. | |
| 4860.5 | - Lighted Buoy 11 | 38-21-46.353N 075-05-15.231W | FI G 2.5s | | 4 | Green. | |
| 4861 | - Buoy 11A | 38-21-53.860N 075-05-22.437W | | | | Green can. | |
| 4870 | - Lighted Wreck Buoy WR13 Marks submerged piles. | 38-22-02.301N 075-05-24.855W | Q G | | 4 | Green. | |
| 4871 | - Lighted Wreck Buoy WR14 Marks submerged piles. | 38-22-12.360N 075-05-29.759W | Q R | | 4 | Red. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|-------------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|----------------|
| MARYLAND - Fifth District | | | | | | | |
| FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211) | | | | | | | |
| Thorofare Channel | | | | | | | |
| 4875 | - Buoy 3 | 38-20-54.411N 075-05-34.661W | | | | Green can. | Private aid. |
| 4880 | - Buoy 4 | 38-21-12.411N 075-05-46.661W | | | | Red nun. | Private aid. |
| 4885 | - Buoy 5 | 38-21-18.438N 076-05-52.781W | | | | Green can. | Private aid. |
| 4890 | - Buoy 6 | 38-21-24.411N 075-06-04.662W | | | | Red nun. | Private aid. |
| 4895 | - Buoy 8 | 38-21-18.411N 075-06-10.662W | | | | Red nun. | Private aid. |
| 4900 | - Buoy 10 | 38-21-18.411N 075-06-22.663W | | | | Red nun. | Private aid. |
| 4905 | - Buoy 12 | 38-21-24.411N 075-06-22.663W | | | | Red nun. | Private aid. |
| 4910 | - Buoy 14 | 38-21-48.411N 075-06-40.663W | | | | Red nun. | Private aid. |
| 4915 | - Buoy 15 | 38-22-06.411N 075-06-52.664W | | | | Green can. | Private aid. |
| 4920 | - Buoy 16 | 38-22-09.411N 075-06-47.863W | | | | Red nun. | Private aid. |
| Isle of Wight Bay | | | | | | | |
| Ocean Pines Yacht Club | | | | | | | |
| 4925 | - LIGHT 2 | 38-23-01.410N 075-07-22.664W | FI R 2.5s | 12 | | TR on pile. | Private aid. |
| 4930 | - LIGHT 3 | 38-23-06.848N 075-07-39.753W | FI G 2.5s | 6 | | SG on pile. | Private aid. |
| 4935 | - LIGHT 4 | 38-23-07.732N 075-07-39.039W | FI R 2.5s | 6 | | TR on pile. | Private aid. |
| 4940 | OCEAN PINES OUTFALL LIGHT A | 38-23-25.000N 075-07-43.000W | FI Y 2.5s | 15 | | NY on pile. | Private aid. |
| 4945 | Ocean Pines Outfall Day beacon B | 38-23-25.000N 075-07-43.000W | | | | NY on pile. | Private aid. |
| 87th Street Channel | | | | | | | |
| 4946 | - Buoy 1 | 38-24-27.500N 075-04-24.600W | | | | Green can. | Private aid. |
| 4946.01 | - Buoy 2 | 38-24-25.600N 075-04-25.500W | | | | Red nun. | Private aid. |
| 4946.02 | - Buoy 3 | 38-24-25.900N 075-04-19.200W | | | | Green can. | Private aid. |
| 4946.03 | - Buoy 4 | 38-24-24.600N 075-04-19.200W | | | | Red nun. | Private aid. |
| 4946.04 | - Buoy 5 | 38-24-24.000N 075-04-11.100W | | | | Green can. | Private aid. |
| 4946.05 | - Buoy 6 | 38-24-23.200N 075-04-11.100W | | | | Red nun. | Private aid. |
| 4946.06 | - Buoy 7 | 38-24-21.700N 075-04-01.300W | | | | Green can. | Private aid. |
| 4946.07 | - Buoy 8 | 38-24-20.400N 075-04-01.900W | | | | Red nun. | Private aid. |
| 4946.08 | - Buoy 9 | 38-24-18.600N 075-03-53.200W | | | | Green can. | Private aid. |
| 4946.09 | - Buoy 10 | 38-24-17.900N 075-03-53.300W | | | | Red nun. | Private aid. |
| Cape Windsor Channel | | | | | | | |
| 4950 | - Day beacon 2CW | 38-27-00.494N 075-04-16.651W | | | | TR on pile. | Private aid. |
| 4955 | - Day beacon 3 | 38-27-04.494N 075-04-17.651W | | | | SG on pile. | Private aid. |
| 4960 | - Day beacon 4 | 38-27-06.494N 075-04-18.651W | | | | TR on pile. | Private aid. |
| 4965 | - Day beacon 5 | 38-27-06.494N 075-04-10.651W | | | | SG on pile. | Private aid. |
| 4970 | - Day beacon 7 | 38-27-12.494N 075-04-13.651W | | | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|------------------|----------------|
| DELAWARE - Fifth District | | | | | | | |
| FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211) | | | | | | | |
| Roy Creek | | | | | | | |
| 4975 | - Day beacon 1 | 38-27-11.210N 075-05-02.470W | | | | SG on pile. | Private aid. |
| 4980 | - Day beacon 2 | 38-27-12.040N 075-05-01.290W | | | | TR on pile. | Private aid. |
| 4985 | - Day beacon 3 | 38-27-20.010N 075-05-10.090W | | | | SG on pile. | Private aid. |
| 4990 | - Day beacon 4 | 38-27-20.910N 075-05-09.310W | | | | TR on pile. | Private aid. |
| Little Assawoman Bay | | | | | | | |
| 4990.5 | FENWICK ISLAND YACHT CLUB WARNING LIGHT A | 38-27-56.580N 075-03-32.100W | Fl W 4s | 15 | | NW on pile. | Private aid. |
| 4991 | - Day beacon 1 | 38-27-18.983N 075-03-48.152W | | | | SG on pile. | Private aid. |
| 4991.01 | - Day beacon 1A | 38-27-23.585N 075-03-45.079W | | | | SG on pile. | Private aid. |
| 4991.02 | - Day beacon 3 | 38-27-27.790N 075-03-45.960W | | | | SG on pile. | Private aid. |
| 4991.03 | - Day beacon 4 | 38-27-27.780N 075-03-44.790W | | | | TR on pile. | Private aid. |
| 4991.04 | - Day beacon 4A | 38-27-33.580N 075-03-43.480W | | | | TR on pile. | Private aid. |
| 4991.05 | - Day beacon 5 | 38-27-40.980N 075-03-41.760W | | | | SG on pile. | Private aid. |
| 4991.06 | - Day beacon 5A | 38-27-45.180N 075-03-43.230W | | | | SG on pile. | Private aid. |
| 4991.07 | - Day beacon 6 | 38-27-40.980N 075-03-40.590W | | | | TR on pile. | Private aid. |
| 4991.08 | - Day beacon 7 | 38-27-58.160N 075-03-51.222W | | | | SG on pile. | Private aid. |
| 4991.09 | - Day beacon 8 | 38-27-58.420N 075-03-50.250W | | | | TR on pile. | Private aid. |
| 4991.1 | - Day beacon 9 | 38-28-09.770N 075-03-47.240W | | | | SG on pile. | Private aid. |
| 4991.11 | - Day beacon 10 | 38-28-10.190N 075-03-45.950W | | | | TR on pile. | Private aid. |
| 4991.12 | - Day beacon 11 | 38-28-26.970N 075-03-49.380W | | | | SG on pile. | Private aid. |
| 4991.13 | - Day beacon 12 | 38-28-27.000N 075-03-48.220W | | | | TR on pile. | Private aid. |
| 4991.14 | - Day beacon 13 | 38-28-41.590N 075-03-49.080W | | | | SG on pile. | Private aid. |
| 4991.15 | - Day beacon 14 | 38-28-41.690N 075-03-47.820W | | | | TR on pile. | Private aid. |
| 4991.16 | - Day beacon 15 | 38-28-56.440N 075-03-49.600W | | | | SG on pile. | Private aid. |
| 4991.17 | - Day beacon 16 | 38-28-56.760N 075-03-48.290W | | | | TR on pile. | Private aid. |
| 4991.18 | - Day beacon 17 | 38-29-12.170N 075-03-50.560W | | | | SG on pile. | Private aid. |
| 4991.19 | - Day beacon 18 | 38-29-12.270N 075-03-49.230W | | | | TR on pile. | Private aid. |
| 4991.2 | - Day beacon 19 | 38-29-29.640N 075-03-42.400W | | | | SG on pile. | Private aid. |
| 4991.21 | - Day beacon 20 | 38-29-29.430N 075-03-41.040W | | | | TR on pile. | Private aid. |
| 4991.22 | - Day beacon 21 | 38-29-34.750N 075-03-35.620W | | | | SG on pile. | Private aid. |
| 4991.23 | - Day beacon 22 | 38-29-36.530N 075-03-34.370W | | | | TR on pile. | Private aid. |
| 4991.24 | - Day beacon 23 | 38-29-45.660N 075-03-30.960W | | | | SG on pile. | Private aid. |
| 4991.25 | - Day beacon 24 | 38-29-46.000N 075-03-29.960W | | | | TR on pile. | Private aid. |
| 4991.26 | - Day beacon 25 | 38-29-57.320N 075-03-41.550W | | | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| DELAWARE - Fifth District | | | | | | | |
| FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211) | | | | | | | |
| Little Assawoman Bay | | | | | | | |
| 4991.27 | - Day beacon 26 | 38-29-57.680N 075-03-40.490W | | | | TR on pile. | Private aid. |
| 4991.28 | - Day beacon 27 | 38-30-11.760N 075-03-50.810W | | | | SG on pile. | Private aid. |
| 4991.29 | - Day beacon 28 | 38-30-11.810N 075-03-49.630W | | | | TR on pile. | Private aid. |
| MARYLAND - Fifth District | | | | | | | |
| FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211) | | | | | | | |
| Sinepuxent Bay | | | | | | | |
| 4995 | - Channel Buoy 1 | 38-19-34.153N 075-05-49.603W | | | | Green can. | |
| 5000 | - Channel Lighted Wreck Buoy WR2 | 38-19-33.288N 075-05-51.630W | Q R | | 4 | Red. | |
| 5005 | - Channel Buoy 3 | 38-19-14.747N 075-06-09.455W | | | | Green can. | |
| 5010 | - Channel Lighted Wreck Buoy WR4 Marks submerged piles. | 38-19-04.287N 075-06-28.538W | Q R | | 4 | Red. | |
| 5015 | - Channel Buoy 6 | 38-18-41.082N 075-06-41.094W | | | | Red nun. | |
| 5017 | - Channel Buoy 7 | 38-18-30.668N 075-06-43.701W | | | | Green can. | |
| 5020 | - CHANNEL LIGHT 8 | 38-18-08.886N 075-06-52.692W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 5035 | - Channel Day beacon 10 | 38-18-02.850N 075-06-59.214W | | | | TR on pile. | |
| 5037 | - Channel Buoy 10A | 38-17-56.903N 075-07-05.283W | | | | Red nun. | |
| 5040 | - Channel Warning Day beacon A | 38-17-48.552N 075-07-17.634W | | | | NW on multi-pile structure worded DANGER SHOAL. | |
| 5042 | - Channel Lighted Buoy 11 | 38-17-49.837N 075-07-17.565W | FI G 4s | | 4 | Green. | Replaced by can when endangered by ice. |
| 5045 | - Channel Lighted Wreck Buoy WR11A Marks submerged piles. | 38-17-32.739N 075-07-40.646W | Q G | | 4 | Green. | |
| 5050 | - Channel Day beacon 11B | 38-17-27.930N 075-07-44.544W | | | | SG on pile. | |
| 5055 | - CHANNEL LIGHT 13 | 38-17-05.794N 075-07-50.406W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 5060 | - Channel Day beacon 14 | 38-16-33.576N 075-08-09.012W | | | | TR on pile. | |
| 5065 | - CHANNEL LIGHT 15 | 38-15-58.542N 075-08-21.954W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 5070 | - Channel Lighted Buoy 16 | 38-15-34.200N 075-08-36.432W | FI R 2.5s | | 4 | Red. | |
| 5075 | - Channel Buoy 17 | 38-15-06.951N 075-08-46.844W | | | | Green can. | |
| 5080 | - CHANNEL LIGHT 19 | 38-14-45.888N 075-08-56.070W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 5085 | - Channel Buoy 20 | 38-14-31.153N 075-09-15.558W | | | | Red nun. | |
| 5095 | - Channel Lighted Wreck Buoy WR23 | 38-13-55.478N 075-09-45.418W | Q G | | 3 | Green. | |
| 5100 | - CHANNEL LIGHT 25 | 38-13-34.938N 075-10-04.872W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 5110 | - Channel Buoy 27A | 38-12-50.362N 075-10-48.583W | | | | Green can. | |
| 5115 | - Channel Buoy 28 | 38-12-51.402N 075-10-50.364W | | | | Red nun. | |
| 5125 | - Channel Lighted Buoy 31 | 38-12-08.500N 075-11-33.000W | FI G 4s | | 4 | Green. | |
| 5130 | - Channel Buoy 33 | 38-11-41.558N 075-12-05.928W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|------------------------------------|--|
| MARYLAND - Fifth District | | | | | | | |
| FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211) | | | | | | | |
| Sinepuxent Bay | | | | | | | |
| 5135 | - Channel Buoy 35 | 38-11-05.502N 075-12-53.064W | | | | Green can. | |
| 5140 | - Channel Buoy 37 | 38-10-35.448N 075-13-31.944W | | | | Green can. | |
| 5145 | - Channel Lighted Wreck Buoy WR39 Marks submerged piles. | 38-10-03.902N 075-14-13.338W | Q G | | 4 | Green. | |
| Chincoteague Bay | | | | | | | |
| 5150 | PUBLIC LANDING LIGHT 1 | 38-09-00.906N 075-16-50.328W | FI G 2.5s | 15 | 3 | SG on multi-pile structure. | |
| 5155 | TANHOUSE CREEK ENTRANCE LIGHT 2 | 38-07-45.700N 075-17-25.800W | FI R 2.5s | 15 | 4 | TR on pile. | |
| Chincoteague Bay State Boundary Line | | | | | | | |
| 5180 | - Buoy E | 38-01-15.137N 075-18-58.697W | | | | White and orange can worded MD/VA. | Private aid. |
| 5190 | - Buoy G | 38-01-24.637N 075-17-09.192W | | | | White and orange can worded MD/VA. | Private aid. |
| Chincoteague Bay | | | | | | | |
| 5195 | - Buoy 29 | 38-09-07.052N 075-14-45.083W | | | | Green Can. | |
| 5515 | | | | | | | |
| 5200 | - Lighted Buoy 28 | 38-08-04.864N 075-15-04.697W | FI R 4s | | 4 | Red. | |
| 5510 | | | | | | | |
| 5210 | - LIGHT 24 | 38-05-53.472N 075-16-29.760W | FI R 4s | 15 | 4 | TR on pile. | |
| 5500 | | | | | | | |
| 5220 | - Lighted Buoy 21 | 38-03-08.260N 075-17-02.240W | FI G 4s | | 4 | Green. | |
| 5490 | | | | | | | |
| 5225 | Johnson Bay Entrance Day beacon 1 | 38-04-02.434N 075-19-51.071W | | | | SG on pile. | |
| 5230 | Johnson Bay Entrance Day beacon 3 | 38-04-26.404N 075-21-37.001W | | | | SG on multi-pile structure. | |
| 5235 | - Buoy 19 | 38-01-36.107N 075-19-14.379W | | | | Green can. | |
| 5240 | - LIGHT 18 | 38-01-18.588N 075-20-02.100W | FI R 4s | 15 | 4 | TR on pile. | |
| 5480 | | | | | | | |
| George Island | | | | | | | |
| 5245 | - LANDING CHANNEL LIGHT 1G | 38-01-48.450N 075-20-41.478W | FI G 4s | 15 | 4 | SG on pile. | |
| 5250 | - Landing Channel Day beacon 3 | 38-02-01.650N 075-21-12.360W | | | | SG on pile. | |
| 5260 | - Channel Day beacon 6 | 38-02-17.633N 075-21-41.067W | | | | TR on pile. | Private aid. |
| 5265 | - Channel Day beacon 8 | 38-02-25.791N 075-21-38.279W | | | | TR on pile. | Private aid. |
| VIRGINIA - Fifth District | | | | | | | |
| FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211) | | | | | | | |
| Chincoteague Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 5271 | - CBFS Data Buoy A | 37-50-42.900N 075-25-05.600W | | | | Yellow can. | Maintained from Jun. 1 to Jul. 15. Private aid. |
| 5275 | - Lighted Buoy 1C | 37-50-58.189N 075-24-48.610W | FI G 4s | | 4 | Green. | |
| 5280 | - Lighted Buoy 2 | 37-51-07.951N 075-24-43.894W | FI R 2.5s | | 4 | Red. | |
| 5283 | - Buoy 3 | 37-51-18.109N 075-24-50.411W | | | | Green can. | |
| 5285 | - Buoy 4 | 37-51-27.786N 075-24-44.046W | | | | Red nun. | |
| 5295 | - Lighted Buoy 5 | 37-51-36.673N 075-24-51.603W | FI G 2.5s | | 4 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|---|--|
| VIRGINIA - Fifth District | | | | | | | |
| FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211) | | | | | | | |
| Chincoteague Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 5300 | - Lighted Buoy 6 | 37-52-01.395N 075-24-58.438W | FI R 4s | | 4 | Red. | |
| Chincoteague Channel | | | | | | | |
| 5305 | - Lighted Buoy 8 | 37-52-30.084N 075-25-10.084W | FI R 2.5s | | 4 | Red. | |
| 5310 | - Lighted Buoy 10 | 37-52-54.956N 075-25-00.286W | Q R | | 4 | Red. | |
| 5315 | - Lighted Buoy 11 | 37-52-55.461N 075-24-51.436W | FI G 4s | | 4 | Green. | |
| 5320 | - Lighted Buoy 11A | 37-52-53.470N 075-24-33.480W | Q G | | 4 | Green. | |
| 5321 | - CBFS Data Buoy A | 37-53-06.400N 075-24-53.500W | | | | Yellow can. | Maintained from Jun. 1 to Jul. 15. Private aid. |
| 5325 | - Lighted Buoy 12 | 37-53-21.320N 075-24-12.941W | FI R 4s | | 4 | Red. | |
| 5330 | - Buoy 13 | 37-53-31.274N 075-24-16.966W | | | | Green can. | |
| 5335 | - Warning Daybeacon A | 37-53-32.408N 075-23-49.625W | | | | NW on pile worded DANGER PILE. | |
| 5336 | - Buoy 14 | 37-53-42.315N 075-24-13.773W | | | | Red nun. | |
| 5345 | - LIGHT 16 | 37-53-58.956N 075-24-26.850W | FI R 4s | 15 | 4 | TR on pile. | |
| 5350 | - LIGHT 17 | 37-54-12.303N 075-24-43.404W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 5358 | - Buoy 19 | 37-54-21.480N 075-24-34.850W | | | | Green can. | |
| 5360 | - Lighted Buoy 20 | 37-54-28.246N 075-24-22.732W | FI R 2.5s | | 4 | Red. | |
| 5365 | - Buoy 21 | 37-54-52.905N 075-23-57.240W | | | | Green can. | |
| 5380 | - Lighted Buoy 23 | 37-55-06.732N 075-23-45.055W | FI G 4s | | 4 | Green. | |
| 5385 | - Buoy 25 | 37-55-15.490N 075-23-42.610W | | | | Green can. | |
| 5390 | - Lighted Buoy 26 | 37-55-44.230N 075-23-33.400W | FI R 2.5s | | 4 | Red. | |
| 5392 | - Lighted Buoy 27 | 37-55-46.164N 075-23-33.224W | FI G 4s | | 4 | Green. | |
| 5395 | - Warning Daybeacon B | 37-55-45.622N 075-23-27.341W | | | | NW on multi-pile structure worded DANGER. | |
| 5397 | - Lighted Buoy 28 | 37-55-45.590N 075-23-30.240W | FI R 4s | | 4 | Red. | |
| 5400 | - Lighted Buoy 29 | 37-55-49.558N 075-23-20.996W | FI G 4s | | 4 | Green. | |
| 5405 | - Buoy 30 | 37-55-51.935N 075-23-11.174W | | | | Red nun. | |
| Chincoteague Bay | | | | | | | |
| 5415 | - CHANNEL LIGHT 3 | 37-56-28.112N 075-22-06.315W | Q G | 15 | 4 | SG on multi-pile structure. | |
| 5420 | - Channel Buoy 4 | 37-56-49.561N 075-21-53.995W | | | | Red nun. | |
| 5425 | - Channel Buoy 6 | 37-57-02.404N 075-21-48.175W | | | | Red nun. | |
| 5430 | - Channel Lighted Buoy 8 | 37-57-15.438N 075-21-42.274W | Q R | | 4 | Red. | |
| 5435 | - Channel Buoy 9 | 37-57-37.134N 075-21-44.406W | | | | Green can. | |
| 5441 | - Channel Buoy 10 | 37-58-02.514N 075-22-24.354W | | | | Red nun. | |
| 5445 | - Lighted Buoy 12 | 37-58-27.351N 075-23-05.037W | Q R | | 4 | Red. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| VIRGINIA - Fifth District | | | | | | | |
| FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211) | | | | | | | |
| Chincoteague Bay | | | | | | | |
| 5450 | - Buoy 14 | 37-59-15.969N 075-22-49.965W | | | | Red nun. | |
| 5453 | Coards Marsh Sanctuary Day beacon A | 37-59-35.130N 075-21-40.280W | | | | White square board with orange border, red circle with SAV in center. | Private aid. |
| 5453.1 | Coards Marsh Sanctuary Day beacon B | 37-59-52.760N 075-20-42.520W | | | | White square board with orange border, red circle with SAV in center. | Private aid. |
| 5453.2 | Coards Marsh Sanctuary Day beacon C | 38-00-19.000N 075-20-09.000W | | | | White square board with orange border, red circle with SAV in center. | Private aid. |
| Greenbackville | | | | | | | |
| 5455 | - <i>Lighted Wreck Buoy WR1</i> Marks submerged piles. | 38-00-01.348N 075-23-02.121W | Q G | | 4 | Green. | |
| 5456 | - CBFS Data Buoy A | 38-00-06.700N 075-22-46.600W | | | | Yellow can. | Maintained from Jun. 1 to Jul. 15. Private aid. |
| 5457 | - Sanctuary Day beacon A | 37-59-34.090N 075-24-03.270W | | | | White square board with orange border, red circle with SAV in center. | Private aid. |
| 5457.1 | - Sanctuary Day beacon B | 38-00-02.690N 075-23-36.380W | | | | White square board with orange border, red circle with SAV in center. | Private aid. |
| 5460 | - EAST JETTY LIGHT 2 | 38-00-22.341N 075-23-17.124W | FI R 2.5s | 15 | 3 | TR on pile. | |
| 5465 | - WEST JETTY LIGHT 3 | 38-00-21.348N 075-23-18.576W | FI G 2.5s | 15 | 3 | SG on pile. | |
| 5470 | - <i>Lighted Wreck Buoy WR5</i> | 38-00-23.720N 075-23-20.392W | Q G | | 4 | Green. | |
| Chincoteague Bay | | | | | | | |
| 5475 | - Buoy 16 | 38-00-42.260N 075-21-11.270W | | | | Red nun. | |
| 5480 | - LIGHT 18 | 38-01-18.588N 075-20-02.100W | FI R 4s | 15 | 4 | TR on pile. | |
| 5240 | | | | | | | |
| 5487 | - <i>Lighted Wreck Buoy WR20</i> Marks submerged piles. | 38-02-13.451N 075-17-59.759W | Q R | | 4 | Red. | |
| 5490 | - <i>Lighted Buoy 21</i> | 38-03-08.260N 075-17-02.240W | FI G 4s | | 4 | Green. | |
| 5220 | | | | | | | |
| 5500 | - LIGHT 24 | 38-05-53.472N 075-16-29.760W | FI R 4s | 15 | 4 | TR on pile. | |
| 5210 | | | | | | | |
| 5510 | - <i>Lighted Buoy 28</i> | 38-08-04.864N 075-15-04.697W | FI R 4s | | 4 | Red. | |
| 5200 | | | | | | | |
| 5515 | - Buoy 29 | 38-09-07.052N 075-14-45.083W | | | | Green Can. | |
| 5195 | | | | | | | |

VIRGINIA INSIDE PASSAGE (Virginia) - Fifth District

| | | | | | | | |
|---|--------------------------------------|---------------------------------|-----------|--|---|--------|--|
| CHINCOTEAGUE INLET TO GREAT MACHIPONGO INLET (Chart 12210) | | | | | | | |
| Virginia Inside Passage | | | | | | | |
| 5520 | <i>Wallops Island Lighted Buoy 2</i> | 37-53-41.604N 075-24-55.627W | FI R 2.5s | | 4 | Red. | |
| 5531 | <i>Wallops Island Lighted Buoy 3</i> | 37-53-43.748N 075-25-43.486W | FI G 2.5s | | 4 | Green. | |
| 5535 | <i>Wallops Island Lighted Buoy 4</i> | 37-53-34.731N 075-26-03.510W | FI R 2.5s | | 4 | Red. | |
| 5540 | <i>Wallops Island Lighted Buoy 5</i> | 37-53-30.030N 075-26-43.650W | FI G 2.5s | | 4 | Green. | |
| 5545 | <i>Wallops Island Lighted Buoy 6</i> | 37-53-27.657N 075-27-03.013W | FI R 2.5s | | 4 | Red. | |
| 5547 | <i>Wallops Island Lighted Buoy 7</i> | 37-53-16.277N 075-27-26.512W | FI G 4s | | 4 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| VIRGINIA INSIDE PASSAGE (Virginia) - Fifth District | | | | | | | |
| CHINCOTEAGUE INLET TO GREAT MACHIPONGO INLET (Chart 12210) | | | | | | | |
| Virginia Inside Passage | | | | | | | |
| 5610 | <i>Wallops Island Lighted Buoy 7A</i> | 37-53-06.033N 075-27-48.180W | FI G 2.5s | | 4 | Green. | |
| 5615 | Wallops Island Buoy 9 | 37-52-40.111N 075-27-49.744W | | | | Green can. | |
| 5620 | Wallops Island Buoy 11 | 37-52-27.232N 075-27-52.664W | | | | Green can. | |
| 5622 | Wallops Island Buoy 12 | 37-52-21.842N 075-27-52.757W | | | | Red nun. | |
| 5625 | Wallops Island Buoy 13 | 37-52-00.323N 075-28-09.089W | | | | Green can. | |
| 5630 | Wallops Island Warning Day beacon A | 37-51-57.036N 075-28-15.924W | | | | NW on pile worded DANGER SHOAL. | |
| 5850 | Metompkin Warning Day beacon A | 37-43-05.838N 075-35-47.778W | | | | NW on multi-pile structure worded DANGER SHOAL. | |
| 5865 | Metompkin Buoy 2M | 37-42-36.440N 075-36-05.280W | | | | Red nun. | |
| 5877 | Metompkin Buoy 4 | 37-42-17.140N 075-36-21.010W | | | | Red nun. | |
| 5880 | Metompkin Day beacon 5 | 37-41-52.518N 075-36-39.402W | | | | SG on pile. | |
| 5887 | Metompkin Buoy 7 | 37-41-20.780N 075-36-55.570W | | | | Green can. | |
| 5890 | Metompkin Day beacon 9 | 37-41-05.028N 075-36-36.066W | | | | SG on pile. | |
| 5895 | METOMPKIN LIGHT 11 | 37-41-02.493N 075-36-16.980W | Q G | 15 | 4 | SG on multi-pile structure. | |
| 5900 | Metompkin Day beacon 12 | 37-40-42.300N 075-36-16.956W | | | | TR on pile. | |
| 5903 | Metompkin Buoy 13 | 37-40-33.264N 075-36-19.434W | | | | Green can. | |
| 5905 | Metompkin Warning Day beacon B | 37-40-32.508N 075-36-29.250W | | | | NW on pile worded DANGER SHOALING. | |
| 5907 | Metompkin Buoy 15 | 37-40-24.240N 075-36-56.620W | | | | Green can. | |
| 5910 | Metompkin Warning Day beacon C | 37-40-24.186N 075-36-53.448W | | | | NW on pile worded DANGER. | |
| 5915 | <i>Metompkin Lighted Buoy 17</i> | 37-40-08.010N 075-37-10.470W | FI G 4s | | 4 | Green. | |
| 5920 | Metompkin Day beacon 18 | 37-39-47.532N 075-37-04.500W | | | | TR on pile. | |
| 5925 | Metompkin Day beacon 19 | 37-39-26.598N 075-37-12.810W | | | | SG on pile. | |
| 5930 | Metompkin Warning Day beacon D | 37-39-21.696N 075-37-21.474W | | | | NW on pile worded DANGER. | |
| 5933 | Metompkin Buoy 20 | 37-39-19.920N 075-37-21.280W | | | | Red nun. | |
| 5935 | <i>Metompkin Lighted Wreck Buoy WR22</i> Marks submerged pile. | 37-39-17.844N 075-37-28.690W | Q R | | 4 | Red. | |
| 5943 | Metompkin Buoy 23 | 37-39-13.640N 075-37-40.720W | | | | Green can. | |
| 5945 | Metompkin Buoy 24 | 37-39-07.580N 075-37-57.580W | | | | Red nun. | |
| 5950 | Metompkin Warning Day beacon E | 37-38-54.528N 075-38-16.272W | | | | NW on pile worded DANGER SHOAL | |
| 5990 | Wachapreague Channel Warning Day beacon A | 37-36-40.967N 075-39-59.075W | | | | NW on pile worded DANGER. | |
| 5995 | Wachapreague Channel Day beacon 10 | 37-36-34.650N 075-39-56.274W | | | | TR on pile. | |
| 6020 | BRADFORD BAY LIGHT 7B | 37-35-47.671N 075-41-12.697W | Q G | 15 | 4 | SG on multi-pile structure. | |
| 6025 | Bradford Bay Day beacon 6 | 37-35-32.093N 075-40-56.853W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|-----------------------------------|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| VIRGINIA INSIDE PASSAGE (Virginia) - Fifth District | | | | | | | |
| CHINCOTEAGUE INLET TO GREAT MACHIPONGO INLET (Chart 12210) | | | | | | | |
| Virginia Inside Passage | | | | | | | |
| 6035 | Bradford Bay Buoy 5A | 37-35-15.620N 075-40-42.514W | | | | Green can. | |
| 6040 | BRADFORD BAY LIGHT 5 | 37-35-00.132N 075-40-28.541W | FI G 4s | 15 | 3 | SG on multi-pile structure. | |
| 6045 | Bradford Bay Day beacon 3 | 37-34-50.385N 075-40-17.716W | | | | SG on pile. | |
| 6050 | Bradford Bay Buoy 2 | 37-34-40.866N 075-40-13.437W | | | | Red nun. | |
| 6053 | Bradford Bay Buoy 1B | 37-34-24.560N 075-39-45.667W | | | | Green can. | |
| 6055 | Bradford Bay Warning Day beacon A | 37-34-22.035N 075-39-45.931W | | | | NW on multi-pile structure worded DANGER. | |
| 6060 | Bradford Bay Warning Day beacon B | 37-34-03.953N 075-40-06.366W | | | | NW on pile worded DANGER. | |
| 6220 | - Day beacon 184 | 37-27-32.184N 075-46-09.396W | | | | TR on pile. | |
| 6237 | - Day beacon 189 | 37-22-34.383N 075-46-04.284W | | | | SG on pile. | |
| 6245 | - Day beacon 191 | 37-22-56.862N 075-46-21.072W | | | | SG on pile. | |
| 6250 | - Day beacon 192 | 37-23-25.992N 075-46-08.970W | | | | TR on pile. | |
| 6255 | - Day beacon 193 | 37-23-43.272N 075-46-23.124W | | | | SG on pile. | |
| 6261 | - Warning Day beacon B | 37-23-52.506N 075-47-00.522W | | | | NW on pile worded DANGER PILE. | |
| 6263 | - Day beacon 195 | 37-23-44.688N 075-47-37.164W | | | | SG on pile. | |
| 6265 | - Day beacon 196 | 37-23-47.976N 075-48-40.926W | | | | TR on pile. | |
| 6270 | - Day beacon 197 | 37-23-47.184N 075-48-59.976W | | | | SG on pile. | |
| 6280 | - Day beacon 199 | 37-24-03.390N 075-49-34.416W | | | | SG on pile. | |
| 6290 | - Day beacon 200 | 37-24-20.886N 075-49-20.214W | | | | TR on pile. | |
| 6295 | - Day beacon 202 | 37-24-32.076N 075-49-15.132W | | | | TR on pile. | |
| 6300 | - Day beacon 203 | 37-24-39.258N 075-49-27.588W | | | | SG on pile. | |
| 6305 | - Day beacon 204 | 37-24-39.882N 075-49-39.690W | | | | TR on pile. | |
| 6310 | - Day beacon 205 | 37-24-34.860N 075-49-58.602W | | | | SG on pile. | |
| CHESAPEAKE BAY ENTRANCE (Chart 12221) | | | | | | | |
| Virginia Inside Passage | | | | | | | |
| 6320 | - Day beacon 206 | 37-24-31.998N 075-50-20.136W | | | | TR on pile. | |
| 6322 | - Day beacon 206A | 37-24-21.498N 075-50-33.762W | | | | TR on pile. | |
| 6325 | - Day beacon 207 | 37-24-15.829N 075-50-35.370W | | | | SG on pile. | |
| 6335 | - Day beacon 209 | 37-24-09.312N 075-50-36.864W | | | | SG on pile. | |
| 6340 | - Day beacon 210 | 37-24-03.660N 075-50-44.226W | | | | TR on pile. | |
| 6345 | - Day beacon 212 | 37-23-47.136N 075-50-55.524W | | | | TR on pile. | |
| 6350 | - Day beacon 214 | 37-23-33.222N 075-50-56.280W | | | | TR on pile. | |
| 6352 | - Day beacon 214A | 37-23-27.996N 075-51-02.322W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---------------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|-----------------------------|
| VIRGINIA INSIDE PASSAGE (Virginia) - Fifth District | | | | | | | |
| CAPE CHARLES TO WOLF TRAP (Chart 12224) | | | | | | | |
| Virginia Inside Passage | | | | | | | |
| 6355 | - Day beacon 215 | 37-23-23.032N 075-51-14.966W | | | | | SG on pile. |
| 6360 | - Day beacon 216 | 37-23-10.056N 075-51-22.938W | | | | | TR on pile. |
| 6370 | - Day beacon 217 | 37-22-56.382N 075-51-29.856W | | | | | SG on pile. |
| 6375 | - Day beacon 218 | 37-22-43.320N 075-51-38.370W | | | | | TR on pile. |
| 6388 | - Day beacon 220 | 37-22-27.543N 075-51-47.431W | | | | | TR on pile. |
| 6390 | - Day beacon 221 | 37-22-23.950N 075-51-55.350W | | | | | SG on pile. |
| 6400 | - Day beacon 222 | 37-22-24.534N 075-52-05.442W | | | | | TR on pile. |
| 6410 | - Day beacon 224 | 37-22-20.856N 075-52-17.448W | | | | | TR on multi-pile structure. |
| 6415 | - Day beacon 225 | 37-21-53.238N 075-52-36.371W | | | | | SG on pile. |
| 6420 | - Day beacon 226 | 37-21-33.054N 075-52-51.162W | | | | | TR on multi-pile structure. |
| 6425 | - Day beacon 227 | 37-20-53.160N 075-52-54.600W | | | | | SG on multi-pile structure. |
| 6427 | - Day beacon 228 | 37-20-17.028N 075-53-28.626W | | | | | TR on multi-pile structure. |
| 6430 | - Day beacon 229 | 37-19-09.504N 075-53-22.746W | | | | | SG on pile. |
| 6432 | - Day beacon 230 | 37-18-33.204N 075-54-02.580W | | | | | TR on multi-pile structure. |
| 6435 | - Day beacon 231 | 37-17-36.636N 075-54-02.334W | | | | | SG on pile. |
| 6440 | - <i>Lighted Wreck Buoy WR232</i> | 37-17-21.104N 075-53-44.721W | Q R | | 3 | | Red. |
| 6455 | - Day beacon 235 | 37-16-52.128N 075-53-47.040W | | | | | SG on pile. |
| 6460 | - LIGHT 236 | 37-15-54.552N 075-54-00.168W | FI R 4s | 15 | 3 | | TR on multi-pile structure. |
| 6465 | - LIGHT 237 | 37-15-02.538N 075-53-48.018W | FI G 4s | 15 | 4 | | SG on multi-pile structure. |
| 6470 | - Day beacon 239 | 37-14-39.652N 075-54-23.574W | | | | | SG on multi-pile structure. |
| 6475 | - Day beacon 240 On edge of shoal. | 37-14-33.136N 075-54-47.514W | | | | | TR on pile. |
| 6480 | - Day beacon 242 | 37-14-18.370N 075-55-25.764W | | | | | TR on pile. |
| 6485 | - <i>Lighted Wreck Buoy WR244</i> | 37-13-52.204N 075-55-17.998W | Q R | | 3 | | Red. |
| 6490 | - Day beacon 245 | 37-13-38.793N 075-55-13.668W | | | | | SG on multi-pile structure. |
| 6500 | - Day beacon 246 | 37-12-59.098N 075-55-32.946W | | | | | TR on multi-pile structure. |
| 6505 | - Day beacon 247 | 37-12-48.316N 075-55-24.006W | | | | | SG on pile. |
| 6510 | - Day beacon 248 | 37-12-20.290N 075-55-03.198W | | | | | TR on multi-pile structure. |
| 6520 | - Day beacon 249 | 37-11-46.612N 075-54-54.138W | | | | | SG on multi-pile structure. |
| 6525 | - Day beacon 250 | 37-11-27.254N 075-54-52.436W | | | | | TR on pile. |
| 6530 | - Day beacon 252 | 37-11-04.989N 075-54-58.969W | | | | | TR on multi-pile structure. |
| 6535 | - Day beacon 254 | 37-10-56.805N 075-55-05.623W | | | | | TR on pile. |
| 6540 | - Day beacon 255 | 37-10-45.460N 075-55-15.612W | | | | | SG on pile. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| VIRGINIA INSIDE PASSAGE (Virginia) - Fifth District | | | | | | | |
| CAPE CHARLES TO WOLF TRAP (Chart 12224) | | | | | | | |
| Virginia Inside Passage | | | | | | | |
| 6545 | - Day beacon 255A | 37-10-24.099N 075-55-22.802W | | | | SG on pile. | |
| 6555 | - Day beacon 259 | 37-09-46.593N 075-55-19.981W | | | | SG on pile. | |
| 6560 | - Day beacon 261 | 37-09-22.485N 075-55-22.789W | | | | SG on pile. | |
| 6565 | - Day beacon 262 | 37-08-48.843N 075-55-14.725W | | | | TR on multi-pile structure. | |
| 6580 | - LIGHT 265 | 37-08-08.859N 075-56-17.431W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 6585 | - Day beacon 266 | 37-07-15.628N 075-57-32.904W | | | | TR on multi-pile structure. | |
| 6590 | - Day beacon 267 | 37-06-53.063N 075-58-13.699W | | | | SG on pile. | |
| 6595 21415 | - LIGHT 270 | 37-07-01.513N 075-58-48.986W | FI R 2.5s | 15 | 4 | TR on pile. | |
| VIRGINIA - Fifth District | | | | | | | |
| CHINCOTEAGUE INLET TO GREAT MACHIPONGO INLET (Chart 12210) | | | | | | | |
| Wachapreague Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 6600 305 | - Lighted Whistle Buoy W | 37-34-54.078N 075-33-36.510W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 6605 | - Buoy 1 | 37-34-26.181N 075-34-38.981W | | | | Green can. | |
| 6610 | - Buoy 2 | 37-34-36.555N 075-34-53.238W | | | | Red nun. | |
| 6615 | - Buoy 3 | 37-34-42.987N 075-35-18.876W | | | | Green can. | |
| 6620 | - Buoy 6 | 37-34-46.868N 075-36-37.066W | | | | Red nun. | |
| 6625 | - Lighted Buoy 5 | 37-34-42.796N 075-35-48.191W | FI G 2.5s | | 4 | Green. | Replaced by can when endangered by ice. |
| 6635 | - Lighted Buoy 7 | 37-34-44.479N 075-37-02.089W | FI G 4s | | 4 | Green. | |
| Wachapreague Channel | | | | | | | |
| 6640 | - Day beacon 1 | 37-35-04.734N 075-37-13.578W | | | | SG on pile. | |
| 6655 | - LIGHT 2 | 37-35-32.808N 075-37-36.576W | FI R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 6660 | - Lighted Wreck Buoy WR4 Marks submerged pile. | 37-35-33.900N 075-38-32.831W | Q R | | 4 | Red. | |
| 6665 | - LIGHT 5 | 37-36-10.926N 075-38-37.692W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 6670 | - LIGHT 6 | 37-36-18.636N 075-38-42.936W | FI R 4s | 15 | 3 | TR on multi-pile structure. | |
| 6675 | - Lighted Wreck Buoy WR7 Marks submerged pile. | 37-36-12.957N 075-39-33.064W | Q G | | 4 | Green. | |
| 6680 | - LIGHT 8 | 37-36-37.260N 075-39-50.328W | FI R 4s | 15 | 3 | TR on pile. | |
| 6685 | - LIGHT 12 | 37-36-15.984N 075-40-27.636W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 6690 | - Day beacon 13 | 37-35-57.030N 075-40-41.508W | | | | SG on multi-pile structure. | |
| 6695 | - JUNCTION LIGHT WB | 37-35-56.877N 075-41-03.567W | FI (2+1)G 6s | 15 | 4 | JG on multi-pile structure. | |
| Quinby Channel | | | | | | | |
| 6730 | - Warning Day beacon A | 37-27-49.734N 075-40-11.604W | | | | NW on multi-pile worded DANGER PILE. | |
| 6735 | - Warning Day beacon B | 37-27-54.024N 075-40-50.460W | | | | NW on multi-pile structure worded DANGER PILE. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|----------------|
| VIRGINIA - Fifth District | | | | | | | |
| CHINCOTEAGUE INLET TO GREAT MACHIPONGO INLET (Chart 12210) | | | | | | | |
| Quinby Channel | | | | | | | |
| 6740 | - Buoy 2 | 37-29-08.004N 075-40-41.989W | | | | Red nun. | |
| 6743 | - Day beacon 3 | 37-29-31.758N 075-41-16.710W | | | | SG on pile. | |
| 6745 | - LIGHT 5 | 37-30-10.878N 075-42-06.102W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 6750 | - Day beacon 7 | 37-30-26.502N 075-42-58.700W | | | | SG on pile. | |
| 6755 | - Day beacon 8 | 37-30-44.137N 075-43-02.976W | | | | TR on pile. | |
| 6760 | - LIGHT 9 | 37-31-09.252N 075-43-03.834W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 6765 | - Warning Day beacon E | 37-31-15.119N 075-43-06.216W | | | | NW on pile worded DANGER SHOAL. | |
| 6766 | - Buoy 9A | 37-31-15.653N 075-43-03.330W | | | | Green Can. | |
| 6767 | - Buoy 10 | 37-31-29.034N 075-43-19.386W | | | | Red nun. | |
| 6770 | - Day beacon 10A | 37-31-33.420N 075-43-23.640W | | | | TR on multi-pile structure. | |
| 6774 | - Buoy 12 | 37-31-37.693N 075-43-25.799W | | | | Red nun. | |
| 6775 | - Buoy 13 | 37-31-51.042N 075-43-20.720W | | | | Green can. | |
| 6776 | - Lighted Buoy 15 | 37-32-05.740N 075-43-27.750W | FI G 4s | | 4 | Green. | |
| 6777 | - Buoy 16 | 37-32-21.360N 075-43-34.210W | | | | Red nun. | |
| 6780 | - Lighted Buoy 17 | 37-32-36.200N 075-43-42.320W | FI G 4s | | 4 | Green. | |
| 6785 | - LIGHT 19 | 37-32-51.978N 075-43-50.532W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 6790 | North Inlet Lighted Wreck Buoy WR1 | 37-27-00.906N 075-41-32.694W | Q G | | 4 | Green. | |
| 6795 | North Inlet Warning Day beacon A | 37-27-02.526N 075-42-39.594W | | | | NW on multi-pile structure worded DANGER SHOAL. | |
| Great Machipongo Inlet | | | | | | | |
| <i>Position of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 6805 | - Buoy 2 | 37-21-42.526N 075-41-07.953W | | | | Red nun. | |
| 6810 | - Buoy 3 | 37-21-37.094N 075-42-12.284W | | | | Green can. | |
| 6815 | - Lighted Buoy 4 | 37-22-01.507N 075-43-51.516W | FI R 2.5s | | 4 | Red. | |
| 6820 | - LIGHT 5 | 37-21-39.556N 075-44-05.842W | FI G 4s | 15 | 4 | SG on pile. | |
| 6835 | VIRGINIA INSIDE PASSAGE JUNCTION LIGHT GV | 37-22-04.614N 075-45-19.422W | FI (2+1)G 6s | 15 | 3 | JG on multi-pile structure. | |
| 6840 | - Buoy 8 | 37-22-30.302N 075-45-04.835W | | | | Red nun. | |
| 6843 | - Day beacon 9 | 37-23-15.594N 075-45-25.878W | | | | SG on pile. | |
| 6845 | - LIGHT 11 | 37-23-54.684N 075-45-32.982W | FI G 4s | 15 | 4 | SG on pile. | |
| 6850 | - Day beacon 12 | 37-24-28.662N 075-45-24.204W | | | | TR on pile. | |
| 6855 | - Day beacon 13 | 37-24-44.202N 075-45-40.812W | | | | SG on pile. | |
| 6860 | - LIGHT 14 | 37-25-14.364N 075-45-30.150W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 6865 | - Day beacon 15 | 37-25-47.598N 075-45-50.166W | | | | SG on pile. | |
| 6870 | - LIGHT 17 | 37-26-18.096N 075-46-02.652W | FI G 4s | 16 | 4 | SG on multi-pile structure. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|------------------------------------|--|
| VIRGINIA - Fifth District | | | | | | | |
| CHINCOTEAGUE INLET TO GREAT MACHIPONGO INLET (Chart 12210) | | | | | | | |
| Great Machipongo Inlet | | | | | | | |
| <i>Position of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 6873 | - Day beacon 18 | 37-26-55.302N 075-46-19.422W | | | | TR on pile. | |
| 6875 | - North Channel Warning Day beacon A | 37-27-18.912N 075-46-32.850W | | | | NW on pile worded DANGER SHOAL. | |
| Great Machipongo Channel | | | | | | | |
| 6890 | - LIGHT 1 | 37-27-49.554N 075-47-09.822W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 6895 | - Day beacon 3 | 37-27-50.580N 075-47-20.466W | | | | SG on pile. | |
| 6910 | - LIGHT 4 | 37-27-45.480N 075-48-10.596W | Q R | 15 | 4 | TR on pile. | |
| 6912 | - Day beacon 4A | 37-27-47.076N 075-48-18.306W | | | | TR on pile. | |
| 6917 | - <i>Lighted Wreck Buoy WR6</i> | 37-27-50.575N 075-48-23.793W | Q R | | 4 | Red. | Replaced by nun when endangered by ice. |
| 6920 | - LIGHT 8 | 37-28-22.068N 075-48-22.500W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 6927 | - <i>Lighted Wreck Buoy WR10</i> | 37-29-00.306N 075-48-00.732W | Q R | | 4 | Red. | |
| 6930 | - <i>Lighted Buoy 11</i> | 37-29-22.914N 075-47-40.110W | Q G | | 4 | Green. | |
| 6935 | - LIGHT 12 | 37-29-57.306N 075-47-38.790W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 6940 | - LIGHT 13 | 37-30-12.162N 075-47-31.758W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 6945 | - Day beacon 15 | 37-30-17.076N 075-48-11.574W | | | | SG on pile. | |
| 6950 | - Day beacon 17 | 37-30-35.550N 075-48-15.456W | | | | SG on pile. | |
| 6955 | - Day beacon 18 | 37-30-40.176N 075-48-17.076W | | | | TR on pile. | |
| CHESAPEAKE BAY ENTRANCE (Chart 12221) | | | | | | | |
| 6960 | Ramshorn Channel Warning Day beacon A | 37-23-25.260N 075-51-16.326W | | | | NW on pile worded DANGER SHOAL. | |
| Sand Shoal Channel | | | | | | | |
| 6990 | Sand Shoal Day beacon 1 | 37-17-52.962N 075-48-02.694W | | | | SG on multi-pile structure. | |
| 6991 | - Day beacon 3 | 37-17-54.964N 075-48-52.776W | | | | SG on pile. | |
| 6994 | - Day beacon 7 | 37-17-37.800N 075-51-21.552W | | | | SG on multi-pile structure. | |
| 6995 | - Day beacon 9 | 37-17-38.312N 075-52-18.684W | | | | SG on pile. | |
| 6996 | - LIGHT 10 | 37-17-50.706N 075-52-39.282W | FI R 4s | 15 | 4 | TR on pile. | |
| Oyster Creek Channel | | | | | | | |
| 7010 | - Day beacon 5 Marks encroaching shoal. | 37-17-31.254N 075-54-29.502W | | | | SG on pile. | |
| 7015 | - LIGHT 6 | 37-17-19.902N 075-54-37.242W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 7020 | - Day beacon 8 | 37-17-17.028N 075-54-46.854W | | | | TR on multi-pile structure. | |
| 7025 | - LIGHT 10 | 37-17-21.084N 075-55-06.828W | FI R 4s | 15 | 4 | TR on pile. | |
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| CHESAPEAKE BAY ENTRANCE (Chart 12221) | | | | | | | |
| Chesapeake Channel | | | | | | | |
| 7030 | Cape Henry Buoy 1 | 36-55-02.430N 075-57-59.945W | | | | Green can. | |
| 7035 | - <i>Lighted Bell Buoy 2C</i> | 36-57-18.528N 075-58-22.246W | FI R 2.5s | | 5 | Red. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|----------------------------------|---|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| CHESAPEAKE BAY ENTRANCE (Chart 12221) | | | | | | | |
| Chesapeake Channel | | | | | | | |
| 7040 | <i>Cape Henry Lighted Wreck Buoy WR2CH</i> 250 yards, 225° f from last reported position of wreck. Marks wreck of CHILORE. | 36-57-33.327N 076-00-46.052W | Q R | | 5 | Red. | |
| 7045 | - <i>Lighted Buoy 3</i> 75 feet outside channel limit. | 36-57-43.304N 075-59-33.741W | FI G 4s | | 5 | Green. | |
| 7050 | - <i>Lighted Buoy 4</i> 75 feet outside channel limit. | 36-57-48.911N 075-59-21.477W | FI R 4s | | 5 | Red. | |
| 7055 | - <i>Lighted Buoy 5</i> 75 feet outside channel limit. | 36-58-47.301N 076-00-13.952W | FI G 2.5s | | 5 | Green. | |
| 7060 | - <i>Lighted Buoy 6</i> 75 feet outside channel limit. | 36-59-15.828N 076-00-15.993W | Q R | | 5 | Red. | |
| 7065 | <i>Tail of The Horseshoe Shoal Lighted Buoy 2T</i> | 36-58-26.476N 076-02-16.955W | FI R 4s | | 5 | Red. | |
| 7068 | <i>NOAA Lighted Data Buoy FL</i> | 36-59-53.100N 076-05-14.280W | FI Y 4s | | | Yellow. | Aid maintained by National Oceanic and Atmospheric Administration. |
| 7070 | - <i>Lighted Buoy 7</i> 75 feet outside channel limit. | 36-59-24.962N 076-00-48.898W | Q G | | 5 | Green. | |
| 7075 | - <i>Lighted Buoy 9</i> 75 feet outside channel limit. | 37-00-10.526N 076-01-51.910W | FI G 4s | | 5 | Green. | |
| 7080 | - <i>Lighted Buoy 10</i> 75 feet outside channel limit. | 37-00-19.876N 076-01-41.338W | FI R 4s | | 5 | Red. | |
| 7085 | - <i>Lighted Buoy 11</i> | 37-00-57.414N 076-02-52.119W | Q G | | 5 | Green. | |
| 7090 | - <i>Lighted Buoy 12</i> 75 feet outside channel limit. | 37-01-05.077N 076-02-41.593W | Q R | | 5 | Red. | |
| 7095 | - TUNNEL SOUTH LIGHT | 37-02-17.471N 076-04-28.011W | F Y | | 32 | Mounted atop wall on centerline. | BELL: 1 stroke ev 10s. Operates during periods of low visibility only. Private aid. |
| 7100 | - TUNNEL NORTH LIGHT | 37-02-40.990N 076-03-54.230W | F Y | | 32 | Mounted atop wall on centerline. | HORN: 1 blast ev 20s (2s bl). Operates during periods of low visibility only. Private aid. |
| 7105 | - <i>Lighted Buoy 13</i> 80 feet outside channel limit. | 37-02-26.000N 076-04-17.000W | FI G 4s | | 5 | Green. | AIS: MMSI 993672080. |
| 7110 | - <i>Lighted Buoy 14</i> 80 feet outside channel limit. | 37-02-31.001N 076-04-02.876W | FI R 4s | | 5 | Red. | AIS: MMSI 993672081. |
| 7115 | - <i>Lighted Buoy 15</i> 75 feet outside channel limit. | 37-03-48.534N 076-05-34.690W | Q G | | 5 | Green. | |
| 7120 | - <i>Lighted Buoy 16</i> 75 feet outside channel limit. | 37-03-53.581N 076-05-25.148W | Q R | | 5 | Red. | |
| 7125 | - <i>Lighted Buoy 18</i> 75 feet outside channel limit. | 37-05-45.372N 076-06-44.068W | FI R 2.5s | | 5 | Red. | |
| 7130 | - <i>Junction Lighted Buoy CY</i> 75 feet outside channel limit. | 37-06-02.516N 076-07-10.198W | FI (2+1)G 6s | | 5 | Green and red bands. | |
| 7135 | - <i>Lighted Buoy 19</i> 75 feet outside channel limit. | 37-06-59.746N 076-07-50.401W | FI G 4s | | 5 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|------------------|--|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| CHESAPEAKE BAY ENTRANCE (Chart 12221) | | | | | | | |
| Chesapeake Channel | | | | | | | |
| 7140 | - <i>Lighted Buoy 20</i> 75 feet outside channel limit. | 37-07-04.388N 076-07-40.205W | FI R 4s | | 5 | Red. | |
| 7145 | - <i>Lighted Buoy 22</i> 75 feet outside channel limit. | 37-08-23.666N 076-08-36.807W | Q R | | 5 | Red. | |
| 7150 | - <i>Lighted Buoy 23</i> 75 feet outside channel limit. | 37-08-40.644N 076-09-02.347W | Q G | | 5 | Green. | |
| 7155 | - <i>Lighted Buoy 24</i> 75 feet outside channel limit. | 37-09-06.495N 076-08-54.252W | FI R 2.5s | | 5 | Red. | |
| 7160 | - <i>Lighted Buoy 25</i> 75 feet outside channel limit. | 37-09-55.256N 076-09-13.630W | FI G 4s | | 5 | Green. | |
| 7165 | - <i>Lighted Buoy 26</i> 75 feet outside channel limit. | 37-09-56.202N 076-09-02.012W | FI R 4s | | 5 | Red. | |
| 7170 | - <i>Lighted Buoy 28</i> 75 feet outside channel limit. | 37-10-47.192N 076-09-09.659W | Q R | | 5 | Red. | |
| 7175 | - <i>Lighted Buoy 29</i> 75 feet outside channel limit. | 37-11-10.048N 076-09-25.020W | Q G | | 5 | Green. | |
| 7180 | - <i>Lighted Buoy 30</i> 75 feet outside channel limit. | 37-11-30.118N 076-09-04.740W | FI R 2.5s | | 5 | Red. | |
| 7185 | - <i>Lighted Buoy 31</i> 75 feet outside channel limit. | 37-12-29.535N 076-08-53.787W | FI G 4s | | 5 | Green. | |
| 7190 | - <i>Lighted Buoy 32</i> 75 feet outside channel limit. | 37-12-26.600N 076-08-42.766W | FI R 4s | | 5 | Red. | |
| 7200 | - <i>Lighted Buoy 33</i> 75 feet outside channel limit. | 37-14-10.917N 076-08-14.090W | FI G 6s | | 5 | Green. | |
| 7205 | - <i>Lighted Buoy 34</i> 75 feet outside channel limit. | 37-14-08.063N 076-08-02.902W | FI R 6s | | 5 | Red. | |
| 7210 | - <i>Lighted Buoy 35</i> 75 feet outside channel limit. | 37-15-52.202N 076-07-34.423W | FI G 4s | | 5 | Green. | |
| 7215 | - <i>Lighted Buoy 36</i> 75 feet outside channel limit. | 37-15-49.396N 076-07-23.208W | FI R 4s | | 5 | Red. | |
| 7220 | - Buoy 36A | 37-15-04.762N 076-03-54.946W | | | | Red nun. | |
| 7225 | - <i>Lighted Buoy 37</i> 75 feet outside channel limit. | 37-17-33.536N 076-06-54.718W | FI G 2.5s | | 6 | Green. | |
| 7230 | - <i>Lighted Buoy 38</i> 75 feet outside channel limit. | 37-17-30.730N 076-06-43.500W | FI R 2.5s | | 5 | Red. | |
| 7235 | - Buoy 38A | 37-19-13.549N 076-02-53.532W | | | | Red nun. | |
| 7240 | - <i>Lighted Buoy 40</i> | 37-21-49.490N 076-04-27.768W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. AIS: MMSI 993672084. |
| 7250 | - Buoy 40A | 37-23-05.990N 076-01-58.460W | | | | Red nun. | |
| 7255 | <i>Wolf Trap Lighted Buoy 1WT</i> | 37-23-29.920N 076-10-27.800W | FI G 4s | | 5 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|--------------------------------|---------------|--------------|--|--|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| WOLF TRAP TO SMITH POINT (Chart 12225) | | | | | | | |
| Chesapeake Channel | | | | | | | |
| 7265 | - Lighted Buoy 41 | 37-24-36.486N 076-05-09.770W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7270 | - Buoy 41A | 37-29-36.820N 076-11-11.156W | | | | Green can. | |
| 7275 | - Lighted Buoy 42 | 37-25-37.084N 076-05-06.570W | FI R 4s | | 5 | Red. | RACON: O (- - -) |
| 7280 | - Buoy 42A | 37-27-27.200N 076-00-54.600W | | | | Red nun. | |
| 7285 | - Mid-Channel Lighted Whistle Buoy CB | 37-30-01.308N 076-02-36.457W | Mo (A) W | | 5 | Red and white stripes. | Replaced by nun when endangered by ice. |
| 7290 | RAPPAHANNOCK SHOAL CHANNEL SOUTH RANGE FRONT LIGHT | 37-32-18.618N 076-00-51.034W | F W (NIGHT) F W (DAY) | 34 31 | | Red monopile with white equipment hut on top. | Lighted throughout 24 hours. DAY : Visible on rangeline only. NIGHT : Visible 0.5° either side of rangeline. |
| 7291 | RAPPAHANNOCK SHOAL CHANNEL SOUTH RANGE FRONT PASSING LIGHT | 37-32-18.618N 076-00-51.034W | FI W 6s | | 33 5 | On same structure as Rappahannock Shoal Channel South Range Front Light. | |
| 7295 | RAPPAHANNOCK SHOAL CHANNEL SOUTH RANGE REAR LIGHT 7,399 yards, 140.2° from front light. | 37-29-29.942N 075-57-54.763W | F W (NIGHT) F W (DAY) | 223 220 | | On skeleton tower on caisson. | Lighted throughout 24 hours. DAY : Visible on rangeline only. NIGHT : Visible 0.9° either side of rangeline. |
| 7296 | RAPPAHANNOCK SHOAL CHANNEL SOUTH RANGE REAR PASSING LIGHTS (2) | 37-29-29.921N 075-57-54.782W | FI W 6s | | 33 6 | On same structure as Rappahannock Shoal Channel South Range Rear Light. | On corners of platform. |
| 7300 | - Lighted Buoy 43 | 37-32-09.646N 076-02-32.805W | FI G 2.5s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7305 | - Lighted Buoy 44 | 37-32-09.157N 076-02-21.145W | FI R 2.5s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7310 | - Lighted Buoy 45 | 37-32-54.189N 076-02-29.795W | FI G 2.5s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7315 | - Lighted Buoy 46 | 37-33-45.294N 076-02-14.147W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7320 | - Lighted Buoy 47 | 37-34-19.280N 076-03-04.911W | Q G | | 5 | Green. | Replaced by can when endangered by ice. |
| 7325 | STINGRAY POINT LIGHT | 37-33-40.563N 076-16-12.183W | FI W 4s | | 34 9 | NG on skeleton tower on monopile. | |
| 7330 | WINDMILL POINT LIGHT | 37-35-48.926N 076-14-09.891W | FI W 6s (2 R sectors) | | 34 | NR on skeleton tower on monopile. | Red from 293° to 082° and from 091.5° to 113°. |
| 7360 | - Lighted Buoy 49 75 feet outside channel limit. | 37-34-51.935N 076-03-39.327W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7365 | - Lighted Bell Buoy 50 75 feet outside channel limit. | 37-34-57.976N 076-03-30.121W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7370 | - Lighted Buoy 51 75 feet outside channel limit. | 37-35-58.782N 076-04-50.229W | FI G 6s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7375 | - Lighted Buoy 52 75 feet outside channel limit. | 37-36-04.881N 076-04-39.920W | FI R 6s | | 5 | Red. | Replaced by nun when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| WOLF TRAP TO SMITH POINT (Chart 12225) | | | | | | | |
| Chesapeake Channel | | | | | | | |
| 7380 | - Lighted Buoy 53 75 feet outside channel limit. | 37-37-09.527N 076-06-03.443W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7385 | - Lighted Buoy 54 75 feet outside channel limit. | 37-37-16.400N 076-05-54.878W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7390 | - Buoy 54A | 37-37-24.300N 075-57-36.000W | | | | Red nun. | |
| 7395 | - Lighted Buoy 55 75 feet outside channel limit. | 37-38-18.232N 076-07-15.491W | FI G 6s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7400 | - Lighted Buoy 56 75 feet outside channel limit. | 37-38-24.235N 076-07-06.657W | FI R 6s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7405 | - Lighted Buoy 57 75 feet outside channel limits. | 37-39-16.012N 076-08-16.104W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7410 | - Lighted Buoy 58 75 feet outside channel limits. | 37-39-21.720N 076-08-07.217W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7415 | - Lighted Buoy 59 75 feet outside channel limit. | 37-40-21.916N 076-09-25.324W | FI G 2.5s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7420 | - Buoy 59A | 37-40-47.170N 076-11-28.690W | | | | Green can. | |
| 7425 | - Lighted Buoy 60 | 37-40-27.972N 076-09-16.486W | FI R 2.5s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7430 | - Mid-Channel Lighted Whistle Buoy RP | 37-42-21.470N 076-11-03.788W | Mo (A) W | | 6 | Red and white stripes. | |
| 7435 22715 | Tangier Sound Light | 37-47-16.846N 075-58-24.412W | FI W 6s (R sector) | 45 | W 12 R 9 | NB on skeleton tower on multi-pile structure. 42 | Red from 110° to 192°. |
| 7440 | - Lighted Buoy 62 | 37-46-28.466N 076-10-16.288W | FI R 4s | | 5 | Red. | RACON: Y (- . - -) Replaced by nun when endangered by ice. |
| 7445 | - Buoy 63A | 37-50-51.181N 076-11-00.132W | | | | Green can. | |
| 7450 | USN Aerial Gunnery Area Lighted Warning Buoy A | 37-47-41.634N 075-59-26.458W | FI W 2.5s | | 4 | White can with orange bands and diamond. | Removed when endangered by ice. |
| 7455 | USN Aerial Gunnery Area Lighted Wreck Buoy WR3 Marks submerged pile. | 37-49-14.966N 076-01-27.890W | Q G | | 4 | Green. | |
| 7460 | Tangier Island Shoal Point Buoy 2 | 37-47-05.621N 076-05-40.452W | | | | Red nun. | |
| 7465 | TANGIER ISLAND WRECK LIGHT WR1 Marks partially submerged barge. | 37-48-29.216N 076-01-32.511W | Q G | 15 | 4 | SG on pile. | |
| 7480 | Smith Point Light | 37-52-47.545N 076-11-01.496W | FI W 10s | 52 | 15 | White brick, square tower and octagonal dwelling on brown cylindrical pier. 51 | Structure maintained by entity outside the U.S. Coast Guard. |
| 7490 | Smith Point Fairway Lighted Bell Buoy SP | 37-52-48.457N 076-09-06.784W | FI Y 2.5s | | 6 | Yellow. | |
| 7495 | - Lighted Buoy 64 | 37-55-30.454N 076-09-04.783W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| SMITH POINT TO COVE POINT (Chart 12230) | | | | | | | |
| Chesapeake Channel | | | | | | | |
| 7500 | - Lighted Buoy 65 | 37-56-24.105N 076-11-40.025W | FI G 2.5s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7505 | - Lighted Buoy 66 | 37-58-16.452N 076-10-33.785W | FI R 6s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7515 | - Lighted Buoy 68 | 37-59-53.450N 076-11-48.787W | FI R 2.5s | | 5 | Red. | RACON: X (- . . -) Replaced by nun when endangered by ice. |
| 7520 | - Lighted Buoy 70 | 38-01-41.450N 076-12-16.789W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7525 | POINT LOOKOUT LIGHT | 38-01-30.270N 076-19-24.786W | FI (2)W 5s | 39 | 8 | NB on skeleton tower on piles. | Higher intensity beams towards Smith Point Fairway , up Potomac River and northeastward. |
| 7530 | - Buoy 69A | 38-02-20.153N 076-17-25.001W | | | | Green can. | |
| 7535 | NAVY BOMBING AREA LIGHT B | 38-02-34.238N 076-09-37.051W | FI Y 4s | 15 | 5 | NW on multi-pile worded DANGER BOMBING RANGE. | |
| 7545 | HOLLAND ISLAND BAR LIGHT | 38-04-07.345N 076-05-44.906W | FI W 2.5s | 37 | 6 | NB on skeleton tower on piles. | |
| 7550 | Holland Island Warning Day beacon | 38-07-21.606N 076-05-40.611W | | | | NW on pile worded DANGER WRECK. | |
| 7555 | - Lighted Buoy 72 | 38-06-54.447N 076-12-54.792W | FI R 2.5s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7557 | - Lighted Buoy 72A | 38-10-00.000N 076-13-33.000W | FI R 4s | | 5 | Red | Replaced by LIB of reduced intensity when endangered by ice. |
| 7558 | - Lighted Buoy 72B | 38-15-22.000N 076-15-47.000W | FI R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 7560 | POINT NO POINT LIGHT | 38-07-41.251N 076-17-24.971W | FI W 6s | 52 | 9 | White octagonal brick dwelling on brown cylinder. | |
| 7570 23600 | Hooper Strait Approach Lighted Buoy 1 | 38-12-17.144N 076-09-20.285W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7575 | - Mid-Channel Lighted Whistle Buoy HS | 38-12-19.445N 076-14-33.797W | Mo (A) W | | 5 | Red and white stripes with red spherical topmark. | Replaced by nun when endangered by ice. |
| 7580 | USN Aerial Gunnery Area Lighted Buoy C | 38-13-10.682N 076-18-15.986W | FI Y 4s | | 5 | Yellow. | Replaced by nun when endangered by ice. |
| 7585 | USN Aerial Gunnery Area Lighted Buoy D | 38-12-51.306N 076-19-51.035W | FI Y 2.5s | | 5 | Yellow. | Replaced by nun when endangered by ice. |
| 7590 | HOOPER ISLAND LIGHT | 38-15-22.500N 076-14-59.300W | FI W 6s | 63 | 9 | White conical tower on brown cylinder. | Structure maintained by entity outside the U.S. Coast Guard. |
| 7595 | - Mid-Channel Lighted Whistle Buoy HI | 38-18-40.444N 076-18-40.807W | Mo (A) W | | 5 | Red and white stripes with red spherical topmark. | Replaced by nun when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---------------------------------------|---------------------------------|-----------------------|---------------|--------------|---|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| SMITH POINT TO COVE POINT (Chart 12230) | | | | | | | |
| Chesapeake Channel | | | | | | | |
| 7600 | - Lighted Buoy 74 | 38-18-56.443N 076-17-03.804W | FI R 2.5s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7605 18885 | DRUM POINT LIGHT 4 | 38-19-08.267N 076-25-15.481W | FI R 2.5s | 17 | 5 | TR on multi-pile structure. | |
| 7620 | - Lighted Buoy 76 | 38-21-23.442N 076-18-32.407W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 7625 | - Lighted Buoy 77 | 38-21-04.944N 076-21-41.614W | FI G 2.5s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7630 | Cove Point Light | 38-23-10.500N 076-22-54.300W | FI W 10s | 45 | 12 | White tower. 51 | Lighted throughout 24 hours. |
| COVE POINT TO SANDY POINT (Chart 12263) | | | | | | | |
| Chesapeake Channel | | | | | | | |
| Cove Point | | | | | | | |
| 7640 | - PLATFORM LIGHT A | 38-24-08.843N 076-23-08.217W | FI Y 2.5s | 40 | | On northwest corner of concrete platform. | Private aid. |
| 7645 | - PLATFORM LIGHT B | 38-24-07.943N 076-23-07.317W | FI Y 2.5s | 40 | | On southwest corner of concrete platform. | Private aid. |
| 7650 | - SOUTH MOORING DOLPHIN LIGHT C | 38-24-00.343N 076-22-54.716W | FI Y 2.5s | 40 | | On pile on concrete platform. | HORN: 1 blast ev 20s (2s bl). Operated during periods of low visibility. Private aid. |
| 7655 | - MIDDLE MOORING DOLPHIN LIGHT D | 38-24-10.443N 076-23-03.517W | FI Y 2.5s | 40 | | On pile on concrete platform. | Private aid. |
| 7660 | - NORTH MOORING DOLPHIN LIGHT E | 38-24-20.843N 076-23-12.317W | FI Y 2.5s | 40 | | On pile on concrete platform. | HORN: 1 blast ev 20s (2s bl). Operated during periods of low visibility. Private aid. |
| 7660.1 | - Lighted Warning Buoy F | 38-24-27.150N 076-23-41.876W | FI W 4s | | | White can with orange bands and diamond worded RESTRICTED AREA. | Private aid. |
| 7660.2 | - Lighted Warning Buoy G | 38-24-44.088N 076-23-10.191W | FI W 2.5s | | | White can with orange bands and diamond worded RESTRICTED AREA. | Private aid. |
| 7660.3 | - Lighted Warning Buoy H | 38-23-54.837N 076-22-26.028W | FI W 2.5s | | | White can with orange bands and diamond worded RESTRICTED AREA. | Private aid. |
| 7660.4 | - Lighted Warning Buoy J | 38-23-36.556N 076-22-57.318W | FI W 4s | | | White can with orange bands and diamond worded RESTRICTED AREA. | Private aid. |
| Chesapeake Channel | | | | | | | |
| 7665 | - Mid-Channel Lighted Whistle Buoy CP | 38-28-11.050N 076-22-34.505W | Mo (A) W | | 5 | Red and white stripes with spherical topmark. | Replaced by nun when endangered by ice. |
| 7670 | - Buoy 77A | 38-28-33.844N 076-27-16.887W | | | | Green can. | |
| 7671 | FLAG HARBOR LIGHT 1 | 38-27-55.800N 076-28-09.900W | FI G 5s | | 12 | SG on pile. | Private aid. |
| 7672 | FLAG HARBOR ENTRANCE LIGHT 2 | 38-27-57.000N 076-28-11.000W | FI R 5s | | 12 | TR on dolphin at end of stone jetty. | Private aid. |
| 7672.1 | Flag Harbor Channel Day beacon 3 | 38-27-54.100N 076-28-12.500W | | | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|--------------------------|---------------|----------------------|---|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| COVE POINT TO SANDY POINT (Chart 12263) | | | | | | | |
| Chesapeake Channel | | | | | | | |
| 7672.3 | Flag Harbor Channel Day beacon 4 | 38-27-52.100N 076-28-16.200W | | | | TR on pile. | Private aid. |
| 7672.5 | Flag Harbor Channel Day beacon 6 | 38-27-50.900N 076-28-17.700W | | | | TR on pile at corner of pier. | Private aid. |
| 7673 | FLAG HARBOR DIRECTIONAL LIGHT | 38-27-50.900N 076-28-17.700W | FI W 3s | 26 | | NW on pile at corner of pier. | Private aid. |
| 7675 | - Buoy 77B | 38-31-08.240N 076-28-57.628W | | | | Green can. | |
| 7680 | - Lighted Buoy 78 | 38-33-18.982N 076-25-39.219W | FI R 4s | | 5 | Red. | RACON: Q (- - -) Replaced by nun when endangered by ice. |
| 7681 | NOAA Lighted Data Buoy GR | 38-33-22.500N 076-24-52.920W | FI Y 4s | | | Yellow. | Aid maintained by National Oceanic and Atmospheric Administration. |
| 7682 | - Lighted Buoy 78A | 38-34-42.000N 076-25-53.000W | FI R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity when endangered by ice. AIS: MMSI 993672085. |
| 7685 | - Lighted Buoy 80 | 38-36-32.433N 076-24-46.822W | FI R 2.5s | | 5 | Red. | |
| 7695 | - Lighted Whistle Buoy CR | 38-38-57.430N 076-24-53.824W | Mo (A) W | | 5 | Red and white stripes with red spherical topmark. | Replaced by nun when endangered by ice. |
| 7697 | - Buoy 79A | 38-38-39.498N 076-29-11.070W | | | | Green can. | |
| 7700 | - Buoy 80A | 38-39-49.680N 076-22-58.821W | | | | Red nun. | |
| 7705 | Plum Point Shoal Buoy 1 | 38-37-16.251N 076-30-01.072W | | | | Green can. | |
| 7707 | - Buoy 81A | 38-43-35.125N 076-29-56.234W | | | | Green can. | |
| 7710 | - Lighted Buoy 82 | 38-42-04.427N 076-25-19.826W | FI R 4s | | 5 | Red. | |
| 7730 | - Lighted Buoy 83 | 38-45-07.524N 076-26-39.330W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 7735 | - Buoy 83A | 38-46-08.377N 076-29-41.458W | | | | Green can. | |
| 7740 | - Lighted Buoy 84 | 38-45-27.424N 076-25-06.828W | FI R 4s | | 5 | Red. | |
| 7745 | - Lighted Buoy 84A | 38-47-35.620N 076-24-41.331W | FI R 2.5s | | 5 | Red. | |
| 7747 | - Buoy 85A | 38-49-56.901N 076-27-43.461W | | | | Green can. | |
| 7751 | BLOODY POINT BAR WARNING LIGHT | 38-49-59.873N 076-23-35.441W | FI W 6s | 22 | 7 | NW on multi-pile structure. | Marks remains of Bloody Point Bar Lighthouse. |
| 7755 | - Lighted Buoy 86 | 38-51-58.414N 076-23-32.836W | FI R 4s | | 5 | Red. | |
| 7760 | Thomas Point Shoal Light | 38-53-56.300N 076-26-09.200W | FI W 5s (2 R sectors) | 43 | W 16 R 11 R 11 | White hexagonal tower on piles. 43 | Red from 011° to 051.5° and 096.5° to 202°. HORN: 1 blast ev 15s (2s bl). Structure maintained by entity outside the U.S. Coast Guard. |
| 7765 | - Lighted Buoy WR87 | 38-55-58.127N 076-23-32.776W | Q G | | 5 | Green. | |
| 7795 | Kent Island Northern Range Obstruction Day beacon | 38-56-06.408N 076-21-47.831W | | | | NW on pile. | |
| 7800 | - Lighted Buoy 88 | 38-56-07.908N 076-22-55.842W | FI R 2.5s | | 5 | Red. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|------------------|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| COVE POINT TO SANDY POINT (Chart 12263) | | | | | | | |
| Chesapeake Channel | | | | | | | |
| 7815 | Matapeake North Breakwater Day beacon 1 | 38-57-18.406N 076-21-28.841W | | | | SG on pile. | Private aid. |
| 7820 | Hackett Point Shoal Buoy 1 | 38-58-12.104N 076-24-52.249W | | | | Green can. | |
| 7825 | - Lighted Buoy 90 | 38-58-18.504N 076-23-18.946W | FI R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 7830 | - Lighted Buoy 91 | 38-58-59.103N 076-23-16.547W | FI G 4s | | 5 | Green | Replaced by LIB of reduced intensity when endangered by ice. |
| 7835 | - Lighted Bell Buoy 92 | 38-58-55.803N 076-23-04.547W | FI R 4s | | 5 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 7837 | UMCES Lighted Data Buoy CBB | 38-59-06.140N 076-21-57.690W | FI Y 4s | | | Yellow. | Private aid. |
| Bay Bridge Marina | | | | | | | |
| 7840 | - LIGHT 1 | 38-58-45.000N 076-20-40.800W | FI G 2.5s | 9 | | SG on pile. | Private aid. |
| 7845 | - LIGHT 2 | 38-58-43.200N 076-20-40.800W | FI R 2.5s | 9 | | TR on pile. | Private aid. |
| 7850 | - LIGHT 3 | 38-58-48.000N 076-20-28.800W | FI G 4s | 9 | | SG on pile. | Private aid. |
| 7855 | - LIGHT 4 | 38-58-46.800N 076-20-29.400W | FI R 4s | 9 | | TR on pile. | Private aid. |
| 7860 | - LIGHT 5 | 38-58-50.400N 076-20-19.800W | FI G 4s | 9 | | SG on pile. | Private aid. |
| 7865 | - LIGHT 6 | 38-58-49.200N 076-20-19.200W | Q R | 9 | | TR on pile. | Private aid. |
| 7870 | - Day beacon 7 | 38-58-48.600N 076-20-06.600W | | | | SG on pile. | Private aid. |
| 7875 | - LIGHT 8 | 38-58-48.000N 076-20-07.200W | FI R 2.5s | 9 | | TR on pile. | Private aid. |
| Chesapeake Channel | | | | | | | |
| 7890 | William P. Lane Jr. Bridge West Channel Fog Signal Suspended from center of main channel span. | 38-59-36.402N 076-22-52.848W | | | | | HORN : 1 blast ev 15s (5s bl). Operates during periods of low visibility only. Horn, directed on bearings 017° and 197°. Private aid. |
| 7892 | William P. Lane Jr. Bridge V- AIS SE | 38-59-33.479N 076-22-47.059W | | | | | AIS: MMSI 993672316. |
| 7892.1 | William P. Lane Jr. Bridge V- AIS SW | 38-59-37.823N 076-23-04.969W | | | | | AIS: MMSI 993672315. |
| 7894 | William P. Lane Jr. Bridge V- AIS NE | 38-59-37.768N 076-22-45.337W | | | | | AIS: MMSI 993672318. |
| 7894.1 | William P. Lane Jr. Bridge V- AIS NW | 38-59-41.734N 076-23-03.355W | | | | | AIS: MMSI 993672317. |
| Sandy Point State Park | | | | | | | |
| 7905 | - Day beacon 1 | 39-00-30.456N 076-24-12.771W | | | | SG on pile. | Private aid. |
| 7910 | - Day beacon 2 | 39-00-31.322N 076-24-11.703W | | | | TR on pile. | Private aid. |
| 7915 | - Day beacon 3 | 39-00-38.764N 076-24-11.196W | | | | SB on pile. | Private aid. |
| 7920 | - Day beacon 4 | 39-00-38.615N 076-24-10.131W | | | | TR on pile. | Private aid. |
| 7925 | - Buoy 5 | 39-00-40.900N 076-24-11.000W | | | | Green can. | Private aid. |
| 7930 | - Danger Marker A | 39-00-42.406N 076-24-11.763W | | | | NW on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| COVE POINT TO SANDY POINT (Chart 12263) | | | | | | | |
| Sandy Point State Park | | | | | | | |
| 7935 | - Danger Marker B | 38-00-45.349N 076-24-13.254W | | | | NW on pile. | Private aid. |
| 7940 | - Danger Marker C | 39-00-48.242N 076-24-14.796W | | | | NW on pile. | Private aid. |
| 7945 | - Danger Marker D | 39-00-50.494N 076-24-14.955W | | | | NW on pile. | Private aid. |
| 7950 | - Danger Marker E | 39-00-51.732N 076-24-13.291W | | | | NW on pile. | Private aid. |
| 7955 | - Danger Marker F | 39-00-52.410N 076-24-10.618W | | | | NW on pile. | Private aid. |
| Sandy Point State Park North Beach | | | | | | | |
| 7957.1 | - Buoy 1 | 39-00-45.700N 076-23-31.800W | | | | Green can. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 7957.2 | - Buoy 2 | 39-00-47.800N 076-23-32.000W | | | | Red nun. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 7957.3 | - Buoy 3 | 39-00-45.500N 076-23-35.000W | | | | Green can. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 7957.4 | - Buoy 4 | 39-00-47.700N 076-23-34.900W | | | | Red nun. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 7957.5 | - Buoy 5 | 39-00-45.300N 076-23-38.100W | | | | Green can. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 7957.6 | - Buoy 6 | 39-00-47.800N 076-23-38.100W | | | | Red nun. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 7957.7 | - Buoy 7 | 39-00-45.100N 076-23-41.000W | | | | Green can. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| 7957.8 | - Buoy 8 | 39-00-47.800N 076-23-41.700W | | | | Red nun. | Maintained from Apr. 15 to Oct. 15. Private aid. |
| Chesapeake Channel | | | | | | | |
| 7960 | - Lighted Buoy 93 | 39-00-03.080N 076-22-52.720W | FI G 4s | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 7965 | - Lighted Buoy 94 | 39-00-00.062N 076-22-40.238W | FI R 4s | | 5 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 7970 | - Lighted Buoy 95 | 39-00-26.901N 076-22-43.848W | FI G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 7975 | William P. Lane Jr. Bridge East Channel Fog Signal Suspended from center of main channel span. | 38-59-18.000N 076-21-30.000W | | | | | HORN: 1 blast ev 20s (2s bl). Operates during periods of low visibility only. Private aid. |
| 7980 | Queen Ann County Obstruction Buoy A | 38-59-18.303N 076-20-26.243W | | | | White with orange bands worded OUTFALL. | Private aid. |
| 7985 | Queen Ann County Obstruction Buoy B | 38-59-15.503N 076-20-14.042W | | | | White with orange bands worded OUTFALL. | Private aid. |
| 7990 | SANDY POINT SHOAL LIGHT | 39-00-57.238N 076-23-04.488W | FI W 6s | 51 | 9 | Red brick dwelling, white roof on brown cylindrical foundation. | Structure maintained by entity outside the U.S. Coast Guard. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|--|---------------|--------------|--|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273) | | | | | | | |
| Craighill Channel | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 7995 | - ENTRANCE RANGE FRONT LIGHT | 39-06-07.132N 076-24-23.487W | Oc W 4s (NIGHT) Oc W 4s (DAY) | 24 27 | | On mono-pile. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around. Higher intensity 0.9° either side of rangeline. |
| 8000 | - ENTRANCE RANGE REAR LIGHT 2,001 yards, 343.1° from front light. | 39-07-04.056N 076-24-45.065W | F W (NIGHT) F W (DAY) | 88 85 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Day : Visible 0.5° either side of rangeline. Night : Visible 0.9° either side of rangeline. |
| 8001 | - ENTRANCE RANGE REAR PASSING LIGHTS | 39-07-04.056N 076-24-45.065W | Iso W 4s | 15 | 5 | On same structure as Craighill Channel Entrance Range Rear Light. | |
| 8005 | - Entrance Lighted Buoy 1C | 39-01-22.506N 076-22-41.165W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8010 | - Entrance Lighted Buoy 2 | 39-01-25.312N 076-22-29.340W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8015 | - Lighted Buoy 3 | 39-02-13.189N 076-23-00.432W | Fl G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8020 | - Lighted Buoy 4 | 39-02-15.644N 076-22-50.052W | Fl R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8025 | - Lighted Buoy 5 | 39-03-03.948N 076-23-19.617W | Fl G 6s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8030 | - Lighted Buoy 6 | 39-03-06.463N 076-23-09.289W | Fl R 6s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8035 | BALTIMORE LIGHT | 39-03-33.078N 076-23-56.393W | Fl W 2.5s (R sector) | 52 | W 7 R 5 | White octagonal dwelling on brown cylindrical base. | Red from 082° to 160°. |
| 8040 | - RANGE FRONT LIGHT | 39-11-19.012N 076-23-39.838W | Fl W 2.5s | 22 | R 6 | Brown dwelling on cylindrical pier. | Lighted throughout 24 hours. Day : Visible 0.5° either side of rangeline. Night : Visible all around higher intensity 0.5° either side of rangeline. Red sector from 311° to 316°. |
| 8050 | - RANGE REAR LIGHT 4,907 yards, 359.6° from front light. | 39-13-44.525N 076-23-39.903W | F W | 105 | | Square, pyramidal tower lower part white, upper part brown. | Lighted throughout 24 hours. Visible 0.9° either side of rangeline. |
| 8055 | - Lighted Buoy 8 | 39-03-57.699N 076-23-28.690W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |
| 8060 | - Lighted Buoy 9 | 39-04-09.898N 076-23-44.850W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 8065 | - Lighted Buoy 10 | 39-04-27.471N 076-23-34.268W | Fl R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|---------------------------|---------------|--------------|--|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273) | | | | | | | |
| Craighill Channel | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 8070 | - Lighted Buoy 11 | 39-05-10.732N 076-23-45.125W | FI G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8075 | - Lighted Buoy 12 | 39-05-10.732N 076-23-34.306W | FI R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8077 | - Lighted Buoy 13 | 39-06-06.027N 076-23-45.163W | FI G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8078 | - Lighted Buoy 14 | 39-06-05.970N 076-23-34.291W | FI R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8080 | - Lighted Buoy 15 | 39-06-59.384N 076-23-45.090W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 8085 | - Lighted Buoy 16 | 39-06-59.397N 076-23-34.177W | FI R 6s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8090 | - UPPER RANGE FRONT LIGHT | 39-11-49.408N 076-26-53.776W | Iso W 2s | 15 | | Red octagonal tower, white horizontal bands at middle. | Lighted throughout 24 hours. Visible 1.5° either side or rangeline. Structure Maintained by entity outside the U.S. Coast Guard. |
| 8095 | - UPPER RANGE REAR LIGHT 2,692 yards, 329.1° f from front light. | 39-12-58.209N 076-27-45.872W | Iso W 6s | 74 | | White square pyramidal skeleton and central shaft. | Lighted throughout 24 hours. Visible 1.5° either side or rangeline. |
| 8100 | - Lighted Buoy 18 | 39-07-33.974N 076-23-34.479W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8105 | - Lighted Buoy 19 | 39-07-42.864N 076-24-06.041W | FI G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8110 | - Lighted Buoy 20 | 39-08-19.123N 076-24-08.656W | FI R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8115 | - Lighted Buoy 21 | 39-08-27.849N 076-24-27.583W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 8117 | NOAA Lighted Data Buoy SN | 39-09-06.860N 076-23-28.120W | FI Y 4s | | | Yellow. | Removed when endangered by ice. Aid maintained by National Oceanic and Atmospheric Administration. |
| 8120 | Sevenfoot Knoll Light | 39-09-19.103N 076-24-32.506W | FI W 6s (1) (R sector) | 58 | W 12 R 9 | On skeleton tower. 58 | Red from 134° to 344°. Lighted throughout 24 hours. |
| 8125 | - Lighted Buoy 23 | 39-09-19.998N 076-25-06.987W | FI G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8130 | - Lighted Buoy 24 | 39-09-24.262N 076-24-57.685W | FI R 4s | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8135 | - Lighted Buoy 25 | 39-10-11.947N 076-25-46.333W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|--|---------------|--------------|----------------------------|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273) | | | | | | | |
| Craighill Channel | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 8140 | - Lighted Buoy 26 | 39-10-16.249N 076-25-37.105W | FI R 6s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| Brewerton Channel | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 8145 | - Lighted Buoy 2B | 39-10-43.990N 076-25-57.997W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8150 | - RANGE FRONT LIGHT On shoal near Hawkins Point. | 39-12-19.042N 076-31-26.152W | Iso G 2s (NIGHT) Iso W 2s (DAY) | 25 28 | | Skeleton tower on caisson. | Lighted throughout 24 hours. DAY: Visible 0.5° either side of rangeline. NIGHT: Visible all around higher intensity 0.5° either side of rangeline. |
| 8155 | - RANGE REAR LIGHT 2,818 yards, 290.8° from front light. | 39-12-49.217N 076-33-06.325W | F G (NIGHT) F W (DAY) | 86 81 | | On black skeleton tower. | Lighted throughout 24 hours. Visible 0.5° either side of rangeline. |
| 8160 | - Lighted Buoy 3 | 39-10-48.736N 076-26-42.018W | Q G | | 5 | Green. | Replaced by can when endangered by ice. |
| 8165 | - Lighted Buoy 4 | 39-10-57.112N 076-26-39.556W | FI R 2.5s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8170 | - Lighted Buoy 6 | 39-11-09.338N 076-27-19.797W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8175 | Pennwood Channel Junction Buoy PW | 39-11-14.991N 076-27-34.958W | | | | Red and green bands; nun. | |
| 8180 | - Lighted Buoy 7 | 39-11-08.825N 076-27-48.507W | FI G 6s | | 5 | Green. | Replaced by can when endangered by ice. |
| 8185 | - Lighted Buoy 8 | 39-11-35.988N 076-28-48.356W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8190 | - Lighted Buoy 9 | 39-11-29.204N 076-28-56.054W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 8195 | - Lighted Buoy 11 | 39-11-41.567N 076-29-36.964W | FI G 6s | | 5 | Green. | Replaced by can when endangered by ice. |
| 8200 | - Lighted Buoy 12 | 39-11-51.188N 076-29-38.644W | FI R 6s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8205 | - Lighted Buoy 14 | 39-12-00.138N 076-30-08.090W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8210 | - Lighted Buoy 15 | 39-11-55.770N 076-30-24.070W | FI G 2.5s | | 5 | Green. | Replaced by can when endangered by ice. |
| Fort McHenry Channel | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 8215 | - Lighted Buoy 1M | 39-12-02.990N 076-30-46.764W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity when endangered by ice. |
| 8220 | - RANGE FRONT LIGHT | 39-15-50.087N 076-34-39.785W | F G (NIGHT) F W (DAY) | 41 44 | | On skeleton tower. | Lighted throughout 24 hours. Visible 0.9° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|--------------------------------|---------------|--------------|--|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273) | | | | | | | |
| Fort McHenry Channel | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 8225 | - RANGE REAR LIGHT 1824 yards, 320.3° from front light. | 39-16-31.896N 076-35-23.917W | F R (NIGHT) F W (DAY) | 155 153 | | On skeleton tower. | Lighted throughout 24 hours. Visible 0.9° either side of rangeline. |
| 8230 | - <i>Lighted Buoy 2</i> | 39-12-27.264N 076-30-55.090W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8235 | - <i>Lighted Buoy 3</i> | 39-12-42.030N 076-31-28.532W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 8237 | Francis Scott Key Bridge V- AIS SE | 39-12-54.971N 076-31-43.459W | | | | | AIS: MMSI 993672313. |
| 8237.1 | Francis Scott Key Bridge V- AIS SC | 39-12-57.839N 076-31-46.501W | | | | | AIS: MMSI 993672312. |
| 8237.2 | Francis Scott Key Bridge V- AIS SW | 39-13-01.697N 076-31-50.413W | | | | | AIS: MMSI 993672314. |
| 8238 | Francis Scott Key Bridge V- AIS NE | 39-13-02.261N 076-31-33.817W | | | | | AIS: MMSI 993672310. |
| 8238.1 | Francis Scott Key Bridge V- AIS NC | 39-13-05.099N 076-31-36.949W | | | | | AIS: MMSI 993672309. |
| 8238.2 | Francis Scott Key Bridge V- AIS NW | 39-13-08.999N 076-31-40.981W | | | | | AIS: MMSI 993672311. |
| 8240 | Fort McHenry Anchorage Buoy A Marks northeast side of Explosive Anchorage No. 6. | 39-13-34.378N 076-31-31.746W | | | | Yellow can. | |
| 8245 | Francis Scott Key Memorial Buoy | 39-13-27.288N 076-31-42.667W | | | | Nun with red and white stripes with blue band and white stars topmost. | Maintained from June 1 to Nov. 1 to commemorate the writing of the Star Spangled Banner. |
| 8250 | - <i>Lighted Buoy 6</i> | 39-13-19.791N 076-31-54.075W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8255 | - <i>Lighted Buoy 7</i> | 39-13-27.540N 076-32-16.517W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 8260 | - <i>Lighted Buoy 8</i> | 39-13-42.605N 076-32-18.310W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8265 | - <i>Lighted Buoy 9</i> | 39-13-48.006N 076-32-37.894W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 8267 | - <i>Lighted Buoy 10</i> | 39-14-03.979N 076-32-40.977W | FI R 2.5s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8270 | - <i>Lighted Buoy 10A</i> | 39-14-16.369N 076-32-53.870W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8275 | - Buoy 11 | 39-14-23.668N 076-33-15.749W | | | | Green can. | |
| 8280 | - Buoy 13 | 39-14-35.264N 076-33-27.767W | | | | Green can. | |
| 8285 | - <i>Lighted Buoy 14</i> Located 75 feet outside channel limit. | 39-14-46.935N 076-33-26.204W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8290 | Fort McHenry Anchorage Buoy B | 39-14-58.116N 076-33-08.693W | | | | Yellow can. | |
| 8295 | - <i>Lighted Buoy 15</i> | 39-14-46.983N 076-33-40.152W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 8300 | Fort McHenry Anchorage Buoy C | 39-14-52.486N 076-33-52.572W | | | | Yellow can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273) | | | | | | | |
| Fort McHenry Channel | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 8305 | - Lighted Buoy 16 | 39-14-56.576N 076-33-36.387W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8310 | - Lighted Buoy 18 | 39-15-19.264N 076-34-00.213W | FI R 2.5s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 8315 | Fort McHenry Angle Junction Lighted Buoy FM | 39-15-23.794N 076-34-18.320W | FI (2+1)G 6s | | 5 | Green and red bands. | Replaced by can when endangered by ice. |
| Upper Chesapeake Channel | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 8320 | - Lighted Buoy LP | 39-02-34.800N 076-20-45.645W | Mo (A) W | | 5 | Red and white stripes. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8325 | SWAN POINT CHANNEL NORTH RANGE FRONT LIGHT | 39-07-09.573N 076-16-36.664W | Iso W 6s | 18 | | White cylindrical house on multi-pile structure. | Lighted throughout 24 hours. Visible 4.0° either side of rangeline. |
| 8330 | SWAN POINT CHANNEL NORTH RANGE REAR LIGHT 1,299 yards, 034.9° from front light. | 39-07-40.966N 076-16-07.968W | F W | 52 | | On same structure as Brewerton Channel East Extension Range Front Light. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 8333 | SWAN POINT CHANNEL NORTH RANGE REAR PASSING LIGHTS (2) | 39-07-40.966N 076-16-07.968W | F W | 26 | 4 | On same structure as Brewerton Channel East Extension Range Front Light. | Located on SW and NE corners of platform. |
| 8335 | - Lighted Buoy 1UC | 39-04-48.607N 076-18-51.289W | FI G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8340 | LOVE POINT LIGHT On shoal east side of bay. | 39-03-25.376N 076-17-01.168W | FI W 6s (R sector) | 31 | W 9 R 7 | NR on skeleton tower. | Red from 017° to 061° covers shoal off Love Point. |
| 8343 | - Love Point Lighted Data Buoy A | 39-04-23.232N 076-18-43.596W | FI Y 4s | | | Grey pontoon attached to a mooring buoy white with blue band. | Maintained from Jun. 1 to Nov. 30. Private aid. |
| 8345 | - Lighted Buoy 3 | 39-05-23.380N 076-18-19.361W | FI G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8350 | SWAN POINT CHANNEL SOUTH RANGE FRONT LIGHT | 39-03-39.188N 076-17-31.091W | FI W 2.5s | 18 | | On tankhouse on multiple pile steel structure. | Lighted throughout 24 hours. NIGHT: Visible all around; higher intensity 0.5° either side of rangeline. |
| 8355 | SWAN POINT CHANNEL SOUTH RANGE REAR LIGHT 850 yards, 169.4° from front light. | 39-03-14.369N 076-17-25.426W | Oc W 4s | 51 | | On multi-pile pile steel structure. | Lighted throughout 24 hours. Visible 0.5° either side of rangeline. |
| 8356 | SWAN POINT CHANNEL SOUTH RANGE REAR PASSING LIGHTS (2) | 39-03-14.369N 076-17-25.426W | FI W 2.5s | 25 | 4 | On same structure as Swan Point South Range Rear Light. | |
| 8360 | - Lighted Buoy 4 | 39-05-39.042N 076-17-53.648W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8365 | - Lighted Buoy 5 | 39-06-02.011N 076-18-08.201W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8370 | - Lighted Buoy 7 | 39-06-35.329N 076-18-17.580W | FI G 6s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|--|---------------|--------------|--|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273) | | | | | | | |
| Upper Chesapeake Channel | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 8375 | - Lighted Buoy 8 | 39-07-36.285N 076-19-11.046W | FI R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8380 | - Lighted Buoy 10 | 39-08-22.951N 076-19-21.428W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| Brewerton Channel Eastern Extension | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 8385 | - Lighted Buoy 2BE | 39-08-55.028N 076-19-58.745W | FI R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8390 | - RANGE FRONT LIGHT | 39-07-40.966N 076-16-07.968W | F R | | 30 | White cylindrical house on skeletal tower. On same structure as Swan Point North Range Rear Light. | Lighted throughout 24 hours. Visible 0.9° either side of rangeline. |
| 8395 | - RANGE REAR LIGHT 3,836 yards, 110.8° from front light. | 39-06-59.531N 076-13-51.956W | F W | | 110 | On skeleton tower. | Lighted throughout 24 hours. Visible 0.9° either side of rangeline. |
| 8405 | - Lighted Buoy 3 | 39-09-08.152N 076-21-08.093W | FI G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8410 | - Lighted Buoy 4 | 39-09-15.081N 076-21-04.475W | FI R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8415 | - Lighted Buoy 5 | 39-09-30.276N 076-22-21.185W | FI G 6s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8420 | - Lighted Buoy 6 | 39-09-37.275N 076-22-17.721W | FI R 6s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8425 | - Lighted Buoy 7 | 39-09-52.405N 076-23-33.972W | FI G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8430 | - Lighted Buoy 8 | 39-09-59.286N 076-23-30.562W | FI R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8435 | - Lighted Buoy 9 | 39-10-14.463N 076-24-47.052W | FI G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8440 | - Lighted Buoy 10 | 39-10-21.423N 076-24-43.490W | FI R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8441 | TOLCHESTER CHANNEL RANGE FRONT LIGHT | 39-08-07.829N 076-20-07.886W | FI W 2.5s (NIGHT) FI W 2.5s (DAY) | 20 23 | | On platform on single pile structure. | Lighted throughout 24 hours. DAY: Visible 0.5° either side of rangeline. NIGHT: Visible all around; higher intensity 4.0° either side of rangeline. |
| 8443 | TOLCHESTER CHANNEL RANGE REAR LIGHT 1,932 yards, 220° from front light. | 39-07-24.631N 076-20-56.254W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 89 86 | | On platform on single pile structure. | Lighted throughout 24 hours. DAY: Visible 0.5° either side of rangeline. NIGHT: Visible 4.0° either side of rangeline. |
| 8444 | TOLCHESTER CHANNEL RANGE REAR PASSING LIGHTS (2) | 39-07-24.631N 076-20-56.254W | Q W | 25 | 5 | On same structure as Tolchester Channel Range Rear Light. | Lights are located on the north and south corners of platform. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--------------------|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273) | | | | | | | |
| Upper Chesapeake Channel | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 8445 | - Lighted Buoy 11 | 39-09-01.169N 076-19-14.360W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8450 | - Lighted Buoy 12 | 39-08-54.707N 076-19-08.963W | FI R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8455 | - Lighted Buoy 13 | 39-09-48.103N 076-18-21.854W | FI G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8460 | - Lighted Buoy 14 | 39-09-43.116N 076-18-14.284W | FI R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8465 | - Lighted Buoy 15 | 39-10-33.534N 076-17-32.781W | FI G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8470 | - Lighted Buoy 16 | 39-10-27.315N 076-17-24.914W | FI R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8475 | - Lighted Buoy 17 | 39-11-32.545N 076-16-24.828W | FI G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8480 | - Lighted Buoy 18 | 39-11-27.478N 076-16-17.512W | FI R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8485 | - Lighted Buoy 19 | 39-12-20.660N 076-15-30.799W | FI G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8490 | - Lighted Buoy 20 | 39-12-24.799N 076-15-13.274W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8505 | - Lighted Buoy 21 | 39-12-36.920N 076-15-16.831W | FI G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8515 | - Buoy 21A | 39-12-44.493N 076-15-45.838W | | | | Green can. | |
| 8535 | - Lighted Buoy 23 | 39-13-26.319N 076-14-48.508W | FI G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8540 | - Lighted Buoy 24 | 39-13-23.317N 076-14-39.695W | FI R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8545 | - Lighted Buoy 25 | 39-14-05.714N 076-14-25.922W | FI G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8550 | - Lighted Buoy 26 | 39-14-18.794N 076-14-08.051W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8553 | - Lighted Buoy 27 | 39-14-38.147N 076-14-15.635W | FI G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8555 | POOLES ISLAND SOUTH RANGE FRONT LIGHT | 39-17-31.946N 076-14-11.711W | Q W | 34 | | On caisson. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 8560 | POOLES ISLAND SOUTH RANGE REAR LIGHT 1,183 yards, 000° from front light. | 39-18-07.023N 076-14-11.662W | Oc W 4s | 72 | | On skeleton tower. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|--|---------------|--------------|---|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273) | | | | | | | |
| Upper Chesapeake Channel | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 8561 | POOLES ISLAND SOUTH RANGE REAR PASSING LIGHT | 39-18-07.023N 076-14-11.662W | FI W 4s | 27 | 6 | On same structure as Pooles Island South Range Rear Light. | Marks both Pooles Island North and Pooles Island South Range Rear platform. |
| 8580 | - Lighted Buoy 29 | 39-15-45.288N 076-14-16.529W | FI G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8585 | - Buoy 29A | 39-16-13.592N 076-14-20.836W | | | | Green can. | |
| 8590 | - Lighted Buoy 30 | 39-15-45.325N 076-14-06.992W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8595 | - RANGE FRONT LIGHT | 39-19-12.526N 076-12-58.429W | FI W 2.5s (NIGHT) FI W 2.5s (DAY) | 35 38 | | On caisson. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 8600 | - RANGE REAR LIGHT 863 yards, 015° from front light. | 39-19-37.184N 076-12-49.665W | Oc W 4s (NIGHT) Oc W 4s (DAY) | 64 61 | | On skeleton tower on caisson. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 4.0° either side of rangeline. |
| 8601 | - RANGE REAR PASSING LIGHTS (2) | 39-19-37.184N 076-12-49.665W | Oc W 4s | | 15 4 | On same structure as Upper Chesapeake Channel Range Rear Light. | Light also marks Shad Battery Range Rear Light. |
| 8605 | - Lighted Buoy 31 | 39-16-46.058N 076-13-54.362W | FI G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8610 | - Lighted Buoy 32 | 39-16-43.382N 076-13-46.558W | FI R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8615 | - Lighted Buoy 33 | 39-17-44.659N 076-13-33.584W | FI G 6s | | 6 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8620 | - Lighted Buoy 34 | 39-17-43.084N 076-13-26.227W | FI R 6s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8625 | - Buoy 34A | 39-18-10.984N 076-12-46.080W | | | | Red nun. | |
| 8630 | - Lighted Buoy 36 | 39-18-39.975N 076-13-06.044W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8635 | - Lighted Buoy 37 | 39-18-55.726N 076-13-07.363W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8640 | - Lighted Buoy 38 | 39-19-02.275N 076-12-48.242W | FI R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| Pooles Island Flats Channel | | | | | | | |
| 8645 | - Lighted Buoy 1 | 39-13-08.191N 076-22-00.688W | FI G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 8646 | - Lighted Buoy 2 | 39-12-54.391N 076-21-05.847W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 1 to Mar. 15. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|--|---------------|--------------|--|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273) | | | | | | | |
| Pooles Island Flats Channel | | | | | | | |
| 8650 | - Lighted Buoy 3 | 39-14-16.691N 076-19-31.345W | FI G 6s | | 4 | Green. | Replaced by can f from Dec. 1 to Mar. 15. |
| 8655 | - Lighted Buoy 4 | 39-13-53.391N 076-19-20.844W | FI R 6s | | 4 | Red. | Replaced by nun f from Dec. 1 to Mar. 15. |
| 8660 | - Lighted Buoy 5 | 39-15-00.390N 076-18-13.842W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 1 to Mar. 15. |
| 8663 | POOLES ISLAND BAR LIGHT | 39-15-42.390N 076-16-40.840W | FI W 2.5s (R sector) | 27 | W 6 R 5 | Black skeleton tower on cylindrical base. | Red f from 058° to 225°. |
| 8665 | - Lighted Buoy 6 | 39-14-45.390N 076-17-47.841W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 1 to Mar. 15. |
| 8670 | - Lighted Buoy 7 | 39-16-11.631N 076-15-55.838W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 1 to Mar. 15. |
| 8675 | - Lighted Buoy 8 | 39-16-39.291N 076-15-03.337W | Q R | | 4 | Red. | Replaced by nun f from Dec. 1 to Mar. 15. |
| 8690 | - Lighted Buoy 9 | 39-16-58.591N 076-14-14.335W | FI G 2.5s | | 4 | Green. | Replaced by can f from Dec. 1 to Mar. 15. |
| 8693 | POOLES ISLAND LIGHT | 39-17-25.740N 076-15-59.130W | FI W (4+3) 16s | 38 | | Stone tower. | Aid maintained by U.S. Army. |
| 8695 | POOLES ISLAND NORTH RANGE FRONT LIGHT | 39-18-31.431N 076-13-37.309W | FI W 2.5s (NIGHT) FI W 2.5s (DAY) | 35 33 | | On skeleton tower on caisson. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side or rangeline. |
| 8700 | POOLES ISLAND NORTH RANGE REAR LIGHT 1,221 yards, 227° from front light. | 39-18-07.023N 076-14-11.662W | Oc W 4s (NIGHT) Oc W 4s (DAY) | 69 72 | | On same structure as Pooles Island South Range Rear Light. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 4.0° either side of rangeline. |
| Aberdeen Restricted Area | | | | | | | |
| 8705 27290 | - Buoy A | 39-16-46.391N 076-17-10.841W | | | | Yellow can. | |
| 8710 27295 | - Buoy B | 39-17-05.890N 076-18-01.843W | | | | Yellow can. | |
| 8715 | - Buoy C | 39-18-15.391N 076-14-16.836W | | | | Yellow can. | |
| 8720 | - Buoy D | 39-19-18.392N 076-13-10.833W | | | | Yellow can. | |
| 8725 | - Buoy E | 39-20-21.893N 076-12-03.831W | | | | Yellow can. | |
| 8730 | - Buoy F | 39-21-24.394N 076-10-57.829W | | | | Yellow can. | |
| 8735 | - Buoy G | 39-22-29.396N 076-09-50.826W | | | | Yellow can. | |
| 8740 | - Buoy H | 39-23-30.399N 076-08-14.823W | | | | Yellow can. | |
| 8745 | - Buoy J | 39-24-33.383N 076-06-36.886W | | | | Yellow can. | |
| 8750 | - Buoy K | 39-25-34.405N 076-04-58.817W | | | | Yellow can. | |
| 8755 | - Buoy L | 39-26-28.409N 076-03-11.814W | | | | Yellow can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|----------------------------|---------------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273) | | | | | | | |
| Upper Chesapeake Channel | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 8760 | WORTON POINT LIGHT | 39-19-06.393N 076-11-10.828W | FI W 6s | 93 | 6 | Watch tower. | |
| 8770 | - Lighted Buoy 38A | 39-19-46.994N 076-11-31.230W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8780 | - Lighted Buoy 39 | 39-20-03.266N 076-11-34.371W | FI G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8785 | - Lighted Buoy 40 | 39-19-57.810N 076-11-30.395W | FI R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8790 | - Buoy 40A | 39-20-23.394N 076-10-44.328W | | | | Red nun. | |
| 8795 | - Lighted Buoy 41 | 39-20-55.395N 076-10-20.827W | FI G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8800 | - Lighted Buoy 42 | 39-20-50.701N 076-10-13.694W | FI R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| Stillpond Creek | | | | | | | |
| 8805 | - ENTRANCE LIGHT 2S | 39-20-07.196N 076-08-13.986W | FI R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 8810 | - Day beacon 3 | 39-20-02.882N 076-08-02.732W | | | | SG on pile. | |
| 8815 | - Buoy 4 | 39-20-01.915N 076-08-02.660W | | | | Red nun. | |
| 8819 | - Buoy 5 | 39-19-59.591N 076-07-57.179W | | | | Green can. | |
| 8820 | - LIGHT 6 | 39-19-58.680N 076-07-56.160W | FI R 4s | 15 | 4 | TR on pile. | |
| 8825 | - Buoy 7 | 39-20-01.048N 076-07-51.644W | | | | Green can. | |
| 8830 | - Day beacon 9 | 39-20-02.201N 076-07-50.198W | | | | SG on pile. | |
| Upper Chesapeake Channel | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 8850 | Shad Battery Shoal Buoy 1A | 39-21-32.396N 076-09-47.126W | | | | Green can. | |
| 8855 | Taylor Island Shoal Buoy 1 | 39-21-44.395N 076-10-31.928W | | | | Green can. | |
| 8860 | - Lighted Buoy 43 | 39-21-32.767N 076-09-02.629W | FI G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8865 | - Lighted Buoy 44 | 39-21-27.762N 076-08-58.529W | FI R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8870 | - Lighted Buoy 45 | 39-22-10.839N 076-07-45.462W | FI G 2.5s | | 4 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. AIS: MMSI 993672086. |
| 8875 | - Lighted Buoy 46 | 39-22-05.831N 076-07-41.366W | FI R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. AIS: MMSI 993672087. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|--|---------------|--------------|---|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273) | | | | | | | |
| Upper Chesapeake Channel | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 8880 | HOWELL POINT LIGHT | 39-22-18.399N 076-06-40.819W | FI W 4s (R sector) | 28 | W 6 R 5 | NR on skeleton tower. | Red from 049° to 059°. |
| 8885 | GROVE POINT RANGE FRONT LIGHT | 39-24-09.307N 076-02-15.650W | FI W 2.5s (NIGHT) FI W 2.5s (DAY) | 29 31 | | On platform. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible 4.0° either side of rangeline. |
| 8890 | GROVE POINT RANGE REAR LIGHT 1,763 yards, 065.2° from front light. | 39-24-30.717N 076-01-14.193W | Oc W 4s (NIGHT) Oc W 4s (DAY) | 61 58 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline. |
| 8891 | GROVE POINT RANGE REAR PASSING LIGHTS (2) | 39-24-30.717N 076-01-14.193W | FI W 4s | 30 | 4 | On same structure as Grove Point Range Rear Light. | Located on NW and NE corners of platform. |
| 8895 | - <i>Lighted Buoy 47</i> | 39-22-50.744N 076-06-10.205W | FI G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. AIS: MMSI 993672088. |
| 8900 | - <i>Lighted Buoy 48</i> | 39-22-45.337N 076-06-07.068W | FI R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. AIS: MMSI 993672089. |
| 8905 | - <i>Lighted Buoy 49</i> | 39-23-20.301N 076-04-45.531W | FI G 6s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8910 | SHAD BATTERY SHOAL RANGE FRONT LIGHT | 39-20-18.329N 076-11-26.387W | FI W 2.5s (NIGHT) FI W 2.5s (DAY) | 30 33 | | On caisson. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline. |
| 8915 | SHAD BATTERY SHOAL RANGE REAR LIGHT 2,585 yards, 237° from front light. | 39-19-37.184N 076-12-49.665W | Oc W 4s (NIGHT) Oc W 4s (DAY) | 58 61 | | On same structure as Upper Chesapeake Channel Range Rear Light. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline. |
| 8920 | - <i>Lighted Buoy 50</i> | 39-23-14.894N 076-04-42.394W | FI R 6s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| Elk River Channel | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 8925 | - <i>Lighted Buoy 1ER</i> | 39-23-51.238N 076-03-16.828W | FI G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. AIS: MMSI 993672090. |
| 8930 | - <i>Lighted Buoy 2</i> | 39-23-51.536N 076-02-56.941W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|--|---------------|--------------|---|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273) | | | | | | | |
| Elk River Channel | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 8935 | - SOUTH RANGE FRONT LIGHT | 39-22-11.932N 076-04-59.025W | F W (NIGHT) F W (DAY) | 103 100 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible 14.0° either side of rangeline. Night range emergency light, of lower intensity will be displayed when main light is inoperative and only visible 4.0° either side of rangeline. |
| 8940 | - SOUTH RANGE REAR LIGHT 3,739 yards, 222.2° from front light. | 39-20-49.839N 076-06-34.997W | F W (NIGHT) F W (DAY) | 203 200 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline NIGHT : Visible 4.0° either side of rangeline. Night range emergency light, of lower intensity will be displayed when main light is inoperative and only visible 1.5° either side of rangeline. |
| 8945 | - Lighted Buoy 3 | 39-24-06.083N 076-02-50.620W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8950 | - Lighted Buoy 5 | 39-25-04.012N 076-01-42.777W | FI G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8955 | - Lighted Buoy 6 | 39-25-00.025N 076-01-37.117W | FI R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8960 | - Lighted Buoy 7 | 39-26-03.256N 076-00-33.348W | FI G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8965 | - Lighted Buoy 8 | 39-25-59.269N 076-00-27.686W | FI R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8970 | Elk River Junction Buoy ER | 39-26-12.912N 076-01-03.809W | | | | Green and red bands; can. | |
| 8975 | TURKEY POINT LIGHT | 39-26-59.578N 076-00-30.313W | FI W 6s | 129 | | White tower. | Private aid. |
| 8980 | - Lighted Buoy 9 | 39-27-02.486N 075-59-23.844W | FI G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8985 | - Lighted Buoy 10 | 39-26-58.732N 075-59-17.856W | FI R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 8990 | - NORTH RANGE FRONT LIGHT | 39-29-36.325N 075-56-18.040W | FI W 2.5s (NIGHT) FI W 2.5s (DAY) | 37 40 | | On caisson. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible 4.0° either side of rangeline. |
| 8991 | - NORTH RANGE FRONT PASSING LIGHT | 39-29-36.325N 075-56-18.040W | FI W 2.5s | 8 | 4 | On same structure as Elk River Channel North Range Front Light. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|--|---------------|--------------|--|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273) | | | | | | | |
| Elk River Channel | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 8995 | - NORTH RANGE REAR LIGHT 3,275 yards, 042.5° from front light. | 39-31-06.639N 075-54-31.806W | F W (NIGHT) F W (DAY) | 140 137 | | On white skeleton tower. | Lighted throughout 24 hours. DAY : Visible on rangeline only. NIGHT: Visible 5.5° either side of rangeline. |
| 9000 | ARNOLD POINT LIGHT | 39-27-46.063N 075-58-00.649W | FI W 4s | 15 | 6 | NR on multi-pile structure. | |
| 9005 | - Lighted Buoy 11 | 39-28-01.280N 075-58-14.786W | FI G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9010 | - Lighted Buoy 12 | 39-27-57.022N 075-58-09.460W | FI R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9015 | - Lighted Buoy 13 | 39-28-45.839N 075-57-15.542W | FI G 6s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.. |
| 9020 | - Lighted Buoy 14 | 39-28-41.697N 075-57-10.053W | FI R 6s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9025 | OLDFIELD POINT RANGE FRONT LIGHT | 39-30-30.195N 075-54-51.148W | Iso W 2s (NIGHT) Iso W 2s (DAY) | 89 92 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 10.0° either side of rangeline. NIGHT : Visible 5.5° either side of rangeline. |
| 9027 | OLDFIELD POINT RANGE FRONT PASSING LIGHTS (2) | 39-30-30.195N 075-54-51.148W | FI W 4s | 34 | 5 | On same structure as Oldfield Point Range Front Light. | |
| 9030 | OLDFIELD POINT RANGE REAR LIGHT 1,925 yards, 045.2° from front light. | 39-31-09.921N 075-53-58.245W | Oc W 4s (NIGHT) Oc W 4s (DAY) | 119 122 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 0.9° either side of rangeline. NIGHT : Visible 14.0° either side of rangeline. |
| 9035 | - Lighted Buoy 15 | 39-29-29.937N 075-56-16.883W | FI G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9040 | - Lighted Buoy 16 | 39-29-25.637N 075-56-11.335W | FI R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9045 | - Lighted Buoy 18 | 39-30-09.424N 075-55-13.304W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9050 | - Lighted Buoy 19 | 39-30-21.111N 075-55-08.742W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9055 | - EAST RANGE FRONT LIGHT | 39-30-41.814N 075-53-16.688W | Q W (NIGHT) Q W (DAY) | 14 17 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 4.0° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline. |
| 9060 | - EAST RANGE REAR LIGHT 176 yards, 074.7° from front light. | 39-30-43.130N 075-53-10.146W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 34 31 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 4.0° either side of rangeline. NIGHT: Visible 1.5° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273) | | | | | | | |
| Elk River Channel | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 9065 | - WEST RANGE FRONT LIGHT | 39-30-08.728N 075-55-52.519W | F R | 29 | | KWB on white skeleton tower. | NIGHT : Visible 1.5° either side of rangeline. |
| 9070 | - WEST RANGE REAR LIGHT 235 yards, 254.5° from front light. | 39-30-06.920N 075-56-01.005W | F R | 60 | | KWB on white skeleton tower. | NIGHT : Visible 1.5° either side of rangeline. |
| 9075 | - <i>Lighted Buoy 20</i> | 39-30-18.169N 075-54-53.361W | FI R 2.5s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9080 | - <i>Lighted Buoy 21</i> | 39-30-36.370N 075-53-56.720W | Q G | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9085 | - <i>Lighted Buoy 22</i> | 39-30-32.085N 075-53-50.821W | Q R | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9090 | Courthouse Point Obstruction Buoy Marks remains of submerged dredge pipeline. | 39-30-42.977N 075-53-20.578W | | | | White can with orange bands and worded DANGER SUBMERGED PIPELINE. | |
| 9095 | - <i>Lighted Buoy 23</i> | 39-30-51.412N 075-53-23.288W | FI G 2.5s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9100 | - <i>Lighted Buoy 24</i> | 39-30-47.000N 075-53-18.172W | Q R | | 4 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9105 | BACK CREEK CHANNEL RANGE FRONT LIGHT | 39-31-48.867N 075-51-51.384W | Q W | 25 | | KWB on skeleton tower on multi-pile structure. | |
| 9110 | BACK CREEK CHANNEL RANGE REAR LIGHT 410 yards, 048.2° from front light. | 39-31-56.843N 075-51-39.562W | Iso W 6s | 50 | | KWB on skeleton tower. | NIGHT: Visible 1.5° either side of rangeline. |
| 9155 | - <i>Lighted Buoy 25</i> | 39-31-11.824N 075-52-51.760W | FI G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9160 | - <i>Lighted Buoy 26</i> | 39-31-07.363N 075-52-46.715W | FI R 4s | | 5 | Red. | Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. |
| 9165 | BOHEMIA RIVER LIGHT 2 | 39-28-31.997N 075-53-11.104W | FI R 4s | 15 | 4 | TR on pile. | |
| 9170 | Bohemia River Day beacon 4 | 39-28-03.072N 075-52-35.131W | | | | TR on pile. | |
| Back Creek Channel | | | | | | | |
| 9180 | - LIGHT 28 | 39-31-33.266N 075-52-07.794W | FI R 2.5s | 15 | 5 | TR on multi-pile structure. | |
| 9185 | - LIGHT 29 | 39-31-38.565N 075-52-12.785W | FI G 2.5s | 25 | 4 | SG on multi-pile structure. | |
| 9190 | - LIGHT 30 | 39-31-40.627N 075-51-52.690W | FI R 4s | 25 | 5 | TR on multi-pile structure. | |
| 9195 | - LIGHT 31 | 39-31-51.203N 075-51-40.256W | FI G 4s | 15 | 5 | SG on multi-pile structure. | |
| 9200 | - LIGHT 32 | 39-31-44.313N 075-51-37.288W | FI R 2.5s | 15 | 5 | TR on multi-pile structure. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|-------------------------------------|---------------------------------|-----------------------|---------------|--------------|--|---|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254) | | | | | | | |
| Thimble Shoal Channel | | | | | | | |
| <i>Vessels drawing less than 25 feet are not permitted to use this channel.</i> | | | | | | | |
| 9205 | - Lighted Bell Buoy 1TS | 36-56-59.849N 076-01-25.049W | FI G 2.5s | | 6 | Green. | |
| 9210 | - Lighted Buoy 2 | 36-57-09.332N 076-01-21.202W | FI R 2.5s | | 6 | Red. | |
| 9215 | - Lighted Buoy 3 | 36-57-25.827N 076-03-04.897W | FI G 4s | | 6 | Green. | |
| 9220 | - Lighted Buoy 4 | 36-57-35.187N 076-03-01.106W | FI R 4s | | 6 | Red. | |
| 9225 | - Lighted Buoy 5 | 36-57-50.918N 076-04-42.171W | FI G 6s | | 6 | Green. | |
| 9230 | - Lighted Buoy 6 | 36-58-00.431N 076-04-38.324W | FI R 6s | | 6 | Red. | |
| 9235 | - Lighted Buoy 7 | 36-58-15.742N 076-06-17.796W | FI G 2.5s | | 6 | Green. | |
| 9240 | - Lighted Gong Buoy 8 | 36-58-25.091N 076-06-13.999W | FI R 2.5s | | 6 | Red. | |
| 9245 | THIMBLE SHOAL TUNNEL SOUTH LIGHT | 36-57-59.600N 076-06-44.900W | F Y | 32 | | On wall. | BELL: 1 stroke ev 10s. Operates during periods of low visibility only. Private aid. |
| 9250 | THIMBLE SHOAL TUNNEL NORTH LIGHT | 36-58-50.900N 076-06-23.700W | F Y | 32 | | On wall. | HORN: 1 blast ev 20s (2s bl). Operates during periods of low visibility only. Private aid. |
| 9255 | - Lighted Bell Buoy 9 | 36-58-40.929N 076-07-55.243W | FI G 4s | | 6 | Green. | |
| 9260 | - Lighted Buoy 10 | 36-58-50.360N 076-07-51.545W | FI R 4s | | 6 | Red. | |
| 9265 | - Lighted Buoy 11 | 36-59-06.071N 076-09-32.660W | FI G 6s | | 6 | Green. | |
| 9270 | - Lighted Buoy 12 | 36-59-15.532N 076-09-28.927W | FI R 6s | | 6 | Red. | |
| 9275 | - Lighted Buoy 13 | 36-59-31.149N 076-11-10.115W | FI G 2.5s | | 6 | Green. | |
| 9280 | - Lighted Buoy 14 | 36-59-40.639N 076-11-06.345W | FI R 2.5s | | 6 | Red. | |
| 9285 | - Lighted Buoy 15 | 36-59-56.225N 076-12-47.578W | FI G 4s | | 6 | Green. | |
| 9290 | - Lighted Buoy 16 | 37-00-05.745N 076-12-43.773W | FI R 4s | | 6 | Red. | |
| CHESAPEAKE BAY - THIMBLE SHOAL CHANNEL (Chart 12245) | | | | | | | |
| Thimble Shoal Channel | | | | | | | |
| <i>Vessels drawing less than 25 feet are not permitted to use this channel.</i> | | | | | | | |
| 9295 | - Lighted Buoy 17 | 37-00-20.927N 076-14-23.282W | FI G 2.5s | | 6 | Green. | |
| 9300 | - Lighted Buoy 18 | 37-00-39.985N 076-14-56.399W | Q R | | 6 | Red. | |
| 9305 | - Lighted Buoy 19 | 37-00-22.727N 076-15-30.984W | Q G | | 6 | Green. | |
| 9310 | Thimble Shoal Light | 37-00-52.149N 076-14-23.472W | FI W 10s | 55 | 18 | Red conical tower on brown cylindrical pier. 65 | Structure maintained by entity outside the U.S. Coast Guard. |
| 9315 | - Lighted Buoy 21 | 37-00-03.979N 076-17-02.149W | Q G | | 6 | Green. | |
| 9320 | - Lighted Buoy 22 | 37-00-09.511N 076-17-52.635W | Q R | | 6 | Red. | |
| CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254) | | | | | | | |
| Thimble Shoal Channel | | | | | | | |
| <i>Vessels drawing less than 25 feet are not permitted to use this channel.</i> | | | | | | | |
| 9355 | Naval Ordnance Lighted Buoy P | 37-00-20.774N 076-16-56.688W | FI Y 4s | | 5 | Yellow. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|--|---------------|--------------------|---|--|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254) | | | | | | | |
| Thimble Shoal Channel | | | | | | | |
| <i>Vessels drawing less than 25 feet are not permitted to use this channel.</i> | | | | | | | |
| 9360 | Naval Ordnance Lighted Buoy R | 37-00-17.685N 076-17-16.284W | FI Y 4s | | 5 | Yellow. | |
| 9365 | Naval Ordnance Lighted Buoy T | 37-00-14.211N 076-17-36.898W | FI Y 4s | | 5 | Yellow. | |
| 9370 | NORFOLK ENTRANCE REACH RANGE FRONT LIGHT | 37-00-40.158N 076-17-05.931W | Iso W 2s (NIGHT) Iso W 2s (DAY) | 22 20 | | On skeleton tower. | Lighted throughout 24 hours. DAY: Visible 0.5 either side of rangeline. NIGHT: Visible 5.5 either side of rangeline. |
| 9375 | NORFOLK ENTRANCE REACH RANGE REAR LIGHT 960 yards, 045° from front light. | 37-01-00.536N 076-16-40.370W | Oc W 4s (NIGHT) Oc W 4s (DAY) | 60 58 | | On skeleton tower. | Lighted throughout 24 hours. DAY: Visible 0.5 either side of rangeline. NIGHT: Visible 5.5 either side of rangeline. |
| 9377 | NORFOLK ENTRANCE REACH RANGE REAR PASSING LIGHT | 37-01-00.536N 076-16-40.370W | FI W 4s | | 15 3 | On same structure as Norfolk Entrance Reach Range Rear Light. | |
| HAMPTON ROADS (Chart 12245) | | | | | | | |
| Hampton Bar | | | | | | | |
| 9380 | Old Point Comfort Light | 37-00-06.272N 076-18-23.272W | FI (2) R 12s 2s fl 2s ec. 2s fl 6s ec. (W sector) | | 54 W 16 R 14 | White tower. 60 | White from 265° to 038°. |
| 9390 | - Buoy 14 | 36-59-46.029N 076-19-23.694W | | | | Red nun. | |
| 9400 | - WARNING LIGHT | 36-59-26.231N 076-20-23.251W | FI W 4s | | 15 5 | NW on pile worded DANGER OBSTRUCTION. | |
| 9405 | - Day beacon 16 | 36-59-16.935N 076-20-20.718W | | | | TR on pile. | |
| 9410 | - Day beacon 18 | 36-58-46.828N 076-21-04.707W | | | | TR on pile. | |
| 9415 | - Channel Buoy 20 | 36-58-06.019N 076-21-59.418W | | | | Red nun. | |
| 9420 | - Channel Buoy 22 | 36-58-00.179N 076-22-35.806W | | | | Red nun. | |
| Hampton Flats Bar Channel | | | | | | | |
| 9425 | - Day beacon 1 | 36-59-06.389N 076-21-34.775W | | | | SG on pile. | |
| 9430 | - LIGHT 2 | 36-59-00.552N 076-21-22.936W | FI R 2.5s | | 15 4 | TR on pile. | |
| 9435 | - Day beacon 3 | 37-00-11.433N 076-20-31.436W | | | | SG on pile. | |
| 9440 | - Day beacon 4 | 37-00-10.948N 076-20-15.982W | | | | TR on pile. | |
| Elizabeth River | | | | | | | |
| 9445 | - Channel Lighted Buoy 1ER | 36-59-16.629N 076-18-41.292W | Q G | | 6 | Green. | |
| 9450 | Sewells Point Spit Day beacon A | 36-58-51.401N 076-18-49.647W | | | | NY on pile. | |
| 9455 | Sewells Point Spit Day beacon B | 36-58-48.182N 076-18-54.192W | | | | NY on pile. | |
| 9460 | Sewells Point Spit Day beacon C | 36-58-31.718N 076-19-14.378W | | | | NY on pile. | |
| 9465 | - Channel Lighted Bell Buoy 3 | 36-58-26.130N 076-19-44.695W | FI G 2.5s | | 6 | Green. | |
| 9470 | - Channel Lighted Gong Buoy 5 | 36-58-00.230N 076-20-00.695W | Q G | | 5 | Green. | |
| 9475 | - Channel Lighted Buoy 7 | 36-57-45.130N 076-20-01.995W | FI G 4s | | 5 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|------------------------------------|--|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| HAMPTON ROADS (Chart 12245) | | | | | | | |
| Elizabeth River | | | | | | | |
| 9480 | NORFOLK NAVAL BASE BREAKWATER LIGHT | 36-57-50.530N 076-19-49.795W | FI Y 4s | 15 | | On pile. | Aid maintained by U.S. Navy. |
| 9485 | Naval Base Pier Buoy 1 | 36-57-41.929N 076-19-53.856W | | | | Green can. | |
| 9495 | NORFOLK NAVAL BASE SERVICE CRAFT BASIN LIGHT BW | 36-57-10.900N 076-19-56.300W | FI Y 4s | 15 | | On pile. | Aid maintained by U.S. Navy. |
| 9500 | - Channel Lighted Buoy 8 | 36-57-01.930N 076-20-20.896W | FI R 2.5s | | 6 | Red. | |
| 9515 | - Channel Lighted Buoy 9 | 36-56-37.188N 076-20-07.858W | FI G 4s | | 5 | Green. | |
| 9520 | - Channel Lighted Bell Buoy 10 | 36-56-35.931N 076-20-22.966W | FI R 4s | | 5 | Red. | |
| 9522 | LEHIGH PORTLAND CEMENT LIGHTED MOORING DOLPHIN A | 36-55-48.000N 076-20-01.000W | FI Y 4s | | | On dolphin. | Private aid. |
| 9525 | - Channel Lighted Buoy 11 | 36-55-51.573N 076-20-11.249W | FI G 6s | | 5 | Green. | |
| 9530 | - Channel Lighted Buoy 12 | 36-55-47.531N 076-20-26.995W | FI R 6s | | 6 | Red. | |
| 9532 | HRSD NIT Outfall Warning Buoy AB | 36-55-18.560N 076-20-09.740W | | | | White and orange can. | Private aid. |
| 9535 | - Channel Lighted Buoy 13 | 36-55-06.682N 076-20-14.958W | FI G 2.5s | | 6 | Green. | |
| 9540 | - Channel Lighted Buoy 14 | 36-55-05.731N 076-20-30.495W | Q R | | 4 | Red. | |
| 9545 | - Channel Lighted Buoy 15 | 36-54-44.131N 076-20-16.794W | Q G | | 6 | Green. | |
| Norfolk International Terminal | | | | | | | |
| 9550 | - Warning Day beacon | 36-55-17.088N 076-19-46.111W | | | | NW on pile worded DANGER SHOAL. | |
| 9551.5 | - North Channel Lighted Buoy 2N | 36-55-36.779N 076-20-04.921W | Q R | | 4 | Red. | |
| 9552 | - North Channel Buoy 4N | 36-55-34.785N 076-19-59.262W | | | | Red nun. | |
| 9552.5 | - North Channel Lighted Buoy 6N | 36-55-31.772N 076-19-54.049W | Q R | | 4 | Red. | |
| 9553.5 | - North Channel Buoy 8N | 36-55-20.937N 076-19-53.811W | | | | Red nun. | |
| 9555 | - South Channel Buoy 2S | 36-54-49.802N 076-20-10.303W | | | | Red nun. | |
| 9560 | - South Channel Lighted Buoy 4S | 36-54-45.060N 076-19-57.850W | FI R 2.5s | | 4 | Red. | |
| 9565 | - South Channel Lighted Buoy 6S | 36-54-36.945N 076-19-52.047W | Q R | | 4 | Red. | |
| 9570 | - South Channel Lighted Buoy 8S | 36-54-18.749N 076-19-43.238W | FI R 2.5s | | 4 | Red. | |
| 9572 | - South Channel Day beacon 10S | 36-54-11.0891 076-19-41.781W | | | | TR on pile. | |
| Craney Island Disposal Area | | | | | | | |
| 9575 | - North Range Front Day beacon | 36-53-57.120N 076-20-54.240W | | | | KRW on pile. | Aid maintained by U.S. Army Corps of Engineers. |
| 9580 | - North Range Rear Day beacon | 36-54-00.000N 076-21-00.000W | | | | KRW on pile. | Aid maintained by U.S. Army Corps of Engineers. |
| 9585 | - South Range Front Day beacon | 36-53-40.860N 076-20-48.700W | | | | KRW on pile. | Aid maintained by U.S. Army Corps of Engineers. |
| 9590 | - South Range Rear Day beacon | 36-53-38.400N 076-20-52.320W | | | | KRW on pile. | Aid maintained by U.S. Army Corps of Engineers. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| HAMPTON ROADS (Chart 12245) | | | | | | | |
| Elizabeth River | | | | | | | |
| 9595 | - Channel Lighted Buoy 17 | 36-54-17.031N 076-20-12.094W | FI G 2.5s | | 6 | Green. | |
| 9600 | - Channel Lighted Buoy 18 | 36-54-15.973N 076-20-22.008W | FI R 2.5s | | 5 | Red. | |
| 9602 | Craney Island Lighted Warning Buoy A | 36-54-03.385N 076-20-37.255W | FI W 2s | | | White with orange diamond worded "DANGER OBSTRUCTION". | Private aid. |
| 9605 | - Channel Lighted Buoy 19 | 36-53-50.032N 076-20-07.594W | FI G 4s | | 5 | Green. | |
| 9610 | Craney Island Warning Day beacon A | 36-53-34.932N 076-20-16.294W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | |
| 9615 | Craney Island Warning Day beacon B | 36-53-31.933N 076-20-17.004W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | |
| 9620 | - Channel Lighted Buoy 20 | 36-53-33.012N 076-20-14.612W | FI R 4s | | 6 | Red. | |
| 9625 | - Channel Lighted Buoy 21 | 36-53-23.032N 076-20-02.893W | FI G 6s | | 6 | Green. | |
| 9630 | - Channel Lighted Buoy 23 | 36-52-56.032N 076-19-58.393W | FI G 4s | | 6 | Green. | |
| NORFOLK HARBOR AND ELIZABETH RIVER (Chart 12253) | | | | | | | |
| Elizabeth River | | | | | | | |
| 9635 | CRANEY ISLAND PIPELINE WARNING NORTH FRONT LIGHT | 36-53-04.412N 076-20-24.894W | F R | 21 | | On pile. | Private aid. |
| 9640 | CRANEY ISLAND PIPELINE WARNING NORTH REAR LIGHT | 36-53-05.162N 076-20-27.954W | F R | 26 | | On pile. | Private aid. |
| 9645 | CRANEY ISLAND PIPELINE WARNING SOUTH FRONT LIGHT | 36-53-03.782N 076-20-25.074W | F W | 22 | | On pile. | Private aid. |
| 9650 | CRANEY ISLAND PIPELINE WARNING SOUTH REAR LIGHT | 36-53-04.752N 076-20-27.864W | F W | 26 | | On pile. | Private aid. |
| 9655 | NORFOLK AND WESTERN COAL PIER LIGHT | 36-52-47.032N 076-19-55.293W | FI Y 4s | 15 | | On pile. | Private aid. |
| Craney Island Creek | | | | | | | |
| 9665 | - LIGHT 2CI | 36-52-50.821N 076-20-27.700W | Q R | 19 | 4 | TR on pile. | |
| 9668 | - LIGHT 4 | 36-52-50.561N 076-20-37.903W | FI R 4s | 15 | 4 | TR on pile. | |
| 9670 | - LIGHT 5 | 36-52-47.604N 076-20-40.134W | Q G | 15 | 4 | SG on pile. | |
| 9675 | - LIGHT 6 | 36-52-52.623N 076-20-47.129W | Q R | 15 | 4 | TR on pile. | |
| 9677 | - Buoy 7 | 36-52-50.469N 076-20-51.822W | | | | Green can. | |
| 9678 | - LIGHT 8 | 36-52-58.746N 076-20-47.856W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 9683 | - LIGHT 10 | 36-53-05.230N 076-20-57.343W | FI R 4s | 15 | 3 | TR on pile. | |
| 9690 | - WRECK LIGHT WR12 | 36-53-05.154N 076-21-01.974W | Q R | 15 | 4 | TR on pile. | |
| 9695 | - LIGHT 14 | 36-53-07.164N 076-21-04.796W | FI R 2.5s | 15 | 3 | TR on multi-pile structure. | |
| APM Terminal Channel | | | | | | | |
| 9697 | Craney Island Creek Lighted Junction Buoy CA | 36-52-47.557N 076-20-17.534W | FI (2+1)G 6s | | 5 | Green and red bands. | |
| 9699 | - Lighted Buoy 1 | 36-52-39.879N 076-20-13.464W | Q G | | 5 | Green. | |
| 9700 | - Lighted Buoy 3 | 36-52-33.409N 076-20-33.827W | Q G | | 5 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--------------------------|--|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| NORFOLK HARBOR AND ELIZABETH RIVER (Chart 12253) | | | | | | | |
| APM Terminal Channel | | | | | | | |
| 9701 | - Lighted Buoy 4 | 36-52-41.348N 076-20-37.719W | Q R | | 5 | Red. | |
| 9702 | - Lighted Buoy 5 | 36-52-21.501N 076-20-46.869W | FI G 2.5s | | 5 | Green. | |
| 9703 | - Lighted Buoy 6 | 36-52-41.979N 076-20-48.218W | FI R 2.5s | | 5 | Red. | |
| 9704 | - Lighted Buoy 7 | 36-52-12.737N 076-20-45.323W | FI G 4s | | 5 | Green. | |
| 9705 | - Lighted Buoy 8 | 36-52-45.766N 076-20-53.427W | FI R 2.5s | | 5 | Red. | |
| 9706 | - Junction Lighted Buoy A | 36-52-49.883N 076-20-55.849W | FI (2+1)R 6s | | 5 | Red and green bands. | |
| 9707 | Lambert Bend Turning Basin Day beacon A | 36-52-13.385N 076-20-18.629W | | | | NW on pile. | |
| 9708 | Lambert Bend Turning Basin Day beacon B | 36-52-18.569N 076-20-34.839W | | | | NW on pile. | |
| Elizabeth River | | | | | | | |
| 9710 | - Channel Lighted Buoy 25 | 36-52-27.732N 076-19-53.192W | FI G 2.5s | | 6 | Green. | |
| 9715 | - Channel Lighted Buoy 29 | 36-52-12.987N 076-19-43.533W | Q G | | 6 | Green. | |
| 9725 | - U.S. Navy Depermig Range Sound Signal | 36-52-07.300N 076-19-57.300W | | | | On platform. | SIREN : 1 blast ev 30s (5s bl). Continuous. Aid maintained by U.S. Navy. |
| 9728 | U.S. NAVY DEPERMING RANGE Z-LOOP PLATFORM LIGHT NORTH | 36-52-11.900N 076-19-59.400W | FI W 2s | | | On platform. | Aid maintained by U.S. Navy. |
| 9730 | U.S. NAVY DEPERMING RANGE LIGHT | 36-52-08.000N 076-19-53.000W | FI Y 2.5s | 25 | | On pile. | Aid maintained by U.S. Navy. |
| 9732 | U.S. NAVY DEPERMING RANGE Z-LOOP PLATFORM LIGHT SOUTH | 36-51-52.800N 076-19-50.000W | FI Y 2s | | | On platform. | Aid maintained by U.S. Navy. |
| 9735 | - Channel Lighted Buoy 30 | 36-52-01.688N 076-19-41.702W | Q R | | 6 | Red. | |
| 9740 | U.S. NAVY DEGAUSSING STATION LIGHT | 36-51-47.000N 076-19-39.000W | FI Y 2.5s | 15 | | On multi-pile structure. | Aid maintained by U.S. Navy. |
| Western Branch | | | | | | | |
| 9745 | - Channel Buoy 2 | 36-51-49.842N 076-19-48.742W | | | | Red nun. | |
| 9750 | - Channel Day beacon 4 120 feet outside channel limit. | 36-51-41.500N 076-19-57.700W | | | | TR on pile. | |
| 9755 | - CHANNEL LIGHT 5 120 feet outside channel limit. | 36-51-33.810N 076-20-00.114W | FI G 4s | 17 | 4 | SG on pile. | |
| 9760 | - Channel Buoy 6 | 36-51-33.391N 076-20-14.306W | | | | Red nun. | |
| 9765 | - Channel Day beacon 7 | 36-51-18.833N 076-21-10.695W | | | | SG on pile. | |
| 9770 | - Channel Day beacon 9 | 36-51-09.624N 076-21-20.418W | | | | SG on pile. | |
| 9775 | - Day beacon 10 | 36-50-48.569N 076-21-35.125W | | | | TR on pile. | |
| 9780 | - Day beacon 11 | 36-50-16.974N 076-21-52.330W | | | | SG on pile. | |
| 9785 | - Buoy 13 | 36-50-20.166N 076-22-32.592W | | | | Green can. | |
| 9790 | - Day beacon 14 | 36-50-13.367N 076-23-08.754W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| NORFOLK HARBOR AND ELIZABETH RIVER (Chart 12253) | | | | | | | |
| Western Branch | | | | | | | |
| 9795 | - Day beacon 16 | 36-49-42.461N 076-23-47.568W | | | | TR on pile. | |
| Elizabeth River | | | | | | | |
| Portsmouth Marine Terminal | | | | | | | |
| 9800 | - RANGE FRONT LIGHT | 36-51-22.590N 076-19-26.491W | Iso R 4s | 46 | | KRB on light pole. | Private aid. |
| 9805 | - RANGE REAR LIGHT 185 yards, 194° from front light. | 36-51-17.792N 076-19-28.616W | Iso R 6s | 62 | | KRB on light pole. | Private aid. |
| 9810 | - <i>Lighted Buoy 2PM</i> | 36-51-43.371N 076-19-21.394W | Q R | | 4 | Red. | |
| 9815 | - <i>Lighted Buoy 3PM</i> | 36-51-39.581N 076-19-14.310W | Q G | | 4 | Green. | |
| 9820 | - <i>Lighted Buoy 4</i> | 36-51-38.328N 076-19-22.772W | FI R 2.5s | | 4 | Red. | |
| 9825 | - <i>Lighted Buoy 5</i> | 36-51-35.435N 076-19-16.434W | FI G 2.5s | | 4 | Green. | |
| 9830 | - <i>Lighted Buoy 6</i> | 36-51-33.553N 076-19-29.171W | FI R 4s | | 4 | Red. | |
| 9831 | - Buoy 8 | 36-51-28.815N 076-19-45.605W | | | | Red nun | |
| 9832 | - Day beacon 10 | 36-51-27.426N 076-19-56.583W | | | | TR on pile. | |
| Elizabeth River | | | | | | | |
| 9835 | - Channel Buoy 31 | 36-51-57.343N 076-19-20.988W | | | | Green can. | |
| 9840 | - <i>Channel Lighted Buoy 32</i> | 36-51-35.832N 076-19-04.090W | FI R 4s | | 6 | Red. | |
| 9845 | Sea-Land Terminal Buoy 2SL | 36-51-33.908N 076-19-11.385W | | | | Red nun. | |
| 9847 | MARINE HYDRAULICS PIER LIGHTS (2) | 36-51-39.000N 076-18-51.260W | FI Y 4s | 12 | | On end of concrete pier. | Private aid. |
| 9850 | - <i>Channel Lighted Buoy 33</i> | 36-51-37.557N 076-18-52.728W | FI G 4s | | 5 | Green. | |
| 9851 | Pinner Point Warning Buoy A | 36-51-28.170N 076-18-58.630W | | | | White can with orange bands and orange diamond labeled SUBMERGED WALL. | Private aid. |
| 9851.1 | Pinner Point Warning Buoy B | 36-51-27.600N 076-18-57.600W | | | | White can with orange bands and orange diamond labeled SUBMERGED WALL. | Private aid. |
| 9851.2 | Pinner Point Warning Buoy C | 36-51-23.860N 076-18-58.350W | | | | White can with orange bands and orange diamond labeled SUBMERGED WALL. | Private aid. |
| 9852 | Midtown Tunnel East Warning Buoy A | 36-51-40.460N 076-18-36.280W | | | | White can with orange bands and orange diamond worded SUBMERGED WALL. | Private aid. |
| 9852.1 | MIDTOWN TUNNEL EAST WARNING LIGHT B | 36-51-31.440N 076-18-37.430W | FI W 4s | 12 | | On pile. | Private aid. |
| 9852.2 | Pinner Point No Wake Buoy | 36-51-25.000N 076-18-49.000W | | | | White can with orange bands and diamond worded NO WAKE. | Aid maintained by State DOT Private aid. |
| 9853 | - Town Point Reach No Wake Buoy A | 36-51-07.400N 076-18-24.450W | | | | White and orange can worded NO WAKE. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| NORFOLK HARBOR AND ELIZABETH RIVER (Chart 12253) | | | | | | | |
| Elizabeth River | | | | | | | |
| 9854 | Hospital Point No Wake Buoy | 36-51-04.000N 076-18-24.000W | | | | White can with orange bands and diamond worded NO WAKE. | Aid maintained by State DOT Private aid. |
| 9855 | - Channel Buoy 34 | 36-51-06.217N 076-18-21.662W | | | | Red nun. | |
| 9857 | Fort Norfolk Warning Day beacon A | 36-51-25.881N 076-18-25.706W | | | | NW on pile worded DANGER SUBMERGED BREAKWATER/OYSTER REEF. | Aid maintained by U.S. Army Corps of Engineers. |
| 9857.5 | Fort Norfolk Warning Day beacon B | 36-51-24.811N 076-18-25.654W | | | | NW on pile worded DANGER SUBMERGED BREAKWATER/OYSTER REEF. | Aid maintained by U.S. Army Corps of Engineers. |
| Scott Creek Channel | | | | | | | |
| 9860 | - Day beacon 1 | 36-51-02.523N 076-18-33.544W | | | | SG on pile. | |
| 9865 | - Day beacon 1A | 36-50-59.748N 076-18-42.754W | | | | SG on pile. | |
| 9870 | - Day beacon 2 | 36-51-01.217N 076-18-43.696W | | | | TR on pile. | |
| 9875 | - Day beacon 3 | 36-50-55.871N 076-18-51.827W | | | | SG on pile. | |
| 9880 | - Day beacon 4 | 36-50-49.806N 076-18-57.060W | | | | TR on pile. | |
| 9885 | - Day beacon 5 | 36-50-47.675N 076-18-54.034W | | | | SG on pile. | |
| Smith Creek | | | | | | | |
| 9890 | - Buoy 2S | 36-51-04.940N 076-17-58.850W | | | | Red nun. | |
| 9895 | - Buoy 4 | 36-51-07.803N 076-17-56.291W | | | | Red nun. | |
| 9897 | Elizabeth River Town Point Reach No Wake Buoy B | 36-51-01.120N 076-17-59.350W | | | | White and orange can worded NO WAKE. | Private aid. |
| Elizabeth River | | | | | | | |
| 9900 | - Channel Lighted Buoy 36 | 36-50-50.246N 076-17-58.526W | Q R | | 6 | Red. | |
| 9935 | - Town Point Reach No Wake Buoy C | 36-50-35.000N 076-17-50.380W | | | | White and orange can worded NO WAKE. | Private aid. |
| 9940 | NORFOLK WATERSIDE PIER LIGHT | 36-50-35.532N 076-17-28.786W | F Y | | 19 | On pile on end of pier. | Private aid. |
| Elizabeth River Southern Branch | | | | | | | |
| 9955 | - LIGHT 2 | 36-47-38.515N | FI R 2.5s | 15 | 4 | TR-TY on pile. | |
| 36805 | 105 feet outside channel limit. | 076-17-50.026W | | | | | |
| 9960 | - Buoy 3 | 36-47-32.233N | | | | Green can with yellow square. | |
| 36810 | 75 feet outside channel limit. | 076-17-52.686W | | | | | |
| 9965 | - Buoy 5 | 36-47-27.730N | | | | Green can with yellow square. | |
| 36815 | 75 feet outside channel limit. | 076-18-01.457W | | | | | |
| 9970 | - Day beacon 6 | 36-47-32.460N | | | | TR-TY on pile. | |
| 36820 | | 076-18-07.368W | | | | | |
| 9975 | - LIGHT 8 | 36-47-27.837N | Q R | 18 | 4 | TR-TY on pile. | |
| 36825 | 75 feet outside channel limit. | 076-18-12.180W | | | | | |
| 9980 | - LIGHT 9 | 36-47-17.064N | FI G 2.5s | 15 | 4 | SG-SY on pile. | |
| 36830 | | 076-18-07.048W | | | | | |
| 9985 | - Buoy 10 | 36-47-14.403N | | | | Red nun with yellow triangle. | |
| 36835 | | 076-18-12.616W | | | | | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| NORFOLK HARBOR AND ELIZABETH RIVER (Chart 12253) | | | | | | | |
| Elizabeth River Southern Branch | | | | | | | |
| 9990 36840 | - Buoy 12 | 36-47-07.324N 076-18-15.746W | | | | Red nun with yellow triangle. | |
| 9995 36845 | - Buoy 14 | 36-47-02.534N 076-18-19.686W | | | | Red nun with yellow triangle. | |
| 10000 36850 | - Buoy 15 | 36-46-54.516N 076-18-24.498W | | | | Green can with yellow square. | |
| 10005 36855 | - Buoy 17 | 36-46-49.534N 076-18-27.787W | | | | Green can with yellow square. | |
| 10010 36860 | - Day beacon 19 75 feet outside channel limit. | 36-46-46.014N 076-18-25.584W | | | | SG-SY on pile. | |
| 10023 | St. Julian Creek Warning Day beacon A | 36-46-57.800N 076-18-57.900W | | | | NW on pile worded DANGER OVERHEAD POWERLINE. | Private aid. |
| 10025 36875 | SWAN TERMINAL PIER LIGHT | 36-46-36.534N 076-18-22.786W | F R | 12 | | On pile. | Private aid. |
| 10030 36880 | - LIGHT 20 75 feet outside channel limit. | 36-46-35.336N 076-18-06.181W | FI R 2.5s | 15 | 5 | TR-TY on pile. | |
| 10035 36885 | - LIGHT 22 75 feet outside channel limit. | 36-46-34.415N 076-17-49.253W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 10041 36886 | CHESAPEAKE ENERGY CENTER NORTH LIGHTED MOORING DOLPHIN N | 36-46-22.470N 076-17-47.150W | FI Y 4s | 15 | | On concrete mooring dolphin. | Private aid. |
| 10042 36887 | CHESAPEAKE ENERGY CENTER SOUTH LIGHTED MOORING DOLPHIN S | 36-46-13.580N 076-17-52.270W | FI Y 4s | 15 | | On concrete mooring dolphin. | Private aid. |
| 10045 36895 | VIRGINIA POWER COMPANY WHARF LIGHTS (2) | 36-46-12.534N 076-17-52.785W | F Y | 10 | | On dolphin. | Private aid. |
| 10055 36905 | CEC/VA Power Fish Return Line Day beacon B | 36-46-15.534N 076-17-52.785W | | | | NW on pile worded DANGER SUBMERGED PILE. | Private aid. |
| 10060 36910 | - Turning Basin Day beacon A 50 feet outside channel limit. | 36-46-10.879N 076-17-44.390W | | | | NB on pile. | |
| 10065 36915 | - Turning Basin Day beacon B 50 feet outside channel limit. | 36-46-05.921N 076-17-46.715W | | | | NB on pile. | |
| 10070 36920 | - Buoy 26 | 36-46-06.878N 076-17-53.672W | | | | Red nun with yellow triangle. | |
| 10080 36930 | - Buoy 28 | 36-45-41.922N 076-17-55.525W | | | | Red nun with yellow triangle. | |
| 10085 37060 | - LIGHT 30 | 36-45-19.638N 076-17-45.930W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 10090 37065 | - Turning Basin Day beacon C | 36-45-12.534N 076-17-34.784W | | | | NB on pile. | |
| 10095 37070 | - Turning Basin Day beacon D | 36-45-04.445N 076-17-35.844W | | | | NB on pile. | |
| CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254) | | | | | | | |
| Lynnhaven Inlet | | | | | | | |
| 10125 | LYNNHAVEN ROADS FISHING PIER LIGHTS (2) | 36-54-59.530N 076-04-42.760W | F Y | 24 | | On each side of end of pier. | Private aid. |
| 10130 | - LIGHT 1L | 36-55-05.680N 076-05-22.038W | Q G | 15 | 5 | On multi-pile structure. | |
| 10135 | - LIGHT 2 | 36-55-03.787N 076-05-25.714W | FI R 2.5s | 15 | 5 | TR on pile. | Higher intensity beam bearing 346°. |
| 10136 | - LIGHT 3 | 36-54-50.241N 076-05-25.959W | FI G 4s | 15 | 4 | SG on pile. | |
| 10138 | - LIGHT 4 | 36-54-49.490N 076-05-28.450W | FI R 4s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|------------------------------------|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254) | | | | | | | |
| Lynnhaven Inlet | | | | | | | |
| 10142 | - LIGHT 5 | 36-54-36.508N 076-05-28.708W | FI G 2.5s | 15 | 5 | SG on pile. | |
| 10145 | - Day beacon 6 | 36-54-33.350N 076-05-31.730W | | | | TR on pile. | |
| 10150 | - EAST VEPCO LIGHTS (2) | 36-54-26.530N 076-05-27.761W | FI Y 4s | 10 | | On pile. | Private aid. |
| 10155 | - WEST VEPCO LIGHTS (2) | 36-54-26.530N 076-05-34.761W | FI Y 4s | 10 | | On pile. | Private aid. |
| Crab Creek | | | | | | | |
| 10156 | - Entrance Buoy 2CC | 36-54-21.983N 076-05-33.694W | | | | Red nun. | Private aid. |
| 10157 | - Wreck Buoy WR3A | 36-54-21.030N 076-05-35.591W | | | | Green can. | Private aid. |
| 10157.01 | - Entrance Buoy 3CC | 36-54-21.383N 076-05-33.404W | | | | Green can. | Private aid. |
| 10157.02 | - Buoy 4 | 36-54-21.567N 076-05-35.591W | | | | Red nun. | Private aid. |
| 10157.03 | - Buoy 5 | 36-54-21.004N 076-05-35.202W | | | | Green can. | Private aid. |
| 10157.05 | - Buoy 7 | 36-54-17.212N 076-05-39.350W | | | | Green can. | Private aid. |
| 10157.06 | - Buoy 8 | 36-54-15.300N 076-05-41.360W | | | | Red nun. | Private aid. |
| 10157.07 | - Day beacon 9 | 36-54-14.980N 076-05-40.600W | | | | SG on pile. | Private aid. |
| 10157.08 | - Buoy 10 | 36-54-14.464N 076-05-42.320W | | | | Red nun. | Private aid. |
| 10157.09 | - Warning Day beacon A | 36-54-12.690N 076-05-40.990W | | | | NW on pile. | Private aid. |
| 10157.1 | - Warning Buoy B | 36-54-12.920N 076-05-43.060W | | | | White can with orange diamond. | Private aid. |
| 10157.11 | - Buoy 11 | 36-54-13.920N 076-05-42.890W | | | | Green can. | Private aid. |
| 10157.12 | - Buoy 12 | 36-54-15.899N 076-05-44.330W | | | | Red nun. | Private aid. |
| 10157.13 | - Buoy 13 | 36-54-15.567N 076-05-44.982W | | | | Green can. | Private aid. |
| Long Creek Channel | | | | | | | |
| 10160 | - Day beacon 2 | 36-54-15.579N 076-05-28.662W | | | | TR on pile. | |
| 10165 | - Warning Day beacon A | 36-54-15.702N 076-05-21.876W | | | | NW on pile worded DANGER SHOAL. | |
| 10166 | - Warning Day beacon B | 36-54-15.887N 076-05-16.082W | | | | NW on pile worded DANGER SHOAL. | |
| 10166.1 | Athey Island Reef Warning Day beacon | 36-54-14.648N 076-05-16.561W | | | | NW on pile. | Private aid. |
| 10167 | Long Creek Day beacon 7 | 36-54-15.732N 076-05-12.738W | | | | SG on pile. | |
| 10168 | Long Creek Day beacon 8 | 36-54-14.502N 076-05-11.940W | | | | TR on pile. | |
| 10170 | - Day beacon 10 | 36-54-16.014N 076-05-05.322W | | | | TR on pile. | |
| 10175 | - Day beacon 11 | 36-54-15.657N 076-04-57.121W | | | | SG on pile. | |
| 10180 | - Day beacon 12 | 36-54-15.318N 076-04-45.408W | | | | TR on pile. | |
| 10185 | Long Creek Junction Buoy BL | 36-54-12.798N 076-04-21.558W | | | | Green and red, can. | |
| Lynnhaven River | | | | | | | |
| 10186 | - Day beacon 1LR | 36-54-14.268N 076-05-17.312W | | | | SG on pile. | Private aid. |
| 10186.5 | - Buoy 3LR | 36-54-06.300N 076-05-13.000W | | | | Green can. | Private aid. |
| 10187 | - Junction Day beacon EW | 36-53-54.200N 076-05-12.600W | | | | JR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254) | | | | | | | |
| Lynnhaven River Western Branch | | | | | | | |
| 10188 | - Day beacon 1 | 36-53-53.000N 076-05-15.000W | | | | SG on pile. | Private aid. |
| 10189 | - Day beacon 2 | 36-53-54.000N 076-05-16.000W | | | | TR on pile. | Private aid. |
| 10190 | - Day beacon 3 | 36-53-48.000N 076-05-18.000W | | | | SG on pile. | Private aid. |
| 10195 | - Day beacon 4 | 36-53-50.000N 076-05-19.000W | | | | TR on pile. | Private aid. |
| 10200 | - Day beacon 5 | 36-53-46.000N 076-05-34.000W | | | | SG on pile. | Private aid. |
| 10205 | - Day beacon 6 | 36-53-48.000N 076-05-34.000W | | | | TR on pile. | Private aid. |
| 10210 | - Day beacon 7 | 36-53-42.000N 076-05-41.000W | | | | SG on pile. | Private aid. |
| 10215 | - Day beacon 8 | 36-53-43.000N 076-05-41.000W | | | | TR on pile. | Private aid. |
| 10220 | - Buoy 9 | 36-53-36.030N 076-05-44.480W | | | | Green can. | Private aid. |
| 10225 | - Buoy 10 | 36-53-36.600N 076-05-45.220W | | | | Red nun. | Private aid. |
| 10230 | - Day beacon 11 | 36-53-33.000N 076-05-53.000W | | | | SG on pile. | Private aid. |
| 10235 | - Day beacon 12 | 36-53-34.000N 076-05-53.000W | | | | TR on pile. | Private aid. |
| 10240 | - Day beacon 13 | 36-53-33.420N 076-06-03.800W | | | | SG on pile. | Private aid. |
| 10245 | - Day beacon 14 | 36-53-34.210N 076-06-03.970W | | | | TR on pile. | Private aid. |
| 10250 | - Day beacon 15 | 36-53-31.000N 076-06-12.000W | | | | SG on pile. | Private aid. |
| 10255 | - Day beacon 16 | 36-53-32.000N 076-06-13.000W | | | | TR on pile. | Private aid. |
| 10260 | - Day beacon 17 | 36-53-21.000N 076-06-27.000W | | | | SG on pile. | Private aid. |
| 10265 | - Day beacon 18 | 36-53-21.000N 076-06-28.000W | | | | TR on pile. | Private aid. |
| 10270 | - Day beacon 19 | 36-53-16.000N 076-06-32.000W | | | | SG on pile. | Private aid. |
| 10275 | - Day beacon 20 | 36-53-17.000N 076-06-33.000W | | | | TR on pile. | Private aid. |
| 10280 | - Day beacon 21 | 36-53-04.200N 076-06-38.680W | | | | SG on pile. | Private aid. |
| 10285 | - Day beacon 22 | 36-53-04.280N 076-06-39.690W | | | | TR on pile. | Private aid. |
| 10290 | - Day beacon 23 | 36-52-49.000N 076-06-35.000W | | | | SG on pile. | Private aid. |
| 10295 | - Day beacon 24 | 36-51-29.532N 076-07-11.764W | | | | TR on pile. | Private aid. |
| 10300 | - Day beacon 25 | 36-52-32.660N 076-06-33.840W | | | | SG on pile. | Private aid. |
| 10305 | - Day beacon 26 | 36-52-33.000N 076-06-34.000W | | | | TR on pile. | Private aid. |
| 10310 | - Day beacon 27 | 36-52-23.100N 076-06-25.170W | | | | SG on pile. | Private aid. |
| 10315 | - Day beacon 28 | 36-52-22.840N 076-06-26.150W | | | | TR on pile. | Private aid. |
| 10320 | - Day beacon 29 | 36-52-18.850N 076-06-25.120W | | | | SG on pile. | Private aid. |
| 10325 | - Day beacon 30 | 36-52-19.130N 076-06-26.100W | | | | TR on pile. | Private aid. |
| 10330 | - Day beacon 31 | 36-52-07.410N 076-06-36.560W | | | | SG on pile. | Private aid. |
| 10331 | - Day beacon 32 | 36-52-07.940N 076-06-37.290W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|---|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254) | | | | | | | |
| Lynnhaven River Western Branch | | | | | | | |
| 10331.01 | - Day beacon 33 | 36-51-53.240N 076-06-54.830W | | | | SG in pile. | Private aid. |
| 10331.02 | - Day beacon 34 | 36-51-53.570N 076-06-55.830W | | | | TR on pile. | Private aid. |
| 10331.1 | - Day beacon 36 | 36-51-40.160N 076-06-55.090W | | | | TR on pile. | Private aid. |
| 10331.11 | - Day beacon 38 | 36-51-35.980N 076-06-59.900W | | | | TR on pile. | Private aid. |
| 10331.12 | - Day beacon 40 | 36-51-29.450N 076-07-03.810W | | | | TR on pile. | Private aid. |
| 10331.13 | - Day beacon 41 | 36-51-27.620N 076-07-10.550W | | | | SG on pile. | Private aid. |
| 10331.14 | - Day beacon 43 | 36-51-24.780N 076-07-20.200W | | | | SG on pile. | Private aid. |
| 10331.15 | - Day beacon 45 | 36-51-18.820N 076-07-29.280W | | | | SG on pile. | Private aid. |
| 10331.16 | - Day beacon 46 | 36-51-19.190N 076-07-29.670W | | | | TR on pile. | Private aid. |
| 10331.17 | - Day beacon 47 | 36-51-16.920N 076-07-32.070W | | | | SG on pile. | Private aid. |
| 10331.18 | - Day beacon 49 | 36-51-14.440N 076-07-33.870W | | | | SG on pile. | Private aid. |
| 10331.19 | - Day beacon 51 | 36-51-04.280N 076-07-37.070W | | | | SG on pile. | Private aid. |
| 10331.2 | - Day beacon 52 | 36-51-04.300N 076-07-37.690W | | | | TR on pile. | Private aid. |
| 10331.21 | - Day beacon 53 | 36-50-59.010N 076-07-35.990W | | | | SG on pile. | Private aid. |
| 10331.22 | - Day beacon 54 | 36-50-56.550N 076-07-30.100W | | | | TR on pile. | Private aid. |
| 10331.23 | - Day beacon 56 | 36-50-53.390N 076-07-26.150W | | | | TR on pile. | Private aid. |
| 10331.24 | - Day beacon 57 | 36-50-50.500N 076-07-22.260W | | | | SG on pile. | Private aid. |
| 10331.25 | - Day beacon 58 | 36-50-50.170N 076-07-22.730W | | | | TR on pile. | Private aid. |
| Lynnhaven River Eastern Branch | | | | | | | |
| 10332 | - Buoy 1EB | 36-53-46.241N 076-05-01.603W | | | | Green can. | Private aid. |
| 10332.01 | - Buoy 2EB | 36-53-45.907N 076-05-02.697W | | | | Red nun. | Private aid. |
| 10332.03 | - Buoy 2A | 36-53-35.900N 076-05-02.400W | | | | Red nun. | Private aid. |
| 10332.1 | - Buoy 3 | 36-53-32.600N 076-04-54.600W | | | | Green can. | Private aid. |
| 10332.2 | - Day beacon 4 | 36-53-28.600N 076-04-46.300W | | | | TR on pile. | Private aid. |
| 10332.3 | - Day beacon 5 | 36-53-15.600N 076-04-29.400W | | | | SG on pile. | Private aid. |
| 10332.4 | - Day beacon 6 | 36-53-15.000N 076-04-29.900W | | | | TR on pile. | Private aid. |
| 10332.5 | - Day beacon 7 | 36-53-00.300N 076-04-16.800W | | | | SG on pile. | Private aid. |
| 10332.51 | - Wreck Buoy WR8A | 36-52-46.605N 076-04-10.579W | | | | Red nun. | Aid maintained by State DOT Private aid. |
| 10332.6 | - Day beacon 8 | 36-52-45.000N 076-04-05.100W | | | | TR on pile. | Private aid. |
| 10332.7 | - Day beacon 10 | 36-52-33.900N 076-04-03.400W | | | | TR on pile. | Private aid. |
| 10332.8 | - Day beacon 12 | 36-52-31.100N 076-04-06.400W | | | | TR on pile. | Private aid. |
| 10332.9 | - Day beacon 13 | 36-52-24.300N 076-04-18.200W | | | | SG on pile. | Private aid. |
| 10333 | - Day beacon 14 | 36-52-24.800N 076-04-18.800W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---------------------------|---------------------------------|-----------------------|---------------|--------------|--|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254) | | | | | | | |
| Lynnhaven River Eastern Branch | | | | | | | |
| 10333.1 | - Day beacon 15 | 36-52-18.300N 076-04-22.200W | | | | SG on pile. | Private aid. |
| 10333.11 | - Gills Cove Day beacon 2 | 36-52-11.000N 076-04-21.000W | | | | TR on pile. | Private aid. |
| 10333.12 | - Gills Cove Day beacon 4 | 36-52-11.000N 076-04-32.000W | | | | TR on pile. | Private aid. |
| 10333.13 | - Gills Cove Day beacon 6 | 36-52-11.000N 076-04-38.000W | | | | TR on pile. | Private aid. |
| 10333.2 | - Day beacon 17 | 36-52-08.600N 076-04-20.700W | | | | SG on pile. | Private aid. |
| 10333.3 | - Day beacon 19 | 36-51-59.700N 076-04-15.400W | | | | SG on pile. | Private aid. |
| 10333.4 | - Day beacon 20 | 36-51-59.700N 076-04-16.000W | | | | TR on pile. | Private aid. |
| 10333.5 | - Day beacon 21 | 36-51-46.150N 076-04-11.390W | | | | SG on pile. | Private aid. |
| 10333.6 | - Day beacon 23 | 36-51-35.600N 076-04-04.100W | | | | SG on pile. | Private aid. |
| 10333.7 | - Day beacon 24 | 36-51-35.300N 076-04-04.800W | | | | TR on pile. | Private aid. |
| 10333.8 | - Day beacon 25 | 36-51-25.900N 076-04-04.000W | | | | SG on pile. | Private aid. |
| 10333.9 | - Day beacon 26 | 36-51-25.600N 076-04-05.100W | | | | TR on pile. | Private aid. |
| 10334 | - Day beacon 27 | 36-51-20.100N 076-03-58.200W | | | | SG on pile. | Private aid. |
| 10334.1 | - Day beacon 28 | 36-51-19.300N 076-03-58.800W | | | | TR on pile. | Private aid. |
| 10334.2 | - Day beacon 30 | 36-51-18.000N 076-03-45.100W | | | | TR on pile. | Private aid. |
| 10334.3 | - Day beacon 32 | 36-51-16.300N 076-03-41.700W | | | | TR on pile. | Private aid. |
| 10334.4 | - Day beacon 34 | 36-51-13.600N 076-03-40.000W | | | | TR on pile. | Private aid. |
| 10334.5 | - Day beacon 35 | 36-51-07.600N 076-03-42.200W | | | | SG on pile. | Private aid. |
| 10334.6 | - Day beacon 37 | 36-51-00.520N 076-03-43.000W | | | | SG on pile. | Private aid. |
| 10334.7 | - Day beacon 38 | 36-50-56.300N 076-03-39.700W | | | | TR on pile. | Private aid. |
| 10334.8 | - Day beacon 40 | 36-50-48.500N 076-03-37.800W | | | | TR on pile. | Private aid. |
| 10334.9 | - Day beacon 42 | 36-50-40.700N 076-03-35.900W | | | | TR on pile. | Private aid. |
| Long Creek East Channel | | | | | | | |
| 10337 | - Warning Day beacon A | 36-54-13.300N 076-04-16.500W | | | | NW on pile worded DANGER. SUBMERGED REEF. | Private aid. |
| 10338 | - Warning Day beacon B | 36-54-13.300N 076-04-13.400W | | | | NW on pile worded DANGER SUBMERGED REEF. | Private aid. |
| 10340 | - Day beacon 1A | 36-54-32.226N 076-03-06.836W | | | | SG on pile. | |
| 10345 | - Day beacon 3 | 36-54-39.048N 076-02-54.198W | | | | SG on pile. | |
| 10355 | - Day beacon 5 | 36-54-39.732N 076-02-46.092W | | | | SG on pile. | |
| 10360 | - Day beacon 7 | 36-54-34.884N 076-02-24.138W | | | | SG on pile. | |
| 10365 | - Day beacon 8 | 36-54-31.554N 076-02-14.814W | | | | TR on pile. | |
| 10370 | - Day beacon 10 | 36-54-26.670N 076-02-10.260W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--------------------------|---|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254) | | | | | | | |
| Long Creek East Channel | | | | | | | |
| 10375 | - Day beacon 11 | 36-54-22.602N 076-02-02.178W | | | | SG on pile. | |
| 10380 | - Day beacon 12 | 36-54-22.086N 076-02-02.484W | | | | TR on pile. | |
| 10385 | - Day beacon 13 | 36-54-12.971N 076-01-55.883W | | | | SG on pile. | |
| 10390 | - Day beacon 14 | 36-54-12.696N 076-01-57.180W | | | | TR on pile. | |
| Broad Bay | | | | | | | |
| 10395 | - Channel Day beacon 13 | 36-54-08.500N 076-03-34.500W | | | | SG on pile. | |
| 10400 | - CHANNEL LIGHT 14 | 36-54-06.016N 076-03-11.336W | FI R 4s | 15 | 4 | TR on pile. | |
| 10405 | - CHANNEL LIGHT 16 | 36-54-02.303N 076-02-45.687W | FI R 6s | 15 | 4 | TR on pile. | |
| 10410 | - Channel Day beacon 17 | 36-53-49.536N 076-02-03.132W | | | | SG on pile. | |
| 10415 | - CHANNEL LIGHT 17A | 36-53-37.860N 076-01-25.704W | FI G 4s | 15 | 4 | SG on pile. | |
| 10420 | - Channel Day beacon 18 | 36-53-37.249N 076-01-26.283W | | | | TR on pile. | |
| 10425 | - Channel Day beacon 19 | 36-53-29.241N 076-01-09.636W | | | | SG on pile. | |
| 10430 | - Channel Day beacon 20 | 36-53-28.692N 076-01-10.644W | | | | TR on pile. | |
| Linkhorn Bay | | | | | | | |
| 10435 | - Day beacon 20A | 36-53-17.184N 076-00-58.396W | | | | TR on pile. | |
| 10440 | - LIGHT 21 | 36-53-17.885N 076-00-57.437W | FI G 4s | 15 | 4 | SG on pile. | |
| 10445 | - Day beacon 22 | 36-53-13.578N 076-00-53.370W | | | | TR on pile. | |
| 10450 | - LIGHT 23 | 36-52-17.850N 076-00-31.872W | Q G | 15 | 4 | SG on pile. | |
| 10455 | - Day beacon 24 | 36-52-06.570N 076-00-50.070W | | | | TR on pile. | |
| 10460 | - Day beacon 26 | 36-51-54.966N 076-00-43.254W | | | | TR on pile. | |
| 10465 | - Day beacon 27 | 36-51-41.016N 076-00-39.966W | | | | SG on pile. | |
| Little Creek Harbor | | | | | | | |
| 10468 | - Entrance Lighted Buoy 1LC | 36-58-04.596N 076-10-03.775W | Q G | | 5 | Green. | |
| 10470 | - Entrance Lighted Buoy 2 | 36-56-29.403N 076-10-47.608W | FI R 2.5s | | 5 | Red. | |
| 10495 | - RANGE FRONT LIGHT | 36-54-41.826N 076-10-35.255W | Iso G 6s | | 51 | Skeleton tower. | Lighted throughout 24 hours. Visible 0.5° either side of rangeline. |
| 10500 | - RANGE REAR LIGHT 278 yards, 177.7° from front light. | 36-54-33.560N 076-10-34.850W | F G | | 76 | Skeleton tower. | Lighted throughout 24 hours. Visible 0.5° either side of rangeline. |
| 10505 | - JETTY LIGHT 3 | 36-55-58.710N 076-10-35.059W | Q G | 25 | 5 | SG on skeleton tower. | |
| 10510 | - JETTY LIGHT 4 | 36-55-54.925N 076-10-44.205W | Q R | 25 | 6 | TR on pile. | |
| 10515 | - JETTY LIGHT 6 | 36-55-44.799N 076-10-41.793W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 10520 | - LIGHT 5 | 36-55-41.796N 076-10-34.369W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 10525 | - LIGHT 7 | 36-55-25.734N 076-10-33.692W | FI G 6s | 15 | 4 | SG on pile. | |
| 10530 | - LIGHT 8 | 36-55-22.281N 076-10-41.732W | FI R 6s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|------------------------------------|------------------------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254) | | | | | | | |
| Little Creek Cove | | | | | | | |
| 10550 | - Day beacon 2 | 36-54-49.009N 076-10-23.012W | | | | TR on pile. | |
| 10555 | - Day beacon 4 | 36-54-48.636N 076-10-10.674W | | | | TR on pile. | |
| 10560 | - Day beacon 6 | 36-54-47.241N 076-09-58.934W | | | | TR on pile. | |
| HAMPTON ROADS (Chart 12245) | | | | | | | |
| Crumps Bank | | | | | | | |
| 10573 | - VMRC NE Corner Reef Buoy | 36-56-30.529N 076-12-10.776W | | | | Yellow Can worded: EAST OCEAN VIEW | Private aid. |
| 10573.1 | - VMRC SE Corner Reef Buoy | 36-56-24.529N 076-12-10.776W | | | | Yellow Can worded: EAST OCEAN VIEW | Private aid. |
| 10573.2 | - VMRC SW Corner Reef Buoy | 36-56-24.529N 076-12-10.676W | | | | Yellow Can worded: EAST OCEAN VIEW | Private aid. |
| 10573.3 | - VMRC NW Corner Reef Buoy | 36-56-33.029N 076-12-10.476W | | | | Yellow Can worded: EAST OCEAN VIEW | Private aid. |
| 10574 | - Data Buoy | 36-57-37.200N 076-13-39.100W | | | | Yellow can. | Private aid. |
| Willoughby Bay | | | | | | | |
| 10575 | - Channel Warning Day beacon A | 36-58-55.523N 076-18-34.744W | | | | NW on pile worded DANGER. | |
| 10580 | - CHANNEL LIGHT 2 | 36-58-58.157N 076-18-38.477W | FI R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 10583 | - Channel Buoy 3 | 36-58-52.147N 076-18-38.368W | | | | Green can. | |
| 10585 | - Channel Day beacon 3A | 36-58-42.177N 076-18-36.801W | | | | SG on pile. | |
| 10587 | - Channel Day beacon 4 | 36-58-44.002N 076-18-40.418W | | | | TR on pile. | |
| 10590 | - Channel Buoy 5 | 36-58-24.771N 076-18-28.461W | | | | Red nun. | |
| 10595 | - CHANNEL LIGHT 7 | 36-58-05.142N 076-18-19.361W | FI G 6s | 15 | 4 | SG on pile. | |
| 10600 | - Channel Day beacon 9 | 36-57-53.038N 076-18-06.770W | | | | SG on pile. | |
| 10605 | - Channel Day beacon 11 | 36-57-45.603N 076-17-47.453W | | | | SG on pile. | |
| 10608 | - CHANNEL WRECK LIGHT WR13 | 36-57-44.896N 076-17-23.148W | Q G | 15 | 4 | SG on pile. | |
| 10610 | - Channel Day beacon 15 | 36-57-47.232N 076-17-17.577W | | | | SG on pile. | |
| Naval Boat Channel | | | | | | | |
| 10615 | - LIGHT 2 | 36-57-51.010N 076-19-37.385W | FI R 4s | 15 | 4 | TR on pile. | |
| 10620 | - Day beacon 3 | 36-57-51.211N 076-19-13.449W | | | | SG on pile. | |
| 10622 | NORFOLK NAVAL BASE FISHING PIER LIGHT A | 36-57-47.590N 076-19-18.510W | FI Y 4s | 15 | | On pile on end of pier. | Aid maintained by U.S. Navy. |
| 10625 | - LIGHT 4 | 36-57-48.736N 076-19-14.089W | FI R 6s | 15 | 4 | TR on pile. | |
| 10630 | - Day beacon 5 | 36-57-47.430N 076-18-52.289W | | | | SG on pile. | |
| 10635 | - LIGHT 6 | 36-57-45.972N 076-18-54.447W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 10640 | - Day beacon 7 | 36-57-42.848N 076-18-44.586W | | | | SG on pile. | |
| 10645 | - LIGHT 8 | 36-57-40.964N 076-18-46.992W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 10650 | - LIGHT 9 | 36-57-23.100N 076-18-39.383W | Q G | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|---------------------------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| HAMPTON ROADS (Chart 12245) | | | | | | | |
| Naval Boat Channel | | | | | | | |
| 10655 | - LIGHT 10 | 36-57-16.600N 076-18-36.900W | FI R 4s | 15 | 3 | On tripod structure on seawall. | Aid maintained by U.S. Navy. |
| Lafayette River Channel | | | | | | | |
| 10660 | - LIGHT 2 | 36-53-35.748N 076-19-26.754W | FI R 4s | 15 | 4 | TR on pile. | |
| 10665 | - Day beacon 3 | 36-53-42.808N 076-19-23.875W | | | | SG on pile. | |
| 10670 | - Day beacon 4 | 36-53-54.930N 076-19-14.004W | | | | TR on pile. | |
| 10675 | - LIGHT 5 | 36-54-06.186N 076-19-08.436W | FI G 4s | 15 | 4 | SG on pile. | |
| 10680 | - Day beacon 6 | 36-54-07.854N 076-19-05.190W | | | | TR on pile. | |
| 10685 | - Day beacon 7 | 36-54-18.690N 076-19-00.882W | | | | SG on pile. | |
| 10690 | - Day beacon 9 | 36-54-27.228N 076-18-55.542W | | | | SG on pile. | |
| 10695 | - Day beacon 10 | 36-54-26.808N 076-18-52.451W | | | | TR on pile. | |
| 10700 | - LIGHT 11 120 feet outside channel limit. | 36-54-30.102N 076-18-53.022W | FI G 4s | 15 | 4 | SG on pile. | |
| 10705 | - Day beacon 13 | 36-54-29.508N 076-18-41.196W | | | | SG on pile. | |
| 10710 | - Day beacon 14 | 36-54-21.804N 076-18-28.212W | | | | TR on pile. | |
| 10715 | - Buoy 15 | 36-54-23.226N 076-18-01.423W | | | | Green can. | |
| 10720 | - Day beacon 16 | 36-54-16.254N 076-17-49.200W | | | | TR on pile. | |
| 10725 | - Buoy 17 | 36-54-15.474N 076-17-36.906W | | | | Green can. | |
| 10730 | - Day beacon 19 | 36-54-07.386N 076-17-24.642W | | | | SG on pile. | |
| 10735 | - Day beacon 20 | 36-54-00.588N 076-17-26.934W | | | | TR on multi-pile structure. | |
| 10740 | - Day beacon 22 | 36-53-35.922N 076-17-34.962W | | | | TR on pile. | |
| 10743 | Knitting Mill Creek Warning Day beacon A | 36-53-28.900N 076-17-32.100W | | | | NW on pile worded DANGER. | Private aid. |
| 10743.1 | Knitting Mill Creek Warning Day beacon B | 36-53-28.300N 076-17-29.900W | | | | NW on pile worded DANGER. | Private aid. |
| 10745 | - Day beacon 24 | 36-53-26.790N 076-17-26.448W | | | | TR on pile. | |
| 10750 | Knitting Mill Creek Day beacon 2 | 36-53-22.464N 076-17-31.894W | | | | TR on pile. | |
| 10755 | Knitting Mill Creek Day beacon 3 | 36-53-12.400N 076-17-31.985W | | | | SG on pile. | |
| 10757 | Lafayette River Warning Day beacon S | 36-53-21.288N 076-16-39.323W | | | | NW on pile worded DANGER OYSTER REEF. | Private aid. |
| 10758 | Lafayette River Warning Day beacon N | 36-53-23.234N 076-16-39.354W | | | | NW on pile worded DANGER OYSTER REEF. | Private aid. |
| 10762 | Lafayette River Junction Day beacon A | 36-53-16.400N 076-16-40.300W | | | | JR on pile. | Private aid. |
| Lafayette River Northern Branch | | | | | | | |
| 10762.01 | - Day beacon 1N | 36-53-20.000N 076-16-37.000W | | | | SG on pile. | Private aid. |
| 10762.02 | - Day beacon 2 | 36-53-19.000N 076-16-36.000W | | | | TR on pile. | Private aid. |
| 10762.03 | - Day beacon 3 | 36-53-22.000N 076-16-35.000W | | | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| HAMPTON ROADS (Chart 12245) | | | | | | | |
| Lafayette River Channel | | | | | | | |
| Lafayette River Northern Branch | | | | | | | |
| 10762.04 | - Day beacon 4 | 36-53-22.000N 076-16-34.000W | | | | TR on pile. | Private aid. |
| 10762.05 | - Day beacon 5 | 36-53-28.000N 076-16-26.000W | | | | SG on pile. | Private aid. |
| 10762.06 | - Day beacon 6 | 36-53-27.000N 076-16-25.000W | | | | TR on pile. | Private aid. |
| 10762.07 | - Day beacon 7 | 36-53-44.000N 076-16-24.000W | | | | SG on pile. | Private aid. |
| 10762.08 | - Day beacon 8 | 36-53-51.000N 076-16-10.000W | | | | TR on pile. | Private aid. |
| 10762.09 | - Day beacon 10 | 36-53-52.000N 076-16-05.000W | | | | TR on pile. | Private aid. |
| 10762.1 | - Day beacon 12 | 36-53-50.000N 076-16-02.000W | | | | TR on pile. | Private aid. |
| Lafayette River Southern Branch | | | | | | | |
| 10762.11 | - Day beacon 2S | 36-53-14.000N 076-16-34.000W | | | | TR on pile. | Private aid. |
| 10762.12 | - Day beacon 3 | 36-53-07.000N 076-16-29.000W | | | | SG on pile. | Private aid. |
| 10762.13 | - Day beacon 4 | 36-52-53.000N 076-16-27.000W | | | | TR on pile. | Private aid. |
| 10762.14 | - Day beacon 6 | 36-52-47.000N 076-16-20.000W | | | | TR on pile. | Private aid. |
| Newport News Middle Ground | | | | | | | |
| <i>Anchorage buoys mark junction of fairway with anchorage areas.</i> | | | | | | | |
| 10765 | Newport News Anchorage Buoy H | 36-56-45.431N 076-21-36.299W | | | | Yellow nun. | |
| 10770 | Newport News Anchorage Buoy I | 36-56-38.531N 076-21-38.799W | | | | Yellow nun. | |
| 10775 | Newport News Anchorage Buoy J | 36-56-57.731N 076-22-23.801W | | | | Yellow nun. | |
| 10780 | Newport News Anchorage Buoy K | 36-56-52.531N 076-22-30.501W | | | | Yellow nun. | |
| 10783 | <i>Newport News Anchorage L Lighted Mooring Buoy CG</i> | 36-56-04.855N 076-21-51.796W | FI W 4s | | 4 | White with blue band worded CG. | |
| 10785 | TARMAC Mooring Buoy | 36-58-00.531N 076-23-40.805W | | | | White with blue band; can. | Private aid. |
| 10790 | <i>Newport News Creek Lighted Buoy 1</i> | 36-57-27.785N 076-24-34.794W | FI G 4s | | 4 | Green. | |
| 10795 | NEWPORT NEWS CREEK LIGHT 2 | 36-57-34.810N 076-24-33.758W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 10800 | <i>Newport News Creek Lighted Buoy 4</i> | 36-57-42.931N 076-24-37.607W | FI R 4s | | 4 | Red. | |
| 10805 | NEWPORT NEWS CREEK LIGHT 6 | 36-57-46.266N 076-24-41.712W | Q R | 25 | 4 | TR on pile. | |
| 10810 | NEWPORT NEWS OBSTRUCTION LIGHT | 36-57-41.994N 076-24-24.288W | FI W 4s | 25 | 5 | NW on pile. | |
| 10815 | - LIGHT | 36-56-42.633N 076-23-29.351W | FI R 10s | 52 | 7 | Red conical tower on red cylindrical pier. | Structure maintained by entity outside the U.S. Coast Guard. |
| 10820 | Hampton Roads Outfall Warning Buoy | 36-55-54.111N 076-23-47.514W | | | | White with orange bands; can. | Private aid. |
| Newport News Channel | | | | | | | |
| 10840 | - <i>Lighted Buoy 2</i> | 36-58-07.031N 076-20-30.497W | FI R 4s | | 5 | Red. | |
| 10843 | <i>Golf 2 Anchorage Lighted Mooring Buoy A</i> | 36-58-14.000N 076-21-01.000W | FI W 6s | | | White with blue band. | Aid maintained by U.S. Navy. |
| 10845 | - <i>Lighted Buoy 4</i> | 36-57-41.946N 076-21-06.639W | Q R | | 5 | Red. | |
| 10850 | - <i>Lighted Buoy 5</i> | 36-57-28.542N 076-21-10.622W | Q G | | 5 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| HAMPTON ROADS (Chart 12245) | | | | | | | |
| Newport News Channel | | | | | | | |
| 10855 | - Lighted Buoy 6 | 36-57-35.228N 076-21-25.501W | FI R 4s | | 5 | Red. | |
| 10860 | - Lighted Buoy 7 | 36-57-21.696N 076-22-20.101W | FI G 4s | | 5 | Green. | |
| 10865 | - Lighted Buoy 8 | 36-57-29.531N 076-22-21.301W | FI R 4s | | 5 | Red. | |
| 10870 | - Lighted Buoy 9 | 36-57-14.769N 076-23-28.267W | FI G 4s | | 5 | Green. | |
| 10875 | - Lighted Buoy 10 | 36-57-22.031N 076-23-35.504W | FI R 4s | | 5 | Red. | |
| 10880 | - Lighted Buoy 12 | 36-57-17.031N 076-24-25.606W | FI R 2.5s | | 5 | Red. | |
| 10881 | HRSD Newport News Point Outfall Lighted Buoy BH | 36-57-24.630N 076-24-42.740W | FI W 4s | | | White. | Private aid. |
| 10885 | - Lighted Buoy 13 | 36-57-08.647N 076-24-43.477W | FI G 2.5s | | 5 | Green. | |
| 10890 | - Lighted Buoy 14 | 36-57-21.838N 076-24-54.369W | FI R 2.5s | | 5 | Red. | |
| Hampton River | | | | | | | |
| 10895 | - CHANNEL LIGHT 2 | 36-59-57.092N 076-19-08.303W | FI R 4s | | 15 4 | TR on pile. | |
| 10900 | - Channel Day beacon 5 | 37-00-05.707N 076-19-23.029W | | | | SG on pile. | |
| 10905 | - CHANNEL LIGHT 6 | 37-00-14.003N 076-19-26.636W | Q R | | 15 4 | TR on multi-pile structure. | |
| 10910 | - Channel Day beacon 7 | 37-00-12.720N 076-19-31.821W | | | | SG on pile. | |
| 10915 | - Channel Day beacon 8 | 37-00-21.023N 076-19-51.182W | | | | TR on pile. | |
| 10920 | - Channel Day beacon 10 | 37-00-27.116N 076-20-13.149W | | | | TR on pile. | |
| 10925 | - CHANNEL LIGHT 11 | 37-00-26.017N 076-20-19.164W | Q G | | 15 4 | SG on multi-pile structure. | |
| 10930 | - Channel Day beacon 12 | 37-00-30.494N 076-20-16.509W | | | | TR on pile. | |
| 10935 | - Channel Day beacon 13 | 37-00-46.388N 076-20-23.581W | | | | SG on pile. | |
| 10940 | - Channel Day beacon 14 | 37-00-45.986N 076-20-20.456W | | | | TR on pile. | |
| 10945 | - CHANNEL LIGHT 16 | 37-01-03.283N 076-20-23.849W | FI R 4s | | 15 4 | TR on pile. | |
| 10955 | - Channel Day beacon 18 | 37-01-15.019N 076-20-33.243W | | | | TR on pile. | |
| 10960 | - Channel Day beacon 20 | 37-01-19.152N 076-20-32.648W | | | | TR on pile. | |
| 10962 | - Channel Buoy 22 | 37-01-16.000N 076-20-30.000W | | | | Red nun. | Private aid. |
| 10963 | - Channel Buoy 24 | 37-01-12.000N 076-20-26.000W | | | | Red nun. | Private aid. |
| 10964 | - Channel Day beacon 26 | 37-01-08.000N 076-20-23.000W | | | | TR on dolphin. | Private aid. |
| 10965 | SUNSET CREEK JUNCTION LIGHT SC | 37-01-06.871N 076-20-31.168W | FI (2+1)G 6s | | 15 3 | JG on pile. | |
| 10975 | Sunset Creek Day beacon 3 | 37-01-02.115N 076-20-40.908W | | | | SG on pile. | |
| 10990 | MERRIMAC HARBOR LIGHT 2 | 37-00-40.528N 076-20-27.797W | FI R 4s | | 15 | TR on pile. | Private aid. |
| Phoebus Channel | | | | | | | |
| 10995 | - WRECK LIGHT WR2 | 36-59-57.941N 076-18-43.217W | Q R | | 15 4 | NW on pile worded DANGER SUBMERGED PILING. | |
| 11000 | - ENTRANCE LIGHT 1 | 36-59-57.280N 076-18-54.700W | FI G 2.5s | | 15 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| HAMPTON ROADS (Chart 12245) | | | | | | | |
| Hampton River | | | | | | | |
| Phoebus Channel | | | | | | | |
| 11005 | - Day beacon 3 | 37-00-12.183N 076-18-58.136W | | | | SG on pile. | |
| 11007 | OLD POINT COMFORT MARINA SEA WALL LIGHT A | 37-00-11.600N 076-18-54.700W | FI Y 2.5s | | | On platform above sea wall. | Private aid. |
| 11007.1 | OLD POINT COMFORT MARINA SEA WALL LIGHT B | 37-00-18.300N 076-18-54.200W | FI Y 4s | | | On platform above sea wall. | Private aid. |
| 11007.2 | OLD POINT COMFORT MARINA SEA WALL LIGHT C | 37-00-19.500N 076-18-54.100W | FI Y 4s | | | On platform above sea wall. | Private aid. |
| 11007.3 | OLD POINT COMFORT MARINA SEA WALL LIGHT D | 37-00-27.800N 076-18-53.500W | FI Y 2.5s | | | On platform above sea wall. | Private aid. |
| 11010 | - Day beacon 4 | 37-00-26.469N 076-18-53.740W | | | | TR on pile. | |
| 11015 | - Day beacon 5 | 37-00-44.247N 076-19-07.632W | | | | SG on pile. | |
| NEWPORT NEWS TO JAMESTOWN ISLAND (Chart 12248) | | | | | | | |
| Nansemond River | | | | | | | |
| 11017 | - CHANNEL LIGHT 2NR | 36-55-47.057N 076-25-00.179W | FI R 2.5s | 15 | 5 | TR on pile. | |
| 11018 | - Channel Day beacon 3 | 36-55-16.259N 076-25-48.280W | | | | SG on pile. | |
| 11020 | Nansemond Ordnance Depot Warning Day beacon | 36-55-01.841N 076-25-58.116W | | | | NW on pile worded DANGER SUBMERGED PILING. | |
| 11025 | - CHANNEL LIGHT 5 | 36-54-44.590N 076-27-03.245W | FI G 4s | 17 | 4 | SG on pile. | |
| 11030 | - Channel Day beacon 7 | 36-54-17.939N 076-27-20.118W | | | | SG on pile. | |
| 11035 | Nansmond River Channel Day beacon 8 | 36-53-53.165N 076-27-48.432W | | | | TR on pile. | |
| 11040 | - CHANNEL LIGHT 9 | 36-53-26.297N 076-28-17.352W | FI G 4s | 15 | 4 | SG on pile. | |
| 11043 | James River Oyster Sanctuary Day beacon SMT | 37-00-58.890N 076-33-35.730W | | | | NW on pile. | Private aid. |
| 11043.1 | James River Oyster Sanctuary Day beacon STH | 37-01-19.370N 076-33-23.320W | | | | NW on pile. | Private aid. |
| Bennett Creek | | | | | | | |
| 11045 | - LIGHT 1BC | 36-53-12.757N 076-28-49.242W | FI G 4s | 15 | 4 | SG on pile. | |
| 11047 | - Day beacon 2 | 36-53-11.895N 076-28-50.956W | | | | TR on pile. | |
| 11050 | - Day beacon 4 | 36-52-56.400N 076-28-54.396W | | | | TR on pile. | |
| 11055 | - Buoy 5 | 36-52-41.549N 076-28-56.740W | | | | Green can. | |
| Nansemond River | | | | | | | |
| 11060 | - CHANNEL LIGHT 11 | 36-52-58.565N 076-29-48.845W | FI G 4s | 15 | 4 | SG on pile. | |
| 11065 | VIRGINIA POWER WEST TOWER LIGHT | 36-52-36.592N 076-30-16.200W | FI Y 4s | 7 | | On tower. | Private aid. |
| 11070 | VIRGINIA POWER EAST TOWER LIGHT | 36-52-36.592N 076-30-02.545W | FI Y 4s | 7 | | On tower. | Private aid. |
| 11075 | - CHANNEL LIGHT 12 | 36-52-30.648N 076-30-18.137W | FI R 4s | 15 | 4 | TR on pile. | |
| 11080 | - Channel Day beacon 14 | 36-52-06.535N 076-30-46.818W | | | | TR on pile. | |
| 11085 | - Channel Day beacon 15 | 36-51-43.979N 076-31-20.526W | | | | SG on pile. | |
| 11090 | - CHANNEL LIGHT 16 | 36-51-25.015N 076-31-34.619W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 11095 | - Channel Day beacon 18 | 36-50-44.535N 076-31-37.819W | | | | TR on pile. | |
| 11100 | - CHANNEL LIGHT 19 | 36-50-36.828N 076-31-36.786W | FI G 4s | 15 | 4 | SG on slatted pile structure. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|----------------------------------|---------------------------------|-----------------------|---------------|--------------|--|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| NEWPORT NEWS TO JAMESTOWN ISLAND (Chart 12248) | | | | | | | |
| Nansemond River | | | | | | | |
| 11105 | - Channel Day beacon 21 | 36-50-18.701N 076-32-15.228W | | | | SG on pile. | |
| 11108 | - Channel Day beacon 21A | 36-50-12.223N 076-33-00.292W | | | | TR on pile. | |
| 11110 | - Channel Day beacon 22 | 36-50-16.643N 076-33-00.945W | | | | TR on pile. | |
| 11115 | - Channel Day beacon 23 | 36-50-10.511N 076-33-15.168W | | | | SG on pile. | |
| 11120 | - CHANNEL LIGHT 25 | 36-50-05.554N 076-33-25.839W | FI G 4s | 15 | 4 | SG on pile. | |
| 11125 | - Channel Day beacon 26 | 36-49-59.105N 076-33-36.432W | | | | TR on pile. | |
| 11130 | - CHANNEL LIGHT 28 | 36-49-41.494N 076-33-41.381W | FI R 4s | 15 | 4 | TR on pile. | |
| 11135 | - Channel Day beacon 29 | 36-49-39.894N 076-33-37.041W | | | | SG on pile. | |
| 11140 | - Channel Day beacon 31 | 36-49-27.088N 076-33-29.879W | | | | SG on pile. | |
| 11145 | - Channel Day beacon 33 | 36-48-56.146N 076-33-16.505W | | | | SG on pile. | |
| 11150 | - Channel Day beacon 35 | 36-48-40.832N 076-33-29.135W | | | | SG on pile. | |
| 11155 | - Channel Day beacon 36 | 36-48-34.232N 076-33-35.675W | | | | TR on pile. | |
| 11160 | - Channel Day beacon 38 | 36-48-17.680N 076-33-31.967W | | | | TR on pile. | |
| 11165 | - Channel Day beacon 40 | 36-48-09.382N 076-33-34.430W | | | | TR on pile. | |
| 11170 | - Channel Day beacon 41 | 36-47-51.808N 076-33-43.541W | | | | SG on pile. | |
| 11175 | - Channel Day beacon 43 | 36-47-27.424N 076-33-43.259W | | | | SG on pile. | |
| Western Branch | | | | | | | |
| 11180 | - Junction Day beacon A | 36-47-20.604N 076-33-45.534W | | | | JR on pile. | |
| 11185 | - Day beacon 2 | 36-47-20.259N 076-33-57.284W | | | | TR on pile. | |
| 11190 | - Day beacon 3 | 36-47-23.238N 076-34-05.058W | | | | SG on pile. | |
| 11195 | - Day beacon 4 | 36-47-29.253N 076-34-12.691W | | | | TR on pile. | |
| Nansemond River | | | | | | | |
| 11200 | - -Lake Meade Dam Warning Buoy A | 36-44-44.900N 076-35-19.150W | | | | White can with orange diamond worded DANGER DAM. | Private aid. |
| 11200.1 | - -Lake Meade Dam Warning Buoy B | 36-44-46.600N 076-35-17.930W | | | | White can with orange diamond worded DANGER DAM. | Private aid. |
| 11200.2 | - -Lake Meade Dam Warning Buoy C | 36-44-47.800N 076-35-17.550W | | | | White can with orange diamond worded DANGER DAM. | Private aid. |
| Chuckatuck Creek | | | | | | | |
| 11205 | - Approach Day beacon CC | 36-56-18.244N 076-27-46.945W | | | | MR on pile. | |
| 11210 | - ENTRANCE LIGHT 2 | 36-55-58.847N 076-28-57.063W | FI R 2.5s | 15 | 3 | TR on pile. | |
| 11215 | - ENTRANCE LIGHT 3 | 36-56-03.221N 076-29-12.743W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 11220 | - Entrance Day beacon 5 | 36-56-03.674N 076-29-15.757W | | | | SG on pile. | |
| 11225 | - ENTRANCE LIGHT 7 | 36-55-56.496N 076-29-28.916W | FI G 4s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|-------------------------|---|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| NEWPORT NEWS TO JAMESTOWN ISLAND (Chart 12248) | | | | | | | |
| Nansemond River | | | | | | | |
| Chuckatuck Creek | | | | | | | |
| 11230 | - ENTRANCE LIGHT 8 | 36-55-20.153N 076-29-41.414W | FI R 4s | 15 | 4 | TR on pile. | |
| 11235 | - Buoy 10 | 36-55-07.851N 076-29-45.872W | | | | Red nun. | |
| James River | | | | | | | |
| 11240 | - Anchorage I Buoy A | 36-56-03.532N 076-24-35.806W | | | | Yellow nun. | |
| 11245 | - Anchorage I Buoy B | 36-57-27.944N 076-26-08.876W | | | | Yellow nun. | |
| 11250 | - Anchorage I Buoy C | 36-58-23.532N 076-27-09.814W | | | | Yellow nun. | |
| 11260 | CSX PIER 15 LIGHTS (2) | 36-57-39.140N 076-25-04.810W | FI Y 4s | 23 | | On pile on end of pier. | Private aid. |
| 11265 | CSX PIER 14 LIGHTS (2) | 36-57-38.920N 076-25-11.660W | FI Y 4s | 23 | | On pile on end of pier. | Private aid. |
| 11270 | NEWPORT NEWS POINT PIER LIGHTS (2) | 36-57-37.400N 076-25-00.000W | F Y | 12 | | On dolphins. | Private aid. |
| 11272 | KMT (KINDER MORGAN TERMINAL) PIER 10 MOORING DOLPHIN LIGHT | 36-57-53.570N 076-25-46.350W | FI Y 4s | 12 | | On mooring dolphins. | Private aid. |
| 11275 | PIER 9 TERMINAL LIGHTS (2) | 36-57-59.706N 076-25-49.350W | F Y | 30 | | On metal frame on pier. | SIREN : 1 bl ev 15s (5s bl). Operates only during periods of low visibility. Private aid. |
| 11280 | Newport News Pier Eight Warning Day beacon A | 36-58-04.973N 076-25-49.920W | | | | NW on pile. | |
| 11285 | Newport News Pier Eight Warning Day beacon B | 36-58-07.340N 076-25-47.782W | | | | NW on pile. | |
| 11295 | VIRGINIA INTERNATIONAL TERMINAL PIER C LIGHT B | 36-58-12.530N 076-19-59.295W | FI Y 2.5s | 11 | | On pile. | Private aid. |
| 11300 | VIRGINIA MARITIME DOLPHIN LIGHT A Marks mooring dolphin. | 36-58-23.531N 076-26-10.811W | FI Y 2.5s | 11 | | On platform on piles. | Private aid. |
| 11305 | NEWPORT NEWS SHIPBUILDING PIER 2 LIGHT | 36-58-48.531N 076-26-22.812W | FI Y 4s | 12 | | Gray cone. | Private aid. |
| 11310 | NEWPORT NEWS SHIPBUILDING BUFFER PIER LIGHT | 36-59-24.531N 076-26-46.814W | FI Y 4s | 12 | | On multi-piles. | Private aid. |
| 11315 | VIRGINIA POWER WEST TOWER FENDER LIGHTS (3) | 37-00-10.049N 076-28-15.083W | FI Y 4s | 9 | | On platform. | Private aid. |
| 11320 | VIRGINIA POWER EAST TOWER FENDER LIGHTS (3) | 37-00-15.740N 076-28-07.925W | FI Y 4s | 9 | | On platform. | Private aid. |
| Huntington Park Channel | | | | | | | |
| 11325 | - Day beacon 1 | 37-00-56.530N 076-27-33.816W | | | | SG on pile. | Private aid. |
| 11330 | - Day beacon 2 | 37-00-55.930N 076-27-33.616W | | | | TR on pile. | Private aid. |
| 11335 | - Day beacon 3 | 37-00-58.830N 076-27-22.916W | | | | SG on pile. | Private aid. |
| 11340 | - Day beacon 4 | 37-00-58.330N 076-27-22.016W | | | | TR on pile. | Private aid. |
| 11345 | - Day beacon 6 | 37-00-59.130N 076-27-22.216W | | | | TR on pile. | Private aid. |
| Leeward Marina Channel | | | | | | | |
| 11350 | - Day beacon 1 | 37-00-38.600N 076-27-26.400W | | | | SG on pile. | Private aid. |
| 11355 | - Day beacon 2 | 37-00-38.100N 076-27-25.900W | | | | TR on pile. | Private aid. |
| 11357 | - Day beacon 3 | 37-00-42.500N 076-27-20.300W | | | | SG on pile. | Private aid. |
| 11360 | - Day beacon 4 | 37-00-42.100N 076-27-20.800W | | | | TR on wave screen. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|------------------|--|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| NEWPORT NEWS TO JAMESTOWN ISLAND (Chart 12248) | | | | | | | |
| James River | | | | | | | |
| Leeward Marina Channel | | | | | | | |
| 11362 | LEEWARD MARINA DIRECTIONAL LIGHT LM | 37-00-43.600N 076-27-19.800W | F W | | | On wave screen. | Night operation only. Visible on a bearing of 225.0°. Private aid. |
| James River | | | | | | | |
| 11367 | - Channel Lighted Buoy 1 | 37-00-46.000N 076-29-54.500W | FI G 2.5s | | 5 | Green. | |
| 11370 | - CHANNEL LIGHT 2 | 37-01-18.555N 076-30-21.538W | FI R 4s | | 15 | 5 | TR on multi-pile structure. |
| Pagan River | | | | | | | |
| 11375 | - Entrance Channel Day beacon 2 | 37-00-49.434N 076-32-19.372W | | | | | TR on pile. |
| 11380 | - ENTRANCE LIGHT 3 | 37-00-45.273N 076-32-19.681W | FI G 2.5s | | 15 | 4 | SG on pile. |
| 11385 | Oyster Rock Warning Day beacon | 37-00-24.438N 076-32-16.625W | | | | | NW on pile worded DANGER SUBMERGED ROCK. |
| 11390 | - Channel Day beacon 4 | 37-00-47.837N 076-32-57.432W | | | | | TR on pile. |
| 11395 | - Channel Day beacon 6 | 37-00-45.464N 076-33-25.637W | | | | | TR on pile. |
| 11400 | - CHANNEL LIGHT 8 | 37-00-42.888N 076-33-53.232W | FI R 4s | | 15 | 4 | TR on pile. |
| 11405 | - Channel Day beacon 10 | 37-00-37.616N 076-34-15.764W | | | | | TR on pile. |
| 11410 | - CHANNEL LIGHT 12 | 37-00-20.918N 076-34-28.652W | FI R 2.5s | | 15 | 4 | TR on pile. |
| 11415 | - CHANNEL LIGHT 13 | 37-00-11.972N 076-34-23.234W | FI G 4s | | 15 | 4 | SG on multi-pile structure. |
| 11420 | Jones Creek Day beacon 2 | 37-00-04.683N 076-34-18.777W | | | | | TR on pile. |
| 11425 | Jones Creek Day beacon 4 | 36-59-55.433N 076-34-11.058W | | | | | TR on pile. |
| 11430 | - CHANNEL LIGHT 14 | 36-59-58.294N 076-34-32.427W | FI R 4s | | 15 | 4 | TR on pile. |
| 11435 | - Channel Day beacon 15 | 36-59-52.805N 076-36-04.153W | | | | | SG on pile. |
| 11440 | - CHANNEL LIGHT 16 | 36-59-52.824N 076-36-18.925W | FI R 6s | | 15 | 4 | TR on multi-pile structure. |
| 11445 | - Channel Day beacon 17 | 36-59-53.208N 076-36-44.394W | | | | | SG on pile. |
| 11450 | - Channel Day beacon 18 | 36-59-49.448N 076-36-59.597W | | | | | TR on pile. |
| 11455 | - CHANNEL LIGHT 19 | 36-59-33.119N 076-37-24.809W | FI G 2.5s | | 15 | 4 | SG on multi-pile structure. |
| 11460 | - Channel Day beacon 21 | 36-59-16.710N 076-37-11.703W | | | | | SG on pile. |
| James River | | | | | | | |
| 11463 | - CHANNEL LIGHT 3 | 37-01-42.747N 076-31-49.264W | FI G 4s | | 15 | 5 | SG on multi-pile structure. |
| 11465 | - CHANNEL LIGHT 4 | 37-01-47.051N 076-31-10.439W | FI R 2.5s | | 15 | 5 | TR on multi-pile structure. |
| 11467 | - CHANNEL LIGHT 5 | 37-02-21.173N 076-32-46.712W | FI G 2.5s | | 15 | 5 | SG on pile. |
| Deep Creek Channel | | | | | | | |
| 11470 | - JUNCTION LIGHT DC | 37-02-39.065N 076-31-58.585W | FI (2+1)R 6s | | 15 | 5 | JR on pile. |
| 11475 | - ENTRANCE LIGHT 2 | 37-03-36.468N 076-32-06.140W | FI R 4s | | 15 | 3 | TR on pile. |
| 11480 | - Day beacon 4 | 37-04-00.902N 076-32-09.405W | | | | | TR on pile. |
| 11485 | - Day beacon 6 | 37-04-21.617N 076-32-10.886W | | | | | TR on pile. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| NEWPORT NEWS TO JAMESTOWN ISLAND (Chart 12248) | | | | | | | |
| James River | | | | | | | |
| Deep Creek Channel | | | | | | | |
| 11490 | - LIGHT 7 | 37-04-25.211N 076-32-12.674W | FI G 4s | 15 | 3 | SG on multi-pile structure. | |
| 11495 | - Day beacon 8 | 37-04-25.103N 076-32-09.434W | | | | TR on pile. | |
| 11500 | - Day beacon 10 | 37-04-39.929N 076-31-49.994W | | | | TR on pile. | |
| 11510 | - Day beacon 11 | 37-04-50.867N 076-31-37.898W | | | | SG on pile. | |
| 11515 | - LIGHT 12 | 37-04-53.549N 076-31-32.036W | FI R 4s | 15 | 3 | TR on pile. | |
| 11520 | - Day beacon 14 | 37-05-00.930N 076-31-18.788W | | | | TR on pile. | |
| 11521.1 | - Day beacon 15 | 37-05-12.000N 076-31-20.000W | | | | SG on pile. | Private aid. |
| 11521.2 | - Day beacon 16 | 37-05-24.000N 076-31-22.000W | | | | TR on pile. | Private aid. |
| 11521.3 | - Day beacon 17 | 37-05-26.000N 076-31-21.000W | | | | SG on pile. | Private aid. |
| 11521.4 | - Day beacon 18 | 37-05-30.000N 076-31-10.000W | | | | TR on pile. | Private aid. |
| 11521.5 | - Day beacon 19 | 37-05-30.000N 076-31-16.000W | | | | SG on pile. | Private aid. |
| Warwick River | | | | | | | |
| 11530 | - Day beacon 4 | 37-05-28.681N 076-33-00.279W | | | | TR on pile. | |
| 11535 | - Day beacon 6 | 37-05-53.449N 076-33-24.789W | | | | TR on pile. | |
| 11540 | - Day beacon 8 | 37-06-21.317N 076-33-43.518W | | | | TR on pile. | |
| 11545 | - Day beacon 10 | 37-06-36.659N 076-33-52.718W | | | | TR on pile. | |
| 11550 | - Day beacon 11 | 37-06-45.485N 076-33-55.106W | | | | SG on pile. | |
| 11555 | - Day beacon 13 | 37-07-21.403N 076-34-07.266W | | | | SG on pile. | |
| 11560 | White Shoal Day beacon 2 | 37-01-27.070N 076-32-02.034W | | | | TR on pile. | |
| James River | | | | | | | |
| 11564 | - Oyster Sanctuary Day beacon NMT | 37-02-46.440N 076-32-05.760W | | | | NW on pile. | Private aid. |
| 11564.1 | - Oyster Sanctuary Day beacon NTH | 37-03-12.180N 076-31-25.380W | | | | NW on pile. | Private aid. |
| 11565 | - Oyster Sanctuary Day beacon EWS | 37-03-37.600N 076-33-49.500W | | | | NW on pile. | Private aid. |
| 11565.1 | - Oyster Sanctuary Day beacon AWS | 37-03-36.357N 076-35-06.623W | | | | NW on pile. | Private aid. |
| 11565.2 | - Oyster Sanctuary Day beacon DWS | 37-04-01.870N 076-34-06.420W | | | | NW on pile. | Private aid. |
| 11565.3 | - Oyster Sanctuary Day beacon BWS | 37-04-01.410N 076-34-52.240W | | | | NW on pile. | Private aid. |
| 11565.4 | - Oyster Sanctuary Day beacon CWS | 37-04-24.440N 076-34-39.410W | | | | NW on pile. | Private aid. |
| 11570 | - Channel Lighted Buoy 6 | 37-03-12.631N 076-33-34.229W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 11575 | - Channel Lighted Buoy 7 100 feet outside channel limit. | 37-03-07.931N 076-33-46.630W | Q G | | 5 | Green. | Replaced by can when endangered by ice. |
| 11580 | - Channel Lighted Buoy 9 75 feet outside channel limit. | 37-03-08.431N 076-34-18.031W | FI G 4s | | 5 | Green. | |
| 11585 | - CHANNEL LIGHT 10 195 feet outside channel limit. | 37-03-12.194N 076-34-36.641W | FI R 4s | 15 | 5 | TR on multi-pile structure. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| NEWPORT NEWS TO JAMESTOWN ISLAND (Chart 12248) | | | | | | | |
| James River | | | | | | | |
| 11590 | - Channel Buoy 10A 350 feet outside channel limit. | 37-03-15.968N 076-35-18.423W | | | | Red nun. | |
| 11595 | - <i>Channel Lighted Buoy 11</i> 450 feet outside channel limit. | 37-03-08.031N 076-35-27.433W | Q G | | 5 | Green. | |
| Burwell Bay | | | | | | | |
| 11600 | - Day beacon 1 | 37-02-58.568N 076-36-56.055W | | | | SG on pile. | |
| 11605 | - Day beacon 2 | 37-03-04.411N 076-36-55.706W | | | | TR on pile. | |
| 11610 | - Day beacon 3 | 37-02-57.587N 076-38-30.493W | | | | SG on pile. | |
| 11615 | - Day beacon 4 | 37-03-03.672N 076-38-28.813W | | | | TR on pile. | |
| 11620 | - Day beacon 5 | 37-03-09.299N 076-39-05.671W | | | | SG on pile. | |
| 11625 | - Day beacon 6 | 37-03-14.010N 076-38-59.869W | | | | TR on pile. | |
| 11630 | - Day beacon 7 | 37-03-59.916N 076-39-28.299W | | | | SG on pile. | |
| 11635 | - Day beacon 8 | 37-03-59.571N 076-39-20.499W | | | | TR on pile. | |
| 11640 | - Day beacon 10 | 37-05-23.307N 076-38-31.927W | | | | TR on pile. | |
| James River | | | | | | | |
| 11645 | - CHANNEL LIGHT 12 135 feet outside channel limit. | 37-03-21.139N 076-35-29.040W | FI R 2.5s | 15 | 5 | TR on pile. | |
| 11650 | - Channel Buoy 13 135 feet outside channel limit. | 37-03-20.331N 076-35-36.833W | | | | Green can. | |
| 11655 | - CHANNEL LIGHT 15 | 37-04-18.332N 076-36-18.205W | FI G 4s | 15 | 5 | SG on pile. | |
| 11660 | - CHANNEL LIGHT 16 160 feet outside channel limit. | 37-04-22.014N 076-36-12.276W | FI R 4s | 15 | 5 | TR on pile. | |
| 11665 | - Channel Buoy 17 180 feet outside channel limit. | 37-04-49.531N 076-36-41.035W | | | | Green can. | |
| 11670 | - CHANNEL LIGHT 18 200 feet outside channel limit. | 37-04-54.430N 076-36-35.220W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 11675 | - CHANNEL LIGHT 19 | 37-05-34.002N 076-37-12.885W | FI G 4s | 15 | 5 | SG on pile. | |
| 11680 | - Channel Buoy 20 100 feet outside channel limit. | 37-05-36.279N 076-37-06.876W | | | | Red nun. | |
| 11685 | - Channel Buoy 21 100 feet outside channel limit. | 37-06-21.113N 076-37-45.062W | | | | Green can. | |
| 11690 | - <i>Channel Lighted Buoy 22</i> | 37-06-19.685N 076-37-38.254W | FI R 4s | | 5 | Red. | |
| 11695 | - <i>Channel Lighted Buoy 23</i> | 37-07-00.586N 076-38-12.330W | FI G 2.5s | | 5 | Green. | |
| 11700 | - CHANNEL LIGHT 24 100 feet outside channel limit. | 37-07-03.529N 076-38-08.811W | Q R | 19 | 5 | TR on pile. | |
| Tylers Beach Channel | | | | | | | |
| 11705 | - Day beacon 1TB 10 feet outside channel limit. | 37-04-46.425N 076-39-17.773W | | | | SG on pile. | |
| 11710 | - Day beacon 3 10 feet outside channel limit. | 37-04-50.118N 076-39-33.084W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--------------------------------|---|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| NEWPORT NEWS TO JAMESTOWN ISLAND (Chart 12248) | | | | | | | |
| Tylers Beach Channel | | | | | | | |
| 11715 | - Day beacon 5 10 feet outside channel limit. | 37-04-53.370N 076-39-44.958W | | | | SG on pile. | |
| 11720 | - LIGHT 7 10 feet outside channel limit. | 37-04-55.044N 076-39-51.138W | FI G 4s | 15 | 4 | SG on pile. | |
| 11725 | - Day beacon 8 | 37-04-56.256N 076-39-50.586W | | | | TR on pile. | |
| Mulberry Island | | | | | | | |
| 11729 | - WARNING LIGHT A | 37-07-54.800N 076-38-00.200W | FI W 4s | 15 | 4 | NW on multi-pile structure. | Maintained by MARAD. |
| 11730 | - ENTRANCE LIGHT 1MI | 37-08-07.411N 076-38-01.669W | FI G 2.5s | 15 | 4 | SG on pile. | Maintained by MARAD. |
| 11735 | - Entrance Day beacon 2 | 37-08-05.899N 076-38-01.163W | | | | TR on pile. | Maintained by MARAD. |
| 11740 | - RANGE FRONT LIGHT | 37-08-14.929N 076-37-18.736W | F R | | 16 | KRW on pile. | Maintained by MARAD. Night : Visible all around. |
| 11745 | - RANGE REAR LIGHT | 37-08-15.829N 076-37-14.336W | F G | | 20 | KRW on pile. | Maintained by MARAD. Night : Visible all around. |
| 11750 | - Day beacon 3 | 37-08-08.363N 076-37-56.853W | | | | SG on pile. | Maintained by MARAD. |
| 11755 | - Day beacon 5 | 37-08-09.315N 076-37-52.061W | | | | SG on pile. | Maintained by MARAD. |
| 11760 | - Day beacon 7 | 37-08-10.248N 076-37-47.270W | | | | SG on pile. | Maintained by MARAD. |
| 11765 | - Day beacon 9 | 37-08-11.201N 076-37-42.479W | | | | SG on pile. | Maintained by MARAD. |
| 11770 | - Day beacon 11 | 37-08-12.112N 076-37-37.614W | | | | SG on pile. | Maintained by MARAD. |
| 11775 | - LIGHT 13 | 37-08-13.065N 076-37-32.872W | FI G 2.5s | 15 | 4 | SG on pile. | Maintained by MARAD. |
| 11777 | - Day beacon 14 | 37-08-11.456N 076-37-32.405W | | | | TR on pile. | Maintained by MARAD. |
| James River | | | | | | | |
| 11780 | DEEP WATER SHOALS WRECK LIGHT WR24 | 37-08-55.250N 076-38-13.500W | Q R | | 34 5 | TR on pile. | |
| 11785 | - Channel Buoy 25 | 37-09-13.729N 076-38-35.038W | | | | Green can. | |
| Surry Power Station | | | | | | | |
| 11800 | - Day beacon 2 | 37-08-20.389N 076-39-28.684W | | | | TR on pile. | Priv ate aid. |
| 11805 | - Day beacon 3 | 37-08-35.370N 076-39-48.207W | | | | SG on pile. | Priv ate aid. |
| 11810 | - Day beacon 5 | 37-08-58.228N 076-39-54.768W | | | | SG on pile. | Priv ate aid. |
| 11815 | - Day beacon 7 | 37-09-24.635N 076-40-00.626W | | | | SG on pile. | Priv ate aid. |
| 11820 | - Day beacon 9 | 37-09-21.630N 076-40-12.141W | | | | SG on pile. | Priv ate aid. |
| Skiffes Creek Channel | | | | | | | |
| 11825 | - <i>Lighted Buoy</i> 2 | 37-09-51.953N 076-37-44.874W | Q R | | 4 | Red. | Replaced by nun when endangered by ice. |
| 11830 | - Buoy 1 | 37-09-55.805N 076-37-44.694W | | | | Green can. | |
| 11840 | - Day beacon 3 | 37-09-56.850N 076-37-20.566W | | | | SG on pile. | |
| 11845 | - Day beacon 4 | 37-09-53.371N 076-37-18.970W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| NEWPORT NEWS TO JAMESTOWN ISLAND (Chart 12248) | | | | | | | |
| Skiffes Creek Channel | | | | | | | |
| 11850 | - LIGHT 5 | 37-09-58.211N 076-36-54.972W | FI G 4s | 15 | 4 | SG on pile. | |
| 11855 | - LIGHT 6 | 37-09-55.011N 076-36-48.809W | FI R 4s | 15 | 4 | TR on pile. | |
| 11860 | - Day beacon 7 25 feet outside channel limit. | 37-09-59.140N 076-36-46.008W | | | | SG on pile. | |
| 11865 | - Day beacon 8 | 37-09-54.062N 076-36-37.226W | | | | TR on pile. | |
| 11870 | - Day beacon 9 25 feet outside channel limit. | 37-10-04.746N 076-36-34.018W | | | | SG on pile. | |
| Hog Island Cutoff | | | | | | | |
| 11875 | - Channel Buoy 2 | 37-09-48.529N 076-38-42.138W | | | | Red Nun. | |
| 11880 | - Channel Buoy 3 | 37-11-16.838N 076-39-46.033W | | | | Green can. | |
| 11885 | - Channel Buoy 4 | 37-11-23.314N 076-39-34.858W | | | | Red Nun. | |
| 11890 | - Channel Buoy 6 | 37-12-16.347N 076-40-57.896W | | | | Red Nun. | |
| 11893 | - WRECK LIGHT WR7 | 37-12-21.497N 076-41-26.369W | Q G | 15 | 4 | SG on multi-pile structure. | |
| James River | | | | | | | |
| 11895 | - Channel Lighted Buoy 27 | 37-09-56.896N 076-38-02.177W | FI G 4s | | 5 | Green. | |
| 11900 | - Channel Buoy 28 | 37-10-06.354N 076-37-53.664W | | | | Red nun. | |
| 11903 | - Channel Lighted Buoy 29 | 37-10-48.751N 076-37-56.817W | Q G | | 5 | Green. | |
| 11905 | - Channel Lighted Buoy 30 50 feet outside channel limit. | 37-10-46.228N 076-37-50.633W | FI R 2.5s | | 5 | Red. | |
| 11910 | - Channel Buoy 31 | 37-11-28.712N 076-38-11.034W | | | | Green can. | |
| 11915 | - Channel Lighted Buoy 32 50 feet outside channel limit. | 37-11-30.812N 076-38-05.699W | FI R 4s | | 5 | Red. | |
| 11920 | - Channel Buoy 34 | 37-11-58.027N 076-38-34.038W | | | | Red nun. | |
| 11922 | - Channel Lighted Buoy 35 50 feet outside channel limit. | 37-12-04.917N 076-38-48.758W | FI G 4s | | 5 | Green. | |
| 11925 | - CHANNEL LIGHT 36 80 feet outside channel limit. | 37-12-13.015N 076-38-51.146W | FI R 4s | 15 | 5 | TR on multi-pile structure. | |
| 11930 | - Channel Buoy 38 50 feet outside channel limit. | 37-12-28.967N 076-39-11.969W | | | | Red nun. | |
| 11933 | HRSD Williamsburg WWTP Outfall Warning Buoy A | 37-12-44.520N 076-38-59.210W | | | | White and orange buoy worded DANGER PIPELINE DO NOT ANCHOR. | Private aid. |
| 11935 | - Channel Lighted Buoy 39 50 feet outside channel limit. | 37-12-41.728N 076-39-42.740W | FI G 2.5s | | 5 | Green. | |
| 11940 | - CHANNEL LIGHT 40 200 feet outside channel limit. | 37-12-47.889N 076-39-37.679W | FI R 4s | 15 | 5 | TR on multi-pile structure. | |
| 11945 | - Channel Buoy 41 50 feet outside channel limit. | 37-12-44.671N 076-40-17.280W | | | | Green can. | |
| 11950 | - Channel Lighted Buoy 42 50 feet outside channel limit. | 37-12-50.727N 076-40-18.765W | FI R 4s | | 5 | Red. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|--|---------------|--------------|---|--|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| NEWPORT NEWS TO JAMESTOWN ISLAND (Chart 12248) | | | | | | | |
| James River | | | | | | | |
| 11955 | KINGS MILL MARINA LIGHT 1 | 37-13-18.527N 076-39-40.840W | FI G 4s | 7 | | On pile structure. | Private aid. |
| 11960 | KINGS MILL MARINA LIGHT 2 | 37-13-18.527N 076-39-34.840W | FI R 4s | 7 | | On pile structure. | Private aid. |
| 11965 | <i>Hog Island Junction Lighted Buoy HI</i> | 37-12-30.325N 076-41-17.742W | FI (2+1)G 6s | | 5 | Green with red band. | |
| 11987 | - <i>Channel Lighted Buoy 44</i> 75 feet outside channel limit. | 37-12-31.077N 076-42-13.363W | Q R | | 5 | Red. | |
| Jamestown Island | | | | | | | |
| 12000 | - Warning Day beacon A | 37-12-34.872N 076-43-34.602W | | | | NW on pile worded DANGER SHOAL. | |
| 12005 | - Warning Day beacon B | 37-12-31.254N 076-44-26.730W | | | | NW on pile worded DANGER SHOAL. | |
| 12010 | - Warning Day beacon C | 37-12-44.184N 076-44-49.422W | | | | NW on pile worded DANGER SHOAL. | |
| 12015 | - Warning Day beacon D | 37-12-48.006N 076-45-04.056W | | | | NW on pile worded DANGER SHOAL. | |
| 12020 | - Warning Day beacon E | 37-12-47.268N 076-45-21.720W | | | | NW on pile worded DANGER SHOAL. | |
| 12035 | - Warning Day beacon F | 37-13-09.654N 076-46-56.010W | | | | NW on pile worded DANGER SHOAL. | |
| James River | | | | | | | |
| 12040 | - <i>Channel Lighted Buoy 45</i> 40 feet outside channel limit. | 37-11-51.830N 076-43-00.146W | FI G 4s | | 5 | Green. | |
| 12045 | - <i>Channel Lighted Buoy 46</i> 205 feet outside channel limit. | 37-11-57.030N 076-43-04.346W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |
| 12055 | VIRGINIA POWER GROIN LIGHT A | 37-10-18.531N 076-42-22.845W | FI Y 4s | 20 | | Pile structure. | Private aid. |
| 12060 | VIRGINIA POWER GROIN LIGHT B | 37-10-18.531N 076-42-28.846W | FI Y 4s | 20 | | Pile structure. | Private aid. |
| 12065 | GOOSE HILL CHANNEL RANGE FRONT LIGHT | 37-10-20.794N 076-45-12.617W | FI W 2.5s (NIGHT) FI W 2.5s (DAY) | 16 19 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around higher intensity 1.5° either side of rangeline. |
| 12070 | GOOSE HILL CHANNEL RANGE REAR LIGHT 635 yards, 228.3° from front light. | 37-10-08.259N 076-45-30.210W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 43 40 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around higher intensity 1.5° either side of rangeline. |
| 12072 | Goose Hill Channel Warning Day beacon | 37-10-02.202N 076-45-38.302W | | | | NW on multi-pile structure worded WARNING. | |
| 12075 | - <i>Channel Lighted Buoy 47</i> | 37-11-25.290N 076-43-38.010W | FI G 2.5s | | 5 | Green. | |
| 12080 | - Channel Buoy 48 | 37-11-27.938N 076-43-42.012W | | | | Red nun. | |
| 12085 | - <i>Channel Lighted Buoy 49</i> 35 feet outside channel limit. | 37-10-55.711N 076-44-19.924W | Q G | | 5 | Green. | Replaced by can when endangered by ice. |
| 12090 | - <i>Channel Lighted Buoy 50</i> Located 50 feet outside channel limit. | 37-10-57.836N 076-44-24.447W | FI R 4s | | 5 | Red. | |
| 12095 | - Channel Buoy 51 50 feet outside channel limit. | 37-10-44.332N 076-44-35.950W | | | | Green can. | |
| 12100 | - <i>Channel Lighted Buoy 52</i> 100 feet outside channel limit. | 37-10-52.532N 076-44-51.050W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|--|---------------|--------------|-----------------------------|---|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| NEWPORT NEWS TO JAMESTOWN ISLAND (Chart 12248) | | | | | | | |
| James River | | | | | | | |
| 12105 | - Channel Buoy 53 100 feet outside channel limit. | 37-11-02.310N 076-45-44.806W | | | | Green can. | |
| 12110 | - <i>Channel Lighted Buoy 54</i> 100 feet outside channel limit. | 37-11-08.297N 076-45-41.702W | FI R 4s | | 5 | Red. | |
| JAMESTOWN ISLAND TO JORDAN POINT (Chart 12251) | | | | | | | |
| James River | | | | | | | |
| 12113 | <i>NOAA Lighted Data Buoy J</i> | 37-12-44.960N 076-47-07.701W | FI Y 4s | | | Yellow. | Aid maintained by National Oceanic and Atmospheric Administration. |
| Scotland Wharf Ferry | | | | | | | |
| 12115 | - LIGHT A | 37-11-10.000N 076-47-04.000W | F Y | 18 | | On dolphin. | Private aid. |
| 12116 | - LIGHT 2 | 37-11-10.000N 076-47-02.000W | Oc R 4s | 18 | | On dolphin. | Siren signals Ferry leaving dock. Private aid. |
| 12116.5 | - LIGHT 3 | 37-11-09.000N 076-47-00.000W | Oc G 4s | 18 | | On dolphin. | Private aid. |
| 12117 | - LIGHT B | 37-11-08.000N 076-46-59.000W | F Y | 18 | | On dolphin. | Private aid. |
| 12118 | - LIGHT C | 37-11-07.000N 076-46-58.000W | F Y | 18 | | On dolphin. | Private aid. |
| 12119 | - LIGHT D | 37-11-06.000N 076-46-57.000W | F Y | 18 | | On dolphin. | Private aid. |
| James River | | | | | | | |
| 12120 | - <i>Channel Lighted Gong Buoy 55</i> | 37-12-06.732N 076-46-57.353W | FI G 4s | | 5 | Green. | |
| 12121 | - Channel Buoy 55A | 37-13-01.032N 076-48-02.556W | | | | Green can. | |
| 12125 | GLASSHOUSE POINT UPPER FERRY LIGHT | 37-13-11.532N 076-47-31.855W | Oc G 4s | 18 | | On caisson. | Private aid. |
| 12126 | GLASSHOUSE POINT CENTER FERRY LIGHT | 37-13-11.032N 076-47-29.855W | F Y | 18 | | On caisson. | Private aid. |
| 12127 | GLASSHOUSE POINT LOWER FERRY LIGHT | 37-13-10.032N 076-47-28.854W | Oc R 4s | 18 | | On caisson. | Private aid. |
| 12130 | SWANN POINT SHOAL CHANNEL RANGE FRONT LIGHT | 37-13-18.753N 076-47-42.166W | FI W 2.5s (NIGHT) FI W 2.5s (DAY) | 25 23 | | On multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 0.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of range line. |
| 12135 | SWANN POINT SHOAL CHANNEL RANGE REAR LIGHT 1,030 yards, 083° from front light. | 37-13-21.864N 076-47-04.138W | Iso R 6s (NIGHT) Iso R 6s (DAY) | 62 | | On white tower. | Lighted throughout 24 hours; visible 0.9° either side of rangeline. |
| 12140 | <i>Swann Point Junction Lighted Buoy SP</i> | 37-13-18.532N 076-48-06.356W | FI (2+1)R 6s | | 5 | Red and green bands. | Replaced by nun when endangered by ice. |
| Chickahominy River | | | | | | | |
| 12141 | - Channel Day beacon 1 | 37-13-44.199N 076-49-17.606W | | | | SG on pile. | |
| 12141.5 | - Channel Day beacon 2 | 37-13-50.946N 076-49-14.112W | | | | TR on pile. | |
| 12142 | - Channel Day beacon 3 | 37-14-07.034N 076-50-21.350W | | | | SG on pile. | |
| 12142.5 | - Channel Day beacon 4 | 37-14-12.852N 076-50-19.974W | | | | TR on pile. | |
| 12143 | - Channel Day beacon 5 | 37-14-03.300N 076-51-41.500W | | | | SG on pile. | |
| 12143.5 | - Channel Day beacon 6 | 37-14-10.507N 076-51-40.983W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| JAMESTOWN ISLAND TO JORDAN POINT (Chart 12251) | | | | | | | |
| Chickahominy River | | | | | | | |
| Barretts Point | | | | | | | |
| 12143.7 | - Lighted Buoy 2 | 37-14-15.600N 076-51-44.500W | FI R 2.5s | | | Red. | Private aid. |
| 12143.71 | - Day beacon 3 | 37-14-22.400N 076-51-52.200W | | | | SG on pile. | Private aid. |
| 12143.72 | - Day beacon 4 | 37-14-22.800N 076-51-51.400W | | | | TR on pile. | Private aid. |
| 12143.73 | - LIGHT 5 | 37-14-29.900N 076-51-59.300W | FI G 6s | 7 | | SG on pile. | Private aid. |
| 12143.74 | - LIGHT 6 | 37-14-29.900N 076-51-57.600W | FI R 5s | 7 | | TR on pile. | Private aid. |
| 12143.75 | - WARNING LIGHT | 37-14-28.600N 076-51-54.200W | FI W 3s | 7 | | NW on pile. | Private aid. |
| Chickahominy River | | | | | | | |
| 12144 | - Channel Day beacon 7 | 37-14-10.676N 076-52-27.997W | | | | SG on pile. | |
| 12145 | - Channel Buoy 8 | 37-14-16.192N 076-52-17.269W | | | | Red nun. | |
| 12150 | - Channel Buoy 10 | 37-14-21.772N 076-52-30.995W | | | | Red nun. | |
| 12155 | - Channel Buoy 12 | 37-14-59.895N 076-52-37.662W | | | | Red nun. | |
| 12160 | - Channel Buoy 14 Marks sunken barge. | 37-15-25.473N 076-52-18.942W | | | | Red nun. | |
| 12165 | - Channel Buoy 15 | 37-17-42.531N 076-52-28.866W | | | | Green can. | |
| 12170 | - Channel Buoy 17 | 37-18-16.689N 076-52-34.187W | | | | Green can. | |
| 12175 | - Channel Buoy 18 | 37-18-42.530N 076-52-34.866W | | | | Red nun. | |
| 12180 | - Channel Buoy 19 | 37-22-04.554N 076-54-05.400W | | | | Green can. | |
| 12185 | - Channel Buoy 21 | 37-22-16.528N 076-53-52.870W | | | | Green can. | |
| 12190 | - Channel Buoy 23 | 37-22-43.279N 076-54-23.814W | | | | Green can. | |
| 12195 | - DAM LIGHT A | 37-24-22.000N 076-56-21.000W | FI W 2.5s | 10 | | Day mark on pile worded DANGER KEEP AWAY, DAM SPILLWAY. | Private aid. |
| 12195.1 | - DAM LIGHT B | 37-24-23.000N 076-56-18.000W | FI W 2.5s | 10 | | Day mark on pile worded DANGER KEEP AWAY, DAM SPILLWAY. | Private aid. |
| James River | | | | | | | |
| 12200 | - Channel Lighted Buoy 57 | 37-13-13.292N 076-48-27.085W | Q G | | 5 | Green. | |
| 12203 | - Channel Lighted Buoy 58 | 37-13-15.594N 076-48-49.749W | FI R 2.5s | | 5 | Red. | |
| 12205 | - Channel Lighted Buoy 59 | 37-13-03.470N 076-50-30.180W | FI G 4s | | 5 | Green. | |
| 12210 | - Channel Lighted Buoy 60 | 37-13-07.169N 076-50-29.604W | FI R 4s | | 5 | Red. | |
| 12215 | - Channel Lighted Buoy 61 | 37-12-54.250N 076-52-19.870W | FI G 2.5s | | 5 | Green. | |
| 12220 | - Channel Lighted Buoy 62 | 37-12-58.167N 076-52-18.545W | FI R 2.5s | | 5 | Red. | |
| 12225 | - Channel Lighted Buoy 63 | 37-12-45.552N 076-54-11.154W | Q G | | 5 | Green. | |
| 12230 | - Channel Lighted Buoy 64 | 37-12-51.534N 076-54-14.668W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|--------------------------------|---------------|--------------|-----------------------------------|--|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| JAMESTOWN ISLAND TO JORDAN POINT (Chart 12251) | | | | | | | |
| James River | | | | | | | |
| 12235 | DANCING POINT SHOAL CHANNEL RANGE FRONT LIGHT | 37-12-46.022N 076-54-28.609W | F W (NIGHT) F W (DAY) | 24 27 | | On skeleton tower on platform. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 12240 | DANCING POINT SHOAL CHANNEL RANGE REAR LIGHT 934 yards, 264.3° from front light. | 37-12-43.252N 076-55-03.060W | F W (NIGHT) F W (DAY) | 57 54 | | On skeleton tower on platform. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side rangeline. |
| 12245 | - Channel Lighted Buoy 65 | 37-13-10.079N 076-55-06.404W | FI G 2.5s | | 5 | Green. | |
| 12250 | - Channel Lighted Buoy 66 | 37-13-22.759N 076-55-25.059W | FI R 2.5s | | 5 | Red. | |
| 12275 | - Channel Wreck Lighted Buoy WR67 | 37-14-50.321N 076-58-44.794W | Q G | | 5 | Green. | |
| 12280 | - Channel Lighted Buoy 68 | 37-14-55.634N 076-58-36.779W | Q R | | 5 | Red. | |
| 12285 | - CHANNEL LIGHT 73 | 37-16-16.945N 076-59-32.817W | FI G 4s | 15 | 5 | SG on pile. | |
| 12290 | - Channel Buoy 74 | 37-16-27.833N 076-59-20.980W | | | | Red nun. | |
| 12295 | - CHANNEL LIGHT 74A | 37-17-56.826N 076-59-24.708W | FI R 4s | 15 | 5 | TR on pile. | |
| 12300 | - CHANNEL LIGHT 74B | 37-18-27.480N 077-00-33.010W | FI R 4s | 15 | 5 | TR on pile. | |
| 12305 | - CHANNEL LIGHT 74C | 37-18-16.147N 077-01-27.489W | FI R 6s | 15 | 5 | TR on multi-pile structure. | |
| 12310 | - Channel Buoy 75 | 37-16-31.234N 077-02-57.088W | | | | Green can. | |
| 12315 | - Channel Lighted Buoy 75A | 37-16-18.934N 077-03-12.889W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 12320 | - Channel Lighted Buoy 76 | 37-16-23.134N 077-03-15.889W | FI R 2.5s | | 5 | Red. | |
| 12325 | - CHANNEL LIGHT 76A | 37-16-18.450N 077-04-23.936W | FI R 4s | 15 | 5 | TR on multi-pile structure. | |
| 12330 | - Channel Buoy 77 | 37-16-10.634N 077-03-32.790W | | | | Green can. | |
| 12335 | - CHANNEL LIGHT 77A | 37-16-12.867N 077-04-34.420W | FI G 4s | 15 | 5 | SG on pile. | |
| 12340 | - CHANNEL LIGHT 77B | 37-16-35.300N 077-05-02.580W | FI G 4s | 15 | 5 | SG on pile. | |
| 12345 | - CHANNEL LIGHT 79 | 37-17-36.581N 077-05-02.419W | FI G 2.5s | 15 | 5 | SG on multi-pile structure. | |
| 12350 | - Channel Lighted Buoy 81 10 feet outside channel limit. | 37-18-18.257N 077-04-56.778W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 12355 | - Channel Lighted Buoy 82 90 feet outside channel limit. | 37-18-17.442N 077-04-49.853W | FI R 4s | | 5 | Red. | |
| 12360 | - Channel Lighted Buoy 83 75 feet outside channel limit. | 37-18-35.733N 077-05-15.193W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 12365 | - Channel Buoy 84 135 feet outside channel limit. | 37-18-40.533N 077-05-10.294W | | | | Red nun. | |
| 12370 | - Channel Lighted Buoy 85 60 feet outside channel limit. | 37-18-42.033N 077-05-37.194W | FI G 2.5s | | 5 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| JAMESTOWN ISLAND TO JORDAN POINT (Chart 12251) | | | | | | | |
| James River | | | | | | | |
| 12375 | - Channel Lighted Buoy 86 120 feet outside channel limit. | 37-18-50.903N 077-05-47.607W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 12380 | - Channel Lighted Buoy 87 | 37-18-40.033N 077-06-03.795W | FI G 4s | | 5 | Green. | |
| 12385 | - Channel Lighted Buoy 89 90 feet outside channel limit. | 37-18-32.922N 077-06-22.412W | FI G 2.5s | | 5 | Green. | Replaced by can when endangered by ice. |
| 12387 | - Channel Lighted Buoy 89A | 37-18-07.694N 077-07-05.939W | Q G | | 5 | Green. | Replaced by can when endangered by ice. |
| 12390 | VIRGINIA POWER SOUTH TOWER OBSTRUCTION LIGHTS (2) | 37-18-34.030N 077-05-43.422W | F Y | 15 | | On skeleton tower. | Private aid. |
| 12395 | VIRGINIA POWER NORTH TOWER OBSTRUCTION LIGHTS (2) | 37-19-02.366N 077-05-41.733W | F Y | 15 | | On skeleton tower. | Private aid. |
| 12400 | - Channel Lighted Buoy 90 | 37-18-08.394N 077-07-17.960W | FI R 2.5s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 12405 | - Channel Lighted Buoy 91 | 37-17-57.937N 077-07-37.754W | FI G 4s | | 5 | Green. | |
| 12410 | - Channel Lighted Buoy 92 | 37-18-06.833N 077-07-49.799W | Q R | | 5 | Red. | |
| 12415 | JORDAN POINT RANGE FRONT LIGHT | 37-18-31.177N 077-11-25.791W | F W | 23 | | On skeleton structure. | Lighted throughout 24 hours. Visible 0.5° either side of rangeline. |
| 12417 | JORDAN POINT RANGE FRONT PASSING LIGHT | 37-18-31.177N 077-11-25.791W | Q W | 23 | 4 | On same structure as Jordan Point Range Front Light. | |
| 12420 | JORDAN POINT RANGE REAR LIGHT 3,200 yards, 279° from front light. | 37-18-46.940N 077-13-24.368W | Iso W 2s | 65 | | On white skeleton tower. | Lighted throughout 24 hours. Visible 0.9° either side of rangeline. |
| 12425 | - Channel Lighted Buoy 93 | 37-18-12.545N 077-09-20.148W | FI G 4s | | 5 | Green. | |
| 12430 | - Channel Lighted Buoy 94 | 37-18-16.626N 077-09-22.972W | FI R 4s | | 5 | Red. | |
| 12435 | - Channel Lighted Buoy 97 | 37-18-24.933N 077-10-50.706W | FI G 4s | | 5 | Green. | |
| 12440 | - CHANNEL LIGHT 98 140 feet outside channel limit. | 37-18-30.877N 077-10-46.636W | FI R 4s | 15 | 5 | TR on multi-pile structure. | |
| 12442 | - Lighted Data Buoy VCU | 37-18-49.080N 077-11-27.600W | FI Y 4s | | | Yellow. | Private aid. |
| 12445 | - Channel Buoy 99 100 feet outside channel limit. | 37-18-37.433N 077-11-26.207W | | | | Green can. | |
| 12450 | - Channel Lighted Buoy 100 100 feet outside channel limit. | 37-18-39.933N 077-11-21.807W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 12453 | - Channel Buoy 101 100 feet outside channel limit. | 37-18-56.690N 077-12-00.392W | | | | Green can. | |
| 12455 | - Channel Lighted Buoy 102 85 feet outside channel limit. | 37-19-03.333N 077-12-01.308W | FI R 4s | | 5 | Red. | |
| 12460 | - Channel Buoy 103 60 feet outside channel limit. | 37-19-04.733N 077-12-33.809W | | | | Green can. | |
| 12465 | - Channel Lighted Buoy 104 190 feet outside channel limit. | 37-19-10.433N 077-12-34.609W | FI R 4s | | 5 | Red. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--------------------------------|--|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| JAMESTOWN ISLAND TO JORDAN POINT (Chart 12251) | | | | | | | |
| James River | | | | | | | |
| 12475 | - Channel Lighted Buoy 106 100 feet outside channel limit. | 37-19-08.033N 077-13-08.210W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 12480 | - CHANNEL LIGHT 107 | 37-18-44.239N 077-13-56.387W | FI G 6s | 15 | 5 | SG on multi-pile structure. | |
| JORDAN POINT TO RICHMOND (Chart 12252) | | | | | | | |
| James River | | | | | | | |
| 12485 | - CHANNEL LIGHT 108 135 feet outside channel limit. | 37-18-32.664N 077-14-34.138W | FI R 4s | 15 | 5 | TR on multi-pile structure. | |
| 12490 | - CHANNEL LIGHT 109 310 feet outside channel limit. | 37-18-23.606N 077-14-36.389W | FI G 4s | 15 | 5 | SG on multi-pile structure. | |
| 12495 | - CHANNEL LIGHT 110 | 37-18-22.890N 077-15-02.235W | FI R 4s | 15 | 5 | TR on multi-pile structure. | |
| 12500 | - Channel Lighted Buoy 111 | 37-18-18.634N 077-15-15.715W | FI G 4s | | 5 | Green. | |
| 12505 | STONE CONTAINER CORP. DOCK LIGHT A | 37-18-18.000N 077-15-36.000W | FI Y 4s | 9 | | On pier. | Private aid. |
| 12510 | STONE CONTAINER CORP. DOCK LIGHT B | 37-18-20.534N 077-15-33.916W | FI Y 4s | 9 | | On pier. | Private aid. |
| 12515 | - CHANNEL LIGHT 112 175 feet outside channel limit. | 37-18-26.069N 077-15-31.133W | FI R 4s | 15 | 5 | TR on multi-pile structure. | |
| 12520 | - CHANNEL LIGHT 118 | 37-19-02.627N 077-16-16.766W | FI R 4s | 15 | 5 | TR on multi-pile structure. | |
| 12525 | - Channel Buoy 119 | 37-19-13.534N 077-16-38.919W | | | | Green can. | |
| 12530 | - CHANNEL LIGHT 120 | 37-19-21.534N 077-16-35.918W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| Appomattox River | | | | | | | |
| 12535 | - JUNCTION LIGHT AR | 37-19-19.442N 077-16-43.368W | FI (2+1)G 6s | 15 | 5 | JG on pile. | |
| 12540 | - Channel Buoy 1 | 37-19-12.085N 077-16-52.920W | | | | Green can. | |
| 12545 | - Channel Day beacon 2 | 37-19-13.974N 077-16-56.106W | | | | TR on pile. | |
| 12550 | - Channel Day beacon 4 | 37-18-58.134N 077-17-10.956W | | | | TR on pile. | |
| 12555 | - CHANNEL LIGHT 5 | 37-18-52.938N 077-17-10.896W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 12560 | - Channel Day beacon 6 | 37-18-50.334N 077-17-19.656W | | | | TR on pile. | |
| 12565 | - CHANNEL LIGHT 8 | 37-18-45.654N 077-17-29.112W | FI R 4s | 15 | 4 | TR on pile. | |
| 12570 | Sunken Island Junction Day beacon SI | 37-18-56.481N 077-20-19.411W | | | | JR on pile. | |
| 12575 | - Channel Day beacon 9 | 37-18-45.612N 077-20-56.550W | | | | SG on pile. | |
| 12580 | - Channel Day beacon 10 | 37-18-40.698N 077-21-08.888W | | | | TR on pile. | |
| 12585 | - Channel Day beacon 14 | 37-17-54.294N 077-21-09.546W | | | | TR on pile. | |
| 12590 | - Channel Day beacon 16 | 37-17-25.380N 077-21-19.818W | | | | TR on pile. | |
| 12595 | - Channel Day beacon 17 | 37-17-13.397N 077-21-21.137W | | | | SG on pile. | |
| James River | | | | | | | |
| 12600 | - CHANNEL LIGHT 121 40 feet outside channel limit. | 37-19-33.514N 077-16-41.726W | FI G 4s | 15 | 5 | SG on multi-pile structure. | |
| 12605 | - CHANNEL LIGHT 122 160 feet outside channel limit. | 37-19-33.219N 077-16-34.090W | Q R | 15 | 5 | TR on multi-pile structure. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| JORDAN POINT TO RICHMOND (Chart 12252) | | | | | | | |
| James River | | | | | | | |
| 12610 | - CHANNEL LIGHT 124 240 feet outside channel limit. | 37-20-02.051N 077-16-20.880W | FI R 4s | 15 | 5 | TR on multi-pile structure. | |
| 12615 | - CHANNEL LIGHT 125 75 feet outside channel limit. | 37-20-10.698N 077-16-23.880W | FI G 4s | 15 | 5 | SG on multi-pile structure. | |
| 12620 | - <i>Channel Lighted Buoy 126</i> | 37-20-32.069N 077-15-59.173W | FI R 4s | | 5 | Red. | |
| 12625 | - CHANNEL LIGHT 127 | 37-20-25.998N 077-16-13.728W | FI G 2.5s | 15 | 5 | SG on pile. | |
| 12630 | - <i>Channel Lighted Buoy 128</i> 50 feet outside channel limit. | 37-20-41.343N 077-15-58.060W | Q R | | 5 | Red. | |
| 12635 | - CHANNEL LIGHT 132 | 37-21-11.715N 077-16-30.136W | FI R 4s | 15 | 5 | TR on pile. | |
| 12640 | - CHANNEL LIGHT 133 | 37-21-08.839N 077-16-40.151W | FI G 4s | 15 | 5 | SG on pile. | |
| 12645 | - BERMUDA 100 LIGHT A | 37-21-07.533N 077-17-05.919W | F Y | 15 | | On dolphin. | Private aid. |
| 12650 | - CHANNEL LIGHT 135 | 37-21-09.435N 077-17-19.493W | FI G 2.5s | 15 | 3 | SG on pile. | |
| 12655 | - CHANNEL LIGHT 137 170 feet outside channel limit. | 37-21-28.035N 077-18-10.657W | FI G 4s | 18 | 5 | SG on multi-pile structure. | |
| 12660 | - <i>Channel Lighted Buoy 138</i> 180 feet outside channel limits. | 37-21-48.172N 077-18-24.842W | FI R 4s | | 5 | Red. | |
| 12665 | - CHANNEL LIGHT 139 | 37-21-54.093N 077-18-35.407W | FI G 6s | 15 | 5 | SG on pile. | |
| 12670 | - <i>Channel Lighted Buoy 140</i> | 37-22-06.249N 077-18-31.826W | FI R 4s | | 5 | Red. | |
| 12675 | - CHANNEL LIGHT 143 | 37-22-23.284N 077-18-40.526W | FI G 4s | 15 | 5 | SG on pile. | |
| 12680 | - CHANNEL LIGHT 144 | 37-22-26.697N 077-18-36.916W | FI R 4s | 15 | 5 | TR on pile. | |
| 12685 | - CHANNEL LIGHT 146 | 37-22-47.235N 077-19-10.637W | FI R 4s | 15 | 5 | TR on multi-pile structure. | |
| 12690 | - CHANNEL LIGHT 147 | 37-22-43.833N 077-19-18.113W | FI G 4s | 15 | 5 | SG on pile. | |
| 12692 | - <i>Lighted Data Buoy A</i> | 37-22-43.342N 077-20-00.661W | FI Y 4s | | | Yellow. | Private aid. |
| 12692.1 | - <i>Lighted Data Buoy B</i> | 37-22-43.028N 077-19-56.899W | FI Y 4s | | | Yellow. | Private aid. |
| 12695 | - CHANNEL LIGHT 150 | 37-22-48.533N 077-20-52.928W | FI R 4s | 18 | 3 | TR on pile. | |
| 12705 | - CHANNEL LIGHT 151 | 37-22-35.827N 077-21-34.233W | Q G | 15 | 4 | SG on pile. | |
| 12710 | - CHANNEL LIGHT 152 | 37-22-42.480N 077-21-41.992W | FI R 4s | 15 | 5 | TR on pile. | |
| 12715 | - CHANNEL LIGHT 152A | 37-22-58.251N 077-22-31.231W | FI R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 12720 | - CHANNEL LIGHT 154 | 37-23-04.712N 077-22-52.777W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 12735 | - CHANNEL LIGHT 155 | 37-23-09.440N 077-23-06.847W | Q G | 15 | 4 | SG on pile. | |
| 12740 | - CHANNEL LIGHT 155A | 37-23-38.508N 077-23-02.171W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 12745 | - CHANNEL LIGHT 156 | 37-23-50.973N 077-22-55.759W | Q R | 15 | 5 | TR on pile. | |
| 12750 | - CHANNEL LIGHT 157 | 37-24-10.797N 077-23-35.347W | FI G 4s | 18 | 4 | SG on pile. | |
| 12755 | - CHANNEL LIGHT 158 | 37-25-08.328N 077-23-44.652W | FI R 4s | 18 | 4 | TR on pile. | |
| 12760 | - CHANNEL LIGHT 160 | 37-25-30.803N 077-24-08.874W | Q R | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| JORDAN POINT TO RICHMOND (Chart 12252) | | | | | | | |
| James River | | | | | | | |
| 12765 | - CHANNEL LIGHT 161 | 37-25-18.434N 077-24-46.536W | FI G 4s | 15 | 4 | SG on pile. | |
| 12770 | - Channel Lighted Buoy 162 | 37-25-20.467N 077-25-02.942W | FI R 2.5s | | 4 | Red. | |
| 12780 | - CHANNEL LIGHT 163 | 37-25-55.339N 077-25-43.299W | FI G 4s | 18 | 4 | SG on pile. | |
| 12785 | - CHANNEL LIGHT 165 | 37-26-09.845N 077-25-40.248W | FI G 4s | 20 | 4 | SG on pile. | |
| 12790 | - CHANNEL LIGHT 166 | 37-26-59.792N 077-25-05.966W | FI R 4s | 15 | 4 | TR on pile. | |
| 12795 | - CHANNEL LIGHT 168 | 37-29-27.511N 077-25-18.374W | FI R 4s | 18 | 4 | TR on pile. | |
| 12800 | - Channel Buoy 169 | 37-29-34.804N 077-25-23.040W | | | | Green can. | |
| 12805 | - Channel Buoy 171 | 37-29-39.020N 077-25-25.116W | | | | Green can. | |
| 12810 | - Channel Buoy 172 | 37-29-46.144N 077-25-24.013W | | | | Red nun. | |
| 12815 | - CHANNEL LIGHT 173 | 37-29-55.320N 077-25-25.092W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| CAPE CHARLES TO NORFOLK HARBOR (Chart 12222) | | | | | | | |
| Chesapeake Bay | | | | | | | |
| 12820 | Horseshoe Crossing Lighted Whistle Buoy HC | 37-01-19.724N 076-08-56.570W | Mo (A) W | | 5 | Red and white stripes with red spherical topmark. | |
| 12825 | Scripps Lighted Data Buoy CDIP 240 | 37-01-32.520N 076-09-02.880W | FI (5)Y 20s | | | Yellow. | Private aid. |
| 12830 | Horseshoe West Channel Day beacon 2 | 37-01-58.725N 076-15-44.961W | | | | TR on pile. | |
| 12835 | HORSESHOE WEST CHANNEL LIGHT 3 | 37-03-14.200N 076-15-39.000W | FI G 2.5s | 15 | 4 | SG on pile. | |
| Salt Ponds | | | | | | | |
| 12845 | - Day beacon 1 | 37-03-36.660N 076-16-08.100W | | | | SG on pile. | Private aid. |
| 12850 | - Day beacon 2 | 37-03-38.880N 076-16-09.120W | | | | TR on pile. | Private aid. |
| 12855 | - Day beacon 3 | 37-03-43.860N 076-16-43.800W | | | | SG on pile. | Private aid. |
| 12860 | - Day beacon 4 | 37-03-43.320N 076-16-33.600W | | | | TR on pile. | Private aid. |
| 12865 | - Day beacon 5 | 37-03-45.600N 076-16-51.000W | | | | SG on multi-pile structure. | Private aid. |
| 12870 | - LIGHT 6 | 37-03-45.540N 076-16-47.160W | FI R 2.5s | 19 | | TR on multi-pile structure. | Private aid. |
| 12873 | - Day beacon 6A | 37-03-47.580N 076-16-53.700W | | | | TR on pile. | Private aid. |
| 12875 | - Day beacon 7 | 37-03-47.800N 076-16-54.600W | | | | SG on pile. | Private aid. |
| 12880 | - Day beacon 8 | 37-03-48.120N 076-16-58.860W | | | | TR on pile. | Private aid. |
| 12885 | - Day beacon 9 | 37-03-47.400N 076-16-58.800W | | | | SG on pile. | Private aid. |
| 12887 | - Day beacon 10 | 37-03-46.380N 076-17-01.080W | | | | TR on pile. | Private aid. |
| 12895 | - Day beacon 12 | 37-03-42.000N 076-17-02.640W | | | | TR on pile. | Private aid. |
| 12900 | - Day beacon 14 | 37-03-35.222N 076-17-04.080W | | | | TR on pile. | Private aid. |
| 12905 | - Day beacon 16 | 37-03-20.460N 076-17-15.420W | | | | TR on pile. | Private aid. |
| MOBJACK BAY AND YORK RIVER ENTRANCE (Chart 12238) | | | | | | | |
| Back River | | | | | | | |
| 12910 | - ENTRANCE LIGHT 1BR | 37-05-37.000N 076-15-03.961W | FI G 4s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|-----------------------------|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| MOBJACK BAY AND YORK RIVER ENTRANCE (Chart 12238) | | | | | | | |
| Back River | | | | | | | |
| 12915 | - Channel Day beacon 2 | 37-05-49.442N 076-15-21.663W | | | | TR on pile. | |
| 12920 | - CHANNEL LIGHT 4 | 37-06-06.024N 076-15-44.502W | FI R 4s | 15 | 4 | TR on pile. | |
| 12925 | - CHANNEL LIGHT 5 | 37-06-21.498N 076-16-16.626W | FI G 4s | 19 | 4 | SG on pile. | |
| 12930 | - Channel Day beacon 6 | 37-06-30.774N 076-16-34.488W | | | | TR on pile. | |
| 12933 | - Channel Buoy 6A | 37-06-32.792N 076-16-41.918W | | | | Red nun. | |
| 12935 | - CHANNEL LIGHT 7 | 37-06-27.554N 076-16-35.301W | FI G 4s | 15 | 4 | SG on pile. | |
| 12940 | - CHANNEL LIGHT 8 | 37-06-42.022N 076-17-24.270W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 12945 | - CHANNEL LIGHT 9 | 37-06-36.336N 076-17-23.086W | FI G 4s | 19 | 4 | SG on pile. | |
| 12946 | - Channel Day beacon 9A | 37-06-35.508N 076-17-34.215W | | | | SG on pile. | |
| 12947 | - Channel Day beacon 9B | 37-06-32.836N 076-17-41.253W | | | | SG on pile. | |
| Back River South Channel | | | | | | | |
| 12949 | - Day beacon 1 | 37-06-30.600N 076-17-45.660W | | | | SG on pile | Private aid. |
| 12950 | - Day beacon 2 | 37-06-26.680N 076-17-39.250W | | | | TR on pile. | Private aid. |
| 12952 | - Day beacon 3 | 37-06-27.600N 076-17-38.100W | | | | SG on pile. | Private aid. |
| 12954 | - Day beacon 4 | 37-06-23.190N 076-17-37.690W | | | | TR on pile. | Private aid. |
| 12955 | - Day beacon 5 | 37-06-23.270N 076-17-36.150W | | | | SG on pile. | Private aid. |
| 12956 | - Day beacon 6 | 37-06-16.290N 076-17-39.690W | | | | TR on pile. | Private aid. |
| 12957 | - Junction Day beacon B | 37-06-15.520N 076-17-38.440W | | | | JG on pile. | Private aid. |
| 12958 | - Day beacon 8 | 37-06-12.920N 076-17-41.440W | | | | TR on pile. | Private aid. |
| 12960 | - Day beacon 9 | 37-06-07.820N 076-17-46.380W | | | | SG on pile. | Private aid. |
| 12962 | - Junction Day beacon WC | 37-06-04.900N 076-17-52.310W | | | | JG on pile. | Private aid. |
| 12963 | - Day beacon 10 | 37-06-02.940N 076-18-00.940W | | | | TR on pile. | Private aid. |
| Dandy Haven Marina Entrance | | | | | | | |
| 12964 | - Day beacon 1 | 37-05-59.700N 076-18-04.000W | | | | SG on pile. | Private aid. |
| 12965 | - Day beacon 2 | 37-05-59.700N 076-18-04.500W | | | | TR on pile. | Private aid. |
| 12970 | - Day beacon 3 | 37-05-57.500N 076-18-03.600W | | | | SG on pile. | Private aid. |
| 12975 | - Day beacon 4 | 37-05-57.400N 076-18-04.100W | | | | TR on pile. | Private aid. |
| 12980 | - Day beacon 5 | 37-05-56.700N 076-18-03.000W | | | | SG on pile. | Private aid. |
| 12985 | - Day beacon 6 | 37-05-54.900N 076-18-03.600W | | | | TR on pile. | Private aid. |
| 12990 | - Day beacon 7 | 37-05-51.200N 076-18-02.400W | | | | SG on pile. | Private aid. |
| 12995 | - Day beacon 8 | 37-05-51.100N 076-18-02.800W | | | | TR on pile. | Private aid. |
| 13000 | - Day beacon 9 | 37-05-49.900N 076-18-01.200W | | | | SG on pile. | Private aid. |
| 13005 | - Day beacon 10 | 37-05-49.600N 076-18-01.600W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|-----------------------------|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| MOBJACK BAY AND YORK RIVER ENTRANCE (Chart 12238) | | | | | | | |
| Back River | | | | | | | |
| Dandy Haven Marina Entrance | | | | | | | |
| 13010 | - Day beacon 11 | 37-05-48.400N 076-17-59.800W | | | | SG on pile. | Private aid. |
| 13015 | - Day beacon 12 | 37-05-48.100N 076-18-00.300W | | | | TR on pile. | Private aid. |
| 13015.5 | - Day beacon 13 | 37-05-45.700N 076-17-57.400W | | | | SG on pile. | Private aid. |
| 13015.6 | - Day beacon 14 | 37-05-45.600N 076-17-58.100W | | | | TR on pile. | Private aid. |
| Back River | | | | | | | |
| 13020 | - Channel Day beacon 10 | 37-06-30.949N 076-17-50.526W | | | | TR on pile. | |
| 13025 | - Channel Day beacon 12 | 37-06-20.091N 076-18-21.026W | | | | TR on pile. | |
| 13030 | - CHANNEL LIGHT 13 | 37-06-17.931N 076-18-25.218W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 13035 | - Channel Day beacon 14 | 37-06-18.878N 076-18-29.247W | | | | TR on pile. | |
| 13040 | - Channel Day beacon 16 | 37-06-15.335N 076-19-04.063W | | | | TR on pile. | |
| Harris River Approach | | | | | | | |
| 13045 | - Day beacon 2 | 37-06-06.519N 076-19-03.000W | | | | TR on pile. | Private aid. |
| 13050 | - Day beacon 3 | 37-06-05.000N 076-18-57.000W | | | | SG on pile. | Private aid. |
| 13055 | - Day beacon 4 | 37-05-55.000N 076-18-56.000W | | | | TR on pile. | Private aid. |
| 13060 | - Day beacon 5 | 37-05-50.000N 076-18-46.000W | | | | SG on pile. | Private aid. |
| 13065 | - Day beacon 6 | 37-05-42.000N 076-18-42.000W | | | | TR on pile. | Private aid. |
| 13070 | - Day beacon 8 | 37-05-36.000N 076-18-41.000W | | | | TR on pile. | Private aid. |
| Back River | | | | | | | |
| 13075 | - CHANNEL LIGHT 17 | 37-06-10.017N 076-19-03.123W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 13080 | - CHANNEL LIGHT 18 | 37-06-13.967N 076-19-43.322W | Q R | 15 | 4 | TR on pile. | |
| 13085 | - Channel Day beacon 20 | 37-05-59.153N 076-19-50.748W | | | | TR on pile. | |
| 13090 | - CHANNEL LIGHT 21 | 37-05-47.810N 076-19-51.551W | FI G 4s | 15 | 4 | SG on pile. | |
| 13095 | - CHANNEL LIGHT 22 | 37-05-24.199N 076-20-03.960W | FI R 4s | 15 | 4 | TR on pile. | |
| 13100 | - CHANNEL LIGHT 25 | 37-05-11.157N 076-20-09.289W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 13105 | - CHANNEL LIGHT 27 | 37-04-36.397N 076-20-23.819W | FI G 4s | 15 | 4 | SG on pile. | |
| Back River Northwest Branch | | | | | | | |
| 13120 | - LIGHT 1 | 37-05-54.973N 076-20-10.716W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 13125 | - LIGHT 3 | 37-05-42.004N 076-20-31.951W | FI G 4s | 15 | 4 | SG on pile. | |
| 13130 | - Day beacon 4 | 37-05-44.636N 076-20-38.427W | | | | TR on pile. | |
| 13135 | - Day beacon 5 | 37-05-46.279N 076-20-54.418W | | | | SG on pile. | |
| 13140 | - Day beacon 6 | 37-06-02.295N 076-20-56.581W | | | | TR on pile. | |
| Poquoson Flats | | | | | | | |
| 13145 | - Channel Day beacon 2PF | 37-06-27.136N 076-14-46.082W | | | | TR on pile. | |
| 13150 | - Channel Day beacon 3 | 37-07-21.900N 076-15-28.300W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|----------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------------------------|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| MOBJACK BAY AND YORK RIVER ENTRANCE (Chart 12238) | | | | | | | |
| Poquoson Flats | | | | | | | |
| 13155 | - Channel Day beacon 4 | 37-08-57.489N 076-15-49.662W | | | | TR on pile. | |
| 13160 | - Channel Day beacon 5 | 37-10-26.388N 076-16-41.670W | | | | SG on pile. | |
| Poquoson River | | | | | | | |
| 13165 | - Junction Lighted Buoy P | 37-13-30.708N 076-19-29.794W | FI (2+1)G 6s | | 5 | Green and red. | |
| 13170 | - Entrance Buoy 4 | 37-12-38.511N 076-20-22.797W | | | | Red nun. | |
| 13172 | - Entrance Day beacon 5 | 37-11-40.974N 076-21-11.247W | | | | SG on pile. | |
| 13175 | - ENTRANCE LIGHT 6 | 37-11-43.907N 076-21-22.352W | FI R 4s | 15 | 4 | TR on pile. | |
| 13180 | - Entrance Day beacon 8 | 37-10-54.546N 076-22-10.839W | | | | TR on pile. | |
| 13185 | - ENTRANCE LIGHT 10 | 37-10-02.240N 076-23-05.348W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 13190 | - ENTRANCE LIGHT 11 | 37-09-53.142N 076-23-00.892W | FI G 4s | 15 | 4 | SG on pile. | |
| 13195 | - Day beacon 13 | 37-09-54.458N 076-23-22.808W | | | | SG on pile. | |
| 13203 | - LIGHT 14 | 37-10-06.273N 076-23-36.270W | FI R 4s | 15 | 4 | TR on pile. | |
| Chisman Creek | | | | | | | |
| 13205 | - Day beacon 2 | 37-10-32.999N 076-24-14.506W | | | | TR on pile. | |
| 13210 | - Day beacon 4 | 37-10-49.545N 076-24-28.615W | | | | TR on pile. | |
| 13213 | - Buoy 5 | 37-11-01.988N 076-25-11.334W | | | | Green can. | |
| 13215 | - Warning Day beacon | 37-11-00.517N 076-25-10.809W | | | | NW on pile worded DANGER SHOAL. | |
| 13220 | GOOSE CREEK JUNCTION LIGHT GC | 37-11-05.393N 076-25-25.025W | FI (2+1)R 6s | 15 | 4 | JR on pile. | |
| 13225 | - Day beacon 6 | 37-10-51.012N 076-26-03.189W | | | | TR on pile. | |
| 13230 | Goose Creek Day beacon 2 | 37-11-19.030N 076-25-34.167W | | | | TR on pile. | |
| Poquoson River | | | | | | | |
| 13235 | - LIGHT 15 | 37-10-06.467N 076-24-06.233W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 13240 | - Day beacon 16 | 37-09-17.335N 076-24-55.490W | | | | TR on pile. | |
| 13245 | - Day beacon 17 | 37-09-10.380N 076-25-18.477W | | | | SG on pile. | |
| 13247 | - Day beacon 18 | 37-08-56.000N 076-25-28.100W | | | | TR on pile. | Private aid. |
| 13247.1 | - Day beacon 19 | 37-08-27.800N 076-25-39.900W | | | | SG on pile. | Private aid. |
| 13257 | - Day beacon 20 | 37-08-14.100N 076-25-43.800W | | | | TR on pile. | Private aid. |
| 13257.1 | - Day beacon 22 | 37-08-07.200N 076-25-51.700W | | | | TR on pile. | Private aid. |
| Bennett Creek - Poquoson River | | | | | | | |
| 13260 | - Day beacon 1BC | 37-09-44.523N 076-22-56.791W | | | | SG on pile. | |
| 13265 | - LIGHT 2 | 37-09-32.574N 076-22-36.906W | FI R 4s | 15 | 4 | TR on pile. | |
| 13270 | - LIGHT 4 | 37-09-25.700N 076-22-29.382W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 13275 | - LIGHT 6 | 37-09-15.428N 076-22-26.025W | FI R 4s | 15 | 4 | TR on pile. | |
| 13280 | - LIGHT 8 | 37-09-02.169N 076-22-22.971W | FI R 2.5s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--------------------------------|------------------------------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| MOBJACK BAY AND YORK RIVER ENTRANCE (Chart 12238) | | | | | | | |
| Bennett Creek - Poquoson River | | | | | | | |
| 13285 | - LIGHT 10 | 37-08-47.806N 076-22-19.855W | FI R 4s | 19 | 4 | TR on pile. | |
| 13290 | White House Cove Day beacon 1 | 37-08-45.324N 076-22-25.453W | | | | SG on pile. | |
| 13295 | White House Cove Buoy 1A | 37-08-38.788N 076-22-31.390W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 13300 | White House Cove Day beacon 2 | 37-08-37.425N 076-22-33.083W | | | | TR on pile. | |
| Back Creek | | | | | | | |
| 13310 | - LIGHT 2BC | 37-12-20.729N 076-22-56.107W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 13315 | - LIGHT 3 | 37-12-32.060N 076-23-26.973W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 13320 | - Day beacon 4 | 37-12-30.482N 076-23-42.621W | | | | TR on pile. | |
| 13325 | - LIGHT 5 | 37-12-33.050N 076-23-59.109W | FI G 4s | 15 | 4 | SG on pile. | |
| 13330 | - Day beacon 7 | 37-12-41.326N 076-24-25.914W | | | | SG on pile. | |
| 13340 | - Warning Day beacon B | 37-12-56.211N 076-24-48.393W | | | | NW on pile worded DANGER. | |
| 13345 | - Warning Day beacon C | 37-13-05.918N 076-25-00.087W | | | | NW on pile worded DANGER. | |
| 13350 | - Warning Day beacon D | 37-13-19.151N 076-25-05.604W | | | | NW on pile worded DANGER. | |
| 13370 | - LIGHT 9 | 37-12-36.515N 076-24-46.808W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 13372 | - Day beacon 10 | 37-12-37.110N 076-24-49.488W | | | | TR on pile. | |
| 13375 | - Day beacon 11 | 37-12-31.713N 076-24-49.746W | | | | SG on pile. | |
| 13380 | - Day beacon 12 | 37-12-32.760N 076-24-54.750W | | | | TR on pile. | |
| 13383 | - Buoy 13 | 37-12-28.014N 076-24-55.032W | | | | Green can. | |
| 13385 | - Day beacon 14 | 37-12-25.826N 076-25-03.027W | | | | TR on pile. | |
| 13390 | - Day beacon 15 | 37-12-19.388N 076-25-23.577W | | | | SG on pile. | |
| CHESAPEAKE BAY ENTRANCE (Chart 12221) | | | | | | | |
| York River | | | | | | | |
| <i>Entrance channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 13395 | - Entrance Channel Lighted Buoy 1YR | 37-07-37.679N 076-09-51.527W | FI G 2.5s | | 5 | Green. | |
| 13400 | - Entrance Channel Lighted Buoy 2 | 37-07-44.618N 076-09-44.852W | FI R 2.5s | | 5 | Red. | |
| 13405 | - Entrance Channel Lighted Buoy 3 | 37-08-35.484N 076-11-19.092W | FI G 4s | | 5 | Green. | |
| 13410 | - Entrance Channel Lighted Buoy 4 | 37-08-42.416N 076-11-11.936W | FI R 4s | | 5 | Red. | |
| 13415 | - Entrance Channel Lighted Buoy 5 | 37-09-30.816N 076-12-42.492W | FI G 2.5s | | 5 | Green. | |
| 13420 | - Entrance Channel Lighted Buoy 6 | 37-09-37.846N 076-12-35.247W | FI R 2.5s | | 5 | Red. | |
| 13425 | - Entrance Channel Lighted Buoy 7 | 37-10-31.396N 076-14-13.779W | FI G 6s | | 5 | Green. | |
| 13430 | - Entrance Channel Lighted Buoy 8 | 37-10-38.359N 076-14-06.586W | FI R 6s | | 5 | Red. | |
| 13435 | - Entrance Channel Lighted Buoy 9 | 37-11-30.113N 076-15-42.044W | FI G 4s | | 5 | Green. | |
| 13440 | - Entrance Channel Lighted Buoy 10 | 37-11-36.363N 076-15-34.478W | FI R 4s | | 5 | Red. | |
| 13455 | YORK SPIT LIGHT | 37-12-35.066N 076-15-14.581W | FI W 6s | 30 | 8 | NR on multi-pile structure. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-------------------------------------|---------------|--------------|--|---|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| CHESAPEAKE BAY ENTRANCE (Chart 12221) | | | | | | | |
| York River | | | | | | | |
| <i>Entrance channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 13457 | NOAA Lighted Data Buoy YS | 37-12-30.000N 076-16-06.000W | FI Y 4s | | | Yellow. | Aid maintained by National Oceanic and Atmospheric Administration. |
| 13460 | - Entrance Channel Lighted Buoy 11 | 37-12-27.956N 076-17-09.558W | FI G 2.5s | | 5 | Green. | |
| 13465 | - Entrance Channel Lighted Buoy 12 | 37-12-34.251N 076-17-02.448W | FI R 2.5s | | 5 | Red. | |
| 13470 | - Entrance Channel Lighted Buoy 13 | 37-13-25.565N 076-18-36.850W | Q G | | 5 | Green. | |
| 13475 | - Entrance Channel Lighted Gong Buoy 14 | 37-13-32.502N 076-18-29.630W | Q R | | 5 | Red. | |
| 13490 | York Spit Warning Day beacon | 37-13-56.149N 076-18-43.435W | | | | NW on pile worded DANGER SHOAL. | |
| 13492 | - Channel Lighted Buoy 16 | 37-14-09.007N 076-19-28.494W | FI R 2.5s | | 5 | Red. | |
| YORK RIVER - YORKTOWN AND VICINITY (Chart 12241) | | | | | | | |
| York River | | | | | | | |
| 13494 | - Channel Lighted Buoy 17 | 37-14-02.509N 076-21-05.798W | FI G 4s | | 5 | Green. | |
| 13495 | - Channel Lighted Buoy 18 | 37-14-36.508N 076-20-46.798W | FI R 4s | | 5 | Red. | |
| 13496 | - EAST RANGE FRONT LIGHT | 37-15-01.951N 076-20-49.886W | Q W (NIGHT) F W (DAY) | 20 23 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 13497 | - EAST RANGE REAR LIGHT 1,398 yards, 076.6° from front light. | 37-15-04.850N 076-20-32.978W | Iso W 6s (NIGHT) F W (DAY) | 57 54 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 13497.5 | - EAST RANGE REAR PASSING LIGHTS (2) | 37-15-04.850N 076-20-32.978W | FI W 4s | | 18 4 | Located on same structure as York River East Range Rear Light. | |
| 13498 | - Channel Lighted Buoy 19 | 37-14-19.510N 076-22-25.802W | Q G | | 5 | Green. | |
| 13500 | - Channel Lighted Buoy 20 | 37-15-02.210N 076-22-33.803W | Q R | | 5 | Red. | |
| Perrin River | | | | | | | |
| 13510 | - Junction Lighted Buoy PR | 37-14-49.723N 076-23-29.564W | FI (2+1)R 6s | | 4 | Red and green bands. | |
| 13515 | - Entrance Buoy 2 | 37-15-09.461N 076-23-39.705W | | | | Red nun. | |
| 13520 | - ENTRANCE LIGHT 4 | 37-15-33.679N 076-24-31.044W | FI R 4s | | 19 4 | TR on multi-pile structure. | |
| 13525 | - Entrance Day beacon 6 | 37-15-38.010N 076-24-43.512W | | | | TR on pile. | |
| 13530 | - ENTRANCE LIGHT 7 | 37-15-37.267N 076-24-56.496W | FI G 4s | | 19 4 | SG on multi-pile structure. | |
| 13535 | - ENTRANCE LIGHT 8 | 37-15-40.537N 076-25-13.992W | FI R 4s | | 19 4 | TR on multi-pile structure. | |
| 13540 | - Entrance Day beacon 9 | 37-15-44.599N 076-25-17.628W | | | | SG on pile. | |
| 13545 | - Day beacon 11 | 37-16-00.382N 076-25-27.273W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|--|---------------|--------------|--|---|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| YORK RIVER - YORKTOWN AND VICINITY (Chart 12241) | | | | | | | |
| York River | | | | | | | |
| 13550 | - WEST RANGE FRONT LIGHT | 37-13-35.290N 076-29-12.824W | FI W 2.5s (NIGHT) FI W 2.5s (DAY) | 17 14 | | On multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 13555 | - WEST RANGE REAR LIGHT 409 yards, 256.6° from front light. | 37-13-32.729N 076-29-27.655W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 57 54 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 13557 | - WEST RANGE REAR PASSING LIGHTS (2) | 37-13-32.729N 076-29-27.655W | FI W 4s | 15 | 4 | On same structure as York River West Range Rear Light. | Lights are located on corners of platform. |
| 13560 | - Channel Lighted Buoy 21 | 37-14-05.813N 076-24-50.108W | FI G 2.5s | | 5 | Green. | |
| 13565 | - Channel Lighted Buoy 22 | 37-14-24.614N 076-25-38.610W | FI R 2.5s | | 5 | Red. | |
| 13570 | BULL CREEK AMOCO PIER LIGHT A | 37-13-39.877N 076-26-08.420W | FI Y 4s | 27 | | On pole on east end of pier. | Private aid. |
| 13572 | BULL CREEK AMOCO PIER LIGHT B | 37-13-33.809N 076-26-35.906W | FI Y 4s | 27 | | On pole on west end of pier. | Private aid. |
| 13575 | VIRGINIA POWER UNDERWATER OBSTRUCTION LIGHT A | 37-13-36.517N 076-27-16.815W | FI W 3s | 7 | | NW on piles worded DANGER SUBMERGED PIPES. | Private aid. |
| 13580 | - Channel Lighted Buoy 24 | 37-14-11.817N 076-28-00.616W | Q R | | 5 | Red. | |
| 13583 | VIMS Gloucester Point Lighted Data Buoy A | 37-14-40.200N 076-30-00.900W | FI Y 4s | | | Yellow. | Private aid. |
| West Branch Channel | | | | | | | |
| 13585 | VIRGINIA POWER INTAKE JETTY LIGHT A | 37-13-12.910N 076-27-45.290W | FI Y 2.5s | 7 | | On pile. | Private aid. |
| 13590 | VIRGINIA POWER INTAKE JETTY LIGHT B | 37-13-12.380N 076-27-47.910W | FI Y 4s | 7 | | On pile. | Private aid. |
| 13591 | VIRGINIA POWER DEBRIS EXCLUSION BOOM LIGHT C | 37-13-15.000N 076-27-40.000W | FI Y 4s | 12 | | NY on pile. | Private aid. |
| 13595 | - ENTRANCE LIGHT 2WB | 37-13-14.960N 076-27-57.619W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 13600 | - Day beacon 3 | 37-13-09.955N 076-28-00.593W | | | | SG on pile. | |
| 13605 | - Day beacon 4 | 37-13-05.717N 076-28-04.479W | | | | TR on pile. | |
| 13610 | - Day beacon 6 | 37-12-57.849N 076-28-07.347W | | | | TR on pile. | |
| 13615 | - Day beacon 7 | 37-12-57.670N 076-28-06.895W | | | | SG on pile. | |
| 13620 | - Day beacon 9 | 37-12-53.635N 076-28-08.597W | | | | SG on pile. | |
| Wormley Creek Marina | | | | | | | |
| 13635 | - Buoy 2 | 37-12-51.518N 076-28-07.817W | | | | Red nun. | Private aid. |
| 13640 | - Buoy 4 | 37-12-51.518N 076-28-05.817W | | | | Red nun. | Private aid. |
| 13645 | - Buoy 6 | 37-12-50.518N 076-28-05.817W | | | | Red nun. | Private aid. |
| 13650 | - Buoy 8 | 37-12-48.518N 076-28-05.817W | | | | Red nun. | Private aid. |
| West Branch Channel | | | | | | | |
| 13655 | - Buoy 10 | 37-12-51.623N 076-28-10.698W | | | | Red nun. | |
| 13660 | - Day beacon 12 | 37-12-51.077N 076-28-12.569W | | | | TR on pile. | |
| 13670 | - Day beacon 14 | 37-12-51.492N 076-28-17.572W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------|---------------------------------|-----------------------|---------------|--------------|-----------------------------|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| YORK RIVER - YORKTOWN AND VICINITY (Chart 12241) | | | | | | | |
| West Branch Channel | | | | | | | |
| 13675 | - Day beacon 16 | 37-12-50.649N 076-28-18.853W | | | | TR on pile. | |
| 13680 | - Day beacon 18 | 37-12-47.901N 076-28-20.039W | | | | TR on pile. | |
| 13685 | - Day beacon 20 | 37-12-46.639N 076-28-21.747W | | | | TR on pile. | |
| 13690 | - Day beacon 22 | 37-12-46.668N 076-28-24.233W | | | | TR on pile.. | |
| 13695 | - Day beacon 24 | 37-12-49.004N 076-28-29.433W | | | | TR on pile. | |
| 13700 | - Day beacon 26 | 37-12-51.932N 076-28-33.912W | | | | TR on pile. | |
| 13703 | - Day beacon 28 | 37-12-50.118N 076-28-47.297W | | | | TR on pile. | |
| Sarah Creek | | | | | | | |
| 13710 | - ENTRANCE LIGHT 2 | 37-14-45.999N 076-29-09.802W | FI R 4s | 15 | 4 | TR on pile. | |
| 13715 | - Day beacon 4 | 37-14-55.874N 076-29-02.460W | | | | TR on pile. | |
| 13720 | - Day beacon 5 | 37-15-05.042N 076-29-04.698W | | | | SG on pile. | |
| 13725 | - Day beacon 6 | 37-15-07.739N 076-28-58.484W | | | | TR on pile. | |
| 13730 | - LIGHT 8 | 37-15-13.836N 076-28-57.051W | FI R 4s | 15 | 4 | TR on pile. | |
| 13735 | - Day beacon 9 | 37-15-16.981N 076-28-49.644W | | | | SG on pile. | |
| 13740 | - Day beacon 11 | 37-15-29.023N 076-28-43.536W | | | | SG on pile. | |
| YORKTOWN TO WEST POINT (Chart 12243) | | | | | | | |
| Upper York River | | | | | | | |
| 13745 | - CHANNEL LIGHT 2 | 37-15-48.507N 076-31-13.216W | FI R 2.5s | 16 | 4 | TR on multi-pile structure. | |
| 13750 | - CHANNEL LIGHT 3 | 37-16-12.426N 076-32-49.518W | FI G 4s | 15 | 5 | SG on multi-pile structure. | |
| 13755 | - CHANNEL LIGHT 4 | 37-16-38.854N 076-32-21.925W | FI R 4s | 15 | 5 | TR on multi-pile structure. | |
| 13760 | - CHANNEL LIGHT 6 | 37-17-23.625N 076-33-56.676W | FI R 2.5s | 16 | 4 | TR on pile. | |
| 13765 | Timberneck Creek Buoy 2 | 37-17-18.495N 076-32-25.013W | | | | Red nun. | |
| 13775 | - LIGHT 8 | 37-17-53.182N 076-34-39.205W | FI R 4s | 16 | 4 | TR on pile. | |
| Queen Creek | | | | | | | |
| 13785 | - ENTRANCE LIGHT 2QC | 37-18-01.387N 076-36-29.640W | FI R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 13790 | - Day beacon 3 | 37-18-02.509N 076-36-37.680W | | | | SG on pile. | |
| 13795 | - Buoy 4 | 37-18-07.561N 076-36-49.915W | | | | Red nun. | |
| 13800 | - Day beacon 5 | 37-18-05.960N 076-36-49.960W | | | | SG on pile. | |
| 13805 | - Day beacon 6 | 37-18-05.941N 076-36-54.918W | | | | TR on pile. | |
| 13810 | - Buoy 7 | 37-18-05.165N 076-36-54.071W | | | | Green can. | |
| 13815 | - Day beacon 8 | 37-18-01.477N 076-37-08.622W | | | | TR on pile. | |
| 13820 | - Day beacon 10 | 37-17-58.819N 076-37-21.300W | | | | TR on pile. | |
| 13825 | - Buoy 11 | 37-17-56.046N 076-37-33.102W | | | | Green can. | |
| 13830 | - Day beacon 12 | 37-17-50.269N 076-37-45.528W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------|---------------------------------|-----------------------|---------------|--------------|--------------------------------------|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| YORKTOWN TO WEST POINT (Chart 12243) | | | | | | | |
| Upper York River | | | | | | | |
| Queen Creek | | | | | | | |
| 13835 | - Buoy 13 | 37-17-46.942N 076-37-51.782W | | | | Green can. | |
| 13840 | - Day beacon 14 | 37-17-48.097N 076-37-51.750W | | | | TR on pile. | |
| 13845 | - Day beacon 15 | 37-17-48.889N 076-37-56.694W | | | | SG on pile. | |
| 13850 | - Day beacon 15A | 37-17-55.687N 076-38-05.880W | | | | SG on pile. | |
| 13855 | - Day beacon 16 | 37-18-00.937N 076-38-19.692W | | | | TR on pile. | |
| 13860 | - Buoy 18 | 37-17-56.232N 076-38-45.906W | | | | Red nun. | |
| 13865 | - Buoy 20 | 37-17-46.869N 076-38-55.373W | | | | Red nun. | |
| Upper York River | | | | | | | |
| 13880 | - Channel Day beacon 9 | 37-19-21.515N 076-36-00.068W | | | | SG on pile. | |
| 13885 | - CHANNEL LIGHT 10 | 37-20-05.102N 076-36-01.377W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 13920 | - CHANNEL LIGHT 12 | 37-20-59.479N 076-36-55.344W | FI R 4s | 16 | 4 | TR on multi-pile structure. | |
| 13925 | - CHANNEL LIGHT 13 | 37-21-49.961N 076-38-14.254W | FI G 4s | 15 | 4 | SG on pile. | |
| 13930 | - CHANNEL LIGHT 14 | 37-22-37.153N 076-38-35.892W | FI R 2.5s | 16 | 4 | TR on multi-pile structure. | |
| 13935 | - CHANNEL LIGHT 16 | 37-23-23.233N 076-39-27.216W | FI R 4s | 15 | 4 | TR on pile. | |
| 13945 | - CHANNEL LIGHT 18 | 37-25-09.445N 076-41-23.034W | FI R 4s | 16 | 4 | TR on pile. | |
| 13950 | - CHANNEL LIGHT 20 | 37-25-56.152N 076-42-16.671W | FI R 2.5s | 16 | 4 | TR on pile. | |
| 13955 | - CHANNEL LIGHT 21 | 37-25-54.037N 076-42-26.226W | FI G 2.5s | 15 | 4 | SG on pile. | |
| Croaker Landing | | | | | | | |
| 13960 | - Day beacon 1 | 37-25-42.702N 076-43-24.930W | | | | SG on pile. | Private aid. |
| 13965 | - Day beacon 2 | 37-25-43.122N 076-43-25.580W | | | | TR on pile. | Private aid. |
| 13970 | - Day beacon 3 | 37-25-40.472N 076-43-27.190W | | | | SG on pile. | Private aid. |
| 13975 | - Day beacon 4 | 37-25-40.892N 076-43-27.840W | | | | TR on pile. | Private aid. |
| Upper York River | | | | | | | |
| 13980 | - CHANNEL LIGHT 22 | 37-26-53.500N 076-43-26.800W | FI R 4s | 16 | 4 | TR on pile. | |
| 13985 | - CHANNEL LIGHT 23 | 37-26-52.879N 076-43-47.640W | FI G 4s | 16 | 4 | SG on pile. | |
| 13990 | - CHANNEL LIGHT 25 | 37-28-37.831N 076-44-48.114W | FI G 2.5s | 16 | 4 | SG on pile. | |
| 13995 | BELLS ROCK LIGHT | 37-29-02.225N 076-44-59.221W | FI W 4s | 40 | 7 | NR on white skeleton tower on piles. | |
| 14000 | - CHANNEL LIGHT 27 | 37-29-06.546N 076-45-27.980W | FI G 4s | 16 | 4 | SG on pile. | |
| 14005 | - Channel Day beacon 28 | 37-29-44.203N 076-46-34.038W | | | | TR on pile. | |
| 14010 | - CHANNEL LIGHT 29 | 37-29-44.885N 076-46-54.190W | FI G 4s | 15 | 4 | SG on pile. | |
| 14015 | - CHANNEL LIGHT 30 | 37-29-56.591N 076-46-58.783W | Q R | 16 | 4 | TR on pile. | |
| 14020 | - CHANNEL LIGHT 31 | 37-30-00.355N 076-47-07.068W | Q G | 16 | 4 | SG on pile. | |
| 14025 | - Channel Day beacon 33 | 37-30-25.945N 076-47-21.216W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| YORKTOWN TO WEST POINT (Chart 12243) | | | | | | | |
| Upper York River | | | | | | | |
| 14030 | West Point Spit Junction Day beacon WP | 37-30-31.907N 076-47-18.392W | | | | JR on pile. | |
| 14035 | - CHANNEL LIGHT 35 | 37-30-48.908N 076-47-33.919W | FI G 2.5s | 16 | 4 | SG on pile. | |
| 14040 | - Channel Day beacon 36 | 37-30-59.569N 076-47-35.904W | | | | TR on pile. | |
| 14045 | - CHANNEL LIGHT 37 | 37-31-12.283N 076-47-49.802W | Q G | 16 | 4 | SG on pile. | |
| MOBJACK BAY AND YORK RIVER ENTRANCE (Chart 12238) | | | | | | | |
| Mobjack Bay | | | | | | | |
| 14050 | - Channel Buoy 1MB | 37-11-28.000N 076-12-29.400W | | | | Green can. | |
| 14052 | - Channel Buoy 2MB | 37-12-11.200N 076-12-30.200W | | | | Red nun. | |
| 14055 | - Channel Buoy 3MB | 37-12-57.400N 076-14-00.000W | | | | Green can. | |
| 14057 | - Channel Buoy MB | 37-14-31.100N 076-15-25.000W | | | | Red and white stripes. | |
| 14060 | - Channel Buoy 4MB | 37-15-59.000N 076-16-35.000W | | | | Red nun. | |
| 14065 | - Channel Buoy 5MB | 37-17-00.000N 076-18-20.000W | | | | Green can. | |
| 14070 | - Channel Day beacon 6MB | 37-18-05.382N 076-18-49.090W | | | | TR on pile. | |
| 14075 | NEW POINT COMFORT SPIT CHANNEL LIGHT 2 | 37-17-44.150N 076-15-41.052W | FI R 2.5s | 20 | 6 | TR on pile. | |
| 14080 | NEW POINT COMFORT SPIT LIGHT 4 | 37-17-40.490N 076-17-07.360W | FI R 4s | 15 | 4 | TR on pile. | |
| 14085 | - Channel Day beacon 7MB | 37-19-34.040N 076-21-18.754W | | | | SG on pile. | |
| 14090 | - Channel Day beacon 8MB | 37-19-56.231N 076-20-44.818W | | | | TR on pile. | |
| 14095 | - Channel Day beacon 10MB | 37-21-28.975N 076-22-02.757W | | | | TR on pile. | |
| York Spit Swash Channel | | | | | | | |
| 14100 | - Day beacon 1 | 37-15-14.500N 076-20-24.839W | | | | SG on pile. | |
| 14105 | - Day beacon 2 | 37-15-27.239N 076-20-02.483W | | | | TR on pile. | |
| 14110 | - LIGHT 3 | 37-15-43.597N 076-19-56.311W | FI G 4s | 15 | 4 | SG on pile. | |
| 14115 | - Day beacon 5 | 37-16-49.017N 076-19-32.482W | | | | SG on pile. | |
| Davis Creek | | | | | | | |
| 14125 | - Channel Warning Day beacon A | 37-19-12.621N 076-17-59.090W | | | | NW on pile. | |
| 14130 | - Warning Day beacon B | 37-19-26.856N 076-17-58.755W | | | | NW on multi-pile structure worded DANGER SHOAL. | |
| 14140 | - Warning Day beacon D | 37-19-35.015N 076-17-55.127W | | | | NW on multi-pile structure worded DANGER SHOAL. | |
| 14153 | PEPPER CREEK LIGHT 2P | 37-19-19.190N 076-19-16.169W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 14155 | Pepper Creek Day beacon 3 | 37-20-00.724N 076-19-36.900W | | | | SG on pile. | |
| 14160 | Pepper Creek Day beacon 5 | 37-20-30.497N 076-19-04.793W | | | | SG on pile. | |
| East River | | | | | | | |
| 14165 | - ENTRANCE LIGHT 1E | 37-21-19.594N 076-21-07.070W | FI G 4s | 15 | 4 | SG on pile. | |
| 14170 | - Day beacon 2 | 37-21-35.294N 076-20-42.499W | | | | TR on pile. | |
| 14175 | - LIGHT 3 | 37-22-14.114N 076-20-39.006W | FI G 4s | 16 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| MOBJACK BAY AND YORK RIVER ENTRANCE (Chart 12238) | | | | | | | |
| Mobjack Bay | | | | | | | |
| East River | | | | | | | |
| 14180 | Mobjack Marina Channel Day beacon 1 | 37-22-41.867N 076-20-36.709W | | | | SG on pile. | |
| 14185 | Mobjack Marina Channel Day beacon 3 | 37-22-41.849N 076-20-42.296W | | | | SG on pile. | |
| 14190 | - LIGHT 5 | 37-22-41.944N 076-20-33.621W | Q G | 15 | 4 | SG on pile. | |
| 14195 | - LIGHT 9 | 37-23-22.094N 076-20-25.335W | FI G 4s | 15 | 4 | SG on pile. | |
| 14200 | - Day beacon 7 | 37-22-56.857N 076-20-28.392W | | | | SG on pile. | |
| 14205 | - Day beacon 11 | 37-23-35.101N 076-20-31.974W | | | | SG on pile. | |
| 14210 | - Day beacon 13 | 37-24-17.719N 076-20-57.420W | | | | SG on pile. | |
| 14215 | - Day beacon 15 | 37-24-43.711N 076-20-44.082W | | | | SG on pile. | |
| 14220 | - Day beacon 17 | 37-25-03.933N 076-21-03.524W | | | | SG on pile. | |
| 14225 | - Day beacon 18 | 37-25-11.401N 076-21-30.324W | | | | TR on pile. | |
| Browns Bay | | | | | | | |
| 14230 | - LIGHT 1BB | 37-18-08.525N 076-22-56.980W | FI G 4s | 15 | 4 | SG on multi-pile structure. | TR on pile. |
| 14235 | - Day beacon 2 | 37-18-12.758N 076-22-42.668W | | | | | |
| 14240 | - LIGHT 3 | 37-18-10.796N 076-23-13.184W | FI G 4s | 15 | 4 | SG on pile. | |
| 14245 | - LIGHT 4 | 37-18-06.247N 076-23-27.750W | FI R 4s | 15 | 4 | TR on pile. | |
| Severn River | | | | | | | |
| 14250 | - JUNCTION LIGHT SR | 37-20-15.277N 076-23-41.370W | FI (2+1)R 6s | 16 | 4 | JR on multi-pile structure. | |
| 14255 | - LIGHT 1 | 37-19-22.775N 076-23-39.070W | FI G 4s | 16 | 4 | SG on pile. | |
| 14260 | - Day beacon 2 | 37-19-08.107N 076-24-58.026W | | | | TR on pile. | |
| 14265 | - LIGHT 3 | 37-18-57.646N 076-25-53.265W | FI G 4s | 16 | 4 | SG on multi-pile structure. | |
| 14270 | - Day beacon 5 | 37-19-23.793N 076-26-58.403W | | | | SG on pile. | |
| Southwest Branch | | | | | | | |
| 14275 | - Day beacon 1 | 37-18-57.918N 076-25-59.029W | | | | SG on pile. | |
| 14280 | - Day beacon 2 | 37-18-47.155N 076-26-10.680W | | | | TR on pile. | |
| 14285 | - Day beacon 3 | 37-18-25.177N 076-26-27.600W | | | | SG on pile. | |
| 14290 | - Day beacon 4 | 37-18-12.151N 076-26-44.496W | | | | TR on pile. | |
| Ware River | | | | | | | |
| 14310 | - Day beacon 1W | 37-21-28.400N 076-24-59.633W | | | | SG on pile. | |
| 14315 | - Day beacon 2 | 37-21-44.203N 076-24-58.854W | | | | TR on pile. | |
| 14320 | - LIGHT 3 | 37-22-07.117N 076-26-19.278W | FI G 2.5s | 20 | 4 | SG on multi-pile structure. | |
| 14325 | - Day beacon 5 | 37-22-09.505N 076-26-40.812W | | | | SG on pile. | |
| 14330 | - LIGHT 6 | 37-22-08.635N 076-27-26.694W | Q R | 15 | 4 | TR on pile. | |
| 14335 | - Day beacon 7 | 37-22-43.855N 076-27-29.220W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---------------------------------|---------------------------------|-----------------------|---------------|--------------|----------------------------------|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| MOBJACK BAY AND YORK RIVER ENTRANCE (Chart 12238) | | | | | | | |
| Mobjack Bay | | | | | | | |
| Ware River | | | | | | | |
| 14340 | - LIGHT 9 | 37-23-18.589N 076-27-33.846W | FI G 6s | 15 | 4 | SG on pile. | |
| 14345 | - Day beacon 10 | 37-23-40.351N 076-27-52.680W | | | | TR on pile. | |
| 14350 | - Day beacon 11 | 37-23-39.373N 076-28-15.618W | | | | SG on pile. | |
| 14355 | - Day beacon 12 | 37-23-50.923N 076-28-44.730W | | | | TR on pile. | |
| North River | | | | | | | |
| 14360 | - ENTRANCE LIGHT 1N | 37-22-07.789N 076-23-34.152W | FI G 4s | 15 | 4 | SG on pile. | |
| 14365 | - Day beacon 2 | 37-22-26.941N 076-23-38.592W | | | | TR on pile. | |
| 14370 | BLACKWATER CREEK LIGHT 2 | 37-24-53.965N 076-24-09.246W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 14375 | Blackwater Creek Day beacon 3 | 37-25-08.215N 076-24-08.496W | | | | SG on pile. | |
| 14380 | - Day beacon 3 | 37-23-40.495N 076-24-19.434W | | | | SG on pile. | |
| 14390 | - LIGHT 5 | 37-24-38.484N 076-24-51.409W | FI G 4s | 16 | 4 | SG on pile. | |
| 14395 | - LIGHT 6 | 37-25-13.117N 076-26-41.184W | FI R 4s | 15 | 4 | TR on pile. | |
| 14400 | - Day beacon 7 | 37-25-11.647N 076-26-59.035W | | | | SG on pile. | |
| 14405 | Green Mansion Cove Day beacon 2 | 37-25-30.496N 076-24-08.805W | | | | TR on pile. | Private aid. |
| 14410 | Green Mansion Cove Day beacon 3 | 37-25-36.496N 076-24-05.805W | | | | SG on pile. | Private aid. |
| New Point Comfort Shoal | | | | | | | |
| 14415 | - Buoy 1NP | 37-17-30.300N 076-11-34.400W | | | | Green can. | |
| 14420 | - Channel Buoy 2 | 37-17-51.800N 076-11-29.500W | | | | Red nun. | |
| 14425 | - Channel Buoy 3 | 37-15-51.900N 076-13-22.900W | | | | Green can. | |
| 14430 | - Channel Buoy 4 | 37-16-07.000N 076-13-36.600W | | | | Red nun. | |
| 14435 | York Spit Day beacon 5 | 37-13-25.100N 076-16-33.500W | | | | SG on pile. | |
| 14440 | York Spit Day beacon 6 | 37-13-34.292N 076-16-43.970W | | | | TR on pile. | |
| Horn Harbor | | | | | | | |
| 14445 | - ENTRANCE LIGHT HH | 37-20-11.442N 076-15-03.123W | Mo (A) W | 19 | 5 | MR on pile. | |
| 14450 | - Warning Day beacon A | 37-20-15.518N 076-15-33.476W | | | | NW on house on cylindrical base. | |
| 14453 | - Lighted Buoy 2 | 37-20-13.783N 076-15-33.633W | FI R 4s | | 4 | Red. | |
| 14455 | - LIGHT 3 | 37-20-17.420N 076-15-48.098W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 14460 | - Day beacon 4 | 37-20-18.705N 076-15-48.031W | | | | TR on pile. | |
| 14465 | - LIGHT 5 | 37-20-19.762N 076-15-52.269W | Q G | 15 | 4 | SG on pile. | |
| 14470 | - Day beacon 6 | 37-20-20.206N 076-15-50.181W | | | | TR on pile. | |
| 14475 | - LIGHT 7 | 37-20-36.538N 076-15-56.349W | FI G 4s | 15 | 4 | SG on pile. | |
| 14480 | - Day beacon 7A | 37-20-45.210N 076-15-56.834W | | | | SG on pile. | |
| 14485 | - Warning Day beacon B | 37-20-53.720N 076-15-59.432W | | | | NW on pile worded DANGER SHOAL. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|-----------------------------|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| MOBJACK BAY AND YORK RIVER ENTRANCE (Chart 12238) | | | | | | | |
| Horn Harbor | | | | | | | |
| 14487 | - Lighted Buoy 8 | 37-20-53.471N 076-16-01.248W | FI R 6s | | 4 | Red. | |
| 14490 | - LIGHT 10 | 37-21-27.949N 076-16-10.339W | FI R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 14495 | - LIGHT 12 | 37-21-37.820N 076-16-42.590W | FI R 4s | 15 | 4 | TR on pile. | |
| 14500 | - Day beacon 14 | 37-21-45.164N 076-17-28.184W | | | | TR on pile. | |
| 14505 | - LIGHT 16 | 37-21-49.898N 076-17-54.458W | FI R 6s | 15 | 4 | TR on pile. | |
| 14510 | - Day beacon 17 | 37-21-57.896N 076-17-59.666W | | | | SG on pile. | |
| 14515 | - Day beacon 18 | 37-22-01.814N 076-18-01.724W | | | | TR on pile. | |
| 14520 | - Day beacon 19 | 37-22-05.453N 076-18-05.778W | | | | SG on pile. | |
| RAPPAHANNOCK RIVER ENTRANCE (Chart 12235) | | | | | | | |
| Milford Haven East | | | | | | | |
| 14585 | - Warning Day beacon A | 37-27-22.555N 076-12-44.259W | | | | NW on pile worded DANGER. | |
| 14590 | - Warning Day beacon B | 37-27-37.508N 076-14-01.106W | | | | NW on pile worded DANGER. | |
| 14593 | - Warning Day beacon C | 37-27-49.987N 076-15-12.277W | | | | NW on pile worded DANGER. | |
| 14595 | - Warning Day beacon D | 37-27-55.904N 076-15-13.814W | | | | NW on pile worded DANGER. | |
| 14620 | - Warning Day beacon J | 37-27-58.194N 076-16-08.445W | | | | NW on pile worded DANGER. | |
| Milford Haven | | | | | | | |
| Stutts Creek | | | | | | | |
| 14630 | - Entrance Day beacon 1 | 37-28-09.986N 076-16-41.660W | | | | SG on pile. | |
| 14635 | - Entrance Day beacon 2 | 37-28-12.506N 076-16-44.030W | | | | TR on pile. | |
| 14640 | - Day beacon 3 | 37-28-02.336N 076-17-00.146W | | | | SG on pile. | |
| 14645 | - Day beacon 4 | 37-27-47.426N 076-17-28.064W | | | | TR on pile. | |
| 14650 | - Junction Day beacon SC | 37-27-46.526N 076-17-13.652W | | | | JG on pile. | |
| 14655 | - Day beacon 5 | 37-27-41.690N 076-17-54.716W | | | | SG on pile. | |
| 14660 | - Day beacon 6 | 37-27-42.824N 076-18-00.398W | | | | TR on pile. | |
| 14665 | - Day beacon 7 | 37-27-43.784N 076-18-23.738W | | | | SG on pile. | |
| Piankatank River | | | | | | | |
| 14670 | - Lighted Buoy 1P | 37-32-54.480N 076-15-13.790W | FI G 2.5s | | 4 | Green. | |
| 14675 | - Lighted Buoy 2 | 37-33-13.477N 076-15-25.287W | FI R 4s | | 4 | Red. | |
| 14680 | - LIGHT 3 | 37-32-22.028N 076-16-42.230W | FI G 4s | 19 | 4 | SG on pile. | |
| 14690 | - LIGHT 5 | 37-31-41.927N 076-18-22.614W | Q G | 15 | 4 | SG on pile. | |
| Jackson Creek | | | | | | | |
| 14700 | - CHANNEL LIGHT 1JC | 37-32-41.553N 076-19-19.232W | FI G 4s | 15 | 4 | SG on pile. | |
| 14705 | - Channel Day beacon 2 | 37-32-41.322N 076-19-17.898W | | | | TR on pile. | |
| 14710 | - Channel Buoy 3 | 37-32-46.311N 076-19-17.971W | | | | Green can. | |
| 14715 | - Channel Buoy 4 | 37-32-46.852N 076-19-17.008W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|---------------------------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| RAPPAHANNOCK RIVER ENTRANCE (Chart 12235) | | | | | | | |
| Piankatank River | | | | | | | |
| Jackson Creek | | | | | | | |
| 14720 | - Channel Buoy 5 | 37-32-49.018N 076-19-19.858W | | | | Green can. | |
| 14723 | - Channel Buoy 6 | 37-32-50.158N 076-19-19.673W | | | | Red nun. | |
| 14730 | - Channel Day beacon 7 | 37-32-47.690N 076-19-30.098W | | | | SG on pile. | |
| 14735 | - Channel Day beacon 8 | 37-32-46.647N 076-19-39.269W | | | | TR on pile. | |
| Piankatank River | | | | | | | |
| 14740 | - LIGHT 7 | 37-31-15.220N 076-18-41.421W | FI G 2.5s | 16 | 4 | SG on pile. | |
| 14745 | - <i>Lighted Buoy 8</i> | 37-30-47.562N 076-18-54.020W | Q R | | 4 | Red. | |
| 14753 | - Day beacon 9 | 37-30-58.000N 076-19-30.000W | | | | SG on pile. | |
| 14755 | - LIGHT 10 | 37-31-29.423N 076-20-19.471W | FI R 4s | 15 | 4 | TR on pile. | |
| 14758 | - Day beacon 11 | 37-31-08.500N 076-20-42.000W | | | | SG on pile. | |
| 14760 | - Day beacon 12 | 37-31-32.138N 076-20-53.960W | | | | TR on pile. | |
| Milford Haven | | | | | | | |
| 14765 | - LIGHT 1 | 37-29-32.283N 076-19-04.004W | FI G 4s | 15 | 4 | SG on pile. | |
| 14773 | - <i>Lighted Buoy 3</i> | 37-29-23.822N 076-19-03.599W | Q G | | 4 | Green. | |
| 14776 | - Buoy 3A | 37-29-20.588N 076-18-59.617W | | | | Green can. | |
| 14777 | - Buoy 3B | 37-29-19.396N 076-18-53.903W | | | | Green can. | |
| 14780 | - Day beacon 4 | 37-29-17.747N 076-18-47.918W | | | | TR on pile. | |
| 14785 | - Day beacon 4A | 37-29-21.258N 076-18-26.551W | | | | TR on pile. | |
| 14790 | - Day beacon 5 | 37-29-23.852N 076-18-28.614W | | | | SG on pile. | |
| 14795 | - LIGHT 6 | 37-29-32.264N 076-18-16.322W | Q R | 15 | 4 | TR on pile. | |
| 14800 | - Day beacon 8 | 37-29-15.236N 076-17-39.626W | | | | TR on pile. | |
| 14805 | - Day beacon 10 | 37-28-49.662N 076-16-57.443W | | | | TR on pile. | |
| 14810 | - LIGHT 12 | 37-28-38.378N 076-16-29.276W | FI R 4s | 15 | 4 | TR on pile. | |
| Queens Creek | | | | | | | |
| 14815 | - CHANNEL LIGHT 1 | 37-29-23.372N 076-19-15.416W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 14820 | - Channel Buoy 2 | 37-29-23.868N 076-19-16.283W | | | | Red nun. | Removed when endangered by ice. |
| 14835 | - Channel Buoy 3 | 37-29-18.161N 076-19-21.079W | | | | Green can. | Removed when endangered by ice. |
| 14840 | - <i>Channel Lighted Buoy 5</i> | 37-29-13.797N 076-19-26.406W | FI G 4s | | 4 | Green. | Removed when endangered by ice. |
| 14845 | - Channel Buoy 6 | 37-29-14.488N 076-19-28.694W | | | | Red nun. | Removed when endangered by ice. |
| 14850 | - Channel Buoy 8 | 37-29-14.606N 076-19-41.006W | | | | Red nun. | Removed when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|----------------------------------|---------------------------------|-----------------------|---------------|--------------|--|--|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| RAPPAHANNOCK RIVER ENTRANCE (Chart 12235) | | | | | | | |
| Queens Creek | | | | | | | |
| 14855 | - Channel Day beacon 9 | 37-29-14.054N 076-19-43.838W | | | | SG on pile. | |
| 14860 | - Channel Buoy 10 | 37-29-12.360N 076-19-54.630W | | | | Red nun. | Removed when endangered by ice. |
| 14870 | - Channel Day beacon 11 | 37-29-11.956N 076-19-58.063W | | | | SG on pile. | |
| 14875 | - Channel Day beacon 12 | 37-29-12.536N 076-19-57.734W | | | | TR on pile. | |
| Piankatank River | | | | | | | |
| 14880 | - Warning Day beacon | 37-31-55.240N 076-22-21.546W | | | | NW on pile worded DANGER. | |
| 14883 | - LIGHT 13 | 37-31-57.838N 076-22-27.186W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 14885 | - Day beacon 14 | 37-31-57.848N 076-23-24.338W | | | | TR on pile. | |
| 14890 | - LIGHT 15 | 37-32-02.240N 076-24-11.354W | FI G 4s | 18 | 4 | SG on pile. | |
| 14895 | Cobbs Creek Day beacon 1 | 37-31-44.252N 076-23-52.586W | | | | SG on pile. | |
| 14900 | Cobbs Creek Day beacon 2 | 37-31-39.524N 076-24-06.158W | | | | TR on pile. | |
| Rappahannock River | | | | | | | |
| 14905 | - Entrance Lighted Buoy 1R | 37-32-16.277N 076-11-28.882W | FI G 6s | | 5 | Green. | |
| 14910 | - Entrance Buoy 2R | 37-34-13.275N 076-11-43.683W | | | | Red nun. | |
| RAPPAHANNOCK RIVER (Chart 12237) | | | | | | | |
| Rappahannock River | | | | | | | |
| 14912 | NOAA Lighted Data Buoy SR | 37-34-03.000N 076-15-44.400W | FI Y 4s | | | Yellow. | Aid maintained by National Oceanic and Atmospheric Administration. |
| RAPPAHANNOCK RIVER ENTRANCE (Chart 12235) | | | | | | | |
| Rappahannock River | | | | | | | |
| 14915 | - LIGHT 3R | 37-34-20.502N 076-16-09.795W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 14925 | - Entrance Lighted Buoy 6R | 37-35-23.880N 076-17-40.593W | FI R 4s | | 5 | Red. | |
| Windmill Point Marina | | | | | | | |
| 14935 | - LIGHT 2 | 37-36-47.000N 076-17-29.800W | FI R 2.5s | 12 | | TR on multi-pile. | Private aid. |
| 14940 | - LIGHT 3 | 37-36-47.900N 076-17-30.500W | FI G 2.5s | 12 | | SG on multi-pile. | Private aid. |
| 14950 | - LIGHT 5 | 37-36-52.000N 076-17-26.300W | FI G 4s | 12 | | SG on pile. | Private aid. |
| 14955 | - LIGHT 6 | 37-36-51.500N 076-17-25.200W | FI R 4s | 12 | | TR on pile. | Private aid. |
| Broad Creek | | | | | | | |
| 14960 | - Wreck Warning Day beacon WR | 37-34-11.957N 076-18-15.131W | | | | NW on pile worded DANGER SUBMERGED WRECK. | |
| 14965 | - CHANNEL ENTRANCE LIGHT 1BC | 37-34-13.493N 076-18-30.755W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 14970 | - Channel Day beacon 2 | 37-34-06.422N 076-18-37.605W | | | | TR on pile. | |
| 14973 | - CHANNEL WRECK LIGHT WR3 | 37-34-02.028N 076-18-39.161W | Q G | 15 | 4 | SG on pile. | |
| 14975 | - Channel Day beacon 4 | 37-33-55.545N 076-18-45.610W | | | | TR on pile. | |
| 14977 | - Channel Day beacon 5 | 37-33-47.762N 076-18-49.449W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| RAPPAHANNOCK RIVER ENTRANCE (Chart 12235) | | | | | | | |
| Broad Creek | | | | | | | |
| 14980 | - CHANNEL LIGHT 6 | 37-33-47.185N 076-18-51.533W | FI R 2.5s | 15 | 3 | TR on pile. | |
| 14983 | - Channel Buoy 6A | 37-33-41.655N 076-18-50.444W | | | | Red nun. | |
| 14985 | - Channel Day beacon 8 | 37-33-36.488N 076-18-49.714W | | | | TR on pile. | |
| 14990 | - Channel Day beacon 10 | 37-33-33.837N 076-18-50.604W | | | | TR on pile. | |
| 15000 | - Channel Day beacon 11 | 37-33-33.315N 076-18-55.102W | | | | SG on pile. | |
| Broad Creek Southern Branch | | | | | | | |
| 15003 | - Day beacon 2S | 37-33-28.500N 076-18-57.810W | | | | TR on pile. | Private aid. |
| 15003.1 | - Day beacon 4 | 37-33-25.440N 076-18-59.230W | | | | TR on pile. | Private aid. |
| 15003.2 | - Day beacon 6 | 37-33-23.790N 076-19-01.130W | | | | TR on pile. | Private aid. |
| 15003.3 | - Day beacon 7 | 37-33-23.166N 076-19-00.828W | | | | SG on pile. | Private aid. |
| Rappahannock River | | | | | | | |
| Broad Creek Northern Branch | | | | | | | |
| 15005 | - Day beacon 1N | 37-33-39.000N 076-18-48.000W | | | | SG on pile. | Private aid. |
| 15010 | - Day beacon 2 | 37-33-38.000N 076-18-47.000W | | | | TR on pile. | Private aid. |
| 15015 | - Day beacon 4 | 37-33-39.000N 076-18-45.000W | | | | TR on pile. | Private aid. |
| 15020 | - Day beacon 5 | 37-33-41.000N 076-18-44.000W | | | | SG on pile. | Private aid. |
| 15025 | - Day beacon 7 | 37-33-41.000N 076-18-40.000W | | | | SG on pile. | Private aid. |
| 15030 | - Day beacon 8 | 37-33-41.000N 076-18-40.000W | | | | TR on pile. | Private aid. |
| 15035 | - Day beacon 9 | 37-33-43.000N 076-18-36.000W | | | | SG on pile. | Private aid. |
| 15040 | - Day beacon 10 | 37-33-42.000N 076-18-35.000W | | | | TR on pile. | Private aid. |
| 15045 | - Day beacon 11 | 37-33-43.000N 076-18-31.000W | | | | SG on pile. | Private aid. |
| 15050 | - Day beacon 12 | 37-33-42.000N 076-18-31.000W | | | | TR on pile. | Private aid. |
| Rappahannock River | | | | | | | |
| 15055 | - ENTRANCE LIGHT 7R | 37-35-08.858N 076-19-44.299W | FI G 4s | 18 | 4 | SG on pile. | Higher intensity beam up and down the channel. |
| 15060 | Grinels Breakwater Warning Day beacon A | 37-34-30.954N 076-21-29.283W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | |
| 15065 | Grinels Breakwater Warning Day beacon B | 37-34-32.045N 076-21-32.841W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | |
| 15070 | - ENTRANCE LIGHT 8R | 37-36-06.042N 076-21-18.583W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 15075 | MILL CREEK ENTRANCE LIGHT 2MC | 37-35-29.250N 076-24-34.076W | FI R 4s | 15 | 4 | TR on pile. | |
| 15080 | Mill Creek Day beacon 3 | 37-35-09.667N 076-24-36.765W | | | | SG on pile. | |
| 15085 | MILL CREEK LIGHT 4 | 37-35-05.086N 076-24-53.414W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 15090 | Mill Creek Day beacon 5 | 37-35-18.492N 076-25-16.809W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---------------------------------------|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| RAPPAHANNOCK RIVER ENTRANCE (Chart 12235) | | | | | | | |
| Rappahannock River | | | | | | | |
| Locklies Creek | | | | | | | |
| 15095 | - LIGHT 1 | 37-36-02.378N 076-25-26.339W | Q G | 15 | 4 | SG on pile. | |
| 15100 | - Day beacon 2 | 37-35-53.846N 076-25-32.713W | | | | TR on pile. | |
| 15105 | - Day beacon 4 | 37-35-41.897N 076-25-42.350W | | | | TR on pile. | |
| 15110 | - Day beacon 5 | 37-35-40.274N 076-25-54.492W | | | | SG on pile. | |
| Rappahannock River | | | | | | | |
| 15113 | - Mooring Buoy PG | 37-37-29.000N 076-23-37.000W | | | | White with blue band; can. | Private aid. |
| 15114 | - ENTRANCE LIGHT 9R | 37-36-20.368N 076-24-17.866W | FI G 4s | 15 | 4 | SG on pile. | |
| 15115 | - ENTRANCE WARINING LIGHT A | 37-36-48.220N 076-25-25.410W | FI W 4s | 8 | 4 | NW on cylindrical base worded DANGER. | |
| Carter Creek | | | | | | | |
| 15120 | - LIGHT 1CC | 37-38-56.324N 076-26-35.570W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 15125 | - Day beacon 2 | 37-38-55.340N 076-26-31.166W | | | | TR on pile. | |
| 15130 | - Day beacon 3 | 37-39-00.354N 076-26-34.275W | | | | SG on pile. | |
| 15135 | - Day beacon 4 | 37-39-08.806N 076-26-26.946W | | | | TR on pile. | |
| 15140 | - Day beacon 6 | 37-39-11.264N 076-26-24.512W | | | | TR on pile. | |
| 15145 | - LIGHT 7 | 37-39-12.945N 076-26-27.716W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 15150 | - EASTERN BRANCH LIGHT 1 | 37-39-12.749N 076-25-51.806W | FI G 4s | 15 | 4 | SG on pile. | |
| Corrotoman River | | | | | | | |
| 15155 | - LIGHT 2 | 37-40-00.469N 076-28-55.914W | FI R 4s | 15 | 4 | TR on pile. | |
| 15157 | - LIGHT 3 | 37-40-40.309N 076-28-33.711W | FI G 4s | 16 | 4 | SG on pile. | |
| 15165 | - Day beacon 4 | 37-40-59.533N 076-28-23.004W | | | | TR on pile. | |
| 15170 | - Day beacon 6 | 37-41-19.969N 076-28-23.580W | | | | TR on pile. | |
| 15175 | Myers Creek Day beacon 2 | 37-41-11.762N 076-28-57.318W | | | | TR on pile. | |
| 15180 | Myers Creek Day beacon 3 | 37-41-26.161N 076-29-15.288W | | | | SG on pile. | |
| 15185 | Myers Creek Day beacon 4 | 37-41-28.675N 076-29-20.250W | | | | TR on pile. | |
| 15190 | - LIGHT 7 | 37-41-37.255N 076-28-31.638W | FI G 4s | 15 | 4 | SG on pile. | |
| 15195 | - LIGHT 8 | 37-42-05.299N 076-28-52.236W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 15200 | - Day beacon 9 | 37-42-17.545N 076-28-59.544W | | | | SG on pile. | |
| RAPPAHANNOCK RIVER (Chart 12237) | | | | | | | |
| Rappahannock River | | | | | | | |
| 15230 | - Lighted Buoy 6 | 37-38-02.611N 076-30-17.121W | FI R 4s | | 5 | Red. | |
| 15235 | Beach Creek Entrance Warning Day beacon | 37-39-36.918N 076-32-01.770W | | | | NW on pile worded DANGER SHOAL. | |
| Urbanna Creek | | | | | | | |
| 15240 | - CHANNEL LIGHT 2 | 37-38-30.563N 076-33-47.424W | FI R 4s | 19 | 4 | TR on pile. | |
| 15243 | - Channel Buoy 2A | 37-38-30.216N 076-33-44.967W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---------------------------------------|---------------------------------|-----------------------|---------------|--------------|-----------------------------|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| RAPPAHANNOCK RIVER (Chart 12237) | | | | | | | |
| Rappahannock River | | | | | | | |
| Urbanna Creek | | | | | | | |
| 15245 | - Channel Day beacon 3 | 37-38-27.985N 076-33-52.513W | | | | SG on pile. | |
| 15250 | - CHANNEL LIGHT 5 | 37-38-25.208N 076-34-05.054W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 15253 | - Channel Buoy 5A | 37-38-23.738N 076-34-09.889W | | | | Green can. | |
| 15255 | - Channel Day beacon 6 | 37-38-26.996N 076-34-07.580W | | | | TR on pile. | |
| 15260 | - Channel Day beacon 7 | 37-38-20.820N 076-34-09.984W | | | | SG on pile. | |
| 15265 | - Channel Day beacon 9 | 37-38-08.282N 076-34-11.301W | | | | SG on pile. | |
| 15270 | - Channel Day beacon 11 | 37-37-55.708N 076-34-12.391W | | | | SG on pile. | |
| 15275 | ROBINSON CREEK LIGHT 1 | 37-39-04.862N 076-34-33.860W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 15280 | Robinson Creek Day beacon 3 | 37-39-08.198N 076-34-39.494W | | | | SG on pile. | |
| Rappahannock River | | | | | | | |
| 15285 | - LIGHT 8 | 37-40-09.459N 076-32-48.346W | FI R 2.5s | 15 | 5 | TR on multi-pile structure. | |
| 15290 | LAGRANGE CREEK ENTRANCE LIGHT 2 | 37-39-55.784N 076-34-48.637W | FI R 2.5s | 15 | 3 | TR on pile. | |
| 15295 | Lagrange Creek Day beacon 4 | 37-40-00.386N 076-35-11.108W | | | | TR on pile. | |
| 15300 | Lagrange Creek Day beacon 5 | 37-40-05.210N 076-35-22.790W | | | | SG on pile. | |
| Belle Isle State Park | | | | | | | |
| 15303 | - Day beacon 2 | 37-46-03.400N 076-35-05.400W | | | | TR on pile. | Private aid. |
| 15303.1 | - Day beacon 4 | 37-46-10.800N 076-35-05.400W | | | | TR on pile. | Private aid. |
| 15303.2 | - Day beacon 6 | 37-46-16.300N 076-35-04.400W | | | | TR on pile. | Private aid. |
| 15303.3 | - Day beacon 7 | 37-46-23.300N 076-34-58.600W | | | | SG on pile. | Private aid. |
| Rappahannock River | | | | | | | |
| 15305 | <i>Greenvale Creek Lighted Buoy 2</i> | 37-42-28.024N 076-32-46.519W | FI R 2.5s | | 4 | Red. | |
| 15340 | - LIGHT 10 | 37-44-16.060N 076-35-06.460W | FI R 2.5s | 15 | 5 | TR on multi-pile structure. | |
| Parrotts Creek | | | | | | | |
| <i>Aids 20 feet outside channel limit.</i> | | | | | | | |
| 15345 | - ENTRANCE LIGHT 1 | 37-43-53.185N 076-36-27.510W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 15350 | - Channel Day beacon 3 | 37-43-50.665N 076-36-49.422W | | | | SG on pile. | |
| 15355 | - Channel Day beacon 4 | 37-43-51.553N 076-37-07.542W | | | | TR on multi-pile structure. | |
| 15360 | - Channel Day beacon 6 | 37-43-39.181N 076-37-06.372W | | | | TR on pile. | |
| 15365 | - Channel Day beacon 8 | 37-43-37.513N 076-37-19.278W | | | | TR on pile. | |
| Rappahannock River | | | | | | | |
| 15375 | - <i>Lighted Buoy 11</i> | 37-45-32.103N 076-36-58.738W | FI G 4s | | 5 | Green. | |
| 15380 | MULBERRY CREEK LIGHT 1 | 37-47-01.231N 076-37-34.980W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| Morattico River | | | | | | | |
| 15390 | - ENTRANCE LIGHT 1 | 37-47-27.019N 076-38-45.222W | FI G 4s | 15 | 4 | SG on pile. | |
| 15395 | Morattico Creek Day beacon 2 | 37-47-49.237N 076-38-28.410W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|-------------------------|---|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| RAPPAHANNOCK RIVER (Chart 12237) | | | | | | | |
| Morattico River | | | | | | | |
| 15400 | Morattico Creek Day beacon 3 | 37-48-03.691N 076-38-20.076W | | | | SG on pile. | |
| 15405 | Lancaster Creek Day beacon 1 | 37-47-53.029N 076-37-50.430W | | | | SG on pile. | |
| 15410 | Lancaster Creek Day beacon 3 | 37-47-59.875N 076-37-47.766W | | | | SG on pile. | |
| Rappahannock River | | | | | | | |
| 15415 | - Buoy 12 | 37-46-33.001N 076-39-30.944W | | | | Red nun. | |
| 15420 | - Lighted Buoy 13 | 37-47-17.600N 076-40-36.046W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 15425 | - Buoy 15 | 37-48-08.498N 076-41-57.348W | | | | Green can. | |
| 15430 | - Buoy 16 | 37-48-43.597N 076-42-42.049W | | | | Red nun. | |
| 15435 | WILDWOOD BEACH LIGHT 2 | 37-48-43.639N 076-44-34.548W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 15440 | - Buoy 18 | 37-49-20.796N 076-43-37.351W | | | | Red nun. | |
| 15445 | - LIGHT 19 | 37-49-28.531N 076-43-57.900W | FI G 6s | 23 | 7 | SG on cylindrical base. | |
| 15450 | - Buoy 21 | 37-51-18.693N 076-45-25.153W | | | | Green can. | |
| Totuskey Creek | | | | | | | |
| 15455 | - Buoy 2 | 37-51-30.592N 076-45-10.017W | | | | Red nun. | |
| 15465 | - LIGHT 3 50 feet outside channel limit. | 37-52-21.476N 076-45-03.010W | Q G | 15 | 4 | SG on pile. | |
| 15470 | - Day beacon 5 | 37-52-37.556N 076-44-39.292W | | | | SG on pile. | |
| 15475 | - Day beacon 7 | 37-52-55.495N 076-44-22.651W | | | | SG on pile. | |
| 15480 | - Day beacon 9 | 37-53-01.191N 076-44-25.783W | | | | SG on pile. | |
| 15485 | - Day beacon 11 | 37-53-08.601N 076-44-24.493W | | | | SG on pile. | |
| 15490 | - Day beacon 12 | 37-53-07.556N 076-44-16.408W | | | | TR on pile. | |
| 15495 | - Day beacon 13 | 37-53-09.139N 076-44-07.780W | | | | SG on pile. | |
| 15500 | - Day beacon 15 | 37-53-08.471N 076-43-41.448W | | | | SG on pile. | |
| 15505 | - Day beacon 17 | 37-53-21.826N 076-43-28.516W | | | | SG on pile. | |
| 15510 | - Day beacon 18 | 37-53-22.491N 076-43-20.261W | | | | TR on pile. | |
| 15515 | - Day beacon 19 | 37-53-26.017N 076-43-13.732W | | | | SG on pile. | |
| 15520 | - Day beacon 21 | 37-53-33.842N 076-43-05.940W | | | | SG on pile. | |
| 15525 | - Day beacon 22 | 37-53-41.644N 076-43-06.192W | | | | TR on pile. | |
| 15530 | - Day beacon 24 | 37-53-49.654N 076-43-01.302W | | | | TR on pile. | |
| 15535 | - Day beacon 26 | 37-54-08.734N 076-43-15.762W | | | | TR on pile. | |
| 15540 | - Day beacon 27 | 37-54-27.296N 076-43-19.503W | | | | SG on pile. | |
| 15541 | TMT Lighted Mooring Buoy A | 37-51-12.000N 076-45-40.000W | FI W 4s | | | White with blue band. | Private aid. |
| 15543 | TMT Lighted Mooring Buoy B | 37-51-20.000N 076-45-47.000W | FI W 4s | | | White with blue band. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--------------------------------|---|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| RAPPAHANNOCK RIVER (Chart 12237) | | | | | | | |
| Rappahannock River | | | | | | | |
| Totuskey Creek | | | | | | | |
| 15545 | - Day beacon 29 | 37-54-40.574N 076-43-19.224W | | | | SG on pile. | |
| Rappahannock River | | | | | | | |
| 15550 | - Buoy 22 | 37-52-06.491N 076-45-52.854W | | | | Red nun. | |
| 15555 | VA POWER CABLE CROSSING EAST TOWER LIGHT A | 37-52-36.491N 076-46-11.454W | FI Y 4s | 12 | | On tower. | Private aid. |
| 15560 | VA POWER CABLE CROSSING MIDDLE TOWER LIGHT B (2) | 37-52-30.541N 076-46-23.455W | FI Y 4s | 11 | | Tower. | Private aid. |
| 15565 | VA POWER CABLE CROSSING WEST TOWER LIGHT C | 37-52-24.211N 076-46-35.555W | FI Y 4s | 11 | | On tower. | Private aid. |
| 15570 | - Buoy 23 | 37-53-40.789N 076-47-03.556W | | | | Green can. | |
| 15575 | - Lighted Buoy 24 | 37-54-05.608N 076-47-35.557W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 15580 | - Buoy 26 | 37-54-24.488N 076-48-04.859W | | | | Red nun. | |
| 15585 | - Buoy 28 | 37-54-48.488N 076-48-40.860W | | | | Red nun. | |
| 15590 | - LIGHT 29 | 37-54-59.513N 076-49-21.252W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 15595 | - Buoy 30 | 37-55-30.487N 076-50-02.864W | | | | Red nun. | |
| Hoskins Creek | | | | | | | |
| 15600 | - LIGHT 1HC | 37-55-31.352N 076-50-43.313W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 15603 | - LIGHT 2 | 37-55-25.547N 076-50-56.407W | FI R 4s | 15 | 4 | TR on pile. | |
| 15605 | - DIRECTIONAL LIGHT | 37-55-17.726N 076-51-09.844W | Q W | 15 | | KWR on pile. | NIGHT : Visible all around; higher intensity beam on bearing 235°. |
| 15613 | - LIGHT 3 | 37-55-18.445N 076-51-07.441W | Q G | 15 | 4 | SG on pile. | |
| 15615 | - Day beacon 4 | 37-55-20.468N 076-51-11.193W | | | | TR on pile. | |
| Rappahannock River | | | | | | | |
| 15625 | - Lighted Buoy 32 | 37-56-25.029N 076-51-29.027W | FI R 4s | | 4 | Red. | |
| 15630 | - Buoy 34 | 37-57-00.496N 076-51-28.879W | | | | Red nun. | |
| 15635 | - LIGHT 35 | 37-57-45.575N 076-51-39.819W | FI G 4s | 15 | 5 | SG on multi-pile. | |
| 15640 | - LIGHT 36 | 37-58-35.059N 076-51-50.025W | Q R | 15 | 4 | TR on multi-pile structure. | |
| 15650 | - LIGHT 38 | 37-59-03.368N 076-54-06.689W | FI R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 15655 | - LIGHT 40 | 38-01-07.583N 076-54-31.187W | FI R 6s | 15 | 4 | TR on multi-pile. | |
| 15660 | - Buoy 42 | 38-05-18.478N 076-59-10.894W | | | | Red nun. | |
| 15665 | - Day beacon 44 | 38-06-25.997N 076-59-16.201W | | | | TR on pile. | |
| 15670 | - Buoy 46 | 38-05-37.141N 077-02-04.731W | | | | Red nun. | |
| 15675 | - Buoy 47 | 38-06-16.305N 077-02-35.175W | | | | Green can. | |
| 15680 | - Buoy 48 | 38-06-47.577N 077-03-15.650W | | | | Red nun. | |
| 15683 | - Buoy 48A | 38-09-14.190N 077-04-12.604W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|------------------------------------|---------------------------------|-----------------------|---------------|--------------|-----------------------------|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| RAPPAHANNOCK RIVER (Chart 12237) | | | | | | | |
| Rappahannock River | | | | | | | |
| 15685 | - Buoy 49 | 38-09-04.541N 077-04-05.221W | | | | Green can. | |
| 15687 | - Buoy 49A | 38-08-40.910N 077-04-06.758W | | | | Green can. | |
| 15690 | - Buoy 50 | 38-08-35.006N 077-04-30.606W | | | | Red nun. | |
| 15695 | - Buoy 52 | 38-08-37.899N 077-04-45.618W | | | | Red nun. | |
| 15700 | - Buoy 54 | 38-08-51.224N 077-04-55.427W | | | | Red nun. | |
| 15705 | - Buoy 55 | 38-09-18.495N 077-04-55.139W | | | | Green can. | |
| 15710 | - Buoy 57 | 38-09-34.544N 077-06-01.033W | | | | Green can. | |
| 15715 | - Buoy 59 | 38-09-19.981N 077-06-19.685W | | | | Green can. | |
| 15720 | - Buoy 60 | 38-09-17.918N 077-06-27.090W | | | | Red nun. | |
| 15725 | - Buoy 62 | 38-09-12.700N 077-06-41.036W | | | | Red nun. | |
| 15730 | - Buoy 63 | 38-09-07.564N 077-06-49.758W | | | | Green can. | |
| 15735 | - Buoy 64 | 38-09-19.962N 077-07-11.032W | | | | Red nun. | |
| 15740 | - Buoy 65 | 38-09-21.850N 077-07-19.668W | | | | Green can. | |
| 15745 | - Buoy 67 | 38-09-50.305N 077-07-50.501W | | | | Green can. | |
| 15750 | - LIGHT 68 | 38-10-07.012N 077-08-27.235W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 15755 | - Day beacon 69 | 38-10-10.523N 077-09-06.391W | | | | SG on pile. | |
| 15760 | - Buoy 70 | 38-10-01.802N 077-09-32.580W | | | | Red nun. | |
| 15765 | - Buoy 72 | 38-09-50.916N 077-09-48.459W | | | | Red nun. | |
| 15770 | - Buoy 74 | 38-09-46.638N 077-10-11.534W | | | | Red nun. | |
| 15775 | - LIGHT 75 | 38-09-49.665N 077-10-26.581W | FI G 4s | 15 | 4 | SG on pile. | |
| 15780 | - Buoy 77 | 38-10-55.755N 077-11-37.445W | | | | Green can. | |
| 15785 | - Buoy 78 | 38-11-09.018N 077-11-58.267W | | | | Red nun. | |
| 15790 | - Buoy 79 | 38-11-56.414N 077-13-01.139W | | | | Green can. | |
| 15855 | SOLITE CORP. UPPER DOLPHIN LIGHT A | 38-14-35.413N 077-16-39.528W | F Y | 10 | | On dolphin. | Private aid. |
| 15860 | SOLITE CORP. LOWER DOLPHIN LIGHT B | 38-14-30.573N 077-16-40.468W | F Y | 10 | | On dolphin. | Private aid. |
| RAPPAHANNOCK RIVER ENTRANCE (Chart 12235) | | | | | | | |
| West Side | | | | | | | |
| Antipoison Creek | | | | | | | |
| 16005 | - Day beacon 2 | 37-38-28.599N 076-19-21.142W | | | | TR on pile. | |
| 16010 | - LIGHT 4 | 37-37-55.362N 076-19-28.974W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 16015 | - Day beacon 5 | 37-37-51.827N 076-19-55.909W | | | | SG on pile. | |
| 16020 | - Day beacon 6 | 37-37-54.092N 076-20-12.740W | | | | TR on pile. | |
| 16025 | - Day beacon 7 | 37-37-53.143N 076-20-26.199W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------------------|---------------------------------|-----------------------|---------------|--------------|-----------------------------|---------------------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| RAPPAHANNOCK RIVER ENTRANCE (Chart 12235) | | | | | | | |
| West Side | | | | | | | |
| Dymer Creek | | | | | | | |
| 16030 | NORTH POINT LIGHT 1N | 37-39-14.707N 076-17-59.100W | FI G 4s | 15 | 4 | SG on pile. | |
| 16035 | - ENTRANCE LIGHT 2 | 37-39-21.063N 076-19-04.360W | FI R 4s | 15 | 4 | TR on pile. | |
| 16040 | - ENTRANCE LIGHT 4 | 37-39-30.530N 076-19-22.786W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 16045 | - ENTRANCE LIGHT 6 | 37-39-42.912N 076-19-37.301W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 16050 | - ENTRANCE LIGHT 7 | 37-39-49.495N 076-19-49.710W | FI G 4s | 15 | 4 | SG on pile. | |
| 16055 | Johnson Creek Warning Day beacon A | 37-40-25.656N 076-21-01.588W | | | | | NW on pile worded DANGER. |
| 16060 | Fleets Bay Buoy 1 | 37-40-31.470N 076-14-06.790W | | | | | Green can. |
| 16065 | Fleets Bay Buoy 2 | 37-41-01.470N 076-14-11.790W | | | | | Red nun. |
| Indian Creek | | | | | | | |
| 16070 | BLUFF POINT LIGHT B | 37-40-33.074N 076-16-29.981W | FI W 2.5s | 19 | 5 | NR on pile. | |
| 16075 | - ENTRANCE LIGHT 2 | 37-40-18.480N 076-18-22.798W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 16080 | - LIGHT 4 | 37-40-38.800N 076-18-57.619W | FI R 4s | 15 | 4 | TR on pile. | |
| 16085 | - LIGHT 6 | 37-41-00.649N 076-19-39.859W | FI R 4s | 15 | 4 | TR on pile. | |
| 16090 | - Day beacon 7 | 37-41-07.357N 076-20-01.001W | | | | | SG on pile. |
| 16095 | - Day beacon 8 | 37-41-16.688N 076-20-14.984W | | | | | TR on pile. |
| 16100 | - Day beacon 9 | 37-41-19.253N 076-20-28.982W | | | | | SG on pile. |
| 16105 | - LIGHT 10 | 37-41-27.822N 076-20-36.807W | FI R 4s | 15 | 4 | TR on pile. | |
| 16110 | - Day beacon 11 | 37-41-35.359N 076-20-52.017W | | | | | SG on pile. |
| 16115 | - LIGHT 12 | 37-41-41.501N 076-20-55.973W | FI R 6s | 15 | 4 | TR on pile. | |
| Dividing Creek | | | | | | | |
| 16120 | - ENTRANCE LIGHT 3 | 37-42-45.608N 076-17-00.483W | FI G 4s | 15 | 4 | SG on pile. | |
| 16125 | - ENTRANCE LIGHT 4 | 37-43-08.701N 076-17-59.231W | FI R 4s | 15 | 4 | TR on pile. | |
| 16130 | - Entrance Day beacon 6 | 37-43-16.088N 076-18-11.367W | | | | | TR on pile. |
| 16135 | - ENTRANCE LIGHT 7 | 37-43-21.973N 076-18-24.119W | FI G 4s | 15 | 4 | SG on pile. | |
| 16140 | - Day beacon 7A | 37-43-24.410N 076-18-43.491W | | | | | SG on pile. |
| Jarvis Creek | | | | | | | |
| 16145 | - Day beacon 2 | 37-43-22.586N 076-19-03.306W | | | | | TR on pile. |
| 16150 | - Day beacon 3 | 37-43-20.831N 076-19-14.964W | | | | | SG on pile. |
| 16155 | Prentice Creek Entrance Day beacon 1 | 37-43-43.734N 076-19-06.678W | | | | | SG on pile. |
| 16160 | Prentice Creek Day beacon 2 | 37-43-47.724N 076-19-22.686W | | | | | TR on pile. |
| Dividing Creek | | | | | | | |
| 16165 | - Day beacon 8 | 37-43-48.480N 076-18-46.801W | | | | | TR on pile. |
| 16170 | - Day beacon 9 | 37-44-00.481N 076-19-04.801W | | | | | SG on pile. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|-------------------------------|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| RAPPAHANNOCK RIVER ENTRANCE (Chart 12235) | | | | | | | |
| West Side | | | | | | | |
| Dividing Creek | | | | | | | |
| 16175 | - Day beacon 10 | 37-44-09.474N 076-19-17.826W | | | | TR on pile. | |
| Great Wicomico River | | | | | | | |
| 16180 | - Lighted Buoy 1GW | 37-47-25.630N 076-14-02.850W | FI G 4s | | 5 | Green. | |
| 16195 | - Lighted Buoy 2 | 37-48-01.780N 076-15-16.600W | FI R 2.5s | | 4 | Red. | |
| 16200 | - Buoy 3 | 37-47-55.170N 076-15-52.850W | | | | Green can. | |
| 16205 | MILL CREEK ENTRANCE LIGHT 2MC | 37-47-36.678N 076-17-47.233W | FI R 4s | 15 | 4 | TR on pile | |
| 16210 | Mill Creek Entrance Day beacon 3 | 37-47-35.737N 076-18-07.233W | | | | SG on pile. | |
| 16215 | Mill Creek Entrance Day beacon 4 | 37-47-17.752N 076-18-39.718W | | | | TR on pile. | |
| 16220 | Mill Creek Entrance Day beacon 5 | 37-47-35.167N 076-18-54.699W | | | | SG on pile. | |
| Ingram Bay Marina | | | | | | | |
| 16225 | - Day beacon 2 | 37-47-49.474N 076-17-58.800W | | | | TR on pile. | Private aid. |
| 16230 | - Day beacon 3 | 37-48-00.474N 076-18-08.801W | | | | SG on pile. | Private aid. |
| 16235 | - Day beacon 4 | 37-48-10.473N 076-18-08.801W | | | | TR on pile. | Private aid. |
| 16240 | - Day beacon 5 | 37-48-07.474N 076-18-10.801W | | | | SG on pile. | Private aid. |
| Great Wicomico River | | | | | | | |
| 16245 | - WRECK LIGHT WR4 | 37-48-10.472N 076-16-02.329W | Q R | 15 | 4 | TR on pile. | |
| 16250 | - LIGHT 6 | 37-48-33.697N 076-17-24.138W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 16255 | Cockrell Creek Warning Day beacon A | 37-49-09.838N 076-17-04.023W | | | | NW on pile, worded DANGER. | |
| 16257 | COCKRELL CREEK LIGHT 1C | 37-49-09.607N 076-17-02.691W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 16260 | Cockrell Creek Day beacon 2 | 37-50-28.522N 076-16-53.925W | | | | TR on pile. | |
| 16265 | Buzzards Point Day beacon 1 | 37-50-16.468N 076-16-55.798W | | | | SG on pile. | Private aid. |
| 16270 | Buzzards Point Day beacon 2 | 37-50-21.468N 076-17-06.799W | | | | TR on pile. | Private aid. |
| 16275 | Buzzards Point Day beacon 3 | 37-50-24.468N 076-17-10.799W | | | | SG on pile. | Private aid. |
| 16280 | - Day beacon 8 | 37-49-07.240N 076-17-44.773W | | | | TR on pile. | |
| 16285 | Cranes Creek Buoy 2 | 37-48-55.319N 076-18-20.205W | | | | Red nun. | |
| 16290 | Cranes Creek Buoy 3 | 37-48-57.851N 076-18-31.167W | | | | Green can. | |
| 16295 | Cranes Creek Buoy 5 | 37-48-56.933N 076-18-36.001W | | | | Green can. | |
| 16300 | - LIGHT 9 | 37-49-29.273N 076-18-13.487W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 16303 | - Warning Day beacon A | 37-49-27.108N 076-18-12.003W | | | | NW on pile worded DANGER. | |
| Whays Creek | | | | | | | |
| 16305 | - Day beacon 2 | 37-49-57.000N 076-18-28.000W | | | | TR on pile. | Private aid. |
| 16310 | - Day beacon 3 | 37-49-59.000N 076-18-58.000W | | | | SG on pile. | Private aid. |
| 16315 | - Day beacon 4 | 37-49-57.471N 076-18-42.000W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|-------------------------------|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| RAPPAHANNOCK RIVER ENTRANCE (Chart 12235) | | | | | | | |
| Great Wicomico River | | | | | | | |
| Whays Creek | | | | | | | |
| 16320 | - Day beacon 5 | 37-50-01.471N 076-18-38.000W | | | | SG on pile. | Private aid. |
| 16325 | - Day beacon 7 | 37-50-01.000N 076-18-38.000W | | | | SG on pile. | Private aid. |
| Great Wicomico River | | | | | | | |
| 16330 | - Day beacon 10 | 37-49-49.565N 076-18-57.074W | | | | TR on slatted pile structure. | |
| 16335 | - LIGHT 11 | 37-50-56.343N 076-20-01.065W | FI G 4s | 15 | 4 | SG on pile. | |
| Warehouse Creek | | | | | | | |
| 16336.01 | - Day beacon 1WC | 37-50-35.640N 076-19-19.800W | | | | SG on pile. | Private aid. |
| 16336.02 | - Day beacon 2 | 37-50-40.500N 076-19-12.130W | | | | TR on pile. | Private aid. |
| 16336.03 | - Day beacon 3 | 37-50-46.200N 076-19-07.800W | | | | SG on pile. | Private aid. |
| 16336.04 | - Day beacon 4 | 37-50-51.900N 076-19-03.240W | | | | TR on pile. | Private aid. |
| 16336.05 | - Day beacon 5 | 37-50-51.920N 076-19-03.280W | | | | SG on pile. | Private aid. |
| 16336.06 | - Day beacon 6 | 37-50-51.600N 076-19-04.740W | | | | TR on pile. | Private aid. |
| 16336.07 | - Day beacon 7 | 37-50-51.650N 076-19-04.840W | | | | SG on pile. | Private aid. |
| Great Wicomico River | | | | | | | |
| 16340 | - LIGHT A Marks structure supporting power cable poles. | 37-50-54.476N 076-22-04.810W | F Y | 10 | | On dolphin. | Private aid. |
| 16345 | - LIGHT B Marks structure supporting power cable poles. | 37-50-49.500N 076-22-08.900W | F Y | 10 | | On dolphin. | Private aid. |
| POTOMAC RIVER (Virginia - Maryland) - Fifth District | | | | | | | |
| CHESAPEAKE BAY TO PINEY POINT (Chart 12233) | | | | | | | |
| Little Wicomico River | | | | | | | |
| 16350 | - APPROACH LIGHT 2LW | 37-53-17.389N 076-13-53.038W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 16355 | - LIGHT 4 | 37-53-25.172N 076-14-09.468W | Q R | 15 | 4 | TR on pile. | |
| 16360 | - LIGHT 5 | 37-53-22.350N 076-14-08.230W | FI G 2.5s | 22 | 4 | SG on skeleton tower. | |
| 16365 | - LIGHT 7 | 37-53-15.451N 076-14-30.090W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 16370 | - Day beacon 9 | 37-53-20.320N 076-14-53.280W | | | | SG on pile. | |
| 16375 | - Day beacon 8 | 37-53-20.024N 076-14-43.948W | | | | TR on pile. | |
| Slough Creek | | | | | | | |
| 16380 | - Day beacon 1S | 37-53-19.687N 076-14-57.036W | | | | SG on pile. | |
| 16385 | - Day beacon 2 | 37-53-10.390N 076-15-04.696W | | | | TR on pile. | |
| 16390 | - Day beacon 3 | 37-53-06.057N 076-15-11.076W | | | | SG on pile. | |
| 16400 | - Day beacon 5 | 37-53-04.933N 076-15-12.294W | | | | SG on pile. | |
| 16405 | - Day beacon 7 | 37-53-04.008N 076-15-11.514W | | | | SG on pile. | Private aid. |
| 16410 | - Day beacon 8 | 37-53-03.245N 076-15-10.002W | | | | TR on pile. | Private aid. |
| 16415 | - Day beacon 10 | 37-52-58.462N 076-15-12.794W | | | | TR on pile. | Private aid. |
| 16415.1 | - Day beacon 11 | 37-52-55.000N 076-15-14.000W | | | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|------------------------|--|
| POTOMAC RIVER (Virginia - Maryland) - Fifth District | | | | | | | |
| CHESAPEAKE BAY TO PINEY POINT (Chart 12233) | | | | | | | |
| Little Wicomico River | | | | | | | |
| 16420 | - LIGHT 11 | 37-53-22.639N 076-15-07.176W | FI G 4s | 15 | 4 | SG on pile. | |
| 16425 | - Day beacon 12 | 37-53-24.194N 076-15-31.662W | | | | TR on pile. | |
| Ellyson Creek | | | | | | | |
| 16430 | - Channel Day beacon 1E | 37-53-40.466N 076-15-51.590W | | | | SG on pile. | |
| 16435 | - Channel Day beacon 2 | 37-53-42.775N 076-15-53.378W | | | | TR on pile. | |
| 16440 | - Channel Day beacon 4 | 37-53-51.230N 076-16-00.144W | | | | TR on pile. | |
| 16445 | - Channel Day beacon 5 | 37-54-02.956N 076-16-16.231W | | | | SG on pile. | |
| 16450 | - Channel Day beacon 6 | 37-54-05.108N 076-16-20.536W | | | | TR on pile. | |
| Little Wicomico River | | | | | | | |
| 16455 | - Day beacon 13 | 37-53-18.871N 076-15-57.630W | | | | SG on pile. | |
| 16460 | - Buoy 14 | 37-53-14.185N 076-16-17.124W | | | | Red nun. | Removed when endangered by ice. |
| 16465 | - Buoy 15 | 37-53-16.477N 076-16-41.725W | | | | Green can. | |
| 16470 | - Day beacon 17 | 37-53-22.837N 076-17-14.442W | | | | SG on pile. | |
| 16475 | - Day beacon 18 | 37-53-23.070N 076-17-20.228W | | | | TR on pile. | |
| 16480 | - Day beacon 20 | 37-53-28.849N 076-17-40.641W | | | | TR on pile. | |
| 16485 | - Day beacon 21 | 37-53-41.149N 076-17-53.460W | | | | SG on pile. | |
| Potomac River | | | | | | | |
| 16490 | - Channel Buoy 1 | 37-54-10.657N 076-11-47.788W | | | | Green can. | |
| 16495 | - Channel Buoy 3 | 37-56-45.458N 076-16-15.297W | | | | Green can. | |
| 16500 | - Channel Buoy 5 | 37-59-16.659N 076-20-44.810W | | | | Green can. | |
| 16505 | - <i>Mid-Channel Lighted Whistle Buoy A</i> | 38-00-51.156N 076-20-39.809W | Mo (A) W | | 6 | Red and white stripes. | |
| PINEY POINT TO LOWER CEDAR POINT (Chart 12286) | | | | | | | |
| Potomac River | | | | | | | |
| <i>Buoys located 140 feet outside channel limit.</i> | | | | | | | |
| 16537 | NOAA Lighted Data Buoy PL | 38-02-00.000N 076-20-15.000W | FI Y 4s | | | Yellow. | Aid maintained by National Oceanic and Atmospheric Administration. |
| CHESAPEAKE BAY TO PINEY POINT (Chart 12233) | | | | | | | |
| Potomac River | | | | | | | |
| Lake Conoy | | | | | | | |
| 16540 | - Day beacon 1 | 38-03-00.738N 076-19-47.652W | | | | SG on pile. | |
| 16545 | - LIGHT 2 | 38-02-59.623N 076-19-45.789W | FI R 2.5s | 18 | 4 | TR on pile. | |
| 16550 | - Day beacon 3 | 38-03-04.400N 076-19-43.292W | | | | SG on pile. | |
| 16555 | - Warning Day beacon A | 38-03-09.349N 076-19-43.825W | | | | NW on pile. | Private aid. |
| 16560 | - Warning Day beacon B | 38-03-10.339N 076-19-40.694W | | | | NW on pile. | Private aid. |
| 16565 | - Warning Day beacon C | 38-03-12.416N 076-19-37.420W | | | | NW on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| POTOMAC RIVER (Virginia - Maryland) - Fifth District | | | | | | | |
| CHESAPEAKE BAY TO PINEY POINT (Chart 12233) | | | | | | | |
| Potomac River | | | | | | | |
| 16570 | - Channel Lighted Buoy 7 | 38-01-44.760N 076-25-07.922W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| Coan River | | | | | | | |
| 16575 | - Entrance Buoy 2 | 38-01-07.461N 076-26-03.824W | | | | Red nun. | |
| 16580 | - Entrance Buoy 4 | 38-00-44.687N 076-26-35.703W | | | | Red nun. | |
| 16585 | - ENTRANCE LIGHT 5 | 38-00-05.891N 076-27-03.862W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 16590 | - LIGHT 6 | 37-59-36.684N 076-27-10.266W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 16595 | - Day beacon 8 | 37-59-30.268N 076-27-58.168W | | | | TR on pile. | |
| 16600 | - Day beacon 10 | 37-59-21.182N 076-28-00.669W | | | | TR on pile. | |
| 16602 | - Warning Day beacon | 37-59-06.751N 076-27-58.353W | | | | NW on pile. | |
| 16603 | - Day beacon 11 | 37-59-11.460N 076-28-00.570W | | | | SG on pile. | |
| 16605 | - Day beacon 13 | 37-59-02.687N 076-27-56.627W | | | | SG on pile. | |
| 16607 | - Day beacon 14 | 37-59-00.279N 076-27-52.830W | | | | TR on pile. | |
| 16610 | - Day beacon 14A | 37-58-55.358N 076-27-43.797W | | | | TR on pile. | |
| 16612 | - Marina Buoy 1 | 37-58-57.000N 076-28-02.000W | | | | Green can. | Private aid. |
| 16613 | - Marina Buoy 2 | 37-58-51.000N 076-28-13.000W | | | | Red nun. | Private aid. |
| 16615 | - Day beacon 16 | 37-58-39.723N 076-27-39.844W | | | | TR on pile. | |
| 16620 | - Day beacon 18 | 37-58-19.547N 076-27-48.957W | | | | TR on pile. | |
| 16625 | - Day beacon 19 | 37-58-10.002N 076-27-55.554W | | | | SG on pile. | |
| 16630 | - Day beacon 20 | 37-58-08.664N 076-28-07.371W | | | | TR on pile. | |
| 16635 | - Day beacon 22 | 37-58-11.763N 076-28-17.265W | | | | TR on pile. | |
| Smith Creek - Potomac River | | | | | | | |
| 16640 | - APPROACH LIGHT 2S | 38-05-31.108N 076-24-15.039W | Q R | 15 | 4 | TR on pile. | |
| 16645 | - LIGHT 3 | 38-06-00.966N 076-24-15.090W | FI G 2.5s | 17 | 4 | SG on pile. | |
| 16650 | - LIGHT 4 | 38-06-08.274N 076-24-27.159W | FI R 4s | 15 | 4 | TR on pile. | |
| 16655 | - LIGHT 6 | 38-06-46.877N 076-24-28.602W | FI R 6s | 15 | 4 | TR on pile. | |
| St. Marys River | | | | | | | |
| 16660 | - Junction Lighted Buoy SM | 38-04-32.658N 076-26-02.824W | FI (2+1)R 6s | | 5 | Red and green bands. | Replaced by nun when endangered by ice. |
| 16665 | St. George Creek Junction Day beacon A | 38-07-16.509N 076-27-29.209W | | | | JR on pile. | |
| 16670 | ST. MARYS RIVER LIGHT 1 | 38-08-23.295N 076-27-17.346W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 16675 | - LIGHT 2 | 38-09-00.615N 076-26-40.449W | FI R 4s | 15 | 4 | TR on pile. | |
| 16680 | - LIGHT 3 | 38-09-31.233N 076-26-47.064W | FI G 6s | 15 | 4 | SG on pile. | |
| 16685 | - Day beacon 4 | 38-11-40.589N 076-26-52.755W | | | | TR on pile. | |
| 16687 | ST. INIGOES CREEK LIGHT 2SI | 38-09-33.028N 076-25-41.975W | Q R | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---------------------------------------|---------------------------------------|
| POTOMAC RIVER (Virginia - Maryland) - Fifth District | | | | | | | |
| CHESAPEAKE BAY TO PINEY POINT (Chart 12233) | | | | | | | |
| St. Marys River | | | | | | | |
| 16690 | Molls Cove Day beacon 2M | 38-09-27.931N 076-25-37.752W | | | | TR on pile. | |
| Island Creek Channel | | | | | | | |
| <i>All aids located 25 feet outside channel limit.</i> | | | | | | | |
| 16695 | - LIGHT 1 | 38-06-41.697N 076-27-47.083W | FI G 4s | 18 | 4 | SG on multi-pile structure. | |
| 16700 | - LIGHT 3 | 38-06-31.607N 076-28-01.440W | FI G 4s | 15 | 3 | SG on pile. | |
| 16703 | St. Marys River Horseshoe Bend Warning Buoy A | 38-11-32.050N 076-25-50.310W | | | | White with orange band worded DANGER. | Private aid. |
| 16703.1 | St. Marys River Horseshoe Bend Warning Buoy B | 38-11-28.450N 076-25-53.870W | | | | White with orange band worded DANGER. | Private aid. |
| 16703.2 | St. Marys River Horseshoe Bend Warning Buoy C | 38-11-25.250N 076-25-57.080W | | | | White with orange band worded DANGER. | Private aid. |
| 16705 | - Day beacon 4 | 38-06-32.820N 076-28-02.429W | | | | TR on pile. | |
| 16710 | - Day beacon 5 | 38-06-31.507N 076-28-03.681W | | | | SG on pile. | |
| 16715 | - Day beacon 6 | 38-06-33.223N 076-28-03.281W | | | | TR on pile. | |
| 16720 | - Day beacon 7 | 38-06-32.410N 076-28-04.882W | | | | SG on pile. | |
| 16725 | - Day beacon 8 | 38-06-34.643N 076-28-03.859W | | | | TR on pile. | |
| 16730 | - Day beacon 9 | 38-06-32.996N 076-28-06.377W | | | | SG on pile. | |
| St. George Creek | | | | | | | |
| 16735 | - LIGHT 2 | 38-07-22.198N 076-27-56.153W | Q R | 15 | 4 | TR on pile. | |
| 16740 | - LIGHT 3 | 38-07-53.190N 076-28-54.129W | FI G 4s | 17 | 4 | SG on pile. | |
| 16745 | - LIGHT 4 | 38-08-04.140N 076-29-19.461W | FI R 2.5s | 17 | 4 | TR on pile. | |
| 16750 | - LIGHT 6 | 38-08-23.712N 076-29-48.134W | FI R 4s | 15 | 4 | TR on pile. | |
| 16753 | LUNDEBERG SCHOOL BREAKWATER LIGHT A | 38-08-43.800N 076-30-05.040W | FI W 4s | | | | On end of breakwater. Private aid. |
| 16755 | - Day beacon 7 | 38-08-55.902N 076-30-04.545W | | | | SG on pile. | |
| 16757 | - Buoy 9 | 38-09-24.200N 076-30-28.500W | | | | Green can. | Private aid. |
| 16760 | - WEST CHANNEL WARNING LIGHT A | 38-08-00.671N 076-30-15.111W | FI W 4s | 15 | 4 | NW on pile worded DANGER SHOAL. | |
| 16765 | - West Channel Warning Day beacon B | 38-08-05.520N 076-30-06.615W | | | | NW on pile worded DANGER SHOAL. | |
| 16770 | - West Channel Warning Day beacon C | 38-08-14.844N 076-29-55.755W | | | | NW on pile worded DANGER SHOAL. | |
| 16775 | - Channel Day beacon 5 | 38-08-16.806N 076-29-48.272W | | | | SG on pile. | |
| Carthagenia Creek | | | | | | | |
| 16780 | - Day beacon 1 | 38-08-42.797N 076-27-38.319W | | | | SG on pile. | |
| 16785 | - Day beacon 3 | 38-08-54.067N 076-27-51.379W | | | | SG on pile. | |
| 16790 | - LIGHT 4 | 38-09-08.690N 076-28-15.428W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 16795 | - Day beacon 5 | 38-09-18.875N 076-28-12.415W | | | | SG on pile. | |
| CHESAPEAKE BAY TO PINEY POINT (Chart 12233) | | | | | | | |
| 16800 | Potomac River Channel Buoy 9 | 38-03-18.261N 076-27-49.029W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| POTOMAC RIVER (Virginia - Maryland) - Fifth District | | | | | | | |
| CHESAPEAKE BAY TO PINEY POINT (Chart 12233) | | | | | | | |
| Yeocomico River | | | | | | | |
| 16805 | - ENTRANCE LIGHT 2Y | 38-02-25.643N 076-30-01.863W | FI R 4s | 16 | 4 | TR on pile. | Remains of caisson structure at base of pile. |
| 16810 | - LIGHT 3 | 38-01-51.885N 076-32-11.577W | FI G 6s | 16 | 4 | SG on pile. | |
| 16815 | West Yeocomico River Day beacon 4 | 38-01-38.280N 076-32-53.880W | | | | TR on pile. | Private aid. |
| 16820 | - LIGHT 5 | 38-02-15.647N 076-32-54.706W | FI G 4s | 15 | 4 | SG on pile. | |
| 16825 | West Yeocomico River Day beacon 6 | 38-01-40.260N 076-33-13.920W | | | | TR on pile. | Private aid. |
| 16830 | South Yeocomico River Day beacon 2 | 38-01-39.003N 076-32-29.930W | | | | TR on pile. | |
| 16835 | South Yeocomico River Day beacon 4 | 38-00-38.885N 076-32-25.540W | | | | TR on pile. | |
| 16837 | PALMER COVE LIGHT | 38-00-35.000N 076-32-00.000W | FI W 4s | 19 | | Black and white striped lighthouse on multi-pile structure. | Private aid. |
| 16840 | South Yeocomico River Day beacon 6 | 38-00-18.293N 076-32-25.666W | | | | TR on pile. | |
| 16845 | Mill Creek Day beacon 2 (Yeocomico River) | 38-00-22.468N 076-33-20.838W | | | | TR on pile. | Private aid. |
| 16850 | Mill Creek Day beacon 4 (Yeocomico River) | 38-00-13.468N 076-33-38.838W | | | | TR on pile. | Private aid. |
| CHESAPEAKE BAY TO PINEY POINT (Chart 12233) | | | | | | | |
| 16855 | <i>Potomac River Mid-Channel Lighted Whistle Buoy B</i> | 38-06-54.161N 076-31-51.438W | Mo (A) W | | 6 | Red and white stripes. | Replaced by nun when endangered by ice. |
| Piney Point Oil Pier | | | | | | | |
| 16860 | - LIGHT A | 38-07-58.100N 076-31-52.300W | F Y | 26 | | | Private aid. |
| 16865 | - LIGHT B | 38-07-59.620N 076-31-55.410W | F Y | 26 | | | Private aid. |
| 16870 | - LIGHT C | 38-08-00.970N 076-31-57.890W | F Y | 26 | | | Private aid. |
| 16875 | - LIGHT D | 38-08-03.310N 076-32-00.220W | F Y | 26 | | | Private aid. |
| PINEY POINT TO LOWER CEDAR POINT (Chart 12286) | | | | | | | |
| Potomac River | | | | | | | |
| Bonum Creek | | | | | | | |
| <i>Daybeacons located 10 feet outside channel limit.</i> | | | | | | | |
| 16880 | - WARNING LIGHT A | 38-05-54.135N 076-34-47.400W | FI W 2.5s | 15 | 4 | NW on pile worded DANGER SHOALING. | |
| 16882 | - North Jetty Warning Day beacon B | 38-05-53.546N 076-34-48.690W | | | | NW on pile worded DANGER ROCKS. | |
| 16885 | - Warning Day beacon C | 38-05-49.651N 076-34-49.792W | | | | NW on pile, worded DANGER SHOALING. | |
| 16890 | - Warning Day beacon D | 38-05-43.224N 076-34-56.058W | | | | NW on pile worded DANGER SHOALING. | |
| 16895 | - Warning Day beacon E | 38-05-42.789N 076-34-55.216W | | | | NW on pile worded DANGER SHOALING. | |
| 16897 | - Warning Day beacon F | 38-05-32.620N 076-34-58.135W | | | | NW on pile worded DANGER PILE. | |
| 16905 | - Warning Day beacon G | 38-05-31.746N 076-34-59.729W | | | | NW on pile worded DANGER PILE. | |
| 16910 | - Warning Day beacon H | 38-05-29.535N 076-34-54.421W | | | | NW on pile worded DANGER PILE. | |
| 16912 | Maryland Historical Trust Mooring Buoy | 38-08-10.000N 076-33-10.000W | | | | White with blue band. | Maintained from Apr. 1 to Oct. 31. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------------------|---------------------------------|-----------------------|---------------|--------------|--|----------------|
| POTOMAC RIVER (Virginia - Maryland) - Fifth District | | | | | | | |
| PINEY POINT TO LOWER CEDAR POINT (Chart 12286) | | | | | | | |
| Potomac River | | | | | | | |
| Herring Creek | | | | | | | |
| 16915 | - JETTY LIGHT 2 | 38-10-34.344N 076-32-57.336W | FI R 4s | 15 | 3 | TR on skeleton tower. | |
| 16920 | - JETTY LIGHT 1 | 38-10-36.648N 076-32-58.680W | FI G 4s | 15 | 4 | SG on skeleton tower. | |
| 16927 | - Day beacon 4 | 38-10-38.578N 076-32-49.126W | | | | TR on pile. | |
| 16930 | - Day beacon 5 | 38-10-40.523N 076-32-45.853W | | | | SG on pile. | |
| 16935 | - LIGHT 6 | 38-10-44.122N 076-32-34.707W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| Potomac River | | | | | | | |
| <i>Buoys located 140 feet outside channel limit.</i> | | | | | | | |
| 16940 | RAGGED POINT LIGHT | 38-09-16.302N 076-36-04.603W | FI W 6s | 44 | 7 | NG on tower on small white house on piles. | |
| 16955 | - Channel Buoy 10 | 38-11-27.400N 076-35-47.900W | | | | Red nun. | |
| 16960 | - Channel Buoy 11 | 38-10-00.060N 076-38-33.744W | | | | Green can. | |
| 16962 | Cabin Point Creek Day beacon 1 | 38-08-28.700N 076-39-39.400W | | | | SG on pile. | Private aid. |
| 16963 | Cabin Point Creek Day beacon 2 | 38-08-29.400N 076-39-39.500W | | | | TR on pile. | Private aid. |
| Lower Machodoc Creek | | | | | | | |
| 16965 | - LIGHT 1LM | 38-08-26.192N 076-39-00.202W | FI G 4s | 15 | 4 | SG on pile. | |
| 16970 | - Day beacon 2 | 38-08-09.793N 076-38-49.044W | | | | TR on pile. | |
| Glebe Creek | | | | | | | |
| 16971 | - Day beacon 1 | 38-08-02.700N 076-38-58.440W | | | | SG on pile. | Private aid. |
| 16971.5 | - Day beacon 2 | 38-08-02.760N 076-38-59.400W | | | | TR on pile. | Private aid. |
| 16972 | - Day beacon 3 | 38-07-54.600N 076-38-59.760W | | | | SG on pile. | Private aid. |
| 16972.5 | - Day beacon 4 | 38-07-55.080N 076-39-00.120W | | | | TR on pile. | Private aid. |
| 16973 | - Day beacon 5 | 38-07-55.380N 076-39-05.340W | | | | SG on pile. | Private aid. |
| 16973.5 | - Day beacon 6 | 38-07-55.560N 076-39-04.920W | | | | TR on pile. | Private aid. |
| Lower Machodoc Creek | | | | | | | |
| 16975 | - LIGHT 4 | 38-07-28.733N 076-38-21.721W | FI R 4s | 15 | 3 | TR on pile. | |
| 16980 | - Day beacon 6 | 38-07-25.169N 076-38-23.045W | | | | TR on pile. | |
| 16985 | Bransons Cove Day beacon 1B | 38-08-21.204N 076-38-52.743W | | | | SG on pile. | |
| 16990 | BRANSONS COVE LIGHT 3 | 38-08-28.464N 076-38-17.739W | FI G 4s | 15 | 3 | SG on pile. | |
| 16995 | Bransons Cove Day beacon 5 | 38-08-30.396N 076-38-10.593W | | | | SG on pile. | |
| Potomac River | | | | | | | |
| <i>Buoys located 140 feet outside channel limit.</i> | | | | | | | |
| 17000 | - Channel Buoy 12 | 38-12-18.900N 076-40-00.000W | | | | Red nun. | |
| 17005 | Kingcopsico Point Warning Day beacon | 38-09-44.895N 076-42-05.546W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | |
| 17007 | - Channel Buoy 13 | 38-10-48.102N 076-43-38.322W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|------------------------------------|---------------------------------------|
| POTOMAC RIVER (Virginia - Maryland) - Fifth District | | | | | | | |
| PINEY POINT TO LOWER CEDAR POINT (Chart 12286) | | | | | | | |
| Potomac River | | | | | | | |
| Nomini Creek | | | | | | | |
| 17010 | - CHANNEL LIGHT 1 | 38-08-23.383N 076-43-22.695W | FI G 2.5s | 18 | 4 | SG on pile. | |
| 17015 | - Channel Day beacon 2 | 38-08-18.911N 076-43-27.838W | | | | TR on pile. | |
| 17020 | - Channel Day beacon 4 | 38-08-03.606N 076-43-15.882W | | | | TR on pile. | |
| 17023 | - Channel Day beacon 4A | 38-07-57.857N 076-43-10.689W | | | | TR on pile. | |
| 17025 | - CHANNEL LIGHT 5 | 38-07-56.169N 076-43-06.777W | FI G 4s | 15 | 4 | SG on pile. | |
| 17030 | - Channel Day beacon 6 | 38-07-42.312N 076-43-06.435W | | | | TR on pile. | |
| 17035 | - Channel Day beacon 8 | 38-07-22.194N 076-43-03.747W | | | | TR on pile. | |
| 17040 | - Channel Day beacon 10 | 38-07-01.470N 076-42-37.989W | | | | TR on pile. | |
| Breton Bay | | | | | | | |
| 17055 | Heron Island Shoals Junction Buoy HI | 38-12-38.565N 076-42-12.468W | | | | Red and green bands; nun. | |
| 17060 | - ENTRANCE LIGHT 2 | 38-13-36.412N 076-41-40.347W | FI R 4s | 15 | 4 | TR on pile. | |
| 17065 | - Channel Day beacon 4 | 38-14-22.197N 076-41-27.849W | | | | TR on pile. | |
| 17070 | - LIGHT 5 | 38-15-18.442N 076-41-34.605W | FI G 6s | 15 | 4 | SG on pile. | |
| 17075 | COMBS CREEK LIGHT 1C | 38-15-34.385N 076-41-31.068W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 17080 | Combs Creek Day beacon 3 | 38-15-38.468N 076-41-30.457W | | | | SG on pile. | |
| 17085 | Combs Creek Day beacon 4 | 38-15-38.691N 076-41-29.848W | | | | TR on pile. | |
| 17090 | - LIGHT 7 | 38-15-25.295N 076-39-52.147W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 17095 | - Day beacon 7A | 38-15-48.605N 076-39-11.467W | | | | SG on pile. | |
| 17100 | - LIGHT 8 | 38-15-53.969N 076-39-00.361W | FI R 4s | 15 | 4 | TR on pile. | |
| 17105 | - Day beacon 9 | 38-16-00.614N 076-38-43.740W | | | | SG on pile. | |
| 17110 | - Day beacon 11 | 38-16-45.806N 076-37-48.136W | | | | SG on pile. | |
| St. Patrick Creek | | | | | | | |
| <i>Aids located 20 feet outside channel limit.</i> | | | | | | | |
| 17115 | - CHANNEL LIGHT 2SP | 38-13-53.502N 076-44-16.758W | FI R 4s | 16 | 4 | TR on pile. | |
| 17120 | - Channel Warning Day beacon A | 38-13-55.884N 076-44-26.358W | | | | NW on pile worded DANGER SHOAL. | |
| 17123 | - Channel Buoy 3 | 38-13-56.085N 076-44-25.767W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 17125 | - Channel Buoy 3A | 38-13-58.849N 076-44-32.572W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 17130 | - Channel Day beacon 4 | 38-13-59.472N 076-44-33.324W | | | | TR on pile. | |
| 17135 | - Channel Day beacon 5 | 38-14-00.575N 076-44-41.971W | | | | SG on pile. | |
| 17140 | - Channel Day beacon 6 | 38-14-01.900N 076-44-41.539W | | | | TR on pile. | |
| 17145 | - Channel Day beacon 7 | 38-14-03.521N 076-44-49.930W | | | | SG on pile. | |
| 17150 | - Channel Day beacon 8 | 38-14-05.196N 076-44-57.102W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------------------|---------------------------------|-----------------------|---------------|--------------|---|--------------------------------------|
| POTOMAC RIVER (Virginia - Maryland) - Fifth District | | | | | | | |
| PINEY POINT TO LOWER CEDAR POINT (Chart 12286) | | | | | | | |
| Potomac River | | | | | | | |
| St. Clements Bay | | | | | | | |
| 17155 | - Warning Day beacon | 38-13-46.619N 076-43-11.230W | | | | NW on pile worded DANGER SHOALING. | |
| 17160 | - LIGHT 2 | 38-14-28.511N 076-43-26.475W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 17165 | - LIGHT 3 | 38-15-55.058N 076-42-45.300W | FI G 6s | 15 | 4 | SG on pile. | |
| 17170 | - LIGHT 5 | 38-17-13.238N 076-42-50.858W | FI G 4s | 15 | 4 | SG on pile. | |
| Heron Island Bar | | | | | | | |
| 17175 | - Buoy 1 | 38-12-35.666N 076-43-43.072W | | | | Green can. | |
| 17180 | - <i>Lighted Buoy 3</i> | 38-12-48.104N 076-43-57.633W | FI G 4s | | 4 | Green. | Maintained f from Mar. 15 to Dec. 1. |
| 17185 | - Buoy 4 | 38-12-58.611N 076-43-55.987W | | | | Red nun. | Maintained f from Mar. 15 to Dec. 1. |
| 17190 | - Buoy 5 | 38-12-59.374N 076-44-13.745W | | | | Green can. | Maintained f from Mar. 15 to Dec. 1. |
| Dukeharts Channel | | | | | | | |
| 17195 | - Buoy 7 | 38-13-07.473N 076-44-46.470W | | | | Green can. | Maintained f from Mar. 15 to Dec. 1. |
| 17200 | - Day beacon 8 | 38-13-07.031N 076-45-08.727W | | | | TR on pile. | |
| 17205 | - Buoy 9 | 38-13-18.829N 076-45-59.386W | | | | Green can. | Maintained f from Mar. 15 to Dec 1. |
| 17210 | - Buoy 10 | 38-13-12.457N 076-46-23.074W | | | | Red nun. | Maintained f from Mar. 15 to Dec. 1. |
| St. Catherine Sound Lower Entrance | | | | | | | |
| 17215 | - LIGHT 1L | 38-13-35.538N 076-46-51.129W | FI G 4s | 18 | 4 | SG on pile. | |
| 17220 | - Day beacon 2L | 38-13-53.206N 076-47-00.474W | | | | TR on pile. | |
| 17225 | - Day beacon 3L | 38-13-53.741N 076-47-02.658W | | | | SG on pile. | |
| 17230 | - Day beacon 5L | 38-13-58.404N 076-47-08.727W | | | | SG on pile. | |
| 17235 | - Day beacon 6L | 38-14-08.063N 076-47-13.760W | | | | TR on pile. | |
| 17240 | - Warning Day beacon | 38-14-17.586N 076-47-15.562W | | | | NW on pile worded DANGER SHOAL. | |
| 17243 | - Buoy 7L | 38-14-23.379N 076-47-12.244W | | | | Green can. | |
| 17245 | - Day beacon 9L | 38-14-32.841N 076-47-14.761W | | | | SG on pile. | |
| Wicomico River (Lower Potomac River) | | | | | | | |
| 17250 | Wicomico River Junction Buoy WR | 38-14-01.469N 076-49-13.374W | | | | Red and green bands; nun. | |
| 17255 | WICOMICO RIVER ENTRANCE LIGHT 1W | 38-14-29.415N 076-49-28.803W | FI G 4s | 18 | 4 | SG on pile. | |
| 17260 | Wicomico River Warning Day beacon | 38-14-33.449N 076-49-35.596W | | | | NW on multi-pile structure worded DANGER SHOAL. | |
| 17265 | Wicomico River Day beacon 2W | 38-15-13.477N 076-49-28.685W | | | | TR on pile. | |
| St. Catherine Sound Upper Entrance | | | | | | | |
| 17275 | - Warning Day beacon B | 38-15-07.740N 076-48-26.309W | | | | NW on pile worded DANGER SHOAL. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|-------------------------------------|--|
| POTOMAC RIVER (Virginia - Maryland) - Fifth District | | | | | | | |
| PINEY POINT TO LOWER CEDAR POINT (Chart 12286) | | | | | | | |
| St. Catherine Sound Upper Entrance | | | | | | | |
| 17280 | - Warning Day beacon C | 38-15-07.715N 076-48-24.586W | | | | NW on pile worded DANGER SHOAL. | |
| 17285 | - Warning Day beacon D | 38-14-50.212N 076-48-10.520W | | | | NW on pile, worded DANGER SHOAL. | |
| 17290 | - Warning Day beacon E | 38-14-54.017N 076-47-44.212W | | | | NW on pile worded DANGER SHOAL. | |
| Wicomico River (Lower Potomac River) | | | | | | | |
| 17295 | WICOMICO RIVER LIGHT 3W | 38-15-41.160N 076-49-54.150W | FI G 2.5s | 15 | 4 | SG on pile. | |
| St. Catherine Sound Upper Entrance | | | | | | | |
| 17300 | COBB ISLAND LIGHT 2 | 38-15-56.299N 076-50-22.405W | FI R 4s | 15 | 3 | TR on pile. | |
| 17305 | Cobb Island Day beacon 4 | 38-15-55.573N 076-50-26.411W | | | | TR on pile. | |
| Wicomico River (Lower Potomac River) | | | | | | | |
| 17310 | WICOMICO RIVER LIGHT 5W | 38-16-35.144N 076-49-25.725W | FI G 4s | 15 | 4 | SG on pile. | |
| 17312 | WICOMICO RIVER LIGHT 6W | 38-17-04.838N 076-49-23.221W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 17315 | Wicomico River Day beacon 7W | 38-17-51.275N 076-50-13.021W | | | | SG on pile. | |
| 17320 | WICOMICO RIVER LIGHT 9W | 38-19-01.317N 076-50-44.736W | FI G 6s | 15 | 4 | SG on pile. | |
| 17325 | Wicomico River Day beacon 11W | 38-19-24.365N 076-50-52.987W | | | | SG on pile. | |
| 17330 | Wicomico River Day beacon 13W | 38-19-49.934N 076-51-19.604W | | | | SG on pile. | |
| 17335 | Wicomico River Day beacon 14W | 38-19-58.457N 076-51-27.890W | | | | TR on pile. | |
| 17340 | Wicomico River Day beacon 16W | 38-20-48.584N 076-51-04.881W | | | | TR on pile. | |
| 17345 | Wicomico River Day beacon 17W | 38-21-36.392N 076-50-40.840W | | | | SG on pile. | |
| 17350 | Wicomico River Day beacon 19W | 38-21-54.467N 076-51-22.673W | | | | SG on pile. | |
| Potomac River | | | | | | | |
| <i>Buoys located 140 feet outside channel limit.</i> | | | | | | | |
| 17355 | - Mid-Channel Lighted Whistle Buoy C | 38-11-49.668N 076-44-39.573W | Mo (A) W | | 5 | Red and white stripes. | Replaced by can when endangered by ice. |
| 17360 | - Channel Buoy 14 | 38-12-05.467N 076-44-34.573W | | | | Red nun. | |
| 17365 | - Channel Buoy 14A | 38-13-05.367N 076-47-21.380W | | | | Red nun. | |
| 17370 | - Channel Buoy 15 | 38-13-28.467N 076-49-47.085W | | | | Green can. | |
| 17380 | - Channel Lighted Buoy 17 | 38-14-08.400N 076-51-06.700W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 17385 | - Channel Buoy 18 | 38-14-11.566N 076-51-03.638W | | | | Red nun. | |
| 17390 | - Channel Buoy 19 | 38-14-27.756N 076-51-57.290W | | | | Green can. | |
| 17395 | - Channel Buoy 20 | 38-14-31.466N 076-51-54.890W | | | | Red nun. | |
| Neale Sound | | | | | | | |
| 17400 | - CHANNEL LIGHT 2N | 38-16-01.142N 076-52-01.541W | FI R 4s | 15 | 4 | TR on pile. | |
| 17402 | - CHANNEL LIGHT 3 | 38-16-04.764N 076-52-01.756W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 17405 | - Channel Day beacon 4 | 38-16-08.453N 076-51-57.578W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|------------------------------------|--|
| POTOMAC RIVER (Virginia - Maryland) - Fifth District | | | | | | | |
| PINEY POINT TO LOWER CEDAR POINT (Chart 12286) | | | | | | | |
| Potomac River | | | | | | | |
| Neale Sound | | | | | | | |
| 17410 | - CHANNEL LIGHT 6 | 38-16-13.382N 076-51-54.809W | FI R 2.5s | 15 | 3 | TR on pile. | |
| 17412 | - Warning Day beacon | 38-16-16.125N 076-51-50.453W | | | | NW on pile worded DANGER SHOAL. | |
| 17415 | - CHANNEL LIGHT 7 | 38-16-15.723N 076-51-50.669W | FI G 4s | 15 | 3 | SG on pile. | |
| 17420 | - Channel Day beacon 9 | 38-16-10.662N 076-51-36.358W | | | | SG on pile. | |
| 17425 | - Channel Day beacon 11 | 38-16-04.285N 076-51-19.544W | | | | SG on pile. | |
| Potomac River | | | | | | | |
| <i>Buoys located 140 feet outside channel limit.</i> | | | | | | | |
| 17430 | - Channel Lighted Buoy 21 | 38-14-46.766N 076-52-49.091W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 17435 | - Channel Buoy 22 | 38-14-51.066N 076-52-49.292W | | | | Red nun. | |
| 17440 | - Channel Buoy 23 | 38-15-04.086N 076-53-36.013W | | | | Green can. | |
| 17445 | - Channel Buoy 24 | 38-15-07.665N 076-53-33.193W | | | | Red nun. | |
| 17450 | - Channel Lighted Buoy 25 | 38-15-21.365N 076-54-25.894W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 17455 | - Channel Buoy 26 | 38-15-25.865N 076-54-24.094W | | | | Red nun. | |
| 17460 | - Channel Buoy 27 | 38-15-45.764N 076-55-53.496W | | | | Green can. | |
| 17465 | - Channel Buoy 28 | 38-15-39.964N 076-54-59.095W | | | | Red nun. | |
| 17470 | Swan Point Shoal Warning Day beacon | 38-16-46.205N 076-55-28.813W | | | | NW on pile worded DANGER SHOAL. | |
| Mattox Creek | | | | | | | |
| 17475 | - LIGHT 1 | 38-13-17.932N 076-57-23.305W | FI G 4s | 15 | 4 | SG on pile. | |
| 17480 | - Day beacon 2 | 38-13-10.294N 076-57-28.317W | | | | TR on pile. | |
| 17485 | - Day beacon 3 | 38-12-51.299N 076-57-30.363W | | | | SG on pile. | |
| 17490 | - LIGHT 4 | 38-12-29.219N 076-57-41.475W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| Harbor View | | | | | | | |
| 17495 | - Day beacon 6 | 38-12-36.469N 076-58-10.897W | | | | TR on pile. | Private aid. |
| 17500 | - Day beacon 7 | 38-12-36.469N 076-58-34.898W | | | | SG on pile. | Private aid. |
| 17505 | - Day beacon 9 | 38-12-24.469N 076-58-52.898W | | | | SG on pile. | Private aid. |
| 17510 | - Day beacon 11 | 38-12-29.000N 076-58-57.000W | | | | SG on pile. | Private aid. |
| Monroe Creek | | | | | | | |
| 17515 | - ENTRANCE LIGHT 2 | 38-13-55.066N 076-56-57.480W | FI R 4s | 15 | 4 | TR on pile. | |
| 17520 | - ENTRANCE LIGHT 4 | 38-13-40.553N 076-57-53.652W | Q R | 15 | 4 | TR on pile. | |
| 17535 | - Channel Day beacon 6 | 38-14-04.511N 076-57-56.649W | | | | TR on pile. | |
| 17540 | - CHANNEL LIGHT 8 | 38-14-12.782N 076-57-58.012W | FI R 4s | 15 | 4 | TR on pile. | |
| 17545 | - Channel Day beacon 9 | 38-14-14.303N 076-57-59.748W | | | | SG on pile. | |
| 17550 | - Channel Day beacon 10 | 38-14-15.973N 076-57-55.907W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|------------------------|---|
| POTOMAC RIVER (Virginia - Maryland) - Fifth District | | | | | | | |
| PINEY POINT TO LOWER CEDAR POINT (Chart 12286) | | | | | | | |
| Potomac River | | | | | | | |
| Monroe Creek | | | | | | | |
| 17555 | - Channel Day beacon 12 | 38-14-19.763N 076-57-47.117W | | | | TR on pile. | |
| Potomac River | | | | | | | |
| <i>Buoys located 140 feet outside channel limit.</i> | | | | | | | |
| 17560 | Line of Fire Buoy I | 38-14-00.467N 076-48-16.884W | | | | Yellow nun. | On north side of Potomac River between Wicomico River and Swan Point. |
| 17565 | Line of Fire Buoy K | 38-14-38.666N 076-50-44.388W | | | | Yellow nun. | On north side of Potomac River between Wicomico River and Swan Point. |
| 17570 | Line of Fire Buoy S | 38-17-10.462N 076-59-38.902W | | | | Yellow nun. | On north side of Potomac River between Wicomico River and Swan Point. |
| 17575 | Line of Fire Buoy M | 38-15-51.964N 076-53-28.893W | | | | Yellow nun. | On north side of Potomac River between Wicomico River and Swan Point. |
| 17580 | Line of Fire Buoy R | 38-20-10.465N 076-59-03.068W | | | | Yellow nun. | On north side of Potomac River between Wicomico River and Swan Point. |
| 17585 | Line of Fire Buoy O | 38-17-11.062N 076-56-05.797W | | | | Yellow nun. | On north side of Potomac River between Wicomico River and Swan Point. |
| 17590 | Line of Fire Buoy Q | 38-19-05.987N 076-57-05.919W | | | | Yellow nun. | On north side of Potomac River between Wicomico River and Swan Point. |
| 17593 | <i>Swan Point NSWC Dahlgren Lighted Data Buoy A</i> | 38-18-08.352N 076-55-53.514W | FI (4)Y 20s | | | Yellow. | Aid maintained by U.S. Navy. |
| 17595 | Line of Fire Buoy J | 38-12-30.468N 076-52-54.888W | | | | Yellow nun. | On south side of Potomac River between Popes Creek and Rosier Creek. |
| 17600 | Line Of Fire Buoy L | 38-13-36.867N 076-55-15.994W | | | | Yellow nun. | On south side of Potomac River between Popes Creek and Rosier Creek. |
| 17605 | Line of Fire Buoy N | 38-14-53.466N 076-56-57.397W | | | | Yellow nun. | On south side of Potomac river between Popes Creek and Rosier Creek. |
| 17610 | Line of Fire Buoy P | 38-16-58.862N 076-58-45.800W | | | | Yellow nun. | On south side of Potomac River between Popes Creek and Rosier Creek. |
| 17615 | - <i>Mid-Channel Lighted Whistle Buoy D</i> | 38-16-47.962N 076-57-55.699W | Mo (A) W | | 5 | Red and white stripes. | |
| Cuckold Creek | | | | | | | |
| 17620 | - LIGHT 1 | 38-18-48.720N 076-55-49.353W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 17625 | - Day beacon 2 | 38-18-48.617N 076-55-34.255W | | | | TR on pile. | |
| 17630 | - LIGHT 3 | 38-18-49.880N 076-55-21.523W | FI G 4s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|-------------------------------|---|
| POTOMAC RIVER (Virginia - Maryland) - Fifth District | | | | | | | |
| PINEY POINT TO LOWER CEDAR POINT (Chart 12286) | | | | | | | |
| Potomac River | | | | | | | |
| <i>Buoys located 140 feet outside channel limit.</i> | | | | | | | |
| 17635 | - Channel Lighted Buoy 29 | 38-18-30.459N 076-59-28.902W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| Upper Machodoc Creek Dahlgren Channel | | | | | | | |
| 17640 | - Buoy 2 | 38-18-34.959N 076-59-50.403W | | | | Red nun. | |
| 17655 | - Buoy 4 | 38-18-40.559N 077-00-26.104W | | | | Red nun. | |
| 17660 | - Buoy 6 | 38-18-46.958N 077-01-00.905W | | | | Red nun. | |
| 17665 | - Day beacon 8 10 feet outside channel limit. | 38-18-55.326N 077-01-49.365W | | | | TR on pile. | |
| 17670 | - Day beacon 9 10 feet outside channel limit. | 38-18-53.429N 077-01-59.098W | | | | SG on pile. | |
| 17675 | - LIGHT 11 | 38-18-56.620N 077-02-04.870W | FI G 2.5s | 15 | 4 | SG on pile. | |
| Baber Point | | | | | | | |
| 17680 | - Channel Buoy 2 | 38-18-04.460N 077-00-39.904W | | | | Red nun. | |
| 17685 | - Channel Buoy 4 | 38-18-25.459N 077-01-06.905W | | | | Red nun. | |
| 17690 | - LIGHT 5 | 38-18-42.680N 077-01-34.902W | FI G 4s | 15 | 4 | SG on pile. | |
| 17695 | - Channel Junction Day beacon BP | 38-18-50.439N 077-01-37.901W | | | | JG on pile. | |
| Potomac River | | | | | | | |
| <i>Buoys located 140 feet outside channel limit.</i> | | | | | | | |
| 17700 | - CHANNEL LIGHT 30 | 38-19-43.425N 076-59-00.831W | FI R 4s | 29 | 5 | TR on caisson. | |
| 17705 | - Channel Buoy 32 | 38-19-54.457N 076-59-11.902W | | | | Red nun. | |
| 17710 | - CHANNEL LIGHT 33 | 38-20-24.287N 076-59-36.592W | FI G 2.5s | 38 | 5 | SG on skeleton tower on pile. | |
| 17715 | PEPCO INTAKE CHANNEL BAFFLE WALL LIGHT A | 38-21-30.454N 076-58-40.902W | FI Y 2.5s | 8 | | On pile. | Private aid. |
| 17720 | PEPCO DISCHARGE CHANNEL RETAINING WALL LIGHT B | 38-21-30.454N 076-58-46.902W | FI Y 2.5s | 8 | | On pile. | Private aid. |
| 17725 | PEPCO TURNING DOLPHIN LIGHT C | 38-21-30.454N 076-58-46.902W | FI Y 2.5s | 15 | | On dolphin. | Private aid. |
| 17730 | PEPCO DISCHARGE CHANNEL RETAINING WALL LIGHT D | 38-21-42.453N 076-58-58.902W | FI Y 2.5s | 10 | | On pile. | Private aid. |
| 17735 | - Channel Buoy 35 | 38-21-12.454N 076-59-28.903W | | | | Green can. | |
| LOWER CEDAR POINT TO MATTAWOMAN CREEK (Chart 12288) | | | | | | | |
| Potomac River | | | | | | | |
| 17740 | - Bridge East Pier Fog Signal | 38-21-45.200N 076-59-21.300W | | | | | BELL : 2 strokes ev 20s. Activated during low visibility. |
| 17745 | - Bridge West Pier Fog Signal | 38-21-44.000N 076-59-31.700W | | | | | Private aid. BELL : 1 stroke ev 20s. Activated during low visibility. Private aid. |
| Upper Potomac River | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 17750 | - Channel Buoy 1 | 38-22-13.452N 076-59-42.904W | | | | Green can. | |
| 17755 | - Channel Lighted Buoy 2 | 38-24-12.549N 077-00-33.906W | FI R 4s | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---------------------------------------|---------------------------------|-----------------------|---------------|--------------|--|--|
| POTOMAC RIVER (Virginia - Maryland) - Fifth District | | | | | | | |
| LOWER CEDAR POINT TO MATTAWOMAN CREEK (Chart 12288) | | | | | | | |
| Upper Potomac River | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 17760 | Mathias Point Warning Day beacon | 38-23-34.494N 077-01-22.866W | | | | NW on pile worded DANGER ROCK. | |
| 17765 | - CHANNEL LIGHT 6 | 38-24-46.419N 077-02-19.539W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| Port Tobacco River | | | | | | | |
| 17770 | - LIGHT 1 | 38-26-37.782N 077-01-54.716W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 17775 | - Day beacon 3 | 38-27-45.259N 077-02-10.133W | | | | SG on pile. | |
| 17780 | - Day beacon 4 | 38-28-38.014N 077-02-04.951W | | | | TR on pile. | |
| 17785 | - Day beacon 6 | 38-28-58.903N 077-01-35.957W | | | | TR on pile. | |
| 17795 | - Day beacon 8 | 38-29-36.200N 077-01-27.577W | | | | TR on pile. | |
| 17805 | - Day beacon 10 | 38-29-43.496N 077-01-32.114W | | | | TR on pile. | |
| 17810 | - Day beacon 11 | 38-29-43.688N 077-01-32.961W | | | | SG on pile. | |
| Upper Potomac River | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 17815 | - CHANNEL LIGHT 5 | 38-24-18.775N 077-02-33.965W | FI G 6s | 44 | 4 | SG on skeleton tower with small white house on piles. | |
| 17820 | - Channel Buoy 7 | 38-23-43.449N 077-04-33.912W | | | | Green can. | |
| 17825 | - CHANNEL LIGHT 8 | 38-24-09.311N 077-04-57.239W | FI R 6s | 15 | 4 | TR on multi-pile structure. | |
| Nanjemoy Creek | | | | | | | |
| 17830 | - Jurisdiction Line Buoy PRM 8B | 38-23-55.436N 077-06-46.784W | | | | White with orange bands; spar. | Priv ate aid. |
| 17835 | - Buoy 2 | 38-26-48.100N 077-07-29.000W | | | | Red nun. | Priv ate aid. |
| 17840 | - Buoy 4 | 38-26-38.600N 077-08-00.600W | | | | Red nun. | Priv ate aid. |
| 17845 | - Buoy 5 | 38-26-40.700N 077-08-20.700W | | | | Green can. | Priv ate aid. |
| 17850 | - Buoy 6 | 38-26-46.500N 077-08-29.200W | | | | Red nun. | Priv ate aid. |
| 17860 | - Buoy 9 | 38-27-13.000N 077-09-02.300W | | | | Green can. | Priv ate aid. |
| Upper Potomac River | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 17865 | - Channel Lighted Buoy 11 | 38-23-29.880N 077-06-45.956W | FI G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 17870 | - Channel Lighted Buoy 13 | 38-23-17.649N 077-07-50.217W | Q G | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 17875 | Riv erside Warning Day beacon | 38-23-08.646N 077-08-41.499W | | | | NW on pile worded DANGER PILES. | |
| 17880 | - CHANNEL LIGHT 15 | 38-22-32.690N 077-08-36.232W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 17882 | Metompkin Point Warning Day beacon | 38-22-31.941N 077-08-35.461W | | | | NW on pile worded DANGER ROCKS. | Marks rip-rap from previous Lighthouse. |
| 17885 | - Channel Buoy 16 | 38-22-00.851N 077-10-14.820W | | | | Red nun. | |
| 17890 | - Channel Lighted Buoy 18 | 38-21-19.852N 077-11-17.621W | FI R 4s | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|------------------------------|---------------|-------------------|--|--|
| POTOMAC RIVER (Virginia - Maryland) - Fifth District | | | | | | | |
| LOWER CEDAR POINT TO MATTAWOMAN CREEK (Chart 12288) | | | | | | | |
| Upper Potomac River | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 17895 | MARYLAND POINT LIGHT | 38-20-59.059N 077-11-51.276W | FI W 6s (2 R sectors) | 42 | W 6 R 5 R 5 | NB on skeleton tower and small white house on piles. | Red from 243° to 285° and 063° to 105°. |
| 17900 | - Channel Buoy 19 | 38-21-07.452N 077-12-16.923W | | | | Green can. | |
| 17905 | - Channel Lighted Buoy 21 | 38-21-07.952N 077-12-50.924W | FI G 4s | | 5 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 17910 | - Channel Lighted Buoy 22 75 feet outside channel limit. | 38-21-26.451N 077-13-45.925W | FI R 4s | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| Potomac Creek | | | | | | | |
| 17915 | - LIGHT 2PC | 38-20-38.187N 077-16-40.154W | FI R 4s | 15 | 4 | TR on pile. | |
| 17920 | - Buoy 3 | 38-20-48.842N 077-17-17.315W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| Upper Potomac River | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 17950 | - Channel Lighted Buoy 23 | 38-21-52.750N 077-14-45.527W | FI G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 17955 | - Channel Buoy 24 | 38-21-56.450N 077-14-40.927W | | | | Red nun. | |
| 17960 | - Channel Buoy 26 | 38-23-08.448N 077-15-25.928W | | | | Red nun. | |
| 17965 | Marlboro Point Warning Day beacon | 38-22-24.311N 077-17-52.951W | | | | NW on pile worded DANGER PILES. | |
| Aquia Creek | | | | | | | |
| 17970 | - LIGHT 2 | 38-22-56.039N 077-18-14.533W | FI R 4s | 15 | 3 | TR on multi-pile structure. | |
| 17975 | - LIGHT 3 | 38-23-28.072N 077-18-41.791W | Q G | 15 | 3 | SG on pile. | |
| 17980 | - Warning Day beacon A | 38-23-30.821N 077-18-46.101W | | | | NW on pile worded DANGER SUBMERGED PILES. | |
| 17985 | - Warning Day beacon C | 38-23-30.935N 077-18-47.703W | | | | NW on pile worded DANGER SUBMERGED PILES. | |
| 17990 | - Day beacon 5 | 38-23-32.730N 077-18-47.853W | | | | SG on pile. | |
| 17995 | - LIGHT 6 | 38-23-38.978N 077-18-46.094W | FI R 2.5s | 15 | 3 | TR on pile. | |
| 18000 | - Day beacon 8 | 38-23-39.629N 077-18-51.819W | | | | TR on pile. | |
| 18005 | - LIGHT 10 | 38-23-39.344N 077-19-01.687W | FI R 4s | 15 | 3 | TR on pile. | |
| 18010 | - LIGHT 12 | 38-24-01.463N 077-19-46.209W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 18012 | - Day beacon 13 | 38-25-25.000N 077-21-19.000W | | | | SG on pile. | Private aid. |
| 18012.1 | - Day beacon 14 | 38-25-26.000N 077-21-20.000W | | | | TR on pile. | Private aid. |
| 18012.2 | - Day beacon 15 | 38-25-32.000N 077-21-23.000W | | | | SG on pile. | Private aid. |
| 18012.3 | - Day beacon 16 | 38-25-37.000N 077-21-24.000W | | | | TR on pile. | Private aid. |
| 18012.4 | - Day beacon 17 | 38-25-41.000N 077-21-27.000W | | | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|------------------|--|
| POTOMAC RIVER (Virginia - Maryland) - Fifth District | | | | | | | |
| LOWER CEDAR POINT TO MATTAWOMAN CREEK (Chart 12288) | | | | | | | |
| Upper Potomac River | | | | | | | |
| Aquia Creek | | | | | | | |
| 18012.5 | - Day beacon 18 | 38-25-46.000N 077-21-30.000W | | | | TR on pile. | Private aid. |
| 18012.6 | - Day beacon 18A | 38-25-57.000N 077-21-39.000W | | | | TR on pile. | Private aid. |
| 18012.7 | - Day beacon 19 | 38-25-53.000N 077-21-35.000W | | | | SG on pile. | Private aid. |
| 18012.8 | - Day beacon 19A | 38-25-56.000N 077-21-40.000W | | | | SG on pile. | Private aid. |
| 18012.9 | - Day beacon 20 | 38-26-01.000N 077-21-44.000W | | | | TR on pile. | Private aid. |
| 18013 | - Day beacon 21 | 38-26-05.000N 077-21-47.000W | | | | SG on pile. | Private aid. |
| 18013.1 | - Day beacon 22 | 38-26-08.000N 077-21-50.000W | | | | TR on pile. | Private aid. |
| 18013.2 | - Day beacon 23 | 38-26-12.000N 077-21-54.000W | | | | SG on pile. | Private aid. |
| 18013.3 | - Day beacon 24 | 38-26-16.000N 077-22-00.400W | | | | TR on pile. | Private aid. |
| 18013.4 | - Day beacon 25 | 38-26-25.000N 077-22-10.000W | | | | SG on pile. | Private aid. |
| 18013.5 | - Day beacon 26 | 38-26-27.000N 077-22-15.000W | | | | TR on pile. | Private aid. |
| 18013.6 | - Day beacon 27 | 38-26-25.000N 077-22-10.000W | | | | SG on pile. | Private aid. |
| 18013.7 | - Day beacon 28 | 38-26-25.000N 077-22-26.000W | | | | TR on pile. | Private aid. |
| 18013.8 | - Day beacon 29 | 38-26-50.000N 077-23-05.000W | | | | SG on pile. | Private aid. |
| 18013.9 | - Day beacon 30 | 38-26-45.000N 077-23-00.000W | | | | TR on pile. | Private aid. |
| 18014 | - Day beacon 31 | 38-26-45.000N 077-22-45.000W | | | | SG on pile. | Private aid. |
| 18014.1 | - Day beacon 32 | 38-26-45.000N 077-22-40.000W | | | | TR on pile. | Private aid. |
| 18014.2 | - Day beacon 33 | 38-27-00.000N 077-22-45.000W | | | | SG on pile. | Private aid. |
| 18014.3 | - Day beacon 34 | 38-27-09.000N 077-22-45.000W | | | | TR on pile. | Private aid. |
| Upper Potomac River | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 18015 | - Channel Lighted Buoy 27 | 38-24-12.347N 077-16-08.329W | FI G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18020 | - Channel Buoy 28 | 38-24-12.947N 077-16-02.029W | | | | Red nun. | |
| 18025 | - Channel Buoy 30 | 38-24-43.446N 077-16-06.929W | | | | Red nun. | |
| 18030 | CLIFTON BEACH LIGHT | 38-24-56.784N 077-15-56.672W | FI W 4s | 20 | 6 | NR on pile. | |
| 18035 | - Channel Buoy 32 | 38-25-34.445N 077-16-10.929W | | | | Red nun. | |
| 18040 | - Channel Lighted Buoy 33 | 38-26-24.743N 077-16-19.930W | Q G | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18045 | - Channel Buoy 34 | 38-26-24.443N 077-16-15.930W | | | | Red nun. | |
| 18050 | - Channel Buoy 40 | 38-28-13.541N 077-16-27.930W | | | | Red nun. | |
| 18052 | <i>Mallows Bay Lighted Data Buoy A</i> | 38-28-13.020N 077-16-21.960W | FI Y 4s | | | Yellow. | Aid maintained by State DOT Private aid. |
| 18055 | - Channel Buoy 41 | 38-29-45.438N 077-16-44.931W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| POTOMAC RIVER (Virginia - Maryland) - Fifth District | | | | | | | |
| LOWER CEDAR POINT TO MATTAWOMAN CREEK (Chart 12288) | | | | | | | |
| Upper Potomac River | | | | | | | |
| Chopawamsic Creek | | | | | | | |
| 18060 | - Warning Buoy A | 38-29-49.740N 077-18-24.840W | | | | White with orange band worded CAUTION JET BLAST. | Aid maintained by U.S. Marine Corps. |
| 18061 | - Warning Buoy B | 38-29-50.040N 077-18-27.420W | | | | White with orange band worded CAUTION JET BLAST. | Aid maintained by U.S. Marine Corps. |
| Upper Potomac River | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 18065 | - Channel Buoy 43 | 38-31-09.336N 077-16-36.132W | | | | Green can. | |
| 18075 | POSSUM POINT PIER LIGHT | 38-32-12.000N 077-16-37.000W | FI Y 4s | 11 | | On pier. | Private aid. |
| 18080 | MOSS POINT- POSSUM POINT LIGHT A | 38-31-42.000N 077-15-26.000W | FI Y 4s | 15 | | On powerline tower on concrete platform. | Private aid. |
| 18085 | MOSS POINT- POSSUM POINT LIGHT B | 38-31-54.000N 077-15-36.000W | FI Y 2.5s | 15 | | On powerline tower on concrete platform. | Private aid. |
| 18090 | POTOMAC RIVER LIGHT 43A | 38-32-21.500N 077-15-56.900W | Q G | 20 | | SG on powerline tower on concrete platform. | Private aid. |
| 18095 | POTOMAC RIVER LIGHT 44 | 38-32-09.500N 077-15-46.900W | Q R | 20 | | TR on powerline tower on concrete platform. | Private aid. |
| 18100 | MOSS POINT- POSSUM POINT LIGHT C | 38-32-36.000N 077-16-10.000W | FI Y 2.5s | 15 | | On powerline tower on concrete platform. | Private aid. |
| 18105 | MOSS POINT- POSSUM POINT LIGHT D | 38-32-48.000N 077-16-20.000W | FI Y 4s | 15 | | On powerline tower on concrete platform. | Private aid. |
| Mattawoman Creek | | | | | | | |
| 18125 | - Day beacon 1 | 38-33-31.555N 077-12-45.570W | | | | SG on pile. | |
| 18130 | - LIGHT 3 | 38-33-40.994N 077-12-02.182W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 18135 | - LIGHT 5 | 38-33-55.814N 077-11-39.850W | FI G 4s | 15 | 4 | SG on pile. | |
| 18140 | - Day beacon 6 | 38-33-48.634N 077-11-28.306W | | | | TR on pile. | |
| Upper Potomac River | | | | | | | |
| <i>Channel buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 18145 | STUMP NECK FENDER LIGHT 1 | 38-33-13.700N 077-14-07.900W | Q G | 15 | 4 | SG on pile. | Aid maintained by U.S. Navy. |
| 18150 | STUMP NECK FENDER LIGHT 2 | 38-33-13.500N 077-14-05.900W | Q R | 15 | 4 | TR on pile. | Aid maintained by U.S. Navy. |
| 18155 | - <i>Channel Lighted Buoy 45</i> 165 feet outside channel limit. | 38-33-38.330N 077-14-07.431W | FI G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18160 | - Channel Buoy 46 | 38-33-35.430N 077-14-04.431W | | | | Red nun. | |
| Leesylvania Park | | | | | | | |
| 18165 | - LIGHT 1 | 38-35-04.128N 077-15-22.134W | FI G 2.5s | 12 | | SG on pile. | Private aid. |
| 18170 | - LIGHT 2 | 38-35-11.627N 077-15-10.834W | FI R 2.5s | 12 | | TR on pile. | Private aid. |
| 18175 | - Day beacon 3 | 38-35-07.628N 077-15-17.534W | | | | SG on pile. | Private aid. |
| 18180 | - Day beacon 4 | 38-35-09.128N 077-15-15.334W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|--|
| POTOMAC RIVER (Virginia - Maryland) - Fifth District | | | | | | | |
| LOWER CEDAR POINT TO MATTAWOMAN CREEK (Chart 12288) | | | | | | | |
| Upper Potomac River | | | | | | | |
| Leesylvania Park | | | | | | | |
| 18185 | Leesylvania Park Day beacon 5 | 38-35-10.328N 077-15-13.434W | | | | SG on pile. | Private aid. |
| 18190 | Leesylvania Park Day beacon 6 | 38-35-06.228N 077-15-19.534W | | | | TR on pile. | Private aid. |
| 18195 | Leesylvania Park Warning Day beacon A | 38-35-14.027N 077-15-10.834W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid. |
| 18200 | - Warning Day beacon B | 38-35-13.827N 077-15-11.634W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid. |
| 18205 | - Warning Day beacon C | 38-35-09.328N 077-15-14.134W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid. |
| 18210 | - Warning Day beacon D | 38-35-09.828N 077-15-14.634W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid. |
| 18215 | - Warning Day beacon E | 38-35-06.628N 077-15-18.234W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid. |
| 18220 | - Warning Day beacon F | 38-35-07.128N 077-15-18.734W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid. |
| 18225 | - Warning Day beacon G | 38-35-04.928N 077-15-23.334W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid. |
| 18230 | - Warning Day beacon H | 38-35-04.328N 077-15-23.534W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | Private aid. |
| MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289) | | | | | | | |
| Upper Potomac River | | | | | | | |
| 18235 | - Channel Lighted Buoy 47 | 38-34-19.429N 077-13-26.430W | FI G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18240 | Cornwallis Neck Warning Buoy A | 38-34-35.429N 077-12-22.929W | | | | Yellow can. | |
| 18245 | Cornwallis Neck Warning Buoy B | 38-36-08.426N 077-10-58.927W | | | | Yellow can. | |
| 18250 | - Channel Buoy 49 | 38-35-01.428N 077-12-43.830W | | | | Green can. | |
| 18251 | Neabsco Creek Channel Lighted Buoy 1 | 38-35-45.848N 077-14-45.018W | FI G 4s | | | Green. | Maintained from Mar. 15 to Dec. 15. Private aid. |
| 18251.1 | Neabsco Creek Channel Lighted Buoy 2 | 38-35-46.406N 077-14-44.506W | FI R 4s | | | Red. | Maintained from Mar. 15 to Dec. 15. Private aid. |
| 18251.2 | Neabsco Creek Channel Lighted Buoy 3 | 38-35-58.631N 077-15-11.481W | FI G 2.5s | | | Green. | Maintained from Mar. 15 to Dec. 15. Private aid. |
| 18251.3 | Neabsco Creek Channel Lighted Buoy 4 | 38-35-59.250N 077-15-11.362W | FI R 2.5s | | | Red. | Maintained from Mar. 15 to Dec. 15. Private aid. |
| 18255 | - Channel Lighted Buoy 51 165 feet outside channel limit. | 38-35-41.827N 077-12-02.429W | FI G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18260 | - Channel Buoy 52 | 38-35-41.127N 077-11-56.429W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|------------------|----------------|
| POTOMAC RIVER (Virginia - Maryland) - Fifth District | | | | | | | |
| MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289) | | | | | | | |
| Occoquan River | | | | | | | |
| Massey Creek | | | | | | | |
| 18265 | OCOQUAN RIVER CHANNEL LIGHT 2 | 38-37-24.168N 077-12-47.749W | FI R 4s | 15 | 4 | TR on pile. | |
| 18270 | Occoquan River Channel Day beacon 4 | 38-37-46.487N 077-12-54.748W | | | | TR on pile. | |
| 18275 | OCOQUAN RIVER CHANNEL LIGHT 6 | 38-38-24.498N 077-13-08.048W | FI R 4s | 15 | 4 | TR on pile. | |
| 18280 | Occoquan River Channel Day beacon 7 | 38-38-26.136N 077-13-11.637W | | | | SG on pile. | |
| 18281 | - LIGHT 1MC | 38-38-58.520N 077-13-22.210W | Q G | 8 | | SG on pile. | Private aid. |
| 18281.2 | - LIGHT 2MC | 38-38-57.830N 077-13-21.540W | Q R | 8 | | TR on pile. | Private aid. |
| 18281.3 | - Day beacon 3 | 38-39-02.390N 077-13-22.080W | | | | SG on pile. | Private aid. |
| 18281.4 | - Day beacon 4 | 38-39-02.390N 077-13-21.540W | | | | TR on pile. | Private aid. |
| 18281.5 | - Day beacon 5 | 38-39-08.700N 077-13-22.080W | | | | SG on pile. | Private aid. |
| 18281.6 | - Day beacon 6 | 38-39-08.760N 077-13-21.660W | | | | TR on pile. | Private aid. |
| 18281.7 | - Day beacon 7 | 38-39-13.910N 077-13-22.310W | | | | SG on pile. | Private aid. |
| 18281.8 | - Day beacon 8 | 38-39-14.020N 077-13-21.370W | | | | TR on pile. | Private aid. |
| 18281.9 | - Day beacon 9 | 38-39-16.440N 077-13-22.310W | | | | SG on pile. | Private aid. |
| 18282 | - Day beacon 10 | 38-39-16.500N 077-13-21.780W | | | | TR on pile. | Private aid. |
| 18282.1 | - LIGHT 11 | 38-39-20.090N 077-13-22.680W | FI G 2s | 8 | | SG on pile. | Private aid. |
| 18282.2 | - LIGHT 12 | 38-39-20.520N 077-13-22.370W | FI R 2s | 8 | | TR on pile. | Private aid. |
| 18282.3 | - Day beacon 13 | 38-39-23.750N 077-13-27.170W | | | | SG on pile. | Private aid. |
| 18282.4 | - Day beacon 14 | 38-39-23.930N 077-13-26.930W | | | | TR on pile. | Private aid. |
| 18282.5 | - Day beacon 15 | 38-39-25.860N 077-13-30.410W | | | | SG on pile. | Private aid. |
| 18282.6 | - LIGHT 16 | 38-39-26.390N 077-13-30.410W | FI R 4s | 8 | | TR on pile. | Private aid. |
| 18282.7 | - LIGHT 17 | 38-39-26.270N 077-13-31.080W | FI G 4s | 8 | | SG on pile. | Private aid. |
| 18282.8 | - LIGHT 22 | 38-39-39.120N 077-13-26.690W | FI R 6s | 8 | | TR on pile. | Private aid. |
| 18282.9 | - LIGHT 23 | 38-39-39.410N 077-13-27.230W | FI G 6s | 8 | | SG on pile. | Private aid. |
| 18290 | OCOQUAN RIVER CHANNEL LIGHT 9 | 38-38-57.449N 077-13-25.204W | FI G 4s | 15 | 4 | SG on pile. | |
| 18293 | Occoquan River Channel Day beacon 10 | 38-39-00.263N 077-13-23.548W | | | | TR on pile. | |
| 18295 | OCOQUAN RIVER CHANNEL LIGHT 12 | 38-39-26.728N 077-13-57.301W | FI R 4s | 15 | 4 | TR on pile. | |
| 18297 | Occoquan River Channel Day beacon 13 | 38-39-34.176N 077-14-04.351W | | | | SG on pile. | |
| 18300 | OCOQUAN RIVER CHANNEL LIGHT 14 | 38-39-43.733N 077-14-06.076W | FI R 4s | 15 | 4 | TR on pile. | |
| 18305 | Occoquan River Channel Day beacon 15 | 38-39-51.629N 077-14-15.316W | | | | SG on pile. | |
| 18306 | Occoquan River Channel Day beacon 16 | 38-40-44.354N 077-15-09.253W | | | | TR on pile. | |
| 18307 | Occoquan River Channel Day beacon 17 | 38-40-55.122N 077-15-19.721W | | | | SG on pile.. | |
| 18308 | Occoquan River Channel Day beacon 19 | 38-40-59.850N 077-15-23.809W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---------------------------|---------------------------------|-----------------------|---------------|--------------|--|--|
| POTOMAC RIVER (Virginia - Maryland) - Fifth District | | | | | | | |
| MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289) | | | | | | | |
| Upper Potomac River | | | | | | | |
| 18315 | - Channel Buoy 54 | 38-36-28.425N 077-10-23.927W | | | | Red nun. | |
| 18325 | - Channel Lighted Buoy 55 | 38-36-52.225N 077-08-25.823W | FI G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18330 | - CHANNEL LIGHT 56 | 38-36-40.505N 077-08-18.544W | FI R 4s | 15 | 4 | TR on small white house, red cylindrical base. Green can. | |
| 18335 | - Channel Buoy 57 | 38-37-18.624N 077-07-52.423W | | | | | |
| 18340 | - Channel Buoy 58 | 38-37-19.764N 077-07-34.592W | | | | Red nun. | |
| 18345 | - Channel Lighted Buoy 59 | 38-37-49.723N 077-07-37.022W | FI G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18350 | - Channel Lighted Buoy 60 | 38-37-38.424N 077-07-20.122W | FI R 4s | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18360 | - Channel Buoy 61 | 38-38-20.172N 077-07-34.393W | | | | Green can. | |
| 18365 | - Channel Lighted Buoy 62 | 38-39-28.520N 077-07-54.924W | FI R 2.5s | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18370 | - Channel Lighted Buoy 64 | 38-40-06.919N 077-07-53.024W | FI R 4s | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18375 | WHITESTONE POINT LIGHT | 38-41-04.512N 077-07-23.454W | Iso W 6s | 17 | 7 | NW on silver tower. | Obscured from 035° to 170°. |
| 18380 | - Channel Buoy 66 | 38-40-58.418N 077-07-06.203W | | | | Red nun. | |
| 18385 | - Channel Lighted Buoy 67 | 38-41-27.041N 077-06-36.888W | FI G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18390 | - Channel Buoy 69 | 38-41-36.417N 077-05-49.721W | | | | Green can. | |
| 18395 | - Channel Lighted Buoy 71 | 38-41-45.117N 077-05-12.320W | FI G 2.5s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| Mount Vernon Cut | | | | | | | |
| 18400 | - Buoy 1 | 38-41-53.016N 077-05-13.570W | | | | Green can. | |
| 18405 | - Buoy 2 | 38-41-53.282N 077-05-10.252W | | | | Red nun. | |
| 18410 | - Buoy 3 | 38-42-05.692N 077-05-15.537W | | | | Green can. | |
| 18415 | - Buoy 4 | 38-42-06.339N 077-05-14.124W | | | | Red nun. | |
| Little Hunting Creek | | | | | | | |
| <i>Aids maintained from May 1 to Nov. 15.</i> | | | | | | | |
| 18420 | - Buoy 1 | 38-42-14.820N 077-05-10.500W | | | | Green can. | Private aid. |
| 18425 | - Buoy 2 | 38-42-13.560N 077-05-09.840W | | | | Red nun. | Private aid. |
| 18430 | - Lighted Buoy 4 | 38-42-19.680N 077-04-58.140W | FI R 2.5s | | | Red. | Private aid. |
| 18435 | - Lighted Buoy 5 | 38-42-25.200N 077-04-50.880W | Q G | | | Green. | Private aid. |
| 18437 | - Buoy 6 | 38-42-30.420N 077-04-43.800W | | | | Red nun. | Private aid. |
| 18440 | - Buoy 7 | 38-42-31.020N 077-04-44.520W | | | | Green can. | Private aid. |
| 18445 | - Lighted Buoy 8 | 38-42-35.880N 077-04-38.040W | Q R | | | Red. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---------------------------|---------------------------------|-----------------------|---------------|--------------|------------------------------------|--|
| POTOMAC RIVER (Virginia - Maryland) - Fifth District | | | | | | | |
| MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289) | | | | | | | |
| Upper Potomac River | | | | | | | |
| Little Hunting Creek | | | | | | | |
| <i>Aids maintained from May 1 to Nov. 15.</i> | | | | | | | |
| 18450 | - Buoy 9 | 38-42-41.700N 077-04-32.880W | | | | Green can. | Private aid. |
| 18455 | - Buoy 10 | 38-42-41.280N 077-04-32.280W | | | | Red nun. | Private aid. |
| 18460 | - Lighted Buoy 11 | 38-42-45.000N 077-04-29.340W | Q G | | | Green. | Private aid. |
| 18465 | - Buoy 12 | 38-42-44.640N 077-04-28.560W | | | | Red nun. | Private aid. |
| 18475 | - LIGHT 14 | 38-42-47.820N 077-04-24.660W | FI R 2.5s | | | TR on pile. | Private aid. |
| 18477 | - Buoy 15 | 38-42-51.000N 077-04-22.980W | | | | Green can. | Private aid. |
| 18480 | - Buoy 16 | 38-42-51.660N 077-04-21.420W | | | | Red nun. | Private aid. |
| 18485 | - Buoy 17 | 38-42-56.220N 077-04-23.400W | | | | Green can. | Private aid. |
| 18490 | - Lighted Buoy 18 | 38-43-00.660N 077-04-27.360W | FI R 2s | | | Red. | Private aid. |
| 18491 | - Buoy 18A | 38-42-56.460N 077-04-22.980W | | | | Red nun. | Private aid. |
| 18495 | - Buoy 19 | 38-43-02.880N 077-04-31.440W | | | | Green can. | Private aid. |
| Upper Potomac River | | | | | | | |
| 18500 | - Channel Buoy 73 | 38-42-00.416N 077-04-09.918W | | | | Green can. | |
| 18505 | - Channel Buoy 76 | 38-42-15.606N 077-02-49.085W | | | | Red nun. | |
| 18510 | - Channel Lighted Buoy 77 | 38-42-22.416N 077-02-52.916W | FI G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| Little Hunting Creek Northern Extension | | | | | | | |
| <i>Aids maintained from May 1 to Nov. 15.</i> | | | | | | | |
| 18511.1 | - Lighted Buoy 1A | 38-42-24.420N 077-03-25.080W | Q G | | | Green. | Private aid. |
| 18511.2 | - Buoy 2A | 38-42-25.620N 077-03-25.020W | | | | Red nun. | Private aid. |
| 18511.3 | - Buoy 3A | 38-42-20.580N 077-03-49.140W | | | | Green can. | Private aid. |
| 18511.4 | - Buoy 4A | 38-42-22.200N 077-03-49.620W | | | | Red nun. | Private aid. |
| 18511.5 | - Buoy 5A | 38-42-15.420N 077-04-19.440W | | | | Green can. | Private aid. |
| 18511.6 | - Buoy 6A | 38-42-17.940N 077-04-12.480W | | | | Red nun. | Private aid. |
| 18511.7 | - Lighted Buoy 7A | 38-42-16.620N 077-04-30.360W | FI G 2s | | | Green. | Private aid. |
| Piscataway Creek | | | | | | | |
| 18515 | - LIGHT 2P | 38-42-25.894N 077-02-18.514W | FI R 4s | 15 | 4 | TR on pile. | |
| 18520 | - Day beacon 4 | 38-42-15.984N 077-02-03.480W | | | | TR on pile. | |
| 18525 | - Day beacon 6 | 38-42-05.838N 077-01-48.049W | | | | TR on pile. | |
| 18530 | - Day beacon 7 | 38-00-42.554N 076-00-00.403W | | | | SG on pile. | Private aid. |
| 18535 | - Day beacon 8 | 38-00-42.524N 076-00-00.393W | | | | TR on pile. | Private aid. |
| 18540 | - Warning Day beacon A | 38-00-42.575N 077-00-00.404W | | | | NW on pile worded DANGER SHOAL. | Private aid. |
| 18545 | - Warning Day beacon B | 38-00-42.545N 077-00-00.404W | | | | NW on pile worded DANGER SHOAL. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| POTOMAC RIVER (Virginia - Maryland) - Fifth District | | | | | | | |
| MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289) | | | | | | | |
| Upper Potomac River | | | | | | | |
| Piscataway Creek | | | | | | | |
| 18550 | - Warning Day beacon C | 38-00-42.545N 077-00-00.304W | | | | NW on pile worded END OF CHANNEL. | Private aid. |
| Upper Potomac River | | | | | | | |
| 18555 | - Channel Buoy 79 | 38-42-39.915N 077-02-26.915W | | | | Green can. | |
| 18560 | FORT WASHINGTON LIGHT 80 | 38-42-44.180N 077-02-12.800W | FI R 6s | 28 | 5 | TR on tower. | |
| 18565 | - Channel Buoy 81 | 38-43-08.415N 077-02-06.414W | | | | Green can. | |
| 18570 | - CHANNEL LIGHT 82 | 38-43-19.601N 077-01-53.779W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 18575 | - Channel Buoy 83 | 38-43-21.414N 077-02-06.014W | | | | Green can. | |
| 18580 | - Channel Lighted Buoy 84 | 38-44-18.112N 077-02-09.915W | FI R 4s | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18585 | - Channel Buoy 86 | 38-45-09.411N 077-02-01.915W | | | | Red nun. | |
| 18587 | <i>Dyke Marsh Lighted Danger Buoy A</i> | 38-45-39.000N 077-02-35.000W | Q W | | | White. | Private aid. |
| 18587.1 | <i>Dyke Marsh Lighted Danger Buoy B</i> | 38-45-37.000N 077-02-37.000W | Q W | | | White. | Private aid. |
| 18587.2 | <i>Dyke Marsh Lighted Danger Buoy C</i> | 38-45-34.000N 077-02-40.000W | Q W | | | White. | Private aid. |
| 18587.3 | <i>Dyke Marsh Lighted Danger Buoy D</i> | 38-45-33.000N 077-02-43.000W | Q W | | | White. | Private aid. |
| 18587.4 | <i>Dyke Marsh Lighted Danger Buoy E</i> | 38-45-31.000N 077-02-46.000W | Q W | | | White. | Private aid. |
| 18587.5 | <i>Dyke Marsh Lighted Danger Buoy F</i> | 38-45-32.000N 077-02-46.000W | Q W | | | White. | Private aid. |
| 18590 | - Channel Buoy 87 | 38-46-04.290N 077-02-01.155W | | | | Green can. | |
| 18595 | - CHANNEL LIGHT 88 | 38-46-10.039N 077-01-51.001W | FI R 2.5s | 20 | 4 | TR on pile. | |
| 18600 | - Channel Lighted Buoy 90 | 38-46-42.391N 077-02-04.085W | FI R 4s | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |

POTOMAC RIVER (District of Columbia) - Fifth District

| | | | | | | | |
|---|----------------|---------------------------------|---------|----|--|-------------|--------------|
| MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289) | | | | | | | |
| Upper Potomac River | | | | | | | |
| National Harbor Channel | | | | | | | |
| 18601 | - Day beacon 2 | 38-46-35.184N 077-01-53.148W | | | | TR on pile. | Private aid. |
| 18601.01 | - LIGHT 3 | 38-46-40.110N 077-01-49.956W | FI G 4s | 16 | | SG on pile. | Private aid. |
| 18601.02 | - LIGHT 4 | 38-46-51.318N 077-01-35.526W | Q R | 16 | | TR on pile. | Private aid. |
| 18601.03 | - LIGHT 5 | 38-46-54.636N 077-01-22.230W | Q G | 16 | | SG on pile. | Private aid. |
| 18601.04 | - Day beacon 6 | 38-46-53.568N 077-01-16.848W | | | | TR on pile. | Private aid. |
| 18601.05 | - LIGHT 7 | 38-46-57.582N 077-01-17.544W | FI G 4s | 16 | | SG on pile. | Private aid. |
| 18601.06 | - LIGHT 8 | 38-46-58.914N 077-01-14.214W | FI R 4s | 16 | | TR on pile. | Private aid. |
| 18601.07 | - LIGHT 9 | 38-47-05.724N 077-01-13.482W | FI G 4s | 16 | | SG on pile. | Private aid. |
| 18601.08 | - LIGHT 11 | 38-47-13.428N 077-01-08.988W | Q G | 16 | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| POTOMAC RIVER (Virginia - Maryland) - Fifth District | | | | | | | |
| MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289) | | | | | | | |
| Upper Potomac River | | | | | | | |
| 18603 | NOAA Lighted Data Buoy UP | 38-47-15.600N 077-02-08.340W | FI Y 4s | | | Yellow. | Maintained from Mar. 15 to Dec. 1. Aid maintained by National Oceanic and Atmospheric Administration. |
| POTOMAC RIVER (Virginia - District of Columbia) - Fifth District | | | | | | | |
| MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289) | | | | | | | |
| Upper Potomac River | | | | | | | |
| Alexandria Channel | | | | | | | |
| 18605 | Woodrow Wilson Memorial Bridge Fog Signal | | | | | | Maintained by U.S. Department Commerce. HORN : 1 blast ev 20s (2s bl). Operates continuously. Private aid. |
| 18610 | - Buoy 2 | 38-47-59.908N 077-02-06.915W | | | | Red nun. | |
| 18615 | - Buoy 4 | 38-48-24.408N 077-02-02.915W | | | | Red nun. | |
| 18620 | - Lighted Buoy 6 | 38-48-45.407N 077-02-00.915W | FI R 2.5s | | 4 | Red. | Replaced by LIB of reduced intensity from Dec. 1 to Mar 15. |
| Marbury Point | | | | | | | |
| 18655 | - Warning Day beacon | 38-48-50.402N 077-01-54.079W | | | | NW on pile worded DANGER SUBMERGED PILE. | |
| 18657 | MIRANT POTOMAC RIVER LLC LIGHT A | 38-49-14.460N 077-02-22.380W | FI Y 2.5s | 6 | | On pile supporting floating boom to Light B. | Private aid. |
| 18659 | MIRANT POTOMAC RIVER LLC LIGHT B | 38-49-13.140N 077-02-21.900W | FI Y 2.5s | 6 | | On pile supporting floating boom to Light A. | Private aid. |
| Alexandria Channel | | | | | | | |
| 18660 | - Lighted Buoy 7A | 38-49-49.835N 077-01-45.524W | FI G 4s | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18661 | - Buoy 7 | 38-49-23.348N 077-01-56.565W | | | | Green can. | |
| Four Mile Run | | | | | | | |
| 18665 | - ENTRANCE LIGHT 1FM | 38-48-56.970N 077-02-10.801W | FI G 2.5s | 15 | 3 | SG on pile. | |
| 18667 | - Day beacon 2 | 38-48-57.071N 077-02-10.024W | | | | TR on pile. | |
| 18670 | - Day beacon 4 | 38-49-22.515N 077-02-17.608W | | | | TR on pile. | |
| 18671 | - Day beacon 5 | 38-49-24.605N 077-02-19.502W | | | | SG on pile. | |
| 18675 | - Day beacon 6 | 38-49-26.500N 077-02-18.041W | | | | TR on pile. | |
| 18675.1 | - Wreck Buoy WR6A | 38-49-40.332N 077-02-14.518W | | | | Red nun. | |
| 18677 | - Day beacon 7 | 38-49-45.984N 077-02-14.586W | | | | SG on pile. | |
| 18680 | - Day beacon 8 | 38-49-47.958N 077-02-13.354W | | | | TR on pile. | |
| 18681 | - Day beacon 9 | 38-49-51.658N 077-02-15.573W | | | | SG on pile. | |
| 18685 | - Day beacon 10 | 38-49-53.879N 077-02-14.825W | | | | TR on pile. | |
| 18687 | - Day beacon 11 | 38-49-54.802N 077-02-17.641W | | | | SG on pile. | |
| 18690 | - Day beacon 13 | 38-50-04.059N 077-02-31.696W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---------------------------------|--|
| POTOMAC RIVER (Virginia - District of Columbia) - Fifth District | | | | | | | |
| MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289) | | | | | | | |
| Upper Potomac River | | | | | | | |
| Four Mile Run | | | | | | | |
| 18691 | - Day beacon 14 | 38-50-06.841N 077-02-31.671W | | | | TR on pile. | |
| 18693 | - Day beacon 16 | 38-50-03.153N 077-02-38.644W | | | | TR on pile. | |
| Alexandria Channel | | | | | | | |
| 18695 | - Buoy 9 | 38-50-18.388N 077-01-34.250W | | | | Green can. | |
| 18700 | - Buoy 11 | 38-50-41.505N 077-01-26.414W | | | | Green can. | |
| 18705 | <i>Hains Point Junction Lighted Buoy HP</i> | 38-51-05.785N 077-01-19.714W | FI (2+1)G 6s | | 4 | Green and red bands. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 18710 | Hains Point Buoy 1 | 38-51-16.405N 077-01-13.914W | | | | Green can. | |
| 18715 | Hains Point Buoy 2 | 38-51-14.605N 077-01-10.914W | | | | Red nun. | |
| POTOMAC RIVER (District of Columbia) - Fifth District | | | | | | | |
| MATTAWOMAN CREEK TO GEORGETOWN (Chart 12289) | | | | | | | |
| Anacostia River | | | | | | | |
| 18720 | Washington Channel Junction Buoy WC | 38-51-29.554N 077-01-09.764W | | | | Red and green bands; nun. | |
| 18725 | - Buoy 1 | 38-51-35.404N 077-01-01.414W | | | | Green can. | |
| 18730 | - Buoy 2 | 38-51-45.204N 077-00-31.913W | | | | Red nun. | |
| 18735 | - <i>Lighted Buoy 3</i> | 38-51-47.704N 077-00-35.813W | FI G 4s | | 4 | Green. | Maintained from Mar. 15 to Dec. 1. Dec. 1 to Mar. 15 V-AIS: MMSI 993672308. |
| 18740 | - Buoy 4 | 38-52-13.044N 077-00-10.713W | | | | Red nun. | |
| Upper Potomac River | | | | | | | |
| Georgetown Channel | | | | | | | |
| 18770 | - Buoy 1 | 38-51-11.205N 077-01-26.875W | | | | Green can. | |
| 18775 | - Buoy 2 | 38-51-16.235N 077-01-24.875W | | | | Red nun. | |
| 18780 | - Buoy 3 | 38-51-36.184N 077-01-40.015W | | | | Green can. | |
| 18785 | - Buoy 4 | 38-51-38.054N 077-01-36.805W | | | | Red nun. | |
| 18790 | - Buoy 6 | 38-52-04.604N 077-01-52.215W | | | | Red nun. | |
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| CHESAPEAKE BAY TO PINEY POINT (Chart 12233) | | | | | | | |
| Tanner Creek | | | | | | | |
| 18793.1 | - Warning Day beacon A | 38-03-46.988N 076-19-35.744W | | | | NW on pile worded DANGER ROCKS. | Private aid. |
| 18793.3 | - Day beacon 2 | 38-03-56.441N 076-19-35.150W | | | | TR on pile. | Private aid. |
| 18793.4 | - Day beacon 3 | 38-03-53.979N 076-19-45.519W | | | | SG on pile. | Private aid. |
| 18793.5 | - Day beacon 4 | 38-03-51.696N 076-19-48.374W | | | | TR on pile. | Private aid. |
| 18793.6 | - Warning Day beacon B | 38-03-51.271N 076-19-47.115W | | | | NW on pile worded DANGER SHOAL. | Private aid. |
| St. Jerome Creek | | | | | | | |
| 18795 | - LIGHT 1SJ | 38-06-54.494N 076-20-08.598W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 18805 | - Day beacon 3 | 38-07-03.389N 076-20-21.136W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|-------------------------------|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| CHESAPEAKE BAY TO PINEY POINT (Chart 12233) | | | | | | | |
| St. Jerome Creek | | | | | | | |
| 18810 | - LIGHT 4 | 38-07-11.519N 076-20-27.361W | FI R 2.5s | 15 | 3 | TR on pile. | |
| 18812 | - Buoy 5 | 38-07-11.726N 076-20-32.369W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 18815 | - Buoy 6 | 38-07-10.268N 076-20-40.007W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| 18817 | - Buoy 7 | 38-07-09.704N 076-20-45.335W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 18820 | - Buoy 9 | 38-07-19.148N 076-20-43.673W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 18823 | - Buoy 11 | 38-07-22.808N 076-20-42.704W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 18835 | - North Prong Day beacon 1 | 38-07-10.105N 076-21-10.749W | | | | SG on pile. | |
| Buzzs Marina Channel | | | | | | | |
| 18840 | - Day beacon 2 | 38-06-43.453N 076-20-58.811W | | | | TR on pile. | Private aid. |
| 18845 | - Day beacon 4 | 38-06-32.453N 076-21-04.812W | | | | TR on pile. | Private aid. |
| 18850 | - Day beacon 6 | 38-06-20.060N 076-21-05.900W | | | | TR on pile. | Private aid. |
| 18855 | - Day beacon 7 | 38-06-14.900N 076-21-13.900W | | | | SG on pile. | Private aid. |
| PATUXENT RIVER AND VICINITY (Chart 12264) | | | | | | | |
| 18860 | N.A.S. PATUXENT RIVER BASIN ENTRANCE LIGHT 2 | 38-16-06.448N 076-23-34.819W | F R | 15 | | TR on pile. | Aid maintained by U.S. Navy. |
| 18865 | N.A.S. PATUXENT RIVER BASIN ENTRANCE LIGHT 1 | 38-16-01.448N 076-23-38.819W | F G | 15 | | SG on pile. | Aid maintained by U.S. Navy. |
| Patuxent River | | | | | | | |
| 18870 | - Lighted Bell Buoy 1PR | 38-18-13.645N 076-21-10.813W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 18880 | - LIGHT 3 | 38-19-01.589N 076-24-03.979W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| PATUXENT RIVER - SOLOMONS ISLAND (Chart 12284) | | | | | | | |
| Patuxent River | | | | | | | |
| 18885 | DRUM POINT LIGHT 4 7605 | 38-19-08.267N 076-25-15.481W | FI R 2.5s | 17 | 5 | TR on multi-pile structure. | |
| 18890 | - LIGHT 5 | 38-18-33.279N 076-25-05.385W | FI G 4s | 15 | 4 | SG on pile. | |
| 18895 | - LIGHT 6 | 38-18-56.011N 076-26-26.447W | FI R 2.5s | 15 | 4 | TR on pile. | |
| Solomons Island | | | | | | | |
| 18900 | - RESEARCH PIER LIGHT | 38-19-02.460N 076-27-03.120W | FI Y 4s | 20 | | On post on top of pump house. | Private aid. |
| 18905 | - Approach Day beacon 2 | 38-19-05.259N 076-26-43.485W | | | | TR on pile. | |
| 18910 | - APPROACH LIGHT 3 | 38-19-10.947N 076-27-01.791W | FI G 4s | 15 | 4 | SG on pile. | |
| 18915 | - Approach Day beacon 4 | 38-19-19.485N 076-27-01.035W | | | | TR on pile. | |
| 18917 | - UMCES PIER LIGHT A | 38-19-16.210N 076-27-08.820W | FI Y 4s | 5 | | On end of pier. | Private aid. |
| 18920 | - HARBOR JUNCTION LIGHT SH | 38-19-19.803N 076-27-14.184W | FI (2+1)R 6s | 15 | 4 | JR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|------------------------------------|---------------------------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| PATUXENT RIVER - SOLOMONS ISLAND (Chart 12284) | | | | | | | |
| Patuxent River | | | | | | | |
| Swash | | | | | | | |
| 18925 | - Day beacon 1 | 38-19-15.893N 076-26-06.130W | | | | SG on pile. | |
| 18930 | - Day beacon 2 | 38-19-24.786N 076-26-05.456W | | | | TR on pile. | |
| 18935 | - Day beacon 2A | 38-19-20.754N 076-26-45.902W | | | | TR on pile. | |
| 18940 | - Day beacon 3 | 38-19-17.778N 076-26-45.848W | | | | SG on pile. | |
| Mill Creek (Patuxent River) | | | | | | | |
| 18945 | - LIGHT 2 | 38-19-27.164N 076-27-11.486W | FI R 4s | 15 | 3 | TR on pile. | |
| 18950 | - LIGHT 3 | 38-19-34.539N 076-27-05.973W | FI G 2.5s | 15 | 3 | SG on pile. | |
| 18960 | - Day beacon 4 | 38-19-59.151N 076-26-54.018W | | | | TR on pile. | |
| 18965 | - Day beacon 7 | 38-20-01.325N 076-26-38.349W | | | | SG on pile. | Private aid. |
| 18970 | - Day beacon 8 | 38-20-05.177N 076-26-23.944W | | | | TR on pile. | Private aid. |
| 18976 | - Buoy 9 | 38-20-12.228N 076-26-02.316W | | | | Green can. | Private aid. |
| 18980 | - Buoy 11 | 38-20-26.736N 076-25-51.132W | | | | Green can. | Private aid. |
| 18986 | - Buoy 12 | 38-20-30.948N 076-25-50.520W | | | | Red nun. | Private aid. |
| Patuxent River | | | | | | | |
| 18990 | Lusby Point Junction Day beacon LP | 38-20-04.325N 076-26-50.494W | | | | JG on pile. | |
| 18995 | St. John Creek Buoy 2 | 38-20-11.780N 076-26-49.110W | | | | Red nun. | Private aid. |
| 19000 | St. John Creek Day beacon 3 | 38-20-16.376N 076-26-50.288W | | | | SG on pile. | Private aid. |
| 19005 | St. John Creek Day beacon 4 | 38-20-24.344N 076-26-50.383W | | | | TR on pile. | Private aid. |
| Back Creek | | | | | | | |
| 19010 | - LIGHT 2 | 38-19-18.635N 076-27-18.385W | FI R 4s | 15 | 4 | TR on pile. | |
| 19015 | - Day beacon 4 | 38-19-30.281N 076-27-23.770W | | | | TR on pile. | |
| 19020 | - LIGHT 5 | 38-19-35.687N 076-27-26.889W | FI G 4s | 15 | 4 | SG on pile. | |
| 19025 | - Day beacon 8 | 38-19-58.493N 076-27-34.498W | | | | TR on pile. | |
| 19030 | N.A.S. PATUXENT RIVER WEST SEAPLANE BASIN ENTRANCE LIGHT 1 | 38-17-34.448N 076-26-53.826W | FI G 2.5s | 15 | 4 | SG on pile. | Aid maintained by U.S. Navy. |
| 19035 | N.A.S. PATUXENT RIVER WEST SEAPLANE BASIN ENTRANCE LIGHT 2 | 38-17-34.448N 076-27-00.826W | FI R 2.5s | 15 | 4 | TR on pile. | Aid maintained by U.S. Navy. |
| Patuxent River | | | | | | | |
| 19040 | - LIGHT 6A | 38-18-44.687N 076-27-16.657W | Q R | 15 | 4 | TR on pile. | |
| 19045 | Lewis Creek Buoy 2 | 38-18-45.948N 076-28-35.030W | | | | Red nun. | Private aid. |
| 19055 | TOWN CREEK LIGHT 2 | 38-18-54.988N 076-28-44.625W | FI R 4s | 15 | 4 | TR on pile. | |
| 19060 | Town Point Warning Day beacon | 38-19-20.136N 076-28-24.060W | | | | NW on pile worded DANGER SHOAL. | |
| 19062 | SOLOMONS ISLAND FISHING PIER LIGHT | 38-19-44.000N 076-28-10.000W | FI Y 2.5s | 14 | | On pole on pier. | Private aid. |
| Second Cove | | | | | | | |
| 19065 | - LIGHT 1 | 38-19-48.135N 076-28-24.093W | FI G 2.5s | 15 | 3 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--------------------------------|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| PATUXENT RIVER - SOLOMONS ISLAND (Chart 12284) | | | | | | | |
| Patuxent River | | | | | | | |
| Second Cove | | | | | | | |
| 19070 | - Day beacon 2 | 38-19-47.482N 076-28-23.113W | | | | TR on pile. | |
| 19075 | - Day beacon 3 | 38-19-50.046N 076-28-21.926W | | | | SG on pile. | |
| 19080 | - Day beacon 4 | 38-19-49.647N 076-28-21.150W | | | | TR on pile. | |
| Patuxent River | | | | | | | |
| 19087 | - Lighted Buoy 8 | 38-19-40.756N 076-29-04.095W | Q R | | 4 | Red. | Replaced by nun when endangered by ice. |
| 19090 | - LIGHT 9 | 38-20-13.577N 076-29-21.472W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 19095 | Cuckhold Creek Day beacon 2 | 38-20-24.269N 076-29-31.822W | | | | TR on pile. | |
| 19100 | Cuckhold Creek Day beacon 3 | 38-20-25.475N 076-29-49.834W | | | | SG on pile. | |
| 19100.01 | - Warning Buoy B | 38-20-23.900N 076-29-54.800W | | | | White can with orange diamond. | Private aid. |
| 19100.02 | - Warning Buoy C | 38-20-18.800N 076-29-47.800W | | | | White can with orange diamond. | Private aid. |
| 19105 | CUCKHOLD CREEK LIGHT 4 | 38-20-30.536N 076-30-01.379W | FI R 4s | 15 | 3 | TR on pile. | |
| 19110 | - LIGHT 11 | 38-20-27.699N 076-29-21.063W | Q G | 15 | 4 | SG on pile. | |
| 19115 | - LIGHT 12 | 38-21-14.492N 076-29-13.592W | FI R 4s | 15 | 4 | TR on pile. | |
| 19120 | Hellen Creek Buoy 1 | 38-21-01.440N 076-28-51.528W | | | | Green can. | Private aid. |
| 19125 | Hellen Creek Buoy 1A | 38-21-11.159N 076-28-48.108W | | | | Green can. | Private aid. |
| 19126 | Hellen Creek Day beacon 2 | 38-21-16.524N 076-28-44.652W | | | | TR on pile. | Private aid. |
| PATUXENT RIVER AND VICINITY (Chart 12264) | | | | | | | |
| Patuxent River | | | | | | | |
| 19130 | - Day beacon 13 | 38-21-43.019N 076-30-05.002W | | | | SG on pile. | |
| 19135 | - LIGHT 14 | 38-23-00.869N 076-30-23.293W | FI R 6s | 15 | 4 | TR on pile. | |
| 19140 | St. Leonard Creek Entrance Day beacon 1 | 38-23-03.173N 076-30-09.712W | | | | SG on pile. | |
| 19152 | ACADEMY OF NATURAL SCIENCE INTAKE LIGHT B | 38-23-36.120N 076-30-47.520W | FI Y 4s | 16 | | NY on pile. | Private aid. |
| 19155 | - Day beacon 15 | 38-23-00.305N 076-31-54.853W | | | | SG on pile. | |
| 19160 | ISLAND CREEK LIGHT 2 | 38-24-29.927N 076-32-39.727W | FI R 4s | 15 | 3 | TR on multi-pile structure. | |
| 19165 | - LIGHT 16 | 38-23-55.319N 076-33-20.887W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 19210 | - LIGHT 18 | 38-25-49.560N 076-36-30.682W | FI R 6s | 15 | 4 | TR on pile. | |
| Cat Creek | | | | | | | |
| 19217.1 | - Buoy 2 | 38-25-11.700N 076-36-57.200W | | | | Red nun. | Private aid. |
| 19217.2 | - Buoy 3 | 38-25-09.400N 076-37-00.500W | | | | Green can. | Private aid. |
| 19217.3 | - Buoy 5 | 38-25-08.800N 076-37-03.200W | | | | Green can. | Private aid. |
| 19217.4 | - Buoy 7 | 38-25-08.300N 076-37-05.900W | | | | Green can. | Private aid. |
| Battle Creek Channel | | | | | | | |
| 19220 | - Day beacon 1 | 38-26-44.351N 076-36-14.796W | | | | SG on pile. | DNR1189 Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|-------------------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| PATUXENT RIVER AND VICINITY (Chart 12264) | | | | | | | |
| Patuxent River | | | | | | | |
| Battle Creek Channel | | | | | | | |
| 19221 | - Warning Day beacon | 38-26-52.253N 076-36-12.059W | | | | NW on pile worded DANGER SHOAL. | Private aid. |
| 19222 | - Day beacon 3 | 38-26-47.621N 076-36-13.823W | | | | SG on pile. | DNR1190 Private aid. |
| 19223 | - Day beacon 4 | 38-26-52.154N 076-36-13.524W | | | | TR on pile. | DNR1191 Private aid. |
| 19224 | - Day beacon 5 | 38-27-01.245N 076-36-01.512W | | | | SG on pile. | DNR1192 Private aid. |
| Patuxent River | | | | | | | |
| 19230 | - Day beacon 20 | 38-26-35.542N 076-37-17.774W | | | | TR on pile. | |
| 19235 | - LIGHT 21 | 38-27-50.326N 076-38-58.588W | FI G 4s | 15 | 4 | SG on pile. | |
| 19240 | - LIGHT 24 | 38-30-31.738N 076-40-18.998W | FI R 4s | 15 | 4 | TR on pile. | |
| 19245 | - Day beacon 23 | 38-29-29.492N 076-40-05.314W | | | | SG on pile. | |
| Chalk Point Cable Crossing | | | | | | | |
| 19260 | - TOWER LIGHT 27 | 38-32-47.437N 076-40-34.863W | | 12 | | SG on pile structure at base of tower. | Private aid. |
| 19265 | - TOWER LIGHT 28 | 38-32-40.437N 076-40-23.863W | | 12 | | TR on pile structure at base of tower. | Private aid. |
| 19270 | - TOWER LIGHT A | 38-32-42.437N 076-40-11.862W | | 12 | | On pile structure at base of tower. | Private aid. |
| 19275 | - TOWER LIGHT B | 38-32-40.594N 076-40-02.760W | FI Y 2.5s | 10 | | On pile structure at base of tower. | Private aid. |
| 19277 | - TOWER LIGHT 29 | 38-32-49.811N 076-40-33.210W | FI G 2.5s | 12 | | On pile structure at base of tower. | Private aid. |
| 19278 | CHALK POINT POWER LIGHT 30 | 38-32-46.624N 076-40-21.627W | FI R 2.5s | 12 | | On pile structure at base of tower. | Private aid. |
| 19279 | CHALK POINT TOWER LIGHT C | 38-32-35.754N 076-40-11.233W | FI Y 2.5s | 12 | | On pile structure at base of tower. | Private aid. |
| 19280 | CHALK POINT TOWER LIGHT D | 38-32-41.067N 076-40-01.433W | FI Y 2.5s | 12 | | On pile structure at base of tower. | Private aid. |
| CHOPTANK RIVER AND HERRING BAY (Chart 12266) | | | | | | | |
| Chesapeake Beach | | | | | | | |
| 19285 | - LIGHT 1 50 feet outside channel limit. | 38-41-30.551N 076-31-16.423W | Q G | 15 | 5 | SG on pile. | |
| 19300 | - LIGHT 2 | 38-41-30.089N 076-31-46.483W | FI R 2.5s | 15 | 5 | TR on pile. | |
| 19305 | - LIGHT 3 | 38-41-28.744N 076-31-46.693W | FI G 2.5s | 15 | 5 | SG on pile. | |
| 19310 | - Day beacon 4 | 38-41-28.793N 076-31-56.791W | | | | TR on pile. | |
| 19312 | - WWTP Outfall Warning Day beacons (2) | 38-41-57.702N 076-31-54.525W | | | | NW on pile worded DANGER OUTFALL PIPE. | Private aid. |
| Herring Bay | | | | | | | |
| 19320 | - ENTRANCE LIGHT 1 | 38-44-25.001N 076-30-51.322W | FI G 2.5s | 21 | 4 | SG on multi-pile structure. | |
| 19325 | - LIGHT 2 | 38-44-25.870N 076-32-38.904W | FI R 4s | 15 | 4 | TR on pile. | |
| 19330 | - Day beacon 3 | 38-45-18.132N 076-32-55.375W | | | | SG on pile. | |
| 19335 | ROSE HAVEN CHANNEL LIGHT 1 | 38-44-01.746N 076-32-18.954W | Q G | 15 | 4 | SG on multi-pile structure. | |
| South Herrington Harbour | | | | | | | |
| 19345 | - RANGE FRONT LIGHT | 38-43-28.130N 076-32-37.440W | F Y | 19 | | Orange day doards with black and white stripe on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| CHOPTANK RIVER AND HERRING BAY (Chart 12266) | | | | | | | |
| Herring Bay | | | | | | | |
| South Herrington Harbour | | | | | | | |
| 19350 | - RANGE REAR LIGHT | 38-43-26.720N 076-32-38.170W | F Y | 28 | | Orange day doards with black and white stripe on pile. | Private aid. |
| 19355 | - ENTRANCE LIGHT 1 | 38-43-54.302N 076-32-22.927W | Q G | 10 | | SG on pile. | Private aid. |
| 19360 | - LIGHT 2 | 38-43-55.025N 076-32-24.199W | Q R | 10 | | TR on pile. | Private aid. |
| 19365 | - LIGHT 3 | 38-43-50.519N 076-32-24.726W | Q G | 10 | | SG on pile. | Private aid. |
| 19370 | - LIGHT 4 | 38-43-50.872N 076-32-26.032W | Q R | 10 | | TR on pile. | Private aid. |
| 19375 | - LIGHT 5 | 38-43-46.986N 076-32-27.396W | Q G | 10 | | SG on pile. | Private aid. |
| 19380 | - LIGHT 6 | 38-43-46.488N 076-32-28.212W | Q R | 10 | | TR on pile. | Private aid. |
| Rockhold Creek | | | | | | | |
| 19395 | - CHANNEL LIGHT 1R | 38-45-55.848N 076-33-08.994W | FI G 4s | 15 | 4 | SG on pile. | |
| 19400 | - JETTY LIGHT 2 | 38-46-01.659N 076-33-16.223W | FI R 4s | 15 | 4 | TR on pile. | |
| 19401 | - Channel Buoy 4 | 38-46-02.467N 076-33-18.280W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| 19402 | - Channel Buoy 5 | 38-46-02.913N 076-33-20.709W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 19403 | - Channel Buoy 6 | 38-46-05.445N 076-33-23.223W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| 19404 | - Channel Buoy 7 | 38-46-05.774N 076-33-26.003W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 19405 | - Channel Day beacon 9 | 38-46-07.432N 076-33-28.609W | | | | SG on pile. | |
| 19407 | - Channel Day beacon 10 | 38-46-08.153N 076-33-27.908W | | | | TR on pile. | |
| 19410 | - CHANNEL LIGHT 12 | 38-46-14.975N 076-33-38.896W | FI R 4s | 15 | 4 | TR on pile. | |
| 19415 | - CHANNEL LIGHT 13 | 38-46-14.955N 076-33-41.033W | Q G | 15 | 4 | SG on pile. | |
| 19420 | - Channel Day beacon 15 | 38-46-21.162N 076-33-41.974W | | | | SG on pile. | |
| 19425 | - Lighted Junction Buoy RC | 38-46-16.200N 076-33-40.740W | FI (2+1)G 6s | | | Green and Red bands. | Private aid. |
| 19430 | HERRINGTON HARBOUR NORTH LIGHT 1 | 38-46-16.740N 076-33-43.920W | Q G | 13 | | SG on pile. | Private aid. |
| 19435 | HERRINGTON HARBOUR NORTH LIGHT 2 | 38-46-18.360N 076-33-43.260W | Q R | 13 | | TR on pile. | Private aid. |
| EASTERN BAY AND SOUTH RIVER (Chart 12270) | | | | | | | |
| West River | | | | | | | |
| 19450 | SAUNDERS POINT SHOAL JUNCTION LIGHT | 38-53-01.796N 076-28-37.321W | FI (2+1)R 6s | 15 | 4 | JR on pile. | |
| 19455 | Saunders Point Wreck Warning Day beacon A | 38-52-55.353N 076-28-54.627W | | | | NW on pile worded DANGER WRECK. | |
| 19460 | - Lighted Buoy 1 | 38-51-50.694N 076-26-59.472W | FI G 4s | | 4 | Green. | Removed when endangered by ice. |
| 19465 | - Lighted Buoy 1A | 38-52-13.053N 076-28-53.210W | FI G 2.5s | | 4 | Green. | Replaced by can when endangered by ice. |
| 19470 | - ENTRANCE LIGHT 2 | 38-51-56.391N 076-29-27.019W | FI R 2.5s | 15 | 5 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---------------------------------|---------------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| EASTERN BAY AND SOUTH RIVER (Chart 12270) | | | | | | | |
| West River | | | | | | | |
| Parish Creek | | | | | | | |
| 19475 | - LIGHT 1 | 38-51-06.590N 076-30-23.461W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 19480 | - LIGHT 3 | 38-50-49.913N 076-30-22.465W | FI G 4s | 15 | 4 | SG on pile. | |
| 19485 | - Day beacon 5 | 38-50-44.779N 076-30-30.686W | | | | SG on pile. | |
| West River | | | | | | | |
| 19495 | - Day beacon 3 | 38-51-17.127N 076-31-26.779W | | | | SG on pile. | |
| 19500 | - LIGHT 4 | 38-51-17.450N 076-31-54.398W | FI R 4s | 15 | 4 | TR on pile. | |
| 19505 | - Day beacon 5 | 38-50-50.643N 076-32-00.805W | | | | SG on pile. | |
| 19510 | - LIGHT 6 | 38-50-39.731N 076-32-03.973W | FI R 4s | 15 | 4 | TR on pile. | |
| 19512 | - Buoy 7 | 38-50-18.900N 076-32-25.100W | | | | Green can. | Private aid. |
| Rhode River | | | | | | | |
| 19515 | - ENTRANCE LIGHT 2RR | 38-52-01.355N 076-30-49.445W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 19520 | - Day beacon 3 | 38-52-12.092N 076-31-00.025W | | | | SG on pile. | |
| 19525 | - Day beacon 4 | 38-52-33.765N 076-31-04.795W | | | | TR on pile. | |
| 19527 | - <i>Lighted Wreck Buoy WR5</i> | 38-52-38.424N 076-31-20.932W | Q G | | 4 | Green. | Replaced by can from Nov. 15 to Mar. 15. |
| 19530 | Cadle Creek Day beacon 1 | 38-52-48.615N 076-30-54.169W | | | | SG on pile. | |
| 19535 | Cadle Creek Day beacon 2 | 38-52-50.937N 076-30-50.875W | | | | TR on pile. | |
| 19540 | - Day beacon 6 | 38-52-38.415N 076-31-05.707W | | | | TR on pile. | |
| 19545 | - LIGHT 7 | 38-53-00.035N 076-31-21.779W | FI G 4s | 15 | 4 | SG on pile. | |
| 19550 | Whitemarsh Creek Day beacon 1 | 38-53-17.561N 076-31-29.266W | | | | SG on pile. | |
| 19555 | Whitemarsh Creek Day beacon 3 | 38-53-23.800N 076-31-27.454W | | | | SG on pile. | |
| South River | | | | | | | |
| 19560 | - Junction Buoy SR | 38-53-39.428N 076-25-52.216W | | | | Green and red bands; can. | |
| 19565 | - Entrance Buoy 2 | 38-53-44.311N 076-27-52.247W | | | | Red nun. | |
| 19570 | - LIGHT 4 | 38-54-07.308N 076-28-37.566W | FI R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 19575 | - Day beacon 5 | 38-54-35.829N 076-29-18.964W | | | | SG on pile. | |
| 19580 | - LIGHT 6 | 38-54-55.296N 076-29-26.766W | FI R 4s | 15 | 4 | TR on pile. | |
| Selby Bay | | | | | | | |
| 19585 | - ENTRANCE LIGHT 2 | 38-54-32.912N 076-30-16.864W | FI R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 19590 | - SOUTH BASIN LIGHT 2 | 38-54-11.148N 076-30-24.152W | FI R 4s | 15 | 4 | TR on pile. | |
| 19595 | - LIGHT 4 | 38-54-31.494N 076-30-35.081W | FI R 4s | 15 | 4 | TR on pile. | |
| 19600 | - South Basin Day beacon 1 | 38-54-21.317N 076-30-19.235W | | | | SG on pile. | |
| South River | | | | | | | |
| 19605 | - LIGHT 8 | 38-55-10.370N 076-30-05.081W | FI R 6s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|----------------------------|---------------------------------|-----------------------|---------------|--------------|---|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| EASTERN BAY AND SOUTH RIVER (Chart 12270) | | | | | | | |
| South River | | | | | | | |
| 19610 | - Day beacon 9 | 38-55-13.014N 076-30-22.818W | | | | SG on pile. | |
| 19612 | - Warning Buoy A | 38-55-35.600N 076-30-29.500W | | | | White and orange can worded NO SHELL FISHING. | Private aid. |
| 19613 | - Warning Buoy B | 38-55-44.300N 076-30-45.200W | | | | White and orange can worded NO SHELL FISHING. | Private aid. |
| 19615 | - LIGHT 10 | 38-55-51.326N 076-31-01.176W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 19625 | - LIGHT 11 | 38-56-06.378N 076-31-24.210W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 19630 | GLEBE BAY LIGHT | 38-56-08.406N 076-32-17.859W | F Y | 12 | | On pile on wharf. | Private aid. |
| 19635 | - LIGHT 12 | 38-56-23.244N 076-31-38.730W | FI R 4s | 15 | 4 | TR on pile. | |
| 19645 | - LIGHT 15 | 38-56-42.036N 076-32-27.235W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 19650 | - LIGHT 16 | 38-56-58.716N 076-32-45.816W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 19655 | - LIGHT 17 | 38-57-11.362N 076-33-43.544W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 19660 | - LIGHT 18 | 38-57-12.030N 076-34-03.270W | FI R 4s | 15 | 4 | TR on pile. | |
| 19665 | - Junction Day beacon | 38-57-07.237N 076-34-08.209W | | | | JG on pile. | |
| Fishing Creek | | | | | | | |
| 19670 | - LIGHT 2F | 38-54-40.966N 076-27-17.832W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 19675 | - LIGHT 3 | 38-54-36.639N 076-27-37.759W | Q G | 15 | 4 | SG on pile. | |
| 19680 | - LIGHT 5 | 38-54-45.363N 076-27-59.714W | FI G 4s | 15 | 4 | SG on pile. | |
| 19685 | - LIGHT 6 | 38-55-07.197N 076-28-06.337W | FI R 2.5s | 15 | 3 | TR on pile. | |
| Fishing Creek - Oyster Creek | | | | | | | |
| 19687 | - Buoy 1 | 38-55-39.000N 076-27-39.700W | | | | Green can. | Private aid. |
| 19687.1 | - Buoy 2 | 38-55-40.300N 076-27-40.100W | | | | Red nun. | Private aid. |
| 19687.2 | - Buoy 3 | 38-55-38.600N 076-27-43.400W | | | | Green can. | Private aid. |
| 19687.3 | - Buoy 4 | 38-55-39.700N 076-27-43.500W | | | | Red nun. | Private aid. |
| 19687.4 | - LIGHT 5 | 38-55-38.300N 076-27-47.900W | Q G | 15 | | SG on end of pier. | Private aid. |
| 19687.5 | - LIGHT 6 | 38-55-39.700N 076-27-48.000W | Q R | 15 | | TR on bulkhead. | Private aid. |
| SEVERN AND MAGOTHY RIVERS (Chart 12282) | | | | | | | |
| Severn River | | | | | | | |
| Annapolis Harbor Channel | | | | | | | |
| 19690 | - LIGHT 1AH | 38-56-09.043N 076-26-10.042W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 19695 | - Lighted Buoy 2 | 38-56-30.000N 076-25-29.000W | FI R 2.5s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 19697 | NOAA Lighted Data Buoy AN | 38-57-49.010N 076-26-48.370W | FI Y 4s | | | Yellow. | Removed when endangered by ice. Aid maintained by National Oceanic and Atmospheric Administration. |
| 19700 | NAVAL ANCHORAGE LIGHT A | 38-58-00.507N 076-27-09.003W | FI Y 2.5s | 15 | 4 | NY on multi-pile structure. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|---------------------------------|---------------|--------------|--|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| SEVERN AND MAGOTHY RIVERS (Chart 12282) | | | | | | | |
| Severn River | | | | | | | |
| Annapolis Harbor Channel | | | | | | | |
| 19705 | ANNAPOLIS HARBOR ENTRANCE LIGHT 4 | 38-58-06.185N 076-27-27.737W | FI R 6s | 15 | 4 | TR on multi-pile structure. | |
| 19730 | - Lighted Buoy 5 | 38-58-17.815N 076-27-43.465W | FI G 4s | | 4 | Green. | Replaced by can when endangered by ice. |
| 19740 | - Lighted Buoy 6 | 38-58-29.000N 076-27-46.500W | FI R 2.5s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 19745 | HORN POINT LIGHT HP | 38-58-24.611N 076-28-09.127W | FI W 6s | 15 | 4 | NG on pile. | |
| 19750 | - Buoy 7 | 38-58-36.362N 076-27-54.720W | | | | Green can. | |
| 19755 | - Buoy 8 | 38-58-41.459N 076-27-54.280W | | | | Red nun. | |
| 19760 | - Lighted Buoy 9 | 38-58-42.189N 076-28-00.826W | Q G | | 4 | Green. | Replaced by can when endangered by ice. |
| 19765 | Spa Creek Channel Junction Buoy SC | 38-58-45.313N 076-28-07.037W | | | | Green and red bands; can. | |
| 19770 | Severn River Restricted Area Buoy A Marks southeast corner of restricted area. | 38-58-53.303N 076-28-14.856W | | | | Yellow can. | |
| 19775 | - Buoy 13 | 38-58-55.650N 076-28-24.809W | | | | Green can. | |
| 19780 | TRITON LIGHT | 38-58-53.000N 076-28-34.400W | FI (4+5) G 30s | | 25 | On seawall. | Light characteristic represents the Class of 1945. Aid maintained by U.S. Navy. |
| 19781 | U.S. NAVAL ACADEMY CLASS OF 43 LIGHT | 38-58-38.500N 076-28-57.600W | FI (4+3) Y 30s | | 15 | Black iron structure on stone foundation. | Light characteristic represents Class of 1943. Aid maintained by U.S. Navy. |
| 19785 | U.S. NAVAL ACADEMY LIGHT | 38-58-39.403N 076-28-48.857W | Q W (R sector) (W sector) | | 10 | R W Black iron structure on stone foundation | Red f from 220° to 259.2°. White from 259.2° to 273.2°. Aid maintained by U.S. Navy. |
| 19790 | Naval Station Ramp Obstruction Day beacon | 38-58-52.797N 076-27-55.008W | | | | NW on pile worded DANGER ROCK. | |
| 19795 | Severn River Restricted Area Buoy B Marks southwest corner of restricted area. | 38-58-59.182N 076-28-25.676W | | | | Yellow can. | |
| 19800 | Severn River Restricted Area Buoy C | 38-58-58.602N 076-28-38.657W | | | | Yellow can. | Aid maintained by U.S. Army Corps of Engineers. |
| 19805 | Severn River Restricted Area Buoy D | 38-59-03.414N 076-28-46.223W | | | | Yellow can. | |
| 19810 | - Buoy 14 | 38-59-09.072N 076-28-40.118W | | | | Red nun. | |
| Lake Ogleton Entrance | | | | | | | |
| 19815 | - LIGHT 1L | 38-57-07.889N 076-27-27.802W | FI G 4s | 15 | 4 | SG on pile. | |
| 19820 | - Day beacon 2 | 38-57-02.768N 076-27-34.675W | | | | TR on pile. | |
| 19825 | - Day beacon 3 | 38-56-59.915N 076-27-35.944W | | | | SG on pile. | |
| 19830 | - Day beacon 4 | 38-56-52.793N 076-27-45.532W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------|---------------------------------|-----------------------|---------------|--------------|-------------------------------|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| SEVERN AND MAGOTHY RIVERS (Chart 12282) | | | | | | | |
| Severn River | | | | | | | |
| Lake Ogleton Entrance | | | | | | | |
| 19835 | - LIGHT 5 | 38-56-49.913N 076-27-47.212W | FI G 4s | 15 | 4 | SG on pile. | |
| Lake Ogleton | | | | | | | |
| 19837 | - Buoy 1 | 38-56-46.320N 076-27-51.420W | | | | Green can. | Private aid. |
| 19837.1 | - Buoy 2 | 38-56-47.040N 076-27-51.660W | | | | Red nun. | Private aid. |
| 19837.2 | - Buoy 3 | 38-56-47.100N 076-28-02.800W | | | | Green can. | Private aid. |
| 19837.3 | - Buoy 4 | 38-56-48.120N 076-28-03.700W | | | | Red nun. | Private aid. |
| 19837.4 | - Buoy 5 | 38-56-48.400N 076-28-11.500W | | | | Green can. | Private aid. |
| 19837.5 | - Buoy 6 | 38-56-49.100N 076-28-19.400W | | | | Red nun. | Private aid. |
| 19837.6 | - Buoy 7 | 38-56-49.600N 076-28-21.100W | | | | Green can. | Private aid. |
| Chesapeake Harbor | | | | | | | |
| <i>Aids maintained from Mar. 1 to Dec. 1.</i> | | | | | | | |
| 19840 | - ENTRANCE LIGHT 2 | 38-57-36.405N 076-27-58.853W | FI R 4s | 14 | | TR on pile. | Private aid. |
| 19845 | - Buoy 3 | 38-57-36.405N 076-28-04.853W | | | | Green can. | Private aid. |
| 19850 | - Buoy 4 | 38-57-36.705N 076-28-06.754W | | | | Red nun. | Private aid. |
| 19855 | - Buoy 5 | 38-57-36.005N 076-28-09.954W | | | | Green can. | Private aid. |
| 19860 | - Buoy 6 | 38-57-37.305N 076-28-14.354W | | | | Red nun. | Private aid. |
| 19865 | - Buoy 7 | 38-57-37.305N 076-28-14.354W | | | | Green can. | Private aid. |
| 19870 | - JETTY LIGHT 8 | 38-57-38.105N 076-28-22.954W | FI R 4s | 14 | | On pile. | Private aid. |
| 19875 | - JETTY LIGHT 9 | 38-57-36.505N 076-28-20.254W | FI G 4s | 14 | | On pile. | Private aid. |
| Eastport Harbor | | | | | | | |
| 19880 | - ENTRANCE LIGHT 1E | 38-57-57.251N 076-28-08.998W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 19885 | - ENTRANCE LIGHT 2E | 38-58-04.100N 076-28-14.752W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 19890 | - JETTY LIGHT 3 | 38-58-03.611N 076-28-21.778W | Q G | 15 | 4 | SG on pile. | |
| 19895 | - ENTRANCE LIGHT 5 | 38-58-04.979N 076-28-27.976W | FI G 4s | 15 | 4 | SG on pile. | |
| 19900 | - Day beacon 7 | 38-58-02.795N 076-28-36.838W | | | | SG on pile. | |
| Spa Creek | | | | | | | |
| 19905 | - Entrance Buoy 1SC | 38-58-35.044N 076-28-47.964W | | | | Green can. | |
| 19915 | - Buoy 3 | 38-58-22.007N 076-29-23.629W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 19920 | - Anchorage Buoy A | 38-58-26.703N 076-28-58.856W | | | | White with orange bands; can. | Maintained from May 15 to Oct. 31. Private aid. |
| 19925 | - Anchorage Buoy B | 38-58-30.903N 076-29-02.157W | | | | White with orange bands; can. | Maintained from May 15 to Oct. 15. Private aid. |
| 19930 | - Anchorage Buoy C | 38-58-35.403N 076-28-53.057W | | | | White with orange bands; can. | Maintained from May 15 to Oct. 31. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---------------------------------------|---------------------------------|-----------------------|---------------|--------------|-------------------------------|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| SEVERN AND MAGOTHY RIVERS (Chart 12282) | | | | | | | |
| Severn River | | | | | | | |
| 19935 | Weems Creek Junction Day beacon WC | 39-00-05.291N 076-29-56.399W | | | | JG on pile. | |
| 19940 | - Day beacon 1S | 38-59-46.803N 076-29-27.038W | | | | SG on pile. | |
| 19945 | - LIGHT 2 | 39-00-14.938N 076-29-42.010W | FI R 4s | 15 | 4 | TR on pile. | |
| 19950 | - LIGHT 2A | 39-01-07.397N 076-31-11.757W | Q R | 15 | 4 | TR on pile. | |
| 19955 | - LIGHT 4 | 39-01-26.135N 076-31-29.824W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 19960 | - LIGHT 5 | 39-01-51.331N 076-31-57.905W | FI G 4s | 15 | 4 | SG on pile. | |
| 19965 | - LIGHT 6 | 39-02-07.061N 076-32-09.844W | FI R 4s | 15 | 4 | TR on pile. | |
| Little Round Bay | | | | | | | |
| 19970 | - South Day beacon 2S | 39-02-17.477N 076-33-58.576W | | | | TR on pile. | |
| 19975 | - South Day beacon 3 | 39-02-10.799N 076-34-02.170W | | | | SG on pile. | |
| 19980 | - South Day beacon 5 | 39-02-26.315N 076-34-17.170W | | | | SG on pile. | |
| 19985 | - North Day beacon 2N | 39-02-32.981N 076-33-25.750W | | | | TR on pile. | |
| 19990 | - North Day beacon 3 | 39-02-28.577N 076-33-42.316W | | | | SG on pile. | |
| 19995 | - North Day beacon 5 | 39-02-37.379N 076-33-49.576W | | | | SG on pile. | |
| Severn River | | | | | | | |
| 20000 | - Day beacon 7 | 39-02-41.243N 076-33-17.752W | | | | SG on pile. | |
| 20005 | - Day beacon 9 | 39-03-02.099N 076-33-30.568W | | | | SG on pile. | |
| 20010 | - Day beacon 10 | 39-03-23.975N 076-32-51.478W | | | | TR on pile. | |
| 20020 | - LIGHT 12 | 39-03-41.469N 076-33-58.626W | FI R 4s | 15 | 4 | TR on pile. | |
| 20025 | - Day beacon 13 | 39-04-06.037N 076-34-29.843W | | | | SG on pile. | |
| 20029 | Mathews Point Buoy 2 | 39-04-32.760N 076-35-56.340W | | | | Red nun. | Private aid. |
| Severn River - Mill Creek | | | | | | | |
| 20030 | - LIGHT 2M | 38-59-34.080N 076-26-49.380W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 20035 | - Day beacon 3 | 38-59-37.795N 076-26-53.476W | | | | SG on pile. | |
| 20040 | - Day beacon 5 | 38-59-40.750N 076-26-56.127W | | | | SG on pile. | |
| 20045 | - Day beacon 6 | 38-59-41.621N 076-26-55.366W | | | | TR on pile. | |
| 20050 | - Day beacon 7 | 38-59-41.220N 076-26-58.860W | | | | SG on pile. | |
| 20055 | - Day beacon 8 | 38-59-42.335N 076-26-58.450W | | | | TR on pile. | |
| 20060 | - Day beacon 10 | 38-59-40.559N 076-27-03.358W | | | | TR on pile. | |
| 20063 | - Buoy 11 | 39-00-23.820N 076-27-23.820W | | | | Green can. | Private aid. |
| Severn River | | | | | | | |
| Whitehall Creek | | | | | | | |
| 20065 | - ENTRANCE LIGHT 2W | 38-59-12.611N 076-26-16.500W | FI R 4s | 15 | 4 | TR on pile. | |
| 20067 | SHARPS POINT LIGHT | 38-59-47.500N 076-26-08.500W | FI W 10s | 58 | | White house with red roof. | Obscured from 067° to 263°. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| SEVERN AND MAGOTHY RIVERS (Chart 12282) | | | | | | | |
| Severn River | | | | | | | |
| Whitehall Creek | | | | | | | |
| 20070 | - Day beacon 4 | 38-59-49.769N 076-25-44.473W | | | | TR on pile. | |
| 20075 | - Day beacon 5 | 38-59-58.482N 076-25-45.468W | | | | SG on pile. | |
| 20080 | - Day beacon 6 | 39-00-02.527N 076-25-55.471W | | | | TR on pile. | |
| 20085 | - Day beacon 7 | 39-00-25.858N 076-25-56.913W | | | | SG on pile. | |
| 20090 | - Day beacon 8 | 39-00-32.765N 076-26-00.592W | | | | TR on pile. | |
| Magothy River | | | | | | | |
| Little Magothy River | | | | | | | |
| 20092 | - Buoy 1LM | 39-02-56.700N 076-25-42.600W | | | | Green can. | Private aid. |
| 20092.01 | - Buoy 2 | 39-02-57.000N 076-25-43.800W | | | | Red nun. | Private aid. |
| 20092.02 | - Buoy 3 | 39-02-53.000N 076-25-43.900W | | | | Green can. | Private aid. |
| 20092.03 | - Buoy 4 | 39-02-53.100N 076-25-44.700W | | | | Red nun. | Private aid. |
| 20092.04 | - Buoy 5 | 39-02-49.400N 076-25-45.100W | | | | Green can. | Private aid. |
| 20092.05 | - Buoy 6 | 39-02-49.400N 076-25-45.800W | | | | Red nun. | Private aid. |
| 20092.06 | - Buoy 7 | 39-02-37.400N 076-25-49.200W | | | | Green can. | Private aid. |
| 20092.07 | - Buoy 8 | 39-02-37.600N 076-25-49.700W | | | | Red nun. | Private aid. |
| Magothy River | | | | | | | |
| 20095 | - ENTRANCE LIGHT 2 | 39-03-21.879N 076-25-46.824W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 20100 | - LIGHT 3 On point of shoal of f Persimmon Point. | 39-03-19.047N 076-25-59.340W | FI G 4s | 18 | 5 | SG on multi-pile structure. | |
| 20105 | - Entrance Day beacon 4 | 39-03-24.219N 076-25-58.218W | | | | TR on pile. | |
| 20110 | - Day beacon 5 | 39-03-22.917N 076-26-10.368W | | | | SG on pile. | |
| Sillery Bay | | | | | | | |
| 20115 | - LIGHT 1 | 39-04-47.691N 076-27-18.744W | FI G 4s | 15 | 4 | SG on pile. | |
| 20120 | - LIGHT 3 | 39-05-25.221N 076-26-39.024W | FI G 4s | 15 | 4 | SG on pile. | |
| 20125 | - LIGHT 4 | 39-05-28.845N 076-26-31.206W | Q R | 15 | 4 | TR on pile. | |
| Gibson Island | | | | | | | |
| 20130 | - Inner Harbor Lighted Buoy 2 | 39-05-24.000N 076-25-45.000W | Q R | | | Red. | Maintained from May 1 to Nov. 1. Private aid. |
| 20131 | - Inner Harbor Lighted Buoy 3 | 39-05-12.000N 076-25-37.000W | Q G | | | Green. | Maintained from May 1 to Nov. 1. Private aid. |
| 20132 | - Inner Harbor Lighted Buoy 4 | 39-05-10.000N 076-25-46.000W | Q R | | | Red. | Maintained from May 1 to Nov. 1. Private aid. |
| Grays Creek | | | | | | | |
| 20135 | - Entrance Day beacon 2 | 39-05-12.045N 076-27-38.130W | | | | TR on pile. | |
| 20141 | - Buoy 1 | 39-05-17.200N 076-27-48.700W | | | | Can. | Private aid. |
| 20145 | - Day beacon 2 | 39-05-17.096N 076-27-48.158W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| SEVERN AND MAGOTHY RIVERS (Chart 12282) | | | | | | | |
| Magothy River | | | | | | | |
| Grays Creek | | | | | | | |
| 20150 | - Day beacon 3 | 39-05-18.596N 076-27-53.058W | | | | SG on pile. | Private aid. |
| 20155 | - Day beacon 4 | 39-05-19.496N 076-27-52.858W | | | | TR on pile.. | Private aid. |
| Deep Creek | | | | | | | |
| 20160 | - Day beacon 1 | 39-03-11.175N 076-26-58.434W | | | | SG on pile. | |
| 20165 | FAIRWINDS MARINA PIER LIGHT | 39-03-03.398N 076-27-09.856W | FI Y 4s | 12 | | On post on end of pier. | Private aid. |
| 20170 | - LIGHT 3 | 39-03-06.303N 076-27-15.330W | FI G 4s | 15 | 4 | SG on pile. | |
| 20175 | - Day beacon 4 | 39-03-05.007N 076-27-20.387W | | | | TR on pile. | |
| Magothy River | | | | | | | |
| 20180 | - Day beacon 7 | 39-03-46.167N 076-27-34.134W | | | | SG on pile. | |
| 20185 | - LIGHT 9 | 39-04-08.781N 076-28-48.030W | FI G 4s | 15 | 5 | SG on pile. | |
| 20190 | Broad Creek Entrance Day beacon 2 | 39-04-38.150N 076-28-38.561W | | | | TR on pile. | |
| 20195 | Broad Creek Entrance Day beacon 3 | 39-04-34.694N 076-28-48.535W | | | | SG on pile. | |
| 20200 | - LIGHT 10 | 39-04-18.549N 076-29-37.356W | FI R 4s | 15 | 4 | TR on pile. | |
| 20220 | Cool Spring Cove Day beacon 1 | 39-03-38.608N 076-29-22.711W | | | | SG on pile. | Private aid. |
| 20225 | Cool Spring Cove Day beacon 2 | 39-03-39.438N 076-29-23.352W | | | | TR on pile. | Private aid. |
| 20245 | - Day beacon 11 | 39-04-23.679N 076-30-03.510W | | | | SG on pile. | |
| 20247 | SOUTH FERRY POINT WARNING LIGHT A | 39-04-23.000N 076-30-06.000W | FI W 2.5s | 10 | | NW on pile on end of jetty worded DANGER. | Private aid. |
| 20250 | - LIGHT 12 | 39-04-36.297N 076-30-12.600W | FI R 4s | 15 | 4 | TR on pile. | |
| 20255 | Cypress Creek Day beacon 1 Marks north edge of shoal. | 39-04-26.073N 076-31-16.696W | | | | SG on pile. | |
| 20260 | Cypress Creek Day beacon 3 Marks north edge of shoal. | 39-04-25.598N 076-31-20.697W | | | | SG on pile. | |
| 20270 | - LIGHT 13 | 39-04-54.831N 076-30-58.008W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 20275 | - LIGHT 14 | 39-04-59.217N 076-31-10.200W | FI R 4s | 15 | 4 | TR on pile. | |
| 20280 | - Junction Day beacon MR | 39-05-10.114N 076-31-29.938W | | | | JG on pile. | |
| 20285 | Cattail Creek Day beacon 2 | 39-05-10.083N 076-31-32.610W | | | | TR on pile. | |
| 20290 | - Day beacon 15 | 39-05-11.507N 076-31-30.231W | | | | SG on pile. | |
| 20295 | - Day beacon 16 | 39-05-28.851N 076-31-35.796W | | | | TR on pile. | |
| APPROACHES TO BALTIMORE HARBOR (Chart 12278) | | | | | | | |
| Patapsco River | | | | | | | |
| Bodkin Creek | | | | | | | |
| 20310 | Bodkin Point Shoal Buoy 1 Marks edge of shoal. | 39-07-50.395N 076-24-36.352W | | | | Green can. | |
| 20315 | BODKIN POINT SHOAL LIGHT 3 | 39-08-10.052N 076-25-03.235W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 20320 | - Approach Day beacon 5 | 39-08-12.019N 076-25-27.901W | | | | SG on pile. | |
| 20325 | - Junction Buoy BC | 39-08-58.294N 076-25-26.754W | | | | Green and red bands; can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|-------------------------------------|----------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| APPROACHES TO BALTIMORE HARBOR (Chart 12278) | | | | | | | |
| Patapsco River | | | | | | | |
| Bodkin Creek | | | | | | | |
| 20330 | - ENTRANCE LIGHT 7 | 39-08-13.607N 076-25-53.167W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 20335 | - Day beacon 9 | 39-08-06.659N 076-26-06.441W | | | | SG on pile. | |
| 20340 | - Day beacon 9A | 39-08-01.694N 076-26-12.055W | | | | SG on pile. | |
| 20345 | - Day beacon 10 | 39-08-05.333N 076-26-07.026W | | | | TR on pile. | |
| 20350 | - LIGHT 11 | 39-07-58.382N 076-26-20.009W | FI G 4s | 19 | 4 | SG on pile. | |
| 20355 | - Day beacon 12 | 39-07-35.627N 076-26-39.154W | | | | TR on pile. | |
| Patapsco River | | | | | | | |
| 20370 | WHITE ROCKS LIGHT | 39-10-25.768N 076-29-17.010W | FI W 4s | 19 | 5 | White house on concrete foundation. | |
| Rock Creek | | | | | | | |
| 20375 | - CHANNEL ENTRANCE LIGHT 2 | 39-09-41.944N 076-29-50.564W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 20385 | - CHANNEL LIGHT 3 | 39-09-19.301N 076-30-04.039W | FI G 4s | 15 | 4 | SG on pile. | |
| 20390 | - Channel Day beacon 4 | 39-09-21.539N 076-30-07.568W | | | | TR on pile. | |
| 20395 | - Channel Day beacon 6 | 39-09-12.788N 076-30-14.452W | | | | TR on pile. | |
| Stony Creek | | | | | | | |
| 20400 | - Buoy 2 | 39-10-50.652N 076-30-17.863W | | | | Red nun. | |
| 20405 | - Buoy 3 | 39-10-31.092N 076-30-32.964W | | | | Green can. | |
| 20410 | - LIGHT 4 | 39-10-25.067N 076-31-00.989W | FI R 4s | 15 | 4 | TR on pile. | |
| 20415 | - LIGHT 5 | 39-10-23.775N 076-30-54.776W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 20420 | - Day beacon 6 | 39-10-19.954N 076-30-57.304W | | | | TR on pile. | |
| 20425 | - Day beacon 8 | 39-10-15.387N 076-30-57.860W | | | | TR on pile. | |
| Pennwood Channel | | | | | | | |
| <i>Channel buoys located 50 feet outside channel limit.</i> | | | | | | | |
| 20430 | - RANGE FRONT LIGHT | 39-13-09.624N 076-27-47.188W | Q G | 25 | | KRW on pile. | Private aid. |
| 20435 | - RANGE REAR LIGHT 1,000 yards, 353.6° from front . | 39-13-34.421N 076-27-47.188W | Iso G 6s | 45 | | KRW on pile. | Private aid. |
| 20440 | - Buoy 2PW | 39-11-14.191N 076-27-24.858W | | | | Red nun. | |
| 20445 | - Buoy 3 | 39-11-19.191N 076-27-31.058W | | | | Green can. | |
| 20450 | - Buoy 5 | 39-11-41.041N 076-27-33.178W | | | | Green can. | |
| 20455 | - Buoy 6 | 39-11-38.691N 076-27-28.658W | | | | Red nun. | |
| 20460 | - Buoy 7 | 39-12-03.643N 076-27-36.250W | | | | Green can. | |
| 20465 | - Buoy 8 | 39-12-02.970N 076-27-32.338W | | | | Red nun. | |
| 20470 | - Buoy 9 | 39-12-25.633N 076-27-39.966W | | | | Green can. | |
| 20475 | - Buoy 10 | 39-12-26.379N 076-27-35.379W | | | | Red nun. | |
| 20480 | - Buoy 12 | 39-12-32.300N 076-27-29.628W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| APPROACHES TO BALTIMORE HARBOR (Chart 12278) | | | | | | | |
| Patapsco River | | | | | | | |
| Pennwood Channel | | | | | | | |
| <i>Channel buoys located 50 feet outside channel limit.</i> | | | | | | | |
| 20485 | - Buoy 14 | 39-12-36.639N 076-27-29.212W | | | | Red nun. | |
| 20490 | - Buoy 16 | 39-12-38.830N 076-27-36.838W | | | | Red nun. | |
| Old Road Bay | | | | | | | |
| 20495 | - LIGHT 2RB | 39-12-08.856N 076-27-22.210W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 20500 | - LIGHT 4 | 39-12-58.487N 076-26-49.270W | Q R | 15 | 4 | TR on pile. | |
| Jones Creek-Patapsco River | | | | | | | |
| 20505 | JONES CREEK LIGHT 1 | 39-12-53.525N 076-27-08.222W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 20510 | Jones Creek Day beacon 2 | 39-12-54.503N 076-27-07.954W | | | | TR on pile. | |
| 20515 | NORTH POINT CREEK LIGHT 2 | 39-13-07.798N 076-26-29.166W | FI R 4s | 15 | 4 | TR on pile. | |
| 20520 | Jones Creek Day beacon 3 | 39-12-58.349N 076-27-19.432W | | | | SG on pile. | |
| 20525 | Jones Creek Day beacon 4 | 39-12-58.925N 076-27-19.010W | | | | TR on pile. | |
| 20530 | Jones Creek Day beacon 5 | 39-13-04.169N 076-27-32.282W | | | | SG on pile. | |
| 20535 | JONES CREEK LIGHT 6 | 39-13-04.930N 076-27-30.903W | FI R 4s | 15 | 4 | TR on pile. | |
| 20540 | Jones Creek Warning Day beacon | 39-13-06.617N 076-27-29.570W | | | | NW on pile worded DANGER SUBMERGED PILE. | |
| Sparrows Point Channel | | | | | | | |
| 20545 | - RANGE FRONT LIGHT | 39-12-42.268N 076-29-03.119W | F G | 70 | | KRW on black pyramidal skeleton tower. | Private aid. |
| 20550 | - RANGE REAR LIGHT 250 yards, 354° from front light. | 39-12-46.435N 076-29-03.653W | F R | 96 | | KRW on skeleton tower. | Private aid. |
| 20555 | - <i>Lighted Junction Buoy SP</i> | 39-11-40.190N 076-28-58.292W | FI (2+1)R 6s | | 6 | Red and green. | |
| 20560 | - Buoy 2 | 39-11-40.791N 076-28-51.860W | | | | Red nun. | |
| 20565 | - Buoy 3 | 39-11-51.390N 076-28-59.961W | | | | Green can. | |
| 20570 | - Buoy 4 | 39-11-52.491N 076-28-44.160W | | | | Red nun. | |
| 20575 | - Buoy 6 | 39-12-06.390N 076-28-45.960W | | | | Red nun. | |
| 20580 | SPARROWS POINT ORE PIER LIGHTS (2) | 39-12-06.390N 076-28-28.860W | F R | 28 | | Yellow dolphin. | Private aid. |
| 20585 | - Buoy 7 | 39-12-22.370N 076-29-03.041W | | | | Green can. | |
| 20590 | - <i>Lighted Buoy 8</i> | 39-12-22.040N 076-28-59.061W | FI R 2.5s | | 4 | Red. | |
| 20595 | - Buoy 10 | 39-12-34.310N 076-28-54.761W | | | | Red nun. | |
| Patapsco River | | | | | | | |
| APPROACHES TO BALTIMORE HARBOR (Chart 12278) | | | | | | | |
| Sparrows Point Bulkhead | | | | | | | |
| 20600 | - LIGHT A | 39-12-04.960N 076-29-32.002W | F Y | 7 | | On steel box on bulkhead. | Private aid. |
| 20605 | - LIGHT B | 39-12-06.454N 076-29-43.573W | F Y | 7 | | On steel box on bulkhead. | Private aid. |
| 20610 | - LIGHT C | 39-12-10.880N 076-29-47.862W | FI Y 4s | 7 | | On steel box on bulkhead. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|------------------------------|----------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| Patapsco River | | | | | | | |
| APPROACHES TO BALTIMORE HARBOR (Chart 12278) | | | | | | | |
| Sparrows Point Bulkhead | | | | | | | |
| 20625 | SPARROWS POINT DRYDOCK LIGHT P3 | 39-12-49.389N 076-30-03.863W | FI R 4s | 20 | | On steel box. | Private aid. |
| 20630 | SPARROWS POINT DRYDOCK LIGHT P4 | 39-12-46.889N 076-30-03.863W | FI R 4s | 20 | | On steel box. | Private aid. |
| APPROACHES TO BALTIMORE HARBOR (Chart 12278) | | | | | | | |
| Patapsco River | | | | | | | |
| Marine Pier Channel | | | | | | | |
| 20641 | - Buoy 1 | 39-12-32.126N 076-30-58.601W | | | | Green can. | |
| 20643 | - Buoy 2 | 39-12-38.822N 076-30-45.430W | | | | Red nun. | |
| 20645 | - Buoy 3 | 39-12-50.259N 076-30-39.450W | | | | Green can. | |
| 20650 | - Buoy 4 | 39-12-47.789N 076-30-35.964W | | | | Red nun. | |
| 20655 | - Buoy 6 | 39-12-59.189N 076-30-24.263W | | | | Red nun. | |
| 20660 | - Buoy 7 | 39-13-03.289N 076-30-25.764W | | | | Green can. | |
| 20665 | - Buoy 8 | 39-13-02.989N 076-30-15.563W | | | | Red nun. | |
| Bear Creek | | | | | | | |
| 20670 | - Junction Buoy BC | 39-13-08.589N 076-30-13.563W | | | | Green and red bands; can. | |
| 20675 | - ENTRANCE LIGHT 3 | 39-13-51.455N 076-30-00.302W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 20680 | - EAST OBSTRUCTION LIGHTS (2) Marks overhead wire crossing. | 39-14-10.600N 076-29-45.481W | F Y | 14 | | On tower. | Private aid. |
| 20685 | - WEST OBSTRUCTION LIGHTS (2) Marks overhead wire crossing. | 39-14-10.300N 076-29-45.500W | F Y | 14 | | On tower. | Private aid. |
| 20690 | LONG POINT LIGHT 5 | 39-14-40.836N 076-29-34.320W | FI G 4s | 15 | 4 | SG on pile. | |
| 20695 | Lynch Cove Point Day beacon Marks 4-foot shoal. | 39-15-04.859N 076-29-13.336W | | | | JG on pile. | |
| 20700 | SPARROWS POINT COUNTRY CLUB PIER LIGHT | 39-15-21.388N 076-28-36.861W | F Y | 8 | | On post at pier corner. | Private aid. |
| Sollers Point Channel | | | | | | | |
| 20705 | Sollers Point Day beacon 1 | 39-14-00.388N 076-31-28.866W | | | | SG on pile. | Private aid. |
| HAW Generating Plant Channel | | | | | | | |
| 20730 | - Buoy 1 | 39-11-46.390N 076-30-27.863W | | | | Green can. | Private aid. |
| 20735 | - Buoy 2 | 39-11-47.390N 076-30-27.863W | | | | Red nun. | Private aid. |
| 20740 | - Buoy 3 | 39-11-32.390N 076-30-32.864W | | | | Green can. | Private aid. |
| 20745 | - Buoy 4 | 39-11-32.390N 076-30-36.864W | | | | Red nun. | Private aid. |
| 20750 | - Buoy 5 | 39-11-09.391N 076-30-46.864W | | | | Green can. | Private aid. |
| 20755 | - Buoy 6 | 39-11-09.391N 076-30-49.864W | | | | Red nun. | Private aid. |
| 20760 | - Buoy 7 | 39-10-53.391N 076-30-54.864W | | | | Green can. | Private aid. |
| 20765 | - Buoy 9 | 39-10-51.391N 076-31-04.865W | | | | Green can. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--------------------------|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| APPROACHES TO BALTIMORE HARBOR (Chart 12278) | | | | | | | |
| Patapsco River | | | | | | | |
| Hawkins Point Pier | | | | | | | |
| 20788 | HAWKINS POINT OUTFALL LIGHT A | 39-12-14.800N 076-31-46.200W | FI Y 4s | | | On pile. | Private aid. |
| 20790 | Hawkins Point Buoy WR1 | 39-12-30.890N 076-31-41.867W | | | | Green can. | |
| 20795 | Hawkins Point Shoal Buoy 11S Marks northeast end of shoal. | 39-12-40.739N 076-31-41.086W | | | | Green can. | |
| Curtis Bay | | | | | | | |
| <i>Buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 20860 | - Entrance Channel Lighted Buoy 1CB | 39-13-11.536N 076-32-06.201W | Q G | | 5 | Green. | |
| 20865 | - Channel Lighted Buoy 2 | 39-13-22.265N 076-32-19.855W | FI R 2.5s | | 5 | Red. | |
| 20870 | - CHANNEL RANGE FRONT LIGHT | 39-13-16.199N 076-34-34.769W | FI G 2.5s | 20 | | On multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 20875 | - CHANNEL RANGE REAR LIGHT 405 yards, 267.9° from front light. | 39-13-15.809N 076-34-50.211W | Oc G 4s | 53 | | On corner of building. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 20880 | - Channel Lighted Buoy 3 | 39-13-16.492N 076-32-34.506W | FI G 2.5s | | 5 | Green. | |
| 20882 | Thomas Cove Mooring Buoy A | 39-12-58.200N 076-32-40.800W | | | | White with blue band. | Private aid. |
| 20883 | Thomas Cove Mooring Buoy B | 39-12-53.400N 076-32-39.600W | | | | White with blue band. | Private aid. |
| 20885 | - Channel Lighted Buoy 4 | 39-13-21.598N 076-32-51.755W | FI R 6s | | 5 | Red. | |
| 20890 | - Channel Lighted Buoy 5 | 39-13-15.684N 076-33-08.671W | FI G 4s | | 5 | Green. | |
| 20895 | - Channel Lighted Buoy 6 | 39-13-20.466N 076-33-31.918W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 20900 | - Channel Lighted Buoy 7 | 39-13-14.248N 076-34-00.929W | FI G 2.5s | | 5 | Green. | |
| 20905 | - Channel Lighted Buoy 8 | 39-13-19.702N 076-34-05.597W | Q R | | 5 | Red. | |
| 20910 | - Channel Lighted Buoy 9 | 39-13-12.009N 076-34-25.298W | FI G 2.5s | | 5 | Green. | |
| 20915 | - Channel Lighted Buoy 10 | 39-13-26.165N 076-34-15.978W | FI R 4s | | 5 | Red. | |
| 20920 | - Channel Lighted Buoy 11 | 39-13-04.353N 076-34-29.181W | FI G 4s | | 5 | Green. | |
| 20925 | - Channel Lighted Buoy 12 | 39-12-52.208N 076-34-38.283W | FI R 4s | | 5 | Red. | Replaced by nun when endangered by ice. |
| 20930 | Hess Lighted Mooring Buoy | 39-12-48.388N 076-34-41.873W | FI W 2s | | | White with blue band. | Private aid. |
| 20935 | - Channel Lighted Buoy 13 | 39-12-32.117N 076-34-47.187W | Q G | | 5 | Green. | |
| 20940 | Curtis Creek Buoy 14 | 39-12-20.388N 076-34-52.874W | | | | Red nun. | |
| 20945 | Curtis Creek Buoy 16 | 39-12-15.489N 076-34-45.173W | | | | Red nun. | |
| 20950 | Curtis Creek Buoy 18 | 39-11-52.409N 076-34-29.993W | | | | Red nun. | |
| 20955 | Marley Creek Day beacon 1 | 39-11-11.899N 076-34-31.272W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---------------------------|----------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| APPROACHES TO BALTIMORE HARBOR (Chart 12278) | | | | | | | |
| Patapsco River | | | | | | | |
| Curtis Bay | | | | | | | |
| <i>Buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 20960 | Marley Creek Day beacon 3 | 39-11-01.409N 076-34-40.234W | | | | SG on pile. | |
| 20965 | Marley Creek Day beacon 5 | 39-10-52.776N 076-34-49.656W | | | | SG on pile. | |
| 20970 | Marley Creek Day beacon 7 | 39-09-53.676N 076-35-21.714W | | | | SG on pile. | |
| 20975 | CSX COAL PIER DOLPHIN LIGHT A | 39-13-33.387N 076-34-35.873W | FI Y 2.5s | 15 | | On southside end of pier. | Private aid. |
| 20980 | CSX COAL PIER DOLPHIN LIGHT B | 39-13-22.388N 076-34-35.873W | FI Y 2.5s | 15 | | On northside end of pier | Private aid. |
| 20985 | CSX ASH PIER LIGHT C | 39-13-16.588N 076-34-34.373W | FI Y 2.5s | 12 | | On southeast dolphin. | Private aid. |
| 20990 | CSX ORE PIER OBSTRUCTION LIGHT D | 39-13-30.387N 076-34-46.874W | F Y | 15 | | On end of pier. | Private aid. |
| 20995 | CSX ORE PIER OBSTRUCTION LIGHT E | 39-13-31.470N 076-34-47.590W | F Y | 15 | | On end of pier. | Private aid. |
| 20997 | CORMAN MARINE PIER LIGHT A | 39-12-41.580N 076-34-47.500W | FI Y 2s | | | On end of pier. | Private aid. |
| BALTIMORE HARBOR (Chart 12281) | | | | | | | |
| Dundalk Terminal East Channel | | | | | | | |
| <i>Buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 21000 | - RANGE FRONT LIGHT | 39-14-24.987N 076-31-54.167W | Q G | 42 | | KRW on pile. | Private aid. |
| 21005 | - RANGE REAR LIGHT 304 yards, 032.8° from front light. | 39-14-32.487N 076-31-47.867W | Iso G 6s | 54 | | KRW on pile. | Private aid. |
| 21010 | - Lighted Buoy 2DE | 39-13-52.723N 076-32-17.609W | FI R 2.5s | | 4 | Red. | |
| 21025 | - Lighted Buoy 4 | 39-14-01.565N 076-32-09.087W | FI R 4s | | 5 | Red. | |
| 21026 | - Buoy 5 | 39-14-05.884N 076-32-13.668W | | | | Green can. | |
| 21027 | - Lighted Buoy 7 | 39-14-09.871N 076-32-09.897W | FI G 4s | | 4 | Green. | |
| 21030 | - Buoy 9 | 39-14-21.886N 076-32-09.604W | | | | Green can. | |
| 21035 | - Buoy 10 | 39-14-18.767N 076-31-49.986W | | | | Red nun. | |
| 21040 | DUNDALK TERMINAL SOUTHEAST BULKHEAD LIGHT | 39-14-21.388N 076-31-58.367W | F Y | 10 | | On post. | Private aid. |
| Seagirt Marine Terminal East Channel | | | | | | | |
| <i>Buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 21045 | - Lighted Buoy 2SE | 39-14-16.191N 076-32-36.420W | FI R 4s | | 4 | Red. | |
| 21050 | - Lighted Buoy 3 | 39-14-34.874N 076-32-34.401W | FI G 4s | | 4 | Green. | |
| 21052 | - Lighted Buoy 4 | 39-14-31.097N 076-32-24.889W | FI R 2.5s | | 4 | Red. | |
| 21055 | - Lighted Buoy 5 | 39-14-41.992N 076-32-32.442W | Q G | | 4 | Green. | |
| 21063 | - Lighted Buoy 7 | 39-14-51.754N 076-32-39.395W | FI G 2.5s | | 4 | Green. | |
| 21065 | - Lighted Buoy 7A | 39-15-04.896N 076-32-45.099W | FI G 4s | | 4 | Green. | |
| 21070 | Colgate Creek Entrance Buoy 1C | 39-15-02.400N 076-32-20.490W | | | | Green can. | |
| 21075 | Dundalk Terminal West Channel Buoy 2DW | 39-14-30.812N 076-32-18.031W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|-------------------------------|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| BALTIMORE HARBOR (Chart 12281) | | | | | | | |
| Seagirt Marine Terminal East Channel | | | | | | | |
| <i>Buoys located 75 feet outside channel limit.</i> | | | | | | | |
| 21085 | DUNDALK TERMINAL WEST CHANNEL RANGE REAR LIGHT 88 yards, 031° from front light. | 39-14-48.480N 076-32-16.020W | Q G | 45 | | On pile. | Private aid. |
| 21105 | SEAGIRT TERMINAL EAST END BULKHEAD LIGHT | 39-15-08.963N 076-32-38.198W | F Y | 10 | | On post on bulkhead. | Private aid. |
| Fairfield Piers | | | | | | | |
| 21110 | SHELL OIL COMPANY RANGE FRONT LIGHT | 39-14-19.043N 076-33-39.956W | F Y | 20 | | On skeleton tower on pier. | Private aid. |
| 21115 | SHELL OIL COMPANY RANGE REAR LIGHT 189 yards, 237° from front light. | 39-14-15.738N 076-33-46.231W | F G | 70 | | On tower on pier. | Private aid. |
| 21120 | SALSOL NORTH AMERICA PIER LIGHT | 39-14-26.988N 076-33-44.964W | FI Y 2.5s | 12 | | On pile at end of pier. | Private aid. |
| Seagirt Marine Terminal West Channel | | | | | | | |
| 21135 | Seagirt Marine Term West Channel Junction Buoy SW | 39-15-10.070N 076-33-50.243W | | | | Red and green bands; nun. | |
| 21140 | - Lighted Buoy 3SW | 39-15-12.216N 076-33-42.666W | FI G 4s | | 4 | Green. | Replaced by can when endangered by ice. |
| 21145 | - Lighted Buoy 4 | 39-15-08.556N 076-33-37.662W | FI R 4s | | 4 | Red. | |
| 21150 | - Buoy 5 | 39-15-24.106N 076-33-27.831W | | | | Green can. | |
| 21155 | - Lighted Buoy 6 | 39-15-15.256N 076-33-28.149W | Q R | | 4 | Red. | |
| 21160 | - Lighted Buoy 8 | 39-15-18.129N 076-33-12.831W | FI R 2.5s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 21165 | - Buoy 10 | 39-15-14.562N 076-33-01.368W | | | | Red nun. | |
| 21170 | - Buoy 2 25 feet outside channel limit. | 39-15-20.586N 076-33-43.872W | | | | Red nun. | |
| Fairfield Channel | | | | | | | |
| 21190 | - DOLPHIN LIGHT | 39-15-00.386N 076-34-34.000W | F W | 12 | | On dolphin. | Private aid. |
| 21195 | - RANGE FRONT LIGHT | 39-14-51.386N 076-34-41.874W | F G | | | On pile. | Private aid. |
| 21200 | - RANGE REAR LIGHT 300 yards, 211° from front light. | 39-14-43.386N 076-34-47.874W | F G | | | On pile. | Private aid. |
| Ferry Bar Channel | | | | | | | |
| <i>Buoys located 75 feet outside channel limits.</i> | | | | | | | |
| 21205 | - Lighted Buoy 1FB | 39-15-15.624N 076-34-15.780W | Q G | | 5 | Green. | Replaced by can when endangered by ice. |
| 21210 | - Lighted Buoy 2 | 39-15-23.590N 076-34-44.003W | FI R 4s | | 5 | Red. | |
| 21215 | - Lighted Buoy 3 | 39-15-16.237N 076-35-06.426W | FI G 4s | | 5 | Green. | |
| 21220 | - Lighted Buoy 4 | 39-15-23.503N 076-35-14.243W | FI R 2.5s | | 5 | Red. | |
| 21222 | VMC South Locust Point Mooring Buoy A | 39-15-34.140N 076-35-14.930W | | | | White with blue band; sphere. | Private aid. |
| Masonville Containment Facility | | | | | | | |
| 21223 | MASONVILLE DIKE WARNING LIGHT A | 39-15-07.493N 076-34-51.692W | FI W 4s | | | On containment dike. | Private aid. |
| 21223.1 | MASONVILLE DIKE WARNING LIGHT B | 39-15-09.861N 076-34-57.493W | FI W 4s | | | On containment dike. | Private aid. |
| 21223.2 | MASONVILLE DIKE WARNING LIGHT C | 39-15-13.517N 076-35-06.627W | FI W 4s | | | On containment dike. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| BALTIMORE HARBOR (Chart 12281) | | | | | | | |
| Masonville Containment Facility | | | | | | | |
| 21223.3 | MASONVILLE DIKE WARNING LIGHT D | 39-15-13.620N 076-35-19.291W | FI W 4s | | | On containment dike. | Private aid. |
| 21223.4 | MASONVILLE DIKE WARNING LIGHT E | 39-15-13.447N 076-35-31.879W | FI W 4s | | | On containment dike. | Private aid. |
| Locust Point East Channel | | | | | | | |
| 21225 | - Buoy 1LE | 39-15-23.475N 076-35-28.762W | | | | Green can. | |
| 21230 | - Lighted Buoy 3LE | 39-15-30.981N 076-35-32.698W | FI G 2.5s | | 4 | Green. | |
| 21233 | - Buoy 4 | 39-15-31.153N 076-35-25.132W | | | | Red nun. | |
| Locust Point West Channel | | | | | | | |
| 21240 | - Lighted Buoy 1LW | 39-15-24.995N 076-35-54.149W | FI G 2.5s | | 5 | Green. | |
| 21245 | - Lighted Buoy 2W | 39-15-25.583N 076-35-43.662W | FI R 2.5s | | 4 | Red. | |
| 21250 | - Lighted Buoy 4W | 39-15-30.536N 076-35-46.749W | FI R 4s | | 5 | Red. | |
| 21255 | - Lighted Buoy 6 | 39-15-34.982N 076-35-46.469W | FI R 2.5s | | 4 | Red. | |
| 21260 | - Lighted Buoy 8 | 39-15-38.931N 076-35-41.293W | Q R | | 4 | Red. | |
| Ferry Bar Channel | | | | | | | |
| <i>Buoys located 75 feet outside channel limits.</i> | | | | | | | |
| 21265 | - Lighted Buoy 6 | 39-15-23.505N 076-35-37.203W | Q R | | 5 | Red. | Replaced by nun when endangered by ice. |
| 21270 | - Lighted Buoy 7 | 39-15-16.090N 076-35-43.799W | FI G 2.5s | | 5 | Green. | Replaced by can when endangered by ice. |
| 21275 | - Junction Buoy FB | 39-15-19.766N 076-35-50.207W | | | | Green and red bands; can. | |
| 21280 | - Day beacon 8 | 39-15-20.598N 076-36-06.978W | | | | TR on pile. | |
| 21285 | - Day beacon 9 | 39-15-18.017N 076-36-13.498W | | | | SG on pile. | |
| 21290 | - Day beacon 10 | 39-15-20.049N 076-36-23.321W | | | | TR on pile. | |
| 21295 | - Day beacon 12 | 39-15-20.109N 076-36-37.004W | | | | TR on pile. | |
| 21300 | - LIGHT 13 | 39-15-18.780N 076-36-40.128W | Q G | 15 | 4 | SG on pile. | |
| 21305 | - Day beacon 14 | 39-15-24.323N 076-36-46.942W | | | | TR on pile. | |
| 21307 | PORT COVINGTON MOORING PLATFORM LIGHT | 39-15-31.986N 076-36-16.078W | F R | | 12 | On mooring platform. | Private aid. |
| Northwest Harbor | | | | | | | |
| 21330 | - Channel Lighted Buoy 2NH 75 feet outside channel limit. | 39-15-31.678N 076-34-14.260W | Q R | | 4 | Red. | Replaced by nun when endangered by ice. |
| 21335 | - Channel Lighted Buoy 3 75 feet outside channel limit. | 39-15-37.102N 076-34-32.273W | Q G | | 4 | Green. | Replaced by can when endangered by ice. |
| 21340 | - Channel Lighted Buoy 5 | 39-15-56.731N 076-34-33.408W | FI G 4s | | 4 | Green. | |
| 21345 | - Channel Lighted Buoy 7 | 39-16-04.470N 076-34-36.644W | Q G | | 4 | Green. | |
| 21352 | ERASMUS PROPERTY DOLPHIN LIGHT A | 39-16-10.849N 076-34-46.692W | FI Y 4s | | | NY on dolphin. | Private aid. |
| 21360 | - Channel Junction Lighted Buoy NH | 39-16-12.778N 076-34-34.175W | FI (2+1)R 6s | | 4 | Red and green bands. | |
| 21362 | North Locust Point Marine Terminal Pier 7 Warning Buoy A | 39-16-24.400N 076-35-07.200W | | | | White buoy with orange diamond worded DANGER. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| BALTIMORE HARBOR (Chart 12281) | | | | | | | |
| Northwest Harbor | | | | | | | |
| 21362.1 | North Locust Point Marine Terminal Pier 7 Warning Buoy B | 39-16-21.900N 076-35-08.800W | | | | White buoy with orange diamond worded DANGER. | Private aid. |
| 21362.2 | North Locust Point Marine Terminal Pier 7 Warning Buoy C | 39-16-19.800N 076-35-10.400W | | | | White buoy with orange diamond worded DANGER. | Private aid. |
| 21363 | Baltimore Inner Harbor Buoy 2 | 39-16-40.657N 076-35-44.797W | | | | Red nun. | Private aid. |
| 21363.1 | Baltimore Inner Harbor Buoy 4 | 39-16-40.701N 076-35-57.620W | | | | Red nun. | Private aid. |
| 21363.2 | Baltimore Inner Harbor Buoy 5 | 39-16-45.240N 076-36-10.980W | | | | Green can. | Private aid. |
| 21363.3 | Baltimore Inner Harbor Buoy 6 | 39-16-50.129N 076-36-09.383W | | | | Red nun. | Private aid. |
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| CHESAPEAKE BAY ENTRANCE (Chart 12221) | | | | | | | |
| North Channel | | | | | | | |
| 21366 | - Lighted Buoy 2N | 37-00-19.150N 075-54-22.325W | FI R 4s | | 5 | Red. | |
| 21370 | - Buoy 4 | 37-00-59.885N 075-56-01.312W | | | | Red nun. | |
| 21375 | - Buoy 6 | 37-02-17.920N 075-56-56.690W | | | | Red nun. | |
| 21380 | - Buoy 8 | 37-03-13.486N 075-57-56.157W | | | | Red nun. | |
| 21385 | - Buoy 10 | 37-04-05.412N 075-58-52.104W | | | | Red nun. | |
| 21390 | - Buoy 11 | 37-04-15.517N 075-59-21.951W | | | | Green can. | |
| 21395 | - Bridge Horn | 37-05-18.515N 075-59-10.751W | | | | | HORN : 1 blast ev 20s (2s bl). Continuous. Private aid. |
| CAPE CHARLES TO WOLF TRAP (Chart 12224) | | | | | | | |
| North Channel | | | | | | | |
| 21400 | - Buoy 13 | 37-06-15.966N 076-00-22.380W | | | | Green can. | |
| 21405 | Latimer Shoal Junction Buoy LS | 37-05-49.396N 075-59-31.620W | | | | Red and green bands; nun. | |
| 21410 | - Buoy 16 | 37-09-02.099N 076-01-01.047W | | | | Red nun. | |
| 21413 | - Buoy 18 | 37-10-40.388N 076-01-21.845W | | | | Red nun. | |
| 21415 6595 | VIRGINIA INSIDE PASSAGE LIGHT 270 | 37-07-01.513N 075-58-48.986W | FI R 2.5s | | 15 4 | TR on pile. | |
| Kiptopeke Beach | | | | | | | |
| 21420 | - BREAKWATER SOUTH LIGHT A | 37-09-40.508N 075-59-18.753W | FI Y 4s | | 14 | NY on black skeleton tower. | Private aid. |
| 21425 | - Breakwater Lighted Warning Buoy | 37-09-55.000N 075-59-40.000W | FI W 4s | | | White and orange buoy worded DANGER. | Private aid. |
| 21427 | - BOAT RAMP ENTRANCE LIGHT 1 | 37-10-01.150N 075-59-20.830W | Q G | | 15 | SG on pile. | Private aid. |
| 21429 | - BOAT RAMP ENTRANCE LIGHT 2 | 37-10-00.830N 075-59-20.680W | FI R 2.5s | | 15 | TR on pile. | Private aid. |
| CAPE CHARLES TO WOLF TRAP (Chart 12224) | | | | | | | |
| 21430 | CHERRYSTONE CHANNEL LIGHT 2C | 37-12-01.957N 076-01-32.515W | FI R 2.5s | | 18 4 | TR on pile. | |
| 21435 | OLD PLANTATION FLATS WARNING LIGHT A | 37-13-43.236N 076-02-48.107W | FI W 4s | | 19 7 | NW on pile worded DANGER ROCKS. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|--|---------------|--------------|--|--|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| CAPE CHARLES TO WOLF TRAP (Chart 12224) | | | | | | | |
| Cape Charles City | | | | | | | |
| 21440 | - RANGE A FRONT LIGHT | 37-14-31.827N 076-01-53.979W | Q W (NIGHT) Q W (DAY) | 18 15 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 4.0° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of range line. |
| 21445 | - RANGE A REAR LIGHT 268 yards, 054° from front light. | 37-14-36.331N 076-01-45.808W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 38 35 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 5.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of range line. |
| 21450 | - <i>Lighted Buoy 1CC</i> | 37-13-55.990N 076-03-04.913W | FI G 2.5s | | 4 | Green. | |
| 21455 | - <i>Lighted Buoy 2</i> | 37-14-15.500N 076-02-16.761W | Q R | | 4 | Red. | |
| 21460 | - RANGE B FRONT LIGHT 8 | 37-15-43.998N 076-01-41.141W | Iso R 2s (NIGHT) Iso R 2s (DAY) | 22 19 | | On multi-pile structure with TR on upstream side of structure. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around, higher intensity 1.5° either side of rangeline. |
| 21465 | - RANGE B REAR LIGHT 580 yards, 018.5° from front light. | 37-16-00.137N 076-01-33.689W | Iso R 6s (NIGHT) Iso R 6s (DAY) | 40 37 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 21470 | - LIGHT 4 | 37-14-54.414N 076-02-00.654W | FI R 4s | 15 | 4 | TR on pile. | |
| 21475 | - APPROACH LIGHT C | 37-15-23.238N 076-01-56.934W | FI W 4s | 30 | 5 | NB on pile on caisson. | |
| 21480 | - Buoy 5 | 37-15-22.498N 076-01-53.761W | | | | Green can. | |
| 21485 | - Buoy 6 | 37-15-23.498N 076-01-47.761W | | | | Red nun. | |
| 21490 | - WRECK LIGHT WR7 | 37-15-48.198N 076-01-50.646W | Q G | 15 | 4 | NW on pile. | |
| 21491 | CAPE CHARLES | 37-16-05.420N | FI W 2.5s | | | NW on pile worded | Private aid. |
| 21491 | BREAKWATERS NORTH DANGER LIGHT | 076-01-54.080W | | | | DANGER NORTH BREAKWATER. | |
| 21491 | CAPE CHARLES | 37-16-05.420N | FI W 2.5s | | | | Private aid. |
| 21491 | BREAKWATERS NORTH DANGER LIGHT | 076-01-54.080W | | | | | |
| 21491.1 | CAPE CHARLES | 37-15-43.040N | FI W 2.5s | | | NW on pile worded | Private aid. |
| | BREAKWATERS SOUTH DANGER LIGHT | 076-01-55.970W | | | | DANGER SOUTH BREAKWATER. | |
| 21495 | - JETTY LIGHT | 37-15-58.062N 076-01-40.524W | Q W | 18 | 5 | NR on red skeleton tower. | |
| 21500 | - LIGHT 11 | 37-15-58.740N 076-01-26.922W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 21515 | Mud Creek Buoy 2 | 37-15-51.342N 076-00-58.908W | | | | Red nun. | |
| CAPE CHARLES TO WOLF TRAP (Chart 12224) | | | | | | | |
| 21530 | Cherry stone Inlet Daybeacon 2CI | 37-16-56.421N 076-01-20.321W | | | | TR on multi-pile structure. | |
| Kings Creek | | | | | | | |
| 21531 | - CHANNEL LIGHT 2 | 37-16-46.929N 076-01-34.117W | FI R 2.5s | | | TR on pile. | Private aid. |
| 21535 | - Channel Daybeacon 3 | 37-16-48.838N 076-01-34.798W | | | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|-----------------------------------|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| CAPE CHARLES TO WOLF TRAP (Chart 12224) | | | | | | | |
| Kings Creek | | | | | | | |
| 21540 | - Channel Day beacon 4 | 37-16-47.906N 076-01-32.604W | | | | TR on pile. | Private aid. |
| 21543 | - CHANNEL LIGHT 5 | 37-16-52.037N 076-00-51.063W | FI G 2.5s | | | SG on pile. | Private aid. |
| 21545 | - Channel Day beacon 6 | 37-16-50.982N 076-00-50.560W | | | | TR on pile. | Private aid. |
| 21547 | - Channel Day beacon 7 | 37-16-57.001N 076-00-42.656W | | | | SG on pile. | Private aid. |
| 21550 | - Channel Day beacon 8 | 37-16-55.889N 076-00-42.249W | | | | TR on pile. | Private aid. |
| 21555 | - Channel Day beacon 9 | 37-16-56.337N 076-00-30.345W | | | | SG on pile. | Private aid. |
| 21557 | - CHANNEL LIGHT 10 | 37-16-55.287N 076-00-31.102W | FI R 4s | | | TR on pile. | Private aid. |
| 21560 | - Channel Day beacon 11 | 37-16-52.896N 076-00-27.448W | | | | SG on pile. | Private aid. |
| 21565 | - Channel Day beacon 12 | 37-16-52.887N 076-00-29.081W | | | | TR on pile. | Private aid. |
| 21570 | - Channel Day beacon 14 | 37-16-50.896N 076-00-30.706W | | | | TR on pile. | Private aid. |
| 21575 | - CHANNEL LIGHT 15 | 37-16-49.251N 076-00-30.423W | FI G 4s | | | SG on pile. | Private aid. |
| WOLF TRAP TO PUNGOTEAGUE CREEK (Chart 12226) | | | | | | | |
| Mattawoman Creek | | | | | | | |
| 21580 | - LIGHT 1MC | 37-23-21.828N 075-59-39.456W | FI G 4s | 15 | 4 | SG on pile. | |
| 21585 | - LIGHT 2 | 37-23-32.336N 075-59-23.744W | FI R 4s | 15 | 4 | TR on pile. | |
| 21590 | - LIGHT 3 | 37-23-53.544N 075-58-51.678W | FI G 4s | 15 | 4 | SG on pile. | |
| 21595 | - Day beacon 5 | 37-24-01.278N 075-58-41.070W | | | | SG on pile. | |
| 21600 | - LIGHT 6 | 37-24-11.694N 075-58-32.010W | FI R 4s | 15 | 3 | TR on pile. | |
| Hungar Creek | | | | | | | |
| 21605 | - <i>Lighted Wreck Buoy WR2</i> Marks submerged piles. | 37-24-20.785N 075-58-31.961W | Q R | | | 4 Red. | |
| 21610 | - Day beacon 3 | 37-24-35.292N 075-58-27.012W | | | | SG on pile. | |
| 21615 | - <i>Lighted Wreck Buoy WR5</i> Marks submerged piles. | 37-24-37.241N 075-58-01.906W | Q G | | | 4 Green. | |
| 21620 | - <i>Lighted Wreck Buoy WR7</i> Marks submerged pile. | 37-24-40.472N 075-57-56.524W | Q G | | | 5 Green. | |
| 21625 | - <i>Lighted Wreck Buoy WR9</i> | 37-24-53.092N 075-57-48.522W | Q G | | | 4 Green. | |
| Nassawadox Creek | | | | | | | |
| 21630 | - Warning Day beacon A | 37-27-50.628N 075-58-20.928W | | | | NW on pile worded DANGER PILE. | |
| 21645 | - Warning Day beacon B | 37-28-10.458N 075-57-55.542W | | | | NW on pile worded DANGER PILE. | |
| 21661 | - Warning Day beacon C | 37-28-13.064N 075-57-45.809W | | | | NW on pile worded DANGER PILE. | |
| 21662 | - Warning Day beacon D | 37-28-16.090N 075-57-37.276W | | | | NW on pile worded DANGER PILE. | |
| 21662.1 | - Warning Day beacon E | 37-28-18.732N 075-57-35.544W | | | | NW on pile worded DANGER PILE. | |
| 21663 | - Warning Day beacon F | 37-28-27.965N 075-57-29.724W | | | | NW on pile worded DANGER PILE. | |
| 21667 | - Warning Day beacon J | 37-28-31.069N 075-56-18.364W | | | | NW on pile worded DANGER PILE. | |
| Ocohanock Creek | | | | | | | |
| 21695 | - ENTRANCE LIGHT 1 | 37-32-34.218N 075-57-50.922W | FI G 4s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|------------------------------------|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| WOLF TRAP TO PUNGOTEAGUE CREEK (Chart 12226) | | | | | | | |
| Occohannock Creek | | | | | | | |
| 21700 | - LIGHT 3 | 37-32-06.726N 075-57-25.182W | FI G 4s | 15 | 4 | SG on pile. | |
| 21705 | - Day beacon 5 | 37-32-21.641N 075-56-59.393W | | | | SG on pile. | |
| 21710 | - Day beacon 6 | 37-32-44.226N 075-56-40.836W | | | | TR on pile. | |
| 21715 | - Day beacon 7 | 37-32-59.527N 075-56-19.534W | | | | SG on pile. | |
| 21720 | - LIGHT 9 | 37-33-04.193N 075-56-06.989W | FI G 4s | 15 | 4 | SG on pile. | |
| 21725 | - Day beacon 10 | 37-33-18.318N 075-55-44.448W | | | | TR on pile. | |
| 21730 | - Day beacon 10A | 37-33-18.426N 075-55-32.682W | | | | TR on pile. | |
| 21735 | - Day beacon 12 | 37-33-15.726N 075-55-19.692W | | | | TR on pile. | |
| 21740 | - Day beacon 13 | 37-33-15.294N 075-55-12.096W | | | | SG on pile. | |
| 21745 | - Day beacon 15 | 37-33-16.164N 075-54-32.226W | | | | SG on pile. | |
| 21750 | - Day beacon 16 | 37-33-24.144N 075-54-07.722W | | | | TR on pile. | |
| 21755 | - Day beacon 17 | 37-33-13.290N 075-53-31.440W | | | | SG on pile. | |
| 21760 | - Day beacon 19 | 37-33-00.000N 075-53-02.844W | | | | SG on pile. | |
| Nandua Creek | | | | | | | |
| 21765 | - ENTRANCE LIGHT 1N | 37-38-07.926N 075-56-27.367W | FI G 2.5s | 15 | 5 | SG on pile. | |
| 21770 | - CHANNEL LIGHT 3 | 37-37-42.728N 075-54-55.952W | FI G 4s | 15 | 4 | SG on pile. | |
| 21774 | - Channel Warning Day beacon A | 37-37-30.496N 075-54-45.783W | | | | NW on pile worded DANGER SHOAL. | |
| 21780 | - Channel Day beacon 6 | 37-37-35.356N 075-54-41.881W | | | | TR on pile. | |
| 21781 | - Channel Warning Day beacon B | 37-37-38.098N 075-54-41.687W | | | | NW on pile worded DANGER SHOAL. | |
| 21783 | - Channel Warning Day beacon C | 37-37-28.974N 075-54-44.440W | | | | NW on pile worded DANGER SHOAL. | |
| 21783.5 | - Channel Warning Day beacon D | 37-37-26.520N 075-54-42.904W | | | | NW on pile worded DANGER SHOAL. | |
| 21784 | - Channel Buoy 8 | 37-37-36.899N 075-54-29.919W | | | | Red nun. | |
| 21785 | - Channel Warning Day beacon E | 37-37-47.490N 075-54-12.876W | | | | NW on pile worded DANGER SHOAL. | |
| 21790 | - Channel Warning Day beacon F | 37-37-54.471N 075-54-16.762W | | | | NW on pile worded DANGER SHOAL. | |
| 21792 | - Channel Buoy 9 | 37-37-45.387N 075-54-12.199W | | | | Green can. | |
| 21795 | - Channel Day beacon 11 | 37-37-48.258N 075-53-59.022W | | | | SG on pile. | |
| 21797 | - Channel Day beacon 12 | 37-37-46.829N 075-53-53.928W | | | | TR on pile. | |
| 21800 | - Channel Warning Day beacon G | 37-37-55.492N 075-54-08.685W | | | | NW on pile worded DANGER SHOAL. | |
| 21805 | - Channel Day beacon 13 | 37-37-42.024N 075-53-44.502W | | | | SG on pile. | |
| 21815 | - Channel Day beacon 15 | 37-37-09.240N 075-53-27.917W | | | | SG on pile. | |
| 21820 | - Channel Lighted Wreck Buoy WR17 Marks submerged piles | 37-36-53.232N 075-53-28.265W | Q G | | 4 | Green | |
| 21825 | - Channel Buoy 19 | 37-36-45.317N 075-53-12.579W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------|---------------------------------|-----------------------|---------------|--------------|-----------------------------|----------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| WOLF TRAP TO PUNGOTEAGUE CREEK (Chart 12226) | | | | | | | |
| Nandua Creek | | | | | | | |
| 21830 | - Channel Buoy 21 | 37-37-02.978N 075-52-52.497W | | | | Green can. | |
| 21835 | - Channel Day beacon 22 | 37-37-25.014N 075-51-50.394W | | | | TR on pile. | |
| 21840 | - Channel Day beacon 23 | 37-37-29.910N 075-51-35.964W | | | | SG on pile. | |
| Pungoteague Creek | | | | | | | |
| 21845 | - WARNING LIGHT A | 37-39-48.217N 075-53-52.982W | FI W 2.5s | 15 | 4 | NW on pile. | |
| 21850 | - CHANNEL LIGHT 1P | 37-39-39.940N 075-53-51.239W | Q G | 24 | 4 | SG on multi-pile structure. | |
| 21855 | - Channel Day beacon 2 | 37-39-57.592N 075-53-25.262W | | | | TR on pile. | |
| 21860 | - CHANNEL LIGHT 4 | 37-40-05.969N 075-53-16.263W | FI R 4s | 15 | 4 | TR on pile. | |
| 21865 | - Channel Day beacon 5 | 37-40-13.532N 075-53-01.300W | | | | SG on pile. | |
| 21870 | - Channel Day beacon 6 | 37-40-22.464N 075-52-28.983W | | | | TR on pile. | |
| 21875 | - Channel Day beacon 8 | 37-40-26.900N 075-51-58.677W | | | | TR on pile. | |
| 21880 | - Channel Day beacon 9 | 37-40-20.863N 075-51-18.566W | | | | SG on pile. | |
| 21885 | - Channel Day beacon 10 | 37-40-23.106N 075-50-52.841W | | | | TR on pile. | |
| 21890 | - Channel Day beacon 10A | 37-40-23.335N 075-50-41.450W | | | | TR on pile. | |
| 21895 | - Channel Day beacon 11 | 37-40-27.439N 075-50-46.801W | | | | SG on pile. | |
| 21900 | - Channel Day beacon 12 | 37-40-18.465N 075-50-16.761W | | | | TR on pile. | |
| 21903 | - Channel Day beacon 12A | 37-40-15.738N 075-50-18.755W | | | | TR on pile. | |
| 21905 | - CHANNEL LIGHT 13 | 37-40-10.541N 075-49-56.911W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 21910 | - Channel Day beacon 14 | 37-40-02.994N 075-49-49.851W | | | | TR on pile. | |
| 21915 | - Channel Day beacon 15 | 37-39-57.348N 075-49-43.351W | | | | SG on pile. | |
| 21920 | - Channel Day beacon 16 | 37-39-54.923N 075-49-45.539W | | | | TR on pile. | |
| POCOMOKE AND TANGIER SOUNDS (Chart 12228) | | | | | | | |
| Onancock Creek | | | | | | | |
| 21925 | - CHANNEL LIGHT 1 | 37-43-28.185N 075-51-03.644W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 21930 | - Channel Day beacon 2 | 37-43-21.836N 075-50-58.469W | | | | TR on pile. | |
| 21933 | - Channel Day beacon 4 | 37-43-17.220N 075-50-50.560W | | | | TR on pile. | |
| 21940 | - CHANNEL LIGHT 6 | 37-43-17.403N 075-50-32.266W | Q R | 15 | 4 | TR on pile. | |
| 21950 | - Channel Day beacon 7 | 37-43-10.620N 075-50-18.586W | | | | SG on pile. | |
| 21953 | - CHANNEL LIGHT 8 | 37-43-06.890N 075-50-12.670W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 21960 | - Channel Day beacon 9 | 37-43-22.807N 075-49-41.305W | | | | SG on pile. | |
| 21965 | - Channel Day beacon 10 | 37-43-30.319N 075-49-15.914W | | | | TR on pile. | |
| Parkers Creek | | | | | | | |
| 21970 | - Junction Day beacon PC | 37-43-36.988N 075-48-35.792W | | | | JR on pile. | |
| 21975 | - Day beacon 1P | 37-43-30.630N 075-48-30.708W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|-------------------------------------|---------------------------------|-----------------------|---------------|--------------|--|------------------------------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| POCOMOKE AND TANGIER SOUNDS (Chart 12228) | | | | | | | |
| Onancock Creek | | | | | | | |
| Parkers Creek | | | | | | | |
| 21980 | - Day beacon 2 | 37-43-26.046N 075-48-30.593W | | | | TR on pile. | |
| 21985 | - Day beacon 4 | 37-43-21.292N 075-48-27.518W | | | | TR on pile. | |
| 21987 | - Buoy 4A | 37-43-18.904N 075-48-26.184W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| 21990 | - Day beacon 6 | 37-43-18.061N 075-48-27.535W | | | | TR on multi-pile structure. | |
| 21995 | - Day beacon 7 | 37-43-14.975N 075-48-32.188W | | | | SG on pile. | |
| 22000 | - Day beacon 8 | 37-43-11.653N 075-48-40.159W | | | | TR on pile. | |
| Onancock Creek | | | | | | | |
| 22005 | - CHANNEL LIGHT 13 | 37-43-40.540N 075-48-22.664W | FI G 4s | 15 | 4 | SG on pile. | |
| 22010 | - Channel Day beacon 14 | 37-43-40.625N 075-48-15.321W | | | | TR on pile. | |
| 22015 | - Channel Day beacon 16 | 37-43-39.930N 075-48-07.670W | | | | TR on pile. | |
| 22025 | - Channel Day beacon 17 | 37-43-36.624N 075-48-00.491W | | | | SG on pile. | |
| 22030 | - Channel Day beacon 18 | 37-43-31.671N 075-47-47.728W | | | | TR on pile. | |
| 22035 | - Channel Day beacon 19 | 37-43-24.196N 075-47-30.935W | | | | SG on pile. | |
| 22040 | - Channel Day beacon 20 | 37-43-10.958N 075-47-15.791W | | | | TR on pile. | |
| 22045 | - Channel Day beacon 22 | 37-43-01.851N 075-46-56.489W | | | | TR on pile. | |
| 22055 | - Channel Day beacon 24 | 37-42-47.430N 075-46-39.190W | | | | TR on pile. | |
| 22065 | - Channel Day beacon 25 | 37-42-46.263N 075-46-21.959W | | | | SG on pile. | |
| 22070 | - Channel Day beacon 26 | 37-42-38.730N 075-46-14.740W | | | | TR on pile. | |
| 22080 | - Channel Day beacon 27 | 37-42-46.475N 075-45-51.131W | | | | SG on pile. | |
| 22090 | - Channel Day beacon 29 | 37-42-41.451N 075-45-33.913W | | | | SG on pile. | |
| 22095 | - -South Branch Buoy 1 | 37-42-30.469N 075-45-28.748W | | | | Green can. | Private aid. |
| Pocomoke Sound | | | | | | | |
| 22100 | - LIGHT 2 | 37-43-37.059N 075-54-36.829W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 22105 | - SHOAL LIGHT 3 | 37-44-55.000N 075-55-31.000W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 22110 | - LIGHT 5 | 37-45-55.375N 075-52-31.462W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 22115 | WATTS ISLAND ROCKS WARNING LIGHT | 37-46-46.275N 075-53-43.266W | FI W 2.5s | 15 | 5 | NW on pile worded DANGER SUBMERGED ROCKS. | |
| Chesconessex Creek | | | | | | | |
| 22120 | - Approach Buoy | 37-45-30.462N 075-50-46.760W | | | | Red and white stripes with red spherical topmark. | |
| 22125 | - Buoy 1 | 37-45-23.316N 075-49-41.337W | | | | Green can. | |
| 22130 | - LIGHT 2 | 37-45-17.907N 075-48-53.218W | FI R 4s | 15 | 4 | TR on pile. | |
| 22135 | - Day beacon 3 | 37-45-25.961N 075-48-01.631W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|----------------------------|---------------------------------|-----------------------|---------------|--------------|-----------------------------|------------------------------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| POCOMOKE AND TANGIER SOUNDS (Chart 12228) | | | | | | | |
| Pocomoke Sound | | | | | | | |
| Chesconessex Creek | | | | | | | |
| 22145 | - Day beacon 5 | 37-45-40.144N 075-47-01.685W | | | | SG on pile. | |
| 22150 | - Day beacon 6 | 37-45-36.525N 075-46-41.318W | | | | TR on pile. | |
| 22155 | - Day beacon 8 | 37-45-07.382N 075-46-39.736W | | | | TR on pile. | |
| 22160 | - Buoy 10 | 37-45-02.092N 075-46-21.066W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| 22165 | - Buoy 11 | 37-45-01.222N 075-46-18.167W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 22170 | - Day beacon 12 | 37-44-58.560N 075-46-16.884W | | | | TR on pile. | |
| 22175 | - South Basin Day beacon 1 | 37-44-55.977N 075-46-16.565W | | | | SG on pile. | |
| 22180 | - South Basin Day beacon 2 | 37-44-56.338N 075-46-19.367W | | | | TR on pile. | |
| Pocomoke Sound | | | | | | | |
| 22185 | - LIGHT 6 | 37-47-48.985N 075-50-19.023W | FI R 4s | 18 | 4 | TR on multi-pile structure. | |
| Deep Creek | | | | | | | |
| 22190 | - ENTRANCE LIGHT 1D | 37-48-47.152N 075-48-25.542W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 22195 | - CHANNEL LIGHT 3 | 37-49-09.624N 075-47-20.586W | FI G 6s | 15 | 4 | SG on pile. | |
| 22200 | - CHANNEL LIGHT 4 | 37-49-18.834N 075-46-17.705W | FI R 4s | 15 | 4 | TR on pile. | |
| 22205 | - CHANNEL LIGHT 6 | 37-49-06.640N 075-45-39.056W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 22210 | - CHANNEL LIGHT 7 | 37-48-26.885N 075-45-46.152W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 22215 | - Channel Day beacon 9 | 37-48-12.378N 075-45-38.142W | | | | SG on pile. | |
| 22220 | - CHANNEL LIGHT 11 | 37-48-03.889N 075-45-14.492W | FI G 6s | 15 | 4 | SG on pile. | |
| 22225 | - Channel Day beacon 12 | 37-47-46.858N 075-44-57.618W | | | | TR on pile. | |
| 22230 | - Channel Day beacon 14 | 37-47-22.776N 075-44-57.191W | | | | TR on pile. | |
| 22235 | - CHANNEL LIGHT 15 | 37-46-56.353N 075-44-59.345W | FI G 4s | 15 | 4 | SG on pile. | |
| 22240 | - Channel Day beacon 16 | 37-46-37.243N 075-44-53.970W | | | | TR on pile. | |
| 22245 | - Channel Day beacon 17 | 37-46-18.159N 075-45-00.107W | | | | SG on pile. | |
| Pocomoke Sound | | | | | | | |
| 22250 | - LIGHT 7 | 37-48-54.000N 075-50-21.000W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 22255 | GUILFORD FLATS LIGHT 1GF | 37-50-57.138N 075-46-37.572W | FI G 2.5s | 18 | 4 | SG on multi-pile structure. | |
| Hunting Creek | | | | | | | |
| 22260 | - LIGHT 2 | 37-49-29.063N 075-43-54.008W | FI R 4s | 15 | 4 | TR on pile. | |
| 22265 | - Day beacon 3 | 37-49-19.342N 075-43-50.766W | | | | SG on pile. | |
| 22270 | - Day beacon 5 | 37-48-27.687N 075-43-51.134W | | | | SG on pile. | |
| 22275 | - Day beacon 6 | 37-48-16.062N 075-43-42.486W | | | | TR on pile. | |
| 22280 | - Day beacon 7 | 37-47-48.187N 075-43-05.553W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--|------------------------------------|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| POCOMOKE AND TANGIER SOUNDS (Chart 12228) | | | | | | | |
| Pocomoke Sound | | | | | | | |
| Hunting Creek | | | | | | | |
| 22285 | - Day beacon 9 | 37-47-43.695N 075-42-54.398W | | | | SG on pile. | |
| 22290 | - Day beacon 11 | 37-47-34.977N 075-42-52.622W | | | | SG on pile. | |
| 22295 | - Buoy 12 | 37-47-29.750N 075-42-36.775W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| Guilford Creek | | | | | | | |
| 22305 | - LIGHT 2G | 37-51-23.479N 075-42-37.975W | FI R 4s | 15 | 4 | TR on pile. | |
| 22310 | - Day beacon 4 | 37-51-22.437N 075-42-11.517W | | | | TR on pile. | |
| 22315 | - LIGHT 6 | 37-50-58.022N 075-41-12.796W | FI R 4s | 15 | 4 | TR on pile. | |
| 22320 | - Day beacon 7 | 37-50-28.856N 075-41-03.623W | | | | SG on pile. | |
| 22330 | Muddy Creek Day beacon 1 | 37-51-00.550N 075-40-56.362W | | | | SG on pile. | |
| 22335 | MUDDY CREEK WRECK LIGHT WR3 | 37-51-16.428N 075-40-25.891W | Q G | 15 | 4 | SG on pile. | |
| Pocomoke Sound | | | | | | | |
| 22365 | - SHOAL LIGHT 8 | 37-52-27.564N 075-49-24.222W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 22370 | - SHOAL LIGHT 9 | 37-53-48.091N 075-48-39.820W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 22375 | - LIGHT 10 | 37-54-30.129N 075-46-15.170W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 22380 | Watkins Point State Boundry Line Day beacon | 37-54-40.450N 075-54-58.062W | | | | Day boards with orange borders, upper board worded RANGE, lower boards MD/VA LINE. | Private aid. |
| 22385 | - State Boundary Line Day beacon BB | 37-54-41.831N 075-51-21.457W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| 22390 | - State Boundary Line Day beacon CC | 37-54-43.252N 075-49-24.255W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| 22395 | - State Boundry Line Day beacon A | 37-54-43.452N 075-48-03.753W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| 22400 | Pocomoke Sound State Boundary Line Day beacon B | 37-55-18.952N 075-47-16.452W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| 22405 | - State Boundary Line Day beacon C | 37-55-30.600N 075-56-54.840W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| 22410 | - State Boundary Line Day beacon D | 37-54-24.600N 075-57-09.720W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| 22415 | - State Boundary Line Buoy E | 37-56-38.551N 075-44-58.749W | | | | White and orange can;worded MD/VA LINE. | Private aid. |
| 22420 | - State Boundary Line Day beacon F | 37-56-48.650N 075-44-15.348W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| 22425 | - State Boundary Line Day beacon G | 37-56-58.850N 075-43-31.747W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| 22430 | - State Boundary Line Day beacon H | 37-57-16.249N 075-42-17.246W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| 22435 | - State Boundary Line Day beacon J | 37-57-19.448N 075-41-29.745W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| 22440 | - State Boundary Line Day beacon K | 37-56-59.448N 075-40-02.743W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| 22445 | - State Boundary Line Day beacon L | 37-56-42.448N 075-39-22.242W | | | | NW on pile worded MD/VA LINE. | Private aid. |
| 22450 | - State Boundary Line Day beacon M | 37-56-48.078N 075-38-53.541W | | | | NW on pile worded MD/VA LINE. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| POCOMOKE AND TANGIER SOUNDS (Chart 12228) | | | | | | | |
| Pocomoke Sound | | | | | | | |
| Starling Creek | | | | | | | |
| 22455 | - LIGHT 1S | 37-55-28.884N 075-44-10.890W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 22460 | - Day beacon 2 | 37-55-19.794N 075-44-03.855W | | | | TR on pile. | |
| 22465 | - Day beacon 3 10 feet outside channel limit. | 37-55-15.799N 075-43-58.440W | | | | SG on pile. | |
| 22470 | - LIGHT 4 | 37-55-08.837N 075-43-52.881W | FI R 4s | 15 | 4 | TR on pile. | |
| 22475 | - Buoy 6 | 37-55-10.456N 075-43-48.923W | | | | Red. | Maintained from Mar. 15 to Dec. 1. |
| 22480 | - Day beacon 8 | 37-55-09.732N 075-43-47.147W | | | | TR on pile. | |
| 22485 | - Day beacon 10 | 37-55-05.773N 075-43-43.440W | | | | TR on pile. | |
| 22490 | - Day beacon 12 | 37-55-05.892N 075-43-39.261W | | | | TR on pile. | |
| Pocomoke Sound | | | | | | | |
| 22495 | - Day beacon 11 | 37-56-05.451N 075-44-25.949W | | | | SG on pile. | |
| 22500 | - LIGHT 12 | 37-56-18.878N 075-43-39.900W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| POCOMOKE AND TANGIER SOUNDS (CHART 12228) | | | | | | | |
| Pocomoke Sound | | | | | | | |
| Pocomoke River | | | | | | | |
| 22505 | - LIGHT 1PR | 37-57-13.648N 075-43-15.906W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 22510 | - Channel Buoy 2 | 37-57-22.894N 075-42-46.002W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. AIS: MMSI 993672362. AIS Maintained year round. |
| 22515 | - Channel Day beacon 3 | 37-57-33.802N 075-42-27.082W | | | | SG on pile. | |
| 22520 | - Channel Buoy 4 | 37-57-40.427N 075-42-08.230W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. AIS: MMSI 993672363. AIS AIS signal maintained year round. |
| 22525 | - Channel Day beacon 5 | 37-57-48.614N 075-41-50.809W | | | | SG on pile. | |
| 22540 | - Channel Buoy 7 | 37-57-56.370N 075-41-30.480W | | | | Green can. | AIS: MMSI 993672364. |
| 22555 | - Channel Buoy 8 | 37-57-58.905N 075-41-05.461W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. AIS: MMSI 993672365. AIS signal maintained year round. |
| 22570 | - CHANNEL LIGHT 9 | 37-58-02.231N 075-40-39.625W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 22575 | - Channel Buoy 11 | 37-57-51.198N 075-40-15.491W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. AIS: MMSI 993672366. AIS signal maintained year round. |
| 22590 | - CHANNEL LIGHT 12 | 37-57-37.953N 075-39-48.551W | FI R 4s | 15 | 4 | TR on pile. | |
| 22595 | - Channel Day beacon 14 | 37-57-46.004N 075-39-20.886W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|------------------------------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| POCOMOKE AND TANGIER SOUNDS (CHART 12228) | | | | | | | |
| Pocomoke Sound | | | | | | | |
| Pocomoke River | | | | | | | |
| 22600 | - CHANNEL LIGHT 15 | 37-57-52.895N 075-39-03.186W | FI G 4s | 15 | 4 | SG on pile. | |
| SMITH POINT TO COVE POINT (Chart 12230) | | | | | | | |
| Pocomoke River | | | | | | | |
| Upper Pocomoke River | | | | | | | |
| 22605 | - LIGHT 2 | 38-08-34.249N 075-26-30.001W | FI R 2.5s | 15 | 3 | TR on pile. | |
| 22610 | - Day beacon 3 | 38-08-40.966N 075-26-28.297W | | | | SG on pile. | |
| 22615 | Shad Landing Park Junction Day beacon SL | 38-08-34.099N 075-26-28.652W | | | | JR on pile. | |
| 22620 | - Day beacon 4 | 38-09-03.158N 075-26-16.356W | | | | TR on pile. | |
| 22625 | - LIGHT 6 | 38-08-58.352N 075-26-05.490W | FI R 4s | 15 | 3 | TR on pile. | |
| 22630 | - Buoy 8 | 38-09-19.102N 075-25-59.292W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| 22635 | - Day beacon 9 | 38-09-30.932N 075-25-27.578W | | | | SG on pile. | |
| 22640 | - LIGHT 10 | 38-09-29.620N 075-25-23.041W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 22645 | - LIGHT 11 | 38-09-47.301N 075-25-09.638W | FI G 4s | 15 | 3 | SG on pile. | |
| 22650 | - LIGHT 12 | 38-10-00.713N 075-24-48.035W | FI R 4s | 15 | 3 | TR on pile. | |
| 22655 | - Day beacon 13 | 38-10-12.105N 075-24-42.476W | | | | SG on pile. | |
| 22660 | - LIGHT 14 | 38-10-17.853N 075-24-35.031W | FI R 4s | 15 | 3 | TR on pile. | |
| POCOMOKE AND TANGIER SOUNDS (Chart 12228) | | | | | | | |
| Pocomoke Sound | | | | | | | |
| Broad Creek | | | | | | | |
| 22665 | - SOUTH ENTRANCE LIGHT 2BC | 37-54-58.667N 075-50-44.176W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 22670 | - Channel Day beacon 4 | 37-55-11.050N 075-50-54.227W | | | | TR on pile. | |
| 22675 | - Channel Day beacon 6 | 37-55-20.878N 075-51-02.711W | | | | TR on pile. | |
| 22680 | - CHANNEL LIGHT 8 | 37-55-29.878N 075-51-07.799W | FI R 4s | 15 | 3 | TR on pile. | |
| 22685 | - CHANNEL LIGHT 9 | 37-55-52.528N 075-51-09.821W | FI G 4s | 15 | 3 | SG on pile. | |
| 22690 | - Channel Day beacon 11 | 37-55-58.014N 075-51-16.363W | | | | SG on pile. | |
| 22695 | - CHANNEL LIGHT 12 | 37-56-05.044N 075-51-25.187W | FI R 2.5s | 15 | 3 | TR on pile. | |
| 22700 | - Channel Day beacon 13 | 37-56-19.836N 075-51-29.473W | | | | SG on pile. | |
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| POCOMOKE AND TANGIER SOUNDS (Chart 12228) | | | | | | | |
| Tangier Sound | | | | | | | |
| 22705 | - Buoy A | 37-44-24.500N 076-02-40.800W | | | | Yellow nun. | |
| 22710 | - Buoy 1 | 37-46-09.717N 076-00-06.176W | | | | Green can. | |
| 22715 7435 | - Light | 37-47-16.846N 075-58-24.412W | FI W 6s (R sector) | 45 | W 12 R 9 | NB on skeleton tower on multi-pile structure. 42 | Red from 110° to 192°. |
| 22720 | - Buoy 3 | 37-49-54.754N 075-57-37.569W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|---|
| CHESAPEAKE BAY (Virginia) - Fifth District | | | | | | | |
| POCOMOKE AND TANGIER SOUNDS (Chart 12228) | | | | | | | |
| Tangier Sound | | | | | | | |
| Tangier Island West Channel | | | | | | | |
| 22725 | - LIGHT 1W | 37-49-51.450N 076-00-11.510W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 22730 | - LIGHT 3 | 37-49-57.043N 075-59-54.222W | FI G 4s | 15 | 4 | SG on pile. | |
| 22735 | - LIGHT 4 | 37-49-55.275N 075-59-53.206W | FI R 4s | 15 | 4 | TR on pile. | |
| Tangier Island East Channel | | | | | | | |
| 22740 | - LIGHT 1E | 37-50-23.984N 075-58-15.941W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 22745 | - Day beacon 2 | 37-50-19.291N 075-58-26.521W | | | | TR on pile. | |
| 22750 | - Day beacon 3 | 37-50-15.511N 075-58-29.744W | | | | SG on pile. | |
| 22755 | - Day beacon 4 | 37-50-13.447N 075-58-37.152W | | | | TR on pile. | |
| 22760 | - LIGHT 5 | 37-50-05.230N 075-58-47.752W | FI G 4s | 15 | 4 | SG on pile. | |
| 22765 | - Day beacon 6 | 37-50-02.521N 075-58-55.146W | | | | TR on pile. | |
| 22770 | - LIGHT 7 | 37-49-58.023N 075-59-00.538W | FI G 4s | 15 | 4 | SG on pile. | |
| 22775 | - Day beacon 8 | 37-49-53.251N 075-59-10.868W | | | | TR on pile. | |
| 22780 | - Day beacon 9 | 37-49-45.473N 075-59-21.163W | | | | SG on pile. | |
| 22785 | - Day beacon 10 | 37-49-46.139N 075-59-22.276W | | | | TR on pile. | |
| 22790 | - Day beacon 12 | 37-49-46.180N 075-59-27.620W | | | | TR on pile. | |
| 22795 | - Day beacon 14 | 37-49-49.878N 075-59-37.809W | | | | TR on pile. | |
| Tangier Sound | | | | | | | |
| 22800 | - <i>Lighted Buoy 5</i> | 37-51-05.813N 075-56-57.027W | FI G 6s | | 4 | Green. | Replaced by can when endangered by ice. |
| 22805 | - <i>Lighted Buoy 6</i> | 37-54-25.450N 075-56-25.264W | FI R 4s | | 4 | Red. | Replaced by nun when endangered by ice. |

CHESAPEAKE BAY (Maryland) - Fifth District

| | | | | | | | |
|--|------------------------------------|---------------------------------|-----------------------|----|------------|--|------------------------|
| TANGIER SOUND - NORTHERN PART (Chart 12231) | | | | | | | |
| Tangier Sound | | | | | | | |
| 22815 | JANES ISLAND LIGHT | 37-57-48.159N 075-55-06.496W | FI W 4s (R sector) | 37 | W 8 R 6 | NB on skeleton tower on cylindrical base. | Red from 195° to 246°. |
| Little Annemessex River | | | | | | | |
| 22820 | - Entrance Buoy 1 | 37-57-30.000N 075-54-46.000W | | | | Green can. | |
| 22825 | - LIGHT 2 | 37-57-57.283N 075-54-04.797W | Q R | 15 | 4 | TR on pile. | |
| 22830 | - LIGHT 4 | 37-58-02.367N 075-53-26.786W | FI R 4s | 19 | 4 | TR on pile. | |
| 22835 | - Day beacon 5 | 37-58-01.956N 075-52-58.790W | | | | SG on pile. | |
| 22837 | - Warning Day beacon A | 37-57-59.522N 075-52-38.516W | | | | NW on skeleton tower on piles worded DANGER. | |
| 22840 | - LIGHT 7 | 37-57-58.482N 075-52-37.659W | Q G | 15 | 4 | SG on pile. | |
| 22845 | - Day beacon 8 | 37-57-53.164N 075-52-35.609W | | | | TR on pile. | |
| 22850 | BROAD CREEK NORTH ENTRANCE LIGHT 1 | 37-57-09.467N 075-51-55.160W | FI G 2.5s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---------------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|---------------------------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| TANGIER SOUND - NORTHERN PART (Chart 12231) | | | | | | | |
| Tangier Sound | | | | | | | |
| Little Annemessex River | | | | | | | |
| 22855 | - Day beacon 9 | 37-58-21.949N 075-52-04.732W | | | | SG on pile. | |
| Jenkins Creek | | | | | | | |
| 22860 | - Day beacon 1 | 37-57-24.165N 075-51-45.145W | | | | SG on pile. | Private aid. |
| 22865 | - Day beacon 3 | 37-57-31.719N 075-51-33.727W | | | | SG on pile. | Private aid. |
| 22870 | - Day beacon 4 | 37-57-31.351N 075-51-20.671W | | | | TR on pile. | Private aid. |
| 22875 | - Day beacon 6 | 37-57-38.897N 075-51-09.507W | | | | TR on pile. | Private aid. |
| 22880 | - Day beacon 7 | 37-57-45.405N 075-51-05.478W | | | | SG on pile. | Private aid. |
| 22885 | - Day beacon 9 | 37-57-50.616N 075-50-53.793W | | | | SG on pile. | Private aid. |
| Little Annemessex River | | | | | | | |
| 22890 | - LIGHT 10 | 37-58-20.316N 075-52-00.903W | FI R 4s | 18 | 3 | TR on pile. | |
| 22895 | - LIGHT 11 | 37-58-32.160N 075-51-57.915W | FI G 2.5s | 15 | 3 | SG on pile. | |
| 22900 | - Day beacon 11A | 37-58-54.034N 075-51-54.256W | | | | SG on pile. | |
| 22905 | CRISFIELD HARBOR JUNCTION LIGHT CH | 37-59-01.428N 075-51-48.444W | FI (2+1)R 6s | 15 | 3 | JR on pile. | |
| 22915 | - LIGHT 13 | 37-59-24.645N 075-51-40.947W | FI G 4s | 15 | 3 | SG on pile. | |
| 22920 | Brick Kiln Channel Day beacon 2 | 37-59-28.206N 075-51-36.194W | | | | TR on pile. | |
| 22925 | BRICK KILN CHANNEL LIGHT 3 | 37-59-23.105N 075-51-15.671W | FI G 4s | 15 | 3 | SG on pile. | |
| 22930 | - Day beacon 14 | 37-59-37.528N 075-51-27.779W | | | | TR on pile. | |
| 22935 | - LIGHT 16 | 37-59-49.776N 075-51-17.550W | FI R 4s | 16 | 3 | TR on pile. | |
| 22940 | - LIGHT 18 | 38-00-07.712N 075-51-09.725W | FI R 6s | 15 | 3 | TR on pile. | |
| Ward Creek | | | | | | | |
| 22945 | - Day beacon 1 | 38-00-40.245N 075-51-43.883W | | | | SG on pile. | Private aid. |
| 22950 | - Day beacon 2 | 38-00-41.407N 075-51-44.858W | | | | TR on pile. | Private aid. |
| 22955 | - Day beacon 3 | 38-00-45.446N 075-51-53.203W | | | | SG on pile. | Private aid. |
| 22960 | - Day beacon 4 | 38-00-50.372N 075-52-00.962W | | | | TR on pile. | Private aid. |
| 22965 | - Day beacon 5 | 38-00-54.613N 075-52-09.654W | | | | SG on pile. | Private aid. |
| 22970 | - Day beacon 6 | 38-00-55.404N 075-52-09.458W | | | | TR on pile. | Private aid. |
| Rhodes Point Gut Channel | | | | | | | |
| 22990 | - Buoy 1 | 37-58-07.770N 076-01-35.189W | | | | Green can. | Removed when endangered by ice. |
| 22995 | - Day beacon 2 | 37-58-10.004N 076-01-43.113W | | | | TR on pile. | |
| 23000 | - Buoy 3 | 37-58-11.529N 076-01-52.454W | | | | Green can. | Removed when endangered by ice. |
| 23003 | - Buoy 4 | 37-58-12.356N 076-02-25.947W | | | | Red nun. | Removed when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|-----------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------------------|---------------------------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| TANGIER SOUND - NORTHERN PART (Chart 12231) | | | | | | | |
| Tangier Sound | | | | | | | |
| Rhodes Point Gut Channel | | | | | | | |
| 23005 | - Buoy 5 | 37-58-12.809N 076-02-27.883W | | | | Green can. | Removed when endangered by ice. |
| 23010 | - Buoy 7 | 37-58-19.248N 076-02-30.480W | | | | Green can. | Removed when endangered by ice. |
| Big Thorofare | | | | | | | |
| 23012 | - CHANNEL LIGHT 1T | 37-57-54.199N 075-58-40.035W | FI G 2.5s | 15 | 5 | SG on pile. | |
| 23015 | - Channel Warning Day beacon A | 37-58-23.609N 075-58-45.707W | | | | NW on pile worded DANGER. | |
| 23020 | - Channel Warning Day beacon B | 37-58-15.691N 075-59-00.639W | | | | NW on pile worded DANGER. | |
| 23025 | - CHANNEL LIGHT 3 | 37-58-05.795N 075-59-16.330W | FI G 4s | 15 | 3 | SG on pile. | |
| 23030 | - Channel Day beacon 4 | 37-58-07.754N 075-59-16.239W | | | | TR on pile. | |
| 23035 | - Channel Day beacon 8 | 37-58-03.926N 075-59-29.553W | | | | TR on pile. | |
| 23037 | - Channel Day beacon 9 | 37-58-02.254N 075-59-31.781W | | | | SG on pile. | |
| 23038 | - Channel Day beacon 10 | 37-58-03.839N 075-59-35.354W | | | | TR on pile. | |
| 23043 | - Channel Day beacon 12 | 37-58-06.671N 075-59-46.788W | | | | TR on pile. | |
| 23050 | - Channel Day beacon 14 | 37-58-09.114N 075-59-51.557W | | | | TR on pile. | |
| 23055 | - Channel Day beacon 15 | 37-58-17.342N 076-00-01.275W | | | | SG on pile. | |
| 23060 | - Channel Day beacon 16 | 37-58-26.414N 076-00-07.698W | | | | TR on pile. | |
| 23065 | - Channel Day beacon 17 | 37-58-34.160N 076-00-12.471W | | | | SG on pile. | |
| 23070 | - Channel Day beacon 19 | 37-58-38.642N 076-00-16.449W | | | | SG on pile. | |
| 23075 | - Channel Day beacon 20 | 37-58-46.001N 076-00-25.668W | | | | TR on pile. | |
| 23077 | - Channel Day beacon 20A | 37-58-55.596N 076-00-32.076W | | | | TR on pile. | |
| 23080 | - Channel Day beacon 21 | 37-59-06.240N 076-00-37.493W | | | | SG on pile. | |
| 23085 | - CHANNEL LIGHT 23 | 37-59-11.532N 076-00-37.501W | FI G 4s | 15 | 3 | SG on pile. | |
| 23090 | - Channel Day beacon 25 | 37-59-17.673N 076-00-35.531W | | | | SG on pile. | |
| 23095 | - Channel Day beacon 27 | 37-59-22.445N 076-00-37.155W | | | | SG on pile. | |
| 23100 | - Channel Day beacon 29 | 37-59-28.292N 076-00-42.610W | | | | SG on pile. | |
| 23105 | - CHANNEL LIGHT 31 | 37-59-31.600N 076-00-50.347W | FI G 2.5s | 15 | 3 | SG on pile. | |
| 23110 | - Channel Day beacon 33 | 37-59-37.458N 076-01-03.656W | | | | SG on pile. | |
| 23115 | - CHANNEL LIGHT 35 | 37-59-48.318N 076-01-17.236W | FI G 4s | 15 | 4 | SG on pile. | |
| 23120 | - CHANNEL LIGHT 37 | 37-59-49.178N 076-01-34.176W | FI G 2.5s | 15 | 4 | SG on pile. | |
| Tyler Creek | | | | | | | |
| 23125 | - Channel Day beacon 1 | 37-59-26.788N 076-01-03.174W | | | | SG on pile. | |
| 23130 | - CHANNEL LIGHT 3 | 37-59-20.859N 076-01-07.920W | FI G 4s | 15 | 4 | SG on pile. | |
| 23135 | - Channel Day beacon 5 | 37-59-12.783N 076-01-09.216W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|------------------------------------|---------------------------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| TANGIER SOUND - NORTHERN PART (Chart 12231) | | | | | | | |
| Tangier Sound | | | | | | | |
| Tyler Creek | | | | | | | |
| 23140 | - Channel Day beacon 7 | 37-59-03.501N 076-01-09.378W | | | | SG on pile. | |
| 23145 | - Channel Day beacon 9 | 37-58-54.151N 076-01-09.335W | | | | SG on pile. | |
| 23150 | - CHANNEL LIGHT 11 | 37-58-36.459N 076-01-10.595W | FI G 6s | 15 | 3 | SG on pile. | |
| 23155 | Tylerton Harbor Day beacon 2 | 37-58-10.477N 076-01-20.904W | | | | TR on pile. | |
| 23160 | - Channel Buoy 13 | 37-58-20.392N 076-01-20.547W | | | | Green can. | Removed when endangered by ice. |
| 23165 | - Channel Day beacon 14 | 37-58-17.961N 076-01-23.544W | | | | TR on pile. | |
| 23170 | - Channel Day beacon 15 | 37-58-12.667N 076-01-24.394W | | | | SG on pile. | |
| Sheep Pen Gut | | | | | | | |
| 23175 | - Warning Day beacon A | 37-58-16.633N 076-03-34.979W | | | | NW on pile worded DANGER SHOAL. | |
| 23180 | - Warning Day beacon B | 37-58-31.879N 076-03-00.647W | | | | NW on pile worded DANGER SHOAL. | |
| 23185 | - Warning Day beacon C | 37-58-42.443N 076-02-52.794W | | | | NW on pile worded DANGER SHOAL. | |
| Big Thorofare West | | | | | | | |
| 23190 | - Approach Buoy BT | 37-59-54.787N 076-05-07.863W | | | | Red and white stripes; nun. | |
| 23195 | Smith Island West Side Warning Day beacon | 37-59-02.085N 076-03-05.965W | | | | NW on pile worded DANGER SHOAL. | |
| 23200 | - LIGHT 1W | 38-00-00.297N 076-03-22.173W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 23205 | - WRECK LIGHT WR2 | 37-59-57.859N 076-03-21.602W | Q R | 15 | 4 | TR on pile. | |
| 23210 | - Day beacon 2A | 38-00-02.532N 076-03-06.577W | | | | TR on pile. | |
| 23213 | - Buoy 3 | 38-00-03.742N 076-03-03.169W | | | | Green can. | Removed when endangered by ice. |
| 23215 | - Day beacon 3A | 38-00-05.480N 076-02-59.374W | | | | SG on pile. | |
| 23220 | - WARNING LIGHT A | 38-00-05.286N 076-02-54.192W | FI W 2.5s | 15 | 3 | NW on pile worded DANGER SHOAL. | |
| 23223 | - Buoy 4 | 38-00-05.418N 076-02-56.160W | | | | Red nun. | Removed when endangered by ice. |
| 23225 | - Day beacon 6 | 38-00-13.088N 076-02-34.140W | | | | TR on pile. | |
| 23230 | - Day beacon 8 | 38-00-14.625N 076-02-26.478W | | | | TR on pile. | |
| 23235 | - LIGHT 9 | 38-00-18.170N 076-02-21.411W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 23240 | - Day beacon 10 | 38-00-15.849N 076-02-20.784W | | | | TR on pile. | |
| 23245 | - Day beacon 12 | 38-00-13.605N 076-02-18.918W | | | | TR on pile. | |
| 23250 | - Day beacon 13 | 38-00-14.835N 076-02-17.939W | | | | SG on pile. | |
| 23255 | - Day beacon 14 | 38-00-06.387N 076-02-15.570W | | | | TR on pile. | |
| 23260 | - LIGHT 15 | 37-59-54.473N 076-02-07.674W | FI G 4s | 15 | 4 | SG on pile. | |
| 23265 | - Day beacon 16 | 37-59-48.525N 076-02-01.144W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|-------------------------|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| TANGIER SOUND - NORTHERN PART (Chart 12231) | | | | | | | |
| Tangier Sound | | | | | | | |
| 23270 | - Lighted Buoy 8 | 37-57-55.447N 075-55-46.761W | FI R 2.5s | | 4 | Red. | |
| 23275 | - Lighted Buoy 9 | 38-00-00.945N 075-54-56.758W | Q G | | 4 | Green. | |
| Big Annemessex River | | | | | | | |
| 23280 | - LIGHT 1BA | 38-03-09.657N 075-52-09.384W | FI G 2.5s | 18 | 4 | SG on pile. | |
| 23285 | - Day beacon 2 | 38-02-41.288N 075-51-26.485W | | | | TR on pile. | |
| 23290 | - Day beacon 4 | 38-03-19.821N 075-49-32.088W | | | | TR on pile. | |
| 23295 | - Day beacon 5 | 38-03-18.547N 075-48-54.277W | | | | SG on pile. | |
| 23300 | - LIGHT 6 | 38-03-22.094N 075-48-16.441W | FI R 4s | 15 | 4 | TR on pile. | |
| Jones Creek- Big Annemessex River | | | | | | | |
| 23305 | Jones Creek Day beacon 1 | 38-02-06.402N 075-50-24.286W | | | | | Private aid. |
| 23310 | Jones Creek Day beacon 3 | 38-02-11.413N 075-50-13.615W | | | | | Private aid. |
| 23320 | Jones Creek Day beacon 5 | 38-02-03.134N 075-49-55.902W | | | | | Private aid. |
| 23325 | Jones Creek Day beacon 7 | 38-01-59.652N 075-49-39.544W | | | | | Private aid. |
| 23330 | Jones Creek Day beacon 9 | 38-01-50.574N 075-49-31.008W | | | | | Private aid. |
| 23335 | Jones Creek Buoy 11 | 38-01-44.850N 075-49-30.983W | | | | | Private aid. |
| 23340 | Jones Creek Buoy 12 | 38-01-43.959N 075-49-26.606W | | | | Red nun. | Aid maintained by State DOT Private aid. |
| 23345 | Jones Creek Day beacon 14 | 38-01-39.822N 075-49-17.917W | | | | | Private aid. |
| 23350 | Jones Creek Day beacon 15 | 38-01-34.898N 075-49-21.223W | | | | | Private aid. |
| 23355 | Jones Creek Day beacon 16 | 38-01-26.908N 075-49-15.644W | | | | | Private aid. |
| Daugherty Creek | | | | | | | |
| 23360 | - CHANNEL LIGHT 1 | 38-02-14.804N 075-50-33.469W | FI G 4s | 19 | 4 | SG on pile. | |
| 23365 | - Channel Day beacon 3 | 38-01-50.902N 075-50-35.957W | | | | SG on pile. | |
| 23370 | - Channel Lighted Wreck Buoy WR5 | 38-01-32.284N 075-50-24.136W | Q G | | 4 | Green. | |
| Manokin River | | | | | | | |
| 23375 | - Junction Lighted Buoy MR | 38-02-14.294N 075-55-26.259W | FI (2+1)R 6s | | 5 | Red and green bands. | |
| 23380 | - LIGHT 2MR | 38-04-11.126N 075-53-20.176W | FI R 2.5s | 18 | 4 | TR on pile. | |
| 23390 | - LIGHT 4 | 38-05-53.990N 075-52-52.738W | Q R | 15 | 4 | TR on pile. | |
| Goose Creek Channel | | | | | | | |
| 23395 | - Entrance Lighted Buoy 1 | 38-05-40.442N 075-52-19.116W | FI G 2.5s | | 4 | Green. | Maintained from Mar. 15 to Dec. 1. |
| 23400 | - Day beacon 2 | 38-05-33.471N 075-52-01.734W | | | | TR on pile. | |
| 23405 | - Day beacon 4 | 38-05-26.935N 075-51-45.704W | | | | TR on pile. | |
| 23410 | - Lighted Wreck Buoy WR6 Marks submerged pile. | 38-05-34.194N 075-51-35.545W | Q R | | 3 | Red. | |
| Manokin River | | | | | | | |
| 23415 | - CHANNEL LIGHT 5 | 38-07-21.076N 075-50-59.620W | FI G 2.5s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|--------------------------|---------------|-------------------|---|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| TANGIER SOUND - NORTHERN PART (Chart 12231) | | | | | | | |
| Tangier Sound | | | | | | | |
| Manokin River | | | | | | | |
| 23420 | - Channel Day beacon 6 | 38-07-50.150N 075-50-28.497W | | | | TR on pile. | |
| 23425 | - Channel Day beacon 8 | 38-08-12.070N 075-48-47.424W | | | | TR on pile. | |
| 23430 | - Channel Day beacon 9 | 38-08-15.813N 075-48-12.848W | | | | SG on pile. | |
| St. Peters Creek | | | | | | | |
| 23435 | - ENTRANCE LIGHT 1SP | 38-08-28.209N 075-49-53.360W | FI G 4s | 15 | 4 | SG on pile. | |
| 23440 | - Day beacon 2 | 38-08-47.142N 075-49-12.948W | | | | TR on pile. | |
| 23445 | - Day beacon 3 | 38-08-49.992N 075-49-07.170W | | | | SG on pile. | |
| 23450 | - Day beacon 5 | 38-09-04.206N 075-48-50.962W | | | | SG on pile. | |
| 23455 | - Day beacon 6 | 38-09-13.434N 075-48-48.254W | | | | TR on pile. | |
| Kedges Straits | | | | | | | |
| 23460 | FOG POINT LIGHT 30 yards west of obstruction. | 38-02-11.622N 076-02-37.032W | FI W 2.5s | 15 | 4 | NB on pile. | |
| 23465 | - Buoy 2 | 38-03-12.846N 076-03-21.264W | | | | Red nun. | |
| 23470 | - Buoy 4 | 38-03-28.445N 076-01-59.968W | | | | Red nun. | |
| 23475 | SOLOMONS LUMP LIGHT | 38-02-53.021N 076-00-54.061W | FI W 6s (2 R sectors) | 47 | W 8 R 6 R 6 | Brown octagonal dwelling with white square tower on brown cylindrical base. | Red f from 086° to 111° and f from 288° to 294°. Obscured f from 331.5° to 039°. |
| 23480 | - Buoy 5 | 38-02-58.744N 075-59-38.363W | | | | Green can. | |
| Tangier Sound | | | | | | | |
| 23485 | - Lighted Buoy 10 | 38-03-06.944N 075-56-49.760W | FI R 2.5s | | 4 | Red. | |
| 23490 | - Lighted Buoy 12 | 38-06-19.444N 075-58-19.763W | FI R 4s | | 4 | Red. | |
| Lower Thorofare | | | | | | | |
| 23495 | - CHANNEL LIGHT 2LT | 38-07-21.821N 075-57-18.951W | FI R 4s | 15 | 4 | TR on pile. | |
| 23500 | - CHANNEL LIGHT 4 | 38-07-31.196N 075-56-49.252W | Q R | 16 | 4 | TR on multi-pile structure. | |
| 23505 | - Channel Day beacon 5 | 38-07-32.480N 075-56-50.098W | | | | SG on pile. | |
| 23510 | - CHANNEL LIGHT 6 Old piles adjacent to aid, outside channel. | 38-07-39.905N 075-56-47.713W | FI R 4s | 15 | 4 | TR on pile. | |
| Tangier Sound | | | | | | | |
| 23520 | - Buoy 14 | 38-08-24.444N 075-58-18.762W | | | | Red nun. | |
| Upper Thorofare | | | | | | | |
| 23550 | HAINES POINT WARNING LIGHT | 38-10-19.329N 075-57-52.402W | FI W 4s | 15 | 4 | NW on pile worded DANGER SHOAL. | |
| 23555 | Haines Point Obstruction Buoy HP | 38-10-20.794N 075-57-51.083W | | | | White can with orange bands and diamond. | Removed when endangered by ice. |
| 23560 | - CHANNEL LIGHT 1UT | 38-10-12.214N 075-57-20.838W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 23565 | - CHANNEL LIGHT 4 | 38-10-11.872N 075-56-59.778W | FI R 6s | 19 | 4 | TR on pile. | |
| 23570 | - Channel Day beacon 6 | 38-10-10.827N 075-56-55.241W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| TANGIER SOUND - NORTHERN PART (Chart 12231) | | | | | | | |
| Tangier Sound | | | | | | | |
| 23585 | - Lighted Buoy 16 | 38-11-18.643N 075-58-25.263W | FI R 6s | | 5 | Red. | |
| 23590 | SHARKFIN SHOAL LIGHT | 38-12-07.644N 075-59-12.042W | FI W 6s (R sector) | 44 | W 9 R 6 | NB on skeleton tower. | Red from 000° to 091°. |
| 23595 | Sharkfin Shoal Warning Buoy | 38-12-09.385N 075-59-12.674W | | | | White can with orange bands and diamond. | Maintained from Mar. 15 to Dec. 1. |
| Hooper Strait | | | | | | | |
| 23600 7570 | - Approach Lighted Buoy 1 | 38-12-17.144N 076-09-20.285W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 23605 | OKAHANIKAN POINT LIGHT | 38-11-41.739N 076-05-34.782W | FI Y 6s | 25 | 5 | On concrete pile. | |
| 23610 | - Channel Buoy 2 | 38-13-14.244N 076-06-10.779W | | | | Red nun. | |
| 23615 | - LIGHT | 38-13-36.297N 076-04-31.892W | FI W 6s (R sector) | 41 | W 8 R 6 | NB on skeleton tower. | Higher intensity beam toward Hooper Strait. Red from 083° to 100°. |
| 23620 | - CHANNEL LIGHT 4 | 38-13-02.257N 076-03-43.578W | FI R 2.5s | 16 | 4 | TR on multi-pile structure. | |
| 23625 | - Channel Buoy 6 | 38-12-57.443N 076-03-01.772W | | | | Red nun. | |
| 23627 | - Channel Buoy 7 | 38-12-23.877N 076-02-09.354W | | | | Green can. | |
| 23630 | - Channel Lighted Buoy 7A | 38-12-09.100N 076-01-34.306W | FI G 2.5s | | 4 | Green. | |
| 23640 | - CHANNEL LIGHT 8 | 38-12-18.162N 076-00-53.790W | FI R 2.5s | 16 | 4 | TR on multipile structure. | |
| 23643 | - CHANNEL LIGHT 10 | 38-12-47.086N 076-00-18.000W | FI R 4s | 16 | 4 | TR on multi-pile structure. | |
| 23655 | - Channel Buoy 12 | 38-12-43.146N 075-59-31.067W | | | | Red nun. | |
| 23660 | - Channel Lighted Buoy 14 | 38-12-37.689N 075-58-50.261W | FI R 2.5s | | 4 | Red. | |
| Tangier Sound | | | | | | | |
| 23670 | Dorchester/Somerset County Line Buoy DD | 38-13-52.242N 075-57-54.662W | | | | White can with orange bands and diamond worded DOR-SOM COUNTY RANGE LINE. | Aid maintained by State DOT Private aid. |
| 23673 | Clay Island Shoal Lighted Wreck Buoy WR1 Marks sunken barge. | 38-12-44.595N 075-57-24.930W | Q G | | 4 | Green. | |
| HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261) | | | | | | | |
| Wicomico River (Honga, Nanticoke and Fishing Bay) | | | | | | | |
| 23675 | Wicomico River Junction Buoy WR | 38-12-26.702N 075-56-43.390W | | | | Green and red bands; can. | |
| 23680 | Wicomico River Channel Lighted Buoy 1 | 38-12-20.742N 075-55-55.259W | FI G 4s | | 5 | Green. | |
| 23685 | Wicomico River Channel Buoy 2 | 38-12-42.064N 075-54-41.263W | | | | Red nun. | |
| 23690 | Wicomico River Channel Lighted Buoy 4 | 38-12-49.392N 075-53-56.895W | FI R 6s | | 4 | Red. | |
| 23695 | Wicomico River Channel Buoy 5 | 38-12-47.941N 075-53-05.755W | | | | Green can. | |
| 23700 | GREAT SHOALS LIGHT | 38-12-51.506N 075-52-45.990W | FI W 6s | 37 | 8 | NB on white skeleton tower on piles. | |
| Dames Quarter Creek | | | | | | | |
| 23705 | - Channel Buoy 2 | 38-12-13.241N 075-52-45.454W | | | | Red nun. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261) | | | | | | | |
| Wicomico River (Honga, Nanticoke and Fishing Bay) | | | | | | | |
| Dames Quarter Creek | | | | | | | |
| 23710 | - Channel Buoy 3 | 38-12-05.041N 075-52-51.655W | | | | Green can. | Private aid. |
| 23715 | - Channel Buoy 4 | 38-11-56.569N 075-52-59.688W | | | | Red nun. | Aid maintained by State DOT Private aid. |
| 23720 | - Channel Buoy 5 | 38-11-41.341N 075-52-56.555W | | | | Green can. | Aid maintained by State DOT Private aid. |
| 23725 | - Channel Day beacon 6 | 38-11-39.041N 075-53-00.955W | | | | TR on pile. | Private aid. |
| Wicomico River (Honga, Nanticoke and Fishing Bay) | | | | | | | |
| 23730 | Wicomico River Channel Buoy 7 | 38-12-48.441N 075-52-45.754W | | | | Green can. | |
| 23735 | Wicomico River Channel Buoy 7A | 38-12-52.987N 075-52-40.021W | | | | Green can. | |
| 23740 | Wicomico River Channel Buoy 8 | 38-12-53.276N 075-52-35.164W | | | | Red nun. | |
| 23745 | Wicomico River Channel Buoy 9 | 38-13-13.707N 075-52-22.840W | | | | Green can. | |
| 23750 | WICOMICO RIVER CHANNEL LIGHT 10 | 38-13-13.064N 075-52-17.307W | FI R 4s | 15 | 4 | TR on pile. | |
| 23755 | Wicomico River Channel Buoy 11 | 38-13-48.640N 075-52-22.553W | | | | Green can. | |
| 23760 | WICOMICO RIVER CHANNEL LIGHT 12 | 38-13-48.352N 075-52-19.079W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 23767 | WICOMICO RIVER CHANNEL LIGHT 14 | 38-14-00.521N 075-52-10.321W | FI R 4s | 15 | 4 | TR on pile. | |
| 23770 | Wicomico River Channel Buoy 15 | 38-14-24.140N 075-51-30.552W | | | | Green can. | |
| 23775 | WICOMICO RIVER CHANNEL LIGHT 15A | 38-14-34.587N 075-51-11.454W | FI G 4s | 15 | 4 | SG on pile. | |
| 23780 | WICOMICO RIVER CHANNEL LIGHT 16 | 38-14-31.856N 075-51-00.152W | FI R 4s | 19 | 4 | TR on pile. | |
| 23785 | WICOMICO RIVER CHANNEL LIGHT 17 | 38-15-09.820N 075-50-48.702W | FI G 4s | 15 | 4 | SG on pile. | |
| 23790 | WICOMICO RIVER CHANNEL LIGHT 18 | 38-15-15.900N 075-50-31.853W | FI R 4s | 15 | 4 | TR on pile. | |
| Webster Cove | | | | | | | |
| 23795 | - Channel Buoy 1 | 38-15-08.156N 075-50-04.417W | | | | Green can. | |
| 23800 | - Channel Day beacon 3 | 38-14-57.170N 075-49-51.588W | | | | SG on pile. | |
| Wicomico River (Honga, Nanticoke and Fishing Bay) | | | | | | | |
| 23805 | Wicomico River Channel Day beacon 19 | 38-15-23.084N 075-50-21.589W | | | | SG on pile. | |
| 23810 | Wicomico River Channel Day beacon 21 | 38-15-28.660N 075-49-40.744W | | | | SG on pile. | |
| 23815 | Wicomico River Channel Day beacon 22 | 38-15-25.938N 075-49-31.738W | | | | TR on pile. | |
| 23820 | WICOMICO RIVER CHANNEL LIGHT 23 | 38-15-30.348N 075-49-23.042W | FI G 4s | 15 | 4 | SG on pile. | |
| 23825 | Wicomico River Channel Day beacon 24 | 38-15-15.115N 075-48-58.835W | | | | TR on pile. | |
| 23830 | WICOMICO RIVER CHANNEL LIGHT 25 | 38-15-18.007N 075-48-23.936W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 23835 | WICOMICO RIVER CHANNEL LIGHT 26 | 38-15-13.691N 075-48-11.859W | FI R 4s | 19 | 4 | TR on pile. | |
| 23840 | WICOMICO RIVER CHANNEL LIGHT 27 | 38-16-00.177N 075-47-45.659W | FI G 2.5s | 15 | 3 | SG on pile. | |
| 23845 | WICOMICO RIVER CHANNEL LIGHT 28 | 38-16-06.398N 075-46-37.577W | FI R 6s | 15 | 4 | TR on pile. | |
| 23850 | WICOMICO RIVER CHANNEL LIGHT 29 | 38-17-12.841N 075-46-06.189W | FI G 4s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|------------------|------------------------------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261) | | | | | | | |
| Wicomico River (Honga, Nanticoke and Fishing Bay) | | | | | | | |
| Wicomico Creek | | | | | | | |
| 23865 | - Day beacon 2 | 38-17-12.984N 075-45-48.496W | | | | | TR on pile. |
| 23870 | - Day beacon 3 | 38-17-14.134N 075-45-41.154W | | | | | SG on pile. |
| Wicomico River (Honga, Nanticoke and Fishing Bay) | | | | | | | |
| 23875 | Wicomico River Channel Day beacon 30 | 38-17-39.286N 075-45-30.204W | | | | | TR on pile. |
| 23880 | WICOMICO RIVER CHANNEL LIGHT 32 | 38-18-18.846N 075-45-43.615W | FI R 2.5s | 15 | 4 | | TR on pile. |
| 23885 | Wicomico River Channel Day beacon 33 | 38-18-47.135N 075-45-03.025W | | | | | SG on pile. |
| 23890 | WICOMICO RIVER CHANNEL LIGHT 35 | 38-19-18.006N 075-44-46.442W | FI G 2.5s | 15 | 4 | | SG on pile. |
| 23895 | WICOMICO RIVER CHANNEL LIGHT 37 | 38-19-21.710N 075-44-10.332W | FI G 4s | 15 | 4 | | SG on pile. |
| 23900 | WICOMICO RIVER CHANNEL LIGHT 38 | 38-19-48.098N 075-44-06.840W | FI R 4s | 15 | 3 | | TR on pile. |
| 23905 | WICOMICO RIVER CHANNEL LIGHT 39 | 38-20-24.897N 075-42-45.986W | FI G 4s | 15 | 4 | | SG on pile. |
| 23910 | Wicomico River Channel Day beacon 41 | 38-20-40.096N 075-42-23.675W | | | | | SG on pile. |
| 23915 | WICOMICO RIVER CHANNEL LIGHT 43 | 38-20-24.994N 075-41-58.900W | FI G 2.5s | 15 | 4 | | SG on multi-pile structure. |
| 23920 | WICOMICO RIVER CHANNEL LIGHT 45 | 38-20-22.623N 075-40-11.692W | FI G 4s | 15 | 4 | | SG on pile. |
| 23925 | Wicomico River Channel Day beacon 46 | 38-20-19.630N 075-40-10.369W | | | | | TR on pile. |
| 23930 | WICOMICO RIVER CHANNEL LIGHT 47 | 38-20-26.925N 075-39-18.768W | FI G 2.5s | 15 | 4 | | SG on pile. |
| 23935 | WICOMICO RIVER CHANNEL LIGHT 49 | 38-20-34.565N 075-38-48.728W | FI G 4s | 19 | 4 | | SG on pile. |
| 23940 | Wicomico River Channel Day beacon 50 | 38-20-31.561N 075-38-45.368W | | | | | TR on pile. |
| 23945 | WICOMICO RIVER CHANNEL LIGHT 51 | 38-20-27.732N 075-38-29.688W | FI G 2.5s | 18 | 4 | | SG on pile. |
| 23950 | WICOMICO RIVER CHANNEL LIGHT 53 | 38-20-29.737N 075-38-07.476W | FI G 4s | 15 | 4 | | SG on pile. |
| 23955 | WICOMICO RIVER CHANNEL LIGHT 55 | 38-20-49.550N 075-37-52.179W | FI G 6s | 15 | 4 | | SG on pile. |
| 23960 | WICOMICO RIVER CHANNEL LIGHT 57 | 38-21-00.006N 075-37-17.388W | FI G 2.5s | 15 | 4 | | SG on pile. |
| Nanticoke River | | | | | | | |
| 23965 | - ENTRANCE LIGHT 1N | 38-13-04.489N 075-56-33.653W | FI G 2.5s | 15 | 4 | | SG on pile. |
| 23970 | - Channel Day beacon 4 | 38-14-08.498N 075-55-34.355W | | | | | TR on pile. |
| 23975 | - CHANNEL LIGHT 5 | 38-14-41.775N 075-55-47.331W | FI G 4s | 15 | 4 | | SG on pile. |
| 23980 | - CHANNEL LIGHT 6 | 38-15-50.370N 075-55-24.475W | Q R | 23 | 4 | | TR on pile. |
| 23983 | - Channel Warning Day beacon | 38-15-51.156N 075-55-23.789W | | | | | NW on pile worded DANGER SHOAL. |
| 23985 | Nanticoke Cut Buoy 2 | 38-16-16.149N 075-55-15.059W | | | | | Red nun. |
| 23990 | NANTICOKE CUT LIGHT 3 | 38-16-14.236N 075-54-46.308W | FI G 4s | 15 | 4 | | SG on pile. |
| 23995 | NANTICOKE CUT LIGHT 4 | 38-16-12.135N 075-54-48.889W | FI R 4s | 15 | 3 | | TR on pile. |
| 24000 | - JUNCTION LIGHT B | 38-17-05.962N 075-55-15.247W | FI (2+1)R 6s | 15 | 4 | | JR on multi-pile structure. |
| 24005 | - CHANNEL LIGHT 7 | 38-17-41.178N 075-55-54.614W | FI G 6s | 15 | 4 | | SG on pile. |
| 24010 | - Channel Buoy 8 | 38-18-09.983N 075-55-35.012W | | | | | Red nun. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|-----------------------------|----------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261) | | | | | | | |
| Nanticoke River | | | | | | | |
| 24020 | - CHANNEL LIGHT 9 | 38-18-39.869N 075-55-26.945W | FI G 4s | 15 | 4 | SG on pile. | |
| 24025 | - CHANNEL LIGHT 9A | 38-19-25.435N 075-54-39.915W | FI G 4s | 15 | 4 | SG on pile. | |
| 24030 | - Channel Buoy 10 | 38-19-58.834N 075-53-49.154W | | | | Red nun. | |
| 24035 | - East Channel Buoy 2 | 38-17-25.151N 075-55-04.519W | | | | Red nun. | |
| 24040 | - East Channel Buoy 4 | 38-18-07.051N 075-54-15.373W | | | | Red nun. | |
| Bivalve Channel | | | | | | | |
| 24045 | - LIGHT 1B | 38-18-44.494N 075-53-47.106W | FI G 6s | 15 | 4 | SG on pile. | |
| 24050 | - Day beacon 2 | 38-18-40.778N 075-53-36.840W | | | | TR on pile. | |
| 24055 | - Day beacon 3 | 38-18-41.596N 075-53-36.414W | | | | SG on pile. | |
| 24060 | - LIGHT 5 | 38-18-39.404N 075-53-29.059W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| Nanticoke River | | | | | | | |
| 24065 | - CHANNEL LIGHT 11 | 38-20-29.879N 075-53-21.221W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 24070 | - Channel Daybeacon 12 | 38-20-49.830N 075-51-53.670W | | | | TR on pile. | |
| 24075 | - CHANNEL LIGHT 14 | 38-21-23.479N 075-51-20.006W | FI R 4s | 15 | 4 | TR on pile. | |
| 24080 | - CHANNEL LIGHT 15 | 38-22-47.817N 075-51-58.744W | FI G 4s | 15 | 4 | SG on pile. | |
| 24085 | - Channel Daybeacon 16 | 38-22-59.397N 075-51-18.188W | | | | TR on pile. | |
| 24090 | - Channel Daybeacon 17 | 38-23-13.118N 075-50-33.154W | | | | SG on pile. | |
| 24095 | - CHANNEL LIGHT 18 | 38-23-12.350N 075-50-15.691W | FI R 4s | 15 | 4 | TR on pile. | |
| 24100 | - CHANNEL LIGHT 20 | 38-24-12.267N 075-50-57.063W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 24105 | - CHANNEL LIGHT 22 | 38-25-18.037N 075-50-36.942W | FI R 4s | 15 | 4 | TR on pile. | |
| 24110 | - CHANNEL LIGHT 23 | 38-25-27.303N 075-49-40.627W | FI G 4s | 15 | 4 | SG on pile. | |
| 24115 | - CHANNEL LIGHT 25 | 38-26-13.503N 075-49-24.080W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 24120 | - CHANNEL LIGHT 26 | 38-26-42.073N 075-50-04.160W | FI R 4s | 15 | 4 | TR on pile. | |
| 24125 | - CHANNEL LIGHT 28 | 38-27-26.299N 075-49-54.716W | FI R 4s | 15 | 4 | TR on pile. | |
| 24130 | - CHANNEL LIGHT 30 | 38-27-50.973N 075-48-51.636W | FI R 4s | 15 | 4 | TR on pile. | |
| 24135 | - Channel Daybeacon 31 | 38-28-09.571N 075-49-04.981W | | | | SG on pile. | |
| 24140 | - CHANNEL LIGHT 32 | 38-28-42.345N 075-49-22.671W | FI R 4s | 15 | 4 | TR on pile. | |
| 24145 | - CHANNEL LIGHT 34 | 38-29-27.135N 075-47-43.645W | FI R 4s | 15 | 4 | TR on pile. | |
| 24150 | - CHANNEL LIGHT 35 | 38-30-13.371N 075-46-51.053W | FI G 4s | 15 | 4 | SG on pile. | |
| 24155 | - CHANNEL LIGHT 36 | 38-30-31.776N 075-45-34.829W | FI R 4s | 15 | 4 | TR on pile. | |
| 24160 | - CHANNEL LIGHT 38 | 38-31-37.286N 075-45-12.057W | FI R 4s | 15 | 4 | TR on pile. | |
| 24165 | - CHANNEL LIGHT 39 | 38-32-18.588N 075-44-39.896W | FI G 4s | 15 | 4 | SG on pile. | |
| 24170 | - Channel Daybeacon 41 | 38-32-19.527N 075-43-54.802W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|-----------------------------|----------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261) | | | | | | | |
| Nanticoke River | | | | | | | |
| 24175 | - CHANNEL LIGHT 43 | 38-33-07.755N 075-42-44.918W | FI G 4s | 15 | 4 | SG on pile. | |
| 24180 | - CHANNEL LIGHT 45 | 38-33-39.878N 075-42-16.549W | FI G 4s | 15 | 4 | SG on pile. | |
| CHESAPEAKE BAY (Delaware) - Fifth District | | | | | | | |
| HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261) | | | | | | | |
| Nanticoke River | | | | | | | |
| 24185 | - CHANNEL LIGHT 46 | 38-33-25.630N 075-41-33.671W | FI R 4s | 15 | 4 | TR on pile. | |
| 24190 | - CHANNEL LIGHT 48 | 38-33-38.649N 075-41-16.238W | FI R 4s | 15 | 4 | TR on pile. | |
| 24195 | - CHANNEL LIGHT 50 | 38-33-53.016N 075-40-57.498W | FI R 4s | 16 | 4 | TR on pile. | |
| Broad Creek | | | | | | | |
| 24200 | - Day beacon 2 | 38-34-07.376N 075-40-26.788W | | | | | TR on pile. |
| 24205 | - Day beacon 3 | 38-34-14.727N 075-39-20.280W | | | | | SG on pile. |
| 24210 | - Day beacon 4 | 38-34-11.004N 075-38-58.204W | | | | | TR on pile. |
| 24215 | - Day beacon 5 | 38-34-09.321N 075-38-49.890W | | | | | SG on pile. |
| 24220 | - Day beacon 6 | 38-34-16.923N 075-38-37.758W | | | | | TR on pile. |
| 24225 | - Day beacon 7 | 38-34-14.902N 075-38-28.116W | | | | | SG on pile. |
| 24230 | - Day beacon 8 | 38-34-11.529N 075-38-23.016W | | | | | TR on pile. |
| 24235 | - Day beacon 10 | 38-34-14.841N 075-38-15.050W | | | | | TR on pile. |
| 24240 | - Day beacon 12 | 38-34-06.143N 075-37-45.554W | | | | | TR on pile. |
| 24245 | - Day beacon 13 | 38-34-01.023N 075-37-47.968W | | | | | SG on pile. |
| 24250 | - Day beacon 15 | 38-33-49.301N 075-37-44.632W | | | | | SG on pile. |
| 24255 | - Day beacon 16 | 38-33-52.369N 075-37-31.728W | | | | | TR on pile. |
| Nanticoke River | | | | | | | |
| 24275 | - Channel Day beacon 51 | 38-34-13.384N 075-40-36.199W | | | | | SG on pile. |
| 24280 | - CHANNEL LIGHT 52 | 38-34-19.371N 075-40-24.229W | FI R 4s | 15 | 4 | TR on pile. | |
| 24285 | - Channel Day beacon 53 | 38-34-28.782N 075-40-18.696W | | | | | SG on pile. |
| 24290 | - CHANNEL LIGHT 54 | 38-34-37.131N 075-40-09.482W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 24295 | - CHANNEL LIGHT 56 | 38-35-04.972N 075-40-11.069W | FI R 4s | 15 | 4 | TR on pile. | |
| 24300 | - CHANNEL LIGHT 57 | 38-35-18.348N 075-40-10.220W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 24305 | - CHANNEL LIGHT 58 | 38-35-23.968N 075-39-38.982W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 24310 | - Channel Day beacon 59 | 38-35-50.210N 075-39-32.734W | | | | | SG on pile. |
| 24315 | - CHANNEL LIGHT 61 | 38-36-20.726N 075-39-07.176W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 24320 | - CHANNEL LIGHT 62 | 38-36-27.327N 075-38-41.628W | FI R 4s | 15 | 4 | TR on pile. | |
| 24325 | - CHANNEL LIGHT 63 | 38-36-44.416N 075-38-38.144W | FI G 4s | 15 | 4 | SG on pile. | |
| 24330 | - CHANNEL LIGHT 65 | 38-36-51.807N 075-38-30.972W | Q G | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|-----------------------------|----------------|
| CHESAPEAKE BAY (Delaware) - Fifth District | | | | | | | |
| HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261) | | | | | | | |
| Nanticoke River | | | | | | | |
| 24335 | - CHANNEL LIGHT 66 | 38-37-04.568N 075-37-51.917W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 24340 | - Channel Day beacon 67 | 38-37-14.630N 075-37-41.951W | | | | SG on pile. | |
| 24345 | - CHANNEL LIGHT 68 | 38-37-25.548N 075-37-24.672W | FI R 4s | 15 | 4 | TR on pile. | |
| 24350 | - Channel Day beacon 70 | 38-37-49.588N 075-37-06.322W | | | | TR on pile. | |
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261) | | | | | | | |
| Fishing Bay | | | | | | | |
| 24375 | - ENTRANCE LIGHT 2FB | 38-13-33.594N 075-59-19.354W | FI R 4s | 15 | 4 | TR on pile. | |
| Tedious Creek | | | | | | | |
| 24380 | - LIGHT 1TC | 38-14-41.377N 076-02-24.088W | FI G 4s | 15 | 4 | SG on pile. | |
| 24385 | - Day beacon 2 | 38-14-50.264N 076-02-48.540W | | | | TR on pile. | |
| Fishing Bay | | | | | | | |
| 24400 | GOOSE CREEK LIGHT 1GC | 38-16-21.853N 076-01-40.268W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 24405 | Goose Creek Day beacon 3 | 38-16-22.573N 076-02-14.047W | | | | SG on pile. | |
| 24410 | - LIGHT 3 | 38-16-50.496N 076-00-53.098W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 24415 | - LIGHT 4 | 38-17-20.552N 076-00-49.045W | Q R | 15 | 4 | TR on pile. | |
| 24416 | - <i>Lighted Wreck Buoy WR 4A</i> | 38-17-18.366N 076-00-51.091W | Q R | | 3 | Red. | |
| Farm Creek | | | | | | | |
| 24425 | - CHANNEL LIGHT 1 | 38-18-33.401N 076-02-18.122W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 24430 | - Channel Day beacon 2 | 38-18-28.688N 076-02-48.067W | | | | TR on pile. | |
| 24435 | - Channel Day beacon 3 | 38-18-22.097N 076-03-08.403W | | | | SG on pile. | |
| 24440 | - CHANNEL LIGHT 5 | 38-18-16.014N 076-03-38.130W | FI G 4s | 15 | 4 | SG on pile. | |
| 24445 | - Channel Day beacon 7 | 38-18-16.421N 076-03-43.593W | | | | SG on pile. | |
| Honga River | | | | | | | |
| 24450 | - LIGHT 1H On point of shoal. | 38-13-59.539N 076-06-31.972W | FI G 4s | 16 | 4 | SG on pile. | |
| 24455 | HEARNS COVE ENTRANCE LIGHT 2HC | 38-15-56.599N 076-07-08.989W | FI R 4s | 15 | 4 | TR on pile. | |
| 24460 | Paul Point Shoal Day beacon 1 | 38-16-26.985N 076-06-48.771W | | | | SG on pile. | |
| 24465 | Hearns Cove Channel Day beacon 3 | 38-16-23.725N 076-05-36.409W | | | | SG on pile. | |
| 24470 | Hearns Cove Channel Day beacon 6 | 38-16-40.180N 076-05-14.862W | | | | TR on pile. | |
| 24475 | Hearns Cove Channel Day beacon 7 | 38-16-49.871N 076-04-55.960W | | | | SG on multi-pile structure. | |
| 24480 | Muddy Hook Cove Channel Day beacon 2 | 38-15-41.007N 076-10-07.649W | | | | TR on pile. | |
| 24485 | Muddy Hook Cove Channel Day beacon 3 | 38-15-34.297N 076-10-37.506W | | | | SG on pile. | |
| 24490 | Muddy Hook Cove Channel Day beacon 4 | 38-15-35.095N 076-10-37.008W | | | | TR on pile. | |
| 24495 | - LIGHT 2 | 38-16-01.570N 076-09-01.296W | FI R 4s | 15 | 4 | TR on pile. | |
| 24500 | - Day beacon 4 | 38-16-34.581N 076-09-27.957W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|------------------------------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261) | | | | | | | |
| Honga River | | | | | | | |
| 24505 | - LIGHT 5 | 38-17-27.759N 076-09-19.604W | FI G 4s | 15 | 4 | SG on pile. | |
| 24510 | - Day beacon 6 | 38-18-35.998N 076-09-46.772W | | | | TR on pile. | |
| 24515 | Middle Island Bridge West Channel Wreck Day beacon WR1W Marks submerged piles. | 38-17-42.516N 076-12-46.563W | | | | SG on pile. | |
| 24520 | Middle Island Bridge East Channel Day beacon 1E | 38-18-01.120N 076-11-59.025W | | | | SG on pile. | |
| 24525 | - LIGHT 8 | 38-18-50.922N 076-12-29.166W | FI R 4s | 15 | 4 | TR on pile. | |
| 24530 | - BACK CREEK ENTRANCE CHANNEL LIGHT 1BC 20 feet outside channel limit. | 38-18-53.857N 076-12-52.878W | FI G 4s | 15 | 4 | SG on pile. | |
| 24535 | - BACK CREEK CHANNEL LIGHT 3 20 feet outside channel limit. | 38-18-55.290N 076-13-26.206W | Q G | 15 | 4 | SG on multi-pile structure. | |
| 24540 | - BACK CREEK CHANNEL LIGHT 4 20 feet outside channel limit. | 38-19-20.395N 076-13-42.342W | FI R 2.5s | 15 | 3 | TR on multi-pile structure. | |
| 24545 | - LIGHT 10 | 38-20-08.800N 076-11-42.000W | FI R 4s | 14 | | TR on pile. | Private aid. |
| 24547 | - <i>Oyster Sanctuary Lighted Danger Buoy B</i> | 38-20-02.100N 076-11-44.500W | FI W 6s | | | White can with orange bands and diamond. | Private aid. |
| 24550 | - Warning Day beacon A | 38-21-05.862N 076-13-04.518W | | | | NW on pile worded DANGER SHOAL. | |
| Wallace Creek | | | | | | | |
| 24560 | - Day beacon 3 | 38-22-05.237N 076-12-22.460W | | | | SG on pile. | Private aid. |
| 24562 | - Day beacon 4 | 38-22-23.059N 076-12-25.772W | | | | TR on pile. | Private aid. |
| 24567 | - Day beacon 6 | 38-22-43.655N 076-12-30.417W | | | | TR on pile. | Private aid. |
| 24570 | - Day beacon 7 | 38-22-46.098N 076-12-30.741W | | | | SG on pile. | Private aid. |
| 24575 | - Day beacon 9 | 38-22-49.828N 076-12-25.573W | | | | SG on pile. | Private aid. |
| Tar Bay | | | | | | | |
| 24577 | - Warning Buoy A | 38-21-06.891N 076-16-20.094W | | | | White can with orange bands and diamond | Removed when endangered by ice. |
| 24580 | - Warning Day beacon B | 38-20-58.196N 076-16-18.028W | | | | NW on pile worded DANGER SHOAL. | |
| 24585 | - Warning Day beacon C | 38-20-53.272N 076-15-51.244W | | | | NW on pile worded DANGER SHOAL. | |
| 24590 | - Warning Day beacon D | 38-20-50.305N 076-15-26.725W | | | | NW on pile worded DANGER SHOAL. | |
| 24595 | - Warning Day beacon E | 38-20-45.134N 076-15-01.241W | | | | NW on pile worded DANGER SHOAL. | |
| 24600 | - Warning Day beacon G | 38-20-42.886N 076-14-36.976W | | | | NW on pile worded DANGER SHOAL. | |
| 24601 | - Warning Day beacon F | 38-20-48.706N 076-14-50.728W | | | | NW on pile worded DANGER. | |
| 24605 | - Warning Day beacon H | 38-20-35.910N 076-14-22.922W | | | | NW on pile worded DANGER SHOAL. | |
| 24610 | - Warning Day beacon J | 38-20-38.589N 076-14-08.976W | | | | NW on multi-pile structure worded DANGER SHOAL. | |
| 24615 | - Warning Day beacon K | 38-20-46.380N 076-14-01.528W | | | | NW multi-pile structure worded DANGER SHOAL. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|------------------------------------|---------------------------------|-----------------------|---------------|--------------|--|------------------------------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY (Chart 12261) | | | | | | | |
| Tar Bay | | | | | | | |
| 24620 | Tyler Cove Warning Day beacon A | 38-20-56.923N 076-13-47.259W | | | | NW on pile worded DANGER SHOAL. | |
| 24625 | Tyler Cove Warning Day beacon B | 38-20-59.523N 076-13-46.017W | | | | NW on pile worded DANGER SHOAL. | |
| 24627 | Fitzhugh Tar Bar Reef Buoy A | 38-18-56.000N 076-14-07.000W | | | | White and orange buoy worded DANGER. | Private aid. |
| 24627.1 | Fitzhugh Tar Bay Reef Buoy B | 38-18-57.000N 076-14-04.000W | | | | White and orange buoy worded DANGER. | Private aid. |
| 24627.2 | Fitzhugh Tar Bay Reef Buoy C | 38-18-52.000N 076-14-02.000W | | | | White and orange buoy worded DANGER. | Private aid. |
| 24627.3 | Fitzhugh Tar Bay Reef Buoy D | 38-18-51.000N 076-14-05.000W | | | | White and orange buoy worded DANGER. | Private aid. |
| 24628 | Bluff Point Warning Buoy SW | 38-19-02.500N 076-14-30.700W | | | | White with orange diamond worded DANGER. | Private aid. |
| 24628.1 | Bluff Point Warning Buoy NW | 38-19-08.900N 076-14-35.100W | | | | White with orange diamond worded DANGER. | Private aid. |
| 24628.2 | Bluff Point Warning Buoy NE | 38-19-10.100N 076-14-31.400W | | | | White with orange diamond worded DANGER. | Private aid. |
| 24628.3 | Bluff Point Warning Buoy SE | 38-19-04.200N 076-14-26.800W | | | | White with orange diamond worded DANGER. | Private aid. |
| CHOPTANK RIVER AND HERRING BAY (Chart 12266) | | | | | | | |
| Little Choptank River | | | | | | | |
| 24630 | - LIGHT 1 | 38-33-13.644N 076-19-15.426W | FI G 2.5s | 18 | 5 | SG on multi-pile structure. | |
| 24635 | - LIGHT 3 | 38-31-38.142N 076-17-36.502W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 24640 | - LIGHT 5 | 38-31-19.123N 076-16-27.470W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| Slaughter Creek | | | | | | | |
| 24645 | - LIGHT 2SC | 38-30-18.124N 076-16-18.876W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 24655 | - Day beacon 3 | 38-30-08.970N 076-16-11.620W | | | | SG on pile. | |
| 24665 | - Lighted Buoy 5 | 38-30-01.750N 076-16-13.650W | FI G 2.5s | | 4 | Green. | Maintained from Mar. 15 to Dec. 1. |
| 24670 | - Buoy 6 | 38-29-51.951N 076-16-26.391W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| 24680 | - Buoy 7 | 38-29-41.157N 076-16-41.820W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 24683 | - Buoy 8 | 38-29-17.970N 076-17-01.090W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| 24692 | - Buoy 12 | 38-28-18.264N 076-17-33.360W | | | | Nun. | Private aid. |
| Little Choptank River | | | | | | | |
| 24695 | Brooks Creek Day beacon 2 | 38-32-21.138N 076-15-39.686W | | | | TR on pile. | |
| 24700 | Brooks Creek Day beacon 3 | 38-32-25.512N 076-15-43.118W | | | | SG on pile. | |
| 24705 | Brooks Creek Day beacon 5 | 38-32-44.580N 076-15-51.728W | | | | SG on pile. | |
| 24710 | - Day beacon 7 | 38-31-56.814N 076-14-32.874W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------------|---------------------------------|-----------------------|---------------|--------------|---------------------------|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| CHOPTANK RIVER AND HERRING BAY (Chart 12266) | | | | | | | |
| Little Choptank River | | | | | | | |
| 24715 | Hudson Creek Day beacon 1 | 38-32-30.336N 076-14-32.324W | | | | SG on pile. | |
| 24720 | Hudson Creek Day beacon 2 | 38-32-34.805N 076-14-43.240W | | | | TR on pile. | |
| 24725 | Hudson Creek Day beacon 3 | 38-32-58.896N 076-14-51.230W | | | | SG on pile. | |
| 24730 | - LIGHT 9 | 38-32-07.693N 076-13-56.846W | FI G 4s | 15 | 3 | SG on pile. | |
| Madison Bay | | | | | | | |
| 24735 | - LIGHT 2 | 38-31-51.386N 076-13-32.251W | FI R 4s | 15 | 4 | TR on pile. | |
| 24740 | - Day beacon 4 | 38-30-54.220N 076-13-15.004W | | | | TR on pile. | |
| 24745 | - Day beacon 6 | 38-30-38.002N 076-13-23.250W | | | | TR on pile. | |
| Little Choptank River | | | | | | | |
| 24750 | - Day beacon 11 | 38-32-33.791N 076-13-35.378W | | | | SG on pile. | |
| 24755 | - LIGHT 13 | 38-33-00.512N 076-13-06.220W | FI G 2.5s | 15 | 3 | SG on pile. | |
| 24760 | Fishing Creek Day beacon 2 | 38-32-33.598N 076-12-58.117W | | | | TR on pile. | |
| 24765 | Fishing Creek Day beacon 3 | 38-32-08.100N 076-12-36.570W | | | | SG on pile. | |
| 24770 | Fishing Creek Day beacon 4 | 38-32-01.551N 076-12-20.460W | | | | TR on pile. | |
| Choptank River | | | | | | | |
| 24775 | - Entrance Buoy 2 | 38-32-06.031N 076-23-13.099W | | | | Red nun. | |
| 24780 | - Entrance Lighted Buoy 3 | 38-35-04.382N 076-23-01.569W | FI G 2.5s | | 4 | Green. | Replaced by can when endangered by ice. |
| 24785 | - Entrance Buoy 4 | 38-34-27.577N 076-22-24.581W | | | | Red nun. | |
| 24790 | - Entrance Buoy 5 | 38-36-37.182N 076-21-01.141W | | | | Green can. | |
| 24795 | - Entrance Lighted Buoy 6 | 38-36-31.749N 076-20-51.019W | Q R | | 4 | Red. | Replaced by nun when endangered by ice. |
| 24810 | Sharps Island Ice Breaker Buoy | 38-37-56.702N 076-22-26.760W | | | | Green and red bands; can. | |
| 24815 | Sharps Island Junction Buoy SI | 38-38-05.841N 076-20-44.456W | | | | Green and red bands; can. | |
| 24820 | - Entrance Lighted Buoy 7 | 38-38-18.240N 076-20-13.514W | FI G 4s | | 4 | Green. | Replaced by can when endangered by ice. |
| 24825 | - Entrance Buoy 9 | 38-38-45.978N 076-19-53.514W | | | | Green can. | |
| 24830 | - Entrance Lighted Buoy 10 | 38-38-53.157N 076-18-18.345W | FI R 2.5s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 24835 | - Entrance Lighted Buoy 12 | 38-38-50.458N 076-16-35.336W | FI R 4s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 24840 | Cook Point Cove Day beacon 2C | 38-37-28.680N 076-16-10.476W | | | | TR on pile. | |
| 24845 | - Entrance Lighted Buoy 12A | 38-39-25.929N 076-13-50.800W | Q R | | 4 | Red. | Replaced by nun when endangered by ice. |
| 24850 | - Entrance Lighted Buoy 13 | 38-38-25.000N 076-12-55.000W | FI G 2.5s | | 4 | Green. | Replaced by can when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-------------------------|---------------|--------------|--|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| CHOPTANK RIVER AND HERRING BAY (Chart 12266) | | | | | | | |
| Choptank River | | | | | | | |
| 24915 | - LIGHT | 38-39-20.720N 076-11-04.046W | FI W 4s | 35 | 7 | Skeleton tower with small white house on piles. | |
| 24920 | ISLAND CREEK LIGHT 1C | 38-39-18.851N 076-09-32.807W | FI G 4s | 15 | 4 | SG on pile. | |
| 24925 | Island Creek Day beacon 2 | 38-39-34.263N 076-09-20.995W | | | | TR on pile. | |
| 24930 | - Entrance Lighted Buoy 14 | 38-38-32.992N 076-10-41.106W | FI R 2.5s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 24935 | - CHANNEL LIGHT 16 | 38-38-00.587N 076-09-37.571W | FI R 4s | 15 | 3 | TR on multi-pile structure. | |
| 24940 | Lecompte Bay Buoy 2 | 38-37-30.506N 076-09-06.333W | | | | Red nun. | |
| 24945 | - Channel Lighted Buoy 18 | 38-37-52.432N 076-08-17.715W | FI R 2.5s | | 4 | Red. | Replaced by nun when endangered by ice. |
| 24950 | - Channel Buoy 18A | 38-37-38.783N 076-08-08.302W | | | | Red nun. | |
| 24955 | LA TRAPPE CREEK LIGHT 1 | 38-37-26.807N 076-07-16.918W | FI G 4s | 21 | 4 | SG on black cylindrical structure. | |
| 24960 | La Trappe Creek Day beacon 2 | 38-37-37.173N 076-07-11.760W | | | | TR on caisson. | |
| 24965 | - Channel Lighted Buoy 19 | 38-36-33.427N 076-07-46.791W | FI G 2.5s | | 4 | Green. | Replaced by can when endangered by ice. |
| 24970 | - Channel Buoy 19A | 38-36-17.777N 076-06-56.338W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 24975 | - CHANNEL LIGHT 20 | 38-36-00.512N 076-06-52.539W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 24985 | - Channel Lighted Buoy 21 | 38-36-00.688N 076-05-57.529W | FI G 4s | | 4 | Green. | Replaced by can when endangered by ice. |
| 24990 | - Channel Buoy 23 | 38-36-01.785N 076-05-04.941W | | | | Green can. | |
| CHOPTANK RIVER - CAMBRIDGE TO GREENSBORO (Chart 12268) | | | | | | | |
| Choptank River | | | | | | | |
| 24995 | HAMBROOKS BAR WARNING LIGHT | 38-35-42.237N 076-04-51.143W | FI W 2.5s (R sector) | 19 | W 6 R 5 | NW on white cylindrical structure on red base worded DANGER. | Red from 312° to 335° covers shoal south side of river at entrance to Cambridge. |
| 25000 | - Channel Buoy 24 | 38-35-44.070N 076-04-49.955W | | | | Red nun. | |
| 25005 | - Channel Buoy 25 | 38-35-08.630N 076-03-47.204W | | | | Green can. | |
| 25010 | CAMBRIDGE MUNICIPAL YACHT BASIN LIGHT 1 | 38-34-37.710N 076-04-13.910W | FI G 2.5s | 14 | | SG on pile. | Private aid. |
| 25015 | CAMBRIDGE MUNICIPAL YACHT BASIN LIGHT 2 | 38-34-38.550N 076-04-13.190W | FI R 2.5s | 14 | | TR on pile. | Private aid. |
| Cambridge Channel | | | | | | | |
| 25030 | - Lighted Buoy 1 | 38-34-48.499N 076-03-44.841W | FI G 4s | | 4 | Green. | Replaced by can when endangered by ice. |
| 25035 | - Buoy 2 | 38-34-49.072N 076-03-48.548W | | | | Red nun. | |
| 25040 | - Buoy 3 | 38-34-40.029N 076-03-52.969W | | | | Green can. | |
| 25045 | - Buoy 4 | 38-34-33.025N 076-04-04.122W | | | | Red nun. | |
| 25050 | - Buoy 6 | 38-34-31.101N 076-04-09.684W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| CHOPTANK RIVER - CAMBRIDGE TO GREENSBORO (Chart 12268) | | | | | | | |
| Choptank River | | | | | | | |
| Cambridge Channel | | | | | | | |
| 25055 | CAMBRIDGE SEWER OUTFALL WARNING LIGHT | 38-34-21.207N 076-03-10.048W | FI W 2.5s | 15 | 4 | NW on pile worded DANGER SUBMERGED PIPE. | |
| Choptank River | | | | | | | |
| 25060 | Choptank Fishing Pier Warning Day beacon A | 38-35-23.400N 076-02-43.800W | | | | NW on pile worded DANGER. | Private aid. |
| 25065 | Choptank Fishing Pier Warning Day beacon B | 38-35-20.400N 076-02-40.800W | | | | NW on pile worded DANGER. | Private aid. |
| 25070 | Choptank Fishing Pier Warning Day beacon C | 38-35-18.600N 076-02-38.400W | | | | NW on pile worded DANGER. | Private aid. |
| 25075 | - Channel Buoy 27 | 38-34-20.823N 076-02-31.286W | | | | Green can. | |
| 25080 | - Channel Day beacon 29 | 38-34-23.622N 076-02-04.766W | | | | SG on pile. | |
| 25085 | - Channel Day beacon 30 | 38-34-22.085N 076-01-41.307W | | | | TR on pile. | |
| 25125 | - CHANNEL LIGHT 31 | 38-34-41.528N 076-01-31.897W | FI G 4s | 15 | 3 | SG on pile. | |
| 25130 | - CHANNEL LIGHT 32 | 38-35-25.899N 076-00-19.919W | FI R 2.5s | 15 | 3 | TR on pile. | |
| 25135 | - Channel Buoy 33 | 38-35-52.543N 075-59-12.645W | | | | Green can. | |
| 25140 | - CHANNEL LIGHT 34 | 38-36-04.724N 075-59-03.762W | FI R 4s | 15 | 3 | TR on pile. | |
| 25145 | - Channel Buoy 35 | 38-36-11.320N 075-59-07.467W | | | | Green can. | |
| 25150 | - Channel Buoy 36 | 38-36-35.053N 075-58-50.018W | | | | Red nun. | |
| 25155 | Warwick River Day beacon 1 20-30 feet outside channel limit. | 38-36-39.451N 075-58-28.353W | | | | SG on pile. | |
| 25160 | Warwick River Day beacon 2 20-30 feet outside channel limit. | 38-36-43.448N 075-58-12.633W | | | | TR on pile. | |
| 25161 | Warwick River Channel Buoy 4 | 38-36-44.400N 075-58-03.000W | | | | Red nun. | Private aid. |
| 25165 | - Channel Day beacon 37 | 38-37-42.987N 075-59-19.783W | | | | SG on pile. | |
| 25170 | - CHANNEL LIGHT 38 | 38-38-04.573N 075-58-50.129W | FI R 2.5s | 15 | 3 | TR on pile. | |
| 25175 | - Channel Day beacon 39 | 38-38-33.204N 075-57-55.854W | | | | SG on pile. | |
| 25180 | - CHANNEL LIGHT 40 | 38-39-16.121N 075-57-16.375W | FI R 6s | 15 | 4 | TR on pile. | |
| 25185 | - CHANNEL LIGHT 41 | 38-40-26.054N 075-57-01.274W | Q G | 15 | 3 | SG on pile. | |
| 25190 | - Channel Day beacon 43 | 38-40-59.301N 075-58-23.601W | | | | SG on pile. | |
| 25195 | - Channel Day beacon 45 | 38-41-31.614N 075-58-29.573W | | | | SG on pile. | |
| 25200 | - Channel Day beacon 47 | 38-41-46.149N 075-58-34.808W | | | | SG on pile. | |
| 25205 | - Channel Day beacon 49 | 38-41-48.289N 075-58-50.776W | | | | SG on pile. | |
| 25210 | - Channel Day beacon 50 | 38-41-48.700N 075-59-34.033W | | | | TR on pile. | |
| 25215 | - Channel Day beacon 51 | 38-42-25.043N 075-59-43.081W | | | | SG on pile. | |
| 25220 | - Channel Day beacon 52 | 38-43-29.012N 076-00-45.275W | | | | TR on pile. | |
| 25225 | - Channel Day beacon 54 | 38-44-07.442N 076-00-33.708W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------|---------------------------------|-----------------------|---------------|--------------|-----------------------------|----------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| CHOPTANK RIVER - CAMBRIDGE TO GREENSBORO (Chart 12268) | | | | | | | |
| Choptank River | | | | | | | |
| 25230 | - Channel Day beacon 55 | 38-44-15.468N 075-59-45.373W | | | | SG on pile. | |
| 25235 | - Channel Day beacon 57 | 38-46-24.621N 075-58-11.271W | | | | SG on pile. | |
| 25240 | - Channel Day beacon 58 | 38-46-45.292N 075-57-59.108W | | | | TR on pile. | |
| 25245 | - Channel Day beacon 59 | 38-46-41.886N 075-57-10.939W | | | | SG on pile. | |
| 25250 | - Channel Day beacon 60 | 38-47-48.152N 075-55-50.256W | | | | TR on pile. | |
| 25255 | - Channel Day beacon 62 | 38-48-45.060N 075-53-47.323W | | | | TR on pile. | |
| 25260 | - Channel Day beacon 64 | 38-48-44.250N 075-53-22.123W | | | | TR on pile. | |
| 25265 | - Channel Day beacon 66 | 38-49-11.684N 075-52-51.516W | | | | TR on multi-pile structure. | |
| 25270 | - Channel Day beacon 67 | 38-49-52.806N 075-51-19.674W | | | | SG on pile. | |
| 25275 | - Channel Day beacon 68 | 38-51-03.048N 075-50-51.926W | | | | TR on pile. | |
| 25280 | - CHANNEL LIGHT 70 | 38-51-18.090N 075-50-46.212W | FI R 2.5s | 15 | 3 | TR on pile. | |
| 25285 | - CHANNEL LIGHT 71 | 38-51-28.975N 075-50-51.764W | FI G 2.5s | 15 | 3 | SG on pile. | |
| 25290 | - Channel Day beacon 73 | 38-51-38.961N 075-50-49.310W | | | | SG on pile. | |
| 25295 | - Channel Day beacon 75 | 38-51-53.650N 075-50-32.627W | | | | SG on pile. | |
| 25300 | - Channel Day beacon 77 | 38-52-11.439N 075-50-26.226W | | | | SG on pile. | |
| 25305 | - Channel Day beacon 78 | 38-52-31.583N 075-50-25.347W | | | | TR on pile. | |
| 25310 | - Channel Day beacon 79 | 38-52-46.183N 075-50-12.868W | | | | SG on pile. | |
| CHOPTANK RIVER AND HERRING BAY (Chart 12266) | | | | | | | |
| Choptank River | | | | | | | |
| 25315 | - Channel Day beacon 80 | 38-53-03.723N 075-50-20.978W | | | | TR on pile. | |
| CHOPTANK RIVER - CAMBRIDGE TO GREENSBORO (Chart 12268) | | | | | | | |
| Choptank River | | | | | | | |
| Upper Choptank River | | | | | | | |
| 25316.01 | - Buoy 1 | 38-53-24.800N 075-49-57.800W | | | | Green can. | Private aid. |
| 25316.02 | - Buoy 2 | 38-53-23.000N 075-49-57.900W | | | | Red nun. | Private aid. |
| 25316.03 | - Buoy 3 | 38-53-36.900N 075-49-53.700W | | | | Green can. | Private aid. |
| 25316.04 | - Buoy 4 | 38-53-36.500N 075-49-51.300W | | | | Red nun. | Private aid. |
| 25316.05 | - Buoy 5 | 38-54-01.400N 075-49-49.400W | | | | Green can. | Private aid. |
| 25316.06 | - Buoy 6 | 38-54-11.400N 075-49-57.400W | | | | Red nun. | Private aid. |
| 25316.07 | - Buoy 8 | 38-54-17.600N 075-50-07.300W | | | | Red nun. | Private aid. |
| 25316.08 | - Buoy 10 | 38-54-25.500N 075-50-13.500W | | | | Red nun. | Private aid. |
| 25316.1 | - Buoy 13 | 38-54-38.100N 075-50-07.200W | | | | Green can. | Private aid. |
| 25316.11 | - Buoy 15 | 38-54-40.200N 075-49-56.000W | | | | Green can. | Private aid. |
| 25316.12 | - Buoy 17 | 38-54-45.900N 075-49-48.200W | | | | Green can. | Private aid. |
| 25316.13 | - Buoy 19 | 38-54-49.400N 075-49-46.100W | | | | Green can. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|------------------|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| CHOPTANK RIVER - CAMBRIDGE TO GREENSBORO (Chart 12268) | | | | | | | |
| Choptank River | | | | | | | |
| Upper Choptank River | | | | | | | |
| 25316.14 | - Buoy 20 | 38-54-57.500N 075-49-54.700W | | | | Red nun. | Private aid. |
| 25316.15 | - Buoy 22 | 38-55-03.600N 075-49-56.100W | | | | Red nun. | Private aid. |
| 25316.16 | - Buoy 23 | 38-55-18.700N 075-49-44.400W | | | | Green can. | Private aid. |
| 25316.17 | - Buoy 25 | 38-55-28.100N 075-49-37.800W | | | | Green can. | Private aid. |
| 25316.18 | - Buoy 27 | 38-55-32.700N 075-49-38.300W | | | | Green can. | Private aid. |
| 25316.19 | - Buoy 29 | 38-55-43.400N 075-49-49.900W | | | | Green can. | Private aid. |
| 25316.2 | - Buoy 30 | 38-55-44.000N 075-49-49.200W | | | | Red nun. | Private aid. |
| CHOPTANK RIVER AND HERRING BAY (Chart 12266) | | | | | | | |
| Tred Avon River | | | | | | | |
| 25320 | - LIGHT 1T | 38-39-53.643N 076-11-18.864W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 25325 | - Lighted Buoy 2 | 38-41-36.425N 076-10-43.300W | FI R 4s | | 4 | Red. | Replaced by nun when endangered by ice. |
| Town Creek | | | | | | | |
| 25375 | - LIGHT 2TC | 38-41-55.509N 076-10-05.780W | Q R | 15 | 4 | TR on pile. | |
| 25380 | - LIGHT 3 | 38-41-52.622N 076-10-00.887W | FI G 4s | 15 | 4 | SG on pile. | |
| 25385 | - Day beacon 4 | 38-41-52.295N 076-10-02.962W | | | | TR on pile. | |
| 25390 | - LIGHT 6 | 38-41-46.174N 076-10-00.985W | FI R 4s | 15 | 4 | TR on pile. | |
| 25395 | - Day beacon 7 | 38-41-39.780N 076-09-59.330W | | | | SG on pile. | |
| 25400 | - Day beacon 8 | 38-41-33.854N 076-10-02.365W | | | | TR on pile. | |
| 25405 | - LIGHT 9 | 38-41-33.035N 076-09-59.863W | Q G | 16 | 4 | SG on pile. | |
| 25410 | - Day beacon 10 | 38-41-23.220N 076-10-07.954W | | | | TR on pile. | |
| 25415 | - LIGHT 12 | 38-41-20.348N 076-10-09.266W | FI R 4s | 15 | 3 | TR on pile. | |
| 25420 | - LIGHT 13 | 38-41-10.361N 076-10-10.064W | FI G 4s | 15 | 4 | SG on pile. | |
| 25425 | Plaindealing Creek Day beacon 1 | 38-42-33.648N 076-10-07.431W | | | | SG on pile. | |
| Tred Avon River | | | | | | | |
| 25430 | - LIGHT 4 | 38-42-08.943N 076-09-48.926W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 25435 | - Day beacon 5 | 38-42-12.884N 076-09-11.299W | | | | SG on pile. | |
| 25438 | Tred Avon Lighted Data Buoy A (Water Monitor Profiler) | 38-42-04.752N 076-08-53.628W | FI Y 4s | | | Yellow. | Aid maintained by National Oceanic and Atmospheric Administration. |
| 25440 | - LIGHT 6 | 38-42-11.028N 076-08-43.731W | Q R | 15 | 3 | TR on pile. | |
| 25445 | Trippe Creek Day beacon 1 | 38-42-32.745N 076-08-23.216W | | | | SG on pile. | |
| 25450 | - Day beacon 8 | 38-42-46.273N 076-08-36.855W | | | | TR on pile. | |
| 25455 | - LIGHT 10 | 38-43-07.148N 076-08-39.542W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 25460 | - Day beacon 11 | 38-43-27.138N 076-08-36.386W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---------------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|----------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| CHOPTANK RIVER AND HERRING BAY (Chart 12266) | | | | | | | |
| Tred Avon River | | | | | | | |
| 25465 | - Day beacon 12 | 38-43-32.353N 076-08-28.684W | | | | TR on pile. | |
| 25470 | - LIGHT 13 | 38-43-56.923N 076-08-23.982W | FI G 4s | 15 | 4 | SG on pile. | |
| 25475 | - Day beacon 15 | 38-44-00.709N 076-07-54.252W | | | | SG on pile. | |
| 25480 | - LIGHT 16 | 38-44-18.706N 076-07-12.900W | FI R 4s | 15 | 4 | TR on pile. | |
| 25485 | - LIGHT 18 | 38-45-01.852N 076-07-08.388W | FI R 4s | 15 | 3 | TR on pile. | |
| 25490 | - Day beacon 20 | 38-45-13.425N 076-07-03.090W | | | | TR on pile. | |
| 25495 | - Day beacon 21 | 38-45-34.931N 076-06-40.460W | | | | SG on pile. | |
| 25500 | - Day beacon 22 | 38-46-01.499N 076-05-46.978W | | | | TR on pile. | |
| Broad Creek | | | | | | | |
| 25530 | - LIGHT 1B | 38-41-39.019N 076-14-57.575W | FI G 4s | 15 | 4 | SG on pile. | |
| 25535 | - Shoal Buoy 2 | 38-42-37.928N 076-15-31.211W | | | | Red nun. | |
| Balls Creek | | | | | | | |
| 25540 | - LIGHT 1 | 38-43-13.948N 076-16-10.571W | FI G 4s | 15 | 4 | SG on pile. | |
| 25545 | - Day beacon 2 | 38-43-15.168N 076-16-15.405W | | | | TR on pile. | |
| 25550 | - Day beacon 3 | 38-43-21.975N 076-16-25.724W | | | | SG on pile. | |
| 25555 | - Day beacon 4 | 38-43-30.878N 076-16-37.236W | | | | TR on pile. | |
| 25560 | - Junction Day beacon | 38-43-39.792N 076-16-45.342W | | | | JR on pile. | |
| Broad Creek | | | | | | | |
| 25565 | Neavitt Harbor Junction Day beacon | 38-43-14.863N 076-16-26.700W | | | | JG on pile. | |
| 25570 | Neavitt Harbor Day beacon 2 | 38-43-15.564N 076-16-30.922W | | | | TR on pile. | |
| 25670 | - LIGHT 4 | 38-44-25.695N 076-14-43.682W | FI R 4s | 15 | 3 | TR on pile. | |
| Grace Creek | | | | | | | |
| 25675 | - Entrance Day beacon 1 | 38-44-40.128N 076-15-25.789W | | | | SG on pile. | |
| 25680 | - Entrance Day beacon 2 | 38-44-52.686N 076-15-25.232W | | | | TR on pile. | |
| 25685 | - Day beacon 3 | 38-45-16.235N 076-15-28.574W | | | | SG on pile. | |
| 25690 | - Day beacon 5 | 38-45-31.758N 076-15-42.197W | | | | SG on pile. | |
| 25695 | - Day beacon 6 | 38-45-35.148N 076-15-48.009W | | | | TR on pile. | |
| Broad Creek | | | | | | | |
| 25700 | - Day beacon 5 | 38-44-40.359N 076-14-36.842W | | | | SG on pile. | |
| 25705 | - Day beacon 6 | 38-44-41.310N 076-14-12.140W | | | | TR on pile. | |
| 25710 | - Day beacon 7 | 38-44-59.622N 076-14-19.524W | | | | SG on pile. | |
| 25715 | - Day beacon 8 | 38-45-21.241N 076-14-13.984W | | | | TR on pile. | |
| 25720 | - Day beacon 9 | 38-45-35.798N 076-14-27.527W | | | | SG on pile. | |
| Edge Creek | | | | | | | |
| 25725 | - Day beacon 2EC | 38-44-42.251N 076-13-49.335W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|-----------------------------|---------------------------------|-----------------------|---------------|--------------|-----------------------------|--------------------------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| CHOPTANK RIVER AND HERRING BAY (Chart 12266) | | | | | | | |
| Broad Creek | | | | | | | |
| Edge Creek | | | | | | | |
| 25727 | - Day beacon 3 | 38-44-41.644N 076-13-30.534W | | | | SG on pile. | |
| 25730 | - Day beacon 5 | 38-44-24.780N 076-12-48.968W | | | | SG on pile. | |
| 25735 | Solitude Creek Day beacon 1 | 38-43-55.561N 076-11-49.616W | | | | SG on pile. | Private aid. |
| 25740 | Solitude Creek Buoy 3 | 38-44-08.343N 076-11-50.568W | | | | Green can. | Private aid. |
| Upper Edge Creek | | | | | | | |
| 25745 | - Day beacon 1 | 38-43-52.661N 076-11-41.945W | | | | SG on pile. | DNR: 1301. Private aid. |
| 25755 | - Day beacon 3 | 38-43-51.573N 076-11-36.609W | | | | SG on pile. | DNR: 1304. Private aid. |
| 25760 | - Buoy 5 | 38-43-48.598N 076-11-34.200W | | | | Green can. | DNR: 4801NAV5. Private aid. |
| 25765 | - Day beacon 7 | 38-43-45.621N 076-11-31.873W | | | | SG on pile. | DNR: 1305. Private aid. |
| 25770 | - Day beacon 7A | 38-43-44.346N 076-11-30.366W | | | | SG on pile. | DNR: 1306. Private aid. |
| 25775 | - Day beacon 9 | 38-43-44.256N 076-11-28.598W | | | | SG on pile. | DNR: 1307. Private aid. |
| 25780 | - Day beacon 11 | 38-43-58.853N 076-11-23.452W | | | | SG on pile. | DNR: 1302. Private aid. |
| 25785 | - Day beacon 12 | 38-44-05.015N 076-11-23.948W | | | | TR on pile. | DNR: 1303. Private aid. |
| San Domingo Creek | | | | | | | |
| 25795 | - Day beacon 2SD | 38-45-13.905N 076-13-36.949W | | | | TR on pile. | |
| 25800 | - Day beacon 3 | 38-45-21.210N 076-13-37.935W | | | | SG on pile. | |
| 25805 | - Day beacon 4 | 38-45-45.801N 076-13-47.389W | | | | TR on pile. | |
| 25810 | - Day beacon 6 | 38-46-02.125N 076-13-36.409W | | | | TR on pile. | |
| Blackwalnut Harbor | | | | | | | |
| 25815 | - CHANNEL LIGHT 1 | 38-40-36.092N 076-20-01.993W | FI G 4s | 15 | 4 | SG on pile. | |
| 25820 | - Channel Day beacon 3 | 38-40-45.084N 076-20-08.016W | | | | SG on pile. | |
| 25825 | - Channel Day beacon 5 | 38-41-06.498N 076-20-05.088W | | | | SG on multi-pile structure. | |
| Knapps Narrows East Channel | | | | | | | |
| 25830 | - APPROACH LIGHT 1 | 38-41-23.908N 076-18-43.320W | FI G 4s | 15 | 4 | SG on pile. | |
| 25835 | - APPROACH LIGHT 2 | 38-42-06.509N 076-19-22.568W | FI R 4s | 15 | 3 | TR on pile. | |
| Tilghman Island | | | | | | | |
| 25840 | - HARBOR LIGHT 2TH | 38-42-35.292N 076-19-45.240W | FI R 2.5s | 15 | 3 | TR on pile. | |
| 25845 | - Harbor Day beacon 3 | 38-42-36.774N 076-19-54.309W | | | | SG on pile. | |
| 25850 | - Harbor Day beacon 4 | 38-42-38.368N 076-19-57.978W | | | | TR on pile. | |
| 25855 | - HARBOR LIGHT 5 | 38-42-38.674N 076-20-02.089W | FI G 4s | 15 | 4 | SG on pile. | |
| 25860 | - Harbor Day beacon 6 | 38-42-40.106N 076-20-02.739W | | | | TR on pile. | |
| 25865 | - Harbor Day beacon 7 | 38-42-43.936N 076-20-04.200W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------------------------|----------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| CHOPTANK RIVER AND HERRING BAY (Chart 12266) | | | | | | | |
| Harris Creek | | | | | | | |
| 25870 | - LIGHT 2H | 38-42-49.784N 076-18-19.255W | FI R 2.5s | 18 | 4 | TR on pile. | |
| 25875 | - Day beacon 4 | 38-43-42.993N 076-18-14.243W | | | | TR on pile. | |
| 25880 | - LIGHT 5 | 38-43-52.212N 076-18-16.614W | FI G 4s | 15 | 3 | SG on pile. | |
| 25885 | - Day beacon 6 | 38-44-22.258N 076-18-23.997W | | | | TR on pile. | |
| 25887 | - <i>Lighted Data Buoy A</i> | 38-44-35.640N 076-18-12.180W | FI Y 4s | | | Yellow. | Private aid. |
| 25890 | - Day beacon 7 | 38-44-38.748N 076-18-38.255W | | | | SG on pile. | |
| 25895 | - Day beacon 9 | 38-44-54.747N 076-18-32.086W | | | | SG on pile. | |
| 25900 | - Day beacon 10 | 38-45-14.246N 076-18-28.620W | | | | TR on pile. | |
| 25905 | - Day beacon 11 | 38-45-42.692N 076-18-20.278W | | | | SG on pile. | |
| 25910 | - Day beacon 13 | 38-45-56.750N 076-18-02.176W | | | | SG on pile. | |
| 25915 | - JUNCTION LIGHT HC | 38-46-17.511N 076-17-28.795W | FI (2+1)G 6s | 15 | 4 | JG on multi-pile structure. | |
| Knapps Narrows West Channel | | | | | | | |
| 25920 | - LIGHT 1W | 38-43-17.184N 076-20-46.482W | FI G 4s | 15 | 4 | SG on pile. | |
| 25925 | - Day beacon 3 | 38-43-17.022N 076-20-35.730W | | | | SG on pile. | |
| 25930 | - Warning Day beacon A | 38-43-17.904N 076-20-26.014W | | | | NW on pile worded DANGER SHOAL. | |
| 25931 | - Day beacon 4 | 38-43-15.729N 076-20-21.435W | | | | TR on pile. | |
| 25933 | - Day beacon 5 | 38-43-14.517N 076-20-13.522W | | | | SG on pile. | |
| 25935 | - Day beacon 7 | 38-43-15.458N 076-20-07.676W | | | | SG on pile. | |
| Broad Creek | | | | | | | |
| Knapps Narrows East Channel | | | | | | | |
| 25940 | - LIGHT 3E | 38-42-34.512N 076-19-24.578W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 25945 | - Day beacon 5 | 38-42-44.804N 076-19-32.057W | | | | SG on pile. | |
| 25950 | - LIGHT 6 | 38-42-58.462N 076-19-40.962W | FI R 4s | 15 | 4 | TR on pile. | |
| CHESAPEAKE BAY - EASTERN BAY AND SOUTH RIVER (Chart 12270) | | | | | | | |
| Eastern Bay | | | | | | | |
| Poplar Island Narrows | | | | | | | |
| 25960 | - Day beacon 3 | 38-44-24.366N 076-21-10.782W | | | | SG on pile. | |
| 25965 | - Day beacon 4 | 38-44-47.868N 076-21-04.668W | | | | TR on pile. | |
| 25970 | - Day beacon 5 | 38-45-23.370N 076-21-01.812W | | | | SG on pile. | |
| 25975 | - Day beacon 6 | 38-45-50.964N 076-20-47.082W | | | | TR on pile. | |
| 25980 | FERRY COVE LIGHT | 38-46-05.539N 076-20-38.121W | FI W 4s | 15 | 5 | NB on pile. | |
| 25981 | - <i>Lighted Mooring Buoy A</i> | 38-46-07.000N 076-21-23.000W | FI W 4s | | | White with blue band. | Private aid. |
| 25982 | - <i>Lighted Mooring Buoy B</i> | 38-46-10.000N 076-21-10.000W | FI W 4s | | | White with blue band. | Private aid. |
| 25983 | - <i>Lighted Mooring Buoy C</i> | 38-46-18.000N 076-21-22.000W | FI W 4s | | | White with blue band. | Private aid. |
| 25984 | - <i>Lighted Mooring Buoy D</i> | 38-46-21.000N 076-21-10.000W | FI W 4s | | | White with blue band. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| CHESAPEAKE BAY - EASTERN BAY AND SOUTH RIVER (Chart 12270) | | | | | | | |
| Eastern Bay | | | | | | | |
| Poplar Island Narrows | | | | | | | |
| 25984.1 | - Lighted Mooring Buoy LL | 38-46-27.667N 076-21-19.323W | F W | | | White with blue band. | Private aid. |
| 25984.2 | - Lighted Mooring Buoy KK | 38-46-30.781N 076-21-08.177W | F W | | | White with blue band. | Private aid. |
| 25984.3 | - Lighted Mooring Buoy MM | 38-46-37.448N 076-21-17.500W | F W | | | White with blue band. | Private aid. |
| 25984.4 | - Lighted Mooring Buoy NN | 38-46-40.435N 076-21-05.463W | F W | | | White with blue band. | Private aid. |
| 25985 | - Buoy 8 | 38-47-07.424N 076-20-52.831W | | | | Red nun. | |
| 25987 | Poplar Island Harbor Day beacon 1 | 38-45-38.850N 076-21-45.870W | | | | SG on pile. | Aid maintained by U.S. Army Corps of Engineers. |
| Lowes Wharf | | | | | | | |
| 25990 | - Channel Day beacon 1 30 feet outside channel limit. | 38-45-59.523N 076-19-55.248W | | | | SG on pile. | |
| 25995 | - CHANNEL LIGHT 2 30 feet outside channel limit. | 38-45-56.436N 076-19-56.448W | FI R 4s | 15 | 4 | TR on pile. | |
| Eastern Bay | | | | | | | |
| 26000 | - Entrance Lighted Buoy 1E | 38-49-07.418N 076-22-07.829W | FI G 4s | | 5 | Green. | Replaced by can when endangered by ice. |
| 26005 | - Entrance Buoy 2 | 38-48-45.799N 076-20-49.326W | | | | Red nun. | |
| 26010 | - Lighted Buoy 2A | 38-50-33.347N 076-18-12.964W | FI R 4s | | 4 | Red. | Replaced by nun when endangered by ice. |
| Claiborne Channel | | | | | | | |
| 26015 | - LIGHT 1CC | 38-50-08.691N 076-17-16.188W | FI G 4s | 15 | 4 | SG on pile. | |
| 26020 | - Buoy 3 | 38-50-06.972N 076-17-08.556W | | | | Green can. | Private aid. |
| 26036 | - Buoy 5 | 38-50-11.328N 076-17-04.812W | | | | Green can. | Private aid. |
| 26038 | - Buoy 6 | 38-50-11.076N 076-17-01.644W | | | | Red nun. | Private aid. |
| 26039 | - Warning Buoy A | 38-50-14.136N 076-16-55.380W | | | | White and orange can worded DANGER SHOAL. | Private aid. |
| 26040 | - Warning Buoy B | 38-50-14.600N 076-16-53.700W | | | | White and orange can worded DANGER SHOAL. | Private aid. |
| 26042 | - Buoy 7 | 38-50-14.856N 076-16-53.868W | | | | Green can. | Private aid. |
| Eastern Bay | | | | | | | |
| 26045 | - Buoy 3 | 38-51-40.415N 076-16-56.825W | | | | Green can. | |
| 26050 | - Lighted Buoy 4 | 38-52-35.114N 076-15-04.963W | FI R 4s | | 4 | Red. | Replaced by nun when endangered by ice. |
| Tilghman Creek | | | | | | | |
| 26055 | - LIGHT 1TC | 38-50-47.111N 076-15-43.284W | FI G 4s | 17 | 5 | SG on pile. | |
| 26060 | - Day beacon 3 | 38-50-42.743N 076-15-45.856W | | | | SG on pile. | |
| 26065 | - Day beacon 4 | 38-50-40.665N 076-15-47.530W | | | | TR on pile. | |
| Eastern Bay | | | | | | | |
| 26070 | - Buoy 6 | 38-52-17.415N 076-14-44.822W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|-----------------------------|---------------------------------|-----------------------|---------------|--------------|------------------------------------|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| CHESAPEAKE BAY - EASTERN BAY AND SOUTH RIVER (Chart 12270) | | | | | | | |
| Eastern Bay | | | | | | | |
| 26075 | - Buoy 8 | 38-50-32.738N 076-13-50.426W | | | | Red nun. | |
| 26080 | - Buoy 9 | 38-49-53.418N 076-13-44.815W | | | | Green can. | |
| 26085 | - Lighted Buoy 11 | 38-49-48.418N 076-13-10.814W | FI G 4s | | 4 | Green can. | Replaced by can when endangered by ice. |
| 26090 | - Buoy 10 | 38-49-35.518N 076-13-15.714W | | | | Red nun. | |
| 26095 | - Day beacon 12 | 38-48-38.058N 076-12-33.555W | | | | TR on pile. | |
| 26105 | - Day beacon 14 | 38-48-17.974N 076-12-36.083W | | | | TR on pile. | |
| Wye River | | | | | | | |
| 26110 | - LIGHT 1W | 38-49-58.290N 076-12-37.631W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 26115 | - Day beacon 3 | 38-50-33.520N 076-12-28.200W | | | | SG on pile. | |
| 26120 | - LIGHT 4 | 38-50-48.881N 076-12-02.794W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 26126 | - Buoy 1 | 38-51-56.500N 076-11-28.500W | | | | Green can. | Private aid. |
| 26130 | - Day beacon 3 | 38-52-28.337N 076-11-26.023W | | | | SG on pile. | Private aid. |
| 26135 | - Day beacon 5 | 38-54-33.617N 076-10-11.215W | | | | SG on pile. | Private aid. |
| 26141 | - Buoy 6 | 38-54-47.376N 076-10-09.232W | | | | Red nun. | Private aid. |
| 26146 | - Buoy 7 | 38-55-01.193N 076-10-02.118W | | | | Green can. | Private aid. |
| 26150 | - Warning Day beacon A | 38-50-28.100N 076-12-54.820W | | | | NW on pile worded DANGER SHOAL. | |
| 26155 | Wye East River Day beacon 2 | 38-51-49.961N 076-10-45.153W | | | | TR on pile. | Private aid. |
| 26160 | Wye East River Day beacon 3 | 38-52-02.170N 076-10-15.170W | | | | SG on pile. | Private aid. |
| Miles River | | | | | | | |
| 26165 | - LIGHT 1 | 38-48-10.049N 076-12-31.232W | FI G 4s | 15 | 4 | SG on pile. | |
| 26170 | - Day beacon 2 | 38-47-57.473N 076-12-40.180W | | | | TR on pile. | |
| 26175 | - LIGHT 4 | 38-47-41.837N 076-12-24.658W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 26180 | Leeds Creek Day beacon 1 | 38-47-38.725N 076-11-52.339W | | | | SG on pile. | |
| St. Michaels Harbor | | | | | | | |
| 26185 | - ENTRANCE LIGHT 2SM | 38-47-21.287N 076-12-59.338W | FI R 4s | 15 | 4 | TR on pile. | |
| 26190 | - Day beacon 3 | 38-47-16.276N 076-13-00.353W | | | | SG on pile. | |
| Eastern Bay | | | | | | | |
| Miles River | | | | | | | |
| 26195 | - Day beacon 5 | 38-47-04.685N 076-11-50.716W | | | | SG on pile. | |
| 26200 | - LIGHT 7 | 38-45-51.573N 076-10-33.531W | FI G 4s | 15 | 5 | SG on multi-pile structure. | |
| Oak Creek | | | | | | | |
| 26205 | - Day beacon 2 | 38-45-23.422N 076-10-26.801W | | | | TR on pile. | 4272NAV2. Aid maintained by State DOT Private aid. |
| 26210 | - Buoy 3 | 38-45-21.422N 076-10-24.801W | | | | Green can. | 3964NAV3. Aid maintained by State DOT Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| CHESAPEAKE BAY - EASTERN BAY AND SOUTH RIVER (Chart 12270) | | | | | | | |
| Eastern Bay | | | | | | | |
| Oak Creek | | | | | | | |
| 26215 | - Buoy 4 | 38-45-20.541N 076-10-23.879W | | | | Red nun. | 3965NAV4. Aid maintained by State DOT Private aid. |
| 26220 | - Buoy 6 | 38-45-14.600N 076-10-23.900W | | | | Red nun. | 3966NAV6. Aid maintained by State DOT Private aid. |
| Miles River | | | | | | | |
| 26230 | - Day beacon 8 | 38-46-52.925N 076-08-48.094W | | | | TR on pile. | |
| 26235 | - Day beacon 9 | 38-47-08.279N 076-08-34.330W | | | | SG on pile. | |
| 26240 | - Day beacon 10 | 38-47-18.947N 076-08-18.580W | | | | TR on pile. | |
| 26245 | Philpots Island Buoy 2 | 38-53-53.861N 076-20-15.097W | | | | | Private aid. |
| 26250 | Philpots Island Buoy 4 | 38-53-46.772N 076-20-21.214W | | | | | Private aid. |
| 26255 | Philpots Island Buoy 6 | 38-53-35.212N 076-20-21.593W | | | | | Private aid. |
| Cox Creek | | | | | | | |
| 26265 | - LIGHT 2CC | 38-53-55.923N 076-18-51.045W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 26267 | - Day beacon 3 | 38-54-03.430N 076-19-33.300W | | | | SG on pile. | |
| 26270 | - Buoy 4 | 38-55-56.592N 076-18-44.814W | | | | Red nun. | Private aid. |
| Crab Alley Bay | | | | | | | |
| 26280 | - Buoy 1 | 38-54-23.212N 076-16-17.428W | | | | Green can. | |
| 26285 | - Day beacon 3 | 38-55-13.210N 076-17-27.150W | | | | SG on pile. | |
| 26290 | - Day beacon 4 | 38-55-19.813N 076-17-19.551W | | | | TR on pile. | |
| 26295 | - Junction Day beacon | 38-55-39.078N 076-17-28.188W | | | | JR on pile. | |
| 26300 | - Day beacon 6 | 38-55-47.309N 076-17-34.264W | | | | TR on pile. | |
| 26305 | - Day beacon 7 | 38-55-51.389N 076-17-34.078W | | | | SG on pile. | |
| Crab Alley - Little Creek | | | | | | | |
| 26310 | - Day beacon 1 | 38-55-44.753N 076-17-17.881W | | | | SG on pile. | |
| 26315 | - Day beacon 2 | 38-56-02.662N 076-17-08.413W | | | | TR on pile. | |
| 26320 | - Day beacon 4 | 38-56-09.761N 076-17-05.998W | | | | TR on pile. | |
| 26325 | - Day beacon 6 | 38-56-13.487N 076-17-00.616W | | | | TR on pile. | |
| 26330 | - Day beacon 8 | 38-56-15.647N 076-16-56.776W | | | | TR on pile. | |
| Prospect Bay | | | | | | | |
| 26335 | - Lighted Buoy 1P | 38-54-04.012N 076-14-00.022W | FI G 4s | | 4 | Green. | Replaced by can when endangered by ice. |
| 26340 | - Buoy 2 | 38-55-19.440N 076-14-09.381W | | | | Red nun. | |
| Greenwood Creek | | | | | | | |
| 26343 | - Buoy 1G | 38-52-49.600N 076-12-16.700W | | | | Green Can. | Private aid. |
| 26343.1 | - Buoy 2 | 38-52-49.700N 076-12-14.600W | | | | Red nun. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---------------------------|---------------------------------|-----------------------|---------------|--------------|--|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| CHESAPEAKE BAY - EASTERN BAY AND SOUTH RIVER (Chart 12270) | | | | | | | |
| Prospect Bay | | | | | | | |
| Greenwood Creek | | | | | | | |
| 26343.2 | - Buoy 3 | 38-52-58.200N 076-12-13.300W | | | | Green can. | Private aid. |
| 26343.3 | - Buoy 4 | 38-52-57.700N 076-12-11.800W | | | | Red nun. | Private aid. |
| 26343.4 | - Buoy 5 | 38-53-09.600N 076-12-08.700W | | | | Green can. | Private aid. |
| 26343.5 | - Buoy 6 | 38-53-10.000N 076-12-05.900W | | | | Red nun. | Private aid. |
| 26343.6 | - Buoy 8 | 38-53-20.900N 076-12-00.300W | | | | Red nun. | Private aid. |
| 26343.7 | - Buoy 10 | 38-53-31.000N 076-12-05.100W | | | | Red nun. | Private aid. |
| 26343.8 | - Buoy 12 | 38-53-38.000N 076-11-56.900W | | | | Red nun. | Private aid. |
| 26343.9 | - Buoy 13 | 38-53-45.500N 076-11-50.500W | | | | Green can. | Private aid. |
| CHESTER RIVER (Chart 12272) | | | | | | | |
| Kent Island Narrows South Approach | | | | | | | |
| 26345 | - LIGHT 1K | 38-57-13.804N 076-14-36.634W | FI G 4s | 18 | 4 | SG on pile. | |
| 26350 | Marshy Creek Buoy 1 | 38-57-37.406N 076-14-14.828W | | | | Green can. | Maintained from Apr. 1 to Dec. 1. Private aid. |
| 26355 | Marshy Creek Day beacon 3 | 38-57-39.406N 076-14-06.828W | | | | SG on pile. | Private aid. |
| 26360 | - Channel Day beacon 4 | 38-57-37.004N 076-14-26.472W | | | | TR on pile. | |
| 26365 | - CHANNEL LIGHT 3 | 38-57-36.402N 076-14-29.035W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 26370 | - Channel Day beacon 5 | 38-57-42.050N 076-14-31.490W | | | | SG on pile. | |
| 26375 | - Channel Day beacon 6 | 38-57-48.781N 076-14-33.952W | | | | TR on pile. | |
| 26380 | - Channel Day beacon 7 | 38-57-52.180N 076-14-37.262W | | | | SG on pile. | |
| 26385 | - Channel Day beacon 8 | 38-57-55.054N 076-14-35.795W | | | | TR on pile. | |
| 26390 | - Channel Day beacon 9 | 38-58-02.592N 076-14-45.065W | | | | SG on pile. | |
| Wells Cove | | | | | | | |
| 26395 | - Day beacon 2 | 38-57-54.539N 076-14-26.236W | | | | TR on pile. | |
| 26400 | - Day beacon 4 | 38-57-52.133N 076-14-24.922W | | | | TR on pile. | |
| 26405 | - Day beacon 5 | 38-57-55.289N 076-14-21.388W | | | | SG on pile. | |
| 26410 | - Day beacon 6 | 38-57-48.406N 076-14-16.829W | | | | TR on pile. | |
| Kent Island Narrows North Approach | | | | | | | |
| 26413 | - LIGHT 1KN | 38-59-13.430N 076-14-44.760W | Q G | 15 | 4 | SG on multi-pile structure. | |
| 26415 | - LIGHT 2KN | 38-59-12.713N 076-14-46.258W | Q R | 15 | 4 | TR on multi-pile structure. | |
| 26420 | - LIGHT 3 | 38-59-01.673N 076-14-36.148W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 26425 | - LIGHT 4 | 38-59-01.001N 076-14-37.426W | FI R 4s | 15 | 4 | TR on multi-pile structure. worded DANGER. | |
| 26430 | - LIGHT 5 | 38-58-49.811N 076-14-27.340W | Q G | 15 | 4 | SG on multi-pile structure. | |
| 26435 | - LIGHT 6 | 38-58-49.730N 076-14-29.270W | Q R | 15 | 4 | TR on multi-pile structure. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|------------------|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| CHESTER RIVER (Chart 12272) | | | | | | | |
| Kent Island Narrows North Approach | | | | | | | |
| 26440 | - LIGHT 8 | 38-58-45.053N 076-14-30.856W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 26445 | - Day beacon 9 | 38-58-44.300N 076-14-29.600W | | | | SG on pile. | |
| 26450 | - Day beacon 11 | 38-58-42.389N 076-14-34.408W | | | | SG on pile. | |
| 26455 | - Day beacon 12 | 38-58-42.233N 076-14-37.318W | | | | TR on pile. | |
| 26460 | - LIGHT 13 | 38-58-36.653N 076-14-46.120W | FI G 4s | 15 | 4 | SG on pile. | |
| 26465 | - Day beacon 15 | 38-58-34.259N 076-14-47.950W | | | | SG on pile. | |
| Chester River | | | | | | | |
| 26500 | - Entrance Buoy 2 | 39-04-01.509N 076-16-20.617W | | | | Red nun. | |
| 26505 | - Buoy 3 | 39-02-06.401N 076-16-04.837W | | | | Green can. | |
| 26510 | - <i>Lighted Buoy 6</i> | 39-00-24.523N 076-15-04.866W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 1 to Apr. 1. |
| 26515 | - Channel Buoy 7 | 39-00-14.347N 076-14-13.261W | | | | Green can. | |
| 26517 | <i>Panhandle Point Lighted Data Buoy A</i> | 39-00-33.220N 076-13-46.030W | FI Y 4s | | | Yellow. | Maintained f from Mar. 1 to Nov. 30. Private aid. |
| 26520 | - <i>Channel Lighted Buoy 9</i> | 38-59-34.967N 076-12-44.892W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 1 to Apr. 1. |
| Castle Harbor Marina | | | | | | | |
| 26525 | - CHANNEL LIGHT 1 | 38-59-27.803N 076-16-16.836W | FI G 4s | 12 | | SG on pile. | Maintained f from Apr. 1 to Nov. 1. Private aid. |
| 26530 | - CHANNEL LIGHT 2 | 38-59-29.403N 076-16-14.836W | FI R 4s | 12 | | TR on pile. | Maintained f from Apr. 1 to Nov. 1. Private aid. |
| 26535 | - Channel Day beacon 3 | 38-59-21.416N 076-16-42.824W | | | | SG on pile. | Private aid. |
| 26540 | - Channel Day beacon 4 | 38-59-21.403N 076-16-43.836W | | | | TR on pile. | Private aid. |
| 26545 | - Channel Day beacon 5 | 38-59-19.403N 076-16-44.836W | | | | SG on pile. | Private aid. |
| 26550 | - Channel Day beacon 6 | 38-59-20.903N 076-16-43.836W | | | | TR on pile. | Private aid. |
| 26555 | - Channel Day beacon 7 | 38-59-17.403N 076-16-48.837W | | | | SG on pile. | Private aid. |
| 26560 | - Channel Day beacon 8 | 38-59-19.403N 076-16-49.837W | | | | TR on pile. | Private aid. |
| Jackson Creek | | | | | | | |
| 26570 | - Day beacon 2 | 38-58-32.394N 076-13-16.296W | | | | TR on pile. | |
| 26575 | - Day beacon 3 | 38-58-24.843N 076-13-17.224W | | | | SG on pile. | |
| 26580 | - Day beacon 5 | 38-58-19.712N 076-13-17.976W | | | | SG on pile. | |
| Queenstown Creek | | | | | | | |
| 26585 | - Buoy 2Q | 39-00-16.093N 076-10-23.689W | | | | Red nun. | |
| 26590 | - Warning Day beacon A | 39-00-01.599N 076-10-03.553W | | | | NW on pile. | |
| 26593 | - Buoy 3 | 39-00-00.980N 076-10-03.921W | | | | Green can. | Removed when endangered by ice. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|-------------------------------------|---------------------------------|-----------------------|---------------|--------------|---|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| CHESTER RIVER (Chart 12272) | | | | | | | |
| Chester River | | | | | | | |
| Queenstown Creek | | | | | | | |
| 26595 | - Buoy 5 | 38-59-50.965N 076-09-53.005W | | | | Green can. | Removed when endangered by ice. |
| Queenstown Harbor | | | | | | | |
| 26600 | - Channel Day beacon 2 | 38-59-39.709N 076-09-43.069W | | | | TR on pile. | |
| 26605 | - Channel Day beacon 3 | 38-59-34.512N 076-09-43.422W | | | | SG on pile. | |
| 26610 | - Channel Day beacon 3A | 38-59-27.689N 076-09-45.703W | | | | SG on pile. | |
| 26615 | - Channel Day beacon 4 | 38-59-24.494N 076-09-43.973W | | | | TR on pile. | |
| 26620 | - Channel Day beacon 6 | 38-59-22.858N 076-09-45.182W | | | | TR on pile. | |
| Chester River | | | | | | | |
| 26625 | - Channel Buoy 11 | 39-00-38.270N 076-11-23.918W | | | | Green can. | |
| 26630 | - Channel Lighted Buoy 12 | 39-00-54.665N 076-10-54.952W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 1 to Apr. 1. |
| 26636 | Piney Point Warning Buoy A | 39-02-23.400N 076-11-05.800W | | | | White buoy with orange diamond worded DANGER. | Private aid. |
| 26636.1 | Piney Point Warning Buoy B | 39-02-30.100N 076-11-11.800W | | | | White buoy with orange diamond worded DANGER. | Private aid. |
| 26645 | - Channel Buoy 14 | 39-02-46.011N 076-12-01.277W | | | | Red nun. | |
| 26647 | - CHANNEL LIGHT 15 | 39-03-10.906N 076-12-21.965W | FI G 4s | 15 | 4 | SG on pile. | |
| 26655 | Gordon Point Shoal Buoy 1 | 39-04-08.000N 076-09-50.819W | | | | Green can. | |
| 26660 | Gordon Point Shoal Buoy 2 | 39-03-40.633N 076-09-38.241W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| Langford Creek | | | | | | | |
| 26665 | - Junction Buoy LC | 39-04-45.679N 076-10-43.052W | | | | Green and red bands; can. | |
| 26667 | Grays Inn Creek Lighted Data Buoy B | 39-04-12.920N 076-11-43.670W | FI Y 4s | | | Yellow. | Maintained from Mar. 1 to Nov 30. Private aid. |
| 26670 | - Buoy 1 | 39-04-48.400N 076-11-28.825W | | | | Green can. | |
| 26675 | - Buoy 3 | 39-05-20.799N 076-10-55.823W | | | | Green can. | |
| 26680 | - Buoy 5 | 39-05-44.299N 076-10-39.622W | | | | Green can. | |
| 26685 | - Buoy 7 | 39-06-42.561N 076-10-04.186W | | | | Green can. | |
| 26690 | Long Cove Day beacon 1 | 39-06-06.681N 076-10-44.879W | | | | SG on pile. | |
| 26695 | Long Cove Day beacon 3 | 39-06-23.267N 076-10-54.993W | | | | SG on pile. | |
| 26700 | Davis Creek Entrance Day beacon 2 | 39-07-09.574N 076-10-26.506W | | | | TR on pile. | Private aid. |
| Chester River | | | | | | | |
| 26703 | Holton Point Warning Buoy A | 39-04-53.600N 076-09-30.000W | | | | White buoy with orange diamond worded DANGER. | Private aid. |
| 26703.1 | Holton Point Warning Buoy B | 39-04-55.300N 076-09-33.800W | | | | White buoy with orange diamond worded DANGER. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| CHESTER RIVER (Chart 12272) | | | | | | | |
| Chester River | | | | | | | |
| 26705 | - Channel Buoy 16 | 39-05-14.022N 076-09-53.793W | | | | Red nun. | |
| 26706 | Nichols Point Warning Day beacon A | 39-05-34.047N 076-09-51.956W | | | | NW on pile worded DANGER WRECKAGE. | |
| 26707 | - CHANNEL LIGHT 17 | 39-05-37.068N 076-09-38.808W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| Corsica River | | | | | | | |
| 26710 | - Junction Buoy CR | 39-05-19.460N 076-09-23.768W | | | | Red and green bands; nun. | |
| 26715 | - Buoy 2 | 39-04-56.400N 076-08-14.815W | | | | Red nun. | |
| 26720 | - Day beacon 4 | 39-04-54.447N 076-06-43.838W | | | | TR on pile. | |
| 26723 | <i>Corsica River Lighted Data Buoy CR</i> | 39-04-38.480N 076-05-51.650W | FI Y 4s | | | Yellow. | Maintained from Mar. 1 to Nov 30. Private aid. |
| 26725 | - Day beacon 6 | 39-04-26.605N 076-05-19.296W | | | | TR on pile. | |
| 26727 | - Buoy 8 | 39-04-04.600N 076-05-07.700W | | | | Red nun. | Private aid. |
| Chester River | | | | | | | |
| 26730 | - Channel Buoy 18 | 39-05-50.910N 076-09-02.874W | | | | Red nun. | |
| 26735 | - Channel Buoy 19 | 39-06-09.131N 076-08-35.193W | | | | Green can. | |
| 26740 | - Channel Buoy 20 | 39-06-08.399N 076-07-50.814W | | | | Red nun. | |
| 26741 | Spaniard Neck Warning Buoy A | 39-05-59.100N 076-07-25.500W | | | | White buoy with orange diamond worded DANGER. | Private aid. |
| 26741.1 | Spaniard Neck Warning Buoy B | 39-06-02.700N 076-07-20.000W | | | | White buoy with orange diamond worded DANGER. | Private aid. |
| 26745 | - Channel Buoy 21 | 39-06-26.448N 076-07-13.940W | | | | Green can. | |
| 26750 | - CHANNEL LIGHT 23 | 39-06-30.740N 076-07-07.102W | FI G 4s | 21 | 4 | SG on pile. | |
| 26755 | - Channel Buoy 24 | 39-07-48.426N 076-05-22.798W | | | | Red nun. | |
| 26757 | <i>Jarrett Creek Lighted Data Buoy D</i> | 39-07-55.830N 076-05-08.670W | FI Y 4s | | | Yellow. | Maintained from Mar 1 to Nov 1. Private aid. |
| 26760 | - Channel Buoy 25 | 39-07-57.398N 076-04-31.305W | | | | Green can. | |
| 26765 | - CHANNEL LIGHT 27 | 39-08-14.727N 076-04-26.682W | FI G 4s | 18 | 4 | SG on pile. | |
| 26770 | - Channel Buoy 28 | 39-08-19.726N 076-04-20.114W | | | | Red nun. | |
| 26775 | - Channel Buoy 30 | 39-08-48.398N 076-04-48.806W | | | | Red nun. | |
| 26780 | Southeast Creek Day beacon 2 | 39-09-42.600N 076-02-38.940W | | | | TR on pile. | |
| 26785 | - Channel Buoy 32 | 39-09-08.897N 076-04-24.305W | | | | Red nun. | |
| 26790 | - CHANNEL LIGHT 34 | 39-10-07.504N 076-02-12.628W | FI R 4s | 15 | 4 | TR on pile. | |
| 26795 | - Channel Buoy 35 | 39-10-21.896N 076-02-22.799W | | | | Green can. | |
| 26800 | - Channel Buoy 37 | 39-10-41.896N 076-02-35.801W | | | | Green can. | |
| 26805 | - Channel Buoy 37A | 39-10-58.396N 076-03-20.303W | | | | Green can. | |
| 26810 | - CHANNEL LIGHT 39 | 39-11-03.335N 076-04-03.368W | FI G 4s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|------------------|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| CHESTER RIVER (Chart 12272) | | | | | | | |
| Chester River | | | | | | | |
| 26815 | - Channel Buoy 40 | 39-11-29.396N 076-04-10.806W | | | | Red nun. | |
| 26817 | <i>Radcliffe Creek Lighted Data Buoy E</i> | 39-12-02.460N 076-04-00.830W | FI Y 4s | | | Yellow. | Maintained from Mar. 1 to Nov. 30 Private aid. |
| 26825 | - Channel Buoy 42 | 39-14-18.393N 076-00-34.797W | | | | Red nun. | Private aid. |
| 26830 | - Channel Buoy 43 | 39-14-18.393N 076-00-22.796W | | | | Green can. | Private aid. |
| 26835 | - Channel Buoy 44 | 39-14-18.393N 076-00-10.796W | | | | Red nun. | Private aid. |
| 26840 | - Channel Buoy 44A | 39-14-18.393N 075-59-52.795W | | | | Red nun. | Private aid. |
| 26845 | - Channel Buoy 45 | 39-14-04.394N 075-59-02.793W | | | | Green can. | Private aid. |
| 26847 | <i>Foremans Branch Lighted Data Buoy F</i> | 39-14-19.510N 075-59-29.230W | FI Y 4s | | | Yellow. | Maintained from Mar. 1 to Nov. 30. Private aid. |
| 26847.1 | <i>Crumpton Lighted Data Buoy G</i> | 39-14-33.780N 075-55-11.970W | FI Y 4s | | | Yellow. | Maintained from Mar. 1 to Nov. 30. Private aid. |
| Swan Creek | | | | | | | |
| 26850 | - Entrance Buoy 1 | 39-05-34.223N 076-15-15.021W | | | | Green can. | |
| 26855 | - Entrance Buoy 3 | 39-06-06.398N 076-15-34.836W | | | | Green can. | |
| 26860 | - Entrance Lighted Buoy 4 | 39-07-17.484N 076-15-37.187W | FI R 4s | | 4 | Red. | Replaced by nun from Dec. 1 to Mar. 15. |
| 26865 | - Entrance Buoy 5 | 39-08-01.663N 076-15-45.928W | | | | Green can. | |
| 26870 | - ENTRANCE LIGHT 6 | 39-08-21.704N 076-15-47.659W | FI R 4s | 15 | 4 | TR on pile. | |
| 26872 | - Buoy 8 | 39-08-42.480N 076-15-44.004W | | | | Red nun. | Private aid. |
| 26873 | - Buoy 10 | 39-08-46.800N 076-15-41.160W | | | | Red nun. | Private aid. |
| 26874 | - Buoy 11 | 39-08-51.840N 076-15-28.920W | | | | Green can. | Private aid. |
| 26874.1 | - Buoy 13 | 39-08-53.900N 076-15-21.900W | | | | Green can. | Private aid. |
| 26875 | - Day beacon 14 | 39-08-54.716N 076-15-16.130W | | | | TR on pile. | Private aid. |
| 26876 | - Buoy 15 | 39-08-56.600N 076-15-17.200W | | | | Green can. | Private aid. |
| The Haven Channel | | | | | | | |
| 26886 | - Day beacon 1 | 39-08-51.333N 076-15-10.072W | | | | SG on pile. | Private aid. |
| 26887 | - Day beacon 2 | 39-08-48.743N 076-15-10.199W | | | | TR on pile. | Private aid. |
| 26887.5 | - Day beacon 3 | 39-08-45.047N 076-15-04.137W | | | | SG on pile. | Private aid. |
| 26888 | - Day beacon 4 | 39-08-43.253N 076-15-05.788W | | | | TR on pile. | Private aid. |
| 26888.5 | - Day beacon 5 | 39-08-39.619N 076-14-58.775W | | | | SG on pile. | Private aid. |
| 26889 | - Day beacon 7 | 39-08-35.748N 076-14-57.123W | | | | SG on pile. | Private aid. |
| Rock Hall Harbor | | | | | | | |
| <i>All daybeacons located 20 feet outside channel limit.</i> | | | | | | | |
| 26890 | - Entrance Buoy 1 | 39-07-44.937N 076-14-53.902W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|----------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------------------------|------------------------------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| CHESTER RIVER (Chart 12272) | | | | | | | |
| Swan Creek | | | | | | | |
| Rock Hall Harbor | | | | | | | |
| <i>All daybeacons located 20 feet outside channel limit.</i> | | | | | | | |
| 26893 | - Buoy 3 | 39-07-47.650N 076-14-53.550W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 26895 | - LIGHT 4 | 39-07-48.972N 076-14-52.542W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 26900 | - Warning Day beacon A | 39-07-49.873N 076-14-53.990W | | | | NW on pile worded DANGER SHOAL. | |
| 26905 | - Day beacon 6 | 39-07-52.056N 076-14-52.050W | | | | TR on pile. | |
| 26910 | - Day beacon 8 | 39-07-58.704N 076-14-52.890W | | | | TR on pile. | |
| 26915 | - Day beacon 10 | 39-08-00.580N 076-14-53.631W | | | | TR on pile. | |
| 26920 | - Day beacon 12 | 39-08-04.125N 076-14-48.394W | | | | TR on pile. | |
| 26925 | - Day beacon 14 | 39-08-03.654N 076-14-46.122W | | | | TR on pile. | |
| 26930 | - East Day beacon 2E | 39-07-53.305N 076-14-51.425W | | | | TR on pile. | |
| 26935 | - East Junction Day beacon RH | 39-08-00.012N 076-14-43.704W | | | | JG on pile. | |
| 26940 | - East Day beacon 4E | 39-07-59.063N 076-14-42.241W | | | | TR on pile. | |
| 26945 | - East Day beacon 6E | 39-07-56.223N 076-14-38.590W | | | | TR on pile. | |
| APPROACHES TO BALTIMORE HARBOR (Chart 12278) | | | | | | | |
| Shallow Creek | | | | | | | |
| 26950 | - LIGHT 1SC | 39-11-59.305N 076-26-04.285W | FI G 4s | 15 | 4 | SG on pile. | |
| 26955 | - Day beacon 2 | 39-11-59.580N 076-26-03.240W | | | | TR on pile. | |
| 26960 | - Day beacon 3 | 39-12-09.420N 076-26-07.680W | | | | SG on pile. | Private aid. |
| 26965 | - Day beacon 4 | 39-12-09.780N 076-26-06.840W | | | | TR on pile. | Private aid. |
| 26975 | - Day beacon 6 | 39-12-21.420N 076-26-10.980W | | | | TR on pile. | Private aid. |
| 26980 | - Day beacon 7 | 39-12-27.120N 076-26-19.380W | | | | SG on pile. | Private aid. |
| 26985 | - Day beacon 8 | 39-12-27.600N 076-26-18.720W | | | | TR on pile. | Private aid. |
| 26990 | - Day beacon 9 | 39-12-32.940N 076-26-26.700W | | | | SG on pile. | Private aid. |
| 26995 | - Day beacon 10 | 39-12-33.480N 076-26-26.040W | | | | TR on pile. | Private aid. |
| Harts Island Channel | | | | | | | |
| 27000 | - LIGHT 1 | 39-13-33.545N 076-23-46.022W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 27005 | - Day beacon 2 | 39-13-34.320N 076-23-44.820W | | | | TR on pile. | |
| 27010 | - Day beacon 3 | 39-13-40.860N 076-23-47.400W | | | | SG on pile. | |
| 27015 | - Day beacon 4 | 39-13-48.060N 076-23-47.580W | | | | TR on pile. | |
| 27020 | - LIGHT 5 | 39-13-55.007N 076-23-50.806W | Q G | 15 | 3 | SG on pile. | |
| 27025 | - Day beacon 6 | 39-13-54.941N 076-23-49.078W | | | | TR on pile. | |
| 27030 | - Day beacon 8 | 39-13-57.618N 076-23-48.780W | | | | TR on pile. | |
| 27035 | - LIGHT 9 | 39-14-13.380N 076-23-43.140W | FI G 2.5s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--------------------------------|---------------------------------|-----------------------|---------------|--------------|-----------------------------|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| APPROACHES TO BALTIMORE HARBOR (Chart 12278) | | | | | | | |
| Harts Island Channel | | | | | | | |
| 27040 | - Day beacon 10 | 39-14-13.079N 076-23-41.200W | | | | TR on pile. | |
| Back River | | | | | | | |
| 27045 | - Buoy 2 | 39-16-14.047N 076-22-16.000W | | | | Red nun. | |
| 27050 | - LIGHT 3 | 39-15-06.913N 076-23-29.296W | FI G 4s | 15 | 4 | SG on pile. | |
| 27055 | - LIGHT 5 | 39-14-33.959N 076-23-51.107W | FI G 6s | 15 | 4 | SG on multi-pile structure. | |
| 27065 | Longs Creek Day beacon 1 | 39-14-50.389N 076-24-18.853W | | | | SG on pile. | Private aid. |
| 27070 | Longs Creek Day beacon 2 | 39-14-53.389N 076-24-16.853W | | | | TR on pile. | Private aid. |
| 27075 | Longs Creek Day beacon 4 | 39-14-58.389N 076-24-20.353W | | | | TR on pile. | Private aid. |
| 27079 | - Buoy 6 | 39-14-49.473N 076-23-49.740W | | | | Red nun. | 1000NAV6. Aid maintained by State DOT Private aid. |
| 27080 | - Buoy 7 | 39-14-47.649N 076-26-07.334W | | | | Green can. | 4174NAV7. Aid maintained by State DOT Private aid. |
| 27083 | - Buoy 8 | 39-15-05.627N 076-26-17.068W | | | | Red nun. | 4353NAV8. Aid maintained by State DOT Private aid. |
| 27085 | - Buoy 10 | 39-15-29.609N 076-26-35.037W | | | | Red nun. | 2106NAV10. Aid maintained by State DOT Private aid. |
| 27087 | - Buoy 11 | 39-16-04.094N 076-26-39.543W | | | | Green can. | 4354NAV11. Aid maintained by State DOT Private aid. |
| 27090 | - Buoy 12 | 39-16-33.995N 076-26-37.924W | | | | Red nun. | 4355NAV12. Aid maintained by State DOT Private aid. |
| 27095 | - Buoy 13 | 39-17-03.077N 076-27-31.409W | | | | Green can. | 4356NAV13. Aid maintained by State DOT Private aid. |
| 27100 | - Buoy 14 | 39-17-25.069N 076-27-53.482W | | | | Red nun. | NAV2107NAV14. Aid maintained by State DOT Private aid. |
| Middle River | | | | | | | |
| 27110 | - Approach Lighted Buoy 1 | 39-16-16.382N 076-20-00.933W | Q G | | 4 | Green. | Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15. |
| 27115 | - Approach Lighted Buoy 3 | 39-16-55.390N 076-21-33.849W | FI G 4s | | 4 | Green. | Replaced by can from Dec. 1 to Apr. 1. |
| 27117 | - LIGHT 5 | 39-17-12.300N 076-22-32.700W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 27120 | - LIGHT 6 | 39-17-37.967N 076-23-05.344W | FI R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 27130 | SUE ISLAND ENTRANCE LIGHT 1 | 39-17-24.376N 076-23-53.281W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 27135 | Frog Mortar Creek Day beacon 2 | 39-19-11.471N 076-24-04.936W | | | | TR on pile. | |
| 27140 | Frog Mortar Creek Day beacon 4 | 39-19-31.445N 076-24-10.252W | | | | TR on pile. | |
| 27145 | WILSON POINT JUNCTION LIGHT WP | 39-18-19.745N 076-24-32.699W | FI (2+1)R 6s | 15 | 4 | JR on pile. | |
| 27150 | Norman Creek Day beacon 2 | 39-18-20.471N 076-25-04.646W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---------------------------------------|---------------------------------|-----------------------|---------------|--------------|--------------------------------|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| APPROACHES TO BALTIMORE HARBOR (Chart 12278) | | | | | | | |
| Middle River | | | | | | | |
| 27155 | - Day beacon 7 | 39-18-38.466N 076-25-05.040W | | | | SG on pile. | |
| 27160 | Clark Point Junction Day beacon CP | 39-18-52.920N 076-25-27.900W | | | | JG on pile. | |
| Seneca Creek | | | | | | | |
| 27170 | - Entrance Day beacon 2S | 39-18-11.127N 076-21-26.047W | | | | TR on multi-pile structure. | |
| HEAD OF CHESAPEAKE BAY (Chart 12274) | | | | | | | |
| Gunpowder River | | | | | | | |
| 27175 | - Lighted Buoy 2G | 39-17-15.490N 076-20-13.247W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 1 to Apr. 1. |
| 27185 | - Lighted Buoy 4 | 39-17-56.390N 076-19-53.347W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec.1 to Apr. 1. |
| 27195 | - Lighted Buoy 6 | 39-18-22.490N 076-18-51.645W | FI R 4s | | 4 | Red. | Replaced by nun f from Dec. 1 to Apr. 1. |
| 27200 | - Lighted Buoy 7 | 39-18-42.890N 076-18-31.744W | FI G 4s | | 4 | Green. | Replaced by can f from Dec. 1 to Apr. 1. |
| 27205 | - WRECK LIGHT WR9 | 39-19-50.927N 076-19-11.027W | Q G | 15 | 4 | SG on pile. | |
| 27215 | - LIGHT 10 | 39-21-20.981N 076-19-28.815W | FI R 4s | 15 | 4 | TR on pile. | |
| 27220 | - LIGHT 13 | 39-22-34.145N 076-20-06.395W | FI G 4s | 15 | 4 | SG on pile. | |
| Upper Gunpowder River | | | | | | | |
| 27230 | - Buoy 2 | 39-23-06.600N 076-20-32.800W | | | | Red nun. | Maintained f from Apr. 15 to Oct. 15. Private aid. |
| 27235 | - Day beacon 3 | 39-23-15.297N 076-20-41.959W | | | | SG on pile. | Private aid. |
| 27240 | - Buoy 4 | 39-23-15.600N 076-20-41.400W | | | | Red nun. | Maintained f from Apr. 15 to Oct. 15. Private aid. |
| 27250 | - Buoy 6 | 39-23-20.200N 076-20-47.300W | | | | Red nun. | Maintained f from Apr. 15 to Oct. 15. Private aid. |
| 27255 | - Buoy 7 | 39-23-21.400N 076-20-50.600W | | | | Green can. | Maintained f from Apr. 15 to Oct. 15. Private aid. |
| 27260 | - Day beacon 8 | 39-23-22.203N 076-20-49.411W | | | | TR on pile. | Private aid. |
| 27265 | - Buoy 9 | 39-23-22.700N 076-20-51.400W | | | | Green can. | Maintained f from Apr. 15 to Oct. 15. Private aid. |
| 27270 | - Buoy 10 | 39-23-30.388N 076-20-50.851W | | | | Red nun. | Maintained f from Apr. 15 to Oct. 15. Private aid. |
| 27275 | - Buoy 11 | 39-23-40.118N 076-20-54.022W | | | | Green can. | DNR: 1234NAV11. Private aid. |
| 27280 | - Buoy 12 | 39-23-40.393N 076-20-53.092W | | | | Red nun. | Private aid. |
| APPROACHES TO BALTIMORE HARBOR (Chart 12278) | | | | | | | |
| Pooles Island - West Channel | | | | | | | |
| 27285 | Robins Point Shoal Buoy 1 | 39-17-04.248N 076-17-01.402W | | | | Green can. | Maintained f from Mar. 15 to Dec 1. |
| 27290 8705 | Aberdeen Restricted Area Buoy A | 39-16-46.391N 076-17-10.841W | | | | Yellow can. | |
| 27295 8710 | Aberdeen Restricted Area Buoy B | 39-17-05.890N 076-18-01.843W | | | | Yellow can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| HEAD OF CHESAPEAKE BAY (Chart 12274) | | | | | | | |
| Bush River | | | | | | | |
| 27305 | - Approach Junction Buoy | 39-20-18.393N 076-12-34.833W | | | | Green and red bands; can. | |
| 27310 | - Approach Buoy 2 | 39-20-01.500N 076-13-49.200W | | | | Red nun. | |
| 27315 | - <i>Lighted Buoy 3</i> | 39-21-03.391N 076-15-01.338W | FI G 2.5s | | 4 | Green. | Replaced by can f from Nov. 25 to Apr. 1. |
| 27320 | - Buoy 4 | 39-21-25.291N 076-15-15.740W | | | | Red nun. | |
| 27325 | - LIGHT 5 | 39-22-12.822N 076-16-02.433W | FI G 4s | 15 | 4 | SG on pile. | |
| 27327 | <i>Aberdeen Proving Ground Lighted Warning Buoy A</i> | 39-23-04.020N 076-16-08.720W | FI W 2.5s | | | White can with orange diamond worded DANGER SUBMERGED PIPE. | Aid maintained by U.S. Army. |
| 27330 | - WRECK LIGHT WR6 Marks sunken barge. | 39-23-04.185N 076-15-29.406W | Q R | | 15 | 3 | TR on multi-pile structure. |
| 27340 | - WRECK LIGHT WR7 Marks sunken barge. | 39-23-47.665N 076-15-37.926W | Q G | | 15 | 4 | SG on multi-pile structure. |
| 27345 | SOD RUN OBSTRUCTION LIGHT 2 | 39-25-29.352N 076-13-58.708W | Q R | | 10 | | NW on dolphin worded DANGER SUBMERGED PIPELINE. Private aid. |
| 27350 | Sod Run Warning Day beacon A | 39-25-29.842N 076-13-55.708W | | | | | NW on dolphin worded DANGER SUBMERGED PIPELINE. Private aid. |
| 27355 | Sod Run Warning Day beacon B | 39-25-30.692N 076-13-52.777W | | | | | NW on dolphin worded DANGER SUBMERGED PIPELINE. Private aid. |
| 27363 | - LIGHT 9 | 39-26-06.000N 076-14-33.600W | FI G 2.5s | | 6 | | SG on electric tower. Private aid. |
| 27364 | - LIGHT 10 | 39-26-09.060N 076-14-21.000W | FI R 4s | | 6 | | TR on electric tower. Private aid. |
| 27365 | - LIGHT 11 | 39-26-06.391N 076-14-28.839W | Q G | | | | SG on electric tower. Private aid. |
| 27367 | - LIGHT A | 39-26-01.800N 076-14-48.500W | FI Y 4s | | 6 | | NY on electric tower. Private aid. |
| Otter Point Creek | | | | | | | |
| 27373 | - LIGHT 3 | 39-26-35.300N 076-15-37.700W | FI G 4s | | 6 | | SG on electric tower. Private aid. |
| 27374 | - LIGHT 4 | 39-26-44.900N 076-15-43.600W | FI R 4s | | 6 | | TR on electric tower. Private aid. |
| 27375 | - Buoy 6 | 39-26-41.400N 076-15-22.050W | | | | | Red nun. Maintained f from May 1 to Oct. 1. Private aid. |
| APPROACHES TO BALTIMORE HARBOR (Chart 12278) | | | | | | | |
| Worton Creek | | | | | | | |
| 27390 | - <i>Lighted Buoy 2</i> | 39-17-28.481N 076-10-15.711W | Q R | | 4 | Red. | Replaced by nun f from Dec. 15 to Apr. 15. |
| 27395 | - Day beacon 3 | 39-17-22.379N 076-10-12.490W | | | | SG on pile. | |
| 27400 | - Day beacon 5 | 39-17-13.629N 076-10-10.652W | | | | SG on pile. | |
| Fairlee Creek | | | | | | | |
| 27410 | - Buoy 7 | 39-16-07.500N 076-12-26.640W | | | | Green can. | Maintained f from May to Oct. Private aid. |
| 27415 | - Buoy 8 | 39-15-48.391N 076-12-29.230W | | | | Red nun. | Maintained f from May to Oct. Private aid. |
| 27420 | - Buoy 9 | 39-16-06.180N 076-12-23.760W | | | | Green can. | Maintained f from May to Oct. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|------------------------------|---------------------------------|-----------------------|---------------|--------------|-------------------------|---|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| APPROACHES TO BALTIMORE HARBOR (Chart 12278) | | | | | | | |
| Fairlee Creek | | | | | | | |
| 27425 | - Buoy 10 | 39-15-08.491N 076-12-02.028W | | | | Red nun. | Maintained from May to Oct. Private aid. |
| HEAD OF CHESAPEAKE BAY (Chart 12274) | | | | | | | |
| Sassafras River | | | | | | | |
| 27435 | - Channel Lighted Buoy 2 | 39-22-40.707N 075-59-38.702W | FI R 4s | | 4 | Red. | Replaced by nun from Nov. 25 to Apr. 10. |
| 27438 | RIGBIE BLUFF PIER LIGHT | 39-22-27.000N 076-03-47.000W | F Y | 19 | | On pile. | Private aid. |
| 27440 | - Channel Buoy 3 | 39-22-18.106N 075-59-02.252W | | | | Green can. | |
| 27445 | Turner Creek Entrance Buoy 1 | 39-21-38.605N 075-59-09.799W | | | | Green can. | Maintained from Apr. to Oct. Private aid. |
| 27450 | - Channel Lighted Buoy 5 | 39-22-08.937N 075-58-44.942W | FI G 6s | | 4 | Green. | Replaced by can from Nov. 25 to Apr. 10. |
| 27455 | - Channel Buoy 6 | 39-22-31.168N 075-57-57.041W | | | | Red nun. | |
| 27460 | - CHANNEL LIGHT 7 | 39-22-40.233N 075-57-44.576W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 27465 | - Channel Buoy 8 | 39-22-30.364N 075-57-23.775W | | | | Red nun. | |
| 27470 | - CHANNEL LIGHT 9 | 39-22-12.045N 075-56-35.558W | FI G 6s | 18 | 4 | SG on pile. | |
| 27495 | - CHANNEL LIGHT 10 | 39-22-11.743N 075-55-49.246W | FI R 4s | 18 | 3 | TR on pile. | |
| 27500 | - Channel Buoy 12 | 39-21-48.476N 075-54-43.189W | | | | Red nun. | |
| 27505 | - Channel Buoy 14 | 39-21-55.151N 075-53-39.299W | | | | Red nun. | |
| 27517 | BUDDS LANDING PIER LIGHT | 39-22-19.740N 075-50-23.070W | F Y | 11 | | | Private aid. |
| Aberdeen Proving Ground Channel | | | | | | | |
| 27520 | - Lighted Buoy 2 | 39-25-00.403N 076-05-46.318W | FI R 2.5s | | 3 | Red. | Replaced by nun from Nov. 25 to Apr. 10. |
| 27535 | - Buoy 4 | 39-25-40.976N 076-05-35.110W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| 27540 | - Buoy 5 | 39-26-01.152N 076-05-34.132W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 27545 | - Buoy 6 | 39-26-00.252N 076-05-30.492W | | | | Red nun. | Maintained from Mar. 15 to Dec. 1. |
| 27565 | - Buoy 7 | 39-26-21.453N 076-05-44.252W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. |
| 27570 | - Day beacon 9 | 39-27-01.782N 076-05-47.050W | | | | SG on pile. | |
| 27575 | - Day beacon 11 | 39-27-25.472N 076-05-47.018W | | | | SG on pile. | |
| 27580 | - Day beacon 12 | 39-27-37.114N 076-05-43.363W | | | | TR on pile. | |
| Susquehanna River | | | | | | | |
| <i>Channel buoys located 30 - 50 feet outside channel limit.</i> | | | | | | | |
| 27585 | - Junction Lighted Buoy A | 39-26-31.011N 076-02-05.311W | FI (2+1)R 6s | | 4 | Red and green bands. | Replaced by LIB of reduced intensity from Nov. 25 to Apr. 1. |
| 27590 | - Channel Lighted Buoy 1S | 39-27-46.811N 076-02-52.314W | FI G 2.5s | | 4 | Green. | Replaced by can from Nov. 25 to Apr. 1. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|------------------|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| HEAD OF CHESAPEAKE BAY (Chart 12274) | | | | | | | |
| Susquehanna River | | | | | | | |
| <i>Channel buoys located 30 - 50 feet outside channel limit.</i> | | | | | | | |
| 27595 | - Channel Buoy 2 Marks stone pile. | 39-28-18.312N 076-03-14.016W | | | | Red nun. | |
| 27600 | - Channel Lighted Buoy 3 | 39-28-41.010N 076-04-10.717W | FI G 4s | | 4 | Green. | Replaced by can f from Nov. 25 to Apr. 1. |
| 27605 | - Channel Buoy 5 | 39-28-49.466N 076-04-48.297W | | | | Green can. | |
| 27610 | - Channel Buoy 6 100 feet outside channel limit. | 39-28-53.842N 076-04-46.824W | | | | Red nun. | |
| 27615 | - Channel Buoy 7 | 39-29-12.007N 076-05-06.958W | | | | Green can. | |
| 27620 | - Channel Buoy 8 | 39-29-13.673N 076-05-03.786W | | | | Red nun. | |
| 27625 | - Channel Buoy 9 | 39-29-29.408N 076-05-15.382W | | | | Green can. | |
| 27635 | Fishing Battery Buoy 1 | 39-29-40.320N 076-05-08.460W | | | | Green can. | Private aid. |
| 27640 | Fishing Battery Buoy 2 | 39-29-39.120N 076-05-06.960W | | | | Red nun. | Private aid. |
| 27643 | - Channel Buoy 10 | 39-29-29.925N 076-05-11.867W | | | | Red nun. | |
| 27645 | - Channel Lighted Buoy 11 | 39-29-56.708N 076-05-18.040W | FI G 4s | | 4 | Green. | Replaced by can f from Nov. 25 to Apr. 1. |
| 27650 | - Channel Buoy 12 | 39-29-57.571N 076-05-14.648W | | | | Red nun. | |
| 27655 | - Channel Buoy 13 | 39-30-44.709N 076-05-09.320W | | | | Green can. | |
| 27660 | - Channel Lighted Buoy 14 | 39-31-06.408N 076-05-02.720W | FI R 4s | | 4 | Red. | Replaced by nun f from Nov. 25 to Apr. 1. |
| 27665 | - Channel Buoy 15 | 39-31-34.408N 076-05-00.820W | | | | Green can. | |
| 27670 | - Channel Lighted Buoy 17 | 39-32-10.307N 076-04-54.620W | FI G 4s | | 4 | Green. | Replaced by can f from Nov. 25 to Apr. 1. |
| Havre De Grace Yacht Basin | | | | | | | |
| 27675 | - Buoy 1 | 39-32-15.300N 076-05-04.100W | | | | Green can. | Private aid. |
| 27680 | - Buoy 2 | 39-32-16.200N 076-05-04.600W | | | | Red nun. | Private aid. |
| 27683 | - Buoy 3 | 39-32-15.200N 076-05-11.200W | | | | Green can. | Private aid. |
| 27685 | - Buoy 4 | 39-32-16.200N 076-05-09.800W | | | | Red nun. | Private aid. |
| 27690 | - Buoy 5 | 39-32-14.900N 076-05-16.600W | | | | Green can. | Private aid. |
| 27693 | - Buoy 6 | 39-32-15.400N 076-05-16.400W | | | | Red nun. | Private aid. |
| Susquehanna River | | | | | | | |
| <i>Channel buoys located 30 - 50 feet outside channel limit.</i> | | | | | | | |
| 27800 | NOAA Lighted Data Buoy S | 39-32-25.288N 076-04-23.882W | FI Y 4s | | | Yellow. | Maintained from Mar. 15 to Dec. 1. Aid maintained by National Oceanic and Atmospheric Administration. |
| 27805 | - Channel Buoy 18 | 39-32-34.507N 076-04-48.020W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|-----------------------------------|---------------------------------|-----------------------|---------------|--------------|--|--|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| HEAD OF CHESAPEAKE BAY (Chart 12274) | | | | | | | |
| Susquehanna River | | | | | | | |
| <i>Channel buoys located 30 - 50 feet outside channel limit.</i> | | | | | | | |
| 27810 | Perry Point Warning Buoy | 39-32-46.307N 076-04-21.318W | | | | White can with orange bands and orange diamond worded SUBMERGED PILES. | |
| 27815 | PERRYVILLE INTAKE WARNING LIGHT A | 39-34-36.700N 076-05-16.800W | FI W 4s | | | On pile. | Private aid. |
| 27815.1 | PERRYVILLE INTAKE WARNING LIGHT B | 39-34-35.800N 076-05-15.700W | FI W 4s | | | On pile. | Private aid. |
| 27820 | - Junction Buoy SR | 39-32-55.206N 076-04-57.920W | | | | Green and red bands; can. | |
| 27825 | - Channel Buoy 19 | 39-33-00.706N 076-04-54.820W | | | | Green can. | |
| 27830 | - Channel Alternate Route Buoy 2 | 39-33-01.406N 076-05-05.320W | | | | Red nun. | |
| Northeast River | | | | | | | |
| 27835 | - Lighted Buoy 2 | 39-29-12.219N 075-59-55.809W | FI R 4s | | 4 | Red. | Replaced by nun f from Nov. 25 to Apr. 10. |
| 27840 | - Buoy 4 | 39-30-34.719N 075-59-29.208W | | | | Red nun. | |
| 27845 | - Buoy 5 | 39-31-18.223N 075-59-14.411W | | | | Green can. | |
| 27850 | - Lighted Buoy 6 | 39-31-48.616N 075-58-59.106W | FI R 4s | | 4 | Red. | Replaced by nun f from Nov. 25 to Apr. 10. |
| 27855 | - Buoy 7 | 39-32-13.615N 075-58-44.105W | | | | Green can. | |
| 27860 | - LIGHT 8 | 39-32-36.059N 075-58-21.940W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 27865 | - Buoy 9 | 39-33-10.414N 075-58-30.304W | | | | Green can. | |
| 27870 | - Day beacon 12 | 39-34-05.793N 075-58-05.208W | | | | TR on pile. | |
| 27875 | - LIGHT 10 | 39-33-40.842N 075-58-18.977W | FI R 4s | 15 | 4 | TR on pile. | |
| 27880 | - LIGHT 14 | 39-34-30.203N 075-57-45.058W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 27890 | - Buoy 16 | 39-34-59.410N 075-57-20.800W | | | | Red nun. | Maintained f from Apr. 10 to Nov. 25. |
| 27895 | - LIGHT 17 | 39-35-25.861N 075-57-01.563W | FI G 4s | 15 | 4 | SG on pile. | |
| Elk River - Welch Point | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Nov. 1.</i> | | | | | | | |
| <i>Aids maintained by Maryland Department of Transportation.</i> | | | | | | | |
| 27896 | - Buoy 2 | 39-31-45.242N 075-52-59.505W | | | | Red nun. | 1637NAV2. Private aid. |
| 27896.01 | - Buoy 4 | 39-32-04.725N 075-52-47.023W | | | | Red nun. | 1638NAV4. Private aid. |
| 27896.02 | - Buoy 6 | 39-32-20.823N 075-52-34.316W | | | | Red nun. | 1639NAV6. Private aid. |
| 27896.03 | - Buoy 7 | 39-32-42.031N 075-52-16.110W | | | | Green can. | 1640NAV7. Private aid. |
| 27896.04 | - Buoy 8 | 39-33-12.224N 075-51-59.908W | | | | Red nun. | 1641NAV8. Private aid. |
| 27896.05 | - Buoy 9 | 39-33-11.425N 075-52-06.505W | | | | Green can. | 1642NAV9. Private aid. |
| 27896.06 | - Buoy 10 | 39-33-24.240N 075-51-44.902W | | | | Red nun. | 1631NAV10. Private aid. |
| 27896.07 | - Buoy 11 | 39-33-25.341N 075-51-45.713W | | | | Green can. | 1632NAV11. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|----------------------------|
| CHESAPEAKE BAY (Maryland) - Fifth District | | | | | | | |
| HEAD OF CHESAPEAKE BAY (Chart 12274) | | | | | | | |
| Elk River - Welch Point | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Nov. 1.</i> | | | | | | | |
| <i>Aids maintained by Maryland Department of Transportation.</i> | | | | | | | |
| 27896.08 | - Buoy 12 | 39-33-28.816N 075-51-19.109W | | | | Red nun. | 1633NAV12. Private aid. |
| 27896.09 | - Buoy 13 | 39-33-32.099N 075-51-19.345W | | | | Green can. | 1634NAV13. Private aid. |
| 27896.11 | - Buoy 14 | 39-33-41.132N 075-51-09.105W | | | | Red nun. | 1635NAV14. Private aid. |
| 27896.12 | - Buoy 16 | 39-33-49.117N 075-51-05.708W | | | | Red nun. | 1636NAV16. Private aid. |
| Upper Elk River | | | | | | | |
| <i>Buoys maintained from Apr. 15 to Nov. 1.</i> | | | | | | | |
| <i>Aids maintained by Maryland Department of Transportation.</i> | | | | | | | |
| 27897 | - Buoy 1 | 39-33-57.543N 075-50-59.392W | | | | Green can. | 4006NAV1. Private aid. |
| 27900 | - Buoy 2 | 39-33-56.523N 075-50-58.550W | | | | Red nun. | 4566NAV2. Private aid. |
| 27903 | - Buoy 3 | 39-34-05.243N 075-50-46.291W | | | | Green can. | 4007NAV3. Private aid. |
| 27905 | - Buoy 4 | 39-34-13.134N 075-50-34.944W | | | | Red nun. | 4008NAV4. Private aid. |
| 27907 | - Buoy 5 | 39-34-13.729N 075-50-35.360W | | | | Green can. | 4567NAV5. Private aid. |
| 27910 | - Buoy 6 | 39-34-17.138N 075-50-31.453W | | | | Red nun. | 4009NAV6. Private aid. |
| 27915 | - Buoy 7 | 39-34-22.399N 075-50-33.071W | | | | Green can. | 4568NAV7. Private aid. |
| 27920 | - Buoy 8 | 39-34-22.617N 075-50-32.315W | | | | Red nun. | 4569NAV8. Private aid. |
| 27925 | - Buoy 9 | 39-34-27.922N 075-50-36.767W | | | | Green can. | 4701NAV9. Private aid. |
| 27935 | - Buoy 11 | 39-34-30.636N 075-50-37.938W | | | | Green can. | 4700NAV11. Private aid. |
| 27940 | - Buoy 12 | 39-34-32.284N 075-50-37.829W | | | | Red nun. | 4571NAV12. Private aid. |
| 27945 | - Buoy 13 | 39-34-40.223N 075-50-34.599W | | | | Green can. | 4572NAV13. Private aid. |
| 27950 | - Buoy 14 | 39-34-46.065N 075-50-30.049W | | | | Red nun. | 4010NAV14. Private aid. |
| 27955 | - Buoy 16 | 39-34-51.600N 075-50-32.724W | | | | Red nun. | 4011NAV16. Private aid. |
| 27960 | - Buoy 18 | 39-34-54.843N 075-50-41.684W | | | | Red nun. | 4012NAV18. Private aid. |
| 27965 | - Buoy 19 | 39-34-55.336N 075-50-53.349W | | | | Green can. | 4013NAV19. Private aid. |

NORTH CAROLINA - Fifth District

| | | | | | | | |
|---|---------------------------------------|---------------------------------|-----------|--|---|---------------------------|--|
| CURRITUCK BEACH LIGHT TO WIMBLE SHOALS (Chart 12204) | | | | | | | |
| Oregon Inlet | | | | | | | |
| 27970 600 | - Approach Lighted Whistle Buoy OI | 35-48-38.152N 075-30-55.786W | Mo (A) W | | 6 | Red and white stripes. | Position frequently shifted with changing conditions. Topmark not installed on this aid. |
| 27975 | - Lighted Buoy 1 | 35-48-13.417N 075-31-06.007W | FI G 2.5s | | 5 | Green. | |
| 27980 | - Buoy 2 | 35-48-16.653N 075-31-14.672W | | | | Red nun. | |
| 27985 | - Buoy 3 | 35-47-52.573N 075-31-20.886W | | | | Green can. | |
| 27990 | - Buoy 4 | 35-47-56.162N 075-31-29.682W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|------------------|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CURRITUCK BEACH LIGHT TO WIMBLE SHOALS (Chart 12204) | | | | | | | |
| Oregon Inlet | | | | | | | |
| 27995 615 | - JETTY LIGHT | 35-46-25.914N 075-31-30.012W | FI W 2.5s | 28 | 7 | NB on pile. | |
| 28003 | - Lighted Buoy 6 | 35-47-34.526N 075-31-34.764W | Q R | | 4 | Red. | |
| 28005 | - Buoy 7 | 35-47-26.957N 075-31-29.006W | | | | Green can. | |
| 28015 | - Lighted Buoy 9 | 35-47-05.916N 075-31-32.223W | FI G 4s | | 4 | Green. | |
| 28017 | - Buoy 10 | 35-47-05.522N 075-31-40.599W | | | | Red nun. | |
| 28020 | - Buoy 11 | 35-46-31.711N 075-31-45.046W | | | | Green can. | |
| 28025 | - Lighted Buoy 12 | 35-46-42.814N 075-31-45.989W | FI R 2.5s | | 4 | Red. | |
| 28027 | - Lighted Buoy 13 | 35-46-22.776N 075-31-58.037W | Q G | | 4 | Green. | |
| 28028 | - Lighted Buoy 14 | 35-46-29.190N 075-31-53.527W | FI R 4s | | 4 | Red. | |
| 28050 | - Day beacon 16 | 35-46-21.639N 075-32-14.557W | | | | TR on pile. | |
| 28055 | - Day beacon 17 | 35-46-20.736N 075-32-13.373W | | | | SG on pile. | |
| 28065 | - Lighted Buoy 19 | 35-46-20.896N 075-32-22.338W | FI G 4s | | 4 | Green. | |
| 28070 | - Channel Buoy 21 | 35-46-26.311N 075-32-29.957W | | | | Green can. | |
| 28073 | - Channel Buoy 21A | 35-46-35.242N 075-32-39.093W | | | | Green can. | |
| 28075 | - Channel Buoy 23 | 35-46-42.495N 075-32-56.931W | | | | Green can. | |
| 28077 | - Channel Buoy 24 | 35-46-42.585N 075-32-46.836W | | | | Red nun. | |
| 28080 | - Channel Buoy 25 | 35-46-39.744N 075-33-05.865W | | | | Green can. | |
| 28081 | - Channel Buoy 25A | 35-46-35.363N 075-33-25.071W | | | | Green can. | |
| 28083 | - Channel Buoy 26 | 35-46-43.113N 075-33-05.997W | | | | Red nun. | |
| 28085 | - Channel Lighted Buoy 27 | 35-46-28.598N 075-33-39.236W | Q G | | 4 | Green. | |
| 28090 | - Channel Buoy 28 | 35-46-28.066N 075-33-44.257W | | | | Red nun. | |
| 28095 | - Channel Lighted Buoy 29 | 35-46-05.926N 075-33-57.700W | FI G 4s | | 4 | Green. | |
| 28097 | - Channel Buoy 30 | 35-46-01.242N 075-34-12.318W | | | | Red nun. | |
| 28099 | - Channel Buoy 30A | 35-45-49.086N 075-34-26.266W | | | | Red nun. | |
| 28105 | - Channel Lighted Buoy 31 | 35-45-48.859N 075-34-19.175W | Q G | | 4 | Green. | |
| 28110 | - Channel Buoy 32 | 35-45-42.942N 075-34-43.783W | | | | Red nun. | |
| 28115 | - Channel Buoy 33 | 35-45-39.011N 075-34-44.820W | | | | Green can. | |
| 28117 | - Channel Buoy 34 | 35-45-42.278N 075-35-03.905W | | | | Red nun. | |
| 28118 | - Channel Lighted Buoy 34A | 35-45-40.337N 075-35-22.233W | Q R | | 3 | Red. | |
| 28123 | - Channel Lighted Buoy 35 | 35-45-36.952N 075-35-26.103W | Q G | | 3 | Green. | |
| 28124 | OLD HOUSE CHANNEL JUNCTION LIGHT OH | 35-45-41.985N 075-35-26.370W | FI (2+1)G 6s | 15 | 4 | JG on pile. | |
| 28126 | - Channel Day beacon 36 | 35-45-45.292N 075-35-20.428W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|-----------------------------|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CURRITUCK BEACH LIGHT TO WIMBLE SHOALS (Chart 12204) | | | | | | | |
| Oregon Inlet | | | | | | | |
| 28127 | - Channel Day beacon 36A | 35-46-00.370N 075-35-12.899W | | | | TR on pile. | |
| 28131 | - CHANNEL LIGHT 37 | 35-45-50.592N 075-35-19.744W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 28132 | - Channel Buoy 37A | 35-46-09.609N 075-35-10.336W | | | | Green can. | |
| 28135 | - Channel Buoy 38 | 35-46-07.045N 075-35-09.131W | | | | Red nun. | |
| 28137 | - Channel Lighted Buoy 39 | 35-46-19.082N 075-35-02.227W | FI G 4s | | 4 | Green. | |
| 28137.1 | - Channel Buoy 39A | 35-46-25.874N 075-34-54.984W | | | | Green can. | |
| 28139 | - Channel Buoy 40 | 35-46-14.116N 075-35-04.616W | | | | Red nun. | |
| 28141 | - CHANNEL LIGHT 41 | 35-46-31.412N 075-34-47.518W | Q G | 15 | 4 | SG on pile. | |
| 28145 | - Channel Buoy 42 | 35-46-24.477N 075-34-52.125W | | | | Red nun. | |
| 28150 | - Channel Buoy 44 | 35-46-30.670N 075-34-45.335W | | | | Red nun. | |
| 28170 | - Channel Day beacon 46 | 35-46-37.860N 075-34-41.700W | | | | TR on pile. | |
| 28173 | - Channel Day beacon 47 | 35-46-44.160N 075-34-39.660W | | | | SG on pile. | |
| 28175 | - Channel Day beacon 49 | 35-46-51.568N 075-34-35.806W | | | | SG on pile. | |
| 28180 | - CHANNEL LIGHT 50 | 35-46-56.426N 075-34-30.373W | FI R 4s | 18 | 4 | TR on pile. | |
| 28185 | - CHANNEL LIGHT 52 | 35-47-11.887N 075-34-21.248W | Q R | 18 | 4 | TR on pile. | |
| 28190 | - Channel Day beacon 53 | 35-47-15.413N 075-34-22.023W | | | | SG on pile. | |
| 28193 | - CHANNEL LIGHT 54 | 35-47-21.013N 075-34-16.883W | Q R | 15 | 4 | TR on pile. | |
| 28195 | - Channel Lighted Buoy 55 | 35-47-20.309N 075-34-20.386W | Q G | | 4 | Green. | |
| CAPE HENRY TO PAMLICO SOUND (Chart 12205) | | | | | | | |
| Old House Channel | | | | | | | |
| <i>Aids located 25 feet outside the dredged channel limit.</i> | | | | | | | |
| 28233 | - Lighted Buoy 1H | 35-45-30.832N 075-35-32.199W | FI G 2.5s | | 3 | Green. | |
| 28235 | - Buoy 3 | 35-45-25.036N 075-35-37.322W | | | | Green can. | |
| 28237 | WAVEBREAK WARNING LIGHTS (3) Marks wavebreak structure. | 35-45-17.305N 075-35-13.696W | FI W 2.5s | | | NW on pile worded DANGER. | Private aid. |
| 28240 | - LIGHT 4 | 35-45-18.296N 075-35-46.188W | FI R 4s | 15 | 4 | TR on pile. | |
| 28245 | - Day beacon 5 | 35-45-11.185N 075-35-48.463W | | | | SG on pile. | |
| 28250 | - Day beacon 6 | 35-45-05.107N 075-35-57.980W | | | | TR on pile. | |
| 28255 | - Day beacon 7 | 35-44-46.744N 075-36-07.914W | | | | SG on pile. | |
| 28260 | - LIGHT 8 | 35-44-37.516N 075-36-23.109W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 28265 | - Day beacon 9 | 35-44-19.696N 075-36-31.741W | | | | SG on pile. | |
| 28270 | - Day beacon 10 | 35-44-11.316N 075-36-43.791W | | | | TR on pile. | |
| 28275 | - Buoy 11 | 35-43-54.124N 075-36-55.612W | | | | Green can. | |
| 28280 | - LIGHT 12 | 35-44-01.102N 075-36-53.328W | FI R 4s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---------------------------------------|---------------------------------|-----------------------|---------------|--------------|--|--|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE HENRY TO PAMLICO SOUND (Chart 12205) | | | | | | | |
| Old House Channel | | | | | | | |
| <i>Aids located 25 feet outside the dredged channel limit.</i> | | | | | | | |
| 28285 | - Day beacon 13 | 35-43-39.844N 075-37-03.421W | | | | SG on pile. | |
| 28290 | Old House Day beacon 14 | 35-43-37.684N 075-37-10.207W | | | | TR on pile. | |
| 28295 | - LIGHT 15 | 35-43-12.601N 075-37-25.451W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 28300 | - LIGHT 16OH | 35-43-00.948N 075-37-39.746W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| Walter Slough | | | | | | | |
| 28305 | - Day beacon 2 | 35-47-15.930N 075-34-07.200W | | | | TR on pile. | |
| 28305.1 | - Buoy 2A | 35-47-15.540N 075-34-14.040W | | | | Red nun. | |
| 28310 | - LIGHT 3 | 35-47-22.435N 075-33-59.820W | FI G 4s | 15 | 4 | SG on pile. | |
| 28315 | - Day beacon 4 | 35-47-21.516N 075-33-59.246W | | | | TR on pile. | |
| 28320 | - Lighted Buoy 5 | 35-47-29.031N 075-33-50.591W | FI G 4s | | 4 | Green. | |
| 28325 | - Day beacon 6 | 35-47-27.967N 075-33-49.740W | | | | TR on pile. | |
| 28327 | - Lighted Buoy 6A | 35-47-33.016N 075-33-35.526W | Q R | | 4 | Red. | |
| 28330 | - Buoy 7 | 35-47-33.705N 075-33-39.387W | | | | Green can. | |
| 28335 | - Buoy 8 | 35-47-31.910N 075-33-26.396W | | | | Red nun. | |
| 28340 | - Lighted Buoy 9 | 35-47-33.178N 075-33-24.503W | FI G 2.5s | | 4 | Green. | |
| 28345 | - Buoy 10 | 35-47-34.939N 075-33-17.418W | | | | Red nun. | |
| 28350 | - Lighted Buoy 11 | 35-47-40.980N 075-33-05.236W | FI G 4s | | 4 | Green. | |
| 28355 | - Buoy 12 | 35-47-40.362N 075-33-04.700W | | | | Red nun. | |
| 28360 | - LIGHT 13 | 35-47-42.215N 075-32-57.706W | Q G | 15 | 4 | SG on pile. | |
| Roanoke Sound | | | | | | | |
| 28365 | - CHANNEL LIGHT 1 | 35-47-33.978N 075-34-35.608W | FI G 4s | 15 | 4 | SG on pile. | |
| 28370 | - Channel Day beacon 2 | 35-47-35.704N 075-34-33.372W | | | | TR on pile. | |
| 28375 | - CHANNEL LIGHT 4 | 35-47-53.236N 075-34-54.974W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 28380 | - Channel Day beacon 5 | 35-48-16.646N 075-35-10.311W | | | | SG on pile. | |
| 28385 | - CHANNEL LIGHT 7 | 35-48-36.660N 075-35-22.860W | FI G 4s | 15 | 4 | SG on pile. | |
| 28387 | Croatan Sound Oyster Sanctuary Buoy A | 35-48-17.000N 075-38-20.200W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | Aid maintained by State DOT Private aid. |
| 28387.1 | Croatan Sound Oyster Sanctuary Buoy B | 35-48-11.500N 075-38-20.200W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | Aid maintained by State DOT Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE HENRY TO PAMLICO SOUND (Chart 12205) | | | | | | | |
| Roanoke Sound | | | | | | | |
| 28387.2 | Croatan Sound Oyster Sanctuary Buoy C | 35-48-11.500N 075-38-27.400W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | Aid maintained by State DOT Private aid. |
| 28387.3 | Croatan Sound Oyster Sanctuary Buoy D | 35-48-17.000N 075-38-27.500W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | Aid maintained by State DOT Private aid. |
| 28390 | ROANOKE ISLAND CUT THROUGH LIGHT 1 | 35-48-18.096N 075-37-04.140W | FI G 4s | 15 | 4 | SG on pile. | |
| 28395 | - Channel Day beacon 8 | 35-48-34.670N 075-35-18.224W | | | | TR on pile. | |
| 28400 | - CHANNEL LIGHT 10 | 35-49-05.560N 075-35-35.512W | FI R 4s | 15 | 4 | TR on pile. | |
| 28405 | - CHANNEL LIGHT 11 | 35-49-42.564N 075-35-56.965W | FI G 6s | 15 | 4 | SG on multi-pile structure. | |
| 28410 | - Channel Day beacon 12 | 35-49-36.659N 075-35-51.417W | | | | TR on pile. | |
| 28415 | - Channel Day beacon 13 | 35-50-04.787N 075-36-09.625W | | | | SG on pile. | |
| 28420 | - Channel Day beacon 14 | 35-50-15.937N 075-36-12.193W | | | | TR on pile. | |
| 28430 | - CHANNEL LIGHT 16 | 35-50-36.500N 075-36-22.676W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 28435 | - Channel Day beacon 16A | 35-51-00.025N 075-36-37.492W | | | | TR on pile. | |
| Wanchese Channel | | | | | | | |
| <i>Daybeacons located 25 feet outside channel limit.</i> | | | | | | | |
| 28440 | - Buoy 1 | 35-50-34.502N 075-36-25.636W | | | | Green can. | |
| 28445 | - Buoy 2 | 35-50-36.082N 075-36-27.547W | | | | Red nun. | |
| 28450 | - Day beacon 3 | 35-50-29.997N 075-36-40.020W | | | | SG on pile. | |
| 28455 | - Day beacon 4 | 35-50-30.235N 075-36-43.739W | | | | TR on pile. | |
| 28460 | - Day beacon 5 | 35-50-23.528N 075-36-58.551W | | | | SG on pile. | |
| 28465 | - LIGHT 6 25 feet outside channel limit. | 35-50-25.256N 075-36-58.337W | FI R 4s | 15 | 4 | TR on pile. | |
| Roanoke Sound | | | | | | | |
| 28470 | - CHANNEL LIGHT 17 | 35-51-00.589N 075-36-41.456W | FI G 4s | 15 | 4 | SG on pile. | |
| 28475 | - CHANNEL LIGHT 19 | 35-51-40.875N 075-37-04.158W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 28480 | - Channel Day beacon 21 | 35-52-32.327N 075-37-24.609W | | | | SG on pile. | |
| 28485 | - CHANNEL LIGHT 22 | 35-53-04.295N 075-37-32.946W | FI R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 28490 | - Channel Day beacon 24 | 35-53-23.285N 075-37-51.608W | | | | TR on pile. | |
| 28495 | - Channel Day beacon 24A | 35-53-49.553N 075-38-12.576W | | | | TR on pile. | |
| 28505 | - Channel Day beacon 25 | 35-54-02.917N 075-38-24.225W | | | | SG on pile. | |
| 28510 | - CHANNEL LIGHT 27 | 35-54-10.860N 075-38-33.715W | FI G 4s | 15 | 4 | SG on pile. | |
| 28515 | - Channel Day beacon 28 | 35-54-22.140N 075-38-36.882W | | | | TR on pile. | |
| 28520 | - CHANNEL LIGHT 29 | 35-54-32.257N 075-38-39.429W | FI G 2.5s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE HENRY TO PAMLICO SOUND (Chart 12205) | | | | | | | |
| Roanoke Sound | | | | | | | |
| 28525 | - Channel Day beacon 29A | 35-54-42.277N 075-38-45.309W | | | | SG on pile. | |
| 28527 | - Channel Day beacon 29B | 35-54-57.607N 075-38-54.669W | | | | SG on pile. | |
| 28529 | - Channel Buoy 29C | 35-55-06.272N 075-38-59.063W | | | | Green can. | |
| 28530 | - CHANNEL LIGHT 30 | 35-54-50.634N 075-38-47.784W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 28531 | - CHANNEL LIGHT 30A | 35-55-05.230N 075-38-57.689W | Q R | 15 | 4 | TR on pile. | |
| Manteo Channel | | | | | | | |
| 28535 | - Day beacon 2M | 35-55-05.530N 075-39-00.971W | | | | TR on pile. | |
| 28537 | - Day beacon 3 | 35-55-03.283N 075-39-00.397W | | | | SG on pile. | |
| 28539 | - Buoy 4 | 35-55-03.917N 075-39-01.318W | | | | Red nun. | |
| 28540 | - Buoy 5 | 35-54-54.072N 075-39-08.086W | | | | Green can. | |
| 28550 | - Lighted Buoy 6 | 35-54-43.987N 075-39-22.643W | FI R 4s | | 4 | Red. | |
| 28551 | - LIGHT 8 | 35-54-23.816N 075-39-43.295W | Q R | 15 | 4 | TR on pile. | |
| 28551.5 | - Day beacon 10 | 35-54-23.669N 075-39-53.604W | | | | TR on pile. | |
| Shallowbag Bay | | | | | | | |
| 28552 | - WARNING LIGHT A | 35-54-23.258N 075-39-30.654W | FI W 4s | 10 | | NW on pile worded SUBMERGED PIPES. | Private aid. |
| 28553 | - WARNING LIGHT D | 35-54-23.476N 075-39-29.396W | FI W 4s | 10 | | NW on pile worded SUBMERGED PIPES. | Private aid. |
| 28555 | - Club Channel Day beacon 1 | 35-54-12.000N 075-39-48.000W | | | | SG on pile. | Private aid. |
| 28555.1 | - Club Channel Day beacon 2 | 35-54-06.000N 075-39-54.000W | | | | TR on pile. | Private aid. |
| 28555.2 | - Club Channel Day beacon 3 | 35-54-06.000N 075-39-48.000W | | | | SG on pile. | Private aid. |
| 28555.3 | - Club Channel Day beacon 4 | 35-54-00.000N 075-39-54.000W | | | | TR on pile. | Private aid. |
| 28555.4 | - Club Channel Day beacon 5 | 35-54-00.000N 075-39-48.000W | | | | SG on pile. | Private aid. |
| Roanoke Sound | | | | | | | |
| 28570 | - Channel Day beacon 31 | 35-55-16.350N 075-39-03.234W | | | | SG on pile. | |
| 28571 | - Channel Day beacon 31A | 35-55-26.526N 075-39-07.134W | | | | SG on pile. | |
| 28575 | - Channel Day beacon 32 | 35-55-29.214N 075-39-05.573W | | | | TR on pile. | |
| 28580 | - CHANNEL LIGHT 33 | 35-55-55.388N 075-39-18.070W | FI G 4s | 15 | 5 | SG on pile. | |
| 28585 | - Channel Day beacon 34 | 35-56-05.647N 075-39-19.647W | | | | TR on pile. | |
| 28590 | - CHANNEL LIGHT 36 | 35-56-25.500N 075-39-29.160W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 28595 | COLINGTON CUT ENTRANCE LIGHT 2C | 35-59-50.179N 075-41-38.813W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 28600 | - Channel Day beacon 37 | 35-56-37.279N 075-40-37.613W | | | | SG on pile. | |
| 28605 | - CHANNEL LIGHT 39 | 35-56-49.347N 075-41-27.901W | FI G 4s | 15 | 5 | SG on pile. | |
| 28607 | Fort Raleigh Artificial Reef Buoy AR-197A | 35-57-19.400N 075-42-19.700W | | | | White can with orange diamond, worded REEF. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE HENRY TO PAMLICO SOUND (Chart 12205) | | | | | | | |
| Roanoke Sound | | | | | | | |
| 28607.1 | Fort Raleigh Artificial Reef Buoy AR-197B | 35-57-19.000N 075-42-03.900W | | | | White can with orange diamond, worded REEF | Private aid. |
| 28607.2 | Fort Raleigh Artificial Reef Buoy AR-197C | 35-57-06.200N 075-42-04.400W | | | | White can with orange diamond, worded REEF | Private aid. |
| 28607.3 | Fort Raleigh Artificial Reef Buoy AR-197D | 35-57-06.600N 075-42-20.000W | | | | White can with orange diamond, worded REEF | Private aid. |
| 28610 | - CHANNEL LIGHT 40 | 35-57-07.757N 075-42-33.529W | FI R 4s | 15 | 4 | TR on pile. | |
| 28615 | - Channel Day beacon 41 | 35-56-47.121N 075-43-19.346W | | | | SG on pile. | |
| 28620 | - CHANNEL LIGHT 42 | 35-56-19.816N 075-44-34.799W | FI R 6s | 15 | 5 | TR on pile. | |
| CAPE HATTERAS (Chart 11555) | | | | | | | |
| Hatteras Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 28625 645 | - Light | 35-11-51.513N 075-43-55.991W | Iso W 6s | 48 | 10 | Skeleton tower on black house. 45 | |
| 28630 650 | - Entrance Lighted Whistle Buoy HI | 35-09-47.681N 075-45-15.169W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | Position frequently shifted with changing conditions. |
| 28640 | - Lighted Buoy 1 | 35-10-06.054N 075-45-30.478W | FI G 2.5s | | 4 | Green. | |
| 28645 | - Lighted Buoy 2 | 35-10-07.178N 075-45-14.702W | FI R 2.5s | | 4 | Red. | |
| 28650 | - Lighted Buoy 4 | 35-10-45.397N 075-46-18.866W | FI R 2.5s | | 4 | Red. | |
| 28653 | - Lighted Buoy 5 | 35-10-42.606N 075-46-24.399W | FI G 2.5s | | 4 | Green. | |
| 28660 | - Lighted Buoy 6 | 35-10-59.282N 075-45-54.740W | FI R 4s | | 4 | Red. | |
| 28665 | - Lighted Buoy 7 | 35-11-08.241N 075-45-29.411W | FI G 2.5s | | 4 | Green. | |
| 28667 | - Lighted Buoy 8 | 35-11-07.783N 075-45-22.970W | Q R | | 3 | Red. | |
| South Ferry Terminal | | | | | | | |
| 28699.1 | - Lighted Buoy 1SF | 35-11-13.875N 075-45-33.637W | Q G | | 4 | Green. | |
| 28700 | - Buoy 2SF | 35-11-17.696N 075-45-30.202W | | | | Red nun. | |
| 28701 | - Buoy 3SF | 35-11-26.697N 075-45-42.906W | | | | Green can. | |
| 28703 | - Lighted Buoy 4SF | 35-11-28.543N 075-45-43.492W | FI R 2.5s | | 4 | Red. | |
| 28705 | - Buoy 5SF | 35-11-26.584N 075-46-10.059W | | | | Green can. | |
| 28707 | - Lighted Buoy 6SF | 35-11-29.117N 075-46-08.759W | Q R | | 4 | Red. | |
| 28715 | - Lighted Buoy 7SF | 35-11-29.011N 075-46-46.409W | FI G 4s | | 4 | Green. | |
| 28720 | - Warning Day beacon A Located 350 yards outside of channel. | 35-11-44.076N 075-46-22.934W | | | | NW on pile worded DANGER SHOALING. | |
| Barney Slough Channel | | | | | | | |
| 28721 | - Lighted Buoy 1B | 35-11-37.395N 075-46-59.194W | FI G 2.5s | | 4 | Green. | |
| 28721.3 | - Lighted Buoy 2 | 35-12-12.153N 075-47-05.103W | FI R 4s | | 4 | Red. | |
| 28721.5 | - Lighted Buoy 3 | 35-13-12.621N 075-47-10.550W | FI G 2.5s | | 4 | Green. | |
| 28721.6 | - Buoy 3A | 35-13-22.957N 075-47-11.538W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|-----------------------------|---------------------------------|-----------------------|---------------|--------------|--|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE HATTERAS (Chart 11555) | | | | | | | |
| Hatteras Inlet | | | | | | | |
| Barney Slough Channel | | | | | | | |
| 28721.7 | - Buoy 4 | 35-13-15.648N 075-47-04.947W | | | | Red nun. | |
| 28721.8 | - Buoy 4A | 35-13-35.586N 075-47-20.435W | | | | Red nun. | |
| 28722.3 | - Lighted Buoy 6 | 35-13-50.393N 075-47-25.533W | Q R | | 4 | Red. | |
| 28722.5 | - Lighted Wreck Buoy WR8 | 35-14-01.977N 075-45-58.169W | Q R | | 4 | Red. | |
| 28722.7 | - Lighted Buoy 10 | 35-14-06.084N 075-45-32.628W | Q R | | 4 | Red. | |
| 28723 | - Buoy 12 | 35-13-31.232N 075-44-56.275W | | | | Red nun. | |
| 28723.3 | - Lighted Buoy 13 | 35-13-25.293N 075-44-35.881W | FI G 2.5s | | 4 | Green. | |
| 28723.5 | - Lighted Buoy 14 | 35-12-59.907N 075-44-11.483W | Q R | | 4 | Red. | |
| 28723.7 | - Lighted Buoy 15 | 35-12-55.762N 075-44-03.209W | FI G 4s | | 4 | Green. | |
| 28723.9 | - Lighted Buoy 16 | 35-12-41.498N 075-44-05.151W | FI R 2.5s | | 4 | Red. | |
| Hatteras Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 28725 | - Warning Daybeacon A | 35-11-47.075N 075-45-01.784W | | | | NW on multi-pile structure worded DANGER SHOALING. | |
| 28730 | - Channel Warning Daybeacon | 35-11-56.749N 075-44-20.737W | | | | NW multi-pile structure worded DANGER SHOALING. | |
| 28732 | - Channel Lighted Buoy 12 | 35-12-36.707N 075-43-58.887W | Q R | | 4 | Red. | |
| 28732.1 | - Channel Lighted Buoy 12A | 35-12-19.743N 075-43-53.134W | FI R 2.5s | | 4 | Red. | |
| 28733.1 | - Channel Buoy 12B | 35-12-10.683N 075-43-56.801W | | | | Red nun. | |
| 28735.3 | - Channel Lighted Buoy 13A | 35-12-16.738N 075-43-52.068W | FI G 4s | | 4 | Green. | |
| 28735.6 | - Channel Lighted Buoy 14 | 35-12-04.198N 075-43-58.148W | FI R 2.5s | | 4 | Red. | |
| 28736 | - Channel Buoy 15 | 35-12-12.010N 075-43-51.975W | | | | Green can. | |
| 28750 | - Channel Lighted Buoy 16 | 35-12-07.160N 075-43-38.902W | FI R 4s | | 4 | Red. | |
| 28753 | - Channel Lighted Buoy 17 | 35-12-08.004N 075-43-49.544W | Q G | | 4 | Green. | |
| 28755 | - Channel Daybeacon 17A | 35-12-12.985N 075-43-24.850W | | | | SG on pile. | |
| 28757 | - Channel Buoy 17B | 35-12-13.467N 075-43-18.574W | | | | Green can. | |
| 28760 | - Channel Daybeacon 18 | 35-12-15.188N 075-43-13.296W | | | | TR on pile. | |
| 28765 | - CHANNEL LIGHT 19 | 35-12-15.465N 075-43-16.987W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 28765.1 | - Channel Buoy 19A | 35-12-19.039N 075-43-15.414W | | | | Green can. | |
| 28767 | - Channel Daybeacon 20 | 35-12-38.438N 075-43-05.219W | | | | TR on pile. | |
| 28768 | - Channel Buoy 20A | 35-12-42.322N 075-42-59.815W | | | | Red nun. | |
| 28770 | - CHANNEL LIGHT 21 | 35-12-40.209N 075-43-08.904W | Q G | 15 | 4 | SG on pile. | |
| 28775 | - Channel Daybeacon 23 | 35-12-49.000N 075-42-44.000W | | | | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---------------------------------------|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE HATTERAS (Chart 11555) | | | | | | | |
| Hatteras Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 28780 | - Junction Day beacon HF | 35-12-48.091N 075-42-42.221W | | | | JG on pile. | |
| 28785 | - CHANNEL LIGHT 24 | 35-12-45.934N 075-42-45.642W | Q R | 19 | 4 | TR on pile. | |
| 28787 | - Channel Buoy 24A | 35-12-57.497N 075-42-26.132W | | | | Red nun. | |
| 28790 | - CHANNEL LIGHT 25 | 35-13-07.920N 075-42-11.820W | FI G 4s | 19 | 4 | SG on pile. | |
| 28795 | - Channel Day beacon 26 | 35-13-14.160N 075-41-57.060W | | | | TR on pile. | |
| 28800 | - Channel Day beacon 27 | 35-13-20.340N 075-41-48.900W | | | | SG on pile. | |
| 28807 | Hatteras Harbor Day beacon 2 | 35-13-17.819N 075-41-43.606W | | | | TR on pile. | |
| 28810 | HATTERAS HARBOR LIGHT 4 | 35-13-14.430N 075-41-41.010W | FI R 4s | 24 | 4 | TR on multi-pile structure. | |
| Rollinson Channel | | | | | | | |
| 28815 | - LIGHT 30 | 35-13-21.508N 075-41-44.689W | Q R | 15 | 4 | TR on pile. | |
| 28817 | - Day beacon 31 | 35-13-23.700N 075-41-47.640W | | | | SG on pile. | |
| 28820 | - LIGHT 32 | 35-13-48.921N 075-42-05.831W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 28825 | - LIGHT 33 | 35-14-16.980N 075-42-28.020W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 28827 | - Day beacon 33A | 35-14-33.120N 075-42-42.780W | | | | SG on pile. | |
| 28830 | - LIGHT 34 | 35-14-39.000N 075-42-44.640W | FI R 4s | 15 | 4 | TR on pile. | |
| 28835 | - LIGHT 34A | 35-14-56.249N 075-42-59.808W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 28840 | - LIGHT 36 | 35-15-27.720N 075-43-17.382W | FI R 6s | 15 | 4 | TR on pile. | |
| 28845 | - LIGHT 38 | 35-15-56.626N 075-43-37.877W | FI R 4s | 15 | 4 | TR on pile. | |
| 28850 | - LIGHT 39 | 35-16-13.985N 075-43-57.665W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 28855 | Oliver Reef Warning Day beacon | 35-14-58.343N 075-43-10.873W | | | | NW on pile worded DANGER SUBMERGED WRECK. | |
| 28860 | - Day beacon 41 | 35-16-42.317N 075-44-18.539W | | | | SG on pile. | |
| 28865 | - LIGHT 42RC | 35-16-45.627N 075-44-15.279W | FI R 2.5s | 15 | 5 | TR on multi-pile structure. | |
| 28870 | AUSTIN CREEK ENTRANCE CHANNEL LIGHT 1 | 35-12-37.552N 075-42-20.676W | FI G 4s | 15 | 4 | SG on pile. | |
| 28875 | AUSTIN CREEK LIGHT 2 | 35-12-32.843N 075-42-15.476W | FI R 4s | 15 | 4 | TR on pile. | |
| 28880 | Hatteras Fishing Center Day beacon 2 | 35-12-37.631N 075-42-16.580W | | | | TR on pile. | Private aid. |
| 28885 | Hatteras Fishing Center Day beacon 3 | 35-12-37.651N 075-42-15.495W | | | | SG on pile. | Private aid. |
| 28890 | Hatteras Fishing Center Day beacon 4 | 35-12-35.631N 075-42-14.580W | | | | TR on pile. | Private aid. |
| OCRACOKE INLET AND NORTHERN CORE SOUND (Chart 11550) | | | | | | | |
| Ocracoke Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 28895 665 | - Entrance Lighted Whistle Buoy OC | 35-03-28.437N 075-58-17.065W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 28900 | - Buoy 1 | 35-02-55.889N 075-59-47.210W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|------------------------------|---------------------------------|-----------------------|---------------|--------------|-----------------------------|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| OCRACOKE INLET AND NORTHERN CORE SOUND (Chart 11550) | | | | | | | |
| Ocracoke Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 28910 | - Lighted Buoy 3 | 35-03-22.669N 076-00-12.188W | Q G | | 3 | Green. | |
| 28915 | - Lighted Buoy 4 | 35-03-26.329N 075-59-59.820W | FI R 2.5s | | 4 | Red. | |
| 28920 | - Lighted Buoy 6 | 35-03-49.626N 076-00-15.727W | FI R 4s | | 3 | Red. | |
| 28925 | - Buoy 7 | 35-03-50.802N 076-00-25.720W | | | | Green can. | |
| 28927 | - Buoy 8 | 35-04-22.932N 076-01-01.556W | | | | Red nun. | |
| 28930 | - Lighted Buoy 10 | 35-04-32.977N 076-01-00.924W | FI R 4s | | 3 | Red. | |
| Teaches Hole Channel | | | | | | | |
| 28953 | - Lighted Buoy 19 | 35-04-32.426N 076-01-17.242W | FI G 2.5s | | 4 | Green. | |
| 28957 | - Buoy 21 | 35-04-34.683N 076-01-04.353W | | | | Green can. | |
| 28960 | - Buoy 22 | 35-04-37.436N 076-00-56.315W | | | | Red nun. | |
| 28961 | - Buoy 23 | 35-04-41.494N 076-00-59.233W | | | | Green can. | |
| 28962 | - Lighted Buoy 24 | 35-04-40.391N 076-00-38.923W | FI R 2.5s | | 4 | Red. | |
| 28962.2 | - Lighted Buoy 25 | 35-04-45.157N 076-00-18.286W | Q G | | 4 | Green. | |
| 28963 | - Buoy 26 | 35-04-42.966N 076-00-12.931W | | | | Red nun. | |
| 28964 | Teaches Hole Lighted Buoy 27 | 35-04-51.908N 076-00-06.430W | FI G 4s | | 4 | Green. | |
| 28965 | - LIGHT 29 | 35-05-03.641N 075-59-59.337W | FI G 4s | 15 | 4 | SG on pile. | |
| 28967 | - Buoy 29A | 35-05-42.126N 075-59-49.678W | | | | Green can. | |
| 28970 | - LIGHT 30 | 35-05-34.695N 075-59-51.536W | FI R 4s | 15 | 4 | TR on pile. | |
| 28973 | - Buoy 30A | 35-05-38.250N 075-59-52.494W | | | | Green can. | |
| 28975 | - Day beacon 31 | 35-05-50.090N 075-59-42.510W | | | | SG on pile. | |
| 28977 | - Buoy 31A | 35-06-06.936N 075-59-35.781W | | | | Green can. | |
| 28980 | - Day beacon 33 | 35-06-14.750N 075-59-37.478W | | | | SG on pile. | |
| Silver Lake | | | | | | | |
| 28985 | - JUNCTION LIGHT SL | 35-06-37.596N 075-59-30.726W | FI (2+1)R 6s | 15 | 4 | JR on multi-pile structure. | |
| 28990 | - Entrance Day beacon 2 | 35-06-28.662N 075-59-25.098W | | | | TR on pile. | |
| 28995 | - Entrance Day beacon 4 | 35-06-40.134N 075-59-25.260W | | | | TR on pile. | |
| 29010 | - ENTRANCE LIGHT 6 | 35-06-49.977N 075-59-23.149W | Q R | 15 | 4 | TR on pile. | |
| 29015 | - ENTRANCE LIGHT 7 | 35-06-53.310N 075-59-23.868W | Q G | 15 | 4 | SG on pile. | |
| 29020 | - ENTRANCE LIGHT 9 | 35-06-52.200N 075-59-14.574W | FI G 4s | 15 | 4 | SG on pile. | |
| Big Foot Slough Channel | | | | | | | |
| 29025 | - Day beacon 1 | 35-06-29.013N 075-59-42.212W | | | | SG on pile. | |
| 29030 | - LIGHT 3 | 35-06-48.894N 075-59-52.818W | FI G 4s | 15 | 4 | SG on pile. | |
| 29035 | - Day beacon 4 | 35-06-54.150N 075-59-43.152W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| OCRACOKE INLET AND NORTHERN CORE SOUND (Chart 11550) | | | | | | | |
| Ocracoke Inlet | | | | | | | |
| Big Foot Slough Channel | | | | | | | |
| 29040 | - Day beacon 6 | 35-07-17.142N 075-59-55.445W | | | | TR on pile. | |
| 29045 | - LIGHT 8 | 35-07-45.303N 076-00-02.250W | FI R 6s | 15 | 4 | TR on pile. | |
| 29050 | - Day beacon 8A | 35-08-04.145N 076-00-10.567W | | | | TR on pile. | |
| 29055 | - LIGHT 9 | 35-08-18.218N 076-00-18.539W | FI G 4s | 15 | 4 | SG on pile. | |
| 29056 | - LIGHT 9A | 35-08-32.340N 076-00-21.120W | FI G 4s | 15 | 4 | SG on pile. | |
| 29060 | - Day beacon 9B | 35-08-47.220N 076-00-27.838W | | | | SG on pile. | |
| 29061 | - Buoy 9C | 35-08-58.044N 076-00-36.163W | | | | Green can. | |
| 29070 | - Day beacon 10A | 35-08-48.120N 076-00-23.940W | | | | TR on pile. | |
| 29070.1 | - Buoy 10B | 35-08-54.519N 076-00-31.577W | | | | Red nun. | |
| 29070.3 | - Buoy 11 | 35-09-03.191N 076-00-38.950W | | | | Green can. | |
| 29077 | - Day beacon 12 | 35-09-08.838N 076-00-39.370W | | | | TR on pile. | |
| 29080 | - WARNING LIGHT NB Marks LEHIGH wreck. | 35-09-16.955N 076-00-38.463W | FI W 4s | 15 | 5 | NW on multi-pile structure worded DANGER WRECK. | |
| 29083 | - LIGHT 13 | 35-09-20.297N 076-00-47.834W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 29087 | - LIGHT 14BF | 35-09-30.268N 076-00-50.843W | FI R 4s | 15 | 4 | TR on pile. | |
| 29089 | Ocracoke Oyster Sanctuary Buoy AR-298A | 35-10-49.600N 075-59-36.700W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | Private aid. |
| 29089.1 | Ocracoke Oyster Sanctuary Buoy AR-298B | 35-10-31.100N 075-59-36.700W | | | | White can with orange band and diamond worded DANGER SUBMERGED ROCKS. | Private aid. |
| 29089.2 | Ocracoke Oyster Sanctuary Buoy AR-298C | 35-10-31.100N 075-59-58.300W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | Private aid. |
| 29089.3 | Ocracoke Oyster Sanctuary Buoy AR-298D | 35-10-49.600N 075-59-58.400W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | Private aid. |
| Swash Channel | | | | | | | |
| 29090 | - Day beacon 1 | 35-07-29.882N 076-00-10.601W | | | | SG on pile. | |
| 29095 | - Day beacon 2 | 35-07-32.652N 076-00-11.090W | | | | TR on pile. | |
| 29100 | - LIGHT 4 | 35-07-36.276N 076-00-22.530W | FI R 2.5s | 15 | 4 | TR on pile. | |
| Nine Foot Shoal Channel | | | | | | | |
| 29105 | - Day beacon 5 | 35-07-41.389N 076-00-43.204W | | | | SG on pile. | |
| 29110 | - LIGHT 6 | 35-08-01.839N 076-01-01.653W | FI R 4s | 16 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| OCRACOKE INLET AND NORTHERN CORE SOUND (Chart 11550) | | | | | | | |
| Ocracoke Inlet | | | | | | | |
| Nine Foot Shoal Channel | | | | | | | |
| 29113 | - Buoy 7 | 35-08-03.113N 076-01-34.091W | | | | Green can. | |
| 29115 | - Day beacon 8 | 35-08-19.677N 076-02-04.064W | | | | TR on pile. | |
| 29120 | - LIGHT 9 | 35-08-27.074N 076-02-39.881W | FI G 2.5s | 17 | 4 | SG on pile. | |
| BEAUFORT INLET AND CORE SOUND (Chart 11545) | | | | | | | |
| Lookout Bight | | | | | | | |
| 29125 | <i>Cape Lookout Breakwater</i> 710 <i>Lighted Buoy 2</i> | 34-37-06.921N 076-33-45.916W | Q R | | 4 | Red. | |
| 29130 | - <i>Lighted Buoy 4</i> Marks north end of shoal. | 34-38-14.403N 076-33-04.476W | FI R 6s | | 5 | Red. | |
| 29135 | - <i>Lighted Mooring Buoy CG</i> | 34-37-21.766N 076-32-51.693W | FI W 4s | | 4 | White with blue band worded CG. | |
| Barden Inlet | | | | | | | |
| 29140 | - <i>Lighted Buoy 1</i> | 34-37-19.096N 076-32-43.714W | FI G 4s | | 3 | Green. | |
| 29145 | - Buoy 2 | 34-37-08.324N 076-32-30.066W | | | | Red nun. | |
| 29150 | - Buoy 3 | 34-37-06.262N 076-32-04.523W | | | | Green can. | |
| 29160 | - Buoy 4 | 34-37-04.800N 076-32-02.426W | | | | Red nun. | |
| 29165 | - Wreck Buoy WR5 | 34-37-15.398N 076-31-55.268W | | | | Green can. | |
| 29170 | - Buoy 6 | 34-37-16.342N 076-31-50.650W | | | | Red nun. | |
| 29175 | - Buoy 7 | 34-37-24.194N 076-31-49.045W | | | | Green can. | |
| 29180 | - Buoy 8 | 34-37-34.574N 076-31-47.550W | | | | Red nun. | |
| 29185 | - Buoy 9 | 34-37-43.001N 076-31-51.428W | | | | Green can. | |
| 29190 | - Buoy 10 | 34-37-43.733N 076-31-46.475W | | | | Red nun. | |
| 29195 | - Buoy 12 | 34-37-55.239N 076-31-33.809W | | | | Red nun. | |
| 29205 | - Buoy 14 | 34-37-53.393N 076-31-17.686W | | | | Red nun. | |
| 29210 | - Buoy 15 | 34-38-03.057N 076-31-11.205W | | | | Green can. | |
| 29215 | - Buoy 17 | 34-38-21.350N 076-30-59.623W | | | | Green can. | |
| 29220 | - Buoy 18 | 34-38-28.800N 076-30-53.640W | | | | Red nun. | |
| 29225 | - LIGHT 19 | 34-38-34.099N 076-31-00.212W | Q G | 15 | 4 | SG on pile. | |
| 29230 | - Day beacon 20 | 34-38-58.944N 076-31-06.828W | | | | TR on pile. | |
| 29235 | - <i>Lighted Buoy 21</i> | 34-39-10.153N 076-31-11.866W | FI G 4s | | 4 | Green. | |
| 29240 | - Buoy 24 | 34-39-24.675N 076-31-12.190W | | | | Red nun. | |
| 29245 | - LIGHT 26 | 34-39-40.153N 076-31-17.023W | FI R 4s | 15 | 3 | TR on pile. | |
| 29250 | - Buoy 28 | 34-39-49.814N 076-31-24.281W | | | | Red nun. | |
| 29253 | - Buoy 30 | 34-39-54.734N 076-31-28.048W | | | | Red nun. | |
| 29255 | - Warning Daybeacon A | 34-40-01.039N 076-31-21.952W | | | | NW on pile worded DANGER SHOALING. | |
| 29257 | - Buoy 31 | 34-40-03.041N 076-31-24.381W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------------------|---------------------------------|-----------------------|---------------|--------------|---|---|
| NORTH CAROLINA - Fifth District | | | | | | | |
| BEAUFORT INLET AND CORE SOUND (Chart 11545) | | | | | | | |
| Barden Inlet | | | | | | | |
| 29260 | - LIGHT 32 | 34-40-13.498N 076-31-24.929W | FI R 4s | 15 | 4 | TR on pile. | |
| 29263 | - Buoy 33 | 34-40-15.307N 076-31-28.258W | | | | Green can. | |
| 29265 | - Warning Day beacon B | 34-40-30.414N 076-31-29.568W | | | | NW on pile worded DANGER SHOAL. | |
| 29270 | - LIGHT 35 | 34-40-42.366N 076-31-35.427W | FI G 2.5s | 15 | 4 | SG on pile. | |
| Harkers Island East Channel | | | | | | | |
| <i>Aids to navigation located 20 feet outside channel limit.</i> | | | | | | | |
| 29272 | Shell Point Channel Day beacon 1 | 34-41-01.730N 076-31-37.500W | | | | SG on pile. | Private aid. |
| 29273 | Shell Point Channel Day beacon 2 | 34-40-59.940N 076-31-37.500W | | | | TR on pile. | Private aid. |
| 29273.1 | Shell Point Channel Day beacon 3 | 34-41-02.040N 076-31-34.440W | | | | SG on pile. | Private aid. |
| 29273.2 | Shell Point Channel Day beacon 4 | 34-41-00.110N 076-31-33.310W | | | | TR on pile. | Private aid. |
| 29273.3 | Shell Point Channel Day beacon 6 | 34-41-04.026N 076-31-30.770W | | | | TR on pile. | Private aid. |
| 29273.4 | Shell Point Channel Day beacon 7 | 34-41-05.100N 076-31-32.640W | | | | SG on pile. | Private aid. |
| 29275 | - Warning Day beacon A | 34-40-52.590N 076-31-22.746W | | | | NW on pile worded DANGER SHOAL. | |
| 29280 | - Warning Day beacon B | 34-41-06.840N 076-31-11.148W | | | | NW on pile. | |
| 29285 | - Warning Day beacon C | 34-41-25.332N 076-30-52.886W | | | | NW on pile. | |
| 29290 | - Warning Day beacon D | 34-41-41.898N 076-30-38.664W | | | | NW on pile. | |
| 29295 | - Warning Day beacon E | 34-41-57.222N 076-30-31.158W | | | | NW on pile. | |
| 29305 | - Warning Day beacon F | 34-42-31.986N 076-30-13.062W | | | | NW on pile. | |
| 29310 | - Warning Day beacon G | 34-42-47.244N 076-30-04.464W | | | | NW on pile worded DANGER SHOAL. | |
| Back Sound | | | | | | | |
| 29315 | - Lighted Buoy 1 | 34-41-00.851N 076-32-07.420W | FI G 4s | | 4 | Green. | |
| 29320 | - LIGHT 3 | 34-41-19.051N 076-33-48.545W | FI G 2.5s | 15 | 4 | SG on pile. | |
| Middle Marshes | | | | | | | |
| 29325 | - JUNCTION LIGHT MM | 34-41-40.030N 076-35-21.715W | FI (2+1)R 6s | 15 | 4 | JR on pile. | |
| 29326 | - Day beacon 1 | 34-41-29.400N 076-35-47.300W | | | | SG on pile. | |
| 29326.01 | - Day beacon 1A | 34-41-23.017N 076-35-57.044W | | | | SG on pile. | |
| 29326.1 | - Day beacon 3 | 34-41-10.270N 076-36-05.921W | | | | SG on pile. | |
| 29327 | - Day beacon 4 | 34-40-54.192N 076-36-29.412W | | | | TR on pile. | |
| Beaufort Inlet | | | | | | | |
| 29328 720 | - Channel Lighted Whistle Buoy BM | 34-34-49.079N 076-41-33.240W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | RACON: M (- -) AIS: MMSI 993672329 |
| 29329 | - Channel Lighted Buoy 1 | 34-35-56.588N 076-41-20.419W | Q G | | 5 | Green. | |
| 29330 | - Channel Lighted Buoy 2 | 34-35-55.667N 076-41-13.945W | Q R | | 5 | Red. | |
| 29331 | - Channel Lighted Buoy 3 | 34-36-55.503N 076-41-06.319W | FI G 2.5s | | 5 | Green. | |
| 29332 | - Channel Lighted Buoy 4 | 34-36-54.447N 076-40-59.863W | FI R 2.5s | | 4 | Red. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|--------------------------------|---------------|--------------|---|---|
| NORTH CAROLINA - Fifth District | | | | | | | |
| BEAUFORT INLET AND CORE SOUND (Chart 11545) | | | | | | | |
| Beaufort Inlet | | | | | | | |
| 29333 | - Channel Lighted Buoy 5 | 34-37-54.598N 076-40-52.104W | FI G 4s | | 4 | Green. | |
| 29334 | - Channel Lighted Buoy 6 | 34-37-53.377N 076-40-45.752W | FI R 4s | | 4 | Red. | |
| 29335 | - CHANNEL RANGE FRONT LIGHT | 34-41-50.376N 076-39-52.302W | Q G (NIGHT) Q W (DAY) | 20 23 | | On skeleton tower on platform. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around; higher intensity 4.0° either side of rangeline. |
| 29336 | - CHANNEL RANGE WARNING LIGHT A | 34-42-12.642N 076-39-46.943W | FI W 4s | 15 | 4 | NW on multi-pile structure. | |
| 29340 | - CHANNEL RANGE REAR LIGHT 1902 yards, 009.8° from front light. | 34-42-45.746N 076-39-39.013W | F G (NIGHT) F W (DAY) | 71 68 | | Skeleton tower on platform. | Lighted throughout 24 hours. DAY: Visible 0.5° either side of rangeline. NIGHT: Visible 4.0° either side of rangeline. |
| 29341 | - CHANNEL RANGE REAR PASSING LIGHT | 34-42-45.746N 076-39-39.013W | FI W 2.5s | 20 | 5 | On same structure as Beaufort Inlet Channel Range Rear Light. | Marks corner of platform nearest channel. |
| MOREHEAD CITY HARBOR (Chart 11547) | | | | | | | |
| Beaufort Inlet | | | | | | | |
| 29345 | - Channel Lighted Buoy 7 | 34-38-53.364N 076-40-38.093W | Q G | | 5 | Green. | |
| 29350 | - Channel Lighted Buoy 8 | 34-38-52.171N 076-40-31.351W | Q R | | 5 | Red. | |
| 29355 | - Channel Lighted Buoy 9 | 34-39-46.113N 076-40-25.179W | FI G 4s | | 5 | Green. | |
| 29360 | - Channel Lighted Buoy 10 | 34-39-45.042N 076-40-18.821W | FI R 4s | | 4 | Red. | |
| 29370 | - Channel Lighted Buoy 12 | 34-40-28.961N 076-40-08.164W | FI R 2.5s | | 5 | Red. | |
| 29372 | - Channel Lighted Buoy 13 | 34-40-28.738N 076-40-13.329W | FI G 2.5s | | 4 | Green. | |
| 29375 | - Channel Lighted Buoy 14 | 34-40-48.213N 076-40-01.152W | FI R 4s | | 5 | Red. | |
| 29380 | - Channel Lighted Buoy 15 | 34-40-54.819N 076-40-07.177W | FI G 4s | | 5 | Green. | |
| 29387 | - Channel Lighted Buoy 16 | 34-41-06.411N 076-39-57.914W | FI R 2.5s | | 4 | Red. | |
| 29388 | - Channel Lighted Buoy 16A | 34-41-30.168N 076-40-08.032W | FI R 4s | | 5 | Red. | |
| 29390 | - Channel Lighted Buoy 17 | 34-41-08.846N 076-40-04.552W | FI G 2.5s | | 5 | Green. | |
| 29395 | FORT MACON REACH RANGE FRONT LIGHT | 34-42-04.913N 076-40-22.469W | Q W | 23 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around higher intensity 1.5° either side of rangeline. |
| 29400 | FORT MACON REACH RANGE REAR LIGHT 245 yards, 338.8° from front light. | 34-42-11.764N 076-40-25.462W | Iso W 6s | 34 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| BEAUFORT INLET AND SOUTHERN CORE SOUND (Chart 11545) | | | | | | | |
| Shackleford Banks | | | | | | | |
| 29405 | - Rock Jetty Buoy 2 | 34-41-16.375N 076-38-40.726W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|--------------------------------|---------------|--------------|---|--|
| NORTH CAROLINA - Fifth District | | | | | | | |
| BEAUFORT INLET AND SOUTHERN CORE SOUND (Chart 11545) | | | | | | | |
| Shackleford Banks | | | | | | | |
| 29410 | SHACKLEFORD SLUE JUNCTION LIGHT NR | 34-41-29.183N 076-38-02.382W | FI (2+1)R 6s | 15 | 4 | JR on pile. | |
| 29411 | Shacklef ord Slue Channel Buoy 1 | 34-41-20.325N 076-37-53.089W | | | | Green can. | |
| 29413 | Shacklef ord Slue Channel Buoy 3 | 34-40-51.227N 076-37-07.741W | | | | Green can. | |
| 29415 | SHACKLEFORD SLUE LIGHT | 34-40-47.178N 076-36-47.946W | FI W 4s | 15 | 6 | NB on pile. | |
| MOREHEAD CITY HARBOR (Chart 11547) | | | | | | | |
| Morehead City Channel | | | | | | | |
| 29420 | - Lighted Buoy 18 | 34-41-53.221N 076-40-15.086W | FI R 4s | | 5 | Red. | |
| 29425 | - Lighted Buoy 19 | 34-41-46.649N 076-40-19.980W | Q G | | 4 | Green. | |
| 29427 | - Lighted Buoy 20 | 34-42-03.712N 076-40-33.645W | FI (2)R 5s | | 5 | Red. | |
| 29430 | - RANGE FRONT LIGHT | 34-41-27.669N 076-39-43.115W | Q W (NIGHT) Q W (DAY) | 18 21 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 29435 | - RANGE REAR LIGHT 640 yards, 127° from front light. | 34-41-19.321N 076-39-29.741W | F W (NIGHT) F W (DAY) | 43 40 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 29440 | - Lighted Buoy 21 | 34-41-55.108N 076-40-29.917W | FI G 4s | | 4 | Green. | |
| 29445 | - Lighted Buoy 22 | 34-42-15.582N 076-40-53.249W | FI R 4s | | 5 | Red. | |
| 29450 | FORT MACON CREEK WARNING LIGHT | 34-42-00.229N 076-40-59.597W | FI W 2.5s | 15 | 4 | NW on pile. | |
| 29455 | - Lighted Buoy 23 | 34-42-24.261N 076-41-18.893W | FI G 2.5s | | 5 | Green. | |
| 29460 | - Lighted Buoy 24 | 34-42-30.019N 076-41-15.879W | FI R 2.5s | | 5 | Red. | |
| 29465 | - Lighted Buoy 25 | 34-42-39.509N 076-41-39.006W | Q G | | 5 | Green. | |
| 29470 | - Lighted Buoy 27 | 34-42-47.229N 076-41-52.004W | FI G 2.5s | | 4 | Green with yellow square. | |
| 38525 | | | | | | | |
| 29475 | AVIATION FUEL TERMINAL PIER SOUTH LIGHT | 34-42-52.036N 076-41-28.379W | F Y | 17 | | On dolphin at end of pier. | Private aid. |
| 29480 | AVIATION FUEL TERMINAL PIER NORTH LIGHT | 34-42-53.516N 076-41-28.875W | F Y | 17 | | On dolphin at end of pier. | Private aid. |
| NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541) | | | | | | | |
| Bogue Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 29490 | - Entrance Lighted Whistle 730 Buoy Bl | 34-37-34.639N 077-06-06.944W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 29495 | - Lighted Buoy 1 | 34-38-02.775N 077-06-01.036W | FI G 2.5s | | 4 | Green. | |
| 29500 | - Buoy 2 | 34-38-03.834N 077-05-57.968W | | | | Red nun. | |
| 29510 | - Buoy 4 | 34-38-45.628N 077-06-24.827W | | | | Red nun. | |
| 29515 | - Buoy 5 | 34-38-25.261N 077-06-08.204W | | | | Green can. | |
| 29517 | - Buoy 5A | 34-38-36.848N 077-06-21.080W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|----------------------------|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541) | | | | | | | |
| Bogue Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 29520 | - Lighted Buoy 6 | 34-38-50.945N 077-06-30.190W | FI R 2.5s | | 4 | Red. | |
| 29530 | - Buoy 7 | 34-38-52.870N 077-06-30.974W | | | | Green can. | |
| 29535 | - Buoy 8 | 34-38-56.763N 077-06-27.870W | | | | Red nun. | |
| 29536 | - Lighted Buoy 8A | 34-39-03.310N 077-06-20.059W | Q R | | 4 | Red. | |
| 29537 | - Buoy 9 | 34-39-04.004N 077-06-24.777W | | | | Green can. | |
| 29540 | - Buoy 10 | 34-39-08.594N 077-06-07.139W | | | | Red nun. | |
| 29550 | - Buoy 11 | 34-39-17.758N 077-05-55.225W | | | | Green can. | |
| 29552 | - Channel Buoy 11A | 34-39-13.885N 077-06-09.973W | | | | Green can. | |
| 29557 | - Lighted Buoy 13 | 34-39-23.797N 077-05-52.108W | Q G | | 4 | Green. | |
| 29558 | - Buoy 13A | 34-39-33.174N 077-05-53.475W | | | | Green can. | |
| 29559 | - Buoy 14 | 34-39-41.419N 077-05-53.591W | | | | Red nun. | |
| 29559.5 | - Buoy 14A | 34-39-51.532N 077-05-54.221W | | | | Red nun. | |
| 29560 | - Lighted Buoy 15 | 34-39-56.966N 077-05-56.194W | Q G | | 4 | Green. | |
| 29563 | - Buoy 16 | 34-40-01.971N 077-05-53.432W | | | | Red nun. | |
| 29565 | - Buoy 17 | 34-40-12.951N 077-05-46.917W | | | | Green can. | |
| 29584 | - Junction Buoy B | 34-40-20.959N 077-05-38.742W | | | | Green and Red band; can. | |
| Swansboro Harbor | | | | | | | |
| 29590 | - Buoy 2 | 34-41-02.836N 077-07-14.831W | | | | Red nun. | |
| 29595 | - Day beacon 4 | 34-41-04.304N 077-07-10.125W | | | | TR on pile. | |
| Swansboro Coast Guard Channel | | | | | | | |
| 29600 | - Lighted Junction Buoy CG | 34-39-35.792N 077-05-52.474W | FI (2+1)R 6s | | 4 | Red and Green bands. | |
| 29608 | - Buoy 3A | 34-39-34.321N 077-05-44.693W | | | | Green can. | |
| 29609 | - Lighted Buoy 4 | 34-39-24.443N 077-05-46.065W | Q R | | 4 | Red. | |
| 29645 | - LIGHT 5 | 34-39-15.444N 077-05-44.919W | Q G | 15 | 4 | SG on pile. | |
| NEW RIVER (Chart 11542) | | | | | | | |
| New River Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 29650 790 | - Lighted Whistle Buoy NR | 34-31-02.040N 077-19-33.313W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 29720 | - Buoy 10 | 34-31-51.482N 077-20-38.750W | | | | Red nun. | |
| 29725 | - Buoy 11 | 34-32-09.347N 077-20-42.146W | | | | Green can. | |
| 29726 | - Buoy 11A | 34-32-18.603N 077-20-30.320W | | | | Green can. | |
| 29727 | - Buoy 13 | 34-32-38.290N 077-20-31.008W | | | | Green can. | |
| New River | | | | | | | |
| 29735 | - CHANNEL LIGHT 12 | 34-33-06.810N 077-20-57.730W | FI R 4s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| NORTH CAROLINA - Fifth District | | | | | | | |
| NEW RIVER (Chart 11542) | | | | | | | |
| New River | | | | | | | |
| 29737 | - Channel Buoy 12A | 34-33-16.954N 077-21-07.130W | | | | Red nun. | |
| 29740 | - CHANNEL LIGHT 13 35 feet outside channel limit. | 34-33-23.960N 077-21-17.010W | FI G 4s | 15 | 4 | SG on pile. | |
| 29745 | - Channel Day beacon 15 | 34-33-31.043N 077-21-24.492W | | | | SG on pile. | |
| 29750 | - Channel Day beacon 16 | 34-33-40.682N 077-21-32.886W | | | | TR on pile. | |
| 29755 | Traps Bay Warning Day beacon | 34-33-29.986N 077-21-18.612W | | | | NW on pile worded DANGER LIVE FIRE SECTOR, CONSULT NOTICE TO MARINERS. | |
| 29760 | - CHANNEL LIGHT 17 35 feet outside channel limit. | 34-33-57.915N 077-21-54.240W | FI G 4s | 15 | 4 | SG on pile. | |
| 29763 | - Buoy 17A | 34-34-02.974N 077-22-00.818W | | | | Green can. | |
| Courthouse Bay | | | | | | | |
| 29765 | - Buoy 1 | 34-34-43.416N 077-22-32.928W | | | | Green can. | |
| 29770 | - Day beacon 2 | 34-34-48.493N 077-22-32.585W | | | | TR on pile. | |
| 29775 | - Day beacon 3 | 34-34-54.593N 077-22-34.858W | | | | SG on pile. | |
| 29780 | - Buoy 4 | 34-35-02.326N 077-22-31.369W | | | | Red nun. | |
| 29785 | - Day beacon 5 | 34-35-03.685N 077-22-33.735W | | | | SG on pile. | |
| 29790 | - Buoy 7 | 34-35-09.128N 077-22-26.880W | | | | Green can. | |
| New River | | | | | | | |
| 29795 | - Channel Day beacon 18 35 feet outside channel limit. | 34-34-18.421N 077-22-36.252W | | | | TR on pile. | |
| 29800 | - Channel Day beacon 21 20 feet outside channel limit. | 34-34-32.252N 077-23-11.928W | | | | SG on pile. | |
| 29805 | - CHANNEL LIGHT 23 | 34-34-44.793N 077-23-41.026W | Q G | 15 | 4 | SG on pile. | |
| 29810 | - CHANNEL LIGHT 25 | 34-34-30.336N 077-24-21.564W | FI G 4s | 15 | 4 | SG on pile. | |
| 29815 | - CHANNEL LIGHT 27 | 34-34-29.707N 077-24-42.963W | Q G | 15 | 4 | SG on pile. | |
| 29820 | - Channel Day beacon 28 | 34-34-43.504N 077-25-07.842W | | | | TR on pile. | |
| 29825 | - CHANNEL LIGHT 28A | 34-34-52.406N 077-25-07.847W | Q R | 15 | 4 | TR on pile. | |
| 29830 | - Channel Buoy 29 | 34-34-59.414N 077-24-59.440W | | | | Green can. | |
| 29835 | - CHANNEL LIGHT 31 | 34-35-45.188N 077-24-41.081W | FI G 4s | 15 | 4 | SG on pile. | |
| Stones Bay | | | | | | | |
| 29840 | - Warning Day beacon | 34-36-23.556N 077-26-08.043W | | | | NW on pile. | DANGER LIVE FIRING AREA. Aid maintained by U.S. Marine Corps. |
| 29845 | - Warning Day beacon A | 34-36-13.310N 077-24-08.827W | | | | NW on pile. | DANGER LIVE FIRING AREA. Aid maintained by U.S. Marine Corps. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| NORTH CAROLINA - Fifth District | | | | | | | |
| NEW RIVER (Chart 11542) | | | | | | | |
| New River | | | | | | | |
| Stones Bay | | | | | | | |
| 29845.2 | - Warning Day beacon B | 34-36-49.560N 077-26-03.573W | | | | NW on pile. | DANGER LIVE FIRING AREA. Aid maintained by U.S. Marine Corps. |
| 29845.3 | - Warning Day beacon C | 34-36-44.204N 077-26-00.802W | | | | NW on pile. | DANGER LIVE FIRING AREA. Aid maintained by U.S. Marine Corps. |
| 29845.4 | - Warning Day beacon D | 34-36-38.149N 077-26-02.183W | | | | NW on pile. | DANGER LIVE FIRING AREA. Aid maintained by U.S. Marine Corps. |
| 29845.5 | - Warning Day beacon E | 34-36-31.984N 077-26-04.527W | | | | NW on pile. | DANGER LIVE FIRING AREA. Aid maintained by U.S. Marine Corps. |
| 29845.6 | - Warning Day beacon F | 34-36-26.611N 077-26-06.818W | | | | NW on pile. | DANGER LIVE FIRING AREA. Aid maintained by U.S. Marine Corps. |
| New River | | | | | | | |
| 29850 | - Channel Day beacon 33 | 34-36-23.991N 077-23-43.997W | | | | SG on pile. | |
| 29855 | - Channel Day beacon 35 | 34-36-58.110N 077-22-57.229W | | | | SG on pile. | |
| 29860 | - CHANNEL LIGHT 37 | 34-37-40.363N 077-22-02.424W | FI G 4s | 15 | 4 | SG on pile. | |
| 29865 | Grey Point Warning Day beacon | 34-37-40.797N 077-22-04.138W | | | | NW on pile worded DANGER LIVE FIRE SECTOR - CONSULT NOTICE TO MARINERS. | Aid maintained by U.S. Marine Corps. |
| 29870 | - Channel Day beacon 39 | 34-38-36.602N 077-21-57.766W | | | | SG on pile. | |
| 29875 | Spring Point Warning Day beacon | 34-38-36.797N 077-21-58.257W | | | | NW on pile worded DANGER LIVE FIRE SECTOR - CONSULT NOTICE TO MARINERS. | |
| 29880 | - CHANNEL LIGHT 42 | 34-39-35.918N 077-21-55.154W | FI R 4s | 15 | 3 | TR on pile. | |
| 29883 | Town Point Artificial Reef Buoy AR-398A | 34-39-40.300N 077-22-18.000W | | | | White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES. | Aid maintained by State DOT Private aid. |
| 29883.1 | Town Point Artificial Reef Buoy AR-398B | 34-39-31.500N 077-22-18.000W | | | | White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES. | Aid maintained by State DOT Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| NORTH CAROLINA - Fifth District | | | | | | | |
| NEW RIVER (Chart 11542) | | | | | | | |
| New River | | | | | | | |
| 29883.2 | Town Point Artificial Reef Buoy AR-398C | 34-39-31.500N 077-22-36.000W | | | | White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES. | Aid maintained by State DOT Private aid. |
| 29883.3 | Town Point Artificial Reef Buoy AR-398D | 34-39-40.300N 077-22-36.000W | | | | White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES. | Aid maintained by State DOT Private aid. |
| 29885 | - Channel Day beacon 43 | 34-39-58.403N 077-22-37.513W | | | | SG on pile. | |
| 29890 | Farnell Bay Warning Day beacon | 34-39-57.912N 077-22-39.084W | | | | NW on pile worded DANGER LIVE FIRE SECTOR - CONSULT NOTICE TO MARINERS. | |
| 29895 | - CHANNEL LIGHT 46 | 34-40-26.249N 077-23-21.150W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 29900 | WALLACE CREEK LIGHT 2 | 34-40-56.970N 077-22-18.810W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 29905 | Wallace Creek Day beacon 4 | 34-40-45.270N 077-21-50.784W | | | | TR on pile. | |
| 29910 | - Channel Lighted Wreck Buoy WR47 | 34-41-10.911N 077-23-53.046W | Q G | | 3 | Green. | |
| 29915 | - CHANNEL LIGHT 50 | 34-42-11.593N 077-24-13.513W | FI R 4s | 15 | 4 | TR on pile. | |
| 29920 | Morgan Bay Warning Day beacon | 34-42-12.072N 077-24-13.803W | | | | NW on pile worded DANGER LIVE FIRE SECTOR - CONSULT NOTICE TO MARINERS. | |
| 29925 | Southwest Creek Day beacon 1 | 34-42-02.674N 077-25-05.933W | | | | SG on pile. | |
| 29930 | Southwest Creek Day beacon 2 | 34-41-47.881N 077-25-36.881W | | | | TR on pile. | |
| 29935 | - CHANNEL LIGHT 52 | 34-42-54.391N 077-25-06.965W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 29940 | Jacksonville Warning Day beacon | 34-42-54.349N 077-25-06.215W | | | | NW on pile worded DANGER LIVE FIRE SECTOR - CONSULT NOTICE TO MARINERS. | |
| 29955 | - Channel Day beacon 57 | 34-44-17.336N 077-25-56.506W | | | | SG on pile. | |
| 29960 | - Channel Day beacon 60 | 34-44-26.646N 077-26-00.432W | | | | TR on pile. | |
| 29965 | - Channel Day beacon 61 | 34-44-30.030N 077-26-20.232W | | | | SG on pile. | |
| 29968 | - JACKSONVILLE OUTFALL WARNING LIGHT A | 34-45-35.179N 077-26-22.697W | FI W 4s | 6 | | NW on pile worded DANGER SUBMERGED PIPE. | Private aid. |
| 29968.1 | - JACKSONVILLE OUTFALL WARNING LIGHT B | 34-45-34.380N 077-26-23.143W | FI W 6s | 6 | | NW on pile worded DANGER SUBMERGED PIPE. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---------------------------|---------------------------------|-----------------------|---------------|--------------|--|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541) | | | | | | | |
| New Topsail Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 29970 795 | - Lighted Whistle Buoy NT | 34-20-11.677N 077-38-26.749W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark . | |
| 29975 | - Buoy 1 | 34-20-04.534N 077-38-56.378W | | | | Green can. | |
| 29985 | - Buoy 2 | 34-20-08.209N 077-38-51.346W | | | | Red nun. | |
| 29995 | - Buoy 3 | 34-20-21.800N 077-39-01.756W | | | | Green can. | |
| 30000 | - Buoy 4 | 34-20-23.515N 077-38-58.125W | | | | Red nun. | |
| 30010 | - Buoy 5 | 34-20-48.015N 077-39-49.463W | | | | Green can. | |
| 30015 | - Buoy 6 | 34-20-22.703N 077-39-44.039W | | | | Red nun. | |
| 30020 | - Buoy 7 | 34-20-42.552N 077-39-50.559W | | | | Green can. | |
| 30025 | - Buoy 8 | 34-20-49.687N 077-39-35.677W | | | | Red nun. | |
| 30027 | - Buoy 8A | 34-20-30.100N 077-40-09.997W | | | | Red nun. | |
| 30030 | - Buoy 9 | 34-20-29.385N 077-40-12.379W | | | | Green can. | |
| 30035 | - Buoy 10 | 34-20-36.057N 077-40-11.721W | | | | Red nun. | |
| 30037 | - Buoy 11 | 34-20-40.615N 077-40-12.848W | | | | Green can. | |
| 30040 | - Buoy 12 | 34-20-46.010N 077-40-10.013W | | | | Red nun. | |
| 30047 | - Buoy 14 | 34-20-51.673N 077-40-02.681W | | | | Red nun. | |
| Banks Slough Channel | | | | | | | |
| 30048 | - Buoy 2BS | 34-20-38.767N 077-39-51.283W | | | | Red nun. | |
| 30048.02 | - Buoy 3 | 34-20-39.509N 077-39-58.563W | | | | Green can. | |
| 30048.04 | - Buoy 4 | 34-20-46.994N 077-39-44.230W | | | | Red nun. | |
| 30048.06 | - Buoy 5 | 34-20-19.944N 077-39-36.743W | | | | Green can. | |
| 30048.08 | - Buoy 7 | 34-20-55.063N 077-39-33.975W | | | | Green can. | |
| Banks Channel | | | | | | | |
| 30050 | - LIGHT 1 | 34-21-06.324N 077-39-10.452W | FI G 4s | 15 | 4 | SG on pile. | |
| 30055 | - LIGHT 2 | 34-21-13.554N 077-38-52.200W | FI R 4s | 15 | 4 | TR on pile. | |
| 30065 | - Day beacon 3 | 34-21-34.856N 077-38-35.612W | | | | SG on pile. | |
| 30070 | - Day beacon 5 | 34-21-43.118N 077-38-21.036W | | | | SG on pile. | |
| 30075 | - LIGHT 6 | 34-21-48.576N 077-38-07.914W | FI R 4s | 15 | 4 | TR on pile. | |
| 30080 | - LIGHT 7 | 34-22-13.936N 077-37-52.856W | Q G | 15 | 4 | SG on pile. | |
| 30082 | - Buoy 7A | 34-22-21.198N 077-37-37.560W | | | | Green can. | |
| 30085 | - Day beacon 9 | 34-22-29.190N 077-37-22.610W | | | | SG on pile. | |
| 30090 | - Day beacon 9A | 34-22-37.919N 077-37-06.973W | | | | SG on pile. | |
| 30095 | - LIGHT 11 | 34-22-56.283N 077-36-51.665W | FI G 4s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541) | | | | | | | |
| Banks Channel | | | | | | | |
| 30100 | - Day beacon 12 | 34-23-07.705N 077-36-24.348W | | | | TR on pile. | |
| 30105 | - Day beacon 13 | 34-23-22.591N 077-36-08.822W | | | | SG on pile. | |
| 30110 | - Day beacon 14 | 34-23-34.844N 077-35-50.022W | | | | TR on pile. | |
| 30115 | - Day beacon 15 | 34-23-48.962N 077-35-34.680W | | | | SG on pile. | |
| 30120 | - Day beacon 16 | 34-23-57.017N 077-35-18.712W | | | | TR on pile. | |
| 30125 | - LIGHT 18 | 34-24-04.200N 077-35-17.058W | FI R 4s | 15 | 5 | TR on pile. | |
| 30130 | - Day beacon 19 | 34-24-12.840N 077-35-23.700W | | | | SG on pile. | |
| 30135 | - Day beacon 21 | 34-24-22.314N 077-35-36.180W | | | | SG on pile. | |
| 30137 | - Buoy 22 | 34-24-28.531N 077-35-38.862W | | | | Red nun. | |
| 30140 39520 | NEW RIVER TO CAPE FEAR RIVER JUNCTION LIGHT BC | 34-24-37.821N 077-35-41.272W | FI (2+1)G 6s | 15 | 4 | JG-SY on pile. | |
| Old Topsail Creek | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 30140.02 | - Buoy 2 | 34-20-57.007N 077-39-53.985W | | | | Red nun. | |
| 30140.04 | - Buoy 4 | 34-21-02.968N 077-39-43.978W | | | | Red nun. | |
| 30140.05 | - Buoy 5 | 34-21-07.852N 077-39-44.883W | | | | Green can. | |
| 30140.06 | - Buoy 6 | 34-21-12.079N 077-39-45.866W | | | | Red nun. | |
| 30140.07 | - Buoy 6A | 34-21-12.215N 077-39-54.718W | | | | Red nun. | |
| 30140.08 | - Buoy 7 | 34-21-12.415N 077-39-48.784W | | | | Green can. | |
| 30140.09 | - Buoy 8 | 34-21-14.268N 077-40-03.469W | | | | Red nun. | |
| 30140.1 | - Buoy 10 | 34-21-17.959N 077-40-05.431W | | | | Red nun. | |
| 30140.11 | - Buoy 11 | 34-21-20.974N 077-40-07.090W | | | | Green can. | |
| 30140.12 | - Buoy 12 | 34-21-29.819N 077-40-00.442W | | | | Red nun. | |
| 30140.13 | - Buoy 13 | 34-21-32.152N 077-40-05.833W | | | | Green can. | |
| 30140.14 | - Buoy 14 | 34-21-32.289N 077-40-13.400W | | | | Red nun. | |
| 30140.15 | - Buoy 15 | 34-21-30.830N 077-40-17.160W | | | | Green can. | |
| 30140.16 | - Buoy 16 | 34-21-32.971N 077-40-19.320W | | | | Red nun. | |
| 30140.17 | - Buoy 17 | 34-21-33.091N 077-40-21.761W | | | | Green can. | |
| 30140.25 | - Buoy 12A | 34-21-32.369N 077-40-02.666W | | | | Red nun. | |
| Masonboro Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 30145 800 | - Lighted Whistle Buoy A | 34-10-24.235N 077-47-51.065W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 30150 | - Buoy 1 | 34-10-32.940N 077-48-09.640W | | | | Green can. | |
| 30155 | - Lighted Buoy 2 | 34-10-36.590N 077-48-04.050W | FI R 2.5s | | 4 | Red. | |
| 30160 | - Buoy 3 | 34-10-39.189N 077-48-19.965W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|-------------------------------|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541) | | | | | | | |
| Masonboro Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 30165 | - Buoy 4 | 34-10-43.882N 077-48-15.132W | | | | Red nun. | |
| 30170 | - Lighted Buoy 5 | 34-10-52.660N 077-48-38.390W | FI G 2.5s | | 4 | Green. | |
| 30175 | - Lighted Buoy 6 | 34-10-56.665N 077-48-34.661W | FI R 2.5s | | 3 | Red. | |
| 30180 | - Buoy 7 | 34-11-05.534N 077-48-58.525W | | | | Green can. | |
| 30185 | - Lighted Buoy 8 | 34-11-05.508N 077-48-53.114W | Q R | | 4 | Red. | |
| 30190 | SHINN CREEK LIGHT 1 | 34-11-16.580N 077-49-04.723W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 30195 | Shinn Creek Daybeacon 3 | 34-11-26.142N 077-49-17.712W | | | | SG on multi-pile structure. | |
| Wrightsville Channel | | | | | | | |
| <i>Daybeacons located 30 feet outside channel limit.</i> | | | | | | | |
| 30200 | - Junction Buoy WC | 34-11-20.214N 077-49-00.114W | | | | Green and red bands; can. | |
| 30205 | - Buoy 10 | 34-11-16.058N 077-48-51.972W | | | | Red nun. | |
| 30210 | - LIGHT 11 | 34-11-43.848N 077-48-30.933W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 30215 | - Daybeacon 13 | 34-11-54.096N 077-48-21.030W | | | | SG on pile. | |
| 30220 | - Daybeacon 14 | 34-12-17.839N 077-48-09.067W | | | | TR on pile. | |
| 30223 | - LIGHT 15 | 34-12-17.064N 077-48-12.384W | Q G | 15 | 4 | SG on pile. | |
| 30225 | - Daybeacon 16 | 34-12-21.547N 077-48-13.896W | | | | TR on pile. | |
| 30230 | - Daybeacon 18 | 34-12-27.930N 077-48-18.930W | | | | TR on pile. | |
| 30237 | - Lighted Buoy 19 | 34-12-34.592N 077-48-16.255W | Q G | | 4 | Green. | |
| 30243 | - Lighted Buoy 21 | 34-12-38.329N 077-48-18.329W | FI G 2.5s | | 4 | Green. | |
| 30245 | - Daybeacon 23 | 34-12-51.095N 077-48-39.157W | | | | SG on pile. | |
| 30255 | - Daybeacon 25 | 34-12-52.062N 077-48-53.510W | | | | SG on pile. | |
| Carolina Beach Inlet (Chart 11534) | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 30260 | Carolina Beach Inlet Entrance | 34-04-53.957N | Mo (A) W | | 5 | Red and white stripes with red spherical topmark. | |
| 805 | Lighted Whistle Buoy CB | 077-51-11.107W | | | | | |
| 30265 | Carolina Beach Inlet Buoy 1 | 34-04-54.561N 077-51-42.921W | | | | Green can. | |
| 30270 | Carolina Beach Inlet Buoy 2 | 34-04-59.516N 077-51-41.385W | | | | Red nun. | |
| 30275 | Carolina Beach Inlet Buoy 3 | 34-04-55.194N 077-51-54.533W | | | | Green can. | |
| 30280 | Carolina Beach Inlet Buoy 4 | 34-04-56.803N 077-51-59.482W | | | | Red nun. | |
| 30285 | Carolina Beach Inlet Buoy 5 | 34-04-55.346N 077-52-04.898W | | | | Green can. | |
| 30290 | Carolina Beach Inlet Buoy 6 | 34-04-57.300N 077-52-10.751W | | | | Red nun. | |
| 30295 | Carolina Beach Inlet Buoy 7 | 34-04-57.373N 077-52-24.621W | | | | Green can. | |
| 30300 | Carolina Beach Inlet Buoy 8 | 34-04-58.628N 077-52-20.401W | | | | Red nun. | |
| 30303 | Carolina Beach Inlet Buoy 8A | 34-04-56.842N 077-52-32.869W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| NORTH CAROLINA - Fifth District | | | | | | | |
| NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541) | | | | | | | |
| Carolina Beach Inlet (Chart 11534) | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 30305 | Carolina Beach Inlet Buoy 9 | 34-04-53.037N 077-52-35.249W | | | | Green can. | |
| CAPE FEAR RIVER (Chart 11537) | | | | | | | |
| Cape Fear River | | | | | | | |
| <i>Buoys located 50 feet outside channel limit.</i> | | | | | | | |
| 30310 | - ENTRANCE RANGE FRONT LIGHT | 33-52-23.500N 078-01-09.490W | Iso W 2s | 23 | | Skeleton tower on platform. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around, higher intensity 1.5° either side of rangeline. |
| 30312 | - ENTRANCE RANGE REAR LIGHT 2,420 yards, 013.5° from front light. | 33-53-33.073N 078-00-48.161W | Iso W 6s | 101 | | Skeleton tower on platform. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 30313 | - ENTRANCE RANGE REAR PASSING LIGHTS (2) | 33-53-33.073N 078-00-48.161W | FI W 4s | 20 | 4 | On same structure as Cape Fear River Entrance Range Rear Light. | |
| 30316 860 | - Entrance Lighted Whistle Buoy CF | 33-46-16.703N 078-03-01.567W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | RACON: C (- . - .) On channel centerline. AIS: MMSI 993672156. |
| 30318 | - Entrance Channel Lighted Buoy 2 | 33-46-57.746N 078-02-45.524W | Q R | | 5 | Red. | |
| 30319 | - Entrance Channel Lighted Buoy 3 | 33-47-19.212N 078-02-46.284W | FI G 4s | | 5 | Green. | |
| 30320 | - Entrance Channel Lighted Buoy 4 | 33-48-05.749N 078-02-24.718W | FI R 4s | | 5 | Red. | |
| 30325 | - Entrance Channel Lighted Buoy 5 | 33-48-41.371N 078-02-21.924W | FI G 4s | | 5 | Green. | |
| 30330 | BALD HEAD SHOAL CHANNEL RANGE FRONT LIGHT | 33-52-47.462N 078-00-04.571W | Iso W 2s | 15 | | On platform. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 30335 | BALD HEAD SHOAL CHANNEL RANGE REAR LIGHT 442 yards, 041.9° from front light. | 33-52-57.141N 077-59-53.959W | Iso W 6s | 45 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 30336 | BALD HEAD SHOAL CHANNEL RANGE REAR PASSING LIGHTS (2) | 33-52-57.141N 077-59-53.959W | FI W 4s | 15 | 4 | On same structure as Bald Head Shoal Channel Range Rear Light. | Located on corners of platform. |
| 30340 | - Entrance Channel Lighted Buoy 6 | 33-49-16.550N 078-02-02.929W | FI R 4s | | 5 | Red. | |
| 30345 | - Entrance Channel Lighted Buoy 7 Located 100 feet outside channel limit. | 33-49-54.695N 078-01-59.455W | FI G 2.5s | | 5 | Green. | |
| 30350 | - Entrance Channel Lighted Buoy 8 | 33-50-27.429N 078-01-40.545W | FI R 2.5s | | 5 | Red. | |
| 30355 | - Entrance Channel Lighted Buoy 9 | 33-51-16.350N 078-01-37.354W | FI G 2.5s | | 5 | Green. | |
| 30360 | - Entrance Channel Lighted Buoy 10 | 33-51-11.902N 078-01-24.074W | Q R | | 5 | Red. | |
| 30370 | - Entrance Channel Lighted Buoy 11 | 33-51-51.283N 078-01-13.333W | FI G 4s | | 5 | Green. | |
| 30372 | - Entrance Channel Lighted Buoy 12 | 33-51-50.122N 078-01-02.198W | FI R 2.5s | | 4 | Red. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|--|---------------|--------------|--------------------------------|---|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE FEAR RIVER (Chart 11537) | | | | | | | |
| Cape Fear River | | | | | | | |
| <i>Buoys located 50 feet outside channel limit.</i> | | | | | | | |
| 30373 | - Entrance Channel Lighted Buoy 13 | 33-52-20.975N 078-00-40.751W | Q G | | 4 | Green. | |
| 30375 | BALDHEAD ISLAND MARINA JETTY LIGHT 1 | 33-52-40.054N 078-00-06.582W | Q G | 12 | | On concrete wall. | Private aid. |
| 30380 | BALDHEAD ISLAND MARINA JETTY LIGHT 2 | 33-52-39.370N 078-00-07.260W | Q R | 12 | | On concrete wall. | Private aid. |
| 30385 | SMITH ISLAND RANGE FRONT LIGHT | 33-53-36.121N 078-00-17.092W | Iso R 2s | 18 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 30390 | SMITH ISLAND RANGE REAR LIGHT 242 yards, 007.6° from front light. | 33-53-43.228N 078-00-15.857W | F R | 33 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 4.0° either side of rangeline. NIGHT : Visible all around higher intensity 4.0° either side of rangeline. |
| 30395 | - Channel Lighted Buoy 13A | 33-52-50.982N 078-00-30.330W | FI G 4s | | 5 | Green. | |
| 30400 | - Channel Lighted Buoy 15 | 33-53-18.837N 078-00-28.036W | FI G 2.5s | | 4 | Green. | |
| 30405 | SOUTHPORT CHANNEL RANGE FRONT LIGHT | 33-54-25.623N 078-01-22.822W | Q W (NIGHT) Q W (DAY) | 22 19 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 5.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 30410 | SOUTHPORT CHANNEL RANGE REAR LIGHT 1,426 yards 319.5° from front light. | 33-54-59.074N 078-01-55.428W | Iso R 6s (NIGHT) Iso R 6s (DAY) | 42 39 | | On multi-pile structure | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline. |
| Oak Island Channel | | | | | | | |
| 30415 | - LIGHT 1 | 33-54-01.280N 078-01-15.041W | FI G 4s | 15 | 4 | SG on pile. | |
| 30420 | - Day beacon 2 | 33-54-02.977N 078-01-15.263W | | | | TR on pile. | |
| 30425 | - Day beacon 4 | 33-54-02.196N 078-01-21.538W | | | | TR on pile. | |
| 30430 | - Day beacon 5 | 33-53-59.197N 078-01-28.194W | | | | SG on pile. | |
| 30435 | - Day beacon 6 | 33-53-58.990N 078-01-35.618W | | | | TR on pile. | |
| 30440 | - Day beacon 7 | 33-53-56.226N 078-01-43.365W | | | | SG on pile. | |
| 30445 | - LIGHT 8 | 33-53-56.820N 078-01-44.827W | FI R 4s | 15 | 3 | TR on pile | |
| Cape Fear River | | | | | | | |
| <i>Buoys located 50 feet outside channel limit.</i> | | | | | | | |
| 30450 | - Channel Lighted Buoy 16 | 33-54-16.559N 078-01-05.797W | Q R | | 4 | Red. | |
| 30455 40035 | SOUTHPORT LIGHT 1 | 33-54-53.365N 078-01-11.505W | FI G 2.5s | 15 | 4 | SG-SY on multi-pile structure. | |
| 30460 40025 | LOWER SWASH CHANNEL RANGE FRONT LIGHT | 33-55-51.393N 077-59-04.808W | Q W (NIGHT) Q W (DAY) | 23 20 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|------------------------------|---------------|--------------|---|--|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE FEAR RIVER (Chart 11537) | | | | | | | |
| Cape Fear River | | | | | | | |
| <i>Buoys located 50 feet outside channel limit.</i> | | | | | | | |
| 30465 | LOWER SWASH CHANNEL | 33-56-04.202N | Iso W 6s | 45 | | On multi-pile | Lighted throughout 24 hours. |
| 40030 | RANGE REAR LIGHT 767 yards, 055.1° from front light. | 077-58-42.252W | (NIGHT) Iso W 6s (DAY) | 42 | | structure. | DAY : Visible 1.5° either side rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 30470 | - Channel Lighted Buoy 18 | 33-54-41.224N 078-01-01.417W | FI R 4s | | 4 | Red with yellow square. | |
| 30475 | - Channel Lighted Buoy 19 | 33-55-15.740N | FI G 4s | | 4 | Green with yellow triangle. | Marks pile of stone ballast. |
| 40020 | | 078-00-15.664W | | | | | |
| 30477 | - WARNING LIGHT A | 33-55-16.690N | FI W 4s | 7 | | On pile. | Private aid. |
| 40017 | | 077-59-46.330W | | | | | |
| 30480 | - Channel Lighted Buoy 20 | 33-55-29.126N | Q R | | 4 | Red with yellow square. | |
| 40015 | | 077-59-34.960W | | | | | |
| 30485 | SNOWS MARSH CHANNEL | 33-57-40.800N | Iso W 2s | 21 | | On multi-pile | Lighted throughout 24 hours. |
| 39970 | RANGE FRONT LIGHT | 077-56-59.312W | | | | structure. On same structure as Reaves Point Channel Range Front Light. | DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around higher intensity 1.5° either side of rangeline. |
| 30490 | SNOWS MARSH CHANNEL | 33-58-11.631N | Iso W 6s | 55 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. |
| 39975 | RANGE REAR LIGHT 1,495 yards, 045.3° from front light. | 077-56-21.049W | | | | | Visible 1.5° either side of rangeline. |
| 30490.5 | SNOWS MARSH RANGE | 33-58-11.631N | FI W 4s | 15 | 5 | On same structure as Snows Marsh Range Rear Light. | |
| 39976 | REAR PASSING LIGHTS (2) | 077-56-21.049W | | | | | |
| 30491 | FEDERAL POINT RANGE | 33-58-11.509N | FI W 2.5s | 22 | | On multi-pile | Lighted throughout 24 hours. |
| 39966 | FRONT LIGHT | 077-56-49.428W | | | | structure. | DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 30492 | FEDERAL POINT RANGE | 33-57-44.703N | Iso W 6s | 42 | | On multi-pile | Lighted throughout 24 hours. |
| 39967 | REAR LIGHT 966 yards, 338.6° from front light. | 077-56-37.196W | | | | structure. | Visible 1.5° either side of rangeline. |
| 30494 | FEDERAL POINT RANGE | 33-57-44.703N | FI W 4s | 17 | 4 | On same structure as Federal Point Range Rear Light. | Located on corners of platform. |
| 39969 | REAR PASSING LIGHTS (2) | 077-56-37.196W | | | | | |
| Price Creek | | | | | | | |
| 30495 | - SOUTH MOORING | 33-56-00.534N | FI Y 4s | 12 | | On dolphin. | Private aid. |
| 39985 | DOLPHIN LIGHT | 077-59-13.006W | | | | | |
| 30500 | - SOUTH BRESTING | 33-56-02.626N | FI Y 4s | 12 | | On dolphin. | Private aid. |
| 39990 | DOLPHIN LIGHT | 077-59-09.959W | | | | | |
| 30505 | - LOADING PLATFORM | 33-56-03.626N | FI Y 4s | 12 | | On dolphin. | Private aid. |
| 39995 | LIGHTS (2) | 077-59-08.959W | | | | | |
| 30510 | - NORTH BRESTING | 33-56-04.626N | FI Y 4s | 12 | | On dolphin. | Private aid. |
| 40000 | DOLPHIN LIGHT | 077-59-08.459W | | | | | |
| 30515 | - NORTH MOORING | 33-56-07.626N | FI Y 4s | 12 | | On dolphin. | Private aid. |
| 40005 | DOLPHIN LIGHT | 077-59-04.459W | | | | | |
| Cape Fear River | | | | | | | |
| <i>Buoys located 50 feet outside channel limit.</i> | | | | | | | |
| 30520 | - Channel Lighted Buoy 22 | 33-56-13.061N | FI R 4s | | 4 | Red with yellow square. | |
| 40010 | | 077-58-43.999W | | | | | |
| 30525 | - Channel Lighted Buoy 23 | 33-56-45.814N | FI G 4s | | 4 | Green with yellow triangle. | |
| 39980 | | 077-58-11.524W | | | | | |
| 30530 | - Channel Lighted Buoy 25 | 33-57-14.805N | Q G | | 4 | Green with yellow triangle. | |
| 39965 | | 077-57-35.797W | | | | | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|--|---------------|--------------|--|--|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE FEAR RIVER (Chart 11537) | | | | | | | |
| Cape Fear River | | | | | | | |
| <i>Buoys located 50 feet outside channel limit.</i> | | | | | | | |
| 30531 39965.1 | - Channel Lighted Buoy 25A | 33-57-31.363N 077-57-21.930W | Q G | | 4 | Green with yellow triangle. | |
| 30535 39950 | HORSESHOE SHOAL CHANNEL RANGE FRONT LIGHT | 33-56-34.584N 077-57-48.841W | Q W | 15 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 4.0° either side of rangeline. NIGHT : Visible all around; higher intensity 4.0° either of rangeline. |
| 30540 39955 | HORSESHOE SHOAL CHANNEL RANGE REAR LIGHT 1475 yards, 203.8° from front light. | 33-55-54.516N 077-58-09.984W | Iso W 6s | 44 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 30541 | HORSESHOE SHOAL CHANNEL RANGE REAR PASSING LIGHTS (2) | 33-55-54.516N 077-58-09.984W | FI W 4s | 15 | 4 | On same structure as Horseshoe Channel Range Rear Light. | Located on corners of platform. |
| 30545 39960 | - Channel Lighted Buoy 26 | 33-57-33.625N 077-57-11.954W | FI R 4s | | 4 | Red with yellow square. | |
| 30550 39945 | - Channel Lighted Buoy 27 | 33-58-16.120N 077-56-59.736W | Q G | | 4 | Green with yellow triangle. | |
| 30553 | LOWER MIDNIGHT CHANNEL SOUTH RANGE FRONT LIGHT | 33-58-09.328N 077-57-10.089W | Q W (NIGHT) Q W (DAY) | 17 19 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 0.5° either side rangeline. NIGHT : Visible all around; higher intensity 4.0° either side of rangeline. |
| 30554 | LOWER MIDNIGHT CHANNEL SOUTH RANGE REAR LIGHT 965 yards, 193.9° from front light. | 33-57-41.603N 077-57-18.686W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 46 44 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 4.0° degrees either side of rangeline. |
| 30554.1 | LOWER MIDNIGHT CHANNEL SOUTH RANGE REAR PASSING LIGHTS (2) | 33-57-41.603N 077-57-18.686W | FI W 4s | 15 | 4 | Located on same structure as Lower Midnight Channel South Range Rear Light. | |
| 30555 39935 | REAVES POINT CHANNEL RANGE FRONT LIGHT | 33-57-40.832N 077-56-59.309W | Iso W 2s | 21 | | On multi-pile structure. On same structure as Snows Marsh Channel Range Front Light. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 30560 39940 | REAVES POINT CHANNEL RANGE REAR LIGHT 1,180 yards, 184.7° from front light. | 33-57-05.983N 077-57-03.214W | Iso W 6s | 40 | | On multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 30560.5 39941 | REAVES POINT CHANNEL RANGE REAR PASSING LIGHTS (2) | 33-57-05.983N 077-57-03.214W | FI W 4s | 15 | 4 | On same structure as Reaves Point Channel Range Rear Light. | Located on corners of platform. |
| Sunny Point Terminal Warning Boundary | | | | | | | |
| 30561.1 | - LIGHT A | 33-58-44.893N 077-57-09.588W | FI Y 4s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30561.2 | - LIGHT B | 33-59-00.497N 077-57-06.458W | FI Y 2.5s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30561.3 | - LIGHT C | 33-59-10.737N 077-56-58.171W | FI Y 4s | 15 | | NW on pile. | Aid maintained by U.S. Army. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--------------------------------|---|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE FEAR RIVER (Chart 11537) | | | | | | | |
| Sunny Point Terminal Warning Boundary | | | | | | | |
| 30561.4 | - LIGHT D | 33-59-24.222N 077-56-53.956W | FI Y 2.5s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30561.5 | - LIGHT E | 33-59-37.977N 077-56-50.498W | FI Y 4s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30561.6 | - LIGHT F | 33-59-49.413N 077-56-46.562W | FI Y 2.5s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30561.7 | - LIGHT G | 34-00-03.772N 077-56-40.186W | FI Y 4s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30561.8 | - LIGHT H | 34-00-18.571N 077-56-36.840W | FI Y 2.5s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30561.9 | - LIGHT I | 34-00-33.210N 077-56-35.895W | FI Y 4s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| Sunny Point Terminal South Entrance | | | | | | | |
| <i>Lights located 50 feet outside dredged channel limit.</i> | | | | | | | |
| 30562 | SUNNY POINT TERMINAL ENTRANCE RANGE FRONT LIGHT | 33-59-38.024N 077-57-28.901W | FI G 2.5s | 90 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| Sunny Point Terminal Warning Boundary | | | | | | | |
| 30562.1 | - LIGHT J | 34-00-48.139N 077-56-35.456W | FI Y 2.5s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30562.2 | - LIGHT K | 34-01-03.178N 077-56-34.500W | FI Y 4s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30562.3 | - LIGHT L | 34-01-18.204N 077-56-34.445W | FI Y 2.5s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30562.4 | - LIGHT M | 34-01-24.534N 077-56-34.349W | FI Y 4s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30562.5 | - LIGHT N | 34-01-36.773N 077-56-37.357W | FI Y 2.5s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| 30562.6 | - LIGHT O | 34-01-47.322N 077-56-28.858W | FI Y 4s | 15 | | NW on pile. | Aid maintained by U.S. Army. |
| Sunny Point Terminal South Entrance | | | | | | | |
| <i>Lights located 50 feet outside dredged channel limit.</i> | | | | | | | |
| 30563 | SUNNY POINT TERMINAL ENTRANCE RANGE REAR LIGHT 417 yards 338.4° from front light. | 33-59-49.581N 077-57-34.176W | Iso G 6s | 110 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 30565 | - <i>Lighted Buoy 1S</i> | 33-58-39.326N 077-57-05.331W | FI G 2.5s | | 4 | Green. | |
| 30570 | - <i>Lighted Buoy 2S</i> | 33-58-41.847N 077-56-59.541W | FI R 4s | | 4 | Red. | |
| 30575 | - LIGHT 5S | 33-59-08.713N 077-57-18.493W | Q G | 15 | 4 | SG on multi-pile structure. | |
| 30577 | - LIGHT 6S | 33-59-10.773N 077-57-12.881W | FI R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 30580 | - <i>Lighted Buoy 7S</i> | 33-59-51.465N 077-57-14.155W | Q G | | 4 | Green. | |
| 30586 | - <i>Lighted Buoy 9S</i> | 34-00-00.603N 077-57-12.852W | FI G 2.5s | | 4 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|------------------------------|---------------|--------------|--|--|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE FEAR RIVER (Chart 11537) | | | | | | | |
| Sunny Point Terminal South Entrance | | | | | | | |
| <i>Lights located 50 feet outside dredged channel limit.</i> | | | | | | | |
| 30588 | - Lighted Buoy 10S | 33-59-59.484N 077-57-06.781W | FI R 2.5s | | 4 | Red. | |
| Sunny Point Terminal Central Channel | | | | | | | |
| 30603 | - LIGHT 11 | 34-00-45.732N 077-57-10.088W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 30605 | - LIGHT 12 | 34-00-40.670N 077-57-06.327W | FI R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 30610 | - LIGHT 14 | 34-00-58.567N 077-56-56.124W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 30615 | - LIGHT 16 | 34-01-03.366N 077-56-49.309W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| Cape Fear River | | | | | | | |
| <i>Buoys located 50 feet outside channel limit.</i> | | | | | | | |
| 30635 | - Channel Lighted Buoy 28 | 33-59-13.444N 077-56-46.053W | Q R | | 4 | Red with yellow square. | |
| 39930 | | | | | | | |
| 30640 | LOWER MIDNIGHT | 34-00-59.298N | Q W | 21 | | On skeleton tower | Lighted throughout 24 hours. |
| 39915 | CHANNEL NORTH RANGE FRONT LIGHT | 077-56-17.359W | (NIGHT) Q W (DAY) | 19 | | on multi-pile structure. | DAY : Visible 1.5 degrees either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 30645 | LOWER MIDNIGHT | 34-01-22.280N | Iso W 6s | 46 | | On skeleton tower | Lighted throughout 24 hours. |
| 39920 | CHANNEL NORTH RANGE REAR LIGHT 800 yards, 013.9° from front light. | 077-56-10.224W | (NIGHT) Iso W 6s (DAY) | 44 | | on multi-pile structure. | DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30645.1 | LOWER MIDNIGHT | 34-01-22.280N | FI W 4s | 15 | 3 | Located on same structure as Lower | |
| 39920.1 | CHANNEL NORTH RANGE REAR PASSING LIGHTS (2) | 077-56-10.224W | | | | Midnight Channel North Range Rear Light. | |
| 30650 | - Channel Lighted Buoy 29 | 33-59-24.766N 077-56-50.999W | FI G 4s | | 5 | Green with yellow triangle. | |
| 39925 | | | | | | | |
| 30665 | - Channel Lighted Buoy 30 | 34-00-08.279N 077-56-29.048W | FI R 4s | | 4 | Red with yellow square. | |
| 39910 | | | | | | | |
| 30667 | UPPER MIDNIGHT CHANNEL | 34-00-07.881N | FI R 2.5s | 21 | | Skeleton tower on | Lighted throughout 24 hours. |
| 30912 | SOUTH RANGE FRONT LIGHT | 077-56-23.391W | | | | multi-pile structure. | DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 30669 | UPPER MIDNIGHT CHANNEL | 33-59-54.330N | Iso R 6s | 46 | | Skeleton tower on | Lighted throughout 24 hours. |
| 30914 | SOUTH RANGE REAR LIGHT 833 yards, 178.9° from front light. | 077-56-23.254W | | | | multi-pile structure. | Visible 1.5° either side of rangeline. |
| 30669.1 | UPPER MIDNIGHT CHANNEL | 33-59-54.330N | FI W 4s | 15 | 4 | Located on same structure as Upper | Located on corners of platform. |
| 30914.1 | SOUTH RANGE REAR PASSING LIGHTS (2) | 077-56-23.254W | | | | Midnight Channel South Range Rear Light. | |
| 30670 | - Channel Lighted Buoy 31 | 34-00-38.329N 077-56-28.140W | Q G | | 4 | Green with yellow triangle. | |
| 39905 | | | | | | | |
| 30675 | UPPER MIDNIGHT CHANNEL | 34-03-22.878N | Q W | 17 | | Skeleton tower on | Lighted throughout 24 hours. |
| 39890 | NORTH RANGE FRONT LIGHT | 077-56-25.370W | (NIGHT) Q W (DAY) | 19 | | multi-pile structure. | DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|--|---------------|--------------|---|--|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE FEAR RIVER (Chart 11537) | | | | | | | |
| Cape Fear River | | | | | | | |
| <i>Buoys located 50 feet outside channel limit.</i> | | | | | | | |
| 30680 39895 | UPPER MIDNIGHT CHANNEL NORTH RANGE REAR LIGHT 877 yards, 358.6° from front light. | 34-03-48.913N 077-56-25.636W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 51 49 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline. |
| 30680.1 39895.1 | UPPER MIDNIGHT CHANNEL NORTH RANGE REAR PASSING LIGHTS (2) | 34-03-48.913N 077-56-25.636W | FI W 4s | 15 | 4 | Located on same structure as Upper Midnight Channel Range Rear Light. | |
| 30685 39900 | - Channel Lighted Buoy 33 | 34-01-23.696N 077-56-28.319W | FI G 2.5s | | 4 | Green with yellow triangle. | |
| 30690 39880 | NEW RIVER - CAPE FEAR RIVER LIGHT 177 | 34-01-47.266N 077-56-10.822W | FI G 4s | 16 | 4 | SG-SY on pile. | |
| 30695 39885 | - Channel Lighted Buoy 35 | 34-02-03.218N 077-56-28.755W | FI G 4s | | 4 | Green. | |
| 30700 | - Channel Lighted Buoy 36 | 34-02-15.363N 077-56-20.399W | FI R 4s | | 4 | Red. | |
| 30705 | - Channel Lighted Buoy 38 | 34-02-54.400N 077-56-21.180W | Q R | | 4 | Red. | |
| 30710 | LOWER LILIPUT RANGE FRONT LIGHT | 34-05-12.820N 077-55-48.432W | Q W (NIGHT) Q W (DAY) | 19 22 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around; higher intensity 10° either side of rangeline. |
| 30715 | LOWER LILIPUT RANGE REAR LIGHT 1,112 yards, 011.8° from front light. | 34-05-45.038N 077-55-39.879W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 44 41 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible 10° either side of rangeline. |
| 30717 | LOWER LILIPUT RANGE REAR PASSING LIGHTS (2) | 34-05-45.038N 077-55-39.879W | FI W 4s | 15 | 3 | On multi-pile structure. On same structure as Lower Liliput Range Rear Light. | Located on corners of platform. |
| 30720 | - Channel Lighted Buoy 39 | 34-03-48.220N 077-56-14.953W | FI G 4s | | 4 | Green. | |
| 30725 | - Channel Lighted Buoy 40 | 34-04-11.070N 077-56-00.610W | FI R 4s | | 4 | Red. | |
| 30726 | - Channel Lighted Buoy 40A | 34-04-56.479N 077-55-56.872W | FI R 2.5s | | 4 | Red. | |
| 30730 | - Channel Lighted Buoy 41 | 34-04-42.827N 077-56-02.065W | Q G | | 4 | Green. | |
| 30735 | UPPER LILIPUT RANGE FRONT LIGHT | 34-04-12.615N 077-55-53.429W | Q W | 15 | | On multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 30740 | UPPER LILIPUT RANGE REAR LIGHT 1,400 yards, 173° from front light. | 34-03-31.373N 077-55-47.377W | Iso W 6s | 40 | | On multi-pile structure. | Lighted throughout 24 hours; visible 1.5° either side of rangeline. |
| 30743 | UPPER LILIPUT RANGE REAR PASSING LIGHTS (2) | 34-03-31.373N 077-55-47.377W | FI W 4s | 15 | 4 | On multi-pile structure. On same structure as Upper Liliput Range Rear Light. | Located on corners of platform. |
| 30745 | - Channel Lighted Buoy 42 | 34-05-24.372N 077-56-00.979W | FI R 4s | | 4 | Red. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|--|---------------|--------------|--|---|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE FEAR RIVER (Chart 11537) | | | | | | | |
| Cape Fear River | | | | | | | |
| <i>Buoys located 50 feet outside channel limit.</i> | | | | | | | |
| 30750 | - Channel Lighted Buoy 44 | 34-06-16.699N 077-56-08.520W | Q R | | 4 | Red. | |
| 30755 | KEG ISLAND RANGE FRONT LIGHT | 34-07-47.269N 077-56-05.384W | Q W (NIGHT) Q W (DAY) | 22 19 | | On multi-pile structure. Same structure as Big Island Upper South Range Front Light. | Lighted throughout 24 hours. DAY : Visible 4.0° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 30760 | KEG ISLAND RANGE REAR LIGHT 622 yards, 002.7° from front light. | 34-08-05.721N 077-56-04.109W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 38 35 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 4° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30765 | - Channel Lighted Buoy 46 | 34-06-51.536N 077-56-06.278W | FI R 4s | | 4 | Red. | |
| 30770 | - Channel Lighted Buoy 47 | 34-07-20.933N 077-56-10.178W | FI G 4s | | 4 | Green. | |
| 30775 | BIG ISLAND LOWER SOUTH RANGE FRONT LIGHT | 34-07-26.371N 077-56-02.152W | Q W (NIGHT) Q W (DAY) | 32 29 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 5.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30780 | BIG ISLAND LOWER SOUTH RANGE REAR LIGHT 300 yards, 151.2° from front light. | 34-07-18.525N 077-55-57.090W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 37 34 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 5.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30783 | BIG ISLAND LOWER NORTH RANGE FRONT LIGHT | 34-08-20.555N 077-56-37.124W | FI G 2.5s | | 16 | On multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30784 | BIG ISLAND LOWER NORTH RANGE REAR LIGHT 166 yards, 331.2° from front light. | 34-08-24.906N 077-56-39.934W | Oc G 4s | | 30 | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30785 | - Channel Lighted Buoy 49 | 34-07-42.324N 077-56-16.095W | FI G 2.5s | | 4 | Green. | |
| 30790 | - Channel Lighted Buoy 51 | 34-08-00.808N 077-56-28.192W | Q G | | 4 | Green. | |
| 30793 | LOWER BRUNSWICK SOUTH RANGE FRONT LIGHT | 34-08-12.774N 077-56-47.019W | Q W (NIGHT) Q W (DAY) | 21 19 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 4.0° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 30794 | LOWER BRUNSWICK SOUTH RANGE REAR LIGHT 267 yards, 153.2° from front light. | 34-08-05.708N 077-56-42.737W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 41 39 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|--|---------------|--------------|---|---|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE FEAR RIVER (Chart 11537) | | | | | | | |
| Cape Fear River | | | | | | | |
| <i>Buoys located 50 feet outside channel limit.</i> | | | | | | | |
| 30794.1 | LOWER BRUNSWICK SOUTH RANGE REAR PASSING LIGHTS (2) | 34-08-05.708N 077-56-42.737W | FI W 4s | 15 | 3 | On same structure as Lower Brunswick South Range Rear Light. | |
| 30795 | - Channel Lighted Buoy 52 | 34-08-08.812N 077-56-26.561W | FI R 4s | | 4 | Red. | |
| 30796 | BIG ISLAND UPPER NORTH RANGE FRONT LIGHT | 34-08-41.043N 077-57-11.460W | Iso G 2s | 17 | | On multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30797 | BIG ISLAND UPPER NORTH RANGE REAR LIGHT 101 yards, 313.8° from front light. | 34-08-43.146N 077-57-14.041W | Iso G 6s | 28 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30800 | BIG ISLAND UPPER SOUTH RANGE FRONT LIGHT | 34-07-47.269N 077-56-05.384W | Q W (NIGHT) Q W (DAY) | 18 15 | | On multi-pile structure. On same structure as Keg Island Channel Range Front light. | Lighted throughout 24 hours. DAY: Visible 5.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30805 | BIG ISLAND UPPER SOUTH RANGE REAR LIGHT 400 yards, 133.8° from front light. | 34-07-38.968N 077-55-55.184W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 33 30 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 4.0° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30810 | - Channel Lighted Buoy 54 | 34-08-22.709N 077-56-43.417W | FI R 2.5s | | 4 | Red. | |
| 30815 | - Channel Lighted Buoy 55 | 34-08-24.027N 077-56-56.746W | FI G 4s | | 4 | Green. | |
| 30820 | LOWER BRUNSWICK NORTH RANGE FRONT LIGHT | 34-09-46.388N 077-57-43.735W | Q W | 22 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible on 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30825 | LOWER BRUNSWICK NORTH RANGE REAR LIGHT 288 yards, 332.6° from front light. | 34-09-54.022N 077-57-48.365W | Iso W 6s | 34 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30830 | - Channel Lighted Buoy 56 | 34-08-34.209N 077-56-56.739W | FI R 4s | | 4 | Red. | |
| Watermark Marina | | | | | | | |
| 30832 | - Day beacon 1 | 34-09-28.224N 077-56-45.302W | | | | SG on pile. | Private aid. |
| 30832.1 | - Day beacon 2 | 34-09-27.345N 077-56-42.954W | | | | TR on pile. | Private aid. |
| 30832.2 | - Day beacon 3 | 34-09-29.545N 077-56-42.786W | | | | SG on pile. | Private aid. |
| 30832.3 | - Day beacon 4 | 34-09-28.938N 077-56-42.002W | | | | TR on pile. | Private aid. |
| 30832.4 | - Day beacon 5 | 34-09-30.739N 077-56-41.448W | | | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE FEAR RIVER (Chart 11537) | | | | | | | |
| Watermark Marina | | | | | | | |
| 30832.5 | - Day beacon 6 | 34-09-30.133N 077-56-40.664W | | | | TR on pile. | Private aid. |
| 30832.6 | - Day beacon 7 | 34-09-31.934N 077-56-40.110W | | | | SG on pile. | Private aid. |
| 30832.7 | - Day beacon 8 | 34-09-31.327N 077-56-39.326W | | | | TR on pile. | Private aid. |
| Cape Fear River | | | | | | | |
| <i>Buoys located 50 feet outside channel limit.</i> | | | | | | | |
| 30835 | - Channel Lighted Buoy 57 | 34-09-17.418N 077-57-29.352W | FI G 4s | | 4 | Green. | |
| 30836 | - Channel Lighted Buoy 57A | 34-09-41.134N 077-57-42.547W | Q G | | 4 | Green. | |
| 30840 | - Channel Lighted Buoy 58 | 34-09-30.996N 077-57-31.050W | Q R | | 4 | Red. | |
| 30841 | - Channel Lighted Buoy 58A | 34-09-51.936N 077-57-34.434W | FI R 4s | | 4 | Red. | |
| 30845 | UPPER BRUNSWICK RANGE FRONT LIGHT | 34-11-07.785N 077-57-19.834W | Q R | 40 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 0.5° either side of rangeline. NIGHT : Visible all around; higher intensity 0.5° either side of rangeline. |
| 30850 | UPPER BRUNSWICK RANGE REAR LIGHT 350 yards, 011.4° from front light. | 34-11-18.294N 077-57-17.296W | Iso R 6s | 60 | | On skeleton tower. | Lighted throughout 24 hours. Visible 0.5° either side of rangeline. |
| 30855 | - Lighted Buoy 59 | 34-10-23.988N 077-57-34.462W | FI G 4s | | 4 | Green. | |
| 30860 | EXXON PIER LIGHT A | 34-10-37.114N 077-57-23.957W | F Y | | | On pier. | Private aid. |
| Wilmington Marine Center | | | | | | | |
| 30880 | - Day beacon 1 | 34-10-21.644N 077-57-24.757W | | | | SG on pile. | Private aid. |
| 30885 | - Day beacon 2 | 34-10-19.554N 077-57-25.657W | | | | TR on pile. | Private aid. |
| 30890 | - Day beacon 3 | 34-10-20.884N 077-57-16.977W | | | | SG on pile. | Private aid. |
| 30895 | - Day beacon 4 | 34-10-18.674N 077-57-14.457W | | | | TR on pile. | Private aid. |
| 30900 | - Day beacon 5 | 34-10-20.204N 077-57-12.007W | | | | SG on pile. | Private aid. |
| 30905 | - Day beacon 6 | 34-10-17.774N 077-57-12.017W | | | | TR on pile. | Private aid. |
| 30910 | - Day beacon 7 | 34-10-17.424N 077-57-09.027W | | | | SG on pile. | Private aid. |
| 30910.5 | - Day beacon 8 | 34-10-17.220N 077-57-07.560W | | | | TR on pile. | Private aid. |
| 30911 | - Day beacon 9 | 34-10-13.800N 077-57-05.640W | | | | SG on pile. | Private aid. |
| 30911.5 | - Day beacon 10 | 34-10-13.320N 077-57-04.260W | | | | TR on pile. | Private aid. |
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| CAPE FEAR RIVER (Chart 11537) | | | | | | | |
| Cape Fear River | | | | | | | |
| 30912 30667 | UPPER MIDNIGHT CHANNEL SOUTH RANGE FRONT LIGHT | 34-00-07.881N 077-56-23.391W | FI R 2.5s | 21 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|--|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| CAPE FEAR RIVER (Chart 11537) | | | | | | | |
| Cape Fear River | | | | | | | |
| 30914 | UPPER MIDNIGHT CHANNEL | 33-59-54.330N | Iso R 6s | 46 | | Skeleton tower on multi-pile structure | Lighted throughout 24 hours. |
| 30669 | SOUTH RANGE REAR LIGHT 833 yards, 178.9° from front light. | 077-56-23.254W | | | | | Visible 1.5° either side of rangeline. |
| 30914.1 | UPPER MIDNIGHT CHANNEL | 33-59-54.330N | Fl W 4s | 15 | 4 | Located on same structure as Upper Midnight Channel South Range Rear Light. | Located on corners of platform. |
| 30669.1 | SOUTH RANGE REAR PASSING LIGHTS (2) | 077-56-23.254W | | | | | |
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE FEAR RIVER (Chart 11537) | | | | | | | |
| Cape Fear River | | | | | | | |
| <i>Buoys located 50 feet outside channel limit.</i> | | | | | | | |
| 30925 | FOURTH EAST JETTY RANGE FRONT LIGHT | 34-09-56.585N 077-57-33.244W | Q W | 13 | | On multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30930 | FOURTH EAST JETTY RANGE REAR LIGHT 1,137 yards, 183.5° from front light. | 34-09-22.935N 077-57-36.132W | Iso W 6s | 36 | | On multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline only. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline. |
| 30935 | - Channel Lighted Buoy 61 | 34-11-36.764N 077-57-27.590W | Fl G 4s | | 4 | Green. | |
| 30940 | - TURNING BASIN LIGHT A | 34-12-28.272N 077-57-34.482W | Fl W 2.5s | 15 | 5 | NR on pile. | |
| 30945 | PEAKTANK PIER LIGHT | 34-12-36.012N 077-57-17.458W | Fl Y 2.5s | 15 | | On post on A-frame on pier. | Private aid. |
| 30950 | - TURNING BASIN LIGHT B | 34-12-52.000N 077-57-29.100W | Fl W 4s | 15 | 4 | NR on multi-pile structure. | |
| 30955 | - CHANNEL LIGHT 63 | 34-14-07.044N 077-57-06.049W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 30960 | - JUNCTION LIGHT A | 34-14-26.437N 077-57-17.358W | Fl (2+1)G 6s | 15 | 3 | JG on multi-pile structure. | |
| Northeast Cape Fear River | | | | | | | |
| <i>Daybeacons located 50 feet outside channel limit.</i> | | | | | | | |
| 30970 | - Turning Basin Lighted Buoy | 34-14-48.480N 077-57-19.212W | Fl W 4s | | 4 | White and orange. | |
| 30975 | - LIGHT 1 | 34-15-44.716N 077-57-02.443W | Fl G 2.5s | 15 | 4 | SG on pile. | |
| 30980 | - LIGHT 2 | 34-15-51.776N 077-57-00.025W | Fl R 4s | 15 | 4 | TR on multi-pile structure. | |
| 30985 | - LIGHT 4 | 34-15-59.654N 077-57-01.500W | Fl R 2.5s | 15 | 4 | TR on pile. | |
| 30990 | - LIGHT 6 | 34-16-20.052N 077-57-02.010W | Fl R 4s | 15 | 4 | TR on pile. | |
| 30995 | - Daybeacon 8 | 34-16-23.640N 077-56-56.370W | | | | TR on pile. | |
| 31000 | - Daybeacon 10 | 34-16-29.900N 077-56-56.556W | | | | TR on pile. | |
| 31002 | PCS NITROGEN PIER LIGHT A | 34-16-35.000N 077-57-06.000W | F Y | 10 | | On north end of pier. | Private aid. |
| 31002.1 | PCS NITROGEN PIER LIGHT B | 34-16-34.000N 077-57-06.000W | F W | 10 | | On south end of pier. | Private aid. |
| MYRTLE GROVE SOUND TO CASINO CREEK (Chart 11534) | | | | | | | |
| Lockwoods Folly Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 31010 | - Lighted Buoy 1 | 33-54-24.050N 078-14-30.057W | Fl G 4s | | 6 | Green. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---------------------------|---------------------------------|-----------------------|---------------|--------------|---|---|
| NORTH CAROLINA - Fifth District | | | | | | | |
| MYRTLE GROVE SOUND TO CASINO CREEK (Chart 11534) | | | | | | | |
| Lockwoods Folly Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 31015 | - Lighted Buoy 2 | 33-54-22.371N 078-14-24.691W | FI R 4s | | 6 | Red. | |
| 31020 | - Buoy 3 | 33-54-35.080N 078-14-25.661W | | | | Green can. | |
| 31025 | - Buoy 4 | 33-54-39.760N 078-14-22.059W | | | | Red nun. | |
| 31027 | - Buoy 5 | 33-54-48.809N 078-14-19.832W | | | | Green can. | |
| 31030 | - Buoy 6 | 33-54-54.483N 078-14-14.671W | | | | Red nun. | |
| 31035 | - Buoy 7 | 33-54-58.672N 078-14-16.711W | | | | Green can. | |
| 31040 | - Buoy 8 | 33-55-02.723N 078-14-14.090W | | | | Red nun. | |
| 31045 | - Buoy 10 | 33-55-06.920N 078-14-12.987W | | | | Red nun. | |
| 31047 | - Buoy 12 | 33-55-11.775N 078-14-13.222W | | | | Red nun. | |
| Shallotte Inlet | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions</i> | | | | | | | |
| 31050 870 | - Lighted Whistle Buoy SH | 33-52-58.266N 078-22-53.870W | Mo (A) W | | 6 | Red and white stripes with red spherical topmark. | |
| 31055 | - Buoy 1 | 33-53-45.400N 078-23-06.600W | | | | Green can. | Aid maintained by State DOT Private aid. |
| 31060 | - Buoy 2 | 33-53-42.500N 078-23-05.300W | | | | Red nun. | Aid maintained by State DOT Private aid. |
| 31065 | - Buoy 3 | 33-53-48.800N 078-23-00.300W | | | | Green can. | Aid maintained by State DOT Private aid. |
| 31070 | - Buoy 4 | 33-53-46.900N 078-22-57.200W | | | | Red nun. | Aid maintained by State DOT Private aid. |
| 31080 | - Buoy 6 | 33-53-50.700N 078-22-50.200W | | | | Red nun. | Aid maintained by State DOT Private aid. |
| 31082 | - Buoy 7 | 33-53-56.500N 078-22-50.200W | | | | Green can. | Aid maintained by State DOT Private aid. |
| 31085 | - Buoy 8 | 33-53-57.500N 078-22-44.100W | | | | Red nun. | Aid maintained by State DOT Private aid. |
| 31087 | - Buoy 9 | 33-54-03.300N 078-22-49.800W | | | | Green can. | Aid maintained by State DOT Private aid. |
| 31090 | - Buoy 11 | 33-54-12.300N 078-22-51.500W | | | | Green can. | Aid maintained by State DOT Private aid. |
| Calabash Creek | | | | | | | |
| 31115 | - Day beacon 2 | 33-52-15.879N 078-34-14.219W | | | | TR on pile. | |
| 31120 | - Day beacon 3 | 33-52-25.458N 078-34-14.286W | | | | SG on pile. | |
| 31125 | - LIGHT 4 | 33-52-33.416N 078-34-20.304W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 31130 | - Day beacon 6 | 33-52-44.910N 078-34-16.320W | | | | TR on pile. | |
| 31135 | - Day beacon 7 | 33-52-50.484N 078-34-12.606W | | | | SG on pile. | |
| 31140 | - Day beacon 8 | 33-52-55.655N 078-34-08.409W | | | | TR on pile. | |
| 31145 | - Day beacon 9 | 33-53-00.066N 078-34-04.968W | | | | SG on pile. | |
| 31150 | - LIGHT 10 | 33-53-06.467N 078-33-57.619W | FI R 4s | 15 | 4 | TR on pile. | |
| 31155 | - Day beacon 12 | 33-53-07.926N 078-33-50.772W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------------------|---------------------------------|-----------------------|---------------|--------------|-----------------------------|---|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE HENRY TO PAMLICO SOUND (Chart 12205) | | | | | | | |
| Currituck Sound | | | | | | | |
| 31160 | MONKEY TAIL SHOAL LIGHT 1 | 36-23-57.882N 075-52-13.416W | FI G 4s | 15 | 4 | SG on pile. | |
| 31165 | WATERLILY LIGHT 1W | 36-22-46.266N 075-55-01.542W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 31170 | WHALE HEAD BAY LIGHT 1 | 36-21-52.926N 075-50-56.820W | FI G 4s | 15 | 4 | SG on pile. | |
| 31175 | WHALE HEAD BAY LIGHT 2 | 36-22-17.670N 075-50-10.578W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| North Carolina Power | | | | | | | |
| 31180 | - Cable Warning Day beacon A | 36-23-40.569N 075-49-37.703W | | | | NW on pile. | Private aid. |
| 31185 | - Cable Warning Day beacon B | 36-23-54.570N 075-49-05.702W | | | | NW on pile. | Private aid. |
| 31190 | - Cable Warning Day beacon C | 36-24-03.570N 075-48-32.701W | | | | NW on pile. | Private aid. |
| 31195 | - Cable Warning Day beacon D | 36-24-19.570N 075-47-55.699W | | | | NW on pile. | Private aid. |
| 31200 | - Cable Warning Day beacon E | 36-24-31.570N 075-47-20.698W | | | | NW on pile. | Private aid. |
| 31205 | - Cable Warning Day beacon F | 36-24-42.570N 075-46-36.696W | | | | NW on pile. | Private aid. |
| 31210 | - Cable Warning Day beacon G | 36-24-56.570N 075-46-11.695W | | | | NW on pile. | Private aid. |
| 31215 | - Cable Warning Day beacon H | 36-25-05.570N 075-45-40.694W | | | | NW on pile. | Private aid. |
| Currituck Sound | | | | | | | |
| 31220 | POPLAR BRANCH LIGHT 1 | 36-17-13.524N 075-52-56.946W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 31225 | LONE OAK CHANNEL LIGHT 1 | 36-17-37.116N 075-51-28.278W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 31230 | WELLS CREEK LIGHT 1 | 36-17-13.230N 075-49-37.896W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 31235 | BEASLEY BAY LIGHT 2 | 36-17-16.398N 075-48-41.952W | FI R 4s | 15 | 4 | TR on pile. | |
| 31240 | - LIGHT 1 | 36-02-37.320N 075-45-31.414W | FI G 6s | 15 | 4 | SG on pile. | |
| 31240.2 | KITTY HAWK LANDING LIGHT 1KHL | 36-03-25.620N 075-44-29.280W | FI G 10s | 11 | | SG on multi-pile structure. | Private aid. |
| 31240.4 | KITTY HAWK LANDING LIGHT 2KHL | 36-03-24.840N 075-44-29.640W | FI R 10s | 11 | | TR on multi-pile structure. | Private aid. |
| 31241.2 | - RESEARCH PLATFORM C | 36-15-30.370N 075-50-51.870W | FI Y 4s | 16 | | NY on multi-pile structure. | Aid maintained by U.S. Army Corps of Engineers. |
| 31245 | CURRITUCK FERRY TERMINAL LIGHT 2 | 36-27-18.790N 075-59-33.103W | Q R | 15 | 4 | TR on pile. | |
| 31250 | CURRITUCK FERRY TERMINAL LIGHT 3 | 36-26-59.495N 076-00-29.670W | FI G 4s | 16 | 4 | SG on pile. | |
| 31255 | KNOTTS ISLAND FERRY TERMINAL LIGHT 2 | 36-27-59.297N 075-57-38.997W | Q R | 15 | 4 | TR on pile. | |
| 31260 | KNOTTS ISLAND FERRY TERMINAL LIGHT 4 | 36-28-25.354N 075-56-43.817W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 31265 | KNOTTS ISLAND FERRY TERMINAL LIGHT 6 | 36-28-50.646N 075-55-49.857W | FI R 4s | 15 | 4 | TR on pile. | |
| Southern Shores | | | | | | | |
| 31270 | - Day beacon 1 | 36-07-49.569N 076-45-00.815W | | | | SG on pile. | Private aid. |
| 31275 | - Day beacon 2 | 36-07-44.569N 076-45-04.815W | | | | TR on pile. | Private aid. |
| 31280 | - Day beacon 3 | 36-07-48.589N 075-45-56.664W | | | | SG on pile. | Private aid. |
| 31285 | - Day beacon 4 | 36-07-42.590N 075-44-58.660W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE HENRY TO PAMLICO SOUND (Chart 12205) | | | | | | | |
| Currituck Sound | | | | | | | |
| Southern Shores | | | | | | | |
| 31290 | - Day beacon 5 | 36-07-45.591N 075-44-48.660W | | | | SG on pile. | Private aid. |
| 31291 | - Day beacon 5A | 36-07-48.000N 075-44-48.000W | | | | SG on pile. | Private aid. |
| 31295 | - Day beacon 6 | 36-07-41.590N 075-44-56.660W | | | | TR on pile. | Private aid. |
| 31300 | - Day beacon 7 | 36-07-43.591N 075-44-48.660W | | | | SG on pile. | Private aid. |
| 31305 | - Junction Day beacon JG | 36-07-45.590N 075-44-55.660W | | | | JR on pile. | Private aid. |
| 31310 | - Day beacon 9 | 36-07-45.591N 075-44-48.660W | | | | SG on pile. | Private aid. |
| 31315 | - Day beacon 10 | 36-07-38.591N 075-44-49.659W | | | | TR on pile. | Private aid. |
| 31320 | - Day beacon 11 | 36-07-38.591N 075-44-39.659W | | | | SG on pile. | Private aid. |
| 31325 | - Day beacon 12 | 36-07-39.591N 075-44-40.659W | | | | TR on pile. | Private aid. |
| Albemarle Sound | | | | | | | |
| Kitty Hawk Bay | | | | | | | |
| 31330 | - LIGHT 2KH | 36-01-10.675N 075-45-36.142W | FI R 4s | 15 | 5 | TR on pile. | |
| 31335 | - Day beacon 3 | 36-02-11.307N 075-43-48.599W | | | | SG on pile. | |
| 31340 | - Day beacon 4 | 36-02-54.039N 075-42-34.613W | | | | TR on pile. | |
| 31345 | - Day beacon 6 | 36-03-04.491N 075-42-16.343W | | | | TR on pile. | |
| Albemarle Sound | | | | | | | |
| 31350 | Colington Harbor Entrance Day beacon 3 | 36-01-04.397N 075-43-42.841W | | | | SG on pile. | Private aid. |
| 31355 | MIDDLE GROUND LIGHT MG | 36-00-10.932N 075-48-33.120W | Iso W 6s | 15 | 8 | NR on multi-pile structure. | Higher intensity beams toward Albemarle Sound Light, North Point, Colington Island, and Croaton Channel. |
| 31360 | Durant Island Day beacon 1D | 36-00-27.615N 075-51-59.207W | | | | SG on multi-pile structure. | |
| 31365 | Powells Point Day beacon 2PP | 36-02-59.636N 075-50-17.511W | | | | TR on pile. | |
| 31370 | Powells Point Day beacon 4PP | 36-06-32.784N 075-52-24.739W | | | | TR on pile. | |
| 31375 | Durant Island Day beacon 3D | 36-00-10.125N 075-55-17.579W | | | | SG on multi-pile structure. | |
| NORFOLK TO ALBEMARLE SOUND (Chart 12206) | | | | | | | |
| Albemarle Sound | | | | | | | |
| Pasquotank River | | | | | | | |
| 31390 37045 | - Entrance Light PR On east part of shoal off point. | 36-09-22.711N 075-58-38.453W | FI W 2.5s | 23 | 12 | NB on multi-pile structure. 20 | |
| 31393 37047 | - Warning Day beacon A | 36-09-22.519N 075-58-40.004W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | |
| 31395 37040 | - SLUE LIGHT 1PR | 36-09-01.184N 076-01-15.420W | FI G 4s | 15 | 5 | SG-TY on pile. | |
| 31400 37035 | - LIGHT 2 | 36-11-03.207N 076-01-37.058W | FI R 4s | 15 | 4 | TR-SY on pile. | |
| 31405 37030 | PASQUATANK RIVER WRECK LIGHT WR3 | 36-12-10.531N 076-04-03.902W | Q G | 17 | 4 | SG-TY on pile. | |
| 31410 37025 | - LIGHT 4 | 36-13-57.142N 076-05-18.008W | FI R 4s | 15 | 4 | TR-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|-------------------------------|---------------------------------|-----------------------|---------------|--------------|--|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| NORFOLK TO ALBEMARLE SOUND (Chart 12206) | | | | | | | |
| Albemarle Sound | | | | | | | |
| Pasquotank River | | | | | | | |
| 31415 37020 | - LIGHT 5 | 36-15-15.120N 076-07-41.748W | Q G | 16 | 5 | SG-TY on pile. | |
| Whitehall Shores | | | | | | | |
| 31416 | - CHANNEL LIGHT 1 | 36-17-06.566N 076-08-34.748W | FI G 2.5s | 12 | | SG on pile. | Private aid. |
| 31416.5 | - Channel Day beacon 2 | 36-17-06.566N 076-08-31.748W | | | | TR on pile. | Private aid. |
| 31419.6 | - West Channel Day beacon 1 | 36-17-20.566N 076-09-10.750W | | | | SG on pile. | Private aid. |
| Pasquotank River | | | | | | | |
| 31420 37005 | - LIGHT 5A | 36-16-02.685N 076-09-06.179W | FI G 4s | 15 | 4 | SG-TY on pile. | |
| 31425 37010 | Coast Guard Base Day beacon 1 | 36-16-16.174N 076-10-38.997W | | | | SG on pile. | |
| 31430 37015 | COAST GUARD BASE LIGHT 2 | 36-16-16.421N 076-10-39.475W | FI R 4s | 15 | 4 | TR on pile. | |
| 31435 37000 | - LIGHT 7 | 36-17-20.406N 076-11-19.248W | Q G | 18 | 4 | SG-TY on pile. | |
| 31440 36995 | - Day beacon 8 | 36-17-55.317N 076-12-59.734W | | | | TR-SY on pile. | |
| 31445 36990 | - LIGHT 9 | 36-18-21.164N 076-12-11.205W | FI G 4s | 16 | 4 | SG-TY on slatted pile structure. | |
| 31450 36985 | - Day beacon 11 | 36-20-39.358N 076-13-04.230W | | | | SG-TY on pile. | |
| 31455 36980 | - Day beacon 13 | 36-20-45.588N 076-13-27.197W | | | | SG-TY on pile. | |
| 31460 36975 | - Day beacon 15 | 36-21-16.881N 076-13-37.611W | | | | SG-TY on pile. | |
| 31465 36970 | - Day beacon 16 | 36-21-32.748N 076-13-40.653W | | | | TR-SY on pile. | |
| 31470 36965 | - Day beacon 17 | 36-21-37.671N 076-13-48.457W | | | | SG-TY on pile. | |
| 31475 36960 | - Day beacon 18 | 36-21-43.607N 076-13-48.441W | | | | TR-SY on pile. | |
| 31480 36955 | - Day beacon 19 | 36-22-18.393N 076-13-53.007W | | | | SG-TY on pile. | |
| CAPE HENRY TO PAMLICO SOUND (Chart 12205) | | | | | | | |
| Albemarle Sound | | | | | | | |
| 31485 | - LIGHT 1AS | 36-02-39.555N 076-04-30.203W | FI G 4s | 16 | 6 | SG on pile. | |
| 31490 | - Warning Day beacon A | 36-02-22.000N 076-07-30.000W | | | | NW on pile worded DANGER BOMBING AREA. | |
| 31491 | - Warning Day beacon B | 36-02-00.000N 076-09-32.000W | | | | NW on pile worded DANGER BOMBING AREA. | |
| 31493 | - Warning Day beacon D | 36-01-20.131N 076-14-32.407W | | | | NW on pile worded DANGER BOMBING AREA. | |
| 31494 | - Warning Day beacon E | 36-01-04.998N 076-17-17.985W | | | | NW on pile worded DANGER BOMBING AREA. | |
| 31495 | - WARNING LIGHT F | 36-00-43.000N 076-19-21.000W | FI W 4s | 15 | 5 | NW on pile worded DANGER BOMBING AREA. | |
| 31496 | - Warning Day beacon G | 35-59-37.988N 076-19-19.978W | | | | NW on pile worded DANGER BOMBING AREA. | |
| 31497 | - Warning Day beacon H | 35-59-41.000N 076-16-30.000W | | | | NW on pile worded DANGER BOMBING AREA. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE HENRY TO PAMLICO SOUND (Chart 12205) | | | | | | | |
| Albemarle Sound | | | | | | | |
| 31498 | - Warning Day beacon I | 35-59-50.084N 076-13-17.268W | | | | NW on pile worded DANGER BOMBING AREA. | |
| 31500 | - Warning Day beacon J | 35-59-32.066N 076-13-16.860W | | | | NW on pile worded DANGER BOMBING AREA. | |
| 31501 | - Warning Day beacon K | 36-00-09.897N 076-07-12.259W | | | | NW on pile worded DANGER BOMBING AREA. | |
| 31502 | - Warning Day beacon L | 36-00-15.000N 076-04-26.000W | | | | NW on pile worded DANGER BOMBING AREA. | |
| 31505 | Little River Entrance Day beacon 1L | 36-05-49.377N 076-10-18.851W | | | | SG on pile. | |
| Perquimans River | | | | | | | |
| 31510 | - ENTRANCE LIGHT 2P | 36-04-31.454N 076-12-55.114W | FI R 2.5s | 15 | 5 | TR on pile. | |
| 31515 | - Entrance Day beacon 3P | 36-04-52.950N 076-17-33.095W | | | | SG on pile. | |
| 31520 | - LIGHT 5 | 36-06-08.249N 076-17-46.030W | FI G 4s | 15 | 6 | SG on pile. | |
| 31525 | - Day beacon 7 | 36-07-30.347N 076-20-40.485W | | | | SG on pile. | |
| 31530 | - LIGHT 8 | 36-08-08.660N 076-22-25.008W | FI R 4s | 15 | 5 | TR on pile. | |
| 31535 | - Day beacon 9 | 36-11-39.077N 076-27-43.979W | | | | SG on pile. | |
| 31540 | - Day beacon 11 | 36-11-41.639N 076-27-50.849W | | | | SG on pile. | |
| Albemarle Plantation Marina | | | | | | | |
| 31545 | - LIGHT 1 | 36-03-56.000N 076-24-02.000W | FI G 2.5s | 15 | | SG on dolphin. | Private aid. |
| 31550 | - Day beacon 3 | 36-04-02.000N 076-24-00.000W | | | | SG on pile. | Private aid. |
| 31555 | - Day beacon 4 | 36-04-02.000N 076-24-02.000W | | | | TR on pile. | Private aid. |
| 31560 | - LIGHT 5 | 36-04-08.000N 076-24-02.000W | FI G 4s | 15 | | SG on pile. | Private aid. |
| 31565 | - LIGHT 6 | 36-04-30.500N 076-24-21.000W | Q R | 8 | | TR on pile. | Private aid. |
| 31570 | - Day beacon 8 | 36-04-37.000N 076-24-24.000W | | | | TR on pile. | Private aid. |
| Bull Bay | | | | | | | |
| 31575 | - Warning Day beacon 800 feet, 090° from wreck. | 35-57-50.672N 076-21-42.974W | | | | NW on pile worded DANGER SUBMERGED WRECK. | |
| 31580 | - Day beacon 2BB | 35-56-42.474N 076-21-59.292W | | | | TR on pile. | |
| Scuppernong River | | | | | | | |
| 31585 | - CHANNEL LIGHT 1SR | 35-56-58.167N 076-19-36.375W | FI G 4s | 15 | 5 | SG on multi-pile structure. | |
| 31590 | - Channel Day beacon 2 | 35-56-48.060N 076-19-28.980W | | | | TR on pile. | |
| 31595 | - Channel Day beacon 2A | 35-56-38.940N 076-19-16.860W | | | | TR on pile. | |
| 31600 | - CHANNEL LIGHT 3 | 35-56-27.781N 076-18-52.520W | FI G 4s | 15 | 4 | SG on pile. | |
| 31605 | - CHANNEL LIGHT 4 | 35-55-46.770N 076-17-11.435W | FI R 4s | 15 | 4 | TR on pile. | |
| 31610 | - Channel Day beacon 5 | 35-55-30.292N 076-16-52.473W | | | | SG on pile. | |
| 31615 | - CHANNEL LIGHT 7 | 35-55-14.374N 076-16-46.647W | Q G | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|---------------------------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE HENRY TO PAMLICO SOUND (Chart 12205) | | | | | | | |
| Albemarle Sound | | | | | | | |
| Scuppernong River | | | | | | | |
| 31620 | - Channel Day beacon 8 | 35-55-19.380N 076-16-11.160W | | | | TR on pile. | |
| 31625 | - CHANNEL LIGHT 10 | 35-55-24.858N 076-15-45.454W | FI R 2.5s | 15 | 3 | TR on pile. | |
| 31626 | TOWN OF COLUMBIA (WWTP DIFFUSER) WARNING LIGHT A | 35-55-17.530N 076-15-29.290W | FI W 4s | | | NW on pile. | Private aid. |
| Harvey Point | | | | | | | |
| 31627 | - WARNING LIGHT A | 36-04-32.052N 076-17-23.100W | FI W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.01 | - WARNING LIGHT B | 36-04-10.884N 076-17-12.696W | FI W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.02 | - WARNING LIGHT C | 36-03-35.280N 076-16-56.604W | FI W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.03 | - WARNING LIGHT D | 36-03-06.000N 076-16-43.000W | FI W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.04 | - WARNING LIGHT E | 36-02-54.744N 076-17-31.452W | FI W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.05 | - WARNING LIGHT F | 36-02-45.816N 076-18-05.256W | FI W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.06 | - WARNING LIGHT G | 36-02-34.476N 076-18-45.468W | FI W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.07 | - WARNING LIGHT H | 36-02-36.888N 076-20-02.220W | FI W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.08 | - WARNING LIGHT J | 36-02-56.832N 076-20-40.956W | FI W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.09 | - WARNING LIGHT K | 36-03-15.840N 076-21-18.828W | FI W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.1 | - WARNING LIGHT L | 36-03-30.182N 076-21-44.401W | FI W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.2 | - WARNING LIGHT M | 36-03-51.192N 076-21-30.060W | FI W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.3 | - WARNING LIGHT N | 36-04-22.906N 076-21-08.316W | FI W 4s | 15 | 4 | NW on pile worded DANGER RESTRICTED AREA. | Maintained by Dept. of Defense. |
| 31627.4 | - WARNING LIGHT P | 36-07-03.000N 076-20-37.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31627.5 | - WARNING LIGHT Q | 36-06-52.000N 076-20-26.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31627.6 | - WARNING LIGHT R | 36-06-45.000N 076-20-14.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|------------------------------|--|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE HENRY TO PAMLICO SOUND (Chart 12205) | | | | | | | |
| Albemarle Sound | | | | | | | |
| Harvey Point | | | | | | | |
| 31627.7 | - WARNING LIGHT S | 36-06-35.000N 076-20-03.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31627.8 | - WARNING LIGHT T | 36-06-29.000N 076-19-49.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31627.9 | - Warning Daybeacon U | 36-06-23.000N 076-19-35.000W | | | | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628 | - Warning Daybeacon V | 36-06-18.000N 076-19-19.000W | | | | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.01 | - Warning Daybeacon W | 36-06-14.000N 076-19-03.000W | | | | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.02 | - WARNING LIGHT X | 36-06-10.000N 076-18-48.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.03 | - WARNING LIGHT Y | 36-06-10.000N 076-18-32.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.04 | - WARNING LIGHT Z | 36-06-10.000N 076-18-17.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.05 | - WARNING LIGHT AA | 36-06-01.000N 076-18-05.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.06 | - WARNING LIGHT BB | 36-05-48.000N 076-18-05.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.07 | - WARNING LIGHT CC | 36-05-36.000N 076-18-08.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.08 | - WARNING LIGHT DD | 36-05-26.000N 076-18-15.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.09 | - WARNING LIGHT EE | 36-05-19.000N 076-18-28.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.1 | - WARNING LIGHT FF | 36-05-12.000N 076-18-41.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.2 | - WARNING LIGHT GG | 36-05-07.000N 076-18-54.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.3 | - WARNING LIGHT HH | 36-05-00.000N 076-19-07.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.4 | - WARNING LIGHT JJ | 36-04-59.000N 076-19-21.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.5 | - WARNING LIGHT KK | 36-04-57.000N 076-19-37.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.6 | - Warning Daybeacon LL | 36-04-55.000N 076-19-52.000W | | | | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.7 | - Warning Daybeacon MM | 36-04-58.000N 076-20-08.000W | | | | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.8 | - WARNING LIGHT NN | 36-05-01.000N 076-20-23.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31628.9 | - WARNING LIGHT PP | 36-05-00.000N 076-20-39.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. |
| 31629 | - WARNING LIGHT QQ | 36-04-59.000N 076-20-51.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. Aid maintained by U.S. Navy. |
| 31629.01 | - WARNING LIGHT RR | 36-05-00.000N 076-21-52.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. Aid maintained by U.S. Navy. |
| 31629.02 | - WARNING LIGHT SS | 36-04-55.000N 076-22-06.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. Aid maintained by U.S. Navy. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE HENRY TO PAMLICO SOUND (Chart 12205) | | | | | | | |
| Albemarle Sound | | | | | | | |
| Harvey Point | | | | | | | |
| 31629.03 | - WARNING LIGHT TT | 36-04-57.000N 076-22-21.000W | FI W 4s | 10 | 1 | NW on pile worded DANGER. | Maintained by Dept. of Defense. Aid maintained by U.S. Navy. |
| Albemarle Sound | | | | | | | |
| 31630 | - LIGHT 2AS | 36-02-20.307N 076-19-32.860W | Q R | 15 | 5 | TR on multi-pile structure. | |
| 31632 | - Day beacon 4AS | 36-03-29.112N 076-22-44.127W | | | | TR on pile. | |
| 31635 | - LIGHT 5AS | 36-00-06.489N 076-23-32.421W | FI G 4s | 48 | 5 | SG on skeleton tower. | |
| 31640 | Laurel Point Warning Day beacon C | 35-59-31.665N 076-24-07.875W | | | | NW on pile worded DANGER OBSTRUCTION. | |
| 31645 | - LIGHT 6AS | 36-00-43.995N 076-27-11.194W | FI R 4s | 15 | 5 | TR on pile. | |
| 31650 | - LIGHT 8AS | 35-59-10.650N 076-35-14.880W | FI R 4s | 20 | 5 | TR on multi-pile structure. | Higher intensity beam toward 089°. |
| 31655 | - LIGHT 9AS | 35-59-04.492N 076-35-19.348W | FI G 4s | 20 | 5 | SG on multi-pile structure. | |
| 31660 | KENDRICK CREEK CHANNEL ENTRANCE LIGHT 1KC 10 feet outside channel limit. | 35-56-33.308N 076-36-42.444W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 31665 | Kendrick Creek Channel Day beacon 2 | 35-56-32.764N 076-36-43.741W | | | | TR on pile. | |
| 31667 | Albemarle Beach Outfall Warning Buoy OP | 35-56-11.580N 076-38-29.340W | | | | White and orange can worded OP. | Private aid. |
| Roanoke River | | | | | | | |
| <i>Aids located 15 feet outside channel limit.</i> | | | | | | | |
| 31670 | - CHANNEL ENTRANCE LIGHT 1RR | 35-57-17.885N 076-39-30.890W | FI G 4s | 15 | 5 | SG on multi-pile structure. | |
| 31675 | - Channel Day beacon 2 | 35-57-07.635N 076-40-17.291W | | | | TR on pile. | |
| 31680 | - CHANNEL LIGHT 3 | 35-56-48.954N 076-41-00.569W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 31685 | - Channel Day beacon 5 | 35-56-42.442N 076-41-30.851W | | | | SG on pile. | |
| 31690 | - CHANNEL LIGHT 6 | 35-56-43.807N 076-41-34.731W | Q R | 15 | 4 | TR on pile. | |
| 31695 | - Channel Day beacon 8 | 35-56-35.889N 076-41-44.124W | | | | TR on pile. | |
| 31700 | - CHANNEL LIGHT 10 | 35-56-27.183N 076-41-47.302W | FI R 4s | 15 | 4 | TR on pile. | |
| 31705 | - CHANNEL LIGHT 11 | 35-56-14.893N 076-41-46.398W | FI G 4s | 15 | 4 | SG on pile. | |
| 31710 | - Channel Day beacon 12 | 35-55-50.867N 076-41-57.342W | | | | TR on pile. | |
| 31715 | - CHANNEL LIGHT 13 | 35-55-24.442N 076-42-07.683W | FI G 4s | 15 | 4 | SG on pile. | |
| 31720 | - CHANNEL LIGHT 14 | 35-55-26.811N 076-42-39.872W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 31725 | - CHANNEL LIGHT 15 | 35-55-08.385N 076-43-07.051W | FI G 4s | 15 | 4 | SG on pile. | |
| 31730 | - Channel Day beacon 16 | 35-54-43.095N 076-43-31.394W | | | | TR on pile. | |
| 31733 | - MCRWASA LIGHT A | 35-51-43.420N 077-02-40.540W | F W | | | NW on pile worded DANGER SUBMERGED PIPE. | Private aid. |
| 31735 | - CHANNEL LIGHT 17 | 35-52-42.104N 076-44-16.179W | FI G 2.5s | 15 | 4 | SG on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|---|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE HENRY TO PAMLICO SOUND (Chart 12205) | | | | | | | |
| Albemarle Sound | | | | | | | |
| Roanoke River | | | | | | | |
| <i>Aids located 15 feet outside channel limit.</i> | | | | | | | |
| 31736 | SANDY POINT WARNING LIGHT A | 36-00-48.122N 076-30-12.369W | FI W 4s | 13 | | NW on pile worded DANGER BREAKWATER. | Private aid. |
| 31736.1 | Sandy Point Warning Day beacon B | 36-00-47.409N 076-30-10.519W | | | | NW on pile worded DANGER BREAKWATER. | Private aid. |
| 31736.2 | SANDY POINT WARNING LIGHT C | 36-00-46.783N 076-30-08.012W | FI W 4s | 13 | | NW on pile worded DANGER BREAKWATER. | Private aid. |
| 31736.3 | Sandy Point Warning Day beacon D | 36-00-47.902N 076-30-05.929W | | | | NW on pile worded DANGER BREAKWATER. | Private aid. |
| 31736.4 | SANDY POINT WARNING LIGHT E | 36-00-49.600N 076-30-02.951W | FI W 4s | 13 | | NW on pile worded DANGER BREAKWATER. | Private aid. |
| 31736.5 | Sandy Point Warning Day beacon F | 36-00-50.763N 076-30-00.881W | | | | NW on pile worded DANGER BREAKWATER. | Private aid. |
| 31736.6 | SANDY POINT WARNING LIGHT G | 36-00-51.245N 076-29-58.801W | FI W 4s | 13 | | NW on pile worded DANGER BREAKWATER. | Private aid. |
| Edenton Bay | | | | | | | |
| 31740 | - LIGHT 2 | 36-01-57.861N 076-36-54.379W | FI R 2.5s | 15 | 5 | TR on multi-pile structure. | |
| 31745 | - LIGHT 4 | 36-02-31.305N 076-36-45.959W | FI R 4s | 15 | 4 | TR on pile. | |
| 31750 | EDENTON LIGHT | 36-03-20.886N 076-36-35.148W | Iso W 6s | 19 | 6 | NR on pile. | Directional light centered on channel axis of 015°. |
| 31755 | - Day beacon 6 | 36-03-00.678N 076-36-38.363W | | | | TR on pile. | |
| 31760 | - Day beacon 8 | 36-03-12.103N 076-36-36.150W | | | | TR on pile. | |
| Pembroke Creek | | | | | | | |
| 31765 | - Day beacon 1 | 36-03-20.040N 076-36-44.149W | | | | SG on pile. | |
| 31770 | - Day beacon 3 | 36-03-26.330N 076-36-50.882W | | | | SG on pile. | |
| 31775 | - Day beacon 4 | 36-03-24.497N 076-37-05.910W | | | | TR on pile. | |
| 31780 | - Day beacon 6 | 36-03-15.833N 076-37-20.096W | | | | TR on pile. | |
| 31782 | - Day beacon 7 | 36-03-15.587N 076-37-19.340W | | | | SG on pile. | |
| 31783 | - Day beacon 8 | 36-03-24.583N 076-37-30.678W | | | | TR on pile. | |
| Chowan River | | | | | | | |
| 31785 | - ENTRANCE LIGHT CR | 36-00-12.808N 076-37-26.952W | Mo (A) W | 17 | 5 | NB on pile. | |
| 31787 | Black Walnut Pt Artificial Reef Buoy AR-191A | 36-00-03.800N 076-40-01.800W | | | | White can with orange diamond, worded REEF. | Private aid. |
| 31787.1 | Black Walnut Pt Artificial Reef Buoy AR-191B | 36-00-03.800N 076-39-55.400W | | | | White can with orange diamond, worded REEF. | Private aid. |
| 31787.2 | Black Walnut Pt Artificial Reef Buoy AR-191C | 35-59-57.600N 076-39-55.400W | | | | White can with orange diamond, worded REEF. | Private aid. |
| 31787.3 | Black Walnut Pt Artificial Reef Buoy AR-191D | 35-59-57.600N 076-40-01.900W | | | | White can with orange diamond, worded REEF. | Private aid. |
| 31790 | - ENTRANCE LIGHT 2CR | 36-01-44.517N 076-40-20.573W | Mo (A) W | 15 | 5 | TR on multi-pile structure. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE HENRY TO PAMLICO SOUND (Chart 12205) | | | | | | | |
| Albemarle Sound | | | | | | | |
| Chowan River | | | | | | | |
| 31795 | - LIGHT 3 | 36-05-49.350N 076-43-28.606W | FI G 4s | 19 | 4 | SG on multi-pile structure. | |
| 31800 | - LIGHT 5 | 36-09-54.223N 076-44-28.712W | FI G 2.5s | 16 | 5 | SG on multi-pile structure. | |
| 31805 | - Day beacon 7 | 36-12-35.397N 076-43-36.369W | | | | SG on pile. | |
| 31810 | - LIGHT 9 | 36-13-48.027N 076-43-00.070W | FI G 4s | 16 | 5 | SG on pile. | |
| 31815 | - Day beacon 10 | 36-14-59.819N 076-42-07.550W | | | | TR on multi-pile structure. | |
| 31820 | - LIGHT 12 | 36-16-07.728N 076-41-28.190W | FI R 2.5s | 18 | 5 | TR on multi-pile structure. | |
| 31825 | - LIGHT 13 | 36-17-39.790N 076-41-50.493W | Q G | 15 | 4 | SG on pile. | |
| 31830 | - Day beacon 14 | 36-18-39.523N 076-42-58.471W | | | | TR on pile. | |
| 31835 | - LIGHT 16 | 36-19-24.917N 076-44-00.075W | FI R 4s | 15 | 4 | TR on pile. | |
| 31840 | - Day beacon 18 | 36-20-16.265N 076-44-43.684W | | | | TR on pile. | |
| 31845 | - LIGHT 19 | 36-20-56.576N 076-45-33.334W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 31850 | - Day beacon 20 | 36-21-20.604N 076-46-08.228W | | | | TR on pile. | |
| 31855 | - LIGHT 22 | 36-21-46.818N 076-46-40.896W | FI R 4s | 15 | 4 | TR on pile. | |
| 31860 | - Day beacon 24 | 36-21-40.937N 076-47-41.441W | | | | TR on pile. | |
| 31861 | NUCOR DOLPHIN LIGHT A | 36-21-37.630N 076-48-19.920W | FI Y 4s | 12 | | On multi-pile dolphin. | Private aid. |
| 31863 | NUCOR DOLPHIN LIGHT B | 36-21-39.960N 076-48-28.760W | FI Y 2.5s | 12 | | On multi-pile dolphin. | Private aid. |
| 31865 | - LIGHT 26 | 36-21-52.200N 076-49-13.016W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 31870 | - Day beacon 27 | 36-22-14.715N 076-50-03.848W | | | | SG on pile. | |
| 31875 | - Day beacon 28 | 36-22-34.596N 076-50-54.210W | | | | TR on pile. | |
| 31880 | - LIGHT 29 | 36-22-53.629N 076-52-25.912W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 31885 | - Day beacon 30 | 36-23-00.368N 076-52-47.335W | | | | TR on pile. | |
| 31890 | - Day beacon 31 | 36-23-20.465N 076-53-48.364W | | | | SG on pile. | |
| 31895 | - Day beacon 32 | 36-23-27.199N 076-54-21.142W | | | | TR on pile. | |
| Croatan Sound | | | | | | | |
| 31900 | - Approach Day beacon 2 On edge of shoal. | 35-57-39.094N 075-47-31.409W | | | | TR on pile. | |
| 31905 | - LIGHT 3CS | 35-56-42.227N 075-46-40.480W | FI G 4s | 15 | 5 | SG on pile. | |
| 31907 | - South Warning Day beacon | 35-56-42.331N 075-46-39.767W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | |
| 31910 | - Day beacon 3A | 35-56-10.006N 075-46-05.105W | | | | SG on pile. | |
| 31915 | MANN'S HARBOR LIGHT 2 | 35-54-35.956N 075-46-00.070W | FI R 4s | 18 | 4 | TR on pile. | |
| 31920 | MANN'S HARBOR CANAL LIGHT 1 | 35-54-25.799N 075-46-00.595W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 31925 | - LIGHT 4 | 35-54-35.819N 075-44-27.797W | FI R 4s | 20 | 5 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|-----------------------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE HENRY TO PAMLICO SOUND (Chart 12205) | | | | | | | |
| Croatan Sound | | | | | | | |
| 31930 | - LIGHT 6 | 35-53-53.617N 075-43-48.486W | FI R 2.5s | 18 | 4 | TR on pile. | |
| 31933 | - LIGHT 7 | 35-53-11.948N 075-43-02.082W | Q G | 15 | 4 | SG on pile. | |
| 31935 | - LIGHT 8 | 35-53-09.330N 075-43-04.998W | FI R 4s | 15 | 5 | TR on pile. | |
| 31937 | - LIGHT 9 | 35-52-05.987N 075-42-47.944W | FI G 2.5s | 15 | 4 | SG on pile. | |
| Spencer Creek | | | | | | | |
| 31946 | - Day beacon 1 | 35-50-18.000N 075-43-00.000W | | | | SG on pile. | Private aid. |
| 31946.1 | - Day beacon 2 | 35-50-42.000N 075-43-17.000W | | | | TR on pile. | Private aid. |
| 31946.2 | - Day beacon 3 | 35-50-45.000N 075-43-41.000W | | | | SG on pile. | Private aid. |
| 31946.3 | - Day beacon 4 | 35-50-56.000N 075-44-05.000W | | | | TR on pile. | Private aid. |
| 31946.4 | - Day beacon 5 | 35-51-02.000N 075-44-26.000W | | | | SG on pile. | Private aid. |
| 31946.5 | - Day beacon 6 | 35-51-21.000N 075-44-48.000W | | | | TR on pile. | Private aid. |
| 31946.6 | - Day beacon 7 | 35-51-29.000N 075-45-02.000W | | | | SG on pile. | Private aid. |
| Croatan Sound | | | | | | | |
| 31950 | - LIGHT 10 | 35-50-21.330N 075-42-31.377W | FI R 4s | 15 | 4 | TR on pile. | |
| 31955 | - Warning Day beacon | 35-49-04.832N 075-42-28.327W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | |
| 31960 | ROANOKE ISLAND WEST SIDE LIGHT 2 | 35-50-24.108N 075-40-07.524W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 31965 | ROANOKE ISLAND WEST SIDE LIGHT 4 | 35-50-24.619N 075-40-04.624W | FI R 4s | 15 | 4 | TR on pile. | |
| 31966 | Roanoke Island West Side Buoy 4A | 35-50-35.220N 075-39-37.380W | | | | Red nun. | |
| 31970 | Roanoke Island West Side Day beacon 6 | 35-50-35.124N 075-39-33.750W | | | | TR on pile. | |
| 31975 | ROANOKE MARSHES LIGHT RM | 35-48-39.922N 075-42-02.149W | FI W 6s | 20 | 7 | NG on pile. | |
| 31976 | Roanoke Marshes Warning Day beacon | 35-48-39.789N 075-42-04.156W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | |
| Pamlico Sound | | | | | | | |
| 31979 | Crab Hole Oyster Sanctuary Buoy A | 35-43-40.900N 075-40-30.500W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | DNR: OS-05. Private aid. |
| 31979.1 | Crab Hole Oyster Sanctuary Buoy B | 35-43-30.000N 075-40-30.500W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | DNR: OS-05. Private aid. |
| 31979.2 | Crab Hole Oyster Sanctuary Buoy C | 35-43-30.000N 075-40-45.000W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | DNR: OS-05. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|-----------------------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE HENRY TO PAMLICO SOUND (Chart 12205) | | | | | | | |
| Pamlico Sound | | | | | | | |
| 31979.3 | Crab Hole Oyster Sanctuary Buoy D | 35-43-40.900N 075-40-45.000W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | DNR: OS-05. Private aid. |
| 31979.4 | Crab Hole Oyster Sanctuary Buoy E | 35-43-35.520N 075-40-30.498W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | DNR: OS-05. Private aid. |
| 31979.5 | Crab Hole Oyster Sanctuary Buoy F | 35-43-30.000N 075-40-37.740W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | DNR: OS-05. Private aid. |
| 31979.6 | Crab Hole Oyster Sanctuary Buoy G | 35-43-35.520N 075-40-45.000W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | DNR: OS-05. Private aid. |
| 31979.7 | Crab Hole Oyster Sanctuary Buoy H | 35-43-40.998N 075-40-37.740W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | DNR: OS-05. Private aid. |
| 31980 | - NORTH LIGHT N | 35-41-49.284N 075-40-40.388W | FI W 2.5s | 27 | 6 | NR on skeleton tower on multi-pile structure. | |
| 31981 | Pea Island Oyster Sanctuary Day beacon A | 35-40-05.220N 075-36-49.260W | | | | NW on multi-pile structure worded ROCK. | Private aid. |
| 31981.1 | Pea Island Oyster Sanctuary Day beacon B | 35-39-53.580N 075-36-49.260W | | | | NW on multi-pile structure worded ROCK. | Private aid. |
| 31981.2 | Pea Island Oyster Sanctuary Day beacon C | 35-39-53.580N 075-37-03.480W | | | | NW on multi-pile structure worded ROCK. | Private aid. |
| 31981.3 | Pea Island Oyster Sanctuary Day beacon D | 35-40-05.220N 075-37-03.480W | | | | NW on multi-pile structure worded ROCK. | Private aid. |
| Stumpy Point Bay | | | | | | | |
| 31985 | - Channel Day beacon 1 | 35-39-08.814N 075-43-10.866W | | | | SG on pile. | |
| 31990 | - CHANNEL LIGHT 2SP | 35-39-11.882N 075-43-08.758W | FI R 2.5s | 15 | 5 | TR on pile. | |
| 31995 | - CHANNEL LIGHT 3 | 35-39-41.010N 075-43-50.124W | FI G 4s | 15 | 4 | SG on pile. | |
| Stumpy Point | | | | | | | |
| 32000 | - Channel Day beacon 4 | 35-39-43.392N 075-43-47.994W | | | | TR on pile. | |
| 32005 | - Channel Day beacon 5 | 35-40-15.690N 075-44-32.136W | | | | SG on pile. | |
| 32010 | - CHANNEL LIGHT 6 | 35-40-13.776N 075-44-25.782W | FI R 4s | 15 | 4 | TR on pile. | |
| Stumpy Point Harbor | | | | | | | |
| 32015 | - <i>Lighted Wreck Buoy WR1SP</i> | 35-41-19.663N 075-44-29.332W | Q G | | 4 | Green. | |
| Stumpy Point | | | | | | | |
| 32020 | - CHANNEL LIGHT 7 | 35-40-54.483N 075-45-19.394W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 32021 | - Buoy 7A | 35-41-16.758N 075-45-46.251W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|-----------------------------------|-----------------------|---------------|--------------|---|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE HENRY TO PAMLICO SOUND (Chart 12205) | | | | | | | |
| Pamlico Sound | | | | | | | |
| Stumpy Point | | | | | | | |
| 32025 | - Channel Day beacon 8 | 35-40-55.878N 075-45-17.988W | | | | TR on pile. | |
| 32026 | - Buoy 8A | 35-41-19.170N 075-45-45.183W | | | | Red nun. | |
| 32030 | - CHANNEL LIGHT 10 | 35-41-38.604N 075-46-10.074W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 32040 | - Channel Day beacon 13 | 35-41-48.499N 075-46-22.850W | | | | SG on pile. | |
| 32041 | - Emergency Ferry Channel Day beacon 1 | 35-41-46.464N 075-46-11.496W | | | | SG on pile. | Private aid. |
| 32041.1 | - Emergency Ferry Channel Day beacon 2 | 35-41-45.960N 075-46-10.380W | | | | TR on pile. | Private aid. |
| 32041.2 | - Emergency Ferry Channel Day beacon 3 | 35-41-51.720N 075-46-10.848W | | | | SG on pile. | Private aid. |
| 32041.3 | - Emergency Ferry Channel Day beacon 4 | 35-41-50.928N 075-46-08.832W | | | | TR on pile. | Private aid. |
| 32042 | SANDY POINT WARNING LIGHT | 35-36-57.041N 075-43-53.996W | FI W 6s | 15 | 4 | NW on pile worded DANGER. | |
| CURRITUCK BEACH LIGHT TO WIMBLE SHOALS (Chart 12204) | | | | | | | |
| Chicamacomico Channel | | | | | | | |
| 32045 | - LIGHT 1CC | 35-35-53.492N 075-31-09.152W | FI G 4s | 18 | 4 | SG on multi-pile structure. | |
| 32050 | - Day beacon 2 | 35-36-04.517N 075-30-29.208W | | | | TR on pile. | |
| 32053 | - Buoy 2A | 35-36-13.936N 075-29-51.517W | | | | Red nun. | |
| 32055 | - LIGHT 3 | 35-36-16.692N 075-29-52.110W | FI G 4s | 17 | 4 | SG on pile. | |
| 32060 | - Day beacon 4 | 35-36-00.620N 075-29-14.208W | | | | TR on pile. | |
| 32063 | - LIGHT 5 | 35-35-56.782N 075-28-58.343W | Q G | 15 | 4 | SG on pile. | |
| 32063.1 | - Day beacon 5A | 35-35-50.175N 075-28-41.010W | | | | SG on pile. | |
| 32065 | - LIGHT 6 | 35-35-42.269N 075-28-23.003W | FI R 4s | 15 | 4 | TR on pile. | |
| CAPE HATTERAS (Chart 11555) | | | | | | | |
| Pamlico Sound | | | | | | | |
| 32070 | LONG SHOAL LIGHT 2LS | 35-33-33.584N 075-43-11.605W | FI R 4s | 15 | 4 | TR on pile. | |
| 32075 | STUMPY POINT TARGET WARNING LIGHT E | 35-33-02.932N 075-39-00.678W | FI W 4s | 15 | 5 | NW on slatted pile worded DANGER BOMBING RANGE. | |
| 32077 | - Lighted Wreck Buoy WR2 | 35-26-34.608 N 075-54-16.728 W | Q R | | 4 | Red. | |
| 32080 | STUMPY POINT TARGET WARNING LIGHT S | 35-30-48.636N 075-40-31.606W | FI W 2.5s | 15 | 5 | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32085 | STUMPY POINT TARGET WARNING LIGHT W | 35-33-00.633N 075-42-11.615W | FI W 6s | 15 | 5 | NW on slatted pile worded DANGER BOMBING RANGE. | |
| 32086 | Long Shoal Oyster Sanctuary Day beacon A | 35-33-51.590N 075-49-46.010W | | | | White with orange diamond worded OYSTER SANCTUARY DANGER SUBMERGED ROCKS on multi-pile structure. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|--|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE HATTERAS (Chart 11555) | | | | | | | |
| Pamlico Sound | | | | | | | |
| 32086.1 | Long Shoal Oyster Sanctuary Day beacon B | 35-33-45.060N 075-49-46.010W | | | | White with orange diamond worded OYSTER SANCTUARY DANGER SUBMERGED ROCKS on multi- pile structure. | Private aid. |
| 32086.2 | Long Shoal Oyster Sanctuary Day beacon C | 35-33-45.060N 075-49-53.990W | | | | White with orange diamond worded OYSTER SANCTUARY DANGER SUBMERGED ROCKS on multi- pile structure. | Private aid. |
| 32086.3 | Long Shoal Oyster Sanctuary Day beacon D | 35-33-51.590N 075-49-53.990W | | | | White with orange diamond worded OYSTER SANCTUARY DANGER SUBMERGED ROCKS on multi- pile structure. | Private aid. |
| 32090 | Long Shoal River Day beacon 2 | 35-34-04.470N 075-51-36.480W | | | | TR on pile. | |
| 32095 | Long Shoal River Day beacon 3 | 35-34-24.619N 075-52-04.648W | | | | SG on pile. | |
| 32100 | PINGLETON SHOAL LIGHT 1PS | 35-32-45.893N 075-51-11.947W | FI G 4s | 15 | 4 | SG on pile. | |
| 32103 | - <i>Lighted Wreck Buoy WR4</i> | 35-09-44.106N 076-14-54.012W | Q R | | 4 | Red. | |
| Far Creek Channel | | | | | | | |
| 32105 | - LIGHT 1FC | 35-30-27.402N 075-56-57.936W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 32110 | - Day beacon 3 | 35-30-30.833N 075-57-25.735W | | | | SG on pile. | |
| 32115 | - LIGHT 5 | 35-30-34.809N 075-57-59.304W | FI G 4s | 15 | 4 | SG on pile. | |
| 32120 | - Day beacon 7 | 35-30-38.576N 075-58-33.435W | | | | SG on pile. | |
| 32125 | - LIGHT 9 | 35-30-41.855N 075-59-02.275W | Q G | 15 | 3 | SG on pile. | |
| 32130 | - LIGHT 10 | 35-30-37.928N 075-59-12.896W | FI R 4s | 15 | 3 | TR on pile. | |
| Pamlico Sound | | | | | | | |
| 32135 | GIBBS SHOAL LIGHT GBS | 35-27-26.070N 075-55-52.279W | FI W 4s | 15 | 6 | NB on pile. | |
| 32136 | Gibbs Shoal Oyster Sanctuary Warning Day beacon A | 35-27-19.320N 075-56-11.400W | | | | NW on multi-pile structure worded DANGER SUBMERGED ROCKS. | OS-10A. Aid maintained by State DOT Private aid. |
| 32136.2 | Gibbs Shoal Oyster Sanctuary Warning Day beacon B | 35-27-19.320N 075-55-57.540W | | | | NW on multi-pile structure worded DANGER SUBMERGED ROCKS. | OS-10B. Aid maintained by State DOT Private aid. |
| 32136.4 | Gibbs Shoal Oyster Sanctuary Warning Day beacon C | 35-27-08.040N 075-55-57.540W | | | | NW on multi-pile structure worded DANGER SUBMERGED ROCKS. | OS-10C. Aid maintained by State DOT Private aid. |
| 32136.6 | Gibbs Shoal Oyster Sanctuary Warning Day beacon D | 35-27-08.040N 075-56-11.400W | | | | NW on multi-pile structure worded DANGER SUBMERGED ROCKS. | OS-10D. Aid maintained by State DOT Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE HATTERAS (Chart 11555) | | | | | | | |
| Pamlico Sound | | | | | | | |
| 32137 | <i>Long Shoal Lighted Wreck Buoy WR2</i> | 35-28-57.463N 075-45-11.598W | Q R | | 4 | Red. | |
| 32140 | - LIGHT PS | 35-25-29.477N 075-50-00.692W | Mo (A) W | 35 | 7 | MR on skeleton tower on multi-pile structure. | |
| 32142 | - <i>Lighted Wreck Buoy WR8</i> | 35-23-24.829N 075-43-24.621W | Q R | | 4 | Red. | |
| 32145 | GULL SHOAL LIGHT GS | 35-21-57.553N 075-57-26.677W | FI W 4s | 45 | 6 | NB on skeleton tower on piles. | |
| Wysocking Bay | | | | | | | |
| 32150 | - Entrance Day beacon 2 | 35-23-20.754N 075-58-52.152W | | | | TR on pile. | |
| 32155 | - ENTRANCE LIGHT 3 | 35-23-03.152N 076-00-13.531W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 32160 | - Entrance Day beacon 4 | 35-23-21.344N 076-00-22.025W | | | | TR on pile. | |
| 32165 | - Entrance Day beacon 5 | 35-23-12.024N 076-01-42.060W | | | | SG on pile. | |
| 32170 | - LIGHT 6 | 35-24-41.040N 076-02-19.848W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 32175 | - LIGHT 7 | 35-25-57.165N 076-03-32.418W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| Pamlico Sound | | | | | | | |
| 32185 | Hog Island Warning Day beacon A | 35-20-03.969N 076-02-05.664W | | | | NW on pile worded DANGER SHOAL. | |
| 32190 | - SOUTH LIGHT S | 35-17-16.456N 075-59-09.990W | FI W 2.5s | 27 | 6 | NR on skeleton tower on multi-pile structure. | |
| Buxton Harbor | | | | | | | |
| 32195 | - APPROACH LIGHT 1B | 35-18-31.077N 075-37-24.936W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 32200 | - LIGHT 2 | 35-18-57.765N 075-36-04.992W | FI R 4s | 18 | 4 | TR on pile. | |
| 32205 | - LIGHT 3 | 35-18-53.559N 075-34-45.468W | FI G 4s | 19 | 4 | SG on pile. | |
| 32215 | - LIGHT 7 | 35-18-10.136N 075-33-37.270W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 32221 | - <i>Lighted Wreck Buoy WR8</i> | 35-17-34.926N 075-33-48.171W | Q R | | 4 | Red. | |
| 32225 | - LIGHT 10 | 35-17-15.381N 075-34-37.104W | FI R 4s | 19 | 4 | TR on pile. | |
| 32230 | - LIGHT 12 | 35-16-37.059N 075-33-54.342W | FI R 6s | 15 | 4 | TR on pile. | |
| 32235 | - Day beacon 14 | 35-16-18.638N 075-33-40.553W | | | | TR on pile. | |
| 32240 | - Day beacon 16 | 35-16-05.271N 075-33-31.530W | | | | TR on pile. | |
| 32245 | - LIGHT 17 | 35-16-00.576N 075-33-26.670W | FI G 4s | 15 | 4 | SG on pile. | |
| Avon Channel | | | | | | | |
| 32250 | - WARNING LIGHT AV | 35-22-49.330N 075-33-35.029W | FI W 2.5s | 15 | 4 | NW on pile worded DANGER SHOAL. | |
| 32285 | - LIGHT 8 | 35-20-59.754N 075-30-49.092W | FI R 4s | 15 | 3 | TR on pile. | |
| Frisco Channel | | | | | | | |
| 32290 | FRISCO APPROACH LIGHT 2F | 35-15-22.424N 075-41-01.512W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 32295 | FRISCO APPROACH LIGHT 4 | 35-15-33.909N 075-39-10.824W | FI R 6s | 15 | 4 | TR on pile. | |
| 32300 | - LIGHT 6 | 35-16-00.632N 075-38-03.108W | FI R 4s | 17 | 4 | TR on pile. | |
| 32303 | Clam Shoal Oyster Sanctuary Buoy AR-296D | 35-17-31.400N 075-37-41.500W | | | | White can with orange bands and diamond worded REEF. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|-----------------------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| CAPE HATTERAS (Chart 11555) | | | | | | | |
| Pamlico Sound | | | | | | | |
| Frisco Channel | | | | | | | |
| 32303.1 | Clam Shoal Oyster Sanctuary Buoy AR-296A | 35-17-30.200N 075-37-10.000W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 32303.2 | Clam Shoal Oyster Sanctuary Buoy AR-296B | 35-17-07.400N 075-37-10.300W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 32303.3 | Clam Shoal Oyster Sanctuary Buoy AR-296C | 35-17-08.300N 075-37-42.100W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 32305 | - Day beacon 8 | 35-15-28.509N 075-37-06.264W | | | | TR on pile. | |
| 32315 | - LIGHT 10 | 35-15-26.289N 075-36-35.904W | FI R 6s | 15 | 4 | TR on pile. | |
| 32317 | FRISCO WOODS WEATHER SENSOR WARNING LIGHT | 35-14-49.800N 075-37-43.900W | FI W 4s | 10 | | NW on pile worded DANGER. | Private aid. |
| Durant Point | | | | | | | |
| 32320 | - Lighted Buoy 2 | 35-14-14.095N 075-40-58.621W | Q R | | 3 | Red. | |
| 32325 | - Buoy 4 | 35-13-57.096N 075-40-41.850W | | | | Red nun. | |
| 32330 | - Day beacon 6 | 35-13-44.280N 075-40-38.358W | | | | TR on pile. | |
| 32335 | - LIGHT 8 | 35-13-25.704N 075-40-25.224W | FI R 4s | 15 | 3 | TR on pile. | |
| 32340 | OLIVER REEF LIGHT | 35-15-48.872N 075-45-37.308W | FI W 6s | 30 | 5 | NB on pile. Marks platform of old Lighthouse. | |
| WESTERN PART OF PAMLICO SOUND (Chart 11548) | | | | | | | |
| 32350 | Bluff Shoal Slue Day beacon 1 | 35-17-54.096N 076-05-18.031W | | | | SG on pile. | |
| 32355 | Bluff Shoal Slue Day beacon 2 | 35-17-36.030N 076-07-54.030W | | | | TR on pile. | |
| 32360 | BLUFF SHOAL LIGHT BL Near middle of shoal. | 35-12-36.920N 076-04-23.034W | FI W 2.5s | 18 | 6 | NB on pile. | |
| 32365 | ROYAL SHOAL LIGHT 1 | 35-09-42.284N 076-04-42.702W | FI G 4s | 19 | 5 | SG on pile. | |
| 32370 | ROYAL SHOAL LIGHT 3 | 35-10-03.060N 076-07-06.672W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 32375 | ROYAL SHOAL LIGHT 5RS | 35-09-17.324N 076-09-36.379W | Q G | 40 | 5 | SG on multi-pile structure. | |
| 32380 | ROYAL SHOAL WRECK LIGHT WR7 Marks sunken dredge. | 35-06-28.513N 076-08-29.582W | Q G | 15 | 4 | SG on multi-pile structure. | |
| Hodges Reef | | | | | | | |
| 32395 | - Outer Shoal Day beacon OS | 35-03-24.939N 076-11-16.073W | | | | NB on pile. | |
| Pamlico River Approach | | | | | | | |
| 32415 | North Bluff Point Warning Day beacon | 35-18-15.167N 076-04-47.371W | | | | NW on pile worded DANGER SUBMERGED WRECK. | |
| 32420 | OUTFALL CANAL ENTRANCE LIGHT 2 | 35-21-21.836N 076-06-23.272W | FI R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 32425 | BLUFF POINT SHOAL LIGHT | 35-19-19.377N 076-07-13.386W | FI W 4s | 15 | 5 | NB on pile. | |
| 32430 | West Bluff Oyster Sanctuary Buoy A | 35-18-18.900N 076-10-04.100W | | | | White can with orange bands and diamond worded REEF. | DNR: OS-09. Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| NORTH CAROLINA - Fifth District | | | | | | | |
| WESTERN PART OF PAMLICO SOUND (Chart 11548) | | | | | | | |
| Pamlico River Approach | | | | | | | |
| 32430.1 | West Bluff Oyster Sanctuary Buoy B | 35-18-07.700N 076-10-04.100W | | | | White can with orange bands and diamond worded REEF. | DNR: OS-09. Private aid. |
| 32430.2 | West Bluff Oyster Sanctuary Buoy C | 35-18-07.700N 076-10-17.800W | | | | White can with orange bands and diamond worded REEF. | DNR: OS-09. Private aid. |
| 32430.3 | West Bluff Oyster Sanctuary Buoy D | 35-18-18.900N 076-10-17.800W | | | | White can with orange bands and diamond worded REEF. | DNR: OS-09. Private aid. |
| 32440 | JUNIPER BAY APPROACH LIGHT 1 | 35-17-31.596N 076-13-49.028W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 32445 | JUNIPER BAY LIGHT 2 | 35-19-54.943N 076-14-11.162W | FI R 4s | 15 | 4 | TR on pile. | |
| 32450 | Juniper Bay Daybeacon 3 | 35-21-32.202N 076-14-48.311W | | | | SG on pile. | |
| 32460 | JUNIPER BAY LIGHT 4 | 35-22-24.887N 076-15-25.043W | FI R 6s | 15 | 4 | TR on pile. | |
| 32470 | LOWER MIDDLE GROUND LIGHT LM | 35-14-00.528N 076-13-27.480W | FI W 2.5s | 18 | 8 | NB on pile. | |
| 32473 | <i>Inner Middle Ground Lighted Wreck Buoy WR6</i> | 35-14-13.656N 076-18-43.338W | Q R | | 4 | Red. | |
| 32475 | INNER MIDDLE GROUND LIGHT M | 35-14-31.493N 076-18-03.267W | FI W 4s | 15 | 6 | NB on multi-pile structure. | |
| 32480 | UPPER MIDDLE GROUND LIGHT UM | 35-16-45.000N 076-20-44.000W | FI W 6s | 15 | 5 | NB on pile. | |
| 32485 | UPPER MIDDLE GROUND WRECK LIGHT WR2 | 35-18-30.795N 076-23-46.408W | FI R 2.5s | 15 | 5 | TR on pile. | |
| 32491 | <i>Governor Scott Ferry Lighted Wreck Buoy WR2</i> | 35-08-17.207N 076-16-39.769W | Q R | | 4 | Red. | |
| Brant Island | | | | | | | |
| 32500 | - Warning Daybeacon A | 35-13-43.593N 076-29-13.734W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32503 | Middle Bay Oyster Sanctuary Buoy A | 35-14-09.500N 076-30-10.700W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | Aid maintained by State DOT Private aid. |
| 32503.1 | Middle Bay Oyster Sanctuary Buoy B | 35-14-06.900N 076-30-10.700W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | Aid maintained by State DOT Private aid. |
| 32503.2 | Middle Bay Oyster Sanctuary Buoy C | 35-14-06.900N 076-30-19.900W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | Aid maintained by State DOT Private aid. |
| 32503.3 | Middle Bay Oyster Sanctuary Buoy D | 35-14-09.500N 076-30-19.300W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | Aid maintained by State DOT Private aid. |
| 32505 | - Warning Daybeacon B | 35-14-15.500N 076-28-57.299W | | | | NW on multi-pile structure worded DANGER BOMBING RANGE. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| WESTERN PART OF PAMLICO SOUND (Chart 11548) | | | | | | | |
| Pamlico River Approach | | | | | | | |
| Brant Island | | | | | | | |
| 32510 | - Warning Day beacon C | 35-14-35.216N 076-28-20.322W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32515 | - Warning Day beacon D | 35-14-50.594N 076-27-52.731W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32520 | - Warning Day beacon E | 35-15-04.272N 076-26-58.293W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32525 | - Warning Day beacon F | 35-15-06.028N 076-26-26.260W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32530 | - WARNING LIGHT G | 35-15-01.731N 076-25-46.151W | FI W 2.5s | 15 | 5 | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32535 | - Warning Day beacon H | 35-14-56.417N 076-25-24.772W | | | | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32537 | - <i>Shoal Lighted Wreck Buoy WR2</i> | 35-15-02.985N 076-25-18.602W | Q R | | 3 | Red. | |
| 32540 | - Warning Day beacon I | 35-14-33.543N 076-24-40.731W | | | | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32545 | - WARNING LIGHT J | 35-14-17.823N 076-24-14.165W | FI W 4s | 15 | 5 | NW on pile worded DANGER BOMBING RANGE. | |
| 32550 | - Warning Day beacon K | 35-13-49.603N 076-23-49.960W | | | | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32555 | - Warning Day beacon L | 35-13-23.809N 076-23-32.712W | | | | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32560 | - WARNING LIGHT M | 35-12-56.988N 076-23-23.745W | FI W 2.5s | 15 | 5 | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32565 | - Warning Day beacon N | 35-12-27.579N 076-23-20.090W | | | | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32570 | - Warning Day beacon O | 35-11-58.593N 076-23-23.817W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32575 | - Warning Day beacon P | 35-11-29.466N 076-23-35.434W | | | | NW on pile worded DANGER BOMBING RANGE. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| WESTERN PART OF PAMLICO SOUND (Chart 11548) | | | | | | | |
| Pamlico River Approach | | | | | | | |
| Brant Island | | | | | | | |
| 32580 | - Warning Day beacon Q | 35-10-56.562N 076-23-57.904W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32585 | - Warning Day beacon R | 35-10-41.413N 076-24-15.917W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32590 | - WARNING LIGHT S | 35-10-23.436N 076-24-40.425W | FI W 4s | 15 | 5 | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32595 | - Warning Day beacon T | 35-10-08.672N 076-25-10.277W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32600 | - Warning Day beacon U | 35-09-54.972N 076-25-53.522W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32605 | - WARNING LIGHT V | 35-09-52.936N 076-26-22.600W | FI W 2.5s | 15 | 5 | NW on pile worded DANGER BOMBING RANGE. | |
| 32610 | - Warning Day beacon W | 35-09-54.362N 076-26-59.496W | | | | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32615 | - Warning Day beacon X | 35-10-01.618N 076-27-36.026W | | | | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32620 | - WARNING LIGHT Y | 35-10-34.641N 076-28-40.471W | FI W 6s | 15 | 5 | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32625 | - Warning Day beacon Z | 35-10-56.738N 076-29-05.211W | | | | NW on multi-pile structure worded DANGER BOMBING RANGE. | |
| 32630 | - Warning Day beacon AA | 35-11-24.045N 076-29-24.790W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32635 | - Warning Day beacon BB | 35-11-40.887N 076-29-33.947W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32640 | - Warning Day beacon CC | 35-12-03.079N 076-29-41.802W | | | | NW on pile worded DANGER BOMBING RANGE. | |
| 32645 | - WARNING LIGHT DD | 35-12-26.026N 076-29-42.995W | FI W 2.5s | 15 | 5 | NW on pile worded DANGER BOMBING RANGE. | |
| 32650 | - SHOAL LIGHT BI | 35-08-09.498N 076-17-34.662W | FI W 6s | 40 | 7 | NR on skeleton tower on multi-pile structure. | |
| 32660 | - SLUE LIGHT 1 | 35-10-31.016N 076-22-40.725W | FI G 4s | 16 | 5 | SG on pile. | |
| 32665 | - Slue Day beacon 2 | 35-11-01.134N 076-22-54.180W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|-----------------------------|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| WESTERN PART OF PAMLICO SOUND (Chart 11548) | | | | | | | |
| Pamlico River Approach | | | | | | | |
| Brant Island | | | | | | | |
| 32667 | <i>Swanquarter Bay Lighted Wreck Buoy WR2</i> | 35-16-48.000N 076-13-03.933W | Q R | | 3 | Red. | |
| Swanquarter Bay | | | | | | | |
| 32670 | - ENTRANCE LIGHT 1SQ | 35-17-49.085N 076-18-32.268W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 32675 | - LIGHT 2 | 35-19-25.019N 076-18-39.491W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 32677 | GREAT ISLAND NARROWS LIGHT 2 | 35-20-14.836N 076-18-01.672W | FI R 4s | 15 | 4 | TR on pile. | |
| 32680 | - LIGHT 3 | 35-20-50.243N 076-19-32.262W | FI G 4s | 15 | 4 | SG on pile. | |
| 32685 | - LIGHT 3A | 35-22-20.478N 076-20-14.132W | FI G 4s | 15 | 4 | SG on pile. | |
| 32690 | - LIGHT 5 | 35-22-54.507N 076-20-41.699W | Q G | 15 | 4 | SG on pile. | |
| 32695 | - LIGHT 5A | 35-23-08.097N 076-20-27.691W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 32700 | - Day beacon 6 | 35-23-24.341N 076-20-17.590W | | | | TR on pile. | |
| 32705 | - LIGHT 7 | 35-23-38.893N 076-20-20.329W | FI G 6s | 15 | 4 | SG on pile. | |
| 32710 | - LIGHT 8 | 35-23-54.844N 076-20-29.794W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 32715 | - LIGHT 10 | 35-24-05.318N 076-20-28.565W | FI R 4s | 15 | 3 | TR on pile. | |
| 32725 | Swanquarter PPA Warning Day beacon A | 35-26-39.150N 076-24-55.030W | | | | NW on pile. | Private aid. |
| 32725.1 | Swanquarter PPA Warning Day beacon B | 35-26-03.290N 076-24-23.740W | | | | NW on pile. | Private aid. |
| 32725.11 | Swanquarter PPA Warning Day beacon L | 35-20-18.910N 076-24-24.840W | | | | NW on pile. | Private aid. |
| 32725.12 | Swanquarter PPA Warning Day beacon M | 35-19-39.160N 076-23-44.820W | | | | NW on pile. | Private aid. |
| 32725.13 | Swanquarter PPA Warning Day beacon N | 35-19-57.050N 076-22-29.790W | | | | NW on pile. | Private aid. |
| 32725.14 | Swanquarter PPA Warning Day beacon P | 35-19-44.390N 076-21-24.764W | | | | NW on pile. | Private aid. |
| 32725.15 | Swanquarter PPA Warning Day beacon Q | 35-19-32.000N 076-20-19.570W | | | | NW on pile. | Private aid. |
| 32725.16 | Swanquarter PPA Warning Day beacon R | 35-19-19.130N 076-19-14.740W | | | | NW on pile. | Private aid. |
| 32725.17 | Swanquarter PPA Warning Day beacon S | 35-19-06.630N 076-18-09.650W | | | | NW on pile. | Private aid. |
| 32725.18 | Swanquarter PPA Warning Day beacon T | 35-18-54.010N 076-17-04.670W | | | | NW on pile. | Private aid. |
| 32725.19 | Swanquarter PPA Warning Day beacon U | 35-18-33.090N 076-16-05.050W | | | | NW on pile. | Private aid. |
| 32725.2 | Swanquarter PPA Warning Day beacon C | 35-25-27.070N 076-23-52.350W | | | | NW on pile. | Private aid. |
| 32725.21 | Swanquarter PPA Warning Day beacon V | 35-18-06.470N 076-15-04.790W | | | | NW on pile. | Private aid. |
| 32725.22 | Swanquarter PPA Warning Day beacon W | 35-17-39.760N 076-14-04.630W | | | | NW on pile. | Private aid. |
| 32725.23 | Swanquarter PPA Warning Day beacon X | 35-18-20.640N 076-13-05.610W | | | | NW on pile. | Private aid. |
| 32725.24 | Swanquarter PPA Warning Day beacon Y | 35-19-01.570N 076-12-06.410W | | | | NW on pile. | Private aid. |
| 32725.25 | Swanquarter PPA Warning Day beacon Z | 35-19-42.380N 076-11-07.140W | | | | NW on pile. | Private aid. |
| 32725.26 | Swanquarter PPA Warning Day beacon AA | 35-20-17.920N 076-10-53.270W | | | | NW on pile. | Private aid. |
| 32725.27 | Swanquarter PPA Warning Day beacon BB | 35-20-48.460N 076-10-41.300W | | | | NW on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---------------------------------------|---------------------------------|-----------------------|---------------|--------------|--|---|
| NORTH CAROLINA - Fifth District | | | | | | | |
| WESTERN PART OF PAMLICO SOUND (Chart 11548) | | | | | | | |
| Pamlico River Approach | | | | | | | |
| Swanquarter Bay | | | | | | | |
| 32725.28 | Swanquarter PPA Warning Day beacon CC | 35-21-54.590N 076-17-11.030W | | | | NW on pile. | Private aid. |
| 32725.29 | Swanquarter PPA Warning Day beacon DD | 35-21-37.990N 076-18-18.750W | | | | NW on pile. | Private aid. |
| 32725.3 | Swanquarter PPA Warning Day beacon D | 35-24-37.090N 076-24-29.840W | | | | NW on pile. | Private aid. |
| 32725.31 | Swanquarter PPA Warning Day beacon EE | 35-21-59.000N 076-19-16.710W | | | | NW on pile. | Private aid. |
| 32725.32 | Swanquarter PPA Warning Day beacon FF | 35-22-19.880N 076-20-14.960W | | | | NW on pile. | Private aid. |
| 32725.33 | Swanquarter PPA Warning Day beacon GG | 35-22-59.270N 076-20-40.140W | | | | NW on pile. | Private aid. |
| 32725.34 | Swanquarter PPA Warning Day beacon HH | 35-23-37.080N 076-20-27.430W | | | | NW on pile. | Private aid. |
| 32725.35 | Swanquarter PPA Warning Day beacon JJ | 35-24-07.620N 076-20-46.750W | | | | NW on pile. | Private aid. |
| 32725.36 | Swanquarter PPA Warning Day beacon KK | 35-24-35.670N 076-21-04.920W | | | | NW on pile. | Private aid. |
| 32725.4 | Swanquarter PPA Warning Day beacon E | 35-23-49.940N 076-25-02.270W | | | | NW on pile. | Private aid. |
| 32725.5 | Swanquarter PPA Warning Day beacon F | 35-23-02.730N 076-25-34.730W | | | | NW on pile. | Private aid. |
| 32725.6 | Swanquarter PPA Warning Day beacon G | 35-22-26.450N 076-26-28.800W | | | | NW on pile. | Private aid. |
| 32725.7 | Swanquarter PPA Warning Day beacon H | 35-21-46.540N 076-25-50.190W | | | | NW on pile. | Private aid. |
| 32725.8 | Swanquarter PPA Warning Day beacon J | 35-21-06.570N 076-25-11.500W | | | | NW on pile. | Private aid. |
| 32725.9 | Swanquarter PPA Warning Day beacon K | 35-20-26.620N 076-24-32.940W | | | | NW on pile. | Private aid. |
| 32730 | JUDITH ISLAND CUT EAST LIGHT 2 | 35-22-54.420N 076-21-24.820W | FI R 4s | 15 | 4 | TR on pile. | |
| Rose Bay | | | | | | | |
| 32735 | DEEP COVE LIGHT 1 | 35-19-48.501N 076-23-36.676W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 32740 | DEEP COVE LIGHT 2 | 35-21-37.002N 076-23-09.858W | FI R 6s | 15 | 4 | TR on pile. | |
| 32745 | - ENTRANCE LIGHT 2 | 35-22-24.098N 076-26-28.100W | FI R 4s | 15 | 3 | TR on pile. | |
| Germantown Bay | | | | | | | |
| 32750 | - Approach Day beacon 2 | 35-23-10.397N 076-27-41.428W | | | | TR on pile. | |
| 32755 | - LIGHT 3 | 35-23-53.217N 076-27-49.014W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 32760 | - Day beacon 4 | 35-24-05.408N 076-27-27.227W | | | | TR on pile. | |
| 32765 | - Day beacon 5 | 35-24-25.758N 076-27-29.971W | | | | SG on pile. | |
| 32770 | - LIGHT 7 | 35-24-46.614N 076-27-06.402W | FI G 4s | 15 | 4 | SG on pile. | |
| 32775 | - Day beacon 9 | 35-25-15.615N 076-27-23.276W | | | | SG on pile. | |
| 32780 | DEEP BAY LIGHT 1 | 35-22-41.700N 076-23-16.192W | FI G 4s | 16 | 4 | SG on slatted pile structure. | |
| 32783 | Deep Bay Oyster Sanctuary Buoy A | 35-22-54.756N 076-22-09.672W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | OS-02. Aid maintained by State DOT Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|--|
| NORTH CAROLINA - Fifth District | | | | | | | |
| WESTERN PART OF PAMLICO SOUND (Chart 11548) | | | | | | | |
| Pamlico River Approach | | | | | | | |
| Germantown Bay | | | | | | | |
| 32783.1 | Deep Bay Oyster Sanctuary Buoy B | 35-22-46.302N 076-22-09.672W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | OS-02. Aid maintained by State DOT Private aid. |
| 32783.2 | Deep Bay Oyster Sanctuary Buoy C | 35-22-46.302N 076-22-20.262W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | OS-02. Aid maintained by State DOT Private aid. |
| 32783.3 | Deep Bay Oyster Sanctuary Buoy D | 35-22-54.756N 076-22-20.262W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | OS-02. Aid maintained by State DOT Private aid. |
| 32785 | DEEP BAY LIGHT 2 | 35-22-33.568N 076-21-49.557W | FI R 4s | 15 | 4 | TR on pile. | |
| Rose Bay | | | | | | | |
| 32790 | - Day beacon 3 | 35-23-03.002N 076-25-48.570W | | | | SG on pile. | |
| 32795 | - Day beacon 4 | 35-24-43.976N 076-24-19.504W | | | | TR on pile. | |
| 32800 | - LIGHT 5 | 35-25-32.552N 076-23-54.009W | FI G 4s | 15 | 4 | SG on pile. | |
| 32805 | - LIGHT 6 | 35-26-49.285N 076-25-10.620W | FI R 4s | 15 | 3 | TR on pile. | |
| Pamlico River | | | | | | | |
| 32810 | PAMLICO POINT LIGHT PP On east point of shoal. | 35-18-48.934N 076-26-59.590W | FI W 4s | 25 | 5 | NB on multi-pile structure. | |
| 32813 | PAMLICO POINT WARNING LIGHT | 35-18-48.172N 076-27-20.428W | FI W 6s | 15 | 5 | NW on pile. | |
| 32815 | - Day beacon 1 | 35-19-04.210N 076-28-56.543W | | | | SG on pile. | |
| Oyster Creek | | | | | | | |
| 32820 | - ENTRANCE LIGHT 2 | 35-19-29.658N 076-31-04.794W | FI R 4s | 15 | 4 | TR on pile. | |
| 32825 | - Lighted Buoy 4 | 35-19-25.842N 076-31-52.678W | Q R | | 4 | Red. | |
| 32830 | - Day beacon 6 | 35-19-18.598N 076-32-19.644W | | | | TR on pile. | |
| 32835 | - Day beacon 8 | 35-19-16.944N 076-32-35.478W | | | | TR on pile. | |
| Pamlico River | | | | | | | |
| 32845 | WILLOW POINT SHOAL LIGHT | 35-21-47.612N 076-28-49.405W | FI W 4s | 15 | 5 | NB on pile. | |
| 32850 | ABEL BAY LIGHT 1 | 35-23-14.101N 076-30-36.768W | FI G 4s | 15 | 4 | SG on pile. | |
| Pungo River | | | | | | | |
| 32855 | - JUNCTION LIGHT PR | 35-22-39.567N 076-33-34.978W | FI (2+1)R 6s | 18 | 5 | JR-TY on multi-pile structure. | |
| 38140 | | | | | | | |
| 32860 | - WRECK LIGHT WR2 | 35-25-18.424N | Q R | 15 | 4 | TR-SY on pile. | |
| 38135 | 5 yards, 245° from wreck. | 076-33-30.493W | | | | | |
| Wright Creek | | | | | | | |
| 32865 | - LIGHT 2WC | 35-25-01.236N 076-35-09.748W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 32870 | - Day beacon 4 | 35-24-54.660N 076-35-16.608W | | | | TR on pile. | |
| 32875 | - LIGHT 5 | 35-24-43.285N 076-35-26.492W | Q G | 15 | 4 | SG on pile. | |
| 32880 | - Buoy 6 | 35-24-47.113N 076-35-45.888W | | | | Red nun. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| WESTERN PART OF PAMLICO SOUND (Chart 11548) | | | | | | | |
| Pungo River | | | | | | | |
| Wright Creek | | | | | | | |
| 32885 | - Day beacon 8 | 35-24-41.338N 076-35-56.295W | | | | TR on pile. | |
| 32890 | - Day beacon 10 | 35-24-43.133N 076-36-05.517W | | | | TR on pile. | |
| Pungo River | | | | | | | |
| 32895 | - LIGHT 3 | 35-25-44.906N 076-34-14.387W | FI G 4s | 15 | 4 | SG-TY on pile. | |
| 38130 | | | | | | | |
| 32900 | - LIGHT 4 | 35-26-56.885N 076-34-26.448W | FI R 4s | 15 | 3 | TR-SY on pile. | |
| 38125 | | | | | | | |
| 32902 | <i>Jordan Creek Lighted Buoy 1</i> | 35-27-20.040N 076-36-21.480W | FI G 4s | | | Green. | Private aid. |
| 32905 | - Day beacon 5 | 35-28-16.151N 076-35-16.097W | | | | SG-TY on pile. | |
| 38120 | | | | | | | |
| 32907 | Quilley Point Artificial Reef Buoy AR-292A | 35-28-27.300N 076-34-30.000W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 32907.1 | Quilley Point Artificial Reef Buoy AR-292B | 35-28-26.100N 076-34-18.000W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 32907.2 | Quilley Point Artificial Reef Buoy AR-292C | 35-28-15.900N 076-34-18.000W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 32907.3 | Quilley Point Artificial Reef Buoy AR-292D | 35-28-18.500N 076-34-30.000W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 32910 | - LIGHT 7 | 35-29-00.356N 076-35-14.552W | FI G 4s | 15 | 4 | SG-TY on pile. | |
| 38115 | | | | | | | |
| 32915 | - LIGHT 8 | 35-30-08.685N 076-35-36.794W | FI R 4s | 15 | 5 | TR-SY on multi- pile. | |
| 38110 | | | | | | | |
| 32920 | Pungo Creek Day beacon 2PC | 35-30-57.246N 076-37-52.149W | | | | TR on pile. | |
| 32925 | PUNGO CREEK LIGHT 3 | 35-30-57.961N 076-38-14.594W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| Belhaven Channel | | | | | | | |
| 32930 | - LIGHT 1BC | 35-31-12.357N 076-36-05.795W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 32935 | - Day beacon 2BC | 35-31-16.246N 076-36-05.248W | | | | TR on pile. | |
| 32940 | - Day beacon 3 | 35-31-23.987N 076-36-28.735W | | | | SG on pile. | |
| 32945 | - Day beacon 4 | 35-31-27.369N 076-36-27.175W | | | | TR on pile. | |
| 32950 | - LIGHT 5 | 35-31-39.296N 076-36-57.706W | FI G 4s | 15 | 5 | SG on pile. | |
| 32955 | - LIGHT 6 | 35-31-42.050N 076-36-54.829W | FI R 4s | 15 | 4 | TR on pile. | |
| 32960 | - Day beacon 8 | 35-31-54.716N 076-37-06.554W | | | | TR on pile. | |
| 32965 | - Day beacon 9 | 35-32-07.433N 076-37-24.917W | | | | SG on pile. | |
| 32970 | - Day beacon 11 | 35-32-18.495N 076-37-39.917W | | | | SG on pile. | |
| 32975 | - Day beacon 12 | 35-32-24.640N 076-37-46.344W | | | | TR on pile. | |
| Pungo River | | | | | | | |
| 32980 | TOOLEYS CREEK LIGHT 1 | 35-32-06.600N 076-35-58.934W | FI G 2.5s | 15 | 3 | SG on pile. | |
| 32985 | - CHANNEL LIGHT 10 | 35-31-18.065N 076-35-32.999W | Q R | 15 | 4 | TR-SY on multi-pile structure. | |
| 38105 | | | | | | | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|-----------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| WESTERN PART OF PAMLICO SOUND (Chart 11548) | | | | | | | |
| Pungo River | | | | | | | |
| 32990 | - Channel Day beacon 11 | 35-31-25.137N | | | | SG-TY on pile. | |
| 38100 | | 076-35-07.917W | | | | | |
| 32995 | - Channel Day beacon 12 | 35-31-12.459N | | | | TR-SY on pile. | |
| 38095 | | 076-33-31.625W | | | | | |
| 33000 | - CHANNEL LIGHT 13 | 35-31-17.764N | FI G 4s | 15 | 4 | SG-TY on pile. | |
| 38090 | | 076-33-31.679W | | | | | |
| 33010 | - Channel Day beacon 15 | 35-31-13.536N | | | | SG-TY on multi-pile structure. | |
| 38080 | | 076-31-32.070W | | | | | |
| 33015 | - Channel Day beacon 16 | 35-31-06.274N | | | | TR-SY on pile. | |
| 38075 | | 076-30-19.776W | | | | | |
| 33017 | SMITH CREEK WRECK LIGHT WR 1 | 35-30-49.590N | Q G | 15 | 3 | SG on pile. | |
| 33020 | - Channel Day beacon 17 | 35-31-11.059N | | | | SG-TY on pile. | |
| 38070 | | 076-30-06.023W | | | | | |
| 33025 | - CHANNEL LIGHT 18 | 35-31-04.059N | Q R | 15 | 4 | TR-SY on multi-pile structure. | |
| 38065 | | 076-29-46.153W | | | | | |
| 33030 | - Channel Day beacon 19 | 35-31-19.184N | | | | SG-TY on pile. | |
| 38060 | | 076-29-39.610W | | | | | |
| 33035 | - CHANNEL LIGHT 21 | 35-32-08.642N | FI G 4s | 15 | 4 | SG-TY on multi-pile structure. | |
| 38055 | | 076-28-53.954W | | | | | |
| 33040 | - Channel Day beacon 22 | 35-32-53.801N | | | | TR-SY on pile | |
| 38050 | | 076-28-05.065W | | | | | |
| 33045 | - CHANNEL LIGHT 23 | 35-33-02.901N | Q G | 15 | 3 | SG-TY on pile. | |
| 38045 | | 076-27-59.924W | | | | | |
| 33050 | - Channel Day beacon 24 | 35-33-00.865N | | | | TR-SY on pile. | |
| 38040 | | 076-27-53.595W | | | | | |
| 33055 | - CHANNEL LIGHT 25 | 35-33-08.426N | FI G 4s | 15 | 4 | SG-TY on pile. | |
| 38035 | | 076-27-25.390W | | | | | |
| 33060 | - Channel Day beacon 27PR | 35-33-13.498N | | | | SG-TY on pile. | |
| 38030 | | 076-26-58.119W | | | | | |
| 33065 | - Channel Day beacon 28 | 35-33-11.948N | | | | TR-SY on pile. | |
| 38025 | | 076-26-56.944W | | | | | |
| Pamlico River | | | | | | | |
| Eastham Creek | | | | | | | |
| 33070 | - Day beacon 1 | 35-17-35.227N | | | | SG on pile. | |
| | | 076-36-46.602W | | | | | |
| 33075 | - Day beacon 3 | 35-17-42.276N | | | | SG on pile. | |
| | | 076-36-27.680W | | | | | |
| 33080 | - Day beacon 4 | 35-17-45.612N | | | | TR on pile. | |
| | | 076-36-16.668W | | | | | |
| 33085 | - Day beacon 5 | 35-17-39.573N | | | | SG on pile. | |
| | | 076-35-56.720W | | | | | |
| 33090 | - Day beacon 7 | 35-17-35.661N | | | | SG on pile. | |
| | | 076-35-41.103W | | | | | |
| 33095 | - Day beacon 9 | 35-17-38.357N | | | | SG on pile. | |
| | | 076-35-28.372W | | | | | |
| 33100 | - Day beacon 10 | 35-17-42.714N | | | | TR on pile. | |
| | | 076-35-15.842W | | | | | |
| 33105 | Indian Island Shoal East End Junction Day beacon | 35-21-36.621N | | | | JG on pile. | |
| | | 076-37-43.792W | | | | | |
| PAMLICO RIVER (Chart 11554) | | | | | | | |
| South Creek | | | | | | | |
| 33110 | - Channel Day beacon 2 | 35-21-13.063N | | | | TR on pile. | |
| | | 076-38-28.013W | | | | | |
| 33115 | - CHANNEL LIGHT 4 | 35-21-26.785N | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| | | 076-40-36.434W | | | | | |
| 33120 | - Channel Day beacon 5 | 35-21-19.404N | | | | SG on pile. | |
| | | 076-40-57.650W | | | | | |
| 33125 | Bond Creek Day beacon 2 | 35-20-45.136N | | | | TR on pile. | |
| | | 076-41-35.300W | | | | | |
| 33130 | Bond Creek Day beacon 3 | 35-20-33.223N | | | | SG on pile. | |
| | | 076-41-41.199W | | | | | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| PAMLICO RIVER (Chart 11554) | | | | | | | |
| South Creek | | | | | | | |
| 33135 | - Channel Day beacon 7 | 35-21-13.293N 076-42-15.560W | | | | SG on pile. | |
| 33140 | - Channel Day beacon 8 25 feet outside channel limit. | 35-21-12.325N 076-43-38.871W | | | | TR on pile. | |
| 33145 | - Channel Day beacon 9 25 feet outside channel limit. | 35-20-33.665N 076-44-18.162W | | | | SG on pile. | |
| 33150 | - Channel Day beacon 10 25 feet outside channel limit. | 35-20-10.889N 076-45-23.870W | | | | TR on pile. | |
| 33155 | - Channel Day beacon 12 25 feet outside channel limit. | 35-19-36.547N 076-45-46.560W | | | | TR on pile. | |
| 33160 | - Channel Day beacon 14 25 feet outside channel limit. | 35-19-23.065N 076-45-54.316W | | | | TR on pile. | |
| 33165 | - Channel Day beacon 16 25 feet outside channel limit. | 35-19-19.209N 076-46-08.067W | | | | TR on pile. | |
| 33170 | - Channel Day beacon 18 25 feet outside channel limit. | 35-19-29.248N 076-46-36.497W | | | | TR on pile. | |
| 33175 | - Channel Day beacon 20 25 feet outside channel limit. | 35-19-28.502N 076-46-44.390W | | | | TR on pile. | |
| 33180 | - Channel Day beacon 21 25 feet outside channel limit. | 35-19-03.376N 076-47-20.484W | | | | SG on pile. | |
| 33185 | - Channel Day beacon 22 25 feet outside channel limit. | 35-18-55.185N 076-47-16.975W | | | | TR on pile. | |
| 33190 | - Channel Day beacon 24 25 feet outside channel limit. | 35-18-52.675N 076-47-09.029W | | | | TR on pile. | |
| 33195 | - Channel Day beacon 25 25 feet outside channel limit. | 35-18-34.666N 076-46-59.368W | | | | SG on pile. | |
| 33200 | Jacobs Creek Canal Day beacon 1 | 35-20-00.609N 076-45-46.051W | | | | SG on pile. | Private aid. |
| 33205 | Jacobs Creek Canal Day beacon 2 | 35-20-01.809N 076-45-46.651W | | | | TR on pile. | Private aid. |
| Pamlico River | | | | | | | |
| 33210 | - CHANNEL LIGHT 3 | 35-22-19.408N 076-38-44.343W | FI G 4s | 15 | 5 | SG on multi-pile structure. | |
| 33215 | Indian Island Channel Day beacon 1 | 35-21-53.036N 076-40-28.290W | | | | SG on pile. | |
| 33220 | NORTH CREEK ENTRANCE LIGHT 1NC | 35-24-46.279N 076-40-05.447W | FI G 4s | 15 | 4 | SG on pile. | |
| 33225 | North Creek Day beacon 2 | 35-24-55.283N 076-40-10.470W | | | | TR on pile. | |
| 33230 | North Creek Day beacon 4 | 35-25-15.471N 076-39-50.581W | | | | TR on pile. | |
| 33235 | LONG POINT FERRY TERMINAL CHANNEL LIGHT 1 | 35-23-05.809N 076-44-39.018W | FI G 2.5s | 15 | 3 | SG on multi-pile structure. | |
| 33240 | Long Point Ferry Terminal Channel Day beacon 2 | 35-22-49.550N 076-44-49.840W | | | | TR on pile. | |
| 33245 | GAYLORD BAY FERRY TERMINAL CHANNEL LIGHT 1 | 35-25-18.585N 076-43-59.315W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 33250 | Gaylord Bay Ferry Terminal Channel Day beacon 3 | 35-25-26.493N 076-44-27.944W | | | | SG on pile. | |
| 33255 | - CHANNEL LIGHT 4 | 35-24-46.653N 076-45-48.207W | FI R 6s | 15 | 6 | TR on pile. | |
| 33260 | Texasgulf Entrance Day beacon 1 | 35-23-25.603N 076-45-58.758W | | | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| PAMLICO RIVER (Chart 11554) | | | | | | | |
| Pamlico River | | | | | | | |
| 33265 | Texasgulf Entrance Day beacon 2 | 35-23-28.603N 076-46-19.759W | | | | TR on dolphin. | Private aid. |
| 33270 | Durham Creek Day beacon 2 | 35-24-04.701N 076-49-13.759W | | | | TR on pile. | |
| Bath Creek | | | | | | | |
| 33275 | - LIGHT 1 | 35-27-06.822N 076-49-13.350W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 33280 | - Day beacon 2 | 35-27-17.382N 076-49-08.958W | | | | TR on pile. | |
| 33285 | - Day beacon 3 | 35-28-05.166N 076-49-02.580W | | | | SG on pile. | |
| 33290 | - LIGHT 4 | 35-28-18.672N 076-49-00.228W | FI R 4s | 15 | 4 | TR on pile. | |
| Pamlico River | | | | | | | |
| 33293 | Eborn Point Artificial Fishing Reef Buoy AR-291D | 35-26-10.400N 076-48-35.200W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33293.1 | Eborn Point Artificial Fishing Reef Buoy AR-291A | 35-26-02.000N 076-48-00.700W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33293.2 | Eborn Point Artificial Fishing Reef Buoy AR-291B | 35-25-48.400N 076-48-14.500W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33293.3 | Eborn Point Artificial Fishing Reef Buoy AR-291C | 35-25-56.200N 076-48-33.800W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33295 | - CHANNEL LIGHT 5 | 35-25-51.194N 076-50-30.301W | FI G 4s | 15 | 5 | SG on pile. | |
| 33300 | - CHANNEL LIGHT 7 | 35-27-10.333N 076-55-08.283W | FI G 6s | 15 | 5 | SG on pile. | |
| 33305 | - Channel Day beacon 8 25 feet outside channel limit. | 35-27-25.248N 076-56-05.536W | | | | TR on pile. | |
| 33310 | Blounts Creek Day beacon 2 | 35-26-14.344N 076-57-51.488W | | | | TR on pile. | |
| 33315 | - CHANNEL LIGHT 9 25 feet outside channel limit. | 35-27-42.421N 076-57-34.432W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 33320 | BROAD CREEK ENTRANCE LIGHT 1 | 35-28-51.549N 076-57-22.939W | FI G 4s | 15 | 4 | SG on pile. | |
| 33325 | - Channel Day beacon 10 25 feet outside channel limit. | 35-28-25.655N 076-58-29.821W | | | | TR on pile. | |
| 33330 | Broad Creek Day beacon 3 | 35-29-04.435N 076-57-14.478W | | | | SG on pile. | |
| 33335 | BROAD CREEK LIGHT 4 | 35-29-05.645N 076-57-11.814W | FI R 4s | 15 | 4 | TR on pile. | |
| 33340 | Broad Creek Day beacon 6 | 35-29-28.879N 076-57-26.130W | | | | TR on pile. | |
| 33345 | - CHANNEL LIGHT 12 25 feet outside channel limit. | 35-28-57.670N 076-59-16.262W | FI R 4s | 15 | 4 | TR on pile. | |
| 33347 | Shady Banks Outfall Buoy A | 35-29-37.620N 076-59-31.560W | | | | White can with orange band worded SUBMERGED PIPELINE. | Private aid. |
| 33347.1 | Shady Banks Outfall Buoy B | 35-29-36.660N 076-59-32.940W | | | | White can with orange band worded SUBMERGED PIPELINE. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| PAMLICO RIVER (Chart 11554) | | | | | | | |
| Pamlico River | | | | | | | |
| 33350 | - CHANNEL LIGHT 14 25 feet outside channel limit. | 35-29-25.282N 077-00-11.632W | FI R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 33355 | - CHANNEL LIGHT 16 25 feet outside channel limit. | 35-30-28.482N 077-01-13.341W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 33360 | - CHANNEL LIGHT 17 25 feet outside channel limit. | 35-31-29.105N 077-02-17.442W | Q G | 15 | 4 | SG on pile. | |
| 33365 | - Channel Day beacon 18 25 feet outside channel limit. | 35-31-41.531N 077-02-29.435W | | | | TR on pile. | |
| Fountain Powerboats Factory | | | | | | | |
| 33367.1 | - LIGHT 1F | 35-31-45.120N 077-02-42.360W | FI G 4s | 13 | | SG on pile. | Private aid. |
| 33367.2 | - Day beacon 3 | 35-31-41.160N 077-02-44.520W | | | | SG on pile. | Private aid. |
| 33367.3 | - Day beacon 4 | 35-31-42.240N 077-02-45.240W | | | | TR on pile. | Private aid. |
| 33367.4 | - Day beacon 5 | 35-31-37.920N 077-02-46.320W | | | | SG on pile. | Private aid. |
| 33367.5 | - Day beacon 6 | 35-31-37.920N 077-02-47.400W | | | | TR on pile. | Private aid. |
| 33367.6 | - Day beacon 7 | 35-31-33.960N 077-02-48.840W | | | | SG on pile. | Private aid. |
| 33367.7 | - Day beacon 8 | 35-31-34.320N 077-02-49.920W | | | | TR on pile. | Private aid. |
| 33367.8 | - Day beacon 9 | 35-31-29.640N 077-02-51.000W | | | | SG on pile. | Private aid. |
| 33367.9 | - Day beacon 10 | 35-31-30.000N 077-02-51.000W | | | | TR on pile. | Private aid. |
| Pamlico River | | | | | | | |
| 33370 | - CHANNEL LIGHT 19 25 feet outside channel limit. | 35-31-52.605N 077-02-53.263W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 33373 | Carolina Wind Yacht Center Buoy 1 | 35-32-22.920N 077-03-30.300W | | | | Green can. | Private aid. |
| 33373.1 | Carolina Wind Yacht Center Buoy 2 | 35-32-23.760N 077-03-33.180W | | | | Red nun. | Private aid. |
| 33373.2 | Carolina Wind Yacht Center Buoy 3 | 35-32-20.700N 077-03-31.860W | | | | Green can. | Private aid. |
| 33373.3 | Carolina Wind Yacht Center Buoy 4 | 35-32-20.580N 077-03-34.380W | | | | Red nun. | Private aid. |
| 33375 | Tar River Outfall Buoy A | 35-32-39.120N 077-04-30.120W | | | | White can with orange band worded SUBMERGED PIPELINE. | Private aid. |
| PAMLICO SOUND (Chart 11548) | | | | | | | |
| Neuse River Approach | | | | | | | |
| Jones Bay | | | | | | | |
| 33380 | - LIGHT 2 | 35-11-27.694N 076-29-59.373W | FI R 4s | 15 | 4 | TR on pile. | |
| 33385 | - LIGHT 3 | 35-12-01.535N 076-29-58.233W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 33390 | - LIGHT 5 | 35-13-53.674N 076-33-44.077W | FI G 4s | 15 | 4 | SG on pile. | |
| Bay River | | | | | | | |
| 33395 | BAY POINT LIGHT | 35-10-21.301N 076-30-18.989W | FI W 4s | 15 | 6 | NB on pile. | |
| 38255 | On south end of shoal. | | | | | | |
| 33400 | - LIGHT 1 | 35-09-47.706N 076-32-00.593W | FI G 4s | 15 | 4 | SG-TY on pile. | |
| 38245 | | | | | | | |
| 33405 | - LIGHT 3 | 35-10-48.033N 076-33-30.377W | FI G 4s | 15 | 4 | SG-TY on pile. | |
| 38250 | | | | | | | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| PAMLICO SOUND (Chart 11548) | | | | | | | |
| Neuse River Approach | | | | | | | |
| Bay River | | | | | | | |
| 33410 | - LIGHT 4 | 35-10-24.258N 076-36-21.463W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 33415 | - LIGHT 5 | 35-10-13.483N 076-39-05.853W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 33420 | - Day beacon 6 | 35-09-25.631N 076-40-44.085W | | | | TR on pile. | |
| 33425 | - Day beacon 8 | 35-08-53.824N 076-41-44.858W | | | | TR on pile. | |
| 33427.5 | Swan Point Warning Day beacon B | 35-08-49.600N 076-42-08.745W | | | | NW on pile worded DANGER SUBMERGED PIPELINE. | Private aid. |
| 33428 | SWAN POINT WARNING LIGHT C | 35-08-40.600N 076-42-06.745W | FI W 4s | 12 | | NW on pile worded DANGER SUBMERGED PIPELINE. | Private aid. |
| 33428.5 | Swan Point Warning Day beacon D | 35-08-39.600N 076-42-05.745W | | | | NW on pile worded DANGER SUBMERGED PIPELINE. | Private aid. |
| 33430 | - LIGHT 9 | 35-08-32.779N 076-42-29.565W | FI G 4s | 15 | 4 | SG on pile. | |
| 33435 | - Day beacon 10 | 35-08-31.633N 076-42-49.741W | | | | TR on pile. | |
| 33440 | - Day beacon 11 | 35-08-30.831N 076-43-11.088W | | | | SG on pile. | |
| 33445 | - Day beacon 12 | 35-08-59.941N 076-43-31.848W | | | | TR on pile. | |
| 33455 | - Day beacon 15 | 35-08-49.582N 076-43-48.084W | | | | SG on pile. | |
| 33460 | - Day beacon 16 | 35-08-50.733N 076-44-11.189W | | | | TR on pile. | |
| 33465 | - Day beacon 18 | 35-08-47.083N 076-44-16.191W | | | | TR on pile. | |
| 33470 | - Day beacon 20 | 35-08-29.802N 076-44-21.283W | | | | TR on pile. | |
| 33475 | - Day beacon 22 | 35-08-22.915N 076-44-44.141W | | | | TR on pile. | |
| Cedar Island | | | | | | | |
| 33480 | - FERRY SLIP BREAKWATER LIGHT 3 | 35-01-11.184N 076-18-41.372W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 33483 | - Ferry Slip Breakwater Buoy 2 | 35-01-12.556N 076-18-29.984W | | | | Red nun. | |
| 33485 | - FERRY SLIP BREAKWATER LIGHT 2A | 35-01-14.152N 076-18-35.694W | FI R 4s | 15 | 5 | TR on pile. | |
| 33487 | - Ferry Slip Breakwater Day beacon 2B | 35-01-13.170N 076-18-37.912W | | | | TR on multi-pile structure. | |
| West Bay | | | | | | | |
| 33495 | - LIGHT 2WB | 35-02-53.044N 076-21-57.784W | FI R 2.5s | 15 | 4 | TR on multi-pile structure. | |
| 33514 | Swan Island Oyster Sanctuary Buoy OS-15A | 35-05-37.000N 076-27-30.200W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33514.1 | Swan Island Oyster Sanctuary Buoy OS-15B | 35-05-36.100N 076-26-45.900W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33514.2 | Swan Island Oyster Sanctuary Buoy OS-15C | 35-05-29.100N 076-29-45.800W | | | | White can with orange bands and diamond worded REEF. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| NORTH CAROLINA - Fifth District | | | | | | | |
| PAMLICO SOUND (Chart 11548) | | | | | | | |
| Neuse River Approach | | | | | | | |
| West Bay | | | | | | | |
| 33514.3 | Swan Island Oyster Sanctuary Buoy OS-15D | 35-05-29.900N 076-27-30.200W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33516 | Raccoon Island Oyster Sanctuary Daybeacon A | 35-05-28.560N 076-23-24.240W | | | | NW on multi-pile structure worded ROCK. | Private aid. |
| 33516.1 | Raccoon Island Oyster Sanctuary Daybeacon B | 35-05-22.080N 076-23-24.240W | | | | NW on multi-pile structure worded ROCK. | Private aid. |
| 33516.2 | Raccoon Island Oyster Sanctuary Daybeacon C | 35-05-22.080N 076-23-32.220W | | | | NW on multi-pile structure worded ROCK. | Private aid. |
| 33516.3 | Raccoon Island Oyster Sanctuary Daybeacon D | 35-05-28.560N 076-23-32.220W | | | | NW on multi-pile structure worded ROCK. | Private aid. |
| 33517 | - RESTRICTED AREA LIGHT I | 35-01-16.000N 076-25-48.000W | FI W 6s | 15 | | NW on pile worded DANGER. | Aid maintained by U.S. Marine Corps. |
| 33517.1 | - RESTRICTED AREA LIGHT J | 35-02-05.000N 076-25-34.000W | FI W 6s | 16 | | NW on pile worded DANGER. | Aid maintained by U.S. Marine Corps. |
| 33520 | - LIGHT 5WB Marks shoal. | 35-02-04.792N 076-22-52.378W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 33525 | - Daybeacon 6 | 35-00-42.499N 076-23-37.256W | | | | TR on pile. | |
| 33535 | - LIGHT 7WB | 34-59-24.465N 076-24-08.445W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 33537 | - Oyster Sanctuary Buoy A | 34-58-51.102N 076-21-21.792W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | OS-03. Aid maintained by State DOT Private aid. |
| 33537.1 | - Oyster Sanctuary Buoy B | 34-58-45.966N 076-21-21.792W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | OS-03. Aid maintained by State DOT Private aid. |
| 33537.2 | - Oyster Sanctuary Buoy C | 34-58-45.966N 076-21-28.410W | | | | White can with orange bands and diamond worded DANGER SUBMERGED ROCKS. | OS-03. Aid maintained by State DOT Private aid. |
| 33537.3 | - Oyster Sanctuary Buoy D | 34-58-51.102N 076-21-28.410W | | | | White can with orange diamond worded DANGER SUBMERGED ROCKS. | OS-03. Aid maintained by State DOT Private aid. |
| 33540 | - LIGHT 8WB | 34-58-28.320N 076-23-56.709W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 33545 | - LIGHT 10WB | 34-57-20.169N 076-23-39.789W | FI R 4s | 15 | 4 | TR on pile. | |
| 33550 | - LIGHT 11WB | 34-56-32.988N 076-23-16.568W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 33555 | - Daybeacon 13WB | 34-56-23.634N 076-23-06.576W | | | | SG on pile. | |
| 33560 | - LIGHT 15WB | 34-56-03.390N 076-22-57.396W | FI G 4s | 16 | 4 | SG on pile. | |
| 33565 | LONG BAY LIGHT 2 | 34-58-09.575N 076-25-29.348W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 33570 | LONG BAY LIGHT 4 | 34-57-24.486N 076-25-53.701W | FI R 6s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|-------------------------------------|---|
| NORTH CAROLINA - Fifth District | | | | | | | |
| PAMLICO SOUND (Chart 11548) | | | | | | | |
| Neuse River Approach | | | | | | | |
| West Bay | | | | | | | |
| 33575 | LONG BAY LIGHT 6 | 34-57-39.594N 076-27-34.350W | FI R 4s | 15 | 4 | TR on pile. | |
| Neuse River | | | | | | | |
| 33580 38260 | - JUNCTION LIGHT NR | 35-08-46.678N 076-30-10.852W | FI (2+1)R 6s | 15 | 5 | JR-TY on multi-pile structure. | |
| 33585 38265 | - ENTRANCE LIGHT 2 | 35-08-07.530N 076-30-51.172W | FI R 4s | 15 | 5 | TR-TY on pile. | |
| 33590 38270 | - ENTRANCE LIGHT NR Marks northerly side of Point Marsh Shoal. | 35-06-37.272N 076-28-32.297W | FI W 6s | 24 | 7 | NB on multi-pile structure. | |
| 33595 38275 | - CHANNEL LIGHT 4 | 35-05-06.660N 076-32-41.562W | FI R 2.5s | 15 | 5 | TR-TY on pile. | |
| 33597 | - <i>UNC Lighted Data Buoy A</i> | 35-03-51.120N 076-31-35.040W | FI Y 6s | | | 6'x6' orange platform with mast. | Ra ref. Private aid. |
| 33598 | - Warning Day beacon | 35-05-13.688N 076-32-38.962W | | | | NW on pile worded DANGER SHOAL. | |
| Broad Creek | | | | | | | |
| 33605 | BROAD CREEK LIGHT 1 | 35-05-28.856N 076-34-58.408W | FI G 4s | 16 | 4 | SG on pile. | |
| 33610 | - Day beacon 2A | 35-05-32.754N 076-35-17.448W | | | | TR on pile. | |
| 33615 | - Day beacon 3 | 35-05-38.366N 076-35-38.582W | | | | SG on pile. | |
| 33620 | - Day beacon 4 | 35-05-24.630N 076-36-30.897W | | | | TR on pile. | |
| 33623 | RATTAN BAY RESTRICTED AREA LIGHT A | 35-04-36.000N 076-28-35.000W | FI W 6s | 15 | | NW on pile worded DANGER. | Aid maintained by U.S. Marine Corps. |
| 33623.1 | RATTAN BAY RESTRICTED AREA LIGHT B | 35-03-58.000N 076-28-50.000W | FI W 6s | 15 | | NW on pile worded DANGER. | Aid maintained by U.S. Marine Corps. |
| 33623.2 | RATTAN BAY RESTRICTED AREA LIGHT C | 35-03-38.000N 076-28-45.000W | FI W 6s | 15 | | NW on pile worded DANGER. | Aid maintained by U.S. Marine Corps. |
| 33623.3 | RATTAN BAY RESTRICTED AREA LIGHT D | 35-03-17.000N 076-29-23.000W | FI W 6s | 15 | | NW on pile worded DANGER. | Aid maintained by U.S. Marine Corps. |
| 33623.4 | RATTAN BAY RESTRICTED AREA LIGHT E | 35-02-44.000N 076-29-47.000W | FI W 6s | 15 | | NW on pile worded DANGER. | Aid maintained by U.S. Marine Corps. |
| 33623.5 | RATTAN BAY RESTRICTED AREA LIGHT F | 35-02-06.000N 076-29-53.000W | FI W 6s | 15 | | NW on pile worded DANGER. | Aid maintained by U.S. Marine Corps. |
| 33623.6 | RATTAN BAY RESTRICTED AREA LIGHT G | 35-01-30.000N 076-29-41.000W | FI W 6s | 15 | | NW on pile worded DANGER. | Aid maintained by U.S. Marine Corps. |
| 33623.7 | RATTAN BAY RESTRICTED AREA LIGHT H | 35-01-06.000N 076-29-20.000W | FI W 6s | 15 | | NW on pile worded DANGER. | Aid maintained by U.S. Marine Corps. |
| 33624 | Cedar Bay Oyster Sanctuary Day beacon A | 35-02-41.460N 076-30-47.580W | | | | NW on multi-pile worded ROCK. | Private aid. |
| 33624.1 | Cedar Bay Oyster Sanctuary Day beacon B | 35-02-32.220N 076-30-47.880W | | | | NW on multi-pile worded ROCK. | Private aid. |
| 33624.2 | Cedar Bay Oyster Sanctuary Day beacon C | 35-02-32.460N 076-30-59.100W | | | | NW on multi-pile worded ROCK. | Private aid. |
| 33624.3 | Cedar Bay Oyster Sanctuary Day beacon D | 35-02-41.7000 076-30-58.800W | | | | NW on multi-pile worded ROCK. | Private aid. |
| Neuse River | | | | | | | |
| 33625 38280 | - CHANNEL LIGHT 6 | 35-03-51.816N 076-34-19.710W | FI R 4s | 15 | 4 | TR-TY on multi-pile structure. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| PAMLICO SOUND (Chart 11548) | | | | | | | |
| Neuse River | | | | | | | |
| Turnagain Bay | | | | | | | |
| 33627 | - WRECK LIGHT WR1 | 35-01-18.857N 076-29-57.533W | Q G | 15 | 3 | SG on pile. | |
| 33629 | - Oyster Sanctuary Buoy OS-08B | 35-00-29.500N 076-32-04.500W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33629.1 | - Oyster Sanctuary Buoy OS-08C | 35-00-29.500N 076-31-56.100W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33629.2 | - Oyster Sanctuary Buoy OS-08D | 35-00-22.500N 076-31-56.100W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33629.3 | - Oyster Sanctuary Buoy OS-08A | 35-00-22.500N 076-32-04.500W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 33630 | - LIGHT 1A | 35-00-26.293N 076-30-11.372W | FI G 4s | 15 | 4 | SG on pile. | |
| 33635 | - Day beacon 2 | 35-00-13.321N 076-30-09.572W | | | | TR on pile. | |
| 33640 | - LIGHT 4 | 34-59-10.084N 076-29-20.039W | FI R 6s | 15 | 4 | TR on pile. | |
| 33645 | - LIGHT 5 | 34-58-09.021N 076-29-21.852W | FI G 6s | 15 | 4 | SG on pile. | |
| Orchard Creek Channel | | | | | | | |
| 33647.01 | - Day beacon 1 | 35-03-25.300N 076-37-58.400W | | | | SG on pile. | Private aid. |
| 33647.03 | - Day beacon 3 | 35-03-23.200N 076-38-07.400W | | | | SG on pile. | Private aid. |
| 33647.05 | - Day beacon 5 | 35-03-21.100N 076-38-16.000W | | | | SG on pile. | Private aid. |
| 33647.06 | - Day beacon 6 | 35-03-23.200N 076-38-19.600W | | | | TR on pile. | Private aid. |
| 33647.08 | - Day beacon 8 | 35-03-27.100N 076-38-26.900W | | | | TR on pile. | Private aid. |
| 33647.1 | - Day beacon 10 | 35-03-29.100N 076-38-29.600W | | | | TR on pile. | Private aid. |
| 33647.11 | - Day beacon 11 | 35-03-30.700N 076-38-32.800W | | | | SG on pile. | Private aid. |
| Turnagain Bay | | | | | | | |
| 33650 | Cockle Point Warning Day beacon | 35-02-54.682N 076-37-58.718W | | | | NW on pile worded DANGER SUBMERGED WRECK. | |
| South River | | | | | | | |
| 33655 | - LIGHT 1 | 34-59-23.345N 076-35-25.467W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 33660 | - LIGHT 2 | 34-58-55.594N 076-35-03.551W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 33665 | - Wreck Day beacon WR3 30 yards, 270° from submerged wreck. | 34-58-51.625N 076-34-59.458W | | | | SG on multi-pile structure. | |
| 33670 | - Day beacon 5 | 34-58-30.563N 076-35-00.608W | | | | SG on pile. | |
| 33675 | Hardy Creek Juntion Day beacon HC | 34-58-01.976N 076-35-08.467W | | | | JR on pile. | |
| 33680 | Hardy Creek Day beacon 1 | 34-57-55.251N 076-35-29.896W | | | | SG on pile. | |
| 33685 | - LIGHT 6 | 34-57-23.735N 076-34-43.215W | FI R 4s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|---|
| NORTH CAROLINA - Fifth District | | | | | | | |
| NEUSE RIVER (Chart 11552) | | | | | | | |
| Pierce Creek | | | | | | | |
| 33690 | - LIGHT 2 | 35-02-18.878N 076-39-16.395W | FI R 4s | 15 | 4 | TR on pile. | |
| 33695 | - Day beacon 4 | 35-02-21.341N 076-39-28.798W | | | | TR on pile. | |
| 33700 | - Day beacon 5 | 35-02-23.304N 076-39-45.475W | | | | SG on pile. | |
| 33705 | - Day beacon 6 | 35-02-25.606N 076-39-57.262W | | | | TR on pile. | |
| 33710 | - Day beacon 8 | 35-02-29.190N 076-40-00.106W | | | | TR on pile. | |
| Neuse River | | | | | | | |
| 33713 | Whitehurst Point Artificial Fishing Reef Buoy AR-396A | 35-01-52.200N 076-39-28.000W | | | | White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES. | Aid maintained by State DOT Private aid. |
| 33713.1 | Whitehurst Point Artificial Fishing Reef Buoy AR-396B | 35-01-47.100N 076-39-23.900W | | | | White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES. | Aid maintained by State DOT Private aid. |
| 33713.2 | Whitehurst Point Artificial Fishing Reef Buoy AR-396C | 35-01-25.300N 076-39-51.200W | | | | White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES. | Aid maintained by State DOT Private aid. |
| 33713.3 | Whitehurst Point Artificial Fishing Reef Buoy AR-396D | 35-01-35.900N 076-39-58.300W | | | | White can with orange bands and diamond worded NORTH CAROLINA DIVISION OF MARINE FISHERIES. | Aid maintained by State DOT Private aid. |
| 33715 38285 | - CHANNEL LIGHT 7 | 35-00-32.013N 076-39-38.172W | FI G 4s | 15 | 5 | SG-SY on multi- pile structure. | |
| Whittaker Creek | | | | | | | |
| 33718 | - Day beacon 1 | 35-01-24.359N 076-41-09.838W | | | | SG on pile. | |
| 33720 | - LIGHT 2 | 35-01-22.544N 076-41-09.067W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 33723 | - Day beacon 3 | 35-01-30.314N 076-41-05.796W | | | | SG on pile. | |
| 33724 | - Buoy 3A | 35-01-31.827N 076-41-04.053W | | | | Green can. | |
| 33725 | - Day beacon 4 | 35-01-35.787N 076-41-01.222W | | | | TR on pile. | |
| 33730 | - LIGHT 5 | 35-01-48.513N 076-40-54.501W | FI G 4s | 15 | 4 | SG on pile. | |
| 33730.1 | - Buoy 5A | 35-01-47.370N 076-40-54.672W | | | | Green can. | |
| 33735 | - Day beacon 7 | 35-01-50.271N 076-40-56.059W | | | | SG on pile. | |
| Greens Creek | | | | | | | |
| 33740 | - Day beacon 1 | 35-01-25.727N 076-42-15.369W | | | | SG on pile. | |
| 33745 | - Day beacon 2 | 35-01-29.461N 076-42-21.949W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---------------------------------|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| NEUSE RIVER (Chart 11552) | | | | | | | |
| Neuse River | | | | | | | |
| Greens Creek | | | | | | | |
| 33750 | - Day beacon 3 | 35-01-30.471N 076-42-28.977W | | | | SG on pile. | |
| Smith Creek Channel | | | | | | | |
| 33755 | - LIGHT 1SC | 35-00-54.303N 076-41-28.449W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 33760 | - Day beacon 3 | 35-01-02.340N 076-41-45.249W | | | | SG on pile. | |
| 33765 | - Day beacon 5 | 35-01-08.031N 076-41-57.531W | | | | SG on pile. | |
| 33770 | - LIGHT 6 | 35-01-10.082N 076-41-54.221W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 33775 | - LIGHT 8 | 35-01-19.355N 076-41-56.757W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 33780 | - Day beacon 9 | 35-01-31.445N 076-42-05.743W | | | | SG on pile. | |
| 33785 | - Day beacon 10 | 35-01-41.901N 076-42-09.180W | | | | TR on pile. | |
| Neuse River | | | | | | | |
| 33790 | ADAMS CREEK LIGHT 1AC | 34-58-30.087N | FI G 4s | 15 | 4 | SG-SY on multi-pile structure. | |
| 38290 | 35 feet outside channel limit. | 076-41-45.912W | | | | | |
| 33795 | Dawson Creek Entrance Day beacon 2 | 34-59-15.978N 076-45-01.140W | | | | TR on pile. | |
| 33800 | Dawson Creek Entrance Warning Day beacon | 34-59-24.836N 076-45-27.837W | | | | NW on pile worded DANGER SHOAL. | |
| Clubfoot Creek | | | | | | | |
| 33805 | - Entrance Day beacon 1 | 34-55-59.828N 076-45-13.386W | | | | SG on pile. | |
| 33810 | - ENTRANCE LIGHT 3 | 34-55-24.749N 076-45-34.347W | FI G 4s | 15 | 4 | SG on pile. | |
| 33815 | - Day beacon 5 | 34-55-10.877N 076-45-31.031W | | | | SG on pile. | |
| 33820 | - Day beacon 6 | 34-55-06.318N 076-45-31.827W | | | | TR on pile. | |
| 33825 | - Day beacon 8 | 34-54-55.314N 076-45-24.857W | | | | TR on pile. | |
| Neuse River | | | | | | | |
| 33830 | - Channel Day beacon 8 | 34-57-37.021N 076-47-59.760W | | | | TR on pile. | |
| 33835 | - CHANNEL LIGHT 9 | 34-56-50.664N 076-48-32.076W | FI G 2.5s | 15 | 4 | SG on multi-pile structure. | |
| 33840 | WILKINSON POINT FERRY TERMINAL CHANNEL LIGHT 2 | 34-57-48.597N 076-48-34.934W | FI R 2.5s | 15 | 3 | TR on multi-pile structure. | |
| 33845 | Wilkinson Point Ferry Terminal Channel Day beacon 3 | 34-57-54.591N 076-48-31.108W | | | | SG on pile. | |
| 33850 | Wilkinson Point Ferry Terminal Channel Day beacon 4 | 34-57-58.736N 076-48-25.242W | | | | TR on pile. | |
| 33855 | Cherry Point Day beacon 2 | 34-56-45.900N 076-48-34.668W | | | | TR on pile. | |
| 33860 | Cherry Point Channel Day beacon 3 | 34-56-30.939N 076-48-33.339W | | | | SG on pile. | |
| 33865 | Cherry Point Channel Day beacon 4 | 34-56-27.330N 076-48-36.456W | | | | TR on pile. | |
| Minnesott Beach Yacht Basin | | | | | | | |
| 33870 | - ENTRANCE LIGHT 1 | 34-58-04.800N 076-49-13.800W | Q G | 14 | | SG on pile. | Private aid. |
| 33875 | - Entrance Day beacon 2 | 34-58-07.077N 076-49-09.773W | | | | TR on pile. | Private aid. |
| 33890 | - Entrance Day beacon 5 | 34-58-09.077N 076-49-09.023W | | | | SG on pile. | Private aid. |
| 33895 | - Entrance Day beacon 6 | 34-58-12.600N 076-49-10.200W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|--------------------------------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| NEUSE RIVER (Chart 11552) | | | | | | | |
| Neuse River | | | | | | | |
| Hancock Creek | | | | | | | |
| 33900 | - LIGHT 1 | 34-56-23.802N 076-50-47.916W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 33902 | MCAS Cherry Point Warning Day beacon A | 34-56-39.012N 076-51-17.280W | | | | NW on pile worded DANGER LIVE FIRE SECTOR. | Aid maintained by U.S. Marine Corps. |
| 33902.1 | MCAS Cherry Point Warning Day beacon B | 34-56-26.290N 076-51-00.390W | | | | NW on pile worded DANGER LIVE FIRE SECTOR. | Aid maintained by U.S. Marine Corps. |
| 33902.2 | MCAS Cherry Point Warning Day beacon C | 34-56-20.030N 076-50-39.040W | | | | NW on pile worded DANGER LIVE FIRE SECTOR. | Aid maintained by U.S. Marine Corps. |
| 33902.3 | MCAS Cherry Point Warning Day beacon D | 34-55-27.410N 076-51-10.280W | | | | NW on pile worded DANGER LIVE FIRE SECTOR. | Aid maintained by U.S. Marine Corps. |
| 33902.4 | MCAS Cherry Point Warning Day beacon E | 34-55-30.830N 076-51-04.210W | | | | NW on pile worded DANGER LIVE FIRE SECTOR. | Aid maintained by U.S. Marine Corps. |
| 33905 | - Day beacon 3 | 34-56-20.418N 076-51-06.454W | | | | SG on pile. | |
| 33910 | - Day beacon 5 | 34-56-19.626N 076-51-11.572W | | | | SG on pile. | |
| 33915 | - LIGHT 6 | 34-56-20.472N 076-51-13.047W | FI R 4s | 15 | 4 | TR on pile. | |
| Slocum Creek | | | | | | | |
| 33920 | - LIGHT 2 | 34-57-03.930N 076-53-16.570W | Q R | 15 | 4 | TR on pile. | |
| 33925 | - Day beacon 1 | 34-57-00.198N 076-53-23.039W | | | | SG on pile. | |
| 33930 | - Day beacon 4 | 34-57-03.754N 076-53-28.446W | | | | TR on pile. | |
| 33935 | - Day beacon 4A | 34-57-09.930N 076-53-45.389W | | | | TR on pile. | |
| 33940 | - Day beacon 5 | 34-57-09.618N 076-53-48.563W | | | | SG on pile. | |
| 33945 | - Day beacon 7 | 34-57-08.208N 076-54-01.158W | | | | SG on pile. | |
| 33950 | - Day beacon 8 | 34-57-09.875N 076-54-09.351W | | | | TR on pile. | |
| 33955 | - Day beacon 10 | 34-56-41.264N 076-54-23.083W | | | | TR on pile. | |
| 33960 | Beard Creek Entrance Day beacon 1 | 34-59-49.876N 076-51-54.627W | | | | SG on pile. | |
| Neuse River | | | | | | | |
| 33965 | - CHANNEL LIGHT 11 | 34-59-57.836N 076-56-36.424W | Q G | 15 | 4 | SG on multi-pile structure. | |
| 33970 | - Channel Day beacon 13 | 35-00-30.327N 076-57-11.970W | | | | SG on pile. | |
| 33975 | - Channel Day beacon 15 25 feet outside channel limit. | 35-00-52.001N 076-57-35.546W | | | | SG on pile. | |
| 33980 | - CHANNEL LIGHT 17 25 feet outside channel limit. | 35-01-23.742N 076-58-10.152W | FI G 4s | 15 | 4 | SG on pile. | |
| 33985 | - CHANNEL LIGHT 19 | 35-02-37.116N 076-59-01.434W | FI G 4s | 16 | 4 | SG on pile. | |
| 33990 | UPPER BROAD CREEK LIGHT 2 | 35-02-56.452N 076-57-24.583W | FI R 4s | 15 | 4 | TR on pile. | |
| 33995 | Upper Broad Creek Day beacon 3 | 35-03-22.070N 076-57-01.524W | | | | SG on pile. | |
| Northwest Creek Channel | | | | | | | |
| 33996 | - ENTRANCE LIGHT 1N | 35-03-10.380N 076-57-51.300W | FI G 4s | 15 | | SG on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| NEUSE RIVER (Chart 11552) | | | | | | | |
| Northwest Creek Channel | | | | | | | |
| 33997 | - Day beacon 3 | 35-03-18.960N 076-57-54.120W | | | | SG on pile. | Private aid. |
| 33998 | - Day beacon 4 | 35-03-19.320N 076-57-49.980W | | | | TR on pile. | Private aid. |
| 33998.1 | - Day beacon 5 | 35-03-23.000N 076-58-01.000W | | | | SG on pile. | Private aid. |
| Neuse River | | | | | | | |
| 34000 | - CHANNEL LIGHT 22 | 35-04-47.786N 077-00-21.726W | FI R 4s | 15 | 4 | TR on pile. | |
| 34005 | - Channel Day beacon 24 25 feet outside channel limit. | 35-04-49.634N 077-00-30.416W | | | | TR on pile. | |
| 34010 | - Channel Day beacon 26 | 35-04-51.414N 077-00-43.945W | | | | TR on pile. | |
| 34015 | - CHANNEL LIGHT 27 | 35-04-49.560N 077-00-54.777W | FI G 4s | 16 | 4 | SG on pile. | |
| 34017 | Black Beacon Point Artificial Reef Buoy AR-392A | 35-05-17.100N 077-00-48.900W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 34017.1 | Black Beacon Point Artificial Reef Buoy AR-392B | 35-04-57.400N 077-00-19.400W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 34017.2 | Black Beacon Point Artificial Reef Buoy AR-392C | 35-04-50.300N 077-00-29.900W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 34017.3 | Black Beacon Point Artificial Reef Buoy AR-392D | 35-05-12.800N 077-00-55.600W | | | | White can with orange bands and diamond worded REEF. | Private aid. |
| 34020 | - CHANNEL LIGHT 28 25 feet outside channel limit. | 35-05-18.602N 077-01-30.584W | FI R 4s | 15 | 4 | TR on multi-pile structure. | |
| 34030 | - CHANNEL LIGHT 32 25 feet outside channel limit. | 35-06-08.898N 077-02-00.726W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 34040 | - Channel Day beacon 34 25 feet outside channel limit. | 35-06-19.770N 077-01-59.664W | | | | TR on pile. | |
| 34045 | - Channel Day beacon 38 25 feet outside channel limit. | 35-06-50.640N 077-02-05.982W | | | | TR on pile. | |
| 34047 | BRIDGETON WARNING LIGHT | 35-07-25.575N 077-01-40.809W | FI W 4s | 6 | | NW on pile worded DANGER SUBMERGED PIPELINE DO NOT ANCHOR. | Private aid. |
| 34050 | - CHANNEL LIGHT 39 | 35-07-26.058N 077-02-41.700W | FI G 4s | 15 | 4 | SG on pile. | |
| 34055 | - Channel Day beacon 41 | 35-07-42.510N 077-02-46.038W | | | | SG on pile. | |
| 34060 | - Channel Day beacon 43 | 35-07-59.352N 077-02-51.096W | | | | SG on pile. | |
| 34065 | - Channel Day beacon 45 | 35-08-08.724N 077-02-59.226W | | | | SG on pile. | |
| 34070 | - Channel Day beacon 47 | 35-08-18.048N 077-03-07.098W | | | | SG on pile. | |
| 34075 | - Channel Day beacon 48 | 35-08-25.434N 077-03-21.834W | | | | TR on pile. | |
| 34080 | - CHANNEL LIGHT 48A | 35-08-33.690N 077-03-34.464W | FI R 4s | 15 | 4 | TR on pile. | |
| Taylor Creek | | | | | | | |
| 34085 | - Day beacon 2 | 35-08-43.576N 077-04-18.815W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| NEUSE RIVER (Chart 11552) | | | | | | | |
| Neuse River | | | | | | | |
| Taylor Creek | | | | | | | |
| 34090 | - Day beacon 4 | 35-08-43.576N 077-04-19.815W | | | | TR on pile. | Private aid. |
| 34095 | - Day beacon 6 | 35-08-40.576N 077-04-21.815W | | | | TR on pile. | Private aid. |
| 34100 | - Day beacon 8 | 35-08-38.576N 077-04-22.815W | | | | TR on pile. | Private aid. |
| Neuse River | | | | | | | |
| 34110 | - Channel Day beacon 49 | 35-08-31.093N 077-03-35.449W | | | | SG on pile. | |
| 34115 | - Channel Day beacon 50 | 35-08-34.002N 077-03-44.130W | | | | TR on pile. | |
| 34120 | - Channel Day beacon 50A | 35-08-36.336N 077-03-50.892W | | | | TR on pile. | |
| 34125 | - Channel Day beacon 50B | 35-08-38.952N 077-04-00.408W | | | | TR on pile. | |
| 34126 | - Channel Day beacon 50BB | 35-08-42.188N 077-04-05.511W | | | | TR on pile. | |
| 34130 | - Channel Day beacon 50C | 35-08-46.416N 077-04-17.226W | | | | TR on pile. | |
| 34135 | - Channel Day beacon 50D | 35-08-49.992N 077-04-32.550W | | | | TR on pile. | |
| 34137 | - Channel Buoy 50E | 35-08-54.532N 077-04-35.687W | | | | Red nun. | |
| 34140 | - Channel Day beacon 51 | 35-08-42.042N 077-04-08.484W | | | | SG on pile. | |
| 34145 | - Channel Day beacon 51A | 35-08-44.454N 077-04-21.048W | | | | SG on pile. | |
| 34150 | - Channel Buoy 51B | 35-08-54.927N 077-04-39.073W | | | | Green can. | |
| 34151 | - Channel Buoy 51C | 35-08-58.779N 077-04-32.713W | | | | Green can. | |
| 34155 | - Channel Buoy 52 | 35-09-00.576N 077-04-29.815W | | | | Red nun. | |
| 34160 | - Channel Day beacon 52A | 35-09-13.740N 077-04-34.764W | | | | TR on pile. | |
| 34165 | - Channel Day beacon 53 | 35-09-25.320N 077-04-35.706W | | | | SG on pile. | |
| 34170 | - Channel Day beacon 54 | 35-09-35.346N 077-04-27.402W | | | | TR on pile. | |
| 34175 | - Channel Day beacon 55 | 35-09-45.108N 077-04-45.696W | | | | SG on pile. | |
| 34180 | - Channel Day beacon 57 | 35-09-45.675N 077-05-05.033W | | | | SG on pile. | |
| 34185 | - Channel Day beacon 58 | 35-09-53.068N 077-05-15.735W | | | | TR on pile. | |
| 34190 | - Channel Day beacon 60 | 35-10-01.557N 077-05-21.571W | | | | TR on pile. | |
| 34195 | - Channel Day beacon 62 | 35-10-28.635N 077-05-11.353W | | | | TR on pile. | |
| 34200 | - Channel Day beacon 64 | 35-10-41.175N 077-05-24.571W | | | | TR on pile. | |
| 34205 | - Channel Day beacon 65 | 35-10-54.342N 077-05-39.692W | | | | SG on pile. | |
| 34210 | - Channel Day beacon 67 | 35-11-12.180N 077-05-45.092W | | | | SG on pile. | |
| 34215 | - Channel Day beacon 68 | 35-11-32.562N 077-05-58.888W | | | | TR on pile. | |
| 34220 | - Channel Day beacon 70 | 35-11-30.621N 077-06-20.452W | | | | TR on pile. | |
| 34225 | - Channel Day beacon 72 | 35-11-44.366N 077-06-34.843W | | | | TR on pile. | |
| 34230 | - Channel Day beacon 74 | 35-11-55.176N 077-06-48.797W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| NEUSE RIVER (Chart 11552) | | | | | | | |
| Neuse River | | | | | | | |
| 34235 | - Channel Day beacon 76 | 35-12-15.593N 077-07-08.793W | | | | TR on pile. | |
| 34237 | FRONT STREET MARINA ENTRANCE LIGHT 2F | 35-06-24.001N 077-02-02.217W | FI R 6s | 12 | | On end of floating dock. | Private aid. |
| Trent River | | | | | | | |
| 34240 | - Day beacon 1 | 35-05-06.360N 077-03-09.732W | | | | SG on pile. | |
| 34245 | - LIGHT 2 | 35-04-48.312N 077-03-27.521W | FI R 4s | 15 | 4 | TR on pile. | |
| 34250 | - Day beacon 3 | 35-04-33.065N 077-03-43.347W | | | | SG on pile. | |
| 34255 | - Day beacon 4 | 35-04-27.531N 077-04-01.470W | | | | TR on pile. | |
| 34260 | - Day beacon 4A | 35-04-17.600N 077-04-25.884W | | | | TR on pile. | |
| 34266 | - LIGHT 5 | 35-04-09.270N 077-04-43.385W | FI G 4s | 15 | 4 | SG on pile. | |
| 34270 | - Day beacon 6 | 35-04-11.910N 077-05-05.070W | | | | TR on pile. | |
| 34275 | - LIGHT 8 | 35-04-12.445N 077-05-16.058W | FI R 4s | 15 | 4 | TR on pile. | |
| 34280 | - Day beacon 9 | 35-04-23.790N 077-05-53.376W | | | | SG on pile. | |
| 34285 | - Day beacon 10 | 35-04-31.962N 077-06-03.750W | | | | TR on pile. | |
| 34290 | - Day beacon 12 | 35-04-25.547N 077-06-17.813W | | | | TR on pile. | |
| 34295 | - LIGHT 13 | 35-04-17.748N 077-06-26.976W | FI G 4s | 15 | 4 | SG on multi-pile structure. | |
| 34300 | - Day beacon 14 | 35-04-30.738N 077-06-51.042W | | | | TR on pile. | |
| 34305 | - Day beacon 16 | 35-04-43.638N 077-07-23.370W | | | | TR on pile. | |
| 34310 | - Day beacon 18 | 35-04-29.316N 077-07-48.990W | | | | TR on pile. | |
| 34315 | - Buoy 20 | 35-04-14.700N 077-07-56.274W | | | | Red nun. | |
| OCRACOKE INLET AND NORTHERN CORE SOUND (Chart 11550) | | | | | | | |
| Core Sound | | | | | | | |
| 34320 | Harbor Island Warning Day beacon | 35-00-39.664N 076-13-14.076W | | | | NW on pile worded DANGER SHOALING. | |
| 34325 | - WARNING LIGHT CS | 35-00-16.452N 076-12-11.430W | FI W 6s | 15 | 4 | NW on pile worded DANGER SHOAL. | |
| 34330 | - WARNING LIGHT AA | 34-59-50.202N 076-12-15.816W | FI W 6s | 15 | 4 | NW on pile worded DANGER SHOAL. | |
| 34345 | - WARNING LIGHT BB | 34-59-21.097N 076-12-22.310W | FI W 6s | 15 | 4 | NW on pile worded DANGER SHOAL. | |
| 34350 | - Warning Day beacon CC | 34-59-08.798N 076-12-32.826W | | | | NW on pile worded DANGER SHOAL. | |
| 34355 | - Warning Day beacon DD | 34-59-01.144N 076-12-39.331W | | | | NW on pile worded DANGER SHOAL. | |
| 34365 | - WARNING LIGHT EE | 34-58-47.334N 076-13-04.344W | FI W 6s | 15 | 4 | NW on multi-pile structure worded DANGER SHOAL. | |
| 34370 | - LIGHT 11 | 34-58-31.052N 076-13-14.286W | FI G 6s | 15 | 4 | SG on pile. | |
| 34375 | - LIGHT 13 | 34-57-18.447N 076-13-42.733W | FI G 4s | 15 | 4 | SG on pile. | |
| 34380 | - LIGHT 15 | 34-56-41.678N 076-13-49.273W | FI G 6s | 15 | 4 | SG on pile. | |
| 34385 | - LIGHT 16 | 34-56-34.000N 076-14-33.000W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 34390 | - LIGHT 18 | 34-56-20.623N 076-15-36.409W | FI R 4s | 15 | 4 | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| OCRACOKE INLET AND NORTHERN CORE SOUND (Chart 11550) | | | | | | | |
| Core Sound | | | | | | | |
| 34395 | - Day beacon 18A | 34-55-37.000N 076-16-11.900W | | | | TR on pile. | |
| Cedar Island Bay Channel | | | | | | | |
| 34400 | - LIGHT 2 | 34-58-04.644N 076-15-36.792W | FI R 4s | 18 | 4 | TR on pile. | |
| 34405 | - Buoy 3 | 34-58-13.914N 076-16-05.466W | | | | Green can. | |
| 34410 | - <i>Lighted Wreck Buoy WR5</i> Located 25 feet outside channel limit. | 34-59-12.561N 076-17-30.046W | Q G | | 4 | Green. | |
| 34415 | - LIGHT 6 25 feet outside channel limit. | 34-59-20.388N 076-17-41.670W | FI R 6s | 15 | 4 | TR on pile. | |
| 34420 | - LIGHT 8 | 34-59-31.704N 076-18-16.308W | FI R 2.5s | 18 | 4 | TR on pile. | |
| Thorofare Channel | | | | | | | |
| 34425 | - LIGHT 1 | 34-55-31.314N 076-19-24.906W | FI G 4s | 15 | 4 | SG on pile. | |
| 34435 | - Day beacon 2 | 34-55-36.722N 076-20-51.054W | | | | TR on pile. | |
| 34440 | - LIGHT 4 | 34-55-43.224N 076-21-28.699W | FI R 4s | 15 | 3 | TR on pile. | |
| 34445 | - Day beacon 6 | 34-55-36.366N 076-21-37.830W | | | | TR on pile. | |
| 34450 | - Day beacon 7 | 34-55-33.909N 076-21-41.980W | | | | SG on pile. | |
| Core Sound | | | | | | | |
| 34455 | - <i>Lighted Buoy 19</i> | 34-54-59.493N 076-16-35.706W | FI G 4s | | 4 | Green. | |
| 34460 | - <i>Lighted Buoy 19A</i> | 34-54-19.476N 076-17-38.711W | FI G 4s | | 4 | Green. | |
| 34465 | - Warning Day beacon 2 yards, 295° from wreck. | 34-54-17.856N 076-17-19.518W | | | | NW on pile worded DANGER SUBMERGED WRECK. | |
| 34470 | - LIGHT 20 | 34-53-55.754N 076-18-19.104W | FI R 4s | 15 | 4 | TR on pile. | |
| 34475 | - LIGHT 22 | 34-52-36.510N 076-19-33.817W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 34480 | - Buoy 22A | 34-52-31.232N 076-19-58.620W | | | | Red nun. | |
| 34485 | - Buoy 23 | 34-52-27.705N 076-20-10.169W | | | | Green can. | |
| BEAUFORT INLET AND SOUTHERN CORE SOUND (Chart 11545) | | | | | | | |
| Core Sound | | | | | | | |
| 34495 | Atlantic Channel Day beacon 1 | 34-52-36.966N 076-20-16.890W | | | | SG on pile. | |
| 34500 | ATLANTIC CHANNEL LIGHT 2 | 34-52-49.906N 076-20-10.281W | Q R | 15 | 4 | TR on pile. | |
| 34505 | Atlantic Channel Buoy 4 | 34-52-53.757N 076-20-02.756W | | | | Red nun. | |
| 34515 | ATLANTIC CHANNEL LIGHT 6 | 34-53-01.554N 076-19-56.328W | FI R 4s | 15 | 4 | TR on pile. | |
| 34520 | - WARNING LIGHT A | 34-51-50.090N 076-20-44.695W | FI W 4s | 15 | 4 | NW on pile worded DANGER SHOALING. | |
| 34525 | - WARNING LIGHT B | 34-51-26.874N 076-21-11.394W | FI W 4s | 15 | 4 | NW on pile worded DANGER SHOALING. | |
| 34540 | - WARNING LIGHT C | 34-50-38.526N 076-22-00.588W | FI W 4s | 15 | 4 | NW on slatted pile structure worded DANGER SHOALING. | |
| 34545 | - <i>Lighted Buoy 28</i> | 34-50-32.984N 076-22-55.705W | FI R 2.5s | | 4 | Red. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|------------------|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| BEAUFORT INLET AND SOUTHERN CORE SOUND (Chart 11545) | | | | | | | |
| Core Sound | | | | | | | |
| 34550 | SEALEVEL CHANNEL ENTRANCE LIGHT 1 30 feet outside channel limit. | 34-51-11.079N 076-23-08.743W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 34560 | NELSON BAY LIGHT 1 | 34-51-18.991N 076-24-17.301W | FI G 4s | 15 | 4 | SG on pile. | |
| 34565 | NELSON BAY LIGHT 3 | 34-52-11.781N 076-24-05.763W | FI G 4s | 15 | 4 | SG on pile. | |
| 34575 | - <i>Lighted Buoy 29</i> | 34-49-11.339N 076-24-12.062W | FI G 4s | | 4 | Green. | |
| 34580 | - <i>Lighted Buoy 31</i> | 34-48-54.066N 076-25-01.056W | FI G 2.5s | | 4 | Green. | |
| 34585 | - LIGHT 33 | 34-48-37.927N 076-25-54.422W | FI G 4s | 15 | 4 | SG on pile. | |
| 34590 | OYSTER CREEK ENTRANCE LIGHT 2 | 34-48-51.176N 076-26-45.805W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 34595 | <i>Oyster Creek Lighted Wreck Buoy WR3</i> | 34-49-06.661N 076-26-53.128W | Q G | | 4 | Green. | |
| 34600 | SALTER CREEK LIGHT 1 | 34-48-19.259N 076-26-56.453W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 34610 | DAVIS CHANNEL LIGHT 1 | 34-47-38.862N 076-27-07.713W | FI G 4s | 15 | 4 | SG on pile. | |
| 34615 | - <i>Lighted Wreck Buoy WR34</i> | 34-46-31.963N 076-27-06.395W | Q R | | 4 | Red. | |
| 34620 | - LIGHT 35 | 34-45-05.664N 076-27-57.192W | FI G 4s | 15 | 5 | SG on pile. | |
| 34625 | - LIGHT 36 25 feet outside channel limit. | 34-44-33.722N 076-29-26.442W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 34628 | - Day beacon 37 | 34-44-17.200N 076-29-20.100W | | | | SG on pile. | |
| 34630 | - LIGHT 37A | 34-43-29.444N 076-28-56.460W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 34635 | - LIGHT 39 | 34-43-01.434N 076-29-28.223W | FI G 4s | 15 | 4 | SG on pile. | |
| 34640 | - LIGHT 41 25 feet outside channel limit. | 34-42-59.594N 076-29-58.476W | FI G 2.5s | 15 | 4 | SG on pile. | |
| 34645 | - Day beacon 42 | 34-42-50.604N 076-30-46.751W | | | | TR on pile. | |
| 34650 | - LIGHT 42A | 34-42-51.165N 076-30-53.338W | FI R 4s | 15 | 4 | TR on pile. | |
| Marshallberg | | | | | | | |
| 34655 | - Channel Day beacon 1 | 34-43-07.038N 076-31-14.838W | | | | SG on pile. | |
| 34660 | - Channel Day beacon 3 | 34-43-17.958N 076-31-19.998W | | | | SG on pile. | |
| 34665 | - Channel Day beacon 4 | 34-43-18.282N 076-31-17.838W | | | | TR on pile. | |
| Core Sound | | | | | | | |
| 34670 | - LIGHT 44 | 34-43-13.062N 076-31-37.509W | FI R 2.5s | 15 | 4 | TR on pile. | |
| 34675 | - LIGHT 46 | 34-42-57.647N 076-32-36.842W | FI R 4s | 15 | 4 | TR on pile. | |
| 34680 | - LIGHT 47 | 34-43-03.659N 076-33-10.156W | FI G 4s | 15 | 4 | SG on pile. | |
| 34681 | - Day beacon 47A | 34-42-56.925N 076-33-56.601W | | | | SG on pile. | |
| 34690 | - Day beacon 48 | 34-42-56.786N 076-34-53.332W | | | | TR on pile. | |
| 34695 | - Day beacon 50 | 34-42-55.070N 076-35-06.078W | | | | TR on pile. | |
| 34700 | - Buoy 51 | 34-42-50.460N 076-35-13.680W | | | | Green can. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|---|---------------------------------|-----------------------|---------------|--------------|--|----------------|
| NORTH CAROLINA - Fifth District | | | | | | | |
| BEAUFORT INLET AND SOUTHERN CORE SOUND (Chart 11545) | | | | | | | |
| Core Sound | | | | | | | |
| 34705 | - LIGHT 55 | 34-42-43.381N 076-35-22.016W | FI G 4s | 15 | 4 | SG on pile. | |
| 34723 | - LIGHT 56 | 34-42-12.225N 076-35-52.463W | FI R 4s | 15 | 3 | TR on pile. | |
| 34725 | - Warning Day beacon A | 34-42-14.347N 076-35-50.992W | | | | NW on pile worded DANGER SHOAL. | |
| 34730 | HARKERS ISLAND WEST CHANNEL LIGHT 1 20 feet outside channel limit. | 34-42-07.547N 076-35-45.919W | FI G 4s | 15 | 4 | SG on pile. | |
| 34730.1 | Harkers Island West Channel Buoy 1A | 34-42-04.895N 076-35-46.373W | | | | Green can. | |
| 34735 | Harkers Island West Channel Day beacon 3 | 34-41-57.162N 076-35-35.988W | | | | SG on pile. | |
| 34739 | - Day beacon 56A | 34-42-07.737N 076-36-04.929W | | | | TR on pile. | |
| 34741 | - Buoy 56B | 34-42-05.790N 076-36-30.135W | | | | Red nun. | |
| 34745 | - LIGHT 58 | 34-42-07.963N 076-36-45.548W | FI R 2.5s | 15 | 4 | TR on pile. | |
| North River | | | | | | | |
| 34748 | - Day beacon 1NR | 34-42-20.988N 076-36-50.490W | | | | SG on pile. | |
| 34750 | - Day beacon 2 | 34-42-22.436N 076-36-47.479W | | | | TR on pile. | |
| 34755 | - Day beacon 4 | 34-42-34.575N 076-36-45.388W | | | | TR on pile. | |
| Lenoxville Point | | | | | | | |
| 34757 | - Buoy 1L | 34-42-30.383N 076-36-51.474W | | | | Green can. | |
| 34760 | - Buoy 2 | 34-42-26.294N 076-36-56.396W | | | | Red nun. | |
| 34762 | - Buoy 3 | 34-42-23.938N 076-36-58.646W | | | | Green can. | |
| Core Sound | | | | | | | |
| 34775 | - LIGHT 60 | 34-42-11.132N 076-37-07.556W | FI R 4s | 15 | 4 | TR on pile. | |
| Taylor Creek | | | | | | | |
| 34795 | - Channel Day beacon 7 | 34-42-47.904N 076-39-42.864W | | | | SG on pile. | |
| 34800 | - Channel Day beacon 9 | 34-42-53.511N 076-39-55.761W | | | | SG on pile. | |
| 34802 | - Junction Day beacon TC | 34-42-57.939N 076-40-07.891W | | | | JR on pile. | |
| Newport River | | | | | | | |
| Beaufort Harbor Channel | | | | | | | |
| 34805 | - <i>Lighted Buoy 2</i> | 34-42-14.801N 076-40-36.988W | Q R | | 4 | Red. | |
| 34807 | - Buoy 2A | 34-42-19.413N 076-40-38.663W | | | | Red nun. | |
| 34810 | - <i>Lighted Buoy 1BH</i> | 34-42-11.140N 076-40-38.600W | Q G | | 4 | Green. | |
| 34811 | - Warning Day beacon A | 34-42-19.462N 076-40-43.401W | | | | NW on pile worded DANGER SUBMERGED JETTY. | |
| 34815 | - <i>Lighted Buoy 3</i> | 34-42-16.547N 076-40-41.482W | FI G 2.5s | | 4 | Green. | |
| 34820 | - Buoy 3A | 34-42-24.258N 076-40-43.282W | | | | Green can. | |
| 34825 | - Day beacon 3B | 34-42-33.239N 076-40-48.618W | | | | SG on pile. | |
| 34826 | - Day beacon 4 | 34-42-37.236N 076-40-46.438W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|---------------------------------|-----------------------|---------------|--------------|--------------------------------|---|
| NORTH CAROLINA - Fifth District | | | | | | | |
| BEAUFORT INLET AND SOUTHERN CORE SOUND (Chart 11545) | | | | | | | |
| Newport River | | | | | | | |
| Beaufort Harbor Channel | | | | | | | |
| 34830 | - Day beacon 6 | 34-42-41.928N 076-40-46.311W | | | | TR on pile. | |
| 34835 | - Day beacon 7 | 34-42-52.494N 076-40-37.164W | | | | SG on pile. | |
| 34840 | - Day beacon 8 | 34-42-49.241N 076-40-36.089W | | | | TR on pile. | |
| 34845 | - Day beacon 10 20 feet outside channel limit. | 34-42-51.300N 076-40-16.788W | | | | TR on pile. | |
| Russell Slough | | | | | | | |
| 34855 | - CHANNEL JUNCTION LIGHT RG | 34-44-09.730N 076-40-34.490W | FI (2+1)R 6s | 15 | 4 | JR on pile. | |
| 34860 | - Channel Day beacon 10 | 34-43-57.933N 076-40-27.508W | | | | TR on pile. | |
| 34865 | - CHANNEL LIGHT 12 | 34-43-43.683N 076-40-10.727W | Q R | 15 | 4 | TR on pile. | |
| Town Creek Channel | | | | | | | |
| 34875 | - <i>Lighted Junction Buoy TC</i> | 34-43-30.903N 076-40-04.860W | FI (2+1)G 6s | | 4 | Green and red bands. | |
| 34885 | - Buoy 2 | 34-43-30.423N 076-40-01.820W | | | | Red nun. | |
| 34890 | - Buoy 4 | 34-43-28.750N 076-39-53.160W | | | | Red nun. | |
| Chimney Island Slough | | | | | | | |
| 34907.1 | - Buoy 2 | 34-43-22.230N 076-41-24.328W | | | | Red nun. | |
| 34907.2 | - Day beacon 3 | 34-43-29.080N 076-41-22.751W | | | | SG on pile. | |
| 34907.3 | - Day beacon 4 | 34-43-39.363N 076-41-07.748W | | | | TR on pile. | |
| 34907.4 | - Day beacon 5 | 34-43-52.442N 076-41-05.519W | | | | SG on pile. | |
| 34907.5 | - Day beacon 6 | 34-43-57.953N 076-40-49.211W | | | | TR on pile. | |
| Calico Creek | | | | | | | |
| 34910 | - Entrance Buoy 2 | 34-43-24.951N 076-41-45.136W | | | | Red nun. | |
| 34915 | - Day beacon 2A | 34-43-23.576N 076-41-52.643W | | | | TR on pile. | |
| 34925 | - Day beacon 4 | 34-43-23.124N 076-42-02.682W | | | | TR on pile. | |
| INTRACOASTAL WATERWAY (New Jersey) - Fifth District | | | | | | | |
| SANDY HOOK TO LITTLE EGG HARBOR (Chart 12324) | | | | | | | |
| Manasquan - Atlantic City | | | | | | | |
| Manasquan Inlet | | | | | | | |
| 34931 | - <i>Lighted Buoy 2M</i> | 40-05-32.217N 074-00-48.188W | FI R 4s | | 6 | Red. | |
| 34932 | - LIGHT 3 | 40-06-01.374N 074-01-54.240W | FI G 6s | 35 | 8 | SG on skeleton tower. | HORN: 1 blast ev 30 secs (3s bl). HORN is activated by keying the mic 5 times on VHF-FM 83A (157.175MHz). HORN operates for 30 minutes. |
| 34934 | - LIGHT 4 | 40-06-06.120N 074-01-53.232W | FI R 4s | 30 | 8 | TR on skeleton tower. | |
| Manasquan River | | | | | | | |
| 34935 | - LIGHT 2 | 40-06-24.600N 074-02-46.560W | FI R 4s | 15 | 3 | TR on pile. | |
| 34945 | - LIGHT 4 | 40-06-10.564N 074-03-21.910W | FI R 4s | 15 | 3 | TR on multi-pile structure. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| INTRACOASTAL WATERWAY (New Jersey) - Fifth District | | | | | | | |
| SANDY HOOK TO LITTLE EGG HARBOR (Chart 12324) | | | | | | | |
| Manasquan - Atlantic City | | | | | | | |
| Manasquan River | | | | | | | |
| 34950 | - Day beacon 5 | 40-06-07.854N 074-03-20.942W | | | | SG on pile. | |
| 34955 | - Day beacon 7 | 40-05-47.746N 074-03-30.027W | | | | SG on pile. | |
| 34960 | - LIGHT 6 | 40-05-50.428N 074-03-30.205W | FI R 4s | 17 | 4 | TR on pile. | |
| 34965 | - LIGHT 9 | 40-05-32.545N 074-03-50.498W | FI G 4s | 15 | 4 | SG on pile. | |
| 34970 | - Day beacon 8 | 40-05-36.060N 074-03-49.500W | | | | TR on pile. | |
| 34975 | - Day beacon 11 | 40-05-24.982N 074-03-59.596W | | | | SG on pile. | |
| New Jersey Intracoastal Waterway | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 34980 | - JUNCTION LIGHT NJICW | 40-05-17.956N 074-04-04.711W | FI (2+1)R 6s | 17 | 3 | JR-TY on pile. | |
| 34985 | - LIGHT 2 | 40-03-48.840N 074-03-01.920W | Q R | 15 | 4 | TR-TY on pile. | |
| 34990 | - LIGHT 3 | 40-03-34.554N 074-03-06.830W | FI G 4s | 17 | 4 | SG-SY on pile. | |
| 34995 | - LIGHT 4 | 40-03-24.739N 074-03-11.879W | FI R 4s | 15 | 4 | TR-TY on multi-pile structure. | |
| 35000 | - Day beacon 6 | 40-03-15.840N 074-03-06.600W | | | | TR-TY on pile. | |
| 35005 | - Day beacon 8 | 40-03-06.240N 074-03-01.528W | | | | TR-TY on pile. | |
| 35010 | - LIGHT 10 | 40-02-58.902N 074-03-01.367W | FI R 4s | 15 | 4 | TR-TY on multi-pile structure. | |
| 35015 | - Day beacon 12 | 40-02-43.672N 074-03-08.793W | | | | TR-TY on pile. | |
| 35020 | - Day beacon 13 | 40-02-17.452N 074-03-17.229W | | | | SG-SY on pile. | |
| 35025 | - Day beacon 14 | 40-02-06.672N 074-03-22.670W | | | | TR-TY on pile. | |
| 35030 | - LIGHT 15 | 40-01-53.220N 074-03-23.580W | Q G | 17 | 4 | SG-SY on pile. | |
| 35035 | - LIGHT 17 | 40-01-38.640N 074-03-43.680W | FI G 6s | 17 | 4 | SG-SY on pile. | |
| 35040 | - LIGHT 19 | 40-01-15.300N 074-04-09.180W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 35045 | - LIGHT 20 | 40-00-36.600N 074-04-54.420W | FI R 2.5s | 15 | 4 | TR-TY on pile. | |
| 35050 | - Day beacon 21 | 40-00-12.550N 074-05-27.720W | | | | SG-SY on pile. | |
| 35055 | - LIGHT 22 | 39-59-35.487N 074-06-21.147W | Q R | 15 | 4 | TR-TY on pile. | |
| 35060 | - LIGHT 24 | 39-58-59.522N 074-06-41.451W | FI R 2.5s | 15 | 4 | TR-TY on pile. | |
| 35065 | - LIGHT 26 | 39-58-36.869N 074-06-29.107W | FI R 6s | 16 | 4 | TR-TY on pile. | |
| 35070 | - LIGHT 27 | 39-58-07.927N 074-06-05.082W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 35075 | - LIGHT 28 | 39-57-36.540N 074-06-16.920W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 35080 | - LIGHT 29 | 39-57-04.320N 074-06-01.140W | Q G | 16 | 4 | SG-SY on pile. | |
| 35085 | - Day beacon 31 | 39-56-34.853N 074-06-13.197W | | | | SG-SY on pile. | |
| 35090 | - Day beacon 33 | 39-56-21.027N 074-06-18.268W | | | | SG-SY on pile. | |
| 35095 | - LIGHT 34 | 39-56-19.020N 074-06-19.740W | Q R | 15 | 4 | TR-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|------------------------------------|---------------------------------|-----------------------|---------------|--------------|--------------------------------|--|
| INTRACOASTAL WATERWAY (New Jersey) - Fifth District | | | | | | | |
| SANDY HOOK TO LITTLE EGG HARBOR (Chart 12324) | | | | | | | |
| Manasquan - Atlantic City | | | | | | | |
| New Jersey Intracoastal Waterway | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 35100 | RIVERBANK LIGHT | 39-56-07.692N 074-09-05.220W | FI Y 2.5s | 11 | | On multi-pile structure. | Maintained from May 1 to Sept. 30. Private aid. |
| 35105 | - LIGHT 36 | 39-55-38.826N 074-05-50.693W | FI R 2.5s | 17 | 4 | TR-TY on pile. | |
| 35110 | - Day beacon 37 | 39-54-57.120N 074-06-33.960W | | | | SG-SY on pile. | |
| 35115 | - LIGHT 38 | 39-54-47.340N 074-06-57.060W | Q R | 17 | 4 | TR-TY on pile. | |
| 35120 | - LIGHT 39 | 39-53-59.044N 074-07-11.127W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 35125 | - LIGHT 40 | 39-51-42.412N 074-07-21.056W | FI R 2.5s | 17 | 4 | TR-TY on multi-pile structure. | |
| 35130 | BARNEGAT BAY LIGHT BB | 39-49-21.420N 074-08-45.600W | Mo (A) W | 17 | 5 | MR-I on multi-pile structure. | |
| 35135 | BARNEGAT INLET LIGHT BI | 39-47-31.966N 074-09-54.879W | Mo (A) W | 17 | 5 | MR-I on multi-pile structure. | |
| 35155 | - LIGHT 42 | 39-45-46.351N 074-10-14.467W | Q R | 17 | 4 | TR-TY on multi-pile structure. | Maintained year round. |
| 35160 | - Day beacon 44 | 39-45-23.742N 074-09-32.436W | | | | TR-TY on pile. | |
| 35165 | - Day beacon 45 | 39-45-05.398N 074-09-06.561W | | | | SG-SY on pile. | |
| 35167 | - Buoy 46 | 39-44-59.409N 074-09-08.561W | | | | Red nun with yellow triangle. | Removed when endangered by ice. |
| 35170 | - LIGHT 47 | 39-44-33.253N 074-08-49.405W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 35175 | - LIGHT 48 | 39-43-51.060N 074-09-02.700W | FI R 2.5s | 17 | 4 | TR-TY on pile. | |
| 35180 | - Day beacon 49 | 39-43-34.918N 074-08-47.000W | | | | SG-SY on pile. | |
| 35185 | - LIGHT 49A | 39-43-15.835N 074-08-28.113W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 35190 | - Day beacon 51 | 39-42-42.416N 074-08-31.059W | | | | SG-SY on pile. | |
| 35195 | - LIGHT 52 | 39-42-20.760N 074-08-45.660W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 35196 | - Day beacon 53 | 39-42-00.692N 074-08-55.532W | | | | SG-SY on pile. | |
| 35198 | - Day beacon 54 | 39-41-35.940N 074-09-14.160W | | | | TR-TY on pile. | |
| 35200 | - LIGHT 55 | 39-41-33.658N 074-09-10.672W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 35205 | - LIGHT 56 | 39-41-22.108N 074-09-44.050W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 35210 | - LIGHT 57 | 39-41-06.982N 074-09-48.598W | FI G 2.5s | 15 | 4 | SG-SY on pile. | |
| 35215 | - Day beacon 58 | 39-41-07.341N 074-09-50.564W | | | | TR-TY on pile. | |
| 35220 | - Day beacon 60 | 39-40-48.420N 074-10-07.200W | | | | TR-TY on pile. | |
| 35225 | - LIGHT 62 | 39-40-24.651N 074-10-31.272W | Q R | 15 | 4 | TR-TY on pile. | |
| 35230 | MANAHAWKIN BAY LOWER WARNING LIGHT | 39-40-01.429N 074-12-43.502W | FI W 4s | 10 | | NW on pile worded DANGER. | Private aid. |
| 35235 | - Day beacon 63 | 39-40-12.180N 074-11-05.580W | | | | SG-SY on pile. | |
| 35240 | - Day beacon 64 | 39-40-10.440N 074-11-19.080W | | | | TR-TY on pile. | |
| 35245 | - Day beacon 65 | 39-40-03.434N 074-11-40.111W | | | | SG-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---------------------------|---------------------------------|-----------------------|---------------|--------------|----------------------------|--|
| INTRACOASTAL WATERWAY (New Jersey) - Fifth District | | | | | | | |
| SANDY HOOK TO LITTLE EGG HARBOR (Chart 12324) | | | | | | | |
| Manasquan - Atlantic City | | | | | | | |
| New Jersey Intracoastal Waterway | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 35250 | - Day beacon 67 | 39-39-55.514N 074-12-08.054W | | | | SG-SY on pile. | |
| 35255 | - LIGHT 68 | 39-39-55.737N 074-12-10.917W | Q R | 15 | 4 | TR-TY on pile. | |
| 35260 | - Day beacon 69 | 39-39-25.740N 074-12-31.680W | | | | SG-SY on pile. | |
| 35265 | EAST THOROFARE PIER LIGHT | 39-39-17.000N 074-11-04.000W | F Y | 12 | | Green pyramidal structure. | Maintained from May 15 to Nov. 15. Private aid. |
| 35270 | - LIGHT 70 | 39-39-25.553N 074-12-33.353W | Q R | 15 | 4 | TR-TY on pile. | |
| 35275 | - Day beacon 71 | 39-38-59.315N 074-12-24.992W | | | | SG-SY on pile. | |
| 35280 | - Day beacon 72 | 39-38-58.562N 074-12-27.000W | | | | TR-TY on pile. | |
| 35285 | - LIGHT 74 | 39-38-26.602N 074-12-18.878W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 35290 | - Day beacon 75 | 39-38-01.020N 074-12-10.320W | | | | SG-SY on pile. | |
| 35295 | - Day beacon 76 | 39-38-00.480N 074-12-12.240W | | | | TR-TY on pile. | |
| 35300 | - LIGHT 78 | 39-37-30.081N 074-12-04.285W | FI R 2.5s | 15 | 4 | TR-TY on pile. | |
| 35305 | - Day beacon 79 | 39-37-15.113N 074-12-14.033W | | | | SG-SY on pile. | |
| 35310 | - Day beacon 80 | 39-37-03.218N 074-12-25.515W | | | | TR-TY on pile. | |
| 35315 | - LIGHT 81 | 39-36-49.782N 074-12-34.918W | FI G 2.5s | 15 | 4 | SG-SY on pile. | |
| 35320 | - Day beacon 82 | 39-36-32.640N 074-12-36.360W | | | | TR-TY on pile. | |
| 35325 | - LIGHT 83 | 39-36-30.959N 074-12-35.286W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 35330 | - Day beacon 84 | 39-36-28.500N 074-12-38.400W | | | | TR-TY on pile. | |
| 35332 | LONG BEACH PIER LIGHT | 39-36-00.427N 074-13-08.503W | F Y | 12 | | On end of pier. | Private aid. |
| 35335 | - LIGHT 86 | 39-36-14.160N 074-12-54.420W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 35340 | - Day beacon 87 | 39-36-09.591N 074-12-58.223W | | | | SG-SY on pile. | |
| 35345 | - LIGHT 88 | 39-35-56.103N 074-13-15.134W | FI R 2.5s | 15 | 4 | TR-TY on pile. | |
| 35350 | - Day beacon 89 | 39-35-49.800N 074-13-27.349W | | | | SG-SY on pile. | |
| 35355 | - Day beacon 91 | 39-35-46.771N 074-13-33.269W | | | | SG-SY on pile. | |
| 35360 | - LIGHT 92 | 39-35-47.379N 074-13-34.515W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 35365 | - Day beacon 94 | 39-35-31.460N 074-13-48.582W | | | | TR-TY on pile. | |
| 35370 | - LIGHT 95 | 39-35-15.356N 074-13-58.750W | Q G | 15 | 4 | SG-SY on pile. | |
| 35375 | - Day beacon 96 | 39-34-52.539N 074-13-52.295W | | | | TR-TY on pile. | |
| 35380 | - LIGHT 97 | 39-34-51.942N 074-13-49.921W | FI G 2.5s | 15 | 4 | SG-SY on pile. | |
| 35385 | - Day beacon 98 | 39-34-46.809N 074-13-54.921W | | | | TR-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|------------------------------------|---------------------------------|-----------------------|---------------|--------------|-----------------------------------|---|
| INTRACOASTAL WATERWAY (New Jersey) - Fifth District | | | | | | | |
| LITTLE EGG HARBOR TO CAPE MAY (Chart 12316) | | | | | | | |
| Manasquan - Atlantic City | | | | | | | |
| New Jersey Intracoastal Waterway | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 35390 | - LIGHT 99 | 39-34-31.860N 074-14-12.000W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 35395 | - Buoy 101 | 39-34-19.735N 074-14-21.473W | | | | Green can with yellow square. | Removed when endangered by ice. |
| 35400 | - Buoy 102 | 39-34-19.107N 074-14-23.782W | | | | Red nun with yellow triangle. | Removed when endangered by ice. |
| 35405 | - LIGHT 104 | 39-34-13.380N 074-14-28.740W | FI R 2.5s | 15 | 4 | TR-TY on pile. | |
| 35410 | - Day beacon 106 | 39-34-03.335N 074-14-44.762W | | | | TR-TY on pile. | |
| 35415 | - Day beacon 107 | 39-33-56.167N 074-14-56.105W | | | | SG-SY on pile. | |
| 35417 | LITTLE EGG HARBOR RESEARCH LIGHT A | 39-33-22.380N 074-16-14.340W | FI W 6s | | | NW on pile. | Private aid. |
| 35420 | - JUNCTION LIGHT LB | 39-33-44.639N 074-15-11.308W | FI (2+1)R 6s | 15 | 4 | JR-TY on pile. | |
| 35425 | - Day beacon 108 | 39-33-27.300N 074-15-31.620W | | | | TR-TY on pile. | |
| 35430 | - LIGHT 109 | 39-33-19.213N 074-15-28.103W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 35435 | - LIGHT 110 | 39-32-25.257N 074-16-14.697W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 35445 | - Buoy 112 | 39-31-55.424N 074-16-40.512W | | | | Red nun with yellow triangle. | Maintained year round. |
| 35450 | - Buoy 113 | 39-31-38.055N 074-16-52.707W | | | | Green can with yellow square. | Maintained year round. |
| 35455 | - Buoy 114 | 39-31-28.703N 074-17-07.484W | | | | Red nun with yellow triangle. | Maintained year round. |
| 35457 | - Buoy 114A | 39-31-08.408N 074-17-17.338W | | | | Red nun with yellow triangle. | Maintained year round. |
| 35460 | - Lighted Buoy 115 | 39-31-06.486N 074-17-14.974W | FI G 4s | | 4 | Green with yellow square. | Replaced by can from Nov. 1 to May 1. |
| 35465 | - Lighted Buoy 116 | 39-30-49.717N 074-17-38.330W | FI R 4s | | 3 | Red with yellow triangle. | Replaced by nun from Nov. 1 to May 1. |
| 35467 | - Buoy 116A | 39-30-39.382N 074-18-02.526W | | | | Red nun with yellow triangle. | Maintained year round. |
| 35470 | - Buoy 117 | 39-30-32.614N 074-18-08.947W | | | | Green can with yellow square. | Maintained year round. |
| 35480 | - Lighted Buoy 120 | 39-30-24.752N 074-18-36.066W | Q R | | 4 | Red with yellow triangle. | Replaced by nun from Nov. 1 to May 1. |
| 35485 | - Junction Lighted Buoy LEI | 39-30-15.359N 074-18-37.480W | FI (2+1)G 6s | | 4 | Green and red with yellow square. | Replaced by can from Nov. 1 to May 1. |
| 35490 | - Buoy 123 | 39-30-24.015N 074-18-49.145W | | | | Green can with yellow square. | Maintained year round. |
| 35497 | - Buoy 125 | 39-30-23.153N 074-19-27.046W | | | | Green can with yellow square. | Maintained year round. |
| 35500 | - LIGHT 126 | 39-30-28.526N 074-20-18.589W | Q R | 15 | 4 | TR-TY on multi-pile structure. | |
| 35505 | OSBORN ISLAND LIGHT 2 | 39-32-30.423N 074-22-49.554W | Q R | 10 | | TR on pile. | Maintained from Mar. 1 to Dec. 1. Private aid. |
| 35520 | - LIGHT 127 | 39-30-18.117N 074-20-32.111W | FI G 2.5s | 15 | 3 | SG-SY on pile. | |
| 35525 | - Day beacon 128 | 39-30-14.710N 074-20-35.281W | | | | TR-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|--------------------------------|----------------------------------|
| INTRACOASTAL WATERWAY (New Jersey) - Fifth District | | | | | | | |
| LITTLE EGG HARBOR TO CAPE MAY (Chart 12316) | | | | | | | |
| Manasquan - Atlantic City | | | | | | | |
| New Jersey Intracoastal Waterway | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 35530 | - Day beacon 129 | 39-30-06.805N 074-20-37.021W | | | | SG-SY on pile. | |
| 35536 | - LIGHT 130 | 39-30-00.575N 074-20-45.567W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 35537 | - Day beacon 130A | 39-29-53.923N 074-21-00.392W | | | | TR-TY on pile. | |
| 35540 | - Day beacon 131 | 39-29-50.647N 074-21-04.974W | | | | SG-SY on pile. | |
| 35540.1 | - Day beacon 131A | 39-29-51.761N 074-21-23.071W | | | | SG-SY on pile. | |
| 35550 | - LIGHT 132 | 39-29-57.523N 074-21-26.867W | FI R 2.5s | 15 | 4 | TR-TY on pile. | |
| 35555 | - Day beacon 135 | 39-29-54.921N 074-22-04.416W | | | | SG-SY on pile. | |
| 35560 | - Day beacon 136 | 39-29-57.597N 074-22-07.179W | | | | TR-TY on pile. | |
| 35565 | - Day beacon 138 | 39-29-55.229N 074-22-29.510W | | | | TR-TY on pile. | |
| 35570 | - LIGHT 139 | 39-29-52.631N 074-22-52.067W | Q G | 15 | 4 | SG-SY on multi-pile structure. | |
| 35575 | - LIGHT 141 | 39-29-24.685N 074-22-53.783W | FI G 2.5s | 15 | 4 | SG-SY on multi-pile structure. | |
| 35580 | - Day beacon 143 | 39-29-13.046N 074-22-40.583W | | | | SG-SY on pile. | |
| 35585 | - Day beacon 144 | 39-29-04.330N 074-22-32.752W | | | | TR-TY on pile. | |
| 35590 | - LIGHT 145 | 39-29-02.022N 074-22-27.727W | Q G | 15 | 4 | SG-SY on pile. | |
| 35595 | - Day beacon 147 | 39-28-45.450N 074-22-45.626W | | | | SG-SY on pile. | |
| 35600 | - Day beacon 148 | 39-28-35.473N 074-22-58.517W | | | | TR-TY on pile. | |
| 35605 | - LIGHT 149 | 39-28-22.722N 074-23-14.027W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 35610 | - Day beacon 150 | 39-28-15.270N 074-23-23.673W | | | | TR-TY on pile. | |
| 35615 | - Day beacon 152 | 39-28-05.520N 074-23-33.180W | | | | TR-TY on pile. | |
| 35620 | - LIGHT 153 | 39-27-56.761N 074-23-39.415W | Q G | 15 | 4 | SG-SY on pile. | |
| 35625 | - Day beacon 155 | 39-27-43.997N 074-23-37.274W | | | | SG-SY on pile. | |
| 35630 | - Day beacon 156 | 39-27-34.889N 074-23-37.762W | | | | TR-TY on pile. | |
| 35631 | - Buoy 156A | 39-27-15.585N 074-23-34.293W | | | | Red nun with yellow triangle. | Maintained from May 1 to Nov. 1. |
| 35635 | - Day beacon 157 | 39-27-15.937N 074-23-32.819W | | | | SG-SY on pile. | |
| 35640 | - Day beacon 159 | 39-27-03.823N 074-23-31.259W | | | | SG-SY on pile. | |
| 35645 | - LIGHT 160 | 39-26-52.515N 074-23-31.248W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 35647 | - Buoy 160A | 39-26-47.409N 074-23-27.876W | | | | Red nun with yellow triangle. | Maintained from May 1 to Nov. 1. |
| 35649 | - Buoy 161 | 39-26-55.013N 074-23-30.929W | | | | Green can with yellow square. | Maintained from May 1 to Nov. 1. |
| 35650 | - Day beacon 162 | 39-26-41.040N 074-23-28.928W | | | | TR-TY on pile. | |
| 35655 | - LIGHT 163 | 39-26-33.234N 074-23-28.576W | FI G 4s | 15 | 4 | SG-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--------------------------------|--|
| INTRACOASTAL WATERWAY (New Jersey) - Fifth District | | | | | | | |
| LITTLE EGG HARBOR TO CAPE MAY (Chart 12316) | | | | | | | |
| Manasquan - Atlantic City | | | | | | | |
| New Jersey Intracoastal Waterway | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 35660 | - Day beacon 164 | 39-26-27.677N 074-23-38.023W | | | | TR-TY on pile. | |
| 35665 | - Day beacon 165 | 39-26-16.452N 074-23-55.399W | | | | SG-SY on pile. | |
| 35670 | - Day beacon 166 | 39-26-10.429N 074-24-06.444W | | | | TR-TY on pile. | |
| 35675 | - LIGHT 167 | 39-26-04.510N 074-24-11.969W | Q G | 15 | 4 | SG-SY on pile. | |
| 35680 | - Day beacon 168 | 39-26-05.843N 074-24-13.837W | | | | TR-TY on pile. | |
| 35685 | - LIGHT 170 | 39-26-05.579N 074-24-50.112W | Q R | 15 | 4 | TR-TY on pile. | |
| 35687 | - Day beacon 170A | 39-25-50.831N 074-25-01.530W | | | | TR-TY on pile. | |
| 35690 | - Day beacon 171 | 39-25-59.522N 074-24-54.252W | | | | SG-SY on pile. | |
| 35695 | - LIGHT 172 | 39-25-47.160N 074-25-03.840W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 35700 | - LIGHT 173 | 39-25-33.960N 074-25-20.220W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 35705 | - LIGHT 174 | 39-25-20.544N 074-25-30.606W | FI R 6s | 15 | 4 | TR-TY on pile. | |
| 35710 | - Day beacon 175 | 39-25-10.547N 074-25-35.608W | | | | SG-SY on pile. | |
| 35715 | - Day beacon 176 | 39-24-47.338N 074-25-53.459W | | | | TR-TY on pile. | |
| 35720 | - LIGHT 177 | 39-24-35.221N 074-25-59.837W | FI G 2.5s | 15 | 4 | SG-SY on pile. | |
| 35725 | - Day beacon 178 | 39-24-16.607N 074-26-07.102W | | | | TR-TY on pile. | |
| 35730 | - LIGHT 179 | 39-24-02.040N 074-26-00.660W | Q G | 15 | 4 | SG-SY on pile. | |
| 35735 | - JUNCTION LIGHT AB | 39-23-47.665N 074-26-01.273W | FI (2+1)R 6s | 15 | 4 | JR-TY on pile. | |
| 35740 | - <i>Lighted Buoy 181</i> | 39-23-30.987N 074-25-43.958W | FI G 4s | | 4 | Green with yellow square. | Replaced by can from Nov 1 to May 1. |
| 35745 | - LIGHT 182 | 39-23-24.234N 074-25-57.416W | Q R | 15 | 4 | TR-TY on pile. | |
| 35750 | - Day beacon 184 | 39-23-22.500N 074-26-21.480W | | | | TR-TY on pile. | |
| 35755 | - Day beacon 185 | 39-23-20.114N 074-26-49.491W | | | | SG-SY on pile. | |
| 35760 | - LIGHT 186 | 39-23-19.911N 074-26-56.651W | FI R 2.5s | 15 | 4 | TR-TY on multi-pile structure. | |
| 35765 | - Day beacon 187 | 39-23-18.353N 074-26-54.033W | | | | SG-SY on pile. | |
| 35770 | - LIGHT 189 | 39-23-02.760N 074-27-07.800W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 35775 | - Day beacon 191 | 39-22-47.430N 074-27-03.270W | | | | SG-SY on pile. | |
| 35780 | ABSECON WATERWAY UPPER PIER LIGHT | 39-23-16.000N 074-27-41.000W | F Y | | | | Maintained from May 1 to Dec. 1. Private aid. |
| 35785 | ABSECON WATERWAY LOWER PIER LIGHT | 39-22-30.420N 074-27-16.540W | F Y | | | | Maintained from May 1 to Dec. 1. Private aid. |
| 35790 | - Day beacon 193 60 feet northeast of channel limit. | 39-22-27.480N 074-27-31.080W | | | | SG-SY on pile. | |
| 35795 | - Day beacon 195 | 39-22-25.500N 074-27-33.120W | | | | SG-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|------------------|----------------|
| INTRACOASTAL WATERWAY (New Jersey) - Fifth District | | | | | | | |
| LITTLE EGG HARBOR TO CAPE MAY (Chart 12316) | | | | | | | |
| Manasquan - Atlantic City | | | | | | | |
| New Jersey Intracoastal Waterway | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 35800 | - Day beacon 197 | 39-22-21.300N 074-27-31.260W | | | | | SG-SY on pile. |
| 35805 | - Day beacon 199 | 39-22-10.560N 074-27-15.060W | | | | | SG-SY on pile. |
| 35810 | - Day beacon 201 | 39-22-12.900N 074-26-52.800W | | | | | SG-SY on pile. |
| 35815 | - Day beacon 202 | 39-22-05.129N 074-26-45.289W | | | | | TR-TY on pile. |
| 35820 | - Day beacon 204 | 39-21-41.472N 074-26-46.425W | | | | | TR-TY on pile. |
| 35825 | - Day beacon 206 | 39-21-37.980N 074-26-50.100W | | | | | TR-TY on pile. |
| Atlantic City - Cape May | | | | | | | |
| New Jersey Intracoastal Waterway | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 35830 | - Day beacon 207 | 39-21-34.960N 074-26-59.038W | | | | | SG-SY on pile. |
| 35835 | - Day beacon 209 | 39-21-28.648N 074-27-09.658W | | | | | SG-SY on pile. |
| 35840 | - LIGHT 211 | 39-20-33.563N 074-29-04.598W | Q G | 15 | 4 | | SG-SY on pile. |
| 35845 | - Day beacon 213 | 39-21-11.007N 074-29-34.506W | | | | | SG-SY on pile. |
| 35850 | - LIGHT 215 | 39-21-12.360N 074-29-38.760W | Q G | 15 | 4 | | SG-SY on pile. |
| 35855 | - Day beacon 217 | 39-21-10.343N 074-29-40.030W | | | | | SG-SY on pile. |
| 35860 | - LIGHT 219 | 39-20-52.620N 074-29-35.760W | FI G 4s | 15 | 4 | | SG-SY on pile. |
| 35865 | - LIGHT 220 | 39-20-45.679N 074-29-48.737W | FI R 4s | 15 | 4 | | TR-TY on pile. |
| 35867 | - Day beacon 221 | 39-20-40.666N 074-30-17.604W | | | | | SG-SY on pile. |
| 35870 | - Day beacon 222 | 39-20-33.240N 074-30-41.160W | | | | | TR-TY on pile. |
| 35880 | - LIGHT 225 | 39-20-05.808N 074-30-54.298W | FI G 4s | 15 | 4 | | SG-SY on pile. |
| 35885 | - LIGHT 226 | 39-19-36.056N 074-31-11.690W | FI R 2.5s | 15 | 4 | | TR-TY on pile. |
| 35890 | - Day beacon 228 | 39-19-32.834N 074-31-18.045W | | | | | TR-TY on pile. |
| 35895 | - LIGHT 230 | 39-19-15.017N 074-31-42.652W | Q R | 15 | 4 | | TR-TY on pile. |
| 35900 | - Day beacon 231 | 39-19-15.337N 074-31-53.332W | | | | | SG-SY on pile. |
| 35905 | - LIGHT 233 | 39-19-41.304N 074-32-17.436W | Q G | 15 | 4 | | SG-SY on pile. |
| 35910 | - Day beacon 234 | 39-19-35.944N 074-32-28.458W | | | | | TR-TY on pile. |
| 35915 | - Day beacon 235 | 39-19-27.332N 074-32-42.238W | | | | | SG-SY on pile. |
| 35920 | - Day beacon 236 | 39-19-16.612N 074-32-49.572W | | | | | TR-TY on pile. |
| 35925 | - Day beacon 238 | 39-19-09.143N 074-33-03.565W | | | | | TR-TY on pile. |
| 35930 | - Day beacon 239 | 39-18-59.213N 074-33-27.584W | | | | | SG-SY on pile. |
| 35940 | - Day beacon 241 | 39-18-55.854N 074-33-32.758W | | | | | SG-SY on pile. |
| 35945 | - Day beacon 243 | 39-18-53.549N 074-33-33.260W | | | | | SG-SY on pile. |
| 35950 | - Day beacon 245 | 39-18-30.726N 074-33-36.491W | | | | | SG-SY on pile. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|----------------------------------|------------------------|
| INTRACOASTAL WATERWAY (New Jersey) - Fifth District | | | | | | | |
| LITTLE EGG HARBOR TO CAPE MAY (Chart 12316) | | | | | | | |
| Atlantic City - Cape May | | | | | | | |
| New Jersey Intracoastal Waterway | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 35955 | - Buoy 246 | 39-18-16.745N 074-33-34.698W | | | | Red nun with yellow triangle. | Maintained year round. |
| 35960 | - Buoy 246A | 39-18-14.225N 074-33-40.402W | | | | Red nun with yellow triangle. | Maintained year round. |
| 35965 | - Buoy 247 | 39-18-11.449N 074-33-41.691W | | | | Green can with yellow square. | Maintained year round. |
| 35970 | - Buoy 248 | 39-18-10.554N 074-33-51.232W | | | | Red nun with yellow triangle. | Maintained year round. |
| 35975 | - Buoy 249 | 39-18-09.566N 074-33-50.595W | | | | Green can with yellow square. | Maintained year round. |
| 35977 | - Buoy 250 | 39-18-08.622N 074-33-58.736W | | | | Red nun with yellow triangle. | Maintained year round. |
| 35978 | - Buoy 250A | 39-17-48.780N 074-33-55.200W | | | | Red nun with yellow triangle. | Maintained year round. |
| 35979 | - Buoy 251 | 39-18-04.440N 074-34-10.080W | | | | Green can with yellow square. | Maintained year round. |
| 35980 | - LIGHT 252 | 39-17-11.364N 074-34-39.508W | FI R 2.5s | 15 | 4 | TR-TY on pile. | |
| 35985 | - Day beacon 254 | 39-17-02.509N 074-34-58.757W | | | | TR-TY on pile. | |
| 35995 | - Buoy 258 | 39-16-45.528N 074-35-08.776W | | | | Red nun with yellow triangle. | Maintained year round. |
| 36000 | - LIGHT 260 | 39-16-42.159N 074-35-29.240W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 36005 | - LIGHT 262 | 39-16-50.534N 074-35-50.556W | Q R | 15 | 4 | TR-TY on pile. | |
| 36007 | - Buoy 263 | 39-16-48.127N 074-35-59.122W | | | | Green can with yellow square. | Maintained year round. |
| 36009 | - Buoy 263A | 39-16-41.036N 074-36-08.468W | | | | Green can with yellow square. | Maintained year round. |
| 36010 | - LIGHT 264 | 39-16-45.758N 074-36-03.824W | FI R 2.5s | 15 | 4 | TR-TY on pile. | |
| 36011 | - Buoy 264A | 39-16-25.925N 074-36-13.030W | | | | Red nun with yellow triangle. | Maintained year round. |
| 36015 | - Buoy 265 | 39-16-34.500N 074-36-11.820W | | | | Green can with yellow square. | Maintained year round. |
| 36020 | - Day beacon 266 | 39-16-16.704N 074-36-16.324W | | | | TR-TY on pile. | |
| 36025 | - Day beacon 268 | 39-16-11.742N 074-36-24.585W | | | | TR-TY on pile. | |
| 36030 | - Day beacon 270 | 39-16-08.774N 074-36-32.047W | | | | TR-TY on pile. | |
| 36035 | - Day beacon 272 | 39-16-10.400N 074-36-44.474W | | | | TR-TY on pile. | |
| 36040 | - Day beacon 273 | 39-16-08.346N 074-36-51.378W | | | | SG-SY on pile. | |
| 36045 | - LIGHT 275 | 39-16-01.860N 074-37-00.480W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 36050 | - Day beacon 276 | 39-15-50.915N 074-37-10.567W | | | | TR-TY on pile. | |
| 36055 | - Day beacon 277 | 39-15-45.296N 074-37-14.487W | | | | SG-SY on pile. | |
| 36060 | - Day beacon 278 | 39-15-39.701N 074-37-21.376W | | | | TR-TY on pile. | |
| 36065 | - LIGHT 280 | 39-15-32.116N 074-37-28.447W | Q R | 15 | 4 | TR-TY on pile. | |
| 36070 | - Day beacon 282 | 39-15-20.826N 074-37-34.803W | | | | TR-TY on pile. | |
| 36075 | - Day beacon 284 | 39-15-01.547N 074-37-38.257W | | | | TR-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|------------------|----------------|
| INTRACOASTAL WATERWAY (New Jersey) - Fifth District | | | | | | | |
| LITTLE EGG HARBOR TO CAPE MAY (Chart 12316) | | | | | | | |
| Atlantic City - Cape May | | | | | | | |
| New Jersey Intracoastal Waterway | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 36080 | - Day beacon 285 | 39-14-56.574N 074-37-36.084W | | | | | SG-SY on pile. |
| 36085 | - Day beacon 286 | 39-14-50.456N 074-37-38.774W | | | | | TR-TY on pile. |
| 36090 | - Day beacon 288 | 39-14-41.774N 074-37-47.362W | | | | | TR-TY on pile. |
| 36095 | - Day beacon 290 | 39-14-37.126N 074-37-56.607W | | | | | TR-TY on pile. |
| 36100 | - Day beacon 291 | 39-14-35.454N 074-37-56.960W | | | | | SG-SY on pile. |
| 36105 | - LIGHT 293 | 39-14-34.313N 074-38-08.856W | FI G 4s | 15 | 4 | | SG-SY on pile. |
| 36110 | - Day beacon 295 | 39-14-36.395N 074-38-17.746W | | | | | SG-SY on pile. |
| 36115 | - Day beacon 296 | 39-14-25.066N 074-38-34.357W | | | | | TR-TY on pile. |
| 36120 | - Day beacon 297 | 39-14-23.318N 074-38-47.284W | | | | | SG-SY on pile. |
| 36125 | - Day beacon 298 | 39-14-06.410N 074-38-51.298W | | | | | TR-TY on pile. |
| 36130 | - LIGHT 299 | 39-14-01.534N 074-38-45.813W | FI G 4s | 15 | 4 | | SG-SY on pile. |
| 36135 | - Day beacon 301 | 39-13-51.927N 074-38-49.308W | | | | | SG-SY on pile. |
| 36140 | - Day beacon 302 | 39-13-41.440N 074-38-59.803W | | | | | TR-TY on pile. |
| 36145 | - LIGHT 304 | 39-13-39.514N 074-39-18.637W | Q R | 15 | 4 | | TR-TY on pile. |
| 36150 | - Day beacon 306 | 39-13-35.486N 074-39-20.183W | | | | | TR-TY on pile. |
| 36155 | - Day beacon 308 | 39-13-28.626N 074-39-17.030W | | | | | TR-TY on pile. |
| 36160 | - LIGHT 309 | 39-13-02.851N 074-39-17.158W | FI G 4s | 15 | 4 | | SG-SY on pile. |
| 36165 | - LIGHT 310 | 39-13-02.636N 074-39-19.569W | FI R 2.5s | 15 | 4 | | TR-TY on pile. |
| 36170 | - Day beacon 311 | 39-12-55.046N 074-39-36.026W | | | | | SG-SY on pile. |
| 36175 | - Day beacon 313 | 39-12-50.932N 074-39-39.258W | | | | | SG-SY on pile. |
| 36180 | - Day beacon 314 70 feet west of channel limit. | 39-12-39.005N 074-39-44.602W | | | | | TR-TY on pile. |
| 36185 | - Day beacon 316 | 39-12-28.628N 074-39-56.441W | | | | | TR-TY on pile. |
| 36190 | - LIGHT 317 | 39-12-25.059N 074-40-04.284W | FI G 2.5s | 15 | 4 | | SG-SY on pile. |
| 36195 | - Day beacon 318 | 39-12-22.900N 074-40-08.708W | | | | | TR-TY on pile. |
| 36200 | - Day beacon 319 | 39-12-22.083N 074-40-07.626W | | | | | SG-SY on pile. |
| 36205 | - Day beacon 320 | 39-12-18.356N 074-40-13.025W | | | | | TR-TY on pile. |
| 36210 | - LIGHT 322 | 39-12-14.491N 074-40-18.393W | FI R 2.5s | 15 | 4 | | TR-TY on pile. |
| 36215 | - Day beacon 323 | 39-12-12.000N 074-40-39.240W | | | | | SG-SY on pile. |
| 36220 | - Day beacon 325 | 39-12-11.340N 074-40-42.900W | | | | | SG-SY on pile. |
| 36225 | - Day beacon 327 | 39-12-09.448N 074-40-46.491W | | | | | SG-SY on pile. |
| 36230 | - LIGHT 328 | 39-12-03.394N 074-40-49.639W | Q R | 15 | 4 | | TR-TY on pile. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|--------------------------------|---|
| INTRACOASTAL WATERWAY (New Jersey) - Fifth District | | | | | | | |
| LITTLE EGG HARBOR TO CAPE MAY (Chart 12316) | | | | | | | |
| Atlantic City - Cape May | | | | | | | |
| New Jersey Intracoastal Waterway | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 36235 | - Day beacon 329 | 39-12-01.850N 074-40-47.651W | | | | SG-SY on pile. | |
| 36240 | - Day beacon 330 | 39-11-54.164N 074-41-04.954W | | | | TR-TY on pile. | |
| 36245 | - LIGHT 331 | 39-11-52.028N 074-41-24.484W | FI G 2.5s | 15 | 4 | SG-SY on pile. | |
| 36250 | - Day beacon 333 | 39-11-49.800N 074-41-28.980W | | | | SG-SY on pile. | |
| 36255 | - Day beacon 335 | 39-11-42.976N 074-41-33.608W | | | | SG-SY on pile. | |
| 36260 | - LIGHT 336 | 39-11-30.952N 074-41-42.892W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 36265 | - Day beacon 337 | 39-11-21.240N 074-41-50.460W | | | | SG-SY on pile. | |
| 36270 | - Day beacon 339 | 39-11-11.904N 074-41-56.281W | | | | SG-SY on pile. | |
| 36275 | - LIGHT 340 | 39-11-06.870N 074-41-58.213W | FI R 2.5s | 15 | 4 | TR-TY on multi-pile structure. | |
| 36280 | - Day beacon 342 | 39-10-56.280N 074-41-58.920W | | | | TR-TY on pile. | |
| 36285 | - Day beacon 344 | 39-10-45.831N 074-41-58.973W | | | | TR-TY on pile. | |
| 36290 | - Day beacon 345 | 39-10-44.700N 074-41-57.180W | | | | SG-SY on pile. | |
| 36295 | - LIGHT 346 | 39-10-29.798N 074-41-52.558W | Q R | 15 | 4 | TR-TY on pile. | |
| 36300 | - Day beacon 348 | 39-10-16.771N 074-41-59.460W | | | | TR-TY on pile. | |
| 36305 | - LIGHT 349 | 39-10-09.880N 074-42-01.441W | FI G 2.5s | 15 | 4 | SG-SY on pile. | |
| 36310 | - Day beacon 350 | 39-10-03.723N 074-42-01.003W | | | | TR-TY on pile. | |
| 36315 | - Day beacon 352 | 39-09-56.192N 074-41-56.859W | | | | TR-TY on pile. | |
| 36320 | - Day beacon 354 | 39-09-46.124N 074-41-52.806W | | | | TR-TY on pile. | |
| 36325 | - Day beacon 356 | 39-09-39.871N 074-41-54.030W | | | | TR-TY on pile. | |
| 36330 | - Day beacon 357 | 39-09-19.702N 074-42-14.954W | | | | SG-SY on pile. | |
| 36335 | - LIGHT 359 | 39-09-03.600N 074-42-28.680W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 36340 | - Day beacon 361 | 39-08-59.760N 074-42-28.020W | | | | SG-SY on pile. | |
| 36345 | - LIGHT 362 | 39-08-39.960N 074-42-20.760W | Q R | 15 | 4 | TR-TY on pile. | |
| 36350 | - Day beacon 363 | 39-08-33.236N 074-42-33.631W | | | | SG-SY on pile. | |
| 36355 | - Day beacon 364 | 39-08-20.640N 074-42-48.420W | | | | TR-TY on pile. | |
| 36360 | - LIGHT 365 | 39-08-13.740N 074-42-52.680W | FI G 2.5s | 15 | 4 | SG-SY on pile. | |
| 36365 | - Day beacon 367 | 39-08-09.120N 074-42-53.040W | | | | SG-SY on pile. | |
| 36370 | - Day beacon 368 | 39-07-55.020N 074-42-53.220W | | | | TR-TY on pile. | |
| 36375 | - Day beacon 370 | 39-07-32.042N 074-42-56.565W | | | | TR-TY on pile. | |
| 36380 | - Lighted Buoy 372 | 39-07-11.310N 074-43-06.438W | Q R | | 4 | Red with yellow triangle. | Replaced by nun f from Nov. 1 to May 1. |
| 36385 | - Buoy 374 | 39-06-56.868N 074-43-30.858W | | | | Red nun with yellow triangle. | Maintained year round. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|----------------------------------|-------------------------------------|
| INTRACOASTAL WATERWAY (New Jersey) - Fifth District | | | | | | | |
| LITTLE EGG HARBOR TO CAPE MAY (Chart 12316) | | | | | | | |
| Atlantic City - Cape May | | | | | | | |
| New Jersey Intracoastal Waterway | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 36393 | - Buoy 376 | 39-06-30.424N 074-44-15.275W | | | | Red nun with yellow triangle. | Maintained year round. |
| 36395 | - LIGHT 377 | 39-06-26.280N 074-44-43.380W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 36400 | - LIGHT 378 | 39-06-03.480N 074-45-00.360W | FI R 4s | 17 | 4 | TR-TY on pile. | |
| 36405 | - Day beacon 380 | 39-06-01.980N 074-45-12.720W | | | | TR-TY on pile. | |
| 36410 | - Buoy 381 | 39-06-06.738N 074-45-26.067W | | | | Green can with yellow square. | |
| 36415 | - Day beacon 382 | 39-06-08.820N 074-45-38.220W | | | | TR-TY on pile. | |
| 36420 | - LIGHT 383 | 39-06-04.175N 074-45-48.563W | FI G 2.5s | 15 | 4 | SG-SY on pile. | |
| 36425 | - Day beacon 384 | 39-05-52.909N 074-45-52.491W | | | | TR-TY on pile. | |
| 36427 | - Day beacon 385 | 39-05-45.307N 074-45-55.112W | | | | SG-SY on pile | |
| 36430 | - LIGHT 386 | 39-05-32.547N 074-46-01.128W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 36435 | - Day beacon 388 | 39-05-17.210N 074-46-08.778W | | | | TR-TY on pile. | |
| 36440 | - Day beacon 389 | 39-05-10.567N 074-46-10.130W | | | | SG-SY on pile. | |
| 36445 | - Day beacon 390 | 39-04-59.602N 074-46-17.664W | | | | TR-TY on pile. | |
| 36450 | - LIGHT 392 | 39-04-48.692N 074-46-23.348W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 36455 | - Day beacon 393 | 39-04-48.780N 074-46-21.720W | | | | SG-SY on pile. | |
| 36460 | - Day beacon 395 | 39-04-41.356N 074-46-20.830W | | | | SG-SY on pile. | |
| 36465 | - Day beacon 397 | 39-04-34.440N 074-46-13.500W | | | | SG-SY on pile. | |
| 36470 | - Day beacon 399 | 39-04-28.800N 074-46-04.320W | | | | SG-SY on pile. | |
| 36475 | - Day beacon 401 | 39-04-24.964N 074-45-50.127W | | | | SG-SY on pile. | |
| 36480 | - Day beacon 402 | 39-04-19.560N 074-45-33.480W | | | | TR-TY on pile. | |
| 36485 | - Day beacon 404 | 39-04-12.840N 074-45-22.440W | | | | TR-TY on pile. | |
| 36490 | - Day beacon 406 | 39-04-06.218N 074-45-16.729W | | | | TR-TY on pile. | |
| 36495 | - Day beacon 408 | 39-03-59.820N 074-45-18.360W | | | | TR-TY on pile. | |
| 36500 | - Day beacon 410 | 39-03-47.460N 074-45-26.820W | | | | TR-TY on pile. | |
| 36505 | - Day beacon 412 | 39-03-39.060N 074-45-36.780W | | | | TR-TY on pile. | |
| 36510 | - Day beacon 414 | 39-03-11.944N 074-46-10.079W | | | | TR-TY on pile. | |
| 36515 | - Buoy 416 | 39-02-53.193N 074-46-31.130W | | | | Red nun with yellow triangle. | Maintained from May 1 to Nov. 1. |
| 36517 | - Buoy 417 | 39-02-44.040N 074-46-36.392W | | | | Green can with yellow square. | Maintained from May 1 to Nov. 1. |
| 36518 | - Buoy 418 | 39-02-45.571N 074-46-38.668W | | | | Red nun with yellow triangle. | Maintained from May 1 to Nov. 1. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|----------------------------------|-------------------------------------|
| INTRACOASTAL WATERWAY (New Jersey) - Fifth District | | | | | | | |
| LITTLE EGG HARBOR TO CAPE MAY (Chart 12316) | | | | | | | |
| Atlantic City - Cape May | | | | | | | |
| New Jersey Intracoastal Waterway | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 36520 | - Buoy 419 | 39-02-41.567N 074-46-42.384W | | | | Green can with yellow square. | Maintained from May 1 to Nov. 1. |
| 36525 | - Buoy 421 | 39-02-41.089N 074-46-50.044W | | | | Green can with yellow square. | Maintained from May 1 to Nov. 1. |
| 36530 | - Buoy 423 | 39-02-36.506N 074-46-53.817W | | | | Green can with yellow square. | Maintained from May 1 to Nov. 1. |
| 36535 | - Buoy 424 | 39-02-32.827N 074-46-58.735W | | | | Red nun with yellow triangle. | Maintained from May 1 to Nov. 1. |
| 36540 | - Buoy 425 | 39-02-32.373N 074-46-55.633W | | | | Green can with yellow square. | Maintained from May 1 to Nov. 1. |
| 36545 | - Day beacon 427 | 39-02-34.140N 074-47-16.680W | | | | SG-SY on pile. | |
| 36550 | - Day beacon 429 | 39-02-29.880N 074-47-28.860W | | | | SG-SY on pile. | |
| 36555 | - Day beacon 430 | 39-02-22.080N 074-47-38.400W | | | | TR-TY on pile. | |
| 36560 | - LIGHT 431 | 39-02-14.982N 074-47-52.591W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 36565 | - Day beacon 433 | 39-02-09.309N 074-47-57.005W | | | | SG-SY on pile. | |
| 36570 | - Day beacon 434 | 39-02-01.860N 074-48-00.115W | | | | TR-TY on pile. | |
| 36575 | - LIGHT 436 | 39-01-56.572N 074-48-02.373W | Q R | 15 | 4 | TR-TY on pile. | |
| 36580 | - LIGHT 437 | 39-01-58.152N 074-48-20.931W | FI G 2.5s | 15 | 4 | SG-SY on pile. | |
| 36585 | - Day beacon 439 | 39-01-55.685N 074-48-30.669W | | | | SG-SY on pile. | |
| 36590 | - Day beacon 441 | 39-01-29.580N 074-48-46.920W | | | | SG-SY on pile. | |
| 36595 | - LIGHT 442 | 39-01-09.781N 074-48-41.747W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 36600 | - LIGHT 443 | 39-00-52.850N 074-48-53.507W | FI G 2.5s | 15 | 4 | SG-SY on pile. | |
| 36605 | - Day beacon 444 | 39-00-40.849N 074-48-59.428W | | | | TR-TY on pile. | |
| 36607 | - Buoy 444A | 39-00-36.060N 074-49-02.040W | | | | Red nun with yellow triangle. | Maintained from May 1 to Nov. 1. |
| 36610 | - LIGHT 445 | 39-00-36.427N 074-48-59.711W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 36615 | - Day beacon 446 | 39-00-32.514N 074-49-07.248W | | | | TR-TY on pile. | |
| 36620 | - Day beacon 448 | 39-00-27.893N 074-49-19.189W | | | | TR-TY on pile. | |
| 36625 | - LIGHT 449 | 39-00-25.080N 074-49-24.360W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 36630 | - Day beacon 450 | 39-00-25.512N 074-49-27.265W | | | | TR-TY on pile. | |
| 36635 | - Day beacon 452 | 39-00-24.459N 074-49-35.185W | | | | TR-TY on pile. | |
| 36637 | - LIGHT 452A | 39-00-27.343N 074-49-46.018W | FI R 2.5s | 15 | 4 | TR-TY on pile. | |
| 36639 | - LIGHT 453 | 39-00-26.527N 074-49-45.899W | FI G 2.5s | 15 | 3 | SG-SY on pile. | |
| 36640 | - Day beacon 453A | 39-00-24.180N 074-49-56.640W | | | | SG-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|-----------------------------------|---------------------------------|-----------------------|---------------|--------------|--|--|
| INTRACOASTAL WATERWAY (New Jersey) - Fifth District | | | | | | | |
| LITTLE EGG HARBOR TO CAPE MAY (Chart 12316) | | | | | | | |
| Atlantic City - Cape May | | | | | | | |
| New Jersey Intracoastal Waterway | | | | | | | |
| <i>Positions of buoys frequently shifted with changing conditions.</i> | | | | | | | |
| 36645 | - LIGHT 454 | 39-00-24.960N 074-49-58.860W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 36650 | - Day beacon 455 | 39-00-21.240N 074-50-00.000W | | | | SG-SY on pile. | |
| 36655 | - Day beacon 457 | 39-00-07.080N 074-50-06.240W | | | | SG-SY on pile. | |
| 36660 | - Day beacon 459 | 39-00-00.423N 074-50-10.629W | | | | SG-SY on pile. | |
| 36665 | - LIGHT 461 | 38-59-57.093N 074-50-11.595W | FI G 2.5s | 15 | 4 | SG-SY on pile. | |
| 36670 | - LIGHT 463 | 38-59-38.904N 074-50-02.700W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 36675 | - LIGHT 465 | 38-59-04.851N 074-50-20.716W | Q G | 15 | 4 | SG-SY on pile. | |
| 36680 | - Day beacon 466 | 38-59-06.132N 074-50-26.917W | | | | TR-TY on pile. | |
| 36685 | - LIGHT 468 | 38-59-09.120N 074-50-38.700W | Q R | 15 | 4 | TR-TY on pile. | |
| 36690 | - Day beacon 469 | 38-59-03.666N 074-50-41.799W | | | | SG-SY on pile. | |
| 36690.1 | - Day beacon 469A | 38-59-01.113N 074-50-43.725W | | | | SG-SY on pile. | |
| 36695 | - LIGHT 470 | 38-58-49.516N 074-50-47.647W | FI R 2.5s | 15 | 4 | TR-TY on pile. | |
| 36700 | - LIGHT 471 | 38-58-41.517N 074-51-01.458W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 36705 | - Day beacon 473 | 38-58-15.252N 074-51-46.486W | | | | SG-SY on pile. | |
| 36710 | - LIGHT 475 | 38-58-06.405N 074-52-01.111W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 36715 | - Day beacon 477 | 38-57-57.003N 074-52-08.444W | | | | SG-SY on pile. | |
| 36720 | - Day beacon 479 | 38-57-47.701N 074-52-13.232W | | | | SG-SY on pile. | |
| Cape May Harbor | | | | | | | |
| 36730 | - Lighted Buoy 3 | 38-57-03.405N 074-52-40.313W | FI G 2.5s | | 4 | Green. | |
| 36733 1455 | - RANGE FRONT LIGHT 4 | 38-57-07.762N 074-52-35.156W | Q R | 13 | | Light 4 TR-TY on multi-pile structure. On same structure as Cape May Harbor Range Front light. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 36735 | - LIGHT 6 | 38-57-07.369N 074-52-50.366W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 36740 | - LIGHT 7 | 38-57-03.307N 074-52-56.606W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 36743 | - Day beacon 7A | 38-57-00.166N 074-53-18.351W | | | | SG-SY on pile. | |
| 36745 | - LIGHT 8 | 38-57-03.834N 074-53-18.563W | FI R 6s | 15 | 4 | TR-TY on pile. | |
| 36748 | COAST GUARD PIER WARNING LIGHT | 38-56-57.767N 074-53-22.243W | FI Y 2.5s | 15 | 4 | On multi-pile structure. | |
| 36750 | - Day beacon 10 | 38-57-02.157N 074-53-28.102W | | | | TR-TY on pile. | |
| 36755 | - Day beacon 12 | 38-57-00.236N 074-53-36.287W | | | | TR-TY on pile. | |
| 36760 | - Day beacon 13 | 38-56-56.436N 074-53-42.725W | | | | SG-SY on pile. | |
| 36765 | - LIGHT 14 | 38-56-58.009N 074-53-52.459W | FI R 4s | 15 | 4 | TR-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--------------------------------|---|
| INTRACOASTAL WATERWAY (New Jersey) - Fifth District | | | | | | | |
| LITTLE EGG HARBOR TO CAPE MAY (Chart 12316) | | | | | | | |
| Atlantic City - Cape May | | | | | | | |
| Cape May Harbor | | | | | | | |
| 36770 | Schellenger Landing Day beacon 1 | 38-56-55.388N 074-54-05.134W | | | | SG on pile. | |
| 36775 | Schellenger Landing Day beacon 2 | 38-56-55.617N 074-54-05.716W | | | | TR on pile. | |
| Cape May Village | | | | | | | |
| 36777 | - Day beacon 1 | 38-56-52.300N 074-54-09.200W | | | | SG on pile. | Private aid. |
| 36777.1 | - Day beacon 2 | 38-56-51.300N 074-54-06.600W | | | | TR on pile. | Private aid. |
| 36777.2 | - Day beacon 3 | 38-56-50.300N 074-54-08.100W | | | | SG on pile. | Private aid. |
| 36777.3 | - Day beacon 4 | 38-56-48.500N 074-54-08.100W | | | | TR on pile. | Private aid. |
| 36777.4 | - Day beacon 5 | 38-56-47.200N 074-54-11.400W | | | | SG on pile. | Private aid. |
| 36777.5 | - Day beacon 6 | 38-55-45.300N 074-54-11.400W | | | | TR on pile. | Private aid. |
| Cape May Canal East Entrance | | | | | | | |
| 36780 | CAPE MAY CANAL EAST END ENTRANCE LIGHT 16 | 38-57-07.864N 074-54-08.380W | FI R 4s | 12 | 4 | TR on pile. | |
| 36782 | RUTGERS AQUACULT PUMP STATION LIGHT 16 | 38-58-01.935N 074-56-33.604W | Q R | 10 | | TR on pile. | Private aid. |
| 36782.1 | RUTGERS AQUACULT PUMP STATION LIGHT 18 | 38-58-01.934N 074-56-34.061W | Q R | 10 | | TR on pile. | Private aid. |
| 36782.2 | RUTGERS AQUACULT PUMP STATION WARNING LIGHT | 38-58-02.464N 074-56-33.828W | FI W 4s | 10 | | NB on pile worded PIPELINE. | Private aid. |
| Cape May Canal West Entrance | | | | | | | |
| 36785 1670 | CAPE MAY CANAL WEST ENTRANCE SOUTH JETTY LIGHT 10 | 38-57-57.549N 074-58-02.421W | FI R 4s | 30 | 6 | TR-SY on skeleton tower. | |
| 36790 1675 | - NORTH JETTY LIGHT 11 | 38-58-03.684N 074-57-59.690W | FI G 2.5s | 34 | 6 | SG-TY on skeleton tower. | HORN: 1 blast ev 15s (2s bl). HORN is activated by keying the mic 5 times on VHF-FM 83A (157.175MHz). HORN operates for 30 minutes. |

INTRACOASTAL WATERWAY (Virginia) - Fifth District

| | | | | | | | |
|---|---|---------------------------------|-----------|----|---|----------------------------------|--|
| NORFOLK TO ABLEMARLE SOUND (Chart 12206) | | | | | | | |
| Elizabeth River Southern Branch | | | | | | | |
| 36805 9955 | - LIGHT 2 105 feet outside channel limit. | 36-47-38.515N 076-17-50.026W | FI R 2.5s | 15 | 4 | TR-TY on pile. | |
| 36810 9960 | - Buoy 3 75 feet outside channel limit. | 36-47-32.233N 076-17-52.686W | | | | Green can with yellow square. | |
| 36815 9965 | - Buoy 5 75 feet outside channel limit. | 36-47-27.730N 076-18-01.457W | | | | Green can with yellow square. | |
| 36820 9970 | - Day beacon 6 | 36-47-32.460N 076-18-07.368W | | | | TR-TY on pile. | |
| 36825 9975 | - LIGHT 8 75 feet outside channel limit. | 36-47-27.837N 076-18-12.180W | Q R | 18 | 4 | TR-TY on pile. | |
| 36830 9980 | - LIGHT 9 75 feet outside channel limit. | 36-47-17.064N 076-18-07.048W | FI G 2.5s | 15 | 4 | SG-SY on pile. | |
| 36835 9985 | - Buoy 10 | 36-47-14.403N 076-18-12.616W | | | | Red nun with yellow triangle. | |
| 36840 9990 | - Buoy 12 | 36-47-07.324N 076-18-15.746W | | | | Red nun with yellow triangle. | |
| 36845 9995 | - Buoy 14 | 36-47-02.534N 076-18-19.686W | | | | Red nun with yellow triangle. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| INTRACOASTAL WATERWAY (Virginia) - Fifth District | | | | | | | |
| NORFOLK TO ABLEMARLE SOUND (Chart 12206) | | | | | | | |
| Elizabeth River Southern Branch | | | | | | | |
| 36850 10000 | - Buoy 15 | 36-46-54.516N 076-18-24.498W | | | | Green can with yellow square. | |
| 36855 10005 | - Buoy 17 | 36-46-49.534N 076-18-27.787W | | | | Green can with yellow square. | |
| 36860 10010 | - Day beacon 19 75 feet outside channel limit. | 36-46-46.014N 076-18-25.584W | | | | SG-SY on pile. | |
| 36875 10025 | SWAN TERMINAL PIER LIGHT | 36-46-36.534N 076-18-22.786W | F R | 12 | | On pile. | Private aid. |
| 36880 10030 | - LIGHT 20 75 feet outside channel limit. | 36-46-35.336N 076-18-06.181W | FI R 2.5s | 15 | 5 | TR-TY on pile. | |
| 36885 10035 | - LIGHT 22 75 feet outside channel limit. | 36-46-34.415N 076-17-49.253W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 36886 10041 | CHESAPEAKE ENERGY CENTER NORTH LIGHTED MOORING DOLPHIN N | 36-46-22.470N 076-17-47.150W | FI Y 4s | 15 | | On concrete mooring dolphin. | Private aid. |
| 36887 10042 | CHESAPEAKE ENERGY CENTER SOUTH LIGHTED MOORING DOLPHIN S | 36-46-13.580N 076-17-52.270W | FI Y 4s | 15 | | On concrete mooring dolphin. | Private aid. |
| 36895 10045 | VIRGINIA POWER COMPANY WHARF LIGHTS (2) | 36-46-12.534N 076-17-52.785W | F Y | 10 | | On dolphin. | Private aid. |
| 36905 10055 | CEC/VA Power Fish Return Line Day beacon B | 36-46-15.534N 076-17-52.785W | | | | NW on pile worded DANGER SUBMERGED PILE. | Private aid. |
| 36910 10060 | - Turning Basin Day beacon A 50 feet outside channel limit. | 36-46-10.879N 076-17-44.390W | | | | NB on pile. | |
| 36915 10065 | - Turning Basin Day beacon B 50 feet outside channel limit. | 36-46-05.921N 076-17-46.715W | | | | NB on pile. | |
| 36920 10070 | - Buoy 26 | 36-46-06.878N 076-17-53.672W | | | | Red nun with yellow triangle. | |
| 36930 10080 | - Buoy 28 | 36-45-41.922N 076-17-55.525W | | | | Red nun with yellow triangle. | |
| Deep Creek (Via Dismal Swamp Canal) | | | | | | | |
| 36935 | Deep Creek Day beacon 1 | 36-45-21.013N 076-17-49.296W | | | | SG-SY on pile. | |
| 36940 | Deep Creek Day beacon 2 | 36-45-22.693N 076-17-51.004W | | | | TR-TY on pile. | |
| 36945 | Deep Creek Day beacon 4 | 36-45-20.161N 076-19-37.872W | | | | TR-TY on pile. | |
| 36950 | Deep Creek Day beacon 5 | 36-45-12.393N 076-19-44.749W | | | | SG-SY on pile. | |

INTRACOASTAL WATERWAY (North Carolina) - Fifth District

| | | | | | | | |
|---|-----------------|---------------------------------|--|--|--|----------------|--|
| NORFOLK TO ALBEMARLE SOUND (Chart 12206) | | | | | | | |
| Pasquotank River | | | | | | | |
| 36955 31480 | - Day beacon 19 | 36-22-18.393N 076-13-53.007W | | | | SG-TY on pile. | |
| 36960 31475 | - Day beacon 18 | 36-21-43.607N 076-13-48.441W | | | | TR-SY on pile. | |
| 36965 31470 | - Day beacon 17 | 36-21-37.671N 076-13-48.457W | | | | SG-TY on pile. | |
| 36970 31465 | - Day beacon 16 | 36-21-32.748N 076-13-40.653W | | | | TR-SY on pile. | |
| 36975 31460 | - Day beacon 15 | 36-21-16.881N 076-13-37.611W | | | | SG-TY on pile. | |
| 36980 31455 | - Day beacon 13 | 36-20-45.588N 076-13-27.197W | | | | SG-TY on pile. | |
| 36985 31450 | - Day beacon 11 | 36-20-39.358N 076-13-04.230W | | | | SG-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|----------------|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| NORFOLK TO ALBEMARLE SOUND (Chart 12206) | | | | | | | |
| Pasquotank River | | | | | | | |
| 36990 31445 | - LIGHT 9 | 36-18-21.164N 076-12-11.205W | FI G 4s | 16 | 4 | SG-TY on slatted pile structure. | |
| 36995 31440 | - Day beacon 8 | 36-17-55.317N 076-12-59.734W | | | | TR-SY on pile. | |
| 37000 31435 | - LIGHT 7 | 36-17-20.406N 076-11-19.248W | Q G | 18 | 4 | SG-TY on pile. | |
| 37005 31420 | - LIGHT 5A | 36-16-02.685N 076-09-06.179W | FI G 4s | 15 | 4 | SG-TY on pile. | |
| 37010 31425 | Coast Guard Base Day beacon 1 | 36-16-16.174N 076-10-38.997W | | | | SG on pile. | |
| 37015 31430 | COAST GUARD BASE LIGHT 2 | 36-16-16.421N 076-10-39.475W | FI R 4s | 15 | 4 | TR on pile. | |
| 37020 31415 | - LIGHT 5 | 36-15-15.120N 076-07-41.748W | Q G | 16 | 5 | SG-TY on pile. | |
| 37025 31410 | - LIGHT 4 | 36-13-57.142N 076-05-18.008W | FI R 4s | 15 | 4 | TR-SY on pile. | |
| 37030 31405 | PASQUATANK RIVER WRECK LIGHT WR3 | 36-12-10.531N 076-04-03.902W | Q G | 17 | 4 | SG-TY on pile. | |
| 37035 31400 | - LIGHT 2 | 36-11-03.207N 076-01-37.058W | FI R 4s | 15 | 4 | TR-SY on pile. | |
| 37040 31395 | - SLUE LIGHT 1PR | 36-09-01.184N 076-01-15.420W | FI G 4s | 15 | 5 | SG-TY on pile. | |
| ALBEMARLE SOUND TO NEUSE RIVER (Chart 11553) | | | | | | | |
| Albemarle Sound | | | | | | | |
| 37045 31390 | Pasquotank River Entrance Light PR On east part of shoal off point. | 36-09-22.711N 075-58-38.453W | FI W 2.5s | 23 | 12 | NB on multi-pile structure. 20 | |
| 37047 31393 | Pasquotank River Warning Day beacon A | 36-09-22.519N 075-58-40.004W | | | | NW on pile worded DANGER SUBMERGED ROCKS. | |
| INTRACOASTAL WATERWAY (Virginia) - Fifth District | | | | | | | |
| NORFOLK TO ALBEMARLE SOUND (Chart 12206) | | | | | | | |
| Elizabeth River Southern Branch | | | | | | | |
| 37060 10085 | - LIGHT 30 | 36-45-19.638N 076-17-45.930W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 37065 10090 | - Turning Basin Day beacon C | 36-45-12.534N 076-17-34.784W | | | | NB on pile. | |
| 37070 10095 | - Turning Basin Day beacon D | 36-45-04.445N 076-17-35.844W | | | | NB on pile. | |
| 37075 | - Day beacon 31 | 36-44-34.285N 076-17-50.658W | | | | SG-SY on pile. | |
| 37080 | - LIGHT 32 | 36-44-26.268N 076-17-56.256W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 37085 | - Buoy 33 | 36-44-07.308N 076-17-34.026W | | | | Green can with yellow square. | |
| 37090 | - Buoy 34 | 36-44-03.501N 076-17-28.693W | | | | Red nun with yellow triangle. | |
| 37095 | - Buoy 36 | 36-44-03.247N 076-17-15.644W | | | | Red nun with yellow triangle. | |
| 37100 | - LIGHT 37 | 36-44-06.364N 076-17-16.777W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 37105 | - LIGHT 38 | 36-43-54.798N 076-17-04.278W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 37110 | - Day beacon 39 | 36-43-56.430N 076-17-01.116W | | | | SG-SY on pile. | |
| 37115 | - Day beacon 41 | 36-43-53.517N 076-16-47.121W | | | | SG-SY on pile. | |
| 37120 | - LIGHT 42 | 36-43-46.971N 076-16-30.655W | FI R 4s | 15 | 4 | TR-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|-----------------------------------|----------------|
| INTRACOASTAL WATERWAY (Virginia) - Fifth District | | | | | | | |
| NORFOLK TO ALBEMARLE SOUND (Chart 12206) | | | | | | | |
| Elizabeth River Southern Branch | | | | | | | |
| 37125 | - Day beacon 43 | 36-43-49.951N 076-16-25.185W | | | | SG-SY on pile. | |
| 37130 | - Day beacon 44 | 36-43-49.038N 076-16-14.790W | | | | TR-TY on pile. | |
| 37135 | - LIGHT 45 | 36-43-53.398N 076-16-12.373W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 37140 | - LIGHT 47 | 36-43-53.566N 076-16-04.411W | FI G 4s | 14 | 4 | SG-SY on pile. | |
| 37145 | - Day beacon 48 | 36-43-49.245N 076-16-00.920W | | | | TR-TY on pile. | |
| Great Bridge to Albemarle Sound | | | | | | | |
| 37150 | Great Bridge Wreck Day beacon WR1 | 36-43-34.188N 076-14-52.452W | | | | SG on pile. | |
| 37151 | <i>Great Bridge Lighted Wreck Buoy WR3</i> | 36-43-32.462N 076-14-46.374W | Q G | | 4 | Green. | |
| 37155 | - LIGHT 1 | 36-43-24.149N 076-06-38.094W | FI G 4s | 19 | 4 | SG-SY on pile. | |
| 37160 | - LIGHT 2 | 36-42-53.166N 076-05-41.770W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 37165 | - LIGHT 3 | 36-42-46.106N 076-04-55.955W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 37170 | - LIGHT 4 | 36-42-37.226N 076-04-49.820W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 37175 | - Day beacon 5 | 36-42-21.955N 076-04-44.708W | | | | SG-SY on pile. | |
| 37180 | - LIGHT 6 | 36-42-19.527N 076-04-47.137W | FI R 4s | 17 | 4 | TR-TY on pile. | |
| 37185 | - LIGHT 8 | 36-41-56.659N 076-04-32.931W | FI R 4s | 15 | 4 | TR-TY on multi-pile structure. | |
| 37190 | - LIGHT 10 | 36-41-48.132N 076-04-19.076W | FI R 4s | 19 | 4 | TR-TY on pile. | |
| 37195 | - LIGHT 11 | 36-41-44.036N 076-04-08.993W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 37200 | - Day beacon 13 | 36-41-38.133N 076-04-05.989W | | | | SG-SY on pile. | |
| 37205 | - LIGHT 14 | 36-41-29.756N 076-04-07.256W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 37210 | - LIGHT 15 | 36-41-14.157N 076-03-53.975W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| West Neck Creek | | | | | | | |
| 37215 | - Day beacon 1 | 36-41-04.542N 076-03-51.753W | | | | SG on pile. | Private aid. |
| 37225 | - Day beacon 3 | 36-41-23.543N 076-02-45.751W | | | | SG on pile. | Private aid. |
| Great Bridge to Albemarle Sound | | | | | | | |
| 37305 | - Day beacon 16 | 36-41-06.098N 076-03-56.860W | | | | TR-TY on pile. | |
| 37310 | - LIGHT 18 | 36-40-45.935N 076-04-08.089W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 37315 | - LIGHT 20 | 36-40-35.112N 076-04-09.808W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 37320 | - Day beacon 21 | 36-40-25.673N 076-03-58.854W | | | | SG-SY on pile. | |
| 37325 | - LIGHT 23 | 36-40-18.005N 076-03-47.604W | FI G 4s | 19 | 4 | SG-SY on pile. | |
| 37330 | - LIGHT 25 | 36-40-06.854N 076-03-41.859W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 37335 | - LIGHT 27 | 36-39-38.778N 076-03-41.628W | FI G 4s | 19 | 4 | SG-SY on pile. | |
| 37340 | - LIGHT 29 | 36-39-18.744N 076-03-32.358W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 37345 | - LIGHT 30 | 36-39-04.584N 076-03-39.162W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 37350 | - LIGHT 32 | 36-38-35.142N 076-03-34.110W | FI R 2.5s | 15 | 4 | TR-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|----------------|
| INTRACOASTAL WATERWAY (Virginia) - Fifth District | | | | | | | |
| NORFOLK TO ALBEMARLE SOUND (Chart 12206) | | | | | | | |
| Great Bridge to Albemarle Sound | | | | | | | |
| 37355 | - LIGHT 33 | 36-38-24.876N 076-03-19.914W | FI G 4s | 15 | 4 | SG-SY on multi-pile structure. | TR-TY on pile. |
| 37360 | - Day beacon 34 | 36-38-23.844N 076-03-22.848W | | | | | |
| 37365 | - LIGHT 35 | 36-38-09.870N 076-03-07.428W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 37370 | North Landing River Warning Day beacon 66 feet, 090° from wreck. Marks barge. | 36-38-08.655N 076-03-09.530W | | | | NW on pile worded DANGER SUBMERGED WRECK. | |
| 37375 | - Day beacon 36 | 36-38-02.802N 076-03-09.360W | | | | | TR-TY on pile. |
| 37380 | - LIGHT 38 | 36-37-45.054N 076-03-14.886W | FI R 4s | 15 | 4 | | TR-TY on pile. |
| 37385 | - LIGHT 40 | 36-37-29.736N 076-03-05.988W | FI R 4s | 15 | 4 | | TR-TY on pile. |
| 37390 | - LIGHT 41 | 36-37-08.904N 076-02-54.912W | FI G 4s | 18 | 4 | SG-SY on multi-pile structure. | |
| 37395 | - Day beacon 42 | 36-36-48.541N 076-03-04.824W | | | | | TR-TY on pile. |
| 37400 | - LIGHT 43 | 36-36-44.814N 076-03-03.738W | FI G 4s | 16 | 4 | SG-SY on pile. | |
| 37405 | - LIGHT 44 | 36-36-09.876N 076-03-36.438W | FI R 4s | 15 | 4 | | TR-TY on pile. |
| 37410 | - Day beacon 45 | 36-36-09.149N 076-03-33.394W | | | | | SG-SY on pile. |
| 37415 | - LIGHT 46 | 36-35-39.354N 076-03-35.292W | FI R 4s | 15 | 4 | | TR-TY on pile. |
| 37420 | - LIGHT 47 | 36-35-42.912N 076-03-31.464W | Q G | 15 | 4 | | SG-SY on pile. |
| 37425 | - LIGHT 49 | 36-35-32.808N 076-03-00.636W | Q G | 19 | 4 | | SG-SY on pile. |
| 37430 | - Day beacon 51 | 36-35-14.315N 076-02-49.650W | | | | | SG-SY on pile. |
| 37435 | - Day beacon 53 | 36-34-56.307N 076-02-39.009W | | | | | SG-SY on pile. |
| 37440 | - LIGHT 55 | 36-34-31.984N 076-02-24.817W | FI G 4s | 15 | 4 | | SG-SY on pile. |
| 37445 | - Day beacon 57 | 36-34-12.528N 076-02-13.374W | | | | | SG-SY on pile. |
| 37450 | - Day beacon 59 | 36-33-48.514N 076-01-58.943W | | | | | SG-SY on pile. |
| 37455 | - LIGHT 61 | 36-33-23.723N 076-01-44.645W | FI G 4s | 16 | 4 | | SG-SY on pile. |

INTRACOASTAL WATERWAY (North Carolina) - Fifth District

| | | | | | | | |
|---|-----------------|---------------------------------|---------|----|---|--|----------------|
| NORFOLK TO ALBEMARLE SOUND (Chart 12206) | | | | | | | |
| Great Bridge to Albemarle Sound | | | | | | | |
| 37460 | - Day beacon 63 | 36-32-58.545N 076-01-34.599W | | | | | SG-SY on pile. |
| 37465 | - Day beacon 65 | 36-32-33.855N 076-01-25.603W | | | | | SG-SY on pile. |
| 37470 | - LIGHT 67 | 36-32-13.357N 076-01-17.978W | FI G 4s | 19 | 4 | | SG-SY on pile. |
| 37475 | - Day beacon 70 | 36-31-52.747N 076-01-14.920W | | | | | TR-TY on pile. |
| 37480 | - LIGHT 73 | 36-31-13.950N 076-00-55.853W | FI G 6s | 15 | 4 | | SG-SY on pile. |
| 37485 | - Day beacon 71 | 36-31-33.429N 076-01-02.483W | | | | | SG-SY on pile. |
| 37490 | - Day beacon 76 | 36-30-49.753N 076-00-51.424W | | | | | TR-TY on pile. |
| 37495 | - Day beacon 77 | 36-30-29.061N 076-00-39.216W | | | | | SG-SY on pile. |
| 37500 | - LIGHT 79 | 36-30-04.489N 076-00-31.843W | FI G 4s | 15 | 4 | | SG-SY on pile. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|------------------------------------|----------------|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| NORFOLK TO ALBEMARLE SOUND (Chart 12206) | | | | | | | |
| Great Bridge to Albemarle Sound | | | | | | | |
| 37505 | - Day beacon 82 | 36-29-42.040N 076-00-30.745W | | | | TR-TY on pile. | |
| 37510 | - Day beacon 83 | 36-29-21.869N 076-00-17.120W | | | | SG-SY on pile. | |
| 37515 | - Day beacon 85 | 36-29-03.709N 076-00-11.159W | | | | SG-SY on pile. | |
| 37520 | - Day beacon 86 | 36-28-40.973N 076-00-07.159W | | | | TR-TY on pile. | |
| 37525 | - LIGHT 87 | 36-28-41.787N 076-00-02.842W | Q G | 15 | 4 | SG-SY on pile. | |
| 37530 | - Day beacon 89 | 36-28-26.827N 075-59-43.330W | | | | SG-SY on pile. | |
| 37535 | - Day beacon 91 | 36-28-10.130N 075-59-21.217W | | | | SG-SY on pile. | |
| 37540 | - LIGHT 93 | 36-27-54.192N 075-58-59.976W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 37545 | - LIGHT 95 | 36-27-36.785N 075-58-36.454W | FI G 6s | 19 | 4 | SG-SY on pile. | |
| 37550 | - Day beacon 97 | 36-27-22.535N 075-58-17.607W | | | | SG-SY on pile. | |
| 37555 | - LIGHT 99 | 36-27-03.264N 075-57-52.659W | Q G | 15 | 4 | SG-SY on pile. | |
| 37560 | - Day beacon 100 | 36-26-59.678N 075-57-57.004W | | | | TR-TY on pile. | |
| 37565 | - Day beacon 101 | 36-26-42.694N 075-57-43.967W | | | | SG-SY on pile. | |
| 37570 | - Day beacon 104 | 36-26-17.157N 075-57-37.825W | | | | TR-TY on pile. | |
| 37575 | - LIGHT 105 | 36-25-54.824N 075-57-25.541W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 37580 | - Day beacon 107 | 36-25-39.468N 075-57-19.406W | | | | SG-SY on pile. | |
| 37585 | - Day beacon 109 | 36-25-24.372N 075-57-13.644W | | | | SG-SY on pile. | |
| 37590 | - LIGHT 111 | 36-25-02.409N 075-57-08.123W | Q G | 15 | 4 | SG-SY on pile. | |
| 37595 | - Warning Day beacon | 36-25-04.220N 075-57-05.840W | | | | NW on pile worded DANGER SHOAL. | |
| 37600 | - Day beacon 112 | 36-25-02.423N 075-57-10.720W | | | | TR-TY on pile. | |
| 37605 | - Day beacon 113 | 36-24-40.968N 075-57-08.232W | | | | SG-SY on pile. | |
| 37610 | - Day beacon 115 | 36-24-18.024N 075-57-11.208W | | | | SG-SY on pile. | |
| 37615 | - LIGHT 116 | 36-23-52.992N 075-57-14.022W | Q R | 15 | 4 | TR-TY on pile. | |
| 37620 | - LIGHT 118 | 36-23-32.562N 075-57-10.461W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 37622 | - Day beacon 119 | 36-23-10.652N 075-57-04.517W | | | | SG-SY on pile. | |
| 37625 | - Day beacon 120 | 36-23-06.450N 075-57-05.712W | | | | TR-TY on pile. | |
| 37630 | - LIGHT 121 | 36-22-37.449N 075-56-57.804W | FI G 4s | 19 | 4 | SG-SY on pile. | |
| 37635 | - Day beacon 122 | 36-22-17.892N 075-56-56.676W | | | | TR-TY on pile. | |
| 37640 | - LIGHT 123 | 36-21-17.638N 075-56-44.006W | Q G | 17 | 4 | SG-SY on pile. | |
| 37645 | - LIGHT 125 | 36-19-23.264N 075-57-56.201W | FI G 4s | 16 | 4 | SG-SY on pile. | |
| 37650 | - Day beacon 127 | 36-19-05.704N 075-58-10.190W | | | | SG-SY on pile. | |
| 37655 | - LIGHT 128 | 36-18-55.491N 075-58-20.223W | Q R | 15 | 4 | TR-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| NORFOLK TO ALBEMARLE SOUND (Chart 12206) | | | | | | | |
| Great Bridge to Albemarle Sound | | | | | | | |
| 37660 | - Day beacon 129 | 36-18-52.776N 075-58-18.156W | | | | SG-SY on pile. | |
| 37665 | - Day beacon 132 | 36-18-24.885N 075-58-16.713W | | | | TR-TY on pile. | |
| 37670 | - Day beacon 133 | 36-18-06.570N 075-58-10.721W | | | | SG-SY on pile. | |
| 37675 | - Day beacon 134 | 36-17-39.304N 075-58-08.690W | | | | TR-TY on pile. | |
| 37680 | - LIGHT 135 | 36-17-29.377N 075-58-02.590W | FI G 4s | 16 | 4 | SG-SY on slatted pile structure. | |
| 37685 | - Day beacon 137 | 36-17-24.040N 075-57-58.553W | | | | SG-SY on pile. | |
| 37690 | - LIGHT 138 | 36-17-16.567N 075-57-55.067W | Q R | 15 | 4 | TR-TY on pile. | |
| 37695 | - LIGHT 139 | 36-17-21.186N 075-57-37.565W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 37700 | - Day beacon 140 | 36-17-15.487N 075-57-34.430W | | | | TR-TY on pile. | |
| 37705 | - LIGHT 141 | 36-17-24.516N 075-57-18.522W | Q G | 15 | 4 | SG-SY on pile. | |
| 37710 | - LIGHT 143 | 36-17-06.407N 075-56-48.140W | Q G | 18 | 4 | SG-SY on pile. | |
| 37715 | - Day beacon 142 | 36-17-10.684N 075-56-58.370W | | | | TR-TY on pile. | |
| 37720 | - Day beacon 145 | 36-16-50.000N 075-56-53.300W | | | | SG-SY on pile. | |
| 37725 | - Day beacon 147 | 36-16-33.424N 075-56-51.950W | | | | SG-SY on pile. | |
| 37730 | - LIGHT 149 | 36-16-17.854N 075-57-00.166W | FI G 4s | 16 | 4 | SG-SY on multi-pile structure. | |
| 37735 | - Day beacon 151 | 36-16-13.184N 075-57-10.549W | | | | SG-SY on pile. | |
| 37740 | - Day beacon 152 | 36-16-01.573N 075-57-44.510W | | | | TR-TY on pile. | |
| 37745 | - LIGHT 153 | 36-15-58.344N 075-57-39.420W | Q G | 15 | 4 | SG-SY on pile. | |
| 37750 | - LIGHT 154 | 36-15-41.399N 075-57-49.714W | FI R 4s | 15 | 4 | TR-TY on multi-pile structure. | |
| 37755 | - LIGHT 155 | 36-15-25.149N 075-57-36.031W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 37760 | - Day beacon 156 | 36-15-23.404N 075-57-40.790W | | | | TR-TY on pile. | |
| 37765 | - LIGHT 157 | 36-15-08.319N 075-57-10.247W | FI G 4s | 15 | 4 | SG-SY on multi-pile structure. | |
| 37770 | - LIGHT 159 | 36-14-27.331N 075-56-30.838W | FI G 4s | 15 | 4 | SG-SY on multi-pile structure. | |
| 37775 | - LIGHT 161 | 36-13-50.415N 075-55-54.365W | Q G | 15 | 4 | SG-SY on pile. | |
| 37780 | - Day beacon 163 | 36-12-31.029N 075-55-24.023W | | | | SG-SY on pile. | |
| 37785 | - LIGHT 164 | 36-12-29.694N 075-55-27.864W | Q R | 15 | 4 | TR-TY on pile. | |
| 37790 | - LIGHT 165 | 36-11-28.725N 075-54-21.263W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 37795 | - Day beacon 166 | 36-10-33.096N 075-53-33.630W | | | | TR-TY on pile. | |
| 37800 | - LIGHT 167 | 36-10-29.574N 075-53-23.150W | Q G | 15 | 4 | SG-SY on multi-pile structure. | |
| 37803 | Great Bridge to Albermarle Sound Buoy 168 | 36-09-36.648N 075-53-31.266W | | | | Red nun with yellow triangle. | |
| 37805 | - Day beacon 169 | 36-09-49.702N 075-53-24.736W | | | | SG-SY on pile. | |
| 37807 | Powells Point Warning Day beacon A | 36-09-34.900N 075-52-07.000W | | | | NW on pile worded DANGER SUBMERGED PIPE. | Priv ate aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|------------------------------------|----------------|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| NORFOLK TO ALBEMARLE SOUND (Chart 12206) | | | | | | | |
| Great Bridge to Albemarle Sound | | | | | | | |
| 37810 | - LIGHT 170 | 36-09-23.784N 075-53-32.700W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 37815 | - Buoy 171 | 36-09-11.939N 075-53-30.574W | | | | Green can with yellow square. | |
| 37820 | - LIGHT 173 | 36-08-29.349N 075-53-35.423W | FI G 2.5s | 18 | 5 | SG-SY on multi- pile structure. | |
| ALBEMARLE SOUND TO NEUSE RIVER (Chart 11553) | | | | | | | |
| Albemarle Sound | | | | | | | |
| 37825 | GREAT BRIDGE TO ALBEMARLE SOUND LIGHT N | 36-06-06.711N 075-54-44.840W | Iso W 6s | 21 | 8 | NB on multi-pile structure. | |
| 37830 | GREAT BRIDGE TO ALBEMARLE SOUND LIGHT S | 36-01-04.754N 075-57-36.610W | FI W 4s | 15 | 5 | NR-I on multi-pile structure. | |
| Alligator River | | | | | | | |
| 37835 | - LIGHT 1AR | 35-58-09.868N 075-58-46.338W | FI G 2.5s | 15 | 5 | SG-SY on multi- pile structure. | |
| 37840 | - LIGHT 3 | 35-57-32.078N 075-59-30.129W | Q G | 15 | 4 | SG-SY on pile. | |
| 37842 | - LIGHT 5 | 35-57-13.269N 075-59-12.984W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 37844 | - Day beacon 6 | 35-56-53.993N 075-59-18.882W | | | | TR-TY on pile. | |
| 37845 | - LIGHT 7 | 35-56-43.682N 075-59-07.698W | FI G 2.5s | 15 | 4 | SG-SY on multi- pile structure. | |
| 37850 | - LIGHT 8 | 35-56-38.196N 075-59-15.658W | Q R | 15 | 4 | TR-TY on pile. | |
| 37851 | - <i>Lighted Buoy 8A</i> | 35-56-15.317N 075-59-33.333W | FI R 2.5s | | 4 | Red with yellow triangle. | |
| 37853 | - Day beacon 9 | 35-56-20.163N 075-59-21.946W | | | | SG-SY on pile. | |
| 37855 | - LIGHT 10 | 35-55-48.303N 075-59-50.941W | FI R 2.5s | 15 | 4 | TR-TY on pile. | |
| 37860 | - LIGHT 12 | 35-54-54.261N 076-00-12.732W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 37865 | - LIGHT 14 | 35-52-59.870N 076-01-00.878W | FI R 2.5s | 15 | 5 | TR-TY on pile. | |
| 37870 | - LIGHT 16 | 35-51-59.754N 076-01-27.144W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 37875 | - LIGHT 18 | 35-51-02.526N 076-01-52.105W | Q R | 15 | 4 | TR-TY on multi-pile structure. | |
| 37880 | - LIGHT 20 | 35-49-30.120N 076-01-38.058W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 37885 | - LIGHT 22 | 35-48-13.763N 076-01-26.557W | FI R 2.5s | 15 | 4 | TR-TY on multi-pile structure. | |
| 37890 | - LIGHT 24 | 35-46-49.410N 076-01-16.777W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 37895 | - LIGHT 26 | 35-45-14.898N 076-01-06.556W | FI R 2.5s | 15 | 4 | TR-TY on pile. | |
| 37900 | - LIGHT 28 | 35-43-46.865N 076-00-57.021W | FI R 4s | 15 | 4 | TR-TY on multi-pile structure. | |
| 37910 | - LIGHT 31 | 35-42-15.078N 076-00-42.989W | Q G | 15 | 4 | SG-SY on multi- pile structure. | |
| 37915 | - Day beacon 33 | 35-41-37.862N 076-01-05.352W | | | | SG-SY on pile. | |
| 37920 | - Day beacon 35 | 35-41-03.282N 076-01-25.566W | | | | SG-SY on pile. | |
| 37925 | - LIGHT 37 | 35-40-25.746N 076-01-47.648W | Q G | 15 | 4 | SG-SY on pile. | |
| 37930 | - LIGHT 39 | 35-40-07.569N 076-02-21.667W | Q G | 15 | 4 | SG-SY on multi- pile structure. | |
| 37965 | - Day beacon 41 | 35-40-12.795N 076-02-56.447W | | | | SG-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---------------------------|---------------------------------|-----------------------|---------------|--------------|------------------------------------|--------------------------------------|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| ALBEMARLE SOUND TO NEUSE RIVER (Chart 11553) | | | | | | | |
| Alligator River | | | | | | | |
| 37970 | - Day beacon 43 | 35-40-20.530N 076-03-35.477W | | | | SG-SY on pile. | |
| 37975 | - Day beacon 45 | 35-40-27.676N 076-04-19.307W | | | | SG-SY on pile. | |
| 37980 | - LIGHT 46 | 35-40-32.589N 076-04-25.564W | Q R | 15 | 4 | TR-TY on pile. | |
| 37985 | - Day beacon 47 | 35-40-26.387N 076-04-31.697W | | | | SG-SY on pile. | |
| 37990 | - Day beacon 49 | 35-40-19.479N 076-04-58.579W | | | | SG-SY on pile. | |
| 37995 | - Day beacon 52 | 35-40-07.723N 076-05-52.565W | | | | TR-TY on pile. | |
| 38000 | - LIGHT 54 | 35-40-01.616N 076-06-12.535W | Q R | 16 | 4 | TR-TY on pile. | |
| Alligator River - Pungo River | | | | | | | |
| 38005 | - LIGHT 55 | 35-35-51.104N 076-13-17.590W | FI G 2.5s | 15 | 4 | SG-SY on pile. | |
| 38010 | - LIGHT 57 | 35-35-25.810N 076-14-24.886W | FI G 4s | 15 | 4 | SG-SY on pile. | Higher intensity toward Pungo River. |
| 38015 | - LIGHT 59AR | 35-34-04.313N 076-22-03.806W | FI G 6s | 15 | 4 | SG-SY on pile. | |
| 38020 | - Warning Day beacon | 35-34-12.957N 076-21-12.624W | | | | NW on pile worded DANGER SHOAL. | |
| Pungo River | | | | | | | |
| 38025 33065 | - Channel Day beacon 28 | 35-33-11.948N 076-26-56.944W | | | | TR-SY on pile. | |
| 38030 33060 | - Channel Day beacon 27PR | 35-33-13.498N 076-26-58.119W | | | | SG-TY on pile. | |
| 38035 33055 | - CHANNEL LIGHT 25 | 35-33-08.426N 076-27-25.390W | FI G 4s | 15 | 4 | SG-TY on pile. | |
| 38040 33050 | - Channel Day beacon 24 | 35-33-00.865N 076-27-53.595W | | | | TR-SY on pile. | |
| 38045 33045 | - CHANNEL LIGHT 23 | 35-33-02.901N 076-27-59.924W | Q G | 15 | 3 | SG-TY on pile structure. | |
| 38050 33040 | - Channel Day beacon 22 | 35-32-53.801N 076-28-05.065W | | | | TR-SY on pile. | |
| 38055 33035 | - CHANNEL LIGHT 21 | 35-32-08.642N 076-28-53.954W | FI G 4s | 15 | 4 | SG-TY on multi-pile structure. | |
| 38060 33030 | - Channel Day beacon 19 | 35-31-19.184N 076-29-39.610W | | | | SG-TY on pile. | |
| 38065 33025 | - CHANNEL LIGHT 18 | 35-31-04.059N 076-29-46.153W | Q R | 15 | 4 | TR-SY on multi- pile structure. | |
| 38070 33020 | - Channel Day beacon 17 | 35-31-11.059N 076-30-06.023W | | | | SG-TY on pile. | |
| 38075 33015 | - Channel Day beacon 16 | 35-31-06.274N 076-30-19.776W | | | | TR-SY on pile. | |
| 38080 33010 | - Channel Day beacon 15 | 35-31-13.536N 076-31-32.070W | | | | SG-TY on multi-pile structure. | |
| 38090 33000 | - CHANNEL LIGHT 13 | 35-31-17.764N 076-33-31.679W | FI G 4s | 15 | 4 | SG-TY on pile. | |
| 38095 32995 | - Channel Day beacon 12 | 35-31-12.459N 076-33-31.625W | | | | TR-SY on pile. | |
| 38100 32990 | - Channel Day beacon 11 | 35-31-25.137N 076-35-07.917W | | | | SG-TY on pile. | |
| 38105 32985 | - CHANNEL LIGHT 10 | 35-31-18.065N 076-35-32.999W | Q R | 15 | 4 | TR-SY on multi-pile structure. | |
| 38110 32915 | - LIGHT 8 | 35-30-08.685N 076-35-36.794W | FI R 4s | 15 | 5 | TR-SY on multi- pile. | |
| 38115 32910 | - LIGHT 7 | 35-29-00.356N 076-35-14.552W | FI G 4s | 15 | 4 | SG-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|-----------------------------------|----------------|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| ALBEMARLE SOUND TO NEUSE RIVER (Chart 11553) | | | | | | | |
| Pungo River | | | | | | | |
| 38120 32905 | - Day beacon 5 | 35-28-16.151N 076-35-16.097W | | | | SG-TY on pile. | |
| 38125 32900 | - LIGHT 4 | 35-26-56.885N 076-34-26.448W | FI R 4s | 15 | 3 | TR-SY on pile. | |
| 38130 32895 | - LIGHT 3 | 35-25-44.906N 076-34-14.387W | FI G 4s | 15 | 4 | SG-TY on pile. | |
| 38135 32860 | - WRECK LIGHT WR2 5 yards, 245° from wreck. | 35-25-18.424N 076-33-30.493W | Q R | 15 | 4 | TR-SY on pile. | |
| 38140 32855 | - JUNCTION LIGHT PR | 35-22-39.567N 076-33-34.978W | FI (2+1)R 6s | 18 | 5 | JR-TY on multi-pile structure. | |
| Goose Creek | | | | | | | |
| 38145 | - LIGHT 1 | 35-20-23.865N 076-35-44.713W | FI G 2.5s | 15 | 6 | SG-SY on multi-pile structure. | |
| 38150 | - Day beacon 3 | 35-20-12.762N 076-36-09.739W | | | | SG-SY on pile. | |
| 38155 | - Day beacon 4 | 35-20-13.952N 076-36-14.760W | | | | TR-TY on pile. | |
| 38160 | - Day beacon 5 | 35-19-55.620N 076-36-47.462W | | | | SG-SY on pile. | |
| 38165 | - LIGHT 6 | 35-19-53.804N 076-37-02.513W | Q R | 15 | 4 | TR-TY on multi-pile structure. | |
| 38170 | - Day beacon 7 | 35-19-42.537N 076-36-58.577W | | | | SG-SY on pile. | |
| 38175 | - Day beacon 8 | 35-19-25.797N 076-37-03.602W | | | | TR-TY on pile. | |
| 38180 | - Day beacon 10 | 35-18-39.001N 076-37-06.799W | | | | TR-TY on pile. | |
| 38185 | - LIGHT 11 | 35-18-00.039N 076-37-02.067W | FI G 2.5s | 15 | 4 | SG-SY on pile. | |
| 38190 | - Day beacon 13 | 35-17-31.607N 076-36-55.389W | | | | SG-SY on pile. | |
| 38195 | - Day beacon 14 | 35-17-02.050N 076-36-50.893W | | | | TR-TY on pile. | |
| 38200 | - LIGHT 15 | 35-17-02.943N 076-36-47.768W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 38205 | - Day beacon 17 | 35-16-33.688N 076-36-18.348W | | | | SG-SY on pile. | |
| 38210 | - LIGHT 19 | 35-16-14.927N 076-36-02.389W | Q G | 15 | 4 | SG-SY on pile. | |
| 38215 | - LIGHT 21 | 35-14-28.931N 076-35-22.240W | Q G | 19 | 4 | SG-SY on pile. | |
| 38220 | - LIGHT 22 | 35-12-57.090N 076-35-36.482W | FI R 2.5s | 15 | 4 | TR-TY on pile on small red house. | |
| 38225 | - Day beacon 23 | 35-12-37.961N 076-35-21.420W | | | | SG-SY on pile. | |
| 38230 | - Day beacon 24 | 35-12-05.143N 076-35-03.301W | | | | TR-TY on pile. | |
| 38235 | - Buoy 25 | 35-11-55.800N 076-34-55.980W | | | | Green can with yellow square. | |
| 38240 | - LIGHT 27 | 35-11-40.141N 076-34-46.500W | Q G | 15 | 4 | SG-SY on multi-pile structure. | |
| Bay River | | | | | | | |
| 38245 33400 | - LIGHT 1 | 35-09-47.706N 076-32-00.593W | FI G 4s | 15 | 4 | SG-TY on pile. | |
| 38250 33405 | - LIGHT 3 | 35-10-48.033N 076-33-30.377W | FI G 4s | 15 | 4 | SG-TY on pile. | |
| 38255 33395 | BAY POINT LIGHT On south end of shoal. | 35-10-21.301N 076-30-18.989W | FI W 4s | 15 | 6 | NB on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541) | | | | | | | |
| Neuse River | | | | | | | |
| 38260 33580 | - JUNCTION LIGHT NR | 35-08-46.678N 076-30-10.852W | FI (2+1)R 6s | 15 | 5 | JR-TY on multi-pile structure. | |
| 38265 33585 | - ENTRANCE LIGHT 2 | 35-08-07.530N 076-30-51.172W | FI R 4s | 15 | 5 | TR-TY on pile. | |
| 38270 33590 | - ENTRANCE LIGHT NR Marks northerly side of Point Marsh Shoal. | 35-06-37.272N 076-28-32.297W | FI W 6s | 24 | 7 | NB on multi-pile structure. | |
| 38275 33595 | - CHANNEL LIGHT 4 | 35-05-06.660N 076-32-41.562W | FI R 2.5s | 15 | 5 | TR-TY on pile. | |
| 38280 33625 | - CHANNEL LIGHT 6 | 35-03-51.816N 076-34-19.710W | FI R 4s | 15 | 4 | TR-TY on multi-pile structure. | |
| 38285 33715 | - CHANNEL LIGHT 7 | 35-00-32.013N 076-39-38.172W | FI G 4s | 15 | 5 | SG-SY on multi-pile structure. | |
| Adams Creek | | | | | | | |
| <i>Aids located 30 - 35 feet outside channel limit.</i> | | | | | | | |
| 38290 33790 | - LIGHT 1AC | 34-58-30.087N 076-41-45.912W | FI G 4s | 15 | 4 | SG-SY on multi-pile structure. | |
| 38295 | - Buoy 2 | 34-57-50.882N 076-40-55.953W | | | | Red nun with yellow triangle. | |
| 38300 | - LIGHT 3 | 34-57-51.517N 076-40-51.309W | FI G 2.5s | 15 | 3 | SG-SY on pile. | |
| 38305 | - LIGHT 4 | 34-57-24.895N 076-40-54.238W | Q R | 15 | 3 | TR-TY on pile. | |
| 38311 | - LIGHT 7 | 34-56-36.748N 076-39-35.366W | Q G | 15 | 4 | SG-SY on pile. | |
| 38320 | - Day beacon 4A | 34-57-07.541N 076-40-29.203W | | | | TR-TY on pile. | |
| 38325 | - Day beacon 6 | 34-56-50.529N 076-40-03.110W | | | | TR-TY on multi-pile structure. | |
| 38329 | - LIGHT 8 | 34-56-17.507N 076-39-26.576W | FI R 2.5s | 15 | 4 | TR-TY on pile. | |
| 38331 | - LIGHT 8A | 34-55-50.398N 076-39-16.539W | Q R | 15 | 4 | TR-TY on pile. | |
| 38333 | - LIGHT 9 | 34-55-59.507N 076-39-07.040W | Q G | 15 | 4 | SG-SY on pile. | |
| 38340 | - Day beacon 10 | 34-55-30.820N 076-39-26.179W | | | | TR-TY on pile. | |
| 38345 | - Day beacon 11 | 34-55-05.169N 076-39-36.030W | | | | SG-SY on pile. | |
| 38350 | - Day beacon 12 | 34-54-41.156N 076-39-55.301W | | | | TR-TY on pile. | |
| 38355 | - LIGHT 13 | 34-54-18.717N 076-40-05.326W | FI G 2.5s | 15 | 4 | SG-SY on multi-pile structure. | |
| 38360 | - Day beacon 14 | 34-54-11.476N 076-40-28.245W | | | | TR-TY on pile. | |
| 38365 | - Day beacon 15 | 34-53-55.476N 076-40-59.382W | | | | SG-SY on pile. | |
| 38370 | - LIGHT 16 | 34-53-54.196N 076-41-05.589W | FI R 2.5s | 15 | 4 | TR-TY on pile. | |
| 38375 | - LIGHT 17 | 34-53-41.408N 076-41-08.962W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 38380 | - LIGHT 18 | 34-53-24.126N 076-41-12.396W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| Core Creek | | | | | | | |
| <i>Aids located 30 - 35 feet outside channel limit.</i> | | | | | | | |
| 38385 | - LIGHT 19 | 34-48-25.200N 076-41-08.352W | Q G | 15 | 3 | SG-SY on pile. | |
| 38390 | - LIGHT 20 | 34-47-59.704N 076-41-14.344W | FI R 4s | 15 | 4 | TR-TY on multi-pile structure. | |
| 38395 | - Day beacon 21 | 34-47-03.097N 076-41-08.817W | | | | SG-SY on pile. | |
| 38407 | - LIGHT 24 | 34-46-20.520N 076-41-08.100W | Q R | 15 | 4 | TR-TY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---------------------------------------|---------------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541) | | | | | | | |
| Core Creek | | | | | | | |
| <i>Aids located 30 - 35 feet outside channel limit.</i> | | | | | | | |
| 38410 | - Day beacon 23 | 34-46-22.620N 076-41-05.100W | | | | SG-SY on pile. | |
| 38415 | - Day beacon 25 | 34-46-14.432N 076-41-00.223W | | | | SG-SY on pile. | |
| 38420 | - Day beacon 26 | 34-46-03.372N 076-40-54.546W | | | | TR-TY on pile. | |
| 38425 | - Day beacon 27 | 34-45-47.862N 076-40-34.050W | | | | SG-SY on pile. | |
| 38430 | - Day beacon 28 | 34-45-32.040N 076-40-29.232W | | | | TR-TY on pile. | |
| 38435 | - LIGHT 29 | 34-45-32.893N 076-40-21.251W | Q G | 15 | 4 | SG-SY on multi-pile structure. | |
| 38436 | - Buoy 29A | 34-45-06.564N 076-40-31.265W | | | | Green can with yellow square. | |
| Russell Slough | | | | | | | |
| 38440 | - JUNCTION LIGHT RS | 34-45-24.801N 076-40-23.201W | FI (2+1)G 6s | 15 | 3 | JG on multi-pile structure | |
| 38445 | - Day beacon 2 | 34-45-13.212N 076-40-19.902W | | | | TR on pile. | |
| 38450 | - Day beacon 3 | 34-45-00.576N 076-40-14.496W | | | | SG on pile. | |
| 38455 | - Day beacon 4 | 34-44-41.081N 076-40-14.260W | | | | TR on pile. | |
| 38460 | - LIGHT 5 | 34-44-31.104N 076-40-07.498W | FI G 4s | 15 | 4 | SG on pile. | |
| 38465 | - Day beacon 6 | 34-44-25.764N 076-40-14.868W | | | | TR on pile. | |
| 38467 | - Lighted Buoy 6A | 34-44-23.584N 076-40-15.030W | Q R | | 4 | Red. | |
| 38470 | - Day beacon 7 | 34-44-07.820N 076-40-29.789W | | | | SG on pile. | |
| 38471 | - Buoy 8 | 34-44-06.318N 076-40-33.398W | | | | Red nun. | |
| Core Creek | | | | | | | |
| <i>Aids located 30 - 35 feet outside channel limit.</i> | | | | | | | |
| 38481 | - Buoy 30 | 34-45-28.642N 076-40-26.185W | | | | Red nun with yellow triangle. | |
| 38482 | - Buoy 30A | 34-45-13.356N 076-40-32.681W | | | | Red nun with yellow triangle. | |
| 38485 | - Day beacon 31 | 34-44-57.390N 076-40-32.898W | | | | SG-SY on pile. | |
| Newport Marshes | | | | | | | |
| 38490 | - Day beacon 32 | 34-44-43.206N 076-40-45.114W | | | | TR-TY on pile. | |
| 38493 | - Day beacon 33 | 34-44-36.378N 076-40-40.536W | | | | SG-SY on pile. | |
| 38495 | - LIGHT 34 | 34-44-22.294N 076-40-53.125W | Q R | 15 | 4 | TR-TY on pile. | |
| 38500 | - LIGHT 35 | 34-44-18.356N 076-40-50.622W | Q G | 15 | 4 | SG-SY on multi-pile structure. | |
| 38505 | - LIGHT 36 | 34-44-04.428N 076-41-16.824W | FI R 2.5s | 15 | 4 | TR-TY on pile. | |
| 38510 | - Buoy 37 | 34-43-45.446N 076-41-29.205W | | | | Green can with yellow square. | |
| 38515 | - LIGHT 38 | 34-43-40.482N 076-41-39.966W | FI R 4s | 15 | 5 | TR-TY on multi-pile structure. | |
| 38520 | - Buoy 39 | 34-43-36.384N 076-41-32.630W | | | | Green can with yellow square. | |
| 38525 29470 | Morehead City Channel Lighted Buoy 27 | 34-42-47.229N 076-41-52.004W | FI G 2.5s | | 4 | Green with yellow square. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|------------------------------|---------------------------------|-----------------------|---------------|--------------|------------------------------------|----------------|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541) | | | | | | | |
| Bogue Sound | | | | | | | |
| <i>Aids located 30 feet outside channel limit.</i> | | | | | | | |
| 38530 | - Day beacon 1B | 34-42-44.901N 076-42-21.952W | | | | SG on pile. | |
| Triple S. Marina | | | | | | | |
| 38535 | - Day beacon 1 | 34-42-34.581N 076-42-38.754W | | | | SG on pile. | Private aid. |
| 38540 | - Day beacon 2 | 34-42-35.581N 076-42-40.754W | | | | TR on pile. | Private aid. |
| 38545 | - Day beacon 3 | 34-42-33.081N 076-42-38.754W | | | | SG on pile. | Private aid. |
| 38550 | - Day beacon 4 | 34-42-33.581N 076-42-40.754W | | | | TR on pile. | Private aid. |
| 38555 | - Day beacon 5 | 34-42-31.081N 076-42-38.754W | | | | SG on pile. | Private aid. |
| 38560 | - Day beacon 6 | 34-42-30.581N 076-42-40.754W | | | | TR on pile. | Private aid. |
| 38565 | - Day beacon 7 | 34-42-28.081N 076-42-38.754W | | | | SG on pile. | Private aid. |
| 38570 | - Day beacon 8 | 34-42-25.581N 076-42-40.754W | | | | TR on pile. | Private aid. |
| 38575 | - Day beacon 9 | 34-42-26.081N 076-42-38.754W | | | | SG on pile. | Private aid. |
| 38580 | - Day beacon 10 | 34-42-20.581N 076-42-40.754W | | | | TR on pile. | Private aid. |
| 38585 | - Day beacon 11 | 34-42-23.081N 076-42-38.754W | | | | SG on pile. | Private aid. |
| 38590 | - Day beacon 12 | 34-42-17.582N 076-42-40.754W | | | | TR on pile. | Private aid. |
| 38595 | - Day beacon 13 | 34-42-16.082N 076-42-38.754W | | | | SG on pile. | Private aid. |
| Morehead City Harbor Channel | | | | | | | |
| 38600 | - JUNCTION LIGHT MC | 34-42-50.688N 076-42-26.634W | FI (2+1)R 6s | 15 | 4 | JR on pile. | |
| 38605 | - Day beacon 3 | 34-43-04.584N 076-42-18.654W | | | | SG on pile. | |
| 38610 | - Day beacon 5 | 34-43-06.414N 076-42-22.116W | | | | SG on pile. | |
| 38615 | - Day beacon 6 | 34-43-05.322N 076-43-00.792W | | | | TR on pile. | |
| 38620 | - Day beacon 7 | 34-42-59.763N 076-43-08.980W | | | | SG on pile. | |
| 38625 | - Day beacon 8 | 34-42-57.954N 076-43-17.634W | | | | TR on pile. | |
| 38627 | - Turning Basin Day beacon A | 34-43-00.048N 076-42-21.600W | | | | NB on pile. | |
| 38629 | - Turning Basin Day beacon B | 34-42-42.444N 076-42-10.548W | | | | NB on pile. | |
| 38630 | BOGUE SOUND LIGHT 2 | 34-42-46.368N 076-42-53.856W | Q R | 15 | 4 | TR-TY on pile. | |
| Money Island Channel | | | | | | | |
| 38635 | - JUNCTION LIGHT MI | 34-42-39.564N 076-43-13.992W | FI (2+1)R 6s | 15 | 3 | JR on pile. | |
| 38643 | - Buoy 1 | 34-42-35.563N 076-43-17.702W | | | | Green can. | |
| 38645 | - Warning Day beacon A | 34-42-35.520N 076-43-17.117W | | | | NW on pile worded DANGER SHOAL. | |
| 38652 | - Buoy 2 | 34-42-33.876N 076-43-20.088W | | | | Red nun. | |
| 38655 | - Day beacon 2A | 34-42-26.380N 076-43-28.030W | | | | TR on pile. | |
| 38660 | - Day beacon 3 | 34-42-22.110N 076-43-31.380W | | | | SG on pile. | |
| 38665 | - Day beacon 4 | 34-42-15.850N 076-43-39.510W | | | | TR on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|----------------------------------|----------------|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541) | | | | | | | |
| Bogue Sound | | | | | | | |
| Money Island Channel | | | | | | | |
| 38670 | - LIGHT 5 | 34-42-10.188N 076-43-44.028W | FI G 4s | 15 | 4 | SG on pile. | |
| 38675 | - Day beacon 6 | 34-42-09.894N 076-43-45.444W | | | | TR on pile. | |
| 38677 | - Buoy 7 | 34-42-07.524N 076-43-45.460W | | | | Green can. | |
| 38679 | - Buoy 8 | 34-42-06.016N 076-43-46.751W | | | | Red nun. | |
| Eight and One Half Marina | | | | | | | |
| 38680 | - Day beacon 1 | 34-42-22.581N 076-43-26.756W | | | | SG on pile. | Private aid. |
| 38685 | - Day beacon 2 | 34-42-21.081N 076-43-29.756W | | | | TR on pile. | Private aid. |
| 38690 | - Day beacon 3 | 34-42-20.581N 076-43-24.756W | | | | SG on pile. | Private aid. |
| 38695 | - Day beacon 4 | 34-42-20.081N 076-43-27.756W | | | | TR on pile. | Private aid. |
| 38700 | - Day beacon 5 | 34-42-17.581N 076-43-23.756W | | | | SG on pile. | Private aid. |
| 38705 | - Day beacon 6 | 34-42-17.081N 076-43-25.756W | | | | TR on pile. | Private aid. |
| 38710 | - Day beacon 7 | 34-42-15.581N 076-43-20.755W | | | | SG on pile. | Private aid. |
| Causeway Channel | | | | | | | |
| 38720 | - Day beacon 2 | 34-42-44.310N 076-43-26.898W | | | | TR on pile. | |
| 38725 | - Day beacon 3 | 34-42-45.246N 076-43-42.594W | | | | SG on pile. | |
| 38727 | - Buoy 4 | 34-42-48.486N 076-43-45.624W | | | | Red nun. | |
| 38730 | - Day beacon 5 | 34-42-48.353N 076-43-52.360W | | | | SG on pile. | |
| 38731 | - Buoy 5A | 34-42-49.308N 076-44-00.412W | | | | Green can. | |
| 38735 | - Buoy 6 | 34-42-50.814N 076-43-57.480W | | | | Red nun. | |
| 38736 | - Buoy 6A | 34-42-48.819N 076-44-02.853W | | | | Red nun. | |
| 38740 | - Buoy 7 | 34-42-45.393N 076-44-03.567W | | | | Green can. | |
| 38745 | - Buoy 7A | 34-42-42.175N 076-44-08.396W | | | | Green can. | |
| 38750 | - Day beacon 8 | 34-42-39.078N 076-44-10.632W | | | | TR on pile. | |
| Bogue Sound | | | | | | | |
| <i>Aids located 30 feet outside channel limit.</i> | | | | | | | |
| 38755 | - Buoy 3 | 34-42-44.581N 076-43-06.755W | | | | Green can with yellow square. | |
| 38760 | - Day beacon 3A | 34-42-54.150N 076-43-41.553W | | | | SG-SY on pile. | |
| 38765 | - LIGHT 3B | 34-43-09.472N 076-44-41.903W | FI G 2.5s | 15 | 5 | SG-SY on pile. | |
| 38770 | - LIGHT 4 50 feet outside channel limit. | 34-42-53.006N 076-43-29.052W | FI R 2.5s | 15 | 4 | TR-TY on pile. | |
| Moonlight Boat Access Channel | | | | | | | |
| 38775 | - Day beacon 1 | 34-42-43.081N 076-44-15.558W | | | | SG on pile. | Private aid. |
| 38780 | - Day beacon 2 | 34-42-45.580N 076-44-16.758W | | | | TR on pile. | Private aid. |
| 38785 | - Day beacon 3 | 34-42-40.081N 076-44-14.558W | | | | SG on pile. | Private aid. |
| 38790 | - Day beacon 4 | 34-42-42.581N 076-44-15.758W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541) | | | | | | | |
| Bogue Sound | | | | | | | |
| Moonlight Boat Access Channel | | | | | | | |
| 38795 | - Day beacon 5 | 34-42-37.581N 076-44-13.258W | | | | SG on pile. | Private aid. |
| 38800 | - Day beacon 6 | 34-39-40.083N 076-44-14.757W | | | | TR on pile. | Private aid. |
| Bogue Sound | | | | | | | |
| <i>Aids located 30 feet outside channel limit.</i> | | | | | | | |
| 38810 | - Day beacon 5 | 34-43-11.200N 076-45-13.100W | | | | SG-SY on pile. | |
| 38815 | - LIGHT 6 | 34-43-17.718N 076-45-59.518W | FI R 2.5s | 15 | 4 | TR-TY on multi-pile structure. | |
| Peletier Creek Entrance Channel | | | | | | | |
| 38820 | - Day beacon 1 | 34-43-21.534N 076-46-49.338W | | | | SG on pile. | |
| 38825 | - Buoy 2 | 34-43-21.673N 076-46-47.911W | | | | Red nun. | |
| 38830 | - Day beacon 3 | 34-43-27.103N 076-46-48.920W | | | | SG on pile. | |
| 38833 | - Buoy 4 | 34-43-25.476N 076-46-48.252W | | | | Red nun. | |
| 38835 | - Day beacon 5 | 34-43-31.506N 076-46-49.767W | | | | SG on pile. | |
| Bogue Sound | | | | | | | |
| <i>Aids located 30 feet outside channel limit.</i> | | | | | | | |
| 38840 | - Day beacon 7 | 34-43-17.220N 076-46-52.140W | | | | SG-SY on pile. | |
| 38842 | - Buoy 7A | 34-43-18.150N 076-46-58.030W | | | | Green can. | |
| 38845 | - Day beacon 8 | 34-43-20.537N 076-47-26.263W | | | | TR-TY on pile. | |
| 38850 | - LIGHT 9 | 34-43-19.668N 076-48-09.507W | FI G 2.5s | 15 | 4 | SG-SY on pile. | |
| Spooner Creek | | | | | | | |
| 38855 | - Day beacon 1 | 34-43-22.580N 076-48-11.770W | | | | SG on pile. | Private aid. |
| 38860 | - Day beacon 2 | 34-43-22.580N 076-48-08.769W | | | | TR on pile. | Private aid. |
| 38865 | - Day beacon 3 | 34-43-24.580N 076-48-11.770W | | | | SG on pile. | Private aid. |
| 38870 | - Day beacon 4 | 34-43-24.580N 076-48-08.769W | | | | TR on pile. | Private aid. |
| Bogue Sound | | | | | | | |
| <i>Aids located 30 feet outside channel limit.</i> | | | | | | | |
| 38875 | - Day beacon 10 | 34-43-23.196N 076-48-46.005W | | | | TR-TY on pile. | |
| 38877 | - Buoy 10A | 34-43-24.995N 076-49-45.038W | | | | Red nun. | |
| 38880 | - Day beacon 11 | 34-43-22.252N 076-49-16.902W | | | | SG-SY on pile. | |
| 38885 | - Day beacon 12 | 34-43-25.598N 076-49-46.623W | | | | TR-TY on pile. | |
| 38890 | - LIGHT 13 | 34-43-24.781N 076-50-13.385W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 38895 | - Day beacon 14 | 34-43-28.135N 076-50-42.919W | | | | TR-TY on pile. | |
| 38900 | - Day beacon 15 | 34-43-26.412N 076-51-03.797W | | | | SG-SY on pile. | |
| 38905 | - LIGHT 17 | 34-43-28.320N 076-51-45.758W | FI G 2.5s | 15 | 4 | SG-SY on pile. | |
| 38910 | - Day beacon 18 | 34-43-25.369N 076-52-18.635W | | | | TR-TY on pile. | |
| 38915 | - Day beacon 19 | 34-43-17.934N 076-52-51.485W | | | | SG-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|-------------------------------------|---------------------------------|-----------------------|---------------|--------------|--|---|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541) | | | | | | | |
| Bogue Sound | | | | | | | |
| <i>Aids located 30 feet outside channel limit.</i> | | | | | | | |
| 38920 | - Day beacon 20 | 34-43-15.602N 076-53-21.949W | | | | TR-TY on pile. | |
| 38925 | - LIGHT 21 | 34-43-08.078N 076-53-55.318W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 38930 | - Day beacon 22 | 34-43-06.804N 076-54-20.565W | | | | TR-TY on pile. | |
| 38935 | - Day beacon 23 | 34-43-00.576N 076-54-47.423W | | | | SG-SY on pile. | |
| 38940 | - Day beacon 24 | 34-42-58.653N 076-55-14.423W | | | | TR-TY on pile. | |
| 38945 | - LIGHT 25 | 34-42-53.175N 076-55-37.191W | FI G 2.5s | 15 | 4 | SG-SY on pile. | |
| 38950 | - Day beacon 26 | 34-42-48.041N 076-56-03.697W | | | | TR-TY on pile. | |
| 38955 | - Day beacon 27 | 34-42-38.973N 076-56-30.145W | | | | SG-SY on pile. | |
| 38960 | - Day beacon 28 | 34-42-33.408N 076-56-57.497W | | | | TR-TY on pile. | |
| 38965 | - LIGHT 29 | 34-42-25.267N 076-57-20.153W | FI G 4s | 15 | 5 | SG-SY on pile. | |
| Wood Island Danger Area | | | | | | | |
| 38968 | Wood Island Warning Day beacon A | 34-40-59.055N 076-57-01.915W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.01 | Wood Island Warning Day beacon B | 34-40-58.049N 076-57-04.709W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.02 | Wood Island Warning Day beacon C | 34-40-58.959N 076-57-11.683W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.03 | Wood Island Warning Day beacon D | 34-41-01.480N 076-57-14.300W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.04 | Wood Island Warning Day beacon E | 34-41-05.448N 076-57-15.927W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.05 | Wood Island Warning Day beacon F | 34-41-08.874N 076-57-18.839W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.06 | Wood Island Warning Day beacon G | 34-41-11.471N 076-57-21.500W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.07 | Wood Island Warning Day beacon H | 34-41-15.675N 076-57-21.577W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.08 | Wood Island Warning Day beacon J | 34-41-19.178N 076-57-20.173W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.09 | Wood Island Warning Day beacon K | 34-41-22.128N 076-57-17.146W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.11 | Wood Island Warning Day beacon M | 34-41-24.548N 076-57-07.228W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|-------------------------------------|---------------------------------|-----------------------|---------------|--------------|--|---|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541) | | | | | | | |
| Bogue Sound | | | | | | | |
| Wood Island Danger Area | | | | | | | |
| 38968.12 | Wood Island Warning Day beacon N | 34-41-22.733N 076-57-02.004W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.13 | Wood Island Warning Day beacon P | 34-41-20.152N 076-56-58.071W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.14 | Wood Island Warning Day beacon Q | 34-41-16.661N 076-56-55.796W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.15 | Wood Island Warning Day beacon R | 34-41-14.023N 076-56-53.182W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.16 | Wood Island Warning Day beacon S | 34-41-10.104N 076-56-51.918W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.17 | Wood Island Warning Day beacon T | 34-41-06.688N 076-56-51.822W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.18 | Wood Island Warning Day beacon U | 34-41-02.623N 076-56-53.286W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| 38968.19 | Wood Island Warning Day beacon V | 34-41-01.051N 076-56-57.913W | | | | NW on pile worded DANGER UNEXPLODED ORDNANCE. | Aid maintained by U.S. Marine Corps. |
| Bogue Sound | | | | | | | |
| <i>Aids located 30 feet outside channel limit.</i> | | | | | | | |
| 38970 | - Day beacon 30 | 34-42-20.484N 076-57-44.213W | | | | TR-TY on pile. | |
| 38975 | - Day beacon 31 | 34-42-11.208N 076-58-13.691W | | | | SG-SY on pile. | |
| 38980 | - Day beacon 32 | 34-42-05.406N 076-58-40.912W | | | | TR-TY on pile. | |
| 38985 | - LIGHT 33 | 34-41-55.524N 076-59-10.000W | FI G 2.5s | 15 | 4 | SG-SY on pile. | |
| 38990 | - Day beacon 34 | 34-41-47.490N 076-59-34.157W | | | | TR-TY on pile. | |
| 38995 | - Day beacon 35 | 34-41-37.219N 076-59-50.959W | | | | SG-SY on pile. | |
| 39000 | - Day beacon 36 | 34-41-26.941N 077-00-20.396W | | | | TR-TY on pile. | |
| 39005 | - LIGHT 37 | 34-41-13.838N 077-00-45.027W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 39010 | - Day beacon 38 | 34-40-58.223N 077-01-26.215W | | | | TR-TY on pile. | |
| 39015 | - Day beacon 40 | 34-40-48.581N 077-01-47.458W | | | | TR-TY on pile. | |
| 39020 | - Day beacon 40A | 34-40-36.620N 077-02-13.974W | | | | TR-TY on pile. | |
| 39025 | - LIGHT 41 | 34-40-34.884N 077-02-13.184W | Q G | 15 | 4 | SG-SY on multi- pile structure. | |
| 39030 | - Day beacon 42 | 34-40-34.092N 077-02-48.828W | | | | TR-TY on pile. | |
| 39031 | - Day beacon 42A | 34-40-31.578N 077-03-17.145W | | | | TR-TY on pile. | |
| 39035 | - Day beacon 44 | 34-40-24.018N 077-04-49.956W | | | | TR-TY on pile. | |
| 39040 | - LIGHT 45 | 34-40-19.584N 077-05-26.815W | FI G 2.5s | 15 | 4 | SG-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|---|---|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541) | | | | | | | |
| Bogue Sound | | | | | | | |
| <i>Aids located 30 feet outside channel limit.</i> | | | | | | | |
| 39050 | - Buoy 45A | 34-40-23.816N 077-05-53.086W | | | | Green can with yellow square. | |
| 39060 | - Day beacon 45B | 34-40-31.742N 077-06-25.866W | | | | SG-SY on pile. | |
| 39063 | Cedar Point Artificial Reef Buoy AR-381A | 34-40-25.800N 077-06-30.240W | | | | White can with orange bands and diamond worded REEF. | Aid maintained by State DOT Private aid. |
| 39063.1 | Cedar Point Artificial Reef Buoy AR-381B | 34-40-25.620N 077-06-30.120W | | | | White can with orange bands and diamond worded REEF. | Aid maintained by State DOT Private aid. |
| 39063.2 | Cedar Point Artificial Reef Buoy AR-381C | 34-40-24.540N 077-06-33.420W | | | | White can with orange bands and diamond worded REEF. | Aid maintained by State DOT Private aid. |
| 39063.3 | Cedar Point Artificial Reef Buoy AR-381D | 34-40-24.780N 077-06-33.540W | | | | White can with orange bands and diamond worded REEF. | Aid maintained by State DOT Private aid. |
| 39065 | - LIGHT 46 | 34-40-27.422N 077-06-08.244W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 39070 | - Day beacon 46A | 34-40-45.488N 077-06-45.624W | | | | TR-TY on pile. | |
| 39075 | - Day beacon 46B | 34-40-51.001N 077-06-57.276W | | | | TR-TY on pile. | |
| 39080 | - Day beacon 47 | 34-40-58.916N 077-07-18.126W | | | | SG-SY on pile. | |
| Bogue Sound - New River | | | | | | | |
| <i>Aids located 35 feet outside channel limit.</i> | | | | | | | |
| 39085 | - LIGHT 46C | 34-41-04.658N 077-07-24.521W | Q R | 17 | 4 | TR-TY on pile. | |
| 39090 | - Buoy 47A | 34-40-59.158N 077-07-30.720W | | | | Green can with yellow square. | |
| 39095 | - Buoy 47B | 34-40-51.600N 077-07-48.240W | | | | Green can with yellow square. | |
| 39100 | - LIGHT 48 | 34-40-53.444N 077-07-51.654W | Q R | 16 | 4 | TR-TY on pile. | |
| 39105 | - Day beacon 48A | 34-40-43.388N 077-07-54.558W | | | | TR-TY on pile. | |
| 39110 | - LIGHT 49 | 34-40-15.770N 077-07-58.866W | Q G | 15 | 5 | SG-SY on multi- pile structure. | |
| 39115 | - Buoy 50 | 34-40-17.403N 077-08-00.279W | | | | Red nun with yellow triangle. | |
| 39120 | - Day beacon 51 | 34-39-43.838N 077-08-51.798W | | | | SG-SY on pile. | |
| Cow Creek Channel | | | | | | | |
| 39125 | - Day beacon CC | 34-39-29.486N 077-09-13.583W | | | | JG on pile. | Private aid. |
| 39132 | - Day beacon 3 | 34-39-25.259N 077-09-08.347W | | | | SG on pile. | Private aid. |
| 39135 | - Day beacon 4 | 34-39-24.758N 077-09-09.143W | | | | TR on pile. | Private aid. |
| 39137 | - Day beacon 5 | 34-39-19.705N 077-09-06.463W | | | | SG on pile. | Private aid. |
| 39140 | - Day beacon 6 | 34-39-19.576N 077-09-07.329W | | | | TR on pile. | Private aid. |
| 39145 | - Day beacon 7 | 34-39-11.820N 077-09-06.222W | | | | SG on pile. | Private aid. |
| 39147 | - Day beacon 8 | 34-39-11.662N 077-09-07.187W | | | | TR on pile. | Private aid. |
| 39150 | - Day beacon 9 | 34-39-02.417N 077-08-56.872W | | | | SG on pile. | Private aid. |
| 39155 | - Day beacon 10 | 34-39-01.975N 077-08-57.552W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|----------------------------------|----------------|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541) | | | | | | | |
| Cow Creek Channel | | | | | | | |
| 39160 | - Day beacon 11 | 34-38-54.783N 077-08-49.325W | | | | SG on pile. | Private aid. |
| 39165 | - Day beacon 12 | 34-38-54.351N 077-08-50.152W | | | | TR on pile. | Private aid. |
| 39170 | - Day beacon 13 | 34-38-43.391N 077-08-38.424W | | | | SG on pile. | Private aid. |
| 39175 | - Day beacon 14 | 34-38-43.014N 077-08-39.241W | | | | TR on pile. | Private aid. |
| 39180 | - Day beacon 15 | 34-38-37.352N 077-08-36.604W | | | | SG on pile. | Private aid. |
| 39185 | - Day beacon 16 | 34-38-37.060N 077-08-37.549W | | | | TR on pile. | Private aid. |
| 39190 | - Day beacon 17 | 34-38-31.374N 077-08-29.710W | | | | SG on pile. | Private aid. |
| 39195 | - Day beacon 18 | 34-38-31.374N 077-08-30.432W | | | | TR on pile. | Private aid. |
| Bogue Sound - New River | | | | | | | |
| <i>Aids located 35 feet outside channel limit.</i> | | | | | | | |
| 39200 | - Day beacon 53 | 34-39-21.770N 077-09-28.409W | | | | SG-SY on pile. | |
| 39205 | - LIGHT 55 | 34-38-34.531N 077-10-48.265W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 39210 | - LIGHT 58 | 34-37-57.050N 077-12-18.000W | Q R | 15 | 4 | TR-TY on pile. | |
| 39215 | - LIGHT 59 | 34-37-23.768N 077-12-39.148W | FI G 4s | 15 | 5 | SG-SY on pile. | |
| 39217 | - Buoy 60 | 34-35-53.195N 077-14-32.773W | | | | Red nun with yellow triangle. | |
| 39220 | - LIGHT 61 | 34-36-24.150N 077-13-50.583W | FI G 4s | 16 | 4 | SG-SY on pile. | |
| 39223 | - Buoy 61A | 34-35-51.373N 077-14-31.780W | | | | Green can with yellow square. | |
| 39224 | - Buoy 62 | 34-35-46.565N 077-14-40.290W | | | | Red nun with yellow triangle. | |
| 39225 | - Buoy 63 | 34-35-48.043N 077-14-36.839W | | | | Green can with yellow square. | |
| 39230 | - LIGHT 64 | 34-33-54.006N 077-16-54.534W | FI R 4s | 15 | 4 | TR-TY on pile | |
| 39235 | - LIGHT 65 | 34-33-03.112N 077-18-38.361W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 39240 | - LIGHT 65A | 34-32-41.972N 077-19-02.900W | Q G | 15 | 4 | SG-SY on pile. | |
| 39245 | - LIGHT 66 | 34-32-52.261N 077-19-35.838W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| Mile Hammock Bay | | | | | | | |
| <i>Aids located 30 feet outside channel limit.</i> | | | | | | | |
| 39250 | - Channel Day beacon 1 | 34-32-55.862N 077-19-39.404W | | | | SG on pile. | |
| 39255 | - Channel Day beacon 2 | 34-32-55.759N 077-19-37.716W | | | | TR on pile. | |
| 39260 | - Channel Day beacon 3 | 34-33-02.173N 077-19-36.672W | | | | SG on pile. | |
| 39265 | - Channel Day beacon 4 | 34-33-00.617N 077-19-33.672W | | | | TR on pile. | |
| Bogue Sound - New River | | | | | | | |
| <i>Aids located 35 feet outside channel limit.</i> | | | | | | | |
| 39275 | - Day beacon 67 | 34-32-53.073N 077-19-44.999W | | | | SG-SY on pile. | |
| 39280 | - LIGHT 68 | 34-32-55.525N 077-19-46.517W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 39285 | - Day beacon 69 | 34-33-03.250N 077-20-23.561W | | | | SG-SY on pile. | |
| 39290 | - Buoy 70 | 34-33-07.877N 077-20-34.488W | | | | Red nun with yellow triangle. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|----------------------------------|----------------|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541) | | | | | | | |
| Bogue Sound - New River | | | | | | | |
| <i>Aids located 35 feet outside channel limit.</i> | | | | | | | |
| 39293 | - Buoy 71 | 34-33-10.832N 077-20-50.519W | | | | Green can with yellow square. | |
| 39295 | - LIGHT 72 | 34-33-12.227N 077-20-49.758W | Q R | 15 | 4 | TR-TY on pile. | |
| 39300 | - Buoy 72A | 34-33-11.498N 077-20-57.364W | | | | Red nun with yellow triangle. | |
| 39305 | - Buoy 74 | 34-33-10.210N 077-21-14.382W | | | | Red nun with yellow triangle. | |
| 39310 | - Day beacon 76 | 34-33-06.533N 077-21-23.208W | | | | TR-TY on pile. | |
| New River - Cape Fear River | | | | | | | |
| <i>Aids located 30 feet outside channel limit.</i> | | | | | | | |
| 39315 | - LIGHT 2 | 34-32-58.057N 077-21-35.112W | Q R | 18 | 4 | TR-TY on pile. | |
| 39320 | - Day beacon 4 | 34-32-38.757N 077-21-36.121W | | | | TR-TY on pile. | |
| 39325 | - Day beacon 6 | 34-32-24.942N 077-21-36.573W | | | | TR-TY on pile. | |
| 39330 | - LIGHT 9 | 34-32-10.502N 077-21-34.842W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 39335 | - Day beacon 10 | 34-31-57.813N 077-21-44.278W | | | | TR-TY on pile. | |
| 39340 | - Day beacon 12 | 34-31-39.871N 077-21-55.504W | | | | TR-TY on pile. | |
| 39345 | - Day beacon 14 | 34-31-19.343N 077-22-08.264W | | | | TR-TY on pile. | |
| 39350 | - LIGHT 15 | 34-31-03.774N 077-22-16.254W | Q G | 15 | 4 | SG-SY on pile. | |
| 39355 | - Day beacon 17 | 34-30-47.568N 077-23-08.041W | | | | SG-SY on pile. | |
| 39360 | - Day beacon 19 | 34-30-29.239N 077-24-09.530W | | | | SG-SY on pile. | |
| 39365 | - LIGHT 23 | 34-30-17.987N 077-24-44.705W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 39370 | - Day beacon 25 | 34-30-11.742N 077-25-04.909W | | | | SG-SY on pile. | |
| 39375 | - LIGHT 27 | 34-29-33.811N 077-27-06.114W | FI G 4s | 18 | 4 | SG-SY on pile. | |
| 39380 | - Day beacon 29 | 34-29-26.362N 077-27-22.808W | | | | SG-SY on pile. | |
| 39385 | - Day beacon 31 | 34-29-13.115N 077-27-53.986W | | | | SG-SY on pile. | |
| 39390 | - Day beacon 32 | 34-29-07.262N 077-28-11.796W | | | | TR-TY on pile. | |
| 39395 | - Day beacon 37 | 34-28-56.211N 077-28-32.660W | | | | SG-SY on pile. | |
| 39400 | - LIGHT 39 | 34-28-42.032N 077-29-05.489W | FI G 4s | 18 | 4 | SG-SY on pile. | |
| 39405 | - Day beacon 41 | 34-28-31.996N 077-29-28.853W | | | | SG-SY on pile. | |
| 39410 | - Day beacon 43 | 34-28-26.445N 077-29-40.792W | | | | SG-SY on pile. | |
| 39415 | - Day beacon 45 | 34-28-18.829N 077-29-58.987W | | | | SG-SY on pile. | |
| 39420 | - Day beacon 47 | 34-28-12.797N 077-30-12.947W | | | | SG-SY on pile. | |
| 39425 | - LIGHT 49 | 34-28-05.263N 077-30-28.841W | Q G | 18 | 4 | SG-SY on pile. | |
| 39430 | - Day beacon 51 | 34-27-56.349N 077-30-38.640W | | | | SG-SY on pile. | |
| 39435 | - Day beacon 53 | 34-27-44.062N 077-30-52.883W | | | | SG-SY on pile. | |
| 39440 | - Day beacon 57 | 34-27-19.783N 077-31-20.018W | | | | SG-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|------------------------------------|----------------|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541) | | | | | | | |
| New River - Cape Fear River | | | | | | | |
| <i>Aids located 30 feet outside channel limit.</i> | | | | | | | |
| 39445 | - Day beacon 59 | 34-27-08.297N 077-31-33.193W | | | | SG-SY on pile. | |
| 39450 | - LIGHT 61 | 34-26-56.862N 077-31-45.020W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 39455 | - Day beacon 65 | 34-26-35.897N 077-32-08.953W | | | | SG-SY on pile. | |
| 39460 | - Day beacon 69 | 34-26-12.284N 077-32-35.562W | | | | SG-SY on pile. | |
| 39463 | Sears Landing Channel Day beacon 1 | 34-25-55.260N 077-32-58.440W | | | | SG on pile. | Private aid. |
| 39463.1 | Sears Landing Channel Day beacon 2 | 34-25-55.860N 077-32-57.780W | | | | TR on pile. | Private aid. |
| 39463.2 | Sears Landing Channel Warning Day beacon W | 34-25-56.760N 077-32-59.400W | | | | Yellow day board on pile. | Private aid. |
| 39463.3 | Sears Landing Channel Day beacon 4 | 34-25-57.730N 077-32-59.840W | | | | TR on pile. | Private aid. |
| 39463.4 | Sears Landing Channel Day beacon 6 | 34-25-58.750N 077-33-00.860W | | | | TR on pile. | Private aid. |
| 39463.5 | Sears Landing Channel Day beacon 8 | 34-26-00.060N 077-33-01.260W | | | | TR on pile. | Private aid. |
| 39465 | - LIGHT 71 | 34-25-45.738N 077-33-06.067W | FI G 4s | 15 | 4 | SG-SY on multi- pile structure. | |
| 39470 | - Day beacon 72 | 34-25-41.657N 077-33-22.607W | | | | TR-TY on pile. | |
| 39475 | - Day beacon 76 | 34-25-29.057N 077-33-56.267W | | | | TR-TY on pile. | |
| 39480 | - Day beacon 78 | 34-25-22.997N 077-34-12.527W | | | | TR-TY on pile. | |
| 39485 | - Day beacon 80 | 34-25-16.844N 077-34-27.508W | | | | TR-TY on pile. | |
| 39490 | - Day beacon 82 | 34-25-09.314N 077-34-48.091W | | | | TR-TY on pile. | |
| 39493 | - LIGHT 82A | 34-24-59.960N 077-35-12.850W | Q R | 15 | 4 | TR-TY on pile. | |
| 39500 | - Day beacon 84 | 34-24-51.153N 077-35-26.039W | | | | TR-TY on pile. | |
| 39505 | - Day beacon 86 | 34-24-41.673N 077-35-39.905W | | | | TR-TY on pile. | |
| 39507 | - LIGHT 89 | 34-24-31.216N 077-35-51.207W | FI G 2.5s | 15 | 4 | SG-SY on pile. | |
| 39510 | - Day beacon 90 | 34-24-18.398N 077-36-13.782W | | | | TR-TY on pile. | |
| 39515 | - Day beacon 92 | 34-24-07.188N 077-36-29.688W | | | | TR-TY on pile. | |
| 39520 30140 | NEW RIVER TO CAPE FEAR RIVER JUNCTION LIGHT BC | 34-24-37.821N 077-35-41.272W | FI (2+1)G 6s | 15 | 4 | JG-SY on pile. | |
| 39525 | - LIGHT 93 | 34-23-54.719N 077-36-44.381W | FI G 4s | 16 | 4 | SG-SY on pile. | |
| 39527 | - LIGHT 94 | 34-23-11.235N 077-37-50.945W | FI R 2.5s | 15 | 4 | TR-TY on pile. | |
| 39530 | - LIGHT 96 | 34-22-33.198N 077-38-47.140W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 39545 | - LIGHT 98 | 34-21-42.504N 077-40-12.894W | FI R 4s | 18 | 4 | TR-TY on pile. | |
| 39547 | - Buoy 99 | 34-21-34.123N 077-40-23.172W | | | | Green can with yellow square. | |
| 39548 | - Buoy 99A | 34-21-17.417N 077-40-52.438W | | | | Green can yellow square. | |
| 39550 | - LIGHT 100 | 34-20-38.571N 077-42-01.506W | FI R 4s | 18 | 4 | TR-TY on pile. | |
| 39555 | - Day beacon 102 | 34-20-08.089N 077-42-16.481W | | | | TR-TY on pile. | |
| 39560 | - LIGHT 103 | 34-19-44.707N 077-42-27.124W | FI G 4s | 15 | 4 | SG-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541) | | | | | | | |
| New River - Cape Fear River | | | | | | | |
| <i>Aids located 30 feet outside channel limit.</i> | | | | | | | |
| 39565 | - Day beacon 105 | 34-19-25.659N 077-42-57.073W | | | | SG-SY on multi-pile structure. | |
| 39570 | - LIGHT 107 | 34-19-03.114N 077-43-28.991W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 39575 | - Day beacon 108 | 34-18-49.355N 077-43-42.476W | | | | TR-TY on pile. | |
| 39580 | - Day beacon 110 | 34-18-32.453N 077-43-56.323W | | | | TR-TY on pile. | |
| 39585 | - Day beacon 114 | 34-17-59.796N 077-44-23.225W | | | | TR-TY on pile. | |
| 39590 | - LIGHT 118 | 34-17-25.718N 077-44-51.081W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 39595 | - Day beacon 120 | 34-16-56.136N 077-45-14.988W | | | | TR-TY on pile. | |
| 39597 | - Buoy 121 | 34-15-01.055N 077-46-55.533W | | | | Green can with yellow square. | |
| 39598 | - Buoy 121A | 34-14-54.847N 077-46-59.195W | | | | Green can with yellow square. | |
| 39600 | - LIGHT 122 | 34-15-12.288N 077-46-46.486W | FI R 4s | 18 | 4 | TR-TY on pile. | |
| 39601 | - Buoy 122A | 34-14-58.034N 077-46-58.644W | | | | Red nun with yellow square. | |
| 39603 | MASON INLET PIER LIGHT A | 34-15-00.954N 077-46-57.413W | FI Y 6s | | | Yellow. | Private aid. |
| 39603.1 | MASON INLET PIER LIGHT B | 34-14-59.812N 077-46-58.480W | FI Y 6s | | | Yellow. | Private aid. |
| 39605 | - Day beacon 123 | 34-14-46.214N 077-47-06.632W | | | | SG-SY on pile. | |
| 39610 | - Day beacon 124 | 34-14-18.927N 077-47-33.299W | | | | TR-TY on pile. | |
| 39615 | - LIGHT 125 | 34-13-50.642N 077-47-56.570W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 39620 | - LIGHT 127 | 34-12-46.535N 077-49-01.308W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| Bradley Creek | | | | | | | |
| 39621.1 | - LIGHT 1 | 34-12-24.480N 077-49-12.960W | FI G 2s | 12 | | SG on pile. | Private aid. |
| 39621.2 | - LIGHT 2 | 34-12-26.220N 077-49-11.700W | FI R 2s | 12 | | TR on pile. | Private aid. |
| 39621.3 | - Day beacon 3 | 34-12-30.780N 077-49-25.500W | | | | SG on pile. | Private aid. |
| 39621.4 | - Day beacon 4 | 34-12-32.100N 077-49-23.820W | | | | TR on pile. | Private aid. |
| 39621.5 | - Day beacon 5 | 34-12-33.300N 077-49-29.880W | | | | SG on pile. | Private aid. |
| 39621.6 | - Day beacon 6 | 34-12-33.840N 077-49-29.160W | | | | TR on pile. | Private aid. |
| 39621.7 | - LIGHT 7 | 34-12-35.160N 077-49-34.560W | FI G 4s | 12 | | SG on pile. | Private aid. |
| 39621.8 | - Day beacon 8 | 34-12-35.940N 077-49-32.820W | | | | TR on pile. | Private aid. |
| 39621.9 | - LIGHT 9 | 34-12-38.760N 077-49-41.160W | FI G 4s | 12 | | SG on pile. | Private aid. |
| 39623.1 | - Day beacon 10 | 34-12-40.200N 077-49-41.160W | | | | TR on pile. | Private aid. |
| 39623.2 | - LIGHT 12 | 34-12-44.700N 077-49-48.060W | Q R | 12 | | TR on pile. | Private aid. |
| 39623.3 | - LIGHT 14 | 34-12-49.680N 077-49-52.680W | FI R 4s | 12 | | TR on pile. | Private aid. |
| 39623.4 | - Day beacon 16 | 34-12-51.780N 077-49-55.980W | | | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--------------------------|---------------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| NEUSE RIVER TO MYRTLE GROVE SOUND (Chart 11541) | | | | | | | |
| New River - Cape Fear River | | | | | | | |
| <i>Aids located 30 feet outside channel limit.</i> | | | | | | | |
| 39625 | - LIGHT 128 | 34-11-48.782N 077-49-24.201W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 39630 | - Buoy 129 | 34-11-26.696N 077-49-31.454W | | | | Green can with yellow square. | |
| 39635 | - LIGHT 129A | 34-11-16.920N 077-49-42.745W | FI G 2.5s | 15 | 3 | SG-SY on pile. | |
| 39640 | - LIGHT 130 | 34-10-26.191N 077-50-26.207W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 39645 | - Day beacon 134 | 34-09-58.940N 077-50-46.707W | | | | TR-TY on pile. | |
| 39650 | - Day beacon 135 | 34-09-33.112N 077-51-02.202W | | | | SG-SY on pile. | |
| 39655 | - LIGHT 137 | 34-09-04.912N 077-51-24.180W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 39660 | - Day beacon 138 | 34-08-52.798N 077-51-30.917W | | | | TR-TY on multi-pile structure. | |
| 39665 | - Day beacon 139 | 34-08-35.349N 077-51-35.549W | | | | SG-SY on pile. | |
| 39670 | - Day beacon 140 | 34-08-09.373N 077-51-50.213W | | | | TR-TY on pile. | |
| MYRTLE GROVE SOUND TO LITTLE RIVER (Chart 11534) | | | | | | | |
| New River - Cape Fear River | | | | | | | |
| <i>Aids located 35 feet outside channel limit.</i> | | | | | | | |
| 39675 | - Day beacon 141 | 34-07-45.032N 077-51-57.299W | | | | SG-SY on pile. | |
| 39680 | - Day beacon 143 | 34-07-21.384N 077-52-07.737W | | | | SG-SY on pile. | |
| 39685 | - LIGHT 145 | 34-07-06.931N 077-52-13.547W | FI G 4s | 18 | 4 | SG-SY on pile. | |
| 39695 | - Day beacon 148 | 34-06-46.397N 077-52-22.153W | | | | TR-TY on pile. | |
| 39700 | - Day beacon 149 | 34-06-32.142N 077-52-25.494W | | | | SG-SY on pile. | |
| 39705 | - Day beacon 150 | 34-06-11.196N 077-52-33.431W | | | | TR-TY on pile. | |
| 39710 | - Day beacon 151 | 34-05-53.675N 077-52-36.907W | | | | SG-SY on pile. | |
| 39715 | - Day beacon 152 | 34-05-34.347N 077-52-46.066W | | | | TR-TY on pile. | |
| 39720 | - LIGHT 153 | 34-05-13.616N 077-52-49.896W | FI G 4s | 15 | 4 | SG-SY on multi-pile structure. | |
| 39725 | - Buoy 154 | 34-04-53.551N 077-52-59.132W | | | | Red nun with yellow triangle. | |
| 39726 | - Buoy 154A | 34-04-38.888N 077-53-04.638W | | | | Red nun with yellow triangle. | |
| 39730 | - Buoy 155 | 34-04-49.562N 077-52-56.864W | | | | Green can with yellow square. | |
| Inlet Watch Yacht club Harbor | | | | | | | |
| 39733 | - LIGHT 1 | 34-04-40.500N 077-53-07.620W | FI G 2.5s | 10 | | SG on pile. | Private aid. |
| 39733.1 | - LIGHT 2 | 34-04-40.740N 077-53-06.600W | FI R 4s | 10 | | TR on pile. | Private aid. |
| New River - Cape Fear River | | | | | | | |
| <i>Aids located 35 feet outside channel limit.</i> | | | | | | | |
| 39735 | - Buoy 155A | 34-04-37.854N 077-53-01.430W | | | | Green can with yellow square. | |
| 39740 | - Day beacon 156 | 34-04-21.504N 077-53-09.253W | | | | TR-TY on pile. | |
| 39745 | - Day beacon 157 | 34-04-06.031N 077-53-11.533W | | | | SG-SY on pile. | |
| 39750 | - Day beacon 159 | 34-03-50.233N 077-53-16.905W | | | | SG-SY on pile. | |
| 39755 | - LIGHT 161 | 34-03-32.200N 077-53-22.046W | FI G 4s | 15 | 5 | SG-SY on multi-pile structure. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---------------------------|-----------------------------------|-----------------------|---------------|--------------|----------------------------------|-------------------------------------|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| MYRTLE GROVE SOUND TO LITTLE RIVER (Chart 11534) | | | | | | | |
| New River - Cape Fear River | | | | | | | |
| <i>Aids located 35 feet outside channel limit.</i> | | | | | | | |
| 39756 | - Buoy 161A | 34-03-07.435N 077-54-52.270W | | | | Green can with yellow square. | |
| 39757 | - Buoy 162 | 34-03-09.388N 077-54-39.606W | | | | Red nun with yellow triangle. | |
| 39758 | - Buoy 162A | 34-03-07.178N 077-55-03.329W | | | | Red nun with yellow triangle. | |
| Carolina Beach Harbor | | | | | | | |
| 39760 | - Channel Day beacon 2 | 34-03-25.458N 077-53-24.225W | | | | TR on pile. | |
| 39765 | - Channel Day beacon 4 | 34-03-15.442N 077-53-21.598W | | | | TR on pile. | |
| 39770 | - Channel Day beacon 5 | 34-03-05.237N 077-53-22.429W | | | | SG on pile. | |
| 39780 | - Channel Day beacon 7 | 34-02-34.496N 077-53-25.416W | | | | SG on pile. | |
| New River - Cape Fear River | | | | | | | |
| <i>Aids located 35 feet outside channel limit.</i> | | | | | | | |
| 39825 | - Lighted Buoy 163 | 34-03-04.744N 077-55-08.715W | FI G 4s | | 4 | Green with yellow square. | |
| 39836 | - Day beacon 164 | 34-03-04.653N 077-55-15.694W | | | | TR-TY on pile. | |
| Carolina Beach State Park | | | | | | | |
| 39847 | - Day beacon 1 | 34-03-01.740N 077-55-14.700W | | | | SG on pile. | Private aid. |
| 39847.1 | - Day beacon 2 | 34-03-01.980N 077-55-14.880W | | | | TR on pile. | Private aid. |
| 39847.2 | - Day beacon 3 | 34-03-00.540N 077-55-12.600W | | | | SG on pile. | Private aid. |
| 39847.3 | - Day beacon 4 | 34-03-00.400N 077-55-13.700W | | | | TR on pile. | Private aid. |
| 39847.4 | - Day beacon 5 | 34-03-00.540N 077-55-09.960W | | | | SG on pile. | Private aid. |
| 39847.5 | - Day beacon 6 | 34-03-00.600N 077-55-10.620W | | | | TR on pile. | Private aid. |
| New River - Cape Fear River | | | | | | | |
| <i>Aids located 35 feet outside channel limit.</i> | | | | | | | |
| 39850 | - Day beacon 165 | 34-03-00.451N 077-55-20.447W | | | | SG-SY on pile. | |
| 39855 | - Day beacon 167 | 34-02-55.454N 077-55-31.516W | | | | SG-SY on pile. | |
| 39857 | - LIGHT 168 | 34-02-57.310 N 077-55-33.230 W | Q R | 15 | 4 | TR-TY on pile. | |
| 39860 | - Day beacon 170 | 34-02-37.111N 077-55-45.383W | | | | TR-TY on pile. | |
| 39865 | - Day beacon 172 | 34-02-24.664N 077-55-51.176W | | | | TR-TY on pile. | |
| 39870 | - Day beacon 174 | 34-02-13.782N 077-55-58.285W | | | | TR-TY on pile. | |
| 39875 | - Day beacon 176 | 34-02-02.621N 077-56-05.753W | | | | TR-TY on pile. | |
| 39880 | - LIGHT 177 | 34-01-47.266N 077-56-10.822W | FI G 4s | 16 | 4 | SG-SY on pile. | |
| 30690 | | | | | | | |
| CAPE FEAR RIVER (Chart 11537) | | | | | | | |
| Cape Fear River | | | | | | | |
| 39885 | - Channel Lighted Buoy 35 | 34-02-03.218N 077-56-28.755W | FI G 4s | | 4 | Green. | |
| 30695 | | | | | | | |
| 39890 | UPPER MIDNIGHT CHANNEL | 34-03-22.878N | Q W | 17 | | Skeleton tower on | Lighted throughout 24 hours. |
| 30675 | NORTH RANGE FRONT | 077-56-25.370W | (NIGHT) | 19 | | multi-pile structure. | DAY : Visible 1.5° either side of |
| | LIGHT | | Q W | | | | rangeline. |
| | | | (DAY) | | | | NIGHT : Visible 1.5° either side of |
| | | | | | | | rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|--|---------------|--------------|--|--|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| CAPE FEAR RIVER (Chart 11537) | | | | | | | |
| Cape Fear River | | | | | | | |
| 39895 30680 | UPPER MIDNIGHT CHANNEL NORTH RANGE REAR LIGHT 877 yards, 358.6° from front light. | 34-03-48.913N 077-56-25.636W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 51 49 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible 1.5° either side of rangeline. |
| 39895.1 30680.1 | UPPER MIDNIGHT CHANNEL NORTH RANGE REAR PASSING LIGHTS (2) | 34-03-48.913N 077-56-25.636W | FI W 4s | 15 | 4 | Located on same structure as Upper Midnight Channel Range Rear Light. | |
| 39900 30685 | - Channel Lighted Buoy 33 | 34-01-23.696N 077-56-28.319W | FI G 2.5s | | 4 | Green with yellow triangle. | |
| 39905 30670 | - Channel Lighted Buoy 31 | 34-00-38.329N 077-56-28.140W | Q G | | 4 | Green with yellow triangle. | |
| 39910 30665 | - Channel Lighted Buoy 30 | 34-00-08.279N 077-56-29.048W | FI R 4s | | 4 | Red with yellow square. | |
| 39915 30640 | LOWER MIDNIGHT CHANNEL NORTH RANGE FRONT LIGHT | 34-00-59.298N 077-56-17.359W | Q W (NIGHT) Q W (DAY) | 21 19 | | On skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side or rangeline. |
| 39920 30645 | LOWER MIDNIGHT CHANNEL NORTH RANGE REAR LIGHT 800 yards, 013.9° from front light. | 34-01-22.280N 077-56-10.224W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 46 44 | | On skeleton tower on multi-pile structure. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around; higher intensity 1.5° either side of rangeline. |
| 39920.1 30645.1 | LOWER MIDNIGHT CHANNEL NORTH RANGE REAR PASSING LIGHTS (2) | 34-01-22.280N 077-56-10.224W | FI W 4s | 15 | 3 | Located on same structure as Lower Midnight Channel North Range Rear Light. | |
| 39925 30650 | - Channel Lighted Buoy 29 | 33-59-24.766N 077-56-50.999W | FI G 4s | | 5 | Green with yellow triangle. | |
| 39930 30635 | - Channel Lighted Buoy 28 | 33-59-13.444N 077-56-46.053W | Q R | | 4 | Red with yellow square. | |
| 39935 30555 | REAVES POINT CHANNEL RANGE FRONT LIGHT | 33-57-40.832N 077-56-59.309W | Iso W 2s | 21 | | On multi-pile structure. On same structure as Snows Marsh Channel Range Front Light. | Lighted throughout 24 hours. DAY : Visible 1.5° either side of rangeline. NIGHT : Visible all around higher intensity 1.5° either side of rangeline. |
| 39940 30560 | REAVES POINT CHANNEL RANGE REAR LIGHT 1,180 yards, 184.7° from front light. | 33-57-05.983N 077-57-03.214W | Iso W 6s | 40 | | On multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 39941 30560.5 | REAVES POINT CHANNEL RANGE REAR PASSING LIGHTS (2) | 33-57-05.983N 077-57-03.214W | FI W 4s | 15 | 4 | On same structure as Reaves Point Channel Range Rear Light. | Located on corners of platform. |
| 39945 30550 | - Channel Lighted Buoy 27 | 33-58-16.120N 077-56-59.736W | Q G | | 4 | Green with yellow triangle. | |
| 39950 30535 | HORSESHOE SHOAL CHANNEL RANGE FRONT LIGHT | 33-56-34.584N 077-57-48.841W | Q W | 15 | | On skeleton tower. | Lighted throughout 24 hours. DAY : Visible 4.0° either side of rangeline. NIGHT : Visible all around; higher intensity 4.0° either side of rangeline. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|--|---|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| CAPE FEAR RIVER (Chart 11537) | | | | | | | |
| Cape Fear River | | | | | | | |
| 39955 30540 | HORSESHOE SHOAL CHANNEL RANGE REAR LIGHT 1475 yards, 203.8° from front light. | 33-55-54.516N 077-58-09.984W | Iso W 6s | 44 | | On skeleton tower. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 39960 30545 | - Channel Lighted Buoy 26 | 33-57-33.625N 077-57-11.954W | Fl R 4s | | 4 | Red with yellow square. | |
| 39965 30530 | - Channel Lighted Buoy 25 | 33-57-14.805N 077-57-35.797W | Q G | | 4 | Green with yellow triangle. | |
| 39965.1 30531 | - Channel Lighted Buoy 25A | 33-57-31.363N 077-57-21.930W | Q G | | 4 | Green with yellow triangle. | |
| 39966 30491 | FEDERAL POINT RANGE FRONT LIGHT | 33-58-11.509N 077-56-49.428W | Fl W 2.5s | 22 | | On multi-pile structure. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 39967 30492 | FEDERAL POINT RANGE REAR LIGHT 966 yards, 338.6° from front light. | 33-57-44.703N 077-56-37.196W | Iso W 6s | 42 | | On multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 39969 30494 | FEDERAL POINT RANGE REAR PASSING LIGHTS (2) | 33-57-44.703N 077-56-37.196W | Fl W 4s | 17 | 4 | On same structure as Federal Point Range Rear Light. | Located on corners of platf orm. |
| 39970 30485 | SNOWS MARSH CHANNEL RANGE FRONT LIGHT | 33-57-40.800N 077-56-59.312W | Iso W 2s | 21 | | On multi-pile structure. On same structure as Reaves Point Channel Range Front Light. | Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline. |
| 39975 30490 | SNOWS MARSH CHANNEL RANGE REAR LIGHT 1,495 yards, 045.3° from front light. | 33-58-11.631N 077-56-21.049W | Iso W 6s | 55 | | Skeleton tower on multi-pile structure. | Lighted throughout 24 hours. Visible 1.5° either side of rangeline. |
| 39976 30490.5 | SNOWS MARSH RANGE REAR PASSING LIGHTS (2) | 33-58-11.631N 077-56-21.049W | Fl W 4s | 15 | 5 | On same structure as Snows Marsh Range Rear Light. | |
| 39980 30525 | - Channel Lighted Buoy 23 | 33-56-45.814N 077-58-11.524W | Fl G 4s | | 4 | Green with yellow triangle. | |
| MYRTLE GROVE SOUND TO LITTLE RIVER (Chart 11534) | | | | | | | |
| Cape Fear River | | | | | | | |
| Price Creek-ADM Terminal | | | | | | | |
| 39985 30495 | PRICE CREEK SOUTH MOORING DOLPHIN LIGHT | 33-56-00.534N 077-59-13.006W | Fl Y 4s | 12 | | On dolphin. | Private aid. |
| 39990 30500 | PRICE CREEK SOUTH BREASTING DOLPHIN LIGHT | 33-56-02.626N 077-59-09.959W | Fl Y 4s | 12 | | On dolphin. | Private aid. |
| 39995 30505 | PRICE CREEK LOADING PLATFORM LIGHTS (2) | 33-56-03.626N 077-59-08.959W | Fl Y 4s | 12 | | On platf orm. | Private aid. |
| 40000 30510 | PRICE CREEK NORTH BREASTING DOLPHIN LIGHT | 33-56-04.626N 077-59-08.459W | Fl Y 4s | 12 | | On dolphin. | Private aid. |
| 40005 30515 | PRICE CREEK NORTH MOORING DOLPHIN LIGHT | 33-56-07.626N 077-59-04.459W | Fl Y 4s | 12 | | On dolphin. | Private aid. |
| CAPE FEAR RIVER (Chart 11537) | | | | | | | |
| Cape Fear River | | | | | | | |
| 40010 30520 | - Channel Lighted Buoy 22 | 33-56-13.061N 077-58-43.999W | Fl R 4s | | 4 | Red with yellow square. | |
| 40011 | DEEP POINT MARINA JETTY LIGHT 1 | 33-55-46.000N 077-59-39.800W | Q G | 12 | | SG on pile. | Private aid. |
| 40013 | DEEP POINT MARINA JETTY LIGHT 2 | 33-55-47.000N 077-59-37.500W | Q R | 12 | | TR on pile. | Private aid. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|--|---------------|--------------|--|---|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| CAPE FEAR RIVER (Chart 11537) | | | | | | | |
| Cape Fear River | | | | | | | |
| 40015 30480 | - Channel Lighted Buoy 20 | 33-55-29.126N 077-59-34.960W | Q R | | 4 | Red with yellow square. | |
| 40017 30477 | - WARNING LIGHT A | 33-55-16.690N 077-59-46.330W | FI W 4s | 7 | | On pile. | Private aid. |
| 40020 30475 | - Channel Lighted Buoy 19 | 33-55-15.740N 078-00-15.664W | FI G 4s | | 4 | Green with yellow triangle. | Marks pile of stone ballast. |
| 40025 30460 | LOWER SWASH CHANNEL RANGE FRONT LIGHT | 33-55-51.393N 077-59-04.808W | Q W (NIGHT) Q W (DAY) | 23 20 | | On multi-pile structure. | Lighted throughout 24 hours. Day : Visible 1.5° either side of rangeline. Night : Visible all around; higher intensity 1.5° either side of rangeline. |
| 40030 30465 | LOWER SWASH CHANNEL RANGE REAR LIGHT 767 yards, 055.1° from front light. | 33-56-04.202N 077-58-42.252W | Iso W 6s (NIGHT) Iso W 6s (DAY) | 45 42 | | On multi-pile structure. | Lighted throughout 24 hours. Day : Visible 1.5° either side rangeline. Night : Visible all around; higher intensity 1.5° either side of rangeline. |
| 40035 30455 | SOUTHPORT LIGHT 1 | 33-54-53.365N 078-01-11.505W | FI G 2.5s | 15 | 4 | SG-SY on multi-pile structure. | |
| MYRTLE GROVE SOUND TO LITTLE RIVER (Chart 11534) | | | | | | | |
| Cape Fear River - Little River | | | | | | | |
| 40045 | - Buoy 2 | 33-54-55.457N 078-01-08.251W | | | | Red nun with yellow triangle. | |
| 40050 | - LIGHT 2A | 33-54-58.967N 078-01-46.155W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 40053 | - Day beacon 3 | 33-54-58.076N 078-01-55.428W | | | | SG-SY on same structure as Southport Range Rear Light. | |
| 40055 | - Day beacon 5 | 33-55-03.321N 078-02-36.022W | | | | SG-SY on pile. | |
| 40060 | - LIGHT 7 35 feet outside channel limit. | 33-55-09.489N 078-03-16.781W | FI G 2.5s | 15 | 3 | SG-SY on pile. | |
| 40065 | - Day beacon 8 | 33-55-13.116N 078-03-27.560W | | | | TR-TY on pile. | |
| 40070 | - Day beacon 9 35 feet outside channel limit. | 33-55-12.455N 078-03-45.712W | | | | SG-SY on pile. | |
| 40075 | - LIGHT 11 | 33-55-18.842N 078-04-34.510W | FI G 4s | 18 | 4 | SG-SY on pile. | |
| 40080 | - Day beacon 13 | 33-55-18.654N 078-05-13.643W | | | | SG-SY on pile. | |
| 40085 | - Day beacon 15 | 33-55-18.698N 078-05-46.571W | | | | SG-SY on pile. | |
| 40090 | - LIGHT 16 | 33-55-20.971N 078-06-44.105W | FI R 4s | 18 | 4 | TR-TY on pile. | |
| 40095 | - LIGHT 18 | 33-55-44.311N 078-10-17.818W | FI R 4s | 15 | 4 | TR-TY on multi-pile structure. | |
| 40100 | - LIGHT 24 | 33-55-36.459N 078-11-21.966W | FI R 4s | 18 | 4 | TR-TY on multi-pile structure. | |
| 40105 | - Day beacon 26 | 33-55-26.309N 078-11-35.044W | | | | TR-TY on pile. | |
| 40110 | - Day beacon 28 | 33-55-19.638N 078-11-42.583W | | | | TR-TY on pile. | |
| 40115 | - LIGHT 29 | 33-55-08.934N 078-11-50.721W | FI G 4s | 18 | 4 | SG-SY on pile. | |
| 40120 | - Day beacon 32 | 33-55-14.304N 078-12-16.945W | | | | TR-TY on pile. | |
| 40125 | - LIGHT 33 | 33-55-16.286N 078-12-45.422W | FI G 4s | 15 | 4 | SG-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|------------------|----------------------------------|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| MYRTLE GROVE SOUND TO LITTLE RIVER (Chart 11534) | | | | | | | |
| Cape Fear River - Little River | | | | | | | |
| 40130 | - Day beacon 36 | 33-55-23.180N 078-12-54.035W | | | | | TR-TY on pile. |
| Lockwoods Folly River | | | | | | | |
| 40135 | - Day beacon 1 | 33-55-29.004N 078-12-57.936W | | | | | SG on pile. |
| 40140 | - Day beacon 2 | 33-55-35.814N 078-12-54.420W | | | | | TR on pile. |
| 40145 | - Day beacon 4 | 33-55-43.388N 078-12-58.542W | | | | | TR on pile. |
| 40150 | - Day beacon 5 | 33-55-54.278N 078-13-04.002W | | | | | SG on pile. |
| 40155 | - Day beacon 6 | 33-55-59.948N 078-13-06.249W | | | | | TR on pile. |
| 40160 | - Day beacon 7 | 33-56-13.088N 078-13-12.636W | | | | | SG on pile. |
| 40170 | - Day beacon 9 | 33-56-31.920N 078-13-12.360W | | | | | SG on pile. |
| 40175 | - Day beacon 10 | 33-56-40.392N 078-13-17.892W | | | | | TR on pile. |
| 40180 | - Day beacon 12 | 33-56-49.688N 078-13-25.266W | | | | | TR on pile. |
| 40185 | - Day beacon 14 | 33-57-06.596N 078-13-33.726W | | | | | TR on pile. |
| Cape Fear River - Little River | | | | | | | |
| 40195 | - Day beacon 39 35 feet outside channel limit. | 33-55-27.017N 078-13-04.961W | | | | | SG-SY on pile. |
| 40200 | - LIGHT 40 | 33-55-32.024N 078-13-11.074W | FI R 4s | 15 | 4 | | TR-TY on pile. |
| 40205 | - Day beacon 41 35 feet outside channel limit. | 33-55-26.932N 078-13-22.524W | | | | | SG-SY on pile. |
| 40210 | - Day beacon 42 35 feet outside channel limit. | 33-55-24.376N 078-13-33.122W | | | | | TR-TY on pile. |
| 40215 | - LIGHT 44 35 feet outside channel limit. | 33-55-19.873N 078-13-43.979W | FI R 4s | 15 | 4 | | TR-TY on pile. |
| 40220 | - Day beacon 46 | 33-55-18.314N 078-13-53.951W | | | | | TR-TY on pile. |
| 40223 | - Buoy 46A | 33-55-16.038N 078-14-04.835W | | | | | Red nun with yellow triangle. |
| 40224 | - Buoy 46B | 33-55-18.684N 078-14-09.335W | | | | | Red nun with yellow triangle. |
| 40225 | - Buoy 47 | 33-55-17.444N 078-14-03.707W | | | | | Green can with yellow square. |
| 40230 | - Buoy 47A | 33-55-15.236N 078-14-13.531W | | | | | Green can with yellow square. |
| 40235 | - Buoy 48 | 33-55-14.606N 078-14-18.046W | | | | | Red nun with yellow triangle. |
| 40240 | - LIGHT 48A | 33-55-12.901N 078-14-33.107W | FI R 4s | 15 | 4 | | TR-TY on pile. |
| 40245 | - LIGHT 50 | 33-55-07.458N 078-15-19.617W | FI R 4s | 15 | 4 | | TR-TY on pile. |
| 40250 | - LIGHT 51 | 33-55-04.626N 078-15-42.085W | FI G 4s | 15 | 4 | | SG-SY on pile. |
| 40255 | - LIGHT 51A | 33-54-57.444N 078-16-13.123W | FI G 4s | 15 | 5 | | SG-SY on pile. |
| 40260 | - Day beacon 53 | 33-54-57.083N 078-16-49.386W | | | | | SG-SY on pile. |
| 40265 | - Day beacon 55 | 33-54-57.250N 078-17-24.440W | | | | | SG-SY on pile. |
| 40270 | - Day beacon 57 | 33-54-57.415N 078-17-56.768W | | | | | SG-SY on pile. |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|--|---------------------------------|-----------------------|---------------|--------------|---|----------------|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| MYRTLE GROVE SOUND TO LITTLE RIVER (Chart 11534) | | | | | | | |
| Cape Fear River - Little River | | | | | | | |
| 40275 | - LIGHT 59 | 33-54-57.401N 078-18-29.708W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 40280 | - Day beacon 61 | 33-54-55.740N 078-18-57.120W | | | | SG-SY on pile. | |
| 40285 | - Day beacon 63 | 33-54-53.871N 078-19-22.819W | | | | SG-SY on pile. | |
| 40287 | - Warning Day beacon | 33-54-53.545N 078-19-22.861W | | | | NW on pile worded DANGER SUBMERGED OBJECT. | |
| 40290 | - Day beacon 65 | 33-54-51.491N 078-19-46.408W | | | | SG-SY on pile. | |
| 40295 | - LIGHT 67 | 33-54-49.625N 078-20-11.916W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 40300 | - Day beacon 69 | 33-54-45.474N 078-20-34.270W | | | | SG-SY on pile. | |
| 40305 | - Day beacon 71 | 33-54-37.342N 078-21-20.310W | | | | SG-SY on pile. | |
| 40310 | - LIGHT 71A 35 feet outside channel limit. | 33-54-32.418N 078-21-44.205W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 40315 | - Day beacon 73 35 feet outside channel limit. | 33-54-36.464N 078-21-56.549W | | | | SG-SY on pile. | |
| 40320 | - Buoy 75 | 33-54-41.811N 078-22-11.244W | | | | Green can with yellow square. | |
| 40323 | - Buoy 76 | 33-54-45.175N 078-22-16.639W | | | | Red nun with yellow triangle. | |
| 40325 | - LIGHT 77 | 33-54-46.391N 078-22-25.345W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 40330 | - LIGHT 78 | 33-54-48.644N 078-22-33.089W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 40335 | - Day beacon 80 | 33-54-38.103N 078-22-50.224W | | | | TR-TY on pile. | |
| 40337 | - Buoy 80A | 33-54-28.927N 078-23-01.250W | | | | Red nun with yellow triangle. | |
| 40340 | - Buoy 81 | 33-54-24.154N 078-23-04.420W | | | | Green can with yellow square. | |
| 40345 | - Buoy 82 | 33-54-20.116N 078-23-12.776W | | | | Red nun with yellow triangle. | |
| 40350 | - LIGHT 83 | 33-54-16.550N 078-23-21.325W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 40355 | - LIGHT 84 | 33-54-15.465N 078-23-42.572W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 40360 | - LIGHT 85 | 33-54-12.368N 078-24-08.521W | FI G 4s | 16 | 4 | SG-SY on pile. | |
| 40365 | - Day beacon 87 | 33-54-05.381N 078-24-37.651W | | | | SG-SY on pile. | |
| 40370 | - Day beacon 89 | 33-53-58.528N 078-25-04.349W | | | | SG-SY on pile. | |
| 40375 | - LIGHT 90 | 33-53-52.722N 078-25-35.956W | FI R 4s | 15 | 3 | TR-TY on pile. | |
| 40380 | - Day beacon 91 | 33-53-48.431N 078-25-50.647W | | | | SG-SY on pile. | |
| 40385 | - LIGHT 93 | 33-53-40.896N 078-26-39.405W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 40390 | - Day beacon 95 | 33-53-33.209N 078-27-16.068W | | | | SG-SY on pile. | |
| 40395 | - Day beacon 97 | 33-53-28.491N 078-27-39.652W | | | | SG-SY on pile. | |
| 40400 | - LIGHT 98 | 33-53-25.412N 078-28-03.080W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 40405 | - Day beacon 99 | 33-53-20.512N 078-28-30.266W | | | | SG-SY on pile. | |

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|---------------------------------|-----------------------|---------------|--------------|------------------|----------------|
| INTRACOASTAL WATERWAY (North Carolina) - Fifth District | | | | | | | |
| MYRTLE GROVE SOUND TO LITTLE RIVER (Chart 11534) | | | | | | | |
| Cape Fear River - Little River | | | | | | | |
| 40410 | - LIGHT 101 35 feet outside channel limit. | 33-53-15.464N 078-29-08.176W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 40415 | - Day beacon 103 35 feet outside channel limit. | 33-53-10.684N 078-29-27.523W | | | | SG-SY on pile. | |
| 40420 | - Day beacon 105 35 feet outside channel limit. | 33-53-01.406N 078-30-03.769W | | | | SG-SY on pile. | |
| 40425 | - LIGHT 108 35 feet outside channel limit. | 33-52-42.246N 078-31-28.786W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 40430 | - Day beacon 109 35 feet outside channel limit. | 33-52-37.302N 078-31-51.559W | | | | SG-SY on pile. | |
| 40435 | - LIGHT 111 35 feet outside channel limit. | 33-52-32.620N 078-32-25.036W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 40440 | - Day beacon 113 | 33-52-22.971N 078-32-45.142W | | | | SG-SY on pile. | |
| 40445 | - Day beacon 115 | 33-52-13.115N 078-33-04.165W | | | | SG-SY on pile. | |

INTRACOASTAL WATERWAY (South Carolina) - Fifth District

| | | | | | | | |
|---|-------------|---------------------------------|---------|----|---|----------------|--|
| MYRTLE GROVE SOUND TO LITTLE RIVER (Chart 11534) | | | | | | | |
| Cape Fear River - Little River | | | | | | | |
| 40450 | - LIGHT 116 | 33-51-55.084N 078-33-43.854W | FI R 4s | 15 | 4 | TR-TY on pile. | |
| 40455 | - LIGHT 117 | 33-51-51.730N 078-34-04.074W | FI G 4s | 15 | 4 | SG-SY on pile. | |
| 40460 | - LIGHT 119 | 33-52-04.493N 078-34-16.577W | FI G 4s | 15 | 4 | SG-SY on pile. | |