



U.S. Department
of Homeland Security
**United States
Coast Guard**

LOCAL NOTICE TO MARINERS

District: 1

Week: 03/20

COASTAL WATERS FROM EASTPORT, MAINE TO SHREWSBURY, NEW JERSEY

NOTES:

- (1) Unless otherwise indicated, missing and destroyed structures are presumed to be in the immediate vicinity of assigned position. Mariners should proceed with caution.
- (2) The Local Notice to Mariners is a weekly edition.
- (3) Inquiries, published articles or Information: mail to: D1LNM@uscg.mil
- (4) The U.S. Coast Pilot supplements the navigational information shown on nautical charts.
- (5) The Coast Pilot, along with its corrections, are available online at <https://nauticalcharts.noaa.gov/publications/coast-pilot/index.html>.

The Local Notice to Mariners is available online at <https://www.navcen.uscg.gov/-pageName=lnmDistrict®ion=1>
 The updated 2017 Light List is available online at: <https://www.navcen.uscg.gov/-pageName=lightListWeeklyUpdates>
 Information on Private Aids to Navigation is available at: <http://www.usharbormaster.com/>
 Reports of Channel conditions can be found at the Army Corps of Engineers website at:
<http://www.nan.usace.army.mil/Missions/Navigation/ControllingDepthReports.aspx>.
 NOAA Tides and Currents can be found at: <http://tidesandcurrents.noaa.gov/>.

The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information for GPS and DGPS. The NIS also disseminates Safety Broadcasts (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). NANU notices can be obtained via email subscription through the USCG Navigation Center website: <http://cgls.uscg.mil/mailman/listinfo/nanu> . In addition, the NIS investigates all reports of degradation or loss of GPS, DGPS or AIS service. Users are encouraged to report all degradation or loss of radio navigation services to the NIS via any of the following: Phone: (703) 313-5900, mail to: tis-sg-nisws@uscg.mil, or on the internet at: <https://www.navcen.uscg.gov>.

PLEASE IMMEDIATELY REPORT DISCREPANCIES IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

COMMANDER, FIRST COAST GUARD DISTRICT (dpw)
 408 Atlantic Avenue, Boston, Massachusetts 02110-3350
 Telephone: (617) 223-8356
 24 Hour FAX: (617) 223-8094
<http://www.uscg.mil/d1/prevention/Marineinforegulations.asp>

All bearings are in degrees TRUE - All times are in Local Time unless otherwise noted.

ABBREVIATIONS

A through H

ADRIFT - Buoy Adrift
 AICW - Atlantic Intracoastal Waterway
 AI - Alternating
 B - Buoy
 BKW - Breakwater
 bl - Blast
 BNM - Broadcast Notice to Mariner
 bu - Blue
 C - Canadian
 CHAN - Channel
 CGD - Coast Guard District
 C/O - Cut Off
 CONT - Contour
 CRK - Creek
 CONST - Construction

I through O

I - Interrupted
 ICW - Intracoastal Waterway
 IMCH - Improper Characteristic
 INL - Inlet
 INOP - Not Operating
 INT - Intensity
 ISL - Islet
 Iso - Isophase
 kHz - Kilohertz
 LAT - Latitude
 LB - Lighted Buoy
 LBB - Lighted Bell Buoy
 LHB - Lighted Horn Buoy
 LGB - Lighted Gong Buoy
 LONG - Longitude

P through Z

PRIV - Private Aid
 Q - Quick
 R - Red
 RACON - Radar Transponder Beacon
 Ra ref - Radar reflector
 RBN - Radio Beacon
 REBUILT - Aid Rebuilt
 RECOVERED - Aid Recovered
 RED - Red Buoy
 REFL - Reflective
 RRL - Range Rear Light
 RELIGHTED - Aid Relit
 RELOC - Relocated
 RESET ON STATION - Aid Reset on Station
 RFL - Range Front Light

DAYMK/Daymk - Daymark
DBN/Dbn - Daybeacon
DBD/DAYBD - Dayboard
DEFAC - Defaced
DEST - Destroyed
DISCON - Discontinued
DMGD/DAMGD - Damaged
ec - eclipse
EST - Established Aid
ev - every
EVAL - Evaluation
EXT - Extinguished
F - Fixed
fl - flash
FI - Flashing
G - Green
GIWW - Gulf Intracoastal Waterway
HAZ - Hazard to Navigation
HBR - Harbor
HOR - Horizontal Clearance
HT - Height

LNM - Local Notice to Mariners
LT - Light
LT CONT - Light Continuous
LTR - Letter
LWB - Lighted Whistle Buoy
LWP - Left Watching Properly
MHz - Megahertz
MISS/MSNG - Missing
Mo - Morse Code
MRASS - Marine Radio Activated Sound Signal
MSLD - Misleading
N/C - Not Charted
NGA - National Geospatial-Intelligence Agency
NO/NUM - Number
NOS - National Ocean Service
NW - Notice Writer
OBSCU - Obscured
OBST - Obstruction
OBSTR - Obstruction
Oc - Occulting
ODAS - Anchored Oceanographic Data Buoy

RIV - River
RRASS - Remote Radio Activated Sound Signal
s - seconds
SEC - Section
SHL - Shoaling
si - silent
SIG - Signal
SND - Sound
SPM - Single Point Mooring Buoy
SS - Sound Signal
STA - Station
STRUCT - Structure
St M - Statute Mile
TEMP - Temporary Aid Change
TMK - Topmark
TRLB - Temporarily Replaced by Lighted Buoy
TRLT - Temporarily Replaced by Light
TRUB - Temporarily Replaced by Unlighted Buoy
USACE - Army Corps of Engineers
W - White
Y - Yellow

Additional Abbreviations Specific to this LNM Edition:

SNNE- U.S. Coast Guard Sector Northern New England
SBOS- U.S. Coast Guard Sector Boston
SSENE- U.S. Coast Guard Sector Southeastern New England
SLIS- U.S. Coast Guard Sector Long Island Sound
SNEW- U.S. Coast Guard Sector New York

AIS - Automatic Identification System
AtoN - Aids to Navigation
LLNR - Light List Number
NM - Nautical Mile

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

NOAA PAPER CHARTS

On November 15, 2019, NOAA formerly announced in the Federal Register (Docket #2019-24807) that they would begin a 5-year process of discontinuing their traditional paper, or raster, charts by 2025. NOAA intends to gradually 'sunset' raster chart products and is introducing an option to create custom ENC data based charts that can be printed as a paper copy locally or commercially, via one of their certified third party printers. More detailed information regarding this transition is available from <https://nauticalcharts.noaa.gov/publications/docs/raster-sunset.pdf>. Comments/questions on the Federal Register Notice and the NOAA Custom Chart application should be submitted at <https://www.nauticalcharts.noaa.gov/customer-service/assist/>. Other concerns may be directed to your local NOAA Navigation Manager, <https://nauticalcharts.noaa.gov/customer-service/regional-managers/index.html>. In order to identify and overcome the regulatory challenges associated with this transition including but not limited to updating commercial vessel carriage requirements and maritime safety information processes, NOAA will continue to work directly with its Agency charting partners, including the U.S. Coast Guard. A prototype version of the NOAA Custom Chart Tool is available at <https://devgis.charttools.noaa.gov/pod/>.

LNM: 03/20

MARINER ALERT-SHIP/WHALE COLLISIONS

NOAA just designated the North Atlantic right whale as a Species in the Spotlight because it is on the brink of extinction. Collisions between vessels and whales are a threat to a number of endangered large whale species – most notably, the right whale. The United States has established measures to reduce this threat. A vessel speed restriction requires that vessels 65 feet or greater in length travel 10 knots or less in certain areas and on a rolling basis at certain times where endangered right whales may be present: : <http://www.greateratlantic.fisheries.noaa.gov/protected/shipstrike/training/NOAA-RightWhalesCD.iso>. This rule applies within 20 nautical miles around all major ports and in other locations along the U.S. eastern seaboard. Temporary voluntary speed limits also may be imposed in other areas when an aggregation of three or more right whales is confirmed. In addition, ships 300 GT and greater are required to report their location and speed to a USCG shore station in certain prescribed areas: https://www.greateratlantic.fisheries.noaa.gov/shipstrike/doc/guidelines%20placard_high.pdf. A computer-based interactive guide and training resource for mariners is available at: <http://www.greateratlantic.fisheries.noaa.gov/shipstrike/doc/mtr.html>. The guide provides information on endangered whales, recommended navigational actions when operating in whale habitat, a guide to reporting sightings of dead or injured right whales, and related information. Additional steps mariners can take to help reduce the chances of hitting a right whale can be found at: http://www.nero.noaa.gov/shipstrike/doc/guidelines%20placard_high.pdf.

LNM: 44/19

NOTICE TO ALL PRIVATE BOATS AT SEA

United States laws and regulations require that ALL private boats arriving from a foreign port or place MUST report to the Bureau of Customs and Border Protection IMMEDIATELY upon their arrival into the United States. Every person entering the United States must be seen in person for immigration purposes by a Customs and Border Protection officer, except those participating in the I-68 -Canadian Border Boat Landing Program. However, holders of form I-68 are still required to report their arrival into the United States to the Bureau of Customs and Border Protection. Masters and passengers must provide proof of citizenship or legal immigration status, and be in possession of a valid passport and visa, if required. Citizens of countries that are participants in the Visa Waiver Program are not eligible to seek admission to the United States under that program via private vessel. Once your boat is anchored or tied, you are considered to have entered the United States. No one may leave the vessel until Customs and Border Protection grants permission. The only exception to this requirement is to report arrival. In order to fulfill the requirement to immediately report a private boat arrival, the master of the vessel must contact the nearest Customs and Border Protection Office, or if the arrival occurs after business hours, the nearest 24 hour port of entry. Upon reporting, you may be required to proceed to a staffed port for inspection by Customs and Border Protection. Failure to comply with these requirements could result in serious criminal and civil penalties, including seizure of the boat. International mariners are urged to report any suspicious or illegal activity to the Bureau of Customs and Border Protection at 1-800-BE-ALERT.

LNM: 13/18

NY/NJ – OPERATION CLEAR CHANNEL IN THE PORT OF NY/NJ

The Operation Clear Channel program is designed to educate boaters about the hazards of operating small vessels and personal watercraft in the confines of navigational channels used by larger commercial ships. Federal Navigation Rules, also known as the "Rules of the Road", address this safety concern by giving commercial vessels priority, or right-of-way, over smaller vessels when navigating in narrow channels. An average of 1,400 commercial vessels navigate the waters of the Port of NY/NJ every day and the masters of these vessels, while always on the lookout, cannot always see smaller vessels operating within the channels.

Recreational boaters should keep a sharp lookout and always be prepared to give way to ships constrained in their ability to maneuver, especially when operating within close proximity of a channel. U.S. Coast Guard units in New York and New Jersey actively promote boater awareness through vessel enforcement patrols and visits to local marinas. The U.S. Coast Guard focuses Operation Clear Channel efforts on high-traffic regions, such as Ambrose Channel, Sandy Hook Channel and Raritan Bay, but patrols all of New York Harbor in an effort to promote awareness. Mariners interested in increasing their knowledge of boating safety, including the "Rules of the Road", should consider a U.S. Coast Guard Auxiliary boating safety course. Course information is available online at <http://www.cgaux.org> in the "Take a Boating This free online educational resource for safe boating in the Port of NY & NJ is a cooperative effort by the I BOAT NJ program through NJ DOT and U.S. Coast Guard Sector New York. The project contains a feature length 26 minute safety video describing the challenges of the multi user Port environment and 5 sub chapters: Paddlers, Motor Boaters, Sailors, Pilots and Operation Clear Channel. Its mission is to increase safety and awareness in the Port and its target is recreational boaters who transit and operate in the PortCourse" section, or by calling 1-800-336-BOAT. Further information can be found at <http://thesafeharbor.us/index.html>

LNM: 13/18

US NOTICE TO MARINERS (NTM)

The US Notice to Mariners provides timely marine safety information for the correction of all US Government navigation charts and publications from a wide variety of sources both foreign and domestic. To ensure the safety of life at sea, the information published in the Notice to Mariners is designed to provide for the correction of unclassified nautical charts, the Unclassified NGA/DLIS Catalog of Hydrographic Products, United States Coast Pilots, NGA List of Lights, USCG Light Lists, and other related nautical publications produced by NGA, NOS and the U.S. Coast Guard. The US Notice to Mariners will contain only those chart corrections of interest to ocean going vessels. It is available online at http://msi.nga.mil/NGAPortal/MSI.portal?_nfpb=true&_pageLabel=msi_portal_page_61. NTM 01 – Special Paragraphs includes information on: America’s Waterway Watch program asking those who work, live, or recreate on or near the water to be aware of suspicious activity, The Prudent Mariner and the use of floating Aids to Navigation, and Northern Right Whales.

LNM: 13/18

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
95	Wood Island Light	LT EXT	13287	SENE-0006-20	03/20	
235	Isles of Shoals Light	SS INOP	13283		47/19	
425	Boston Light	LT EXT	13270	SBOS-0007-20	03/20	
1105	Thornton Point Ledge Daybeacon 4	MISSING/STRUCT DEST/TRUB	13392	SNNE-0161-18	14/18	
1570	Bungy Rock Daybeacon 15	DAYMK IMCH	13324	SNNE-0054-19	17/19	
2750	Halibut Rocks Light	DAYMK MISSING	13315		41/19	
3070	Crotch Island Light 21	DAYMK MISSING	13315	SNNE-0115-19	29/19	

3225	Bantam Ledge Buoy DBL	MISSING/HAZ NAV	13303	SNNE-0200-19	46/19
3375	Isle Au Haut Thorofare Buoy 4	ADRIFT/HAZ NAV/TRUB	13305	SNNE-0204-19	47/19
3625	Penobscot River Buoy 9	OFF STA/HAZ NAV	13309	SNNE-0229-19	53/19
4100	Drunkard Ledge Daybeacon	DAYMK IMCH	13308	SNNE-0037-18	11/18
5295	Damariscotta River Buoy 4	HAZ NAV/SINKING	13293	SNNE-0159-19	38/19
6045	Kennebec River Buoy 6	OFF STA/HAZ NAV	13295	SNNE-0225-19	51/19
6535	Goudy Ledge Daybeacon	DAYMK MISSING	13290	SNNE-0141-19	35/19
6720	Merriconeag Sound Approach Daybeacon 10	DAYMK IMCH	13290	SNNE-0044-19	35/17
8155	Fishing Rock Daybeacon F	DAYMK MISSING	13286	SNNE-0043-19	19/17
8750	Hicks Rock Daybeacon 2	DAYMK DMGD	13283	SNNE-0144-17	35/17
9005	Merrimack River Entrance Buoy 3	MISSING/HAZ NAV	13282		03/20
9990	Whaleback Daybeacon 8	DAYMK MISSING	13275	SBOS-0076-13	48/18
10025	Bowditch Ledge Daybeacon	STRUCT DEST	13276	SBOS-0185-18	47/18
10065	Abbot Rock Daybeacon	STRUCT DEST/HAZ NAV/DAYMK MISSING	13276	SBOS-0126-19	43/19
10265	Lobster Rocks Daybeacon 13A	STRUCT DEST/DAYMK MISSING	13276	SBOS-0139-19	48/19
11340	Boston Light	LT EXT	13270	SBOS-0007-20	03/20
13280	Long Point Shoal Lighted Bell Buoy 3	OFF STA/HAZ NAV	13249	SENE-0014-20	50/19
15365	Muskeget Channel Buoy 3	MISSING/HAZ NAV	13233	SENE-0011-20	02/20
15790	Woods Hole Passage Junction Lighted Buoy SB	SINKING/TRLB	13235	SENE-0004-20	53/19
15935	Canapitsit Channel Buoy 2	MISSING/HAZ NAV	13229		03/20
16135	Hog Island Channel Lighted Bell Buoy 2	LT EXT	13236	SENE-0020-20	03/20
17465	Halfmile Rock Buoy 6	MISSING/HAZ NAV	13228	SENE-0280-19	53/19
18275	Providence River Approach Channel Lighted Buoy 9	LT EXT	13224	SENE-0015-20	03/20
19825	Valiant Rock Lighted Whistle Buoy 11	OFF STA/HAZ NAV	13212	SLIS-0003-20	02/20
21470	Sands Point Daybeacon	DAYMK IMCH	12366	SNEW-0603-19	51/19
22525	Connecticut River Lighted Buoy 5	OFF STA/HAZ NAV	12375	SLIS-0208-19	53/19
22580	Connecticut River Lighted Buoy 19	OFF STA/HAZ NAV	12375	SLIS-0001-20	02/20
22940	Connecticut River Light 48	STRUCT DMGD/TRUB	12377	SLIS-0238-18	48/18
24020	New Haven Harbor Outer Channel Range Front Light	REDUCED INT/NIGHT LT BURNING DAY	12371	SLIS-0002-20	02/20
25445	Cos Cob Harbor Channel Buoy 8	MISSING/HAZ NAV/TRUB	12367	SLIS-0192-19	47/19
25960	Harbor Rock Lighted Buoy 14	SINKING	12366	SNEW-0592-19	51/19
27565	Bronx River Channel Buoy 4	Status Unreported	12339		02/20
28245	Cedar Island Light 3CI	LT IMCH/STRUCT DMGD	12358		50/19
29160	Fire Island Inlet Lighted Buoy 10	OFF STA/HAZ NAV	12352	SLIS-0153-19	36/19
30925	Jones Inlet Lighted Buoy 4	LT IMCH	12352	SLIS-0004-20	03/20
31082	Sloop Channel Daybeacon 17	STRUCT DEST/TRUB	12352	SLIS-0197-19	48/19
31090	Sloop Channel Daybeacon 19	STRUCT DEST	12352	SLIS-0197-19	48/19
35030	Swash Channel Range Front Light	LT EXT	12402	SNEW-0023-20	03/20
35670	Naval Weapon Station Earle Security Zone Lighted Buoy 3	ADRIFT/HAZ NAV	12401	SNEW-0012-20	02/20
37170	Port Jersey Channel North Lighted Buoy 2	OFF STA/HAZ NAV	12334	SNEW-0016-20	03/20
39400	Gordon Landing Breakwater Light	MISSING/HAZ NAV/REDUCED INT/STRUCT DMGD	14782	SNNE-0023-19	07/19
39615	Burlington Bay Breakwater North Light	LT EXT	14785	SNNE-0004-20	01/20

DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
6820	Stockman Island Daybeacon 2	WATCHING PROPERLY	13290	SNNE-0045-19	35/17	03/20
13080	Cape Cod Canal Eastern Entrance Range Front Light	WATCHING PROPERLY	13236	SENE-0013-20	02/20	03/20
17965	East Passage Lighted Buoy 17	WATCHING PROPERLY	13223	SENE-0012-20	02/20	03/20

36130	Raritan Bay Channel Lighted Buoy 9	WATCHING PROPERLY	12331	SNEW-0008-20	02/20	03/20
36210	Raritan Bay Channel Lighted Buoy 33	WATCHING PROPERLY	12331	SNEW-0020-20	03/20	03/20
37470	Newark Bay Channel Lighted Buoy 14	WATCHING PROPERLY	12333	SNEW-0018-20	03/20	03/20
38130	Esopus Island Light EI	WATCHING PROPERLY	12347	SNEW-0010-20	02/20	03/20
38155	Esopus Meadows Light	WATCHING PROPERLY	12347	SNEW-0015-20	03/20	03/20

DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
369.5	Neptune LNG Deepwater Port Lighted Hazard Buoy	MISSING/HAZ NAV	13275	SBOS-0103-17	42/16	
496	WHOI Traffic Separation Scheme Research Lighted Buoy AB-8	ADRIFT/HAZ NAV	13260	SENE-0019-20	03/20	
589	WHOI Research Light Tower	SS INOP	13233	SENE-0350-18	35/18	
4400	Isleboro Ferry Terminal East Light	LT EXT	13309	SNNE-0068-19	19/19	
4727	Tenants Harbor Channel Buoy 1	DAYMK IMCH	13301	SNNE-0135-19	34/19	
7775	Mill Cove Daybeacon 8	MISSING	13292	None	15/18	
11240	UMass Buoy 1	MISSING	13270	SBOS-0140-18	32/18	
11411	Nantasket Roads DRC Lighted Hazard Buoy A	LT IMCH	13270	SBOS-0138-15	28/15	
11411.3	Nantasket Roads DRC Lighted Hazard Buoy D	MISSING	13270	SBOS-0064-17	25/17	
17910	Newport - Pell Bridge Racon	RAC IMCH	13223	None	23/19	
19275	Quonset Point Terminal Approach Buoy EB-B	MISSING/HAZ NAV	13223	SENE-0174-19	33/19	
27000	Oyster Bay Harbor Inner Channel Lighted Buoy 4B	REDUCED INT	12365		03/20	
27749	Empire State Shellfish Aquaculture Lighted Buoy NW	LT EXT	13209	SNEW-0563-19	47/19	
39495	Allen Point Railroad North Light 1	LT EXT	14782	SNNE-0081-19	23/19	

DISCREPANCIES (PRIVATE AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

PLATFORM DISCREPANCIES

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

PLATFORM DISCREPANCIES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
10	Matinicus Rock Light	Reduced Intensity	13303	NONE	35/19	
3195	Matinicus Rock Light	Reduced Intensity	13303	NONE	35/19	
3300	Penobscot Bay East Approach (VAIS) PBA	DISCONTINUED	13303	SNNE-0070-17	39/19	
6045	Kennebec River Buoy 6	DISCONTINUED FOR DREDGING	13295		01/20	
8175	Kennebunk River Entrance Buoy 5	DISCONTINUED FOR DREDGING	13286	NONE	53/19	

8180	Kennebunk River Buoy 8	DISCONTINUED FOR DREDGING	13286	NONE	53/19
8185	Kennebunk River Buoy 9	DISCONTINUED FOR DREDGING	13286	NONE	53/19
8190	Kennebunk River Buoy 10	DISCONTINUED FOR DREDGING	13286	NONE	53/19
9223	Merrimack River Buoy 52	DISCONTINUED	13274	NONE	20/19
9227	Rocks Village Hazard Buoy	DISCONTINUED	13274	SBOS-0054-19	20/19
9690	Annisquam River Channel Buoy 24	DISCONTINUED FOR DREDGING	13281	NONE	50/19
9700	Annisquam River Channel Buoy 26	DISCONTINUED FOR DREDGING	13281	NONE	03/20
9710	Annisquam River Channel Buoy 29	DISCONTINUED FOR DREDGING	13281	NONE	50/19
9750	Annisquam River Channel Buoy 38	DISCONTINUED FOR DREDGING	13281	NONE	50/19
9775	Annisquam River Channel Buoy 44	DISCONTINUED FOR DREDGING	13281	NONE	50/19
9790	Annisquam River Channel Buoy 49	DISCONTINUED FOR DREDGING	13281	NONE	50/19
9800	Annisquam River Channel Buoy 50	DISCONTINUED FOR DREDGING	13281	NONE	50/19
10345	Bass River Channel Buoy 6	DISCONTINUED FOR DREDGING	13276	NONE	50/19
10685	Boston North Channel Lighted Bell Buoy 2	RELOCATED FOR DREDGING	13270	SBOS-0048-19	19/19
10690	Boston North Channel Lighted Buoy 3	RELOCATED FOR DREDGING	13270	NONE	50/19
10712	Boston North Channel Lighted Buoy 7	RELOCATED FOR DREDGING	13270	SBOS-0048-19	19/19
10720	Boston North Channel Lighted Buoy 9	RELOCATED FOR DREDGING	13270	SBOS-0048-19	19/19
10815	President Roads Anchorage Gong Buoy A	RELOCATED FOR DREDGING	13272	SBOS-0155-18	35/18
10820	President Roads Anchorage Lighted Buoy B	RELOCATED FOR DREDGING	13272	SBOS-0153-18	35/18
10852	President Roads Anchorage Buoy C	RELOCATED FOR DREDGING	13272	SBOS-0154-18	35/18
10855	President Roads Anchorage Lighted Buoy D	RELOCATED FOR DREDGING	13272	SBOS-0156-18	35/18
10870	Boston Main Channel Lighted Buoy 2	RELOCATED FOR DREDGING	13270	SBOS-0049-18	19/19
10875	Boston Main Channel Lighted Buoy 3	RELOCATED FOR DREDGING	13272	SBOS-0049-19	19/19
10897	Boston Main Channel Buoy 5A	TRLB	13272	SBOS-0150-18	35/18
11519	Peddocks Island Channel Lighted Buoy 4P	ESTABLISHED	13270	SBOS-0138-18	31/18
12040	Hingham Harbor Channel Buoy 16	RELOCATED FOR DREDGING	13270	NONE	41/19
12050	Hingham Harbor Channel Buoy 18	RELOCATED FOR DREDGING	13270	NONE	41/19
12060	Hingham Harbor Channel Buoy 20	RELOCATED FOR DREDGING	13270	NONE	41/19
12342	New Inlet Buoy 7	DISCONTINUED	13267	SBOS-0114-19	39/19
12525	Green Harbor Buoy 9	DISCONTINUED FOR DREDGING	13253	BOS-0032-19	15/19
20367	Pawcatuck River Channel Daybeacon 23	DISCONTINUED FOR DREDGING	13214	SLIS-0206-15	18/15
24912.2	Longshore Channel Buoy 3	DISCONTINUED	12368	SLIS-0154-17	05/18
24912.3	Longshore Channel Buoy 4	DISCONTINUED	12368	SLIS-0175-18	05/18
24912.4	Longshore Channel Buoy 5	DISCONTINUED	12368	SLIS-0154-17	05/18
24912.5	Longshore Channel Buoy 6	DISCONTINUED	12368	SLIS-0154-17	05/18
24912.6	Longshore Channel Buoy 7	DISCONTINUED	12368	SLIS-0154-17	05/18
24912.7	Longshore Channel Buoy 8	DISCONTINUED	12368	SLIS-0154-17	05/18
25556.2	Tide Mill Yacht Basin Channel Buoy 2	DISCONTINUED	12367	SLIS-0166-17	11/19

25556.6	Tide Mill Yacht Basin Channel Buoy 8	DISCONTINUED	12367	SLIS-0166-19	11/19
27671	Plum Island Aquaculture Lighted Buoy A	DISCONTINUED	13209	SLIS-0063-19	18/19
27671.1	Plum Island Aquaculture Lighted Buoy B	DISCONTINUED	13209	SLIS-0063-19	18/19
27671.2	Plum Island Aquaculture Lighted Buoy C	DISCONTINUED	13209	SLIS-0063-19	18/19
27671.3	Plum Island Aquaculture Lighted Buoy D	DISCONTINUED	13209	SLIS-0063-19	18/19
30331	Hart Cove Buoy 1	DISCONTINUED	12352	SLIS-0048-19	14/19
30331.2	Hart Cove Buoy 2	DISCONTINUED	12352	SLIS-0048-19	14/19
30331.3	Hart Cove Buoy 3	DISCONTINUED	12352	SLIS-0048-19	14/19
30331.5	Hart Cove Buoy 5	DISCONTINUED	12352	SLIS-0048-18	14/19
30331.7	Hart Cove Buoy 7	DISCONTINUED	12352	SLIS-0048-19	14/19
30331.8	Hart Cove Buoy 8	DISCONTINUED	12352	SLIS-0048-19	14/19
30331.9	Hart Cove Buoy 9	DISCONTINUED	12352	SLIS-0048-19	14/19
30332	Hart Cove Buoy 10	DISCONTINUED	12352	SLIS-0048-19	14/19
30332.2	Hart Cove buoy 12	DISCONTINUED	12352	SLIS-0048-19	14/19
30332.4	Hart Cove Buoy 14	DISCONTINUED	12352	SLIS-0048-19	14/19
31530	East Rockaway Inlet Lighted Buoy 5	DISCONTINUED FOR DREDGING	12350	SLIS-0044-19	12/19
31535	East Rockaway Inlet Lighted Buoy 6	DISCONTINUED FOR DREDGING	12350	SLIS-0044-19	12/19
31540	East Rockaway Inlet Buoy 7	DISCONTINUED FOR DREDGING	12350	SLIS-0044-19	12/19
31550	East Rockaway Inlet Lighted Buoy 9	DISCONTINUED FOR DREDGING	12350	SLIS-0044-19	12/19
31560	East Rockaway Inlet Buoy 12	DISCONTINUED FOR DREDGING	12350	SLIS-0044-19	12/19
34500	Grass Hassock Channel Buoy 27	TRUB	12350	NONE	42/19
34615	Runway Channel Buoy 1R	TRUB	12350	NONE	42/19
37480	Newark Bay Channel Buoy 16	TRUB	12333	SNEW-0215-19	24/19
37950	Peekskill Bay South Channel Buoy 2	DISCONTINUED	12343	None	38/19
39400	Gordon Landing Breakwater Light	TRLT	14782		38/19
39400	Gordon Landing Breakwater Light	TRUB	14782	None	17/19
	Peddocks Island Channel Light 4P	DISCONTINUED	13270	SBOS-0082-18	16/18

TEMPORARY CHANGES CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
	United Nations Security Zone Temp CG Mooring Buoy	No Longer Required	12335	NONE	36/19	03/20

PLATFORM TEMPORARY CHANGES

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

PLATFORM TEMPORARY CHANGES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.

Chart Number	Chart Edition	Edition Date	Last Local Notice to Mariners	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariners
12327	91st Ed.	19-APR-97	Last LNM: 26/97	NAD 83		27/97
Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER						
Main Panel 2245 NEW YORK HARBOR						
(Temp) ADD	NATIONAL DOCK CHANNEL BUOY 3				CGD01	074-02-48.001W
	Green can					
Corrective Action	Object of Corrective Action				Position	

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

Chart Number	Chart Edition	Edition Date	Last LNM	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariners
12324	37th Ed.	01-DEC-18	Last LNM: 52/19	NAD 83		03/20
<i>Chart Title: Intracoastal Waterway Sandy Hook to Little Egg Harbor</i>						
Main Panel 683 SANDY HOOK TO LITTLE EGG HARBOR NEW JERSEY - -. Page/Side: -						
CHANGE	tabulation - Shrewsbury and Navesink Rivers Channel Depths http://ocsddata.ncd.noaa.gov/ntm/SupportImage.aspx?ItemID=294265 ; tabulation - Shrewsbury and Navesink Rivers Channel Depths (NOS NW-30855)				NOS	40-26-15.000N 073-54-45.000W
ADD	depth legend - Terminal Channel; 45 FT SEP 2009 (NOS NW-30850)				NOS	40-27-55.000N 074-02-32.000W
ADD	depth legend - Turning Basin; 45 FT SEP 2009 (NOS NW-30850)				NOS	40-27-31.000N 074-02-57.000W

Chart Number	Chart Edition	Edition Date	Last LNM	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariners
12326	53rd Ed.	01-JAN-16	Last LNM: 38/19	NAD 83		03/20
<i>Chart Title: Approaches to New York Fire Island Light to Sea Girt</i>						
Main Panel 690 APPROACHES TO NEW YORK FIRE ISLAND LIGHT TO SEA GIRT. Page/Side: A						
DELETE	depth legend - Ambrose Channel Reach A; REACH A 54 1/2 FT MID 1000 FT AUG 2018 (NOS NW-30850)				NOS	40-29-05.000N 073-54-20.000W
DELETE	depth legend - Ambrose Channel Reach B; REACH B 52 FT MID 1000 FT AUG 2018 (NOS NW-30850)				NOS	40-30-48.000N 073-58-45.000W
DELETE	depth legend - Sandy Hook Channel; 33 FT JUL 2015 (NOS NW-30850)				NOS	40-27-30.000N 073-56-40.000W
ADD	label: AMBROSE CHANNEL; AMBROSE CHANNEL (NOS NW-30850)				NOS	40-30-48.000N 073-58-45.000W
ADD	label: PROJECT DEPTH 35 FEET; PROJECT DEPTH 35 FEET (NOS NW-30850)				NOS	40-27-30.000N 073-56-40.000W
ADD	label: PROJECT DEPTH 53 FEET; PROJECT DEPTH 53 FEET (NOS NW-30850)				NOS	40-29-20.000N 073-55-00.000W

Chart Number	Chart Edition	Edition Date	Last LNM	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariners
12327	109th Ed.	01-JAN-20	Last LNM: 39/19	NAD 83		03/20
<i>Chart Title: New York Harbor</i>						
Main Panel 2245 NEW YORK HARBOR - -. Page/Side: -						
NEW EDITION	Scale 1: 40,000; New Edition (109 ed, 01/01/20) due to numerous Notice to Mariner changes, hydrographic changes This NOAA chart is now available in both the Print-on Demand and digital raster formats. See http://www.charts.noaa.gov/MCD/Dole.shtml for details.				NOS	--
DELETE	tabulation - Kill Van Kull, Newark Bay and Arthur Kill Channel Depths; tabulation - Kill Van Kull, Newark Bay and Arthur Kill Channel Depths (NOS NW-30855)				NOS	40-40-20.000N 074-15-17.000W
DELETE	tabulation - Lower Bay and Raritan Bay Channel Depths; tabulation - Lower Bay and Raritan Bay Channel Depths (NOS NW-30855)				NOS	40-37-58.000N 074-15-23.000W
DELETE	tabulation - Raritan River Channel Depths; tabulation - Raritan River Channel Depths (NOS NW-30855)				NOS	40-24-40.000N 074-15-30.000W
ADD	depth legend - Terminal Channel; 45 FT SEP 2009 (NOS NW-30850)				NOS	40-27-55.000N 074-02-32.000W

ADD	depth legend - Turning Basin; 45 FT SEP 2009 (NOS NW-30850)	40-27-31.000N NOS	074-02-57.000W
ADD	note: PROJECT DEPTHS; note: PROJECT DEPTHS Channel legends and tabulations, where indicated, reflect the U.S. Army Corps of Engineers (USACE) project depths. The channel may be significantly shoaler, particularly at the edges. For detailed channel information and minimum depths as reported by USACE, use NOAA Electronic Navigational Charts. USACE surveys and channel condition reports are available at http://navigation.usace.army.mil/Survey/Hydro . (NOS NW-30850)	40-44-40.000N	074-16-05.000W
ADD	tabulation - Kill Van Kull, Newark Bay and Arthur Kill Project Depths http://ocsddata.ncd.noaa.gov/ntm/SupportImage.aspx?ItemID=294269 ; tabulation - Kill Van Kull, Newark Bay and Arthur Kill Project Depths (NOS NW-30855)	NOS 40-39-35.000N	074-15-48.000W
ADD	tabulation - Lower Bay, Raritan Bay and River Project Depths http://ocsddata.ncd.noaa.gov/ntm/SupportImage.aspx?ItemID=294268 ; tabulation - Lower Bay, Raritan Bay and River Project Depths (NOS NW-30855)	NOS 40-37-45.000N	074-15-48.000W
ADD	tabulation - Upper Bay, Hudson and East Rivers Project Depths http://ocsddata.ncd.noaa.gov/ntm/SupportImage.aspx?ItemID=294270 ; tabulation - Upper Bay, Hudson and East Rivers Project Depths (NOS NW-30855)	NOS 40-41-20.000N	074-15-48.000W

12331 33rd Ed. 01-DEC-14 Last LNM: 02/20 NAD 83 03/20

ChartTitle: Raritan Bay and Southern Part of Arthur Kill

Main Panel 2241 RARITAN BAY AND SOUTHERN PART OF ARTHUR KILL. Page/Side: A

DELETE	tabulation - Raritan Bay and Arthur Kill Channel Depths; tabulation - Raritan Bay and Arthur Kill Channel Depths (NOS NW-30850)	NOS 40-32-40.000N	074-13-22.000W
DELETE	tabulation - Raritan River Channel Depths; tabulation - Raritan River Channel Depths (NOS NW-30850)	NOS 40-32-12.000N	074-13-20.000W
ADD	note: PROJECT DEPTHS; note: PROJECT DEPTHS Channel legends and tabulations, where indicated, reflect the U.S. Army Corps of Engineers (USACE) project depths. The channel may be significantly shoaler, particularly at the edges. For detailed channel information and minimum depths as reported by USACE, use NOAA Electronic Navigational Charts. USACE surveys and channel condition reports are available at http://navigation.usace.army.mil/Survey/Hydro . (NOS NW-30850)	NOS 40-31-52.000N	074-13-26.000W

12332 24th Ed. 01-JUN-13 Last LNM: 02/20 NAD 83 03/20

ChartTitle: Raritan River Raritan Bay to New Brunswick

Main Panel 2240 RARITAN RIVER RARITAN BAY TO NEW BRUNSWICK. Page/Side: N/A

DELETE	tabulation - Raritan Bay and Arthur Kill Channel Depths; tabulation - Raritan Bay and Arthur Kill Channel Depths (NOS NW-30850)	NOS 40-30-21.000N	074-21-00.000W
DELETE	tabulation - Raritan River Channel Depths; tabulation - Raritan River Channel Depths (NOS NW-30850)	NOS 40-31-02.000N	074-21-03.000W
ADD	depth legend - Crab Island Reach; 12 1/2 FT 1962-1988 (NOS NW-30850)	NOS 40-29-10.000N	074-20-16.000W
ADD	depth legend - Northwest Reach; 13 FT 1962 (NOS NW-30850)	NOS 40-28-25.000N	074-21-28.000W
ADD	depth legend - South Channel; 2 FT 1962-1990 (NOS NW-30850)	NOS 40-29-38.000N	074-19-03.000W
ADD	note: PROJECT DEPTHS; note: PROJECT DEPTHS Channel legends and tabulations, where indicated, reflect the U.S. Army Corps of Engineers (USACE) project depths. The channel may be significantly shoaler, particularly at the edges. For detailed channel information and minimum depths as reported by USACE, use NOAA Electronic Navigational Charts. USACE surveys and channel condition reports are available at http://navigation.usace.army.mil/Survey/Hydro . (NOS NW-30850)	NOS 40-25-05.000N	074-17-20.000W

12333 38th Ed. 01-JAN-20 Last LNM: 18/19 NAD 83 03/20

ChartTitle: Kill Van Kull and Northern Part of Arthur Kill

Main Panel 2239 KILL VAN KULL AND N. PART OF ARTHUR KILL NY-NJ --. Page/Side: -

NEW EDITION	Scale 1: 15,000; New Edition (38 ed, 01/01/20) due to numerous Notice to Mariner changes, hydrographic changes This NOAA chart is now	NOS --	--
-------------	---	-----------	----

available in both the Print-on Demand and digital raster formats. See <http://www.charts.noaa.gov/MCD/Dole.shtml> for details.

DELETE	tabulation - Kill Van Kull, Newark Bay and Arthur Kill Channel Depths; tabulation - Kill Van Kull, Newark Bay and Arthur Kill Channel Depths (NOS NW-30850)	NOS 40-36-14.000N	074-04-58.000W
ADD	note: PROJECT DEPTHS; note: PROJECT DEPTHS Channel legends and tabulations, where indicated, reflect the U.S. Army Corps of Engineers (USACE) project depths. The channel may be significantly shoaler, particularly at the edges. For detailed channel information and minimum depths as reported by USACE, use NOAA Electronic Navigational Charts. USACE surveys and channel condition reports are available at http://navigation.usace.army.mil/Survey/Hydro . (NOS NW-30850)	NOS 40-39-27.000N	074-12-27.000W

12334 **74th Ed.** **01-JAN-20** **Last LNM: 39/19** **NAD 83** **03/20**

ChartTitle: New York Harbor Upper Bay and Narrows-Anchorage Chart

Main Panel 2238 NY HARBOR - UPPER BAY AND NARROWS ANCHORAGE - -. Page/Side: -

NEW EDITION	Scale 1: 10,000; New Edition (74 ed, 01/01/20) due to numerous Notice to Mariner changes, hydrographic changes This NOAA chart is now available in both the Print-on Demand and digital raster formats. See http://www.charts.noaa.gov/MCD/Dole.shtml for details.	NOS --	--
DELETE	tabulation - Kill Van Kull Channel Depths; tabulation - Kill Van Kull Channel Depths (NOS NW-30850)	NOS 40-37-53.000N	074-05-24.000W
DELETE	tabulation - Lower Bay Channel Depths; tabulation - Lower Bay Channel Depths (NOS NW-30850)	NOS 40-36-25.000N	074-03-54.000W
ADD	note: PROJECT DEPTHS; note: PROJECT DEPTHS Channel legends and tabulations, where indicated, reflect the U.S. Army Corps of Engineers (USACE) project depths. The channel may be significantly shoaler, particularly at the edges. For detailed channel information and minimum depths as reported by USACE, use NOAA Electronic Navigational Charts. USACE surveys and channel condition reports are available at http://navigation.usace.army.mil/Survey/Hydro . (NOS NW-30850)	NOS 40-36-16.000N	074-04-01.000W

12335 **47th Ed.** **01-JAN-20** **Last LNM: 39/19** **NAD 83** **03/20**

ChartTitle: Hudson and East Rivers Governors Island to 67th Street

Main Panel 2237 HUDSON AND EAST RIVERS-GOVERNORS ISLAND TO 67TH STREET - -. Page/Side: -

NEW EDITION	Scale 1: 10,000; New Edition (47 ed, 01/01/20) due to numerous Notice to Mariner changes, hydrographic changes This NOAA chart is now available in both the Print-on Demand and digital raster formats. See http://www.charts.noaa.gov/MCD/Dole.shtml for details.	NOS --	--
ADD	note: PROJECT DEPTHS; note: PROJECT DEPTHS Channel legends and tabulations, where indicated, reflect the U.S. Army Corps of Engineers (USACE) project depths. The channel may be significantly shoaler, particularly at the edges. For detailed channel information and minimum depths as reported by USACE, use NOAA Electronic Navigational Charts. USACE surveys and channel condition reports are available at http://navigation.usace.army.mil/Survey/Hydro . (NOS NW-30850)	NOS 40-45-15.000N	073-56-22.000W

12337 **24th Ed.** **01-FEB-13** **Last LNM: 18/19** **NAD 83** **03/20**

ChartTitle: Passaic and Hackensack Rivers

Main Panel 2235 PASSAIC AND HACKENSACK RIVERS. Page/Side: N/A

DELETE	tabulation - Newark Bay Channel Depths; tabulation - Newark Bay Channel Depths (NOS NW-30850)	NOS 40-44-50.000N	074-02-30.000W
ADD	note: PROJECT DEPTHS; note: PROJECT DEPTHS Channel legends and tabulations, where indicated, reflect the U.S. Army Corps of Engineers (USACE) project depths. The channel may be significantly shoaler, particularly at the edges. For detailed channel information and minimum depths as reported by USACE, use NOAA Electronic Navigational Charts. USACE surveys and channel condition reports are available at http://navigation.usace.army.mil/Survey/Hydro . (NOS NW-30850)	NOS 40-45-37.000N	074-03-06.000W

12338 **11th Ed.** **01-MAY-13** **Last LNM: 49/17** **NAD 83** **03/20**

ChartTitle: East River Newtown Creek

Main Panel 2234 EAST RIVER NEWTOWN CREEK. Page/Side: N/A

ADD			note: PROJECT DEPTHS; note: PROJECT DEPTHS Channel legends and tabulations, where indicated, reflect the U.S. Army Corps of Engineers (USACE) project depths. The channel may be significantly shoaler, particularly at the edges. For detailed channel information and minimum depths as reported by USACE, use NOAA Electronic Navigational Charts. USACE surveys and channel condition reports are available at http://navigation.usace.army.mil/Survey/Hydro . (NOS NW-30850)	NOS 40-43-45.400N	073-56-43.100W
12339	47th Ed.	01-MAR-13	Last LNM: 20/18	NAD 83	03/20
<i>ChartTitle: East River Tallman Island to Queensboro Bridge</i>					
Main Panel 2233 EAST RIVER-TALLMAN ISLAND TO QUEENSBORO BRIDGE. Page/Side: N/A					
DELETE			tabulation - South Brother Island Channel Depths; tabulation - South Brother Island Channel Depths (NOS NW-30850)	NOS 40-48-52.000N	073-55-08.000W
ADD			note: PROJECT DEPTHS; note: PROJECT DEPTHS Channel legends and tabulations, where indicated, reflect the U.S. Army Corps of Engineers (USACE) project depths. The channel may be significantly shoaler, particularly at the edges. For detailed channel information and minimum depths as reported by USACE, use NOAA Electronic Navigational Charts. USACE surveys and channel condition reports are available at http://navigation.usace.army.mil/Survey/Hydro . (NOS NW-30850)	NOS 40-45-13.500N	073-54-31.000W
12341	28th Ed.	01-MAY-11	Last LNM: 26/13	NAD 83	03/20
<i>ChartTitle: Hudson River Days Point to George Washington Bridge</i>					
Main Panel 2232 HUDSON RIVER-DAYS PT TO GEORGE WASHINGTON BRIDGE. Page/Side: N/A					
ADD			note: PROJECT DEPTHS; note: PROJECT DEPTHS Channel legends and tabulations, where indicated, reflect the U.S. Army Corps of Engineers (USACE) project depths. The channel may be significantly shoaler, particularly at the edges. For detailed channel information and minimum depths as reported by USACE, use NOAA Electronic Navigational Charts. USACE surveys and channel condition reports are available at http://navigation.usace.army.mil/Survey/Hydro . (NOS NW-30850)	NOS 40-46-57.500N	073-57-36.500W
12342	24th Ed.	01-MAY-13	Last LNM: 09/17	NAD 83	03/20
<i>ChartTitle: Harlem River</i>					
Main Panel 2231 HARLEM RIVER. Page/Side: N/A					
ADD			note: PROJECT DEPTHS; note: PROJECT DEPTHS Channel legends and tabulations, where indicated, reflect the U.S. Army Corps of Engineers (USACE) project depths. The channel may be significantly shoaler, particularly at the edges. For detailed channel information and minimum depths as reported by USACE, use NOAA Electronic Navigational Charts. USACE surveys and channel condition reports are available at http://navigation.usace.army.mil/Survey/Hydro . (NOS NW-30850)	NOS 40-49-20.300N	073-54-43.200W
12366	30th Ed.	01-OCT-14	Last LNM: 13/19	NAD 83	03/20
<i>ChartTitle: Long Island Sound and East River Hempstead Harbor to Tallman Island</i>					
Main Panel 2190 LONG ISL SND & E RVR HEMPSTEAD HBR TO TALLMAN ISL NY. Page/Side: A					
ADD			note: PROJECT DEPTHS; note: PROJECT DEPTHS Channel legends and tabulations, where indicated, reflect the U.S. Army Corps of Engineers (USACE) project depths. The channel may be significantly shoaler, particularly at the edges. For detailed channel information and minimum depths as reported by USACE, use NOAA Electronic Navigational Charts. USACE surveys and channel condition reports are available at http://navigation.usace.army.mil/Survey/Hydro . (NOS NW-30850)	NOS 40-53-39.000N	073-50-14.000W
12401	13th Ed.	01-OCT-18	Last LNM: 38/19	NAD 83	03/20
<i>ChartTitle: New York Lower Bay Southern part</i>					
Main Panel 2246 NEW YORK LOWER BAY-SOUTHERN PART - -. Page/Side: -					
DELETE			tabulation - Lower Bay and Raritan Bay Channel Depths; tabulation - Lower Bay and Raritan Bay Channel Depths (NOS NW-30850)	NOS 40-24-34.000N	074-05-14.000W
ADD			depth legend - Terminal Channel; 45 FEET SEP 2009 (NOS NW-30850)	NOS 40-28-01.000N	074-02-29.500W
ADD			depth legend - Turning Basin; 45 FEET SEP 2009 (NOS NW-30850)	NOS 40-27-31.300N	074-02-58.000W
ADD			note: PROJECT DEPTHS; note: PROJECT DEPTHS Channel legends and tabulations, where indicated, reflect the U.S. Army Corps of Engineers	NOS 40-24-34.000N	074-05-24.000W

(USACE) project depths. The channel may be significantly shoaler, particularly at the edges. For detailed channel information and minimum depths as reported by USACE, use NOAA Electronic Navigational Charts. USACE surveys and channel condition reports are available at <http://navigation.usace.army.mil/Survey/Hydro>. (NOS NW-30850)

12402	15th Ed.	01-JAN-20	Last LNM: 38/19	NAD 83	03/20
<i>ChartTitle: New York Lower Bay Northern part</i>					
Main Panel 2247 NEW YORK LOWER BAY NORTHERN PART --. Page/Side: -					
NEW EDITION	Scale 1: 15,000; New Edition (15 ed, 01/01/20) due to numerous Notice to Mariner changes, hydrographic changes This NOAA chart is now available in both the Print-on Demand and digital raster formats. See http://www.charts.noaa.gov/MCD/Dole.shtml for details.			NOS --	--
DELETE	tabulation - Lower Bay Channel Depths; tabulation - Lower Bay Channel Depths (NOS NW-30850)			NOS 40-35-46.000N	074-05-52.000W
ADD	note: PROJECT DEPTHS; note: PROJECT DEPTHS Channel legends and tabulations, where indicated, reflect the U.S. Army Corps of Engineers (USACE) project depths. The channel may be significantly shoaler, particularly at the edges. For detailed channel information and minimum depths as reported by USACE, use NOAA Electronic Navigational Charts. USACE surveys and channel condition reports are available at http://navigation.usace.army.mil/Survey/Hydro . (NOS NW-30850)			NOS 40-34-27.000N	074-07-13.000W
13230	53rd Ed.	01-FEB-19	Last LNM: 39/19	NAD 83	03/20
<i>ChartTitle: Buzzards Bay; Quicks Hole</i>					
CHART MA - BUZZARDS BAY. Page/Side: N/A					
RELOCATE	Sunset Cove Approach Buoy 2			CGD01 from 41-44-23.730N to 41-44-25.380N	070-39-36.960W 070-39-35.040W
13236	32nd Ed.	01-FEB-17	Last LNM: 39/19	NAD 83	03/20
<i>ChartTitle: Cape Cod Canal and Approaches</i>					
Main Panel 2107 CAPE COD CANAL AND APPROACHES MA. Page/Side: A					
RELOCATE	Sunset Cove Approach Buoy 2			CGD01 from 41-44-23.730N to 41-44-25.380N	070-39-36.960W 070-39-35.040W
13285	12th Ed.	01-FEB-13	Last LNM: 29/17	NAD 83	03/20
<i>ChartTitle: Portsmouth to Dover and Exeter</i>					
CHART PORTSMOUTH TO EXETER. Page/Side: N/A					
DELETE	Piscataqua River CG Mooring Buoy			CGD01 43-06-47.907N	070-48-22.624W
13286	34th Ed.	01-MAR-19	Last LNM: 02/20	NAD 83	03/20
<i>ChartTitle: Cape Elizabeth to Portsmouth; Cape Porpoise Harbor; Wells Harbor; Kennebunk River; Perkins Cove</i>					
Main Panel 2055 CAPE ELIZABETH TO PORTSMOUTH --. Page/Side: -					
DELETE	Piscataqua River CG Mooring Buoy			CGD01 43-06-47.907N	070-48-22.624W

SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

<u>Approved Project(s)</u>	<u>Project Date</u>	<u>Ref. LNM</u>
None		

Advance Notice(s)

MASSACHUSETTS-NANTUCKET SOUND AND APPROACHES (Chart 13237)-CHATHAM HARBOR APPROACH

The U.S. Coast Guard has reopened the PROPOSAL for this change and will be accepting written responses until 7 February 2020. Please see the announcement in the PROPOSAL section of this LNM and respond with an email to the questions to D01-SMB-DPWPublicComments@uscg.mil :

DISESTABLISH: Chatham Beach Lighted Whistle Buoy C (LLNR 520).

This action was previously advertised as a Proposal in LNM 22/18 through 30/18 as Project No. 01-18-041. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

<u>Proposed Project(s)</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
None			

Proposed Change Notice(s)
CT-LONG ISLAND SOUND-NEW HAVEN HARBOR (Chart 12371)

The U.S. Coast Guard is considering making the following change to Aids to Navigation:

CHANGE the ranges from lighted for 24 hours to lighted at night only and the light characteristics as indicated. Add daytime range boards for daytime transits.

New Haven Harbor Outer Channel Range Front Light (LLNR 24020) from fixed green to Quick flashing green.
New Haven Harbor Outer Channel Range Rear Light (LLNR 24025) from fixed green to Iso Green every 6 seconds.

This change is being made to add solar power to these ranges.

Interested Mariners are strongly encouraged to comment on this proposal in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 13 March 2020 to complete the process. In order to most effectively consider your feedback and improve or data collection when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-20-005. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.

LNM: 03/20

ME-PENOBSCOT RIVER (Chart 13309)-BELFAST HARBOR

THIS PROPOSAL IS BEING CANCELLED AND WILL BE RE-EVALUATED/RE-ISSUED IF NEEDED AT A LATER DATE

The U.S. Coast Guard is considering making the following change to Aids to Navigation:

CHANGE the seasonal status of the following aids from Removed when endangered by ice (ENDN) to Replaced by unlighted ice hulls from Oct. 1 to May 1 (SEAR):

Belfast Harbor Lighted Buoy 2A (LLNR 4446).
Belfast Harbor Lighted Buoy 3 (LLNR 4448).

Interested Mariners are strongly encouraged to comment on this proposal in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 14 February 2020 to complete the process. In order to most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-19-094. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .

Chart 13309

LNM: 51/19

NY-SHELTER ISLAND SOUND AND PECONIC BAYS-SHELTER ISLAND SOUND SOUTH CHANNEL

The U.S. Coast Guard is considering making the following changes to this waterway:

CHANGE the Light List Volume 1 advertised focal plane on the following aid as indicated Tower is scheduled to be rebuilt and will not affect the advertised nominal range of the light.

Cedar Island Light 3CI (LLNR 28245) Focal height from 57 feet to 32 feet.

Interested Mariners are strongly encouraged to comment on this proposal in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 28 February 2020 to complete the process. In order to most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-20-001. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .

Charts: 12354 12358 13209

LNM: 01/20

MASSACHUSETTS-NANTUCKET SOUND AND APPROACHES (Chart 13237)-CHATHAM HARBOR APPROACH-Revised

The U.S. Coast Guard is considering making the following changes to Aids to Navigation to this waterway:

DIESTABLISH: Chatham Beach Lighted Whistle Buoy C (LLNR 520).

Interested Mariners are strongly encouraged to comment on this proposal in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 07 February 2020 to complete the process. In order to most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-18-041. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .

Charts: 13009 13200 13237 13246 13248

LMN: 22/18

NY-LONG ISLAND SOUND (WESTERN PART CHART 12363)-Revised

The U.S. Coast Guard is considering making the following change to Aids to Navigation:

CHANGE the flash characteristic from Alternating Green and Red every 24 seconds to Alternating Green and Red every 20 seconds (3s G 7s ec 3s W 7s ec).

Old Field Point Light (LLNR 21275)

Interested Mariners are strongly encouraged to comment on this proposal in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 31 January 2020 to complete the process. In order to most effectively consider your feedback and improve our data collection when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-19-091. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .

Charts: 12354 12362 12363 12364

LMN: 50/19

CT-FISHERS ISLAND SOUND (Chart 13214)-PAWCATUCK RIVER

The U.S. Coast Guard is considering making the following changes to this waterway:

CHANGE seasonal status of the following aids from Permanent to Removed when endangered by ice.

Pawcatuck River Buoy 1 (LLNR 20290)
Pawcatuck River Buoy 3 (LLNR 20295)
Pawcatuck River Buoy 8 (LLNR 20315)
Pawcatuck River Buoy 10 (LLNR 20320)

Interested Mariners are strongly encouraged to comment on this proposal in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 24 January 2020 to complete the process. In order to most effectively consider your feedback and improve the data collection, when responding to this proposal, PLEASE INCLUDE size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal in your e-mail. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-19-071. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .

Charts: 12372 13214

LMN: 49/19

ME-PENOBSCOT BAY (Chart 13305)-ISLE AU HAUT THOROFARE

The U.S. Coast Guard is considering making the following changes to this waterway:

CHANGE seasonal status of the following aids from Permanent to Removed when endangered by ice.

Isle Au Haut Thorofare Buoy 4 (LLNR 3375)
Isle Au Haut Thorofare Buoy 5 (LLNR 3385)
Isle Au Haut Thorofare Buoy 6 (LLNR 3380)
Isle Au Haut Thorofare Buoy 7 (LLNR 3390)
Isle Au Haut Thorofare Buoy 8 (LLNR 3395)
Isle Au Haut Thorofare Buoy 9 (LLNR 3400)

Interested Mariners are strongly encouraged to comment on this proposal in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 24 January 2020 to complete the process. In order to most effectively consider your feedback and improve the data collection, when responding to this proposal, PLEASE INCLUDE size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal in your e-mail. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-19-083. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .

Charts: 13305 13313

LMN: 49/19

ME-PENOBSCOT RIVER (Chart 13309)-EAST PENOBSCOT BAY-BAGADUCE RIVER

The U.S. Coast Guard is considering making the following changes to this waterway:

CHANGE seasonal status of the following aids from Permanent to Maintained from May 01 to Nov 15.

Bagaduce River Ledge Buoy 5 (LLNR 3570).
Bagaduce River Ledge Buoy 7 (LLNR 3575).

Interested Mariners are strongly encouraged to comment on this proposal in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 24 January 2020 to complete the process. In order to most effectively consider your feedback and improve the data collection, when responding to this proposal, PLEASE INCLUDE size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal in your e-mail. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-19-082. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .

Chart 13309

LNLM: 49/19

NY-SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)-SLOOP CHANNEL-Revised

The U.S. Coast Guard is considering making the following change to Aids to Navigation:

DISCONTINUE Sloop Channel Daybeacon 17 (LLNR 31082) from approximate position 40-36-58.170N 073-30-20.262W. (Aid destroyed)
DISCONTINUE Sloop Channel Daybeacon 19 (LLNR 31090) from approximate position 40-37-08.089N 073-30-24.139W. (Aid destroyed)

ESTABLISH Sloop Channel Buoy 17 (LLNR 31082) green can, in approximate position 40-36-57.795N 073-30-20.424W 178T, 12.7 yards from the location of Daybeacon 17.

Interested Mariners are strongly encouraged to comment on this proposal in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 24 January 2020 to complete the process. In order to most effectively consider your feedback and improve the data collection, when responding to this proposal, PLEASE INCLUDE size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal in your e-mail. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-19-088. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .

Chart 12352

LNLM: 49/19

NY-HUDSON RIVER-NEW YORK TO WAPPONGER CREEK (CHART 12343)-HUDSON RIVER

The Coast Guard is considering making the following change(s) to this waterway;

CHANGE the seasonal status of the following aids to PERMANENT instead of relived by ice buoy. The Lighted Ice buoy will remain on station all year.

Hudson River By 31 (LLNR 37970) to Hudson River LB 31 (LLNR 37970) Fl Quick Green
Hudson River By 85 (LLNR 38345) to Hudson River LB 85 (LLNR 37345) Green FL 4s
Hudson River LB 56 (LLNR 38080) Hudson River LB 59 (LLNR 38110)
Hudson River LB 60 (LLNR 38115) Hudson River LB 70 (LLNR 38175)
Hudson River LB 74 (LLNR 38285) Hudson River LB 82 (LLNR 38325)
Hudson River LB 89 (LLNR 38325)

Interested Mariners are strongly encouraged to comment on this proposal in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 28 February 2020 to complete the process. In order to most effectively consider your feedback and improve the data collection, when responding to this proposal, PLEASE INCLUDE size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal in your e-mail. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-19-052. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .

Chart 12343

LNLM: 48/19

ME-SEACOAST (Maine)-First District- BAY OF FUNDY TO CAPE COD (Chart 13260)-SEGUIN ISLAND

The U.S. Coast Guard is considering making the following change to Aids to Navigation:

Seguin Light (LLNR 35/5590) CHANGE the nominal range from 18NM to 14NM.

This proposal would incorporate Light Emitting Diode (LED) technology as a light source for the First Order Fresnel lens supporting aid modernization and improving reliability.

Interested Mariners are strongly encouraged to comment on this proposal in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 24 January 2020 to complete the process. In order to most effectively consider your feedback and improve or data collection when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-17-006. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .

Charts: 13003 13006 13009 13260 13288 13293 13295

LNLM: 21/19

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

SUMMARY OF GENERAL PROJECTS STILL IN EFFECT

Enclosure

LNLM: 04/19

CT-ROCKY HILL-GLASTONBURY-CHESTERAND HADLYME

Ferreslip rehabilitation is being done, until March 31, 2020, in the following positions:

Rocky Hill Slip 41° 39' 58.77"N
72° 37' 46.19" W

Glastonbury Slip 41° 39' 55.95"N
72° 37' 36.03" W

Chester Slip 41° 25' 09.68"N
72° 25' 58.44" W

On scene is barge ALBIE, crane SANY, tug LESLIE ANN and skiff.

Hadlyme Slip 41° 25' 12.26"N
72° 25' 42.66" W

Chester Slip: 41° 25' 09.68"N
72° 25' 58.44"W

On scene is barge ALBIE, grapppler SENNEBOGGEN and workboat. The houjrs of operation are Monday - Friday, from 7:00 am - 5:00.

LNM: 01/20

MA-ANNISQUAM RIVER - BLYNMAN CANAL

The Coast Guard is establishing a temporary 100 yard safety zone on the waters surrounding the MBTA RR Bridge, mile 0.7, across the Annisquam River from February 3, 2020 through February 15, 2020. This temporary safety zone is necessary for the protection of personnel, vessels and the environment from potential hazards during this phase of the MBTA Bridge Replacement Project. This temporary safety zone prohibits all persons and vessel from being in the safety zone unless authorized by the Captain of the Port (COTP) Boston or a designated representative. Questions concerning this closure may be directed to the contractor JF White at 617-454-1893 or 617-719-7174. Mariners should use extreme caution while transiting the area.

LNM: 02/20

ME – KENNEBUNK RIVER – Spirit of Massachusetts Mooring

The Spirit of Massachusetts broke free from its mooring during a recent storm and may have shifted its mooring from its charted location. A survey will be conducted to verify its current location, until completed mariners should exercise caution when transiting the area. Any questions may be directed to the Coast Guard MSD Portsmouth, at 603-433-7324.

LNM: 01/20

NY – HUDSON RIVER

The Coast Guard is establishing two temporary regulated navigation areas and a safety zone for the navigable waters of the Hudson River, NY, surrounding the Tappan Zee Bridge from January 1, 2020 through July 1, 2020. This rule will prohibit all persons and vessel traffic from the safety zone and enforce speed and wake restrictions for the Eastern and Western regulated navigation areas unless exceptions are authorized by the First District Commander or a designated representative. These regulated navigation areas and safety zone continue to be necessary to protect personnel, vessels, and the marine environment from potential hazards during the removal of the existing Tappan Zee Bridge and construction of a new bridge.

DATES: This rule will be effective from January 1, 2020 through July 1, 2020. Comments and related material must be received by the Coast Guard during the effective period on or before April 1, 2020.

ADDRESSES: To view documents mentioned in this preamble as being available in the docket, go to <http://www.regulations.gov>, type USCG-2019-0970 in the "SEARCH" box and click "SEARCH." Click on Open Docket Folder on the line associated with this rule. You may submit comments identified by docket number USCG-2019-0970 using the Federal eRulemaking Portal at <http://www.regulations.gov>. See the "Public Participation and Request for Comments" portion for further instructions on submitting comments.

LNM: 02/20

MA-NO MAN'S LAND

The CG received a report of a sunken vessel in posn 41-58.364N 071-05.653W approximately 20nm southwest of Nomans Land the wreck is marked by an unlit orange buoy mariners are requested to transit the area with caution and fisherman should exercise caution while engaged in fishing.

LNM: 53/19

NY-UPPER BAY-MANHATTAN (REVISED)

A sheet pile has partially detached from the western face of the concrete pier located at the Coast Guard building at Battery Park in Manhattan. The pier is marked with a dayboard marked DANGER DO NOT MOOR. All mariners are advised to transit the area with caution.

LNM: 51/19

CT-SAUGATUCK RIVER IN WESTPORT

The channel will be closed in the Saugatuck River 100 yards up and down river of the Metro North Railroad Bridge at approximate position 41° 07' 10" N, 73° 22' 8" W from December 2, 2019 through December 16, 2019. The waters east of the channel will remain open. Beginning December 17, 2019 through January 31, 2020 all waters within a 100 yard radius of approximate position 41° 07' 10" N, 73° 22' 8" W, will remain open with workers present. Please contact the contractor, CMJV, with request to transit the area via VHF Marine Radio Channel 13.

LNM: 50/19

NY-FISHER ISLAND SOUND-LATIMER REEF

A sailboat has been reported sunk in (PA) 41-18-08.1N 071-55-47.5W with the mast above the water at low tide approximately 428 yards SE of Latimer Reef Light. The Coast Guard has established a temporary hazard buoy that is White with orange bands and a quick flashing white light to mark the hazard until it is removed. Mariners are urged to exercise caution when in the vicinity.

Charts: 13205 13212 13213

LNM: 37/19

MA – CUTTYHUNK HARBOR – ENTRY CHANNEL – URGE CAUTION

Mariners are advised that the navigable width of the entry channel into Cuttyhunk Harbor has decreased to approximately 15 feet wide. This may cause navigability issues and restrict movement for two way traffic. Mariners are urged to maintain a proper lookout and use extreme caution while transiting the area. You may contact the local harbormaster by phone at (508) 990-7578.

LNM: 29/19

MA - MASSACHUSETTS BAY - BROAD SOUND-Revised

An 80ft barge sank approximately 1-NM Northwest of the North Channel's BG Buoy in position 42°23.918' N, 70°52.530W/W. The charted depth of water at this location is approximately 92ft . The highest point of the barge is at approximately at -43.7ft. The barge location is marked with a large red Norwegian fender marked with the owners contact information that is attached to the sunken hull. All mariners are urged to use extreme caution when transiting this area.

Charts: 13267 13270

LNM: 51/18

SECTION VIII - LIGHT LIST CORRECTIONS

An Asterisk *, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
10 3195	Matinicus Rock Light	43-47-00.502N 068-51-18.119W	Fl W 10s	90	20	Cylindrical gray granite tower. 41	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	03/20
35 5590	Seguin Light	43-42-26.900N 069-45-28.900W	F W	180	18	Brick conical tower. 53	Emergency light of reduced intensity when main light is extinguished. Two emergency lights may be visible from 340° and 160°. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	03/20
							*	
							*	

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
95	Wood Island Light	43-27-24.700N 070-19-44.600W	Al WG 10s	71	G 13 W 13	White conical tower connected to dwelling. 71	Emergency light (Fl G 10s) of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	03/20
125	Cape Neddick Light	43-09-54.733N 070-35-27.943W	Iso R 6s	88	13	White conical tower connected to dwelling. 88	* Lighted throughout 24 hours Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 10s (1s bl). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	03/20
155	Boon Island Light	43-07-17.218N 070-28-35.119W	Fl W 5s	137	14	Gray conical tower, connected to dwelling. 133	* Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 10s (2s bl). Operates continuously.	03/20
235	Isles of Shoals Light	42-58-02.039N 070-37-23.766W	Fl W 15s	82	14	White conical tower. 58	* Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 30s (3s bl). Operates continuously.	03/20
295	Cape Ann Light	42-38-12.444N 070-34-29.752W	Fl R 5s	166	17	166	* Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	03/20
							*	

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
350 9975	Bakers Island Light	42-32-11.200N 070-47-09.300W	Al WR 20s	111	W 16 R 14	White conical tower. 111	Emergency light, Fl W 10s when main light extinguished. Light and Horn is reduced intensity when main light or horn is extinguished. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	03/20
555	Sankaty Head Light	41-17-03.730N 069-57-57.900W	Fl W 7.5s	158	24	White tower with red band in the middle. 70	Lighted throughout 24 hours.	03/20
660	Montauk Point Light	41-04-15.480N 071-51-25.528W	Fl W 5s	168	14	White conical tower with red stripe. 168	Emergency light Fl W 5s when main light is extinguished. HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	03/20
1040	West Quoddy Head Light	44-48-54.387N 066-57-02.416W	Fl (2)W 15s 2s fl 2s ec. 2s fl 9s ec.	83	18	White tower with red stripes. 49	Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS -Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	03/20

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
1390	Moose Peak Light	44-28-28.487N 067-31-55.166W	Fl W 30s	72	20	On white tower. 57	Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Located 129 yards, 263° from light tower. Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	03/20
1735	Petit Manan Light	44-22-03.290N 067-51-51.695W	Fl W 10s	123	19	Gray granite tower. 109	* Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	03/20
2295	Great Duck Island Light	44-08-31.297N 068-14-44.947W	Fl R 5s	67	19	White tower. 36	* Light partially obscured by trees from about 143° to 206.5°. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	03/20
3195 10	Matinicus Rock Light	43-47-00.502N 068-51-18.119W	Fl W 10s	90	20	Cylindrical gray granite tower. 41	* Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	03/20
							*	

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
3585	Fort Point Light	44-28-01.682N 068-48-42.058W	F W	88	15	White house. 31	Lighted throughout 24 hours. HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	03/20
3760	HERON NECK LIGHT	44-01-30.400N 068-51-43.800W	F R (W sector)	92	W 9 7	White conical tower.	* White sector from 030° to 063°.Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	03/20
3965	Browns Head Light	44-06-42.352N 068-54-34.186W	F W (2R sectors)	39	W 14 R 11 R 11	White cylindrical tower. 24	* Red from 001° to 050°, and from 061° to 091°, fairway between. Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	03/20
4130	Rockland Harbor Breakwater Light	44-06-14.546N 069-04-39.161W	Fl W 5s	39	17	Red brick tower. 25	* Light also displayed during daytime when sound signal in operation. HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	03/20
							*	

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
4540	Two Bush Island Light	43-57-51.255N 069-04-26.057W	Fl W 5s	65	W 21 R 15	White tower. 42	Red from 061° to 247°. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl). MRASS -Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	03/20
4580	WHITEHEAD LIGHT	43-58-43.369N 069-07-27.397W	Oc G 4s	75	6	Gray Granite tower.	* Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	03/20
4780	Marshall Point Light	43-55-02.718N 069-15-40.568W	F W	30	13	White cylindrical tower. 31	* Lighted throughout 24 hours. HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	03/20
5420	RAM ISLAND LIGHT	43-48-13.500N 069-35-57.100W	Iso R 6s (2W sectors)	36	W 11 R 9 W 9	White tower.	* White from 258° to 261° and from 030° to 046°, covers fairways. HORN: 1 blast ev 30s (3s bl). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	03/20
							*	

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
5520	BURNT ISLAND LIGHT	43-49-30.700N 069-38-24.800W	Fl R 6s (2W sectors)	61	W 8 W 8 R 6 R 6	White conical tower.	White from 307° to 316°, and from 355° to 008°, covers fairways. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	03/20
5590 35	Seguin Light	43-42-26.900N 069-45-28.900W	F W	180	18	53	* Emergency light of reduced intensity when main light is extinguished. Two emergency lights may be visible from 340° to 160°. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	03/20
7565	Portland Head Light	43-37-23.174N 070-12-28.312W	Fl W 4s	101	24	White tower. 80	* Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 15s (2s bl). MRASS -Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	03/20
							*	

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
7610	SPRING POINT LEDGE LIGHT	43-39-07.612N 070-13-26.057W	Fl W 6s (2R sectors)	54	W 12 R 10 R 10	White tower.	White from 331° to 337° covers fairway entrance, white from 074° to 288°; red in intervening sectors. Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 10s (1s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	03/20
8496	Piscataqua River CG Mooring Buoy						* Remove from list.	03/20
9615	Annisquam Harbor Light	42-39-42.781N 070-40-53.440W	Fl W 7.5s (R sector)	45	W 14 R 11	White cylindrical tower; elevated walk to dwelling.	* Red from 180° to 217°. HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	03/20
9975 350	Bakers Island Light	42-32-11.200N 070-47-09.300W	Al WR 20s	111	W 16 R 14	White conical tower. 111	* Emergency light, Fl W 10s when main light extinguished. Light and Horn is reduced intensity when main light or horn is extinguished. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	03/20
							*	

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
12545	Plymouth Light	42-00-13.394N 070-36-02.167W	Fl (3)W 30s	102	17 R 15	White, octagonal, pyramidal tower, white dwelling. 102	Red from 323° to 352°, covers Mary Ann Rocks. Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 15s (3s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	03/20
12580	DUXBURY PIER LIGHT	41-59-14.732N 070-38-54.773W	Fl (2)R 5s	35	6	Brown conical tower; upper half white.	Higher intensity beam seaward. HORN: 1 blast ev 15s (2s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 60 minutes.	03/20
13270	Wood End Light	42-01-16.800N 070-11-36.500W	Fl R 10s	45	13	White square tower. 39	Light may also be displayed during daytime when sound signal is in operation. HORN: 1 blast ev 30s (3s bl). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	03/20
13775	West Chop Light	41-28-50.865N 070-35-59.210W	Oc W 4s (R sector)	84	W 14 R 10	White conical tower. 45	Red from 281° to 331°, covers Squash Meadow and Norton Shoal. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	03/20

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
17780	Beavertail Light	41-26-57.716N 071-23-57.885W	Fl W 10s	64	15	Square granite tower, attached to white dwelling. 70	Obscured from 175° to 215°. Lighted throughout 24 hours. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	03/20
18305	CONIMICUT LIGHT	41-43-01.400N 071-20-41.700W	Fl W 2.5s (R sector)	58	8 R 5	White conical tower on cylindrical pier.	* Red from 322° to 349°, covers Ohio Ledge. HORN: 2 bl ev 30s (2s bl- 2s si-2s bl-24s si). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	03/20
19135	WICKFORD HARBOR LIGHT 1	41-34-21.426N 071-26-12.540W	Fl G 6s	40	6	SG on square skeleton tower.	*	03/20
19795	Watch Hill Light	41-18-13.999N 071-51-30.300W	Al RW 5s	61	14	* Square, gray granite tower attached to white building. 61	Emergency light Fl W 2.5s of reduced intensity when main light is extinguished. Lighted throughout 24 hours. HORN: 1 blast ev 30s (3s bl). Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	03/20
20145	NORTH DUMPLING LIGHT	41-17-16.675N 072-01-09.666W	F W (R sector)	94	W 9 R 7	Square house with light tower.	* Red from 257° to 023°. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	03/20
							*	

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
21095 27680	Orient Point Light	41-09-48.393N 072-13-25.014W	Fl W 5s	64	17	Black conical tower with white band in center. 64	Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	03/20
21115 22495	Saybrook Breakwater Light	41-15-47.600N 072-20-33.600W	Fl G 6s	58	14	White conical tower on brown cylindrical pier. 49	* Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	03/20
22495 21115	Saybrook Breakwater Light	41-15-47.600N 072-20-33.600W	Fl G 6s	58	14	White conical tower on brown cylindrical pier. 49	* Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 30s (3s bl). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	03/20
27680 21095	Orient Point Light	41-09-48.393N 072-13-25.014W	Fl W 5s	64	17	Black conical tower with white band in center. 64	* Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). MRASS-Fog signal is radio activated, during times of reduced visibility, turn marine VHF-FM radio to channel 83A/157.175Mhz. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.	03/20

*

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
34790	WEST BANK FRONT RANGE LIGHT	40-32-16.657N 074-02-34.305W	Iso W 6s (R Sector)	69		Brown conical tower on black cylindrical pier.	White from 181° to 004°, red from 004° to 181°, white higher intensity beam visible 4° each side of range line (297°). Range light is lighted throughout 24 hours. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Operates continuously.
39365	Cumberland Head Ferry Dock Sound Signal	44-41-57.840N 073-22-48.840W				On wharf piling.	* Maintained from Apr. 1 to 03/20 Dec. 30. HORN: 1 blast ev 30s (2s bl). Private Aid.
39385	Grand Isle Ferry Dock Fog Signal	44-41-16.320N 073-20-58.680W				On wharf piling.	* Maintained from Apr. 1 to 03/20 Dec. 30. HORN: 2 blasts ev 30s (1s bl-1s si-1s bl-27s si). Private Aid.
							*

ENCLOSURES

ENCLOSURE

Bridge section

Andrew J. Tiongson
Rear Admiral, U.S. Coast Guard
Commander, First Coast Guard District

SUMMARY OF GENERAL PROJECTS STILL IN EFFECT

(encl 1)

LOCATION	OPERATION	COMPLETION DATE	LNLM
MA-Annisquam River-Blynman Canal	Temporary Safety Zone	2/15/2020	02/20
MA-Dorchester	Port Norfolk Yacht Club dredging	2/14/2020	02/20
MA-Edgartown	Research deployment	3/10/2020	02/20
MA-Chatham-Stage Harbor	Extensive shoaling	Until further notice	42/19
MA-North of Marblehead	Rip rap	Until further notice	47/18
MA-Annisquam River	Shoaling	Until further notice	02/14
MA-Bass River	Shoaling	Until further notice	02/14
MA-Boston Harbor and Approaches	Dredging	10/25/2021	43/18
MA-Cuttyhunk Harbor-Entry Chan-Caution	Entry channel width decreased to 15 feet wide	Until further notice	44/29
MA-Cape Cod-Scituate Harbor	Breakwater remediation	Until further notice	42/18
MA-Essex Bay	Shoaling	Until further notice	02/14
MA-Gloucester Harbor	Dredging	1/31/2020	47/19
MA-Gloucester-Annisquam River	Shoaling	Until further notice	41/11
MA-Lynn Harbor	Shoaling	Until further notice	02/14
MA-Marshfield-New Inlet	Shoaling	Until further notice	15/16
MA-Merrimack River Entrance	Shoaling	Until further notice	02/14
MA-Merrimack River-Joppa Flat Area	Shoaling	Until further notice	02/14
MA-Boston Harbor	Dredging	Until further notice	13/19
MA-Newburyport Harbor/Plum Is Sound	Shoaling	Until further notice	21/11
MA-Nummet Channel	Shoaling	Until further notice	38/10
MA-Plum Island Sound	Shoaling	Until further notice	02/14
MA-Plymouth Harbor	Shoaling	Until further notice	02/14
ME-Kennebunkport	Dredging	02/31/20	43/19
ME-Jonesport-Moosabec Reach	Regulated navigation area	1/31/2021	41/17
ME-Machias Bay	Demolition and removal of pier	Until further notice	12/18
ME-Saco Bay-Scarborough Beach	Research buoy deployment	Until further notice	32/16
NH-Hampton Harbor	Dredging	3/15/2020	41/19
NH-Hampton Harbor	Shoaling	Until further notice	02/14
RI-Kingston	Dredging	1/31/2020	47/19
RI-Narragansett Bay-Caution	Lost and anchor and chain	Until further notice	45/19
RI-Providence	Dredging	12/21/2020	43/19
CT-Rocky Hill-Glastonbury-Chesterand	Ferry slip rehabilitation	1/31/2020	01/20
CT-New Haven Harbor	Scientific research buoy deployment	2/15/2020	49/19
CT-Groton	Safety area for daily blast	Until further notice	47/19
CT-Groton	Drilling & blasting	1/31/2020	42/19
CT-Thames River	Soil sampling	1/24/2020	02/20
CT-Thames River	Dredging	2/1/2020	41/19
NJ-Perth Amboy	Vibracore sediment sampling	12/21/2020	48/19
NJ-Port Newark	Dredging	1/10/2020	35/19
NH-Piscataqua River	Research Barge anchored	Until further notice	25/17
NJ-Sandy Hook	Dredging	4/15/2020	53/19
NJ-Sandy Hook	Shoaling	Until further notice	35/19
NJ/Arthur Kill	Chartered rip rap of FDR Drive platform	Until further notice	09/18
NJ-Arthur Kill-Port Socony Reach	Rip rap	until further notice	47/17
NJ-Jersey City-Hudson River	Pile driving & pier construction	9/28/2021	05/17
NJ-New York Harbor-Port Jersey	Offloading soil material	11/1/2021	43/18
NY/NJ Manasquan Inlet-Long Beach	Pipeline mobilization	5/30/2020	43/19
NY-New York Bight Area	Whale monitoring buoy stablishment	12/17/2021	50/19
NY-Yonkers	Dredging	12/31/2020	47/19
NY-Bronx	Hart Island Shoreline Stabilization	3/31/2020	35/19
NY-Bronx	Installation of 2 New Sub-Aqueous Water Mains	9/3/2021	35/19
NY-Poughkeepsie	Dredging/sheet pile driving	1/31/2020	33/19
NY-New York	Research buoy deployment	12/1/2020	30/19
NY-New York (REVISED)	Marine Artificial Reef enhancement	4/20/2020	50/19
NY-Western LI Sound-New Rochelle Habor	Pier replacement	Until further notice	43/18
NY/NJ-Lower Bay-Sanddy Hook Channel	Shoaling	Until further notice	37/19
NY-Bush Terminal Park Lagoons	Oyster restorations	11/1/2020	41/17
NY-Gowanus Canal	Bulkhead construction	10/15/2020	51/19
NY-Gowanus Canal	Temporary placement of a work platform barge	6/2/2020	48/19
NY-Gowanus Canal	Bulkhead replacement	9/30/2020	43/19
NY-East River	An Acoustic Doppler Current Profiler deployment	11/1/2020	43/19
NY-East River	Pile driving/platform construction	3/15/2020	31/19
NY-East River-Brooklyn Bridge Park	Oyster restoration	11/1/2020	41/17
NY-Fire Island	Beach fill work	Until further notice	39/15
NY-Fire Island	Shoaling	Until further notice	07/15
NY-Harlem	Repairs and erection of a flood wall	2/15/2020	22/19
NY-Jamaica Bay	Oyster restoration	11/1/2020	41/17
NY-Moriches	Worse shoaling conditions	Until further notice	04/18
NY-Moriches Bay & Shinnecock Bay (Revised)	Shoaling	Until further notice	39/16
NY-Newton Creek-English Kills	Floating containment boom	Until further notice	41/17
NY-Newtown Creek-English Kills	Bulkhead collapse	Until further notice	35/17
NY-Port Chester	Sunken barge	Until further notice	29/17
NY-Princess Bay-Lemon Creek Lagoon	Oyster restoration	11/1/2020	42/17
NY-Troy	Seawall stabilization	12/20/2020	26/18
NY-Upper New York Harbor	Pile driving and in water foundation construction	2/7/2020	30/19
NY-Hudson River	Pier 40 repairs	6/7/2020	27/19
NY-Hudson River	Dredging	2/1/2020	25/19
VT-Lake Champlain	Buoy Deployment (4)	Until further notice	27/17

BRIDGE SECTION

BRIDGE DEVIATIONS, REPAIRS AND CONSTRUCTION

<u>BRIDGE/WATERWAY</u>	<u>MILE</u>	<u>33 CFR Sect.</u>	<u>DEVIATION/RULE</u>	<u>EFF. DATE</u>
Portal Bridge/Hackensack River	5.0	117.723(e)	Temporary Deviation	1/9/2020-3/8/2020
RT 1&9 and RT 7/Hackensack River	1.8 &3.1	117.5	NPRM	12/19/2019-2/18/2020
Clay Street Bridge/Passaic River	6.0	117.739(i)	Temporary Deviation	10/24/2019-4/20/2020
Bridge Street Bridge/Passaic River	5.6	117.739(f)	Temporary Deviation	10/24/2019-4/20/2020
Jackson Street Bridge/Passaic River	4.6	117.739(d)	Temporary Deviation	10/24/2019-4/20/2020
S156 Bridge/Niantic River	0.1	117.215(b)	Temporary Deviation	11/1/2020-3/31/2021
Amtrak Bridge/Mystic River	2.4	117.211(a)	Temporary Deviation	01/23/20 – 03/23/20
Chelsea Street Bridge/Chelsea River	1.3	117.953	NPRM	11/29/2019-1/28/2020

MAINE - BOOTHBAY HARBOR TO BATH - BACK RIVER - Bridge Construction - Work to build a temporary bridge, remove the swing span, and construct a new swing span on the Barters Island Bridge is ongoing. The temporary fixed bridge will reduce the vertical clearance of the channel to 6.8 feet mean high water (MHW) from November 1, 2019, through **May 31, 2020**. A 36-foot horizontal channel will be maintained. Temporary channel restrictions may be in effect during construction. Questions may be directed to Glenn Philbrook, Resident Engineer, at 207-592-7819. Mariners should use caution while transiting the area.
Chart 13296 LNM 03/20 (CGD1)

MAINE AND NEW HAMPSHIRE – PORTSMOUTH TO DOVER AND EXETER – PISCATAQUA RIVER – Bridge Repairs – Bridge repairs to the I-95 Bridge will commence over the navigable waterway on **1 August 2019** between Portsmouth, New Hampshire and Kittery, Maine and will continue through **May 2022**. Working hours are scheduled daily Monday through Friday 6 a.m. to 2:30 p.m. and 9 p.m. to 3:30 a.m. Suspended platforms will be installed under the bridge but will not reduce vertical clearances or impede vessel navigation. Hydraulic suspension trucks and welding will be utilized during the duration of the project, which will temporarily reduce the vertical clearance. Welding and reduction in clearance will cease upon approach of a vessel. Questions concerning the bridge repair project should be directed to Mr. Joel Dietrich, project manager with SPS at 978-423-2438 or Mr. Craig Hurd, ME DOT Resident Engineer at 207-446-1746. The project superintendent will monitor channel 13 and 16 and a safety boat will be on scene during work over the waterway. Mariners should exercise caution while transiting the area.
Chart 13285 LNM 03/20 (CGD1)

VERMONT – LAKE CHAMPLAIN – REVIERE RICHELIEU TO SOUTH HERO ISLAND – Bridge Construction – Construction of the new US2 Bridge over Lake Champlain between South Hero Island and North Hero Island at mile 91.8 is ongoing. The navigation channel is closed to navigation from December 2, 2019, to **April 17, 2020**. The bridge is required to open for emergency vessels upon notification provided ice conditions allow. Questions may be directed to Mr. Jeff Ramsey of the Vermont Agency of Transportation at 802-917-4467, or Jacqueline Dagesse, Public Outreach Manager, at 802-324-5522. Mariners are advised to plan their transits accordingly and exercise caution when transiting the area.
Chart 14781 LNM 03/20 (CGD1)

NEW HAMPSHIRE – PORTSMOUTH HARBOR - LITTLE HARBOR – Bridge Rehabilitation – Repairs to the Shapleigh Island Bridge and Goat Island Bridge across Little Harbor will commence on March 2019 through **September 2020**. A mobile hydra platform will be utilized for the duration of the project. The platform will be deployed during working hours 7 am through 4:30 pm and removed at the end of each day. Location of the platform will be variable and time dependent reducing the vertical clearance by 6 feet and horizontal clearance by 4 feet. Small scaffolding may be utilized near bents with minimal reduction to clearances. The platform may be removed for emergency situations. Mr. Michael Ferrari may be contacted for additional information at 603-455-1791. Mariners are advised to transit the area with caution.
Chart 13283 LNM 03/20 (CGD1)

MASSACHUSETTS - ANNISQUAM RIVER - BLYNMAN CANAL - Bridge Construction - Construction is ongoing at the new MBTA RR Bridge, mile 0.7, across the Annisquam River. The Coast Guard has established a temporary Safety Zone to support construction efforts. The Safety Zone prohibits vessel transits through the bridge from February 3, 2020, through **February 15, 2020**, unless authorized by the Coast Guard Captain of the Port (COTP) Boston or a designated representative. Questions concerning this closure may be directed to the contractor JF White at 617-454-1893 or 617-719-7174. Mariners should plan accordingly.
Chart 13281 LNM 03/20 (CGD1)

MASSACHUSETTS – ANNISQUAM RIVER – BLYNMAN CANAL – Notice of Temporary Deviation - The Coast Guard has issued a temporary deviation from the regulation governing the operation of the Blynman (SR127) Bridge across the Annisquam River at mile 0.0. Under this temporary deviation, the Blynman Bridge may remain in the closed position from 7 a.m. on February 24, 2020 to 11:59 p.m. on **April 10, 2020** to facilitate structural repairs. Mariners are advised to plan their transits accordingly. The bridge will not be able to open for emergencies. Questions may be directed to Mr. William Bernard, MassDOT at 781-641-8300 ext. 48314. Mariners are advised to exercise caution when transiting the area.
Chart 13281 LNM 03/20 (CGD1)

MASSACHUSETTS – BOSTON INNER HARBOR - CHELSEA RIVER - Notice of Proposed Rulemaking – The Coast Guard proposes to modify the operating schedule that governs the Chelsea Street Bridge across Chelsea River mile 1.3, at Chelsea, Massachusetts. This proposed rule would allow the bridge to open to 139 feet above mean high water instead of the full open position of 175 feet unless a full bridge opening is requested. Written comments or related material must reach the Coast Guard by **January 28, 2020**. Submit comments through the Federal e-Rulemaking Portal at <http://www.regulations.gov> noting docket number USCG-2019-0809. In addition, **Public Notice 1-172** dated December 2, 2019 has been published on the USCG Navigation Center website at: <http://www.navcen.uscg.gov/?pageName=pnBridges&Active=1®ion=1>. If you cannot use the online portal, you may mail your comments directly to Commander, First Coast Guard District Bridge Branch, Battery Park Building, One South Street, New York, NY 10004-1466.
Chart 13272 LNM 03/20 (CGD1)

MASSACHUSETTS – BOSTON INNER HARBOR - CHARLES RIVER – Bridge Construction –Construction of the temporary North Washington Street Bridge is ongoing through **2022**. Work barges will be in place at various locations in the waterway. Access to the Charles River Dam Locks may be restricted. Vessels may arrange passage by calling the on-scene work vessel on VHF Channel 13/16. Questions may be directed to Christopher Barry, Project Engineer at 617-558-0414, or Patrick Wilson, Project Superintendent at 617-680-7537. Mariners should use caution while transiting the area.
Chart 13272 LNM 03/20 (CGD1)

MASSACHUSETTS - BOSTON INNER HARBOR - CHARLES RIVER - Bridge Repairs - Steel repairs to the MBTA Bridge “Draw One Bridge”, mile 0.8, Charles River beginning September 9, 2019 through **Spring 2020**. There will be a barge operating in the navigation channel only during work hours. Work will be conducted Sundays through Fridays 1:30 am to 4 am. Mariners can contact the contractor at 978-809-5011 for more information. Mariners are advised to use caution when transiting the area.
Chart 13272 LNM 03/20 (CGD1)

MASSACHUSETTS – BOSTON INNER HARBOR – MYSTIC RIVER – Bridge Repairs – Bridge repairs continue at the Tobin Bridge, mile 0.1, across the Mystic River between Boston and Chelsea through **October 2020**. Working hours are 6 a.m. to 4 p.m., Monday through Saturday. The main channel horizontal clearance will be temporarily reduced to 328 feet by the two temporary scaffolding platforms on the north and south side; this will reduce the vertical clearance by 4 feet for the remaining horizontal clearance of the channel. Signage and red lights will mark the work platforms and a snooper truck will be utilized to install the platforms. Questions concerning this bridgework may be directed to the contractor, J.F. White Contracting Company, 24 hour POC Mr. Eric Ruth at 617-799-2018. Mariners should use caution while transiting the area.
Chart 13272 LNM 03/20 (CGD1)

MASSACHUSETTS - BOSTON HARBOR - NEPONSET RIVER – Bridge Repairs – Bridge repairs at the Granite Ave Bridge, mile 2.5, across the Neponset River between Boston and Milton MA will be conducted through **June 18, 2020**. Working hours are 8 p.m. to 6 a.m., Monday through Friday with some daytime work 7 a.m. to 5 p.m. The main channel horizontal clearance may be temporarily reduced by a working 20’x50’ barge; however, the bridge operating regulation will not be affected. Outside the navigation channel the vertical clearance will be reduced by 5 feet due to scaffolding. Questions concerning this bridgework may be directed to the contractor, SPS Contracting Company, 24 hour POC Mr. William Schurman at 978-265-7263 or barge on VHF Channel 13/16. Mariners should use caution while transiting the area.
Chart 13272 LNM 03/20 (CGD1)

MASSACHUSETTS – PORTSMOUTH HARBOR TO BOSTON HARBOR – Bridge Outage – The Main Street-Rocks Village Swing Bridge, mile 12.6, on the Merrimack River between Rocks Village and West Newbury, MA will not open for vessels due to damage incurred when struck by a truck. MassDOT will design and conduct repairs. The bridge is anticipated to be inoperative until approximately **May 1, 2020**. The vertical clearance of the bridge is 16.5 feet for both channels. Vessels able to pass under the bridge in the closed position may do so. The MassDOT point of contact is Mr. Bill Bernard, 781-641-8314.
Chart 13274 LNM 03/20 (CGD1)

RHODE ISLAND – PROVIDENCE RIVER – Bridge Repairs – Repairs of the Route 114 Bridge over the Barrington River are ongoing and will continue until **February 28, 2020**. Starting January 27, 2020, divers will be in the water in the vicinity of Piers 5 and 6. A spud barge, push boat, and work skiff will be present. Work crews on-scene will monitor VHF channels 13 and 16. The 24 hour point of contact is Captain Michael King at 617-653-7987. Mariners should use extreme caution while transiting and coordinate passage with the work crew as may be required.
Chart 13224 LNM 03/20 (CGD1)

RHODE ISLAND – SEEKONK RIVER - Bridge Repairs - Repairs to the fender system of the Henderson Bridge over the Seekonk River will be conducted from November 1, 2019 to **October 16, 2020**. Work barges will be operating in various locations. Work hours are from 6 a.m. to 6 p.m. Work crews will monitor channels 13/16. Mariners can contact the Aetna Bridge Company at 401-663-6052 for more information. Mariners are advised to use caution when transiting the area.
Chart 13224 LNM 03/20 (CGD1)

RHODE ISLAND – SEEKONK RIVER - Bridge Repairs - Repairs to the fender system of the Crooks Point Railroad Bridge, mile 1.2, over the Seekonk River will be conducted from November 1, 2019 to **October 16, 2020**. Work barges will be operating in various locations. Work hours are from 6 a.m. to 6 p.m. Work crews will monitor channels 13/16. Mariners can contact the Aetna Bridge Company at 401-663-6052 for more information. Mariners are advised to use caution when transiting the area.
Chart 13224 LNM 03/20 (CGD1)

RHODE ISLAND – NARRAGANSETT BAY - Newport Bridge Repairs – Repairs to the East and West highway approaches to the Newport Claiborne Pell Bridge, mile 4.0, Narragansett Bay will be conducted through **December 15, 2020**. Work barges and support vessels will be operating in various locations outside of the navigation Channel and will monitor channels 13 and 16. Work hours are from 6 a.m. to 6 p.m.; however, barges will remain on scene continuously. Mariners can contact the Aetna Bridge Company at 401-663-6257 or Steve Aguiar, Superintendent, at 401-663-6125 for more information. Mariners are advised to use caution when transiting the area.
Chart 13223 LNM 03/20 (CGD1)

RHODE ISLAND – NARRAGANSETT BAY – Jamestown Bridge Repairs - The Rhode Island Bridge & Turnpike Authority and Aetna Bridge Company are conducting repair work on the Jamestown Bridge over the West Passage of Narragansett Bay. Work will take place from November 15, 2019 and continue until **January 31, 2020**. A crane barge, material barge, diving operations and support vessels will be in the vicinity of the bridge. Mariners are requested to operate with no wake & keep clear of diving operations. Work hours are 6:00 a.m. to 6:00 p.m. Project operations will monitor VHF Channels 13 and 16. Questions may be directed to the Project Manager, Steve Aguiar at (401) 663-6125. Mariners are advised to use caution when transiting the area.
Chart 13221 LNM 03/20 (CGD1)

CONNECTICUT – CONNECTICUT RIVER – Bridge Repairs – A bridge repair project is underway on the Arrigoni Highway Bridge (Route 66) across the Connecticut River in Middletown **fall 2022**. A working platform/debris shield will reduce the vertical clearance by 10.5 feet throughout the duration of the project. No in water work is planned at this time. Mariners are advised to exercise caution when transiting the area. The CONNDOT point of contact is Barak Brako Frempong, 860-594-3167.
Chart 12378 LNM 03/20 (CGD1)

CONNECTICUT – NORTH SHORE OF LONG ISLAND SOUND STRATFORD TO SHERWOOD POINT-PEQUONNOCK RIVER- Diving Inspections – From January 28, 2020 to **January 29, 2020** between 8 a.m. and 4 p.m., a 21-foot boat and diving equipment at the Peck Bridge across Pequonnock River at mile 0.3. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call Clay Carlson (203) 216-1766. Mariners are advised to exercise caution and reduce wake when transiting the area.
Chart 12369 LNM 03/20 (CGD1)

CONNECTICUT –NORTH SHORE OF LONG ISLAND SOUND SHERWOOD POINT TO STAMFORD HARBOR-SAUGATUCK RIVER – The Connecticut Department of Transportation will be installing conduits along the Metro North SAGA Railroad Bridge, mile 1.1, over the Saugatuck River in Westport, CT. From December 18, 2019 to **January 31, 2020**, there will be a 40'x60' deck barge, 26' push boat, 22' work boat, as well as a 16' safety boat. The work will be conducted in 12 hour shifts, tide dependent. Mariners requiring full vertical clearance can call Todd Hoffa (860) 993-6486 or Greg Gallagher (860) 933-8170. Mariners are advised to exercise caution and plan accordingly.
Chart 12368 LNM 03/20 (CGD1)

CONNECTICUT – NORTH SHORE OF LONG ISLAND SOUND – GREENWICH POINT TO NEW ROCHELLE – COS COB HARBOR - Inspection – From January 13, 2020 to **January 24, 2020** between 9:00 a.m. and 3:00 p.m., a safety boat performing general bridge inspections will be operating at the metro-North New Haven Railroad Bridge over the Cos Cob Harbor at mile 0.0. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call Yaroslav Skoplyak (203) 910-6343. Mariners are advised to exercise caution and reduce wake when transiting the area.
Chart 12367 LNM 03/20

CONNECTICUT – LONG ISLAND SOUND – NORWALK RIVER – Bridge Repairs – Starting December 7, 2018 ConnDOT will be performing repairs on the Yankee Doodle Bridge over Norwalk River at mile 0.7. A working platform will be installed beneath the bridge deck, which will reduce the navigational vertical clearance from 60 feet to 56 feet at MHW. There will be a 28'x10' aluminum workboat tied to the fender system during construction hours, Monday through Friday 6:30 a.m. to 2:30 p.m. This work is expected to be completed by **May 1, 2021**. Mariners requiring full horizontal clearance can call Kevin Dorynioski at 860-993-6491, Jerry Mals at 860-982-4294, John Jakobeit at 860-229-4853. Mariners are advised to exercise caution when transiting the area.
Charts 12364 LNM 03/20 (CGD1)

CONNECTICUT – NIAN TIC BAY – NIAN TIC RIVER - Notice of Temporary Deviation - The Coast Guard has issued a temporary deviation from the regulation governing the S156 Bridge over the Niantic River between East Lyme and Waterford, CT at mile 0.1. Under this temporary deviation, the S156 Bridge may remain in the closed to navigation position from **November 1, 2020 to March 30, 2021**. The deviation supports needed repairs to the bridge. The vertical clearance of the bridge will be reduced from 32 feet to 21.1 feet at mean high water and horizontal clearance will be reduced to 60 feet when the work barge is in the channel. The barge will monitor channels 13/16 and will be moved out of the channel after working hours. Vessels able to pass under the temporary bridge in the closed position may continue to do so. The bridge will not be able to open for emergencies. Questions may be directed to Ms. Rosmery Rodriguez, Connecticut Department of Transportation at 860-594-2127 or the Harbormaster, Ron Johnson at 860-649-0228. Mariners are advised to plan their transits accordingly and exercise caution when transiting the area.
Chart 12372, LNM 03/20 (CGD1)

CONNECTICUT - NIAN TIC BAY – NIAN TIC RIVER - Bridge Inspection - An inspection will be conducted on the Route S156 bridge at mile 0.1 across the Niantic River between East Lyme and Waterford, Ct, **January 15, 2020 through February 28, 2020**. The inspection will be completed with a highly mobile under bridge inspection vehicle (UBI) located on the roadway right shoulder which may temporarily reduce the vertical clearance up to 10 feet. A safety boat will be on-scene and will monitor VHF channels 13 and 16. An underwater dive team will also be present in a 23' Aluminum open hull dive vessel working in the area. Vessels will be able to continue use of the navigation channel. The points of contact are project manager William Kristoff, 860-471-0606, UBI Jack Casey of Northeast Safety Boats, 860-930-9897, and dive vessel Stephen Sirotko 860-910-0077. Mariners are advised to exercise caution when transiting the area.
Chart 12372, LNM 03/20 (CGD1)

CONNECTICUT – MYSTIC RIVER – Notice of Temporary Deviation - The Coast Guard has issued a temporary deviation from the regulation governing the operation of the Amtrak Railroad Bridge across the Mystic River at mile 2.4. The deviation is needed to allow the replacement of bridge rails and ties. Under this temporary deviation, the Amtrak Bridge may remain in the closed position as follows:

PHASE 1 – Work on Track 1

Thursday, January 23, 2020 at 2300 until Monday January 27 at 0500

January 31 – February 2 Super Bowl Weekend – Bridge Operates on Normal Schedule

Thursday, February 6 at 2300 until Monday, February 10 at 0500

Feb 15 – Feb 17 Presidents Weekend – Bridge Operates on Normal Schedule

Thursday, February 20 at 2300 until Monday February 24 at 0500

PHASE 2 – Work on Track 2

Thursday, February 27, at 2300 until Monday March 2 at 0500

Thursday, March 5 at 2300 until Monday March 9 at 0500

Thursday, March 12 at 2300 until Monday March 16 at 0500

Thursday March 19 at 2300 until Monday March 23 at 0500

The bridge will return to its normal operating schedule at 5 a.m. on Monday, March 23. The bridge will not be able to open for emergencies. Vessels able to pass under the bridge in the closed position will be allowed to do so. Questions may be directed to Mr. Robert McMahon, Amtrak, at 617-590-0374. Mariners are advised to plan accordingly.
Chart 13214 LNM 03/20 (CGD1)

NEW YORK – LONG ISLAND SOUND – HEMPSTEAD HARBOR TO TALLMAN ISLAND – WESTCHESTER CREEK – Bridge Replacement – There are two temporary lift bridges located North and South of the existing Unionport Bridge across Westchester Creek at mile 1.7. Beginning August 5, 2019, the temporary bridges will be operational and will provide minimum vertical clearance of 17'-2" in closed position and 35' in open position. These temporary bridges will temporarily alter the existing vertical clearance from 53 feet to 35 feet from the above MHW EL+1.78 until **September 2021**.

Beginning February 3, 2020 until **April 3, 2020**, there will be a 160'x45' barge in the channel restricting the horizontal clearance to 10'. This work is to start the demolition of the existing bascule span. During work hours, Monday through Friday between 7:00 a.m. and 3:00 p.m., the barge may be moved out of the channel given a 1-hour notice. During non-working hours as well as weekends, a 6-hour notice is required.

Mariners can contact Abdi Hedayati at (347) 885-8613 regarding the temporary bridges and John Albano at (732) 272-7837 if requiring full horizontal clearance. Mariners are advised to exercise caution and reduce wake when transiting the area and find alternate routes if the vessel exceeds vertical clearance.

Chart 12366 LNM 03/20 (CGD1)

NEW YORK – LONG ISLAND SOUND – HEMPSTEAD HARBOR TO TALLMAN ISLAND – HUTCHINSON RIVER – Bridge Inspection – Inspection to the Hutchinson River Parkway Bridge across Hutchinson River at mile 0.9 will commence on January 23, 2020. Hours of operation are between 7 a.m. and 4 p.m. A barge with manlift will be operating in the navigation Channel. Mariners requiring full horizontal clearance can contact Kevin Hussain via marine radio VHF-FM Ch. 13/16 or call 860-338-4607. This project will be completed by **January 24, 2020**. Mariners are advised to exercise caution and reduce wake when transiting the area.

Chart 12366 LNM 03/20 (CGD1)

NEW YORK – LONG ISLAND SOUND – HEMPSTEAD HARBOR TO TALLMAN ISLAND – HUTCHINSON RIVER – Bridge Inspection – Inspection to the Hutchinson River Parkway Bridge across Hutchinson River at mile 0.9 will commence on January 23, 2020. Hours of operation are between 7 a.m. and 4 p.m. A barge with manlift will be operating in the navigation Channel. Mariners requiring full horizontal clearance can contact Kevin Hussain via marine radio VHF-FM Ch. 13/16 or call 860-338-4607. This project will be completed by **January 24, 2020**. Mariners are advised to exercise caution and reduce wake when transiting the area.

Chart 12366 LNM 03/20 (CGD1)

NEW YORK – SHINNECOCK BAY TO EAST ROCKAWAY INLET- NARROW BAY – Emergency Repairs – Suffolk County will be performing emergency repairs at the Williams Floyd Parkway Bridge across Narrow Bay at mile 6.1. This work is expected to be completed by **January 31, 2020**. Questions may be directed to Justin Hipperling, at (631) 852-4003. Vessels able to pass without a bridge opening may do so and advised to exercise caution when transiting the area.

Chart 12352 LNM 03/20 (CGD1)

NEW YORK – LONG ISLAND – SHINNECOCK BAY TO EAST ROCKAWAY INLET – GRAND CANAL – Bridge Painting – From November 12, 2019 to **January 31, 2020** between 8 a.m. and 4 p.m. Monday through Friday, sand blasting and painting will be conducted at the Shore Drive Bridge across the Grand Canal in Oakdale, NY. There will be floating work platforms in the channel during working hours. Mariners requiring full horizontal clearance can contact the contractor with a 2 hour advance notice via marine radio VHF-FM Ch. 13/16 or call Keith Hofler (516) 983-6146. Mariners are advised to exercise caution and reduce wake when transiting the area.

Chart 12352 LNM 03/20 (CGD1)

NEW YORK – LONG ISLAND – SHINNECOCK BAY TO EAST ROCKAWAY INLET – GREAT SOUTH BAY– Steel Bridge Repairs – Contractors will be performing steel bridge repairs from August 12, 2019 to **April 30, 2020** between 7:00 a.m. and 3:30 p.m. Monday through Friday; a barge will be placed at the Robert Moses Causeway over the Great South Bay at mile 7.3. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call Alex Abreu (201) 724-2400. Mariners are advised to exercise caution and reduce wake when transiting the area.

Chart 12352 LNM 03/20 (CGD1)

NEW YORK – LONG ISLAND – SHINNECOCK BAY TO EAST ROCKAWAY INLET – LONG CREEK – Bridge Inspections – From February 10, 2018 to **March 6, 2020** between 9 a.m. and 3 p.m., an under bridge inspection unit will be operating

at the Loop Parkway Bridges over the Long Creek at mile 0.7 for bridge inspections. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call 646-256-6626. Mariners are advised to exercise caution and reduce wake when transiting the area.

Chart 12352 LNM 03/20 (CGD1)

NEW YORK – LONG ISLAND – SHINNECOCK BAY TO EAST ROCKAWAY INLET – REYNOLDS CHANNEL – Bridge Inspections – From February 10, 2020 to **March 6, 2020** between 9 a.m. and 3 p.m., an under bridge inspection unit will be operating at the Loop Parkway Bridges over the Reynolds Channel at mile 8.2 for bridge inspections. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call 646-256-6626. Mariners are advised to exercise caution and reduce wake when transiting the area.

Chart 12352 LNM 03/20 (CGD1)

NEW YORK – LONG ISLAND – SHINNECOCK BAY TO EAST ROCKAWAY INLET – FUNDY CHANNEL – Bridge Inspections – From February 17, 2020 to **March 6, 2020** between 9 a.m. and 3 p.m., an under bridge inspection unit will be operating at the Meadowbrook State Parkway over the Fundy Channel at mile 2.7. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call 631-952-6524. Mariners are advised to exercise caution and reduce wake when transiting the area.

Chart 12352 LNM 03/20 (CGD1)

NEW YORK – JAMAICA BAY AND ROCKAWAY INLET- MILL BASIN– Bridge Construction – Barges will be placed at the Belt Parkway Bridge across Mill Basin at mile 0.8, for construction activities. This will reduce the horizontal navigational channel to 72 feet. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call Daniel Hom (347) 702-6430. Mariners are advised to exercise caution and reduce wake when transiting the area.

Chart 12350 LNM 03/20 (CGD1)

NEW YORK – HUDSON RIVER TO WAPPINGER CREEK – HUDSON RIVER – Pedestrian Walkway Steel Repairs – Construction to the South Span of the Newburgh-Beacon Bridge across Hudson River at mile 62.0 is in progress. All work will be done on top of the bridge. There will not be any obstruction in the channel. Contractor will not be working over the channel during winter from December 20, 2019 to March 22, 2020. Mariners can contact the NYSBA 845-691-4077 for project construction. This project is to be completed by **October 30, 2020**. Mariners are advised to exercise caution when transiting the area.

Chart 12343 LNM 03/20 (CGD1)

NEW YORK - NEW YORK TO WAPPINGER CREEK - HUDSON RIVER - New Bridge Construction/Demolition – Construction and demolition work continues at the Tappan Zee Bridge across the Hudson River, mile 27.7 and will continue through **July 1, 2020**. The work will involve over one hundred pieces of floating equipment and support vessels that will be moored/anchored or transiting between the Westchester and Rockland county shorelines, including the side Channels and portions of the main navigation Channel. Mariners traveling northbound and southbound are advised that the side Channels to the east and west of the main Channel are closed to vessel traffic. Additionally, mariners are strongly advised to stay clear of all construction equipment and support vessels by 1,000 feet or more when transiting the area.

Estimated full and half Channel closure dates:

The contractor does not expect any additional work to impact the 600 foot wide main Federal navigation channel through 11:59 p.m. on July 1, 2020. Mariners exercise caution in this area.

For the current channel impact status call the project's 24-hour automated message system at (914) 789-3224.

Mooring buoys and Safety Zone: There are 16 equipment moorings located west of the navigation Channel, eight to the south and eight to the north of the bridge. The buoy positions are displayed on corrected editions of NOAA Chart 12343. Each are lit with a 360-degree steady burning white light. The Coast Guard has established a safety zone surrounding these equipment moorings. Entry into, anchoring, loitering, or movement within the Safety Zone is prohibited unless the vessel is working on the bridge construction operations or authorized by the Captain of the Port New York (COTP) or a designated representative.

Nine buoys have been installed marking the equipment mooring area safety zone. Each buoy has a 39" diameter and a height of 82.5" (64" above the waterline). The buoys are white with an orange warning decal and lit with a white flashing light visible for three nm. All buoys are displayed on corrected editions of NOAA Chart 12343.

Permanent Travelers: Ongoing bridge construction at the New Tappan Zee Bridge will require permanent travelers suspended from and travel east and west along the bottom of both the north and south spans of the new bridge's structures. Each traveler is approximately 14-ft wide, and will reduce the vertical clearance by approx. 13ft below low steel. These travelers are mobile and capable of transiting from side to side under the span, and at any time may be located anywhere under the span. Available vertical clearance under traveler platforms is approximately 134ft at MHW near the channel edge and 136ft at MHW at center channel. From March 14, 2019 to **May 31, 2020**, between 7 a.m. and 5 p.m. mariners requiring full vertical clearance in the 600 ft. navigation channel can contact Davin Hazirjian at 914-907-1970 with a minimum of **two-hour advance notice**. The construction access traveler platforms will move out of the navigation channel after work hours. Mariners can contact CG Sector NY VTS at 718-354-4088 for platform locations. For more information, please see the project website at <https://www.newnybridge.com/>.

Hot work: Burning activities on the existing Tappan Zee Bridge superstructure are ongoing. Operations will take place from 07:00 through 16:30 daily along the remaining in-place western cantilever truss. All petroleum, chemical and hazardous cargo carrying vessels, including barges, cargo ships, tankers and other vessels passing underneath the Tappan Zee Bridge are advised to contact TZC tugs on Ch. 13/16 or alternative TZC rep (**914-907-1970**) at least 30 minutes before they approach so burning operations can be halted until said vessels are safely through the channel and clear of the bridges.

Mariners are advised to reduce wake and use extreme caution while transiting in the vicinity of the Tappan Zee Bridge especially during inclement weather and darkness, and pay particular attention to vessel movements.

NEW YORK – NEW YORK TO WAPPINGER CREEK – HUDSON RIVER - Regulated Navigation Area and Safety Zone – §165.T01-0970 Regulated Navigation Areas and Safety Zone Tappan Zee Bridge Construction Project, Hudson River; South Nyack and Tarrytown, NY

(a) **Regulated Navigation Area Boundaries.** The following are regulated navigation areas:

(1) "Western RNA": all waters bound by the following approximate positions: 41°04'39.16"N, 073°55'00.68"W on the western shoreline; thence to 41°04'28.34"N, 073°54'47.18"W; thence to 41°04'11.28"N, 073°54'48.00"W; thence to 41°03'57.26"N, 073°54'40.73"W; thence to 41°03'57.36"N, 073°54'47.38"W; thence to 41°03'58.66"N, 073°54'56.14"W; thence to 41°04'03.00"N, 073°55'07.60"W; thence to a point on the western shoreline at 41°04'06.69"N, 073°55'14.10"W; thence northerly along the shoreline to the point of origin (NAD 83).

(2) "Eastern RNA": all waters bound by the following approximate positions: 41°04'21.96"N, 073°52'03.25"W on the eastern shoreline; thence to 41°04'26.27"N, 073°52'19.82"W; thence to 41°04'26.53"N, 073°53'20.07"W; thence to 41°03'56.92"N, 073°53'18.84"W; thence to 41°03'56.69"N, 073°52'24.75"W; thence to a point on the eastern shoreline at 41°03'46.91"N, 073°52'05.89"W; thence northerly along the shoreline to the point of origin (NAD 83).

(b) **Safety Zone Boundaries:** The following is a Safety Zone: all waters bound by the following approximate positions: 41°04'59.70"N, 073°54'45.54"W; thence to 41°05'00.18"N, 073°53'21.48"W; thence to 41°03'09.24"N, 073°53'16.86"W; thence to 41°03'07.08"N, 073°54'14.70"W; thence to 41°04'11.28"N, 073°54'48.00"W; 41-04-59.700"N, 073-54-00.420"W; 41-03-32.220"N, 073-53-18.180"W; 41-03-08.100"N, 073-53-40.800"W; thence to the point of origin (NAD 83).

(c) **Regulations.**

(1) The general regulations contained in 33 CFR 165.10, 165.11, and 165.13, 165.20 and 165.23 apply.

(2) Any vessel transiting through the Western RNA must make a direct and expeditious passage. No vessel may stop, moor, anchor or loiter within the RNA at any time unless they are working on the bridge construction operations.

(3) Any vessel transiting through the Eastern RNA must make a direct and expeditious passage. No vessel may stop, moor, anchor or loiter within the RNA at any time unless they are working on the bridge construction operations or they are transiting to, or from, the special anchorage area codified in 33 CFR 110.60(c)(8) located on the eastern shoreline at Tarrytown, NY and within the boundaries of the RNA.

(4) Entry and movement within the Eastern RNA or Western RNA is subject to a "Slow-No Wake" speed limit. All vessels may not produce a wake and may not attain speeds greater than five knots unless a higher minimum speed is necessary to maintain steerageway. All vessels must proceed through the Eastern RNA and Western RNA with caution and operate in such a manner as to produce no wake.

(5) Entry into, anchoring, loitering, or movement within the Safety Zone is prohibited unless the vessel is working on the bridge construction operations or authorized by the Captain of the Port New York (COTP) or his designated representative.

(6) All persons and vessels must comply with all orders and directions from the COTP or the COTP has designated representative. The "designated representative" of the COTP is any Coast Guard commissioned, warrant or petty officer who has been designated by the COTP to act on the COTP's behalf. The designated representative may be on a Coast Guard vessel or New York State Police, Westchester County Police, Rockland County Police, or other designated craft; or may be on shore and will communicate with vessels via VHF-FM radio or loudhailer. Members of the Coast Guard Auxiliary may be present to inform vessel operators of this regulation.

(7) Upon being hailed by a Coast Guard vessel by siren, radio, flashing light or other means, the operator of the vessel must proceed as directed.

(8) For the purpose of this regulation, the Federal navigation Channel, located in the Eastern RNA is marked by the red and green navigation lights on the existing Tappan Zee Bridge, and the New NY Bridge. As the project progresses, the Federal navigation Channel will be intermittently closed, or partially restricted, to all vessel transits. While the Federal navigation Channel is closed, vessels that can safely navigate outside the Federal navigation Channel would still be able to transit through the Eastern RNA. The COTP will cause a notice of the Channel closure or restrictions by appropriate means to the affected segments of the public. Such means of notification may include, but are not limited to, Broadcast Notice to Mariners and Local Notice to Mariners.

(9) Notwithstanding anything contained in this section, the Rules of the Road (33 CFR part 84—Subchapter E, inland navigational rules) are still in effect and must be strictly adhered to at all times.

(d) Enforcement Periods. This regulation will be enforced 24 hours a day from 11:59 p.m. on **December 31, 2019 to 11:59 p.m. on July 1, 2020**.

(1) Notice of suspension of enforcement: If enforcement is suspended, the COTP will cause a notice of the suspension of enforcement by appropriate means to the affected segments of the public. Such means of notification may include, but are not limited to, Broadcast Notice to Mariners and Local Notice to Mariners. Such notification will include the date and time that enforcement will be suspended as well as the date and time, that enforcement will resume.

(2) Violations of this regulation may be reported to the COTP at 718-354-4353 or on VHF-Channel 16.
Chart 12343 LNM 03/20 (CGD1)

NEW YORK – NEW YORK TO WAPPINGER CREEK - HUDSON RIVER – Main Cable Rehabilitation and Sidewalk Modification – Construction to the main cable rehabilitation and sidewalk modification at the George Washington Bridge across the Hudson River at mile 11.0 is in progress. There will not be any obstruction in the Channel. Welding (hot work) may be performed during working hours. The resident engineer or contractor will be equipped with a VHF-FM marine radio and will be monitoring Channel 13/16 during hours of operation. Mariners can contact Marc Helman at 212-435-6112 for more construction details. This project is to be completed by **February 15, 2026**. Mariners are advised to exercise extreme caution when transiting the area.
Chart 12343 LNM 03/20 (CGD1)

NEW YORK – NEW YORK HARBOR – EAST RIVER – Deck Replacement – Construction on the Throgs Neck Bridge across East River at mile 15.8 is in progress. Temporary work platform will be installed under the entire length of the bridge. The temporary work platform will reduce the vertical clearance by 4ft 6in max. (Including deflection) from the low steel of the bridge. Hot work operations will be performed through November 30, 2022. A 30ft by 90ft barge will be operating at the Queens Anchorage from November 11, 2019 to November 22, 2019. A safety boat will be operating IVO the bridge. Any questions regarding construction can contact Jeff Brugge via marine radio VHF-FM Ch. 13/16 or 516-445-3495. This project is to be completed by **November 30, 2022**. Mariners are advised to exercise caution when transiting the area.
Chart 12327 LNM 03/20 (CGD1)

NEW YORK – NEW YORK HARBOR – EAST RIVER – Misc. Repairs – Construction on the Bronx Whitestone Bridge across East River at mile 13.8 is in progress. Temporary work platforms will be installed immediately adjacent to the Queens and Brooklyn tower. The platforms will extend 45ft on both sides of the centerline of both towers. There is no horizontal or vertical clearance reduction in the navigation channel. Hot work operations may be performed throughout the project. A safety boat will be operating IVO the bridge. Any questions regarding construction can contact Omar Fernandez at 646-661-0918. This project is to be completed by **March 30, 2020**. Mariners are advised to exercise caution when transiting the area.
Chart 12327 LNM 03/20 (CGD1)

NEW YORK – NEW YORK HARBOR – EAST RIVER – Replacement of Upper Roadways – Construction on the Queensboro Bridge over East River at mile 5.5 is in progress. All work are on top of the bridge. Hot work operations will be performed through **October 28, 2022**. A safety boat will be operating IVO the bridge. Any questions regarding the construction please contact Anthony Grosso at 718-685-3990 or 347-242-6442. This project is to be completed by **October 28, 2022**. Mariners are advised to exercise caution when transiting the area.
Chart 12342 LNM 03/20 (CGD1)

NEW YORK – TALLMAN ISLAND TO QUEENSBORO BRIDGE – EAST RIVER – Bridge Construction – Construction to the East Midtown Waterfront Esplanade Bridge, mile 5.1 – 5.7 across East River is in progress. There will be crane, deck and material barges placed between 53rd Street and 61st Street along East River bulkhead. All equipment are operated outside the navigation channel. Mariners with questions regarding the equipment in the waterway may contact Ms. Prybylski at 212-312-3577. This project is to be completed by **January 30, 2022**. Mariners are advised to exercise caution when transiting the area.
Chart 12339 LNM 03/20 (CGD1)

NEW YORK – TALLMAN ISLAND TO QUEENSBORO BRIDGE – EAST RIVER – Bridge Rehabilitation – Three localized underdeck platforms are installed under the Manhattan Bridge across East River at mile 1.1 and will not reduce vertical clearance in

the navigation channel more than three feet. Hot work will be performed during this construction period. A 50ft by 110ft barge will be operating IVO Manhattan Tower from January 22, 2020 to April 24, 2020 during daylight hours. Mariners can contact Chad Umphred at 908-307-3890 or Daniel Chasse at 646-522-1248 for barge equipment. This project is to be completed by **April 16, 2021**. Mariners are advised to exercise caution when transiting the area.

Chart 12339 LNM 03/20 (CGD1)

NEW YORK – TALLMAN ISLAND TO QUEENSBORO BRIDGE – EAST RIVER – Bridge Rehabilitation – Construction to the Brooklyn Bridge over East River at mile 0.8 is in progress. Approximate six barges will be operating at the Manhattan Tower from March 1, 2020 to September 30, 2021. No construction equipment will be operating in the navigation channel during rehabilitation. Mariners can contact Bill Ferdinandsen Resident Engineer at 347-242-6203 for construction status. This project is to be completed by **February 28, 2023**. Mariners are advised to exercise caution and reduce wake when transiting the area.

Chart 12339 LNM 03/20 (CGD1)

NEW YORK – TALLMAN ISLAND TO QUEENSBORO BRIDGE – EAST RIVER – Bridge Maintenance – On January 28 and **January 30, 2020** between 9:30 a.m. and 2 p.m., a bridge traveler will be operated under the Brooklyn Bridge over East River at mile 0.8 to perform bridge maintenance. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call 917-295-1856. The traveler platform will be moved out of the navigable channel after work hours or when not in use. Mariners are advised to exercise caution when transiting the area.

Chart 12339 LNM 03/20 (CGD1)

NEW YORK – NEW YORK HARBOR – EAST RIVER – NEWTOWN CREEK – Bridge Construction – Overhead work is ongoing at the Kosciusko Bridge (Brooklyn side) across Newtown Creek at mile 2.1. Mariners are advised to exercise caution when transiting the area. This project is expected to be completed by **February 2020**.

Chart 12338 LNM 03/20 (CGD1)

NEW YORK – NEW YORK HARBOR – EAST RIVER – NEWTOWN CREEK – Bridge Navigation Lights Extinguished – The SW and SE navigation lights are extinguished at the Pulaski Bridge across the Newtown Creek at mile 0.6. There is no estimated time right now when these lights will be repaired; NYCDOT is actively working on the issue. Mariners are advised to transit the area with extreme caution and plan accordingly.

Chart 12338 LNM 03/20 (CGD1)

NEW YORK – NEW YORK HARBOR – EAST RIVER – HARLEM RIVER - Bridge Rehabilitation – Rehabilitation of the Henry Hudson Bridge over Harlem River at mile 7.2 is in progress. A tug and 20ft by 40ft barge will be operating near Manhattan abutment. A hanging temporary platform will be installed near the Manhattan abutment. Hot work may be operating within the platform area. All work are locating outside the navigation channel. Mariners can contact Steve Nastro at 646-569-4243 or via marine radio CHF-FM CH 13/16 for barge status. This project is to be completed by **April 30, 2020**.

Mariners are advised to reduce wake and exercise caution when transiting the area.

Chart 12342 LNM 03/20 (CGD1)

NEW YORK – NEW YORK HARBOR – EAST RIVER – HARLEM RIVER – Fender and Dolphin Repairs – Repairs to the Broadway Bridge across Harlem River at mile 6.8 is in progress. Working hours are from 6 a.m. to 2:30 p.m. daily. A crane barge and a material barge will be operating at the SW corner of the bridge and will reduce the horizontal clearance by 60ft. Mariners requiring full horizontal clearance can contact John Kruk via marine radio VHF-FM Ch. 13/16 or call 917-502-4546 with 24-hour advance notice. This work will be completed by **March 27, 2020**. Mariners are advised to exercise caution and reduce wake when transiting the area.

Chart 12342 LNM 03/20 (CGD1)

NEW YORK – NEW YORK HARBOR – EAST RIVER – HARLEM RIVER - Bridge Out of Service – The Broadway Bridge across Harlem River at mile 6.8 is unable to open for vessel traffic due to a damaged electrical system. Vertical clearance is approx. 24 feet at MHW. NYCDOT is in contract to repair the bridge. Vessels that can transit under the closed span may do so at any time. Mariners are advised to plan accordingly and exercise extreme caution when transiting the area.

Chart 12342 LNM 03/20 (CGD1)

NEW YORK – NEW YORK HARBOR – EAST RIVER – HARLEM RIVER - Bridge Out of Service – The 207 St. Bridge across Harlem River at mile 6.0 is unable to open for vessel traffic due the major damage sustained during Hurricane Sandy. Vertical clearance is approx. 26 feet at MHW. NYCDOT is in contract to repair the bridge. Vessels that can transit under the closed span may do so at any time. Mariners are advised to plan accordingly and exercise extreme caution when transiting the area.

Chart 12342 LNM 03/20 (CGD1)

NEW YORK - NEW YORK HARBOR – EAST RIVER - HARLEM RIVER – Electrical/Mechanical Rehabilitation – Construction to the Madison Ave Bridge across Harlem River at mile 2.3 is in progress. A protective shield will be installed around the center pier. This shield will not affect operation of the bridge. Any questions to this project can contact Kambiz Riazzi at 646-246-6666. This project is to be completed by **April 13, 2022**. Mariners are advised to exercise caution when transiting the area.
Chart 12342 LNM 03/20 (CGD1)

NEW YORK - NEW YORK HARBOR – EAST RIVER - HARLEM RIVER - Fender Damaged - It was reported that the fender system of the Metro North (Park Ave) Bridge across Harlem River at mile 2.1 is deteriorated and missing planks. Horizontal clearance under the bridge is approx. 225ft. Mariners are advised to reduce wake and exercise caution when transiting the area.
Chart 12342 LNM 03/20 (CGD1)

NEW YORK – NEW YORK HARBOR – Structural Steel Repairs and Painting – Repairs to the Verrazano Narrows Bridge over New York Harbor are in progress. Temporary safe-span platforms will be installed under the entire length of the bridge and will reduce the vertical clearance by approximately 2 ft below the traveler rail with maximum two feet sag. The temporary platform for 250ft on both sides of the centerline of the bridge for a total of 500ft must maintain less than one foot of vertical clearance reduction below the traveler rail at all times unless approved by Coast Guard Vessel Traffic Service New York (CG VTS-NY). Four corners of temporary platforms marking the 500ft center of the span where less than one foot of vertical clearance reduction is maintained will be lighted with constant burning red lights. Any questions regarding the platforms please contact Chris Daskalakis at 718-639-5880 or CG VTS-NY at 718-354-4088. This project is to be completed by **November 30, 2021**. Mariners are advised to exercise caution when transiting the area.
Chart 12327 LNM 03/20 (CGD1)

NEW YORK – NEW YORK HARBOR – Rehabilitation of the Tower Pedestals, mooring platforms and elevators – Construction on the Verrazano Narrows Bridge over New York Harbor is in progress. A spud barge will be operating IVO Brooklyn or Staten Island tower (outside navigation channel). Hours of operation are from Monday to Saturday between 6 a.m. and 5 p.m. Any questions regarding the spud barge or work please contact James Shimalla at 607-376-6486. This project is to be completed by **November 30, 2020**. Mariners are advised to exercise caution and reduce wake when transiting the area.
Chart 12327 LNM 03/20 (CGD1)

NEW YORK- HARLEM RIVER HARLEM RIVER-Bridge Modification

The Coast Guard has received an application from Metro-North Commuter Railroad Company (Metro-North) for approval of location and plans for modification of a movable railroad bridge across Harlem River, 2.3 mile, between the boroughs of Manhattan, New York County and the Bronx, Bronx County, New York. Comments on this proposal should be forwarded to the office of the Commander (dpb), First Coast Guard District Bridge Branch, Battery Park Bldg., One South Street, New York, NY 10004-1466 through **March 10, 2020**. The public notice, which describes the proposal in detail can be viewed at: <http://www.navcen.uscg.gov/?pageName=pnBridges&Archive=1®ion=1>. Copies of the public notice can be obtained by writing to the above address or calling (212) 514-4338.
Chart 12342 LNM 03/20 (CGD1)

NEW YORK AND NEW JERSEY – NEW YORK HARBOR – ARTHUR KILL – Bridge Inspections/Repairs – Inspections/Repairs to the Goethals Bridge across the Arthur Kill, mile 11.5 will commence on January 15, 2020. Hours of operations are between 7 a.m. and 4 p.m. At times, an underdeck traveler will be operating at various locations over the navigation channel. Mariners requiring full vertical clearance can contact Carlo Thompson via marine radio VHF-FM Ch. 13/16 or call 848-231-3359/732-598-1327. This project is to be completed by **January 30, 2020**. Mariners are advised to exercise caution when transiting the area.
Chart 12327 LNM 03/20 (CGD1)

NEW YORK AND NEW JERSEY – NEW YORK HARBOR – ARTHUR KILL – Main Pier Protection – Construction to the Outerbridge Crossing Bridge across Arthur Kill at 2.0 is in progress. Hours of operation are from 0700 to 1500. From July 1, 2019 to **August 16, 2019**, the crane and pile barges will be operating IVO New Jersey side of the fender system. All other times the barges will be operating outside the navigation channel. A minimum of 436 ft. of horizontal clearance will be maintained at all times. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call 732-522-1916 or 908-413-7618 with 2 hours advance notice. The project will be completed by **May 1, 2020**. Mariners are advised to exercise caution when transiting the area.
Chart 12327 LNM 03/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER – Fender Replacement – Construction to the Routes 1 & 9 Bridge, across Hackensack River at mile 1.8 is in progress. Temporary false work and turbidity barrier will be installed at the existing fender location, which will reduce horizontal clearance by approximately 10 feet. Crane and material barges will be operating in the navigation Channel from Monday to Friday between 7 a.m. and 7 p.m. Contractor will maintain a minimum of 100 feet of unobstructed Channel at all times. Mariners requiring more than 100 feet of horizontal clearance can contact Jack Clark at 215-815-1251 or via marine radio VHF-FM CH. 13/16 with 24-hour advance notice. This project will be completed by **July 21, 2020**. Mariners are advised to exercise caution when transiting the area.
Chart 12337 LNM 03/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER - Notice of Proposed Rulemaking – The Coast Guard proposes to modify the drawbridge operation regulations governing the Route 1 & 9 Bridge, mile 1.8, and Route 7 Bridge, mile 3.1, both across Hackensack River, at Jersey City, New Jersey. This proposed rule would allow both bridges to operate as follows: The Route 1 & 9 Bridge and Route 7 Bridge shall open on signal; except that, from 11 p.m. to 7 a.m., the draw shall open on signal if at least two hours advance notice is given by calling the number posted at the bridge. Written comments or related material must reach the Coast Guard by **February 18, 2020**. Submit comments through the Federal eRulemaking Portal at <http://www.regulations.gov> noting docket number USCG-2019-0892. In addition, **Public Notice 1-174** dated December 19, 2019 has been published on the USCG Navigation Center website at: <https://www.navcen.uscg.gov/D1BN>. If you cannot use the online portal, you may mail your comments directly to Commander, First Coast Guard District Bridge Branch, Battery Park Building, One South Street, New York, NY 10004-1466.
Chart 12337 LNM 03/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER - New Bridge Construction – Replacement of the Wittpenn Bridge across the Hackensack River at mile 3.1 is in progress. The following TENTATIVE Channel closure schedule will be utilized during the construction of the new bridge towers and lift span: Dates for a maximum of 40, daily (24-hour) Channel closures - to be determined. Dates for 21-day full channel closure to install the liftspan - to be determined. Dates for 74-day of 70 foot vertical clearance restriction - to be determined.

12-Hour Advance Notice Protocol: While CCA (contractor) is working in the navigable Channel, other than during the daily/full Channel closures, CCA would like to implement the following 12 Hour Advance Notice Protocol.

1. Mariners will call one of the following three personnel and provide a 12-hour advance notice of their travel time through the Channel, including possible return trips:
 - a. Kevin Brown – Superintendent – 201-708-3776
 - b. Mark White – Mechanical Manager – 973-997-4792
 - c. Pableo Lemus – Project Engineer – 732-433-3827
2. CCA will prepare barges to be moved from the Channel prior to the vessel(s) arrival onsite.
3. Tugboats will move CCA barges from the work hour location in the Channel to the off-hour work location.
4. Mariners will safely transit through the navigable Channel.
5. CCA will remobilize barge(s) back into prior work position(s) once the vessel(s) are safely past the Channel and clear of the jobsite.

Under this protocol, Mariners will provide a 12 Hour Advance Notice, stating when they will be transiting the Channel. Once CCA receives notice from a mariner, the barge(s) will be moved from the navigable waterway and allow the vessel(s) to pass. Please email “raab_evan@ChinaConstruction.us” if you would like to receive email updates during this portion of the contract. This project will be completed by **January 31, 2021**. Mariners are advised to exercise extreme caution when transiting the area.
Chart 12337 LNM 03/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER - Notice of Temporary Deviation – The Coast Guard has issued a temporary deviation from the regulation governing the operation of the Amtrak Portal Bridge across Hackensack River at mile 5.0. Under this temporary deviation, in effect from 12:01 a.m. on January 9, 2019 to 11:59 p.m. on **March 8, 2020**, the Amtrak Portal Bridge need not open for the passage of vessel traffic from 5 a.m. to 10 a.m. and from 3 p.m. to 8 p.m. Additional bridge openings shall be provided for tide restricted commercial vessels from 7 a.m. to 8 a.m. and from 5 p.m. to 6 p.m., if at least a two-hour advance notice is given by calling the number posted at the bridge. At all other times the bridge shall open on signal if at least two-hour advance notice is given. Vessels that can pass under the span without a bridge opening may do so at all times. Mariners are advised to plan their transits accordingly.
Chart 12337 LNM 03/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER – Fender Replacement – Construction to the Route 3 Eastbound Bridge, across Hackensack River at mile 8.8 is in progress. Temporary false work and turbidity barrier will be installed at the existing fender location, which will reduce horizontal clearance by approximately 10 feet. Crane and material barges will be operating in the navigation Channel from Monday to Friday between 7 a.m. and 7 p.m. Contractor will maintain a minimum of 74 feet of unobstructed Channel at all times. Mariners requiring more than 74 feet of horizontal clearance can contact Jack Clark at 215-815-1251 or via marine radio VHF-FM CH. 13/16 with 24-hour advance notice. This project will be completed by **July 21, 2020**. Mariners are advised to exercise caution when transiting the area.
Chart 12337 LNM 03/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER – Fender Replacement – Construction to the Route 3 Westbound Bridge, across Hackensack River at mile 8.9 is in progress. Temporary false work and turbidity barrier will be installed at the existing fender location, which will reduce horizontal clearance by approximately 10 feet. Crane and material barges will be operating in the navigation Channel from Monday to Friday between 7 a.m. and 7 p.m. Contractor will maintain a minimum of 75 feet of unobstructed Channel at all times. Mariners requiring more than 75 feet of horizontal clearance can contact Jack Clark at 215-815-1251 or via marine radio VHF-FM CH. 13/16 with 24-hour advance notice. This project will be completed by **July 21, 2020**. Mariners are advised to exercise caution when transiting the area.
Chart 12337 LNM 03/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER – Monitoring Equipment Installation – GPI will be performing interim monitoring at the Piers 15 and 18 of New Jersey Turnpike Bridge across Hackensack River at mile 11.8 is in progress. Nylon ropes/wire cables rigging will be installed around each pier base and to the immediate adjacent shoreline approximately 3ft above mean high water. Ropes/cables will be equipped with reflective tapes/flagging and flashing red lights. This project is to be completed by **June 30, 2020**. Mariners are advised to use main navigation channel and exercise caution when transiting the area.
Chart 12337 LNM 03/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER – Fender Replacement – Construction to the Route 46 Bridge, across Hackensack River at mile 14 is in progress. Temporary false work and turbidity barrier will be installed at the existing fender location, which will reduce horizontal clearance by approximately 10 feet. Crane and material barges will be operating in the navigation Channel from Monday to Friday between 7 a.m. and 7 p.m. Contractor will maintain a minimum of 75 feet of unobstructed Channel at all times. Mariners requiring more than 75 feet of horizontal clearance can contact Jack Clark at 215-815-1251 or via marine radio VHF-FM CH. 13/16 with 24-hour advance notice. This project will be completed by **July 21, 2020**. Mariners are advised to exercise caution when transiting the area.
Chart 12337 LNM 03/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – PASSAIC RIVER – Fender Repairs – Construction to the New Jersey Turnpike Bridge, across Passaic River at mile 2.7 is in progress. Two barges and a push boat will be operating in the navigation Channel from Monday to Friday between 7 a.m. and 4:30 p.m. Contractor will maintain a minimum half of the unobstructed navigation channel available at all times. Mariners requiring more than half of navigation clearance can contact Connor Miller at 908-618-6325 or via marine radio VHF-FM CH. 13/16 with 2-hour advance notice. This project will be completed by **February 28, 2020**. Mariners are advised to exercise caution when transiting the area.
Chart 12337 LNM 03/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – PASSAIC RIVER – Bridge Replacement – Construction to the Eighth Street Bridge across Passaic River at mile 15.3 is in progress. There will not be any equipment in the waterway. This project is to be completed by **February 1, 2020**. Mariners are advised to exercise caution when transiting the area.
Chart 12337 LNM 03/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – PASSAIC RIVER – Notice of Temporary Deviation from Regulations – The Coast Guard has issued a temporary deviation from the regulations governing the operation of the Clay Street Bridge, mile 6.0, Bridge Street Bridge, mile 5.6 and Jackson Street Bridge, mile 4.6, all across Passaic River between Essex and Hudson Counties, New Jersey for emergency repairs. Under this temporary deviation in effect from 12:01 a.m. on October 24, 2019 to 11:59 p.m. on **April 20, 2020**, the draws will open on signal if at least 24 hours advance notice Monday through Friday and 48 hours advance notice Saturday through Sunday is given by calling Luis Rodriguez at 973-332-7281. Vertical clearance at mean high water for the Clay Street Bridge is approx. 8ft; Bridge Street Bridge is approx. 7ft; and Clay Street Bridge is approx. 15ft. Vessels that can transit under the closed span may do so at any time. During this deviation period, all bridges are operating under an Emergency Standard Operating Procedures (ESOP). Mariners are advised to refrain from entering the navigable channel until such time as the span has come to a complete halt. Mariners are advised to plan accordingly and exercise extreme caution when transiting the area.

Chart 12337 LNM 03/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – PASSAIC RIVER – Fender Replacement – Construction to the Routes 1 & 9 Bridge, across Passaic River at mile 1.8 is in progress. Temporary false work and turbidity barrier will be installed at the existing fender location, which will reduce horizontal clearance by approximately 10 feet. Crane and material barges will be operating in the navigation Channel from Monday to Friday between 7 a.m. and 7 p.m. Contractor will maintain a minimum of 149 feet of unobstructed Channel at all times. Mariners requiring more than 149 feet of horizontal clearance can contact Jack Clark at 215-815-1251 or via marine radio VHF-FM CH. 13/16 with 24-hour advance notice. This project will be completed by **July 21, 2020**. Mariners are advised to exercise caution when transiting the area.

Chart 12337 LNM 03/20 (CGD1)

NEW YORK AND NEW JERSEY – NEW YORK HARBOR – CHEESEQUAKE CREEK – Fender Replacement – Construction on the Route 35 Bridge, across Cheesequake Creek at mile 0.0 is in progress. A turbidity barrier will be installed at the existing fender location and will not reduce horizontal clearance in the navigation channel. Crane and material barges will be occupying the navigation channel 7-days per week between 6 a.m. and 6 p.m. through March 1, 2020. Mariners requiring full horizontal clearance can contact Jack Clark at 215-815-1251 or Steve Carullo at 609-313-2912 or via marine radio VHF-FM CH. 13/16 with 24-hour advance notice on weekdays and 12-hour advance notice on weekends. This project will be completed by **December 31, 2020**. Mariners are advised to exercise caution when transiting the area.

Chart 12327 LNM 03/20 (CGD1)

NEW YORK AND NEW JERSEY – NEW YORK HARBOR – MATAWAN CREEK – Fender Replacement – Construction on the Route 35 Bridge, across Matawan Creek at mile 0.9 is in progress. A turbidity barrier will be installed at the existing fender location and will not reduce horizontal clearance in the navigation channel. Crane and material barges will be operating in the navigation channel from Monday to Friday between 7 a.m. and 7 p.m. Contractor will maintain a minimum half of unobstructed channel at all times. Mariners requiring full horizontal clearance can contact Jack Clark at 215-815-1251 or Steve Carullo at 609-313-2912 or via marine radio VHF-FM CH. 13/16 with 24-hour advance notice. This project will be completed by **December 31, 2020**. Mariners are advised to exercise caution when transiting the area.

Chart 12327 LNM 03/20 (CGD1)