



U.S. Department
of Homeland Security
**United States
Coast Guard**

LOCAL NOTICE TO MARINERS

District: 1

Week: 42/20

COASTAL WATERS FROM EASTPORT, MAINE TO SHREWSBURY, NEW JERSEY

NOTES:

- (1) Unless otherwise indicated, missing and destroyed structures are presumed to be in the immediate vicinity of assigned position. Mariners should proceed with caution.
- (2) The Local Notice to Mariners is a weekly edition.
- (3) Inquiries, published articles or Information: mail to: D1LNM@uscg.mil
- (4) The U.S. Coast Pilot supplements the navigational information shown on nautical charts.
- (5) The Coast Pilot, along with its corrections, are available online at <https://nauticalcharts.noaa.gov/publications/coast-pilot/index.html>.

The Local Notice to Mariners is available online at <https://www.navcen.uscg.gov/-pageName=lnmDistrict®ion=1>
 The updated 2017 Light List is available online at: <https://www.navcen.uscg.gov/-pageName=lightListWeeklyUpdates>
 Information on Private Aids to Navigation is available at: <http://www.usharbormaster.com/>
 Reports of Channel conditions can be found at the Army Corps of Engineers website at:
<http://www.nan.usace.army.mil/Missions/Navigation/ControllingDepthReports.aspx>.
 NOAA Tides and Currents can be found at: <http://tidesandcurrents.noaa.gov/>.

The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information for GPS and DGPS. The NIS also disseminates Safety Broadcasts (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). NANU notices can be obtained via email subscription through the USCG Navigation Center website: <http://cgls.uscg.mil/mailman/listinfo/nanu> . In addition, the NIS investigates all reports of degradation or loss of GPS, DGPS or AIS service. Users are encouraged to report all degradation or loss of radio navigation services to the NIS via any of the following: Phone: (703) 313-5900, mail to: tis-sg-nisws@uscg.mil, or on the internet at: <https://www.navcen.uscg.gov>.

PLEASE IMMEDIATELY REPORT DISCREPANCIES IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

COMMANDER, FIRST COAST GUARD DISTRICT (dpw)
 408 Atlantic Avenue, Boston, Massachusetts 02110-3350
 Telephone: (617) 223-8356
 24 Hour FAX: (617) 223-8094
<http://www.uscg.mil/d1/prevention/Marineinforegulations.asp>

All bearings are in degrees TRUE - All times are in Local Time unless otherwise noted.

ABBREVIATIONS

A through H

ADRIFT - Buoy Adrift
 AICW - Atlantic Intracoastal Waterway
 AI - Alternating
 B - Buoy
 BKW - Breakwater
 bl - Blast
 BNM - Broadcast Notice to Mariner
 bu - Blue
 C - Canadian
 CHAN - Channel
 CGD - Coast Guard District
 C/O - Cut Off
 CONT - Contour
 CRK - Creek
 CONST - Construction

I through O

I - Interrupted
 ICW - Intracoastal Waterway
 IMCH - Improper Characteristic
 INL - Inlet
 INOP - Not Operating
 INT - Intensity
 ISL - Islet
 Iso - Isophase
 kHz - Kilohertz
 LAT - Latitude
 LB - Lighted Buoy
 LBB - Lighted Bell Buoy
 LHB - Lighted Horn Buoy
 LGB - Lighted Gong Buoy
 LONG - Longitude

P through Z

PRIV - Private Aid
 Q - Quick
 R - Red
 RACON - Radar Transponder Beacon
 Ra ref - Radar reflector
 RBN - Radio Beacon
 REBUILT - Aid Rebuilt
 RECOVERED - Aid Recovered
 RED - Red Buoy
 REFL - Reflective
 RRL - Range Rear Light
 RELIGHTED - Aid Relit
 RELOC - Relocated
 RESET ON STATION - Aid Reset on Station
 RFL - Range Front Light

DAYMK/Daymk - Daymark
DBN/Dbn - Daybeacon
DBD/DAYBD - Dayboard
DEFAC - Defaced
DEST - Destroyed
DISCON - Discontinued
DMGD/DAMGD - Damaged
ec - eclipse
EST - Established Aid
ev - every
EVAL - Evaluation
EXT - Extinguished
F - Fixed
fl - flash
FI - Flashing
G - Green
GIWW - Gulf Intracoastal Waterway
HAZ - Hazard to Navigation
HBR - Harbor
HOR - Horizontal Clearance
HT - Height

LNM - Local Notice to Mariners
LT - Light
LT CONT - Light Continuous
LTR - Letter
LWB - Lighted Whistle Buoy
LWP - Left Watching Properly
MHz - Megahertz
MISS/MSNG - Missing
Mo - Morse Code
MRASS - Marine Radio Activated Sound Signal
MSLD - Misleading
N/C - Not Charted
NGA - National Geospatial-Intelligence Agency
NO/NUM - Number
NOS - National Ocean Service
NW - Notice Writer
OBSCU - Obscured
OBST - Obstruction
OBSTR - Obstruction
Oc - Occulting
ODAS - Anchored Oceanographic Data Buoy

RIV - River
RRASS - Remote Radio Activated Sound Signal
s - seconds
SEC - Section
SHL - Shoaling
si - silent
SIG - Signal
SND - Sound
SPM - Single Point Mooring Buoy
SS - Sound Signal
STA - Station
STRUCT - Structure
St M - Statute Mile
TEMP - Temporary Aid Change
TMK - Topmark
TRLB - Temporarily Replaced by Lighted Buoy
TRLT - Temporarily Replaced by Light
TRUB - Temporarily Replaced by Unlighted Buoy
USACE - Army Corps of Engineers
W - White
Y - Yellow

Additional Abbreviations Specific to this LNM Edition:

SNNE- U.S. Coast Guard Sector Northern New England
SBOS- U.S. Coast Guard Sector Boston
SSENE- U.S. Coast Guard Sector Southeastern New England
SLIS- U.S. Coast Guard Sector Long Island Sound
SNEW- U.S. Coast Guard Sector New York

AIS - Automatic Identification System
AtoN - Aids to Navigation
LLNR - Light List Number
NM - Nautical Mile

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

NOAA RIGHT WHALE SLOW ZONES CAMPAIGN

NOAA Fisheries announces a new "Right Whale Slow Zones" campaign asking all vessel operators to reduce the risk of vessel strike to critically endangered North Atlantic right whales by slowing down or avoiding areas where right whales have been detected. Complementary to other NOAA vessel strike reduction efforts, the "Right Whale Slow Zones" campaign brings together sighting information, from NOAA's Dynamic Management Area program, with new acoustic detection information to help vessels of all sizes slow down in areas where right whales have been detected. We would like to thank our North Atlantic right whale Northeast U.S. Implementation Team (NEIT), our partners and advisers on right whale recovery activities from Maine through Virginia, who identified this opportunity to enhance vessel strike reduction efforts using acoustic information. If we've learned anything this year – it's that working together we can make a difference - and that's true for reducing vessel strike to right whales as well. Read more about our new campaign in our web story (link follows).

Media Questions: Contact Allison Ferreira, Regional Office, 978-281-9103

Inquiries about the right whale SLOW Zone program: Peter Kelliher, Protected Resources Division 978-282-8474

Further Slow Zone details: <https://www.fisheries.noaa.gov/feature-story/help-endangered-whales-slow-down-slow-zones>

Reducing Ship Strike: <https://www.fisheries.noaa.gov/national/endangered-species-conservation/reducing-ship-strikes-north-atlantic-right-whales>

LNM: 32/20

ME, NH, MA, RI, CT, NY, NJ-ATLANTIC OCEAN-OFFSHORE STRUCTURE PATON MARKING GUIDANCE

For Private Aids to Navigation (AtoN) applicants requesting Coast Guard permits to provide navigational markings on offshore wind energy area structures in First District-area waters, the following structure identification, lighting, sound signal, and Automated Identification System (AIS) capabilities are strongly recommended. Applicants should plan to apply for one Private Aid Permit per structure (to include all labels, light(s), sound signals and AIS signals). Private AtoN Permit applications should be submitted no sooner than 30 days prior to the need to activate a structure's final markings. Additional specific recommendations include:

Tower Identification:

- Uniquely lettered and numbered in an organized pattern as near to rows and columns as possible to maximize charting effectiveness
- Letters and numbers labelled to as near to 3 meters high as possible
- Visible above any servicing platforms
- Visible throughout a 360-degree arc from the water's surface
- Visible at night through use of retro-reflective paint and lettering/numbering materials
- If feasible, also labelled below the servicing platform

Lighting:

- Located on all structures, preferably on the servicing platform, visible throughout a 360-degree arc from the water's surface
- Corner Towers/Significant Peripheral Structures (SPSs): Quick flashing yellow (QY) energized at a five nautical mile range
- Outer Boundary Towers: Yellow 2.5 sec (FL Y 2.5s) energized at three nautical mile range
- Interior Towers: Yellow 6 sec or yellow 10 sec (FL Y 6/FL Y 10) energized at a two nautical mile range
- All lights should be synchronized by their structure location within the field of structures

Note: All temporary base, tower and construction components preceding the final structure completion must be marked with Quick Yellow (QY) obstruction lights visible throughout 360 degrees at a distance of 5NM. These do not require permits, only Coast Guard notification for appropriate marine notices and broadcasts until the final structure marking is established.

Sound Signals:

- Should be located on all structures located at corners/SPSs
- Sound every 30 seconds (4s Blast, 26s off)
- Set to project at a range of 2NM
- Should not exceed 3NM spacing between perimeter structures
- Must be Mariner Radio Activated Sound Signal (MRASS) activated by keying VHF Radio frequency 83A five times within ten seconds
- Timed to energize for 45 minutes from last VHF activation

Automated Information System (AIS) Transponder Signals:

- Must be transmitted superimposed at all corner structures/SPSs
- Should be capable of transmitting signals to mark all locations of all structures throughout an established field
- Must be approved at the Coast Guard Headquarters level (CG-NAV) based on the First Coast Guard District's recommendation

PATON Application Website: WWW.USHARBORMASTER.COM.

Please forward questions or feedback in an e-mail to:

D01-SMB-DPWPublicComments@uscg.mil.

Charts: 13003 13006 13009 13200

LNM: 33/20

COAST GUARD SEEKS COMMENTS ON HOW TO IMPROVE OUR NATION'S SHALLOW DRAFT WATERWAYS ATON SYSTEM

The U.S. Coast Guard is conducting a Waterways Analysis and Management System (WAMS) Study on the Shallow Draft system (waters less than 12 feet). The purpose of this study is to determine the navigational needs and requirements of vessels operating in shallow draft navigable waterways throughout the country. The study will focus on the existing shallow water Aids to Navigation (ATON) system, future development projects, waterborne commerce transiting these waters, and marine casualty information. Waterway users, interested parties, and stakeholders are invited to provide comments or feedback via the tool posted at <https://www.surveymonkey.com/r/ShallowWaterWAMS>. This link will remain available until November 1, 2020. Further questions or comments may be emailed to CGNAV@uscg.mil using the subject line: "Shallow Draft WAMS".

LNM: 32/20

MARINER ALERT-SHIP/WHALE COLLISIONS

NOAA just designated the North Atlantic right whale as a Species in the Spotlight because it is on the brink of extinction. Collisions between vessels and whales are a threat to a number of endangered large whale species – most notably, the right whale. The United States has established measures to reduce this threat. A vessel speed restriction requires that vessels 65 feet or greater in length travel 10 knots or less in certain areas and on a rolling basis at certain times where endangered right whales may be present:

<http://www.greateratlantic.fisheries.noaa.gov/protected/shipstrike/training/NOAA-RightWhalesCD.iso>. This rule applies within 20 nautical miles around all major ports and in other locations along the U.S. eastern seaboard. Temporary voluntary speed limits also may be imposed in other areas when an aggregation of three or more right whales is confirmed. In addition, ships 300 GT and greater are required to report their location and speed to a USCG shore station in certain prescribed areas:

https://www.greateratlantic.fisheries.noaa.gov/shipstrike/doc/guidelines%20placard_high.pdf. A computer-based interactive guide and training resource for mariners is available at: <http://www.greateratlantic.fisheries.noaa.gov/shipstrike/doc/mtr.html>. The guide provides information on endangered whales, recommended navigational actions when operating in whale habitat, a guide to reporting sightings of dead or injured right whales, and related information. Additional steps mariners can take to help reduce the chances of hitting a right whale can be found at: http://www.nero.noaa.gov/shipstrike/doc/guidelines%20placard_high.pdf.

LNM: 44/19

NOVEL CORONAVIRUS

"The outbreak of respiratory illness caused by the COVID-19 virus may affect mariners and maritime commerce transiting to or near New England, New York and New Jersey waters. Additional interim guidance for ships on managing suspected coronavirus disease concerns is available at <https://www.cdc.gov/quarantine/maritime/recommendations-for-ships.html>. An enclosure to this LNM includes additional information as well as a number of links to websites where additional information regarding this illness can be obtained. Mariners with questions/concerns while transiting to or near New England, New York and New Jersey should contact the nearest Coast Guard Sector Command Center at:

Sector New York: (718) 354-4353

Sector Long Island Sound: (203) 468-4404

Sector Southeastern New England: (508) 457-3211

Sector Boston: (617) 223-5757

Sector Northern New England: (207) 7670303

SEE ENCLOSURE

LN: 10/20

US- Atlantic Seacoast

Critically endangered right whales may be encountered in offshore and coastal waters. Right whales are slow moving and at risk of serious injury or death due to collisions with vessels. U.S. law (50 CFR 224.105) prohibits operating vessels 65 feet (19.8 m) or greater in excess of 10 knots in specific managed locations along the U.S. East Coast during times when right whales are likely to be present. See enclosed compliance guide for specific times, areas, and exceptions to this law. Approaching or remaining within 500 yards of right whales is prohibited and is a violation of U.S. law. A minimum distance of 500 yards must be maintained from a sighted whale unless hazardous to the vessel or its occupants. The National Oceanic and Atmospheric Administration (NOAA) recommends that operators assume that any whale sighted is a right whale unless confirmed otherwise. NOAA also recommends speeds of 10 knots or less in areas used by right whales and outside of seasonally managed areas when consistent with safety of navigation. In the northeast, please report all right whale sightings, collisions, or entanglements to 866-755-NOAA, or to the Coast Guard via channel 16. WHALESNORTH Mandatory Ship Reporting Area is active year-round. For more information, consult the U.S. Coast Pilot. MSR arrival reports can be sent via TELEX number 48156090 or email to rightwhale.msr@noaa.gov.

LN: 42/20

NOTICE TO ALL PRIVATE BOATS AT SEA

United States laws and regulations require that ALL private boats arriving from a foreign port or place MUST report to the Bureau of Customs and Border Protection IMMEDIATELY upon their arrival into the United States. Every person entering the United States must be seen in person for immigration purposes by a Customs and Border Protection officer, except those participating in the I-68 -Canadian Border Boat Landing Program. However, holders of form I-68 are still required to report their arrival into the United States to the Bureau of Customs and Border Protection. Masters and passengers must provide proof of citizenship or legal immigration status, and be in possession of a valid passport and visa, if required. Citizens of countries that are participants in the Visa Waiver Program are not eligible to seek admission to the United States under that program via private vessel. Once your boat is anchored or tied, you are considered to have entered the United States. No one may leave the vessel until Customs and Border Protection grants permission. The only exception to this requirement is to report arrival. In order to fulfill the requirement to immediately report a private boat arrival, the master of the vessel must contact the nearest Customs and Border Protection Office, or if the arrival occurs after business hours, the nearest 24 hour port of entry. Upon reporting, you may be required to proceed to a staffed port for inspection by Customs and Border Protection. Failure to comply with these requirements could result in serious criminal and civil penalties, including seizure of the boat. International mariners are urged to report any suspicious or illegal activity to the Bureau of Customs and Border Protection at 1-800-BE-ALERT.

LN: 13/18

NY/NJ – OPERATION CLEAR CHANNEL IN THE PORT OF NY/NJ

The Operation Clear Channel program is designed to educate boaters about the hazards of operating small vessels and personal watercraft in the confines of navigational channels used by larger commercial ships. Federal Navigation Rules, also known as the "Rules of the Road", address this safety concern by giving commercial vessels priority, or right-of-way, over smaller vessels when navigating in narrow channels. An average of 1,400 commercial vessels navigate the waters of the Port of NY/NJ every day and the masters of these vessels, while always on the lookout, cannot always see smaller vessels operating within the channels.

Recreational boaters should keep a sharp lookout and always be prepared to give way to ships constrained in their ability to maneuver, especially when operating within close proximity of a channel. U.S. Coast Guard units in New York and New Jersey actively promote boater awareness through vessel enforcement patrols and visits to local marinas. The U.S. Coast Guard focuses Operation Clear Channel efforts on high-traffic regions, such as Ambrose Channel, Sandy Hook Channel and Raritan Bay, but patrols all of New York Harbor in an effort to promote awareness. Mariners interested in increasing their knowledge of boating safety, including the "Rules of the Road", should consider a U.S. Coast Guard Auxiliary boating safety course. Course information is available online at <http://www.cgaux.org> in the "Take a Boating This free online educational resource for safe boating in the Port of NY & NJ is a cooperative effort by the I BOAT NJ program through NJ DOT and U.S. Coast Guard Sector New York. The project contains a feature length 26 minute safety video describing the challenges of the multi user Port environment and 5 sub chapters: Paddlers, Motor Boaters, Sailors, Pilots and Operation Clear Channel. Its mission is to increase safety and awareness in the Port and its target is recreational boaters who transit and operate in the PortCourse" section, or by calling 1-800-336-BOAT. Further information can be found at <http://thesafeharbor.us/index.html>

LN: 13/18

US NOTICE TO MARINERS (NTM)

The US Notice to Mariners provides timely marine safety information for the correction of all US Government navigation charts and publications from a wide variety of sources both foreign and domestic. To ensure the safety of life at sea, the information published in the Notice to Mariners is designed to provide for the correction of unclassified nautical charts, the Unclassified NGA/DLIS Catalog of Hydrographic Products, United States Coast Pilots, NGA List of Lights, USCG Light Lists, and other related nautical publications produced by NGA, NOS and the U.S. Coast Guard. The US Notice to Mariners will contain only those chart corrections of interest to ocean going vessels. It is available online at http://msi.nga.mil/NGAPortal/MSI.portal?_nfpb=true&_pageLabel=msi_portal_page_61. NTM 01 – Special Paragraphs includes information on: America's Waterway Watch program asking those who work, live, or recreate on or near the water to be aware of suspicious activity, The Prudent Mariner and the use of floating Aids to Navigation, and Northern Right Whales.

LN: 13/18

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
395	Three and One-Half Fathom Ledge Lighted Bell Buoy 2	MISSING/HAZ NAV	13270	SBOS-0093-20	40/20	
825	NOAA Data Lighted Buoy 44011 (ODAS)	MISSING/HAZ NAV	13204	SENE-0126-20	30/20	
1105	Thornton Point Ledge Daybeacon 4	MISSING/STRUCT DEST/TRUB	13392	SNNE-0161-18	14/18	
1570	Bungy Rock Daybeacon 15	DAYMK IMCH	13324	SNNE-0054-19	17/19	
2750	Halibut Rocks Light	DAYMK MISSING	13315	SNNE-0171-19	41/19	
3070	Crotch Island Light 21	DAYMK IMCH	13315	None	40/19	
3325	Saddleback Ledge Light	SS INOP	13303	SNNE-0137-20	42/20	
4100	Drunkard Ledge Daybeacon	DAYMK IMCH	13308	SNNE-0037-18	11/18	
4270	Porterfield Ledge Daybeacon	DAYMK DMGD	13307	SNNE-0089-20	30/20	
5165	Webber Sunken Ledge Buoy 2	OFF STA	13301	SNNE-0123-20	38/20	
5260	Hypocrite Ledge Daybeacon H	DAYMK DMGD	13293	SNNE-0079-20	28/20	
5783	Sheepscot River Buoy 20A	HAZ NAV/SINKING	13296	SNNE-0114-20	35/20	
6025	Pond Island Light	LT EXT/SS INOP	13295	SNNE-0127-20	37/20	
6535	Goudy Ledge Daybeacon	DAYMK MISSING	13290	SNNE-0141-19	35/19	
6720	Merriconeag Sound Approach Daybeacon 10	DAYMK IMCH	13290	SNNE-0044-19	35/17	
6760	Haskell Island Reef Buoy 3	SINKING	13290	SNNE-0138-20	42/20	
8155	Fishing Rock Daybeacon F	DAYMK MISSING	13286	SNNE-0043-19	19/17	
10025	Bowditch Ledge Daybeacon	STRUCT DEST	13276	SBOS-0185-18	47/18	
10065	Abbot Rock Daybeacon	STRUCT DEST/HAZ NAV/DAYMK MISSING	13276	SBOS-0126-19	43/19	
10265	Lobster Rocks Daybeacon 13A	STRUCT DEST/DAYMK MISSING	13276	SBOS-0139-19	48/19	
11334	Three and One-Half Fathom Ledge Lighted Bell Buoy 2	MISSING/HAZ NAV	13270	SBOS-0093-20	40/20	
13110	Barnstable Harbor Entrance Lighted Buoy 6	LT EXT	13251	SENE-0169-20	40/20	
13120	Barnstable Harbor Lighted Buoy 8	LT EXT	13251	SENE-0169-20	40/20	
13125	Barnstable Harbor Lighted Buoy 9	LT EXT	13251	SENE-0169-20	40/20	
13185	Billingsgate Lighted Buoy 5	LT EXT	13250	SENE-0168-20	40/20	
13195	Billingsgate Island Lighted Buoy 8	LT EXT	13250	SENE-0168-20	40/20	
13200	Wellfleet Harbor Channel Lighted Buoy 10	LT EXT	13250	SENE-0168-20	40/20	
13535	Pollock Rip Channel Lighted Buoy 4	OFF STA/HAZ NAV	13244	SNNE-0172-20	41/20	
14040	Saquatucket Harbor Junction Buoy S	MISSING/HAZ NAV	13229	SENE-0174-20	42/20	
15890	Robinsons Hole Buoy 6	SINKING	13229	SENE-0175-20	42/20	
15935	Canapitsit Channel Buoy 2	HAZ NAV/SINKING	13229	SENE-0150-20	35/20	
19860	Shagwong Rock Lighted Buoy SR	LT EXT	13209	SLIS-0111-20	34/20	
19860	Shagwong Rock Lighted Buoy SR	MISSING	13209	SLIS-0112-20	34/20	
21920	New London Harbor Buoy 11	OFF STA/HAZ NAV	13213	SLIS-0132-20	38/20	
22940	Connecticut River Light 48	STRUCT DMGD/TRUB	12377	SLIS-0238-18	48/18	
24085	New Haven Harbor Channel Lighted Buoy 8	HAZ NAV	12371	SLIS-0143-20	42/20	
24810	Southport Breakwater Light 12	LT IMCH	12369	SLIS-0036-20	16/20	
26870	Cold Springs Harbor Light	LT EXT	12365	SLIS-0099-20	29/20	
27565	Bronx River Channel Buoy 4	MISSING/HAZ NAV	12339	SNEW-0349-20	42/20	
30900	Jones Inlet Lighted Whistle Buoy JI	OFF STA/HAZ NAV	12352	SLIS-0135-20	39/20	

30925	Jones Inlet Lighted Buoy 4	OFF STA/HAZ NAV	12352	SLIS-0103-20	22/20
34355	Sheepshead Bay Buoy 7	MISSING/TRUB	12350	SNEW-0309-20	37/20
34790	West Bank Front Range Light	SS INOP	12402	SNEW-0340-20	41/20
35005	Ellis Island Lighted Gong Buoy 35	LT EXT	12334	SNEW-0351-20	42/20
35660	Naval Weapon Station Earle Security Zone Lighted Buoy 1	MISSING	12401	SNEW-0038-20	17/20
37600	Hackensack River Buoy 18	MISSING/HAZ NAV	12337	SNEW-0295-20	35/20
38010	Hudson River Lighted Buoy 40	LT EXT	12343	SNEW-0350-20	42/20
38080	Hudson River Lighted Buoy 56	LT EXT	12347	SNEW-0345-20	42/20
	Hick Rocks Daybeacon 2	DAYMK DMGD	13283	SNNE-0144-17	35/17

DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
155	Boon Island Light	WATCHING PROPERLY	13278	SNNE-0118-20	36/20	42/20
2197	Valley Cove Mooring Buoy CG	WATCHING PROPERLY	13318	SNNE-0134-20	41/20	42/20
2995	Potato Ledge Buoy 5	WATCHING PROPERLY	13315	SNNE-0131-20	40/20	42/20
7565	Portland Head Light	WATCHING PROPERLY	13292	SNNE-0136-20	42/20	42/20
12540	Gurnet Rock Buoy 2	WATCHING PROPERLY	13253	SBOS-0097-20	41/20	42/20
20440	Rock Island South Buoy 2R	WATCHING PROPERLY	13214	SLIS-0140-20	41/20	42/20
21275	Old Field Point Light	WATCHING PROPERLY	12362	SLIS-0141-20	41/20	42/20
22115	Long Reach Lower Light 24	WATCHING PROPERLY	12372	SLIS-0139-20	35/20	42/20
27215	Whitestone Point Light 1	WATCHING PROPERLY	12366	SNEW-0312-20	37/20	42/20
27450	Westchester Creek Channel Buoy 12	WATCHING PROPERLY	12366	SNEW-0327-20	39/20	42/20
35040	Sandy Hook Light	WATCHING PROPERLY	12401	SNEW-0346-20	42/20	42/20
35070	Romer Shoal Light	WATCHING PROPERLY	12401	SNEW-0343-20	42/20	42/20
39605	Appletree Point Buoy 1	WATCHING PROPERLY	14782	SNNE-0135-20	42/20	42/20

DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
368.2	Neptune LNG Deepwater Port Lighted Buoy South B1	LT EXT	13274	SBOS-0043-20	22/20	
8386	Seavey Island Daybeacon 12A	STRUCT DEST/HAZ NAV	13283	SNNE-0019-20	10/20	
11411.3	Nantasket Roads DRC Lighted Hazard Buoy D	MISSING/HAZ NAV	13270	SBOS-0018-20	14/20	
11569	Western Way Obstruction Light F1	LT EXT	13270	SBOS-0039-20	21/20	
13026	Pilgrim Power Plant Security Zone Buoy A	MISSING/HAZ NAV	13253	SBOS-0088-20	37/20	
13027	Pilgrim Power Plant Security Zone Buoy B	MISSING/HAZ NAV	13253	SBOS-0089-20	37/20	
15510	Lagoon Pond Daybeacon 8	DAYMK MISSING	13238	None	16/20	
18113.5	NEBW Daybeacon 6	DAYMK MISSING	13223	None	28/20	
19800	URI Coastal Monitoring Lighted Research Buoy	MISSING/HAZ NAV	13215	None	38/20	
21180	Sachem Head Breakwater Light	MISSING		SLIS-0120-20	35/20	
22565	Old Saybrook North Cove Buoy 2	MISSING/HAZ NAV	12375	SLIS-0083-20	24/20	
25576	Coveleigh Yacht Club Channel Lighted Buoy 1	MISSING/HAZ NAV	12367	SNEW-0119-20	17/20	
25576.5	Coveleigh Yacht Club Channel Buoy 4	MISSING/HAZ NAV	12367	SNEW-0119-20	17/20	
25577	Coveleigh Yacht Club Channel Lighted Buoy 3	MISSING/HAZ NAV	12367	SNEW-0119-20	17/20	
25577.5	Coveleigh Yacht Club Channel Lighted Buoy 7	MISSING/MSLD SIG	12367	SNEW-0119-20	17/20	
25578	Coveleigh Yacht Club Channel Buoy 5	Status Unreported	12367	SNEW-0119-20	17/20	
25578.5	Coveleigh Yacht Club Channel Buoy 6	MISSING/HAZ NAV	12367	SNEW-0119-20	17/20	

25579	Coveleigh Yacht Club Channel Buoy 8	MISSING/HAZ NAV	12367	SNEW-0119-20	17/20
25579.1	Coveleigh Yacht Club Channel Buoy 9	MISSING/HAZ NAV	12367	SNEW-0119-20	17/20
25579.2	Coveleigh Yacht Club Channel Buoy 10	OFF STA/HAZ NAV	12367	SNEW-0119-20	17/20
25579.3	Coveleigh Yacht Club Channel Buoy 12	MISSING/HAZ NAV	12367	SNEW-0119-20	17/20
25579.4	Coveleigh Yacht Club Channel Buoy 14	MISSING/HAZ NAV	12367	SNEW-0119-20	17/20
27000	Oyster Bay Harbor Inner Channel Lighted Buoy 4B	REDUCED INT	12365	None	03/20
27145	Tom Point Inner Buoy 5	MISSING/HAZ NAV	12366	SNEW-0120-20	17/20
27150	Tom Point Outer Buoy 6	MISSING/HAZ NAV	12366	SNEW-0120-20	17/20
29721	Great River Entrance Light 2	MISSING/HAZ NAV/LT EXT	12352	SLIS-0102-20	29/20
33237	Merrick Point Buoy G17	OFF STA/HAZ NAV	12352	SLIS-0119-20	35/20
33660	Great Island Channel Buoy Z8	OFF STA/HAZ NAV	12352	SLIS-01360-20	39/20
35560	Leonardo Channel Buoy 1	MISSING/HAZ NAV	12401	None	17/20
37374	Shooters Island South Channel Wreck Lighted Buoy WR1	MISSING/HAZ NAV	12333	SNEW-0152-20	22/20

DISCREPANCIES (PRIVATE AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

PLATFORM DISCREPANCIES

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

PLATFORM DISCREPANCIES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
395	Three and One-Half Fathom Ledge Lighted Bell Buoy 2	DISCONTINUED	13270	SBOS-0093-20	40/20	
496	WHOI Traffic Separation Scheme Research Lighted Buoy AB-8	DISCONTINUED	13260	NONE	04/20	
10685	Boston North Channel Lighted Bell Buoy 2	RELOCATED FOR DREDGING	13270	SBOS-0048-19	19/19	
10690	Boston North Channel Lighted Buoy 3	RELOCATED FOR DREDGING	13270	NONE	50/19	
10712	Boston North Channel Lighted Buoy 7	RELOCATED FOR DREDGING	13270	SBOS-0048-19	19/19	
10720	Boston North Channel Lighted Buoy 9	RELOCATED FOR DREDGING	13270	SBOS-0048-19	19/19	
10852	President Roads Anchorage Buoy C	RELOCATED FOR DREDGING	13272	SBOS-0154-18	35/18	
10875	Boston Main Channel Lighted Buoy 3	RELOCATED FOR DREDGING	13272	SBOS-0049-19	19/19	
10897	Boston Main Channel Buoy 5A	TRLB	13272	SBOS-0150-18	35/18	
11334	Three and One-Half Fathom Ledge Lighted Bell Buoy 2	DISCONTINUED	13270	SBOS-0093-20	40/20	
13210	Wellfleet Harbor Channel Buoy 12	RELOCATED FOR DREDGING	13250		40/20	
13225	Wellfleet Harbor Channel Buoy 15	DISCONTINUED FOR DREDGING	13250		40/20	
13230	Wellfleet Harbor Channel Buoy 16	DISCONTINUED FOR DREDGING	13250		40/20	

19800	URI Coastal Monitoring Lighted Research Buoy	DISCONTINUED	13215	NONE	38/20
19860	Shagwong Rock Lighted Buoy SR	DISCONTINUED	13209	SLIS-0112-20	34/20
20367	Pawcatuck River Channel Daybeacon 23	DISCONTINUED FOR DREDGING	13214	SLIS-0206-15	18/15
21145	Long Sand Shoal West End Lighted Gong Buoy W	DISCONTINUED	12374	SLIS-0129-20	37/20
24825	Saugatuck River Buoy 5	TRUB	12368	NONE	40/20
24912.2	Longshore Channel Buoy 3	DISCONTINUED	12368	SLIS-0154-17	05/18
24912.3	Longshore Channel Buoy 4	DISCONTINUED	12368	SLIS-0175-18	05/18
24912.4	Longshore Channel Buoy 5	DISCONTINUED	12368	SLIS-0154-17	05/18
24912.5	Longshore Channel Buoy 6	DISCONTINUED	12368	SLIS-0154-17	05/18
24912.6	Longshore Channel Buoy 7	DISCONTINUED	12368	SLIS-0154-17	05/18
24912.7	Longshore Channel Buoy 8	DISCONTINUED	12368	SLIS-0154-17	05/18
25556.2	Tide Mill Yacht Basin Channel Buoy 2	DISCONTINUED	12367	SLIS-0166-17	11/19
25556.6	Tide Mill Yacht Basin Channel Buoy 8	DISCONTINUED	12367	SLIS-0166-19	11/19
26430	Eatons Neck Lighted Buoy 2A	DISCONTINUED FOR DREDGING	12365	NONE	10/20
27756	Acabonack Harbor Entrance Buoy 1	DISCONTINUED FOR DREDGING	13209	NONE	20/20
27756.5	Acabonack Harbor Entrance Buoy 2	DISCONTINUED FOR DREDGING	13209	NONE	20/20
27757	Acabonack Harbor Entrance Buoy 3	DISCONTINUED FOR DREDGING	13209	NONE	20/20
27757.5	Acabonack Harbor Entrance Buoy 4	DISCONTINUED FOR DREDGING	13209	NONE	20/20
30331	Hart Cove Buoy 1	DISCONTINUED	12352	SLIS-0048-19	14/19
30331.2	Hart Cove Buoy 2	DISCONTINUED	12352	SLIS-0048-19	14/19
30331.3	Hart Cove Buoy 3	DISCONTINUED	12352	SLIS-0048-19	14/19
30331.5	Hart Cove Buoy 5	DISCONTINUED	12352	SLIS-0048-18	14/19
30331.7	Hart Cove Buoy 7	DISCONTINUED	12352	SLIS-0048-19	14/19
30331.8	Hart Cove Buoy 8	DISCONTINUED	12352	SLIS-0048-19	14/19
30331.9	Hart Cove Buoy 9	DISCONTINUED	12352	SLIS-0048-19	14/19
30332	Hart Cove Buoy 10	DISCONTINUED	12352	SLIS-0048-19	14/19
30332.2	Hart Cove buoy 12	DISCONTINUED	12352	SLIS-0048-19	14/19
30332.4	Hart Cove Buoy 14	DISCONTINUED	12352	SLIS-0048-19	14/19
30340	Moriches Bay Buoy 27	DISCONTINUED	12352	NONE	19/20
30341	Moriches Bay Buoy 28	DISCONTINUED	12352	NONE	19/20
30365	Moriches Bay Lighted Buoy 29	DISCONTINUED	12352	NONE	19/20
30955	Jones Inlet Buoy 12	TRUB	12352	NONE	40/20
38116	Crum Elbow Lighted Buoy 62C	DISCONTINUED	12347	SNEW-141-20	20/20
38117	Crum Elbow Lighted Buoy 62D	DISCONTINUED	12347	SNEW-0141-20	20/20
	Annisquam River Temporary Light 44	ESTABLISHED	13281		40/20
	Annisquam River Temporary Light 45	ESTABLISHED	13281		40/20

TEMPORARY CHANGES CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

PLATFORM TEMPORARY CHANGES

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

PLATFORM TEMPORARY CHANGES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections. This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.

Chart Number	Chart Edition	Edition Date	Last Local Notice to Mariners	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariners
12327	91st Ed.	19-APR-97	Last LNM: 26/97	NAD 83		27/97
Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER						
Main Panel 2245 NEW YORK HARBOR						
(Temp) ADD	NATIONAL DOCK CHANNEL BUOY 3				CGD01 at 40-41-09.001N	074-02-48.001W
Corrective Action	Green can	Object of Corrective Action			Position	

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

12327	109th Ed.	01-JAN-20	Last LNM: 38/20	NAD 83		42/20
<i>Chart Title: New York Harbor</i>						
Main Panel 2245 NEW YORK HARBOR - -. Page/Side: -						
RELOCATE	Verdant Power North Lighted Hazard Buoy				CGD01 from 40-45-53.690N to 40-45-53.770N	073-56-40.610W 073-56-40.410W
12339	47th Ed.	01-MAR-13	Last LNM: 38/20	NAD 83		42/20
<i>Chart Title: East River Tallman Island to Queensboro Bridge</i>						
Main Panel 2233 EAST RIVER-TALLMAN ISLAND TO QUEENSBORO BRIDGE. Page/Side: N/A						
RELOCATE	Verdant Power Mid North Lighted Hazard Buoy				CGD01 from 40-45-55.220N to 40-45-57.060N	073-56-41.250W 073-56-39.820W
RELOCATE	Verdant Power Mid South Lighted Hazard Buoy				CGD01 from 40-45-50.970N to 40-45-50.850N	073-56-45.290W 073-56-45.390W
RELOCATE	Verdant Power North Lighted Hazard Buoy				CGD01 from 40-45-53.690N to 40-45-53.770N	073-56-40.610W 073-56-40.410W
ADD	Verdant Power Outer North Lighted Hazard Buoy				CGD01 at 40-45-55.420N	073-56-40.110W
	FI W 2s					
ADD	Verdant Power Outer South Lighted Hazard Buoy				CGD01 at 40-45-50.430N	073-56-44.580W
	FI W 2s					
13229	34th Ed.	01-NOV-18	Last LNM: 25/20	NAD 83		42/20
<i>Chart Title: South Coast of Cape Cod and Buzzards Bay</i>						
Inset 2115 LEWIS BAY - HYANNIS HARBOR MA INSET 2 - -. Page/Side: -						
RELOCATE	Englewood Channel Buoy 1				CGD01 from 41-38-09.300N to 41-38-08.400N	070-15-03.600W 070-15-05.000W
RELOCATE	Englewood Channel Buoy 3				CGD01 from 41-38-10.740N to 41-38-10.300N	070-14-59.940W 070-14-58.600W
RELOCATE	Englewood Channel Buoy 4				CGD01 from 41-38-10.680N	070-14-50.520W

RELOCATE	Englewood Channel Buoy 7	to 41-38-10.600N CGD01 from 41-38-14.460N to 41-38-13.600N	070-14-56.200W 070-14-48.720W 070-14-48.000W
----------	--------------------------	---	--

Main Panel 2123 BUZZARDS BAY MA -- Page/Side: -

RELOCATE	Mattapoissett Harbor Buoy 10	CGD01 from 41-38-59.760N to 41-38-58.140N	070-48-18.180W 070-48-16.620W
RELOCATE	Mattapoissett Harbor Buoy 12	CGD01 from 41-39-12.060N to 41-39-12.780N	070-48-30.720W 070-48-32.760W
RELOCATE	Mattapoissett Harbor Buoy 8	CGD01 from 41-38-41.400N to 41-38-45.960N	070-48-00.540W 070-48-00.600W
RELOCATE	Mattapoissett Harbor Buoy 9	CGD01 from 41-38-41.400N to 41-38-44.220N	070-48-03.540W 070-48-03.060W
RELOCATE	Mattapoissett Town Landing Buoy 1	CGD01 from 41-38-54.600N to 41-38-54.400N	070-48-51.000W 070-48-49.740W
RELOCATE	Mattapoissett Town Landing Buoy 3	CGD01 from 41-39-04.400N to 41-39-04.440N	070-49-00.100W 070-48-59.640W
RELOCATE	Mattapoissett Town Landing Buoy 4	CGD01 from 41-39-06.900N to 41-39-08.220N	070-49-00.180W 070-49-02.520W

13230 53rd Ed. 01-FEB-19 Last LNM: 20/20 NAD 83 42/20
ChartTitle: Buzzards Bay; Quicks Hole

CHART MA - BUZZARDS BAY. Page/Side: N/A

RELOCATE	Mattapoissett Harbor Buoy 10	CGD01 from 41-38-59.760N to 41-38-58.140N	070-48-18.180W 070-48-16.620W
RELOCATE	Mattapoissett Harbor Buoy 12	CGD01 from 41-39-12.060N to 41-39-12.780N	070-48-30.720W 070-48-32.760W
RELOCATE	Mattapoissett Harbor Buoy 8	CGD01 from 41-38-41.400N to 41-38-45.960N	070-48-00.540W 070-48-00.600W
RELOCATE	Mattapoissett Harbor Buoy 9	CGD01 from 41-38-41.400N to 41-38-44.220N	070-48-03.540W 070-48-03.060W
RELOCATE	Mattapoissett Town Landing Buoy 1	CGD01 from 41-38-54.600N to 41-38-54.400N	070-48-51.000W 070-48-49.740W
RELOCATE	Mattapoissett Town Landing Buoy 3	CGD01 from 41-39-04.400N to 41-39-04.440N	070-49-00.100W 070-48-59.640W
RELOCATE	Mattapoissett Town Landing Buoy 4	CGD01 from 41-39-06.900N to 41-39-08.220N	070-49-00.180W 070-49-02.520W

13232 5th Ed. 01-NOV-09 Last LNM: 20/20 NAD 83 42/20
ChartTitle: New Bedford Harbor and Approaches

Extension 2915 CONTINUATION OF APPONAGANSETT BAY. Page/Side: N/A

RELOCATE	Mattapoissett Harbor Buoy 10	CGD01 from 41-38-59.760N to 41-38-58.140N	070-48-18.180W 070-48-16.620W
RELOCATE	Mattapoissett Harbor Buoy 12	CGD01 from 41-39-12.060N to 41-39-12.780N	070-48-30.720W 070-48-32.760W
RELOCATE	Mattapoissett Harbor Buoy 8	CGD01 from 41-38-41.400N to 41-38-45.960N	070-48-00.540W 070-48-00.600W
RELOCATE	Mattapoissett Harbor Buoy 9	CGD01 from 41-38-41.400N to 41-38-44.220N	070-48-03.540W 070-48-03.060W
RELOCATE	Mattapoissett Town Landing Buoy 1	CGD01 from 41-38-54.600N to 41-38-54.400N	070-48-51.000W 070-48-49.740W
RELOCATE	Mattapoissett Town Landing Buoy 3	CGD01 from 41-39-04.400N to 41-39-04.440N	070-49-00.100W 070-48-59.640W

RELOCATE	Mattapoisett Town Landing Buoy 4				from 41-39-06.900N to 41-39-08.220N	070-49-00.180W 070-49-02.520W
13246	40th Ed.	01-OCT-13	Last LNM: 33/20	NAD 83		42/20
<i>ChartTitle: Cape Cod Bay</i>						
Main Panel 2098 CAPE COD BAY MA. Page/Side: N/A						
RELOCATE	Wellfleet Harbor Channel Buoy 12				CGD01 from 41-55-05.523N to 41-55-05.798N	070-02-20.463W 070-02-18.579W
13250	9th Ed.	01-DEC-10	Last LNM: 34/18	NAD 83		42/20
<i>ChartTitle: Wellfleet Harbor; Sesuit Harbor</i>						
CHART WELLFLEET HARBOR. Page/Side: N/A						
RELOCATE	Wellfleet Harbor Channel Buoy 12				CGD01 from 41-55-05.523N to 41-55-05.798N	070-02-20.463W 070-02-18.579W
13302	25th Ed.	01-APR-19	Last LNM: 23/20	NAD 83		42/20
<i>ChartTitle: Penobscot Bay and Approaches</i>						
Main Panel 2032 PENOBSOT BAY AND APPROACHES ME - -. Page/Side: -						
RELOCATE	Emery Island Daybeacon 1				CGD01 from 44-03-47.632N to 44-03-47.822N	069-03-50.742W 069-03-50.424W
RELOCATE	Fiddler Ledge Daybeacon				CGD01 from 44-06-05.825N to 44-06-05.736N	068-56-22.176W 068-56-22.104W
13305	31st Ed.	01-NOV-17	Last LNM: 23/20	NAD 83		42/20
<i>ChartTitle: Penobscot Bay; Carvers Harbor and Approaches</i>						
CHART PENOBSOT BAY. Page/Side: N/A						
RELOCATE	Emery Island Daybeacon 1				CGD01 from 44-03-47.632N to 44-03-47.822N	069-03-50.742W 069-03-50.424W
RELOCATE	Fiddler Ledge Daybeacon				CGD01 from 44-06-05.825N to 44-06-05.736N	068-56-22.176W 068-56-22.104W
RELOCATE	Fox Ears Daybeacon 22				CGD01 from 44-07-02.320N to 44-07-02.358N	068-54-46.611W 068-54-46.386W
13307	11th Ed.	01-JUL-12	Last LNM: 44/16	NAD 83		42/20
<i>ChartTitle: Camden, Rockport and Rockland Harbors</i>						
Main Panel 2025 CAMDEN-ROCKPORT & ROCKLAND HARBORS ME. Page/Side: N/A						
RELOCATE	Emery Island Daybeacon 1				CGD01 from 44-03-47.632N to 44-03-47.822N	069-03-50.742W 069-03-50.424W
13308	13th Ed.	01-DEC-11	Last LNM: 26/19	NAD 83		42/20
<i>ChartTitle: Fox Islands Thorofare</i>						
Main Panel 2024 FOX ISLANDS THOROFARE ME. Page/Side: N/A						
RELOCATE	Fiddler Ledge Daybeacon				CGD01 from 44-06-05.825N to 44-06-05.736N	068-56-22.176W 068-56-22.104W
RELOCATE	Fox Ears Daybeacon 22				CGD01 from 44-07-02.320N to 44-07-02.358N	068-54-46.611W 068-54-46.386W

SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

<u>Approved Project(s)</u>	<u>Project Date</u>	<u>Ref. LNM</u>
None		

Advance Notice(s)

NJ – DE – SEACOAST - DELAWARE BAY – PORT ACCESS ROUTE STUDY – PUBLIC MEETINGS

New Jersey including the offshore approaches to the Delaware Bay, Delaware" that was published in the Federal Register on May 5, 2020, (USCG-2020-0172). And our notice of inquiry entitled "Anchorage Grounds; Delaware Bay and Atlantic Ocean, Delaware" that was published in the Federal

Register on November 29, 2019, (USCG-2019-0822). Because the public may have similar comments on both topics we have decided to hold joint public meetings to discuss both notices. To ensure adequate opportunity to address concerns raised at the meetings and any subsequent questions, the Coast Guard is reopening the comment period.

Interested members of the public can attend either session, via teleconference, on Thursday October 29, 2020, from 1 p.m. to 3 p.m. or on Wednesday November 4, 2020, from 6 p.m. to 8 p.m. The Coast Guard must receive all comments on or before November 10, 2020. The Coast Guard must receive your comments before October 15, 2020 if you want your comments to be considered before the public meetings.

The public meeting will be held via a web-enabled interactive, online format and teleconference line. To join the web-based meeting and teleconference or to request special accommodations, contact the individual listed below no later than 1 p.m. on October 20, 2020.

You may submit written comments identified by docket number USCG-2020-0172 using the Federal eRulemaking Portal at <https://www.regulations.gov>.

If you have questions about this notice, call or email Captain Maureen Kallgren, Fifth Coast Guard District, Waterways Management Branch, (757) 398-6250, Maureen.R.Kallgren@uscg.mil or Mr. Jerry Barnes, Fifth Coast Guard District, Waterways Management Branch, (757) 398-6230, Jerry.R.Barnes@uscg.mil. If you encounter technical difficulties accessing the online meeting, please call LTJG John Frank, (757) 398-6298.

LNM: 41/20

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

<u>Proposed Project(s)</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
None			

Proposed Change Notice(s)

MA-SEACOAST-PORTSMOUTH TO CAPE ANN-MERRIMACK RIVER ENTRANCE

The U.S. Coast Guard is considering making the following changes to Aids to Navigation in this waterway:

Newburyport Harbor Light (LLNR 260) REMOVE the Light List remarks "Obscured by shore structure from 165° to 192° and 313° to 344°" and display the light over a 360 degree arc of visibility.

Interested Mariners are strongly encouraged to comment on this proposal in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 27 November 2020 to complete the process. In order to most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-20-082. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil.

Charts: 13003 13006 13009 13260 13274 13278 13282

LNM: 40/20

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

SUMMARY OF GENERAL PROJECTS STILL IN EFFECT

Enclosure

LNM: 04/19

MASSACHUSETTS-ANNISQUAM RIVER-BLYNMAN CANAL-Bridge Construction-Full Channel Closure

Massachusetts Bay Transportation Authority (MBTA) Bridge across the Annisquam River, mile 0.7, has been removed to allow for construction of a replacement bridge. The channel through the bridge will be closed to all vessel traffic including emergency response vessels from November 2, 2020, to December 31, 2020, to accommodate a 60 foot by 80 foot work barge and drilling rig installing two drilled seven foot diameter piers to support the new railroad bridge. Vessel operators can reach the Harbormaster on VHF CH 16/14. Questions may be directed to the MBTA Resident Engineer, Matt Moorehouse at 617-839-8075. Mariners are advised plan accordingly.

Chart 13281

LNM: 39/20

MA-BOSTON HARBOR

Great Lakes Dredge and Dock will continue dredging operations in Boston Harbor in the following locations; Main Shipping Channel, Turning basin, Reserve Channel, and President's Road Anchorage. All material will be mechanically dredged and placed at the Mass Bay Disposal Site (MBDS) roughly 15 nautical miles from Boston Harbor. Work will start on 23 October to 11 November 2020, 24 hours a day, 7 days a week. Equipment on scene will be the Dredge New York, Dump Scow Thomas Desmond, Tug Ocean Tower, Crew Boat Nancy. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Charts: 13270 13272

LNM: 42/20

MA-BOSTON HARBOR

Dredging will be done from, October 23 - November 11, 2020, in the following locations: Main Shipping Channel, Turning basin, Reserve, and President's Road to Anchorage. The hours of operation will be 7 days a week, 24 hours a day. On scene will be the dredge NEW YORK, scow

MA-BOSTON HARBOR

THOMAS DESMOND, tug OCEAN TOWER, crew boat NANCY and a survey vessel that will be monitoring VNF-FM channels 13 & 16. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Charts: 13270 13272

LNM: 42/20

MA-CONNECTICUT RIVER- CONNECTICUT RIVER CROSSING PROJECT

The Springfield Water and Sewer Commission will be commencing construction operations in mid-November on the Connecticut River Western Agawam bank between the Memorial and South End Bridges at approximately River Mile 75. Construction will consist of the installation of a pile supported access trestle with limited floating turbidity curtains extending approximately 90 feet beyond the mean annual high water mark into the Connecticut River. Operations will extend into January 2021 and pause for the winter resuming in June 2021. Questions concerning this project may be directed to Mr. Gus O'Leary at 617-498-4649 or the on scene contractor, J.F. White Company at 617-699-5063. On scene work vessel may be contacted via VHF-FM 05 or 07 Mariners are urged to use caution while transiting the area.

LNM: 42/20

MA-FALMOUTH HARBOR (REVISED)

Dredging in Falmouth Harbor has been extended until October 30, 2020. The hours of operation are Monday - Saturday, from 7:00 am - 5:00 pm. On scene is the dredge CODFISH II and support boats that are monitoring VHF-FM channel 18 & 16. Mariners are requested to proceed with caution and give adequate clearance to the equipment at all times.

LNM: 42/20

MA-OFFSHORE MARTHA'S VINEYARD

Surface and subsurface mooring work will be done from October 28 - November 11, 2020 in a box defined by
(position 1) 40-30-00.00N, 071-12-00.00W,
(position 2) 40-30-00.00N, 070-18-00.00W,
(position 3) 39-48-00.00N, 070-18-00.00W,
(position 4) 39-48-00.00N, 071-12-00.00W

The hours of operation are 24 hours a day. On scene will be the R/V Neil Armstrong that will be monitoring VHF-FM channels 13 & 16.

LNM: 42/20

MA-SOUTH OF NANTUCKET-OFFSHORE

Marine remote sensing with bottom photography and sediment grabs sample collection to map the seafloor benthic habitat conditions will be done, from November 7 - December 7, 2020, in the following locations:

Vessel operations will be within the rectangle:
North-West Corner = N41°32'18.88", W70°37'12.91";
North-East Corner = N41°36'43.94", W70°20'10.61";
South-West boundary = N40°37'47.40", W70°43'20.51";
South-East Corner = N40°30'47.28", W70°21'39.08".

The hours of operations will be 7 days a week, 24 hours a day. On scene will be the survey vessel OSV GO PURSUIT that will be monitoring VHF-FM channel 16.

LNM: 42/20

NY-YONKERS

Dredging will be done at the American Refined Sugar Dock, from November 9 - December 10, 2020, in the following position 40° 55' 33.6180" N Long.: 73° 54' 24.4800" W. The hours of operation will be 7 days a week, 24 hours a day. On scene will be a dredge, dump scows and tugs that will be monitoring VHF-FM channel 13 & 14 and working channel 78.

LNM: 42/20

RI-NARRAGANSETT BAY

NAVAL UNDERSEA WARFARE CENTER WILL BE CONDUCTING CONTINUED TESTING USING UNMANNED UNDERSEA VEHICLES NORTH AND EAST OF GOULD ISLAND IN THE VICINITY OF THE TORPEDO TEST RANGE RESTRICTED AREA MARKED ON NOAA CHART 13223 AND THE NEWPORT BRIDGE DURING THE PERIOD OF 26-30 OCT 2020. NAVY 841 WILL SERVE AS THE COMMAND VESSEL DURING RANGE OPERATIONS ALONG WITH SUPPORT CRAFT. MARINERS ARE REQUESTED TO COOPERATE WITH PARTICIPATING VESSELS FOR THE SAFETY OF ALL. ANY CONCERNED TRAFFIC CAN CONTACT NAVY 841 OR SUPPORT CRAFT ON VHF CHANNELS 13,16

LNM: 42/20

RI-NARRAGANSETT BAY

Naval Undersea Warfare Center will be conducting continued testing using Unmanned Undersea Vehicles north and east of Gould Island in the vicinity of the torpedo test range restricted area marked on NOAA Chart 13223 and the Newport Bridge during the period of 26 - 30 October 2020. Navy 841 will serve as the command vessel during range operations along with support craft. Mariners are requested to cooperate with participating vessels for the safety of all. Any concerned traffic can contact Navy 841 or support craft on VHF channels 13 and 16.

Chart 13223

LNM: 42/20

RI-NARRAGANSETT BAY-EAST PASSAGE

An oceanographic research buoy will be deployed, from October 23, 2020 - October 22, 2021, in the following location: 41-27-45.000N 071-21-51.400W. The buoy is a lighted surface buoy (flashing amber 6 sec) above a submerged subsurface mooring.

LNM: 42/20

MA-SOUTH OF MARTHA'S VINEYARD

Hydrographic & Geophysical Surveys, have been extended until December 25, 2020, in the following location: 40°55' 00"N, 70°37'30"W. The hours

MA-SOUTH OF MARTHA'S VINEYARD

of operation are 7 days a week, 24 hours a day. On scene are Multibeam echo sounder & ultra-high resolution geophysical spread including towed equipment up to 200m astern of the vessels that are monitoring VHF-FM channels 13 and 16. Time to move vessels to not impede navigation: All Mariners transiting or fishing in the survey area are requested to give a wide berth to survey vessels as they may be limited in their ability to maneuver

LNM: 41/20

NY-EAST RIVER-ROOSEVELT ISLAND-EAST CHANNEL

The Coast Guard will be prohibiting all vessels and individuals from the east channel of the East River from the Roosevelt Island Bridge (mile 6.4) to Gibbs Point at the south end of Halletts Cove. This restriction will be in effect on Thursday, Oct 22, 2020 from 0700-2300 during installation of three underwater tidal energy turbines.

LNM: 41/20

Chart 12339

NY-OFFSHORE SOUTH OF AMBROSE TO NANTUCKET OUTBOUND TRAFFIC LANE

Surveys are being done from October 10 - December 20, 2020 in the following locations:

- NW Corner 40° 32' 46.9599" N 73° 43' 27.4915" W
- NE Corner 40° 32' 46.9599" N 73° 03' 17.6206" W
- SE Corner 40° 09' 02.6153" N 73° 03' 17.6206" W
- SW Corner 40° 09' 02.6153" N 73° 43' 27.4915" W and

Shore landing Cable routes Jones Beach, Long Island and Ocean View, New Jersey. Coordinates below represent the start and end of each shore landing route.

- Jones Beach OceanView
- 40.3062329,-73.2146298 40.2588326, -73.5193221
- 40.3062329,-73.2146298 40.2588326, -73.5193221
- 40.2588326, -73.5193221

Both routes will be run as straight lines to fill the required corridor, there will be 500m long cross lines crossing the route corridor

On scene will be the Ocean Endeavor that will be monitoring VHF-FM channel 16. It is requested that other vessels give at least 1000 Meter separation from the subject vessel, when sighted as various data and hydrographic information is being collected by instrumentation deployed by the Ocean Endeavour, as well as in consideration of their restricted maneuverability.

On scene will be

Charts: 12200 12300 12323 12326 12350 12352

LNM: 40/20

RI-SOUTH OF RHODE ISLAND BAY

Bathymetric and geophysical surveys are being extended until December 15, 2020 in the following locations:

- 41° 03.380'N 71° 18.611'W
- 40° 56.394'N 71° 18.368'W
- 40° 56.633'N 71° 05.871'W
- 40° 51.043'N 71° 03.007'W
- 40° 51.108'N 70° 59.294'W
- 40° 58.848'N 70° 48.439'W
- 41° 03.918'N 70° 48.578'W

On scene is the OCEAN RESEARCHER that is monitoring VNF-FM channel 16. he hours of operation are daily during daylight hours.It is requested that other vessels give at least 1000 Meter separation from the subject vessel, when sighted as various data and hydrographic information is being collected by instrumentation deployed by the Ocean Researcher, as well as in consideration of their restricted maneuverability.

Charts: 12300 13009 13200 13218

LNM: 40/20

MA-NANTUCKET SOUND (Chart 13237)-FALMOUTH HARBOR

The Barnstable County Dredging Department will be conducting dredging operations with the Dredge CODFISH II in the entrance to Falmouth Inner Harbor, Nantucket Sound from 7 - 28 October 2020, Monday thru Saturday , 0700 – 1700local. Dredging will take place along the east breakwater and bulkhead with the discharge pipe running from the dredge boat along the east jetty, and crossing the channel running west to a location on the beach near Surf Drive. The discharge pipe will be floating at times during dredging operations and will be blocking the channel. Mariners are requested to give adequate clearance to the equipment at all times. Equipment on scene will be the Dredge Boat CODFISH II, two support boats and 3000 feet of pipeline. The CODFISH II will monitoring VHF-FM channel 16 and working on VHF-FM channel 18. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made with the dredge.

LNM: 40/20

MA-CAPE COD

Deployment of up to 35 test objects on the sea floor to support unmanned underwater vehicle test will be done from October 5 - December 20, 2020. . Test object locations will range from directly on the sea floor to anchored to the sea floor and suspended several meters above the sea floor. The test objects will be located within each field throughout the whole period and retrieved by December 20, 2020. After deployment of test object, unmanned underwater vehicle testing will occur within the field. The work will be done within this rectangle:

- N41°58'56.100" W70°08'57.100"
- N41°58'56.500" W70°08'11.200"
- N41°58'12.000" W70°08'10.400"
- N41°58'11.500" W70°08'56.300"

MA-CAPE COD

The hours of operation when on scene will be 24 hours a day. On scene will be the R/V RESOLUTION, R/V JAIME HANNA, M/V JAMES K GOODWIN, M/V RACHAEL K GOODWIN, and M/V WARREN JR that will be monitoring VHF-FM 13 & 16. Mariners are requested to proceed with caution after passing arrangement have been made.

Chart 13246

LNM: 39/20

MA-MASSACHUSETTS AND CAPE COD BAYS (REVISED)

General Dynamics Mission Systems is conducting Underwater vehicle testing in two different fields (listed below) until November 31 2020 24 hours a day when on scene. Within each field, 21 – 35 test objects have been placed on the sea floor to support the underwater vehicle test. Test object range in height up to several meters above the sea floor. The test objects will be located within each field throughout the whole period and retrieved by October 30, 2020. Equipment on scene will be the R/V RESOLUTION, M/V JAMES K GOODWIN, or M/V RACHAEL K GOODWIN. During underwater vehicle operations, the support vessel can be contacted on VHF-FM to coordinate passing on VHF-FM channels 13 and 16.

Latitude & Longitude of work area (Degrees, Minutes, Thousandths of seconds):

Within the rectangle of field 1:
N42°23'21.300" W70°33'12.700";
N42°22'50.000" W70°33'01.100";
N42°22'40.100" W70°33'49.500";
N42°23'11.300" W70°34'01.200".

Within the rectangle field 2:
N41°55'03.900" W70°09'15.400";
N41°54'27.400" W70°09'01.400";
N41°54'17.300" W70°09'48.600";
N41°54'53.800" W70°10'02.600".

Charts: 13246 13267

LNM: 35/20

MA-SOUTH OF AMBROSE TO NANTUCKET OUTBOUND TRAFFIC LANE and NORTH OF HUDSON CANYON TO AMBROSE INBOUND TRAFFIC LANE

Line, geophysical and marine archaeological surveys are being done, from October 10 - December 20, 2020, in the following locations:

NW Corner 40° 32' 46.9599" N 73° 43' 27.4915" W
NE Corner 40° 32' 46.9599" N 73° 03' 17.6206" W
SE Corner 40° 09' 02.6153" N 73° 03' 17.6206" W
SW Corner 40° 09' 02.6153" N 73° 43' 27.4915" W

The hours of operation will be 7 days a week, 24 hours a day. On scene will be the OCEAN ENDEAVOUR that will be monitoring VHF-FM channel 16.

LNM: 39/20

MA-SOUTH OF MARTHA'S VINEYARD

Geotechnical & Environmental Surveys are being done, until November 1, 2020, in the following positions: 40°55'N, 70°37'30"W. The hours of operation are 7 days a week, 24 hours a day. Geotechnical & environmental sampling equipment and towed equipment that are monitoring VHF-FM channel 13 and 16.

LNM: 39/20

MA-SOUTH OF MARTHA'S VINEYARD

Geotechnical and soil borings are being done, until October 31, 2020, in the following locations: LAT 41 05' 00" N, LONG 70 35' 00" W. The hours of operation are 7 days a week, 24 hours a day. On scene is the vessel GEOQUIP SPEER that is monitoring VHF-FM channel 16.

LNM: 39/20

MA – NANTUCKET SOUND – SEA TURTLE MIGRATION

Mariners are advised that sea turtles are present in Southern Massachusetts coastal waters, especially surrounding Martha's Vineyard, Nantucket, and the Elizabeth Islands. Mariners are advised to reduce speed in these areas and keep a lookout for sea turtles. Often, only the turtle's dark head is visible at the surface. Sightings of jellyfish also indicate sea turtles are likely nearby. Vessel strikes are a significant risk to sea turtles. Sightings of dead, injured, or entangled turtles should be reported to the NOAA Fisheries Greater Atlantic Regional Fisheries Office by phone at (866) 755-6622.

Chart 13237


LNM: 38/20

CT – BRIDGEPORT HARBOR – BRIDGEPORT – CAD OBJECT

Mariners are advised that an obstruction has been discovered in the vicinity of Bridgeport Harbor. Length of obstruction is 27.4 ft. at or around 41.1627N and 73.1718W. Controlling depth is 21.9 feet. Mariners are advised to exercise caution if transiting through this area in Bridgeport Harbor. Utilize VHF Channel 16 if in an emergency.

BCO: 41.16268798N, 73.17184960W. 27.4 ft. Control Depth: 21.9' MLLW.

Bridgeport-CAD




LNM: 38/20

CT – BRIDGEPORT HARBOR – BRIDGEPORT – JOHNSON'S CREEK

Mariners are advised that (3) obstructions have been discovered at Johnson's Creek in the vicinity of Bridgeport Harbor. Length of obstructions are from 27-30 feet at or around 41.170N and 73.163W. Controlling depth ranges from 7.5 – 11.2 feet. Mariners are advised to exercise caution if transiting through Johnson's Creek. Utilize VHF Channel 16 if in an emergency.

- JCO1: 41.17010160N, 73.16323545W. 27.3 ft. Control Depth 7.6' MLLW.
- JCO2: 41.17003271N, 73.16307481W. 37.2 ft. Control Depth 7.5' MLLW.
- JCO3: 41.16927877N, 73.16366209W. 30 ft. Control Depth 11.2 MLLW




LNM: 38/20

CT – BRIDGEPORT HARBOR – BRIDGEPORT – PEQUANNOCK RIVER

Mariners are advised that an obstruction has been discovered on the Pequannock River in the vicinity of Bridgeport Harbor. Length of obstruction is from 108.5 feet at or around 41.1789N and 73.1864W. Controlling depth is from 8.3 feet. Mariners are advised to exercise caution if transiting through the Pequannock River. Utilize VHF Channel 16 if in an emergency.

- PQO: 41.17891517N, 73.18641289W. 108.5 ft. Control Depth 8.3' MLLW.



LNM: 38/20


CT – BRIDGEPORT HARBOR – BRIDGEPORT – YELLOW MILL CHANNEL

Mariners are advised that (3) obstructions have been discovered on the Yellow Mill Channel in the vicinity of Bridgeport Harbor. Length of obstructions are from 12 – 16 feet at or around 41.1817N and 73.1736W. Controlling depth ranges from 9.4 – 10.9 feet. Mariners are advised to

CT – BRIDGEPORT HARBOR – BRIDGEPORT – YELLOW MILL CHANNEL

exercise caution if transiting through the Yellow Mill Channel. Utilize VHF Channel 16 if in an emergency.

- YMO1: 41.18197311N, 73.17353226W. 14.6 ft. Control Depth 10.2 MLLW.
- YMO2: 41.18172501N, 73.17354793W. 15.6 ft. Control Depth 10.9' MLLW.
- YMO3: 41.18169427N, 73.17379457W. 12.8 ft. Control Depth 9.4' MLLW.



LNLM: 38/20


COAST GUARD SEEKS COMMENTS ON HOW TO IMPROVE OUR NATION'S SHALLOW DRAFT WATERWAYS ATON SYSTEM

The U.S. Coast Guard is conducting a Waterways Analysis and Management System (WAMS) Study on the Shallow Draft system (waters less than 12 feet). The purpose of this study is to determine the navigational needs and requirements of vessels operating in shallow draft navigable waterways throughout the country. The study will focus on the existing shallow water Aids to Navigation (ATON) system, future development projects, waterborne commerce transiting these waters, and marine casualty information. Waterway users, interested parties, and stakeholders are invited to provide comments or feedback via the tool posted at <https://www.surveymonkey.com/r/ShallowWaterWAMS>. This link will remain available until November 1, 2020. Further questions or comments may be emailed to CGNAV@uscg.mil using the subject line: "Shallow Draft WAMS".

LNLM: 32/20

MA-SOUTH OF MARTHA'S VINEYARD

The survey Vessel STRIL EXPLORER will be conducting Hydrographic and Geophysical surveys from August 9 2020 for approximately 240 days (weather dependent), the offshore areas and coastal sea areas south of Martha's Vineyard and east in to Long Island Sound. During this survey the STRIL EXPLORER will be deploying ROV subsea survey equipment along with towed Seismic equipment and will be restricted in their ability to manoeuvre. Approaching vessels are requested to pass at a safe speed and distance. The survey covers the planned Beacon Wind lease area and planned export cable route. The hours of operation will be 24 hours a day of operation are 7 days per week, when on scene. On scene vessels will be monitoring VHF-FM channels 13 and 16.



MA-SOUTH OF MARTHA'S VINEYARD

Chart 13006

LNM: 35/20

MA-MARTHA'S VINEYARD TO BLOCK ISLAND (Chart 13218)-WESTPORT HARBOR

Shoaling exists in Westport Harbor in the vicinity of Westport Harbor Channel LB 14 (LLNR 17490) and Westport Harbor Channel By 17 (LLNR 17505). There are other areas of shoaling throughout the Westport Harbor Channel reducing the available depth of water. Mariners are advised to use caution while navigating this area.

Chart 13228

LNM: 31/20

NY/NJ-NY LOWER BAY-SANDY HOOK CHANNEL

Dredging operations have stopped in Sandy Hook Channel between Sandy Hook Channel LGB 11 (LLNR 35155) and Sandy Hook Channel LGB 13 (LLNR 35165). Significant shoaling still extends into the channel. All mariners are urged to exercise caution while transiting this area.

Charts: 12324 12326 12327 12401

LNM: 10/20

NY-UPPER BAY-MANHATTAN (REVISED)

A sheet pile has partially detached from the western face of the concrete pier located at the Coast Guard building at Battery Park in Manhattan. The pier is marked with a dayboard marked DANGER DO NOT MOOR. All mariners are advised to transit the area with caution.

LNM: 51/19

SECTION VIII - LIGHT LIST CORRECTIONS

An Asterisk *, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3955	Fox Ears Daybeacon 22 On ledge.	44-07-02.358N 068-54-46.386W				TR on iron spindle.	42/20
		*					
3985	Fiddler Ledge Daybeacon	44-06-05.736N 068-56-22.104W				Gray stone square shaft pyramidal top.	42/20
		*					
4680	Emery Island Daybeacon 1	44-03-47.822N 069-03-50.424W				SG on iron spindle.	42/20
		*					
13306.1	Southway Mid-Channel Buoy B	41-39-14.400N 069-58-54.800W				Red and white sphere.	Private Aid. 42/20
		*					
13306.2	Southway Mid-Channel Buoy C	41-39-16.700N 069-58-48.800W				Red and white sphere.	Private Aid. 42/20
		*					
13306.6	Southway Mid-Channel Buoy G	41-39-07.600N 069-58-16.100W				Red and white sphere.	Private Aid. 42/20
		*					

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
13306.7	Southway Mid-Channel Buoy H	41-39-14.500N 069-58-42.700W				Red and white sphere.	Private Aid. 42/20
		*					
13306.8	Southway Mid-Channel Buoy I	41-39-13.400N 069-58-25.300W				Red and white sphere.	Private Aid. 42/20
		*					
13308.51	Outermost Mid-Channel Buoy OMH	41-39-43.100N 069-57-13.700W				Red and white.	Private Aid. 42/20
		*					
13308.95	* Outermost Harbor Mid Channel Buoy A	41-39-29.000N 069-57-18.000W				Red and white sphere.	Positions of buoys frequently shifted with changing conditions. Private Aid. 42/20
		*					
13477	Ryder Cove Buoy 1	41-42-45.000N 069-57-47.300W				Green can.	Private Aid. 42/20
		*					
13480	Ryder Cove Buoy 2	41-42-43.700N 069-57-50.900W				Red nun.	Private Aid. 42/20
		*					
13485	Ryder Cove Buoy 3	41-42-40.100N 069-57-54.500W				Green can.	Private Aid. 42/20
		*					
13486	Ryder Cove Buoy 4	41-42-40.700N 069-58-01.100W				Red nun.	Private Aid. 42/20
		*					
13487	Ryder Cove Buoy 5	41-42-32.900N 069-58-06.500W				Green can.	Private Aid. 42/20
		*					
13495	Ryder Cove Buoy 6	41-42-24.500N 069-58-14.700W				Red nun.	Private Aid. 42/20
		*					
13500	Ryder Cove Buoy 7	41-42-25.100N 069-58-21.500W				Green can.	Private Aid. 42/20
		*					
13501	Ryder Cove Buoy 8	41-42-16.700N 069-58-35.900W				Red nun.	Private Aid. 42/20
		*					
13945.1	Outermost Harbor Channel Buoy 1	41-39-42.700N 069-57-13.600W				Green can.	Private Aid. 42/20
		*					

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
13945.2	Outermost Harbor Channel Buoy 2	41-39-43.200N 069-57-13.500W				Red nun.	Private Aid. 42/20
		*					
13945.3	Outermost Harbor Channel Buoy 3	41-39-46.100N 069-57-12.000W				Green can.	Private Aid. 42/20
		*					
13945.4	Outermost Harbor Channel Buoy 4	41-39-48.800N 069-57-13.400W				Red nun.	Private Aid. 42/20
		*					
13945.5	Outermost Harbor Channel Buoy 5	41-39-40.800N 069-57-15.500W				Green can.	Private Aid. 42/20
		*					
13945.7	Outermost Harbor Channel Buoy 7	41-39-51.400N 069-57-18.000W				Green can.	Private Aid. 42/20
		*					
14650	Englewood Channel Buoy 1	41-38-08.400N 070-15-05.000W				Green can.	Private Aid. 42/20
		*					
14650.2	Englewood Channel Buoy 3	41-38-10.300N 070-14-58.600W				Green can.	Private Aid. 42/20
		*					
14650.3	Englewood Channel Buoy 4	41-38-10.600N 070-14-56.200W				Red nun.	Private Aid. 42/20
		*					
14650.6	Englewood Channel Buoy 7	41-38-13.600N 070-14-48.000W				Green can.	Private Aid. 42/20
		*					
17086	Mattapoisett Harbor Buoy 8	41-38-45.960N 070-48-00.600W				Red nun.	Seasonal 01 Apr - 15 Nov. Private Aid. 42/20
		*					
17087	Mattapoisett Harbor Buoy 9	41-38-44.220N 070-48-03.060W				Green can.	Seasonal 01 Apr - 15 Nov. Private Aid. 42/20
		*					
17088	Mattapoisett Harbor Buoy 10	41-38-58.140N 070-48-16.620W				Red nun.	Seasonal 01 Apr - 15 Nov. Private Aid. 42/20
		*					

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
17090	Mattapoisett Harbor Buoy 12	41-39-12.780N 070-48-32.760W				Red nun.	Seasonal 01 Apr - 15 Nov. Private Aid.	42/20
		*						
17096	Mattapoisett Town Landing Buoy 1	41-38-54.400N 070-48-49.740W				Green can.	Seasonal 01 Apr - 15 Nov. Private Aid.	42/20
		*						
17098	Mattapoisett Town Landing Buoy 3	41-39-04.440N 070-48-59.640W				Green can.	Seasonal 01 Apr - 15 Nov. Private Aid.	42/20
		*						
17099	Mattapoisett Town Landing Buoy 4	41-39-08.220N 070-49-02.520W				Red nun.	Seasonal 01 Apr - 15 Nov. Private Aid.	42/20
		*						
27300.5	<i>Verdant Power Mid North Lighted Hazard Buoy</i>	40-45-57.060N 073-56-39.820W	Fl W 2s			White with Orange bands.	Private Aid.	42/20
		*						
27300.7	<i>Verdant Power Outer North Lighted Hazard Buoy</i>	40-45-55.420N 073-56-40.110W	Fl W 2s			White with Orange bands.	Private Aid.	42/20
		*						
*	*	*	*	*	*	*	*	*
27301	<i>Verdant Power North Lighted Hazard Buoy</i>	40-45-53.770N 073-56-40.410W	Fl W 2s			White with orange bands.	Private Aid.	42/20
		*						
27303	<i>Verdant Power Mid South Lighted Hazard Buoy</i>	40-45-50.850N 073-56-45.390W	Fl W 2s			White with Orange bands.	Private Aid.	42/20
		*						
27303.1	<i>Verdant Power Outer South Lighted Hazard Buoy</i>	40-45-50.430N 073-56-44.580W	Fl W 2s			White with Orange bands.	Private Aid.	42/20
		*						
*	*	*	*	*	*	*	*	*

ENCLOSURES

ENCLOSURE

Bridge section

Coronavirus Bulletin

Coronavirus Bulletin

Thomas G. Allan
Rear Admiral, U.S. Coast Guard
Commander, First Coast Guard District

SUMMARY OF GENERAL PROJECTS STILL IN EFFECT

(end 3)

STATE	LOCATION	OPERATION	COMPLETION DATE	LNM
MA	Wellfleet Harbor	Dredging	12/23/2020	38/20
MA	Cotuit	Dredging	3/7/20	37/20
MA	Broad Sound	Unmanned undersea vehicle testing	10/30/2020	35/20
MA	Cape Cod Bays	Unmanned undersea vehicle testing	10/30/2020	35/20
MA	Wellfleet Harbor	Dredging	12/23/2020	38/20
MA	Westport Harbor	Shoaling	Until further notice	31/20
MA	South of Rhode Island	Resolution bathymetric and geophysical surveys	10/15/2020	27/20
MA	Chatham-Stage Harbor	Extensive shoaling	Until further notice	42/19
MA	North of Marblehead	Rip rap	Until further notice	47/18
MA	Annisquam River	Shoaling	Until further notice	02/14
MA	Bass River	Shoaling	Until further notice	02/14
MA	Boston Harbor and Approaches	Dredging	10/25/2021	43/18
MA	Cuttyhunk Harbor-Entry Chan-Caution	Entry channel width decreased to 15 feet wide	Until further notice	44/29
MA	Cape Cod-Scituate Harbor	Breakwater remediation	Until further notice	42/18
MA	Essex Bay	Shoaling	Until further notice	02/14
MA	Gloucester-Annisquam River	Shoaling	Until further notice	41/11
MA	Lynn Harbor	Shoaling	Until further notice	02/14
MA	Marshfield-New Inlet	Shoaling	Until further notice	15/16
MA	Merrimack River Entrance	Shoaling	Until further notice	02/14
MA	Merrimack River-Joppa Flat Area	Shoaling	Until further notice	02/14
MA	Boston Harbor	Dredging	Until further notice	13/19
MA	Newburyport Harbor/Plum Is Sound	Shoaling	Until further notice	26/20
MA	Nummet Channel	Shoaling	Until further notice	38/10
MA	Plum Island Sound	Shoaling	Until further notice	02/14
MA	Plymouth Harbor	Shoaling	Until further notice	02/14
ME	Machias Bay	Demolition and removal of pier	Until further notice	12/18
ME	Saco Bay-Scarborough Beach	Research buoy deployment	Until further notice	32/16
NH	Piscataqua River	Research Barge anchored	Until further notice	25/17
NH	Hampton Harbor	Shoaling	Until further notice	02/14
RI	Block Island	Dredging	12/31/2020	39/20
RI	Narragansett Bay-Caution	Lost and anchor and chain	Until further notice	45/19
RI	Providence	Dredging	12/21/2020	43/19
CT	Thames River-Groton Electric Boat	Marine Construction-Dive Work	3/31/2021	12/20
NJ	Newark	Marine borings	10/20/2020	38/20
NJ	Perth Amboy	Vibracore sediment sampling	12/21/2020	48/19
NJ	Sandy Hook	Shoaling	Until further notice	35/19
NJ	Arthur Kill	Charted rip rap of FDR Drive platform	Until further notice	09/18
NJ	Arthur Kill-Port Socony Reach	Rip rap	until further notice	47/17
NJ	Jersey City-Hudson River	Pile driving & pier construction	9/28/2021	05/17
NJ	New York Harbor-Port Jersey	Offloading soil material	11/1/2021	43/18
NY/NJ	Offshore Ambrose to Nantucket Traf Lane	Line surveys and geophysical surveys	10/15/2020	29/20
NY/NJ	Lower Bay-Sandy Hook Channel	Severe shoaling	Until further notice	10/20
NY/NJ	Offshore South of Ambrose/Nantucket	Line/geophysical reconnaissance surveys	10/15/2020	26/20
NY	Sandy Hook Channel	Dredging	12/31/2020	37/20
NY	Upper New York Bay	Diving operations	12/31/2020	37/20
NY	South of Long Island	Marine Artificial Reef enhancement	12/31/2020	35/20
NY	LI-Fire Island to Montauk Point	Montaul Lighthouse tower repairs	Until further notice	29/20
NY	Brooklyn	West, North & Inshoreberth platform repairs	10/30/2022	33/20
NY	Western LI Sound	Hydrographic Survey Operations	12/31/2020	27/20
NY	Shinnecock Bay/East Rockaway Inlet/Mori	Severe shoaling	Until further notice	16/20
NY	LI Sound/Hempsted Hbr/Tailman/Hart Is	Shoreline stabilization	11/6/2020	16/20
NY	Yonkers	Dredging	12/31/2020	47/19
NY	Bronx	Installation of 2 New Sub-Aqueous Water Mains	9/3/2021	35/19
NY	New York	Research buoy deployment	12/1/2020	30/19
NY	Western LI Sound-New Rochelle Habor	Pier replacement	Until further notice	43/18
NY	Bush Terminal Park Lagoons	Oyster restorations	11/1/2020	41/17
NY	Gowanus Canal	Bulkhead construction	4/30/2021	34/20
NY	East River	Research work	9/20/2021	39/20
NY	East River	Diving operations	12/31/2020	39/20
NY	East River	Acoustic Doppler Current Profiler deployment	12/1/2020	31/20
NY	East River	An Acoustic Doppler Current Profiler deployment	11/1/2020	43/19
NY	East River-Brooklyn Bridge Park	Oyster restoration	11/1/2020	41/17
NY	Fire Island	Shoaling	Until further notice	07/15
NY	Jamaica Bay	Oyster restoration	11/1/2020	41/17
NY	Moriches	Worse shoaling conditions	Until further notice	04/18
NY	Moriches Bay & Shinnecock Bay (Revised)	Shoaling	Until further notice	39/16
NY	Newton Creek-English Kills	Floating containment boom	Until further notice	41/17
NY	Newtown Creek-English Kills	Bulkhead collapse	Until further notice	35/17
NY	Port Chester	Sunken barge	Until further notice	29/17
NY	Princess Bay-Lemon Creek Lagoon	Oyster restoration	11/1/2020	42/17
NY	Troy	Seawall stabilization	12/20/2020	26/18
VT	Lake Champlain	Buoy Deployment (4)	Until further notice	28/17

MARINE EVENTS

SECTOR LONG ISLAND SOUND

RECURRING EVENTS

CT – FISHERS ISLAND SOUND – STONINGTON – Boat Race

Mariners are advised that Stonington Harbor YC Fall Frostbite is scheduled to be held on Fishers Island Sound in the vicinity of Stonington, CT. The event will be held every Saturday September 26, 2020 through November 21, 2020 from 1:00 p.m. to 3:30 p.m. Approximately (25) sailboats will be participating. Chart number: 12372. For event information contact: Paul O'Neill, pfo06379@gmail.com.

CT – THAMES RIVER – NEW LONDON – Boat Race

Mariners are advised that Thames YC Chowder Race Series is scheduled to be held on the Thames River in the vicinity of New London, CT. The event will be held every Sunday September 27, 2020 through October 25, 2020 from 11:00 a.m. to 5:00 p.m. Approximately (20) sailboats will be participating. Chart number: 12372. For event information contact: Jeff Lamothe, eb39ef299@yahoo.com.

CT – CONNECTICUT RIVER – ESSEX – Boat Race

Mariners are advised that Fall 2020 Frostbite Season Series is scheduled to be held on the CT River in the vicinity of Essex, CT. The event will be held every Sunday October 4, 2020 through December 13, 2020 from 1:00 p.m. to 3:30 p.m. Approximately (45) boats will be participating. Chart number: 12372. For event information contact: Susan Wyeth, swyeth@centerbrook.com.

BRIDGE SECTION

BRIDGE DEVIATIONS, REPAIRS AND CONSTRUCTION

<u>BRIDGE/WATERWAY</u>	<u>MILE</u>	<u>33 CFR Sect.</u>	<u>DEVIATION/RULE</u>	<u>EFF. DATE</u>
Hack Freight Bridge/Hackensack River	3.1	117.723(c)	Temporary Deviation	10/25/2020-11/1/2020
Hamilton Ave Bridge/Gowanus Canal	1.2	117.5	Temporary Deviation	11/15/2020-5/8/2021
Hutchinson River Parkway Bridge/ Hutchinson River	0.9	117.793(b)	Temporary Deviation	10/24/2020
S156 Bridge/Niantic River	0.1	117.215(b)	Temporary Deviation	11/1/2020-3/31/2021
Devon Bridge/Housatonic River	3.9	117.207(b)	Temporary Deviation	9/8/2020-10/20/2020 10/20/2020-12/7/2020

MAINE - BOOTHBAY HARBOR TO BATH - BACK RIVER - Bridge Construction - Work on the new Barter's Island swing bridge is ongoing. The construction of the new swing bridge is nearing completion, however the temporary fixed bridge will reduce the vertical clearance of the channel to 6.8 feet at mean high water (MHW) until **November 25, 2020** or later. A 36-foot horizontal channel will be maintained with temporary channel restrictions in effect from time to time. Questions may be directed to Glenn Philbrook, Resident Engineer, at 207-592-7819 or Glenn.philbrook@maine.gov. Mariners should plan accordingly and use caution while transiting the area.

Chart 13296 LNM 42/20 (CGD1)

MAINE AND NEW HAMPSHIRE – PORTSMOUTH TO DOVER AND EXETER – PISCATAQUA RIVER – Bridge Repairs – Bridge repairs to the I-95 Bridge between Portsmouth, New Hampshire and Kittery, Maine will continue through **May 2022**. Working hours are scheduled daily Monday through Friday 6 a.m. to 2:30 p.m. and 9 p.m. to 3:30 a.m. Suspended platforms will be installed under the bridge but will not reduce vertical clearances or impede vessel navigation. Hydraulic suspension trucks and welding will be utilized during the duration of the project, which will temporarily reduce the vertical clearance. Welding and reduction in clearance will cease upon approach of a vessel. Questions concerning the bridge repair project should be directed to Mr. Joel Dietrich, project manager with SPS at 978-423-2438 or Mr. Craig Hurd, ME DOT Resident Engineer at 207-446-1746. The project superintendent will monitor channel 13 and 16 and a safety boat will be on scene during work over the waterway. Mariners should exercise caution while transiting the area.

Chart 13285 LNM 42/20 (CGD1)

VERMONT – LAKE CHAMPLAIN – REVIERE RICHELIEU TO SOUTH HERO ISLAND – Bridge Construction – Construction of the new US Route 2 drawbridge (mile 91.8) from North Hero to Grand Island is ongoing. The draw shall open on signal from October 16, 2020, **through May 14, 2021** if at least four hours notice is given by calling the bridge tender at 802-372-4360. The horizontal clearance of the channel is 40 feet. The vertical clearance in the closed position is 17.5 feet at mean water level. Vessels that can pass under the bridge between openings are allowed to do so. Mariners should pass with extreme caution and No Wake. Questions may be directed to Mr. Jeff Ramsey of the Vermont Agency of Transportation at 802-917-4467, or Jacqueline Dagesse, Public Outreach Manager, at 802-324-5522. Mariners are advised to plan their transits accordingly and exercise caution when transiting the area. (3) the number posted at the bridge.

Chart 14781 LNM 42/20 (CGD1)

MASSACHUSETTS - BOSTON INNER HARBOR - CHARLES RIVER - Bridge Repairs – Rehabilitation of the Lechmere Viaduct (mile 1.0) which carries the MBTA Green Line over the Charles River from Science Park Station in Boston to Lechmere in Cambridge will be ongoing until **August 31, 2021**. The navigation span will remain open but subject to reductions in vertical and horizontal clearance. Temporary work platforms will be installed on the bascule span and arch spans to allow cleaning, painting, and structural repairs. The work platform will reduce the vertical clearance of the bascule span by 5 feet to 28 feet Average Water Level. Work barges and work boats will be at various locations and at times will reduce the horizontal clearance. Temporary closures of the navigable channel will occur. Working hours are from 0700 a.m. to 10 p.m. daily. Mariners may contact the on-scene work boat on VHF channels 13/16 for safe passage. Questions may be directed to the Contractor, SPS New England, Inc., 24 hour POC Patrick Blais at 978-994-2741.

Chart 13272 LNM 42/20 (CGD1)

MASSACHUSETTS – BOSTON INNER HARBOR - CHARLES RIVER – Bridge Construction - Demolition and construction are ongoing at the North Washington Street Bridge and will continue to **December, 2020**. Work hours are 6 a.m. to 9 p.m. Vessels may transit through the work site in the open channel. Multiple barges, cranes and other equipment are on-scene. Work boats and push boats can be contacted on VHF Channel 13 to arrange passage if needed. If access to the commercial lock is required and work

barges are in the channel, 24 hour notice to J.F. White is required to clear access to the commercial lock. The on-scene foreman for the J.F. White Contracting Company is Patrick Wilson at 617-680-7537. Mariners are advised to proceed at slow speed and exercise caution.

Chart 13272 LNM 42/20 (CGD1)

MASSACHUSETTS – BOSTON INNER HARBOR – MYSTIC RIVER – Bridge Repairs – Bridge repairs continue at the Tobin Bridge, mile 0.1, across the Mystic River between Boston and Chelsea through **October 2020**. Working hours are 6 a.m. to 4 p.m., Monday through Saturday. The main channel horizontal clearance will be temporarily reduced to 328 feet by the two temporary scaffolding platforms on the north and south side; this will reduce the vertical clearance by 4 feet for the remaining horizontal clearance of the channel. Signage and red lights will mark the work platforms and a snoop truck will be utilized to install the platforms. Questions concerning this bridgework may be directed to the contractor, J.F. White Contracting Company, 24 hour POC Mr. Eric Ruth at 617-799-2018. Mariners should use caution while transiting the area.

Chart 13272 LNM 42/20 (CGD1)

MASSACHUSETTS - BOSTON HARBOR - NEPONSET RIVER - Bridge Painting - Work at the Granite Ave Bridge, mile 2.5, across the Neponset River between Boston and Milton will be conducted from September 13 through **December 9, 2020**. From September 13, 2020, to December 9, 2020, suspended scaffolding will be installed at the spans on either side of the main channel. The scaffolding will reduce the vertical clearance under these spans to 1 foot at Mean High Water (MHW). The range of tide is 6 to 9 feet.

From October 15 to October 29, the bascule span will not open for vessels from 8:00 p.m. to 6 a.m., Sunday through Friday. Vessels able to pass under the bascule span which has a clearance of 6 feet at MHW will be allowed to do so with the following exception: from October 23, 2020 at 7 p.m. to Friday October 30, 2020 at 11:59 p.m. the entire waterway (all spans) will be closed to vessels to conduct steel repairs to the bascule span.

From November 1, 2020, through December 9, 2020, the bascule span will not open for vessels to allow work from suspended scaffolding. The scaffolding will result in clearance of 1 foot at MHW. Vessels that can pass under the bridge with the tidal range will be allowed to do so. The bridge will not be able to open for emergency vessels as the scaffolding would take multiple days to dismantle. The MassDOT point of contact for the work is Kathryn Barr, 857-368-6211.

Chart 13270 LNM 42/20 (CGD1)

MASSACHUSETTS – ANNISQUAM RIVER – BLYNMAN CANAL – Bridge Construction– The draw span of the Massachusetts Bay Transportation Authority (MBTA) bridge across the Annisquam River, mile 0.7, has been removed to allow for construction of a replacement bridge. The channel through the bridge is open with unlimited vertical clearance. Work vessels will be at the bridge periodically. Vessel operators can reach the Harbormaster on VHF CH 16/14. Questions may be directed to the MBTA Resident Engineer, Matt Moorehouse at 617-839-8075. Mariners are advised to proceed at safe speed and exercise caution when transiting the area.

Chart 13281 LNM 42/20 (CGD1)

MASSACHUSETTS – ANNISQUAM RIVER – BLYNMAN CANAL – Bridge Construction– Full Channel Closure -The draw span of the Massachusetts Bay Transportation Authority (MBTA) Bridge across the Annisquam River, mile 0.7, has been removed to allow for construction of a replacement bridge. The channel through the bridge will be closed to all vessel traffic including emergency response vessels from November 2, 2020, to **December 31, 2020**, to accommodate a 60 foot by 80 foot work barge and drilling rig installing two drilled seven foot diameter piers to support the new railroad bridge. Vessel operators can reach the Harbormaster on VHF CH 16/14. Questions may be directed to the MBTA Resident Engineer, Matt Moorehouse at 617-839-8075. Mariners are advised plan accordingly.

Chart 13281 LNM 42/20 (CGD1)

MASSACHUSETTS - MERRIMACK RIVER – Bridge Construction - Work on the Massachusetts Bay Transportation Authority (MBTA) Bridge in Haverhill, MA at mile 19.9 of the Merrimack River will continue through **December 2020**. Construction barges will be operating and stored in the navigation channels. Hours of work are Monday through Friday between 6:30 a.m. and 6:00 p.m. The navigation channel will be reduced in width, but available at all times for navigation. Questions should be directed to the contractor, Cianbro Corporation, Mr. Brayden Sheive at 207-553-6676. Mariners should exercise caution while transiting the area.

Chart 13282 LNM 42/20 (CGD1)

RHODE ISLAND – MOUNT HOPE BAY – Bridge Repairs – Bridge repairs over the navigation span of the Mount Hope Bridge, mile 0.0, across Mount Hope Bay between Aquidneck Island and Bristol will commence on March 30, 2020 and continue through **December 15, 2020**. Work will occur beneath all spans of the bridge including the center navigation span. Work platforms will be in place beneath the bridge deck; however, they will not extend below existing low steel. There will be no support vessels in the water

other than a life-saving skiff. Work hours will typically be from 7 a.m. to 5 p.m. Monday through Friday. Questions should be directed to the Piasecki Steel Construction Corp., Mr. William Bruno at 518-378-1349 (m). Mariners should use caution when transiting the area.

Charts 13226 LNM 42/20 (CGD1)

RHODE ISLAND – MOUNT HOPE BAY – Bridge Repairs – Bridge repairs on the North Side Span of the Mount Hope Bridge between Piers 19 and 20 will commence on October 26 and continue through **November 13, 2020**. A deck barge and push boat will be on-scene. The work will not affect passage through the main navigation channel. The push boat will monitor VHF channels 13 and 16. The deck barge will remain in place under the North Side Span 24 hours per day until the work is completed. At night and at reduced visibility the barge will display white lights on all four corners. Work hours are typically from 7 a.m. to 5 p.m. Monday through Friday. Questions should be directed to Ryan Hogan, Project Manager for Piasecki Steel Construction Corp. at (m). Mariners should use caution when transiting the area.

Charts 13226 LNM 42/20 (CGD1)

RHODE ISLAND – NARRAGANSETT BAY - Newport Bridge Repairs – Repairs to the East and West highway approaches to the Newport Claiborne Pell Bridge, mile 4.0, Narragansett Bay will be conducted through **December 15, 2020**. Work barges and support vessels will be operating in various locations outside of the navigation Channel and will monitor channels 13 and 16. Work hours are from 6 a.m. to 6 p.m.; however, barges will remain on scene continuously. Mariners can contact the Aetna Bridge Company at 401-663-6257 or Steve Aguiar, Superintendent, at 401-663-6125 for more information. Mariners are advised to use caution when transiting the area.

Chart 13223 LNM 42/20 (CGD1)

RHODE ISLAND – NARRAGANSETT BAY – Jamestown Bridge Repairs - The Rhode Island Bridge & Turnpike Authority and Aetna Bridge Company are conducting repair work on the Jamestown Bridge over the West Passage of Narragansett Bay. Work will take place from November 15, 2019 and continue until **December 1, 2020**. A crane barge, material barge, diving operations and support vessels will be in the vicinity of the bridge. Mariners are requested to operate with no wake & keep clear of diving operations. Work hours are 6:00 a.m. to 6:00 p.m. Project operations will monitor VHF Channels 13 and 16. Questions may be directed to the Project Manager, Steve Aguiar at (401) 663-6125. Mariners are advised to use caution when transiting the area.

Chart 13221 LNM 42/20 (CGD1)

CONNECTICUT – CONNECTICUT RIVER – Bridge Repairs – A bridge repair project is underway on the Arrigoni Highway Bridge (Route 66) across the Connecticut River in Middletown through the **fall of 2022**. A working platform/debris shield will reduce the vertical clearance by 10.5 feet throughout the duration of the project. No in water work is planned at this time. Mariners are advised to exercise caution when transiting the area. The CONNDOT point of contact is Barak Brako Frempong, 860-594-3167.

Chart 12378 LNM 42/20 (CGD1)

CONNECTICUT – NEW HAVEN HARBOR – QUINNIPIAC RIVER – Bridge Construction – Starting March 9, 2020 until **December 31, 2021**, the City of New Haven will be performing construction activities for the rehabilitation of the Grand Ave Bridge over Quinnipiac River at mile 1.3. The Swing Bridge will remain in the open position the entire duration of the project. Barges and floating dock will occupy one navigational channel leaving the remaining navigational channel open for mariners to transit. All docks and barges will be light with constant red lights for visibility. Mariners with any questions or concerns may contact Project Manager Daniel Butler (860) 250-7128. Mariners are advised to exercise caution when transiting the area.

Charts 12371 LNM 42/20 (CGD1)

CONNECTICUT – LONG ISLAND SOUND – NORWALK RIVER – Bridge Repairs – Starting December 7, 2018 ConnDOT will be performing repairs on the Yankee Doodle Bridge over Norwalk River at mile 0.7. A working platform will be installed beneath the bridge deck, which will reduce the navigational vertical clearance from 60 feet to 56 feet at MHW. There will be a 28'x10' aluminum workboat tied to the fender system during construction hours, Monday through Friday 6:30 a.m. to 2:30 p.m. This work is expected to be completed by **May 1, 2021**. Mariners requiring full horizontal clearance can call Kevin Dorynioski at 860-993-6491, Jerry Mals at 860-982-4294, John Jakobeit at 860-229-4853. Mariners are advised to exercise caution when transiting the area.

Charts 12364 LNM 42/20 (CGD1)

CONNECTICUT – NIAN TIC BAY – NIAN TIC RIVER - Notice of Temporary Deviation - The Coast Guard has issued a temporary deviation from the regulation governing the S156 Bridge over the Niantic River between East Lyme and Waterford at mile 0.1. Under this temporary deviation, the S156 Bridge may remain in the closed to navigation position from **November 1, 2020 to March 30, 2021**. The deviation supports needed repairs to the bridge. The vertical clearance of the bridge will be reduced from 32 feet to 21.1 feet at mean high water and horizontal clearance will be reduced to 75 feet when the work barge is in the channel. The barge will monitor channels 13/16 during working hours. Vessels able to pass under the bridge in the closed position may continue to do

so. The bridge will not be able to open for emergencies. Questions may be directed to Ms. Rosmary Rodriguez, Connecticut Department of Transportation at 860-594-2127, Brent Church Project Engineer at 860-213-2625, or the Harbormaster, Ron Johnson at 860-649-0228. Mariners are advised to plan their transits accordingly and exercise caution when transiting the area.
Chart 12372, LNM 42/20 (CGD1)

CONNECTICUT – GREENWICH POINT TO NEW ROCHELLE- HOUSATONIC RIVER – Notice of Temporary Deviation

- The Coast Guard has issued a temporary deviation from the regulation governing the operation of the Devon Bridge across the Housatonic River at mile 3.9. The deviation is needed to perform track work on the Devon Bridge. Under this temporary deviation, the Devon Bridge may stay in the closed position September 8, 2020 to October 20, 2020 and October 26, 2020 to **December 7, 2020**, Monday through Friday. The bridge must open to emergency vessels given advance notice. Vessels able to pass under the bridge in the closed position will be allowed to do so. Questions may be directed to Mr. Rodney Armstrong (203) 627-8818. Mariners are advised to exercise caution when transiting the area.
Chart 12367 LNM 42/20 (CGD1)

CONNECTICUT – BODKIN ROCK TO HARTFORD - CONNECTICUT RIVER – Bridge Inspections – From October 12, 2020 to **October 23, 2020** between 8:30 a.m. and 4 p.m., CONNDOT will be inspecting the I-95 Bridge across Connecticut River at mile 4. The bridge owner will be utilizing a 75' under bridge inspection unit (UBIU) and a dive boat with diving equipment. All barges and vessels will be lighted with constant burning white lights on all four corners. Mariners requiring full clearance can contact the contractor via marine radio VHF-FM Ch 13/16 or call Dave Locke at (860) 483-1017. Mariners are advised to exercise caution and reduce wake when transiting the area.
Chart 12378 LNM 42/20 (CGD1)

CONNECTICUT – NORTH SHORE OF LONG ISLAND SOUND SHERWOOD POINT TO STAMFORD HARBOR – PEQUONNOCK RIVER – Inspection – Starting October 19, 2020 to **November 6, 2020** between 8:30 a.m. and 5:00 p.m., CONNDOT will be inspecting the Route 130 Bridge over the Pequonnock River at mile 0.1. The bridge owner will be utilizing a 12' raft/barge with scaffolding and a dive boat with diving equipment while performing inspections. All barges and vessels will be lighted with constant burning white lights on all four corners. Mariners with any concerns or questions may contact the contractor via marine radio VHF-FM Ch 13/16 or call Dave Locke at (860) 483-1017. Mariners are advised to exercise caution and reduce wake when transiting the area.
Charts 12368 LNM 42/20 (CGD1)

CONNECTICUT – NORTH SHORE OF LONG ISLAND SOUND HOUSATONIC RIVER AND MILFORD HARBOR- HOUSATONIC RIVER - Diving Inspections – From October 21, 2020 to **October 23, 2020**, between 8 a.m. and 4 p.m., a 21-foot boat and diving equipment at the US Route 1 Bridge over the Housatonic River at mile 3.5. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch 13/16 or call Clay Carlson (203) 216-1766. Mariners are advised to exercise caution and reduce wake when transiting the area.
Chart 12370 LNM 42/20 (CGD1)

CONNECTICUT – NORTH SHORE OF LONG ISLAND SOUND HOUSATONIC RIVER AND MILFORD HARBOR – HOUSATONIC RIVER – Under Bridge Inspections – From October 26, 2020 to **October 30, 2020** between 9 a.m. and 3 p.m., a 75' under bridge inspection unit (UBIU) will be operating at the Route 15 Bridge across Housatonic River at mile 7.0. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch 13/16 or call Luke Cardone (860) 594-3345. Mariners are advised to exercise caution and reduce wake when transiting the area.
Chart 12370 LNM 42/20 (CGD1)

NEW YORK – LONG ISLAND SOUND – HEMPSTEAD HARBOR TO TALLMAN ISLAND – WESTCHESTER CREEK – Bridge Replacement – There are two temporary lift bridges located North and South of the existing Unionport Bridge across Westchester Creek at mile 1.7.

Beginning June 26, 2020 through **October 31, 2020** between 7:00 a.m. to 3:00 p.m., there will be a 30'x60' barge in the waterway performing demolition on the pier tops in the waterway. A minimum of 20' will be clear in the channel at all times for mariners' passage. During work hours the barge can be moved out of the channel with 1-hour notice and weekends & nights with 6-hour notice. Beginning August 5, 2019, the temporary bridges will be operational and will provide minimum vertical clearance of 17'-2" in closed position and 35' in open position. These temporary bridges will temporarily alter the existing vertical clearance from 53 feet to 35 feet from the above MHW EL+1.78 until **September 2021**. Mariners can contact Abdi Hedayati at (347) 885-8613 regarding the temporary bridges and John Albano at (732) 272-7837 if requiring full horizontal clearance. Mariners are advised to exercise caution and reduce wake when transiting the area and find alternate routes if the vessel exceeds vertical clearance.

Chart 12366 LNM 42/20 (CGD1)

NEW YORK – LONG ISLAND SOUND AND EAST RIVER HEMPSTEAD HARBOR TO TALLMAN ISLAND-HEMPSTEAD BAY – Bridge Inspections – From October 19, 2020 to **November 13, 2020** between 9 a.m. and 3 p.m., an under bridge inspection unit will be stationed on the bridge deck at the Roslyn Viaduct (Route 25A) Bridge across Hempstead Bay at mile 4.8. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch 13/16 or call Jan Pawluczuk (646) 872-2967. Mariners are advised to exercise caution and reduce wake when transiting the area.
Chart 12366 LNM 42/20 (CGD1)

NEW YORK – LONG ISLAND – SHINNECOCK BAY TO EAST ROCKAWAY INLET – FIRE ISLAND INLET – Bridge Painting – From June 15, 2020 to **December 31, 2021** New York State Department of Transportation will be performing steel superstructure painting and bridge repairs at the Robert Moses Bridge across Fire Island Inlet at mile 4.0. Beginning September 9, 2020 a barge will be at pier 19 (outside the channel) to assist in the painting operations. All work will be outside of the navigational channel. Mariners are advised to exercise caution and reduce wake when transiting the area.
Chart 12352 LNM 42/20 (CGD1)

NEW YORK – LONG ISLAND – SHINNECOCK BAY TO EAST ROCKAWAY INLET –GREAT SOUTH BAY– Under Bridge Inspections – From September 21, 2020 to **December 18, 2020** between 9 a.m. and 3 p.m., an under bridge inspection unit (UBIU) and Pontoon boat will be operating at the Robert Moses Causeway over the Great South Bay at mile 7.3. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch 13/16 or call Paul Marzuillo (917) 930-5541. Mariners are advised to exercise caution and reduce wake when transiting the area.
Chart 12352 LNM 42/20 (CGD1)

NEW YORK – LONG ISLAND SOUND – SHINNECOCK BAY TO SOUTH OYSTER BAY- GREAT SOUTH BAY– Bridge Inspection – From October 5, 2020 to **October 23, 2020** between 9 a.m. and 3 p.m. an Under Bridge Inspection Unit (UBIU) will be operating at the Robert Moses Causeway Bridge across the State Boat Channel at mile 30.7 for bridge inspection. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM CH. 13/16 or call Richard Nyman (646) 256-6626. Mariners are advised to exercise caution and reduce wake when transiting the area.
Chart 12352 LNM 42/20 (CGD1)

NEW YORK – LONG ISLAND – SHINNECOCK BAY TO FIRE ISLAND LIGHT – QUOGUE CANAL – Bridge Inspections – From September 28, 2020 to **October 23, 2020** between 9 a.m. and 3 p.m., a barge mounted 60' manlift will be performing bridge inspections at the Post Lane Bridge across Quogue Canal at mile 1.1. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch 13/16 or call Alex Abreu (201) 724-2400. Mariners are advised to exercise caution and reduce wake when transiting the area.
Chart 12353 LNM 42/20 (CGD1)

NEW YORK – LONG ISLAND – SHINNECOCK BAY TO EAST ROCKAWAY INLET – SHINNECOCK BAY – Bridge Inspections – From October 5, 2020 to **October 23, 2020** between 9 a.m. and 3 p.m., an under bridge inspection unit will be operating at the Ponquogue Ave Bridge over Shinnecock Bay. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch 13/16 or call (201) 724-2400. Mariners are advised to exercise caution and reduce wake when transiting the area.
Chart 12352 LNM 42/20 (CGD1)

NEW YORK – LONG ISLAND SOUND– SHINNECOCK BAY TO EAST ROCKAWAY INLET – NARROW BAY – Bridge Inspections – From September 28, 2020 to **October 23, 2020** between 9 a.m. and 3 p.m., a barge mounted 60' manlift will be performing bridge inspections at the William Floyd Parkway across Narrow Bay at mile 6.1. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch 13/16 or call Jan Pawluczuk (646) 872-2967. Mariners are advised to exercise caution and reduce wake when transiting the area.
Chart 12352 LNM 42/20 (CGD1)

NEW YORK – LONG ISLAND – SHINNECOCK BAY TO EAST ROCKAWAY INLET –SLOOP CHANNEL – Diving Inspection – From September 28, 2020 to **October 23, 2020** between 9 a.m. and 3 p.m., a barge mounted 60' manlift will be performing bridge inspections at the Wantagh State Parkway Bridge over Sloop Channel at mile 12.8 for bridge inspection. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch 13/16 or call Jan Pawluczuk (646) 872-2967. Mariners are advised to exercise caution and reduce wake when transiting the area.
Chart 12352 LNM 42/20 (CGD1)

NEW YORK – EAST RIVER TALLMAN ISLAND TO QUEENSBORO BRIDGE – FLUSHING CREEK - Bridge Repairs – Starting September 1, 2020 NYCDOT will be performing repairs on the Northern Blvd Bridge across Flushing Creek at mile 0.4. The contractor will be working in two shifts, day shift 7:00 a.m. to 3:30 p.m., and night shift 10:00 p.m. to 5:00 a.m. There will be a safety boat in the waterway during working hours. This work is expected to be completed by **March 1, 2021**. Mariners with questions or concerns may contact Anothony Berardi at (646) 302-6288. Mariners are advised to exercise caution when transiting the area.
Charts 12339 LNM 42/20 (CGD1)

NEW YORK – JAMAICA BAY AND ROCKAWAY INLET –JAMAICA BAY– Scour and Fender Repairs – Contractors will be performing fender repairs at the Cross Bay Blvd Bridge over Jamaica Bay at mile 6.0. Contractors will be installing scour and fender protection utilizing barges. At all times there will be a minimum of 100 feet available for mariners' passage. From January 13, 2020 to **December 31, 2020** between 4 a.m. and 7:30 p.m., a crane barge (200'x60') will be working at Pier 7 and 8, outside of the navigational channel. From June 17, 2020 to **February 8, 2021**, a barge (150'x40') and a crane barge (267'x50') will be working at pier 3 and pier 6, along the channel. Mariners can contact the contractor via marine radio VHF-FM Ch. 13/16 or call Anthony Macca at (917) 243-0498. Mariners are advised to exercise caution when transiting the area.
Chart 12350 LNM 42/20 (CGD1)

NEW YORK – JAMAICA BAY AND ROCKAWAY INLET – ROCKAWAY INLET – JAMAICA BAY– Fender Repairs – From July 7, 2020 to **November 20, 2020** between 7:00 a.m. and 3:30 p.m., fender repairs will be conducted utilizing a 60'x200' barge at the Cross Bay Blvd Bridge at mile 10.0 across Jamaica Bay. The barge will reduce the horizontal channel during work hours to a minimum of 70 feet. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call Gerrod McDaniel (732) 788-5787. Mariners are advised to exercise caution and reduce wake when transiting the area.
Chart 12350 LNM 42/20

NEW YORK – JAMAICA BAY AND ROCKAWAY INLET – JAMAICA BAY– Fender Repairs – From August 17, 2020 to **September 30, 2021** contractors will be replacing the fender protection at the Marine Parkway (Gil Hodges) Bridge over Jamaica Bay at mile 1.0. Contractors will be utilizing a crane barge (50'x267') and a material barge (150'x40') will be working outside of the navigational channel. Any questions or comments can be addressed to Anthony Macca at (917) 243-0498. Mariners are advised to exercise caution when transiting the area.
Chart 12350 LNM 42/20 (CGD1)

NEW YORK –JAMAICA BAY AND ROCKAWAY INLET- MILL BASIN– Bridge Construction – From April 20, 2020 to **December 31, 2020**, there will be barges placed at the Belt Parkway Bridge across Mill Basin at mile 0.8, for construction activities. This will reduce the horizontal navigational channel to 100 feet. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call Carl Ortmann (920) 539-2460. Mariners are advised to exercise caution and reduce wake when transiting the area.
Chart 12350 LNM 42/20 (CGD1)

NEW YORK – COXSACKIE TO TROY - HUDSON RIVER – Bridge Rehabilitation – Repairs to the Route 7 (Hoosick Street) Bridge across Hudson River at mile 153.1 is in progress. There will be hanging temporary platform scaffold at piers 10 and 11. No equipment in the navigation channel. This project is to be completed by **November 30, 2020**. Mariners are advised to exercise caution when transiting the area.
Chart 12348 LNM 42/20 (CGD1)

NEW YORK – HUDSON RIVER TO WAPPINGER CREEK – HUDSON RIVER – Steel Repairs – From July 22, 2020 to **December 31, 2021** during daylight hours a bridge traveler will be operating under the Mid-Hudson Bridge across Hudson River at mile 75.6. The traveler will reduce the vertical clearance by approximately 5 ft below chord. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM channel 13/16 or call 845-234-8623. Mariners are advised to exercise caution when transiting the area.
Chart 12343 LNM 42/20 (CGD1)

NEW YORK – HUDSON RIVER TO WAPPINGER CREEK – HUDSON RIVER – Deck Replacement – Construction to the Newburg-Beacon Bridge (North Span), mile 62.0 across Hudson River will commence on September 15, 2020. A temporary work platform will be installed under the entire length of the bridge. Temporary work platform will reduce the vertical clearance in the navigation channel by approximately 3ft. Please contact Mike Lloyd at 914-403-2653 or via marine radio VHF-FM CH 13/16 for construction information. This project is to be completed by **December 15, 2022**. Mariners are advised to exercise caution when transiting the area.

Chart 12343 LNM 42/20 (CGD1)

NEW YORK – NEW YORK TO WAPPINGER CREEK - HUDSON RIVER – Main Cable Rehabilitation and Sidewalk Modification – Construction to the main cable rehabilitation and sidewalk modification at the George Washington Bridge across the Hudson River at mile 11.0 is in progress. There will not be any obstruction in the Channel. Welding (hot work) may be performed during working hours. The resident engineer or contractor will be equipped with a VHF-FM marine radio and will be monitoring Channel 13/16 during hours of operation. Mariners can contact Marc Helman at 212-435-6112 for construction details. This project is to be completed by **February 15, 2026**. Mariners are advised to exercise extreme caution when transiting the area.
Chart 12343 LNM 42/20 (CGD1)

NEW YORK – LONG ISLAND SOUND AND EAST RIVER – HEMPSTEAD HARBOR TO TALLMAN ISLAND – HUTCHINSON RIVER – Notice of Temporary Deviation – The Coast Guard has issued a temporary deviation from the regulation governing the operation of the Hutchinson River Parkway Bridge across Hutchinson River at mile 0.9. On October 24, 2020 between 6 a.m. and 6 p.m., the Hutchinson River Parkway Bridge will not open to marine traffic in order to perform maintenance repairs. Vessels that can pass under the draw without bridge opening may do so at all times. Vertical Clearance under the closed span is approx. 30 feet at MHW. Mariners are advised to transit the area with caution and plan accordingly.
Chart 12366 LNM 42/20 (CGD1)

NEW YORK – LONG ISLAND SOUND – HEMPSTEAD HARBOR TO TALLMAN ISLAND – HUTCHINSON RIVER – Bridge Inspection – Inspection to the Hutchinson River Parkway Bridge across Hutchinson River at mile 0.9 will commence on October 29, 2020. Hours of operation are between 7 a.m. and 4 p.m. A barge with manlift will be operating in the navigation Channel. Mariners requiring full horizontal clearance can contact Kevin Hussain via marine radio VHF-FM Ch. 13/16 or call 347-862-1977. This project will be completed by **November 12, 2020**. Mariners are advised to exercise caution and reduce wake when transiting the area.
Chart 12366 LNM 42/20 (CGD1)

NEW YORK – LONG ISLAND SOUND AND EAST RIVER – HEMPSTEAD HARBOR TO TALLMAN ISLAND – EAST RIVER – Deck Replacement – Construction to the Throgs Neck Bridge across East River at mile 15.8 is in progress. Temporary work platform will be installed under the main span over navigation channel. The temporary work platform will reduce the vertical clearance by 4ft 6in max. (Including deflection) from the low steel of the bridge. Hot work operations will be performed through November 30, 2022. A barge and safety boat will be operating IVO the bridge. Any questions regarding construction can contact Jeff Brugge via marine radio VHF-FM Ch. 13/16 or 516-445-3495. This project is to be completed by **November 30, 2022**. Mariners are advised to exercise caution when transiting the area.
Chart 12366 LNM 42/20 (CGD1)

NEW YORK – LONG ISLAND SOUND AND EAST RIVER – HEMPSTEAD HARBOR TO TALLMAN ISLAND – EAST RIVER – Rehabilitation Approach Spans – Construction to the Throgs Neck Bridge across East River at mile 15.8 is in progress. Temporary work platform will be installed under the Bronx and Queens approach spans. The temporary work platform will reduce the vertical clearance by 3ft max. (Including deflection) from the low steel of the bridge. A barge will be operating under the Queens/Bronx approach spans during installation and removal of the platforms. Barges and safety boat will be operating at the Bronx and Queens anchorages. Any questions regarding construction can contact Herbert Negron via marine radio VHF-FM Ch. 13/16 or 718-904-4364. This project is to be completed by **August 31, 2023**. Mariners are advised to exercise caution when transiting the area.
Chart 12366 LNM 42/20 (CGD1)

NEW YORK – LONG ISLAND SOUND AND EAST RIVER – HEMPSTEAD HARBOR TO TALLMAN ISLAND – EAST RIVER – Security Upgrade – Construction to the Bronx Whitestone Bridge across East River at mile 13.8 is in progress. Temporary work platforms are installed immediately adjacent to the Queens and Bronx towers. There is no horizontal or vertical clearance reduction in the navigation channel. Hot work operations may be performed throughout the project. A safety boat will be operating IVO the bridge. Any questions regarding construction can contact Johan Perez at 646-539-8051. This project is to be completed by **November 30, 2020**. Mariners are advised to exercise caution when transiting the area.
Chart 12366 LNM 42/20 (CGD1)

NEW YORK – LONG ISLAND SOUND AND EAST RIVER - HEMPSTEAD HARBOR TO TALLMAN ISLAND - EAST RIVER – Bridge Inspection – Inspection to Bronx- Whitestone Bridge across the East River, mile 13.8 will commence on August 31, 2020. Hours of operations are from Monday to Friday between 8 a.m. and 4 p.m. Bridge traveler will be operated under the bridge in order to perform bridge inspection. Available vertical clearance under traveler platforms is approximately 130 ft at MHW near the channel edge and 136 ft 11 inches at MHW at center channel. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call Anthony Balseca at (917) 887-0772. The bridge traveler will be moved out of the navigable

channel after work hours or when not in use. This project is to be completed by **October 23, 2020**. Mariners are advised to exercise caution when transiting the area.

Chart 12366 LNM 42/20 (CGD1)

NEW YORK – LONG ISLAND SOUND AND EAST RIVER – HEMPSTEAD HARBOR TO TALLMAN ISLAND – EAST RIVER – Fender Replacement – Construction to the Bronx Whitestone Bridge across East River at mile 13.8 will commence on July 20, 2020. Two 60ft by 120ft crane and material barges will be operating IVO Queens and Bronx Towers. There is no horizontal or vertical clearance reduction in the navigation channel. Any questions regarding construction can contact Robert Peterson at 732-522-1916. This project is to be completed by **December 24, 2021**. Mariners are advised to exercise caution when transiting the area.
Chart 12366 LNM 42/20 (CGD1)

NEW YORK – TALLMAN ISLAND TO QUEENSBORO BRIDGE – EAST RIVER – Bridge Inspection – From September 21, 2020 to **November 15, 2020** between 8 a.m. and 4 p.m. a 20ft by 40ft steel barge and 25ft boat will be operating IVO the Rikers Island Bridge across East River at mile 10.7 for bridge inspection. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call 631-891-9721 or 646-275-7609. Mariners are advised to exercise caution and reduce wake when transiting the area.
Chart 12339 LNM 42/20 (CGD1)

NEW YORK – TALLMAN ISLAND TO QUEENSBORO BRIDGE – EAST RIVER – Biennial Inspection – Bridge Inspections to the Triboro (RFK) Bridge across East River at mile 7.8 will commence on August 10, 2020. Contractor will be using rope access technique to perform inspection. There will not be any reduction to the horizontal and vertical clearances in the navigation channel. Any questions to this inspection, please contact David Kolesnik at 914-420-4665. This project is to be completed by **October 30, 2020**.
Chart 12339 LNM 42/20 (CGD1)

NEW YORK – NEW YORK HARBOR – EAST RIVER – Fender Repairs – Repairs to the Roosevelt Island Bridge across East River (East Channel) at mile 6.4 is in progress. A crane and material barges will be operating IVO of the bridge (most of the time will be near Queens fender system). Hours of operations are from Monday to Friday between 6 a.m. and 2:30 p.m. Mariners requiring full horizontal clearance can call 917-502-4546 or 845-587-0670 or via marine radio VHF-FM Ch. 13/16. This work will be completed by **October 31, 2020**. Mariners are advised to exercise caution and reduce wake when transiting the area.
Chart 12339 LNM 42/20 (CGD1)

NEW YORK – TALLMAN ISLAND TO QUEENSBORO BRIDGE – EAST RIVER – Replacement of Upper Roadways – Construction to the Queensboro Bridge over East River at mile 5.5 is in progress. All work are on top of the bridge. Hot work operations will be performed through **October 28, 2022**. A safety boat will be operating IVO the bridge. Any questions regarding the construction please contact Anthony Grosso at 718-685-3990 or 347-242-6442. This project is to be completed by **October 28, 2022**. Mariners are advised to exercise caution when transiting the area.
Chart 12339 LNM 42/20 (CGD1)

NEW YORK – HUDSON AND EAST RIVERS – EAST RIVER – Bridge Inspection – Inspection to Queensboro Bridge across East River at mile 5.5 is in progress. On **September 25, 2020** during daylight hours, bridge traveler will be operated under the bridge in order to perform bridge inspection. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call Seth Medwick at 917-821-9130. The traveler platform will be moved out of the navigable channel after work hours or when not in use. This project is to be completed by **December 31, 2021**. Mariners are advised to exercise caution when transiting the area.
Chart 12339 LNM 42/20 (CGD1)

NEW YORK – TALLMAN ISLAND TO QUEENSBORO BRIDGE – EAST RIVER – Bridge Maintenance – On **October 27, 2020** between 9:30 a.m. and 2:00 p.m., a bridge traveler will be operated under the Queensboro Bridge over East River at mile 5.5 to perform bridge maintenance. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call 917-295-1856 or 646-879-4107. The traveler platform will be moved out of the navigable channel after work hours or when not in use. Mariners are advised to exercise caution when transiting the area.
Chart 12339 LNM 42/20 (CGD1)

NEW YORK – EAST RIVER NEWTOWN CREEK HARBOR CHART- NEWTOWN CREEK – Bridge Maintenance – New York City Department of Transportation will be installing shielding under deck of the bridge span 1 & 2 and replace the damaged and broken gratings on the Grand Street Bridge. The schedule for this work is as follows:
Saturdays from 7:00 a.m. to 3:00 p.m: October 10, 2020, October 17, 2020, October 24, 2020, and **October 31, 2020**.

Sunday night through Thursday night from 10 p.m. to 5 a.m.: October 5, 2020 – October 9, 2020, October 12, 2020 – October 16, 2020, October 19, 2020 – October 23, 2020.

During this work there will be a safety boat in the waterway. Mariners with any questions or concerns may contact the contractor via marine radio VHF-FM Ch. 13/16 or call Yousef Demis at (347) 865-1890. Mariners are advised to exercise caution when transiting the area.

Chart 12338 LNM 42/20 (CGD1)

NEW YORK – HUDSON AND EAST RIVERS – GOVERNORS ISLAND TO 67TH STREET – EAST RIVER – Bridge Construction – Construction to the East Midtown Waterfront Esplanade Bridge, mile 5.1 – 5.7 across East River is in progress. There will be crane, deck and material barges placed between 53rd Street and 61st Street along East River bulkhead. All equipment are operated outside the navigation channel. Mariners with questions regarding the equipment in the waterway may contact Ms. Prybylski at 212-312-3577. This project is to be completed by **January 30, 2022**. Mariners are advised to exercise caution when transiting the area.

Chart 12335 LNM 42/20 (CGD1)

NEW YORK – HUDSON AND EAST RIVERS – GOVERNORS ISLAND TO 67TH STREET – EAST RIVER – Bridge Maintenance – On **October 28, 2020** between 9:30 a.m. and 2 p.m., a bridge traveler will be operated under the Williamsburg Bridge over East River at mile 2.3 to perform bridge maintenance. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call 917-295-1856 or 646-879-4107. The traveler platform will be moved out of the navigable channel after work hours or when not in use. Mariners are advised to exercise caution when transiting the area.

Chart 12335 LNM 42/20 (CGD1)

NEW YORK – HUDSON AND EAST RIVERS – GOVERNORS ISLAND TO 67TH STREET – EAST RIVER – Bridge Inspection – Inspection to Manhattan Bridge across East River at mile 1.1 is in progress. During daylight hours, bridge traveler or rigging platform will be operated under the bridge in order to perform bridge inspection. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call Steve Bertos at 631-891-9721. The traveler platform will be moved out of the navigable channel after work hours or when not in use. This project is to be completed by **December 31, 2020**. Mariners are advised to exercise caution when transiting the area.

Chart 12335 LNM 42/20 (CGD1)

NEW YORK – HUDSON AND EAST RIVERS – GOVERNORS ISLAND TO 67TH STREET – EAST RIVER – Bridge Rehabilitation – Three localized underdeck platforms are installed under the Manhattan Bridge across East River at mile 1.1 and will not reduce vertical clearance in the navigation channel more than three feet. Hot work will be performed during this construction period. A 50ft by 110ft barge will be operating IVO Manhattan Tower from January 22, 2020 to April 24, 2020 during daylight hours. Mariners can contact Chad Umphred at 908-307-3890 or Daniel Chasse at 646-522-1248 for barge equipment. This project is to be completed by **April 16, 2021**. Mariners are advised to exercise caution when transiting the area.

Chart 12335 LNM 42/20 (CGD1)

NEW YORK – TALLMAN ISLAND TO QUEENSBORO BRIDGE – EAST RIVER – Bridge Maintenance – On **October 22, 2020 and October 29, 2020** between 9:30 a.m. and 2:00 p.m., a bridge traveler will be operated under the Brooklyn Bridge over East River at mile 0.8 to perform bridge maintenance. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call 917-295-1856 or 646-879-4107. The traveler platform will be moved out of the navigable channel after work hours or when not in use. Mariners are advised to exercise caution when transiting the area.

Chart 12339 LNM 42/20 (CGD1)

NEW YORK – HUDSON AND EAST RIVERS – GOVERNORS ISLAND TO 67TH STREET – EAST RIVER – Bridge Inspection – Inspection to Brooklyn Bridge across East River at mile 0.8 is in progress. From June 15, 2020 to **November 12, 2020** during daylight hours, bridge traveler will be operated under the bridge in order to perform bridge inspection. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call Robert Drew at 917-573-8229. The traveler platform will be moved out of the navigable channel after work hours or when not in use. This project is to be completed by **December 31, 2021**. Mariners are advised to exercise caution when transiting the area.

Chart 12335 LNM 42/20 (CGD1)

NEW YORK – HUDSON AND EAST RIVERS – GOVERNORS ISLAND TO 67TH STREET – EAST RIVER – Bridge Rehabilitation – Construction to the Brooklyn Bridge over East River at mile 0.8 is in progress. Approximate four barges will be operating at the Manhattan Tower from May 28, 2020 to May 28, 2021. Hours of operations are from 6 a.m. to 3:30 p.m. No construction equipment will be operating in the navigation channel during rehabilitation. Mariners can contact Bill Ferdinandsen

Resident Engineer at 347-242-6203 for construction status. This project is to be completed by **February 28, 2023**. Mariners are advised to exercise caution and reduce wake when transiting the area.

Chart 12335 LNM 42/20 (CGD1)

NEW YORK – HUDSON AND EAST RIVERS – GOVERNORS ISLAND TO 67TH STREET – GOWANUS CANAL – Notice of Temporary Deviation – The Coast Guard has issued a temporary deviation from the regulation governing the operation of the Hamilton Ave Bridge across Gowanus Canal at mile 1.2. From November 15, 2020 to **May 8, 2021**, Monday through Friday, between 7 a.m. and 6 p.m., the Hamilton Ave Bridge will open on signal provided at least a two-hour advance notice by calling bridge operator/section office. All other times, the bridge will open on signal. Vessels that can pass under the span without a bridge opening may do so at all times. Mariners are advised to plan their transits accordingly.

Chart 12352 LNM 42/20 (CGD1)

NEW YORK – HUDSON AND EAST RIVERS – GOVERNORS ISLAND TO 67TH STREET – GOWANUS CANAL – Bridge Painting – From September 3, 2020 to **November 14, 2020**, Monday through Saturday, between 8 a.m. and 1 p.m., New York City Department of Transportation will be performing steel superstructure painting at the Union Street Bridge across Gowanus Canal at mile 2.1. A snooper truck will be operating under the span during painting. Mariners requiring full vertical clearance can contact John Jones at 646-235-1879 or Daniel Wynne at 917-364-6164 or via marine radio VHF-FM CH 13/16. Mariners are advised to exercise caution and reduce wake when transiting the area.

Chart 12352 LNM 42/20 (CGD1)

NEW YORK – HARLEM RIVER – Misc. Structure Rehabilitation and Repairs of Overcoat Painting – Rehabilitation of the Henry Hudson Bridge over Harlem River at mile 7.2 is in progress. A tug and 300ft by 90ft barge will be operating in the navigation channel (during installing and removing of temporary work platform). Temporary work platforms will be installed under the entire arc span and will reduce the vertical clearance by approximately 67in below the low steel. Hot work may be operating within the platform area. Mariners requiring full horizontal clearance can contact Rafael De Soto via marine radio VHF-FM CH 13/16 or call 347-843-8440. This project is to be completed by **March 23, 2023**. Mariners are advised to reduce wake and exercise caution when transiting the area.

Chart 12342 LNM 42/20 (CGD1)

NEW YORK – HARLEM RIVER – Bridge Closure – Broadway Bridge, mile 6.8, over across Harlem River was not able to open for marine traffic due to damaged electrical control system. New York City DOT is working diligently to repair the bridge. The bridge will be unable to open to marine traffic until repairs are completed. The vertical clearance in the closed position is approx. 24 feet at MHW. Vessels that can transit under the closed span may do so at any time. Mariners are advised to plan accordingly and exercise extreme caution when transiting the area.

Chart 12342 LNM 42/20 (CGD1)

NEW YORK – HARLEM RIVER- Bridge Rehabilitation – Construction to the Broadway Bridge across Harlem River at mile 6.8 will commence on or about October 1, 2020. A temporary shielding will be installed under the Broadway Bridge across Harlem River at mile 6.8. Temporary shielding will reduce vertical clearance in the navigation channel by approximately 3ft 9in. A one half of navigation channel will be free of obstruction at all time. Mariners can contact Joe Pollack via marine radio VHF-FM CH 13/16 or 917-656-6820 for temporary shielding information. This project is to be completed by **April 30, 2023**. Mariners are advised to reduce wake and exercise caution when transiting the area.

Chart 12342 LNM 42/20 (CGD1)

NEW YORK – HARLEM RIVER – Bridge Painting – Painting to the 207th Street/University Heights Bridge across Harlem River at mile 6.0 is in progress. Rigging cables and installation of work platform will begin from Manhattan approach span (west abutment) and work toward to the Bronx approach span (east abutment). The work platform under the east and west approach spans will reduce the vertical clearance by approximately 4 ft. While working in the navigation channel, one draw of a swing bridge vertical clearane will be reduced by the work platform approximately 3 feet; the other draw will be free and clear of any equipment for the passage of vessels. Mariners has questions can contact the contractor via marine radio VHF-FM CH 13/16 or call 917-440-9478. This project will be completed by **May 1, 2022**. Mariners are advised to exercise caution and reduce wake when transiting the area.

Chart 12342 LNM 42/20 (CGD1)

NEW YORK - HARLEM RIVER – Electrical/Mechanical Rehabilitation – Construction to the Madison Ave Bridge across Harlem River at mile 2.3 is in progress. A protective shield will be installed around the center pier. This shield will not affect operation of the bridge. Any questions to this project can contact Kambiz Riazzi at 646-246-6666 or Steve Koch at 908-723-4355. This project is to be completed by **April 13, 2022**. Mariners are advised to exercise caution when transiting the area.

Chart 12342 LNM 42/20 (CGD1)

NEW YORK - HARLEM RIVER - Fender Replacement – Construction to the Metro North (Park Ave) Bridge across Harlem River at mile 2.1 will commence on October 16, 2020. There will be crane barges operating in the area. Work will begin west fender through May 31, 2021 and shift to east fender on May 31, 2021 through **July 15, 2022**. A 120ft of horizontal clearance in the navigation channel will be maintained at all times. Any questions regarding barge placement can contact Tony Rivera at 917-715-9429. This project is to be completed by **October 1, 2022**. Mariners are advised to reduce wake and exercise caution when transiting the area.

Chart 12342 LNM 42/20 (CGD1)

NEW YORK – HARLEM RIVER – Bridge Construction – Metro-North is replacing the miter rails at Park Ave RR Bridge, mile 2.1, across Harlem River. The bridge will be unable to open to marine traffic until miter rails are replaced. This work is expected to be completed by **December 2020**. The vertical clearance in the closed position is approx. 25 feet at MHW. Vessels that can transit under the closed span may do so at any time. Mariners are advised to plan accordingly and exercise extreme caution when transiting the area. Any questions or concerns may be directed to Ms. Anamaria Bonilla at (646) 208-8509.

Chart 12342 LNM 42/20 (CGD1)

NEW YORK – HARLEM RIVER – Field Measurement – From October 19, 2020 to **October 30, 2020** between 7 a.m. and 3 p.m., a 40ft by 40ft barge with 80ft manlift and tug “Jerry” will be operating IVO the 125th Street (RFK) Bridge across Harlem River at mile 1.3 for bridge inspection. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch 13/16 or call 347-728-7960. Mariners are advised to exercise caution and reduce wake when transiting the area.

Chart 12342 LNM 42/20 (CGD1)

NEW YORK – HARLEM RIVER – Critical Maintenance Repairs – From October 19, 2020 to **December 19, 2020** between 7 a.m. and 3 p.m., a 40ft by 30ft barge will be operating IVO the 125th Street (RFK) Bridge across Harlem River at mile 1.3 for bridge repairs. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch 13/16 or call Nick Ditrio at 917-204-7756. Mariners are advised to exercise caution and reduce wake when transiting the area.

Chart 12342 LNM 42/20 (CGD1)

NEW YORK – NEW YORK HARBOR – Structural Steel Repairs and Painting – Repairs to the Verrazano Narrows Bridge over New York Harbor are in progress. Temporary safe-span platforms will be installed under the entire length of the bridge and will reduce the vertical clearance by approximately 2 ft. below the traveler rail with maximum two feet sag. The temporary platform for 250ft on both sides of the centerline of the bridge for a total of 500ft must maintain less than one foot of vertical clearance reduction below the traveler rail at all times unless approved by Coast Guard Vessel Traffic Service New York (CG VTS-NY). Four corners of temporary platforms marking the 500ft center of the span where less than one foot of vertical clearance reduction is maintained will be lighted with constant burning red lights. Any questions regarding the platforms please contact Chris Daskalakis at 718-639-5880 or CG VTS-NY at 718-354-4088. This project is to be completed by **November 30, 2021**. Mariners are advised to exercise caution when transiting the area.

Chart 12327 LNM 42/20 (CGD1)

NEW YORK AND NEW JERSEY – NEW YORK HARBOR – NEWARK BAY – Structural Steel Repairs – Construction to the New Jersey Turnpike Newark Bay (I-78) Bridge, across Newark Bay at mile 4.0 will commence on March 1, 2020. Safe span platforms will be installed under the east and west approach spans and will reduce vertical clearance by 2 feet. POC for this project is William Ritter and can be reached at 973-390-7221. This project is to be completed by **March 30, 2023**. Mariners are advised to exercise caution when transiting the area.

Chart 12327 LNM 42/20 (CGD1)

NEW YORK AND NEW JERSEY – NEW YORK HARBOR – NEWARK BAY – Fender and Pile Jacketing Repairs – Construction to the New Jersey Turnpike Newark Bay (I-78) Bridge, across Newark Bay at mile 4.0 will commence on June 29, 2020. There will be barges operating in the navigation channel. Work will begin west fender then shift to east fender through December 31, 2020. Approximately 520ft of horizontal clearance in the navigation channel will be maintained at all time. Cranes barges will be operating at the east side piers E6, E7 and E8 from August 1, 2020 to **December 31, 2021**. POC for this project is Todd Davis and can be reached at 609-405-0417. This project is to be completed by **December 31, 2021**. Mariners are advised to exercise caution when transiting the area.

Chart 12327 LNM 42/20 (CGD1)

NEW YORK AND NEW JERSEY – NEW YORK HARBOR – ARTHUR KILL – Bridge Inspections – Inspections to the Goethals Bridge across the Arthur Kill, mile 11.5 is in progress. Hours of operations are from 7 a.m. to 4 p.m. At times, an underdeck traveler will be operating at various locations over the navigation channel. Mariners requiring full vertical clearance can contact Carlo

Thompson via marine radio VHF-FM Ch. 13/16 or call 848-231-3359. This inspection is to be completed by **November 30, 2020**. Mariners are advised to exercise caution when transiting the area.
Chart 12327 LNM 42/20 (CGD1)

NEW YORK AND NEW JERSEY – NEW YORK HARBOR – ARTHUR KILL – Biennial Inspection – Inspection to the Outerbridge Crossing Bridge across the Arthur Kill, mile 2.0 is in progress. Hours of operations are from 6 a.m. to 3 p.m. At times, a 32ft long by 3ft wide movable scaffold or underbridge inspection unit will be operating at various locations over the navigation channel. When a movable scaffold in use, the unit will reduce the vertical clearance by approximately 5ft. Mariners requiring full vertical clearance can contact Joel Bautista via marine radio VHF-FM Ch. 13/16 or call 201-696-6742. This inspection is to be completed by **November 13, 2020**. Mariners are advised to exercise caution when transiting the area.
Chart 12327 LNM 42/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER – Fender Replacement – Construction to the Routes 1 & 9 Bridge, across Hackensack River at mile 1.8 is in progress. Temporary false work and turbidity barrier will be installed at the existing fender location, which will reduce horizontal clearance by approximately 10 feet. Crane and material barges will be operating in the navigation Channel from Monday to Friday between 7 a.m. and 7 p.m. Contractor will maintain a minimum of 100 feet of unobstructed Channel at all times. Mariners requiring more than 100 feet of horizontal clearance can contact Daniel Nomie at 215-589-0053 or Jack Clark at 215-815-1251 or via marine radio VHF-FM CH. 13/16 with 24-hour advance notice. This project will be completed by **June 30, 2021**. Mariners are advised to exercise caution when transiting the area.
Chart 12337 LNM 42/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER – Emergency Closure – PATH Bridge, mile 3.0, over across Hackensack River was not able to open for marine traffic due to failure of control system. Port Authority NY & NJ is working diligently to repair the bridge. The bridge will be unable to open to marine traffic until repairs are completed. The vertical clearance in the closed position is approx. 40 feet at MHW. Vessels that can transit under the closed span may do so at any time. Mariners are advised to plan accordingly and exercise extreme caution when transiting the area.
Chart 12337 LNM 42/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER - Notice of Temporary Deviation and and Barge Placement – The Coast Guard has issued a temporary deviation from the regulation governing the operation of the Hack Freight Bridge, across Hackensack River at mile 3.1. Under this temporary deviation the Hack-Freight Railroad Bridge will not open for marine traffic from 7 a.m. on October 25, 2020 to 7 a.m. on **November 1, 2020** to facilitate operating drum assembly. A 32ft by 110ft barge will be operating in the navigation channel during bridge closure period. At minimum of one half of unobstructed navigation channel will be available at all times. Vessels that can pass under the span without a bridge opening may do so at all times. Mariners are advised to plan their transits accordingly and exercise caution when transiting the area.
Chart 12337 LNM 42/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER - New Bridge Construction – Replacement of the new Witt Penn (Route 7) Bridge across the Hackensack River at mile 3.1 is in progress.

The following channel restriction schedule will be utilized during the construction of the new bridge towers and lift span:

Vertical Height Restriction: September 28th- December 26th (70' VERTICAL CLEARANCE at mean high water)

12 Hour Notice Protocol: September 28th – December 26th (SEE BELOW FOR INSTRUCTIONS)

12-hour Advance Notice Protocol:

While CCA Civil is working in the navigable channel, other than during the daily/full channel closures, CCA Civil will implement the following 12 Hour Advance Notice Protocol.

1. Mariners will call one of the three (3) Provided Telephone Numbers advising of travel through the channel. (including possible return trips)

Christopher Saulys Site Superintendent 201-600-6070

Derek Guenther Assistant Site Superintendent 908-797-5032

Evan Raab Senior Project Engineer 201-359-0906

2. CCA Civil will prepare barges to be moved from the Channel prior to the vessel(s) arrival onsite.

3. Tug boats will move CCA Civil barges from the work hour location in the channel to the off-hour work location outside the channel.
4. Mariners will safely travel through the navigable channel.
5. Once safely past the channel and clear of the jobsite, CCA will remobilize barge(s) back into prior work positions.

Under this protocol, Mariners will provide a 12 Hour Advance Notice, stating when they will be traversing the Channel. Once CCA Civil receives notice from a Mariner, the barge(s) will be moved from the Navigable Waterway and allow the vessel(s) to pass. This 12 Hour Advance Notice will only be in effect for 3 months from the start of work in the waterway. Please email "raab_evan@ccacivil.us" if you would like to receive email updates during this portion of the contract. This project will be completed by **January 31, 2021**. Mariners are advised to exercise extreme caution when transiting the area.
Chart 12337 LNM 42/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER – Temporary Trestle Installation – Installation of temporary trestle at the existing Wittpenn Bridge across the Hackensack River at mile 3.1 will commence on October 1, 2020. There will not be any obstruction in the navigation channel at any times. All barges will be operating outside the navigation channel. Mariners can contact the Resident Engineer via marine radio VHF-FM CH 13 or call 908-618-6313 for the operation status. This project is to be completed by **September 1, 2022**. Mariners are advised to use main navigation channel when transiting the area.
Chart 12337 LNM 42/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER – Fender Replacement – Construction to the Route 3 Eastbound Bridge, across Hackensack River at mile 8.8 is in progress. Temporary false work and turbidity barrier will be installed at the existing fender location, which will reduce horizontal clearance by approximately 10 feet. Crane and material barges will be operating in the navigation Channel from Monday to Friday between 7 a.m. and 7 p.m. Contractor will maintain a minimum of 74 feet of unobstructed Channel at all times. Mariners requiring more than 74 feet of horizontal clearance can contact Daniel Nomie at 215-589-0053 or Jack Clark at 215-815-1251 or via marine radio VHF-FM CH. 13/16 with 24-hour advance notice. This project will be completed by **June 30, 2021**. Mariners are advised to exercise caution when transiting the area.
Chart 12337 LNM 42/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER – Fender Replacement – Construction to the Route 3 Westbound Bridge, across Hackensack River at mile 8.9 is in progress. Temporary false work and turbidity barrier will be installed at the existing fender location, which will reduce horizontal clearance by approximately 10 feet. Crane and material barges will be operating in the navigation Channel from Monday to Friday between 7 a.m. and 7 p.m. Contractor will maintain a minimum of 74 feet of unobstructed Channel at all times. Mariners requiring more than 74 feet of horizontal clearance can contact Daniel Nomie at 215-589-0053 or Jack Clark at 215-815-1251 or via marine radio VHF-FM CH. 13/16 with 24-hour advance notice. This project will be completed by **June 30, 2021**. Mariners are advised to exercise caution when transiting the area.
Chart 12337 LNM 42/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER – Fender Replacement – Construction to the Route 46 Bridge, across Hackensack River at mile 14 is in progress. Temporary false work and turbidity barrier will be installed at the existing fender location, which will reduce horizontal clearance by approximately 10 feet. From October 15, 2020 to **January 31, 2021**, Mondays to Fridays, between 7 a.m. and 4 p.m., drill/crane/material barges will be temporary blocking the entire navigation channel. Mariners requiring barges moved out of the navigation channel can contact Daniel Nomie at 215-589-0053 or Jack Clark at 215-815-1251 or via marine radio VHF-FM CH. 13/16 with 24-hour advance notice. This project will be completed by **June 30, 2021**. Mariners are advised to exercise caution when transiting the area.
Chart 12337 LNM 42/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – BERRY’S CREEK CANAL – Bridge Rehabilitation – Construction to the New Jersey Turnpike Authority Bridge, across Berry’s Creek Canal at mile 0.1 is in progress. There’s no obstruction in the navigation channel. All work are on top of the bridge. Any questions regarding this project can contact Alex Bushong at 201-681-5594. This project will be completed by **October 31, 2020**. Mariners are advised to exercise caution when transiting the area.
Chart 12337 LNM 42/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – PASSAIC RIVER – Fender Replacement – Construction to the Routes 1 & 9 Bridge, across Passaic River at mile 1.8 is in progress. Temporary false work and turbidity barrier will be installed at the existing fender location, which will reduce horizontal clearance by approximately 10 feet. Crane and material barges will be operating in the navigation Channel from Monday to Friday between 7 a.m. and 7 p.m. Contractor will maintain a minimum of 149

feet of unobstructed Channel at all times. Mariners requiring more than 149 feet of horizontal clearance can contact Daniel Nomie at 215-589-0053 or Jack Clark at 215-815-1251 or via marine radio VHF-FM CH. 13/16 with 24-hour advance notice. This project will be completed by **June 30, 2021**. Mariners are advised to exercise caution when transiting the area.
Chart 12337 LNM 42/20 (CGD1)

NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – PASSAIC RIVER – Emergency Repairs – The Clay Street Bridge, mile 6.0, Bridge Street Bridge, mile 5.6 and Jackson Street Bridge, mile 4.6, all across Passaic River between Essex and Hudson Counties, New Jersey are under emergency repairs. During the repairs, the bridges are operating under an Emergency Standard Operating Procedures (ESOP) as follow: On signal if at least 24 hours advance notice Monday through Friday and 48 hours advance notice Saturday through Sunday is given by calling Luis Rodriguez at 973-332-7281. Vertical clearance at mean high water for the Clay Street Bridge is approx. 8ft; Bridge Street Bridge is approx. 7ft; and Clay Street Bridge is approx. 15ft. Vessels that can transit under the closed span may do so at any time. Mariners are advised to refrain from entering the navigable channel until such time as the span has come to a complete halt. Mariners are advised to plan accordingly and exercise extreme caution when transiting the area.
Chart 12337 LNM 42/20 (CGD1)

NEW JERSEY – RARITAN BAY TO NEW BRUNSWICK - RARITAN RIVER – Test Borings – Test Borings to the Raritan River Railroad Bridge across Raritan River at mile 0.66 will commence on August 31, 2020. Hours of operation are from 6:30 a.m. to 4 p.m. Barges will be operating outside the navigation channel. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM CH 13/16 or call 732-614-7153. This project will be completed by **October 30, 2020**. Mariners are advised to exercise caution when transiting the area.
Chart 12332 LNM 42/20 (CGD1)

NEW JERSEY – RARITAN BAY TO NEW BRUNSWICK - RARITAN RIVER – Bridge Replacement – Installation of temporary trestle, drilled shafts, etc. to the Raritan River Railroad Bridge across Raritan River at mile 0.66 will commence on September 14, 2020. Hours of operation are from 6:30 a.m. to 4 p.m. Barges will be operating outside the navigation channel. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM CH 13/16 or call 732-614-7153. This project will be completed by **October 14, 2024**. Mariners are advised to use main navigation channel and exercise caution when transiting the area.
Chart 12332 LNM 42/20 (CGD1)

NEW YORK AND NEW JERSEY – NEW YORK HARBOR – CHEESEQUAKE CREEK – Fender Replacement – Construction on the Route 35 Bridge, across Cheesequake Creek at mile 0.0 is in progress. A turbidity barrier will be installed at the existing fender location and will not reduce horizontal clearance in the navigation channel. Crane and material barges will be occupying the navigation channel 7-days per week between 6 a.m. and 6 p.m. through March 25, 2020. Mariners requiring full horizontal clearance can contact Troy Hoffman at 215-208-1759 or Steve Carullo at 609-313-2912 or via marine radio VHF-FM CH. 13/16 with 24-hour advance notice on weekdays and 12-hour advance notice on weekends. This project will be completed by **June 30, 2021**. Mariners are advised to exercise caution when transiting the area.
Chart 12327 LNM 42/20 (CGD1)

NEW YORK AND NEW JERSEY – NEW YORK HARBOR – MATAWAN CREEK – Fender Replacement – Construction on the Route 35 Bridge, across Matawan Creek at mile 0.9 is in progress. A turbidity barrier will be installed at the existing fender location and will not reduce horizontal clearance in the navigation channel. Crane and material barges will be operating in the navigation channel from Monday to Friday between 7 a.m. and 7 p.m. Contractor will maintain a minimum half of unobstructed channel at all times. Mariners requiring full horizontal clearance can contact Jack Clark at 215-815-1251 or Steve Carullo at 609-313-2912 or via marine radio VHF-FM CH. 13/16 with 24-hour advance notice. This project will be completed by **June 30, 2021**. Mariners are advised to exercise caution when transiting the area.
Chart 12327 LNM 42/20 (CGD1)