



U.S. Department of Homeland Security  
United States Coast Guard

**LOCAL NOTICE TO MARINERS**

**District: 1**

**Week: 45/20**

COASTAL WATERS FROM EASTPORT, MAINE TO SHREWSBURY, NEW JERSEY

NOTES:

- (1) Unless otherwise indicated, missing and destroyed structures are presumed to be in the immediate vicinity of assigned position. Mariners should proceed with caution.
- (2) The Local Notice to Mariners is a weekly edition.
- (3) Inquiries, published articles or Information: mail to: D1LNM@uscg.mil
- (4) The U.S. Coast Pilot supplements the navigational information shown on nautical charts.
- (5) The Coast Pilot, along with its corrections, are available online at <https://nauticalcharts.noaa.gov/publications/coast-pilot/index.html>.

The Local Notice to Mariners is available online at <https://www.navcen.uscg.gov/-pageName=lnmDistrict&region=1>  
 The updated 2017 Light List is available online at: <https://www.navcen.uscg.gov/-pageName=lightListWeeklyUpdates>  
 Information on Private Aids to Navigation is available at: <http://www.usharbormaster.com/>  
 Reports of Channel conditions can be found at the Army Corps of Engineers website at:  
<http://www.nan.usace.army.mil/Missions/Navigation/ControllingDepthReports.aspx>.  
 NOAA Tides and Currents can be found at: <http://tidesandcurrents.noaa.gov/>.

The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information for GPS and DGPS. The NIS also disseminates Safety Broadcasts (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). NANU notices can be obtained via email subscription through the USCG Navigation Center website: <http://cgls.uscg.mil/mailman/listinfo/nanu> . In addition, the NIS investigates all reports of degradation or loss of GPS, DGPS or AIS service. Users are encouraged to report all degradation or loss of radio navigation services to the NIS via any of the following: Phone: (703) 313-5900, mail to: [tis-sg-nisws@uscg.mil](mailto:tis-sg-nisws@uscg.mil), or on the internet at: <https://www.navcen.uscg.gov>.

PLEASE IMMEDIATELY REPORT DISCREPANCIES IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

COMMANDER, FIRST COAST GUARD DISTRICT (dpw)  
 408 Atlantic Avenue, Boston, Massachusetts 02110-3350  
 Telephone: (617) 223-8356  
 24 Hour FAX: (617) 223-8094  
<http://www.uscg.mil/d1/prevention/Marineinforegulations.asp>

All bearings are in degrees TRUE - All times are in Local Time unless otherwise noted.

**ABBREVIATIONS**

**A through H**

ADRIFT - Buoy Adrift  
 AICW - Atlantic Intracoastal Waterway  
 AI - Alternating  
 B - Buoy  
 BKW - Breakwater  
 bl - Blast  
 BNM - Broadcast Notice to Mariner  
 bu - Blue  
 C - Canadian  
 CHAN - Channel  
 CGD - Coast Guard District  
 C/O - Cut Off  
 CONT - Contour  
 CRK - Creek  
 CONST - Construction

**I through O**

I - Interrupted  
 ICW - Intracoastal Waterway  
 IMCH - Improper Characteristic  
 INL - Inlet  
 INOP - Not Operating  
 INT - Intensity  
 ISL - Islet  
 Iso - Isophase  
 kHz - Kilohertz  
 LAT - Latitude  
 LB - Lighted Buoy  
 LBB - Lighted Bell Buoy  
 LHB - Lighted Horn Buoy  
 LGB - Lighted Gong Buoy  
 LONG - Longitude

**P through Z**

PRIV - Private Aid  
 Q - Quick  
 R - Red  
 RACON - Radar Transponder Beacon  
 Ra ref - Radar reflector  
 RBN - Radio Beacon  
 REBUILT - Aid Rebuilt  
 RECOVERED - Aid Recovered  
 RED - Red Buoy  
 REFL - Reflective  
 RRL - Range Rear Light  
 RELIGHTED - Aid Relit  
 RELOC - Relocated  
 RESET ON STATION - Aid Reset on Station  
 RFL - Range Front Light

DAYMK/Daymk - Daymark  
DBN/Dbn - Daybeacon  
DBD/DAYBD - Dayboard  
DEFAC - Defaced  
DEST - Destroyed  
DISCON - Discontinued  
DMGD/DAMGD - Damaged  
ec - eclipse  
EST - Established Aid  
ev - every  
EVAL - Evaluation  
EXT - Extinguished  
F - Fixed  
fl - flash  
FI - Flashing  
G - Green  
GIWW - Gulf Intracoastal Waterway  
HAZ - Hazard to Navigation  
HBR - Harbor  
HOR - Horizontal Clearance  
HT - Height

LNM - Local Notice to Mariners  
LT - Light  
LT CONT - Light Continuous  
LTR - Letter  
LWB - Lighted Whistle Buoy  
LWP - Left Watching Properly  
MHz - Megahertz  
MISS/MSNG - Missing  
Mo - Morse Code  
MRASS - Marine Radio Activated Sound Signal  
MSLD - Misleading  
N/C - Not Charted  
NGA - National Geospatial-Intelligence Agency  
NO/NUM - Number  
NOS - National Ocean Service  
NW - Notice Writer  
OBSCU - Obscured  
OBST - Obstruction  
OBSTR - Obstruction  
Oc - Occulting  
ODAS - Anchored Oceanographic Data Buoy

RIV - River  
RRASS - Remote Radio Activated Sound Signal  
s - seconds  
SEC - Section  
SHL - Shoaling  
si - silent  
SIG - Signal  
SND - Sound  
SPM - Single Point Mooring Buoy  
SS - Sound Signal  
STA - Station  
STRUCT - Structure  
St M - Statute Mile  
TEMP - Temporary Aid Change  
TMK - Topmark  
TRLB - Temporarily Replaced by Lighted Buoy  
TRLT - Temporarily Replaced by Light  
TRUB - Temporarily Replaced by Unlighted Buoy  
USACE - Army Corps of Engineers  
W - White  
Y - Yellow

**Additional Abbreviations Specific to this LNM Edition:**

SNNE- U.S. Coast Guard Sector Northern New England  
SBOS- U.S. Coast Guard Sector Boston  
SSENE- U.S. Coast Guard Sector Southeastern New England  
SLIS- U.S. Coast Guard Sector Long Island Sound  
SNEW- U.S. Coast Guard Sector New York

AIS - Automatic Identification System  
AtoN - Aids to Navigation  
LLNR - Light List Number  
NM - Nautical Mile

---

---

**SECTION I - SPECIAL NOTICES**

This section contains information of special concern to the Mariner.

---

---

**NOAA IS DISCONTINUING THE PRINTED TIDE TABLES AND TIDAL CURRENT TABLES**

NOAA is ending the production of the printed Tide Tables and Tidal Current Tables publications.

The 2020 Tide Tables and Tidal Current Tables were the final printed editions.

There will not be NOAA printed Tide Tables and Tidal Current Tables publications for 2021.

NOAA is discontinuing the production of these annual publications due to: (a) recent changes by the U.S. Coast Guard in the interpretation of the requirements for predictions, no longer requiring these publications in paper format and (b) the availability of online and electronic services providing tide and tidal current predictions which meet the U.S. Coast Guard requirements for navigation, and support other activities along the U.S. coast.

Tide and Tidal Current predictions are available through NOAA's Center for Operational Oceanographic Products and Services (CO-OPS) online services:

- NOAA Tide Predictions: [https://tidesandcurrents.noaa.gov/tide\\_predictions.html](https://tidesandcurrents.noaa.gov/tide_predictions.html)
- NOAA Current Predictions: <https://tidesandcurrents.noaa.gov/noaacurrents/Regions>

These online services provide predictions which equal or exceed the accuracy and availability of the predictions for domestic locations provided through printed publications, and provide additional capabilities allowing the predictions to better meet a variety of user needs. These online services provide predictions for the U.S. coasts. International predictions will not be available from the online services. Predictions for countries outside the U.S. may be obtained through the Oceanographic / Hydrographic agency in that country.

Contact NOAA's Center for Operational Oceanographic Products and Services (CO-OPS) with questions or for further information.

E-mail: [Tide.Predictions@noaa.gov](mailto:Tide.Predictions@noaa.gov)

Phone: 301-713-2815

LNM: 45/20

**NOAA RIGHT WHALE SLOW ZONES CAMPAIGN**

NOAA Fisheries announces a new "Right Whale Slow Zones" campaign asking all vessel operators to reduce the risk of vessel strike to critically endangered North Atlantic right whales by slowing down or avoiding areas where right whales have been detected. Complementary to other NOAA vessel strike reduction efforts, the "Right Whale Slow Zones" campaign brings together sighting information, from NOAA's Dynamic Management Area program, with new acoustic detection information to help vessels of all sizes slow down in areas where right whales have been detected. We would like to thank our North Atlantic right whale Northeast U.S. Implementation Team (NEIT), our partners and advisers on right whale recovery activities from Maine through Virginia, who identified this opportunity to enhance vessel strike reduction efforts using acoustic information. If we've learned anything this year – it's that working together we can make a difference - and that's true for reducing vessel strike to right whales as well. Read more about our new campaign in our web story ([link follows](#)).

Media Questions: Contact Allison Ferreira, Regional Office, 978-281-9103

Inquiries about the right whale SLOW Zone program: Peter Kelliher, Protected Resources Division 978-282-8474

Further Slow Zone details: <https://www.fisheries.noaa.gov/feature-story/help-endangered-whales-slow-down-slow-zones>

Reducing Ship Strike: <https://www.fisheries.noaa.gov/national/endangered-species-conservation/reducing-ship-strikes-north-atlantic-right-whales>

LNM: 32/20

### **ME, NH, MA, RI, CT, NY, NJ-ATLANTIC OCEAN-OFFSHORE STRUCTURE PATON MARKING GUIDANCE-Revised**

For Private Aids to Navigation (AtoN) applicants requesting Coast Guard permits to provide navigational markings on offshore wind energy area structures in First District-area waters, the following structure identification, lighting, sound signal, and Automated Identification System (AIS) capabilities are strongly recommended. Applicants should plan to apply for one Private Aid Permit per structure (to include all labels, light(s), sound signals and AIS signals). Private AtoN Permit applications should be submitted no sooner than 30 days prior to the need to activate a structure's final markings. Additional specific recommendations include:

#### **Tower Identification:**

- Uniquely lettered and numbered in an organized pattern as near to rows and columns as possible to maximize charting effectiveness
- Letters and numbers labelled to as near to 3 meters high as possible
- Visible above any servicing platforms
- Visible throughout a 360-degree arc from the water's surface
- Visible at night through use of retro-reflective paint and lettering/numbering materials
- If feasible, also labelled below the servicing platform

#### **Lighting:**

- Located on all structures, preferably on the servicing platform, visible throughout a 360-degree arc from the water's surface
- Corner Towers/Significant Peripheral Structures (SPSs): Quick flashing yellow (QY, 0.3s on/0.7s off, 60 flashes per minute) energized at a five nautical mile range
- Outer Boundary Towers: Yellow 2.5 sec (FL Y 2.5s, 1.0s on 1.5s off, 12 flashes per minute) energized at three nautical mile range
- Interior Towers: Yellow 6 sec or yellow 10 sec (FL Y 6, 1.0s on 5.0s off, 10 flashes per minute/FL Y 10, 1.0s on 9s off, 6 flashes per minute) energized at a two nautical mile range
- All lights should be synchronized by their structure location within the field of structures

Note: All temporary base, tower and construction components preceding the final structure completion must be marked with Quick Yellow (QY) obstruction lights visible throughout 360 degrees at a distance of 5NM. These do not require permits, only Coast Guard notification for appropriate marine notices and broadcasts until the final structure marking is established.

#### **Sound Signals:**

- Should be located on all structures located at corners/SPSs
- Sound every 30 seconds (4s Blast, 26s off)
- Set to project at a range of 2NM
- Should not exceed 3NM spacing between perimeter structures
- Must be Mariner Radio Activated Sound Signal (MRASS) activated by keying VHF Radio frequency 83A five times within ten seconds
- Timed to energize for 45 minutes from last VHF activation

#### **Automated Information System (AIS) Transponder Signals:**

- Must be transmitted superimposed at all corner structures/SPSs
- Should be capable of transmitting signals to mark all locations of all structures throughout an established field
- Must be approved at the Coast Guard Headquarters level (CG-NAV) based on the First Coast Guard District's recommendation

PATON Application Website: [WWW.USHARBORMASTER.COM](http://WWW.USHARBORMASTER.COM).

Please forward questions or feedback in an e-mail to:

D01-SMB-DPWPublicComments@uscg.mil.

Charts: 13003 13006 13009 13200

LNM: 33/20

### **MARINER ALERT-SHIP/WHALE COLLISIONS**

NOAA just designated the North Atlantic right whale as a Species in the Spotlight because it is on the brink of extinction. Collisions between vessels and whales are a threat to a number of endangered large whale species – most notably, the right whale. The United States has established measures to reduce this threat. A vessel speed restriction requires that vessels 65 feet or greater in length travel 10 knots or less in certain areas and on a rolling basis at certain times where endangered right whales may be present: :

<http://www.greateratlantic.fisheries.noaa.gov/protected/shipstrike/training/NOAA-RightWhalesCD.iso> . This rule applies within 20 nautical miles around all major ports and in other locations along the U.S. eastern seaboard. Temporary voluntary speed limits also may be imposed in other areas when an aggregation of three or more right whales is confirmed. In addition, ships 300 GT and greater are required to report their location and speed to a USCG shore station in certain prescribed areas:

[https://www.greateratlantic.fisheries.noaa.gov/shipstrike/doc/guidelines%20placard\\_high.pdf](https://www.greateratlantic.fisheries.noaa.gov/shipstrike/doc/guidelines%20placard_high.pdf). A computer-based interactive guide and training resource for mariners is available at: <http://www.greateratlantic.fisheries.noaa.gov/shipstrike/doc/mtr.html>. The guide provides information on endangered whales, recommended navigational actions when operating in whale habitat, a guide to reporting sightings of dead or injured right whales, and related information. Additional steps mariners can take to help reduce the chances of hitting a right whale can be found at: [http://www.nero.noaa.gov/shipstrike/doc/guidelines%20placard\\_high.pdf](http://www.nero.noaa.gov/shipstrike/doc/guidelines%20placard_high.pdf).

LNM: 44/19

## **NOVEL CORONAVIRUS**

"The outbreak of respiratory illness caused by the COVID-19 virus may affect mariners and maritime commerce transiting to or near New England, New York and New Jersey waters. Additional interim guidance for ships on managing suspected coronavirus disease concerns is available at <https://www.cdc.gov/quarantine/maritime/recommendations-for-ships.html>. An enclosure to this LNM includes additional information as well as a number of links to websites where additional information regarding this illness can be obtained. Mariners with questions/concerns while transiting to or near New England, New York and New Jersey should contact the nearest Coast Guard Sector Command Center at:

Sector New York: (718) 354-4353  
Sector Long Island Sound: (203) 468-4404  
Sector Southeastern New England: (508) 457-3211  
Sector Boston: (617) 223-5757  
Sector Northern New England: (207) 7670303

SEE ENCLOSURE

LNM: 10/20

## **US- Atlantic Seacoast**

Critically endangered right whales may be encountered in offshore and coastal waters. Right whales are slow moving and at risk of serious injury or death due to collisions with vessels. U.S. law (50 CFR 224.105) prohibits operating vessels 65 feet (19.8 m) or greater in excess of 10 knots in specific managed locations along the U.S. East Coast during times when right whales are likely to be present. See enclosed compliance guide for specific times, areas, and exceptions to this law. Approaching or remaining within 500 yards of right whales is prohibited and is a violation of U.S. law. A minimum distance of 500 yards must be maintained from a sighted whale unless hazardous to the vessel or its occupants. The National Oceanic and Atmospheric Administration (NOAA) recommends that operators assume that any whale sighted is a right whale unless confirmed otherwise. NOAA also recommends speeds of 10 knots or less in areas used by right whales and outside of seasonally managed areas when consistent with safety of navigation. In the northeast, please report all right whale sightings, collisions, or entanglements to 866-755-NOAA, or to the Coast Guard via channel 16. WHALESNORTH Mandatory Ship Reporting Area is active year-round. For more information, consult the U.S. Coast Pilot. MSR arrival reports can be sent via TELEX number 48156090 or email to [rightwhale.msr\(at\)noaa.gov](mailto:rightwhale.msr(at)noaa.gov).

LNM: 42/20

## **NOTICE TO ALL PRIVATE BOATS AT SEA**

United States laws and regulations require that ALL private boats arriving from a foreign port or place MUST report to the Bureau of Customs and Border Protection IMMEDIATELY upon their arrival into the United States. Every person entering the United States must be seen in person for immigration purposes by a Customs and Border Protection officer, except those participating in the I-68 -Canadian Border Boat Landing Program. However, holders of form I-68 are still required to report their arrival into the United States to the Bureau of Customs and Border Protection. Masters and passengers must provide proof of citizenship or legal immigration status, and be in possession of a valid passport and visa, if required. Citizens of countries that are participants in the Visa Waiver Program are not eligible to seek admission to the United States under that program via private vessel. Once your boat is anchored or tied, you are considered to have entered the United States. No one may leave the vessel until Customs and Border Protection grants permission. The only exception to this requirement is to report arrival. In order to fulfill the requirement to immediately report a private boat arrival, the master of the vessel must contact the nearest Customs and Border Protection Office, or if the arrival occurs after business hours, the nearest 24 hour port of entry. Upon reporting, you may be required to proceed to a staffed port for inspection by Customs and Border Protection. Failure to comply with these requirements could result in serious criminal and civil penalties, including seizure of the boat. International mariners are urged to report any suspicious or illegal activity to the Bureau of Customs and Border Protection at 1-800-BE-ALERT.

LNM: 13/18

## **NY/NJ – OPERATION CLEAR CHANNEL IN THE PORT OF NY/NJ**

The Operation Clear Channel program is designed to educate boaters about the hazards of operating small vessels and personal watercraft in the confines of navigational channels used by larger commercial ships. Federal Navigation Rules, also known as the "Rules of the Road", address this safety concern by giving commercial vessels priority, or right-of-way, over smaller vessels when navigating in narrow channels. An average of 1,400 commercial vessels navigate the waters of the Port of NY/NJ every day and the masters of these vessels, while always on the lookout, cannot always see smaller vessels operating within the channels.

Recreational boaters should keep a sharp lookout and always be prepared to give way to ships constrained in their ability to maneuver, especially when operating within close proximity of a channel. U.S. Coast Guard units in New York and New Jersey actively promote boater awareness through vessel enforcement patrols and visits to local marinas. The U.S. Coast Guard focuses Operation Clear Channel efforts on high-traffic regions, such as Ambrose Channel, Sandy Hook Channel and Raritan Bay, but patrols all of New York Harbor in an effort to promote awareness. Mariners interested in increasing their knowledge of boating safety, including the "Rules of the Road", should consider a U.S. Coast Guard Auxiliary boating safety course. Course information is available online at <http://www.cgaux.org> in the "Take a Boating This free online educational resource for safe boating in the Port of NY & NJ is a cooperative effort by the I BOAT NJ program through NJ DOT and U.S. Coast Guard Sector New York. The project contains a feature length 26 minute safety video describing the challenges of the multi user Port environment and 5 sub chapters: Paddlers, Motor Boaters, Sailors, Pilots and Operation Clear Channel. Its mission is to increase safety and awareness in the Port and its target is recreational boaters who transit and operate in the PortCourse" section, or by calling 1-800-336-BOAT. Further information can be found at <http://thesafeharbor.us/index.html>

LNM: 13/18

**US NOTICE TO MARINERS (NTM)**

The US Notice to Mariners provides timely marine safety information for the correction of all US Government navigation charts and publications from a wide variety of sources both foreign and domestic. To ensure the safety of life at sea, the information published in the Notice to Mariners is designed to provide for the correction of unclassified nautical charts, the Unclassified NGA/DLIS Catalog of Hydrographic Products, United States Coast Pilots, NGA List of Lights, USCG Light Lists, and other related nautical publications produced by NGA, NOS and the U.S. Coast Guard. The US Notice to Mariners will contain only those chart corrections of interest to ocean going vessels. It is available online at [http://msi.nga.mil/NGAPortal/MSI.portal?\\_nfpb=true&\\_pageLabel=msi\\_portal\\_page\\_61](http://msi.nga.mil/NGAPortal/MSI.portal?_nfpb=true&_pageLabel=msi_portal_page_61). NTM 01 – Special Paragraphs includes information on: America’s Waterway Watch program asking those who work, live, or recreate on or near the water to be aware of suspicious activity, The Prudent Mariner and the use of floating Aids to Navigation, and Northern Right Whales.

LNM: 13/18

**SECTION II - DISCREPANCIES**

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

**DISCREPANCIES (FEDERAL AIDS)**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
395	Three and One-Half Fathom Ledge Lighted Bell Buoy 2	MISSING/HAZ NAV	13270	SBOS-0093-20	40/20	
825	NOAA Data Lighted Buoy 44011 (ODAS)	MISSING/HAZ NAV	13204	SENE-0126-20	30/20	
1105	Thornton Point Ledge Daybeacon 4	MISSING/STRUCT DEST/TRUB	13392	SNNE-0161-18	14/18	
1145	Avery Rock Light AR	DAYMK MISSING	13326	SNNE-0139-20	44/20	
1570	Bungy Rock Daybeacon 15	DAYMK IMCH	13324	SNNE-0054-19	17/19	
2750	Halibut Rocks Light	DAYMK MISSING	13315	SNNE-0171-19	41/19	
3070	Crotch Island Light 21	DAYMK IMCH	13315	None	40/19	
3325	Saddleback Ledge Light	SS INOP	13303	SNNE-0137-20	42/20	
4100	Drunkard Ledge Daybeacon	DAYMK IMCH	13308	SNNE-0037-18	11/18	
4270	Porterfield Ledge Daybeacon	DAYMK DMGD	13307	SNNE-0089-20	30/20	
5165	Webber Sunken Ledge Buoy 2	OFF STA	13301	SNNE-0123-20	38/20	
5260	Hypocrite Ledge Daybeacon H	DAYMK DMGD	13293	SNNE-0079-20	28/20	
5783	Sheepscot River Buoy 20A	HAZ NAV/SINKING	13296	SNNE-0114-20	35/20	
6025	Pond Island Light	LT EXT/SS INOP	13295	SNNE-0127-20	37/20	
<b>6440</b>	<b>Fuller Rock Light</b>	<b>LT EXT</b>	<b>13290</b>	<b>SNNE-0146-20</b>	<b>45/20</b>	
6535	Goudy Ledge Daybeacon	DAYMK MISSING	13290	SNNE-0141-19	35/19	
6720	Merriconeag Sound Approach Daybeacon 10	DAYMK IMCH	13290	SNNE-0044-19	35/17	
8155	Fishing Rock Daybeacon F	DAYMK MISSING	13286	SNNE-0043-19	19/17	
10025	Bowditch Ledge Daybeacon	STRUCT DEST	13276	SBOS-0185-18	47/18	
10065	Abbot Rock Daybeacon	STRUCT DEST/HAZ NAV/DAYMK MISSING	13276	SBOS-0126-19	43/19	
10265	Lobster Rocks Daybeacon 13A	STRUCT DEST/DAYMK MISSING	13276	SBOS-0139-19	48/19	
11334	Three and One-Half Fathom Ledge Lighted Bell Buoy 2	MISSING/HAZ NAV	13270	SBOS-0093-20	40/20	
13535	Pollock Rip Channel Lighted Buoy 4	OFF STA/HAZ NAV	13244	SNNE-0172-20	41/20	
15890	Robinsons Hole Buoy 6	SINKING	13229	SENE-0175-20	42/20	
15935	Canapitsit Channel Buoy 2	HAZ NAV/SINKING	13229	SENE-0150-20	35/20	
<b>19350</b>	<b>Warwick Cove Buoy 1</b>	<b>MISSING/HAZ NAV</b>	<b>13224</b>	<b>SENE-0181-20</b>	<b>45/20</b>	
21920	New London Harbor Buoy 11	OFF STA/HAZ NAV	13213	SLIS-0132-20	38/20	
22940	Connecticut River Light 48	STRUCT DMGD/TRUB	12377	SLIS-0238-18	48/18	
25690	Milton Harbor Buoy 10	MISSING/HAZ NAV	12367	SNEW-0364-20	44/20	
26870	Cold Springs Harbor Light	LT EXT	12365	SLIS-0099-20	29/20	

28905	Flanders Bay Lighted Buoy 2	MISSING	12358	SLIS-0150-20	45/20
28910	Flanders Bay Lighted Buoy 4	MISSING	12358	SLIS-0150-20	45/20
28915	Flanders Bay Buoy 5	MISSING	12358	SLIS-0150-20	45/20
28920	Flanders Bay Buoy 7	MISSING	12358	SLIS-0150-20	45/20
28925	Flanders Bay Lighted Buoy 8	MISSING	12358	SLIS-0150-20	45/20
28930	Flanders Bay Lighted Buoy 9	MISSING	12358	SLIS-0150-20	45/20
29106	Moriches Inlet West Cut Buoy 4W	MISSING	12352	SLIS-0153-20	45/20
29106.1	Moriches Inlet West Cut Buoy 6W	MISSING	12352	SLIS-0153-20	45/20
29106.2	Moriches Inlet West Cut Buoy 7W	MISSING	12352	SLIS-0153-20	45/20
29245	East Channel Lighted Buoy 8	LT EXT	12352	SLIS-0154-20	45/20
29260	East Channel Lighted Buoy 10	LT EXT	12352	SLIS-0154-20	45/20
29270	East Channel Lighted Buoy 12	LT EXT	12352	SLIS-0154-20	45/20
29285	East Channel Lighted Buoy 19	LT EXT	12352	SLIS-0154-20	45/20
29295	East Channel Lighted Buoy 21	LT EXT	12352	SLIS-0154-20	45/20
29300	East Channel Lighted Buoy 24	LT EXT	12352	SLIS-0154-20	45/20
29335	East Channel Lighted Buoy EN	LT EXT	12352	SLIS-0154-20	45/20
29344	Great South Bay Lighted Buoy 34	LT EXT	12352	SLIS-0151-20	45/20
29345	Great South Bay Lighted Buoy 35	LT EXT	12352	SLIS-0151-20	45/20
29350	Great South Bay Lighted Buoy 36	LT EXT	12352	SLIS-0151-20	45/20
29360	Great South Bay Lighted Buoy 38	MISSING	12352	SLIS-0153-20	45/20
29420	Dickerson Channel Buoy 2	MISSING	12352	SLIS-0151-20	45/20
29425	Dickerson Channel Buoy 3	MISSING	12352	SLIS-0151-20	45/20
29430	Dickerson Channel Buoy 4	MISSING	12352	SLIS-0151-20	45/20
29435	Dickerson Channel Buoy 5	MISSING	12352	SLIS-0151-20	45/20
29440	Dickerson Channel Buoy 6	MISSING	12352	SLIS-0151-20	45/20
29740	Patchogue Bay Entrance Lighted Buoy 1	LT EXT	12352	SLIS-0151-20	45/20
31235	State Boat Channel Lighted Buoy 35	MISSING	12352	SLIS-0151-20	45/20
31295	State Boat Channel Buoy 54	MISSING	12352	SLIS-0151-20	45/20
31300	State Boat Channel Buoy 55	MISSING	12352	SLIS-0151-20	45/20
31305	State Boat Channel Buoy 56	MISSING	12352	SLIS-0151-20	45/20
31320	State Boat Channel Buoy 59	MISSING	12352	SLIS-0151-20	45/20
31325	State Boat Channel Buoy 61	MISSING	12352	SLIS-0151-20	45/20
31340	State Boat Channel Lighted Buoy 64	MISSING	12352	SLIS-0151-20	45/20
31385	Oak Island Channel Buoy 2	MISSING	12352	SLIS-0151-20	45/20
31390	Oak Island Channel Buoy 3	MISSING	12352	SLIS-0151-20	45/20
31395	Oak Island Channel Buoy 4	MISSING	12352	SLIS-0151-20	45/20
31400	Oak Island Channel Buoy 5	MISSING	12352	SLIS-0151-20	45/20
31405	Oak Island Channel Buoy 6	MISSING	12352	SLIS-0151-20	45/20
31410	Oak Island Channel Buoy 7	MISSING	12352	SLIS-0151-20	45/20
31415	Oak Island Channel Buoy 8	MISSING	12352	SLIS-0151-20	45/20
31420	Oak Island Channel Entrance Lighted Buoy 9	MISSING	12352	SLIS-0151-20	45/20
31435	State Boat Channel Buoy 75	MISSING	12352	SLIS-0151-20	45/20
31436	State Boat Channel Buoy 76	MISSING	12352	SLIS-0151-20	45/20
31440	State Boat Channel Buoy 77	MISSING	12352	SLIS-0151-20	45/20
31445	State Boat Channel Buoy 78	MISSING	12352	SLIS-0151-20	45/20
31450	State Boat Channel Buoy 79	MISSING	12352	SLIS-0151-20	45/20
31460	State Boat Channel Buoy 81	MISSING	12352	SLIS-0151-20	45/20

<b>31475</b>	<b>State Boat Channel Lighted Buoy 87</b>	<b>LT EXT</b>	<b>12352</b>	<b>SLIS-0151-20</b>	<b>45/20</b>
<b>31487</b>	<b>State Boat Channel Lighted Buoy 90</b>	<b>LT EXT</b>	<b>12352</b>	<b>SLIS-0151-20</b>	<b>45/20</b>
34355	Sheepshead Bay Buoy 7	MISSING/TRUB	12350	SNEW-0309-20	37/20
35660	Naval Weapon Station Earle Security Zone Lighted Buoy 1	MISSING	12401	SNEW-0038-20	17/20
<b>35765</b>	<b>Shrewsbury River Channel Lighted Buoy 7</b>	<b>MISSING</b>	<b>12401</b>	<b>SNEW-0372-20</b>	<b>45/20</b>
<b>35775</b>	<b>Shrewsbury River Channel Lighted Buoy 9</b>	<b>MISSING</b>	<b>12401</b>	<b>SNEW-0372-20</b>	<b>45/20</b>
<b>35785</b>	<b>Shrewsbury River Channel Lighted Buoy 11</b>	<b>MISSING</b>	<b>12401</b>	<b>SNEW-0372-20</b>	<b>45/20</b>
<b>35786</b>	<b>Shrewsbury River Channel Lighted Buoy 11A</b>	<b>MISSING</b>	<b>12324</b>	<b>SNEW-0372-20</b>	<b>45/20</b>
<b>35830</b>	<b>Shrewsbury River Channel Lighted Buoy 18</b>	<b>MISSING</b>	<b>12324</b>	<b>SNEW-0372-20</b>	<b>45/20</b>
36170	Raritan Bay Channel Buoy 25	MISSING	12331	SNEW-0365-20	43/20
36750	Arthur Kill Channel Light 14	DAYMK IMCH	12331	SNEW-0368-20	44/20
<b>37055</b>	<b>New Jersey Pierhead Channel North Entrance Lighted Buoy 6</b>	<b>LT EXT</b>	<b>12334</b>	<b>SNEW-0375-20</b>	<b>45/20</b>
<b>38110</b>	<b>Hudson River Lighted Buoy 59</b>	<b>LT EXT</b>	<b>12347</b>	<b>SNEW-0374-20</b>	<b>45/20</b>
	Annisquam River Temporary Light 44A	STRUCT DEST	13281	SBOS-0108-20	44/20
	Hick Rocks Daybeacon 2	DAYMK DMGD	13283	SNNE-0144-17	35/17

**DISCREPANCIES (FEDERAL AIDS) CORRECTED**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
9615	Annisquam Harbor Light	WATCHING PROPERLY	13281	SBOS-0110-20	45/20	45/20
13110	Barnstable Harbor Entrance Lighted Buoy 6	WATCHING PROPERLY	13251	SENE-0169-20	40/20	45/20
13120	Barnstable Harbor Lighted Buoy 8	WATCHING PROPERLY	13251	SENE-0169-20	40/20	45/20
13125	Barnstable Harbor Lighted Buoy 9	WATCHING PROPERLY	13251	SENE-0169-20	40/20	45/20
13185	Billingsgate Lighted Buoy 5	WATCHING PROPERLY	13250	SENE-0168-20	40/20	45/20
13195	Billingsgate Island Lighted Buoy 8	WATCHING PROPERLY	13250	SENE-0168-20	40/20	45/20
13200	Wellfleet Harbor Channel Lighted Buoy 10	WATCHING PROPERLY	13250	SENE-0168-20	40/20	45/20
31215	State Boat Channel Light 25	WATCHING PROPERLY	12352	SLIS-0152-20	45/20	45/20
34790	West Bank Front Range Light	WATCHING PROPERLY	12402	SNEW-0340-20	41/20	45/20
35005	Ellis Island Lighted Gong Buoy 35	WATCHING PROPERLY	12334	SNEW-0351-20	42/20	45/20
36370	Keyport Harbor Entrance Lighted Buoy 1	WATCHING PROPERLY	12331	SNEW-0369-20	45/20	45/20
37400	Newark Bay Channel Lighted Buoy 5	WATCHING PROPERLY	12333	SNEW-0370-20	45/20	45/20
37600	Hackensack River Buoy 18	WATCHING PROPERLY	12337	SNEW-0295-20	35/20	45/20
38010	Hudson River Lighted Buoy 40	WATCHING PROPERLY	12343	SNEW-0355-20	43/20	45/20

**DISCREPANCIES (PRIVATE AIDS)**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
368.2	Neptune LNG Deepwater Port Lighted Buoy South B1	LT EXT	13274	SBOS-0043-20	22/20	
8386	Seavey Island Daybeacon 12A	STRUCT DEST/HAZ NAV	13283	SNNE-0019-20	10/20	
11411.3	Nantasket Roads DRC Lighted Hazard Buoy D	MISSING/HAZ NAV	13270	SBOS-0018-20	14/20	
11569	Western Way Obstruction Light F1	LT EXT	13270	SBOS-0039-20	21/20	
15510	Lagoon Pond Daybeacon 8	DAYMK MISSING	13238	None	16/20	
18113.5	NEBW Daybeacon 6	DAYMK MISSING	13223	None	28/20	
19415	Greenwich Bay Light 8	LT EXT	13224	SENE-0180-20	44/20	
19800	URI Coastal Monitoring Lighted Research Buoy	MISSING/HAZ NAV	13215	None	38/20	

21180	Sachem Head Breakwater Light	MISSING		SLIS-0120-20	35/20
22565	Old Saybrook North Cove Buoy 2	MISSING/HAZ NAV	12375	SLIS-0083-20	24/20
25576	Coveleigh Yacht Club Channel Lighted Buoy 1	MISSING/HAZ NAV	12367	SNEW-0119-20	17/20
25576.5	Coveleigh Yacht Club Channel Buoy 4	MISSING/HAZ NAV	12367	SNEW-0119-20	17/20
25577	Coveleigh Yacht Club Channel Lighted Buoy 3	MISSING/HAZ NAV	12367	SNEW-0119-20	17/20
25577.5	Coveleigh Yacht Club Channel Lighted Buoy 7	MISSING/MSLD SIG	12367	SNEW-0119-20	17/20
25578	Coveleigh Yacht Club Channel Buoy 5	Status Unreported	12367	SNEW-0119-20	17/20
25578.5	Coveleigh Yacht Club Channel Buoy 6	MISSING/HAZ NAV	12367	SNEW-0119-20	17/20
25579	Coveleigh Yacht Club Channel Buoy 8	MISSING/HAZ NAV	12367	SNEW-0119-20	17/20
25579.1	Coveleigh Yacht Club Channel Buoy 9	MISSING/HAZ NAV	12367	SNEW-0119-20	17/20
25579.2	Coveleigh Yacht Club Channel Buoy 10	OFF STA/HAZ NAV	12367	SNEW-0119-20	17/20
25579.3	Coveleigh Yacht Club Channel Buoy 12	MISSING/HAZ NAV	12367	SNEW-0119-20	17/20
25579.4	Coveleigh Yacht Club Channel Buoy 14	MISSING/HAZ NAV	12367	SNEW-0119-20	17/20
27000	Oyster Bay Harbor Inner Channel Lighted Buoy 4B	REDUCED INT	12365	None	03/20
27145	Tom Point Inner Buoy 5	MISSING/HAZ NAV	12366	SNEW-0120-20	17/20
27150	Tom Point Outer Buoy 6	MISSING/HAZ NAV	12366	SNEW-0120-20	17/20
29721	Great River Entrance Light 2	MISSING/HAZ NAV/LT EXT	12352	SLIS-0102-20	29/20
33237	Merrick Point Buoy G17	OFF STA/HAZ NAV	12352	SLIS-0119-20	35/20
33660	Great Island Channel Buoy Z8	OFF STA/HAZ NAV	12352	SLIS-01360-20	39/20
35560	Leonardo Channel Buoy 1	MISSING/HAZ NAV	12401	None	17/20
37374	Shooters Island South Channel Wreck Lighted Buoy WR1	MISSING/HAZ NAV	12333	SNEW-0152-20	22/20

**DISCREPANCIES (PRIVATE AIDS) CORRECTED**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
13026	Pilgrim Power Plant Security Zone Buoy A	WATCHING PROPERLY	13253	SBOS-0088-20	37/20	45/20
13027	Pilgrim Power Plant Security Zone Buoy B	WATCHING PROPERLY	13253	SBOS-0089-20	37/20	45/20

**PLATFORM DISCREPANCIES**

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

**PLATFORM DISCREPANCIES CORRECTED**

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

**SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED**

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

**TEMPORARY CHANGES**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
395	Three and One-Half Fathom Ledge Lighted Bell Buoy 2	DISCONTINUED	13270	SBOS-0093-20	40/20	
496	WHOI Traffic Separation Scheme Research Lighted Buoy AB-8	DISCONTINUED	13260	NONE	04/20	
665	NOAA Data Lighted Buoy NOAA 44017	DISCONTINUED	13205	SLIS-0149-20	44/20	
9095	Merrimack River Buoy 26	DISCONTINUED FOR DREDGING	13274	SBOS-0107-20	44/20	

10685	Boston North Channel Lighted Bell Buoy 2	RELOCATED FOR DREDGING	13270	SBOS-0048-19	19/19
10690	Boston North Channel Lighted Buoy 3	RELOCATED FOR DREDGING	13270	NONE	50/19
10712	Boston North Channel Lighted Buoy 7	RELOCATED FOR DREDGING	13270	SBOS-0048-19	19/19
10720	Boston North Channel Lighted Buoy 9	RELOCATED FOR DREDGING	13270	SBOS-0048-19	19/19
10852	President Roads Anchorage Buoy C	RELOCATED FOR DREDGING	13272	SBOS-0154-18	35/18
10875	Boston Main Channel Lighted Buoy 3	RELOCATED FOR DREDGING	13272	SBOS-0049-19	19/19
10897	Boston Main Channel Buoy 5A	TRLB	13272	SBOS-0150-18	35/18
11334	Three and One-Half Fathom Ledge Lighted Bell Buoy 2	DISCONTINUED	13270	SBOS-0093-20	40/20
13210	Wellfleet Harbor Channel Buoy 12	RELOCATED FOR DREDGING	13250	None	40/20
13225	Wellfleet Harbor Channel Buoy 15	DISCONTINUED FOR DREDGING	13250	None	40/20
13230	Wellfleet Harbor Channel Buoy 16	DISCONTINUED FOR DREDGING	13250	None	40/20
19800	URI Coastal Monitoring Lighted Research Buoy	DISCONTINUED	13215	NONE	38/20
20367	Pawcatuck River Channel Daybeacon 23	DISCONTINUED FOR DREDGING	13214	SLIS-0206-15	18/15
24825	Saugatuck River Buoy 5	TRUB	12368	NONE	40/20
24912.2	Longshore Channel Buoy 3	DISCONTINUED	12368	SLIS-0154-17	05/18
24912.3	Longshore Channel Buoy 4	DISCONTINUED	12368	SLIS-0175-18	05/18
24912.4	Longshore Channel Buoy 5	DISCONTINUED	12368	SLIS-0154-17	05/18
24912.5	Longshore Channel Buoy 6	DISCONTINUED	12368	SLIS-0154-17	05/18
24912.6	Longshore Channel Buoy 7	DISCONTINUED	12368	SLIS-0154-17	05/18
24912.7	Longshore Channel Buoy 8	DISCONTINUED	12368	SLIS-0154-17	05/18
25556.2	Tide Mill Yacht Basin Channel Buoy 2	DISCONTINUED	12367	SLIS-0166-17	11/19
25556.6	Tide Mill Yacht Basin Channel Buoy 8	DISCONTINUED	12367	SLIS-0166-19	11/19
26430	Eatons Neck Lighted Buoy 2A	DISCONTINUED FOR DREDGING	12365	NONE	10/20
27756	Acabonack Harbor Entrance Buoy 1	DISCONTINUED FOR DREDGING	13209	NONE	20/20
27756.5	Acabonack Harbor Entrance Buoy 2	DISCONTINUED FOR DREDGING	13209	NONE	20/20
27757	Acabonack Harbor Entrance Buoy 3	DISCONTINUED FOR DREDGING	13209	NONE	20/20
27757.5	Acabonack Harbor Entrance Buoy 4	DISCONTINUED FOR DREDGING	13209	NONE	20/20
30331	Hart Cove Buoy 1	DISCONTINUED	12352	SLIS-0048-19	14/19
30331.2	Hart Cove Buoy 2	DISCONTINUED	12352	SLIS-0048-19	14/19
30331.3	Hart Cove Buoy 3	DISCONTINUED	12352	SLIS-0048-19	14/19
30331.5	Hart Cove Buoy 5	DISCONTINUED	12352	SLIS-0048-18	14/19
30331.7	Hart Cove Buoy 7	DISCONTINUED	12352	SLIS-0048-19	14/19
30331.8	Hart Cove Buoy 8	DISCONTINUED	12352	SLIS-0048-19	14/19
30331.9	Hart Cove Buoy 9	DISCONTINUED	12352	SLIS-0048-19	14/19
30332	Hart Cove Buoy 10	DISCONTINUED	12352	SLIS-0048-19	14/19
30332.2	Hart Cove buoy 12	DISCONTINUED	12352	SLIS-0048-19	14/19
30332.4	Hart Cove Buoy 14	DISCONTINUED	12352	SLIS-0048-19	14/19
30340	Moriches Bay Buoy 27	DISCONTINUED	12352	NONE	19/20
30341	Moriches Bay Buoy 28	DISCONTINUED	12352	NONE	19/20
30365	Moriches Bay Lighted Buoy 29	DISCONTINUED	12352	NONE	19/20

30955	Jones Inlet Buoy 12	TRUB	12352	NONE	40/20
38116	Crum Elbow Lighted Buoy 62C	DISCONTINUED	12347	SNEW-141-20	20/20
38117	Crum Elbow Lighted Buoy 62D	DISCONTINUED	12347	SNEW-0141-20	20/20
	Annisquam River Temporary Light 44A	DISCONTINUED	13281	NONE	40/20
	Annisquam River Temporary Light 45	ESTABLISHED	13281		40/20

**TEMPORARY CHANGES CORRECTED**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
19860	Shagwong Rock Lighted Buoy SR	Reestablished	13209	SLIS-0148-20	34/20	45/20

**PLATFORM TEMPORARY CHANGES**

Name	Status	Position	BNM Ref.	LNM St	LNM End
<b>None</b>					

**PLATFORM TEMPORARY CHANGES CORRECTED**

Name	Status	Position	BNM Ref.	LNM St	LNM End
<b>None</b>					

**SECTION IV - CHART CORRECTIONS**

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.

Chart Number	Chart Edition	Edition Date	Last Local Notice to Mariners	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariners
12327	91st Ed.	19-APR-97	Last LNM: 26/97	NAD 83		27/97
Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER						
Main Panel 2245 NEW YORK HARBOR						
(Temp) ADD	NATIONAL DOCK CHANNEL BUOY 3				CGD01	074-02-48.001W
	Green can					
Corrective Action	Object of Corrective Action				Position	

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

<b>5161</b>	<b>14th Ed.</b>	<b>01-MAR-16</b>	<b>Last LNM: 20/20</b>	<b>NAD 83</b>		<b>45/20</b>
<i>Chart Title: Newport, Rhode Island to Bermuda (Plotting Sheet)</i>						
<b>Main Panel 2912 PLOTTING SHEET NEWPORT TO BERMUDA. Page/Side: A</b>						
RELOCATE	NOAA Data Lighted Buoy 44005 (ODAS)				CGD01 from 43-12-12.845N to 43-12-07.654N	069-07-40.439W 069-07-37.669W

<b>12347</b>	<b>32nd Ed.</b>	<b>01-FEB-17</b>	<b>Last LNM: 18/18</b>	<b>NAD 83</b>		<b>45/20</b>
<i>Chart Title: Hudson River Wappinger Creek to Hudson</i>						
<b>CHART WAPPINGER CREEK TO HUDSON RIVER. Page/Side: N/A</b>						
RELOCATE	Hudson River Lighted Buoy 108				CGD01 from 42-09-00.871N to 42-09-00.030N	073-54-03.725W 073-54-02.120W
RELOCATE	Hudson River Lighted Buoy 110				CGD01 from 42-09-25.621N to 42-09-25.227N	073-53-36.602W 073-53-35.318W
RELOCATE	Hudson River Lighted Buoy 112				CGD01 from 42-09-48.883N to 42-09-49.085N	073-53-10.147W 073-53-08.190W
RELOCATE	Hudson River Lighted Buoy 114				CGD01 from 42-10-18.634N to 42-10-18.610N	073-52-38.400W 073-52-36.606W

<b>13003</b>	<b>52nd Ed.</b>	<b>01-OCT-15</b>	<b>Last LNM: 38/20</b>	<b>NAD 83</b>	<b>45/20</b>
<i>ChartTitle: Cape Sable to Cape Hatteras</i>					
<b>Main Panel 2156 CAPE SABLE TO CAPE HATTERAS. Page/Side: A</b>					
RELOCATE	NOAA Data Lighted Buoy 44005 (ODAS)			CGD01 from 43-12-12.845N to 43-12-07.654N	069-07-40.439W 069-07-37.669W
RELOCATE	NOAA Data Lighted Buoy 44018			CGD01 from 42-12-21.046N to 42-12-17.086N	070-08-35.891W 070-08-31.287W
<b>13006</b>	<b>36th Ed.</b>	<b>01-JUL-12</b>	<b>Last LNM: 38/20</b>	<b>NAD 83</b>	<b>45/20</b>
<i>ChartTitle: West Quoddy Head to New York</i>					
<b>Main Panel 2155 WEST QUODDY HEAD TO NEW YORK-EAST COAST. Page/Side: N/A</b>					
RELOCATE	NOAA Data Lighted Buoy 44005 (ODAS)			CGD01 from 43-12-12.845N to 43-12-07.654N	069-07-40.439W 069-07-37.669W
RELOCATE	NOAA Data Lighted Buoy 44018			CGD01 from 42-12-21.046N to 42-12-17.086N	070-08-35.891W 070-08-31.287W
<b>13009</b>	<b>38th Ed.</b>	<b>01-OCT-18</b>	<b>Last LNM: 38/20</b>	<b>NAD 83</b>	<b>45/20</b>
<i>ChartTitle: Gulf of Maine and Georges Bank</i>					
<b>Main Panel 2154 GULF OF MAINE AND GEORGES BANK - -. Page/Side: -</b>					
RELOCATE	NOAA Data Lighted Buoy 44005 (ODAS)			CGD01 from 43-12-12.845N to 43-12-07.654N	069-07-40.439W 069-07-37.669W
RELOCATE	NOAA Data Lighted Buoy 44018			CGD01 from 42-12-21.046N to 42-12-17.086N	070-08-35.891W 070-08-31.287W
<b>13200</b>	<b>40th Ed.</b>	<b>01-APR-20</b>	<b>Last LNM: 38/20</b>	<b>NAD 83</b>	<b>45/20</b>
<i>ChartTitle: Georges Bank and Nantucket Shoals</i>					
<b>Main Panel 2153 GEORGES BANK AND NANTUCKET SHOALS - -. Page/Side: -</b>					
RELOCATE	NOAA Data Lighted Buoy 44018			CGD01 from 42-12-21.046N to 42-12-17.086N	070-08-35.891W 070-08-31.287W
<b>13203</b>	<b>14th Ed.</b>	<b>01-MAY-13</b>	<b>Last LNM: 15/16</b>	<b>NAD 83</b>	<b>45/20</b>
<i>ChartTitle: Georges Bank Western part</i>					
<b>Main Panel 2152 GEORGES BANK WEST PART SPEC CHT FOR FISHING IND. Page/Side: N/A</b>					
RELOCATE	NOAA Data Lighted Buoy 44018			CGD01 from 42-12-21.046N to 42-12-17.086N	070-08-35.891W 070-08-31.287W
<b>13229</b>	<b>34th Ed.</b>	<b>01-NOV-18</b>	<b>Last LNM: 25/20</b>	<b>NAD 83</b>	<b>45/20</b>
<i>ChartTitle: South Coast of Cape Cod and Buzzards Bay</i>					
<b>Inset 2114 STAGE HARBOR MA INSET 1 - -. Page/Side: -</b>					
ADD	Stage Harbor Buoy 16 Red			CGD01 at 41-39-57.200N	069-57-03.080W
ADD	Stage Harbor Buoy 19 Green			CGD01 at 41-40-07.320N	069-57-42.480W
ADD	Stage Harbor Buoy 20 Red			CGD01 at 41-40-07.960N	069-57-42.494W
<b>13242</b>	<b>18th Ed.</b>	<b>01-DEC-11</b>	<b>Last LNM: 37/19</b>	<b>NAD 83</b>	<b>45/20</b>
<i>ChartTitle: Nantucket Harbor</i>					
<b>Main Panel 2100 NANTUCKET HARBOR MA. Page/Side: N/A</b>					
RELOCATE	Nantucket Harbor Obstruction Buoy NH			CGD01 from 41-17-08.277N to 41-17-08.564N	070-05-37.496W 070-05-36.591W
<b>13260</b>	<b>43rd Ed.</b>	<b>01-OCT-18</b>	<b>Last LNM: 33/20</b>	<b>NAD 83</b>	<b>45/20</b>
<i>ChartTitle: Bay of Fundy to Cape Cod</i>					
<b>Main Panel 2090 BAY OF FUNDY - CAPE COD ME-NH-MA - -. Page/Side: -</b>					
RELOCATE	NOAA Data Lighted Buoy 44005 (ODAS)			CGD01 from 43-12-12.845N to 43-12-07.654N	069-07-40.439W 069-07-37.669W
RELOCATE	NOAA Data Lighted Buoy 44018			CGD01 from 42-12-21.046N	070-08-35.891W

**SECTION V - ADVANCE NOTICES**

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

**SUMMARY OF ADVANCED APPROVED PROJECTS**

**Approved Project(s)**  
None

**Project Date****Ref. LNM**

**Advance Notice(s)**  
None

**SECTION VI - PROPOSED CHANGES**

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

**PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT**

**Proposed Project(s)**

**Closing****Docket No.****Ref. LNM**

None

**Proposed Change Notice(s)****MA-SEACOAST-PORTSMOUTH TO CAPE ANN-MERRIMACK RIVER ENTRANCE**

The U.S. Coast Guard is considering making the following changes to Aids to Navigation in this waterway:

Newburyport Harbor Light (LLNR 260) REMOVE the Light List remarks "Obscured by shore structure from 165° to 192° and 313° to 344°" and display the light over a 360 degree arc of visibility.

Interested Mariners are strongly encouraged to comment on this proposal in writing, either personally or through their organization. All comments will be carefully considered and are requested prior to 27 November 2020 to complete the process. In order to most effectively consider your feedback and improve the data collection, when responding to this proposal, please include size and type of vessel, recreational or commercial, and distance from aid that you start looking for it, and if and how you use the signal. Please do not call the Coast Guard via telephone or other means, only written responses to this proposal will be accepted. Refer to Project No. 01-20-082. E-mail can be sent to: D01-SMB-DPWPublicComments@uscg.mil .

Charts: 13003 13006 13009 13260 13274 13278 13282

LNM: 40/20

**SECTION VII - GENERAL**

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

**SUMMARY OF GENERAL PROJECTS STILL IN EFFECT**

Enclosure

LNM: 04/19

**U.S. COAST PILOT® 2-NEW EDITION**

National Oceanic Atmospheric Administration (NOAA) – U.S. Coast Pilot® 2, Atlantic Coast: Cape Cod, MA to Sandy Hook, NJ, 50th Edition, 2021, has been issued and is ready for free download and weekly updates at <https://nauticalcharts.noaa.gov/publications/coast-pilot/index.html>. Only Print-on-Demand (POD) bound copies are available for purchase; visit [www.nauticalcharts.noaa.gov/publications/print-agents.html#coast-pilot](http://www.nauticalcharts.noaa.gov/publications/print-agents.html#coast-pilot). The 2021 Edition cancels the preceding 2020 Edition, and incorporates all previous corrections.

LNM: 43/20

**MASSACHUSETTS-ANNISQUAM RIVER-BLYNMAN CANAL-Bridge Construction-Full Channel Closure**

Massachusetts Bay Transportation Authority (MBTA) Bridge across the Annisquam River, mile 0.7, has been removed to allow for construction of a replacement bridge. The channel through the bridge will be closed to all vessel traffic including emergency response vessels from November 2, 2020, to December 31, 2020, to accommodate a 60 foot by 80 foot work barge and drilling rig installing two drilled seven foot diameter piers to support the new railroad bridge. Vessel operators can reach the Harbormaster on VHF CH 16/14. Questions may be directed to the MBTA Resident Engineer, Matt Moorehouse at 617-839-8075. Mariners are advised plan accordingly.

LNM: 39/20

Chart 13281

**MA-BUZZARDS BAY-QUISSETT HARBOR**

Woods Hole Oceanographic Institution (WHOI) deployed a buoy for communication with an Autonomous Underwater Vehicle. The buoy consists of a 30" diameter Surlyn foam hull, mooring chain, and clump weight anchor. It has reflective tape, and a strobe that flashes yellow every 2 seconds that can be seen as far as 2 nautical miles and will be deployed until 16 November 2020. The coordinates of the buoy are approximately 41 33.139N, 70

**MA-BUZZARDS BAY-QUISSETT HARBOR**

42.516W. The autonomous underwater vehicle (AUV) is 9' long with a 12" diameter. It is yellow and red with a strobe that flashes twice in quick succession every second when on the surface. The AUV operates at depth but will occasionally surface for cellular and satellite communications. AUV operational area is primarily within 2000 meters of the buoy location.

Chart 13218

LNM: 45/20

**ME-KENNEBEC RIVER-BATH IRON WORKS**

Cashman's and Bath Iron Works will be conducting maintenance dredging operations in the BIW Drydock Sinking Basin on the Kennebec River within the navigable channel. The dredge material will be transported downriver by Cashman's dredge equipment to the Disposal Site and released (coordinates 43 51 47.7618 N, 069-47-36.8295 W, 43-51-47.7863 N, 069-4- 44.3367 W, 43-51-42.8485 N, 069-47-44.3672 W, 43-51-42.8241 N, 069-47-36.8602 W). Work will be from 30 November to 07 January 2021, 24 hours a day, 7 days a week. Equipment on scene will be a Crane/Clamshell bucket dredge on barge, with tugboat and small workboat in support, and a spoils barge for disposal activity. Vessels will be monitoring VHF-FM channel 13. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made with the dredge.



Charts: 13296 13298

LNM: 45/20

**ME/NH-PISCATAQUA RIVER-PORTSMOUTH NAVAL SHIPYARD**

Coastline Consulting & Development, LLC. will be conducting maintenance dredging operations by mechanical means at Berth 6, as well as Berth 12 and 14 at the Portsmouth Naval Shipyard on the Piscataqua River in Kittery in position 43-04-45.912N, 70-44-26.779W. Work will be from 09 November to 14 March 2021, Monday – Friday from 7:00AM to 5:00PM. Equipment on scene will be Dredge Barge #410, Push Boat "Ms. Sarah", and various construction barges. Vessels will be monitoring VHF-FM channel 13. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made with the dredge.

LNM: 45/20

**NY-EAST RIVER-EAST CHANNEL**

Verdant Power will be servicing Private Aids to Navigation (PATON) in the East Channel, East River, north of Roosevelt Island Bridge at the Roosevelt Island Tidal Energy (RITE) Project in position 40-45-57.060N 73-56-39.820W 17 November 2020, from 0930-1200 local time, from Monday to Friday from 6:00am to 3:00pm. Equipment on scene will be the Ken's Marine Durham, Ken's Marine Arlene and Ken's Marine Boom Boat and will be monitoring VHF-FM channel 13. Vessels are requested to navigate with caution in this area.

Chart 12339

LNM: 45/20

**RI-NARRAGANSETT BAY**

Naval Undersea Warfare Center will be conducting continued testing using Unmanned Undersea Vehicles north and east of Gould Island in the vicinity of the torpedo test range restricted area marked on NOAA Chart 13223 and the Newport Bridge during the period of 16 - 20 November 2020. Navy 841 will serve as the command vessel during range operations along with support craft. Mariners are requested to cooperate with participating vessels for the safety of all. Any concerned traffic can contact Navy 841 or support craft on VHF channels 13 and 16.

Chart 13223

LNM: 45/20

**MA-CAPE COD**

General Dynamics Mission Systems is conducting Underwater vehicle testing within the field listed below. Deployment of up to 35 test objects on the sea floor to support unmanned underwater vehicle test will be done from November 22 - January 18, 2021. Test object locations will range from directly on the sea floor to anchored to the sea floor and suspended several meters above the sea floor. The test objects will be located within each field throughout the whole period and retrieved by January 18, 2021. After deployment of test object, unmanned underwater vehicle testing will occur within the field. The work will be done within this rectangle:

- N41°58'56.100" W70°08'57.100"
- N41°58'56.500" W70°08'11.200"
- N41°58'12.000" W70°08'10.400"
- N41°58'11.500" W70°08'56.300"

### MA-CAPE COD

The hours of operation when on scene will be 24 hours a day. On scene will be the R/V RESOLUTION, R/V JAIME HANNA, M/V JAMES K GOODWIN, M/V RACHAEL K GOODWIN, and M/V WARREN JR that will be monitoring VHF-FM 13 & 16. Mariners are requested to proceed with caution after passing arrangement have been made.

Chart 13246

LNM: 44/20

### MA-MASSACHUSETTS AND CAPE COD BAYS (REVISED)

General Dynamics Mission Systems is conducting Underwater vehicle testing in two different fields (listed below) until December 31 2020 24 hours a day when on scene. Within each field, 21 – 35 test objects have been placed on the sea floor to support the underwater vehicle test. Test object range in height up to several meters above the sea floor. The test objects will be located within each field throughout the whole period and retrieved by December 31 , 2020. Equipment on scene will be the R/V RESOLUTION, M/V JAMES K GOODWIN, or M/V RACHAEL K GOODWIN. During underwater vehicle operations, the support vessel can be contacted on VHF-FM to coordinate passing on VHF-FM channels 13 and 16.

Latitude & Longitude of work area (Degrees, Minutes, Thousandths of seconds):

Within the rectangle of field 1:  
N42°23'21.300" W70°33'12.700";  
N42°22'50.000" W70°33'01.100";  
N42°22'40.100" W70°33'49.500";  
N42°23'11.300" W70°34'01.200".

Within the rectangle field 2:  
N41°55'03.900" W70°09'15.400";  
N41°54'27.400" W70°09'01.400";  
N41°54'17.300" W70°09'48.600";  
N41°54'53.800" W70°10'02.600".

Charts: 13246 13267

LNM: 44/20

### NH-RYE HARBOR

Prock Marine will be conducting dredging operations in Rye Harbor with ocean water disposal at Isles of Shoals North Disposal Site from 15 November 2020 – 01 March 2021, 24 hours a day, 7 days a week. Equipment on scene will be the Tug Boat Dorothy L, Prock Marine Barge No.7, Scow Prock No.15 and Scow Prock No. 17, Push Boat Mary Lou and a Skiff. Vessels will be monitoring VHF-FM channel 10, 12, 13 and 16. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made with the dredge.

Chart 13278

LNM: 44/20

### RI-NARRAGANSETT BAY

Naval Undersea Warfare Center will be conducting continued testing using Unmanned Undersea Vehicles north and east of Gould Island in the vicinity of the torpedo test range restricted area marked on NOAA Chart 13223 and the Newport Bridge during the period of 09 – 13 November 2020. Navy 841 will serve as the command vessel during range operations along with support craft. Mariners are requested to cooperate with participating vessels for the safety of all. Any concerned traffic can contact Navy 841 or support craft on VHF channels 13 and 16.

Chart 13223

LNM: 44/20

### MA-NANTUCKET SOUND (Chart 13237)-CENTERVILLE HARBOR-BUMPS RIVER

ACK Marine will be conducting bridge piling repairs on the Bump River at position (PA) 41-38-06.730N 070-21-28.840W from 01 November 2020 to 20 January 2021, 5 days a week, 10 hours per day. Equipment on scene will a work skiff, timber floats, commercial dive equipment and a dive trailer. ACK Marine will be monitoring VHF-FM channel 13 and 16. The channel will be open and not impeded by equipment. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution.

Charts: 13229 13237

LNM: 43/20

### CT-IN THE VICINITY OF CRESENT BEACH AND BLOCK ISLAND STATE BEACH

Cable repairs are being made to the Block Island Wind Farm until February 29, 2020. Temporary goal post structures, marked with lights, will be deployed during the work in the following positions:

Goalpost 1: (N41° 11' 9.45", W71° 33' 22.56")  
Goalpost 2: (N41° 11' 9.65", W71° 33' 21.75")  
Goalpost 3: (N41° 11' 9.85", W71° 33' 20.93")  
Goalpost 4: (N41° 11' 10.05", W71° 33' 20.12")

The hours of operation are 7 days a week 24 hours a day. On scene is barges, tugs jack-up and cable laying vessels which will be monitoring VHF-FM channel 13 and 16. Mariners are requested to take extra precautions when navigating in the vicinity of these cable repair operations.

LNM: 43/20

### MA-SOUTH OF NANTUCKET-OFFSHORE

Marine remote sensing with bottom photography and sediment grabs sample collection to map the seafloor benthic habitat conditions will be done, from November 7 - December 7, 2020, in the following locations:

Vessel operations will be within the rectangle:  
North-West Corner = N41°32'18.88", W70°37'12.91";  
North-East Corner = N41 °36'43.94", W70°20'10.61",  
South-West boundary = N40°37'47.40", W70°43'20.51",  
South-East Corner = N40°30'47.28", W70°21'39.08".

**MA-SOUTH OF NANTUCKET-OFFSHORE**

The hours of operations will be 7 days a week, 24 hours a day. On scene will be the survey vessel OSV GO PURSUIT that will be monitoring VHF-FM channel 16.

LNM: 42/20

**MA-SOUTH OF MARTHA'S VINEYARD**

Hydrographic & Geophysical Surveys, have been extended until December 25, 2020, in the following location: 40-55'-00N, 70-37-30W. The hours of operation are 7 days a week, 24 hours a day. On scene are Multibeam echo sounder & ultra-high resolution geophysical spread including towed equipment up to 200m astern of the vessels that are monitoring VHF-FM channels 13 and 16. Time to move vessels to not impede navigation: All Mariners transiting or fishing in the survey area are requested to give a wide berth to survey vessels as they may be limited in their ability to maneuver.

LNM: 41/20

**NY-OFFSHORE SOUTH OF AMBROSE TO NANTUCKET OUTBOUND TRAFFIC LANE**

Surveys are being done from October 10 - December 20, 2020 in the following locations:

- NW Corner 40° 32' 46.9599" N 73° 43' 27.4915" W
- NE Corner 40° 32' 46.9599" N 73° 03' 17.6206" W
- SE Corner 40° 09' 02.6153" N 73° 03' 17.6206" W
- SW Corner 40° 09' 02.6153" N 73° 43' 27.4915" W and

Shore landing Cable routes Jones Beach, Long Island and Ocean View, New Jersey. Coordinates below represent the start and end of each shore landing route.

- Jones Beach OceanView
- 40.3062329,-73.2146298 40.2588326, -73.5193221
- 40.3062329,-73.2146298 40.2588326. -73.5193221
- 40.2588326, -73.5193221

Both routes will be run as straight lines to fill the required corridor, there will be 500m long cross lines crossing the route corridor

On scene will be the Ocean Endeavor that will be monitoring VHF-FM channel 16. It is requested that other vessels give at least 1000 Meter separation from the subject vessel, when sighted as various data and hydrographic information is being collected by instrumentation deployed by the Ocean Endeavour, as well as in consideration of their restricted maneuverability.

Charts: 12200 12300 12323 12326 12350 12352

LNM: 40/20

**RI-SOUTH OF RHODE ISLAND BAY**

Bathymetric and geophysical surveys are being extended until December 15, 2020 in the following locations:

- 41-03.380'N 71-18.611'W
- 40-56.394'N 71-18.368'W
- 40-56.633'N 71-05.871'W
- 40-51.043'N 71-03.007'W
- 40-51.108'N 70-59.294'W
- 40-58.848'N 70-48.439'W
- 41-03.918'N 70-48.578'W

On scene is the OCEAN RESEARCHER that is monitoring VHF-FM channel 16. The hours of operation are daily during daylight hours. It is requested that other vessels give at least 1000 Meter separation from the subject vessel, when sighted as various data and hydrographic information is being collected by instrumentation deployed by the Ocean Researcher, as well as in consideration of their restricted maneuverability.

Charts: 12300 13009 13200 13218

LNM: 40/20

**MA-SOUTH OF AMBROSE TO NANTUCKET OUTBOUND TRAFFIC LANE and NORTH OF HUDSON CANYON TO AMBROSE INBOUND TRAFFIC LANE**

Line, geophysical and marine archaeological surveys are being done, from October 10 - December 20, 2020, in the following locations:

- NW Corner 40-32-46.9599" N 73-43-27.4915" W
- NE Corner 40-32-46.9599" N 73-03-17.6206" W
- SE Corner 40-09-02.6153" N 73-03-17.6206" W
- SW Corner 40-09-02.6153" N 73-43-27.4915" W

The hours of operation will be 7 days a week, 24 hours a day. On scene will be the OCEAN ENDEAVOUR that will be monitoring VHF-FM channel 16.

LNM: 39/20

**MA – NANTUCKET SOUND – SEA TURTLE MIGRATION**

Mariners are advised that sea turtles are present in Southern Massachusetts coastal waters, especially surrounding Martha's Vineyard, Nantucket, and the Elizabeth Islands. Mariners are advised to reduce speed in these areas and keep a lookout for sea turtles. Often, only the turtle's dark head is visible at the surface. Sightings of jellyfish also indicate sea turtles are likely nearby. Vessel strikes are a significant risk to sea turtles. Sightings of dead, injured, or entangled turtles should be reported to the NOAA Fisheries Greater Atlantic Regional Fisheries Office by phone at (866) 755-6622.


Chart 13237

LNM: 38/20

**CT – BRIDGEPORT HARBOR – BRIDGEPORT – CAD OBJECT**

Mariners are advised that an obstruction has been discovered in the vicinity of Bridgeport Harbor. Length of obstruction is 27.4 ft. at or around 41.1627N and 73.1718W. Controlling depth is 21.9 feet. Mariners are advised to exercise caution if transiting through this area in Bridgeport Harbor. Utilize VHF Channel 16 if in an emergency.

CT – BRIDGEPORT HARBOR – BRIDGEPORT – CAD OBJECT  
BCO: 41.16268798N, 73.17184960W. 27.4 ft. Control Depth: 21.9' MLLW.




LNM: 38/20

**CT – BRIDGEPORT HARBOR – BRIDGEPORT – JOHNSON'S CREEK**

Mariners are advised that (3) obstructions have been discovered at Johnson's Creek in the vicinity of Bridgeport Harbor. Length of obstructions are from 27-30 feet at or around 41.170N and 73.163W. Controlling depth ranges from 7.5 – 11.2 feet. Mariners are advised to exercise caution if transiting through Johnson's Creek. Utilize VHF Channel 16 if in an emergency.

JCO1: 41.17010160N, 73.16323545W. 27.3 ft. Control Depth 7.6' MLLW.  
JCO2: 41.17003271N, 73.16307481W. 37.2 ft. Control Depth 7.5' MLLW.  
JCO3: 41.16927877N, 73.16366209W. 30 ft. Control Depth 11.2 MLLW




LNM: 38/20

**CT – BRIDGEPORT HARBOR – BRIDGEPORT – PEQUANNOCK RIVER**

Mariners are advised that an obstruction has been discovered on the Pequannock River in the vicinity of Bridgeport Harbor. Length of obstruction is from 108.5 feet at or around 41.1789N and 73.1864W. Controlling depth is from 8.3 feet. Mariners are advised to exercise caution if transiting through the Pequannock River. Utilize VHF Channel 16 if in an emergency.

PQO: 41.17891517N, 73.18641289W. 108.5 ft. Control Depth 8.3' MLLW.



LNM: 38/20


**CT – BRIDGEPORT HARBOR – BRIDGEPORT – YELLOW MILL CHANNEL**

Mariners are advised that (3) obstructions have been discovered on the Yellow Mill Channel in the vicinity of Bridgeport Harbor. Length of obstructions are from 12 – 16 feet at or around 41.1817N and 73.1736W. Controlling depth ranges from 9.4 – 10.9 feet. Mariners are advised to exercise caution if transiting through the Yellow Mill Channel. Utilize VHF Channel 16 if in an emergency.

YMO1: 41.18197311N, 73.17353226W. 14.6 ft. Control Depth 10.2 MLLW.

YMO2: 41.18172501N, 73.17354793W. 15.6 ft. Control Depth 10.9' MLLW.

YMO3: 41.18169427N, 73.17379457W. 12.8 ft. Control Depth 9.4' MLLW.



LNM: 38/20

**MA-SOUTH OF MARTHA'S VINEYARD**

The survey Vessel STRIL EXPLORER will be conducting Hydrographic and Geophysical surveys from August 9 2020 for approximately 240 days (weather dependent), the offshore areas and coastal sea areas south of Martha's Vineyard and east in to Long Island Sound. During this survey the STRIL EXPLORER will be deploying ROV subsea survey equipment along with towed Seismic equipment and will be restricted in their ability to manoeuvre. Approaching vessels are requested to pass at a safe speed and distance. The survey covers the planned Beacon Wind lease area and planned export cable route. The hours of operation will be 24 hours a day of operation are 7 days per week, when on scene. On scene vessels will be monitoring VHF-FM channels 13 and 16.




Chart 13006

LNM: 35/20

**MA-MARTHA'S VINEYARD TO BLOCK ISLAND (Chart 13218)-WESTPORT HARBOR**

Shoaling exists in Westport Harbor in the vicinity of Westport Harbor Channel LB 14 (LLNR 17490) and Westport Harbor Channel By 17 (LLNR 17505). There are other areas of shoaling throughout the Westport Harbor Channel reducing the available depth of water. Mariners are advised to use caution while navigating this area.

Chart 13228

LNM: 31/20

**NY-UPPER BAY-MANHATTAN (REVISED)**

A sheet pile has partially detached from the western face of the concrete pier located at the Coast Guard building at Battery Park in Manhattan. The pier is marked with a dayboard marked DANGER DO NOT MOOR. All mariners are advised to transit the area with caution.

LNM: 51/19

**RI-APPROACHES TO NARRAGANSETT BAY**

The Survey Vessel (S/V) DEEP HELDER will be conducting operations in the vicinity of the entrance to Narragansett Bay, including the vicinity of the inbound and outbound lanes of the Narragansett Bay Traffic Separation Scheme, the Precautionary Area, and the Pilot Boarding Area during the period of 11-30 November 2020 24 hours a day 7 days per week weather permitting. Any concerned traffic can contact S/V DEEP HELDER on VHF channels 13 and 16. Mariners are requested to take extra precautions when navigating in the vicinity of DEEP HELDER's survey operations. For more information, contact Orsted Northeast Marine Affairs Manager, Edward G. LeBlanc, at 978-447-2737, or EDWLE@Orsted.com

Charts: 13221 13223

LNM: 45/20

**SECTION VIII - LIGHT LIST CORRECTIONS**

An Asterisk \*, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
560	NOAA Data Lighted Buoy 44018	42-12-17.086N 070-08-31.287W	Fl (4)Y 20s 0.5s fl 2s ec. 0.5s fl 2s ec. 0.5s fl 12s ec.		7	Yellow.	Marked NOAA 44018. Aid maintained by National Oceanic and Atmospheric Administration.	45/20
		*						
820	NOAA Data Lighted Buoy 44005 (ODAS)	43-12-07.654N 069-07-37.669W	Fl (4)Y 20s			Yellow boat-shaped buoy.	Marked "NOAA" and "44005". Aid maintained by National Oceanic and Atmospheric Administration.	45/20
		*						
1155	Machias River Buoy 3	44-40-47.967N 067-21-51.085W				Green can.		45/20
		*						
1320	Moosabec Bar Buoy 12	44-31-46.057N 067-34-17.536W				Red nun.		45/20
		*						
13927	Stage Harbor Buoy 16	41-39-57.200N 069-57-03.080W				Red nun.	Maintained from Apr. 15 to Dec.01. Private Aid.	45/20
		*						
13930.1	Stage Harbor Buoy 18	41-39-57.000N 069-57-49.000W				Red nun.	Maintained from Apr. 15 to Dec.01. Private Aid.	45/20
		*						
13930.2	Stage Harbor Buoy 19	41-40-07.320N 069-57-42.480W				Green can.	Maintained from Apr. 15 to Dec.01. Private Aid.	45/20
		*						
13930.3	Stage Harbor Buoy 20	41-40-07.960N 069-57-42.494W				Red nun.	Maintained from Apr. 15 to Dec.01. Private Aid.	45/20
		*						
15250	Nantucket Harbor Obstruction Buoy NH  Marks stone pier.	41-17-08.564N 070-05-36.591W				Yellow can.		45/20
		*						
38440	Hudson River Lighted Buoy 108	42-09-00.030N 073-54-02.120W	Fl R 2.5s		3	Red.	Replaced by nun from Dec. 1 to Apr. 1.	45/20
		*						

## SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
38450	<i>Hudson River Lighted Buoy 110</i>	42-09-25.227N 073-53-35.318W	Fl R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 1.
	Marks upper end of shoal.						
		*					
38457	<i>Hudson River Lighted Buoy 112</i>	42-09-49.085N 073-53-08.190W	Fl R 4s		3	Red.	Replaced by nun from Nov. 15 to Apr. 1.
		*					
38470	<i>Hudson River Lighted Buoy 114</i>	42-10-18.610N 073-52-36.606W	Fl R 2.5s		3	Red.	Replaced by nun from Dec. 1 to Apr. 1.
		*					

---



---

**PUBLICATION CORRECTIONS**


---

None

---



---

**ENCLOSURES**


---

**SUMMARY OF PROJECTS STILL IN EFFECT**

Summary

LNM: 45/20

**BRIDGE SECTION**

Bridge Section

LNM: 45/20

**CORONAVIRUS BULLETIN**

Coronavirus Bulletin

LNM: 39/20

**2021-DISCONTINUE OF TIDE AND CURRENT TABLES**

Discontinuance of Printed Tables

LNM: 45/20

---



---

Thomas G. Allan  
Rear Admiral, U.S. Coast Guard  
Commander, First Coast Guard District

## SUMMARY OF GENERAL PROJECTS STILL IN EFFECT

(encl 1)

STATE	LOCATION	OPERATION	COMPLETION DATE	LNM
MA	Connecticut River	Water and sewer construction operations	1/31/2021	42/20
MA	Boston Harbor	Dredging	Until further notice	42/20
MA	Wellfleet Harbor	Dredging	12/23/2020	38/20
MA	Cape Cod	Deployment of Unmanned under water test objects	12/20/2020	41/20
MA	Wellfleet Harbor	Dredging	12/23/2020	38/20
MA	Westport Harbor	Shoaling	Until further notice	31/20
MA	Chatham-Stage Harbor	Extensive shoaling	Until further notice	42/19
MA	North of Marblehead	Rip rap	Until further notice	47/18
MA	Annisquam River	Shoaling	Until further notice	02/14
MA	Bass River	Shoaling	Until further notice	02/14
MA	Cuttyhunk Harbor-Entry Chan-Caution	Entry channel width decreased to 15 feet wide	Until further notice	44/29
MA	Cape Cod-Scituate Harbor	Breakwater remediation	Until further notice	42/18
MA	Essex Bay	Shoaling	Until further notice	02/14
MA	Gloucester-Annisquam River	Shoaling	Until further notice	41/11
MA	Lynn Harbor	Shoaling	Until further notice	02/14
MA	Marshfield-New Inlet	Shoaling	Until further notice	15/16
MA	Merrimack River Entrance	Shoaling	Until further notice	02/14
MA	Merrimack River-Joppa Flat Area	Shoaling	Until further notice	02/14
MA	Boston Harbor	Dredging	Until further notice	13/19
MA	Newburyport Harbor/Plum Is Sound	Shoaling	Until further notice	26/20
MA	Nummet Channel	Shoaling	Until further notice	38/10
MA	Plum Island Sound	Shoaling	Until further notice	02/14
MA	Plymouth Harbor	Shoaling	Until further notice	02/14
ME	Machias Bay	Demolition and removal of pier	Until further notice	12/18
ME	Saco Bay-Scarborough Beach	Research buoy deployment	Until further notice	32/16
NH	Piscataqua River	Research Barge anchored	Until further notice	25/17
NH	Hampton Harbor	Shoaling	Until further notice	02/14
RI	Rhose Island Bay	Bathymetric and geophysical surve	12/15/2020	41/20
RI	Block Island	Dredging	12/31/2020	39/20
RI	Narragansett Bay-Caution	Lost and anchor and chain	Until further notice	45/19
RI	Providence	Dredging	12/21/2020	43/19
CT	Thames River-Groton Electric Boat	Marine Construction-Dive Work	3/31/2021	12/20
NJ	Perth Amboy	Vibracore sediment sampling	12/21/2020	48/19
NJ	Arthur Kill	Charted rip rap of FDR Drive platform	Until further notice	09/18
NJ	Arthur Kill-Port Socony Reach	Rip rap	until further notice	47/17
NJ	Jersey City-Hudson River	Pile driving & pier construction	9/28/2021	05/17
NJ	New York Harbor-Port Jersey	Offloading soil material	11/1/2021	43/18
NY	Yonkers	Dredging	12/10/2020	42/20
NY	Sandy Hook Channel	Dredging	12/31/2020	37/20
NY	Upper New York Bay	Diving operations	12/31/2020	37/20
NY	South of Long Island	Marine Artificial Reef enhancement	12/31/2020	35/20
NY	LI-Fire Island to Montauk Point	Montaul Lighthouse tower repairs	Until further notice	29/20
NY	Brooklyn	West, North & Inshoreberth platform repairs	10/30/2022	33/20
NY	Western LI Sound	Hydrographic Survey Operations	12/31/2020	27/20
NY	Shinnecock Bay/East Rockaway Inlet/Mori	Severe shoaling	Until further notice	16/20
NY	Yonkers	Dredging	12/31/2020	47/19
NY	Bronx	Installation of 2 New Sub-Aqueous Water Mains	9/3/2021	35/19
NY	New York	Research buoy deployment	12/1/2020	30/19
NY	Western LI Sound-New Rochelle Habor	Pier replacement	Until further notice	43/18
NY	Gowanus Canal	Bulkhead construction	4/30/2021	34/20
NY	Hudson River	Dredging	12/31/2020	421/20
NY	East River-Kingston & Germantown	Research work	9/20/2021	39/20
NY	East River	Divining operations	12/31/2020	39/20
NY	East River	Acoustic Doppler Current Profiler deployment	12/1/2020	31/20
NY	Fire Island	Shoaling	Until further notice	07/15
NY	Moriches	Worse shoaling conditions	Until further notice	04/18
NY	Moriches Bay & Shinnecock Bay (Revised)	Shoaling	Until further notice	39/16
NY	Newton Creek-English Kills	Floating containment boom	Until further notice	41/17
NY	Newtown Creek-English Kills	Bulkhead collapse	Until further notice	35/17
NY	Port Chester	Sunken barge	Until further notice	29/17
NY	Troy	Seawall stabilization	12/20/2020	26/18
VT	Lake Champlain	Buoy Deployment (4)	Until further notice	28/17

## BRIDGE SECTION

### BRIDGE DEVIATIONS, REPAIRS AND CONSTRUCTION

<u>BRIDGE/WATERWAY</u>	<u>MILE</u>	<u>33 CFR Sect.</u>	<u>DEVIATION/RULE</u>	<u>EFF. DATE</u>
Madison Ave Bridge/Harlem River	2.3	117.789(b)(1)	Temporary Deviation	11/9/2020-2/28/2021
Hamilton Ave Bridge/Gowanus Canal	1.2	117.5	Temporary Deviation	11/15/2020-5/8/2021
S156 Bridge/Niantic River	0.1	117.215(b)	Temporary Deviation	11/1/2020-3/31/2021
Devon RR Bridge/ Housatonic River	3.9	117.207(b)	Temporary Deviation	11/16/2020-1/11/2021

**MAINE - BOOTHBAY HARBOR TO BATH - BACK RIVER - Bridge Construction** - Work on the new Barter's Island swing bridge is ongoing. The construction of the new swing bridge is nearing completion, however the temporary fixed bridge will reduce the vertical clearance of the channel to 6.8 feet at mean high water (MHW) until **November 25, 2020** or later. A 36-foot horizontal channel will be maintained with temporary channel restrictions in effect from time to time. Questions may be directed to Glenn Philbrook, Resident Engineer, at 207-592-7819 or Glenn.philbrook@maine.gov Mariners should plan accordingly and use caution while transiting the area.

Chart 13296 LNM 45/20 (CGD1)

**MAINE - NEW HAMPSHIRE - PORTSMOUTH HARBOR – Bridge Repairs** – Bridge repairs to the sewer main suspended from the Peirce Island Road Bridge over the Piscataqua River between Portsmouth, New Hampshire and Peirce Island, New Hampshire will commence on November 2, 2020, and continue **December 15, 2020**. Scaffolding suspended from the bridge will reduce the vertical clearance by approximately 5 feet. There is no reduction in horizontal clearance. Working hours are 7 a.m. to 3:30 p.m. daily. Work crews will monitor VHF channels 13/16. Questions may directed to Mr. Andy LePage of SUR Construction at 603-817-8585 or Terry Desmarais of the City of Portsmouth at 603-828-1915. Mariners should exercise caution while transiting the area.

Chart 13283 LNM 45/20 (CGD1)

**MAINE - NEW HAMPSHIRE – PORTSMOUTH TO DOVER AND EXETER – PISCATAQUA RIVER – Bridge Repairs** – Bridge repairs to the I-95 Bridge between Portsmouth, New Hampshire and Kittery, Maine will continue through **May 2022**. Working hours are scheduled daily Monday through Friday 6 a.m. to 2:30 p.m. and 9 p.m. to 3:30 a.m. Suspended platforms will be installed under the bridge but will not reduce vertical clearances or impede vessel navigation. Hydraulic suspension trucks and welding will be utilized during the duration of the project, which will temporarily reduce the vertical clearance. Welding and reduction in clearance will cease upon approach of a vessel. Questions concerning the bridge repair project should be directed to Mr. Joel Dietrich, project manager with SPS at 978-423-2438 or Mr. Craig Hurd, ME DOT Resident Engineer at 207-446-1746. The project superintendent will monitor channel 13 and 16 and a safety boat will be on scene during work over the waterway. Mariners should exercise caution while transiting the area.

Chart 13285 LNM 45/20 (CGD1)

**VERMONT – LAKE CHAMPLAIN – REVIERE RICHELIEU TO SOUTH HERO ISLAND – Bridge Construction** – Construction of the new US Route 2 drawbridge (mile 91.8) from North Hero to Grand Island is ongoing. The draw of the temporary bridge shall open on signal from October 16, 2020, **through May 14, 2021** if at least four hours notice is given by calling the bridge tender at 802-372-4360. The horizontal clearance of the channel is 40 feet. The vertical clearance in the closed position is 17.5 feet at mean water level. Vessels that can pass under the bridge between openings are allowed to do so. Mariners should pass with extreme caution and No Wake. Questions may be directed to Mr. Jeff Ramsey of the Vermont Agency of Transportation at 802-917-4467, or Jacqueline Dagesse, Public Outreach Manager, at 802-324-5522. Mariners are advised to plan their transits accordingly and exercise caution when transiting the area. (3) the number posted at the bridge.

Chart 14781 LNM 45/20 (CGD1)

**MASSACHUSETTS - BOSTON INNER HARBOR - CHARLES RIVER - Bridge Repairs** – Rehabilitation of the Lechmere Viaduct (mile 1.0) which carries the MBTA Green Line over the Charles River from Science Park Station in Boston to Lechmere in Cambridge will be ongoing until **August 31, 2021**. The navigation span will remain open but subject to reductions in vertical and horizontal clearance. Temporary work platforms will be installed on the bascule span and arch spans to allow cleaning, painting, and structural repairs. The work platform will reduce the vertical clearance of the bascule span by 5 feet to 28 feet Average Water Level. Work barges and work boats will be at various locations and at times will reduce the horizontal clearance. Temporary closures of the navigable channel will occur. Working hours are from 0700 a.m. to 10 p.m. daily. Mariners may contact the on-scene work boat on VHF channels 13/16 for safe passage. Questions may be directed to the Contractor, SPS New England, Inc., 24 hour POC Patrick Blais at 978-994-2741.

Chart 13272 LNM 45/20 (CGD1)

**MASSACHUSETTS - BOSTON INNER HARBOR - CHARLES RIVER - Bridge Repairs** – The draw of the Craigie Bridge on the Charles River will not open for vessel traffic on **December 3, 2020**, from 7 a.m. to 7 p.m. due to electrical work. No work vessels will be in the water. Vessels able to pass under the bridge in the closed position will be allowed to do so. The bridge will not be able

to open for emergencies. The bridge tender will be on station and will monitor VHF Ch-13. Questions may be directed to the contractor's representative, Ryan O'Connell at 413-246-2181 or Mario Ferragamo of the Massachusetts Department of Transportation at 857-368-6404. Mariners are advised to plan their transit accordingly.  
Chart 13272 LNM XX/20 (CGD1)

**MASSACHUSETTS – BOSTON INNER HARBOR - CHARLES RIVER – Bridge Construction** - Demolition and construction are ongoing at the North Washington Street Bridge and will continue to **December, 2020**. Work hours are 6 a.m. to 9 p.m. Vessels may transit through the work site in the open channel. Multiple barges, cranes and other equipment are on-scene. Work boats and push boats can be contacted on VHF Channel 13 to arrange passage if needed. If access to the commercial lock is required and work barges are in the channel, 24 hour notice to J.F. White is required to clear access to the commercial lock. The on-scene foreman for the J.F. White Contracting Company is Patrick Wilson at 617-680-7537. Mariners are advised to proceed at slow speed and exercise caution.  
Chart 13272 LNM 45/20 (CGD1)

**MASSACHUSETTS - BOSTON HARBOR - NEPONSET RIVER - Bridge Painting** - Work at the Granite Ave Bridge, mile 2.5, across the Neponset River between Boston and Milton will be conducted from September 13 through **December 9, 2020**. From September 13, 2020, to December 9, 2020, suspended scaffolding will be installed at the spans on either side of the main channel. The scaffolding will reduce the vertical clearance under these spans to 1 foot at Mean High Water (MHW). The range of tide is 6 to 9 feet.  
From November 1, 2020, through December 9, 2020, the bascule span will not open for vessels to allow work from suspended scaffolding. The scaffolding will result in clearance of 1 foot at MHW. Vessels that can pass under the bridge with the tidal range will be allowed to do so. The bridge will not be able to open for emergency vessels as the scaffolding would take multiple days to dismantle. The MassDOT point of contact for the work is Kathryn Barr, 857-368-6211.  
Chart 13270 LNM 45/20 (CGD1)

**MASSACHUSETTS – ANNISQUAM RIVER – BLYNMAN CANAL – Bridge Construction– Full Channel Closure** -The draw span of the Massachusetts Bay Transportation Authority (MBTA) Bridge across the Annisquam River, mile 0.7, has been removed to allow for construction of a replacement bridge. The channel through the bridge will be closed to all vessel traffic including emergency response vessels from 6 a.m. to 6 pm. daily from November 2, 2020, to **December 31, 2020**, to accommodate a 60 foot by 80 foot work barge and drilling rig installing two drilled seven foot diameter piers to support the new railroad bridge. Vessel operators can reach the Harbormaster on VHF CH 16/14. Questions may be directed to the MBTA Resident Engineer, Matt Moorehouse at 617-839-8075. Mariners are advised plan accordingly.  
Chart 13281 LNM 45/20 (CGD1)

**MASSACHUSETTS - MERRIMACK RIVER – Bridge Construction** - Work on the Massachusetts Bay Transportation Authority (MBTA) Bridge in Haverhill, MA at mile 19.9 of the Merrimack River will continue through **December 2020**. Construction barges will be operating and stored in the navigation channels. Hours of work are Monday through Friday between 6:30 a.m. and 6:00 p.m. The navigation channel will be reduced in width, but available at all times for navigation. Questions should be directed to the contractor, Cianbro Corporation, Mr. Brayden Sheive at 207-553-6676. Mariners should exercise caution while transiting the area.  
Chart 13282 LNM 45/20 (CGD1)

**RHODE ISLAND - NARRAGANSETT BAY – NEWPORT HARBOR – Underwater Bridge Inspection** – An underwater bridge inspection will be conducted on the Goat Island Connector/Gladys Carr Bolhouse Road bridge across Newport Harbor in Newport, RI, on **Monday December 7, 2020 through Wednesday December 9, 2020**, daily from, 8 a.m. to 4 p.m. A 21' staging vessel will be on-scene to conduct the underwater inspection and will monitor VHF channels 13 and 16. Vessels will be able to utilize the navigation channel during the inspection. The point of contact is Mr. Clay Carlson of ADA, 203-216-1766 or David Cluley (RIDOT) 401-871-5000. Mariners are advised to exercise caution when transiting the area.  
Chart 13221/13223 LNM 45/20 (CGD1)

**RHODE ISLAND – MOUNT HOPE BAY – Bridge Repairs** – Bridge repairs over the navigation span of the Mount Hope Bridge, mile 0.0, across Mount Hope Bay between Aquidneck Island and Bristol will commence on March 30, 2020 and continue through **December 15, 2020**. Work will occur beneath all spans of the bridge including the center navigation span. Work platforms will be in place beneath the bridge deck; however, they will not extend below existing low steel. There will be no support vessels in the water other than a life-saving skiff. Work hours will typically be from 7 a.m. to 5 p.m. Monday through Friday. Questions should be directed to the Piasecki Steel Construction Corp., Mr. William Bruno at 518-378-1349 (m). Mariners should use caution when transiting the area. Charts 13226 LNM 45/20 (CGD1)

**RHODE ISLAND – NARRAGANSETT BAY - Newport Bridge Repairs** – Repairs to the East and West highway approaches to the Newport Claiborne Pell Bridge, mile 4.0, Narragansett Bay will be conducted through **December 15, 2020**. Work barges and support vessels will be operating in various locations outside of the navigation Channel and will monitor channels 13 and 16. Work hours are from 6 a.m. to 6 p.m.; however, barges will remain on scene continuously. Mariners can contact the Aetna Bridge Company at 401-663-6257 or Steve Aguiar, Superintendent, at 401-663-6125 for more information. Mariners are advised to use caution when transiting the area.

Chart 13223 LNM 45/20 (CGD1)

**RHODE ISLAND – NARRAGANSETT BAY – Jamestown Bridge Repairs** - The Rhode Island Bridge & Turnpike Authority and Aetna Bridge Company are conducting repair work on the Jamestown Bridge over the West Passage of Narragansett Bay. Work will take place from November 15, 2019 and continue until **December 1, 2020**. A crane barge, material barge, diving operations and support vessels will be in the vicinity of the bridge. Mariners are requested to operate with no wake & keep clear of diving operations. Work hours are 6:00 a.m. to 6:00 p.m. Project operations will monitor VHF Channels 13 and 16. Questions may be directed to the Project Manager, Steve Aguiar at (401) 663-6125. Mariners are advised to use caution when transiting the area.

Chart 13221 LNM 45/20 (CGD1)

**CONNECTICUT – CONNECTICUT RIVER – Bridge Repairs** – A bridge repair project is underway on the Arrigoni Highway Bridge (Route 66) across the Connecticut River in Middletown through the **fall of 2022**. A working platform/debris shield will reduce the vertical clearance by 10.5 feet throughout the duration of the project. No in water work is planned at this time. Mariners are advised to exercise caution when transiting the area. The CONNDOT point of contact is Barak Brako Frempong, 860-594-3167.

Chart 12378 LNM 45/20 (CGD1)

**CONNECTICUT – CONNECTICUT RIVER – Bridge Repairs** – A bridge repair project including blasting, painting, and steel repair operations is underway on the Route 190 Bridge across the Connecticut River at mile 69.1 between Enfield and Suffield. This project will be completed by **November 27, 2022**. All work will be conducted on top of the bridge deck. No in water work is planned at this time. Mariners are advised to exercise caution when transiting the area. The CONNDOT point of contact is Lukasz Obrebski (860) 212-5120.

Chart 12378 LNM 45/20 (CGD1)

**CONNECTICUT – NEW HAVEN HARBOR – QUINNIPIAC RIVER – Bridge Construction** – Starting March 9, 2020 until **December 31, 2021**, the City of New Haven will be performing construction activities for the rehabilitation of the Grand Ave Bridge over Quinnipiac River at mile 1.3. The Swing Bridge will remain in the open position the entire duration of the project. Barges and floating dock will occupy one navigational channel leaving the remaining navigational channel open for mariners to transit. All docks and barges will be light with constant red lights for visibility. Mariners with any questions or concerns may contact Project Manager Daniel Butler (860) 250-7128. Mariners are advised to exercise caution when transiting the area.

Charts 12371 LNM 45/20 (CGD1)

**CONNECTICUT – LONG ISLAND SOUND – NORWALK RIVER – Bridge Repairs** – Starting December 7, 2018 ConnDOT will be performing repairs on the Yankee Doodle Bridge over Norwalk River at mile 0.7. A working platform will be installed beneath the bridge deck, which will reduce the navigational vertical clearance from 60 feet to 56 feet at MHW. There will be a 28'x10' aluminum workboat tied to the fender system during construction hours, Monday through Friday 6:30 a.m. to 2:30 p.m. This work is expected to be completed by **May 1, 2021**. Mariners requiring full horizontal clearance can call Kevin Dorynioski at 860-993-6491, Jerry Mals at 860-982-4294, John Jakobeit at 860-229-4853. Mariners are advised to exercise caution when transiting the area.

Charts 12364 LNM 45/20 (CGD1)

**CONNECTICUT – NIAN TIC BAY – NIAN TIC RIVER - Notice of Temporary Deviation** - The Coast Guard has issued a temporary deviation from the regulation governing the S156 Bridge over the Niantic River between East Lyme and Waterford at mile 0.1. Under this temporary deviation, the S156 Bridge will remain in the closed to navigation position from **November 1, 2020 to March 30, 2021**. The deviation supports needed repairs to the bridge. The vertical clearance of the bridge will be reduced from 32 feet to 21.1 feet at mean high water and horizontal clearance will be reduced to 75 feet when the work barge is in the channel. The barge will monitor channels 13/16 during working hours. Vessels able to pass under the bridge in the closed position may continue to do so. The bridge will not be able to open for emergencies. Questions may be directed to Ms. Rosmary Rodriguez, Connecticut Department of Transportation at 860-594-2127, Brent Church Project Engineer at 860-213-2625, or the Harbormaster, Ron Johnson at 860-649-0228. Mariners are advised to plan their transits accordingly and exercise caution when transiting the area.

Chart 12372, LNM 45/20 (CGD1)

**CONNECTICUT – NORTH SHORE OF LONG ISLAND SOUND HOUSATONIC RIVER AND MILFORD HARBOR – HOUSATONIC RIVER – Under Bridge Inspections** – From October 26, 2020 to **November 18, 2020** between 9 a.m. and 3 p.m., a 75' under bridge inspection unit (UBIU) will be operating at the Route 15 Bridge across Housatonic River at mile 7.0. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch 13/16 or call Luke Cardone (860) 594-3345. Mariners are advised to exercise caution and reduce wake when transiting the area.  
Chart 12370 LNM 45/20 (CGD1)

**CONNECTICUT – GREENWICH POINT TO NEW ROCHELLE- HOUSATONIC RIVER – Notice of Temporary Deviation** - The Coast Guard has issued a temporary deviation from the regulation governing the operation of the Devon Bridge across the Housatonic River at mile 3.9. The deviation is needed to perform track work on the Devon Bridge. Under this temporary deviation, the Devon Bridge may stay in the closed position November 16, 2020 until January 11, 2021, 0600 Monday through 0600 Saturday. The bridge must open to emergency vessels given advance notice. Vessels able to pass under the bridge in the closed position will be allowed to do so. Questions may be directed to Mr. Rodney Armstrong (203) 627-8818. Mariners are advised to exercise caution when transiting the area.  
Chart 12367 LNM 45/20 (CGD1)

**NEW YORK – LONG ISLAND SOUND – HEMPSTEAD HARBOR TO TALLMAN ISLAND – WESTCHESTER CREEK – Bridge Replacement** – There are two temporary lift bridges located North and South of the existing Unionport Bridge across Westchester Creek at mile 1.7.  
Beginning June 26, 2020 through **November 30, 2020** between 7:00 a.m. to 3:00 p.m., there will be a 30'x60' barge in the waterway performing demolition on the pier tops in the waterway. A minimum of 20' will be clear in the channel at all times for mariners' passage. During work hours the barge can be moved out of the channel with 1-hour notice and weekends & nights with 6-hour notice. Beginning August 5, 2019, the temporary bridges will be operational and will provide minimum vertical clearance of 17'-2" in closed position and 35' in open position. These temporary bridges will temporarily alter the existing vertical clearance from 53 feet to 35 feet from the above MHW EL+1.78 until **September 2021**.  
Mariners can contact Abdi Hedayati at (347) 885-8613 regarding the temporary bridges and John Albano at (732) 272-7837 if requiring full horizontal clearance. Mariners and are advised to exercise caution and reduce wake when transiting the area and find alternate routes if the vessel exceeds vertical clearance.  
Chart 12366 LNM 45/20 (CGD1)

**NEW YORK – LONG ISLAND SOUND AND EAST RIVER HEMPSTEAD HARBOR TO TALLMAN ISLAND- HEMPSTEAD BAY – Bridge Inspections** – From October 19, 2020 to **November 13, 2020** between 9 a.m. and 3 p.m., an under bridge inspection unit will be stationed on the bridge deck at the Roslyn Viaduct (Route 25A) Bridge across Hempstead Bay at mile 4.8. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch 13/16 or call Jan Pawluczuk (646) 872-2967. Mariners are advised to exercise caution and reduce wake when transiting the area.  
Chart 12366 LNM 45/20 (CGD1)

**NEW YORK – LONG ISLAND – SHINNECOCK BAY TO EAST ROCKAWAY INLET – FIRE ISLAND INLET – Bridge Painting** – From June 15, 2020 to **December 31, 2021** New York State Department of Transportation will be performing steel superstructure painting and bridge repairs at the Robert Moses Bridge across Fire Island Inlet at mile 4.0. Beginning September 9, 2020 a barge will be at pier 19 (outside the channel) to assist in the painting operations. All work will be outside of the navigational channel. Mariners are advised to exercise caution and reduce wake when transiting the area.  
Chart 12352 LNM 45/20 (CGD1)

**NEW YORK – LONG ISLAND – SHINNECOCK BAY TO EAST ROCKAWAY INLET –GREAT SOUTH BAY– Under Bridge Inspections** – From September 21, 2020 to **December 18, 2020** between 9 a.m. and 3 p.m., an under bridge inspection unit (UBIU) and Pontoon boat will be operating at the Robert Moses Causeway over the Great South Bay at mile 7.3. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch 13/16 or call Paul Marzuillo (917) 930-5541. Mariners are advised to exercise caution and reduce wake when transiting the area.  
Chart 12352 LNM 45/20 (CGD1)

**NEW YORK – EAST RIVER TALLMAN ISLAND TO QUEENSBORO BRIDGE – FLUSHING CREEK - Bridge Repairs** – Starting September 1, 2020 NYCDOT will be performing repairs on the Northern Blvd Bridge across Flushing Creek at mile 0.4. The contractor will be working in two shifts, day shift 7:00 a.m. to 3:30 p.m., and night shift 10:00 p.m. to 5:00 a.m. There will be a safety boat in the waterway during working hours. This work is expected to be completed by **March 1, 2021**. Mariners with questions or concerns may contact Anthony Berardi at (646) 302-6288. Mariners are advised to exercise caution when transiting the area.  
Charts 12339 LNM 45/20 (CGD1)

**NEW YORK – JAMAICA BAY AND ROCKAWAY INLET –JAMAICA BAY– Scour and Fender Repairs** – Contractors will be performing fender repairs at the Cross Bay Blvd Bridge over Jamaica Bay at mile 6.0. Contractors will be installing scour and fender protection utilizing barges. At all times there will be a minimum of 100 feet available for mariners' passage.

From January 13, 2020 to **December 31, 2020** between 4 a.m. and 7:30 p.m., a crane barge (200'x60') will be working at Pier 7 and 8, outside of the navigational channel.

From June 17, 2020 to **February 8, 2021**, a barge (150'x40') and a crane barge (267'x50') will be working at pier 3 and pier 6, along the channel.

Mariners can contact the contractor via marine radio VHF-FM Ch. 13/16 or call Anthony Macca at (917) 243-0498. Mariners are advised to exercise caution when transiting the area.

Chart 12350 LNM 45/20 (CGD1)

**NEW YORK – JAMAICA BAY AND ROCKAWAY INLET – ROCKAWAY INLET – JAMAICA BAY– Fender Repairs –**

From July 7, 2020 to **November 20, 2020** between 7:00 a.m. and 3:30 p.m., fender repairs will be conducted utilizing a 60'x200' barge at the Cross Bay Blvd Bridge at mile 10.0 across Jamaica Bay. The barge will reduce the horizontal channel during work hours to a minimum of 70 feet. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call Gerrod McDaniel (732) 788-5787. Mariners are advised to exercise caution and reduce wake when transiting the area.

Chart 12350 LNM 45/20

**NEW YORK – JAMAICA BAY AND ROCKAWAY INLET – JAMAICA BAY– Fender Repairs –** From August 17, 2020 to **September 30, 2021** contractors will be replacing the fender protection at the Marine Parkway (Gil Hodges) Bridge over Jamaica Bay at mile 1.0. Contractors will be utilizing a crane barge (50'x267') and a material barge (150'x40') will be working outside of the navigational channel. Any questions or comments can be addressed to Anthony Macca at (917) 243-0498. Mariners are advised to exercise caution when transiting the area.

Chart 12350 LNM 45/20 (CGD1)

**NEW YORK –JAMAICA BAY AND ROCKAWAY INLET- MILL BASIN– Bridge Construction –** From April 20, 2020 to **December 31, 2020**, there will be barges placed at the Belt Parkway Bridge across Mill Basin at mile 0.8, for construction activities. This will reduce the horizontal navigational channel to 100 feet. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call Carl Ortmann (920) 539-2460. Mariners are advised to exercise caution and reduce wake when transiting the area.

Chart 12350 LNM 45/20 (CGD1)

**NEW YORK – JAMAICA BAY AND ROCKAWAY INLET- PAERDEGAT BASIN – Bridge Inspections –** On **November 21, 2020** between 8 a.m. and 2 p.m., the contractor will be performing inspections at the Shore Parkway Bridge over Paerdegat at mile 0. Contractors will also be utilizing a 30'x40' barge with manlift. Mariners requiring full vertical and/or horizontal clearance can contact the contractor via marine radio VHF-FM Ch 13/16 or call Jacques Guillet (917) 705-7435. Mariners are advised to exercise caution and reduce wake when transiting the area.

Chart 12350 LNM 45/20 (CGD1)

**NEW YORK – COXSACKIE TO TROY - HUDSON RIVER – Bridge Rehabilitation –** Repairs to the Route 7 (Hoosick Street) Bridge across Hudson River at mile 153.1 is in progress. There will be hanging temporary platform scaffold at piers 10 and 11. No equipment in the navigation channel. This project is to be completed by **November 30, 2020**. Mariners are advised to exercise caution when transiting the area.

Chart 12348 LNM 45/20 (CGD1)

**NEW YORK – HUDSON RIVER TO WAPPINGER CREEK – HUDSON RIVER – Steel Repairs –** From July 22, 2020 to **December 31, 2021** during daylight hours a bridge traveler will be operating under the Mid-Hudson Bridge across Hudson River at mile 75.6. The traveler will reduce the vertical clearance by approximately 5 ft below chord. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM channel 13/16 or call 845-234-8623. Mariners are advised to exercise caution when transiting the area.

Chart 12343 LNM 45/20 (CGD1)

**NEW YORK – HUDSON RIVER TO WAPPINGER CREEK – HUDSON RIVER – Deck Replacement –** Construction to the Newburg-Beacon Bridge (North Span), mile 62.0 across Hudson River is in progress. A temporary work platform will be installed under the entire length of the bridge. Temporary work platform will reduce the vertical clearance in the navigation channel by approximately 3ft. Welding (hot work) may be performed during working hours. The resident engineer or contractor will be equipped with a VHF-FM marine radio and will be monitoring Channel 13/16 during hours of operation. Please contact Mike Lloyd at 914-403-2653 for construction information. This project is to be completed by **December 15, 2022**. Mariners are advised to exercise caution when transiting the area. Chart 12343 LNM 45/20 (CGD1)

**NEW YORK – NEW YORK TO WAPPINGER CREEK - HUDSON RIVER – Main Cable Rehabilitation and Sidewalk Modification –** Construction to the main cable rehabilitation and sidewalk modification at the George Washington Bridge across the Hudson River at mile 11.0 is in progress. There will not be any obstruction in the Channel. Welding (hot work) may be performed during working hours. The resident engineer or contractor will be equipped with a VHF-FM marine radio and will be monitoring Channel 13/16 during hours of operation. Mariners can contact Marc Helman at 212-435-6112 for construction details. This project is

to be completed by **February 15, 2026**. Mariners are advised to exercise extreme caution when transiting the area.  
Chart 12343 LNM 45/20 (CGD1)

**NEW YORK – LONG ISLAND SOUND – HEMPSTEAD HARBOR TO TALLMAN ISLAND – HUTCHINSON RIVER – Bridge Inspection** – Inspection to the Hutchinson River Parkway Bridge across Hutchinson River at mile 0.9 will commence on October 29, 2020. Hours of operation are between 7 a.m. and 4 p.m. A barge with manlift will be operating in the navigation Channel. Mariners requiring full horizontal clearance can contact Kevin Hussain via marine radio VHF-FM Ch. 13/16 or call 347-862-1977. This project will be completed by **November 12, 2020**. Mariners are advised to exercise caution and reduce wake when transiting the area.

Chart 12366 LNM 45/20 (CGD1)

**NEW YORK – LONG ISLAND SOUND AND EAST RIVER – HEMPSTEAD HARBOR TO TALLMAN ISLAND – EAST RIVER – Deck Replacement** – Construction to the Throgs Neck Bridge across East River at mile 15.8 is in progress. Temporary work platform will be installed under the main span over navigation channel. The temporary work platform will reduce the vertical clearance by 4ft 6in max. (Including deflection) from the low steel of the bridge. Hot work operations will be performed through November 30, 2022. A barge and safety boat will be operating IVO the bridge. Any questions regarding construction can contact Jeff Brugge via marine radio VHF-FM Ch. 13/16 or 516-445-3495. This project is to be completed by **November 30, 2022**. Mariners are advised to exercise caution when transiting the area.

Chart 12366 LNM 45/20 (CGD1)

**NEW YORK – LONG ISLAND SOUND AND EAST RIVER – HEMPSTEAD HARBOR TO TALLMAN ISLAND – EAST RIVER – Rehabilitation Approach Spans** – Construction to the Throgs Neck Bridge across East River at mile 15.8 is in progress. Temporary work platform will be installed under the Bronx and Queens approach spans. The temporary work platform will reduce the vertical clearance by 3ft max. (Including deflection) from the low steel of the bridge. A barge will be operating under the Queens/Bronx approach spans during installation and removal of the platforms. Barges and safety boat will be operating at the Bronx and Queens anchorages. Any questions regarding construction can contact Herbert Negron via marine radio VHF-FM Ch. 13/16 or 718-904-4364. This project is to be completed by **August 31, 2023**. Mariners are advised to exercise caution when transiting the area.

Chart 12366 LNM 45/20 (CGD1)

**NEW YORK – LONG ISLAND SOUND AND EAST RIVER – HEMPSTEAD HARBOR TO TALLMAN ISLAND – EAST RIVER – Security Upgrade** – Construction to the Bronx Whitestone Bridge across East River at mile 13.8 is in progress. Temporary work platforms are installed immediately adjacent to the Queens and Bronx towers. There is no horizontal or vertical clearance reduction in the navigation channel. Hot work operations may be performed throughout the project. A safety boat will be operating IVO the bridge. Any questions regarding construction can contact Johan Perez at 646-539-8051. This project is to be completed by **November 30, 2020**. Mariners are advised to exercise caution when transiting the area.

Chart 12366 LNM 45/20 (CGD1)

**NEW YORK – LONG ISLAND SOUND AND EAST RIVER – HEMPSTEAD HARBOR TO TALLMAN ISLAND – EAST RIVER – Fender Replacement** – Construction to the Bronx Whitestone Bridge across East River at mile 13.8 will commence on July 20, 2020. Two 60ft by 120ft crane and material barges will be operating IVO Queens and Bronx Towers. There is no horizontal or vertical clearance reduction in the navigation channel. Any questions regarding construction can contact Robert Peterson at 732-522-1916. This project is to be completed by **December 24, 2021**. Mariners are advised to exercise caution when transiting the area.

Chart 12366 LNM 45/20 (CGD1)

**NEW YORK – TALLMAN ISLAND TO QUEENSBORO BRIDGE – EAST RIVER – Bridge Inspection** – From September 21, 2020 to **November 15, 2020** between 8 a.m. and 4 p.m. a 20ft by 40ft steel barge and 25ft boat will be operating IVO the Rikers Island Bridge across East River at mile 10.7 for bridge inspection. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call 631-891-9721 or 646-275-7609. Mariners are advised to exercise caution and reduce wake when transiting the area.

Chart 12339 LNM 45/20 (CGD1)

**NEW YORK – HUDSON AND EAST RIVERS – GOVERNORS ISLAND TO 67<sup>TH</sup> STREET – EAST RIVER – Bridge Maintenance** – On **November 18, 2020 and November 20, 2020**, between 9:30 a.m. and 2 p.m., a bridge traveler will be operated under the Queensboro Bridge over East River at mile 5.5 to perform bridge maintenance. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call 917-295-1856 or 646-879-4107. The traveler platform will be moved out of the navigable channel after work hours or when not in use. Mariners are advised to exercise caution when transiting the area.

Chart 12335 LNM 45/20 (CGD1)

**NEW YORK – TALLMAN ISLAND TO QUEENSBORO BRIDGE – EAST RIVER – Replacement of Upper Roadways** – Construction to the Queensboro Bridge over East River at mile 5.5 is in progress. All work are on top of the bridge. Hot work operations will be performed through **October 28, 2022**. A safety boat will be operating IVO the bridge. Any questions regarding the construction please contact Anthony Grosso at 718-685-3990 or 347-242-6442. This project is to be completed by **October 28, 2022**. Mariners are advised to exercise caution when transiting the area.

Chart 12339 LNM 45/20 (CGD1)

**NEW YORK – HUDSON AND EAST RIVERS – EAST RIVER – Bridge Inspection** – Inspection to Queensboro Bridge across East River at mile 5.5 is in progress. On September 25, 2020 during daylight hours, bridge traveler will be operated under the bridge in order to perform bridge inspection. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call Seth Medwick at 917-821-9130. The traveler platform will be moved out of the navigable channel after work hours or when not in use. This project is to be completed by **December 31, 2021**. Mariners are advised to exercise caution when transiting the area.

Chart 12339 LNM 45/20 (CGD1)

**NEW YORK – HUDSON AND EAST RIVERS – GOVERNORS ISLAND TO 67<sup>TH</sup> STREET – EAST RIVER – Bridge Construction** – Construction to the East Midtown Waterfront Esplanade Bridge, mile 5.1 – 5.7 across East River is in progress. There will be crane, deck and material barges placed between 53<sup>rd</sup> Street and 61st Street along East River bulkhead. All equipment are operated outside the navigation channel. Mariners with questions regarding the equipment in the waterway may contact Ms. Prybylski at 212-312-3577. This project is to be completed by **January 30, 2022**. Mariners are advised to exercise caution when transiting the area.

Chart 12335 LNM 45/20 (CGD1)

**NEW YORK – HUDSON AND EAST RIVERS – GOVERNORS ISLAND TO 67<sup>TH</sup> STREET – EAST RIVER – Bridge Seawall and Pier Sheeting Repairs** – A 52ft by 112ft crane barge and a 30ft by 90ft material barge will be operating along Brooklyn shoreline of the Williamsburg Bridge over East River at mile 2.3 commencing on November 11, 2020 to perform repairs. All work are outside the navigation channel. Hours of operation are from 6 a.m. to 2:30 p.m.. Questions may directed to Mr. John Kruk at 917-502-4546 or Mr. Mark Larsen at 845-587-0670. This project is to be completed by **December 31, 2020**. Mariners are advised to exercise caution when transiting the area.

Chart 12335 LNM 45/20 (CGD1)

**NEW YORK – HUDSON AND EAST RIVERS – GOVERNORS ISLAND TO 67<sup>TH</sup> STREET – EAST RIVER – Bridge Inspection** – Inspection to Manhattan Bridge across East River at mile 1.1 is in progress. During daylight hours, bridge traveler or rigging platform will be operated under the bridge in order to perform bridge inspection. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call Steve Bertos at 631-891-9721. The traveler platform will be moved out of the navigable channel after work hours or when not in use. This project is to be completed by **December 31, 2020**. Mariners are advised to exercise caution when transiting the area.

Chart 12335 LNM 45/20 (CGD1)

**NEW YORK – HUDSON AND EAST RIVERS – GOVERNORS ISLAND TO 67<sup>TH</sup> STREET – EAST RIVER – Bridge Rehabilitation** – Three localized underdeck platforms are installed under the Manhattan Bridge across East River at mile 1.1 and will not reduce vertical clearance in the navigation channel more than three feet. Hot work will be performed during this construction period. A 50ft by 110ft barge will be operating IVO Manhattan Tower from January 22, 2020 to April 24, 2020 during daylight hours. Mariners can contact Chad Umphred at 908-307-3890 or Daniel Chasse at 646-522-1248 for barge equipment. This project is to be completed by **April 16, 2021**. Mariners are advised to exercise caution when transiting the area.

Chart 12335 LNM 45/20 (CGD1)

**NEW YORK – TALLMAN ISLAND TO QUEENSBORO BRIDGE – EAST RIVER – Bridge Maintenance** – On **November 12, 2020 and November 14, 2020** between 9:30 a.m. and 2:00 p.m., a bridge traveler will be operated under the Brooklyn Bridge over East River at mile 0.8 to perform bridge maintenance. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call 917-295-1856 or 646-879-4107. The traveler platform will be moved out of the navigable channel after work hours or when not in use. Mariners are advised to exercise caution when transiting the area.  
Chart 12339 LNM 45/20 (CGD1)

**NEW YORK – HUDSON AND EAST RIVERS – GOVERNORS ISLAND TO 67<sup>TH</sup> STREET – EAST RIVER – Bridge Inspection** – Inspection to Brooklyn Bridge across East River at mile 0.8 is in progress. From June 15, 2020 to **November 12, 2020** during daylight hours, bridge traveler will be operated under the bridge in order to perform bridge inspection. Mariners requiring full vertical clearance can contact the contractor via marine radio VHF-FM Ch. 13/16 or call Robert Drew at 917-573-8229. The traveler platform will be moved out of the navigable channel after work hours or when not in use. This project is to be completed by **December 31, 2021**. Mariners are advised to exercise caution when transiting the area.  
Chart 12335 LNM 45/20 (CGD1)

**NEW YORK – HUDSON AND EAST RIVERS – GOVERNORS ISLAND TO 67<sup>TH</sup> STREET – EAST RIVER – Bridge Rehabilitation** – Construction to the Brooklyn Bridge over East River at mile 0.8 is in progress. Approximate four barges will be operating at the Manhattan Tower from May 28, 2020 to May 28, 2021. Hours of operations are from 6 a.m. to 3:30 p.m. No construction equipment will be operating in the navigation channel during rehabilitation. Mariners can contact Bill Ferdinandsen Resident Engineer at 347-242-6203 for construction status. This project is to be completed by **February 28, 2023**. Mariners are advised to exercise caution and reduce wake when transiting the area.  
Chart 12335 LNM 45/20 (CGD1)

**NEW YORK – HUDSON AND EAST RIVERS – GOVERNORS ISLAND TO 67<sup>TH</sup> STREET – GOWANUS CANAL – Notice of Temporary Deviation** – The Coast Guard has issued a temporary deviation from the regulation governing the operation of the Hamilton Ave Bridge across Gowanus Canal at mile 1.2. From November 15, 2020 to **May 8, 2021**, Monday through Friday, between 7 a.m. and 6 p.m., the Hamilton Ave Bridge will open on signal provided at least a two-hour advance notice by calling bridge operator/section office. All other times, the bridge will open on signal. Vessels that can pass under the span without a bridge opening may do so at all times. Mariners are advised to plan their transits accordingly.  
Chart 12352 LNM 45/20 (CGD1)

**NEW YORK – HUDSON AND EAST RIVERS – GOVERNORS ISLAND TO 67<sup>TH</sup> STREET – GOWANUS CANAL – Bridge Inspection** – Inspection to the Carroll Street Bridge across Gowanus Canal, mile 2.0 will commence on November 24, 2020. Hours of operation are from 8 a.m. to 2 p.m. A boat will be operating at various locations over the navigation channel. Mariners requiring full horizontal clearance can contact Ray Gramy via marine radio VHF-FM CH 13/16 or call 917-821-9084. This project is to be completed by **November 25, 2020**. Mariners are advised to exercise caution when transiting the area.  
Charts 12327 LNM 45/20 (CGD1)

**NEW YORK – HUDSON AND EAST RIVERS – GOVERNORS ISLAND TO 67<sup>TH</sup> STREET – GOWANUS CANAL – Bridge Painting** – From September 3, 2020 to **November 14, 2020**, Monday through Saturday, between 8 a.m. and 1 p.m., New York City Department of Transportation will be performing steel superstructure painting at the Union Street Bridge across Gowanus Canal at mile 2.1. A snooper truck will be operating under the span during painting. Mariners requiring full vertical clearance can contact John Jones at 646-235-1879 or Daniel Wynne at 917-364-6164 or via marine radio VHF-FM CH 13/16. Mariners are advised to exercise caution and reduce wake when transiting the area.  
Chart 12352 LNM 45/20 (CGD1)

**NEW YORK – HARLEM RIVER – Misc. Structure Rehabilitation and Repairs of Overcoat Painting** – Rehabilitation of the Henry Hudson Bridge over Harlem River at mile 7.2 is in progress. A tug and 300ft by 90ft barge will be operating in the navigation channel (during installing and removing of temporary work platform). Temporary work platforms will be installed under the entire arc span and will reduce the vertical clearance by approximately 67in below the low steel. Hot work may be operating within the platform area. Mariners requiring full horizontal clearance can contact Rafael De Soto via marine radio VHF-FM CH 13/16 or call 347-843-8440. This project is to be completed by **March 23, 2023**. Mariners are advised to reduce wake and exercise caution when transiting the area.  
Chart 12342 LNM 45/20 (CGD1)

**NEW YORK – HARLEM RIVER – Bridge Closure** – Broadway Bridge, mile 6.8, over across Harlem River was not able to open for marine traffic due to damaged electrical control system. New York City DOT is working diligently to repair the bridge. The bridge will be unable to open to marine traffic until repairs are completed. The vertical clearance in the closed position is approx. 24 feet at MHW. Vessels that can transit under the closed span may do so at any time. Mariners are advised to plan accordingly and exercise extreme caution when transiting the area.  
Chart 12342 LNM 45/20 (CGD1)

**NEW YORK – HARLEM RIVER- Bridge Rehabilitation** – Construction to the Broadway Bridge across Harlem River at mile 6.8 is in progress. A temporary shielding will be installed on or about November 16, 2020 under the Broadway Bridge across Harlem River at mile 6.8. Temporary shielding will reduce vertical clearance in the navigation channel by approximately 3ft 9in. A one half of navigation channel will be free of obstruction at all time. A 34ft by 110ft crane barge and tug boat will be operating in the channel on November 12, 2020 (Rain dates: **November 13, 2020, November 17, 2020 or November 18, 2020**) between 7 a.m. and 3 p.m. Barge will start most northern of the structure and move toward to the southwest side of the bridge. Mariners requiring full horizontal clearance and temporary shielding information can contact Joe Pollack via marine radio VHF-FM CH 13/16 or 917-656-6820. This project is to be completed by **April 30, 2023**. Mariners are advised to reduce wake and exercise caution when transiting the area.  
Chart 12342 LNM 45/20 (CGD1)

**NEW YORK – HARLEM RIVER – Bridge Inspection** - Inspection to the Broadway Bridge across Harlem River at mile 6.8 will commence on November 16, 2020. Hours of operation are between 8 a.m. and 2 p.m. A barge with manlift will be operating in the navigation Channel. Mariners requiring full horizontal clearance can contact Jose Camacho via marine radio VHF-FM Ch. 13/16 or call 914-619-7531. This project will be completed by **November 20, 2020**. Mariners are advised to exercise caution and reduce wake when transiting the area.  
Chart 12342 LNM 45/20 (CGD1)

**NEW YORK – HARLEM RIVER – Bridge Painting** – Painting to the 207<sup>th</sup> Street/University Heights Bridge across Harlem River at mile 6.0 is in progress. Rigging cables and installation of work platform will begin from Manhattan approach span (west abutment) and work toward to the Bronx approach span (east abutment). The work platform under the east and west approach spans will reduce the vertical clearance by approximately 4 ft. While working in the navigation channel, one draw of a swing bridge vertical clearane will be reduced by the work platform approximately 3 feet; the other draw will be free and clear of any equipment for the passage of vessels. Mariners has questions can contact the contractor via marine radio VHF-FM CH 13/16 or call 917-440-9478. This project will be completed by **May 1, 2022**. Mariners are advised to exercise caution and reduce wake when transiting the area.  
Chart 12342 LNM 45/20 (CGD1)

**NEW YORK - HARLEM RIVER – Electrical/Mechanical Rehabilitation** – Construction to the Madison Ave Bridge across Harlem River at mile 2.3 is in progress. A protective shield will be installed around the center pier. This shield will not affect operation of the bridge. A 40ft by 100ft crane barge will be operating in the channel from November 17, 2020 to **November 24, 2020** between 6 a.m. and 4 p.m. First half will be in west channel and second half will be in east channel. Any questions to this project can contact Kambiz Riazi at 646-246-6666 or Steve Koch at 908-723-4355. This project is to be completed by **April 13, 2022**. Mariners are advised to exercise caution when transiting the area.  
Chart 12342 LNM 45/20 (CGD1)

**NEW YORK – HARLEM RIVER – Notice of Temporary Deviation** – The Coast Guard has issued a temporary deviation from the regulation governing the operation of the Madison Ave Bridge, across Harlem River at mile 2.3. Under this temporary deviation, from November 9, 2020 to **February 28, 2021**, between 12:01 a.m. and 5 a.m. the Bridge shall open on signal after at least a four-hour advance notice is given to the bridge operator/section office. All other times the bridge need not open for the passage of vessel traffic. Vessels that can pass under the span without a bridge opening may do so at all times. Mariners are advised to plan their transits accordingly and exercise caution when transiting the area.  
Chart 12342 LNM 45/20 (CGD1)

**NEW YORK - HARLEM RIVER - Fender Replacement** – Construction to the Metro North (Park Ave) Bridge across Harlem River at mile 2.1 will commence on October 16, 2020. There will be crane barges operating in the area. Work will begin west fender through May 31, 2021 and shift to east fender on May 31, 2021 through **July 15, 2022**. A 120ft of horizontal clearance in the navigation channel will be maintained at all times. Any questions regarding barge placement can contact Tony Rivera at 917-715-9429. This project is to be completed by **October 1, 2022**. Mariners are advised to reduce wake and exercise caution when transiting the area.  
Chart 12342 LNM 45/20 (CGD1)

**NEW YORK – HARLEM RIVER – Bridge Construction** – Metro-North is replacing the miter rails at Park Ave RR Bridge, mile 2.1, across Harlem River. The bridge will be unable to open to marine traffic until miter rails are replaced. This work is expected to be completed by **December 2020**. The vertical clearance in the closed position is approx. 25 feet at MHW. Vessels that can transit under the closed span may do so at any time. Mariners are advised to plan accordingly and exercise extreme caution when transiting the area.

Any questions or concerns may be directed to Ms. Anamaria Bonilla at (646) 208-8509.  
Chart 12342 LNM 45/20 (CGD1)

**NEW YORK – HARLEM RIVER – Critical Maintenance Repairs** – From October 19, 2020 to **December 19, 2020** between 7 a.m. and 3 p.m., a 40ft by 30ft barge will be operating IVO the 125<sup>th</sup> Street (RFK) Bridge across Harlem River at mile 1.3 for bridge repairs. Mariners requiring full horizontal clearance can contact the contractor via marine radio VHF-FM Ch 13/16 or call Nick Ditrio at 917-204-7756. Mariners are advised to exercise caution and reduce wake when transiting the area.  
Chart 12342 LNM 45/20 (CGD1)

**NEW YORK – NEW JERSEY - RARITAN BAY AND SOUTHERN PART OF ARTHUR KILL – FRESH KILLS - Bridge Inspection** – Inspection to the West Shore Expressway Bridge across Fresh Kills will commence on November 23, 2020. Hours of operation are from 8 a.m. to 2 p.m. A barge with manlift will be operating IVO the bridge. Mariners can contact the contractor via marine radio VHF-FM CH 13/16 or call 917-444-0801 for barge location. This project will be completed by **November 25, 2020**. Mariners are advised to exercise caution when transiting the area.  
Chart 12331 LNM 45/20 (CGD1)

**NEW YORK – NEW YORK HARBOR – Structural Steel Repairs and Painting** – Repairs to the Verrazano Narrows Bridge over New York Harbor are in progress. Temporary safe-span platforms will be installed under the entire length of the bridge and will reduce the vertical clearance by approximately 2 ft. below the traveler rail with maximum two feet sag. The temporary platform for 250ft on both sides of the centerline of the bridge for a total of 500ft must maintain less than one foot of vertical clearance reduction below the traveler rail at all times unless approved by Coast Guard Vessel Traffic Service New York (CG VTS-NY). Four corners of temporary platforms marking the 500ft center of the span where less than one foot of vertical clearance reduction is maintained will be lighted with constant burning red lights. Any questions regarding the platforms please contact Chris Daskalakis at 718-639-5880 or CG VTS-NY at 718-354-4088. This project is to be completed by **November 30, 2021**. Mariners are advised to exercise caution when transiting the area.  
Chart 12327 LNM 45/20 (CGD1)

**NEW YORK AND NEW JERSEY – NEW YORK HARBOR – NEWARK BAY – Structural Steel Repairs** – Construction to the New Jersey Turnpike Newark Bay (I-78) Bridge, across Newark Bay at mile 4.0 will commence on March 1, 2020. Safe span platforms will be installed under the east and west approach spans and will reduce vertical clearance by 2 feet. POC for this project is William Ritter and can be reached at 973-390-7221. This project is to be completed by **March 30, 2023**. Mariners are advised to exercise caution when transiting the area.  
Chart 12327 LNM 45/20 (CGD1)

**NEW YORK AND NEW JERSEY – NEW YORK HARBOR – NEWARK BAY – Fender and Pile Jacketing Repairs** – Construction to the New Jersey Turnpike Newark Bay (I-78) Bridge, across Newark Bay at mile 4.0 will commence on June 29, 2020. There will be barges operating in the navigation channel. Work will begin west fender then shift to east fender through December 31, 2020. Approximately 520ft of horizontal clearance in the navigation channel will be maintained at all time. Cranes barges will be operating at the east side piers E6, E7 and E8 from August 1, 2020 to **December 31, 2021**. POC for this project is Todd Davis and can be reached at 609-405-0417. This project is to be completed by **December 31, 2021**. Mariners are advised to exercise caution when transiting the area.  
Chart 12327 LNM 45/20 (CGD1)

**NEW YORK AND NEW JERSEY – NEW YORK HARBOR – ARTHUR KILL – Bridge Inspections** – Inspections to the Goethals Bridge across the Arthur Kill, mile 11.5 is in progress. Hours of operations are from 7 a.m. to 4 p.m. At times, an underdeck traveler will be operating at various locations over the navigation channel. Mariners requiring full vertical clearance can contact Carlo Thompson via marine radio VHF-FM Ch. 13/16 or call 848-231-3359. This inspection is to be completed by **November 30, 2020**. Mariners are advised to exercise caution when transiting the area.  
Chart 12327 LNM 45/20 (CGD1)

**NEW YORK AND NEW JERSEY – NEW YORK HARBOR – ARTHUR KILL – Biennial Inspection** – Inspection to the Outerbridge Crossing Bridge across the Arthur Kill, mile 2.0 is in progress. Hours of operations are from 6 a.m. to 3 p.m. At times, a 32ft long by 3ft wide movable scaffold or underbridge inspection unit will be operating at various locations over the navigation channel. When a movable scaffold in use, the unit will reduce the vertical clearance by approximately 5ft. Mariners requiring full vertical clearance can contact Joel Bautista via marine radio VHF-FM Ch. 13/16 or call 201-696-6742. This inspection is to be completed by **November 13, 2020**. Mariners are advised to exercise caution when transiting the area.  
Chart 12327 LNM 45/20 (CGD1)

**NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER – Fender Replacement** – Construction to the Routes 1 & 9 Bridge, across Hackensack River at mile 1.8 is in progress. Temporary false work and turbidity barrier will be installed at the existing fender location, which will reduce horizontal clearance by approximately 10 feet. Crane and material barges will be operating in the navigation Channel from Monday to Friday between 7 a.m. and 7 p.m. Contractor will maintain a minimum of 100 feet of unobstructed Channel at all times. Mariners requiring more than 100 feet of horizontal clearance can contact Daniel Nomic at 215-589-0053 or Jack Clark at 215-815-1251 or via marine radio VHF-FM CH. 13/16 with 24-hour advance notice. This project will be completed by **June 30, 2021**. Mariners are advised to exercise caution when transiting the area.  
Chart 12337 LNM 45/20 (CGD1)

**NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER – Emergency Closure** – PATH Bridge, mile 3.0, over across Hackensack River was not able to open for marine traffic due to failure of control system. Port Authority NY & NJ is working diligently to repair the bridge. The bridge will be unable to open to marine traffic until repairs are completed. The vertical clearance in the closed position is approx. 40 feet at MHW. Vessels that can transit under the closed span may do so at any time. Mariners are advised to plan accordingly and exercise extreme caution when transiting the area.  
Chart 12337 LNM 45/20 (CGD1)

**NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER - New Bridge Construction** – Replacement of the new Witt Penn (Route 7) Bridge across the Hackensack River at mile 3.1 is in progress.

The following channel restriction schedule will be utilized during the construction of the new bridge towers and lift span:

**Vertical Height Restriction:** September 28<sup>th</sup>- December 26<sup>th</sup> (70' VERTICAL CLEARANCE at mean high water)

**12 Hour Notice Protocol:** September 28<sup>th</sup> – December 26<sup>th</sup> (SEE BELOW FOR INSTRUCTIONS)

**12-hour Advance Notice Protocol:**

While CCA Civil is working in the navigable channel, other than during the daily/full channel closures, CCA Civil will implement the following 12 Hour Advance Notice Protocol.

1. Mariners will call one of the three (3) Provided Telephone Numbers advising of travel through the channel. (including possible return trips)
  - Christopher Saulys Site Superintendent 201-600-6070
  - Derek Guenther Assistant Site Superintendent 908-797-5032
  - Evan Raab Senior Project Engineer 201-359-0906
2. CCA Civil will prepare barges to be moved from the Channel prior to the vessel(s) arrival onsite.
3. Tug boats will move CCA Civil barges from the work hour location in the channel to the off-hour work location outside the channel.
4. Mariners will safely travel through the navigable channel.
5. Once safely past the channel and clear of the jobsite, CCA will remobilize barge(s) back into prior work positions.

Under this protocol, Mariners will provide a 12 Hour Advance Notice, stating when they will be traversing the Channel. Once CCA Civil receives notice from a Mariner, the barge(s) will be moved from the Navigable Waterway and allow the vessel(s) to pass. This 12 Hour Advance Notice will only be in effect for 3 months from the start of work in the waterway. Please email "[raab\\_evan@ccacivil.us](mailto:raab_evan@ccacivil.us)" if you would like to receive email updates during this portion of the contract. This project will be completed by **January 31, 2021**. Mariners are advised to exercise extreme caution when transiting the area.  
Chart 12337 LNM 45/20 (CGD1)

**NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER – Temporary Trestle Installation** – Installation of temporary trestle at the existing Wittpenn Bridge across the Hackensack River at mile 3.1 will commence on October 1, 2020. There will not be any obstruction in the navigation channel at any times. All barges will be operating outside the navigation channel. Mariners can contact the Resident Engineer via marine radio VHF-FM CH 13 or call 908-618-6313 for the operation status. This project is to be completed by **September 1, 2022**. Mariners are advised to use main navigation channel when transiting the area.  
Chart 12337 LNM 45/20 (CGD1)

**NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER – Fender Replacement** – Construction to the Route 3 Eastbound Bridge, across Hackensack River at mile 8.8 is in progress. Temporary false work and turbidity barrier will be installed at the existing fender location, which will reduce horizontal clearance by approximately 10 feet. Crane and material barges will be operating in the navigation Channel from Monday to Friday between 7 a.m. and 7 p.m. Contractor will maintain a minimum of 74 feet of unobstructed Channel at all times. Mariners requiring more than 74 feet of horizontal clearance can contact Daniel Nomie at 215-589-0053 or Jack Clark at 215-815-1251 or via marine radio VHF-FM CH. 13/16 with 24-hour advance notice. This project will be completed by **June 30, 2021**. Mariners are advised to exercise caution when transiting the area.  
Chart 12337 LNM 45/20 (CGD1)

**NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER – Fender Replacement** – Construction to the Route 3 Westbound Bridge, across Hackensack River at mile 8.9 is in progress. Temporary false work and turbidity barrier will be installed at the existing fender location, which will reduce horizontal clearance by approximately 10 feet. Crane and material barges will be operating in the navigation Channel from Monday to Friday between 7 a.m. and 7 p.m. Contractor will maintain a minimum of 74 feet of unobstructed Channel at all times. Mariners requiring more than 74 feet of horizontal clearance can contact Daniel Nomie at 215-589-0053 or Jack Clark at 215-815-1251 or via marine radio VHF-FM CH. 13/16 with 24-hour advance notice. This project will be completed by **June 30, 2021**. Mariners are advised to exercise caution when transiting the area.  
Chart 12337 LNM 45/20 (CGD1)

**NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – HACKENSACK RIVER – Fender Replacement** – Construction to the Route 46 Bridge, across Hackensack River at mile 14 is in progress. Temporary false work and turbidity barrier will be installed at the existing fender location, which will reduce horizontal clearance by approximately 10 feet. From October 15, 2020 to **January 31, 2021**, Mondays to Fridays, between 7 a.m. and 4 p.m., drill/crane/material barges will be temporary blocking the entire navigation channel. Mariners requiring barges moved out of the navigation channel can contact Daniel Nomie at 215-589-0053 or Jack Clark at 215-815-1251 or via marine radio VHF-FM CH. 13/16 with 24-hour advance notice. This project will be completed by **June 30, 2021**. Mariners are advised to exercise caution when transiting the area.  
Chart 12337 LNM 45/20 (CGD1)

**NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – BERRY’S CREEK CANAL – Bridge Rehabilitation** – Construction to the New Jersey Turnpike Authority Bridge, across Berry’s Creek Canal at mile 0.1 is in progress. There’s no obstruction in the navigation channel. All work are on top of the bridge. Any questions regarding this project can contact Alex Bushong at 201-681-5594. This project will be completed by **November 13, 2020**. Mariners are advised to exercise caution when transiting the area.  
Chart 12337 LNM 45/20 (CGD1)

**NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – PASSAIC RIVER – Fender Replacement** – Construction to the Routes 1 & 9 Bridge, across Passaic River at mile 1.8 is in progress. Temporary false work and turbidity barrier will be installed at the existing fender location, which will reduce horizontal clearance by approximately 10 feet. Crane and material barges will be operating in the navigation Channel from Monday to Friday between 7 a.m. and 7 p.m. Contractor will maintain a minimum of 149 feet of unobstructed Channel at all times. Mariners requiring more than 149 feet of horizontal clearance can contact Daniel Nomie at 215-589-0053 or Jack Clark at 215-815-1251 or via marine radio VHF-FM CH. 13/16 with 24-hour advance notice. This project will be completed by **June 30, 2021**. Mariners are advised to exercise caution when transiting the area.  
Chart 12337 LNM 45/20 (CGD1)

**NEW JERSEY – PASSAIC RIVER AND HACKENSACK RIVER – PASSAIC RIVER – Emergency Repairs** – The Clay Street Bridge, mile 6.0, Bridge Street Bridge, mile 5.6 and Jackson Street Bridge, mile 4.6, all across Passaic River between Essex and Hudson Counties, New Jersey are under emergency repairs. During the repairs, the bridges are operating under an Emergency Standard Operating Procedures (ESOP) as follow: On signal if at least 24 hours advance notice Monday through Friday and 48 hours advance notice Saturday through Sunday is given by calling Luis Rodriguez at 973-332-7281. Vertical clearance at mean high water for the Clay Street Bridge is approx. 8ft; Bridge Street Bridge is approx. 7ft; and Clay Street Bridge is approx. 15ft. Vessels that can transit under the closed span may do so at any time. Mariners are advised to refrain from entering the navigable channel until such time as the span has come to a complete halt. Mariners are advised to plan accordingly and exercise extreme caution when transiting the area.

Chart 12337 LNM 45/20 (CGD1)

**NEW JERSEY – RARITAN BAY TO NEW BRUNSWICK - RARITAN RIVER – Bridge Replacement** – Installation of temporary trestle, test torings, drilled shafts, etc. to the Raritan River Railroad Bridge across Raritan River at mile 0.66 is in progress. Hours of operation are from 6:30 a.m. to 4 p.m. Barges will be operating outside the navigation channel. From November 2, 2020 to **December 31, 2020**, construction equipments will be blocking the north channel to perform drilled shaft for new pier 16. For barge placement please contact Chris Alves via marine radio VHF-FM CH 13/16 or call 732-614-7153. This project will be completed by **October 14, 2024**. Mariners are advised to use south channel and exercise caution when transiting the area.

Chart 12332 LNM 45/20 (CGD1)

**NEW YORK AND NEW JERSEY – NEW YORK HARBOR – CHEESEQUAKE CREEK – Fender Replacement** – Construction on the Route 35 Bridge, across Cheesequake Creek at mile 0.0 is in progress. A turbidity barrier will be installed at the existing fender location and will not reduce horizontal clearance in the navigation channel. Crane and material barges will be occupying the navigation channel 7-days per week between 6 a.m. and 6 p.m. through March 25, 2020. Mariners requiring full horizontal clearance can contact Troy Hoffman at 215-208-1759 or Steve Carullo at 609-313-2912 or via marine radio VHF-FM CH. 13/16 with 24-hour advance notice on weekdays and 12-hour advance notice on weekends. This project will be completed by **June 30, 2021**. Mariners are advised to exercise caution when transiting the area.

Chart 12327 LNM 45/20 (CGD1)

**NEW YORK AND NEW JERSEY – NEW YORK HARBOR – MATAWAN CREEK – Fender Replacement** – Construction on the Route 35 Bridge, across Matawan Creek at mile 0.9 is in progress. A turbidity barrier will be installed at the existing fender location and will not reduce horizontal clearance in the navigation channel. Crane and material barges will be operating in the navigation channel from Monday to Friday between 7 a.m. and 7 p.m. Contractor will maintain a minimum half of unobstructed channel at all times. Mariners requiring full horizontal clearance can contact Jack Clark at 215-815-1251 or Steve Carullo at 609-313-2912 or via marine radio VHF-FM CH. 13/16 with 24-hour advance notice. This project will be completed by **June 30, 2021**. Mariners are advised to exercise caution when transiting the area.

Chart 12327 LNM 45/20 (CGD1)

## **MARINE EVENTS**

### **SECTOR LONG ISLAND SOUND**

#### **RECURRING EVENTS**

##### **CT – FISHERS ISLAND SOUND – STONINGTON – Boat Race**

Mariners are advised that Stonington Harbor YC Fall Frostbite is scheduled to be held on Fishers Island Sound in the vicinity of Stonington, CT. The event will be held every Saturday September 26, 2020 through November 21, 2020 from 1:00 p.m. to 3:30 p.m. Approximately (25) sailboats will be participating. Chart number: 12372. For event information contact: Paul O'Neill, [pfo06379@gmail.com](mailto:pfo06379@gmail.com).

##### **CT – CONNECTICUT RIVER – ESSEX – Boat Race**

Mariners are advised that Fall 2020 Frostbite Season Series is scheduled to be held on the CT River in the vicinity of Essex, CT. The event will be held every Sunday October 4, 2020 through December 13, 2020 from 1:00 p.m. to 3:30 p.m. Approximately (45) boats will be participating. Chart number: 12372. For event information contact: Susan Wyeth, [swyeth@centerbrook.com](mailto:swyeth@centerbrook.com).



# Marine Safety Information Bulletin

Commandant  
U.S. Coast Guard  
Inspections and Compliance Directorate  
2703 Martin Luther King Jr Ave SE, STOP 7501  
Washington, DC 20593-7501

MSIB Number: 02-20 (Change 1)  
Date: March 9, 2020

E-Mail: [OutbreakQuestions@uscg.mil](mailto:OutbreakQuestions@uscg.mil)

## Novel Coronavirus – Update (Change 1)

An outbreak of respiratory illness caused by a novel coronavirus (COVID-19) may affect mariners and maritime commerce. The CDC has updated their Interim Guidance for Ships on Managing Suspected Coronavirus Disease 2019 (see <https://go.usa.gov/xdfyG>) and Cruise Ship Travel to Asia (see <https://go.usa.gov/xdfVP>).

Illness of a person onboard a vessel that may adversely affect the safety of a vessel or port facility is a hazardous condition per 33 CFR 160.216 and must be reported to the U.S. Coast Guard Captain of the Port (COTP). Cases of persons who exhibit symptoms consistent with COVID-19 must be reported to the COTP.

Per 42 CFR 71.21, vessels destined for a U.S. port are required to report to the CDC any sick or deceased crew/passengers during 15 days prior to arrival at the U.S. port. Guidance to vessels to report deaths and illnesses to the CDC can be found at: <https://go.usa.gov/xdjmi>. U.S. flagged commercial vessels are also advised to report ill crewmembers in accordance with the requirements of each foreign port called upon.

Vessel owners/operators and local stakeholders should be aware of the following:

- Passenger vessels or any vessel carrying passengers that have been to Iran or China (excluding Hong Kong and Macau) or embarked passengers who have been in Iran or China (excluding Hong Kong and Macau) within the last 14 days will be denied entry into the United States. If all passengers exceed 14 days since being in Iran or China (excluding Hong Kong and Macau) and are symptom free, the vessel will be permitted to enter the United States to conduct normal operations. These temporary measures are in place to safeguard the American public.
- Non-passenger commercial vessels that have been to Iran or China (excluding Hong Kong and Macau) or embarked crewmembers who have been in Iran or China (excluding Hong Kong and Macau) within the last 14 days, with no sick crewmembers, will be permitted to enter the U.S. and conduct normal operations, with restrictions. Crewmembers on these vessels will be required under COTP authority to remain aboard the vessel except to conduct specific activities directly related to vessel cargo or provisioning operations.
- The Coast Guard considers it a hazardous condition under 33 CFR 160.216 if a crewmember who was in Iran or China (excluding Hong Kong and Macau) within the past 14-days is brought onboard the vessel during transit. This requires immediate notification to the nearest Coast Guard COTP.
- The Coast Guard will continue to review all “Notice of Arrivals” in accordance with current policies and will communicate any concerns stemming from sick or deceased crew or passengers to their Coast Guard chain of command and the cognizant CDC quarantine station, who will coordinate with local health authorities.
- Vessel masters shall inform Coast Guard boarding teams of any ill crewmembers on their vessel prior to embarking the team.

- Local industry stakeholders, in partnership with their Coast Guard COTP, should review and be familiar with section 5310 Procedures for Vessel Quarantine and Isolation, and Section 5320 - Procedures for Security Segregation of Vessels in their Area Maritime Security Plan.
- Local industry stakeholders, in partnership with their Coast Guard COTP, should review and be familiar with their Marine Transportation System Recovery Plan.
- Maritime facility operators are reminded that they are not permitted to impede the embarkation/disembark of crew members as permitted under Seafarer's access regulations. This authority resides with CBP, Coast Guard, or the CDC for medical matters. Facility operators should contact their local CBP, Coast Guard, or CDC/health department offices regarding specific questions or concerns about their individual operations.
- The Coast Guard recommends that people review the CDC travel guidance (see <https://www.cdc.gov/coronavirus/2019-ncov/travelers/index.html>) and the U.S. Department of State (DoS) Travel Advisories related to COVID-19 at <https://travel.state.gov/content/travel/en/traveladvisories/traveladvisories.html/>.

Ms. Dana S. Tulis, SES, U.S. Coast Guard, Director, Emergency Management (CG-5RI) sends.



# NOTICE TO MARINERS



Issued By:

## CENTER FOR OPERATIONAL OCEANOGRAPHIC PRODUCTS & SERVICES

1305 East-West Highway, N/OPS3  
Silver Spring, MD 20910-3281  
301-713-2815  
Tide.Predictions@noaa.gov  
<https://tidesandcurrents.noaa.gov>

## **NOAA is Discontinuing the Printed Tide Tables and Tidal Current Tables.**

NOAA is ending the production of the printed Tide Tables and Tidal Current Tables publications. The 2020 Tide Tables and Tidal Current Tables were the final printed editions. There will not be NOAA printed Tide Tables and Tidal Current Tables publications for 2021.

NOAA is discontinuing the production of these annual publications due to: (a) recent changes by the U.S. Coast Guard in the interpretation of the requirements for predictions, no longer requiring these publications in paper format and (b) the availability of online and electronic services providing tide and tidal current predictions which meet the U.S. Coast Guard requirements for navigation, and support other activities along the U.S. coast.

Tide and Tidal Current predictions are available through NOAA's Center for Operational Oceanographic Products and Services (CO-OPS) online services:

- NOAA Tide Predictions: [https://tidesandcurrents.noaa.gov/tide\\_predictions.html](https://tidesandcurrents.noaa.gov/tide_predictions.html)
- NOAA Current Predictions: <https://tidesandcurrents.noaa.gov/oaacurrents/Regions>

These online services provide predictions which equal or exceed the accuracy and availability of the predictions for domestic locations provided through printed publications, and provide additional capabilities allowing the predictions to better meet a variety of user needs. These online services provide predictions for the U.S. coasts. International predictions will not be available from the online services. Predictions for countries outside the U.S. may be obtained through the Oceanographic / Hydrographic agency in that country.

Contact NOAA's Center for Operational Oceanographic Products and Services (CO-OPS) with questions or for further information.

E-mail: [Tide.Predictions@noaa.gov](mailto:Tide.Predictions@noaa.gov)

Phone: 301-713-2815

Issued: November 1, 2020