



U.S. Department
of Homeland Security
**United States
Coast Guard**

LOCAL NOTICE TO MARINERS

District: 5

Week: 12/18

COASTAL WATERS FROM SHREWSBURY RIVER, NEW JERSEY TO LITTLE RIVER, SOUTH CAROLINA

The Local Notice to Mariners contains all information relevant to the waterways within the Fifth Coast Guard District and is updated each Tuesday on the U.S. Coast Guard Navigation Center website at <https://www.navcen.uscg.gov/?pageName=lnmDistrict®ion=5>.

If you have questions about the Fifth Coast Guard District Local Notice to Mariners (LNM), please contact:

COMMANDER
FIFTH COAST GUARD DISTRICT (dpw)
431 Crawford Street
Portsmouth, Virginia 23704

or for correspondence and article requests:

ward.b.posey@uscg.mil, (757) 398-6229 or matthew.e.kearney@uscg.mil, at (757) 398-6552 or CGD5Waterways@uscg.mil

All bearings are in degrees TRUE - All times are in Local Time unless otherwise noted.

AIDS TO NAVIGATION DISCREPANCY REPORTING

To report any Aids to Navigation discrepancies (missing, damaged, extinguished lights, off station), shoaling or hazards to navigation, discrepancies to bridge lighting, please contact the following 24 hour numbers:

1. For PA, NJ, DE waters, coastal and tributaries contact COGARD SECTOR DELAWARE BAY at (215) 271-4940.
2. For MD, DE in the Upper Chesapeake Bay and tributaries contact COGARD SECTOR MARYLAND NATIONAL CAPITAL REGION at (410) 576-2525.
3. For VA in Lower Chesapeake Bay below Smith Point Light and tributaries and VA, MD Eastern Shore Bay and coastal contact COGARD SECTOR HAMPTON ROADS at (757) 483-8567.
4. For NC waters, coastal and tributaries contact COGARD SECTOR NORTH CAROLINA at (910) 343-3882.

REFERENCES

Light List: ATLANTIC COAST, VOLUME II, COMDTPUB P16502.2, 2018 Edition.
U.S. Coast Pilot 3, Atlantic Coast: Sandy Hook, NJ to Cape Henry, VA, 2018 (51th) Edition.
U.S. Coast Pilot 4, Atlantic Coast: Cape Henry, VA to Key West, FL, 2017 (49th) Edition.

NAVIGATIONAL INTERNET SITES

2018 Light List/ Weekly Updates.

<https://www.navcen.uscg.gov/index.php?pageName=lightListWeeklyUpdates>

Bridges Public Notice Website.

<https://www.navcen.uscg.gov/?pageName=pnBridges>

NOAA Chart Corrections and Chart Viewer

<http://www.nauticalcharts.noaa.gov>

Coast Pilots, along with corrections are available at
<http://www.nauticalcharts.noaa.gov/nsd/cpdownload.htm>

D5 LNM Archived Back Issues

<https://www.navcen.uscg.gov/?pageName=lnmDistrict®ion=5>

Chesapeake Bay Weather Buoys

<http://www.cbos.org>

Tides, Currents, PORTS

<http://www.tidesandcurrents.noaa.gov/>

Weather

<http://www.weather.gov/>

U.S. Army Corps of Engineers Wilmington District Survey Maps and Shoaling Surveys

ABBREVIATIONS

| <u>A through H</u> | <u>I through O</u> | <u>P through Z</u> |
|---------------------------------------|---|---|
| ADRIFT - Buoy Adrift | I - Interrupted | PRIV - Private Aid |
| AICW - Atlantic Intracoastal Waterway | ICW - Intracoastal Waterway | Q - Quick |
| AI - Alternating | IMCH - Improper Characteristic | R - Red |
| B - Buoy | INL - Inlet | RACON - Radar Transponder Beacon |
| BKW - Breakwater | INOP - Not Operating | Ra ref - Radar reflector |
| bl - Blast | INT - Intensity | RBN - Radio Beacon |
| BNM - Broadcast Notice to Mariner | ISL - Islet | REBUILT - Aid Rebuilt |
| bu - Blue | Iso - Isophase | RECOVERED - Aid Recovered |
| C - Canadian | kHz - Kilohertz | RED - Red Buoy |
| CHAN - Channel | LAT - Latitude | REFL - Reflective |
| CGD - Coast Guard District | LB - Lighted Buoy | RRL - Range Rear Light |
| C/O - Cut Off | LBB - Lighted Bell Buoy | RELIGHTED - Aid Relit |
| CONT - Contour | LHB - Lighted Horn Buoy | RELOC - Relocated |
| CRK - Creek | LGB - Lighted Gong Buoy | RESET ON STATION - Aid Reset on Station |
| CONST - Construction | LONG - Longitude | RFL - Range Front Light |
| DAYMK/Daymk - Daymark | LNM - Local Notice to Mariners | RIV - River |
| DBN/Dbn - Daybeacon | LT - Light | RRASS - Remote Radio Activated Sound Signal |
| DBD/DAYBD - Dayboard | LT CONT - Light Continuous | s - seconds |
| DEFAC - Defaced | LTR - Letter | SEC - Section |
| DEST - Destroyed | LWB - Lighted Whistle Buoy | SHL - Shoaling |
| DISCON - Discontinued | LWP - Left Watching Properly | si - silent |
| DMGD/DAMGD - Damaged | MHz - Megahertz | SIG - Signal |
| ec - eclipse | MISS/MSNG - Missing | SND - Sound |
| EST - Established Aid | Mo - Morse Code | SPM - Single Point Mooring Buoy |
| ev - every | MRASS - Marine Radio Activated Sound Signal | SS - Sound Signal |
| EVAL - Evaluation | MSLD - Misleading | STA - Station |
| EXT - Extinguished | N/C - Not Charted | STRUCT - Structure |
| F - Fixed | NGA - National Geospatial-Intelligence Agency | St M - Statute Mile |
| fl - flash | NO/NUM - Number | TEMP - Temporary Aid Change |
| FI - Flashing | NOS - National Ocean Service | TMK - Topmark |
| G - Green | NW - Notice Writer | TRLB - Temporarily Replaced by Lighted Buoy |
| GIWW - Gulf Intracoastal Waterway | OBSCU - Obscured | TRLT - Temporarily Replaced by Light |
| HAZ - Hazard to Navigation | OBST - Obstruction | TRUB - Temporarily Replaced by Unlighted Buoy |
| HBR - Harbor | OBSTR - Obstruction | USACE - Army Corps of Engineers |
| HOR - Horizontal Clearance | Oc - Occulting | W - White |
| HT - Height | ODAS - Anchored Oceanographic Data Buoy | Y - Yellow |

Additional Abbreviations Specific to this LNM Edition: None

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

****** NEW OR UPDATED INFORMATION IN THE LOCAL NOTICE TO MARINERS ******

In an effort to bring attention to new, updated or very important information in the Local Notice to Mariners (LNM) this information will be preceded and followed by four asterisks.

LNM: 25/16

******PA – DE – NJ – DELAWARE RIVER AND BAY – MOVING SAFETY ZONE******

A Safety Zone has been established for all navigable waters within 200 yards of the M/V ZHEN HUA 16. This Safety Zone will be in effect until the vessel completes mooring operations at Greenwich Terminals in Philadelphia, PA. Vessels are prohibited from entering the Safety Zone without prior approval of the COTP Delaware Bay or his designated representative. When the M/V ZHEN HUA 16 is anchored vessels may pass through the Safety Zone without obtaining permission if the following criteria are met. Vessels must maintain minimum safe speed to reduce wake and maintain steerage, vessels must not meet, overtake or otherwise pass any other unmoored vessel while in the safety zone, or vessel is an assist tug operating in such capacity. Mariners should proceed with extreme caution when transiting the area.

If you have any questions regarding the contents of this bulletin, please contact the Waterways Management staff at (215) 271-4814 or the Situation Unit Controller at (215) 271-4807.

Charts: 12304 12311 12312

LN: 12/18

******US - ATLANTIC SEACOAST - ENDANGERED NORTH ATLANTIC RIGHT WHALES WARNING******

Critically endangered right whales may be encountered in offshore and coastal waters. Right whales are slow moving and at risk of serious injury or death due to collisions with vessels. U.S. law (50 CFR 224.105) prohibits operating vessels 65 feet (19.8 m) or greater in excess of 10 knots in specific managed locations along the U.S. East Coast during times when right whales are likely to be present. See enclosed compliance guide for specific times, areas, and exceptions to this law. Approaching or remaining within 500 yards of right whales is prohibited and is a violation of U.S. law. A minimum distance of 500 yards must be maintained from a sighted whale unless hazardous to the vessel or its occupants. The National Oceanic and Atmospheric Administration (NOAA) recommends that operators assume that any whale sighted is a right whale unless confirmed otherwise. NOAA also recommends speeds of 10 knots or less in areas used by right whales and outside of seasonally managed areas when consistent with safety of navigation. Please report all right whale sightings, collisions, or entanglements to 866-755-NOAA, or to the Coast Guard via channel 16. WHALESNORTH Mandatory Ship Reporting Area is active year-round. For more information, consult the U.S. Coast Pilot. MSR arrival reports can be sent via TELEX number 48156090 or email to [rightwhale.msr\(at\)noaa.gov](mailto:rightwhale.msr(at)noaa.gov). Informational charts and a compliance guide are available on NOAA Fisheries web site at <http://www.nmfs.noaa.gov/pr/shipstrike/>

LN: 45/17

NC - HAZARDS OF NORTH CAROLINA COASTAL INLETS

This notice is to notify mariners about accessing hazardous inlets, to heighten public awareness about the hazards that exist in and around the inlets, and to provide the mariner with available information. Mariners are advised that shoaling conditions exist at following North Carolina coastal inlets:

Oregon Inlet Hatteras Inlet
Ocracoke Inlet Barden Inlet
Beaufort Inlet Bogue Inlet
New River Inlet Topsail Inlet
Masonboro Inlet Carolina Beach Inlet
Lockwoods Folly Inlet Shallotte Inlet

Shoaling conditions increase the potential for groundings. These inlets are subject to continual and sometimes rapid environmental changes. Mariners are highly encouraged to obtain the most recent U.S. Army Corps of Engineers Wilmington, North Carolina District hydrographic survey information, centerline waypoints and controlling depth at:

<http://www.saw.usace.army.mil/Missions/Navigation/HydrographicSurveys.aspx>

Mariners should use caution when navigating in these areas and passage through the inlets is not recommended without local knowledge of the area. The aids to navigation in these inlets may not be charted and may not be marking best water due to continually shifting shoals. Consult Local Notice to Mariners, 5th Coast Guard District for the latest positions and status of aids to navigation:

<https://www.navcen.uscg.gov/?pageName=InmDistrict®ion=5>

To report any aids to navigation discrepancies (missing, damaged, off station, extinguished lights), shoaling, hazards to navigation, or discrepancies on bridge lighting, please contact Sector North Carolina Command Center (910) 343-2200.

LN: 17/16

CAUTION TO BE USED IN RELIANCE UPON AIDS TO NAVIGATION

The aids to navigation depicted on charts comprise a system of fixed and floating aids with varying degrees of reliability. Therefore, prudent mariners will not rely solely on any single aid to navigation, particularly a floating aid. With respect to buoys, the buoy symbol is used to indicate the approximate position of the buoy body and the sinker, which secures the buoy to the seabed. The approximate position is used because of practical limitations in positioning and maintaining buoys and their sinkers in precise geographical locations. These limitations include, but are not limited to, inherent imprecision's in position fixing methods, prevailing atmospheric and sea conditions, the slope of and the material making up the seabed, the fact that buoys are moored to sinkers by varying lengths of chain, and the fact that buoy body and/or sinker positions are not under continuous surveillance but are normally checked only during periodic maintenance visits which often occur more than a year apart. The position of the buoy body can be expected to shift inside and outside the charting symbol due to the forces of nature. The mariner is also cautioned that buoys are liable to be carried away, shifted, capsized, sunk, etc. Lighted buoys may be extinguished or sound signals may not function as the result of ice, running ice or other natural causes, collisions, or other accidents. For the foregoing reasons, a prudent mariner must not rely completely upon the position or operation of floating aids to navigation, but will also utilize bearings from fixed objects and aids to navigation on shore. Further, a vessel attempting to pass close aboard always risks collision with a yawing buoy or with the obstruction the buoy marks.

LN: 13/16

INTERFERENCE WITH AIDS TO NAVIGATION

U. S. Code, Title 14, Part I, Chapter 5, § 84

It shall be unlawful for any person, or public body, or instrumentality, excluding the armed forces, to remove, change the location of, obstruct, willfully damage, make fast to, or interfere with any aid to navigation established, installed, operated, or maintained by the Coast Guard

pursuant to section 81 of this title, or with any aid to navigation lawfully maintained under authority granted by the Coast Guard pursuant to section 83 of this title, or to anchor any vessel in any of the navigable waters of the United States so as to obstruct or interfere with range lights maintained therein. Whoever violates the provisions of this section shall be guilty of a misdemeanor and shall be fined not more than \$1,500 for each offense. Each day during which such violation shall continue shall be considered as a new offense.
U. S. Code, Title 14, Part I, Chapter 5, § 84

LNM: 13/16

U.S. COAST GUARD AUXILIARY – PUBLIC EDUCATION CLASSES – FIND BY ZIPCODE

The National Public Education Calendar Database provides a single, unified national database that holds and displays all public education courses taught by our various flotillas nationwide. In addition, a Zip Code search permits members of the general public to enter a Zip Code of interest, and find all public education courses being taught within a selected distance from that Zip Code.
http://www.cgaux.org/boatinged/class_finder/index.php

LNM: 20/14

WESTERN ATLANTIC AND U.S. COASTAL WATERS - NORTH CAROLINA – SUNKEN MILITARY CRAFT ACT (SMCA) –PROHIBITION ON DISTURBING, REMOVING ARTIFACTS OR DAMAGING SUNKEN CRAFT

All mariners are advised of the special protections provided to sunken military craft by the "Sunken Military Craft Act" (SMCA) (Public Law 108-375). Along the U.S. East Coast, and particularly off North Carolina, there are many sunken U.S. and foreign military craft. Sunken military craft may be the final resting places of military personnel who died in service to their country and are also important historical resources. One very notable example is the wreck of the USS MONITOR, off the NC Coast, also protected by the National Marine Sanctuaries Act. Under international and U.S. law, sunken foreign military craft, including those located in U.S. waters, remain the property of their respective country's government. Sovereign immune vessels, such as military crafts, are afforded protections under U.S. and international law. Included among these vessels are at least three known sunken German submarines (commonly called U-boats) located in waters off the North Carolina coast. These U-boats remain the property of the Federal Republic of Germany. In accordance with the SMCA, no person shall engage in or attempt to engage in any activity directed at a sunken military craft that disturbs, removes, or injures the sunken craft or the associated contents of the craft except as authorized by law. This includes, but is not limited to, the equipment, cargo, contents of the vessel, and the remains and personal effects of the crew and passengers. Mariners are urged to exercise due care when operating in the vicinity of military wrecks, as they can be damaged by both purposeful or inadvertent activities including anchoring, fishing, diving, and other marine activities. Special dangers, such as unexploded ordnance, may also be associated with sunken military craft, and should be considered when operating in these areas. Violations of the SMCA may subject individuals to penalties of up to \$100,000 and to liability for damages. Mariners who witness theft of material from, disturbance of, or damage to a sunken military craft are asked to report it to the nearest U.S. Coast Guard unit.

LNM: 45/09

SAFETY NOTICE - NAVIGATIONAL RANGE STRUCTURES ON ELECTRONIC CHARTS

The U.S. Coast Guard has become aware that Coast Guard information used to depict a rangeline on NOAA Electronic Navigational Charts (ENC) may not be of sufficient accuracy to accurately portray the rangeline on the ENC. Mariners are cautioned that the position of a rangeline as shown on an ENC may not reflect its true position.

LNM: 04/11

USCG NAVIGATIONAL INFORMATION SERVICE (NIS)/USCG NAVIGATION CENTER

USCG NAVIGATIONAL INFORMATION SERVICE (NIS)/USCG NAVIGATION CENTER 1.7
The United States Coast Guard Navigational Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information on GPS and DGPS. The NIS also disseminates Safety Broadcasts (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar (NANU). These notices can also be obtained via-e-mail subscription through the USCG Navigation Center website (<https://www.navcen.uscg.gov/gps/status/default.htm>). In addition, the NIS investigates all reports of degradation or loss of GPS and DGPS service. Mariners are encouraged to report all degradation of radio navigation services to the NIS via any of the following: Phone: 703-313-5900, Email: webmaster@navcen.uscg.mil or on the World Wide Web at <https://www.navcen.uscg.gov>.

BROADCAST NOTICES TO MARINERS

Navigation information having been of immediate concern to the Mariner and promulgated by the following Broadcast Notices to Mariners (BNMs) have been incorporated in this notice when still significant at the date of this publication.

CCGD5 (D5) - 117, 122, 131, 133 THRU 141, 143, 146, 148, 149, 150-18.

Sector Delaware Bay (DB) - 182, 181, 180, 179, 178, 172, 170, 169, 168, 167, 166, 165, 164, 161-18.

Sector Maryland National Capital Region (MD) - 252/251/250/244/242/241/240/239/238/236/235/234/233/231/230/229/228/227/226/225/220-18.

Sector Hampton Roads (HR) - 242-18, 241-18, 239-18, 238-18, 237-18.

Sector North Carolina (NC) -117, 118, 121, 123-18, 124, 125, 129, 133, 134, 135, 137, 138, 139, 140, 141, 142, 143, 144, 145-18.

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL AIDS)

| LLNR | Aid Name | Status | Chart No. | BNM Ref. | LNM St | LNM End |
|-------------|--|---------------------------------|--------------|--------------|--------------|---------|
| 350 | Cape Charles Light | LT EXT | 12222 | 384HR | 18/13 | |
| 405 | Chesapeake Bay Entrance Lighted Whistle Buoy CH | OFF STA | 12222 | 216HR | 10/18 | |
| 480 | Chesapeake Bay Southern Approach Lighted Buoy 14 | LT EXT | 12200 | 231HR | 11/18 | |
| 570 | Navy Air Combat Maneuvering Range Tower Light A | LT EXT | 12200 | 413NC | 32/16 | |
| 585 | Navy Air Combat Maneuvering Range Tower Light G | LT EXT | 12200 | 407NC | 27/12 | |
| 620 | Wimble Shoals Lighted Buoy 10 | MISSING | 12200 | 062NC | 06/18 | |
| 635 | NOAA Lighted Data Buoy 41001 (ODAS) | MISSING | 12200 | 537D5 | 35/17 | |
| 830 | Frying Pan Shoals Slough Buoy 2 | MISSING | 11536 | 613NC | 50/17 | |
| 860 | Cape Fear River Entrance Lighted Whistle Buoy CF | RAC INOP | 11537 | 617NC | 50/17 | |
| 1530 | Harbor of Refuge Light | REDUCED INT/SS INOP | 12216 | 140DB | 09/18 | |
| 1605 | Delaware Bay Main Channel Lighted Buoy 29 | REDUCED INT | 12304 | 299DB | 39/17 | |
| 1660 | Cape May Canal West Entrance Approach Lighted Buoy 5 | TRUB | 12316 | 039DB | 03/18 | |
| 2050 | Harbor Of Refuge North End Light 1 | STRUCT DEST/TRLB | 12216 | 601D5 | 52/16 | |
| 2650 | Salem River Entrance Channel Light 3 | DAYMK MISSING | 12277 | 169DB | 12/18 | |
| 2665 | Salem River Entrance Channel Light 4 | STRUCT DEST/HAZ NAV/TRLB | 12277 | 024DB | 03/18 | |
| 3135 | Marcus Hook Range Front Light | REDUCED INT | 12312 | 444DB | 32/16 | |
| 3290 | Tinicum Range Rear Light | LT EXT | 12313 | 168DB | 19/16 | |
| 3580 | Petty Island Lower End Buoy P | MISSING | 12313 | 049DB | 04/18 | |
| 3718 | Frankford Upper Range Rear Light | STRUCT DEST/HAZ NAV/TRLB | 12314 | 166DB | 12/18 | |
| 3719 | Frankford Upper Range Rear Passing Lights (2) | HAZ NAV/STRUCT DMGD/TRLB | 12314 | 167DB | 12/18 | |
| 4150 | Kinkora Upper Range Rear Light | LT EXT | 12314 | 616DB | 47/15 | |
| 4439 | Middle Island West Channel Daybeacon 5 | STRUCT DEST | | 145DB | 09/18 | |
| 4780 | Isle of Wight Bay Buoy 1 | OFF STA | 12211 | 056MD | 03/18 | |
| 4830 | Isle Of Wight Bay Buoy 5 | MISSING | 12211 | 057MD | 03/18 | |
| 4837 | Isle Of Wight Bay Buoy 6 | OFF STA | 12211 | 205MD | 03/18 | |
| 4840 | Isle Of Wight Bay Buoy 7 | MISSING | 12211 | 059MD | 03/18 | |
| 4857 | Isle Of Wight Bay Buoy 9A | OFF STA | 12211 | 060MD | 03/18 | |
| 5005 | Sinepuxent Bay Channel Buoy 3 | MISSING | 12211 | 229MD | 11/18 | |
| 5020 | Sinepuxent Bay Channel Light 8 | DAYMK MISSING | 12211 | NONEMD | 11/18 | |
| 5095 | Sinepuxent Bay Channel Buoy 23 | MISSING | 12211 | 095MD | 03/18 | |
| 5100 | Sinepuxent Bay Channel Light 25 | LT EXT/STRUCT DMGD | 12211 | 105MD | 03/18 | |
| 5130 | Sinepuxent Bay Channel Buoy 33 | MISSING | 12211 | 098MD | 03/18 | |
| 5145 | Sinepuxent Bay Channel Lighted Wreck Buoy WR39 | MISSING | 12211 | 100MD | 03/18 | |
| 5305 | Chincoteague Channel Lighted Buoy 8 | LT IMCH/TRLB | 12210 | 192HR | 09/18 | |
| 5622 | Wallops Island Buoy 12 | MISSING | 12210 | 174HR | 04/18 | |
| 5895 | Metompkin Light 11 | STRUCT DEST | 12210 | 183HR | 08/18 | |
| 5915 | Metompkin Lighted Buoy 17 | OFF STA | 12210 | 184HR | 08/18 | |
| 5933 | Metompkin Buoy 20 | OFF STA | 12210 | 185HR | 08/18 | |
| 5935 | Metompkin Lighted Wreck Buoy WR22 | OFF STA | 12210 | 186HR | 08/18 | |
| 5943 | Metompkin Buoy 23 | MISSING | 12210 | 187HR | 08/18 | |
| 6160 | Virginia Inside Passage Daybeacon 163 | STRUCT DEST/TRLB | 12210 | 226HR | 14/15 | |

| | | | | | |
|--------------|--|--------------------------|--------------|--------------|--------------|
| 6390 | Virginia Inside Passage Daybeacon 221 | STRUCT DEST/TRUB | 12224 | 014HR | 02/16 |
| 6447 | Oyster Creek Channel Junction Lighted Buoy OC | OFF STA | 12224 | 194HR | 09/18 |
| 6495 | Virginia Inside Passage Daybeacon 245A | MISSING/TRUB | 12224 | 420HR | 22/15 |
| 6750 | Quinby Channel Daybeacon 7 | STRUCT DEST | 12210 | 141HR | 05/18 |
| 6767 | Quinby Channel Buoy 10 | MISSING | 12210 | 140HR | 05/18 |
| 6775 | Quinby Channel Buoy 13 | MISSING | 12210 | 139HR | 05/18 |
| 6776 | Quinby Channel Lighted Buoy 15 | MISSING | 12210 | 138HR | 05/18 |
| 6780 | Quinby Channel Lighted Buoy 17 | MISSING | 12210 | 137HR | 05/18 |
| 6855 | Great Machipongo Inlet Daybeacon 13 | TRLB/STRUCT DEST | 12210 | 467HR | 34/15 |
| 6895 | Great Machipongo Channel Daybeacon 3 | STRUCT DEST | 12210 | 132HR | 05/18 |
| 6917 | Great Machipongo Channel Lighted Wreck Buoy WR6 | MISSING | 12210 | 134HR | 05/18 |
| 6920 | Great Machipongo Channel Light 8 | STRUCT DEST | 12210 | 135HR | 22/16 |
| 6927 | Great Machipongo Channel Lighted Wreck Buoy WR10 | MISSING | 12210 | 133HR | 05/18 |
| 6991 | Sand Shoal Channel Daybeacon 3 | STRUCT DEST/TRUB | 12224 | 421HR | 29/15 |
| 6992 | Sand Shoal Channel Light 4 | MISSING/STRUCT DEST/TRUB | 12224 | 196HR | 28/17 |
| 6993 | Sand Shoal Channel Daybeacon 5 | MISSING/STRUCT DEST/TRUB | 12224 | 197HR | 29/15 |
| 6994 | Sand Shoal Channel Light 7 | REDUCED INT | 12210 | 140HR | 21/16 |
| 7002 | Oyster Creek Channel Junction Lighted Buoy OC | OFF STA | 12224 | 194HR | 09/18 |
| 7435 | Tangier Sound Light | DAYMK DMGD | 12228 | 224HR | 11/18 |
| 7445 | Chesapeake Channel Buoy 63A | ADRIFT | 12228 | 230HR | 11/18 |
| 8090 | Craighill Channel Upper Range Front Light | LT EXT | 12281 | 153MD | 31/17 |
| 8395 | Brewerton Channel Eastern Extension Range Rear Light | LT EXT | 12272 | 188MD | 07/18 |
| 8750 | Aberdeen Restricted Area Buoy K | MISSING | 12274 | 251MD | 12/18 |
| 9110 | Back Creek Channel Range Rear Light | LT EXT | 12277 | 270MD | 29/17 |
| 9180 | Back Creek Channel Light 28 | LT EXT | 12277 | 238MD | 11/18 |
| 9310 | Thimble Shoal Light | LT EXT | 12245 | 048HR | 07/17 |
| 9390 | Hampton Bar Buoy 14 | MISSING | 12245 | 302HR | 39/17 |
| 9520 | Elizabeth River Channel Lighted Bell Buoy 10 | OFF STA/LT EXT | 12245 | 239HR | 12/18 |
| 9551.5 | Norfolk International Terminal North Channel Lighted Buoy 2N | MISSING | 12245 | 322HR | 42/17 |
| 9675 | Craney Island Creek Light 6 | DAYMK DMGD | 12245 | 215HR | 10/18 |
| 9730 | U.S. Navy Deperming Range Light | LT EXT | 12253 | 355HR | 41/16 |
| 10420 | Broad Bay Channel Daybeacon 18 | STRUCT DMGD | 12254 | 367HR | 48/17 |
| 11020 | Nansemond Ordnance Depot Warning Daybeacon | STRUCT DEST | 12245 | NONEHR | 09/18 |
| 11280 | Newport News Pier Eight Warning Daybeacon A | STRUCT DEST/TRLB | 12245 | 039HR | 03/18 |
| 11635 | Burwell Bay Daybeacon 8 | DAYMK DMGD | 12248 | 227HR | 11/18 |
| 11665 | James River Channel Buoy 17 | OFF STA | 12248 | NONEHR | 08/18 |
| 11675 | James River Channel Light 19 | DAYMK MISSING | 12248 | 223HR | 11/18 |
| 11690 | James River Channel Lighted Buoy 22 | OFF STA/LT EXT | 12248 | NONEHR | 08/18 |
| 12105 | James River Channel Buoy 53 | OFF STA | 12248 | 175HR | 07/18 |
| 12113 | NOAA Lighted Data Buoy J | MISSING | 12248 | 007HR | 02/18 |
| 12121 | James River Channel Buoy 55A | OFF STA | 12251 | 176HR | 07/18 |
| 12560 | Appomattox River Channel Daybeacon 6 | DAYMK IMCH | 12252 | 218HR | 10/18 |
| 12940 | Back River Channel Light 8 | STRUCT DEST/TRLB | 12222 | 147HR | 05/18 |
| 13085 | Back River Channel Daybeacon 20 | MISSING/TRUB | 12222 | 148HR | 05/18 |
| 13295 | White House Cove Daybeacon 1A | STRUCT DEST/TRUB | 12238 | 177HR | 23/17 |
| 14080 | New Point Comfort Spit Light 4 | DAYMK DMGD | 12238 | 241NR | 12/18 |
| 14675 | Piankatank River Lighted Buoy 2 | LT IMCH | 12235 | 207HR | 10/18 |
| 15603 | Hoskins Creek Light 2 | STRUCT DEST/TRUB | 12237 | 126HR | 05/18 |
| 15625 | Rappahannock River Lighted Buoy 32 | MISSING/TRUB | 12237 | 002HR | 01/18 |

| | | | | | |
|--------------|--|--------------------------|--------------|--------------|--------------|
| 15687 | Rappahannock River Buoy 49A | OFF STA | 12237 | 178HR | 07/18 |
| 17243 | St. Catherine Sound Lower Entrance Buoy 7L | MISSING | 12286 | 232MD | 11/18 |
| 18160 | Upper Potomac River Channel Buoy 46 | MISSING | 12288 | 233MD | 11/18 |
| 18345 | Upper Potomac River Channel Lighted Buoy 59 | OFF STA | 12289 | 236MD | 03/18 |
| 18660 | Alexandria Channel Lighted Buoy 7A | OFF STA | 12289 | 084MD | 03/18 |
| 19665 | South River Junction Daybeacon | STRUCT DEST/TRUB | 12270 | 220MD | 10/18 |
| 19697 | NOAA Lighted Data Buoy AN | OFF STA | 12283 | 235MD | 11/18 |
| 20005 | Severn River Daybeacon 9 | STRUCT DEST/TRLB | 12282 | 226MD | 11/18 |
| 21280 | Ferry Bar Channel Daybeacon 8 | STRUCT DEST/TRLB | 12281 | 181MD | 06/18 |
| 21725 | Occohannock Creek Daybeacon 10 | STRUCT DEST | 12226 | 144HR | 05/18 |
| 21784 | Nandua Creek Channel Buoy 8 | MISSING | 12226 | 149HR | 05/18 |
| 21792 | Nandua Creek Channel Buoy 9 | MISSING | 12226 | 150HR | 05/18 |
| 21830 | Nandua Creek Channel Buoy 21 | MISSING | 12226 | 152HR | 05/18 |
| 22200 | Deep Creek Channel Light 4 | STRUCT DEST/TRLB | 12228 | 172HR | 07/18 |
| 22375 | Pocomoke Sound Light 10 | STRUCT DEST/TRUB | 12228 | NONEHR | 06/18 |
| 22460 | Starling Creek Daybeacon 2 | STRUCT DEST/TRLB | 12228 | 173HR | 07/18 |
| 22715 | Tangier Sound Light | DAYMK DMGD | 12228 | 224HR | 11/18 |
| 23390 | Manokin River Light 4 | STRUCT DMGD | 12231 | 240MD | 11/18 |
| 23630 | Hooper Strait Channel Lighted Buoy 7A | OFF STA | 12231 | 239MD | 11/18 |
| 23940 | Wicomico River Channel Daybeacon 50 | STRUCT DEST/TRLB | 12261 | 193MD | 07/18 |
| 23965 | Nanticoke River Entrance Light 1N | STRUCT DMGD/TRLB | 12231 | 168MD | 05/18 |
| 23975 | Nanticoke River Channel Light 5 | STRUCT DMGD/TRLB | 12261 | 172MD | 05/18 |
| 24120 | Nanticoke River Channel Light 26 | STRUCT DMGD | 12261 | 228MD | 11/18 |
| 24125 | Nanticoke River Channel Light 28 | STRUCT DMGD | 12261 | 228MD | 11/18 |
| 24140 | Nanticoke River Channel Light 32 | DAYMK MISSING | 12261 | 227MD | 11/18 |
| 24275 | Nanticoke River Channel Daybeacon 51 | STRUCT DEST/TRUB | 12261 | 136MD | 04/18 |
| 24285 | Nanticoke River Channel Daybeacon 53 | STRUCT DEST/TRUB | 12261 | 115MD | 04/18 |
| 24515 | Middle Island Bridge West Channel Wreck Daybeacon WR1W | STRUCT DEST/HAZ NAV | 12261 | 123MD | 04/18 |
| 24530 | Honga River Back Creek Entrance Channel Light 1BC | STRUCT DEST/TRLB | 12261 | 201MD | 08/18 |
| 24705 | Brooks Creek Daybeacon 5 | STRUCT DEST/HAZ NAV/TRLB | 12264 | 225MD | 10/18 |
| 24985 | Choptank River Channel Lighted Buoy 21 | LT EXT | 12266 | 216MD | 10/18 |
| 24990 | Choptank River Channel Buoy 23 | MISSING | 12266 | 189MD | 07/18 |
| 25000 | Choptank River Channel Buoy 24 | MISSING | 12266 | 217MD | 10/18 |
| 26095 | Eastern Bay Daybeacon 12 | STRUCT DEST/TRLB | 12270 | 207MD | 08/18 |
| 26110 | Wye River Entrance Buoy 1 | OFF STA | 12270 | 215MD | 10/18 |
| 26115 | Wye River Daybeacon 3 | STRUCT DEST/TRLB | 12270 | 202MD | 08/18 |
| 26150 | Wye River Swash Daybeacon 2 | STRUCT DEST/TRLB | 12270 | 210MD | 09/18 |
| 26165 | Miles River Light 1 | LT EXT | 12270 | 208MD | 08/18 |
| 26320 | Crab Alley - Little Creek Daybeacon 4 | STRUCT DEST/TRLB | 12270 | 113MD | 04/18 |
| 26455 | Kent Island Narrows North Approach Daybeacon 12 | STRUCT DEST/TRLB | 12272 | 142MD | 04/18 |
| 26910 | Rock Hall Harbor Daybeacon 8 | STRUCT DEST/TRLB | 12272 | 353MD | 50/17 |
| 27040 | Harts Island Channel Daybeacon 10 | STRUCT DEST/TRLB | 12278 | 131MD | 04/18 |
| 27320 | Bush River Buoy 4 | OFF STA | 12274 | 252MD | 12/18 |
| 27800 | NOAA Lighted Data Buoy S | OFF STA | 12274 | 230MD | 11/18 |
| 27985 | Oregon Inlet Buoy 3 | MISSING | 12204 | 123NC | 11/18 |
| 28003 | Oregon Inlet Lighted Buoy 6 | LT EXT | 12204 | 145NC | 12/18 |
| 28020 | Oregon Inlet Buoy 11 | OFF STA/MSLD SIG | 12204 | 397NC | 33/17 |
| 28117 | Oregon Inlet Channel Buoy 34 | MISSING | 12204 | 019NC | 03/18 |
| 28135 | Oregon Inlet Channel Buoy 38 | OFF STA | 12204 | 083NC | 09/18 |
| 28170 | Oregon Inlet Channel Daybeacon 46 | STRUCT DEST | 12204 | 063NC | 07/18 |
| 28190 | Oregon Inlet Channel Daybeacon 53 | STRUCT DEST/TRUB | 12204 | 019NC | 03/18 |
| 28245 | Old House Channel Daybeacon 5 | STRUCT DEST | 12204 | 019NC | 04/18 |

| | | | | | |
|--------------|--|-------------------------|--------------|--------------|--------------|
| 28420 | Roanoke Sound Channel Daybeacon 14 | STRUCT DEST/TRUB | 12204 | 142NC | 11/18 |
| 28490 | Roanoke Sound Channel Daybeacon 24 | STRUCT DEST | 12204 | 019NC | 04/18 |
| 28580 | Roanoke Sound Channel Light 33 | STRUCT DEST/TRLB | 12204 | 019NC | 05/18 |
| 28585 | Roanoke Sound Channel Daybeacon 34 | STRUCT DEST/TRUB | 12204 | 019NC | 04/18 |
| 28600 | Roanoke Sound Channel Daybeacon 37 | STRUCT DEST/TRUB | 12204 | NONENC | 06/18 |
| 28615 | Roanoke Sound Channel Daybeacon 41 | STRUCT DEST/TRUB | 12204 | 019NC | 04/18 |
| 28650 | Hatteras Inlet Lighted Buoy 4 | OFF STA | 11555 | 345NC | 29/17 |
| 28660 | Hatteras Inlet Lighted Buoy 6 | MISSING | 11555 | 066NC | 09/17 |
| 28715 | South Ferry Terminal Lighted Buoy 7SF | MISSING | 11555 | 143NC | 12/18 |
| 28732.1 | Hatteras Inlet Channel Lighted Buoy 12A | OFF STA | 11555 | 019NC | 04/18 |
| 28736 | Hatteras Inlet Channel Buoy 15 | BUOY DMGD | 11555 | NONENC | 04/18 |
| 28817 | Rollinson Channel Daybeacon 31 | STRUCT DEST/TRUB | 11555 | 640NC | 50/17 |
| 28900 | Ocracoke Inlet Buoy 1 | BUOY DMGD/DAYMK IMCH | 11550 | 294NC | 26/17 |
| 28910 | Ocracoke Inlet Lighted Buoy 3 | OFF STA | 11550 | 403NC | 34/17 |
| 28915 | Ocracoke Inlet Lighted Buoy 4 | OFF STA | 11550 | 404NC | 34/17 |
| 28962 | Teaches Hole Channel Lighted Buoy 24 | MISSING | 11550 | 129NC | 11/18 |
| 29060 | Big Foot Slough Channel Daybeacon 9B | STRUCT DEST | 11550 | 104NC | 10/18 |
| 29100 | Swash Channel Light 4 | LT EXT | 11550 | 437NC | 36/17 |
| 29225 | Barden Inlet Light 19 | DAYMK DMGD | 11545 | 147NC | 12/18 |
| 29435 | Morehead City Channel Range Rear Light | STRUCT DEST | 11547 | 389NC | 27/14 |
| 29497 | Bogue Inlet Buoy 1A | OFF STA | 11541 | 369NC | 31/17 |
| 29535 | Bogue Inlet Buoy 8 | MISSING | 11541 | 133NC | 12/18 |
| 30020 | New Topsail Inlet Buoy 7 | MISSING | 11541 | 405NC | 31/16 |
| 30025 | New Topsail Inlet Buoy 8 | OFF STA | 11541 | 406NC | 31/16 |
| 30273 | Carolina Beach Inlet Buoy 2A | MISSING | 11534 | 125NC | 11/18 |
| 30275 | Carolina Beach Inlet Buoy 3 | OFF STA | 11534 | 240NC | 23/17 |
| 30290 | Carolina Beach Inlet Buoy 6 | MISSING | 11534 | 001NC | 01/18 |
| 30316 | Cape Fear River Entrance Lighted Whistle Buoy CF | RAC INOP | 11537 | 617NC | 50/17 |
| 30420 | Oak Island Channel Daybeacon 2 | STRUCT DEST/TRLB | 11534 | 214NC | 19/17 |
| 30440 | Oak Island Channel Daybeacon 7 | STRUCT DEST/TRUB | 11534 | 462NC | 37/17 |
| 30562.3 | Sunny Point Terminal Warning Boundary Light L | STRUCT DEST | 11534 | 548NC | 44/17 |
| 30970 | Northeast Cape Fear River Turning Basin Light | STRUCT DEST/TRLB | 11537 | 068NC | 09/17 |
| 31015 | Lockwoods Folly Inlet Buoy 2 | OFF STA | 11534 | 697NC | 47/16 |
| 31170 | Whale Head Bay Light 1 | STRUCT DEST/TRLB | 12204 | 221NC | 18/15 |
| 31241 | Currituck Sound Research Platform A | STRUCT DEST | 12205 | 019NC | 05/18 |
| 31241.1 | Currituck Sound Research Platform B | STRUCT DEST | 12205 | 019NC | 05/18 |
| 31241.2 | Currituck Sound Research Platform C | STRUCT DMGD | 12205 | 019NC | 05/18 |
| 31241.3 | Currituck Sound Research Platform D | STRUCT DEST/HAZ NAV | 12205 | 019NC | 05/18 |
| 31241.4 | Currituck Sound Research Platform E | STRUCT DEST/HAZ NAV | 12204 | 019NC | 05/18 |
| 31330 | Kitty Hawk Bay Light 2KH | STRUCT DEST/TRLB | 12204 | 019NC | 05/18 |
| 31360 | Durant Island Daybeacon 1D | STRUCT DEST/TRLB | 12204 | 094NC | 09/18 |
| 31365 | Powells Point Daybeacon 2PP | STRUCT DEST/TRUB | 12204 | 019NC | 05/18 |
| 31370 | Powells Point Daybeacon 4PP | STRUCT DEST/TRUB | 12204 | 139NC | 12/18 |
| 31491 | Albemarle Sound Warning Daybeacon B | STRUCT DEST/TRUB | 12205 | 019NC | 09/18 |
| 31493 | Albemarle Sound Warning Daybeacon D | STRUCT DEST | 12205 | 019NC | 09/18 |
| 31494 | Albemarle Sound Warning Daybeacon E | STRUCT DEST | 12205 | 019NC | 09/18 |
| 31495 | Albemarle Sound Warning Light F | STRUCT DEST | 12205 | 019NC | 09/18 |
| 31498 | Albemarle Sound Warning Daybeacon I | STRUCT DEST | 12205 | 019NC | 09/18 |
| 31500 | Albemarle Sound Warning Daybeacon J | STRUCT DEST | 12205 | 019NC | 09/18 |
| 31585 | Scuppernong River Channel Light 1SR | STRUCT DMGD | 12205 | 019NC | 04/18 |
| 31745 | Edenton Bay Light 4 | STRUCT DEST | 12205 | 099NC | 09/18 |
| 31900 | Croatan Sound Approach Daybeacon 2 | STRUCT DEST | 12204 | 019NC | 04/18 |

| | | | | | |
|--------------|--|----------------------------------|--------------|--------------|--------------|
| 31906 | Croatan Sound North Warning Daybeacon | STRUCT DEST | 12204 | 602NC | 49/17 |
| 31910 | Croatan Sound Daybeacon 3A | STRUCT DEST | 12204 | 019NC | 04/18 |
| 31955 | Croatan Sound Warning Daybeacon | STRUCT DEST | 12204 | 140NC | 12/18 |
| 32030 | Stumpy Point Channel Light 10 | STRUCT DEST/HAZ NAV | 12204 | 089NC | 05/18 |
| 32077 | Pamlico Sound Lighted Wreck Buoy WR2 | MISSING | 11555 | 002NC | 02/18 |
| 32125 | Far Creek Channel Light 9 | DAYMK MISSING | 11555 | 017NC | 03/18 |
| 32221 | Buxton Harbor Lighted Wreck Buoy WR8 | OFF STA | 11555 | 019NC | 04/18 |
| 32225 | Buxton Harbor Light 10 | DAYMK MISSING | 11555 | 019NC | 04/18 |
| 32285 | Avon Channel Light 8 | DAYMK MISSING | 11555 | 271NC | 25/17 |
| 32320 | Durant Point Lighted Buoy 2 | OFF STA | 11555 | 124NC | 11/18 |
| 32855 | Pungo River Junction Light PR | DAYMK DMGD | 11553 | 118NC | 10/18 |
| 33397 | Bay River Entrance Lighted Wreck Buoy WR2 | MISSING | 11553 | 093NC | 09/18 |
| 33425 | Bay River Daybeacon 8 | STRUCT DEST/TRLB | 11552 | 053NC | 05/18 |
| 33790 | Adams Creek Light 1AC | STRUCT DEST/TRLB | 11541 | 464NC | 37/17 |
| 33795 | Dawson Creek Entrance Daybeacon 2 | STRUCT DEST/TRUB | 11552 | 328NC | 27/17 |
| 33860 | Cherry Point Channel Daybeacon 3 | STRUCT DEST/TRUB | 11552 | 446NC | 36/17 |
| 34185 | Neuse River Channel Daybeacon 58 | STRUCT DEST/TRUB | 11552 | 331NC | 26/17 |
| 34315 | Trent River Daybeacon 20 | STRUCT DEST/TRLB | 11552 | 523NC | 39/15 |
| 34320 | Harbor Island Warning Daybeacon | STRUCT DEST | 11550 | 148NC | 12/18 |
| 34335 | Core Sound Buoy 3A | OFF STA | 11550 | 149NC | 12/18 |
| 34340 | Core Sound Buoy 4 | OFF STA | 11550 | 150NC | 12/18 |
| 34410 | Cedar Island Bay Channel Lighted Wreck Buoy WR5 | MISSING | 11550 | 088NC | 09/18 |
| 34460 | Core Sound Lighted Buoy 19A | OFF STA | 11550 | 091NC | 09/18 |
| 34465 | Core Sound Warning Daybeacon | STRUCT DEST | 11550 | 148NC | 12/18 |
| 34525 | Core Sound Light 25 | LT EXT | 11545 | 333NC | 28/17 |
| 34535 | Cedar Creek Light 1 | STRUCT DEST | 11545 | 523NC | 42/17 |
| 34595 | Oyster Creek Daybeacon 3 | STRUCT DEST/TRLB | 11550 | 409NC | 31/16 |
| 34640 | Core Sound Light 41 | STRUCT DEST/TRLB | 11545 | 246NC | 22/17 |
| 35040 | New Jersey Intracoastal Waterway Light 19 | LT EXT | 12324 | 178DB | 12/18 |
| 35167 | New Jersey Intracoastal Waterway Daybeacon 46 | STRUCT DEST/TRLB | 12324 | 067DB | 05/18 |
| 35196 | New Jersey Intracoastal Waterway Daybeacon 53 | STRUCT DEST/TRLB | 12324 | 067DB | 05/18 |
| 35245 | New Jersey Intracoastal Waterway Daybeacon 65 | STRUCT DEST/TRLB | 12324 | 067DB | 05/18 |
| 35280 | New Jersey Intracoastal Waterway Daybeacon 72 | STRUCT DEST/TRLB | 12324 | 067DB | 05/18 |
| 35295 | New Jersey Intracoastal Waterway Daybeacon 76 | STRUCT DEST/TRLB | 12324 | 067DB | 05/18 |
| 35305 | New Jersey Intracoastal Waterway Daybeacon 79 | STRUCT DMGD | 12324 | 067DB | 05/18 |
| 35310 | New Jersey Intracoastal Waterway Daybeacon 80 | STRUCT DEST/TRLB | 12324 | 079DB | 04/16 |
| 35350 | New Jersey Intracoastal Waterway Daybeacon 89 | STRUCT DEST/TRLB | 12324 | 339DB | 46/17 |
| 35365 | New Jersey Intracoastal Waterway Daybeacon 94 | STRUCT DEST/TRLB | 12324 | 061DB | 10/17 |
| 35395 | New Jersey Intracoastal Waterway Daybeacon 101 | STRUCT DEST/TRLB | 12316 | 085DB | 15/17 |
| 35400 | New Jersey Intracoastal Waterway Daybeacon 102 | STRUCT DEST/TRLB | 12316 | 005DB | 18/15 |
| 35620 | New Jersey Intracoastal Waterway Light 153 | STRUCT DEST/TRLB | 12316 | 072DB | 03/18 |
| 35655 | New Jersey Intracoastal Waterway Light 163 | STRUCT DEST/TRLB | 12316 | 072DB | 03/18 |
| 36020 | New Jersey Intracoastal Waterway Daybeacon 266 | MISSING/STRUCT DEST/HAZ NAV/TRLB | 12316 | 180DB | 08/18 |

| | | | | | |
|--------------|--|--------------------------|--------------|--------------|--------------|
| 36280 | New Jersey Intracoastal Waterway Daybeacon 342 | STRUCT DEST/TRLB | 12316 | 149DB | 17/17 |
| 36290 | New Jersey Intracoastal Waterway Daybeacon 345 | STRUCT DEST/HAZ NAV/TRLB | 12316 | 123DB | 08/18 |
| 36410 | New Jersey Intracoastal Waterway Daybeacon 381 | STRUCT DEST/TRLB | 12316 | 151DB | 08/18 |
| 36475 | New Jersey Intracoastal Waterway Daybeacon 401 | STRUCT DEST/TRLB | 12316 | 150DB | 08/18 |
| 37755 | Great Bridge to Albemarle Sound Light 155 | STRUCT DEST | 12206 | 138NC | 12/18 |
| 37851 | Alligator River Lighted Buoy 8A | OFF STA | 11553 | 090NC | 09/18 |
| 38005 | Alligator River - Pungo River Light 55 | DAYMK MISSING | 11553 | 096NC | 09/18 |
| 38140 | Pungo River Junction Light PR | DAYMK DMGD | 11553 | 118NC | 10/18 |
| 38200 | Goose Creek Light 15 | STRUCT DEST/TRLB | 11553 | 092NC | 32/17 |
| 38290 | Adams Creek Light 1AC | STRUCT DEST/TRLB | 11541 | 464NC | 37/17 |
| 38410 | Core Creek Daybeacon 23 | STRUCT DEST/HAZ NAV/TRLB | 11541 | 513NC | 42/17 |
| 39310 | Bogue Sound - New River Daybeacon 76 | STRUCT DEST/TRLB | 11541 | 054NC | 06/18 |
| 39360 | New River - Cape Fear River Daybeacon 19 | STRUCT DEST/TRUB | 11541 | 075NC | 07/18 |
| 39470 | New River - Cape Fear River Daybeacon 72 | STRUCT DEST/TRUB | 11541 | 077NC | 47/17 |
| 39610 | New River - Cape Fear River Daybeacon 124 | STRUCT DEST/HAZ NAV/TRUB | 11541 | 460NC | 34/17 |
| 39855 | New River - Cape Fear River Daybeacon 167 | STRUCT DEST/TRUB | 11534 | 069NC | 07/18 |
| 40130 | Cape Fear River - Little River Daybeacon 36 | STRUCT DEST/TRLB | 11534 | 650NC | 03/18 |
| 40225 | Cape Fear River - Little River Buoy 47 | MISSING | 11534 | 137NC | 12/08 |
| 40255 | Cape Fear River - Little River Light 51A | MISSING | 11534 | 137NC | 12/18 |
| 40305 | Cape Fear River - Little River Daybeacon 71 | STRUCT DEST/TRUB | 11534 | 070NC | 07/18 |
| 40315 | Cape Fear River - Little River Daybeacon 73 | STRUCT DEST/TRLB | 11534 | 016NC | 02/18 |

DISCREPANCIES (FEDERAL AIDS) CORRECTED

| LLNR | Aid Name | Status | Chart No. | BNM Ref. | LNM St | LNM End |
|-------|--|-------------------|-----------|----------|--------|---------|
| 1720 | Maurice River Channel Buoy 7 | RESET ON STATION | 12304 | 158db | 10/18 | 12/18 |
| 4080 | Florence Lower Directional Light | RELIGHTED | 12314 | NONEDB | 12/18 | 12/18 |
| 5336 | Chincoteague Channel Buoy 14 | RESET ON STATION | 12210 | 065HR | 03/18 | 12/18 |
| 5360 | Chincoteague Channel Lighted Buoy 20 | RESET ON STATION | 12210 | 080HR | 03/18 | 12/18 |
| 5365 | Chincoteague Channel Buoy 21 | RESET ON STATION | 12210 | 078HR | 03/18 | 12/18 |
| 5450 | Chincoteague Bay Buoy 14 | RESET ON STATION | 12211 | 061HR | 03/18 | 12/18 |
| 5470 | Greenbackville Lighted Wreck Buoy WR5 | WATCHING PROPERLY | 12211 | 382HR | 52/17 | 12/18 |
| 7385 | Chesapeake Channel Lighted Buoy 54 | WATCHING PROPERLY | 12226 | 203HR | 09/18 | 12/18 |
| 7450 | USN Aerial Gunnery Area Lighted Warning Buoy A | RESET ON STATION | 12228 | 240MD | 12/18 | 12/18 |
| 8225 | Fort McHenry Channel Range Rear Light | RELIGHTED | 12281 | 223MD | 12/18 | 12/18 |
| 9220 | Thimble Shoal Channel Lighted Buoy 4 | WATCHING PROPERLY | 12254 | 217HR | 10/18 | 12/18 |
| 12830 | Horseshoe West Channel Daybeacon 2 | WATCHING PROPERLY | 12222 | 234HR | 11/18 | 12/18 |
| 16330 | Great Wicomico River Daybeacon 10 | REBUILT/REMAINS | 12235 | 236HR | 11/18 | 12/18 |
| 17585 | Line of Fire Buoy O | RESET ON STATION | 12286 | 117MD | 04/18 | 12/18 |
| 17670 | Upper Machodoc Creek Dahlgren Channel Daybeacon 9 | REBUILT/RECOVERED | 12287 | 049MD | 03/18 | 12/18 |
| 22510 | Pocomoke River Channel Buoy 2 | RESET ON STATION | 12228 | 245MD | 12/18 | 12/18 |
| 22520 | Pocomoke River Channel Buoy 4 | RESET ON STATION | 12228 | 246MD | 12/81 | 12/18 |
| 22555 | Pocomoke River Channel Buoy 8 | RESET ON STATION | 12228 | 247MD | 12/18 | 12/18 |
| 22575 | Pocomoke River Channel Buoy 11 | RESET ON STATION | 12228 | 248MD | 12/18 | 12/18 |
| 28027 | Oregon Inlet Lighted Buoy 13 | RESET ON STATION | 12204 | 019NC | 04/18 | 12/18 |
| 28028 | Oregon Inlet Lighted Buoy 14 | RESET ON STATION | 12204 | 117NC | 10/18 | 12/18 |

| | | | | | | |
|-------|--|-------------------|-------|-------|-------|-------|
| 28240 | Old House Channel Light 4 | WATCHING PROPERLY | 12204 | 121NC | 11/18 | 12/18 |
| 28665 | Hatteras Inlet Lighted Buoy 7 | RESET ON STATION | 11555 | 206NC | 09/17 | 12/18 |
| 28667 | Hatteras Inlet Lighted Buoy 8 | RESET ON STATION | 11555 | 144NC | 10/18 | 12/18 |
| 28705 | South Ferry Terminal Buoy 5SF | RESET ON STATION | 11555 | 127NC | 10/18 | 12/18 |
| 28707 | South Ferry Terminal Lighted Buoy 6SF | WATCHING PROPERLY | 11555 | 119NC | 10/18 | 12/18 |
| 31240 | Currituck Sound Light 1 | RELIGHTED | 12204 | 047NC | 05/18 | 12/18 |
| 32667 | Swanquarter Bay Lighted Wreck Buoy WR2 | RESET ON STATION | 11548 | 032NC | 04/18 | 12/18 |
| 32710 | Swanquarter Bay Light 8 | WATCHING PROPERLY | 11548 | 059NC | 06/18 | 12/18 |
| 38460 | Russell Slough Light 5 | RELIGHTED | 11541 | 095NC | 09/18 | 12/18 |

DISCREPANCIES (PRIVATE AIDS)

| LLNR | Aid Name | Status | Chart No. | BNM Ref. | LNM St | LNM End |
|----------|---|------------------|-----------|----------|--------|---------|
| 9 | Ocean Power Lighted Data Buoy A | MISSING | 12323 | 585DB | 49/13 | |
| 803.2 | UNCW/CORMP Lighted Data Buoy C | LT IMCH | 11539 | 186NC | 17/17 | |
| 867 | UNC Wilmington Lighted Data Buoy SB | BUOY DMGD/LT EXT | 11534 | 112NC | 12/17 | |
| 1155 | Marshelder Channel Buoy 3 | MISSING | 12316 | 250DB | 26/16 | |
| 1345 | Ship Channel Buoy 5 | OFF STA | 12316 | 160DB | 24/17 | |
| 1690 | Bidwell Creek Entrance Light 2 | LT EXT | 12304 | NONEAC | 37/06 | |
| 1960 | Fortescue Creek Entrance Buoy 4 | OFF STA | 12304 | NONEDB | 17/13 | |
| 2035 | Lewes Breakwater Front Light | LT EXT | 12216 | 282DB | 27/13 | |
| 3153 | Marcus Hook Lighted Research Buoy C | MISSING | 12312 | 332DB | 45/17 | |
| 3503 | Eagle Point Range Lighted Research Buoy B | MISSING | 12313 | 338DB | 45/17 | |
| 4346 | Upper Delaware River Pipeline Outfall Buoy | MISSING | 12314 | 129DB | 18/12 | |
| 4875 | Thorofare Channel Buoy 3 | SINKING | 12211 | 029DB | 05/16 | |
| 4925 | Ocean Pines Yacht Club Light 2 | LT EXT | 12211 | 398MD | 29/15 | |
| 5180 | Chincoteague Bay State Boundary Line Buoy E | DAYMK IMCH | 12211 | 430HR | 46/12 | |
| 5190 | Chincoteague Bay State Boundary Line Buoy G | DAYMK IMCH | 12211 | 432HR | 46/12 | |
| 5265 | George Island Channel Daybeacon 8 | DAYMK IMCH | 12211 | 346HR | 38/12 | |
| 5453 | Coards Marsh Sanctuary Daybeacon A | STRUCT DEST | 12211 | 433HR | 46/12 | |
| 5453.1 | Coards Marsh Sanctuary Daybeacon B | STRUCT DEST | 12211 | 434HR | 46/12 | |
| 5453.2 | Coards Marsh Sanctuary Daybeacon C | STRUCT DEST | 12211 | 435HR | 46/12 | |
| 5457 | Greenbackville Sanctuary Daybeacon A | STRUCT DEST | 12211 | 476HR | 43/11 | |
| 5457.1 | Greenbackville Sanctuary Daybeacon B | DAYMK MISSING | 12211 | 477HR | 43/11 | |
| 7669 | UMCES Lighted Data Buoy JI | MISSING | 12264 | 439MD | 36/14 | |
| 7837 | UMCES Lighted Data Buoy CBB | OFF STA | 12282 | 176MD | 16/16 | |
| 7860 | Bay Bridge Marina Light 5 | LT EXT | 12270 | 350MD | 44/12 | |
| 9853 | Elizabeth River Town Point Reach No Wake Buoy A | OFF STA | 12253 | 328HR | 35/14 | |
| 9940 | Norfolk Waterside Pier Light | LT EXT | 12253 | 004HR | 02/18 | |
| 10125 | Lynnhaven Roads Fishing Pier Lights (2) | MISSING | 12254 | 319HR | 31/13 | |
| 10157.01 | Crab Creek Entrance Buoy 3CC | OFF STA | 12254 | 131HR | 19/17 | |
| 10157.12 | Crab Creek Buoy 12 | OFF STA | 12254 | 065HR | 10/17 | |
| 10186 | Lynnhaven River Daybeacon 1LR | STRUCT DEST | 12254 | 080HR | 08/15 | |
| 10225 | Lynnhaven River Western Branch Buoy 10 | OFF STA | 12254 | 362HR | 47/17 | |
| 10310 | Lynnhaven River Western Branch Daybeacon 27 | STRUCT DMGD | 12222 | 096HR | 15/17 | |
| 10315 | Lynnhaven River Western Branch Daybeacon 28 | STRUCT DMGD | 12222 | 097HR | 15/17 | |
| 10332.8 | Lynnhaven River Eastern Branch Daybeacon 12 | DAYMK MISSING | 12222 | 432HR | 51/16 | |
| 10334 | Lynnhaven River Eastern Branch Daybeacon 27 | DAYMK MISSING | 12222 | 162HR | 23/16 | |

| | | | | | |
|----------|---|------------------------|-------|--------|-------|
| 10762.03 | Lafayette River Northern Branch Daybeacon 3 | DAYMK MISSING | 12245 | 251HR | 26/14 |
| 10762.04 | Lafayette River Northern Branch Daybeacon 4 | DAYMK MISSING | 12245 | NONEHR | 33/17 |
| 10762.05 | Lafayette River Northern Branch Daybeacon 5 | DAYMK MISSING | 12245 | 262HR | 33/17 |
| 10762.1 | Lafayette River Northern Branch Daybeacon 12 | DAYMK MISSING | 12245 | 252HR | 26/14 |
| 10962 | Hampton River Channel Buoy 22 | DAYMK DMGD | 12245 | NONEHR | 16/16 |
| 12118 | Scotland Wharf Ferry Light C | LT EXT | 12251 | 371HR | 49/17 |
| 12119 | Scotland Wharf Ferry Light D | LT EXT | 12251 | 372HR | 49/17 |
| 12692 | James River Lighted Data Buoy A | OFF STA | 12252 | 135HR | 07/16 |
| 12692.1 | James River Lighted Data Buoy B | OFF STA | 12252 | 137HR | 07/16 |
| 12970 | Dandy Haven Marina Entrance Daybeacon 3 | DAYMK IMCH | 12222 | 086HR | 14/17 |
| 13045 | Harris River Approach Daybeacon 2 | DAYMK IMCH/STRUCT DMGD | 12238 | 087HR | 14/17 |
| 13050 | Harris River Approach Daybeacon 3 | DAYMK MISSING | 12238 | 036HR | 06/12 |
| 13055 | Harris River Approach Daybeacon 4 | DAYMK IMCH | 12238 | 088HR | 14/17 |
| 13065 | Harris River Approach Daybeacon 6 | OFF STA/DAYMK DMGD | 12238 | 037HR | 06/12 |
| 13070 | Harris River Approach Daybeacon 8 | DAYMK MISSING | 12238 | 089HR | 14/17 |
| 13247 | Poquoson River Daybeacon 18 | STRUCT DEST/TRUB | 12238 | 383HR | 52/17 |
| 13583 | VIMS Gloucester Point Lighted Data Buoy A | MISSING | 12241 | 113HR | 17/17 |
| 13960 | Croaker Landing Daybeacon 1 | STRUCT DEST | 12243 | 232HR | 11/18 |
| 13965 | Croaker Landing Daybeacon 2 | STRUCT DEST | 12243 | 233HR | 11/18 |
| 14405 | Green Mansion Cove Daybeacon 2 | DAYMK IMCH | 12238 | 285HR | 38/17 |
| 14935 | Windmill Point Marina Light 2 | DAYMK DMGD | 12235 | 240HR | 29/17 |
| 14940 | Windmill Point Marina Light 3 | LT EXT | 12235 | 348HR | 23/12 |
| 15005 | Broad Creek Northern Branch Daybeacon 1N | DAYMK DMGD | 12235 | 234HR | 24/13 |
| 15025 | Broad Creek Northern Branch Daybeacon 7 | DAYMK DMGD | 12235 | 241HR | 29/17 |
| 15035 | Broad Creek Northern Branch Daybeacon 9 | DAYMK MISSING | 12235 | 242HR | 29/17 |
| 15050 | Broad Creek Northern Branch Daybeacon 12 | DAYMK MISSING | 12235 | 431HR | 49/14 |
| 16275 | Buzzards Point Daybeacon 3 | DAYMK DMGD | 12235 | 390HR | 26/15 |
| 16555 | Lake Conoy Warning Daybeacon A | MISSING | 12233 | 251MD | 19/10 |
| 16612 | Coan River Marina Buoy 1 | MISSING | 12233 | 121MD | 10/15 |
| 18012.8 | Aquia Creek Daybeacon 19A | STRUCT DEST | 12288 | 111MD | 03/18 |
| 18013.1 | Aquia Creek Daybeacon 22 | STRUCT DMGD | 12288 | 112MD | 04/18 |
| 18075 | Possum Point Pier Light | LT EXT | 12288 | 448MD | 37/15 |
| 18170 | Leesylvania Park Light 2 | LT EXT | 12288 | 449MD | 37/15 |
| 18601.08 | National Harbor Channel Light 11 | DAYMK MISSING | 12289 | 211MD | 09/18 |
| 18793.1 | Tanner Creek Warning Daybeacon A | DAYMK MISSING | 12233 | 179MD | 23/13 |
| 18793.3 | Tanner Creek Daybeacon 2 | DAYMK DMGD | 12233 | 196MD | 08/18 |
| 18793.6 | Tanner Creek Warning Daybeacon B | DAYMK MISSING | 12233 | 197MD | 08/18 |
| 19260 | Chalk Point Cable Crossing Tower Light 27 | LT EXT | 12264 | 213MD | 29/17 |
| 19265 | Chalk Point Cable Crossing Tower Light 28 | LT EXT | 12264 | 214MD | 29/17 |
| 19270 | Chalk Point Cable Crossing Tower Light A | LT EXT | 12264 | 215MD | 29/17 |
| 19275 | Chalk Point Cable Crossing Tower Light B | LT EXT | 12264 | 216MD | 29/17 |
| 19277 | Chalk Point Cable Crossing Tower Light 29 | LT IMCH | 12264 | 217MD | 29/17 |
| 19278 | Chalk Point Power Light 30 | LT IMCH | 12264 | 218MD | 29/17 |
| 19279 | Chalk Point Tower Light C | LT IMCH | 12264 | 219MD | 29/17 |
| 19280 | Chalk Point Tower Light D | LT IMCH | 12264 | 220MD | 29/17 |
| 22095 | Onancock Creek -South Branch Buoy 1 | OFF STA | 12228 | 292MD | 30/08 |

| | | | | | |
|----------|--|-----------------------|-------|--------|-------|
| 22430 | Pocomoke Sound State Boundary Line Daybeacon H | STRUCT DEST/TRUB | 12228 | 165MD | 13/15 |
| 22440 | Pocomoke Sound State Boundary Line Daybeacon K | STRUCT DEST/TRUB | 12228 | NONEMD | 31/15 |
| 22880 | Jenkins Creek Daybeacon 7 | STRUCT DEST/TRUB | 12231 | 130MD | 20/17 |
| 25010 | Cambridge Municipal Yacht Basin Light 1 | MISSING | 12266 | 259MD | 40/12 |
| 25015 | Cambridge Municipal Yacht Basin Light 2 | MISSING | 12266 | 260MD | 40/12 |
| 25020 | Cambridge Channel Range Front Light | LT EXT | 12268 | 420MD | 46/08 |
| 25025 | Cambridge Channel Range Rear Light | LT EXT/DAYMK DMGD | 12268 | 418MD | 46/08 |
| 25330 | Pier Street Marina Daybeacon 1 | STRUCT DEST/HAZ NAV | 12266 | 157MD | 20/13 |
| 25335 | Pier Street Marina Daybeacon 2 | STRUCT DEST/HAZ NAV | 12266 | 168MD | 21/13 |
| 26126 | Wye River Buoy 1 | OFF STA | 12270 | 215MD | 09/18 |
| 26215 | Oak Creek Buoy 4 | MISSING | 12270 | 218MD | 10/18 |
| 26220 | Oak Creek Buoy 6 | MISSING | 12270 | 275MD | 06/18 |
| 26700 | Davis Creek Entrance Daybeacon 2 | STRUCT DMGD | 12272 | 321MD | 44/17 |
| 27230 | Upper Gunpowder River Buoy 2 | OFF STA | 12274 | 116MD | 19/15 |
| 27240 | Upper Gunpowder River Buoy 4 | OFF STA/DAYMK MISSING | 12274 | 116MD | 19/15 |
| 27250 | Upper Gunpowder River Buoy 6 | DAYMK MISSING | 12274 | 116MD | 19/15 |
| 27415 | Fairlee Creek Buoy 8 | OFF STA/BUOY DMGD | 12278 | 361MD | 28/14 |
| 28552 | Shallowbag Bay Warning Light A | DAYMK MISSING | 12205 | 582NC | 47/17 |
| 28553 | ShallowBag Bay Warning Light D | DAYMK MISSING | 12205 | 583NC | 47/17 |
| 30477 | Cape Fear River Warning Light A | LT EXT | 11534 | 045NC | 06/17 |
| 30905 | Wilmington Marine Center Daybeacon 6 | DAYMK DMGD | 11537 | NONENC | 05/16 |
| 30910 | Wilmington Marine Center Daybeacon 7 | DAYMK DMGD | 11537 | NONENC | 05/16 |
| 31060 | Shallotte Inlet Buoy 2 | MISSING | 11534 | 005NC | 01/14 |
| 31075 | Shallotte Inlet Buoy 5 | MISSING | 11534 | 107NC | 12/17 |
| 31087 | Shallotte Inlet Buoy 9 | MISSING | 11534 | 317NC | 23/13 |
| 31270 | Southern Shores Daybeacon 1 | DAYMK DMGD | 12204 | NONENC | 26/17 |
| 31275 | Southern Shores Daybeacon 2 | DAYMK IMCH | 12204 | NONENC | 30/17 |
| 31305 | Southern Shores Junction Daybeacon JG | STRUCT DEST | 12204 | NONENC | 30/17 |
| 31315 | Southern Shores Daybeacon 10 | STRUCT DEST | 12204 | NONENC | 30/17 |
| 31350 | Colington Harbor Entrance Daybeacon 3 | STRUCT DEST | 12205 | NONENC | 30/17 |
| 31416.5 | Whitehall Shores Channel Daybeacon 2 | DAYMK MISSING | 12206 | 585NC | 47/17 |
| 31419.6 | Whitehall Shores West Channel Daybeacon 1 | DAYMK MISSING | 12206 | 584NC | 47/17 |
| 32725.16 | Swanquarter PPA Warning Daybeacon R | STRUCT DEST | 11548 | 424NC | 33/16 |
| 32725.23 | Swanquarter PPA Warning Daybeacon X | STRUCT DEST | 11548 | 089NC | 09/16 |
| 32725.24 | Swanquarter PPA Warning Daybeacon Y | STRUCT DEST | 11548 | NONENC | 09/16 |
| 33427.5 | Swan Point Warning Daybeacon B | DAYMK MISSING | 11552 | 177NC | 12/15 |
| 33428 | Swan Point Warning Light C | DAYMK MISSING | 11552 | 178NC | 12/15 |
| 33428.5 | Swan Point Warning Daybeacon D | DAYMK MISSING | 11552 | 179NC | 12/15 |
| 33597 | Neuse River UNC Lighted Data Buoy A | MISSING | 11544 | 447NC | 35/16 |
| 35230 | Manahawkin Bay Lower Warning Light | LT EXT | 12324 | 371DB | 32/13 |
| 35780 | Absecon Waterway Upper Pier Light | LT IMCH | 12316 | 521DB | 38/14 |
| 35785 | Absecon Waterway Lower Pier Light | LT IMCH | 12316 | 522DB | 38/14 |
| 36777.3 | Cape May Village Daybeacon 4 | STRUCT DEST | 12316 | 556DB | 41/15 |
| 38535 | Triple S. Marina Daybeacon 1 | STRUCT DEST | 11547 | 200NC | 18/17 |
| 39621.4 | Bradley Creek Daybeacon 4 | DAYMK MISSING | 11541 | 391NC | 32/17 |
| 39621.9 | Bradley Creek Light 9 | LT IMCH | 11541 | 414NC | 34/17 |
| 39623.3 | Bradley Creek Light 14 | DAYMK IMCH | 11541 | 487NC | 40/17 |
| 40017 | Cape Fear River Warning Light A | LT EXT | 11534 | 045NC | 06/17 |
| | Asquith Creek Daybeacon 6 | DAYMK IMCH | 12282 | 520MD | 45/14 |
| | Beach Cove South Channel Daybeacon 8 | MISSING | 12216 | NONEAC | 10/06 |
| | Broad Creek Daybeacon 17 Eastern Branch Elizabeth R | STRUCT DEST | 12253 | 377HR | 50/17 |
| | Cherrystone Artificial Reef Buoys | MISSING | 12221 | NONED5 | 24/05 |

| | | | | |
|---|---------------------|--------------|--------------|--------------|
| Colington Harbor Entrance Light 5 | DAYMK DMGD | 12205 | 290NC | 26/17 |
| Colington Harbor Entrance Light 6 | DAYMK DMGD | 12205 | NONENC | 30/17 |
| Cox Creek Buoy 3A | BUOY DMGD | 12270 | 358MD | 51/17 |
| East Cod Creek Daybeacon 5 | DAYMK MISSING | 12285 | 201MD | 28/17 |
| Fox Hill Channel Daybeacon 4 | DAYMK DMGD | 12238 | 173HR | 23/12 |
| Fox Hill Channel Daybeacon 6 | STRUCT DEST | 12238 | 174HR | 23/12 |
| Gosnold Hope Channel Daybeacon 2 | STRUCT DEST | 12222 | NONEHR | 07/18 |
| Gosnold Hope Channel Daybeacon 6 | STRUCT DEST | 12222 | 242HR | 12/18 |
| Grassy Sound North Pier Light | MISSING | 12316 | 0068AC | 41/12 |
| Grassy Sound South Pier Light | MISSING | 12316 | 0069AC | 41/12 |
| Harris River Approach Daybeacon 10 | DAYMK DMGD | 12238 | NONEHR | 05/12 |
| Indian River Bay Shellfish Excl. Buoy | MISSING | 12216 | NONEAC | 08/12 |
| Jean Guite Creek Daybeacon 1 | STRUCT DEST | 12205 | NONENC | 33/17 |
| Jean Guite Creek Daybeacon 2 | DAYMK IMCH | 12205 | NONENC | 33/17 |
| John's Creek Buoy 3 | LT IMCH | 12270 | 318HR | 37/16 |
| Joppatown Buoy 1 | OFF STA | 12274 | 113MD | 19/17 |
| Kitty Hawk Landing Daybeacon 1 | DAYMK IMCH | 12205 | NONENC | 30/17 |
| Kitty Hawk Landing Daybeacon 10 | DAYMK IMCH | 12205 | NONENC | 30/17 |
| Kitty Hawk Landing Daybeacon 2 | DAYMK IMCH | 12205 | NONENC | 30/17 |
| Kitty Hawk Landing Daybeacon 4 | DAYMK IMCH | 12205 | NONENC | 30/17 |
| Kitty Hawk Landing Daybeacon 6 | DAYMK IMCH | 12205 | NONENC | 30/17 |
| Kitty Hawk Landing Daybeacon 7 | DAYMK IMCH | 12205 | NONENC | 30/17 |
| Kitty Hawk Landing Daybeacon 8 | DAYMK IMCH | 12205 | NONENC | 30/17 |
| Kitty Hawk Landing Daybeacon 9 | DAYMK IMCH | 12205 | NONENC | 30/17 |
| Little Cove Point Warning Light C | STRUCT DEST | 12264 | 286MD | 36/13 |
| Parramore Artificial Reef Buoy | MISSING | 12210 | 0071ES | 21/05 |
| Price Creek Light 5 | STRUCT DEST | 12270 | 164MD | 05/18 |
| Price Creek Light 6 | STRUCT DEST | 12270 | 118MD | 04/18 |
| Shark Riv Is Ch By 1 | MISSING | | 215DB | 22/16 |
| Shark River Light 5 | LT EXT | | 395DB | 28/15 |
| Taylor Creek Daybeacon 3 | STRUCT DEST/TRUB | | 228HR | 11/18 |
| Taylor Crk Dbn 3 | STRUCT DEST/HAZ NAV | 12226 | 204HR | 09/18 |
| VIMS Clay Bank Lighted Data Buoy A | MISSING | 12243 | NONEHR | 14/14 |
| VIMS Clay Bank Lighted Data Buoy B | MISSING | 12243 | NONEHR | 14/14 |
| VIMS Clay Bank Lighted Data Buoy C | MISSING | 12241 | NONEHR | 14/14 |
| VIMS Outfall Pipe Warning Buoy A | MISSING | 12241 | 114HR | 17/17 |
| Vims Water Qual Monitor Device (3) | MISSING | | NONEHR | 14/14 |
| Wachapreague Artificial Reef Buoys | MISSING | 12210 | 0072ES | 21/05 |
| Waterview Seafood Warning Daybeacon A | DAYMK MISSING | 12221 | 300HR | 39/17 |

DISCREPANCIES (PRIVATE AIDS) CORRECTED

| LLNR | Aid Name | Status | Chart No. | BNM Ref. | LNM St | LNM End |
|------|----------|--------|-----------|----------|--------|---------|
| None | | | | | | |

PLATFORM DISCREPANCIES

| Name | Status | Position | BNM Ref. | LNM St | LNM End |
|------|--------|----------|----------|--------|---------|
| None | | | | | |

PLATFORM DISCREPANCIES CORRECTED

| Name | Status | Position | BNM Ref. | LNM St | LNM End |
|------|--------|----------|----------|--------|---------|
| None | | | | | |

SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES

| LLNR | Aid Name | Status | Chart No. | BNM Ref. | LNM St | LNM End |
|------|--|---------------------------|-----------|----------|--------|---------|
| 35 | Little Egg Inlet Outer Lighted Whistle Buoy LE | DISCONTINUED | 12316 | 169D5 | 13/17 | |
| 865 | Lockwoods Folly Inlet Lighted Whistle Buoy LW | DISCONTINUED | 11534 | 307D5 | 18/17 | |
| 1080 | Oyster Creek Channel Buoy 37 | RELOCATED FOR DREDGING | 12324 | 775D5 | 47/17 | |
| 1090 | Oyster Creek Channel Buoy 38 | RELOCATED FOR DREDGING | 12324 | 775D5 | 49/17 | |
| 1093 | Oyster Creek Channel Buoy 39 | RELOCATED FOR DREDGING | 12324 | 775D5 | 49/17 | |
| 1100 | Little Egg Inlet Outer Lighted Whistle Buoy LE | DISCONTINUED | 12316 | 169D5 | 13/17 | |
| 1105 | Little Egg Inlet Buoy 2 | DISCONTINUED | 12316 | 172D5 | 13/17 | |
| 1110 | Little Egg Inlet Lighted Buoy 3 | DISCONTINUED | 12316 | 172D5 | 13/17 | |
| 1115 | Little Egg Inlet Buoy 4 | DISCONTINUED | 12316 | 172D5 | 13/17 | |
| 1117 | Little Egg Inlet Buoy 4A | DISCONTINUED | 12316 | 172D5 | 13/17 | |
| 1120 | Little Egg Inlet Lighted Buoy 5 | DISCONTINUED | 12316 | 172D5 | 13/17 | |
| 1125 | Little Egg Inlet Lighted Buoy 6 | DISCONTINUED | 12316 | 172D5 | 13/17 | |
| 1129 | Little Egg Inlet Buoy 8 | DISCONTINUED | 12316 | 172D5 | 13/17 | |
| 1131 | Little Egg Inlet Lighted Buoy 10 | DISCONTINUED | 12316 | 172D5 | 13/17 | |
| 3110 | Delaware River Lighted Buoy 38 | RELOCATED FOR DREDGING | 12312 | 540D5 | 35/17 | |
| 3120 | Delaware River Lighted Buoy 40 | RELOCATED FOR DREDGING | 12312 | 540D5 | 35/17 | |
| 3130 | Delaware River Lighted Buoy 42 | RELOCATED FOR DREDGING | 12312 | 540D5 | 35/17 | |
| 3150 | Delaware River Lighted Buoy 43 | RELOCATED FOR DREDGING | 12312 | 758D5 | 47/17 | |
| 3155 | Delaware River Buoy 44 | RELOCATED FOR DREDGING | 12312 | 540D5 | 35/17 | |
| 3160 | Delaware River Lighted Buoy 46 | RELOCATED FOR DREDGING | 12312 | 540D5 | 35/17 | |
| 3165 | Marcus Hook Anchorage Buoy A | DISCONTINUED FOR DREDGING | 12312 | 540D5 | 35/17 | |
| 3215 | Delaware River Lighted Buoy 49 | RELOCATED FOR DREDGING | 12312 | 758D5 | 47/17 | |
| 3240 | Delaware River Buoy 48 | RELOCATED FOR DREDGING | 12312 | 704D5 | 44/17 | |
| 3245 | Delaware River Lighted Buoy 50 | RELOCATED FOR DREDGING | 12312 | 704D5 | 44/17 | |
| 3260 | Delaware River Lighted Buoy 53 | RELOCATED FOR DREDGING | 12312 | 758D5 | 47/17 | |
| 3663 | Upper Delaware River Channel Lighted Buoy 4 | Reduced Intensity | 12314 | NONEDB | 11/18 | |
| 3670 | Upper Delaware River Channel Lighted Buoy 6 | Reduced Intensity | 12314 | NONEDB | 11/18 | |
| 3680 | Upper Delaware River Channel Lighted Buoy 8 | Reduced Intensity | 12314 | NONEDB | 11/18 | |
| 4010 | Upper Delaware River Channel Lighted Buoy 51 | RELOCATED FOR DREDGING | 12314 | 745D5 | 47/17 | |
| 4015 | Upper Delaware River Channel Lighted Buoy 52 | Reduced Intensity | 12314 | NONEDB | 11/18 | |
| 4040 | Upper Delaware River Channel Lighted Buoy 54 | Reduced Intensity | 12314 | NONEDB | 11/18 | |
| 4055 | Upper Delaware River Channel Buoy 55 | RELOCATED FOR DREDGING | 12314 | 745D5 | 47/17 | |
| 4070 | Upper Delaware River Channel Lighted Buoy 58 | RELOCATED FOR DREDGING | 12314 | 745D5 | 47/17 | |

| | | | | | |
|--------------|--|----------------------------------|--------------|--------------|--------------|
| 4075 | Upper Delaware River Channel Lighted Buoy 60 | RELOCATED FOR DREDGING | 12314 | 745D5 | 47/17 |
| 4075 | Upper Delaware River Channel Lighted Buoy 60 | Reduced Intensity | 12314 | NONEDB | 11/18 |
| 4095 | Upper Delaware River Channel Lighted Buoy 65 | RELOCATED FOR DREDGING | 12314 | 745D5 | 47/17 |
| 4095 | Upper Delaware River Channel Lighted Buoy 65 | Reduced Intensity | 12314 | NONEDB | 11/18 |
| 4135 | Upper Delaware River Channel Lighted Buoy 69 | RELOCATED FOR DREDGING | 12314 | 745D5 | 47/17 |
| 4155 | Upper Delaware River Channel Lighted Buoy 71 | RELOCATED FOR DREDGING | 12314 | 745D5 | 47/17 |
| 4155 | Upper Delaware River Channel Lighted Buoy 71 | Reduced Intensity | 12314 | NONEDB | 11/18 |
| 4160 | Upper Delaware River Channel Lighted Buoy 72 | RELOCATED FOR DREDGING | 12314 | 694D5 | 44/17 |
| 4165 | Upper Delaware River Channel Buoy 75 | RELOCATED FOR DREDGING | 12314 | 694D5 | 44/17 |
| 4170 | Upper Delaware River Channel Lighted Buoy 76 | RELOCATED FOR DREDGING | 12314 | 694D5 | 44/17 |
| 4175 | Upper Delaware River Channel Lighted Buoy 78 | Reduced Intensity | 12314 | NONEDB | 11/18 |
| 4250 | Upper Delaware River Channel Lighted Buoy 89 | Reduced Intensity | 12314 | NONEMD | 11/18 |
| 4270 | Upper Delaware River Channel Lighted Buoy 91 | Reduced Intensity | 12314 | NONEDB | 11/18 |
| 4755 | Ocean City Inlet Lighted Buoy 11 | DISCONTINUED FOR DREDGING | 12211 | 079D5 | 08/18 |
| 4757 | Ocean City Inlet Lighted Buoy 12 | DISCONTINUED FOR DREDGING | 12211 | 079D5 | 08/18 |
| 5397 | Chincoteague Channel Lighted Buoy 28 | DISCONTINUED FOR DREDGING | 12210 | 071D5 | 07/18 |
| 8630 | Upper Chesapeake Channel Lighted Buoy 36 | Reduced Intensity | 12274 | NONEMD | 11/18 |
| 11897 | James River Channel Lighted Buoy 27A | DISCONTINUED FOR DREDGING | 12248 | 541D5 | 44/15 |
| 11904 | James River Channel Lighted Buoy 29A | DISCONTINUED FOR DREDGING | 12248 | 541D5 | 44/15 |
| 17180 | Heron Island Bar Channel Light 3 | TRLB | 12286 | 149D5 | 12/18 |
| 21510 | Mud Creek Channel Daybeacon 1 | DISCONTINUED FOR DREDGING | 12224 | 271HR | 17/15 |
| 21515 | Mud Creek Channel Daybeacon 2 | TRUB | 12224 | 221D5 | 18/15 |
| 23213 | Big Thorofare West Buoy 3 | DISCONTINUED FOR DREDGING | 12228 | 138D5 | 12/18 |
| 23223 | Big Thorofare West Buoy 4 | DISCONTINUED FOR DREDGING | 12228 | 138D5 | 12/18 |
| 23510 | Lower Thorofare Channel Light 6 | TRDBN | 12231 | 096D5 | 11/16 |
| 25930.5 | Knapps Narrows West Channel Lighted Buoy 3A | DISCONTINUED FOR DREDGING | 12266 | 115D5 | 11/18 |
| 25931 | Knapps Narrows West Channel Buoy 4 | DISCONTINUED FOR DREDGING | 12266 | 115D5 | 11/18 |
| 25933 | Knapps Narrows West Channel Buoy 5 | DISCONTINUED FOR DREDGING | 12266 | 115D5 | 11/18 |
| 28787 | Hatteras Inlet Channel Daybeacon 24A | TRUB | 11555 | 075D5 | 07/18 |
| 28807 | Hatteras Harbor Daybeacon 2 | TRUB | 11555 | 075D5 | 07/18 |
| 28815 | Rollinson Channel Light 30 | TRUB | 11555 | 075D5 | 07/18 |

| | | | | | |
|-------|---|---------------------------|--------------|---------------|--------------|
| 28817 | Rollinson Channel Daybeacon 31 | TRUB | 11555 | 075D5 | 07/18 |
| 28955 | Teaches Hole Channel Lighted Buoy 20 | DISCONTINUED | 11550 | 173D5 | 14/15 |
| 29245 | Barden Inlet Light 26 | TRDBN | 11545 | 503D5 | 32/17 |
| 29247 | Barden Inlet Buoy 27 | DISCONTINUED | 11545 | 503D5 | 32/17 |
| 29250 | Barden Inlet Buoy 28 | DISCONTINUED | 11545 | 503D5 | 32/17 |
| 29253 | Barden Inlet Buoy 30 | DISCONTINUED | 11545 | 503D5 | 32/17 |
| 29257 | Barden Inlet Buoy 31 | DISCONTINUED | 11545 | 503D5 | 32/17 |
| 29260 | Barden Inlet Light 32 | TRDBN | 11545 | 503D5 | 32/17 |
| 29263 | Barden Inlet Buoy 33 | DISCONTINUED | 11545 | 503D5 | 32/17 |
| 29270 | Barden Inlet Light 35 | TRDBN | 11545 | 503D5 | 32/17 |
| 29655 | New River Inlet Buoy 1 | DISCONTINUED | 11541 | 067D5 | 06/15 |
| 29660 | New River Inlet Buoy 2 | DISCONTINUED | 11541 | 067D5 | 06/15 |
| 29665 | New River Inlet Buoy 3 | DISCONTINUED | 11541 | 491D5 | 43/14 |
| 29670 | New River Inlet Buoy 4 | DISCONTINUED | 11541 | 491D5 | 43/14 |
| 29680 | New River Inlet Buoy 6 | DISCONTINUED | 11541 | 491D5 | 43/14 |
| 29700 | New River Inlet Buoy 8 | DISCONTINUED | 11541 | 491D5 | 43/14 |
| 30175 | Masonboro Inlet Lighted Buoy 6 | DISCONTINUED FOR DREDGING | 11541 | 081D5 | 08/18 |
| 30180 | Masonboro Inlet Buoy 7 | RELOCATED FOR DREDGING | 11541 | 081D5 | 08/18 |
| 30185 | Masonboro Inlet Lighted Buoy 8 | DISCONTINUED FOR DREDGING | 11541 | 081D5 | 08/18 |
| 31005 | Lockwoods Folly Inlet Lighted Whistle Buoy LW | DISCONTINUED | 11534 | 307D5 | 18/17 |
| 31010 | Lockwoods Folly Inlet Buoy 1 | DISCONTINUED | 11534 | 313D5 | 19/17 |
| 31020 | Lockwoods Folly Inlet Buoy 3 | DISCONTINUED | 11534 | 304D5 | 18/17 |
| 31025 | Lockwoods Folly Inlet Buoy 4 | DISCONTINUED | 11534 | 240D5 | 17/17 |
| 31027 | Lockwoods Folly Inlet Buoy 5 | DISCONTINUED | 11534 | 313D5 | 19/17 |
| 31030 | Lockwoods Folly Inlet Buoy 6 | DISCONTINUED | 11534 | 240D5 | 17/17 |
| 31035 | Lockwoods Folly Inlet Buoy 7 | DISCONTINUED | 11534 | 313D5 | 19/17 |
| 31040 | Lockwoods Folly Inlet Buoy 8 | DISCONTINUED | 11534 | 304D5 | 18/17 |
| 31045 | Lockwoods Folly Inlet Buoy 10 | DISCONTINUED | 11534 | 304D5 | 18/17 |
| 31047 | Lockwoods Folly Inlet Buoy 12 | DISCONTINUED | 11534 | 121D5 | 09/17 |
| 32875 | Wright Creek Light 5 | Other | 11553 | 124D5 | 11/18 |
| 38440 | Russell Slough Junction Light RS | TRLB | 11541 | 143D5 | 11/17 |
| | Great Wicomico River Warning Daybeacon A | ESTABLISHED | 12235 | NONED5 | 12/18 |
| | Heron Island Bar Channel Lighted Buoy 3 | ESTABLISHED | 12286 | 149D5 | 12/18 |

TEMPORARY CHANGES CORRECTED

| LLNR | Aid Name | Status | Chart No. | BNM Ref. | LNM St | LNM End |
|-------|----------------------------------|--------|-----------|----------|--------|---------|
| 5445 | Chincoteague Bay Lighted Buoy 12 | LWP | 12211 | 122D5 | 11/18 | 12/18 |
| 28139 | Oregon Inlet Channel Buoy 40 | LWP | 12204 | 135D5 | 04/18 | 12/18 |
| 28145 | Oregon Inlet Channel Buoy 42 | LWP | 12204 | 135D5 | 04/18 | 12/18 |
| 28150 | Oregon Inlet Channel Buoy 44 | LWP | 12204 | 135D5 | 04/18 | 12/18 |

PLATFORM TEMPORARY CHANGES

| Name | Status | Position | BNM Ref. | LNM St | LNM End |
|------|--------|----------|----------|--------|---------|
| None | | | | | |

PLATFORM TEMPORARY CHANGES CORRECTED

| Name | Status | Position | BNM Ref. | LNM St | LNM End |
|------|--------|----------|----------|--------|---------|
| None | | | | | |

SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.

| Chart Number | Chart Edition | Edition Date | Last Local Notice to Mariners | Horizontal Datum Reference | Source of Correction | Current Local Notice to Mariners |
|--|-------------------|------------------------------|-------------------------------|----------------------------|----------------------|----------------------------------|
| 12327 | 91st Ed. | 19-APR-97 | Last LNM: 26/97 | NAD 83 | | 27/97 |
| Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER | | | | | | |
| Main Panel 2245 NEW YORK HARBOR | | | | | CGD01 | |
| (Temp) | ADD | NATIONAL DOCK CHANNEL BUOY 3 | | | at 40-41-09.001N | 074-02-48.001W |
| | | Green can | | | | |
| | Corrective Action | Object of Corrective Action | | | Position | |

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

| | | | | | | |
|---|-----------------|--|------------------------|---------------|---|----------------------------------|
| 11009 | 39th Ed. | 01-APR-11 | Last LNM: 46/17 | NAD 83 | | 12/18 |
| <i>Chart Title: Cape Hatteras to Straits of Florida</i> | | | | | | |
| Main Panel 378 CAPE HATTERAS TO STRAITS OF FLORIDA. Page/Side: N/A | | | | | | |
| RELOCATE | | Hatteras Inlet Channel Lighted Buoy 12A | | | CGD05 from 35-12-15.258N to 35-12-15.239N | 075-43-57.524W 075-43-57.152W |
| RELOCATE | | Hatteras Inlet Lighted Buoy 7 | | | CGD05 from 35-11-10.797N to 35-11-08.241N | 075-45-36.398W 075-45-29.411W |
| RELOCATE | | Hatteras Inlet Lighted Buoy 8 | | | CGD05 from 35-11-11.017N to 35-11-07.783N | 075-45-32.853W 075-45-22.970W |
| 11520 | 45th Ed. | 01-SEP-13 | Last LNM: 46/17 | NAD 83 | | 12/18 |
| <i>Chart Title: Cape Hatteras to Charleston</i> | | | | | | |
| Main Panel 377 CAPE HATTERAS TO CHARLESTON. Page/Side: N/A | | | | | | |
| RELOCATE | | Hatteras Inlet Channel Lighted Buoy 12A | | | CGD05 from 35-12-15.258N to 35-12-15.239N | 075-43-57.524W 075-43-57.152W |
| RELOCATE | | Hatteras Inlet Lighted Buoy 7 | | | CGD05 from 35-11-10.797N to 35-11-08.241N | 075-45-36.398W 075-45-29.411W |
| RELOCATE | | Hatteras Inlet Lighted Buoy 8 | | | CGD05 from 35-11-11.017N to 35-11-07.783N | 075-45-32.853W 075-45-22.970W |
| 11545 | 66th Ed. | 01-JUN-15 | Last LNM: 45/17 | NAD 83 | | 12/18 |
| <i>Chart Title: Beaufort Inlet and Part of Core Sound; Lookout Bight</i> | | | | | | |
| Main Panel 509 BEAUFORT INLET AND PART OF CORE SOUND. Page/Side: A | | | | | | |
| CHANGE | | Tabulation - MOREHEAD CITY HARBOR CHANNEL DEPTHS | | | NOS 34-48-21.000N | 076-45-24.000W |

| | | | | | |
|---|--|------------------|------------------------|---|----------------------------------|
| 11547 | 40th Ed. | 01-JUL-15 | Last LNM: 45/17 | NAD 83 | 12/18 |
| <i>ChartTitle: Morehead City Harbor</i> | | | | | |
| Main Panel 511 MOREHEAD CITY HARBOR . Page/Side: A | | | | | |
| CHANGE | Tabulation - MOREHEAD CITY HARBOR CHANNEL DEPTHS http://ocsddata.ncd.noaa.gov/ntm/SupportImage.aspx?ItemID=281296; Tabulation - MOREHEAD CITY HARBOR CHANNEL DEPTHS (NOS NW-27816) | | | NOS 34-43-12.900N | 076-37-39.400W |
| 11548 | 42nd Ed. | 01-JAN-17 | Last LNM: 46/17 | NAD 83 | 12/18 |
| <i>ChartTitle: Pamlico Sound Western Part</i> | | | | | |
| CHART NC- PAMLICO SOUND- WESTERN PART. Page/Side: N/A | | | | | |
| CHANGE | Wright Creek Light 5 to Q G, 15FT, 4M, at | | | CGD05 at 35-24-43.285N | 076-35-26.492W |
| 11553 | 30th Ed. | 01-MAY-14 | Last LNM: 46/17 | NAD 83 | 12/18 |
| <i>ChartTitle: Intracoastal Waterway Albermarle Sound to Neuse River;Alligator River;Second Creek</i> | | | | | |
| CHART NC-ICW-ALBEMARLE SOUND TO NEUSE RIVER. Page/Side: N/A | | | | | |
| CHANGE | Wright Creek Light 5 to Q G, 15FT, 4M, at | | | CGD05 at 35-24-43.285N | 076-35-26.492W |
| 11555 | 42nd Ed. | 01-APR-15 | Last LNM: 47/17 | NAD 83 | 12/18 |
| <i>ChartTitle: Cape Hatteras-Wimble Shoals to Ocracoke Inlet</i> | | | | | |
| Main Panel 525 CAPE HATTERAS WIMBLE SHOALS TO OCRACOKE INLET. Page/Side: A | | | | | |
| RELOCATE | Hatteras Inlet Channel Lighted Buoy 12A | | | CGD05 from 35-12-15.258N to 35-12-15.239N | 075-43-57.524W 075-43-57.152W |
| RELOCATE | Hatteras Inlet Lighted Buoy 7 | | | CGD05 from 35-11-10.797N to 35-11-08.241N | 075-45-36.398W 075-45-29.411W |
| RELOCATE | Hatteras Inlet Lighted Buoy 8 | | | CGD05 from 35-11-11.017N to 35-11-07.783N | 075-45-32.853W 075-45-22.970W |
| 12200 | 52nd Ed. | 01-JAN-18 | Last LNM: 47/17 | NAD 83 | 12/18 |
| <i>ChartTitle: Cape May to Cape Hatteras</i> | | | | | |
| Main Panel 526 CAPE MAY TO CAPE HATTERAS --. Page/Side: - | | | | | |
| RELOCATE | Hatteras Inlet Channel Lighted Buoy 12A | | | CGD05 from 35-12-15.258N to 35-12-15.239N | 075-43-57.524W 075-43-57.152W |
| RELOCATE | Hatteras Inlet Lighted Buoy 7 | | | CGD05 from 35-11-10.797N to 35-11-08.241N | 075-45-36.398W 075-45-29.411W |
| RELOCATE | Hatteras Inlet Lighted Buoy 8 | | | CGD05 from 35-11-11.017N to 35-11-07.783N | 075-45-32.853W 075-45-22.970W |
| 12204 | 38th Ed. | 01-DEC-12 | Last LNM: 43/17 | NAD 83 | 12/18 |
| <i>ChartTitle: Currituck Beach Light to Wimble Shoals</i> | | | | | |
| Main Panel 527 CURRITUCK BEACH LT TO WIMBLE SHOALS. Page/Side: N/A | | | | | |
| RELOCATE | Oregon Inlet Channel Buoy 40 | | | CGD05 from 35-46-20.131N to 35-46-14.116N | 075-34-59.227W 075-35-04.616W |
| RELOCATE | Oregon Inlet Channel Buoy 42 | | | CGD05 from 35-46-25.300N to 35-46-24.477N | 075-34-53.011W 075-34-52.125W |
| RELOCATE | Oregon Inlet Channel Buoy 44 | | | CGD05 from 35-46-33.529N to 35-46-30.670N | 075-34-43.901W 075-34-45.335W |

12205 35th Ed. 01-FEB-17 Last LNM: 43/17 NAD 83 12/18
ChartTitle: Cape Henry to Pamlico Sound, Including Albemarle Sd.; Rudee Heights
CHART VA-NC- CAPE HENRY TO PAMLICO SOUND (including ALBEMARLE SOUND). Page/Side: N/A
RELOCATE Oregon Inlet Channel Buoy 40 CGD05 from 35-46-20.131N 075-34-59.227W
to 35-46-14.116N 075-35-04.616W
RELOCATE Oregon Inlet Channel Buoy 42 CGD05 from 35-46-25.300N 075-34-53.011W
to 35-46-24.477N 075-34-52.125W
RELOCATE Oregon Inlet Channel Buoy 44 CGD05 from 35-46-33.529N 075-34-43.901W
to 35-46-30.670N 075-34-45.335W

12211 47th Ed. 01-FEB-17 Last LNM: 44/17 NAD 83 12/18
ChartTitle: Fenwick Island to Chincoteague Inlet;Ocean City Inlet
Main Panel 552 FENWICK ISLAND TO CHINCOTEAGUE INLET. Page/Side: A
CHANGE Chincoteague Bay Lighted Wreck Buoy WR12 to Chincoteague Bay CGD05 37-58-27.351N 075-23-05.037W
Lighted Buoy 12, Q R, at

12225 61st Ed. 01-FEB-17 Last LNM: 45/17 NAD 83 12/18
ChartTitle: Chesapeake Bay Wolf Trap to Smith Point
Main Panel 563 CHESAPEAKE BAY WOLF TRAP TO SMITH POINT. Page/Side: A
DELETE Great Wicomico River Buoy 4 at CGD05 37-48-10.470N 076-16-02.320W
DELETE Great Wicomico River Lighted Buoy 6 at CGD05 37-48-33.710N 076-17-24.110W
RELOCATE Great Wicomico River Daybeacon 10 CGD05 from 37-49-50.605N 076-18-59.211W
to 37-49-49.565N 076-18-57.074W
RELOCATE Great Wicomico River Daybeacon 8 CGD05 from 37-49-07.906N 076-17-43.998W
to 37-49-07.240N 076-17-44.773W
RELOCATE Great Wicomico River Light 11 CGD05 from 37-50-55.358N 076-20-03.685W
to 37-50-56.343N 076-20-01.065W
RELOCATE Great Wicomico River Light 9 CGD05 from 37-49-27.108N 076-18-12.006W
and CHANGE to FI G 2.5s, 15FT, 4M to 37-49-29.273N 076-18-13.487W
CHANGE Cockrell Creek Light 1C to Cockrell Creek Warning Daybeacon A, NW, at CGD05 37-49-09.838N 076-17-04.023W
CHANGE Great Wicomico River Light 10 to Great Wicomico River Daybeacon 10, CGD05 37-49-50.605N 076-18-59.211W
TR, at
CHANGE Great Wicomico River Light 8 to Great Wicomico River Daybeacon 8, TR, CGD05 37-49-07.906N 076-17-43.998W
at
ADD Cockrell Creek Light 1C CGD05 at 37-49-09.607N 076-17-02.691W
Green
FI G 2.5s
15 Ft, 4 Naut Mi
ADD Great Wicomico River Light 6 CGD05 at 37-48-33.697N 076-17-24.138W
Red
FI R 2.5s
15 Ft, 4 Naut Mi
ADD Great Wicomico River Wreck Light WR4 CGD05 at 37-48-10.472N 076-16-02.329W
Red
Q R
15 Ft, 4 Naut Mi

12230 67th Ed. 01-JAN-17 Last LNM: 47/17 NAD 83 12/18
ChartTitle: Chesapeake Bay Smith Point to Cove Point
CHART VA-MD-CHESAPEAKE BAY: SMITH POINT TO COVE POINT. Page/Side: N/A
RELOCATE Tar Bay Channel Warning Daybeacon E CGD05 from 38-20-45.053N 076-15-01.083W
to 38-20-45.134N 076-15-01.241W

| | | | |
|--------|--|---------------------------|----------------|
| CHANGE | St. Jerome Creek Light 1SJ to FI G 2.5s, 15FT, 4M, at | CGD05 at 38-06-54.494N | 076-20-08.598W |
|--------|--|---------------------------|----------------|

12233 **39th Ed.** **01-SEP-17** **Last LNM: 40/17** **NAD 83** **12/18**

ChartTitle: Potomac River Chesapeake Bay to Piney Point

Main Panel 570 POTOMAC RIVER-CHESAPEAKE BAY TO PINEY POINT - -. Page/Side: -

| | | | |
|--------|--|---------------------------|----------------|
| CHANGE | St. Jerome Creek Light 1SJ to FI G 2.5s, 15FT, 4M, at | CGD05 at 38-06-54.494N | 076-20-08.598W |
|--------|--|---------------------------|----------------|

12235 **36th Ed.** **01-DEC-17** **Last LNM: 43/17** **NAD 83** **12/18**

ChartTitle: Chesapeake Bay Rappahannock River Entrance, Piankatank and Great Wicomico Rivers

CHART VA -CHESAPEAKE BAY: RAPPAHANNOCK RIVER ENTRANCE (PIANK & GRT WIC RV). Page/Side: N/A

| | | | |
|----------|--|---|----------------------------------|
| DELETE | Great Wicomico River Buoy 4 at | CGD05 37-48-10.470N | 076-16-02.320W |
| DELETE | Great Wicomico River Lighted Buoy 6 at | CGD05 37-48-33.710N | 076-17-24.110W |
| RELOCATE | Great Wicomico River Daybeacon 10 | CGD05 from 37-49-50.605N to 37-49-49.565N | 076-18-59.211W 076-18-57.074W |
| RELOCATE | Great Wicomico River Daybeacon 8 | CGD05 from 37-49-07.906N to 37-49-07.240N | 076-17-43.998W 076-17-44.773W |
| RELOCATE | Great Wicomico River Light 11 | CGD05 from 37-50-55.358N to 37-50-56.343N | 076-20-03.685W 076-20-01.065W |
| RELOCATE | Great Wicomico River Light 9 and CHANGE to FI G 2.5s, 15FT, 4M | CGD05 from 37-49-27.108N to 37-49-29.273N | 076-18-12.006W 076-18-13.487W |
| CHANGE | Cockrell Creek Light 1C to Cockrell Creek Warning Daybeacon A, NW, at | CGD05 37-49-09.838N | 076-17-04.023W |
| CHANGE | Great Wicomico River Light 10 to Great Wicomico River Daybeacon 10, TR, at | CGD05 37-49-50.605N | 076-18-59.211W |
| CHANGE | Great Wicomico River Light 8 to Great Wicomico River Daybeacon 8, TR, at | CGD05 37-49-07.906N | 076-17-43.998W |
| ADD | Great Wicomico River Light 6 Red FI R 2.5s 15 Ft, 4 Naut Mi | CGD05 at 37-48-33.697N | 076-17-24.138W |
| ADD | Great Wicomico River Wreck Light WR4 Red Q R 15 Ft, 4 Naut Mi | CGD05 at 37-48-10.472N | 076-16-02.329W |

Extension 572 CONTINUATION OF PIANKATANK RIVER - -. Page/Side: -

| | | | |
|-----|---|---------------------------|----------------|
| ADD | Cockrell Creek Light 1C Green FI G 2.5s 15 Ft, 4 Naut Mi | CGD05 at 37-49-09.607N | 076-17-02.691W |
|-----|---|---------------------------|----------------|

Main Panel 571 RAPPAHANNOCK RIVER ENTRNCE PIANKATANK-GREAT WICOMICO RIVERS - -. Page/Side: -

| | | | |
|--------|---------------------------------|------------------------|----------------|
| DELETE | Cockrell Creek Buoy 1A at | CGD05 37-49-10.244N | 076-17-03.043W |
| DELETE | Great Wicomico River Buoy 9A at | CGD05 37-49-28.011N | 076-18-12.557W |

12261 **31st Ed.** **01-JAN-17** **Last LNM: 47/17** **NAD 83** **12/18**

ChartTitle: Chesapeake Bay Honga, Nanticoke, Wicomico Rivers and Fishing Bay

CHART MD- CHESAPEAKE BAY: HONGA, NANTICOKE, WICOMICO RIVERS AND FISHING BAY. Page/Side: N/A

| | | | |
|----------|-------------------------------------|---|----------------------------------|
| RELOCATE | Tar Bay Channel Warning Daybeacon E | CGD05 from 38-20-45.053N to 38-20-45.134N | 076-15-01.083W 076-15-01.241W |
|----------|-------------------------------------|---|----------------------------------|

12264 33rd Ed. 01-APR-16 Last LNM: 47/17 NAD 83 12/18
 ChartTitle: Chesapeake Bay Patuxent River and Vicinity
 CHART MD- CHESAPEAKE BAY: PATUXENT RIVER AND VICINITY. Page/Side: N/A
 RELOCATE Tar Bay Channel Warning Daybeacon E
 CGD05
 from 38-20-45.053N 076-15-01.083W
 to 38-20-45.134N 076-15-01.241W

12266 32nd Ed. 01-JAN-17 Last LNM: 41/17 NAD 83 12/18
 ChartTitle: Chesapeake Bay Choptank River and Herring Bay; Cambridge
 CHART MD- CHESAPEAKE BAY: CHOPTANK RIVER AND HERRING BAY. Page/Side: N/A
 RELOCATE South Herrington Harbour Entrance Light 1
 Priv. CGD05
 from 38-43-54.260N 076-32-22.910W
 to 38-43-54.302N 076-32-22.927W
 RELOCATE South Herrington Harbour Light 2
 Priv. CGD05
 from 38-43-55.140N 076-32-24.080W
 to 38-43-55.025N 076-32-24.199W
 RELOCATE South Herrington Harbour Light 3
 Priv. CGD05
 from 38-43-50.470N 076-32-24.720W
 to 38-43-50.519N 076-32-24.726W
 RELOCATE South Herrington Harbour Light 4
 Priv. CGD05
 from 38-43-50.950N 076-32-25.950W
 to 38-43-50.872N 076-32-26.032W
 RELOCATE South Herrington Harbour Light 5
 Priv. CGD05
 from 38-43-46.090N 076-32-27.280W
 to 38-43-46.986N 076-32-27.396W
 RELOCATE South Herrington Harbour Light 6
 Priv. CGD05
 from 38-43-46.440N 076-32-28.210W
 to 38-43-46.488N 076-32-28.212W

12270 38th Ed. 01-JAN-18 Last LNM: 47/17 NAD 83 12/18
 ChartTitle: Chesapeake Bay Eastern Bay and South River; Selby Bay
 CHART MD- CHESAPEAKE BAY: EASTERN BAY AND SOUTH RIVER. Page/Side: N/A
 RELOCATE South Herrington Harbour Entrance Light 1
 Priv. CGD05
 from 38-43-54.260N 076-32-22.910W
 to 38-43-54.302N 076-32-22.927W
 RELOCATE South Herrington Harbour Light 2
 Priv. CGD05
 from 38-43-55.140N 076-32-24.080W
 to 38-43-55.025N 076-32-24.199W
 RELOCATE South Herrington Harbour Light 3
 Priv. CGD05
 from 38-43-50.470N 076-32-24.720W
 to 38-43-50.519N 076-32-24.726W
 RELOCATE South Herrington Harbour Light 4
 Priv. CGD05
 from 38-43-50.950N 076-32-25.950W
 to 38-43-50.872N 076-32-26.032W
 RELOCATE South Herrington Harbour Light 5
 Priv. CGD05
 from 38-43-46.090N 076-32-27.280W
 to 38-43-46.986N 076-32-27.396W
 RELOCATE South Herrington Harbour Light 6
 Priv. CGD05
 from 38-43-46.440N 076-32-28.210W
 to 38-43-46.488N 076-32-28.212W

12280 11th Ed. 01-FEB-14 Last LNM: 45/17 NAD 83 12/18
 ChartTitle: Chesapeake Bay
 CHART MD - VA - CHESAPEAKE BAY. Page/Side: N/A
 CHANGE St. Jerome Creek Light 1SJ
 to FIG 2.5s, 15FT, 4M, at CGD05
 at 38-06-54.494N 076-20-08.598W
 Main Panel 2974 CHESAPEAKE BAY - NORTHERN PART. Page/Side: 1
 RELOCATE Potomac Creek Buoy 3 CGD05
 from 38-20-48.364N 077-17-23.013W
 to 38-20-48.842N 077-17-17.315W

12285 42nd Ed. 01-AUG-15 Last LNM: 41/17 NAD 83 12/18
 ChartTitle: Potomac River; District of Columbia
 CHART MD-VA-DC- POTOMAC RIVER. Page/Side: N/A
 CGD05

CHANGE St. Jerome Creek Light 1SJ at 38-06-54.494N 076-20-08.598W
to Fl G 2.5s, 15FT, 4M, at

Main Panel 644 POTOMAC RIVER SMITH POINT VA TO BRETON BAY MD. Page/Side: _01

| | | | |
|--------|--|------------------------|----------------|
| DELETE | Neabsco Creek Buoy 3 | CGD05 38-35-58.631N | 077-15-11.481W |
| DELETE | Neabsco Creek Buoy 4 | CGD05 38-35-59.250N | 077-15-11.362W |
| DELETE | Potomac Creek Buoy 4 | CGD05 38-20-50.993N | 077-17-47.519W |
| DELETE | Potomac Creek Buoy 5 | CGD05 38-20-44.299N | 077-18-10.529W |
| DELETE | Potomac Creek Buoy 6 | CGD05 38-20-41.970N | 077-18-39.747W |
| DELETE | Potomac Creek Buoy 8 | CGD05 38-20-41.612N | 077-19-22.884W |
| DELETE | Potomac Creek Daybeacon 7 | CGD05 38-20-37.877N | 077-19-03.012W |
| DELETE | St. Catherine Sound Upper Entrance Warning Daybeacon A | CGD05 38-15-21.274N | 076-48-35.960W |

Main Panel 652 POTOMAC RIVER ST CLEMENTS BAY TO MATTAWOMAN CREEK. Page/Side: _01

| | | | |
|----------|----------------------|---|----------------------------------|
| RELOCATE | Potomac Creek Buoy 3 | CGD05 from 38-20-48.364N to 38-20-48.842N | 077-17-23.013W 077-17-17.315W |
|----------|----------------------|---|----------------------------------|

Unrelated 2992 (NOTES GRID FOR CHART 12285). Page/Side: F

| | | | |
|--------|-----------------------------------|------------------------|----------------|
| DELETE | St. Patrick Creek Channel Buoy 3A | CGD05 38-13-58.816N | 076-44-33.496W |
|--------|-----------------------------------|------------------------|----------------|

12286 33rd Ed. 01-AUG-17 Last LNM: 34/17 NAD 83 12/18

ChartTitle: Potomac River Piney Point to Lower Cedar Point

Main Panel 661 POTOMAC RIVER PINEY POINT TO LOWER CEDAR POINT --. Page/Side: -

| | | | |
|--------|--|------------------------|----------------|
| DELETE | St. Catherine Sound Upper Entrance Warning Daybeacon A | CGD05 38-15-21.274N | 076-48-35.960W |
| DELETE | St. Patrick Creek Channel Buoy 3A | CGD05 38-13-58.816N | 076-44-33.496W |

12288 21st Ed. 01-SEP-13 Last LNM: 25/17 NAD 83 12/18

ChartTitle: Potomac River Lower Cedar Point to Mattawoman Creek

Main Panel 663 POTOMAC RIVER LOWER CEDAR POINT TO MATTAWOMAN CREEK. Page/Side: N/A

| | | | |
|----------|---------------------------|---|----------------------------------|
| DELETE | Potomac Creek Buoy 4 | CGD05 38-20-50.993N | 077-17-47.519W |
| DELETE | Potomac Creek Buoy 5 | CGD05 38-20-44.299N | 077-18-10.529W |
| DELETE | Potomac Creek Buoy 6 | CGD05 38-20-41.970N | 077-18-39.747W |
| DELETE | Potomac Creek Buoy 8 | CGD05 38-20-41.612N | 077-19-22.884W |
| DELETE | Potomac Creek Daybeacon 7 | CGD05 38-20-37.877N | 077-19-03.012W |
| RELOCATE | Potomac Creek Buoy 3 | CGD05 from 38-20-48.364N to 38-20-48.842N | 077-17-23.013W 077-17-17.315W |

12289 51st Ed. 01-AUG-15 Last LNM: 41/17 NAD 83 12/18

ChartTitle: Potomac River Mattawoman Creek to Georgetown; Washington Harbor

CHART MD-VA-DC-POTOMAC RIVER: MATTAWOMAN TO GEORGETOWN. Page/Side: N/A

| | | | |
|--------|----------------------|------------------------|----------------|
| DELETE | Neabsco Creek Buoy 3 | CGD05 38-35-58.631N | 077-15-11.481W |
| DELETE | Neabsco Creek Buoy 4 | CGD05 38-35-59.250N | 077-15-11.362W |

12324 36th Ed. 01-MAR-17 Last LNM: 44/17 NAD 83 12/18

ChartTitle: Intracoastal Waterway Sandy Hook to Little Egg Harbor

CHART NY-NJ-SANDY HOOK TO LITTLE EGG HARBOR. Page/Side: N/A

CGD05

| | | | |
|----------|--------------------------------------|--------------------|----------------|
| RELOCATE | Oyster Creek Channel Lighted Buoy 42 | from 39-47-30.562N | 074-09-42.289W |
| | | to 39-47-30.706N | 074-09-42.852W |

13003 52nd Ed. 01-OCT-15 Last LNM: 09/18 NAD 83 12/18

ChartTitle: Cape Sable to Cape Hatteras

Main Panel 2156 CAPE SABLE TO CAPE HATTERAS. Page/Side: A

| | | | |
|----------|---|---|----------------------------------|
| RELOCATE | Hatteras Inlet Channel Lighted Buoy 12A | CGD05 from 35-12-15.258N to 35-12-15.239N | 075-43-57.524W 075-43-57.152W |
| RELOCATE | Hatteras Inlet Lighted Buoy 7 | CGD05 from 35-11-10.797N to 35-11-08.241N | 075-45-36.398W 075-45-29.411W |
| RELOCATE | Hatteras Inlet Lighted Buoy 8 | CGD05 from 35-11-11.017N to 35-11-07.783N | 075-45-32.853W 075-45-22.970W |

SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

| <u>Approved Project(s)</u> | <u>Project Date</u> | <u>Ref. LNM</u> |
|----------------------------|---------------------|-----------------|
| None | | |

Advance Notice(s)

******NJ – INTRACOASTAL WATERWAY – LITTLE EGG HARBOR TO CAPE MAY – CHANGE TO AN AID TO NAVIGATION******

On or about the first week of April, the Coast Guard will permanently change New Jersey Intracoastal Waterway Daybeacon 381 (LLNR 36410) to New Jersey Intracoastal Waterway Buoy 381 (LLNR 36410). The buoy will be a steel hull and maintained year round.

Chart 12316 LNM: 12/18

******MD – POTOMAC RIVER – ST CATHERINE SOUND LOWER ENTRANCE – CHANGES TO AIDS TO NAVIGATION******

On or about March 15, 2018 the Coast Guard will make the following changes to the aids to navigation marking St Catherine Sound Lower Entrance and St Catherine Sound Upper Entrance.

St. Catherine Sound Lower Entrance:

- Change Light 1L (LLNR 17215) To Lighted Buoy 1, Maintained from Mar. 15 to Dec. 1.
- Change Daybeacon 2L (LLNR 17220) to Buoy 2, Maintained from Mar. 15 to Dec. 1.
- Change Daybeacon 3L (LLNR 17225) to Buoy 3, Maintained from Mar. 15 to Dec. 1.
- Change Daybeacon 5L (LLNR 17230) to Buoy 5, Maintained from Mar. 15 to Dec. 1.
- Change Daybeacon 6L (LLNR 17235) to Buoy 6, Maintained from Mar. 15 to Dec. 1.
- Remove Warning Daybeacon (LLNR 17240).
- Change Daybeacon 9L (LLNR 17245) to Buoy 9, Maintained from Mar. 15 to Dec. 1.

St. Catherine Sound Upper Entrance:

- Remove Warning Daybeacon E (LLNR 17290).
- Remove Warning Daybeacon D (LLNR 17285).

Chart 12286 LNM: 11/18

******VA – UPPER POTOMAC RIVER – NEABSCO CREEK – CHANGES TO AIDS TO NAVIGATION******

Due to the continuing shoaling in Neabsco Creek; less than 4.0 feet, the Coast Guard cannot reposition the seasonal buoys; maintained from March 15 to December 1, to mark a definable navigable waterway. On 15 March 2018 the Coast Guard will discontinue these two buoys. Discontinue Neabsco Creek Buoy 3 (LLNR 18233) and Neabsco Creek Buoy 4 (LLNR 18234).

Chart 12285 LNM: 11/18

******VA – UPPER POTOMAC RIVER – NEABSCO CREEK – CHANGES TO THE FIXED AIDS TO NAVIGATION******

Due to the continuing shoaling in Neabsco Creek, on or about March 22 the Coast Guard will remove the lateral dayboards from Neabsco Creek Daybeacon 1 (LLNR 18231) and the lateral dayboards and lighting equipment from Neabsco Creek Light 2 (LLNR 18232) and install non-lateral dayboards worded "DANGER SHOAL" until they can be removed.

- Change - Neabsco Creek Daybeacon 1 (LLNR 18231) to Neabsco Creek Warning Daybeacon A with NW dayboards worded "DANGER SHOAL".
- Change - Neabsco Creek Light 2 (LLNR 18232) to Neabsco Creek Warning Daybeacon B with NW dayboards worded "DANGER SHOAL".

Chart 12285 LNM: 12/18

******VA – RAPPAHANNOCK RIVER ENTRANCE – GREAT WICOMICO RIVER – AID TO NAVIGATION CHANGE******

The Coast Guard will make the following changes to the aids to navigation marking the Great Wicomico River.

Great Wicomico River:

- Relocate Great Wicomico River Lighted Buoy 1GW (LLNR 16180) to approximate position 37 47 25.630N, 76 14 02.850W.

Change Great Wicomico River Buoy 2 (LLNR 16195) to Lighted Buoy 2 with a flashing 2.5 second red light and relocate to approximate position 37 48 06.700N, 76 15 32.140W.

Relocate Great Wicomico River Buoy 3 (LLNR 16200) to approximate position 37 47 55.170N, 76 15 52.850W and will be replaced with a smaller buoy that will have a visual range on 1.4 NM and radar range of 1.6 NM.

Discontinue Great Wicomico River Warning Buoy (LLNR 16185).

Establish Great Wicomico River Wreck Light WR4 (LLNR 16245) in approximate position 37 48 10.490N, 76 16 02.320W with a Quick flashing red light.

Discontinue Great Wicomico River Buoy 4 (LLNR 16245).

Discontinue Great Wicomico River Lighted Buoy 6 (LLNR 16250).

Establish Great Wicomico River Light 6 (LLNR 16250) in approximate position 37 48 32.330N, 76 17 18.720W with a flashing 2.5 second red light.

Relocate Cockrell Creek Light 1C (LLNR 16255) to approximate position 37 49 09.360N, 76 17 03.210W and change to a flashing 2.5 second green light.

Change Great Wicomico River Light 8 (LLNR 16280) to Daybeacon 8 (LLNR 16280) and relocate to approximate position 37 49 07.230N, 76 17 44.800W.

Relocate Great Wicomico River Light 9 (LLNR 16300) to approximate position 37 49 29.250N, 76 18 13.470W and change to a flashing 2.5 second green light.

Change Great Wicomico River Light 10 (LLNR 16330) to Daybeacon 10 (LLNR 16330) and relocate to approximate position 37 49 49.750N, 76 18 57.060W.

Relocate Great Wicomico River Light 11 (LLNR 16335) to approximate position 37 50 56.340N, 76 20 01.060W.

Charts: 12225 12235

LNM: 10/18

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

| <u>Proposed Project(s)</u> | <u>Closing</u> | <u>Docket No.</u> | <u>Ref. LNM</u> |
|----------------------------|----------------|-------------------|-----------------|
| None | | | |

Proposed Change Notice(s)

COAST GUARD POLICY ON NOTIFICATION OF PROPOSED CHANGES

Periodically, the Coast Guard, evaluates the system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing the aid is considered. In this regard, the Coast Guard is evaluating changes in aids to navigation as noted in the below articles. Users can provide feedback by filling out the District 5 Waterway Proposals data/feedback form, located at the NAVCEN D5 LNM website:

https://www.navcen.uscg.gov/pdf/Inms/D05%20LNM%202015%20Special%20Notice_Waterway_Proposal%20Feedback%20Form.pdf

This section also includes Public Notices for proposed changes to the bridges within the Fifth Coast Guard with a request for comments as indicated.

LNM: 41/11

NJ – SEA GRIT TO LITTLE EGG INLET – OYSTER CREEK – PROPOSED CHANGES TO AIDS TO NAVIGATION SEASONAL RELIEF SCHEDULE

The Coast Guard is proposing the following modifications to the seasonal relief schedule for the following aids in Oyster Creek. The following aids are proposed to be "Removed when endangered by ice." during winter months.

Oyster Creek Channel Buoy 37 (LLNR 1080)

Oyster Creek Channel Buoy 38 (LLNR 1090)

Oyster Creek Channel Buoy 38A (LLNR 1091)

Oyster Creek Channel Buoy 39 (LLNR 1093)

Oyster Creek Channel Buoy 40 (LLNR 1095)

Oyster Creek Channel Buoy 41 (LLNR 1097)

Oyster Creek Channel Lighted Buoy 42 (LLNR 1099)

Interested Mariners and other stakeholders are strongly encouraged to comment on the potential impacts this proposal would have on navigational safety. You may provide feedback using the U. S. Coast Guard Fifth District Waterway Data Sheet, available online at

http://www.navcen.uscg.gov/pdf/Inms/D05%20LNM%202015%20Special%20Notice_Waterway_Proposal%20Feedback%20Form.pdf

All comments will be carefully considered and are requested prior to 1 April 2017 to be considered in the analysis. Refer to project number 05-18-028(D)

Send comments to ethan.j.coble@uscg.mil or CGD5Waterways@uscg.mil, or

U.S. Coast Guard Fifth District

Waterways Management (dpw)

Attn: Mr. Ethan Coble

431 Crawford Street

Portsmouth, VA 23704

Chart 12324

LNM: 05/18

******NC- CURRITUCK BEACH LIGHT TO WIMBLE SHOALS – WIMBLE SHOALS LIGHTED BUOY 10 – PROPOSAL TO DISCONTINUE******

The Coast Guard Fifth District is proposing to discontinue Wimble Shoals Lighted Buoy 10 (LLNR 620) located 6.5 NM offshore Rodanthe, NC in 95 feet of water. Based on the proliferation of AIS, charting software, GPS, and other aids to navigation in the general vicinity, this lighted buoy is no longer necessary. Interested Mariners and other stakeholders are strongly encouraged to comment on the potential impacts this proposal would have on navigational safety. You may provide feedback using the U. S. Coast Guard Fifth District Waterway Data Sheet, available online at http://www.navcen.uscg.gov/pdf/Inms/D05%20LNM%202015%20Special%20Notice_Waterway_Proposal%20Feedback%20Form.pdf. All comments will be carefully considered and are requested prior to 1 April 2017 to be considered in the analysis. Refer to project number 05-18-032(D)

Send comments to ethan.j.coble@uscg.mil or CGD5Waterways@uscg.mil, or
U.S. Coast Guard Fifth District
Waterways Management (dpw)
Attn: Mr. Ethan Coble
431 Crawford Street
Portsmouth, VA 23704

Chart 12204

LMN: 07/18

******NC – CAPE HENRY TO PAMLICO SOUND – CROATAN SOUND – PROPOSAL TO DISCONTINUE CROATAN SOUND NORTH WARNING LIGHT******

The Coast Guard is proposing to discontinue Croatan Sound North Warning Daybeacon (LLNR 31906). This aid is redundant based on the proliferation of AIS, charting software, GPS, and two other aids to navigation marking submerged rocks within 20 yards separation of each other. The submerged rocks will still be marked by Croatan Sound Light 3CS (31900) and Croatan Sound South Warning Daybeacon (LLNR 31907).

Interested Mariners and other stakeholders are strongly encouraged to comment on the potential impacts this proposal would have on navigational safety. You may provide feedback using the U. S. Coast Guard Fifth District Waterway Data Sheet, available online at http://www.navcen.uscg.gov/pdf/Inms/D05%20LNM%202015%20Special%20Notice_Waterway_Proposal%20Feedback%20Form.pdf. All comments will be carefully considered and are requested prior to May 21, 2018 to be considered in the analysis. Please reference project 05-18-023(D).

Send comments to CGD5Waterways@uscg.mil or mailed to:
U.S. Coast Guard Fifth District
Waterways Management (dpw)
431 Crawford Street, Room 100
Portsmouth, VA 23704
Attn: Ethan Coble

Chart 12205

LMN: 12/18

******NC – PAMLICO SOUND – NEUSE RIVER APPROACH – PROPOSAL TO DISCONTINUE BAY RIVER ENTRANCE LIGHTED WRECK BUOY******

The Coast Guard is proposing to discontinue Bay River Entrance Lighted Wreck Buoy WR2 (LLNR 33397). Based on the proliferation of AIS, charting software, GPS, and other aids to navigation in the area, this aid no longer is needed and does not serve any lateral significates. Interested Mariners and other stakeholders are strongly encouraged to comment on the potential impacts this proposal would have on navigational safety. You may provide feedback using the U. S. Coast Guard Fifth District Waterway Data Sheet, available online at http://www.navcen.uscg.gov/pdf/Inms/D05%20LNM%202015%20Special%20Notice_Waterway_Proposal%20Feedback%20Form.pdf. All comments will be carefully considered and are requested prior to May 21, 2018 to be considered in the analysis. Please reference project 05-18-048(D).

Send comments to CGD5Waterways@uscg.mil or mailed to:
U.S. Coast Guard Fifth District
Waterways Management (dpw)
431 Crawford Street, Room 100
Portsmouth, VA 23704
Attn: Ethan Coble

Chart 11548

LMN: 12/18

******NC - NEUSE RIVER TO MYRTLE GROVE SOUND– CAROLINA BEACH INLET******

The Coast Guard is proposing to discontinue Carolina Beach Buoy 2A (LLNR 30273). After review of post dredge survey, this aid is no longer needed to mark shoaling between along the channel edge.

Interested Mariners and other stakeholders are strongly encouraged to comment on the potential impacts this proposal would have on navigational safety. You may provide feedback using the U. S. Coast Guard Fifth District Waterway Data Sheet, available online at http://www.navcen.uscg.gov/pdf/Inms/D05%20LNM%202015%20Special%20Notice_Waterway_Proposal%20Feedback%20Form.pdf. All comments will be carefully considered and are requested prior to May 14, 2018 to be considered in the analysis. Please reference project 05-18-042(D).

Send comments to CGD5Waterways@uscg.mil or mailed to:
U.S. Coast Guard Fifth District
Waterways Management (dpw)
431 Crawford Street, Room 100
Portsmouth, VA 23704
Attn: Ethan Coble

Chart 11534

LMN: 11/18

******NC – CAPE FEAR RIVER – CAPE FEAR RIVER ENTRANCE LIGHTED WHISTLE BUOY CF – PROPOSAL TO DISCONTINUE THE RACON******

The Coast Guard Fifth District is proposing to discontinue the RACON and downsize the hull of Cape Fear River Entrance Lighted Whistle Buoy CF (LLNR 860). This is based on the proliferation of AIS, charting software, GPS, and other aids to navigation in the area. The new buoy would be same size as the Cape Fear River channel aids and the aids marking Frying Pan Shoals. Mariner should only see a minimum reduction in radar return from the new buoy.

Interested Mariners and other stakeholders are strongly encouraged to comment on the potential impacts this proposal would have on navigational safety. You may provide feedback using the U. S. Coast Guard Fifth District Waterway Data Sheet, available online at http://www.navcen.uscg.gov/pdf/Inms/D05%20LNM%202015%20Special%20Notice_Waterway_Proposal%20Feedback%20Form.pdf All comments will be carefully considered and are requested prior to 14 May 2018 to be considered in the analysis. Refer to project number 05-18-043(D)

Send comments to ethan.j.coble@uscg.mil or CGD5Waterways@uscg.mil, or
U.S. Coast Guard Fifth District
Waterways Management (dpw)
Attn: Mr. Ethan Coble
431 Crawford Street
Portsmouth, VA 23704

Chart 11537

LNM: 11/18

******NC – CAPE FEAR RIVER – PROPOSAL TO DISCONTINUE NORTHEAST CAPE FEAR RIVER TURNING BASIN LIGHT******

The Coast Guard is proposing to discontinue Northeast Cape Fear River Turning Basin Light (LLNR 30970). Due to significant shoaling around the edge of the turning basin this aid is in less than three feet of water at MLW and the primary service unit has no accessibility to service, which poses a risk of it becoming a hazard to navigation.

Interested Mariners and other stakeholders are strongly encouraged to comment on the potential impacts this proposal would have on navigational safety. You may provide feedback using the U. S. Coast Guard Fifth District Waterway Data Sheet, available online at http://www.navcen.uscg.gov/pdf/Inms/D05%20LNM%202015%20Special%20Notice_Waterway_Proposal%20Feedback%20Form.pdf All comments will be carefully considered and are requested prior to 1 April 2017 to be considered in the analysis. Refer to project number 05-18-029(D)

Send comments to ethan.j.coble@uscg.mil or CGD5Waterways@uscg.mil, or
U.S. Coast Guard Fifth District
Waterways Management (dpw)
Attn: Mr. Ethan Coble
431 Crawford Street
Portsmouth, VA 23704

Chart 11537

LNM: 05/18

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

VA - ATLANTIC OCEAN - WALLOPS ISLAND ROCKET LAUNCHES

Rocket launches are regularly scheduled in the vicinity of Wallops Island, VA. Prior to these launches, visual signals will be displayed consisting of either a large orange-colored, "blimp-shaped" balloon by day or a signal rotating alternately red and white beacon by night. The balloon will be flown from a position at 37°50'38-N / 75°28'47-W and the beacon will be displayed approximately 200 feet above mean high water in position 37°50'16-N / 75°29'07-W. While the warning signal is displayed, all persons and vessels in the danger zone, except vessels entering or departing Chincoteague Inlet, shall leave the zone promptly by the shortest possible route and remain outside the zone until allowed by a patrol boat to enter or the danger signal has been discontinued. Vessels entering or departing Chincoteague Inlet must take the shortest route possible upon display of the danger signal. The danger zone is depicted on navigational charts 12210 and 12211 with corner points starting in the vicinity of Assawoman Inlet and proceeding southerly to position 37-43-20N / 075-29-41W; thence northeasterly to a point in the vicinity of Chincoteague Shoals; thence westerly back to Wallops Island shoreline.

Charts: 12210 12211

LNM: 04/17

****VA – CHESAPEAKE BAY – CAPE CHARLES TO NORFOLK HARBOR - JOINT EXPEDITIONARY BASE LITTLE CREEK FORT STORY – LIVE FIRING****

Live firing is conducted continuously off Joint Expeditionary Base Little Creek in Danger Zone 334.370, the area west of the south end of the Chesapeake Bay Bridge Tunnel, bounded by the following positions: 36-55-24N 76-08-43W, 36-55-50N 76-08-37W, 36-57-16N 76-08-14W, 36-57-16N 76-08-14W, 36-56-58.5N 76-07-11W, 36-57-07N 76-07-44W. Firing is conducted Monday through Friday from 7:00 am to 8:00 pm. For questions contact Range Operations and Training Area, Mr. Assaf or Ms. Lawrence at 757-422-7103/7101.

Charts: 12222 12254

LNM: 19/16

VA - WILLOUGHBY BAY - THIMBLE SHOAL CHANNEL - HELICOPTER AIRBORNE MINE COUNTERMEASURES OPERATIONS

Helicopter Mine Countermeasures Squadron Fourteen (HM-14) routinely conducts airborne mine countermeasures (AMCM) operations utilizing the MH-53E helicopter at low altitudes over the following inland and coastal waterways:

- Willoughby Bay
- Thimble Shoal Channel from the Naval Station Norfolk piers to the Chesapeake Bay Bridge Tunnel.
- An area of the Chesapeake Bay, adjacent to the Thimble Shoal Channel from Thimble Shoal to the Chesapeake Bay bridge tunnel extending to

VA - WILLOUGHBY BAY - THIMBLE SHOAL CHANNEL - HELICOPTER AIRBORNE MINE COUNTERMEASURES OPERATIONS

the north four miles to form a four by seven mile rectangle.

During these operations, the aircraft will be operating at altitudes as low as seventy-five feet and will produce localized winds in excess of 125 miles per hour. Rotor wash produced winds pose a considerable hazard to vessels, especially sailing vessels. The devices the helicopters tow range in size and appearance from a large orange and white sled approximately the size of a pick up truck to slightly submerged steel pipes thirty feet in length, both of which have submerged cable extending well beyond the visible portion of the towed device. The Aircraft Commanders have been directed to exercise every effort to conflict and avoid surface vessels.

All mariners are requested to remain well clear of the helicopters, the towed devices, and the area extending directly behind the aircraft for four hundred yards. Do not approach or cross the area directly behind the towed device as a submerged hazard exists regardless of whether the device is in motion or stationary.

These operations involve large naval helicopters at flight altitudes of 100 feet or less, towing surface and sub-surface devices at speeds up to 25 knots. Helicopters may be identified by a rotating amber position light on centerline of main hull flashing 90 times per minute. An area of hurricane-force winds exists within a 250-foot radius around these helicopters, sufficient to blow people and objects from exposed decks and capsize small craft. The towed devices may be completely invisible and include large cables on or just below the surface streaming up to 1200 feet behind the aircraft. AMCM helicopters will transit to and from the area described above in the following manner: Outboard from the seaplane ramp at the Norfolk Naval Air Station across Willoughby Bay to the main shipping channel, then easterly along the main channel to Buoy 21. From Buoy 21 either East, SE or SSE to the operating area. The return flight will follow the same path as the outbound flight. To minimize the potential for mishap, vessels are requested to remain well clear of these danger zones when AMCM operations are encountered.

Charts: 12200 12205 12221 12222 12245 12254

LNM: 01/16

VA - VIRGINIA CAPES OPERATING AREA (VCOA) - PERMANENT MINE WARFARE TRAINING FIELDS

The U.S. Navy has established four permanent mine warfare training fields within the Virginia Capes Operating Areas. The bounding coordinates for each field are as follow:

AREA A: 37-09.0N 075-31.0W, 37-09.0N 075-34.7W, 37-12.0N 075-31.0W, 37-12.0N 075-34.7W.

AREA B: 36-29.0N 075-31.8W, 36-29.0N 075-35.5W, 36-26.0N 075-35.5W, 36-26.0N 075-31.8W.

AREA C: 36-29.0N 075-20.8W, 36-29.0N 075-24.5W, 36-26.0N 075-24.5W, 36-29.0N 075-20.8W.

AREA D: 36-46.5N 075-47.8W, 36-46.5N 075-46.5W, 36-47.5N 075-46.5W, 36-47.5N 075-47.8W.

Each area contains inert bottom and moored training mines that pose a potential hazard to dredging operations and trawler nets. All moored mines are placed at a minimum of 40 feet depth (MLLW) to preclude them as hazards to navigation.

Chart 12200

LNM: 01/16

VA - COASTAL - STATE MILITARY RESERVATION, CAMP PENDLETON, VIRGINIA BEACH - SMALL ARMS LIVE FIRE SCHEDULE

The Camp Pendleton State Military Reservation Live Fire Small Arms Range described as "all of the waters seaward of the mean high water shore line within a sector between radial lines extending 13,500 yards seaward and bearing 090 degrees true and 150 degrees true, respectively, from a point on shore at 36° 49' 09"N, 075° 58' 45"W". All vessel operators are reminded to review Navigation Regulations as described in paragraph 334.380 of Chapter 2, of U.S. Coast Pilot 4, Atlantic Coast: Cape Henry to Key West (42nd) Edition when operating south of the entrance to the Chesapeake Bay. Firing will take place only during daylight hours and red flags will be displayed at conspicuous locations on the beach at the facility.

Scheduled Firing: NONE SCHEDULED

Vessels shall proceed through the area with caution and shall remain in the area no longer than necessary for transit.

Charts: 12205 12207 12221

LNM: 13/16

DREDGING AND MARINE CONSTRUCTION CAUTIONS

Mariners are cautioned to stay clear of dredge, booster, floating (pontoon) and submerged pipelines, barges, derricks and operating wires associated with dredging and marine construction operations. Operators of vessels of all types should be aware that dredges and floating pipelines are held in place by cables, attached to anchors some distance away from the equipment. Buoys are attached to the anchors so that the anchors may be moved as the dredge advances and the location of the submerged pipelines are marked by buoys on each side of the channel. Mariners are cautioned to strictly comply with the Inland Rules of the Road when approaching, passing and leaving the area of operations, and remain a safe distance away from the dredge, booster, buoys, cables, pipeline, barges, derricks, wires and related equipment. Dredging projects are usually conducted twenty-four (24) hours a day seven (7) days a week. All fishnets, crabpots and structures in the general area must be removed prior to commencement of any work. A NO WAKE transit is requested of all vessels passing the dredge and if necessary to clarify a SAFE PASSAGE contact the dredge on the appropriate VHF-FM channels.

LNM: 01/16

******NJ - PA - DE - MD - DC - VA - SANDY HOOK NJ TO CAPE HENRY VA- COAST PILOT******

National Oceanic Atmospheric Administration (NOAA) - U.S. Coast Pilot 3, Atlantic Coast: Sandy Hook, NJ to Cape Henry, VA, 51st Edition, 2018, has been issued and is ready free download and weekly updates at www.nauticalcharts.noaa.gov/publications/coast-pilot/index.html. Only Print-on-Demand (POD) bound copies are available for purchase at www.nauticalcharts.noaa.gov/publications/print-agents.html#coast-pilot. The 2018 Edition cancels the preceding 2017 Edition, and incorporates all previous corrections.

LNM: 05/18

NJ - HARVEY CEDARS - SURF CITY - BRANT BEACH - LONG BEACH ISLAND - FLOOD CONTROL AND EMERGENCY COASTAL REPAIR

Starting approximately 10 March and continuing until approximately 15 Jun 2018 the hydraulic dredge R.S. WEEKS/hopper dredge MAGDALEN and attendant plant will be operating 3 nautical miles offshore of Long Beach Island, NJ.

Work limits for borrow area will be the perimeter bound by the following approximate positions:

39°40'6.56"N, 74° 5'25.27"W

39°41'35.68"N, 74° 3'41.52"W

39°40'48.98"N, 74° 2'27.00"W and 39°39'18.71"N, 74° 4'7.23"W

NJ – HARVEY CEDARS – SURF CITY – BRANT BEACH – LONG BEACH ISLAND – FLOOD CONTROL AND EMERGENCY COASTAL REPAIR

The staging area will be located between the following approximate positions at Barnegat Inlet:

39°46'6.66"N, 74° 7'11.88"W
39°46'6.36"N, 74° 6'57.60"W
39°45'37.26"N, 74° 7'8.70"W and 39°45'37.98"N, 74° 6'52.50"W

Pipeline corridors will be bound by the following approximate positions while pumping at Brant Beach:

39°37'39.06"N, 74°11'19.16"W
39°37'0.06"N, 74° 9'52.65"W
39°37'0.92"N, 74° 9'52.00"W and 39°37'40.79"N, 74°11'17.50"W

Pipeline corridors will be bound by the following approximate positions while pumping at Harvey Cedars:

39°41'5.68"N, 74° 8'40.58"W
39°40'16.97"N, 74° 4'27.78"W
39°40'17.93"N, 74° 4'27.47"W and 39°41'6.64"N, 74° 8'40.27"W

Pipeline corridors will be bound by the following approximate positions while pumping at Surf City:

39°40'8.53"N, 74° 9'24.00"W
39°40'40.53"N, 74° 6'29.94"W
39°40'16.97"N, 74° 4'27.78"W
39°40'17.93"N, 74° 4'27.47"W
39°40'41.55"N, 74° 6'29.93"W and 39°40'9.54"N, 74° 9'24.17"W

Once underway, dredging operations will continue a twenty-four (24) hours per day, seven days per week basis. Dredge and attendant plan will monitor marine VHF channels 13 and 16. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made.

Chart 12324

LNM: 09/18

NJ - VA - NC – SEACOAST OFFSHORE SUBMARINE CABLE LAYING OPERATIONS

The M/V ILE DE SEIN will be conducting Submarine Fiber Optic Cable operations beginning 27 January and continuing through 2 May, 2018 along the seacoast. Concerned mariners may contact the vessel on VHF-FM Ch 13 & 16.

Charts: 11009 13003

LNM: 03/18

******NJ – GREAT EGG HARBOR INLET – DIVING OPERATIONS******

The US Army Corps of Engineers will be conducting diving operations in Great Egg Harbor Inlet in the following approximate positions: 39-17-12.825N, 74 31 41.193W – 39-17-14.748N, 74-31-44.052W and 39-17-14.666N, 74-31-44.006W on 2 thru 4 Apr 2018, with back up weather dates of 9 thru 11 Apr 2018. The Army Corps vessel RECONNAISSANCE will be on scene and may be contacted on VHF-FM channels 13 and 16. Diving will be conducted during daylight hours.

Chart 12316

LNM: 12/18

******NJ - NEW JERSEY INTRACOASTAL WATERWAY-LITTLE EGG HARBOR TO CAPE MAY – GRASSY SOUND CHANNEL – OCEAN DRIVE BRIDGE – CLOSED TO NAVIGATION******

The Grassy Sound Channel (Ocean Drive) Bridge across Grassy Sound Channel, mile 1.0, in Middle Township, NJ and the Townsend Inlet Bridge across Townsend Inlet, mile 0.6, at Avalon, NJ., will be maintained in the closed-to-navigation position from 9:15 a.m. to 2:30 p.m., on Sunday April 22, 2018, to accommodate the annual Ocean City Marathon event. At all other times the Grassy Sound Channel (Ocean Drive) Bridge will operate in accordance with Title 33 Code of Federal Regulations (CFR) 117.721 and the Townsend Inlet Bridge will operate in accordance with 33 CFR 117.757. Mariners able to pass under the closed span of these bridges may do so at any time. Mariners should exercise caution when transiting the area.

Chart 12316

LNM: 09/18

NJ – DELAWARE BAY – GANDYS BEACH – SHORELINE MONITORING EQUIPMENT

The US Geological Survey in cooperation with various research centers and Louisiana State University is conducting research and shoreline monitoring in the Gandy's Beach area south of Nantuxent Point on the eastern side of Delaware Bay, in an area bounded by the following points, Offshore 39-16-13.180N, 075-14-34.950W 39-16-33.280N, 075-14-31.230W
Inshore 39-16-36.250N, 075-14-31.560W 39-16-35.040N, 075-14-30.370W
In this area, there will be sediment traps, wave gages, and current meters. The equipment will be marked with PVC poles, yellow and red floats. For more information, contact William Capurso at 631-736-0783 ext 136.

Chart 12304

LNM: 05/18

******PA – NJ – PHILADELPHIA TO TRENTON - UPPER DELAWARE RIVER – AIDS TO NAVIGATION******

The following aids to navigation stations will continue to be marked with winter hulls and the lights will be burning at a reduced intensity until the summer seasonal hulls are able to be placed on station.

Upper Delaware River Channel Lighted Buoy 4 (LLNR 3663)
Upper Delaware River Channel Lighted Buoy 6 (LLNR 3670)
Upper Delaware River Channel Lighted Buoy 8 (LLNR 3680)
Upper Delaware River Channel Lighted Buoy 52 (LLNR 4015)
Upper Delaware River Channel Lighted Buoy 54 (LLNR 40404)
Upper Delaware River Channel Lighted Buoy 60 (LLNR 4075)
Upper Delaware River Channel Lighted Buoy 65 (LLNR 4095)
Upper Delaware River Channel Lighted Buoy 71 (LLNR 4155)
Upper Delaware River Channel Lighted Buoy 78 (LLNR 4175)

******PA – NJ – PHILADELPHIA TO TRENTON - UPPER DELAWARE RIVER – AIDS TO NAVIGATION******

Upper Delaware River Channel Lighted Buoy 89 (LLNR 4250)

Upper Delaware River Channel Lighted Buoy 91 (LLNR 4270)

Chart 12314

LNLM: 11/18

******PA – NJ – DELAWARE BAY AND RIVER – MIAH MAULL TO LISTON RANGE – DREDGING******

The Dutra dredge PAULA LEE will be performing dredging operations beginning in Miah Maull working north to Liston Range, in the Delaware Bay and River, from March 10 through approximately June 31, 2018. The clamshell dredge will be dredging the main navigational channel beginning on the red side of the channel working north and then south on the green side of the channel. The dredge PAULA LEE will be able to move for vessel traffic. Vessels should contact the dredge 30 minutes prior to arrival to make safe passing arrangements. The dredge PALUA LEE can be contacted on VHF-FM channel 14 and 82. Mariners should proceed with caution when transiting the area.

Chart 12304

LNLM: 11/18

******PA – NJ – DELAWARE RIVER – OBJECT IN NEW CASTLE RANGE******

An object, approximately 100ft in length and 3.5 inches in diameter, has been reported in the Delaware River Navigational Channel, in New Castle Range, at approximately 39 36.89833N, 075 34.56327W. The object is inside the red toe of the channel, approximately 300 feet upstream from Delaware River Lighted Buoy 18 (LLNR 2875). Mariners should use extreme caution when transiting this area of New Castle Range as depth at objects location is 42.7ft at mean low low water.

Chart 12311

LNLM: 09/18

******PA – NJ – DELAWARE RIVER – MARCUS HOOK ANCHORAGE #7 – SURVEYING – DIVING OPERATIONS******

Commerce Construction will be conducting surveying and diving operations in Marcus Hook Anchorage No. 7 on the Delaware River, beginning on March 15, 2018 through March 22, 2018 from 6:00 AM to 6:00 PM. A safety zone will be in place in all navigable waters within 250 yards of the diving vessels, as well as any associated equipment operating in Marcus Hook Anchorage. The work will be conducted in the southern most portion of the anchorage on the eastern side, adjacent to the New Jersey Shoreline. The safety zone restricts vessels from anchoring in the lower portion of Marcus Hook Anchorage. Vessels must operate at the minimum safe speed necessary to maintain steerage and reduce wake when transiting in the anchorage and main navigational channel. The remainder of Marcus Hook Anchorage is open to vessel traffic as per general anchorage regulations set forth in 33 CFR 110.157 (b). No vessel shall occupy the anchorage for a longer period than 48 hours without a permit from the COTP. Vessels requesting to anchor longer than 48 hours must obtain approval by calling the Sector Delaware Bay Command Center at (215) 271-4807 and submitting an Extended Anchorage Request. Questions regarding the contents of this bulletin or expectations of the Captain of the Port can be directed to (215) 271-4807 or (267) 515-7294.

Chart 12312

LNLM: 12/18

******PA – NJ- DELAWARE RIVER – TINICUM AND MARCUS HOOK RANGES – DREDGING AND BLASTING – SAFETY ZONE******

Great Lakes Dredging Company will be conducting dredging and rock blasting operations with the drill boat APACHE, dredge TEXAS, and dredge NEW YORK, along the Delaware River, from Marcus Hook, PA to Eddystone, PA from November 30, 2017 to March 15, 2018. As a result, the us Coast Guard will be establishing a Safety Zone on all navigable waters in the Delaware River within 500 yards of vessels and machinery conducting rock blasting, dredging, and rock removal operations. Entry into, transiting, or anchoring within the Safety Zone is prohibited unless authorized by the COTP, Delaware Bay, or his designated representative. For the duration of the project, one side of the main navigational channel will be closed. Vessels wishing to transit the Safety Zone in the main navigational channel may do so if they can make satisfactory passing arrangements with the drill boat APACHE, dredge TEXAS, or dredge NEW YORK, in accordance with the navigational rules in 33 code of federal regulations subchapter e via VHF-FM channel 13 at least 30 minutes prior to arrival. If vessels are unable to make satisfactory passing arrangements with the drill boat APACHE, dredge TEXAS, or dredge NEW YORK, they may request permission from the COTP or his designated representative on VHF-FM channel 16. All vessels must operate at the minimum safe speed necessary to maintain steerage and reduce wake. Operations will be conducted 24 hours a day, 7 days a week. Further safety information, specifically regarding rock blasting information, to include restrictions and times of rock blasting operations, will be broadcast separately. Mariners are advised to proceed with extreme caution in the area. Sturgeon relocation trawling will commence on 15 Nov with the trawler Amy Marie operating in Tinicum and Marcus Hook Ranges. Trawling operations will be continuous in daylight hours throughout the duration of the project.

Chart 12312

LNLM: 45/17

MD - FENWICK ISLAND TO CHINCOTEAGUE INLET - OCEAN CITY INLET – SHOALING

A Maryland Department of Natural Resources Bathymetric Survey conducted in November 2017 has identified shoaling midway between Ocean City Inlet Lighted Buoy 8 (LLNR 4745) and Lighted Buoy 10 (LLNR 4750) to a depth of less than five feet at MLLW and extending approximately 150 feet into the channel. A second area of severe shoaling has been identified between Ocean City Lighted 11 (LLNR 4755) and Lighted Buoy 12 (LLNR 4757) to a depth of less than seven feet at MLLW. Automatic Identification System (AIS) has been placed on the following aids to navigation. Marine Mobile Service Identification Numbers are as follows.

- A. Ocean City Inlet Lighted Buoy 8 (LLNR 4745), (MMSI) 993672676 in approx position 38-19-24.780N 075-05-24.510W.
- B. Ocean City Inlet Lighted Buoy 10 (LLNR 4750), (MMSI) 993672677 in approx position 38-19-27.923N 075-05-30.310W.
- C. Ocean City Inlet Junction Buoy OC (LLNR 4753), (MMSI) 993672678 in approx position 38-19-35.064N 075-05-34.620W.
- D. Ocean City Inlet Lighted Buoy 11 (LLNR 4755), (MMSI) 993672679 in approx position 38-19-36.367N, 075-05-42.67 W.
- E. Ocean City Inlet Lighted Buoy 12 (LLNR 4757), (MMSI) 993672680 in approx position 38-19-38.978N, 075-05-47.019W.

Chart 12211

LNLM: 52/17

******MD - POTOMAC RIVER - ST PATRICK CREEK – SHOALING******

There has been a report of severe shoaling within the channel boundaries of St. Patrick Creek. Shoaling has been reported in the vicinity of St. Patrick Creek Channel Daybeacon 3 (LLNR 17120) extending to St. Patrick Creek Channel Daybeacon 5 (LLNR 17135) with depths of 2-4' at MLW. Shoaling to 1' MLW has been observed in the channel in the vicinity of St. Patrick Creek Channel Buoy 3A (LLNR 17125).

Chart 12286

LNLM: 12/18

******MD – UPPER POTOMAC RIVER – NEABSCO CREEK – SHOALING******

There has been a report of severe shoaling inside the channel boundaries of Neabsco Creek. Shoaling extends 50 yards into the channel from Neabsco Creek Daybeacon 1 (LLNR 18231) and Neabsco Creek Light 2 (LLNR 18232) with depths of 3 to 4 feet at MLW. Additional shoaling between Neabsco Creek Buoy 3 (LLNR 18233) and Neabsco Creek Buoy 4 (LLNR 18234) positions has been observed to a depth less than 3 Feet at MLW.

Chart 12289

LNM: 11/18

******MD – CHESAPEAKE BAY – PATUXENT RIVER – MD-231/PATUXENT RIVER BRIDGE INSPECTION******

An engineering firm, on behalf of the Maryland State Highway Administration, will be performing inspections at the MD-231 (Patuxent River) Bridge across the Patuxent River, at mile 24.4, at Benedict, MD. The inspection will be conducted from March 26, 2018 to May 18, 2018; from 9 a.m. to 3 p.m. The underside of the bridge will be accessed by a pontoon boat with scaffolding and a boat-mounted man-lift that will be located in and around the vicinity of the bridge. Inspection personnel, equipment and vessels will relocate from the movable span navigable channel, upon request, to facilitate safe navigation through the bridge. The work boat may be reached on VHF-FM channel 13. The project foreman can be reached at (860) 214-2450. Mariners should use caution when transiting the area.

Chart 12264

LNM: 12/18

******MD – CHESAPEAKE BAY – ROCKHOLD CREEK – SHOALING******

The Coast Guard has identified shoaling within Rockhold Creek Channel boundaries near position 38-46.0N, 076-33.25W, approximately 70 yards east of Rockhold Creek Jetty Light 2 (LLNR 19400) to a depth of less than three feet at MLLW. Shoaling extends from the north to beyond mid-channel. Mariners are urged to use caution when transiting the area.

Chart 12270

LNM: 12/18

MD – CHESAPEAKE BAY – TRED AVON RIVER – HARRIS CREEK - OYSTER REEFS

The U.S. Army Corps of Engineers and Maryland Department of Natural Resources have placed rock and shell on the bottom in the Tred Avon River and in Harris Creek in Talbot County, Maryland. In those areas, water depths are 1 to 2 foot shallower than what is currently shown on navigational charts. Please be vigilant when navigating through these areas. A general maps, finer scale maps, and coordinates of the restoration areas are available at: <http://go.usa.gov/cswPh>.

For more information or questions contact the USACE Project Manager, Louis Snead - 410-962-3691 or louis.c.snead@usace.army.mil.

Chart 12266

LNM: 40/17

******MD – CHESAPEAKE BAY – LOVE POINT – ARTIFICIAL REEF DEPLOYMENT******

The Maryland Artificial Reef Initiative will be deploying concrete material at the Love Point Artificial Reef Site on or about March 21, 2018, weather permitting. The material will be deployed via crane at or near 39 04.020N, 76 17.345W, in approximately 27 feet of water. On the day of deployment, a tug and barges carrying the crane and concrete will be spudded down on the site from 07:00 to 17:00. In case of foul weather the deployment will take place between March 14 and March 20. The Maryland Artificial Reef Coordinator can be reached at Michael.Malpezzi@maryland.gov for questions.

Chart 12272

LNM: 11/18

******MD – CHESAPEAKE BAY - COVE POINT TO SANDY POINT – CHESAPEAKE CHANNEL – DREDGING OPERATIONS******

Dredging operations are scheduled in the Chesapeake Bay at Kent Island, MD until March 31, 2018, and will occur Mondays through Fridays, daylight hours only. The dredging will be conducted at the Matapeake Marine Terminal Entrance Channel near Stevensville, Queen Anne's County, MD. Marine equipment on site includes an ELLICOTT 370 dredge, anchor barge, three small work skiffs, and approximately 2,000 feet of pipeline, which will be continuously marked with orange buoys. Mariners are urged to use caution when transiting the area, and can contact the Southern Maryland Dredging, Inc. dredge on marine band radio VHF-FM channels 08, 13 and 16.

Chart 12263

LNM: 10/18

MD - CHESAPEAKE BAY - COVE POINT TO SANDY POINT-EASTERN CHANNEL

There has been a report that an installed access platform and staircase located on the north side (westbound span) of the William P. Lane JR (US-50/301) Memorial Bridges at Pier 45 near the Eastern Channel is extending downward from the bridge deck to approximately 15 feet above the water. Mariners are urged to use caution when transiting the area.

Chart 12270

LNM: 06/18

******MD – CHESAPEAKE BAY – SANDY POINT TO SUSQUEHANNA RIVER – UPPER CHESAPEAKE CHANNEL LIGHTED BUOY 36******

The following aid to navigation station will continue to be marked with its winter hull and the light will be burn at a reduced intensity until the summer seasonal hull is able to be placed on station.

Upper Chesapeake Channel Lighted Buoy 36 (LLNR 8630).

Chart 12273

LNM: 11/18

******MD – VA – CHESAPEAKE BAY – BALTIMORE HARBOR TO CAPE HENRY – DEAD SHIP TOW******

The articulated tug-barge (AT/B) unit Sea Raven/ATC-23 is scheduled to be towed in a dead ship status from the TE Subcom dock (Port Covington) in Baltimore, MD to Lake Charles, LA, along an intended route that includes the Patapsco River and Chesapeake Bay, to sea via Cape Henry, VA. The tow is expected to begin at 6 a.m. on March 22, 2018, however, in the event of inclement weather, the tow will be postponed. Upon departure, the Sea Raven will be removed from the notch of the ATC-23 and secured to the hip of the barge while being towed from Baltimore to its departure from the Chesapeake Channel near Cape Henry. At that location, the tow will be separated, with both the Sea Raven and ATC-23 placed in a tandem astern tow for the coastwise voyage. From its departure at Baltimore to a location just below the William P. Lane (US-50/301) Memorial Bridges, the tow will be accompanied by an assist tug. Interested mariners may contact the TradeWinds Towing lead towing vessel HOLLYWOOD via marine band radio VHF-FM channel 16 or 13. For any questions or concerns, contact Coast Guard Sector Maryland-National

******MD – VA – CHESAPEAKE BAY – BALTIMORE HARBOR TO CAPE HENRY – DEAD SHIP TOW******

Capital Region at (410) 576-2693.

Charts: 12280 12281

LNM: 12/18

******VA – CHINCOTEAGUE INLET TO GREAT MACHIPONGO INLET – VIRIGINIA INSIDE PASSAGE - WALLOPS ISLAND – SHOALING******

There has been a report of shoaling in the vicinity of Wallops Island Lighted Buoy 2 (LLNR 5520) to a depth of one foot.

Chart 12210

LNM: 11/18

******VA – CHESAPEAKE BAY – CAPE CHARLES TO NORFOLK HARBOR - JOINT EXPEDITIONARY BASE LITTLE CREEK FORT STORY – MILITARY OPERATIONS******

Joint Expeditionary Base Little Creek Fort Story (JEBLCFS) Military Operations will be conducted in the following areas during the dates and times listed. Operations may consist of swimmers in the water, small boat operations, parachute drops, helicopter air drops and recovery, blank firing, UAV ops:

Naval Anchorage Area A, 19 Feb through 31 Mar 7:00 am to 5:00 pm each day.

Naval Anchorage Area B, 19 Feb through 31 Mar 7:00 am to 5:00 pm each day.

Fort Story Restricted Area, 19 Feb through 31 Mar 7:00 am to 5:00 pm each day.

Fort Story Restricted Area, 12 thru 14 Mar, 7:00 am to Noon each day.

Fort Story Restricted Area, 15 thru 16 Mar, 8:00 am to 8:00 pm each day.

Naval Anchorage Area A, 19 and 20 Mar 9:00 am to 4:00 pm each day.

Fort Story Restricted Area, 19 thru 23 Mar, 8:00 am to 4:00 pm each day.

Naval Anchorage Area A, Fort Story Restricted Area, 20 Mar 9:00 am to 4:00 pm each day.

Naval Anchorage Area A, Fort Story Restricted Area, 21 Mar 9:00 am to 4:00 pm each day.

Naval Anchorage Area A, Fort Story Restricted Area, 27 Mar 9:00 am to 3:00 pm each day.

For questions or concerns about these operations you may contact Range Operations and Training Area, Mr. Assaf or Ms. Lawrence at 757-422-7103/7101.

Charts: 12222 12254

LNM: 01/17

******VA – HAMPTON ROADS - NORFOLK HARBOR – DREDGING*****

The Dredge ESSEX is expected to commence dredging operations at the Craney Island Eastward Expansion Area on or about March 22, 2018. A submerged pipeline will be placed from the dredging area to the Craney Island Disposal Area. The dredge and associated equipment will be located 700 feet, or more, west of the main shipping channel near vicinity of Elizabeth River Channel Lighted Buoy 18 (LLNR 9600). Dredging is expected to continue until approximately April 21, 2018. Debris extraction in this area is expected to begin on March 8, 2018 by the Dredge ATLANTIC. The debris will be placed on barges and towed to Deep Creek for disposal. The Dredge Operator will standby on channels 13 and 16 VHF-FM. Contact Norfolk Dredging at 757-547-9391 for more information.

Chart 12245

LNM: 11/18

******VA – ELIZABETH RIVER SOUTHERN BRANCH – HIGH RISE BRIDGE – MAINTENANCE******

An engineering firm, on behalf of Virginia Department of Transportation, will be performing maintenance at I-64 High Rise Bridge over Elizabeth River Southern Branch, mile 7.1, in Chesapeake, VA. This serves as an update to MSIB 17-105. The maintenance project being conducted has been extended through March 31, 2018; 24 hours a day; 7 days a week.

Work boats will be in and around the vicinity of the bridge during the repair and rehabilitation of the bridge. The work barge will remain on scene and will reduce the horizontal navigational clearance to 70 feet for the duration of the project. Maintenance personnel, equipment, and vessels will relocate out of the navigable channel with 24-hour advanced notice for mariners that require additional clearance to navigate safely through the bridge. Work vessels may be reached on VHF-FM channel 13. The project foreman can be reached at (813) 347-2134. Mariners should use caution when transiting the area. Should you have any questions or concerns regarding this matter, contact US Coast Guard Sector Hampton Roads Waterways Management Division at (757) 668-5580 or HamptonRoadsWaterway@uscg.mil.

Chart 12253

LNM: 12/18

******VA – ATLANTIC INTRACOASTAL WATERWAY - DISMAL SWAMP CANAL – RESTRICTED REOPENING******

The locks at Deep Creek, Virginia and South Mills, North Carolina will return to their normal operating schedule to accommodate vessels desiring to use the Dismal Swamp Canal (Route 2) of the Atlantic Intracoastal Waterway. The locks will be operated at 8:30 AM, 11:00 AM, 1:30 PM and 3:30 PM seven days per week. The drawbridges adjacent to these locations will operate as normal and in conjunction with the lock openings. Vessels may moor overnight in the canal. There will be only one operator at Deep Creek and one at South Mills, so the bridge will not be manned when the lock is being operated, and vice versa. Locks and bridges monitor channel 13. The latest surveys of AIWW-Deep Creek, AIWW-Dismal Swamp Canal, and AIWW-Tumers Cut are available at: <http://www.nao.usace.army.mil/HydroSurveys/>. Boaters should review these surveys and the following conditions:

a) AIWW-Dismal Swamp Canal currently has a controlling depth of 6 feet at centerline and 50 feet wide except at The Big Entry Ditch (MM #13) and the Feeder Ditch (MM #22) where the width narrows to approximately 25 feet wide. These shoaled areas have been marked with green and red stakes to show the channel. Due to the narrow channel, only one vessel can pass in these area at a time.

b) AIWW-Turners Cut Channel just south of the South Mills Lock currently has a controlling depth of 5.9 feet at centerline and 80 feet wide. A remaining shoal south of Joyce Creek has been marked with green and red stakes to show the channel where the canal narrows to approximately 40 feet wide. Due to the narrow channel, only one vessel can pass in this area of the Turners Cut at a time.

c) Norfolk District Corps of Engineers crane barge will working at the Big Entry Ditch and Turners Cut this spring. Dredging is scheduled this summer in the Dismal Swamp Canal at the Feeder Ditch.

Those planning to use this route should refer to the Coast Guard Local Notice to Mariners, contact the lock operator, or call the Norfolk District office at 757-201-7642.

Chart 12253

LNM: 10/18

******VA – UPPER POTOMAC RIVER – POTOMAC CREEK – SHOALING******

There has been a report of severe shoaling within the channel boundaries of Potomac Creek. Shoaling extends 15 yards channel ward of Potomac Creek Buoy 3 (LLNR 17920) with depths of 3 to 4 feet at MLW. Additional shoaling in the vicinity of Potomac Creek Buoy 5 (LLNR 17930) and Potomac Creek Buoy 6 (LLNR 17935) positions has been observed to a depth less than 3 feet at MLW.

Chart 12288

LNM: 12/18

******VA – APPOMATTOX RIVER – EAST HUNDRED ROAD BRIDGE - MAINTENANCE******

An engineering firm, on behalf of Virginia Department of Transportation, will be performing maintenance at SR 10 (East Hundred Road) bridge over Appomattox River, mile 1.2, at Hopewell, VA. The bridge maintenance which began in will continue from 9 a.m. to 3 p.m.; M-F; through October 5, 2018; A work platform and a safety boat will be in and around the vicinity of the bridge. The work platform will not reduce the clearances of the bridge. The safety vessel may be reached on VHF-FM channel 13. Please contact (301) 343-8585 or (804) 400-5015 for more information. Mariners should use caution when transiting the area.

Chart 12252

LNM: 11/18

VA – CHESAPEAKE BAY – CAPE CHARLES TO WOLF TRAP – RESEARCH BUOY

Caribbean Wind LLC has temporary established a yellow research buoy approximately 2 nm from the entrance to Cherrystone Channel in approximate position 37°14'03"N, 76°05'37"W. The research buoy is 3 feet in diameter, 5 feet high, with an amber 4 second flashing light. For questions contact Doug Wilson at (410) 507-8587 or Doug@coastaloceanobs.com.

Chart 12224

LNM: 44/17

******VA - RAPPAHANNOCK RIVER – GREENVALE CREEK – DREDGING******

Ray Nornes, Inc will be conducting dredging operations in the Greenvale Creek 1 Mar through 14 Mar 2018. Dredging operations will be conducted during daylight hours seven days a week. Mariners are requested to contact the dredge prior to passing and slow to bare steerage while transiting the area. The dredge will monitor vhf channel 16. Mariners should stay clear of the dredge and on-scene equipment and are advised to transit the area with extreme caution.

Chart 12237

LNM: 10/18

VA – NC – OFFSHORE – FALSE CAPE - HYDROGRAPHIC SURVEY OPERATIONS

NOAA Ship FERDINAND R. HASSLER (S-250) will be conducting hydrographic survey operations near the Virginia and North Carolina border offshore of False Cape from 10 Feb through the end of April 2018. FERDINAND R. HASSLER (FH) is a 123-foot, white-hulled survey vessel with NOAA markings and can be identified on AIS. Survey operations will be conducted 24-hours a day and the vessel may be contacted on VHF-FM channel 13 and 16. Mariners are requested to exercise caution when transiting the operational area. There will be two modes of survey operations, which may happen simultaneously. Survey modes include; ship survey with or without towed sensors and survey from a 28 foot launch. When towed hydrographic instrumentation is deployed, FH will be restricted in her ability to maneuver. Questions or concerns can be addressed to the ship's Field Operations Officer via phone at (603) 812-8748 or via email at: ops.ferdinand.hassler@noaa.gov

Chart 12207

LNM: 52/17

******NC – OREGON INLET – SHOALING******

Shoaling has been reported between Oregon Inlet Buoy 4 (LLNR 27990) and Oregon Inlet Lighted Buoy 6 (LLNR 28003). Observed depths of 4 feet MLW. Shoaling across entire channel to a depth of 4 feet MLW. Shoaling was also found extending across the channel between Oregon Inlet Lighted Buoy 19 (LLNR 28065) and Oregon Inlet Channel Buoy 21 (LLNR 28070). Observed depths of 4 feet MLW. Shoaling across entire channel to a depth of 4 feet MLW.

Chart 12204

LNM: 12/18

******NC – OFF SHORE – OREGON INLET - LOST CONTAINERS******

70, 40 foot containers were lost 17 miles off shore of Oregon Inlet NC. All mariners are requested to transit the area with caution and report all sightings of any containers to the Coast Guard.

Chart 11520

LNM: 10/18

NC - OREGON INLET CHANNEL - HERBERT C. BONNER BRIDGE CONSTRUCTION & REPLACEMENT

Construction activities for the replacement bridge are ongoing and are expected to finish on August 30, 2019. Work will be conducted 24-hours per day, seven days a week. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new bridge. Crane barges will be secured in place with four anchors connected by anchor wires to the corners of the barge. The anchor locations will be marked with yellow crown buoys within an approximate 500-ft radius of the crane barge. Mariners should be aware that anchor wires may be at or just above/below the water surface between the barges and crown buoys; therefore vessels should stay on the outboard side of the crown buoys. In addition, construction activities for the replacement bridge immediately adjacent to the current navigation channel are scheduled to begin on July 24, 2017 and continue until December 31, 2017. The NCDOT Resident Engineer may be contacted at (252) 473-3637 and PCL Civil Constructors may be contacted at (252) 423-3093. Project information may be found at <http://www.ncdot.gov/projects/bonnerbridge/replace/>.

Chart 12205

LNM: 18/16

******NC – ALBAMARLE SOUND – ALLIGATOR RIVER BRIDGE – CLOSED TO NAVIGATION******

The US 64 (Alligator River) bridge, over AICW (Alligator River), mile 84.2, near Columbia, NC, will be maintained in the closed-to-navigation position to facilitate bridge maintenance.

The bridge will remain in the closed-to-navigation position:

Wednesday, 6:00 am, March 14, 2018, through 6 p.m. on Wednesday, March 21, 2018.

******NC – ALBAMARLE SOUND – ALLIGATOR RIVER BRIDGE – CLOSED TO NAVIGATION******

Chart 11553

LNM: 10/18

NC – ALBAMARLE SOUND TO NEUSE RIVER– ALLIGATOR RIVER– ESTABLISHMENT OF MOORING BUOYS

On or about December 19, 2017, Seaward Marine Corporation will establish five mooring buoys in the vicinity of the US 64 (Alligator River) bridge to support barges conducting work on the bridge (also see the article in the enclosure "Summary of Bridge Regulations/Construction/Permits" about the bridge's temporary deviation published regulations). The buoys will be white with blue bands and rise 3 feet above the waterline. They will be lit with white lights flashing four seconds when no barges are moored to them. The buoys will be discontinued at the end of the bridge maintenance project.

Alligator River Lighted Mooring Buoy A, Fl W 4s, 35-54-25.7N, 076-01-19.9W

Alligator River Lighted Mooring Buoy B, Fl W 4s, 35-54-01.4N, 075-59-58.7W

Alligator River Lighted Mooring Buoy C, Fl W 4s, 35-53-50.5N, 075-59-08.0W

Alligator River Lighted Mooring Buoy D, Fl W 4s, 35-53-38.9N, 075-59-12.1W

Alligator River Lighted Mooring Buoy E, Fl W 4s, 35-53-51.3N, 076-00-02.6W

Chart 11553

LNM: 51/17

NC – CAPE HENERY TO PAMLICO SOUND – ROANOKE SOUND CHANNEL – OLD HOUSE CHANNEL – DREDGING

Cottrell Contracting Corporation of Chesapeake, Virginia dredge MARION and associated dredge equipment will be conducting dredging operations in the vicinity of Manteo to the Pamlico Sound. Operations will take place from Walter Slough to Roanoke Sound Channel Light 1 (LLNR 28365) and out to Old House Channel Light 16OH (LLNR 28300). Dredging operations will continue until 31 March, 2018.

Chart 12205

LNM: 08/17

******NC – CAPE HATTERAS – HATTERAS TO OCRACOKE FERRY ROUTE – DREDGING******

Cottrell Contracting Corporation of Chesapeake, Virginia dredge MARION and associated dredge equipment will be conducting dredging operations in the vicinity of South Hatteras Island and the Hatteras to Ocracoke Ferry. Operations will take place from Hatteras to Hatteras Connecting Channel and Hatteras Ferry Channel Ranges 3 through 5 from Hatteras Inlet Channel Daybeacon 27 (LLNR 28800) to Hatteras Inlet Channel Light 19 (LLNR 28765). Dredge operations will take place from March 19 through April 07, 2018.

Chart 11555

LNM: 12/18

******NC – WESTERN PART OF PAMLICO SOUND – PAMLICO RIVER – WRIGHT CREEK – SHOALING******

Mariners are advised of shoaling in vicinity of Wright Creek Daybeacon 4 (LLNR 32870) off the Pungo River. All mariners are requested to transit the area with caution.

Chart 11553

LNM: 12/18

******NC – NEUSE RIVER – TRENT RIVER – ALFRED CUNNINGHAM BRIDGE – CLOSED TO NAVIGATION******

The U.S. 70/Alfred C. Cunningham Bridge over the Trent River, mile 0.0, at New Bern, NC will be maintained in the closed-to-navigation position to facilitate the 2018 Neuse River Bridge Run. The bridge will maintained in the closed position from 6:45 a.m. through 10 a.m. on Saturday, March 24, 2018. The bridge will be able to open for emergencies, if at least 5 minutes notice is given. Vessels able to pass through the bridge in the closed position may do so at any time. Mariners should adjust their transits accordingly and should use caution when transiting the area.

Chart 11552

LNM: 11/18

******NC – PAMLICO SOUND - NEUSE RIVER – MARINE CORPS AIR STATION CHERRY POINT - NOTICE OF LIVE FIRING******

Marine Corps Air Station (MCAS) Cherry Point Notice of Live Firing in Hancock Creek north of Cahoogue Creek, the Neuse River located at the mouth of Hancock Creek, Restricted Area/Danger Zone 334.430:

None at this time.

Notice of Live Firing in Piney Island and Brandt Island, Danger Zones 334.420:

SUNUP - SUNSET: 16 MAR 18 - 31 MAR 18 MONDAY THROUGH FRIDAY RIFLE RANGE TRAINING.

0800 - 2359: 16 MAR 18 - 31 MAR 18 AVIATION RANGE TRAINING.

Command Officer of MCAS Cherry Point will not restrict public access to Public Trust Waters outside of the Danger Zones. This notice serves to identify the possible hazards associated when boating in this area. This area will not be patrolled by Military Personnel or vessels. Contact the MCAS Cherry Point Range Management Department at (252) 466-4040/2939 for questions or further information.

Charts: 11548 11552

LNM: 51/17

******NC - NEW RIVER - FIRING EXERCISES******

Marine Corps Installations East-Marine Corps Base Camp Lejeune, North Carolina, Live firing and training:

Mariners traveling in Atlantic Intracoastal Waterway through this area can expect a delays of about one to four hours during the below times.

Range Control Boats, from Camp Lejeune, NC monitor Channel 16 VHF-FM and the working Channel 82 VHF-FM. Range Control can be reached at 910-451-3064 or 4449.

The restricted areas in the Atlantic Ocean east of the New River inlet as shown on National Ocean Service Chart 11543, will be closed to navigation up to 15 nm seaward because of firing exercises during the following periods: Nothing scheduled.

The Restricted Areas in the New River, as shown on National Ocean Service Chart 11542, that will be closed to navigation because of Stone Bay Rifle Range firing exercises during the following periods:

STONE CREEK SECTOR 12:01 A.M. TO MIDNIGHT - DAILY

STONE BAY SECTOR 12:01 A.M. TO MIDNIGHT - DAILY

WEST OF THE 77 (DEG) 26 (MIN) LONGITUDE LINE.

The restricted areas that may be closed to navigation because of firing exercises during the following periods:

TRAPS BAY SECTOR 12:01 A.M. TO MIDNIGHT - DAILY

COURTHOUSE BAY SECTOR 12:01 A.M. TO MIDNIGHT - DAILY

****NC - NEW RIVER - FIRING EXERCISES****

STONE BAY SECTOR 12:01 A.M. TO MIDNIGHT - DAILY
 EAST OF THE 77 (DEG) 26 (MIN) LONGITUDE LINE.
 GREY POINT SECTOR 12:01 A.M. TO MIDNIGHT - DAILY
 FARNELL BAY SECTOR SUNRISE TO SUNSET - DAILY
 MORGANS BAY SECTOR SUNRISE TO SUNSET - DAILY
 JACKSONVILLE SECTOR SUNRISE TO SUNSET - DAILY

The Target Bombing Area N1/Bt-3 Impact Area in the Atlantic Ocean east of the New River Inlet as shown on National Ocean Service Chart 11543, may be closed to navigation because of firing exercises during the following periods: Nothing scheduled.

Atlantic Intracoastal Waterway, Inland Waters in the Browns Island Inlet area between Bear Creek and Onslow Beach, may be closed for firing exercises during the following periods:
 Nothing scheduled.

Ship operations consisting of landing craft, amphibious vehicles, and helicopters may be conducted in the Onslow Beach Operating Area and all sectors of New River to include dive operations.

Due to unexploded ordnance on Browns Island and in the adjacent waterways and marsh areas, Browns Island is off limits to all unauthorized personnel. Vessels may transit the surrounding waters, however no vessel shall bottom fish or anchor. Range Control Boats, MCIE-MCB Camp Lejeune NC monitor VHF-FM channels 16 and 82. Range Control can be reached at 910-451-3064 or 4449.

Charts: 11541 11542 11543

LNM: 01/16

****NC - OCEAN ISLE BEACH - SHALLOTTE INLET - DREDGING****

Starting approximately 8 March 2018, Weeks Marine Inc. will be mobilizing pipeline and equipment in the vicinity of Shallotte Sound, Ocean Isle Beach, NC. Starting approximately 19 March 2018 and continuing until 15 April 2018, the hydraulic dredge C.R. MCCASKILL and attendant plant will be operating in the vicinity of Ocean Isle beach NC.

Borrow Area for Ocean Isle Beach will be bound by the following approximate positions:

33°54'23.85"N, 78°23'28.90"W
 33°53'32.94"N, 78°23'22.38"W
 33°53'35.32"N, 78°22'8.58"W and 33°54'44.19"N, 78°22'31.79"W

Equipment Staging Area for Ocean Isle Beach positions:

33°54'15.20"N, 78°23'28.10"W
 33°54'13.86"N, 78°23'27.73"W
 33°54'16.33"N, 78°23'11.80"W and 33°54'18.26"N, 78°23'12.38"W

Once underway, dredging operations will continue on a twenty four hours a day, seven days a week. The dredge will monitor VHF-FM channels 13 and 16. For information or questions contact James Price at 985-630-2512.

Chart 11534

LNM: 12/18

SECTION VIII - LIGHT LIST CORRECTIONS

An Asterisk *, indicates the column in which a correction has been made to new information

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------|---|---------------------------------|-----------------------|---------------|--------------|-------------------------------|------------------------|
| 1099 | <i>Oyster Creek Channel Lighted Buoy 42</i> | 39-47-30.706N 074-09-42.852W | Q R | | 4 | Red. | 12/18 |
| | | * | | | | | |
| 5445 | <i>Chincoteague Bay Lighted Buoy 12</i> | 37-58-27.351N 075-23-05.037W | Q R | | 4 | Red. | 12/18 |
| | | * | | | | | |
| 16245 | Great Wicomico River Buoy 4 | | | | | | Remove from list. * |
| 16245 | GREAT WICOMICO RIVER WRECK LIGHT WR4 | 37-48-10.472N 076-16-02.329W | Q R | 15 | 4 | TR on pile. | 12/18 |
| * | * | * | * | * | * | * | * |
| 16250 | <i>Great Wicomico River Lighted Buoy 6</i> | | | | | | Remove from list. * |
| 16250 | GREAT WICOMICO RIVER LIGHT 6 | 37-48-33.697N 076-17-24.138W | FI R 2.5s | 15 | 4 | TR on pile. | 12/18 |
| * | * | * | * | * | * | * | * |
| 16255 | Cockrell Creek Warning Daybeacon A | 37-49-09.838N 076-17-04.023W | | | | NW on pile, worded DANGER. | 12/18 |
| | | * | * | * | * | * | * |

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------|--|---------------------------------|-----------------------|---------------|--------------|----------------------------------|---|
| 16257 | Cockrell Creek Buoy 1A | | | | | | Remove from list. 12/18 |
| | | | | | | | * |
| 16257 | COCKRELL CREEK LIGHT 1C | 37-49-09.607N 076-17-02.691W | FIG 2.5s | 15 | 4 | SG on pile. | 12/18 |
| * | * | * | * | * | * | * | * |
| 16280 | Great Wicomico River Daybeacon 8 | 37-49-07.240N 076-17-44.773W | | | | TR on pile. | 12/18 |
| | * | * | * | * | * | * | |
| 16300 | GREAT WICOMICO RIVER LIGHT 9 | 37-49-29.273N 076-18-13.487W | FIG 2.5s | 15 | 4 | SG on pile | 12/18 |
| | | * | * | | | * | |
| 16303 | Great Wicomico River Buoy 9A | | | | | | Remove from list. 12/18 |
| | | | | | | | * |
| 16330 | Great Wicomico River Daybeacon 10 | 37-49-49.565N 076-18-57.074W | | | | TR on slatted pile structure. | 12/18 |
| | * | * | * | * | * | | |
| 16335 | GREAT WICOMICO RIVER LIGHT 11 | 37-50-56.343N 076-20-01.065W | FIG 4s | 15 | 4 | SG on pile. | 12/18 |
| | | * | | | | | |
| 17125 | St. Patrick Creek Channel Buoy 3A | | | | | | Remove from list. 12/18 |
| | | | | | | | * |
| 17270 | St. Catherine Sound Upper Entrance Warning Daybeacon A | | | | | | Remove from list. 12/18 |
| | | | | | | | * |
| 17920 | Potomac Creek Buoy 3 | 38-20-48.842N 077-17-17.315W | | | | Green can. | Maintained from Mar. 15 to Dec. 1. 12/18 |
| | | * | | | | | |
| 17925 | Potomac Creek Buoy 4 | | | | | | Remove from list. 12/18 |
| | | | | | | | * |
| 17930 | Potomac Creek Buoy 5 | | | | | | Remove from list. 12/18 |
| | | | | | | | * |
| 17935 | Potomac Creek Buoy 6 | | | | | | Remove from list. 12/18 |
| | | | | | | | * |
| 17940 | Potomac Creek Daybeacon 7 | | | | | | Remove from list. 12/18 |
| | | | | | | | * |
| 17945 | Potomac Creek Buoy 8 | | | | | | Remove from list. 12/18 |
| | | | | | | | * |
| 18233 | Neabsco Creek Buoy 3 | | | | | | Remove from list. 12/18 |
| | | | | | | | * |
| 18234 | Neabsco Creek Buoy 4 | | | | | | Remove from list. 12/18 |
| | | | | | | | * |
| 18795 | ST. JEROME CREEK LIGHT 1SJ | 38-06-54.494N 076-20-08.598W | FIG 2.5s | 15 | 4 | SG on pile. | 12/18 |

*

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------|---|---------------------------------|-----------------------|---------------|--------------|------------------------------------|--------------------|
| 19355 | SOUTH HERRINGTON HARBOUR ENTRANCE LIGHT 1 | 38-43-54.302N 076-32-22.927W | Q G | 10 | | SG on pile. | Private aid. 12/18 |
| | | * | | | | | |
| 19360 | SOUTH HERRINGTON HARBOUR LIGHT 2 | 38-43-55.025N 076-32-24.199W | Q R | 10 | | TR on pile. | Private aid. 12/18 |
| | | * | | | | | |
| 19365 | SOUTH HERRINGTON HARBOUR LIGHT 3 | 38-43-50.519N 076-32-24.726W | Q G | 10 | | SG on pile. | Private aid. 12/18 |
| | | * | | | | | |
| 19370 | SOUTH HERRINGTON HARBOUR LIGHT 4 | 38-43-50.872N 076-32-26.032W | Q R | 10 | | TR on pile. | Private aid. 12/18 |
| | | * | | | | | |
| 19375 | SOUTH HERRINGTON HARBOUR LIGHT 5 | 38-43-46.986N 076-32-27.396W | Q G | 10 | | SG on pile. | Private aid. 12/18 |
| | | * | | | | | |
| 19380 | SOUTH HERRINGTON HARBOUR LIGHT 6 | 38-43-46.488N 076-32-28.212W | Q R | 10 | | TR on pile. | Private aid. 12/18 |
| | | * | | | | | |
| 24595 | Tar Bay Channel Warning Daybeacon E | 38-20-45.134N 076-15-01.241W | | | | NW on pile worded DANGER SHOAL. | 12/18 |
| | | * | | | | | |
| 24601 | Tar Bay Warning Daybeacon F | 38-20-48.706N 076-14-50.728W | | | | NW on pile worded DANGER. | 12/18 |
| | | * | | | | | |
| 28139 | Oregon Inlet Channel Buoy 40 | 35-46-14.116N 075-35-04.616W | | | | Red nun. | 12/18 |
| | | * | | | | | |
| 28145 | Oregon Inlet Channel Buoy 42 | 35-46-24.477N 075-34-52.125W | | | | Red nun. | 12/18 |
| | | * | | | | | |
| 28150 | Oregon Inlet Channel Buoy 44 | 35-46-30.670N 075-34-45.335W | | | | Red nun. | 12/18 |
| | | * | | | | | |

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------|--|---------------------------------|-----------------------|---------------|--------------|------------------|----------------|
| 28665 | <i>Hatteras Inlet Lighted Buoy 7</i> | 35-11-08.241N 075-45-29.411W | FI G 2.5s | | 4 | Green. | 12/18 |
| | | * | | | | | |
| 28667 | <i>Hatteras Inlet Lighted Buoy 8</i> | 35-11-07.783N 075-45-22.970W | Q R | | 3 | Red. | 12/18 |
| | | * | | | | | |
| 28732.1 | <i>Hatteras Inlet Channel Lighted Buoy 12A</i> | 35-12-15.239N 075-43-57.152W | FI R 2.5s | | 4 | Red. | 12/18 |
| | | * | | | | | |
| 32875 | WRIGHT CREEK LIGHT 5 | 35-24-43.285N 076-35-26.492W | Q G | 15 | 4 | SG on pile. | 12/18 |
| | | * | | | | | |

ENCLOSURES

Enclosures

1. Summary of Shoaling.
 2. Summary of Bridge Regulations/Construction/Permits.
 3. Summary of Dredging and Construction.
 4. Summary of Marine Events.
-
-

SUMMARY OF SHOALING REPORTED IN THE FIFTH COAST GUARD DISTRICT

NEW JERSEY SHOALING

NJ – INTRACOASTAL WATERWAY – MANASQUAN INLET TO CAPE MAY INLET - SHOALING

Shoaling has been reported in the New Jersey Intracoastal Waterway (NJICWW) between Manasquan Inlet and Cape May Inlet. Mariners are advised to use extreme caution when transiting the NJICWW due to shoaling. The following are some of the locations where the shoaling has been reported.

NJICWW Light 4 (LLNR 34995).

NJICWW Light 38 (LLNR 35115).

NJICWW Daybeacon 45 (LLNR 35165) & Daybeacon 46 (LLNR 35167).

NJICWW Daybeacon 49 (LLNR 35108).

NJICWW Junction Light LB (LLNR 35420) to Light 109 (LLNR 35430).

North side of Tow Island at NJICWW Daybeacon 129 (LLNR 35530).

NJICWW Light 145 (LLNR 35590) to Light 163 (LLNR 35655) Black Point on the red side.

Between NJICWW Daybeacon 206 (LLNR 35825) and Daybeacon 209 (LLNR 35835) IVO Bader Field.

IVO NJICWW Daybeacon 221 (LLNR 35867).

Between NJICWW Light 233 (LLNR 35905) and Daybeacon 243 (LLNR 3535945) Broad Thorofare.

IVO NJICWW Buoy 263 (LLNR 36007) and Buoy 263A (LLNR 36009) Shooting Island on the green side.

Between NJICWW Daybeacon 272 (LLNR 36035) and Daybeacon 282 (LLNR 36070) in Peck Bay.

Between NJICWW Light 383 (LLNR 36420) Daybeacon 399 (LLNR 36470).

Between NJICWW Buoy 417 (LLNR 36517) and Buoy 424 (LLNR 36535) Great Channel.

Between NJICWW Light 449 (LLNR 36625) and Light 453 (LLNR 36639) Grassy Sound. Ref LNM 24/17

Chart 12316, 12324

NJ - LITTLE EGG INLET TO HEREFORD INLET – LITTLE EGG INLET – SHOALING

Shoaling has been observed in Little Egg Inlet across the channel between to an average channel depth of 3 feet at MLW. As a result, the aids to navigation have been removed because they did not accurately mark safe water. DB BNM 008-17

Chart 12318

NJ – SLAEM RIVER – SHOALING

Shoaling was reported in the Salem River, in Salem, NJ. The shoaling was reported between Salem River Entrance Channel Light 5 (LLNR 2670), Light 6 (LLNR 2675) and Light 7 (LLNR 2680), Light 8 (LLNR 2685) on the east side of the channel. The depth was reported at 10 feet shortly after high tide. Mariners are advised to proceed with caution when transiting the area.

Chart 12311

PENNSYLVANIA SHOALING

******PA – DE – NJ – DELAWARE RIVER – MARCUS HOOK RANGE – SHOALING******

Shoaling has occurred in the Delaware River in approximate position 39-48.18791, 075-25.354427w, 50 feet off the green channel toe, in the vicinity of Marcus Hook Intake Light (LLNR 3170). Shallowest depth 38.5 feet. All mariners are requested to transit the area with caution. Ref LNM 09/18

Chart 12312

PA – NJ – CHESTER RANGE – SHOALING

The Coast Guard has received a report of shoaling 40ft within the PA side of the channel in approx position 39-49'33.80"N, 075-22'39.81"W. The rock mound has been reported to have a minimum depth of 39.1ft. Mariners are urged to use caution when transiting the area.

CHART 12312

DELAWARE SHOALING

DE- INDIAN RIVER BAY – SHOALING

There has been a report of shoaling in Indian River Bay between Indian River Inlet Buoy 19 (LLNR 4435) and Middle Island West Channel Junction Lighted Buoy MI (LLNR 4436). Depths of 0.0 ft at times, during low tide, were reported.

Chart 12216

DE – REHOBOTH BAY – INDIAN RIVER – BACKERS CHANNEL – SHOALING

The Delaware Department of Natural Resources and Environmental Control (DNREC) reports shoaling in Baker's Channel between Baker's Channel Lighted Buoy 1A (LLNR 2136) and Baker's Channel Lighted Buoy 1B (LLNR 2137) as well as Baker's Channel Lighted Buoy 5 (LLNR 2137.04) and Baker's Channel Lighted Buoy 6 (LLNR 2137.05). DNREC has established two warning buoys worded "DANGER SHOAL" to mark the shoaling.

Mariners are advised to transit that area with caution. Ref LNM 26/17

Chart 12216

MARYLAND SHOALING

MD - FENWICK ISLAND TO CHINCOTEAGUE INLET - OCEAN CITY INLET – SHOALING

A Maryland Department of Natural Resources Bathymetric Survey conducted in Nov 2017 has identified shoaling midway between Ocean City Inlet Lighted Buoy 8 (LLNR 4745) and Lighted Buoy 10 (LLNR 4750) to a depth of less than five feet at MLLW and extending approximately 150 feet into the channel. A second area of severe shoaling has been identified between Ocean City Lighted 11 (LLNR 4755) and Lighted Buoy 12 (LLNR 4757) to a depth of less than seven feet at MLLW. Ocean City Inlet Lighted Buoy 12A has been established in approximate 38-19-38.995N, 075-05 -47.020W to mark the shoaling. To avoid confusion the light on Ocean City Inlet Lighted Buoy 12 (LLNR 4757) has been extinguished.

Chart 12211

MD - FENWICK ISLAND TO CHINCOTEAGUE INLET - SINEPUXENT BAY – SHOALING

Sinepuxent Bay Channel Daybeacon 11B (LLNR 5050), shoaling encroaches approximately 20 yds into the channel in a southwesterly direction. Water depths have been found as low as 2.5 ft during low tide. Between Sinepuxent Bay Channel Light 8 (LLNR 5020) and Sinepuxent Bay Channel Daybeacon 10 (LLNR 5035), shoaling encroaches approximately 15 yds into the channel in an easterly direction. Water depths have been found as low as 2 ft during low tide. Between Sinepuxent Bay Channel Buoy 33 (LLNR 5130) and Sinepuxent Bay Channel Daybeacon 35 (LLNR 5135) on the eastern side of the channel. Water depths have been found as low as 3 ft during low tide.
Chart 12211

******MD - POTOMAC RIVER - ST PATRICK CREEK – SHOALING******

There has been a report of severe shoaling within the channel boundaries of St. Patrick Creek. Shoaling has been reported in the vicinity of St. Patrick Creek Channel Daybeacon 3 (LLNR 17120) extending to St. Patrick Creek Channel Daybeacon 5 (LLNR 17135) with depths of 2-4' at MLW. Shoaling to 1' MLW has been observed in the channel in the vicinity of St. Patrick Creek Channel Buoy 3A (LLNR 17125).
Chart 12286

******MD – UPPER POTOMAC RIVER – NEABSCO CREEK – SHOALING******

Severe shoaling is reported inside the channel boundaries of Neabsco Creek. Shoaling extends 50 yards into the channel from Neabsco Creek Daybeacon 1 (LLNR 18231) and Neabsco Creek Light 2 (LLNR 18232) depths of 3 to 4 ft at MLW. Additional shoaling between Neabsco Creek Buoy 3 (LLNR 18233) and Neabsco Creek Buoy 4 (LLNR 18234) positions has been observed to a depth less than 3 ft at MLW. LNM 11/18, MD BNM 231-18
Chart 12289

MD - CHESAPEAKE BAY - TANGIER SOUND - NORTHERN PART - RHODES POINT GUT CHANNEL

A report of shoaling in Rhodes Point gut channel between Rhodes Point Gut Channel Buoy 3 (LLNR 23000) and Rhodes Point Gut Channel Buoy 5 (LLNR 23005), to a depth of less than six feet at mean low water. Depth is reading approx one and a half feet. Ref MD BNM 278-16
Chart 12228

MD - CHESAPEAKE BAY - CHESAPEAKE BAY TO PINEY POINT - ST. JEROME CREEK - SHOALING

Maryland DNR survey of the mouth of St. Jerome Creek indicates shoaling, to at least depth of 3.1feet MLLW, in the channel between St. Jerome Creek Light 4 (LLNR 18810), St. Jerome Creek Daybeacon 4A (LLNR 18812) and St. Jerome Creek Daybeacon 6 (LLNR 18815). The channel width in the area of St. Jerome Daybeacon 4A (LLNR 18812) and Deep Point is reduced to approx 20 ft. MD-NCR BNM 415-16, Ref LNM 52/16
Chart 12233

MD/VA - POTOMAC RIVER - PINEY POINT TO LOWER CEDAR POINT - ST. CATHERINE SOUND LOWER ENTRANCE - SHOALING

Shoaling exists in St. Catherine Sound Lower Entrance at the following locations: (1) off the northeastern tip of St. Catherine Island extending channel ward between position 38-14-17.586N, 076-47-15.562W and position 38-14-32.841N, 076-47-14.761W, and (2) in the vicinity of St. Catherine Sound Lower Entrance 4L (LLNR 17230). Ref LNM 44/16, CCGD5 BNM 524-16
Chart 12286

MD - CHESAPEAKE BAY – LITTLE CHOPTANK RIVER - SLAUGHTER CREEK - SHOALING

Shoals on the western portion of Slaughter Creek in the vicinity of Holland Point have slowly encroached easterly in most of the federally marked channel. The shoal adjacent to Slaughter Creek Light 2SC (LLNR 24645) has encroached approx 50-100 yds easterly with observed depths of 3-4' in between tide cycles. Shoaling to 5' MLW has been observed on the red side of the channel between Slaughter Creek Daybeacon 6 (LLNR 24670) and Slaughter Creek Buoy 8 (LLNR 24683). Sec MD-NCR BNM 045-17
Chart 12264, 12266

MD - CHESAPEAKE BAY - HONGA, NANTICOKE AND WICOMICO RIVERS – FISHING BAY - TAR BAY

A USACE survey conducted in Apr 2016 has identified shoaling to a depth of less than one foot at mean low water between Tar Bay Channel Daybeacon 4 (LLNR 24595) and Tar Bay Channel Daybeacon 8 (LLNR 24615). The channel width has been significantly reduced. Observed depths are between 2-4' at high tide. Sec MD-NCR BNM 044-17
Chart 12261

MD – CHESAPEAKE BAY- CHESTER RIVER – KENT ISLAND NARROWS NORTH APPROACH

Depths of less than 4 feet have been reported between Kent Island Narrows North Approach LT 4 (LLNR 26425) and Kent Island Narrows North Approach LT 6 (LLNR 26435) on the red side of the channel. Vessels transiting the Kent Island Narrows North Approach Channel should exercise caution. Ref LNM 05/16
Chart 12272

******MD – CHESAPEAKE BAY – ROCKHOLD CREEK – SHOALING******

The Coast Guard has identified shoaling in the Rockhold Creek Channel boundaries near position 38-46.0N, 076-33.25W, approximately 70 yards east of Rockhold Creek Jetty Light 2 (LLNR 19400) to a depth of less than three feet at MLLW. Shoaling extends from the north to beyond mid-channel. Mariners are urged to use caution when transiting the area.
Chart 12270

MD – CHESAPEAKE BAY - ROCK HALL HARBOR – SHOALING

The MD DNR Survey of Rock Hall Harbor Entrance, dated April 21, 2017 indicates shoaling across the marked channel from Rock Hall Harbor Entrance Buoy 1 (LLNR 26890) to Rock Hall Harbor Light 5 (LLNR 26900). Least depths range to 6.9 feet to 4.8 feet MLLW.
Chart 12272, 12278

MD – UPPER CHESAPEAKE CHANNEL – SHOALING

A USACE Survey conducted on 11 May 2017 has identified shoaling to a depth of less than 34 feet at MLLW within the eastern one-quarter of the navigation channel extending northeast of Upper Chesapeake Channel Lighted Buoy 37 (LLNR 8635). MD BNM 175-17, Ref LNM 25/17
Chart 12273

VA – MD – POTOMAC RIVER – BONUM CREEK – SHOALING

U. S. Army Corps of Engineers Survey of Bonum Creek indicates shoaling, to less than 4 feet MLLW, in the channel between Bonum Creek Light 2B (LLNR 16880), Bonum Creek Channel Daybeacon 3 (LLNR 16885) and Bonum Creek Buoy 3A (LLNR 16887). MD-NCR BNM 149-17.
Chart 12286

VIRGINIA SHOALING

VA – NANDUA CREEK

Shoaling has been reported at the entrance to Nandua Creek to 2 feet. HR BNM 311-13
Chart 12226

******VA – CHINCOTEAGUE INLET TO GREAT MACHIPONGO INLET – VIRGINIA INSIDE PASSAGE - WALLOPS ISLAND – SHOALING******

There has been a report of shoaling in the vicinity of Wallops Island Lighted Buoy 2 (LLNR 5520) to a depth of one foot.
Chart 12210

VA – VIRGINIA INSIDE PASSAGE (VIP)

VIP Day beacon 107 (LLNR 5950) to VIP Day beacon 265 (LLNR 6580), Shoaling to less than 6ft MLW. HR BNM 106-16
Quinby Creek Day beacon 7 (LLNR 6770) to Quinby Creek Light 13 (LLNR 6785), Shoaling to less than 6 ft MLW. HR BNM 104-16
VIP Day beacon 244 (LLNR 6485), Shoaling to 1 foot. HR BNM 272-14, Sand Shoal Channel Light 1 (LLNR 6990) to Sand Shoal Light 10 (LLNR 6996)
LNM 24-13, Oyster Creek Channel Junction Lighted Buoy OC (LLNR 7002/6447) to Oyster Creek Light 10 (LLNR 7025), Shoaling to less than 6ft MLW.
HR BNM 107-16, Chart 12210, 12224

VA - CHESAPEAKE BAY - LYNNHAVEN RIVER EASTERN BRANCH

Shoaling has been reported to a depth of 0-3ft at mean low water in the Lynnhaven River Eastern Branch in the vicinity of Lynnhaven River Eastern Branch Buoy 1ED (LLNR 10332)(Private Aid). Mariners are advised to transit the area with extreme caution. HR BNM 424-16

VA – NEWPORT NEWS TO JAMESTOWN ISLAND – BENNETT CREEK – SHOALING

Significant shoaling has been located in Bennett Creek on the red side of channel between Bennett Creek Daybeacon 2 (LLNR 11047) and Bennett Creek Daybeacon 4 (LLNR 11050) in position 36 53.043N, 076 28.873W. Observed depth was .7 feet at (MLW). Significant shoaling also is present IVO Bennett Creek Buoy 5 (LLNR 11055) position. Bennett Creek Buoy 5 (LLNR 11055) is missing and has not been reestablished due to lack of water depth. HR BNM 215-17, LNM 28/17
Chart 12248

VA – CHESAPEAKE BAY – RAPPAHANNOCK RIVER ENTRANCE - MILFORD HAVEN EAST

Shoaling to a depth of 2 Feet at low tide has been identified from 400 yards northeast of Milford Haven East Buoy 7 (LLNR 14593.5) extending to the south 600 yards. Shoaling extends to the west 250 yard and impedes the width of the channel both inbound and out bound.
Shoaling to a depth of 3 feet has been identified in various locations west of Buoy 7 (LLNR 14593.5) To Buoy 18 (LLNR 14625).
Chart 12235

VA – RAPPAHANNOCK RIVER ENTRANCE – QUEENS CREEK – SHOALING

The Army Corps of Engineers, Norfolk District, Survey of Queens Creek Channel; dated June 21, 2017 indicates shoaling across the channel from Queens Creek Channel Buoy 2 (LLNR 14820) to Queens Creek Channel Lighted Buoy 5(LLNR 14840) Least depths range from 5.8 feet MLLW to 1.8 feet MLLW. LNM 29/17
Chart 12235

VA – CHESAPEAKE BAY - MATTAWOMAN CREEK – SHOALING

Shoaling has been Reported to a depth of 2-3ft at mean low water in the channel of Mattawoman Creek between Mattawoman Creek Light 1MC (LLNR 21580) and Mattawoman Creek Light 2 (LLNR 21585). Mariners are advised to transit the area with caution.
Chart 12226

VA – HAMPTON ROADS - WILLOUGHBY BAY

The USACE has reported shoaling in Willoughby Channel to 2.6 feet MLLW in the vicinity of Willoughby Channel Buoy 3 (LLNR 10583).
Chart 12245

VA – CHESAPEAKE BAY – LYNNHAVEN INLET – LONG CREEK CHANNEL

Shoaling to 2.4 feet has been reported in Long Creek Channel east of Long Creek Channel Day beacon 7 (LLNR 10167) in the vicinity of Pleasure House Point. HR BNM 293-14
Chart 12254

VA – CHESAPEAKE BAY – MOBJACK BAY AND YORK RIVER ENTRENCE – DAVIS CREEK – SHOALING

Significant shoaling has been identified from USACOE survey dated 07 Sep 2016 in Davis Creek.
Shoaling of the channel begins 100 yards south of Davis Creek Channel Light 2 (LLNR 14130) to a depth of 4.9 feet extending across the entire length and width of the channel to 150 yards north of Davis Creek Channel Light 6 (LLNR 14140) with a minimum identified depth of 1.2 feet. Ref LNM 12/17
Chart 12238

VA – CHESAPEAKE BAY – MOBJACK BAY AND YORK RIVER ENTRANCE - HORN HARBOR

Shoaling has been reported to 1-2 feet extending 50 yards channel ward from Horn Harbor Lighted Buoy 8 (LLNR 14487). HR BNM 182-15
Chart 12238

VA – CHESAPEAKE BAY – BACK RIVER – SHOALING

A NOAA Survey identified shoaling to a depth of 6 feet MLW in Back River in approximate position 37-06'33.0"N, 076-16'40.8"W, approximately 75 yards west of Back River Daybeacon 6 (LLNR 12930). Mariners are advised to transit the area with caution. HR BNM 044-17, LNM 07/17
Chart 12222

VA – CHESAPEAKE BAY – YORKTOWN TO WEST POINT - QUEEN CREEK

Shoaling to less the 3 feet has been reported in Queen Creek from Queen Creek Entrance Light 2QC (LLNR 13785) to Queen Creek Day beacon 10 (LLNR 13820). HR BNM 170-14
Chart 12243

VA – TANGIER SOUND – SHOALING

Shoaling to 5 – 6 feet MLW has been found in the vicinity of Tangier Sound Light in approximate position 37 47 06.4N, 075 58 23.2W along the 36 foot depth contour.
Chart 12228

VA – GREAT WICOMICO RIVER – SHOALING

Shoaling has been identified in the vicinity of Great Wicomico River Light 9 (LLNR 16300) extending 30 yards north and north northeast of structure to a depth of less than 2 feet.

VA – RAPPAHANNOCK RIVER – SHOALING

Rappahannock River mile 60 to 63, Devils Elbow. Shoaling has been reported to a depth of less than 04 ft at mean low water along the eastern side of the channel from Horse Head Point to south of Tobys Point extending along the eastern side of Tobys Point to North Bend. HR BNM 051-17, LNM 08/17
Chart 12237

VA - RAPPAHANNOCK RIVER - CORROTOMAN RIVER TO FREDERICKSBURG – GREENVALE CREEK SHOALING

An Army Corps of Engineers Survey of Greenvale Creek Channel indicates shoaling, to a least depth of 1.7 feet MLLW, across the channel from approximately 250 feet North-Northeast of Greenvale Channel Warning Daybeacon A (LLNR 15305) continuing inbound for approximately 880 feet. Ref LNM 50/16
Charts 12237

VA/MD - POTOMAC RIVER - PINEY POINT TO LOWER CEDAR POINT - ST. CATHERINE SOUND LOWER ENTRANCE - SHOALING

Shoaling exists in St. Catherine Sound Lower Entrance at the following locations: (1) off the northeastern tip of St. Catherine Island extending channel ward between position 38-14-17.586N, 076-47-15.562W and position 38-14-32.841N, 076-47-14.761W, and (2) in the vicinity of St. Catherine Sound Lower Entrance 4L (LLNR 17230). Ref LNM 44/16, CCGD5 BNM 524-16
Chart 12286

VA - POTOMAC RIVER - YEOCOMICO RIVER - SHOALING

There has been a report of shoaling in the Yeocomico River within channel boundaries, located SE of South Yeocomico River Daybeacon 2 (LLNR 16830) to a depth of less than ten feet at mean low water. MD-NCR BNM 408-16, Ref LNM 50/16
Chart 12233

VA - POTOMAC RIVER - PINEY POINT TO LOWER CEDAR POINT - BONUM CREEK - SHOALING

Soundings in Bonum Creek indicates shoaling in the channel between Bonum Creek Daybeacon 3 (LLNR 16885), Bonum Creek Daybeacon 4 (LLNR 16890), and Bonum Creek Daybeacon 5 (LLNR 16895). Due to extensive shoaling off Sandy Point Neck, the channel width has been reduced to approx 20ft between Bonum Creek Daybeacons 3 and 4. Mariners are urged to use caution when transiting the area.
Chart 12286

*****VA – VIRGINIA BEACH – RUDEE INLET*****

Based on the City of Virginia Beach survey dated 8 Feb 2018 shoaling still exist in Rudee Inlet Channel with least depths from 5.4' MLLW in the channel.
Chart 12205

NORTH CAROLINA SHOALING

NC – CAPE HENRY TO CURRITUCK BEACH LIGHT - CURRITUCK SOUND – FERRY CHANNEL – SHOALING

Shoaling has been reported between Currituck and Knott's Island in the ferry route, reducing the width of the ferry channel. Mariners are advised to proceed with caution while transiting the area. NC BNM 754-16, Ref LNM 01/17
Charts 12207, 12205

NC – PAMLICO SOUND BRANT ISLAND SHOAL – SHOALING

Shoaling to 3 feet has been reported in the area off the southeast tip of the charted shoal in the vicinity of Brant Island Slue in approximate position 35-10.45N, 076-23.05W.
Chart 11548

*****NC – OREGON INLET – SHOALING*****

Shoaling has been reported between Oregon Inlet Buoy 4 (LLNR 27990) and Oregon Inlet Lighted Buoy 6 (LLNR 28003). Observed depths of 4 feet MLW. Shoaling across entire channel to a depth of 4 feet MLW. Shoaling was also found extending across the channel between Oregon Inlet Lighted Buoy 19 (LLNR 28065) and Oregon Inlet Channel Buoy 21 (LLNR 28070). Observed depths of 4 feet MLW. Shoaling across entire channel to a depth of 4 feet MLW.
Chart 12204

NC – HATTERAS INLET – SHOALING

Due to severe shoaling Hatteras Inlet Buoy 2A (LLNR 28647), Hatteras Inlet Lighted Buoy 4 (LLNR 28650), Hatteras Inlet Lighted Buoy 5 (LLNR 28653), Hatteras Inlet Lighted 6 (LLNR 28660) no longer mark navigable water. Mariners should not rely on these buoys for navigation. LNM 07/17
Chart 11555, 11520

NC – CAPE HATTERAS – HATTERAS INLET

Shoaling has been reported to 3.5 feet in Hatteras Inlet between Hatteras Inlet Channel Buoy 9 (LLNR 28669) and Hatteras Inlet Channel Buoy 12C (LLNR 28733.2). NC BNM 028-15, LNM 06-15
Chart 11555

NC – CAPE HATTERAS – HATTERAS INLET

Shoaling has been reported to 5 feet in vicinity of Hatteras Inlet Channel Lighted Buoy 13A (LLNR 28735.3) and Hatteras Inlet Lighted Buoy 14 (LLNR 28735.6). NC BNM 340-15
Chart 11555

NC – CAPE HATTERS – BARNEY SLOUGH

Shoaling has been found along north side of channel between Barney Slough Channel Buoy 4 (LLNR 28721.7) and Barney Slough Channel Lighted Buoy 6 (LLNR 28722.3). Observed depths of 4 feet MLW.
Chart 11555

NC – CAPE HATTERAS – HATTERAS INLET – SOUTH FERRY TERMINAL

Shoaling has been reported to 2.6 feet in South Ferry terminal between South Ferry Terminal Lighted Buoy 1SF (LLNR 28699.1) and South Ferry terminal Light 7 (LLNR 28715). NC BNM 031-16, 069-16

NC – BEAUFORT INLET AND CORE SOUND – BARDEN INLET – SHOALING

Significant shoaling is present in Barden Inlet between Harker's Island and Cape Lookout. The shoal is encroaching the channel from both sides in the area of Barden Inlet Buoy 28 (LLNR 29250), Buoy 30 (LLNR 29253) and Buoy 31 (LLNR 29257). Mariners should exercise extreme caution while transiting through the Inlet. NC BNM 342-17, LNM 29/17
Chart 11545

NC – CORE SOUND – SHOALING

Significant shoaling exists in the vicinity of Core Sound Light 27 (LLNR 34540) to Core Sound Light 24 (LLNR 34520). NC BNM 357-17 & 396-17.
Chart 11545

******NC – WESTERN PART OF PAMLICO SOUND – PAMLICO RIVER – WRIGHT CREEK – SHOALING******

Mariners are advised of shoaling in vicinity of Wright Creek Daybeacon 4 (LLNR 32870) off the Pungo River. All mariners are requested to transit the area with caution. NC BNM 141-18
Chart 11553

NC – ICW - NEUSE RIVER TO MYRTLE GROVE - RUSSELL SLOUGH

Shoaling has been reported to 1 foot in vicinity of Russell Slough Day beacon 6A (LLNR 38467) NC BNM 344-15
Chart 11541

NC – ICW - NEUSE RIVER TO MYRTLE GROVE SOUND – BOGUE SOUND - NEW RIVER

Shoaling to 3 feet has been reported in the vicinity of Bogue Sound - New River buoys 72A (LLNR 39300), 72B (LLNR 39303) and 74 (LLNR 39305). LNM 06-15
Chart 11541

NC – NEUSE RIVER TO MYRTLE GROVE – BANKS SLOUGH CHANNEL

Shoaling has been reported to 0.5 feet in Banks Slough Channel. NC BNM 658-14
Chart 11541

NC – NEUSE RIVER TO MYRTLE GROVE SOUND – CAROLINA BEACH INLET

Shoaling to 2.6 feet has been reported in Carolina Beach Inlet from Carolina Beach Inlet Buoy 1 (LLNR 30265) to Buoy 6 (LLNR 30290). NC BNM 659-15, 206-16
Chart 11541

NC - NEUSE RIVER TO MYRTLE GROVE SOUND – AICWW - NEW RIVER TO CAPE FEAR RIVER – BROWNS INLET

Shoaling has been reported in the AICWW near the intersection of Browns Inlet and the AICWW in the vicinity of New River – Cape Fear River Buoy 61A (LLNR 39223).

NC – NEUSE RIVER TO MYRTLE GROVE SOUND - NEW RIVER – NEW RIVER INLET

Shoaling has been reported to 2 feet in New River Inlet Channel. NC BNM 003-15
Chart 11542

NC - NEUSE RIVER TO MYRTLE GROVE SOUND – NEW RIVER TO CAPE FEAR RIVER

An area of shoaling has been reported IVO of New River – Cape Fear River Buoy 121 (LLNR 39597) in the AICWW St M 280 near Mason Inlet Crossing. ACOE reported a depth of 2.2ft at MLW. Mariners are urged to use caution when transiting this area. NC BNM 357-16
Chart 11541

NC – INTRACOASTAL WATERWAY - MYRTLE GROVE SOUND TO LITTLE RIVER

Shoaling to 1 foot has been reported in the vicinity of Lockwoods Folly Inlet at Cape Fear River – Littler River Buoy 47 (LLNR 40225). NC BNM 256-16
Chart 11534

NC – INTRACOASTAL WATERWAY - MYRTLE GROVE SOUND TO LITTLE RIVER

Shoaling was found between Cape Fear River - Little River Buoy 80A (LLNR 40337) and Cape Fear River - Little River Buoy 82 (LLNR 40345). Depths as low as 3ft were observed in the ICW channel at MLW. Position 33-54'25.55"N, 078-23'4.41"W. Shoaling is across entire channel.

SUMMARY OF BRIDGE PERMITS, REGULATIONS AND CONSTRUCTION IN THE FIFTH COAST GUARD DISTRICT

(Yellow indicates new item)

CURRENT PROJECTS

Permits:

SECTOR DELAWARE BAY

- **Delaware**

Christina River – Christina River Bridge – Permit (1-17-5) signed April 7, 2017, for a fixed bridge across the Christina River, mile 3.8, City of Wilmington, New Castle County, DE. The bridge will provide a minimum vertical clearance of 14 feet above mean high water and a horizontal clearance of 150 feet centered on the axis of the navigable channel.

Raccoon Creek – US 130 (fixed) Bridge - new fixed bridge structure to replace (lift) bridge. Permit 2-15-5 signed December 9, 2015. (KB)

- **New Jersey (Central & Southern)**

Oldmans Creek – US Route 130 Bridge

All interested parties are notified that the Commander, Fifth Coast Guard District has received a proposal from the New Jersey Department of Transportation with plans for modification of an existing highway drawbridge over a navigable waterway of the United States.

WATERWAY AND LOCATION: Oldmans Creek, mile 3.1 at Nortonville, NJ.

CHARACTER OF WORK: The proposed project is to permanently close the existing drawbridge; thereby making the structure a fixed bridge. The drawbridge has not opened for vessels since the 1960s and is presently in a “need not open for passage of vessels” status as authorized in Title 33 Code of Federal Regulations, Section 117.737. No bridge work, other than permanently locking the moveable span, will be completed. The existing drawbridge has a horizontal clearance of 75 feet and a vertical clearance of 5.0 feet above mean high water in the closed position and 64 feet above mean high water in the open position. The retained bridge will be a fixed bridge with a horizontal clearance of 75 feet and a vertical clearance of 5.0 feet above mean high water.

A copy of Preliminary Public Notice 5-1381, which describes the proposal in detail, can be obtained by calling (757) 398-6222 or by viewing at <https://www.navcen.uscg.gov/?pageName=pnBridges>. Comments on this proposal should be forwarded to the address in the notice no later than **11 DEC 2017 (HP)**

- **Pennsylvania**

Schuylkill River – Grays Ferry Pedestrian Bridge – Permit (3-17-5) signed November 27, 2017, for a swing drawbridge replacement with a vertical clearance of 26 feet above mean high water (closed position), unlimited vertical clearance in the open position, and a horizontal clearance of 75 feet in both navigation spans. (MT)

SECTOR MARYLAND-NATIONAL CAPITAL REGION

- **Maryland** –

Potomac River - Harry Nice Memorial Bridge – Fixed replacement bridge Preliminary Navigation Clearance Determination (PNCD) issued on March 2, 2018; vertical clearance of 135 feet above mean high water and a horizontal clearance of 250 feet. The center of the main navigation span of the bridge may be shifted up to 585 feet to the west of the current navigation span. (KB)

Neale Sound – MD-254 (Cobb Island Road) Bridge - Fixed replacement bridge Preliminary Navigation Clearance Determination (PNCD) issued on March 22, 2017; vertical clearance of 20 feet above mean high water and a horizontal clearance of 55 feet. (HP)

- **Washington DC** –

Anacostia River – Frederick Douglass Memorial Bridge - Permit (2-17-5) signed December 4, 2017, for a fixed bridge replacement with a vertical clearance of 42 feet above mean high water and a horizontal clearance of 150 feet. (MB)

- **Virginia (Northern)**

Potomac River - Harry Nice Memorial Bridge – Fixed replacement bridge Preliminary Navigation Clearance Determination (PNCD) issued on March 2, 2018; vertical clearance of 135 feet above mean high water and a horizontal clearance of 250 feet. The center of the main navigation span of the bridge may be shifted up to 585 feet to the west of the current navigation span. (KB)

SECTOR HAMPTON ROADS

- **Virginia (Southern)**

AICW – Elizabeth River Southern Branch – I-64/High Rise Bridge – VDOT has proposed to replace the existing drawbridge with a new fixed bridge at essentially the same location. The replacement project will modify the existing vertical clearance of the bridge. The charted vertical clearance of the existing bascule bridge in the closed-to-navigation position is 65 feet above MHW with unlimited vertical clearance in the full open position. The proposed replacement will be a fixed bridge that will provide a vertical clearance of 100 feet above MHW. The current horizontal clearance of 125 feet will be maintained for the new fixed bridge. (KB)

Elizabeth River (Western Branch) – US Route 17 (Churchland Street) Bridge – Fixed replacement bridge Preliminary Navigation Clearance Determination (PNCD); vertical clearance of 37 feet above mean high water and a horizontal clearance of 80 feet. (MS)

Hampton Roads - Hampton Roads Bridge Tunnel –

All interested parties are notified that the Commander, Fifth Coast Guard District has received a proposal from the Virginia Department of Transportation (VDOT) for construction of a new highway fixed bridge tunnel over a navigable waterway of the United States.

WATERWAY AND LOCATION: Hampton Roads, mile 0.0, between City of Norfolk, VA and the City of Hampton, Hampton County, VA.

CHARACTER OF WORK: The proposed project is to construct a third Hampton Roads Bridge Tunnel crossing. VDOT has proposed that the third bridge-tunnel with adjoining bridges to the north and south will be located to the west of the existing Hampton Roads Bridge Tunnel system. The bridges will also have the same vertical and horizontal clearances of 10 feet above mean water and 45 feet, respectively, as the existing Hampton Roads Bridge Tunnel system. The purpose of the project is to relieve congestion in a manner that improves accessibility, transit, emergency evacuation, and military and goods movement along the primary transportation corridors in the Hampton Roads region including I-64, I-664, I-564, and VA Route 164 corridors.

A copy of Preliminary Public Notice 5-1382, which describes the proposal in detail, can be obtained by calling (757) 398-6557 or by viewing at <https://www.navcen.uscg.gov/?pageName=pnBridges>. Comments on this proposal should be forwarded to the address in the notice no later than **14 DEC 2017**. (MT)

SECTOR NORTH CAROLINA

- **North Carolina**
 - Atlantic Intra-coastal Waterway – NC 210/50 Bridge, Surf City, NC - proposed new fixed bridge structure to replace (swing) bridge. Permit 2-16-5 signed September 27, 2016. (KB)
 - The Straits – Harkers Island Bridge – Bridge Replacement - Fixed replacement bridge Preliminary Navigation Clearance Determination (PNCD) issued on March 24, 2017; vertical clearance of 45 feet above mean high water and a horizontal clearance of 125 feet. (HP)
 - Perquimans River – US 17 Business Bridge (Hertford, NC) – Replacement swing drawbridge Preliminary Navigation Clearance Determination (PNCD) issued on November 1, 2017; vertical clearance of 33 feet above mean high water and a horizontal clearance of 55 feet. NCDOT preferred alternative will provide a vertical clearance of 12 feet above mean high water in the closed position, unlimited vertical clearance in the open position and a horizontal clearance of 55 feet. (HP)

Regulations:

SECTOR DELAWARE BAY

- **Delaware** – None
- **New Jersey (Central & Southern)**
 - NJICW Barnegat Bay - Thomas Mathis Bridge (SR37) – Maintenance is scheduled between October 20, 2017, and March 31, 2018. From 8 a.m. on October 20, 2017, to 8 a.m. on December 1, 2017, a Safespan work platform will be installed on the anchor spans adjacent to the bascule span, reducing the vertical clearance in the anchor spans by approximately two feet. From 8 a.m. on December 1, 2017, to 8 p.m. on March 31, 2018, the vertical clearance of the main navigation span of the bridge will be reduced by approximately 5 feet, due to temporary shielding of the bascule span, reducing the vertical clearance of the bridge in the closed position to approximately 25 feet above mean high water. The operating regulation of the bridge in Title 33 Code of Federal Regulations 117.733(c) (4) allows the bridge to be maintained in the closed-to-navigation position from 8 a.m. on December 1, 2017, until 8 p.m. on March 31, 2018. Mariners should use caution when transiting the area during the scheduled maintenance period. (HP)
 - Delaware River - DELAIR Memorial Railroad Bridge -The Coast Guard has issued a temporary deviation authorizing the DELAIR Memorial Railroad Bridge over the, mile 104.6, in Delair, NJ, to be remotely operated from the Conrail South Jersey dispatch center in Mount Laurel, NJ, from 8 a.m. on October 21, 2017, to 7:59 a.m. on April 19, 2018. This deviation will test the remote operation capability of the drawbridge to determine whether the bridge can be safely operated from a remote location. During the temporary deviation, a bridge tender will be stationed on-site at the bridge and will be able to immediately take local control of the bridge, as required. The remote operation system of the bridge incorporates a dedicated telephone line (856) 231-2301 for bridge operations, a push-to-talk (PTT) opening signal of 5 clicks on VHF-FM channel 13, and an automated identification system (AIS) transmitter to provide real-time bridge status. AIS bridge status is provided via the name transmitted by the private aids to navigation as: DELAIR BRG-OPEN (fully open and locked position, channel light green), DELAIR BRG-CLOSED (other than fully open, not inoperative), or DELAIR BRG-INOP (other than fully open, inoperative). The AIS transmitter is assigned maritime mobile service identity (MMSI) number 993663001 and has been installed on the New Jersey side of the bridge at the bridge and land intersection in approximate position 39 degrees, 58 minutes, 50.52 seconds North (39.9807 N), 75 degrees, 03 minutes, 58.75 seconds West (-75.06632 W). The Coast Guard is encouraging public participation and requesting comments concerning this temporary (test) deviation. Comments and related material must reach the Coast Guard on or before March 2, 2018. Please access the Federal eRulemaking Portal at <http://www.regulations.gov> to view docket number USCG-2016-0257 for additional details and to provide comments concerning this temporary (test) deviation. (HP)
 - Grassy Sound Channel & Townsend Inlet - Grassy Sound Channel (Ocean Drive) Bridge & Townsend Inlet Bridge – Bridges will be maintained in the closed-to-navigation position from 9:15 a.m. to 2:30 p.m., on Sunday April 22, 2018, to accommodate the annual Ocean City Marathon event. At all other times the Grassy Sound Channel (Ocean Drive) Bridge will operate in accordance with Title 33 Code of Federal Regulations (CFR) 117.721 and the Townsend Inlet Bridge will operate in accordance with 33 CFR 117.757. Mariners able to pass under the closed span of these bridges may do so at any time. Mariners should exercise caution when transiting the area. (KB)

- **Pennsylvania** – None

SECTOR MARYLAND-NATIONAL CAPITAL REGION

- **Washington, DC & Virginia (Northern)** – None
- **Maryland** – None

SECTOR HAMPTON ROADS

- **Virginia (Southern)** – None

SECTOR NORTH CAROLINA

- **North Carolina** - None

Construction, et al:

SECTOR DELAWARE BAY

- **Delaware**

Christina River – Industrial Trail Track Bridge (new pedestrian bridge) - Construction activities will begin on January 03, 2017, and are expected to finish on April 27, 2018. Workers will be on-scene from 7 a.m. to 4 p.m.; M-F. To facilitate the construction, a 41' barge and 2 work boats will be in and around the vicinity and will relocate from the navigable channel, upon request. The 41' barge will remain on-scene after work hours away from the navigational channel. Work vessels may be reached on VHF-FM channel 13. The project foreman can be reached at (302) 363-1093. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners and broadcast notice to mariners. Mariners are urged to use caution when transiting the area.

- **New Jersey (Central & Southern)**

Delaware River – Commodore Barry (fixed) Bridge – To facilitate painting, work will continue until 2019. Work platforms will be installed 3 feet beneath the bridge in various locations reducing the vertical clearance to 178 ft. above mean high water at the edge of the navigable channel (187 ft. center of channel). Phase 1 – NJ approach girder and deck truss spans due completion in September 2016. Phase 2 – PA approach girder and deck truss spans, scheduled to commence fall of 2016. Phase 3 – Cantilever truss span, scheduled to commence in 2017 and conclude in 2019. Mariners should exercise caution.

Drag Channel & Great Egg Harbor Bay (GEHB) – Garden State Parkway (fixed) Bridges - Marine work consisting of several activities including but not limited to temporary cofferdam construction, superstructure erection and demolition are in progress through December 2018 for the replacement of the existing southbound bridges and rehabilitation of the northbound bridges. In addition to replacing the southbound causeway, the project includes the demolition of the remaining portions of the Beesely's Point Bridge (US Route 9 over GEHB and Drag Channel). Daily hours of construction operations are Monday through Saturday from 7 a.m. to 5 p.m. with a second shift and 24-hour operations scheduled for specific activities. It is anticipated that closure or reduced horizontal clearance of the navigational channels will be required. (HP)

Great Egg Harbor Bay - Garden State Parkway (southbound) Bridge – Demolition of the old bridge will be performed from November 1, 2016 until February 28, 2018, between 7 a.m. and 4 p.m., Monday through Saturday. A second work shift and 24-hour operations may be scheduled via separate notice and broadcast notice to mariners. One to three 40-foot wide barges will be placed in the navigation span from November 21, 2016, until January 15, 2017, limiting the approximate horizontal clearance through the navigation span to between 30 feet and 110 feet. Vessels and barges will be operating and working in the area and necessary waterway closures will be scheduled via separate notice and broadcast notice to mariners. A work trestle situated at the southwest end of the Garden State Parkway Bridge erected in 2013 in connection with the construction of the new southbound structures will be used for equipment staging and debris removal. Mariners should use extreme caution when transiting the area. (HP)

Great Egg Harbor Bay - Garden State Parkway (northbound and southbound) Bridges – Construction of a new fender system will occur from April 17, 2017, until February 26, 2018, between 7 a.m. and 4 p.m., Monday through Friday. One or more barges will be placed in the navigation span adjacent to the fender system, limiting the horizontal clearance through the navigation span to approximately 90 feet. Vessels may contact the marine superintendent via VHF-FM channels 13, 16 or 9 and (609) 381-9837. Mariners should use extreme caution when transiting the area. (HP)

Great Egg Harbor Bay - Garden State Parkway (Northbound) Bridge - Maintenance will be performed from November 1, 2016, until February 28, 2018, between 7 a.m. and 4 p.m., Monday through Saturday. A second work shift and 24-hour operations may be scheduled via separate notice and broadcast notice to mariners. Bridge work will include superstructure removal and replacement, deck repair and resurfacing, parapet replacement, substructure repairs, and fender replacement. A work platform extending approximately 2 feet below low steel of the bridge will be installed over the middle portion of the bridge, reducing the vertical clearance of the navigation span to approximately 48 feet. Vessels and barges will be operating and working in the area and necessary waterway closures will be scheduled via separate notice and broadcast notice to mariners. Mariners should use extreme caution when transiting the area. (HP)

Delaware River - Interstate 276/Delaware River Turnpike Bridge - Repainting and miscellaneous improvements will be performed from mid-November 2015 through December 31, 2018. All work on the bridge superstructure will continue to be performed from 7 a.m. to 7 p.m.; M-F; and from 6 a.m. to 6 p.m. on the weekends. The repainting and miscellaneous improvements ongoing since mid-November, 2015, will be extended through to December 31, 2018. A work platform occupying approximately half of the navigation span, will continue to reduce the vertical clearance by approximately 5 feet to approximately 130 feet above mean high water. The project foreman can be contacted at 267-767-2550. Mariners should use extreme caution when transiting the area. (MT)

Manahawkin Bay (NJICW) - Route 72 Bridges – Bridge construction continues until May 2019.

The new Route 72 Manahawkin Bridge has a vertical clearance of 55 feet above mean high water and a horizontal clearance of 100 feet between fender systems. In addition to bridge construction, marine construction operations include installation and removal of work trestles, caissons and cofferdams, bridge scaffolding and false work, as well as demolition of portions of the existing bridge not utilized in the new bridges. Vessels and barges used during marine construction and will monitor VHF-FM channel 13. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Mariners should use caution when transiting the area. (MT)

NJICW (Beach Creek) - SR 147 (Beach Creek Bridge) Bridge - Maintenance will be conducted from 7 a.m. to 7 p.m.; 7 days a week; on Tuesday, October 10, 2017, through Monday, July 2, 2018. Work will consist of repair and rehabilitation of the bridge fender system. A 26 ft. work vessel and two work barges will be in and around the vicinity of the bridge. During the maintenance period, the horizontal clearance of the bridge will be reduced by approximately 20 feet to approximately 20 feet of available navigable clearance during the work hours, and will be reduced by approximately 10 feet to approximately 30 feet of available navigable clearance at all other times. Vessels that can safely transit through the reduced horizontal clearances may do so at any time. Maintenance personnel, equipment and vessels will relocate from the navigable channel, upon request. The work vessel and work barges may be reached on VHF-FM channel 13. The project foreman can be reached at (610) 368-3739 or (267) 907-6501. Mariners who need more than 20 feet of horizontal clearance during work hours should notify the work foreman no less than 24 hours prior to navigating through the bridge. Mariners should use extreme caution when transiting the area.

Delaware River - SR 413 (Burlington-Bristol) Bridge -Maintenance will be conducted between September 18, 2017 and March 20, 2018; from 7 a.m. to 7 p.m.; M-F and from 6 a.m. to 6 p.m. Sat-Sun; the towers of the bridge are to be cleaned and painted; No work will be done in or on the navigable portions of the bridge. The project foreman can be reached at (267)-767-2550 or (609) 381-1407. Mariners should use caution when transiting the area.

New Jersey Intracoastal Waterway (NJICW) (Cape May Canal) - SR 162 (CR 626/Seashore Road) Bridge - Maintenance to the bridge fender system, which began in October, 2017, will continue to be conducted from 6 a.m. to 11 p.m.; 7 days a week; from Monday, February 26, 2018, through Saturday, March 31, 2018, and from 6 a.m. to 6 p.m.; M-F; from Sunday, April 1, 2018, through Thursday, May 31, 2018. Work will consist of repair and rehabilitation of the bridge fender system. A 26 ft. work vessel and two work barges will be in and around the vicinity of the bridge. During the maintenance period, the horizontal clearance of the bridge will be reduced by approximately 40 feet to approximately 40 feet of available navigational clearance during the work hours, and will be reduced by approximately 10 feet to approximately 70 feet of available navigable clearance at all other times. Vessels that can safely transit through the reduced horizontal clearances may do so at any time. Maintenance personnel, equipment and vessels will relocate from the navigable channel, upon request. The work vessel and work barges may be reached on VHF-FM channel 13. The project foreman can be reached at (610) 368-3739 or (267) 907-6501. Mariners who need more than 40 feet of horizontal clearance during work hours should notify the work foreman no less than 24 hours prior to navigating through the bridge. Mariners should use extreme caution when transiting the area. (MT)

Musquash Brook and Shark River Bay - N-17 (East End Avenue) Bridge - Maintenance will be conducted from October 11, 2017 to May 25, 2018; Monday through Saturday, from 7 a.m. to 3:30 p.m. A work float and work vessels will be in and around the vicinity of the bridge during the work hours. The vessels and crew will not block the navigational channel. The Project Foreman can be reached at 973-621-2828 or VHF/FM CH 13. Mariners should use caution when transiting the area.

Crook Horn Creek - Roosevelt Boulevard Bridge - Maintenance will be conducted from October 9, 2017, to May 1, 2018, M-F; from 6 a.m. to 5 p.m. The bridge's vertical clearance will be reduced to 33 feet above mean high water. Maintenance personnel and equipment will be working on the surface of the bridge exclusively and will not affect the navigable waterway.

NJICW (Grassy Sound Channel) - SR 147 (North Wildwood Boulevard) Bridge - Maintenance will be conducted from 7 a.m. to 7 p.m.; 7 days a week; on Thursday, December 21, 2017 through May 3, 2018. Work will consist of repair and rehabilitation of the bridge fender system. A 26 ft work vessel and two work barges will be in and around the vicinity of the bridge. During the maintenance period, the horizontal clearance of the bridge will be reduced by 50 feet to approximately 50 feet of available navigational clearance during the work hours, and will be reduced by approximately 10 feet to approximately 90 feet of available navigational clearance at all other times. Vessels that can safely transit through the reduced horizontal clearances may do so at any time. Maintenance personnel, equipment and vessels will relocate from the navigable channel, upon request. The work vessel and work barges may be reached on VHF-FM channel 13. The project foreman can be reached at (610) 368-3739 or (267) 907-6501. Mariners who need more than 50 feet of horizontal clearance during work hours should notify the work foreman no less than 24 hours prior to navigating through the bridge. Mariners should use extreme caution when transiting the area.

Big Timber Creek (South Branch) - SR 42 Bridge - Maintenance will be conducted from January 30, 2018, to September 18, 2019. Work barges will be in and around the vicinity of the bridge and will not be blocking the navigable channel. The bridge has a horizontal clearance of 60 feet. The Project Foreman can be reached at 609-517-6658 or VHF/FM CH 13. Mariners should use caution when transiting the area.

New Jersey Intracoastal Waterway (NJICW) (Beach Thorofare) - Mariners are advised that the Margate Boulevard (Margate Bridge) bridge over, mile 74.0, at Margate City, NJ will be maintained in the closed-to-navigation position to facilitate bridge maintenance of the bridge bascule spans. **The bridge will remain in the closed position from 7:01 p.m. on Monday, March 12, 2018, through 7 p.m. on Monday, March 26, 2018.** The bridge will not be able to open for emergencies. Mariners able to pass under the closed span during this closure period may do so at any time. Mariners should adjust their transits accordingly and should use caution when transiting the area (MT)

New Jersey Intracoastal Waterway (NJICW) (Cape May Canal) - SR 109 Bridge - Maintenance to the bridge fender system, which began in September, 2017, will continue to be conducted from 6 a.m. to 11 p.m.; 7 days a week; from Monday, February 26, 2018, through Saturday, March 31, 2018, and from 6 a.m. to 6 p.m.; M-F; from Sunday, April 1, 2018, through Thursday, May 31, 2018. During the maintenance period from February through March, 2018, a 26-foot work vessel and two work barges will be in the vicinity of the bridge during work hours, which will reduce the horizontal clearance of the bridge to approximately 40 feet. Mariners who need more than 40 feet of horizontal clearance, should notify the work foreman no less than 24 hours prior to navigating through the bridge. The horizontal clearance of the bridge will be reduced to approximately 70 feet at all other times. Vessels who can safely transit through the reduced horizontal clearances, may do so at any time. Maintenance personnel, equipment and vessels will relocate from the navigable channel, upon request. The work vessel and work barges may be reached on VHF-FM channel 13. The project foreman can be reached at (610) 368-3739 or (267) 907-6501. Mariners should use extreme caution when transiting the area. (MT)

- **Pennsylvania –**

Delaware River – Walt Whitman Bridge (I-76) - Painting of the suspension spans and towers will be conducted from October 19, 2015 to March 31, 2018, between 7 a.m. and 5 p.m. daily. A work platform extending 3 feet beneath the lower portion of the bridge will be installed over the entire length of the bridge. The vertical clearance of the bridge will be reduced by 3 feet to approximately 136 feet above MHW. Mariners should use caution when transiting the area.

SECTOR MARYLAND-NATIONAL CAPITAL REGION

- **Maryland**

Choptank River - MD 331/Dover (fixed) Bridge – Construction activities begun on September 16, 2014 and are expected to finish in November 2018. Detailed project information and information concerning the waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, and vessels are operating or stationed in the vicinity of the existing and new bridge. McLean Contracting Company's tugs and vessels are monitoring VHF-FM channel 13 when work is in progress or vessels are operating in the

area. The MDSHA project engineer may be contacted at (816) 989-4019 and McLean Contracting Site Supervisor may be contacted at (443) 980-7633. Mariners should use extreme caution when transiting the area. Project Information may be found at: <http://apps.roads.maryland.gov/WebProjectLifeCycle/ProjectSchedule.aspx?projectno=TA392515>

Bear Creek - I-695 Bridge - Maintenance will be conducted between Wednesday, April 19, 2017, and Thursday, May 31, 2018; Mon-Fri; from 6 a.m. to 5 p.m. Repair and rehabilitation of the bridge will require up to 30-foot-wide construction barges, and various construction craft to be working outside the navigable channel. This maintenance project is in conjunction with the Francis Scott Key Bridge project. Periodic maintenance updates will be added into the Local Notice to Mariners. Maintenance personnel, equipment and vessels can relocate. The vessels may be reached on VHF-FM channel 13 and 16. Mariners should use caution when transiting the area.

Patapsco River - Francis Scott Key Bridge - Maintenance will be conducted between Wednesday, April 19, 2017, and Thursday, May 31, 2018; Mon-Fri; from 6 a.m. to 5 p.m. Repair and rehabilitation of the bridge will require up to four, 30-foot-wide construction barges, and various construction craft to be working outside the navigable channel. The work will also include dive operations from a 24-foot wide barge. Periodic maintenance updates will be added into the Local Notice to Mariners. Maintenance personnel, equipment and vessels can relocate. The vessel may be reached on VHF-FM channel 13 and 16. The project superintendent can be reached at (571) 422-7954. Mariners should use caution when transiting the area.

Chesapeake Bay - US 50/US 301 (William P. Lane Jr. Memorial) (Eastern Channel) Westbound Bridge - Maintenance will be conducted from July 10, 2017, through June 20, 2019; 24 hours a day; 7 days a week. The work will involve bridge spans 44-49, broken into two phases. The first phase will commence on July 10, 2017, with spans 47-49, and the second phase for spans 44-46 (span 45 is the navigational span) will commence on a later date to be published via an updated LNM. A work platform will be attached to the underside of bridge which will reduce the vertical clearance of the bridge spans by approximately 2 feet. A barge and work vessels will be in and around the vicinity of the bridge. Work vessels may be reached on VHF-FM channel 13. The project foreman can be reached at (910) 228-9164. Mariners should use caution when transiting the area.

Severn River - US 50 Bridge - Maintenance will be conducted 24 hours, Monday-Saturday from August 7, 2017, through August 30, 2018. Two crane barges and two work boats will be in and around the vicinity of the bridge. The maintenance will require scaffolding to extend a maximum of three feet below the bridge, which will be inside the navigable channel. A minimum vertical clearance of 74.6 feet above mean high water will be attained. Mariners should use caution when transiting the area.

Patapsco River Southern Branch - I-895 Bridge - Maintenance will be conducted between September 22, 2017 through September 1, 2018; 24 hours a day; 7 days a week. The bridge superstructure will be replaced. A work vessel and several work barges will be located adjacent to the bridge. Maintenance personnel, equipment and vessels will not impede into the navigable channel. The project foreman can be reached at (443) 392-8089. Mariners should use caution when transiting the area.

Curtis Creek - I-695 Bridge –Maintenance will be performed from January 8, 2018, through November 30, 2018, 24 hours a day. During the maintenance period, barges will be placed in the navigable channel, reducing the horizontal clearance to between 128 feet and 160 feet. The bascule spans will be placed in the open-to-navigation position or opened on signal, if at least a one-hour notice is given, as provided in 33 CFR 117.557. Barges will relocate outside of the navigable channel, if at least a one-hour notice is given. Vessels may contact the project engineer at (410) 330-7332 or project manager at (410) 377-9655 concerning bridge openings and navigation safety. Vessels engaged in bridge maintenance may be contacted via VHF-FM channels 13 or 16. Mariners should use caution when transiting the area during the scheduled maintenance period.

Spa Creek - MD 181 (Sixth Street) Bridge - Inspection will be performed between February 19, 2018, and February 23, 2018, from 8 a.m. to 4 p.m. Testing of the movable span will include multiple openings. The underside of the bridge will be accessed from the top of the bridge utilizing a snoop truck. A 16-foot work boat will assist with the inspection effort; the crew will relocate from the movable span and channel upon request. The Project Foreman can be reached via VHF/FM Channel 13 or (410) 494-9093. Mariners should use caution when transiting the area. (MS)

Curtis Creek - CSX Swing Bridge – Bridge will remain in the closed-to-navigation position to facilitate installation of railroad ties across the swing span of the drawbridge. The bridge will remain in the closed position from 8 a.m. to 2:30 p.m.; Monday through Friday; from March 5, 2018, through March 30, 2018. During the closure period, the bridge will be able to open on signal, if at least one-hour notice is given. The bridge will be able to open for emergencies, if at least 15 minutes' notice is given. The bridge may be contacted at (410) 354-5593 24 hours per day. Vessels able to pass under the closed span of 13 feet above mean high water during the closure period, may do so at any time. The bridge foreman may be reached at (443) 695-0602 and on VHF-FM channels 13 and 16. Mariners should adjust their transits accordingly and should use caution when transiting the area. (MT)

Cambridge Creek - Market Street Bridge - Maintenance requires the bridge to remain in the open-to-navigation position from 7 a.m., March 5, 2018, until 4 p.m., March 18, 2018. The bridge will remain in the open-to-navigation position 24 hours a day for the entire maintenance period and will not impede marine traffic. Mariners should remain vigilant and use caution when transiting the area. (MB)

- **Washington DC** – None
- **Virginia (Northern)** - None

SECTOR HAMPTON ROADS

- **Virginia (Southern)**

Lynnhaven Inlet – US 60/John A. Lesner (fixed) Bridge – Work is in progress through August 30, 2019 for a new replacement bridge at essentially the same location. The new bridge will have a vertical clearance of 45 feet above MHW, along with a horizontal clearance of 150 feet between face of the fenders. A dredge material placement site will be located southwest of the existing bridge, adjacent to the boat ramp facility and used as a staging area. The contractor will access the lay down and staging area via the waterway through a proposed temporary bulkhead. (HP)

Rappahannock River - Robert O. Norris Bridge - The bridge painting maintenance which began in October, 2016, will continue to be conducted through to July 1, 2018; 24 hours a day; 7 days a week. The vertical clearance of the bridge will

be reduced to approximately 106 feet above mean high water. A work platform will be attached to the bridge. Maintenance personnel, equipment, two barges and work vessels will be in the vicinity of the bridge. Quick flashing red lights will be positioned no more than 10 feet apart and on all corners, to mark the bottom of the work platform used attached to the bridge. Legible signs will be erected on the existing fender system to bring awareness regarding the reduced clearance. Work vessels may be reached on VHF-FM channel 13. The project foreman can be reached at (804) 577-0049 or (216) 235-3933. Mariners should use caution when transiting the area. (MT)

James River - I-295, Varina-Enon Bridge - Maintenance will be conducted between Monday, October 2, 2017, through Tuesday, May 01, 2018; M-F; from 9 a.m. to 5 p.m. All work will be conducted outside the navigable channel and should not interfere with vessels within the navigable channel. No vertical or horizontal restrictions are anticipated. Mariners should remain vigilant and use caution when transiting the area.

Elizabeth River - I-64 High Rise Bridge - Maintenance will be conducted from July 31, 2017 to March 2, 2018; 7 days a week from 7 a.m. to 5 p.m. Repair and rehabilitation of the bridge will occur. A barge and work boats will be in and around the vicinity of the bridge. The work barge will reduce the horizontal navigational clearance to 70 feet for the duration of the project. Maintenance personnel, equipment and vessels will relocate from the navigable channel with 24-hour advanced notice for mariners that require additional clearance to navigate safely through the bridge. Work vessels may be reached on VHF-FM channel 13. The project foreman can be reached at (813) 347-2134. Mariners should use caution when transiting the area. (MS)

Elizabeth River (Eastern Branch) - Berkley Bridge (U.S. 460/S.R. 337) – Bridge will remain in the closed-to-navigation position from 7 a.m. to 1 p.m. on March 17, 2018, to facilitate bridge maintenance. The bridge is a drawbridge with two spans, each with double-leaf bascule draws, and both spans have a vertical clearance in the closed-to-navigation position of 48 feet above mean high water. Vessels able to pass through the bridges in the closed position may do so at any time. The bridge spans will not be able to open in case of an emergency and there is no immediate alternate route for vessels to pass. Mariners should use caution when transiting the area. (MB)

SECTOR NORTH CAROLINA

- **North Carolina**

Gallants (Beaufort) Channel – US 70/Grayden Paul (fixed) Bridge – Work is in progress through October 31, 2017, for construction of a high-level fixed bridge relocated between Radio Island and Michael J Field in Carteret County. When completed, the new high-level fixed bridge will have a vertical clearance of 65 feet above MWH, along with a horizontal clearance of 100 feet between pile bents. The construction operation will include in-water work involving pile driving, concrete placement, girder setting, and concrete deck installation with post tensioning. Tugboats and barges will be used and will monitor VHF channel 13 in the event that mariners need to contact the contractor. Waterway closures are being planned. (HP)

Oregon Inlet - Herbert C. Bonner Bridge – Construction activities for the replacement bridge will begin on March 7, 2016 and are expected to finish on August 30, 2019. Work will be on-going 24-hours per day, seven days a week. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new bridge. A work trestle/loading dock will be constructed approximately 200 yards south of the southeastern end of the existing Bonner Bridge, on the southwest side of South Point in Pamlico Sound, extending 150 feet southwesterly from the shoreline and terminate at approximately 35.766 N, 75.526 W. Running parallel to the dock will be a 245-foot breast-line comprised of eight 36-inch hollow pipe piles spaced fifty feet apart, to be used for mooring purposes. The breast-line will begin near shore and terminate at approximately 35.765N, 75.527 W. Each pile will be lit by a flashing white light. PCL Civil Constructors tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the area. The NCDOT Resident Engineer may be contacted at (252) 473-3637 and PCL Civil Constructors may be contacted at (252) 423-3093. Project information may be found at <http://www.ncdot.gov/projects/bonnerbridgereplace/>.

Atlantic Intracoastal Waterway (Alligator River) - US 64 (Alligator River Bridge) - Maintenance will be conducted Monday-Saturday from July 17, 2017 through July 17, 2018, from 6:30 a.m. to 6 p.m. A crane barge and work boats with divers will be in and around the vicinity of the bridge. Maintenance personnel, equipment and vessels will relocate from the moveable span and navigable channel, upon request. Work vessels may be reached on VHF-FM channel 16. The project foreman can be reached at (919) 437-4763 or (757) 449-4652. Mariners should notify the work foreman no less than one hour prior to navigating through the area and should use extreme caution when transiting the area.

Atlantic Intracoastal Waterway (Alligator River) - US 64 (Alligator River Bridge) - be maintained in the closed-to-navigation position to facilitate bridge maintenance from 7 a.m. to 7 p.m., on Wednesday, December 27, 2017, through Saturday, December 30, 2017; Monday, January 1, 2018, through Saturday, January 5, 2018; and Monday, January 8, 2018, through Tuesday, January 9, 2018. During these closure periods the bridge will open on signal, if at least 2 hours notice is given. The bridge will also remain in the closed-to-navigation position 24 hours a day, 7 days a week, from 6 a.m. on Wednesday, January 10, 2018, through 6 p.m. on Wednesday, January 17, 2018; and from 6 a.m. on Wednesday, March 14, 2018, through 6 p.m. on Wednesday, March 21, 2018. Alternative work dates for these closure periods will be from noon on Thursday, January 18, 2018, through 6 p.m. on Wednesday, January 24, 2018; and from noon on Thursday, March 22, 2018, through 6 p.m. on Thursday, March 29, 2018. If the alternative work dates from noon on Thursday, January 18, 2018, through 6 p.m. on Wednesday, January 24, 2018, are used, the bridge will also remain in the closed-to-navigation position from 7 a.m. to 6 p.m., Monday through Saturday, from January 22, 2018, through March 14, 2018; except for scheduled daily openings at noon, if at least 2 hours notice is given. If the alternative work dates from noon on Thursday, January 18, 2018, through 6 p.m. on Wednesday, January 24, 2018, are not used, the bridge will also remain in the closed-to-navigation position from 7 a.m. to 6 p.m., Monday through Saturday, from January 17, 2018, through March 14, 2018; except for scheduled daily openings at noon, if at least 2 hours notice is given. Vessels able to pass through the bridge in the closed-to-navigation position may do so at any time. During the 24-hour closure periods, the bridge will not be able to open for emergencies and the Croatan Sound to the Pamlico Sound can be used as an alternative route for vessels unable to pass through the bridge in the closed position. During the closure periods with scheduled openings at noon, the bridge will be able to open up for emergencies, if at least one hour notice is given. During the bridge maintenance, a barge will be

placed in one navigation span and the other navigation span will be open for vessels to transit through the bridge. The bridge has a vertical clearance of 14 feet above mean high water in the closed position and a horizontal clearance of 100 feet in each navigation span. Work vessels may be reached on VHF-FM channel 16 and the project foreman may be reached at (919) 437-4763 or (443) 790-8905. Mariners should navigate the waterway with extreme caution and due regard for prevailing conditions on the waterway. All others should adjust their transits accordingly and use caution when transiting the area.

Currituck Sound - US 158 (Wright Memorial) Bridge - Maintenance will be conducted from 7 a.m. to 7 p.m.; 7 days a week; from October 03, 2017, through December 1, 2018. A 40 ft. barge, several work boats, several work platforms and a team of divers will be in and around the vicinity of the bridge. Maintenance personnel, equipment and vessels will relocate from the navigable channel, upon request. Work vessels may be reached on VHF-FM channels 13 and 16. The project foreman can be reached at (252) 340-2471 or (936) 404-9514. Mariners should notify the work foreman no less than one hour prior to transiting through the bridge and should use caution when navigating the area.

Roanoke River - NC 45 Bridge – Fender maintenance will be conducted between Monday, December 04, 2017, through Thursday, April 5, 2018; M-F; from 7 a.m. to 6 p.m. All work will be conducted outside the navigable channel and should not interfere with vessels within the navigable channel. No vertical or horizontal restrictions are anticipated. Mariners should remain vigilant and use caution when transiting the area. (MB)

FUTURE PROJECTS:

Permits/Construction:

SECTOR DELAWARE BAY

- *Delaware* – None
- *New Jersey (Central & Southern)* - None
- *Pennsylvania* – None

SECTOR MARYLAND-NATIONAL CAPITAL REGION

- *Maryland*
 - Potomac River - Theodore Roosevelt (fixed) Bridge - DDOT is conducting an investigation and assessment of the bridge, which will be completed winter of 2015. They'll assess structural condition, needs for extended life cycle, and safety compliance improvements. Then will do a design analysis of alternatives with construction in the future (no date given).
- *Washington, DC* –
 - Anacostia River – 11th Street Bridge Park – Proposed fixed pedestrian bridge park to be built on retained substructure of old 11th Street Bridge. (HP)
- *Virginia (Northern)* – None

SECTOR HAMPTON ROADS

- *Virginia (Southern)* – None

SECTOR NORTH CAROLINA

- Mid-Currituck Sound (fixed) Bridge – Proposed new fixed structure.
- Perquimans River – US 17 business (fixed) Bridge – Proposed new fixed bridge structure to replace (swing) bridge in final review of the design and environmental package. (HP)
- Alligator River – US 64 (fixed) Bridge Proposed new fixed bridge structure to replace (swing) bridge in final review of the design and environmental package.
- Cape Fear River – Wilmington bypass south (fixed) Bridge Proposed new fixed bridge structure in review of the design and environmental package. (HP)

SUMMARY OF DREDGING/MARINE CONSTRUCTION PROJECTS CURRENTLY IN PROGRESS

******DREDGING AND MARINE CONSTRUCTION CAUTIONS******

Mariners are cautioned to stay clear of dredge, booster, floating (pontoon) and submerged pipelines, barges, derricks and operating wires associated with dredging and marine construction operations. Operators of vessels of all types should be aware that dredges and floating pipelines are held in place by cables, attached to anchors some distance away from the equipment. Buoys are attached to the anchors so that the anchors may be moved as the dredge advances and the location of the submerged pipelines are marked by buoys on each side of the channel. Mariners are cautioned to strictly comply with the Inland Rules of the Road when approaching, passing and leaving the area of operations, and remain a safe distance away from the dredge, booster, buoys, cables, pipeline, barges, derricks, wires and related equipment. Dredging projects are usually conducted 24 hours a day, 7 days a week. All fishnets, crabpots and structures in the general area must be removed prior to commencement of any work. A NO WAKE transit is requested of all vessels passing the dredge and if necessary to clarify a SAFE PASSAGE contact the dredge on the appropriate VHF-FM channels.

NJ – MANASQUAN INLET TO BARNEGAT INLET – BEACHFILL OPERATIONS

Staging area updated.

Continuing until approximately **30 Nov 2018** the hopper dredge R.N. WEEKS and attendant plant will be operating approximately 2 miles offshore of Mantoloking Beach and Seaside Heights Beach, Ocean County, NJ.

Work limits for Borrow Area B is bound by the following approximate positions:

40° 2'34.84"N/ 74° 1'33.10"W
40° 2'55.55"N/ 74° 0'54.55"W
40° 2'50.03"N/ 74° 0'26.70"W
40° 2'23.34"N/ 74° 0'26.89"W
40° 2'13.31"N/ 74° 1'37.23"W/ 74°01'18.56"W

Pipeline Corridor for Area B is bound by the following approximate positions:

40° 2'12.59"N/ 74° 2'59.14"W
40° 2'11.62"N/ 74° 2'58.86"W
40°02'28.17"N/ 74°01'18.28"W
40°02'29.14"W/ 74°01'18.56"W

Work limits for Borrow Area D is bound by the following approximate positions:

39°55'15.11"N/ 74° 2'4.69"W
39°54'56.37"N/ 74° 2'40.37"W
39°55'15.86"N/ 74° 3'10.92"W
39°55'35.17"N/ 74° 2'41.02"W

Pipeline Corridor for Area D is bound by the following approximate positions:

39°55'27.56"N/ 74°04'28.43"W
39°55'26.57"N/ 74°04'28.44"W
39°55'26.22" N/ 74°02'56.02"W
39°55'27.21"N/ 74°02'56.01"W

Work limits for Borrow Area A/E is bound by the following approximate positions:

39° 51' 59.59"N/ 74° 01' 47.931"W
39° 52' 0.21"N/ 74° 02' 30.89"W
39° 52' 32.13"N/ 74° 02' 54.79"W
39° 52' 51.09"N/ 74° 02' 38.76"W
39° 53' 20.11"N/ 74° 02' 29.07"W
39° 53' 24.00"N/ 74° 02' 11.28"W
39° 53' 6.00"N/ 74° 01' 44.01"W
39° 52' 34.72"N/ 74° 01' 45.63"W

Staging Area at Barnegat Inlet is bound by the following approximate positions:

39°46.111'N/ 74° 7.198"W
39°46.106'N/ 74° 6.960"W
39°45.621'N/ 74° 7.145"W
39°45.633'N/ 74° 6.875"W

For questions and or additional information contact macruz@weeksmarine.com or contact Project Manager(s) on-site: Matt Henry (985) 237-5050, mthentry@weeksmarine.com, Site Manager, Ted Tarvin - (856) 217-4509, trtarvin@weeksmarine.com. Ref LNM 34/17 Chart 12324

******NJ – HARVEY CEDARS – SURT CITY – BRANT BEACH – LONG BEACH ISLAND – FLOOD CONTROL AND COASTAL REPAIR******

Starting approximately 10 March and continuing until approximately **15 Jun 2018** the hydraulic dredge R.S. WEEKS/hopper dredge MAGDALEN and attendant plant will be operating 3 nautical miles offshore of Long Beach Island, NJ.

Work limits for borrow area will be the perimeter bound by the following approximate positions:

39°40'6.56"N, 74° 5'25.27"W
39°41'35.68"N, 74° 3'41.52"W
39°40'48.98"N, 74° 2'27.00"W
39°39'18.71"N, 74° 4'7.23"W

The staging area will be located between the following approximate positions at Barnegat Inlet:

39°46'6.66"N, 74° 7'11.88"W
39°46'6.36"N, 74° 6'57.60"W
39°45'37.26"N, 74° 7'8.70"W
39°45'37.98"N, 74° 6'52.50"W

Pipeline corridors will be bound by the following approximate positions while pumping at Brant Beach:

39°37'39.06"N, 74°11'19.16"W
39°37'0.06"N, 74° 9'52.65"W
39°37'0.92"N, 74° 9'52.00"W
39°37'40.79"N, 74°11'17.50"W

Once underway, dredging operations will continue a twenty-four (24) hours per day, seven days per week basis. Dredge and attendant plan will monitor marine VHF channels 13 and 16. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made.

Chart 12324

Pipeline corridors will be bound by the following approximate positions while pumping at Harvey Cedars:

39°41'5.68"N, 74° 8'40.58"W
39°40'16.97"N, 74° 4'27.78"W
39°40'17.93"N, 74° 4'27.47"W
39°41'6.64"N, 74° 8'40.27"W

Pipeline corridors will be bound by the following approximate positions while pumping at Surf City:

39°40'8.53"N, 74° 9'24.00"W
39°40'40.53"N, 74° 6'29.94"W
39°40'16.97"N, 74° 4'27.78"W
39°40'17.93"N, 74° 4'27.47"W
39°40'41.55"N, 74° 6'29.93"W
39°40'9.54"N, 74° 9'24.17"W

******NJ - BRIGANTINE INLET TO GREAT EGG HARBOR INLET – FLOOD CONTROL AND COASTAL REPAIR******

Continuing until approximately **31 March 2018** the hydraulic dredge E.W. ELLEFSEN and attendant

plant will be operating in the vicinity of Brigantine Inlet.

Work limits for borrow area will be bound

by the following approximate positions:

39°26'52.73"N, 74°17'47.76"W

39°27'16.48"N, 74°19'23.21"W

39°26'39.05"N, 74°19'37.27"W

39°26'5.62"N, 74°18'10.83"W

The staging area will be located between the

following approximate positions.

1) 39 26 26.5968 N, 074 19 10.1012 W

2) 39 26 39.6802 N, 074 18 59.5044 W

3) 39 26 31.1711 N, 074 18 40.5867 W

4) 39 26 17.8159 N, 074 18 50.5786 W

Once underway, dredging operations will continue a twenty-four (24) hours per day, seven days per week basis. Dredge and attendant plan will monitor marine VHF channels 13 and 16.

Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made.

Chart 12318

Pipeline corridors will be bound by the following approximate positions.

5) 39 26 27.6241 N, 074 18 59.2321 W

6) 39 26 26.5123 N, 074 18 57.1326 W

7) 39 25 13.6202 N, 074 20 9.3984 W

8) 39 25 12.5155 N, 074 20 7.4202 W

9) 39 25 4.302 N, 074 20 7.0123 W

10) 39 25 0.0937 N, 074 21 8 W

11) 39 24 50.7759 N, 074 21 5.6191 W

******NJ – LITTLE EGG HARBOR TO CAPE MAY – BEACH NOURISHMENT******

Continuing until approximately **31 March 2018** the Hopper Dredge B.E. LINDHOLM will be operating 4.5 nautical miles offshore of Longport Beach, NJ.

Staging Area #1 will be located between the following approximate positions: 39°22'41.93"N/ 74°24'48.90"W and 39°22'32.03"N/ 74°24'37.66"W

Staging Area #2 will be located between the following approximate positions: 39°23'48.89"N/ 74°25'51.98"W and 39°23'32.55"N/ 74°25'40.73"W

Proposed Pipeline corridors will be

bound by the following approximate

positions:

PL Corridor #1:

39°19'51.64"N/ 74°29'19.08"W

39°18'34.71"N/ 74°28'19.60"W

39°18'28.87"N/ 74°28'29.57"W

39°19'44.89"N/ 74°29'31.86"W

PL Corridor #2:

39°18'41.20"N/ 74°31'22.69"W

39°17'36.63"N/ 74°30'15.98"W

39°17'41.91"N/ 74°30'05.96"W

39°18'49.63"N/ 74°31'10.20"W

Once underway, dredging operations will continue a twenty-four (24) hours per day, seven days per week basis. Dredge(s) and attendant plan will monitor marine VHF channels 13 and 16.

Chart 12316

Work limits for borrow area "H"

will be bound by the following

approximate positions:

39°19'20.25"N/ 74°25'3.57"W

39°19'49.53"N/ 74°22'6.62"W

39°19'13.08"N/ 74°22'0.76"W

39°18'45.22"N/ 74°24'56.34"W

NJ – INTRACOASTAL WATERWAY – MANASQUAN RIVER TO CAPE MAY CANAL – MANAHAWKIN BAY – BRIDGE CONSTRUCTION

A construction firm, on behalf of the NJ DOT will continue marine construction in the vicinity of the existing and new Route 72 Bridges over Manahawkin Bay, at NJICW mile 37.4, in Ship Bottom, Ocean County, NJ until **May 2019**. The new Route 72 Manahawkin Bridge has a vertical clearance of 55 feet above MHW and a horizontal clearance of 100 feet between fender systems. Operations include installation and removal of work trestles, caissons and cofferdams, bridge scaffolding and false work, as well as demolition of portions of the existing bridge. Vessels may contact the demolition crew supervisor at (732) 751-2088 or (732) 751-2020. Vessels and barges will monitor VHF-FM channel 13.

Chart 12234

NJ – GREAT EGG HARBOR BAY – DRAG CHANNEL - BRIDGE CONSTRUCTION & DEMOLITION UPDATE

Marine work consisting of cofferdam construction, superstructure erection and demolition are in progress through **Dec 2018** for the replacement of the southbound bridges and rehabilitation of the northbound bridges of the Garden State Parkway. Ref LNM 03/16

Chart 12316

******NJ – NEW JERSEY INTRACOASTAL WATERWAY – STONE HARBOR – CAPE MAY LEWES FERRY CHANNEL – DREDGING******

On Mar 5, 2018, the dredge FULLERTON will proceed to conduct work at the Cape May Lewes Ferry Channel until **Apr 15, 2018**. The Dredge FULLERTON will be monitoring VHF-FM channel 13 and 16. Ref LNM 08/18

Chart: 12316

******NJ – SALEM RIVER – DREDGING******

H & L Contracting will be conducting dredging operations in the Salem River, NJ from 1 Mar to **15 Apr 2018**. There will be two points where submerged pipeline will be crossing the main navigational channel. These locations of submerged pipeline will be at: Salem River 39°34'08"n; 75°30'21"w and at the Fort Mott Ferry Dock 39°36'03"n; 75°33'18"w. All marine equipment operators will be monitoring VHF-FM channel 63, 16 and 13. Vessels are requested to transit with no wake when passing the dredge and dredge equipment. Dredge and work vessels will monitor vhf-fm channel 13 and 16. Mariners are advised to proceed with caution when transiting the area. Ref LNM 09/18

Chart 12277

******PA – NJ – DELAWARE BAY AND RIVER – MIAH MAULL TO LISTON RANGE – DREDGING******

The Dutra dredge PAULA LEE will be performing dredging operations beginning in Miah Maull working north to Liston Range, in the Delaware Bay and River, from Mar 10 thru **Jun 31, 2018**. The clamshell dredge will be dredging the main navigational channel beginning on the red side of the channel working north and then south on the green side of the channel. The dredge PAULA LEE will be able to move for vessel traffic. Vessels should contact the dredge 30 minutes prior to arrival to make safe passing arrangements. VHF-FM channel 14 and 82. Ref LNM 11/18

Chart 12304

PA – NJ – DELAWARE RIVER - BILLINGSPOUR RANGE PBF LOGISTICS PAULSBORO DOCK - REPAIRS

Commerce Construction Corporation will be performing dock repairs at PBF Logistics at their Paulsboro NJ dock, located along the NJ side of the Billingsport Range. A Commerce Crane and support barge will be positioned on the inshore side of the PBF logistics dock from approx. Feb 5 thru approximately **Apr 30, 2018**. Work will also be performed along the out shore edge of the dock for approx. 3 weeks starting the week of Feb 26, 2018. No work is planned in the channel. For more information, contact Chris Spence at 856-373-8595 or cms@commerceconstruction.com. Ref LNM 08/18 Chart 12312

PA – NJ- DELAWARE RIVER – TINICUM AND MARCUS HOOK RANGES – DREDGING AND BLASTING

Sturgeon relocation trawling will commence on 15 Nov with the trawler Amy Marie operating in Tinicum and Marcus Hook Ranges. Trawling operations will be continuous in daylight hours throughout the duration of the project. The Dredge New York will remobilize to the site 1 Dec and commence dredging upon arrival. Associated support equipment with the New York will include 2 material scows (GL 501 and GL 502), scow towing vessels and a tender. Scows will be towed offshore to various artificial reef locations. This operation will continue through 15 Mar 2018. The drill barge Apache will mobilize to the area around 17 Nov and commence drilling operations on 30 Nov with the initial blasts on 1 Dec 2017. Blasting operations will occur 7 days a week once commenced. During blasting, temporary channel closures will be required and a minimum 1500ft security zone will be maintained. This operation will continue through **15 Mar 2018**.
Chart 12312

PA - NJ – DELAWARE RIVER (MAIN CHANNEL) – SAFETY ZONE FOR DREDGING OPERATIONS

Captain of the Port (COPT), Delaware Bay, is notifying mariners that the Coast Guard is establishing two Safety Zones to facilitate the deepening of the main navigational channel in the Delaware River on or about Aug 30, through **Mar 15, 2018**. The dredges ESSEX and CHARLESTON will be dredging in Marcus Hook Range and Anchorage, Bellevue, Chester, and Eddystone Ranges. Safety Zone one includes all the waters within a 250 yard radius of the dredge ESSEX and CHARLESTON, including all related dredge equipment. Vessels are advised to ensure safe passage by contacting the dredge ESSEX and CHARLESTON, on VHF channel 13 or 16, 1 hour, as well as 30 minutes, prior to arrival. At least one side of the main navigational channel will be kept clear for safe passage of vessels in the vicinity of the safety zones. At no time will the main navigational channel be closed to vessel traffic. Vessels should approach meetings in these areas, where one side of the main navigational channel is open, and proceed per this MSIB and the Rules of the Road (33 C.F.R. Subchapter E). This safety zone will be in place for the duration of the dredging project. Safety Zone two includes all the waters of Marcus Hook Anchorage No. 7 found in 33 CFR 110.157 (a) (8). Safety Zone two will be in place only during the time the dredge ESSEX and/or CHARLESTON is conducting dredging operations in Marcus Hook Anchorage. Vessels desiring to anchor within Marcus Hook Anchorage during the enforcement of safety zone two must obtain permission from the COPT at least 24 hours in advance, at (215) 271-4807. The COTP will permit **two** vessels at a time in Marcus Hook Anchorage on a "first-come, first-served" basis. Normally, this is a 48 hour anchorage; however, vessels will not be permitted to occupy the anchorage beyond 12 hours during this time. Vessels that require an examination by the Public Health Service, Customs, or Immigration authorities will be directed to an anchorage for the required inspection by the COTP. Vessels are encouraged to use Mantua Creek Anchorage (anchorage #9), Naval Base, Philadelphia Anchorage (anchorage #10), and Deepwater Point Anchorage (anchorage #6) as alternatives.
Chart 12312

PA – NJ – WILMINGTON TO PHILADELPHIA – GIBBSTOWN - DREDGING - MARINE DEMOLITION - WHARF CONSTRUCTION

Weeks Marine, Inc. will begin the dredging and construction for the Repauno Marginal Wharf on or about Dec 1, 2017 and will be completed on or about **Sep 15, 2018**. Dredging and demolition will commence in early Dec followed by the pile driving and construction of the new wharf. Equipment will be in place 24 hours a day and 7 days a week, work will be conducted during various times based on the tide and weather. For more information contact Weeks Marine, Tyler Drapeau at 908-290-7737. Ref LNM 47/17
Chart 12312

DE – INDIAN RIVER – DREDGING

Delaware DNREC will be conducting dredging operations Oct 17, 2017 until **31 Mar 2018** in Indian River near the town of Millsboro, DE. The project area will begin approximately 300 yards east of the Hunters Point Community at approximately 38-35-39.89N, 75-17-02.48W and extend approximately 2,000 feet east to 38-35-29.11N, 75-16-39.56W. The dredge will be working on the shoal areas between channel markers 73 and 74, as well as 73A and 74A. Ref LNM 42/17
Chart 12216

MD – UPPER POTOMAC RIVER - ANACOSTIA RIVER – MARINE CONSTRUCTION OPERATIONS

Marine Technologies Inc. will be conducting marine construction operations along the eastern shoreline of the Anacostia River at Joint Base Anacostia-Bolling until **20 Apr 2018**. Work will be conducted Mondays through Fridays, from 6 a.m. to 3 p.m., daylight permitting, and with weekends as weather makeup days. The project consists of relocating the existing NuStar Energy fuel pier and loading platform at the north end of Joint Base Andrews downstream to approximate position 38°52'02.1 N, 077°00'16.2 W. Mariners may contact the tugs SPIRIT or JEZEBEL via marine band radio VHF-FM channels 16 and 13, or Marine Technologies Inc. at 410-355-2000. Ref LNM 52/17
Chart 12289

******MD – TILGHMAN ISLAND – KNAPPS NARROWS – DREDGING******

Southwind Construction Company dredge JENNI LEA II, tenders ANN KAY and DANNY JOE will be conducting dredging operations in Knapps Narrows beginning 12 Mar and continuing until approximately 22 Apr 2018. Floating rubber and polyethylene pipeline associated with dredging operation will traverse north/northwesterly from the Federal Channel of Knapps Narrows through the shallow waters of Back Creek to the adjacent Upland Fill Placement Area. Pipeline and all floating plant will be visibly lighted and marked with floating buoys in accordance with Coast Guard regulations. Mariners are urged to use extreme caution in the area, transit at their slowest safe speed to minimize wake, and proceed with caution after passing arrangements have been made with dredge. For more information, contact Mike Will at 812-483-1528 or Chris Barton at 812-454-7114. Ref LNM 09/18
Chart 12266

MD – CHOPTANK RIVER – U of M CENTER FOR ENVIRONMENT SCIENCE – JETTY CONSTRUCTION

Central Marine Construction will be constructing a stone jetty along the east shoreline of the Choptank River near Horn Point at the University of Maryland Center for Environmental Science, 2020 Horns Point Rd, Cambridge, MD in approximate position 38 35 20N, 76 07 52W. Construction is expected to begin on 24 Oct 2017 and continue through **30 Mar 2018**. Contact Charlie Young, Central Marine Construction, 410-320-7030 for any question. Ref LNM 42/17
Chart 12266

MD – SMITH ISLAND – BIG THOROFARE – DREDGING

Vortex Marine Construction will be conducting dredging operations in Big Thorofare, North West and South East of Ewell, in the vicinity of Ewell and Twitch Cove entrance channel South East of Smith Island. Dredging will start the second week of Oct and is expected to continue until **Apr 2018**. The dredge VORACIOUS with the tugboats BABE and AMITY, survey boat JOEY and crew boat ACE will be in the area and can be reached on VHF-FM Channel 13. Vortex Marine at 510-261-2400 or tschefferlie@vortex-sfb.com. LNM 35/17
Chart: 12228

MD – CHESAPEAKE BAY – POPLAR ISLAND EXPANSION PROJECT

Beginning on 4 Dec 2017, The Wesson Group will commence construction of several breakwater and dikes on the northern part of Polar Island. The project work will extend 1NM north of the island and will be approximately one-half nautical mile in width running east & west. From 4 Dec 2017 to **1 Jul 2019** multiple tugs, work vessels, and barges will be on scene conducting construction of the break waters and dikes. Mariners are advised to maintain a minimal wake and use caution when transiting the area. The on-site project manager, Mike Delaney, can be reached at (518) 332-8430. All on-scene vessels may be contacted via VHF Channel 16. Ref LNM 47-17
Chart 12266

******MD – CHESAPEAKE BAY - COVE POINT TO SANDY POINT – CHESAPEAKE CHANNEL – DREDGING OPERATIONS******

Dredging operations are scheduled in the Chesapeake Bay at Kent Island, MD until March 31, 2018. The dredging will be conducted at the Matapeake Marine Terminal Entrance Channel near Stevensville, Queen Anne's County, MD. Marine equipment on site includes an ELLICOTT 370 dredge, anchor barge, three small work skiffs, and approximately 2,000 feet of pipeline, which will be continuously marked with orange buoys. Contact the Southern Maryland Dredging, Inc. dredge on marine band radio VHF-FM channels 08, 13 and 16. Ref LNM 10/18
Chart 12263

MD - CHESAPEAKE BAY - COVE POINT TO SANDY POINT - BRIDGE REHABILITATION CONTINUES AT THE WILLIAM P. LANE JR

An engineering firm, on behalf of Maryland Transportation Authority, will be performing maintenance at US 50/US 301 (William P. Lane Jr. Memorial) (eastern channel) westbound bridge, over Chesapeake Bay, mile 138.1, near Stevensville, MD. The maintenance will continue through **June 20, 2019**; 24 hours a day; 7 days a week. A work platform will be attached to the underside of bridge which will reduce the vertical clearance of the bridge spans by approximately 2 feet. To facilitate the work, a barge will be anchored between bridge piers 47 and 48 outside the eastern channel in approx posit 38-59.264N, 076-21.264W. Work vessels may be reached on vhf-fm channel 13. The project foreman can be reached at (910) 228-9164. Ref LNM 39/17
Chart 12270

MD – BALTIMORE HARBOR – DUNDALK CHANNEL – DREDGING

McLean Contracting Company will be conducting dredging operations in Dundalk East Federal Channel & Dundalk Marine Terminal Berths 7-10 & 11-13, Patapsco River, in approximate position 39°14' 20" N, 76°31' 58" W. Dredging will be conducted from 15 Nov 2017 to **15 Jun 2018**, 24 hours a day, seven days a week. The vessels WHIRLEY CURTIS BAY, WHIRLEY NEWPORT NEWS and Barge # SC130 will be on scene and may be contacted on VHF-FM channel 16 and 13. For more information, contact John Hackmann, Superintendent at 443-623-8412 or Keith Aschenbach, Area Construction Manager, 410-215-3579.
Chart 12281

DC – UPPER POTOMAC RIVER - WASHINGTON CHANNEL – MARINE CONSTRUCTION

Marine Construction activities until **Dec 2020**. Ref: LNM 12/14
Chart 12289

DC – POTOMAC RIVER - WASHINGTON HARBOR – FRANCIS SCOTT KEY BRIDGE – REPAIRS

DC DOT repairs to the existing US-29/Francis Scott Key Bridge (also known as the Key Bridge), across the Potomac River at mile 113. Work will begin on Sep 20, 2016, Monday through Friday, from 7 a.m. to 5 p.m. The **two-year** rehabilitation project includes spalling and spot repairing the concrete bridge piers, re-surfacing the bridge deck, and installing a fiberglass jacket at the footer of each pier. 40 ft x 80 ft deck barges will be positioned (spudded) next to the bridge piers, within the 200-ft wide span, at all times. Ref LNM 35/16
Chart 12289

VA – CHESAPEAKE BAY - CAPE HENRY TO THIMBLE SHOAL LIGHT - BRIDGE CONSTRUCTION

Construction continues on a new bridge to replace the John A. Lesner (US 60) Bridge across the Lynnhaven Inlet in Virginia Beach, VA until **Aug 30, 2019**. At times, small portions of the channel will be blocked to prevent anyone from passing underneath the portion of the bridge being worked on. Work will be on-going 24-hours per day, seven days a week. Temporary work platforms and other hazards, such as portions of the old bridge, will be lighted with fixed white lights until they are removed from the waterway. The new bridge will have a vertical clearance of 45 ft above MHW and a horizontal clearance of 150 ft between the fenders. Ref LNM 14/17
Chart: 12254

VA – LYNNHAVEN INLET – LONG CREEK – CRAB CREEK – DREDGING

Salmons Inc will be conducting dredging operations in Long Creek and Crab Creek in Virginia Beach, VA from 31 Jan to **31 Mar 2018**. Operations will be conducted during daylight hours only. For questions or additional information, contact Crystal Salmons at 757-426-6824. Ref LNM 06/18
Chart 12245

VA – ELIZABETH RIVER – NORFOLK HARBOR – DREDGING

Cottrell Contracting Corporation of Chesapeake, Virginia Dredge ROCKBRIDGE will be conducting dredging operations in various locations within the Norfolk Harbor Federal Channel between Elizabeth River Channel Lighted Buoy 3 (LLNR 9465) and Elizabeth River Channel Lighted Buoy 25 (LLNR 9710) and at the Portsmouth Marine Terminal. The dredge will conduct operations until approximately **1 Jun 2018**. Ref LNM 04/18
Chart 12245

VA-DREDGING - JAMES RIVER - NEWPORT NEWS SHIPYARD DRYDOCKS 4,5 AND 6, FLOATING DRYDOCK AND PIER 3 – DREDGING

W3 Marine and the dredge MOBRO 112 will be conducting dredging operations at the James River, Huntington Ingalls Pier 3, floating dry-dock and dry-dock 4,5, and 6; beginning on February 20 to **May 1, 2018**. Contact the dredge on VHF-FM channels 13 and 16. Mariners are requested to review the DREDGING and MARINE CAUTIONS notice at the beginning of this section. Mariners are requested to stay clear of the dredges, dump scows, and attendant plant and exercise extreme caution when approaching, passing, and leaving the dredge area. Ref LNM 08/18 Chart 12248.

VA – JAMES RIVER – SURRY – SKIFFES CREEK – CONSTRUCTION PROJECT

Dominion Energy Virginia will be installing the foundation structures for a new overhead electric transmission line crossing the James River eastward of the Surry Nuclear Power Station until **Feb 2019** multiple tugs, work vessels, and barges will be on scene. Barges will be moored in the James River outside of the navigational channels. For more info, contact Ted Locascio at (757) 651-7288 or Adam Shager at (757) 672-7497. Ref LNM 44/17 Chart 12248

VA - POTOMAC RIVER – WINDMILL HILL PARK – MARINE CONSTRUCTION

Environmental Quality Resources will be working on the river bank on the Potomac River at Windmill Park, Alexandria VA, at Gibbon and Union Streets. Work will consist of removing the old bulkhead and structures and installing stone revetment and a planted slope. Work will be conducted from 15 May, 2017 until **31 Mar 2018**. For more information or questions please contact Michael Dant at 240-581-3339. Ref LNM 19/17 Chart 12285

NC – CAPE HENRY TO PAMLICO SOUND – INCLUDING ALBEMARLE SOUND - BRIDGE CONSTRUCTION

An engineering firm, on behalf of the North Carolina DOT, will be constructing a new bridge to replace the Herbert C. Bonner Bridge across the Oregon Inlet, at mile 0.9, Dare County, NC. Construction activities will begin on March 7, 2016 and are expected to finish on **Aug 30, 2019**. Ref LNM 09/16 Chart 12205

NC – CAPE HENRY TO PAMLICO SOUND – ROANOKE SOUND CHANNEL – OLD HOUSE CHANNEL – DREDGING

Cottrell Contracting Corporation dredge MARION and associated dredge equipment will be conducting dredging operations in the vicinity of Manteo to the Pamlico Sound. Operations will take place from Walter Slough to Roanoke Sound Channel Light 1 (LLNR 28365) and out to Old House Channel Light 16OH (LLNR 28300). Dredging operations will continue until 31 Mar, 2018. Ref LNM 08/18 Chart 12025

NC - OREGON INLET CHANNEL - HERBERT C. BONNER BRIDGE - CONSTRUCTION & REPLACEMENT

Construction is ongoing until **Aug 30, 2019**. Detailed project information and waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new bridge. Crane barges will be secured in place with four anchors connected by anchor wires to the corners of the barge. The anchor locations will be marked with yellow crown buoys within an approximate 500-ft radius of the crane barge. Contact the NCDOT Resident Engineer at (252) 473-3637 and contact PCL Civil Constructors at (252) 423-3093. Project information may be found at <http://www.ncdot.gov/projects/bonnerbridgereplace/>. Chart 12205

******NC – HATTERAS ISLAND – BUXTON BEACH – BEACH RESTORATION******

Hopper dredge MAGDALEN has completed dredging operations at Buxton Beach project. Demobilization will occur until approximately **25 Mar 2018**.

Pipeline corridor for the Hopper Dredge will be bound by the following approximate positions:

35°16'55.75"N 75°30'56.16"W
35°16'46.57"N 75°29'48.79"W
35°16'55.97"N 75°29'46.03"W
35°17'03.85"N 75°30'54.37"W

The work limits for borrow area will be bound by the following approximate positions:

35°14'06.41"N/ 75°30'02.50"W
35°14'59.89"N/ 75°29'19.03"W
35°15'6.98"N/ 75°28'46.05"W
35°13'54.49"N/ 75°29'42.36"W

Dredging operations will continue twenty-four (24) hours per day, seven days per week. The dredge will monitor VHF channels 13 and 16. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made. Chart 11555

Pipeline corridor will be bound by the following approximate positions:

35°14'31.41"N 75°29'41.34"W
35°14'46.80"N 75°29'29.22"W
35°16'23.29"N 75°31'03.58"W
35°16'09.02"N 75°31'05.96"W

Staging Area (1):
35°46'8.70"N 75°31'38.68"W
35°46'1.78"N 75°31'42.23"W
35°46'0.91"N 75°31'35.20"W
35°46'4.90"N 75°31'31.43"W

******NC – CAPE HATTERAS – HATTERAS TO OCRACOKE FERRY ROUTE – DREDGING******

Cottrell Contracting Corporation of Chesapeake, Virginia dredge MARION and associated dredge equipment will be conducting dredging operations in the vicinity of South Hatteras Island and the Hatteras to Ocracoke Ferry. Operations will take place from Hatteras to Hatteras Connecting Channel and Hatteras Ferry Channel Ranges 3 through 5 from Hatteras Inlet Channel Daybeacon 27 (LLNR 28800) to Hatteras Inlet Channel Light 19 (LLNR 28765). Dredge operations will take place from March 19 through April 07, 2018. Chart 11555

******NC – OCRACOKE INLET AND NORTHERN CORE SOUND – BIG FOOT SLOUGH CHANNEL – DREDGING******

Updated completion date. Cottrell Contracting Corporation dredge LEXINGTON and associated dredge equipment will be conducting dredging operations in the vicinity of Big Foot Slough Channel near Ocracoke Island, NC. Operations will take place from Big Foot Slough Daybeacon 9B (LLNR 29060) to Big Foot Slough Channel Light 14BF (LLNR 29087). Dredging operations will take place on or about 22 Feb to **15 Apr 2018**. Ref LNM 07/18 Chart 11550

******NC – WRIGHTSVILLE BEACH – MASONBORO INLET – DREDGING******

Hydraulic dredge C.R. McCaskill has completed dredging operations at the Masonboro Inlet Navigation Channel and the Banks Channel Area located at the southern end of Wrightsville Beach, NC. Demobilization from Wrightsville Beach to Ocean Isle Beach will occur until approximately **29 Mar 2018**. For additional information (985) 875-2500 or macruz@weeksmarine.com. Chart 11541

******NC – OCEAN ISLE BEACH – SHALLOTTE INLET – DREDGING**** 8.9**

Starting approximately 8 March 2018, Weeks Marine Inc. will be mobilizing pipeline and equipment in the vicinity of Shallotte Sound, Ocean Isle Beach, NC. Starting approximately 19 March 2018 and continuing until 15 April 2018, the hydraulic dredge C.R. MCCASKILL and attendant plant will be operating in the vicinity of Ocean Isle beach NC.

Borrow Area for Ocean Isle Beach will be bound by the following approximate positions:

33°54'23.85"N, 78°23'28.90"W

33°53'32.94"N, 78°23'22.38"W

33°53'35.32"N, 78°22'8.58"W and 33°54'44.19"N, 78°22'31.79"W

Equipment Staging Area for Ocean Isle Beach positions:

33°54'15.20"N, 78°23'28.10"W

33°54'13.86"N, 78°23'27.73"W

33°54'16.33"N, 78°23'11.80"W and 33°54'18.26"N, 78°23'12.38"W

Once underway, dredging operations will continue on a twenty four hours a day, seven days a week. The dredge will monitor VHF-FM channels 13 and 16. For information or questions contact James Price at 985-630-2512.

Chart 11534

SUMMARY OF MARINE EVENTS AND FIREWORKS DISPLAYS IN THE FIFTH COAST GUARD DISTRICT

******MD – VA - POTOMAC RIVER – MATTAWOMAN CREEK TO GEORGETOWN – UPPER POTOMAC RIVER - LITTLE HUNTING CREEK – FIREWORKS DISPLAY******

A short-duration, aerial fireworks display is scheduled to occur on the Potomac River on **April 8, 2018**, at 9:30 p.m. Mariners are urged to use caution when transiting the area, and absent specific guidance, reminded to heed the directions of patrolling law enforcement and public safety officials, and absent specific guidance, should remain 500 feet from the fireworks barge located near the grounds of George Washington's Mount Vernon Estate and Gardens, in approximate position latitude 38°42'22.4" N., longitude 077°04'59.5" W., near Little Hunting Creek LB 4 (LLNR 18430). For any comments or questions contact Coast Guard Sector Maryland-National Capital Region, Waterways Management Division, at (410) 576-2674 or (410) 576-2693. Chart 12289

MD – CHESAPEAKE BAY – SEVERN RIVER - REGULATED AREA

The U.S. Naval Academy will sponsor its annual Safety-at-Sea Seminar on the Severn River adjacent to the U. S. Naval Academy on Saturday, March 24, 2018, from 12 noon. to 1:30 p.m. The event includes on-water activities involving small boats and other vessels, a low-flying helicopter and pyrotechnics demonstrations. As described in 33 CFR Section 100.501, a regulated area is established for all waters of the Severn River, from shoreline to shoreline, bounded to the northwest by the Naval Academy (SR-450) Bridge and bounded to the southeast by a line drawn from Triton Light (LLN-19780) at latitude 38°58'53.0" N, longitude 076°28'34.4" W thence easterly to Carr Point, MD at latitude 38°58'58.7" N, longitude 076°27'38.9" W. The regulated area will be enforced from 11 a.m. to 2 p.m. on **Mar 24, 2018**. The Coast Guard Patrol Commander or designated marine event patrol may forbid and control the movement of all vessels in the regulated area. The marine event patrol and Patrol Commander may be contacted on marine band radio VHF-FM channel 16. When hailed or signaled by an official patrol vessel, a vessel in the area shall immediately comply with the directions given. Failure to do so may result in expulsion from the area, citation for failure to comply, or both. Mariners are urged to schedule their transits on this waterway beyond the enforcement times. For any comments or questions, contact Coast Guard Sector Maryland-National Capital Region, Waterways Management Division, at (410) 576-2674 or (410) 576-2693. Charts 12282, 12283

MD – CHESAPEAKE BAY – SEVERN RIVER - ROWING COMPETITION

An annual intercollegiate rowing competition will occur on the Severn River at Annapolis, MD on Saturday, **Mar 24, 2018**, from 6:25 a.m. to 9:30 a.m. Up to 100 participants (in 64-foot long rowing shells) will race in heats along a 2,000-meter marked rowing course is located between Severn River Light 2 (LLNR 19945) and the entrance to College Creek; an alternate course, if necessary, is located between Severn River Light 2A (LLNR 19950) and Severn River Light 2 (LLNR 19945). Mariners are urged to use caution and remain alert for other watercraft when transiting the area, proceed at the minimum speed necessary to maintain a safe course that minimizes wake while operating near the race course, and heed the directions of official patrol vessels, which can be contacted on marine band radio VHF-FM channel 16. For any comments or questions, contact Coast Guard Sector Maryland-National Capital Region at (410) 576-2674 or (410) 576-2693. Charts 12282, 12283

******MD – CHESAPEAKE BAY – BALTIMORE HARBOR – BALTIMORE INNER HARBOR – ANNUAL WATERFRONT LIGHTS FESTIVAL******

The annual "Light City" festival is scheduled to occur in Baltimore's Inner Harbor nightly during **April 02-25, 2018**. The festival includes lighted art displays and sculptures on both land and water. On water displays will be located between Inner Harbor Piers 4 and 5 (3 displays) and Inner Harbor Piers 5 and 6 (1 display), tethered in place to both sides of the piers. To facilitate the displays of floating art installations between the pier areas, a line of white floating markers will be installed between the pier heads of Inner Harbor Piers 4 and 5, and Inner Harbor Piers 5 and 6, limiting boating access to on-water display area. Mariners are urged to use extreme caution when transiting the area. Questions regarding the event should be directed to the Festival Coordinator via telephone at (410) 752-8632 or email at AMolese@promotionandarts.org. Chart 12281

******MD – CHESAPEAKE BAY – BALTIMORE HARBOR – SAILING REGATTA WEEKLY SERIES******

The annual sailboat racing weekly series is scheduled to occur in Baltimore Harbor each Tuesday evening, from Apr 10, 2018 through **Oct 16, 2018**, from 6 p.m. to 9 p.m. Approximately 30 sail boats in three fleets (20 to 40 feet in length) will compete in a single race on a designated course located between the Francis Scott Key (I-695) Memorial Bridge and the Fort McHenry National Monument and Historic Shrine at Baltimore, MD. For more information, see the Baltimore City Yacht Association's (BCYA) website: www.bcya.com or contact the BCYA Race Committee on VHF-FM channel 72. For any comments or questions contact Coast Guard Sector Maryland-NCR, Waterways Management Division, at (410) 576-2674 or (410) 576-2693. Chart 12281

VA - CHESAPEAKE BAY - LAFAYETTE RIVER

The Dual Collegiate Boat Race will be held in the Lafayette River in Norfolk, VA from 8 am through 12 pm on **Mar 24, 2018**. Mariners are requested to use caution and bare steerage when transiting the area. Chart 12245

VA - CHESAPEAKE BAY - LAFAYETTE RIVER

The Big 12 Double Dual Races will be held in the Lafayette River in Norfolk, VA. This event will be held from 8 am through 2 pm on **Apr 8, 2018**. Mariners are requested to use caution and bare steerage when transiting the area. Chart 12245

******VA – CHESAPEAKE BAY - HAMPTON FLATS******

The CCV Racing 2018 Spring Series will be held in Hampton Roads Harbor and Hampton Flats in Hampton, VA. This event will be held from 10 am through 5 pm on April 15, April 22, and **April 29, 2018**. Mariners are requested to use caution and bare steerage when transiting the area. Chart 12245

VA – CHESAPEAKE BAY – HAMPTON BAR – HAMPTON FLATS

The Hampton Yacht Club will be hosting the Wednesday Night Races in Hampton Roads and Hampton Bar in Hampton Roads, VA. The sailboat regattas will begin at 5:30 p.m. and end at 8 p.m., every Wednesday night beginning Apr 4, 2018 through **Sep 26, 2018**. Mariners are requested to use caution and bare steerage when transiting the area.
Chart 12245

VA – CHESAPEAKE BAY – HAMPTON FLATS

The CCV Tune-Up Races will be held in the Hamptons Roads Harbor, in the vicinity of the Hampton Flats in Hampton, VA. This event will be held from 10 a.m. through 4:30 p.m. on **Apr 8, 2018**. Mariners are requested to use caution and bare steerage when transiting the area.
Chart 12245

******VA - RICHMOND - JAMES RIVER - ROCKETTS LANDING******

The Rocketts Landing Collegiate Regatta will be held off Rocketts Landing on the James River in Richmond, VA. This event will be held from 8 am through 2 pm on **April 14, 2018**. Mariners are requested to use caution and bare steerage when transiting the area.