



U.S. Department  
of Homeland Security  
**United States  
Coast Guard**

---

## LOCAL NOTICE TO MARINERS

**District: 5**

**Week: 14/18**

COASTAL WATERS FROM SHREWSBURY RIVER, NEW JERSEY TO LITTLE RIVER, SOUTH CAROLINA

The Local Notice to Mariners contains all information relevant to the waterways within the Fifth Coast Guard District and is updated each Tuesday on the U.S. Coast Guard Navigation Center website at <https://www.navcen.uscg.gov/?pageName=lnmDistrict&region=5>.

If you have questions about the Fifth Coast Guard District Local Notice to Mariners (LNM), please contact:

COMMANDER  
FIFTH COAST GUARD DISTRICT (dpw)  
431 Crawford Street  
Portsmouth, Virginia 23704

or for correspondence and article requests:

ward.b.posey@uscg.mil, (757) 398-6229 or matthew.e.kearney@uscg.mil, at (757) 398-6552 or CGD5Waterways@uscg.mil

All bearings are in degrees TRUE - All times are in Local Time unless otherwise noted.

### AIDS TO NAVIGATION DISCREPANCY REPORTING

To report any Aids to Navigation discrepancies (missing, damaged, extinguished lights, off station), shoaling or hazards to navigation, discrepancies to bridge lighting, please contact the following 24 hour numbers:

1. For PA, NJ, DE waters, coastal and tributaries contact COGARD SECTOR DELAWARE BAY at (215) 271-4940.
2. For MD, DE in the Upper Chesapeake Bay and tributaries contact COGARD SECTOR MARYLAND NATIONAL CAPITAL REGION at (410) 576-2525.
3. For VA in Lower Chesapeake Bay below Smith Point Light and tributaries and VA, MD Eastern Shore Bay and coastal contact COGARD SECTOR HAMPTON ROADS at (757) 483-8567.
4. For NC waters, coastal and tributaries contact COGARD SECTOR NORTH CAROLINA at (910) 343-3882.

### REFERENCES

Light List: ATLANTIC COAST, VOLUME II, COMDTPUB P16502.2, 2018 Edition.  
U.S. Coast Pilot 3, Atlantic Coast: Sandy Hook, NJ to Cape Henry, VA, 2018 (51th) Edition.  
U.S. Coast Pilot 4, Atlantic Coast: Cape Henry, VA to Key West, FL, 2017 (49th) Edition.

### NAVIGATIONAL INTERNET SITES

2018 Light List/ Weekly Updates.

<https://www.navcen.uscg.gov/index.php?pageName=lightListWeeklyUpdates>

Bridges Public Notice Website.

<https://www.navcen.uscg.gov/?pageName=pnBridges>

NOAA Chart Corrections and Chart Viewer

<http://www.nauticalcharts.noaa.gov>

Coast Pilots, along with corrections are available at

<https://nauticalcharts.noaa.gov/publications/coast-pilot/index.html>

D5 LNM Archived Back Issues

<https://www.navcen.uscg.gov/?pageName=lnmDistrict&region=5>

Chesapeake Bay Weather Buoys

<http://www.cbos.org>

Tides, Currents, PORTS

<http://www.tidesandcurrents.noaa.gov/>

Weather

<http://www.weather.gov/>

U.S. Army Corps of Engineers Wilmington District Survey Maps and Shoaling Surveys

---

## ABBREVIATIONS

<u>A through H</u>	<u>I through O</u>	<u>P through Z</u>
ADRIFT - Buoy Adrift	I - Interrupted	PRIV - Private Aid
AICW - Atlantic Intracoastal Waterway	ICW - Intracoastal Waterway	Q - Quick
AI - Alternating	IMCH - Improper Characteristic	R - Red
B - Buoy	INL - Inlet	RACON - Radar Transponder Beacon
BKW - Breakwater	INOP - Not Operating	Ra ref - Radar reflector
bl - Blast	INT - Intensity	RBN - Radio Beacon
BNM - Broadcast Notice to Mariner	ISL - Islet	REBUILT - Aid Rebuilt
bu - Blue	Iso - Isophase	RECOVERED - Aid Recovered
C - Canadian	kHz - KiloHertz	RED - Red Buoy
CHAN - Channel	LAT - Latitude	REFL - Reflective
CGD - Coast Guard District	LB - Lighted Buoy	RRL - Range Rear Light
C/O - Cut Off	LBB - Lighted Bell Buoy	RELIGHTED - Aid Relit
CONT - Contour	LHB - Lighted Horn Buoy	RELOC - Relocated
CRK - Creek	LGB - Lighted Gong Buoy	RESET ON STATION - Aid Reset on Station
CONST - Construction	LONG - Longitude	RFL - Range Front Light
DAYMK/Daymk - Daymark	LNM - Local Notice to Mariners	RIV - River
DBN/Dbn - Daybeacon	LT - Light	RRASS - Remote Radio Activated Sound Signal
DBD/DAYBD - Dayboard	LT CONT - Light Continuous	s - seconds
DEFAC - Defaced	LTR - Letter	SEC - Section
DEST - Destroyed	LWB - Lighted Whistle Buoy	SHL - Shoaling
DISCON - Discontinued	LWP - Left Watching Properly	si - silent
DMGD/DAMGD - Damaged	MHz - Megahertz	SIG - Signal
ec - eclipse	MISS/MSNG - Missing	SND - Sound
EST - Established Aid	Mo - Morse Code	SPM - Single Point Mooring Buoy
ev - every	MRASS - Marine Radio Activated Sound Signal	SS - Sound Signal
EVAL - Evaluation	MSLD - Misleading	STA - Station
EXT - Extinguished	N/C - Not Charted	STRUCT - Structure
F - Fixed	NGA - National Geospatial-Intelligence Agency	St M - Statute Mile
fl - flash	NO/NUM - Number	TEMP - Temporary Aid Change
FI - Flashing	NOS - National Ocean Service	TMK - Topmark
G - Green	NW - Notice Writer	TRLB - Temporarily Replaced by Lighted Buoy
GIWW - Gulf Intracoastal Waterway	OBSCU - Obscured	TRLT - Temporarily Replaced by Light
HAZ - Hazard to Navigation	OBST - Obstruction	TRUB - Temporarily Replaced by Unlighted Buoy
HBR - Harbor	OBSTR - Obstruction	USACE - Army Corps of Engineers
HOR - Horizontal Clearance	Oc - Occulting	W - White
HT - Height	ODAS - Anchored Oceanographic Data Buoy	Y - Yellow

Additional Abbreviations Specific to this LNM Edition: None

---

### SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

---

**\*\*\*\* NEW OR UPDATED INFORMATION IN THE LOCAL NOTICE TO MARINERS \*\*\*\***

In an effort to bring attention to new, updated or very important information in the Local Notice to Mariners (LNM) this information will be preceded and followed by four asterisks.

LNM: 25/16

**\*\*\*\*PA – DE – NJ – DELAWARE RIVER AND BAY – MOVING SAFETY ZONE\*\*\*\***

The Captain of the Port, Delaware Bay, is notifying mariners of two safety zones established on the Delaware Bay and River to facilitate safety during the transit and delivery of two post-Panamax cranes to Greenwich Terminal in Philadelphia, PA.

Safety zone one includes all navigable waters within 200 yards of the M/V ZHEN HUA 16 from the time the vessel departs Bigstone Anchorage until the completion of mooring operations at Greenwich Terminal in Philadelphia, PA. Except as noted below, vessels may not enter this safety zone unless authorized by the Captain of the Port or his designated representative via VHF-FM Channel 16. Requests to enter safety zone one will not be authorized for portions of the Delaware River north of the Chesapeake and Delaware Canal for vessels with a beam greater than 90

feet.

Vessels may enter safety zone one without obtaining approval from the Captain of the Port if all of the following criteria are met:

M/V ZHEN HUA 16 is anchored in a designated anchorage as defined in 33 CFR 110.157.

Except towing vessels designated as assist tugs, and operating in such capacity, no vessel may meet, overtake or otherwise pass another unmoored or unanchored vessel within the safety zone.

Vessel shall maintain the minimum safe speed to reduce wake and maintain steerage.

Safety zone two includes all navigable waters of the Delaware River bounded to the south by a line drawn from the southeast corner of Pier 124S at 39-53-41.751N, 075-08-19.141W, thence east-southeast to the New Jersey Shoreline at 39-53-34N, 075-07-49W, and bounded to the north by the southernmost edge of the Walt Whitman Bridge (see figure 1). Except as noted below, vessels may not enter this safety zone unless authorized by the Captain of the Port or his designated representative via VHF-FM Channel 16.

Vessels may enter safety zone two without obtaining approval from the Captain of the Port if all of the following criteria are met:

Regardless of travel direction, vessels shall remain east of the centerline of the main navigation channel.

Except towing vessels designated as assist tugs, and operating in such capacity, no vessel may meet, overtake or otherwise pass another unmoored or unanchored vessel within the safety zone.

Vessel shall maintain the minimum safe speed to reduce wake and maintain steerage.

If you have any questions regarding the content of this bulletin, please contact the Waterways Management staff at (215) 271-4814 or the Command Center at (215) 271-4807.

Charts: 12304 12311 12312

LNM: 12/18

#### **\*\*\*\*US - ATLANTIC SEACOAST - ENDANGERED NORTH ATLANTIC RIGHT WHALES WARNING\*\*\*\***

Critically endangered right whales may be encountered in offshore and coastal waters. Right whales are slow moving and at risk of serious injury or death due to collisions with vessels. U.S. law (50 CFR 224.105) prohibits operating vessels 65 feet (19.8 m) or greater in excess of 10 knots in specific managed locations along the U.S. East Coast during times when right whales are likely to be present. See enclosed compliance guide for specific times, areas, and exceptions to this law. Approaching or remaining within 500 yards of right whales is prohibited and is a violation of U.S. law. A minimum distance of 500 yards must be maintained from a sighted whale unless hazardous to the vessel or its occupants. The National Oceanic and Atmospheric Administration (NOAA) recommends that operators assume that any whale sighted is a right whale unless confirmed otherwise. NOAA also recommends speeds of 10 knots or less in areas used by right whales and outside of seasonally managed areas when consistent with safety of navigation. Please report all right whale sightings, collisions, or entanglements to 866-755-NOAA, or to the Coast Guard via channel 16. WHALESNORTH Mandatory Ship Reporting Area is active year-round. For more information, consult the U.S. Coast Pilot. MSR arrival reports can be sent via TELEX number 48156090 or email to [rightwhale.msr@noaa.gov](mailto:rightwhale.msr@noaa.gov). Informational charts and a compliance guide are available on NOAA Fisheries web site at <http://www.nmfs.noaa.gov/pr/shipstrike/>

LNM: 45/17

#### **NC - HAZARDS OF NORTH CAROLINA COASTAL INLETS**

This notice is to notify mariners about accessing hazardous inlets, to heighten public awareness about the hazards that exist in and around the inlets, and to provide the mariner with available information. Mariners are advised that shoaling conditions exist at following North Carolina coastal inlets:

Oregon Inlet Hatteras Inlet  
Ocracoke Inlet Barden Inlet  
Beaufort Inlet Bogue Inlet  
New River Inlet Topsail Inlet  
Masonboro Inlet Carolina Beach Inlet  
Lockwoods Folly Inlet Shallotte Inlet

Shoaling conditions increase the potential for groundings. These inlets are subject to continual and sometimes rapid environmental changes. Mariners are highly encouraged to obtain the most recent U.S. Army Corps of Engineers Wilmington, North Carolina District hydrographic survey information, centerline waypoints and controlling depth at:

<http://www.saw.usace.army.mil/Missions/Navigation/HydrographicSurveys.aspx>

Mariners should use caution when navigating in these areas and passage through the inlets is not recommended without local knowledge of the area. The aids to navigation in these inlets may not be charted and may not be marking best water due to continually shifting shoals. Consult Local Notice to Mariners, 5th Coast Guard District for the latest positions and status of aids to navigation:

<https://www.navcen.uscg.gov/?pageName=InmDistrict&region=5>

To report any aids to navigation discrepancies (missing, damaged, off station, extinguished lights), shoaling, hazards to navigation, or discrepancies on bridge lighting, please contact Sector North Carolina Command Center (910) 343-2200.

LNM: 17/16

#### **CAUTION TO BE USED IN RELIANCE UPON AIDS TO NAVIGATION**

The aids to navigation depicted on charts comprise a system of fixed and floating aids with varying degrees of reliability. Therefore, prudent mariners will not rely solely on any single aid to navigation, particularly a floating aid. With respect to buoys, the buoy symbol is used to indicate the approximate position of the buoy body and the sinker, which secures the buoy to the seabed. The approximate position is used because of practical limitations in positioning and maintaining buoys and their sinkers in precise geographical locations. These limitations include, but are not limited to, inherent imprecision's in position fixing methods, prevailing atmospheric and sea conditions, the slope of and the material making up

the seabed, the fact that buoys are moored to sinkers by varying lengths of chain, and the fact that buoy body and/or sinker positions are not under continuous surveillance but are normally checked only during periodic maintenance visits which often occur more than a year apart. The position of the buoy body can be expected to shift inside and outside the charting symbol due to the forces of nature. The mariner is also cautioned that buoys are liable to be carried away, shifted, capsized, sunk, etc. Lighted buoys may be extinguished or sound signals may not function as the result of ice, running ice or other natural causes, collisions, or other accidents. For the foregoing reasons, a prudent mariner must not rely completely upon the position or operation of floating aids to navigation, but will also utilize bearings from fixed objects and aids to navigation on shore. Further, a vessel attempting to pass close aboard always risks collision with a yawing buoy or with the obstruction the buoy marks.

LNM: 13/16

#### **INTERFERENCE WITH AIDS TO NAVIGATION**

U. S. Code, Title 14, Part I, Chapter 5, § 84

It shall be unlawful for any person, or public body, or instrumentality, excluding the armed forces, to remove, change the location of, obstruct, willfully damage, make fast to, or interfere with any aid to navigation established, installed, operated, or maintained by the Coast Guard pursuant to section 81 of this title, or with any aid to navigation lawfully maintained under authority granted by the Coast Guard pursuant to section 83 of this title, or to anchor any vessel in any of the navigable waters of the United States so as to obstruct or interfere with range lights maintained therein. Whoever violates the provisions of this section shall be guilty of a misdemeanor and shall be fined not more than \$1,500 for each offense. Each day during which such violation shall continue shall be considered as a new offense.

U. S. Code, Title 14, Part I, Chapter 5, § 84

LNM: 13/16

#### **U.S. COAST GUARD AUXILIARY – PUBLIC EDUCATION CLASSES – FIND BY ZIPCODE**

The National Public Education Calendar Database provides a single, unified national database that holds and displays all public education courses taught by our various flotillas nationwide. In addition, a Zip Code search permits members of the general public to enter a Zip Code of interest, and find all public education courses being taught within a selected distance from that Zip Code.

[http://www.cgaux.org/boating/class\\_finder/index.php](http://www.cgaux.org/boating/class_finder/index.php)

LNM: 20/14

#### **WESTERN ATLANTIC AND U.S. COASTAL WATERS - NORTH CAROLINA – SUNKEN MILITARY CRAFT ACT (SMCA) –PROHIBITION ON DISTURBING, REMOVING ARTIFACTS OR DAMAGING SUNKEN CRAFT**

All mariners are advised of the special protections provided to sunken military craft by the "Sunken Military Craft Act" (SMCA) (Public Law 108-375). Along the U.S. East Coast, and particularly off North Carolina, there are many sunken U.S. and foreign military craft. Sunken military craft may be the final resting places of military personnel who died in service to their country and are also important historical resources. One very notable example is the wreck of the USS MONITOR, off the NC Coast, also protected by the National Marine Sanctuaries Act. Under international and U.S. law, sunken foreign military craft, including those located in U.S. waters, remain the property of their respective country's government. Sovereign immune vessels, such as military crafts, are afforded protections under U.S. and international law. Included among these vessels are at least three known sunken German submarines (commonly called U-boats) located in waters off the North Carolina coast. These U-boats remain the property of the Federal Republic of Germany. In accordance with the SMCA, no person shall engage in or attempt to engage in any activity directed at a sunken military craft that disturbs, removes, or injures the sunken craft or the associated contents of the craft except as authorized by law. This includes, but is not limited to, the equipment, cargo, contents of the vessel, and the remains and personal effects of the crew and passengers. Mariners are urged to exercise due care when operating in the vicinity of military wrecks, as they can be damaged by both purposeful or inadvertent activities including anchoring, fishing, diving, and other marine activities. Special dangers, such as unexploded ordnance, may also be associated with sunken military craft, and should be considered when operating in these areas. Violations of the SMCA may subject individuals to penalties of up to \$100,000 and to liability for damages. Mariners who witness theft of material from, disturbance of, or damage to a sunken military craft are asked to report it to the nearest U.S. Coast Guard unit.

LNM: 45/09

#### **SAFETY NOTICE - NAVIGATIONAL RANGE STRUCTURES ON ELECTRONIC CHARTS**

The U.S. Coast Guard has become aware that Coast Guard information used to depict a rangeline on NOAA Electronic Navigational Charts (ENC) may not be of sufficient accuracy to accurately portray the rangeline on the ENC. Mariners are cautioned that the position of a rangeline as shown on an ENC may not reflect its true position.

LNM: 04/11

#### **USCG NAVIGATIONAL INFORMATION SERVICE (NIS)/USCG NAVIGATION CENTER**

USCG NAVIGATIONAL INFORMATION SERVICE (NIS)/USCG NAVIGATION CENTER 1.7

The United States Coast Guard Navigational Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information on GPS and DGPS. The NIS also disseminates Safety Broadcasts (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar (NANU). These notices can also be obtained via-e-mail subscription through the USCG Navigation Center website (<https://www.navcen.uscg.gov/gps/status/default.htm>). In addition, the NIS investigates all reports of degradation or loss of GPS and DGPS

service. Mariners are encouraged to report all degradation of radio navigation services to the NIS via any of the following: Phone: 703-313-5900, Email: webmaster@navcen.uscg.mil or on the World Wide Web at https://www.navcen.uscg.gov.

**BROADCAST NOTICES TO MARINERS**

Navigation information having been of immediate concern to the Mariner and promulgated by the following Broadcast Notices to Mariners (BNMs) have been incorporated in this notice when still significant at the date of this publication.

CCGD5 (D5) - 157, 158, 159, 161, 166, 167, 168, 169, 171, 172, 173, 176, 177, 178, 179, 181-18.

Sector Delaware Bay (DB) - 184, 190, 191, 193, 194, 195, 196 AND 197-18.

Sector Maryland National Capital Region (MD) - 240/253/254/255/256/257/258/259/260/263/264/265-18.

Sector Hampton Roads (HR) - 265-18, 264-18, 263-18, 261-18, 260-18.

Sector North Carolina (NC) - 137, 138, 140, 141, 142, 143, 144, 145, 148, 149, 150, 151, 152, 153, 154, 157, 160, 161, 162, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175-18.

**SECTION II - DISCREPANCIES**

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

**DISCREPANCIES (FEDERAL AIDS)**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
350	Cape Charles Light	LT EXT	12222	384HR	18/13	
480	Chesapeake Bay Southern Approach Lighted Buoy 14	LT EXT	12200	231HR	11/18	
570	Navy Air Combat Maneuvering Range Tower Light A	LT EXT	12200	413NC	32/16	
585	Navy Air Combat Maneuvering Range Tower Light G	LT EXT	12200	407NC	27/12	
620	Wimble Shoals Lighted Buoy 10	MISSING	12200	062NC	06/18	
625	Cape Hatteras Light	LT EXT	11555	169NC	13/18	
635	NOAA Lighted Data Buoy 41001 (ODAS)	MISSING	12200	537D5	35/17	
830	Frying Pan Shoals Slough Buoy 2	MISSING	11536	613NC	50/17	
860	Cape Fear River Entrance Lighted Whistle Buoy CF	RAC INOP	11537	617NC	50/17	
<b>1185</b>	<b>Absecon Inlet Lighted Buoy 4</b>	<b>LT EXT</b>	<b>12316</b>	<b>190DB</b>	<b>14/18</b>	
1530	Harbor of Refuge Light	REDUCED INT/SS INOP	12216	140DB	09/18	
1605	Delaware Bay Main Channel Lighted Buoy 29	REDUCED INT	12304	299DB	39/17	
1660	Cape May Canal West Entrance Approach Lighted Buoy 5	TRUB	12316	039DB	03/18	
2050	Harbor Of Refuge North End Light 1	STRUCT DEST/TRLB	12216	601D5	52/16	
2665	Salem River Entrance Channel Light 4	STRUCT DEST/HAZ NAV/TRLB	12277	024DB	03/18	
3135	Marcus Hook Range Front Light	REDUCED INT	12312	444DB	32/16	
3290	Tinicum Range Rear Light	LT EXT	12313	168DB	19/16	
3580	Petty Island Lower End Buoy P	MISSING	12313	049DB	04/18	
3718	Frankford Upper Range Rear Light	STRUCT DEST/HAZ NAV/TRLT	12314	166DB	12/18	
3719	Frankford Upper Range Rear Passing Lights (2)	HAZ NAV/STRUCT DMGD/TRLT	12314	167DB	12/18	
4150	Kinkora Upper Range Rear Light	LT EXT	12314	616DB	47/15	
4439	Middle Island West Channel Daybeacon 5	STRUCT DEST	12216	145DB	09/18	
4780	Isle of Wight Bay Buoy 1	OFF STA	12211	056MD	03/18	
4830	Isle Of Wight Bay Buoy 5	MISSING	12211	057MD	03/18	
4837	Isle Of Wight Bay Buoy 6	OFF STA	12211	205MD	03/18	
4840	Isle Of Wight Bay Buoy 7	MISSING	12211	059MD	03/18	
4857	Isle Of Wight Bay Buoy 9A	OFF STA	12211	060MD	03/18	

5005	Sinepuxent Bay Channel Buoy 3	MISSING	12211	229MD	11/18
5020	Sinepuxent Bay Channel Light 8	DAYMK MISSING	12211	NONEMD	11/18
5095	Sinepuxent Bay Channel Buoy 23	MISSING	12211	095MD	03/18
5100	Sinepuxent Bay Channel Light 25	LT EXT/STRUCT DMGD	12211	105MD	03/18
5130	Sinepuxent Bay Channel Buoy 33	MISSING	12211	098MD	03/18
5145	Sinepuxent Bay Channel Lighted Wreck Buoy WR39	MISSING	12211	100MD	03/18
5305	Chincoteague Channel Lighted Buoy 8	LT IMCH/TRLB	12210	192HR	09/18
5622	Wallops Island Buoy 12	MISSING	12210	174HR	04/18
5895	Metompkin Light 11	STRUCT DEST	12210	183HR	08/18
5915	Metompkin Lighted Buoy 17	OFF STA	12210	184HR	08/18
5933	Metompkin Buoy 20	OFF STA	12210	185HR	08/18
5935	Metompkin Lighted Wreck Buoy WR22	OFF STA	12210	186HR	08/18
5943	Metompkin Buoy 23	MISSING	12210	187HR	08/18
<b>6040</b>	<b>Bradford Bay Light 5</b>	<b>LT EXT</b>	<b>12210</b>	<b>264HR</b>	<b>14/18</b>
<b>6055</b>	<b>Bradford Bay Warning Daybeacon A</b>	<b>DAYMK MISSING</b>	<b>12210</b>	<b>265HR</b>	<b>14/18</b>
6160	Virginia Inside Passage Daybeacon 163	STRUCT DEST/TRLB	12210	226HR	14/15
6390	Virginia Inside Passage Daybeacon 221	STRUCT DEST/TRUB	12224	014HR	02/16
6495	Virginia Inside Passage Daybeacon 245A	MISSING/TRUB	12224	420HR	22/15
6750	Quinby Channel Daybeacon 7	STRUCT DEST	12210	141HR	05/18
6767	Quinby Channel Buoy 10	MISSING	12210	140HR	05/18
6775	Quinby Channel Buoy 13	MISSING	12210	139HR	05/18
6776	Quinby Channel Lighted Buoy 15	MISSING	12210	138HR	05/18
6780	Quinby Channel Lighted Buoy 17	MISSING	12210	137HR	05/18
6855	Great Machipongo Inlet Daybeacon 13	TRLB/STRUCT DEST	12210	467HR	34/15
6895	Great Machipongo Channel Daybeacon 3	STRUCT DEST	12210	132HR	05/18
6917	Great Machipongo Channel Lighted Wreck Buoy WR6	MISSING	12210	134HR	05/18
6920	Great Machipongo Channel Light 8	STRUCT DEST	12210	135HR	22/16
6927	Great Machipongo Channel Lighted Wreck Buoy WR10	MISSING	12210	133HR	05/18
6991	Sand Shoal Channel Daybeacon 3	STRUCT DEST/TRUB	12224	421HR	29/15
6992	Sand Shoal Channel Light 4	MISSING/STRUCT DEST/TRUB	12224	196HR	28/17
6993	Sand Shoal Channel Daybeacon 5	MISSING/STRUCT DEST/TRUB	12224	197HR	29/15
6994	Sand Shoal Channel Light 7	REDUCED INT	12210	140HR	21/16
7435	Tangier Sound Light	DAYMK DMGD	12228	224HR	11/18
7445	Chesapeake Channel Buoy 63A	OFF STA	12228	NONEHR	13/18
8090	Craighill Channel Upper Range Front Light	LT EXT	12281	153MD	31/17
8395	Brewerton Channel Eastern Extension Range Rear Light	LT EXT	12272	188MD	07/18
8750	Aberdeen Restricted Area Buoy K	MISSING	12274	251MD	12/18
9110	Back Creek Channel Range Rear Light	LT EXT	12277	270MD	29/17
9310	Thimble Shoal Light	LT EXT	12245	048HR	07/17
9551.5	Norfolk International Terminal North Channel Lighted Buoy 2N	MISSING	12245	322HR	42/17
9730	U.S. Navy Deperming Range Light	LT EXT	12253	355HR	41/16
10060	Elizabeth River Southern Branch Turning Basin Daybeacon A	STRUCT DEST/TRUB	12253	254HR	13/18
10420	Broad Bay Channel Daybeacon 18	STRUCT DMGD	12254	257HR	48/17
11280	Newport News Pier Eight Warning Daybeacon A	STRUCT DEST/TRLB	12245	039HR	03/18
11635	Burwell Bay Daybeacon 8	DAYMK DMGD	12248	227HR	11/18
11675	James River Channel Light 19	DAYMK MISSING	12248	223HR	11/18
12113	NOAA Lighted Data Buoy J	MISSING	12248	007HR	02/18
13295	White House Cove Daybeacon 1A	STRUCT DEST/TRUB	12238	177HR	23/17
14080	New Point Comfort Spit Light 4	DAYMK DMGD	12238	241NR	12/18
14125	Davis Creek Channel Warning Daybeacon A	DAYMK MISSING	12238	249HR	13/18

14255	Severn River Light 1	DAYMK DMGD	12238	250HR	13/18
15603	Hoskins Creek Light 2	STRUCT DEST/TRUB	12237	126HR	05/18
15625	Rappahannock River Lighted Buoy 32	MISSING/TRUB	12237	002HR	01/18
15687	Rappahannock River Buoy 49A	OFF STA	12237	178HR	07/18
18160	Upper Potomac River Channel Buoy 46	MISSING	12288	233MD	11/18
19665	South River Junction Daybeacon	STRUCT DEST/TRUB	12270	220MD	10/18
19697	NOAA Lighted Data Buoy AN	OFF STA	12283	235MD	11/18
20005	Severn River Daybeacon 9	STRUCT DEST/TRLB	12282	226MD	11/18
21280	Ferry Bar Channel Daybeacon 8	STRUCT DEST/TRLB	12281	181MD	06/18
21725	Occohannock Creek Daybeacon 10	STRUCT DEST	12226	144HR	05/18
22200	Deep Creek Channel Light 4	STRUCT DEST/TRLB	12228	172HR	07/18
22375	Pocomoke Sound Light 10	STRUCT DEST/TRUB	12228	NONEHR	06/18
22460	Starling Creek Daybeacon 2	STRUCT DEST/TRLB	12228	173HR	07/18
<b>22590</b>	<b>Pocomoke River Channel Light 12</b>	<b>STRUCT DEST</b>	<b>12228</b>	<b>265MD</b>	<b>14/18</b>
22715	Tangier Sound Light	DAYMK DMGD	12228	224HR	11/18
23390	Manokin River Light 4	STRUCT DMGD/TRLB	12231	240MD	11/18
23630	Hooper Strait Channel Lighted Buoy 7A	OFF STA	12231	239MD	11/18
23940	Wicomico River Channel Daybeacon 50	STRUCT DEST/TRLB	12261	193MD	07/18
23965	Nanticoke River Entrance Light 1N	STRUCT DMGD/TRLB	12231	168MD	05/18
23975	Nanticoke River Channel Light 5	STRUCT DMGD/TRLB	12261	172MD	05/18
<b>24085</b>	<b>Nanticoke River Channel Daybeacon 16</b>	<b>STRUCT DEST/TRLB</b>	<b>12261</b>	<b>264MD</b>	<b>14/18</b>
24275	Nanticoke River Channel Daybeacon 51	STRUCT DEST/TRUB	12261	136MD	04/18
24285	Nanticoke River Channel Daybeacon 53	STRUCT DEST/TRUB	12261	115MD	04/18
24515	Middle Island Bridge West Channel Wreck Daybeacon WR1W	STRUCT DEST/HAZ NAV	12261	123MD	04/18
24530	Honga River Back Creek Entrance Channel Light 1BC	STRUCT DEST/TRLB	12261	201MD	08/18
24705	Brooks Creek Daybeacon 5	STRUCT DEST/HAZ NAV/TRLB	12264	225MD	10/18
24985	Choptank River Channel Lighted Buoy 21	LT EXT	12266	216MD	10/18
24990	Choptank River Channel Buoy 23	MISSING	12266	189MD	07/18
25000	Choptank River Channel Buoy 24	MISSING	12266	217MD	10/18
26050	Eastern Bay Lighted Buoy 4	LT EXT	12270	255MD	13/18
26095	Eastern Bay Daybeacon 12	STRUCT DEST/TRLB	12270	207MD	08/18
<b>26100</b>	<b>Herring Island Shoal Warning Daybeacon</b>	<b>STRUCT DEST/HAZ NAV</b>	<b>12270</b>	<b>263MD</b>	<b>14/18</b>
26115	Wye River Daybeacon 3	STRUCT DEST/TRLB	12270	202MD	08/18
26150	Wye River Swash Daybeacon 2	STRUCT DEST/TRLB	12270	210MD	09/18
26165	Miles River Light 1	LT EXT	12270	208MD	08/18
26320	Crab Alley - Little Creek Daybeacon 4	STRUCT DEST/TRLB	12270	113MD	04/18
26455	Kent Island Narrows North Approach Daybeacon 12	STRUCT DEST/TRLB	12272	142MD	04/18
26655	Gordon Point Shoal Buoy 1	OFF STA	12272	258MD	13/18
26910	Rock Hall Harbor Daybeacon 8	STRUCT DEST/TRLB	12272	353MD	50/17
27040	Harts Island Channel Daybeacon 10	STRUCT DEST/TRLB	12278	131MD	04/18
27320	Bush River Buoy 4	OFF STA	12274	252MD	12/18
27800	NOAA Lighted Data Buoy S	OFF STA	12274	230MD	11/18
27985	Oregon Inlet Buoy 3	MISSING	12204	123NC	11/18
28003	Oregon Inlet Lighted Buoy 6	LT EXT	12204	145NC	12/18
28020	Oregon Inlet Buoy 11	OFF STA/MSLD SIG	12204	397NC	33/17
28127	Oregon Inlet Channel Daybeacon 36A	STRUCT DEST/TRUB	12204	161NC	13/18
28170	Oregon Inlet Channel Daybeacon 46	STRUCT DEST/TRUB	12204	162NC	07/18
28190	Oregon Inlet Channel Daybeacon 53	STRUCT DEST/TRUB	12204	019NC	03/18
28245	Old House Channel Daybeacon 5	STRUCT DEST	12204	019NC	04/18
28420	Roanoke Sound Channel Daybeacon 14	STRUCT DEST/TRUB	12204	142NC	11/18
28490	Roanoke Sound Channel Daybeacon 24	STRUCT DEST	12204	019NC	04/18

28580	Roanoke Sound Channel Light 33	STRUCT DEST/TRLB	12204	019NC	05/18
28585	Roanoke Sound Channel Daybeacon 34	STRUCT DEST/TRUB	12204	019NC	04/18
28600	Roanoke Sound Channel Daybeacon 37	STRUCT DEST/TRUB	12204	NONENC	06/18
28615	Roanoke Sound Channel Daybeacon 41	STRUCT DEST/TRUB	12204	019NC	04/18
28650	Hatteras Inlet Lighted Buoy 4	OFF STA	11555	345NC	29/17
28660	Hatteras Inlet Lighted Buoy 6	MISSING	11555	066NC	09/17
28715	South Ferry Terminal Lighted Buoy 7SF	MISSING	11555	143NC	12/18
<b>28760</b>	<b>Hatteras Inlet Channel Daybeacon 18</b>	<b>STRUCT DEST</b>	<b>11555</b>	<b>173NC</b>	<b>14/18</b>
28817	Rollinson Channel Daybeacon 31	STRUCT DEST/TRUB	11555	640NC	50/17
<b>28875</b>	<b>Austin Creek Light 2</b>	<b>LT IMCH/DAYMK MISSING</b>	<b>11555</b>	<b>170NC</b>	<b>14/18</b>
28900	Ocracoke Inlet Buoy 1	BUOY DMGD/DAYMK IMCH	11550	294NC	26/17
28910	Ocracoke Inlet Lighted Buoy 3	OFF STA	11550	403NC	34/17
28915	Ocracoke Inlet Lighted Buoy 4	OFF STA	11550	404NC	34/17
28962	Teaches Hole Channel Lighted Buoy 24	MISSING	11550	129NC	11/18
29060	Big Foot Slough Channel Daybeacon 9B	STRUCT DEST	11550	104NC	10/18
29100	Swash Channel Light 4	LT EXT	11550	437NC	36/17
29435	Morehead City Channel Range Rear Light	STRUCT DEST	11547	389NC	27/14
29497	Bogue Inlet Buoy 1A	OFF STA	11541	369NC	31/17
30020	New Topsail Inlet Buoy 7	MISSING	11541	405NC	31/16
30025	New Topsail Inlet Buoy 8	OFF STA	11541	406NC	31/16
30265	Carolina Beach Inlet Buoy 1	OFF STA	11534	153NC	13/18
30270	Carolina Beach Inlet Buoy 2	OFF STA	11534	154NC	13/18
30273	Carolina Beach Inlet Buoy 2A	MISSING	11534	125NC	11/18
30275	Carolina Beach Inlet Buoy 3	OFF STA	11534	240NC	23/17
30290	Carolina Beach Inlet Buoy 6	MISSING	11534	001NC	01/18
30316	Cape Fear River Entrance Lighted Whistle Buoy CF	RAC INOP	11537	617NC	50/17
30420	Oak Island Channel Daybeacon 2	STRUCT DEST/TRLB	11534	214NC	19/17
30440	Oak Island Channel Daybeacon 7	STRUCT DEST/TRUB	11534	462NC	37/17
30562.3	Sunny Point Terminal Warning Boundary Light L	STRUCT DEST	11534	548NC	44/17
30970	Northeast Cape Fear River Turning Basin Light	STRUCT DEST/TRLB	11537	068NC	09/17
31170	Whale Head Bay Light 1	STRUCT DEST/TRLB	12204	221NC	18/15
31241	Currituck Sound Research Platform A	STRUCT DEST	12205	019NC	05/18
31241.1	Currituck Sound Research Platform B	STRUCT DEST	12205	019NC	05/18
31241.2	Currituck Sound Research Platform C	STRUCT DMGD	12205	019NC	05/18
31241.3	Currituck Sound Research Platform D	STRUCT DEST/HAZ NAV	12205	019NC	05/18
31241.4	Currituck Sound Research Platform E	STRUCT DEST/HAZ NAV	12204	019NC	05/18
31330	Kitty Hawk Bay Light 2KH	STRUCT DEST/TRLB	12204	019NC	05/18
31360	Durant Island Daybeacon 1D	STRUCT DEST/TRLB	12204	094NC	09/18
31365	Powells Point Daybeacon 2PP	STRUCT DEST/TRUB	12204	019NC	05/18
31370	Powells Point Daybeacon 4PP	STRUCT DEST/TRUB	12204	151NC	12/18
31491	Albemarle Sound Warning Daybeacon B	STRUCT DEST/TRUB	12205	019NC	09/18
31493	Albemarle Sound Warning Daybeacon D	STRUCT DEST	12205	019NC	09/18
31494	Albemarle Sound Warning Daybeacon E	STRUCT DEST	12205	019NC	09/18
31495	Albemarle Sound Warning Light F	STRUCT DEST	12205	019NC	09/18
31498	Albemarle Sound Warning Daybeacon I	STRUCT DEST	12205	019NC	09/18
31500	Albemarle Sound Warning Daybeacon J	STRUCT DEST	12205	019NC	09/18
31585	Scuppernong River Channel Light 1SR	STRUCT DMGD	12205	019NC	04/18
31745	Edenton Bay Light 4	STRUCT DEST	12205	099NC	09/18
31900	Croatan Sound Approach Daybeacon 2	STRUCT DEST	12204	019NC	04/18
31906	Croatan Sound North Warning Daybeacon	STRUCT DEST	12204	602NC	49/17
31910	Croatan Sound Daybeacon 3A	STRUCT DEST	12204	019NC	04/18
31955	Croatan Sound Warning Daybeacon	STRUCT DEST	12204	140NC	12/18



32030	Stumpy Point Channel Light 10	STRUCT DEST/HAZ NAV	12204	089NC	05/18
32077	Pamlico Sound Lighted Wreck Buoy WR2	MISSING	11555	002NC	02/18
32125	Far Creek Channel Light 9	DAYMK MISSING	11555	017NC	03/18
32221	Buxton Harbor Lighted Wreck Buoy WR8	OFF STA	11555	019NC	04/18
32225	Buxton Harbor Light 10	DAYMK MISSING	11555	019NC	04/18
32285	Avon Channel Light 8	DAYMK MISSING	11555	271NC	25/17
32320	Durant Point Lighted Buoy 2	OFF STA	11555	124NC	11/18
<b>32845</b>	<b>Willow Point Shoal Light</b>	<b>DAYMK MISSING</b>	<b>11553</b>	<b>168NC</b>	<b>14/18</b>
33055	Pungo River Channel Light 25	DAYMK MISSING	11553	164NC	13/18
33397	Bay River Entrance Lighted Wreck Buoy WR2	MISSING	11553	093NC	09/18
33790	Adams Creek Light 1AC	STRUCT DEST/TRLB	11541	464NC	37/17
33860	Cherry Point Channel Daybeacon 3	STRUCT DEST/TRUB	11552	446NC	36/17
<b>33985</b>	<b>Neuse River Channel Light 19</b>	<b>LT EXT</b>	<b>11552</b>	<b>171NC</b>	<b>14/18</b>
34185	Neuse River Channel Daybeacon 58	STRUCT DEST/TRUB	11552	331NC	26/17
34315	Trent River Daybeacon 20	STRUCT DEST/TRLB	11552	523NC	39/15
34320	Harbor Island Warning Daybeacon	STRUCT DEST	11550	148NC	12/18
34335	Core Sound Buoy 3A	OFF STA	11550	149NC	12/18
34340	Core Sound Buoy 4	OFF STA	11550	150NC	12/18
34410	Cedar Island Bay Channel Lighted Wreck Buoy WR5	MISSING	11550	088NC	09/18
34460	Core Sound Lighted Buoy 19A	OFF STA	11550	091NC	09/18
34465	Core Sound Warning Daybeacon	STRUCT DEST	11550	148NC	12/18
34525	Core Sound Light 25	LT EXT	11545	333NC	28/17
34535	Cedar Creek Light 1	STRUCT DEST	11545	523NC	42/17
34595	Oyster Creek Daybeacon 3	STRUCT DEST/TRLB	11550	409NC	31/16
34640	Core Sound Light 41	STRUCT DEST/TRLB	11545	246NC	22/17
35167	New Jersey Intracoastal Waterway Daybeacon 46	STRUCT DEST/TRLB	12324	067DB	05/18
35196	New Jersey Intracoastal Waterway Daybeacon 53	STRUCT DEST/TRLB	12324	067DB	05/18
35245	New Jersey Intracoastal Waterway Daybeacon 65	STRUCT DEST/TRLB	12324	067DB	05/18
35280	New Jersey Intracoastal Waterway Daybeacon 72	STRUCT DEST/TRLB	12324	067DB	05/18
35295	New Jersey Intracoastal Waterway Daybeacon 76	STRUCT DEST/TRLB	12324	067DB	05/18
35305	New Jersey Intracoastal Waterway Daybeacon 79	STRUCT DMGD	12324	067DB	05/18
35310	New Jersey Intracoastal Waterway Daybeacon 80	STRUCT DEST/TRLB	12324	079DB	04/16
35350	New Jersey Intracoastal Waterway Daybeacon 89	STRUCT DEST/TRLB	12324	339DB	46/17
35365	New Jersey Intracoastal Waterway Daybeacon 94	STRUCT DEST/TRLB	12324	061DB	10/17
35395	New Jersey Intracoastal Waterway Daybeacon 101	STRUCT DEST/TRLB	12316	085DB	15/17
35400	New Jersey Intracoastal Waterway Daybeacon 102	STRUCT DEST/TRLB	12316	005DB	18/15
35620	New Jersey Intracoastal Waterway Light 153	STRUCT DEST/TRLB	12316	072DB	03/18
35655	New Jersey Intracoastal Waterway Light 163	STRUCT DEST/TRLB	12316	072DB	03/18
36020	New Jersey Intracoastal Waterway Daybeacon 266	STRUCT DEST/HAZ NAV/TRLB	12316	184DB	08/18
36280	New Jersey Intracoastal Waterway Daybeacon 342	STRUCT DEST/TRLB	12316	149DB	17/17
36290	New Jersey Intracoastal Waterway Daybeacon 345	STRUCT DEST/HAZ NAV/TRLB	12316	123DB	08/18
36410	New Jersey Intracoastal Waterway Daybeacon 381	STRUCT DEST/TRLB	12316	151DB	08/18
36475	New Jersey Intracoastal Waterway Daybeacon 401	STRUCT DEST/TRLB	12316	150DB	08/18

36910	Elizabeth River Southern Branch Turning Basin Daybeacon A	STRUCT DEST/TRUB	12253	254HR	13/18
<b>37525</b>	<b>Great Bridge to Albemarle Sound Light 87</b>	<b>STRUCT DEST</b>	<b>12206</b>	<b>176NC</b>	<b>14/18</b>
<b>37580</b>	<b>Great Bridge to Albemarle Sound Daybeacon 107</b>	<b>STRUCT DEST</b>	<b>12206</b>	<b>174NC</b>	<b>14/18</b>
<b>37720</b>	<b>Great Bridge to Albemarle Sound Daybeacon 145</b>	<b>STRUCT DEST</b>	<b>12206</b>	<b>165NC</b>	<b>14/18</b>
37755	Great Bridge to Albemarle Sound Light 155	STRUCT DEST	12206	138NC	12/18
37851	Alligator River Lighted Buoy 8A	OFF STA	11553	090NC	09/18
38005	Alligator River - Pungo River Light 55	DAYMK MISSING	11553	096NC	09/18
38035	Pungo River Channel Light 25	DAYMK MISSING	11553	164NC	13/18
38290	Adams Creek Light 1AC	STRUCT DEST/TRLB	11541	464NC	37/17
38410	Core Creek Daybeacon 23	STRUCT DEST/HAZ NAV/TRLB	11541	513NC	42/17
<b>38481</b>	<b>Core Creek Buoy 30</b>	<b>OFF STA</b>	<b>11541</b>	<b>172NC</b>	<b>14/18</b>
39310	Bogue Sound - New River Daybeacon 76	STRUCT DEST/TRLB	11541	054NC	06/18
39360	New River - Cape Fear River Daybeacon 19	STRUCT DEST/TRUB	11541	075NC	07/18
39470	New River - Cape Fear River Daybeacon 72	STRUCT DEST/TRUB	11541	077NC	47/17
39610	New River - Cape Fear River Daybeacon 124	STRUCT DEST/HAZ NAV/TRUB	11541	460NC	34/17
39855	New River - Cape Fear River Daybeacon 167	STRUCT DEST/TRUB	11534	069NC	07/18
40130	Cape Fear River - Little River Daybeacon 36	STRUCT DEST/TRLB	11534	650NC	03/18
40225	Cape Fear River - Little River Buoy 47	MISSING	11534	137NC	12/08
40305	Cape Fear River - Little River Daybeacon 71	STRUCT DEST/TRUB	11534	070NC	07/18
40315	Cape Fear River - Little River Daybeacon 73	STRUCT DEST/TRLB	11534	016NC	02/18
40337	Cape Fear River - Little River Buoy 80A	ADRIFT	11534	158NC	13/18

**DISCREPANCIES (FEDERAL AIDS) CORRECTED**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
405	Chesapeake Bay Entrance Lighted Whistle Buoy CH	RESET ON STATION	12222	216HR	10/18	14/18
1510	Delaware Bay Entrance Channel Lighted Buoy 6	RESET ON STATION	12216	183DB	13/18	14/18
2650	Salem River Entrance Channel Light 3	WATCHING PROPERLY	12277	169DB	12/18	14/18
6595	Virginia Inside Passage Light 270	WATCHING PROPERLY	12222	256HR	13/18	14/18
7280	Chesapeake Channel Buoy 42A	RESET ON STATION	12226	255HR	13/18	14/18
9390	Hampton Bar Buoy 14	RESET ON STATION	12245	302HR	39/17	14/18
11020	Nansemond Ordnance Depot Warning Daybeacon	REBUILT/RECOVERED	12245	NONEHR	09/18	14/18
11665	James River Channel Buoy 17	RESET ON STATION	12248	NONEHR	08/18	14/18
11690	James River Channel Lighted Buoy 22	RESET ON STATION	12248	NONEHR	08/18	14/18
12105	James River Channel Buoy 53	RESET ON STATION	12248	175HR	07/18	14/18
12121	James River Channel Buoy 55A	RESET ON STATION	12251	176HR	07/18	14/18
12940	Back River Channel Light 8	REBUILT/RECOVERED	12222	147HR	05/18	14/18
13085	Back River Channel Daybeacon 20	REBUILT/RECOVERED	12222	148HR	05/18	14/18
14675	Piankatank River Lighted Buoy 2	WATCHING PROPERLY	12235	207HR	10/18	14/18
14975	Broad Creek Channel Daybeacon 4	WATCHING PROPERLY	12235	253HR	13/18	14/18
21026	Dundalk Terminal East Channel Buoy 5	WATCHING PROPERLY	12281	266MD	14/18	14/18
21415	Virginia Inside Passage Light 270	WATCHING PROPERLY	12222	256HR	13/18	14/18
21440	Cape Charles City Range A Front Light	WATCHING PROPERLY	12224	262HR	14/18	14/18
21445	Cape Charles City Range A Rear Light	RELIGHTED	12224	262HR	14/18	14/18
21784	Nandua Creek Channel Buoy 8	RELOCATED	12226	149HR	05/18	14/18
21792	Nandua Creek Channel Buoy 9	RELOCATED	12226	150HR	05/18	14/18

21830	Nandua Creek Channel Buoy 21	RESET ON STATION	12226	152HR	05/18	14/18
24120	Nanticoke River Channel Light 26	WATCHING PROPERLY	12261	228MD	11/18	14/18
24125	Nanticoke River Channel Light 28	WATCHING PROPERLY	12261	228MD	11/18	14/18
24140	Nanticoke River Channel Light 32	WATCHING PROPERLY	12261	227MD	11/18	14/18
29225	Barden Inlet Light 19	WATCHING PROPERLY	11545	147NC	12/18	14/18
32855	Pungo River Junction Light PR	WATCHING PROPERLY	11553	118NC	10/18	14/18
35040	New Jersey Intracoastal Waterway Light 19	RELIGHTED	12324	178DB	12/18	14/18
38140	Pungo River Junction Light PR	WATCHING PROPERLY	11553	118NC	10/18	14/18

**DISCREPANCIES (PRIVATE AIDS)**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
9	Ocean Power Lighted Data Buoy A	MISSING	12323	585DB	49/13	
803.2	UNCW/CORMP Lighted Data Buoy C	LT IMCH	11539	186NC	17/17	
867	UNC Wilmington Lighted Data Buoy SB	BUOY DMGD/LT EXT	11534	112NC	12/17	
1155	Marshelder Channel Buoy 3	MISSING	12316	250DB	26/16	
1345	Ship Channel Buoy 5	OFF STA	12316	160DB	24/17	
1690	Bidwell Creek Entrance Light 2	LT EXT	12304	NONEAC	37/06	
1960	Fortescue Creek Entrance Buoy 4	OFF STA	12304	NONEDB	17/13	
2035	Lewes Breakwater Front Light	LT EXT	12216	282DB	27/13	
3153	Marcus Hook Lighted Research Buoy C	MISSING	12312	332DB	45/17	
3503	Eagle Point Range Lighted Research Buoy B	MISSING	12313	338DB	45/17	
4346	Upper Delaware River Pipeline Outfall Buoy	MISSING	12314	129DB	18/12	
4875	Thorofare Channel Buoy 3	SINKING	12211	029DB	05/16	
4925	Ocean Pines Yacht Club Light 2	LT EXT	12211	398MD	29/15	
5180	Chincoteague Bay State Boundary Line Buoy E	DAYMK IMCH	12211	430HR	46/12	
5190	Chincoteague Bay State Boundary Line Buoy G	DAYMK IMCH	12211	432HR	46/12	
5265	George Island Channel Daybeacon 8	DAYMK IMCH	12211	346HR	38/12	
5453	Coards Marsh Sanctuary Daybeacon A	STRUCT DEST	12211	433HR	46/12	
5453.1	Coards Marsh Sanctuary Daybeacon B	STRUCT DEST	12211	434HR	46/12	
5453.2	Coards Marsh Sanctuary Daybeacon C	STRUCT DEST	12211	435HR	46/12	
5457	Greenbackville Sanctuary Daybeacon A	STRUCT DEST	12211	476HR	43/11	
5457.1	Greenbackville Sanctuary Daybeacon B	DAYMK MISSING	12211	477HR	43/11	
7669	UMCES Lighted Data Buoy JI	MISSING	12264	439MD	36/14	
7837	UMCES Lighted Data Buoy CBB	OFF STA	12282	176MD	16/16	
7860	Bay Bridge Marina Light 5	LT EXT	12270	350MD	44/12	
9853	Elizabeth River Town Point Reach No Wake Buoy A	OFF STA	12253	328HR	35/14	
9940	Norfolk Waterside Pier Light	LT EXT	12253	004HR	02/18	
10125	Lynnhaven Roads Fishing Pier Lights (2)	MISSING	12254	319HR	31/13	
10157.01	Crab Creek Entrance Buoy 3CC	OFF STA	12254	131HR	19/17	
10157.12	Crab Creek Buoy 12	OFF STA	12254	065HR	10/17	
10186	Lynnhaven River Daybeacon 1LR	STRUCT DEST	12254	080HR	08/15	
10225	Lynnhaven River Western Branch Buoy 10	OFF STA	12254	362HR	47/17	
10310	Lynnhaven River Western Branch Daybeacon 27	STRUCT DMGD	12222	096HR	15/17	
10315	Lynnhaven River Western Branch Daybeacon 28	STRUCT DMGD	12222	097HR	15/17	
10332.8	Lynnhaven River Eastern Branch Daybeacon 12	DAYMK MISSING	12222	432HR	51/16	
10334	Lynnhaven River Eastern Branch Daybeacon 27	DAYMK MISSING	12222	162HR	23/16	
10762.03	Lafayette River Northern Branch Daybeacon 3	DAYMK MISSING	12245	251HR	26/14	

10762.04	Lafayette River Northern Branch Daybeacon 4	DAYMK MISSING	12245	NONEHR	33/17
10762.05	Lafayette River Northern Branch Daybeacon 5	DAYMK MISSING	12245	262HR	33/17
10762.1	Lafayette River Northern Branch Daybeacon 12	DAYMK MISSING	12245	252HR	26/14
10962	Hampton River Channel Buoy 22	DAYMK DMGD	12245	NONEHR	16/16
12118	Scotland Wharf Ferry Light C	LT EXT	12251	371HR	49/17
12119	Scotland Wharf Ferry Light D	LT EXT	12251	372HR	49/17
12692	James River Lighted Data Buoy A	OFF STA	12252	135HR	07/16
12692.1	James River Lighted Data Buoy B	OFF STA	12252	137HR	07/16
12970	Dandy Haven Marina Entrance Daybeacon 3	DAYMK IMCH	12222	086HR	14/17
13045	Harris River Approach Daybeacon 2	DAYMK IMCH/STRUCT DMGD	12238	087HR	14/17
13050	Harris River Approach Daybeacon 3	DAYMK MISSING	12238	036HR	06/12
13055	Harris River Approach Daybeacon 4	DAYMK IMCH	12238	088HR	14/17
13065	Harris River Approach Daybeacon 6	OFF STA/DAYMK DMGD	12238	037HR	06/12
13070	Harris River Approach Daybeacon 8	DAYMK MISSING	12238	089HR	14/17
13247	Poquoson River Daybeacon 18	STRUCT DEST/TRUB	12238	383HR	52/17
13583	VIMS Gloucester Point Lighted Data Buoy A	MISSING	12241	113HR	17/17
13960	Croaker Landing Daybeacon 1	STRUCT DEST	12243	232HR	11/18
13965	Croaker Landing Daybeacon 2	STRUCT DEST	12243	233HR	11/18
14405	Green Mansion Cove Daybeacon 2	DAYMK IMCH	12238	285HR	38/17
14935	Windmill Point Marina Light 2	DAYMK DMGD	12235	240HR	29/17
14940	Windmill Point Marina Light 3	LT EXT	12235	348HR	23/12
15005	Broad Creek Northern Branch Daybeacon 1N	DAYMK DMGD	12235	234HR	24/13
15025	Broad Creek Northern Branch Daybeacon 7	DAYMK DMGD	12235	241HR	29/17
15035	Broad Creek Northern Branch Daybeacon 9	DAYMK MISSING	12235	242HR	29/17
15050	Broad Creek Northern Branch Daybeacon 12	DAYMK MISSING	12235	431HR	49/14
16275	Buzzards Point Daybeacon 3	DAYMK DMGD	12235	390HR	26/15
16555	Lake Conoy Warning Daybeacon A	MISSING	12233	251MD	19/10
16612	Coan River Marina Buoy 1	MISSING	12233	121MD	10/15
18012.8	Aquia Creek Daybeacon 19A	STRUCT DEST	12288	111MD	03/18
18013.1	Aquia Creek Daybeacon 22	STRUCT DMGD	12288	112MD	04/18
18170	Leesylvania Park Light 2	LT EXT	12288	449MD	37/15
18601.08	National Harbor Channel Light 11	DAYMK MISSING	12289	211MD	09/18
18793.1	Tanner Creek Warning Daybeacon A	DAYMK MISSING	12233	179MD	23/13
18793.3	Tanner Creek Daybeacon 2	DAYMK DMGD	12233	196MD	08/18
18793.6	Tanner Creek Warning Daybeacon B	DAYMK MISSING	12233	197MD	08/18
19260	Chalk Point Cable Crossing Tower Light 27	LT EXT	12264	213MD	29/17
19265	Chalk Point Cable Crossing Tower Light 28	LT EXT	12264	214MD	29/17
19270	Chalk Point Cable Crossing Tower Light A	LT EXT	12264	215MD	29/17
19275	Chalk Point Cable Crossing Tower Light B	LT EXT	12264	216MD	29/17
19277	Chalk Point Cable Crossing Tower Light 29	LT IMCH	12264	217MD	29/17
19278	Chalk Point Power Light 30	LT IMCH	12264	218MD	29/17
19279	Chalk Point Tower Light C	LT IMCH	12264	219MD	29/17
19280	Chalk Point Tower Light D	LT IMCH	12264	220MD	29/17
22095	Onancock Creek -South Branch Buoy 1	OFF STA	12228	292MD	30/08
22430	Pocomoke Sound State Boundary Line Daybeacon H	STRUCT DEST/TRUB	12228	165MD	13/15
22440	Pocomoke Sound State Boundary Line Daybeacon K	STRUCT DEST/TRUB	12228	NONEMD	31/15

22880	Jenkins Creek Daybeacon 7	STRUCT DEST/TRUB	12231	130MD	20/17
25010	Cambridge Municipal Yacht Basin Light 1	MISSING	12266	259MD	40/12
25015	Cambridge Municipal Yacht Basin Light 2	MISSING	12266	260MD	40/12
25020	Cambridge Channel Range Front Light	LT EXT	12268	420MD	46/08
25025	Cambridge Channel Range Rear Light	LT EXT/DAYMK DMGD	12268	418MD	46/08
25330	Pier Street Marina Daybeacon 1	STRUCT DEST/HAZ NAV	12266	157MD	20/13
25335	Pier Street Marina Daybeacon 2	STRUCT DEST/HAZ NAV	12266	168MD	21/13
26126	Wye River Buoy 1	OFF STA	12270	215MD	09/18
26215	Oak Creek Buoy 4	MISSING	12270	218MD	10/18
26220	Oak Creek Buoy 6	MISSING	12270	275MD	06/18
26700	Davis Creek Entrance Daybeacon 2	STRUCT DMGD	12272	321MD	44/17
27230	Upper Gunpowder River Buoy 2	OFF STA	12274	116MD	19/15
27240	Upper Gunpowder River Buoy 4	OFF STA/DAYMK MISSING	12274	116MD	19/15
27250	Upper Gunpowder River Buoy 6	DAYMK MISSING	12274	116MD	19/15
27415	Fairlee Creek Buoy 8	OFF STA/BUOY DMGD	12278	361MD	28/14
28552	Shallowbag Bay Warning Light A	DAYMK MISSING	12205	582NC	47/17
28553	ShallowBag Bay Warning Light D	DAYMK MISSING	12205	583NC	47/17
30477	Cape Fear River Warning Light A	LT EXT	11534	045NC	06/17
30905	Wilmington Marine Center Daybeacon 6	DAYMK DMGD	11537	NONENC	05/16
30910	Wilmington Marine Center Daybeacon 7	DAYMK DMGD	11537	NONENC	05/16
31060	Shallotte Inlet Buoy 2	MISSING	11534	005NC	01/14
31087	Shallotte Inlet Buoy 9	MISSING	11534	317NC	23/13
31270	Southern Shores Daybeacon 1	DAYMK DMGD	12204	NONENC	26/17
31275	Southern Shores Daybeacon 2	DAYMK IMCH	12204	NONENC	30/17
31305	Southern Shores Junction Daybeacon JG	STRUCT DEST	12204	NONENC	30/17
31315	Southern Shores Daybeacon 10	STRUCT DEST	12204	NONENC	30/17
31350	Colington Harbor Entrance Daybeacon 3	STRUCT DEST	12205	NONENC	30/17
31416.5	Whitehall Shores Channel Daybeacon 2	DAYMK MISSING	12206	585NC	47/17
31419.6	Whitehall Shores West Channel Daybeacon 1	DAYMK MISSING	12206	584NC	47/17
32725.16	Swanquarter PPA Warning Daybeacon R	STRUCT DEST	11548	424NC	33/16
32725.23	Swanquarter PPA Warning Daybeacon X	STRUCT DEST	11548	089NC	09/16
32725.24	Swanquarter PPA Warning Daybeacon Y	STRUCT DEST	11548	NONENC	09/16
33427.5	Swan Point Warning Daybeacon B	DAYMK MISSING	11552	177NC	12/15
33428	Swan Point Warning Light C	DAYMK MISSING	11552	178NC	12/15
33428.5	Swan Point Warning Daybeacon D	DAYMK MISSING	11552	179NC	12/15
33597	Neuse River UNC Lighted Data Buoy A	MISSING	11544	447NC	35/16
35230	Manahawkin Bay Lower Warning Light	LT EXT	12324	371DB	32/13
35780	Absecon Waterway Upper Pier Light	LT IMCH	12316	521DB	38/14
35785	Absecon Waterway Lower Pier Light	LT IMCH	12316	522DB	38/14
36777.3	Cape May Village Daybeacon 4	STRUCT DEST	12316	556DB	41/15
38535	Triple S. Marina Daybeacon 1	STRUCT DEST	11547	200NC	18/17
39621.4	Bradley Creek Daybeacon 4	DAYMK MISSING	11541	391NC	32/17
39621.9	Bradley Creek Light 9	LT IMCH	11541	414NC	34/17
39623.3	Bradley Creek Light 14	DAYMK IMCH	11541	487NC	40/17
40017	Cape Fear River Warning Light A	LT EXT	11534	045NC	06/17
	Asquith Creek Daybeacon 6	DAYMK IMCH	12282	520MD	45/14
	Beach Cove South Channel Daybeacon 8	MISSING	12216	NONEAC	10/06
	Broad Creek Daybeacon 17 Eastern Branch Elizabeth R	STRUCT DEST	12253	377HR	50/17
	Cherrystone Artificial Reef Buoys	MISSING	12221	NONED5	24/05
	Colington Harbor Entrance Light 5	DAYMK DMGD	12205	290NC	26/17
	Colington Harbor Entrance Light 6	DAYMK DMGD	12205	NONENC	30/17
	Cox Creek Buoy 3A	BUOY DMGD	12270	358MD	51/17
	East Cod Creek Daybeacon 5	DAYMK MISSING	12285	201MD	28/17
	Fox Hill Channel Daybeacon 4	DAYMK DMGD	12238	173HR	23/12

Fox Hill Channel Daybeacon 6	STRUCT DEST	12238	174HR	23/12
Gosnold Hope Channel Daybeacon 2	STRUCT DEST	12222	NONEHR	07/18
Gosnold Hope Channel Daybeacon 6	STRUCT DEST	12222	242HR	12/18
Grassy Sound North Pier Light	MISSING	12316	0068AC	41/12
Grassy Sound South Pier Light	MISSING	12316	0069AC	41/12
Harris River Approach Daybeacon 10	DAYMK DMGD	12238	NONEHR	05/12
Indian River Bay Shellfish Excl. Buoy	MISSING	12216	NONEAC	08/12
Jean Guite Creek Daybeacon 1	STRUCT DEST	12205	NONENC	33/17
Jean Guite Creek Daybeacon 2	DAYMK IMCH	12205	NONENC	33/17
John's Creek Buoy 3	LT IMCH	12270	318HR	37/16
Joppatown Buoy 1	OFF STA	12274	113MD	19/17
Kitty Hawk Landing Daybeacon 1	DAYMK IMCH	12205	NONENC	30/17
Kitty Hawk Landing Daybeacon 10	DAYMK IMCH	12205	NONENC	30/17
Kitty Hawk Landing Daybeacon 2	DAYMK IMCH	12205	NONENC	30/17
Kitty Hawk Landing Daybeacon 4	DAYMK IMCH	12205	NONENC	30/17
Kitty Hawk Landing Daybeacon 6	DAYMK IMCH	12205	NONENC	30/17
Kitty Hawk Landing Daybeacon 7	DAYMK IMCH	12205	NONENC	30/17
Kitty Hawk Landing Daybeacon 8	DAYMK IMCH	12205	NONENC	30/17
Kitty Hawk Landing Daybeacon 9	DAYMK IMCH	12205	NONENC	30/17
Little Cove Point Warning Light C	STRUCT DEST	12264	286MD	36/13
Parramore Artificial Reef Buoy	MISSING	12210	0071ES	21/05
Price Creek Light 5	STRUCT DEST	12270	164MD	05/18
Price Creek Light 6	STRUCT DEST	12270	118MD	04/18
Shark Riv Is Ch By 1	MISSING		215DB	22/16
Shark River Light 5	LT EXT		395DB	28/15
Taylor Creek Daybeacon 3	STRUCT DEST/TRUB		228HR	11/18
Taylor Crk Dbn 3	STRUCT DEST/HAZ NAV	12226	204HR	09/18
VIMS Clay Bank Lighted Data Buoy A	MISSING	12243	NONEHR	14/14
VIMS Clay Bank Lighted Data Buoy B	MISSING	12243	NONEHR	14/14
VIMS Clay Bank Lighted Data Buoy C	MISSING	12241	NONEHR	14/14
VIMS Outfall Pipe Warning Buoy A	MISSING	12241	114HR	17/17
Vims Water Qual Monitor Device (3)	MISSING		NONEHR	14/14
Wachapreague Artificial Reef Buoys	MISSING	12210	0072ES	21/05
Waterview Seafood Warning Daybeacon A	DAYMK MISSING	12221	300HR	39/17

#### DISCREPANCIES (PRIVATE AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
18075	Possum Point Pier Light	RELIGHTED	12288	448MD	37/15	14/18

#### PLATFORM DISCREPANCIES

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

#### PLATFORM DISCREPANCIES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

### SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

#### TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

35	Little Egg Inlet Outer Lighted Whistle Buoy LE	DISCONTINUED	12316	169D5	13/17
865	Lockwoods Folly Inlet Lighted Whistle Buoy LW	DISCONTINUED	11534	307D5	18/17
1080	Oyster Creek Channel Buoy 37	RELOCATED FOR DREDGING	12324	775D5	47/17
1090	Oyster Creek Channel Buoy 38	RELOCATED FOR DREDGING	12324	775D5	49/17
1093	Oyster Creek Channel Buoy 39	RELOCATED FOR DREDGING	12324	775D5	49/17
1100	Little Egg Inlet Outer Lighted Whistle Buoy LE	DISCONTINUED	12316	169D5	13/17
1105	Little Egg Inlet Buoy 2	DISCONTINUED	12316	172D5	13/17
1110	Little Egg Inlet Lighted Buoy 3	DISCONTINUED	12316	172D5	13/17
1115	Little Egg Inlet Buoy 4	DISCONTINUED	12316	172D5	13/17
1117	Little Egg Inlet Buoy 4A	DISCONTINUED	12316	172D5	13/17
1120	Little Egg Inlet Lighted Buoy 5	DISCONTINUED	12316	172D5	13/17
1125	Little Egg Inlet Lighted Buoy 6	DISCONTINUED	12316	172D5	13/17
1129	Little Egg Inlet Buoy 8	DISCONTINUED	12316	172D5	13/17
1131	Little Egg Inlet Lighted Buoy 10	DISCONTINUED	12316	172D5	13/17
4755	Ocean City Inlet Lighted Buoy 11	DISCONTINUED FOR DREDGING	12211	079D5	08/18
4757	Ocean City Inlet Lighted Buoy 12	DISCONTINUED FOR DREDGING	12211	079D5	08/18
5397	Chincoteague Channel Lighted Buoy 28	DISCONTINUED FOR DREDGING	12210	071D5	07/18
<b>7055</b>	<b>Chesapeake Channel Lighted Buoy 5</b>	<b>RELOCATED FOR DREDGING</b>	<b>12222</b>	169D5	<b>14/18</b>
<b>7060</b>	<b>Chesapeake Channel Lighted Buoy 6</b>	<b>RELOCATED FOR DREDGING</b>	<b>12222</b>	169D5	<b>14/18</b>
<b>7070</b>	<b>Chesapeake Channel Lighted Buoy 7</b>	<b>RELOCATED FOR DREDGING</b>	<b>12222</b>	169D5	<b>14/18</b>
<b>7075</b>	<b>Chesapeake Channel Lighted Buoy 9</b>	<b>RELOCATED FOR DREDGING</b>	<b>12254</b>	168D5	<b>14/18</b>
<b>7080</b>	<b>Chesapeake Channel Lighted Buoy 10</b>	<b>RELOCATED FOR DREDGING</b>	<b>12222</b>	168D5	<b>14/18</b>
<b>7085</b>	<b>Chesapeake Channel Lighted Buoy 11</b>	<b>RELOCATED FOR DREDGING</b>	<b>12254</b>	168D5	<b>14/18</b>
<b>7090</b>	<b>Chesapeake Channel Lighted Bell Buoy 12</b>	<b>RELOCATED FOR DREDGING</b>	<b>12254</b>	168D5	<b>14/18</b>
8630	Upper Chesapeake Channel Lighted Buoy 36	Reduced Intensity	12274	NONEMD	11/18
11897	James River Channel Lighted Buoy 27A	DISCONTINUED FOR DREDGING	12248	541D5	44/15
11904	James River Channel Lighted Buoy 29A	DISCONTINUED FOR DREDGING	12248	541D5	44/15
17910	Upper Potomac River Channel Lighted Buoy 22	Reduced Intensity	12288	161D5	13/18
17950	Upper Potomac River Channel Lighted Buoy 23	Reduced Intensity	12288	161D5	13/18
18015	Upper Potomac River Channel Lighted Buoy 27	Reduced Intensity	12288	161D5	13/18
18040	Upper Potomac River Channel Lighted Buoy 33	Reduced Intensity	12288	161D5	13/18
18155	Upper Potomac River Channel Lighted Buoy 45	Reduced Intensity	12288	161D5	13/18
<b>18232</b>	<b>Neabsco Creek Warning Daybeacon B</b>	<b>TRLT</b>	<b>12289</b>	178D5	<b>14/18</b>
18235	Upper Potomac River Channel Lighted Buoy 47	Reduced Intensity	12288	161D5	13/18

18255	Upper Potomac River Channel Lighted Buoy 51	Reduced Intensity	12289	161D5	13/18
18325	Upper Potomac River Channel Lighted Buoy 55	Reduced Intensity	12289	161D5	13/18
18345	Upper Potomac River Channel Lighted Buoy 59	Reduced Intensity	12289	161D5	13/18
18350	Upper Potomac River Channel Lighted Buoy 60	Reduced Intensity	12289	161D5	13/18
18365	Upper Potomac River Channel Lighted Buoy 62	Reduced Intensity	12289	161D5	13/18
18370	Upper Potomac River Channel Lighted Buoy 64	Reduced Intensity	12289	161D5	13/18
18385	Upper Potomac River Channel Lighted Buoy 67	Reduced Intensity	12289	161D5	13/18
18395	Upper Potomac River Channel Lighted Buoy 71	Reduced Intensity	12289	161D5	13/18
18510	Upper Potomac River Channel Lighted Buoy 77	Reduced Intensity	12289	161D5	13/18
18580	Upper Potomac River Channel Lighted Buoy 84	Reduced Intensity	12289	161D5	13/18
18600	Upper Potomac River Channel Lighted Buoy 90	Reduced Intensity	12289	161D5	13/18
18620	Alexandria Channel Lighted Buoy 6	Reduced Intensity	12289	161D5	13/18
18660	Alexandria Channel Lighted Buoy 7A	Reduced Intensity	12289	161D5	13/18
18705	Hains Point Junction Lighted Buoy HP	Reduced Intensity	12289	161D5	13/18
21510	Mud Creek Channel Daybeacon 1	DISCONTINUED FOR DREDGING	12224	271HR	17/15
21515	Mud Creek Channel Daybeacon 2	TRUB	12224	221D5	18/15
23213	Big Thorofare West Buoy 3	DISCONTINUED FOR DREDGING	12228	138D5	12/18
23223	Big Thorofare West Buoy 4	DISCONTINUED FOR DREDGING	12228	138D5	12/18
23510	Lower Thorofare Channel Light 6	TRDBN	12231	096D5	11/16
25930.5	Knapps Narrows West Channel Lighted Buoy 3A	DISCONTINUED FOR DREDGING	12266	115D5	11/18
25931	Knapps Narrows West Channel Buoy 4	DISCONTINUED FOR DREDGING	12266	115D5	11/18
25933	Knapps Narrows West Channel Buoy 5	DISCONTINUED FOR DREDGING	12266	115D5	11/18
<b>28765.1</b>	<b>Hatteras Inlet Channel Buoy 19A</b>	<b>DISCONTINUED FOR DREDGING</b>	<b>11555</b>	<b>164D5</b>	<b>14/18</b>
28787	Hatteras Inlet Channel Daybeacon 24A	DISCONTINUED FOR DREDGING	11555	164D5	13/18
28807	Hatteras Harbor Daybeacon 2	TRUB	11555	075D5	07/18
28815	Rollinson Channel Light 30	TRUB	11555	075D5	07/18
28817	Rollinson Channel Daybeacon 31	TRUB	11555	075D5	07/18
28955	Teaches Hole Channel Lighted Buoy 20	DISCONTINUED	11550	173D5	14/15
29245	Barden Inlet Light 26	TRDBN	11545	503D5	32/17
29247	Barden Inlet Buoy 27	DISCONTINUED	11545	503D5	32/17
29250	Barden Inlet Buoy 28	DISCONTINUED	11545	503D5	32/17
29253	Barden Inlet Buoy 30	DISCONTINUED	11545	503D5	32/17
29257	Barden Inlet Buoy 31	DISCONTINUED	11545	503D5	32/17
29260	Barden Inlet Light 32	TRDBN	11545	503D5	32/17



29263	Barden Inlet Buoy 33	DISCONTINUED	11545	503D5	32/17
29270	Barden Inlet Light 35	TRDBN	11545	503D5	32/17
30175	Masonboro Inlet Lighted Buoy 6	DISCONTINUED FOR DREDGING	11541	081D5	08/18
30180	Masonboro Inlet Buoy 7	RELOCATED FOR DREDGING	11541	081D5	08/18
30185	Masonboro Inlet Lighted Buoy 8	DISCONTINUED FOR DREDGING	11541	081D5	08/18
31005	Lockwoods Folly Inlet Lighted Whistle Buoy LW	DISCONTINUED	11534	307D5	18/17
31010	Lockwoods Folly Inlet Buoy 1	DISCONTINUED	11534	313D5	19/17
31015	Lockwoods Folly Inlet Buoy 2	DISCONTINUED	11534	NONED5	13/18
31020	Lockwoods Folly Inlet Buoy 3	DISCONTINUED	11534	304D5	18/17
31025	Lockwoods Folly Inlet Buoy 4	DISCONTINUED	11534	240D5	17/17
31027	Lockwoods Folly Inlet Buoy 5	DISCONTINUED	11534	313D5	19/17
31030	Lockwoods Folly Inlet Buoy 6	DISCONTINUED	11534	240D5	17/17
31035	Lockwoods Folly Inlet Buoy 7	DISCONTINUED	11534	313D5	19/17
31040	Lockwoods Folly Inlet Buoy 8	DISCONTINUED	11534	304D5	18/17
31045	Lockwoods Folly Inlet Buoy 10	DISCONTINUED	11534	304D5	18/17
31047	Lockwoods Folly Inlet Buoy 12	DISCONTINUED	11534	121D5	09/17
38440	Russell Slough Junction Light RS	TRLB	11541	143D5	11/17
	New River Inlet Buoy 2	DISCONTINUED	11541	067D5	06/15

#### TEMPORARY CHANGES CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
3110	Delaware River Lighted Buoy 38	Returned to Assigned Position	12312	176D5	35/17	14/18
3120	Delaware River Lighted Buoy 40	Returned to Assigned Position	12312	176D5	35/17	14/18
3130	Delaware River Lighted Buoy 42	Returned to Assigned Position	12312	176D5	35/17	14/18
3150	Delaware River Lighted Buoy 43	Returned to Assigned Position	12312	177D5	47/17	14/18
3155	Delaware River Buoy 44	Returned to Assigned Position	12312	176D5	35/17	14/18
3160	Delaware River Lighted Buoy 46	Returned to Assigned Position	12312	176D5	35/17	14/18
3165	Marcus Hook Anchorage Buoy A	Reestablished	12312	176D5	35/17	14/18
3215	Delaware River Lighted Buoy 49	Returned to Assigned Position	12312	177D5	47/17	14/18
3240	Delaware River Buoy 48	Returned to Assigned Position	12312	177D5	44/17	14/18
3245	Delaware River Lighted Buoy 50	Returned to Assigned Position	12312	177D5	44/17	14/18
3260	Delaware River Lighted Buoy 53	Returned to Assigned Position	12312	177D5	47/17	14/18
18231	Neabsco Creek Warning Daybeacon A	LWP	12289	157D5	13/18	14/18
18232	Neabsco Creek Warning Daybeacon B	LWP	12289	157D5	13/18	14/18
29535	Bogue Inlet Buoy 8	LWP	11541	159D5	13/18	14/18
32875	Wright Creek Light 5	LWP	11553	124D5	11/18	14/18
	New River Inlet Buoy 1	No Longer Required	11541	NONED5	06/15	14/18
	New River Inlet Buoy 3	No Longer Required	11541	NONED5	43/14	14/18
	New River Inlet Buoy 4	No Longer Required	11541	NONED5	43/14	14/18
	New River Inlet Buoy 6	No Longer Required	11541	NONED5	43/14	14/18
	New River Inlet Buoy 8	No Longer Required	11541	NONED5	43/14	14/18

#### PLATFORM TEMPORARY CHANGES

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

**PLATFORM TEMPORARY CHANGES CORRECTED**

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

**SECTION IV - CHART CORRECTIONS**

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.

Chart Number	Chart Edition	Edition Date	Last Local Notice to Mariners	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariners
12327	91st Ed.	19-APR-97	Last LNM: 26/97	NAD 83		27/97
Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER						
Main Panel 2245 NEW YORK HARBOR					CGD01	
(Temp)	ADD	NATIONAL DOCK CHANNEL BUOY 3			at 40-41-09.001N	074-02-48.001W
		Green can				
Corrective Action		Object of Corrective Action			Position	

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

11541	41st Ed.	01-NOV-15	Last LNM: 47/17	NAD 83	14/18
Chart Title: Intracoastal Waterway Neuse River to Myrtle Grove Sound					
CHART NC-AIWW - NEUSE RIVER TO MYRTLE GROVE SOUND. Page/Side: N/A					
DELETE		New River Inlet Buoy 1 at		CGD05 34-31-13.230N	077-20-25.500W
DELETE		New River Inlet Buoy 2 at		CGD05 34-31-13.280N	077-20-22.290W
DELETE		New River Inlet Buoy 3 at		CGD05 34-31-26.280N	077-20-22.750W
DELETE		New River Inlet Buoy 4 at		CGD05 34-31-38.710N	077-20-19.090W
DELETE		New River Inlet Buoy 6 at		CGD05 34-31-45.950N	077-20-27.710W
DELETE		New River Inlet Buoy 8 at		CGD05 34-32-01.470N	077-20-41.610W
RELOCATE		Bogue Inlet Buoy 8		CGD05 from 34-38-59.277N to 34-39-00.463N	077-06-28.728W 077-06-29.258W

11542	20th Ed.	01-DEC-17	Last LNM: 47/17	NAD 83	14/18
Chart Title: New River; Jacksonville					
CHART NC- NEW RIVER. Page/Side: N/A					
DELETE		New River Inlet Buoy 1 at		CGD05 34-31-13.230N	077-20-25.500W
DELETE		New River Inlet Buoy 2 at		CGD05 34-31-13.280N	077-20-22.290W
DELETE		New River Inlet Buoy 3 at		CGD05 34-31-26.280N	077-20-22.750W
DELETE		New River Inlet Buoy 4 at		CGD05 34-31-38.710N	077-20-19.090W
DELETE		New River Inlet Buoy 6 at		CGD05 34-31-45.950N	077-20-27.710W

DELETE	New River Inlet Buoy 8 at	34-32-01.470N	077-20-41.610W
<b>11543</b>	<b>25th Ed. 01-APR-15 Last LNM: 45/17 NAD 83</b>		<b>14/18</b>
<i>ChartTitle: Cape Lookout to New River</i>			
<b>Main Panel 507 CAPE LOOKOUT TO NEW RIVER. Page/Side: A</b>			
RELOCATE	Bogue Inlet Buoy 8	CGD05 from 34-38-59.277N to 34-39-00.463N	077-06-28.728W 077-06-29.258W
<b>11548</b>	<b>42nd Ed. 01-JAN-17 Last LNM: 46/17 NAD 83</b>		<b>14/18</b>
<i>ChartTitle: Pamlico Sound Western Part</i>			
<b>Main Panel 512 PAMLICO SOUND WESTERN PART NORTH CAROLINA. Page/Side: A</b>			
CHANGE	West Bay Daybeacon 6 to West Bay Daybeacon 6WB, TR, at	CGD05 35-00-42.499N	076-23-37.256W
<b>11553</b>	<b>31st Ed. 01-MAR-18 Last LNM: 46/17 NAD 83</b>		<b>14/18</b>
<i>ChartTitle: Intracoastal Waterway Albermarle Sound to Neuse River;Alligator River;Second Creek</i>			
<b>Main Panel 519 ALBEMARLE SOUND TO ALLIGATOR RIVER NORTH CAROLINA - -. Page/Side: -</b>			
NEW EDITION Scale 1: 40,000; New Edition (31 ed, 03/01/18) due to numerous Notice to Mariner changes, hydrographic changes This NOAA chart is now available in both the Print-on Demand and digital raster formats. See <a href="http://nauticalcharts.noaa.gov/mcd/dole.htm">http://nauticalcharts.noaa.gov/mcd/dole.htm</a> for details.		NOS --	--
<b>12200</b>	<b>52nd Ed. 01-JAN-18 Last LNM: 47/17 NAD 83</b>		<b>14/18</b>
<i>ChartTitle: Cape May to Cape Hatteras</i>			
<b>Main Panel 526 CAPE MAY TO CAPE HATTERAS - -. Page/Side: -</b>			
(Temp)	RELOCATE Chesapeake Channel Lighted Buoy 10	CGD05 from 37-00-19.876N to 37-00-20.513N	076-01-41.338W 076-01-39.066W
(Temp)	RELOCATE Chesapeake Channel Lighted Buoy 5	CGD05 from 36-58-47.300N to 36-58-46.762N	076-00-13.952W 076-00-15.998W
(Temp)	RELOCATE Chesapeake Channel Lighted Buoy 6	CGD05 from 36-59-15.828N to 36-59-16.721N	076-00-15.993W 076-00-14.086W
(Temp)	RELOCATE Chesapeake Channel Lighted Buoy 7	CGD05 from 36-59-24.962N to 36-59-23.724N	076-00-48.898W 076-00-50.538W
(Temp)	RELOCATE Chesapeake Channel Lighted Buoy 9	CGD05 from 37-00-10.526N to 37-00-09.590N	076-01-51.910W 076-01-51.669W
<b>12205</b>	<b>35th Ed. 01-FEB-17 Last LNM: 43/17 NAD 83</b>		<b>14/18</b>
<i>ChartTitle: Cape Henry to Pamlico Sound, Including Albemarle Sd.; Rudee Heights</i>			
<b>CHART VA-NC- CAPE HENRY TO PAMLICO SOUND (including ALBEMARLE SOUND). Page/Side: N/A</b>			
DELETE	Lynnhaven Inlet Buoy 6 at	CGD05 36-54-33.347N	076-05-31.731W
DELETE	Lynnhaven Inlet Lighted Buoy 3 at	CGD05 36-54-50.241N	076-05-25.959W
DELETE	Lynnhaven Inlet Lighted Buoy 4 at	CGD05 36-54-49.485N	076-05-28.429W
(Temp)	RELOCATE Chesapeake Channel Lighted Buoy 10	CGD05 from 37-00-19.876N to 37-00-20.513N	076-01-41.338W 076-01-39.066W
(Temp)	RELOCATE Chesapeake Channel Lighted Buoy 5	CGD05 from 36-58-47.300N to 36-58-46.762N	076-00-13.952W 076-00-15.998W
(Temp)	RELOCATE Chesapeake Channel Lighted Buoy 6	CGD05 from 36-59-15.828N to 36-59-16.721N	076-00-15.993W 076-00-14.086W
(Temp)	RELOCATE Chesapeake Channel Lighted Buoy 7	CGD05 from 36-59-24.962N to 36-59-23.724N	076-00-48.898W 076-00-50.538W
ADD	Lynnhaven Inlet Daybeacon 6	CGD05 at 36-54-33.350N	076-05-31.730W

	Red			
ADD	Lynnhaven Inlet Light 3 Green Fl G 4s 15 Ft, 4 Naut Mi	CGD05 at 36-54-50.241N		076-05-25.959W
ADD	Lynnhaven Inlet Light 4 Red Fl R 4s 15 Ft, 4 Naut Mi	CGD05 at 36-54-49.490N		076-05-28.450W

**12208**                    **17th Ed.**                    **01-JAN-17**                    **Last LNM: 44/17**                    **NAD 83**                    **14/18**

*ChartTitle: Approaches to Chesapeake Bay*

**Main Panel 549 APPROACHES TO CHESAPEAKE BAY. Page/Side: A**

(Temp)	RELOCATE	Chesapeake Channel Lighted Buoy 9	CGD05 from 37-00-10.526N to 37-00-09.590N	076-01-51.910W 076-01-51.669W
--------	----------	-----------------------------------	---	----------------------------------

**12221**                    **83rd Ed.**                    **01-JAN-17**                    **Last LNM: 46/17**                    **NAD 83**                    **14/18**

*ChartTitle: Chesapeake Bay Entrance*

**Main Panel 558 CHESAPEAKE BAY ENTRANCE. Page/Side: A**

	DELETE	Lynnhaven Inlet Buoy 6 at	CGD05 36-54-33.347N	076-05-31.731W
	DELETE	Lynnhaven Inlet Lighted Buoy 3 at	CGD05 36-54-50.241N	076-05-25.959W
	DELETE	Lynnhaven Inlet Lighted Buoy 4 at	CGD05 36-54-49.485N	076-05-28.429W
	DELETE	Virginia Inside Passage Daybeacon 232 at	CGD05 37-17-20.892N	075-53-44.514W
(Temp)	RELOCATE	Chesapeake Channel Lighted Bell Buoy 12	CGD05 from 37-01-05.077N to 37-01-06.238N	076-02-41.593W 076-02-39.975W
(Temp)	RELOCATE	Chesapeake Channel Lighted Buoy 10	CGD05 from 37-00-19.876N to 37-00-20.513N	076-01-41.338W 076-01-39.066W
(Temp)	RELOCATE	Chesapeake Channel Lighted Buoy 11	CGD05 from 37-00-57.414N to 37-00-56.330N	076-02-52.119W 076-02-53.827W
(Temp)	RELOCATE	Chesapeake Channel Lighted Buoy 5	CGD05 from 36-58-47.300N to 36-58-46.762N	076-00-13.952W 076-00-15.998W
(Temp)	RELOCATE	Chesapeake Channel Lighted Buoy 6	CGD05 from 36-59-15.828N to 36-59-16.721N	076-00-15.993W 076-00-14.086W
(Temp)	RELOCATE	Chesapeake Channel Lighted Buoy 7	CGD05 from 36-59-24.962N to 36-59-23.724N	076-00-48.898W 076-00-50.538W
(Temp)	RELOCATE	Chesapeake Channel Lighted Buoy 9	CGD05 from 37-00-10.526N to 37-00-09.590N	076-01-51.910W 076-01-51.669W
	ADD	Lynnhaven Inlet Daybeacon 6 Red	CGD05 at 36-54-33.350N	076-05-31.730W
	ADD	Lynnhaven Inlet Light 3 Green Fl G 4s 15 Ft, 4 Naut Mi	CGD05 at 36-54-50.241N	076-05-25.959W
	ADD	Lynnhaven Inlet Light 4 Red Fl R 4s 15 Ft, 4 Naut Mi	CGD05 at 36-54-49.490N	076-05-28.450W
	ADD	Virginia Inside Passage Lighted Wreck Buoy WR232 Red Q R	CGD05 at 37-17-21.104N	075-53-44.721W

ChartTitle: Chesapeake Bay Cape Charles to Norfolk Harbor

Main Panel 559 CHESAPEAKE BAY CAPE CHARLES TO NORFOLK HARBOR. Page/Side: A

	DELETE	Lynnhaven Inlet Buoy 6 at	CGD05 36-54-33.347N	076-05-31.731W
	DELETE	Lynnhaven Inlet Lighted Buoy 3 at	CGD05 36-54-50.241N	076-05-25.959W
	DELETE	Lynnhaven Inlet Lighted Buoy 4 at	CGD05 36-54-49.485N	076-05-28.429W
(Temp)	RELOCATE	Chesapeake Channel Lighted Bell Buoy 12	CGD05 from 37-01-05.077N to 37-01-06.238N	076-02-41.593W 076-02-39.975W
(Temp)	RELOCATE	Chesapeake Channel Lighted Buoy 10	CGD05 from 37-00-19.876N to 37-00-20.513N	076-01-41.338W 076-01-39.066W
(Temp)	RELOCATE	Chesapeake Channel Lighted Buoy 11	CGD05 from 37-00-57.414N to 37-00-56.330N	076-02-52.119W 076-02-53.827W
(Temp)	RELOCATE	Chesapeake Channel Lighted Buoy 5	CGD05 from 36-58-47.300N to 36-58-46.762N	076-00-13.952W 076-00-15.998W
(Temp)	RELOCATE	Chesapeake Channel Lighted Buoy 6	CGD05 from 36-59-15.828N to 36-59-16.721N	076-00-15.993W 076-00-14.086W
(Temp)	RELOCATE	Chesapeake Channel Lighted Buoy 7	CGD05 from 36-59-24.962N to 36-59-23.724N	076-00-48.898W 076-00-50.538W
(Temp)	RELOCATE	Chesapeake Channel Lighted Buoy 9	CGD05 from 37-00-10.526N to 37-00-09.590N	076-01-51.910W 076-01-51.669W
	ADD	Lynnhaven Inlet Daybeacon 6 Red	CGD05 at 36-54-33.350N	076-05-31.730W
	ADD	Lynnhaven Inlet Light 3 Green FI G 4s 15 Ft, 4 Naut Mi	CGD05 at 36-54-50.241N	076-05-25.959W
	ADD	Lynnhaven Inlet Light 4 Red FI R 4s 15 Ft, 4 Naut Mi	CGD05 at 36-54-49.490N	076-05-28.450W

ChartTitle: Chesapeake Bay Cape Charles to Wolf Trap

Main Panel 562 CHESAPEAKE BAY CAPE CHARLES TO WOLF TRAP - -. Page/Side: -

	DELETE	Virginia Inside Passage Daybeacon 232 at	CGD05 37-17-20.892N	075-53-44.514W
	ADD	Virginia Inside Passage Lighted Wreck Buoy WR232 Red Q R	CGD05 at 37-17-21.104N	075-53-44.721W

ChartTitle: Chesapeake Bay Wolf Trap to Smith Point

Main Panel 563 CHESAPEAKE BAY WOLF TRAP TO SMITH POINT. Page/Side: A

	RELOCATE	Nandua Creek Channel Buoy 8	CGD05 from 37-37-38.527N to 37-37-36.899N	075-54-30.321W 075-54-29.919W
	RELOCATE	Nandua Creek Channel Buoy 9	CGD05 from 37-37-46.063N to 37-37-45.387N	075-54-12.257W 075-54-12.199W
	CHANGE	Nandua Creek Channel Daybeacon 6 to Nandua Creek Channel Warning Daybeacon B, NW, at	CGD05 37-37-38.098N	075-54-41.687W
	CHANGE	Nandua Creek Channel Warning Daybeacon B to Nandua Creek Channel Daybeacon 6, TR, at	CGD05 37-37-35.356N	075-54-41.881W

12226 19th Ed. 01-AUG-14 Last LNM: 45/17 NAD 83 14/18  
 ChartTitle: Chesapeake Bay Wolf Trap to Pungoteague Creek  
**CHART VA- CHESAPEAKE BAY: WOLF TRAP TO PUNGOTEAGUE CREEK. Page/Side: N/A**

RELOCATE	Nandua Creek Channel Buoy 8	CGD05 from 37-37-38.527N to 37-37-36.899N	075-54-30.321W 075-54-29.919W
RELOCATE	Nandua Creek Channel Buoy 9	CGD05 from 37-37-46.063N to 37-37-45.387N	075-54-12.257W 075-54-12.199W
CHANGE	Nandua Creek Channel Daybeacon 6 to Nandua Creek Channel Warning Daybeacon B, NW, at	CGD05 37-37-38.098N	075-54-41.687W
CHANGE	Nandua Creek Channel Warning Daybeacon B to Nandua Creek Channel Daybeacon 6, TR,at	CGD05 37-37-35.356N	075-54-41.881W

12254 50th Ed. 01-MAY-16 Last LNM: 45/17 NAD 83 14/18  
 ChartTitle: Chesapeake Bay Cape Henry to Thimble Shoal Light  
**Main Panel 594 CHESAPEAKE BAY CAPE HENRY TO THIMBLE SHOAL LIGHT. Page/Side: A**

DELETE	Lynnhaven Inlet Buoy 6 at	CGD05 36-54-33.347N	076-05-31.731W
DELETE	Lynnhaven Inlet Lighted Buoy 4 at	CGD05 36-54-49.485N	076-05-28.429W
(Temp) RELOCATE	Chesapeake Channel Lighted Bell Buoy 12	CGD05 from 37-01-05.077N to 37-01-06.238N	076-02-41.593W 076-02-39.975W
(Temp) RELOCATE	Chesapeake Channel Lighted Buoy 11	CGD05 from 37-00-57.414N to 37-00-56.330N	076-02-52.119W 076-02-53.827W
(Temp) RELOCATE	Chesapeake Channel Lighted Buoy 9	CGD05 from 37-00-10.526N to 37-00-09.590N	076-01-51.910W 076-01-51.669W
ADD	Lynnhaven Inlet Daybeacon 6 Red	CGD05 at 36-54-33.350N	076-05-31.730W
ADD	Lynnhaven Inlet Light 3 Green Fl G 4s 15 Ft, 4 Naut Mi	CGD05 at 36-54-50.241N	076-05-25.959W
ADD	Lynnhaven Inlet Light 4 Red Fl R 4s 15 Ft, 4 Naut Mi	CGD05 at 36-54-49.490N	076-05-28.450W

12263 57th Ed. 01-JAN-17 Last LNM: 47/17 NAD 83 14/18  
 ChartTitle: Chesapeake Bay Cove Point to Sandy Point  
**Main Panel 603 CHEASAPEAKE BAY COVE POINT TO SANDY POINT. Page/Side: A**

RELOCATE	Chester River Channel Lighted Buoy 9	CGD05 from 38-59-34.900N to 38-59-34.967N	076-12-44.800W 076-12-44.892W
----------	--------------------------------------	---	----------------------------------

12270 38th Ed. 01-JAN-18 Last LNM: 47/17 NAD 83 14/18  
 ChartTitle: Chesapeake Bay Eastern Bay and South River; Selby Bay  
**CHART MD- CHESAPEAKE BAY: EASTERN BAY AND SOUTH RIVER. Page/Side: N/A**

RELOCATE	Chester River Channel Lighted Buoy 9	CGD05 from 38-59-34.900N to 38-59-34.967N	076-12-44.800W 076-12-44.892W
----------	--------------------------------------	---	----------------------------------

12272 33rd Ed. 01-JAN-17 Last LNM: 24/17 NAD 83 14/18  
 ChartTitle: Chester River; Kent Island Narrows, Rock Hall Harbor and Swan Creek  
**CHART MD- CHESTER RIVER. Page/Side: N/A**

RELOCATE	Chester River Channel Lighted Buoy 9	CGD05 from 38-59-34.900N to 38-59-34.967N	076-12-44.800W 076-12-44.892W
----------	--------------------------------------	---	----------------------------------

<b>12273</b>	<b>59th Ed.</b>	<b>01-MAY-14</b>	<b>Last LNM: 47/17</b>	<b>NAD 83</b>	<b>14/18</b>
<i>ChartTitle: Chesapeake Bay Sandy Point to Susquehanna River</i>					
<b>Main Panel 625 CHESAPEAKE BAY SANDY PT TO SUSQUEHANNA RIVER. Page/Side: N/A</b>					
RELOCATE	Pooles Island Flats Channel Lighted Buoy 2			CGD05 from 39-12-54.300N to 39-12-54.391N	076-21-05.800W 076-21-05.847W
<b>12278</b>	<b>79th Ed.</b>	<b>01-MAY-14</b>	<b>Last LNM: 22/17</b>	<b>NAD 83</b>	<b>14/18</b>
<i>ChartTitle: Chesapeake Bay Approaches to Baltimore Harbor</i>					
<b>CHART MD- CHESAPEAKE BAY APPROACHES TO BALTIMORE. Page/Side: N/A</b>					
RELOCATE	Pooles Island Flats Channel Lighted Buoy 2			CGD05 from 39-12-54.300N to 39-12-54.391N	076-21-05.800W 076-21-05.847W
<b>12280</b>	<b>11th Ed.</b>	<b>01-FEB-14</b>	<b>Last LNM: 45/17</b>	<b>NAD 83</b>	<b>14/18</b>
<i>ChartTitle: Chesapeake Bay</i>					
<b>CHART MD - VA - CHESAPEAKE BAY. Page/Side: N/A</b>					
DELETE	Lynnhaven Inlet Lighted Buoy 3 at			CGD05 36-54-50.241N	076-05-25.959W
(Temp) RELOCATE	Chesapeake Channel Lighted Buoy 10			CGD05 from 37-00-19.876N to 37-00-20.513N	076-01-41.338W 076-01-39.066W
(Temp) RELOCATE	Chesapeake Channel Lighted Buoy 5			CGD05 from 36-58-47.300N to 36-58-46.762N	076-00-13.952W 076-00-15.998W
(Temp) RELOCATE	Chesapeake Channel Lighted Buoy 6			CGD05 from 36-59-15.828N to 36-59-16.721N	076-00-15.993W 076-00-14.086W
(Temp) RELOCATE	Chesapeake Channel Lighted Buoy 7			CGD05 from 36-59-24.962N to 36-59-23.724N	076-00-48.898W 076-00-50.538W
(Temp) RELOCATE	Chesapeake Channel Lighted Buoy 9			CGD05 from 37-00-10.526N to 37-00-09.590N	076-01-51.910W 076-01-51.669W
<b>12285</b>	<b>42nd Ed.</b>	<b>01-AUG-15</b>	<b>Last LNM: 41/17</b>	<b>NAD 83</b>	<b>14/18</b>
<i>ChartTitle: Potomac River; District of Columbia</i>					
<b>CHART MD-VA-DC- POTOMAC RIVER. Page/Side: N/A</b>					
CHANGE	Neabsco Creek Daybeacon 1 to Neabsco Creek Warning Daybeacon A, NW, at			CGD05 38-35-45.848N	077-14-45.018W
CHANGE	Neabsco Creek Light 2 to Neabsco Creek Warning Daybeacon B, NW, at			CGD05 38-35-46.409N	077-14-44.506W
<b>12289</b>	<b>51st Ed.</b>	<b>01-AUG-15</b>	<b>Last LNM: 41/17</b>	<b>NAD 83</b>	<b>14/18</b>
<i>ChartTitle: Potomac River Mattawoman Creek to Georgetown;Washington Harbor</i>					
<b>CHART MD-VA-DC-POTOMAC RIVER: MATTAWOMAN TO GEORGETOWN. Page/Side: N/A</b>					
CHANGE	Neabsco Creek Daybeacon 1 to Neabsco Creek Warning Daybeacon A, NW, at			CGD05 38-35-45.848N	077-14-45.018W
CHANGE	Neabsco Creek Light 2 to Neabsco Creek Warning Daybeacon B, NW, at			CGD05 38-35-46.409N	077-14-44.506W
<b>12312</b>	<b>57th Ed.</b>	<b>01-AUG-17</b>	<b>Last LNM: 44/17</b>	<b>NAD 83</b>	<b>14/18</b>
<i>ChartTitle: Delaware River Wilmington to Philadelphia</i>					
<b>Main Panel 669 DELAWARE RIVER WILMINGTON TO PHILADELPHIA - -. Page/Side: -</b>					
RELOCATE	Delaware River Buoy 44 (Supercedes LNM 35/17)			CGD05 from 39-47-24.275N to 39-47-25.407N	075-26-34.715W 075-26-35.601W
RELOCATE	Delaware River Buoy 48 (Supercedes LNM 44/17)			CGD05 from 39-49-16.345N to 39-49-17.106N	075-22-48.050W 075-22-48.689W
RELOCATE	Delaware River Lighted Buoy 38 (Supercedes LNM 35/17)			CGD05 from 39-45-28.845N to 39-45-29.710N	075-28-49.665W 075-28-50.790W

RELOCATE	Delaware River Lighted Buoy 40 (Supercedes LNM 35/17)	from 39-46-39.200N to 39-46-41.407N CGD05	075-27-43.225W 075-27-45.504W
RELOCATE	Delaware River Lighted Buoy 42 (Supercedes LNM 35/17)	from 39-47-02.350N to 39-47-04.608N CGD05	075-27-11.665W 075-27-13.603W
RELOCATE	Delaware River Lighted Buoy 43 (Supercedes LNM 49/17)	from 39-47-28.103N to 39-47-23.907N CGD05	075-26-50.161W 075-26-58.702W
RELOCATE	Delaware River Lighted Buoy 46 (Supercedes LNM 35/17)	from 39-47-41.400N to 39-47-43.606N CGD05	075-25-59.985W 075-25-59.899W
RELOCATE	Delaware River Lighted Buoy 49 (Supercedes LNM 49/17)	from 39-49-22.164N to 39-49-27.105N CGD05	075-22-59.440W 075-22-51.490W
RELOCATE	Delaware River Lighted Buoy 50 (Supercedes LNM 44/17)	from 39-49-51.810N to 39-49-52.805N CGD05	075-21-51.965W 075-21-52.686W
RELOCATE	Delaware River Lighted Buoy 53 (Supercedes LNM 49/17)	from 39-50-40.817N to 39-50-45.670N CGD05	075-20-46.755W 075-20-34.377W
ADD	Marcus Hook Anchorage Buoy A Yellow (Supercedes LNM 35/17)	at 39-47-47.590N	075-25-03.127W

**12314                    33rd Ed.                    01-JUN-12                    Last LNM: 47/17                    NAD 83                    14/18**

*ChartTitle: Delaware River Philadelphia to Trenton*

**CHART DE-PA-DELAWARE RIVER- PHILADELPHIA TO TRENTON. Page/Side: N/A**

RELOCATE	Upper Delaware River Channel Buoy 55 (Supercedes LNM 47/17)	CGD05 from 40-06-39.375N to 40-06-34.597N CGD05	074-50-02.233W 074-50-04.490W
RELOCATE	Upper Delaware River Channel Buoy 75 (Supercedes LNM 44/17)	from 40-08-02.777N to 40-08-02.196N CGD05	074-45-44.062W 074-45-47.581W
RELOCATE	Upper Delaware River Channel Lighted Buoy 72 (Supercedes LNM 44/17)	from 40-07-35.555N to 40-07-36.396N CGD05	074-46-18.900W 074-46-19.582W
RELOCATE	Upper Delaware River Channel Lighted Buoy 51 (Supercedes LNM 47/17)	from 40-05-57.915N to 40-05-57.997N CGD05	074-50-34.135W 074-50-33.590W
RELOCATE	Upper Delaware River Channel Lighted Buoy 58 (Supercedes LNM 47/17)	from 40-07-31.233N to 40-07-34.786N CGD05	074-49-27.700W 074-49-22.088W
RELOCATE	Upper Delaware River Channel Lighted Buoy 60	from 40-07-36.950N to 40-07-37.696N CGD05	074-48-55.300W 074-48-56.666W
RELOCATE	Upper Delaware River Channel Lighted Buoy 65 (Supercedes LNM 47/17)	from 40-07-17.375N to 40-07-16.597N CGD05	074-47-27.940W 074-47-28.585W
RELOCATE	Upper Delaware River Channel Lighted Buoy 69 (Supercedes LNM 47/17)	from 40-07-17.315N to 40-07-16.597N CGD05	074-47-06.800W 074-47-07.684W
RELOCATE	Upper Delaware River Channel Lighted Buoy 71 (Supercedes LNM 47/17)	from 40-07-22.077N to 40-07-21.297N CGD05	074-46-51.422W 074-46-52.450W
RELOCATE	Upper Delaware River Channel Lighted Buoy 76 (Supercedes LNM 44/17)	from 40-08-00.390N to 40-08-01.396N	074-45-31.545W 074-45-31.581W

**12316                    36th Ed.                    01-MAR-17                    Last LNM: 46/17                    NAD 83                    14/18**

*ChartTitle: Intracoastal Waterway Little Egg Harbor to Cape May;Atlantic City*

**CHART NJ-IWW-LITTLE EGG HARBOR TO CAPE MAY. Page/Side: N/A**

CHANGE	New Jersey Intracoastal Waterway Light 132 to FI R 2.5s, 15FT, 4M, at	CGD05 at 39-29-57.523N	074-21-26.867W
--------	--	---------------------------	----------------

**SECTION V - ADVANCE NOTICES**

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.



SUMMARY OF ADVANCED APPROVED PROJECTS

Approved Project(s)

Project Date

Ref. LNM

None

Advance Notice(s)

**\*\*\*\*NJ – INTRACOASTAL WATERWAY – LITTLE EGG HARBOR TO CAPE MAY – CHANGE TO AN AID TO NAVIGATION\*\*\*\***

On or about the first week of April, the Coast Guard will permanently change New Jersey Intracoastal Waterway Daybeacon 381 (LLNR 36410) to New Jersey Intracoastal Waterway Buoy 381 (LLNR 36410). The buoy will be a steel hull and maintained year round.

Chart 12316

LNM: 12/18

**\*\*\*\*VA – CAPE HENRY TO THIMBLE SHOAL LIGHT – LYNNHAVEN INLET- CHANGE TO AIDS TO NAVIGATION\*\*\*\***

On or about March 28, 2018 the Coast Guard will make the following changes in Lynnhaven Inlet. Change Lynnhaven Inlet Lighted Buoy 3 (LLNR 10136) to Lynnhaven Inlet Light 3 (LLNR 10136) with an optic height of approximately 15' and SG's on pile; the light characteristic will remain a flashing Green 4 second. Change Lynnhaven Inlet Lighted Buoy 4 (LLNR 10138) to Lynnhaven Inlet Light 4 (LLNR 10138) with an optic height of approximately 15' and TR's on pile; the light characteristic will remain a flashing Red 4 second.

Chart 12254

LNM: 13/18

**\*\*\*\*VA – CHESAPEAKE CHANNEL – TEMPORARY RELOCATION OF AIDS TO NAVIGATION FOR DREDGING\*\*\*\***

On or about March 29, 2018 the Coast Guard will temporarily relocate the below listed aids to navigation in association with the dredging of the Chesapeake Channel, by Great Lakes Dredge and Dock Company. All aids will be located approximately 250 feet outside channel limits.

Chesapeake Channel Lighted Buoy 5 (LL 7055) to 36-58-46.762N—76-00-15.998W  
Chesapeake Channel Lighted Buoy 6 (LL 7060) to 36-59-16.721N—76-00-14.087W  
Chesapeake Channel Lighted Buoy 7 (LL 7070) to 36-59-23.724N—76-00-50.539W  
Chesapeake Channel Lighted Buoy 9 (LL 7075) to 37-00-09.591N—76-01-51.669W  
Chesapeake Channel Lighted Buoy 10 (LL 7080) to 37-00-20.513N—76-01-39.066W  
Chesapeake Channel Lighted Buoy 11 (LL 7085) to 37-00-56.330N—76-02-53.828W  
Chesapeake Channel Lighted Buoy 12 (LL 7090) to 37-01-06.239N—76-02-39.976W

Chart 12221

LNM: 13/18

**\*\*\*\*VA – MOBJACK BAY AND YORK RIVER ENTRANCE – DAVIS CREEK – DISCONTINUANCE OF AID TO NAVIGATION\*\*\*\***

On or about April 5, 2018 the Coast Guard will remove and discontinue Davis Creek Warning Daybeacon C (LLNR 14135).

Chart 12238

LNM: 13/18

**\*\*\*\*VA – UPPER POTOMAC RIVER – NEABSCO CREEK – CHANGES TO AIDS TO NAVIGATION\*\*\*\***

Due to the continuing shoaling in Neabsco Creek; less than 4.0 feet, the Coast Guard cannot reposition the seasonal buoys; maintained from March 15 to December 1, to mark a definable navigable waterway. On 15 March 2018 the Coast Guard will discontinue these two buoys. Discontinue Neabsco Creek Buoy 3 (LLNR 18233) and Neabsco Creek Buoy 4 (LLNR 18234).

Chart 12285

LNM: 11/18

**\*\*\*\*VA – UPPER POTOMAC RIVER – NEABSCO CREEK – CHANGES TO THE FIXED AIDS TO NAVIGATION\*\*\*\***

Due to the continuing shoaling in Neabsco Creek, on or about March 22 the Coast Guard will remove the lateral dayboards from Neabsco Creek Daybeacon 1 (LLNR 18231) and the lateral dayboards and lighting equipment from Neabsco Creek Light 2 (LLNR 18232) and install non-lateral dayboards worded "DANGER SHOAL" until they can be removed.

Change - Neabsco Creek Daybeacon 1 (LLNR 18231) to Neabsco Creek Warning Daybeacon A with NW dayboards worded "DANGER SHOAL".  
Change - Neabsco Creek Light 2 (LLNR 18232) to Neabsco Creek Warning Daybeacon B with NW dayboards worded "DANGER SHOAL".

Chart 12285

LNM: 12/18

**\*\*\*\*VA – RAPPAHANNOCK RIVER ENTRANCE – GREAT WICOMICO RIVER – AID TO NAVIGATION CHANGE\*\*\*\***

The Coast Guard will make the following changes to the aids to navigation marking the Great Wicomico River.

Great Wicomico River:

Relocate Great Wicomico River Lighted Buoy 1GW (LLNR 16180) to approximate position 37 47 25.630N, 76 14 02.850W.

Change Great Wicomico River Buoy 2 (LLNR 16195) to Lighted Buoy 2 with a flashing 2.5 second red light and relocate to approximate position 37 48 06.700N, 76 15 32.140W.

Relocate Great Wicomico River Buoy 3 (LLNR 16200) to approximate position 37 47 55.170N, 76 15 52.850W and will be replaced with a smaller buoy that will have a visual range on 1.4 NM and radar range of 1.6 NM.

Discontinue Great Wicomico River Warning Buoy (LLNR 16185).

Charts: 12225 12235

LNM: 10/18

---

**SECTION VI - PROPOSED CHANGES**

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

---

**PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT**

Proposed Project(s)

Closing

Docket No.

Ref. LNM

None

Proposed Change Notice(s)

**COAST GUARD POLICY ON NOTIFICATION OF PROPOSED CHANGES**

Periodically, the Coast Guard, evaluates the system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing the aid is considered. In this regard, the Coast Guard is evaluating changes in aids to navigation as noted in the below articles. Users can provide feedback by filling out the District 5 Waterway Proposals data/feedback form, located at the NAVCEN D5 LNM website:

[https://www.navcen.uscg.gov/pdf/Inms/D05%20LNM%202015%20Special%20Notice\\_Waterway\\_Proposal%20Feedback%20Form.pdf](https://www.navcen.uscg.gov/pdf/Inms/D05%20LNM%202015%20Special%20Notice_Waterway_Proposal%20Feedback%20Form.pdf)

This section also includes Public Notices for proposed changes to the bridges within the Fifth Coast Guard with a request for comments as indicated.

LNM: 41/11

**\*\*\*\*NC- CURRITUCK BEACH LIGHT TO WIMBLE SHOALS – WIMBLE SHOALS LIGHTED BUOY 10 – PROPOSAL TO DISCONTINUE\*\*\*\***

The Coast Guard Fifth District is proposing to discontinue Wimble Shoals Lighted Buoy 10 (LLNR 620) located 6.5 NM offshore Rodanthe, NC in 95 feet of water. Based on the proliferation of AIS, charting software, GPS, and other aids to navigation in the general vicinity, this lighted buoy is no longer necessary. Interested Mariners and other stakeholders are strongly encouraged to comment on the potential impacts this proposal would have on navigational safety. You may provide feedback using the U. S. Coast Guard Fifth District Waterway Data Sheet, available online at

[https://www.navcen.uscg.gov/pdf/Inms/D05%20LNM%202015%20Special%20Notice\\_Waterway\\_Proposal%20Feedback%20Form.pdf](https://www.navcen.uscg.gov/pdf/Inms/D05%20LNM%202015%20Special%20Notice_Waterway_Proposal%20Feedback%20Form.pdf)

All comments will be carefully considered and are requested prior to 1 April 2017 to be considered in the analysis. Refer to project number 05-18-032(D)

Send comments to [ethan.j.coble@uscg.mil](mailto:ethan.j.coble@uscg.mil) or [CGD5Waterways@uscg.mil](mailto:CGD5Waterways@uscg.mil), or

U.S. Coast Guard Fifth District

Waterways Management (dpw)

Attn: Mr. Ethan Coble

431 Crawford Street

Portsmouth, VA 23704

Chart 12204

LNM: 07/18

**\*\*\*\*NC – CAPE HENRY TO PAMLICO SOUND – CROATAN SOUND – PROPOSAL TO DISCONTINUE CROATAN SOUND NORTH WARNING LIGHT\*\*\*\***

The Coast Guard is proposing to discontinue Croatan Sound North Warning Daybeacon (LLNR 31906). This aid is redundant based on the proliferation of AIS, charting software, GPS, and two other aids to navigation marking submerged rocks within 20 yards separation of each other. The submerged rocks will still be marked by Croatan Sound Light 3CS (31900) and Croatan Sound South Warning Daybeacon (LLNR 31907).

Interested Mariners and other stakeholders are strongly encouraged to comment on the potential impacts this proposal would have on navigational safety. You may provide feedback using the U. S. Coast Guard Fifth District Waterway Data Sheet, available online at

[https://www.navcen.uscg.gov/pdf/Inms/D05%20LNM%202015%20Special%20Notice\\_Waterway\\_Proposal%20Feedback%20Form.pdf](https://www.navcen.uscg.gov/pdf/Inms/D05%20LNM%202015%20Special%20Notice_Waterway_Proposal%20Feedback%20Form.pdf)

All comments will be carefully considered and are requested prior to May 21, 2018 to be considered in the analysis. Please reference project 05-18-023(D).

Send comments to [CGD5Waterways@uscg.mil](mailto:CGD5Waterways@uscg.mil) or mailed to:

U.S. Coast Guard Fifth District

Waterways Management (dpw)

431 Crawford Street, Room 100

Portsmouth, VA 23704

Attn: Ethan Coble

Chart 12205

LNM: 12/18

**\*\*\*\*NC – PAMLICO SOUND – NEUSE RIVER APPROACH – PROPOSAL TO DISCONTINUE BAY RIVER ENTRANCE LIGHTED WRECK BUOY\*\*\*\***

The Coast Guard is proposing to discontinue Bay River Entrance Lighted Wreck Buoy WR2 (LLNR 33397). Based on the proliferation of AIS, charting software, GPS, and other aids to navigation in the area, this aid no longer is needed and does not serve any lateral significates.

Interested Mariners and other stakeholders are strongly encouraged to comment on the potential impacts this proposal would have on navigational safety. You may provide feedback using the U. S. Coast Guard Fifth District Waterway Data Sheet, available online at

[https://www.navcen.uscg.gov/pdf/Inms/D05%20LNM%202015%20Special%20Notice\\_Waterway\\_Proposal%20Feedback%20Form.pdf](https://www.navcen.uscg.gov/pdf/Inms/D05%20LNM%202015%20Special%20Notice_Waterway_Proposal%20Feedback%20Form.pdf)

All comments will be carefully considered and are requested prior to May 21, 2018 to be considered in the analysis. Please reference project 05-18-048(D).

Send comments to [CGD5Waterways@uscg.mil](mailto:CGD5Waterways@uscg.mil) or mailed to:

U.S. Coast Guard Fifth District

Waterways Management (dpw)

431 Crawford Street, Room 100

Portsmouth, VA 23704

Attn: Ethan Coble

**\*\*\*\*NC - NEUSE RIVER TO MYRTLE GROVE SOUND- CAROLINA BEACH INLET\*\*\*\***

The Coast Guard is proposing to discontinue Carolina Beach Buoy 2A (LLNR 30273). After review of post dredge survey, this aid is no longer needed to mark shoaling between along the channel edge.

Interested Mariners and other stakeholders are strongly encouraged to comment on the potential impacts this proposal would have on navigational safety. You may provide feedback using the U. S. Coast Guard Fifth District Waterway Data Sheet, available online at [https://www.navcen.uscg.gov/pdf/Inms/D05%20LNM%202015%20Special%20Notice\\_Waterway\\_Proposal%20Feedback%20Form.pdf](https://www.navcen.uscg.gov/pdf/Inms/D05%20LNM%202015%20Special%20Notice_Waterway_Proposal%20Feedback%20Form.pdf) All comments will be carefully considered and are requested prior to May 14, 2018 to be considered in the analysis. Please reference project 05-18-042(D).

Send comments to [CGD5Waterways@uscg.mil](mailto:CGD5Waterways@uscg.mil) or mailed to:

U.S. Coast Guard Fifth District  
Waterways Management (dpw)  
431 Crawford Street, Room 100  
Portsmouth, VA 23704  
Attn: Ethan Coble

**\*\*\*\*NC – CAPE FEAR RIVER – CAPE FEAR RIVER ENTRANCE LIGHTED WHISTLE BUOY CF – PROPOSAL TO DISCONTINUE THE RACON\*\*\*\***

The Coast Guard Fifth District is proposing to discontinue the RACON and downsize the hull of Cape Fear River Entrance Lighted Whistle Buoy CF (LLNR 860). This is based on the proliferation of AIS, charting software, GPS, and other aids to navigation in the area. The new buoy would be same size as the Cape Fear River channel aids and the aids marking Frying Pan Shoals. Mariner should only see a minimum reduction in radar return from the new buoy.

Interested Mariners and other stakeholders are strongly encouraged to comment on the potential impacts this proposal would have on navigational safety. You may provide feedback using the U. S. Coast Guard Fifth District Waterway Data Sheet, available online at [https://www.navcen.uscg.gov/pdf/Inms/D05%20LNM%202015%20Special%20Notice\\_Waterway\\_Proposal%20Feedback%20Form.pdf](https://www.navcen.uscg.gov/pdf/Inms/D05%20LNM%202015%20Special%20Notice_Waterway_Proposal%20Feedback%20Form.pdf) All comments will be carefully considered and are requested prior to 14 May 2018 to be considered in the analysis. Refer to project number 05-18-043(D)

Send comments to [ethan.j.coble@uscg.mil](mailto:ethan.j.coble@uscg.mil) or [CGD5Waterways@uscg.mil](mailto:CGD5Waterways@uscg.mil), or

U.S. Coast Guard Fifth District  
Waterways Management (dpw)  
Attn: Mr. Ethan Coble  
431 Crawford Street  
Portsmouth, VA 23704

**\*\*\*\*NC – MYRTLE GROVE SOUND TO CASINO CREEK – PROPOSAL TO DISCONTINUE LOCKWOODS FOLLY INLET LIGHTED WHISTLE BUOY LW\*\*\*\***

The Coast Guard Fifth District is proposing to discontinue Lockwoods Folly Inlet Lighted Whistle Buoy LW (LLNR 31005/865) based on the proliferation of AIS, charting software, GPS, and other aids to navigation in the area. The Coast Guard is proposing to light Lockwoods Folly Inlet Buoy 1 (LLNR 31010) and Lockwoods Folly Inlet Buoy 2 (LLNR 31015). This gated pair of lighted buoys will enhance safety of navigation that will aid the mariner while allowing opportunity for multiple Coast Guard assets to assist in frequent repositioning of aids to mark best water with constantly shifting shoals.

Interested Mariners and other stakeholders are strongly encouraged to comment on the potential impacts this proposal would have on navigational safety. You may provide feedback using the U. S. Coast Guard Fifth District Waterway Data Sheet, available online at [https://www.navcen.uscg.gov/pdf/Inms/D05%20LNM%202015%20Special%20Notice\\_Waterway\\_Proposal%20Feedback%20Form.pdf](https://www.navcen.uscg.gov/pdf/Inms/D05%20LNM%202015%20Special%20Notice_Waterway_Proposal%20Feedback%20Form.pdf) All comments will be carefully considered and are requested prior to 28 May 2018 to be considered in the analysis. Refer to project number 05-18-049(D)

Send comments to [ethan.j.coble@uscg.mil](mailto:ethan.j.coble@uscg.mil) or [CGD5Waterways@uscg.mil](mailto:CGD5Waterways@uscg.mil), or

U.S. Coast Guard Fifth District  
Waterways Management (dpw)  
Attn: Mr. Ethan Coble  
431 Crawford Street  
Portsmouth, VA 23704

**SECTION VII - GENERAL**

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

**VA - ATLANTIC OCEAN - WALLOPS ISLAND ROCKET LAUNCHES**

Rocket launches are regularly scheduled in the vicinity of Wallops Island, VA. Prior to these launches, visual signals will be displayed consisting of either a large orange-colored, "blimp-shaped" balloon by day or a signal rotating alternately red and white beacon by night. The balloon will be flown from a position at 37°50'38-N / 75°28'47-W and the beacon will be displayed approximately 200 feet above mean high water in position 37°50'16-N / 75°29'07-W. While the warning signal is displayed, all persons and vessels in the danger zone, except vessels entering or departing Chincoteague Inlet, shall leave the zone promptly by the shortest possible route and remain outside the zone until allowed by a patrol boat to

**VA - ATLANTIC OCEAN - WALLOPS ISLAND ROCKET LAUNCHES**

enter or the danger signal has been discontinued. Vessels entering or departing Chincoteague Inlet must take the shortest route possible upon display of the danger signal. The danger zone is depicted on navigational charts 12210 and 12211 with corner points starting in the vicinity of Assawoman Inlet and proceeding southerly to position 37-43-20N / 075-29-41W; thence northeasterly to a point in the vicinity of Chincoteague Shoals; thence westerly back to Wallops Island shoreline.

Charts: 12210 12211

LNM: 04/17

**\*\*\*\*VA – CHESAPEAKE BAY – CAPE CHARLES TO NORFOLK HARBOR - JOINT EXPEDITIONARY BASE LITTLE CREEK FORT STORY – LIVE FIRING\*\*\*\***

Live firing is conducted continuously off Joint Expeditionary Base Little Creek in Danger Zone 334.370, the area west of the south end of the Chesapeake Bay Bridge Tunnel, bounded by the following positions: 36-55-24N 76-08-43W, 36-55-50N 76-08-37W, 36-57-16N 76-08-14W, 36-57-16N 76-08-14W, 36-56-58.5N 76-07-11W, 36-57-07N 76-07-44W. Firing is conducted Monday through Friday from 7:00 am to 8:00 pm. For questions contact Range Operations and Training Area, Mr. Assaf or Ms. Lawrence at 757-422-7103/7101.

Charts: 12222 12254

LNM: 19/16

**VA - WILLOUGHBY BAY - THIMBLE SHOAL CHANNEL - HELICOPTER AIRBORNE MINE COUNTERMEASURES OPERATIONS**

Helicopter Mine Countermeasures Squadron Fourteen (HM-14) routinely conducts airborne mine countermeasures (AMCM) operations utilizing the MH-53E helicopter at low altitudes over the following inland and coastal waterways:

- Willoughby Bay
- Thimble Shoal Channel from the Naval Station Norfolk piers to the Chesapeake Bay Bridge Tunnel.
- An area of the Chesapeake Bay, adjacent to the Thimble Shoal Channel from Thimble Shoal to the Chesapeake Bay bridge tunnel extending to the north four miles to form a four by seven mile rectangle.

During these operations, the aircraft will be operating at altitudes as low as seventy-five feet and will produce localized winds in excess of 125 miles per hour. Rotor wash produced winds pose a considerable hazard to vessels, especially sailing vessels. The devices the helicopters tow range in size and appearance from a large orange and white sled approximately the size of a pick up truck to slightly submerged steel pipes thirty feet in length, both of which have submerged cable extending well beyond the visible portion of the towed device. The Aircraft Commanders have been directed to exercise every effort to conflict and avoid surface vessels.

All mariners are requested to remain well clear of the helicopters, the towed devices, and the area extending directly behind the aircraft for four hundred yards. Do not approach or cross the area directly behind the towed device as a submerged hazard exists regardless of whether the device is in motion or stationary.

These operations involve large naval helicopters at flight altitudes of 100 feet or less, towing surface and sub-surface devices at speeds up to 25 knots. Helicopters may be identified by a rotating amber position light on centerline of main hull flashing 90 times per minute. An area of hurricane-force winds exists within a 250-foot radius around these helicopters, sufficient to blow people and objects from exposed decks and capsize small craft. The towed devices may be completely invisible and include large cables on or just below the surface streaming up to 1200 feet behind the aircraft. AMCM helicopters will transit to and from the area described above in the following manner: Outboard from the seaplane ramp at the Norfolk Naval Air Station across Willoughby Bay to the main shipping channel, then easterly along the main channel to Buoy 21. From Buoy 21 either East, SE or SSE to the operating area. The return flight will follow the same path as the outbound flight. To minimize the potential for mishap, vessels are requested to remain well clear of these danger zones when AMCM operations are encountered.

Charts: 12200 12205 12221 12222 12245 12254

LNM: 01/16

**VA - VIRGINIA CAPES OPERATING AREA (VCOA) - PERMANENT MINE WARFARE TRAINING FIELDS**

The U.S. Navy has established four permanent mine warfare training fields within the Virginia Capes Operating Areas. The bounding coordinates for each field are as follow:

- AREA A: 37-09.0N 075-31.0W, 37-09.0N 075-34.7W, 37-12.0N 075-31.0W, 37-12.0N 075-34.7W.
- AREA B: 36-29.0N 075-31.8W, 36-29.0N 075-35.5W, 36-26.0N 075-35.5W, 36-26.0N 075-31.8W.
- AREA C: 36-29.0N 075-20.8W, 36-29.0N 075-24.5W, 36-26.0N 075-24.5W, 36-29.0N 075-20.8W.
- AREA D: 36-46.5N 075-47.8W, 36-46.5N 075-46.5W, 36-47.5N 075-46.5W, 36-47.5N 075-47.8W.

Each area contains inert bottom and moored training mines that pose a potential hazard to dredging operations and trawler nets. All moored mines are placed at a minimum of 40 feet depth (MLLW) to preclude them as hazards to navigation.

Chart 12200

LNM: 01/16

**VA - COASTAL - STATE MILITARY RESERVATION, CAMP PENDLETON, VIRGINIA BEACH - SMALL ARMS LIVE FIRE SCHEDULE**

The Camp Pendleton State Military Reservation Live Fire Small Arms Range described as "all of the waters seaward of the mean high water shore line within a sector between radial lines extending 13,500 yards seaward and bearing 090 degrees true and 150 degrees true, respectively, from a point on shore at 36° 49' 09"N, 075° 58' 45"W". All vessel operators are reminded to review Navigation Regulations as described in paragraph 334.380 of Chapter 2, of U.S. Coast Pilot 4, Atlantic Coast: Cape Henry to Key West (42nd) Edition when operating south of the entrance to the Chesapeake Bay. Firing will take place only during daylight hours and red flags will be displayed at conspicuous locations on the beach at the facility.

Scheduled Firing: NONE SCHEDULED

Vessels shall proceed through the area with caution and shall remain in the area no longer than necessary for transit.

Charts: 12205 12207 12221

LNM: 13/16

**DREDGING AND MARINE CONSTRUCTION CAUTIONS**

Mariners are cautioned to stay clear of dredge, booster, floating (pontoon) and submerged pipelines, barges, derricks and operating wires associated with dredging and marine construction operations. Operators of vessels of all types should be aware that dredges and floating pipelines are held in place by cables, attached to anchors some distance away from the equipment. Buoys are attached to the anchors so that the anchors may be moved as the dredge advances and the location of the submerged pipelines are marked by buoys on each side of the channel. Mariners are cautioned to strictly comply with the Inland Rules of the Road when approaching, passing and leaving the area of operations, and remain a safe distance away from the dredge, booster, buoys, cables, pipeline, barges, derricks, wires and related equipment. . Dredging

**DREDGING AND MARINE CONSTRUCTION CAUTIONS**

projects are usually conducted twenty-four (24) hours a day seven (7) days a week. All fishnets, crabpots and structures in the general area must be removed prior to commencement of any work. A NO WAKE transit is requested of all vessels passing the dredge and if necessary to clarify a SAFE PASSAGE contact the dredge on the appropriate VHF-FM channels.

LNM: 01/16

**\*\*\*\*NJ – PA - DE - MD – DC - VA - SANDY HOOK NJ TO CAPE HENRY VA- COAST PILOT\*\*\*\***

National Oceanic Atmospheric Administration (NOAA) – U.S. Coast Pilot 3, Atlantic Coast: Sandy Hook, NJ to Cape Henry, VA, 51st Edition, 2018, has been issued and is ready for download and weekly updates at [www.nauticalcharts.noaa.gov/publications/coast-pilot/index.html](http://www.nauticalcharts.noaa.gov/publications/coast-pilot/index.html). Only Print-on-Demand (POD) bound copies are available for purchase at [www.nauticalcharts.noaa.gov/publications/print-agents.html#coast-pilot](http://www.nauticalcharts.noaa.gov/publications/print-agents.html#coast-pilot). The 2018 Edition cancels the preceding 2017 Edition, and incorporates all previous corrections.

LNM: 05/18

**NJ - VA - NC – SEACOAST OFFSHORE SUBMARINE CABLE LAYING OPERATIONS**

The M/V ILE DE SEIN will be conducting Submarine Fiber Optic Cable operations beginning 27 January and continuing through 2 May, 2018 along the seacoast. Concerned mariners may contact the vessel on VHF-FM Ch 13 & 16.

Charts: 11009 13003

LNM: 03/18

**\*\*\*\*NJ – INTRACOASTAL WATERWAY – SANDY HOOK TO LITTLE EGG HARBOR – BARNEGAT BAY – SR37/MATHIS BRIDGE – CLOSED TO NAVIGATION\*\*\*\***

The New Jersey Department of Transportation has requested a temporary deviation for the SR 37 (Mathis) Bridge, at mile 14.1, over the Barnegat Bay. Under this temporary deviation, the bridge will be maintained in the closed-to-navigation position from 12:01 am on April 1, 2018, to 8 p.m. on April 16, 2018. The current operating schedule is set out in 33 CFR 117.733(c). The vertical clearance of the main navigation span of the bridge is reduced by approximately 5 feet, due to temporary shielding of the bascule span, reducing the vertical clearance of the bridge in the closed position to approximately 25 feet above mean high water. Vessels able to pass through the bridge in the closed position may do so at any time. The bridge will not be able to open for emergencies and there is no immediate alternate route for vessels unable to pass through the bridge in the closed position. Mariners should use caution when transiting the area during the scheduled maintenance period.

Chart 12324

LNM: 13/18

**\*\*\*\*NJ – GREAT EGG HARBOR INLET – DIVING OPERATIONS\*\*\*\***

Date change. The US Army Corps of Engineers will be conducting diving operations in Great Egg Harbor Inlet in the following approximate positions: 39-17-12.825N, 74 31 41.193W – 39-17-14.748N, 74-31-44.052W and 39-17-14.666N, 74-31-44.006W on 17 - 19 Apr 2018. The Army Corps vessel RECONNAISSANCE will be on scene and may be contacted on VHF-FM channels 13 and 16. Diving will be conducted during daylight hours.

Chart 12316

LNM: 12/18

**\*\*\*\*NJ – LITTLE EGG HARBOR TO CAPE MAY – GREAT EGG HARBOR BAY – GARDEN STATE PARKWAY BRIDGE – REDUCTION OF HORIZONTAL CLEARANCE\*\*\*\***

An engineering firm, on behalf of the New Jersey Transit Authority, will be performing a bridge maintenance & repair project at the Garden State Parkway (Northbound) Bridge across the Great Egg Harbor Bay, at mile 3.5, between Beesley's Point and Somers Point, NJ. Work will be performed from April 1, 2018, through September 30, 2018, Monday through Friday, and includes construction of a new fender system for the northbound and southbound bridge spans, erection of new steel girders and construction of a concrete superstructure. Vessels and multiple barges up to 120 feet in width will be working in the vicinity of the bridge. The horizontal clearance in the navigation span of the bridge will be reduced to approximately 110 feet, Monday through Friday, from April 1, 2018, through April 30, 2018, and to approximately 70 feet, Monday through Friday, from May 1, 2018, through September 30, 2018. Via separate notice, the navigation span of the bridge will be closed for approximately one week, Monday through Friday, to facilitate the erection of new steel girders. Necessary waterway closures will be scheduled via separate notice and broadcast notice to mariners. Mariners should use extreme caution when transiting the area.

Chart 12316

LNM: 14/18

**\*\*\*\*NJ - NEW JERSEY INTRACOASTAL WATERWAY-LITTLE EGG HARBOR TO CAPE MAY – GRASSY SOUND CHANNEL – OCEAN DRIVE BRIDGE – CLOSED TO NAVIGATION\*\*\*\***

The Grassy Sound Channel (Ocean Drive) Bridge across Grassy Sound Channel, mile 1.0, in Middle Township, NJ and the Townsend Inlet Bridge across Townsend Inlet, mile 0.6, at Avalon, NJ., will be maintained in the closed-to-navigation position from 9:15 a.m. to 2:30 p.m., on Sunday April 22, 2018, to accommodate the annual Ocean City Marathon event. At all other times the Grassy Sound Channel (Ocean Drive) Bridge will operate in accordance with Title 33 Code of Federal Regulations (CFR) 117.721 and the Townsend Inlet Bridge will operate in accordance with 33 CFR 117.757. Mariners able to pass under the closed span of these bridges may do so at any time. Mariners should exercise caution when transiting the area.

Chart 12316

LNM: 09/18

**\*\*\*\*NJ – NEW JERSEY INTRACOASTAL WATERWAY - LITTLE EGG HARBOR TO CAPE MAY - ATLANTIC CITY - GRASSY SOUND CHANNEL - SR 147/NORTH WILDWOOD BOULEVARD BRIDGE – REDUCED HORIZONTAL CLEARANCE\*\*\*\***

An engineering firm, on behalf of New Jersey Department of Transportation, will be performing maintenance at SR 147 (North Wildwood Boulevard) Bridge, over NJICW (Grassy Sound Channel), mile 105.2, in Middle Township, NJ. The maintenance to the bridge fender system which began in December 2017, will continue to be conducted from 7 a.m. to 7 p.m.; 7 days a week; through September 30, 2018. During the maintenance period, a 26-foot work vessel and two work barges will be in and around the vicinity of the bridge during work hours, which will reduce the horizontal clearance of the bridge to approximately 50 feet. Mariners who need more than 50 feet of horizontal clearance during work

**\*\*\*\*NJ – NEW JERSEY INTRACOASTAL WATERWAY - LITTLE EGG HARBOR TO CAPE MAY - ATLANTIC CITY - GRASSY SOUND CHANNEL - SR 147/NORTH WILDWOOD BOULEVARD BRIDGE – REDUCED HORIZONTAL CLEARANCE\*\*\*\***

hours should notify the work supervisor no less than 24 hours prior to navigating through the bridge. The horizontal clearance of the bridge will be reduced to approximately 90 feet at all other times. Vessels who can safely transit through the reduced horizontal clearances, may do so at any time. Maintenance personnel, equipment and vessels will relocate from the navigable channel, upon request. The work vessel and work barges may be reached on VHF-FM channel 13. The project supervisor can be reached at (610) 368-3739 or (267) 907-6501. Mariners should use extreme caution when transiting the area.

Chart 12316

LNM: 13/18

**\*\*\*\*PA – NJ – DELAWARE BAY AND RIVER – MIAH MAULL TO LISTON RANGE – DREDGING\*\*\*\***

The Dutra dredge PAULA LEE will be performing dredging operations beginning in Miah Maull working north to Liston Range, in the Delaware Bay and River, from March 10 through approximately June 31, 2018. The clamshell dredge will be dredging the main navigational channel beginning on the red side of the channel working north and then south on the green side of the channel. The dredge PAULA LEE will be able to move for vessel traffic. Vessels should contact the dredge 30 minutes prior to arrival to make safe passing arrangements. The dredge PALUA LEE can be contacted on VHF-FM channel 14 and 82. Mariners should proceed with caution when transiting the area.

Chart 12304

LNM: 11/18

**\*\*\*\*PA – NJ – DELAWARE RIVER – OBJECT IN NEW CASTLE RANGE\*\*\*\***

An object, approximately 100ft in length and 3.5 inches in diameter, has been reported in the Delaware River Navigational Channel, in New Castle Range, at approximately 39 36.89833N, 075 34.56327W. The object is inside the red toe of the channel, approximately 300 feet upstream from Delaware River Lighted Buoy 18 (LLNR 2875). Mariners should use extreme caution when transiting this area of New Castle Range as depth at objects location is 42.7ft at mean low low water.

Chart 12311

LNM: 09/18

**\*\*\*\*PA – NJ DELAWARE RIVER – PHILADELPHIA AND CAMDEN WATERFRONTS –I76/ WALT WHITMAN BRIDGE – REDUCED VERTICAL CLEARANCE\*\*\*\***

An engineering firm, on behalf of the Delaware River Port Authority, will continue bridge maintenance including steel replacement/repair and painting of the suspension spans and towers at the Walt Whitman Bridge (I-76) across the Delaware River, mile 96.8, Philadelphia, PA. Bridge maintenance will occur between 7 a.m. and 5 p.m., daily, until October 2, 2018. A work platform extending 3 feet beneath the lower portion of the bridge will remain installed over the entire length of the bridge. The vertical clearance of the bridge has been reduced by 3 feet to approximately 136 feet above mean high water. Mariners should use caution when transiting the area.

Chart 12311

LNM: 14/18

**\*\*\*\*DE – CAPE HENLOPEN TO INDIAN RIVER INLET- INDIAN RIVER INLET - DE-1/INDIAN RIVER INLET BRIDGE - INSPECTION\*\*\*\***

An engineering firm, on behalf of the Delaware Department of Transportation, will be conducting an inspection on the DE-1 (Indian River Inlet) Bridge, at mile 0.2, over Indian River Inlet at Rehoboth Beach, DE, from April 9, 2018, to May 4, 2018. The inspections will occur, Monday through Friday from 8 a.m. to 5 p.m. The crew will use a snoop truck to access the underside of the bridge. In addition, a safety boat will be utilized in the channel below the bridge throughout the duration of the project. The team will work with vessel traffic so as not to impede the waterway. Mariners should exercise caution when transiting the area.

Chart 12216

LNM: 13/18

**MD - FENWICK ISLAND TO CHINCOTEAGUE INLET - OCEAN CITY INLET – SHOALING**

A Maryland Department of Natural Resources Bathymetric Survey conducted in November 2017 has identified shoaling midway between Ocean City Inlet Lighted Buoy 8 (LLNR 4745) and Lighted Buoy 10 (LLNR 4750) to a depth of less than five feet at MLLW and extending approximately 150 feet into the channel. A second area of severe shoaling has been identified between Ocean City Lighted 11 (LLNR 4755) and Lighted Buoy 12 (LLNR 4757) to a depth of less than seven feet at MLLW. Automatic Identification System (AIS) has been placed on the following aids to navigation. Marine Mobile Service Identification Numbers are as follows.

- A. Ocean City Inlet Lighted Buoy 8 (LLNR 4745), (MMSI) 993672676 in approx position 38-19-24.780N 075-05-24.510W.
- B. Ocean City Inlet Lighted Buoy 10 (LLNR 4750), (MMSI) 993672677 in approx position 38-19-27.923N 075-05-30.310W.
- C. Ocean City Inlet Junction Buoy OC (LLNR 4753), (MMSI) 993672678 in approx position 38-19-35.064N 075-05-34.620W.
- D. Ocean City Inlet Lighted Buoy 11 (LLNR 4755), (MMSI) 993672679 in approx position 38-19-36.367N, 075-05-42.67 W.
- E. Ocean City Inlet Lighted Buoy 12 (LLNR 4757), (MMSI) 993672680 in approx position 38-19-38.978N, 075-05-47.019W.

Chart 12211

LNM: 52/17

**\*\*\*\*MD - POTOMAC RIVER - ST PATRICK CREEK – SHOALING\*\*\*\***

There has been a report of severe shoaling within the channel boundaries of St. Patrick Creek. Shoaling has been reported in the vicinity of St. Patrick Creek Channel Daybeacon 3 (LLNR 17120) extending to St. Patrick Creek Channel Daybeacon 5 (LLNR 17135) with depths of 2-4' at MLW. Shoaling to 1' MLW has been observed in the channel in the vicinity of St. Patrick Creek Channel Buoy 3A (LLNR 17125).

Chart 12286

LNM: 12/18

**\*\*\*\*MD – CHESAPEAKE BAY – PATUXENT RIVER – MD-231/PATUXENT RIVER BRIDGE INSPECTION\*\*\*\***

An engineering firm, on behalf of the Maryland State Highway Administration, will be performing inspections at the MD-231 (Patuxent River) Bridge across the Patuxent River, at mile 24.4, at Benedict, MD. The inspection will be conducted from March 26, 2018 to May 18, 2018; from 9 a.m. to 3 p.m. The underside of the bridge will be accessed by a pontoon boat with scaffolding and a boat-mounted man-lift that will be located in and around the vicinity of the bridge. Inspection personnel, equipment and vessels will relocate from the movable span navigable channel, upon request, to facilitate safe navigation through the bridge. The work boat may be reached on VHF-FM channel 13. The project foreman can be reached at (860) 214-2450. Mariners should use caution when transiting the area.

**\*\*\*\*MD – CHESAPEAKE BAY – PATUXENT RIVER – MD-231/PATUXENT RIVER BRIDGE INSPECTION\*\*\*\***

Chart 12264

LNM: 12/18

**\*\*\*\*MD – CHESAPEAKE BAY – ROCKHOLD CREEK – SHOALING\*\*\*\***

The Coast Guard has identified shoaling within Rockhold Creek Channel boundaries near position 38-46.0N, 076-33.25W, approximately 70 yards east of Rockhold Creek Jetty Light 2 (LLNR 19400) to a depth of less than three feet at MLLW. Shoaling extends from the north to beyond mid-channel. Mariners are urged to use caution when transiting the area.

Chart 12270

LNM: 12/18

**MD – CHESAPEAKE BAY – TRED AVON RIVER – HARRIS CREEK - OYSTER REEFS**

The U.S. Army Corps of Engineers and Maryland Department of Natural Resources have placed rock and shell on the bottom in the Tred Avon River and in Harris Creek in Talbot County, Maryland. In those areas, water depths are 1 to 2 foot shallower than what is currently shown on navigational charts. Please be vigilant when navigating through these areas. A general maps, finer scale maps, and coordinates of the restoration areas are available at: <http://go.usa.gov/cswPh>.

For more information or questions contact the USACE Project Manager, Louis Snead - 410-962-3691 or [louis.c.snead@usace.army.mil](mailto:louis.c.snead@usace.army.mil).

Chart 12266

LNM: 40/17

**MD - CHESAPEAKE BAY - COVE POINT TO SANDY POINT-EASTERN CHANNEL**

An installed access platform and an unlighted scaffolding located on the north side (westbound span) of the William P. Lane JR (US-50/301) Memorial Bridges are reducing the vertical clearance. The access platform is between bridge pier 43 and 44 near the eastern channel and is extending downward from the bridge deck to approximately 17 feet above the waters edge. The unlighted scaffolding is suspended from the bridge decking between bridge piers 47 and 48 at the north bridge (westbound span) and is reducing vertical clearance to approximately 15 feet above the waters edge.

Mariners are urged to use caution when transiting the area.

Chart 12270

LNM: 06/18

**\*\*\*\*MD – CHESAPEAKE BAY – SEVERN RIVER – SPA CREEK – ANNAPOLIS HARBOR – MARINE CONSTRUCTION AND TOWING OPERATIONS\*\*\*\***

Annapolis Boat Shows, Inc. will conduct in-water operations in support of the Annapolis Spring Sailboat Show in Annapolis Harbor at Annapolis, MD during April 16-24, 2018. Temporary pilings, floating docks and submerged electrical cables extending channel ward from Ego Alley will be placed in Annapolis Harbor. To support the in-water operations in Annapolis Harbor, long tows will occur across the Chesapeake Bay, and in the Severn River and Spa Creek, between the Bay Bridge Marina at Stevensville, MD and Annapolis, MD, beginning on April 3, 2018 and ending on or before May 3, 2018. During these tows, mariners are urged to use extreme caution when transiting the area, and to operate at reduced speed to minimize wake near the towing operations. Information regarding special anchoring restrictions in Annapolis Harbor in the event of severe weather during this period should be directed to the Annapolis City Harbormaster's Office on marine band radio VHF-FM channel 71 or telephone (410) 263-7973.

Chart 12283

LNM: 13/18

**\*\*\*\*MD – BALTIMORE HARBOR – FRANCIS SCOTT KEY BRIDGE – CHANNEL RESTRICTION\*\*\*\***

An engineering firm, on behalf of the Maryland Transportation Authority (MDTA) will be performing maintenance at the Francis Scott Key Bridge over the Patapsco River, at mile 6.0 at Baltimore, MD. The maintenance will be conducted between Monday, April 9, 2018, and Friday, April 13, 2018; Mon-Fri; from 6 a.m. to 5 p.m. Repair and rehabilitation of the bridge will require a tug and construction barge, 120 feet long by 70 feet wide to work inside the navigable channel. The barge will be working parallel to the pier and will encroach 70 feet into the navigable channel. The tug and barge will leave the channel after each workday. Maintenance personnel, equipment and vessels can relocate with 60 minutes notice. The vessel may be reached on VHF-FM channels 13 and 16. The project superintendent can be reached at (410) 977-0028. Mariners should use caution when transiting the area.

Chart 12281

LNM: 13/18

**\*\*\*\*MD – BALTIMORE HARBOR – CURTIS CREEK – CSX SWING BRIDGE – CLOSED TO NAVIGATION\*\*\*\***

The CSX Swing Bridge over Curtis Creek, mile 1.4, in Baltimore, MD will remain in the closed-to-navigation position to complete the installation of railroad ties across the swing span of the drawbridge. The bridge will remain in the closed position from 8 a.m. through 2:30 p.m.; Monday through Friday; from March 5, 2018, through 2:30 p.m. on April 13, 2018. During the closure period, the bridge will be able to open on signal, if at least one hour notice is given. The bridge will be able to open for emergencies, if at least 15 minutes notice is given. The bridge may be contacted at (410) 354-5593 24 hours per day. Vessels able to pass under the closed span of 13 feet above mean high water during the closure period, may do so at any time. The bridge foreman may be reached at (443) 695-0602 and on VHF-FM channels 13 and 16. Mariners should adjust their transits accordingly and should use caution when transiting the area.

Chart 12281

LNM: 14/18

**\*\*\*\*MD – CHESAPEAKE BAY – SANDY POINT TO SUSQUEHANNA RIVER – UPPER CHESAPEAKE CHANNEL LIGHTED BUOY 36\*\*\*\***

The following aid to navigation station will continue to be marked with its winter hull and the light will be burn at a reduced intensity until the summer seasonal hull is able to be placed on station.

Upper Chesapeake Channel Lighted Buoy 36 (LLNR 8630).

Chart 12273

LNM: 11/18

**\*\*\*\*MD – HEAD OF CHESAPEAKE BAY – BOHEMIA RIVER - 213 BRIDGE – MAINTENANCE\*\*\*\***

A contractor for the Maryland State Highway Administration will be performing underwater maintenance at the Maryland 213 Bridge, across

**\*\*\*\*MD – HEAD OF CHESAPEAKE BAY – BOHEMIA RIVER - 213 BRIDGE – MAINTENANCE\*\*\*\***

Bohemia River, at mile 4.0, near Cayots, MD. The maintenance will require a 25' work vessel that will be tied-off to the bridge piers and fender system from Monday, April 16, 2018, through Friday, April 20, 2018; from 7 a.m. to 4 p.m. . The vessel will be monitoring channels 16 & 13, and can be reached via telephone at 443-243-4067. The vessel can relocate with at least 30 minutes notice. Mariners should remain vigilant and use caution when transiting the area.

Chart 12274

LNM: 13/18

**\*\*\*\*MD - VA – POTOMAC RIVER – MATTAWOMAN CREEK TO GEORGETOWN – UPPER POTOMAC RIVER – AIDS TO NAVIGATION\*\*\*\***

The following aids to navigation stations will continue to be marked with winter hulls and the lights will be burning at a reduced intensity until the summer seasonal hulls are able to be placed on station.

Upper Potomac River Channel Lighted Buoy 22 (LLNR 17910)  
Upper Potomac River Channel Lighted Buoy 23 (LLNR 17950)  
Upper Potomac River Channel Lighted Buoy 27 (LLNR 18015)  
Upper Potomac River Channel Lighted Buoy 33 (LLNR 18040)  
Upper Potomac River Channel Lighted Buoy 45 (LLNR 18155)  
Upper Potomac River Channel Lighted Buoy 47 (LLNR 18235)  
Upper Potomac River Channel Lighted Buoy 51 (LLNR 18255)  
Upper Potomac River Channel Lighted Buoy 55 (LLNR 18325)  
Upper Potomac River Channel Lighted Buoy 59 (LLNR 18345)  
Upper Potomac River Channel Lighted Buoy 60 (LLNR 18350)  
Upper Potomac River Channel Lighted Buoy 62 (LLNR 18365)  
Upper Potomac River Channel Lighted Buoy 64 (LLNR18370)  
Upper Potomac River Channel Lighted Buoy 67 (LLNR 18385)  
Upper Potomac River Channel Lighted Buoy 71 (LLNR 18395)  
Upper Potomac River Channel Lighted Buoy 77 (LLNR 18510)  
Upper Potomac River Channel Lighted Buoy 84 (LLNR 18580)  
Upper Potomac River Channel Lighted Buoy 90 (LLNR 18600)  
Alexandria Channel Lighted Buoy 6 (LLNR 18620)  
Alexandria Channel Lighted Buoy 7A (LLNR 18660)  
Hains Point Junction Lighted Buoy HP (LLNR 18705)

Chart 12289

LNM: 13/18

**\*\*\*\*VA – CHESAPEAKE BAY – CAPE CHARLES TO NORFOLK HARBOR - JOINT EXPEDITIONARY BASE LITTLE CREEK FORT STORY – MILITARY OPERATIONS\*\*\*\***

Joint Expeditionary Base Little Creek Fort Story (JEBLCFS) Military Operations will be conducted in the following areas during the dates and times listed. Operations may consist of swimmers in the water, small boat operations, parachute drops, helicopter air drops and recovery, blank firing, UAV ops:

Naval Anchorage Area A, Fort Story Restricted Area, 3 Apr 9:00 am to 4:00 pm.  
Naval Anchorage Area A, Fort Story Restricted Area, 4 Apr 6:00 am to 8:00 am.  
Fort Story Restricted Area, 12 Apr 10:00 am to 2:00 pm.

For questions or concerns about these operations you may contact Range Operations and Training Area, Mr. Assaf or Ms. Lawrence at 757-422-7103/7101.

Charts: 12222 12254

LNM: 01/17

**\*\*\*\*VA – ATLANTIC INTRACOASTAL WATERWAY - DISMAL SWAMP CANAL – RESTRICTED REOPENING\*\*\*\***

The locks at Deep Creek, Virginia and South Mills, North Carolina will return to their normal operating schedule to accommodate vessels desiring to use the Dismal Swamp Canal (Route 2) of the Atlantic Intracoastal Waterway. The locks will be operated at 8:30 AM, 11:00 AM, 1:30 PM and 3:30 PM seven days per week. The drawbridges adjacent to these locations will operate as normal and in conjunction with the lock openings. Vessels may moor overnight in the canal. There will be only one operator at Deep Creek and one at South Mills, so the bridge will not be manned when the lock is being operated, and vice versa. Locks and bridges monitor channel 13. The latest surveys of AIWW-Deep Creek, AIWW-Dismal Swamp Canal, and AIWW-Tumers Cut are available at: <http://www.nao.usace.army.mil/HydroSurveys/>. Boaters should review these surveys and the following conditions:

- AIWW-Dismal Swamp Canal currently has a controlling depth of 6 feet at centerline and 50 feet wide except at The Big Entry Ditch (MM #13) and the Feeder Ditch (MM #22) where the width narrows to approximately 25 feet wide. These shoaled areas have been marked with green and red stakes to show the channel. Due to the narrow channel, only one vessel can pass in these area at a time.
- AIWW-Turners Cut Channel just south of the South Mills Lock currently has a controlling depth of 5.9 feet at centerline and 80 feet wide. A remaining shoal south of Joyce Creek has been marked with green and red stakes to show the channel where the canal narrows to approximately 40 feet wide. Due to the narrow channel, only one vessel can pass in this area of the Turners Cut at a time.
- Norfolk District Corps of Engineers crane barge will working at the Big Entry Ditch and Turners Cut this spring. Dredging is scheduled this summer in the Dismal Swamp Canal at the Feeder Ditch.

Those planning to use this route should refer to the Coast Guard Local Notice to Mariners, contact the lock operator, or call the Norfolk District office at 757-201-7642.

Chart 12253

LNM: 10/18

**\*\*\*\*VA – APPOMATTOX RIVER - SR 10/EAST HUNDRED ROAD BRIDGE – MAINTENANCE\*\*\*\***

An engineering firm, on behalf of Virginia Department of Transportation, will be performing maintenance at SR 10 (East Hundred Road) bridge over Appomattox River, mile 1.2, at Hopewell, VA. The bridge maintenance, which began in 2017, will continue to be conducted from 8 a.m. to 4 p.m. and 7 p.m. to 5 a.m.; M-F; from March 31, 2018, through August 31, 2018; a work platform and a safety boat will be in and around the vicinity of



**\*\*\*\*VA – APPOMATTOX RIVER - SR 10/EAST HUNDRED ROAD BRIDGE – MAINTENANCE\*\*\*\***

the bridge. The work platform will not reduce the clearances of the bridge. The safety vessel may be reached on VHF-FM channel 13. The project foreman can be reached at (804) 387-5732. Mariners should use caution when transiting the area.

Chart 12252

LNM: 14/18

**\*\*\*\*VA – UPPER POTOMAC RIVER – POTOMAC CREEK – SHOALING\*\*\*\***

There has been a report of severe shoaling within the channel boundaries of Potomac Creek. Shoaling extends 15 yards channel ward of Potomac Creek Buoy 3 (LLNR 17920) with depths of 3 to 4 feet at MLW. Additional shoaling in the vicinity of Potomac Creek Buoy 5 (LLNR 17930) and Potomac Creek Buoy 6 (LLNR 17935) positions has been observed to a depth less than 3 feet at MLW.

Chart 12288

LNM: 12/18

**VA – NC – OFFSHORE – FALSE CAPE - HYDROGRAPHIC SURVEY OPERATIONS**

NOAA Ship FERDINAND R. HASSLER (S-250) will be conducting hydrographic survey operations near the Virginia and North Carolina border offshore of False Cape from 10 Feb through the end of April 2018. FERDINAND R. HASSLER (FH) is a 123-foot, white-hulled survey vessel with NOAA markings and can be identified on AIS. Survey operations will be conducted 24-hours a day and the vessel may be contacted on VHF-FM channel 13 and 16. Mariners are requested to exercise caution when transiting the operational area. There will be two modes of survey operations, which may happen simultaneously. Survey modes include; ship survey with or without towed sensors and survey from a 28 foot launch. When towed hydrographic instrumentation is deployed, FH will be restricted in her ability to maneuver. Questions or concerns can be addressed to the ship's Field Operations Officer via phone at (603) 812-8748 or via email at: ops.ferdinand.hassler@noaa.gov

Chart 12207

LNM: 52/17

**\*\*\*\*NC – OREGON INLET – SHOALING\*\*\*\***

Shoaling has been reported between Oregon Inlet Buoy 4 (LLNR 27990) and Oregon Inlet Lighted Buoy 6 (LLNR 28003). Observed depths of 4 feet MLW. Shoaling across entire channel to a depth of 4 feet MLW. Shoaling was also found extending across the channel between Oregon Inlet Lighted Buoy 19 (LLNR 28065) and Oregon Inlet Channel Buoy 21 (LLNR 28070). Observed depths of 4 feet MLW. Shoaling across entire channel to a depth of 4 feet MLW.

Chart 12204

LNM: 12/18

**\*\*\*\*NC – OFF SHORE – OREGON INLET - LOST CONTAINERS\*\*\*\***

70, 40 foot containers were lost 17 miles off shore of Oregon Inlet NC. All mariners are requested to transit the area with caution and report all sightings of any containers to the Coast Guard.

Chart 11520

LNM: 10/18

**NC - OREGON INLET CHANNEL - HERBERT C. BONNER BRIDGE CONSTRUCTION & REPLACEMENT**

Construction activities for the replacement bridge are ongoing and are expected to finish on August 30, 2019. Work will be conducted 24-hours per day, seven days a week. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new bridge. Crane barges will be secured in place with four anchors connected by anchor wires to the corners of the barge. The anchor locations will be marked with yellow crown buoys within an approximate 500-ft radius of the crane barge. Mariners should be aware that anchor wires may be at or just above/below the water surface between the barges and crown buoys; therefore vessels should stay on the outboard side of the crown buoys. In addition, construction activities for the replacement bridge immediately adjacent to the current navigation channel are scheduled to begin on July 24, 2017 and continue until December 31, 2017. The NCDOT Resident Engineer may be contacted at (252) 473-3637 and PCL Civil Constructors may be contacted at (252) 423-3093. Project information may be found at <http://www.ncdot.gov/projects/bonnerbridgereplace/>.

Chart 12205

LNM: 18/16

**\*\*\*\*NC – CAPE HATTERAS – HATTERAS TO OCRACOKE FERRY ROUTE – DREDGING\*\*\*\***

Cottrell Contracting Corporation of Chesapeake, Virginia dredge MARION and associated dredge equipment will be conducting dredging operations in the vicinity of South Hatteras Island and the Hatteras to Ocracoke Ferry. Operations will take place from Hatteras to Hatteras Connecting Channel and Hatteras Ferry Channel Ranges 3 through 5 from Hatteras Inlet Channel Daybeacon 27 (LLNR 28800) to Hatteras Inlet Channel Light 19 (LLNR 28765). Dredge operations will take place from March 19 through April 07, 2018.

Chart 11555

LNM: 12/18

**\*\*\*\*NC – WESTERN PART OF PAMLICO SOUND – PAMLICO RIVER – WRIGHT CREEK – SHOALING\*\*\*\***

Mariners are advised of shoaling in vicinity of Wright Creek Daybeacon 4 (LLNR 32870) off the Pungo River. All mariners are requested to transit the area with caution.

Chart 11553

LNM: 12/18

**\*\*\*\*NC – PAMLICO SOUND - NEUSE RIVER – MARINE CORPS AIR STATION CHERRY POINT - NOTICE OF LIVE FIRING\*\*\*\***

Marine Corps Air Station (MCAS) Cherry Point Notice of Live Firing in Hancock Creek north of Cahoogue Creek, the Neuse River located at the mouth of Hancock Creek, Restricted Area/Danger Zone 334.430:

None at this time.

Notice of Live Firing in Piney Island and Brandt Island, Danger Zones 334.420:

SUNUP - SUNSET: 16 MAR - 31 MAR 18 MONDAY THROUGH FRIDAY RIFLE RANGE TRAINING.

SUNUP - SUNSET: 01 APR - 15 APR 18 MONDAY THROUGH FRIDAY RIFLE RANGE TRAINING.

0800 - Midnight: 16 MAR - 31 MAR 18 AVIATION RANGE TRAINING.

0800 - Midnight: 01 APR - 15 APR 18 AVIATION RANGE TRAINING.

**\*\*\*\*NC – PAMLICO SOUND - NEUSE RIVER – MARINE CORPS AIR STATION CHERRY POINT - NOTICE OF LIVE FIRING\*\*\*\***

Command Officer of MCAS Cherry Point will not restrict public access to Public Trust Waters outside of the Danger Zones. This notice serves to identify the possible hazards associated when boating in this area. This area will not be patrolled by Military Personnel or vessels. Contact the MCAS Cherry Point Range Management Department at (252) 466-4040/2939 for questions or further information.

Charts: 11548 11552

LNM: 51/17

**\*\*\*\*NC - NEW RIVER - FIRING EXERCISES\*\*\*\***

Marine Corps Installations East-Marine Corps Base Camp Lejeune, North Carolina, Live firing and training: Mariners traveling in Atlantic Intracoastal Waterway through this area can expect a delays of about one to four hours during the below times. Range Control Boats, from Camp Lejeune, NC monitor Channel 16 VHF-FM and the working Channel 82 VHF-FM. Range Control can be reached at 910-451-3064 or 4449.

The restricted areas in the Atlantic Ocean east of the New River inlet as shown on National Ocean Service Chart 11543, will be closed to navigation up to 15 nm seaward because of firing exercises during the following periods: Nothing scheduled.

The Restricted Areas in the New River, as shown on National Ocean Service Chart 11542, that will be closed to navigation because of Stone Bay Rifle Range firing exercises during the following periods:

- STONE CREEK SECTOR 12:01 A.M. TO MIDNIGHT - DAILY
- STONE BAY SECTOR 12:01 A.M. TO MIDNIGHT - DAILY
- WEST OF THE 77 (DEG) 26 (MIN) LONGITUDE LINE.

The restricted areas that may be closed to navigation because of firing exercises during the following periods:

- FARNELL BAY SECTOR SUNRISE TO SUNSET - DAILY
- MORGANS BAY SECTOR SUNRISE TO SUNSET - DAILY
- JACKSONVILLE SECTOR SUNRISE TO SUNSET - DAILY

The Target Bombing Area N1/Bt-3 Impact Area in the Atlantic Ocean east of the New River Inlet as shown on National Ocean Service Chart 11543, may be closed to navigation because of firing exercises during the following periods: Nothing scheduled.

Atlantic Intracoastal Waterway, Inland Waters in the Browns Island Inlet area between Bear Creek and Onslow Beach, may be closed for firing exercises during the following periods:

Nothing scheduled.

Ship operations consisting of landing craft, amphibious vehicles, and helicopters may be conducted in the Onslow Beach Operating Area and all sectors of New River to include dive operations.

Due to unexploded ordnance on Browns Island and in the adjacent waterways and marsh areas, Browns Island is off limits to all unauthorized personnel. Vessels may transit the surrounding waters, however no vessel shall bottom fish or anchor. Range Control Boats, MCIE-MCB Camp Lejeune NC monitor VHF-FM channels 16 and 82. Range Control can be reached at 910-451-3064 or 4449.

Charts: 11541 11542 11543

LNM: 01/16

**\*\*\*\*NC – OCEAN ISLE BEACH – SHALLOTTE INLET – DREDGING\*\*\*\***

Starting approximately 8 March 2018, Weeks Marine Inc. will be mobilizing pipeline and equipment in the vicinity of Shallotte Sound, Ocean Isle Beach, NC. Starting approximately 19 March 2018 and continuing until 15 April 2018, the hydraulic dredge C.R. MCCASKILL and attendant plant will be operating in the vicinity of Ocean Isle beach NC.

Borrow Area for Ocean Isle Beach will be bound by the following approximate positions:

- 33°54'23.85"N, 78°23'28.90"W
- 33°53'32.94"N, 78°23'22.38"W
- 33°53'35.32"N, 78°22'8.58"W and 33°54'44.19"N, 78°22'31.79"W

Equipment Staging Area for Ocean Isle Beach positions:

- 33°54'15.20"N, 78°23'28.10"W
- 33°54'13.86"N, 78°23'27.73"W
- 33°54'16.33"N, 78°23'11.80"W and 33°54'18.26"N, 78°23'12.38"W

Once underway, dredging operations will continue on a twenty four hours a day, seven days a week. The dredge will monitor VHF-FM channels 13 and 16. For information or questions contact James Price at 985-630-2512.

Chart 11534

LNM: 12/18

**SECTION VIII - LIGHT LIST CORRECTIONS**

An Asterisk \*, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
6440	Virginia Inside Passage Daybeacon 232						Remove from list. 14/18
							*
6440	Virginia Inside Passage Lighted Wreck Buoy WR232	37-17-21.104N 075-53-44.721W	Q R		3	Red.	14/18
*	*	*	*	*	*	*	*

## SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
8285	<i>Fort McHenry Channel Lighted Buoy 14</i>	39-14-46.935N 076-33-26.204W	FI R 4s		5	Red.	Replaced by nun when endangered by ice.	14/18
	Located 75 feet outside channel limit.							
					*			
10136	<i>Lynnhaven Inlet Lighted Buoy 3</i>						Remove from list.	14/18
							*	
10136	LYNNHAVEN INLET LIGHT 3	36-54-50.241N 076-05-25.959W	FI G 4s	15	4	SG on pile.		14/18
*	*	*	*	*	*	*	*	
10138	<i>Lynnhaven Inlet Lighted Buoy 4</i>						Remove from list.	14/18
							*	
10138	LYNNHAVEN INLET LIGHT 4	36-54-49.490N 076-05-28.450W	FI R 4s	15	4	TR on pile.		14/18
*	*	*	*	*	*	*	*	
10145	Lynnhaven Inlet Buoy 6						Remove from list.	14/18
							*	
10145	Lynnhaven Inlet Daybeacon 6	36-54-33.350N 076-05-31.730W				TR on pile.		14/18
*	*	*	*	*	*	*	*	
18231	Neabsco Creek Warning Daybeacon A	38-35-45.848N 077-14-45.018W				NW on pile worded DANGER SHOAL.		14/18
							*	
18232	Neabsco Creek Warning Daybeacon B	38-35-46.409N 077-14-44.506W				NW on pile worded DANGER SHOAL.		14/18
			*	*	*	*	*	
21780	Nandua Creek Channel Daybeacon 6	37-37-35.356N 075-54-41.881W				TR on pile.		14/18
							*	
21781	Nandua Creek Channel Warning Daybeacon B	37-37-38.098N 075-54-41.687W				NW on pile worded DANGER SHOAL.		14/18
							*	
21784	Nandua Creek Channel Buoy 8	37-37-36.899N 075-54-29.919W				Red nun.		14/18
		*						
21792	Nandua Creek Channel Buoy 9	37-37-45.387N 075-54-12.199W				Green can.		14/18
		*						
29535	Bogue Inlet Buoy 8	34-39-00.463N 077-06-29.258W				Red nun.		14/18
		*						
29655	New River Inlet Buoy 1						Remove from list.	14/18
							*	
29660	New River Inlet Buoy 2						Remove from list.	14/18
							*	

## SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
29665	New River Inlet Buoy 3						Remove from list. 14/18
							*
29670	New River Inlet Buoy 4						Remove from list. 14/18
							*
29680	New River Inlet Buoy 6						Remove from list. 14/18
							*
29700	New River Inlet Buoy 8						Remove from list. 14/18
							*
35550	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 132	39-29-57.523N 074-21-26.867W	FI R 2.5s	15	4	TR-TY on pile.	14/18

\*

---



---

**ENCLOSURES**


---

**Enclosures**

1. Summary of Shoaling.
  2. Summary of Bridge Regulations/Construction/Permits.
  3. Summary of Dredging and Construction.
  4. Summary of Marine Events.
- 
-

# **SUMMARY OF SHOALING REPORTED IN THE FIFTH COAST GUARD DISTRICT**

## **NEW JERSEY SHOALING**

### **NJ – INTRACOASTAL WATERWAY – MANASQUAN INLET TO CAPE MAY INLET - SHOALING**

Shoaling has been reported in the New Jersey Intracoastal Waterway (NJICWW) between Manasquan Inlet and Cape May Inlet. Mariners are advised to use extreme caution when transiting the NJICWW due to shoaling. The following are some of the locations where the shoaling has been reported.

NJICWW Light 4 (LLNR 34995).

NJICWW Light 38 (LLNR 35115).

NJICWW Daybeacon 45 (LLNR 35165) & Daybeacon 46 (LLNR 35167).

NJICWW Daybeacon 49 (LLNR 35108).

NJICWW Junction Light LB (LLNR 35420) to Light 109 (LLNR 35430).

North side of Tow Island at NJICWW Daybeacon 129 (LLNR 35530).

NJICWW Light 145 (LLNR 35590) to Light 163 (LLNR 35655) Black Point on the red side.

Between NJICWW Daybeacon 206 (LLNR 35825) and Daybeacon 209 (LLNR 35835) IVO Bader Field.

IVO NJICWW Daybeacon 221 (LLNR 35867).

Between NJICWW Light 233 (LLNR 35905) and Daybeacon 243 (LLNR 3535945) Broad Thorofare.

IVO NJICWW Buoy 263 (LLNR 36007) and Buoy 263A (LLNR 36009) Shooting Island on the green side.

Between NJICWW Daybeacon 272 (LLNR 36035) and Daybeacon 282 (LLNR 36070) in Peck Bay.

Between NJICWW Light 383 (LLNR 36420) Daybeacon 399 (LLNR 36470).

Between NJICWW Buoy 417 (LLNR 36517) and Buoy 424 (LLNR 36535) Great Channel.

Between NJICWW Light 449 (LLNR 36625) and Light 453 (LLNR 36639) Grassy Sound. Ref LNM 24/17

Chart 12316, 12324

### **NJ - LITTLE EGG INLET TO HEREFORD INLET – LITTLE EGG INLET – SHOALING**

Shoaling has been observed in Little Egg Inlet across the channel between to an average channel depth of 3 feet at MLW. As a result, the aids to navigation have been removed because they did not accurately mark safe water. DB BNM 008-17

Chart 12318

### **NJ – SLAEM RIVER – SHOALING**

Shoaling was reported in the Salem River, in Salem, NJ. The shoaling was reported between Salem River Entrance Channel Light 5 (LLNR 2670), Light 6 (LLNR 2675) and Light 7 (LLNR 2680), Light 8 (LLNR 2685) on the east side of the channel. The depth was reported at 10 feet shortly after high tide. Mariners are advised to proceed with caution when transiting the area.

Chart 12311

## **PENNSYLVANIA SHOALING**

### **\*\*\*\*PA – DE – NJ – DELAWARE RIVER – MARCUS HOOK RANGE – SHOALING\*\*\*\***

Shoaling has occurred in the Delaware River in approximate position 39-48.18791, 075-25.354427w, 50 feet off the green channel toe, in the vicinity of Marcus Hook Intake Light (LLNR 3170). Shallowest depth 38.5 feet. All mariners are requested to transit the area with caution. Ref LNM 09/18

Chart 12312

### **PA – NJ – CHESTER RANGE – SHOALING**

The Coast Guard has received a report of shoaling 40ft within the PA side of the channel in approx position 39-49'33.80"N, 075-22'39.81"W. The rock mound has been reported to have a minimum depth of 39.1ft. Mariners are urged to use caution when transiting the area.

CHART 12312

## **DELAWARE SHOALING**

### **DE- INDIAN RIVER BAY – SHOALING**

There has been a report of shoaling in Indian River Bay between Indian River Inlet Buoy 19 (LLNR 4435) and Middle Island West Channel Junction Lighted Buoy MI (LLNR 4436). Depths of 0.0 ft at times, during low tide, were reported.

Chart 12216

### **DE – REHOBOTH BAY – INDIAN RIVER – BACKERS CHANNEL – SHOALING**

The Delaware Department of Natural Resources and Environmental Control (DNREC) reports shoaling in Baker's Channel between Baker's Channel Lighted Buoy 1A (LLNR 2136) and Baker's Channel Lighted Buoy 1B (LLNR 2137) as well as Baker's Channel Lighted Buoy 5 (LLNR 2137.04) and Baker's Channel Lighted Buoy 6 (LLNR 2137.05). DNREC has established two warning buoys worded "DANGER SHOAL" to mark the shoaling. Mariners are advised to transit that area with caution. Ref LNM 26/17

Chart 12216

## **MARYLAND SHOALING**

### **MD - FENWICK ISLAND TO CHINCOTEAGUE INLET - OCEAN CITY INLET – SHOALING**

A Maryland Department of Natural Resources Bathymetric Survey conducted in Nov 2017 has identified shoaling midway between Ocean City Inlet Lighted Buoy 8 (LLNR 4745) and Lighted Buoy 10 (LLNR 4750) to a depth of less than five feet at MLLW and extending approximately 150 feet into the channel. A second area of severe shoaling has been identified between Ocean City Lighted 11 (LLNR 4755) and Lighted Buoy 12 (LLNR 4757) to a depth of less than seven feet at MLLW. Ocean City Inlet Lighted Buoy 12A has been established in approximate 38-19-38.995N, 075-05 -47.020W to mark the shoaling. To avoid confusion the light on Ocean City Inlet Lighted Buoy 12 (LLNR 4757) has been extinguished.

Chart 12211

**MD - FENWICK ISLAND TO CHINCOTEAGUE INLET - SINEPUXENT BAY – SHOALING**

Sinepuxent Bay Channel Daybeacon 11B (LLNR 5050), shoaling encroaches approximately 20 yds into the channel in a southwesterly direction. Water depths have been found as low as 2.5 ft during low tide. Between Sinepuxent Bay Channel Light 8 (LLNR 5020) and Sinepuxent Bay Channel Daybeacon 10 (LLNR 5035), shoaling encroaches approximately 15 yds into the channel in an easterly direction. Water depths have been found as low as 2 ft during low tide. Between Sinepuxent Bay Channel Buoy 33 (LLNR 5130) and Sinepuxent Bay Channel Daybeacon 35 (LLNR 5135) on the eastern side of the channel. Water depths have been found as low as 3 ft during low tide.  
Chart 12211

**\*\*\*\*MD - POTOMAC RIVER - ST PATRICK CREEK – SHOALING\*\*\*\***

There has been a report of severe shoaling within the channel boundaries of St. Patrick Creek. Shoaling has been reported in the vicinity of St. Patrick Creek Channel Daybeacon 3 (LLNR 17120) extending to St. Patrick Creek Channel Daybeacon 5 (LLNR 17135) with depths of 2-4' at MLW. Shoaling to 1' MLW has been observed in the channel in the vicinity of St. Patrick Creek Channel Buoy 3A (LLNR 17125).  
Chart 12286

**\*\*\*\*MD – UPPER POTOMAC RIVER – NEABSCO CREEK – SHOALING\*\*\*\***

Severe shoaling is reported inside the channel boundaries of Neabsco Creek. Shoaling extends 50 yards into the channel from Neabsco Creek Daybeacon 1 (LLNR 18231) and Neabsco Creek Light 2 (LLNR 18232) depths of 3 to 4 ft at MLW. Additional shoaling between Neabsco Creek Buoy 3 (LLNR 18233) and Neabsco Creek Buoy 4 (LLNR 18234) positions has been observed to a depth less than 3 ft at MLW. LNM 11/18, MD BNM 231-18  
Chart 12289

**MD - CHESAPEAKE BAY - TANGIER SOUND - NORTHERN PART - RHODES POINT GUT CHANNEL**

A report of shoaling in Rhodes Point gut channel between Rhodes Point Gut Channel Buoy 3 (LLNR 23000) and Rhodes Point Gut Channel Buoy 5 (LLNR 23005), to a depth of less than six feet at mean low water. Depth is reading approx one and a half feet. Ref MD BNM 278-16  
Chart 12228

**MD - CHESAPEAKE BAY - CHESAPEAKE BAY TO PINEY POINT - ST. JEROME CREEK - SHOALING**

Maryland DNR survey of the mouth of St. Jerome Creek indicates shoaling, to at least depth of 3.1feet MLLW, in the channel between St. Jerome Creek Light 4 (LLNR 18810), St. Jerome Creek Daybeacon 4A (LLNR 18812) and St. Jerome Creek Daybeacon 6 (LLNR 18815). The channel width in the area of St. Jerome Daybeacon 4A (LLNR 18812) and Deep Point is reduced to approx 20 ft. MD-NCR BNM 415-16, Ref LNM 52/16  
Chart 12233

**MD/VA - POTOMAC RIVER - PINEY POINT TO LOWER CEDAR POINT - ST. CATHERINE SOUND LOWER ENTRANCE - SHOALING**

Shoaling exists in St. Catherine Sound Lower Entrance at the following locations: (1) off the northeastern tip of St. Catherine Island extending channel ward between position 38-14-17.586N, 076-47-15.562W and position 38-14-32.841N, 076-47-14.761W, and (2) in the vicinity of St. Catherine Sound Lower Entrance 4L (LLNR 17230). Ref LNM 44/16, CCGD5 BNM 524-16  
Chart 12286

**MD - CHESAPEAKE BAY – LITTLE CHOPTANK RIVER - SLAUGHTER CREEK - SHOALING**

Shoals on the western portion of Slaughter Creek in the vicinity of Holland Point have slowly encroached easterly in most of the federally marked channel. The shoal adjacent to Slaughter Creek Light 2SC (LLNR 24645) has encroached approx 50-100 yds easterly with observed depths of 3-4' in between tide cycles. Shoaling to 5' MLW has been observed on the red side of the channel between Slaughter Creek Daybeacon 6 (LLNR 24670) and Slaughter Creek Buoy 8 (LLNR 24683). Sec MD-NCR BNM 045-17  
Chart 12264, 12266

**MD - CHESAPEAKE BAY - HONGA, NANTICOKE AND WICOMICO RIVERS – FISHING BAY - TAR BAY**

A USACE survey conducted in Apr 2016 has identified shoaling to a depth of less than one foot at mean low water between Tar Bay Channel Daybeacon 4 (LLNR 24595) and Tar Bay Channel Daybeacon 8 (LLNR 24615). The channel width has been significantly reduced. Observed depths are between 2-4' at high tide. Sec MD-NCR BNM 044-17  
Chart 12261

**MD – CHESAPEAKE BAY- CHESTER RIVER – KENT ISLAND NARROWS NORTH APPROACH**

Depths of less than 4 feet have been reported between Kent Island Narrows North Approach LT 4 (LLNR 26425) and Kent Island Narrows North Approach LT 6 (LLNR 26435) on the red side of the channel. Vessels transiting the Kent Island Narrows North Approach Channel should exercise caution. Ref LNM 05/16  
Chart 12272

**\*\*\*\*MD – CHESAPEAKE BAY – ROCKHOLD CREEK – SHOALING\*\*\*\***

The Coast Guard has identified shoaling in the Rockhold Creek Channel boundaries near position 38-46.0N, 076-33.25W, approximately 70 yards east of Rockhold Creek Jetty Light 2 (LLNR 19400) to a depth of less than three feet at MLLW. Shoaling extends from the north to beyond mid-channel. Mariners are urged to use caution when transiting the area.  
Chart 12270

**MD – CHESAPEAKE BAY - ROCK HALL HARBOR – SHOALING**

The MD DNR Survey of Rock Hall Harbor Entrance, dated April 21, 2017 indicates shoaling across the marked channel from Rock Hall Harbor Entrance Buoy 1 (LLNR 26890) to Rock Hall Harbor Light 5 (LLNR 26900). Least depths range to 6.9 feet to 4.8 feet MLLW.  
Chart 12272, 12278

**MD – UPPER CHESAPEAKE CHANNEL – SHOALING**

A USACE Survey conducted on 11 May 2017 has identified shoaling to a depth of less than 34 feet at MLLW within the eastern one-quarter of the navigation channel extending northeast of Upper Chesapeake Channel Lighted Buoy 37 (LLNR 8635). MD BNM 175-17, Ref LNM 25/17  
Chart 12273

**VA – MD – POTOMAC RIVER – BONUM CREEK – SHOALING**

U. S. Army Corps of Engineers Survey of Bonum Creek indicates shoaling, to less than 4 feet MLLW, in the channel between Bonum Creek Light 2B (LLNR 16880), Bonum Creek Channel Daybeacon 3 (LLNR 16885) and Bonum Creek Buoy 3A (LLNR 16887). MD-NCR BNM 149-17.  
Chart 12286

## **VIRGINIA SHOALING**

### **VA – NANDUA CREEK**

Shoaling has been reported at the entrance to Nandua Creek to 2 feet. HR BNM 311-13  
Chart 12226

### **\*\*\*\*VA – CHINCOTEAGUE INLET TO GREAT MACHIPONGO INLET – VIRGINIA INSIDE PASSAGE - WALLOPS ISLAND – SHOALING\*\*\*\***

There has been a report of shoaling in the vicinity of Wallops Island Lighted Buoy 2 (LLNR 5520) to a depth of one foot.  
Chart 12210

### **VA – VIRGINIA INSIDE PASSAGE (VIP)**

VIP Day beacon 107 (LLNR 5950) to VIP Day beacon 265 (LLNR 6580), Shoaling to less than 6ft MLW. HR BNM 106-16  
Quinby Creek Day beacon 7 (LLNR 6770) to Quinby Creek Light 13 (LLNR 6785), Shoaling to less than 6 ft MLW. HR BNM 104-16  
VIP Day beacon 244 (LLNR 6485), Shoaling to 1 foot. HR BNM 272-14, Sand Shoal Channel Light 1 (LLNR 6990) to Sand Shoal Light 10 (LLNR 6996)  
LNM 24-13, Oyster Creek Channel Junction Lighted Buoy OC (LLNR 7002/6447) to Oyster Creek Light 10 (LLNR 7025), Shoaling to less than 6ft MLW.  
HR BNM 107-16, Chart 12210, 12224

### **VA - CHESAPEAKE BAY - LYNNHAVEN RIVER EASTERN BRANCH**

Shoaling has been reported to a depth of 0-3ft at mean low water in the Lynnhaven River Eastern Branch in the vicinity of Lynnhaven River Eastern Branch Buoy 1ED (LLNR 10332)(Private Aid). Mariners are advised to transit the area with extreme caution. HR BNM 424-16

### **VA – NEWPORT NEWS TO JAMESTOWN ISLAND – BENNETT CREEK – SHOALING**

Significant shoaling has been located in Bennett Creek on the red side of channel between Bennett Creek Daybeacon 2 (LLNR 11047) and Bennett Creek Daybeacon 4 (LLNR 11050) in position 36 53.043N, 076 28.873W. Observed depth was .7 feet at (MLW). Significant shoaling also is present IVO Bennett Creek Buoy 5 (LLNR 11055) position. Bennett Creek Buoy 5 (LLNR 11055) is missing and has not been reestablished due to lack of water depth. HR BNM 215-17, LNM 28/17  
Chart 12248

### **VA – CHESAPEAKE BAY – RAPPAHANNOCK RIVER ENTRANCE - MILFORD HAVEN EAST**

Shoaling to a depth of 2 Feet at low tide has been identified from 400 yards northeast of Milford Haven East Buoy 7 (LLNR 14593.5) extending to the south 600 yards. Shoaling extends to the west 250 yard and impedes the width of the channel both inbound and out bound.  
Shoaling to a depth of 3 feet has been identified in various locations west of Buoy 7 (LLNR 14593.5) To Buoy 18 (LLNR 14625).  
Chart 12235

### **VA – RAPPAHANNOCK RIVER ENTRANCE – QUEENS CREEK – SHOALING**

The Army Corps of Engineers, Norfolk District, Survey of Queens Creek Channel; dated June 21, 2017 indicates shoaling across the channel from Queens Creek Channel Buoy 2 (LLNR 14820) to Queens Creek Channel Lighted Buoy 5(LLNR 14840) Least depths range from 5.8 feet MLLW to 1.8 feet MLLW. LNM 29/17  
Chart 12235

### **VA – CHESAPEAKE BAY - MATTAWOMAN CREEK – SHOALING**

Shoaling has been Reported to a depth of 2-3ft at mean low water in the channel of Mattawoman Creek between Mattawoman Creek Light 1MC (LLNR 21580) and Mattawoman Creek Light 2 (LLNR 21585). Mariners are advised to transit the area with caution.  
Chart 12226

### **VA – HAMPTON ROADS - WILLOUGHBY BAY**

The USACE has reported shoaling in Willoughby Channel to 2.6 feet MLLW in the vicinity of Willoughby Channel Buoy 3 (LLNR 10583).  
Chart 12245

### **VA – CHESAPEAKE BAY – LYNNHAVEN INLET – LONG CREEK CHANNEL**

Shoaling to 2.4 feet has been reported in Long Creek Channel east of Long Creek Channel Day beacon 7 (LLNR 10167) in the vicinity of Pleasure House Point. HR BNM 293-14  
Chart 12254

### **VA – CHESAPEAKE BAY – MOBJACK BAY AND YORK RIVER ENTRANCE – DAVIS CREEK – SHOALING**

Significant shoaling has been identified from USACOE survey dated 07 Sep 2016 in Davis Creek.  
Shoaling of the channel begins 100 yards south of Davis Creek Channel Light 2 (LLNR 14130) to a depth of 4.9 feet extending across the entire length and width of the channel to 150 yards north of Davis Creek Channel Light 6 (LLNR 14140) with a minimum identified depth of 1.2 feet. Ref LNM 12/17  
Chart 12238

### **VA – CHESAPEAKE BAY – MOBJACK BAY AND YORK RIVER ENTRANCE - HORN HARBOR**

Shoaling has been reported to 1-2 feet extending 50 yards channel ward from Horn Harbor Lighted Buoy 8 (LLNR 14487). HR BNM 182-15  
Chart 12238

### **VA – CHESAPEAKE BAY – BACK RIVER – SHOALING**

A NOAA Survey identified shoaling to a depth of 6 feet MLW in Back River in approximate position 37-06'33.0"N, 076-16'40.8"W, approximately 75 yards west of Back River Daybeacon 6 (LLNR 12930). Mariners are advised to transit the area with caution. HR BNM 044-17, LNM 07/17  
Chart 12222

### **VA – CHESAPEAKE BAY – YORKTOWN TO WEST POINT - QUEEN CREEK**

Shoaling to less the 3 feet has been reported in Queen Creek from Queen Creek Entrance Light 2QC (LLNR 13785) to Queen Creek Day beacon 10 (LLNR 13820). HR BNM 170-14  
Chart 12243

#### **VA – TANGIER SOUND – SHOALING**

Shoaling to 5 – 6 feet MLW has been found in the vicinity of Tangier Sound Light in approximate position 37 47 06.4N, 075 58 23.2W along the 36 foot depth contour.  
Chart 12228

#### **VA – GREAT WICOMICO RIVER – SHOALING**

Shoaling has been identified in the vicinity of Great Wicomico River Light 9 (LLNR 16300) extending 30 yards north and north northeast of structure to a depth of less than 2 feet.

#### **VA – RAPPAHANNOCK RIVER – SHOALING**

Rappahannock River mile 60 to 63, Devils Elbow. Shoaling has been reported to a depth of less than 04 ft at mean low water along the eastern side of the channel from Horse Head Point to south of Tobys Point extending along the eastern side of Tobys Point to North Bend. HR BNM 051-17, LNM 08/17  
Chart 12237

#### **VA - RAPPAHANNOCK RIVER - CORROTOMAN RIVER TO FREDERICKSBURG – GREENVALE CREEK SHOALING**

An Army Corps of Engineers Survey of Greenvale Creek Channel indicates shoaling, to a least depth of 1.7 feet MLLW, across the channel from approximately 250 feet North-Northeast of Greenvale Channel Warning Daybeacon A (LLNR 15305) continuing inbound for approximately 880 feet. Ref LNM 50/16  
Charts 12237

#### **VA/MD - POTOMAC RIVER - PINEY POINT TO LOWER CEDAR POINT - ST. CATHERINE SOUND LOWER ENTRANCE - SHOALING**

Shoaling exists in St. Catherine Sound Lower Entrance at the following locations: (1) off the northeastern tip of St. Catherine Island extending channel ward between position 38-14-17.586N, 076-47-15.562W and position 38-14-32.841N, 076-47-14.761W, and (2) in the vicinity of St. Catherine Sound Lower Entrance 4L (LLNR 17230). Ref LNM 44/16, CCGD5 BNM 524-16  
Chart 12286

#### **VA - POTOMAC RIVER - YEOCOMICO RIVER - SHOALING**

There has been a report of shoaling in the Yeocomico River within channel boundaries, located SE of South Yeocomico River Daybeacon 2 (LLNR 16830) to a depth of less than ten feet at mean low water. MD-NCR BNM 408-16, Ref LNM 50/16  
Chart 12233

#### **VA - POTOMAC RIVER - PINEY POINT TO LOWER CEDAR POINT - BONUM CREEK - SHOALING**

Soundings in Bonum Creek indicates shoaling in the channel between Bonum Creek Daybeacon 3 (LLNR 16885), Bonum Creek Daybeacon 4 (LLNR 16890), and Bonum Creek Daybeacon 5 (LLNR 16895). Due to extensive shoaling off Sandy Point Neck, the channel width has been reduced to approx 20ft between Bonum Creek Daybeacons 3 and 4. Mariners are urged to use caution when transiting the area.  
Chart 12286

#### **\*\*\*\*VA – VIRGINIA BEACH – RUDEE INLET\*\*\*\***

Based on the City of Virginia Beach survey dated 8 Feb 2018 shoaling still exist in Rudee Inlet Channel with least depths from 4.6' MLLW in the channel.  
Chart 12205

### **NORTH CAROLINA SHOALING**

#### **NC – CAPE HENRY TO CURRITUCK BEACH LIGHT - CURRITUCK SOUND – FERRY CHANNEL – SHOALING**

Shoaling has been reported between Currituck and Knott's Island in the ferry route, reducing the width of the ferry channel. Mariners are advised to proceed with caution while transiting the area. NC BNM 754-16, Ref LNM 01/17  
Charts 12207, 12205

#### **NC – PAMLICO SOUND BRANT ISLAND SHOAL – SHOALING**

Shoaling to 3 feet has been reported in the area off the southeast tip of the charted shoal in the vicinity of Brant Island Slue in approximate position 35-10.45N, 076-23.05W.  
Chart 11548

#### **\*\*\*\*NC – OREGON INLET – SHOALING\*\*\*\***

Shoaling has been reported between Oregon Inlet Buoy 4 (LLNR 27990) and Oregon Inlet Lighted Buoy 6 (LLNR 28003). Observed depths of 4 feet MLW. Shoaling across entire channel to a depth of 4 feet MLW. Shoaling was also found extending across the channel between Oregon Inlet Lighted Buoy 19 (LLNR 28065) and Oregon Inlet Channel Buoy 21 (LLNR 28070). Observed depths of 4 feet MLW. Shoaling across entire channel to a depth of 4 feet MLW.  
Chart 12204

#### **NC – HATTERAS INLET – SHOALING**

Due to severe shoaling Hatteras Inlet Buoy 2A (LLNR 28647), Hatteras Inlet Lighted Buoy 4 (LLNR 28650), Hatteras Inlet Lighted Buoy 5 (LLNR 28653), Hatteras Inlet Lighted 6 (LLNR 28660) no longer mark navigable water. Mariners should not rely on these buoys for navigation. LNM 07/17  
Chart 11555, 11520

#### **NC – CAPE HATTERAS – HATTERAS INLET**

Shoaling has been reported to 3.5 feet in Hatteras Inlet between Hatteras Inlet Channel Buoy 9 (LLNR 28669) and Hatteras Inlet Channel Buoy 12C (LLNR 28733.2). NC BNM 028-15, LNM 06-15  
Chart 11555

#### **NC – CAPE HATTERAS – HATTERAS INLET**

Shoaling has been reported to 5 feet in vicinity of Hatteras Inlet Channel Lighted Buoy 13A (LLNR 28735.3) and Hatteras Inlet Lighted Buoy 14 (LLNR 28735.6). NC BNM 340-15  
Chart 11555



**NC – CAPE HATTERS – BARNEY SLOUGH**

Shoaling has been found along north side of channel between Barney Slough Channel Buoy 4 (LLNR 28721.7) and Barney Slough Channel Lighted Buoy 6 (LLNR 28722.3). Observed depths of 4 feet MLW.  
Chart 11555

**NC – CAPE HATTERAS – HATTERAS INLET – SOUTH FERRY TERMINAL**

Shoaling has been reported to 2.6 feet in South Ferry terminal between South Ferry Terminal Lighted Buoy 1SF (LLNR 28699.1) and South Ferry terminal Light 7 (LLNR 28715). NC BNM 031-16, 069-16

**NC – BEAUFORT INLET AND CORE SOUND – BARDEN INLET – SHOALING**

Significant shoaling is present in Barden Inlet between Harker's Island and Cape Lookout. The shoal is encroaching the channel from both sides in the area of Barden Inlet Buoy 28 (LLNR 29250), Buoy 30 (LLNR 29253) and Buoy 31 (LLNR 29257). Mariners should exercise extreme caution while transiting through the Inlet. NC BNM 342-17, LNM 29/17  
Chart 11545

**NC – CORE SOUND – SHOALING**

Significant shoaling exists in the vicinity of Core Sound Light 27 (LLNR 34540) to Core Sound Light 24 (LLNR 34520). NC BNM 357-17 & 396-17.  
Chart 11545

**\*\*\*\*NC – WESTERN PART OF PAMLICO SOUND – PAMLICO RIVER – WRIGHT CREEK – SHOALING\*\*\*\***

Mariners are advised of shoaling in vicinity of Wright Creek Daybeacon 4 (LLNR 32870) off the Pungo River. All mariners are requested to transit the area with caution. NC BNM 141-18  
Chart 11553

**NC – ICW - NEUSE RIVER TO MYRTLE GROVE - RUSSELL SLOUGH**

Shoaling has been reported to 1 foot in vicinity of Russell Slough Day beacon 6A (LLNR 38467) NC BNM 344-15  
Chart 11541

**NC – ICW - NEUSE RIVER TO MYRTLE GROVE SOUND – BOGUE SOUND - NEW RIVER**

Shoaling to 3 feet has been reported in the vicinity of Bogue Sound - New River buoys 72A (LLNR 39300), 72B (LLNR 39303) and 74 (LLNR 39305). LNM 06-15  
Chart 11541

**NC – NEUSE RIVER TO MYRTLE GROVE – BANKS SLOUGH CHANNEL**

Shoaling has been reported to 0.5 feet in Banks Slough Channel. NC BNM 658-14  
Chart 11541

**NC – NEUSE RIVER TO MYRTLE GROVE SOUND – CAROLINA BEACH INLET**

Shoaling to 2.6 feet has been reported in Carolina Beach Inlet from Carolina Beach Inlet Buoy 1 (LLNR 30265) to Buoy 6 (LLNR 30290). NC BNM 659-15, 206-16  
Chart 11541

**NC - NEUSE RIVER TO MYRTLE GROVE SOUND – AICWW - NEW RIVER TO CAPE FEAR RIVER – BROWNS INLET**

Shoaling has been reported in the AICWW near the intersection of Browns Inlet and the AICWW in the vicinity of New River – Cape Fear River Buoy 61A (LLNR 39223).

**NC – NEUSE RIVER TO MYRTLE GROVE SOUND - NEW RIVER – NEW RIVER INLET**

Shoaling has been reported to 2 feet in New River Inlet Channel. NC BNM 003-15  
Chart 11542

**NC - NEUSE RIVER TO MYRTLE GROVE SOUND – NEW RIVER TO CAPE FEAR RIVER**

An area of shoaling has been reported IVO of New River – Cape Fear River Buoy 121 (LLNR 39597) in the AICWW St M 280 near Mason Inlet Crossing. ACOE reported a depth of 2.2ft at MLW. Mariners are urged to use caution when transiting this area. NC BNM 357-16  
Chart 11541

**NC – INTRACOASTAL WATERWAY - MYRTLE GROVE SOUND TO LITTLE RIVER**

Shoaling to 1 foot has been reported in the vicinity of Lockwoods Folly Inlet at Cape Fear River – Little River Buoy 47 (LLNR 40225). NC BNM 256-16  
Chart 11534

**NC – INTRACOASTAL WATERWAY - MYRTLE GROVE SOUND TO LITTLE RIVER**

Shoaling was found between Cape Fear River - Little River Buoy 80A (LLNR 40337) and Cape Fear River - Little River Buoy 82 (LLNR 40345). Depths as low as 3ft were observed in the ICW channel at MLW. Position 33-54'25.55"N, 078-23'4.41"W. Shoaling is across entire channel.

# SUMMARY OF BRIDGE PERMITS, REGULATIONS AND CONSTRUCTION IN THE FIFTH COAST GUARD DISTRICT

(Yellow indicates new item)

## CURRENT PROJECTS

### Permits:

#### **SECTOR DELAWARE BAY**

- **Delaware**

Christina River – Christina River Bridge – Permit (1-17-5) signed April 7, 2017, for a fixed bridge across the Christina River, mile 3.8, City of Wilmington, New Castle County, DE. The bridge will provide a minimum vertical clearance of 14 feet above mean high water and a horizontal clearance of 150 feet centered on the axis of the navigable channel.

Raccoon Creek – US 130 (fixed) Bridge - new fixed bridge structure to replace (lift) bridge. Permit 2-15-5 signed December 9, 2015. (KB)

- **New Jersey (Central & Southern)**

Oldmans Creek – US Route 130 Bridge

All interested parties are notified that the Commander, Fifth Coast Guard District has received a proposal from the New Jersey Department of Transportation with plans for modification of an existing highway drawbridge over a navigable waterway of the United States.

**WATERWAY AND LOCATION:** Oldmans Creek, mile 3.1 at Nortonville, NJ.

**CHARACTER OF WORK:** The proposed project is to permanently close the existing drawbridge; thereby making the structure a fixed bridge. The drawbridge has not opened for vessels since the 1960s and is presently in a “need not open for passage of vessels” status as authorized in Title 33 Code of Federal Regulations, Section 117.737. No bridge work, other than permanently locking the moveable span, will be completed. The existing drawbridge has a horizontal clearance of 75 feet and a vertical clearance of 5.0 feet above mean high water in the closed position and 64 feet above mean high water in the open position. The retained bridge will be a fixed bridge with a horizontal clearance of 75 feet and a vertical clearance of 5.0 feet above mean high water.

**A copy of Preliminary Public Notice 5-1381, which describes the proposal in detail, can be obtained by calling (757) 398-6222 or by viewing at <https://www.navcen.uscg.gov/?pageName=pnBridges>. Comments on this proposal should be forwarded to the address in the notice no later than **11 DEC 2017** (HP)**

- **Pennsylvania**

Schuylkill River – Grays Ferry Pedestrian Bridge – Permit (3-17-5) signed November 27, 2017, for a swing drawbridge replacement with a vertical clearance of 26 feet above mean high water (closed position), unlimited vertical clearance in the open position, and a horizontal clearance of 75 feet in both navigation spans. (MT)

#### **SECTOR MARYLAND-NATIONAL CAPITAL REGION**

- **Maryland** –

Potomac River - Harry Nice Memorial Bridge – Fixed replacement bridge Preliminary Navigation Clearance Determination (PNCD) issued on March 2, 2018; vertical clearance of 135 feet above mean high water and a horizontal clearance of 250 feet. The center of the main navigation span of the bridge may be shifted up to 585 feet to the west of the current navigation span. (KB)

Neale Sound – MD-254 (Cobb Island Road) Bridge - Fixed replacement bridge Preliminary Navigation Clearance Determination (PNCD) issued on March 22, 2017; vertical clearance of 20 feet above mean high water and a horizontal clearance of 55 feet. (HP)

- **Washington DC** –

Anacostia River – Frederick Douglass Memorial Bridge - Permit (2-17-5) signed December 4, 2017, for a fixed bridge replacement with a vertical clearance of 42 feet above mean high water and a horizontal clearance of 150 feet. (MB)

- **Virginia (Northern)**

Potomac River - Harry Nice Memorial Bridge – Fixed replacement bridge Preliminary Navigation Clearance Determination (PNCD) issued on March 2, 2018; vertical clearance of 135 feet above mean high water and a horizontal clearance of 250 feet. The center of the main navigation span of the bridge may be shifted up to 585 feet to the west of the current navigation span. (KB)

#### **SECTOR HAMPTON ROADS**

- **Virginia (Southern)**

AICW – Elizabeth River Southern Branch – I-64/High Rise Bridge – VDOT has proposed to replace the existing drawbridge with a new fixed bridge at essentially the same location. The replacement project will modify the existing vertical clearance of the bridge. The charted vertical clearance of the existing bascule bridge in the closed-to-navigation position is 65 feet above MHW with unlimited vertical clearance in the full open position. The proposed replacement will be a fixed bridge that will provide a vertical clearance of 100 feet above MHW. The current horizontal clearance of 125 feet will be maintained for the new fixed bridge. (KB)

Elizabeth River (Western Branch) – US Route 17 (Churchland Street) Bridge – Fixed replacement bridge Preliminary Navigation Clearance Determination (PNCD); vertical clearance of 37 feet above mean high water and a horizontal clearance of 80 feet. (MS)

Hampton Roads - Hampton Roads Bridge Tunnel –

All interested parties are notified that the Commander, Fifth Coast Guard District has received a proposal from the Virginia Department of Transportation (VDOT) for construction of a new highway fixed bridge tunnel over a navigable waterway of the United States.

**WATERWAY AND LOCATION:** Hampton Roads, mile 0.0, between City of Norfolk, VA and the City of Hampton, Hampton County, VA.

**CHARACTER OF WORK:** The proposed project is to construct a third Hampton Roads Bridge Tunnel crossing. VDOT has proposed that the third bridge-tunnel with adjoining bridges to the north and south will be located to the west of the existing Hampton Roads Bridge Tunnel system. The bridges will also have the same vertical and horizontal clearances of 10 feet above mean water and 45 feet, respectively, as the existing Hampton Roads Bridge Tunnel system. The purpose of the project is to relieve congestion in a manner that improves accessibility, transit, emergency evacuation, and military and goods movement along the primary transportation corridors in the Hampton Roads region including I-64, I-664, I-564, and VA Route 164 corridors.

**A copy of Preliminary Public Notice 5-1382, which describes the proposal in detail, can be obtained by calling (757) 398-6557 or by viewing at <https://www.navcen.uscg.gov/?pageName=pnBridges>.** Comments on this proposal should be forwarded to the address in the notice no later than **14 DEC 2017**. (MT)

#### **SECTOR NORTH CAROLINA**

- **North Carolina**
  - Atlantic Intra-coastal Waterway – NC 210/50 Bridge, Surf City, NC - proposed new fixed bridge structure to replace (swing) bridge. Permit 2-16-5 signed September 27, 2016. (KB)
  - The Straits – Harkers Island Bridge – Bridge Replacement - Fixed replacement bridge Preliminary Navigation Clearance Determination (PNCD) issued on March 24, 2017; vertical clearance of 45 feet above mean high water and a horizontal clearance of 125 feet. (HP)
  - Perquimans River – US 17 Business Bridge (Hertford, NC) – Replacement swing drawbridge Preliminary Navigation Clearance Determination (PNCD) issued on November 1, 2017; vertical clearance of 33 feet above mean high water and a horizontal clearance of 55 feet. NCDOT preferred alternative will provide a vertical clearance of 12 feet above mean high water in the closed position, unlimited vertical clearance in the open position and a horizontal clearance of 55 feet. (HP)

#### **Regulations:**

##### **SECTOR DELAWARE BAY**

- **Delaware** – None
- **New Jersey (Central & Southern)**
  - NJICW Barnegat Bay - Thomas Mathis Bridge (SR37) – Maintenance is scheduled between October 20, 2017, and March 31, 2018. From 8 a.m. on October 20, 2017, to 8 a.m. on December 1, 2017, a Safespan work platform will be installed on the anchor spans adjacent to the bascule span, reducing the vertical clearance in the anchor spans by approximately two feet. From 8 a.m. on December 1, 2017, to 8 p.m. on March 31, 2018, the vertical clearance of the main navigation span of the bridge will be reduced by approximately 5 feet, due to temporary shielding of the bascule span, reducing the vertical clearance of the bridge in the closed position to approximately 25 feet above mean high water. The operating regulation of the bridge in Title 33 Code of Federal Regulations 117.733(c) (4) allows the bridge to be maintained in the closed-to-navigation position from 8 a.m. on December 1, 2017, until 8 p.m. on March 31, 2018. Mariners should use caution when transiting the area during the scheduled maintenance period. (HP)
  - Delaware River - DELAIR Memorial Railroad Bridge -The Coast Guard has issued a temporary deviation authorizing the DELAIR Memorial Railroad Bridge over the, mile 104.6, in Delair, NJ, to be remotely operated from the Conrail South Jersey dispatch center in Mount Laurel, NJ, from 8 a.m. on October 21, 2017, to 7:59 a.m. on April 19, 2018. This deviation will test the remote operation capability of the drawbridge to determine whether the bridge can be safely operated from a remote location. During the temporary deviation, a bridge tender will be stationed on-site at the bridge and will be able to immediately take local control of the bridge, as required. The remote operation system of the bridge incorporates a dedicated telephone line (856) 231-2301 for bridge operations, a push-to-talk (PTT) opening signal of 5 clicks on VHF-FM channel 13, and an automated identification system (AIS) transmitter to provide real-time bridge status. AIS bridge status is provided via the name transmitted by the private aids to navigation as: DELAIR BRG-OPEN (fully open and locked position, channel light green), DELAIR BRG-CLOSED (other than fully open, not inoperative), or DELAIR BRG-INOP (other than fully open, inoperative). The AIS transmitter is assigned maritime mobile service identity (MMSI) number 993663001 and has been installed on the New Jersey side of the bridge at the bridge and land intersection in approximate position 39 degrees, 58 minutes, 50.52 seconds North (39.9807 N), 75 degrees, 03 minutes, 58.75 seconds West (-75.06632 W). The Coast Guard is encouraging public participation and requesting comments concerning this temporary (test) deviation. Comments and related material must reach the Coast Guard on or before March 2, 2018. Please access the Federal eRulemaking Portal at <http://www.regulations.gov> to view docket number USCG-2016-0257 for additional details and to provide comments concerning this temporary (test) deviation. (HP)
  - Grassy Sound Channel & Townsend Inlet - Grassy Sound Channel (Ocean Drive) Bridge & Townsend Inlet Bridge – Bridges will be maintained in the closed-to-navigation position from 9:15 a.m. to 2:30 p.m., on Sunday April 22, 2018, to accommodate the annual Ocean City Marathon event. At all other times the Grassy Sound Channel (Ocean Drive) Bridge will operate in accordance with Title 33 Code of Federal Regulations (CFR) 117.721 and the Townsend Inlet Bridge will operate in accordance with 33 CFR 117.757. Mariners able to pass under the closed span of these bridges may do so at any time. Mariners should exercise caution when transiting the area. (KB)

- **Pennsylvania** – None

##### **SECTOR MARYLAND-NATIONAL CAPITAL REGION**

- **Washington, DC & Virginia (Northern)** – None
- **Maryland** – None

##### **SECTOR HAMPTON ROADS**

- **Virginia (Southern)** – None

##### **SECTOR NORTH CAROLINA**

- **North Carolina** - None

#### **Construction, et al:**

##### **SECTOR DELAWARE BAY**

- **Delaware**

Christina River – Industrial Trail Track Bridge (new pedestrian bridge) - Construction activities will begin on January 03, 2017, and are expected to finish on April 27, 2018. Workers will be on-scene from 7 a.m. to 4 p.m.; M-F. To facilitate the construction, a 41' barge and 2 work boats will be in and around the vicinity and will relocate from the navigable channel, upon request. The 41' barge will remain on-scene after work hours away from the navigational channel. Work vessels may be reached on VHF-FM channel 13. The project foreman can be reached at (302) 363-1093. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners and broadcast notice to mariners. Mariners are urged to use caution when transiting the area.

- **New Jersey (Central & Southern)**

Delaware River – Commodore Barry (fixed) Bridge – To facilitate painting, work will continue until 2019. Work platforms will be installed 3 feet beneath the bridge in various locations reducing the vertical clearance to 178 ft. above mean high water at the edge of the navigable channel (187 ft. center of channel). Phase 1 – NJ approach girder and deck truss spans due completion in September 2016. Phase 2 – PA approach girder and deck truss spans, scheduled to commence fall of 2016. Phase 3 – Cantilever truss span, scheduled to commence in 2017 and conclude in 2019. Mariners should exercise caution.

Drag Channel & Great Egg Harbor Bay (GEHB) – Garden State Parkway (fixed) Bridges - Marine work consisting of several activities including but not limited to temporary cofferdam construction, superstructure erection and demolition are in progress through December 2018 for the replacement of the existing southbound bridges and rehabilitation of the northbound bridges. In addition to replacing the southbound causeway, the project includes the demolition of the remaining portions of the Beesely's Point Bridge (US Route 9 over GEHB and Drag Channel). Daily hours of construction operations are Monday through Saturday from 7 a.m. to 5 p.m. with a second shift and 24-hour operations scheduled for specific activities. It is anticipated that closure or reduced horizontal clearance of the navigational channels will be required. (HP)

Great Egg Harbor Bay - Garden State Parkway (southbound) Bridge – Demolition of the old bridge will be performed from November 1, 2016 until February 28, 2018, between 7 a.m. and 4 p.m., Monday through Saturday. A second work shift and 24-hour operations may be scheduled via separate notice and broadcast notice to mariners. One to three 40-foot barges will be placed in the navigation span from November 21, 2016, until January 15, 2017, limiting the approximate horizontal clearance through the navigation span to between 30 feet and 110 feet. Vessels and barges will be operating and working in the area and necessary waterway closures will be scheduled via separate notice and broadcast notice to mariners. A work trestle situated at the southwest end of the Garden State Parkway Bridge erected in 2013 in connection with the construction of the new southbound structures will be used for equipment staging and debris removal. Mariners should use extreme caution when transiting the area. (HP)

Great Egg Harbor Bay - Garden State Parkway (northbound and southbound) Bridges – Construction of a new fender system will occur from April 17, 2017, until February 26, 2018, between 7 a.m. and 4 p.m., Monday through Friday. One or more barges will be placed in the navigation span adjacent to the fender system, limiting the horizontal clearance through the navigation span to approximately 90 feet. Vessels may contact the marine superintendent via VHF-FM channels 13, 16 or 9 and (609) 381-9837. Mariners should use extreme caution when transiting the area. (HP)

Great Egg Harbor Bay - Garden State Parkway (Northbound) Bridge - Maintenance will be performed from November 1, 2016, until February 28, 2018, between 7 a.m. and 4 p.m., Monday through Saturday. A second work shift and 24-hour operations may be scheduled via separate notice and broadcast notice to mariners. Bridge work will include superstructure removal and replacement, deck repair and resurfacing, parapet replacement, substructure repairs, and fender replacement. A work platform extending approximately 2 feet below low steel of the bridge will be installed over the middle portion of the bridge, reducing the vertical clearance of the navigation span to approximately 48 feet. Vessels and barges will be operating and working in the area and necessary waterway closures will be scheduled via separate notice and broadcast notice to mariners. Mariners should use extreme caution when transiting the area. (HP)

Delaware River - Interstate 276/Delaware River Turnpike Bridge - Repainting and miscellaneous improvements will be performed from mid-November 2015 through December 31, 2018. All work on the bridge superstructure will continue to be performed from 7 a.m. to 7 p.m.; M-F; and from 6 a.m. to 6 p.m. on the weekends. The repainting and miscellaneous improvements ongoing since mid-November, 2015, will be extended through to December 31, 2018. A work platform occupying approximately half of the navigation span, will continue to reduce the vertical clearance by approximately 5 feet to approximately 130 feet above mean high water. The project foreman can be contacted at 267-767-2550. Mariners should use extreme caution when transiting the area. (MT)

Manahawkin Bay (NJICW) - Route 72 Bridges – Bridge construction continues until May 2019.

The new Route 72 Manahawkin Bridge has a vertical clearance of 55 feet above mean high water and a horizontal clearance of 100 feet between fender systems. In addition to bridge construction, marine construction operations include installation and removal of work trestles, caissons and cofferdams, bridge scaffolding and false work, as well as demolition of portions of the existing bridge not utilized in the new bridges. Vessels and barges used during marine construction and will monitor VHF-FM channel 13. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Mariners should use caution when transiting the area. (MT)

NJICW (Beach Creek) - SR 147 (Beach Creek Bridge) Bridge - Maintenance will be conducted from 7 a.m. to 7 p.m.; 7 days a week; on Tuesday, October 10, 2017, through Monday, July 2, 2018. Work will consist of repair and rehabilitation of the bridge fender system. A 26 ft. work vessel and two work barges will be in and around the vicinity of the bridge. During the maintenance period, the horizontal clearance of the bridge will be reduced by approximately 20 feet to approximately 20 feet of available navigable clearance during the work hours, and will be reduced by approximately 10 feet to approximately 30 feet of available navigable clearance at all other times. Vessels that can safely transit through the reduced horizontal clearances may do so at any time. Maintenance personnel, equipment and vessels will relocate from the navigable channel, upon request. The work vessel and work barges may be reached on VHF-FM channel 13. The project foreman can be reached at (610) 368-3739 or (267) 907-6501. Mariners who need more than 20 feet of horizontal clearance during work hours should notify the work foreman no less than 24 hours prior to navigating through the bridge. Mariners should use extreme caution when transiting the area.

Delaware River - SR 413 (Burlington-Bristol) Bridge -Maintenance will be conducted between September 18, 2017 and March 20, 2018; from 7 a.m. to 7 p.m.; M-F and from 6 a.m. to 6 p.m. Sat-Sun; the towers of the bridge are to be cleaned and painted; No work will be done in or on the navigable portions of the bridge. The project foreman can be reached at (267)-767-2550 or (609) 381-1407. Mariners should use caution when transiting the area.

New Jersey Intracoastal Waterway (NJICW) (Cape May Canal) - SR 162 (CR 626/Seashore Road) Bridge - Maintenance to the bridge fender system, which began in October, 2017, will continue to be conducted from 6 a.m. to 11 p.m.; 7 days a week; from Monday, February 26, 2018, through Saturday, March 31, 2018, and from 6 a.m. to 6 p.m.; M-F; from Sunday, April 1, 2018, through Thursday, May 31, 2018. Work will consist of repair and rehabilitation of the bridge fender system. A 26 ft. work vessel and two work barges will be in and around the vicinity of the bridge. During the maintenance period, the horizontal clearance of the bridge will be reduced by approximately 40 feet to approximately 40 feet of available navigational clearance during the work hours, and will be reduced by approximately 10 feet to approximately 70 feet of available navigable clearance at all other times. Vessels that can safely transit through the reduced horizontal clearances may do so at any time. Maintenance personnel, equipment and vessels will relocate from the navigable channel, upon request. The work vessel and work barges may be reached on VHF-FM channel 13. The project foreman can be reached at (610) 368-3739 or (267) 907-6501. Mariners who need more than 40 feet of horizontal clearance during work hours should notify the work foreman no less than 24 hours prior to navigating through the bridge. Mariners should use extreme caution when transiting the area. (MT)

Musquash Brook and Shark River Bay - N-17 (East End Avenue) Bridge - Maintenance will be conducted from October 11, 2017 to May 25, 2018; Monday through Saturday, from 7 a.m. to 3:30 p.m. A work float and work vessels will be in and around the vicinity of the bridge during the work hours. The vessels and crew will not block the navigational channel. The Project Foreman can be reached at 973-621-2828 or VHF/FM CH 13. Mariners should use caution when transiting the area.

Crook Horn Creek - Roosevelt Boulevard Bridge - Maintenance will be conducted from October 9, 2017, to May 1, 2018, M-F; from 6 a.m. to 5 p.m. The bridge's vertical clearance will be reduced to 33 feet above mean high water. Maintenance personnel and equipment will be working on the surface of the bridge exclusively and will not affect the navigable waterway.

NJICW (Grassy Sound Channel) - SR 147 (North Wildwood Boulevard) Bridge - Maintenance will be conducted from 7 a.m. to 7 p.m.; 7 days a week; on Thursday, December 21, 2017 through September 30, 2018. Work will consist of repair and rehabilitation of the bridge fender system. A 26 ft work vessel and two work barges will be in and around the vicinity of the bridge. During the maintenance period, the horizontal clearance of the bridge will be reduced by 50 feet to approximately 50 feet of available navigational clearance during the work hours, and will be reduced by approximately 10 feet to approximately 90 feet of available navigational clearance at all other times. Vessels that can safely transit through the reduced horizontal clearances may do so at any time. Maintenance personnel, equipment and vessels will relocate from the navigable channel, upon request. The work vessel and work barges may be reached on VHF-FM channel 13. The project foreman can be reached at (610) 368-3739 or (267) 907-6501. Mariners who need more than 50 feet of horizontal clearance during work hours should notify the work foreman no less than 24 hours prior to navigating through the bridge. Mariners should use extreme caution when transiting the area.

Big Timber Creek (South Branch) - SR 42 Bridge - Maintenance will be conducted from January 30, 2018, to September 18, 2019. Work barges will be in and around the vicinity of the bridge and will not be blocking the navigable channel. The bridge has a horizontal clearance of 60 feet. The Project Foreman can be reached at 609-517-6658 or VHF/FM CH 13. Mariners should use caution when transiting the area.

New Jersey Intracoastal Waterway (NJICW) (Cape May Canal) - SR 109 Bridge - Maintenance to the bridge fender system, which began in September, 2017, will continue to be conducted from 6 a.m. to 11 p.m.; 7 days a week; from Monday, February 26, 2018, through Saturday, March 31, 2018, and from 6 a.m. to 6 p.m.; M-F; from Sunday, April 1, 2018, through Thursday, May 31, 2018. During the maintenance period from February through March, 2018, a 26-foot work vessel and two work barges will be in the vicinity of the bridge during work hours, which will reduce the horizontal clearance of the bridge to approximately 40 feet. Mariners who need more than 40 feet of horizontal clearance, should notify the work foreman no less than 24 hours prior to navigating through the bridge. The horizontal clearance of the bridge will be reduced to approximately 70 feet at all other times. Vessels who can safely transit through the reduced horizontal clearances, may do so at any time. Maintenance personnel, equipment and vessels will relocate from the navigable channel, upon request. The work vessel and work barges may be reached on VHF-FM channel 13. The project foreman can be reached at (610) 368-3739 or (267) 907-6501. Mariners should use extreme caution when transiting the area. (MT)

- **Pennsylvania** –

Delaware River – Walt Whitman Bridge (I-76) - Painting of the suspension spans and towers will be conducted from October 19, 2015 to March 31, 2018, between 7 a.m. and 5 p.m. daily. A work platform extending 3 feet beneath the lower portion of the bridge will be installed over the entire length of the bridge. The vertical clearance of the bridge will be reduced by 3 feet to approximately 136 feet above MHW. Mariners should use caution when transiting the area.

## SECTOR MARYLAND-NATIONAL CAPITAL REGION

- **Maryland**

Choptank River - MD 331/Dover (fixed) Bridge – Construction activities begun on September 16, 2014 and are expected to finish in November 2018. Detailed project information and information concerning the waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, and vessels are operating or stationed in the vicinity of the existing and new bridge. McLean Contracting Company's tugs and vessels are monitoring VHF-FM channel 13 when work is in progress or vessels are operating in the area. The MDSHA project engineer may be contacted at (816) 989-4019 and McLean Contracting Site Supervisor may be contacted at (443) 980-7633. Mariners should use extreme caution when transiting the area. Project Information may be found at: <http://apps.roads.maryland.gov/WebProjectLifeCycle/ProjectSchedule.aspx?projectno=TA392515>

Bear Creek - I-695 Bridge - Maintenance will be conducted between Wednesday, April 19, 2017, and Thursday, May 31, 2018; Mon-Fri; from 6 a.m. to 5 p.m. Repair and rehabilitation of the bridge will require up to 30-foot-wide construction barges, and various construction craft to be working outside the navigable channel. This maintenance project is in

conjunction with the Francis Scott Key Bridge project. Periodic maintenance updates will be added into the Local Notice to Mariners. Maintenance personnel, equipment and vessels can relocate. The vessels may be reached on VHF-FM channel 13 and 16. Mariners should use caution when transiting the area.

Patapsco River - Francis Scott Key Bridge - Maintenance will be conducted between Wednesday, April 19, 2017, and Thursday, May 31, 2018; Mon-Fri; from 6 a.m. to 5 p.m. Repair and rehabilitation of the bridge will require up to four, 30-foot-wide construction barges, and various construction craft to be working outside the navigable channel. The work will also include dive operations from a 24-foot wide barge. Periodic maintenance updates will be added into the Local Notice to Mariners. Maintenance personnel, equipment and vessels can relocate. The vessel may be reached on VHF-FM channel 13 and 16. The project superintendent can be reached at (571) 422-7954. Mariners should use caution when transiting the area. (MB)

Patapsco River - Francis Scott Key Bridge - Maintenance will be conducted between Monday, April 9, 2018, and Friday, April 13, 2018; Mon-Fri; from 6 a.m. to 5 p.m. Repair and rehabilitation of the bridge will require a tug and construction barge, 120 feet long by 70 feet wide to work inside the navigable channel. The barge will be working parallel to the pier and will encroach 70 feet into the navigable channel. The tug and barge will leave the channel after each workday. Maintenance personnel, equipment and vessels can relocate with 60 minutes notice. The vessel may be reached on VHF-FM channels 13 and 16. The project superintendent can be reached at (410) 977-0028. Mariners should use caution when transiting the area. (MB)

Chesapeake Bay - US 50/US 301 (William P. Lane Jr. Memorial) (Eastern Channel) Westbound Bridge - Maintenance will be conducted from July 10, 2017, through June 20, 2019; 24 hours a day; 7 days a week. The work will involve bridge spans 44-49, broken into two phases. The first phase will commence on July 10, 2017, with spans 47-49, and the second phase for spans 44-46 (span 45 is the navigational span) will commence on a later date to be published via an updated LNM. A work platform will be attached to the underside of bridge which will reduce the vertical clearance of the bridge spans by approximately 2 feet. A barge and work vessels will be in and around the vicinity of the bridge. Work vessels may be reached on VHF-FM channel 13. The project foreman can be reached at (910) 228-9164. Mariners should use caution when transiting the area.

Severn River - US 50 Bridge - Maintenance will be conducted 24 hours, Monday-Saturday from August 7, 2017, through August 30, 2018. Two crane barges and two work boats will be in and around the vicinity of the bridge. The maintenance will require scaffolding to extend a maximum of three feet below the bridge, which will be inside the navigable channel. A minimum vertical clearance of 74.6 feet above mean high water will be attained. Mariners should use caution when transiting the area.

Patapsco River Southern Branch - I-895 Bridge - Maintenance will be conducted between September 22, 2017 through September 1, 2018; 24 hours a day; 7 days a week. The bridge superstructure will be replaced. A work vessel and several work barges will be located adjacent to the bridge. Maintenance personnel, equipment and vessels will not impede into the navigable channel. The project foreman can be reached at (443) 392-8089. Mariners should use caution when transiting the area.

Curtis Creek - I-695 Bridge - Maintenance will be performed from January 8, 2018, through November 30, 2018, 24 hours a day. During the maintenance period, barges will be placed in the navigable channel, reducing the horizontal clearance to between 128 feet and 160 feet. The bascule spans will be placed in the open-to-navigation position or opened on signal, if at least a one-hour notice is given, as provided in 33 CFR 117.557. Barges will relocate outside of the navigable channel, if at least a one-hour notice is given. Vessels may contact the project engineer at (410) 330-7332 or project manager at (410) 377-9655 concerning bridge openings and navigation safety. Vessels engaged in bridge maintenance may be contacted via VHF-FM channels 13 or 16. Mariners should use caution when transiting the area during the scheduled maintenance period.

Spa Creek - MD 181 (Sixth Street) Bridge - Inspection will be performed between February 19, 2018, and February 23, 2018, from 8 a.m. to 4 p.m. Testing of the movable span will include multiple openings. The underside of the bridge will be accessed from the top of the bridge utilizing a snooper truck. A 16-foot work boat will assist with the inspection effort; the crew will relocate from the movable span and channel upon request. The Project Foreman can be reached via VHF/FM Channel 13 or (410) 494-9093. Mariners should use caution when transiting the area. (MS)

Curtis Creek - CSX Swing Bridge - Bridge will remain in the closed-to-navigation position to facilitate installation of railroad ties across the swing span of the drawbridge. The bridge will remain in the closed position from 8 a.m. to 2:30 p.m.; Monday through Friday; from March 5, 2018, through March 30, 2018. During the closure period, the bridge will be able to open on signal, if at least one-hour notice is given. The bridge will be able to open for emergencies, if at least 15 minutes' notice is given. The bridge may be contacted at (410) 354-5593 24 hours per day. Vessels able to pass under the closed span of 13 feet above mean high water during the closure period, may do so at any time. The bridge foreman may be reached at (443) 695-0602 and on VHF-FM channels 13 and 16. Mariners should adjust their transits accordingly and should use caution when transiting the area. (MT)

Bohemia River - Maryland 213 Bridge - Bridge maintenance. The maintenance will require a 25' work vessel that will be tied-off to the bridge piers and fender system from Monday, April 16, 2018, through Friday, April 20, 2018; from 7 a.m. to 4 p.m. The vessel will be monitoring channels 16 & 13 and may be reached via telephone at 443-243-4067. The vessel can relocate with at least 30 minutes notice. Mariners should remain vigilant and use caution when transiting the area. (MB)

- **Washington DC** - None
- **Virginia (Northern)** - None

#### SECTOR HAMPTON ROADS

- **Virginia (Southern)**

Lynnhaven Inlet - US 60/John A. Lesner (fixed) Bridge - Work is in progress through August 30, 2019 for a new replacement bridge at essentially the same location. The new bridge will have a vertical clearance of 45 feet above MHW, along with a horizontal clearance of 150 feet between face of the fenders. A dredge material placement site will be located southwest of the existing bridge, adjacent to the boat ramp facility and used as a staging area. The contractor will access the lay down and staging area via the waterway through a proposed temporary bulkhead. (HP)

Rappahannock River - Robert O. Norris Bridge - The bridge painting maintenance which began in October, 2016, will continue to be conducted through to July 1, 2018; 24 hours a day; 7 days a week. The vertical clearance of the bridge will be reduced to approximately 106 feet above mean high water. A work platform will be attached to the bridge. Maintenance personnel, equipment, two barges and work vessels will be in the vicinity of the bridge. Quick flashing red lights will be positioned no more than 10 feet apart and on all corners, to mark the bottom of the work platform used attached to the bridge. Legible signs will be erected on the existing fender system to bring awareness regarding the reduced clearance. Work vessels may be reached on VHF-FM channel 13. The project foreman can be reached at (804) 577-0049 or (216) 235-3933. Mariners should use caution when transiting the area. (MT)

James River - I-295, Varina-Enon Bridge - Maintenance will be conducted between Monday, October 2, 2017, through Tuesday, May 01, 2018; M-F; from 9 a.m. to 5 p.m. All work will be conducted outside the navigable channel and should not interfere with vessels within the navigable channel. No vertical or horizontal restrictions are anticipated. Mariners should remain vigilant and use caution when transiting the area.

Elizabeth River - I-64 High Rise Bridge - Maintenance will be conducted from July 31, 2017 to March 2, 2018; 7 days a week from 7 a.m. to 5 p.m. Repair and rehabilitation of the bridge will occur. A barge and work boats will be in and around the vicinity of the bridge. The work barge will reduce the horizontal navigational clearance to 70 feet for the duration of the project. Maintenance personnel, equipment and vessels will relocate from the navigable channel with 24-hour advanced notice for mariners that require additional clearance to navigate safely through the bridge. Work vessels may be reached on VHF-FM channel 13. The project foreman can be reached at (813) 347-2134. Mariners should use caution when transiting the area. (MS)

## SECTOR NORTH CAROLINA

- **North Carolina**

Gallants (Beaufort) Channel – US 70/Grayden Paul (fixed) Bridge – Work is in progress through October 31, 2017, for construction of a high-level fixed bridge relocated between Radio Island and Michael J Field in Carteret County. When completed, the new high-level fixed bridge will have a vertical clearance of 65 feet above MWH, along with a horizontal clearance of 100 feet between pile bents. The construction operation will include in-water work involving pile driving, concrete placement, girder setting, and concrete deck installation with post tensioning. Tugboats and barges will be used and will monitor VHF channel 13 in the event that mariners need to contact the contractor. Waterway closures are being planned. (HP)

Oregon Inlet - Herbert C. Bonner Bridge – Construction activities for the replacement bridge will begin on March 7, 2016 and are expected to finish on August 30, 2019. Work will be on-going 24-hours per day, seven days a week. Detailed project information and information concerning waterway closures will be provided via updated local notice to mariners, broadcast notice to mariners and marine safety information bulletins. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new bridge. A work trestle/loading dock will be constructed approximately 200 yards south of the southeastern end of the existing Bonner Bridge, on the southwest side of South Point in Pamlico Sound, extending 150 feet southwestly from the shoreline and terminate at approximately 35.766 N, 75.526 W. Running parallel to the dock will be a 245-foot breast-line comprised of eight 36-inch hollow pipe piles spaced fifty feet apart, to be used for mooring purposes. The breast-line will begin near shore and terminate at approximately 35.765N, 75.527 W. Each pile will be lit by a flashing white light. PCL Civil Constructors tugs and vessels will monitor VHF-FM channels 13 and 16 when work is in progress or vessels are operating in the area. The NCDOT Resident Engineer may be contacted at (252) 473-3637 and PCL Civil Constructors may be contacted at (252) 423-3093. Project information may be found at <http://www.ncdot.gov/projects/bonnerbridgereplace/>.

Atlantic Intracoastal Waterway (Alligator River) - US 64 (Alligator River Bridge) - Maintenance will be conducted Monday-Saturday from July 17, 2017 through July 17, 2018, from 6:30 a.m. to 6 p.m. A crane barge and work boats with divers will be in and around the vicinity of the bridge. Maintenance personnel, equipment and vessels will relocate from the moveable span and navigable channel, upon request. Work vessels may be reached on VHF-FM channel 16. The project foreman can be reached at (919) 437-4763 or (757) 449-4652. Mariners should notify the work foreman no less than one hour prior to navigating through the area and should use extreme caution when transiting the area.

Atlantic Intracoastal Waterway (Alligator River) - US 64 (Alligator River Bridge) - be maintained in the closed-to-navigation position to facilitate bridge maintenance from 7 a.m. to 7 p.m., on Wednesday, December 27, 2017, through Saturday, December 30, 2017; Monday, January 1, 2018, through Saturday, January 5, 2018; and Monday, January 8, 2018, through Tuesday, January 9, 2018. During these closure periods the bridge will open on signal, if at least 2 hours notice is given. The bridge will also remain in the closed-to-navigation position 24 hours a day, 7 days a week, from 6 a.m. on Wednesday, January 10, 2018, through 6 p.m. on Wednesday, January 17, 2018; and from 6 a.m. on Wednesday, March 14, 2018, through 6 p.m. on Wednesday, March 21, 2018. Alternative work dates for these closure periods will be from noon on Thursday, January 18, 2018, through 6 p.m. on Wednesday, January 24, 2018; and from noon on Thursday, March 22, 2018, through 6 p.m. on Thursday, March 29, 2018. If the alternative work dates from noon on Thursday, January 18, 2018, through 6 p.m. on Wednesday, January 24, 2018, are used, the bridge will also remain in the closed-to-navigation position from 7 a.m. to 6 p.m., Monday through Saturday, from January 22, 2018, through March 14, 2018, except for scheduled daily openings at noon, if at least 2 hours notice is given. If the alternative work dates from noon on Thursday, January 18, 2018, through 6 p.m. on Wednesday, January 24, 2018, are not used, the bridge will also remain in the closed-to-navigation position from 7 a.m. to 6 p.m., Monday through Saturday, from January 17, 2018, through March 14, 2018; except for scheduled daily openings at noon, if at least 2 hours notice is given. Vessels able to pass through the bridge in the closed-to-navigation position may do so at any time. During the 24-hour closure periods, the bridge will not be able to open for emergencies and the Croatan Sound to the Pamlico Sound can be used as an alternative route for vessels unable to pass through the bridge in the closed position. During the closure periods with scheduled openings at noon, the bridge will be able to open up for emergencies, if at least one hour notice is given. During the bridge maintenance, a barge will be placed in one navigation span and the other navigation span will be open for vessels to transit through the bridge. The bridge has a vertical clearance of 14 feet above mean high water in the closed position and a horizontal clearance of 100 feet in each navigation span. Work vessels may be reached on VHF-FM channel 16 and the project foreman may be reached at (919) 437-4763 or (443) 790-8905. Mariners should navigate the waterway with extreme caution and due regard

for prevailing conditions on the waterway. All others should adjust their transits accordingly and use caution when transiting the area.

Currituck Sound - US 158 (Wright Memorial) Bridge - Maintenance will be conducted from 7 a.m. to 7 p.m.; 7 days a week; from October 03, 2017, through December 1, 2018. A 40 ft. barge, several work boats, several work platforms and a team of divers will be in and around the vicinity of the bridge. Maintenance personnel, equipment and vessels will relocate from the navigable channel, upon request. Work vessels may be reached on VHF-FM channels 13 and 16. The project foreman can be reached at (252) 340-2471 or (936) 404-9514. Mariners should notify the work foreman no less than one hour prior to transiting through the bridge and should use caution when navigating the area.

Roanoke River - NC 45 Bridge – Fender maintenance will be conducted between Monday, December 04, 2017, through Thursday, April 5, 2018; M-F; from 7 a.m. to 6 p.m. All work will be conducted outside the navigable channel and should not interfere with vessels within the navigable channel. No vertical or horizontal restrictions are anticipated. Mariners should remain vigilant and use caution when transiting the area. (MB)

#### **FUTURE PROJECTS:**

##### **Permits/Construction:**

##### **SECTOR DELAWARE BAY**

- *Delaware* – None
- *New Jersey (Central & Southern)* - None
- *Pennsylvania* – None

##### **SECTOR MARYLAND-NATIONAL CAPITAL REGION**

- *Maryland*  
Potomac River - Theodore Roosevelt (fixed) Bridge - DDOT is conducting an investigation and assessment of the bridge, which will be completed winter of 2015. They'll assess structural condition, needs for extended life cycle, and safety compliance improvements. Then will do a design analysis of alternatives with construction in the future (no date given).
- *Washington, DC* –  
Anacostia River – 11th Street Bridge Park – Proposed fixed pedestrian bridge park to be built on retained substructure of old 11<sup>th</sup> Street Bridge. (HP)
- *Virginia (Northern)* – None

##### **SECTOR HAMPTON ROADS**

- *Virginia (Southern)* – None

##### **SECTOR NORTH CAROLINA**

- Mid-Currituck Sound (fixed) Bridge – Proposed new fixed structure.
- Perquimans River – US 17 business (fixed) Bridge – Proposed new fixed bridge structure to replace (swing) bridge in final review of the design and environmental package. (HP)
- Alligator River – US 64 (fixed) Bridge Proposed new fixed bridge structure to replace (swing) bridge in final review of the design and environmental package.
- Cape Fear River – Wilmington bypass south (fixed) Bridge Proposed new fixed bridge structure in review of the design and environmental package. (HP)



# SUMMARY OF DREDGING/MARINE CONSTRUCTION PROJECTS CURRENTLY IN PROGRESS

## \*\*\*\*DREDGING AND MARINE CONSTRUCTION CAUTIONS\*\*\*\*

Mariners are cautioned to stay clear of dredge, booster, floating (pontoon) and submerged pipelines, barges, derricks and operating wires associated with dredging and marine construction operations. Operators of vessels of all types should be aware that dredges and floating pipelines are held in place by cables, attached to anchors some distance away from the equipment. Buoys are attached to the anchors so that the anchors may be moved as the dredge advances and the location of the submerged pipelines are marked by buoys on each side of the channel. Mariners are cautioned to strictly comply with the Inland Rules of the Road when approaching, passing and leaving the area of operations, and remain a safe distance away from the dredge, booster, buoys, cables, pipeline, barges, derricks, wires and related equipment. Dredging projects are usually conducted 24 hours a day, 7 days a week. All fishnets, crabpots and structures in the general area must be removed prior to commencement of any work. A NO WAKE transit is requested of all vessels passing the dredge and if necessary to clarify a SAFE PASSAGE contact the dredge on the appropriate VHF-FM channels.

## NJ – MANASQUAN INLET TO BARNEGAT INLET – BEACHFILL OPERATIONS

Staging area updated.

Continuing until approximately **30 Nov 2018** the hopper dredge R.N. WEEKS and attendant plant will be operating approximately 2 miles offshore of Mantoloking Beach and Seaside Heights Beach, Ocean County, NJ.

Work limits for Borrow Area B is bound by the following approximate positions:

40° 2'34.84"N/ 74° 1'33.10"W  
40° 2'55.55"N/ 74° 0'54.55"W  
40° 2'50.03"N/ 74° 0'26.70"W  
40° 2'23.34"N/ 74° 0'26.89"W  
40° 2'13.31"N/ 74° 1'37.23"W/ 74°01'18.56"W

Pipeline Corridor for Area B is bound by the following approximate positions:

40° 2'12.59"N/ 74° 2'59.14"W  
40° 2'11.62"N/ 74° 2'58.86"W  
40°02'28.17"N/ 74°01'18.28"W  
40°02'29.14"W/ 74°01'18.56"W

Work limits for Borrow Area D is bound by the following approximate positions:

39°55'15.11"N/ 74° 2'4.69"W  
39°54'56.37"N/ 74° 2'40.37"W  
39°55'15.86"N/ 74° 3'10.92"W  
39°55'35.17"N/ 74° 2'41.02"W

Pipeline Corridor for Area D is bound by the following approximate positions:

39°55'27.56"N/ 74°04'28.43"W  
39°55'26.57"N/ 74°04'28.44"W  
39°55'26.22" N/ 74°02'56.02"W  
39°55'27.21"N/ 74°02'56.01"W

Work limits for Borrow Area A/E is bound by the following approximate positions:

39° 51' 59.59"N/ 74° 01' 47.931"W  
39° 52' 0.21"N/ 74° 02' 30.89"W  
39° 52' 32.13"N/ 74° 02' 54.79"W  
39° 52' 51.09"N/ 74° 02' 38.76"W  
39° 53' 20.11"N/ 74° 02' 29.07"W  
39° 53' 24.00"N/ 74° 02' 11.28"W  
39° 53' 6.00"N/ 74° 01' 44.01"W  
39° 52' 34.72"N/ 74° 01' 45.63"W

Staging Area at Barnegat Inlet is bound by the following approximate positions:

39°46.111'N/ 74° 7.198"W  
39°46.106'N/ 74° 6.960"W  
39°45.621'N/ 74° 7.145"W  
39°45.633'N/ 74° 6.875"W

For questions and or additional information contact [macruz@weeksmarine.com](mailto:macruz@weeksmarine.com) or contact Project Manager(s) on-site: Matt Henry (985) 237-5050, [mthentry@weeksmarine.com](mailto:mthentry@weeksmarine.com), Site Manager, Ted Tarvin - (856) 217-4509, [ttarvin@weeksmarine.com](mailto:ttarvin@weeksmarine.com). Ref LNM 34/17 Chart 12324

## NJ – HARVEY CEDARS – SURT CITY – BRANT BEACH – LONG BEACH ISLAND – FLOOD CONTROL AND COASTAL REPAIR

Starting approximately 10 March and continuing until approximately **15 Jun 2018** the hydraulic dredge R.S. WEEKS/hopper dredge MAGDALEN and attendant plant will be operating 3 nautical miles offshore of Long Beach Island, NJ.

Work limits for borrow area will be the perimeter bound by the following approximate positions:

39°40'6.56"N, 74° 5'25.27"W  
39°41'35.68"N, 74° 3'41.52"W  
39°40'48.98"N, 74° 2'27.00"W  
39°39'18.71"N, 74° 4'7.23"W

The staging area will be located between the following approximate positions at Barnegat Inlet:

39°46'6.66"N, 74° 7'11.88"W  
39°46'6.36"N, 74° 6'57.60"W  
39°45'37.26"N, 74° 7'8.70"W  
39°45'37.98"N, 74° 6'52.50"W

Pipeline corridors will be bound by the following approximate positions while pumping at Brant Beach:

39°37'39.06"N, 74°11'19.16"W  
39°37'0.06"N, 74° 9'52.65"W  
39°37'0.92"N, 74° 9'52.00"W  
39°37'40.79"N, 74°11'17.50"W

Once underway, dredging operations will continue a twenty-four (24) hours per day, seven days per week basis. Dredge and attendant plan will monitor marine VHF channels 13 and 16. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made.

Chart 12324

Pipeline corridors will be bound by the following approximate positions while pumping at Harvey Cedars:

39°41'5.68"N, 74° 8'40.58"W  
39°40'16.97"N, 74° 4'27.78"W  
39°40'17.93"N, 74° 4'27.47"W  
39°41'6.64"N, 74° 8'40.27"W

Pipeline corridors will be bound by the following approximate positions while pumping at Surf City:

39°40'8.53"N, 74° 9'24.00"W  
39°40'40.53"N, 74° 6'29.94"W  
39°40'16.97"N, 74° 4'27.78"W  
39°40'17.93"N, 74° 4'27.47"W  
39°40'41.55"N, 74° 6'29.93"W  
39°40'9.54"N, 74° 9'24.17"W

**\*\*\*\*NJ - BRIGANTINE INLET TO GREAT EGG HARBOR INLET – FLOOD CONTROL AND COASTAL REPAIR\*\*\*\***

Continuing until approximately **30 April 2018** the hydraulic dredge E.W. ELLEFSEN and attendant

plant will be operating in the vicinity of Brigantine Inlet.

Work limits for borrow area will be bound

by the following approximate positions:

39°26'52.73"N, 74°17'47.76"W

39°27'16.48"N, 74°19'23.21"W

39°26'39.05"N, 74°19'37.27"W

39°26'5.62"N, 74°18'10.83"W

The staging area will be located between the

following approximate positions.

1) 39 26 26.5968 N, 074 19 10.1012 W

2) 39 26 39.6802 N, 074 18 59.5044 W

3) 39 26 31.1711 N, 074 18 40.5867 W

4) 39 26 17.8159 N, 074 18 50.5786 W

Once underway, dredging operations will continue a twenty-four (24) hours per day, seven days per week basis. Dredge and attendant plan will monitor marine VHF channels 13 and 16.

Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made.

Chart 12318

Pipeline corridors will be bound by the following approximate positions.

5) 39 26 27.6241 N, 074 18 59.2321 W

6) 39 26 26.5123 N, 074 18 57.1326 W

7) 39 25 13.6202 N, 074 20 9.3984 W

8) 39 25 12.5155 N, 074 20 7.4202 W

9) 39 25 4.302 N, 074 20 7.0123 W

10) 39 25 0.0937 N, 074 21 8 W

11) 39 24 50.7759 N, 074 21 5.6191 W

**NJ – LITTLE EGG HARBOR TO CAPE MAY – BEACH NOURISHMENT**

Continuing until approximately **30 April 2018** the Hopper Dredge B.E. LINDHOLM will be operating 4.5 nautical miles offshore of Longport Beach, NJ.

Staging Area #1 will be located between the following approximate positions: 39°22'41.93"N/ 74°24'48.90"W and 39°22'32.03"N/ 74°24'37.66"W

Staging Area #2 will be located between the following approximate positions: 39°23'48.89"N/ 74°25'51.98"W and 39°23'32.55"N/ 74°25'40.73"W

Proposed Pipeline corridors will be bound by the following approximate positions:

PL Corridor #1:

39°19'51.64"N/ 74°29'19.08"W

39°18'34.71"N/ 74°28'19.60"W

39°18'28.87"N/ 74°28'29.57"W

39°19'44.89"N/ 74°29'31.86"W

PL Corridor #2:

39°18'41.20"N/ 74°31'22.69"W

39°17'36.63"N/ 74°30'15.98"W

39°17'41.91"N/ 74°30'05.96"W

39°18'49.63"N/ 74°31'10.20"W

Work limits for borrow area "H"

will be bound by the following approximate positions:

39°19'20.25"N/ 74°25'3.57"W

39°19'49.53"N/ 74°22'6.62"W

39°19'13.08"N/ 74°22'0.76"W

39°18'45.22"N/ 74°24'56.34"W

Once underway, dredging operations will continue a twenty-four (24) hours per day, seven days per week basis.

Chart 12316

**NJ – INTRACOASTAL WATERWAY – MANASQUAN RIVER TO CAPE MAY CANAL – MANAHAWKIN BAY – BRIDGE CONSTRUCTION**

A construction firm, on behalf of the NJ DOT will continue marine construction in the vicinity of the existing Route 72 Bridges over Manahawkin Bay, at NJICW mile 37.4, in Ship Bottom, Ocean County, NJ until **May 2019**. The new bridge has a vertical clearance of 55 feet above MHW and a horizontal clearance of 100 feet between fender systems. Operations include installation and removal of work trestles, caissons and cofferdams, bridge scaffolding and false work, as well as demolition of portions of the existing bridge. For more information, contact (732) 751-2088 or (732) 751-2020.

Chart 12234

**\*\*\*\*NJ - HOLGATE AND BEACH HAVEN – DEMOBILIZATION\*\*\*\***

Great lakes Dock and Dredge will be relocating and marking 27,000 feet of submerged pipeline off the shore of Beach Haven and Holgate Beach until 1 Jun 2018. Pipeline will be marked with lighted can buoys and orange Norwegian buoys.

Chart 12316

**NJ – GREAT EGG HARBOR BAY – DRAG CHANNEL - BRIDGE CONSTRUCTION & DEMOLITION UPDATE**

Marine work consisting of cofferdam construction, superstructure erection and demolition are in progress through **Dec 2018** for the replacement of the southbound bridges and rehabilitation of the northbound bridges of the Garden State Parkway. Ref LNM 03/16

Chart 12316

**NJ – NEW JERSEY INTRACOASTAL WATERWAY – STONE HARBOR – CAPE MAY LEWES FERRY CHANNEL – DREDGING**

On Mar 5, 2018, the dredge FULLERTON will proceed to conduct work at the Cape May Lewes Ferry Channel until **Apr 15, 2018**. The Dredge FULLERTON will be monitoring VHF-FM channel 13 and 16. Ref LNM 08/18

Chart: 12316

**NJ – SALEM RIVER – DREDGING**

H & L Contracting will be conducting dredging operations in the Salem River, NJ from 1 Mar to **15 Apr 2018**. There will be two points where submerged pipeline will be crossing the main navigational channel. These locations of submerged pipeline will be at: Salem River 39°34'08"n; 75°30'21"w and at the Fort Mott Ferry Dock 39°36'03"n; 75°33'18"w. All marine equipment operators will be monitoring VHF-FM channel 63, 16 and 13. Vessels are requested to transit with no wake when passing the dredge and dredge equipment. Dredge and work vessels will monitor vhf-fm channel 13 and 16. Mariners are advised to proceed with caution when transiting the area. Ref LNM 09/18

Chart 12277

**PA – NJ – DELAWARE BAY AND RIVER – MIAH MAULL TO LISTON RANGE – DREDGING**

The Dutra dredge PAULA LEE will be performing dredging operations beginning in Miah Maull working north to Liston Range, in the Delaware Bay and River, from Mar 10 thru **Jun 31, 2018**. The clamshell dredge will be dredging the main navigational channel beginning on the red side of the channel working north and then south on the green side of the channel. The dredge PAULA LEE will be able to move for vessel traffic. Vessels should contact the dredge 30 minutes prior to arrival to make safe passing arrangements. VHF-FM channel 14 and 82. Ref LNM 11/18

Chart 12304

**PA – NJ – DELAWARE RIVER - BILLINGSPOUR RANGE PBF LOGISTICS PAULSBORO DOCK - REPAIRS**

Commerce Construction Corporation will be performing dock repairs at PBF Logistics at their Paulsboro NJ dock, located along the NJ side of the Billingsport Range. A Commerce Crane and support barge will be positioned on the inshore side of the PBF logistics dock from approx. Feb 5 thru approximately **Apr 30, 2018**. Work will also be performed along the out shore edge of the dock for approx. 3 weeks starting the week of Feb 26, 2018. No work is planned in the channel. For more information, contact Chris Spence at 856-373-8595 or [cms@commerceconstruction.com](mailto:cms@commerceconstruction.com). Ref LNM 08/18 Chart 12312

**PA – NJ – WILMINGTON TO PHILADELPHIA – GIBBSTOWN - DREDGING - MARINE DEMOLITION - WHARF CONSTRUCTION**

Weeks Marine, Inc. will begin the dredging and construction for the Repauno Marginal Wharf on or about Dec 1, 2017 and will be completed on or about **Sep 15, 2018**. Dredging and demolition will commence in early Dec followed by the pile driving and construction of the new wharf. Equipment will be in place 24 hours a day and 7 days a week, work will be conducted during various times based on the tide and weather. For more information contact Weeks Marine, Tyler Drapeau at 908-290-7737. Ref LNM 47/17 Chart 12312

**MD – UPPER POTOMAC RIVER - ANACOSTIA RIVER – MARINE CONSTRUCTION OPERATIONS**

Marine Technologies Inc. will be conducting marine construction operations along the eastern shoreline of the Anacostia River at Joint Base Anacostia-Bolling until **20 Apr 2018**. Work will be conducted Mondays through Fridays, from 6 a.m. to 3 p.m., daylight permitting, and with weekends as weather makeup days. The project consists of relocating the existing NuStar Energy fuel pier and loading platform at the north end of Joint Base Andrews downstream to approximate position 38°52'02.1 N, 077°00'16.2 W. Mariners may contact the tugs SPIRIT or JEZEBEL via marine band radio VHF-FM channels 16 and 13, or Marine Technologies Inc. at 410-355-2000. Ref LNM 52/17 Chart 12289

**MD – TILGHMAN ISLAND – KNAPPS NARROWS – DREDGING**

Southwind Construction Company dredge JENNI LEA II, tenders ANN KAY and DANNY JOE will be conducting dredging operations in Knapps Narrows beginning 12 Mar and continuing until approximately **22 Apr 2018**. Floating rubber and polyethylene pipeline associated with dredging operation will traverse north/northwesterly from the Federal Channel of Knapps Narrows through the shallow waters of Back Creek to the adjacent Upland Fill Placement Area. Pipeline and all floating plant will be visibly lighted and marked with floating buoys in accordance with Coast Guard regulations. Mariners are urged to use extreme caution in the area, transit at their slowest safe speed to minimize wake, and proceed with caution after passing arrangements have been made with dredge. For more information, contact Mike Will at 812-483-1528 or Chris Barton at 812-454-7114. Ref LNM 09/18 Chart 12266

**MD – SMITH ISLAND – BIG THOROFARE – DREDGING**

Vortex Marine Construction will be conducting dredging operations in Big Thorofare, North West and South East of Ewell, in the vicinity of Ewell and Twitch Cove entrance channel South East of Smith Island. Dredging will start the second week of Oct and is expected to continue until **Apr 2018**. The dredge VORACIOUS with the tugboats BABE and AMITY, survey boat JOEY and crew boat ACE will be in the area and can be reached on VHF-FM Channel 13. Vortex Marine at 510-261-2400 or [tschefferlie@vortex-sfb.com](mailto:tschefferlie@vortex-sfb.com). LNM 35/17 Chart: 12228

**MD – CHESAPEAKE BAY – POPLAR ISLAND EXPANSION PROJECT**

Beginning on 4 Dec 2017, The Wesson Group will commence construction of several breakwater and dikes on the northern part of Polar Island. The project work will extend 1NM north of the island and will be approximately one-half nautical mile in width running east & west. From 4 Dec 2017 to **1 Jul 2019** multiple tugs, work vessels, and barges will be on scene conducting construction of the break waters and dikes. Mariners are advised to maintain a minimal wake and use caution when transiting the area. The on-site project manager, Mike Delaney, can be reached at (518) 332-8430. All on-scene vessels may be contacted via VHF Channel 16. Ref LNM 47-17 Chart 12266

**MD - CHESAPEAKE BAY - COVE POINT TO SANDY POINT - BRIDGE REHABILITATION CONTINUES AT THE WILLIAM P. LANE JR**

An engineering firm, on behalf of Maryland Transportation Authority, will be performing maintenance at US 50/US 301 (William P. Lane Jr. Memorial) (eastern channel) westbound bridge, over Chesapeake Bay, mile 138.1, near Stevensville, MD. The maintenance will continue through **June 20, 2019**; 24 hours a day; 7 days a week. A work platform will be attached to the underside of bridge which will reduce the vertical clearance of the bridge spans by approximately 2 feet. To facilitate the work, a barge will be anchored between bridge piers 47 and 48 outside the eastern channel in approx posit 38-59.264N, 076-21.264W. Work vessels may be reached on vhf-fm channel 13. The project foreman can be reached at (910) 228-9164. Ref LNM 39/17 Chart 12270

**MD – BALTIMORE HARBOR – DUNDALK CHANNEL – DREDGING**

McLean Contracting Company will be conducting dredging operations in Dundalk East Federal Channel & Dundalk Marine Terminal Berths 7-10 & 11-13, Patapsco River, in approximate position 39°14' 20° N, 76°31' 58° W. Dredging will be conducted from 15 Nov 2017 to **15 Jun 2018**, 24 hours a day, seven days a week. The vessels WHIRLEY CURTIS BAY, WHIRLEY NEWPORT NEWS and Barge # SC130 will be on scene and may be contacted on VHF-FM channel 16 and 13. For more information, contact John Hackmann, Superintendent at 443-623-8412 or Keith Aschenbach, Area Construction Manager, 410-215-3579. Chart 12281

**DC – UPPER POTOMAC RIVER - WASHINGTON CHANNEL – MARINE CONSTRUCTION**

Marine Construction activities until **Dec 2020**. Ref: LNM 12/14 Chart 12289

**DC – POTOMAC RIVER - WASHINGTON HARBOR – FRANCIS SCOTT KEY BRIDGE – REPAIRS**

DC DOT repairs to the existing US-29/Francis Scott Key Bridge (also known as the Key Bridge), across the Potomac River at mile 113. Work will begin on Sep 20, 2016, Monday through Friday, from 7 a.m. to 5 p.m. The **two-year** rehabilitation project includes spalling and spot repairing the concrete bridge piers, re-surfacing the bridge deck, and installing a fiberglass jacket at the footer of each pier. 40 ft x 80 ft deck barges will be positioned (spudded) next to the bridge piers, within the 200-ft wide span, at all times. Ref LNM 35/16 Chart 12289

**VA – CHESAPEAKE BAY - CAPE HENRY TO THIMBLE SHOAL LIGHT - BRIDGE CONSTRUCTION**

Construction continues on a new bridge to replace the John A. Lesner (US 60) Bridge across the Lynnhaven Inlet in Virginia Beach, VA until **Aug 30, 2019**. At times, small portions of the channel will be blocked to prevent anyone from passing underneath the portion of the bridge being worked on. Work will be on-going 24-hours per day, seven days a week. Temporary work platforms and other hazards, such as portions of the old bridge, will be lighted with fixed white lights until they are removed from the waterway. The new bridge will have a vertical clearance of 45 ft above MHW and a horizontal clearance of 150 ft between the fenders. Ref LNM 14/17  
Chart: 12254

**VA – ELIZABETH RIVER – NORFOLK HARBOR – DREDGING**

Cottrell Contracting Corporation of Chesapeake, Virginia Dredge ROCKBRIDGE will be conducting dredging operations in various locations within the Norfolk Harbor Federal Channel between Elizabeth River Channel Lighted Buoy 3 (LLNR 9465) and Elizabeth River Channel Lighted Buoy 25 (LLNR 9710) and at the Portsmouth Marine Terminal. The dredge will conduct operations until approximately **1 Jun 2018**. Ref LNM 04/18  
Chart 12245

**VA – HAMPTON ROADS - NORFOLK HARBOR – DREDGING**

The Dredge ESSEX is expected to commence dredging operations at the Craney Island Eastward Expansion Area on or about March 22, 2018. A submerged pipeline will be placed from the dredging area to the Craney Island Disposal Area. The dredge and associated equipment will be located 700 feet, or more, west of the main shipping channel near vicinity of Elizabeth River Channel Lighted Buoy 18 (LLNR 9600). Dredging is expected to continue until approximately **April 21, 2018**. Contact Norfolk Dredging at 757-547-9391 for more information.  
Chart 12245

**VA - DREDGING - JAMES RIVER - NEWPORT NEWS SHIPYARD DRYDOCKS 4,5 AND 6, FLOATING DRYDOCK AND PIER 3 – DREDGING**

W3 Marine and the dredge MOBRO 112 will be conducting dredging operations at the James River, Huntington Ingalls Pier 3, floating dry-dock and dry-dock 4,5, and 6; beginning on February 20 to **May 1, 2018**. Contact the dredge on VHF-FM channels 13 and 16. Mariners are requested to review the DREDGING and MARINE CAUTIONS notice at the beginning of this section. Ref LNM 08/18  
Chart 12248.

**VA – JAMES RIVER – SURRY – SKIFFES CREEK – CONSTRUCTION PROJECT**

Dominion Energy Virginia will be installing the foundation structures for a new overhead electric transmission line crossing the James River eastward of the Surry Nuclear Power Station until **Feb 2019** multiple tugs, work vessels, and barges will be on scene. Barges will be moored in the James River outside of the navigational channels. For more info, contact Ted Locascio at (757) 651-7288 or Adam Shager at (757) 672-7497. Ref LNM 44/17  
Chart 12248

**NC – CAPE HENRY TO PAMLICO SOUND – INCLUDING ALBEMARLE SOUND - BRIDGE CONSTRUCTION**

An engineering firm, on behalf of the North Carolina DOT, will be constructing a new bridge to replace the Herbert C. Bonner Bridge across the Oregon Inlet, at mile 0.9, Dare County, NC. Construction activities will begin on March 7, 2016 and are expected to finish on **Aug 30, 2019**. Ref LNM 09/16  
Chart 12205

**NC - OREGON INLET CHANNEL - HERBERT C. BONNER BRIDGE - CONSTRUCTION & REPLACEMENT**

Construction is ongoing until **Aug 30, 2019**. Detailed project information and waterway closures will be provided via updated LNM, BNMs and MSIBs. Tugs, crane barges, material barges, support vessels and crew boats will be operating or stationed in the vicinity of the existing and new bridge. Crane barges will be secured in place with four anchors connected by anchor wires to the corners of the barge. The anchor locations will be marked with yellow crown buoys within an approximate 500-ft radius of the crane barge. Contact the NCDOT Resident Engineer at (252) 473-3637 and contact PCL Civil Constructors at (252) 423-3093. Project information may be found at <http://www.ncdot.gov/projects/bonnerbridgereplace/>.  
Chart 12205

**\*\*\*\*NC – HATTERAS ISLAND – BUXTON BEACH – BEACH RESTORATION\*\*\*\***

Hopper dredge MAGDALEN has completed dredging operations at Buxton Beach project. Demobilization will occur until approximately **8 April 2018**.

Pipeline corridor for the Hopper Dredge will be bound by the following approximate positions:

35°16'55.75"N 75°30'56.16"W  
35°16'46.57"N 75°29'48.79"W  
35°16'55.97"N 75°29'46.03"W  
35°17'03.85"N 75°30'54.37"W

The work limits for borrow area will be bound by the following approximate positions:

35°14'06.41"N/ 75°30'02.50"W  
35°14'59.89"N/ 75°29'19.03"W  
35°15'6.98"N/ 75°28'46.05"W  
35°13'54.49"N/ 75°29'42.36"W

Dredging operations will continue twenty-four (24) hours per day, seven days per week. The dredge will monitor VHF channels 13 and 16. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to create minimum wake after passing arrangements have been made.  
Chart 11555

Pipeline corridor will be bound by the following approximate positions:

35°14'31.41"N 75°29'41.34"W  
35°14'46.80"N 75°29'29.22"W  
35°16'23.29"N 75°31'03.58"W  
35°16'09.02"N 75°31'05.96"W

Staging Area (1):  
35°46'8.70"N 75°31'38.68"W  
35°46'1.78"N 75°31'42.23"W  
35°46'0.91"N 75°31'35.20"W  
35°46'4.90"N 75°31'31.43"W

**\*\*\*\*NC – CAPE HATTERAS – HATTERAS TO OCRACOKE FERRY ROUTE – DREDGING\*\*\*\***

Cottrell Contracting Corporation of Chesapeake, Virginia dredge MARION and associated dredge equipment will be conducting dredging operations in the vicinity of South Hatteras Island and the Hatteras to Ocracoke Ferry. Operations will take place from Hatteras to Hatteras Connecting Channel and Hatteras Ferry Channel Ranges 3 through 5 from Hatteras Inlet Channel Daybeacon 27 (LLNR 28800) to Hatteras Inlet Channel Light 19 (LLNR 28765). Dredge operations will take place from March 19 through **07 April 2018**.  
Chart 11555

**\*\*\*\*NC – OCRACOKE INLET AND NORTHERN CORE SOUND – BIG FOOT SLOUGH CHANNEL – DREDGING\*\*\*\***

Updated completion date. Cottrell Contracting Corporation dredge LEXINGTON will be conducting dredging operations in the vicinity of Big Foot Slough Channel near Ocracoke Island, NC. Operations will take place from Big Foot Slough Daybeacon 9B (LLNR 29060) to Big Foot Slough Channel Light 14BF (LLNR 29087). Dredging operations will take place on or about 22 Feb to **15 Apr 2018**. Ref LNM 07/18  
Chart 11550

**\*\*\*\*NC – OCEAN ISLE BEACH – SHALLOTTE INLET – DREDGING\*\*\*\***

Starting approximately 8 March 2018, Weeks Marine Inc. will be mobilizing pipeline and equipment in the vicinity of Shallotte Sound, Ocean Isle Beach, NC. Starting approximately 19 March 2018 and continuing until **15 April 2018**, the hydraulic dredge C.R. MCCASKILL and attendant plant will be operating in the vicinity of Ocean Isle beach NC.

Borrow Area for Ocean Isle Beach will be bound by the following approximate positions:

33°54'23.85"N, 78°23'28.90"W

33°53'32.94"N, 78°23'22.38"W

33°53'35.32"N, 78°22'8.58"W and 33°54'44.19"N, 78°22'31.79"W

Equipment Staging Area for Ocean Isle Beach positions:

33°54'15.20"N, 78°23'28.10"W

33°54'13.86"N, 78°23'27.73"W

33°54'16.33"N, 78°23'11.80"W and 33°54'18.26"N, 78°23'12.38"W

Once underway, dredging operations will continue on a twenty four hours a day, seven days a week. The dredge will monitor VHF-FM channels 13 and 16. For information or questions contact James Price at 985-630-2512.

Chart 11534

## **SUMMARY OF MARINE EVENTS AND FIREWORKS DISPLAYS IN THE FIFTH COAST GUARD DISTRICT**

### **\*\*\*\*PA – DELAWARE RIVER – ESSINGTON – FISHING TOURNAMENT\*\*\*\***

There will be a fishing tournament in the Delaware River off Essington, PA on **April 7, 2018** from 6:00 am until 4:00 pm. Sponsor will be on shore and can be contacted at 610-299-8566. Mariners are urged to use caution when transiting the area.  
Chart 12312

### **MD – VA – POTOMAC RIVER – MATTAWOMAN CREEK TO GEORGETOWN – UPPER POTOMAC RIVER - LITTLE HUNTING CREEK – FIREWORKS DISPLAY**

A short-duration, aerial fireworks display is scheduled to occur on the Potomac River on **April 8, 2018**, at 9:30 p.m. Mariners are urged to use caution when transiting the area, and absent specific guidance, reminded to heed the directions of patrolling law enforcement and public safety officials, and absent specific guidance, should remain 500 feet from the fireworks barge located near the grounds of George Washington's Mount Vernon Estate and Gardens, in approximate position latitude 38°42'22.4" N., longitude 077°04'59.5" W., near Little Hunting Creek LB 4 (LLNR 18430). For any comments or questions contact Coast Guard Sector Maryland-National Capital Region, Waterways Management Division, at (410) 576-2674 or (410) 576-2693.  
Chart 12289

### **\*\*\*\*MD – DC – VA – POTOMAC RIVER - MATTAWOMAN CREEK TO GEORGETOWN - UPPER POTOMAC RIVER – NATIONAL HARBOR CHANNEL – FIREWORKS DISPLAY\*\*\*\***

A short-duration aerial fireworks display is scheduled to occur on the Potomac River at National Harbor, MD on **April 14, 2018** (no rain date), at approximately 9:30 p.m. The fireworks will be launched from a floating platform (pontoon boat) located approximately 175 yards from the grounds of the Gaylord National Resort & Conference Center, in approximate position latitude 38° 47' 02" N, longitude 077° 01' 13" W. Mariners are urged to use caution when transiting the area, and heed the directions of patrolling law enforcement and public safety officials. Absent specific guidance, mariners should remain 100 yards from the fireworks discharge site. For any comments or questions contact Coast Guard Sector Maryland-National Capital Region, Waterways Management Division, at telephone (410) 576-2674 or (410) 576-2693.  
Chart 12289

### **\*\*\*\*MD – CHESAPEAKE BAY – SEVERN RIVER - ROWING COMPETITION\*\*\*\***

An annual intercollegiate rowing competition is scheduled to occur on the Severn River at Annapolis, MD on Saturday, **April 14, 2018**, from 6:25 a.m. to 9:30 a.m. Up to 100 participants (in 64-foot long rowing shells) will race in heats along a 2,000-meter marked rowing course is located between Severn River Light 2 (LLN-19945) and the entrance to College Creek; an alternate course, if necessary, is located between Severn River Light 2A (LLN-19950) and Severn River Light 2 (LLN-19945). Mariners are urged to use caution and remain alert for other watercraft when transiting the area, proceed at the minimum speed necessary to maintain a safe course that minimizes wake while operating near the race course, and heed the directions of official patrol vessels, which can be contacted on marine band radio VHF-FM channel 16. For any comments or questions, contact Coast Guard Sector Maryland-National Capital Region at (410) 576-2674 or (410) 576-2693.  
Charts 12282, 12283

### **\*\*\*\*MD – CHESAPEAKE BAY – SEVERN RIVER - REGULATED AREA\*\*\*\***

An intercollegiate rowing competition is scheduled to occur on the Severn River on Saturday, **April 21, 2018** from 6:30 a.m. to 10 a.m. The 2,000-meter rowing course is located from the entrance to College Creek, upriver to Severn River Light 2 (LLN-19945); an alternate course is located from Severn River Light 2 (LLN-19945), upriver to the entrance to Chase Creek. As described in 33 CFR Sec. 100.501, a regulated area is established for all waters of the Severn River from shoreline to shoreline, bounded to the northwest by a line drawn from the south shoreline at latitude 39°00'58" N, longitude 076°31'32" W thence to the north shoreline at latitude 39°01'11" N, longitude 076°31'10" W. The regulated area is bounded to the southeast by a line drawn from the U.S. Naval Academy Light at latitude 38°58'39.5" N, longitude 076°28'49" W thence easterly to Carr Point, MD at latitude 38°58'58" N, longitude 076°27'41" W. The regulated area will be enforced from 6 a.m. through 10:30 a.m. on April 21, 2018. The effect will be to restrict vessel traffic on certain waters of the Severn River. The Coast Guard Patrol Commander or designated marine event patrol may forbid and control the movement of all vessels in the regulated area. When hailed or signaled by an official patrol vessel, a vessel in the area shall immediately comply with the directions given. Failure to do so may result in expulsion from the area, citation for failure to comply, or both. The marine event patrol and Patrol Commander may be contacted on marine band radio VHF-FM channel 16. For any comments or questions, contact Coast Guard Sector Maryland-National Capital Region, Waterways Management Division, at (410) 576-2674 or (410) 576-2693.  
Charts 12282, 12283

### **\*\*\*\*MD – CHESAPEAKE BAY – COVE POINT TO SANDY POINT – SEVERN RIVER – SAILING REGATTA\*\*\*\***

An annual sailing regatta is scheduled to occur in the Chesapeake Bay near the mouth of the Severn River on April 21, 2018, between 10 a.m. and 5 p.m. Approximately 20 auxiliary sail boats (25-45 feet in length) of various classes will compete on drop mark-type courses within two designated race areas located (1) between Tolly Point and Thomas Point, and (2) between Hackett Point and Tolly Point. Interested mariners can contact the Race Committee via marine band radio VHF-FM channels 16 and 77. For any comments or questions, contact Coast Guard Sector Maryland-National Capital Region, Waterways Management Division, at (410) 576-2674 or (410) 576-2693.  
Charts 12270, 12263

### **MD – CHESAPEAKE BAY – BALTIMORE HARBOR – BALTIMORE INNER HARBOR – ANNUAL WATERFRONT LIGHTS FESTIVAL**

The annual "Light City" festival is scheduled to occur in Baltimore's Inner Harbor nightly during **April 02-25, 2018**. The festival includes lighted art displays and sculptures on both land and water. On water displays will be located between Inner Harbor Piers 4 and 5 (3 displays) and Inner Harbor Piers 5 and 6 (1 display), tethered in place to both sides of the piers. To facilitate the displays of floating art installations between the pier areas, a line of white floating markers will be installed between the pier heads of Inner Harbor Piers 4 and 5, and Inner Harbor Piers 5 and 6, limiting boating access to on-water display area. Mariners are urged to use extreme caution when transiting the area. Questions regarding the event should be directed to the Festival Coordinator via telephone at (410) 752-8632 or email at [AMolese@promotionandarts.org](mailto:AMolese@promotionandarts.org).  
Chart 12281

#### **MD – CHESAPEAKE BAY – BALTIMORE HARBOR – SAILING REGATTA WEEKLY SERIES**

The annual sailboat racing weekly series is scheduled to occur in Baltimore Harbor each Tuesday evening, from Apr 10, 2018 through **Oct 16, 2018**, from 6 p.m. to 9 p.m. Approximately 30 sail boats in three fleets (20 to 40 feet in length) will compete in a single race on a designated course located between the Francis Scott Key (I-695) Memorial Bridge and the Fort McHenry National Monument and Historic Shrine at Baltimore, MD. For more information, see the Baltimore City Yacht Association's (BCYA) website: [www.bcy.com](http://www.bcy.com) or contact the BCYA Race Committee on VHF-FM channel 72. For any comments or questions contact Coast Guard Sector Maryland-NCR, Waterways Management Division, at (410) 576-2674 or (410) 576-2693. Chart 12281

#### **\*\*\*\*MD – CHESAPEAKE BAY – BALTIMORE HARBOR – NORTHWEST HARBOR – SAILING REGATTA WEEKLY SERIES\*\*\*\***

An annual sailboat racing weekly series is scheduled to continue in Baltimore Harbor each Thursday evening from April 19, 2018 through October 4, 2018, between 5:30 p.m. and 8:30 p.m. Up to 13 sailboats (22 feet in length) will compete along a designated race course located in one of three areas in Northwest Harbor: (A) Entrance to Inner Harbor, northwest of Domino Sugars wharf; (B) West Channel, east of Tide Point; or (C) East Channel, south of the Canton Waterfront Park. Participants will be supported by sponsor-provided motorized launches. Interested mariners may contact the Downtown Sailing Center's Race Committee on marine band radio VHF-FM Channels 16 and 71. For any comments or questions contact Coast Guard Sector Maryland-National Capital Region, Waterways Management Division, at (410) 576-2674 or (410) 576-2693. Chart 12281

#### **\*\*\*\*DC – UPPER POTOMAC RIVER AND ANACOSTIA RIVER – ROWING REGATTAS DC – UPPER POTOMAC RIVER AND ANACOSTIA RIVER – ROWING REGATTAS\*\*\*\***

Annual collegiate and scholastic crew regattas are scheduled to occur in the Upper Potomac River and the Anacostia River, with individual events scheduled on the following dates: **April 6-7** – *31st Annual George Washington Univ. Invitational*, Upper Potomac River (between Washington Harbour and Three Sisters), from 1 p.m. to 4 p.m. on Friday, and from 9 a.m. to 1 p.m. on Saturday; **April 7** – *Gonzaga vs. Bethesda-Chevy Chase Crew*, Anacostia River (north of 11th St Bridge), from 7 a.m. to 1 p.m.; **April 14** – *Gonzaga vs. Thomas Jefferson and Woodson Crew*, Anacostia River (Navy Yard to CSX RR Bridge), from 7 a.m. to 2 p.m.; **April 28** – *Charlie Butt Scullers Head of the Potomac Regatta*, Upper Potomac River (between FSK Bridge and Roosevelt Bridge), from 8 a.m. to 4 p.m.; **May 5** – *Foley Cup Regatta*, Anacostia River (Navy Yard to CSX RR Bridge), from 3 p.m. to 7:30 p.m.; and **May 12** – *Bethesda-Chevy Chase Novice Invitational*, Upper Potomac River (between Roosevelt Bridge and Hens and Chickens), from 9 a.m. to 12 Noon. Additional information can be obtained at the respective crew team's website. For any comments or questions, contact Coast Guard Sector Maryland-National Capital Region, Waterways Management Division, at (410) 576-2674 or (410) 576-2693. Chart 12289

#### **\*\*\*\*VA - MD - POTOMAC RIVER – MATTAWOMAN CREEK TO GEORGETOWN – UPPER POTOMAC RIVER - LITTLE HUNTING CREEK – FIREWORKS DISPLAY\*\*\*\***

A short-duration, aerial fireworks display is scheduled to occur on the Potomac River on May 11, 2018, at 9:30 p.m. Mariners are urged to use caution when transiting the area, and absent specific guidance, reminded to heed the directions of patrolling law enforcement and public safety officials, and absent specific guidance, should remain 500 feet from the fireworks barge located near the grounds of George Washington's Mount Vernon Estate and Gardens, in approximate position latitude 38°42'22.4" N., longitude 077°04'59.5" W., near Little Hunting Creek LB 4 (LLNR 18430). For any comments or questions contact Coast Guard Sector Maryland-National Capital Region, Waterways Management Division, at (410) 576-2674 or (410) 576-2693. Chart 12289

#### **VA - CHESAPEAKE BAY - LAFAYETTE RIVER**

The Big 12 Double Dual Races will be held in the Lafayette River in Norfolk, VA. This event will be held from 8 a.m. through 2 p.m. on **April 7, 2018**. Mariners are requested to use caution and bare steerage when transiting the area. Chart 12245

#### **\*\*\*\*VA – CHESAPEAKE BAY - HAMPTON FLATS\*\*\*\***

The CCV Racing 2018 Spring Series will be held in Hampton Roads Harbor and Hampton Flats in Hampton, VA. This event will be held from 10 am through 5 pm on April 15, April 22, and **April 29, 2018**. Mariners are requested to use caution and bare steerage when transiting the area. Chart 12245

#### **VA – CHESAPEAKE BAY – HAMPTON BAR – HAMPTON FLATS**

The Hampton Yacht Club will be hosting the Wednesday Night Races in Hampton Roads and Hampton Bar in Hampton Roads, VA. The sailboat regattas will begin at 5:30 p.m. and end at 8 p.m., every Wednesday night beginning Apr 4, 2018 through **Sep 26, 2018**. Mariners are requested to use caution and bare steerage when transiting the area. Chart 12245

#### **VA – CHESAPEAKE BAY – HAMPTON FLATS**

The CCV Tune-Up Races will be held in the Hamptons Roads Harbor, in the vicinity of the Hampton Flats in Hampton, VA. This event will be held from 10 a.m. through 4:30 p.m. on **Apr 8, 2018**. Mariners are requested to use caution and bare steerage when transiting the area. Chart 12245

#### **\*\*\*\*VA - HAMPTON ROADS HARBOR – HAMPTON FLATS\*\*\*\***

The CCV Racing 2018 Spring Series will be held in Hampton Roads Harbor and Hampton Flats in Hampton, VA. This event will be held from 10 am through 5 pm on April 15, April 22, and **April 29, 2018**. Mariners are requested to use caution and bare steerage when transiting the area. Chart 12245

#### **\*\*\*\*VA – CHESAPEAKE BAY – POQUOSON RIVER\*\*\*\***

The US Windsurfing National Festival event will be held between the entrance to the Poquoson River, Poquoson Flats, and Back Creek in the Chesapeake Bay. The race will begin at 8:00 a.m. and end at 7:00 p.m. on April 25 through **April 29, 2018**. Mariners are requested to use caution and bare steerage when transiting the area.

**\*\*\*\*VA – JAMES RIVER – CHICKAHOMINY RIVER\*\*\*\***

The Eastern Virginia Scholastic Rowing Association will be hosting a crew race that will be held in the Chickahominy River in the vicinity of Chickahominy River Front Park in James City, VA, beginning at 7 a.m. and ending at 4 p.m., on **April 22, 2018**. Mariners are requested to use caution and bare steerage while transiting the area.

**VA - RICHMOND - JAMES RIVER - ROCKETTS LANDING**

The Rocketts Landing Collegiate Regatta will be held off Rocketts Landing on the James River in Richmond, VA. This event will be held from 8 am through 2 pm on **April 14, 2018**. Mariners are requested to use caution and bare steerage when transiting the area.

**\*\*\*\*VA - LAKE ANNA - BUMPASS, VA\*\*\*\***

The Rumpus in Bumpass Triathlon will take place April 21 and **April 22, 2018** on Lake Anna in Bumpass, VA. The swim portion of the triathlon will take place between 9 a.m. and 11 a.m. Mariners are requested to use caution and bare steerage when transiting the area.