



U.S. Department
of Homeland Security
**United States
Coast Guard**

LOCAL NOTICE TO MARINERS

District 8 GULF

Week: 01/19

8TH DISTRICT LOCAL NOTICE TO MARINERS
GULF OF MEXICO
Econfina River, FL to the Rio Grande, TX
LIGHT LIST VOLUME IV
NOTICE NUMBER 01/19
January 2, 2019

References: COMDTPUB P16502.4, Vol. IV, 2018 Edition and Coast Pilot 5.
Both publications, along with corrections, are available for download at:
<https://nauticalcharts.noaa.gov/publications/coast-pilot/index.html> .
https://www.navcen.uscg.gov/pdf/lightLists/LightList_V4_2018.pdf .

COAST GUARD DISTRICT 8, WATERWAYS, (504) 671-2327, 7:00 a.m. until 3:30 p.m. (CST)
NIS WATCHSTANDER PHONE (703) 313-5900 24-HOURS A DAY
INTERNET ADDRESS [HTTPS://www.navcen.uscg.gov](https://www.navcen.uscg.gov)

COMMENTS REGARDING SECTION VI - PROPOSED CHANGES MAY ALSO BE EMAILED TO: LocalNoticeFeedback@uscg.mil
GULF OF MEXICO LNM VIA INTERNET <https://www.navcen.uscg.gov/?pageName=lnmDistrict®ion=8&ext=g>

BROADCAST NOTICE TO MARINERS COVERED IN THIS EDITION

ORIGINATING UNIT	BEGINNING BNMS		ENDING BNMS
CCGD8	BNM 0086 - 18 (D8)		BNM 0086 - 18 (D8)
SECTOR MOBILE (MO)	BNM 0788 - 18 (MO)	THROUGH	BNM 0002 - 19 (MO)
SECTOR NEW ORLEANS (NO)	BNM 0913 - 18 (NO)		BNM 0005 - 19 (NO)
SECTOR HOUSTON-GALVESTON (GA)	BNM 0850 - 18 (GA)		BNM 0002 - 19 (GA)
SECTOR CORPUS CHRISTI (CC)	BNM 0677 - 18 (CC)		BNM 0690 - 18 (CC)

ABBREVIATIONS

A through H

ADRIFT - Buoy Adrift
AICW - Atlantic Intracoastal Waterway
Al - Alternating
B - Buoy
BKW - Breakwater
bl - Blast
BNM - Broadcast Notice to Mariner
bu - Blue
C - Canadian
CHAN - Channel
CGD - Coast Guard District
C/O - Cut Off
CONT - Contour
CRK - Creek
CONST - Construction
DAYMK/Daymk - Daymark
DBN/Dbn - Daybeacon
DBD/DAYBD - Dayboard
DEFAC - Defaced
DEST - Destroyed
DISCON - Discontinued
DMGD/DAMGD - Damaged
ec - eclipse
EST - Established Aid
ev - every
EVAL - Evaluation

I through O

I - Interrupted
ICW - Intracoastal Waterway
IMCH - Improper Characteristic
INL - Inlet
INOP - Not Operating
INT - Intensity
ISL - Islet
Iso - Isophase
kHz - Kilohertz
LAT - Latitude
LB - Lighted Buoy
LBB - Lighted Bell Buoy
LHB - Lighted Horn Buoy
LGB - Lighted Gong Buoy
LONG - Longitude
LNM - Local Notice to Mariners
LT - Light
LT CONT - Light Continuous
LTR - Letter
LWB - Lighted Whistle Buoy
LWP - Left Watching Properly
MHz - Megahertz
MISS/MSNG - Missing
Mo - Morse Code
MRASS - Marine Radio Activated Sound Signal
MSLD - Misleading

P through Z

PRIV - Private Aid
Q - Quick
R - Red
RACON - Radar Transponder Beacon
Ra ref - Radar reflector
RBN - Radio Beacon
REBUILT - Aid Rebuilt
RECOVERED - Aid Recovered
RED - Red Buoy
REFL - Reflective
RRL - Range Rear Light
RELIGHTED - Aid Relit
RELOC - Relocated
RESET ON STATION - Aid Reset on Station
RFL - Range Front Light
RIV - River
RRASS - Remote Radio Activated Sound Signal
s - seconds
SEC - Section
SHL - Shoaling
si - silent
SIG - Signal
SND - Sound
SPM - Single Point Mooring Buoy
SS - Sound Signal
STA - Station

EXT - Extinguished
F - Fixed
fl - flash
Fl - Flashing
G - Green
GIWW - Gulf Intracoastal Waterway
HAZ - Hazard to Navigation
HBR - Harbor
HOR - Horizontal Clearance
HT - Height

N/C - Not Charted
NGA - National Geospatial-Intelligence Agency
NO/NUM - Number
NOS - National Ocean Service
NW - Notice Writer
OBSCU - Obscured
OBST - Obstruction
OBSTR - Obstruction
Oc - Occulting
ODAS - Anchored Oceanographic Data Buoy

STRUCT - Structure
St M - Statute Mile
TEMP - Temporary Aid Change
TMK - Topmark
TRLB - Temporarily Replaced by Lighted Buoy
TRLT - Temporarily Replaced by Light
TRUB - Temporarily Replaced by Unlighted Buoy
USACE - Army Corps of Engineers
W - White
Y - Yellow

Additional Abbreviations Specific to this LNM Edition:

AHOP Above Head of Passes
BHOP Below Head of Passes
HSC Houston Ship Channel
MRGO Mississippi River - Gulf Outlet
HWY Highway
IHNC Inner Harbor Navigation Canal
F/V Fishing Vessel
AP Assigned Position
CPA Closest Point of Approach
COTP Captain of The Port
SOLAS Safety of Life at Sea

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

NOTICE OF PLATFORMS, DRILL RIGS AND ATTENDANT VESSELS

The drill rigs and vessels that have been temporarily established will display lights and sound signals, according to size or class, during periods of darkness and reduced visibility. Numerous large anchor buoys which may be lighted displaying a white 4-second characteristic light and unlighted buoy may be established up to 2,000 or more yards from the vessel or rig site. Mariners should avoid passing close aboard the rigs or vessels. Offshore structures that have been established will display lights and a fog signal sounding 1 blast (2-sec. blast) every 20-seconds. Mooring buoys (white with blue band) may be located within 500 yards of the structure for mooring attendant vessels and/or barges. Mariners should avoid passing close aboard structures.

LNM: DPW/PRIV AIDS

NOAA ELECTRONIC NAVIGATIONAL CHART (ENC) FOR NAVIGATION IN U.S. WATERS

NOAA recommends that mariners take advantage of the most recent chart updates by using the NOAA Electronic Navigational Chart (ENC) for navigation in U.S. waters. ENCs provide the most up-to-date information, whereas paper and raster nautical chart updates may be up to one month behind the corresponding ENC coverage. Over the next few years, mariners will see continued improvement in the extent and detail of ENC coverage, while there will be a reduction in RNC and paper chart coverage and service. ENCs will include routine changes between editions that are not published through notices to mariners. One significant change to the RNC and paper charts will be the removal of controlling (minimum) depth information from many maintained channels. Controlling channel depths will still be provided on ENCs. Comments or concerns can be addressed through ASSIST, NOAA's Nautical Inquiry and Comment System. <https://www.nauticalcharts.noaa.gov/customer-service/assist/>.

LNM: 50-18

LA - MISSISSIPPI RIVER - Old River Lock

Effective immediately, due to repairs on the Lock Emergency Bulkhead Lowering Carriage, tows entering the Lock are urged to use extreme caution while approaching and entering the lock chamber. While approaching the Lock, the following are required for passage:

1. Tows are to enter the Lock at DEAD SLOW speed.
2. All tows are restricted to no longer than 1,100 feet in length.
3. All tows will line up along the floating guidewall before proceeding.
4. Two line-handlers with life vests and bumpers will be required on both approach and exiting of the Lock.
5. Vessels must be moored by bow and stern lines to floating timberheads.

AGAIN, USE EXTREME CAUTION WHEN LOCKING THROUGH OLD RIVER LOCK.

The Lockmaster, Anthony T. Lindsly, can be reached at (225) 492-3333, for up-to-date information. The point of contact with the New Orleans District is Russell Beauvais, at (225) 492-2169.

LNM: 35-18

FL - AL - GA - APALACHICOLA - CHATTAHOOCHEE AND FLINT (ACF) RIVER SYSTEM - WATER LEVEL INFORMATION

Attached as an enclosure to this LNM is USACE Mobile District Navigation Bulletin 18-79, regarding water level information on Multiple Waterways.

LNM: 01-19

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
10	St Marks Light	LT EXT	11406	0448-16 MO	22/16	
1377	Colorado River East Jetty Entrance Obstruction Light	STRUCT DEST	11319	0070-18 CC	11/18	
1460	NOAA Lighted Data Buoy 42003 (ODAS)	ADRIFT	11006	0028-17 D8	20/17	
1490	St Marks Light	LT EXT	11406	0448-16 MO	22/16	
1540	St Marks River Light 7	STRUCT DEST/TRLB	11406		43/18	
1695	St Marks River Light 37	STRUCT DEST/TRLB	11406		43/18	
2305	Light House Point LH	DAYMK MISSING	11405		43/18	
2545	Carrabelle Channel Lighted Buoy 10	OFF STA	11404		42/18	
2560	Carrabelle Channel Inner Leading Light	DAYMK MISSING	11404		43/18	
2915	Two Mile Channel East End Daybeacon 14	STRUCT DEST/TRUB	11401	0714-18 MO	43/18	
2950	West Pass Light	STRUCT DEST	11402		42/18	
3025	St Joseph Bay Entrance A Range Front Light	STRUCT DMGD/TRLB	11393	0931-13 MO	47/13	
3065	St Joseph Bay Entrance Range B Rear Light	LT EXT/DAYMK MISSING	11393		42/18	
3085	St Joseph Bay Entrance C Range Rear Light	STRUCT DEST	11393	0622-18 MO	40/18	
3090	St Joseph Bay Entrance C Range Rear Passing Light	STRUCT DEST	11393		43/18	
3110	St Joseph Bay Entrance Range D Rear Light Passing Light	LT EXT	11393		43/18	
3190	Gulf County Canal Entrance Lighted Buoy 4	TRUB	11393		42/18	
3355	St Andrew Bay Entrance Lighted Buoy 2	OFF STA	11391		43/18	
4545	Choctawhatchee Bay Entrance Buoy 2	OFF STA	11385	0744-18 MO	42/18	
4850	Pensacola Bay Navy Range Front Light	LT EXT	11384	0696-18 MO	46/18	
4855	Pensacola Bay Navy Range Rear Light	LT EXT/STRUCT DMGD	11384	1028-16 MO	50/13	
5305	Bayou Chico Light 5	DAYMK MISSING	11383	0570-18 MO	38/18	
5340	Bayou Chico Daybeacon 13	STRUCT DEST/TRUB	11378		45/17	
6015	Bayou St John Daybeacon 17	STRUCT DEST/TRUB	11378	0365-18 MO	26/18	
6300	Mobile Channel Light 30	TRLB/STRUCT DEST	11378		38/15	
6320	Mobile Channel Light 34	STRUCT DEST/TRLB	11377	0369-18 MO	30/16	
6325	Mobile Channel Light 36	STRUCT DEST/TRLB	11377		37/18	
6335	Mobile Channel Light 38	STRUCT DEST/TRLB	11377	0370-18 MO	15/17	
6340	Mobile Channel Light 39	STRUCT DEST/TRLB	11377	0563-18 MO	03/18	
6445	Mobile Channel Light 43	STRUCT DEST/TRLB	11380	0598-18 MO	04/18	
6450	Mobile Channel Light 44	STRUCT DEST/TRLB	11380	0090-18 MO	17/17	
6520	Mobile Channel Light 51	OFF STA/STRUCT DEST/TRLB	11380	0105-18 MO	46/13	
6550	Mobile Channel Lighted Buoy 55	TRLB	11380	0027-18 MO	03/18	
6570	Mobile Channel Light 60	STRUCT DEST/TRLB	11376		06/17	
6580	Mobile Channel Light 64	STRUCT DEST/TRLB	11380	0427-18 MO	30/18	
6595	Mobile Channel Light 67	STRUCT DEST/TRLB	11376	0212-18 MO	17/18	

6605	Mobile Channel Light 69	STRUCT DEST/TRLB	11376	0213-18 MO	17/18
6610	Mobile Channel Light 70	STRUCT DEST/TRLB	11376	0758-17 MO	41/17
6635	Mobile Channel Light 74	STRUCT DEST/TRLB	11376	0697-18 MO	41/18
6660	Mobile Channel Light 76	STRUCT DEST/TRLB	11376	0152-18 MO	41/17
6695	Mobile Channel Light 82	STRUCT DMGD	11376		50/18
6697	MOBILE TURNING BASIN LIGHT A	STRUCT DEST	11376	0584-47 MO	33/17
6805	Bon Secour River Light 2	STRUCT DEST/TRLB	11378	0779-18 MO	50/18
7340	Theodore Ship Channel Outer Range Rear Light	DAYMK MISSING	11376	0767-17 MO	41/17
7425	Theodore Ship Channel Light 16	STRUCT DEST/TRLB	11380	0413-18 MO	28/18
7440	Theodore Ship Channel Light 22	STRUCT DEST/TRLB	11376		41/18
7465	Dog River Channel Daybeacon 4	STRUCT DEST/TRUB	11376	0728-18 MO	44/18
7485	Dog River Channel Light 8	STRUCT DEST/TRLB	11376	0594-17 MO	34/17
7500	Dog River Channel Light 11	STRUCT DEST/TRLB	11376	0574-18 MO	35/18
7510	Dog River Channel Daybeacon 13	STRUCT DEST/TRUB	11376	0704-18 MO	47/18
7640	Isle Aux Herbes Wreck Light	STRUCT DEST	11374	0777-18 MO	51/18
7650	Mississippi Sound Light WR6	STRUCT DEST	11374	0778-18 MO	51/18
7705	Bayou La Batre Buoy 14	MISSING/TRUB	11374		28/17
7930	Horn Island Pass Lighted Buoy 13	OFF STA	11375	0677-18 MO	45/18
7960	Pascagoula Channel D Range Front Light	DAYMK MISSING	11375	0517-18 MO	35/18
7970	Pascagoula Channel D Range Rear Light	DAYMK MISSING	11375	0516-18 MO	41/17
8210	Pascagoula Channel Light 50	STRUCT DEST/TRLB	11375	0794-17 MO	49/16
8450	Bayou Casotte Channel Light 5	STRUCT DEST/TRLB	11375	0646-18 MO	42/18
8710	Biloxi East Channel Light 4	STRUCT DEST/TRLB	11372	0666-18 MO	41/18
8725	Biloxi East Channel Daybeacon 7	STRUCT DEST	11372	0733-18 MO	49/18
8780	Biloxi East Channel Light 18	LT EXT	11372	0723-18 MO	48/18
8820	Biloxi East Channel Daybeacon 30	MISSING/STRUCT DEST/TRUB	11372	0621-18 MO	40/18
9010	Biloxi Channel Daybeacon 16	STRUCT DEST/TRUB	11372		42/18
9135	Ott Bayou Channel Daybeacon 3	STRUCT DEST/TRUB	11372	0658-18 MO	44/18
9380	Big Lake Junction Daybeacon	STRUCT DEST/TRLB	11372	0767-18 MO	50/18
9770	Gulfport Ship Channel Light 33	STRUCT DEST/TRLB	11372	0727-18 MO	49/18
9785	Gulfport Obstruction Light	DAYMK DMGD	11372		11/18
9905	Gulfport Ship Channel Light 55	STRUCT DEST/TRLB	11372	0785-18 MO	01/19
9945	Gulfport Ship Channel Light 63	STRUCT DEST/TRLB	11372	0680-18 MO	45/18
9990	Gulfport Small Boat Harbor Light 5	STRUCT DEST/TRLB	11372	0595-18 MO	38/18
10155	Cat Island Channel Buoy C	SINKING	11372	0513-18 MO	34/18
10180	Cat Island Channel West Buoy 4	TRUB	11372	0506-18 MO	34/18
11745	Mississippi River - Gulf Outlet Light 101	STRUCT DEST/TRLB	11364	0872-18 NO	50/18
12485	Emeline Pass Wreck Light WR2	STRUCT DMGD/TRLB	11355	0808-18 NO	46/18
12590	South Pass Light 4	STRUCT DEST/TRLB	11361	0849-18 NO	42/18
12591	South Pass Light 3B	STRUCT DEST/TRLB	11361	0762-18 NO	44/18
12592	South Pass Danger Light A	STRUCT DEST/TRLB	11361	0758-18 NO	44/18
12860	Double Bayou Light 19	REDUCED INT	11361	0648-18 NO	34/18
13370	Deer Range Light 55	STRUCT DEST	11364	0859-18 NO	49/18
14035	Huey P Long Bridge Approach Buoy A	AIS INOP	11370	0862-18 NO	49/18
14040	Huey P Long Bridge Approach Buoy B	AIS INOP	11370	0863-18 NO	49/18
14045	Huey P Long Bridge Approach Buoy C	AIS INOP	11370	0864-18 NO	49/18
14050	Huey P Long Bridge Approach Buoy D	AIS INOP	11370	0865-18 NO	49/18
14055	Huey P Long Bridge Approach Buoy 1	AIS INOP	11370	0866-18 NO	49/18
14245	Hale Boggs Luling Bridge Approach Buoy B	OFF STA/BUOY DMGD	11370	0672-18 NO	19/18
14250	Hale Boggs Luling Bridge Approach Buoy C	OFF STA/BUOY DMGD	11370	0869-18 NO	50/18
14650	Lower Belmont Crossing Range Front Light	LT EXT	11370	0885-18 NO	51/18
14835	Sunshine Bridge Approach Buoy 1	MISSING	11370	0970-16 NO	50/16
15300	Arlington Range Front Light	STRUCT DEST	11370	0870-18 NO	32/15

15305	Arlington Range Rear Light	LT IMCH/TRLT	11370	0066-18 NO	42/18
16605	Bayou St. Denis Light 5	STRUCT DEST/TRLB	11365	0877-18 NO	50/18
17005	Belle Pass Entrance Light 6	STRUCT DEST/TRLB	11346		42/18
17190	Timbalier - Terrebonne Bay Light 27	STRUCT DEST/TRLB	11357	0792-18 NO	45/18
17217.01	Timbalier - Terrebonne Bay Light 39	STRUCT DEST/TRLB	11346	0790-18 NO	45/18
17800	Houma Navigation Canal Light 9	STRUCT DEST/TRLB	11355	0734-18 NO	43/18
18535	Atchafalaya Channel Buoy 4	MISSING	11351	0782-18 NO	45/18
18540	Atchafalaya Channel Buoy 5	OFF STA	11351	0783-18 NO	45/18
18580	Atchafalaya Channel Buoy 13	OFF STA	11351	0784-18 NO	45/18
18595	Atchafalaya Channel Buoy 16	MISSING	11351	0785-18 NO	45/18
18735	Atchafalaya Channel Light 39	STRUCT DEST/TRLB	11351		51/18
18835	Atchafalaya Channel Light 53	STRUCT DEST	11351	0901-18 NO	51/18
18835	Atchafalaya Channel Light 53	STRUCT DEST/TRLB	11351	0901-18 NO	01/19
18856	Atchafalaya Channel Light 57	STRUCT DEST/TRLB	11351	0902-18 NO	51/18
18963	Atchafalaya River Junction Light C	STRUCT DEST/TRLB	11351	0836-18 NO	45/18
18990	Avoca Island Cutoff Channel Daybeacon 8	STRUCT DEST/TRUB	11354	0854-18 NO	49/18
19000	Avoca Island Cutoff Channel Daybeacon 10	STRUCT DEST/TRUB	11352	0855-18 NO	49/18
20995	Mermentau River Daybeacon 2	STRUCT DEST/TRUB	11348	0791-18 GA	50/18
21005	Mermentau River Daybeacon 5	STRUCT DEST/TRUB	11348	0792-18 GA	50/18
21020	Mermentau River Daybeacon 7	STRUCT DEST	11348	0824-18 GA	51/18
21095	Lake Arthur B Range Rear Light	DAYMK DMGD	11348	0809-18 GA	51/18
21235	Calcasieu Channel Lighted Buoy 5	LT EXT	11344	0500-18 GA	31/18
21275	Calcasieu Channel Lighted Buoy 15	LT EXT	11344	0836-18 GA	01/19
21325	Calcasieu Channel A Range Front Light	LT IMCH/REDUCED INT	11347	0810-18 GA	50/18
21430	Calcasieu Channel Light 50	STRUCT DEST	11339		44/17
21780	Calcasieu Channel Light 92	STRUCT DEST/TRLB	11347	0753-18 GA	48/18
21895	Calcasieu River Light 102	STRUCT DMGD	11347	0834-18 GA	01/19
21925	Calcasieu River Light 106	STRUCT DEST/TRLB	11347	0829-18 GA	01/19
22095	Coon Island Channel Daybeacon 12	STRUCT DEST/TRUB	11347	0769-18 GA	48/18
22165	Calcasieu River Light 121	STRUCT DEST/TRLB	11347	0664-18 GA	44/18
22630	Sabine Pass Light 38	STRUCT DEST/TRLB	11342	0764-18 GA	48/18
22635	Sabine Pass Light 39	STRUCT DEST/TRLB	11342	0797-18 GA	46/18
22885	Sabine-Neches Canal Light 50	STRUCT DEST/TRLB	11331	0692-18 GA	45/18
22925	Sabine-Neches Canal Light 56	STRUCT DEST/TRLB	11331	0668-18 GA	44/18
22930	Sabine-Neches Canal Light 58	STRUCT DEST/TRLB	11331	0742-18 GA	48/18
22940	Sabine-Neches Canal Light 62	STRUCT DEST/TRLB	11331	0814-18 GA	51/18
23150	Sabine River Daybeacon 13A	STRUCT DEST/TRUB	11331	0602-18 GA	12/18
23295	Neches River Lighted Buoy 2	TRLB	11331	0608-18 GA	39/18
23320	Neches River Light 10	STRUCT DEST/TRLB	11331	0651-18 GA	41/18
24075	Houston Ship Channel Light 40	STRUCT DEST/TRLB	11324	0736-18 GA	47/18
24085	Houston Ship Channel Light 42	STRUCT DEST/TRLB	11324	0798-18 GA	50/18
24095	Houston Ship Channel Light 44	STRUCT DEST/TRLB	11327	0777-18 GA	48/18
24105	Houston Ship Channel Light 46	STRUCT DEST/TRLB	11327	0718-18 GA	46/18
24210	Upper Galveston Bay Outer Range Rear Light	DAYMK DMGD	11327	0428-18 GA	27/18
24235	Houston Ship Channel Light 57	STRUCT DEST/TRLB	11327	0720-18 GA	46/18
24245	Houston Ship Channel Light 59	STRUCT DEST/TRLB	11327	0744-18 GA	48/18
24285	South Boater Cut Daybeacon 6	STRUCT DEST/TRUB	11327		50/18
24325	Houston Ship Channel Light 69	STRUCT DEST/TRLB	11327	0667-18 GA	28/18
24375	Houston Ship Channel Light 73	STRUCT DEST/TRLB	11327	0743-18 GA	48/18
24400	Morgans Point Approach Outer Range Rear Light	LT EXT	11327	0832-18 GA	01/19
24440	Bayport Ship Channel Outer Range Rear Light	LT EXT/STRUCT DMGD	11327	0316-18 GA	08/18
24450	Bayport Ship Channel Light 1	STRUCT DEST/TRLB	11327	0623-18 GA	40/18

24540	Houston Ship Channel Light 84	STRUCT DEST	11327	0800-18 GA	50/18
24565	Houston Ship Channel Light 89	STRUCT DEST/TRLB	11328	0696-18 GA	45/18
24620.01	Cedar Bayou Channel Daybeacon 3	STRUCT DEST/TRUB	11328	0806-18 GA	50/18
24635	Cedar Bayou Channel Daybeacon 10	STRUCT DEST/TRUB	11328	0807-18 GA	50/18
24645	Cedar Bayou Channel Light 14	DAYMK MISSING	11328	0803-18 GA	50/18
24655	Cedar Bayou Channel Daybeacon 18	STRUCT DEST	11328	0804-18 GA	50/18
24665	Cedar Bayou Channel Daybeacon 22	STRUCT DEST/TRUB	11328	0697-18 GA	45/18
24670	Cedar Bayou Channel Light 23	STRUCT DEST/TRLB	11328	0542-18 GA	30/18
24695	Cedar Bayou Channel Daybeacon 28	STRUCT DEST/TRUB	11328	0695-18 GA	45/18
25220	Houston Ship Channel Light 107	STRUCT DEST/TRLB	11328	0812-18 GA	51/18
25250	Houston Ship Channel Light 109	STRUCT DEST/TRLB	11328	0544-18 GA	34/18
25420	Houston Ship Channel Light 117	STRUCT DEST/TRLB	11329	0821-18 GA	51/18
25520	Houston Ship Channel Light 126A	STRUCT DEST/TRLB	11329	0822-18 GA	51/18
25812	Greens Bayou Security Zone Marker	STRUCT DEST	11325	0536-18 GA	34/18
25842	Harrisburg Bend Security Zone Marker 1	STRUCT DEST	11325	0538-18 GA	34/18
25842.01	Harrisburg Bend Security Zone Marker 2	STRUCT DEST	11325	0539-18 GA	34/18
27005	Freeport Harbor Outbound Range Front Light	MSLD SIG	11322	0604-18 GA	39/18
27010	Freeport Harbor Outbound Range Rear Light	MSLD SIG	11322	0605-18 GA	39/18
27047	Colorado River East Jetty Entrance Obstruction Light	STRUCT DEST	11319	0070-18 CC	11/18
27180	Matagorda Ship Channel B Range Rear Light	STRUCT DEST	11319		36/17
27212	MATAGORDA SHIP CHANNEL LIGHT 21	STRUCT DMGD	11319	0620-18 CC	48/18
27220	Matagorda Ship Channel Light 24	STRUCT DEST/TRLB	11319		43/18
27235	Matagorda Ship Channel Light 27	STRUCT DEST/TRLB	11319	0572-18 CC	45/18
27570	Matagorda Ship Channel G Range Front Light	LT EXT	11317		45/18
27715	Port Lavaca Channel Light 5	STRUCT DEST/TRLB	11317	0159-18 CC	17/18
27800	Port Lavaca Harbor of Refuge Daybeacon 4	STRUCT DEST/TRUB	11317	0483-18 CC	38/18
27850	Lavaca Bay Channel Daybeacon 6	STRUCT DEST	11317	0560-18 CC	44/18
27900	Lavaca Bay Channel Daybeacon 22	DAYMK IMCH	11317	0205-14 CC	11/14
27910	Lavaca River Daybeacon 3	DAYMK IMCH	11317	0206-14 CC	11/14
28325	Port Aransas Harbor Daybeacon 4	STRUCT DEST/TRUB	11309	0382-18 CC	36/17
28615	Corpus Christi Channel Light 20	STRUCT DEST/TRLB	11308	0664-18 CC	50/18
28650	Corpus Christi Channel Light 31	STRUCT DEST/TRLB	11308	0538-18 CC	43/18
28747.3	Corpus Christi Bay Alternate Route Daybeacon 5	STRUCT DEST/TRUB	11308	0648-18 CC	49/18
28875	Tule Lake Channel E Range Front Light	STRUCT DMGD	11311		36/17
28980	La Quinta Channel Light 7	STRUCT DEST	11308	0361-18 CC	31/18
29330	Port Mansfield Channel Daybeacon 12	STRUCT DEST/TRUB	11306	0492-18 CC	39/18
29420	Port Mansfield Channel Range Rear Light	DAYMK MISSING	11306	0357-18 CC	23/18
29606	LAGUNA MADRE CHANNEL LIGHT 29	STRUCT DEST/TRLB	11302	0577-18 CC	46/18
29885	Brownsville Channel Light 32	STRUCT DEST/TRLB	11302	0661-18 CC	44/18
30400	Apalachicola River Entrance Range Front Light	STRUCT DEST	11401	0034-18 MO	04/18
30405	Apalachicola River Entrance Range Rear Light	LT EXT/DAYMK DMGD	11401	0737-14 MO	36/14
30680	Wetappo Creek Light 19	STRUCT DEST/TRLB	11393		42/18
30740	Wetappo Creek Light 36	STRUCT DEST/TRLB	11393	0443-18 MO	31/18
30780	East Bay Light 1	STRUCT DEST/TRLB	11393		43/18
31470	Choctawhatchee Bay Light 17	STRUCT DEST/TRLB	11385	0668-18 MO	44/18
31615	La Grange Bayou Light 14	STRUCT DEST/TRLB	11385	0686-18 MO	45/18
32105	Joes Bayou Entrance Channel Light 2	LT IMCH	11385	0657-18 MO	44/18
32575	Santa Rosa Sound Daybeacon 79	STRUCT DEST/TRUB	11385	0746-18 MO	46/18
32695	Santa Rosa Sound Light 102	STRUCT DEST/TRLB	11385	0734-18 MO	49/18

32705	Santa Rosa Sound Daybeacon 104	STRUCT DEST/TRUB	11385	0735-18 MO	49/18
33060	Pensacola Bay Navy Range Front Light	LT EXT	11384	0696-18 MO	46/18
33065	Pensacola Bay Navy Range Rear Light	LT EXT/STRUCT DMGD	11384	1028-16 MO	50/13
33090	Pensacola-Mobile Buoy 1	BUOY DMGD	11384	0721-18 MO	48/18
33250	Pensacola-Mobile Light 16	STRUCT DEST/TRLB	11378	0683-18 MO	45/18
33275	Pensacola-Mobile Daybeacon 20	STRUCT DEST/TRUB	11378	0567-18 MO	37/18
33290	Pensacola-Mobile Daybeacon 22	STRUCT DEST/TRUB	11378	0730-18 MO	49/18
33300	Pensacola-Mobile Buoy 24	OFF STA	11378	0718-18 MO	48/18
33415	Pensacola-Mobile Light 39	OFF STA/STRUCT DEST/TRLB	11378	0731-18 MO	45/18
33680	Pensacola-Mobile Daybeacon 88	STRUCT DEST/TRUB	11378	0760-18 MO	38/18
33765	Pensacola-Mobile Daybeacon 105	STRUCT DEST/TRUB	11378	0716-18 MO	48/18
33770	Bon Secour River Light 2	STRUCT DEST/TRLB	11378	0779-18 MO	50/18
33775	Pensacola-Mobile Buoy 106	TRUB	11378	0732-18 MO	49/18
33805	Pensacola-Mobile Daybeacon 112	STRUCT DEST/TRUB	11378		38/18
33820	Pensacola-Mobile Light 115	STRUCT DEST/TRLB	11378	0724-18 MO	48/18
33830	Pensacola-Mobile Daybeacon 117	STRUCT DEST/TRUB	11378	0725-18 MO	48/18
33840	Pensacola-Mobile Light 119	STRUCT DEST/TRLB	11378	0780-18 MO	50/18
33930	Pensacola-Mobile Daybeacon 149	STRUCT DEST/TRUB	11377	0589-18 MO	38/18
33950	Pensacola-Mobile Light 157	STRUCT DEST/TRLB	11378	0587-18 MO	38/18
33985	Pass Aux Herons Daybeacon 3	STRUCT DEST/TRUB	11378	0772-18 MO	51/18
33990	Pass Aux Herons Daybeacon 4	STRUCT DEST/TRUB	11378	0751-18 MO	50/18
34015	Pass Aux Herons Buoy 10	TRUB	11378		42/18
34035	Pass Aux Herons Buoy 14	TRUB	11378	0619-18 MO	40/18
34070	Pass Aux Herons Buoy 18	TRUB	11378	0723-18 MO	51/18
34080	Pass Aux Herons Buoy 20	TRUB	11378	0774-18 MO	51/18
34195	Pass Aux Herons Buoy 25	TRUB	11374	0480-18 MO	33/18
34225	Pass Aux Herons D Range Rear Light	DAYMK MISSING	11377	0814-17 MO	41/17
34275	Pass Aux Herons Daybeacon 37	STRUCT DEST/TRUB	11374		40/18
34295	Pass Aux Herons Light 40	STRUCT DEST/TRLB	11374	0642-18 MO	42/18
34300	Pass Aux Herons Light 41	STRUCT DEST/TRLB	11374	0770-18 MO	51/18
34425	Marianne Channel Light 8	STRUCT DEST/TRLB	11372	0614-18 MO	40/18
34450	Marianne Channel Buoy 16	TRUB	11372		50/18
34455	Marianne Channel Buoy 17	TRUB	11372	0051-17 MO	07/15
34460	Marianne Channel Buoy 18	TRUB	11372	0748-18 MO	29/17
34465	Marianne Channel Buoy 19	TRUB	11372	0095-18 MO	03/18
34470	Marianne Channel Buoy 20	TRUB	11372	0263-18 MO	20/18
34475	Marianne Channel Buoy 21	TRUB	11372	0020-18 MO	03/18
34485	Marianne Channel Buoy 23	TRUB	11372	0021-18 MO	03/18
34490	Marianne Channel Light 24	STRUCT DEST/TRLB	11372	0749-18 MO	50/18
34495	Marianne Channel Buoy 25	TRUB	11372	0096-18 MO	03/18
34500	Marianne Channel Buoy 26	TRUB	11367	0750-18 MO	50/18
34585	Grand Island Channel Light 5	STRUCT DEST/TRLB	11372	0747-18 MO	50/18
35200	Little Wax Bayou Light 2	STRUCT DEST/TRLB	11355	0833-18 NO	48/18
35405	Calcasieu Channel Light 92	STRUCT DEST/TRLB	11347	0753-18 GA	48/18
35480	Sabine River Daybeacon 13A	STRUCT DEST/TRUB	11331	0602-18 GA	12/18
35680	Sabine-Neches Canal Light 62	STRUCT DEST/TRLB	11331	0814-18 GA	51/18
35690	Sabine-Neches Canal Light 58	STRUCT DEST/TRLB	11331	0742-18 GA	48/18
35695	Sabine-Neches Canal Light 56	STRUCT DEST/TRLB	11331	0668-18 GA	44/18
35735	Sabine-Neches Canal Light 50	STRUCT DEST/TRLB	11331	0692-18 GA	45/18
35830.01	ROLLOVER BAY LIGHT 4	STRUCT DEST	11331	0817-18 GA	51/18
35845	Rollover Bay Lighted Buoy 7	OFF STA	11331	0835-18 GA	01/19
35880	Bolivar Peninsula Daybeacon 2	STRUCT DEST/TRUB	11324	0748-18 GA	48/18
35940	Bolivar Peninsula Light 19	STRUCT DEST	11324	0830-18 GA	01/19
35945	Bolivar Peninsula Light 20	STRUCT DEST	11324	0811-18 GA	51/18
35950	Galveston-Freeport Cutoff Channel Buoy 3	MISSING	11324	0826-18 GA	51/18

35955	Galveston-Freeport Cutoff Channel Buoy 5	MISSING	11324	0827-18 GA	51/18
36340	Offatts Bayou Entrance Channel Daybeacon 2	STRUCT DEST/TRUB	11324	0712-18 GA	46/18
36555	Galveston-Freeport Buoy 37	MISSING	11324	0771-18 GA	49/18
36825	Galveston-Freeport G Range Rear Light	LT EXT/STRUCT DMGD	11322	0143-18 GA	10/18
36920	West Bay (Texas) Light 2	STRUCT DEST/TRLB	11322	0710-18 GA	45/18
37120	Chocolate Bayou Channel Outer Range Front Light	STRUCT DMGD	11322	0036-18 GA	04/18
37185	Chocolate Bayou Channel Buoy 23	MISSING	11322	0293-18 GA	18/18
37325	Chocolate Bay Buoy 21	OFF STA	11322	0775-18 GA	49/18
37410	Matagorda Bay Light 3	STRUCT DEST/TRLB	11319	0473-18 CC	37/18
37460	Matagorda Bay Buoy 14	OFF STA	11319	0434-18 CC	36/18
37555	Matagorda Bay - Alternate Route Daybeacon 2A	STRUCT DEST/TRUB	11319	0646-18 CC	37/18
37570	Matagorda Bay - Alternate Route Daybeacon 4A	MISSING/TRUB	11319	0665-18 CC	50/18
37585	Matagorda Bay - Alternate Route Daybeacon 6A	STRUCT DEST/TRUB	11319	0476-18 CC	38/18
37595	Matagorda Bay - Alternate Route Light 8	STRUCT DEST/TRLB	11319	0219-18 CC	23/18
37600	Matagorda Bay - Alternate Route Daybeacon 8A	STRUCT DEST/TRUB	11319	0399-18 CC	34/18
37615	Matagorda Bay - Alternate Route Buoy 11	MISSING	11319	0554-18 CC	44/18
37625	MATAGORDA BAY - ALTERNATE ROUTE LIGHTED BUOY 13	MISSING	11319	0555-18 CC	44/18
37665	Matagorda Bay Light 30	STRUCT DEST/TRLB	11319	0647-18 CC	48/18
37695	Palacios Channel Daybeacon 6	STRUCT DEST/TRUB	11319	0340-18 CC	31/18
37725	Palacios Channel Daybeacon 16	STRUCT DEST/TRUB	11317	0341-18 CC	31/18
37735	Palacios Channel Daybeacon 20	STRUCT DEST/TRUB	11317	0342-18 CC	31/18
37745	Palacios Channel Daybeacon 24	STRUCT DEST/TRUB	11317	0343-18 CC	31/18
37750	Palacios Channel Light 26	STRUCT DEST/TRUB	11317	0344-18 CC	31/18
37755	Palacios Channel Daybeacon 28	STRUCT DEST/TRUB	11317	0317-17 CC	31/17
37775	Palacios Channel Light 36	STRUCT DEST/TRLB	11317	0345-18 CC	31/18
37810	Palacios Channel Light 48	STRUCT DEST/TRLB	11317	0346-18 CC	31/18
38025	Port O' Connor Landcut Daybeacon 6A	STRUCT DMGD	11315	0351-17 CC	34/17
38050	Port O' Connor Landcut Daybeacon 12	STRUCT DEST/TRUB	11315	0631-18 CC	48/18
38060	Port O' Connor Landcut Daybeacon 15	STRUCT DEST/TRUB	11315	0556-18 CC	44/18
38070	Victoria East Entrance Channel Buoy 2E	OFF STA	11315	0658-18 CC	50/18
38075	Victoria East Entrance Channel Buoy 4E	OFF STA	11315	0659-18 CC	50/18
38155	Victoria Channel Light 21	LT EXT	11315	0632-18 CC	48/18
38175	Victoria Channel Daybeacon 27	STRUCT DEST/TRUB	11315	0616-18 CC	48/18
38185	Victoria Channel Light 30	STRUCT DEST/TRLB	11315	0508-18 CC	31/18
38195	Victoria Channel Daybeacon 33	STRUCT DEST/TRUB	11315	0269-18 CC	28/18
38355.01	San Antonio Bay Daybeacon 1	STRUCT DEST/TRUB	11315	0386-18 CC	31/18
38360	San Antonio Bay Light 2	STRUCT DEST/TRLB	11315	0385-18 CC	33/18
38365.01	San Antonio Bay Daybeacon 3	STRUCT DEST/TRUB	11315	0564-18 CC	44/18
38375.01	San Antonio Bay Daybeacon 4	STRUCT DEST/TRUB	11315	0304-18 CC	28/18
38390	San Antonio Bay Daybeacon 6	STRUCT DEST/TRUB	11315	0305-18 CC	28/18
38510.01	San Antonio Bay Daybeacon 25	STRUCT DEST/TRUB	11315	0624-18 CC	48/18
38550.01	San Antonio Bay Daybeacon 31	STRUCT DEST/TRUB	11315	0623-18 CC	48/18
38560.01	San Antonio Bay Daybeacon 33	STRUCT DEST/TRUB	11315	0622-18 CC	48/18
38620	Sundown Bay Daybeacon 8	STRUCT DEST/TRUB	11315	0615-18 CC	43/18
38635	Sundown Bay Daybeacon 12	STRUCT DEST/TRUB	11315	0614-18 CC	47/18
38687	Aransas Bay Daybeacon 7	STRUCT DEST/TRUB	11314	0662-18 CC	50/18
38700	Aransas Bay Light 9	STRUCT DEST/TRLB	11314	0433-18 CC	35/18
38705.01	Aransas Bay Daybeacon 10	STRUCT DEST/TRUB	11314	0166-18 CC	19/18
38755	Aransas Bay Light 17	STRUCT DEST/TRLB	11314	0663-18 CC	21/18
38780	Copano Bay Approach Light 3	STRUCT DEST/TRLB	11314	0489-18 CC	36/17

38845.01	Aransas Bay Daybeacon 19	STRUCT DMGD	11314	0573-18 CC	45/18
39090	Aransas-Corpus Christi Bay Cutoff Channel Light 5	STRUCT DEST/TRLB	11314	0101-18 CC	12/18
39270	Aransas-Corpus Christi Bay Cutoff Channel Light 34	STRUCT DEST/TRLB	11309	0381-18 CC	33/18
39395	Corpus Christi Bay Daybeacon 45	STRUCT DEST/TRUB	11308		51/18
39530.01	Aransas Bay Alternate Route Daybeacon 43	STRUCT DEST/TRUB	11314	0442-18 CC	36/18
39560	Aransas Bay Alternate Route Light 45	STRUCT DEST/TRLB	11314	0441-18 CC	36/18
39580.01	Aransas Bay Alternate Route Daybeacon 47	STRUCT DMGD	11314	0520-18 CC	41/18
39620	Aransas Bay Alternate Route Light 51	STRUCT DEST/TRLB	11309	0599-18 CC	48/18
39625.01	Aransas Bay Alternate Route Daybeacon 52	STRUCT DEST/TRUB	11309	0604-18 CC	48/18
39645	Aransas Bay Alternate Route Light 53	STRUCT DEST/TRLB	11309	0437-18 CC	35/18
39820	Corpus Christi Baffin Bay Daybeacon 17	STRUCT DEST/TRUB	11308	0563-18 CC	44/18
40130.01	Corpus Christi Baffin Bay Daybeacon 45	STRUCT DEST/TRUB	11308	0516-18 CC	40/18
40460.01	Corpus Christi Baffin Bay Daybeacon 52	STRUCT DEST/TRUB	11308	0532-18 CC	33/18
40555	Corpus Christi Baffin Bay Light 67	STRUCT DEST/TRLB	11308	0649-18 CC	50/18
40560.01	Corpus Christi Baffin Bay Daybeacon 68	STRUCT DEST/TRUB	11308	0650-18 CC	50/18
40610.01	Corpus Christi Baffin Bay Daybeacon 76	STRUCT DEST/TRUB	11308	0651-18 CC	50/18
40780.01	Corpus Christi Baffin Bay Daybeacon 97	STRUCT DEST/TRUB	11308	0403-18 CC	33/18
40820	Corpus Christi Baffin Bay Daybeacon 104	STRUCT DEST/TRUB	11308	0414-18 CC	34/18
40895	Corpus Christi Baffin Bay Daybeacon 116	STRUCT DEST/TRUB	11308	0603-18 CC	46/18
41870	Land Cut-Arroyo Colorado Daybeacon 72	STRUCT DEST	11306	0229-18 CC	24/18
42200	Arroyo Colorado Cutoff Channel North Entrance Buoy 3N	MISSING	11303	0669-18 CC	51/18
42390	Harlingen-Port Isabel Light 7	STRUCT DEST/TRLB	11303	0641-18 CC	47/18
42395	Harlingen-Port Isabel Daybeacon 8	STRUCT DEST/TRUB	11303	0642-18 CC	49/18
42415	Harlingen-Port Isabel Light 11	STRUCT DEST/TRLB	11303	0591-18 CC	44/18
42420	Harlingen-Port Isabel Daybeacon 12	STRUCT DEST/TRUB	11303	0592-18 CC	47/18
42820	Port Isabel Small Boat Harbor Channel Buoy 5	MISSING	11302	0327-18 CC	23/18
42830	Port Isabel Small Boat Harbor Channel Lighted Buoy 10	MISSING	11302	0529-18 CC	41/18
43005	Brownsville Channel Light 32	STRUCT DEST/TRLB	11302	0661-18 CC	44/18

DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
8595	Dog Keys Pass Lighted Buoy 2	RELIGHTED	11372		01/19	01/19
10890	North Shore Channel Daybeacon 3	REBUILT/REMAINS	11367		43/18	01/19
13635	English Turn Bend Light 79	WATCHING PROPERLY	11364		45/18	01/19
17010	Belle Pass Entrance Light 8	WATCHING PROPERLY	11346		51/18	01/19
17870	Houma Navigation Canal Light 19	REBUILT/REMAINS	11355		44/18	01/19
17875	Houma Navigation Canal Buoy 20	WATCHING PROPERLY	11355		51/18	01/19
22115	Bayou D'Inde Junction Buoy BD	RESET ON STATION	11347		51/18	01/19
24390	Houston Ship Channel Light 76	WATCHING PROPERLY	11327		51/18	01/19
25340	Houston Ship Channel Lighted Buoy 112	WATCHING PROPERLY	11328		01/19	01/19
28345	Corpus Christi Channel Light 1	RELIGHTED	11309		01/19	01/19
34675	Lake Borgne Light 19	REBUILT/REMAINS	11367		41/18	01/19
35050	Lake Cocodrie Buoy 9	RESET ON STATION	11355		01/19	01/19
37610	Matagorda Bay - Alternate Route Light 10	RESET ON STATION	11319		01/19	01/19
37620	Matagorda Bay - Alternate Route Buoy 12	RESET ON STATION	11319		01/19	01/19
37625	MATAGORDA BAY - ALTERNATE ROUTE LIGHTED BUOY 13	RESET ON STATION	11319		01/19	01/19

DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNМ St	LNМ End
350	Mobil-194-6 Lighted Horn Buoy	MISSING	11363		51/18	
370	Energy XXI-102-10 (Lighted Horn Buoy)	SS INOP	11361	0186-17	13/17	
530	Loop Fairway Lighted Buoy 4	LT EXT	11359	867-18 NO	50/18	
565	Loop Anchorage Lighted Buoy L-B	MISSING	11359	0976-17 NO	46/17	
805	Walter-114-10 Lighted Buoy	OFF STA	1116		03/18	
988	McMoran-999-11 (Lighted Buoy)	OFF STA	1116	0399-15	21/15	
995	Energy Xxi-112-3	SS INOP	11339	0242-18 GA	16/18	
1440	Texas A & M Lighted Oceanographic Buoy J	OFF STA	11356	0525-16 CC	01/17	
1445	FR-TX-58 Special Lighted Buoy	OFF STA	11301	0115-18CC	13/18	
1840	Shell Point Channel Daybeacon 1	DAYMK MISSING	11405	0354-17 MO	22/17	
3170	Port St Joe Marina Entrance Light 2	DAYMK DMGD	11393	0392-15 MO	22/15	
3175	Port St Joe Marina Entrance Light 1	DAYMK DMGD	11393	0391-15 MO	22/15	
3495	Gulf Power Electrical Tower Danger Lights(2)	LT EXT	11391		50/17	
3500	Gulf Power Electrical Tower Danger Lights (2)	LT EXT	11391		50/17	
4445	West Grand Lagoon Channel Daybeacon 14	MISSING	11391	625-18 MO	41/18	
4455	West Grand Lagoon Channel Daybeacon 16	STRUCT DEST	11391	0611-18MO	40/18	
5105	Bayou Texar Daybeacon 3A	STRUCT DEST	11383	0194-17 MO	13/17	
5135	Bayou Texar Daybeacon 9A	STRUCT DEST	11383	0254-18 MO	19/18	
5165	Bayou Texar Daybeacon 15A	DAYMK DMGD	11383		11/17	
8170	Spoil Bank Light 1	LT EXT	11373		39/17	
8240	Mississippi Gulf Fish Reef Light A	STRUCT DEST	11374		15/18	
8245	Pascagoula River Obstruction Lighted Buoy 2	MISSING	11375	0291-17 MO	19/17	
8250	Pascagoula River Obstruction Lighted Buoy 4	OFF STA/LT EXT	11375	0532-17 MO	19/17	
8560	Mississippi Gulf Fish Reef Light B	MISSING	11374		33/14	
8578.06	Graveline Bayou Channel Daybeacon 7	STRUCT DMGD	11374		48/16	
8578.08	Graveline Bayou Channel Daybeacon 9	STRUCT DMGD	11374		48/16	
8578.12	Graveline Bayou Channel Daybeacon 12	STRUCT DMGD	11374		48/16	
8639	Deer Island Breakwater Southeast Danger Light	MISSING	11372	0037-18 MO	03/18	
8640	Deer Island Breakwater Danger Light	MISSING	11372		03/18	
8645	Deer Island Breakwater Danger Light	MISSING	11372		03/18	
8650	Deer Island Breakwater Danger Light	MISSING	11372		03/18	
8655	Deer Island Breakwater Danger Light	MISSING	11372		03/18	
8660	Deer Island Breakwater Danger Light	MISSING	11372		03/18	
8665	Deer Island Breakwater Danger Light	MISSING	11372		03/18	
8670	Deer Island Breakwater Danger Light	MISSING	11372		03/18	
8675	Deer Island Breakwater Danger Light	MISSING	11372		03/18	
8677	Deer Island Breakwater Northwest Danger Light	MISSING	11372		03/18	
8830.01	Davis Bayou Channel Light 2	LT EXT/STRUCT DMGD	11372	0131-16 MO	07/16	
8830.19	Davis Bayou Channel Daybeacon 24	OFF STA	11372	225-15 NO	14/15	
9065	Point Cadet Marina Breakwater Light 1	OFF STA	11372		50/18	
9070	Point Cadet Marina Breakwater Daybeacon 2	OFF STA	11372		50/18	
9075	Point Cadet Marina Breakwater Light 3	LT EXT/STRUCT DMGD	11372	0040-18 MO	44/17	
9080	Point Cadet Marina Breakwater Daybeacon 4	OFF STA	11372		50/18	
9085	Point Cadet Marina Breakwater Light 5	OFF STA	11372		50/18	
9090	Point Cadet Marina Breakwater Daybeacon 6	OFF STA	11372		50/18	

9160.08	Old Fort Bayou Channel Daybeacon 7	OFF STA	11372	400-18 MO	28/18
9160.12	Old Fort Bayou Channel Daybeacon 9	STRUCT DEST	11372	0213-17 MO	15/17
9480	Mississippi Gulf Fishing Reef Light B	STRUCT DEST	11372		15/18
9485	Mississippi Gulf Fishing Reef Light C	MISSING	11372		33/14
10960	Eden Isles Channel Daybeacon 1	MISSING	11369		06/17
10965	Eden Isles Channel Daybeacon 2	STRUCT DEST	11369	0933-16 NO	48/16
10977	FR-LA-71-A	MISSING	11369	0506-16 NO	23/16
10977.01	FR-LA-71-B	MISSING	11369	0507-16 NO	23/16
10977.02	FR-LA-71-C	MISSING	11369	0508-16 NO	23/16
10977.03	FR-LA-71-D	MISSING	11369	0509-16 NO	23/16
10980	FR-LA-70-A	MISSING	11369	0510-16 NO	23/16
10985	FR-LA-70-B	MISSING	11369	0511-16 NO	23/16
10990	FR-LA-70-C	MISSING	11369	0512-16 NO	23/16
10995	FR-LA-70-D	MISSING	11369	0513-16 NO	23/16
11180	New Canal Light	LT EXT	11369		41/11
11705	Mississippi River - Gulf Outlet Pipeline Light 27 (C-1)	MISSING	11363	0905-18 NO	52/18
11705	Mississippi River - Gulf Outlet Pipeline Light 27 (C-1)	STRUCT DEST	11363	0768-16 NO	38/16
11710	Mississippi River - Gulf Outlet Pipeline Light 28 (C-2)	STRUCT DEST/HAZ NAV	11363	0769-16 NO	38/16
12845	Chevron Pier Light	STRUCT DEST	11361	0203-17 NO	14/17
13015	Pilotown Terminal Wing Dam Light	STRUCT DEST	11361	0205-17 NO	14/17
13215	Empire Water Intake Lights (2)	STRUCT DEST	11364	0206-17 NO	14/17
13505	Entergy Louisiana Submerged Cable Lights (2)	LT EXT	11364	1376-13 NO	49/13
13680	Shell Intake Dolphin Lights (3)	LT IMCH	11364		02/14
13700	New Orleans Water Discharge Dolphin Lights (4)	LT EXT	11367		40/17
14105	Lasalle Landing Barge Dock Lights (2)	STRUCT DMGD	11370		12/14
14360	Entergy Waterford Lights (3)	HAZ NAV/LT EXT/STRUCT DMGD	11370		44/14
15100	Olin Dock Lights (3)	LT EXT	11370	0091-17 D8	46/17
15400	Placid Mooring Facility Lights (5)	LT EXT	11370		33/18
15420	Formosa Plastics Lower Dock Lights (2)	LT EXT		0599-17 NO	30/17
15728.11	Great Lakes Dredge & Dock Lighted Danger Buoys (4)	MISSING	11358	NO 0631-18	37/18
15730	Meyers Canal Light 1	STRUCT DEST	11364		03/15
16835	Superior Canal Entrance Light 2	STRUCT DEST	11365	0245-18 NO	15/18
17911	Short Cut Canal Light 1	LT EXT	11355	0167-18 NO	11/18
17911.01	Short Cut Canal Light 2	LT EXT	11355	0168-18 NO	11/18
17911.02	Short Cut Canal Light 3	LT EXT	11355	0169-18 NO	11/18
18240	Lake De Cade Light 2	OFF STA/LT EXT/DAYMK MISSING	11352		50/15
18245	Lake De Cade Light 28	LT EXT	11352	0245-17 NO	15/17
18390	East Atchafalaya Bay Channel Daybeacon 16	MISSING	11351		35/14
18410	East Atchafalaya Bay Channel Daybeacon 24	MISSING	11351	0055-15 NO	03/15
18415	East Atchafalaya Bay Channel Daybeacon 26	MISSING	11351	0056-15 NO	35/14
18420	East Atchafalaya Bay Channel Daybeacon 28	MISSING	11351		35/14
18475	East Atchafalaya Bay Channel Daybeacon 52	MISSING	11351		35/14
18480	East Atchafalaya Bay Channel Daybeacon 54	MISSING	11351		35/14
18505	East Atchafalaya Bay Channel Daybeacon 66	MISSING//STRUCT DMGD	11351		35/14
19835	E Cote Blan Bay Canal Entrance Light 1	LT EXT	11351		46/16
20065	Mound Point Light 1	OFF STA	11349	0460-14 NO	22/14
21710	Cameron LNG Daybeacon B	STRUCT DMGD	11339	0203-14 GA	11/14

22770	Texas Water Board Research Light Tower A	LT EXT	11342		49/12
23275	Navy Pier 10 Lights (2)	LT EXT	11331	0753-17 GA	44/17
23280	Orange County Pier Light 6	LT EXT	11331	0756-17 GA	18/13
23285	Orange County Pier Light 3	LT EXT	11331	0755-17 GA	43/17
23290	Orange County Pier Light 2	LT EXT	11331	0754-17 GA	44/17
23545	Gulf States Erosion Barrier Lights (2)	LT EXT	11343	0098-15	11/18
24820	Baytown Marina Channel Daybeacon 1	STRUCT DEST	11328	0433-18 GA	28/18
24905	Baytown Goose Creek Channel Daybeacon 6	STRUCT DMGD	11328	0766-15 GA	48/15
26530	Watergate Marina Channel Light 2	LT IMCH	11326	0465-12 GA	23/12
26580	Watergate Marina Channel Light 11	DAYMK IMCH	11326	0467-12 GA	23/12
26585	Watergate Marina Channel Light 13	STRUCT DEST	11326	0468-12 GA	23/12
26590	Watergate Marina Channel Range Front Light	STRUCT DEST		0469-12 GA	23/12
26595	Watergate Marina Channel Range Rear Light	STRUCT DEST		0470-12 GA	23/12
26670	Marina Del Sol Channel Buoy 2	MISSING	11326		40/15
26680	Marina Del Sol Channel Daybeacon 4	MISSING	11326		40/15
26685	Marina Del Sol Channel Daybeacon 5	MISSING	11326		40/15
26715	Marina Del Sol Channel Light 11	MISSING	11326		40/15
26720	Marina Del Sol Channel Light 12	MISSING	11326		40/15
26790	Ideal Channel Daybeacon 1	LT EXT	11326		40/15
26795	Ideal Channel Light 2	MISSING	11326		40/15
26810	Ideal Channel Light 5	MISSING	11326		40/15
26815	Ideal Channel Daybeacon 6	MISSING	11326		40/15
26820	Ideal Channel Daybeacon 7	MISSING	11326		40/15
26825	Ideal Channel Daybeacon 8	MISSING	11326		40/15
26830	Ideal Channel Daybeacon 10	MISSING	11326		40/15
26855	Clear Lake Wharf Light #2	LT EXT	11326		29/14
27665	Point Comfort Inner Channel Light 4	LT EXT	11317		31/10
27820	Chocolate Bay Channel Buoy 1	MISSING	11317	0193-14 CC	11/14
27825	Chocolate Bay Channel Buoy 3	MISSING	11317	0194-14CC	11/14
27830	Chocolate Bay Channel Buoy 5	MISSING	11317		37/10
27835	Chocolate Bay Channel Buoy 7	MISSING	11317	0195-14 CC	11/14
28090	Espirito Santo Bay - Barroom Bay Navigation Daybeacon 40	STRUCT DMGD	11319		35/18
28460	Mustang Beach Channel Daybeacon 11	STRUCT DMGD	11308		45/11
28495	Mustang Beach Channel Daybeacon 19	OFF STA	11308	0302-13CC	18/13
28595	Mustang Beach Channel Daybeacon 38	STRUCT DEST	11308	0439-16 CC	42/16
29190	University Beach Danger Daybeacon C	DAYMK DMGD	11309		50/18
29635	South Padre Island Channel Daybeacon 9	MISSING	11302		01/13
29655	South Padre Island Channel Daybeacon 15	STRUCT DEST	11302	0246-18 CC	45/10
29695	South Padre Island Channel Daybeacon 23	MISSING	11302		01/13
31060	Gulf Power Electrical Tower Danger Lights(2)	LT EXT	11391		50/17
31065	Gulf Power Electrical Tower Danger Lights (2)	LT EXT	11391		50/17
31685	Hogtown Bayou Daybeacon 1	STRUCT DEST	11388	0204-15 MO	31/14
31690	Hogtown Bayou Daybeacon 2	STRUCT DEST	11388	0205-15 MO	13/15
31695	Hogtown Bayou Daybeacon 3	STRUCT DEST	11388	0206-15 MO	13/15
31700	Hogtown Bayou Daybeacon 4	STRUCT DEST	11388	0207-15 MO	13/15
31705	Hogtown Bayou Daybeacon 5	DAYMK MISSING	11388		51/13
31970	Indian Bayou Daybeacon 6	DAYMK DMGD	11385		14/12
31995	Indian Bayou Daybeacon 11	STRUCT DMGD	11385		33/17
32265	Fort Walton Lodge & Yacht Basin Daybeacon 2	STRUCT DMGD	11385	0192-18 MO	16/18

32985	Little Sabine Bay Daybeacon 2	DAYMK MISSING	11378	0633-16 MO	29/16
33160	Sherman Cove Marina Daybeacon 6	DAYMK MISSING/STRUCT DMGD	11383	1002-12	02/13
33210	Grand Lagoon Boat Basin Channel Daybeacon 3	STRUCT DEST	11378		15/16
33610	Bay La Launch Channel Daybeacon 5	STRUCT DEST	11378	0539-11 NO	16/11
33728	Saunders Yachtworks Basin Light 2	STRUCT DEST	11378	0382-17 MO	24/17
36215	Pier 77 Channel Buoy 3	MISSING	11324		38/14
36220	Pier 77 Channel Buoy 4	MISSING	11324		38/14
36225	Pier 77 Channel Buoy 7	MISSING	11324		38/14
36230	Pier 77 Channel Buoy 9	MISSING	11324		38/14
36235	Pier 77 Channel Buoy 10	MISSING	11324		38/14
36240	Pier 77 Channel Buoy 12	MISSING	11324		38/14
36245	Pier 77 Channel Buoy 13	MISSING	11324		38/14
36250	Pier 77 Channel Buoy 14	OFF STA	11324	0860-13 GA	46/13
36715	Harborwalk Entrance East Buoy 4	OFF STA	11322		34/13
36775	Harborwalk Entrance West Buoy 1	MISSING	11322	0104-18 GA	08/18
36780	Harborwalk Entrance West Buoy 2	MISSING	11322	0105-18 GA	08/18
37375	Brazoria Wildlife Refuge Wave Barrier Light	LT EXT	11322	0321-13 GA	17/13
39280	Aransas-Corpus Christi Bay Cutoff Channel Pipeline Light A	STRUCT DEST/LT EXT	11314		40/17
39910	Packery Channel Daybeacon 12	DAYMK MISSING/STRUCT DMGD	11308	0522-18 CC	41/18
39915	Packery Channel Daybeacon 13	DAYMK MISSING/STRUCT DMGD	11308	0523-18 CC	41/18
39935	Packery Channel Daybeacon 17	DAYMK MISSING/STRUCT DMGD	11308	0524-18 CC	41/18
39975	Packery Channel Daybeacon 25	DAYMK MISSING/STRUCT DMGD	11308	0525-18 CC	41/18
39985	Padre Isles North Channel Light 1	OFF STA/DAYMK IMCH/STRUCT DMGD	11308		39/18
39990	Padre Isles North Channel Daybeacon 2	OFF STA/DAYMK IMCH/STRUCT DMGD	11308		39/18
39995	Padre Isles North Channel Daybeacon 3	DAYMK IMCH/STRUCT DMGD	11308		39/18
40000	Padre Isles North Channel Daybeacon 4	DAYMK IMCH/STRUCT DMGD	11308		39/18
40005	Padre Isles North Channel Daybeacon 6	DAYMK IMCH/STRUCT DMGD	11308		39/18
40010	Padre Isles North Channel Daybeacon 5	DAYMK IMCH/STRUCT DMGD	11308		39/18
40015	Padre Isles North Channel Daybeacon 7	DAYMK IMCH/STRUCT DMGD	11308		39/18
40020	Padre Isles North Channel Daybeacon 8	DAYMK IMCH/STRUCT DMGD	11308		39/18
40025	Padre Isles North Channel Daybeacon 9	DAYMK IMCH/STRUCT DMGD	11308		39/18
40030	Padre Isles North Channel Daybeacon 10	DAYMK IMCH/STRUCT DMGD	11308		39/18
40035	Padre Isles North Channel Daybeacon 11	MISSING	11308		39/18
40040	Padre Isles North Channel Daybeacon 12	DAYMK IMCH/STRUCT DMGD	11308		39/18
40045	Padre Isles North Channel Daybeacon 13	MISSING	11308		39/18
40050	Padre Isles North Channel Daybeacon 15	DAYMK IMCH/STRUCT DMGD	11308		39/18
40055	Padre Isles North Channel Daybeacon 16	DAYMK IMCH/STRUCT DMGD	11308		39/18
40060	Padre Isles North Channel Daybeacon 17	MISSING	11308		37/08
40060	Padre Isles North Channel Daybeacon 17	MISSING	11308		39/18
40065	Padre Isles North Channel Daybeacon 18	DAYMK DMGD	11308		27/10
40070	Padre Isles North Channel Daybeacon 20	DAYMK IMCH/STRUCT DMGD	11308		39/18
40075	Padre Isles North Channel Daybeacon 21	DAYMK IMCH/STRUCT DMGD	11308		39/18
40080	Padre Isles North Channel Daybeacon 22	DAYMK IMCH/STRUCT DMGD	11308		39/18
40085	Padre Isles North Channel Daybeacon 24	MISSING	11308		37/08

40085	Padre Isles North Channel Daybeacon 24	MISSING	11308	39/18
40145	Padre Isles South Channel Light 1	MISSING	11308	39/18
40150	Padre Isles South Channel Daybeacon 2	MISSING	11308	39/18
40155	Padre Isles South Channel Daybeacon 3	DAYMK IMCH/STRUCT DMGD	11308	39/18
40160	Padre Isles South Channel Daybeacon 5	DAYMK IMCH/STRUCT DMGD	11308	39/18
40165	Padre Isles South Channel Daybeacon 7	OFF STA/DAYMK IMCH/STRUCT DMGD	11308	39/18
40170	Padre Isles South Channel Daybeacon 8	DAYMK IMCH/STRUCT DMGD	11308	39/18
40175	Padre Isles South Channel Daybeacon 9	DAYMK IMCH/STRUCT DMGD	11308	39/18
40180	Padre Isles South Channel Daybeacon 10	DAYMK IMCH/STRUCT DMGD	11308	39/18
40185	Padre Isles South Channel Daybeacon 11	DAYMK IMCH/STRUCT DMGD	11308	39/18
40190	Padre Isles South Channel Daybeacon 13	DAYMK IMCH/STRUCT DMGD	11308	39/18
40195	Padre Isles South Channel Daybeacon 14	DAYMK IMCH/STRUCT DMGD	11308	39/18
	Anadarko Temporary Lighted Danger Buoy	MISSING	11353	40/18

DISCREPANCIES (PRIVATE AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

PLATFORM DISCREPANCIES

Name	Status	Position	BNM Ref.	LNM St	LNM End
Mobil-228-5	LT EXT	30-12-20.864N 088-03-41.846W	0894-11 MO	39/11	
Merit-105-12	SS INOP	29-20-50.775N 088-06-47.910W	085-15	05/15	
Tana-117-14	LT EXT/SS INOP	29-20-48.015N 088-16-53.788W	0893-18 NO	51/18	
Petro Ventures-100-3	LT EXT/SS INOP	29-24-00.439N 088-36-33.646W	0263-17	18/17	
Petro Ventures-100-2	LT EXT/SS INOP	29-23-53.567N 088-37-40.811W	0621-18 NO	36/18	
Fieldwood-107-5	LT EXT	29-09-50.256N 088-39-55.422W	0269-18	16/18	
Energy Xxi-102-11	SS INOP	29-33-16.211N 088-41-13.611W	114-18	08/18	
Mobil-194-4	SS INOP	29-35-17.000N 088-42-39.000W	0774-11 NO	23/11	
Gom Shelf-300-4	LT EXT/SS INOP	29-09-51.000N 088-44-46.000W	0182-15	09/15	
Cantium-114-06	SS INOP	29-15-37.747N 088-44-50.190W	NO 0106-18	08/18	
Cantium-114-05	LT EXT	29-15-10.117N 088-45-26.961W	1002-17 NO	48/17	
Mcmoran-117-2	LT EXT/SS INOP	29-15-47.527N 088-45-33.249W	NO 1016-17	49/17	
Mcmoran-117-7	LT EXT	29-15-59.650N 088-45-38.410W	0800-18 NO	47/18	
Bt Operating-101-2	LT EXT/SS INOP	29-49-22.000N 088-45-48.000W	0415-08	06/08	
Mcmoran-117-5	SS INOP	29-15-44.730N 088-46-03.480W	0974-17 NO	47/17	
Walter-105-10	LT EXT	29-06-55.000N 088-46-05.000W		39/08	
Cantium-114-03	LT EXT/SS INOP	29-17-01.086N 088-46-15.272W	0987-17 NO	47/17	
Mcmoran-117-3	SS INOP	29-15-52.970N 088-46-19.529W	0635-17 NO	31/17	
Cantium-114-04	SS INOP	29-15-26.096N 088-46-22.762W	0989-17 NO	47/17	
Mcmoran-117-6	SS INOP	29-15-38.850N 088-46-28.390W	NO 1102-17	01/18	
Energy Xxi-102-5 (Racon)	LT EXT/SS INOP	29-19-33.840N 088-52-37.390W		42/17	
EnVen-106-2	LT EXT	29-21-10.592N 088-53-07.382W	NO 0132-18	09/18	
Energy Xxi-102-6	LT EXT/SS INOP	29-15-59.000N 088-54-29.000W		04/18	
Mariner-118-1	LT EXT	29-12-41.000N 088-57-01.000W		34/16	
Cantium-101-11	LT EXT	29-24-34.048N 088-58-56.348W	NO 0354-18	22/18	
Cantium-110-01	SS INOP	29-22-02.000N 088-59-35.000W	1097-17	52/17	
Cantium-101-13	LT EXT	29-22-22.187N 089-00-27.992W	0570-18 NO	33/18	
Cantium-101-09	SS INOP	29-23-37.052N 089-00-36.902W	0997-17NO	48/17	

Medco Energi-103-05	SS INOP	29-18-24.470N	089-03-24.761W	0932-12 NO	23/12
Medco Energi-103-15	LT EXT	29-17-54.374N	089-03-32.051W	0108-15 NO	05/15
Medco Energi-103-18	SS INOP	29-19-03.659N	089-03-36.883W	1821-09 NO	51/09
Medco Energi-103-09	LT EXT/SS INOP	29-18-38.000N	089-03-55.000W	860-18 NO	49/18
Eb04-17812-1(Pxp)	LT EXT	30-00-23.000N	089-05-10.000W		07/11
Cantium-109-01	LT EXT	29-23-48.800N	089-06-25.500W	NO 0127-18	09/18
Eb04-17388-1(Pxp)	LT EXT	30-02-04.981N	089-06-39.903W		07/11
Ocean Energy-102-335	SS INOP	28-58-42.410N	089-07-42.480W	0578-11 NO	17/11
Century-109-4	SS INOP	29-24-56.888N	089-09-58.327W	0291-14NO	14/14
Eb04-17387-1(Pxp)	LT EXT	30-03-36.865N	089-10-15.441W		07/11
Amerada Hess-114-10	LT EXT	29-24-38.000N	089-11-58.000W	0098-09 NO	04/09
Century Exploration-100-8	LT EXT/SS INOP	29-31-10.000N	089-13-43.000W	0405-16 NO	19/16
Amerada Hess-103-1	LT EXT	29-28-00.000N	089-14-57.000W	1545-10 NO	48/10
Energy Partners-102-34	LT EXT/SS INOP	29-00-12.000N	089-15-28.000W		44/08
Energy Partners-102-191	LT EXT/SS INOP	28-58-29.000N	089-15-30.000W		44/08
Energy Partners-102-130	LT EXT/SS INOP	28-59-10.000N	089-15-41.000W		44/08
Energy Partners-102-20	LT EXT/SS INOP	28-59-46.000N	089-15-58.000W		44/08
Energy Partners-102-121	LT EXT/SS INOP	28-59-35.000N	089-17-43.000W		44/08
Gom Shelf- 600-2	LT EXT	28-48-06.000N	089-18-00.000W	0061-18 NO	06/18
Panaco-101-39	LT EXT	29-04-19.200N	089-19-57.000W	0343-13 NO	14/13
Panaco-101-41	LT EXT	29-04-02.890N	089-20-57.160W		39/04
Llog-114-1 Lighted Buoy	LT EXT	28-53-57.549N	089-22-05.219W	0639-15 NO	33/15
Energy XXI-108-19	SS INOP	28-49-19.710N	089-23-41.850W		13/18
En Dev Corp-103-4	LT EXT	28-54-39.000N	089-24-02.000W		50/12
XTO Offshore-100-1	SS INOP	28-53-31.200N	089-25-16.700W	0158-11 NO	06/11
Ed19-Bld-183	LT EXT	29-14-09.000N	089-25-36.000W	1305-02 NO	38/02
S. Parish-102-9	STRUCT DEST/HAZ NAV/LT EXT	28-54-54.000N	089-26-43.000W		08/15
S. Parish-102-7	STRUCT DEST/HAZ NAV/LT EXT	28-54-23.000N	089-27-02.000W	0200-01 NO	07/01
S. Parish-102-12	LT EXT	28-54-58.000N	089-27-08.000W		08/15
Signal-100-0	HAZ NAV/LT EXT	29-07-26.000N	089-27-10.000W	0719-98 NO	31/98
S. Parish-102-11	LT EXT	28-55-05.000N	089-27-11.000W		08/15
IG Petroleum-100-1	LT EXT/SS INOP	28-54-32.660N	089-27-26.200W		31/11
Davis Fuels-101-2	LT EXT	29-08-58.000N	089-29-02.000W	0853-97 NO	35/97
Eb01-195qq-96	LT EXT	29-34-39.800N	089-29-44.700W		37/08
MCMORAN-136-2	LT EXT	29-11-15.434N	089-30-33.004W		38/08
Eb26-195qq-49	LT EXT	29-34-04.200N	089-30-37.500W		37/08
Eb21-195 Qq-312 (Merit Energy)	LT EXT/STRUCT DMGD	29-25-41.000N	089-30-49.000W	0245-12 NO	09/12
Denbury-200-7	SS INOP	29-11-35.000N	089-31-14.000W		29/16
Denbury-200-17	LT EXT/SS INOP	29-11-02.000N	089-31-22.000W		38/08
Denbury-200-17	SS INOP	29-11-02.000N	089-31-22.000W		29/16
Denbury-200-12	LT EXT/SS INOP	29-10-53.100N	089-32-02.200W		38/08
Ea06-5710108-39-Riser	LT EXT	29-18-30.000N	089-32-30.000W		37/08
Mcmoran-136-3	SS INOP	29-10-30.300N	089-33-06.200W		05/16
Energy XXI-107-29	SS INOP	29-07-52.129N	089-34-44.475W		24/18
Energy Partners-112-8	LT EXT/SS INOP	29-08-23.570N	089-34-44.890W	1474-08 NO	37/08
Nexen-103-3	LT EXT	29-06-25.000N	089-37-54.000W		04/16
Fieldw ood-115-6	SS INOP	28-52-49.690N	089-39-47.290W	NO 0930-17	44/17
Fieldw ood-115-2	SS INOP	28-57-35.130N	089-39-47.640W	0575-18 NO	34/18
Eb12-17656-2 (Pxp)	LT EXT	30-05-38.766N	089-39-50.070W		07/11
Tana-106-6	SS INOP	29-00-38.506N	089-40-28.535W	0277-18 NO	17/18
Black Elk-116-1	LT EXT	29-07-42.739N	089-41-25.032W		03/18
Black Elk-116-2	LT EXT/SS INOP	29-07-06.466N	089-41-37.867W	1829-08 NOLA	44/08

Ec6-3327-Prod Pflm	LT EXT	30-06-42.000N	089-44-11.000W	1468-01 NO	50/01
Apache-125-14	LT EXT/SS INOP	29-05-35.000N	089-45-30.000W		41/14
BP Exploration-112-24	LT EXT	28-57-51.000N	089-47-02.000W	0553-04 NO	19/04
Energy Xxi-110-2	SS INOP	28-39-09.000N	089-47-11.000W		28/18
Gom Shelf-110-3	LT EXT	28-58-13.548N	089-47-52.871W	NO 0664-18	39/18
Anglo Suisse-100-1	LT EXT/SS INOP	28-49-01.949N	089-47-54.534W		51/15
BP Exploration-112-28	SS INOP	28-54-21.000N	089-49-14.000W	0644-17 NO	31/17
BP Exploration-112-17	LT EXT	28-57-52.000N	089-50-08.000W	0791-07	24/07
Ocean Energy-112-1	LT EXT/SS INOP	28-45-46.749N	089-51-57.565W		11/06
El Paso-180-5	LT EXT/SS INOP	29-10-45.800N	089-53-16.500W		47/08
El Paso-180-4	LT EXT/SS INOP	29-10-48.342N	089-53-43.381W		47/08
Gom Shelf-800-8	LT EXT	28-59-55.525N	089-56-15.899W	NO 0703-18	40/18
Ec5-6750-2	LT EXT	30-13-34.000N	089-57-23.000W	0377-03 D8	33/03
Ec5-6750-2 Pflm	LT EXT	30-13-35.000N	089-57-23.000W	0377-03 D8	33/03
Conoco-104-14	SS INOP	28-59-55.000N	089-57-32.000W	0555-18 NO	33/18
Rooster-107-1	SS INOP	28-46-11.659N	089-58-19.931W	0273-14 NO	13/14
Agip-300-1(Tlp-Seastar)	LT EXT	28-02-05.310N	090-01-21.980W	1488-12	37/12
BP Exploration-110-3 (Atlantis)	RAC INOP	27-11-43.641N	090-01-37.150W	1109-15 NO	52/15
Ea44-5310175-Riser Pflm	LT EXT	29-43-06.000N	090-03-06.000W	0221-02 D8	22/02
Ankor Energy-100-7	SS INOP	28-15-33.300N	090-03-39.100W		06/17
Fieldw ood-104-5	LT EXT/SS INOP	28-32-55.989N	090-04-07.237W	0475-18 NO	28/18
Cantium-102-03	LT EXT	29-05-57.710N	090-06-32.548W	NO 0686-18	40/18
Cantium-102-04	LT EXT	29-05-59.133N	090-07-17.788W	0058-18 NO	06/18
Cantium-117-15	LT EXT	29-03-53.096N	090-07-47.161W	0064-18 NO	06/18
Cantium-106-04	LT EXT	29-01-17.493N	090-08-15.079W	NO 1066-17	51/17
Cantium-117-09	LT EXT	29-04-22.850N	090-08-16.084W		45/18
Cantium-116-21	LT EXT/SS INOP	29-06-04.229N	090-08-51.195W	NO 0374-18	23/18
Cantium-116-20	LT EXT	29-05-59.663N	090-08-58.564W	1024-17 NO	50/17
Cantium-116-24	LT EXT/SS INOP	29-05-53.528N	090-09-08.747W	NO 0373-18	23/18
Cantium-116-23	LT EXT	29-06-12.932N	090-09-13.073W	1023-17 NO	50/17
Cantium-116-02	LT EXT/SS INOP	29-05-20.339N	090-09-28.040W	NO 0011-18	02/18
Cantium-118-02	LT EXT/SS INOP	29-04-18.430N	090-09-38.970W	NO 1111-17	01/18
Cantium-116-07	SS INOP	29-05-43.531N	090-09-50.461W	NO 0375-18	23/18
Cantium-118-06	LT EXT	29-04-19.221N	090-10-04.434W	1106-17 NO	01/18
Cantium-118-23	SS INOP	29-04-56.285N	090-10-09.357W	NO 0380-18	24/18
Cantium-118-12	LT EXT	29-03-55.369N	090-10-18.173W	NO 1112-17	01/18
Cantium-118-03	LT EXT	29-03-05.418N	090-10-21.224W	NO 1112-17	01/18
Cantium-118-05	LT EXT	29-03-06.411N	090-10-22.655W	NO 1112-17	01/18
Cantium-118-11	SS INOP	29-04-17.927N	090-10-25.261W	0547-18 NO	32/18
Cantium-116-03	SS INOP	29-05-19.399N	090-10-28.582W	NO 0012-18	02/18
Shoreline-100-4	LT EXT	29-03-58.500N	090-12-57.600W	1036-17	50/17
Louisiana Orphan Wellsite C #151642	LT EXT	29-03-32.864N	090-13-34.244W		07/11
Fieldw ood-101-2	SS INOP	28-09-41.090N	090-13-39.450W	0512-18 NO	30/18
Ec5-7325-1 & 1D	LT EXT	30-04-31.000N	090-13-48.000W	0307-01 D8	42/01
Trunkline-103-4	LT EXT	28-47-43.000N	090-13-49.000W	1499-12 NO	37/12
Offshore Energy-107-3	LT EXT	28-32-40.000N	090-14-01.000W		25/18
Transco-101-6	LT EXT	28-30-24.000N	090-17-07.000W	0404-15 NO	21/15
Energy Xxi-100-80	SS INOP	28-29-42.976N	090-17-56.891W	0671-18 NO	39/18
Walter-116-10	LT EXT	28-41-21.105N	090-19-55.900W	D8-0106-15	33/15
Fieldw ood-101-10	LT EXT/SS INOP	28-26-01.208N	090-20-48.955W	879-18 NO	51/18
Century Offshore-102-1	LT EXT	28-42-10.427N	090-22-28.852W	1380-00 NO	50/00
Arena Offshore-106-5	LT EXT	28-34-49.000N	090-23-33.000W		34/16

Energy Xxi-100-75	LT EXT	28-47-56.000N	090-24-52.000W		03/18
Remington-400-1	LT EXT	28-37-50.842N	090-25-04.048W	1797-07	50/07
Trunkline-103-2	SS INOP	28-32-26.000N	090-26-08.000W	1499-12	37/12
Ee27-188-76 Walkway Lt (Texaco)	LT EXT	29-06-45.000N	090-26-54.000W	0472-02 D8	46/02
Black Elk-100-8	SS INOP	28-26-45.000N	090-27-53.000W		14/15
Bois-103-6	LT EXT	28-55-57.240N	090-28-55.000W	1258-01 NO	39/01
Trunkline-103-3	LT EXT/SS INOP	28-50-00.000N	090-29-58.000W	0440-14 NO	22/14
Ee21-1247-13	LT EXT	29-07-42.000N	090-30-52.000W	0502-02 D8	46/02
Walter-102-1	LT EXT	28-56-27.600N	090-31-59.800W	0750-14 NOLA	33/14
Energy Partners-109-2	LT EXT/SS INOP	28-53-30.810N	090-37-05.733W		41/08
Talos-101-16	SS INOP	28-49-32.030N	090-37-14.710W		44/15
Fieldwood-102-2	SS INOP	28-58-05.4228	090-39-32.5578	NO 0688-18	40/18
Fieldwood-101-14	LT EXT	28-30-37.954N	090-40-43.003W	0477-18 NO	28/18
Noble Energy-106-6	OFF STA/HAZ NAV/LT EXT/SS INOP	28-30-24.800N	090-40-46.360W		39/08
Probe-102-2	SS INOP	28-26-57.399N	090-41-06.836W	0265-14 NO	13/14
Fieldwood-102-6	LT EXT	28-56-27.7362	090-43-13.7748	0821-18 NO	47/18
Fieldwood-102-16	LT EXT	28-56-52.7346	090-43-24.6282	NO 0705-18	41/18
Fieldwood-102-5	SS INOP	28-56-19.6908	090-44-33.5544	0904-18 NO	52/18
Stone Energy-200-44	SS INOP	28-53-33.3088	090-47-44.5123	857-18 NO	49/18
Stone Energy-200-45	SS INOP	28-53-39.0258	090-49-03.4572	NO 0760-18	44/18
New field-103-19	SS INOP	28-58-36.000N	090-49-36.000W	NO 0145-18	10/18
McMoran-145-5	LT EXT/SS INOP	28-59-01.000N	090-50-00.000W	274-16	19/17
McMoran-145-3	SS INOP	28-58-53.000N	090-50-11.000W	273-17	19/17
New field-103-27	SS INOP	28-58-33.671N	090-50-15.489W	1029-15 NO	49/15
New field-103-22	SS INOP	28-58-21.000N	090-50-16.000W	0275-17	19/17
McMoran-145-4	LT EXT	28-58-56.000N	090-50-24.000W	0276-17	19/17
Comstock Offshore-100-56	LT EXT/FS INOP	28-50-13.000N	090-50-31.000W	0862-03 NO	28/03
Stone Energy-200-66	LT EXT	28-49-01.434N	090-50-41.402W	0882-18 NO	51/18
Comstock Offshore-100-62	LT EXT/FS INOP	28-50-10.000N	090-50-51.000W	0862-03 NO	28/03
Odeco-166-15	LT EXT/SS INOP	28-40-11.000N	090-52-37.000W		38/08
Comstock Offshore-100-36	SS INOP	28-49-41.000N	090-54-07.000W		37/12
Comstock Offshore-100-6	LT EXT	28-48-36.000N	090-55-02.000W	0982-12 NO	24/12
Northstar-122-6	LT EXT	28-57-21.000N	090-57-11.000W		25/17
Northstar-122-9	LT EXT	28-58-19.000N	090-57-49.000W	0754-09 NO	23/09
Bennu-100-1	LT EXT	28-03-59.513N	090-59-40.655W	650-17 NO	31/17
Capco-102-1	LT EXT	28-43-35.540N	091-01-17.605W	1627-11 NO	39/11
Capco-102-1	SS INOP	28-43-35.540N	091-01-17.605W	NO 0387-18	24/18
Bennu-100-2	LT EXT	28-02-03.083N	091-01-46.881W	0960-04 NO	33/04
Bennu-100-2	SS INOP	28-02-03.083N	091-01-46.881W	0503-17 NO	30/18
Sandridge-101-2	LT EXT/SS INOP	28-22-10.8408	091-05-13.664W		38/08
Ankor Energy-100-4	SS INOP	28-28-12.890N	091-05-14.404W	399-17 NO	24/17
Monforte-101-1	SS INOP	28-17-57.534N	091-05-15.278W	0131-16 NO	07/16
Monforte-101-2	LT EXT/SS INOP	28-16-28.876N	091-05-33.791W	0595-17 NO	30/17
Energy XXI-109-09	LT EXT	28-51-34.000N	091-07-52.000W	0590-17 NO	30/17
McMoran-145-7	FS INOP	28-59-24.178N	091-11-20.838W	0158-04 D8	14/04
Century-106-7	MISSING/HAZ NAV	28-41-08.000N	091-12-23.000W	0246-08	39/08
McMoran-145-1	LT IMCH/SS INOP	28-58-57.853N	091-13-08.200W	0851-17	39/17
Northstar-122-1	LT EXT/SS INOP	28-32-39.426N	091-14-01.151W	0394-18 NO	24/18
Fieldwood-103-54	SS INOP	28-39-01.173N	091-20-10.391W	0574-17 NO	29/17
Apache-102-29	LT EXT	28-45-38.373N	091-20-51.000W	0235-15 NO	12/15
Energy XXI-101-19	SS INOP	28-29-02.340N	091-20-59.800W		19/18
Whitney-101-04	SS INOP	28-56-00.264N	091-21-36.211W	0227-17	15/17

Arena Offshore-105-32	LT EXT/SS INOP	29-14-39.824N	091-23-12.601W		09/18
Arena Offshore-105-60	SS INOP	28-15-19.040N	091-26-01.295W	0096-09 NO	03/09
Fieldw ood-103-86	SS INOP	28-59-56.421N	091-26-42.932W	826-17 NO	38/17
Energy xxi-101-12	LT EXT/SS INOP	29-15-17.830N	091-26-46.291W		23/18
Fieldw ood-103-9	SS INOP	28-44-26.2422	091-26-58.592W		42/17
Fieldw ood-103-47	SS INOP	28-58-59.912N	091-27-00.727W	0078-18 NO	06/18
Gryphon-103-1	LT EXT	29-07-23.661N	091-27-13.574W	0753-09 NO	23/09
Huffco-103-1	LT EXT	28-11-17.000N	091-27-34.000W	0060-18 NO	06/18
Fieldw ood-103-16	SS INOP	28-44-28.827N	091-27-52.606W	837-17 NO	38/17
Nexen-100-9	LT EXT	28-27-32.670N	091-27-53.380W		50/16
Fieldw ood-103-45	SS INOP	28-59-12.336N	091-27-53.441W	720-17 NO	34/17
Fieldw ood-103-43	LT EXT/SS INOP	28-58-57.597N	091-28-45.922W	0937-17 NO	44/17
Fieldw ood-103-8	LT EXT	28-58-43.269N	091-28-58.623W		37/18
Fieldw ood-103-24	SS INOP	28-58-31.897N	091-29-04.966W	0613-17 NO	30/17
CONTANGO-200-6	SS INOP	29-11-36.320N	091-31-33.893W	321-17	20/17
Devon-112-16	SS INOP	28-18-14.000N	091-31-59.000W		52/08
Houston-103-1	LT EXT	28-28-50.969N	091-33-27.130W	0664-17 NO	32/17
Nexen-100-15	LT EXT/SS INOP	28-20-40.400N	091-34-26.300W		40/08
Fieldw ood-103-67	SS INOP	29-13-24.927N	091-34-48.359W		07/17
Fieldw ood-103-62	SS INOP	29-13-00.379N	091-36-15.347W		48/18
Mobil-134-1	HAZ NAV/LT EXT/SS INOP	28-57-58.000N	091-36-47.000W		40/08
Apache-160-1	SS INOP	28-24-54.576N	091-36-47.275W	1492-08 NO	37/08
Juniper-100-1	LT EXT	29-17-54.540N	091-37-38.130W	0412-16 NO	19/16
Bt Operating-102-1	LT EXT	28-22-00.000N	091-37-48.000W	0022-09 NO	01/09
Walter-114-3	MISSING/HAZ NAV	27-59-34.916N	091-39-38.476W	0245-08	39/08
Fieldw ood-103-34	LT EXT	29-04-10.480N	091-42-04.121W		11/18
Mariner-111-10	MISSING/HAZ NAV	28-19-58.000N	091-42-28.000W		39/08
Fieldw ood-103-30	SS INOP	28-48-07.113N	091-43-03.151W	722-17 NO	34/17
Rooster-106-1	LT EXT/SS INOP	29-18-00.785N	091-43-03.184W		41/16
Fieldw ood-103-71	LT EXT/SS INOP	28-48-07.068N	091-43-19.560W		33/18
Rooster-106-3	SS INOP	29-17-51.271N	091-43-43.650W	0124-16 NO	07/16
Arena Offshore-105-36	SS INOP	28-16-11.500N	091-43-50.600W	1680-08 NO	40/08
Fieldw ood-103-75	LT EXT/SS INOP	28-49-07.000N	091-44-08.000W		51/18
Arena Offshore-105-37	LT EXT	28-15-22.000N	091-44-24.000W	1681-08 NO	40/08
Fieldw ood-103-73	SS INOP	28-46-58.037N	091-44-38.083W	725-17 NO	34/17
Arena Offshore-105-35 (B-DRL)	LT EXT/SS INOP	28-15-12.000N	091-45-06.000W	1349-08 NO	34/08
Merit-102-1	HAZ NAV/LT EXT/SS INOP	28-22-42.664N	091-45-59.424W		38/08
Fieldw ood-103-90	LT EXT	28-34-21.523N	091-46-08.077W	1037-17 NO	50/17
Sterling-102-1	HAZ NAV/LT EXT/SS INOP	28-25-21.418N	091-49-44.818W		39/08
Black Elk-109-1	SS INOP	28-51-55.000N	091-51-46.000W		23/15
Fieldw ood-105-29	LT EXT	28-16-22.976N	091-51-57.553W		19/18
Energy Xxi-108-13	SS INOP	28-35-41.272N	091-52-11.218W		05/18
Energy XXI-108-31	SS INOP	29-19-55.000N	091-52-12.000W	NO 0385-18	24/18
Devon-115-5	SS INOP	28-51-38.000N	091-52-46.000W	0650-12 NO	17/12
Energy XXI-108-44	SS INOP	29-19-31.483N	091-52-49.940W		21/18
Merit-110-2	HAZ NAV/LT EXT/SS INOP	29-14-19.197N	091-52-52.665W	1699-11 NO	41/11
Devon-115-9	OFF STA/HAZ NAV/LT EXT/SS INOP	28-44-31.000N	091-53-25.000W		39/08
Fieldw ood-105-4	LT EXT	29-05-00.258N	091-53-29.618W		48/18
Fieldw ood-105-4	SS INOP	29-05-00.258N	091-53-29.618W		41/18
Fieldw ood-105-37	SS INOP	29-07-52.269N	091-53-31.675W		50/18
Devon-115-3	LT EXT/SS INOP	28-52-01.000N	091-53-52.000W	0377-15 NO	19/15
New field-116-4	SS INOP	28-14-54.000N	091-53-57.000W	0042-18 NO	03/18

Nippon-103-10	SS INOP	28-51-05.035N	091-54-45.168W	0046-15	03/16
Devon-115-1	SS INOP	28-52-39.000N	091-54-55.000W	0046-15	03/16
WA28-334-Tank Batt 1 (Hilcorp Energy)	LT EXT	29-40-25.000N	091-54-59.000W	0726-03 NO	25/03
Wa28-334-B28 (Hilcorp Energy)	LT EXT	29-40-15.000N	091-55-20.000W	1941-12	47/12
WA28-334-B109 (Hilcorp Energy)	LT EXT	29-40-11.000N	091-56-12.000W	1110-12 NO	28/12
Fieldw ood-105-24	SS INOP	28-38-48.155N	091-56-14.805W		38/18
WA28-334-B93 (Hilcorp Energy)	LT EXT	29-40-30.000N	091-56-17.000W	0011-12 NO	02/12
Fieldw ood-105-25	SS INOP	28-38-39.083N	091-56-53.419W	0092-16	07/17
Energy XXI-108-14	LT EXT	28-39-38.000N	091-57-21.000W	NO 1114-17	01/18
Energy XXI-108-14	LT EXT/SS INOP	28-39-38.000N	091-57-21.000W	NO 0723-18	42/18
Energy XXI-108-48	LT EXT	28-40-17.381N	091-58-09.176W		39/17
Energy XXI-108-48	SS INOP	28-40-17.381N	091-58-09.176W	0940-17 NO	45/17
Fieldw ood-105-21	SS INOP	28-48-46.494N	091-58-32.945W		23/17
Fieldw ood-105-13	LT EXT	28-57-55.205N	091-58-44.324W		48/18
Mariner-115-9	SS INOP	28-57-32.000N	091-58-47.000W	1933-12 NO	47/12
Cox-109-42	LT EXT/SS INOP	29-19-55.000N	091-59-12.000W	NO 0199-18	12/18
Energy Xxi-108-11	SS INOP	29-23-37.620N	091-59-34.780W	NO 0386-18	24/18
Cox-109-33	LT EXT	29-22-03.000N	092-00-42.000W	NO 0161-18	10/18
Cox-109-33	SS INOP	29-22-03.000N	092-00-42.000W	NO 0261-18	16/18
Mcmoran-114-51	LT EXT	29-25-43.745N	092-02-12.016W		15/17
Fieldw ood-105-2	LT EXT	28-25-51.927N	092-03-49.0896		48/18
Elf Aquitaine-106-2	SS INOP	29-20-07.000N	092-04-12.000W	NO 0925-17	44/17
Northstar-123-1	LT EXT/SS INOP	28-48-16.772N	092-04-18.491W	0238-15 GA	15/15
Fieldw ood-105-12	LT EXT	28-18-37.328N	092-05-45.863W	647-17 NO	31/17
Taylor Energy-103-8	LT EXT	28-50-49.000N	092-10-02.000W	0335-03 D8	30/03
Energy XXI-113-9	LT EXT	29-26-50.000N	092-11-37.000W	NO 0910-17	42/17
Fieldw ood-108-14	LT EXT	28-28-17.994N	092-11-43.493W		19/18
Fieldw ood-108-22	SS INOP	28-17-33.796N	092-12-20.879W		41/18
Murphy-105-16	LT EXT/SS INOP	28-48-33.000N	092-12-49.000W		06/17
Coastal-105-3	SS INOP	28-34-28.467N	092-13-07.891W	0227-15 NO	12/15
Contango-250-01	SS INOP	28-55-14.784N	092-13-36.728W	0460-18 NO	28/18
Fieldw ood-108-21	LT EXT	28-18-18.111N	092-13-48.500W		14/18
Conquest-104-1	LT EXT	29-05-38.000N	092-18-40.000W	1254-12 NO	31/12
New field-105-10	LT EXT	28-42-15.000N	092-18-56.000W	NO 0693-18	40/18
New field-105-10	SS INOP	28-42-15.000N	092-18-56.000W	0539-16 NO	28/17
Stone Energy 101-5	MISSING/HAZ NAV	28-30-18.000N	092-20-44.000W	0243-08	39/08
Basin-107-3	SS INOP	28-30-37.326N	092-21-28.998W	0436-15 NO	23/15
Fieldw ood-108-8	LT EXT/SS INOP	28-45-55.890N	092-21-37.919W		47/18
Nexen-102-11	LT EXT	29-19-52.385N	092-24-24.675W	1115-14 NO	06/14
Samson Contour-101-1	HAZ NAV/LT EXT/SS INOP	28-41-28.000N	092-24-40.000W		40/08
Samson Contour-101-4	HAZ NAV/LT EXT/SS INOP	28-41-24.430N	092-24-51.050W		38/08
Samson Contour-101-3	HAZ NAV/LT EXT/SS INOP	28-42-05.327N	092-25-46.581W		38/08
Lobo-101-2	LT EXT	29-31-34.802N	092-25-50.812W	0794-15 NO	40/15
Nexen-102-12	LT EXT/SS INOP	29-19-43.036N	092-25-55.319W		40/08
Nexen-102-2	LT EXT/SS INOP	28-13-04.000N	092-25-56.000W		42/08
Millennium-103-1	HAZ NAV/LT EXT/DAYMK IMCH/	28-18-15.000N	092-26-28.000W		39/08
Nexen-102-33	LT EXT/SS INOP	28-13-05.724N	092-26-49.700W		40/08
Beryl-107-1	LT EXT/SS INOP	28-07-40.133N	092-28-01.263W		38/18
Tana-109-3	SS INOP	28-24-53.222N	092-29-20.250W	0257-17	17/17
Merit-112-1	STRUCT DEST	28-02-25.750N	092-29-22.548W		50/09
Hilcorp-123-5	LT EXT	29-26-24.000N	092-29-45.000W	NO 0650-18	38/18
Palm Energy-104-1	SS INOP	28-29-24.234N	092-29-46.616W		22/09

Black Elk-101-5	LT EXT/SS INOP	29-07-14.000N	092-30-09.000W		49/16
Energy XXI-113-13	LT EXT	29-25-33.434N	092-30-09.220W		43/18
Black Elk-101-6	SS INOP	29-05-13.746N	092-30-18.758W		01/17
Black Elk-101-2	LT EXT	29-05-12.106N	092-31-01.729W		42/16
Black Elk-101-4	LT EXT/SS INOP	29-05-42.445N	092-31-01.789W	0366-15 NO	19/15
Energy Xxi-113-15	SS INOP	28-54-34.805N	092-31-17.887W	0567-18 NO	33/18
Black Elk-101-1	LT EXT/SS INOP	29-05-02.626N	092-31-33.072W	0143-16 no	07/16
Black Elk-101-3	SS INOP	29-04-46.547N	092-31-43.585W	0170-16	10/16
Black Elk-101-3	STRUCT DMGD	29-04-46.547N	092-31-43.585W		41/16
Marathon-114-1	HAZ NAV/LT EXT/SS INOP	28-04-22.000N	092-32-47.000W		38/08
Probe-103-1	LT EXT	29-28-11.914N	092-32-59.921W	0429-15	22/15
Nexen-102-1	LT EXT/SS INOP	28-17-55.000N	092-34-45.000W		40/08
Energy Resource-103-4	LT EXT	28-48-49.100N	092-35-06.000W		39/00
New field-105-15	MISSING/HAZ NAV	28-45-47.925N	092-35-07.532W		39/08
King Ranch-103-2	MISSING/HAZ NAV	28-27-01.314N	092-35-26.776W	3908	39/08
Aquila-108-1	MISSING/HAZ NAV	29-02-52.791N	092-36-55.710W	0243-08	39/08
Gomex-100-1	LT EXT/SS INOP	28-24-38.937N	092-36-56.185W		43/10
PROBE-100-1	SS INOP	29-29-36.656N	092-38-23.287W	0441-15 GA	26/15
Coastal-104-1	SS INOP	28-40-11.000N	092-40-30.000W	0351-13 GA	18/13
Maritech-111-3	MISSING/HAZ NAV	28-10-44.741N	092-41-45.558W	0246-08	39/08
East Cameron Partners-100-2	LT EXT	29-20-48.464N	092-42-56.802W	0855-13GA	46/13
Houston-102-2	LT EXT/SS INOP	28-55-37.000N	092-44-16.000W	1128-09 GA	51/09
Merit-108-2	LT EXT	28-56-21.000N	092-44-47.000W		02/17
Merit-108-1	SS INOP	29-31-54.000N	092-45-42.000W	0192-13 GA	10/13
Louisiana Orphan Wellsite A #156996	LT EXT	29-35-17.534N	092-46-56.031W	0019-11 LA	07/11
Fieldw ood-100-5	LT EXT	28-10-46.898N	092-47-13.196W		50/18
Fieldw ood-100-5	SS INOP	28-10-46.898N	092-47-13.196W		22/18
Houston-102-6	SS INOP	29-30-29.380N	092-48-12.590W	0198-13 GA	11/13
Merit-110-1	LT EXT/SS INOP	29-15-22.380N	092-51-17.230W	1656-10 NO	52/10
Fieldw ood-100-13	SS INOP	28-09-50.659N	092-51-44.845W		12/18
Con Energy-101-1	HAZ NAV/LT EXT/SS INOP/STRU	28-37-31.000N	092-53-30.000W	0050-14 GA	03/14
Fieldw ood-100-1	SS INOP	29-36-20.000N	092-54-06.000W		47/18
Fieldw ood-100-10	LT EXT/SS INOP	28-28-18.865N	092-54-53.213W		27/18
Fieldw ood-100-2	LT EXT	28-27-07.401N	092-55-30.370W		47/18
Helis-121-3	LT EXT	29-26-26.906N	092-58-46.060W	0723-12	34/12
Hec-101-2	LT EXT	28-18-14.928N	092-59-29.425W		49/08
Hec-102-7	SS INOP	29-16-47.200N	092-59-44.600W	0052-14 GA	03/14
Merit-107-1	LT EXT/SS INOP	28-10-22.430N	092-59-56.699W		46/17
Virgin-100-2	SS INOP	29-39-34.035N	093-00-13.395W		38/15
Fieldw ood-100-16	LT EXT/SS INOP	29-41-07.000N	093-00-55.000W		11/18
Fieldw ood-109-26	SS INOP	29-37-35.162N	093-02-04.901W		01/18
Diamond Shamroc-104-3	SS INOP	29-19-04.000N	093-02-05.000W	0354-13 GA	18/13
Fieldw ood-109-1	LT EXT/SS INOP	29-40-22.479N	093-02-17.563W		51/18
Black Elk-102-16	LT EXT/SS INOP	29-20-17.000N	093-04-23.000W	0367-15 GA	21/15
Fieldw ood-109-4	SS INOP	29-39-07.369N	093-07-18.652W		13/18
Fieldw ood-109-5	LT EXT/SS INOP	29-38-46.686N	093-08-31.355W		25/18
Fieldw ood-109-7	SS INOP	29-37-00.775N	093-09-03.401W		47/18
Northstar-107-14	SS INOP	28-55-26.610N	093-09-16.070W	0505-18 GA	31/18
Tarpon-100-10	SS INOP	28-30-32.600N	093-09-32.700W	0266-14 GA	15/14
Fieldw ood-109-12 A-B-C-9	LT EXT	29-25-18.656N	093-09-54.270W		22/18
Fieldw ood-109-10	LT EXT	29-25-52.688N	093-09-59.188W		14/18
Houston-110-3	SS INOP	29-24-12.540N	093-10-09.797W	0240-09	11/09

Houston-110-4	SS INOP	29-23-58.460N	093-10-40.780W	0362-10	16/10
Petsec-101-2	SS INOP	28-35-48.000N	093-10-43.000W	0296-14 GA	16/14
ATP-100-18	SS INOP	28-32-56.780N	093-11-36.390W	0297-14 GA	16/14
Walter-106-5	SS INOP	29-35-00.849N	093-12-18.954W	0506-18 NO	31/18
Pisces-106-2	SS INOP	28-28-39.658N	093-12-26.095W		22/09
Fieldw ood-109-50	LT EXT	29-33-26.994N	093-13-58.710W		45/18
Conn Energy-200-1	LT EXT/SS INOP	29-23-47.000N	093-15-03.000W	554-17 GA	35/17
Conn Energy-200-2	LT EXT/SS INOP	29-23-46.135N	093-15-03.301W	555-17 GA	35/17
Fieldw ood-109-34	SS INOP	29-30-16.419N	093-16-37.600W		43/17
Fieldw ood-109-27	SS INOP	29-29-47.486N	093-16-52.316W		11/18
Fieldw ood-109-35	SS INOP	29-30-01.576N	093-17-13.480W		42/18
Fieldw ood-109-20	SS INOP	29-30-47.542N	093-17-28.640W		51/18
Fieldw ood-109-31	LT EXT/SS INOP	29-30-18.835N	093-17-41.323W	0551-18 NO	32/18
Fieldw ood-109-31	SS INOP	29-30-18.835N	093-17-41.323W		11/18
Fieldw ood-109-30	LT EXT/SS INOP	29-30-01.126N	093-17-44.347W	0512-18 GA	32/18
Fieldw ood-109-30	SS INOP	29-30-01.126N	093-17-44.347W		11/18
Century Offshore-101-2	SS INOP	28-54-31.000N	093-18-06.000W		15/16
Tarpon-100-8	LT EXT/SS INOP	29-12-17.830N	093-19-12.590W	0163-18 GA	11/18
Tarpon-100-7	SS INOP	29-11-28.637N	093-19-27.742W	0615-18 GA	39/18
Monforte-100-2	LT EXT	28-41-18.727N	093-22-07.173W	0368-17 GA	22/17
Peregrine-105-1	LT EXT	28-15-30.552N	093-22-15.729W		51/16
EnVen-100-2	SS INOP	29-37-17.005N	093-22-57.258W	0239-18 GA	16/18
Linder-105-1	SS INOP	29-24-26.000N	093-23-18.000W		17/18
Linder-105-2	SS INOP	29-24-27.982N	093-24-53.178W		17/18
ATP-100-13	LT EXT/SS INOP	27-51-35.495N	093-25-05.305W	0016-14 D8	04/14
Castex-101-1	LT EXT	29-33-34.926N	093-25-27.778W	0811-17 GA	49/17
Mobil-225-39	SS INOP	29-25-56.000N	093-25-58.000W	1122-09 GA	50/09
El Paso-103-28	SS INOP	29-25-54.972N	093-26-09.843W	0645-13 GA	34/13
Beryl-108-2	LT EXT	28-26-12.091N	093-26-45.035W	0767-11 GA	34/11
Fieldw ood-109-15	LT EXT	29-22-03.889N	093-31-40.029W		14/18
Fieldw ood-109-15	SS INOP	29-22-03.889N	093-31-40.029W		28/18
Fieldw ood-111-20	LT EXT	28-14-31.286N	093-33-25.823W		33/17
Mariner-104-17	LT EXT	29-11-41.249N	093-33-44.686W	0450-10 GA	20/10
Northstar-107-5	LT EXT	29-39-39.366N	093-34-00.582W	0912-09	40/09
Northstar-107-13	SS INOP	29-41-36.160N	093-34-53.180W	0825-18 GA	51/18
Fieldw ood-109-41	SS INOP	29-20-41.669N	093-38-03.577W		51/18
Fieldw ood-121-1	SS INOP	29-29-50.773N	093-46-51.409W		45/18
Dominion-108-2	LT EXT	29-26-18.077N	093-47-18.002W		28/17
Fieldw ood-111-26	LT EXT/SS INOP	29-13-43.961N	093-47-27.838W		21/18
Atp-106-4	SS INOP	29-24-18.963N	093-51-00.752W	0059-14	04/14
Union-198-3	LT EXT	28-13-42.000N	093-56-13.000W	0123-18 GA	09/18
Union-198-3	SS INOP	28-13-42.000N	093-56-13.000W		26/14
Northstar-108-3	SS INOP	28-24-17.472N	093-56-28.961W	0460-15 GA	28/15
Northstar-108-4	SS INOP	28-21-21.535N	093-57-18.336W	0273-16 GA	17/16
Fieldw ood-111-14	LT EXT/SS INOP	27-54-12.276N	093-57-32.144W		49/17
Walter-112-9 Lighted Buoy	MISSING	28-15-08.900N	093-57-53.794W		46/15
Fieldw ood-111-31	SS INOP	28-00-22.939N	094-06-08.506W		15/18
McMoran-170-2	SS INOP	28-15-18.367N	094-12-31.784W	0685-17 GA	41/17
Virgin-100-1	LT EXT/SS INOP	29-09-34.403N	094-15-24.738W	1078-11 GA	47/11
Union-196-1	HAZ NAV/LT EXT/SS INOP	29-26-09.000N	094-18-15.000W	0058-12 GA	04/12
Devon-200-4	LT EXT	29-16-03.000N	094-20-24.000W	0019-15	02/15
Hoactzin-100-01	SS INOP	29-11-28.280N	094-21-04.530W	0770-18 GA	49/18

Fieldw ood-111-5	LT EXT	29-05-36.9528	094-23-08.718W		05/18
Transco-109-1	LT EXT	29-14-16.000N	094-25-21.000W	0773-17 GA	46/17
New field-109-2	SS INOP	28-02-56.550N	094-26-18.070W	0880-09 GA	38/09
Blue Dolphin-101-10	LT EXT	28-53-36.975N	094-42-15.296W	1162-04 GA	30/04
Black Elk-104-1	SS INOP	28-43-10.338N	094-50-13.235W	0785-15 GA	49/15
Hec-125-3	SS INOP	28-57-52.900N	094-54-31.400W	0514-15	31/15
Black Elk-108-1	LT EXT/SS INOP	28-34-36.219N	094-58-36.125W		19/17
Seagull-101-3	LT EXT	28-35-32.000N	095-11-09.000W	0397-17 GA	24/17
Kirby-104-3	LT EXT	28-44-47.000N	095-25-13.000W	0065-15	05/15
ATP-102-3	LT EXT	28-15-22.872N	095-33-54.313W	0059-15 GA	04/15
Transco-116-1	SS INOP	28-18-53.000N	095-37-14.000W	0470-17 GA	28/17
Fieldw ood-110-2	SS INOP	28-23-47.9508	095-51-42.862W		10/18
Black Elk-105-5	LT EXT	28-24-50.796N	096-02-48.082W		21/09
Fieldw ood-120-12	SS INOP	28-23-34.000N	096-04-42.000W		19/18
Fieldw ood-120-11	LT EXT/SS INOP	28-23-09.000N	096-05-12.000W		43/17
American Coastal-102-5	LT EXT	28-22-45.000N	096-09-54.000W		21/09
Apache-110-7	LT EXT	27-38-17.880N	096-14-05.170W		44/18
Apache-110-7	SS INOP	27-38-17.880N	096-14-05.170W		49/18
Fieldw ood-120-8	SS INOP	28-06-07.711N	096-22-11.521W		14/18
Fieldw ood-120-7	LT EXT/SS INOP	28-06-06.394N	096-22-51.838W		43/17
Buttes-101-2	LT EXT/SS INOP	28-13-53.000N	096-23-24.000W		35/12
Fieldw ood-120-9	SS INOP	28-07-04.936N	096-23-28.244W		34/17
Fieldw ood-120-3	LT EXT	28-06-23.705N	096-25-47.686W		29/18
Inexco-101-3	LT EXT/SS INOP	27-36-01.000N	097-04-39.000W		25/18
White Marlin-100-6	LT EXT	27-42-33.360N	097-06-16.020W		39/17
Reynolds-102-3	LT EXT	27-39-18.000N	097-07-39.000W	0221-10CC	19/10
Reynolds-102-4	LT EXT	27-38-57.000N	097-07-42.000W	0221-10CC	19/10
Ctx-100-1	LT EXT/SS INOP	27-31-00.000N	097-09-50.000W		25/18
Ctx-100-2	LT EXT/SS INOP	27-30-36.000N	097-09-59.000W		25/18
Ctx-100-4	LT EXT/SS INOP	27-30-48.000N	097-10-06.000W		25/18
Ctx-100-3	LT EXT/SS INOP	27-30-48.000N	097-10-49.000W		25/18
WF03-33100-48-3 (WHITE MARLIN)	LT EXT	27-46-10.910N	097-17-41.960W		39/17
WF03-32973-71-1 (WHITE MARLIN)	LT EXT	27-46-05.590N	097-20-55.010W		39/17

PLATFORM DISCREPANCIES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
95	St Joseph Bay Light & Entrance A Range Rear Light	DISCONTINUED	11393		15/09	
2840	ST GEORGE ISLAND LIGHTED BUOY 3	RELOCATED DUE TO SHOALING	11404	0715-18 MO	40/17	
2845	ST GEORGE ISLAND LIGHTED BUOY 4	RELOCATED DUE TO SHOALING	11404	0715-18 MO	40/17	
2846	ST GEORGE ISLAND LIGHTED BUOY 6	RELOCATED DUE TO SHOALING	11404	0715-18 MO	48/18	

3025	St Joseph Bay Entrance A Range Front Light	DISCONTINUED	11393		24/08
3030	St Joseph Bay Light & Entrance A Range Rear Light	DISCONTINUED	11393		15/09
3105	St Joseph Bay Entrance Range D Rear Light	DISCONTINUED	11393	0870-15 MO	44/15
4580	Choctawhatchee Bay Entrance Buoy 10	DISCONTINUED	11385		05/18
6970	Mullet Point Light 2	TRLT	11377		33/18
7760	Bayou La Batre Daybeacon 25	TRLT	11374	0585-17 MO	33/17
7940	Horn Island Pass Lighted Buoy 16	DISCONTINUED FOR DREDGING	11375	0448-18 MO	31/18
7950	Horn Island Pass Lighted Buoy 18	DISCONTINUED FOR DREDGING	11375	0016-18 MO	03/18
9265	Back Bay of Biloxi Daybeacon 3	TRLT	11372		13/17
9375	Biloxi River Daybeacon 1	TRLT	11372		13/17
9380	Big Lake Junction Daybeacon	TRLT	11372		13/17
9390	Big Lake Daybeacon 28	TRLT	11372		13/17
11570	Tangipahoa River Light 8	RELOCATED	11369		40/18
15300	Arlington Range Front Light	TRLT	11370	0065-18 NO	06/18
15305	Arlington Range Rear Light	TRLT	11370	0066-18 NO	06/18
18963	Atchafalaya River Junction Light C	RELOCATED	11351	0836-18 NO	46/18
19090.01	Atchafalaya River Daybeacon 23	TRLT	11351		32/18
21325	Calcasieu Channel A Range Front Light	TRLT	11347	0810-18 GA	51/18
21430	Calcasieu Channel Light 50	DISCONTINUED	11339	0650-15 GA	39/15
22785	Port Arthur Canal D Range Front Light	TRLT	11342	0705-18 GA	44/18
22790	Port Arthur Canal D Range Rear Light	TRLT	11342	0706-18 GA	44/18
24540	Houston Ship Channel Light 84	DISCONTINUED FOR DREDGING	11327		51/18
24550	Houston Ship Channel Light 86	TRLB	11327	0773-18 GA	49/18
25742	Houston Ship Channel Security Zone Marker 1	RELOCATED	11325	0560-18 GA	36/18
25762	Tucker Bayou Security Zone Marker	RELOCATED	11325	0559-18 GA	36/18
25822	Vinces Bayou Security Zone Marker	RELOCATED	11325	0558-18 GA	36/18
26935	Freeport Entrance Lighted Buoy 6	RELOCATED	11322		46/18
28970	La Quinta Channel Inner Range Front Light	TRLT	11309		11/18
35945	Bolivar Peninsula Light 20	DISCONTINUED	11324	0811-18 GA	51/18
38550.01	San Antonio Bay Daybeacon 31	DISCONTINUED FOR DREDGING	11315		39/18
38560.01	San Antonio Bay Daybeacon 33	DISCONTINUED FOR DREDGING	11315		39/18
39690	Aransas Bay Alternate Route Danger Buoy A	TRLB	11312		33/18
39705	Aransas Bay Alternate Route Danger Buoy B	TRLB	11312		33/18
42395	Harlingen-Port Isabel Daybeacon 8	RELOCATED	11303		28/18

TEMPORARY CHANGES CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

PLATFORM TEMPORARY CHANGES

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

PLATFORM TEMPORARY CHANGES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

SECTION IV - CHART CORRECTIONS

None					
------	--	--	--	--	--

OIL RIG MOVEMENT

Drill Rigs/Vessels Removed

Latitude	Longitude	Block	Rigs/Vessel	Chart	Type	Status
None						

Drill Rigs/Vessels Established

Latitude	Longitude	Block	Rigs/Vessel	Chart	Type	Status
None						

SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

<u>Approved Project(s)</u>	<u>Project Date</u>	<u>Ref. LNM</u>
None		

Advance Notice(s)

FL – WEST BAY TO SANTA ROSA SOUND – Choctawhatchee Bay

In order to provide a more efficient and effective Aid to Navigation signal, the Coast Guard has made the following Aid to Navigation change.
 Establish Choctawhatchee Bay Entrance Lighted Wreck Buoy 19 (LLNR-4692)
 in approximate position 30-24-37.683N/086-31-48.741W, showing Q G, 3NM nominal range, green buoy.
 Chart 11384 LNM: 45/18

LA – POINT AU FER TO MARSH ISLAND – Atchafalaya River

In order to provide a more efficient and effective Aid to Navigation signal, the Coast Guard has made the following Aid to Navigation change.
 Change Atchafalaya River Daybeacon 23 (LLNR-19090.01) in approximate position 29-35-03.427N/091-13-57.940W to Atchafalaya River Light 23 (LLNR-19090.01) showing FL G 2.5s, 17ft Focal Height, 3NM nominal range, SG on a pile, Ra ref.
 Charts: 11351 11354 LNM: 45/18

TX – MATAGORDA BAY – Matagorda Ship Channel

In order to provide a more efficient and effective aid to navigation signal, the Coast Guard will make the following Aids to Navigation changes after February 12, 2019.
 Change Matagorda Ship Channel B Range Front Light Passing Light (LLNR-27175) in approximate position 28-25-40.621N/096-19-37.261W to Matagorda Ship Channel LT 12 (LLNR-27175) showing FI R 4s, 23ft Focal Height, 3NM nominal range, TR on skeleton tower on block, on same structure as Matagorda Ship Channel B Range Front Light.
 Chart 11317 LNM: 51/18

MS – PASCAGOULA – Pascagoula Channel

The Coast Guard will make the following Aid to Navigation changes after February 12, 2019. The mariner shall note a decrease of .9 nm in radar acquisition range, conversely the mariner will notice an improved buoy hull daytime visual acquisition range and improved buoy flotation characteristics.
 Change Pascagoula Channel Lighted Buoy 32 (LLNR-8045) in approximate position 30-16-05.634N/088-30-35.109W, from a steel buoy hull to an

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

<u>Proposed Project(s)</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
None			

Proposed Change Notice(s)

TX – SABINE AND NECHES RIVER – Sabine River

In order to provide the most effective signal to the mariner the Coast Guard is proposing the following changes in the Sabine River: Change Sabine River Daybeacon 13A (LLNR-23150) to Sabine River Lighted Buoy 13A (LLNR-23150) in approximate position 30-01-49.067N/093-44-24.648W, showing FI G 2.5s, 3NM nominal range, Green Can. This change will provide a superior signal to the mariner as well as provide the Coast Guard flexibility in marking the areas shoal water. Comments will be taken until January 8, 2019, please e-mail comments to: LocalNoticeFeedback@uscg.mil.

Charts: 11331 11343

LNM: 46/18

TX – GALVESTON BAY TO CEDAR LAKES – Galveston-Freeport – Chocolate Bay

In order to improve nighttime visibility of the Aids to Navigation picture in Chocolate Bay the Coast Guard proposes the following Aids to Navigation Changes:

Change Chocolate Bay Buoy 3 (LLNR-37015) in approximate position, 29-10-10.719N/095-07-06.809W to Chocolate Bay Light 3 (LLNR-37015) showing FI G 2.5s, Nominal Range 3NM, SG-SY on pile, Ra Ref.
Change Chocolate Bay Buoy 4 (LLNR-37020) in approximate position, 29-10-12.896N/095-07-08.533W to Chocolate Bay Light 4 (LLNR-37020) showing FI R 2.5s, Nominal Range 3NM, TR-TY on pile, Ra Ref.
Change Chocolate Bay Buoy 7 (LLNR-37030) in approximate position, 29-09-54.554N/095-07-32.923W to Chocolate Bay Light 7 (LLNR-37030) showing FI G 4s, Nominal Range 3NM, SG-SY on pile, Ra Ref.
Change Chocolate Bay Buoy 8 (LLNR-37035) in approximate position, 29-09-57.438N/095-07-35.083W to Chocolate Bay Light 8 (LLNR-37035) showing FI R 4s, Nominal Range 3NM, TR-TY on pile, Ra Ref.
Change Chocolate Bay Buoy 17 (LLNR-37310) in approximate position, 29-09-09.254N/095-08-48.027W to Chocolate Bay Light 17 (LLNR-37310) showing FI G 4s, Nominal Range 3NM, SG-SY on pile, Ra Ref.
Change Chocolate Bay Buoy 18 (LLNR-37315) in approximate position, 29-09-11.609N/095-08-49.996W to Chocolate Bay Light 18 (LLNR-37315) showing FI R 4s, Nominal Range 3NM, TR-TY on pile, Ra Ref.
Change Chocolate Bay Buoy 21 (LLNR-37325) in approximate position, 29-08-52.640N/095-09-15.480W to Chocolate Bay Light 21 (LLNR-37325) showing FI G 2.5s, Nominal Range 3NM, SG-SY on pile, Ra Ref.
Change Chocolate Bay Buoy 22 (LLNR-37330) in approximate position, 29-08-54.887N/095-09-16.804W to Chocolate Bay Light 22 (LLNR-37330) showing FI R 2.5s, Nominal Range 3NM, TR-TY on pile, Ra Ref.
Comments will be taken until January 15, 2019, please email comments regarding this proposal to: LocalNoticeFeedback@uscg.mil.

Chart 11322

LNM: 47/18

TX – HOUSTON SHIP CHANNEL – Houston Ship Channel

In order to improve navigation within the Houston Ship Channel the Coast Guard proposes the following Aids to Navigation changes:

Discontinue Cotton Patch Bayou Security Zone Marker (LLNR-25816) in approximate position 29-44-05.280N/095-12-08.280W.
Discontinue Harrisburg Bend Security Zone Marker 1 (LLNR-25842) in approximate position 29-43-21.000N/095-16.22.260W.
Discontinue Harrisburg Bend Security Zone Marker 2 (LLNR-25842.01) in approximate position 29-43-29.160N/095-16-37.500W. Comments will be taken until January 22, 2019, please email comments regarding this proposal to: LocalNoticeFeedback@uscg.mil.

Chart 11329

LNM: 48/18

MS – PASCAGOULA HARBOR – Bayou Casotte Channel

In order to improve navigation within Bayou Casotte Channel the Coast Guard proposes the following Aid to Navigation change: Relocate Bayou Casotte Channel Light 5 (LLNR-8450) in approximate position 30-18-43.832N/088-30-49.667W to approximate position 30-18-49.920N/088-30-49.560W. Comments will be taken until January 22, 2019, please email comments regarding this proposal to: LocalNoticeFeedback@uscg.mil.

Chart 11375

LNM: 48/18

LA – CHANDELEUR AND BRETON SOUNDS – Baptiste Collette Bayou

In order to improve navigation in Baptiste Collette Bayou/Emeline Pass, the Coast Guard is proposing the following Aid to Navigation Change: Discontinue Emeline Pass Wreck Light WR2 (LLNR-12485) in approximate position 29-18-13.702N/089-18-28.446W. Comments will be taken until February 5, 2019. Please email comments regarding this proposal to: LocalNoticeFeedback@uscg.mil.

Charts: 11355 11361

LNM: 50/18

MS – PASCAGOULA HARBOR – Pascagoula Channel

In order to improve navigation within Pascagoula Channel the Coast Guard is proposing the following Aid to Navigation change: Change Pascagoula Channel Light 50 (LLNR-8210) in approximate position 30-20-24.129N/088-33-49.797W to Pascagoula Channel Lighted Buoy 50 (LLNR-8210) in approximate position 30-20-24.129N/088-33-49.797W. Comments will be taken until February 12, 2019. please email comments regarding this proposal to: LocalNoticeFeedback@uscg.mil.

Chart 11375

LNM: 51/18

MS – PASCAGOULA HARBOR - Bayou Casotte Channel

In order to improve navigation within Bayou Casotte Channel the Coast Guard proposes the following Aid to Navigation change: Relocate Bayou Casotte Channel Light 6 (LLNR-8455) in approximate position 30-18-43.786N/ 088-30-42.312W to approximate position 30-18-49.920N/ 088-30-42.570W. Comments will be taken until February 19, 2019, please email comments regarding this proposal to: LocalNoticeFeedback@uscg.mil.

Chart 11375

LNM: 52/18

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

FL - GULF OF MEXICO - PANAMA CITY - U.S. Navy Testing

Commencing approximately January 8, 2019 and continuing until approximately February 8, 2019, the U.S. Navy will be conducting test operations in an area generally located 12 nautical miles south-west of Panama City Pass, Florida. The test area will include items moored in the water column. Additionally, unmanned underwater vehicle operations will be conducted in the test areas. It is requested that all surface vessels remain at least 1 nautical mile from the test area. Support/Guard vessels include M/V PATRIOT, PSC-12 and other naval support craft which will be on station in the testing area during the test events. All concerned traffic should contact these support vessels via VHF-FM Channel 16, heed all instructions given and stay a minimum of 1 nautical mile from test vessels on station. Additionally, it is requested that all trawler operations within 2 nautical miles of the test area be avoided at all times, as U.S. Navy equipment has been deployed in the area and will remain in the area through the duration of the test event.

Test Area Corners:

- 29-56-25N 085-54-36W,
- 29-58-55N 085-54-36W,
- 29-58-55N 085-51-43W and
- 29-56-25N 085-51-43W.

Charts: 11360 11389 11390

LNM: 52-18

FL - GULF OF MEXICO - U.S. Navy Testing

Continuing until approximately January 1, 2020, the U.S. Navy will be conducting inert underwater mine and Airborne Mine Neutralization System (AMNS) destructor testing in the Gulf of Mexico, in an area approximately 39 nautical miles southwest of the Panama City Pass. The inert mine destructors are silver and orange, 3 feet long, 6 inches in diameter and weighs approximately 2 pounds in water, while weighing 35 pounds in air. Inert mine bottom shapes and inert mine destructors will be deployed, operated and tested in the below test areas during this period. AMNS testing will consist of surface ship operations to include the following: R/V SEWEE or R/V STARFLEET PATRIOT and Project Support Crafts (PSC) 02, 03, 05 or PSC 11; however, additional R/Vs may be added in the future. It is requested that all vessels maintain a one nautical mile CPA of all vessels while operations are in progress. All U.S. Navy / U.S. Navy contracted AMNS support vessels will monitor VHF-FM Channel 16. For up-to-date information, mariners can contact Mr. Robertson, at (850) 230-7698 or via e-mail at William.f.robertson@navy.mil. The corners of the test areas are as follows:

Test Area Tango:

- 29-56-25.20N 085-54-36.00W,
- 29-58-55.20N 085-54-36.00W,
- 29-58-55.20N 085-51-42.60W and
- 29-56-25.20N 085-51-42.60W.

Test Area Harp 8:

- 29-45-25.20N 086-21-49.80W,
- 29-47-01.20N 086-21-49.80W,
- 29-47-01.20N 086-19-52.80W and
- 29-45-25.20N 086-19-52.80W.

Charts: 1115A 11360

LNM: 52-18

FL - GULF OF MEXICO - U.S. Navy Testing

The U.S. Navy will be conducting tow body test/operations in the Gulf of Mexico, navigation chart; U.S. Gulf of Mexico Cape St. George to Mississippi Passes chart number 11362, Panama City Operations Area; W-151A, W-151B: 5A, 5B, 6A, 6B, 6C, 6D, 7A and 7B, commencing January 7, 2019 and continuing until February 1, 2019. The GPS coordinates of the operation areas corner points are listed below.

900-foot Operation Area (62 miles from Panama City Pass at 235° T) Corner Points:

- 29-31-17.46N 086-43-46.02W 29-31-17.46N 086-42-37.08W
- 29-30-00.90N 086-42-37.08W 29-30-00.90N 086-43-46.02W,

FL - GULF OF MEXICO - U.S. Navy Testing

600-foot Operation Area (52 miles from Panama City Pass at 233° T) Corner Points:
29-36-31.20N 086-34-16.20W 29-36-31.20N 086-34-16.20W
29-34-00.60N 086-31-22.80W 29-34-00.60N 086-34-16.20W,

300-foot Operation Area (36 miles from Panama City Pass at 238° T) Corner Points:
29-47-01.02N 086-21-49.08W 29-47-00.72N 086-19-52.02W
29-45-24.42N 086-19-52.86W 29-45-25.08N 086-21-49.86W,

100-foot Operation Area (12 miles from Panama City Pass at 220° T) Corner Points:
29-56-25.20N 085-54-36.00W 29-58-55.20N 085-54-36.00W
29-58-55.20N 085-51-42.60W 29-56-25.20N 085-51-42.60W,

600-foot Hydroline (59 miles from Panama City Pass at 245° T) Start and End Points:
29-36-18.00N 086-34-22.80W 29-42-09.00N 086-46-28.20W.

The U.S. Navy will be towing the submerged towed body from the M/V PATRIOT. Due to its towing configuration the M/V PATRIOT will be restricted in maneuverability. She will display the appropriate day shapes per the International Regulations for Prevention of Collisions at Sea, 1972 (72 COLREGS) while the tow body operations are being conducted. Request all vessels maintain at least a one nautical mile closest point of approach (CPA) of the M/V PATRIOT while operations are in progress. All U.S. Navy support craft will monitor VHF-FM Channel 16.

Charts: 1115A 11360

LNM: 48-18

FL - GIWW - APALACHICOLA BAY Mile 359.0 - Dredge Operation

Continuing until approximately January 29, 2019, the Dredge INGENUITY will be conducting dredging operations in the vicinity of the Apalachicola Bay reach of the GIWW. Dredging will be conducted in the East-West and North-South sections of the bay, starting at GIWW, mile 359.0, EHL. The dredged material will be disposed into Disposal Area No. 2.1, also known as Bird Island and open water sites, adjacent to the channel. The Dredge INGENUITY will utilize floating and submerged pipeline, in addition to a number of support vessels. All vessels will be lighted in accordance to the U.S. Coast Guard Safety Regulations. The Dredge INGENUITY will be monitoring VHF-FM Channel 13 or 16. Mariners are urged to exercise caution when transiting the area. For up-to-date information, mariners can contact USACE, Panama City Site Office, at (850) 784-9780.

Charts: 11401 11402

LNM: 48-18

FL - TOMS BAYOU - Bridge Modifications and New Construction

The SR 397 (John Sims Parkway), across Toms Bayou, mile 0.50, at Valparaiso, Okaloosa County, Florida. Continuing until August 2019, with the removal of the southbound bridge and widening will begin in a westerly direction in Phase I. Phase II is scheduled from August 2019 until November 2020, the demolition of the northbound bridge and replacement with a new bridge. During construction, the contractor will designate different navigational channels and updates will follow. They will utilize two 80-foot by 80-foot section crane spud barges, a 40-foot by 40-foot material spud barge, four 20-foot by 10-foot section material barges, the Tug MISS RONDA and a crew work boat. VHF-FM Channel 13 or 16, will be monitored for communications. This equipment should be lighted according to the "Inland Navigational Rules of 1980." Mariners should avoid the area, travel through the navigation spans and urged to proceed at slowest safe speed with extreme caution. Anyone needing assistance should call the contractor at (334) 319-7006 or the FDOT at (850) 333-4389.

Charts: 11385 11388

LNM: 41-18

FL - PENSACOLA BAY - Bridge Construction of New Bridge

Continuing until approximately December 31, 2020, construction of the new Pensacola Bay Bridge will be taking place on Pensacola Bay, Florida. The COTP Mobile under the Ports and Waterways Safety Act has established a temporary Safety Zone within 500 yards of current bridge construction. This Safety Zone restricts vessel speed to an idle speed for all vessels within the zone. Mariners are urged to transit the area with extreme caution. For up-to-date information, mariners can contact the COTP, U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 11382 11383

LNM: 07-18

AL - TOMBIGBEE RIVER - Coffeeville Lock - Temporary Restrictions

Due to high water, there is a significant outdraft at the Coffeeville Lock, approximate Mile 116.7. Navigation lockage is limited to daylight hours only. There is significant debris in the upper lock gate machinery recesses. The duration of this restriction, depends on conditions on-scene, but is anticipated through January 3, 2019. Mariners are advised to maintain contact with the lock. For up-to-date information, mariners can contact Coffeeville Lock at (251) 276-3293.

LNM: 01-19

AL - BLACK WARRIOR RIVER – Selden Lock - Temporary Restrictions

Due to high water, there is a significant outdraft at the Selden Lock, approximate Mile 261.0. Navigation lockage is limited to daylight hours only. There is significant debris in the upper lock gate machinery recesses. The duration of this restriction, depends on conditions on-scene, but is anticipated through January 3, 2019. Mariners are advised to maintain contact with the lock. For up-to-date information, mariners can contact Mr. Anthony Perkins, at the BW&T/Alabama-Coosa Project Management Office (CESAM-OP-BA), at (205) 752-3571.

LNM: 01-19

MS - MISSISSIPPI SOUND - BILOXI HARBOR - Dredge Operation

Commencing January 6, 2019 and continuing until approximately March 6, 2019, the Dredge KELLY L., will conduct dredging operations in the lateral and east access channels Biloxi Harbor, Mississippi. Dredged material will be deposited on the south side of Deer Island and existing open water sites adjacent to the channel. Dredged material will be transported via floating and submerged dredge pipeline. A number of support vessels will be utilized in this operation. All vessels involved will be lighted in accordance with regulations. The Dredge KELLY L., will monitor VHF-

MS - MISSISSIPPI SOUND - BILOXI HARBOR - Dredge Operation

FM Channel 13 or 16. For up-to-date information, mariners can contact the USACE Irvington Site Office, at (251) 957-6019. Mariners are urged to exercise caution in the area.

Charts: 11372 11373

LNM: 52-18

LA - GULF OF MEXICO - Wreck - UPDATE

The RAM XVIII lift boat is reported in approximate position 28-53-54.0N 089-50-29.0W and is marked with 3 buoys, set in a triangular formation. Mariners are requested to transit the area with extreme caution.

Charts: 411 11340 11364 11366

LNM: 01-19

LA - SOUTHWEST PASS - MISSISSIPPI RIVER - Dredge Operation

Continuing until approximately February 18, 2019, the Hopper Dredge NEWPORT will be dredging in Southwest Pass from Head of Passes (Mile 0.0) to the Lower Jetty and Bar Channel and the Mississippi River from Head of Passes to Mile 11.0, AHOP. Dredging will be performed 24-hours a day, 7-days a week. The Hopper Dredge NEWPORT will be monitoring VHF-FM Channel 16 or 67. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Michelle Kornick, at (504) 862-1842 or Heather Jennings, at (504) 862-1253.

Chart 11361

LNM: 48-18

LA - SOUTHWEST PASS - MISSISSIPPI RIVER - Jetty and Foreshore Dike Repair Operations

Continuing until approximately August 31, 2019, a U.S. Government Contractor will be repairing the jetty and foreshore dikes on the RDB and LDB of Southwest Pass from Head of Passes (Mile 0.0) to Mile 20.0, Below Head of Passes (BHOP). Work will be performed during daylight hours only, 7-days per week. The operations will include several sites working concurrently with multiple spud barges and tugboats on-site and staged outside the channel. The M/V CROSBY RAMBLER and M/V JULIE MARIE will monitor VHF-FM Channel 16 or 72. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. The point of contact with the USACE New Orleans District is John Page, at (337)-291-3015.

Chart 11361

LNM: 38-18

LA - SOUTHWEST PASS - MISSISSIPPI RIVER - Dredge Operation

Continuing until approximately February 28, 2019, the U.S. Government Contract Hopper Dredge GLENN EDWARDS will be dredging in Southwest Pass from Head of Passes (Mile 0.0) to the Lower Jetty Bar Channel and the Mississippi River from Head of Passes to Mile 11.0, AHOP. Dredging will be performed 24-hours a day, 7-days a week. The Dredge GLENN EDWARDS will be monitoring VHF-FM Channel 16 or 67. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Michelle Kornick, at (504) 862-1842 or Heather Jennings, at (504) 862-1253.

Chart 11361

LNM: 51-18

LA - MISSISSIPPI RIVER - SOUTHWEST PASS - PASS A' LOUTRE - SOUTH PASS- Dredge Operation

The Dredge R.S. WEEKS will temporarily work in Southwest Pass from Head of Passes (Mile 0) to the Lower Jetty and Bar Channel, and the Mississippi River from Head of Passes to Mile 11.0, AHOP, until approximately January 31, 2019.

There will still be dredging equipment, dredge pipeline, and support vessels that will remain at the Head of Passes (mile 0), extending into the Mississippi River, Pass A' Loutre, Southwest Pass, and South Pass while the dredge is on its temporary 48-day assignment.

Commencing approximately February 1, 2019, the Dredge R.S. WEEKS will resume working at the Head of Passes (mile 0), extending into the Mississippi River, Southwest Pass, Pass A' Loutre, and South Pass until approximately August 31, 2019. Dredged material will be deposited through a combination of floating and submerged pipelines into designated placement areas on the east side of the Mississippi River. The Dredge will work 24-hours a day, 7-days a week, and can be contacted on either VHF-FM Channel 16 or 67, for sailing instructions. The point of contact with the USACE New Orleans District is Michelle Kornick, at (504) 862-1842 or Heather Jennings, at (504) 862-1253.

Chart 11361

LNM: 50-18

LA - CHEF MENTEUR PASS - Bridge Closure

Mariners are advised that the CSX Bridge, at approximate position 30-03-51.77N 089-48-01.53W, in Chef Menteur Pass, will be closed to navigation continuing until approximately December 31, 2019, for necessary repairs. The closures will be between 7:00 a.m. until 5:30 p.m., but will not occur each day. For up-to-date information, mariners can contact Doug Kolb, at (573) 642-6087, ext 1006, on closures.

Charts: 11367 11371

LNM: 49-18

LA - MISSISSIPPI RIVER - MILE 0.0, AHOP - MILE 233.0, AHOP - Survey Operations

Continuing until March 1, 2019, David Evans and Associates, Inc., will be conducting survey operations under contract to the National Oceanic and Atmospheric Administration (NOAA), Office of Coast Survey. S/V BLAKE, an 82-foot aluminum-hulled catamaran will be operating between Head of Passes, Mile 0.0, and Baton Rouge, LA., Mile 233.0, AHOP. S/V BLAKE and rigid hull inflatable boat (RHIB) SIGSBEE will be operating during daylight hours. Approaching vessels should give a wide berth to reduce impacts to survey data quality. S/V BLAKE and RHIB SIGSBEE have AIS and can be reached via VHF-FM Channel 13, 16 and 67.

Charts: 11361 11367 11370

LNM: 38-18

LA - MISSISSIPPI RIVER - MILE 2.0, AHOP - Shoaling

Severe shoaling previously reported in the Lower Mississippi River, near Mile 2.0, RDB, AHOP, across from the pilot town anchorage area has been marked with the following Temporary Aids to Navigation:

Pilot town Anchorage Shoal Buoy 1 in approximate position 29-10-18.18N 089-15-52.56W.

LA - MISSISSIPPI RIVER - MILE 2.0, AHOP - Shoaling

Pilottown Anchorage Shoal Buoy 3 in approximate position 29-10-34.920N 089-16-02.040W.

Pilottown Anchorage Shoal Buoy 5 in approximate position 29-10-48.600N 089-16-10.380W.

Shoaling begins approximately 1,000 feet from the shoreline and extends outside of the navigational channel. All mariners are strongly advised to use extreme caution when transiting the area.

Chart 11361

LNM: 40-18

LA - MISSISSIPPI RIVER - MILE 80.0, AHOP, MILE 83.0, AHOP - Channel Restriction

Continuing until January 5, 2019, revetment operations will be occurring along the LDB, near Mile 81.0, AHOP. The revetment operations will be conducted each day, from 6:00 a.m. until 7:00 p.m. The platform will be folded in at night (but will still extend approximately 360 feet from the LDB). Line vessels with 25 or more barges shall consider flanking Lower 12 Mile Point. Down-bound sea-going deep draft vessels, over 700 feet long, are not permitted to transit the area from 6:00 a.m. until 7:00 p.m., while revetment operations are ongoing. Towing vessels are restricted to one-way traffic from Mile 80.0, AHOP to Mile 83.0, AHOP, from 6:00 a.m. until 7:00 p.m., each day. After the platform is folded in at night, meeting and overtaking arrangements may be made on a case-by-case basis, with agreement of the other vessel and the on-scene pilots. All vessels are prohibited from anchoring above Mile 83.0, AHOP, within the 9 Mile Anchorage. All vessels are prohibited from anchoring within the 12 Mile Anchorage. All vessels shall contact the U.S. Army Corps of Engineers on-scene pilots stationed on the M/V HARRISON or M/V WILLIAM JAMES via VHF-FM Channel 67 or 82, to make passing arrangements. For further information, mariners can contact the Vessel Traffic Service New Orleans, at (504) 365-2230.

Chart 11370

LNM: 01-19

LA - LAKE PONTCHARTRAIN - US 11 Bridge Rehabilitation Outside the Main Channel Spans

The contractor continues the rehabilitation work on the U.S. 11 Bascule Bridge across Lake Pontchartrain between New Orleans and Slidell, Orleans and St. Tammany Parishes, Louisiana. The contractor will work Monday through Friday, from 6:30 a.m. until 5:30 p.m. Work on the project consists of inspections, measuring of cracks, sand blasting, grinding, spall repairs and wrapping of the piers and caps as necessary. There is a reduction of vertical clearance of 8 feet due to the scaffolding set-up within the area south of the navigation channel. The majority of the time workers are located between Spans 403 and 381. Danger buoys are approximately 50 feet on either side of the bridge marking an exclusion zone for vessels to stay out of the work zone. The buoys should be spaced approximately 200 feet apart to mark the entire length of the work area. The buoys are lighted for nighttime visibility with FI W 2.5 sec lights. Mariners should avoid the area and use extreme caution at all times. Cabling extends from Spans 372 to 380 and additional barges will be on site for the repairs. The barges will be accompanied by the Tug JO-ANN SIMS monitoring VHF-FM Channel 16. The barge equipment should follow the "Inland Navigation Rules of 1950." The L&A Contracting Company is the contractor for the project and can be contacted via phone at (601) 270-7704, 24-hours a day. This project will take approximately 48 months to complete.

Charts: 11369 11371

LNM: 50-18

LA - BAYOU BONFOUCA - Obstructions

Multiple broken pilings have been reported in approximate position 30-14-45.3N 089-51-55.9W, outside of the eastern edge of the channel, between Bayou Bonfouca Channel Daybeacon 6 (LLNR-11050) and Bayou Bonfouca Channel Daybeacon 8 (LLNR-11055). The obstructions are not reportedly marked. Mariners are urged to exercise caution in the area.

Charts: 11369 11371

LNM: 01-19

LA - DES OIES BAYOU - Replacement Bridge Project

Louisiana Department of Transportation and Development replacement bridge project work continues on State Highway 45, Goose Bayou Bridge across Des Oies Bayou, mile 0.1, at Lafitte, Louisiana. The schedule of work is from 6:30 a.m. to 5:00 p.m., Monday through Friday. The equipment being used is crane barge measuring 20 feet by 54 feet, material barge 20 feet by 30 feet. Pile driving has begun on the northwest side near the entrance to Barataria Bayou waterway for Phase II. Periodically, the channel will have restrictions and there may be delays. The project manager assigned to the project can be contacted at (504) 628-4471. The tug assisting will be monitoring VHF-FM Channel 13 or 16. There is an alternate route south of this location to enter the Pen to Bayou Dupont. Mariners should use caution while transiting the waterway.

Charts: 11353 11364 11365

LNM: 40-18

LA - LITTLE LAKE - GRAND BAYOU - CUTOFF CANAL - Dredge Operation

Continuing until approximately March 31, 2019, the Weeks Marine Inc., Clamshell Dredge J.C. DEVILLE will conduct dredging operations between the Grand Bayou and Cut Off Canals, within the following approximate positions:

29-25-19.50N 090-26-48.82W and 29-29-20.00N 090-25-37.00W (West Bank) and 29-30-17.12N 090-25-04.20W and 29-31-01.00N 090-24-42.30W (East Bank). Work will be conducted 24-hours a day, 7-days a week. The Dredge J.C. DEVILLE will monitor VHF-FM Channel 16 or 67.

Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Nicholas Williams, at (985) 373-3467, NBWilliams@WeeksMarine.com or Captain Ronald Brown, at (908) 272-4010, RBrown@WeeksMarine.com.

Charts: 11358 11365

LNM: 49-18

LA - GIWW- NEW ORLEANS HARBOR HARVEY CANAL - Bridge Closure

The 4th street Bascule Bridge across the Harvey Canal GIWW, mile 0.2, WHL, Gretna, Jefferson Parish, Louisiana, will be closed to vessel traffic on January 3, 2019, from 4:00 p.m. until 6:00 p.m., January 4, 2019, from 7:00 a.m. until 9:00 a.m. and from 4:00 p.m. until 6:00 p.m., and on January 7, 2019, from 7:00 a.m. until 9:00 a.m. and from 4:00 p.m. until 6:00 p.m. These closures are necessary for drainage structure repair.

Charts: 11367 11368 11369

LNM: 52-18

LA - GIWW - ATCHAFALAYA RIVER - Subaqueous Stone

Continuing until approximately May 30, 2019, a U.S. Government Contractor will be placing subaqueous stone on the RDB of the Atchafalaya River, at GIWW mile 98.0, WHL. The contractor will work during daylight hours only, 7-days a week. The plant will include work barges with spuds

LA - GIWW - ATCHAFALAYA RIVER - Subaqueous Stone

and anchors. There will be tender and survey boats in the vicinity of the work. The M/V OSCAR WALTERS will monitor VHF-FM Channel 13 or 16, and can be contacted at (318) 452-0116. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. The point of contact with the USACE New Orleans District is John Page, at (337) 291-3015.

Chart 11355

LNM: 47-18

LA - TECHE BAYOU - Mile 90.5 - Breaux Bridge Rehabilitation

The LA 336-1 (Breux Bridge) vertical lift span drawbridge across Teche Bayou, mile 90.5, at Breaux Bridge, St. Martin Parish, LA., is scheduled for electrical rehabilitation; replacing conduits, terminal blocks, motor wiring, navigation lights, control switches, disconnects, limit switches, air buffers, span locks, and lubricating misc. mechanical components caused by flooding. The project is scheduled to continue until Friday, January 4, 2019, at 6:30 p.m. A boat will be assisting, to install the navigational lighting and air buffers and will be tied behind the fender wall at night. This project will not affect the current operating regulations to open the bridge or affect waterway navigation. The bridge will continue to operate through the duration of this rehabilitation. The contractor on this project is C.E.C. Inc., and can be contacted, at (337) 298-3760.

LNM: 45-18

LA - ATCHAFALAYA RIVER, MILE 119.9 - Subaqueous Stone Placement

Continuing until approximately January 7, 2019, a U.S. Government Contractor will be placing subaqueous stone on the Atchafalaya River at mile 119.9, LDB. The contractor will work during daylight hours, and the plant will include a work barge with dragline and spuds. An office barge and various material barges will be on-site, staged outside the channel. The M/V HERBERT J. PLAISANCE will monitor VHF-FM Channel 13 or 16. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. The point of contact with the USACE New Orleans District is John Page, at (337) 291-3015.

Charts: 11352 11354

LNM: 45-18

LA - ATCHAFALAYA RIVER, MILE 139.0 - Drill Barge Operations

Continuing until approximately January 1, 2019, Byron Energy, Inc., will be conducting drill barge operations on the Atchafalaya River near mile 139.0. Operations will be performed 24-hours a day, 7-days a week. Tug BRANDY NICHOLE and Tug JACKIE will be monitoring VHF-FM Channel 11. Mariners are urged to use caution in this area.

Charts: 11351 11352 11354

LNM: 29-18

LA - OLD RIVER LOCK - Condition

Continuing through March 29, 2019, mariners will be subject to intermittent delays to navigation (up to 12-hours) at Old River Lock. The closures will occur during daylight hours, between 7:00 a.m. and 5:00 p.m. The delays will be due to necessary work required to remove and repair a broken tainter valve. The work will be performed by Lock Personnel and a U.S. Government Maintenance Unit. The Lockmaster, Anthony T. Lindsly can be reached at (225) 492-3333, for up-to-date information. The point of contact for the New Orleans District is Russell Beauvais, at (225) 492-2169.

Chart 11354

LNM: 43-18

LA - FRESHWATER BAYOU - Dredge Operation

Continuing until approximately January 24, 2019, the U.S. Government Contract Cutterhead Dredge MIKE HOOKS will be working in Freshwater Bayou from the lock to the seabuoy (mile 1.3 to mile -4.0). A combination of submerged and floating pipeline will transport the dredged material to the Beach Nourishment Area, which is west of the channel. The dredge will work 24-hours a day, 7-days a week, and can be contacted on VHF-FM Channel 12 or 67. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. The field point of contact for the U.S. Government Contractor, Mike Hooks, Inc., is Mr. Ricky Domingue, at (337) 802-3323. The alternate point of contact for the dredge is the Quality Control Manager, Jason Menard, at (337) 515-3658. The attendant vessels for the Dredge MIKE HOOKS are the M/V NICHOLAS, M/V PEYTON, and M/V RYAN. The point of contact with the USACE New Orleans District is Tracy Falk, at (504) 862-2971.

Charts: 11349 11350

LNM: 45-18

LA - FRESHWATER BAYOU - LITTLE VERMILLION BAY - Dredge Operation

Continuing until approximately April 1, 2019, Great Lakes Dredge & Dock, LLC., will conduct dredge operations within Little Vermillion Bay and marsh fill operations to the adjacent marsh area that is between Freshwater Bayou and Little Vermillion Bay. Dredging in Little Vermillion Bay will be via hydraulic cutter suction dredge. Dredge material will be transported via floating and submerged high-density polyethylene and steel dredge pipeline. Submerged pipeline will be placed west of and adjacent to the designated borrow area until it reaches the marsh. Floating pipeline will be located near the dredge within the borrow area while construction operations are underway. The pipeline will be marked in accordance with U.S. Coast Guard regulations for the safety of mariners. The submerged pipeline will be located between the following approximate positions: 29-43-07.94N 092-10-33.16W and 29-44-02.12N 092-12-13.98W. Barges and floating pipeline will be marked in accordance with U.S. Coast Guard regulations for moored equipment. Operations will be conducted 24-hours a day, 7-days a week. The Dredge SANDPIPER will be monitoring VHF-FM Channel 13 or 16. Mariners are urged to use extreme caution in the areas, transit at their slowest safe speed to minimize wake, and proceed with caution after passing arrangements have been made. Floating and submerged pipeline associated with the operation(s) will be utilized. All submerged pipeline will be placed outside of the navigation channel(s). Approximately 2,500 feet of floating pipeline will be utilized directly behind the dredge. Mariners requiring full channel clearance shall make passing arrangements allowing sufficient time for operations to cease and for dredge equipment and pipeline to be relocated for safe passage. Recreational pleasure craft shall attempt to avoid the immediate area of operations and comply with posted signage/day shapes.

Continuing until further notice, the Dredge CAPTAIN LEONARD and Support Tug SHAWNEE will conduct dredging operations in access channels and side cast dredged material to each side of the channels. The area of operation is bounded by the following approximate positions:

29-44-29.99N 092-11-34.32W,
29-43-45.20N 092-11-41.38W and
29-43-11.79N 092-10-40.13W.

LA - FRESHWATER BAYOU - LITTLE VERMILLION BAY - Dredge Operation

Work will be conducted 24-hours a day, 7-days a week. The Dredge CAPTAIN LEONARD and Support Tug SHAWNEE will monitor VHF-FM Channel 13 or 16. Barge fleetings to support these operations, may occur in many different locations and may change, due to onsite conditions. Mariners are urged to exercise caution in the area.

Charts: 11345 11348 11349

LNM: 40-18

LA - CALCASIEU SHIP CHANNEL - Dredge Operation

Continuing until approximately May 1, 2019, Dutra Group, Dredge COLUMBIA is conducting dredging operations seaward from the end of the jetties to the sea buoy, inside the navigation channel. Work will be conducted 24-hours a day, 7-days a week. Dredged material will be transported to a USACE designated disposal site. No dredge pipe and/or submerged pipeline will be utilized in this operation. The Dredge COLUMBIA will monitor VHF-FM Channel 14, 16 or 67. Mariners may contact Mr. Tim Ekren, the project manager, at (415) 686-3526, for additional information. Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution after passing arrangements have been made.

LNM: 01-19

LA - CALCASIEU SHIP CHANNEL - Bridge Construction

Continuing until January 6, 2020, construction will be conducted on the I-210 Bridge, Calcasieu Parish, LA in approximate position 30-12-03N 093-16-48W. The I-210 Bridge will undergo demolition and replacement of roadways and rails throughout the center portion. A Safespan extending 954 feet long and 66 feet wide will be installed under the bridge to act as a debris shield to prevent materials from falling into the channel. The vertical clearance of the bridge will be reduced by 5 feet. Vessels within the area are urged to transit with caution. Deep draft vessels planning to sail under the bridge are urged to engage with the Lake Charles Pilots in a timely manner to ensure safe transit. For questions related to the construction activities, contact the LADOTD 24-hour hotline at (337) 304-6010.

Chart 11347

LNM: 52-18

LA - CALCASIEU SHIP CHANNEL - Dredge Operation

Continuing until approximately September 4, 2019, Mike Hooks, LLC., Cutterhead Dredge 32 will be performing dredging operations between approximate miles 27.0 and 28.0, Clifton Ridge Terminal. The estimated time of the dredge operation at this location will last approximately 5 days. The contractors floating plant will consist of the Dredge 32, the Crane Barge CAPT. RAYFORD, 4 tender vessels M/V CAPTAIN HAYES, M/V LITTLE MIKE, M/V SAM SAM, and M/V LAINE, a derrick barge, a 108-foot crane barge and the Survey Vessel SURVEY 1. There will be a pontoon line that connects to a shore connection at approximately GB 109, leading into the Citgo Disposal Area. Please advise extra caution around this area. The Dredge 32 can be contacted via VHF-FM Channel 13 or 16 or by cell phone, at (337) 244-3911. The field point of contact for Mike Hooks, Inc., is Captain Curtis Savoi, at (337) 842-8826. The alternate point of contact is David Hudson, at (337) 515-4038. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution through this area.

Chart 11347

LNM: 52-18

LA - CALCASIEU RIVER BAR CHANNEL - Dredge Operation

Continuing until approximately May 1, 2019, the U.S. Government Hopper Dredge COLUMBIA will be dredging in the Calcasieu River Bar Channel from the seaward end jetties to the sea buoy, at approximate mile -1.5 to mile -19.0. Dredged material will be deposited at the designated off shore disposal site No. 2. Dredging will be performed 24-hours a day, 7-days a week, and will give way to passing navigation. The Dredge COLUMBIA will be monitoring VHF-FM Channel 14, 16 or 67. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Tracy Falk, at (504) 862-2971.

Charts: 11339 11347

LNM: 51-18

LA - GIWW - CALCASIEU LOCK - Lock Guidewall Repair

Mariners are advised that continuing until December 1, 2019, a U.S. Government contractor will be conducting demolition operations on the south chamber guidewall and construction of a new guidewall at Calcasieu Lock. The demolition and construction activities will be, Monday through Thursday, from 6:30 a.m. until 6:30 p.m., each day. Mariners can also visit the Lock status update page at:

[HTTP://WWW.MVN.USACE.ARMY.MIL/LOCKSTATUS](http://www.mvn.usace.army.mil/lockstatus) for daily update. For up-to-date information, mariners can contact Lockmaster, Charles Hebert, at (337) 477-1482 or USACE New Orleans, Robert Morgan, at (504) 862-2320.

Chart 11339

LNM: 31-18

TX - SABINE NECHES CANAL - Construction Operations

Continuing until approximately May 15, 2020, the Manson Construction Co., will be conducting construction of Berth 5 at the Port of Port Arthur which includes, but is not limited to:

Removal of existing structures, pile driving, bulkhead installation, dive operations and other wharf construction activities in the vicinity of Sabine-Neches Ship Channel, at and near existing Berth 4, in approximate positions 29-51-27.272N 093-56-28.987W and 29-51-20.573N 093-56-35.438W. Work will be conducted from 6:00 a.m. until 6:00 p.m., 7-days a week. Equipment on-scene: Derrick Barge HAAKON, 268 feet by 68 feet and a flat barge 120 feet by 50 feet, will be monitoring VHF-FM Channel 13, 16 and 69. Passing arrangements and time to move vessels to not impede navigation:

Construction operations will need a minimum 2-hour notice to insure all anchors can be moved. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11331

LNM: 18-18

TX - UPPER GALVESTON BAY - TRINITY RIVER - Shoaling

Shoaling has been reported in the vicinity of Trinity River between Trinity River Channel Light 1 (LLNR-24130) and Trinity River Channel Light 10 (LLNR-24165). The shoaling is reportedly not marked. Mariners are urged to use caution when transiting the area.

Chart 11326

TX - UPPER GALVESTON BAY - TRINITY RIVER - Shoaling

LNM: 50-18

TX - TRINITY RIVER - Public Notice- Application for a U.S. Coast Guard Bridge Permit

All interested parties are notified that an application from the Union Pacific Railroad (UPRR) has been received by the Commander Eighth Coast Guard District for a U.S. Coast Guard Bridge Permit to construct a replacement railroad bridge over the Trinity River, mile 40.57, near Liberty, Liberty County, Texas.

Public Notice (10-18) dated December 12, 2018, pertaining to this proposed bridge permit action, contains a detailed description of the proposed bridge project and includes location maps and bridge drawings with navigational clearances. Interested parties may view the public notice at the following web site: <http://www.navcen.uscg.gov/?pageName=pnBridges&Active=1®ion=8&ext=g>. The public notice may also be obtained by calling the Eighth Coast Guard District Bridge Administration Branch, at (504) 671-2128, by writing to Commander (dpg), Eighth Coast Guard District, 500 Poydras Street, Room 1313, New Orleans, LA., 70130, by email request at D8DPBALL@uscg.mil or by facsimile request, at (504) 671-2133.

Comments from mariners or other interested parties regarding this proposed bridge project will be received for the record at the address given in the public notice through January 18, 2019.

Chart 11326

LNM: 50-18

TX - GALVESTON BAY - ANAHUAC CHANNEL - Shoaling

Shoaling has been reported in the vicinity of Anahuac Channel, between Anahuac Channel Light 1 (LLNR-25910) and Anahuac Channel Light 16 (LLNR-25960). The shoaling is reportedly not marked. Mariners are urged to use caution when transiting the area.

Charts: 11326 11329

LNM: 50-18

TX - GALVESTON HARBOR CHANNEL - Dredge Operation

Continuing until approximately January 20, 2019, the Dredge NEWPORT will be conducting dredging operations in the Galveston Harbor Channel. The dredge will be disposing material from the Galveston Harbor Channel into the offshore disposal area south of the Galveston Entrance Channel, bound by approximate positions:

- (1) 29-17-14.63N 094-38-45.84W,
- (2) 29-16-40.63N 094-39-37.30W,
- (3) 29-15-54.74N 094-37-14.55W and
- (4) 29-15-13.38N 094-37-58.67W.

The Dredge NEWPORT will be monitoring VHF-FM Channel 13, 16 or 66. Mariners are urged to exercise extreme caution when transiting the area. For up-to-date information, mariners can contact the Manson Construction Co., at (904) 557-6003.

Charts: 11323 11324 11326 11327

LNM: 51-18

TX - UPPER GALVESTON BAY - Dredge Operation - UPDATE

Commencing approximately January 10, 2019 and continuing until March 31 2019, the Clamshell Dredge WEEKS 506 will be operating in the vicinity of the Bayport Flare. Dredged material will be transported from the borrow area by barges/scows and deposited in the ODMDS. Work Limits for Bayport Flare will be bound by the following approximate positions:

- 29-37-13.96N 094-57-32.51W,
29-36-37.36N 094-57-18.61W,
29-36-29.74N 094-57-59.45W and
29-37-06.00N 094-58-06.65W.

Continuing until January 4, 2019, the Cutterhead Dredge CAPTAIN FRANK and attendant plant will be operating in the vicinity of Bayport Cruise Terminal (Sec. 8). Work Limits for Bayport Cruise Terminal will be bound by the following approximate positions:

- 29-36-47.38N 094-59-39.24W,
29-36-47.85N 094-59-13.66W,
29-36-34.71N 094-59-13.50W and
29-36-34.51N 094-59-24.34W.

Commencing approximately January 5, 2019 and continuing until January 15, 2019, the Cutterhead Dredge CAPTAIN FRANK and attendant plant will be operating in the vicinity of Bayport Shipping Docks (Sec. 9). Work Limits for Bayport Shipping Docks will be bound by the following approximate positions:

- 29-36-46.46N 095-00-39.60W,
29-36-47.47N 094-59-44.77W,
29-36-44.85N 094-59-45.09W and
29-36-43.70N 095-00-39.51W.

Work Limits will be bound by the following approximate positions:

- 29-41-29.76N 094-56-50.99W,
29-40-59.00N 094-59-14.00W,
29-36-34.43N 094-54-56.55W and
29-35-43.54N 094-57-43.84W.

A staging area (between placement area 14 and 15) will be bound by the following approximate positions:

- 29-37-59.47N 094-57-07.13W,
29-37-46.82N 094-57-02.43W,
29-37-22.30N 094-57-21.49W and
29-38-08.56N 094-57-37.67W.

Staging area for Cutterhead Dredge CAPTAIN FRANK and equipment will be bound by the following approximate positions:

- 29-36-52.21N 095-01-06.18W,

TX - UPPER GALVESTON BAY - Dredge Operation - UPDATE

29-36-52.18N 095-00-45.44W,
29-36-50.02N 095-00-45.33W and
29-36-50.07N 095-01-06.00W.

Once underway, operations will continue 24-hours a day, 7-days a week. The dredge and attendant plant will have all required U.S. Coast Guard lighting for night operations. The Clamshell Dredge WEEKS 506, Cutterhead Dredge CAPTAIN FRANK and tugs will monitor VHF-FM Channel 11, 13 or 72. Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Mr. Miguel Cruz, at (985) 875-2500, macruz@weeksmarine.com.

Charts: 11326 11327

LNM: 01-19

TX - HOUSTON SHIP CHANNEL - BUFFALO BAYOU - Dredge Operation

Continuing until approximately March 31, 2019, the Dredge JOHN C. LAQUAY will be conducting dredging operations in the Houston Ship Channel, in the vicinity of ITC Dock 1030 Ethyl Road Pasadena, Texas, in approximate position 29-44-28.41N 095-09-51.13W. The dredge will have approx. 20,000 feet of pipe which will be sunken, all pipe will be running down the red side of the channel from Houston Ship Channel Light 144 (LLNR-25780) towards Houston Ship Channel Light 150 (LLNR-25800) and crosses the ship channel into ITC Pasadena on the Green side of the channel. There will be 3 tender boats, 1 supply barge and 2 anchor barges with the Dredge JOHN C. LAQUAY. The Dredge JOHN C. LAQUAY and tender boats will monitor VHF-FM Channel 13. Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution, after passing arrangements have been made.

Chart 11325

LNM: 52-18

TX - WEST FORK SAN JACINTO RIVER - Dredge Operation

Continuing until approximately May 15, 2019, dredging and marine construction activities will take place throughout the West Fork of the San Jacinto River, commencing west of the Highway 59 Bridge over the San Jacinto River to east of the West Lake Houston Parkway Bridge over the San Jacinto River. Two hydraulic dredges will be removing sand and debris from the river on a continuous basis. Booster pump barges will be located along the length of the above referenced work area. Tug boats, crew boats, crane and excavator barges, fuel barge and other watercraft will be traversing the river continuously in support of the dredging operation. Equipment and vessels on-scene will consist of Hydraulic Dredge LP and Dredge GENERAL PERSHING, Tender Tug FARMBOY, Tug MAMBA, Crane Barge, Excavator Barge, Fuel barge, Survey Boat WINYAH BAY, 115-foot flat deck, 70-foot flat deck boat, 60-foot flat deck boat, 40-foot skip boat, booster pump barges (6). All equipment will be properly lit and marked. Each dredge will have up to 2,000 feet of floating pipeline directly behind each dredge. The hose will be marked by flashing yellow lights attached to it every 80 feet. Submerged pipeline will be placed along the north and south banks of the river and will be marked with yellow floating buoys with yellow flashing lights every 1,000 feet and orange Norwegian type buoys with reflective markings every 350 feet. Due to that shallow nature of the river, shoaling and narrow width, mariners are requested to avoid this section of the San Jacinto River during the dredging period. Dredging will be performed 24-hours a day, 7-days a week. The Hydraulic Dredge LP, Dredge GENERAL PERSHING, and multiple tugs and support vessels will be monitoring VHF-FM Channel 13 or 16.

Chart 11329

LNM: 36-18

TX - GIWW - MILE 398.5 - MILE 440.0 WHL - Dredge Operation

Continuing until approximately July 30, 2019, dredging operations will be conducted in the Freeport and Matagorda areas of South East Texas on the GIWW. The project will be on the GIWW in the following sections:

mile 398.5, WHL to mile 401.0, WHL,
mile 405.0, WHL to mile 407.0, WHL,
mile 418.0, WHL to mile 421.0, WHL,
mile 430.0, WHL to mile 432.0, WHL and

mile 440.0 WHL. Equipment and vessels on-scene will consist of the Hydraulic Dredge GENERAL PATTON, Dredge Tenders MIDWAY and SERGEANT and a floating pipeline varying lengths from 2,000 feet to 22,000 feet. All pipeline will be properly lit/marked for navigation purposes. Multiple tugs and support vessels will be monitoring VHF-FM Channel 7 or 13. For up-to-date information, mariners can contact (504) 259-5660.

Charts: 11321 11322

LNM: 46-18

TX - GIWW - LAND CUT-ARROYO COLORADO - Shoaling

Shoaling has been reported along the GIWW, between Land Cut-Arroyo Colorado Light 88 (LLNR-41950) in approximate position 26-30-45.478N 097-23-37.404W to Land Cut-Arroyo Colorado Daybeacon 98 (LLNR-42015) in approximate position 26-28-36.178N 097-22-38.999W, where depths of 0 to 3 feet have been observed through soundings along the red side of the channel extending 10 to 15 yards toward centerline of the waterway, where shoaling is located. Shoaling is reportedly not marked. Mariners are urged to exercise caution when transiting within the area. For up-to-date information, mariners can contact U.S. Coast Guard Sector Corpus Christi, at (361) 939-0450 or via VHF-FM Channel 16.

Chart 11303

LNM: 51-18

TX - LAVACA BAY - Fender Damage and Rehabilitation

The fender system remains damaged on the SH 35 bridge across Lavaca Bay, mile 8.2, at Port Lavaca, Calhoun County, Texas, on the main channel between bents 133-160. The scheduled rehabilitation work continues from 7:00 a.m. until 7:00 p.m., until February 2019. Two barges are located at span 115 to span 118 on the east side of the bridge near Point Comfort. If barges remain, they will be properly lighted as required by the "Inland Navigation Rules of 1980" and accompanied by a 26-foot push boat. The M/V BARBARA ANN and M/V ALYSSA will monitor VHF-FM Channel 16. The onsite Project Manager can be contacted, at (281) 831-7864. Mariners should avoid these areas.

Chart 11317

LNM: 47-18

TX - GIWW - MATAGORDA BAY - Partially Submerged Dredge Pipe

A partially submerged dredge pipe has been reported in the channel, between Matagorda Bay Buoy 9 (LLNR-37435) approximate position 28-35-05.223N 096-11-15.688W and Matagorda Bay Buoy 10 (LLNR-37440) approximate position 28-35-06.548N 096-11-17.876W. The partially

TX - GIWW - MATAGORDA BAY - Partially Submerged Dredge Pipe

submerged dredge pipe is reportedly not marked. Mariners are urged to use extreme caution in this area.

Charts: 11316 11319

LNM: 52-18

TX - CORPUS CHRISTI TO PORT ISABEL - Shoaling

Shoaling has been reported throughout the Port Isabel Small Boat Harbor Channel between Port Isabel Small Boat Harbor Channel Light 2 (LLNR-42810) in approximate position 26-05-22.265N 097-12-13.329W and Port Isabel Small Boat Harbor Channel Buoy 14 (LLNR-42840) in approximate position 26-04-51.435N 097-13-11.356W. The shoaling is reportedly not marked. Mariners are urged to transit the area with extreme caution.

Chart 11302

LNM: 51-18

TX - BROWNSVILLE SHIP CHANNEL - Dismantle and Disposal of Navy Aircraft Carriers

Continuing until March 31, 2019, the International Shipbreaking Limited, LLC., Brownsville will be dismantling and disposing of 2 U.S. Navy aircraft carriers in Brownsville, TX. The west boundary will be in approximate position 25-57-50.8N 097-21-50.0W and the east boundary will be in approximate position 25-57-57.8N 097-21-27.0W. All commercial vessels, tour vessels, and pleasure/fishing craft are required to remain within the channel while passing the International Shipbreaking facilities. There will be overhead industrial work in progress which can pose a hazard to vessels in the vicinity of the facility. For additional information mariners can contact Omar Valdez, Facility Security Officer, ISL, at (956) 371-6228, email at omar.valdez@internationalshipbreaking.com., or Dan Richardson, U.S. Navy On-Site Representative (OSR), at (207) 751-2906, email Daniel.Richardson@supshipba.navy.mil.

Chart 11302

LNM: 07-18

SECTION VIII - LIGHT LIST CORRECTIONS

An Asterisk *, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
None							



ENCLOSURES

USACE Mobile District Navigation Bulletin 18-79

Water level information for Apalachicola, Chattahoochee and Flint (ACF) Rivers.

LNM: 01-19

Commander, Eighth Coast Guard District
Hale Boggs Federal Building, Room 1230
500 Poydras Street
New Orleans, LA 70130-3310
Telephone (504) 671-2327
(Business Hours 7:00 a.m. - 3:30 p.m. Monday - Friday)
(Nights, Weekends, Holidays) (504) 589-6225
RADM Thomas



U.S. ARMY CORPS OF ENGINEERS

BUILDING STRONG®

December 26, 2018

TECHNICAL SUPPORT BRANCH

NAVIGATION BULLETIN NO. 18-79

NOTICE TO NAVIGATION INTERESTS:

APALACHICOLA, CHATTAHOOCHEE AND FLINT RIVER SYSTEM
(ACF)

Reference Navigation Bulletin No. 18-77. Notice is given to mariners that based on the 10-day forecast for releases from Jim Woodruff Lock and Dam and subsequent forecasted stage at Blountstown gage, we are currently supporting a 7 foot navigation channel.

A 7.4 foot Blountstown stage is needed to provide a 7 foot channel on the Apalachicola River and today's gage reading is 18.72 feet. River stages for the ACF system can be viewed at:

http://water.sam.usace.army.mil/forecast_acf_plots.htm

Commercial mariners should schedule lockage appointments at the Jim Woodruff lock by calling (850) 663-4692 or (229) 723-3482. George W. Andrews and Walter F. George Locks remain closed due to mechanical failures.

Navigation Bulletins will be issued on a weekly basis throughout the navigation season to provide the latest water level and navigation information.

For additional information, contact Ashley Kleinschrodt at 251-694-3726.

FOR Ashley Kleinschrodt
CARL E. DYESS
Chief, Navigation Section

U.S. ARMY CORPS OF ENGINEERS – MOBILE DISTRICT

P.O. BOX 2288, MOBILE, AL. 36628-0001

<http://sam.usace.army.mil/>

Attn: OP-TN