



U.S. Department
of Homeland Security
**United States
Coast Guard**

LOCAL NOTICE TO MARINERS

District 8 GULF

Week: 14/18

8TH DISTRICT LOCAL NOTICE TO MARINERS
GULF OF MEXICO
Econfina River, FL to the Rio Grande, TX
LIGHT LIST VOLUME IV
NOTICE NUMBER 14/18
April 4, 2018

References: COMDTPUB P16502.4, Vol. IV, 2018 Edition and Coast Pilot 5. Coast Pilots, along with corrections, are available at:
<https://nauticalcharts.noaa.gov/publications/coast-pilot/index.html>

COAST GUARD DISTRICT 8, WATERWAYS, (504) 671-2327, 7:00 a.m. until 3:30 p.m. (CST)
NIS WATCHSTANDER PHONE (703) 313-5900 24-HOURS A DAY
INTERNET ADDRESS [HTTPS://www.navcen.uscg.gov](https://www.navcen.uscg.gov)

COMMENTS REGARDING SECTION VI - PROPOSED CHANGES MAY ALSO BE EMAILED TO: LocalNoticeFeedback@uscg.mil
GULF OF MEXICO LNM VIA INTERNET <https://www.navcen.uscg.gov/?pageName=lnmDistrict®ion=8&ext=g>

BROADCAST NOTICE TO MARINERS COVERED IN THIS EDITION

ORIGINATING UNIT	BEGINNING BNMS	ENDING BNMS
CCGD8	BNM 0018 - 18 (D8)	BNM 0019 - 18 (D8)
SECTOR MOBILE (MO)	BNM 0164 - 18 (MO)	BNM 0172 - 18 (MO)
SECTOR NEW ORLEANS (NO)	BNM 0214 - 18 (NO)	BNM 0232 - 18 (NO)
SECTOR HOUSTON-GALVESTON (GA)	BNM 0195 - 18 (GA)	BNM 0214 - 18 (GA)
SECTOR CORPUS CHRISTI (CC)	BNM 0123 - 18 (CC)	BNM 0131 - 18 (CC)

ABBREVIATIONS

A through H

ADRIFT - Buoy Adrift
AICW - Atlantic Intracoastal Waterway
AI - Alternating
B - Buoy
BKW - Breakwater
bl - Blast
BNM - Broadcast Notice to Mariner
bu - Blue
C - Canadian
CHAN - Channel
CGD - Coast Guard District
C/O - Cut Off
CONT - Contour
CRK - Creek
CONST - Construction
DAYMK/Daymk - Daymark
DBN/Dbn - Daybeacon
DBD/DAYBD - Dayboard
DEFAC - Defaced
DEST - Destroyed
DISCON - Discontinued
DMGD/DAMGD - Damaged
ec - eclipse
EST - Established Aid
ev - every
EVAL - Evaluation
EXT - Extinguished
F - Fixed

I through O

I - Interrupted
ICW - Intracoastal Waterway
IMCH - Improper Characteristic
INL - Inlet
INOP - Not Operating
INT - Intensity
ISL - Islet
Iso - Isophase
kHz - Kilohertz
LAT - Latitude
LB - Lighted Buoy
LBB - Lighted Bell Buoy
LHB - Lighted Horn Buoy
LGB - Lighted Gong Buoy
LONG - Longitude
LNM - Local Notice to Mariners
LT - Light
LT CONT - Light Continuous
LTR - Letter
LWB - Lighted Whistle Buoy
LWP - Left Watching Properly
MHz - Megahertz
MISS/MSNG - Missing
Mo - Morse Code
MRASS - Marine Radio Activated Sound Signal
MSLD - Misleading
N/C - Not Charted
NGA - National Geospatial-Intelligence Agency

P through Z

PRIV - Private Aid
Q - Quick
R - Red
RACON - Radar Transponder Beacon
Ra ref - Radar reflector
RBN - Radio Beacon
REBUILT - Aid Rebuilt
RECOVERED - Aid Recovered
RED - Red Buoy
REFL - Reflective
RRL - Range Rear Light
RELIGHTED - Aid Relit
RELOC - Relocated
RESET ON STATION - Aid Reset on Station
RFL - Range Front Light
RIV - River
RRASS - Remote Radio Activated Sound Signal
s - seconds
SEC - Section
SHL - Shoaling
si - silent
SIG - Signal
SND - Sound
SPM - Single Point Mooring Buoy
SS - Sound Signal
STA - Station
STRUCT - Structure
St M - Statute Mile

fl - flash
 FI - Flashing
 G - Green
 GIWW - Gulf Intracoastal Waterway
 HAZ - Hazard to Navigation
 HBR - Harbor
 HOR - Horizontal Clearance
 HT - Height

NO/NUM - Number
 NOS - National Ocean Service
 NW - Notice Writer
 OBSCU - Obscured
 OBST - Obstruction
 OBSTR - Obstruction
 Oc - Occulting
 ODAS - Anchored Oceanographic Data Buoy

TEMP - Temporary Aid Change
 TMK - Topmark
 TRLB - Temporarily Replaced by Lighted Buoy
 TRLT - Temporarily Replaced by Light
 TRUB - Temporarily Replaced by Unlighted Buoy
 USACE - Army Corps of Engineers
 W - White
 Y - Yellow

Additional Abbreviations Specific to this LNM Edition:

AHOP Above Head of Passes
 BHOP Below Head of Passes
 HSC Houston Ship Channel
 MRGO Mississippi River - Gulf Outlet
 HWY Highway
 IHNC Inner Harbor Navigation Canal
 F/V Fishing Vessel
 AP Assigned Position
 CPA Closest Point of Approach
 COTP Captain of The Port
 SOLAS Safety of Life at Sea

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

NOTICE OF PLATFORMS, DRILL RIGS AND ATTENDANT VESSELS

The drill rigs and vessels that have been temporarily established will display lights and sound signals, according to size or class, during periods of darkness and reduced visibility. Numerous large anchor buoys which may be lighted displaying a white 4-seconds characteristic light and unlighted buoy may be established up to 2,000 or more yards from the vessel or rig site. Mariners should avoid passing close aboard the rigs or vessels. Offshore structures that have been established will display lights and a fog signal sounding 1 blast (2-sec. blast) every 20-seconds. Mooring buoys (white with blue band) may be located within 500 yards of the structure for mooring attendant vessels and/or barges. Mariners should avoid passing close aboard structures.

LNM: DPW/PRIV AIDS

DEPARTMENT OF HOMELAND SECURITY SUSPICIOUS ACTIVITY

The Department of Homeland Security (DHS) encourages the maritime public to report information concerning suspicious activity to the local Federal Bureau of Investigation Joint Terrorism Task Force (JTTF) Office, http://www.fbi.gov/about-us/investigate/terrorism/terrorism_jtffs, or to other appropriate authorities. The U.S. Coast Guard reminds the maritime industry that they may also report information concerning suspicious activity to the www.AmericasWaterwayWatch.org, the National Response Center (NRC) 1-800-424-8802 or 1-877-24WATCH.

LNM: DPW

LA - MISSISSIPPI RIVER - BATON ROUGE TO VENICE - High River Stages

During present high river stages, revetments and levees south of Baton Rouge, Louisiana, are subject to damage from wave wash resulting from vessels traveling at excessive speeds, and also from contact with barges and vessels moored along the riverbank.

Mariners are advised to exercise extreme caution when navigating in the section of the river between Baton Rouge and Head of Passes, proceed at slowest safe speed, and steer a course as far away as possible from the levees and revetments to avoid damage by suction and wave wash.

Mariners are also advised to exercise extreme caution when navigating or mooring their vessels in the forebays of Algiers, Harvey, Inner Harbor Navigation Canal, Port Allen and Old River Locks to prevent vessels and tows from coming in contact with the controlling levee line in those areas.

Mariners and fleet operators are advised to secure their vessels and barges in such a manner as to ensure that there will be no contact with the levees or revetments and the barges are no closer than 180 feet to the centerline of the levee. Vessel owners or other persons responsible for any vessel or barges making contact with the levees and revetments in any way may be charged as provided for in Section 7 of the River and Harbor Act of August 8, 1917, and Title 33 of the United States Code, Sections 408 and 412.

LNM: 10-18

NOAA - Oceanographic Instrumentation Deployment Operations

Attached as an enclosure to this LNM are NOAA oceanographic instrumentation establishments in the waters of Texas in the vicinity of Port Mansfield and Laguna Madre.

LNM: 14-18

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
10	St Marks Light	LT EXT	11406	0448-16 MO	22/16	
1377	Colorado River East Jetty Entrance Obstruction Light	STRUCT DEST	11319	0070-18 CC	11/18	
1460	NOAA Lighted Data Buoy 42003 (ODAS)	ADRIFT	11006	0028-17 D8	20/17	
1490	St Marks Light	LT EXT	11406	0448-16 MO	22/16	
2290	Ochlockonee Bay Entrance Light OB	STRUCT DEST/TRLB	11405	0775-16 MO	37/16	
2300	Apalachee Bay Light 2	STRUCT DEST/TRLB	11405	0774-16 MO	37/16	
2535	Carrabelle Channel Buoy 7	BUOY DMGD	11404	1029-17 MO	16/17	
2550	Carrabelle Channel Lighted Buoy 12	HAZ NAV/SINKING/BUOY DMGD/TRLB	11404	0084-18 MO	01/18	
2605	Carrabelle River Daybeacon 3	STRUCT DEST/TRUB	11404	0899-17 MO	45/17	
2850	Apalachicola Bay Wreck Light	STRUCT DEST	11402	0667-17 MO	39/17	
3020	St Joseph Bay Entrance Lighted Buoy 2	LT IMCH	11393	0938-17 MO	47/17	
3025	St Joseph Bay Entrance A Range Front Light	STRUCT DMGD/TRLB	11393	0931-13 MO	47/13	
3115	St Joseph Bay Entrance Lighted Buoy 16	LT EXT	11393	0937-17 MO	47/17	
4680	Choctawhatchee Bay Entrance Daybeacon 15	STRUCT DEST/TRUB	11385	0709-17 MO	41/17	
4855	Pensacola Bay Navy Range Rear Light	LT EXT/STRUCT DMGD	11384	1028-16 MO	50/13	
5340	Bayou Chico Daybeacon 13	STRUCT DEST/TRUB	11378		45/17	
5830	Escambia Bay Daybeacon 21	STRUCT DEST/TRUB	11378	0056-18 MO	06/18	
5955	Bayou St John Daybeacon 4	STRUCT DEST/TRUB	11378	0750-17 MO	41/17	
6135	Mobile Bar Lighted Buoy 8	LT EXT	11377	0100-18 MO	09/18	
6150	Mobile Bar Lighted Buoy 11	LT EXT	11377	0177-18 MO	10/18	
6300	Mobile Channel Light 30	TRLB/STRUCT DEST	11378		38/15	
6320	Mobile Channel Light 34	STRUCT DEST/TRLB	11377	0322-17 MO	30/16	
6335	Mobile Channel Light 38	STRUCT DEST/TRLB	11377	0641-17 MO	15/17	
6340	Mobile Channel Light 39	STRUCT DEST/TRLB	11377	0026-18 MO	03/18	
6445	Mobile Channel Light 43	STRUCT DEST/TRLB	11380		04/18	
6450	Mobile Channel Light 44	STRUCT DEST/TRLB	11380	0090-18 MO	17/17	
6520	Mobile Channel Light 51	OFF STA/STRUCT DEST/TRLB	11380	0105-18 MO	46/13	
6535	Theodore Ship Channel Light 1	OFF STA/STRUCT DEST/TRLB	11376	0168-18 MO	10/18	
6540	Theodore Ship Channel Buoy 1A	OFF STA	11376	0154-18 MO	10/18	
6550	Mobile Channel Lighted Buoy 55	TRLB	11380	0027-18 MO	03/18	
6570	Mobile Channel Light 60	STRUCT DEST/TRLB	11376		06/17	
6610	Mobile Channel Light 70	STRUCT DEST/TRLB	11376	0758-17 MO	41/17	
6660	Mobile Channel Light 76	STRUCT DEST/TRLB	11376	0152-18 MO	41/17	
6685	Mobile Channel Light 78	DAYMK MISSING	11376	0715-17 MO	41/17	
6697	MOBILE TURNING BASIN LIGHT A	STRUCT DEST	11376	0584-47 MO	33/17	
6725	Twelve Mile Island Light	STRUCT DEST/TRLB	11376	0924-17 MO	46/17	
6970	Mullet Point Light 2	STRUCT DMGD	11377	0858-17 MO	43/17	
7070	Fly Creek Buoy 7	OFF STA	11376	0910-17 MO	45/17	
7340	Theodore Ship Channel Outer Range Rear Light	DAYMK MISSING	11376	0767-17 MO	41/17	
7350	Theodore Ship Channel Light 1	OFF STA/STRUCT DEST/TRLB	11376	0168-18 MO	10/18	
7360	Theodore Ship Channel Light 3	STRUCT DEST/TRLB	11376	0933-17 MO	47/17	
7370	Theodore Ship Channel Light 6	STRUCT DEST/TRLB	11376	0742-16 MO	37/16	
7395	Theodore Ship Channel Light 11	STRUCT DEST/TRLB	11380	0054-18 MO	06/18	
7405	Theodore Ship Channel Light 13	STRUCT DEST/TRLB	11376	0058-18 MO	41/17	
7485	Dog River Channel Light 8	STRUCT DEST/TRLB	11376	0594-17 MO	34/17	

7570	Arlington Channel Light 5	STRUCT DEST/TRLB	11376	0069-18 MO	06/18
7645	Bayou La Batre Wreck Light WR 2	STRUCT DEST	11374		41/17
7690	Bayou La Batre Buoy 11	MISSING	11374	0167-18 MO	04/18
7705	Bayou La Batre Buoy 14	MISSING/TRUB	11374		28/17
7730	Bayou La Batre Light 19	STRUCT DEST/TRLB	11374		10/18
7735	Bayou La Batre Daybeacon 20	STRUCT DEST/TRUB	11374		10/18
7750	Bayou La Batre Daybeacon 23	STRUCT DEST/TRUB	11374	0044-18 MO	05/18
7860	Horn Island Pass Lighted Buoy 2	LT EXT	11373	0033-18 MO	04/18
7910	Horn Island Pass Lighted Buoy 9	OFF STA	11375	0998-17 MO	51/17
7970	Pascagoula Channel D Range Rear Light	DAYMK DMGD	11375		41/17
8040	Pascagoula Channel Lighted Buoy 31	OFF STA	11375	0030-18 MO	03/18
8120	Pascagoula Channel Light 39	STRUCT DEST/TRLB	11375	0082-18 MO	08/18
8210	Pascagoula Channel Light 50	STRUCT DEST/TRLB	11375	0794-17 MO	49/16
8305	Pascagoula River Daybeacon 6	STRUCT DEST/TRUB	11374	0988-17 MO	48/17
8455	Bayou Casotte Channel Light 6	STRUCT DEST/TRLB	11375	1020-17 MO	52/17
8470	Bayou Casotte Channel Light 7	STRUCT DEST/TRLB	11375	1021-17 MO	52/17
8695	Biloxi East Channel Daybeacon 1	DAYMK MISSING	11372	0120-18 MO	10/18
8805	Biloxi East Channel Light 26	STRUCT DMGD	11372	0149-18 MO	12/18
9130	Ott Bayou Channel Daybeacon 1	STRUCT DEST/TRUB	11372	0119-18 MO	10/18
9380	Big Lake Junction Daybeacon	STRUCT DEST/TRLB	11372	0118-18 MO	10/18
9685	Gulfport Middle Reach Channel	STRUCT DEST	11372	0169-18 MO	14/18
	Inbound Range Rear Passing Light				
9710	Ship Island Pass Entrance Range Rear Light	REDUCED INT	11372	0484-17 MO	28/17
9785	Gulfport Obstruction Light	DAYMK DMGD	11372		11/18
9835	Gulfport Ship Channel Light 44	STRUCT DEST	11372	0106-18 MO	09/18
10195	Pass Christian Entrance West Light 1	LT EXT	11372	0122-18 MO	10/18
10200	Pass Christian Entrance West Light 2A	LT EXT	11372	0123-18 MO	10/18
10220	Bayou Portage Channel Daybeacon 4	STRUCT DEST	11372	0175-18 MO	14/18
10250	Bayou Portage Channel Buoy 14	MISSING	11372	0038-18 MO	04/18
10395	Bayou Caddy Daybeacon 2	STRUCT DEST	11367	0086-18 MO	08/18
10600	Pearl River Daybeacon 33	STRUCT DEST/TRUB	11367	0117-18 MO	10/18
11345	Tchefuncta River Daybeacon 8	STRUCT DEST/TRUB	11369	0884-17 NO	41/17
11720	Mississippi River - Gulf Outlet Daybeacon 68	STRUCT DEST/TRUB	11364	0551-17 NO	28/17
12360	Bayou Terre Aux Boeufs Daybeacon 3	STRUCT DEST/TRUB	11364	0550-17 NO	28/17
12435	Baptiste Collette Bayou Daybeacon 11	STRUCT DEST/TRUB	11353	0204-18 NO	12/18
12580	South Pass Lighted Buoy 3	LT EXT	11361	0189-18 NO	12/18
12591	South Pass Light 3B	STRUCT DEST	11361	0737-17 NO	35/17
12592	South Pass Danger Light A	STRUCT DEST	11361	0738-17 NO	35/17
12593	South Pass Danger Light B	STRUCT DEST	11361		41/17
12875	Southwest Pass Light 21	STRUCT DEST	11361	0138-18 NO	10/18
13090	The Jump Wharf Lights (3)	STRUCT DEST	11353	0201-17 NO	14/17
13945	Six Mile Point Light 102	LT EXT/STRUCT DMGD	11368	0160-18 NO	07/18
14160	Mississippi River Wreck Lighted Buoy WR4	LT EXT	11370	0230-18 NO	14/18
14555	Gramercy Bridge Approach Buoy 1	OFF STA	11370	0219-18 NO	13/18
14835	Sunshine Bridge Approach Buoy 1	MISSING	11370	0970-16 NO	50/16
14840	Sunshine Bridge Approach Buoy A	ADRIFT	11370	0201-18 NO	12/18
14965	Evan Hall Light 177	STRUCT DEST	11370	0209-18 NO	13/18
15300	Arlington Range Front Light	LT IMCH/TRLT	11370	0065-18 NO	32/15
15305	Arlington Range Rear Light	LT IMCH/TRLT	11370	0066-18 NO	42/15
15429	Baton Rouge Bridge Baton Rouge Pier North V-AIS	AIS INOP	11370	0156-18 NO	10/18
15455	Tiger Pass Light 6	TRLB/STRUCT DEST	11361	0154-14 NO	08/14
15820	Barataria Pass Buoy 4	TRUB	11365	0677-17 NO	13/17

15830	Barataria Pass Lighted Buoy 6	MISSING/TRLB	11365	0678-17 NO	26/17
15835	Barataria Pass Buoy 7	TRLB	11365	0501-17 NO	26/17
15995	Bayou Rigaud Daybeacon 8	STRUCT DEST/TRUB	11365	0979-17 NO	47/17
16000	Bayou Rigaud Daybeacon 10	STRUCT DEST/TRUB	11365	0978-17 NO	47/17
16005	Bayou Rigaud Daybeacon 12	STRUCT DEST/TRUB	11365		41/17
16105	Barataria Waterway Entrance Light 2	STRUCT DEST/TRLB	11365		41/17
16125	Barataria Waterway Daybeacon 3	STRUCT DEST/TRUB	11365	1049-17 NO	51/17
16485	Dupre Cut Light 4	STRUCT DEST/TRLB	11365	0017-18 NO	02/18
18815	Atchafalaya Channel Light 47	STRUCT DEST	11351	0185-18 NO	12/18
18820	Atchafalaya Channel Light 48	STRUCT DEST	11351	0191-18 NO	12/18
18830	Atchafalaya Channel Light 52	STRUCT DEST	11351	0192-18 NO	12/18
18963	Atchafalaya River Junction Light C	STRUCT DEST/TRLB	11351	0200-18 NO	09/18
18985	Avoca Island Cutoff Channel Light 7	STRUCT DEST/TRLB	11351	0195-18 NO	12/18
18990	Avoca Island Cutoff Channel Daybeacon 8	STRUCT DEST/TRUB	11354	0194-18 NO	12/18
19020	Avoca Island Cutoff Channel Daybeacon 14	STRUCT DMGD/TRUB	11352	0193-48 NO	12/18
19090.01	Atchafalaya River Daybeacon 23	STRUCT DEST/TRUB	11351	0172-18 NO	11/18
20230	Southwest Pass - Vermillion Bay Channel Light 34	STRUCT DEST/TRLB	11349		10/18
20995	Mermentau River Daybeacon 2	STRUCT DEST	11348	0127-18 GA	09/18
21405	Calcasieu Channel East Jetty Light 42	OFF STA/STRUCT DEST/HAZ NAV/TRLB	11347	0676-17 GA	29/14
21430	Calcasieu Channel Light 50	STRUCT DEST	11339		44/17
21775	Calcasieu Channel Light 91	STRUCT DEST/TRLB	11348	0140-18 GA	10/18
21790	Devils Elbow Light 2	STRUCT DEST	11348		14/18
22780	Port Arthur Canal Light 40	STRUCT DEST/TRLB	11342	0053-18 GA	05/18
22840	Port Arthur Canal F Range Rear Light	DAYMK DMGD	11342	0223-18 GA	14/18
22900	Sabine-Neches Canal Light 52	STRUCT DEST/TRLB	11331	0069-18 GA	06/18
22955	Sabine-Neches Canal K Range Front Light	STRUCT DEST/TRLB	11343	0201-18 GA	14/18
22960	Sabine-Neches Canal K Range Front Passing Light	STRUCT DEST	11343	0201-18 GA	14/18
23110	Sabine River Daybeacon 4	STRUCT DEST/TRUB	11331	0136-18 GA	10/18
23115	Sabine River Light 5	STRUCT DEST/TRLB	11343	0133-18 GA	10/18
23150	Sabine River Daybeacon 13A	STRUCT DEST/TRUB	11331	0176-18 GA	12/18
23225	Sabine River Daybeacon 25	STRUCT DEST/TRLB	11331	0130-18 GA	10/18
23250	Sabine River Daybeacon 29	STRUCT DEST/TRUB	11331	0137-18 GA	10/18
23720	Galveston South Jetty Light 5A	LT EXT	11324	0186-18 GA	16/17
23725	Galveston North Jetty Light 6A	LT EXT	11324	0187-18 GA	13/18
24020	Houston Ship Channel Light 34	STRUCT DEST/TRLB	11324	0067-18 GA	38/17
24040	Houston Ship Channel Light 36	STRUCT DEST/TRLB	11324	0150-18 GA	10/18
24045	Houston Ship Channel Light 37	STRUCT DEST/TRLB	11324	0145-18 GA	10/18
24240	Houston Ship Channel Light 58	STRUCT DEST/TRLB	11327	0192-18 GA	13/18
24385	Houston Ship Channel Light 75	OFF STA/STRUCT DEST/TRLB	11327	0189-18 GA	05/18
24440	Bayport Ship Channel Outer Range Rear Light	LT EXT/STRUCT DMGD	11327	0196-18 GA	08/18
24455	Bayport Ship Channel Junction Light B	STRUCT DEST/TRLB	11327	0785-17 GA	48/17
24475	Bayport Ship Channel Light 3	STRUCT DEST	11327	0079-18 GA	07/18
24525	Houston Ship Channel Light 81	STRUCT DEST	11327	0213-18 GA	14/18
24555	Houston Ship Channel Light 87	STRUCT DEST/TRLB	11328	0190-18 GA	13/18
24565	Houston Ship Channel Light 89	STRUCT DEST	11328	0214-18 GA	14/18
24600	Houston Ship Channel Light 92	STRUCT DEST/TRLB	11328	0208-18 GA	14/18
24635	Cedar Bayou Channel Daybeacon 10	STRUCT DEST/TRUB	11328	0200-18 GA	14/18
24645	Cedar Bayou Channel Light 14	STRUCT DMGD/TRLB	11328	0088-18 GA	07/18
24655	Cedar Bayou Channel Daybeacon 18	STRUCT DEST/TRUB	11328	0089-18 GA	07/18
24660	Cedar Bayou Channel Daybeacon 20	STRUCT DEST/TRUB	11328	0169-18 GA	12/18

24690	Cedar Bayou Channel Daybeacon 27	STRUCT DMGD	11328	0215-18 GA	14/18
24705	Cedar Bayou Channel Light 30	STRUCT DEST/TRLB	11328	0179-18 GA	12/18
24710	Cedar Bayou Channel Light 31	STRUCT DEST/TRLB	11328	0180-18 GA	12/18
24745	Cedar Bayou Channel Daybeacon 42	STRUCT DEST/TRUB	11328	0172-18 GA	10/18
25210	Houston Ship Channel Light 105	STRUCT DEST/TRLB	11328	0195-18 GA	13/18
25240	Upper Red Light Bend Outbound Range Front Light	STRUCT DEST	11329	0175-18 GA	12/18
25425	Houston Ship Channel Light 118	STRUCT DEST/TRLB	11329	0184-18 GA	13/18
25520	Houston Ship Channel Light 126A	STRUCT DEST	11329	0212-18 GA	14/18
25700	Houston Ship Channel Light 128	STRUCT DMGD	11329	0210-18 GA	14/18
25815	Houston Ship Channel Light 160	STRUCT DEST/TRLB	11329	0777-17 GA	47/17
25840	Fidelity Island Daybeacon 2	STRUCT DMGD	11325	0167-18 GA	12/18
27047	Colorado River East Jetty Entrance Obstruction Light	STRUCT DEST	11319	0070-18 CC	11/18
27180	Matagorda Ship Channel B Range Rear Light	STRUCT DEST	11319		36/17
27212	MATAGORDA SHIP CHANNEL LIGHT 21	STRUCT DEST/TRLB	11319	0090-18 CC	12/18
27305	Matagorda Ship Channel Light 41	STRUCT DEST/TRLB	11317	0130-18 CC	14/18
27315	Matagorda Ship Channel Light 43	STRUCT DEST/TRLB	11317	0131-18 CC	14/18
27815	Port Lavaca Harbor of Refuge Daybeacon 10	STRUCT DEST/TRUB	11317	0033-18 CC	11/14
27900	Lavaca Bay Channel Daybeacon 22	DAYMK IMCH	11317	0205-14 CC	11/14
27910	Lavaca River Daybeacon 3	DAYMK IMCH	11317	0206-14 CC	11/14
28320	Port Aransas Harbor Light 3	LT EXT/DAYMK MISSING	11309		36/17
28325	Port Aransas Harbor Daybeacon 4	STRUCT DEST/TRUB	11309	0100-18 CC	36/17
28747.4	Corpus Christi Bay Alternate Route Light 4	STRUCT DEST/TRLB	11308		39/17
28875	Tule Lake Channel E Range Front Light	STRUCT DMGD	11311		36/17
28885	Tule Lake Channel F Range Front Light	LT IMCH	11311		12/18
28890	Tule Lake Channel F Range Rear Light	LT IMCH	11311	0083-18 CC	12/18
28975	La Quinta Channel Inner Range Rear Light	LT EXT	11309	0062-17 CC	08/17
29085	La Quinta Channel Light 18	STRUCT DEST/TRLB	11309		36/17
29100	La Quinta Channel Light A	STRUCT DEST	11309	0488-17 CC	36/17
29135	Rincon Canal Daybeacon 9	MISSING/STRUCT DEST/TRUB	11311	0234-17 CC	19/17
29355	Port Mansfield Channel Daybeacon 17	TRUB/STRUCT DEST	11306	0304-14 CC	17/14
29375	Port Mansfield Channel Daybeacon 21	STRUCT DEST/TRUB	11306	0529-15 CC	40/15
29395	Port Mansfield Channel Daybeacon 25	STRUCT DEST/TRUB	11306		30/16
29915	Brownsville Channel Light 37	STRUCT DEST/TRLB	11302	0119-18 CC	12/18
30035	St. George Sound Light 6	STRUCT DEST/TRLB	11404	0647-17 MO	37/17
30400	Apalachicola River Entrance Range Front Light	STRUCT DEST	11401	0034-18 MO	04/18
30405	Apalachicola River Entrance Range Rear Light	LT EXT/DAYMK DMGD	11401	0737-14 MO	36/14
30410	Apalachicola River Light 2	STRUCT DEST/TRLB	11402	0936-17 MO	47/17
30430	Apalachicola River Daybeacon 6	STRUCT DEST/TRUB	11402	0862-17 MO	43/17
30535	Jackson River Light 9	LT EXT/TRLB	11402	0869-17 MO	12/16
31225	West Bay Light 1	STRUCT DMGD/TRLB	11390	0846-17 MO	42/17
31405	Choctawhatchee Bay Light 1	STRUCT DEST/TRLB	11385	0900-17 MO	45/17
31550	Choctawhatchee Bay Daybeacon 36	STRUCT DEST/TRUB	11385	0125-18 MO	11/18
32110	Joes Bayou Entrance Channel Daybeacon 4	OFF STA/STRUCT DEST/TRUB	11385	0140-18 MO	01/18
32125	Garnier Bayou Entrance Daybeacon 4	DAYMK MISSING	11385	0706-17 MO	41/17
32220	Santa Rosa Sound Daybeacon 4	STRUCT DEST/TRUB	11385	0892-17 MO	44/17
32250	Santa Rosa Sound Daybeacon 14	STRUCT DEST	11385	0161-18 MO	13/18
32255	Santa Rosa Sound Daybeacon 16	STRUCT DEST/HAZ NAV/TRUB	11385	0078-18 MO	07/18
32275	Santa Rosa Sound Light 21	STRUCT DEST/TRLB	11385	0995-17 MO	50/17
32355	Santa Rosa Sound Daybeacon 41	DAYMK MISSING	11385	0026-17 MO	03/17
32550	Santa Rosa Sound Light 75	STRUCT DEST	11385	0024-18 MO	03/18

32610	Santa Rosa Sound Daybeacon 85	STRUCT DEST/TRUB	11385	0993-17 MO	41/17
32635	Santa Rosa Sound Daybeacon 89A	DAYMK MISSING	11385	0525-17 MO	30/17
32665	Santa Rosa Sound Daybeacon 93	STRUCT DEST/TRUB	11385	0051-18 MO	05/18
32695	Santa Rosa Sound Light 102	STRUCT DEST/TRLB	11385	0176-18 MO	14/18
32705	Santa Rosa Sound Daybeacon 104	STRUCT DEST/TRUB	11385		14/18
32790	Santa Rosa Sound Daybeacon 127	STRUCT DEST/TRUB	11385		14/18
32795	Santa Rosa Sound Light 129	STRUCT DEST/TRLB	11385		05/18
33065	Pensacola Bay Navy Range Rear Light	LT EXT/STRUCT DMGD	11384	1028-16 MO	50/13
33115	Pensacola-Mobile Shoal Buoy 5A	OFF STA	11384	0059-18 MO	06/18
33132	Pensacola-Mobile Buoy 8	OFF STA	11383	0063-18 MO	06/18
33190	Pensacola-Mobile Light 10	STRUCT DEST/LT EXT/TRLB	11378	0753-17 MO	41/17
33265	Pensacola-Mobile Light 18	STRUCT DEST/TRLB	11378	0017-18 MO	03/18
33320	Pensacola-Mobile Daybeacon 29	STRUCT DEST/TRUB	11378	0174-18 MO	14/18
33570	Pensacola-Mobile Light 70	DAYMK MISSING	11378		09/18
33650	Pensacola-Mobile Daybeacon 81	STRUCT DEST/TRUB	11378	0085-18 MO	07/18
33685	Pensacola-Mobile Daybeacon 89	STRUCT DMGD	11378	0052-18 MO	05/18
33715	Pensacola-Mobile Light 94	STRUCT DEST/TRLB	11378	0087-18 MO	08/18
33775	Pensacola-Mobile Buoy 106	OFF STA	11378	0171-18 MO	14/18
33800	Pensacola-Mobile Light 111	STRUCT DEST/TRLB	11378	0127-18 MO	11/18
33805	Pensacola-Mobile Daybeacon 112	STRUCT DEST/TRUB	11378	0126-18 MO	11/18
33875	Pensacola-Mobile Daybeacon 127	STRUCT DEST/TRUB	11378	0128-18 MO	11/18
33880	Pensacola-Mobile Daybeacon 129	STRUCT DEST/TRUB	11378	0050-18 MO	05/18
33920	Pensacola-Mobile Daybeacon 145	STRUCT DEST/TRUB	11378	0902-17 MO	45/17
33965	Pass Aux Herons Light 2	STRUCT DEST/TRLB	11378	0142-18 MO	12/18
34035	Pass Aux Herons Buoy 14	TRUB	11378	0028-18 MO	03/18
34225	Pass Aux Herons D Range Rear Light	DAYMK MISSING	11377	0814-17 MO	41/17
34350	Round Island South Channel Light 5	STRUCT DEST	11375	0101-18 MO	09/18
34370	Ship Island Light 2	STRUCT DEST/TRLB	11372		11/18
34375	Ship Island Light 4	STRUCT DMGD/TRLB	11372	0172-18 MO	14/18
34390	Gulfport Ship Channel Light 44	STRUCT DEST	11372	0106-18 MO	09/18
34400	Cat Island Light 2	STRUCT DEST	11372		08/18
34455	Marianne Channel Buoy 17	TRUB	11372	0051-17 MO	07/15
34460	Marianne Channel Buoy 18	TRUB	11372	0097-18 MO	29/17
34465	Marianne Channel Buoy 19	MISSING/TRUB	11372	0095-18 MO	03/18
34475	Marianne Channel Buoy 21	TRUB	11372	0020-18 MO	03/18
34485	Marianne Channel Buoy 23	TRUB	11372	0021-18 MO	03/18
34495	Marianne Channel Buoy 25	TRUB	11372	0096-18 MO	03/18
34940	Algiers Alternate Route Junction Light	DAYMK MISSING	11367	0236-18 NO	14/18
34970	Bayou Perot Entrance Crossing Daybeacon 4	STRUCT DEST	11367	0220-18 NO	13/18
35120	Morgan City-Port Allen Alternate Route Daybeacon 12	STRUCT DEST	11355	0227-18 NO	14/18
35200	Little Wax Bayou Light 2	STRUCT DEST/TRLB	11355	0146-18 NO	10/18
35385	Devils Elbow Light 2	STRUCT DEST	11348		14/18
35410	Calcasieu Channel Light 91	STRUCT DEST/TRLB	11348	0140-18 GA	10/18
35480	Sabine River Daybeacon 13A	STRUCT DEST/TRUB	11331	0176-18 GA	12/18
35505	Sabine River Light 5	STRUCT DEST/TRLB	11343	0133-18 GA	10/18
35520	Sabine River Daybeacon 4	STRUCT DEST/TRUB	11331	0136-18 GA	10/18
35655	Sabine-Neches Canal K Range Front Light	STRUCT DEST/TRLB	11343	0201-18 GA	14/18
35660	Sabine-Neches Canal K Range Front Passing Light	STRUCT DEST	11343	0201-18 GA	14/18
35720	Sabine-Neches Canal Light 52	STRUCT DEST/TRLB	11331	0069-18 GA	06/18
35830.01	ROLLOVER BAY LIGHT 4	STRUCT DEST/TRLB	11331	0118-18 GA	09/18
35855.01	ROLLOVER BAY LIGHT 9	STRUCT DEST/TRLB	11331	0042-18 GA	04/18
35860.01	ROLLOVER BAY LIGHT 10	STRUCT DEST/TRLB	11331	0193-18 GA	05/18

35870	Rollover Bay Buoy 12	OFF STA	11331	0147-18 GA	10/18
35915	Bolivar Peninsula Light 14	STRUCT DMGD	11324	0203-18 GA	14/18
36125	Galveston-Freepport Light 6	STRUCT DEST	11324	0216-18 GA	14/18
36565.01	Galveston-Freepport Light 39	STRUCT DEST	11324	0217-18 GA	14/18
36585	Galveston-Freepport E Range Front Light	LT EXT/STRUCT DMGD	11324	0827-17 GA	51/17
36600	Galveston-Freepport Buoy 42	MISSING	11324	0219-18 GA	14/18
36635	Galveston-Freepport Buoy 49	MISSING	11322	0220-18 GA	14/18
36640.01	Galveston-Freepport Light 50	STRUCT DEST	11322	0218-18 GA	14/18
36695	Galveston-Freepport Buoy 59	MISSING	11322	0221-18 GA	14/18
36825	Galveston-Freepport G Range Rear Light	LT EXT/STRUCT DMGD	11322	0143-18 GA	10/18
37120	Chocolate Bayou Channel Outer Range Front Light	STRUCT DMGD	11322	0036-18 GA	04/18
37290	Chocolate Bay Buoy 11	MISSING	11322	0222-18 GA	14/18
37445	Matagorda Bay Light 11	STRUCT DEST/TRLB	11319	0422-17 CC	43/17
37510	Matagorda Bay Buoy 25	MISSING	11319	0120-18 CC	13/18
37600	Matagorda Bay - Alternate Route Daybeacon 8A	STRUCT DEST/TRUB	11319	0118-18 CC	13/18
37610	Matagorda Bay - Alternate Route Light 10	STRUCT DEST/TRLB	11319	0117-18 CC	13/18
37625	MATAGORDA BAY - ALTERNATE ROUTE LIGHT 13	MISSING/STRUCT DEST/TRLB	11319	0073-18 CC	43/17
37670	Halfmoon Reef Light	STRUCT DEST/REDUCED INT/TRLB	11319	0394-17 CC	40/17
37755	Palacios Channel Daybeacon 28	STRUCT DEST/TRUB	11317	0317-17 CC	31/17
38025	Port O' Connor Landcut Daybeacon 6A	STRUCT DMGD	11315	0351-17 CC	34/17
38100	Victoria Channel Buoy 8	OFF STA	11315		36/17
38135	Victoria Channel Light 16	STRUCT DEST/TRLB	11315		36/17
38175	Victoria Channel Daybeacon 27	STRUCT DEST/TRLB	11315	0088-18 CC	06/18
38185	Victoria Channel Light 30	STRUCT DEST/TRLB	11315		45/17
38210	Victoria Channel Light 38	STRUCT DEST/TRLB	11315		36/17
38230	Victoria Channel Light 43	STRUCT DEST/TRLB	11315	0021-18 CC	03/18
38270	Victoria Channel Light 55	STRUCT DEST/TRLB	11315	0054-18 CC	05/18
38285	Seadrift South Entrance Channel Daybeacon 1S	STRUCT DEST/TRUB	11315	0043-18 CC	05/18
38300	Seadrift Channel Buoy 4	OFF STA	11315	0379-17 CC	38/17
38770	Copano Bay Approach Light 1	STRUCT DEST	11314		36/17
38775	Copano Bay Approach Light 2	STRUCT DEST	11314		36/17
38780	Copano Bay Approach Light 3	STRUCT DEST/TRLB	11314		36/17
38995	Rockport Channel Daybeacon 5	STRUCT DEST	11314	0076-18 CC	12/18
39090	Aransas-Corpus Christi Bay Cutoff Channel Light 5	STRUCT DEST/TRLB	11314	0101-18 CC	12/18
39110	Aransas-Corpus Christi Bay Cutoff Channel Buoy 9	OFF STA	11314		36/17
39230	Aransas-Corpus Christi Bay Cutoff Channel Buoy 27	OFF STA	11309	0047-18 CC	06/18
39705	Aransas Bay Alternate Route Danger Buoy B	MISSING	11312		36/17
40620.01	Corpus Christi Baffin Bay Daybeacon 77	STRUCT DEST	11308	0127-18 CC	14/18
41890	Land Cut-Arroyo Colorado Daybeacon 74	STRUCT DEST/TRUB	11306	0069-18 CC	09/18
41955.01	Land Cut-Arroyo Colorado Daybeacon 89	DAYMK MISSING	11302	0112-18 CC	13/18
41995	Land Cut-Arroyo Colorado Daybeacon 96	MISSING/STRUCT DEST/TRLB	11306	0093-18 CC	20/17
42000.01	Land Cut-Arroyo Colorado Daybeacon 97	STRUCT DMGD/TRUB	11302	0095-18 CC	11/18
42060.01	Land Cut-Arroyo Colorado Daybeacon 109	STRUCT DMGD	11302		35/17
42220	Arroyo Colorado Cutoff Channel South Entrance Buoy 4S	MISSING	11303	0114-18 CC	13/18
42395	Harlingen-Port Isabel Daybeacon 8	STRUCT DEST/TRUB	11303	0128-18 CC	14/18

42700	Harlingen-Port Isabel Daybeacon 58	STRUCT DMGD	11302		35/17
42725	Harlingen-Port Isabel Daybeacon 62	STRUCT DMGD	11302		35/17
43035	Brownsville Channel Light 37	STRUCT DEST/TRLB	11302	0119-18 CC	12/18
	Sim'S Bayou Security Zone Marker	MISSING			02/16

DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
12835	Southwest Pass Light 18	WATCHING PROPERLY	11361		03/18	14/18
12985	Pilottown A West Range Rear Light	RELIGHTED	11361		14/18	14/18
22385	Sabine Bank Channel Lighted Buoy 22	RELIGHTED	11332		03/18	14/18
22500	Sabine Pass Lighted Buoy 22	RESET ON STATION	11342		10/18	14/18
22560	Sabine Pass Lighted Buoy 32	RESET ON STATION	11342		12/18	14/18
22625	Sabine Pass Anchorage Lighted Buoy B	WATCHING PROPERLY	11342		52/17	14/18
23990	Houston Ship Channel Lighted Buoy 28	RESET ON STATION	11324		13/18	14/18
24695	Cedar Bayou Channel Daybeacon 28	WATCHING PROPERLY	11328		14/18	14/18
25400	Upper Peggy's Lake Inbound Range Rear Light	WATCHING PROPERLY	11329		10/18	14/18
25680	San Jacinto River Buoy 32	WATCHING PROPERLY	11329		07/18	14/18
27020	Freeport Harbor Light 20	RELIGHTED	11322		14/18	14/18
28220	Aransas Channel Daybeacon 4	REBUILT/REMAINS	11309		08/18	14/18
28255	Aransas Channel Daybeacon 13	REBUILT/REMAINS	11309		14/18	14/18
28265	Aransas Channel Daybeacon 15	WATCHING PROPERLY	11309		36/17	14/18
28270	Aransas Channel Daybeacon 17	WATCHING PROPERLY	11309		36/17	14/18
28710	Corpus Christi Cut B East Range Rear Light	WATCHING PROPERLY	11312		13/18	14/18
28747.1	Corpus Christi Bay Alternate Route Daybeacon 7	REBUILT/REMAINS	11309		39/17	14/18
31420	Choctawhatchee Bay Buoy 4	WATCHING PROPERLY	11385		06/18	14/18
32725	Santa Rosa Sound Light 108	WATCHING PROPERLY	11385		13/18	14/18
35935	Bolivar Peninsula Buoy 18	RESET ON STATION	11324		14/18	14/18
35945	Bolivar Peninsula Lighted Buoy 20	RESET ON STATION	11324		14/18	14/18
36555	Galveston-Freeport Buoy 37	RESET ON STATION	11324		14/18	14/18
36590	Galveston-Freeport E Range Rear Light	RELIGHTED	11324		14/18	14/18
36605	Galveston-Freeport Buoy 43	RESET ON STATION	11324		13/18	14/18
36610	Galveston-Freeport Buoy 44	WATCHING PROPERLY	11324		14/18	14/18
36990	West Bay (Texas) Buoy 16	RESET ON STATION	11322		08/18	14/18
37015	Chocolate Bay Buoy 3	WATCHING PROPERLY	11322		12/18	14/18
37215	Chocolate Bayou Channel Daybeacon 30	WATCHING PROPERLY	11322		02/18	14/18
37330	Chocolate Bay Buoy 22	WATCHING PROPERLY	11322		12/18	14/18
37440	Matagorda Bay Buoy 10	RESET ON STATION	11319		12/18	14/18
39285	Aransas-Corpus Christi Bay Cutoff Channel Daybeacon 37	REBUILT/RECOVERED	11308		14/18	14/18

DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
370	Energy XXI-102-10 (Lighted Horn Buoy)	SS INOP	11361	0186-17	13/17	
440	Walter-110-8 Lighted Buoy	MISSING	11358		39/16	
500	Fr-La-27 Lighted Tension Buoy E	OFF STA	11358	0167-15 NO	09/15	
565	Loop Anchorage Lighted Buoy L-B	MISSING	11359	0976-17 NO	46/17	
805	Walter-114-10 Lighted Buoy	OFF STA	1116		03/18	
988	McMoran-999-11 (Lighted Buoy)	OFF STA	1116	0399-15	21/15	
1440	Texas A & M Lighted Oceanographic Buoy J	OFF STA	11356	0525-16 CC	01/17	
1445	FR-TX-58 Special Lighted Buoy	OFF STA	11301	0115-18CC	13/18	
1840	Shell Point Channel Daybeacon 1	DAYMK MISSING	11405	0354-17 MO	22/17	
3170	Port St Joe Marina Entrance Light 2	DAYMK DMGD	11393	0392-15 MO	22/15	

3175	Port St Joe Marina Entrance Light 1	DAYMK DMGD	11393	0391-15 MO	22/15
3495	Gulf Power Electrical Tower Danger Lights(2)	LT EXT	11391		50/17
3500	Gulf Power Electrical Tower Danger Lights (2)	LT EXT	11391		50/17
5105	Bayou Texar Daybeacon 3A	STRUCT DEST	11383	0194-17 MO	13/17
5165	Bayou Texar Daybeacon 15A	DAYMK DMGD	11383		11/17
8170	Spoil Bank Light 1	LT EXT	11373		39/17
8245	Pascagoula River Obstruction Lighted Buoy 2	MISSING	11375	0291-17 MO	19/17
8250	Pascagoula River Obstruction Lighted Buoy 4	OFF STA/LT EXT	11375	0532-17 MO	19/17
8560	Mississippi Gulf Fish Reef Light B	MISSING	11374		33/14
8578.06	Graveline Bayou Channel Daybeacon 7	STRUCT DMGD	11374		48/16
8578.08	Graveline Bayou Channel Daybeacon 9	STRUCT DMGD	11374		48/16
8578.12	Graveline Bayou Channel Daybeacon 12	STRUCT DMGD	11374		48/16
8639	Deer Island Breakwater Southeast Danger Light	MISSING	11372	0037-18 MO	03/18
8640	Deer Island Breakwater Danger Light	MISSING	11372		03/18
8645	Deer Island Breakwater Danger Light	MISSING	11372		03/18
8650	Deer Island Breakwater Danger Light	MISSING	11372		03/18
8655	Deer Island Breakwater Danger Light	MISSING	11372		03/18
8660	Deer Island Breakwater Danger Light	MISSING	11372		03/18
8665	Deer Island Breakwater Danger Light	MISSING	11372		03/18
8670	Deer Island Breakwater Danger Light	MISSING	11372		03/18
8675	Deer Island Breakwater Danger Light	MISSING	11372		03/18
8677	Deer Island Breakwater Northwest Danger Light	MISSING	11372		03/18
8830.01	Davis Bayou Channel Light 2	LT EXT/STRUCT DMGD	11372	0131-16 MO	07/16
8830.19	Davis Bayou Channel Daybeacon 24	OFF STA	11372	225-15 NO	14/15
9065	Point Cadet Marina Breakwater Light 1	LT EXT	11372	0038-18 MO	44/17
9070	Point Cadet Marina Breakwater Daybeacon 2	STRUCT DMGD	11372	0039-18 MO	44/17
9075	Point Cadet Marina Breakwater Light 3	LT EXT/STRUCT DMGD	11372	0040-18 MO	44/17
9080	Point Cadet Marina Breakwater Daybeacon 4	STRUCT DMGD	11372	0041-18 MO	44/17
9085	Point Cadet Marina Breakwater Light 5	STRUCT DMGD	11372	0042-18 MO	44/17
9090	Point Cadet Marina Breakwater Daybeacon 6	STRUCT DMGD	11372	0043-18 MO	44/17
9160.12	Old Fort Bayou Channel Daybeacon 9	STRUCT DEST	11372	0213-17 MO	15/17
9485	Mississippi Gulf Fishing Reef Light C	MISSING	11372		33/14
10960	Eden Isles Channel Daybeacon 1	MISSING	11369		06/17
10965	Eden Isles Channel Daybeacon 2	STRUCT DEST	11369	0933-16 NO	48/16
10977	FR-LA-71-A	MISSING	11369	0506-16 NO	23/16
10977.01	FR-LA-71-B	MISSING	11369	0507-16 NO	23/16
10977.02	FR-LA-71-C	MISSING	11369	0508-16 NO	23/16
10977.03	FR-LA-71-D	MISSING	11369	0509-16 NO	23/16
10980	FR-LA-70-A	MISSING	11369	0510-16 NO	23/16
10985	FR-LA-70-B	MISSING	11369	0511-16 NO	23/16
10990	FR-LA-70-C	MISSING	11369	0512-16 NO	23/16
10995	FR-LA-70-D	MISSING	11369	0513-16 NO	23/16
11155	South Shore Harbor Marina Light 10	STRUCT DEST	11367	0001-18 NO	01/18
11165	South Shore Harbor Marina Light 13	STRUCT DEST	11367	0002-18 NO	01/18
11180	New Canal Light	LT EXT	11369		41/11
11705	Mississippi River - Gulf Outlet Pipeline Light 27 (C-1)	STRUCT DEST	11363	0768-16 NO	38/16
11710	Mississippi River - Gulf Outlet Pipeline Light 28 (C-2)	STRUCT DEST/HAZ NAV	11363	0769-16 NO	38/16
12845	Chevron Pier Light	STRUCT DEST	11361	0203-17 NO	14/17
13015	Pilottown Terminal Wing Dam Light	STRUCT DEST	11361	0205-17 NO	14/17

13215	Empire Water Intake Lights (2)	STRUCT DEST	11364	0206-17 NO	14/17
13505	Entergy Louisiana Submerged Cable Lights (2)	LT EXT	11364	1376-13 NO	49/13
13680	Shell Intake Dolphin Lights (3)	LT IMCH	11364		02/14
13700	New Orleans Water Discharge Dolphin Lights (4)	LT EXT	11367		40/17
14105	Lasalle Landing Barge Dock Lights (2)	STRUCT DMGD	11370		12/14
14360	Entergy Waterford Lights (3)	HAZ NAV/LT EXT/STRUCT DMGD	11370		44/14
14950	Bayou Lafourche Intake Light	STRUCT DEST	11370	0603-16 NO	28/16
15100	Olin Dock Lights (3)	LT EXT	11370	0091-17 D8	46/17
15420	Formosa Plastics Lower Dock Lights (2)	LT EXT		0599-17 NO	30/17
15730	Meyers Canal Light 1	STRUCT DEST	11364		03/15
17911	Short Cut Canal Light 1	LT EXT	11355	0167-18 NO	11/18
17911.01	Short Cut Canal Light 2	LT EXT	11355	0168-18 NO	11/18
17911.02	Short Cut Canal Light 3	LT EXT	11355	0169-18 NO	11/18
18240	Lake De Cade Light 2	OFF STA/LT EXT/DAYMK MISSING	11352		50/15
18245	Lake De Cade Light 28	LT EXT	11352	0245-17 NO	15/17
18390	East Atchafalaya Bay Channel Daybeacon 16	MISSING	11351		35/14
18410	East Atchafalaya Bay Channel Daybeacon 24	MISSING	11351	0055-15 NO	03/15
18415	East Atchafalaya Bay Channel Daybeacon 26	MISSING	11351	0056-15 NO	35/14
18420	East Atchafalaya Bay Channel Daybeacon 28	MISSING	11351		35/14
18475	East Atchafalaya Bay Channel Daybeacon 52	MISSING	11351		35/14
18480	East Atchafalaya Bay Channel Daybeacon 54	MISSING	11351		35/14
18505	East Atchafalaya Bay Channel Daybeacon 66	MISSING//STRUCT DMGD	11351		35/14
19835	E Cote Blan Bay Canal Entrance Light 1	LT EXT	11351		46/16
20065	Mound Point Light 1	OFF STA	11349	0460-14 NO	22/14
20730	Roundlake Canal Barracade Light 1	MISSING	11348		18/13
20735	Roundlake Canal Barracade Light 2	MISSING	11348		18/13
21710	Cameron LNG Daybeacon B	STRUCT DMGD	11339	0203-14 GA	11/14
22770	Texas Water Board Research Light Tower A	LT EXT	11342		49/12
23275	Navy Pier 10 Lights (2)	LT EXT	11331	0753-17 GA	44/17
23280	Orange County Pier Light 6	LT EXT	11331	0756-17 GA	18/13
23285	Orange County Pier Light 3	LT EXT	11331	0755-17 GA	43/17
23290	Orange County Pier Light 2	LT EXT	11331	0754-17 GA	44/17
23545	Gulf States Erosion Barrier Lights (2)	LT EXT	11343	0098-15	11/18
24905	Baytown Goose Creek Channel Daybeacon 6	STRUCT DMGD	11328	0766-15 GA	48/15
25107	San Jacinto Bay Barge Channel Daybeacon 2	STRUCT DEST	11329	0709-16 GA	49/16
25110	San Jacinto Bay Barge Channel Daybeacon 3	STRUCT DEST	11328	0228-16 GA	14/16
25115	San Jacinto Bay Barge Channel Daybeacon 4	STRUCT DEST		0710-16 GA	49/16
25120	San Jacinto Bay Barge Channel Daybeacon 5	STRUCT DEST		0043-16 GA	52/15
25125	San Jacinto Bay Barge Channel Daybeacon 6	STRUCT DEST	11329	0711-16 GA	49/16
25130	San Jacinto Bay Barge Channel Daybeacon 8	STRUCT DEST	11329	0719-16 GA	49/16
25135	San Jacinto Bay Barge Channel Daybeacon 10	STRUCT DEST		0712-16 GA	49/16
25158	San Jacinto Bay Barge Channel Daybeacon 17	STRUCT DEST	11329	0410-16 GA	28/16
25165	San Jacinto Bay Barge Channel Daybeacon 20	MISSING		0189-16 GA	11/16

25168	San Jacinto Bay Barge Channel Daybeacon 21	STRUCT DEST	11329	0044-16 GA	03/16
25170	San Jacinto Bay Barge Channel Daybeacon 22	STRUCT DEST/DAYMK IMCH	11309	0326-15 GA	19/15
25310	Baytown Bend Tower Obstruction Light C	LT EXT	11328	0168-15	11/15
26530	Watergate Marina Channel Light 2	LT IMCH	11326	0465-12 GA	23/12
26550	Watergate Marina Channel Daybeacon 6	DAYMK MISSING	11326	0267-15 GA	16/15
26580	Watergate Marina Channel Light 11	DAYMK IMCH	11326	0467-12 GA	23/12
26585	Watergate Marina Channel Light 13	STRUCT DEST	11326	0468-12 GA	23/12
26590	Watergate Marina Channel Range Front Light	STRUCT DEST		0469-12 GA	23/12
26595	Watergate Marina Channel Range Rear Light	STRUCT DEST		0470-12 GA	23/12
26670	Marina Del Sol Channel Buoy 2	MISSING	11326		40/15
26680	Marina Del Sol Channel Daybeacon 4	MISSING	11326		40/15
26685	Marina Del Sol Channel Daybeacon 5	MISSING	11326		40/15
26715	Marina Del Sol Channel Light 11	MISSING	11326		40/15
26720	Marina Del Sol Channel Light 12	MISSING	11326		40/15
26790	Ideal Channel Daybeacon 1	LT EXT	11326		40/15
26795	Ideal Channel Light 2	MISSING	11326		40/15
26810	Ideal Channel Light 5	MISSING	11326		40/15
26815	Ideal Channel Daybeacon 6	MISSING	11326		40/15
26820	Ideal Channel Daybeacon 7	MISSING	11326		40/15
26825	Ideal Channel Daybeacon 8	MISSING	11326		40/15
26830	Ideal Channel Daybeacon 10	MISSING	11326		40/15
26855	Clear Lake Wharf Light #2	LT EXT	11326		29/14
27645	Point Comfort Turning Basin South Shoal Range Rear Light	LT EXT	11317	0093-17 CC	11/17
27665	Point Comfort Inner Channel Light 4	LT EXT	11317		31/10
27820	Chocolate Bay Channel Buoy 1	MISSING	11317	0193-14 CC	11/14
27825	Chocolate Bay Channel Buoy 3	MISSING	11317	0194-14CC	11/14
27830	Chocolate Bay Channel Buoy 5	MISSING	11317		37/10
27835	Chocolate Bay Channel Buoy 7	MISSING	11317	0195-14 CC	11/14
28460	Mustang Beach Channel Daybeacon 11	STRUCT DMGD	11308		45/11
28495	Mustang Beach Channel Daybeacon 19	OFF STA	11308	0302-13CC	18/13
28595	Mustang Beach Channel Daybeacon 38	STRUCT DEST	11308	0439-16 CC	42/16
29101.27	Port of Corpus Christi La Quinta Channel Extension Range Rear Light	LT EXT	11309	0459-17 CC	45/17
29635	South Padre Island Channel Daybeacon 9	MISSING	11302		01/13
29655	South Padre Island Channel Daybeacon 15	STRUCT DEST	11302		45/10
29695	South Padre Island Channel Daybeacon 23	MISSING	11302		01/13
31060	Gulf Power Electrical Tower Danger Lights(2)	LT EXT	11391		50/17
31065	Gulf Power Electrical Tower Danger Lights (2)	LT EXT	11391		50/17
31685	Hogtown Bayou Daybeacon 1	STRUCT DEST	11388	0204-15 MO	31/14
31690	Hogtown Bayou Daybeacon 2	STRUCT DEST	11388	0205-15 MO	13/15
31695	Hogtown Bayou Daybeacon 3	STRUCT DEST	11388	0206-15 MO	13/15
31700	Hogtown Bayou Daybeacon 4	STRUCT DEST	11388	0207-15 MO	13/15
31705	Hogtown Bayou Daybeacon 5	DAYMK MISSING	11388		51/13
31970	Indian Bayou Daybeacon 6	DAYMK DMGD	11385		14/12
31995	Indian Bayou Daybeacon 11	STRUCT DMGD	11385		33/17
32985	Little Sabine Bay Daybeacon 2	DAYMK MISSING	11378	0633-16 MO	29/16
33160	Sherman Cove Marina Daybeacon 6	DAYMK MISSING/STRUCT DMGD	11383	1002-12	02/13
33210	Grand Lagoon Boat Basin Channel Daybeacon 3	STRUCT DEST	11378		15/16

33610	Bay La Launch Channel Daybeacon 5	STRUCT DEST	11378	0539-11 NO	16/11
33728	Saunders Yachtworks Basin Light 2	STRUCT DEST	11378	0382-17 MO	24/17
34135	Dauphin Bay Daybeacon 1	STRUCT DMGD	11378	0723-16 MO	34/16
36215	Pier 77 Channel Buoy 3	MISSING	11324		38/14
36220	Pier 77 Channel Buoy 4	MISSING	11324		38/14
36225	Pier 77 Channel Buoy 7	MISSING	11324		38/14
36230	Pier 77 Channel Buoy 9	MISSING	11324		38/14
36235	Pier 77 Channel Buoy 10	MISSING	11324		38/14
36240	Pier 77 Channel Buoy 12	MISSING	11324		38/14
36245	Pier 77 Channel Buoy 13	MISSING	11324		38/14
36250	Pier 77 Channel Buoy 14	OFF STA	11324	0860-13 GA	46/13
36715	Harborwalk Entrance East Buoy 4	OFF STA	11322		34/13
36775	Harborwalk Entrance West Buoy 1	MISSING	11322	0104-18 GA	08/18
36780	Harborwalk Entrance West Buoy 2	MISSING	11322	0105-18 GA	08/18
37375	Brazoria Wildlife Refuge Wave Barrier Light	LT EXT	11322	0321-13 GA	17/13
39280	Aransas-Corpus Christi Bay Cutoff Channel Pipeline Light A	STRUCT DEST/LT EXT	11314		40/17
40065	Padre Isles North Channel Daybeacon 18	DAYMK DMGD	11308		27/10
	FR-MS-13	MISSING	11373		33/14
	Mississippi Gulf Fishing Bank Buoy FH-6	MISSING			33/14
	Ms Gulf Fishing Bank Buoy Fh-1	MISSING	11373		33/14
	Ms Gulf Fishing Bank Buoy Fh-3	MISSING	11373		33/14

DISCREPANCIES (PRIVATE AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

PLATFORM DISCREPANCIES

Name	Status	Position	BNM Ref.	LNM St	LNM End
Mobil-228-5	LT EXT	30-12-20.864N 088-03-41.846W	0894-11 MO	39/11	
Merit-105-12	SS INOP	29-20-50.775N 088-06-47.910W	085-15	05/15	
Tana-117-11	LT EXT/SS INOP	29-34-40.931N 088-21-17.574W	0233-18 NO	14/18	
Petro Ventures-100-3	LT EXT/SS INOP	29-24-00.439N 088-36-33.646W	0263-17	18/17	
Energy Xxi-102-11	SS INOP	29-33-16.211N 088-41-13.611W	114-18	08/18	
Maritech-115-1	SS INOP	29-46-06.900N 088-42-31.600W	0132-09 MO	09/09	
Mobil-194-4	SS INOP	29-35-17.000N 088-42-39.000W	0774-11 NO	23/11	
Dynamic-108-5	LT EXT/SS INOP	29-30-20.514N 088-43-11.489W	NO 0144-18	10/18	
Gom Shelf-300-4	LT EXT/SS INOP	29-09-51.000N 088-44-46.000W	0182-15	09/15	
Cantium-114-06	SS INOP	29-15-37.747N 088-44-50.190W	NO 0106-18	08/18	
Cantium-114-05	LT EXT	29-15-10.117N 088-45-26.961W	1002-17 NO	48/17	
Mcmoran-117-2	LT EXT/SS INOP	29-15-47.527N 088-45-33.249W	NO 1016-17	49/17	
Bt Operating-101-2	LT EXT/SS INOP	29-49-22.000N 088-45-48.000W	0415-08	06/08	
Mcmoran-117-5	SS INOP	29-15-44.730N 088-46-03.480W	0974-17 NO	47/17	
Walter-105-10	LT EXT	29-06-55.000N 088-46-05.000W		39/08	
Cantium-114-03	LT EXT/SS INOP	29-17-01.086N 088-46-15.272W	0987-17 NO	47/17	
Mcmoran-117-3	SS INOP	29-15-52.970N 088-46-19.529W	0635-17 NO	31/17	
Cantium-114-04	SS INOP	29-15-26.096N 088-46-22.762W	0989-17 NO	47/17	
Mcmoran-117-6	SS INOP	29-15-38.850N 088-46-28.390W	NO 1102-17	01/18	
Energy Xxi-102-5 (Racon)	LT EXT/SS INOP	29-19-33.840N 088-52-37.390W		42/17	
EnVen-106-2	LT EXT	29-21-10.592N 088-53-07.382W	NO 0132-18	09/18	
Energy Xxi-102-6	LT EXT/SS INOP	29-15-59.000N 088-54-29.000W		04/18	
Fieldwood-106-4	LT EXT	29-01-46.000N 088-56-34.000W	NO 0175-18	11/18	

Mariner-118-1	LT EXT	29-12-41.000N	088-57-01.000W		34/16
Cantium-110-01	SS INOP	29-22-02.000N	088-59-35.000W	1097-17	52/17
Cantium-101-09	SS INOP	29-23-37.052N	089-00-36.902W	0997-17NO	48/17
Medco Energi-103-20	SS INOP	29-18-45.000N	089-03-07.600W	0565-17 NO	28/17
Medco Energi-103-05	SS INOP	29-18-24.470N	089-03-24.761W	0932-12 NO	23/12
Medco Energi-103-11	SS INOP	29-18-43.446N	089-03-30.082W		39/16
Medco Energi-103-15	LT EXT	29-17-54.374N	089-03-32.051W	0108-15 NO	05/15
Medco Energi-103-18	SS INOP	29-19-03.659N	089-03-36.883W	1821-09 NO	51/09
Medco Energi-103-09	SS INOP	29-18-38.000N	089-03-55.000W		39/16
Eb04-17812-1(Pxp)	LT EXT	30-00-23.000N	089-05-10.000W		07/11
Cantium-109-01	LT EXT	29-23-48.800N	089-06-25.500W	NO 0127-18	09/18
Eb04-17388-1(Pxp)	LT EXT	30-02-04.981N	089-06-39.903W		07/11
Ocean Energy-102-335	SS INOP	28-58-42.410N	089-07-42.480W	0578-11 NO	17/11
Century-109-4	SS INOP	29-24-56.888N	089-09-58.327W	0291-14NO	14/14
Eb04-17387-1(Pxp)	LT EXT	30-03-36.865N	089-10-15.441W		07/11
Amerada Hess-114-10	LT EXT	29-24-38.000N	089-11-58.000W	0098-09 NO	04/09
Devon-111-3	LT EXT	29-23-50.000N	089-13-39.000W	0724-04 NO	25/04
Century Exploration-100-8	LT EXT/SS INOP	29-31-10.000N	089-13-43.000W	0405-16 NO	19/16
Amerada Hess-103-1	LT EXT	29-28-00.000N	089-14-57.000W	1545-10 NO	48/10
Energy Partners-102-34	LT EXT/SS INOP	29-00-12.000N	089-15-28.000W		44/08
Energy Partners-102-191	LT EXT/SS INOP	28-58-29.000N	089-15-30.000W		44/08
Energy Partners-102-130	LT EXT/SS INOP	28-59-10.000N	089-15-41.000W		44/08
Energy Partners-102-20	LT EXT/SS INOP	28-59-46.000N	089-15-58.000W		44/08
Energy Partners-102-121	LT EXT/SS INOP	28-59-35.000N	089-17-43.000W		44/08
Gom Shelf- 600-2	LT EXT	28-48-06.000N	089-18-00.000W	0061-18 NO	06/18
Panaco-101-39	LT EXT	29-04-19.200N	089-19-57.000W	0343-13 NO	14/13
Panaco-101-41	LT EXT	29-04-02.890N	089-20-57.160W		39/04
Llog-114-1 Lighted Buoy	LT EXT	28-53-57.549N	089-22-05.219W	0639-15 NO	33/15
Energy XXI-108-19	SS INOP	28-49-19.710N	089-23-41.850W		13/18
En Dev Corp-103-4	LT EXT	28-54-39.000N	089-24-02.000W		50/12
XTO Offshore-100-1	SS INOP	28-53-31.200N	089-25-16.700W	0158-11 NO	06/11
Ed19-Bld-183	LT EXT	29-14-09.000N	089-25-36.000W	1305-02 NO	38/02
S. Parish-102-9	STRUCT DEST/HAZ NAV/LT EXT	28-54-54.000N	089-26-43.000W		08/15
S. Parish-102-7	STRUCT DEST/HAZ NAV/LT EXT	28-54-23.000N	089-27-02.000W	0200-01 NO	07/01
S. Parish-102-12	LT EXT	28-54-58.000N	089-27-08.000W		08/15
Signal-100-0	HAZ NAV/LT EXT	29-07-26.000N	089-27-10.000W	0719-98 NO	31/98
S. Parish-102-11	LT EXT	28-55-05.000N	089-27-11.000W		08/15
IG Petroleum-100-1	LT EXT/SS INOP	28-54-32.660N	089-27-26.200W		31/11
Davis Fuels-101-2	LT EXT	29-08-58.000N	089-29-02.000W	0853-97 NO	35/97
Noble Energy-109-1	SS INOP	28-59-57.700N	089-29-21.100W		37/08
Eb01-195qq-96	LT EXT	29-34-39.800N	089-29-44.700W		37/08
MCMORAN-136-2	LT EXT	29-11-15.434N	089-30-33.004W		38/08
Eb26-195qq-49	LT EXT	29-34-04.200N	089-30-37.500W		37/08
Eb21-195 Qq-312 (Merit Energy)	LT EXT/STRUCT DMGD	29-25-41.000N	089-30-49.000W	0245-12 NO	09/12
Denbury-200-7	SS INOP	29-11-35.000N	089-31-14.000W		29/16
Denbury-200-17	LT EXT/SS INOP	29-11-02.000N	089-31-22.000W		38/08
Denbury-200-17	SS INOP	29-11-02.000N	089-31-22.000W		29/16
Denbury-200-12	LT EXT/SS INOP	29-10-53.100N	089-32-02.200W		38/08
Ea06-5710108-39-Riser	LT EXT	29-18-30.000N	089-32-30.000W		37/08
Mcmoran-136-3	SS INOP	29-10-30.300N	089-33-06.200W		05/16
Energy Partners-112-8	LT EXT/SS INOP	29-08-23.570N	089-34-44.890W	1474-08 NO	37/08
Nexen-103-3	LT EXT	29-06-25.000N	089-37-54.000W		04/16

Capco-100-1	LT EXT	29-00-26.060N	089-38-08.436W		17/15
Fieldwood-115-6	SS INOP	28-52-49.690N	089-39-47.290W	NO 0930-17	44/17
Eb12-17656-2 (Pxp)	LT EXT	30-05-38.766N	089-39-50.070W		07/11
Maritech-107-10	LT EXT	29-08-48.000N	089-41-25.000W	1021-01 NO	32/01
Black Elk-116-1	LT EXT	29-07-42.739N	089-41-25.032W		03/18
Black Elk-116-2	LT EXT/SS INOP	29-07-06.466N	089-41-37.867W	1829-08 NOLA	44/08
Ec6-3327-Prod Pflm	LT EXT	30-06-42.000N	089-44-11.000W	1468-01 NO	50/01
Apache-125-14	LT EXT/SS INOP	29-05-35.000N	089-45-30.000W		41/14
BP Exploration-112-24	LT EXT	28-57-51.000N	089-47-02.000W	0553-04 NO	19/04
Anglo Suisse-100-1	LT EXT/SS INOP	28-49-01.949N	089-47-54.534W		51/15
BP Exploration-112-28	SS INOP	28-54-21.000N	089-49-14.000W	0644-17 NO	31/17
Gom Shelf-110-5	LT EXT/SS INOP	28-57-07.714N	089-49-22.886W	0080-17	31/17
BP Exploration-112-17	LT EXT	28-57-52.000N	089-50-08.000W	0791-07	24/07
Northstar-121-1	LT EXT/SS INOP	29-07-39.218N	089-50-08.079W	1464-11	37/11
Ocean Energy-112-1	LT EXT/SS INOP	28-45-46.749N	089-51-57.565W		11/06
El Paso-180-5	LT EXT/SS INOP	29-10-45.800N	089-53-16.500W		47/08
El Paso-180-4	LT EXT/SS INOP	29-10-48.342N	089-53-43.381W		47/08
Ec5-6750-2	LT EXT	30-13-34.000N	089-57-23.000W	0377-03 D8	33/03
Ec5-6750-2 Pflm	LT EXT	30-13-35.000N	089-57-23.000W	0377-03 D8	33/03
Rooster-107-1	SS INOP	28-46-11.659N	089-58-19.931W	0273-14 NO	13/14
Agip-300-1(Tlp-Seastar)	LT EXT	28-02-05.310N	090-01-21.980W	1488-12	37/12
Beryl-103-1	SS INOP	28-43-12.000N	090-01-24.000W	1286-07	45/17
BP Exploration-102-7	LT EXT	28-55-58.000N	090-01-34.000W	0224-17	15/17
BP Exploration-110-3 (Atlantis)	RAC INOP	27-11-43.641N	090-01-37.150W	1109-15 NO	52/15
Ea44-5310175-Riser Pflm	LT EXT	29-43-06.000N	090-03-06.000W	0221-02 D8	22/02
Ankor Energy-100-7	SS INOP	28-15-33.300N	090-03-39.100W		06/17
Cantium-102-04	LT EXT	29-05-59.133N	090-07-17.788W	0058-18 NO	06/18
Cantium-117-15	LT EXT	29-03-53.096N	090-07-47.161W	0064-18 NO	06/18
Cantium-106-04	LT EXT	29-01-17.493N	090-08-15.079W	NO 1066-17	51/17
Cantium-116-21	LT EXT	29-06-04.229N	090-08-51.195W	1025-17 NO	50/17
Cantium-116-20	LT EXT	29-05-59.663N	090-08-58.564W	1024-17 NO	50/17
Cantium-116-23	LT EXT	29-06-12.932N	090-09-13.073W	1023-17 NO	50/17
Cantium-116-02	LT EXT/SS INOP	29-05-20.339N	090-09-28.040W	NO 0011-18	02/18
Cantium-118-02	LT EXT/SS INOP	29-04-18.430N	090-09-38.970W	NO 1111-17	01/18
Cantium-118-06	LT EXT	29-04-19.221N	090-10-04.434W	1106-17 NO	01/18
Cantium-118-12	LT EXT	29-03-55.369N	090-10-18.173W	NO 1112-17	01/18
Cantium-118-03	LT EXT	29-03-05.418N	090-10-21.224W	NO 1112-17	01/18
Cantium-118-05	LT EXT	29-03-06.411N	090-10-22.655W	NO 1112-17	01/18
Cantium-116-03	SS INOP	29-05-19.399N	090-10-28.582W	NO 0012-18	02/18
Shoreline-100-4	LT EXT	29-03-58.500N	090-12-57.600W	1036-17	50/17
Louisiana Orphan Wellsite C #151642	LT EXT	29-03-32.864N	090-13-34.244W		07/11
Fieldwood-101-2	LT EXT/SS INOP	28-09-41.0904	090-13-39.450W	NO 0229-18	14/18
Ec5-7325-1 & 1D	LT EXT	30-04-31.000N	090-13-48.000W	0307-01 D8	42/01
Trunkline-103-4	LT EXT	28-47-43.000N	090-13-49.000W	1499-12 NO	37/12
Transco-101-6	LT EXT	28-30-24.000N	090-17-07.000W	0404-15 NO	21/15
Walter-116-10	LT EXT	28-41-21.105N	090-19-55.900W	D8-0106-15	33/15
Fieldwood-101-10	LT EXT	28-26-01.208N	090-20-48.955W	0023-18 NO	03/18
Century Offshore-102-1	LT EXT	28-42-10.427N	090-22-28.852W	1380-00 NO	50/00
Arena Offshore-106-5	LT EXT	28-34-49.000N	090-23-33.000W		34/16
Energy Xxi-100-75	LT EXT	28-47-56.000N	090-24-52.000W		03/18
Mcmoran-118-3	LT EXT/SS INOP	28-35-50.800N	090-24-57.500W	NO 0118-18	09/18
Remington-400-1	LT EXT	28-37-50.842N	090-25-04.048W	1797-07	50/07

Trunkline-103-2	SS INOP	28-32-26.000N	090-26-08.000W	1499-12	37/12
Ee27-188-76 Walkway Lt (Texaco)	LT EXT	29-06-45.000N	090-26-54.000W	0472-02 D8	46/02
Black Elk-100-8	SS INOP	28-26-45.000N	090-27-53.000W		14/15
Bois-103-6	LT EXT	28-55-57.240N	090-28-55.000W	1258-01 NO	39/01
Trunkline-103-3	LT EXT/SS INOP	28-50-00.000N	090-29-58.000W	0440-14 NO	22/14
Ee21-1247-13	LT EXT	29-07-42.000N	090-30-52.000W	0502-02 D8	46/02
Walter-102-1	LT EXT	28-56-27.600N	090-31-59.800W	0750-14 NOLA	33/14
Energy Partners-109-2	LT EXT/SS INOP	28-53-30.810N	090-37-05.733W		41/08
Talos-101-16	SS INOP	28-49-32.030N	090-37-14.710W		44/15
Noble Energy-106-6	OFF STA/HAZ NAV/LT EXT/SS INOP	28-30-24.800N	090-40-46.360W		39/08
Probe-102-2	SS INOP	28-26-57.399N	090-41-06.836W	0265-14 NO	13/14
New field-103-19	SS INOP	28-58-36.000N	090-49-36.000W	NO 0145-18	10/18
McMoran-145-5	LT EXT/SS INOP	28-59-01.000N	090-50-00.000W	274-16	19/17
McMoran-145-3	SS INOP	28-58-53.000N	090-50-11.000W	273-17	19/17
New field-103-27	SS INOP	28-58-33.671N	090-50-15.489W	1029-15 NO	49/15
New field-103-22	SS INOP	28-58-21.000N	090-50-16.000W	0275-17	19/17
McMoran-145-4	LT EXT	28-58-56.000N	090-50-24.000W	0276-17	19/17
Comstock Offshore-100-56	LT EXT/FS INOP	28-50-13.000N	090-50-31.000W	0862-03 NO	28/03
Comstock Offshore-100-62	LT EXT/FS INOP	28-50-10.000N	090-50-51.000W	0862-03 NO	28/03
Odeco-166-15	LT EXT/SS INOP	28-40-11.000N	090-52-37.000W		38/08
Comstock Offshore-100-36	SS INOP	28-49-41.000N	090-54-07.000W		37/12
Comstock Offshore-100-6	LT EXT	28-48-36.000N	090-55-02.000W	0982-12 NO	24/12
Petroquest-101-5	LT EXT	28-57-21.000N	090-57-11.000W		25/17
Petroquest-101-15	LT EXT	28-58-19.000N	090-57-49.000W	0754-09 NO	23/09
Tana-103-5	SS INOP	28-42-36.176N	090-58-54.622W	0081-16 no	04/16
Bennu-100-1	LT EXT	28-03-59.513N	090-59-40.655W	650-17 NO	31/17
Capco-102-1	LT EXT	28-43-35.540N	091-01-17.605W	1627-11 NO	39/11
Bennu-100-2	LT EXT	28-02-03.083N	091-01-46.881W	0960-04 NO	33/04
Sandridge-101-2	LT EXT/SS INOP	28-22-10.8408	091-05-13.664W		38/08
Ankor Energy-100-4	SS INOP	28-28-12.890N	091-05-14.404W	399-17 NO	24/17
Monforte-101-1	SS INOP	28-17-57.534N	091-05-15.278W	0131-16 NO	07/16
Monforte-101-2	LT EXT/SS INOP	28-16-28.876N	091-05-33.791W	0595-17 NO	30/17
Energy XXI-109-09	LT EXT	28-51-34.000N	091-07-52.000W	0590-17 NO	30/17
McMoran-145-7	FS INOP	28-59-24.178N	091-11-20.838W	0158-04 D8	14/04
Maritech-105-2	HAZ NAV	28-19-53.000N	091-12-18.000W		30/06
Century-106-7	MISSING/HAZ NAV	28-41-08.000N	091-12-23.000W	0246-08	39/08
McMoran-145-1	LT IMCH/SS INOP	28-58-57.853N	091-13-08.200W	0851-17	39/17
Northstar-122-1	LT EXT/SS INOP	28-32-39.426N	091-14-01.151W		04/15
Century Exploration-102-1	SS INOP	28-42-28.713N	091-14-08.779W		26/16
Fieldwood-103-54	SS INOP	28-39-01.173N	091-20-10.391W	0574-17 NO	29/17
Apache-102-29	LT EXT	28-45-38.373N	091-20-51.000W	0235-15 NO	12/15
Whitney-101-04	SS INOP	28-56-00.264N	091-21-36.211W	0227-17	15/17
Arena Offshore-105-32	LT EXT/SS INOP	29-14-39.824N	091-23-12.601W		09/18
Arena Offshore-105-60	SS INOP	28-15-19.040N	091-26-01.295W	0096-09 NO	03/09
Ridgelake-104-1	SS INOP	28-18-30.294N	091-26-37.902W	0718-14 NO	32/14
Fieldwood-103-86	SS INOP	28-59-56.421N	091-26-42.932W	826-17 NO	38/17
Fieldwood-103-9	SS INOP	28-44-26.2422	091-26-58.592W		42/17
Fieldwood-103-47	SS INOP	28-58-59.912N	091-27-00.727W	0078-18 NO	06/18
Gryphon-103-1	LT EXT	29-07-23.661N	091-27-13.574W	0753-09 NO	23/09
Energy XXI-101-12	LT EXT	28-11-17.000N	091-27-34.000W	0060-18 NO	06/18
Fieldwood-103-16	SS INOP	28-44-28.827N	091-27-52.606W	837-17 NO	38/17
Nexen-100-9	LT EXT	28-27-32.670N	091-27-53.380W		50/16

Fieldw ood-103-45	SS INOP	28-59-12.336N	091-27-53.441W	720-17 NO	34/17
Fieldw ood-103-43	LT EXT/SS INOP	28-58-57.597N	091-28-45.922W	0937-17 NO	44/17
Fieldw ood-103-24	SS INOP	28-58-31.897N	091-29-04.966W	0613-17 NO	30/17
CONTANGO-200-6	SS INOP	29-11-36.320N	091-31-33.893W	321-17	20/17
Fieldw ood-103-79	LT EXT/SS INOP	29-10-27.847N	091-31-57.396W		13/18
Devon-112-16	SS INOP	28-18-14.000N	091-31-59.000W		52/08
Houston-103-1	LT EXT	28-28-50.969N	091-33-27.130W	0664-17 NO	32/17
Nexen-100-15	LT EXT/SS INOP	28-20-40.400N	091-34-26.300W		40/08
Fieldw ood-103-67	SS INOP	29-13-24.927N	091-34-48.359W		07/17
Mobil-134-1	HAZ NAV/LT EXT/SS INOP	28-57-58.000N	091-36-47.000W		40/08
Apache-160-1	SS INOP	28-24-54.576N	091-36-47.275W	1492-08 NO	37/08
Juniper-100-1	LT EXT	29-17-54.540N	091-37-38.130W	0412-16 NO	19/16
Bt Operating-102-1	LT EXT	28-22-00.000N	091-37-48.000W	0022-09 NO	01/09
Walter-114-3	MISSING/HAZ NAV	27-59-34.916N	091-39-38.476W	0245-08	39/08
Fieldw ood-103-36	LT EXT/SS INOP	29-03-23.904N	091-41-53.272W		11/18
Energy Xxi-101-7	SS INOP	29-02-34.846N	091-41-57.715W	NO 0916-17	43/17
Fieldw ood-103-34	LT EXT	29-04-10.480N	091-42-04.121W		11/18
Mariner-111-10	MISSING/HAZ NAV	28-19-58.000N	091-42-28.000W		39/08
Fieldw ood-103-30	SS INOP	28-48-07.113N	091-43-03.151W	722-17 NO	34/17
Rooster-106-1	LT EXT/SS INOP	29-18-00.785N	091-43-03.184W		41/16
Rooster-106-3	SS INOP	29-17-51.271N	091-43-43.650W	0124-16 NO	07/16
Arena Offshore-105-36	SS INOP	28-16-11.500N	091-43-50.600W	1680-08 NO	40/08
Arena Offshore-105-37	LT EXT	28-15-22.000N	091-44-24.000W	1681-08 NO	40/08
Fieldw ood-103-68	SS INOP	28-46-39.614N	091-44-26.583W		12/17
Fieldw ood-103-73	SS INOP	28-46-58.037N	091-44-38.083W	725-17 NO	34/17
Arena Offshore-105-35 (B-DRL)	LT EXT/SS INOP	28-15-12.000N	091-45-06.000W	1349-08 NO	34/08
Merit-102-1	HAZ NAV/LT EXT/SS INOP	28-22-42.664N	091-45-59.424W		38/08
Fieldw ood-103-90	LT EXT	28-34-21.523N	091-46-08.077W	1037-17 NO	50/17
Sterling-102-1	HAZ NAV/LT EXT/SS INOP	28-25-21.418N	091-49-44.818W		39/08
Black Elk-109-1	SS INOP	28-51-55.000N	091-51-46.000W		23/15
Energy Xxi-108-13	SS INOP	28-35-41.272N	091-52-11.218W		05/18
Devon-115-5	SS INOP	28-51-38.000N	091-52-46.000W	0650-12 NO	17/12
Merit-110-2	HAZ NAV/LT EXT/SS INOP	29-14-19.197N	091-52-52.665W	1699-11 NO	41/11
Devon-115-9	OFF STA/HAZ NAV/LT EXT/SS INOP	28-44-31.000N	091-53-25.000W		39/08
Fieldw ood-105-27	SS INOP	28-46-12.241N	091-53-25.605W		05/18
Devon-115-3	LT EXT/SS INOP	28-52-01.000N	091-53-52.000W	0377-15 NO	19/15
New field-116-4	SS INOP	28-14-54.000N	091-53-57.000W	0042-18 NO	03/18
Nippon-103-10	SS INOP	28-51-05.035N	091-54-45.168W	0046-15	03/16
Devon-115-1	SS INOP	28-52-39.000N	091-54-55.000W	0046-15	03/16
WA28-334-Tank Batt 1 (Hilcorp Energy)	LT EXT	29-40-25.000N	091-54-59.000W	0726-03 NO	25/03
Wa28-334-B28 (Hilcorp Energy)	LT EXT	29-40-15.000N	091-55-20.000W	1941-12	47/12
WA28-334-B109 (Hilcorp Energy)	LT EXT	29-40-11.000N	091-56-12.000W	1110-12 NO	28/12
WA28-334-B93 (Hilcorp Energy)	LT EXT	29-40-30.000N	091-56-17.000W	0011-12 NO	02/12
Fieldw ood-105-25	SS INOP	28-38-39.083N	091-56-53.419W	0092-16	07/17
Energy XXI-108-14	LT EXT	28-39-38.000N	091-57-21.000W	NO 1114-17	01/18
Energy XXI-108-48	LT EXT	28-40-17.381N	091-58-09.176W		39/17
Energy XXI-108-48	SS INOP	28-40-17.381N	091-58-09.176W	0940-17 NO	45/17
Fieldw ood-105-21	SS INOP	28-48-46.494N	091-58-32.945W		23/17
Mariner-115-9	SS INOP	28-57-32.000N	091-58-47.000W	1933-12 NO	47/12
Cox-109-42	LT EXT/SS INOP	29-19-55.000N	091-59-12.000W	NO 0199-18	12/18
Cox-109-33	LT EXT	29-22-03.000N	092-00-42.000W	NO 0161-18	10/18
Mcmoran-114-51	LT EXT	29-25-43.745N	092-02-12.016W		15/17

Mcmoran-114-8	SS INOP	29-20-39.530N	092-03-13.686W	0620-17 NO	30/17
Elf Aquitaine-106-2	SS INOP	29-20-07.000N	092-04-12.000W	NO 0925-17	44/17
Northstar-123-1	LT EXT/SS INOP	28-48-16.772N	092-04-18.491W	0238-15 GA	15/15
Fieldwood-105-12	LT EXT	28-18-37.328N	092-05-45.863W	647-17 NO	31/17
Taylor Energy-103-8	LT EXT	28-50-49.000N	092-10-02.000W	0335-03 D8	30/03
Energy XXI-113-9	LT EXT	29-26-50.000N	092-11-37.000W	NO 0910-17	42/17
Fieldwood-108-12	LT EXT	28-15-53.618N	092-12-33.901W		06/18
Murphy-105-16	LT EXT/SS INOP	28-48-33.000N	092-12-49.000W		06/17
Coastal-105-3	SS INOP	28-34-28.467N	092-13-07.891W	0227-15 NO	12/15
Fieldwood-108-21	LT EXT	28-18-18.111N	092-13-48.500W		14/18
Conquest-104-1	LT EXT	29-05-38.000N	092-18-40.000W	1254-12 NO	31/12
New field-105-10	SS INOP	28-42-15.000N	092-18-56.000W	0539-16 NO	28/17
Stone Energy 101-5	MISSING/HAZ NAV	28-30-18.000N	092-20-44.000W	0243-08	39/08
Basin-107-3	SS INOP	28-30-37.326N	092-21-28.998W	0436-15 NO	23/15
Maritech-101-13	LT EXT/SS INOP	28-58-19.000N	092-24-08.000W		41/08
Nexen-102-11	LT EXT	29-19-52.385N	092-24-24.675W	1115-14 NO	06/14
Samson Contour-101-1	HAZ NAV/LT EXT/SS INOP	28-41-28.000N	092-24-40.000W		40/08
Samson Contour-101-4	HAZ NAV/LT EXT/SS INOP	28-41-24.430N	092-24-51.050W		38/08
Samson Contour-101-3	HAZ NAV/LT EXT/SS INOP	28-42-05.327N	092-25-46.581W		38/08
Maritech-101-4	LT EXT	29-31-34.802N	092-25-50.812W	0794-15 NO	40/15
Nexen-102-12	LT EXT/SS INOP	29-19-43.036N	092-25-55.319W		40/08
Nexen-102-2	LT EXT/SS INOP	28-13-04.000N	092-25-56.000W		42/08
Millennium-103-1	HAZ NAV/LT EXT/DA YMK IMCH/	28-18-15.000N	092-26-28.000W		39/08
Nexen-102-33	LT EXT/SS INOP	28-13-05.724N	092-26-49.700W		40/08
Beryl-107-1	SS INOP	28-07-40.133N	092-28-01.263W	1301-13 NO	46/13
Tana-109-3	SS INOP	28-24-53.222N	092-29-20.250W	0257-17	17/17
Merit-112-1	STRUCT DEST	28-02-25.750N	092-29-22.548W		50/09
Palm Energy-104-1	SS INOP	28-29-24.234N	092-29-46.616W		22/09
Black Elk-101-5	LT EXT/SS INOP	29-07-14.000N	092-30-09.000W		49/16
Black Elk-101-6	SS INOP	29-05-13.746N	092-30-18.758W		01/17
Fieldwood-108-1	SS INOP	28-15-19.946N	092-30-56.213W		01/18
Black Elk-101-2	LT EXT	29-05-12.106N	092-31-01.729W		42/16
Black Elk-101-4	LT EXT/SS INOP	29-05-42.445N	092-31-01.789W	0366-15 NO	19/15
Black Elk-101-1	LT EXT/SS INOP	29-05-02.626N	092-31-33.072W	0143-16 no	07/16
Black Elk-101-3	SS INOP	29-04-46.547N	092-31-43.585W	0170-16	10/16
Black Elk-101-3	STRUCT DMGD	29-04-46.547N	092-31-43.585W		41/16
Marathon-114-1	HAZ NAV/LT EXT/SS INOP	28-04-22.000N	092-32-47.000W		38/08
Probe-103-1	LT EXT	29-28-11.914N	092-32-59.921W	0429-15	22/15
Fieldwood-108-7	SS INOP	29-20-24.511N	092-33-49.943W		08/18
Nexen-102-1	LT EXT/SS INOP	28-17-55.000N	092-34-45.000W		40/08
Energy Resource-103-4	LT EXT	28-48-49.100N	092-35-06.000W		39/00
New field-105-15	MISSING/HAZ NAV	28-45-47.925N	092-35-07.532W		39/08
King Ranch-103-2	MISSING/HAZ NAV	28-27-01.314N	092-35-26.776W	3908	39/08
Aquila-108-1	MISSING/HAZ NAV	29-02-52.791N	092-36-55.710W	0243-08	39/08
Gomex-100-1	LT EXT/SS INOP	28-24-38.937N	092-36-56.185W		43/10
PROBE-100-1	SS INOP	29-29-36.656N	092-38-23.287W	0441-15 GA	26/15
Coastal-104-1	SS INOP	28-40-11.000N	092-40-30.000W	0351-13 GA	18/13
Maritech-111-3	MISSING/HAZ NAV	28-10-44.741N	092-41-45.558W	0246-08	39/08
East Cameron Partners-100-2	LT EXT	29-20-48.464N	092-42-56.802W	0855-13GA	46/13
Houston-102-2	LT EXT/SS INOP	28-55-37.000N	092-44-16.000W	1128-09 GA	51/09
Merit-108-2	LT EXT	28-56-21.000N	092-44-47.000W		02/17
Merit-108-1	SS INOP	29-31-54.000N	092-45-42.000W	0192-13 GA	10/13

Louisiana Orphan Wellsite A #156996	LT EXT	29-35-17.534N	092-46-56.031W	0019-11 LA	07/11
Houston-102-6	SS INOP	29-30-29.380N	092-48-12.590W	0198-13 GA	11/13
Merit-110-1	LT EXT/SS INOP	29-15-22.380N	092-51-17.230W	1656-10 NO	52/10
Fieldw ood-100-13	SS INOP	28-09-50.659N	092-51-44.845W		12/18
Con Energy-101-1	HAZ NAV/LT EXT/SS INOP/STRU	28-37-31.000N	092-53-30.000W	0050-14 GA	03/14
Medco Energi-104-09	LT EXT	28-12-30.000N	092-57-07.000W	0772-17 GA	46/17
Stone Energy-106-1	SS INOP	29-26-49.423N	092-58-16.246W		11/16
Helis-121-3	LT EXT	29-26-26.906N	092-58-46.060W	0723-12	34/12
Hec-101-2	LT EXT	28-18-14.928N	092-59-29.425W		49/08
Hec-102-7	SS INOP	29-16-47.200N	092-59-44.600W	0052-14 GA	03/14
Merit-107-1	LT EXT/SS INOP	28-10-22.430N	092-59-56.699W		46/17
Virgin-100-2	SS INOP	29-39-34.035N	093-00-13.395W		38/15
Fieldw ood-100-16	LT EXT/SS INOP	29-41-07.000N	093-00-55.000W		11/18
Fieldw ood-109-26	SS INOP	29-37-35.162N	093-02-04.901W		01/18
Diamond Shamroc-104-3	SS INOP	29-19-04.000N	093-02-05.000W	0354-13 GA	18/13
Black Elk-102-16	LT EXT/SS INOP	29-20-17.000N	093-04-23.000W	0367-15 GA	21/15
Fieldw ood-109-4	SS INOP	29-39-07.369N	093-07-18.652W		13/18
Fieldwood-109-33	LT EXT	29-25-43.000N	093-09-21.974W		14/18
Tarpon-100-10	SS INOP	28-30-32.600N	093-09-32.700W	0266-14 GA	15/14
Fieldwood-109-12	LT EXT/SS INOP	29-25-18.656N	093-09-54.270W		14/18
Fieldwood-109-10	LT EXT	29-25-52.688N	093-09-59.188W		14/18
Houston-110-3	SS INOP	29-24-12.540N	093-10-09.797W	0240-09	11/09
Houston-110-4	SS INOP	29-23-58.460N	093-10-40.780W	0362-10	16/10
Petsec-101-2	SS INOP	28-35-48.000N	093-10-43.000W	0296-14 GA	16/14
ATP-100-18	SS INOP	28-32-56.780N	093-11-36.390W	0297-14 GA	16/14
Pisces-106-2	SS INOP	28-28-39.658N	093-12-26.095W		22/09
Conn Energy- 200-1	LT EXT/SS INOP	29-23-47.000N	093-15-03.000W	554-17 GA	35/17
Conn Energy-200-2	LT EXT/SS INOP	29-23-46.135N	093-15-03.301W	555-17 GA	35/17
Fieldw ood-109-34	SS INOP	29-30-16.419N	093-16-37.600W		43/17
Fieldw ood-109-27	SS INOP	29-29-47.486N	093-16-52.316W		11/18
Fieldw ood-109-31	SS INOP	29-30-18.835N	093-17-41.323W		11/18
Fieldw ood-109-30	SS INOP	29-30-01.126N	093-17-44.347W		11/18
Century Offshore-101-2	SS INOP	28-54-31.000N	093-18-06.000W		15/16
Tarpon-100-8	LT EXT/SS INOP	29-12-17.830N	093-19-12.590W	0163-18 GA	11/18
W & T Offshore-104-4	LT EXT	28-04-16.066N	093-21-41.189W	0728-17 GA	43/17
Monforte-100-2	LT EXT	28-41-18.727N	093-22-07.173W	0368-17 GA	22/17
Peregrine-105-1	LT EXT	28-15-30.552N	093-22-15.729W		51/16
ATP-100-13	LT EXT/SS INOP	27-51-35.495N	093-25-05.305W	0016-14 D8	04/14
Castex-101-1	LT EXT	29-33-34.926N	093-25-27.778W	0811-17 GA	49/17
Mobil-225-39	SS INOP	29-25-56.000N	093-25-58.000W	1122-09 GA	50/09
El Paso-103-28	SS INOP	29-25-54.972N	093-26-09.843W	0645-13 GA	34/13
Beryl-108-2	LT EXT	28-26-12.091N	093-26-45.035W	0767-11 GA	34/11
Fieldwood-109-15	LT EXT	29-22-03.889N	093-31-40.029W		14/18
Fieldw ood-111-20	LT EXT	28-14-31.286N	093-33-25.823W		33/17
Mariner-104-17	LT EXT	29-11-41.249N	093-33-44.686W	0450-10 GA	20/10
Northstar-107-5	LT EXT	29-39-39.366N	093-34-00.582W	0912-09	40/09
Fieldw ood-109-11	SS INOP	29-22-58.799N	093-38-12.667W		12/18
Energy XXI-112-7	SS INOP	29-37-28.117N	093-45-02.213W		14/18
Fieldw ood-121-1	LT EXT	29-29-50.773N	093-46-51.409W		06/18
Fieldw ood-111-23	SS INOP	29-16-18.267N	093-47-04.779W		32/17
Dominion-108-2	LT EXT	29-26-18.077N	093-47-18.002W		28/17
Atp-106-4	SS INOP	29-24-18.963N	093-51-00.752W	0059-14	04/14

Union-198-3	LT EXT	28-13-42.000N	093-56-13.000W	0123-18 GA	09/18
Union-198-3	SS INOP	28-13-42.000N	093-56-13.000W		26/14
Northstar-108-3	SS INOP	28-24-17.472N	093-56-28.961W	0460-15 GA	28/15
Northstar-108-4	SS INOP	28-21-21.535N	093-57-18.336W	0273-16 GA	17/16
Fieldw ood-111-14	LT EXT/SS INOP	27-54-12.276N	093-57-32.144W		49/17
Walter-112-9 Lighted Buoy	MISSING	28-15-08.900N	093-57-53.794W		46/15
Energy Xxi-106-8	SS INOP	29-11-44.193N	094-02-14.997W		14/18
Stone Energy-125-1	LT EXT/SS INOP	27-58-35.000N	094-08-38.000W	0538-11 GA	23/11
McMoran-170-2	SS INOP	28-15-18.367N	094-12-31.784W	0685-17 GA	41/17
Virgin-100-1	LT EXT/SS INOP	29-09-34.403N	094-15-24.738W	1078-11 GA	47/11
Union-196-1	HAZ NAV/LT EXT/SS INOP	29-26-09.000N	094-18-15.000W	0058-12 GA	04/12
Devon-200-4	LT EXT	29-16-03.000N	094-20-24.000W	0019-15	02/15
Fieldw ood-111-5	LT EXT	29-05-36.9528	094-23-08.718W		05/18
Transco-109-1	LT EXT	29-14-16.000N	094-25-21.000W	0773-17 GA	46/17
New field-109-2	SS INOP	28-02-56.550N	094-26-18.070W	0880-09 GA	38/09
Fieldw ood-123-2	LT EXT/SS INOP	29-13-31.606N	094-34-42.063W		04/18
Blue Dolphin-101-10	LT EXT	28-53-36.975N	094-42-15.296W	1162-04 GA	30/04
Black Elk-104-1	SS INOP	28-43-10.338N	094-50-13.235W	0785-15 GA	49/15
Hec-125-3	SS INOP	28-57-52.900N	094-54-31.400W	0514-15	31/15
Black Elk-108-1	LT EXT/SS INOP	28-34-36.219N	094-58-36.125W		19/17
Seagull-101-3	LT EXT	28-35-32.000N	095-11-09.000W	0397-17 GA	24/17
Kirby-104-3	LT EXT	28-44-47.000N	095-25-13.000W	0065-15	05/15
ATP-102-3	LT EXT	28-15-22.872N	095-33-54.313W	0059-15 GA	04/15
Transco-116-1	SS INOP	28-18-53.000N	095-37-14.000W	0470-17 GA	28/17
Fieldw ood-110-2	SS INOP	28-23-47.9508	095-51-42.862W		10/18
Black Elk-105-5	LT EXT	28-24-50.796N	096-02-48.082W		21/09
Fieldw ood-120-11	LT EXT/SS INOP	28-23-09.000N	096-05-12.000W		43/17
American Coastal-102-5	LT EXT	28-22-45.000N	096-09-54.000W		21/09
Apache-110-7	LT EXT/SS INOP	27-38-17.880N	096-14-05.170W		48/17
Apache-110-8	LT EXT	27-36-27.000N	096-15-13.000W	0632-15cc	51/15
Apache-110-8	SS INOP	27-36-27.000N	096-15-13.000W		33/17
Fieldwood-120-8	SS INOP	28-06-07.711N	096-22-11.521W		14/18
Fieldw ood-120-7	LT EXT/SS INOP	28-06-06.394N	096-22-51.838W		43/17
Buttes-101-2	LT EXT/SS INOP	28-13-53.000N	096-23-24.000W		35/12
Fieldw ood-120-9	SS INOP	28-07-04.936N	096-23-28.244W		34/17
Fieldw ood-120-10	LT EXT/SS INOP	27-57-26.074N	096-33-33.213W		30/17
White Marlin-100-6	LT EXT	27-42-33.360N	097-06-16.020W		39/17
Reynolds-102-3	LT EXT	27-39-18.000N	097-07-39.000W	0221-10CC	19/10
Reynolds-102-4	LT EXT	27-38-57.000N	097-07-42.000W	0221-10CC	19/10
WF03-33100-48-3 (WHITE MARLIN)	LT EXT	27-46-10.910N	097-17-41.960W		39/17
WF03-32973-71-1 (WHITE MARLIN)	LT EXT	27-46-05.590N	097-20-55.010W		39/17

PLATFORM DISCREPANCIES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
Fieldw ood-107-8	WATCHING PROPERLY	29-17-04.300N 088-26-36.040W		08/18	14/18
Ncx-102-1	WATCHING PROPERLY	29-28-40.010N 088-59-23.740W		33/13	14/18
BP Exploration-102-5	WATCHING PROPERLY	28-58-11.000N 090-00-00.000W		02/18	14/18
Gom Shelf-800-4	WATCHING PROPERLY	28-57-33.609N 090-01-07.917W		08/18	14/18
Fieldw ood-109-24	WATCHING PROPERLY	29-40-05.603N 093-02-58.030W		11/18	14/18
Fieldw ood-109-16	WATCHING PROPERLY	29-40-05.491N 093-02-59.841W		13/18	14/18

SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
95	St Joseph Bay Light & Entrance A Range Rear Light	DISCONTINUED	11393		15/09	
2840	ST GEORGE ISLAND LIGHTED BUOY 3	RELOCATED DUE TO SHOALING	11404	0685-17 MO	40/17	
2845	ST GEORGE ISLAND LIGHTED BUOY 4	RELOCATED DUE TO SHOALING	11404	0685-17 MO	40/17	
3025	St Joseph Bay Entrance A Range Front Light	DISCONTINUED	11393		24/08	
3030	St Joseph Bay Light & Entrance A Range Rear Light	DISCONTINUED	11393		15/09	
3060	St Joseph Bay Entrance Range B & D Front Light	DISCONTINUED	11393	0870-15 MO	44/15	
3105	St Joseph Bay Entrance Range D Rear Light	DISCONTINUED	11393	0870-15 MO	44/15	
3105	St Joseph Bay Entrance Range D Rear Light	TRLT	11393	0870-15 MO	44/15	
4580	Choctawhatchee Bay Entrance Buoy 10	DISCONTINUED	11385		05/18	
7760	Bayou La Batre Daybeacon 25	TRLT	11374	0585-17 MO	33/17	
7940	Horn Island Pass Lighted Buoy 16	DISCONTINUED FOR DREDGING	11375	0015-18 MO	03/18	
7950	Horn Island Pass Lighted Buoy 18	DISCONTINUED FOR DREDGING	11375	0016-18 MO	03/18	
9135	Ott Bayou Channel Daybeacon 3	DISCONTINUED FOR DREDGING	11372		41/17	
9265	Back Bay of Biloxi Daybeacon 3	TRLT	11372		13/17	
9375	Biloxi River Daybeacon 1	TRLT	11372		13/17	
9380	Big Lake Junction Daybeacon	TRLT	11372		13/17	
9390	Big Lake Daybeacon 28	TRLT	11372		13/17	
15300	Arlington Range Front Light	TRLT	11370	0065-18 NO	06/18	
15305	Arlington Range Rear Light	TRLT	11370	0066-18 NO	06/18	
18856	Atchafalaya Channel Daybeacon 57	TRLT	11351	1050-17 NO	51/17	
21430	Calcasieu Channel Light 50	DISCONTINUED	11339	0650-15 GA	39/15	
22900	Sabine-Neches Canal Light 52	DISCONTINUED FOR DREDGING	11331	0069-18 GA	06/18	
22955	Sabine-Neches Canal K Range Front Light	DISCONTINUED	11343	0201-18 GA	14/18	
24475	Bayport Ship Channel Light 3	DISCONTINUED FOR DREDGING	11327	0079-18 GA	07/18	
24520	Houston Ship Channel Light 78	DISCONTINUED FOR DREDGING	11327	0336-17 GA	20/17	
25440	Houston Ship Channel Light 120	DISCONTINUED FOR DREDGING	11329	0032-18 GA	04/18	
28970	La Quinta Channel Inner Range Front Light	TRLT	11309		11/18	
29100	La Quinta Channel Light A	DISCONTINUED FOR DREDGING	11309	0044-16 CC	06/16	
35655	Sabine-Neches Canal K Range Front Light	DISCONTINUED	11343	0201-18 GA	14/18	

35720	Sabine-Neches Canal Light 52	DISCONTINUED FOR DREDGING	11331	0069-18 GA	06/18
35915	Bolivar Peninsula Light 14	DISCONTINUED FOR DREDGING	11324	0028-17 GA	02/17
	Sim'S Bayou Security Zone Marker	DISCONTINUED		0476-16 GA	34/16

TEMPORARY CHANGES CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

PLATFORM TEMPORARY CHANGES

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

PLATFORM TEMPORARY CHANGES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.

Chart Number	Chart Edition	Edition Date	Last Local Notice to Mariners	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariners
12327	91st Ed.	19-APR-97	Last LNM: 26/97	NAD 83		27/97
Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER						
Main Panel 2245 NEW YORK HARBOR					CGD01	
(Temp) ADD	NATIONAL DOCK CHANNEL BUOY 3				at 40-41-09.001N	074-02-48.001W
	Green can					
Corrective Action	Object of Corrective Action				Position	

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

11307	38th Ed.	01-NOV-09	Last LNM: 10/18	NAD 83		14/18
<i>Chart Title: Aransas Pass to Baffin Bay</i>						
Main Panel 130 ARANSAS PASS TO BAFFIN BAY. Page/Side: N/A						
ADD	CORPUS CHRISTI CUT A EAST RANGE FRONT PASSING LIGHT, FI W 4s, 17ft, 4nm.				CGD08 27-50-41.815N	097-03-13.687W
11308	26th Ed.	01-JAN-17	Last LNM: 51/17	NAD 83		14/18
<i>Chart Title: Intracoastal Waterway Redfish Bay to Middle Ground</i>						
Main Panel 115 REDFISH BAY TO MIDDLE GROUND SIDE B. Page/Side: A						
RELOCATE	Corpus Christi Baffin Bay Daybeacon 112				CGD08 from 27-21-16.164N to 27-21-16.265N	097-23-04.907W 097-23-05.073W
11309	42nd Ed.	01-JAN-17	Last LNM: 10/18	NAD 83		14/18
<i>Chart Title: Corpus Christi Bay</i>						
Main Panel 112 CORPUS CHRISTI BAY. Page/Side: A						

	ADD	CORPUS CHRISTI CUT A EAST RANGE FRONT PASSING LIGHT, FI W 4s, 17ft, 4nm.			CGD08 27-50-41.815N	097-03-13.687W
11312	6th Ed.	01-AUG-15	Last LNM: 10/18	NAD 83		14/18
<i>ChartTitle: Corpus Christi Bay - Port Aransas to Port Ingleside</i>						
Main Panel 2885 CORPUS CRISTI BAY PORT ARANSAS TO PORT INGLESIDE. Page/Side: A						
	ADD	CORPUS CHRISTI CUT A EAST RANGE FRONT PASSING LIGHT, FI W 4s, 17ft, 4nm.			CGD08 27-50-41.815N	097-03-13.687W
11313	24th Ed.	01-OCT-10	Last LNM: 10/18	NAD 83		14/18
<i>ChartTitle: Matagorda Light to Aransas Pass</i>						
Main Panel 129 MATAGORDA LIGHT TO ARANSAS PASS. Page/Side: N/A						
	ADD	CORPUS CHRISTI CUT A EAST RANGE FRONT PASSING LIGHT, FI W 4s, 17ft, 4nm.			CGD08 27-50-41.815N	097-03-13.687W
11314	26th Ed.	01-JUL-15	Last LNM: 10/18	NAD 83		14/18
<i>ChartTitle: Intracoastal Waterway Carlos Bay to Redfish Bay, including Copano Bay</i>						
Main Panel 110 CARLOS BAY TO REDFISH BAY SIDE A. Page/Side: A						
	ADD	CORPUS CHRISTI CUT A EAST RANGE FRONT PASSING LIGHT, FI W 4s, 17ft, 4nm.			CGD08 27-50-41.815N	097-03-13.687W
11339	4th Ed.	01-FEB-13	Last LNM: 07/18	NAD 83		14/18
<i>ChartTitle: Calcasieu River and Approaches</i>						
Main Panel 150 Calcasieu River and Approaches. Page/Side: A						
	ADD	Symbol: "Dangerous Wreck (PA)" and Legend: "Awash" (F/V HAMMERTIME) (CGD8 014-18)			CGD08 29-47-50.635N	093-20-07.367W
11341	44th Ed.	01-MAR-13	Last LNM: 05/18	NAD 83		14/18
<i>ChartTitle: Calcasieu Pass to Sabine Pass</i>						
Main Panel 124 CALCASIEU PASS TO SABINE PASS. Page/Side: N/A						
	ADD	Symbol: "Dangerous Wreck (PA)" and Legend: "Awash" (F/V HAMMERTIME) (CGD8 014-18)			CGD08 29-47-50.635N	093-20-07.367W
11352	42nd Ed.	01-JUL-12	Last LNM: 13/18	NAD 83		14/18
<i>ChartTitle: Intracoastal Waterway New Orleans to Calcasieu River East Section</i>						
Main Panel 46 NEW ORLEANS TO CALCASIEU RIVER EAST SECTION. Page/Side: N/A						
	DELETE	Grand Bayou Du Large Shoal Buoy 3			CGD08 29-11-58.846N	090-57-27.994W
	DELETE	Grand Bayou Dularge Obstruction Light WR2			CGD08 29-11-38.772N	090-58-18.134W
	DELETE	Grand Bayou Dularge Obstruction Light WR4			CGD08 29-12-55.113N	090-56-57.662W
11356	41st Ed.	01-JUL-14	Last LNM: 10/18	NAD 83		14/18
<i>ChartTitle: Isles Dernieres to Point au Fer</i>						
Main Panel 62 ISLES DERNIERES TO POINT AU FER. Page/Side: A						
	DELETE	Grand Bayou Du Large Shoal Buoy 3			CGD08 29-11-58.846N	090-57-27.994W
	DELETE	Grand Bayou Dularge Obstruction Light WR2			CGD08 29-11-38.772N	090-58-18.134W
	DELETE	Grand Bayou Dularge Obstruction Light WR4			CGD08 29-12-55.113N	090-56-57.662W
11360	44th Ed.	01-OCT-10	Last LNM: 13/18	NAD 83		14/18
<i>ChartTitle: Cape St. George to Mississippi Passes</i>						
Main Panel 48 CAPE ST. GEORGE TO MISSISSIPPI PASSES. Page/Side: N/A						
NOS						

ADD	Submarine Pipeline A PT 1 OF 3; Chart No. 1: L40.1 (NOS NW-27861)	28-31-09.400N NOS	088-12-16.600W
ADD	Submarine Pipeline A PT 2 OF 3; Chart No. 1: L40.1 (NOS NW-27861)	28-31-54.900N NOS	088-15-24.800W
ADD	Submarine Pipeline A PT 3 OF 3; Chart No. 1: L40.1 (NOS NW-27861)	28-31-17.200N	088-17-19.800W

11361 **78th Ed.** **01-JUN-15** **Last LNM: 12/18** **NAD 83** **14/18**

ChartTitle: Mississippi River Delta;Southwest Pass;South Pass;Head of Passes

CHART LA - MISSISSIPPI RIVER DELTA, SOUTHWEST PASS AND SOUTH PASS. Page/Side: N/A

ADD	Symbol: "Submerged Obstruction (PA)" (CGD8 013-18)	CGD08 29-03-31.400N	089-15-54.100W
-----	--	------------------------	----------------

11364 **45th Ed.** **01-MAY-14** **Last LNM: 13/18** **NAD 83** **14/18**

ChartTitle: Mississippi River-Venice to New Orleans

Main Panel 56 MISSISSIPPI RIVER VENICE TO NEW ORLEANS. Page/Side: N/A

DELETE	CPAR Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-11.910N	089-24-20.150W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-45-33.330N	089-24-46.960W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-45-35.680N	089-24-44.190W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-45-36.990N	089-24-44.460W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-45-39.560N	089-24-45.030W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-45-40.390N	089-24-45.130W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-45-43.570N	089-24-45.130W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-45-44.420N	089-24-45.220W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-45-47.400N	089-24-45.350W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-45-48.360N	089-24-45.340W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-45-51.100N	089-24-44.900W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-45-52.020N	089-24-44.430W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-45-54.740N	089-24-43.070W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-45-55.660N	089-24-42.600W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-45-58.260N	089-24-41.150W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-45-59.120N	089-24-40.570W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-01.500N	089-24-38.700W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-02.270N	089-24-37.990W
		CGD08	

DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	29-46-04.430N	089-24-35.700W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-05.109N	089-24-34.860W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-06.948N	089-24-32.230W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-11.270N	089-24-21.120W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-11.470N	089-24-20.030W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-11.770N	089-24-21.030W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-13.860N	089-24-15.090W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-18.060N	089-24-20.520W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-18.960N	089-24-21.010W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-23.400N	089-24-22.450W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-24.300N	089-24-22.560W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-33.660N	089-24-20.240W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-34.500N	089-24-19.750W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-40.800N	089-24-11.260W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-41.160N	089-24-10.200W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-48.650N	089-24-05.520W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-49.640N	089-24-05.310W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-57.880N	089-24-10.380W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-58.330N	089-24-10.140W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-47-06.104N	089-24-03.706W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-47-06.655N	089-24-03.110W
DELETE	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-47-13.660N	089-24-01.630W
RELOCATE	CPRA Eloi Point Danger Breakwater Lights 31-49	CGD08 from 29-46-07.500N to 29-46-07.710N	089-24-31.320W 089-24-31.580W
RELOCATE	CPRA Eloi Point Danger Breakwater Lights 50-53	CGD08 from 29-46-47.590N to 29-47-17.590N	089-21-58.250W 089-23-55.310W

ADD	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	29-46-11.770N	089-24-21.030W
ADD	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-11.910N	089-24-20.150W
ADD	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-13.470N	089-24-15.210W
ADD	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-18.010N	089-24-20.850W
ADD	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-18.720N	089-24-21.370W
ADD	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-23.320N	089-24-22.890W
ADD	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-24.270N	089-24-22.980W
ADD	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-33.690N	089-24-20.340W
ADD	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-34.430N	089-24-19.900W
ADD	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-41.240N	089-24-11.270W
ADD	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-41.580N	089-24-10.410W
ADD	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-48.490N	089-24-05.760W
ADD	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-50.870N	089-24-06.230W
ADD	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-57.890N	089-24-10.480W
ADD	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-46-58.390N	089-24-10.330W
ADD	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-47-06.260N	089-24-03.940W
ADD	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-47-06.840N	089-24-03.260W
ADD	CPRA Eloi Point Danger Breakwater Light, FL2.5s, NW on Pile, 13ft (Priv Maint)	CGD08 29-47-12.990N	089-24-02.820W

11372 35th Ed. 01-SEP-12 Last LNM: 09/18 NAD 83 14/18

ChartTitle: Intracoastal Waterway Dog Keys Pass to Waveland

CHART MS - LA - INTRACOASTAL WATERWAY - DOG KEYS PASS TO WAVELAND. Page/Side: N/A

RELOCATE	U.S.G.S. Gulfport Monitoring Platform Light	from 30-19-12.000N to 30-19-07.800N	088-58-33.000W 088-58-20.600W
RELOCATE	U.S.G.S. Ship Island Monitoring Platform Light	CGD08 from 30-15-27.000N to 30-15-16.000N	088-52-15.000W 088-52-08.800W

11373 52nd Ed. 01-MAY-15 Last LNM: 12/18 NAD 83 14/18

ChartTitle: Mississippi Sound and approaches Dauphin Island to Cat Island

Main Panel 52 MISSISSIPPI SND & APPROACHES DAUPHIN ISL TO CAT ISL. Page/Side: A

RELOCATE	U.S.G.S. Gulfport Monitoring Platform Light	from 30-19-12.000N to 30-19-07.800N	088-58-33.000W 088-58-20.600W
----------	---	--	----------------------------------

RELOCATE	U.S.G.S. Ship Island Monitoring Platform Light	CGD08 from 30-15-27.000N to 30-15-16.000N	088-52-15.000W 088-52-08.800W
----------	--	---	----------------------------------

11376 **58th Ed.** **01-NOV-15** **Last LNM: 11/18** **NAD 83** **14/18**

ChartTitle: Mobile Bay Mobile Ship Channel-Northern End

CHART AL - MOBILE BAY ENTRANCE. Page/Side: N/A

RELOCATE	Dauphin Bay Daybeacon 1	CGD08 from 30-16-01.000N to 30-16-02.280N	088-07-53.000W 088-07-24.900W
RELOCATE	Dauphin Bay Daybeacon 2	CGD08 from 30-16-00.000N to 30-16-02.280N	088-07-37.000W 088-07-18.000W
RELOCATE	Dauphin Bay Daybeacon 3	CGD08 from 30-16-01.000N to 30-16-04.080N	088-07-19.000W 088-07-12.780W
RELOCATE	Dauphin Bay Daybeacon 4	CGD08 from 30-16-00.000N to 30-16-03.900N	088-07-00.000W 088-07-07.560W
RELOCATE	Dauphin Bay Daybeacon 5	CGD08 from 30-16-00.000N to 30-16-05.460N	088-06-57.000W 088-06-59.880W
RELOCATE	Dauphin Bay Daybeacon 6	CGD08 from 30-15-57.000N to 30-16-01.380N	088-06-56.000W 088-06-57.900W
RELOCATE	Dauphin Bay Daybeacon 7	CGD08 from 30-15-55.000N to 30-15-55.740N	088-06-51.000W 088-06-52.320W
RELOCATE	Dauphin Bay Daybeacon 8	CGD08 from 30-15-55.000N to 30-15-56.880N	088-06-31.000W 088-06-50.640W

11377 **11th Ed.** **01-NOV-15** **Last LNM: 11/18** **NAD 83** **14/18**

ChartTitle: Mobile Bay Approaches and Lower Half

Main Panel 2887 MOBILE BAY APPROACHES AND LOWER HALF. Page/Side: A

RELOCATE	Dauphin Bay Daybeacon 1	CGD08 from 30-16-01.000N to 30-16-02.280N	088-07-53.000W 088-07-24.900W
RELOCATE	Dauphin Bay Daybeacon 2	CGD08 from 30-16-00.000N to 30-16-02.280N	088-07-37.000W 088-07-18.000W
RELOCATE	Dauphin Bay Daybeacon 3	CGD08 from 30-16-01.000N to 30-16-04.080N	088-07-19.000W 088-07-12.780W
RELOCATE	Dauphin Bay Daybeacon 4	CGD08 from 30-16-00.000N to 30-16-03.900N	088-07-00.000W 088-07-07.560W
RELOCATE	Dauphin Bay Daybeacon 5	CGD08 from 30-16-00.000N to 30-16-05.460N	088-06-57.000W 088-06-59.880W
RELOCATE	Dauphin Bay Daybeacon 6	CGD08 from 30-15-57.000N to 30-16-01.380N	088-06-56.000W 088-06-57.900W
RELOCATE	Dauphin Bay Daybeacon 7	CGD08 from 30-15-55.000N to 30-15-55.740N	088-06-51.000W 088-06-52.320W
RELOCATE	Dauphin Bay Daybeacon 8	CGD08 from 30-15-55.000N to 30-15-56.880N	088-06-31.000W 088-06-50.640W

11378 **38th Ed.** **01-APR-13** **Last LNM: 10/18** **NAD 83** **14/18**

ChartTitle: Intracoastal Waterway Santa Rosa Sound to Dauphin Island

CHART FL - AL - INTRACOASTAL WATERWAY - SANTA ROSA SOUND TO DAUPHIN ISLAND. Page/Side: N/A

RELOCATE	Dauphin Bay Daybeacon 1	CGD08 from 30-16-01.000N to 30-16-02.280N	088-07-53.000W 088-07-24.900W
RELOCATE	Dauphin Bay Daybeacon 2	CGD08 from 30-16-00.000N to 30-16-02.280N	088-07-37.000W 088-07-18.000W

RELOCATE	Dauphin Bay Daybeacon 3	from 30-16-01.000N to 30-16-04.080N CGD08	088-07-19.000W 088-07-12.780W
RELOCATE	Dauphin Bay Daybeacon 4	from 30-16-00.000N to 30-16-03.900N CGD08	088-07-00.000W 088-07-07.560W
RELOCATE	Dauphin Bay Daybeacon 5	from 30-16-00.000N to 30-16-05.460N CGD08	088-06-57.000W 088-06-59.880W
RELOCATE	Dauphin Bay Daybeacon 6	from 30-15-57.000N to 30-16-01.380N CGD08	088-06-56.000W 088-06-57.900W
RELOCATE	Dauphin Bay Daybeacon 7	from 30-15-55.000N to 30-15-55.740N CGD08	088-06-51.000W 088-06-52.320W
RELOCATE	Dauphin Bay Daybeacon 8	from 30-15-55.000N to 30-15-56.880N	088-06-31.000W 088-06-50.640W

Main Panel 10 SANTA ROSA SOUND TO WOLF BAY. Page/Side: A

DELETE	Fixed Bridge Label; PENSACOLA BAY FIXED BRIDGE HOR CL 125 FT VERT CL 50 FT (NOS NW-27853)	NOS 30-23-34.400N	087-10-52.500W
CHANGE	Bridge Construction; Chart No. 1: D.d, with magenta screen extending 500 feet from bridge (NOS NW-27853)	NOS 30-23-39.870N	087-11-05.870W
ADD	Bridge Construction Label; PENSACOLA BAY Bridge under construction (see note) (NOS NW-27853)	NOS 30-23-39.870N	087-11-05.870W
ADD	Bridge Construction Note; CAUTION Fixed and floating obstructions, some submerged, may exist within the magenta tinted bridge construction area. Mariners are advised to proceed with caution. (NOS NW-27853)	NOS 30-23-23.000N	087-17-30.000W

11383 **54th Ed.** **01-OCT-13** **Last LNM: 02/18** **NAD 83** **14/18**
ChartTitle: Pensacola Bay

Main Panel 134 PENSACOLA BAY. Page/Side: N/A

DELETE	Fixed Bridge Label; PENSACOLA BAY FIXED BRIDGE HOR CL 125 FT VERT CL 50 FT (NOS NW-27853)	NOS 30-23-34.400N	087-10-52.500W
CHANGE	Bridge Construction; Chart No. 1: D.d, with magenta screen extending 500 feet from bridge (NOS NW-27853)	NOS 30-23-39.870N	087-11-05.870W
ADD	Bridge Construction Label; PENSACOLA BAY Bridge under construction (see note) (NOS NW-27853)	NOS 30-23-39.870N	087-11-05.870W
ADD	Bridge Construction Note; CAUTION Fixed and floating obstructions, some submerged, may exist within the magenta tinted bridge construction area. Mariners are advised to proceed with caution. (NOS NW-27853)	NOS 30-21-24.000N	087-10-51.000W

OIL RIG MOVEMENT

Drill Rigs/Vessels Removed

<u>Latitude</u>	<u>Longitude</u>	<u>Block</u>	<u>Rigs/Vessel</u>	<u>Chart</u>	<u>Type</u>	<u>Status</u>
28-09-48.300N	090-21-31.516W	EW-826	COIL TUBING UNIT	11340	SEMI-SUBMERSIBLE	UNREPORTED
28-42-21.411N	091-14-15.815W	SS-153	LIFT BOAT	11356	BARGE	UNREPORTED
28-06-03.818N	090-12-07.732W	EW-873	NABORS MODS 200	11340	JACKUP	UNREPORTED
28-06-03.669N	090-12-07.691W	EW-873	NABORS MODS 200	11340	JACKUP	UNREPORTED
27-47-34.166N	092-01-56.687W	GB-215	NOBLE PAUL ROMANO	11360	SEMI-SUBMERSIBLE	UNREPORTED
26-12-25.537N	091-26-36.030W	WR-758	T.O. DISCOVERER INSPIRATION	411	DRILLSHIP	UNREPORTED
28-56-42.932N	090-21-57.073W	ST-37	WFD 300	11357	JACKUP	UNREPORTED
28-42-21.411N	091-14-15.815W	SS-153	WIRELINE UNIT	11340	BARGE	UNREPORTED
29-38-55.988N	093-07-52.215W	WC-66	WIRELINE UNIT (L.C. DIST)	11344	SEMI-SUBMERSIBLE	UNREPORTED

28-14-30.634N	092-07-41.618W	SMI-149	WIRELINE UNIT (LAF DIST)	11340	JACKUP	UNREPORTED
29-01-44.134N	088-56-36.948W	SP-70	WIRELINE UNIT (N.O. DIST)	11366	JACKUP	UNREPORTED

Drill Rigs/Vessels Established

Latitude	Longitude	Block	Rigs/Vessel	Chart	Type	Status
28-42-35.694N	091-14-15.620W	SS-153	LIFT BOAT	11356	BARGE	UNREPORTED
28-06-03.574N	090-12-07.414W	EW-873	NABORS MODS 200	11340	JACKUP	UNREPORTED
28-06-03.669N	090-12-07.691W	EW-873	NABORS MODS 200	11340	JACKUP	UNREPORTED
28-14-46.669N	092-55-39.921W	MC-725	NOBLE PAUL ROMANO	11360	SEMI-SUBMERSIBLE	WORKOVER
26-12-00.165N	091-26-44.701W	WR-758	T.O. DISCOVERER INSPIRATION	411	DRILLSHIP	UNREPORTED
28-52-22.608N	090-28-26.942W	ST-51	WFD 300	11357	JACKUP	UNREPORTED
27-57-43.582N	093-40-14.531W	HI-A 376	WIRELINE UNIT	11340	BARGE	WORKOVER
28-42-35.694N	091-14-15.620W	SS-153	WIRELINE UNIT	11340	BARGE	UNREPORTED
28-30-19.970N	090-58-12.469W	SS-216	WIRELINE UNIT	11340	BARGE	UNREPORTED
28-47-45.589N	091-43-27.385W	EI-175	WIRELINE UNIT	11340	BARGE	UNREPORTED

SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

<u>Approved Project(s)</u>	<u>Project Date</u>	<u>Ref. LNM</u>
None		

Advance Notice(s)

TX – COPRUS CHRISTI BAY – LA QUINTA CHANNEL

In order to mark the centerline of the La Quinta Channel extension the following aids to navigation will be established between May 2018 and October 2018:

Establish La Quinta Channel A Outer Range Front Light (LLNR-29076) in position 27-52-26.553N/097-14-56.319W, showing Q G Day/Night and KRW on skeleton tower.

Establish La Quinta Channel A Outer Range Front Passing Light (LLNR-29076.01) in position 27-52-26.553N/097-14-56.319W, on same structure as the La Quinta Channel A Outer Range Front Light, showing FI W 4s

Establish La Quinta Channel A Outer Range Rear Light (LLNR-29077) in position 27-52-20.098N/097-14-24.959W, showing Iso G 6s Day/Night and KRW on skeleton tower.

Establish La Quinta Channel A Outer Precision Directional Light (LLNR-29078) in position 27-52-20.098N/097-14-24.959W, showing FI G from 101.9 to 102.2, F G from 102.2 to 102.6, alternating GW from 102.6 to 102.9, F W (on channel line) from 102.9 to 103.1, alternating RW from 103.1 to 103.5, F R from 103.5 to 103.9, FI R from 103.9 to 104.2. The PDL will be waterway user activated via a Marine Radio Activated Light System (MRALS).

Establish La Quinta Channel A Inner Range Front Light (LLNR-29101.25) in position 27-52-53.103N/097-17-05.427W, showing Q G Day/Night and KRW on skeleton tower.

Establish La Quinta Channel A Inner Range Rear Light (LLNR-29101.26) in position 27-52-56.969N/097-17-24.241W, showing Iso G 6s Day/Night and KRW on skeleton tower.

Establish La Quinta Channel A Inner Precision Directional Light (LLNR-29101.28) in position 27-52-56.969N/097-17-24.241W, on same structure as the La Quinta Channel A Inner Range Rear Light, showing FI R from 281.9 to 282.3, F R from 282.3 to 282.6, alternating RW from 282.6 to 282.9, F W (on channel line) from 282.9 to 283.1, alternating GW from 283.1 to 283.5, F G from 283.5 to 283.8, FI G from 283.8 to 284.2. The PDL will be waterway user activated via a Marine Radio Activated Light System (MRALS).

More specific construction dates will be published as soon as they are available.

Chart 11309

LNM: 07/18

TX – GALVESTON to RIO GRANDE

The following change will be made after the week of May 15, 2018.

In order to facilitate Pilot boardings and allow additional time for the ship and crews

to prepare for entering the Brownsville Ship Channel.
Relocate Brazos Santiago Entrance Lighted Buoy BS (LLNR-1450) in approximate position 26-03-55.982N/097-06-34.990W, 1.5NM east to approximate position 26-03-56.460N/097-04-56.320W.

Charts: 11301 11302

LNM: 12/18

LA – MISSISSIPPI RIVER – VENICE to NEW ORLEANS

The following change will be made after the week of May 22, 2018.
Discontinue Mississippi River - Gulf Outlet Daybeacon 68 (LLNR-11720) in approximate position 29-42-25.506N/089-25-40.908W.
Discontinue Bayou Terre Aux Boeufs Daybeacon 3 (LLNR-12360) in approximate position 29-37-07.446N/089-29-14.842W.

Chart 11364

LNM: 13/18

LA – POINT AU FER to MARSH ISLAND – ATCHAFALAYA CHANNEL

The following change will be made after the week of May 22, 2018.
Change and relocate Atchafalaya Channel Daybeacon 57 (LLNR-18856) in approximate position 29-27-49.223N/091-17-03.556W to Atchafalaya Channel Light 57 (LLNR-18856) in approximate position 29-27-50.063N/091-16-57.004W showing FL G 4s, 17ft Focal Height, 4NM, Nominal Range.

Charts: 11351 11354

LNM: 13/18

TX – UPPER GALVESTON BAY – HOUSTON SHIP CHANNEL – BAYPORT SHIP CHANNEL

The following changes will be made after the week of May 22, 2018.
Due to dredging in the Bayport Ship Channel, the Inner Range Front Light and Inner Range Rear Light no longer mark the centerline of the channel. Additionally the Inner Range Rear Light is now obscured by new fuel tank construction.
Discontinue Bayport Ship Channel Inner Range Front Light (LLNR-24465) in approximate position 29-36-47.054N/095-01-41.940W.
Discontinue Bayport Ship Channel Inner Rear Range (LLNR-24470) in approximate position 29-36-46.544N/095-02-11.216W.

Charts: 11326 11327

LNM: 13/18

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

<u>Proposed Project(s)</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
None			

Proposed Change Notice(s)

TX – CORPUS CHRISTI BAY – LA QUINTA CHANNEL

Due to the La Quinta Channel extension project the Coast Guard is proposing the following Aid to Navigation Change.
Establish La Quinta Channel Shoal Light A (LLNR 29098) in approximate position 27-52-43.763N/097-15-48.253W Showing FL W 4s, 17ft Focal Height, 3NM Nominal range, NB on pile.
Comments will be taken until April 17, 2018.

Chart 11309

LNM: 08/18

TX – CORPUS CHRISTI BAY – LA QUINTA CHANNEL

Due to the shoaling on the south east side of Jewel Fulton Channel the Coast Guard is proposing the following Aid to Navigation Change.
Establish Jewel Fulton Channel Daybeacon 2 (LLNR-29002) in approximate position 27-50-32.100N/097-13-51.360W Showing TR on pile.
Comments will be taken until April 17, 2018.

Chart 11309

LNM: 08/18

FL – ST. MARKS RIVER AND APPROACHES – ST. MARKS RIVER

Due to shoaling and shallow water depths, the Coast Guard is reducing the size of the buoy hulls marking the channel. This change shall enable smaller Coast Guard vessels to respond quicker to any buoy discrepancies and better maintain this channel. The mariner will notice a slight difference in nominal visual range and radar range of the buoy.
Reduce ST. Marks River Buoy 8 (LLNR-1550) on scene hull size in approximate position 30-04-06.207N/084-11-22.607W.
Comments to be taken until May 16, 2018.

Chart 11406

LNM: 12/18

TX – ELLENDER TO GALVESTON BAY – PORT ARTHUR-GALVESTON – BOLIVAR PENNISULA

Due to a history of Bolivar Peninsula Buoys 19 and 20 frequently being knocked off station the Coast Guard proposes the following changes in

order to improve the visibility of Aids to Navigation in the Port Bolivar Channel.

Relocate and change Bolivar Peninsula Lighted Buoy 20 (LLNR-35945) in approximate position 29-22-19.793N/094-47-09.542W to Bolivar Peninsula Light 20 (LLNR-35945) in position 29-22-21.149N/094-47-10.758W, showing Q R, 17ft Focal Height, 4NM Nominal Range, TR-TY on a pile, Ra ref.

Change Bolivar Peninsula Lighted Buoy 19 (LLNR-35940) in approximate position 29-22-10.778N/094-47-08.755W to Bolivar Peninsula Light 19 (LLNR-35940), in position 29-22-10.778N/094-47-08.755W, showing Q G, 17ft Focal Height, 4NM Nominal Range, SG-SY on a pile, Ra ref. Comments to be received by May 22, 2018, please email comments regarding this proposal to: LocalNoticeFeedback@uscg.mil.

Charts: 11324 11326 11331

LNM: 13/18

TX – MATAGORDA BAY – LAVACA BAY – PORT LAVACA HARBOR OF REFUGE

Due to shoaling and shallow water depths at the entrance to Port Lavaca Harbor of Refuge, the Coast Guard is unable to service Daybeacon 10. The Coast Guard proposes the following change.

Change Port Lavaca Harbor of Refuge Daybeacon 10 (LLNR-27815) in approximate position 28-35-33.923N/096-36-46.506W to Port Lavaca Harbor of Refuge Buoy 10 (LLNR-27815) in approximate position 28-35-33.923N/096-36-46.506W, showing a red nun. Comments to be received by May 29, 2018, please email comments regarding this proposal to: LocalNoticeFeedback@uscg.mil

Chart 11317

LNM: 14/18

TX – HOUSTON SHIP CHANNEL

Due to Upper Red Light Bend Outbound Range Front Light experiencing numerous knockdowns from marine traffic allisions, the Coast Guard proposes moving the Range Rear Light to Spillman Island and moving the Range Front Light to the position currently assigned to the Range Rear Light.

Relocate Upper Red Light Bend Outbound Range Front Light (LLNR-25240) in approximate position 29-42-18.858N/095-01-15.980W to approximate position 29-42-12.372N/ 095-01-15.999W.

Relocate Upper Red Light Bend Outbound Range Rear Light (LLNR-25245) in approximate position 29-42-12.372N/095-01-15.999W to approximate position 29-42-05.194N/095-01-16.032W.

Comments to be received by May 29, 2018, please email comments regarding this proposal to: LocalNoticeFeedback@uscg.mil

Chart 11329

LNM: 14/18

TX – UPPER GALVESTON BAY – HOUSTON SHIP CHANNEL – BAYPORT SHIP CHANNEL

Due to dredging that will widen the entrance to the Bayport Ship Channel and allow for an easier transition for marine traffic both inbound and outbound from the Houston Ship Channel into the Bayport Ship Channel the Coast Guard is proposing the following aid to navigation changes.

Establish Bayport Ship Channel Light 1 (LLNR-24450) in approximate position 29-36-37.415N/094-57-23.283W, FL G 6s, Focal Height 17ft, Nominal Range 4NM, SG on a pile, Radar Reflector.

Relocate Bayport Ship Channel Light 3 (LLNR-24475) to approximate position 29-36-44.560N/094-57-34.010W.

Relocate Bayport Ship Channel Light 5 (LLNR-24485) to approximate position 29-36-49.137N/094-57-50.161W.

Relocate Houston Ship Channel Light 75 (LLNR-24385) to approximate position 29-36-26.614N/094-57-18.025W.

Relocate Houston Ship Channel Light 76 (LLNR-24390) to approximate position 29-36-30.679N/094-57-06.341W.

Comments to be taken until 10 April 2018.

Charts: 11326 11327

LNM: 07/18

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

FL - GULF OF MEXICO - U.S. Navy Testing

The U.S. Navy will be conducting tow body test operations in the Gulf of Mexico, navigation chart; U.S. Gulf Of Mexico Cape St. George to Mississippi Passes chart number 11362, Panama City Operations Area; W-151A, W-151B, 6D, 6C and 7B, commencing approximately April 9, 2018 through June 30, 2018. The test area is defined by the following approximate positions:

29-45-13.9N 086-06-08.3W,

29-23-01.0N 086-11-48.1W,

29-22-31.7N 086-27-38.5W and

29-38-46.2N 086-27-50.0W.

The U.S. Navy will be towing the submerged towed body behind the tow platform at various cable scopes that could reach up to 1,600 feet. The vessel will display the appropriate day shapes per the International Regulations for Prevention of Collisions at Sea, 1972 (72 COLREGS) while the tow body operations are being conducted. The main surface craft supporting these test/operations and serving as the tow platform is the M/V PATRIOT. It is requested that all vessels maintain a one nautical mile CPA of the M/V PATRIOT while operations are in progress. All U.S. Navy support craft will monitor VHF-FM Channel 16

Charts: 1115A 11360

LNM: 13-18

FL - GULF OF MEXICO - Air Force Exercise

The U.S. Air Force will be conducting air-to-ground weapon testing in the Gulf of Mexico, approximately 20 nautical miles south of Destin, FL. The times the hazard area will be active are April 5-6, 2018, from 8:00 a.m. until noon, each day, bound by the following approximate positions:

30-18-33.0N 086-39-36.0W,

30-18-33.0N 086-25-30.0W,

30-12-21.0N 086-16-00.0W,

29-55-07.8N 086-16-00.0W,

FL - GULF OF MEXICO - Air Force Exercise

29-47-46.2N 086-23-00.0W,
29-47-46.2N 086-43-48.0W,
29-55-21.6N 086-47-12.0W,
30-12-39.6N 086-47-06.0W and
30-18-33.0N 086-39-36.0W.

All vessels are required to remain clear of this hazard area during the mission periods. In addition, ground based GPS navigation and electronic devices or smart phone apps that rely on GPS may be effected in the vicinity of Eglin Air Force Base. It is strongly encouraged that mariners plan activities accordingly as the GPS signal may be unreliable. All concerned traffic can contact the Eglin Joint Test and Training Operations Control Center (JTTOCC) at (850) 882-5800 or Billy Childress, 96TW/SEU, at (850) 882-7343.

Charts: 1115A 11360

LNM: 13-18

FL - CROOKED CREEK - Public Notice - Application for a U.S. Coast Guard Bridge Permit

All interested parties are notified that an application from the Florida Department of Transportation (FDOT) for a bridge permit has been received by the Commander, Eighth Coast Guard District, to construct a bridge project over a navigable waterway of the United States. Public Notice (04-18) dated March 20, 2018, pertaining to this proposed bridge permit action, contains a detailed description of the proposed bridge project and includes location maps. Interested parties may view the public notice at the following web site:

<https://www.navcen.uscg.gov/?pageName=pnBridge s&Active=1®ion=8&ext=g>

The notice may also be obtained by calling the Eighth Coast Guard District Bridge Administration Branch at (504) 671-2128, by writing to Commander (dpb), Eighth Coast Guard District, 500 Poydras Street, Room 1313, New Orleans, LA 70130, by email request at D8DPBALL@uscg.mil or by facsimile request at (504) 671-2133.

Comments from mariners or other interested parties regarding this proposed bridge project will be received for the record at the address given in the public notice through April 20, 2018.

Charts: 11378 11382 11383

LNM: 12-18

FL - APALACHICOLA-CHATTAHOOCHEE-FLINT RIVER BASIN - Channel Conditions - UPDATE

Based on a 10-day forecast for releases from Jim Woodruff Lock and Dam and subsequent forecast stage at Blountstown gauge, we are supporting a 7-foot navigation channel through April 9, 2018. The Blountstown gauge is currently 8.2 feet and forecast to fall to 7.7 feet during this forecast period.

Mariners anticipating using the system are encouraged to monitor the flow and water levels at the following website:

<http://water.sam.usace.army.mil/>

To schedule lockage, mariners can contact (229) 723-3482. Anyone anticipating a barge shipment on the system is encouraged to contact Carl Dyess, at (251) 690-2570.

Chart 11401

LNM: 14-18

FL - ST. ANDREW BAY - Boat Parade

St. Andrew Marina will be conducting its annual Blessing of the Fleet in St. Andrew Bay, on April 14, 2018, from 11:00 a.m. until 2:00 p.m. The regatta will consist of approximately 30 boats. Mariners are requested to transit the area with caution. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11391

LNM: 14-18

FL - ST. ANDREW BAY - Regatta

St. Andrew Bay Yacht Club is holding a regatta in St. Andrew Bay, April 20-22, 2018, from 1:00 p.m. until 3:00 p.m., each day. The regatta will consist of approximately 50 sailboats. Mariners are requested to transit the area with caution. For further information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 11389 11392

LNM: 14-18

FL - CHOCTAWHATCHEE BAY - U.S. Air Force Surface Operations

The U.S. Air Force will be conducting coordinated surface craft formation operations in either Choctawhatchee Bay between the Mid-May Bridge (State HWY 293) and the State HWY 331 Bridge or between 3-15 miles due south of Destin Pass. This operation will include a large number of surface craft in formation traveling between the two bridges. The surface craft will be firing multiple distress signal flares as part of this operation.

The mission is scheduled for April 2-6, 2018, between the hours of noon and 5:00 p.m., each day. Hot range advisories and local notice to mariners will be broadcast on VHF-FM Channel 16 and on HF-Upper Sideband 2182 Khz, by the Eglin Joint Test and Training Operations Control Center, call sign WOLFCALL. Points of contact are Eglin Joint Test and Training Operations Control Center (JTTOCC), at (850) 882-5800 or Billy Childress, 96TW/SEU, at (850) 882-7343.

Chart 11385

LNM: 13-18

FL - GULF OF MEXICO - Perdido Beach - Marine Event

The Emerald Coast Grand Prix will be held in Perdido, Florida, on April 12, 2018 until April 16, 2018. The event will take place in the Gulf of Mexico off the beach in front of the FloraBama. All mariners are requested to remain a minimum of 100 yards from the marked race course, due to hazards associated with personal watercrafts. For up-to-date information, mariners can contact U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 11382 11383 11385

LNM: 14-18

FL - SANTA ROSA SOUND - Fireworks Display

The Portofino Island Resort will be conducting a fireworks display on April 7, 2018, from 8:30 p.m. until 9:00 p.m. The fireworks will be launched from a barge on Santa Rosa Sound at approximate position 30-20-56.4N 087-04-59.0W, Pensacola Beach, FL. All mariners are requested to remain a minimum of 210 feet from the fireworks barge due to hazards associated with fireworks. For further information, mariners can contact

FL - SANTA ROSA SOUND - Fireworks Display

U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11385

LNM: 12-18

FL - WHITE RIVER, Bridge RIP-RAP Rehabilitation

Rehabilitation work began on March 17, 2018 and will continue until July 4, 2018, on the US Hwy. 90 (SR 10) bridge crossing White Bayou (aka Saultsman Cove). Work consist of surface preparation of the existing piles at intermediate bents, installation of integral pile jackets and the installation of cathodic protection systems. Work will be performed during daylight hours only. There will be no changes to the horizontal or vertical clearances. They will be utilizing pontoon boats 22 to 24 feet in length and 8 to 10 feet wide. Equipment will be removed from the waterway at night. Equipment should be properly lighted according to the "Inland Navigation Rules of 1980". Radio equipment will be monitored and a contact number at the job site is (256) 810-7676.

Charts: 11378 11382 11385

LNM: 13-18

FL - PENSACOLA BAY - Marine Event

The Tall Ships Pensacola marine event will be held from April 12-15, 2018, in Pensacola, FL. The event will be held in Pensacola Bay and at Plaza de Luna in Pensacola, FL. The COTP Mobile under the Ports and Waterway Safety Act has established a Safety Zone for this event. No vessel may transit within 100 yards of the Tall Ships during their Parade of Sail or within 100 yards of their mooring location without permission from the COTP Mobile or a designated representative. All mariners are requested to transit the area with extreme caution. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 11382 11383

LNM: 13-18

FL - PENSACOLA BAY - Bridge Construction of New Bridge

Continuing until approximately December 31, 2020, construction of the new Pensacola Bay Bridge will be taking place on Pensacola Bay, Florida. The COTP Mobile under the Ports and Waterways Safety Act has established a temporary Safety Zone within 500 yards of current bridge construction. This Safety Zone restricts vessel speed to an idle speed for all vessels within the zone. Mariners are urged to transit the area with extreme caution. For up-to-date information, mariners can contact the COTP, U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 11382 11383

LNM: 07-18

AL - MOBILE BAY - Dredge Operation

Continuing until approximately April 20, 2018, Mike Hooks, LLC., Pipeline Dredge MISSOURI H will be conducting dredging operations in the vicinity of Mobile Channel between Mobile Channel Light 70 (LLNR-6610) and Mobile Channel Light 78 (LLNR- 6685). Dredge material will be disposed of in open water areas, east of the channel. The Pipeline Dredge MISSOURI H will be monitoring VHF-FM Channel 13 or 16. For up-to-date information, mariners can contact the USACE, Irvington Site office, at (251) 957-6019.

Chart 11376

LNM: 13-18

AL - MOBILE BAY - Sail Boat Race

The Fairhope Yacht Club will be conducting the annual Dauphin Island Race in Mobile Bay. This event is published in 33 Code of Federal Regulations part 100.801 (Table 7 #97, Mobile #10) as a special local regulation and will take place on April 28, 2018, from 8:00 a.m. until 5:00 p.m. The regulated area for this event is Mobile Bay, from the Middle Bay Light to Mobile Channel Light 37 (LLNR-6330). Vessels desiring to transit the regulated area may do so only with prior approval of the Patrol Commander and when so directed by that officer and will be operated at a no wake speed in a manner which will not endanger participants in the event or any other craft. The Patrol Commander may be contacted on VHF-FM Channel 16, call sign "PATCOM". For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11376

LNM: 14-18

AL - BLACK WARRIOR RIVER - Air Show

The COTP Mobile under the authority of the Ports and Waterways Safety Act is establishing a temporary Safety Zone on the Black Warrior River from mile 335.0 to 337.0, in Tuscaloosa, AL., from April 12, 2018 to April 15, 2018, from 10:00 a.m. until 5:00 p.m. This Safety Zone is to protect the public from the hazards associated with the Tuscaloosa Air Show. During the enforcement period, no vessel may transit this zone without approval from the COTP Mobile or a designated representative. For up-to-date information, mariners can the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

LNM: 12-18

AL - BLACK WARRIOR RIVER - Lock Closure

The Holt Lock, in the vicinity of mile 347.0, will be closed commencing approximately 7:00 a.m., July 10, 2018 and continuing until approximately 7:00 p.m., August 8, 2018. The closure is to replace the lower miter gates and related components. For up-to-date information, mariners can contact Anthony Perkins or Danny Hensley at the BWT/Alabama-Coosa Project Management Office (CESAM-OP-BA), at (205) 752-3571.

LNM: 08-18

AL - BLACK WARRIOR RIVER - Lock Closure

The Bankhead Lock, in the vicinity of mile 366.0, will be closed commencing approximately 7:00 a.m., July 11, 2018 and continuing until approximately 7:00 p.m., August 7, 2018. The closure is to replace sections of hydraulic pipes for the lock operating machinery and related components. For up-to-date information, mariners can contact Anthony Perkins or Danny Hensley at the BWT/Alabama-Coosa Project Management Office (CESAM-OP-BA), at (205) 752-3571.

LNM: 08-18

MS - PASCAGOULA HARBOR - Dredge Operation

Continuing until approximately April 10, 2018, the Dredge HENRY A., will be conducting dredging operations at the Chevron refinery's Bayou

MS - PASCAGOULA HARBOR - Dredge Operation

Casotte facilities. The dredged material will be disposed of in the Chevron's onsite upland disposal area. Dredging will be performed 24-hours a day, 7-days a week. The dredge plant will be monitoring VHF-FM Channel 13 or 16. For up-to-date information, mariners can contact Justin Tassin, at (504) 782-0995 or contact the dredge directly, at (985) 703-2246. All mariners are requested to use caution while transiting the area.

Charts: 11373 11375

LNM: 11-18

MS - PASCAGOULA HARBOR - Dredge Operation

Continuing until approximately April 30, 2018, the Dredge E STROUD will be dredging in Bayou Casotte near the Chevron facility. The dredging material will be disposed of using submerged and floating pipeline. The dredge plant will be monitoring VHF-FM Channel 13 or 16. Mariners are requested to exercise extreme caution and reduce speed in the vicinity of the area. For up-to-date information, mariners can contact U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 11373 11375

LNM: 13-18

MS - PASCAGOULA RIVER - Marine Event

The Pascagoula Run paddling event will be held on the Pascagoula River on April 14, 2018, from 7:00 a.m. until noon. The paddlers will start at Little River Marina and end at Lighthouse Park. Mariners are requested to exercise extreme caution when transiting this area. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11374

LNM: 12-18

MS - PASCAGOULA RIVER - Fireworks Display

The City of Pascagoula will be conducting a fireworks display on April 14, 2018, from 7:45 p.m. until 8:15 p.m. The fireworks will be launched on the Pascagoula River across from Lighthouse Park. All mariners are requested to remain a minimum of 200 feet from the launch site due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11374

LNM: 14-18

MS - HORN ISLAND – SHIP ISLAND - Naval Research Instrument Deployment

Continuing until approximately April 16, 2018, the Naval Research Laboratory plans to deploy a total of 8 moorings (2 bottom mounted sub-surface moorings and 6 surface line moorings) near Ship and Horn Islands. The current planned locations of the moorings are in approximate positions:

- Moorings (1), 30-15-52.02N 088-51-33.48W, (in approximate water depth: 6 meters).
- Moorings (2), 30-12-24.00N 088-47-12.00W, (in approximate water depth: 11 meters).
- Moorings (3), 30-16-00.00N 088-49-30.00W, (in approximate water depth: 5 meters).
- Moorings (4), 30-16-00.00N 088-47-12.00W, (in approximate water depth: 5 meters).
- Moorings (5), 30-14-00.00N 088-50-48.00W, (in approximate water depth: 6 meters).
- Moorings (6), 30-14-00.00N 088-48-30.00W, (in approximate water depth: 7 meters).
- Moorings (7), 30-12-33.72N 088-51-33.48W, (in approximate water depth: 9 meters).
- Moorings (8), 30-12-24.00N 088-49-30.00W, (in approximate water depth: 10 meters).

Moorings (1) and (2) will rest on the bottom but profile every 3 hours to the surface. Moorings (3) through (8) will extend with a line to the ocean surface. Mariners are asked to not disturb these experiments and are urged to use caution when transiting the area.

Charts: 11372 11373 11374

LNM: 09-18

MS - MISSISSIPPI SOUND - BILOXI BAY - Dredge Operation/Pipe Staging/Barrier Island Restoration Operation

The Great Lakes Dredge & Dock Co., has begun operations for the first phase of the island restoration project at West and East Ship Islands. Continuing until approximately May 25, 2018, the Hopper Dredge ELLIS ISLAND will be conducting dredging operation between Ship Islands West and East. Biloxi Bay will be occupied as a staging area for pipeline for future use while conducting island restoration operations on Ship Island; in addition, submerged pipeline will start to be laid near Ship Islands West and East in preparation for island restoration operations; additional equipment includes but is not limited to anchor barges, dredge tenders and floating and submerged pipeline. Mariners are advised, the buoys orange and yellow in color marking these locations should NOT be used for navigational purposes. Boaters should maintain a safe distance from these buoys. Locations for the pipeline staging areas are:

- 1) Between Ship Islands West and East:
North Limit: 30-13-51.12N 088-54-34.44W
East Limit: 30-13-42.96N 088-54-27.66W
West Limit: 30-13-35.70N 088-55-11.34W
South Limit: 30-13-24.72N 088-55-06.36W

- 2) Biloxi Bay Immediately South of Railroad Bridge:
North Limit: 30-24-27.14N 088-51-09.14W
East Limit: 30-24-23.96N 088-51-07.05W
West Limit: 30-24-21.45N 088-51-22.67W
South Limit: 30-24-18.28N 088-51-20.74W

- 3) Between Biloxi Bay Ship Channel and Deer Island:
North Limit 30-23-22.65N 088-49-29.04W
East Limit 30-22-11.47N 088-47-59.78W
West Limit 30-22-42.33N 088-50-14.65W
NW Limit 30-23-00.45N 088-50-23.77W
South Limit 30-21-51.13N 088-48-51.27W

Submerged Pipeline will be located between West and East Ship Islands within the following approximate positions:

MS - MISSISSIPPI SOUND - BILOXI BAY - Dredge Operation/Pipe Staging/Barrier Island Restoration Operation

1)Between Ship Islands West and East:

North Limit 30-13-20.52N 088-54-35.64W

West Limit 30-12-33.18N 088-54-34.26W

South Limit 30-10-53.64N 088-55-30.48W

2) Booster Wadmalaw in the area of:

Northwest Limit 30-10-58-34.2N 088-53-41-43.8W

Northeast Limit 30-11-02-04.8N 088-53-34-18.6W

Southeast Limit 30-10-51-54.0N 088-53-26-44.4W

Southwest Limit 30-10-48-06.0N 088-53-34-55.2W

3)Be aware of anchors for the Booster Wadmalaw:

Northwest Anchor 30-10-57-19.8N 088-53-38-52.0W

Northeast Anchor 30-10-59-15.6N 088-53-32-58.8W

Southeast Anchor 30-10-52-48.6N 088-53-30-02.1W

Southwest Anchor 30-10-51-13.2N 088-53-34-21.0W

4)Be aware of floating/surfaced pipeline in the area of:

Northwest Limit 30-13-24-53.4N 088-54-3243.8W

Northeast Limit 30-13-22-14.4N 088-54-40-07.2W

Southeast Limit 30-13-15-24.6N 088-54-36-58.8W

Southwest Limit 30-13-18-39.0N 088-54-29-31.2W

All vessels will be lighted in accordance to U.S. Coast Guard Safety Regulations. The dredge plant will monitor VHF-FM Channel 3, 5 or 16. Mariners are urged to transit the area with caution. For up-to-date information, mariners can contact the USACE, Irvington Site Office, at (251) 957-6019.

Charts: 11372 11373

LSNM: 45-17

MS - BAYOU BERNARD - Marine Event

United Way of South Mississippi will be conducting the 2018 Gulf Coast Dragon Boat Festival on April 21, 2018, from 7:00 a.m. to 3:00 p.m. The Dragon Boats will race in heats near approximate position 30-25-37.0N 089-03-35.0W. All mariners are requested to use extreme caution and transit the area at slowest safe navigation speed. For further information mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11372

LSNM: 14-18

MS - MISSISSIPPI SOUND - WAVELAND - Breakwater Construction Project - UPDATE

Breakwater construction operations are being conducted from Heron Bay to Bayou Bolan in Mississippi Sound. The project consists of constructing a stone breakwater to a +2.0 feet elevation, from Heron Bay to Bayou Bolan. Mariners are advised that several spud barges with equipment as well as barges transporting stone to and from the site will be in the area. Tow boats will be manned 24 hours per day and will include the M/V JAY GENE. Fleeting will occur along the project and the mouth of the Pearl River. Anticipated completion of this project is November 30, 2018. For up-to-date information, mariners can contact U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 11367 11372

LSNM: 14-18

LA - GULF OF MEXICO - Pipeline Installation Operation

Continuing until approximately June 30, 2018, EPIC Offshore will be conducting pipeline installation operations in Main Pass Area, Block 261 to Main Pass Block 226, in approximate position 29-20-49.817N 088-06-46.770W. Work will be performed 24-hours a day, 7-days week. The M/V EPIC EXPLORER, AHT CROSBY RAM and MSV MR TREY will be monitoring VHF-FM Channel 07, 16 or 18. Mariners are urged to transit with caution. For up-to-date information, mariners can contact (281) 709-2366 ext 101. All vessels must notify the facility, MP 261A platform, of their intended approach route due to anchor positions and diving operations in the area. A 4-point anchor spread installed to position the vessel is required and all vessels are requested to stand clear a radius of 1.5-miles from facility, MP 261A platform.

Charts: 1116A 11340

LSNM: 19-17

LA - GULF OF MEXICO - SHIP SHOAL BLOCK 88 - WHISKEY ISLAND - Dredge Operation - Coastal Restoration

Continuing until approximately July 2018, Great Lakes Dredge & Dock Company will be conducting dredging operations from the Ship Shoal Block 88 Borrow Area located approximately 8.2 nautical miles south southwest of Whiskey Island. Material dredged will be hydraulically placed via submerged pipeline onto the center of Whiskey Island. The 30 inch diameter submerged steel pipeline will be placed directly on top of the existing natural sea floor within the permitted conveyance corridor. The hydraulic cutter suction Dredge ALASKA will be operating within the Ship Shoal Block 88 Borrow Area along with Tender Tugs and Anchor Barges. Approximately 3,000 feet of float hose will be trailing the Dredge ALASKA within the Borrow Area. Three Hydraulic Boosters, the ERIN, JESSIE and TEXAS JUNIOR, will be anchored at various points within the permitted submerged pipeline conveyance corridor to aid in pumping the dredge material from the Borrow Area to Whiskey Island. Work will be performed 24-hours a day, 7-days a week. The Dredge ALASKA and support vessels will be monitoring VHF-FM Channel 13 or 16. All vessels will display appropriate lighting and day markers as required by U.S. Coast Guard Regulations. All floating pipeline (Float Hose) and marker/anchor buoys will be highly visible and marked with yellow flashing lights. The submerged pipeline will be marked with regularly spaced orange Norwegian type buoys with Solas retro-reflective tape at a maximum spacing of 500 feet as well as yellow can buoys with yellow flashing lights at a maximum spacing of 2,500 feet apart. The Project is comprised of offshore borrow areas and the existing barrier island of Whiskey Island, in approximate positions: Ship Shoal Block 88 Borrow Area Corner Locations (Dredge ALASKA Operating Area):

NW Corner 28-55-32.9147N 090-55-29.6222W

SW Corner 28-54-17.9753N 090-55-29.9257W

LA - GULF OF MEXICO - SHIP SHOAL BLOCK 88 - WHISKEY ISLAND - Dredge Operation - Coastal Restoration

SE Corner 28-54-17.7698N 090-54-25.8002W
NE Corner 28-55-32.7089N 090-54-25.3758W.
Submerged Pipeline Conveyance Corridor (Hydraulic Booster Operating Area):
Whiskey Island End 29-02-08.4618N 090-50-02.8422W
29-02-08.9199N 090-50-14.1443W
29-00-14.5152N 090-49-53.4315W
29-00-17.1615N 090-50-04.6641W
28-57-16.3312N 090-51-50.8470W
28-57-22.8550N 090-51-59.5848W
28-57-03.4986N 090-52-26.9686W
28-56-56.4657N 090-52-18.9516W
28-56-47.6539N 090-52-41.3682W
28-56-40.6212N 090-52-33.3512W
28-56-26.9696N 090-53-18.6321W
28-56-18.5712N 090-53-12.5472W
28-55-33.2572N 090-54-34.5653W
Ship Shoal Block 88 End 28-55-29.9143N 090-54-21.3357W.

Whiskey Island Fill Area:
NW Corner 29-03-54.5091N 090-52-26.1586W
NE Corner 29-03-53.4075N 090-47-38.4407W
SE Corner 29-02-23.0886N 090-47-38.9245W
SW Corner 29-02-24.1899N 090-52-26.5707W

Whiskey Island Waterside Staging Area:
NW Corner 29-03-23.7713N 090-49-49.8442W
NE Corner 29-03-23.8838N 090-50-12.5522W
SE Corner 29-03-16.1126N 090-49-49.9049W
SW Corner 29-03-16.0438N 090-50-12.6023W

Houma Navigation Channel Staging Area:
NW Corner 29-14-27.4306N 090-40-38.2248W
NE Corner 29-14-28.9511N 090-40-33.6142W
SE Corner 29-14-09.0411N 090-40-19.3350W
SW Corner 29-14-07.3240N 090-40-20.7217W

Cocodrie Staging Area 1:
NW Corner 29-14-46.4106N 090-40-31.5366W
NE Corner 29-14-49.9697N 090-40-13.0789W
SE Corner 29-14-48.8964N 090-40-12.8683W
SW Corner 29-14-45.4018N 090-40-29.9377W

Cocodrie Staging Area 2:
NW Corner 29-14-52.8083N 090-39-59.3434W
NE Corner 29-14-52.5912N 090-39-57.9400W
SE Corner 29-14-48.7320N 090-39-58.3936W

SW Corner 29-14-49.0105N 090-40-00.0705W. All mariners are requested to transit these areas with extreme caution. Trawling and dragging operations should not be conducted in the vicinity of the Ship Shoal Block 88 Borrow Area, the permitted Submerged Pipeline Conveyance Corridor, the Whiskey Island fill area or the Whiskey Island staging area.

Charts: 1116A 11340 11352

LNM: 46-17

LA - GULF OF MEXICO - Wreck

A 350-foot derrick barge TOPS DB1 has reportedly sunk in the Gulf of Mexico in approximate position 29-18-30.0N 093-14-24.0W, in the vicinity of West Cameron Block 198A. The derrick barge will be marked along the perimeters of the barge with lighted danger buoys, white with orange stripe, white flashing 2.5 seconds in the following approximate positions:

29-18-32.604N 093-14-40.186W,
29-18-26.296N 093-14-30.788W,
29-18-38.876N 093-14-34.705W and
29-18-32.568N 093-14-25.308W.

Mariners are urged to use caution in this area.

Charts: 1116A 11330 11340

LNM: 44-17

LA - SOUTHWEST PASS - MISSISSIPPI RIVER - Dredge Operation

Continuing until approximately June 30, 2018, the Hopper Dredge NEWPORT will be working in Southwest Pass from Head of Passes (Mile 0.0) to approximately Mile 22.0, BHOP, and in the Mississippi River from Head of Passes to approximately Mile 11.0, AHOP. Dredging will be performed 24-hours a day, 7-days a week. The Hopper Dredge NEWPORT will be monitoring VHF-FM Channel 16 or 67. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Michelle Kornick, at (504) 862-1842 or Heather Jennings, at (504) 862-1253.

Chart 11361

LNM: 11-18

LA - SOUTHWEST PASS - MISSISSIPPI RIVER - Dredge Operation

Continuing until approximately June 30, 2018, the Hopper Dredge BAYPORT will be working in Southwest Pass from Head of Passes (Mile 0.0) to approximately Mile 22.0, BHOP, and in the Mississippi River from Head of Passes to approximately Mile 11.0, AHOP. Dredging will be performed 24-hours a day, 7-days a week. The Hopper Dredge BAYPORT will be monitoring VHF-FM Channel 16 or 67. Mariners are urged to transit at their

LA - SOUTHWEST PASS - MISSISSIPPI RIVER - Dredge Operation

slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Michelle Kornick, at (504) 862-1842 or Heather Jennings, at (504) 862-1253.

Chart 11361

LNM: 11-18

LA - SOUTHWEST PASS - MISSISSIPPI RIVER - Dredge Operation

Continuing until approximately July 31, 2018, the Cutterhead Dredge ROBERT M. WHITE will be working in Southwest Pass from Head of Passes (Mile 0.0) to approximately Mile 22.0, BHOP, and in the Mississippi River from Head of Passes to approximately Mile 11.0, AHOP. The dredged material will be deposited through a combination of floating and submerged pipelines into designated placement areas. Dredging will be performed 24-hours a day, 7-days a week. The Cutterhead Dredge ROBERT M. WHITE will be monitoring VHF-FM Channel 16 or 67. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Michelle Kornick, at (504) 862-1842 or Heather Jennings, at (504) 862-1253.

Chart 11361

LNM: 11-18

LA - SOUTHWEST PASS - MISSISSIPPI RIVER - Dredge Operation

Continuing until approximately April 20, 2018, the U.S. Government Contract Hopper Dredge STUYVESANT and attendant plant will be operating from Head of Passes to the Lower Jetty Bar Channel and the Mississippi River from Head of Passes Mile 0.0 to Mile 11.0 AHOP. Dredging will be performed 24-hours a day, 7-days a week. The U.S. Government Contract Hopper Dredge STUYVESANT and attendant plant will monitor marine VHF-FM Channel 16 or 67. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Michelle Kornick, at (504) 862-1842 or Heather Jennings, at (504) 862-1253.

Chart 11361

LNM: 14-18

LA - SOUTHWEST PASS - MISSISSIPPI RIVER - Dredge Operation

Continuing until approximately May 31, 2018, the Hopper Dredge WHEELER will be working in Southwest Pass from Head of Passes (Mile 0.0) to the Lower Jetty Bar Channel and the Mississippi River from Head of Passes to Mile 11.0, AHOP. Dredging will be performed 24-hours a day, 7-days a week. The Hopper Dredge WHEELER will be monitoring VHF-FM Channel 16 or 67. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Michelle Kornick, at (504) 862-1842 or Heather Jennings, at (504) 862-1253.

Chart 11361

LNM: 12-18

LA - EAST BAY - Submerged Obstruction

A submerged obstruction has been reported in the vicinity of East Bay, in approximate position 29-03-31.4N 089-15-54.1W. The submerged obstruction is reportedly not marked. Mariners are urged to use caution in this area.

Chart 11361

LNM: 13-18

LA - EMPIRE WATERWAY - Lock Closure

Continuing until approximately April 6, 2018, the Empire Locks will be closed to navigation between 7:00 a.m. and 5:00 p.m., each day. For up-to-date information, mariners can contact, Raymond Noel, at (985) 966-8147.

Chart 11364

LNM: 14-18

LA - RIGOLETS PASS - Dredging Operation

Continuing until September 30, 2018, Crosby Dredging LLC., will be conducting dredging operations along the western edge of Rigolets Pass. Dredge CROSBY DREDGER and tender M/V CAPT WEBSTER will be working 24-hours a day, 7-days a week. Dredge CROSBY DREDGER and tender M/V CAPT WEBSTER will be monitoring VHF-FM Channel 69. Mariners are urged to use caution when transiting within the area. The point of contact, Hud Lee or Michael Orgeron can be contacted, at (985) 677-6100 or (504) 638-0040, for additional information

Charts: 11367 11369 11371

LNM: 10-18

LA - NEW ORLEANS HARBOR - INNER HARBOR NAVIGATION CANAL - Bridge Repair

The Norfolk Southern Railroad bascule span bridge (Seabrook Railroad Bridge) across the Inner Harbor Navigation Canal, mile 4.5, at New Orleans, Orleans Parish, Louisiana, will be performing track work (replacement of ties and rails) placing the bridge in a closed-to-navigation position on the following dates: Monday through Thursday on April 30, 2018 until May 3, 2018, May 7-10, 2018 and May 14-17, 2018, from at 8:00 a.m. until 2:00 p.m., each day. In the down position, the vertical clearance is one foot above Mean High Water with elevation 5 feet. Mariners should plan the alternate route through Chef Pass or the Rigolets. The 24-hour contact number, is (540) 577-9480 or (601) 323-9398.

Charts: 11368 11369 11370

LNM: 13-18

LA - GIWW - NEW ORLEANS HARBOR - INNER HARBOR NAVIGATION CANAL - Bridge Repairs

The St. Claude Avenue (SR 39) bascule span bridge across the Inner Harbor Navigation Canal, GIWW, 6.2, EHL, mile 0.50, at New Orleans, Orleans Parish, Louisiana, will be performing mechanical and structural repairs. The bridge will remain in the open-to-navigation position for approximately 10 consecutive days (240-hours) Thursday, May 10, 2018 through May 19, 2018. Crews will be working 24-hours a day. For up-to-date information, mariners can (251) 709-2511.

Charts: 11368 11369 11370

LNM: 13-18

LA - MISSISSIPPI RIVER - Dredge Operation

Commencing approximately April 9, 2018 and continuing until approximately April 15, 2018, the Weeks Marine, Inc., support equipment will arrive in the vicinity of Southwest Pass, Mississippi River in preparations for dredging operations.

Commencing approximately April 15, 2018 and continuing until approximately August 31, 2018, Cutterhead Dredge G.D. MORGAN and attendant

LA - MISSISSIPPI RIVER - Dredge Operation

plant will be conducting dredging operations between Mississippi River approximate Mile 6.0, AHOP, and Southwest Pass approximate Mile 19.5, BHOP. Dredged material will be transported to the bank using a combination of floating and submerged pipeline to placement sites as directed by the USACE. Work will be conducted 24-hours a day, 7-days a week. The dredge and attendant plant will have all required U.S. Coast Guard lighting for night operations. The Cutterhead Dredge G.D. MORGAN and attendant plant will monitor VHF-FM Channel 16 or 67. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11361

LNM: 14-18

LA - MISSISSIPPI RIVER - MILE 25.2, AHOP - Subaqueous Stone Placement

Continuing until approximately April 30, 2018, a U.S. Government Contractor will be placing subaqueous stone along the RDB of the Lower Mississippi River at approximate Mile 25.2, AHOP. Work will be performed during daylight hours only, 7-days a week. The plant consists of a trackhoe barge with an anchor system set up with 2 anchors riverward and 2 anchors landward. Various material and support barges will be on-site and staged outside of the navigation channel. The M/V PINE BLUFF will monitor VHF-FM Channel 67 or 88A. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact the USACE New Orleans District, John Page, at (337) 291-3015.

Chart 11364

LNM: 03-18

LA - LAKE PONTCHARTRAIN - US 11 Bridge Rehabilitation Outside the Main Channel Spans

The contractor continues the rehabilitation work on the US 11 Bascule Bridge across Lake Pontchartrain between New Orleans and Slidell, Orleans and St. Tammany Parishes, Louisiana. The contractor will work Monday through Friday, from 6:30 a.m. until 5:30 p.m. Work on the project has begun on the Slidell side (north) and consist of inspections, measuring of cracks, sand blasting, grinding, spall repairs and wrapping of the piers and caps as necessary. The contractor has extended the scaffolding which extends a total of 2,400 feet north of the Bascule Bridge, as this entire section has a reduced vertical clearance of 8 feet, thus eliminating the availability by recreational boaters. The new scaffolding set-up, including moving cables to Span 421 to Span 398. The majority of the time workers are located between Span 489 to Span 398. Decking removal is complete to Span 489 to Span 470 as the project moves to Orleans side (south). The work area will be marked by danger buoys approximately 50 feet on either side of the bridge marking an exclusion zone for vessels to stay out of the work zone. The buoys will be spaced approximately 200 feet apart and will mark the entire length of the work area. The buoys will be lighted at night with Fl W 2.5 sec. lights. Mariners should avoid this area at all times. Additionally, the contractor has added an additional crane barge measuring 150 feet by 50 feet, to the existing barges (1 measuring 30 feet by 120 feet, with a height of 25 feet and 1 measuring 30 feet by 110 feet). There are also 2 flex floats and 1 supply barge located near the bridge within the work zone. When the contractor is not working at night and over the weekends, the barges will be grouped together and spud down away from the navigation span and near the work area. This equipment will be lighted by fixed white lights on each outward corner as required. During the work day, the Tug JO ANN SIMS will monitor VHF-FM Channel 16. The L&A Contracting Company is the contractor on the project and can be reached at (601) 270-7704, 24-hours a day. This project will take approximately 48 months to complete. In conjunction with this work, additional work beneath the bridge on the New Orleans Side (south) will have divers placing wraps during daylight hours, issued in a separate Local Notice to Mariners, for additional information.

Charts: 11369 11371

LNM: 10-18

LA - LAKE PONTCHARTRAIN - Bridge Rehabilitation Update - Divers

Divers are located in the waterway placing wraps on the piers and doing spalling work on the US 11 Bridge, Lake Pontchartrain, mile 4.75, Orleans Parish, Louisiana. They are being assisted by an Anders Jackup Boat and a crew work dive boat. Work will continue until May 2019. The boats should be properly marked according to "Inland Lights and Shapes Rule 27" and monitoring VHF-FM Channel 16. The L&A Contracting Company is the contractor on the project and can be reached at (601) 270-7704, 24-hours a day. Mariners should use caution when transiting this area.

Charts: 11369 11371

LNM: 49-17

LA - MISSISSIPPI RIVER - MILE 89.0, AHOP - MILE 95.0, AHOP - Wreck

The M/V NATALIE JEAN reportedly capsized and sank on the Lower Mississippi River, near Mile 90.3, AHOP, in approximate position 29-56-08.168N 089-59-50.236W. The wreck is temporarily marked with a green lighted buoy and a Virtual AIS Aid to Navigation. Mariners are urged to use extreme caution in the area.

Charts: 11364 11367

LNM: 13-18

LA - MISSISSIPPI RIVER MILE 92.0. AHOP, LDB - Wharf Repair Operations

Continuing until July 1, 2018, Coastal Marine Contractors Inc., will be conducting wharf repairs at the Alabo Street Wharf, located along the LDB of the Lower Mississippi River at approximate Mile 92.0, AHOP. Work will be conducted from 7:00 a.m. until 5:00 p.m., each day, 7-days a week. Mariners are requested to transit at their slowest safe speed to minimize wake and use caution when transiting within the area. For additional information, mariners can contact David Williams, at (504) 453-2752.

Charts: 11364 11367

LNM: 05-18

LA - MISSISSIPPI RIVER - MILE 128.0, AHOP, LDB - Spillway Operation

Continuing until further notice, the Bonnet Carré Spillway, located on the Mississippi River, in the vicinity of Mile 128.0, AHOP, LDB, 1.6 miles above Goodhope Landing, Louisiana, will be placed in operation. All vessels, particularly heavy loaded tows passing the site, are directed to steer a course sufficiently toward the opposite or right descending bank to avoid possible crosscurrents or drawdown resulting from water being diverted through the Spillway and flowing toward and into Lake Pontchartrain. The M/V KENT will be stationed on the LDB just north of the Spillway to monitor marine traffic on VHF-FM Channel 16 and 67. Should an incident occur between the Spillway and Mile 140.0, AHOP, involving an adrift vessel, barge, etc., the attending vessel or any other vessel in the vicinity should immediately report the incident to the M/V KENT. Terminal operators and fleet owners with facilities above Bonnet Carré Spillway should exercise every precaution to properly secure moored or anchored vessels, especially fleets of barges, to ensure that they do not breakaway as a result of increased velocities with the opening of this structure. Vessels operating in Lake Pontchartrain in the vicinity of the discharge area are cautioned to be on the lookout for possible logs or stumps which may be deposited into the lake due to the operations and should give that area a wide berth. Additionally, in order to protect

LA - MISSISSIPPI RIVER - MILE 128.0, AHOP, LDB - Spillway Operation

persons and vessels from potential safety hazards, all recreational vessels and personal watercraft are to remain clear of the discharge area, including areas upstream and in the vicinity of the railroad trestle and Interstate 10 bridge.

Chart 11370

LNLM: 10-18

LA - MISSISSIPPI RIVER, MILE 176.3, AHOP - Wreck

The M/V VINCENT J. EYMARD reportedly capsized and sank on the Lower Mississippi River near Mile 176.3, LDB, AHOP, near the fleeting area, in approximate position 30-06-58.86N 091-00-09.96W. The wreck is reportedly not marked. Mariners are advised to use caution when transiting within the area and report any pollution to the U.S. Coast Guard. For further information, mariners can contact MSU Baton Rouge, at (225) 298-5400.

Chart 11370

LNLM: 13-18

LA - DES OIES BAYOU - Replacement Bridge Project

Louisiana Department of Transportation and Development replacement bridge project work continues on State Highway 45, Goose Bayou Bridge across Des Oies Bayou, mile 0.1, at Lafitte, Louisiana. The schedule of work is from 6:30 a.m. to 5:00 p.m., Monday through Friday. The equipment being used is crane barge measuring 20 feet by 54 feet and the material barge 20 feet by 30 feet. The pile driving has begun on the northeast side of the existing bridge. Periodically, the channel will have restrictions and there may be delays. The project manager assigned to the project can be contacted at (225) 615-5028. The tug assisting will be monitoring VHF-FM Channel 16 or 13. Mariners should use caution while transiting the waterway.

Charts: 11353 11364 11365

LNLM: 09-18

LA - LITTLE LAKE - GRAND BAYOU - CUTOFF CANAL - Dredge Operation

Continuing until approximately November 1, 2018, the Weeks Marine Inc., Clamshell Dredge DEL RIO will conduct dredging operations between the Grand Bayou and Cut Off Canals, within the following approximate positions:

29-25-19.50N 090-26-48.82W and 29-29-20.00N 090-25-37.00W (West Bank) and 29-30-17.12N 090-25-04.20W and 29-31-01.00N 090-24-42.30W (East Bank). Work will be conducted 24-hours a day, 7-days a week. The Dredge DEL RIO will monitor VHF-FM Channel 16 or 67.

Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Miguel Cruz, at (985) 875-2564 or email macruz@weeksmarine.com.

Charts: 11358 11365

LNLM: 38-17

LA - GRAND BAYOU - CUTOFF CANAL - Dredge Operation - UPDATE

Weeks Marine Inc., Clamshell Dredge "Weeks 262", has completed dredge operations between the Grand Bayou and Cut Off Canals

Charts: 11352 11365

LNLM: 14-18

LA - BAYOU PEROT - Submerged Obstruction

A submerged obstruction has been reported in Bayou Perot in approximate position 29-36-36.9N 090-10-06.7W. The submerged obstruction is reportedly not marked. Mariners are urged to use extreme caution in this area.

Charts: 11365 11367

LNLM: 14-18

LA - GIWW - NEW ORLEANS HARBOR HARVEY CANAL - Roll-Off Operations

A roll-off operation is scheduled through April 5, 2018, from 9:00 a.m. to 4:00 p.m., each day, at APC Construction, located in the Harvey Canal, two miles west of Harvey Lock. M/V MISS KELLYE JO will be monitoring VHF-FM Channel 13 or 16 for sailing instructions. This operation is anticipated to obstruct the Harvey Canal. The operation will be temporarily suspended at noon each day to allow traffic to pass. The Algiers Canal will be available as an alternate route. Mariners are requested to transit at their slowest safe speed to minimize wake and use caution when transiting within the area once passing arrangements have been made. For additional information, Gary Gaudet can be contacted, at (985) 384-8200.

Charts: 11367 11368 11369

LNLM: 14-18

LA - PORT FOURCHON - BELLE PASS - Dock Construction

Continuing until approximately April 10, 2018, the construction of two docks will take place at the Chevron Fourchon terminal on Pass Fourchon centered in approximate position 29-06-23.13N 090-11-28.07W. Operations will be conducted during daylight hours only. Two tugs, one crane barge and one deck barge will remain at the site throughout project duration and will be lighted accordingly at night. Mariners are urged to exercise caution in the area. The tugs will be monitoring VHF-FM Channel 9 or 16.

Charts: 11346 11365

LNLM: 07-18

LA - CHEVRON OILCOMPANY CANAL - Lafourche Parish - Mile 0.05 - Bridge Removal

The State Highway 3090 (A O Rappelet Road) Bridge crossing Chevron Oil Company Canal, mile 0.05 at Port Fourchon in Lafourche Parish, Louisiana has been closed and work has begun to remove the bridge. Removal will start on the south side by picking up sections and placing them on barges. Work is scheduled Monday through Friday, from 6:00 a.m. until 6:00 p.m., each day. Contactor information is Todd Water Dock, Timmy Dubois, at (985) 475-5000. Removal will take approximately 60 days. Mariners should try to seek an alternate route.

Charts: 11346 11355 11365

LNLM: 09-18

LA - GIWW - BAYOU BOEUF LOCK - Gate Repair Operations

Effective immediately, Bayou Boeuf Lock is closed for navigation passage, and will remain closed as long as the head differential remains above 1.5 feet due to high river conditions. The bypass route around the lock using Bayou Chene is available for passage. This closure will remain in place until river conditions allow for the resumption of open-pass operation. There is currently no predicted date for resumption of open-pass operation. The points of contact with the New Orleans USACE are Tim Connell, at (504) 862-2360 and Anh Nguyen, at (504) 862-2153.

LA - GIWW - BAYOU BOEUF LOCK - Gate Repair Operations

Chart 11355

LNM: 10-18

LA - LOST LAKE - Marsh Creation and Hydrologic Restoration Project

Commencing approximately April 10, 2018 and continuing until approximately October 15, 2018, Weeks Marine, Cutterhead Dredge BORINQUEN and attendant plant will be operating in the vicinity of Lost Lake, Terrebonne Parish, Louisiana. Dredge material will be transported through a combination of floating and submerged pipeline to placement site. Dredge and pipeline will have all required U.S. Coast Guard lighting for night operations. The work perimeter for the project will be the area bound by the following approximate positions:

29-22-50.16N 090-57-36.44W,
29-22-50.16N 091-07-25.17W,
29-18-50.98N 091-07-25.17W and
29-18-50.98N 090-57-36.44W.

Borrow Area 1 and Pipeline Corridor will be bound by the following approximate positions:

29-20-49.97N 091-02-28.73W,
29-20-32.86N 091-01-05.17W,
29-19-54.02N 091-02-43.44W and
29-19-26.32N 091-01-43.45W.

Location for Weeks's dredge pipe crossing over existing 22 inch and 16 inch Shell pipeline:

Position for pipeline crossing over the 22 inch Shell pipeline:

29-21-17.77N 091-00-19.69W.

Position for pipeline crossing over the 16 inch Shell pipeline:

29-21-17.40N 091-00-19.22W.

Work will be conducted 24-hours a day, 7-days a week. The dredge and tugs will monitor VHF-FM Channel 13 or 16. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11352

LNM: 13-18

LA - ATCHAFALAYA RIVER - Bridge Maintenance

The Atchafalaya River I-10 Bridge on the Atchafalaya River, near mile 59.8, will have a reduced vertical clearance by 5 feet, from April 4, 2018 until approximately August 7, 2018. During this time the bridge will undergo maintenance and painting with a safety boat located in the vicinity. All vessels are advised to use caution while transiting the area. For additional information, mariners can contact David Beale, at (228) 323-2655 or MSU Baton Rouge, at (225) 298-5400.

Chart 11354

LNM: 13-18

LA - ATCHAFALAYA RIVER CHANNEL - Dredge Operation - UPDATE

Continuing until approximately April 8, 2018, the Cutterhead Dredge BORINQUEN and attendant plant will be operating in the vicinity of 20 Grand Point. Demobilization will occur until approximately April 12, 2018.

Dredging will be performed 24-hours a day, 7-days a week. The dredged material will be deposited through a combination of floating and submerged pipelines in deep water of the Atchafalaya River. Besides dredging equipment, there are numerous work and support vessels associated with this dredging operation. The dredge and attendant plant will have all required U.S. Coast Guard lighting for night operations. The Cutterhead Dredge BORINQUEN and tugs will be monitoring VHF-FM Channel 13, 16 or 72. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Charts: 11351 11352 11354 11355

LNM: 14-18

LA - OLD RIVER LOCK - Condition

Continuing until approximately May 31, 2018, mariners are required to enter and exit the Old River Lock on the south wall due to a large steel "I" beam extending into the lock chamber approximately 2.5 feet. Mariners are advised to proceed through the lock at their slowest safe speed. For up-to-date information, the lockmaster, Morris Oubre, can be reached at (225) 492-3333. The point of contact for the New Orleans District is Russell Beauvais, at (225) 492-2169.

Chart 11354

LNM: 10-18

LA - OLD RIVER LOCK - Condition

Continuing through May 31, 2018, mariners will be subject to intermittent delays to navigation (up to 12-hours) at Old River Lock. The closures will occur during daylight hours, between 7:00 a.m. and 5:00 p.m. The delays will be due to necessary work required to remove and repair a broken tainter valve. The work will be performed by Lock Personnel and a U.S. Government Maintenance Unit. Mariners can view the U.S. Army Corps of Engineers' New Orleans District's Navigation Bulletins at: <http://www.mvn.usace.army.mil/Missions/Navigation/Navigation-Bulletins/>.

Additionally, mariners can view the Notices To Navigation Interests (NTNI) website, which contains navigation notices and policies issued by U.S. Army Corps of Engineers Districts at: <http://corpslocks.usace.army.mil/lpwb/f?p=150:1:0>.

The Lockmaster, Morris J. Oubre, can be reached at (225) 492-3333, for up to date information. The point of contact for the New Orleans District is Russell Beauvais, at (225) 492-2169.

Chart 11354

LNM: 10-18

LA - OLD RIVER AUXILIARY CONTROL STRUCTURE - Channel Condition/Picket Boat Duties

Attached as an enclosure to this LNM, Channel conditions, Navigation Bulletin 18-33, high river stages and picket boat duties that include the Old River Auxiliary Structure at Mile 311.0, AHOP, the Low Sill Control Structures at Mile 314.5, AHOP and the privately owned Sidney A. Murray Jr. Hydroelectric Plant at Mile 316.5, AHOP.

Chart 11354

LNM: 10-18

LA - OLD RIVER AUXILIARY CONTROL STRUCTURE - Channel Condition/Safety Zone - UPDATE

Effective immediately, mariners are advised that the Safety Zone around Old River Complex is no longer in effect due to the river stage receding below 60.0 feet on the Knox Landing gauge, which is located on the RDB of the Mississippi River, at approximate Mile 313.7, AHOP.

Chart 11354

LNLM: 14-18

LA - GIWW - MORGAN CITY-PORT ALLEN ALTERNATE ROUTE - Dredge Operation

Continuing until approximately May 15, 2018, the U.S. Government Contract Cutterhead Dredge GAZAP will be working at Bayou Sorrel Lock. The dredging operations will be performed in the GIWW Morgan City-Port Allen Alternate Route, from the lock southward approximately 3 miles, including the flared connection between the Alternate Route and east access channel. The dredge will work 24-hours a day, 7-days a week, and the dredged material will be deposited through a floating pipeline to confined disposal areas on the west side of the navigable Channel. The dredge will be monitoring VHF-FM Channel 13. Mariners are urged to transit at their slowest safe speed to minimize wake after passing arrangements have been made, and when navigating in the vicinity of the dredging operations. The point of contact with the USACE, New Orleans District is Victor Landry, at (504) 862-2407.

Charts: 11352 11354

LNLM: 09-18

LA - MORGAN CITY TO PORT ALLEN - High Water Condition

The COTP Morgan City has implemented the high water towing limitations for north and southbound towing vessels within Vessel Traffic Service Berwick Bay. Details of these limitations are set forth in Title 33, Code of Federal Regulations, Part 165.811 and the Vessel Traffic Service Berwick Bay user manual. For up-to-date information, mariners can contact MSU Morgan City, at (985) 380-5374.

Chart 11354

LNLM: 09-18

LA - GIWW - MORGAN CITY TO PORT ALLEN - Temporary Emergency Vessel Movement Controls

The COTP Morgan City anticipates the Atchafalaya River gauge may reach 8.0 feet. The velocity of the river has reached 3.3 knots IAW USGS 07381600, Lower Atchafalaya River at Morgan City, LA., gauge. When the gauge increases to 3.5 knots, the COTP Morgan City directs the following in addition to emergency vessel movement control for Berwick Bay:

1. Maximum length of tows turning west at mile 98.5, WHL, is 600 feet.
2. All northbound tows anticipating topping around in the river, over 400 feet in length, barges only, require 2 assist boats.

For any additional information, mariners can contact VTS Berwick Bay, at (985) 380-5370.

Charts: 11354 11355

LNLM: 12-18

LA - LAKE PEIGNEUR - Cavern Well Testing

Jefferson Island Storage & Hub, LLC., (JISH), will be performing Cement Bond Log testing on 2 wells in Lake Peigneur, centered in approximate position 29-59-04.80N 091-58-53.40W. Use of a workover rig to perform the workovers will require placement of two 200-foot by 80-foot by 4-foot thick rock foundation pads on non-vegetated waterbottoms for support of a barge-mounted rig at each well. Work on Well No. 002, serial number (SN) 972518 will commence approximately April 2018 and continue until approximately September 2018. Work will be conducted during daylight hours, equipment and standby tug will remain on site 24-hours a day, during each operation. The work area will be surrounded by hard boom which will have flashing navigation lights at each corner. In addition the workover rig will have a flashing light at the top of its 126-foot tall mast. Vessels involved in the workover include: Tug SALLY B, M/V BARBRA ANN, M/V MISS MALLORY, M/V AVA RENEE and 4-barges including the key-way barge supporting the workover rig. On site vessels will monitor VHF-FM Channel 10 or 13. Mariners are urged to use caution when transiting this area.

Chart 11345

LNLM: 20-17

LA - GIWW - LELAND BOWMAN LOCK - Lock Closure

Mariners are advised that from approximately April 5, 2018 until April 6, 2018, Leland Bowman Lock will be closed to navigation from 7:00 a.m. until 7:00 p.m., each day, due to necessary gate inspections involving contract divers. The Lock and Dam Mechanic, Jason P. Petrey, can be reached at (337) 893-6790 or VHF-FM Channel 14, for up-to-date information regarding the closure. The point of contact with the New Orleans District is Victor Landry, at (504) 862-2407.

Chart 11350

LNLM: 14-18

LA - BAYOU D'INDE - Dredge Operation

Continuing until further notice, Magnolia Dredge and Dock, LLC., will begin excavation, place fill and install and maintain structures to implement the Bayou D'Inde Channel and adjacent water bottoms sediment remediation project in Westlake, LA. A dredge, support vessels and marked pipeline will be in the waterway continuously with daylight only operations. The dredge will monitor VHF-FM Channel 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11347

LNLM: 03-18

LA - CALCASIEU RIVER - CALCASIEU SHIP CHANNEL - Kelso Bayou, Mile 0.70 - Bridge Closure

The State Route 27 Swing Span Bridge, across the Kelso Bayou, mile 0.7, at Hackberry, Cameron Parish, Louisiana, will be closed-to-navigation for emergency bridge repairs through April 17, 2018. An alternate route is available.

Charts: 11339 11341

LNLM: 14-18

LA - CALCASIEU LAKE - Dredge Operation

Continuing until approximately December 2018, APOLLO Environmental Strategies will be dredging on the far east side of Calcasieu Lake. The Dredge SANDRA G will conduct dredging operations bound by the following approximate positions:

- 29-52-25.202N 093-15-45.964W,
- 29-52-27.198N 093-14-52.659W,
- 29-51-42.294N 093-15-05.809W and

LA - CALCASIEU LAKE - Dredge Operation

29-51-40.871N 093-15-42.304W.

The dredge discharge pipeline will run east into Grand Bayou marsh. The Dredge SANDRA G will monitor VHF-FM Channel 13 and 16. Mariners are urged to use caution when transiting the area.

Charts: 11341 11347

LNM: 49-17

LA - CALCASIEU RIVER - Dredge Operation

Continuing until approximately August 15, 2018, the U.S. Government Contract Cutterhead Dredges DREDGE 32 and MIKE HOOKS will be conducting dredging operations in the Calcasieu River, from approximate mile 15.0, to mile 36.0, including the A4 Turning Basin. Dredging will be performed 24-hours a day, 7-days a week and will give way to passing navigation. The Cutterhead Dredges DREDGE 32 and MIKE HOOKS will be monitoring VHF-FM Channel 13 or 16. There are numerous work and support vessels associated with this dredging operation, which includes various work barges. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Tracy Falk, at (504) 862-2971.

Chart 11347

LNM: 52-17

LA - CALCASIEU RIVER - Pile Driving Operations

Continuing until approximately June 20, 2018, from 6:00 a.m. until 7:00 p.m., 7-days a week, contractors will be driving pilings along the shoreline of Axiall's A dock and conducting heavy lift operations, north of IH-210 bridge, on the west bank, in approximate position 30-12-52.30N 093-16-57.89W, in the Calcasieu River, Lake Charles, LA. The contractors will be monitoring VHF-FM Channel 16. For further information, mariners can contact M and C Oilfield Inc., at (337) 905-1170. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11339

LNM: 30-17

TX - GULF OF MEXICO - Submarine Cable Installation

Continuing until approximately April 21, 2018, the M/V DECISIVE will be installing fiber optic cable system for Shell Appomattox in the Gulf of Mexico in the vicinity of East Breaks and Alaminos Canyon, Gulf of Mexico, Blocks EB597, EB685, EB772, EB773, AC23, AC461 and AC857. The cable will be deployed from the stern and will have a Remotely Operated Vehicle (ROV) in the water. It is requested that all vessels maintain 2 nautical miles from CPA while operations are in progress. All vessels are requested to keep any deployed gear well clear of the ship and intended cable track. Vessel will be deploying one surface buoy within the noted position table. The buoy is yellow, 12 feet in circumference, marked with a radar reflector and white strobes. The buoy is clearly marked with the name of the ship and contact information. The buoy will be in the water for approximately 11 days while the vessel installs the cable system. The noted positions are waypoints along the overall cable route. The vessel will be laying cable at speeds up to 1.5 knots and also holding station with cable over the stern for long periods of time.

April 2-4, 2018, approximate position 26-56-18.0N 094-49-18.0W, Remotely Operated Vehicle Operations, deploy pipeline mattresses.

April 5-7, 2018, approximate position 27-21-48.0N 094-42-48.0W, Cable surface lay, Remotely Operated Vehicle Operations.

April 8, 2018, approximate position 27-13-06.0N 094-44-06.0W, End of surface lay and cable buoy deployed.

April 9-10, 2018, approximate position 26-07-48.0N 094-54-00.0W, Remotely Operated Vehicle Operations and equipment install near Perdido.

April 11-21, 2018, approximate position 26-30-42.0N 094-53-48.0W, Cable Lay, Buoy recovery, Final splice deployed, Remotely Operated Vehicle Operations.

The M/V DECISIVE will be monitoring VHF-FM Channel 13 or 16 or can be contacted via phone, at (206) 274-8941. Mariners are urged to transit the area with extreme caution.

Charts: 411 1117A 11300

LNM: 13-18

TX - PORT BOLIVAR - Marine Event

The Tall Ships Challenge Galveston will take place from April 4, 2018, at 8 a.m. until April 9, 2018, at 10:00 a.m. Vessels participating in the event will be moored at the Texas A&M University dock or at Pier 21 and Pier 22 in Galveston. A 50 yard Safety Zone will encompass each vessel participating in the event while moored or underway. On April 5, 2018, the parade of sail will begin at 1:00 p.m., in the vicinity of East Beach at approximate position 29-19-10.9N 094-43-09.9W, then southwest to approximate position 29-16-17.2N 094-47-47.5W, then a change of course heading northeast to the finish line at 29-19-10.9N 094-43-08.0W. Mariners are advised to be on the lookout for tall ships that are restricted in their ability to maneuver. For further information about the event, contact MSU Texas City, at (409) 978-2730. To request permission to enter the Safety Zone, contact U.S. Coast Guard Sector Houston-Galveston, at (281) 464-4854.

Chart 11331

LNM: 14-18

TX - GIWW - GALVESTON BAY - Bridge Closure

The Galveston Causeway Railroad bascule span bridge across the GIWW, mile 357.2, WHL, in Galveston, Galveston County, Texas will be closed-to-navigation from Monday, April 16, 2018, through Friday, April 20, 2018, from 7:00 a.m. until 11:00 a.m. and from 1:00 p.m. until 5:00 p.m., each day. Between the hours of 11:00 a.m. until 1:00 p.m., vessels can pass through the bridge, and the bridge will return to normal operations between the hours of 5:00 p.m. and 7:00 a.m. In the event of an emergency, the bridge can be returned to service. The direct phone for the bridge is (713) 412-2929. Mariners are urged to use caution when transiting the area.

Charts: 11322 11323 11324

LNM: 14-18

TX - CLEAR CREEK Public Notice - Application for a U.S. Coast Guard Bridge Permit

All interested parties are notified that an application from the Texas Department of Transportation (TXDOT) for a bridge permit has been received by the Commander, Eighth Coast Guard District, to construct a bridge over a navigable waterway of the United States.

Public Notice (03-18) dated March 15, 2018, pertaining to this proposed bridge permit action, contains a detailed description of the proposed bridge project and includes location maps. Interested parties may view the public notice at the following web site:

<https://www.navcen.uscg.gov/?pageName=pnBridge&sActive=1®ion=8&ext=g>

The notice may also be obtained by calling the Eighth Coast Guard District Bridge Administration Branch, at (504) 671-2128, by writing to Commander (dpb), Eighth Coast Guard District, 500 Poydras Street, Room 1313, New Orleans, LA 70130, by email request at D8DPBALL@uscg.mil

TX - CLEAR CREEK Public Notice - Application for a U.S. Coast Guard Bridge Permit

or by facsimile request, at (504) 671-2133.

Comments from mariners or other interested parties regarding this proposed bridge project will be received for the record at the address given in the public notice through April 17, 2018.

Charts: 11326 11327

LNM: 12-18

TX - BAYPORT FLARE - HOUSTON SHIP CHANNEL - Dredge Operation

Continuing until approximately May 31, 2018, Weeks Marine Inc., Hydraulic Dredge CAPTAIN FRANK and attendant plant will be operating in the vicinity of the Houston Ship Channel between Houston Ship Channel Light 74 (LLNR-24380) and Houston Ship Channel Light 84 (LLNR-24540) and the Bayport Flare.

Bayport Flare work limits will be bound by the following approximate positions:

29-37-15.96N 094-57-33.55W,
29-36-23.50N 094-57-14.11W,
29-36-22.53N 094-58-18.57W and
29-37-13.35N 094-58-22.40W.

Equipment Staging Area will be bound by the following approximate positions:

29-38-04.85N 094-57-13.11W,
29-37-42.72N 094-57-06.59W,
29-37-25.15N 094-57-25.96W and
29-38-00.90N 094-57-37.79W.

Dredge pipeline will be placed outside of the channel, on the east side of the Houston Ship Channel, approximately between Houston Ship Channel Light 76 (LLNR-24390) to Houston Ship Channel Light 102 (LLNR-25085).

Weeks "3301 Booster" will be operating between the following approximate positions:

29-40-58.16N 094-58-43.90W,
29-40-43.58N 094-58-36.82W,
29-40-42.36N 094-58-40.41W and
29-40-57.68N 094-58-47.24W.

Pipeline and tugs will have all required U.S. Coast Guard lighting for night operations. Tugs and crew boats will be monitoring VHF-FM Channel 11, 13 or 72. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Charts: 11326 11327

LNM: 03-18

TX - HOUSTON SHIP CHANNEL - Baytown - Dredge Operation

Continuing until approximately May 31, 2018, the Dredge LINDA LAQUAY will be conducting dredging operations in the vicinity of Houston Ship Channel Light 115 (LLNR-25385) and Houston Ship Channel Light 109 (LLNR-25250). The dredge will have approximately 20,000 feet of submerged pipeline running on the green side of the channel in the vicinity of Houston Ship Channel Light 119 (LLNR-25435) into Peggy's Lake Placement Area. Contractor's related floating plant includes 2 anchor barges, 3 tugboats, a supply barge and a fuel barge. Dredging will be performed 24-hours a day. The Dredge LINDA LAQUAY will be monitoring VHF-FM Channel 03 or 13. The Dredge LINDA LAQUAY can also be contacted, at (361) 487-6470. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Charts: 11326 11328 11329

LNM: 09-18

TX - LAVACA BAY - Wreck

The F/V 7 ROSES has been reported as partially sunk in approximate position 28-35-00.0N 096-33-49.8W. The wreck is reportedly not marked. Mariners are urged to use extreme caution in the area.

Chart 11317

LNM: 14-18

TX - GIWW - CORPUS CHRISTI BAY - Shoaling - UPDATE

Shoaling has been reported in the vicinity of GIWW, mile 549.0, WHL, in approximate position 27-41-00.0N 097-13-00.0W. The shoaling is reportedly marked with a red quick flash buoy. Mariners are urged to transit the area with caution.

Charts: 11308 11309 11312

LNM: 14-18

TX - CORPUS CHRISTI BAY - LA QUINTA CHANNEL - Temporary Precision Directional Light

The U.S. Coast Guard has discontinued the Q green night optic and installed a temporary Precision Directional Light (PDL) on La Quinta Channel Inner Range Front Light (LLNR- 28970). The PDL is user activated by keying the mic on VHF-FM Channel 83A, five times. Once activated it will remain on for 30 minutes. The PDL will operate with a Iso 6 second rhythm displaying a center white sector from 156.6 degrees true to 157.1 degrees true, a green sector from 157.1 degrees true to 157.6 degrees true and a red sector from 156.6 degrees true to 157.1 degrees true. The PDL is not effective seaward of La Quinta Channel Light 11 (LLNR-29050) and La Quinta Channel Light 12 (LLNR-29055).

Charts: 11309 11311

LNM: 11-18

TX - CORPUS CHRISTI HARBOR - TULE LAKE CHANNEL - Dredge Operation

Continuing until approximately May 31, 2018, Weeks Marine Inc., Clamshell Dredge J.C. DEVILLE will be operating in the vicinity of Tule Lake Channel, Corpus Christi, TX. The work perimeter will be the area bound by the following approximate positions:

27-49-12.9N 097-27-08.0W,
27-49-09.6N 097-27-16.6W,
27-49-05.7N 097-27-03.4W and
27-49-02.0N 097-27-13.6W.

TX - CORPUS CHRISTI HARBOR - TULE LAKE CHANNEL - Dredge Operation

Once underway, operations will continue 24-hours a day, 7-days a week. The Clamshell Dredge J.C. DEVILLE will be monitoring VHF-FM Channel 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11311

LNM: 07-18

TX - CORPUS CHRISTI HARBOR - TULE LAKE CHANNEL - Crane Operations

Continuing until approximately June 8, 2018, Weeks Marine Inc., Crane Barge 752 will be operating in the vicinity of Tule Lake Lift Bridge, Corpus Christi, TX. The work perimeter will be the area bound by the following approximate positions:

- 27-49-12.87N 097-27-07.99W,
- 27-49-08.85N 097-27-17.97W,
- 27-49-07.59N 097-27-17.27W and
- 27-49-11.61N 097-27-07.36W.

Demolition operations will continue Monday through Saturday, from 6:30 a.m. until 5:30 p.m. Crane Barge 752 will be monitoring VHF-FM Channel 12 or 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11311

LNM: 18-17

TX - BROWNSVILLE SHIP CHANNEL - Dismantle and Disposal of Navy Aircraft Carriers

Continuing until March 31, 2019, the International Shipbreaking Limited, LLC., Brownsville will be dismantling and disposing of 2 U.S. Navy aircraft carriers in Brownsville, TX. The west boundary will be in approximate position 25-57-50.8N 097-21-50.0W and the east boundary will be in approximate position 25-57-57.8N 097-21-27.0W. All commercial vessels, tour vessels, and pleasure/fishing craft are required to remain within the channel while passing the International Shipbreaking facilities. There will be overhead industrial work in progress which can pose a hazard to vessels in the vicinity of the facility. For additional information mariners can contact Omar Valdez, Facility Security Officer, ISL, at (956) 371-6228, email at omar.valdez@internationalshipbreaking.com., or Dan Richardson, U.S. Navy On-Site Representative (OSR), at (207) 751-2906, email Daniel.Richardson@supshipba.navy.mil.

Chart 11302

LNM: 07-18

SECTION VIII - LIGHT LIST CORRECTIONS

An Asterisk *, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
330	U.S.G.S. SHIP ISLAND MONITORING PLATFORM LIGHT	30-15-16.000N 088-52-08.800W	FI Y 2.5s	37			Maintained by U.S. Geological Survey. Private aid.	14/18
		*						
9425	U.S.G.S. GULFPORT MONITORING PLATFORM LIGHT	30-19-07.800N 088-58-20.600W	FI Y 2.5s	37			Maintained by U.S. Geological Survey. Private aid.	14/18
		*						
12378.01	CPRA ELOI POINT DANGER BREAKWATER LIGHTS 31- 49	29-46-07.710N 089-24-31.580W	FI W 2.5s			Marks shoreline restoration breakwater.	Private aid.	14/18
		*						
12378.02	CPRA ELOI POINT DANGER BREAKWATER LIGHTS 50- 53	29-47-17.590N 089-23-55.310W	FI W 2.5s			Marks shoreline restoration breakwater.	Private aid.	14/18
		*						
18180	GRAND BAYOU DULARGE OBSTRUCTION LIGHT WR2						Remove from list.	14/18
		*						
18185	Grand Bayou Du Large Shoal Buoy 3						Remove from list.	14/18
		*						

SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
18190	GRAND BAYOU DULARGE OBSTRUCTION LIGHT WR4						Remove from list.	14/18
							*	
28306	CORPUS CHRISTI CUT A EAST RANGE FRONT PASSING LIGHT	27-50-41.815N 097-03-13.687W	Fl W 4s	17	4	On same structure as Corpus Christi Cut A East Range Front Light.		14/18
*	*	*	*	*	*	*	*	
34135	Dauphin Bay Daybeacon 1	30-16-02.280N 088-07-24.900W				SG on pile.	Private aid.	14/18
		*						
34140	Dauphin Bay Daybeacon 2	30-16-02.280N 088-07-18.000W				TR on pile.	Private aid.	14/18
		*						
34145	Dauphin Bay Daybeacon 3	30-16-04.080N 088-07-12.780W				SG on pile.	Private aid.	14/18
		*						
34150	Dauphin Bay Daybeacon 4	30-16-03.900N 088-07-07.560W				TR on pile.	Private aid.	14/18
		*						
34155	Dauphin Bay Daybeacon 5	30-16-05.460N 088-06-59.880W				SG on pile.	Private aid.	14/18
		*						
34160	Dauphin Bay Daybeacon 6	30-16-01.380N 088-06-57.900W				TR on pile.	Private aid.	14/18
		*						
34165	Dauphin Bay Daybeacon 7	30-15-55.740N 088-06-52.320W				SG on pile.	Private aid.	14/18
		*						
34170	Dauphin Bay Daybeacon 8	30-15-56.880N 088-06-50.640W				TR on pile.	Private aid.	14/18
		*						
40870	Corpus Christi Baffin Bay Daybeacon 112	27-21-16.265N 097-23-05.073W				TR-TY on pile.	Ra ref.	14/18
		*						

ENCLOSURES

NOAA OCEANOGRAPHIC INSTRUMENTATION DEPLOYMENT OPERATIONS

NOAA establishments of oceanographic instrumentation in the waters of Texas in the vicinity of Port Mansfield and Laguna Madre.

LNM: 14-18

Notice to Navigation Bulletin 18-33

Mississippi River Old River Control Structures Project.

Chart 11354

LNM: 10-18

Commander, Eighth Coast Guard District
Hale Boggs Federal Building, Room 1230
500 Poydras Street
New Orleans, LA 70130-3310
Telephone (504) 671-2327
(Business Hours 7:00 a.m. - 3:30 p.m. Monday - Friday)
(Nights, Weekends, Holidays) (504) 589-6225
RADM Thomas



NOTICE TO MARINERS


Transiting the following locations:

NOAA/National Ocean Service/Center for Operational Oceanographic Products and Services will be deploying oceanographic instrumentation in bottom mounts (fiberglass grate) on USCG maintained buoys, or in a horizontal mount configuration on existing structures (side—pipe or pole) in the waters of Texas in the vicinity of Port Mansfield and Laguna Madre. Three locations will be occupied for the entirety of the project. Six locations will be occupied between February 1, 2018 and September 31, 2018. Similar operations will occur near Corpus Christi and Aransas Pass in February of 2019 and will be described in separate notices. The Table provided lists locations, mount type and period of occupation. Bottom mounted stations should not have any presence on the surface. ATON and side mounted stations are mounted on existing ATONs or structures and have no additional footprint. This equipment is being used for a currents circulation study to improve current predictions, and may help save lives and property. **Most equipment is NOT TRAWL RESISTANT and may cause damage to fishing gear.**

Station ID	Station Name	Latitude	Longitude	Timeframe	Depth (meters)	Height Above Bottom (meters)	Type
STX1808	ICW Port Mansfield, 2 nm N of	N 26° 35' 15.36"	W 97° 24' 29.16"	5/1/2018 to 9/31/2018	3	0.25	Fiberglass Grate
STX1809	ICW Port Mansfield, 1.5 NM S of	N 26° 32' 00.74"	W 97° 24' 07.63"	5/1/2018 to 9/31/2018	3	0.25	Fiberglass Grate
STX1811	ICW at Arroyo Colorado,	N 26° 24' 16.52"	W 97° 20' 42.22"	2/1/2018 to 5/31/2018	4	0.25	Fiberglass Grate
STX1812	ICW Laguna Madre, 2.25 nm S of Arroyo Colorado Cutoff	N 26° 19' 40.33"	W 97° 18' 34.99"	2/1/2018 to 5/31/2018	3.5	0.25	Fiberglass Grate
STX1814	Queen Isabella Causeway Bridge	N 26° 04' 52.57"	W 97° 11' 48.98"	5/1/2018 to 9/31/2018	6.8	N/A	Side - Pipe
STX1819	Laguna Madre Channel, NE end	N 26° 03' 59.15"	W 97° 10' 02.71"	5/1/2018 to 9/31/2018	8.5	N/A	ATON Clamparatus
STX1810	Port Mansfield Channel Entrance	N 26° 33' 50.33"	W 97° 16' 34.72"	11/30/2017 to 2/28/2019	5	0.5	m-TRBM
STX1816	Port Isabel Channel	N 26° 03' 18.76"	W 97° 12' 44.50"	11/17/2017 to 2/28/2019	6	N/A	Side - I-Beam
STX1821	Brazos Santiago Pass	N 26° 04' 02.86"	W 97° 09' 17.32"	11/21/2017 to 2/28/2019	5	N/A	Side - I-Beam



Fiberglass Grate



m-TRBM



ATON Clamparatus

For more information contact Eddie Roggenstein: eddie.roggenstein@noaa.gov or Carl Kammerer: carl.kammerer@noaa.gov.

DEPARTMENT OF THE ARMY
Corps of Engineers, New Orleans District
7400 Leake Avenue
New Orleans, Louisiana 70118

CEMVN-OD-T

2 March 2018

NAVIGATION BULLETIN NO. 18-33

MISSISSIPPI RIVER
OLD RIVER CONTROL STRUCTURES PROJECT (UPDATE)

Reference Navigation Bulletin No. 18-27, dated 27 February 2018, stating that commencing on 4 March 2018 and continuing until further notice, the U.S. Government M/V FRED LEE will be performing picket boat duties at the inflow channels of the Low Sill and Auxiliary Control Structures. This is due to strong currents and turbulent water around the entrances to the inflow channels of the federally-owned Old River Auxiliary (mile 311.0 Above Head of Passes) and Low Sill Control Structures (mile 314.5 Above Head of Passes), and the privately-owned Sidney A. Murray, Jr. Hydroelectric Plant (mile 316.5 Above Head of Passes).

COMMENCING ON 3 MARCH 2018 AND CONTINUING UNTIL FURTHER NOTICE, MARINERS ARE ADVISED THAT THE U.S. GOVERNMENT M/V FRED LEE WILL BE PERFORMING PICKET BOAT DUTIES AT THE INFLOW CHANNELS OF THE LOW SILL AND AUXILIARY CONTROL STRUCTURES.

ADDITIONALLY, COMMENCING ON 8 MARCH 2018, THE U.S. GOVERNMENT M/V WILLIAM JAMES WILL ALSO BE PERFORMING PICKET BOAT DUTIES AT THE INFLOW CHANNELS OF THE LOW SILL AND AUXILIARY CONTROL STRUCTURES UNTIL FURTHER NOTICE. BOTH THE M/V FRED LEE AND M/V WILLIAM JAMES CAN BE REACHED ON VHF MARINE CHANNELS 13 AND 16.

During normal operation of these structures, a drawdown occurs at the entrances to the inflow channels. The drawdown becomes severe when the structures operate during high river stages. The inflow channel of each of the structures is marked with a flashing amber light that is located on the south bank of the entrance.

The inflow channels of these structures are NOT navigable channels and are restricted from recreational purposes due to the hazardous conditions. When in the vicinity of these structures, tows and other vessels should navigate between the red nun buoys and green can buoys that mark the navigation channel of the river. This is advised in order to avoid effects of crosscurrents caused by the drawdown.

Vessels in distress that are drawn into the inflow channel of any of the structures or within the restricted mooring zone (see 33 CFR Ch.1, part 162.80, 01 July 2005 Edition) in the Mississippi River (between mile 311.0 and 340.0 Above Head of Passes) should contact the M/V FRED LEE, M/V WILLIAM JAMES, or any of the following by marine radio or any other emergency means. The structures that are staffed 24 hours each day can be reached as follows:

- Old River Complex - VHF Channel 16 (Marine Radio) / (225) 492-2159 or (225) 492-2690 (Phone)
- Sidney A. Murray, Jr. Hydroelectric Plant - VHF Channel 16 (Marine Radio) / (225) 492-2153 ext. 207 (Phone)
- Old River Lock - VHF Channel 14 (Marine Radio) / (225) 492-3333 or (225) 492-2301 (Phone).

The point of contact with the New Orleans District is Russell Beauvais at (225) 492-2169 (Work) or (225) 202-3851 (Cell).

The following are information resources that are currently available and display in chart format the location of the hazardous conditions at the Old River Control Structures and the Sidney A. Murray, Jr. Hydroelectric Plant:

- Map Nos. 66 and 67 (internet edition) of the 2015 Mississippi River Navigation Charts clearly depict the inflow channels of the above structures; the website address is:
<http://www.mvn.usace.army.mil/Missions/Engineering/Geospatial-Section/MRNB 2015/>
- The hard copy of the 2015 Mississippi River Flood Control and Navigation Maps.
- CD-ROMs of the updated Map Chart Nos. 66 and 67 of the 2015 Mississippi River Navigation Charts.
- Chart No. 1 of the 2016 Atchafalaya River Chart Books (hard copy) and Geographic Information Systems (GIS) publication CD-ROMs.
- Chart No. 1 (internet edition) of the 2016 Atchafalaya River Navigation Charts; the website address is:
<http://www.mvn.usace.army.mil/Missions/Engineering/Geospatial-Section/ARNB 2016/>



RICHARD C. ENTWISLE
Acting Chief, Technical Support Branch
Operations Division