



U.S. Department  
of Homeland Security  
**United States  
Coast Guard**

**LOCAL NOTICE TO MARINERS**

**District 8 GULF**

**Week: 27/18**

8TH DISTRICT LOCAL NOTICE TO MARINERS  
GULF OF MEXICO  
Econfina River, FL to the Rio Grande, TX  
LIGHT LIST VOLUME IV  
NOTICE NUMBER 27/18  
July 3, 2018

References: COMDTPUB P16502.4, Vol. IV, 2018 Edition and Coast Pilot 5.  
Both publications, along with corrections, are available for download at:  
<https://nauticalcharts.noaa.gov/publications/coast-pilot/index.html> .  
[https://www.navcen.uscg.gov/pdf/lightLists/LightList\\_V4\\_2018.pdf](https://www.navcen.uscg.gov/pdf/lightLists/LightList_V4_2018.pdf) .

COAST GUARD DISTRICT 8, WATERWAYS, (504) 671-2327, 7:00 a.m. until 3:30 p.m. (CST)  
NIS WATCHSTANDER PHONE (703) 313-5900 24-HOURS A DAY  
INTERNET ADDRESS [HTTPS://www.navcen.uscg.gov](https://www.navcen.uscg.gov)

COMMENTS REGARDING SECTION VI - PROPOSED CHANGES MAY ALSO BE EMAILED TO: [LocalNoticeFeedback@uscg.mil](mailto:LocalNoticeFeedback@uscg.mil)  
GULF OF MEXICO LNM VIA INTERNET <https://www.navcen.uscg.gov/?pageName=lnmDistrict&region=8&ext=g>

BROADCAST NOTICE TO MARINERS COVERED IN THIS EDITION

ORIGINATING UNIT	BEGINNING BNMS		ENDING BNMS
CCGD8	BNM 0033 - 18 (D8)		BNM 0035 - 18 (D8)
SECTOR MOBILE (MO)	BNM 0358 - 18 (MO)	THROUGH	BNM 0373 - 18 (MO)
SECTOR NEW ORLEANS (NO)	BNM 0438 - 18 (NO)		BNM 0456 - 18 (NO)
SECTOR HOUSTON-GALVESTON (GA)	BNM 0422 - 18 (GA)		BNM 0437 - 18 (GA)
SECTOR CORPUS CHRISTI (CC)	BNM 0245 - 18 (CC)		BNM 0268 - 18 (CC)

**ABBREVIATIONS**

A through H

ADRIFT - Buoy Adrift  
AICW - Atlantic Intracoastal Waterway  
Al - Alternating  
B - Buoy  
BKW - Breakwater  
bl - Blast  
BNM - Broadcast Notice to Mariner  
bu - Blue  
C - Canadian  
CHAN - Channel  
CGD - Coast Guard District  
C/O - Cut Off  
CONT - Contour  
CRK - Creek  
CONST - Construction  
DAYMK/Daymk - Daymark  
DBN/Dbn - Daybeacon  
DBD/DAYBD - Dayboard  
DEFAC - Defaced  
DEST - Destroyed  
DISCON - Discontinued  
DMGD/DAMGD - Damaged  
ec - eclipse  
EST - Established Aid  
ev - every  
EVAL - Evaluation

I through O

I - Interrupted  
ICW - Intracoastal Waterway  
IMCH - Improper Characteristic  
INL - Inlet  
INOP - Not Operating  
INT - Intensity  
ISL - Islet  
Iso - Isophase  
kHz - Kilohertz  
LAT - Latitude  
LB - Lighted Buoy  
LBB - Lighted Bell Buoy  
LHB - Lighted Horn Buoy  
LGB - Lighted Gong Buoy  
LONG - Longitude  
LNM - Local Notice to Mariners  
LT - Light  
LT CONT - Light Continuous  
LTR - Letter  
LWB - Lighted Whistle Buoy  
LWP - Left Watching Properly  
MHz - Megahertz  
MISS/MSNG - Missing  
Mo - Morse Code  
MRASS - Marine Radio Activated Sound Signal  
MSLD - Misleading

P through Z

PRIV - Private Aid  
Q - Quick  
R - Red  
RACON - Radar Transponder Beacon  
Ra ref - Radar reflector  
RBN - Radio Beacon  
REBUILT - Aid Rebuilt  
RECOVERED - Aid Recovered  
RED - Red Buoy  
REFL - Reflective  
RRL - Range Rear Light  
RELIGHTED - Aid Relit  
RELOC - Relocated  
RESET ON STATION - Aid Reset on Station  
RFL - Range Front Light  
RIV - River  
RRASS - Remote Radio Activated Sound Signal  
s - seconds  
SEC - Section  
SHL - Shoaling  
si - silent  
SIG - Signal  
SND - Sound  
SPM - Single Point Mooring Buoy  
SS - Sound Signal  
STA - Station

EXT - Extinguished  
F - Fixed  
fl - flash  
Fl - Flashing  
G - Green  
GIWW - Gulf Intracoastal Waterway  
HAZ - Hazard to Navigation  
HBR - Harbor  
HOR - Horizontal Clearance  
HT - Height

N/C - Not Charted  
NGA - National Geospatial-Intelligence Agency  
NO/NUM - Number  
NOS - National Ocean Service  
NW - Notice Writer  
OBSCU - Obscured  
OBST - Obstruction  
OBSTR - Obstruction  
Oc - Occulting  
ODAS - Anchored Oceanographic Data Buoy

STRUCT - Structure  
St M - Statute Mile  
TEMP - Temporary Aid Change  
TMK - Topmark  
TRLB - Temporarily Replaced by Lighted Buoy  
TRLT - Temporarily Replaced by Light  
TRUB - Temporarily Replaced by Unlighted Buoy  
USACE - Army Corps of Engineers  
W - White  
Y - Yellow

Additional Abbreviations Specific to this LNM Edition:

AHOP Above Head of Passes  
BHOP Below Head of Passes  
HSC Houston Ship Channel  
MRGO Mississippi River - Gulf Outlet  
HWY Highway  
IHNC Inner Harbor Navigation Canal  
F/V Fishing Vessel  
AP Assigned Position  
CPA Closest Point of Approach  
COTP Captain of The Port  
SOLAS Safety of Life at Sea

---

---

## SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

---

### NOTICE OF PLATFORMS, DRILL RIGS AND ATTENDANT VESSELS

The drill rigs and vessels that have been temporarily established will display lights and sound signals, according to size or class, during periods of darkness and reduced visibility. Numerous large anchor buoys which may be lighted displaying a white 4-second characteristic light and unlighted buoy may be established up to 2,000 or more yards from the vessel or rig site. Mariners should avoid passing close aboard the rigs or vessels. Offshore structures that have been established will display lights and a fog signal sounding 1 blast (2-sec. blast) every 20-seconds. Mooring buoys (white with blue band) may be located within 500 yards of the structure for mooring attendant vessels and/or barges. Mariners should avoid passing close aboard structures.

LNM: DPW/PRIV AIDS

### DEPARTMENT OF HOMELAND SECURITY SUSPICIOUS ACTIVITY

The Department of Homeland Security (DHS) encourages the maritime public to report information concerning suspicious activity to the local Federal Bureau of Investigation Joint Terrorism Task Force (JTTF) Office, [http://www.fbi.gov/about-us/investigate/terrorism/terrorism\\_jttfs](http://www.fbi.gov/about-us/investigate/terrorism/terrorism_jttfs), or to other appropriate authorities. The U.S. Coast Guard reminds the maritime industry that they may also report information concerning suspicious activity to the [www.AmericasWaterwayWatch.org](http://www.AmericasWaterwayWatch.org), the National Response Center (NRC) 1-800-424-8802 or 1-877-24WATCH.

LNM: DPW

### SPECIAL NOTICE - HURRICANE SEASON

The hurricane season is considered to extend from June 1, 2018 through November 30, 2018. Tropical storms and hurricanes often develop with little warning. Extensive damage to small craft often results in loss of life. All mariners, particularly operators of small fishing vessels, are reminded that advanced planning which might prevent loss of vessel and crew should include:

- (a) Instruction of crew and passengers in location of emergency equipment and emergency procedures.
- (b) Presailing check of vessel, machinery, and equipment for seaworthiness.
- (c) Installation of strong ground tackle.
- (d) Review of storm center evacuation procedures.
- (e) Knowledge of nearest hurricane shelter or port.
- (f) Constant radio watch on VHF-FM Channel 16 and frequent monitoring of VHF-FM Weather Channel for National Weather Service Broadcasts.

Due to tropical storms and hurricanes, mariners should be aware that aids to navigation along the coasts of Florida, Alabama, Mississippi, Louisiana and Texas, and on structures in the Gulf of Mexico may have been damaged or destroyed. Lighted and unlighted buoys may have been moved from charted position, damaged, sunk, extinguished, or otherwise made inoperative. Mariners should not rely completely upon the position or operation of an aid to navigation, but should also employ such other methods of determining position as may be available. Wrecks and submerged obstructions may have been moved from charted locations and pipelines may become uncovered or moved, due to the force of storm surges. Storm surge and winds may create shoals in affected waters. The U.S. Aids to Navigation system marking wrecks and obstructions is intended for use with nautical charts. The exact meaning of a particular aid to navigation may not be clear to the mariner unless the appropriate nautical chart is consulted. Virtually all U.S. lateral marks are located in IALA Region B and follow the traditional 3R rule of red,

right, returning. In U.S. waters, returning from seaward and proceeding toward the head of navigation is generally considered as moving westerly along the Gulf Coast. Mariners should exercise caution and report aid to navigation discrepancies and hazards to navigation to the nearest Coast Guard unit.

During the hurricane season, drawbridges along the coast may deviate from normal operating procedures. Some bridges may be unable to open because of high winds. Others may be authorized extended closed periods to facilitate evacuation of land traffic. Mariners should anticipate bridge closures by listening to the National Weather Service and Coast Guard Broadcasts on hurricane conditions. Because of the uncertainty of hurricane movements and bridge closures, mariners are urged to seek passage through drawbridges well in advance of the arrival of gale force winds.

Locks and Navigation Structures are operated to pass navigation until such time, that water levels and wind conditions warrant operations unsafe. The structures are then closed in accordance with hurricane preparation procedures. Mariners will be given as much notice as possible when structures are to be closed. However, these structures may be closed on short notice well in advance of the actual storm. Mariners are advised to seek safe harbor as soon as possible.

LNM: 21-18

### **SPECIAL NOTICE - HURRICANE SEASON**

Mariners are advised that the Hurricane Season extends from June 1, 2018 until November 30, 2018.

Locks and Navigation Structures operated by the U.S. Army Corps of Engineers will attempt to pass navigation until such time that water levels and wind conditions render operations unsafe.

The structures are then closed in accordance with Hurricane procedures. Be advised that this includes the Harvey Canal Sector Gate, located in the Harvey Canal immediately south of the Lapalco Bridge at mile marker 2.8 of the Gulf Intracoastal Waterway (GIWW) West of Harvey Lock (WHL).

Mariners will be given as much notice as possible when Structures are to be closed. However, these Structures may be closed on short notice well in advance of the actual storm. Mariners are advised to seek safe harbor as soon as possible.

General information for the New Orleans District can be found at: <http://www.mvn.usace.army.mil>

Mariners using the following structures should consult the respective agency listed below for updates:

- \* GIWW Sector Gate (on the Inner Harbor Navigation Canal Surge Barrier) - Southeast Louisiana Flood Protection Authority-East
- \* Bayou Bienvenue Floodgate - Southeast Louisiana Flood Protection Authority-East
- \* Bayou Bienvenue Lift Gate - Southeast Louisiana Flood Protection Authority-East
- \* Seabrook Sector Gate - Southeast Louisiana Flood Protection Authority-East
- \* Bayou Dupre Floodgate - Southeast Louisiana Flood Protection Authority-East

Information for the Southeast Louisiana Flood Protection Authority-East can be found at: [https://urldefense.proofpoint.com/v2/url?u=http-3A\\_\\_www.slfpae.com\\_closures2.aspx&d=DwIFAg&c=0NKfg44GVknAU-XkWXjNnXQ&r=nFxrG0bZmQJWP9Nve12jxoIXB3scC5v7GE4xFny3If8&m=DaCdPP8xDeKj7a3xg6dHSSkisWWsicsC71E-SD\\_dzao&s=fCVVL2nqAonjE8JSY42cbupB7OphFVgQ\\_6Mb8YahZgA&e=](https://urldefense.proofpoint.com/v2/url?u=http-3A__www.slfpae.com_closures2.aspx&d=DwIFAg&c=0NKfg44GVknAU-XkWXjNnXQ&r=nFxrG0bZmQJWP9Nve12jxoIXB3scC5v7GE4xFny3If8&m=DaCdPP8xDeKj7a3xg6dHSSkisWWsicsC71E-SD_dzao&s=fCVVL2nqAonjE8JSY42cbupB7OphFVgQ_6Mb8YahZgA&e=)

- \* GIWW West Closure Complex (WCC) - Southeast Louisiana Flood Protection Authority-West
- \* Bayou Segnette Barge Gate - Southeast Louisiana Flood Protection Authority-West

Information for the Southeast Louisiana Flood Protection Authority-West can be found at: [https://urldefense.proofpoint.com/v2/url?u=http-3A\\_\\_slfpaw.org\\_floodgate-2Dsummary\\_&d=DwIFAg&c=0NKfg44GVknAU-XkWXjNnXQ&r=nFxrG0bZmQJWP9Nve12jxoIXB3scC5v7GE4xFny3If8&m=DaCdPP8xDeKj7a3xg6dHSSkisWWsicsC71E-SD\\_dzao&s=\\_gIPCMgD3PVzhaEK47bnwfcRxiS0C4c8LA3o9VsFyWg&e=](https://urldefense.proofpoint.com/v2/url?u=http-3A__slfpaw.org_floodgate-2Dsummary_&d=DwIFAg&c=0NKfg44GVknAU-XkWXjNnXQ&r=nFxrG0bZmQJWP9Nve12jxoIXB3scC5v7GE4xFny3If8&m=DaCdPP8xDeKj7a3xg6dHSSkisWWsicsC71E-SD_dzao&s=_gIPCMgD3PVzhaEK47bnwfcRxiS0C4c8LA3o9VsFyWg&e=)

- \* Bayou Verret Floodgate (also known as the Sellers Canal Floodgate) - St. Charles Parish

Information for St. Charles Parish Government can be found at: [https://urldefense.proofpoint.com/v2/url?u=http-3A\\_\\_www.stcharlesgov.net\\_departments\\_emergency-2Dpreparedness&d=DwIFAg&c=0NKfg44GVknAU-XkWXjNnXQ&r=nFxrG0bZmQJWP9Nve12jxoIXB3scC5v7GE4xFny3If8&m=DaCdPP8xDeKj7a3xg6dHSSkisWWsicsC71E-SD\\_dzao&s=dR\\_GiltItdIb4F-ZaQic8veX2pC--7qrbFzfz2YE1rw&e=](https://urldefense.proofpoint.com/v2/url?u=http-3A__www.stcharlesgov.net_departments_emergency-2Dpreparedness&d=DwIFAg&c=0NKfg44GVknAU-XkWXjNnXQ&r=nFxrG0bZmQJWP9Nve12jxoIXB3scC5v7GE4xFny3If8&m=DaCdPP8xDeKj7a3xg6dHSSkisWWsicsC71E-SD_dzao&s=dR_GiltItdIb4F-ZaQic8veX2pC--7qrbFzfz2YE1rw&e=)

- \* Hero Canal Stoplog Gate - Plaquemines Parish
- \* Empire Lock - Plaquemines Parish
- \* Ostrica Lock - Plaquemines Parish
- \* Empire Floodgate - Plaquemines Parish

Information for Plaquemines Parish Government can be found at: [https://urldefense.proofpoint.com/v2/url?u=http-3A\\_\\_plaqueminesparish.com\\_flood-2Dcontrol-2Dheavy-2Dequipment\\_&d=DwIFAg&c=0NKfg44GVknAU-XkWXjNnXQ&r=nFxrG0bZmQJWP9Nve12jxoIXB3scC5v7GE4xFny3If8&m=DaCdPP8xDeKj7a3xg6dHSSkisWWsicsC71E-SD\\_dzao&s=fCVVL2nqAonjE8JSY42cbupB7OphFVgQ\\_6Mb8YahZgA&e=](https://urldefense.proofpoint.com/v2/url?u=http-3A__plaqueminesparish.com_flood-2Dcontrol-2Dheavy-2Dequipment_&d=DwIFAg&c=0NKfg44GVknAU-XkWXjNnXQ&r=nFxrG0bZmQJWP9Nve12jxoIXB3scC5v7GE4xFny3If8&m=DaCdPP8xDeKj7a3xg6dHSSkisWWsicsC71E-SD_dzao&s=fCVVL2nqAonjE8JSY42cbupB7OphFVgQ_6Mb8YahZgA&e=)

SD\_dzao&s=WnJ8JI59pD2LAGUQtDa5j8ZRBZEjv3kOwXA8i4gXszE&e=

\* Larose Floodgate - Lafourche Parish

\* Leon Theriot Floodgate (Golden Meadow) - Lafourche Parish

Information for Lafourche Parish Government can be found at: [https://urldefense.proofpoint.com/v2/url?u=http-3A\\_\\_www.lafourchegov.org\\_departments\\_homeland-2Dsecurity-2Demergency-2Dpreparedness&d=DwlFAG&c=0NKfg44GVknAU-XkWXjNxQ&r=nFxrG0bZmQJWP9Nve12jxoIXB3scC5v7GE4xFny3If8&m=DaCdPP8xDeKj7a3xg6dHSSkisWWsicsC71E-SD\\_dzao&s=bKMkWK9wFTaWiiN9wPvILeEaTTr4CvQ2NRJY7b7Rrps&e=](https://urldefense.proofpoint.com/v2/url?u=http-3A__www.lafourchegov.org_departments_homeland-2Dsecurity-2Demergency-2Dpreparedness&d=DwlFAG&c=0NKfg44GVknAU-XkWXjNxQ&r=nFxrG0bZmQJWP9Nve12jxoIXB3scC5v7GE4xFny3If8&m=DaCdPP8xDeKj7a3xg6dHSSkisWWsicsC71E-SD_dzao&s=bKMkWK9wFTaWiiN9wPvILeEaTTr4CvQ2NRJY7b7Rrps&e=)

LNM: 22-18

**U.S. COAST GUARD MARINE SAFETY UNIT HOUMA/MORGAN CITY MARINE SAFETY INFORMATION BULLETIN - HURRICANE SEASON 2018**

Attached as an enclosure to this LNM, is U.S. Coast Guard Marine Safety Unit Houma/Morgan City MSIB 004-18, regarding Hurricane Season 2018.

LNM: 25-18

**FL - GPS TESTING**

On the below dates, GPS testing will be conducted centered in approximate position 30-34-24.0002N 086-26-40.8602W, Okaloosa County, Florida. The impact radius is approximately 320 nautical miles:  
July 5-14, 2018.

The GPS navigation signal may be unreliable due to testing on GPS frequencies used by shipboard navigation and handheld systems. Systems that rely on GPS, such as E-911, AIS and DSC, may be affected. More information is available at the U.S. Coast Guard Navigation Center web site [www.navcen.uscg.gov](http://www.navcen.uscg.gov). During this period, GPS users are encouraged to report any GPS service outages that they may experience to the Navigation Information Service (NIS) by calling (703) 313-5900 or by using the NAVCEN web site to submit a GPS problem report.

LNM: 24-18

**LA - GPS TESTING - FORT POLK, LOUISIANA**

Continuing until July 4, 2018, GPS testing will be conducted centered in approximate position 31-05-35.0N 093-03-50.2W, at Fort Polk, Louisiana. The impact radius is approximately 45 NM from the center. The GPS navigational signal may be unreliable due to testing on GPS frequencies used by shipboard navigation and handheld systems. During these periods, systems that rely on GPS, such as E-911, AIS and DSC may be affected. More information is available at the U.S. Coast Guard Navigation Center Web Site [www.navcen.uscg.gov](http://www.navcen.uscg.gov). During these periods, GPS users are encouraged to report any GPS service outages that they may experience during the testing, via the Navigation Information Service (NIS) by calling (703) 313-5900 or by using the NAVCEN Web Site to submit a GPS problem report.

LNM: 26-18

**U.S. COAST GUARD EIGHTH DISTRICT - TESTING OF AUTOMATIC IDENTIFICATION SYSTEM (AIS) AIDS TO NAVIGATION**

The U.S. Coast Guard has temporarily established Synthetic AIS Aids to Navigation in Southwest Pass and the Mississippi River for the following federal aids:

- A. (LLNR-12685) Southwest Pass Entrance Range Front Light, in approximate position 28-54-34.456n 089-25-55.186w, Marine Mobile Service Identity, MMSI number 993682136.
- B. (LLNR-12690) Southwest Pass Entrance Range Rear Light in approximate position 28-54-45.822N 089-25-55.099W, MMSI number 993682137.
- C. (LLNR-12735) Southwest Pass East Jetty End Lighted Buoy 4A, in approximate position 28-54-16.743N 089-25-48.869W, MMSI number 993682138.
- D. (LLNR-14650) Lower Belmont Crossing Range Front Light, in approximate position 30-01-07.491N 090-46-01.903W, MMSI number 993682134.
- E. (LLNR-14655) Lower Belmont Crossing Range Rear Light, in approximate position 30-01-09.488N 090-45-59.267W, MMSI number 993682135.

Mariners capable of receiving and displaying these test AIS are encouraged to provide feedback and report any anomalies to the Eighth District Waterways Management Division (DPW) via email at [D8localnoticefeedback@uscg.mil](mailto:D8localnoticefeedback@uscg.mil).

LNM: 24-18

---

**SECTION II - DISCREPANCIES**

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

---

**DISCREPANCIES (FEDERAL AIDS)**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

10	St Marks Light	LT EXT	11406	0448-16 MO	22/16
1377	Colorado River East Jetty Entrance Obstruction Light	STRUCT DEST	11319	0070-18 CC	11/18
1460	NOAA Lighted Data Buoy 42003 (ODAS)	ADRIFT	11006	0028-17 D8	20/17
1490	St Marks Light	LT EXT	11406	0448-16 MO	22/16
2535	Carrabelle Channel Buoy 7	HAZ NAV/BUOY DMGD/DAYMK MISSING	11404	0356-18 MO	16/17
2550	Carrabelle Channel Lighted Buoy 12	HAZ NAV/SINKING/BUOY DMGD/TRLB	11404	0084-18 MO	01/18
3020	St Joseph Bay Entrance Lighted Buoy 2	SINKING/TRLB	11393	0325-18 MO	25/18
3025	St Joseph Bay Entrance A Range Front Light	STRUCT DMGD/TRLB	11393	0931-13 MO	47/13
4675	Choctawhatchee Bay Entrance Daybeacon 14	STRUCT DEST/TRUB	11385	0347-18 MO	25/18
4855	Pensacola Bay Navy Range Rear Light	LT EXT/STRUCT DMGD	11384	1028-16 MO	50/13
4925	Pensacola Bay Channel Range Rear Light	LT EXT	11378	0278-18 MO	20/18
5340	Bayou Chico Daybeacon 13	STRUCT DEST/TRUB	11378		45/17
6015	Bayou St John Daybeacon 17	STRUCT DEST/TRUB	11378	0365-18 MO	26/18
6300	Mobile Channel Light 30	TRLB/STRUCT DEST	11378		38/15
6320	Mobile Channel Light 34	STRUCT DEST/TRLB	11377	0369-18 MO	30/16
6335	Mobile Channel Light 38	STRUCT DEST/TRLB	11377	0370-18 MO	15/17
6340	Mobile Channel Light 39	STRUCT DEST/TRLB	11377	0371-18 MO	03/18
6445	Mobile Channel Light 43	STRUCT DEST/TRLB	11380		04/18
6450	Mobile Channel Light 44	STRUCT DEST/TRLB	11380	0090-18 MO	17/17
6520	Mobile Channel Light 51	OFF STA/STRUCT DEST/TRLB	11380	0105-18 MO	46/13
6540	Theodore Ship Channel Buoy 1A	TRUB	11376	0274-18 MO	10/18
6550	Mobile Channel Lighted Buoy 55	TRLB	11380	0027-18 MO	03/18
6570	Mobile Channel Light 60	STRUCT DEST/TRLB	11376		06/17
6595	Mobile Channel Light 67	STRUCT DEST/TRLB	11376	0212-18 MO	17/18
6605	Mobile Channel Light 69	STRUCT DEST/TRLB	11376	0213-18 MO	17/18
6610	Mobile Channel Light 70	STRUCT DEST/TRLB	11376	0758-17 MO	41/17
6660	Mobile Channel Light 76	STRUCT DEST/TRLB	11376	0152-18 MO	41/17
6697	MOBILE TURNING BASIN LIGHT A	STRUCT DEST	11376	0584-47 MO	33/17
6725	Twelve Mile Island Light	STRUCT DEST/TRLB	11376	0924-17 MO	46/17
6970	Mullet Point Light 2	STRUCT DEST	11377	0273-18 MO	43/17
7340	Theodore Ship Channel Outer Range Rear Light	DAYMK MISSING	11376	0767-17 MO	41/17
7485	Dog River Channel Light 8	STRUCT DEST/TRLB	11376	0594-17 MO	34/17
7705	Bayou La Batre Buoy 14	MISSING/TRUB	11374		28/17
7755	Bayou La Batre Light 24	DAYMK MISSING	11374	0266-18 MO	20/18
7860	Horn Island Pass Lighted Buoy 2	LT EXT	11373	0033-18 MO	04/18
7910	Horn Island Pass Lighted Buoy 9	OFF STA	11375	0998-17 MO	51/17
7970	Pascagoula Channel D Range Rear Light	DAYMK DMGD	11375		41/17
8010	Pascagoula Channel Lighted Buoy 25	OFF STA	11375	0292-18 MO	22/18
8020	Pascagoula Channel Lighted Buoy 27	LT EXT	11375	0358-18 MO	26/18
8040	Pascagoula Channel Lighted Buoy 31	OFF STA	11375	0030-18 MO	03/18
8125	Pascagoula Channel Light 40	STRUCT DMGD	11375	0352-18 MO	26/18
8130	Pascagoula Channel Light 41	STRUCT DEST/TRLB	11375	0252-18 MO	21/18
8165	Pascagoula Channel Spoil Bank Wreck Light WR	LT EXT	11375	0334-18 MO	25/18
8195	Pascagoula Channel Light 47	LT EXT/STRUCT DMGD	11375	0354-18 MO	26/18
8210	Pascagoula Channel Light 50	STRUCT DEST/TRLB	11375	0794-17 MO	49/16
8225	Pascagoula Channel Light 52	STRUCT DEST/TRLB	11373	0338-18 MO	25/18
8295	Pascagoula River Daybeacon 4	DAYMK MISSING	11374		26/18
8455	Bayou Casotte Channel Light 6	STRUCT DEST/TRLB	11375	1020-17 MO	52/17
8470	Bayou Casotte Channel Light 7	STRUCT DEST/TRLB	11375	1021-17 MO	52/17
8705	Biloxi East Channel Daybeacon 3	STRUCT DEST/TRUB	11372	0224-18 MO	18/18

8760	Biloxi East Channel Daybeacon 13	STRUCT DEST/TRUB	11372	0351-18 MO	26/18
8770	Biloxi East Channel Daybeacon 16	STRUCT DEST/TRUB	11372	0200-18 MO	16/18
9130	Ott Bayou Channel Daybeacon 1	STRUCT DEST/TRUB	11372	0119-18 MO	10/18
9355	Back Bay Of Biloxi Daybeacon 20	STRUCT DEST/TRUB	11372	0281-18 MO	21/18
9380	Big Lake Junction Daybeacon	STRUCT DEST/TRLB	11372	0118-18 MO	10/18
9765	Gulfport Ship Channel Light 32	STRUCT DEST/TRLB	11372	0330-18 MO	25/18
9775	Gulfport Ship Channel Light 34	STRUCT DEST/TRLB	11372	0340-18 MO	25/18
9785	Gulfport Obstruction Light	DAYMK DMGD	11372		11/18
9820	Gulfport Ship Channel Light 41	STRUCT DEST/TRLB	11372	0204-18 MO	17/18
9835	Gulfport Ship Channel Light 44	STRUCT DEST/TRLB	11372	0106-18 MO	09/18
10600	Pearl River Daybeacon 33	MISSING/STRUCT DEST/TRUB	11367	0117-18 MO	10/18
12445	Baptiste Collette Bayou Light 13	STRUCT DEST/TRLB	11353	0420-18 NO	25/18
12490	Baptiste Collette Bayou Daybeacon 21	STRUCT DEST/TRUB	11353	0419-18 NO	25/18
12655	South Pass Light 14 A	STRUCT DEST/TRLB	11361	0351-18 NO	21/18
12730	Southwest Pass East Jetty End Light 4	LT IMCH	11361	0392-18 NO	24/18
<b>12920</b>	<b>Southwest Pass Head Range Rear Light</b>	<b>LT EXT</b>	<b>11361</b>	<b>0451-18 NO</b>	<b>27/18</b>
13085	Jump Shoal Lighted Buoy 10A	MISSING	11361	0315-18 NO	19/18
13090	The Jump Wharf Lights (3)	STRUCT DEST	11353	0201-17 NO	14/17
13945	Six Mile Point Light 102	LT EXT/STRUCT DMGD	11368	0160-18 NO	07/18
14160	Mississippi River Wreck Lighted Buoy WR4	LT EXT	11370	0230-18 NO	14/18
14245	Hale Boggs Luling Bridge Approach Buoy B	OFF STA	11370	0314-18 NO	19/18
14555	Gramercy Bridge Approach Buoy 1	OFF STA	11370	0219-18 NO	13/18
14835	Sunshine Bridge Approach Buoy 1	MISSING	11370	0970-16 NO	50/16
14840	Sunshine Bridge Approach Buoy A	ADRIFT	11370	0201-18 NO	12/18
14955	Smoke Bend Range Front Light	STRUCT DEST	11370	0308-18 NO	15/18
14975	Eighty One Mile Point Light 180	STRUCT DEST	11370	0309-18 NO	19/18
15300	Arlington Range Front Light	LT IMCH/TRLT	11370	0065-18 NO	32/15
15305	Arlington Range Rear Light	LT IMCH/TRLT	11370	0066-18 NO	42/15
15429	Baton Rouge Bridge Baton Rouge Pier North V-AIS	AIS INOP	11370	0156-18 NO	10/18
15455	Tiger Pass Light 6	TRLB/STRUCT DEST	11361	0154-14 NO	08/14
15820	Barataria Pass Buoy 4	TRUB	11365	0677-17 NO	13/17
15830	Barataria Pass Lighted Buoy 6	OFF STA/TRLB	11365	0412-18 NO	26/17
15835	Barataria Pass Buoy 7	TRLB	11365	0501-17 NO	26/17
16125	Barataria Waterway Daybeacon 3	STRUCT DEST/TRUB	11365	0260-18 NO	16/18
17815	Houma Navigation Canal Light 13	STRUCT DEST/TRLB	11355	0326-18 NO	20/18
17870	Houma Navigation Canal Light 19	STRUCT DEST/TRLB	11355	0377-18 NO	23/18
18615	Atchafalaya Channel Light 19	STRUCT DEST/TRLB	11351	0334-18 NO	20/18
18620	Atchafalaya Channel Daybeacon 20	STRUCT DEST/TRUB	11351	0333-18 NO	20/18
18630	Atchafalaya Channel Light 22	STRUCT DEST/TRLB	11351	0332-18 NO	20/18
18645	Atchafalaya Channel Light 23	STRUCT DEST/TRLB	11351	0336-18 NO	20/18
18705	Atchafalaya Channel Light 34	STRUCT DEST/TRLB	11351	0335-18 NO	20/18
18735	Atchafalaya Channel Light 39	STRUCT DEST/TRLB	11351	0431-18 NO	26/18
18755	Atchafalaya Channel Light 44	STRUCT DEST/TRLB	11351		20/18
18760	Atchafalaya Channel Light 45	STRUCT DEST/TRLB	11351	0430-18 NO	26/18
<b>19090.01</b>	<b>Atchafalaya River Daybeacon 23</b>	<b>STRUCT DEST</b>	<b>11351</b>	<b>0449-18 NO</b>	<b>27/18</b>
20115	Southwest Pass - Vermilion Bay Channel Light 3	STRUCT DEST/TRLB	11349	0441-18 NO	26/18
20585	Freshwater Bayou Daybeacon 5	STRUCT DEST/TRUB	11349		23/18
20590	Freshwater Bayou Light 6	STRUCT DEST/TRLB	11350	0355-18 NO	22/18
20600	Freshwater Bayou Daybeacon 8	STRUCT DEST/TRUB	11349	0432-18 NO	26/18
20610	Freshwater Bayou Light 10	DAYMK MISSING	11350	0433-18 NO	26/18
20965	Mermentau River Crossing Buoy 4	OFF STA	11348	0421-18 GA	26/18
21405	Calcasieu Channel East Jetty Light 42	OFF STA/STRUCT DEST/HAZ NAV/TRLB	11347	0676-17 GA	29/14

21425	Monkey Island Daybeacon 2	STRUCT DEST/TRUB	11347	0391-18 GA	25/18
21430	Calcasieu Channel Light 50	STRUCT DEST	11339		44/17
21765	Calcasieu Channel Light 89	STRUCT DEST/TRLB	11348	0278-18 GA	18/18
21770	Calcasieu Channel Light 90	STRUCT DEST/TRLB	11347	0279-18 GA	18/18
21775	Calcasieu Channel Light 91	STRUCT DEST/TRLB	11348	0140-18 GA	10/18
21795	Devils Elbow Light 3	STRUCT DEST	11348	0423-18 GA	26/18
22780	Port Arthur Canal Light 40	STRUCT DEST/TRLB	11342	0053-18 GA	05/18
22900	Sabine-Neches Canal Light 52	STRUCT DEST/TRLB	11331	0268-18 GA	06/18
23110	Sabine River Daybeacon 4	STRUCT DEST/TRUB	11331	0136-18 GA	10/18
23115	Sabine River Light 5	STRUCT DEST/TRLB	11343	0133-18 GA	10/18
23150	Sabine River Daybeacon 13A	STRUCT DEST/TRUB	11331	0370-18 GA	12/18
23225	Sabine River Daybeacon 25	STRUCT DEST/TRLB	11331	0130-18 GA	10/18
23245	Conway Bayou Danger Daybeacon B	DAYMK DMGD	11331	0424-18 GA	26/18
23250	Sabine River Daybeacon 29	STRUCT DEST/TRUB	11331	0137-18 GA	10/18
23960	Houston Ship Channel Lighted Buoy 26	REDUCED INT	11324	0354-18 GA	23/18
24020	Houston Ship Channel Light 34	STRUCT DEST/TRLB	11324	0429-18 GA	38/17
24025	Houston Ship Channel Light 35	STRUCT DEST/TRLB	11324	0418-18 GA	26/18
24040	Houston Ship Channel Light 36	STRUCT DEST/TRLB	11324	0407-18 GA	23/18
24050	Houston Ship Channel Light 38	STRUCT DEST/TRLB	11324	0351-18 GA	22/18
<b>24070</b>	<b>Houston Ship Channel Light 39</b>	<b>STRUCT DEST</b>	<b>11324</b>	<b>0426-18 GA</b>	<b>27/18</b>
24080	Houston Ship Channel Light 41	STRUCT DEST/TRLB	11324	0389-18 GA	25/18
24085	Houston Ship Channel Light 42	STRUCT DEST/TRLB	11324	0373-18 GA	24/18
24090	Houston Ship Channel Light 43	STRUCT DEST/TRLB	11327	0312-18 GA	20/18
24100	Houston Ship Channel Light 45	STRUCT DEST/TRLB	11327	0331-18 GA	20/18
24110	Houston Ship Channel Light 47	STRUCT DEST/TRLB	11327	0411-18 GA	26/18
24185	Houston Ship Channel Light 54	STRUCT DEST/TRLB	11327	0286-18 GA	18/18
<b>24210</b>	<b>Upper Galveston Bay Outer Range Rear Light</b>	<b>DAYMK DMGD</b>	<b>11327</b>	<b>0428-18 GA</b>	<b>27/18</b>
24230	Houston Ship Channel Light 56	STRUCT DEST/TRLB	11327	0327-18 GA	21/18
24240	Houston Ship Channel Light 58	STRUCT DEST/TRLB	11327	0192-18 GA	13/18
24245	Houston Ship Channel Light 59	STRUCT DEST/TRLB	11327	0228-18 GA	15/18
24250	Houston Ship Channel Light 60	STRUCT DEST/TRLB	11327	0287-18 GA	18/18
24260	Houston Ship Channel Light 62	STRUCT DEST/TRLB	11327	0396-18 GA	22/18
24305	Houston Ship Channel Light 65	STRUCT DEST/TRLB	11327	0302-18 GA	19/18
24310	Houston Ship Channel Light 66	STRUCT DEST/TRLB	11327	0388-18 GA	25/18
24320	Houston Ship Channel Light 68	STRUCT DEST/TRLB	11327	0313-18 GA	18/18
24330	Houston Ship Channel Light 70	STRUCT DEST/TRLB	11327	0335-18 GA	22/18
24365	Houston Ship Channel Light 71	STRUCT DEST/TRLB	11327	0343-18 GA	22/18
24375	Houston Ship Channel Light 73	STRUCT DEST/TRLB	11327	0342-18 GA	22/18
24380	Houston Ship Channel Light 74	STRUCT DEST/TRLB	11327	0377-18 GA	24/18
24440	Bayport Ship Channel Outer Range Rear Light	LT EXT/STRUCT DMGD	11327	0316-18 GA	08/18
24512	Bayport Ship Channel Security Zone Marker 2	STRUCT DEST	11327	0365-18 GA	21/18
24520	Houston Ship Channel Light 78	STRUCT DEST	11327	0381-18 GA	24/18
24685	Cedar Bayou Channel Daybeacon 26	STRUCT DEST/TRUB	11328	0397-18 GA	25/18
24700	Cedar Bayou Channel Daybeacon 29	STRUCT DMGD	11328	0347-18 GA	22/18
24710	Cedar Bayou Channel Light 31	STRUCT DEST/TRLB	11328	0348-18 GA	22/18
25425	Houston Ship Channel Light 118	STRUCT DEST/TRLB	11329	0184-18 GA	13/18
25525	Lynchburg Inbound Range Front Light	DAYMK MISSING/STRUCT DMGD	11329	0412-18 GA	26/18
25555	San Jacinto Junction Light SJ	STRUCT DMGD	11329	0399-18 GA	25/18
25820	Houston Ship Channel Light 162	STRUCT DEST/TRLB	11325	0361-18 GA	23/18
25822	Vinces'S Bayou Security Zone Marker	STRUCT DEST	11325	0367-18 GA	21/18
25843	Brays Bayou Security Zone Marker	STRUCT DEST	11325	0368-18 GA	21/18
25844	Houston Ship Channel Security Zone Marker 3	STRUCT DEST	11325	0366-18 GA	21/18
26085	Texas City Channel Light 9	STRUCT DEST/TRLB	11324	0246-18 GA	16/18

26130	Texas City Channel Light 14	STRUCT DEST/TRLB	11324	0288-18 GA	15/18
26270	Dickinson Bayou Channel Light 14	STRUCT DEST/TRLB	11327		15/18
27047	Colorado River East Jetty Entrance Obstruction Light	STRUCT DEST	11319	0070-18 CC	11/18
27180	Matagorda Ship Channel B Range Rear Light	STRUCT DEST	11319		36/17
27212	MATAGORDA SHIP CHANNEL LIGHT 21	STRUCT DEST/TRLB	11319	0090-18 CC	12/18
27230	Matagorda Ship Channel Light 26	STRUCT DEST/TRLB	11319	0247-18 CC	23/18
27715	Port Lavaca Channel Light 5	STRUCT DEST/TRLB	11317	0159-18 CC	17/18
27815	Port Lavaca Harbor of Refuge Daybeacon 10	STRUCT DEST/TRUB	11317	0033-18 CC	11/14
27900	Lavaca Bay Channel Daybeacon 22	DAYMK IMCH	11317	0205-14 CC	11/14
27910	Lavaca River Daybeacon 3	DAYMK IMCH	11317	0206-14 CC	11/14
28325	Port Aransas Harbor Daybeacon 4	STRUCT DEST/TRUB	11309	0100-18 CC	36/17
28747.4	Corpus Christi Bay Alternate Route Light 4	STRUCT DEST/TRLB	11308		39/17
28875	Tule Lake Channel E Range Front Light	STRUCT DMGD	11311		36/17
29135	Rincon Canal Daybeacon 9	MISSING/STRUCT DEST/TRUB	11311	0234-17 CC	19/17
29355	Port Mansfield Channel Daybeacon 17	TRUB/STRUCT DEST	11306	0304-14 CC	17/14
29375	Port Mansfield Channel Daybeacon 21	STRUCT DEST/TRUB	11306	0529-15 CC	40/15
29395	Port Mansfield Channel Daybeacon 25	STRUCT DEST/TRUB	11306		30/16
29420	Port Mansfield Channel Range Rear Light	DAYMK MISSING	11306	0231-18 CC	23/18
29465	Brazos Santiago Entrance Range Front Light	STRUCT DMGD	11302		17/18
29560	Laguna Madre Channel Range Rear Light	LT IMCH	11302	0216-18 CC	23/18
29915	Brownsville Channel Light 37	STRUCT DEST/TRLB	11302	0230-18 CC	12/18
29955	Brownsville Channel D Range Rear Light	LT IMCH	11302	0217-18 CC	23/18
30245	Apalachicola Bay Light 64	STRUCT DEST/TRLB	11404	0344-18 MO	25/18
30250	Apalachicola Bay Daybeacon 65	STRUCT DEST/TRUB	11404	0336-18 MO	25/18
30400	Apalachicola River Entrance Range Front Light	STRUCT DEST	11401	0034-18 MO	04/18
30405	Apalachicola River Entrance Range Rear Light	LT EXT/DAYMK DMGD	11401	0737-14 MO	36/14
<b>30410</b>	<b>Apalachicola River Light 2</b>	<b>STRUCT DEST/TRLB</b>	<b>11402</b>		<b>27/18</b>
30430	Apalachicola River Daybeacon 6	STRUCT DEST/TRUB	11402	0315-18 MO	23/18
30535	Jackson River Light 9	LT EXT/TRLB	11402	0869-17 MO	12/16
33065	Pensacola Bay Navy Range Rear Light	LT EXT/STRUCT DMGD	11384	1028-16 MO	50/13
33520	Pensacola-Mobile Light 60	STRUCT DEST/TRLB	11378	0363-18 MO	24/18
33525	PENSACOLA-MOBILE LIGHT 61	DAYMK DMGD	11378	0355-18 MO	26/18
34035	Pass Aux Herons Buoy 14	TRUB	11378	0028-18 MO	03/18
34225	Pass Aux Herons D Range Rear Light	DAYMK MISSING	11377	0814-17 MO	41/17
34360	Belle Fontaine Light 6	STRUCT DEST/TRLB	11374	0199-18 MO	16/18
34365	Belle Fontaine Light 8	STRUCT DEST/TRLB	11374	0350-18 MO	26/18
34370	Ship Island Light 2	STRUCT DEST/TRLB	11372		11/18
34375	Ship Island Light 4	STRUCT DMGD/TRLB	11372	0172-18 MO	14/18
34385	Gulfport Ship Channel Light 41	STRUCT DEST/TRLB	11372	0204-18 MO	17/18
34390	Gulfport Ship Channel Light 44	STRUCT DEST/TRLB	11372	0106-18 MO	09/18
34455	Marianne Channel Buoy 17	TRUB	11372	0051-17 MO	07/15
34460	Marianne Channel Buoy 18	TRUB	11372	0097-18 MO	29/17
34465	Marianne Channel Buoy 19	TRUB	11372	0095-18 MO	03/18
34470	Marianne Channel Buoy 20	TRUB	11372	0263-18 MO	20/18
34475	Marianne Channel Buoy 21	TRUB	11372	0020-18 MO	03/18
34485	Marianne Channel Buoy 23	TRUB	11372	0021-18 MO	03/18
34495	Marianne Channel Buoy 25	TRUB	11372	0096-18 MO	03/18
34505	Pass Marianne Daybeacon 2	STRUCT DEST/TRUB	11372	0361-18 MO	26/18
34580	Grand Island Channel Daybeacon 3	STRUCT DEST/TRUB	11372	0265-18 MO	20/18
35200	Little Wax Bayou Light 2	STRUCT DEST/TRLB	11355	0438-18 NO	26/18



35310	Mermentau River Crossing Buoy 4	OFF STA	11348	0421-18 GA	26/18
35380	Devils Elbow Light 3	STRUCT DEST	11348	0423-18 GA	26/18
35410	Calcasieu Channel Light 91	STRUCT DEST/TRLB	11348	0140-18 GA	10/18
35480	Sabine River Daybeacon 13A	STRUCT DEST/TRUB	11331	0370-18 GA	12/18
35505	Sabine River Light 5	STRUCT DEST/TRLB	11343	0133-18 GA	10/18
35520	Sabine River Daybeacon 4	STRUCT DEST/TRUB	11331	0136-18 GA	10/18
35720	Sabine-Neches Canal Light 52	STRUCT DEST/TRLB	11331	0268-18 GA	06/18
35800	East Bay Bayou Light 8	STRUCT DEST/TRLB	11331	0298-18 GA	19/18
35815	Rollover Bay Range Front Light	STRUCT DEST	11331	0425-18 GA	26/18
35830.01	ROLLOVER BAY LIGHT 4	STRUCT DEST	11331	0405-18 GA	26/18
35855.01	ROLLOVER BAY LIGHT 9	STRUCT DEST/TRLB	11331	0042-18 GA	04/18
35860.01	ROLLOVER BAY LIGHT 10	STRUCT DEST/TRLB	11331	0291-18 GA	05/18
35875	Rollover Bay Light 14	STRUCT DEST/TRLB	11331	0299-18 GA	19/18
35915	Bolivar Peninsula Light 14	STRUCT DMGD	11324	0203-18 GA	14/18
35940	Bolivar Peninsula Lighted Buoy 19	OFF STA	11324	0250-18 GA	17/18
36125	Galveston-Freeport Light 6	STRUCT DEST/TRLB	11324	0216-18 GA	14/18
36150	Galveston-Freeport Light 9	STRUCT DEST/TRLB	11324		15/18
36355	Offatts Bayou Entrance Channel Daybeacon 5	STRUCT DEST	11324	0386-18 GA	24/18
36565.01	Galveston-Freeport Light 39	STRUCT DEST/TRLB	11324	0217-18 GA	14/18
36640.01	Galveston-Freeport Light 50	STRUCT DEST/TRLB	11322	0218-18 GA	14/18
36825	Galveston-Freeport G Range Rear Light	LT EXT/STRUCT DMGD	11322	0143-18 GA	10/18
37030	Chocolate Bay Buoy 7	OFF STA	11322	0317-18 GA	20/18
37120	Chocolate Bayou Channel Outer Range Front Light	STRUCT DMGD	11322	0036-18 GA	04/18
37185	Chocolate Bayou Channel Buoy 23	MISSING	11322	0293-18 GA	18/18
<b>37285</b>	<b>Chocolate Bay Buoy 9</b>	<b>OFF STA/MSLD SIG</b>	<b>11322</b>	<b>0430-18 GA</b>	<b>27/18</b>
37320	Chocolate Bay Buoy 19	MISSING	11322	0306-18 GA	19/18
37595	Matagorda Bay - Alternate Route Light 8	STRUCT DEST/TRLB	11319	0219-18 CC	23/18
37625	MATAGORDA BAY - ALTERNATE ROUTE LIGHT 13	STRUCT DEST/TRLB	11319	0073-18 CC	43/17
37755	Palacios Channel Daybeacon 28	STRUCT DEST/TRUB	11317	0317-17 CC	31/17
38025	Port O' Connor Landcut Daybeacon 6A	STRUCT DMGD	11315	0351-17 CC	34/17
38705.01	Aransas Bay Daybeacon 10	STRUCT DEST/TRUB	11314	0166-18 CC	19/18
38755	Aransas Bay Light 17	STRUCT DEST/TRLB	11314	0189-18 CC	21/18
38780	Copano Bay Approach Light 3	STRUCT DEST/TRLB	11314		36/17
39090	Aransas-Corpus Christi Bay Cutoff Channel Light 5	STRUCT DEST/TRLB	11314	0101-18 CC	12/18
40620.01	Corpus Christi Baffin Bay Daybeacon 77	STRUCT DEST/TRUB	11308	0150-18 CC	14/18
40805.01	Corpus Christi Baffin Bay Daybeacon 101	STRUCT DEST/TRUB	11308	0234-18 CC	25/18
40880.01	Corpus Christi Baffin Bay Daybeacon 113	STRUCT DEST/TRUB	11308	0252-18 CC	26/18
41845	Land Cut-Arroyo Colorado Daybeacon 70	STRUCT DEST/TRUB	11306	0238-18 CC	25/18
41870	Land Cut-Arroyo Colorado Daybeacon 72	STRUCT DEST	11306	0229-18 CC	24/18
41890	Land Cut-Arroyo Colorado Daybeacon 74	STRUCT DEST/TRUB	11306	0069-18 CC	09/18
41915.01	Land Cut-Arroyo Colorado Daybeacon 81	STRUCT DEST/TRUB	11302	0250-18 CC	25/18
41990	Land Cut-Arroyo Colorado Light 95	STRUCT DMGD/TRLB	11303	0232-18 CC	22/18
41995	Land Cut-Arroyo Colorado Daybeacon 96	MISSING/STRUCT DEST/TRLB	11306	0093-18 CC	20/17
42000.01	Land Cut-Arroyo Colorado Daybeacon 97	STRUCT DMGD/TRUB	11302	0095-18 CC	11/18
42060.01	Land Cut-Arroyo Colorado Daybeacon 109	STRUCT DMGD	11302		35/17
42165	Land Cut-Arroyo Colorado Daybeacon 131	STRUCT DMGD/TRUB	11303	0224-18 CC	22/18
42235	Arroyo Colorado Cutoff Channel Buoy 4	MISSING	11303	0248-18 CC	26/18

42375	Harlingen-Port Isabel Light 4	STRUCT DEST/TRLB	11303	0204-18 CC	22/18
42395	Harlingen-Port Isabel Daybeacon 8	STRUCT DEST/TRUB	11303	0249-18 CC	14/18
42695	Harlingen-Port Isabel Light 57	DAYMK MISSING	11302	0251-18 CC	26/18
42700	Harlingen-Port Isabel Daybeacon 58	STRUCT DMGD	11302		35/17
42725	Harlingen-Port Isabel Daybeacon 62	STRUCT DMGD	11302		35/17
42820	Port Isabel Small Boat Harbor Channel Buoy 5	MISSING	11302	0220-18 CC	23/18
43035	Brownsville Channel Light 37	STRUCT DEST/TRLB	11302	0230-18 CC	12/18
43100	Brownsville Channel D Range Rear Light	LT IMCH	11302	0217-18 CC	23/18

**DISCREPANCIES (FEDERAL AIDS) CORRECTED**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
3035	St Joseph Bay Entrance Lighted Buoy 3	RELIGHTED	11393		25/18	27/18
3185	Gulf County Canal Buoy 3	WATCHING PROPERLY	11393		26/18	27/18
5890	Perdido Pass Light 1	RELIGHTED	11378		26/18	27/18
10195	Pass Christian Entrance West Light 1	WATCHING PROPERLY	11372		26/18	27/18
20120	Southwest Pass - Vermillion Bay Channel Light 4	RELIGHTED	11349		26/18	27/18
20140	Southwest Pass - Vermillion Bay Channel Light 11	RELIGHTED	11349		26/18	27/18
20170	Southwest Pass - Vermillion Bay Channel Light 18	RELIGHTED	11349		26/18	27/18
20200	Southwest Pass - Vermillion Bay Channel Light 24	RELIGHTED	11349		26/18	27/18
20205	Southwest Pass - Vermillion Bay Channel Light 26	RELIGHTED	11349		26/18	27/18
20240	Southwest Pass - Vermillion Bay Channel Light 36	RELIGHTED	11347		26/18	27/18
24385	Houston Ship Channel Light 75	REBUILT/REMAINS	11327		22/18	27/18
24390	Houston Ship Channel Light 76	REBUILT/REMAINS	11327		22/18	27/18
24455	Bayport Ship Channel Junction Light B	REBUILT/REMAINS	11327		48/17	27/18
24460	Bayport Ship Channel Light 2	REBUILT/REMAINS	11327		21/18	27/18
24475	Bayport Ship Channel Light 3	REBUILT/REMAINS	11327		07/18	27/18
24490	Bayport Ship Channel Light 6	REBUILT/REMAINS	11327		24/18	27/18
24505	Bayport Ship Channel Light 9	REBUILT/RECOVERED	11327		27/18	27/18
24565	Houston Ship Channel Light 89	REBUILT/REMAINS	11328		26/18	27/18
24595	Houston Ship Channel Light 91	REBUILT/REMAINS	11328		22/18	27/18
24815	Houston Ship Channel Light 100	REBUILT/REMAINS	11328		17/18	27/18
25205	Houston Ship Channel Light 104	REBUILT/REMAINS	11326		24/18	27/18
25220	Houston Ship Channel Light 107	REBUILT/REMAINS	11328		22/18	27/18
25349	Houston Ship Channel Light 112A	REBUILT/RECOVERED	11328		24/18	27/18
25370	Houston Ship Channel Light 113B	REBUILT/REMAINS	11329		15/18	27/18
25460	Houston Ship Channel Light 122A	REBUILT/RECOVERED	11329		18/18	27/18
25495	Houston Ship Channel Light 124	REBUILT/REMAINS	11329		24/18	27/18
25500	Houston Ship Channel Light 124A	REBUILT/RECOVERED	11329		21/18	27/18
25520	Houston Ship Channel Light 126A	REBUILT/RECOVERED	11329		14/18	27/18
25695	Houston Ship Channel Light 127	REBUILT/RECOVERED	11329		16/18	27/18
25700	Houston Ship Channel Light 128	REBUILT/RECOVERED	11329		25/18	27/18
30290	Apalachicola River Entrance Light 2	WATCHING PROPERLY	11404		26/18	27/18
33250	Pensacola-Mobile Light 16	RELIGHTED	11378		26/18	27/18
33420	Pensacola-Mobile Buoy 39A	WATCHING PROPERLY	11378		26/18	27/18
34510	Pass Marianne Light 4P	WATCHING PROPERLY	11372		26/18	27/18
34535	Pass Marianne Wreck Light WR 8A	WATCHING PROPERLY	11372		26/18	27/18
39775	Corpus Christi Baffin Bay Buoy 9	RESET ON STATION	11308		27/18	27/18
	Corpus Christi Baffin Bay Lighted Buoy 8	RESET ON STATION			27/18	27/18

**DISCREPANCIES (PRIVATE AIDS)**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
370	Energy XXI-102-10 (Lighted Horn Buoy)	SS INOP	11361	0186-17	13/17	
565	Loop Anchorage Lighted Buoy L-B	MISSING	11359	0976-17 NO	46/17	
805	Walter-114-10 Lighted Buoy	OFF STA	1116		03/18	
988	McMoran-999-11 (Lighted Buoy)	OFF STA	1116	0399-15	21/15	
995	Energy Xxi-112-3	SS INOP	11339	0242-18 GA	16/18	
1440	Texas A & M Lighted Oceanographic Buoy J	OFF STA	11356	0525-16 CC	01/17	
1445	FR-TX-58 Special Lighted Buoy	OFF STA	11301	0115-18CC	13/18	
1840	Shell Point Channel Daybeacon 1	DAYMK MISSING	11405	0354-17 MO	22/17	
3170	Port St Joe Marina Entrance Light 2	DAYMK DMGD	11393	0392-15 MO	22/15	
3175	Port St Joe Marina Entrance Light 1	DAYMK DMGD	11393	0391-15 MO	22/15	
3495	Gulf Power Electrical Tower Danger Lights(2)	LT EXT	11391		50/17	
3500	Gulf Power Electrical Tower Danger Lights (2)	LT EXT	11391		50/17	
5105	Bayou Texar Daybeacon 3A	STRUCT DEST	11383	0194-17 MO	13/17	
5135	Bayou Texar Daybeacon 9A	STRUCT DEST	11383	0254-18 MO	19/18	
5165	Bayou Texar Daybeacon 15A	DAYMK DMGD	11383		11/17	
8170	Spoil Bank Light 1	LT EXT	11373		39/17	
8240	Mississippi Gulf Fish Reef Light A	STRUCT DEST	11374		15/18	
8245	Pascagoula River Obstruction Lighted Buoy 2	MISSING	11375	0291-17 MO	19/17	
8250	Pascagoula River Obstruction Lighted Buoy 4	OFF STA/LT EXT	11375	0532-17 MO	19/17	
8560	Mississippi Gulf Fish Reef Light B	MISSING	11374		33/14	
8578.06	Graveline Bayou Channel Daybeacon 7	STRUCT DMGD	11374		48/16	
8578.08	Graveline Bayou Channel Daybeacon 9	STRUCT DMGD	11374		48/16	
8578.12	Graveline Bayou Channel Daybeacon 12	STRUCT DMGD	11374		48/16	
8639	Deer Island Breakwater Southeast Danger Light	MISSING	11372	0037-18 MO	03/18	
8640	Deer Island Breakwater Danger Light	MISSING	11372		03/18	
8645	Deer Island Breakwater Danger Light	MISSING	11372		03/18	
8650	Deer Island Breakwater Danger Light	MISSING	11372		03/18	
8655	Deer Island Breakwater Danger Light	MISSING	11372		03/18	
8660	Deer Island Breakwater Danger Light	MISSING	11372		03/18	
8665	Deer Island Breakwater Danger Light	MISSING	11372		03/18	
8670	Deer Island Breakwater Danger Light	MISSING	11372		03/18	
8675	Deer Island Breakwater Danger Light	MISSING	11372		03/18	
8677	Deer Island Breakwater Northwest Danger Light	MISSING	11372		03/18	
8830.01	Davis Bayou Channel Light 2	LT EXT/STRUCT DMGD	11372	0131-16 MO	07/16	
8830.19	Davis Bayou Channel Daybeacon 24	OFF STA	11372	225-15 NO	14/15	
9065	Point Cadet Marina Breakwater Light 1	LT EXT	11372	0038-18 MO	44/17	
9070	Point Cadet Marina Breakwater Daybeacon 2	STRUCT DMGD	11372	0039-18 MO	44/17	
9075	Point Cadet Marina Breakwater Light 3	LT EXT/STRUCT DMGD	11372	0040-18 MO	44/17	
9080	Point Cadet Marina Breakwater Daybeacon 4	STRUCT DMGD	11372	0041-18 MO	44/17	
9085	Point Cadet Marina Breakwater Light 5	STRUCT DMGD	11372	0042-18 MO	44/17	
9090	Point Cadet Marina Breakwater Daybeacon 6	STRUCT DMGD	11372	0043-18 MO	44/17	
9160.12	Old Fort Bayou Channel Daybeacon 9	STRUCT DEST	11372	0213-17 MO	15/17	
9480	Mississippi Gulf Fishing Reef Light B	STRUCT DEST	11372		15/18	
9485	Mississippi Gulf Fishing Reef Light C	MISSING	11372		33/14	
10960	Eden Isles Channel Daybeacon 1	MISSING	11369		06/17	
10965	Eden Isles Channel Daybeacon 2	STRUCT DEST	11369	0933-16 NO	48/16	
10977	FR-LA-71-A	MISSING	11369	0506-16 NO	23/16	
10977.01	FR-LA-71-B	MISSING	11369	0507-16 NO	23/16	

10977.02	FR-LA-71-C	MISSING	11369	0508-16 NO	23/16
10977.03	FR-LA-71-D	MISSING	11369	0509-16 NO	23/16
10980	FR-LA-70-A	MISSING	11369	0510-16 NO	23/16
10985	FR-LA-70-B	MISSING	11369	0511-16 NO	23/16
10990	FR-LA-70-C	MISSING	11369	0512-16 NO	23/16
10995	FR-LA-70-D	MISSING	11369	0513-16 NO	23/16
11155	South Shore Harbor Marina Light 10	STRUCT DEST	11367	0001-18 NO	01/18
11165	South Shore Harbor Marina Light 13	STRUCT DEST	11367	0002-18 NO	01/18
11180	New Canal Light	LT EXT	11369		41/11
11705	Mississippi River - Gulf Outlet Pipeline Light 27 (C-1)	STRUCT DEST	11363	0768-16 NO	38/16
11710	Mississippi River - Gulf Outlet Pipeline Light 28 (C-2)	STRUCT DEST/HAZ NAV	11363	0769-16 NO	38/16
12845	Chevron Pier Light	STRUCT DEST	11361	0203-17 NO	14/17
13015	Pilottown Terminal Wing Dam Light	STRUCT DEST	11361	0205-17 NO	14/17
13215	Empire Water Intake Lights (2)	STRUCT DEST	11364	0206-17 NO	14/17
13505	Entergy Louisiana Submerged Cable Lights (2)	LT EXT	11364	1376-13 NO	49/13
13680	Shell Intake Dolphin Lights (3)	LT IMCH	11364		02/14
13700	New Orleans Water Discharge Dolphin Lights (4)	LT EXT	11367		40/17
14105	Lasalle Landing Barge Dock Lights (2)	STRUCT DMGD	11370		12/14
14360	Entergy Waterford Lights (3)	HAZ NAV/LT EXT/STRUCT DMGD	11370		44/14
14950	Bayou Lafourche Intake Light	STRUCT DEST	11370	0603-16 NO	28/16
15100	Olin Dock Lights (3)	LT EXT	11370	0091-17 D8	46/17
15420	Formosa Plastics Lower Dock Lights (2)	LT EXT		0599-17 NO	30/17
15730	Meyers Canal Light 1	STRUCT DEST	11364		03/15
16835	Superior Canal Entrance Light 2	STRUCT DEST	11365	0245-18 NO	15/18
17911	Short Cut Canal Light 1	LT EXT	11355	0167-18 NO	11/18
17911.01	Short Cut Canal Light 2	LT EXT	11355	0168-18 NO	11/18
17911.02	Short Cut Canal Light 3	LT EXT	11355	0169-18 NO	11/18
18240	Lake De Cade Light 2	OFF STA/LT EXT/DAYMK MISSING	11352		50/15
18245	Lake De Cade Light 28	LT EXT	11352	0245-17 NO	15/17
18390	East Atchafalaya Bay Channel Daybeacon 16	MISSING	11351		35/14
18410	East Atchafalaya Bay Channel Daybeacon 24	MISSING	11351	0055-15 NO	03/15
18415	East Atchafalaya Bay Channel Daybeacon 26	MISSING	11351	0056-15 NO	35/14
18420	East Atchafalaya Bay Channel Daybeacon 28	MISSING	11351		35/14
18475	East Atchafalaya Bay Channel Daybeacon 52	MISSING	11351		35/14
18480	East Atchafalaya Bay Channel Daybeacon 54	MISSING	11351		35/14
18505	East Atchafalaya Bay Channel Daybeacon 66	MISSING//STRUCT DMGD	11351		35/14
19835	E Cote Blan Bay Canal Entrance Light 1	LT EXT	11351		46/16
20065	Mound Point Light 1	OFF STA	11349	0460-14 NO	22/14
21710	Cameron LNG Daybeacon B	STRUCT DMGD	11339	0203-14 GA	11/14
22770	Texas Water Board Research Light Tower A	LT EXT	11342		49/12
23275	Navy Pier 10 Lights (2)	LT EXT	11331	0753-17 GA	44/17
23280	Orange County Pier Light 6	LT EXT	11331	0756-17 GA	18/13
23285	Orange County Pier Light 3	LT EXT	11331	0755-17 GA	43/17
23290	Orange County Pier Light 2	LT EXT	11331	0754-17 GA	44/17
23545	Gulf States Erosion Barrier Lights (2)	LT EXT	11343	0098-15	11/18
24905	Baytown Goose Creek Channel Daybeacon 6	STRUCT DMGD	11328	0766-15 GA	48/15
26530	Watergate Marina Channel Light 2	LT IMCH	11326	0465-12 GA	23/12

26580	Watergate Marina Channel Light 11	DAYMK IMCH	11326	0467-12 GA	23/12
26585	Watergate Marina Channel Light 13	STRUCT DEST	11326	0468-12 GA	23/12
26590	Watergate Marina Channel Range Front Light	STRUCT DEST		0469-12 GA	23/12
26595	Watergate Marina Channel Range Rear Light	STRUCT DEST		0470-12 GA	23/12
26670	Marina Del Sol Channel Buoy 2	MISSING	11326		40/15
26680	Marina Del Sol Channel Daybeacon 4	MISSING	11326		40/15
26685	Marina Del Sol Channel Daybeacon 5	MISSING	11326		40/15
26715	Marina Del Sol Channel Light 11	MISSING	11326		40/15
26720	Marina Del Sol Channel Light 12	MISSING	11326		40/15
26790	Ideal Channel Daybeacon 1	LT EXT	11326		40/15
26795	Ideal Channel Light 2	MISSING	11326		40/15
26810	Ideal Channel Light 5	MISSING	11326		40/15
26815	Ideal Channel Daybeacon 6	MISSING	11326		40/15
26820	Ideal Channel Daybeacon 7	MISSING	11326		40/15
26825	Ideal Channel Daybeacon 8	MISSING	11326		40/15
26830	Ideal Channel Daybeacon 10	MISSING	11326		40/15
26855	Clear Lake Wharf Light #2	LT EXT	11326		29/14
27665	Point Comfort Inner Channel Light 4	LT EXT	11317		31/10
27820	Chocolate Bay Channel Buoy 1	MISSING	11317	0193-14 CC	11/14
27825	Chocolate Bay Channel Buoy 3	MISSING	11317	0194-14CC	11/14
27830	Chocolate Bay Channel Buoy 5	MISSING	11317		37/10
27835	Chocolate Bay Channel Buoy 7	MISSING	11317	0195-14 CC	11/14
28460	Mustang Beach Channel Daybeacon 11	STRUCT DMGD	11308		45/11
28495	Mustang Beach Channel Daybeacon 19	OFF STA	11308	0302-13CC	18/13
28595	Mustang Beach Channel Daybeacon 38	STRUCT DEST	11308	0439-16 CC	42/16
29635	South Padre Island Channel Daybeacon 9	MISSING	11302		01/13
29655	South Padre Island Channel Daybeacon 15	STRUCT DEST	11302	0246-18 CC	45/10
29695	South Padre Island Channel Daybeacon 23	MISSING	11302		01/13
31060	Gulf Power Electrical Tower Danger Lights(2)	LT EXT	11391		50/17
31065	Gulf Power Electrical Tower Danger Lights (2)	LT EXT	11391		50/17
31685	Hogtown Bayou Daybeacon 1	STRUCT DEST	11388	0204-15 MO	31/14
31690	Hogtown Bayou Daybeacon 2	STRUCT DEST	11388	0205-15 MO	13/15
31695	Hogtown Bayou Daybeacon 3	STRUCT DEST	11388	0206-15 MO	13/15
31700	Hogtown Bayou Daybeacon 4	STRUCT DEST	11388	0207-15 MO	13/15
31705	Hogtown Bayou Daybeacon 5	DAYMK MISSING	11388		51/13
31970	Indian Bayou Daybeacon 6	DAYMK DMGD	11385		14/12
31995	Indian Bayou Daybeacon 11	STRUCT DMGD	11385		33/17
32265	Fort Walton Lodge & Yacht Basin Daybeacon 2	STRUCT DMGD	11385	0192-18 MO	16/18
32985	Little Sabine Bay Daybeacon 2	DAYMK MISSING	11378	0633-16 MO	29/16
33160	Sherman Cove Marina Daybeacon 6	DAYMK MISSING/STRUCT DMGD	11383	1002-12	02/13
33210	Grand Lagoon Boat Basin Channel Daybeacon 3	STRUCT DEST	11378		15/16
33610	Bay La Launch Channel Daybeacon 5	STRUCT DEST	11378	0539-11 NO	16/11
33728	Saunders Yachtworks Basin Light 2	STRUCT DEST	11378	0382-17 MO	24/17
36215	Pier 77 Channel Buoy 3	MISSING	11324		38/14
36220	Pier 77 Channel Buoy 4	MISSING	11324		38/14
36225	Pier 77 Channel Buoy 7	MISSING	11324		38/14
36230	Pier 77 Channel Buoy 9	MISSING	11324		38/14
36235	Pier 77 Channel Buoy 10	MISSING	11324		38/14
36240	Pier 77 Channel Buoy 12	MISSING	11324		38/14
36245	Pier 77 Channel Buoy 13	MISSING	11324		38/14

36250	Pier 77 Channel Buoy 14	OFF STA	11324	0860-13 GA	46/13
36715	Harborwalk Entrance East Buoy 4	OFF STA	11322		34/13
36775	Harborwalk Entrance West Buoy 1	MISSING	11322	0104-18 GA	08/18
36780	Harborwalk Entrance West Buoy 2	MISSING	11322	0105-18 GA	08/18
37375	Brazoria Wildlife Refuge Wave Barrier Light	LT EXT	11322	0321-13 GA	17/13
39280	Aransas-Corpus Christi Bay Cutoff Channel Pipeline Light A	STRUCT DEST/LT EXT	11314		40/17
40065	Padre Isles North Channel Daybeacon 18	DAYMK DMGD	11308		27/10

**DISCREPANCIES (PRIVATE AIDS) CORRECTED**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
None						

**PLATFORM DISCREPANCIES**

Name	Status	Position	BNM Ref.	LNM St	LNM End
Mobil-228-5	LT EXT	30-12-20.864N 088-03-41.846W	0894-11 MO	39/11	
Merit-105-12	SS INOP	29-20-50.775N 088-06-47.910W	085-15	05/15	
Petro Ventures-100-3	LT EXT/SS INOP	29-24-00.439N 088-36-33.646W	0263-17	18/17	
Fieldwood-107-5	LT EXT	29-09-50.256N 088-39-55.422W	0269-18	16/18	
Energy Xxi-102-11	SS INOP	29-33-16.211N 088-41-13.611W	114-18	08/18	
Mobil-194-4	SS INOP	29-35-17.000N 088-42-39.000W	0774-11 NO	23/11	
Gom Shelf-300-4	LT EXT/SS INOP	29-09-51.000N 088-44-46.000W	0182-15	09/15	
Cantium-114-06	SS INOP	29-15-37.747N 088-44-50.190W	NO 0106-18	08/18	
Cantium-114-05	LT EXT	29-15-10.117N 088-45-26.961W	1002-17 NO	48/17	
Mcmoran-117-2	LT EXT/SS INOP	29-15-47.527N 088-45-33.249W	NO 1016-17	49/17	
Bt Operating-101-2	LT EXT/SS INOP	29-49-22.000N 088-45-48.000W	0415-08	06/08	
Mcmoran-117-5	SS INOP	29-15-44.730N 088-46-03.480W	0974-17 NO	47/17	
Walter-105-10	LT EXT	29-06-55.000N 088-46-05.000W		39/08	
Cantium-114-03	LT EXT/SS INOP	29-17-01.086N 088-46-15.272W	0987-17 NO	47/17	
Mcmoran-117-3	SS INOP	29-15-52.970N 088-46-19.529W	0635-17 NO	31/17	
Cantium-114-04	SS INOP	29-15-26.096N 088-46-22.762W	0989-17 NO	47/17	
Mcmoran-117-6	SS INOP	29-15-38.850N 088-46-28.390W	NO 1102-17	01/18	
Fieldwood-107-15	SS INOP	29-27-18.608N 088-50-56.309W	0396-18 NO	25/18	
Fieldwood-107-18	<b>SS INOP</b>	<b>29-17-37.928N 088-51-42.052W</b>	<b>0448-18</b>	<b>27/18</b>	
Energy Xxi-102-5 (Racon)	LT EXT/SS INOP	29-19-33.840N 088-52-37.390W		42/17	
EnVen-106-2	LT EXT	29-21-10.592N 088-53-07.382W	NO 0132-18	09/18	
Energy Xxi-102-6	LT EXT/SS INOP	29-15-59.000N 088-54-29.000W		04/18	
Mariner-118-1	LT EXT	29-12-41.000N 088-57-01.000W		34/16	
Cantium-101-11	LT EXT	29-24-34.048N 088-58-56.348W	NO 0354-18	22/18	
Cantium-110-01	SS INOP	29-22-02.000N 088-59-35.000W	1097-17	52/17	
Cantium-101-09	SS INOP	29-23-37.052N 089-00-36.902W	0997-17NO	48/17	
Medco Energi-103-20	SS INOP	29-18-45.000N 089-03-07.600W	0565-17 NO	28/17	
Medco Energi-103-05	SS INOP	29-18-24.470N 089-03-24.761W	0932-12 NO	23/12	
Medco Energi-103-15	LT EXT	29-17-54.374N 089-03-32.051W	0108-15 NO	05/15	
Medco Energi-103-18	SS INOP	29-19-03.659N 089-03-36.883W	1821-09 NO	51/09	
Medco Energi-103-09	SS INOP	29-18-38.000N 089-03-55.000W		39/16	
Eb04-17812-1(Pxp)	LT EXT	30-00-23.000N 089-05-10.000W		07/11	
Cantium-109-01	LT EXT	29-23-48.800N 089-06-25.500W	NO 0127-18	09/18	
Eb04-17388-1(Pxp)	LT EXT	30-02-04.981N 089-06-39.903W		07/11	
Ocean Energy-102-335	SS INOP	28-58-42.410N 089-07-42.480W	0578-11 NO	17/11	
Century-109-4	SS INOP	29-24-56.888N 089-09-58.327W	0291-14NO	14/14	

Eb04-17387-1(Pxp)	LT EXT	30-03-36.865N	089-10-15.441W		07/11
Amerada Hess-114-10	LT EXT	29-24-38.000N	089-11-58.000W	0098-09 NO	04/09
Century Exploration-100-8	LT EXT/SS INOP	29-31-10.000N	089-13-43.000W	0405-16 NO	19/16
Amerada Hess-103-1	LT EXT	29-28-00.000N	089-14-57.000W	1545-10 NO	48/10
Energy Partners-102-34	LT EXT/SS INOP	29-00-12.000N	089-15-28.000W		44/08
Energy Partners-102-191	LT EXT/SS INOP	28-58-29.000N	089-15-30.000W		44/08
Energy Partners-102-130	LT EXT/SS INOP	28-59-10.000N	089-15-41.000W		44/08
Energy Partners-102-20	LT EXT/SS INOP	28-59-46.000N	089-15-58.000W		44/08
Energy Partners-102-121	LT EXT/SS INOP	28-59-35.000N	089-17-43.000W		44/08
Gom Shelf- 600-2	LT EXT	28-48-06.000N	089-18-00.000W	0061-18 NO	06/18
Panaco-101-39	LT EXT	29-04-19.200N	089-19-57.000W	0343-13 NO	14/13
Panaco-101-41	LT EXT	29-04-02.890N	089-20-57.160W		39/04
Llog-114-1 Lighted Buoy	LT EXT	28-53-57.549N	089-22-05.219W	0639-15 NO	33/15
Energy XXI-108-19	SS INOP	28-49-19.710N	089-23-41.850W		13/18
En Dev Corp-103-4	LT EXT	28-54-39.000N	089-24-02.000W		50/12
XTO Offshore-100-1	SS INOP	28-53-31.200N	089-25-16.700W	0158-11 NO	06/11
Ed19-Bld-183	LT EXT	29-14-09.000N	089-25-36.000W	1305-02 NO	38/02
S. Parish-102-9	STRUCT DEST/HAZ NAV/LT EXT	28-54-54.000N	089-26-43.000W		08/15
S. Parish-102-7	STRUCT DEST/HAZ NAV/LT EXT	28-54-23.000N	089-27-02.000W	0200-01 NO	07/01
S. Parish-102-12	LT EXT	28-54-58.000N	089-27-08.000W		08/15
Signal-100-0	HAZ NAV/LT EXT	29-07-26.000N	089-27-10.000W	0719-98 NO	31/98
S. Parish-102-11	LT EXT	28-55-05.000N	089-27-11.000W		08/15
IG Petroleum-100-1	LT EXT/SS INOP	28-54-32.660N	089-27-26.200W		31/11
Davis Fuels-101-2	LT EXT	29-08-58.000N	089-29-02.000W	0853-97 NO	35/97
Eb01-195qq-96	LT EXT	29-34-39.800N	089-29-44.700W		37/08
MCMORAN-136-2	LT EXT	29-11-15.434N	089-30-33.004W		38/08
Eb26-195qq-49	LT EXT	29-34-04.200N	089-30-37.500W		37/08
Eb21-195 Qq-312 (Merit Energy)	LT EXT/STRUCT DMGD	29-25-41.000N	089-30-49.000W	0245-12 NO	09/12
Denbury-200-7	SS INOP	29-11-35.000N	089-31-14.000W		29/16
Denbury-200-17	LT EXT/SS INOP	29-11-02.000N	089-31-22.000W		38/08
Denbury-200-17	SS INOP	29-11-02.000N	089-31-22.000W		29/16
Denbury-200-12	LT EXT/SS INOP	29-10-53.100N	089-32-02.200W		38/08
Ea06-5710108-39-Riser	LT EXT	29-18-30.000N	089-32-30.000W		37/08
Mcmoran-136-3	SS INOP	29-10-30.300N	089-33-06.200W		05/16
Energy XXI-107-29	SS INOP	29-07-52.301N	089-34-44.267W		24/18
Energy Partners-112-8	LT EXT/SS INOP	29-08-23.570N	089-34-44.890W	1474-08 NO	37/08
Nexen-103-3	LT EXT	29-06-25.000N	089-37-54.000W		04/16
Capco-100-1	LT EXT	29-00-26.060N	089-38-08.436W		17/15
Fieldw ood-115-6	SS INOP	28-52-49.690N	089-39-47.290W	NO 0930-17	44/17
Eb12-17656-2 (Pxp)	LT EXT	30-05-38.766N	089-39-50.070W		07/11
Tana-106-6	SS INOP	29-00-38.506N	089-40-28.535W	0277-18 NO	17/18
Maritech-107-10	LT EXT	29-08-48.000N	089-41-25.000W	1021-01 NO	32/01
Black Elk-116-1	LT EXT	29-07-42.739N	089-41-25.032W		03/18
Black Elk-116-2	LT EXT/SS INOP	29-07-06.466N	089-41-37.867W	1829-08 NOLA	44/08
Ec6-3327-Prod Pflm	LT EXT	30-06-42.000N	089-44-11.000W	1468-01 NO	50/01
Apache-125-14	LT EXT/SS INOP	29-05-35.000N	089-45-30.000W		41/14
Mariner-117-2	SS INOP	29-09-42.000N	089-46-27.036W	NO 0372-18	23/18
BP Exploration-112-24	LT EXT	28-57-51.000N	089-47-02.000W	0553-04 NO	19/04
Anglo Suisse-100-1	LT EXT/SS INOP	28-49-01.949N	089-47-54.534W		51/15
BP Exploration-112-28	SS INOP	28-54-21.000N	089-49-14.000W	0644-17 NO	31/17
BP Exploration-112-17	LT EXT	28-57-52.000N	089-50-08.000W	0791-07	24/07
Ocean Energy-112-1	LT EXT/SS INOP	28-45-46.749N	089-51-57.565W		11/06

El Paso-180-5	LT EXT/SS INOP	29-10-45.800N	089-53-16.500W		47/08
El Paso-180-4	LT EXT/SS INOP	29-10-48.342N	089-53-43.381W		47/08
Fieldwood-104-8	<b>LT EXT</b>	<b>28-55-19.296N</b>	<b>089-56-22.254W</b>	<b>456-18</b>	<b>27/18</b>
Ec5-6750-2	LT EXT	30-13-34.000N	089-57-23.000W	0377-03 D8	33/03
Ec5-6750-2 Pflm	LT EXT	30-13-35.000N	089-57-23.000W	0377-03 D8	33/03
Rooster-107-1	SS INOP	28-46-11.659N	089-58-19.931W	0273-14 NO	13/14
Agip-300-1(Tlp-Seastar)	LT EXT	28-02-05.310N	090-01-21.980W	1488-12	37/12
BP Exploration-102-7	LT EXT	28-55-58.000N	090-01-34.000W	0399-18	25/18
BP Exploration-110-3 (Atlantis)	RAC INOP	27-11-43.641N	090-01-37.150W	1109-15 NO	52/15
Ea44-5310175-Riser Pflm	LT EXT	29-43-06.000N	090-03-06.000W	0221-02 D8	22/02
Ankor Energy-100-7	SS INOP	28-15-33.300N	090-03-39.100W		06/17
Cantium-102-04	LT EXT	29-05-59.133N	090-07-17.788W	0058-18 NO	06/18
Cantium-117-15	LT EXT	29-03-53.096N	090-07-47.161W	0064-18 NO	06/18
Cantium-106-04	LT EXT	29-01-17.493N	090-08-15.079W	NO 1066-17	51/17
Cantium-116-21	LT EXT/SS INOP	29-06-04.229N	090-08-51.195W	NO 0374-18	23/18
Cantium-116-20	LT EXT	29-05-59.663N	090-08-58.564W	1024-17 NO	50/17
Cantium-116-24	LT EXT/SS INOP	29-05-53.528N	090-09-08.747W	NO 0373-18	23/18
Cantium-116-23	LT EXT	29-06-12.932N	090-09-13.073W	1023-17 NO	50/17
Cantium-116-02	LT EXT/SS INOP	29-05-20.339N	090-09-28.040W	NO 0011-18	02/18
Cantium-118-02	LT EXT/SS INOP	29-04-18.430N	090-09-38.970W	NO 1111-17	01/18
Cantium-116-07	SS INOP	29-05-43.531N	090-09-50.461W	NO 0375-18	23/18
Cantium-118-06	LT EXT	29-04-19.221N	090-10-04.434W	1106-17 NO	01/18
Cantium-118-23	SS INOP	29-04-56.285N	090-10-09.357W	NO 0380-18	24/18
Cantium-118-12	LT EXT	29-03-55.369N	090-10-18.173W	NO 1112-17	01/18
Cantium-118-03	LT EXT	29-03-05.418N	090-10-21.224W	NO 1112-17	01/18
Cantium-118-05	LT EXT	29-03-06.411N	090-10-22.655W	NO 1112-17	01/18
Cantium-116-03	SS INOP	29-05-19.399N	090-10-28.582W	NO 0012-18	02/18
Shoreline-100-4	LT EXT	29-03-58.500N	090-12-57.600W	1036-17	50/17
Louisiana Orphan Wellsite C #151642	LT EXT	29-03-32.864N	090-13-34.244W		07/11
Ec5-7325-1 & 1D	LT EXT	30-04-31.000N	090-13-48.000W	0307-01 D8	42/01
Trunkline-103-4	LT EXT	28-47-43.000N	090-13-49.000W	1499-12 NO	37/12
Offshore Energy-107-3	LT EXT	28-32-40.000N	090-14-01.000W		25/18
Transco-101-6	LT EXT	28-30-24.000N	090-17-07.000W	0404-15 NO	21/15
Walter-116-10	LT EXT	28-41-21.105N	090-19-55.900W	D8-0106-15	33/15
Fieldwood-101-10	LT EXT	28-26-01.208N	090-20-48.955W	0023-18 NO	03/18
Century Offshore-102-1	LT EXT	28-42-10.427N	090-22-28.852W	1380-00 NO	50/00
Arena Offshore-106-5	LT EXT	28-34-49.000N	090-23-33.000W		34/16
Energy Xxi-100-75	LT EXT	28-47-56.000N	090-24-52.000W		03/18
Mcmoran-118-3	LT EXT/SS INOP	28-35-50.800N	090-24-57.500W	NO 0118-18	09/18
Remington-400-1	LT EXT	28-37-50.842N	090-25-04.048W	1797-07	50/07
Trunkline-103-2	SS INOP	28-32-26.000N	090-26-08.000W	1499-12	37/12
Ee27-188-76 Walkway Lt (Texaco)	LT EXT	29-06-45.000N	090-26-54.000W	0472-02 D8	46/02
Black Elk-100-8	SS INOP	28-26-45.000N	090-27-53.000W		14/15
Bois-103-6	LT EXT	28-55-57.240N	090-28-55.000W	1258-01 NO	39/01
Trunkline-103-3	LT EXT/SS INOP	28-50-00.000N	090-29-58.000W	0440-14 NO	22/14
Ee21-1247-13	LT EXT	29-07-42.000N	090-30-52.000W	0502-02 D8	46/02
Walter-102-1	LT EXT	28-56-27.600N	090-31-59.800W	0750-14 NOLA	33/14
Energy Partners-109-2	LT EXT/SS INOP	28-53-30.810N	090-37-05.733W		41/08
Talos-101-16	SS INOP	28-49-32.030N	090-37-14.710W		44/15
Noble Energy-106-6	OFF STA/HAZ NAV/LT EXT/SS INOP	28-30-24.800N	090-40-46.360W		39/08
Probe-102-2	SS INOP	28-26-57.399N	090-41-06.836W	0265-14 NO	13/14
New field-103-19	SS INOP	28-58-36.000N	090-49-36.000W	NO 0145-18	10/18



McMoran-145-5	LT EXT/SS INOP	28-59-01.000N	090-50-00.000W	274-16	19/17
McMoran-145-3	SS INOP	28-58-53.000N	090-50-11.000W	273-17	19/17
New field-103-27	SS INOP	28-58-33.671N	090-50-15.489W	1029-15 NO	49/15
New field-103-22	SS INOP	28-58-21.000N	090-50-16.000W	0275-17	19/17
McMoran-145-4	LT EXT	28-58-56.000N	090-50-24.000W	0276-17	19/17
Comstock Offshore-100-56	LT EXT/FS INOP	28-50-13.000N	090-50-31.000W	0862-03 NO	28/03
Comstock Offshore-100-62	LT EXT/FS INOP	28-50-10.000N	090-50-51.000W	0862-03 NO	28/03
Odeco-166-15	LT EXT/SS INOP	28-40-11.000N	090-52-37.000W		38/08
Comstock Offshore-100-36	SS INOP	28-49-41.000N	090-54-07.000W		37/12
Comstock Offshore-100-6	LT EXT	28-48-36.000N	090-55-02.000W	0982-12 NO	24/12
Northstar-122-6	LT EXT	28-57-21.000N	090-57-11.000W		25/17
Northstar-122-9	LT EXT	28-58-19.000N	090-57-49.000W	0754-09 NO	23/09
Bennu-100-1	LT EXT	28-03-59.513N	090-59-40.655W	650-17 NO	31/17
Capco-102-1	LT EXT	28-43-35.540N	091-01-17.605W	1627-11 NO	39/11
Capco-102-1	SS INOP	28-43-35.540N	091-01-17.605W	NO 0387-18	24/18
Bennu-100-2	LT EXT	28-02-03.083N	091-01-46.881W	0960-04 NO	33/04
Sandridge-101-2	LT EXT/SS INOP	28-22-10.8408	091-05-13.664W		38/08
Ankor Energy-100-4	SS INOP	28-28-12.890N	091-05-14.404W	399-17 NO	24/17
Monforte-101-1	SS INOP	28-17-57.534N	091-05-15.278W	0131-16 NO	07/16
Monforte-101-2	LT EXT/SS INOP	28-16-28.876N	091-05-33.791W	0595-17 NO	30/17
Energy XXI-109-09	LT EXT	28-51-34.000N	091-07-52.000W	0590-17 NO	30/17
McMoran-145-7	FS INOP	28-59-24.178N	091-11-20.838W	0158-04 D8	14/04
Maritech-105-2	HAZ NAV	28-19-53.000N	091-12-18.000W		30/06
Century-106-7	MISSING/HAZ NAV	28-41-08.000N	091-12-23.000W	0246-08	39/08
Mcmoran-145-1	LT IMCH/SS INOP	28-58-57.853N	091-13-08.200W	0851-17	39/17
Northstar-122-1	LT EXT/SS INOP	28-32-39.426N	091-14-01.151W	0394-18 NO	24/18
Century Exploration-102-1	SS INOP	28-42-28.713N	091-14-08.779W		26/16
Fieldw ood-103-54	SS INOP	28-39-01.173N	091-20-10.391W	0574-17 NO	29/17
Apache-102-29	LT EXT	28-45-38.373N	091-20-51.000W	0235-15 NO	12/15
Energy XXI-101-19	SS INOP	28-29-02.340N	091-20-59.800W		19/18
Whitney-101-04	SS INOP	28-56-00.264N	091-21-36.211W	0227-17	15/17
Arena Offshore-105-32	LT EXT/SS INOP	29-14-39.824N	091-23-12.601W		09/18
Arena Offshore-105-60	SS INOP	28-15-19.040N	091-26-01.295W	0096-09 NO	03/09
Ridgelake-104-1	SS INOP	28-18-30.294N	091-26-37.902W	0718-14 NO	32/14
Fieldw ood-103-86	SS INOP	28-59-56.421N	091-26-42.932W	826-17 NO	38/17
Energy xxi-101-12	LT EXT/SS INOP	29-15-17.830N	091-26-46.291W		23/18
Fieldw ood-103-9	SS INOP	28-44-26.2422	091-26-58.592W		42/17
Fieldw ood-103-47	SS INOP	28-58-59.912N	091-27-00.727W	0078-18 NO	06/18
Gryphon-103-1	LT EXT	29-07-23.661N	091-27-13.574W	0753-09 NO	23/09
Fieldw ood-103-7	LT EXT	28-59-36.405N	091-27-14.234W		22/18
Huffco-103-1	LT EXT	28-11-17.000N	091-27-34.000W	0060-18 NO	06/18
Fieldw ood-103-16	SS INOP	28-44-28.827N	091-27-52.606W	837-17 NO	38/17
Nexen-100-9	LT EXT	28-27-32.670N	091-27-53.380W		50/16
Fieldw ood-103-45	SS INOP	28-59-12.336N	091-27-53.441W	720-17 NO	34/17
Fieldw ood-103-43	LT EXT/SS INOP	28-58-57.597N	091-28-45.922W	0937-17 NO	44/17
Fieldw ood-103-24	SS INOP	28-58-31.897N	091-29-04.966W	0613-17 NO	30/17
CONTANGO-200-6	SS INOP	29-11-36.320N	091-31-33.893W	321-17	20/17
Devon-112-16	SS INOP	28-18-14.000N	091-31-59.000W		52/08
Houston-103-1	LT EXT	28-28-50.969N	091-33-27.130W	0664-17 NO	32/17
Nexen-100-15	LT EXT/SS INOP	28-20-40.400N	091-34-26.300W		40/08
Fieldw ood-103-67	SS INOP	29-13-24.927N	091-34-48.359W		07/17
Fieldw ood-103-17	SS INOP	29-13-08.389N	091-36-38.379W		18/18

Mobil-134-1	HAZ NAV/LT EXT/SS INOP	28-57-58.000N	091-36-47.000W		40/08
Apache-160-1	SS INOP	28-24-54.576N	091-36-47.275W	1492-08 NO	37/08
Juniper-100-1	LT EXT	29-17-54.540N	091-37-38.130W	0412-16 NO	19/16
Bt Operating-102-1	LT EXT	28-22-00.000N	091-37-48.000W	0022-09 NO	01/09
Walter-114-3	MISSING/HAZ NAV	27-59-34.916N	091-39-38.476W	0245-08	39/08
Fieldw ood-103-36	LT EXT/SS INOP	29-03-23.904N	091-41-53.272W		11/18
Energy Xxi-101-7	SS INOP	29-02-34.846N	091-41-57.715W	NO 0916-17	43/17
Fieldw ood-103-34	LT EXT	29-04-10.480N	091-42-04.121W		11/18
Mariner-111-10	MISSING/HAZ NAV	28-19-58.000N	091-42-28.000W		39/08
Fieldw ood-103-30	SS INOP	28-48-07.113N	091-43-03.151W	722-17 NO	34/17
Rooster-106-1	LT EXT/SS INOP	29-18-00.785N	091-43-03.184W		41/16
Rooster-106-3	SS INOP	29-17-51.271N	091-43-43.650W	0124-16 NO	07/16
Arena Offshore-105-36	SS INOP	28-16-11.500N	091-43-50.600W	1680-08 NO	40/08
Arena Offshore-105-37	LT EXT	28-15-22.000N	091-44-24.000W	1681-08 NO	40/08
Fieldw ood-103-73	SS INOP	28-46-58.037N	091-44-38.083W	725-17 NO	34/17
Arena Offshore-105-35 (B-DRL)	LT EXT/SS INOP	28-15-12.000N	091-45-06.000W	1349-08 NO	34/08
Merit-102-1	HAZ NAV/LT EXT/SS INOP	28-22-42.664N	091-45-59.424W		38/08
Fieldw ood-103-90	LT EXT	28-34-21.523N	091-46-08.077W	1037-17 NO	50/17
Sterling-102-1	HAZ NAV/LT EXT/SS INOP	28-25-21.418N	091-49-44.818W		39/08
Black Elk-109-1	SS INOP	28-51-55.000N	091-51-46.000W		23/15
Fieldw ood-105-29	LT EXT	28-16-22.976N	091-51-57.553W		19/18
Energy Xxi-108-13	SS INOP	28-35-41.272N	091-52-11.218W		05/18
Energy XXI-108-31	SS INOP	29-19-55.000N	091-52-12.000W	NO 0385-18	24/18
Devon-115-5	SS INOP	28-51-38.000N	091-52-46.000W	0650-12 NO	17/12
Energy XXI-108-44	SS INOP	29-19-31.483N	091-52-49.940W		21/18
Merit-110-2	HAZ NAV/LT EXT/SS INOP	29-14-19.197N	091-52-52.665W	1699-11 NO	41/11
Devon-115-9	OFF STA/HAZ NAV/LT EXT/SS INOP	28-44-31.000N	091-53-25.000W		39/08
Fieldw ood-105-27	SS INOP	28-46-12.241N	091-53-25.605W		05/18
Devon-115-3	LT EXT/SS INOP	28-52-01.000N	091-53-52.000W	0377-15 NO	19/15
New field-116-4	SS INOP	28-14-54.000N	091-53-57.000W	0042-18 NO	03/18
Nippon-103-10	SS INOP	28-51-05.035N	091-54-45.168W	0046-15	03/16
Devon-115-1	SS INOP	28-52-39.000N	091-54-55.000W	0046-15	03/16
WA28-334-Tank Batt 1 (Hilcorp Energy)	LT EXT	29-40-25.000N	091-54-59.000W	0726-03 NO	25/03
Wa28-334-B28 (Hilcorp Energy)	LT EXT	29-40-15.000N	091-55-20.000W	1941-12	47/12
WA28-334-B109 (Hilcorp Energy)	LT EXT	29-40-11.000N	091-56-12.000W	1110-12 NO	28/12
WA28-334-B93 (Hilcorp Energy)	LT EXT	29-40-30.000N	091-56-17.000W	0011-12 NO	02/12
Fieldw ood-105-25	SS INOP	28-38-39.083N	091-56-53.419W	0092-16	07/17
Energy XXI-108-14	LT EXT	28-39-38.000N	091-57-21.000W	NO 1114-17	01/18
Energy XXI-108-48	LT EXT	28-40-17.381N	091-58-09.176W		39/17
Energy XXI-108-48	SS INOP	28-40-17.381N	091-58-09.176W	0940-17 NO	45/17
Fieldw ood-105-21	SS INOP	28-48-46.494N	091-58-32.945W		23/17
Mariner-115-9	SS INOP	28-57-32.000N	091-58-47.000W	1933-12 NO	47/12
Cox-109-42	LT EXT/SS INOP	29-19-55.000N	091-59-12.000W	NO 0199-18	12/18
Energy Xxi-108-11	SS INOP	29-23-37.620N	091-59-34.780W	NO 0386-18	24/18
Cox-109-33	LT EXT	29-22-03.000N	092-00-42.000W	NO 0161-18	10/18
Cox-109-33	SS INOP	29-22-03.000N	092-00-42.000W	NO 0261-18	16/18
Mcmoran-114-51	LT EXT	29-25-43.745N	092-02-12.016W		15/17
Mcmoran-114-8	SS INOP	29-20-39.530N	092-03-13.686W	0620-17 NO	30/17
Elf Aquitaine-106-2	SS INOP	29-20-07.000N	092-04-12.000W	NO 0925-17	44/17
Northstar-123-1	LT EXT/SS INOP	28-48-16.772N	092-04-18.491W	0238-15 GA	15/15
Fieldw ood-105-12	LT EXT	28-18-37.328N	092-05-45.863W	647-17 NO	31/17
Taylor Energy-103-8	LT EXT	28-50-49.000N	092-10-02.000W	0335-03 D8	30/03

Energy XXI-113-9	LT EXT	29-26-50.000N	092-11-37.000W	NO 0910-17	42/17
Fieldw ood-108-14	LT EXT	28-28-17.994N	092-11-43.493W		19/18
Murphy-105-16	LT EXT/SS INOP	28-48-33.000N	092-12-49.000W		06/17
Coastal-105-3	SS INOP	28-34-28.467N	092-13-07.891W	0227-15 NO	12/15
Fieldw ood-108-21	LT EXT	28-18-18.111N	092-13-48.500W		14/18
Conquest-104-1	LT EXT	29-05-38.000N	092-18-40.000W	1254-12 NO	31/12
New field-105-10	SS INOP	28-42-15.000N	092-18-56.000W	0539-16 NO	28/17
Stone Energy 101-5	MISSING/HAZ NAV	28-30-18.000N	092-20-44.000W	0243-08	39/08
Basin-107-3	SS INOP	28-30-37.326N	092-21-28.998W	0436-15 NO	23/15
Maritech-101-13	LT EXT/SS INOP	28-58-19.000N	092-24-08.000W		41/08
Nexen-102-11	LT EXT	29-19-52.385N	092-24-24.675W	1115-14 NO	06/14
Samson Contour-101-1	HAZ NAV/LT EXT/SS INOP	28-41-28.000N	092-24-40.000W		40/08
Samson Contour-101-4	HAZ NAV/LT EXT/SS INOP	28-41-24.430N	092-24-51.050W		38/08
Samson Contour-101-3	HAZ NAV/LT EXT/SS INOP	28-42-05.327N	092-25-46.581W		38/08
Maritech-101-4	LT EXT	29-31-34.802N	092-25-50.812W	0794-15 NO	40/15
Nexen-102-12	LT EXT/SS INOP	29-19-43.036N	092-25-55.319W		40/08
Nexen-102-2	LT EXT/SS INOP	28-13-04.000N	092-25-56.000W		42/08
Millennium-103-1	HAZ NAV/LT EXT/DAY MK IMCH/	28-18-15.000N	092-26-28.000W		39/08
Nexen-102-33	LT EXT/SS INOP	28-13-05.724N	092-26-49.700W		40/08
Beryl-107-1	SS INOP	28-07-40.133N	092-28-01.263W	1301-13 NO	46/13
Tana-109-3	SS INOP	28-24-53.222N	092-29-20.250W	0257-17	17/17
Merit-112-1	STRUCT DEST	28-02-25.750N	092-29-22.548W		50/09
Palm Energy-104-1	SS INOP	28-29-24.234N	092-29-46.616W		22/09
Black Elk-101-5	LT EXT/SS INOP	29-07-14.000N	092-30-09.000W		49/16
Black Elk-101-6	SS INOP	29-05-13.746N	092-30-18.758W		01/17
Black Elk-101-2	LT EXT	29-05-12.106N	092-31-01.729W		42/16
Black Elk-101-4	LT EXT/SS INOP	29-05-42.445N	092-31-01.789W	0366-15 NO	19/15
Black Elk-101-1	LT EXT/SS INOP	29-05-02.626N	092-31-33.072W	0143-16 no	07/16
Black Elk-101-3	SS INOP	29-04-46.547N	092-31-43.585W	0170-16	10/16
Black Elk-101-3	STRUCT DMGD	29-04-46.547N	092-31-43.585W		41/16
Marathon-114-1	HAZ NAV/LT EXT/SS INOP	28-04-22.000N	092-32-47.000W		38/08
Probe-103-1	LT EXT	29-28-11.914N	092-32-59.921W	0429-15	22/15
Fieldw ood-108-7	SS INOP	29-20-24.511N	092-33-49.943W		08/18
Nexen-102-1	LT EXT/SS INOP	28-17-55.000N	092-34-45.000W		40/08
Energy Resource-103-4	LT EXT	28-48-49.100N	092-35-06.000W		39/00
New field-105-15	MISSING/HAZ NAV	28-45-47.925N	092-35-07.532W		39/08
King Ranch-103-2	MISSING/HAZ NAV	28-27-01.314N	092-35-26.776W	3908	39/08
Aquilla-108-1	MISSING/HAZ NAV	29-02-52.791N	092-36-55.710W	0243-08	39/08
Gomex-100-1	LT EXT/SS INOP	28-24-38.937N	092-36-56.185W		43/10
PROBE-100-1	SS INOP	29-29-36.656N	092-38-23.287W	0441-15 GA	26/15
Coastal-104-1	SS INOP	28-40-11.000N	092-40-30.000W	0351-13 GA	18/13
Maritech-111-3	MISSING/HAZ NAV	28-10-44.741N	092-41-45.558W	0246-08	39/08
East Cameron Partners-100-2	LT EXT	29-20-48.464N	092-42-56.802W	0855-13GA	46/13
Houston-102-2	LT EXT/SS INOP	28-55-37.000N	092-44-16.000W	1128-09 GA	51/09
Merit-108-2	LT EXT	28-56-21.000N	092-44-47.000W		02/17
Merit-108-1	SS INOP	29-31-54.000N	092-45-42.000W	0192-13 GA	10/13
Louisiana Orphan Wellsite A #156996	LT EXT	29-35-17.534N	092-46-56.031W	0019-11 LA	07/11
Fieldw ood-100-5	SS INOP	28-10-46.898N	092-47-13.196W		22/18
Houston-102-6	SS INOP	29-30-29.380N	092-48-12.590W	0198-13 GA	11/13
Merit-110-1	LT EXT/SS INOP	29-15-22.380N	092-51-17.230W	1656-10 NO	52/10
Fieldw ood-100-13	SS INOP	28-09-50.659N	092-51-44.845W		12/18
Con Energy-101-1	HAZ NAV/LT EXT/SS INOP/STRU	28-37-31.000N	092-53-30.000W	0050-14 GA	03/14

Fieldwood-100-10	LT EXT/SS INOP	28-28-18.865N	092-54-53.213W		27/18
Medco Energi-104-09	LT EXT	28-12-30.000N	092-57-07.000W	0772-17 GA	46/17
Helis-121-3	LT EXT	29-26-26.906N	092-58-46.060W	0723-12	34/12
Hec-101-2	LT EXT	28-18-14.928N	092-59-29.425W		49/08
Hec-102-7	SS INOP	29-16-47.200N	092-59-44.600W	0052-14 GA	03/14
Merit-107-1	LT EXT/SS INOP	28-10-22.430N	092-59-56.699W		46/17
Virgin-100-2	SS INOP	29-39-34.035N	093-00-13.395W		38/15
Fieldw ood-100-16	LT EXT/SS INOP	29-41-07.000N	093-00-55.000W		11/18
Fieldw ood-109-26	SS INOP	29-37-35.162N	093-02-04.901W		01/18
Diamond Shamroc-104-3	SS INOP	29-19-04.000N	093-02-05.000W	0354-13 GA	18/13
Black Elk-102-16	LT EXT/SS INOP	29-20-17.000N	093-04-23.000W	0367-15 GA	21/15
Fieldw ood-109-4	SS INOP	29-39-07.369N	093-07-18.652W		13/18
Fieldw ood-109-5	LT EXT/SS INOP	29-38-46.686N	093-08-31.355W		25/18
Fieldw ood-109-33	LT EXT	29-25-43.000N	093-09-21.974W		14/18
Tarpon-100-10	SS INOP	28-30-32.600N	093-09-32.700W	0266-14 GA	15/14
Fieldw ood-109-12 A-B-C-9	LT EXT	29-25-18.656N	093-09-54.270W		22/18
Fieldw ood-109-10	LT EXT	29-25-52.688N	093-09-59.188W		14/18
Houston-110-3	SS INOP	29-24-12.540N	093-10-09.797W	0240-09	11/09
Houston-110-4	SS INOP	29-23-58.460N	093-10-40.780W	0362-10	16/10
Petsec-101-2	SS INOP	28-35-48.000N	093-10-43.000W	0296-14 GA	16/14
ATP-100-18	SS INOP	28-32-56.780N	093-11-36.390W	0297-14 GA	16/14
Pisces-106-2	SS INOP	28-28-39.658N	093-12-26.095W		22/09
Conn Energy- 200-1	LT EXT/SS INOP	29-23-47.000N	093-15-03.000W	554-17 GA	35/17
Conn Energy-200-2	LT EXT/SS INOP	29-23-46.135N	093-15-03.301W	555-17 GA	35/17
Fieldw ood-109-34	SS INOP	29-30-16.419N	093-16-37.600W		43/17
Fieldw ood-109-27	SS INOP	29-29-47.486N	093-16-52.316W		11/18
Fieldw ood-109-31	SS INOP	29-30-18.835N	093-17-41.323W		11/18
Fieldw ood-109-30	SS INOP	29-30-01.126N	093-17-44.347W		11/18
Century Offshore-101-2	SS INOP	28-54-31.000N	093-18-06.000W		15/16
Tarpon-100-8	LT EXT/SS INOP	29-12-17.830N	093-19-12.590W	0163-18 GA	11/18
W & T Offshore-104-4	LT EXT	28-04-16.066N	093-21-41.189W	0728-17 GA	43/17
Monforte-100-2	LT EXT	28-41-18.727N	093-22-07.173W	0368-17 GA	22/17
Peregrine-105-1	LT EXT	28-15-30.552N	093-22-15.729W		51/16
EnVen-100-2	SS INOP	29-37-17.005N	093-22-57.258W	0239-18 GA	16/18
Linder-105-1	SS INOP	29-24-26.000N	093-23-18.000W		17/18
Linder-105-2	SS INOP	29-24-27.982N	093-24-53.178W		17/18
ATP-100-13	LT EXT/SS INOP	27-51-35.495N	093-25-05.305W	0016-14 D8	04/14
Castex-101-1	LT EXT	29-33-34.926N	093-25-27.778W	0811-17 GA	49/17
Mobil-225-39	SS INOP	29-25-56.000N	093-25-58.000W	1122-09 GA	50/09
El Paso-103-28	SS INOP	29-25-54.972N	093-26-09.843W	0645-13 GA	34/13
Beryl-108-2	LT EXT	28-26-12.091N	093-26-45.035W	0767-11 GA	34/11
Fieldw ood-109-15	LT EXT	29-22-03.889N	093-31-40.029W		14/18
Fieldw ood-111-20	LT EXT	28-14-31.286N	093-33-25.823W		33/17
Mariner-104-17	LT EXT	29-11-41.249N	093-33-44.686W	0450-10 GA	20/10
Northstar-107-5	LT EXT	29-39-39.366N	093-34-00.582W	0912-09	40/09
Fieldw ood-121-1	LT EXT	29-29-50.773N	093-46-51.409W		06/18
Fieldw ood-111-23	SS INOP	29-16-18.267N	093-47-04.779W		32/17
Dominion-108-2	LT EXT	29-26-18.077N	093-47-18.002W		28/17
Fieldw ood-111-26	LT EXT/SS INOP	29-13-43.961N	093-47-27.838W		21/18
Atp-106-4	SS INOP	29-24-18.963N	093-51-00.752W	0059-14	04/14
Union-198-3	LT EXT	28-13-42.000N	093-56-13.000W	0123-18 GA	09/18
Union-198-3	SS INOP	28-13-42.000N	093-56-13.000W		26/14

Northstar-108-3	SS INOP	28-24-17.472N	093-56-28.961W	0460-15 GA	28/15
Northstar-108-4	SS INOP	28-21-21.535N	093-57-18.336W	0273-16 GA	17/16
Fieldw ood-111-14	LT EXT/SS INOP	27-54-12.276N	093-57-32.144W		49/17
Walter-112-9 Lighted Buoy	MISSING	28-15-08.900N	093-57-53.794W		46/15
Bandon-100-1	LT EXT	28-21-10.483N	094-05-48.544W		19/18
Fieldw ood-111-31	SS INOP	28-00-22.939N	094-06-08.506W		15/18
Stone Energy-125-1	LT EXT/SS INOP	27-58-35.000N	094-08-38.000W	0538-11 GA	23/11
Mariner-105-27	LT EXT/SS INOP	29-08-00.000N	094-11-46.000W		17/18
McMoran-170-2	SS INOP	28-15-18.367N	094-12-31.784W	0685-17 GA	41/17
Virgin-100-1	LT EXT/SS INOP	29-09-34.403N	094-15-24.738W	1078-11 GA	47/11
Union-196-1	HAZ NAV/LT EXT/SS INOP	29-26-09.000N	094-18-15.000W	0058-12 GA	04/12
Devon-200-4	LT EXT	29-16-03.000N	094-20-24.000W	0019-15	02/15
Fieldw ood-111-5	LT EXT	29-05-36.9528	094-23-08.718W		05/18
Transco-109-1	LT EXT	29-14-16.000N	094-25-21.000W	0773-17 GA	46/17
New field-109-2	SS INOP	28-02-56.550N	094-26-18.070W	0880-09 GA	38/09
Fieldw ood-111-28	LT EXT/SS INOP	28-08-00.967N	094-26-20.097W		19/18
Fieldw ood-123-2	LT EXT/SS INOP	29-13-31.606N	094-34-42.063W		04/18
Blue Dolphin-101-10	LT EXT	28-53-36.975N	094-42-15.296W	1162-04 GA	30/04
Black Elk-104-1	SS INOP	28-43-10.338N	094-50-13.235W	0785-15 GA	49/15
Hec-125-3	SS INOP	28-57-52.900N	094-54-31.400W	0514-15	31/15
Black Elk-108-1	LT EXT/SS INOP	28-34-36.219N	094-58-36.125W		19/17
Seagull-101-3	LT EXT	28-35-32.000N	095-11-09.000W	0397-17 GA	24/17
Kirby-104-3	LT EXT	28-44-47.000N	095-25-13.000W	0065-15	05/15
ATP-102-3	LT EXT	28-15-22.872N	095-33-54.313W	0059-15 GA	04/15
Transco-116-1	SS INOP	28-18-53.000N	095-37-14.000W	0470-17 GA	28/17
Fieldw ood-110-2	SS INOP	28-23-47.9508	095-51-42.862W		10/18
Black Elk-105-5	LT EXT	28-24-50.796N	096-02-48.082W		21/09
Fieldw ood-120-12	SS INOP	28-23-34.000N	096-04-42.000W		19/18
Fieldw ood-120-11	LT EXT/SS INOP	28-23-09.000N	096-05-12.000W		43/17
American Coastal-102-5	LT EXT	28-22-45.000N	096-09-54.000W		21/09
Apache-110-8	LT EXT	27-36-27.000N	096-15-13.000W	0632-15cc	51/15
Apache-110-8	SS INOP	27-36-27.000N	096-15-13.000W		33/17
Fieldw ood-120-8	SS INOP	28-06-07.711N	096-22-11.521W		14/18
Fieldw ood-120-7	LT EXT/SS INOP	28-06-06.394N	096-22-51.838W		43/17
Buttes-101-2	LT EXT/SS INOP	28-13-53.000N	096-23-24.000W		35/12
Fieldw ood-120-9	SS INOP	28-07-04.936N	096-23-28.244W		34/17
Fieldw ood-120-10	LT EXT/SS INOP	27-57-26.074N	096-33-33.213W		30/17
Inexco-101-3	LT EXT/SS INOP	27-36-01.000N	097-04-39.000W		25/18
White Marlin-100-6	LT EXT	27-42-33.360N	097-06-16.020W		39/17
Reynolds-102-3	LT EXT	27-39-18.000N	097-07-39.000W	0221-10CC	19/10
Reynolds-102-4	LT EXT	27-38-57.000N	097-07-42.000W	0221-10CC	19/10
Ctx-100-1	LT EXT/SS INOP	27-31-00.000N	097-09-50.000W		25/18
Ctx-100-2	LT EXT/SS INOP	27-30-36.000N	097-09-59.000W		25/18
Ctx-100-4	LT EXT/SS INOP	27-30-48.000N	097-10-06.000W		25/18
Ctx-100-3	LT EXT/SS INOP	27-30-48.000N	097-10-49.000W		25/18
WF03-33100-48-3 (WHITE MARLIN)	LT EXT	27-46-10.910N	097-17-41.960W		39/17
WF03-32973-71-1 (WHITE MARLIN)	LT EXT	27-46-05.590N	097-20-55.010W		39/17

**PLATFORM DISCREPANCIES CORRECTED**

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

**SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED**

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

**TEMPORARY CHANGES**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
95	St Joseph Bay Light & Entrance A Range Rear Light	DISCONTINUED	11393		15/09	
2840	ST GEORGE ISLAND LIGHTED BUOY 3	RELOCATED DUE TO SHOALING	11404	0685-17 MO	40/17	
2845	ST GEORGE ISLAND LIGHTED BUOY 4	RELOCATED DUE TO SHOALING	11404	0685-17 MO	40/17	
3025	St Joseph Bay Entrance A Range Front Light	DISCONTINUED	11393		24/08	
3030	St Joseph Bay Light & Entrance A Range Rear Light	DISCONTINUED	11393		15/09	
3105	St Joseph Bay Entrance Range D Rear Light	DISCONTINUED	11393	0870-15 MO	44/15	
4580	Choctawhatchee Bay Entrance Buoy 10	DISCONTINUED	11385		05/18	
4820	Pensacola Bay Entrance Lighted Buoy 12	DISCONTINUED FOR DREDGING	11384	0020-18 D8	18/18	
4830	Pensacola Bay Entrance Lighted Buoy 13	RELOCATED FOR DREDGING	11384	0020-18 D8	19/18	
4835	Pensacola Bay Lighted Buoy 14	DISCONTINUED FOR DREDGING	11384	0020-18 D8	18/18	
7760	Bayou La Batre Daybeacon 25	TRLT	11374	0585-17 MO	33/17	
7940	Horn Island Pass Lighted Buoy 16	DISCONTINUED FOR DREDGING	11375	0015-18 MO	03/18	
7950	Horn Island Pass Lighted Buoy 18	DISCONTINUED FOR DREDGING	11375	0016-18 MO	03/18	
9135	Ott Bayou Channel Daybeacon 3	DISCONTINUED FOR DREDGING	11372		41/17	
9265	Back Bay of Biloxi Daybeacon 3	TRLT	11372		13/17	
9375	Biloxi River Daybeacon 1	TRLT	11372		13/17	
9380	Big Lake Junction Daybeacon	TRLT	11372		13/17	
9390	Big Lake Daybeacon 28	TRLT	11372		13/17	
15300	Arlington Range Front Light	TRLT	11370	0065-18 NO	06/18	
15305	Arlington Range Rear Light	TRLT	11370	0066-18 NO	06/18	
18856	Atchafalaya Channel Light 57	TRLT	11351	1050-17 NO	51/17	
21430	Calcasieu Channel Light 50	DISCONTINUED	11339	0650-15 GA	39/15	
24410	Five Mile Cut Buoy 2	DISCONTINUED FOR DREDGING	11327	0277-18 GA	18/18	
24485	Bayport Ship Channel Light 5	RELOCATED FOR DREDGING	11327	0270-18 GA	17/18	
24520	Houston Ship Channel Light 78	DISCONTINUED FOR DREDGING	11327		24/18	
28920	La Quinta Channel Light 1	TRLB	11312	0194-18 CC	22/18	
28930	La Quinta Channel Light 3	TRLB	11308	0195-18 CC	22/18	
28970	La Quinta Channel Inner Range Front Light	TRLT	11309		11/18	
29075	La Quinta Channel Light 15	DISCONTINUED FOR DREDGING	11309	0196-18 CC	22/18	
29080	La Quinta Channel Light 17	DISCONTINUED FOR DREDGING	11309	0197-18 CC	22/18	
35915	Bolivar Peninsula Light 14	DISCONTINUED FOR DREDGING	11324		15/18	

TEMPORARY CHANGES CORRECTED

LLNR Aid Name Status Chart No. BNM Ref. LNM St LNM End

None

PLATFORM TEMPORARY CHANGES

Name Status Position BNM Ref. LNM St LNM End

None

PLATFORM TEMPORARY CHANGES CORRECTED

Name Status Position BNM Ref. LNM St LNM End

None

SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only.

It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.

Table with 7 columns: Chart Number, Chart Edition, Edition Date, Last Local Notice to Mariners, Horizontal Datum Reference, Source of Correction, Current Local Notice to Mariners. Includes example data for chart 12327.

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true.

Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

Table entry for chart 1116, A 80th Ed., 01-JUL-17, Last LNM: 26/18, NAD 83. Chart Title: Mississippi River to Galveston (Oil and Gas Leasing Areas). Main Panel 2996 LEASE BLOCK FOR MISSISSIPPI RIVER TO GALVESTON --. Page/Side: -. Includes correction details for DELETED buoys.

Table entry for chart 11326, 40th Ed., 01-NOV-16, Last LNM: 25/18, NAD 83. Chart Title: Galveston Bay. Main Panel 90 GALVESTON BAY SIDE A. Page/Side: \_01. Includes correction details for RELOCATED lights.

Table entry for chart 11327, 38th Ed., 01-MAR-17, Last LNM: 25/18, NAD 83. Chart Title: Upper Galveston Bay-Houston Ship Channel-Dollar Pt. to Atkinson. Main Panel 88 UPPER GALVESTON BAY --. Page/Side: -.

RELOCATE	Bayport Ship Channel Light 3				CGD08 from 29-36-43.647N to 29-36-43.312N	094-57-32.988W 094-57-35.127W
RELOCATE	Houston Ship Channel Light 75				CGD08 from 29-36-26.600N to 29-36-26.591N	094-57-17.200W 094-57-18.005W
RELOCATE	Houston Ship Channel Light 76				CGD08 from 29-36-32.437N to 29-36-31.670N	094-57-05.123W 094-57-05.787W
<b>11330</b>	<b>23rd Ed.</b>	<b>01-JUL-17</b>	<b>Last LNM: 26/18</b>	<b>NAD 83</b>		<b>27/18</b>
<i>ChartTitle: Mermentau River to Freeport</i>						
<b>Main Panel 195 MERMENTAU RIV TO FREEPORT LA-TX --. Page/Side: -</b>						
DELETE	Platform: (Maritech-104-1)				CGD08 29-30-24.915N	093-39-58.551W
<b>11332</b>	<b>33rd Ed.</b>	<b>01-JAN-13</b>	<b>Last LNM: 05/18</b>	<b>NAD 83</b>		<b>27/18</b>
<i>ChartTitle: Sabine Bank</i>						
<b>Main Panel 125 SABINE BANK. Page/Side: N/A</b>						
DELETE	Platform: (Maritech-104-1)				CGD08 29-30-24.915N	093-39-58.551W
<b>11340</b>	<b>80th Ed.</b>	<b>01-JUL-17</b>	<b>Last LNM: 26/18</b>	<b>NAD 83</b>		<b>27/18</b>
<i>ChartTitle: Mississippi River to Galveston</i>						
<b>Main Panel 49 MISSISSIPPI RIVER TO GALVESTON --. Page/Side: -</b>						
DELETE	Maritech-109-11 Temporary Lighted Buoy, FL2.5s, WOR (Priv Maint)				CGD08 28-45-11.690N	091-55-13.840W
DELETE	Platform: (Maritech-104-1)				CGD08 29-30-24.915N	093-39-58.551W
DELETE	Platform: (Maritech-109-1)				CGD08 29-19-22.449N	092-08-37.116W
<b>11341</b>	<b>44th Ed.</b>	<b>01-MAR-13</b>	<b>Last LNM: 14/18</b>	<b>NAD 83</b>		<b>27/18</b>
<i>ChartTitle: Calcasieu Pass to Sabine Pass</i>						
<b>Main Panel 124 CALCASIEU PASS TO SABINE PASS. Page/Side: N/A</b>						
DELETE	Platform: (Maritech-104-1)				CGD08 29-30-24.915N	093-39-58.551W
<b>11349</b>	<b>47th Ed.</b>	<b>01-OCT-17</b>	<b>Last LNM: 07/18</b>	<b>NAD 83</b>		<b>27/18</b>
<i>ChartTitle: Vermilion Bay and approaches</i>						
<b>Main Panel 64 VERMILION BAY AND APPROACHES --. Page/Side: -</b>						
DELETE	Platform: (Maritech-109-1)				CGD08 29-19-22.449N	092-08-37.116W
<b>11378</b>	<b>38th Ed.</b>	<b>01-APR-13</b>	<b>Last LNM: 23/18</b>	<b>NAD 83</b>		<b>27/18</b>
<i>ChartTitle: Intracoastal Waterway Santa Rosa Sound to Dauphin Island</i>						
<b>CHART FL - AL - INTRACOASTAL WATERWAY - SANTA ROSA SOUND TO DAUPHIN ISLAND. Page/Side: N/A</b>						
RELOCATE	Escambia County Fish Bend South Channel Light 15				CGD08 from 30-20-10.640N to 30-20-10.810N	087-08-25.190W 087-08-23.030W
RELOCATE	Escambia County Fish Bend South Channel Light 16				CGD08 from 30-20-11.810N to 30-20-11.800N	087-08-24.690W 087-08-24.640W
<b>11383</b>	<b>54th Ed.</b>	<b>01-OCT-13</b>	<b>Last LNM: 14/18</b>	<b>NAD 83</b>		<b>27/18</b>
<i>ChartTitle: Pensacola Bay</i>						
<b>Main Panel 134 PENSACOLA BAY. Page/Side: N/A</b>						
RELOCATE	Escambia County Fish Bend South Channel Light 15				CGD08 from 30-20-10.640N to 30-20-10.810N	087-08-25.190W 087-08-23.030W
RELOCATE	Escambia County Fish Bend South Channel Light 16				CGD08 from 30-20-11.810N to 30-20-11.800N	087-08-24.690W 087-08-24.640W



---

---

## OIL RIG MOVEMENT

---

### Drill Rigs/Vessels Removed

<u>Latitude</u>	<u>Longitude</u>	<u>Block</u>	<u>Rigs/Vessel</u>	<u>Chart</u>	<u>Type</u>	<u>Status</u>
29-26-17.554N	093-47-16.709W	HI-45	WIRELINE UNIT	11340	BARGE	UNREPORTED

### Drill Rigs/Vessels Established

<u>Latitude</u>	<u>Longitude</u>	<u>Block</u>	<u>Rigs/Vessel</u>	<u>Chart</u>	<u>Type</u>	<u>Status</u>
28-57-33.411N	090-01-07.837W	GI-47	NONE RIG PA OPERATION	11358	JACKUP	UNREPORTED
29-07-02.778N	088-50-39.931W	MP-153	NONE RIG PA OPERATION	11361	JACKUP	UNREPORTED
28-53-57.594N	089-22-04.982W	SP-42	NONE RIG PA OPERATION	11361	JACKUP	UNREPORTED
28-56-41.848N	090-03-12.442W	GI-48	WIRELINE UNIT	11340	BARGE	UNREPORTED
28-23-33.429N	095-52-45.610W	BR-491	WIRELINE UNIT	11316	BARGE	UNREPORTED

---

---

## SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

---

### SUMMARY OF ADVANCED APPROVED PROJECTS

<u>Approved Project(s)</u>	<u>Project Date</u>	<u>Ref. LNM</u>
None		

### Advance Notice(s)

#### **TX – COPRUS CHRISTI BAY – LA QUINTA CHANNEL**

In order to mark the centerline of the La Quinta Channel extension the following aids to navigation will be established between May 2018 and October 2018:

Establish La Quinta Channel A Outer Range Front Light (LLNR-29076) in position 27-52-26.553N/097-14-56.319W, showing Q G Day/Night and KRW on skeleton tower.

Establish La Quinta Channel A Outer Range Front Passing Light (LLNR-29076.01) in position 27-52-26.553N/097-14-56.319W, on same structure as the La Quinta Channel A Outer Range Front Light, showing FI W 4s

Establish La Quinta Channel A Outer Range Rear Light (LLNR-29077) in position 27-52-20.098N/097-14-24.959W, showing Iso G 6s Day/Night and KRW on skeleton tower.

Establish La Quinta Channel A Outer Precision Directional Light (LLNR-29078) in position 27-52-20.098N/097-14-24.959W, showing FI G from 101.9 to 102.2, F G from 102.2 to 102.6, alternating GW from 102.6 to 102.9, F W (on channel line) from 102.9 to 103.1, alternating RW from 103.1 to 103.5, F R from 103.5 to 103.9, FI R from 103.9 to 104.2. The PDL will be waterway user activated via a Marine Radio Activated Light System (MRALS).

Establish La Quinta Channel A Inner Range Front Light (LLNR-29101.25) in position 27-52-53.103N/097-17-05.427W, showing Q G Day/Night and KRW on skeleton tower.

Establish La Quinta Channel A Inner Range Rear Light (LLNR-29101.26) in position 27-52-56.969N/097-17-24.241W, showing Iso G 6s Day/Night and KRW on skeleton tower.

Establish La Quinta Channel A Inner Precision Directional Light (LLNR-29101.28) in position 27-52-56.969N/097-17-24.241W, on same structure as the La Quinta Channel A Inner Range Rear Light, showing FI R from 281.9 to 282.3, F R from 282.3 to 282.6, alternating RW from 282.6 to 282.9, F W (on channel line) from 282.9 to 283.1, alternating GW from 283.1 to 283.5, F G from 283.5 to 283.8, FI G from 283.8 to 284.2. The PDL will be waterway user activated via a Marine Radio Activated Light System (MRALS).

More specific construction dates will be published as soon as they are available.

Chart 11309

LNLM: 07/18

#### **TX – HOUSTON SHIP CHANNEL**

The following changes will be made after the week of August 14, 2018.

Due to Upper Red Light Bend Outbound Range Front Light experiencing numerous and frequent knockdowns from marine traffic allisions, the Coast Guard plans to remedy this by moving the Range Rear Light to Spillman Island and moving the Range Front Light to the position currently assigned to the Range Rear Light.

Relocate Upper Red Light Bend Outbound Range Front Light (LLNR-25240) in approximate position 29-42-18.858N/095-01-15.980W to approximate position 29-42-12.372N/095-01-15.999W.

Relocate Upper Red Light Bend Outbound Range Rear Light (LLNR-25245) in approximate position 29-42-12.372N/095-01-15.999W to approximate position 29-42-05.194N/095-01-16.032W.

Charts: 11326 11328 11329

LNM: 25/18

#### **TX – MATAGORDA BAY – LAVACA BAY – PORT LAVACA HARBOR OF REFUGE**

The following change will be made after the week of August 14, 2018.

Due to shoaling and shallow water depths at the entrance to Port Lavaca Harbor of Refuge, the Coast Guard is unable to service Day beacon 10. The Coast Guard will make the following change.

Change Port Lavaca Harbor of Refuge Day beacon 10 (LLNR-27815) in approximate position 28-35-33.923N/096-36-46.506W to Port Lavaca Buoy 10 (LLNR-27815) in approximate position 28-35-33.923N/096-36-46.506W, showing a red nun.

Chart 11317

LNM: 25/18

#### **TX – UPPER GALVESTON BAY – HOUSTON SHIP CHANNEL – BAYPORT SHIP CHANNEL**

Dredging that will widen the entrance to the Bayport Ship Channel and allow for an easier transition for marine traffic both inbound and outbound from the Houston Ship Channel into the Bayport Ship Channel is currently being conducted. The following changes will be made upon completion of the Bayport Ship Channel Flare Dredging Project.

Establish Bayport Ship Channel Light 1 (LLNR-24450) in approximate position 29-36-37.415N/094-57-23.283W, FL G 6s, Focal Height 17ft, Nominal Range 4NM, SG on a pile, Radar Reflector.

Relocate Bayport Ship Channel Light 3 (LLNR-24475) to approximate position 29-36-44.560N/094-57-34.010W.

Relocate Bayport Ship Channel Light 5 (LLNR-24485) to approximate position 29-36-49.137N/094-57-50.161W.

Relocate Houston Ship Channel Light 75 (LLNR-24385) to approximate position 29-36-26.614N/094-57-18.025W.

Relocate Houston Ship Channel Light 76 (LLNR-24390) to approximate position 29-36-30.679N/094-57-06.341W.

Charts: 11326 11327

LNM: 20/18

#### **FL – ST. MARKS RIVER AND APPROACHES – ST. MARKS RIVER**

The following change will be made after the week of July 10, 2018.

Due to shoaling and shallow water depths, the Coast Guard is reducing the size of the buoy hulls marking the channel. This change shall enable smaller Coast Guard vessels to respond quicker to any buoy discrepancies and better maintain this channel. The mariner will notice a slight difference in nominal visual and radar range of the buoy.

Change St. Marks River Buoy 8 (LLNR-1550) on scene hull in approximate position 30-04-06.207N/084-11-22.607W.

Chart 11406

LNM: 20/18

#### **TX – ELLENDER TO GALVESTON BAY – PORT ARTHUR – GALVESTON – BOLIVAR PENINSULA**

The following change will be made after the week of August 14, 2018. Due to a history of Bolivar Peninsula Buoys 19 and 20 frequently being knocked off station the Coast Guard proposes the following changes in order to improve the visibility of Aton in the Port Bolivar Channel.

Relocate and change Bolivar Peninsula Lighted Buoy 20 (LLNR-35945) in approximate position 29-22-19.793N/094-47-09.542W to Bolivar Peninsula Light 20 (LLNR-35945) in position 29-22-21.149N/094-47-10.758W, showing Q R, 17 foot focal height, 4NM nominal range, TR-TY on a pile, Ra ref.

Change Bolivar Peninsula Lighted Buoy 19 (LLNR-35940) in approximate position 29-22-10.778N/094-47-08.755W to Bolivar Peninsula Light 19 (LLNR-35940) in position 29-22-10.778N/094-47-08.755W, showing Q G, 17 foot focal height, 4NM nominal range, SG-SY on a pile, Ra ref.

Charts: 11324 11326 11331

LNM: 25/18

#### **TX – CORPUS CHRISTI BAY – PORT ISABEL – CORPUS CHRISTI BAFFIN BAY**

The following change will be made after the week of August 14, 2018.

Due to shoaling between Corpus Christi Baffin Bay Daybeacon 6 (LLNR-39760) and Corpus Christi Baffin Bay Buoy 10 (LLNR-39770) the Coast Guard will make the following change.

Establish Corpus Christi Baffin Bay Lighted Buoy 8 (LLNR-39768) in approximate position 27-40-46.103N/097-13-36.979W showing FL Q R, 3NM nominal range, red.

Charts: 11308 11309

LNM: 25/18

#### **TX – LAGUNA MADRE – LAND CUT-ARROYO COLORADO**

The following change will be made after the week of August 14, 2018.

Due to a history of Land Cut-Arroyo Colorado Daybeacon 96 frequently being knocked down and the temporary buoy going missing the Coast Guard will make the following change.

Discontinue Land Cut-Arroyo Colorado Daybeacon 96 (LLNR-41995) in approximate position 26-29-21.096N/097-22-59.862W.

Chart 11306

LNM: 25/18

---

### **SECTION VI - PROPOSED CHANGES**

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

---

**PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT**

Proposed Project(s)

Closing

Docket No.

Ref. LNM

None

Proposed Change Notice(s)

**TX – CLEAR LAKES TO ESPIRITU SANTO BAY – FREEPORT – PORT O’CONNOR – MATAGORDA BAY – ALTERNATE ROUTE**

Due to shoaling in the area and an extensive history of aid knockdown the Coast Guard is proposing the following aid to navigation change. Change Matagorda Bay Alternate Route Light 13 (LLNR-37625) in approximate position 28-28-04.304N/096-22-35.698W to Matagorda Bay Alternate Route Lighted Buoy 13 (LLNR-37625) in approximate position 28-28-04.304N/096-22-35.698W, showing FL G 6s, 4nm Nominal Range, Green Can with Yellow Square . Comments will be taken until July 3, 2018, please email comments regarding this proposal to: LocalNoticeFeedback@uscg.mil

Charts: 11316 11317 11319

LNM: 19/18

**TX – ELLENDER TO GALVESTON BAY – ROLLOVER BAY**

In order to improve nighttime visibility of the Aids to Navigation picture in Rollover Bay the Coast Guard proposes the following Aids to Navigation Changes:

Change Rollover Bay Buoy 2 (LLNR-35810) in approximate position, 29-31-32.846N/094-29-18.950W, to Rollover Bay Lighted Buoy 2 (LLNR-35810) in approximate position, 29-31-32.846N/094-29-18.950W, showing Q R, Nominal Range 3NM, Red with yellow triangle.  
Change Rollover Bay Buoy 5 (LLNR-35835) in approximate position, 29-31-17.301N/094-29-53.004W to Rollover Bay Lighted Buoy 5 (LLNR-35835) in approximate position, 29-31-17.301N/094-29-53.004W, showing FL G 4s, Nominal Range 3NM, Green with yellow square.  
Change Rollover Bay Buoy 6 (LLNR-35840) in approximate position, 29-31-19.673N/094-29-54.267W to Rollover Bay Lighted Buoy 6 (LLNR-35840) in approximate position, 29-31-19.673N/094-29-54.267W, showing FL R 4s, Nominal Range 3NM, Red with yellow triangle.  
Change Rollover Bay Buoy 7 (LLNR-35845) in approximate position, 29-31-12.071N/094-30-06.841W to Rollover Bay Lighted Buoy 7 (LLNR-35845) in approximate position, 29-31-12.071N/094-30-06.841W, showing FL G 6s, Nominal Range 3NM, Green with yellow square.  
Change Rollover Bay Buoy 8 (LLNR-35850) in approximate position, 29-31-14.385N/094-30-08.462W to Rollover Bay Lighted Buoy 8 (LLNR-35850) in approximate position, 29-31-14.385N/094-30-08.462W, showing FL R 6s, Nominal Range 3NM, Red with yellow triangle.  
Change Rollover Bay Buoy 11 (LLNR-35865) in approximate position, 29-31-00.666N/094-30-38.463W to Rollover Bay Lighted Buoy 11 (LLNR-35865) in approximate position, 29-31-00.666N/094-30-38.463W, showing FL G 4s, Nominal Range 3NM, Green with yellow square.  
Change Rollover Bay Buoy 12 (LLNR-35870) in approximate position, 29-31-03.281N/094-30-40.141W to Rollover Bay Lighted Buoy 12 (LLNR-35870) in approximate position, 29-31-03.281N/094-30-40.141W, showing FL R 4s, Nominal Range 3NM, Red with yellow triangle.  
Change Rollover Bay Light 14 (LLNR-35875) in approximate position, 29-31-00.246N/094-30-50.451W, showing FL R 2.5s, Nominal Range 3NM, TR-TY on pile, Ra Ref to Rollover Bay Light 14 (LLNR-35875) in approximate position, 29-31-00.246N/094-30-50.451W, showing Q R, Nominal Range 3NM, TR-TY on pile, Ra Ref.

Comments will be taken until July 10, 2018, please email comments regarding this proposal to: LocalNoticeFeedback@uscg.mil

Chart 11331

LNM: 20/18

**TX – ELLENDER TO GALVESTON BAY – Port Arthur – Galveston – EAST BAY BAYOU**

In order to improve nighttime visibility of the Aids to Navigation picture in East Bay Bayou the Coast Guard proposes the following Aids to Navigation Changes:

Change East Bay Bayou Buoy 2 (LLNR-35775) in approximate position, 29-33-11.729N/094-28-02.242W to East Bay Bayou Light 2 (LLNR-35775) in approximate position, 29-33-11.729N/094-28-02.242W, showing FL R 2.5s, Nominal Range 3NM, TR-TY on pile, Ra Ref.  
Change East Bay Bayou Buoy 3 (LLNR-35780) in approximate position, 29-33-09.579N/094-27-59.689W to East Bay Bayou Light 3 (LLNR-35780) in approximate position, 29-33-09.579N/094-27-59.689W, showing FL G 2.5s, Nominal Range 3NM, SG-SY on pile, Ra Ref.  
Change East Bay Bayou Buoy 5 (LLNR-35785) in approximate position, 29-32-59.127N/094-28-07.084W to East Bay Bayou Light 5 (LLNR-35785) in approximate position, 29-32-59.127N/094-28-07.084W, showing FL G 4s, Nominal Range 3NM, SG-SY on pile, Ra Ref.  
Change East Bay Bayou Buoy 6 (LLNR-35790) in approximate position, 29-32-50.786N/094-28-16.856W to East Bay Bayou Light 6 (LLNR-35790) in approximate position, 29-32-50.786N/094-28-16.856W, showing FL R 2.5s, Nominal Range 3NM, TR-TY on pile, RA Ref.  
Change East Bay Bayou Buoy 7 (LLNR-35795) in approximate position, 29-32-47.668N/094-28-15.540W to East Bay Bayou Light 7 (LLNR-35795) in approximate position, 29-32-47.668N/094-28-15.540W showing FL G 2.5s, Nominal Range 3NM, SG-SY on pile, Ra Ref.

Comments will be taken until July 10, 2018, please email comments regarding this proposal to: LocalNoticeFeedback@uscg.mil

Charts: 11326 11331

LNM: 20/18

**LA – BARATARIA BAY AND APPROACHES – ADAMS BAY**

Change Adams Bay Light 3 (LLNR-15735) in approximate position 29-22-46.159N/089-38-28.811W to Adams Bay Daybeacon A (LLNR-15735) showing NB on a pile "A", Ra Ref.

Comments will be taken until July 10, 2018, please email comments regarding this proposal to: LocalNoticeFeedback@uscg.mil

Chart 11358

LNM: 20/18

**TX – LAGUNA MADRE – PORT MANSFIELD CHANNEL**

Due to shoaling and shallow water in Port Mansfield Channel, the Coast Guard in order to more effectively mark shallow water in vicinity of Daybeacons 17, 21 and 25, proposes the following Aids to Navigation Changes:

Change Port Mansfield Channel Daybeacon 17 (LLNR-29355) in approximate position 26-33-38.303N/097-20-42.944W to Port Mansfield Buoy 17 (LLNR-29355) in position 26-33-38.290N/097-20-42.913W, green can.  
Change Port Mansfield Channel Daybeacon 21 (LLNR-29375) in approximate position 26-33-35.888N/097-22-10.172W to Port Mansfield Buoy 21 (LLNR-29375) in approximate position 26-33-35.963N/097-22-10.086W, green can.  
Change Port Mansfield Channel Daybeacon 25 (LLNR-29395) in approximate position 26-33-32.541N/097-23-39.528W to Port Mansfield Buoy 25 (LLNR-29395) in approximate position 26-33-32.531N/097-23-39.525W, green can.

Comments will be taken until July 17, 2018, please email comments regarding this proposal to: LocalNoticeFeedback@uscg.mil

**TX – GALVESTON BAY ENTRANCE – BOLIVAR ROADS ALTERNATE INBOUND ROUTE**

In order to improve visual acquisition for the mariner the Coast Guard is proposing the following Aid to Navigation Changes.

Change Bolivar Roads Alternate Inbound Route Range Front Light

(LLNR-23940) in position 29-22-53.291N/094-48-46.644W showing daymarks KWR to daymarks showing KGR.

Change Bolivar Roads Alternate Inbound Route Range Rear Light

(LLNR-23945) in position 29-23-12.421N/094-49-22.824W showing daymarks KWR to daymarks showing KGR.

Comments will be taken until July 17, 2018, please email comments regarding this proposal to: LocalNoticeFeedback@uscg.mil

Charts: 11324 11326 11331

LNM: 21/18

**AL – MOBILE BAY – MOBILE CHANNEL**

Increasing water depths along the Mobile Channel have limited the Coast Guard's ability to rebuild fixed structures. In order to improve response times to Aids to Navigation discrepancies, the Coast Guard is proposing changing the following fixed lights to lighted buoys that will have a visual and radar range greater than the original fixed structure:

Change Mobile Channel Light 30 (LLNR-6300) in approximate position 30-18-23.839N/088-01-47.172W to Mobile Channel Lighted Buoy 30 (LLNR-6300).

Change Mobile Channel Light 34 (LLNR-6320) in approximate position 30-20-16.293N/088-01-30.992W to Mobile Channel Lighted Buoy 34 (LLNR-6320).

Change Mobile Channel Light 38 (LLNR-6335) in approximate position 30-21-35.599N/088-01-18.887W to Mobile Channel Lighted Buoy 38 (LLNR-6335).

Change Mobile Channel Light 44 (LLNR-6540) in approximate position 30-24-34.608N/088-00-53.789W to Mobile Channel Lighted Buoy 44 (LLNR-6540).

Change Mobile Channel Light 51 (LLNR-6520) in approximate position 30-27-52.264N/088-01-00.946W to Mobile Channel Lighted Buoy 51 (LLNR-6520).

Change Mobile Channel Light 60 (LLNR-6570) in approximate position 30-31-20.874N/088-01-14.929W to Mobile Channel Lighted Buoy 60 (LLNR-6570).

Change Mobile Channel Light 70 (LLNR-6610) in approximate position 30-35-24.577N/088-01-42.448W to Mobile Channel Lighted Buoy 70 (LLNR-6610).

Change Mobile Channel Light 76 (LLNR-6660) in approximate position 30-37-45.393N/088-01-52.475W to Mobile Channel Lighted Buoy 76 (LLNR-6660).

Change Mobile Channel Light 78 (LLNR-6685) in approximate position 30-38-28.668N/088-01-51.613W to Mobile Channel Lighted Buoy 78 (LLNR-6685).

Comments will be taken until July 17, 2018, please email comments regarding this proposal to: LocalNoticeFeedback@uscg.mil

Charts: 11376 11378

LNM: 21/18

**TX – CORPUS CHRISTI – CORPUS CHRISTI CHANNEL**

In order to improve the daytime signal on the Corpus Christi Cut A East Range the Coast Guard is proposing the installation of daytime optics in addition to the dayboards as follows:

Add daytime optics to Corpus Christi Cut A East Range Front Light (LLNR-28305) in position 27-50-41.312N/097-03-16.340W, showing Q W day and night.

Add daytime optics to Corpus Christi Cut A East Range Rear Light (LLNR-28310) in position 27-50-47.194N/097-02-44.645W, Showing Iso W 6s day and night.

Comments will be taken until July 31, 2018, please email comments regarding this proposal to: LocalNoticeFeedback@uscg.mil

Charts: 11307 11309 11312 11313 11314

LNM: 23/18

**AL – MOBILE BAY – MOBILE BAY**

In order to provide a more efficient and effective Aid to Navigation, the Coast Guard is proposing to rebuild Mullet Point Light 2 with the following Aid to Navigation changes.

Change Mullet Point Light 2 (LLNR-6970) in approximate position 30-24-17.772N/087-55-14.688W,

FL R 4s, 30 foot focal height, 5nm nominal range, TR on platform, RA Ref;

to Mullet Point Light 2 (LLNR-6970), FL R 4s, 17 foot focal height, 5nm nominal range, TR on dolphin, RA Ref. Comments will be taken until August 28, 2018, please email comments regarding this proposal to: LocalNoticeFeedback@uscg.mil.

Charts: 11376 11377

LNM: 27/18

**SECTION VII - GENERAL**

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

**FL - GULF OF MEXICO - PANAMA CITY BEACH - Fireworks Display**

The Panama City Beach CVB will be conducting its annual Fourth of July fireworks display on July 4, 2018, from 9:00 p.m. until 9:30 p.m. The fireworks will be launched from County Pier over the Gulf of Mexico. Mariners are urged to remain a minimum of 700 feet from the pier due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5680.

Charts: 1115A 11360

LNM: 25-18

**FL - GULF OF MEXICO - PANAMA CITY BEACH - Fireworks Display**

**FL - GULF OF MEXICO - PANAMA CITY BEACH - Fireworks Display**

The Boardwalk Beach Resort will be conducting a fireworks display on July 6, 2018, from 9:00 p.m. until 9:30 p.m. The fireworks will be launched from the beach just south of the Boardwalk Beach Resort. All persons are requested to remain a minimum of 280 feet from the fireworks launch site due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 1115A 11360 11389

LNM: 25-18

**FL - GULF OF MEXICO - PANAMA CITY BEACH - Fireworks Display**

The Panama City Beach Parks and Recreation will be conducting its annual Fourth of July fireworks display on July 4, 2018, from 9:00 p.m. until 9:30 p.m. The fireworks will be launched from City Pier at Pier Park, approximate position 30-12-44.74N 085-52-50.04W. Mariners are urged to remain a minimum of 700 feet from the pier, due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile Waterways Management Branch, at (251) 441-5680.

Charts: 11389 11390

LNM: 25-18

**FL - GULF OF MEXICO - U.S. Navy Testing**

Continuing until approximately January 1, 2019, the U.S. Navy will be conducting inert underwater mine and Airborne Mine Neutralization System (AMNS) destructor testing in the Gulf of Mexico, in an area approximately 39 nautical miles southwest of the Panama City Pass. The inert mine destructors are silver and orange, 3 feet long, 6 inches in diameter and weighs approximately 2 pounds in water, while weighing 35 pounds in air. Inert mine bottom shapes and inert mine destructors will be deployed, operated and tested in the below test areas during this period. AMNS testing will consist of surface ship operations to include the following: R/V SEWEE or R/V STARFLEET PATRIOT and Project Support Crafts (PSC) 02, 03, 05 or PSC 11; however, additional R/Vs may be added in the future. It is requested that all vessels maintain a one nautical mile CPA of all vessels while operations are in progress. All U.S. Navy / U.S. Navy contracted AMNS support vessels will monitor VHF-FM Channel 16. For up-to-date information, mariners can contact Mr. Robertson, at (850) 230-7698 or via e-mail at William.f.robertson@navy.mil. The corners of the test areas are as follows:

Test Area Tango:

29-56-25.20N 085-54-36.00W,  
29-58-55.20N 085-54-36.00W,  
29-58-55.20N 085-51-42.60W and  
29-56-25.20N 085-51-42.60W.

Test Area Harp 8:

29-45-25.20N 086-21-49.80W,  
29-47-01.20N 086-21-49.80W,  
29-47-01.20N 086-19-52.80W and  
29-45-25.20N 086-19-52.80W.

Charts: 1115A 11360

LNM: 17-18

**FL - GULF OF MEXICO - Fireworks Display**

The City of Destin will be conducting a fireworks display on July 4, 2018, from 9:30 p.m. until 10:00 p.m. The fireworks will be launched from the beach on the west side of East Pass, in approximate position 30-23-15.0N 086-31-03.0W. Mariners are urged to remain a minimum of 700 feet from the position due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 1115A 11360 11388

LNM: 25-18

**FL - GULF OF MEXICO - Fireworks Display**

The Seaside Arts and Entertainment will be conducting a fireworks display on July 4, 2018, from 8:00 p.m. until 9:30 p.m. The fireworks will be launched from a barge in approximate position 30-18-55.0N 086-08-24.0W. Mariners are urged to remain a minimum of 300 yards from the position due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 1115A 11388

LNM: 25-18

**FL - ST. JOSEPH BAY - Fireworks Display**

The City of Port St. Joe will be conducting a fireworks display on July 4, 2018, from 10:00 p.m. until 10:30 p.m. The fireworks will be launched north of the Port St. Joe Marina. All persons are requested to remain a minimum of 560 feet from the fireworks launch site due to hazards associated with fireworks. For up-to-date information, mariners can contact U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 11389 11393

LNM: 25-18

**FL - NORTH BAY - Fireworks Display**

The City of Lynn Haven will be conducting a fireworks display on July 4, 2018, from 9:00 p.m. until 10:00 p.m. The fireworks will be launched from the U.S. Air Force Old Fuel Terminal Pier in approximate position 30-14-58.30N 085-40-04.83W. Mariners are urged to remain a minimum of 700 feet from the pier due to hazards associated with fireworks. For additional information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 11389 11390 11391

LNM: 25-18

**FL - MEXICO BEACH - Fireworks Display**

There will be a fireworks display on Mexico Beach, FL., July 4, 2018, from 9:00 p.m. until 9:30 p.m. The fireworks will be launched from the Mexico Beach Pier. All persons are requested to remain a minimum of 420 feet from the fireworks launch site due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

**FL - MEXICO BEACH - Fireworks Display**

Charts: 11389 11393

LNM: 25-18

**FL - GIWW - PANAMA CITY - Fireworks Display/Safety Zone**

The Salute to Freedom fireworks will be taking place on the GIWW near mile 287.5, EHL, on July 4, 2018, in Panama City, FL. The COTP Mobile, under the Ports and Waterways safety Act has established a Safety Zone for this event. The Safety Zone will include all waters within a 750 foot radius of position 30-08-54.9N 085-40-09.3W. This zone will be enforceable from 7:00 p.m. until 11:00 p.m. No vessels may enter this zone without permission from the COTP Mobile or their designated representative. For additional information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11385

LNM: 25-18

**FL - GULF OF MEXICO - NAVARRE BEACH - Fireworks Display**

The Santa Rosa Tourist Development will be conducting a fireworks display on July 4, 2018, from 9:00 p.m. until 9:30 p.m. The fireworks will be launched from the beach near the Black Skinner Pavilion. All persons are requested to remain a minimum of 560 feet from the fireworks launch site due to hazards associated with fireworks. For further information mariners can contact U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 11006 11360 11382 11383

LNM: 25-18

**FL - SANTA ROSA SOUND - Fireworks Display**

Saltwater Restaurants will be conducting their 2018 Season of Fireworks displays on multiple dates through September 2, 2018. Specific dates will be announced by Broadcast Notice to Mariners. Displays are from 8:30 p.m. until 9:30 p.m. The fireworks will be launched from the Fort Walton Pier. All mariners are requested to remain a minimum of 420 feet from the pier due to hazards associated with fireworks. For up-to-date information, mariners can contact U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11385

LNM: 21-18

**FL - SANTA ROSA SOUND - Fireworks Display**

The Portofino Island Resort will be conducting their 2018 Season of Fireworks display on multiple dates through December 31, 2018. Specific dates will be announced by Broadcast Notice to Mariners. Displays begin at 9:00 p.m. until 9:30 p.m. The fireworks will be launched from a floating platform anchored 500 feet off the end of the resort's pier. Mariners are urged to remain a minimum of 280 feet from the floating platform due to hazards associated with fireworks. For up-to-date information, mariners may contact U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11385

LNM: 21-18

**FL - GULF OF MEXICO - SANTA ROSA SOUND - Air Show/Safety Zone**

The Santa Rosa Island Authority is conducting the annual Pensacola Beach Air Show over the Gulf of Mexico at Pensacola Beach. This event has a published Safety Zones in 33 Code of Federal Regulations part 165.801 (Table 7, Mobile #10). These Safety Zones will be enforced on July 11-15, 2018, from 6:00 a.m. until 4:00 p.m., each day. The established Safety Zones for this event are for portions of the Gulf of Mexico and the Santa Rosa Sound. The Safety Zone for a portion of the Gulf of Mexico includes all waters 1.75 nautical miles east and 1.5 nautical miles west of position 30-19-36.0N 087-08-23.0W and extending 1,000 yards south of Pensacola Beach creating a box, referred to as the "Show Box". This action is necessary for the protection of persons and vessels on navigable waters during the air show. Entry into, transiting or anchoring in this zone is prohibited to all vessels, mariners, and persons unless specifically authorized by the COTP Mobile or a designated representative. The Safety Zone for a portion of the Santa Rosa Sound includes all waters from Deer Point to Sharp Point and all waters within Little Sabine Bay. All vessels in this Safety Zone must proceed at a minimum safe speed. A no wake zone approaching the Hwy 399 bridge will be strictly enforced while the Safety Zone is in effect. Additionally, vessels seeking to enter Little Sabine Bay for the 2 hours immediately following the air shows must contact the on-scene COTP designated representative via VHF-Channel 16, for authorization. This Safety Zone is needed to protect spectator vessels during, and immediately following the Air Shows. For further information, mariners can contact U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11385

LNM: 25-18

**FL - BOGGY BAYOU - Fireworks Display**

The City of Niceville will be conducting its annual Fourth of July fireworks display in Boggy Bayou, Niceville, Florida. This event has a published Safety Zone in 33 Code of Federal Regulations Part 165.801 (Table 7, #4). This Safety Zone will be in enforced on July 4, 2018, from 9:00 p.m. until 9:30 p.m. The established Safety Zone for this event is all waters extending 250 yards around a fireworks barge that will be at approximate position 30-30-46.5N 086-29-13.0W. Entry into, transiting or anchoring in this area is prohibited to all vessels unless specifically authorized by the COTP Mobile or his designated representative. For up-to-date information, mariners can contact U.S. Coast Guard Sector Mobile Waterways Management Branch, at (251) 441-5976.

Chart 11388

LNM: 25-18

**FL - WHITE RIVER - Bridge RIP-RAP Rehabilitation**

Rehabilitation work continues until July 4, 2018, on the U.S. Hwy. 90 (SR 10) bridge crossing White Bayou (aka Saultsman Cove). Work consist of surface preparation of the existing piles at bents 6, 9, 10, 12, 13, 14, 21, 23 and 24, moving in an east to west direction. The work is to integral pile jackets and cathodic protection systems during daylight hours only. There will be no changes to the horizontal or vertical clearances. They will be utilizing pontoon boats 22 to 24 feet in length and 8 to 10 feet wide. Equipment will be removed from the waterway at night. Equipment should be properly lighted according to the "Inland Navigation Rules of 1980". Radio equipment will be monitored and a contact number at the job site is (256) 810-7676. Mariners should use caution when transiting the bridge.

Charts: 11378 11382 11385

LNM: 20-18

**FL - PENSACOLA BAY - Marine Event**

The Pensacola Yacht Club will be holding a sailboat race from July 14, 2018 until July 22, 2018, from 11:00 a.m. until 5:30 p.m., each day. There

**FL - PENSACOLA BAY - Marine Event**

will be 300 small sailboats on Pensacola Bay just south of the entrance to Bayou Chico. Mariners are urged to exercise extreme caution when transiting in the vicinity of the event. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11382

LNM: 26-18

**FL - PENSACOLA BAY - Bridge Construction of New Bridge**

Continuing until approximately December 31, 2020, construction of the new Pensacola Bay Bridge will be taking place on Pensacola Bay, Florida. The COTP Mobile under the Ports and Waterways Safety Act has established a temporary Safety Zone within 500 yards of current bridge construction. This Safety Zone restricts vessel speed to an idle speed for all vessels within the zone. Mariners are urged to transit the area with extreme caution. For up-to-date information, mariners can contact the COTP, U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 11382 11383

LNM: 07-18

**FL - PENSACOLA BEACH - Fireworks Display**

The Pensacola Beach Chamber of Commerce will be conducting its Fourth of July fireworks display on July 4, 2018, from 8:30 p.m. until 9:30 p.m. The fireworks will be launched from a barge offshore behind Bamboo Willie's. All mariners are requested to remain a minimum of 700 feet from the barge due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11378

LNM: 25-18

**AL - GULF OF MEXICO - Fireworks Display**

The City of Gulf Shores, AL., will be conducting its annual Fourth of July fireworks display on July 4, 2018, from 9:00 p.m. until 9:30 p.m. The fireworks will be launched from Gulf State Park Pier. Mariners are urged to remain a minimum of 700 feet from the pier, due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11376

LNM: 25-18

**AL - GULF OF MEXICO - GULF SHORES - Fireworks Display**

The Beach Club in Gulf Shores, AL., will be conducting its Fourth of July fireworks display on July 4, 2018, from 8:30 p.m. until 9:30 p.m. The fireworks will be launched from the beach. All mariners are requested to remain a minimum of 300 feet from the location due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11376

LNM: 25-18

**AL - DAUPHIN ISLAND - Fireworks Display**

The Town of Dauphin Island will be conducting a fireworks display on July 4, 2018, from 8:30 p.m. until 9:30 p.m. The fireworks will be launched from south of the old fishing pier at 1551 Bienville Boulevard. Mariners are urged to remain a minimum of 600 feet from the launch site, due to hazards associated with fireworks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 11376 11378

LNM: 25-18

**AL - PERDIDO PASS - Fireworks Display**

Perdido Beach Resort will be conducting a fireworks display on July 4, 2018, from 9:00 p.m. until 9:30 p.m., in the vicinity of Perdido Pass, Orange Beach, AL. The fireworks will be launched from the beach in approximately 30-16-21.0N 087-33-36.0W. All mariners are requested to remain a minimum of 420 feet from this location due to hazards associated with fireworks. For additional information, mariners can contact the U.S. Coast Guard Sector Mobile at (251) 441-5976.

Chart 11382

LNM: 25-18

**AL - MOBILE BAY - Fireworks Display**

The Grand Marriot Hotel in Point Clear, AL., will be conducting a fireworks display on July 5, 2018, from 8:45 p.m. until 9:30 p.m. All mariners are requested to remain a minimum of 300 feet from the fireworks launch site due to hazards associated with fireworks. For additional information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11376

LNM: 25-18

**AL - MOBILE BAY - Fireworks Display**

The City of Mobile will be conducting its annual Fourth of July Celebration fireworks display on July 4, 2018, from 8:45 p.m. until 9:30 p.m. The fireworks will be launched from a barge in approximate position 30-40-51.5N 088-00-42.5W, east of the USS ALABAMA. Mainers are requested to remain a minimum of 800 feet from the fireworks barge, due to hazards associated with fireworks. For additional information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11376

LNM: 25-18

**AL - MOBILE RIVER - THREE MILE CREEK - Bridge Closure**

The CSX Railroad swing span bridge across Three Mile Creek, mile 0.3, at Mobile, Baldwin County, Alabama, will be closed to navigation for hydraulic upgrades on Wednesday, July 11, 2018, from 6:00 p.m. until 6:00 a.m., Thursday, July 12, 2018, from 6:00 p.m. until 6:00 a.m., and again on Friday, July 13, 2018, from 6:00 p.m. until 6:00 a.m. There are no alternate routes.

Chart 11376

LNM: 27-18

**AL - MOBILE BAY - Fireworks Display**

The City of Fairhope will be conducting its annual Fourth of July fireworks display on July 4, 2018, from 9:00 p.m. until 11:00 p.m. The fireworks will be launched from the city pier. Mariners are urged to remain a minimum of 250 yards from this pier due to hazards associated with fireworks.

**AL - MOBILE BAY - Fireworks Display**

Mariners are urged to use caution while transiting the area. For additional information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Chart 11376

LNM: 25-18

**AL - MOBILE RIVER - Dredge Operation**

Continuing until approximately August 1, 2018, the Mike Hooks Pipeline Dredge E. STROUD will be dredging the Mobile River, working from the States Docks' Pier A, north to the Cochrane Bridge. Dredge material will be disposed of in the upland disposal site, east of the channel. The Pipeline Dredge E. STROUD will monitor VHF-FM Channel 13 or 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact the USACE, at (251) 957-6019.

Chart 11376

LNM: 19-18

**AL - TOMBIGBEE RIVER - Shoaling/Low Water**

Shoaling in combination with low water levels have been reported on the Tombigbee River, in the vicinity of Sunflower Bar, near mile 78.0. This could result in a width restriction for 9-foot channel depth availability if local gauge levels fall to a "Zero" elevation. The U.S. Coast Guard has placed navigation buoys marking a 160-foot wide channel at the narrowest location. A contract dredge is expected to be mobilized to the Tombigbee River later this summer to perform maintenance dredging.

Additional updates will be provided as warranted. Mariners are urged to exercise extreme caution when navigating this section of the river. For up-to-date information, mariners can contact the Derek Kendrick at the BWT/Alabama River Project Management Office, at (205) 752-3571.

LNM: 20-18

**AL - TOMBIGBEE RIVER - Fireworks Display/Safety Zone**

The COTP Mobile, under the Ports and Waterways Safety Act is establishing a Safety Zone for the Freedom on the River fireworks display that will take place on the Tombigbee River near mile 216.0. The Safety Zone will be between mile 215.5 and mile 216.5, on the Tombigbee River. The zone will be enforceable on July 4, 2018, from 7:00 p.m. until 11:00 p.m. No vessel may enter this zone without permission from the COTP Mobile or their designated representative. For further information, mariners may contact U.S. Coast Guard Sector Mobile, at (251) 441-5976.

LNM: 25-18

**AL - BLACK WARRIOR RIVER - Lock Closure**

The Holt Lock, in the vicinity of mile 347.0, will be closed commencing approximately 7:00 a.m., July 10, 2018 and continuing until approximately 7:00 p.m., August 8, 2018. The closure is to replace the lower miter gates and related components. For up-to-date information, mariners can contact Anthony Perkins or Danny Hensley at the BWT/Alabama-Coosa Project Management Office (CESAM-OP-BA), at (205) 752-3571.

LNM: 08-18

**AL - BLACK WARRIOR RIVER - Lock Closure**

The Bankhead Lock, in the vicinity of mile 366.0, will be closed commencing approximately 7:00 a.m., July 11, 2018 and continuing until approximately 7:00 p.m., August 7, 2018. The closure is to replace sections of hydraulic pipes for the lock operating machinery and related components. For up-to-date information, mariners can contact Anthony Perkins or Danny Hensley at the BWT/Alabama-Coosa Project Management Office (CESAM-OP-BA), at (205) 752-3571.

LNM: 08-18

**MS - MISSISSIPPI SOUND - PASCAGOULA HARBOR - Fireworks Display**

The City of Pascagoula will be conducting a fireworks display on July 4, 2018, from 8:00 p.m. until 9:30 p.m., in Pascagoula, MS. The fireworks will be launched from a barge in approximate position 30-20-26.0N 088-32-03.0W. All mariners in the area are requested to remain a minimum of 1,000 feet from the firework launch site due to hazards associated with the fireworks. For up-to-date information, mariners can contact U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 11373 11375

LNM: 25-18

**MS - BILOXI BAY - Fireworks Display**

The Biloxi Bay Chamber will be conducting its annual Fourth of July fireworks display in Biloxi Bay, Biloxi, MS. The COTP Mobile, under the Ports and Waterways safety act has established Safety Zone for this event is all waters extending 200 yards around a fireworks barge that will be positioned in approximately 30-23-20.07N 088-52-40.31W. The Safety Zone will be enforced on July 4, 2018, from 8:45 p.m. until 9:45 p.m. Entry into, transiting or anchoring in this area is prohibited to all vessels unless specifically authorized by the COTP Mobile or his designated representative. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 11372 11373

LNM: 25-18

**MS - MISSISSIPPI SOUND - BILOXI - Air Show/Safety Zone**

The 2018 Biloxi Airshow will take place over the Biloxi Harbor Channel in Biloxi, MS., from July 19, 2018 until July 22, 2018. The event will be held daily between 9:00 a.m. and 5:00 p.m., each day. The COTP Mobile, under the Ports and Waterways Safety Act has established a Safety Zone for this event. No vessel may transit within the designated show box that will be between approximate positions 30-23-22.6N 088-50-54.9W; 30-23-25.5N 088-53-12.1W; 30-22-52.3N 088-50-55.8W; 30-22-56.3N 088-53-11.9W, without obtaining permission from the COTP or a designated representative. For up-to-date information, mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 11372 11373

LNM: 25-18

**MS - MISSISSIPPI SOUND - BILOXI BAY - Dredge Operation/Pipe Staging/Barrier Island Restoration Operation**

Attached as an enclosure to this LNM, notification from Great Lakes Dredge and Dock of Barrier Island restoration operations.



**MS - MISSISSIPPI SOUND - BILOXI BAY - Dredge Operation/Pipe Staging/Barrier Island Restoration Operation**

Charts: 11372 11373

LNM: 15-18

**MS - MISSISSIPPI SOUND - WAVELAND - Fireworks Display**

The City of Waveland will be conducting a fireworks display on July 4, 2018, from 9:00 p.m. until 9:30 p.m. The fireworks will be launched from the Waveland City Pier in Waveland, Mississippi. Mariners are requested to remain a minimum of 300 feet from the pier due to hazards associated with fireworks. For up-to-date information mariners can contact the U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 11371 11373

LNM: 25-18

**MS - GULFPORT HARBOR - Dredge Operation**

Continuing until approximately September 18, 2018, Mike Hooks, LLC., Pipeline Dredge MISSOURI H., will conduct dredging operations in Gulfport Harbor. Dredging will begin in the Upper Sound Channel and continue to the Anchorage Basin. Dredged material will be disposed into existing open water sites adjacent to the channel. The dredge will utilize floating and submerged pipeline, in addition to a number of support vessels, all lighted in accordance to U.S. Coast Guard Safety Regulations. The Dredge MISSOURI H., will be monitoring VHF-FM Channel 13 or 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact the USACE Irvington Site Office, at (251) 957-6019.

Chart 11373

LNM: 24-18

**MS - MISSISSIPPI SOUND - WAVELAND - Breakwater Construction Project**

Breakwater construction operations are being conducted from Heron Bay to Bayou Bolan in Mississippi Sound. The project consists of constructing a stone breakwater to a +2.0 feet elevation, from Heron Bay to Bayou Bolan. Mariners are advised that several spud barges with equipment as well as barges transporting stone to and from the site will be in the area. Tow boats will be manned 24 hours per day and will include the M/V JAY GENE. Fleeting will occur along the project and the mouth of the Pearl River. Anticipated completion of this project is November 30, 2018. For up-to-date information, mariners can contact U.S. Coast Guard Sector Mobile, at (251) 441-5976.

Charts: 11367 11372

LNM: 14-18

**LA - GULF OF MEXICO - Side Scan Sonar Survey**

Continuing until approximately November 1, 2018, the M/V OCEAN EXPLORER will be conducting side scan sonar surveys in the Gulf of Mexico. The four corners of the survey are bound by the following approximate position:

NW corner: 29-24-00.0N 092-26-00.0W,

SW corner: 29-08-00.0N 092-26-00.0W,

NE corner: 29-24-00.0N 091-53-00.0W and

SE corner: 29-08-00.0N 091-53-00.0W.

Work will be performed 24-hours a day, 7-days a week. The vessel will be restricted in ability to maneuver due to the various towed instruments employed for the survey. The M/V OCEAN EXPLORER will be monitoring VHF-FM Channel 13 or 16. Mariners transiting the area are urged to give 6 nautical miles berth.

Charts: 1116A 11340 11360

LNM: 19-18

**LA - GULF OF MEXICO - SHIP SHOAL BLOCK 70 - Shoaling**

Shoaling has been reported to a depth of 24 feet, in approximate position 28-58-12.59N 090-51-21.78W, Ship Shoal Block 70. Shoaling is reportedly not marked. Mariners are urged to exercise caution when navigating the area.

Charts: 1116A 11340 11352

LNM: 26-18

**LA - GULF OF MEXICO - SHIP SHOAL BLOCK 88 - WHISKEY ISLAND - Dredge Operation - Coastal Restoration**

Great Lakes Dredge and Dock has deployed a wave buoy until approximately July 31, 2018, in approximate position 28-54-19.4N 090-55-28.8W, to monitor wave height conditions for the Coastal Restoration project. The buoy emits a group amber flashing light pattern of 5 every 20 seconds.

Great Lakes Dredge and Dock Company is continuing its work on the State of Louisiana, Coastal Protection and Restoration Authority (CPRA) in accordance with the Plans and Permits issued by CPRA. For updated information regarding the wave buoy, mariners can contact Tug KJ LEBEOUF or Dredge ALASKA via VHF-FM Channel 13 or 16.

Charts: 1116A 11340 11352

LNM: 15-18

**LA - GULF OF MEXICO - SHIP SHOAL BLOCK 88 - WHISKEY ISLAND - Dredge Operation - Coastal Restoration**

Continuing until approximately July 2018, Great Lakes Dredge & Dock Company will be conducting dredging operations from the Ship Shoal Block 88 Borrow Area located approximately 8.2 nautical miles south southwest of Whiskey Island. Material dredged will be hydraulically placed via submerged pipeline onto the center of Whiskey Island. The 30 inch diameter submerged steel pipeline will be placed directly on top of the existing natural sea floor within the permitted conveyance corridor. The hydraulic cutter suction Dredge ALASKA will be operating within the Ship Shoal Block 88 Borrow Area along with Tender Tugs and Anchor Barges. Approximately 3,000 feet of float hose will be trailing the Dredge ALASKA within the Borrow Area. Three Hydraulic Boosters, the ERIN, JESSIE and TEXAS JUNIOR, will be anchored at various points within the permitted submerged pipeline conveyance corridor to aid in pumping the dredge material from the Borrow Area to Whiskey Island. Work will be performed 24-hours a day, 7-days a week. The Dredge ALASKA and support vessels will be monitoring VHF-FM Channel 13 or 16. All vessels will display appropriate lighting and day markers as required by U.S. Coast Guard Regulations. All floating pipeline (Float Hose) and marker/anchor buoys will be highly visible and marked with yellow flashing lights. The submerged pipeline will be marked with regularly spaced orange Norwegian type buoys with Solas retro-reflective tape at a maximum spacing of 500 feet as well as yellow can buoys with yellow flashing lights at a maximum spacing of 2,500 feet apart. The Project is comprised of offshore borrow areas and the existing barrier island of Whiskey Island, in approximate positions: Ship Shoal Block 88 Borrow Area Corner Locations (Dredge ALASKA Operating Area):

NW Corner 28-55-32.9147N 090-55-29.6222W

SW Corner 28-54-17.9753N 090-55-29.9257W

SE Corner 28-54-17.7698N 090-54-25.8002W

**LA - GULF OF MEXICO - SHIP SHOAL BLOCK 88 - WHISKEY ISLAND - Dredge Operation - Coastal Restoration**

NE Corner 28-55-32.7089N 090-54-25.3758W.

Submerged Pipeline Conveyance Corridor (Hydraulic Booster Operating Area):

Whiskey Island End 29-02-08.4618N 090-50-02.8422W

29-02-08.9199N 090-50-14.1443W

29-00-14.5152N 090-49-53.4315W

29-00-17.1615N 090-50-04.6641W

28-57-16.3312N 090-51-50.8470W

28-57-22.8550N 090-51-59.5848W

28-57-03.4986N 090-52-26.9686W

28-56-56.4657N 090-52-18.9516W

28-56-47.6539N 090-52-41.3682W

28-56-40.6212N 090-52-33.3512W

28-56-26.9696N 090-53-18.6321W

28-56-18.5712N 090-53-12.5472W

28-55-33.2572N 090-54-34.5653W

Ship Shoal Block 88 End 28-55-29.9143N 090-54-21.3357W.

Whiskey Island Fill Area:

NW Corner 29-03-54.5091N 090-52-26.1586W

NE Corner 29-03-53.4075N 090-47-38.4407W

SE Corner 29-02-23.0886N 090-47-38.9245W

SW Corner 29-02-24.1899N 090-52-26.5707W

Whiskey Island Waterside Staging Area:

NW Corner 29-03-23.7713N 090-49-49.8442W

NE Corner 29-03-23.8838N 090-50-12.5522W

SE Corner 29-03-16.1126N 090-49-49.9049W

SW Corner 29-03-16.0438N 090-50-12.6023W

Houma Navigation Channel Staging Area:

NW Corner 29-14-27.4306N 090-40-38.2248W

NE Corner 29-14-28.9511N 090-40-33.6142W

SE Corner 29-14-09.0411N 090-40-19.3350W

SW Corner 29-14-07.3240N 090-40-20.7217W

Cocodrie Staging Area 1:

NW Corner 29-14-46.4106N 090-40-31.5366W

NE Corner 29-14-49.9697N 090-40-13.0789W

SE Corner 29-14-48.8964N 090-40-12.8683W

SW Corner 29-14-45.4018N 090-40-29.9377W

Cocodrie Staging Area 2:

NW Corner 29-14-52.8083N 090-39-59.3434W

NE Corner 29-14-52.5912N 090-39-57.9400W

SE Corner 29-14-48.7320N 090-39-58.3936W

SW Corner 29-14-49.0105N 090-40-00.0705W. All mariners are requested to transit these areas with extreme caution. Trawling and dragging operations should not be conducted in the vicinity of the Ship Shoal Block 88 Borrow Area, the permitted Submerged Pipeline Conveyance Corridor, the Whiskey Island fill area or the Whiskey Island staging area.

Charts: 1116A 11340 11352

LNM: 46-17

**LA - GULF OF MEXICO - Wreck**

The Resolve Salvage & Fire Americas Inc., has been engaged by the owners/underwriters of the derrick barge TOPS DB1, which sank while trying to decommission an oil platform in the Gulf of Mexico in approximate position 29-18-30.0N 093-14-24.0W, in the vicinity of West Cameron Block 198A. Diving and salvage operations are underway and expected to be completed by approximately July 20, 2018. The following assets will be operating on site:

Lifeboat JAMIE G EYMARD,

Heavy Lift Crane Barge CONQUEST MB1,

Crane Barge RMG 302,

Tug ZION FALGOUT and

Tug RESOLVE COMMANDER. These vessels may be restricted in their ability to maneuver when operations are underway. All vessels are requested to give the area a wide berth. On scene vessels will be monitoring VHF-FM Channel 10.

Charts: 1116A 11330 11340

LNM: 24-18

**LA - SOUTHWEST PASS - MISSISSIPPI RIVER - Dredge Operation**

Continuing until approximately July 31, 2018, the Cutterhead Dredge ROBERT M. WHITE will be working in Southwest Pass from Head of Passes (Mile 0.0) to approximately Mile 22.0, BHOP, and in the Mississippi River from Head of Passes to approximately Mile 11.0, AHOP. The dredged material will be deposited through a combination of floating and submerged pipelines into designated placement areas. Dredging will be performed 24-hours a day, 7-days a week. The Cutterhead Dredge ROBERT M. WHITE will be monitoring VHF-FM Channel 16 or 67. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Michelle Kornick, at (504) 862-1842 or Heather Jennings, at (504) 862-1253.

Chart 11361

LNM: 11-18

**LA - SOUTHWEST PASS - MISSISSIPPI RIVER - Dredge Operation**

Continuing until approximately July 10, 2018, the Hopper Dredge WHEELER will be working in Southwest Pass from Head of Passes (Mile 0.0) to

**LA - SOUTHWEST PASS - MISSISSIPPI RIVER - Dredge Operation**

the Lower Jetty Bar Channel and the Mississippi River from Head of Passes to Mile 11.0, AHOP. Dredging will be performed 24-hours a day, 7-days a week. The Hopper Dredge WHEELER will be monitoring VHF-FM Channel 16 or 67. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Michelle Kornick, at (504) 862-1842 or Heather Jennings, at (504) 862-1253.

Chart 11361

LNM: 25-18

**LA - CHEF MENTEUR PASS - Temporary One Day Bridge Closure**

CSX Transportation has requested a one-day closure of the waterway scheduled for Tuesday, July 16, 2018, from 6:00 a.m. until 6:00 p.m., to remove asbestos abatement in the bridge operator's house at Chef Menteur Pass Railroad Bridge, mile 2.5, at Lake Catherine, Orleans Parish, Louisiana. Therefore, the bridge will be in the closed-to-navigation position and will not be able to open. Rigolets Pass may be used as an alternate route.

Charts: 11367 11371

LNM: 26-18

**LA - RIGOLETS PASS - Dredging Operation**

Continuing until September 30, 2018, Crosby Dredging LLC., will be conducting dredging operations along the western edge of Rigolets Pass. Dredge CROSBY DREDGER and tender M/V CAPT WEBSTER will be working 24-hours a day, 7-days a week. Dredge CROSBY DREDGER and tender M/V CAPT WEBSTER will be monitoring VHF-FM Channel 69. Mariners are urged to use caution when transiting within the area. The point of contact, Hud Lee or Michael Orgeron can be contacted, at (985) 677-6100 or (504) 638-0040, for additional information.

Charts: 11367 11369 11371

LNM: 10-18

**LA - MISSISSIPPI RIVER - Dredge Operation - UPDATE**

Cutterhead Dredge G.D. MORGAN and attendant plant have completed dredging operations between Mississippi River approximate Mile 6.0, AHOP, and Southwest Pass approximate Mile 19.5, BHOP. Demobilization will occur until July 10, 2018.

Chart 11361

LNM: 27-18

**LA - MISSISSIPPI RIVER - MILE 25.2, AHOP - Subaqueous Stone Placement**

Continuing until approximately July 15, 2018, a U.S. Government Contractor will be placing subaqueous stone along the RDB of the Lower Mississippi River at approximate Mile 25.2, AHOP. Work will be performed during daylight hours only, 7-days a week. The plant consists of a trackhoe barge with an anchor system set up with 2 anchors riverward and 2 anchors landward. Various material and support barges will be on-site and staged outside of the navigation channel. The M/V PINE BLUFF will monitor VHF-FM Channel 67 or 88A. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact the USACE New Orleans District, John Page, at (337) 291-3015.

Chart 11364

LNM: 21-18

**LA - LAKE PONTCHARTRAIN - US 11 Bridge Rehabilitation Outside the Main Channel Spans**

The contractor continues the rehabilitation work on the U.S. 11 Bascule Bridge across Lake Pontchartrain between New Orleans and Slidell, Orleans and St. Tammany Parishes, Louisiana. The contractor will work Monday through Friday, from 6:30 a.m. until 5:30 p.m. Work on the project has begun on the Slidell side (north) and consist of inspections, measuring of cracks, sand blasting, grinding, spall repairs and wrapping of the piers and caps as necessary. The contractor has extended the scaffolding to a total of 2,400 feet north of the Bascule Bridge, as this entire section has a reduced vertical clearance of 8 feet, thus eliminating the availability by recreational boaters. The new scaffolding set-up, including moving cables to Span 405 to Span 403. The majority of the time workers are located between Span 445 to Span 381. Some work is being done on the Orleans side (south shore) between Span 8 to Span 15. The work area will be marked by danger buoys approximately 50 feet on either side of the bridge marking an exclusion zone for vessels to stay out of the work zone. The buoys will be spaced approximately 200 feet apart and will mark the entire length of the work area. The buoys will be lighted at night with FI W 2.5 sec. lights. Mariners should avoid this area at all times. Additionally, the contractor has added an additional crane barge measuring 150 feet by 50 feet, to the existing barges (1 measuring 30 feet by 120 feet, with a height of 25 feet and 1 measuring 30 feet by 110 feet). There are also 2 flex floats, 2 supply barges and 3 crew boats located near the bridge within the work zone. When the contractor is not working at night and over the weekends, the barges will be grouped together and spud down away from the navigation span and near the work area. This equipment will be lighted by fixed white lights on each outward corner as required. During the work day, the Tug JO ANN SIMS will monitor VHF-FM Channel 16. The L&A Contracting Company is the contractor on the project and can be reached at (601) 270-7704, 24-hours a day. This project will take approximately 48 months to complete. In conjunction with this work, additional work beneath the bridge on the New Orleans Side (south) will have divers placing wraps during daylight hours, issued in a separate Local Notice to Mariners, for additional information.

Charts: 11369 11371

LNM: 25-18

**LA - MISSISSIPPI RIVER MILE 92.3. AHOP, LDB - Dock Debris**

Dock debris from the Andry Street Wharf previously reported on the Mississippi River, in the vicinity of Mile 92.3, AHOP, LDB, in approximate position 29-57-17.4N 090-01-22.0W, has been marked with a lighted danger buoy displaying a white flashing light. Mariners are urged to use caution when transiting within the area.

Charts: 11364 11367

LNM: 27-18

**LA - MISSISSIPPI RIVER MILE 92.7. AHOP, LDB - Partially Submerged Obstruction**

Partially submerged pilings have been reported on the Mississippi River, in the vicinity of Mile 92.7, AHOP, LDB, in approximate position 29-57-27.70N 090-01-49.08W. Mariners are urged to use caution in this area or pushing in while awaiting transit through the Industrial Locks. For up-to-date information, mariners can contact the U.S. Coast Guard Sector New Orleans VTS, at (504) 365-2230.

Charts: 11364 11367

LNM: 26-18

**LA - MISSISSIPPI RIVER - MILE 107.0, AHOP - Dredge Operation**

Continuing until approximately July 13, 2018, Wood Dredging LLC., will be conducting dredging operations on the Lower Mississippi River, at approximate Mile 107.0, AHOP, LDB. The Dredge W.B. WOOD and M/V MR. KELLY will work 24-hours a day, 7-days a week. The Dredge W.B. WOOD and M/V MR. KELLY will be monitoring VHF-FM Channel 67 or 71. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Kelly Sauerwin or Billy Smith, at (504) 436-1234 or (800) 891-9663.

Chart 11370

LNLM: 25-18

**LA - MISSISSIPPI RIVER MILE 117.7, AHOP - Heavy Lift Operations**

Due to the a heavy lift operation with barges and equipment extending approximately 650 feet into the navigable channel near Mile 117.7, AHOP, Lower Mississippi River, no meeting or overtaking between deep draft vessels and deep draft vessels and large tows are permitted. All vessels are directed to transit the area at their slowest safe speed. For further information on these controls, mariners can contact U.S. Coast Guard VTS Lower Mississippi river via VHF-FM Channel 5A or the M/V MISS LAURIE on VHF-FM Channel 67.

Chart 11370

LNLM: 27-18

**LA - MISSISSIPPI RIVER - MILE 151.0, AHOP TO MILE 234.0 AHOP - Dredge Operation**

Continuing until further notice, the U.S. Government Dustpan Dredge HURLEY will be working at the Mississippi River Deep Draft Crossings between Mile 151.0, AHOP and Mile 234.0, AHOP. The first dredging location will be in the vicinity of Red Eye Crossing, at approximate Mile 224.0, AHOP of the Mississippi River. The Dredge will work 24-hours a day, 7-days a week, and will give way to vessels using the waterway. The U.S. Government Dustpan Dredge HURLEY will be monitoring VHF-FM Channel 16 or 67, for sailing instructions. Mariners are urged to transit at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. The point of contact with the New Orleans District is Michelle Kornick, at (504) 862-1842 or Heather Jennings, at (504) 862-1253.

Chart 11370

LNLM: 20-18

**LA - MISSISSIPPI RIVER - MILE 151.0, AHOP TO MILE 234.0 AHOP - Dredge Operation**

Continuing until further notice, the Dustpan Dredge JADWIN will be working at the Mississippi River Deep Draft Crossings between Mile 151.0, AHOP and Mile 234.0, AHOP. The first dredging location will be in the vicinity Belmont Crossing, at approximate Mile 154.2, AHOP, of the Mississippi River. Dredging will be performed 24-hours a day, 7-days a week and will give way to vessels using the waterway. The Dustpan Dredge JADWIN will be monitoring VHF-FM Channel 16 or 67. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Michelle Kornick, at (504) 862-1842 or Heather Jennings, at (504) 862-1253.

Chart 11370

LNLM: 20-18

**LA - MISSISSIPPI RIVER - MILE 151.0, AHOP TO MILE 234.0 AHOP - Dredge Operation**

Continuing until further notice, the Dustpan Dredge WALLACE McGEORGE will be working at the Mississippi River Deep Draft Crossings between Mile 151.0, AHOP and Mile 234.0, AHOP. The first dredging location will be in the vicinity Alhambra Crossing, at approximate Mile 190.5, AHOP, of the Mississippi River. Dredging will be performed 24-hours a day, 7-days a week and will give way to vessels using the waterway. The Dustpan Dredge WALLACE McGEORGE will be monitoring VHF-FM Channel 16 or 67. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Michelle Kornick, at (504) 862-1842 or Heather Jennings, at (504) 862-1253.

Chart 11370

LNLM: 20-18

**LA - MISSISSIPPI RIVER, MILE 157.7, AHOP - Dock Construction**

Continuing until September 13, 2018, Boh Brothers Construction Company will be performing pile driving and dock construction operations along the right descending bank at mile 157.7, AHOP. The floating plant will consist of 2 deck barges and 1 crane barge on-scene and will monitor VHF-FM Channel 17. Work will be conducted during daylight hours, 6-days per week, Monday through Saturday. Mariners are urged to transit at their slowest safe speed to minimize wake and to exercise caution when transiting within the area. The point of contact Patrick Ledet may be contacted at (225) 270-8054, for additional information.

Chart 11370

LNLM: 23-18

**LA - DES OIES BAYOU - Replacement Bridge Project**

Louisiana Department of Transportation and Development replacement bridge project work continues on State Highway 45, Goose Bayou Bridge across Des Oies Bayou, mile 0.1, at Lafitte, Louisiana. The schedule of work is from 6:30 a.m. to 5:00 p.m., Monday through Friday. The equipment being used is crane barge measuring 20 feet by 54 feet and the material barge 20 feet by 30 feet. The pile driving has begun on the northeast side of the existing bridge. Periodically, the channel will have restrictions and there may be delays. The project manager assigned to the project can be contacted at (225) 615-5028. The tug assisting will be monitoring VHF-FM Channel 16 or 13. Mariners should use caution while transiting the waterway.

Charts: 11353 11364 11365

LNLM: 09-18

**LA - LITTLE LAKE - GRAND BAYOU - CUTOFF CANAL - Dredge Operation**

Continuing until approximately November 1, 2018, the Weeks Marine Inc., Clamshell Dredge DEL RIO will conduct dredging operations between the Grand Bayou and Cut Off Canals, within the following approximate positions: 29-25-19.50N 090-26-48.82W and 29-29-20.00N 090-25-37.00W (West Bank) and 29-30-17.12N 090-25-04.20W and 29-31-01.00N 090-24-42.30W (East Bank). Work will be conducted 24-hours a day, 7-days a week. The Dredge DEL RIO will monitor VHF-FM Channel 16 or 67. Mariners are urged to transit the area at their slowest safe speed to minimize their wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Miguel Cruz, at (985) 875-2564 or email macruz@weeksmarine.com.

Charts: 11358 11365

LNLM: 38-17

**LA - PORT FOURCHON - Dredge Operation**

Continuing until approximately July 23, 2018, Magnolia Dredge & Dock, LLC., will be conducting dredging operations in the Port Fourchon area. The contractors floating plant will consist of the Dredge GRAND CHENIER and support vessels. Work will be conducted 24-hours a day, 7 days a week.

Dredge Equipment will be in the area along with a floating and submerged pipeline. The dredge area is bounded by the following approximate positions:

- NW 29-08-29.90N 090-11-56.10W,
- NE 29-08-31.03N 090-11-51.16W,
- SW 29-18-12.24N 090-11-49.09W,
- SE 29-08-11.26N 090-11-46.14W.

Dredged material will be transported via floating and submerged dredge pipeline. The floating pipeline will be marked every 60 feet with an orange lighted buoy displaying a flashing yellow light. The submerged pipeline will be marked with lighted buoys displaying 2 red lights, spaced 3 feet apart on either side of the submerged weighted pipeline crossing located 100 feet to either side of the line. The location of the submerged pipeline is between approximate positions 29-08-36.63N 090-11-55.09W and 29-08-37.43N 090-11-51.85W. The Dredge GRAND CHENIER and support vessels will monitor VHF-FM Channel 13 or 68. Mariners are requested to avoid this dredging operation area, if possible.

Charts: 11346 11365

LNM: 17-18

**LA - ALEXANDRE BAYOU - New Bridge Construction**

Construction of a new fixed LA 3083 Alexandre Bayou Bridge (Atchafalaya Basin West Protection Levee) has begun across Alexandre Bayou, St. Martin Parish, Louisiana. Scheduled working hours are Monday through Friday, from 6:00 a.m. until 7:00 p.m., each day, for a duration of approximately six months. A segmental barge platform 90 feet by 80 feet, Crawler Crane and related bridge erection equipment will be assisting. The channel will be closed-to-navigation. To make preparation in advance, mariners can contact (337) 247-2327 or (318) 715-7308. There is no alternate route. Mariners are advised to exercise caution when transiting the area.

Charts: 11350 11352 11354

LNM: 20-18

**LA - FALGOUT CANAL - Temporary Navigation Channel Buoys**

The Terrebonne Levee and Conservation District is constructing a flood protection levee and flood control structure in the Falgout Canal. These construction activities resulted with the installation of 12 Temporary Lighted Channel Buoys marking a temporary channel to navigate the Falgout Canal. The Temporary Lighted Channel Buoys shall remain on location until no later than September 1, 2018. Sealevel Construction Inc., has established 6 RED Lighted Buoys and 6 GREEN Lighted Buoys in the following approximate positions: Lighted Buoy 1: 29-24-57.60N 090-47-24.33W, Lighted Buoy 2: 29-24-56.62N 090-47-25.57W, Lighted Buoy 3: 29-24-57.49N 090-47-22.84W, Lighted Buoy 4: 29-24-56.64N 090-47-24.43W, Lighted Buoy 5: 29-24-57.12N 090-47-21.49W, Lighted Buoy 6: 29-24-56.52N 090-44-23.90W, Lighted Buoy 7: 29-24-56.66N 090-47-20.14W, Lighted Buoy 8: 29-24-56.42N 090-47-21.71W, Lighted Buoy 9: 29-24-56.12N 090-47-17.34W, Lighted Buoy 10: 29-24-55.58N 090-47-20.21W, Lighted Buoy 11: 29-24-55.17N 090-47-17.63W, Lighted Buoy 12: 29-24-55.05N 090-47-17.11W. For up to date information, mariners can contact Sealevel Construction Inc., at (504) 343-7927, Attn: Justin Lane or mariners may contact the COTP MSU Houma, at (985) 850-6491, Attn: MSTC Justin Helton. Mariners should exercise extreme caution when navigating in or near this location.

Chart 11352

LNM: 18-18

**LA - LOST LAKE - Marsh Creation and Hydrologic Restoration Project**

Continuing until approximately October 15, 2018, Weeks Marine Inc., Cutterhead Dredge BORINQUEN and attendant plant will be operating in the vicinity of Lost Lake, Terrebone Parish, Louisiana. Dredge material will be transported through a combination of floating and submerged pipeline to placement site. Dredge and pipeline will have all required U.S. Coast Guard lighting for night operations. The work perimeter for the project will be the area bound by the following approximate positions:

- 29-22-50.16N 090-57-36.44W,
- 29-22-50.16N 091-07-25.17W,
- 29-18-50.98N 091-07-25.17W and
- 29-18-50.98N 090-57-36.44W.

Borrow Area 1 and Pipeline Corridor will be bound by the following approximate positions:

- 29-20-49.97N 091-02-28.73W,
- 29-20-32.86N 091-01-05.17W,
- 29-19-54.02N 091-02-43.44W and
- 29-19-26.32N 091-01-43.45W.

Location for Weeks's dredge pipe crossing over existing 22 inch and 16 inch Shell pipeline:

Position for pipeline crossing over the 22 inch Shell pipeline:

29-21-17.77N 091-00-19.69W.

Position for pipeline crossing over the 16 inch Shell pipeline:

29-21-17.40N 091-00-19.22W.

Work will be conducted 24-hours a day, 7-days a week. The dredge and tugs will monitor VHF-FM Channel 13 or 16. Mariners are urged to use extreme caution and transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11352

LNM: 15-18

**LA - KING LAKE - Flowline Installation**

Continuing until approximately July 18, 2018, Castex Energy, Inc., will be installing a 10-inch flowline in the vicinity of King Lake, beginning in approximate position 29-17-47-54N 091-00-10.96W and ending in approximate position 29-16-55.32N 091-08-25.25W. Work will be conducted from 6:00 a.m. until 6:00 p.m., 7-days a week. M/V CHELSEA A, 2 crew boats, 1 crane barge, 1 deck barge, Tug MISS AUDREY and Spud Barge-PEPPY will be on scene and monitoring VHF-FM Channel 1. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Charts: 11352 11356

LNM: 17-18

**LA - ATCHAFALAYA RIVER - Bridge Maintenance**

The Atchafalaya River I-10 Bridge on the Atchafalaya River, near mile 59.8, will have a reduced vertical clearance by 5 feet, from April 4, 2018 until approximately August 7, 2018. During this time the bridge will undergo maintenance and painting with a safety boat located in the vicinity. All vessels are advised to use caution while transiting the area. For additional information, mariners can contact David Beale, at (228) 323-2655 or MSU Baton Rouge, at (225) 298-5400.

Chart 11354

LNM: 13-18

**LA - ATCHAFALAYA RIVER - Mile 78.8 - Bridge Maintenance**

The I-10 Twin Bridges across the Atchafalaya River, mile 78.8 (Whiskey Bay Pilot Channel, mile 58), near Henderson in Iberville and St. Martin Parishes, Louisiana, has a reduced vertical clearance of approximately 5 feet from June 20, 2018 through March 24, 2019. The scheduled work is Monday through Saturday, from 7:00 a.m. until 5:00 p.m., each day. A safety boat will be located under the bridge during work hours and can be contacted on VHF-FM Channel 13. The contractor on this project is David Beale at (228) 323-2655, for additional needed information. Mariners are advised to exercise caution when transiting the area.

Charts: 11351 11354 11355

LNM: 25-18

**LA - GRAND LAKE - Dredge Operation**

Continuing until approximately October 30, 2018, LeBlanc Marine will be conducting Cutter Head Suction Dredging Operations in Grand Lake, east of the Atchafalaya River, West Atchafalaya River near mile 90.0, in approximate position 29-59-43.25N 091-26-38.71W. Work will be conducted during daylight hours only, with night time operations as necessary, 7-days a week. The contractors floating plant will consist of the M/V MISS RILEY, Tug MARSH ISLAND, 2 work boats and 1 spud barge and cutter head dredge. During non-working hours, the contractors floating plant will be moored at the work-site and lighted accordingly. The vessels will monitor VHF-FM Channel 14. Mariners are urged to exercise caution in the area.

Charts: 11352 11354

LNM: 27-18

**LA - GIWW - MORGAN CITY-PORT ALLEN ALTERNATE ROUTE - Dock Repair**

Continuing until July 21, 2018, BP Lubricants USA Inc., will be conducting construction operations, repairing an existing docking facility on the GIWW Morgan City-Port Allen Alternate Route, approximately 1.0 nautical mile west of the Port Allen Lock. The on scene construction vessel will monitor VHF-FM Channel 16. For additional information, mariners can contact (225) 382-8502. Mariners are urged to transit at their slowest safe speed to minimize wake.

Charts: 11352 11354

LNM: 25-18

**LA - GIWW - MORGAN CITY-PORT ALLEN ALTERNATE ROUTE - Dredge Operation**

Continuing until approximately September 15, 2018, the U.S. Government Contract Cutterhead Dredge GAZAP will be working at Bayou Sorrel Lock. The dredging operations will be performed in the GIWW Morgan City-Port Allen Alternate Route, from the lock southward approximately 3 miles, including the flared connection between the Alternate Route and east access channel. The dredge will work 24-hours a day, 7-days a week, and the dredged material will be deposited through a floating pipeline to confined disposal areas on the west side of the navigable Channel. The dredge will be monitoring VHF-FM Channel 13. Mariners are urged to transit at their slowest safe speed to minimize wake after passing arrangements have been made, and when navigating in the vicinity of the dredging operations. The point of contact with the USACE, New Orleans District is Victor Landry, at (504) 862-2407.

Charts: 11352 11354

LNM: 25-18

**LA - MORGAN CITY TO PORT ALLEN - High Water Condition - UPDATE**

The COTP Houma has discontinued the high water towing limitations for Vessel Traffic Service Berwick Bay. For up-to-date information, mariners can contact MSU Morgan City, at (985) 380-5374.

Chart 11354

LNM: 27-18

**LA - GIWW - MORGAN CITY TO PORT ALLEN - Fireworks Display/Safety Zone**

The COTP Houma, under the authority of the Port and Waterways Safety Act, has established a Safety Zone to protect all waterway users on the Morgan City Port Allen Route mile 0.0 to mile 1.0, to encompass an 850 foot radius from the center of the fireworks barge in Morgan City, LA., on July 4, 2018, from 8:30 p.m. until 9:40 p.m. All persons and vessels are prohibited from entering this Safety Zone unless they have been granted permission by the COTP Morgan City. Failure to comply with the Safety Zone will subject persons to a civil penalty of up to forty thousand dollars. Signed by direction: H. R. Mattern, Commander, U.S. Coast Guard, COTP Houma.

Charts: 11354 11355

LNM: 26-18

**LA - LAKE PEIGNEUR - Cavern Well Testing**

Jefferson Island Storage & Hub, LLC., (JISH), will be performing Cement Bond Log testing on 2 wells in Lake Peigneur, centered in approximate position 29-59-04.80N 091-58-53.40W. Use of a workover rig to perform the workovers will require placement of two 200-foot by 80-foot by 4-foot thick rock foundation pads on non-vegetated waterbottoms for support of a barge-mounted rig at each well. Work on Well No. 002, serial number (SN) 972518 will commence approximately April 2018 and continue until approximately September 2018. Work will be conducted during daylight hours, equipment and standby tug will remain on site 24-hours a day, during each operation. The work area will be surrounded by hard boom which will have flashing navigation lights at each corner. In addition the workover rig will have a flashing light at the top of its 126-foot tall mast. Vessels involved in the workover include: Tug SALLY B, M/V BARBRA ANN, M/V MISS MALLORY, M/V AVA RENEE and 4-barges including the key-way barge supporting the workover rig. On site vessels will monitor VHF-FM Channel 10 or 13. Mariners are urged to use caution when transiting this area.

Chart 11345

LNM: 20-17

**LA - BAYOU D'INDE - Dredge Operation**

**LA - BAYOU D'INDE - Dredge Operation**

Continuing until approximately August 7, 2018, GHD Services, will continue excavation, place fill, and install and maintain structures to implement the Bayou D'Inde Channel and adjacent water bottoms sediment remediation project in Westlake, LA. A dredge, support vessels and marked pipeline will be in the waterway continuously with daylight only operations. The dredge will monitor VHF-FM Channel 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11347

LNM: 20-18

**LA - CALCASIEU LAKE - Dredge Operation**

Continuing until approximately December 2018, APOLLO Environmental Strategies will be dredging on the far east side of Calcasieu Lake. The Dredge SANDRA G will conduct dredging operations bound by the following approximate positions:

29-52-25.202N 093-15-45.964W,  
29-52-27.198N 093-14-52.659W,  
29-51-42.294N 093-15-05.809W and  
29-51-40.871N 093-15-42.304W.

The dredge discharge pipeline will run east into Grand Bayou marsh. The Dredge SANDRA G will monitor VHF-FM Channel 13 and 16. Mariners are urged to use caution when transiting the area.

Charts: 11341 11347

LNM: 49-17

**LA - CALCASIEU RIVER - Dredge Operation**

Continuing until approximately August 15, 2018, the U.S. Government Contract Cutterhead Dredges DREDGE 32 and MIKE HOOKS will be conducting dredging operations in the Calcasieu River, from approximate mile 15.0, to mile 36.0, including the A4 Turning Basin. Dredging will be performed 24-hours a day, 7-days a week and will give way to passing navigation. The Cutterhead Dredges DREDGE 32 and MIKE HOOKS will be monitoring VHF-FM Channel 13 or 16. There are numerous work and support vessels associated with this dredging operation, which includes various work barges. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For up-to-date information, mariners can contact Tracy Falk, at (504) 862-2971.

Chart 11347

LNM: 52-17

**LA - GIWW - CALCASIEU LOCK - Lock Guidewall Repair**

Continuing until further notice, mariners are advised not to tie off to, nor allow their vessels to rest against the south chamber wall at Calcasieu Lock due to the wall being unstable, and vessels tying to it or exerting force on it could cause the chamber wall to fail. Mariners are advised that continuing until approximately December 1, 2019, a U.S. Government contractor will be conducting demolition operations of the south chamber guidewall and construction of a new guidewall at Calcasieu Lock. The lock will be closed to navigation, Monday through Friday, from 7:00 a.m. until 5:00 p.m., each day. For up-to-date information, mariners can contact Lockmaster, Kevin Galley, at (337) 477-1482 or USACE New Orleans, Victor Landry, at (504) 862-2407.

Chart 11339

LNM: 18-18

**LA - GIWW - MILE 231.4, WHL - NEW ORLEANS TO PORT ARTHUR - Bridge Repairs**

The State Road 384 (Grand Lake) Pontoon bridge across the GIWW, mile 231.4, WHL, at Grand Lake in Calcasieu Parish, Louisiana, has scheduled a required mechanical and electrical system upgrade for July 10, 2018 through July 24, 2018, during daylight hours only. This maintenance will not affect marine traffic. The contractor on this project can be reached at (225) 235-3670. Mariners are urged to exercise caution when transiting through the bridge site.

Charts: 11345 11347

LNM: 27-18

**TX - SABINE PASS - Dredge Operation**

Continuing until approximately September 10, 2018, the dredge LINDA LAQUAY will be conducting dredge operations in the vicinity of Sabine Pass Liquefied Natural Gas, in approximate position 29-44-21.86N 093-52-25.0W. This operation will occasionally obstruct portions of the channel. Mariners are advised to use caution while transiting the area. The Dredge LINDA LAQUAY can be contacted on VHF-FM Channel 03 or 13, or by phone at (361) 487-6470. For additional information, mariners can contact VTS Port Arthur on VHF-FM Channel 65A, or at (409) 719-5070.

Chart 11342

LNM: 24-18

**TX - GIWW - SABINE NECHES WATERWAY - Dredge Operation**

Continuing until approximately July 30, 2018, the Dredge LILLIE will be conducting dredge operations near GIWW, mile 242.0, WHL. Dredging will be performed 24-hours a day, 7-days a week. The Dredge LILLIE will be monitoring VHF-FM Channel 13 or 16. For up-to-date information, mariners can contact Jamie Verdin, at (985) 960-2708. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution.

Chart 11342

LNM: 24-18

**TX - SABINE NECHES CANAL - Construction Operations**

Continuing until approximately May 15, 2020, the Manson Construction Co., will be conducting construction of Berth 5 at the Port of Port Arthur which includes, but is not limited to:

Removal of existing structures, pile driving, bulkhead installation, dive operations and other wharf construction activities in the vicinity of Sabine-Neches Ship Channel, at and near existing Berth 4, in approximate positions 29-51-27.272N 093-56-28.987W and 29-51-20.573N 093-56-35.438W. Work will be conducted from 6:00 a.m. until 6:00 p.m., 7-days a week. Equipment on scene: Derrick Barge HAAKON, 268 feet by 68 feet and a flat barge 120 feet by 50 feet, will be monitoring VHF-FM Channel 13, 16 and 69. Passing arrangements and time to move vessels to not impede navigation:

Construction operations will need a minimum 2-hour notice to insure all anchors can be moved. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11331

**TX - SABINE NECHES CANAL - Construction Operations**

LNM: 18-18

**TX - GALVESTON HARBOR CHANNEL - HOUSTON SHIP CHANNEL - Dredge Operation**

Continuing until approximately July 31, 2018, the Hopper Dredge NEWPORT will be conducting dredging operations in Galveston Entrance, Outer and Inner Bar Channel and Bolivar Roads to Redfish Reef. Dredged material will be disposed of at the Ocean Dredged Material Disposal site. Operations will be performed 24-hours a day, 7-days a week. The Hopper Dredge NEWPORT will be monitoring VHF-FM Channel 13, 16 or 66. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Charts: 11324 11326 11327 11329

LNM: 25-18

**TX - BAYPORT FLARE - HOUSTON SHIP CHANNEL - Dredge Operation**

Weeks Marine Inc., Hydraulic Dredge CAPTAIN FRANK and attendant plant has completed dredging operations in the vicinity of the Bayport Flare. Demobilization will continue until approximately July 10, 2018.

Charts: 11326 11327

LNM: 26-18

**TX - WEST FORK SAN JACINTO RIVER - Public Notice- Application for a U.S. Coast Guard Bridge Permit**

All interested parties are notified that an application from the Union Pacific Railroad (UPRR) has been received by the Commander Eighth Coast Guard District for a U.S. Coast Guard Bridge Permit to construct a replacement railroad bridge over the West Fork San Jacinto River, mile 16.3, between Splendora and Humble, Harris County, Texas.

Public Notice (06-18) dated June 11, 2018, pertaining to this proposed bridge permit action, contains a detailed description of the proposed bridge project and includes location maps and bridge drawings with navigational clearances. Interested parties may view the public notice at the following web site: <http://www.navcen.uscg.gov/?pageName=pnBridges&Active=1&region=8&ext=g>. The public notice may also be obtained by calling the Eighth Coast Guard District Bridge Administration Branch, at (504) 671-2128, by writing to Commander (dpg), Eighth Coast Guard District, 500 Poydras Street, Room 1313, New Orleans, LA 70130; by email request at D8DPBALL@uscg.mil or by facsimile request at (504) 671-2133.

Comments from mariners or other interested parties regarding this proposed bridge project will be received for the record at the address given in the public notice through July 13, 2018.

Chart 11329

LNM: 24-18

**TX - LAVACA BAY - Bridge Rehabilitation**

The rehabilitation project on the SH 35 bridge across Lavaca Bay, mile 8.2, at Port Lavaca, Calhoun County, Texas continues. The scheduled working hours are from 7:00 a.m. until 7:00 p.m. The main channel work has begun to include a walking platform reducing vertical clearance by 4 feet the entire horizontal clearance between Bents 115 to 118. Therefore, the vertical clearance reduction is 41 feet within the channel until August 2018. Presently, small work floats measuring approximately 40 feet by 8 feet, in multiple configurations could obstruct an entire area near the main channel. Two barges are working in Span 133 to Span 153. All barges are located at Span 66 and when heavy winds and bad water conditions are present barges are returned to the dock facility. If barges remain they will be properly lighted as required by the "Inland Navigation Rules of 1980" and accompanied by a 26 foot push boat. The M/V BARBARA ANN will monitor VHF-FM Channel 16, or onsite Project Manager can be contacted, at (281) 831-7864. Mariners should avoid these areas. The estimated date of completion is February 2019.

Chart 11317

LNM: 23-18

**TX - CORPUS CHRISTI BAY - LA QUINTA CHANNEL - Dredging Operation**

Mobilization of equipment began on May 15, 2018, for the Cheniere's LNG Berthing Terminal and the La Quinta Ship Channel LNG North and South Bend easing locations. Continuing until approximately September 30, 2018, the Dredge ALASKA, attendant plant and support vessels will be conducting dredging operations in this area

Dredge Area 1 Boundary (Cheniere LNG Berthing Terminal). Positions shown are general locations of each work area:

27-52-52.51N 097-16-19.79W,  
27-52-47.66N 097-16-07.38W,  
27-52-51.58N 097-16-04.61W,  
27-52-40.91N 097-15-46.42W,  
27-52-38.72N 097-15-47.04W,  
27-52-47.15N 097-16-29.29W,  
27-52-50.02N 097-16-29.05W and  
27-52-48.04N 097-16-20.22W.

Dredge Area 2 Boundary (La Quinta Channel North Bend Easing)

27-52-29.75N 097-15-18.95W,  
27-52-25.81N 097-15-04.36W,  
27-52-17.04N 097-14-56.30W,  
27-51-57.21N 097-14-45.08W,  
27-51-55.76N 097-14-49.87W,  
27-52-17.81N 097-15-03.27W and  
27-52-26.86N 097-15-19.39W.

Dredge Area 3 Boundary (La Quinta Channel South Bend Easing)

27-49-20.46N 097-13-30.50W,  
27-49-08.60N 097-13-23.20W  
27-49-00.30N 097-13-10.55W,  
27-48-55.03N 097-13-13.67W,  
27-49-06.23N 097-13-30.21W and  
27-49-19.27N 097-13-35.71W.

Submerged Pipeline Route and Floating Pipeline Crossing Ship Channel:



**TX - CORPUS CHRISTI BAY - LA QUINTA CHANNEL - Dredging Operation**

Submerged 30-inch dredge pipeline will be placed on the seafloor at the south side of the La Quinta Ship Channel at the top of slope. Floating pipeline will be crossing the ship channel at approximately POCCA C/L Station 320+00.

27-49-21.41N 097-13-32.74W,  
 27-50-45.29N 097-14-12.96W,  
 27-51-55.40N 097-14-46.46W,  
 27-52-21.73N 097-15-04.23W,  
 27-52-30.02N 097-15-27.97W,  
 27-52-25.88N 097-15-47.96W,  
 27-52-27.08N 097-15-54.94W and  
 27-52-37.00N 097-16-02.21W.

Work will be conducted 24-hours a day, 7-days a week. The Dredge ALASKA, attendant plant and support vessels will monitor VHF-FM Channel 13 or 16. Mariners are urged to transit the area at their slowest safe speed to minimize their wake.

Chart 11309

LNM: 21-18

**TX - CORPUS CHRISTI BAY - LA QUINTA CHANNEL - Temporary Precision Directional Light**

The U.S. Coast Guard has discontinued the Q green night optic and installed a temporary Precision Directional Light (PDL) on La Quinta Channel Inner Range Front Light (LLNR- 28970). The PDL is user activated by keying the mic on VHF-FM Channel 83A, five times. Once activated it will remain on for 30 minutes. The PDL will operate with a Iso 6 second rhythm displaying a center white sector from 156.6 degrees true to 157.1 degrees true, a green sector from 157.1 degrees true to 157.6 degrees true and a red sector from 156.6 degrees true to 157.1 degrees true. The PDL is not effective seaward of La Quinta Channel Light 11 (LLNR-29050) and La Quinta Channel Light 12 (LLNR-29055).

Charts: 11309 11311

LNM: 11-18

**TX - CORPUS CHRISTI HARBOR - TULE LAKE CHANNEL - Dredge Operation - UPDATE**

Continuing until approximately July 31, 2018, Weeks Marine Inc., Clamshell Dredge J.C. DEVILLE and Clamshell Dredge WEEKS 262 will be operating in the vicinity of Tule Lake Channel, Corpus Christi, TX. The work perimeter will be the area bound by the following approximate positions:

27-49-12.9N 097-27-08.0W,  
 27-49-09.6N 097-27-16.6W,  
 27-49-05.7N 097-27-03.4W and  
 27-49-02.0N 097-27-13.6W.

Once underway, operations will continue 24-hours a day, 7-days a week. The Clamshell Dredge J.C. DEVILLE and Clamshell Dredge WEEKS 262 will be monitoring VHF-FM Channel 16. Mariners are urged to transit the area at their slowest safe speed to minimize wake and proceed with caution after passing arrangements have been made.

Chart 11311

LNM: 27-18

**TX - BROWNSVILLE SHIP CHANNEL - Dismantle and Disposal of Navy Aircraft Carriers**

Continuing until March 31, 2019, the International Shipbreaking Limited, LLC., Brownsville will be dismantling and disposing of 2 U.S. Navy aircraft carriers in Brownsville, TX. The west boundary will be in approximate position 25-57-50.8N 097-21-50.0W and the east boundary will be in approximate position 25-57-57.8N 097-21-27.0W. All commercial vessels, tour vessels, and pleasure/fishing craft are required to remain within the channel while passing the International Shipbreaking facilities. There will be overhead industrial work in progress which can pose a hazard to vessels in the vicinity of the facility. For additional information mariners can contact Omar Valdez, Facility Security Officer, ISL, at (956) 371-6228, email at omar.valdez@internationalshipbreaking.com., or Dan Richardson, U.S. Navy On-Site Representative (OSR), at (207) 751-2906, email Daniel.Richardson@supshipba.navy.mil.

Chart 11302

LNM: 07-18

**SECTION VIII - LIGHT LIST CORRECTIONS**

An Asterisk \*, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
24385	HOUSTON SHIP CHANNEL LIGHT 75	29-36-26.591N 094-57-18.005W	Q G	17	4	SG on pile.	Ra ref. 27/18
		*					
24390	HOUSTON SHIP CHANNEL LIGHT 76	29-36-31.670N 094-57-05.787W	Q R	17	4	TR on pile.	Ra ref. 27/18
		*					

## SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
24475	BAYPORT SHIP CHANNEL LIGHT 3	29-36-43.312N 094-57-35.127W	FI G 2.5s	17	4	SG on pile.	Ra ref.	27/18
		*						
32966.15	ESCAMBIA COUNTY FISH BEND SOUTH CHANNEL LIGHT 15	30-20-10.810N 087-08-23.030W	FI G 6s				Private aid.	27/18
		*						
32966.16	ESCAMBIA COUNTY FISH BEND SOUTH CHANNEL LIGHT 16	30-20-11.800N 087-08-24.640W	FI R 6s				Private aid.	27/18
		*						

---



---

**ENCLOSURES**


---

**U.S. Coast Guard Marine Safety Unit Houma/Morgan City MSIB 004-18**

Hurricane Season 2018, information.

LNM: 25-18

**Notice to Navigation 84510**

Mississippi Sound, Biloxi Bay, Dredge Operation/Pipe Staging/Barrier Island Restoration Project.

Charts: 11372 11373

LNM: 15-18

---



---

Commander, Eighth Coast Guard District  
Hale Boggs Federal Building, Room 1230  
500 Poydras Street  
New Orleans, LA 70130-3310  
Telephone (504) 671-2327  
(Business Hours 7:00 a.m. - 3:30 p.m. Monday - Friday)  
(Nights, Weekends, Holidays) (504) 589-6225  
RADM Thomas

# MARINE SAFETY INFORMATION BULLETIN

MSIB 004-18

Date: June 11, 2018

## 2018 HURRICANE SEASONAL ALERT

### Hurricane Port Condition Requirements

This MSIB clarifies USCG mandated hurricane procedures and defines Hurricane Port Conditions for Port Fourchon, Louisiana Offshore Oil Port, Houma Navigation Canal, Port of Morgan City, Port of Iberia, Intracoastal City, the Gulf Intracoastal Waterway, and all terminals, facilities, and waterways in the Captain of the Port (COTP) Houma/Morgan City area of responsibility.

### **General Vessel and Barge Mooring Requirements for Heavy Weather**

To promote safe navigation and protect vital infrastructure the Coast Guard will enforce the following regulations found in 33 CFR 803:

No person may secure a vessel or barge to trees or to other vegetation.

No person may allow a vessel or barge to be moored with unraveled or frayed lines or other defective or worn mooring.

No person may moor barges side to side unless they are secured to each other from fittings as close to each corner of abutting sides as practicable.

No person may moor barges end to end unless they are secured to each other from fittings as close to each corner of abutting ends as practicable.

**Barge Moorings:** Barge-to-barge; barge-to-vessel; barge-to-wharf or pier. The person in charge shall ensure that a barge moored to another barge, a mooring or spar barge, a vessel, a wharf, or a pier, is secured as near as practicable to each abutting corner of the barge being moored by:

- (1) Three parts of wire rope of at least 7/8 inch diameter with an eye at each end of the rope passed around the timberhead, caval, or button;
- (2) A mooring of natural or synthetic fiber rope that has at least 75 percent of the breaking strength of three parts of 7/8 inch diameter wire rope; or
- (3) Fixed rigging that is at least equivalent to three parts of 7/8 inch diameter wire rope.

For further information regarding the severe weather and high water moorings, the U.S. Committee on the Marine Transportation System's recommends the Best Practices for Preventing and Managing Breakaway Vessels found at:

[http://www.cmts.gov/downloads/Best Practices for Preventing and Managing Breakaway Vessels.pdf](http://www.cmts.gov/downloads/Best_Practices_for_Preventing_and_Managing_Breakaway_Vessels.pdf).

In addition to setting port conditions, the COTP will take the following actions commensurate with each Port Condition:

**Port Condition Whiskey** (gale force winds (34kts/39mph) within 72 hours):

Port Status: Open to all commercial traffic.

- Contact port authorities, other government agencies, and industry stakeholders to identify and address concerns over port status, activities, and emergency preparations.
- The COTP will issue a MSIB requiring the following information to be submitted to Vessel Traffic Service, Berwick Bay:
  - (a) All self-propelled oceangoing vessels over 500 GT and all oceangoing barges and their supporting tugs remaining in port will complete and submit to the COTP within 24 hours for approval, a REMAINING IN PORT CHECKLIST FOR 500 GT (GRT) VESSELS (Annex A of the Maritime Hurricane Contingency Plan). Each vessel intending to remain in port must request permission from the waterfront facility where mooring and forward that information to the COTP at [COTPHoumaSevereWeather@uscg.mil](mailto:COTPHoumaSevereWeather@uscg.mil).
- The Coast Guard will have increased harbor patrols and will advise vessel and facility operators of any conditions that require immediate action or correction.
- The Coast Guard will advise vessel operators of anticipated times of floodgate and bridge closures affecting their ability to seek safe refuge and will provide best points of contact information to obtain accurate updates.
- Advise port stakeholders of intentions for setting next condition.

**Port Condition X-Ray** (gale force winds (34kts/39mph) within 48 hours):

Port Status: Open to all commercial traffic.

- The Coast Guard will continue to contact waterfront facilities to determine their intentions and any vessels moored thereto. Individually assess vessels desiring to remain in port, and issue COTP Orders as appropriate.
- Contact deep draft vessels at anchor and determine their intentions.
- Inspect wharf and pier areas with waterfront facility representatives during harbor patrols.
- Spot check mariners and waterways to determine the status of hurricane preparations.
- Advise port stakeholders of intentions for setting next Port Condition.

**Port Condition YANKEE** (Gale force winds (34kts/39mph) expected within 24 hours):

Port Status: Vessel traffic control measures in effect.

- The COTP may close portions of the port in response to forecasted weather and actual damage, impact, or threat in different geographic areas within the port.
- Establish a Safety Zone controlling vessel movements and activities as appropriate, including:
  - (a) Close ports, where necessary, to all commercial vessel traffic except as specifically allowed by COTP. Port closure will not apply to vessels that are capable of completing the cargo load/discharge cycle in less than 12 hours. The area affected by this order includes all Navigable Waters of the United States within 12 nautical miles of shoreline.

- Issue COTP Order as appropriate for any vessels or facilities not complying with Port Condition requirements:
  - (a) Each self-propelled vessel over 500 GT without COTP approval to stay in port will be directed out of port.
  - (b) The COTP will approve or direct, as necessary, final mooring arrangements for vessels remaining in port.
- Advise port stakeholders of intentions for setting next Port Condition.
- Establish safety zone preventing red flagged barges from mooring along shore in Houma central business district and other population centers as identified by the COTP.

**Port Condition Zulu** (gale force winds (34kts/39mph) expected within 12 hours):

Port Status: Vessel traffic control measures in effect. The default for ZULU is closure of the port and facility operations.

- The COTP may deviate from this default and keep ports open with restrictions and close only portions of the port in response to forecasted weather, actual damage, impact, or threat in different geographic ports within the COTP Zone.
- Establish a Safety Zone controlling vessel movements and activities as appropriate, including:
  - (a) Close ports, where necessary, to all commercial vessel traffic (including vessel transits within the port). This prohibition will not apply to vessels that have requested and received approval from the COTP to transit the port. The approval of the COTP will only be granted if the transit can be made safely and mooring or anchorage space has been identified; or if the vessel is departing to sea, only if the vessel can reach safe water prior to encountering hurricane conditions.
- Suspend cargo operations involving bulk liquid dangerous cargoes (including bunkering and lightering operations), unless permission is requested to continue operations and approval is granted. Approval will be given on a case-by-case basis. This approval provision does not apply to operations involving Cargoes of Particular Hazard or Certain Dangerous Cargoes, which in every case must be suspended.

**Post-Hurricane Conditions**

As soon as practicable following the passage of the storm, the COTP will:

- Assess whether to close ports and waterways, maintain closure, or open with or without restrictions.
- Assess whether to maintain a Safety Zone restricting vessel movements until the navigation channels can be surveyed and declared safe for passage.
- Coordinate completion of channel surveys as needed.
- Conduct maritime damage and risk assessments emphasizing channels, bridges, anchorages, piers, and wharves.
- Organize a post-hurricane Port Coordination Team conference call with senior representatives from other federal, state, and local government agencies and industry stakeholders to assess, outline, and prioritize the recovery effort for the COTP Zone:

All hurricane informational documents will be posted to Homeport at the following link: <https://homeport.uscg.mil/port-directory/houma>. MSIBs and related updates can be found in the "Safety Notifications" section. The Maritime Hurricane Contingency Plan can be found in the "Contingency Plans" section.

If you have any questions, please contact Marine Safety Unit Houma Officer of the Day at (985) 665-2437, the Marine Safety Unit Morgan City Officer of the Day at (985)397-330, or at [COTPHoumaSevereWeather@uscg.mil](mailto:COTPHoumaSevereWeather@uscg.mil).



**B. Welborn**  
**Captain, U.S. Coast Guard**  
**Captain of the Port**  
**Houma, Louisiana**



**Great Lakes Dredge & Dock Co.  
2122 York Road  
Oak Brook, IL. 60523**

April 9, 2018

James Alter  
Eighth Coast Guard District  
Mobile Sector  
1500 5<sup>th</sup> St, Brookley Complex  
Mobile, AL 33615

**Attn: Notice to Mariners**

**MsCIP Comprehensive Barrier Island Restoration Plan  
Ship Island Phase 1  
Ship Island  
Harrison County, Mississippi  
Owner Contract No. W91278-14-8-0007 GL #84510**

To Whom It May Concern:

Great Lakes Dredge and Dock has been contracted by The USACOE Mobile District in connection with the above referenced contract. We hereby notify and request that an issue of "Notice to Mariners" be published alerting to those using the locations identified below. **Please be advised, buoys marking these locations should NOT be used for navigational purposes. Boaters should try to maintain a safe distance form these buoys.**

**Operations:** The locations between Ship Islands West and East and in Biloxi Bay will be occupied as a staging area for pipeline for future use while conducting island restoration operations on Ship Island; in addition, submerged pipeline will start to be laid near Ship Islands West and East in preparation for island restoration operations; additional equipment includes but is not limited to anchors barges, dredge tenders and floating pipeline. The location between the Biloxi Bay ship channel and Deer Island will see occasional traffic with pipeline of lengths up to 3000'; in addition, pipeline preparations may be conducted with additional equipment outside the safety fairway toward Deer Island. All manned vessels will monitor VHF Channels 3, 5, and 16.

### **Be aware of pipeline in the area of:**

#### **1) Between Ship Islands West and East:**

North Limit	Lat. 30 13.852°N	Lon. 088 54.574°W
East Limit	Lat. 30 13.716°N	Lon. 088 54.461°W
West Limit	Lat. 30 13.595°N	Lon. 088 55.189°W
South Limit	Lat. 30 13.412°N	Lon. 088 55.106°W

**2) Biloxi Bay Immediately South of Railroad Bridge**

North Limit	Lat. 30 24.4523°N	Lon. 088 51.1523°W
East Limit	Lat. 30 24.3993°N	Lon. 088 51.1175°W
West Limit	Lat. 30 24.3575°N	Lon. 088 51.3778°W
South Limit	Lat. 30 24.3046°N	Lon. 088 51.3456°W

**3) Between Biloxi Bay Ship Channel and Deer Island:**

North Limit	Lat. 30 23.37751°N	Lon. 088 49.48400°W
East Limit	Lat. 30 22.19127°N	Lon. 088 47.99643°W
West Limit	Lat. 30 22.70566°N	Lon. 088 50.49420°W
NW Limit	Lat. 30 23.00752°N	Lon. 088 50.39627°W
South Limit	Lat. 30 21.85299°N	Lon. 088 48.85458°W

**Be aware of the Booster Wadmalaw in the area of:**

Northwest Limit	Lat. 30 12.169°N	Lon. 088 51.870° W
Northeast Limit	Lat. 30 12.075° N	Lon. 088 51.719° W
Southeast Limit	Lat. 30 12.181° N	Lon. 088 51.634° W
Southwest Limit	Lat. 30 12.075° N	Lon. 088 51.793° W

**Be aware of anchors for the Booster Wadmalaw:**

Northwest Anchor	Lat. 30 12.205° N	Lon. 088 51.889° W
Northeast Anchor	Lat. 30 12.322° N	Lon. 088 51.790° W
Southeast Anchor	Lat. 30 12.092° N	Lon. 088 51.659° W
Southwest Anchor	Lat. 30 12.055° N	Lon. 088 51.719° W

**Be aware of floating/surfaced pipeline in the area of:**

Northwest Limit	Lat. 30 13.567° N	Lon. 088 51.452° W
Northeast Limit	Lat. 30 14.031° N	Lon. 088 53.684° W
Southeast Limit	Lat. 30 11.769° N	Lon. 088 50.648° W
Southwest Limit	Lat. 30 11.208° N	Lon. 088 51.452° W

**Be aware of floating/surfaced pipeline in the area of:**

Northwest Limit	Lat. 30 13.528° N	Lon. 088 54.634° W
Northeast Limit	Lat. 30 14.031° N	Lon. 088 53.684° W
Southeast Limit	Lat. 30 10.130° N	Lon. 088 52.065° W
Southwest Limit	Lat. 30 09.657° N	Lon. 088 53.030° W



**Duration: Beginning July 28, 2017 through September 25, 2018**

If there are any questions or concerns please contact the following personnel:

Keith Pearse – Site Manager: 904-616-7290  
Jeremy Remme – Site Manager: 630-207-3282  
Brian Puckett – Site Manager: 630-300-4029

Sincerely,

A handwritten signature in black ink that reads "Michael J Tolivar". The signature is written in a cursive style with a large, stylized initial "M".

Michael J Tolivar  
Great Lakes Dredge & Dock Co.  
Quality Control Manager