



U.S. Department
of Homeland Security
**United States
Coast Guard**

LOCAL NOTICE TO MARINERS

District: 9

Week: 11/20

Issued by: Commander (dpw)
Ninth Coast Guard District
1240 East Ninth Street,
Cleveland, OH 44199-2060
Telephone: (216) 902-6069

Direct questions about this LNM to the above address.

All distances in this publication are STATUTE MILES unless otherwise noted.

District Nine Internet Address <https://www.atlanticarea.uscg.mil/Our-Organization/District-9/>

District Nine Local Notice to Mariners email Address D09-DG-District-D9-LocalNoticetoMariners@uscg.mil

** Navigation Information Service watchstander, 24 hours a day at (703) 313-5900 ** **Internet Address** <https://www.navcen.uscg.gov/>

Light List Reference: Commandant Publication P16502.7, VOL VII, 2019 Edition

Coast Pilot Reference: 2019 U.S. Coast Pilot 6 Great Lakes 46th Edition

Coast Pilots, along with corrections are available at: <https://nauticalcharts.noaa.gov/publications/coast-pilot/index.html>

The Local Notice to Mariners is available on the Internet at <https://www.navcen.uscg.gov/-pageName=lnmMain> You will also have links to other government agencies- web pages including the US Army Corps of Engineers and the National Ocean Service.

REPORT DISCREPANCIES IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

The Ninth District and all Sector offices for their areas of responsibility issue a BROADCAST NOTICE TO MARINERS.

The following Broadcast Notice to Mariners have been incorporated into this week's Local Notice to Mariners:

Sector Buffalo, NY - B007-20 through B007-20

Ninth District - C022-20 through C026-20

Sector Detroit, MI - D006-20 through D007-20

Sector Lake Michigan, WI - M051-20 through M053-20

Sector Sault Ste Marie, MI - S022-20 through S028-20

The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information for GPS and DGPS. The

NIS also disseminates Safety Broadcasts (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). NANU notices can be obtained via email subscription through the USCG Navigation Center website: <https://cgls.uscg.mil/mailman/listinfo/nanu> . In addition,

the NIS investigates all reports of degradation or loss of GPS, DGPS or AIS service. Users are encouraged to report all degradation or loss of radio navigation services to the NIS via any of the following: Phone: (703) 313-5900, mail to: webmaster@smtp.navcen.uscg.mil, or on the internet at: <https://www.navcen.uscg.gov>

ABBREVIATIONS

A through H

ADRIFT - Buoy Adrift
AICW - Atlantic Intracoastal Waterway
AI - Alternating
B - Buoy
BKW - Breakwater
bl - Blast
BNM - Broadcast Notice to Mariner
bu - Blue
C - Canadian
CHAN - Channel
CGD - Coast Guard District
C/O - Cut Off
CONT - Contour
CRK - Creek
CONST - Construction
DAYMK/Daymk - Daymark
DBN/Dbn - Daybeacon
DBD/DAYBD - Dayboard
DEFAC - Defaced
DEST - Destroyed

I through O

I - Interrupted
ICW - Intracoastal Waterway
IMCH - Improper Characteristic
INL - Inlet
INOP - Not Operating
INT - Intensity
ISL - Islet
Iso - Isophase
kHz - Kilohertz
LAT - Latitude
LB - Lighted Buoy
LBB - Lighted Bell Buoy
LHB - Lighted Horn Buoy
LGB - Lighted Gong Buoy
LONG - Longitude
LNM - Local Notice to Mariners
LT - Light
LT CONT - Light Continuous
LTR - Letter
LWB - Lighted Whistle Buoy

P through Z

PRIV - Private Aid
Q - Quick
R - Red
RACON - Radar Transponder Beacon
Ra ref - Radar reflector
RBN - Radio Beacon
REBUILT - Aid Rebuilt
RECOVERED - Aid Recovered
RED - Red Buoy
REFL - Reflective
RRL - Range Rear Light
RELIGHTED - Aid Relit
RELOC - Relocated
RESET ON STATION - Aid Reset on Station
RFL - Range Front Light
RIV - River
RRASS - Remote Radio Activated Sound Signal
s - seconds
SEC - Section
SHL - Shoaling

DISCON - Discontinued
DMGD/DAMGD - Damaged
ec - eclipse
EST - Established Aid
ev - every
EVAL - Evaluation
EXT - Extinguished
F - Fixed
fl - flash
Fl - Flashing
G - Green
GIWW - Gulf Intracoastal Waterway
HAZ - Hazard to Navigation
HBR - Harbor
HOR - Horizontal Clearance
HT - Height

LWP - Left Watching Properly
MHz - Megahertz
MISS/MSNG - Missing
Mo - Morse Code
MRASS - Marine Radio Activated Sound Signal
MSLD - Misleading
N/C - Not Charted
NGA - National Geospatial-Intelligence Agency
NO/NUM - Number
NOS - National Ocean Service
NW - Notice Writer
OBSCU - Obscured
OBST - Obstruction
OBSTR - Obstruction
Oc - Occulting
ODAS - Anchored Oceanographic Data Buoy

si - silent
SIG - Signal
SND - Sound
SPM - Single Point Mooring Buoy
SS - Sound Signal
STA - Station
STRUCT - Structure
St M - Statute Mile
TEMP - Temporary Aid Change
TMK - Topmark
TRLB - Temporarily Replaced by Lighted Buoy
TRLT - Temporarily Replaced by Light
TRUB - Temporarily Replaced by Unlighted Buoy
USACE - Army Corps of Engineers
W - White
Y - Yellow

Additional Abbreviations Specific to this LNM Edition:

LIB - Lighted Ice Buoy

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

0 **CAUTION TO BE USED IN RELIANCE UPON AIDS TO NAVIGATION**

The aids to navigation depicted on charts comprise a system of fixed and floating aids to navigation with varying degrees of reliability. Prudent mariners will not rely solely on any single aid to navigation, particularly a floating aid to navigation. With respect to buoys, the buoy symbol is used to indicate the approximate position of the buoy body and the sinker which secures the buoy to the seabed. The approximate position is used because of the practical limitations in positioning and maintaining buoys and their sinkers in precise geographical locations. These limitations include, but are not limited to, inherent imprecision in position fixing methods, prevailing atmospheric and sea conditions, slope of and the material making up the seabed, the fact that buoys are moored to sinkers by varying length of chain, and the fact that the buoy body and/or sinker positions are not under continuous surveillance, but are normally checked only during periodic maintenance visits which often occur more than a year apart. Due to the forces of nature, the position of the buoy body can be expected to shift inside and outside the charted symbol. The mariner is also cautioned that buoys may be extinguished or sound signals may not function as the result of ice, running ice, or other natural causes, collisions, or other accidents. For the foregoing reasons, a prudent mariner must not rely completely upon the position or operation of floating aids to navigation, but will also utilize bearings from fixed objects and aids to navigation on shore. Further, a vessel attempting to pass close aboard always risks collision with a yawing buoy or with the obstruction that the buoy marks.

LNM: 06/14

.01 **IMPORTANT SAFETY NOTICE ABOUT THE RELIABLE OPERATION OF ECDIS**

Following an announcement by the International Maritime Organization (IMO) concerning potential display anomalies in some ECDIS systems, the International Hydrographic Organization (IHO) issued an ENC Data Presentation and Performance Check in October 2011. This check is intended to assist mariners and to help determine the extent of the anomalies. IHO has received reports from mariners confirming that a number of ECDIS fail to display some significant underwater features in the "Standard" display mode. For all significant objects to be visible to the mariner, these ECDIS must be operated in "Full display" or "All display" mode until a software upgrade is made available from the manufacturer. Mariners are strongly encouraged to use the IHO ENC Data Presentation and Performance Check issued through ENC service providers and also available directly from the IHO website (www.iho.int) to check the operation of their ECDIS and to determine whether their system is affected. IHO Circular Letter 33/2012 is available on the Coast Guard's Navigation Center website (<https://www.navcen.uscg.gov>) under the heading News and Notices.

LNM: 12/12

.041 **NOAA formerly announced in the Federal Register (Docket #2019-24807)**

On November 15, 2019, NOAA formerly announced in the Federal Register (Docket #2019-24807) that they would begin a 5-year process of discontinuing their traditional paper, or raster, charts by 2025. NOAA intends to gradually 'sunset' raster chart products and is introducing an option to create custom ENC data based charts that can be printed as a paper copy locally or commercially, via one of their certified third party printers. More detailed information regarding this transition is available from <https://nauticalcharts.noaa.gov/publications/docs/raster-sunset.pdf>. Comments/questions on the Federal Register Notice and the NOAA Custom Chart application should be submitted at <https://www.nauticalcharts.noaa.gov/customer-service/assist/>. Other concerns may be directed to your local NOAA Navigation Manager, <https://nauticalcharts.noaa.gov/customer-service/regional-managers/index.html>. In order to identify and overcome the regulatory challenges associated with this transition including but not limited to updating commercial vessel carriage requirements and maritime safety information processes, NOAA will continue to work directly with its Agency charting partners. A prototype version of the NOAA Custom Chart Tool is available at <https://devgis.charttools.noaa.gov/pod/>.

LNM: 04/20

.1 **RANGE STRUCTURES**

The U.S. Coast Guard has become aware that Coast Guard information used to depict a rangeline on NOAA Electronic Navigational Charts (ENC)

may not be of sufficient accuracy to accurately portray the rangeline on the ENC. Mariners are cautioned that the position of a rangeline as shown on an ENC may not reflect its true position.

LNM: 04/11

.25 **USACE NOTICE TO NAVIGATION INTERESTS**

Current Federal Channel conditions, shoaling, and the most recent channel surveys are available at the following Army Corps of Engineers web sites:

Buffalo: <http://www.lrb.usace.army.mil/>
Detroit: <http://www.lre.usace.army.mil/>
Chicago: <http://www.lrc.usace.army.mil/>
Rock Island: <http://www.mvr.usace.army.mil/>

LNM: 28/12

5 **GREAT LAKES - Great Lakes Water Levels**

The expected water levels on the Great Lakes for Mar 20, 2020. Connecting Channels and the St. Lawrence River, given in inches above (+) or below (-) Low Water Datum (LWD). LWD is a plane of reference used on a navigation chart. It is also known as chart datum.

Great Lakes:

Lake Ontario +41 Lake Erie +57, Lake St. Clair +54, Lake Michigan-Huron +48, Lake Superior +14.

St Lawrence River:

Above Long Sault Dam +6, Above Iroquois Dam +8, Ogdensburg +26, Alexandria Bay +35. Head of River at Cape Vincent +41.

Detroit River:

Lake Erie at Pelee Passage +57 Mouth of River at Gibraltar +57, Fort Wayne +59. Head of River above Belle Isle +55.

St. Clair River:

Mouth of River at St. Clair Flats +54, Algonac +58, St. Clair +50, Blue Water Bridge +53, Head of River at Fort Gratiot +50, Lake Huron Approach Channel +48.

St. Marys River:

Mouth of River at Detour +48, West and Middle Neebish +45, Head of Little Rapids +46, U.S. Slip +45, Above Locks +17, Head of River at Point Iroquois +14.

Available water depth is determined for a location by adding (if +) or subtracting (if -) the amount from the above to the water depth shown on National Oceanic and Atmospheric Administration (NOAA) navigational charts. Caution: Depths so determined are representative of a still water surface elevation, disturbed by neither wind nor other causes. Depth, however, may be reduced or increased as much as several feet for short periods of time due to these disturbances, or when sections of channels develop shoals. Vessel masters should refer to the Local Notice to Mariners for extent of shoaling and scattered bedrock projections in all channels. For further information direct inquiries to: Department of the Army, Detroit District Corps of Engineers P. O. Box 1027, Detroit, MI 48231, (313) 226-6443. Additional information can be found on the U.S. Army Corps of Engineers Information Center website at

<http://www.lre.usace.army.mil/Missions/GreatLakesInformation/GreatLakesWaterLevels/WaterLevelForecast/ConnectingChannelsForecast.asp>.

LNM: 10/20

5.511 **Lake Superior, St Mary's River, Straits of Mackinac and Lake Michigan**

Commander Coast Guard Sector Sault Ste Marie commenced operation Taconite. At the start of each voyage or transit, to enhance the coordination of Ice breaking resources, COTP Sault Ste Marie directs all shipping companies to provide an estimated time of arrival for their vessels downbound to Whitefish point, upbound to Detour Reef LT, eastbound to Lansing shoal LT, Westbound to Round Island, or arriving or departing from any of the western Superior ports and terminals. Similarly, for vessels operating in Lake Michigan in the presence of ice, All shipping companies should provide an estimated time of arrival for Vessels entering the Sturgeon Bay Ship Canal, Rock Island Passage or when Arriving or departing Escanaba, Green Bay, Marinette or any other ports and Terminals within Green Bay. Estimated time of arrivals must be received six hours prior to a vessels Arrival to any of these points or once a day by 1000 (eastern). Position Reports may be filed with "Sault traffic" either by landline (906.635.3232), Fax (906.635.3238), or email (sootfc at uscg.mil). A vessels ETA must be updated whenever the arrival time changes by more than six hours. Mariners are asked to establish vhf radio contact with the servicing Icebreaker on VHF-FM channel 16 approximately one hour before reaching the appropriate service area.

LNM: 52/19

32.511 **LAKE ERIE - BUFFALO HARBOR - Chart 14833**

North Entrance Light "7" (LLNR 2720) The light has been temporarily discontinued due to construction on the breakwater. A temporary light without day marks and lowered focal plane has been established in position 42-52'50.220"N / 078-53'45.474"W. The characteristic is FL G 2.5s. Another lantern was mounted on the Northwest end of the breakwater in position 42-53'04.590"N / 078-54'05.880"W. The characteristic of this light is QW. There are "DANGER" day marks located on each side of the breakwater where it is washed out and submerged.

LNM: 51/19

63.481 **SAGINAW BAY - MI - Saginaw, MI - Chart 14863**

Unmarked submerged vessel. A 18' vessel is submerged at 43-44.310N 083-48.420W in approximately 11' of water. The vessel is not in the navigational channel. Mariners are advised to transit the area with caution.

LNM: 48/19

70.511 **STRAITS OF MACKINAC - DE TOUR TO WAUGOSHANCE POINT - Chart**

North Graham Shoal Lighted Bell Buoy "3" (LLNR 12605) The unlighted can winter mark will not be set. The buoys position is enhanced with Virtual AIS Port Hand Mark.

LNM: 51/19

71 **LAKE MICHIGAN - MANITOWOC AND SHEBOYGAN - Chart 14922**

Manitowoc South Breakwater Light "3" (LLNR 20855) The light tower has been destroyed by weather and is missing from its assigned position on the breakwater. The remains of the structure have been located and removed from the southern edge of the channel. An AIS ATON has been established to mark the Light List assigned position of Manitowoc South Breakwater Light "3" (LLNR 20855).

AIS ATON TYPE: Synthetic
eATON Type: Beacon Port
eATON Name LT 3
MMSI: 993682614

LNM: 05/19

71.25 **LAKE MICHIGAN - RACINE HARBOR - Chart 14925**

Racine Reef Light (LLNR 20480) the light tower and supporting foundation has become unstable. Mariners should stay more than 300 feet from the structure.

Racine Reef Lighted Buoy 18 (LLNR 20483) has been established in position 42-43-40.338N / 087-44-01.614W to mark the damaged light structure. The buoy is red in color and has a light characteristic of Fl R 2.5s with a range of 5 statute miles. The buoy will be removed and winter marked with an unlighted nun buoy from December 1 to April 21.

LNM: 42/17

81.351 **ST. MARYS RIVER - DETOUR PASSAGE TO MUNUSCONG LAKE - Chart 14882**

The following aids are being broadcast as AIS ATON:

Lime Island Coal Dock Passage Light (LLNR 12930) Physical
Lime Island Traffic Buoy (LLNR 12915) Synthetic
Pipe Island Shoal Lighted Buoy "1" (LLNR 12865) Synthetic
Hay Point Reef Lighted Buoy "18A" (LLNR 12955) Synthetic
Point Aux Frenes Lighted Buoy "22" (LLNR 12980) Synthetic

LNM: 35/19

81.352 **ST. MARYS RIVER - MUNUSCONG LAKE TO SAULT STE. MARIE - Chart 14883**

The following aids are being broadcast as AIS ATON:

Middle Neebish Light "62" (LLNR 13375) Physical
Munuscong Lake Junction (LLNR 13030) Physical
Munuscong Channel Lighted Buoy "9" (LLNR 13070) Synthetic
Munuscong Channel Lighted Buoy "21" (LLNR 13125) Synthetic
Munuscong Channel Lighted Buoy "29" (LLNR 13217) Synthetic
Munuscong Channel Lighted Buoy "35" (LLNR 13245) Synthetic
Moon Island Lighted Buoy "13" (LLNR 13695) Synthetic
Sailors Encampment Lighted Buoy "21" (LLNR 13125) Synthetic
Middle Neebish Lighted Buoy "43" (LLNR 13285) Synthetic
Middle Neebish Lighted Buoy "59" (LLNR 13345) Synthetic
Lake Nicolet Lighted Buoy "89" (LLNR 14030) Synthetic
Lake Nicolet Lighted Buoy "65" (LLNR 13390) Synthetic

LNM: 35/19

95 **LAKE SUPERIOR - REDRIDGE TO SAXON HARBOR - Chart 14965**

Ontonagon Harbor East Breakwater Light (LLNR 15220) A Virtual AIS ATON has been established to mark the end of the Ontonagon Harbor East Breakwater. Position 46-52-47.040N / 089-19-47.786W. The physical lighted structure was damaged by ice and is missing.

LNM: 19/19

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
2140	Fair Haven Breakwater Light 1	LT EXT	14803		07/20	
2320	Rochester Harbor Light	LT IMCH	14815		11/20	
7755	Fighting Island Channel Lighted Buoy 89	SINKING	14848		04/20	
11325	Harrisville East Breakwater Light 3	LT IMCH	14864		01/20	
12845	Drummond Island Shoal Buoy 8	MISSING	14882		37/19	
12855	Watson Reefs Buoy 9	SINKING	14882		08/20	
12920	Lime Island Lighted Buoy 15	MISSING	14882		11/20	
16963	Driftwood Point Light	LT EXT			37/19	
17745	New Shoal Lighted Bell Buoy 3	MISSING	14911		11/20	
18420	Portage Lake South Pierhead Light	LT EXT	14939		51/19	
18530	Ludington North Breakwater Light	LT EXT	14937		07/20	
19525	St. Joseph South Pierhead Light	LT EXT	14930		01/20	
19675	Indiana Harbor East Breakwater Light	LT EXT	14929		05/20	
19800	Calumet Harbor Breakwater South End Light	LT EXT	14926		05/20	
20860	Manitowoc Breakwater Light	REDUCED INT	14922		25/19	
21825	Eagle Bluff Light	REDUCED INT	14909		29/18	

DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
6110	Manhattan Range Rear Light	WATCHING PROPERLY	14846		11/20	11/20
19535	New Buffalo Harbor Light 1	WATCHING PROPERLY	14905		07/20	11/20

DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
9840	Recors Point Dock Lower Light	LT EXT	14853		30/19	
9850	Recors Point Dock Upper Light	LT EXT	14853		30/19	
16500	Two Harbors Light	LT EXT	14966		51/19	

DISCREPANCIES (PRIVATE AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

PLATFORM DISCREPANCIES

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

PLATFORM DISCREPANCIES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LN M St	LN M End
2105	Oswego Harbor West Channel Light 2	TRLB	14813		17/19	
2720	Buffalo Harbor North Entrance Light 7	DISCONTINUED	14833		33/19	
12140	Crooked Lake Daybeacon 81	TRUB	14886		28/19	
15220	Ontonagon Harbor East Breakwater Light	DISCONTINUED	14965		11/18	
15260	Gull Island Light	Reduced Intensity	14973	S085-16	39/16	
15870	Duluth Harbor Basin Traffic Lighted Buoy	DISCONTINUED	14975		09/20	
18340	North Manitou Shoal Light	Reduced Intensity	14912		51/17	
20480	Racine Reef Light	DISCONTINUED	14925		42/17	
20855	Manitowoc South Breakwater Light 3	DISCONTINUED	14922		02/20	

TEMPORARY CHANGES CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LN M St	LN M End
------	----------	--------	-----------	----------	---------	----------

None**PLATFORM TEMPORARY CHANGES**

Name	Status	Position	BNM Ref.	LN M St	LN M End
------	--------	----------	----------	---------	----------

None**PLATFORM TEMPORARY CHANGES CORRECTED**

Name	Status	Position	BNM Ref.	LN M St	LN M End
------	--------	----------	----------	---------	----------

None**SECTION IV - CHART CORRECTIONS****None****SECTION V - ADVANCE NOTICES**

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS**Approved Project(s)****None****Project Date****Ref. LNM****Advance Notice(s)****61 STRAITS OF MACKINAC - DE TOUR PASSAGE TO WAUGOSHANCE POINT - Chart 14881**

Change the following fog signal operation to user activated on the following lights. The fog signal would be energized when the mariner keys the microphone five times in VHF-FM radio channel 83A five times.

Poe Reef Light (LLNR 11750)
Fourteen Foot Shoal Light (LLNR 11765)

LN M: 20/19

61.081 STRAITS OF MACKINAC - DE TOUR PASSAGE TO WAUGOSHANCE POINT - CHART 14881

Discontinue the physical aid to navigation and replace it with VAIS (Virtual AIS) on the following aids:

Mackinac Bridge Lighted Bell Buoy "1" (LLNR 12625)
Mackinac Bridge Lighted Gong Buoy "2" (LLNR 12630)
Mackinac Bridge Lighted Bell Buoy "3" (LLNR 12645)
Mackinac Bridge Lighted Gong Buoy "4" (LLNR 12650)

LNM: 08/20

65.051 LAKE HURON - SAGINAW BAY - CHART 14867

Saginaw Bay Channel Lighted Buoy "2" (LLNR 10575) Change the operation of the lighted buoy from a seasonal lighted buoy replaced by a nun winter mark to a year round lighted buoy.

LNM: 08/20

71.3 LAKE MICHIGAN - WAUGOSHANCE POINT TO SEUL CHOIX POINT - Chart

Change the following fog signal operation to user activated on the following lights. The fog signal would be energized when the mariner keys the microphone five times in VHF-FM radio channel 83A five times.

White Shoal Light (LLNR 17750)
Grays Reef Light (LLNR 17775)
Lansing Shoal Light (21535)

LNM: 20/19

71.411 LAKE MICHIGAN - WAUGOSHANCE POINT TO CHOIX POINT - Chart 14911

Grays Reef Light (LLNR 17775) Permanently discontinue the RACON Morse code "G". Establish Synthetic AIS ATON on the position of the aid.

LNM: 08/20

72.201 LAKE MICHIGAN - PLATTE BAY TO LELAND - Chart 14912

North Manitou Shoal Light (LLNR 18340) Permanently discontinue the RACON morse code characteristic "N". Establish a Synthetic AIS ATON on the position of the aid.

LNM: 20/19

74.381 LAKE MICHIGAN - MANITOWOC AND SHEBOYGAN - Chart 14922

Manitowoc Buoy "9" (LLNR 20876) Permanently discontinue the buoy.

LNM: 08/20

75.101 LAKE MICHIGAN - RACINE HARBOR - CHART 14925

Racine Reef Light (LLNR 20480) The light structure has been damaged and is unsafe to service. The advertised light and horn advertised in the Light List are not operating. The abandon structure will be marked with a white Isolated Danger Light Fl W (2)5s. The range of the light will be 5 statute miles.

LNM: 10/20

78.391 LAKE MICHIGAN - UPPER GREEN BAY - Chart 14909

Porte Des Morts Entrance Lighted Bell Buoy (LLNR 21300) Discontinue the physical aid to navigation and replace it with VAIS (Virtual Aid to Navigation).

LNM: 08/20

78.392 LAKE MICHIGAN - LOWER GREEN BAY - Chart 14909

Sherwood Point Traffic Lighted Buoy (LLNR 22000) Discontinue the physical aid to navigation and replace it with VAIS (Virtual Aid to Navigation).

LNM: 08/20

81.381 ST. MARY'S RIVER - DE TOUR PASSAGE TO MUNUSCONG LAKE - Chart 14882

Drummond Island Shoal Buoy "8" (LLNR 12845) Permanently discontinue the buoy.

LNM: 08/20

81.5 **ST. MARYS RIVER -MUNUSCONG LAKE TO SAULT STE. MARIE - Chart 14833 - Munuscong**

West Neebish Channel (Downbound) Light "26" (LLNR 13625) Relocate to position 46-15.9135N / 084-11.3678W
West Neebish Channel (Downbound) Light "25" (LLNR 13630) Relocate to position 46-15.8830 / 084-11.4533W

LNM: 42/19

91 **LAKE SUPERIOR - DULUTH - SUPERIOR HARBOR - Chart 14975**

Duluth Harbor South Breakwater Outer Light (LLNR 15845) change the fog signal operation to a user activated system. The mariner can energize the fog signal by keying the microphone five times on VHF-FM channel 83A.

LNM: 29/17

92 **LAKE SUPERIOR - GRAND MARAIS TO BIG BAY POINT - Chart 14963**

Big Bay Point Light (LLNR 14705) Change the operation of the light from a Federal Aid to Navigation to a Privately owner operated light. Change the characteristic from Fl W 6s and 12 statute mile range to Fl W 5s with a 20 statute mile range.

LNM: 23/19

97.3 **LAKE SUPERIOR - APOSTLE ISLANDS - Chart 14973**

Gull Island Light (LLNR 15260) Reduce the range of the light from 7 statute miles to 6 statute miles. Lower the focal plane of the light from 56 feet to 12 feet.

LNM: 22/19

99 **LAKE SUPERIOR - BIG BAY POINT TO REDRIDGE - CHART 14964**

Manitou Island Light (LLNR 15170) permanently reduce the range of the light from 12 statute miles to 10 statute miles

LNM: 22/19

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

Proposed Project(s)

Closing

Docket No.

Ref. LNM

None

Proposed Change Notice(s)

41.071 **DETROIT RIVER - POWDER HOUSE ISLAND CHANNEL - CHART 14848**

Permanently discontinue the aid to navigation:

- Powder House Island Junction Buoy (LLNR 7620)
- Powder House Island Channel Buoy "1" (LLNR 7630)
- Powder House Island Channel Buoy "2" (LLNR 7635)
- Powder House Island Channel Buoy "4" (LLNR 7640)
- Powder House Island Channel Buoy "6" (LLNR 7645)

LNM: 07/20

41.072 **DETROIT RIVER - HICKORY ISLAND CHANNEL - CHART 14848**

Hickory Island Channel Shoal Buoy (LLNR 7625) Change from a preferred channel red and green buoy to a lateral port hand green can buoy "17".

LNM: 07/20

61.051 **LAKE HURON - PORT HURON TO PTE AUX BARQUES - CHART 14862**

Lake Huron Cut Lighted Buoy "1" (LLNR 10035) Change the operation of the buoy to a year round lighted buoy. The aid position will continue to be enhanced by Synthetic AIS ATON.

Lake Huron Cut Lighted Buoy "11" (LLNR 10085) Change the operation of the buoy to a year round lighted buoy. The aid position will continue to be enhanced by Synthetic AIS ATON.

Lake Huron Cut Lighted Buoy "12" (LLNR 10090) Change the operation of the lighted buoy from a seasonal lighted buoy replaced by a nun winter mark to a year round lighted buoy. The aid position will continue to be enhanced by Synthetic AIS ATON.

LNM: 05/20

61.071 **LAKE HURON - HARRISVILLE TO FORTY MILE POINT - CHART 14864**

Thunder Bay Traffic Lighted Buoy "TB" (LLNR 11355) Discontinue the physical aid to navigation and replace it with VAIS (Virtual Aid to Navigation).

LNM: 07/20

62.061 LAKE HURON - SAGINAW BAY - CHART 14863

Charity Island Shoal Lighted Bell Buoy "1" (LLNR 10530) Permanently discontinue the physical buoy. The aid position will continue to be enhanced by electronic AIS ATON.

LNM: 06/20

63.081 LAKE HURON – SAGINAW BAY CHANNEL – CHART 14867 (Part I)

The following changes are being proposed for Saginaw Bay Channel Aids to Navigation. In summary between Saginaw Bay Channel Light "1" and "12" the unlighted buoy gates will be eliminated. The lighted buoy gates will be repositioned from their current distance of 2 miles to 1.7 miles and the range of the light will be increased from 4 statute miles to 5 statute miles.

The aids will be renumbered as described below.

From Light "12" to Lighted Buoy "28" the physical unlighted buoy gates will be eliminated and replaced with VAIS. The aids will be renumbered as described below.

Saginaw Bay Channel Buoy "3" (LLNR 10590) move the buoy to approximant position 43-46-52.020N / 083-44-23.280W. Change the buoy from an unlighted buoy to a seasonal lighted buoy maintained from April 21 to December 1 replaced by a can winter mark. The light characteristic will be Fl G 4s with a nominal range of 5 statute miles.

Saginaw Bay Channel Buoy "4" (LLNR 10595) move the buoy to approximant position 43-46-53.763N / 083-44-27.273W gated with Lighted Buoy "3". Change the buoy from an unlighted buoy to a seasonal lighted buoy maintained from April 21 to December 1 replaced by a nun winter mark. The light characteristic will be Fl R 4s with a nominal range of 5 statute miles.

Saginaw Bay Channel Lighted Buoy "5" (LLNR 10600) move the buoy to approximant position 43-45-22.814 / 083-45-38.213W. The buoy will be seasonal maintained from April 21 to December 1 replaced by a can winter mark. The characteristic will remain Fl G 4s with a nominal range of 5 statute miles.

Saginaw Bay Channel Lighted Buoy "6" (LLNR 10605) move the buoy to approximate position 43-45-24.338N / 083-45-42.298W gated with Lighted Buoy "5". The buoy will be seasonal maintained from April 21 to December 1 replaced by a nun winter mark. The characteristic will remain Fl R 4s with a nominal range of 5 statute miles.

Saginaw Bay Channel Buoy "7" (LLNR 10610) move the buoy to approximant position 43-43-54.183N / 083-46-51.978W gated with Light "8" (same position as lighted buoy "11" LLNR 10640). Change the buoy from an unlighted buoy to a seasonal lighted buoy maintained from April 21 to December 1 replaced by a can winter mark. The light characteristic will be Fl G 2.5s with a nominal range of 5 statute miles.

Saginaw Bay Channel Buoy "8" (LLNR 10615) permanently discontinue the aid.

Saginaw Bay Channel Lighted Buoy "9" (LLNR 10620) permanently discontinue the aid.

Saginaw Bay Channel Lighted Buoy "10" (LLNR 10625) permanently discontinue the aid.

Saginaw Bay Channel Lighted Buoy "11" (LLNR 10640) permanently discontinue the aid and replace it with new Lighted Buoy "7" (LLNR 10610)

Saginaw Bay Channel Light "12" (LLNR 10644) Change the name of the light to Saginaw Bay Channel Light "8" (LLNR 10644.) The characteristic will remain Fl G 2.5s with a nominal range of 6 statute miles.

LNM: 08/20

63.081 LAKE HURON – SAGINAW BAY CHANNEL – CHART 14867 (Part II)

Saginaw Bay Channel Buoy "13" (LLNR 10650) permanently discontinue the physical aid and replace it with VAIS Port Hand Mark "9".

Saginaw Bay Channel Buoy "14" (LLNR 10655) permanently discontinue the physical aid and replace it with VAIS Starboard Hand Mark "10".

Saginaw Bay Channel Lighted Buoy "15" (LLNR 10660) Change the name of the aid to Saginaw Bay Channel Lighted Buoy "11".

Saginaw Bay Channel Lighted Buoy "16" (LLNR 10665) Change the name of the aid to Saginaw Bay Channel Lighted Buoy "12".

Saginaw Bay Channel Buoy "17" (LLNR 10670) permanently discontinue the physical aid and replace it with VAIS Port Hand Mark "13".

Saginaw Bay Channel Buoy "18" (LLNR 10675) permanently discontinue the physical aid and replace it with VAIS Starboard Hand Mark "14".

Saginaw Bay Channel Lighted Buoy "19" (LLNR 10680) Change the name of the aid to Saginaw Bay Channel Lighted Buoy "15".

Saginaw Bay Channel Lighted Buoy "20" (LLNR 10685) Change the name of the aid to Saginaw Bay Channel Lighted Buoy "16".

Saginaw Bay Channel Lighted Buoy "21" (LLNR 10710) Change the name of the aid to Saginaw Bay Channel Lighted Buoy "17".

Saginaw Bay Channel Lighted Buoy "22" (LLNR 10715) Change the name of the aid to Saginaw Bay Channel Lighted Buoy "18".

Saginaw Bay Channel Lighted Buoy "23" (LLNR 10720) Change the name of the aid to Saginaw Bay Channel Lighted Buoy "19".

Saginaw Bay Channel Lighted Buoy "24" (LLNR 10725) Change the name of the aid to Saginaw Bay Channel Lighted Buoy "20".

Saginaw Bay Channel Lighted Buoy "25" (LLNR 10735) Change the name of the aid to Saginaw Bay Channel Lighted Buoy "21".

Saginaw Bay Channel Light "26" (LLNR 10730) Change the name of the aid to Saginaw Bay Channel Light "22".

Saginaw Bay Channel Lighted Buoy "28" (LLNR 10740) Change the name of the aid to Saginaw Bay Channel Lighted Buoy "24".

LNM: 08/20

64.041 LAKE MICHIGAN - STRAITS OF MACKINAW - Chart 14881

Enbridge Energy, Limited Partnership anticipate to activate Private Aid -AIS (Automatic Identification System) signal in the vicinity of Straits of Mackinaw. AIS signal will transmitting under VAIS assigned name: Enbridge Pipeline E/W . Anticipate AIS radio frequency - dual channel transmit and receive signals frequency as follows: 161.975 and 162.025 MHz.

AIS positions are located as follows: East Enbridge Pipe 1 VAIS - Lat: 45° 49' 26.940" N and Long: 084° 45' 52.247" W, East Enbridge Pipe 2 VAIS - Lat: 45° 49' 26.620" N and Long: 084° 45' 25.650" W, East Enbridge Pipe 3 VAIS - Lat: 45° 48' 12.600" N and Long: 084° 45' 52.553" W and East Enbridge Pipe 4 VAIS - Lat: 45° 48' 17.496" N and Long: 084° 46' 18.163" W. Position will mark the pipeline as indicated.

LNM: 04/20

64.411 LAKE HURON - HARRISVILLE TO FORTY MILE POINT - Chart 14864

Presque Isle Light (LLNR 11550) Reduce the range of the light from 22 statute miles to 16 statute miles.

LNM: 41/19

71.071 STRAITS OF MACKINAC - DE TOUR PASSAGE TO WAUGOSHANCE POINT - Chart 14881

Cheboygan Traffic Lighted Buoy (LLNR 12180) Discontinue the physical aid to navigation and replace it with VAIS (Virtual Aid to Navigation).

LNM: 07/20

74.021 LAKE MICHIGAN - STURGEON BAY AND CANAL - Chart 14919

Sturgeon Bay Ship Channel Buoy "31" (LLNR 21210) change the unlighted buoy to a seasonal lighted buoy maintained from April 21 to November 21. The buoy will have a characteristic of Fl G 2.5s with a range of 4 statute miles. The buoy will be winter marked with a green can.

LNM: 02/20

74.411 LAKE MICHIGAN - STONY LAKE TO POINT BETSIE - Chart 14907

Point Betsie Light (LLNR 18370) Reduce the range of the light from 19 statute miles to 16 statute miles.

LNM: 41/19

74.412 LAKE MICHIGAN - PORT WASHINGTON TO WAUKEGAN - Chart 14904

Wind Point Light (LLNR 20605) Reduce the range of the light from 21 statute miles to 16 statute miles.

LNM: 41/19

74.413 LAKE MICHIGAN - ALGOMA TO SHEBOYGAN - Chart 14903

Rawley Point Light (LLNR 20935) Reduce the range of the light from 21 statute miles to 16 statute miles.

LNM: 41/19

76.111 LAKE MICHIGAN - ST. JOSEPH TO BENTON HARBOR - CHART 14930

St. Joseph South PHD Light (LLNR 19525) Permanently reduce the range of the light from 7 statute miles to 5 statute miles.

LNM: 11/20

81.061 ST. MARY'S RIVER - DETOUR PASSAGE TO MUNUSCONG LAKE - CHART 14882

Detour Tour Passage Buoy "3" (LLNR 12820) Change the operation of the buoy to a seasonal lighted buoy Fl G 2.5s with a 4 statute mile range. The lighted buoy will be replaced by a can from December 1 to May 1.

LNM: 06/20

85.061 MUNUSCONG LAKE TO SAULT STE. MARIE - CHART 14883

West Neebish Channel (Downbound) Buoy "35" (LLNR 13580) Change the operation of the buoy to a seasonal lighted buoy Q G with a 4 statute mile range. The lighted buoy will be replaced by a can from December 1 to April 21.

Lake Nicolet Buoy "86" (LLNR 13995) Change the operation of the buoy to a seasonal lighted buoy Q R with a 4 statute mile range. The lighted buoy will be replaced by a nun from November 21 to April 14.

LNM: 06/20

91.071 LAKE SUPERIOR - KEWEENAW WATERWAY - CHART 14972

Change the seasonal decommissioning date for the following buoys from November 14 to October 14:

Torch Lake Southwest Arm Wreck Buoy "2" (LLNR 14962)

Keweenaw Waterway Buoy "24" (LLNR 14875)
Keweenaw Waterway Buoy "30A" (LLNR 14937)
Keweenaw Waterway Lighted Buoy "33" (LLNR 14950)
Keweenaw Waterway Buoy "34" (LLNR 14955)
Keweenaw Waterway Buoy "40" (LLNR 14985)
Keweenaw Waterway Buoy "44" (LLNR 15000)
Keweenaw Waterway Buoy "46" (LLNR 15005)
Keweenaw Waterway Buoy "52" (LLNR 15035)
Keweenaw Waterway Buoy "54" (LLNR 15050)
Keweenaw Waterway Buoy "56" (LLNR 15060)
Keweenaw Waterway Buoy "57" (LLNR 15065)
Keweenaw Waterway Buoy "59" (LLNR 15070)
Keweenaw Waterway Buoy "60" (LLNR 15075)
Keweenaw Waterway Buoy "63" (LLNR 15090)

LNM: 07/20

93.071 LAKE SUPERIOR - DULUTH / SUPERIOR HARBOR - CHART 14975

Change the seasonal decommissioning date for the following buoys from December 1 to November 14:

Duluth Harbor Basin Traffic Lighted Buoy LNNR 15870)

Allouez Bay Lighted Buoy (LLNR 15640)

St. Louis Upper Channel Lighted Buoy "4" (LLNR 16180)

Minnesota Channel (Eastern Section) Lighted Buoy "6" (LLNR 16205)
Minnesota Channel (Eastern Section) Lighted Buoy "7" (LLNR 16210)
Minnesota Channel (Eastern Section) Lighted Buoy "9" (LLNR 16220)
Minnesota Channel (Eastern Section) Lighted Buoy "10" (LLNR 16225)
Minnesota Channel (Eastern Section) Lighted Buoy "14" (LLNR 16235)
Minnesota Channel (Eastern Section) Lighted Buoy "15" (LLNR 16240)
Minnesota Channel (Eastern Section) Lighted Buoy "19" (LLNR 16250)

LNLM: 07/20

101 **For any comments or questions on these proposed changes please contact:**

Mr. Doug Sharp of the Ninth District Aids to Navigation office at (216) 902-6070.

LNLM: 30/13

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

.5 **Waterways Analysis and Management System Study - 2020**

The U. S. Coast Guard is conducting a Waterway Analysis and Management System Study of the following waterways during 2020. The study focuses on the Aids to Navigation within the waterway, waterborne commerce, marine casualty information, emergency response plans, routine and emergency communication capabilities, and future development projects. Coast Guard units will conduct research of each waterway in the study and require waterway user feedback. If you have recommended changes to the waterway please email: william.d.sharp@uscg.mil or complete the survey attached to this local notice to mariner. Your comments are very important and will be forwarded to the appropriate unit conducting the study.

Straits of Mackinaw Eastern Section (LLNR 11720 – LLNR 11775)
(LLNR 12175 – LLNR 12215)
(LLNR 12535 – LLN 12650)

Burns Harbor (LLNR 19575 – LLNR 19625)

Milwaukee Harbor (LLNR 20635 – LLNR 20765)

Portage Lake (LLNR 18370 – LLNR 18445)

Manistee Harbor (LLNR 18450 – LLNR 18520)

Ludington Harbor (LLNR 18525 – LLNR 18645)

Chicago / Calumet Harbors (LLNR 19630 – LLNR 20300)

Alpena (LLNR 11345 – LLNR 11715)

Sandusky River (LLNR 5035 – LLNR 5515)

Au Gres (LLNR 11140 – LLNR 11235)

Tawas Bay (LLNR 11240 – LLNR 11330)

Rochester Harbor (LLNR 2280 – LLNR 2395)

Youngstown Harbor (LLNR 2400 – LLNR 2655)

Sackets Harbor (LLNR 1755 – LLNR 2024.9)

St. Mary's River (LLNR 12765 – LLNR 13755)

Lake Nicolet / Bayfield Channel (LLNR 13955 – LLNR 14192)

LNLM: 09/20

1 **GREAT LAKES - Marine Events**

Marine events such as races, parades, regattas, and fireworks displays are frequently held in the Great Lakes region. Advance information on specific events is contained in enclosure (2) of this publication. The public is reminded to listen to the local broadcast notice to mariners for the most up-to-date information on a marine event. Mariners are advised that some events may require temporary aids to navigation that are not displayed

- 1 **GREAT LAKES - Marine Events**
on a chart or in the Light List, and that they should exercise additional caution while operating in the vicinity of a scheduled marine event.
LNM: 24/13
- 11.071 **NEW YORK STATE CANAL SYSTEM – NY - Erie Canal – Chart 14786 – Bridge Maintenance**
From April 1 through September 25, 2020 shore based man lifts will be working under the E-202, Gaines Basin Rd Bridge at Mile 294.86 and the E-212, Marshall Rd Bridge at Mile 305.63, both over the Erie Canal. Spotters will warn of approaching vessels and will move the man lifts to allow vessels to pass.
LNM: 07/20
- 11.201 **NEW YORK STATE CANAL SYSTEM – NY - Erie Canal – Chart 14786 – Bridge Maintenance**
From July 9 through November 20, 2020, the E-174 Union Street Bridge at Mile 271.28 and the E-128 Main Street (SR 250) Bridge at Mile 246.67, both over the Erie Canal, part of the New York Canal System will be locked in the open to navigation position and moveable platforms that hang approximately 3 feet below low steel will be installed under the bridge in one half of the channel. The normal working hours will be 0700 to 1700, Monday through Friday; however, actual work hours may change during the project due to weather.
LNM: 20/19
- 11.241 **NEW YORK STATE CANAL SYSTEM – NY - Erie Canal – Chart 14786 – Bridge Maintenance**
From July 9 through November 20, 2020 moveable platforms will be installed under the E174 Union Street Bridge at mile 271.28 and the E128 Main Street Bridge at Mile 246.67, both over the Erie Canal. The platforms will extend approximately 6 feet below low steel.
LNM: 24/19
- 11.471 **NEW YORK STATE CANAL SYSTEM – NY – Erie Canal – Chart 14786 – Bridge Maintenance**
From November 18, 2019 to May 17, 2020, contractors will perform rehabilitation work on the E208 Bates Road Bridge located at Mile 302.64 over the Erie Canal near Medina, New York. Scaffolding will be installed that hangs approximately four feet below low steel.
LNM: 47/19
- 11.472 **NEW YORK STATE CANAL SYSTEM – NY – Erie Canal – Chart 14786 – Bridge Maintenance**
From November 12, 2019 to May 11, 2020, contractors will perform rehabilitation work on the E189 Telegraph Road Bridge located at Mile 285.00 over the Erie Canal near Holley, New York. Scaffolding will be installed that hangs approximately four feet below low steel.
LNM: 47/19
- 26.061 **LAKE ONTARIO – NY – Rochester Harbor – Chart 14815 – Bridge Discrepancy**
From 0730 to 1245 on September 20, 2020 the O'Rourke Bridge at Mile 1.25 over the Genesee River will be secured to masted navigation in conjunction with the Rochester Marathon. Vessels able to pass under the bridge without an opening may do so at any time.
LNM: 06/20
- 31.041 **LAKE ERIE – NY – Buffalo Harbor – Chart 14833 – Bridge Maintenance**
From July 10, 2016 through June 5, 2020 scaffolding that extends approximately 6 feet below low steel will be installed under the Peace Bridge at Mile 1.5 over the Black Rock Canal. Scaffolding will be installed under other parts of the bridge above low steel.
LNM: 04/20
- 31.511 **LAKE ERIE – NY – Buffalo Harbor – Chart 14833 – Bridge Maintenance**
from January 1, 2021 through April 16, 2021 the draw of the Ohio Street Bridge at Mile 2.10 over the Buffalo River will be secured to masted navigation 53 feet lower than fully open to allow workers access for rehabilitation.
LNM: 51/19
- 35.021 **LAKE ERIE – OH – Cleveland Harbor – Chart 14839 – Bridge Maintenance**
From January 9 through May 4, 2020 between the hours of 0700 and 1700, Monday through Friday a 141 foot by 54 foot barge, or smaller, will be working under the Hope Memorial Bridge at Mile 3.14 over the Cuyahoga River. The barge will move to accommodate river traffic if a 1-hour advance notice is provided on VHF-FM Marine Channel 16 or by calling 330-419-3722.
LNM: 02/20
- 35.101 **LAKE ERIE – OH – Toledo Harbor– Chart 14847 – Bridge Special Event**
Between the hours of 0750 to 0900 on May 23, 2020 the Craig Memorial Bridge at Mile 3.30, over the Maumee River, will be secured to masted navigation in conjunction with the River Run event. Vessels able to pass under the bridge without an opening may do so at any time.
LNM: 10/20
- 35.241 **LAKE ERIE – OH – Lorain Harbor – Chart 14841 – Bridge Maintenance**
From August 1 through March 31, 2020 the Erie Avenue Bridge at Mile 0.6 over the Black River will require a 12-hour advance notice for openings. Mariners should provide advance notice directly to the drawtender on VHF-FM Marine Radio Channel 16 or by calling: 440-244-2137.
LNM: 06/20
- 35.291 **LAKE ERIE – OH – Sandusky Bay – Chart 14845 – Bridge Maintenance**
From July 15 through April 30, 2020 spider scaffolding will be installed over the north pass through, not part of the navigation span of the State Route 2 at Mile 7.7 over the Sandusky Bay. Steady burning yellow lights will mark the scaffolding.
LNM: 46/19
- 51.513 **ST. CLAIR RIVER – MI – St. Clair Middle Ground – Chart 14852 – Bridge Maintenance**
From April 15 through June 15, 2020 scaffolding that hangs approximately 5 feet below low steel will be installed under the U.S. side of the Blue Water Bridge at Mile 39.1 over the St. Clair River. Steady burning yellow lights will mark the bottom and four-corners of the scaffolding. The bridge navigation lights will remain unaffected.

- 51.513 **ST. CLAIR RIVER – MI – St. Clair Middle Ground – Chart 14852 – Bridge Maintenance**
LNM: 10/19
- 61.101 **LAKE HURON – MI – Saginaw Bay– Chart 14867 – Bridge Inspection**
From March 16 through March 20, 2020, between the hours of 0800 and 1630, each day, inspectors will use snooper trucks under the Independence Bridge at Mile 3.88 and the Liberty Street Bridge at Mile 4.99, both over the Saginaw River. The bridges will require a 15-minute advance notice of arrival for openings. Spotters will monitor VHF-FM Marine Channel 16 and will warn inspectors of approaching vessels and move the man lifts.
LNM: 10/20
- 61.111 **LAKE HURON – MI - Saginaw River – Chart 14867**
From April 24 through April 26, 2020, between the hours of 0800 and 1700 daily, divers will be inspecting the Independence Bridge at Mile 3.68 and the Liberty Street Bridge at Mile 4.99, both over the Saginaw River. A dive boat will monitor VHF-FM Marine Channel 16 and move the divers to allow vessels to pass.
LNM: 11/20
- 71.25 **LAKE MICHIGAN – IL – Chicago River – Chart 14927 – Bridge Discrepancy**
The Coast Guard has received a report that the dolphins near the location of the former Polk Street Bridge at Mile 2.16 over the South Branch of the Chicago River and the former Erie Street Bridge at Mile 2.21 over the North Branch of the Chicago River are a hazard to navigation.
LNM: 21/16
- 71.5 **LAKE MICHIGAN – IN – Indiana Harbor, Chart 14929 – Bridge Underwater Hazard**
The Coast Guard has received a report of an underwater obstruction near the position of the former Canal Street Bridge at Mile 1.88 over the Indiana Harbor Canal.
LNM: 01/14
- 72.081 **LAKE MICHIGAN – MI – St Joseph River– Chart 14930 – Bridge Special Event**
On May 2, 2020, between the hours of 1000 and 1600 the Twin Cities Bicentennial Bridge at Mile 1.30 over the Saint Joseph River will be secured to masted navigation in conjunction with the Twin Cities Floral Parade. Vessels able to pass under the bridge without an opening may do so at any time.
LNM: 08/20
- 72.381 **LAKE MICHIGAN – MI - St. Joseph Benton Harbor – Chart 14906 – Bridge Maintenance**
From December 1 through March 31, 2020 the Blossomland/M-63 Bridge at Mile 0.92 and the Twin Cities Bicentennial Bridge at Mile 1.30, both over the St. Joseph River will be secured to masted navigation. Scaffolding that hangs approximately 4 feet below low steel will be installed under each bridge. Two 60 feet by 40 feet or smaller barges will be working under the bridges.
LNM: 38/19
- 72.521 **LAKE MICHIGAN – MI – Charlevoix Harbor – Chart 14942 – Bridge Maintenance**
From March 1, 2020 through March 31, 2020 the (US-31) Bridge Street Bridge just below Round Lake over the Pine River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time.
LNM: 52/19
- 75.061 **LAKE MICHIGAN – IL – Indiana Harbor Canal – Chart 14927 – Bridge Maintenance**
From February 3 through April 30, 2020, Monday through Saturday, 0700 to 1900, a 120 foot by 110 foot barge will be constructing the Cline Avenue Bridge at Mile 1.61 over the Indiana Harbor Canal. The barge will monitor VHF-FM Marine Channel 16 and will move if a 1-hour advance notice is provided on VHF-FM marine Channel 16.
LNM: 06/20
- 75.071 **LAKE MICHIGAN – IL – Chicago River – Chart 14872 – Bridge Maintenance**
From March 3 through July 31, 2020, between the hours of 0700 and 1530 Monday through Friday a 120 by 35 foot barge will be working under the bridge. The barge will move if a 2-hour advance notice of arrival is provided directly to the barge on VHF-FM Marine Channel 16 or by calling: 312-747-2470.
LNM: 07/20
- 75.072 **LAKE MICHIGAN – IL – Chicago River – Chart 14872 – Bridge Maintenance**
From March 16, 2020 through April 20, 2020, between the hours of 0700 and 1530 Monday through Friday. An 80 by 20 foot barge will be working under the Van Buren Street Bridge at Mile 2.26 (CORPS MILE 324.9) over the South Branch of the Chicago River. The barge will move if a 2-hour advance notice of arrival is provided directly to the barge on VHF-FM Marine Channel 16 or by calling: 312-747-2470.
LNM: 07/20
- 75.192 **North Branch of the Chicago River**
This notice is to advise mariners of a partially submerged obstruction off the left descending bank of the North Branch of the Chicago River located at MM 327.5
LNM: 19/19
- 75.471 **LAKE MICHIGAN – IN – Indiana Harbor Canal – Chart 14927 – Bridge Winter Hours**
From November 14, 2019 through April 1, 2020, daily, the Indianapolis Boulevard Bridge at Mile 2.59 over the Indiana Harbor Canal will require a 12-hour advance notice for openings. Mariners should provide advance notice by calling: 219-851-1141, 219-851-3944, 219-851-3110, 219-214-8905, 219-344-0871.
LNM: 47/19

- 76.062 **LAKE MICHIGAN – IL – Chicago River – Chart 14927 – Bridge Maintenance**
 From February 4 through May 23, 2020, scaffolding will be installed under one leaf of the Monroe Street Bridge at Mile 1.99 (CORPS MILE 325.2) over the South Branch of the Chicago River that hangs approximately 1 foot below low steel. Monday through Saturday between the hours of 0700 and 1730 a 40 foot by 40 foot barge will be working under the bridge. The barge will move with a 30-minute advance notice provided directly to the barge on VHF-FM Marine Channel 16.
 LNM: 06/20
- 76.063 **LAKE MICHIGAN – IL – Chicago River – Chart 14927 – Bridge Maintenance**
 From May 25 through August 14, 2020, scaffolding will be installed under one leaf of the Randolph Street Bridge at Mile 1.73 (CORPS MILE 325.4) over the South Branch of the Chicago River that hangs approximately 1 foot below low steel. Monday through Saturday between the hours of 0700 and 1730 a 40 foot by 40 foot barge will be working under the bridge. The barge will move with a 30-minute advance notice provided directly to the barge on VHF-FM Marine Channel 16.
 LNM: 06/20
- 76.064 **LAKE MICHIGAN – IL – Chicago Sanitary and Ship Canal – Chart 14927 – Bridge Maintenance**
 From July 6 through August 24, 2020, scaffolding will be installed under the South Pulaski Bridge at Mile 8.9 (CORPS MILE 318.4) over the Chicago Sanitary and Ship Canal that hangs approximately 2 feet below low steel.
 LNM: 06/20
- 76.091 **LAKE MICHIGAN – IL – Chicago Sanitary and Ship Canal – Chart 14972 – Bridge Construction**
 From March 19 through June 15, 2020, between the hours of 0700 and 1900, Monday through Saturday, a 100-foot by 80-foot barge will be constructing the new Northern Illinois Toll Highway/ I-295 Bridges at Mile 18.1 (CORPS MILE 309.1) over the Chicago Sanitary and Ship Canal. Vessel are required to provide at least a 3-hour advance notice before passing under the bridge while steel sections are being lifted over the waterway. Mariners may provide advance notice on VHF-Marine Channel 16 or by calling: 708-879-0961. The contractor will update the voice mail message to include any non-work days due to foul weather and will accept 3-hour advance notice by voicemail. No vessel should pass under the bridge while steel is suspended over the waterway.
 LNM: 09/20
- 76.101 **LAKE MICHIGAN – IL – Chicago River– Chart 14927 – Bridge Maintenance**
 From March 16 through April 1, 2020, between the hours of 2100 and 0600 each day, a 120-foot by 30-foot barge will be working under the Dearborn Street Bridge at Mile 1.13 (CORPS MILE 326.1) over the Main Branch of the Chicago River. The barge will move if a 1-hour advance notice is provided directly to the barge on VHF-FM Marine Channel 16.
 LNM: 10/20
- 76.511 **LAKE MICHIGAN – IL – Chicago River – Chart 14927 – Bridge Maintenance**
 From January 2 through April 1, 2020 one leaf of the La Salle Street Bridge at Mile Bridge at Mile 1.29 (CORPS MILE 325.9) over the Main Channel of the Chicago River. Scaffolding will be installed under the secured leaf that extends approximately 3 feet below low steel. Under the operational leaf there will be a small temporary platform. Both the scaffolding and temporary platform will have steady burning yellow light on the bottom and four-corners. A 120 foot by 30 foot barge will be working at the bridge. The barge will monitor VHF-FM Marine Channel 16 and with a 30-minute advance notice will move to accommodate vessels.
 LNM: 51/19
- 76.531 **LAKE MICHIGAN – IL – Chicago River – Chart 14972 – Bridge Maintenance**
 From January 15 through October 16, 2020 one leaf of the Lake Street Bridge at Mile 1.64 (CORPS MILE 325.5) over the South Branch of the Chicago River will be secured to masted navigation.
 LNM: 53/19
- 77.091 **LAKE MICHIGAN – WI – Milwaukee Harbor– Chart 14924 – Bridge Maintenance**
 From March 24 through April 12, 2020, one leaf of the North Plankinton Avenue Bridge at Mile 1.08 over the Menomonee River will be secured to masted navigation. Between the hours of 0700 and 1630, a 44-foot by 12-foot barge will be working under the secured leaf. The barge will move if a 2-hour advance notice is provided directly to the drawtender.
 LNM: 09/20
- 77.101 **LAKE MICHIGAN – WI – Milwaukee Harbor– Chart 14924 – Bridge Test Schedule**
 On March 7, 2020, we posted a Test Deviation in the Federal Register 85 FR 13517.
 From midnight on April 15 to midnight on November 1, 2020, the Coast Guard is seeking comments during a test schedule for the bridges crossing the Milwaukee Harbor waterways. If you have questions on this proposed rule, call or e-mail Mr. Lee D. Soule, Bridge Management Specialist, Ninth Coast Guard District; telephone 216-902-6085, e-mail Lee.D.Soule@uscg.mil. You may submit comments identified by docket number USCG-2019-0824 using Federal eRulemaking Portal at <https://www.regulations.gov>. For your convenience, a copy of the test deviation has been attached to this LNM.
 LNM: 10/20
- 77.102 **LAKE MICHIGAN – WI – Milwaukee Harbor– Chart 14924 – Bridge Maintenance**
 From April 14 through June 23, 2020 one leaf of the North Plankinton Avenue Bridge at Mile 1.08 over the Menomonee River will be secured to masted navigation. A 46-foot by 64-foot barge will be working under the bridge. The barge will move if a 2-hour advance notice is provided on VHF-FM Marine Radio Channel 16.
 LNM: 10/20
- 77.461 **LAKE MICHIGAN – WI – Milwaukee Harbor – Chart 14924 – Bridge Winter Hours**
 All movable bridges in Milwaukee Harbor will require a 12-hour advance notice for openings from November 2, 2019 through April 15, 2020. To provide notice to vehicle bridges call the lead draw tender on VHF-FM Channel 16 or 414-286-2575 and for rail bridges call 414-389-3772 or 414-278-1385.

- 77.461 **LAKE MICHIGAN – WI – Milwaukee Harbor – Chart 14924 – Bridge Winter Hours**
LNM: 46/19
- 78.051 **LAKE MICHIGAN – WI – Green Bay – Chart 14918 – Bridge Special Event**
From 0500 to 1400 on May 17, 2020 the Tillman Memorial Bridge at Mile 2.27 over the Fox River will be secured to masted navigation in conjunction with the Cellcom Marathon. Vessels able to pass under the bridge without an opening may do so at any time.
LNM: 05/20
- 78.061 **LAKE MICHIGAN – WI – Green Bay – Chart 14918 – Bridge Special Event**
From 1400 to 2300 on July 4, 2020 the Main Street Bridge at Mile 1.58 and the Walnut Street Bridge at Mile 1.81, both over the Fox River will be secured to masted navigation in conjunction with the City of Green Bay 4th of July celebration.
LNM: 06/20
- 78.062 **LAKE MICHIGAN – WI – Green Bay – Chart 14918 – Bridge Regulation**
The Coast Guard is modifying the operating schedule that governs the Main Street Bridge, mile 1.58, the Walnut Street Bridge, mile 1.81, and the Tilleman Memorial Bridge, mile 2.27, all over the Fox River at Green Bay, WI to allow them to operate remotely. To view documents available in the docket, go to <http://www.regulations.gov>. Type USCG-2019-0178 in the "SEARCH" box and click "SEARCH." A copy of the Final Rule is included as an attachment.
LNM: 06/20
- 78.063 **LAKE MICHIGAN – WI – Upper Fox River – Chart 14916 – Bridge Maintenance**
From February 20 through April 8, 2020 the Congress Avenue Bridge at Mile 58.01 over the Fox River will be secured to masted navigation and scaffolding that hangs approximately 2 feet below low steel will be installed under the bridge.
LNM: 06/20
- 78.091 **LAKE MICHIGAN – WI – Upper Fox River– Chart 14916 – Bridge Special Event**
On April 26, 202 between the hours of 0645 and 1100 the Wisconsin Street Bridge at Mile 56.72 and the Main Street Bridge at Mile 55.97 over the Fox River, at Oshkosh, will be secured, to masted navigation in conjunction with the Oshkosh Marathon. Vessels able to pass under the bridges without an opening may do so at any time.
LNM: 09/20
- 78.092 **LAKE MICHIGAN – WI – Upper Fox River– Chart 14916 – Bridge Special Event**
On August 23, 202 the Racine Street Bridge at Mile 37.91, between the hours of 0700 and 1000, and the Main Street Bridge at Mile 55.97, between the hours of 0630 and 0930, will be secured to masted navigation, in conjunction with the Run the Lake Event. Vessels able to pass under the bridges without an opening may do so at any time.
LNM: 09/20
- 78.111 **LAKE MICHIGAN – WI - Green Bay – Chart 14918**
From midnight on March 15 through midnight on March 24, 2020, the Main Street Bridge at Mile 1.58 over the Fox River will be secured to masted navigation for maintenance. Vessels able to pass under the bridge without an opening may do so at any time.
LNM: 11/20
- 91.081 **LAKE SUPERIOR – MN – Duluth – Superior Harbors – Chart 14975 – Bridge Special Event**
From 1900 on July 4 to 0100 on July 5, 2020 the Duluth Ship Canal Bridge at mile 0.24 over the Duluth Ship Canal and from 2000 and 2330 on July 4, the Minnesota Slip Bridge at the entrance to Minnesota Slip will be secured to masted navigation in conjunction with the City of Duluth firework display. Vessels able to pass under the bridges without an opening may do so at any time. A rain date on July 5 may be authorized by separate notice.
LNM: 08/20
- 99 **LAKE OF THE WOODS – MN – Rainy River – Chart 14999 – Bridge Construction**
From April 10th through November 27th, 2020 eight 80 foot x 80 foot barges will be working in the river in addition to a 100' x 60' causeway extending from the U.S. Shoreline to accommodate building the new International Bridge across the Rainy River between Baudette, Minnesota, and Rainy River, Ontario, Canada at Mile 14.1 over the Rainy River at Baudette, MN. A 200 foot wide channel will be available for vessels to pass through the construction area.
LNM: 11/19

SECTION VIII - LIGHT LIST CORRECTIONS

An Asterisk *, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
------------	--------------------------	-----------------	-----------------------	---------------	--------------	------------------	----------------

None

D. L. Cottrell, RDML
U. S. Coast Guard
Commander, Ninth Coast Guard District

GREAT LAKES-MARINE EVENT-SAFETY ZONES-SECURITY ZONES

SECTOR BUFFALO

Events listed below are those events that may have accompanying special local regulations.

<u>Location</u>	<u>LN</u>	<u>Name of Event</u>	<u>Date</u>	<u>Time of Event</u>	<u>POC</u>	<u>Tel #</u>
<u>St. Lawrence River</u>						
<u>LAKE ONTARIO</u>						
Genesee River - Rochester, NY	10/20	RYC 2020 High School Sailing Program	11 Mar-13 Nov	1500-1830	Commodore Chris Dorsey	585-246-4536
Rochester, NY	10/20	RYC 2020 One Design and Offshore Racing Series	12 May - 17 Oct	1730-2100	Commodore Chris Dorsey	585-246-4536
Genesee River - Rochester, NY	10/20	RYC Annual Memorial Day Fleet Review	25 May	0900-1800	Commodore Chris Dorsey	585-246-4536
Genesee River - Rochester, NY	10/20	RYC 2020 Jr Sail Instruction	22 Jun- 28 Aug	0900-1400	Commodore Chris Dorsey	585-246-4536
Rochester, NY	10/20	RYC 2020 US Sailing Match Racing Championship - Rose Cup	24 Jun - 28Jun	0900-1800	Commodore Chris Dorsey	585-246-4536
Rochester, NY	10/20	RYC 2020 Laser Great Lakes Championship	12 Sep - 13 Sep	0900-1400	Commodore Chris Dorsey	585-246-4536
Rochester, NY	10/20	RYC 2020 US Sailing Match Racing Championship	25 Sep - 27 Sep	0900-1700	Commodore Chris Dorsey	585-246-4536
<u>LAKE ERIE</u>						
Niagara River	11/20	Light the Night	20-Mar-20	2000-2200	Andrews Hooker	716-946-5917
Niagara River - Black Rock Canal	11/20	Jim Schaab Collegiate Regatta	18-Apr-20	0900-1300	Miles Schwartz	690-780-5561
Niagara River - Black Rock Canal	11/20	John Bennett Regatta	3-May-20	0900-1600	Miles Schwartz	690-780-5561
Niagara River - Black Rock Canal	11/20	Fontana All High Regatta	25-May-20	0900-1600	Miles Schwartz	690-780-5561
Niagara River - Black Rock Canal	11/20	107th West Side Invitational	12-Jul-20	0900-1500	Miles Schwartz	690-780-5561
Niagara River - Black Rock Canal	11/20	Hogan Fries Regatta	31-Oct-20	0900-1200	Miles Schwartz	690-780-5561
Niagara River - Black Rock Canal	11/20	Head of the Niagara	11-Oct-20	0900-1500	Miles Schwartz	690-780-5561

LN 11/20

GREAT LAKES-MARINE EVENT-SAFETY ZONES-SECURITY ZONES

SECTOR DETROIT

Events listed below are those events that may have accompanying special local regulations.

<u>Location</u>	<u>LN</u>	<u>M</u>	<u>Name of Event</u>	<u>Date</u>	<u>Time of Event</u>	<u>POC</u>	<u>Tel #</u>
-----------------	-----------	----------	----------------------	-------------	----------------------	------------	--------------

LAKE ERIE

DETROIT RIVER

LAKE ST. CLAIR/St. Clair River

LAKE HURON

GREAT LAKES-MARINE EVENT-SAFETY ZONES-SECURITY ZONES

SECTOR SAULT STE MARIE

Events listed below are those events that may have accompanying special local regulations.

<u>Location</u>	<u>LN</u>	<u>Name of Event</u>	<u>Date</u>	<u>Time of Event</u>	<u>POC</u>	<u>Tel #</u>
-----------------	-----------	----------------------	-------------	----------------------	------------	--------------

STRAITS OF MACKINAC

GREEN BAY

LAKE SUPERIOR

ST. MARY'S RIVER

GREAT LAKES-MARINE EVENT-SAFETY ZONES-SECURITY ZONES

SECTOR LAKE MICHIGAN

Events listed below are those events that may have accompanying special local regulations.

<u>Location</u>	<u>LN</u>	<u>M</u>	<u>Name of Event</u>	<u>Date</u>	<u>Time of Event</u>	<u>POC</u>	<u>Tel #</u>
<u>LAKE MICHIGAN & Green Bay</u>							
Chicago, IL	09/20		Chicago St. Patrick's Day Parade	14 Mar	0830-1030	MST2 Hesco	630-986-2155
Chicago, IL	09/20		Recovery on Water - Rowing Event	14 Mar	0700-1100	MST3 Jackson	630-986-2155

**SUMMARY OF DREDGING/CONSTRUCTION OPERATIONS IN EFFECT
SECTOR BUFFALO**

The LNM column is where the entry originally appeared. The dates listed are tentative

<u>LOCATION</u>	<u>LNM</u>	<u>SUBJECT</u>	<u>HOURS/DAYS</u>	<u>FROM-TO</u>	<u>POC</u>	<u>Tel #</u>
<u>NEW YORK STATE BARGE CANAL</u>						
<u>LAKE ONTARIO</u>						
<u>LAKE ERIE</u>						
<u>Cleveland, OH</u>	08/20	Construction	0700-1700	3 Mar - 1 May 7 Days	Randy Radel	216-210-1430

DREDGING
LNM 11/20

**SUMMARY OF DREDGING/CONSTRUCTION OPERATIONS IN EFFECT
SECTOR DETROIT**

The LNM column is where the entry originally appeared. The dates listed are tentative

<u>LOCATION</u>	<u>LNM</u>	<u>SUBJECT</u>	<u>HOURS/DAYS</u>	<u>FROM-TO</u>	<u>POC</u>	<u>Tel #</u>
<u>LAKE ERIE</u>						
<u>DETROIT RIVER</u>						
Pointe Mouille	11/20	Dredging	24 hrs 7 days	1 Apr- 31 May	Ralph Farver	231-420-4352
<u>LAKE ST. CLAIR</u>						
<u>Lake Huron</u>						
<u>STRAITS OF MACKINAC</u>						

**SUMMARY OF DREDGING/CONSTRUCTION OPERATIONS IN EFFECT
SECTOR SAULT SAINTE MARIE**

The LNM column is where the entry originally appeared. The dates listed are tentative

<u>LOCATION</u>	<u>LNM</u>	<u>SUBJECT</u>	<u>HOURS/DAYS</u>	<u>FROM-TO</u>	<u>POC</u>	<u>Tel #</u>
<u>STRAITS OF MACKINAC</u>						
<u>LAKE SUPERIOR</u>						
Duluth-Superior Harbor	08/20	CONSTRUCTION	24 hrs 7 days	15 May 20 - 31 Aug 21	Nikki Borkovertz	920-743-6533

**SUMMARY OF DREDGING/CONSTRUCTION OPERATIONS IN EFFECT
SECTOR LAKE MICHIGAN**

The LNM column is where the entry originally appeared. The dates listed are tentative

<u>LOCATION</u>	<u>LNM</u>	<u>SUBJECT</u>	<u>HOURS/DA\</u> <u>FROM-TO</u>	<u>POC</u>	<u>Tel #</u>
<u>LAKE MICHIGAN</u>					
<u>Charlevoix, MI</u>	09/20	Construction -Sub Cable Install	0700-1600 3 Mar - 30 Apr 7 Days	Dave Herweyer	616-836-6551

GREEN BAY

USCG Navigation Rules and Regulations Handbook, 2014 Edition

Federal Register / Vol. 84, No. 125 / Friday, June 28, 2019 published non-substantive technical, organizational, and conforming amendments to existing Coast Guard regulations. Included were changes to:

Vessel Bridge-to-Bridge Radio Telephone Regulations (33 CFR § 26)
COLREGS Demarcation Lines (33 CFR § 80)
72 COLREGS Implementing Rules (33 CFR § 81)
Inland Navigation Rules (33 CFR § 83)
Inland Navigation Rules – Implementing Rules (33 CFR § 89)
Vessel Traffic Management (33 CFR § 161)

All of these rules are represented in the U.S. Coast Guard Navigation Rules and Regulations Handbook. These changes are outlined as originally published in Federal Register / Vol. 84, No. 125 / Friday, June 28, 2019 as well as enclosure to this Local Notice to Mariners.

USCG Navigation Rules and Regulations Handbook, 2014 Edition

Federal Register / Vol. 84, No. 125 / Friday, June 28, 2019 published non-substantive technical, organizational, and conforming amendments to existing Coast Guard regulations. All of these rules are represented in the U.S. Coast Guard Navigation Rules and Regulations Handbook.

PART 26—VESSEL BRIDGE-TO-BRIDGE RADIOTELEPHONE REGULATIONS

■ Revise the authority citation for part 26 to read as follows:
Authority: 14 U.S.C. 2, 33 U.S.C. 1201–1208; Pub. L. 107–295, 116 Stat. 2064;
Department of Homeland Security Delegation No. 0170.1; Rule 1, International Regulations for the Prevention of Collisions at Sea.

§ 26.08 [Amended]

■ In § 26.08(a), remove the text “Marine Safety, Security and Environmental Protection” and add, in its place, the text “Prevention Policy”.

PART 80—COLREGS DEMARCATION LINES

■ In § 80.750, revise paragraphs (b) and (f) to read as follows: § 80.750 Sanibel Island, FL to St. Petersburg, FL.

* * * * *

(b) A line drawn across the Charlotte Harbor entrance from position latitude 26°42.18' N, longitude 070°41.2' W to Port Boca Grande Light.

* * * * *

(f) A line drawn from position latitude 27°17.89' N, longitude 082°33.55' W to the southernmost extremity of Lido Key (position latitude 27°17.93' N, longitude 082°33.99' W).

* * * * *

■ In § 80.753, revise paragraphs (a) and (d) to read as follows: § 80.753 St. Petersburg, FL to the Anclote, FL.

(a) A line drawn across Blind Pass, from the seaward extremity of the Long Key jetty to the seaward extremity of the Treasure Island jetty.

* * * * *

(d) A line drawn from the northernmost extremity of Honeymoon Island to Anclote Anchorage South Entrance Light 3; thence to Anclote Key position latitude 28°10.0' N longitude 082°50.6' W; thence a straight line to position latitude 28°11.11' N, longitude 082°47.91' W.

§ 80.810 [Amended]

■ 8. In § 80.810, remove paragraphs (c) and (d); and re-designate paragraphs (e) through (h) as paragraphs (c) through (f).

PART 81—72 COLREGS: IMPLEMENTING RULES

§ 81.3 [Amended]

■ In § 81.3, remove the words “Marine Safety” and add, in their place, the word “Prevention”.

§ 81.5 [Amended]

■ In § 81.5(a) introductory text, remove the words “Marine Safety” and add, in their place, the word “Prevention”.

§ 81.9 [Amended]

■ In § 81.9 introductory text, remove the words “Marine Safety” and add, in their place, the word “Prevention”.

PART 83—NAVIGATION RULES

§ 83.24 [Amended]

■ In § 83.24(h), after the words “exhibit the lights”, add the words “or shapes”.

§ 83.26 [Amended]

■ In § 83.26(f)(i), remove the word “around” and add, in its place, the word “round”; in § 83.26(f)(ii)(2)(B), remove the text “(a)” and add, in its place, “(f)(ii)(1).”

§ 83.27 [Amended]

■ In § 83.27(d)(iv)(1)(B) and (d)(iv)(2)(A), remove the word “around” and add, in its place the word “round”.

PART 89—INLAND NAVIGATION RULES: IMPLEMENTING RULES

§ 89.3 [Amended]

- In § 89.3, remove the words “Marine Safety” and add, in their place, the word “Prevention”.

§ 89.5 [Amended]

- In § 89.5(a) introductory text, remove the words “Marine Safety” and add, in their place, the word “Prevention”.

§ 89.9 [Amended]

- In § 89.9 introductory text, remove the words “Marine Safety” and add, in their place, the word “Prevention”.

§ 89.27 [Amended]

- In the section heading to § 89.27 and paragraphs (a) and (b), remove the text “24(i)” and add, in its place, the text “24(j)”.

PART 161—VESSEL TRAFFIC MANAGEMENT

§ 161.2 [Amended]

- Amend § 161.2 as follows:
 - Remove the word “sector” wherever it appears, and add, in its place, the word “zone”;
 - Add definitions in alphabetical order for “Center” and “Published”;
 - In the definition of “Vessel Traffic Service Area or VTS Area”, remove the word “sectors” and add, in its place, the word “zones”; and
 - In the introductory text of the definition of “VTS User”, remove the word “area” and add, in its place, the word “Area”.

§ 161.2 [Amended]

- Amend § 161.2 Definitions - with additions to read as follows:

* * * * *

Center means a Vessel Traffic Center or Vessel Movement Center.

* * * * *

Published means available in a widely-distributed and publicly available medium (e.g., VTS User’s Manual, ferry schedule, Notice to Mariners).

* * * * *

Under *VTS User* Re-designate (a) – (b) as (1) – (2); add (3) Equipped with a required Coast Guard type-approved Automatic Identification System (AIS).

§ 161.4 Requirement to Carry the Rules. [Amended]

- Re-designate the note at the end of the section as Note 1 to § 161.4 and revise it to read as follows:

* * * * *

Note 1 to § 161.4: These rules are contained in the applicable U.S. Coast Pilot, the VTS User’s Manual which may be obtained by contacting the appropriate VTS or downloaded from the Coast Guard Navigation Center website (<https://www.navcen.uscg.gov>).

§ 161.5 [Amended]

- In § 161.5(b), remove the text “VTS Director” and add, in its place, the text “VTC”.

§ 161.12 [Amended]

- Amend § 161.12 in Table 1 to § 161.12(c) as follows:

- In entry (10)(ii) – *Seattle Traffic*, in the “Monitoring area” column, remove the words “Strait of Juan de Fuca” and add, in their place, the words “Salish Sea”;
- In entry (12) – *St. Marys River*, remove the text “Mary’s” wherever it appears and add, in its place, the text “Marys”;
- In Note 6, remove the word “sector” and add, in its place, the word “zone”.

§ 161.17 [Removed and Reserved]

- Remove and reserve § 161.17.

PART 161—VESSEL TRAFFIC MANAGEMENT (continued)

§ 161.55 [Amended]

- Amend § 161.55 by revising paragraph (c)(3) to read as follows:

§ 161.55 Vessel Traffic Service Puget Sound and the Cooperative Vessel Traffic Service for the Juan de Fuca Region.

* * * * *

(c) * * *

(3) A vessel of less than 100 meters in length is exempt from the provisions set forth in § 161.13(b)(3) of this part.

* * * * *

§ 161.70 [Amended]

- In entry 4 to the Table to § 161.70(d) and entry 3 to the Table to § 161.70(f), remove the word “Sector” and add, in its place, the word “Zone”.

Questions may be directed to the Office of Navigation Systems at CGNAV@uscg.mil.



NOTICE TO MARINERS



Issued By:

CENTER FOR OPERATIONAL OCEANOGRAPHIC PRODUCTS & SERVICES

1305 East-West Highway, N/OPS3
Silver Spring, MD 20910-3281
301-713-2815
Tide.Predictions@noaa.gov
<<https://tidesandcurrents.noaa.gov>>

NOAA is Discontinuing the Printed Tide Tables and Tidal Current Tables After 2020.

NOAA is ending the production of the printed Tide Tables and Tidal Current Tables publications. The 2020 Tide Tables and Tidal Current Tables, released for distribution and available as PDF files from https://tidesandcurrents.noaa.gov/historic_tide_tables.html, are the final printed editions.

NOAA is discontinuing the production of these annual publications due to: (a) recent changes by the U.S. Coast Guard in the interpretation of the requirements for predictions, no longer requiring these publications in paper format and (b) the availability of online and electronic services providing tide and tidal current predictions which meet the U.S. Coast Guard requirements for navigation, and support other activities along the U.S. coast.

Tide and Tidal Current predictions are available through NOAA's Center for Operational Oceanographic Products and Services (CO-OPS) online services:

- NOAA Tide Predictions: https://tidesandcurrents.noaa.gov/tide_predictions.html
- NOAA Current Predictions: <https://tidesandcurrents.noaa.gov/NOAACurrents/Regions>

These online services provide predictions which equal or exceed the accuracy and availability of the predictions at domestic locations provided through printed publications, and provide additional capabilities allowing the predictions to better meet a variety of user needs. These online services provide predictions for the U.S. coasts. International predictions will not be available from the online services. Predictions for countries outside the U.S. may be obtained through the Oceanographic / Hydrographic agency in that country.

Contact NOAA's Center for Operational Oceanographic Products and Services (CO-OPS) with questions or for further information.

E-mail: Tide.Predictions@noaa.gov

Phone: 301-713-2815

Issued: March 16, 2020

Sorted by Chart Number

Authorized Winter Hours for Great Lakes Bridges
October 15, 2019 - April 30, 2020

Last Updated: 25 NOV 19

Chart Number	Port Name	Bridge Name	Mile	Waterway	Start Date	End Date	Advance Notice	Primary Phone Number	Secondary Phone Number	Alternate Phone	Alternate Phone
14815	Rochester	O' Rorke	1.2	Genesee	16-Dec	31-Mar	12-hours	585-753-7720	585-758-7750	585-753-7780	
14832	Black Rock	Ferry Street	2.6	Black Rock	1-Dec	14-Apr	4-hours	716-866-4323			
14832	Black Rock	Canadian Natl	3.8	Black Rock	1-Dec	14-Apr	4-hours	416-580-3320	289-683-6000	905-788-7502	
14833	Buffalo	Michigan Ave	1.3	Buffalo River	16-Dec	21-Mar	04-hours	716-866-4323			
14833	Buffalo	Ohio St	2.1	Buffalo River	16-Dec	21-Mar	04-hours	716-866-4323			
14836	Ashtabula	Fifth Street	0.15	Ashtabula	24-Dec	29-Mar	12-hours	440-576-2816	440-813-8229	440-228-2168	440-645-9041
14836	Ashtabula	NS RR	1.4	Ashtabula	30-Nov	1-Apr	24-hours	404-877-9697	404-877-9522		
14839	Cleveland	Center St	1.39	Cuyahoga			12-hours				
14839	Cleveland	Columbus	1.93	Cuyahoga			12-hours				
14839	Cleveland	West 3rd St	3.69	Cuyahoga			12-hours				
14839	Cleveland	Willow Ave	1.02	Cuyahoga Old			12-hours				
14841	Lorain	Erie Ave	0.6	Black River	1-Jan	31-Mar	12-hours	VHF-FM 16		SEE LNM	
14844	Port Clinton	Monroe St	0.4	Portage River	1-Dec	30-Apr	24-hours	419-409-0125	419-373-7050		
14844	Port Clinton	NS RR	1.5	Portage River	1-Dec	30-Apr	24-hours	419-254-1531	419-254-1539		
14844	Sandusky	NS RR	3.5	Sandusky	1-Dec	31-Mar	24-hours	419-254-1531	419-254-1539		
14844	Sandusky	NS RR	3.5	Sandusky	1-Nov	1-Dec	Note 1	419-254-1531	419-254-1539		
14846	Toledo	CSX RR	1.07	Maumee	21-Dec	31-Dec	04-hours	419-729-4321	419-697-2307		
14846	Toledo	CSX RR	1.07	Maumee	31-Dec	31-Mar	12-hours	419-729-4321	419-697-2307		
14846	Toledo	W&LE	1.8	Maumee	21-Dec	31-Dec	04-hours	330-575-2919	419-283-5764		
14846	Toledo	W&LE	1.8	Maumee	31-Dec	31-Mar	12-hours	330-575-2919	419-283-5764		
14846	Toledo	Craig Mem	3.3	Maumee	21-Dec	31-Dec	04-hours	419-409-0125	419-373-7050		
14846	Toledo	Craig Mem	3.3	Maumee	1-Jan	31-Mar	12-hours	419-409-0125	419-373-7050		
14846	Toledo	MLK	4.3	Maumee	21-Dec	31-Dec	04-hours	419-936-3920	419-467-3558	419-467-3556	
14846	Toledo	MLK	4.3	Maumee	1-Jan	31-Mar	12-hours	419-936-3920	419-467-3558	419-467-3556	
14846	Toledo	NS RR	5.76	Maumee	21-Dec	31-Mar	12-hours	419-254-1531	419-254-1539		
14848	St. Clair	M29	0.1	Pine River	1-Dec	31-Mar	24-hours	810-329-7121	810-329-5710		
14848	Detroit	Grosse Ile Free	5.6	Detroit River	15-Dec	15-Mar	12-hours	734-955-2172	888-762-3273	734-576-9607	
14848	Detroit	Grosse Ile Toll	8.8	Detroit River	15-Dec	15-Mar	12-hours	734-282-2914			
14864	Alpena	2nd Ave	0.3	Thunder Bay	1-Jan	31-Dec	03-hours	989-464-3416			
14865	Port Huron	Canadian Natl	1.56	Black River	1-Nov	30-Apr	12-hours	810-989-4258	810-618-5748	312-533-7011	
14865	Port Huron	Military St	0.3	Black River	1-Nov	30-Apr	12-hours	810-984-9737	810-984-9730	810-531-5421	810-984-9738

Please report listing discrepancies to:
Lee Soule, Bridge Management Specialist9th Coast Guard District (dpb)
Cleveland, Ohiolee.d.soule@uscg.mil
216-902-6085

Sorted by Chart Number

Authorized Winter Hours for Great Lakes Bridges

October 15, 2019 - April 30, 2020

Last Updated: 25 NOV 19

14865	Port Huron	Seventh St	0.5	Black River	1-Nov	30-Apr	12-hours	810-984-9737	810-984-9730	810-531-5421	810-984-9738
14865	Port Huron	Tenth St	0.9	Black River	1-Nov	30-Apr	12-hours	810-984-9737	810-984-9730	810-531-5421	810-984-9738
14867	Bay City	Lake State RR	3.1	Saginaw	1-Jan	31-Mar	12-hours	989-393-9815	989-387-3941	Emergency:	989-757-7570
14867	Bay City	Cen. Mich. RR	4.94	Saginaw	1-Jan	31-Mar	12-hours	989-529-0952	989-529-0949		
14867	Bay City	Independence	3.88	Saginaw	1-Jan	31-Mar	12-hours	989-450-4975			
14867	Bay City	Liberty	4.99	Saginaw	1-Jan	31-Mar	12-hours	989-450-4975			
14867	Bay City	Veterans Mem	5.6	Saginaw	1-Jan	31-Mar	12-hours	616-558-1040	989-892-8389		
14867	Bay City	Lafayette	6.78	Saginaw	1-Jan	31-Mar	12-hours	616-558-1040	989-892-8389		
14884	SOO	Canadian Natl		SOO LOCKS	Special	Special	Special	906-635-4276	906-630-2203	920-579-6754	312-533-7011
14886	Cheboygan	US23	0.9	Cheboygan	15-Dec	31-Mar	12-hours	231-627-9414	231-238-7775	800-577-1911	231-627-4312
14906	South Haven	Dyckman Ave	1.9	Black River	15-Oct	30-Apr	12-hours	269-637-0737	269-637-5151		
14916	Gills Landing	Canadian Natl	27.8	Wolf River	15-Oct	15-Apr	12-hours	708-332-3893	312-533-7011		
14916	Menasha	HWY Bridges	xx	Fox River	8-Oct	26-Apr	12-hours	920-209-9564			
14916	Oshkosh	Canadian Natl	55.72	Fox River	8-Oct	26-Apr	12-hours	708-332-3893			
14916	Oshkosh	HWY Bridges	xx	Fox River	8-Oct	26-Apr	12-hours	920-420-2146			
14917	Marinette	Ogden-First	0.4	Menominee	1-Nov	30-Apr	12-hours	715-923-0999			
14918	Green Bay	Canadian Natl	1.03	Fox River	1-Dec	31-Mar	12-hours	920-572-0398	920-436-5902	312-533-7011	
14918	Green Bay	Main Street	1.58	Fox River	1-Dec	31-Mar	12-hours	920-448-3322	920-655-0339	920-746-2964	
14918	Green Bay	Walnut Street	1.81	Fox River	1-Dec	31-Mar	12-hours	920-448-3321	920-655-0339	920-746-2964	
14918	Green Bay	Tillman Mem.	2.27	Fox River	1-Dec	31-Mar	12-hours	920-448-3320	920-655-0339	920-746-2964	
14918	Green Bay	Canadian Natl	3.31	Fox River	1-Dec	31-Mar	12-hours	920-572-0398	920-436-5902	312-533-7011	
14919	Sturgeon Bay	Bayview 42/57	3	Sturgeon Bay	1-Dec	14-Mar	12-hours	920-746-0187			
14919	Sturgeon Bay	Maple-Oregon	4.17	Sturgeon Bay	1-Jan	14-Mar	12-hours	920-746-0187			
14919	Sturgeon Bay	Michigan St.	4.3	Sturgeon Bay	1-Jan	14-Mar	12-hours	920-746-0187			
14922	Manitowoc	Eighth Street	0.29	Manitowoc	1-Nov	31-Mar	12-hours	920-686-6550	920-683-4470	920-374-0403	920-686-6510
14922	Manitowoc	Tenth Street	0.43	Manitowoc	1-Nov	31-Mar	12-hours	920-686-3580	920-683-4470	920-374-0403	920-686-6510
14922	Sheboygan	Eighth Street	0.69	Sheboygan	1-Nov	30-Apr	12-hours	920-207-9742	920-980-3280	920-277-1202	
14924	Milwaukee	All City Owned	1.28	Milwaukee	19-Nov	15-Apr	12-Hours	VHF-FM 16	414-286-2575		
14924	Milwaukee	Canadian Pac	1.05	Menominee	19-Nov	16-Apr	12-Hours	414-389-3772	414-278-1385		
14924	Milwaukee	Canadian Pac	1.67	Kinnickinnic	19-Nov	16-Apr	12-Hours	414-389-3772	414-278-1385		
14924	Milwaukee	All City Owned	1.08	Menominee	19-Nov	16-Apr	12-Hours	VHF-FM 16	414-286-2575		
14924	Milwaukee	All City Owned	1.96	Burnham	19-Nov	16-Apr	12-Hours	VHF-FM 16	414-286-2575		
14924	Milwaukee	All City Owned	1.67	Kinnickinnic	25-Nov	16-Apr	12-Hours	VHF-FM 16	414-286-2575		
14925	Racine	Main & State	.31/.53	Root River	1-Dec	1-Apr	2-Hours	262-886-2300			

Please report listing discrepancies to:
Lee Soule, Bridge Management Specialist

9th Coast Guard District (dpb)
Cleveland, Ohio

lee.d.soule@uscg.mil
216-902-6085

Sorted by Chart Number

Authorized Winter Hours for Great Lakes Bridges
October 15, 2019 - April 30, 2020

Last Updated: 25 NOV 19

14926	Michigan City	Franklin St	0.5	Trail Creek	1-Dec	15-Mar	12-hours	219-362-2051	219-608-9732		
14926	Michigan City	Amtrak RR	0.9	Trail Creek	1-Dec	15-Mar	12-hours	269-208-0659	269-687-2205	312-656-9111	269-687-2201
14927	Chicago	All City Owned		Chicago	1-Dec	31-Mar	48-hours*	312-744-4200	312-747-2470	312-744-4280	
14929	Indiana Harbor	Indianapolis	2.59	Ind Hbr C.	15-Nov	1-Apr	12-hours	219-851-114	219-851-3944	219-851-3110	219-379-7292
14929	Indiana Harbor	Indianapolis	2.59	Ind Hbr C.	15-Nov	1-Apr	12-hours	219-344-0871			
14930	St. Joe	CSX RR	0.67	St. Joe	16-Dec	28-Feb	12-hours	616-246-5600	616-246-5658		
14930	St. Joe	Blossomland	0.9	St. Joe	16-Dec	28-Feb	12-hours	269-414-5120		SEE LNM	SEE LNM
14930	St. Joe	Bicentennial	1.3	St. Joe	16-Dec	28-Feb	12-hours	269-414-5120		SEE LNM	SEE LNM
14933	Grand Haven	CSX RR	2.8	Grand River	2-Dec	15-Mar	12-hours	231-830-7706	616-293-0564		
14933	Grand Haven	US 31	2.9	Grand River	15-Dec	15-Mar	12-hours	616-842-1994	616-847-3469	616-842-5400	616-690-6111
14938	Manistee	Maple St	1.1	Manistee	1-Nov	30-Apr	24-hours	231-723-6241			
14938	Manistee	US 31	1.4	Manistee	1-Nov	30-Apr	24-hours	231-723-6241			
14938	Manistee	CSX RR	1.5	Manistee	1-Nov	30-Apr	24-hours	231-830-7706	616-293-0564		
14942	Charlevoix	US 31	0.3	Pine River	1-Jan	31-Mar	12-hours	231-499-8961	231-357-2377		
14972	Keweenaw	US 41	16	Keweenaw	14-Dec	14-Apr	12-hours	906-482-7552			
14975	Duluth	Aerial	0.25	Ship Canal	1-Jan	15-Mar	12-hours	218-723-3387	218-343-0395		
14975	Duluth	BNSF\Grassy PT	5.44	St. Louis	15-Dec	15-Mar	12-hours	715-394-1259	715-394-1257		
14998	Rainer	Canadian Natl	85	Rainy River	16-Oct	30-Apr	12-hours	218-628-4788			

***** Hours not requested
 Note 1 0800-1600 Open On Signal
 Note 2 0700-2300 Open On Signal
 * 12-Hours Commercial
 Special See Lock Schedule
 See LNM Maintenance Scheduled

Please report listing discrepancies to:
Lee Soule, Bridge Management Specialist

9th Coast Guard District (dpb)
Cleveland, Ohio

lee.d.soule@uscg.mil
216-902-6085

interface, do not transfer it from or to the vessel.

* * * * *

Dated: October 31, 2019.

Karl L. Schultz,

Admiral, U.S. Coast Guard, Commandant.

Editorial note: The U.S. Coast Guard requested that the Office of the Federal Register hold this document from publication until delivery to Congress of the assessment required by the Transportation Worker Identification Credential Security Card Program Act (Pub. L. 114-278).

[FR Doc. 2019-24343 Filed 3-6-20; 8:45 am]

BILLING CODE 9110-04-P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 117

[Docket No. USCG-2019-0824]

Drawbridge Operation Regulation; Milwaukee, Menomonee, and Kinnickinnic Rivers and Burnham Canals, Milwaukee, WI

AGENCY: Coast Guard, DHS.

ACTION: Notice of temporary deviation from regulations; request for comments.

SUMMARY: The Coast Guard is seeking information and comments during a test schedule for the bridges crossing the Milwaukee, Menomonee, Kinnickinnic River, South Menomonee River, and Burnham Canals. The city of Milwaukee requested the regulations to be reviewed and updated to allow for a more balanced flow of maritime and land based transportation. The current regulation has been in place for over 30 years and is obsolete. This deviation will test a change to the drawbridge operation schedule to determine whether a permanent change to the schedule is needed. The Coast Guard is seeking comments from the public regarding these proposed changes.

DATES: This deviation is effective from midnight on April 15, 2020 and ends at midnight on November 2, 2020.

Comments and related material must reach the Coast Guard on or before November 2, 2020.

ADDRESSES: You may submit comments identified by docket number USCG-2019-0824 using Federal eRulemaking Portal at <http://www.regulations.gov>.

See the "Public Participation and Request for Comments" portion of the **SUPPLEMENTARY INFORMATION** section below for instructions on submitting comments.

FOR FURTHER INFORMATION CONTACT: If you have questions on this proposed rule, call or email Mr. Lee D. Soule, Bridge Management Specialist, Ninth Coast Guard District; telephone 216-902-6085, email Lee.D.Soule@uscg.mil.

SUPPLEMENTARY INFORMATION:

I. Background, Purpose, and Legal Basis

The Milwaukee River is approximately 104 miles long. Beginning in Fond du Lac County the river flows easterly to a low head dam just above the Humboldt Avenue Bridge at mile 3.22 in downtown Milwaukee, WI. From here the river flows south to Lake Michigan. This southerly course of the Milwaukee River divides the lakefront area from the rest of the city. The Menomonee River joins the Milwaukee River at Mile 1.01 with the Kinnickinnic River joining the Milwaukee River at Mile 0.39. 21 bridges cross the Milwaukee River from mile 0.19 to mile 3.22. In the early 20th Century, the Milwaukee River was heavily used to support the industries in and around the Great Lakes. Today, the river has been redeveloped as a tourist and recreational destination. From its confluence with the Milwaukee River the Menomonee River flows west for 33 miles. The lower three miles of the Menomonee River is passable by vessels over 600 feet in length. Seven bridges cross the navigable portion of the Menomonee River.

The South Menomonee Canal and the Burnham Canal were both excavated during a waterways improvement project in 1864. Both man-made canals are tributaries of the Menomonee River branching just above its mouth. The South Menomonee Canal is crossed by two bridges and the Burnham Canal is crossed by three bridges. The Kinnickinnic River flows north through the southern portion of the City of Milwaukee connecting with the Milwaukee River near Lake Michigan. Only the lower 2.30 miles of the river have been improved for vessel use. Five bridges cross the river with the Lincoln Avenue Bridge at the head of navigation. Freighters up to 1,000 feet in length transfer cargoes at the confluence of the Kinnickinnic and Milwaukee Rivers. Most of the recreational vessels in Milwaukee moor in the lake front marinas and only transit the rivers. Boat yards on the Menomonee and Kinnickinnic rivers haul out and store most of the recreational vessels in the fall and winter months and launch the vessels in the spring. This action contributes to a considerable surge in

drawbridge openings in the fall and spring.

The following bridges will be included in the test deviation: The Union Pacific Railroad Bridge, mile 0.59, over the Milwaukee River with a vertical clearance in the closed position of 7 feet above internet Great Lakes Datum of 1985 (IGLD85). The Broadway Street Bridge, mile 0.79, over the Milwaukee River with a vertical clearance in the closed position of 14 feet above IGLD85. The Water Street Bridge, mile 0.94, over the Milwaukee River with a vertical clearance in the closed position of 14 feet above IGLD85. The St. Paul Avenue Bridge, mile 1.21, over the Milwaukee River with a vertical clearance in the closed position of 14 feet above IGLD85. The Clybourn Street Bridge, mile 1.28, over the Milwaukee River with a vertical clearance in the closed position of 14 feet above IGLD85. Michigan Street Bridge, mile 1.37, over the Milwaukee River with a vertical clearance in the closed position of 12 feet above IGLD85. The Wisconsin Avenue Bridge, mile 1.46, over the Milwaukee River with a vertical clearance in the closed position of 12 feet above IGLD85. The Wells Street Bridge, mile 1.61, over the Milwaukee River with a vertical clearance in the closed position of 12 feet above IGLD85. The Kilbourn Avenue Bridge, mile 1.70, over the Milwaukee River with a vertical clearance in the closed position of 14 feet above IGLD85. The State Street Bridge, mile 1.79, over the Milwaukee River with a vertical clearance in the closed position of 14 feet above IGLD85. The Highland Avenue Pedestrian Bridge, mile 1.97, over the Milwaukee River with a vertical clearance in the closed position of 12 feet above IGLD85. The Juneau Avenue Bridge, mile 2.06, over the Milwaukee River with a vertical clearance in the closed position of 14 feet above IGLD85. The Knapp Street/Park Freeway Bridge, mile 2.14, over the Milwaukee River with a vertical clearance in the closed position of 16 feet above IGLD85. The Cherry Street Bridge, mile 2.29, over the Milwaukee River with a vertical clearance in the closed position of 14 feet above IGLD85. The Pleasant Street Bridge, mile 2.58, over the Milwaukee River with a vertical clearance in the closed position of 14 feet above IGLD85. The Canadian Pacific Railroad Bridge, mile 1.05, over the Menomonee River with a vertical clearance in the closed position of 8 feet above IGLD85. The North Plankinton Avenue Bridge, mile 1.08, over the Menomonee River with a vertical clearance in the closed position

of 14 feet above IGLD85. The North Sixth Street Bridge, mile 1.37, over the Menomonee River with a vertical clearance in the closed position of 23 feet above IGLD85. The Ember Lane Bridge, mile 1.95, over the Menomonee River with a vertical clearance in the closed position of 12 feet above IGLD85. The Sixteenth Street Bridge, mile 2.14, over the Menomonee River with a vertical clearance in the closed position of 35 feet above IGLD85. The South Sixth Street Bridge, mile 1.51, over the South Menomonee Canal with a vertical clearance in the closed position of 8 feet above IGLD85. The Union Pacific Railroad Bridge, mile 1.19, over the Kinnickinnic River with a vertical clearance in the closed position of 8 feet above IGLD85. The Kinnickinnic Avenue Bridge, mile 1.67, over the Kinnickinnic River with a vertical clearance in the closed position of 8 feet above IGLD85. The Canadian Pacific Railroad Bridge, mile 1.67, over the Kinnickinnic River with a vertical clearance in the closed position of 15 feet above IGLD85. Finally, the South First Street Bridge, mile 1.78, over the Kinnickinnic River with a vertical clearance in the closed position of 14 feet above IGLD85. These bridges currently operate under Title 33 of the Code of Federal Regulations (33 CFR) section 117.1093.

In response to downtown Milwaukee residents' concerns regarding a pronounced increase in vehicular traffic in the area, the City of Milwaukee has requested a complete review of the bridge regulations in this area.

Over the years these regulations have been amended considerably. This has had the effect of making them difficult to comprehend to the average person. Additionally, the cyclic higher water levels over the past 3 years and increased number of passenger vessels in the downtown area have resulted in significantly more bridge openings. Finally, the conversion of older business buildings into condominiums have increased the evening vehicle traffic causing major traffic delays when the bridges are lifted. While the Milwaukee River is the primary concern with residents and mariners, this rulemaking

proposes changes to the language governing bridges in the entire Milwaukee Harbor area, for the purpose of updating these regulations to accurately reflect the current operational needs of these bridges and make them easier to understand by the general public.

Currently, the Canadian Pacific Railroad Bridge at Mile 1.74 over the Burnham Canal and the Sixth Street Bridge at Mile 1.37 over the Menomonee River are closed by regulation and do not need to open for the passage of vessels. The City of Milwaukee has requested that the Sixteenth Street Bridge, mile 2.14, over the Menomonee River remain closed and not open by regulation. No vessels have requested a bridge opening in at least 10 years and the bridge provides a horizontal clearance of 120 feet and a vertical clearance of 35 feet above IGLD85, allowing most vessels to pass under the bridge without an opening. The Coast Guard is working with the city of Milwaukee to convert the Sixteenth Street Bridge to a fixed structure.

Ice has historically hindered or prevented navigation during the winter months. For the last eight years the Coast Guard has authorized the drawbridges to open on signal with a 12-hour advance notice of arrival for vessels from November 19th to April 16th. After careful review of the drawtender logs provided by the City of Milwaukee, the Coast Guard proposes to allow all bridges to require a 12-hour advance notice for openings from November 1st to April 15th each year.

The City of Milwaukee requested that from 11 p.m. to 7 a.m. daily, the bridges would open on signal with a 2-hour advance notice. During these hours the bridges would not be manned and roving drawtenders would open the bridges for vessels. After reviewing the 2016, 2017, and 2018 drawtender logs it was found that for those hours between April and November of each year an average of 45 vessels requested openings. Of these requests an average of 32 openings were between the hours of 11 p.m. and midnight. From midnight to 7 a.m. there were only 13 vessels that requested openings. After reviewing the

data we have concluded that due to a lack of openings from midnight to 7 a.m. that a two-hour advance notice of arrival for a bridge opening meets the reasonable needs of navigation.

The City of Milwaukee also reported receiving several complaints from residents in the downtown area concerning the noise associated with the waterfront. To improve the quality of downtown living we propose to remove the special sound signals listed in the CFR for each bridge. Mariners would request openings by using the standard sound signal of one prolonged blast followed by one short blast or by agreement on VHF-FM Marine Radio or by telephone. From Midnight to 7 a.m. the bridges would require a 2-hour advance notice of arrival provided by VHF-FM Marine Radio or by telephone, thus reducing some of the noise associated with the waterfront.

The City of Milwaukee requests to operate the following bridges remotely: North Plankinton Avenue, mile 1.08, North Sixth Street, mile 1.37, and North Ember Lane, mile 1.95, all over the Menomonee River. Each remotely operated bridge will have sufficient equipment to operate as if a drawtender is in attendance at the bridge. No drawtender will be responsible for monitoring or operating more than 3 drawbridges at any time. At a minimum each remotely operated drawbridge will have the capabilities to communicate by 2-way public address system, equipment capable of making appropriate sound signals as required, and have adequate camera systems in place to safely operate the bridge.

The current regulation allows for no openings from 7:30 a.m. to 8:30 a.m. and from 4:30 p.m. to 5:30 p.m. for vehicular rush hours. The city has requested to start the evening rush hour at 4 p.m. instead of 4:30 p.m. to help relieve vehicle congestion. The city of Milwaukee provided the following vehicle data compiled by the Wisconsin Department of Transportation to support the additional 30 minutes of evening rush hour times. We have averaged the data into the following table:

Bridge name	Daily average vehicle counts	Average vehicle counts 4:30 p.m. to 5:30 p.m.	Average vehicle counts 4 p.m. to 4:30 p.m.	Average vehicle counts 4:00 p.m. to 5:30 p.m.
Broadway	11,201	1,582	332	1,914.
Water St	17,753	1,669	742	2,411.
St Paul Ave	10,344	No Data	No Data	No Data.
Clybourn St	11,262	955	848	1,803.
Michigan St	10,484	1,202	304	1,506.
Wisconsin Ave	10,423	1,144	323	1,467.
Wells St	8,372	1,114	295	1,409.
Kilbourn Ave	15,590	No Data	No Data	No Data.

Bridge name	Daily average vehicle counts	Average vehicle counts 4:30 p.m. to 5:30 p.m.	Average vehicle counts 4 p.m. to 4:30 p.m.	Average vehicle counts 4:00 p.m. to 5:30 p.m.
Juneau Ave	7,265	No Data	No Data	No Data.
Cherry St	No Data	No Data	No Data	No Data.
Pleasant St	6,307	No Data	882 PEAK	No Data.
Knapp St	20,792	No Data	No Data	No Data.
Kinnickinnic Ave	17,019	No Data	No Data	No Data.
South First St	12,992	No Data	No Data	No Data.
North Plankinton Ave	6,578	No Data	768 PEAK Daily	No Data.
North 6th St	15,045	No Data	No Data	No Data.
South 6th St	15,045	No Data	No Data	No Data.
(Muskego) Emmer Ln	4,616	No Data	No Data	No Data.
1st Street	13,772	No Data	902	4,107.

Based on the data provided we intend to extend the rush hour times of no lifts to 4 p.m. to 5:30 p.m. Monday through Friday, except Federal Holidays.

Additionally, at the time when the original regulation was being written the stipulating regulation regarding the opening of bridges for public safety vessels had not yet been promulgated. An exception was included for vessels carrying U.S. mail and vessels that carry over 50 passengers for hire. The mail service no longer arrives by vessel. Limiting the exclusion by passenger count excludes other commercial vessels from transiting the river. This exclusion is only for the times the bridges do not need to open during high traffic times. During the test deviation, which is planned for the summer of 2020, the intent is to modify this exception to read: "vessels documented at 10 tons or more." This prevents tug and barge, cement boats, some passenger vessels, and other large vessels (commercial or recreational) from getting trapped between bridges, which creates an especially unsafe condition.

The new exemption only prevents vessels from being trapped between bridges and does not exempt vessels from any times the bridges are not required to open. In other Great Lakes ports exemptions are allowed for safety reasons, it prevents a large vessel from station keeping in a restricted area with other smaller craft that could be damaged from the larger vessel. Additionally, if all commercial vessels were given a complete exemption to the periods where no bridge openings are required, also known as "Rush Hours," then there would be no relief for the traffic congestion the downtown area is experiencing.

The two-hour advance notice requirement for all other bridges as noted in the ANPRM, has been in place since 1965 with no request to amend it. Most of these bridges have a clearance of 14 feet above IGLD85 or have limited requests for openings.

The test deviation will start at midnight on April 15, 2020 and end at midnight on November 1, 2020.

The operating schedule authorized:

The draws of the bridges over the Milwaukee River shall operate as follows:

(1) The draws of the North Broadway Street bridge, mile 0.5, and North Water Street bridge, mile 0.6, and Michigan Street bridge, mile 1.1, shall open on signal; except that, from April 16th through November 1st, from 7:30 a.m. to 8:30 a.m. and from 4 p.m. to 5:30 p.m. Monday through Friday, except Federal holidays, the draws need not be opened, and from midnight to 7 a.m. Monday through Saturday, except Federal holidays, the bridges will open on signal if a 2-hour advance notice is provided.

(2) The draws of all other bridges across the Milwaukee River shall open on signal if at least 2-hours' notice is given except that, from April 16th through November 1st, from 7:30 a.m. to 8:30 a.m. and from 4 p.m. to 5:30 p.m. Monday through Friday, except Federal holidays, the draws need not be opened.

(3) The following bridges are remotely operated, are required to operate a radiotelephone, and shall open as noted in this section; St Paul Avenue, mile 1.21, Clybourn Street, mile 1.28, Wells Street, mile 1.61, Kilbourn Street, mile 1.70, State Street, mile 1.79, Highland Avenue, mile 1.97, and Knapp Street, mile 2.14.

(4) No vessel documented 10 tons or greater shall be held between any bridge at any time and must be passed as soon as possible.

(5) From November 2nd through April 15th, all drawbridges over the Milwaukee River will open on signal if a 12-hour advance notice is provided. The draws of bridges across the Menomonee River and South Menomonee Canal operate as follows:

(1) The draw of the North Plankinton Avenue bridge across the Menomonee River, mile 1.08, shall open on signal; except that, from April 16th through November 1st, from 7:30 a.m. to 8:30

a.m. and from 4 p.m. to 5:30 p.m.

Monday through Friday, except Federal holidays, the draws need not be opened, and from midnight to 7 a.m. Monday through Friday, except Federal holidays, the bridges will open on signal if a 2-hour advance notice is provided.

(2) The draws of all other bridges across the Menomonee River and South Menomonee Canal shall open on signal if at least 2-hours' notice is given except that, from April 16th through November 1st, from 7:30 a.m. to 8:30 a.m. and from 4 p.m. to 5:30 p.m. Monday through Friday, except Federal holidays, the draws need not be opened.

(3) The following bridges are remotely operated, are required to operate a radiotelephone, and shall open as noted in this section; North Plankinton Avenue, mile 1.08, North Sixth Street, mile 1.37, and North Emmer Lane, mile 1.95, all over the Menomonee River and South Sixth Street, mile 1.51, over the South Menomonee Canal.

(4) No commercial vessel over 50 tons shall be held between any bridge at any time and must be passed as soon as possible.

(5) From November 2nd through April 15th, all drawbridges over the Menomonee River and South Menomonee Canal will open on signal if a 12-hour advance notice is provided.

The draws of bridges across the Kinnickinnic River operate as follows:

(1) The draw of the Kinnickinnic Avenue bridge, mile 1.5, shall open on signal; except that, from April 16th through November 1st, from 7:30 a.m. to 8:30 a.m. and from 4 p.m. to 5:30 p.m. Monday through Friday, except Federal holidays, the draws need not be opened, and from midnight to 7 a.m. Monday through Friday, except Federal holidays, the bridges will open on signal if a 2-hour advance notice is provided.

(2) The draws of all other bridges across the Kinnickinnic River shall open on signal if at least 2-hours' notice is given except that, from April 16th through November 1st, from 7:30 a.m. to 8:30 a.m. and from 4 p.m. to 5:30 p.m.

Monday through Friday, except Federal holidays, the draws need not be opened.

(3) The following bridges are remotely operated, are required to operate a radiotelephone, and shall open as noted in this section; The South First Street Bridge, mile 1.78.

(4) No commercial vessel over 50 tons shall be held between any bridge at any time and must be passed as soon as possible.

(5) From November 2nd through April 15th, all drawbridges over the Kinnickinnic River will open on signal if a 12-hour advance notice is provided.

The Canadian Pacific Railroad Bridge at Mile 1.74 over the Burnham Canal, and the Sixteenth Street Bridge, mile 2.14, over the Menomonee River are closed by regulation and do not need to open for the passage of vessels.

During non-special event weekdays the owners of all affected bridges will provide records showing the dates and times of bridge openings and the type of vessels the bridge opened for. The city of Milwaukee will also provide information on the vehicle congestion caused or improved by the temporary deviation by providing the number of vehicles waiting for the bridge to close after a vessel passes.

Because we took into consideration the comments from the ANPRM, vehicle counts, and past three years of vehicle counts, we believe the test deviation will have a limited impact on vessels.

The city of Milwaukee held public discussions about the potential rule change through public works meetings conducted throughout the summer of 2018. Prior to asking for our review, this office reached out to several commercial vessels which operate on the affected waterways prior to the release of the ANPRM. These actions were aimed at developing a test deviation that took all pertinent comments and concerns under consideration.

Vessels that can safely pass under the bridge without an opening may do so at any time. The Coast Guard will also inform the users of the waterways of the change in operating schedule for the bridges through our Local and Broadcast Notices to Mariners.

In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating schedule immediately at the end of the effective period of this temporary deviation. This deviation from the operating regulations is authorized under 33 CFR 117.35.

II. Public Participation and Request for Comments

We view public participation as essential to effective rulemaking, and will consider all comments and material

received during the comment period. Your comment can help shape the outcome of this rulemaking. Should you submit a comment, please include the docket number for this rulemaking, indicate the specific section of this document to which each comment applies, and provide a reason for each suggestion or recommendation.

We encourage you to submit comments through the Federal eRulemaking Portal at <http://www.regulations.gov>. If your material cannot be submitted using <http://www.regulations.gov>, contact the person in the **FOR FURTHER INFORMATION CONTACT** section of this document for alternate instructions.

We accept anonymous comments. All comments received will be posted without change to <http://www.regulations.gov> and will include any personal information you have provided. Documents mentioned in this NPRM as being available in this docket and all public comments, will be in our online docket at <http://www.regulations.gov>, and can be viewed by following that website's instructions. Additionally, if you go to the online docket and sign up for email alerts, you will be notified when comments are posted or a final rule is published.

Dated: February 25, 2020.

D. L. Cottrell,

Rear Admiral, U.S. Coast Guard, Commander, Ninth Coast Guard District.

[FR Doc. 2020-04659 Filed 3-6-20; 8:45 am]

BILLING CODE 9110-04-P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 165

[Docket No. USCG-2020-0105]

Safety Zone; New Orleans, LA

AGENCY: Coast Guard, DHS.

ACTION: Notice of enforcement of regulation.

SUMMARY: The Coast Guard will enforce a temporary safety zone between mile marker (MM) 95.7 and MM 96.7 above Head of Passes, Lower Mississippi River, LA. This action is necessary to provide for the safety of life on these navigable waters near New Orleans, LA, during a fireworks display on March 18, 2020. During the enforcement periods, the operator of any vessel in the regulated area must comply with directions from the Patrol Commander or any Official Patrol displaying a Coast Guard ensign.

DATES: The regulations in 33 CFR 165.845 will be enforced from 9 p.m. to 10 p.m. on March 18, 2020.

FOR FURTHER INFORMATION CONTACT: If you have questions about this notice of enforcement, call or email Lieutenant Commander Corinne Plummer, Sector New Orleans, U.S. Coast Guard; telephone 504-365-2375, email Corinne.M.Plummer@uscg.mil.

SUPPLEMENTARY INFORMATION: The Coast Guard will enforce the safety zone located in 33 CFR 165.845 for the River Center Fireworks Display event. The regulations will be enforced from 9:00 p.m. through 10:00 p.m. on March 18, 2020. This action is being taken to provide for the safety of life on navigable waterways during this event, which will be located between MM 95.7 and MM 96.7 above Head of Passes, Lower Mississippi River, LA. During the enforcement periods, if you are the operator of a vessel in the regulated area you must comply with directions from the Patrol Commander or any Official Patrol displaying a Coast Guard Ensign.

In addition to this notice of enforcement in the **Federal Register**, the Coast Guard plans to provide notification of this enforcement period via a Marine Safety Information Bulletin and Broadcast Notice to Mariners.

Dated: March 2, 2020.

K.M. Luttrell,

Captain, U.S. Coast Guard, Captain of the Port Sector New Orleans.

[FR Doc. 2020-04664 Filed 3-6-20; 8:45 am]

BILLING CODE 9110-04-P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR 165

[Docket Number USCG-2016-1067]

RIN 1625-AA00

Safety Zone; Hurricanes, Tropical Storms and Other Disasters in South Florida

AGENCY: Coast Guard, DHS.

ACTION: Final rule.

SUMMARY: The Coast Guard will establish a safety zone that would restrict certain vessels from entering or transiting through certain navigable waters in the Miami River and Ports of Miami, Everglades, Palm Beach and Fort Pierce during periods of reduced or restricted visibility due to tropical storm force winds (39-73 mph/34-63 knots), hurricanes and/or other disasters. This action is necessary for the safety of life