



U.S. Department
of Homeland Security
**United States
Coast Guard**

LOCAL NOTICE TO MARINERS

District: 9

Week: 44/20

Issued by: Commander (dpw)
Ninth Coast Guard District
1240 East Ninth Street,
Cleveland, OH 44199-2060
Telephone: (216) 902-6069

Direct questions about this LNM to the above address.

All distances in this publication are STATUTE MILES unless otherwise noted.*

District Nine Internet Address <https://www.atlanticarea.uscg.mil/Our-Organization/District-9/>

District Nine Local Notice to Mariners email Address D09-DG-District-D9-LocalNoticetoMariners@uscg.mil

** Navigation Information Service watchstander, 24 hours a day at (703) 313-5900 ** **Internet Address** <https://www.navcen.uscg.gov/>

Light List Reference: Commandant Publication P16502.7, VOL VII, 2019 Edition

Coast Pilot Reference: 2020 U.S. Coast Pilot 6 Great Lakes 50th Edition

Coast Pilots, along with corrections are available at: <https://nauticalcharts.noaa.gov/publications/coast-pilot/index.html>

The Local Notice to Mariners is available on the Internet at <https://www.navcen.uscg.gov/-pageName=lnmMain> You will also have links to other government agencies- web pages including the US Army Corps of Engineers and the National Ocean Service.

REPORT DISCREPANCIES IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

The Ninth District and all Sector offices for their areas of responsibility issue a BROADCAST NOTICE TO MARINERS.

The following Broadcast Notice to Mariners have been incorporated into this week's Local Notice to Mariners:

Sector Buffalo, NY - B098-20 through B099-20

Ninth District - C137-20 through C139-20

Sector Detroit, MI - D072-20 through D078-20

Sector Lake Michigan, WI - M227-20 through M230-20

Sector Sault Ste Marie, MI - S114-20 through S115-20

The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information for GPS and DGPS. The

NIS also disseminates Safety Broadcasts (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). NANU notices can be obtained via email subscription through the USCG Navigation Center website: <https://cgls.uscg.mil/mailman/listinfo/nanu> . In addition,

the NIS investigates all reports of degradation or loss of GPS, DGPS or AIS service. Users are encouraged to report all degradation or loss of radio navigation services to the NIS via any of the following: Phone: (703) 313-5900, mail to: webmaster@smtp.navcen.uscg.mil, or on the internet at: <https://www.navcen.uscg.gov>

ABBREVIATIONS

A through H

ADRIFT - Buoy Adrift
AICW - Atlantic Intracoastal Waterway
AI - Alternating
B - Buoy
BKW - Breakwater
bl - Blast
BNM - Broadcast Notice to Mariner
bu - Blue
C - Canadian
CHAN - Channel
CGD - Coast Guard District
C/O - Cut Off
CONT - Contour
CRK - Creek
CONST - Construction
DAYMK/Daymk - Daymark
DBN/Dbn - Daybeacon
DBD/DAYBD - Dayboard
DEFAC - Defaced
DEST - Destroyed

I through O

I - Interrupted
ICW - Intracoastal Waterway
IMCH - Improper Characteristic
INL - Inlet
INOP - Not Operating
INT - Intensity
ISL - Islet
Iso - Isophase
kHz - Kilohertz
LAT - Latitude
LB - Lighted Buoy
LBB - Lighted Bell Buoy
LHB - Lighted Horn Buoy
LGB - Lighted Gong Buoy
LONG - Longitude
LNM - Local Notice to Mariners
LT - Light
LT CONT - Light Continuous
LTR - Letter
LWB - Lighted Whistle Buoy

P through Z

PRIV - Private Aid
Q - Quick
R - Red
RACON - Radar Transponder Beacon
Ra ref - Radar reflector
RBN - Radio Beacon
REBUILT - Aid Rebuilt
RECOVERED - Aid Recovered
RED - Red Buoy
REFL - Reflective
RRL - Range Rear Light
RELIGHTED - Aid Relit
RELOC - Relocated
RESET ON STATION - Aid Reset on Station
RFL - Range Front Light
RIV - River
RRASS - Remote Radio Activated Sound Signal
s - seconds
SEC - Section
SHL - Shoaling

DISCON - Discontinued
DMGD/DAMGD - Damaged
ec - eclipse
EST - Established Aid
ev - every
EVAL - Evaluation
EXT - Extinguished
F - Fixed
fl - flash
Fl - Flashing
G - Green
GIWW - Gulf Intracoastal Waterway
HAZ - Hazard to Navigation
HBR - Harbor
HOR - Horizontal Clearance
HT - Height

LWP - Left Watching Properly
MHz - Megahertz
MISS/MSNG - Missing
Mo - Morse Code
MRASS - Marine Radio Activated Sound Signal
MSLD - Misleading
N/C - Not Charted
NGA - National Geospatial-Intelligence Agency
NO/NUM - Number
NOS - National Ocean Service
NW - Notice Writer
OBSCU - Obscured
OBST - Obstruction
OBSTR - Obstruction
Oc - Occulting
ODAS - Anchored Oceanographic Data Buoy

si - silent
SIG - Signal
SND - Sound
SPM - Single Point Mooring Buoy
SS - Sound Signal
STA - Station
STRUCT - Structure
St M - Statute Mile
TEMP - Temporary Aid Change
TMK - Topmark
TRLB - Temporarily Replaced by Lighted Buoy
TRLT - Temporarily Replaced by Light
TRUB - Temporarily Replaced by Unlighted Buoy
USACE - Army Corps of Engineers
W - White
Y - Yellow

Additional Abbreviations Specific to this LNM Edition:

LIB - Lighted Ice Buoy

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

CAUTION TO BE USED IN RELIANCE UPON AIDS TO NAVIGATION

The aids to navigation depicted on charts comprise a system of fixed and floating aids to navigation with varying degrees of reliability. Prudent mariners will not rely solely on any single aid to navigation, particularly a floating aid to navigation. With respect to buoys, the buoy symbol is used to indicate the approximate position of the buoy body and the sinker which secures the buoy to the seabed. The approximate position is used because of the practical limitations in positioning and maintaining buoys and their sinkers in precise geographical locations. These limitations include, but are not limited to, inherent imprecision in position fixing methods, prevailing atmospheric and sea conditions, slope of and the material making up the seabed, the fact that buoys are moored to sinkers by varying length of chain, and the fact that the buoy body and/or sinker positions are not under continuous surveillance, but are normally checked only during periodic maintenance visits which often occur more than a year apart. Due to the forces of nature, the position of the buoy body can be expected to shift inside and outside the charted symbol. The mariner is also cautioned that buoys may be extinguished or sound signals may not function as the result of ice, running ice, or other natural causes, collisions, or other accidents. For the foregoing reasons, a prudent mariner must not rely completely upon the position or operation of floating aids to navigation, but will also utilize bearings from fixed objects and aids to navigation on shore. Further, a vessel attempting to pass close aboard always risks collision with a yawing buoy or with the obstruction that the buoy marks.

LNM: 06/14

IMPORTANT SAFETY NOTICE ABOUT THE RELIABLE OPERATION OF ECDIS

Following an announcement by the International Maritime Organization (IMO) concerning potential display anomalies in some ECDIS systems, the International Hydrographic Organization (IHO) issued an ENC Data Presentation and Performance Check in October 2011. This check is intended to assist mariners and to help determine the extent of the anomalies. IHO has received reports from mariners confirming that a number of ECDIS fail to display some significant underwater features in the "Standard" display mode. For all significant objects to be visible to the mariner, these ECDIS must be operated in "Full display" or "All display" mode until a software upgrade is made available from the manufacturer. Mariners are strongly encouraged to use the IHO ENC Data Presentation and Performance Check issued through ENC service providers and also available directly from the IHO website (www.iho.int) to check the operation of their ECDIS and to determine whether their system is affected. IHO Circular Letter 33/2012 is available on the Coast Guard's Navigation Center website (<https://www.navcen.uscg.gov>) under the heading News and Notices.

LNM: 12/12

NOAA formerly announced in the Federal Register (Docket #2019-24807)

On November 15, 2019, NOAA formerly announced in the Federal Register (Docket #2019-24807) that they would begin a 5-year process of discontinuing their traditional paper, or raster, charts by 2025. NOAA intends to gradually 'sunset' raster chart products and is introducing an option to create custom ENC data based charts that can be printed as a paper copy locally or commercially, via one of their certified third party printers. More detailed information regarding this transition is available from <https://nauticalcharts.noaa.gov/publications/docs/raster-sunset.pdf>. Comments/questions on the Federal Register Notice and the NOAA Custom Chart application should be submitted at <https://www.nauticalcharts.noaa.gov/customer-service/assist/>. Other concerns may be directed to your local NOAA Navigation Manager, <https://nauticalcharts.noaa.gov/customer-service/regional-managers/index.html>. In order to identify and overcome the regulatory challenges associated with this transition including but not limited to updating commercial vessel carriage requirements and maritime safety information processes, NOAA will continue to work directly with its Agency charting partners. A prototype version of the NOAA Custom Chart Tool is available at <https://devgis.charttools.noaa.gov/pod/>.

LNM: 04/20

RANGE STRUCTURES

The U.S. Coast Guard has become aware that Coast Guard information used to depict a rangeline on NOAA Electronic Navigational Charts (ENC)

may not be of sufficient accuracy to accurately portray the rangeline on the ENC. Mariners are cautioned that the position of a rangeline as shown on an ENC may not reflect its true position.

LNM: 04/11

USACE NOTICE TO NAVIGATION INTERESTS

Current Federal Channel conditions, shoaling, and the most recent channel surveys are available at the following Army Corps of Engineers web sites:

Buffalo: <http://www.lrb.usace.army.mil/>
Detroit: <http://www.lre.usace.army.mil/>
Chicago: <http://www.lrc.usace.army.mil/>
Rock Island: <http://www.mvr.usace.army.mil/>

LNM: 28/12

GREAT LAKES - Great Lakes Water Levels

See Enclosure 1

The current and 4 week expected water level table for the Great Lakes, Connecting Channels and the St. Lawrence River, will be published in Enclosure 1 following SECTION VIII - LIGHT LIST CORRECTIONS of the Local Notice to Mariner or by visiting the link below:

<https://www.lre.usace.army.mil/Missions/Great-Lakes-Information/Great-Lakes-Water-Levels/Water-Level-Forecast/Connecting-Channels-Forecast/>

LNM: 32/20

2020 Icebreaking Operations

The Coast Guard will be conducting icebreaking operations during the upcoming winter throughout the Great Lakes, connecting waterways, and adjacent rivers and harbors. Owners of vessel and structures which may be affected are advised to take precautions to protect their property.

LNM: 44/20

2020 Fall Retrieval

In anticipation of the upcoming seasonal 2020 Fall Retrieval, some seasonal buoys in the below areas may be decommissioned up to 14 days prior to their advertised light list date. For further information please refer to the most current District Nine Local Notice to Mariner or by contacting the local U.S. Coast Guard Sector in the area.

Monroe, MI
Maumee (Toledo), OH
East Outer Channel

LNM: 42/20

ST. MARYS RIVER SYSTEM - DE TOUR PASSAGE TO WHITEFISH BAY - Charts 14882,14883,14884

Due to unusually high water levels, SOO Traffic requests all mariners transiting the ST. Marys River System to monitor their speed and corresponding wake to protect the shoreline.

LNM: 14/20

LAKE ERIE - BUFFALO HARBOR - Chart 14833

North Entrance Light "7" (LLNR 2720) The light has been temporarily discontinued due to construction on the breakwater. A temporary light without day marks and lowered focal plane has been established in position 42-52'50.220"N / 078-53'45.474"W. The characteristic is FL G 2.5s. Another lantern was mounted on the Northwest end of the breakwater in position 42-53'04.590"N / 078-54'05.880"W. The characteristic of this light is QW. There are "DANGER" day marks located on each side of the breakwater where it is washed out and submerged.

LNM: 51/19

DETROIT RIVER - Great Lakes Water Authority Dock; - Chart 14853

Temporary structure and two buoys - Quick Flashing lights will be placed in the river as early as October 26, 2020 and anticipate removal of the structure within 60 days. The position of the Temporary Structure: Latitude: 42 21' 18.72"N and Longitude: 082 58' 28.89" W and two lighted buoys will be placed upstream and downstream. Mariner are advised to use caution while transiting the area.

LNM: 40/20

LAKE MICHIGAN - ST. JOSEPH AND BENTON HARBOR - CHART 14930

A green can buoy "5" has been established in position 42-06.421N / 086-27.916W in the St. Joseph River to mark a submerged concrete structure. The structure is submerged due to extremely high water. The buoy will remain on station seasonally from April 28 to November 1 or until the water levels recede and the structure becomes visible above the water surface again.

LNM: 36/20

LAKE MICHIGAN – GREAT LAKES NAVAL STATION RECREATION MARINA – Chart 14905

Due to high lake levels, the breakwater is submerged at the entrance to the recreation marina at Great Lakes Naval Station near North Chicago. All mariners are requested to transit the area with caution.

LNM: 40/20

LAKE MICHIGAN - GREEN BAY - CHART 14910

Sherwood Point Lighted Buoy "7" (LLNR 21995) The seasonal lighted buoy will be decommissioned for the season earlier than its advertised light list date on or about 3 November. The lighted buoy will be replaced with an unlighted can buoy winter mark and will be enhanced by synthetic AIS.

LNM: 43/20

LAKE MICHIGAN - RACINE HARBOR - Chart 14925

Racine Reef Light (LLNR 20480) the light tower and supporting foundation has become unstable. Mariners should stay more than 300 feet from the structure.

Racine Reef Lighted Buoy 18 (LLNR 20483) has been established in position 42-43-40.338N / 087-44-01.614W to mark the damaged light structure. The buoy is red in color and has a light characteristic of Fl R 2.5s with a range of 5 statute miles. The buoy will be removed and winter marked with an unlighted nun buoy from December 1 to April 21.

LNM: 42/17

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
5470	West Harbor Inner Channel Daybeacon 14	STRUCT DEST/HAZ NAV	14842		42/20	
6050	Maumee Bay Entrance Light 2	RAC INOP	14847		29/20	
6355	Maumee River Lighted Buoy 62	MISSING	14847		43/20	
8540	St. Clair Flats Canal Range Rear Light	LT EXT	14853		40/20	
9785	Marine City Salt Dock Light	REDUCED INT	14853		44/20	
13695	Moon Island Lighted Buoy 13	LT EXT	14887		43/20	
16963	Driftwood Point Light	LT EXT			37/19	
19525	St. Joseph South Pierhead Light	LT EXT	14930		01/20	
19800	Calumet Harbor Breakwater South End Light	LT EXT	14926		37/20	
21945	Menominee River Buoy 2	OFF STA	14917		43/20	
22185	Green Bay Harbor Entrance Channel Range Rear Light	DAYMK MISSING	14918		44/20	

DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
5	St. Lawrence Seaway Lighted Buoy 1	WATCHING PROPERLY			39/20	44/20
50	St. Lawrence Seaway Lighted Buoy 7	WATCHING PROPERLY			43/20	44/20
8415	Lake St. Clair Light 1	WATCHING PROPERLY	14853		44/20	44/20
8480	Lake St. Clair Light 14	RELIGHTED	14853		42/20	44/20
10120	Port Sanilac North Breakwater Light 2	RELIGHTED	14862		37/20	44/20
10760	Essexville Range Front Light	RELIGHTED	14867		44/20	44/20
10765	Essexville Range Rear Light	RELIGHTED	14867		44/20	44/20
14435	Birch Point Range Rear Light	RELIGHTED	14884		44/20	44/20

DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNМ St	LNМ End
2061.1	Constellation Nuclear Security Zone No Entry Buoy L	OFF STA	14803		38/20	
2515	Youngstown Safe Boating Zone Lighted Float A	MISSING	14816		25/20	
2740	Buffalo River Light 5	LT EXT	14833		35/20	
3200	Lockport Intake Crib Light	LT EXT	14832		33/20	
4005	Euclid Beach West Breakwater Light	STRUCT DMGD	14826		42/20	
4150	North Coast Harbor Light 2	LT EXT/DAYMK MISSING	14839		42/20	
4520	Huron River Mooring Basin South Light	LT EXT	14843		38/20	
4855	East Bay Channel Lighted Buoy 9	REDUCED INT	14845		42/20	
5025	Willow Point Buoy B	SINKING	14842		30/20	
5720	Miller Channel Entrance Buoy 1	MISSING	14842		39/20	
5725	Miller Channel Entrance Buoy 2	MISSING	14842		39/20	
5730	Miller Channel Entrance Buoy 3	MISSING	14842		39/20	
5735	Miller Channel Entrance Buoy 4	MISSING	14842		39/20	
5736	Miller Channel Entrance Buoy 6	MISSING	14842		39/20	
6015	Cooley Canal Front Range Light	LT EXT	14846		33/20	
9840	Recors Point Dock Lower Light	LT EXT	14853		30/19	
9850	Recors Point Dock Upper Light	LT EXT	14853		30/19	
10690	Saginaw Bay Channel Obstruction Light A	LT EXT	14863		27/20	
10695	Saginaw Bay Channel Obstruction Light B	LT EXT	14863		27/20	
11171	U.S. Gypsum Tramway Light J	STRUCT DEST			28/20	
11171.1	U.S. Gypsum Tramway Light K	STRUCT DEST			28/20	
11171.2	U.S. Gypsum Tramway Light L	STRUCT DEST			28/20	
11171.3	U.S. Gypsum Tramway Light M	STRUCT DEST			28/20	
11171.4	U.S. Gypsum Tramway Light N	STRUCT DEST			28/20	
11171.5	U.S. Gypsum Tramway Light O	STRUCT DEST			28/20	
11171.6	U.S. Gypsum Tramway Light P	STRUCT DEST			28/20	
12615	Northwestern Dock Light	LT EXT	14881		31/20	
15945	Interstate Fishing Pier East Light	MISSING	14975		27/20	
15950	Interstate Fishing Pier West Light	MISSING	14975		27/20	
16500	Two Harbors Light	LT EXT	14966		51/19	
16585	Taconite Harbor West Entrance Lighted Buoy 1	MISSING	14967		27/20	
16590	Taconite Harbor West Entrance Lighted Buoy 2	MISSING	14967		27/20	
16605	Taconite Harbor Harbor Of Refuge Breakwater Light 3	MISSING	14967		27/20	
19775	Nipsco Obstruction Buoy A	MISSING	14929		42/20	
19931	Thirty-First Street Jetty Danger Lighted Buoy A	MISSING	14926		26/20	
19932	Thirty-First Street Jetty Danger Lighted Buoy B	MISSING	14926		26/20	
19933	Thirty-First Street Jetty Danger Lighted Buoy C	MISSING	14926		26/20	
19956	Northerly Island Danger Lighted Buoy A	MISSING	14926		26/20	
19956.1	Northerly Island Danger Lighted Buoy B	MISSING	14926		26/20	
19956.2	Northerly Island Danger Lighted Buoy C	MISSING	14926		26/20	
20105	Montrose Breakwater Light	LT EXT	14926		30/20	
20110	Montrose Harbor East Breakwater Light	LT EXT	14926		36/20	

20345	Commonwealth Edison Breakwater Light	LT EXT	14904	18/20
20535	Racine Harbor Preferred Channel Lighted Buoy	LT EXT	14925	37/20
20550	Racine Harbor Junction Light	LT EXT	14925	27/20

DISCREPANCIES (PRIVATE AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
4451	Vermilion Museum Lighthouse	WATCHING PROPERLY	14826		43/20	44/20

PLATFORM DISCREPANCIES

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

PLATFORM DISCREPANCIES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
1527	Clayton Floating Dock Light	DISCONTINUED	14774		44/20	
2105	Oswego Harbor West Channel Light 2	TRLB	14813		17/19	
2720	Buffalo Harbor North Entrance Light 7	DISCONTINUED	14833		33/19	
4175	Cleveland Harbor Light 4	DISCONTINUED	14839		33/20	
10615	Saginaw Bay Channel Buoy 8	TRUB	14867		20/20	
12915	Lime Island Traffic Lighted Buoy LI	DISCONTINUED	14882		13/20	
15235	Black River West Breakwater Light 2	TRLB	14965		21/20	
20480	Racine Reef Light	DISCONTINUED	14925		42/17	

TEMPORARY CHANGES CORRECTED

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

PLATFORM TEMPORARY CHANGES

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

PLATFORM TEMPORARY CHANGES CORRECTED

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.

Chart Number	Chart Edition	Edition Date	Last Local Notice to Mariners	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariners
12327	91st Ed.	19-APR-97	Last LNM: 26/97	NAD 83		27/97
Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER						
Main Panel 2245 NEW YORK HARBOR						
(Temp) ADD	NATIONAL DOCK CHANNEL BUOY 3				CGD01	074-02-48.001W
	Corrective Action	Green can	Object of Corrective Action		Position	

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

14901	18th Ed.	01-AUG-20	Last LNM: 44/20	NAD 83		44/20
<i>Chart Title: Lake Michigan (Mercator Projection)</i>						
Main Panel 1361 LAKE MICHIGAN - -. Page/Side: -						
ADD	Sherwood Point Lighted Buoy 7 Green Magenta circle Chart No. 1:S17.2 and Label AIS Fl G 4s				CGD09 at 44-54-52.727N	087-27-42.872W
14902	31st Ed.	01-NOV-18	Last LNM: 44/20	NAD 83		44/20
<i>Chart Title: North end of Lake Michigan, including Green Bay</i>						
Main Panel 1362 NORTH END OF LAKE MICHIGAN INCLUDING GREEN BAY - -. Page/Side: -						
ADD	Sherwood Point Lighted Buoy 7 Green Magenta circle Chart No. 1:S17.2 and Label AIS Fl G 4s				CGD09 at 44-54-52.727N	087-27-42.872W
14910	25th Ed.	01-NOV-18	Last LNM: 44/20	NAD 83		44/20
<i>Chart Title: Lower Green Bay;Oconto Harbor;Algoma</i>						
CHART LOWER GREEN BAY. Page/Side: N/A						
ADD	Sherwood Point Lighted Buoy 7 Green Magenta circle Chart No. 1:S17.2 and Label AIS Fl G 4s				CGD09 at 44-54-52.727N	087-27-42.872W

SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

<u>Approved Project(s)</u>	<u>Project Date</u>	<u>Ref. LNM</u>
None		
Advance Notice(s)		
LAKE ERIE - TOLEDO HARBOR - Chart 14847		
Maumee Bay Entrance Light "2" (LLNR 6050) Permanently discontinue the RACON "M". Maumee Bay Entrance Lighted Buoy (LLNR 6045) is currently Synthetic AIS and will remain Synthetic AIS.		
		LNM: 29/20
LAKE HURON - HARRISVILLE TO FORTY MILE POINT - CHART 14864		
Thunder Bay Traffic Lighted Buoy "TB" (LLNR 11355) Discontinue the physical aid to navigation and replace it with VAIS (Virtual Aid to Navigation).		
		LNM: 07/20
LAKE HURON - HARRISVILLE TO FORTY MILE POINT - Chart 14864		
Presque Isle Light (LLNR 11550) Reduce the range of the light from 22 statute miles to 16 statute miles.		
		LNM: 20/20
STRAITS OF MACKINAC - DE TOUR PASSAGE TO WAUGOSHANCE POINT - Chart 14881		
Cheboygan Traffic Lighted Buoy (LLNR 12180) Discontinue the physical aid to navigation and replace it with VAIS (Virtual Aid to Navigation).		

LNLM: 07/20

LAKE MICHIGAN - STONY LAKE TO POINT BETSIE - Chart 14907

Point Betsie Light (LLNR 18370) Reduce the range of the light from 19 statute miles to 16 statute miles.

LNLM: 41/19

LAKE MICHIGAN - PORT WASHINGTON TO WAUKEGAN - Chart 14904

Wind Point Light (LLNR 20605) Reduce the range of the light from 21 statute miles to 16 statute miles.

LNLM: 41/19

LAKE MICHIGAN - RACINE HARBOR - CHART 14925

Racine Reef Light (LLNR 20480) The light structure has been damaged and is unsafe to service. The advertised light and horn advertised in the Light List are not operating. The abandon structure will be marked with a white Isolated Danger Light Fl W (2)5s. The range of the light will be 5 statute miles.

LNLM: 10/20

ST. MARY'S RIVER - DETOUR PASSAGE TO MUNUSCONG LAKE - CHART 14882

Detour Tour Passage Buoy "3" (LLNR 12820) Change the operation of the buoy to a seasonal lighted buoy FL G 2.5s with a 4 statute mile range. The lighted buoy will be replaced by a can from December 1 to May 1.

LNLM: 06/20

LAKE SUPERIOR - APOSTLE ISLANDS - CHART 14973

Chequamegon Point Light (LLNR 15295) Discontinue the light on the white cylindrical tower which is damaged and leaning due to high water erosion. Replace the lighted structure with a lighted buoy located in position 46-43-44.700N / 090-48-46.740W. The lighted buoy will be named Chequamegon Point Lighted Buoy "5". The light characteristic and range will remain to be Fl G 4s and 7 statute miles.

LNLM: 27/20

LAKE SUPERIOR - DULUTH / SUPERIOR HARBOR - CHART 14975

Change the seasonal decommissioning date for the following buoys from December 1 to November 14:

Duluth Harbor Basin Traffic Lighted Buoy LLNR 15870)

Allouez Bay Lighted Buoy (LLNR 15640)

St. Louis Upper Channel Lighted Buoy "4" (LLNR 16180)

- Minnesota Channel (Eastern Section) Lighted Buoy "6" (LLNR 16205)
- Minnesota Channel (Eastern Section) Lighted Buoy "7" (LLNR 16210)
- Minnesota Channel (Eastern Section) Lighted Buoy "9" (LLNR 16220)
- Minnesota Channel (Eastern Section) Lighted Buoy "10" (LLNR 16225)
- Minnesota Channel (Eastern Section) Lighted Buoy "14" (LLNR 16235)
- Minnesota Channel (Eastern Section) Lighted Buoy "15" (LLNR 16240)
- Minnesota Channel (Eastern Section) Lighted Buoy "19" (LLNR 16250)

LNLM: 07/20

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

<u>Proposed Project(s)</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
None			

Proposed Change Notice(s)

LAKE HURON – SAGINAW BAY CHANNEL – CHART 14867 (Part I)

The following changes are being proposed for Saginaw Bay Channel Aids to Navigation. In summary between Saginaw Bay Channel Light "1" and "12" the unlighted buoy gates will be eliminated. The lighted buoy gates will be repositioned from their current distance of 2 miles to 1.7 miles and the range of the light will be increased from 4 statute miles to 5 statute miles.

The aids will be renumbered as described below.

From Light "12" to Lighted Buoy "28" the physical unlighted buoy gates will be eliminated and replaced with VAIS. The aids will be renumbered as described below.

Saginaw Bay Channel Buoy "3" (LLNR 10590) move the buoy to approximant position 43-46-52.020N / 083-44-23.280W. Change the buoy from an unlighted buoy to a seasonal lighted buoy maintained from April 21 to December 1 replaced by a can winter mark. The light characteristic will be FI G 4s with a nominal range of 5 statute miles.

Saginaw Bay Channel Buoy "4" (LLNR 10595) move the buoy to approximant position 43-46-53.763N / 083-44-27.273W gated with Lighted Buoy "3". Change the buoy from an unlighted buoy to a seasonal lighted buoy maintained from April 21 to December 1 replaced by a nun winter mark. The light characteristic will be FI R 4s with a nominal range of 5 statute miles.

Saginaw Bay Channel Lighted Buoy "5" (LLNR 10600) move the buoy to approximant position 43-45-22.814 / 083-45-38.213W. The buoy will be seasonal maintained from April 21 to December 1 replaced by a can winter mark. The characteristic will remain FI G 4s with a nominal range of 5 statute miles.

Saginaw Bay Channel Lighted Buoy "6" (LLNR 10605) move the buoy to approximate position 43-45-24.338N / 083-45-42.298W gated with Lighted Buoy "5". The buoy will be seasonal maintained from April 21 to December 1 replaced by a nun winter mark. The characteristic will remain FI R 4s with a nominal range of 5 statute miles.

Saginaw Bay Channel Buoy "7" (LLNR 10610) move the buoy to approximant position 43-43-54.183N / 083-46-51.978W gated with Light "8" (same position as lighted buoy "11" LLNR 10640). Change the buoy from an unlighted buoy to a seasonal lighted buoy maintained from April 21 to December 1 replaced by a can winter mark. The light characteristic will be FI G 2.5s with a nominal range of 5 statute miles.

Saginaw Bay Channel Buoy "8" (LLNR 10615) permanently discontinue the aid.

Saginaw Bay Channel Lighted Buoy "9" (LLNR 10620) permanently discontinue the aid.

Saginaw Bay Channel Lighted Buoy "10" (LLNR 10625) permanently discontinue the aid.

Saginaw Bay Channel Lighted Buoy "11" (LLNR 10640) permanently discontinue the aid and replace it with new Lighted Buoy "7" (LLNR 10610)

Saginaw Bay Channel Light "12" (LLNR 10644) Change the name of the light to Saginaw Bay Channel Light "8" (LLNR 10644.) The characteristic will remain FI G 2.5s with a nominal range of 6 statute miles.

LNM: 08/20

LAKE HURON – SAGINAW BAY CHANNEL – CHART 14867 (Part II)

Saginaw Bay Channel Buoy "13" (LLNR 10650) permanently discontinue the physical aid and replace it with VAIS Port Hand Mark "9".

Saginaw Bay Channel Buoy "14" (LLNR 10655) permanently discontinue the physical aid and replace it with VAIS Starboard Hand Mark "10".

Saginaw Bay Channel Lighted Buoy "15" (LLNR 10660) Change the name of the aid to Saginaw Bay Channel Lighted Buoy "11".

Saginaw Bay Channel Lighted Buoy "16" (LLNR 10665) Change the name of the aid to Saginaw Bay Channel Lighted Buoy "12".

Saginaw Bay Channel Buoy "17" (LLNR 10670) permanently discontinue the physical aid and replace it with VAIS Port Hand Mark "13".

Saginaw Bay Channel Buoy "18" (LLNR 10675) permanently discontinue the physical aid and replace it with VAIS Starboard Hand Mark "14".

Saginaw Bay Channel Lighted Buoy "19" (LLNR 10680) Change the name of the aid to Saginaw Bay Channel Lighted Buoy "15".

Saginaw Bay Channel Lighted Buoy "20" (LLNR 10685) Change the name of the aid to Saginaw Bay Channel Lighted Buoy "16".

Saginaw Bay Channel Lighted Buoy "21" (LLNR 10710) Change the name of the aid to Saginaw Bay Channel Lighted Buoy "17".

Saginaw Bay Channel Lighted Buoy "22" (LLNR 10715) Change the name of the aid to Saginaw Bay Channel Lighted Buoy "18".

Saginaw Bay Channel Lighted Buoy "23" (LLNR 10720) Change the name of the aid to Saginaw Bay Channel Lighted Buoy "19".

Saginaw Bay Channel Lighted Buoy "24" (LLNR 10725) Change the name of the aid to Saginaw Bay Channel Lighted Buoy "20".

Saginaw Bay Channel Lighted Buoy "25" (LLNR 10735) Change the name of the aid to Saginaw Bay Channel Lighted Buoy "21".

Saginaw Bay Channel Light "26" (LLNR 10730) Change the name of the aid to Saginaw Bay Channel Light "22".

Saginaw Bay Channel Lighted Buoy "28" (LLNR 10740) Change the name of the aid to Saginaw Bay Channel Lighted Buoy "24".

LNM: 08/20

LAKE HURON - SAGINAW BAY - CHART 14863

Permanently discontinue the following Private Aids to Navigation:

Alabaster Tramway Range Front Light (LLNR 11165) Alabaster Tramway Range Rear Light (LLNR 11170)

LNM: 30/20

LAKE MICHIGAN - STRAITS OF MACKINAW - Chart 14881

Enbridge Energy, Limited Partnership anticipate to activate Private Aid -AIS (Automatic Identification System) signal in the vicinity of Straits of Mackinaw. AIS signal will transmitting under VAIS assigned name: Enbridge Pipeline E/W . Anticipate AIS radio frequency - dual channel transmit and receive signals frequency as follows: 161.975 and 162.025 MHz.

AIS positions are located as follows: East Enbridge Pipe 1 VAIS - Lat: 45° 49' 26.940" N and Long: 084° 45' 52.247" W, East Enbridge Pipe 2 VAIS - Lat: 45° 49' 26.620" N and Long: 084° 45' 25.650" W, East Enbridge Pipe 3 VAIS - Lat: 45° 48' 12.600" N and Long: 084° 45' 52.553" W and East Enbridge Pipe 4 VAIS - Lat: 45° 48' 17.496" N and Long: 084° 46' 18.163" W. Position will mark the pipeline as indicated.

LNM: 04/20

LAKE MICHIGAN - CALUMET AND INDIANA HARBORS - 14929

Calumet Harbor Breakwater South End Light (LLNR 19800) Change the characteristic of the light from AL WR 10s to FI R 10s.

LNM: 40/20

LAKE MICHIGAN - ALGOMA TO SHEBOYGAN - Chart 14903

Rawley Point Light (LLNR 20935) Reduce the range of the light from 21 statute miles to 16 statute miles.

LNM: 41/19

GREEN BAY - UPPER GREEN BAY - CHART 14909

Horseshoe Island Light (LLNR 21815) Change the name of the aid to Horseshoe Island Light "5" (LLNR 21815) and the day mark of the aid from an NB to an SG. The aid is obstructed from 270 to 090 degrees true.

LNM: 41/20

For any comments or questions on these proposed changes please contact:

Mr. Doug Sharp of the Ninth District Aids to Navigation office at (216) 902-6070.

LNM: 30/13

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

Waterways Analysis and Management System Study - 2020

The U. S. Coast Guard is conducting a Waterway Analysis and Management System Study of the following waterways during 2020. The study focuses on the Aids to Navigation within the waterway, waterborne commerce, marine casualty information, emergency response plans, routine and emergency communication capabilities, and future development projects. Coast Guard units will conduct research of each waterway in the study and require waterway user feedback. If you have recommended changes to the waterway please email: william.d.sharp@uscg.mil or complete the survey attached to this local notice to mariner. Your comments are very important and will be forwarded to the appropriate unit conducting the study.

- Burns Harbor
(LLNR 19575 – LLNR 19625)
- Milwaukee Harbor
(LLNR 20635 – LLNR 20765)
- Portage Lake
(LLNR 18370 – LLNR 18445)
- Manistee Harbor
(LLNR 18450 – LLNR 18520)
- Ludington Harbor
(LLNR 18525 – LLNR 18645)
- Chicago / Calumet Harbors
(LLNR 19630 – LLNR 20300)
- Alpena
(LLNR 11345 – LLNR 11715)
- Sandusky River
(LLNR 5035 – LLNR 5515)
- Au Gres
(LLNR 11140 – LLNR 11235)
- Tawas Bay
(LLNR 11240 – LLNR 11330)
- Rochester Harbor
(LLNR 2280 – LLNR 2395)
- Youngstown Harbor
(LLNR 2400 – LLNR 2655)
- Sackets Harbor
(LLNR 1755 – LLNR 2024.9)
- St. Mary's River
(LLNR 12765 – LLNR 13755)
- Lake Nicolet / Bayfield Channel
(LLNR 13955 – LLNR 14192)

LNM: 09/20

COAST GUARD SEEKS COMMENTS ON HOW TO IMPROVE OUR NATION'S SHALLOW DRAFT WATERWAYS ATON SYSTEM

The U.S. Coast Guard is conducting a Waterways Analysis and Management System (WAMS) Study on the Shallow Draft system (waters less than 12 feet). The purpose of this study is to determine the navigational needs and requirements of vessels operating in shallow draft navigable waterways throughout the country. The study will focus on the existing shallow water Aids to Navigation (ATON) system, future development projects, waterborne commerce transiting these waters, and marine casualty information. Waterway users, interested parties, and stakeholders are invited to provide comments or feedback via the tool posted at <https://www.surveymonkey.com/r/ShallowWaterWAMS>. This link will remain available until November 1, 2020. Further questions or comments may be emailed to CGNAV@uscg.mil using the subject line: "Shallow Draft WAMS".

LNM: 32/20

GREAT LAKES - Marine Events

Marine events such as races, parades, regattas, and fireworks displays are frequently held in the Great Lakes region. Advance information on specific events is contained in enclosure (2) of this publication. The public is reminded to listen to the local broadcast notice to mariners for the most up-to-date information on a marine event. Mariners are advised that some events may require temporary aids to navigation that are not displayed on a chart or in the Light List, and that they should exercise additional caution while operating in the vicinity of a scheduled marine event.

LNM: 24/13

ST LAWRENCE RIVER – NY- Ogdensburg-Prescott – Chart 14764- Bridge Maintenance

From July 6, 2020 through November 30, 2021 scaffolding that, hangs approximately, 6-feet below low steel will be installed under the Ogdensburg-

ST LAWRENCE RIVER – NY- Ogdensburg-Prescott – Chart 14764- Bridge Maintenance

Prescott International Bridge at Mile 272.3 over the St. Lawrence River on the U.S. side only. No equipment or scaffolding will be used in the 1150 feet of navigation channel.

LNM: 25/20

NEW YORK STATE CANAL SYSTEM – NY - Erie Canal – Chart 14786 – Bridge Maintenance

From July 17 through December 1, 2020, between the hours of 0700 and 1600, Monday through Friday, contractors will utilize snooper trucks under the E-120 O'Neal Road/ Quaker Road Bridge at Mile 238.34 over the Erie Canal. Spotters will warn of approaching vessels and move the man lift(s) to allow vessels to pass.

LNM: 29/20

NEW YORK STATE CANAL SYSTEM – NY - Erie Canal – Chart 14786 – Bridge Maintenance

From November 13, 2020 through April 15, 2021, scaffolding will be installed under the E-105 County House Road Bridge at Mile 223.70 over the Erie Canal that hangs approximately 4-feet below low steel. Steady burning yellow lights will mark the bottom of the scaffolding.

LNM: 39/20

NEW YORK STATE CANAL SYSTEM – NY - Erie Canal – Chart 14786 – Bridge Maintenance

From July 9 through November 20, 2020, the E-174 Union Street Bridge at Mile 271.28 and the E-128 Main Street (SR 250) Bridge at Mile 246.67, both over the Erie Canal, part of the New York Canal System will be locked in the open to navigation position and moveable platforms that hang approximately 3 feet below low steel will be installed under the bridge in one half of the channel. The normal working hours will be 0700 to 1700, Monday through Friday; however, actual work hours may change during the project due to weather.

LNM: 20/19

NEW YORK STATE CANAL SYSTEM – NY - Erie Canal – Chart 14786 – Bridge Maintenance

From July 9 through November 20, 2020 moveable platforms will be installed under the E174 Union Street Bridge at mile 271.28 and the E128 Main Street Bridge at Mile 246.67, both over the Erie Canal. The platforms will extend approximately 6 feet below low steel.

LNM: 24/19

NEW YORK STATE CANAL SYSTEM – NY - Erie Canal – Chart 14786 – Bridge Maintenance

From December 1, 2020 through April 15, 2021 scaffolding that hangs approximately 5-feet below low steel will be installed under the E137 Route 31, State Street Bridge at Mile 253.23 over the Erie Canal. From April 15 through May 1, 2021 welders will be working on the low steel. Spotters will warn of approaching vessels and stop work to allow vessels to pass.

LNM: 41/20

NEW YORK STATE CANAL SYSTEM – NY - Erie Canal – Chart 14786 – Bridge Maintenance

From December 1, 2020 through April 1, 2021, the E181 Park Avenue Bridge at Mile 278.76 over the Erie Canal will be secured to masted navigation and scaffolding that hangs approximately 2-feet below low steel will be installed under the bridge.

LNM: 41/20

NEW YORK STATE CANAL SYSTEM – NY - Erie Canal – Chart 14786 – Bridge Maintenance

From July 6 through January 27, 2021 scaffolding that, hangs approximately 2 feet below low steel will be installed under the E114 Port Gibson Road Bridge at Mile 230.13 and the E115 Galloway Road Bridge at Mile 232.54, both over the Erie Canal.

LNM: 23/20

LAKE ONTARIO – NY – Irondequoit Bay – Chart 14804

On November 2, 2020 the Irondequoit Bay Outlet Seasonal Bridge will be moved to the closed to navigation position until April 1, 2021, when the bridge will be moved to the open to navigation position. Mariners should remain clear of the bridge when it is in motion.

LNM: 44/20

LAKE ONTARIO – NY – Sandy Creek Navigational Canal – Chart 14805

Anchor QEA will be conducting sediment sampling in the Sandy Creek Navigational Channel. Operation will begin 05 Nov to 6 Nov from 0700-1830. All mariners are requested to transit the area with caution.

LNM: 44/20

LAKE ONTARIO – NY – Rochester Harbor – Chart 14815

Dean Marine and Excavating will be conducting pier repair at Rochester Harbor, Genesee River on east pier, North end of the Harbor from 5 Aug to 30 Nov 24 hours a day 7 days a week. Madison R, Megan J can be contacted on VHF Channel 16. Commercial traffic is requested to provide a 2 hour notice of arrival. All mariners are requested to transit the area with caution.

LNM: 31/20

LAKE ERIE – NY – Buffalo Harbor – Chart 14833 – Bridge Maintenance

From January 1, 2022 through April 16, 2022 the draw of the Ohio Street Bridge at Mile 2.10 over the Buffalo River will be secured to masted navigation 53 feet lower than fully open to allow workers access for rehabilitation.

LNM: 31/20

LAKE ERIE – OH – Buffalo Harbor - Chart 14822 – Bridge Maintenance

From March 29, 2021 through April 30, 2021, the Michigan Street Bridge at Mile 1.34 over the Buffalo River will be secured to masted navigation for maintenance.

LNM: 38/20

LAKE ERIE – OH – Cleveland Harbor – Chart 14839 – Bridge Maintenance

From January 9 through November 1, 2020 between the hours of 0700 and 1700, Monday through Friday a 60 foot by 60 foot barge and a 90 foot

LAKE ERIE – OH – Cleveland Harbor – Chart 14839 – Bridge Maintenance

by 36 foot barge, , will be working under the Hope Memorial Bridge at Mile 3.14 over the Cuyahoga River. The barges will move to accommodate river traffic if a 1-hour advance notice is provided on VHF-FM Marine Channel 16 or by calling 330-419-3722. Additional false work will be added to the project on June 8, 2020. Steady burning red lights will mark the four corners of the false work.

LNM: 23/20

LAKE ERIE – OH – Cleveland Harbor – Chart 14839

Kokosing Industrial will be conducting breakwater repair in the vicinity of the west breakwater, Cleveland, OH from 13 Jul to 30 Nov. Hours of operation will be from 0700-1900 Monday through Saturday. Tug Champion can be contacted on VHF channels 16 and 18. All mariners are requested to transit the area with caution.

LNM: 25/20

LAKE ERIE – OH – Toledo Harbor– Chart 14847

Ryba Marine Construction will be conducting dredging in the Maumee Bay and River from 18 Oct to 15 Dec 24 hours a day 7 days a week. Tug Kristin Joelle will be monitoring VHF channels 13 and 16. All mariners are requested to transit the area with caution.

LNM: 41/20

LAKE ERIE- Maumee River

The Great Lakes Construction Co. will be conducting seawall repairs on the west bank of the Maumee River, 0.2 miles downstream of the Cherry Street Bridge, Toledo, OH. Barges and equipment will be in place 7 days per week 24 hours per day from Sept 9, 2020 to Dec 15, 2020. Working hours will be 0700 to 1900. Barge will be marked with navigational lights on the river side. Barge can be contacted on VHF channels 16 and 18. All mariners are requested to transit the area with caution.

LNM: 35/20

DETROIT RIVER – MI – River Rouge – Chart 14854- Bridge Regulation

On October 27, 2020 the Coast Guard published a Notice of Proposed Rule Making in the Federal Register (85 FR 68019) that will allow the National Steel Corporation Railroad Bridge, mile 0.40, and the Delray Connecting Railroad Bridge, mile 0.80, to reduce tenders and only man the bridges while trains are crossing, and the Delray Connecting Railroad Bridge, mile 0.34, will require a 4-hour advance notice for openings. The National Steel Corporation Railroad Bridge, mile 0.40, and the Delray Connecting Railroad Bridge, mile 0.80 need not have a drawtender in continued attendance at the bridge. The bridge will remain open ten minutes before the bridge is lowered for train traffic. A crewmember from the train will initiate a SECURITE call on VHF-FM Marine Channel 16 that the bridge will be lowering for train traffic and invite any concerned mariners to contact the drawtender on VHF-FM Marine Channel 12. The drawtender will also visually monitor for vessel traffic and listen for the standard bridge opening signal of one prolonged blast and one short blast from vessels already transiting the waterway. After the ten minute warning, another SECURITE call shall be made on VHF-FM Marine Channel 16 that the bridge will be lowering for rail traffic five minutes before lowering. Once the draw tender is satisfied that it is safe, the bridge will be lowered for rail traffic. Once the rail traffic has cleared the bridge, the bridge shall be raised and locked in the fully open to navigation position. If you have questions about this proposed rulemaking please contact Mr. Lee D. Soule, Bridge Management Specialist, Ninth Coast Guard District; telephone 216-902-6085, e-mail Lee.D.Soule@uscg.mil. You may submit comments identified by docket number USCG-2020-0513 using Federal e-Rulemaking Portal at <https://www.regulations.gov>. The full rulemaking document as published is enclosed at the end of this document for your convenience. Comments must be submitted before December 28, 2020 to be considered for the final rulemaking process.

LNM: 44/20

DETROIT RIVER – MI – Trenton Channel – Chart 14853 - Bridge Maintenance

From May 26 through December 1, 2020 the Grosse Ile Toll Bridge at Mile 8.80 over the Trenton Channel of the Detroit River will be secured to masted navigation from 0800 to 0900 and again from 1700 to 1800, Monday through Friday, except for federal holidays. From 0800 to 1900, Monday through Friday, except federal holidays the bridge will open on the hour and half hour for recreational vessels. Vessels able to pass under the bridge without an opening may do so at any time.

LNM: 37/20

DETROIT RIVER – MI – Trenton Channel – Chart 14853 - Bridge Maintenance

From 0600 on September 21 through 0600 on December 19, 2020 the Grosse Ile Free Bridge at Mile 5.60 over the Detroit River Trenton Channel will be secured to masted navigation. Scaffolding that hangs approximately 5-feet below low steel will be installed under the drawspan.

LNM: 37/20

LAKE ST. CLAIR - MI - St. Clair Shores, MI - Chart 14850

Partially submerged vessel. A 48 foot vessel is partially submerged approximately 80 yards off shore from Jefferson Beach Marina in Lake St. Clair at position 42°27.96'N, 082°52.26'W. Six foot of the freeboard is out of the water. The vessel is marked with marker buoys and a light. Mariners are requested to transit the area with caution.

LNM: 33/20

LAKE HURON - STRAITS OF MACKINAC - CHART 14886

Kokosing Industrial Durocher Marine will be conducting survey and power cable removal in the vicinity of Point LaBarbe and McGulpin Point in the Straits of Mackinaw. Hours of operation are 24 hrs a day 7 days a week. Alpine Ocean Seismic Survey "RV Parker" will be monitoring VHF ch 13 and 16. All mariners are requested to maintain 1500' feet away and transit the area with caution.

LNM: 20/20

LAKE MICHIGAN - MI – Manistique River - Chart 14908

Strata Earth Services will be performing soil borings near the breakwater of the mouth of the Manistique River. Operations will begin 04 Nov 7 days a week. All mariners are requested to transit the area with caution.

LNM: 44/20

LAKE MICHIGAN – IL – Chicago River – Chart 14927 – Bridge Discrepancy

The Coast Guard has received a report that the dolphins near the location of the former Polk Street Bridge at Mile 2.16 over the South Branch of

LAKE MICHIGAN – IL – Chicago River – Chart 14927 – Bridge Discrepancy

the Chicago River and the former Erie Street Bridge at Mile 2.21 over the North Branch of the Chicago River are a hazard to navigation.

LNM: 21/16

LAKE MICHIGAN – IN – Michigan City Harbor– Chart 14926 – Bridge Inspection

On November 5, 2020 and November 6, 2020 between the hours of 0700 and 1900, the Franklin Street Bridge at Mile 0.50 over Trail Creek will require a 1-hour advance notice for openings. Advance notice should be provided directly to the drawtender on VHF-FM Marine Channel 16. A snooper truck will also be deployed under the bridge; spotters will warn inspectors of approaching vessels and move the man lift to allow vessels to pass.

LNM: 41/20

LAKE MICHIGAN – IN – Indiana Harbor Canal – Chart 14926 – Bridge Inspection

On November 4, 2020 and November 5, 2020 between the hours of 0700 and 1900, the Indianapolis Boulevard Bridge at Mile 2.59 over the Indiana Harbor Canal will require a 1-hour advance notice for openings. Advance notice should be provided directly to the drawtender on VHF-FM Marine Channel 16. A snooper truck will also be deployed under the bridge; spotters will warn inspectors of approaching vessels and move the man lift to allow vessels to pass.

LNM: 41/20

LAKE MICHIGAN – IN – Indiana Harbor Canal – Chart 14972 – Proposed Regulation

On August 5, 2020, the Coast Guard published in the Federal Register (85 FR 47328) a Proposed Rule to establish procedures to reduce drawtender service at the Elgin, Joliet, and Eastern Railroad Bridge at mile 0.68 and mile 1.89, over the Indiana Harbor Canal near at East Chicago, IN. We encourage you to read the complete docket and to submit comments identified by docket number USCG-2020-0235 using Federal e-Rulemaking Portal at <https://www.regulations.gov>. If you have questions on this proposed rule, call or e-mail: Mr. Lee D. Soule, Bridge Management Specialist, Ninth Coast Guard District; telephone 216-902-6085, e-mail Lee.D.Soule@uscg.mil.

LNM: 31/20

LAKE MICHIGAN – IN – Indiana Harbor Canal - Chart 14927 – Bridge Construction

From September 21 through November 21, 2020, between the hours of 0700 and 1800 seven days a week, two 120-foot by 80-foot or smaller barges will be constructing the new Cline Avenue Bridge at Mile 1.61 over the Indiana Harbor Canal. The barges will move if a 2-hour advance notice is provided on VHF-FM Marine Channel 16 or by calling: (219) 380-7888 or (312) 636-1513. Steady burning yellow lights will mark the bottom of low steel until the permitted bridge lights are installed.

LNM: 38/20

LAKE MICHIGAN – IN – Indiana Harbor, Chart 14929 – Bridge Underwater Hazard

The Coast Guard has received a report of an underwater obstruction near the position of the former Canal Street Bridge at Mile 1.88 over the Indiana Harbor Canal.

LNM: 01/14

LAKE MICHIGAN – IN – Indiana Harbor Canal - Chart 14927

Durocher Marine will be conducting mechanical dredging in the turn basin of the Indiana Harbor and Canal from 25 Sep to 31 Dec 24hrs a day 7 days a week. Tug Nancy Anne and Barge Kokosing 2 can be contacted on VHF channels 16 and 18. All mariners are requested to transit the area with caution.

LNM: 39/20

LAKE MICHIGAN – IN – Burns Harbor Canal - Chart 14927

Great Lakes Dock & Materials, L.L.C. will be conducting maintenance dredging of Burns Harbor from 23 Jul to 15 Nov 24hrs a day 7 days a week. "Justin Avery" and tugs "Meredith Ashton" and Fischer Hayden" can be contacted on VHF channels 16 and 18. All mariners are requested to transit the area with caution.

LNM: 39/20

LAKE MICHIGAN - MI - St. Joseph Benton Harbor - Chart 14930 - Bridge Maintenance

From December 1 through March 31, 2021 the Blossomland/M-63 Bridge at Mile 0.92 and the Twin Cities Bicentennial Bridge at Mile 1.30, both over the St. Joseph River will be secured to masted navigation. Scaffolding that hangs approximately 4 feet below low steel will be installed under each bridge. Two 60 feet by 40 feet or smaller barges will be working under the bridges.

LNM: 26/20

LAKE MICHIGAN – MI – Grand Haven – Chart 14933- Bridge Maintenance

From April 1, 2021 through May 27, 2021 and again from September 7, 2021 through October 30, 2021, one leaf of the U.S. Route 31 Bridge at Mile 2.89 over the Grand River will be secured to masted navigation and the other leaf will operate normally.

LNM: 43/20

LAKE MICHIGAN – MI – Grand Haven – Chart 14933 - Bridge Maintenance

From November 1, 2021 through April 30, 2022, the US 31 Bridge at Mile 2.1 over the Grand River will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time.

LNM: 21/20

LAKE MICHIGAN – MI – Grand Haven – Chart 14933- Bridge Maintenance

From November 1, 2021 through April 30, 2022, the U.S. Route 31 Bridge at Mile 2.89 over the Grand River will be secured to masted navigation. From May 1, 2022 through May 26, 2022, one leaf of the bridge will be secured to masted navigation and the other leaf will operate normally.

LNM: 42/20

LAKE MICHIGAN – MI – Grand Haven – Chart 14933- Bridge Maintenance

LAKE MICHIGAN – MI – Grand Haven – Chart 14933- Bridge Maintenance

From November 1, 2022 through April 30, 2023, the U.S. Route 31 Bridge at Mile 2.89 over the Grand River will be secured to masted navigation. From May 1, 2023 through May 26, 2023, one leaf of the bridge will be secured to masted navigation and the other leaf will operate normally.

LNM: 42/20

LAKE MICHIGAN – MI – Grand Haven – Chart 14933- Bridge Maintenance

From September 6, 2022 through October 30, 2022, one leaf of the U.S. Route 31 Bridge at Mile 2.89 over the Grand River will be secured to masted navigation and the other leaf will operate normally.

LNM: 43/20

LAKE MICHIGAN-MI-Muskegon

The Tug Ethan George will be conducting environmental cleanup operations in the vicinity of Muskegon, MI. Operations will commence August 12, 2020 and complete November 30, 2020. Mariners should use caution when transiting the area, and stay clear of operations if possible. Contact Tug Ethan George on VHF Channel 16 or 17.

LNM: 32/20

LAKE MICHIGAN – IL – Chicago Harbor Lock – Chart 14927

US. Army Corps of Engineers will be conducting construction on the Chicago Harbor Lock. The Chicago Harbor Lock will be closed to all vessel traffic starting from 7 a.m. CST on Monday, November 16, 2020 through 4 p.m. CST Wednesday, April 14, 2021 for the partial reconstruction of the south chamber wall.

LNM: 43/20

LAKE MICHIGAN – IL – Chicago River – Chart 14927 – Bridge Maintenance

From October 12 through November 30, 2020, between the hours of 0700 and 1530 Monday through Friday a 80-foot by 20-foot barge will be working under the Van Buren Street Bridge at Mile 2.26 (CORPS MILE 324.9) over the South Branch of the Chicago River. The barge will monitor VHF-FM Marine Channel 16 and move if a 30-minute advance notice is provided.

LNM: 40/20

North Branch of the Chicago River

This notice is to advise mariners of a partially submerged obstruction off the left descending bank of the North Branch of the Chicago River located at MM 327.5

LNM: 19/19

LAKE MICHIGAN – IL – Chicago River – Chart 14927 – Proposed Bridge Construction

The U. S. Coast Guard is requesting mariner and public input regarding the proposed construction of the Dominick Street Bridge located at Mile 4.36 across the North Branch of the Chicago River, City of Chicago, Cook County, Illinois. The proposed structure is a single-span, fixed arch bridge connecting an extended Dominick Street from Webster Avenue to North Avenue. The proposed vertical clearance is 22.33-feet at center, no less than 18.50-feet of vertical clearance at the navigation channel's limits. The proposed horizontal clearance is 150.00-feet normal to the axis of the channel. The complete public notice including a map of the location, and plans for the proposed bridge can be viewed and printed from the U.S. Coast Guard Navigation Center's web site <https://www.navcen.uscg.gov/D9BN>, or by calling, emailing or mailing a request to the Coast Guard project manager, Mr. Michael Walker, Commander (dpg), Ninth Coast Guard District, 1240 E. 9th St., Room 2047, Cleveland, OH 44199, (216) 902-6087, or michael.o.walker2@uscg.mil. Comments received will be made part of the case record.

LNM: 31/20

LAKE MICHIGAN - IL – Chicago River - Chart 14927 - Bridge Maintenance

Due to flooding damage to the motors, the South Halstead Street Bridge at Mile 4.47 (CORPS MILE 322.8) over the South Branch of the Chicago River can only operate one leaf. The estimated date for repairs to be completed is: September 30, 2020.

LNM: 26/20

LAKE MICHIGAN – IL – Chicago River – Chart 14927 – Bridge Maintenance

From June 5 through December 31, 2020, scaffolding will be installed under one leaf of the Randolph Street Bridge at Mile 1.73 (CORPS MILE 325.4) over the South Branch of the Chicago River that hangs approximately 1 foot below low steel. Monday through Saturday between the hours of 0700 and 1730 a 40 foot by 40 foot barge will be working under the bridge. The barge will move with a 30-minute advance notice provided directly to the barge on VHF-FM Marine Channel 16.

LNM: 23/20

LAKE MICHIGAN - IL – Chicago River - Chart 14927 - Bridge Discrepancy

The Coast Guard has received a report that one leaf of the Wabash Street Bridge at Mile 0.98 (CORPS MILE 326.2) over the Main Branch of the Chicago River is stuck in the down position due to an electrical problem. The other leaf operates normally. Estimated time for repairs is September 17, 2020.

LNM: 35/20

LAKE MICHIGAN – IL – Chicago Sanitary and Ship Canal – Chart 14927

The Army Corps of Engineers will be conducting safety tests and verification on Permanent Barrier 1 prior to its full time operation in the Chicago Sanitary and Canal between Mile Marker 296 and 296.7 from Sep 25 to Oct 29. Hours of operation will be 0700-1100 and 1300-1700 everyday Entry into, mooring, laying up, or anchoring within this safety zone is Prohibited unless authorized by the Captain of the Port, Lake Michigan or a designated representative.

LNM: 38/20

LAKE MICHIGAN – IL – Chicago Sanitary and Ship Canal – Chart 14972

BIDCO Marine Group, Inc. will be conducting marine & underwater construction operations while undertaking the assembly of a sheet-pile cofferdam

LAKE MICHIGAN – IL – Chicago Sanitary and Ship Canal – Chart 14972

(Installed and removed twice over 16 months) at the Tailrace Structure of the Lockport Powerhouse, located within the waters of the Chicago Sanitary and Ship Canal, from 15 SEPT 2020 to 31 DEC 2021 24 hours a day 7 days a week. Push-tender Madison can be contacted on VHF Channel 16. Commercial traffic will not be impacted by the presence of the 45'x90' Flexifloat barge when approaching or exiting the Lockport Lock, the Flexifloat crane barge will be spud down at the Tailrace of the Lockport Powerhouse. All mariners are requested to stay clear of the Tailrace area of the Hydro-Plant.

LNM: 37/20

LAKE MICHIGAN – IL – Calumet Harbor – Chart 14927- Bridge Maintenance

From November 16 through November 18, 2020 between 0800 and 1300 Monday through Friday, the Norfolk Southern Railroad Bridge at Mile 1.34 (Corps Mile 331.9) will be secured to masted navigation for emergency repairs. Vessels able to pass under the bridge without an opening may do so at any time.

LNM: 44/20

LAKE MICHIGAN – IL – Calumet Harbor– Chart 14927 – Bridge Maintenance

June 1 through December 31, 2020 between the hours of 0700 and 1900, Monday through Friday the 95th Street Bridge at Mile 1.09 (CORPS MILE 332.1) over the Calumet River will require a 1-hour advance notice for two leaf operations. In addition, a 120-foot by 30-foot barge will be working under the bridge. The barge will move with the 1-hour advance notice. All advance notice for this project may be given directly to the drawtender on VHF-FM Marine Channel 16 or by calling 312-747-0009.

LNM: 40/20

LAKE MICHIGAN – IL – Calumet-SAG Channel – Chart 14927 – Bridge Maintenance

from August 10 through November 15, 2020, between the hours of 0700 and 1600, Monday through Friday a 100-foot by 90-foot barge will be working under the Ashland Avenue Bridge at Mile 13.98 (CORPS MILE 319.0) over the Calumet-SAG Channel. The barge will move if a 2-hour advance notice is provided on VHF-FM Marine Channel 16 or by calling: 815-915-6170 or 847-878-6252.

LNM: 31/20

LAKE MICHIGAN – IL – Chicago River – Chart 14927 – Bridge Discrepancy

The Coast Guard has received a report that the protection cells of the Fullerton Avenue Bridge at Mile 5.30 (CORPS MILE 329.1) over the North Branch of the Chicago River are leaning away from the channel.

LNM: 23/20

LAKE MICHIGAN – IL – Chicago River – Chart 14972 – Bridge Maintenance

From January 15 through May 28, 2021 one leaf of the Lake Street Bridge at Mile 1.64 (CORPS MILE 325.5) over the South Branch of the Chicago River will be secured to masted navigation.

LNM: 40/20

LAKE MICHIGAN – WI – Green Bay – Chart 14918 – Bridge Regulation

The Coast Guard is modifying the operating schedule that governs the Main Street Bridge, mile 1.58, the Walnut Street Bridge, mile 1.81, and the Tilleman Memorial Bridge, mile 2.27, all over the Fox River at Green Bay, WI to allow them to operate remotely. To view documents available in the docket, go to <http://www.regulations.gov>. Type USCG-2019-0178 in the "SEARCH" box and click "SEARCH." A copy of the Final Rule is included as an attachment.

LNM: 06/20

LAKE MICHIGAN – WI – Menominee River – Chart 14917

Roan Salvage Company will be conducting dredging operations in the Menominee River adjacent to Marinette Marine Shipyard from 20 Oct to 31 Dec 0600 to 1800 7 days a week. Tug Stephan Asher will be monitoring VHF channels 7 and 16. All mariners are requested to remain clear of dredging equipment and transit the area with caution

LNM: 42/20

LAKE MICHIGAN – WI – FOX RIVER – CHART 14916 – BRIDGE TEST DEVIATION

The Coast Guard has issued a temporary deviation from the operating schedule for the Canadian National Bridge, mile 55.72, over the Fox River to operate remotely. This test deviation will test the remote operations with tenders' onsite, and will allow the public to observe the bridge in operation and provide everyone the opportunity to comment on the operation of the bridge. You may submit comments identified by docket number USCG-2020-0056 using Federal eRulemaking Portal at <https://www.regulations.gov>. If you have questions on this proposed rule, call or e-mail Mr. Lee D. Soule, Bridge Management Specialist, Ninth Coast Guard District; telephone 216-902-6085, e-mail Lee.D.Soule@uscg.mil. Comments and relate material must reach the Coast Guard on or before October 9, 2020.

LNM: 36/20

LAKE MICHIGAN – WI – Fox River – Chart 14916- Bridge Construction

From October 29, 2020 through August 31, 2022, between the hours of 0700 to 2200, Monday through Friday, eight barges, 80-feet by 60-feet or smaller, will be used to construct the Racine Street Bridge at Mile 37.91 over the Fox River at Menasha. The contractor will construct a temporary bridge over the slip near the George Banta Dock for temporary access. A 20-foot channel will be maintained for vessels through the construction area except that from December 1 through March 31 when a 1-hour advance notice will be required to pass through the construction area. Advance notice should be provided to the contractors on VHF-FM Marine Channel 16. From September 6, 2021 through October 11, 2021, the original bridge will be secured to masted navigation for demolition.

LNM: 43/20

LAKE MICHIGAN-WI-Sheboygan Harbor-Chart 14922-Pier Maintenance

From approximately mid-April to the end of December 2020, there will be work performed on the south pier of the Sheboygan Harbor in Sheboygan, WI. During this timeframe, barges and construction equipment will be present as part of a large pier rehabilitation project. Mariners are advised to transit this area caution.

LNM: 13/20

LAKE SUPERIOR – MI – Keweenaw Waterway – Chart 14910 - Bridge Maintenance

From February 1, 2021 through March 1, 2021, the US 41 Bridge at Mile 16.0 over the Keweenaw Waterway will be secured to masted navigation. Vessels able to pass under the bridge without an opening may do so at any time.

LNM: 21/20

LAKE SUPERIOR - MI – Isle Royale East - Chart 14976

Waverider buoy has been deployed 30 nautical miles ESE off Blake Pt.
Latitude 48° 2' 1.900" N
Longitude 87° 43' 47.200" W

Depth 260 meters

This buoy is operated for the U.S. Army Corps of Engineers and partners as part of the Coastal Data Information Program (CDIP). The wave buoy is a 3-foot diameter sphere with an attached telemetry whip antenna and a night yellow color warning flashing light. The light timing sequence is a series of 5 flashes at 1-second intervals with a period of 20 seconds between each series. Visual range is one kilometer. The buoy is painted yellow and marked "Wave Buoy" with the phone number 858-534-3032.

LNM: 33/20

LAKE OF THE WOODS – MN – Rainy River – Chart 14999 – Bridge Construction

From April 10th through November 27th, 2020 eight 80 foot x 80 foot barges will be working in the river in addition to a 100' x 60' causeway extending from the U.S. Shoreline to accommodate building the new International Bridge across the Rainy River between Baudette, Minnesota, and Rainy River, Ontario, Canada at Mile 14.1 over the Rainy River at Baudette, MN. A 200 foot wide channel will be available for vessels to pass through the construction area.

LNM: 11/19

LAKE OF THE WOODS – MN – Rainy River – Chart 14999 – Bridge Regulation

The Coast Guard has authorized a Test Deviation at the Canadian National Railroad Bridge at Mile 85.0 over the Rainy River. This test deviation will allow the bridge to operate remotely from May 1 to October 15, 2020. You may read the full docket and submit comments identified by docket number USCG-2020-0033 using Federal eRulemaking Portal at <https://www.regulations.gov>. If you have questions on this rule, call or email Mr. Lee D. Soule, Bridge Management Specialist, Ninth Coast Guard District; telephone 216-902-6085, email Lee.D.Soule@uscg.mil.

LNM: 17/20

SECTION VIII - LIGHT LIST CORRECTIONS

An Asterisk *, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
13625	WEST NEEBISH CHANNEL (DOWNBOUND) LIGHT 26	46-16-01.910N 084-11-30.500W	F R	30 9	4	TR on triangular skeleton tower.	44/20
13630	WEST NEEBISH CHANNEL (DOWNBOUND) LIGHT 25	46-16-00.090N 084-11-34.030W	Q G	30 9	4	SG on triangular skeleton tower.	44/20
21995	<i>Sherwood Point Lighted Buoy 7</i>	44-54-52.727N 087-27-42.872W	Fl G 4s	*	4	Green.	Replaced by can from Nov. 14 to Apr. 21. AIS MMSI: 993682719 *

D. L. Cottrell, RADM
U. S. Coast Guard
Commander, Ninth Coast Guard District

GREAT LAKES, CONNECTING CHANNELS AND ST. LAWRENCE RIVER WATER LEVELS AND DEPTHS

Expected water levels on the Great Lakes, Connecting Channels and the St. Lawrence River are given in inches above (+,0) or below (-,0) Low-Water Datum (LWD,0). LWD is a plane of reference on a navigation chart, also known as Chart Datum. LWD elevations shown below are given in International Great Lakes Datum, 1985 (IGLD 1985,0).

	Forecast Point	Low Water Datum IGLD 1985	Expected Levels (inches above or below Low Water Datum,0)				
			Current	Week 1	Week 2	Week 3	Week 4
			30-Oct	6-Nov	13-Nov	20-Nov	27-Nov
GREAT LAKES							
Lake Ontario		243.3	20	20	20	20	21
Lake Erie		569.2	48	47	46	45	44
Lake St. Clair		572.3	51	50	49	48	47
Lake Michigan-Huron		577.5	48	48	47	46	45
Lake Superior		601.1	20	19	19	18	17
ST. LAWRENCE RIVER							
Above Long Sault Dam	0	237.9	2	4	7	8	9
Above Iroquois Dam	1	240.3	4	5	7	8	8
Ogdensburg	2	242.4	11	12	14	14	15
Alexandria Bay	2.1	243.0	18	18	18	18	19
Head of river at Cape Vincent	3	243.3	20	20	20	20	21
DETROIT RIVER							
Lake Erie at Pelee Passage	4	569.2	48	47	46	45	44
Mouth of River at Gibraltar	5	569.5	48	48	47	46	45
Fort Wayne	5.1	571.1	54	53	52	52	50
Head of River above Belle Isle	6	572.0	51	50	49	49	48
ST. CLAIR RIVER							
Mouth of River at St. Clair Flats	7	572.3	51	50	49	48	47
Algonac	8	572.8	55	54	53	52	51
St. Clair	9	574.4	53	52	52	51	50
Blue Water Bridge	10	576.2	53	52	51	51	50
Head of River at Fort Gratiot	11	577.2	50	50	49	48	47
Lake Huron Approach Channel	12	577.5	48	48	47	46	45
ST. MARYS RIVER							
Mouth of River at Detour	13	577.5	48	48	47	46	45
West and Middle Neebish	14	577.8	44	44	43	42	41
Head of Little Rapids	15	578.4	44	43	42	41	40
U.S. Slip	16	578.7	43	42	41	40	39
Above Locks	17	600.4	24	23	22	21	20
Head of River at Point Iroquois	18	601.1	20	19	19	18	17

UNDERSTANDING THE FORECAST

Available water depth is determined for a location by adding (if+) or subtracting (if-) the amount from the above table to the appropriate channel depth shown in the profile Connecting Channel Depths Graphic or to water depths shown on National Oceanic and Atmospheric Administration (NOAA) navigational charts.

CAUTION

Depths so determined are representative of a still water surface elevation, disturbed by neither wind nor other causes. Depths, however, may be reduced or increased as much as several feet for short periods due to these disturbances, or when sections of channels develop shoals. Vessel masters should refer to "Local Notice to Mariners" for extent of shoaling and scattered bedrock projections in all channels. Ice conditions can have a dramatic impact on actual channel depth and can lead to large short-term water level fluctuations. Ice information can be found at the National Ice Center's website.

FOR FURTHER INFORMATION CONTACT:	FOR MORE INFORMATION VISIT:	WATER LEVEL INFORMATION SUPPLIED BY:
Detroit District Corps of Engineers	Detroit District Great Lakes Homepage	NOAA, National Ocean Service
477 Michigan Avenue	International Joint Commission	SSMC4, STATION 7523
Detroit MI, 48226	Great Lakes Information Network	1305 East-West Hwy
1-888-694-8318 ex. 1	NOAA Tides and Currents	Silver Spring, MD 20910-3233
email: hhpm@usace.army.mil	U.S. Coast Guard - District 9	(301) 713-2902

**SUMMARY OF DREDGING/CONSTRUCTION OPERATIONS IN EFFECT
SECTOR BUFFALO**

The LNM column is where the entry originally appeared. The dates listed are tentative

<u>LOCATION</u>	<u>LNM</u>	<u>SUBJECT</u>	<u>HOURS/DAYS</u>	<u>FROM-TO</u>	<u>POC</u>	<u>Tel #</u>
<u>NEW YORK STATE BARGE CANAL</u>						
<u>LAKE ONTARIO</u>						
<u>LAKE ERIE</u>						
Buffalo, New York	33/20	Dredging Buffalo River	24 hrs 7 days	02 Sep-21 Oct	Ralph Farver	231-627-4333
<u>Monroe, MI</u>	34/20	Hydraulic Dredging	24 hrs 7 days	28 Aug -23 Oct	Timothy Lucas	616-994-2272

**SUMMARY OF DREDGING/CONSTRUCTION OPERATIONS IN EFFECT
SECTOR DETROIT**

The LNM column is where the entry originally appeared. The dates listed are tentative

<u>LOCATION</u>	<u>LNM</u>	<u>SUBJECT</u>	<u>HOURS/DAYS</u>	<u>FROM-TO</u>	<u>POC</u>	<u>Tel #</u>
<u>LAKE ERIE</u>						
<u>DETROIT RIVER</u>						
<u>LAKE ST. CLAIR</u>						
<u>Ryba Marine Construction Co</u>	38/20	Dredging	24 hrs 7 days	01 Oct-15 Oct	Ralph Farver	231-627-4333
<u>Lake Huron</u> Saginaw River	33/20	Dredging Saginaw River	24 hrs 7 days	26-Aug-15 Oct	Ralph Farver	231-627-4333

STRAITS OF MACKINAC

**SUMMARY OF DREDGING/CONSTRUCTION OPERATIONS IN EFFECT
SECTOR SAULT SAINTE MARIE**

The LNM column is where the entry originally appeared. The dates listed are tentative

<u>LOCATION</u>	<u>LNM</u>	<u>SUBJECT</u>	<u>HOURS/DAYS</u>	<u>FROM-TO</u>	<u>POC</u>	<u>Tel #</u>
<u>STRAITS OF MACKINAC</u>						
<u>LAKE SUPERIOR</u>						
Duluth-Superior Harbor	26/20	Dredging	24 hrs 7 days	7 Jul - 31 Dec	Nikki Borkovertz	920-743-6533
Duluth Howard's Bay and Erie Pier	35/20	Dredging	Mon-Sat 0700-1900	14 Sep - 01 Dec	Nick Patterson	218-349-5237

**SUMMARY OF DREDGING/CONSTRUCTION OPERATIONS IN EFFECT
SECTOR LAKE MICHIGAN**

The LNM column is where the entry originally appeared. The dates listed are tentative

<u>LOCATION</u>	<u>LNM</u>	<u>SUBJECT</u>	<u>HOURS/DAYS</u>	<u>FROM-TO</u>	<u>POC</u>	<u>Tel #</u>
<u>LAKE MICHIGAN</u>						
<u>GREEN BAY</u>						
Green Bay Harbor Federal Channel	37/20	Dredging	24 hrs 7 days	18 Sep - 01 Dec	Aaron Wills	231-871-0062

GREAT LAKES-MARINE EVENT-SAFETY ZONES-SECURITY ZONES

Events listed below are those events that may have accompanying special local regulations.

<u>Location</u>	<u>Name of Event</u>	<u>Date</u>	<u>Time of Event</u>	<u>POC</u>	<u>Tel #</u>
<u>St. Lawrence River</u>					
<u>LAKE ONTARIO</u>					
Genesee River - Rochester, NY	RYC 2020 High School Sailing Program	11 Mar-13 Nov	1500-1830	Commodore Chris Dorsey	585-246-4536
<u>LAKE ERIE</u>					
Niagara River - Black Rock Canal	Hogan Fries Regatta	31-Oct-20	0900-1200	Miles Schwartz	690-780-5561
<u>DETROIT RIVER</u>					
<u>LAKE ST. CLAIR/St. Clair River</u>					
<u>LAKE HURON</u>					



NOTICE TO MARINERS



Issued By:

CENTER FOR OPERATIONAL OCEANOGRAPHIC PRODUCTS & SERVICES

1305 East-West Highway, N/OPS3
Silver Spring, MD 20910-3281
301-713-2815
Tide.Predictions@noaa.gov
<<https://tidesandcurrents.noaa.gov>>

NOAA is Discontinuing the Printed Tide Tables and Tidal Current Tables After 2020.

NOAA is ending the production of the printed Tide Tables and Tidal Current Tables publications. The 2020 Tide Tables and Tidal Current Tables, released for distribution and available as PDF files from https://tidesandcurrents.noaa.gov/historic_tide_tables.html, are the final printed editions.

NOAA is discontinuing the production of these annual publications due to: (a) recent changes by the U.S. Coast Guard in the interpretation of the requirements for predictions, no longer requiring these publications in paper format and (b) the availability of online and electronic services providing tide and tidal current predictions which meet the U.S. Coast Guard requirements for navigation, and support other activities along the U.S. coast.

Tide and Tidal Current predictions are available through NOAA's Center for Operational Oceanographic Products and Services (CO-OPS) online services:

- NOAA Tide Predictions: https://tidesandcurrents.noaa.gov/tide_predictions.html
- NOAA Current Predictions: <https://tidesandcurrents.noaa.gov/oaacurrents/Regions>

These online services provide predictions which equal or exceed the accuracy and availability of the predictions at domestic locations provided through printed publications, and provide additional capabilities allowing the predictions to better meet a variety of user needs. These online services provide predictions for the U.S. coasts. International predictions will not be available from the online services. Predictions for countries outside the U.S. may be obtained through the Oceanographic / Hydrographic agency in that country.

Contact NOAA's Center for Operational Oceanographic Products and Services (CO-OPS) with questions or for further information.

E-mail: Tide.Predictions@noaa.gov

Phone: 301-713-2815

Issued: March 16, 2020

USCG Navigation Rules and Regulations Handbook, 2014 Edition

Federal Register / Vol. 84, No. 125 / Friday, June 28, 2019 published non-substantive technical, organizational, and conforming amendments to existing Coast Guard regulations. Included were changes to:

Vessel Bridge-to-Bridge Radio Telephone Regulations (33 CFR § 26)
COLREGS Demarcation Lines (33 CFR § 80)
72 COLREGS Implementing Rules (33 CFR § 81)
Inland Navigation Rules (33 CFR § 83)
Inland Navigation Rules – Implementing Rules (33 CFR § 89)
Vessel Traffic Management (33 CFR § 161)

All of these rules are represented in the U.S. Coast Guard Navigation Rules and Regulations Handbook. These changes are outlined as originally published in Federal Register / Vol. 84, No. 125 / Friday, June 28, 2019 as well as enclosure to this Local Notice to Mariners.

USCG Navigation Rules and Regulations Handbook, 2014 Edition

Federal Register / Vol. 84, No. 125 / Friday, June 28, 2019 published non-substantive technical, organizational, and conforming amendments to existing Coast Guard regulations. All of these rules are represented in the U.S. Coast Guard Navigation Rules and Regulations Handbook.

PART 26—VESSEL BRIDGE-TO-BRIDGE RADIOTELEPHONE REGULATIONS

■ Revise the authority citation for part 26 to read as follows:
Authority: 14 U.S.C. 2, 33 U.S.C. 1201–1208; Pub. L. 107–295, 116 Stat. 2064;
Department of Homeland Security Delegation No. 0170.1; Rule 1, International Regulations for the Prevention of Collisions at Sea.

§ 26.08 [Amended]

■ In § 26.08(a), remove the text “Marine Safety, Security and Environmental Protection” and add, in its place, the text “Prevention Policy”.

PART 80—COLREGS DEMARCATION LINES

■ In § 80.750, revise paragraphs (b) and (f) to read as follows: § 80.750 Sanibel Island, FL to St. Petersburg, FL.

* * * * *

(b) A line drawn across the Charlotte Harbor entrance from position latitude 26°42.18' N, longitude 070°41.2' W to Port Boca Grande Light.

* * * * *

(f) A line drawn from position latitude 27°17.89' N, longitude 082°33.55' W to the southernmost extremity of Lido Key (position latitude 27°17.93' N, longitude 082°33.99' W).

* * * * *

■ In § 80.753, revise paragraphs (a) and (d) to read as follows: § 80.753 St. Petersburg, FL to the Anclote, FL.

(a) A line drawn across Blind Pass, from the seaward extremity of the Long Key jetty to the seaward extremity of the Treasure Island jetty.

* * * * *

(d) A line drawn from the northernmost extremity of Honeymoon Island to Anclote Anchorage South Entrance Light 3; thence to Anclote Key position latitude 28°10.0' N longitude 082°50.6' W; thence a straight line to position latitude 28°11.11' N, longitude 082°47.91' W.

§ 80.810 [Amended]

■ 8. In § 80.810, remove paragraphs (c) and (d); and re-designate paragraphs (e) through (h) as paragraphs (c) through (f).

PART 81—72 COLREGS: IMPLEMENTING RULES

§ 81.3 [Amended]

■ In § 81.3, remove the words “Marine Safety” and add, in their place, the word “Prevention”.

§ 81.5 [Amended]

■ In § 81.5(a) introductory text, remove the words “Marine Safety” and add, in their place, the word “Prevention”.

§ 81.9 [Amended]

■ In § 81.9 introductory text, remove the words “Marine Safety” and add, in their place, the word “Prevention”.

PART 83—NAVIGATION RULES

§ 83.24 [Amended]

■ In § 83.24(h), after the words “exhibit the lights”, add the words “or shapes”.

§ 83.26 [Amended]

■ In § 83.26(f)(i), remove the word “around” and add, in its place, the word “round”; in § 83.26(f)(ii)(2)(B), remove the text “(a)” and add, in its place, “(f)(ii)(1).”

§ 83.27 [Amended]

■ In § 83.27(d)(iv)(1)(B) and (d)(iv)(2)(A), remove the word “around” and add, in its place the word “round”.

PART 89—INLAND NAVIGATION RULES: IMPLEMENTING RULES

§ 89.3 [Amended]

- In § 89.3, remove the words “Marine Safety” and add, in their place, the word “Prevention”.

§ 89.5 [Amended]

- In § 89.5(a) introductory text, remove the words “Marine Safety” and add, in their place, the word “Prevention”.

§ 89.9 [Amended]

- In § 89.9 introductory text, remove the words “Marine Safety” and add, in their place, the word “Prevention”.

§ 89.27 [Amended]

- In the section heading to § 89.27 and paragraphs (a) and (b), remove the text “24(i)” and add, in its place, the text “24(j)”.

PART 161—VESSEL TRAFFIC MANAGEMENT

§ 161.2 [Amended]

- Amend § 161.2 as follows:
 - Remove the word “sector” wherever it appears, and add, in its place, the word “zone”;
 - Add definitions in alphabetical order for “Center” and “Published”;
 - In the definition of “Vessel Traffic Service Area or VTS Area”, remove the word “sectors” and add, in its place, the word “zones”; and
 - In the introductory text of the definition of “VTS User”, remove the word “area” and add, in its place, the word “Area”.

§ 161.2 [Amended]

- Amend § 161.2 Definitions - with additions to read as follows:

* * * * *

Center means a Vessel Traffic Center or Vessel Movement Center.

* * * * *

Published means available in a widely-distributed and publicly available medium (e.g., VTS User’s Manual, ferry schedule, Notice to Mariners).

* * * * *

Under *VTS User* Re-designate (a) – (b) as (1) – (2); add (3) Equipped with a required Coast Guard type-approved Automatic Identification System (AIS).

§ 161.4 Requirement to Carry the Rules. [Amended]

- Re-designate the note at the end of the section as Note 1 to § 161.4 and revise it to read as follows:

* * * * *

Note 1 to § 161.4: These rules are contained in the applicable U.S. Coast Pilot, the VTS User’s Manual which may be obtained by contacting the appropriate VTS or downloaded from the Coast Guard Navigation Center website (<https://www.navcen.uscg.gov>).

§ 161.5 [Amended]

- In § 161.5(b), remove the text “VTS Director” and add, in its place, the text “VTC”.

§ 161.12 [Amended]

- Amend § 161.12 in Table 1 to § 161.12(c) as follows:
 - a. In entry (10)(ii) – *Seattle Traffic*, in the “Monitoring area” column, remove the words “Strait of Juan de Fuca” and add, in their place, the words “Salish Sea”;
 - b. In entry (12) – *St. Marys River*, remove the text “Mary’s” wherever it appears and add, in its place, the text “Marys”;
 - c. In Note 6, remove the word “sector” and add, in its place, the word “zone”.

§ 161.17 [Removed and Reserved]

- Remove and reserve § 161.17.

PART 161—VESSEL TRAFFIC MANAGEMENT (continued)

§ 161.55 [Amended]

- Amend § 161.55 by revising paragraph (c)(3) to read as follows:

§ 161.55 Vessel Traffic Service Puget Sound and the Cooperative Vessel Traffic Service for the Juan de Fuca Region.

* * * * *

(c) * * *

(3) A vessel of less than 100 meters in length is exempt from the provisions set forth in § 161.13(b)(3) of this part.

* * * * *

§ 161.70 [Amended]

- In entry 4 to the Table to § 161.70(d) and entry 3 to the Table to § 161.70(f), remove the word “Sector” and add, in its place, the word “Zone”.

Questions may be directed to the Office of Navigation Systems at CGNAV@uscg.mil.

Waterway Analysis and Management System Survey

Name of Waterway: _____

User Information

___ Commercial User

___ Recreational User

Number of years in the maritime industry or number of years using this waterway: _____

Number of transits in the waterway per year: _____

Number of night transits of waterway: _____

Seasonal Dates: Start: _____ End: _____

Name of Vessel: _____

Vessel Description: _____

Length: _____ Beam: _____ Draft: _____ Gross Tons: _____

Net Tons: _____ Bridge Height of Eye: _____

Cargo Carried: _____

Navigational tools used: (ECDIS/ECPINS, GPS, DGPS, VISUAL, RADAR) _____

What area do you believe is the most dangerous or difficult to navigate: _____

Are the floating aids to navigation (lighted and unlighted buoys) adequate for this waterway:

Are the fixed aids to navigation (lights, ranges, lighthouses, daybeacons) adequate for this waterway: _____

Are the year round and lighted ice buoys adequate: _____

Are there buoys that you feel should be changed to fixed aids to navigation?

Are there any buoys that could be eliminated from this waterway: _____

Are there any buoys with sound signals that the bell or gong could be removed:

Are there any areas that require additional aids to navigation in this waterway:

Do the nautical charts, Coast Pilot, and Light List meet your needs for this waterway: _____

Are there private Aids to Navigation that you find misleading or interfere with the current system in the waterway:

Any addition comments on this waterway: _____

Thank you for taking time to comment on this waterway. Your input as a mariner very valuable to the U. S. Coast Guard in evaluating waterways to make them safe and as easily navigable as possible. Please feel free to contact Mr. Doug Sharp at william.d.sharp@uscg.mil or (216) 902-6070 with any other questions or concerns about any aids to navigation in the Great Lakes. The survey can be mailed to:

Commander (dpw-2)
Ninth Coast Guard District
1240 East Ninth Street
Cleveland, Ohio 44199

§ 1020.410 Records to be made and retained by banks.

(a) Each agent, agency, branch, or office located within the United States of a bank is subject the requirements of this paragraph (a) with respect to a funds transfer in the amount of \$3,000 or more. A bank also is subject to the requirements of this paragraph (a) with respect to a funds transfer in the amount of \$250 or more that begins or ends outside the United States. For purposes of this paragraph, a funds transfer will be considered to begin or end outside the United States if a bank knows or has reason to know that the originator, originator's bank, beneficiary, or beneficiary's bank is located in, is ordinarily resident in, or is organized under the laws of a jurisdiction other than the United States or a jurisdiction within the United States. For funds transfers subject to the requirements of this paragraph (a), each agent, agency, branch, or office located within the United States of a bank is required to retain either the original or a copy or reproduction of each of the following:

* * * * *

In concurrence: By the Department of the Treasury.

Michael G. Mosier,

Deputy Director, Financial Crimes Enforcement Network.

By order of the Board of Governors of the Federal Reserve System.

Ann Misback,

Secretary of the Board.

[FR Doc. 2020-23756 Filed 10-23-20; 11:15 am]

BILLING CODE 4810-02-P; 6210-01-P

DEPARTMENT OF HOMELAND SECURITY
Coast Guard**33 CFR Part 117**

[Docket No. USCG-2020-0513]

RIN 1625-AA09

Drawbridge Operation Regulation; River Rouge, Detroit, MI

AGENCY: Coast Guard, DHS

ACTION: Notice of proposed rulemaking.

SUMMARY: The Coast Guard proposes to modify the operating schedule that governs the National Steel Corporation Railroad Bridge, mile 0.40, the Delray Connecting Railroad Bridge, mile 0.34, and the Delray Connecting Railroad Bridge, mile 0.80. Delray Connecting Railroad Company, the owner and operator of these three bridges, has requested to stop continual drawtender

service and to operate the two bridges only while trains are crossing the bridge, and one bridge upon signal if a 4-hour advance notice is received.

DATES: Comments and related material must reach the Coast Guard on or before December 28, 2020.

ADDRESSES: You may submit comments identified by docket number USCG-2020-0513 using Federal e-Rulemaking Portal at <https://www.regulations.gov>.

See the "Public Participation and Request for Comments" portion of the **SUPPLEMENTARY INFORMATION** section below for instructions on submitting comments.

FOR FURTHER INFORMATION CONTACT: If you have questions on this proposed rule, call or email: Mr. Lee D. Soule, Bridge Management Specialist, Ninth Coast Guard District; telephone 216-902-6085, email Lee.D.Soule@uscg.mil.

SUPPLEMENTARY INFORMATION:**I. Table of Abbreviations**

CFR Code of Federal Regulations
 DHS Department of Homeland Security
 FR Federal Register
 IGLD85 International Great Lakes Datum of 1985
 LWD Low Water Datum based on IGLD85
 OMB Office of Management and Budget
 NPRM Notice of Proposed Rulemaking (Advance, Supplemental)
 § Section
 U.S.C. United States Code

II. Background, Purpose and Legal Basis

The Delray Connecting Railroad requested to reduce drawtender staffing at their three bridges at Zug Island. The National Steel Corporation Railroad Bridge, mile 0.40, the Delray Connecting Railroad Bridge, mile 0.34, and the Delray Connecting Railroad Bridge, mile 0.80, currently open on signal and are required to be manned by a drawtender at each bridge. The reason for the request to stop continual drawtender service is that the primary customer, a steel mill on Zug Island, has been placed into caretaker status, significantly decreasing the rail traffic across these bridges. The operation of the bridges should however remain transparent to the vessels navigating the waterway.

The River Rouge is a commercial waterway that serves several heavy industries near the city of Detroit, MI. The U.S. Army Corps of Engineers in cooperation with the U.S. Environmental Protection Agency are currently improving the width and depth of the Rouge River, where both the swing and the bascule Delray Bridges are located. Originally, the River Rouge navigated two ninety-degree

bends through the area that is referred to as the Old Channel before emptying into the Detroit River. In 1888 the Zug Island Improvement Company cut a channel through the south section of Zug Island locally called the Short Cut Channel creating Zug Island and allowing vessels to bypass the two ninety-degree bends in the Old Channel. This Short Cut Channel is the preferred path for large vessels. Currently the waterway is used by large commercial freighters and several tug and barge vessels. Recreational use of the waterway is very limited. There are twelve bridges across the River Rouge.

The National Steel Corporation Railroad Bridge, mile 0.40, is a single leaf bascule bridge, that provides an unlimited clearance in the open position and a vertical clearance of six feet above LWD in the closed position. The Delray Connecting Railroad Bridge, mile 0.34, is a single leaf bascule bridge, that provides an unlimited clearance in the open position and a vertical clearance of seven feet above LWD in the closed position. The Delray Connecting Railroad Bridge, mile 0.80, is a swing bridge that provides an unlimited clearance in the open position and a vertical clearance of seven feet above LWD in the closed position. All three bridges are owned by the Delray Connecting Railroad who is requesting the change.

III. Discussion of Proposed Rule

The proposed rule will establish the procedures to move the bridge to allow rail traffic to cross the bridge while giving notice to the vessels transiting the waterway that the bridge will be lowering. Ten minutes before the bridge is lowered for train traffic a crewmember from the train will initiate a SECURITE call on VHF-FM Marine Channel 16 that the bridge will be lowering for train traffic and invite any concerned mariners to contact the drawtender on VHF-FM Marine Channel 12. The drawtender will also visually monitor for vessel traffic and listen for the standard bridge opening signal of one prolonged blast and one short blast from vessels already transiting the waterway. After the ten minute warning, one last SECURITE call will be made that the bridge will be lowering for rail traffic five minutes before lowering. Once the drawtender is satisfied that it is safe the bridge will be lowered for rail traffic. Once the rail traffic has cleared the bridge, the bridge will be raised and locked in the fully open to navigation position.

The Delray Connecting Railroad Bridge, mile 0.34, has had limited requests for openings and provides

access to Zug Island for vehicles and rail traffic. The owner of the railroad states the bridge has been operating with advance notice illegally without complaints for several years.

IV. Regulatory Analyses

We developed this proposed rule after considering numerous statutes and Executive Orders related to rulemaking. Below we summarize our analysis based on these statutes and Executive Orders and we discuss First Amendment rights of protestors.

A. Regulatory Planning and Review

Executive Orders 12866 and 13563 direct agencies to assess the costs and benefits of available regulatory alternatives and, if regulation is necessary, to select regulatory approaches that maximize net benefits. Executive Order 13771 directs agencies to control regulatory costs through a budgeting process. This NPRM has not been designated a “significant regulatory action,” under Executive Order 12866. Accordingly, the NPRM has not been reviewed by the Office of Management and Budget (OMB) and pursuant to OMB guidance; it is exempt from the requirements of Executive Order 13771.

This regulatory action determination is based on the ability that vessels can still transit the bridge and the only change is the drawtender will only be in attendance to lower the bridge to allow rail traffic to cross and to raise the bridge after rail traffic has cleared the bridge.

B. Impact on Small Entities

The Regulatory Flexibility Act of 1980 (RFA), 5 U.S.C. 601–612, as amended, requires federal agencies to consider the potential impact of regulations on small entities during rulemaking. The term “small entities” comprises small businesses, not-for-profit organizations that are independently owned and operated and are not dominant in their fields, and governmental jurisdictions with populations of less than 50,000. The Coast Guard certifies under 5 U.S.C. 605(b) that this proposed rule would not have a significant economic impact on a substantial number of small entities. While some owners or operators of vessels intending to transit the bridge may be small entities, for the reasons stated in section IV.A above this proposed rule would not have a significant economic impact on any vessel owner or operator.

If you think that your business, organization, or governmental jurisdiction qualifies as a small entity and that this rule would have a

significant economic impact on it, please submit a comment (see **ADDRESSES**) explaining why you think it qualifies and how and to what degree this rule would economically affect it.

Under section 213(a) of the Small Business Regulatory Enforcement Fairness Act of 1996 (Pub. L. 104–121), we want to assist small entities in understanding this proposed rule. If the rule would affect your small business, organization, or governmental jurisdiction and you have questions concerning its provisions or options for compliance, please contact the person listed in the **FOR FURTHER INFORMATION CONTACT** section. The Coast Guard will not retaliate against small entities that question or complain about this proposed rule or any policy or action of the Coast Guard.

C. Collection of Information

This proposed rule would call for no new collection of information under the Paperwork Reduction Act of 1995 (44 U.S.C. 3501–3520).

D. Federalism and Indian Tribal Governments

A rule has implications for federalism under Executive Order 13132, (Federalism), if it has a substantial direct effect on the States, on the relationship between the national government and the States, or on the distribution of power and responsibilities among the various levels of government. We have analyzed this proposed rule under that Order and have determined that it is consistent with the fundamental federalism principles and preemption requirements described in Executive Order 13132.

Also, this proposed rule does not have tribal implications under Executive Order 13175, (Consultation and Coordination with Indian Tribal Governments) because it would not have a substantial direct effect on one or more Indian tribes, on the relationship between the Federal Government and Indian tribes, or on the distribution of power and responsibilities between the Federal Government and Indian tribes. If you believe this proposed rule has implications for federalism or Indian tribes, please contact the person listed in the **FOR FURTHER INFORMATION CONTACT** section.

E. Unfunded Mandates Reform Act

The Unfunded Mandates Reform Act of 1995 (2 U.S.C. 1531–1538) requires Federal agencies to assess the effects of their discretionary regulatory actions. In particular, the Act addresses actions that may result in the expenditure by a State, local, or tribal government, in the

aggregate, or by the private sector of \$100,000,000 (adjusted for inflation) or more in any one year. Though this proposed rule will not result in such an expenditure, we do discuss the effects of this proposed rule elsewhere in this preamble.

F. Environment

We have analyzed this rule under Department of Homeland Security Management Directive 023–01, Rev. 1, associated implementing instructions, and Environmental Planning Policy COMDTINST 5090.1 (series), which guide the Coast Guard in complying with the National Environmental Policy Act of 1969 (NEPA) (42 U.S.C. 4321–4370f). The Coast Guard has determined that this action is one of a category of actions that do not individually or cumulatively have a significant effect on the human environment. This proposed rule promulgates the operating regulations or procedures for drawbridges. Normally such actions are categorically excluded from further review, under paragraph L49, of Chapter 3, Table 3–1 of the U.S. Coast Guard Environmental Planning Implementation Procedures.

Neither a Record of Environmental Consideration nor a Memorandum for the Record are required for this rule. We seek any comments or information that may lead to the discovery of a significant environmental impact from this proposed rule.

G. Protest Activities

The Coast Guard respects the First Amendment rights of protestors. Protesters are asked to contact the person listed in the **FOR FURTHER INFORMATION CONTACT** section to coordinate protest activities so that your message can be received without jeopardizing the safety or security of people, places, or vessels.

V. Public Participation and Request for Comments

We view public participation as essential to effective rulemaking, and will consider all comments and material received during the comment period. Your comment can help shape the outcome of this rulemaking. If you submit a comment, please include the docket number for this rulemaking, indicate the specific section of this document to which each comment applies, and provide a reason for each suggestion or recommendation.

We encourage you to submit comments through the Federal eRulemaking Portal at <https://www.regulations.gov>. If your material cannot be submitted using <https://>

www.regulations.gov, contact the person in the **FOR FURTHER INFORMATION CONTACT** section of this document for alternate instructions.

We accept anonymous comments. All comments received will be posted without change to <https://www.regulations.gov> and will include any personal information you have provided. For more about privacy and submissions in response to this document, see DHS's Correspondence System of Records notice (84 FR 48645, September 26, 2018).

Documents mentioned in this NPRM as being available in this docket and all public comments, will be in our online docket at <https://www.regulations.gov> and can be viewed by following that website's instructions. Additionally, if you go to the online docket and sign up for email alerts, you will be notified when comments are posted or a final rule is published.

List of Subjects in 33 CFR Part 117

Bridges.

For the reasons discussed in the preamble, the Coast Guard proposes to amend 33 CFR part 117 as follows:

PART 117—DRAWBRIDGE OPERATION REGULATIONS

- 1. The authority citation for part 117 continues to read as follows:

Authority: 33 U.S.C. 499; 33 CFR 1.05–1; DHS Delegation No. 0170.1.

- 2. Revise § 117.645 to read as follows:

§ 117.645 River Rouge

(a) The Delray Connecting Railroad Bridge, mile 0.34, need not have a drawtender in continued attendance at the bridge and shall open on signal if a 4-hour advance notice is provided.

(b) The Delray Connecting Railroad Bridge, mile 0.80, over the Old Channel need not have a drawtender in continued attendance at the bridge. The bridge will remain open ten minutes before the bridge is lowered for train traffic. A crewmember from the train will initiate a SECURITE call on VHF–FM Marine Channel 16 that the bridge will be lowering for train traffic and invite any concerned mariners to contact the drawtender on VHF–FM Marine Channel 12. The drawtender will also visually monitor for vessel traffic and listen for the standard bridge opening signal of one prolonged blast and one short blast from vessels already transiting the waterway. After the ten minute warning, another SECURITE call shall be made on VHF–FM Marine Channel 16 that the bridge will be lowering for rail traffic five minutes before lowering. Once the draw tender

is satisfied that it is safe, the bridge will be lowered for rail traffic. Once the rail traffic has cleared the bridge, the bridge shall be raised and locked in the fully open to navigation position.

(c) The National Steel Corporation Railroad Bridge, mile 0.40, need not have a drawtender in continual attendance at the bridge. Ten minutes before the bridge is lowered for train traffic a crewmember from the train will initiate a SECURITE call on VHF–FM Marine Channel 16 that the bridge will be lowering for train traffic and invite any concerned mariners to contact the drawtender on VHF–FM Marine Channel 12. The drawtender will also visually monitor for vessel traffic and listen for the standard bridge opening signal of one prolonged blast and one short blast from vessels already transiting the waterway. After the ten minute warning, another SECURITE call shall be made on VHF–FM Marine Channel 16 that the bridge will be lowering for rail traffic five minutes before lowering. Once the drawtender is satisfied that it is safe, the bridge will be lowered for rail traffic. Once the rail traffic has cleared the bridge, the bridge shall be raised and locked in the fully open to navigation position.

(d) The draw of the Conrail Bridge, mile 1.48, is remotely operated, is required to operate a radiotelephone, and shall open on signal.

D.L. Cottrell,

Rear Admiral, U.S. Coast Guard, Commander, Ninth Coast Guard District.

[FR Doc. 2020–22993 Filed 10–26–20; 8:45 am]

BILLING CODE 9110–04–P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 52

[EPA–R06–OAR–2016–0611; FRL–10015–44–Region 6]

Air Plan Approval; Texas; Interstate Visibility Transport

AGENCY: Environmental Protection Agency (EPA).

ACTION: Proposed rule.

SUMMARY: Pursuant to the Federal Clean Air Act (CAA or the Act), the Environmental Protection Agency (EPA) is proposing to disapprove elements of two State Implementation Plan (SIP) submissions from the State of Texas for the 2012 PM_{2.5} National Ambient Air Quality Standard (NAAQS) and the 2015 Ozone NAAQS. These submittals address how the existing SIP provides for implementation, maintenance, and

enforcement of the 2012 PM_{2.5} and 2015 Ozone NAAQS (infrastructure SIP or i-SIP). The i-SIP requirements are to ensure that the Texas SIP is adequate to meet the state's responsibilities under the CAA for these NAAQS. Specifically, this proposed disapproval addresses the interstate visibility transport requirements of the i-SIP for the 2012 PM_{2.5} and 2015 Ozone NAAQS under CAA section 110(a)(2)(D)(i)(II). In addition to this proposed disapproval, however, we are proposing to find that the requirements of those i-SIP elements are met through the Federal Implementation Plans (FIPs) in place for the Texas Regional Haze program, and no further federal action is required.

DATES: Comments must be received on or before November 27, 2020.

ADDRESSES: Submit your comments, identified by Docket No. EPA–R06–OAR–2016–0611, at <https://www.regulations.gov> or via email to huser.jennifer@epa.gov. Follow the online instructions for submitting comments. Once submitted, comments cannot be edited or removed from *Regulations.gov*. The EPA may publish any comment received to its public docket. Do not submit electronically any information you consider to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute. Multimedia submissions (audio, video, etc.) must be accompanied by a written comment. The written comment is considered the official comment and should include discussion of all points you wish to make. The EPA will generally not consider comments or comment contents located outside of the primary submission (*i.e.* on the web, cloud, or other file sharing system). For additional submission methods, please contact Jennifer Huser, 214–665–7347, huser.jennifer@epa.gov. For the full EPA public comment policy, information about CBI or multimedia submissions, and general guidance on making effective comments, please visit <https://www.epa.gov/dockets/commenting-epa-dockets>.

Docket: The index to the docket for this action is available electronically at www.regulations.gov. While all documents in the docket are listed in the index, some information may not be publicly available due to docket file size restrictions or content (*e.g.*, CBI).

FOR FURTHER INFORMATION CONTACT: Jennifer Huser, EPA Region 6 Office, Regional Haze and SO₂ Section, 214–665–7347, huser.jennifer@epa.gov. Out of an abundance of caution for members of the public and our staff, the EPA Region 6 office will be closed to the

Sorted by Chart Number

Authorized Winter Hours for Great Lakes Bridges
October 15, 2020 - April 30, 2021

Last Updated: 14 OCT 2020

Chart Number	Port Name	Bridge Name	Mile	Waterway	Start Date	End Date	Advance Notice	Primary Phone Number	Secondary Phone Number	Alternate Phone	Alternate Phone
14815	Rochester	O' Rorke	1.2	Genesee	16-Dec	31-Mar	12-hours	585-753-7750	585-753-7780	585-753-7720	
14832	Black Rock	Ferry Street	2.6	Black Rock	1-Dec	14-Apr	4-hours	716-866-4323			
14832	Black Rock	Canadian Natl	3.8	Black Rock	1-Dec	14-Apr	4-hours	416-580-3320	289-683-6000	905-788-7502	
14833	Buffalo	Michigan Ave	1.3	Buffalo River	16-Dec	21-Mar	04-hours	716-866-4323			
14833	Buffalo	Ohio St	2.1	Buffalo River	16-Dec	21-Mar	04-hours	716-866-4323			
14836	Ashtabula	Fifth Street	0.15	Ashtabula	24-Dec	29-Mar	12-hours	*****	*****	*****	*****
14836	Ashtabula	NS RR	1.4	Ashtabula	30-Nov	1-Apr	24-hours	404-877-9697	404-877-9522		
14839	Cleveland	Center St	1.39	Cuyahoga	24-Dec	11-Mar	12-hours	*****	*****	*****	*****
14839	Cleveland	Columbus	1.93	Cuyahoga	24-Dec	11-Mar	12-hours	*****	*****	*****	*****
14839	Cleveland	West 3rd St	3.69	Cuyahoga	24-Dec	11-Mar	12-hours	*****	*****	*****	*****
14839	Cleveland	Willow Ave	1.02	Cuyahoga Old	24-Dec	11-Mar	12-hours	*****	*****	*****	*****
14841	Lorain	Erie Ave	0.6	Black River	1-Jan	31-Mar	12-hours	VHF-FM 16			
14844	Port Clinton	Monroe St	0.4	Portage River	1-Dec	30-Apr	24-hours	*****	*****	*****	*****
14844	Port Clinton	NS RR	1.5	Portage River	1-Dec	30-Apr	24-hours	419-409-0117	419-373-4483	419-409-0110	419-373-7092
14844	Sandusky	NS RR	3.5	Sandusky	1-Dec	31-Mar	24-hours	419-254-1539	404-877-9668	404-877-9696	
14844	Sandusky	NS RR	3.5	Sandusky	1-Nov	1-Dec	Note 1	419-254-1539	404-877-9668	404-877-9696	
14846	Toledo	CSX RR	1.07	Maumee	21-Dec	31-Dec	04-hours	419-729-4321	419-697-2307		
14846	Toledo	CSX RR	1.07	Maumee	31-Dec	31-Mar	12-hours	419-729-4321	419-697-2307		
14846	Toledo	W&LE	1.8	Maumee	21-Dec	31-Dec	04-hours	330-575-2919	419-283-5764	419-205-5660	
14846	Toledo	W&LE	1.8	Maumee	31-Dec	31-Mar	12-hours	330-575-2919	419-283-5764	419-205-5660	
14846	Toledo	Craig Mem	3.3	Maumee	21-Dec	31-Dec	04-hours	*****	*****	*****	*****
14846	Toledo	Craig Mem	3.3	Maumee	1-Jan	31-Mar	12-hours	*****	*****	*****	*****
14846	Toledo	MLK	4.3	Maumee	21-Dec	31-Dec	04-hours	419-936-3920	419-467-3558	419-467-3556	
14846	Toledo	MLK	4.3	Maumee	1-Jan	31-Mar	12-hours	419-936-3920	419-467-3558	419-467-3556	
14846	Toledo	NS RR	5.76	Maumee	21-Dec	31-Mar	12-hours	419-254-1539	404-877-9668	404-877-9696	
14848	St. Clair	M29	0.1	Pine River	1-Dec	31-Mar	24-hours	810-329-7121	810-329-5710		
14848	Detroit	Grosse Ile Free	5.6	Detroit River	15-Dec	15-Mar	12-hours	734-955-2172	888-762-3273	734-576-9607	
14848	Detroit	Grosse Ile Toll	8.8	Detroit River	15-Dec	15-Mar	12-hours	734-282-2914			
14864	Alpena	2nd Ave	0.3	Thunder Bay	1-Jan	31-Dec	03-hours	989-464-3416			
14865	Port Huron	Canadian Natl	1.56	Black River	1-Nov	30-Apr	12-hours	708-332-3160	312-533-7011	312-533-7011	
14865	Port Huron	Military St	0.3	Black River	1-Nov	30-Apr	12-hours	810-989-4258	810-985-8115		

Please report listing discrepancies to:
Lee Soule, Bridge Management Specialist9th Coast Guard District (dpb)
Cleveland, Ohiolee.d.soule@uscg.mil
216-902-6085

Sorted by Chart Number

Authorized Winter Hours for Great Lakes Bridges
October 15, 2020 - April 30, 2021

Last Updated: 14 OCT 2020

14865	Port Huron	Seventh St	0.5	Black River	1-Nov	30-Apr	12-hours	810-989-4258	810-985-8115	
14865	Port Huron	Tenth St	0.9	Black River	1-Nov	30-Apr	12-hours	810-989-4258	810-985-8115	
14867	Bay City	Lake State RR	3.1	Saginaw	1-Jan	31-Mar	12-hours	989-393-9815	989-387-3941	Emergency: 989-393-2988
14867	Bay City	Cen. Mich. RR	4.94	Saginaw	1-Jan	31-Mar	12-hours	989-529-0949	989-529-0952	989-274-1381
14867	Bay City	Independence	3.88	Saginaw	1-Jan	31-Mar	12-hours	989-450-4975		
14867	Bay City	Liberty	4.99	Saginaw	1-Jan	31-Mar	12-hours	989-450-4975		
14867	Bay City	Veterans Mem	5.6	Saginaw	1-Jan	31-Mar	12-hours	616-558-1040	989-892-8389	989-671-1521
14867	Bay City	Lafayette	6.78	Saginaw	1-Jan	31-Mar	12-hours	616-558-1040	989-892-8389	989-671-1521
14884	SOO	Canadian Natl		SOO LOCKS	Special	Special	Special	906-635-4276	906-630-2203	312-533-7011
14886	Cheboygan	US23	0.9	Cheboygan	15-Dec	31-Mar	12-hours	231-420-1156	231-420-1153	231-238-7775
14906	South Haven	Dyckman Ave	1.9	Black River	15-Oct	30-Apr	12-hours	269-637-0737	269-637-5151	
14916	Gills Landing	Canadian Natl	27.8	Wolf River	15-Oct	15-Apr	12-hours	708-332-3893	312-533-7011	
14916	Menasha	HWY Bridges	xx	Fox River	8-Oct	26-Apr	12-hours	920-209-9564		
14916	Oshkosh	Canadian Natl	55.72	Fox River	8-Oct	26-Apr	12-hours	708-332-3893	708-332-3160	312-533-7011
14916	Oshkosh	HWY Bridges	xx	Fox River	8-Oct	26-Apr	12-hours	920-420-2146		
14917	Marinette	Ogden-First	0.4	Menominee	1-Nov	30-Apr	12-hours	715-923-0999		
14918	Green Bay	Canadian Natl	1.03	Fox River	1-Dec	31-Mar	12-hours	708-332-3160	920-379-8619	312-533-7011
14918	Green Bay	Main Street	1.58	Fox River	1-Dec	31-Mar	12-hours	920-448-3322	920-655-0339	920-764-2964
14918	Green Bay	Walnut Street	1.81	Fox River	1-Dec	31-Mar	12-hours	920-448-3321	920-655-0339	920-764-2964
14918	Green Bay	Tillman Mem.	2.27	Fox River	1-Dec	31-Mar	12-hours	920-448-3320	920-655-0339	920-764-2964
14918	Green Bay	Canadian Natl	3.31	Fox River	1-Dec	31-Mar	12-hours	708-332-3160	920-379-8619	312-533-7011
14919	Sturgeon Bay	Bayview 42/57	3	Sturgeon Bay	1-Dec	14-Mar	12-hours	920-746-0187		
14919	Sturgeon Bay	Maple-Oregon	4.17	Sturgeon Bay	1-Jan	14-Mar	12-hours	920-746-0187		
14919	Sturgeon Bay	Michigan St.	4.3	Sturgeon Bay	1-Jan	14-Mar	12-hours	920-746-0187		
14922	Manitowoc	Eighth Street	0.29	Manitowoc	1-Nov	31-Mar	12-hours	920-686-6550	920-683-4470	
14922	Manitowoc	Tenth Street	0.43	Manitowoc	1-Nov	31-Mar	12-hours	920-686-6550	920-683-4470	
14922	Sheboygan	Eighth Street	0.69	Sheboygan	1-Nov	30-Apr	12-hours	920-207-9742		
14924	Milwaukee	All City Owned	1.28	Milwaukee	19-Nov	15-Apr	12-Hours	VHF-FM 16	414-286-2575	
14924	Milwaukee	Canadian Pac	1.05	Menominee	19-Nov	16-Apr	12-Hours	414-389-3772	414-278-1385	
14924	Milwaukee	Canadian Pac	1.67	Kinnickinnic	19-Nov	16-Apr	12-Hours	414-389-3772	414-278-1385	
14924	Milwaukee	All City Owned	1.08	Menominee	19-Nov	16-Apr	12-Hours	VHF-FM 16	414-286-2575	
14924	Milwaukee	All City Owned	1.96	Burnham	19-Nov	16-Apr	12-Hours	VHF-FM 16	414-286-2575	
14924	Milwaukee	All City Owned	1.67	Kinnickinnic	25-Nov	16-Apr	12-Hours	VHF-FM 16	414-286-2575	
14925	Racine	Main & State	.31/.53	Root River	1-Dec	1-Apr	2-Hours	262-886-2300		

Please report listing discrepancies to:
Lee Soule, Bridge Management Specialist

9th Coast Guard District (dpb)
Cleveland, Ohio

lee.d.soule@uscg.mil
216-902-6085

Sorted by Chart Number

Authorized Winter Hours for Great Lakes Bridges
October 15, 2020 - April 30, 2021

Last Updated: 14 OCT 2020

14926	Michigan City	Franklin St	0.5	Trail Creek	1-Dec	15-Mar	12-hours	219-362-2051	219-608-9743	219-851-7064	
14926	Michigan City	Amtrak RR	0.9	Trail Creek	1-Dec	15-Mar	12-hours	269-208-0659+	269-687-2205+	312-656-9111	269-687-2201
14927	Chicago	All City Owned		Chicago	1-Dec	31-Mar	48-hours*	312-744-4200	312-747-2470	312-744-4280	
14929	Indiana Harbor	Indianapolis	2.59	Ind Hbr C.	15-Nov	1-Apr	12-hours	219-851-1141	219-851-3944	219-851-3110	219-379-7292
14929	Indiana Harbor	Indianapolis	2.59	Ind Hbr C.	15-Nov	1-Apr	12-hours	219-344-0871			
14930	St. Joe	CSX RR	0.67	St. Joe	16-Dec	28-Feb	12-hours	616-246-5600	616-246-5658		
14930	St. Joe	Blossomland	0.9	St. Joe	16-Dec	28-Feb	12-hours	SEE LNM	SEE LNM		
14930	St. Joe	Bicentennial	1.3	St. Joe	16-Dec	28-Feb	12-hours	SEE LNM	SEE LNM		
14933	Grand Haven	CSX RR	2.8	Grand River	2-Dec	15-Mar	12-hours	231-830-7706	616-293-0564		
14933	Grand Haven	US 31	2.9	Grand River	15-Dec	15-Mar	12-hours	SEE LNM	SEE LNM		
14938	Manistee	Maple St	1.1	Manistee	1-Nov	30-Apr	24-hours	231-723-6241			
14938	Manistee	US 31	1.4	Manistee	1-Nov	30-Apr	24-hours	231-723-6241			
14938	Manistee	CSX RR	1.5	Manistee	1-Nov	30-Apr	24-hours	231-723-6241	616-293-0564		
14942	Charlevoix	US 31	0.3	Pine River	1-Jan	31-Mar	12-hours	231-499-8961	231-357-2377		
14972	Keweenaw	US 41	16	Keweenaw	14-Dec	14-Apr	12-hours	906-482-7552			
14975	Duluth	Aerial	0.25	Ship Canal	1-Jan	15-Mar	12-hours	218-723-3387	218-343-0395		
14975	Duluth	BNSF\Grassy PT	5.44	St. Louis	15-Dec	15-Mar	12-hours	715-394-1259	715-394-1257		
14998	Rainer	Canadian Natl	85	Rainy River	16-Oct	30-Apr	12-hours	708-332-3160	218-591-4868	312-533-7011	

***** Hours not requested
 Note 1 0800-1600 Open On Signal
 Note 2 0700-2300 Open On Signal
 * 12-Hours Commercial
 + Number Ends 1-Jan
 Special See Lock Schedule
 See LNM Maintenance Scheduled

Please report listing discrepancies to:
Lee Soule, Bridge Management Specialist

9th Coast Guard District (dpb)
Cleveland, Ohio

lee.d.soule@uscg.mil
216-902-6085