



U.S. Department  
of Homeland Security  
**United States  
Coast Guard**

**LOCAL NOTICE TO MARINERS**

**District: 11**

**Week: 01/20**

CORRESPONDENCE TO:  
COMMANDER  
DISTRICT ELEVEN (DPW)  
COAST GUARD ISLAND BUILDING 50-2  
ALAMEDA, CA 94501-5100

REFERENCES: COMDTPUB P16502.6, Light List Volume VI, 2017 Edition, U.S. Chart No.1 12th Edition, and Coast Pilot Volume 7 49th Edition. These publications, along with corrections, are available at: <https://nauticalcharts.noaa.gov/>

BROADCAST NOTICE TO MARINERS - Information concerning aids to navigation and waterway management promulgated through BNM HB-0002-19, SF-0003-20, LA-0001-20, and SD-0001-20 have been incorporated in this notice, or will continue if still significant.

**ABBREVIATIONS**

**A through H**

ADRIFT - Buoy Adrift  
AICW - Atlantic Intracoastal Waterway  
Al - Alternating  
B - Buoy  
BKW - Breakwater  
bl - Blast  
BNM - Broadcast Notice to Mariner  
bu - Blue  
C - Canadian  
CHAN - Channel  
CGD - Coast Guard District  
C/O - Cut Off  
CONT - Contour  
CRK - Creek  
CONST - Construction  
DAYMK/Daymk - Daymark  
DBN/Dbn - Daybeacon  
DBD/DAYBD - Dayboard  
DEFAC - Defaced  
DEST - Destroyed  
DISCON - Discontinued  
DMGD/DAMGD - Damaged  
ec - eclipse  
EST - Established Aid  
ev - every  
EVAL - Evaluation  
EXT - Extinguished  
F - Fixed  
fl - flash  
FI - Flashing  
G - Green  
GIWW - Gulf Intracoastal Waterway  
HAZ - Hazard to Navigation  
HBR - Harbor  
HOR - Horizontal Clearance  
HT - Height

**I through O**

I - Interrupted  
ICW - Intracoastal Waterway  
IMCH - Improper Characteristic  
INL - Inlet  
INOP - Not Operating  
INT - Intensity  
ISL - Islet  
Iso - Isophase  
kHz - Kilohertz  
LAT - Latitude  
LB - Lighted Buoy  
LBB - Lighted Bell Buoy  
LHB - Lighted Horn Buoy  
LGB - Lighted Gong Buoy  
LONG - Longitude  
LNM - Local Notice to Mariners  
LT - Light  
LT CONT - Light Continuous  
LTR - Letter  
LWB - Lighted Whistle Buoy  
LWP - Left Watching Properly  
MHz - Megahertz  
MISS/MSNG - Missing  
Mo - Morse Code  
MRASS - Marine Radio Activated Sound Signal  
MSLD - Misleading  
N/C - Not Charted  
NGA - National Geospatial-Intelligence Agency  
NO/NUM - Number  
NOS - National Ocean Service  
NW - Notice Writer  
OBSCU - Obscured  
OBST - Obstruction  
OBSTR - Obstruction  
Oc - Occulting  
ODAS - Anchored Oceanographic Data Buoy

**P through Z**

PRIV - Private Aid  
Q - Quick  
R - Red  
RACON - Radar Transponder Beacon  
Ra ref - Radar reflector  
RBN - Radio Beacon  
REBUILT - Aid Rebuilt  
RECOVERED - Aid Recovered  
RED - Red Buoy  
REFL - Reflective  
RRL - Range Rear Light  
RELIGHTED - Aid Relit  
RELOC - Relocated  
RESET ON STATION - Aid Reset on Station  
RFL - Range Front Light  
RIV - River  
RRASS - Remote Radio Activated Sound Signal  
s - seconds  
SEC - Section  
SHL - Shoaling  
si - silent  
SIG - Signal  
SND - Sound  
SPM - Single Point Mooring Buoy  
SS - Sound Signal  
STA - Station  
STRUCT - Structure  
St M - Statute Mile  
TEMP - Temporary Aid Change  
TMK - Topmark  
TRLB - Temporarily Replaced by Lighted Buoy  
TRLT - Temporarily Replaced by Light  
TRUB - Temporarily Replaced by Unlighted Buoy  
USACE - Army Corps of Engineers  
W - White  
Y - Yellow

Additional Abbreviations Specific to this LNM Edition: None

---

---

## SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

---

### SUBMITTING INFORMATION FOR PUBLICATION IN THE LOCAL NOTICE TO MARINERS

A complete set of guidelines with examples and contact information can be found at <http://www.pacificarea.uscg.mil/Our-Organization/District-11/Prevention-Division/LnmRequest/> or call D11 Waterways Management Branch at 510-437-2980 or e-mail D11LNM@uscg.mil. Please provide all Local Notice to Mariners submissions 14 days prior to the start of operations.

### BRIDGE INFORMATION- PROJECTS, DISCREPANCIES, CORRECTIONS & REGULATORY

For all bridge related issues, including lighting, operation, obstructions, construction, demolition, etc. contact the Eleventh Coast Guard District Bridge Administrator 24 hour cell phone at 510-219-4366. Flotsam may accumulate on and near bridge piers and abutments. Mariners should approach all bridges with caution. A vessel delay at a drawbridge may be reported to the District Bridge Administrator by telephone, or by using the Delay\_Report\_11-2017.pdf included in the Enclosures section of this Local Notice to Mariners.

### BRIDGE INFORMATION-COMMUNICATIONS PROTOCOL-BENICIA/MARTINEZ UPRR BRIDGE- CARQUINEZ STRAIT

All mariners requiring a bridge lift at the Benicia-Martinez Union Pacific Railroad Bridge, mile 7.0, over the Carquinez Strait, California, should follow the protocol in the document entitled "Coordination of Communications for Union Pacific Railroad Lift Operations." Mariners can download a copy of the document by selecting the link BENICIA-MARTINEZ RR BRIDGE under the QUICK LINKS section at <https://www.pacificarea.uscg.mil/vtssf>.

### CAUTION TO BE USED IN RELIANCE UPON AIDS TO NAVIGATION

The aids to navigation depicted on charts comprise a system of fixed and floating aids to navigation with varying degrees of reliability. Prudent mariners will not rely solely on any single aid to navigation, particularly a floating aid to navigation. With respect to buoys, the buoy symbol is used to indicate the approximate position of the buoy body and the sinker which secures the buoy to the seabed. The approximate position is used because of the practical limitations in positioning and maintaining buoys and their sinkers in precise geographical locations. These limitations include, but are not limited to, inherent imprecision in position fixing methods, prevailing atmospheric and sea conditions, slope of and the material making up the seabed, the fact that buoys are moored to sinkers by varying length of chain, and the fact that the buoy body and/or sinker positions are not under continuous surveillance, but are normally checked only during periodic maintenance visits which often occur more than a year apart. Due to the forces of nature, the position of the buoy body can be expected to shift inside and outside the charted symbol. The mariner is also cautioned that buoys may be extinguished or sound signals may not function as the result of natural causes, collisions, or other accidents. For the foregoing reasons, a prudent mariner must not rely completely upon the position or operation of floating aids to navigation, but will also utilize bearings from fixed objects and aids to navigation on shore. Furthermore, a vessel attempting to pass close aboard always risks collision with a yawing buoy or with the obstruction that the buoy marks.

### MARINE SAFETY INFORMATION BULLETIN

Mariners directing the movement of large ships in or near the offshore approaches to San Francisco Bay have indicated to the Coast Guard that the high-intensity "work-lights" on decks used by commercial fishing vessels prevent vessel operators from seeing the commercial fishing vessels' navigation lights at night and in low-visibility conditions.

A clear and present threat to navigation safety exists when one vessel cannot see the navigation lights of another vessel. If navigation lights are obscured, the aspect of the latter vessel cannot be determined making it extremely difficult for both vessels to successfully execute the nautical rules of the road. International Navigation Rule 20 states that no other lights that may impair the visibility of the lights specified in the Rules shall be displayed from sunset to sunrise and during periods of low visibility. Vessels found to be in violation of Rule 20 may be subject to a potential \$6,500 fine.

All vessels operating near the San Francisco Bay inbound or outbound off-shore traffic lanes are strongly encouraged to comply with the Navigation Rules as they pertain to navigation lights. Vessels are also encouraged to maintain an active listening watch on VHF-FM Chan. 13 and 16, when the intentions of another vessel are unclear, communicate to make arrangements to reduce the risk of collision.

Chart 18649

LNM: 45/16

### NORTHERN CALIFORNIA-HUMBOLDT BAY-SEASONAL AID DISCONTINUANCE

Humboldt Bay Lighted Bell Buoy 2 (LLNR 8135) will be temporarily discontinued for the 2019-2020 winter season until May 2020. The buoy is scheduled for re-establishment and back on-station station May 2020. A Synthetic AIS for the aid position is active and will be available year-round for this aid position. For more details or comments contact LT Ruth Sadowitz at 510-437-3801 or [ruth.a.sadowitz@uscg.mil](mailto:ruth.a.sadowitz@uscg.mil).

Charts: 18620 18622

LNM: 42/19

### NORTHERN CALIFORNIA-SAN FRANCISCO-AIS IMPROPER TRANSMISSION

LWB2 in San Francisco Main Ship Channel (LLNR 4165) located at 37-45-48N 122-37-44W is transmitting an improper signal. Mariners are requested to transit the area with caution. For more details or comments contact LT Ruth Sadowitz at 510-437-3801 or

**NORTHERN CALIFORNIA-SAN FRANCISCO-MILE ROCKS LIGHT-REDUCED NOMINAL RANGE**

Mile Rocks Light (LLNR 365) will have a temporarily reduced intensity of 5nm until further notice. Mariners are requested to transit the area with caution. For more details or comments contact LT Sadowitz at 510-437-3801.

Charts: 18007 18010 18020 18022 18640 18645 18649 18680

LNM: 16/19

**SECTION II - DISCREPANCIES**

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

**DISCREPANCIES (FEDERAL AIDS)**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
1	Dart Tsunami Warning Lighted Buoy Station 46412	ADRIFT	18022	SD-0039-18	52/16	
5	Point Loma Light	REDUCED INT	18773	SD-0100-17	36/17	
<b>10</b>	<b>San Diego Bay Approach Lighted Whistle Buoy SD</b>	<b>LT IMCH</b>	<b>18772</b>	<b>SD-0001-20</b>	<b>01/20</b>	
365	Mile Rocks Light	REDUCED INT	18649	SF-0251-17	49/17	
370	Point Bonita Light	LT EXT	18649	SF-0133-19	50/19	
380	Noonday Rock Lighted Bell Buoy 28	MISSING	18645	SF-0161-18	44/18	
562	NOAA Environmental Lighted Buoy 46027	MISSING	18603	HB-0008-19	17/19	
<b>1485</b>	<b>San Diego Bay Approach Lighted Whistle Buoy SD</b>	<b>LT IMCH</b>	<b>18772</b>	<b>SD-0001-20</b>	<b>01/20</b>	
2295	Oceanside Breakwater Light 1	DAYMK MISSING	18758	SD-0020-19	16/19	
2470	Newport Bay Channel Light 11	STRUCT DEST/TRLB	18754	LA-0176-15	50/15	
2641	Isthmus Cove Harbor Reefs Light	STRUCT DEST/TRLB	18757	LA-0094-18	29/18	
2670	Santa Catalina Island West End Light	LT EXT	18757	LA-0113-19	34/19	
2826	Anaheim Bay Channel Light 11	STRUCT DEST/TRLB	18749	LA-0143-19	41/19	
3595	Port Hueneme Entrance Lighted Whistle Buoy PH	MISSING	18724	LA-0042-19	14/19	
3877	Morro Bay Rough Bar Warning Light	STRUCT DEST	18703	LA-0185-19	49/19	
4220	Point Bonita Light	LT EXT	18649	SF-0133-19	50/19	
4245	Mile Rocks Light	REDUCED INT	18649	SF-0251-17	49/17	
4645	Oakland Outer Harbor Light 7	STRUCT DMGD/TRLB	18650	SF-0089-18	23/18	
4650	Oakland Outer Harbor Light 9	STRUCT DEST/TRLB	18650	SF-0058-18	26/18	
5180	Redwood Creek Entrance Light 2	STRUCT DEST/TRLB	18651	SF-0153-15	34/15	
5215	Redwood Creek Light 10	LT EXT	18651	SF-0139-19	53/19	
5240	Redwood Creek Light 13	STRUCT DMGD/TRLB	18651	SF-0201-17	41/17	
5250	Redwood Creek Light 16	STRUCT DMGD/TRLB	18651	SF-0109-19	43/19	
5775	Castro Rocks Lighted Buoy 2CR	LT EXT	18649	SF-0103-19	41/19	
5915	San Pablo Bay Channel Lighted Buoy 10	SINKING	18654	SF-0110-19	44/19	
6165	Napa River Light 8	STRUCT DEST/TRLB	18654	SF-0123-14	34/14	
6195	Napa River Light 15	DAYMK MISSING	18654	SF-0036-17	05/17	
<b>6196</b>	<b>Napa River Wreck Lighted Buoy WR16</b>	<b>OFF STA</b>	<b>18654</b>	<b>SD-0002-19</b>	<b>01/20</b>	
6575	Suisun Bay Channel Light 27	LT IMCH	18656	SF-0108-19	43/19	
6785	San Joaquin River Light 30	STRUCT DEST/TRLB	18660	SF-0018-19	05/19	
6913	Stockton Channel Light 1	STRUCT DMGD	18660	SF-0072-19	23/19	
<b>6965</b>	<b>Stockton Channel Range C Front Light</b>	<b>LT EXT</b>	<b>18660</b>	<b>SF-0003-19</b>	<b>01/20</b>	

7170	Sacramento River Deep Water Ship Channel Light 1	STRUCT DEST/TRLB	18659	SF-0078-19	25/19
7240	Sacramento River Deep Water Ship Channel Light 16	STRUCT DEST/TRLB	18660	SF-0127-18	34/18
7415	Sacramento River Deep Water Ship Channel Light 50	STRUCT DMGD/TRLB	18661	SF-0143-17	25/17
<b>7740</b>	<b>Sacramento River Light 12</b>	<b>LT EXT</b>	<b>18662</b>	<b>SF-0001-20</b>	<b>01/20</b>
7780	Bodega Harbor Channel Light 2	STRUCT DMGD	18643	SF-0184-17	34/17
7795	Bodega Bay Harbor Light 4	STRUCT DEST/TRLB	18643	SF-0193-18	52/18
7865	Bodega Harbor Channel Daybeacon 18	STRUCT DMGD/TRUB	18643	SF-0256-17	50/17
7885	Bodega Harbor Channel Daybeacon 22	STRUCT DEST/TRUB	18643	SF-0069-12	01/13
7954	Bodega Harbor Channel Daybeacon 35	STRUCT DEST/TRUB	18643	SF-0001-19	02/19
7990	Bodega Harbor Channel Daybeacon 44	STRUCT DEST/TRUB	18643	SF-0230-15	50/15
8085	Noyo River Entrance Lighted Bell Buoy 2	LT EXT	18626	HB-0025-19	53/19
<b>8170</b>	<b>Humboldt Bay Entrance Range Rear Light</b>	<b>LT EXT</b>	<b>18622</b>	<b>HB-0002-20</b>	<b>01/20</b>
8386	Crescent City Harbor Light 9	STRUCT DMGD/TRLB	18603	HB-0002-18	05/18

**DISCREPANCIES (FEDERAL AIDS) CORRECTED**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
3970	Monterey Harbor Light 6	WATCHING PROPERLY	18685	SF-0134-19	51/19	01/20
6925	Stockton Channel Light 4	WATCHING PROPERLY	18660	SF-0142-19	53/19	01/20
6940	Stockton Channel Light 8	WATCHING PROPERLY	18660	SF-0143-19	53/19	01/20
7120	Stockton Channel Range J Front Light	WATCHING PROPERLY	18663	SF-0140-19	53/19	01/20
7125	Stockton Channel Range J Rear Light	WATCHING PROPERLY	18663	SF-0141-19	53/19	01/20
8105	Noyo River Directional Light	WATCHING PROPERLY	18626	HB-0001-20	01/20	01/20

**DISCREPANCIES (PRIVATE AIDS)**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
20	Ocean Beach Pier Fog Sound Signal	SS INOP	18765	SD-0002-19	05/19	
158	Scripps Waverider Lighted Research Buoy 092	OFF STA	18746		45/18	
1765	Harbor Island East Basin Channel Buoy 2	OFF STA	18773	SD-0028-19	19/19	
1790	Harbor Island East Basin Channel Buoy 10	OFF STA	18773	SD-0044-19	27/19	
1900	Glorietta Bay Channel Lighted Buoy 8	LT IMCH	18773		50/18	
2065	Coronado Cays Channel Light 2	LT EXT	18773	SD-0047-19	29/19	
2070	Coronado Cays Channel Daybeacon 3	STRUCT DEST	18773	SD-0098-17	36/17	
3339.2	REDONDO HARBOR LIGHT	LT EXT	18744	LA-0181-18	52/18	
4402	Richardson Bay Daybeacon 9	STRUCT DMGD	18649	SF-0086-18	23/18	
4826	Bay Farm Island Light 1	LT EXT	18650	SF-0014-19	05/19	
4826.15	Bay Farm Island Light 3	LT EXT	18650	SF-0014-19	04/19	
5661	Southampton Shoal Outfall Lighted Buoy 1	LT EXT/RAC INOP	18653	SF-0026-19	07/19	
5661	Southampton Shoal Outfall Lighted Buoy 1	RAC INOP	18653	SF-0116-19	44/19	
5877.2	San Rafael Rock Quarry Mooring Buoy C	MISSING	18653		36/18	
6623	New York Slough Koch West Light	LT IMCH	18659		39/18	
6624	New York Slough Koch East Light	LT EXT	18659		39/18	
6645.5	Delta Diablo Outfall Lighted Buoy	BUOY DMGD	18659		39/18	

**DISCREPANCIES (PRIVATE AIDS) CORRECTED**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

**PLATFORM DISCREPANCIES**

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

**PLATFORM DISCREPANCIES CORRECTED**

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

---

**SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED**

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

**TEMPORARY CHANGES**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
None						

**TEMPORARY CHANGES CORRECTED**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
None						

**PLATFORM TEMPORARY CHANGES**

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

**PLATFORM TEMPORARY CHANGES CORRECTED**

Name	Status	Position	BNM Ref.	LNM St	LNM End
None					

---

**SECTION IV - CHART CORRECTIONS**

None

---

**SECTION V - ADVANCE NOTICES**

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

<u>Approved Project(s)</u>	<u>Project Date</u>	<u>Ref. LNM</u>
None		

Advance Notice(s)

**SAN FRANCISCO BAY - RANGE UPGRADE**

The U.S. Coast Guard is increasing the brightness of Oakland Outer Harbor Range B Front Light (LLNR 4610), Oakland Outer Harbor Range A Front Light (LLNR 4620), and Oakland Outer Harbor Centerline Range Front Light (LLNR 4617) due to the background lighting of the Oakland Stadium.

For more details or comments contact LT Ruth Sadowitz, 510-437-3801 or ruth.a.sadowitz@uscg.mil.

Chart 18650

LNM: 46/19

---

---

## SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

---

### PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

<u>Proposed Project(s)</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
----------------------------	----------------	-------------------	-----------------

None

#### Proposed Change Notice(s)

##### **NORTHERN CALIFORNIA-POINT EDITH-LIGHT CONFIGURATION**

The U.S. Coast Guard is proposing to upgrade and reconfigure the lighting system on Point Edith Crossing Range Front and Rear Lights (LLNR 6433/6434) from an all around white light to a directional LED range light.

For more details or comments contact LT Ruth Sadowitz, 510-437-3801 or ruth.a.sadowitz@uscg.mil.

Charts: 18656 18658

LNM: 51/19

##### **SOUTHERN CALIFORNIA-NEWPORT BAY CHANNEL-AID CONVERSION**

The U. S. Coast Guard is proposing to make the temporary buoy for Newport Bay Channel Light 11 (LLNR 2470) a permanent buoy.

For more details or comments contact LT Ruth Sadowitz, 510-437-3801 or ruth.a.sadowitz@uscg.mil.

Chart 18754

LNM: 46/19

---

---

## SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

---

##### **ARIZONA-BULLHEAD CITY-COLORADO RIVER-DAVIS DAM**

A rocky shoal has been reported below the Davis Dam in position 35-11-34N 114-34-16W where depths are reported between 5' to less than 1' depending upon the outflow from the dam. Recreational vessels have been seen running aground after making contact with the rocks as there are no signs or buoys marking the area. Mariners are requested to transit the area with caution. For more details or comments contact USCG Sector San Diego at 619-278-7073.

LNM: 16/18

##### **NORTHERN CALIFORNIA-CARQUINEZ STRAIT-BRIDGE**

I-680 (Northbound & Southbound) HIGHWAY BRIDGES- NOAA will conduct maintenance of fish monitoring receivers at various piers of the two bridges from 1000-1700 on 14 Jan 20, and if necessary, from 0830-1700 on 15 Jan 20, utilizing a 23' aluminum workboat R/V RESEARCH F2220. R/V RESEARCH will be monitoring VHF-FM Chan. 16 and cell phone 415-632-8544. Mariners are requested to exercise caution when transiting through the work site.

Chart 18657

LNM: 01/20

##### **NORTHERN CALIFORNIA-CORDELL BANK-SURVEY OPERATIONS**

NOAA has deployed two research moorings in the following positions:

38-03-03N 123-27-24W

34-03-24N 123-29-09W

These are orange mooring buoys that have a flat surface float, flagpole, flag, and radar reflector. R/V MUSSEL POINT will be monitoring VHF-FM Chan. 16. Mariners are requested to transit the area with caution. For more details or comments contact Danielle Lipski at 415-464-5264.

Charts: 18010 18645

LNM: 52/18

##### **NORTHERN CALIFORNIA-CORTE MADERA CREEK-BRIDGE**

BON AIR RD BRIDGE REPLACEMENT-Construction of the replacement bridge is in progress. A temporary work trestle spans the channel and provides 20' of horizontal clearance, pile to pile, and 3' of vertical clearance from mean high water to the lowest hittable portion of the trestle (see BonAirRd\_Trestle.pdf at the end of this notice for navigation channel location). Four cofferdams have been placed within the creek to facilitate construction of the replacement bridge piers. Work will be conducted Monday through Saturday from 0700-1800. Mariners are requested to transit the area with caution. For conditions at the construction site, mariners can contact the contractor at 925-953-4610/916-919-2428 or the city at 415-259-7050. For more details or comments contact the Coast Guard Bridge Office at 510-437-3516.

Chart 18649

LNM: 41/18

##### **NORTHERN CALIFORNIA-DELTA & RIVERS-MIDDLE RIVER-BRIDGE**

NEW WOODWARD ISLAND BRIDGE CONSTRUCTION-The new bridge completely spans the waterway and provides approximately 25' of vertical clearance at mean high water and 80' of horizontal clearance between piers 4 and 5, the main navigation span. Exact navigational clearances will be provided to the Coast Guard once the bridge owner completes construction and the navigation span surveyed. The 80' wide navigational channel, marked by lighted channel buoys, is still in place, available for vessel passage. (See WoodwardConstruction\_Lighting.pdf at the end of this notice for the construction lighting configuration). Installation of dolphin piles for pier protection and removal of the existing ferry docks is the

**NORTHERN CALIFORNIA-DELTA & RIVERS-MIDDLE RIVER-BRIDGE**

only work remaining. Work is being conducted Monday through Saturday, 0700-2000. One spudded 45' x 200' material barge, one spudded 60' x 160' 230-ton crawler crane barge, the LINDA T work boat and several skiffs will be moored at various locations during the remainder of the work. The crane barge and LINDA T will be monitoring VHF-FM Chan. 09, 16 and 80A and can be moved for navigational safety if 4.5 hours notification is given to the contractor. After the workday, the barges will be left on-site. The upstream and downstream corners of each barge will be lighted at night with steady burning red lights. For more details or comments contact the contractor at 415-686-3938 or the Coast Guard Bridge Office at 510-437-3516.

Chart 18661

LNM: 41/19

**NORTHERN CALIFORNIA-DELTA & RIVERS-SACRAMENTO RIVER-BRIDGE**

RIO VISTA DRAWBRIDGE-A temporary change in the drawspan operation schedule will be in place until 10 Jan 20. Separate temporary operating schedules for Commercial and Recreational vessels are as follows. The proposed temporary operating schedule changes are as follows:

For "COMMERCIAL VESSELS" the draw shall open on signal from midnight on Monday through 0700 on Saturday if at least a 4-hour notification is given to the bridge tender. The draw shall open on signal from 0700 on Saturday through 2359 on Sunday when notice is given to the bridge tender.

For "RECREATIONAL VESSELS", Monday through Friday, 0700 to 1530, the draw need not open for the passage of recreational vessels except between 1100 and noon when the draw shall open on signal when notice is given to the bridge tender. The draw shall open on signal, Monday through Friday, 1530 to 0700 the following morning, if at least a 4-hour notification is given to the bridge tender. The draw shall open on signal from 0700 on Saturday though 2359 on Sunday when notice is given to the bridge tender.

For conditions at the bridge, mariners can contact Caltrans at 925-323-8186 or the contractor at 707-688-2738 or the Bridge Operator at 707-374-2134. For more details or comments contact the Coast Guard Bridge Office at 510-437-3461.

Chart 18661

LNM: 51/19

**NORTHERN CALIFORNIA-DELTA & RIVERS-SACRAMENTO RIVER-BRIDGE**

"I" STREET RAILROAD/HIGHWAY BRIDGE-The downstream swing span pier protection red light is extinguished. The swing span alternate red/green lights are showing both colors in closed position. Estimated time of repair is unknown. For more details or comments contact the Coast Guard Bridge Office at 510-437-3516.

Chart 18662

LNM: 11/19

**NORTHERN CALIFORNIA-DELTA & RIVERS-SACRAMENTO RIVER-BRIDGE**

RIO VISTA DRAWBRIDGE- A temporary change in the drawspan operation schedule will be in place from 11 Jan 20 through 19 Mar 20. During this period, the drawspan shall open with 2-hour notification is given to the drawtender from 0701 on Monday until 0700 on Saturday. During weekends, from 0701 Saturday until 0700 Monday, the drawspan shall open on signal when notice is given to the drawtender. For more details or comments, contact the Coast Guard Bridge Office at 510-437-3461.

Chart 18661

LNM: 01/20

**NORTHERN CALIFORNIA-DELTA & RIVERS-SACRAMENTO RIVER-BRIDGE**

ELKHORN FERRY (I-5) BRIDGE-The upstream clearance gauge is missing. Debris is built up against the northwest dolphin. Estimated time to resolve discrepancies is unknown. For more details or comments contact the Coast Guard Bridge Office at 510-437-3514.

Chart 18664

LNM: 13/19

**NORTHERN CALIFORNIA-DELTA & RIVERS-SAN JOAQUIN RIVER-BRIDGE**

REPLACEMENT NAVY DR BRIDGE-Construction of the replacement bridge is complete. The replacement bridge provides 18 ft of vertical clearance at mean high water and 80 ft of horizontal clearance in the middle navigation span. For more details or comments contact the Coast Guard Bridge Office at 510-437-3516.

Chart 18661

LNM: 01/20

**NORTHERN CALIFORNIA-DELTA & RIVERS-THREE MILE SLOUGH-BRIDGE**

THREE MILE SLOUGH DRAWBRIDGE-The drawspan is secured in the closed-to-navigation position due to operational failure. Estimated time of repair unknown. The bridge provides 12' of vertical navigational clearance at mean high water when closed. Vessels able to transit the bridge while closed can continue to do so at any time. For more details or comments contact the Coast Guard Bridge at 510-437-3516.

Chart 18661

LNM: 39/19

**NORTHERN CALIFORNIA-HUMBOLDT BAY-HAZARDOUS CONDITIONS**

Humboldt Bay entrance is observing a reduced deep draft limit to 34' based on a +6' tide until maintenance dredging can be performed. Hazardous conditions with breaking surf and heavy shoaling have been observed in the vicinity of Humboldt Bay Lighted Buoy 9 (LLNR8195). Mariners are requested to transit the area with caution and contact U. S. Coast Guard Sector Humboldt Bay on VHF-FM Chan. 16 for assistance. For more details or comments contact U.S. Coast Guard Sector Humboldt Bay at 707-839-6113.

Chart 18622

LNM: 50/18

**NORTHERN CALIFORNIA-MIDDLE RIVER-POTENTIAL OBSTRUCTION TO NAVIGATION**

There is a potential obstruction to navigation in the Middle River at the entrance to Empire Cut at 37-58-18N 121-31-18W. The obstruction is a partially submerged metal pipe. Mariners are requested to transit the area with caution. For more details or comments contact LT Emily Rowan at 415-399-7443.

**NORTHERN CALIFORNIA-MIDDLE RIVER-POTENTIAL OBSTRUCTION TO NAVIGATION**

Chart 18661

LNM: 46/19

**NORTHERN CALIFORNIA-MOSS LANDING-DREDGE OPERATIONS**

Pacific Dredge Company is conducting dredge operations at Moss Landing Harbor in Moss Landing, CA until 15 Jan 20. A 12" dredge pipeline will be utilized during operations starting from the south end of the harbor and ending at the SF-12 disposal site at 36-48-07N 121-47-34W. The dredge pipeline will be marked with 30" cylindrical buoys inside the harbor, 36" can buoys outside the harbor, and an 8'x10' pontoon at the end of the dredge pipeline near the disposal site. The dredge pipeline marker buoys and pontoon will have a flashing amber light characteristic. A dredge barge with spuds along with support tugs KATHLEEN and CADET will be on scene monitoring VHF-FM Chan. 16. Mariners are requested to transit the area with caution. For more details or comments contact Walt Jellison at 619-359-9071.

Charts: 18680 18685

LNM: 37/19

**NORTHERN CALIFORNIA-MOSS LANDING-WAVEGLIDER DATA COLLECTION**

Monterey Bay Aquarium Research Institute (MBARI) is conducting 24 hours per day 7 days a week autonomous, unmanned maritime vehicle operations of two Liquid Robotics, Inc. Wavegliders until 30 Jun 20. Vehicles will be deployed in the vicinity of Moss Landing that will operate continuously between latitudes 35-07-12N and 37-12-00N and will extend shoreward as far West as 122-58-35W. Operations consist of scientific ocean data collection. The Waveglider carries no fuel, lubricants or hydrocarbons. It is wave powered and remotely attended from MBARI, moving at speeds of ~1kt, and designed to give way or part if encountered by a vessel. It is approximately 6.5' x 2' (surfboard size), yellow in color, with a contact plaque and mast extending 3' above the water surface, supporting a flag. Mariners are requested to transit the area with caution. For more details or comments contact MBARI at 831-775-1700, waveglider@listserv.mbari.org or Liquid Robotics 24/7 WGOE Operations at 888-574-4574.

Chart 18685

LNM: 51/19

**NORTHERN CALIFORNIA-OFFSHORE MONTEREY BAY-BUOY DEPLOYMENT**

University of California, San Diego and the U.S. Army Corps of Engineers have deployed Lighted Waverider Research Buoy Station 029 (LLNR 5791) in position 37-56-12N 123-27-46W, approximately 22 nm west off Pt. Reyes, CA. The buoy is a 3' diameter sphere with an attached telemetry whip antenna and Fl (5) Y 20s light characteristic, the buoy is painted yellow and is marked "Wave Buoy". For more details or comments contact James Behrens at 858-534-3032.

Chart 18010

LNM: 44/19

**NORTHERN CALIFORNIA-OFFSHORE MONTEREY BAY-BUOY DEPLOYMENT**

NOAA has deployed two research buoys at the following coordinates:

36-07-03N 125-08-00W

36-01-40N 125-06-21W

These are 3' yellow octagonal research buoys with Fl W 4s light characteristics. Mariners are requested to transit the area with caution. For more details or comments contact Danny Devereaux at 206-526-6177.

Charts: 501 18010 18020 18022

LNM: 37/19

**NORTHERN CALIFORNIA-PETALUMA RIVER-BRIDGE**

BLACKPOINT RAILROAD DRAWBRIDGE-The upstream fender system protecting the swing span has been destroyed and does not offer protection for vessels or the bridge. Mariners are urged to use caution while transiting the bridge.

BLACKPOINT HIGHWAY 37 BRIDGE-The fenders channelward side of the western pier are damaged. Estimated time of repair unknown.

For more details or comments contact the Coast Guard Bridge Office at 510-437-3516.

Chart 18654

LNM: 10/18

**NORTHERN CALIFORNIA-PINOLE SHOAL-SHOALING**

Pinole Shoal is observing a reduced deep draft on the south side edge of the channel in limited areas to 32.9' until maintenance dredging can be performed. For detail information on depths and locations please see <https://www.spn.usace.army.mil/Missions/Surveys-Studies-Strategy/Hydro-Survey/Pinole-Shoals-Channel/> for the Army Corp Hydro Survey. Mariners are requested to transit the area with caution. For more details or comments contact D11 Waterways Management at 510-437-2980.

Charts: 18654 18655

LNM: 05/19

**NORTHERN CALIFORNIA-REDWOOD CITY-DREDGE OPERATIONS**

R.E. Staite Engineering Inc. is conducting maintenance dredge operations in Redwood City Harbor Channel at 37-32-12N 122-11-24W until 30 Jan 20. Tug KATHA C along with derrick barges D/B PALOMAR and DB 24; along with six split hull scows will be on site monitoring VHF-FM Chan. 13, 14, 16, and 82. Dredged material will be disposed of at the SF-11 Alcatraz disposal site and the Montezuma upland site. Mariners are requested to transit the area with caution and minimize wake in vicinity of the dredge site. For more details or comments contact Jeff Casey at 415-559-5452 or 619-233-0178.

Chart 18651

LNM: 30/19

**NORTHERN CALIFORNIA-RICHARDSON BAY-MARINE CONSTRUCTION**

Salt River Construction Corporation will be assisting with marine construction at a private residence in Richardson Bay, CA until 20 Dec 21. M/B YC42, C/B ALASKA, C/B MINK, along with the tug BRANDY BAR will be conducting operations. A mooring location will be located at 37-51-57N 122-27-54W. All vessels will monitor VHF-FM Chan. 13, 14, and 77. Mariners are requested to transit the area with caution. For more details or comments contact Rick Moseley at 415-435-1024.

**NORTHERN CALIFORNIA-RICHARDSON BAY-MARINE CONSTRUCTION**

Charts: 18649 18653

LNM: 50/19

**NORTHERN CALIFORNIA-RICHARDSON BAY-OBSTRUCTION TO NAVIGATION**

There is a sunken 18' pleasure craft in Richardson Bay, CA at approximate position: 37-52-06N 122-29-07W. Mariners are requested to transit the area with caution. For more details or comments contact LT Emily Rowan at 415-399-7443.

Chart 18649

LNM: 38/19

**NORTHERN CALIFORNIA-SACRAMENTO RIVER-MARINE CONSTRUCTION**

Dutra Construction Company will conduct marine construction between the I Street Bridge and Tower Bridge at Raley's Landing in Sacramento, CA during daylight hours until May 2020. Crane barge 12 along with a work boat and small skiffs will be on scene monitoring VHF-FM Chan. 09, 16, and 68A. Mariners are requested to transit the area with caution. For more details or comments contact Todd Bruce at 707-974-9937.

Chart 18649

LNM: 41/19

**NORTHERN CALIFORNIA-SACRAMENTO RIVER-REDUCED VERTICAL CLEARANCE**

Overhead power cables upstream of Sacramento River at 38-03-54N 121-47-09W have a reported reduced vertical clearance to 119.5'.

Chart 18660

LNM: 22/16

**NORTHERN CALIFORNIA-SAN FRANCISCO BAY-BRIDGE**

GOLDEN GATE BRIDGE-Four 54' temporary under deck platforms; one 275' and one 1575' north of the south tower and one 275' and one 1575' south of the north tower have been installed at the bridge. Temporary platforms reduce vertical clearance at the bridge by no more than 14'. As the work progresses, the two outer platforms will be moved towards the towers and the two inner platforms moved towards the centerline of the bridge. The bridge's maintenance travelers are in use during the project and will remain outboard of the furthest north and furthest south temporary platforms. The temporary platforms and maintenance travelers are lighted at night with all-round red lights (see PlatformLighting\_GG\_Bridge.pdf at the end of this notice to see the lighting plan and locations of the temporary platforms). For navigational safety the maintenance travelers can be moved by contacting the Golden Gate Bridge at 415-923-2220. Work is being conducted Monday through Saturday, 0700-1700 and 2100-0500. For conditions at the bridge, mariners can contact the contractor at 415-716-0384. For more details or comments contact the Coast Guard Bridge Office at 510-437-3516.

Chart 18649

LNM: 01/20

**NORTHERN CALIFORNIA-SAN FRANCISCO BAY-CHINA BASIN-BRIDGE**

THIRD STREET DRAWBRIDGE-The drawspan will be secured in the closed-to-navigation position for rehabilitation through 27 Mar 20. Scaffolding is installed underneath the length of the drawspan, and will be marked with steady burning red lights at night. A 20' wide navigational opening close to the south bank between piers 4 and 6 will be available for small craft to transit through the bridge. The navigational opening will provide a vertical clearance of 3ft over mean high water, and be marked with steady burning green lights at night (see enclosure 3rdSt\_PlatformLighting.pdf at the end of this notice).

C & W Diving Services will conduct rehabilitation of bridge fenders and operator house until 15 Mar 20, utilizing a 115'x40' flexiboat spudded barge and a 135'x35' material barge, moored on the east side of bridge. For navigational safety, the vessels can be moved with 1-hour notice by calling the contractor at 619-843-7782 or via VHF-FM Chan. 16 or 82A. Both vessels will be marked by steady burning red lights at night. Mariners are requested to transit the area with caution. For more details or comments, contact the Coast Guard Bridge Office at 510-437-3461.

Chart 18649

LNM: 30/18

**NORTHERN CALIFORNIA-SAN FRANCISCO BAY-DETERIORATING CONCRETE PILINGS**

Deteriorating concrete pilings above and below the waterline are present in the vicinity of the the south edge of Southampton Shoal Light (LLNR 5480). Mariners are requested to transit the area with caution. For more details or comments contact LT Ruth Sadowitz at 510-437-3801 or ruth.a.sadowitz@uscg.mil.

Chart 18649

LNM: 23/15

**NORTHERN CALIFORNIA-SAN FRANCISCO BAY-MARINE CONSTRUCTION**

Power Engineering Construction Company is conducting marine construction of the Treasure Island Ferry Terminal and north breakwater in San Francisco Bay, CA daily from 0600-1700 until 31 Dec 20. DB PACIFIC and RINGER will be on scene conducting operations and will utilize temporary anchorage locations at the following coordinates:

- 34-49-05N 122-22-24W
- 37-49-02N 122-22-22W
- 37-49-00N 122-22-21W
- 37-48-58N 122-22-37W
- 37-48-55N 122-22-32W
- 37-48-54N 122-22-31W
- 37-48-53N 122-22-28W

Temporary anchorage locations will be marked with 72" white round buoys with orange stripes and a flash characteristic of FI W 2s. All vessels will monitor VHF-FM Chan. 14. Mariners are requested to transit the area with caution. For more details or comments contact Wayne Stonecipher at 510-502-1510.

Charts: 18649 18650

LNM: 38/19

**NORTHERN CALIFORNIA-SAN FRANCISCO BAY-OAKLAND INNER HARBOR-SHOALING**

Shoaling has been reported on the south side of Oakland Inner Harbor South Channel in the east passage through the Fruitvale Ave. Bridge.

**NORTHERN CALIFORNIA-SAN FRANCISCO BAY-OAKLAND INNER HARBOR-SHOALING**

Mariners are requested to transit the area with caution and report any observed changes in shoaling conditions to the San Francisco VTS on VHF-FM Chan. 14. For more details or comments contact U.S. Coast Guard Sector San Francisco Waterways Management at 415-399-7443.

Chart 18650

LNM: 16/15

**NORTHERN CALIFORNIA-SAN FRANCISCO BAY-PETALUMA RIVER**

Shoaling has been reported east of Petaluma River Entrance Channel Daybeacon 3 (LLNR 5985) in position 38-03-33N 122-27-06W. Shoaling has been reported to be as shallow as 6" up to 15yds east of the aid. Mariners are requested to transit the area with caution. For more details or comments contact LT Ruth Sadowitz at 510-437-3801 or ruth.a.sadowitz@uscg.mil.

Chart 18654

LNM: 41/18

**NORTHERN CALIFORNIA-SAN JOAQUIM RIVER-POTENTIAL OBSTRUCTION TO NAVIGATION**

There is a potential obstruction to navigation near the entrance to the Mokelumni River, near Bouldin Island, CA at 38-06-46N 121-34-37W. The obstruction is a partially submerged houseboat. Mariners are requested to transit the area with caution. For more details or comments contact MST1 David Robey at 510-612-9729.

Chart 18661

LNM: 51/19

**NORTHERN CALIFORNIA-SAN LEANDRO BAY-BRIDGE**

BAY FARM ISLAND HIGHWAY BRIDGE-The south side lower slat on the fender system is missing. Mariners are urged to transit the bridge with caution. The bridge owner is in the process of designing a replacement pier protection system. For more details or comments contact the Coast Guard Bridge Office at 510-437-3514.

Chart 18649

LNM: 37/18

**NORTHERN CALIFORNIA-SAN PABLO BAY-SUBMARINE CABLE**

Trans Bay Cable LLC owns and operates a chartered submarine cable that experiences intermittent exposures in San Pablo Bay. All vessels are advised not to anchor, use ground tackle, fish, or dredge in the vicinity of 38-03-27N 122-16-22W as this increases the risk of damage violating 47 USC 2. Mariners are requested to transit the area with caution. For more details or comments contact Trans Bay Cable Operations Center at operator@transbaycable.com or 925-427-9744.

Charts: 18654 18655

LNM: 38/17

**NORTHERN CALIFORNIA-SAN PABLO BAY-SUBMERGED OBSTRUCTION**

There are submerged piles partially exposed above the sediment surface south of Pinole Shoal Channel along the 30' contour between 38-03-14N 122-16-26W and 38-03-18N 122-16-15W. The piles are present along the slope of the natural shoal at heights ranging from approximately 1' to 5' above the sediment surface. For more details or comments contact Todd Muelhoefer of Coscol Petroleum Corporation at 719-520-4761.

Charts: 18654 18655

LNM: 47/17

**NORTHERN CALIFORNIA-SANTA CRUZ-DREDGE OPERATIONS**

The Santa Cruz Port District will conduct dredge operations at the entrance to Santa Cruz Harbor, CA until April 2020 between the hours of 0700-1600. During dredge operations the following aids will be temporarily discontinued:

- Santa Cruz Harbor buoy 1 (LLNR 4090)
- Santa Cruz Harbor Lighted Buoy 2 (LLNR 4095)
- Santa Cruz Harbor Buoy 3 (LLNR 4100)
- Santa Cruz Harbor Buoy 4 (LLNR 4105)

A temporary yellow/red anchorage buoy with a FI Y 1s will be utilized outside of the navigational channel at 36-57-37N 122-00-00W. Dredge TWIN LAKES along with support tug DAUNTLESS will monitor VHF-FM Chan. 08, 09, and 16. Mariners are requested to transit the area with caution and minimize wake in the vicinity of the dredge. For more details or comments contact Santa Cruz Harbor on VHF-FM Chan. 09 and 16 or at 831-475-6161.

Chart 18685

LNM: 41/19

**NORTHERN CALIFORNIA-SANTA CRUZ-HAZARDOUS CONDITIONS**

Santa Cruz Harbor is cautioning mariners of possible hazardous conditions with breaking surf and shoaling that may occur at Santa Cruz Harbor Entrance due to high surf and extreme tidal conditions in the vicinity of 36-57-37N 122-00-06W. Mariners are requested to transit the area with caution. For more details or comments contact Santa Cruz Harbor on VHF-FM Chan. 09 and 16 or at 831-475-6161.

Chart 18685

LNM: 46/17

**NORTHERN CALIFORNIA-SOUTHERN CALIFORNIA-MONTEREY BAY-CHANNELS ISLANDS-SUB-SURFACE OCEANOGRAPHIC INSTRUMENT MOORING**

The United States Navy, Naval Postgraduate School, Oceanography Department have deployed sub-surface oceanographic instrument moorings until 01 Nov 21. These sub-surface moorings are part of the Monterey Bay and Channel Islands Sound Scape Monitoring Project. These sub-surface moorings are located at the following coordinates:

- 36-47-53N 121-58-34W
- 36-38-53N 121-54-30W
- 34-02-38N 121-54-30W
- 34-05-08N 120-31-24W
- 33-50-56N 120-07-06W
- 34-01-06N 119-19-00W
- 36-22-13N 122-18-53W

**NORTHERN CALIFORNIA-SOUTHERN CALIFORNIA-MONTEREY BAY-CHANNELS ISLANDS-SUB-SURFACE OCEANOGRAPHIC INSTRUMENT MOORING**

Mariners are requested to transit the area with caution. For more details or comments contact Keith Wycoff at 831-656-2567.

Charts: 18685 18700 18720

LNM: 48/18

**NORTHERN CALIFORNIA-SUISUN MARSH-BOAT LOCKS**

The California Department of Water Resources have installed flashboards across the maintenance channel at the Suisun Marsh Salinity Control Structure, located 2.2 nm from the easterly end of Montezuma Slough at 38-05-36N 121-53-07W. The boat lock will operate daily from 0700-1700 until 31 May 20. Signs and lights are currently posted to warn vessels to avoid the use of the maintenance channel on the east side of the facility. The boat lock signal is a standard traffic light. Whistle signals to request opening are two prolonged blasts followed by two short blasts. VHF-FM Chan. 13 will be monitored during hours of operation. The boat lock is located on the east side of the channel and provides the following clearances: 16 feet horizontally; 9' over the sill at MLLW; 70' in length between sector gates; and no vertical impairment. The piers will be marked by fixed red lights, and other parts of the structure will be marked by fixed yellow lights. Mariners should be aware a shoal area exists along the east bank on both sides of the structure extending approximately 50' out from the existing levee. Marker buoys have been placed to identify the area. Mariners are requested to transit the area with caution and be advised that the Salinity Control Structure operations can at times create currents at the site greater than currents in other areas of Montezuma Slough. For more details or comments contact Reza Shahcheraghi at 916-574-2299.

Chart 18656

LNM: 39/19

**SOUTHERN CALIFORNIA-SAN PEDRO CHANNEL-BOEING XL USV OPERATIONS**

Boeing will conduct sea trials for an extra-large unmanned under sea vehicle (USV) called ECHO VOYAGER in the vicinity of the San Pedro Channel and Northeast of Santa Catalina Island until 01 Mar 20 in the areas bound by the following coordinates:

OPAREA 1:

33-42-25N 118-19-55W

33-39-43N 118-21-36W

33-41-13N 118-24-37W

33-43-48N 118-22-48W

OPAREA 3:

33-26-33N 118-26-55W

33-25-33N 118-23-59W

33-25-35N 118-21-19W

33-29-14N 118-18-35W

33-31-34N 118-23-31W

33-28-10N 118-26-55W

M/V AMERICAN ISLANDER and Range Boat SB2 will be on scene and monitoring VHF-FM Chan. 16. Mariners are requested to keep 500 yds distance from the USV and M/V AMERICAN ISLANDER. Mariners are requested to transit the area with caution. For more details or comments contact the project manager Ross Peterson at 714-262-1580.

Chart 18022

LNM: 44/19

**SOUTHERN CALIFORNIA-ANAHEIM BAY-POTENTIAL OBSTRUCTION TO NAVIGATION**

There is a potential obstruction to navigation in Anaheim Bay, CA at 33-44-00N 118-05-34W. The obstruction is a destroyed structure with a pile exposed 3' above the waterline. It is marked with a green buoy displaying a FI G Q light characteristic. Mariners are requested to transit the area with caution. For more details or comments contact BM1 Alex Eckhoff at 310-521-3892.

Chart 18749

LNM: 41/19

**SOUTHERN CALIFORNIA-CATALINA ISLAND-BUOY DEPLOYMENT**

Marine BioEnergy Inc. has deployed a temporary buoy near Catalina Island at 33-28-13N 118-29-33W. This will be a 7' yellow buoy with FI Y 4s light characteristic. Mariners are urged to transit at their slowest safe speed to minimize wake, and proceed with caution after passing arrangements have been made. For more details or comments contact Cindy Wilcox at 818-653-9017 or 818-952-6018.

Charts: 18746 18757

LNM: 47/19

**SOUTHERN CALIFORNIA-DEL MAR NEARSHORE-BUOY DEPLOYMENT**

Scripps Institution of Oceanography have deployed a buoy 1200 yds off the coast of Del Mar, CA at 32-57-23N 117-16-46W. The wave buoy is a 3' diameter sphere with an attached telemetry whip antenna and a yellow light FL (5) Y 20s. The buoy is painted yellow and marked "Wave Buoy" with the phone number 858-534-3032. Mariners are requested to transit the area with caution. For more details or comments contact James Behrens at 858-534-3032.

Charts: 18740 18765

LNM: 50/19

**SOUTHERN CALIFORNIA-ENCINITAS-DREDGE OPERATIONS**

Marathon Construction Corp. is conducting dredging and excavating channels within San Elijo Lagoon in the vicinity of 33-00-36N 117-16-30W until 28 Feb 21. The dredging equipment for the main channels will be a 16" cutter-section with 8" and 10" cutter-section dredges being used in the smaller feeder channels. Dredges are anchored and marked with anchor buoys. Mariners are requested to transit the area with caution at slow speeds to minimize wake. For more details or comments contact Project Manager Jon Ruth at 619-962-1480 or Dane Kost at 619-607-2682.

Chart 18774

LNM: 02/18

**SOUTHERN CALIFORNIA-ESTERO BLUFFS STATE PARK-SUBMERGED ANCHOR CABLE**

Mariners and surfers in the vicinity of North Cayucos are advised of an anchor cable extending from the surf zone to the grounded F/V POINT ESTERO in the vicinity of Estero Bluffs State Park 35-26-51N 120-55-09W. The anchor cable is marked with multiple orange fenders with the end of

**SOUTHERN CALIFORNIA-ESTERO BLUFFS STATE PARK-SUBMERGED ANCHOR CABLE**

cable connected to the vessel. For more details or comments contact Coast Guard Sector LA/LB Command Center at 310-521-3815.

Chart 18703

LMN: 43/17

**SOUTHERN CALIFORNIA-HUNTINGTON BEACH-BUOY DEPLOYMENT**

Surflife Inc. have deployed a wave data buoy offshore Huntington Beach, CA at position 33-38-44N 118-01-06W and will remain on scene until 29 Apr 20. This will be a yellow 16" x 12" wave buoy with a flashing amber light characteristic. Mariners are requested to transit the area with caution. For more details or comments contact Ryan Starr at 609-839-2886.

Chart 18746

LMN: 44/19

**SOUTHERN CALIFORNIA-IMPERIAL BEACH-WAVERIDER BUOY**

University of California, San Diego and the U.S. Army Corps of Engineers have deployed a waverider buoy in position 32-34-10N 117-10-08W, approximately 2 NM off Imperial Beach, CA. The buoy is a 3' diameter sphere with an attached telemetry whip antenna and Fl (5) Y 20s light characteristic, the buoy is painted yellow and is marked "Wave Buoy". For more details or comments contact James Behrens at 858-534-3032.

Chart 18765

LMN: 35/18

**SOUTHERN CALIFORNIA-LONG BEACH OUTER HARBOR-OBSTRUCTION TO NAVIGATION**

There is a sunken 46' sail vessel at approximate position: 33-43-10N 118-08-14W, north of Long Beach Commercial Anchorage F, in approximately 52' water. Depth of water, to the mast, at MLLW is 32.5'. Mariners are requested to transit the area with caution. For more details or comments contact D11 Waterways Management at 510-437-2980.

Charts: 18746 18749 18751

LMN: 44/18

**SOUTHERN CALIFORNIA-LOS ANGELES-BUOY DEPLOYMENT**

The Sanitation Districts of Los Angeles County have deployed two moorings located on the Palos Verdes Shelf at 33-46-04N 118-25-59W and 33-42-43N 118-20-01W until 20 Jan 20. The moorings have a surface buoy system that consists of a 6' spar approximately 2" in diameter with wraps of SOLAS reflective marine tape and a fluorescent orange radar reflector mounted at the top. Mariners are requested to transit the area with caution. For more details or comments contact Brent Haggin at 562-908-4288 ext. 5672.

Chart 18746

LMN: 43/19

**SOUTHERN CALIFORNIA-LOS ANGELES-BUOY DEPLOYMENT**

The Sanitation Districts of Los Angeles County have deployed a mooring buoy located on the Palos Verdes Shelf at 33-43-26N 118-24-02W until 05 Mar 20. The moorings have a surface buoy system that consists of a 6' spar approximately 2" in diameter with wraps of SOLAS reflective marine tape and a fluorescent orange radar reflector mounted at the top. Mariners are requested to transit the area with caution. For more details or comments contact Brent Haggin at 562-908-4288 ext. 5672.

Chart 18746

LMN: 49/19

**SOUTHERN CALIFORNIA-LOS ANGELES-MARINE CONSTRUCTION**

Marine construction is being conducted at Vopak Berths 186-191 at 33-45-53N 118-15-09W in Los Angeles, CA until 31 Jan 2020. A work boat and floating platforms will be on scene monitoring VHF-FM Chan. 16. Mariners are requested to transit the area with caution. For more details or comments contact Stephen Comley at 310-221-5957.

Chart 18751

LMN: 42/19

**SOUTHERN CALIFORNIA-LOS ANGELES-MARINE CONSTRUCTION**

Tetra Tech Inc. will conduct marine construction in Alamitos Bay, CA at 33-45-09N 118-07-27W, Monday thru Friday 0700-1600 until 01 Sep 20. Crane barge MEEK will conduct operations and will monitor VHF-FM Chan. 16. Mariners are requested to transit the area with caution. For more details or comments contact Steven Arteaga at 909-762-2243.

Chart 18749

LMN: 39/19

**SOUTHERN CALIFORNIA-MARINA DEL REY-MARINE CONSTRUCTION**

Bellingham Marine Industries will conduct marine construction within Basin G, at the Marina del Rey Marina at 33-58-45N 118-26-43W until 15 Mar 20. Crane barges JOHN C and STEPHAN J will be on scene monitoring VHF-FM Chan. 16. Mariners are requested to transit the area with caution. For more details or comments contact Hal Brunette at 916-642-9878.

Chart 18744

LMN: 32/19

**SOUTHERN CALIFORNIA-MISSION BAY-MARINE EVENT**

Hanohano Outrigger Canoe Club will sponsor the Hanohano Ocean Challenge in Mission Bay, CA on 25 Jan 20 from 0600-1400. The race will consist of approximately 400 paddle boards and canoes racing on two different courses. The short course starts in Bonita Cove, transits through Perez Cove to South Shores, proceeds north through Fisherman's Channel, then finishes back at Bonita Cove. The long course starts offshore just north of Mission Beach Jetty then heads to Crystal Pier, turns around, and finishes at Bonita Cove. Mariners are requested to transit the area with caution. For more details or comments contact Mr. Dan Van Dyck at 760-436-3589.

Chart 18765

LMN: 50/19

**SOUTHERN CALIFORNIA-OFFSHORE SAN NICOLAS ISLAND-HAZARDOUS OPERATIONS**

Virgin Orbit will conduct hazardous operations offshore of San Nicolas Island, CA from 1000-1400 on 12 Jan 19 from 1000-1400. Hazardous operations will be conducted within a 10 nm radius centered at 33-06-00N 119-47-60W. Mariners are advised to remain clear of these areas during the duration of operations. For more details or comments contact Collin Corey at 661-754-4371.

## **SOUTHERN CALIFORNIA-OFFSHORE SAN NICOLAS ISLAND-HAZARDOUS OPERATIONS**

Charts: 18740 18755

LNM: 48/19

### **SOUTHERN CALIFORNIA-POINT CONCEPTION-WAVERIDER BUOY**

University of California, San Diego and the U.S. Army Corps of Engineers have deployed a waverider buoy (Station 222-Santa Lucia Escarpment) in position 34-46-00N 121-29-48W, approximately 54 nm northwest of Point Conception, CA. The buoy is a 3' diameter sphere with an attached telemetry whip antenna and Fl (5) Y 20s light characteristic, the buoy is painted yellow and is marked "Wave Buoy". For more details or comments contact James Behrens at 858-534-3032.

Chart 18700

LNM: 41/18

### **SOUTHERN CALIFORNIA-POINT CONCEPTION-WAVERIDER BUOY**

University of California, San Diego and the U.S. Army Corps of Engineers have deployed a waverider buoy (Station 071-Harvest Buoy) in position 34-27-06N 120-46-48W, approximately 16 nm west of Point Conception, CA. The buoy is a 3' diameter sphere with an attached telemetry whip antenna and Fl (5) Y 20s light characteristic, the buoy is painted yellow and is marked "Wave Buoy". For more details or comments contact James Behrens at 858-534-3032.

Charts: 18700 18720 18721

LNM: 41/18

### **SOUTHERN CALIFORNIA-POINT MUGU-BUOY DEPLOYMENT**

Scripps Institution of Oceanography has deployed an atmospheric sampling buoy south of Point Mugu, CA in position 34-03-12N 119-09-47W. The yellow buoy will be exposed 12' above the waterline and will be flashing FL 1 Y 4s. For more details or comments contact Lisa Hazard at 858-822-2873.

Charts: 18720 18725

LNM: 26/18

### **SOUTHERN CALIFORNIA-PORTS OF LOS ANGELES/LONG BEACH-CERRITOS CHANNEL-BRIDGE**

REPLACEMENT SCHUYLER HEIM BRIDGE CONSTRUCTION-Two temporary trestles remain in place between the Henry Ford Railroad Bridge and the partially constructed replacement Heim Bridge provides 75' of horizontal clearance. Over the channel falsework provides at least 43' of vertical clearance at mean high water. The upstream and downstream low steel of the falsework and the upstream and downstream edges of the temporary trestles are lighted at night with steady burning red lights. (See Trestle\_Falsework\_Lighting\_Heim.pdf at the end of this notice). Work is taking place from 0600 to 1600, Mon-Fri. For conditions at the bridge, mariners can contact Caltrans at 562-572-5852, 310-882-3160, 949-394-9168, 310-715-9500; or the contractor at 818-489-5772, 909-322-4424. Mariners are requested to transit the area with caution. For more details or comments contact the Coast Guard Bridge Office at 510-437-3516.

Chart 18749

LNM: 33/19

### **SOUTHERN CALIFORNIA-PORTS OF LOS ANGELES/LONG BEACH-LA/LB HARBOR-BRIDGE**

VINCENT THOMAS BRIDGE-Painting of the under deck of the bridge continues. A 180' long platform is being erected below low steel of the bridge, just to the east of the west channel margin red light, reducing vertical clearance by 5' 4". Once a 90' section is complete, that section of the platform will be moved to the east, in a leap frog technique. The platform will migrate towards the east until it reached 250' west of centerline of the bridge span. Each corner and every 50' along the upstream and downstream side of the platform will be lighted at night with steady burning red lights (see V\_Thomas\_Platform\_Lighting1.pdf at the end of this notice). Work will take place during daylight hours, Monday through Friday. For conditions at the bridge mariners can contact 213-479-4138, 213-479-1144 or 310-261-9552. For more details or comments contact the Coast Guard Bridge Office at 510-437-3516.

GERALD DESMOND BRIDGE REPLACEMENT PROJECT-Main span construction at the navigation channel continues. Before transiting the bridge construction site, all vessels should contact on-scene flag vessels on VHF-FM CH 13 and 79 to determine safe passage through the site. Mariners can also contact the SFI Water Traffic Coordinator at 310-809-0162 or 702-215-9740 for passing guidance. For conditions at the construction site mariners can contact the SFI Water Traffic Field Coordinator at 424-230-9925. See GDB\_Channel\_Safety\_Flyer.pdf in the enclosure section of the notice for Safety Boat Contact Information. For more details view the website, [www.NewGDBridge.com/Waterway](http://www.NewGDBridge.com/Waterway), or contact the Coast Guard Bridge Office at 510-437-3516.

Chart 18749

LNM: 33/19

### **SOUTHERN CALIFORNIA-SAN CLEMENTE ISLAND-SAFETY ZONES**

Mariners operating in the vicinity of San Clemente Island are reminded of the restricted waterway access surrounding San Clemente Island (33 CFR 165.1131; 33CFR 165.1141). Since the inception of the regulations, numerous safety zone violations have been processed by Coast Guard Sector San Diego. Safety Zone Incursions put the public at risk and cause costly and unnecessary training delays, as well as range cancellations. Violators of the San Clemente Island Safety and Security Zones are subject to monetary penalties. Criminal penalties may also be issued for repeated Safety and/or Security Zone violations. Failure to comply with the federal regulations could result in civil penalties of up to \$90,901.00. Furthermore, if a mariner holds a Merchant Mariner Credential, suspension or revocation action may be pursued against the mariner's credential. For more details see MSSB 02-16 SCI Safety Zone.pdf in the enclosure section.

Chart 18762

LNM: 41/16

### **SOUTHERN CALIFORNIA-SAN DIEGO BAY-BRIDGE**

CORONADO BAY BRIDGE MAINTENANCE-Scaffolding installed between piers 11-12, 12-13, and 13-14, reduces vertical clearance by more than 8'. The upstream and downstream lower edges of the scaffolding are lighted at night with red lights. For more details or comments contact the Coast Guard Bridge Office at 510-437-3461.

Charts: 18772 18773

LNM: 20/18

### **SOUTHERN CALIFORNIA-SAN DIEGO BAY-DREDGE OPERATIONS**

**SOUTHERN CALIFORNIA-SAN DIEGO BAY-DREDGE OPERATIONS**

R.E. Staitte Engineering Inc. is conducting dredge operations at Naval Base Point Loma in San Diego Bay, CA at 32-41-18N 117-14-02W until 31 Mar 20. Operations will be conducted by DB PALOMAR, RES 180, CLARENCE D, HAROLD M, RES 3001, RES 3002 along with tugs KILEEN and CUYAMACA. All vessels will monitor VHF-FM Chan. 16. Mariners are requested to transit the area with caution. For more details or comments contact Erick Myers at 619-233-0178.

Chart 18773

LNM: 43/19

**SOUTHERN CALIFORNIA-SAN DIEGO BAY-MARINE CONSTRUCTION**

The Port of San Diego will conduct marine construction in San Diego Bay, CA at 32-43-37N 117-11-11-16W until June 2020. Work areas will be marked with 3' diameter buoys at the following coordinates:

- 32-43-40N 117-11-11W
- 32-43-37N 117-11-15W
- 32-43-37N 117-11-26W

A 16' small craft along with kayaks will be conducting operations and will monitor VHF-FM Chan. 13 and 16. Mariners are requested to transit the area with caution and to minimize wake after making passing arrangements. For more details or comments contact Timothy Barrett at 619-686-6544.

Chart 18773

LNM: 43/19

**SOUTHERN CALIFORNIA-SAN DIEGO BAY-MARINE CONSTRUCTION**

Marathon Construction Corporation is conducting demolition and repair of Naval Base San Diego Pier 1 in position 32-39-44N 117-07-17W, until April 2020. A 60'x120' crane spud barge will be spudded and anchored adjacent to Pier 1. A 50'x100' material spud barge, 30'x60' material barge, and 28'x90' material barge will be moored next to the crane barge on site. The crane barge will have deployed anchors and anchor buoys. Mariners are requested to transit at their slowest safe speed to minimize wake and proceed with caution when passing. For more details or comments contact Marathon Construction's project manager Tim Meyer 619-843-8975.

Chart 18773

LNM: 19/19

**SOUTHERN CALIFORNIA-SAN DIEGO BAY-MARINE CONSTRUCTION**

R.E. Staitte Engineering Inc. is conducting marine construction at Huntington Ingalls Industries-Pier 7 Marginal Wharf at 32-41-36N 117-09-04W until 31 May 20. Vessels DB PALOMAR, RES 180, JOHN DRAKE, JEANIE R, and tug CUYAMACA will conduct operations. All vessels will monitor VHF-FM Chan. 16. Mariners are requested to transit at lowest safe speed to minimize wake and proceed with caution after passing arrangements have been made. For more details or comments contact project manager Erick Myers at 619-233-0178.

Charts: 18772 18773

LNM: 50/19

**SOUTHERN CALIFORNIA-SAN DIEGO MISSION BAY-OBSTRUCTION TO NAVIGATION**

There is a sunken sail boat at approximate position: 32-45-31N 117-15-25W, north side of the Mission Bay Harbor Channel Entrance. Mariners are requested to transit the area with caution. For more details or comments contact LT Medina at 510-437-2978 or marcia.a.medina@uscg.mil.

Chart 18765

LNM: 50/18

**SOUTHERN CALIFORNIA-SAN DIEGO RIVER-BRIDGE**

WEST MISSION BAY DRIVE BRIDGE-The City of San Diego is replacing the existing bridge. A temporary work trestle, providing a vertical clearance of 8' over Mean Sea Level and open channels between silt curtains, is in place. Scheduled completion date of the bridge replacement project is November 2022. Mariners are urged to use caution while navigating the replacement bridge work site. For more details or comments contact the Coast Guard Bridge Office at 510-437-3461.

Chart 18765

LNM: 34/19

**SOUTHERN CALIFORNIA-SAN DIEGO-OBSTRUCTION TO NAVIGATION**

There is 06 sunken wrecks located east of Zuniga Jetty, in unknown depths of water. These sunken wrecks are at various stages of submersion with some wrecks partially submerged and some with sail mast protruding above the waterline. These wrecks are located at these approximate positions:

- 32-40-30N 117-12-54W
- 32-40-24N 117-13-06W
- 32-40-24N 117-13-00W
- 32-40-21N 117-13-00W
- 32-40-00N 117-13-00W
- 32-40-00N 117-13-06W

Mariners are requested to transit the area with caution. For more details or comments contact Sector Diego Waterways Management Division at 619-278-7656.

Charts: 18765 18772

LNM: 46/19

**SOUTHERN CALIFORNIA-SAN DIEGO-OBSTRUCTION TO NAVIGATION**

Coronado Cays Channel Daybeacon 17 has been damaged at 32-37-35N 117-07-43W. A portion of the piling remains and the remaining piling is submerged. A temporary unlit buoy is marking the area. Mariners are requested to transit the area with caution. For more details or comments contact Daniel Bick at 619-423-4353.

Charts: 18765 18772 18773

LNM: 18/17

**SOUTHERN CALIFORNIA-SAN DIEGO-OCEANOGRAPHIC SURVEY-OCEAN MONITORING**

City of San Diego Marine Biology Lab is conducting year-round ocean monitoring sampling in the vicinity of South Bay Ocean Outfall and Point Loma

**SOUTHERN CALIFORNIA-SAN DIEGO-OCEANOGRAPHIC SURVEY-OCEAN MONITORING**

Ocean Outfall. Ocean sampling will be conducted in an area bounded by the following coordinates:

- 32-31-55N 117-11-11W
- 32-32-11N 117-11-58W
- 32-32-04N 117-12-07W
- 32-32-33N 117-11-56W

- 32-40-10N 117-19-23W
- 32-40-05N 117-19-34W
- 32-39-37N 117-19-32W
- 32-39-57N 117-19-39W
- 32-40-11N 117-16-56W

The M/V OCEANUS and M/V MONITOR III when in the area will monitor VHF-FM Chan. 16. Mariners are requested to transit the area with caution. For more details or comments contact Mike Kelly at 619-758-2342.

Charts: 18765 18772

LNM: 22/17

**SOUTHERN CALIFORNIA-SAN DIEGO-OCEANOGRAPHIC SURVEY-OCEAN MONITORING**

City of San Diego Marine Biology Lab is conducting year-round ocean monitoring sampling in the vicinity of South Bay Ocean Outfall and Point Loma Ocean Outfall until November 2020. Ocean sampling will be conducted within the following coordinates:

1.
  - 32-31-55N 117-11-11W
  - 32-32-11N 117-11-58W
  - 32-32-04N 117-12-07W
  - 32-32-33N 117-11-56W

2.
  - 32-40-10N 117-19-23W
  - 32-40-05N 117-19-34W
  - 32-39-37N 117-19-32W
  - 32-39-57N 117-19-39W
  - 32-40-11N 117-16-56W

The M/V OCEANUS and M/V MONITOR III when in the area will monitor VHF-FM Chan. 16. Mariners are requested to transit the area with caution. For more details or comments contact Adriano Feit at 619-758-2377 or 858-882-7055.

Charts: 18765 18772

LNM: 46/19

**SOUTHERN CALIFORNIA-SAN NICOLAS ISLAND-SANTA ROSA ISLAND-FISHING OPERATIONS**

Ventura County Commercial Fisherman's Association member fishing vessels are conducting fishing operations in the vicinity of 33-35-13N 120-16-04W and 33-08-30N 119-52-03W until 15 Jan 20. Fishing gear will be marked by colored floats up to 30 inches in diameter and high flyer pole with radar reflector and light. Mariners are requested to use caution when transiting the area. Vessels may be contacted on VHF-FM Chan. 11 or 16. For more details or comments contact Tim Athens at 805-448-4455.

Chart 18720

LNM: 42/19

**SOUTHERN CALIFORNIA-SANTA BARBARA-MARINE EVENT**

Santa Barbara Outrigger Canoe Club is sponsoring a race on 11 Jan 20. The race will consist of 12 ft to 14 ft SUP boards, 12 ft prone boards, and 14 ft outrigger canoes and surfskis. There will be two courses laid out for participants. The first will be between Sterns Wharf in position 34-24-66N 119-41-16W and Ledbetter Point in position 34-23-88N 119-42-12W and the second will be between the 1 mile buoy in position 34-24-06N and Hendry's Beach in position 34-24-06N 119-44-58W. Race time will be from 0730 until 1400. Mariners are requested to transit the area with caution. For more details or comments contact Gina De Los Reyes at 805-455-8296 or wheresginad@gmail.com.

Chart 18725

LNM: 01/20

**SOUTHERN CALIFORNIA-SANTA CRUZ ISLAND-MARINE CONSTRUCTION**

John S. Meek Co. Inc. will conduct marine construction at Scorpion Pier located on Santa Cruz Island, CA. Work will be conducted 7 days a week, from 0600-1700 until 30 Jun 20. Barges EEL POINT, ABALONE POINT, or ANNA LEE along with tugs PACIFIC FREEDOM, N. TILLET, JM HIDALGO, KELLY C, and SARAH C will be on scene monitoring VHF-FM Chan. 72. Mariners are requested to transit the area with caution. For more details or comments contact Jeremy Kehoe at 310-830-6323.

Charts: 18720 18721 18729

LNM: 43/19

**SOUTHERN CALIFORNIA-SANTA MONICA-CABLE LAYING OPERATIONS**

SubCom LLC. Will conduct cable laying operations offshore Hermosa Beach, CA between 39-45-51N 128-43-19W and 33-52-31N 118-24-24W until 09 Jan 20. Cable ship RECORDER and support vessel FARLAND will be on scene monitoring VHF-FM Chan. 13 and 16. Mariners are requested to transit the area with caution. For more details or comments contact Sydney Sheridan at 1-732-578-7244.

Charts: 18720 18740

LNM: 28/19

---

---

**SECTION VIII - LIGHT LIST CORRECTIONS**

An Asterisk \*, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
------------	--------------------------	-----------------	-----------------------	---------------	--------------	------------------	----------------

## SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
275	NOAA Environmental Lighted Buoy 46028	35-46-27.607N 121-54-19.742W	Fl (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	01/20
		*						

---



---

**PUBLICATION CORRECTIONS**


---

None

---



---

**ENCLOSURES**


---

**REPORT OF DELAY AT DRAWBRIDGE**[Delay\\_Report\\_11-2017.pdf](#)

Use link above to Report a Delay at a Drawbridge.

LNM: 06/07

**SOUTHERN CALIFORNIA-PORTS OF LOS ANGELES/LONG BEACH-CERRITOS CHANNEL-BRIDGE**[Trestle\\_Falsework\\_Lighting\\_Heim.pdf](#)

See link above temporary trestle and falsework lighting.

LNM: 28/19

**SOUTHERN CALIFORNIA-PORTS OF LOS ANGELES/LONG BEACH-LA/LB HARBOR-BRIDGE**[GDB\\_Channel\\_Safety\\_Flyer.pdf](#)

See link above for safety flyer for vessels during Gerald Desmond Bridge Replacement over-the-channel work.

LNM: 29/19

**SOUTHERN CALIFORNIA-PORTS OF LOS ANGELES/LONG BEACH-LA/LB HARBOR-BRIDGE**[V\\_Thomas\\_Platform\\_Lighting1.pdf](#)

See link above for platform lighting for Vincent Thomas Bridge.

LNM: 28/19

**NORTHERN CALIFORNIA-SAN FRANCISCO BAY-BRIDGE**[PlatformLighting\\_GG\\_Bridge.pdf](#)

GOLDEN GATE BRIDGE-Temporary Platform Location and Lighting revised 06 Jan 20.

LNM: 01/20

**SAN CLEMENTE ISLAND-SAFETY ZONES**[San Clemente Safety Zone.pdf](#)

See link above for Maritime Safety and Security Bulletin 001-19.

LNM: 49/19

**NORTHERN CALIFORNIA-SAN FRANCISCO BAY-AIR DRAFT AWARENESS**[Air draft marine safety bulletin.pdf](#)

See link above.

LNM: 40/18

**NORTHERN CALIFORNIA-CORTE MADERA CREEK-BRIDGE**[BonAirRd\\_Trestle.pdf](#)

See link above for Bon Air Rd Temporary Trestle Navigation Channel.

LNM: 29/18

**NORTHERN CALIFORNIA-SAN FRANCISCO BAY-CHINA BASIN-BRIDGE**

[3rdSt\\_PlatformLighting.pdf](#)

See enclosure above.

LNM: 39/18

**NORTHERN CALIFORNIA-SOUTHERN CALIFORNIA-REDUCE WHALE STRIKES**

[Reduce Whale Ship Strike.pdf](#)

See enclosure above.

LNM: 41/19

**NORTHERN CALIFORNIA-DELTA & RIVERS-MIDDLE RIVER-BRIDGE**

[WoodwardConstruction\\_Lighting.pdf](#)


See link above for typical barge location and lighting, bridge column lighting and channel markers.

LNM: 27/18

---

THE LOCAL NOTICE TO MARINERS IS AVAILABLE ON THE WORLD WIDE WEB AT [HTTPS://WWW.NAVCEN.USCG.GOV](https://www.navcen.uscg.gov)

B. J. Thompson  
Commander U.S. Coast Guard  
Chief Waterways Management Branch



Contact Information:  
 On-site: VHF Channel 16 or 68A  
 Bryan O'Sullivan 415-686-3938  
 Dave Lumsden 510-812-6097

Location: 37-55-11N, 121-31-01W

Woodward Island Bridge Project

Normal Channel

USCG NAVIGATIONAL LIGHTING PLAN  
**ENCLOSURE (1)**

# 5 things you can do TO REDUCE THE RISK OF A WHALE STRIKE



## 1 KNOW BEFORE YOU GO

Anticipate likely whale sightings by communicating with other mariners and subscribing to Whale Alert or other services. Find out about the seasonal movements and behavior of whales.



## 2 PLAN YOUR PASSAGE

With advance planning, vessels may avoid whale concentrations with a minimal increase to passage time. If travel through whale aggregations cannot be avoided, plan to reduce speed in areas where whales are likely, especially if sighting conditions are poor.




## 3 DISCUSS WHALE AVOIDANCE

Bridge teams that discuss in advance what actions to take when whales are sighted near the ship's path can save valuable time when these events occur. Conducting avoidance drills can also be helpful.




## 4 KEEP A DEDICATED WATCH

Keep a consistent lookout, focusing on whales near the path of the ship. If you see one whale, keep looking, as there are likely more nearby! Specify the information needed (bearing, estimated distance, and direction of travel). Keeping critical distances in mind may help you avoid surprises at close range. For example, if ship speed is 18 knots, the **whale with the highest chance of surfacing** off your bow was 1.7 miles ahead on its previous surfacing (or 1.4 miles at 15 knots, both assuming a 5 to 6 minute dive time). Detecting whales at a greater distance opens up more options for avoiding a strike.



## 5 MAKE MODEST ADJUSTMENTS


When a whale comes up in the path of the ship, determine its direction of travel and identify the best course of action. Steering behind the whale is often most effective. A small decrease in speed when you first see the whale can make the difference between a strike and a near miss.




**ELEVATION VIEW  
THIRD STREET BRIDGE WITH ACCESS PLATFORM**

## 3rd St Drawbridge Rehabilitation Platform Lighting Plan and Alternate Channel

Platforms installed below low steel of the bridge reduces vertical clearance by 1.5 feet. The upstream and downstream lower edges of the platform is lighted at night with steady burning all-round red lights. An alternate channel south of the operators house, marked upstream and downstream with a all round green light, is available for small vessels to pass during rehabilitation.



# Bon Air Rd Bridge Replacement Project Mile 2.2, Corte Madera Creek



**Cofferdams and a temporary trestle will be installed to facilitate construction of the replacement bridge. The temporary trestle will provide a center creek navigation channel with at least 20 feet of horizontal clearance and 3 feet of vertical clearance, from mean high water to the lowest hittable portion of the trestle, for waterway users. Mariners are urged to use extreme caution when transiting the construction site.**

**MARINE SAFETY/SECURITY**  
**INFORMATION BULLETIN (MSIB) 18-02**



September 24, 2018

U.S. Coast Guard Sector San Francisco  
Department of Homeland Security



**Air Draft Situational Awareness**

U.S. Coast Guard Sector San Francisco has observed a recent trend of marine casualties involving vessel allisions with overhead power lines. The Captain of the Port is releasing this bulletin as a reminder of the importance of mariners maintaining situational awareness of their vessel's air draft, including that of movable equipment onboard. Staying vigilant of overhead obstructions crossing waterways in relation to your vessel's air draft is essential to navigational safety.

Air draft (draught) is a term used to describe the distance from the top of a vessel's highest point to its waterline. Vertical clearance is the distance in excess of the air draft that allows a vessel to pass safely under a bridge or overhead obstruction. **The consequences of failing to consider air draft and to properly calculate a vessel's vertical clearance under bridges, power lines, and other obstructions encountered during a passage can be catastrophic.**

U.S. Coast Guard Sector San Francisco recommends that all vessel operators remain cognizant of their air draft at all times. More precisely, the calculation from both the vessel's highest fixed point and highest movable point to safely clear all overhead obstructions encountered while maneuvering in the San Francisco Bay Area is of paramount importance.

Additionally, it is recommended that vessel operators ensure they have the most current nautical charts and publications onboard. A link to these publications, which include authorized overhead clearances, can be found at <http://www.charts.noaa.gov/InteractiveCatalog/nrnc/shtml>.

For additional information regarding this bulletin, please contact the U.S. Coast Guard Sector San Francisco Investigations Division at [SectorSF.Investigations@uscg.mil](mailto:SectorSF.Investigations@uscg.mil) / (510) 813-9636, the Domestic Vessel Inspections Branch at [SectorSF.Domestic.Insp@uscg.mil](mailto:SectorSF.Domestic.Insp@uscg.mil) / (510)-207-1495, or the Waterways Management Division at [SFWaterways@uscg.mil](mailto:SFWaterways@uscg.mil) / (415) 871-9051.

Sincerely

A handwritten signature in blue ink, appearing to read "A. J. Ceraolo". The signature is stylized and fluid.

A. J. CERAOLO  
Captain, U.S. Coast Guard  
Captain of the Port of San Francisco & Northern California  
U.S. Coast Guard Sector San Francisco


# Maritime Safety and Security Bulletin: 001-19

Effective Date: November 1, 2019



U.S. Coast Guard Sector San Diego  
2710 North Harbor Drive  
San Diego, CA 92101  
Phone: (619) 278-7656  
Fax: (619) 278-7235

## SAN CLEMENTE ISLAND LIMITED ACCESS ADVISORY



Mariners operating in the vicinity of San Clemente Island are reminded of the **restricted** waterway access surrounding San Clemente Island according to Title 33, Code of Federal Regulations (CFR) Part 165.1131 and 33 CFR 165.1141).

Since the inception of the regulations, Coast Guard Sector San Diego has processed numerous safety zone violations. Safety Zone incursions put the public at risk and cause costly and unnecessary training delays, as well as range cancellations. Violators of the San Clemente Island Safety and Security Zones are subject to monetary penalties. Criminal penalties may also be issued for repeated Safety and/or Security Zone violations. Failure to comply with the federal regulations could result in civil penalties of up to \$94,219 under 46 USC 70036(a). Furthermore, if a mariner holds a Merchant Mariner Credential, suspension or revocation action may be

pursued against the mariner's credential.

San Clemente Island is a top strategic Department of Defense military training facility. Dangerous naval activities occur weekly to ensure deployable military forces are trained for worldwide missions (e.g. small arms training, ground and air explosive ordinance training). Mariners conducting operations around San Clemente Island must abide by Federal regulations that apply to the three NM radius around the island. Eight zones comprise the Safety and Security Zones. Restriction times are based on U.S. Navy live fire exercises. Wilson Cove Security Zone and Zone G of the Safety Zones are permanently closed. Mariners wishing to transit through Zone G must have preapproval from San Clemente Island. The U.S. Navy makes every effort to maintain a schedule in advance and minimize the restrictions to the public for water access around the island. Periods of enforcement can be found at <https://www.scisland.org>. Restricted access areas and times are highlighted in red and listed in the associated website chart. If a Safety Zone section is green, mariners may access the waters. Mariners are advised to contact San Clemente Island via call sign "KRAKEN" on VHF CH 82A, or call Coast Guard Sector San Diego Joint Harbor Operations Center on VHF CH16, or at (619) 278-7033 or 7656, to verify real time status of the restricted waters.


If you would like more information about the Security and Safety zones surrounding San Clemente Island, please contact the Coast Guard Sector San Diego Waterways Management Division at 619-278-7656 or by email at [D11MarineEventsSD@uscg.mil](mailto:D11MarineEventsSD@uscg.mil)

Sincerely,

A handwritten signature in blue ink, appearing to read "T.J. Barelli".

T.J. BARELLI  
Captain, U. S. Coast Guard  
Captain of the Port San Diego


Temporary Access Platforms  
Golden Gate Bridge, Mile 2.5, San Francisco Bay  
Revised 06 Jan 20



Typical Platform Lighting

Four 54 ft wide temporary platforms are installed in the main span below low steel of the bridge, two south of the north tower and two north of the south tower, reducing vertical clearance by no more than 14 feet. The upstream and downstream lower edges of the temporary platform will be lighted at night with steady burning red lights visible at 2,000 yards by approaching vessels.

NOTE:  
- Measurements will be taken from center of tower to closest face of access platform



**Temporary Access Platforms**  
**Golden Gate Bridge, Mile 2.5, San Francisco Bay**  
 Revised 06 Jan 20

**Typical Platform Lighting**

South Tower

Center Span

Approx. 275'

Approx. 1575'


**NOTE:** Measurements will be taken from center of tower to closest face of access platform.

Four 54 ft wide temporary platforms are installed in the main span below low steel of the bridge, two south of the north tower and two north of the south tower, reducing vertical clearance by no more than 14 feet. The upstream and downstream lower edges of the temporary platform will be lighted at night with steady burning red lights visible at 2,000 yards by approaching vessels.

Vincent Thomas Highway Bridge  
Mile 3.0  
Los Angeles/Long Beach Harbor  
**Painting Project**

West Channel Margin  
Light

Below Low Steel  
Platform. 5' 4"  
reduction in  
vertical clearance



A 180 foot long under deck temporary platform will reduce vertical clearance by 5' 4". Each corner and every 50 feet along the the upstream and downstream side of the platform will lighted at night with steady burning red lights visible at 2000 yards by approaching vessels. In a duration of 1-year the platform will progress from the western channel margin light to 250' west of the centerline of the bridge.



Gerald Desmond Bridge  
Replacement Project

Caltrans • Metro • Port of Long Beach • US Department of Transportation



# SAFETY NOTICE

## For Watercraft on Back Channel



Construction of the Gerald Desmond Bridge Replacement Project's main span has begun over the Back Channel.

All recreational and commercial watercraft that travel through the channel between the hours of 6:00 a.m. and 2:30 a.m. Monday through Saturday are advised to be aware of and identify the stationed spotter boat (pictured) for safe passage under the Bridge Project.

**For watercraft approaching the Bridge Project, Marine VHF radio channels 13 and 79 can be used to communicate with the spotter boat to determine safe passage.**

**For more information, visit: [www.NewGDBridge.com/Waterway](http://www.NewGDBridge.com/Waterway)**

If you have any questions about this announcement, please contact the **Bridge Project Communications Team** at (562) 485.2780 or [info@GDBRProject.com](mailto:info@GDBRProject.com). Thank you!



**U.S. COAST GUARD  
REPORT OF DELAY AT DRAWBRIDGE  
PER 33 CFR 117.5**

BRIDGE NAME: \_\_\_\_\_ DATE: \_\_\_\_\_

MILE : \_\_\_\_\_ WATERWAY: \_\_\_\_\_

1. Name/ Type of Vessel: \_\_\_\_\_ Direction of Travel : \_\_\_\_\_

2. Vessel Owner (Name): \_\_\_\_\_

(Address): \_\_\_\_\_

3. Name of Pilot (if applicable): \_\_\_\_\_

(Address): \_\_\_\_\_

4. Time vessel signaled for bridge opening: \_\_\_\_\_

5. Location of vessel when signal was given: \_\_\_\_\_

6. Time and location of vessel when delay began: \_\_\_\_\_

7. Method of signal for bridge opening: ( ) Radio ( ) Sound ( ) Visual.

(If sound or visual signal was used, specify: \_\_\_\_\_)

8. Time bridge operator acknowledged signal: \_\_\_\_\_

9. Method of bridge operator acknowledgement: ( ) Radio ( ) Sound ( ) Visual

(If sound or visual signal was used, specify: \_\_\_\_\_)

10. Did bridge operator acknowledgement indicate the bridge,

( ) Could be opened immediately?

( ) Could not be opened immediately?

11. If land traffic crossed the bridge:

Time land traffic started across the bridge \_\_\_\_\_

Time land traffic stopped crossing the bridge \_\_\_\_\_

Did land traffic stop on the bridge? \_\_\_\_\_

Duration land traffic stopped on the bridge \_\_\_\_\_

12. Time drawbridge opened for navigation \_\_\_\_\_

13. Additional comments:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

I certify the above information is true to the best of my knowledge and understand this statement may be used by the U.S. Coast Guard in levying fines against the bridge owner.

Signature \_\_\_\_\_

Telephone \_\_\_\_\_

Mariners may complete and return to:

Commander (dpw)  
Eleventh Coast Guard District  
Coast Guard Island, Building 50-2  
Alameda, CA 94501-5100  
Attn: Bridge Office

Fax: (510) 437-5836

Email: [Carl.T.Hausner@uscg.mil](mailto:Carl.T.Hausner@uscg.mil)

Questions? Please contact: Carl Hausner, Bridge Administrator, Eleventh Coast Guard District

Office: (510) 437-3516

Cell: (510) 219-4366

Mariners are reminded not to require bridge openings for appurtenances nonessential to navigation, per 33 CFR 117.11