



U.S. Department  
of Homeland Security  
**United States  
Coast Guard**

## LOCAL NOTICE TO MARINERS

**District: 13**

**Week: 06/21**

ISSUED BY: COMMANDER, THIRTEENTH COAST GUARD DISTRICT (dpw)  
915 Second Avenue, 35th Floor, Rm 3510, Seattle, Washington 98174-1067  
Telephone: (206) 220-7280  
Email: D13-SMB-D13-LNM@uscg.mil  
<https://www.pacificarea.uscg.mil/Our-Organization/District-13/District-Staff/-dpw/>  
<https://www.navcen.uscg.gov/?pageName=lnmDistrict&region=13>

COMDTPUB P16502.6, Light List Volume VI, 2021 Edition, and Coast Pilot Volume 10, 2020 Edition.  
Light List Volume VI, 2021 Edition is available at [https://www.navcen.uscg.gov/pdf/lightLists/LightList\\_V6\\_2021.pdf](https://www.navcen.uscg.gov/pdf/lightLists/LightList_V6_2021.pdf)  
Coast Pilots, along with corrections, are available at: [www.nauticalcharts.noaa.gov/publications/coast-pilot/index.html](http://www.nauticalcharts.noaa.gov/publications/coast-pilot/index.html). Print on Demand (POD) copies are available for purchase at: [www.nauticalcharts.noaa.gov/publications/print-agents.html#coast-pilot](http://www.nauticalcharts.noaa.gov/publications/print-agents.html#coast-pilot).

### UNITED STATES COAST GUARD NAVIGATION INFORMATION SERVICE (NIS)

The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information for GPS and DGPS. The NIS also disseminates Safety Broadcasts / Broadcast Notice to Mariners (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). LNMs and other navigation notices can be obtained via e-mail subscription through the USCG Navigation Center website:

<https://www.navcen.uscg.gov/?pageName=feeds>

In addition, the NIS investigates all reports of degradation or loss of GPS or DGPS service. Mariners are encouraged to report all degradation of radio navigation services to the NIS via any of the following: Phone: (703) 313-5900 or Email: [webmaster@navcen.uscg.mil](mailto:webmaster@navcen.uscg.mil), or on the World Wide Web: <https://www.navcen.uscg.gov/?pageName=gpsUserInput>

### BROADCAST NOTICE TO MARINERS

Urgent marine navigational and weather information is broadcast over VHF channel 22A (157.1 MHz). Broadcasts are first announced over the distress, safety and calling channel 16 before they are made. All ships in U.S. waters over 20 meters in length are required to monitor VHF channel 16, and must have radios capable of tuning to the VHF simplex channel 22A.

This section contains a range of all the significant Broadcast Notice to Mariners (BNM's) on the date of this edition.

Originating Unit CGD THIRTEEN	Beginning BNM D13-0115-21	Ending BNM D13-0145-21
----------------------------------	------------------------------	---------------------------

### ABBREVIATIONS

#### A through H

ADRIFT - Buoy Adrift  
AICW - Atlantic Intracoastal Waterway  
Al - Alternating  
B - Buoy  
BKW - Breakwater  
bl - Blast  
BNM - Broadcast Notice to Mariner  
bu - Blue  
C - Canadian  
CHAN - Channel  
CGD - Coast Guard District  
C/O - Cut Off  
CONT - Contour  
CRK - Creek  
CONST - Construction  
DAYMK/Daymk - Daymark  
DBN/Dbn - Daybeacon  
DBD/DAYBD - Dayboard  
DEFAC - Defaced  
DEST - Destroyed  
DISCON - Discontinued  
DMGD/DAMGD - Damaged  
ec - eclipse  
EST - Established Aid  
ev - every

#### I through O

I - Interrupted  
ICW - Intracoastal Waterway  
IMCH - Improper Characteristic  
INL - Inlet  
INOP - Not Operating  
INT - Intensity  
ISL - Islet  
Iso - Isophase  
kHz - Kilohertz  
LAT - Latitude  
LB - Lighted Buoy  
LBB - Lighted Bell Buoy  
LHB - Lighted Horn Buoy  
LGB - Lighted Gong Buoy  
LONG - Longitude  
LNM - Local Notice to Mariners  
LT - Light  
LT CONT - Light Continuous  
LTR - Letter  
LWB - Lighted Whistle Buoy  
LWP - Left Watching Properly  
MHz - Megahertz  
MISS/MSNG - Missing  
Mo - Morse Code  
MRASS - Marine Radio Activated Sound Signal

#### P through Z

PRIV - Private Aid  
Q - Quick  
R - Red  
RACON - Radar Transponder Beacon  
Ra ref - Radar reflector  
RBN - Radio Beacon  
REBUILT - Aid Rebuilt  
RECOVERED - Aid Recovered  
RED - Red Buoy  
REFL - Reflective  
RRL - Range Rear Light  
RELIGHTED - Aid Relit  
RELOC - Relocated  
RESET ON STATION - Aid Reset on Station  
RFL - Range Front Light  
RIV - River  
RRASS - Remote Radio Activated Sound Signal  
s - seconds  
SEC - Section  
SHL - Shoaling  
si - silent  
SIG - Signal  
SND - Sound  
SPM - Single Point Mooring Buoy  
SS - Sound Signal

EVAL - Evaluation  
EXT - Extinguished  
F - Fixed  
fl - flash  
FI - Flashing  
G - Green  
GIWW - Gulf Intracoastal Waterway  
HAZ - Hazard to Navigation  
HBR - Harbor  
HOR - Horizontal Clearance  
HT - Height

MSLD - Misleading  
N/C - Not Charted  
NGA - National Geospatial-Intelligence Agency  
NO/NUM - Number  
NOS - National Ocean Service  
NW - Notice Writer  
OBSCU - Obscured  
OBST - Obstruction  
OBSTR - Obstruction  
Oc - Occulting  
ODAS - Anchored Oceanographic Data Buoy

STA - Station  
STRUCT - Structure  
St M - Statute Mile  
TEMP - Temporary Aid Change  
TMK - Topmark  
TRLB - Temporarily Replaced by Lighted Buoy  
TRLT - Temporarily Replaced by Light  
TRUB - Temporarily Replaced by Unlighted Buoy  
USACE - Army Corps of Engineers  
W - White  
Y - Yellow

**Additional Abbreviations Specific to this LNM Edition:**

AtoN - Aids to Navigation  
COTP - Captain of the Port  
CPA - Closest Point of Approach  
LLNR - Light List Number

NAVCEN - U.S. Coast Guard Navigation Center  
NM - Nautical Miles  
ODOT - Oregon Department of Transportation  
RM - River Mile Marker

S-AIS - Synthetic AIS  
VTS - Vessel Traffic Service  
WSDOT - Washington State Department of Transportation  
TSS - Traffic Separation Scheme

---

---

**SECTION I - SPECIAL NOTICES**

This section contains information of special concern to the Mariner.

---

**OREGON – APPROACHES TO YAQUINA AND DEPOE BAY – Bridge construction notice (Revised from LNM 04/21)**

ODOT is conducting bridge concrete repairs to the Yaquina Bay Highway 101 Bridge (LLNR 9627) in Newport, OR, at Yaquina Bay mile 0.7. A low level access walkway system will be constructed across the 4 concrete arch spans from the south bank heading north. While erected, the vertical navigation clearance will be reduced to a minimum of 16 feet at MHHW. The low level walkway system will span from the south bank to the North approx. 880 feet. This system will be built in April 2021 and will be functional until approximately the summer of 2024. The main navigational channel will not be impeded by the project as that section is made of steel. Mariners are requested not to loiter under the construction area due to fall hazards. For more information, contact Dan Lutze, the project superintendent, at (503) 519-5408.

Chart 18561

LNM: 06/21

**COLUMBIA RIVER – VANCOUVER TO BONNEVILLE – Bonneville spillway rock removal**

J.E. McAmis (JEM) will conduct rock removal and other operations for USACE near the Bonneville Dam spillway beginning on or around 22 Feb until on or about 25 Feb 2021. The derrick barge Heidi Renee and the tug James T will be performing work inside the BRZ (Boat Restricted Zone) below Bonneville Dam. The tug James T will be assisting with crew change at the boat dock below the locks. For questions or additional information contact the Project Superintendent, Darrell Jamieson at (360) 984-9178 or email DJamieson@jemcamis.com.

Chart 18531

LNM: 06/21

**WASHINGTON – GRAYS HARBOR – WISHKAH RIVER – Bridge notice**

WSDOT will be inspecting the US-12 Highway bridges across the Wishkah River at Aberdeen, Washington. Inspections of the Heron Street Highway Bridge (LLNR 16072.2) and the Wishkah Street Highway Bridge (LLNR 16072.3) will take place between 0900 and 1300 on 15 – 18 Mar 2021. The bridges will be inspected using an under-bridge inspection truck (UBIT) that occupies a portion of the roadway and extends a boom under the bridge. There is no fixed impact to navigational clearance from this operation (~10 ft. reduction to clearance while bucket is under the bridge, however UBIT will promptly give way to tall marine vessels). Mariners are advised to use caution while transiting the area. UBIT bucket will have a flashing orange light on the bottom and a safety lookout will be on the bridge. Bridge openings will occur as usual. For additional information, contact Alan Kuper at (360)701-0556 or kupera@wsdot.wa.gov .

Chart 18502

LNM: 06/21

**WASHINGTON – GPS testing**

US Strategic Command has proposed GPS testing encompassing a portion of Central Washington. The center point of the test will be near Kittitas, WA, at position 46-49-21 N, 120-09-30.7 W with a radius of 48 NM. The GPS navigation signal may be unreliable due to testing on GPS frequencies used by shipboard navigation and handheld systems. Systems that rely on GPS, such as e-911, AIS and DSC, may be affected. The testing frequency will be GPS L1/L2. Testing dates and times are as listed below, using Pacific Standard Time as local time:

25 Mar 1700 – 26 Mar 0100;  
26 Mar 1700 – 27 Mar 0100;  
27 Mar 1700 – 28 Mar 0100;  
28 Mar 1700 – 29 Mar 0100;  
29 Mar 1700 – 30 Mar 0100;  
30 Mar 1700 – 31 Mar 0100;  
31 Mar 1700 – 01 Apr 0100.

For additional information or to express concerns, contact the Coast Guard Navigation Center at (703) 313-5900 or at <https://www.navcen.uscg.gov/?pageName=dgpsSiteInfo&currentOutages>.

LNM: 06/21

**WASHINGTON – LAKE WASHINGTON – SAMMAMISH RIVER – West Sammamish River Bridge Notice (Revised from LNM 13/20)**

Construction on the West Sammamish River Bridge at Sammamish River mile 0.5 near Kenmore, Washington is ongoing and will continue through October 2023. The western bridge will be removed and a new bridge constructed. Mariners may transit through the construction zone, but are

advised that temporary work piers will be constructed on the west side of the bridge, and will reduce the horizontal span to 40 feet of clearance. Containment will be installed under the bridge reducing the vertical clearance from 11.5 feet to 10.5 feet measured at OHW. Working hours will normally be from 0600 to 1800 six days per week, however, during the in water work window of 01 Jul to 31 Aug, operations will be 24 hours per day. If construction falls behind schedule, the work hours may shift to 24 hours/seven days per week. For more information regarding construction, contact Jake Brockmoller at (253) 888-2514, or Mick Cannon at (253) 377-1041.

Chart 18447

LNM: 05/21

**WASHINGTON – STRAIT OF JUAN DE FUCA TO STRAIT OF GEORGIA – DECEPTION PASS – Bridge inspection**

WSDOT Bridge Preservation Office will be performing a regular scheduled biannual inspection of Deception Pass Bridge over Deception Pass between the hours of 0700 - 1600 on 27 - 28 of Feb 2021. The Bridge will be inspected by deploying two under-bridge inspection trucks (UBITs) from top of bridge deck closing one lane at a time of two-lane highway on eastbound (south side) and westbound (north side). Top of bridge elevation per plans is 180.58 The maximum reach for each of the two UBITs is approximately 60 ft. leaving approximately 120 ft. of vertical clearance above mean sea level. UBITs have a flashing amber strobe light mounted to the bottom of each bucket. Mariners are advised to not transit directly below the UBIT buckets if possible. For more information, contact Andrew Easley, S.E. at (206) 423-8907 or easleya@wsdot.wa.gov.

Charts: 18421 18427

LNM: 05/21

**WASHINGTON – STRAIT OF JUAN DE FUCA TO STRAIT OF GEORGIA – DECEPTION PASS – Bridge notice (Revised from LNM 34/20)**

WSDOT will re-start the cleaning, painting and repairing of the bridges over Deception Pass and Canoe Pass south of Anacortes. The work is expected to begin at 0600 on 01 Mar 2021 and be complete by 2000 on 30 Nov 2021. Deception Pass Bridge has a vertical clearance of 144 feet and Canoe Pass Bridge has a vertical clearance of 154 feet over the water. A full containment system will be attached to the bridge 24-hours a day. No in water work will be conducted, although one support vessel will be needed for worker safety. Mariners are advised to use caution while transiting the area. For further information on this project contact the Project Engineer, Shane Spahr, at 360-848-7103 or SpahrS@wsdot.wa.gov

Charts: 18421 18427

LNM: 05/21

**OREGON – PORT OF PORTLAND – WILLAMETTE RIVER – Bridge deviation**

The Coast Guard has approved a request for a draw bridge temporary deviation from the operating schedule that governs the St. Johns Railroad Bridge (LLNR 14927.5), AKA Bridge 5.1, across the Willamette River at mile 6.9 at Portland, Oregon. The bridge need not open for maritime traffic from 0900 to 1500 daily during 08 – 12 Mar 2021. The bridge cannot open for emergencies during the deviation times. No alternate routes exists on this part of the Willamette River. Vessels able to pass through the bridge in the closed-to-navigation position may do so at any time. The subject bridge provides 54 feet of vertical clearance in the closed-to-navigation position. In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating schedule immediately at the end of the effective period of this temporary deviation. The bridge shall operate in accordance to 33 CFR §117.5 at all other times. For more information regarding the bridge operation, contact Jeff Swanson at jeff.swanson@bnsf.com.

Chart 18526

LNM: 04/21

**COLUMBIA RIVER – LAKE CELILO – Bridge deviation**

The Coast Guard has approved a request for a draw bridge temporary deviation from the operating schedule that governs the Celilo Railroad Bridge (LLNR 12203) across the Columbia River at mile 201.2 near Celilo, Oregon. The bridge need not open for maritime traffic from 0700 to 1800 daily during 08 – 12 Mar 2021, and 15 – 19 Mar 2021. The bridge may be opened for emergencies during the deviation times if a one hour notice is given. No alternate routes exists on this part of the Columbia River. The subject bridge provides 18 feet of vertical clearance in the closed-to-navigation position. Vessels able to pass through the bridge in the closed-to-navigation position may do so at any time. The bridge shall operate in accordance to 33 CFR §117.869 at all other times. In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating schedule immediately at the end of the effective period of this temporary deviation. For more information regarding the bridge operation, contact Jeff Swanson at jeff.swanson@bnsf.com.

Chart 18533

LNM: 04/21

**WASHINGTON – PUGET SOUND – HOOD CANAL – Dabob Bay Navy Testing Range warning lights**

Mariners are advised that two of the warning lights for the Dabob Bay Navy Testing Range are currently inoperable; the light on the Bolton Peninsula at 47-47-16.8 N / 122-49-27 W, and the light on Sylopash Point near Brinnon at 47-41-26.4 N / 122-53-18 W. These lights are charted on Chart 18548, Hood Canal – South Point to Quonset Point including Dabob Bay, with a note explaining their operation. Both lights are also charted on the ENC US5WA26. Mariners transiting into Dabob Bay should contact Dabob Bay Range Control at (360) 396-4108 for the testing range operational status while these lights are inoperable.

Chart 18458

LNM: 04/21

**WASHINGTON – LAKE WASHINGTON SHIP CANAL – UNION BAY REACH – Bridge notice**

The Coast Guard intends to approved a temporary deviation to the operating schedule that governs the Montlake Street Bridge (LLNR 18240) across the Lake Washington Ship Canal, mile 5.2, at Seattle, Washington. The draw of the Montlake Bridge need not open to mariners from 0700 on 09 Aug 2021 to 1900 on 30 Sep 2021. The subject bridge will open to marine traffic twice per day at 1000 and 1700, and remain open until all waiting vessels have passed through the bridge. The bridge need not open to vessels over 1000 tons or vessels being towed over 1000 tons. On 04 – 06 Sep 2021, the draw will be able to open at any time upon request per 33CFR§117.1051. This temporary deviation is in support of a mechanical rehabilitation project. The Montlake Bridge in the closed-to-navigation position provides 30 feet of vertical clearance, and 46 feet of

vertical clearance throughout the center 60 feet of the bridge; vertical clearance references to the Mean Water Level of Lake Washington. Vessels able to pass through the bridge in the closed-to-navigation position may do so at any time. The bridge will be able to open for emergencies on 04 – 06 Sep 2021 only, and there is no alternate route for vessels to pass. If anyone has objections to this temporary deviation, please reply by 10 Feb 2021 at d13-smb-d13-bridges@uscg.mil.

Chart 18447

LNM: 04/21

**WASHINGTON – EVERETT HARBOR – SNOHOMISH RIVER – SR-529 Highway Bridge deviation**

The Coast Guard has approved a request for a drawbridge temporary deviation from the operating schedule for the following bridges:

Bridge	LLNR	Waterway (mile)	Date	Time	Position	Clearance (high tide)
SR-529 (NB)	18594.11	Steamboat Slough (1.1)	28 Mar 2021	0700-1130	Closed-to-navigation	10 feet;
SR-529 (SB)	18594.9	Steamboat Slough (1.2)	28 Mar 2021	0700-1130	Closed-to-navigation	10 feet;
SR-529 (NB)	18591.3	Snohomish River (3.6)	28 Mar 2021	0700-1130	Closed-to-navigation	37 feet;
SR-529 (SB)	18591.2	Snohomish River (3.6)	28 Mar 2021	0700-1130	Closed-to-navigation	37 feet.

This deviation allows the span of the subject bridges near Marysville, WA, and Everett, WA, to remain in the closed-to-navigation position for the Everett Half Marathon. Vessels able to pass through the bridges in the closed-to-navigation position may do so at any time. The bridge spans will be able to open for marine emergencies. An alternate route for vessels to pass is available through Ebey Slough and Union Slough near the entrance of Steamboat Slough at high tide. In accordance with 33 CFR 117.35(e), the drawbridges must return to their regular operating schedule immediately at the end of the effective period of this temporary deviation. The bridge shall operate in accordance to 33 CFR § 117.1059 at all other times. For more information regarding the bridge operation, contact Colleen Kelly at kellyc@wsdot.wa.gov.

Chart 18444

LNM: 04/21

**OREGON - WASHINGTON – IDAHO – 2021 Light List now available**

The 2021 edition of Light Lists are now available on the USCG Navigation Center's website at:

<http://www.navcen.uscg.gov/?pageName=lightLists>. Coast Guard Light Lists are a means for communicating aids to navigation information to the maritime public. Local Notice to Mariners will continue to advise of Light List corrections and NAVCEN will continue to publish a compilation of corrections. Complete versions of the 2021 Light Lists are updated weekly on the NAVCEN website and mariners should download applicable copies and updates as needed at: <http://www.navcen.uscg.gov/?pageName=lightListWeeklyUpdates>. A summary of weekly 2021 Light List corrections are available at: <https://www.navcen.uscg.gov/?pageName=lightListCorrections>.

LNM: 03/21

**SECTION II - DISCREPANCIES**

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

**DISCREPANCIES (FEDERAL AIDS)**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
665	Cape Kiwanda Whistle Buoy CK	MISSING	18520	0020-21	02/21	
689	NOAA Environmental Lighted Buoy 46089	MISSING	18003	0695-20	41/20	
756	Strait of Juan De Fuca Traffic Separation Lane Lighted Buoy JA	MISSING	18485	0828-20	47/20	
765.45	DART Tsunami Warning Lighted Buoy 46452	ADRIFT	18003	1009-18	49/18	
765.5	NOAA Environmental Lighted Buoy 46005	LT EXT	18007	0197-20	08/20	
8635	Chetco River Entrance Light 9	STRUCT DEST/TRLB	18602	0248-19	15/19	
9451	Siuslaw River North Jetty Light 3	STRUCT DEST/LT EXT	18583	0023-21	02/21	
9590	Yaquina Bay Entrance Lighted Gong Buoy 1	MISSING	18581	0059/0061-21	03/21	
9817	Tillamook Bay Entrance Lighted Bell Buoy 2	MISSING	18558	0873-20	51/20	
9935	Clatsop Spit Lighted Whistle Buoy 8	MISSING	18521	0872-20	51/20	
12980	Lake Wallula West Channel Junction Light W	STRUCT DEST/TRLB	18542	0208-20	09/20	
<b>14450</b>	<b>Baker Bay West Channel Light 10</b>	<b>LT EXT</b>	<b>18521</b>	<b>0142-21</b>	<b>06/21</b>	
15040	Oswego Rock Daybeacon	STRUCT DEST/TRUB	18528	0394-17	20/17	
15210	Willapa Bay Entrance Light 13	STRUCT DEST	18504	0839-16	38/16	
16071.25	Hoquiam River Obstruction Buoy	MISSING	18502	0178-20	08/20	

16085	Quillayute River Entrance Lighted Buoy 2	LT IMCH	18480	0040-21	03/21
16136	Strait of Juan De Fuca Traffic Separation Lane Lighted Buoy JA	MISSING	18485	0828-20	47/20
<b>17250</b>	<b>Gibson Point Light 6</b>	<b>LT EXT</b>	<b>18448</b>	<b>0139-21</b>	<b>06/21</b>
19120	Swinomish Channel North Entrance Light 18	STRUCT DEST/TRLB	18427	0546-20	34/20
19430	Blakely Island Shoal Lighted Isolated Danger Buoy DS	LT EXT	18430	0103-21	05/21
19540	Iceberg Point Light 2	DAYMK IMCH	18429	0002-21	01/21
19974	International Boundary Light F	DAYMK MISSING	18421	0719-20	42/20
19975	International Boundary Light G	LT EXT/DAYMK MISSING	18421	0720-20	42/20
19976	International Boundary Light H	DAYMK DMGD	18421	0721-20	42/20

**DISCREPANCIES (FEDERAL AIDS) CORRECTED**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
595	Cape Blanco Light	RELIGHTED	18589	None	06/21	06/21
10735	Fisher Island Channel Lighted Buoy 10	RELIGHTED	18524	0135-21	04/21	06/21
14435	Baker Bay West Channel Daybeacon 7	REBUILT/REMAINS	18521	0132-21	35/17	06/21
14620	Sand Island Upper Dike Light 5	RELIGHTED	18521	0129-21	05/21	06/21
15005	Elk Rock Buoy 10	RESET ON STATION	18528	0144-21	04/21	06/21
15010	Elk Rock Buoy 12	RESET ON STATION	18528	0145-21	04/21	06/21
17075	Puget Sound Traffic Separation Lane Lighted Buoy TB	RELIGHTED	18474	0121-21	05/21	06/21

**DISCREPANCIES (PRIVATE AIDS)**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
9657	Boat Basin Warning Marker	STRUCT DEST	18561	0027-21	02/21	
16300	Ediz Hook Salmon Pen Light A	MISSING	18468	0593-20	36/20	
16307	Ediz Hook Salmon Pen Light B	MISSING	18468	0593-20	36/20	
<b>17045</b>	<b>Des Moines Marina Light 3</b>	<b>LT IMCH</b>	<b>18474</b>	<b>0133-21</b>	<b>06/21</b>	
<b>17055</b>	<b>Des Moines Marina Light 4</b>	<b>LT IMCH</b>	<b>18474</b>	<b>0134-21</b>	<b>06/21</b>	
19173	Deepwater Bay North Fish Pen Lights (2)	MISSING	18427	0784-20	45/20	
<b>19912</b>	<b>Birch Bay Mooring Basin Light 2</b>	<b>LT EXT</b>	<b>18421</b>	<b>0115-21</b>	<b>06/21</b>	

**DISCREPANCIES (PRIVATE AIDS) CORRECTED**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
------	----------	--------	-----------	----------	--------	---------

None

**PLATFORM DISCREPANCIES**

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

**PLATFORM DISCREPANCIES CORRECTED**

Name	Status	Position	BNM Ref.	LNM St	LNM End
------	--------	----------	----------	--------	---------

None

**SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED**

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

**TEMPORARY CHANGES**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
8635	Chetco River Entrance Light 9	TRLB	18602	0436-19	25/19	
12980	Lake Wallula West Channel Junction Light W	TRLB	18542	0214-20	10/20	
15040	Oswego Rock Daybeacon	TRUB	18528	0404-17	20/17	
19120	Swinomish Channel North Entrance Light 18	TRLB	18427	0573-20	35/20	
	Coos Bay CG Mooring Buoy	DISCONTINUED	18587	None	04/21	

**TEMPORARY CHANGES CORRECTED**

LLNR	Aid Name	Status	Chart No.	BNM Ref.	LNM St	LNM End
14435	Baker Bay West Channel Daybeacon 7	Reestablished	18521	0132-21	35/17	
18300	Kenmore Channel Lighted Buoy 4	Returned to Assigned Position	18447	0116-21	50/20	

**PLATFORM TEMPORARY CHANGES**

Name	Status	Position	BNM Ref.	LNM St	LNM End
<b>None</b>					

**PLATFORM TEMPORARY CHANGES CORRECTED**

Name	Status	Position	BNM Ref.	LNM St	LNM End
<b>None</b>					

**SECTION IV - CHART CORRECTIONS**

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which chart(s) are to be corrected. The following example explains individual elements of a typical chart correction.

Chart Number	Chart Edition	Edition Date	Last Local Notice to Mariners	Horizontal Datum Reference	Source of Correction	Current Local Notice to Mariners
12327	91st Ed.	19-APR-97	Last LNM: 26/97	NAD 83		27/97
Chart Title: NY-NJ-NEW YORK HARBOR - RARITAN RIVER						
Main Panel 2245 NEW YORK HARBOR						
(Temp) ADD	NATIONAL DOCK CHANNEL BUOY 3				CGD01 at 40-41-09.001N	074-02-48.001W
Corrective Action	Green can	Object of Corrective Action			Position	

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

<b>50</b>	<b>9th Ed.</b>	<b>01-DEC-15</b>	<b>Last LNM: 35/20</b>	<b>NAD 83</b>		<b>06/21</b>
<i>Chart Title: North Pacific Ocean (eastern part) Bering Sea Continuation</i>						
<b>Main Panel 2400 NORTH PACIFIC OCEAN EASTERN PART. Page/Side: A</b>						
RELOCATE	DART Tsunami Warning Lighted Buoy 46419				CGD13 from 48-47-49.011N to 48-48-17.000N	129-36-18.068W 129-36-58.000W
<b>501</b>	<b>13th Ed.</b>	<b>01-JUN-09</b>	<b>Last LNM: 29/20</b>	<b>NAD 83</b>		<b>06/21</b>
<i>Chart Title: North Pacific Ocean West Coast Of North America Mexican Border To Dixon Entrance</i>						
<b>Main Panel 1650 MEXICAN BORDER TO DIXON ENTRANCE. Page/Side: N/A</b>						
RELOCATE	DART Tsunami Warning Lighted Buoy 46419				CGD13 from 48-47-49.011N to 48-48-17.000N	129-36-18.068W 129-36-58.000W
<b>18427</b>	<b>25th Ed.</b>	<b>01-OCT-19</b>	<b>Last LNM: 04/19</b>	<b>NAD 83</b>		<b>06/21</b>
<i>Chart Title: Anacortes to Skagit Bay</i>						
<b>Main Panel 1680 ANACORTES TO SKAGIT BAY - -. Page/Side: -</b>						
RELOCATE	Swinomish Channel South Entrance Light 20				CGD13 from 48-22-58.576N	122-30-22.432W

and Change nominal range to 4M.

to 48-22-58.492N

122-30-22.478W

18504 66th Ed. 01-JUL-06 Last LNM: 29/17 NAD 83

06/21

ChartTitle: Willapa Bay;Toke Pt.

CHART WA - WILLAPA BAY. Page/Side: N/A

RELOCATE Willapa River Light 56 and Change nominal range to 4M.

CGD13 from 46-40-39.550N to 46-40-39.583N

123-46-48.676W 123-46-48.572W

18521 77th Ed. 01-MAR-19 Last LNM: 46/17 NAD 83

06/21

ChartTitle: Columbia River Pacific Ocean to Harrington Point;Ilwaco Harbor

CHART OR - WA - COLUMBIA RIVER - PACIFIC OCEAN TO HARRINGTON POINT - ILWACO HARBOR. Page/Side: N/A

RELOCATE Baker Bay West Channel Daybeacon 6 and Delete Ra Ref.

CGD13 from 46-16-18.596N to 46-16-18.153N

124-01-48.207W 124-01-48.218W

CHANGE Baker Bay West Channel Entrance Jetty Light 1 Delete Ra Ref.

CGD13 at 46-16-07.298N

124-01-48.885W

Inset 1738 ILWACO HARBOR - -. Page/Side: -

DELETE Baker Bay West Channel Buoy 14

CGD13 46-16-59.116N

124-02-53.994W

DELETE Baker Bay West Channel Daybeacon A

CGD13 46-16-46.718N

124-02-13.314W

DELETE Baker Bay West Channel Lighted Buoy 10

CGD13 46-16-46.662N

124-02-16.800W

RELOCATE Baker Bay West Channel Daybeacon 16 and Delete Ra Ref.

CGD13 from 46-17-12.118N to 46-17-12.682N

124-03-00.975W 124-03-01.076W

RELOCATE Baker Bay West Channel Daybeacon 6 and Delete Ra Ref.

CGD13 from 46-16-18.596N to 46-16-18.153N

124-01-48.207W 124-01-48.218W

RELOCATE Baker Bay West Channel Daybeacon 7

CGD13 from 46-16-24.473N to 46-16-24.374N

124-01-53.790W 124-01-53.720W

RELOCATE Baker Bay West Channel Daybeacon 9

CGD13 from 46-16-37.994N to 46-16-37.879N

124-02-07.203W 124-02-06.994W

RELOCATE Baker Bay West Channel Light 12 and Change height to 19ft.

CGD13 from 46-16-55.875N to 46-16-56.097N

124-02-45.792W 124-02-47.405W

CHANGE Baker Bay West Channel Entrance Jetty Light 1 Delete Ra Ref.

CGD13 at 46-16-07.298N

124-01-48.885W

ADD Baker Bay West Channel Daybeacon 14 Red

CGD13 at 46-16-59.892N

124-02-54.619W

ADD Baker Bay West Channel Light 10 Red Fl R 6s 19 Ft, 4 Naut Mi

CGD13 at 46-16-46.755N

124-02-14.548W

SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

Approved Project(s)

None

Project Date

Ref. LNM

Advance Notice(s)

COLUMBIA RIVER – CRIMS ISLAND TO VANCOUVER – Testing of LED Range Lights (Revised from LNM 49/19)

The U.S. Coast Guard is testing LED combination lantern systems to replace the incandescent lanterns at the locations listed below. The remaining change is expected to occur during the spring or summer of 2020:

Kalama Upper Range Rear Light (LLNR 10920) the intensity will be increased to match the Range Front Light.

Mariners are encouraged to share comments on the performance and operation of these lights as aids to navigation. All comments should be sent to the email address D13-SMB-D13-LNM@uscg.mil. Any discrepancy for these or other Aids to Navigation should continue to be reported to US Coast Guard Sector Columbia River.

Charts: 18524 18525

LNM: 52/19

**WASHINGTON – APPROACHES TO STRAIT OF JUAN DE FUCA – QUILLAYUTE RIVER – Temporary change of Quillayute River Direction Light**

Due to equipment failure, the U.S. Coast Guard has temporarily changed the lighting characteristic of Quillayute River Direction Light (LLNR 16090) from a three color sector light to a yellow occulting light, flashing every 4 s (Oc Y 4s). This aid will be lighted 24 hours a day and have an arc of visibility of 1.5° degrees either side of the bearing of 005.5° true to the light. Chart and Light List corrections have been published in Local Notice to Mariners 49/19. Mariners are encouraged to share comments on this change and the performance and operation of this aid to navigation. All comments should be sent to the email address D13-SMB-D13-LNM@uscg.mil. Any discrepancy for these or other Aids to Navigation should continue to be reported to US Coast Guard Sector Puget Sound.

Chart 18480

LNM: 49/19

**WASHINGTON – STRAIT OF JUAN DE FUCA TO STRAIT OF GEORGIA – SAN JUAN CHANNEL – Reduction in nominal range for Blakely Island Shoal Lighted Isolated Danger Buoy DS**

The U.S. Coast Guard is making a minor reduction in the intensity of Blakely Island Shoal Lighted Isolated Danger Buoy DS (LLNR 19430) during February 2021, from 6 NM to 5 NM to facilitate the operation of a self-contained LED lantern. The precise intensity change will be from 108 candelas to 90 candelas (from 6.0 NM to 5.8 NM).

Charts: 18421 18434

LNM: 06/21

---

---

**SECTION VI - PROPOSED CHANGES**

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office unless otherwise noted (see banner page for address).

---

---

**PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT**

<b><u>Proposed Project(s)</u></b>	<b><u>Closing</u></b>	<b><u>Docket No.</u></b>	<b><u>Ref. LNM</u></b>
None			

<b><u>Proposed Change Notice(s)</u></b>
None

---

---

**SECTION VII - GENERAL**

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

**SUMMARY OF BRIDGE LIGHTING DISCREPANCIES AND CORRECTIONS**

The summary of Bridge Lighting Discrepancies and Corrections is listed as Enclosure (1) of this Local Notice to Mariners.

LNM: 06/21

**SUMMARY OF DREDGING OPERATIONS**

The summary of Dredging Operations is listed as Enclosure (2) of this Local Notice to Mariners.

LNM: 06/21

**SUMMARY OF MARINE EVENTS**

The summary of Marine Events is listed as Enclosure (3) of this Local Notice to Mariners.

LNM: 06/21

**OREGON – COOS BAY – McCullough Highway Bridge Notice**

ODOT will be painting and preserving the McCullough Highway Bridge (US 101) (LLNR 9009) at North Bend, Oregon, across Coos Bay, mile 9.5, from 01 Apr 2019 through 31 Mar 2021, from 0700-1900 seven days per week. The subject bridge provides 148 feet of vertical clearance, which will be reduced to 145.5 feet with the containment system. The containment will be marked with flashing amber lights. Mariners may transit under the bridge at any time, but are advised to use caution for fall hazards. For additional information, contact Nick Frangopoulos at (330) 540-1008 or vimaspainting@aol.com.

Chart 18587

LNM: 11/19

**COLUMBIA RIVER – PACIFIC OCEAN TO HARRINGTON POINT – Youngs Bay Highway Bridge Repair notice**

ODOT will be conducting repair work on the Youngs Bay Highway Bridge (LLNR 14573) at Warrenton, Oregon, from 11 Mar 2019 through Nov 2021. Mariners are advised that there will be barges and assist vessels at the work site and a containment system under the bridge reducing vertical clearance. There will be no containment system under the liftspan of the bridge, and the main channel will remain clear for traffic, with no change to the operation of the lift. Mariners are requested to use slow speed to minimize wake. Interested parties can contact the on-site construction manager, Craig Gries at (503) 580-6319 or email at cgries@orstbridge.com

Chart 18521

LNM: 10/19

**COLUMBIA RIVER – CRIMS ISLAND TO ST. HELENS - COWLITZ RIVER – I-5 Twin Bridge notice**

WSDOT will be conducting preservation and painting work on the I-5 Twin Bridge across the Cowlitz River at mile 31.4 near Toledo, Washington. The project will begin on 23 Jul 2020 and continue until approximately Jul 2021, weather pending. The working hours will be 0700 to 1600, and from 2000 to 0700. Containment and an Under Bridge Inspection Truck will reduce the vertical clearance by three feet. The subject bridge's vertical



**COLUMBIA RIVER – CRIMS ISLAND TO ST. HELENS - COWLITZ RIVER – I-5 Twin Bridge notice**

clearance at high water is 15 feet, and will be reduced to 12 feet. The containment will be marked with flashing amber lights. The project will involve rigging, sand blasting and painting. Mariners should be cautious of fall hazards. For more information, contact Joanna Lowery at lowreyj@wsdot.wa.gov, or Lefty Helidonis at (330) 280-2879.

LNM: 28/20

**WASHINGTON – PUGET SOUND – SEATTLE HARBOR – DUWAMISH WATERWAY – Bridge deviation**

The Coast Guard has issued a deviation from the operating schedule that governs the 1st Avenue South Highway Bridge (LLNR 16887) across the Duwamish Waterway, mile 2.5, in Seattle, WA. The deviation period will be from 0001 on 15 Jan 2021 to 2359 on 15 Mar 2021, for 24 hours per day. The deviation is necessary to accommodate WSDOT's bridge equipment replacement. The temporary deviation is approved and allows for, after receiving a signal to open the draw of the 1st Avenue South Bridge, the bridge operator may delay the opening of the draw up to 15 minutes. The 15 minute delay gives WSDOT's work crew time to clear the bridge. The 15 minute delay to open applies to vessels of 5000 gross tons and over, a vessel towing a vessel of 5000 gross tons and over, and a vessel proceeding to pick up for towing a vessel of 5000 gross tons and over. During this closure, the draw of the subject bridge may also delay opening of the draw up to 15 minutes to marine vessels engaged in emergency operations. The subject bridge provides a vertical clearance of 39 feet center and 22 feet on the sides at high tide. Vessels able to pass through the bridge in the closed-to-navigation position may do so at any time. For more information, contact Cory Nau at (206) 768-5862.

Chart 18450

LNM: 44/20

**WASHINGTON – LAKE WASHINGTON SHIP CANAL – LAKE UNION – Fairview Avenue Bridge Notice (Revised from LNM 18/19)**

Preliminary work to install a turbidity curtain for the Fairview Avenue Bridge Replacement project started on 12 Apr 2019. This turbidity curtain will remain in Lake Union waters 24 hours a day for the duration of the project, projected to run through early 2021. Navigation warning lights are installed on top of flotation logs indicating the location of the turbidity curtain. The bridge will be closed to all road traffic and in-water work will commence on 16 Sep 2019. Navigation is not allowed across or beyond the turbidity curtain which indicates the beginning of an active construction zone. The turbidity curtain is located on waterway 8 in front of the Zymo Genetics building and spans the waterway between Seattle Seaplanes and Windermere Real Estate. For more information contact Chris Barnes, SDOT Construction Engineer, (206) 234-1404, and email chris.barnes@seattle.gov

Chart 18447

LNM: 33/19

**WASHINGTON - LAKE WASHINGTON SHIP CANAL - UNION BAY REACH - SR 520 West Approach Bridge South Bridge Replacement (Revised from LNM 31/20)**

American Bridge Company will conduct demolition work on the existing SR520 West Approach Bridge South utilizing marine equipment from 18 Jan through 31 Aug 2021. The operating zone will be from approximately 1300 ft west of the west navigation channel up to and including the west lane of the western navigation channel (Channel A). Equipment will include two marine cranes on separate barges in addition to material and environmental containment barges primarily functioning from the south side of the bridge. During this period, the navigation channel directly west of the Floating Bridge Pontoon (Channel B) will remain open to vessels at all times but with periodic closures of the west lane (Channel A). Mariners are advised to transit with caution when navigating near the project area and that no boaters are permitted within the active work zone at any time. In addition, reduced speed and/or minimal wake is requested when transiting the navigation channels. A graphic representation of the demolition operating area and the channel locations was included as Enclosure (4) of LNM 52/20. For more information, contact Eoin Duffy at (914) 263-5875 or email at eduffy@americanbridge.net.

Chart 18447

LNM: 50/20

**SNAKE RIVER – OREGON AND IDAHO – BROWNLEE TO SWAN FALLS – Gamble Island Bridge replacement project (Revised from LNM 37/20)**

McAlvain Construction (MCI) will be conducting bridge construction in the Snake River (Snake RM 386). Operations include pile driving, bridges replacement and existing bridges removal. Onsite work is expected to occur from 28 Sep 2020 to 01 Jun 2021. MCI will be utilizing an over the water temporary platform for construction operations during the working hours of 0700 through 1800, Monday through Saturday. The temporary platform will remain on-station during non-working hours. Accessible vessel navigation channels through the existing bridge and new bridges will be illuminated at night by red, green & amber lights as well as reflective direction arrows fixed to bridges. Mariners are asked to use the east channel around Gamble Island. Within bridge construction area transit the area with extreme caution and minimize wake. Within Main Channel bridge there will be navigational clearances of 30 feet wide and 10 feet in height. Within Side Channel bridge there will be navigational clearances of 30 feet wide and 6 feet in height. Please contact Brian Murphy at (208) 871-1576 or email brianm@mcavain.com or Brian Lemmon at (208) 871-4670 with questions.

LNM: 38/20

**WASHINGTON – PUGET SOUND – STILLAGUAMISH RIVER – Bridge notice**

Washington State Department of Transportation will be cleaning and painting the I-5 Bridge (5/670W) over the Stillaguamish River west of Arlington, Washington on I-5 between mileposts 209.35 to MP 209.47. Construction will occur from March 2021 through October 2021. A containment system will be attached to the bridge 24-hours a day and will prevent any falling debris. There will be 8-14 feet of clearance above ordinary high water elevation. Work will not occur in the water, although one support vessel will be needed for worker safety. Mariners are advised to use caution while transiting the area. For additional information, contact Shane Spahr, P.E. at (360) 848-7103 or SpahrS@wsdot.wa.gov .

Chart 18441

LNM: 02/21

**IDAHO – LAKE PEND OREILLE – BNSF Railroad Bridge Notice (Revised from LNM 18/20)**

BNSF Railway Company (BNSF) is continuing construction on the new BNSF Railroad Bridge 3.9 (LLNR 20087) located over Lake Pend Oreille (LPO) in Sandpoint, ID, from the start of the LPO winter draw-down levels as of 01 Nov 2020 through the start of LPO summer fill-up beginning on 01 May 2021. Work barges will be staged along the work corridor with support from upland staging areas, primarily from the south shore of LPO, near East Algoma along the BNSF right-of-way (ROW). This phase requires the construction of a temporary pipe trolley or trestle from the upland staging area at the south shore that will carry pipe piles to the work barges. Hours of construction activities will generally be 0730 to 1600, Monday to Saturday. An Ames-owned tugboat, Audrey B, will position barges and provide other on-water support within the BNSF 200' ROW west of the existing BNSF Bridge 3.9 in varying linear work zone foot prints. The Audrey B can be hailed on VHF-FM channels 13 and 16. One of the two published navigation channels at the existing BNSF Bridge 3.9 spans 67 and 68 and half of the existing spans 2 and 3; 14 through 17; 27 through 30; 40 through 43; 53 through 56; 84; and 95 through 97 will remain unobstructed during all work activities. Vertical clearance of the existing bridge will be unchanged. The temporary work trestles and work barges will have navigation lights and work zone buoys in accordance with the Navigation Rules (COLREGS-Inland). Enclosure (5) of LNM 47/20 displays the overview for this phase work activities. Changes to the work locations and activities will be updated by a subsequent LNM in the Spring of 2021. During all phases and locations, the noted navigational buoy-safety

**IDAHO – LAKE PEND OREILLE – BNSF Railroad Bridge Notice (Revised from LNM 18/20)**

lighting for the work areas will be in place. The point of contact for the bridge contractor, Ames Construction, is Mike Pamperin, at (612) 741-6535 and MikePamperin@amesco.com. For additional information contact the BNSF Project Manager, Ryan Kopera, at (913) 284-3467 or Ryan.Kopera@BNSF.com.

Chart 18554

LNM: 44/20

**COLUMBIA AND SNAKE RIVERS – Winter seasonal recreational vessel lockage**

The USACE Portland and Walla Walla Districts will implement the winter seasonal lockage schedule, from 21 Sep 2020 to 16 May 2021, for the passage of recreational craft through the Columbia and Snake River navigation locks. Winter recreational vessel lockage will be made during daylight hours only, on request at each lock – vessels should contact the lock operator via VHF-FM channel 14 or commercial telephone, and should make their request at least 30 minutes in advance.

Lock Name	Location	Phone Number	Radio Call Sign
Bonneville Lock	Columbia River Mile 145.5	(541) 374-8323	WUJ 33
The Dalles Lock	Columbia River Mile 191.5	(541) 298-4007	WUJ 34
John Day Lock	Columbia River Mile 215.6	(541) 298-9712	WUJ 35
McNary Lock	Columbia River Mile 292	(541) 922-2231	WUJ 41
Ice Harbor Lock	Snake River Mile 9.7	(509) 543-3253 x231	WUJ 42
Lower Monumental Lock	Snake River Mile 41.6	(509) 282-7231	WUJ 43
Little Goose Lock	Snake River Mile 70.3	(509) 399-2233 x231	WUJ 44
Lower Granite Lock	Snake River Mile 107.5	(509) 843-1493 x231	WUJ 45

Commercial vessels continue to have lockage precedence over recreational vessels. At the discretion of the lock operator, recreational vessels may be allowed to lock through with commercial vessels. All vessel owner/operators lock through at their own risk. All persons in the vessel must be wearing a personal flotation device (PFD) during lockage. Follow the directions of the lock operator when using locks or operating in the vicinity of the locks. The lock operator has final authority on the suitability of a craft for lockage. Please refer to USACE Safe Lockage Policy for Recreational Craft on the Columbia and Snake Rivers, published separately, for safety requirements. For safety and additional information on navigation lock operations and schedules visit <http://www.nww.usace.army.mil/Missions/Navigation.aspx>. or call the USACE Walla Walla Operations Division at (509) 527-7112.

Charts: 18532 18533 18535 18536 18537 18539 18541 18545 18546 18547

LNM: 37/20

**COLUMBIA RIVER – SNAKE RIVER – 2021 Annual Lock closures for maintenance**

The USACE Portland and Walla Walla Districts have scheduled the annual navigation lock maintenance closure for March 2021. During this time, the Locks and Dams on the Columbia and Snake Rivers have scheduled inspections, maintenance, and repair work. Non-routine work includes gate cleaning, structural inspections, and equipment/machinery repair and replacement. All eight (8) of the navigation locks will close at 0600 on Saturday, 06 Mar 2021 and return to service at 2359 on Sunday, 21 Mar 2021.

Columbia River navigation lock maintenance closures are:

- Bonneville (RM 145) – 0600 on 06 Mar 2021 to 2359 on 21 Mar 2021
- The Dalles (RM 191) – 0600 on 06 Mar 2021 to 2359 on 21 Mar 2021
- John Day (RM 216) – 0600 on 06 Mar 2021 to 2359 on 21 Mar 2021
- McNary (RM 292) – 0600 on 06 Mar 2021 to 2359 on 21 Mar 2021

Snake River navigation lock maintenance closures are:

- Ice Harbor (RM 9.7) – 0600 on 06 Mar 2021 to 2359 on 21 Mar 2021
- Lower Monumental (RM 41.6) – 0600 on 06 Mar 2021 to 2359 on 21 Mar 2021
- Little Goose (RM 70.3) – 0600 on 06 Mar 2021 to 2359 on 21 Mar 2021
- Lower Granite (RM 107.3) – 0600 on 06 Mar 2021 to 2359 on 28 Mar 2021

For additional information regarding Bonneville, The Dalles and John Day lock maintenance closures, contact Portland District, Operations Division at (503) 808-4341. For additional information regarding McNary, Ice Harbor, Lower Monumental, Little Goose and Lower Granite lock maintenance closures, contact Walla Walla District, Operations Division, at (509) 527-7112.

Charts: 18532 18533 18535 18539 18541 18545 18546 18547

LNM: 42/20

**SNAKE RIVER – LAKE SACAJAWEA AND LAKE HERBERT G. WEST AND LAKE BRYAN – Upstream floating guidewall restrictions (Revised from LNM 16/20)**

Until further notice, vessels transiting the Snake River navigation locks must use caution when operating near the upstream floating guidewalls at several of the projects:

- Ice Harbor Lock and Dam, Snake River Mile 9.7; vessels may not tie up to or rub against the upstream floating guidewall when approaching or leaving the lock, nor may they use the guidewall as a pivot for entering the lock.
- Lower Monumental Lock and Dam, Snake River Mile 41.6, vessels may not tie up to or rub against the floating guidewall when approaching or leaving the lock, nor should they use the guidewall as a pivot point for entering the lock.
- Little Goose Lock and Dam, Snake River Mile 70.3, vessels may not tie up to or rub against the upstream floating guidewall when approaching or leaving the lock, nor may they use the guidewall as a pivot for entering the lock.

These restrictions will remain in place until more substantial repairs can be made to the locks' floating guidewall cables. For additional information on this work, contact the NWW Operations Division at (509) 527-7364.

Charts: 18545 18546 18547

LNM: 24/20

**WASHINGTON – PUGET SOUND – LAKE WASHINGTON SHIP CANAL – Hiram M. Chittenden Large Lock closure**

The large lock chamber of the Hiram M. Chittenden Locks will be closed from 0530 on 22 Mar until 1700 on 27 Mar 2021. The closure is necessary for a warranty inspection for the Stoney Gate Valve Replacement Project, which was completed in Fall 2020. The warranty inspection requires the large lock to be dewatered. The small lock chamber will remain open during this time and vessels up to 28-feet wide and 123-feet long will be able to transit through. Mariners can read more at: <https://www.nws.usace.army.mil/Media/News-Releases/Article/2458471/chittenden-locks-announces-upcoming-large-lock-closure/>. Additional questions may be directed to public affairs specialist Dallas Edwards at (206) 764-6958 or [dallas.d.edwards@usace.army.mil](mailto:dallas.d.edwards@usace.army.mil).

Chart 18447

LNM: 52/20

**COLUMBIA RIVER – VANCOUVER TO BONNEVILLE – LADY ISLAND – Dredging disposal barge**

Dixon Marine Services will conduct dredging operations at Chinook Landing Marine Park near Columbia River Mile 118.5 beginning on or about 06 Nov 2020 and continuing until approximately 28 Feb 2021. The project is a hydraulic dredging program with material disposal via a submerged pipeline to a disposal barge which will be anchored along the southern edge of the shipping channel of the Columbia River in approximate position 45-33-50.760N, 122-26-35.520W. The disposal barge is 20 by 40, moored at each corner with 750 lb. anchors attached to 36 inch, white steel mooring balls and be equipped with flashing lights. The dredging activity will be performed by hydraulic dredge Moray, and the assist vessels can be contacted on VHF-FM channel 78. See enclosure (4) of LNM 47/20 for a graphic of the barge location. For more information, contact Mark Sutton, Dixon Marine Services at (415) 760-7227.

Chart 18531

LNM: 44/20

**COLUMBIA RIVER – BLALOCK ISLANDS TO MCNARY DAM – LAKE UMATILLA – Marine construction**

Advanced American Construction will be performing work on the AgriNorthwest Inc. Prior Farm Pump Station at approximate river mile 284.5 from 18 Dec 2020 through 16 Mar 2021. Work includes pile driving, micropile install and diving. A drilling barge (40'x80') will be positioned adjacent to the pump station. Working hours are expected to be 0700 through 1730 daily. Mariners are requested to avoid the work zone and reduce wake as much as possible when transiting through the area. The barge will have steady white lights on all four corners at night. For additional project information please contact Shad Huber at (360) 953-4833.

Chart 18539

LNM: 47/20

**WEST COAST OF NORTH AMERICA – MEXICAN BORDER TO DIXON ENTRANCE – Haida Gwaii Voluntary Protection Zone**

A Voluntary Protection Zone (VPZ) for shipping was established for a 14-month trial period along the west coast of Haida Gwaii by the Government of Canada, the Haida Nation, and multiple maritime and shipping industry partners. The program asks vessels to voluntarily increase the sailing distance off Haida Gwaii when transiting along the west coast of the archipelago. The goal of the VPZ is to reduce the risk of groundings and oil spills, by allowing more time to address any mechanical casualties. The effectiveness of the VPZ will be assessed during this trial, which runs until 31 Oct 2021. For more information, and to download a brochure, visit [www.haidagwaii-vpz.ca](http://www.haidagwaii-vpz.ca) or email [info@haidagwaii-vpz.ca](mailto:info@haidagwaii-vpz.ca)

Chart 501

LNM: 50/20

**WASHINGTON – STRAIT OF JUAN DE FUCA TO STRAIT OF GEORGIA – MIDDLE BANK – Acoustic research buoys**

SMRU Consulting will be testing an acoustic buoy in the Middle Bank area south of San Juan Island, from 27 Jan to 05 Mar 2021. The buoy will be monitoring underwater acoustic noise, and will be located in approximate position 48-23-6.1728N, 123-7-28.7112W. The buoy is 2-foot diameter, yellow in color, marked with a FL Y 6s light (flashing yellow six seconds). Mariners are requested to keep a safe distance from the buoy. For additional information, contact Jason Wood at (306) 298-0166 or email [jw@smruconsulting.com](mailto:jw@smruconsulting.com).

Chart 18421

LNM: 02/21

**WASHINGTON – PUGET SOUND – ELLIOTT BAY - Colman Dock construction**

Washington State Ferries is conducting demolition and construction operations at the Colman Docks, scheduled to be completed in the summer of 2022. Operations will be conducted from 0700 to 1700, Monday through Friday. Mariners should be aware of marine construction equipment moored around the Colman Dock and regular tows up and down the Duwamish River in support of the operation. Equipment may obstruct small sections of the waterway adjacent to Colman Dock. Water quality monitoring will be taking place during construction operations. Please direct any inquiries to WSF Communications at (206) 402-8070 or email [wsfcomms@wsdot.wa.gov](mailto:wsfcomms@wsdot.wa.gov).

Chart 18450

LNM: 27/17

**WASHINGTON – PUGET SOUND – SEATTLE TO BREMERTON – DUWAMISH WATERWAY – Marine construction**

American Construction, Inc. will be conducting construction operations at the Port of Seattle Terminal 117 in the Duwamish Waterway commencing on 04 Jan through 31 Mar 2021. Work will include pile driving, in water sand capping, and construction of a public access pier. The Derrick Barge Palouse and the flat barge Skagit will be on scene; the Palouse will monitor VHF-FM channel 16. Anchors will be utilized and will be marked with lighted crown buoys located outside of the channel. Anchors wires will be slack when equipment is stationary. For additional information, contact John Blair at (408) 896-6051, or via email at [johnb@americanconstco.com](mailto:johnb@americanconstco.com).

Chart 18450

LNM: 51/20

**WASHINGTON – PUGET SOUND – APPLE COVE TO KEYPORT – Submersible Vehicle testing (Revised from LNM 50/19)**

The Naval Undersea Warfare Center (NUWC) at Keyport, WA will be continuing operations in the vicinity of NUWC between University Point, the Brownsville Marina and Keyport through 23 Dec 2021. Operations will normally be conducted Monday through Friday during daylight hours. Operations will involve semisubmersible and submersible vehicles escorted by a small naval craft with a flashing red light. The small craft will monitor VHF-FM channels 12 and 16. The call sign for the small craft will be "Keyport Range Control". All craft transiting the area are requested to exercise caution and maintain a sharp lookout for possible semi-submerged vehicles while the range is in operation. Questions can be directed to Keyport Range Control on VHF-FM channels 12 and 16 or by contacting the Pacific Northwest Range Management and Ops Division, Range Control Branch, at (360) 396-2313.

Chart 18446

LNM: 49/20

**WASHINGTON – PUGET SOUND – NORTHERN PART – POSSESSION SOUND – Construction at the Mukilteo Ferry Terminal**

Manson Construction Co. will be conducting operations to build the new Mukilteo Ferry Terminal marine structures from 17 Aug 20 through 15 Mar 21. The typical hours of operation are Monday through Friday, 0600 to 1630. The new terminal is located approximately .3 NM north-west of the existing WSF Mukilteo Ferry Terminal. Operations will include, but are not limited to pile driving, pouring concrete, steel erection and welding, heavy lifting, and miscellaneous marine construction. Marine construction equipment will stay on location during operational and non-operational periods. The vessels involved in the project are Derrick barge 24, Deck barges Manson 38, Manson 50, Manson 58 and Manson 64. The tug Harry M will be onsite intermittently. The vessels will monitor VHF-FM channel 8. The Derrick Barge 4 will have anchors deployed with crown buoys locating each submerged anchor. Submerged anchor cables are present and local mariners are requested to stay at least 1000ft from equipment. Mariners are requested to proceed with extreme caution, provide a wide berth, and operate at a slow speed while transiting in this area. For additional information contact Manson's Project Manager Ms. Monica Blanchard at (206) 913-7498 or Project Superintendent Mr. Erik Dolmseth at (206) 384-3025.

Chart 18443

LNM: 30/20

**WASHINGTON – PUGET SOUND – HOOD CANAL – Pier construction**

Manson Construction will be conducting pier demolition and construction activities in Hood Canal on Navy Base Kitsap Bangor from 17 July 2020

**WASHINGTON – PUGET SOUND – HOOD CANAL – Pier construction**

through Jun 2022. The project will consist of demolition of existing pier, pile driving and construction of a 500' pier extension. Operations will Monday through Friday 0600 – 1630. There will be a derrick on site and a pile driver barge with multiple barges and a work skiff. Bangor Control Tower will be using VHF-FM channel 88A. Mariners are requested to reduce speed and minimize wake in the area for the safety of the personnel and equipment. For more information contact the US Navy POC Dennis Wiechmann at (360) 315-4084 email dennis.e.wiechmann@navy.mil or the Manson Construction superintendent Brian Dorning at (206) 718-8626.

Charts: 18458 18476

LNM: 28/20

**WASHINGTON – STRAIT OF JUAN DE FUCA TO STRAIT OF GEORGIA – BELLINGHAM BAY – Scientific research buoy (Revised from LNM 47/20)**

The US Geological Survey has deployed a research buoy in central Bellingham Bay approximately 1.7 nautical miles WSW of Squalicum Harbor in position 48-44-40.320 N, 122-32-57.180 W, from Nov 2020 until Apr 2021. The yellow research buoy is 2 feet diameter, sits 1 foot above the water surface and has an amber light flashing light every 2.5 seconds. Two small, orange marker buoys flank the research buoy. Mariners are requested to use caution and avoid the area. For additional information, contact Dr. Eric Grossman at (360) 650-4697.

Chart 18424

LNM: 49/20

**OREGON – IDAHO – GPS testing**

US Strategic Command has proposed GPS testing encompassing portions of eastern Oregon and western Idaho. The center point of the test will be near Boise, Idaho, at position 42-33-00.4N, 115-36-21.6W with a radius of 155 NM. The GPS navigation signal may be unreliable due to testing on GPS frequencies used by shipboard navigation and handheld systems. Systems that rely on GPS, such as e-911, AIS and DSC, may be affected. The testing frequencies will be GPS L1 and L2. Testing dates and times are as listed below, using Universal Time Coordinated (UTC) or Zulu time:

18 JAN 21 / 1500Z - 2359Z  
 19 JAN 21 / 0001Z - 0030Z  
 21 JAN 21 / 1500Z - 2359Z  
 22 JAN 21 / 0001Z - 0030Z & 1500Z - 2359Z  
 23 JAN 21 / 0001Z - 0030Z  
 27 JAN 21 / 1830Z - 2359Z  
 28 JAN 21 / 0001Z - 0030Z & 1830Z - 2359Z  
 29 JAN 21 / 0001Z - 0030Z & 1830Z - 2359Z  
 30 JAN 21 / 0001Z - 0030Z  
 01 FEB 21 / 1500Z - 2359Z  
 02 FEB 21 / 0001Z - 0030Z & 1500Z - 2359Z  
 03 FEB 21 / 0001Z - 0030Z & 1500Z - 2359Z  
 04 FEB 21 / 0001Z - 0030Z & 1500Z - 2359Z  
 05 FEB 21 / 0001Z - 0030Z & 1500Z - 2359Z  
 06 FEB 21 / 0001Z - 0030Z & 1500Z - 2359Z  
 08 FEB 21 / 1500Z - 2359Z  
 09 FEB 21 / 0001Z - 0030Z & 1500Z - 2359Z  
 10 FEB 21 / 0001Z - 0030Z & 1500Z - 2359Z  
 11 FEB 21 / 0001Z - 0030Z & 1500Z - 2359Z  
 12 FEB 21 / 0001Z - 0030Z & 1500Z - 2359Z  
 13 FEB 21 / 0001Z - 0030Z  
 15 FEB 21 / 1500Z - 2359Z  
 16 FEB 21 / 0001Z - 0030Z & 1500Z - 2359Z  
 17 FEB 21 / 0001Z - 0030Z & 1830Z - 2359Z  
 18 FEB 21 / 0001Z - 0030Z & 1830Z - 2359Z  
 19 FEB 21 / 0001Z - 0030Z & 1500Z - 2359Z  
 20 FEB 21 / 0001Z - 0030Z  
 22 FEB 21 / 1500Z - 2359Z  
 23 FEB 21 / 0001Z - 0030Z & 1500Z - 2359Z  
 24 FEB 21 / 0001Z - 0030Z & 1500Z - 2359Z  
 25 FEB 21 / 0001Z - 0030Z & 1500Z - 2359Z  
 26 FEB 21 / 0001Z - 0030Z & 1500Z - 2359Z  
 27 FEB 21 / 0001Z - 0030Z

For additional information or to express concerns, contact the Coast Guard Navigation Center at (703) 313-5900 or at <https://www.navcen.uscg.gov/?pageName=dgpsSiteInfo&currentOutages>.

LNM: 52/20

**SECTION VIII - LIGHT LIST CORRECTIONS**

An Asterisk \*, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
14430	Baker Bay West Channel Daybeacon 6	46-16-18.153N 124-01-48.218W				TR on pile.	06/21
		*					*
14435	Baker Bay West Channel Daybeacon 7	46-16-24.374N 124-01-53.720W				SG on pile.	06/21
		*					

## SECTION VIII - LIGHT LIST CORRECTIONS (Continued)

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
14445	Baker Bay West Channel Daybeacon 9	46-16-37.879N 124-02-06.994W				SG on pile.	06/21
14450	BAKER BAY WEST CHANNEL LIGHT 10	* 46-16-46.755N 124-02-14.548W	FI R 6s	19	4	TR on multi-pile structure.	06/21
14452	* <i>Baker Bay West Channel Lighted Buoy 10</i>	*	*	*	*	*	Remove from list. *
14460	BAKER BAY WEST CHANNEL LIGHT 12	46-16-56.097N 124-02-47.405W	Q R	19	4	TR on pile.	06/21
14462	Baker Bay West Channel Buoy 14	*		*		*	Remove from list. *
14465	Baker Bay West Channel Daybeacon 14	46-16-59.892N 124-02-54.619W				TR on pile.	06/21
14475	* Baker Bay West Channel Daybeacon 16	* 46-17-12.682N 124-03-01.076W				* TR on pile.	* 06/21
15380	WILLAPA RIVER LIGHT 56 70 feet outside channel limit.	* 46-40-39.583N 123-46-48.572W	Q R	15	4	TR on dolphin.	* 06/21
18840	SWINOMISH CHANNEL SOUTH ENTRANCE LIGHT 20	* 48-22-58.492N 122-30-22.478W	FI R 4s	15	4	TR on pile.	* 06/21
		*			*		

## ENCLOSURES

**Enclosure 1**

OREGON - WASHINGTON - IDAHO - MONTANA - Summary of Bridge Lighting Discrepancies and Corrections

LNM: 06/21

**Enclosure 2**

OREGON - WASHINGTON - COLUMBIA RIVER - Summary of Dredging Operations

LNM: 06/21

**Enclosure 3**

OREGON - WASHINGTON - COLUMBIA RIVER - Summary of Marine Events

LNM: 06/21

If you have any questions, comments, or need additional information concerning this or other LNMs (e.g. additions, deletions, corrections) contact the address or phone number on the front page.

CDR Brendan J. Harris  
Chief, Waterways Management Branch  
Thirteenth Coast Guard District

# BRIDGE DISCREPANCIES AND CORRECTIONS

Enclosure (1)

BRIDGE DISCREPANCIES						
Waterway	Light List	Bridge Name	Location	Status	Date Reported	BNM
<b>OREGON COAST</b>						
	9125	Chandler Highway Bridge	Coos Bay, OR	East center channel green light extinguished	10/27/2020	0757-20
	9367	Reedsport Highway 101 Bridge	Reedsport, OR	Multiple Lights extinguished	10/27/2020	0756-20
<b>COLUMBIA RIVER</b>						
	14866 / 10086	Astoria Highway Bridge (South and North spans)	Astoria, OR	Lights extinguished	1/12/2021	0032-21
<b>SNAKE RIVER</b>						
	13617	Sergeant Railroad Bridge	Starbuck, WA	All pier lights are extinguished	10/24/2020	0744-20
<b>WILLAMETTE RIVER</b>						
	None					
<b>WASHINGTON COAST</b>						
	None					
<b>PUGET SOUND</b>						
	None					
<b>IDAHO</b>						
	None					
BRIDGE CORRECTIONS						
Waterway	Light List	Bridge Name	Location	Status	Date Reported	BNM
<b>OREGON COAST</b>						
	None					
<b>COLUMBIA RIVER</b>						
	None					
<b>SNAKE RIVER</b>						
	None					
<b>WILLAMETTE RIVER</b>						
	None					
<b>WASHINGTON COAST</b>						
	None					
<b>PUGET SOUND</b>						
	17577	Port Townsend Canal Highway Bridge	Chimacum, WA	Relighted, watching properly	2/10/2021	None
<b>IDAHO</b>						
	None					

**Dredging operations are scheduled or in progress at the following locations:**

<b>Start Date</b>	<b>End Date</b>	<b>Times</b>	<b>Location</b>	<b>Dredge Vessel</b>	<b>Assist Vessel</b>	<b>Channels Monitored</b>	<b>Disposal Area</b>	<b>LNM</b>
18-Jan-21	15-Feb-21	24 Hrs/7 Days	Coquille River; Bandon Boat Basin	N/A	N/A	VHF-FM 16 & 17	Floating pipeline	02/21
8-Feb-21	14-Feb-21	12 Hrs/7 Days	Coos Bay; Chip Terminal (RM 12+30)	M/V Patriot	John Brix, Eagle, Maverick, Casey H	VHF-FM 13 & 16	Ocean Site H	06/21
2-Jan-21	28-Feb-21	12 Hrs/7 Days	Columbia River; Ilwaco Marina	Port of Ilwaco Dredge	Port of Ilwaco Skiff	VHF-FM 16 & 69	Ashore via pipeline	51/20
2-Jan-21	28-Feb-21	TBD	Columbia River; Astoria, West Mooring basin (RM 13)	N/A	Bergerson Construction	VHF-FM 13 & 16	TBD	51/20
11-Jan-21	28-Feb-21	0600-1700 Mon-Fri	Columbia River; Willow (RM 96-98 WA side)	Dredge 7	N/A	VHF-FM 13, 16, 79	Ashore	02/21
6-Nov-20	28-Feb-21	24 Hrs/7 Days	Columbia River; Lady Island (RM 118 to 119)	Dredge Moray	N/A	VHF-FM 78	RM 118.5 OR Side	45/20
4-Jan-21	14-Feb-21	24 Hrs/7 Days	Grays Harbor; Inner Harbor, Cow Point	M/V Sea Horse	Tug Rachele	VHF-FM 13, 16, 67	Point Chehalis	05/21

**Mariners are advised that the start and ending dates for dredging activities may vary due to unforeseen on-site conditions, such as gill net fishing, weather and other factors.**

**USACE dredges request mariners transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed with caution after passing arrangements have been made. Vessel(s) and/or equipment may encroach into the channel.**

# MARINE EVENTS

Enclosure (3)

## SECTOR COLUMBIA RIVER MARINE EVENTS

EVENT DATE	TIME	EVENT NAME	EVENT LOCATION
		None	

## SECTOR PUGET SOUND MARINE EVENTS

EVENT DATE	TIME	EVENT NAME	EVENT LOCATION
13-Feb-21	1100-1500	BYC Heavy Weather Predicted Navigation Contest	Port Washington Narrows, Sinclair Inlet, Puget Sound
13-Feb-21	1100-1500	SBYC Snowbird Race Early Series	Shilshole Bay
20-Feb-21	0900-1500	Girts Rekevics Memorial Foulweather Race	Fidalgo Bay to Friday Harbor
21-Feb-21	1200-1600	Milltown Winter Race Series	Possession Sound