

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2023 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1670 36785	CAPE MAY CANAL WEST ENTRANCE SOUTH JETTY LIGHT 10	38-57-57.102N 074-58-00.516W	Fl R 4s	30	6	TR-SY on skeleton tower.		05/23
21202	FAIRFIELD PIER 4 WARNING LIGHT A	* 39-14-58.470N 076-34-49.650W	Fl W 4s			On pile.	Private Aid.	05/23
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2023 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
21202.2	FAIRFIELD PIER 4 WARNING LIGHT B	39-14-58.020N 076-34-48.640W	Fl W 4s			On pile.	Private Aid.	05/23
*	*	*	*	*	*	*	*	
21202.4	FAIRFIELD PIER 4 WARNING LIGHT C	39-14-57.690N 076-34-51.030W	Fl W 4s			On pile.	Private Aid.	05/23
*	*	*	*	*	*	*	*	
29500	Bogue Inlet Buoy 2	34-38-41.223N 077-06-23.414W				Red nun.		05/23
29505	Bogue Inlet Buoy 3	* 34-38-31.246N 077-06-07.775W				Green can.		05/23
29520	<i>Emerald Isle Cut Lighted Junction Buoy EI</i>	* 34-38-55.482N 077-06-30.216W	Fl (2+1)R 6s		4	Red and Green bands.		05/23
29533	Emerald Isle Cut Buoy 2	* 34-39-01.040N 077-06-19.846W				Red nun.		05/23
29535	Emerald Isle Cut Buoy 3	* 34-39-09.951N 077-06-05.058W				Green can.		05/23
36785 1670	CAPE MAY CANAL WEST ENTRANCE SOUTH JETTY LIGHT 10	* 38-57-57.102N 074-58-00.516W	Fl R 4s	30	6	TR-SY on skeleton tower.		05/23
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2023 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5472	Greenbackville CBFS Data Buoy A	37-59-52.130N 075-23-33.340W				Yellow.	Aid maintained by CBFS Private Aid.	04/23
*	*	*	*	*	*	*	*	
21105	SEAGIRT TERMINAL EAST END BULKHEAD LIGHT						Remove from list.	04/23
							*	
29060	Big Foot Slough Channel Daybeacon 9B	35-08-48.326N 076-00-31.017W				SG on pile.		04/23
		*						
29070	BIG FOOT SLOUGH CHANNEL LIGHT 10	35-08-44.481N 076-00-23.247W	Fl R 4s	15	4			04/23
	*	*	*	*	*			
29070.1	<i>Big Foot Slough Channel Lighted Buoy 10A</i>	35-08-56.779N 076-00-33.005W	Fl R 4s		4	Red.		04/23
	*	*	*					
29070.2	Big Foot Slough Channel Buoy 10C						Remove from list.	04/23

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2023 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
29070.23	Big Foot Slough Channel Buoy 10D						Remove from list.	04/23
29070.3	<i>Big Foot Slough Channel Lighted Buoy 11</i>	35-09-03.789N 076-00-39.501W	Fl G 4s		4	Green.	*	04/23
29077	Big Foot Slough Channel Daybeacon 12	* 35-09-10.889N 076-00-40.182W	*			TR on pile.		04/23
29505	Bogue Inlet Buoy 3	* 34-38-44.193N 077-06-25.221W				Green can.		04/23
29573	Bogue Inlet Buoy 3B	* 34-38-52.962N 077-06-31.719W				Green can.		04/23
29575	Bogue Inlet Buoy 4	* 34-38-59.377N 077-06-51.211W				Red nun.		04/23
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2023 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
562.5	<i>Kitty Hawk Wind Lighted Met Buoy KH2</i>						Remove from list.	03/23
							*	
562.7	<i>Kitty Hawk Wind Lighted Met Buoy KH3</i>						Remove from list.	03/23
							*	
4759	Ocean City Inlet Shoal Buoy	38-19-36.720N 075-05-48.780W				White can with orange bands worded SHOAL.		03/23
*	*	*	*	*	*	*	*	
10575	<i>Willoughby Bay Channel Lighted Wreck Buoy WR1</i>	36-58-55.593N 076-18-36.224W	Q G		4	Green.		03/23
17130	St. Patrick Creek Buoy 4	* 38-13-59.940N 076-44-34.806W				Red nun.	Removed when endangered by ice.	03/23
17153	St. Patrick Creek Buoy 10	38-14-05.272N 076-44-57.102W				Red nun.	* Removed when endangered by ice.	03/23
17180	<i>Heron Island Bar Lighted Buoy 3</i>	38-12-48.134N 076-43-57.649W	Fl G 4s		4	Green.	* Removed when endangered by ice.	03/23
17185	Heron Island Bar Buoy 4	38-12-58.641N 076-43-56.003W				Red nun.	* Removed when endangered by ice.	03/23
17190	Heron Island Bar Buoy 5	38-12-59.404N 076-44-13.761W				Green can.	* Removed when endangered by ice.	03/23
17195	Dukeharts Buoy 7	38-13-07.890N 076-44-46.863W				Green can.	* Removed when endangered by ice.	03/23
17205	* Dukeharts Buoy 9	38-13-18.859N 076-45-59.402W				Green can.	* Removed when endangered by ice.	03/23
	*						*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2023 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
17210	Dukeharts Buoy 10	38-13-12.487N 076-46-23.090W				Red nun.	Removed when endangered by ice.	03/23
	*						*	
17215	<i>St. Catherine Sound Lower Lighted Buoy 1L</i>	38-13-35.568N 076-46-51.148W	Fl G 4s		4	Green.	Removed when endangered by ice.	03/23
	*						*	
26417	<i>Kent Island Narrows North Approach Lighted Buoy 2A</i>	38-59-08.095N 076-14-42.002W	Fl R 2.5s		4	Red.	Maintained from Mar. 15 to Dec. 1.	03/23
	*						*	
26437	<i>Kent Island Narrows North Approach Lighted Buoy 6A</i>	38-58-46.938N 076-14-29.309W	Fl R 2.5s		4	Red.	Maintained from Mar. 15 to Dec. 1.	03/23
	*						*	
27990	<i>Oregon Inlet Lighted Buoy 4</i>	35-47-08.260N 075-31-01.008W	Fl R 2.5s		4	Red.		03/23
	*						*	
27993	<i>Oregon Inlet Lighted Buoy 5</i>	35-46-52.654N 075-31-12.050W	Fl G 4s		4	Green.		03/23
	*						*	
27994	<i>Oregon Inlet Lighted Buoy 6</i>	35-46-59.949N 075-31-17.002W	Fl R 4s		4	Red.		03/23
	*						*	
28025	<i>Oregon Inlet Lighted Buoy 8</i>	35-46-48.327N 075-31-31.693W	Fl R 2.5s		4			03/23

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2023 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
29520	<i>Emerald Isle Cut Lighted Junction Buoy EI</i>	* 34-38-56.658N 077-06-26.962W	Fl (2+1)R 6s		4	Red and Green bands.	03/23
29533	Emerald Isle Cut Buoy 2	* 34-38-53.295N 077-06-23.337W				Red nun.	03/23
39672	Masonboro Harbour Channel Daybeacon 1MH	* 34-08-03.750N 077-51-52.980W					Private Aid. 03/23
* 39672.1	* Masonboro Harbour Channel Daybeacon 2	* 34-08-03.770N 077-51-52.130W	*	*	*	*	Private Aid. *
* 39672.2	* Masonboro Harbour Channel Daybeacon 3	* 34-08-03.750N 077-51-55.220W	*	*	*	*	Private Aid. *
* 39672.3	* Masonboro Harbour Channel Daybeacon 4	* 34-08-04.320N 077-51-55.020W	*	*	*	*	Private Aid. *
* 39672.4	* Masonboro Harbour Channel Daybeacon 5	* 34-08-04.590N 077-51-57.760W	*	*	*	*	Private Aid. *
* 39672.5	* Masonboro Harbour Channel Daybeacon 6	* 34-08-04.960N 077-51-57.560W	*	*	*	*	Private Aid. *
* *	* *	* *	*	*	*	*	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2023 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1129	Little Egg Inlet Buoy 8	39-29-13.649N 074-18-17.666W				Red nun.		02/23
2505	BAKER RANGE FRONT LIGHT	* 39-30-42.326N 075-33-59.834W	Fl W 2.5s (NIGHT)  Fl W 2.5s (DAY)	15		On mult-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline	02/23
10333.11	Lynnhaven River Eastern Branch Gills Cove Daybeacon 2		*				Remove from list.	02/23
10333.12	Lynnhaven River Eastern Branch Gills Cove Daybeacon 4						* Remove from list.	02/23
10333.13	Lynnhaven River Eastern Branch Gills Cove Daybeacon 6						* Remove from list.	02/23
28735.6	Hatteras Inlet Channel Lighted Buoy 14	35-12-09.335N 075-43-48.678W	Fl R 2.5s		4			02/23
28736	Hatteras Inlet Channel Buoy 15	* 35-12-13.412N 075-43-51.221W				Green can.		02/23
28750	Hatteras Inlet Channel Lighted Buoy 16	* 35-12-08.881N 075-43-37.912W	Fl R 4s		4	Red.		02/23
29573	Bogue Inlet Buoy 3B	* 34-38-56.394N 077-06-35.840W				Green can.		02/23
35360	New Jersey Intracoastal Waterway Lighted Buoy 92	* 39-35-47.410N 074-13-34.529W	Fl R 4s		4	Red with yellow triangle.	Removed when endangered by ice.	02/23
							*	



Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2023 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
600 27970	<i>Oregon Inlet Lighted Whistle Buoy OI</i>	35-47-27.809N 075-30-06.226W	Mo (A) W		6	Red and white stripes.	Topmark not installed on this aid.	01/23
	*						*	
27970 600	<i>Oregon Inlet Lighted Whistle Buoy OI</i>	35-47-27.809N 075-30-06.226W	Mo (A) W		6	Red and white stripes.	Topmark not installed on this aid.	01/23
	*							
28057	Oregon Inlet Lighted Buoy 16	35-45-57.550N 075-32-36.000W	Q R		4	Red.		01/23
	*		*		*	*		
28062	Oregon Inlet Buoy 18	35-46-03.613N 075-32-45.984W				Red Nun.		01/23
	*							
28077	Oregon Inlet Buoy 24	35-46-19.295N 075-33-18.158W				Red nun.		01/23
	*							
28080	Oregon Inlet Buoy 25	35-46-20.848N 075-33-24.077W				Green can.		01/23
	*							
28083	<i>Oregon Inlet Lighted Buoy 26</i>	35-46-29.261N 075-33-33.643W	Q R		4	Red.		01/23
	*							
28084.1	<i>Oregon Inlet Cut Lighted Buoy 2</i>	35-46-52.113N 075-33-02.965W	Q R		4	Red.		01/23
	*							
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2023 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28084.2	Oregon Inlet Cut Buoy 4	35-47-07.167N 075-33-10.447W				Red nun.	01/23
	*						
28084.4	Oregon Inlet Cut Buoy 6	35-47-22.066N 075-33-17.808W				Red nun.	01/23
	*						
28085	<i>Oregon Inlet Channel Lighted Buoy 27</i>	35-46-28.565N 075-33-35.549W	Q G		4	Green.	01/23
	*						
29520	<i>Emerald Isle Cut Lighted Junction Buoy E1</i>	34-38-53.998N 077-06-30.577W	Fl (2+1)R 6s		4	Red and Green bands.	01/23
	*						
40350	CAPE FEAR RIVER - LITTLE RIVER LIGHT 83	33-54-16.999N 078-23-21.573W	Fl G 4s	15	4	SG-SY on pile.	01/23
	*						