

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5	NOAA Lighted Data Buoy 44402 (DART)	39-18-52.000N 070-43-01.000W	Fl (4)Y 20s		5	Yellow disc shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	44/24
8385	Brewerton Channel Eastern Extension Lighted Buoy 2BE	* 39-08-55.059N 076-19-58.761W	Fl R 2.5s		5	Red.	Replaced by LIB of reduced intensity when endangered by ice.	44/24
9025	OLDFIELD POINT RANGE FRONT LIGHT	39-30-30.226N 075-54-51.164W	Iso W 2s (NIGHT)  Iso W 2s (DAY)	89 88		On yellow mono-pile structure.	* Lighted throughout 24 hours. D/N Visible 1.5° either side of rangeline.	44/24
9027	OLDFIELD POINT RANGE FRONT PASSING LIGHTS (2)	39-30-30.226N 075-54-51.164W	Fl W 4s (NIGHT)	* 34	4	* On same structure as Oldfield Point Range Front Light.	*	44/24
9030	OLDFIELD POINT RANGE REAR LIGHT  1,925 yards, 045.2° from front light.	39-31-09.952N 075-53-58.261W	Oc W 4s (NIGHT)  Oc W 4s (DAY)	165 165	*	On skeleton tower.	Lighted throughout 24 hours. D/N Visible 1.5° either side of rangeline.	44/24
14450	Horn Harbor Warning Daybeacon A	37-20-15.547N 076-15-33.491W	Fl W 2.5s	*	4	TR on pile.	*	44/24
24579	Coastal Design Lighted Mooring Buoy M1					*	Remove from list.  *	44/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
24579.1	<i>Coastal Design Lighted Mooring Buoy M2</i>						Remove from list. 44/24 *
24579.11	<i>Coastal Design Lighted Mooring Buoy M12</i>						Remove from list. 44/24 *
24579.12	<i>Coastal Design Lighted Mooring Buoy M13</i>						Remove from list. 44/24 *
24579.13	<i>Coastal Design Lighted Mooring Buoy M14</i>						Remove from list. 44/24 *
24579.14	<i>Coastal Design Lighted Mooring Buoy M15</i>						Remove from list. 44/24 *
24579.15	<i>Coastal Design Lighted Mooring Buoy M16</i>						Remove from list. 44/24 *
24579.16	<i>Coastal Design Lighted Mooring Buoy M17</i>						Remove from list. 44/24 *
24579.17	<i>Coastal Design Lighted Mooring Buoy M18</i>						Remove from list. 44/24 *
24579.18	<i>Coastal Design Lighted Mooring Buoy M19</i>						Remove from list. 44/24 *
24579.19	<i>Coastal Design Lighted Mooring Buoy M20</i>						Remove from list. 44/24 *
24579.2	<i>Coastal Design Lighted Mooring Buoy M3</i>						Remove from list. 44/24 *
24579.21	<i>Coastal Design Lighted Mooring Buoy M11</i>						Remove from list. 44/24 *
24579.3	<i>Coastal Design Lighted Mooring Buoy M4</i>						Remove from list. 44/24 *

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
24579.4	Coastal Design Lighted Mooring Buoy M5						Remove from list.	44/24
							*	
24579.5	Coastal Design Lighted Mooring Buoy M6						Remove from list.	44/24
							*	
24579.6	Coastal Design Lighted Mooring Buoy M7						Remove from list.	44/24
							*	
24579.7	Coastal Design Lighted Mooring Buoy M8						Remove from list.	44/24
							*	
24579.8	Coastal Design Lighted Mooring Buoy M9						Remove from list.	44/24
							*	
24579.9	Coastal Design Lighted Mooring Buoy M10						Remove from list.	44/24
							*	
28687	Hatteras Connector Buoy 6A	35-11-46.549N 075-46-15.740W				Red nun.		44/24
*	*	*	*	*	*	*	*	
28690.5	Hatteras Connector Buoy 7A	35-11-52.910N 075-46-22.956W				Green can.		44/24
*	*	*	*	*	*	*	*	
28698	Hatteras Connector Buoy 12	35-12-11.359N 075-46-42.271W				Red Nun.		44/24
		*						
28702	Hatteras Connector Buoy 13	35-12-07.859N 075-46-40.986W				Green Can.		44/24
		*						
28722.3	Barney Slough Channel Lighted Buoy 6A	35-13-56.811N 075-47-12.406W	Q R		4	Red.		44/24
		*						
55	ASOW Lighted Meteorological Buoy B						Remove from list.	43/24
							*	
55.5	ASOW Lighted Meteorological Buoy B						Remove from list.	43/24
							*	
321.46	COASTAL VIRGINIA OFFSHORE SUBSTATION OSS G07	36-54-56.318N 075-24-55.897W	Q Y			Gray Monopile.	Offshore substation under construction. Private Aid.	43/24
*	*	*	*	*	*	*	*	
2755	CHESAPEAKE AND DELAWARE CANAL LIGHT 2	39-33-46.615N 075-33-32.504W	Q R	30	5	TR on skeleton tower.		43/24
						*		

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
8145	<i>Brewerton Lighted Buoy 2B</i>	39-10-44.020N 076-25-58.014W	Q R		5	Red.	Replaced by LIB of reduced intensity when endangered by ice.	43/24
	*						*	
8405	<i>Brewerton Eastern Extension Lighted Buoy 3</i>	39-09-08.182N 076-21-08.109W	Fl G 4s		5	Green.	Replaced by LIB of reduced intensity when endangered by ice.	43/24
	*						*	
8410	<i>Brewerton Eastern Extension Lighted Buoy 4</i>	39-09-15.112N 076-21-04.491W	Fl R 4s		5	Red.	Replaced by LIB of reduced intensity when endangered by ice.	43/24
	*						*	
8415	<i>Brewerton Eastern Extension Lighted Buoy 5</i>	39-09-30.306N 076-22-21.201W	Fl G 6s		5	Green.	Replaced by LIB of reduced intensity when endangered by ice.	43/24
	*						*	
8420	<i>Brewerton Eastern Extension Lighted Buoy 6</i>	39-09-37.305N 076-22-17.737W	Fl R 6s		5	Red.	Replaced by LIB of reduced intensity when endangered by ice.	43/24
	*						*	
8425	<i>Brewerton Eastern Extension Lighted Buoy 7</i>	39-09-52.435N 076-23-33.988W	Fl G 4s		5	Green.	Replaced by LIB of reduced intensity when endangered by ice.	43/24
	*						*	
8430	<i>Brewerton Eastern Extension Lighted Buoy 8</i>	39-09-59.316N 076-23-30.578W	Fl R 4s		5	Red.	Replaced by LIB of reduced intensity when endangered by ice.	43/24
	*						*	
8435	<i>Brewerton Eastern Extension Lighted Buoy 9</i>	39-10-14.493N 076-24-47.069W	Fl G 2.5s		5	Green.	Replaced by LIB of reduced intensity when endangered by ice.	43/24
	*						*	
8440	<i>Brewerton Eastern Extension Lighted Buoy 10</i>	39-10-21.453N 076-24-43.507W	Fl R 2.5s		5	Red.	Replaced by LIB of reduced intensity when endangered by ice.	43/24
	*						*	
8995	ELK RIVER CHANNEL NORTH RANGE REAR LIGHT  3,275 yards, 042.5° from front light.	39-31-06.670N 075-54-31.822W	F W (NIGHT)  F W (DAY)	148 148		On white skeleton tower.	Lighted throughout 24 hours. Visible 1.5°, either side of rangeline.	43/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
9812	<i>Portsmouth Marine Terminal Lighted Buoy 2A</i>	36-51-37.946N 076-19-26.860W	Fl R 4s		4	Red.	*	43/24
*	*	*	*	*	*	*	*	
21202	FAIRFIELD PIER 4 WARNING LIGHT A						Remove from list.	43/24
21202.2	FAIRFIELD PIER 4 WARNING LIGHT B						Remove from list.	43/24
21202.4	FAIRFIELD PIER 4 WARNING LIGHT C						Remove from list.	43/24
22620	Upper Pocomoke River Buoy 2						Remove from list.	43/24
22620	Upper Pocomoke River Buoy 2	38-09-03.188N 075-26-16.371W				Red nun.	*	43/24
*	*	*	*	*	*	*	*	
39597	New River - Cape Fear River Buoy 121	34-15-05.327N 077-46-50.448W				Green can with yellow square.	*	43/24
1485	<i>Delaware Bay Approach Lighted Whistle Buoy CH</i>	38-46-14.008N 075-01-19.539W	Mo (A) W		6	Red and white stripes with red spherical topmark.	Synthetic AIS MMSI 993672980.	42/24
3920	<i>Upper Delaware River Lighted Buoy 36</i>	40-04-27.431N 074-53-51.113W	Fl R 4s		4	Red.	*	42/24
3930	<i>Upper Delaware River Lighted Buoy 40</i>	40-04-39.931N 074-53-05.812W	Q R		4	Red.	*	42/24
	*						*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
4075	<i>Upper Delaware River Lighted Buoy 60</i>	40-07-37.728N 074-48-56.681W	Q R		4	Red.	42/24
	*						*
4095	<i>Upper Delaware River Lighted Buoy 65</i>	40-07-16.671N 074-47-28.870W	Q G		4	Green.	42/24
	*						*
4135	<i>Upper Delaware River Lighted Buoy 69</i>	40-07-17.017N 074-47-07.537W	Q G		4	Green.	42/24
	*						*
4160	<i>Upper Delaware River Lighted Buoy 72</i>	40-07-36.428N 074-46-19.597W	Fl R 4s		4	Red.	42/24
	*						*
8995	ELK RIVER CHANNEL NORTH RANGE REAR LIGHT  3,275 yards, 042.5° from front light.	39-31-06.670N 075-54-31.822W	F W (NIGHT)  F W (DAY)	148 148	*	On white skeleton tower.	Lighted throughout 24 hours. Visible 1.5 Deg, either side of rangeline.  42/24
	*						*
20895	<i>Curtis Bay Lighted Buoy 6</i>	39-13-20.496N 076-33-31.935W	Fl R 4s		5	Red.	42/24
	*						*
20925	<i>Curtis Bay Lighted Buoy 12</i>	39-12-52.238N 076-34-38.300W	Fl R 4s		5	Red.	42/24
	*						*
21140	<i>Seagirt Marine Terminal West Lighted Buoy 3SW</i>	39-15-12.247N 076-33-42.683W	Fl G 4s		4	Green.	42/24
	*						*
21160	<i>Seagirt Marine Terminal West Lighted Buoy 8</i>	39-15-18.160N 076-33-12.848W	Fl R 2.5s		4	Red.	42/24
	*						*
21205	<i>Ferry Bar Lighted Buoy 1FB</i>	39-15-15.655N 076-34-15.797W	Q G		5	Green.	42/24
	*						*
21265	<i>Ferry Bar Lighted Buoy 6</i>	39-15-23.535N 076-35-37.220W	Q R		5	Red.	42/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
21270	* <i>Ferry Bar Lighted Buoy 7</i>	39-15-16.120N 076-35-43.816W	Fl G 2.5s		5	Green.	* 42/24
21330	* <i>Northwest Harbor Lighted Buoy 2NH</i>  75 feet outside channel limit.	39-15-31.709N 076-34-14.277W	Q R		4	Red.	* 42/24
21335	* <i>Northwest Harbor Lighted Buoy 3</i>  75 feet outside channel limit.	39-15-37.133N 076-34-32.290W	Q G		4	Green.	* 42/24
21340	* <i>Northwest Harbor Lighted Buoy 5</i>	39-15-56.762N 076-34-33.425W	Fl G 4s		4	Green.	* 42/24
21345	* <i>Northwest Harbor Lighted Buoy 7</i>	39-16-04.501N 076-34-36.661W	Q G		4	Green.	42/24
21360	* <i>Northwest Harbor Junction Lighted Buoy NH</i>	39-16-12.809N 076-34-34.192W	Fl (2+1)R 6s		4	Red and green bands.	42/24
28722.3	* <i>Barney Slough Channel Lighted Buoy 6A</i>	35-13-56.004N 075-47-12.582W	Q R		4	Red.	42/24
30945	PEAKTANK PIER LIGHT	*					Remove from list. *
31750	EDENTON LIGHT	36-03-20.914N 076-36-35.163W	Fl W 6s	12		On white pile.	* 42/24
					5		
			*	*	*	*	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
3955	<i>Upper Delaware River Channel Lighted Buoy 43</i>	40-04-59.631N 074-51-52.409W	Q G		4	Green.		41/24
8990	ELK RIVER CHANNEL NORTH RANGE FRONT LIGHT	39-29-36.356N 075-56-18.056W	Fl W 2.5s (NIGHT)  Fl W 2.5s (DAY)	38 38	*	On yellow mono-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	41/24
10927	MCLEAN CONTRACTING LIGHTED MOORING PILE A	37-00-31.334N 076-20-08.706W	Fl W 6s	*	*	White light on mooring pile.	Private Aid.	41/24
*	*	*	*	*	*	*	*	*
10927.2	MCLEAN CONTRACTING LIGHTED MOORING PILE B	37-00-31.284N 076-20-08.217W	Fl W 6s	*	*	White light on mooring pile.	Private Aid.	41/24
*	*	*	*	*	*	*	*	*
10927.4	MCLEAN CONTRACTING LIGHTED MOORING PILE C	37-00-31.233N 076-20-07.728W	Fl W 6s	*	*	White light on mooring pile.	Private Aid.	41/24
*	*	*	*	*	*	*	*	*
10927.6	MCLEAN CONTRACTING LIGHTED MOORING PILE D	37-00-31.190N 076-20-07.291W	Fl W 6s	*	*	White light on mooring pile.	Private Aid.	41/24
*	*	*	*	*	*	*	*	*
10927.8	MCLEAN CONTRACTING LIGHTED MOORING PILE E	37-00-31.140N 076-20-06.809W	Fl W 6s	*	*	White light on mooring pile.	Private Aid.	41/24
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
13083	<i>University of Delaware Lighted Research Buoy A</i>	37-06-03.600N 076-19-53.020W	Fl Y 2.5s			Yellow buoy.	Private Aid.	41/24
* 30492 39967	* FEDERAL POINT RANGE REAR LIGHT  966 yards, 338.6° from front light.	* 33-57-44.729N 077-56-37.212W	* Iso W 6s (NIGHT)  Iso W 6s (DAY)  *	* 42	* *	* Skeleton tower on multi-pile structure.	* Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	41/24
39597	New River - Cape Fear River Buoy 121	34-15-00.843N 077-46-54.087W				Green can with yellow square.		41/24
39967 30492	FEDERAL POINT RANGE REAR LIGHT  966 yards, 338.6° from front light.	* 33-57-44.729N 077-56-37.212W	* Iso W 6s (NIGHT)  Iso W 6s (DAY)  *	42		Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	41/24
1080	Oyster Creek Channel Buoy 37	39-47-28.721N 074-09-04.706W				Green can.	Removed when endangered by ice.	40/24
1085	Oyster Creek Channel Buoy 37A	*					Remove from list.	40/24
1090	Oyster Creek Channel Buoy 38	39-47-30.772N 074-09-05.081W				Red nun.	* Removed when endangered by ice.	40/24
1091	Oyster Creek Channel Buoy 38A	*					Remove from list.	40/24
1093	Oyster Creek Channel Buoy 39	39-47-28.540N 074-09-19.256W				Green can.	* Removed when endangered by ice.	40/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1095	Oyster Creek Channel Buoy 40	* 39-47-28.862N 074-09-25.357W				Red nun.	Removed when endangered by ice.	40/24
1097	Oyster Creek Channel Buoy 41	* 39-47-26.313N 074-09-37.070W				Green can.	Removed when endangered by ice.	40/24
3945	DEVLIN UPPER RANGE FRONT LIGHT	* 40-05-01.335N 074-51-11.375W	Q W (NIGHT)  Q W (DAY)	31 31		On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	40/24
3950	DEVLIN UPPER RANGE REAR LIGHT  259 yards, 078.2° from front light.	40-05-02.928N 074-51-01.598W	Iso W 6s (NIGHT)  Iso W 6s (DAY)	* 38 38		On skeleton tower.	* Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	40/24
7575	<i>Chesapeake Channel Mid-Channel Lighted Buoy HS</i>	38-12-20.876N 076-14-33.733W	Mo (A) W		5	Red and white stripes with red spherical topmark.	*	40/24
20850	* <i>FSK NOAA Lighted Data Buoy A</i>	*					Remove from list.	40/24
29570	Bogue Inlet Buoy 9	34-39-11.450N 077-05-59.034W				Green can.	*	40/24
29580	<i>Emerald Isle Cut Lighted Junction Buoy EI</i>	* 34-39-15.552N 077-05-55.060W	Fl (2+1)R 6s		4	Red and Green bands.		40/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
30687	<i>Cape Fear River Channel Lighted Buoy 34</i>	34-01-22.651N 077-56-19.401W						40/24
40435	CAPE FEAR RIVER - LITTLE RIVER LIGHT 111  35 feet outside channel limit.	33-52-33.209N 078-32-24.996W	Fl G 4s	15	4	SG-SY on pile.		40/24
320.1	COASTAL VIRGINIA OFFSHORE WIND WTG B14	* 36-59-35.142N 075-18-59.211W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	39/24
*	*	*	*	*	*	*	*	
320.6	COASTAL VIRGINIA OFFSHORE WIND WTG D13	36-57-43.945N 075-19-41.092W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	39/24
*	*	*	*	*	*	*	*	
320.94	COASTAL VIRGINIA OFFSHORE WIND WTG E14	36-56-48.557N 075-18-37.942W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	39/24
*	*	*	*	*	*	*	*	
27990	<i>Oregon Inlet Lighted Buoy 4</i>	35-47-13.619N 075-30-55.115W	Fl R 2.5s		4	Red.	TEMP AIS MMSI: 993672097	39/24
40093	Cape Fear River - Little River Buoy 16A	* 33-55-29.892N 078-07-47.598W				Red nun.		39/24
*	*	*	*	*	*	*	*	
40222	Cape Fear River - Little River Buoy 46A	33-55-17.813N 078-14-13.446W				Red nun with yellow triangle.		39/24
40227	Cape Fear River - Little River Buoy 47A	* 33-55-15.421N 078-14-11.205W				Green can with yellow square.		39/24
*	*	*	*	*	*	*	*	
40230	Cape Fear River - Little River Buoy 47B	33-55-12.503N 078-14-20.517W				Green can with yellow square.		39/24
320.06	COASTAL VIRGINIA OFFSHORE WIND WTG B12	* 36-59-34.828N 075-20-51.355W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	38/24
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
320.08	COASTAL VIRGINIA OFFSHORE WIND WTG B13	36-59-34.988N 075-19-55.283W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	38/24
*	*	*	*	*	*	*	*	
320.28	COASTAL VIRGINIA OFFSHORE WIND WTG C13	36-58-39.483N 075-19-48.166W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	38/24
*	*	*	*	*	*	*	*	
320.3	COASTAL VIRGINIA OFFSHORE WIND WTG C14	36-58-39.635N 075-18-52.105W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	38/24
*	*	*	*	*	*	*	*	
10055	CEC/VA Power Fish Return Line Daybeacon B						Remove from list.	38/24
10583	Willoughby Bay Channel Buoy 3						Remove from list.	38/24
10585	Willoughby Bay Channel Daybeacon 3	36-58-42.135N 076-18-36.733W				SG on pile.		38/24
17747	<i>Nice Middleton Lighted Buoy 36</i>						Remove from list.	38/24
17747.1	<i>Nice Middleton Lighted Buoy 38</i>						Remove from list.	38/24
17747.2	<i>Nice Middleton Lighted Buoy 40</i>						Remove from list.	38/24
17747.3	<i>Nice Middleton Lighted Buoy 42</i>						Remove from list.	38/24
19465	<i>West River Lighted Buoy 1A</i>						Remove from list.	38/24
19465	WEST RIVER LIGHT 1A	38-52-15.235N 076-28-48.400W	Fl G 2.5s	15	4	SG on pile.		38/24
*	*	*	*	*	*	*	*	
22665	BROAD CREEK SOUTH ENTRANCE WRECK LIGHT WR 2BC	37-54-58.697N 075-50-44.191W	Fl R 2.5s	15	4	TR on pile.		38/24
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
22670	Broad Creek Channel Daybeacon 4	37-55-11.080N 075-50-54.242W				TR on pile.	38/24
*	*	*	*	*	*	*	*
22675	Broad Creek Channel Daybeacon 6	37-55-20.908N 075-51-02.726W				TR on pile.	38/24
*	*	*	*	*	*	*	*
22680	BROAD CREEK CHANNEL LIGHT 8	37-55-29.908N 075-51-07.814W	Fl R 4s	15	3	TR on pile.	38/24
*	*	*	*	*	*	*	*
22685	BROAD CREEK CHANNEL LIGHT 9	37-55-52.558N 075-51-09.836W	Fl G 4s	15	3	SG on pile.	38/24
*	*	*	*	*	*	*	*
22690	Broad Creek Channel Daybeacon 11	37-55-58.044N 075-51-16.378W				SG on pile.	38/24
*	*	*	*	*	*	*	*
22695	BROAD CREEK CHANNEL LIGHT 12	37-56-05.074N 075-51-25.202W	Fl R 2.5s	15	3	TR on pile.	38/24
*	*	*	*	*	*	*	*
22700	Broad Creek Channel Buoy 13	37-56-19.866N 075-51-29.488W				Green can.	38/24
*	*	*	*	*	*	*	*
24200	Broad Creek Daybeacon 2	38-34-07.406N 075-40-26.803W				TR on pile.	38/24
*	*	*	*	*	*	*	*
24205	Broad Creek Daybeacon 3	38-34-14.757N 075-39-20.295W				SG on pile.	38/24
*	*	*	*	*	*	*	*
24210	Broad Creek Daybeacon 4	38-34-11.034N 075-38-58.219W				TR on pile.	38/24
*	*	*	*	*	*	*	*
24215	Broad Creek Daybeacon 5	38-34-09.351N 075-38-49.905W				SG on pile.	38/24
*	*	*	*	*	*	*	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
24220	Broad Creek Daybeacon 6	38-34-16.953N 075-38-37.773W				TR on pile.	38/24
*	*	*	*	*	*	*	*
24225	Broad Creek Daybeacon 7	38-34-14.932N 075-38-28.131W				SG on pile.	38/24
*	*	*	*	*	*	*	*
24230	Broad Creek Daybeacon 8	38-34-11.559N 075-38-23.031W				TR on pile.	38/24
*	*	*	*	*	*	*	*
24235	Broad Creek Daybeacon 10	38-34-14.871N 075-38-15.065W				TR on pile.	38/24
*	*	*	*	*	*	*	*
24240	Broad Creek Daybeacon 12	38-34-06.173N 075-37-45.569W				TR on pile.	38/24
*	*	*	*	*	*	*	*
24245	Broad Creek Daybeacon 13	38-34-01.053N 075-37-47.983W				SG on pile.	38/24
*	*	*	*	*	*	*	*
24250	Broad Creek Daybeacon 15	38-33-49.331N 075-37-44.647W				SG on pile.	38/24
*	*	*	*	*	*	*	*
24255	Broad Creek Daybeacon 16	38-33-52.399N 075-37-31.743W				TR on pile.	38/24
*	*	*	*	*	*	*	*
29070.3	<i>Big Foot Slough Channel Lighted Buoy 11</i>	35-09-03.504N 076-00-41.928W	Fl G 4s		4	Green.	38/24
29340	Harkers Island West Channel Buoy 3	34-42-06.360N 076-35-46.320W				Green can.	38/24
*	*	*	*	*	*	*	*
29340	Harkers Island West Channel Buoy 4						Remove from list. 38/24
36905	CEC/VA Power Fish Return Line Daybeacon B						* Remove from list. 38/24
2295	<i>University of Delaware Lighted Wave Buoy B</i>						* Remove from list. 37/24 *

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
320.58	COASTAL VIRGINIA OFFSHORE WIND WTG D12	36-57-43.786N 075-20-37.141W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	36/24
*	*	*	*	*	*	*	*	*
320.76	COASTAL VIRGINIA OFFSHORE WIND WTG E04	36-56-46.724N 075-27-58.317W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	36/24
*	*	*	*	*	*	*	*	*
320.88	COASTAL VIRGINIA OFFSHORE WIND WTG E10	36-56-47.912N 075-22-22.094W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	36/24
*	*	*	*	*	*	*	*	*
320.92	COASTAL VIRGINIA OFFSHORE WIND WTG E13	36-56-48.407N 075-19-33.980W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	36/24
*	*	*	*	*	*	*	*	*
321.22	COASTAL VIRGINIA OFFSHORE WIND WTG F12	36-55-52.711N 075-20-22.939W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	36/24
*	*	*	*	*	*	*	*	*
321.24	COASTAL VIRGINIA OFFSHORE WIND WTG F13	36-55-52.868N 075-19-26.912W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	36/24
*	*	*	*	*	*	*	*	*
321.54	COASTAL VIRGINIA OFFSHORE WIND WTG G11	36-54-57.043N 075-21-11.837W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	36/24
*	*	*	*	*	*	*	*	*
321.56	COASTAL VIRGINIA OFFSHORE WIND WTG G12	36-54-57.206N 075-20-15.822W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	36/24
*	*	*	*	*	*	*	*	*
321.58	COASTAL VIRGINIA OFFSHORE WIND WTG G13	36-54-57.362N 075-19-19.806W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	36/24
*	*	*	*	*	*	*	*	*
321.6	COASTAL VIRGINIA OFFSHORE WIND WTG G14	36-54-57.510N 075-18-23.791W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	36/24
*	*	*	*	*	*	*	*	*
321.92	COASTAL VIRGINIA OFFSHORE WIND WTG H14	36-54-01.970N 075-18-16.740W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	36/24
*	*	*	*	*	*	*	*	*
322.14	COASTAL VIRGINIA OFFSHORE WIND WTG J12	36-53-06.129N 075-20-01.637W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	36/24
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
10613.39	WILLOUGHBY BAY LIGHTED MOORING PILE NN						Remove from list. *	36/24
10613.41	WILLOUGHBY BAY LIGHTED MOORING PILE OO						Remove from list. *	36/24
10613.42	WILLOUGHBY BAY LIGHTED MOORING PILE PP						Remove from list. *	36/24
10613.43	WILLOUGHBY BAY LIGHTED MOORING PILE QQ						Remove from list. *	36/24
10613.44	WILLOUGHBY BAY LIGHTED MOORING PILE RR						Remove from list. *	36/24
10613.45	WILLOUGHBY BAY LIGHTED MOORING PILE SS						Remove from list. *	36/24
10613.46	WILLOUGHBY BAY LIGHTED MOORING PILE TT						Remove from list. *	36/24
10613.47	WILLOUGHBY BAY LIGHTED MOORING PILE UU						Remove from list. *	36/24
10613.48	WILLOUGHBY BAY LIGHTED MOORING PILE VV						Remove from list. *	36/24
10613.49	WILLOUGHBY BAY LIGHTED MOORING PILE WW						Remove from list. *	36/24
10613.51	WILLOUGHBY BAY LIGHTED MOORING PILE XX						Remove from list. *	36/24
10613.52	WILLOUGHBY BAY LIGHTED MOORING PILE YY						Remove from list. *	36/24
10613.53	WILLOUGHBY BAY LIGHTED MOORING PILE ZZ						Remove from list. *	36/24
29515	<i>Bogue Inlet Lighted Buoy 3</i>	34-38-25.404N 077-06-03.166W	Q G		4	Green.		36/24
*	*	*	*	*	*	*	*	
29520	Bogue Inlet Buoy 4	34-38-27.037N 077-06-06.286W				Red nun.		36/24
29530	Bogue Inlet Buoy 5						Remove from list.	36/24
29540	Bogue Inlet Buoy 6	34-38-25.937N 077-06-19.402W				Red nun.	*	36/24
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
29550	<i>Bogue Inlet Lighted Buoy 7</i>	34-38-32.730N 077-06-28.543W	Fl G 2.5s		4	Green.		36/24
29560	* <i>Bogue Inlet Lighted Buoy 8</i>	* 34-38-45.169N 077-06-25.616W	* Fl R 4s		* 4	* Red nun.		36/24
39597	New River - Cape Fear River Buoy 121	* 34-15-01.116N 077-46-54.126W	* 			Green can with yellow square.		36/24
39601	New River - Cape Fear River Buoy 122A	* 34-15-06.984N 077-46-50.514W				Red nun with yellow square.		36/24
39605	New River - Cape Fear River Daybeacon 123	* 34-14-46.926N 077-47-06.984W				SG-SY on pile.		36/24
321.82	COASTAL VIRGINIA OFFSHORE WIND WTG H07	* 36-54-00.785N 075-24-48.767W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	35/24
* 321.88	* COASTAL VIRGINIA OFFSHORE WIND WTG H12	* 36-54-01.668N 075-20-08.748W	* Q Y	* 15	* 	* Gray monopile.	* Wind turbine under construction. Private Aid.	* 35/24
* 321.9	* COASTAL VIRGINIA OFFSHORE WIND WTG H13	* 36-54-01.822N 075-19-12.744W	* Q Y	* 15	* 	* Gray monopile.	* Wind turbine under construction. Private Aid.	* 35/24
* 322.16	* COASTAL VIRGINIA OFFSHORE WIND WTG J13	* 36-53-06.283N 075-19-05.644W	* Q Y	* 15	* 	* Gray monopile.	* Wind turbine under construction. Private Aid.	* 35/24
* 322.34	* COASTAL VIRGINIA OFFSHORE WIND WTG K06	* 36-52-09.521N 075-25-30.456W	* Q Y	* 15	* 	* Gray monopile.	* Wind turbine under construction. Private Aid.	* 35/24
* 322.38	* COASTAL VIRGINIA OFFSHORE WIND WTG K10	* 	* 	* 	* 	* 	* Remove from list.	* 35/24
322.38	COASTAL VIRGINIA OFFSHORE WIND WTG K08	36-52-09.907N 075-23-38.494W	Q Y	15			* Private Aid.	35/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
* 322.42	* COASTAL VIRGINIA OFFSHORE WIND WTG K10	* 36-52-10.263N 075-21-46.532W	* Q Y	* 15	* 	* Gray monopile.	* Wind turbine under construction. Private Aid.	35/24
* 2785	* Bulkhead Shoal Channel Buoy 4	* 39-34-17.430N 075-33-47.100W	* 	* 	* 	* Red nun.	* Private Aid.	35/24
13496	<i>York River East Range Lighted Wreck Buoy WR</i>	* 37-15-01.980N 076-20-49.902W	Q R		4	Red.		35/24
21780	* Nandua Creek Channel Daybeacon 5	37-37-35.386N 075-54-41.896W				SG on pile.		35/24
29553	* Bogue Inlet Buoy 7A	34-38-59.052N 077-06-23.688W				* Green can.		35/24
29570	* Bogue Inlet Buoy 9	* 34-39-07.980N 077-06-06.244W	* 		* 	* Green can.		35/24
29580	* <i>Emerald Isle Cut Lighted Junction Buoy EI</i>	* 34-39-10.214N 077-06-00.583W	* Fl (2+1)R 6s		* 4	* Red and Green bands.		35/24
29590	<i>Emerald Isle Cut Lighted Buoy 2</i>	* 34-39-12.454N 077-05-47.289W	Fl R 2.5s		4	Red.		35/24
29610	Bogue Inlet Buoy 11	* 34-39-22.530N 077-05-59.102W				Green can.		35/24
29633	Bogue Inlet Shoal Buoy A	*					Remove from list. *	35/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7695	<i>Chesapeake Channel Lighted Buoy CR</i>	38-38-57.460N 076-24-53.840W	Mo (A) W		5	Red and white stripes with red spherical topmark.		34/24
8333	* SWAN POINT CHANNEL NORTH RANGE REAR PASSING LIGHTS (2)	39-07-40.997N 076-16-07.984W	Fl W 4s	26	4	On lower platform of yellow mono-pile structure. On same structure as Brewerton Channel Eastern Directional Sector Light.	Located on SW and NE corners of platform.	34/24
8390	BREWERTON CHANNEL EASTERN EXTENSION DIRECTIONAL SECTOR LIGHT	39-07-40.997N 076-16-07.984W	* F R AL RW F W AL GW F G	30		On lower platform of yellow mono-pile structure. On same structure as Swan Point North Range Rear Light.	Directional Light: F R - From 111.8° to 111.3°. AL RW - From 111.3° to 111.0°. F W (Channel Center Line) From 111.0° to 110.8°. AL G W - From 110.8° to 110.6°. F G - From 110.6° to 110.1°.	34/24
13496	* <i>York River East Range Wreck Buoy WR</i>	37-15-01.980N 076-20-49.902W	Q R		4	Red.		34/24
13496	* YORK RIVER EAST RANGE FRONT LIGHT (WRECKAGE)	*	*	*	*	*	* Remove from list.	34/24
29420	FORT MACON REACH RANGE FRONT LIGHT	34-42-04.940N 076-40-22.484W	Q W (NIGHT)  Q W (DAY)	25		On tower on multi pile structure.	* Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	34/24
	*							

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
29421	FORT MACON REACH RANGE REAR LIGHT  245.4 yards, 338.8° from front light.	34-42-11.791N 076-40-25.477W	Iso W 6s (NIGHT)  Iso W 6s (DAY)	40		On tower on multi pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	34/24
29730	* New River Channel Buoy 11	34-33-16.611N 077-21-07.786W				Green can.		34/24
29737	* New River Channel Buoy 12A	* 34-33-20.372N 077-21-10.153W	*	*	*	Red nun.	*	34/24
29800	* New River Channel Daybeacon 21  20 feet outside channel limit.	* 34-34-32.282N 077-23-11.928W				SG on pile.		34/24
39223	* Bogue Sound - New River Buoy 61A	* 34-35-50.721N 077-14-31.886W				Green can with yellow square.		34/24
39294	* Bogue Sound - New River Buoy 71A	* 34-33-10.349N 077-20-54.941W				Green can with yellow square.		34/24
39325	* New River - Cape Fear River Daybeacon 6	* 34-32-25.070N 077-21-36.319W	*	*	*	TR-TY on pile.	*	34/24
321.86	* COASTAL VIRGINIA OFFSHORE WIND WTG H09	* 36-54-01.160N 075-22-56.760W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	33/24
322.1	* COASTAL VIRGINIA OFFSHORE WIND WTG J07	* 36-53-05.251N 075-24-41.599W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	33/24
322.12	* COASTAL VIRGINIA OFFSHORE WIND WTG J09	* 36-53-05.624N 075-22-49.615W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	33/24
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
322.36	COASTAL VIRGINIA OFFSHORE WIND WTG K07	36-52-09.717N 075-24-34.475W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	33/24
*	*	*	*	*	*	*	*	
322.38	COASTAL VIRGINIA OFFSHORE WIND WTG K10	36-52-10.263N 075-21-46.532W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	33/24
*	*	*	*	*	*	*	*	
322.4	COASTAL VIRGINIA OFFSHORE WIND WTG K09	36-52-10.089N 075-22-42.513W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	33/24
*	*	*	*	*	*	*	*	
4100	FLORENCE UPPER RANGE FRONT LIGHT	40-07-08.076N 074-47-07.140W	Q W (NIGHT)	25		Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	33/24
			Q W (DAY)					
			*					
4105	FLORENCE UPPER RANGE REAR LIGHT	40-07-05.095N 074-46-57.120W	Oc W 4s (NIGHT)	49		On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangeline.	33/24
	278 yards, 111.3° from front light.		Oc W 4s (DAY)					
			*					
8230.02	<i>Fort McHenry Channel Lighted Buoy 2A</i>						Remove from list.	33/24
							*	
8230.1	<i>Fort McHenry Channel Lighted Junction Buoy FF</i>						Remove from list.	33/24
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
321.18	COASTAL VIRGINIA OFFSHORE WIND WTG F10	36-55-52.376N 075-22-14.992W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	32/24
*	*	*	*	*	*	*	*	
321.2	COASTAL VIRGINIA OFFSHORE WIND WTG F11	36-55-52.547N 075-21-18.965W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	32/24
*	*	*	*	*	*	*	*	
321.52	COASTAL VIRGINIA OFFSHORE WIND WTG G10	36-54-56.873N 075-22-07.852W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	32/24
*	*	*	*	*	*	*	*	
321.84	COASTAL VIRGINIA OFFSHORE WIND WTG H08	36-54-00.976N 075-23-52.763W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	32/24
*	*	*	*	*	*	*	*	
593	<i>Nags Head Research Lighted Data Buoy A</i>						Remove from list.	32/24
							*	
8230.18	FORT MCHENRY CHANNEL BRIDGE LIGHT A						Remove from list.	32/24
							*	
8230.2	FORT MCHENRY CHANNEL BRIDGE LIGHT B						Remove from list.	32/24
							*	
8235	<i>Fort McHenry Channel Lighted Buoy 3</i>	39-12-42.075N 076-31-28.568W	Fl G 4s		5	Green.		32/24
	*		*			*		
8236.8	<i>Hawkins Point Temporary Alternate Channel Lighted Buoy 1A</i>						Remove from list.	32/24
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
8236.84	Hawkins Point Temporary Alternate Channel Lighted Buoy 3A						Remove from list. *
8236.88	Hawkins Point Temporary Alternate Channel Lighted Buoy 5A						Remove from list. *
8236.9	Hawkins Point Temporary Alternate Channel Lighted Buoy 6A						Remove from list. *
8236.92	Hawkins Point Temporary Alternate Channel Lighted Buoy 7A						Remove from list. *
8236.94	Hawkins Point Temporary Alternate Channel Lighted Buoy 8A						Remove from list. *
8236.96	Hawkins Point Temporary Alternate Channel Lighted Buoy 9A						Remove from list. *
11260	CSX PIER 15 LIGHTS (2)						Remove from list. *
11265	CSX PIER 14 LIGHTS (2)						Remove from list. *
14983	Broad Creek Channel Buoy 6A	37-33-42.151N 076-18-50.460W				Red nun.	32/24
20092	Little Magothy River Buoy 1LM	* 39-02-57.880N 076-25-42.300W				Green can.	Private Aid. 32/24
20092.01	Little Magothy River Buoy 2	* 39-02-58.280N 076-25-43.410W				Red nun.	Private Aid. 32/24
20092.02	Little Magothy River Buoy 3	* 39-02-49.300N 076-25-45.140W				Green can.	Private Aid. 32/24
20092.03	Little Magothy River Buoy 4	* 39-02-49.530N 076-25-45.790W				Red nun.	Private Aid. 32/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
20092.04	Little Magothy River Buoy 5	* 39-02-37.230N 076-25-49.130W				Green can.	Private Aid.	32/24
20092.05	Little Magothy River Buoy 6	* 39-02-37.330N 076-25-49.730W				Red nun.	Private Aid.	32/24
20092.06	Little Magothy River Buoy 7	*					Remove from list.	32/24
20092.07	Little Magothy River Buoy 8	*					Remove from list.	32/24
20870	CURTIS BAY CHANNEL DIRECTIONAL SECTOR LIGHT	39-13-16.229N 076-34-34.786W	Fl W 2.5s (NIGHT)	23 21		On multi-pile structure.	* All round White light (Night). Directional Light: F R From 266.8° to 267.6° ALT R W From 267.6° to 268.3° F W (Channel Center Line) From 268.3° to 268.7° ALT G W From 268.7° to 269.4° F G From 269.4° to 270.2°	32/24
26525	* CASTLE HARBOR MARINA CHANNEL LIGHT 1	* 38-59-24.680N 076-16-36.390W	* Fl G 4s	* 12		SG on pile.	* Maintained from Apr. 1 to Nov. 1. Private Aid.	32/24
26530	CASTLE HARBOR MARINA CHANNEL LIGHT 2	* 38-59-26.370N 076-16-37.220W	Fl R 4s	12		TR on pile.	Maintained from Apr. 1 to Nov. 1. Private Aid.	32/24
26535	* Castle Harbor Marina Channel Daybeacon 3	* *	* *	* *	* *	*	* Remove from list.	32/24
26540	Castle Harbor Marina Buoy 4	38-59-23.120N 076-16-43.330W				Red nun.	Private Aid.	32/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
* 26540	* Castle Harbor Marina Channel Daybeacon 4	*	*	*	*	*	* Remove from list.	32/24
26545	Castle Harbor Marina Buoy 5	38-59-19.500N 076-16-45.330W				Green can.	* Private Aid.	32/24
* 26545	* Castle Harbor Marina Channel Daybeacon 5	*	*	*	*	*	* Remove from list.	32/24
26550	Castle Harbor Marina Buoy 6	38-59-20.200N 076-16-46.200W				Red nun.	* Private Aid.	32/24
* 26550	* Castle Harbor Marina Channel Daybeacon 6	*	*	*	*	*	* Remove from list.	32/24
26555	Castle Harbor Marina Buoy 7	38-59-17.430N 076-16-48.820W				Green can.	* Private Aid.	32/24
* 26555	* Castle Harbor Marina Channel Daybeacon 7	*	*	*	*	*	* Remove from list.	32/24
26560	Castle Harbor Marina Buoy 8	38-59-18.410N 076-16-49.390W				Red nun.	* Private Aid.	32/24
* 26560	* Castle Harbor Marina Channel Daybeacon 8	*	*	*	*	*	* Remove from list.	32/24
26700	Davis Creek Entrance Buoy 2	39-07-09.574N 076-10-26.506W				Red nun.	* Private Aid.	32/24
* 26700	* Davis Creek Entrance Daybeacon 2	*	*	*	*	*	* Remove from list.	32/24
28310	WALTER SLOUGH LIGHT 3	35-47-23.359N 075-34-00.535W	Fl G 4s	15	4	SG on pile.		32/24
30455 40035	SOUTHPORT LIGHT 1	* 33-54-53.182N 078-01-11.303W	Fl G 2.5s	15	4	SG-SY on multi-pile structure.		32/24
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
320.54	COASTAL VIRGINIA OFFSHORE WIND WTG D10	36-57-43.447N 075-22-29.239W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	31/24
*	*	*	*	*	*	*	*	
320.56	COASTAL VIRGINIA OFFSHORE WIND WTG D11	36-57-43.620N 075-21-33.190W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	31/24
*	*	*	*	*	*	*	*	
320.86	COASTAL VIRGINIA OFFSHORE WIND WTG E09	36-56-47.732N 075-23-18.131W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	31/24
*	*	*	*	*	*	*	*	
320.9	COASTAL VIRGINIA OFFSHORE WIND WTG E11	36-56-48.084N 075-21-26.056W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	31/24
*	*	*	*	*	*	*	*	
321.16	COASTAL VIRGINIA OFFSHORE WIND WTG F09	36-55-52.198N 075-23-11.018W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	31/24
*	*	*	*	*	*	*	*	
321.4	COASTAL VIRGINIA OFFSHORE WIND WTG G04	36-54-55.697N 075-27-43.940W	Q Y	15		Gray Monopile.	Wind turbine under construction. Private Aid.	31/24
*	*	*	*	*	*	*	*	
321.48	COASTAL VIRGINIA OFFSHORE WIND WTG G08	36-54-56.510N 075-23-59.882W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	31/24
*	*	*	*	*	*	*	*	
321.5	COASTAL VIRGINIA OFFSHORE WIND WTG G09	36-54-56.695N 075-23-03.867W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	31/24
*	*	*	*	*	*	*	*	
548	<i>Scripps Lighted Data Buoy CDIP 171</i>	36-36-42.100N 074-50-20.000W	Fl (5)Y 20s			Yellow disc-shaped hull.	Private Aid.	31/24
*	*	*	*	*	*	*	*	
552	Scripps Lighted Data Buoy CDIP 171	36-36-42.100N 074-50-20.000W					Remove from list.	31/24
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
8236.24	Sollers Point No Wake Buoy A						Remove from list.	31/24
							*	
8236.26	Sollers Point No Wake Buoy B						Remove from list.	31/24
							*	
27230	Upper Gunpowder River Buoy 2	39-22-57.387N 076-20-23.398W				Red nun.	Maintained from Apr. 15 to Oct. 15. Private Aid.	31/24
		*						
27240	Upper Gunpowder River Buoy 4	39-23-16.470N 076-20-40.976W				Red nun.	Maintained from Apr. 15 to Oct. 15. Private Aid.	31/24
		*						
27250	Upper Gunpowder River Buoy 6	39-23-20.190N 076-20-44.405W				Red nun.	Maintained from Apr. 15 to Oct. 15. Private Aid.	31/24
		*						
27255	Upper Gunpowder River Buoy 7	39-23-22.413N 076-20-50.911W				Green can.	Maintained from Apr. 15 to Oct. 15. Private Aid.	31/24
		*						
27265	Upper Gunpowder River Buoy 9	39-23-30.889N 076-20-52.399W				Green can.	Maintained from Apr. 15 to Oct. 15. Private Aid.	31/24
		*						
27270	Upper Gunpowder River Buoy 10	39-23-31.523N 076-20-51.053W				Red nun.	Maintained from Apr. 15 to Oct. 15. Private Aid.	31/24
		*						
27845	<i>Northeast River Lighted Buoy 5</i>	39-31-52.948N 075-59-03.174W	Fl G 2.5s		4	Green.	Maintained from Apr. 1 to Nov. 25.	31/24
		*						
28682	<i>Hatteras Connector Lighted Buoy 3</i>	35-11-29.478N 075-45-44.019W	Fl G 2.5s		4	Green.		31/24
		*						
29570	<i>Bogue Inlet Lighted Buoy 9</i>	34-39-11.166N 077-05-58.653W	Q G		4	Green.		31/24
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
320.02	COASTAL VIRGINIA OFFSHORE WIND WTG B06	36-59-33.710N 075-26-27.784W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	30/24
*	*	*	*	*	*	*	*	
320.04	COASTAL VIRGINIA OFFSHORE WIND WTG B07	36-59-33.915N 075-25-31.713W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	30/24
*	*	*	*	*	*	*	*	
320.22	COASTAL VIRGINIA OFFSHORE WIND WTG C06	36-58-38.212N 075-26-20.587W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	30/24
*	*	*	*	*	*	*	*	
320.24	COASTAL VIRGINIA OFFSHORE WIND WTG C07	36-58-38.416N 075-25-24.550W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	30/24
*	*	*	*	*	*	*	*	
320.5	COASTAL VIRGINIA OFFSHORE WIND WTG D08	36-57-43.079N 075-24-21.337W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	30/24
*	*	*	*	*	*	*	*	
320.52	COASTAL VIRGINIA OFFSHORE WIND WTG D09	36-57-43.267N 075-23-25.288W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	30/24
*	*	*	*	*	*	*	*	
320.84	COASTAL VIRGINIA OFFSHORE WIND WTG E08	36-56-47.545N 075-24-14.169W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	30/24
*	*	*	*	*	*	*	*	
321.14	COASTAL VIRGINIA OFFSHORE WIND WTG F08	36-55-52.012N 075-24-07.044W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	30/24
*	*	*	*	*	*	*	*	
5520	<i>Wallops Island Lighted Buoy 1</i>	37-53-44.190N 075-25-09.479W	Fl G 4s		4	Green.		30/24
		*						
28920	Ocracoke Inlet Buoy 5	35-03-50.152N 076-00-46.688W				Green can.	TEMP AIS; MMSI 993672479	30/24
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28935	<i>Teaches Hole Lighted Buoy 9</i>	35-04-15.980N 076-00-54.748W	Q G		4	Green.	30/24
29655	<i>New River Inlet Lighted Buoy 1</i>	* 34-31-20.651N 077-20-01.189W	Fl G 4s		5	Green.	30/24
29660	<i>New River Inlet Lighted Buoy 2</i>	* 34-31-21.219N 077-19-59.874W	Fl R 4s		5	Red.	30/24
29665	New River Inlet Buoy 3	* 34-31-29.056N 077-20-05.256W				Green can.	30/24
29670	New River Inlet Buoy 4	* 34-31-31.238N 077-20-09.452W				Red nun.	30/24
29672	New River Inlet Buoy 4A	* 34-31-35.711N 077-20-24.331W				Red nun.	30/24
29680	New River Inlet Buoy 6	* 34-32-00.717N 077-20-42.433W				Red nun.	30/24
29700	New River Inlet Buoy 8	* 34-32-11.611N 077-20-37.446W				Red nun.	30/24
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
29710	New River Inlet Buoy 9	34-32-23.860N 077-20-32.037W				Green can.	30/24
29712	New River Inlet Buoy 9A	* 34-32-36.834N 077-20-30.723W				Green can.	30/24
29720	New River Inlet Buoy 10	* 34-32-36.255N 077-20-29.671W				Red nun.	30/24
31010	<i>Lockwoods Folly Inlet Lighted Buoy 1</i>	* 33-54-29.645N 078-13-49.394W	Fl G 4s		5	Green.	30/24
31015	<i>Lockwoods Folly Inlet Lighted Buoy 2</i>	* 33-54-30.487N 078-13-48.104W	Fl R 4s		5	Red.	30/24
31020	Lockwoods Folly Inlet Buoy 3	* 33-54-40.718N 078-13-56.623W				Green can.	30/24
31025	Lockwoods Folly Inlet Buoy 4	* 33-54-41.153N 078-13-55.311W				Red nun.	30/24
31027	Lockwoods Folly Inlet Buoy 5	* 33-54-50.461N 078-14-09.084W				Green can.	30/24
31030	Lockwoods Folly Inlet Buoy 6	* 33-54-55.973N 078-14-14.482W				Red nun.	30/24
31035	Lockwoods Folly Inlet Buoy 7	* 33-55-00.383N 078-14-16.978W				Green can.	30/24
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
320.2	COASTAL VIRGINIA OFFSHORE WIND WTG C05	36-58-38.574N 075-27-20.620W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	29/24
*	*	*	*	*	*	*	*	
320.42	COASTAL VIRGINIA OFFSHORE WIND WTG D04	36-57-42.254N 075-28-05.530W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	29/24
*	*	*	*	*	*	*	*	
320.44	COASTAL VIRGINIA OFFSHORE WIND WTG D05	36-57-42.471N 075-27-09.482W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	29/24
*	*	*	*	*	*	*	*	
320.46	COASTAL VIRGINIA OFFSHORE WIND WTG D06	36-57-42.681N 075-26-13.434W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	29/24
*	*	*	*	*	*	*	*	
320.48	COASTAL VIRGINIA OFFSHORE WIND WTG D07	36-57-42.883N 075-25-17.385W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	29/24
*	*	*	*	*	*	*	*	
320.74	COASTAL VIRGINIA OFFSHORE WIND WTG E03	36-56-46.501N 075-28-54.354W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	29/24
*	*	*	*	*	*	*	*	
320.78	COASTAL VIRGINIA OFFSHORE WIND WTG E05	36-56-46.941N 075-27-02.280W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	29/24
*	*	*	*	*	*	*	*	
320.8	COASTAL VIRGINIA OFFSHORE WIND WTG E06	36-56-47.150N 075-26-06.243W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	29/24
*	*	*	*	*	*	*	*	
321.04	COASTAL VIRGINIA OFFSHORE WIND WTG F03	36-55-50.972N 075-28-47.173W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	29/24
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
321.06	COASTAL VIRGINIA OFFSHORE WIND WTG F04	36-55-51.195N 075-27-51.147W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	29/24
*	*	*	*	*	*	*	*	
321.08	COASTAL VIRGINIA OFFSHORE WIND WTG F05	36-55-51.410N 075-26-55.122W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	29/24
*	*	*	*	*	*	*	*	
321.1	COASTAL VIRGINIA OFFSHORE WIND WTG F06	36-55-51.618N 075-25-59.096W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	29/24
*	*	*	*	*	*	*	*	
321.38	COASTAL VIRGINIA OFFSHORE WIND WTG G03	36-54-55.476N 075-28-39.954W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	29/24
*	*	*	*	*	*	*	*	
321.72	COASTAL VIRGINIA OFFSHORE WIND WTG CV-A01	36-53-46.661N 075-29-29.899W	Fl Y 5s	62		White and yellow wind turbine labelled CV- A01.	HORN: 1 blast ev 20s. Activated during low visibility. Private Aid.	29/24
*	*	*	*	*	*	*	*	
322	COASTAL VIRGINIA OFFSHORE WIND WTG CV-A02	36-53-12.587N 075-29-29.681W	Fl Y 5s	62		White and yellow wind turbine labelled CV- A02.	RACON: D ( - . . ) Private Aid.	29/24
*	*	*	*	*	*	*	*	
1605	<i>Delaware Bay Main Channel Lighted Buoy 29</i>	39-10-49.639N 075-16-28.203W	Q G		5	Green.	Replaced by LIB of reduced intensity when endangered by ice.	29/24
					*			
5095	<i>Sinepuxent Bay Channel Buoy 23</i>	38-13-55.508N 075-09-45.433W				Green can.		29/24
			*		*			
7815	Matapeake North Breakwater Daybeacon 1	38-57-23.170N 076-21-26.010W				SG on pile.	Private Aid.	29/24
		*						
8236.08	Sollers Point Temporary Alternate Channel Buoy 4A						Remove from list.	29/24
							*	
8236.1	<i>Sollers Point Temporary Alternate Channel Lighted Buoy 5A</i>						Remove from list.	29/24
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
8236.12	<i>Sollers Point Temporary Alternate Channel Lighted Buoy 6A</i>						Remove from list. *
8236.14	<i>Sollers Point Temporary Alternate Channel Lighted Buoy 7A</i>						Remove from list. *
8236.16	<i>Sollers Point Temporary Alternate Channel Lighted Buoy 8A</i>						Remove from list. *
8236.2	<i>Sollers Point Temporary Alternate Channel Buoy 10A</i>						Remove from list. *
8236.58	<i>Fort Carroll Temporary Channel Lighted Buoy 4</i>						Remove from list. *
8236.61	<i>Fort Carroll Temporary Channel Lighted Buoy 5</i>						Remove from list. *
8236.63	<i>Fort Carroll Temporary Channel Lighted Buoy 6</i>						Remove from list. *
8236.65	<i>Fort Carroll Temporary Channel Lighted Buoy 7</i>						Remove from list. *
8236.68	<i>Fort Carroll Temporary Channel Lighted Buoy 8</i>						Remove from list. *
8236.7	<i>Fort Carroll Temporary Channel Lighted Junction Buoy FS</i>						Remove from list. *
28073	Oregon Inlet Buoy 22	35-46-10.974N 075-33-06.319W				Red Nun.	29/24
28722.1	<i>Barney Slough Channel Lighted Buoy 5</i>	* 35-13-51.832N 075-47-14.429W	Fl G 2.5s		4	Green.	29/24
28722.3	<i>Barney Slough Channel Lighted Buoy 6A</i>	* 35-13-55.989N 075-47-12.470W	Q R		4	Red.	29/24
28915	<i>Ocracoke Inlet Lighted Buoy 4</i>	* 35-03-41.705N 076-00-07.341W	Fl R 2.5s		4	Red.	29/24
39353	<i>New River - Cape Fear River Lighted Wreck Buoy WR15A</i>	*					Remove from list. *

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
28723.3	<i>Barney Slough Channel Lighted Buoy 13</i>	35-13-22.868N 075-44-36.194W	Fl G 2.5s		4	Green.		28/24
28900	<i>Ocracoke Inlet Lighted Buoy 1</i>	* 35-03-33.026N 075-59-39.908W	Q G		5	Green.	TEMP AIS: MMSI 993672514	28/24
28905	<i>Ocracoke Inlet Lighted Buoy 2</i>	* 35-03-38.640N 075-59-37.913W	Q R		5	Red.	TEMP AIS: MMSI 936722471	28/24
28910	<i>Ocracoke Inlet Lighted Buoy 3</i>	* 35-03-36.530N 076-00-10.551W	Fl G 2.5s		4	Green.		28/24
28915	<i>Ocracoke Inlet Lighted Buoy 4</i>	* 35-03-41.705N 075-00-07.341W	Fl R 2.5s		4	Red.		28/24
28920	Ocracoke Inlet Buoy 5	* 35-03-48.553N 076-00-45.766W				Green can.	TEMP AIS: MMSI 993672479	28/24
28926	<i>Ocracoke Inlet Lighted Buoy 6</i>	* 35-03-52.017N 076-00-37.400W	Fl R 4s		3	Red.	TEMP AIS: MMSI 993672416	28/24
33478	Cedar Island Ferry Slip Breakwater Buoy 1	* 35-01-10.207N 076-18-29.507W				Green Can.		28/24
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
9820	Portsmouth Marine Terminal Lighted Buoy 4	36-51-31.919N 076-19-35.479W	Fl R 2.5s		4	Red.	27/24
		*					
9825	Portsmouth Marine Terminal Lighted Buoy 5						Remove from list. *
9830	Portsmouth Marine Terminal Lighted Buoy 6	36-51-28.807N 076-19-45.659W	Fl R 4s		4	Red.	27/24
		*					
9831	Portsmouth Marine Terminal Buoy 8						Remove from list. *
9832	Portsmouth Marine Terminal Daybeacon 8	36-51-27.455N 076-19-56.598W				TR on pile.	27/24
		*					
9845	Sea-Land Terminal Buoy 2SL	36-51-33.120N 076-19-11.318W				Red nun.	27/24
		*					
39353	New River - Cape Fear River Lighted Wreck Buoy WR15A	34-30-51.354N 077-23-00.486W	Q G		4	Green with yellow square.	27/24
* 320.82	* COASTAL VIRGINIA OFFSHORE WIND WTG E07	* 36-56-47.351N 075-25-10.206W	* Q Y	* 15	* *	* Gray monopile.	* Wind turbine under construction. Private Aid.
* 321.12	* COASTAL VIRGINIA OFFSHORE WIND WTG F07	* 36-55-51.818N 075-25-03.070W	* Q Y	* 15	* *	* Gray monopile.	* Wind turbine under construction. Private Aid.
* 321.42	* COASTAL VIRGINIA OFFSHORE WIND WTG G05	* 36-54-55.911N 075-26-47.926W	* Q Y	* 15	* *	* Gray monopile.	* Wind turbine under construction. Private Aid.
* 321.44	* COASTAL VIRGINIA OFFSHORE WIND WTG G06	* 36-54-56.118N 075-25-51.911W	* Q Y	* 15	* *	* Gray monopile.	* Wind turbine under construction. Private Aid.
* 321.74	* COASTAL VIRGINIA OFFSHORE WIND WTG H03	* 36-53-59.946N 075-28-32.779W	* Q Y	* 15	* *	* Gray monopile.	* Wind turbine under construction. Private Aid.
* *	* *	* *	* *	* *	* *	* *	* *

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
322.32	COASTAL VIRGINIA OFFSHORE WIND WTG K05	36-52-09.317N 075-26-26.437W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	26/24
*	*	*	*	*	*	*	*	
1133	<i>Stockton University Lighted Warning Buoy SV01</i>						Remove from list.	26/24
1133.2	<i>Stockton University Lighted Warning Buoy AQD01</i>						Remove from list.	26/24
3540	HORSESHOE BEND DIRECTIONAL LIGHT	39-53-12.555N 075-08-04.354W	Q W	20		Tower on multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of centerline of channel (bearing 061.2°). NIGHT: Visible all around, higher intensity 1.5° either side of centerline of channel.	26/24
9845	Sea-Land Terminal Buoy 2SL	36-51-33.122N 076-19-11.313W	*			Red nun.		26/24
28446	Wanchese Channel Buoy 2A	*					Remove from list.	26/24
295	<i>TGS Research Lighted Data Buoy H</i>						Remove from list.	25/24
321.76	COASTAL VIRGINIA OFFSHORE WIND WTG H04	36-54-00.167N 075-27-36.776W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	25/24
*	*	*	*	*	*	*	*	
322.08	COASTAL VIRGINIA OFFSHORE WIND WTG J06	36-53-05.054N 075-25-37.592W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	25/24
*	*	*	*	*	*	*	*	
547	<i>TGS Research Lighted Data Buoy I</i>						Remove from list.	25/24
865	<i>Holden Beach SOFAR Lighted Data Buoy A</i>						Remove from list.	25/24
8230.02	<i>Fort McHenry Channel Lighted Buoy 2A</i>	39-12-49.665N 076-31-22.463W	Fl R 2.5s		4	Red.	*	25/24
8230.1	<i>Fort McHenry Channel Lighted Junction Buoy FF</i>	39-12-56.773N 076-31-29.345W	Fl (2+1)R 6s		4	Red and green bands; nun		25/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
	*							
8230.12	<i>Fort McHenry Limited Access Channel Lighted Buoy 3B</i>						Remove from list.	25/24
							*	
8230.14	<i>Fort McHenry Limited Access Channel Lighted Buoy 2C</i>						Remove from list.	25/24
							*	
8230.16	<i>Fort McHenry Limited Access Channel Lighted Buoy 3C</i>						Remove from list.	25/24
							*	
8230.18	FORT MCHENRY CHANNEL BRIDGE LIGHT A	39-13-04.890N 076-31-36.330W	Q W	13	4	On bridge pier.	Light is temporary.	25/24
	*							
8230.2	FORT MCHENRY CHANNEL BRIDGE LIGHT B	39-13-05.562N 076-31-37.116W	Q W	14	4	On bridge pier.	Light is temporary.	25/24
	*							
8230.22	<i>Fort McHenry Limited Access Channel Lighted Buoy 4</i>						Remove from list.	25/24
							*	
8230.24	<i>Fort McHenry Limited Access Channel Lighted Buoy 5</i>						Remove from list.	25/24
							*	
8230.26	<i>Fort McHenry Limited Access Channel Lighted Buoy 4A</i>						Remove from list.	25/24
							*	
18010	AQUIA CREEK WARNING LIGHT B	38-24-01.493N 077-19-46.226W	Fl W 6s	15	4	NW on pile worded DANGER SHOAL.		25/24 25/24
	*		*				*	
24765	Fishing Creek Daybeacon 3						Remove from list.	25/24
							*	
24765	FISHING CREEK BUOY 3	38-32-08.136N 076-12-36.590W				Green can.		25/24
	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
24770	Fishing Creek Daybeacon 4						Remove from list.	25/24
							*	
24770	Fishing Creek Buoy 4	38-32-01.595N 076-12-20.489W				Red nun.		25/24
*	*	*	*	*	*	*	*	
25445	Trippe Creek Buoy 1	38-42-32.664N 076-08-23.448W				Green can.		25/24
*	*	*	*	*	*	*	*	
28085	<i>Oregon Inlet Channel Lighted Buoy 27</i>	35-46-28.110N 075-33-35.873W	Q G		4	Green.		25/24
		*						
28723.3	<i>Barney Slough Channel Lighted Buoy 13</i>	35-13-21.938N 075-44-36.492W	Fl G 2.5s		4	Green.		25/24
		*						
29284	<i>Beaufort Inlet Channel Lighted Buoy 7</i>	34-40-33.973N 076-40-13.191W	Fl G 2.5s		4	Green.		25/24
		*						
29288	<i>Beaufort Inlet Channel Lighted Buoy 9</i>	34-40-53.385N 076-40-10.473W	Fl G 4s		5	Green.		25/24
		*						
29297	<i>Beaufort Inlet Channel Lighted Buoy 12</i>	34-41-13.660N 076-39-58.543W	Fl R 2.5s		4	Red.		25/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
29310	<i>Beaufort Inlet Channel Lighted Buoy 14</i>	* 34-41-33.611N 076-40-06.336W	Fl R 4s		4	Red.	25/24	
29410	<i>Morehead City Channel Lighted Buoy 15</i>	* 34-41-47.452N 076-40-18.770W	Q G		4	Green.	25/24	
29425	<i>Morehead City Channel Lighted Buoy 17</i>	* 34-41-59.169N 076-40-37.397W	Fl G 4s		4	Green.	25/24	
30372	<i>Cape Fear River Entrance Channel Lighted Buoy 12</i>	* 33-51-49.348N 078-01-03.144W	Fl R 2.5s		4	Red.	25/24	
30705	<i>Cape Fear River Channel Lighted Buoy 38</i>	* 34-02-54.319N 077-56-21.235W	Q R		4	Red.	25/24	
321.78	COASTAL VIRGINIA OFFSHORE WIND WTG H05	36-54-00.380N 075-26-40.773W	Q Y	15		Gray monopile.	* Wind turbine under construction. Private Aid.	24/24
* 321.8	* COASTAL VIRGINIA OFFSHORE WIND WTG H06	* 36-54-00.586N 075-25-44.770W	* Q Y	* 15	* *	* Gray monopile.	* Wind turbine under construction. Private Aid.	* 24/24
* 322.28	* COASTAL VIRGINIA OFFSHORE WIND WTG K03	* 36-52-08.887N 075-28-18.398W	* Q Y	* 15	* *	* Gray monopile.	* Wind turbine under construction. Private Aid.	* 24/24
* 5520	* <i>Wallops Island Lighted Buoy 1</i>	* 37-53-45.962N 075-24-51.903W	* Fl G 4s	* *	* 4	* Green.	* *	* 24/24
8235	<i>Fort McHenry Channel Lighted Junction Buoy FH</i>	* 39-12-42.075N 076-31-28.568W	Fl (2+1)G 6s		5	Green.	Replaced by can when endangered by ice.	24/24
	*	*	*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
19537	<i>Rhode River Lighted Wreck Buoy WR5</i>						Remove from list. 24/24
25445	Trippe Creek Daybeacon 1						* Remove from list. 24/24
26517	<i>Panhandle Point Lighted Data Buoy A</i>						* Remove from list. 24/24
26667	<i>Grays Inn Creek Lighted Data Buoy B</i>						* Remove from list. 24/24
26723	<i>Corisca River Lighted Data Buoy CR</i>						* Remove from list. 24/24
26757	<i>Jarrett Creek Lighted Data Buoy D</i>						* Remove from list. 24/24
26817	<i>Radcliffe Creek Lighted Data Buoy E</i>						* Remove from list. 24/24
26847	<i>Foremans Branch Lighted Data Buoy F</i>						* Remove from list. 24/24
26847.1	<i>Crumpton Lighted Data Buoy G</i>						* Remove from list. 24/24
28050	Oregon Inlet Buoy 14	35-45-59.160N 075-32-16.248W				Red Nun.	24/24
28083	<i>Oregon Inlet Lighted Buoy 26</i>	* 35-46-29.241N 075-33-31.951W	Q R		4	Red.	24/24
28085	<i>Oregon Inlet Channel Lighted Buoy 27</i>	* 35-46-28.862N 075-33-34.225W	Q G		4	Green.	24/24
30395	<i>Cape Fear River Channel Lighted Buoy 13A</i>	* 33-52-51.326N 078-00-29.722W	Fl G 4s		5	Green.	24/24
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
30400	<i>Cape Fear River Channel Lighted Buoy 15</i>	33-53-17.490N 078-00-26.684W	Fl G 2.5s		4	Green.		24/24
30705	<i>Cape Fear River Channel Lighted Buoy 38</i>	* 34-02-54.319N 077-56-21.235W	Q R		4	Red.	TEMP AIS: MMSI 993672719	24/24
30836	<i>Cape Fear River Channel Lighted Buoy 57A</i>	* 34-09-41.098N 077-57-42.181W	Q G		4	Green.		24/24
322.02	COASTAL VIRGINIA OFFSHORE WIND WTG J03	* 36-53-04.417N 075-28-26.567W	Q Y	15		Gray monopile.	Wind turbine under construction. Private Aid.	23/24
* 322.04	* COASTAL VIRGINIA OFFSHORE WIND WTG J04	* 36-53-04.637N 075-27-29.575W	* Q Y	* 15	* *	* Gray monopile.	* Wind turbine under construction. Private Aid.	* 23/24
* 322.06	* COASTAL VIRGINIA OFFSHORE WIND WTG J05	* 36-53-04.849N 075-26-33.584W	* Q Y	* 15	* *	* Gray monopile.	* Wind turbine under construction. Private Aid.	* 23/24
* 322.3	* COASTAL VIRGINIA OFFSHORE WIND WTG K04	* 36-52-08.992N 075-27-22.994W	* Q Y	* 15	* *	* Gray monopile.	* Wind turbine under construction. Private Aid.	* 23/24
* 740	* <i>Camp Lejeune Danger Zone Lighted Buoy A</i>	* 34-36-19.530N 077-05-35.568W	* Fl Y 4s	* *	* 6	* Yellow.	* *	* 23/24
2045	<b>Lewes Ferry Terminal Fog Signal</b>	* 38-46-59.200N 075-07-07.000W		28			Horn: 1 blast ev 15s Private Aid.	23/24
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
25316.08	Upper Choptank River Buoy 10						Remove from list. 23/24
							*
25316.1	Upper Choptank River Buoy 13						Remove from list. 23/24
							*
25316.11	Upper Choptank River Buoy 15						Remove from list. 23/24
							*
25316.12	Upper Choptank River Buoy 17						Remove from list. 23/24
							*
25316.13	Upper Choptank River Buoy 19						Remove from list. 23/24
							*
25316.14	Upper Choptank River Buoy 20						Remove from list. 23/24
							*
25316.15	Upper Choptank River Buoy 22						Remove from list. 23/24
							*
25316.16	Upper Choptank River Buoy 23						Remove from list. 23/24
							*
25316.17	Upper Choptank River Buoy 25						Remove from list. 23/24
							*
25316.18	Upper Choptank River Buoy 27						Remove from list. 23/24
							*
25316.19	Upper Choptank River Buoy 29						Remove from list. 23/24
							*
25316.2	Upper Choptank River Buoy 30						Remove from list. 23/24
							*
28240	Old House Channel Buoy 4	35-45-19.846N 075-35-49.502W				Red nun.	23/24
							*
29175	Barden Inlet Buoy 7	34-37-30.930N 076-32-01.406W				Green can.	23/24
							*
29245	Barden Inlet Buoy 25	34-39-41.270N 076-31-18.790W				Green can.	23/24
							*
*	*	*	*	*	*	*	*
29248	Barden Inlet Buoy 26	34-40-00.470N 076-31-22.510W				Red nun.	23/24
							*
*	*	*	*	*	*	*	*
29252	BARDEN INLET BUOY 27	34-40-18.500N 076-31-27.860W				Green can.	23/24
							*
*	*	*	*	*	*	*	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
29252	BARDEN INLET BUOY 27	34-40-18.500N 076-31-27.860W				Green can.	23/24
*	*	*	*	*	*	*	*
29255	BARDEN INLET BUOY 28	34-40-41.280N 076-31-32.230W				Red nun.	23/24
*	*	*	*	*	*	*	*
29257	Barden Inlet Buoy 30	34-40-55.978N 076-31-46.523W				Red nun.	23/24
*	*	*	*	*	*	*	*
29495	<i>Bogue Inlet Lighted Buoy 1</i>	34-38-05.091N 077-05-40.370W	Fl G 2.5s		4	Green.	23/24
29500	<i>Bogue Inlet Lighted Buoy 2</i>	34-38-16.551N 077-05-45.290W	Fl R 2.5s		4	Red.	23/24
29520	<i>Bogue Inlet Lighted Buoy 4</i>	34-38-26.431N 077-06-01.490W	Fl R 4s		4	Red.	23/24
29530	Bogue Inlet Buoy 5	34-38-46.331N 077-06-15.440W				Green can.	23/24
29540	Bogue Inlet Buoy 6	34-38-46.680N 077-06-13.551W				Red nun.	23/24
29550	Bogue Inlet Buoy 7	34-38-52.551N 077-06-18.050W				Green can.	23/24
29553	<i>Bogue Inlet Lighted Buoy 7A</i>	34-39-04.940N 077-06-13.942W	Fl G 4s		4	Green.	23/24
29560	<i>Bogue Inlet Lighted Buoy 8</i>	34-38-52.771N 077-06-16.400W	Q R		4	Red nun.	23/24
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
31055	Shalotte Inlet Buoy 1	33-59-33.480N 078-22-53.590W				Green can.	Private Aid. Aid maintained by State DOT	23/24
		*						
31070	Shalotte Inlet Buoy 4	33-53-43.290N 078-22-51.010W				Red nun.	Private Aid. Aid maintained by State DOT	23/24
		*						
31090	Shalotte Inlet Buoy 3	33-53-39.270N 078-22-54.040W				Green can.	Private Aid. Aid maintained by State DOT	23/24
		*						
35510	<i>Mullica River Lighted Research Buoy A</i>						Remove from list.	23/24
							*	
215	<i>US Wind Lighted Meteorological Buoy USW</i>						Remove from list.	22/24
							*	
1133	<i>Stockton University Lighted Warning Buoy SV01</i>	39-30-01.300N 074-18-35.600W	FI W 6s			White buoy, orange diamond worded "Hazard".	Temp till July 2024. Private Aid.	22/24
		*	*	*	*	*	*	
1133.2	<i>Stockton University Lighted Warning Buoy AQD01</i>	39-29-48.300N 074-18-14.700W	FI W 6s			White buoy, orange diamond worded "Hazard"	Temp till July 2024 Private Aid.	22/24
		*	*	*	*	*	*	
2055	DELAWARE BAY EAST ICEBREAKER LIGHT 2	38-50-17.834N 075-06-39.369W	FI R 2.5s	15	6	White column tower.		22/24
			*					
7462.2	NAVAL FACILITIES TANGIER LIGHTED DANGER DAYBEACON B	37-47-42.296N 076-04-01.138W	FI W 6s			NW on pile worded DANGER.	Aid maintained by U.S. Navy.	22/24
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
8230.02	Fort McHenry Limited Access Channel Lighted Buoy 2A	39-12-49.665N 076-31-22.463W	Fl R 2.5s		4	Red.	22/24
8230.14	Fort McHenry Limited Access Channel Lighted Buoy 2C	* 39-13-01.485N 076-31-34.969W	Q R		4	Red.	22/24
8230.22	Fort McHenry Limited Access Channel Lighted Buoy 4	* 39-13-08.345N 076-31-42.202W	Q R		4	Red.	22/24
8230.26	Fort McHenry Limited Access Channel Lighted Buoy 4A	* 39-13-13.847N 076-31-47.939W	Fl R 2.5s		4	Red.	22/24
16538	NOAA Lighted DOX Buoy PR	* 38-02-55.040N 076-21-34.330W	Fl Y 6s			Yellow buoy.	Aid maintained by National Oceanic and Atmospheric Administration. 22/24
* 16952	* NOAA Lighted DOX Buoy HC	* 38-09-41.140N 076-34-01.160W	* Fl Y 6s	* *	* *	* Yellow buoy.	* Aid maintained by National Oceanic and Atmospheric Administration. 22/24
* 17357	* NOAA Lighted DOX Buoy SC	* 38-12-09.210N 076-44-24.030W	* Fl Y 6s	* *	* *	* Yellow buoy.	* Aid maintained by National Oceanic and Atmospheric Administration. 22/24
*	*	*	*	*	*	*	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
19870	CHESAPEAKE HARBOR JETTY LIGHT 8	38-57-38.105N 076-28-22.954W	Fl R 2.5s	14		On pile.	Private Aid.	22/24
19875	CHESAPEAKE HARBOR JETTY LIGHT 9	38-57-36.505N 076-28-20.254W	* Fl G 2.5s	14		On pile.	Private Aid.	22/24
20990	CSX ORE PIER OBSTRUCTION LIGHT D		*				Remove from list.	22/24
20995	CSX ORE PIER OBSTRUCTION LIGHT E						* Remove from list.	22/24
25740	Solitude Creek Buoy 3	38-44-26.000N 076-11-53.000W				Green can.	* Private Aid.	22/24
28235.1	Old House Channel Buoy 4	*					Remove from list.	22/24
28235.1	OLD HOUSE CHANNEL LIGHT 3A	35-45-18.324N 075-35-46.202W	Fl G 4s	15	4	SG on pile.	*	22/24
*	*	*	*	*	*	*	*	
28240	Old House Channel Buoy 4	35-45-19.846N 076-35-49.502W				Red nun.		22/24
*	*	*	*	*	*	*	*	
28325.5	Walter Slough Buoy 6	35-47-30.664N 075-33-49.000W				Red nun.	*	22/24
	Wanchese Channel Buoy 1	*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28440		35-50-33.234N 075-36-27.104W				Green can.	22/24
30030	New Topsail Inlet Buoy 9	*					Remove from list. 22/24
33723	Whittaker Creek Danger Shoal Beacon	35-01-30.341N 076-41-05.811W				NW on pile worded "DANGER SHOAL"	* 22/24
33724	Whittaker Creek Buoy 3	35-01-31.854N 076-41-04.068W				Green can.	* 22/24
35979.5	New Jersey Intracoastal Waterway Buoy 251A	39-17-57.170N 074-34-09.148W				Green can.	* 22/24
*	*	*	*	*	*	*	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7462	NAVAL FACILITIES TANGIER LIGHTED DANGER DAYBEACON A	37-48-15.793N 076-03-59.470W	Fl W 10s			NW on pile worded DANGER.	Aid maintained by U.S. Navy.	21/24
*	*	*	*	*	*	*	*	
7462.2	NAVAL FACILITIES TANGIER LIGHTED DANGER DAYBEACON B	37-07-42.296N 076-04-01.138W	Fl W 6s			NW on pile worded DANGER.	Aid maintained by U.S. Navy.	21/24
*	*	*	*	*	*	*	*	
7690	NOAA Lighted DOX Buoy SI	38-37-09.760N 076-24-34.730W	Fl Y 6s			Yellow.	Aid maintained by National Oceanic and Atmospheric Administration.	21/24
*	*	*	*	*	*	*	*	
8230.08	Fort McHenry Limited Access Channel Lighted Buoy 3A	39-12-48.327N 076-31-28.859W	Fl G 4s		4	Green.		21/24
*	*	*	*	*	*	*	*	
8230.12	Fort McHenry Limited Access Channel Lighted Buoy 3B	39-12-54.141N 076-31-35.051W	Fl G 2.5s		4	Green.		21/24
*	*	*	*	*	*	*	*	
8230.16	Fort McHenry Limited Access Channel Lighted Buoy 3C	39-12-58.490N 076-31-39.663W	Q G		4	Green.		21/24
*	*	*	*	*	*	*	*	
8230.24	Fort McHenry Limited Access Channel Lighted Buoy 5	39-13-05.375N 076-31-46.875W	Q G		4	Green.		21/24
*	*	*	*	*	*	*	*	
16538	NOAA Lighted DOX Buoy PR						Remove from list.	21/24
*	*	*	*	*	*	*	*	
24937	NOAA Lighted DOX Buoy CP	38-38-05.520N 076-08-45.280W	Fl Y 6s			Yellow.	Aid maintained by National Oceanic and Atmospheric Administration.	21/24
*	*	*	*	*	*	*	*	
26025	Claiborne Channel Buoy 4						Remove from list.	21/24
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
26037	Claiborne Channel Buoy 6	38-50-12.400N 076-17-01.300W				Red nun.	Private Aid.	21/24
*	*	*	*	*	*	*	*	
26039	Claiborne Channel Warning Buoy A	38-50-13.200N 076-16-58.300W				White and orange can worded DANGER SHOAL.	Private Aid.	21/24
26042	Claiborne Channel Buoy 7	38-50-13.900N 076-16-57.100W				Green can.	Private Aid.	21/24
26043	Claiborne Channel Buoy 8	38-50-15.400N 076-16-52.600W				Red nun.	Private Aid.	21/24
*	*	*	*	*	*	*	*	
26126	Wye River Buoy 1	38-51-56.590N 076-11-30.630W				Green can.	Private Aid.	21/24
26130	Wye River Buoy 3 / 4843NAV3	38-52-27.580N 076-11-25.940W				Green can.	Private Aid.	21/24
26343	Greenwood Creek Buoy 1G	38-52-54.250N 076-12-19.696W				Green Can.	Private Aid.	21/24
26343.1	Greenwood Creek Buoy 2	38-52-53.847N 076-12-17.542W				Red nun.	Private Aid.	21/24
26343.2	Greenwood Creek Buoy 3	38-53-03.583N 076-12-11.965W				Green can.	Private Aid.	21/24
26343.3	Greenwood Creek Buoy 4	38-53-03.139N 076-12-08.803W				Red nun.	Private Aid.	21/24
26343.7	Greenwood Creek Buoy 10	38-53-33.196N 076-11-58.484W				Red nun.	Private Aid.	21/24
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
28070	Oregon Inlet Buoy 21	35-46-05.616N 075-32-58.686W				Green can.		21/24
28073	Oregon Inlet Buoy 22	* 35-46-10.507N 075-33-06.094W				Red Nun.		21/24
29294	<i>Beaufort Inlet Channel Lighted Buoy 11</i>	* 34-41-05.962N 076-40-07.963W	Fl G 2.5s		4	Green.		21/24
29745	New River Channel Daybeacon 15	* 34-33-30.098N 077-21-22.995W				SG on pile.		21/24
31500.2	Naval Facilities Palmetto Danger Daybeacon A	* 36-00-19.201N 076-10-09.170W				NW on pile worded DANGER.	Aid maintained by U.S. Navy.	21/24
* 31500.4	* Naval Facilities Palmetto Danger Daybeacon B	* 36-00-11.946N 076-10-18.321W	* *	* *	* *	* NW on pile worded DANGER.	* Aid maintained by U.S. Navy.	* 21/24
* 31667	* Albemarle Beach Outfall Warning Buoy OP	* *	* *	* *	* *	* *	* Remove from list.	* 21/24
32657	Brant Island Oyster Sanctuary Buoy OS-19A	35-09-48.500N 076-22-15.660W				White with orange bands and diamond worded REEF.	Private Aid.	21/24
32657.2	* Brant Island Oyster Sanctuary Buoy OS-19B	* 35-09-47.760N 076-21-35.850W				White with orange bands and diamond worded REEF.	Private Aid.	21/24
32657.4	* Brant Island Oyster Sanctuary Buoy OS-19C	* 35-09-34.250N 076-21-36.340W				White with orange bands and diamond worded REEF.	Private Aid.	21/24
32657.6	* Brant Island Oyster Sanctuary Buoy OS-19D	* 35-09-34.990N 076-22-15.900W				White with orange bands and diamond worded REEF.	Private Aid.	21/24
	* *							

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
310	<i>Woods Hole Lighted Research Data Buoy WH2</i>	37-09-41.400N 075-14-58.200W	Fl Y 4s			Yellow.	Private Aid. Private Aid.	20/24
*								
321.72	COASTAL VIRGINIA OFFSHORE WIND TURBINE LIGHTS (3) CV-A01	36-53-46.661N 075-29-29.899W	Fl Y 5s	62		Monopile Wind Turbine.	HORN: 1 blast ev 20s. Activated during low visibility. Private Aid.	20/24
*								
322	COASTAL VIRGINIA OFFSHORE WIND TURBINE LIGHTS (3) CV-A02	36-53-12.587N 075-29-29.681W	Fl Y 5s	62		Monopile Wind Turbine.	RACON: D ( - . . ) Private Aid.	20/24
*								
345	<i>USN SESEF Lighted Buoy A</i>	36-55-01.767N 075-38-13.711W	Fl Y 2.5s		5	Yellow.		20/24
*								
350	CHESAPEAKE LIGHTS (2)	36-54-16.696N 075-42-45.818W	Fl W 4s	84		Blue tower on white square superstructure on four black piles. CHESAPEAKE on sides.	Private Aid.	20/24
*								
355	<i>Cape Henry CDIP Lighted Data Buoy A</i>	36-54-50.400N 075-43-18.500W	Fl (5)Y 20s			Yellow.	Private Aid.	20/24
*								
360	Chesapeake Lights (2)						Remove from list.	20/24
							*	
360	<i>USN SESEF Lighted Buoy B</i>	36-55-01.764N 075-45-28.728W	Fl Y 4s		5	Yellow.		20/24
*								
362	Coastal Virginia Offshore Wind Turbine Lights (3) CV-A01						Remove from list.	20/24
							*	
364	Coastal Virginia Offshore Wind Turbine Lights (3) CV-A02						Remove from list.	20/24
							*	
365	USN SESEF Lighted Buoy A						Remove from list.	20/24
							*	
375	Woods Hole Lighted Whale Research Buoy WH						Remove from list.	20/24
							*	
375.2	Woods Hole Lighted Research Data Buoy WH2						Remove from list.	20/24
							*	
495	USN SESEF Lighted Buoy B						Remove from list.	20/24
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
495	<i>Woods Hole Lighted Whale Research Buoy WH</i>	36-43-04.080N 075-28-18.012W	Fl Y 4s			Yellow.	Private Aid.	20/24
*								
497	Cape Henry CDIP Lighted Data Buoy A						Remove from list.	20/24
							*	
8230.14	<i>Fort McHenry Limited Access Channel Lighted Buoy 2C</i>	39-13-01.094N 076-31-35.690W	Q R		4	Red.		20/24
		*						
8230.16	<i>Fort McHenry Limited Access Channel Lighted Buoy 3C</i>	39-12-58.734N 076-31-38.949W	Q G		4	Green.		20/24
		*						
8230.22	<i>Fort McHenry Limited Access Channel Lighted Buoy 4</i>	39-13-07.973N 076-31-42.865W	Q R		4	Red.		20/24
		*						
8230.24	<i>Fort McHenry Limited Access Channel Lighted Buoy 5</i>	39-13-05.704N 076-31-46.259W	Q G		4	Green.		20/24
		*						
8230.26	<i>Fort McHenry Limited Access Channel Lighted Buoy 4A</i>	39-13-13.738N 076-31-48.101W	Fl R 2.5s		4	Red.		20/24
		*						
8236.24	Sollers Point No Wake Buoy A	39-13-23.600N 076-31-23.500W				White can with orange bands and diamond worded NO WAKE	Aid maintained by MD- DNR Private Aid.	20/24
*	*	*	*	*	*	*	*	
8236.26	Sollers Point No Wake Buoy B	39-13-09.100N 076-31-07.400W				White can with orange bands and diamond worded NO WAKE.	Aid maintained by MD- DNR Private Aid.	20/24
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
10892.27	HRSD LIGHTED MOORING PILE Z37						Remove from list. 20/24
							*
10892.28	HRSD LIGHTED MOORING PILE Z41						Remove from list. 20/24
							*
10892.29	HRSD LIGHTED MOORING PILE Z45						Remove from list. 20/24
							*
10892.31	HRSD LIGHTED MOORING PILE Z49						Remove from list. 20/24
							*
10892.32	HRSD LIGHTED MOORING PILE Z53						Remove from list. 20/24
							*
10892.33	HRSD LIGHTED MOORING PILE Z58						Remove from list. 20/24
							*
10892.34	HRSD LIGHTED MOORING PILE Z62						Remove from list. 20/24
							*
10892.35	HRSD LIGHTED MOORING PILE Z66						Remove from list. 20/24
							*
10892.36	HRSD LIGHTED MOORING PILE Z70						Remove from list. 20/24
							*
10892.37	HRSD LIGHTED MOORING PILE Z74						Remove from list. 20/24
							*
10892.38	HRSD LIGHTED MOORING PILE Z78						Remove from list. 20/24
							*
10892.39	HRSD LIGHTED MOORING PILE Z82						Remove from list. 20/24
							*
10892.41	HRSD LIGHTED MOORING PILE Z83						Remove from list. 20/24
							*
25525	NOAA Lighted DOX Buoy CR	38-37-46.960N 076-19-10.220W	Fl Y 6s			Yellow.	Private Aid. 20/24

\*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
27985	Oregon Inlet Lighted Buoy 3	35-47-04.604N 075-30-53.663W	Fl G 2.5s		4	Green.	TEMP AIS MMSI: 993672098	20/24
							*	
27990	Oregon Inlet Lighted Buoy 4	35-47-10.141N 075-30-52.496W	Fl R 2.5s		4	Red.	TEMP AIS MMSI: 993672097	20/24
							*	
27993	Oregon Inlet Lighted Buoy 5	35-46-53.791N 075-31-16.264W	Fl G 4s		4	Green.	TEMP AIS MMSI: 993672916	20/24
							*	
27994	Oregon Inlet Lighted Buoy 6	35-47-04.011N 075-31-20.187W	Fl R 4s		4	Red.	TEMP AIS MMSI: 993672919	20/24
							*	
							*	
28020	Oregon Inlet Lighted Buoy 8	35-46-48.327N 075-31-31.693W	Fl R 2.5s		4	Red.	TEMP AIS MMSI: 993672918	20/24
							*	
28025	Oregon Inlet Buoy 9	35-46-33.546N 075-31-43.533W				Green can.	TEMP AIS MMSI: 993672099	20/24
							*	
29432	Fort Macon State Park Warning Daybeacon A	34-41-55.890N 076-41-03.350W				NW on pile worded DANGER SUBMERGED STRUCTURE.	Private Aid.	20/24
							*	
* 29432.2	Fort Macon State Park Warning Daybeacon B	34-41-58.590N 076-41-08.060W	*	*	*	NW on pile worded DANGER SUBMERGED STRUCTURE.	Private Aid.	20/24
							*	
* 29432.4	Fort Macon State Park Warning Daybeacon C	34-42-01.540N 076-41-12.320W	*	*	*	NW on pile worded DANGER SUBMERGED STRUCTURE.	Private Aid.	20/24
							*	
* 29432.6	Fort Macon State Park Warning Daybeacon D	34-42-05.360N 076-41-15.710W	*	*	*	NW on pile worded DANGER SUBMERGED STRUCTURE.	Private Aid.	20/24
							*	
* 29432.8	Fort Macon State Park Warning Daybeacon E	34-42-09.260N 076-41-18.920W	*	*	*	NW on pile worded DANGER SUBMERGED STRUCTURE.	Private Aid.	20/24
							*	
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
32657	Brant Island Oyster Sanctuary OS-19A	35-09-48.500N 076-22-15.660W				White with orange bands and diamond worded REEF.	Private Aid. 20/24
*	*	*	*	*	*	*	*
32657.2	Brant Island Oyster Sanctuary OS-19B	35-09-47.760N 076-21-35.850W				White with orange bands and diamond worded REEF.	Private Aid. 20/24
*	*	*	*	*	*	*	*
32657.4	Brant Island Oyster Sanctuary OS-19C	35-09-34.250N 076-21-36.340W				White with orange bands and diamond worded REEF.	Private Aid. 20/24
*	*	*	*	*	*	*	*
32657.6	Brant Island Oyster Sanctuary OS-19D	35-09-34.990N 076-22-15.900W				White with orange bands and diamond worded REEF.	Private Aid. 20/24
*	*	*	*	*	*	*	*
33587	Maw Point Oyster Sanctuary Buoy OS-18A	35-08-10.450N 076-32-11.070W				White with orange bands and diamond worded REEF.	Private Aid. 20/24
*	*	*	*	*	*	*	*
33587.2	Maw Point Oyster Sanctuary Buoy OS-18B	35-08-09.220N 076-31-36.910W				White with orange bands and diamond worded REEF.	Private Aid. 20/24
*	*	*	*	*	*	*	*
33587.4	Maw Point Oyster Sanctuary Buoy OS-18C	35-07-50.550N 076-31-37.890W				White with orange bands and diamond worded REEF.	Private Aid. 20/24
*	*	*	*	*	*	*	*
33587.6	Maw Point Oyster Sanctuary Buoy OS-18D	35-07-51.040N 076-32-11.800W				White with orange bands and diamond worded REEF.	Private Aid. 20/24
*	*	*	*	*	*	*	*
35940	New Jersey Intracoastal Waterway Warning Daybeacon B	39-18-55.885N 074-33-32.772W				NW on pile.	20/24
*	*	*	*	*	*	*	*
35941	New Jersey Intracoastal Waterway Buoy 241	39-18-55.878N 074-33-33.966W				Green can.	20/24
*	*	*	*	*	*	*	*
39726	New River - Cape Fear River Buoy 154A	34-04-45.553N 077-53-00.915W				Red nun with yellow triangle.	20/24
*	*	*	*	*	*	*	*
39730	New River - Cape Fear River Buoy 155	34-04-55.568N 077-52-55.650W				Green can with yellow square.	20/24

\*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
571	<i>Woods Hole Lighted Data Buoy WE</i>	35-57-16.200N 075-20-00.000W	Fl Y 4s			Yellow.	Private Aid. 19/24
*	*	*	*	*	*	*	*
571.1	<i>Woods Hole Lighted Data Buoy CNSM</i>	35-57-00.000N 075-07-10.000W	Fl Y 4s			Yellow.	Private Aid. 19/24
*	*	*	*	*	*	*	*
571.2	<i>Woods Hole Lighted Data Buoy CNSW</i>	35-57-13.000N 075-07-30.000W	Fl Y 4s			Yellow.	Private Aid. 19/24
*	*	*	*	*	*	*	*
571.3	<i>Woods Hole Lighted Data Buoy EA</i>	35-57-17.000N 074-50-46.000W	Fl Y 4s			Yellow.	Private Aid. 19/24
*	*	*	*	*	*	*	*
571.4	<i>Woods Hole Lighted Data Buoy NOSM</i>	36-10-29.000N 074-49-16.000W	Fl Y 4s			Yellow.	Private Aid. 19/24
*	*	*	*	*	*	*	*
571.5	<i>Woods Hole Lighted Data Buoy NO</i>	36-10-44.000N 074-49-34.000W	Fl Y 4s			Yellow.	Private Aid. 19/24
*	*	*	*	*	*	*	*
571.6	<i>Woods Hole Lighted Data Buoy SOSM</i>	35-53-41.000N 074-51-04.000W	Fl Y 4s			Yellow.	Private Aid. 19/24
*	*	*	*	*	*	*	*
571.7	<i>Woods Hole Lighted Data Buoy SO</i>	35-43-19.000N 074-51-14.000W	Fl Y 4s			Yellow.	Private Aid. 19/24
*	*	*	*	*	*	*	*
571.8	<i>Woods Hole Lighted Data Buoy NEPM</i>	36-03-29.000N 074-46-39.000W	Fl Y 4s			Yellow.	Private Aid. 19/24
*	*	*	*	*	*	*	*
571.9	<i>Woods Hole Lighted Data Buoy SEPM</i>	35-51-19.000N 074-51-03.000W	Fl Y 4s			Yellow.	Private Aid. 19/24
*	*	*	*	*	*	*	*
27985	<i>Oregon Inlet Lighted Buoy 3</i>	35-47-04.604N 075-30-53.663W	Fl G 2.5s		4	Green.	19/24
*	*	*	*	*	*	*	*
27994	<i>Oregon Inlet Lighted Buoy 6</i>	35-47-04.011N 075-31-20.187W	Fl R 4s		4	Red.	19/24
*	*	*	*	*	*	*	*
30180	Masonboro Inlet Buoy 7	34-11-04.452N 077-48-59.239W				Green can.	19/24
*	*	*	*	*	*	*	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
625	<b>Cape Hatteras Light</b>	35-15-01.948N 075-31-43.754W	Fl W 7.5s	192	14	Conical brick tower, black and white spirally banded, red brick base with granite corners. 200	Structure maintained by the National Park Service.	18/24
8230.02	<i>Fort McHenry Limited Access Channel Lighted Buoy 2A</i>	39-12-49.496N 076-31-23.801W	Fl R 2.5s		4	Red.		18/24
		*						
8230.03	Fort McHenry Limited Access Channel Lighted Buoy 3A						Remove from list.	18/24
							*	
8230.04	Fort McHenry Limited Access Channel Lighted Junction Buoy FF						Remove from list.	18/24
							*	
8230.05	Fort McHenry Limited Access Channel Lighted Buoy 3B						Remove from list.	18/24
							*	
8230.06	Fort McHenry Limited Access Channel Lighted Buoy 2C						Remove from list.	18/24
							*	
8230.07	Fort McHenry Limited Access Channel Lighted Buoy 3C						Remove from list.	18/24
							*	
8230.08	Fort McHenry Limited Access Channel Lighted Buoy 4						Remove from list.	18/24
							*	
8230.08	<i>Fort McHenry Limited Access Channel Lighted Buoy 3A</i>	39-12-48.439N 076-31-28.725W	Fl G 4s		4	Green.		18/24
*	*	*	*	*	*	*	*	
8230.09	Fort McHenry Limited Access Channel Lighted Buoy 5						Remove from list.	18/24
							*	
8230.1	Fort McHenry Limited Access Channel Lighted Buoy 4A						Remove from list.	18/24
							*	
8230.1	<i>Fort McHenry Limited Access Channel Lighted Junction Buoy FF</i>	39-12-56.773N 076-31-29.345W	Fl (2+1)R 6s		4	Red and green bands; nun		18/24
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
8230.12	<i>Fort McHenry Limited Access Channel Lighted Buoy 3B</i>	39-12-54.580N 076-31-34.339W	Fl G 2.5s		4	Green.	18/24
*							
8230.14	<i>Fort McHenry Limited Access Channel Lighted Buoy 2C</i>	39-13-01.054N 076-31-35.843W	Q R		4	Red.	18/24
*							
8230.16	<i>Fort McHenry Limited Access Channel Lighted Buoy 3C</i>	39-12-59.030N 076-31-38.583W	Q G		4	Green.	18/24
*							
8230.18	FORT MCHENRY LIMITED ACCESS CHANNEL BRIDGE LIGHT A	39-13-04.890N 076-31-36.330W	Q W	13	4	On bridge pier.	Light is temporary. 18/24
*	*	*	*	*	*	*	*
8230.2	FORT MCHENRY LIMITED ACCESS CHANNEL BRIDGE LIGHT B	39-13-05.562N 076-31-37.116W	Q W	14	4	On bridge pier.	Light is temporary. 18/24
*	*	*	*	*	*	*	*
8230.22	<i>Fort McHenry Limited Access Channel Lighted Buoy 4</i>	39-13-07.956N 076-31-42.839W	Q R		4	Red.	18/24
*							
8230.24	<i>Fort McHenry Limited Access Channel Lighted Buoy 5</i>	39-13-05.945N 076-31-45.796W	Q G		4	Green.	18/24
*							
8230.26	<i>Fort McHenry Limited Access Channel Lighted Buoy 4A</i>	39-13-13.725N 076-31-48.109W	Fl R 2.5s		4	Red.	18/24
*							
8236.04	<i>Sollers Point Temporary Alternate Channel Lighted Buoy 2A</i>						Remove from list. * 18/24
30048	Banks Slough Channel Buoy 2BS	34-20-44.060N 077-39-49.973W				Red nun.	18/24
*							
30048.02	Banks Slough Channel Buoy 3BS	34-20-45.919N 077-39-52.543W				Green can.	18/24
*							
30160	Masonboro Inlet Buoy 3	34-10-38.560N 077-48-20.729W				Green can.	18/24
*							

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5	NOAA Lighted Data Buoy 44402 (DART)	39-17-42.000N 070-41-59.000W	Fl (4)Y 20s		5	Yellow disc shaped hull.	Aid maintained by National Oceanic and Atmospheric Administration.	17/24
		*						
952	Stockton University Lighted Data Buoy F						Remove from list.	17/24
							*	
7435 22715	Tangier Sound Light	37-47-16.876N 075-58-24.427W	Fl W 6s	45	7	NW on skeleton tower on multi-pile structure worded DANGER. 12		17/24
			*		*	*	*	
8230.02	Fort McHenry Limited Access Channel Lighted Buoy 2A	39-12-50.624N 076-31-22.414W	Fl R 2.5s		4	Red.		17/24
			*					
8230.03	Fort McHenry Limited Access Channel Lighted Buoy 3A	39-12-48.439N 076-31-28.725W	Fl G 4s		4	Green.		17/24
			*		*	*	*	
8230.04	Fort McHenry Limited Access Channel Lighted Junction Buoy FF	39-12-56.773N 076-31-29.345W	Fl (2+1)R 6s		4	Red and green bands; nun		17/24
			*		*	*	*	
8230.05	Fort McHenry Limited Access Channel Lighted Buoy 3B	39-12-54.580N 076-31-34.339W	Fl G 2.5s		4	Green.		17/24
			*		*	*	*	
8236.02	Sollers Point Temporary Alternate Channel Lighted Buoy 1A						Remove from list.	17/24
							*	
8236.08	Sollers Point Temporary Alternate Channel Buoy 4A	39-13-09.574N 076-31-10.348W				Red nun.		17/24
			*		*	*		
8236.2	Sollers Point Temporary Alternate Channel Buoy 10A	39-13-22.734N 076-31-24.169W				Red nun.		17/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
8236.22	<i>Sollers Point Temporary Alternate Channel Lighted Buoy 11A</i>							Remove from list. *	17/24
8236.58	<i>Fort Carroll Temporary Channel Lighted Buoy 4</i>	39-13-03.877N 076-31-21.741W	Fl R 4s		4	Red.			17/24
8236.61	<i>Fort Carroll Temporary Channel Lighted Buoy 5</i>	39-13-07.553N 076-31-31.667W	Q G		4	Green.		*	17/24
8236.63	<i>Fort Carroll Temporary Channel Lighted Buoy 6</i>	39-13-09.188N 076-31-28.117W	Q R		4	Red.		*	17/24
8236.65	<i>Fort Carroll Temporary Channel Lighted Buoy 7</i>	39-13-09.030N 076-31-33.807W	Q G		4	Green.		*	17/24
8236.68	<i>Fort Carroll Temporary Channel Lighted Buoy 8</i>	39-13-11.187N 076-31-30.965W	Q R		4	Red.		*	17/24
8236.7	<i>Fort Carroll Temporary Channel Lighted Junction Buoy FS</i>	39-13-17.281N 076-31-34.037W	Fl (2+1)R 6s		4	Red and green bands; nun.		*	17/24
22715 7435	<b>Tangier Sound Light</b>	37-47-16.876N 075-58-24.427W	Fl W 6s	45	7	NW on skeleton tower on multi-pile structure worded DANGER. 12		*	17/24
29445	<i>Morehead City Channel Lighted Buoy 21</i>	34-42-38.930N 076-41-39.188W	Q G		4	Green.		*	17/24
29640	<i>Bogue Inlet Junction Buoy B</i>	34-40-20.690N 077-05-38.476W				Green and Red band; can.		*	17/24
29975	<i>New Topsail Inlet Buoy 1</i>	34-20-07.041N 077-39-20.086W				Green can.		*	17/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
29985	New Topsail Inlet Buoy 2	34-20-11.805N 077-39-15.237W				Red nun.	17/24
29995	New Topsail Inlet Buoy 3	* 34-20-14.436N 077-39-32.030W				Green can.	17/24
30000	New Topsail Inlet Buoy 4	* 34-20-18.342N 077-39-28.680W				Red nun.	17/24
30010	New Topsail Inlet Buoy 5	* 34-20-24.493N 077-39-49.474W				Green can.	17/24
30015	New Topsail Inlet Buoy 6	* 34-20-28.014N 077-39-47.896W				Red nun.	17/24
30020	New Topsail Inlet Buoy 7	* 34-20-33.060N 077-39-54.319W				Green can.	17/24
30025	New Topsail Inlet Buoy 8	* 34-20-37.241N 077-39-51.607W				Red nun.	17/24
30048	Banks Slough Channel Buoy 2BS	* 34-20-44.340N 077-39-49.724W				Red nun.	17/24
30048.02	Banks Slough Channel Buoy 3BS	* 34-20-46.017N 077-39-52.339W				Green can.	17/24
30048.04	* Banks Slough Channel Buoy 4	* 34-20-49.598N 077-39-41.184W				Red nun.	17/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
30048.06	Banks Slough Channel Buoy 5	* 34-20-57.392N 077-39-30.441W				Green can.		17/24
35631	New Jersey Intracoastal Waterway Buoy 156A	* 39-27-15.488N 074-23-33.376W				Red nun with yellow triangle.	Maintained from May 1 to Nov. 1.	17/24
39050	Bogue Sound Buoy 45A	* 34-40-22.921N 077-05-56.781W				Green can with yellow square.		17/24
39065	BOGUE SOUND LIGHT 46	* 34-40-27.287N 077-06-08.194W	Fl R 4s	15	4	TR-TY on pile.		17/24
40222	Cape Fear River - Little River Buoy 46A	* 33-55-15.704N 078-14-09.027W				Red nun with yellow triangle.		17/24
2097	REHOBOTH BAY CHANNEL WARNING LIGHT A	*					Remove from list.	16/24
7557.7	NOAA Lighted DOX Buoy MB						* Remove from list.	16/24
28640	Hatteras Inlet Lighted Buoy 1	35-10-17.939N 075-45-04.261W	Fl G 2.5s		4	Green.	*	16/24
28657	Hatteras Inlet Lighted Buoy 5	* 35-11-04.873N 075-45-25.815W	Fl G 4s		4	Green.		16/24
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28660	Hatteras Inlet Lighted Buoy 6	35-11-07.387N 075-45-19.993W	Fl R 4s		4	Red.	16/24
28696	Hatteras Connector Buoy 10	* 35-12-02.802N 075-46-27.696W				Red nun.	16/24
28722.3	Barney Slough Channel Lighted Buoy 6A	* 35-13-57.794N 075-47-12.394W	Q R		4	Red.	16/24
28722.4	Barney Slough Channel Lighted Buoy 7	* 35-13-57.279N 075-47-15.028W	Q G		4	Green.	16/24
39726	New River - Cape Fear River Buoy 154A	* 34-04-45.332N 077-53-03.015W				Red nun with yellow triangle.	16/24
39735	New River - Cape Fear River Buoy 155A	* 34-04-37.315N 077-53-02.026W				Green can with yellow square.	16/24
1129.4	Stockton University Lighted Data Buoy A	*					Remove from list. 15/24
1131.4	Stockton University Lighted Data Buoy B	*					Remove from list. 15/24
1138	Stockton University Lighted Data Buoy D	*					Remove from list. 15/24
8212	Barge Fleeting Area Mooring Buoy Y	39-12-27.520N 076-30-41.190W				White with blue band.	Private Aid. 15/24
* 8212.2	* Barge Fleeting Area Mooring Buoy G	* 39-12-17.630N 076-30-30.550W	*	*	*	White with blue band.	Private Aid. 15/24
* 8212.4	* Barge Fleeting Area Mooring Buoy R	* 39-12-09.990N 076-30-21.100W	*	*	*	White with blue band.	Private Aid. 15/24
* *	* *	* *	* *	* *	* *	* *	* *

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
8236.02	<i>Sollers Point Temporary Alternate Channel Lighted Buoy 1A</i>	39-13-07.820N 076-31-19.356W	Fl G 2.5s		4	Green.	15/24
8236.04	<i>Sollers Point Temporary Alternate Channel Lighted Buoy 2A</i>	*					Remove from list. *
8236.2	<i>Sollers Point Temporary Alternate Channel Lighted Buoy 10A</i>	39-13-22.734N 076-31-24.169W	Fl R 2.5s		4	Red.	15/24
8236.22	<i>Sollers Point Temporary Alternate Channel Lighted Buoy 11A</i>	39-13-18.586N 076-31-32.918W	Fl G 2.5s		4	Green.	15/24
8236.24	<i>Sollers Point Temporary Alternate Channel Lighted Buoy 12A</i>	*					Remove from list. *
8236.84	<i>Hawkins Point Temporary Alternate Channel Lighted Buoy 3A</i>	39-12-40.337N 076-31-42.952W	Fl G 2.5s		4		15/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
20850	<i>FSK NOAA Lighted Data Buoy A</i>	* 39-13-24.300N 076-32-23.220W	Fl (5)Y 20s			Yellow buoy.	Private Aid.	15/24
* 28721.6	* <i>Barney Slough Channel Lighted Buoy 3A</i>	* 35-13-41.865N 075-47-11.565W	Q G	*	*	Green.	*	15/24
28721.7	* <i>Barney Slough Channel Lighted Buoy 4</i>	* 35-13-37.878N 075-47-09.007W	Fl R 2.5s		*	Red.	*	15/24
* 28721.8	* <i>Barney Slough Channel Lighted Buoy 6</i>	* 35-13-51.575N 075-47-11.863W		*	*		* Remove from list.	15/24
28721.9	Barney Slough Channel Buoy 4B						* Remove from list.	15/24
28722	Barney Slough Channel Buoy 4C						* Remove from list.	15/24
28722.1	* <i>Barney Slough Channel Lighted Buoy 5</i>	* 35-13-51.404N 075-47-13.390W	Fl G 2.5s		*	Green.		15/24
28722.2	* <i>Barney Slough Channel Lighted Buoy 6</i>	* 35-13-51.575N 075-47-11.863W	Fl R 4s		*	Red.		15/24
* 28722.3	* Barney Slough Channel Lighted Buoy 6A	* 35-13-56.974N 075-47-12.820W	Q R	*	*	Red.	* Remove from list.	15/24
* 28722.4	* <i>Barney Slough Channel Lighted Buoy 7</i>	* 35-13-57.188N 075-47-14.533W	Q G	*	*	Green.	* Remove from list.	15/24
* 30275	Carolina Beach Inlet Buoy 3	34-04-52.151N 077-52-03.792W				Green can.		15/24
30280	Carolina Beach Inlet Buoy 4	* 34-04-52.707N 077-55-01.290W				Red nun.		15/24
35462	<i>Stockton University Lighted Data Buoy C</i>	* 34-04-52.707N 077-55-01.290W					* Remove from list.	15/24
35494	<i>Stockton University Lighted Data Buoy E</i>						* Remove from list.	15/24
39300	Bogue Sound - New River Buoy 72A	34-33-10.959N 077-20-57.939W				Red nun with yellow triangle.	* Remove from list.	15/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
39720	NEW RIVER - CAPE FEAR RIVER LIGHT 153	* 34-05-13.612N 077-52-50.171W	Fl G 4s	15	4	SG-SY on multi-pile structure.	15/24
39725	New River - Cape Fear River Buoy 154	* 34-04-53.545N 077-52-57.615W				Red nun with yellow triangle.	15/24
39726	New River - Cape Fear River Buoy 154A	* 34-04-45.782N 077-53-00.118W				Red nun with yellow triangle.	15/24
39730	New River - Cape Fear River Buoy 155	* 34-04-50.760N 077-52-56.341W				Green can with yellow square.	15/24
410	Chesapeake Bay Southern Approach Lighted Whistle Buoy CB	* 36-48-59.772N 075-45-36.028W	Mo (A) W		6	Red and white stripes with red spherical topmark.	AIS MMSI: 993672982. 14/24
8236.02	Sollers Point Temporary Alternate Channel Lighted Buoy 1A	* 39-12-52.717N 076-31-19.313W	Fl G 2.5s		4	Green.	* 14/24
* 8236.04	* Sollers Point Temporary Alternate Channel Lighted Buoy 2A	* 39-12-53.238N 076-31-13.787W	* Q R	* 4	* 4	* Red.	* 14/24
* 8236.08	* Sollers Point Temporary Alternate Channel Lighted Buoy 4A	* 39-13-09.574N 076-31-10.348W	* Fl R 2.5s	* 4	* 4	* Red.	* 14/24
* 8236.1	* Sollers Point Temporary Alternate Channel Lighted Buoy 5A	* 39-13-16.105N 076-31-20.604W	* Q G	* 4	* 4	* Green.	* 14/24
* 8236.12	* Sollers Point Temporary Alternate Channel Lighted Buoy 6A	* 39-13-17.983N 076-31-18.228W	* Q R	* 4	* 4	* Red.	* 14/24
* *	* *	* *	* *	* *	* *	* *	* *

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
8236.14	<i>Sollers Point Temporary Alternate Channel Lighted Buoy 7A</i>	39-13-17.854N 076-31-22.471W	Q G		4	Green.	14/24
*	*	*	*	*	*	*	*
8236.16	<i>Sollers Point Temporary Alternate Channel Lighted Buoy 8A</i>	39-13-19.561N 076-31-20.092W	Q R		4	Red.	14/24
*	*	*	*	*	*	*	*
8236.2	<i>Sollers Point Temporary Alternate Channel Lighted Buoy 10A</i>	39-13-21.884N 076-31-26.177W	Fl R 2.5s		4	Red.	14/24
*	*	*	*	*	*	*	*
8236.22	<i>Sollers Point Temporary Alternate Channel Lighted Buoy 11A</i>	39-13-15.517N 076-31-42.966W	Fl G 2.5s		4	Green.	14/24
*	*	*	*	*	*	*	*
8236.24	<i>Sollers Point Temporary Alternate Channel Lighted Buoy 12A</i>	39-13-20.612N 076-31-42.531W	Fl R 4s		4	Red.	14/24
*	*	*	*	*	*	*	*
8236.8	<i>Hawkins Point Temporary Alternate Channel Lighted Buoy 1A</i>	39-12-31.079N 076-31-23.597W	Fl G 4s		4	Green.	14/24
*	*	*	*	*	*	*	*
8236.84	<i>Hawkins Point Temporary Alternate Channel Lighted Buoy 3A</i>	39-12-39.093N 076-31-41.164W	Fl G 2.5s		4	Green.	14/24
*	*	*	*	*	*	*	*
8236.88	<i>Hawkins Point Temporary Alternate Channel Lighted Buoy 5A</i>	39-12-47.168N 076-31-57.580W	Q G		4	Green.	14/24
*	*	*	*	*	*	*	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
8236.9	<i>Hawkins Point Temporary Alternate Channel Lighted Buoy 6A</i>	39-12-48.953N 076-31-55.222W	Q R		4	Red.		14/24
*	*	*	*	*	*	*	*	
8236.92	<i>Hawkins Point Temporary Alternate Channel Lighted Buoy 7A</i>	39-12-49.195N 076-32-00.060W	Q G		4	Green.		14/24
*	*	*	*	*	*	*	*	
8236.94	<i>Hawkins Point Temporary Alternate Channel Lighted Buoy 8A</i>	39-12-50.916N 076-31-57.654W	Q R		4	Red.		14/24
*	*	*	*	*	*	*	*	
8236.96	<i>Hawkins Point Temporary Alternate Channel Lighted Buoy 9A</i>	39-12-54.195N 076-32-05.991W	Fl G 4s		4	Green.		14/24
*	*	*	*	*	*	*	*	
20595	<i>Sparrows Point Lighted Buoy 10</i>	39-12-35.082N 076-28-54.136W	Fl R 4s		4	Red.		14/24
		*						
29593	<i>Emerald Isle Cut Warning Daybeacon</i>						Remove from list.	14/24
							*	
30037	<i>Old Topsail Creek Buoy 7</i>	34-21-08.096N 077-39-46.029W				Green can.		14/24
		*						
31627.04	<i>HARVEY POINT WARNING LIGHT E</i>	36-02-53.159N 076-17-30.707W	Fl W 4s	15	4	NW on pile worded DANGER RESTRICTED AREA.	Maintained by Dept. of Defense.	14/24
		*						
31627.05	<i>HARVEY POINT WARNING LIGHT F</i>	36-02-43.913N 076-18-05.029W	Fl W 4s	15	4	NW on pile worded DANGER RESTRICTED AREA.	Maintained by Dept. of Defense.	14/24
		*						
31627.06	<i>HARVEY POINT WARNING LIGHT G</i>	36-02-33.026N 076-18-45.712W	Fl W 4s	15	4	NW on pile worded DANGER RESTRICTED AREA.	Maintained by Dept. of Defense.	14/24
		*						
31627.07	<i>HARVEY POINT WARNING LIGHT H</i>	36-02-36.219N 076-20-02.830W	Fl W 4s	15	4	NW on pile worded DANGER RESTRICTED AREA.	Maintained by Dept. of Defense.	14/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
39548	New River - Cape Fear River Buoy 99A	34-21-14.836N 077-40-57.664W				Green can yellow square.	14/24	
39597	New River - Cape Fear River Buoy 121	* 34-15-00.843N 077-46-54.087W				Green can with yellow square.	14/24	
39598	New River - Cape Fear River Buoy 121A	* 34-14-55.539N 077-46-58.758W				Green can with yellow square.	14/24	
39601	New River - Cape Fear River Buoy 122A	* 34-15-04.238N 077-46-52.414W				Red nun with yellow square.	14/24	
22620	Upper Pocomoke River Daybeacon 4	*					Remove from list. *	13/24
22620	Upper Pocomoke River Buoy 2	38-09-03.188N 075-26-16.371W				Red nun.	13/24	
*	*	*	*	*	*	*	*	
22635	Upper Pocomoke River Buoy 5	38-09-30.962N 075-25-27.593W				Green can.	13/24	
*	*	*	*	*	*	*	*	
22640	Upper Pocomoke River Buoy 6	38-09-29.650N 075-25-23.056W				Red nun.	13/24	
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
22650	UPPER POCOMOKE RIVER LIGHT 12						Remove from list.	13/24
							*	
22655	Upper Pocomoke River Daybeacon 13						Remove from list.	13/24
							*	
22660	UPPER POCOMOKE RIVER LIGHT 14						Remove from list.	13/24
							*	
40222	Cape Fear River - Little River Buoy 46A	33-55-18.885N 078-14-05.559W				Red nun with yellow triangle.		13/24
		*						
40230	Cape Fear River - Little River Buoy 47A	33-55-12.503N 078-14-20.517W				Green can with yellow square.		13/24
		*						
40235	Cape Fear River - Little River Buoy 48	33-55-14.394N 078-14-17.588W				Red nun with yellow triangle.		13/24
		*						
40285	Cape Fear River - Little River Daybeacon 63	33-54-54.504N 078-19-22.331W				SG-SY on pile.		13/24
		*						
7420	Chesapeake Channel Buoy 59A						Remove from list.	12/24
		*					*	
19035	N.A.S. PATUXENT RIVER WEST SEAPLANE BASIN ENTRANCE LIGHT 2	38-17-32.400N 076-26-58.926W	Fl R 2.5s	15	4	TR on pile.	Aid maintained by U.S. Navy.	12/24
		*						
22605	UPPER POCOMOKE RIVER LIGHT 2						Remove from list.	12/24
							*	
22610	Upper Pocomoke River Daybeacon 3						Remove from list.	12/24
							*	
22615	Upper Pocomoke River Warning Daybeacon A	38-08-34.129N 075-26-28.667W				NW on pile worded DANGER.		12/24
	*					*		

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
22625	Upper Pocomoke River Buoy 4	38-08-58.382N 075-26-05.505W				Red nun.	12/24
*	*	*	*	*	*	*	*
22625	UPPER POCOMOKE RIVER LIGHT 6						Remove from list. 12/24
22630	Upper Pocomoke River Buoy 8						Remove from list. 12/24
22635	Upper Pocomoke River Daybeacon 9						Remove from list. 12/24
22640	UPPER POCOMOKE RIVER LIGHT 10						Remove from list. 12/24
22645	UPPER POCOMOKE RIVER LIGHT 11						Remove from list. 12/24
28682	Hatteras Connector Lighted Buoy 3	35-11-29.478N 075-45-44.019W	Fl G 2.5s		4	Green.	12/24
28696	Hatteras Connector Buoy 10	35-12-02.165N 075-46-28.288W				Red nun.	12/24
28702	Hatteras Connector Buoy 13	35-12-07.143N 075-46-40.569W				Green Can.	12/24
11680	James River Channel Buoy 20  100 feet outside channel limit.	37-05-36.321N 076-37-06.863W				Red nun.	11/24
28320	Walter Slough Lighted Buoy 5	35-47-31.252N 075-33-51.487W	Fl G 4s		4	Green.	11/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
28325	Walter Slough Warning Daybeacon	35-47-27.593N 075-33-49.212W				NW on pile worded DANGER SHOAL.		11/24
	*					*		
28325.5	Walter Slough Buoy 6	35-47-29.915N 075-33-48.628W				Red nun.		11/24
*	*	*	*	*	*	*	*	
30575	SUNNY POINT TERMINAL SOUTH ENTRANCE LIGHT 5S	33-59-08.713N 077-57-18.493W	Q G	15	4	SG on multi-pile structure.		11/24
30705	Cape Fear River Channel Lighted Buoy 38	34-02-54.426N 077-56-21.196W	Q R		4	Red.	TEMP AIS: MMSI 993672719	11/24
30841	Cape Fear River Channel Lighted Buoy 58A	34-09-51.962N 077-57-34.450W	Fl R 4s		4	Red.	TEMP AIS: MMSI 993672859	11/24
35015	New Jersey Intracoastal Waterway Buoy 12						Remove from list.	11/24
35015	New Jersey Intracoastal Waterway Daybeacon 12	40-02-43.737N 074-03-08.825W				TR - TY on pile.	*	11/24
*	*	*	*	*	*	*	*	
35025	New Jersey Intracoastal Waterway Buoy 14						Remove from list.	11/24
35025	New Jersey Intracoastal Waterway Daybeacon 14	40-02-06.666N 074-03-22.689W				TR-TY on pile.	*	11/24
*	*	*	*	*	*	*	*	
35115	New Jersey Intracoastal Waterway Buoy 38						Remove from list.	11/24
35115	New Jersey Intracoastal Waterway Daybeacon 38	39-54-47.442N 074-06-57.124W				TR-TY on pile.	*	11/24
*	*	*	*	*	*	*	*	
35175	New Jersey Intracoastal Waterway Lighted Buoy 48						Remove from list.	11/24
35175	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 48	39-43-50.936N 074-09-02.824W	Fl R 2.5s	15	4	Red.	*	11/24
*	*	*	*	*	*	*	*	
38770	BOGUE SOUND LIGHT 4 50 feet outside channel limit.	34-42-53.425N 076-43-28.092W	Fl R 2.5s	15	4	TR-TY on pile.	*	11/24
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2485	<i>Delaware River Lighted Buoy 1DR</i>	39-27-18.434N 075-33-42.747W	Q G		4	Green.	Replaced by LIB of reduced intensity when endangered by ice.	10/24
2515	<i>Delaware River Lighted Buoy 3</i>	39-28-09.291N 075-33-52.956W	Fl G 2.5s		5	Green.	* Replaced by LIB of reduced intensity when endangered by ice.	10/24
2520	<i>Delaware River Lighted Buoy 4</i>	39-28-10.434N 075-33-35.747W	Fl R 4s		5	Red.	* Replaced by LIB of reduced intensity when endangered by ice.	10/24
2523	<i>Artificial Island Terminal Lighted Buoy 2</i>	39-28-16.743N 075-33-29.793W	Fl R 2.5s			Red.	* Private Aid.	10/24
* 2523.11	* <i>Artificial Island Terminal Lighted Warning Buoy A</i>	* 39-28-16.927N 075-32-38.000W	* Fl W 6s	* *	* *	* White and orange.	* Private Aid.	* 10/24
* 2523.2	* <i>Artificial Island Terminal Lighted Buoy 3</i>	* 39-28-23.832N 075-33-12.624W	* Fl G 4s	* *	* *	* Green.	* Private Aid.	* 10/24
* 2523.4	* <i>Artificial Island Terminal Lighted Buoy 5</i>	* 39-28-24.993N 075-32-53.691W	* Fl G 4s	* *	* *	* Green.	* Private Aid.	* 10/24
* 2523.6	* <i>Artificial Island Terminal Lighted Buoy 6</i>	* 39-28-19.465N 075-32-46.720W	* Fl R 4s	* *	* *	* Red.	* Private Aid.	* 10/24
* 2523.8	* <i>Artificial Island Terminal Lighted Buoy 7</i>	* 39-28-30.096N 075-32-50.121W	* Fl G 4s	* *	* *	* Green.	* Private Aid.	* 10/24
* 2575	* <i>Delaware River Lighted Bell Buoy 6</i>	* 39-28-58.431N 075-33-40.432W	* Q R	* *	* 5	* Red.	* Replaced by LIB of reduced intensity when endangered by ice.	* 10/24
2595	<i>Delaware River Lighted Buoy 8</i>	39-30-35.761N 075-33-08.106W	Fl R 2.5s		5	Red.	* Replaced by LIB of reduced intensity when endangered by ice. *	10/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2620	<i>Delaware River Lighted Buoy 9</i>	39-31-01.611N 075-33-11.706W	Fl G 2.5s		5	Green.	Replaced by LIB of reduced intensity when endangered by ice.	10/24
2635	<i>Delaware River Lighted Wreck Buoy WR10</i>  93 yds, 273° from wreck. Marks SS PHOENIX.	39-32-12.031N 075-32-30.016W	Q R		5	Red	* Replaced by LIB of reduced intensity when endangered by ice.	10/24
2645	<i>Salem River Entrance Channel Lighted Buoy 2</i>	39-32-39.686N 075-32-13.802W	Fl R 4s		5	Red.	* Replaced by LIB of reduced intensity when endangered by ice.	10/24
2720	<i>Delaware River Lighted Buoy 11</i>	39-33-06.498N 075-32-36.920W	Q G		5	Green.	* Replaced by LIB of reduced intensity when endangered by ice. Synthetic AIS MMSI 993672077.	10/24
2725	<i>Delaware River Lighted Buoy 12</i>	39-33-07.935N 075-32-14.641W	Q R		5	Red.	* Replaced by LIB of reduced intensity when endangered by ice.	10/24
2740	<i>Delaware River Lighted Buoy 13</i>	39-34-08.694N 075-33-05.718W	Fl G 4s		4	Green.	* Replaced by LIB of reduced intensity when endangered by ice. Synthetic AIS MMSI 993672078.	10/24
2745	<i>Chesapeake and Delaware Canal Junction Lighted Buoy CD</i>	39-33-51.804N 075-33-17.580W	Fl (2+1)R 6s		4	Red with green band.	* Replaced by LIB of reduced intensity when endangered by ice. Synthetic AIS: MMSI 993672079.  *	10/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2875	<i>Delaware River Lighted Buoy 18</i>	39-36-51.186N 075-34-33.246W	Q R		4	Red.	Replaced by LIB of reduced intensity when endangered by ice.	10/24
2925	<i>Delaware River Lighted Buoy 22</i>	39-37-45.436N 075-34-22.045W	Q R		4	Red.	* Replaced by LIB of reduced intensity when endangered by ice.	10/24
3110	<i>Delaware River Lighted Buoy 38</i>	39-45-29.741N 075-28-50.806W	Fl R 4s		4	Red.	* Replaced by LIB of reduced intensity when endangered by ice.	10/24
3245	<i>Delaware River Lighted Buoy 50</i>	39-49-52.836N 075-21-52.702W	Fl R 4s		5	Red.	* Replaced by LIB of reduced intensity when endangered by ice.	10/24
3405	<i>Delaware River Lighted Buoy 64</i>	39-52-42.712N 075-11-45.387W	Q R		4	Red.	* Replaced by LIB of reduced intensity when endangered by ice.	10/24
3490	<i>Delaware River Lighted Buoy 66</i>	39-52-49.157N 075-10-25.089W	Q R		4	Red.	* Replaced by LIB of reduced intensity when endangered by ice.	10/24
10140	<i>Lynnhaven Inlet Lighted Buoy 4A</i>	36-54-47.763N 076-05-27.819W	Q R		4	Red.	* Replaced by LIB of reduced intensity when endangered by ice.	10/24
* 10892.39	* HRSD LIGHTED MOORING PILE Z82	* 36-55-00.980N 076-26-13.610W	* Fl Y 6s	* *	* *	* Mooring Pile.	* Temp Till Oct 2024 Private Aid.	10/24
10892.41	HRSD LIGHTED MOORING PILE Z83	36-55-00.480N 076-26-15.000W	* Fl Y 6s			Mooring Pile.	Temp Till Oct 2024 Private Aid.	10/24
			*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
17195	Dukeharts Buoy 7						Remove from list.	10/24
							*	
17200	Dukeharts Daybeacon 8						Remove from list.	10/24
							*	
17205	Dukeharts Buoy 9						Remove from list.	10/24
							*	
17210	Dukeharts Buoy 10						Remove from list.	10/24
							*	
17215	<i>St. Catherine Sound</i> <i>Lower Lighted Buoy 1L</i>						Remove from list.	10/24
							*	
17225	St. Catherine Sound Lower Entrance Daybeacon 3L						Remove from list.	10/24
							*	
17230	St. Catherine Sound Lower Entrance Daybeacon 5L						Remove from list.	10/24
							*	
17235	St. Catherine Sound Lower Entrance Daybeacon 6L						Remove from list.	10/24
							*	
17243	St. Catherine Sound Lower Entrance Buoy 7L						Remove from list.	10/24
							*	
17245	St. Catherine Sound Lower Entrance Daybeacon 9L						Remove from list.	10/24
							*	
29710	New River Inlet Buoy 9	34-32-23.144N 077-20-30.347W				Green can.		10/24
		*						
29712	New River Inlet Buoy 9A	34-32-36.505N 077-20-32.825W				Green can.		10/24
		*						
29720	New River Inlet Buoy 10	34-32-33.234N 077-20-30.432W				Red nun.		10/24
		*						
39300	Bogue Sound - New River Buoy 72A	34-33-10.680N 077-20-55.146W				Red nun with yellow triangle.		10/24
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
39305	Bogue Sound - New River Buoy 74	34-33-11.010N 077-21-11.604W				Red nun with yellow triangle.	10/24
39700	New River - Cape Fear River Daybeacon 149	* 34-06-31.085N 077-52-25.745W				SG-SY on pile.	10/24
9275	<i>Thimble Shoal Lighted Buoy 13</i>	* 36-59-30.236N 076-11-17.412W	Fl G 2.5s		5	Green.	Buoy located 75' outside channel limit. 09/24
9280	<i>Thimble Shoal Lighted Buoy 14</i>	* 36-59-45.276N 076-11-13.158W	Fl R 2.5s		5	Red.	Buoy located 75' outside channel limit. 09/24
9285	<i>Thimble Shoal Lighted Buoy 15</i>	* 36-59-55.333N 076-12-54.910W	Fl G 4s		5	Green.	Buoy located 75' outside channel limit. 09/24
9290	<i>Thimble Shoal Lighted Buoy 16</i>	* 37-00-09.948N 076-12-48.934W	Fl R 4s		5	Red.	Buoy located 75' outside channel limit. 09/24
9295	<i>Thimble Shoal Lighted Buoy 17</i>	* 37-00-20.422N 076-14-32.516W	Fl G 2.5s		5	Green.	Buoy located 75' outside channel limit. 09/24
9300	<i>Thimble Shoal Lighted Buoy 18</i>	* 37-00-41.485N 076-14-51.493W	Q R		5	Red.	Buoy located 75' outside channel limit. 09/24
10892.27	HRSD LIGHTED MOORING PILE Z37	* 36-54-40.820N 076-25-13.860W	Fl Y 6s			Mooring Pile.	Temp Till Oct 2024. Private Aid. 09/24
10892.28	HRSD LIGHTED MOORING PILE Z41	* 36-54-43.670N 076-25-18.840W	Fl Y 6s			Mooring Pile.	Temp Till Oct 2024. Private Aid. 09/24
		*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
10892.29	HRSD LIGHTED MOORING PILE Z45	36-54-46.520N 076-25-23.810W	Fl Y 6s			Mooring Pile.	Temp Till Oct 2024. Private Aid.
10892.31	HRSD LIGHTED MOORING PILE Z49	* 36-54-49.370N 076-25-28.770W	Fl Y 6s			Mooring Pile.	Temp Till Oct 2024. Private Aid.

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
10892.32	HRSD LIGHTED MOORING PILE Z53	* 36-54-52.210N 076-25-33.740W	Fl Y 6s			Mooring Pile.	Temp Till Oct 2024. Private Aid. 09/24
10892.33	HRSD LIGHTED MOORING PILE Z58	* 36-54-55.840N 076-25-39.900W	Fl Y 6s			Mooring Pile.	Temp Till Oct 2024. Private Aid. 09/24
10892.34	HRSD LIGHTED MOORING PILE Z62	* 36-54-58.680N 076-25-44.860W	Fl Y 6s			Mooring Pile.	Temp Till Oct 2024. Private Aid. 09/24
10892.35	HRSD LIGHTED MOORING PILE Z66	* 36-55-01.320N 076-25-50.000W	Fl Y 6s			Mooring Pile.	Temp Till Oct 2024. Private Aid. 09/24
10892.36	HRSD LIGHTED MOORING PILE Z70	* 36-55-02.950N 076-25-55.750W	Fl Y 6s			Mooring Pile.	Temp Till Oct 2024. Private Aid. 09/24
10892.37	HRSD LIGHTED MOORING PILE Z74	* 36-55-03.390N 076-26-01.830W	Fl Y 6s			Mooring Pile.	Temp Till Oct 2024. Private Aid. 09/24
10892.38	HRSD LIGHTED MOORING PILE Z78	* 36-55-02.620N 076-26-07.850W	Fl Y 6s			Mooring Pile.	Temp Till Oct 2024 Private Aid. 09/24
10892.39	HRSD LIGHTED MOORING PILE Z82	* 36-55-00.980N 076-26-13.610W	Fl R 6s			Mooring Pile.	Temp Till Oct 2024 Private Aid. 09/24
10892.41	HRSD LIGHTED MOORING PILE Z83	* 36-55-00.480N 076-26-15.000W	Fl R 6s			Mooring Pile.	Temp Till Oct 2024 Private Aid. 09/24
17920	Potomac Creek Buoy 3	*					Remove from list. 09/24
35070	New Jersey Intracoastal Waterway Lighted Buoy 27	*					Remove from list. 09/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
35070	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 27	39-58-08.019N 074-06-05.131W	Fl G 4s	15	4	SG - SY on pile.		09/24
*	*	*	*	*	*	*	*	
35085	New Jersey Intracoastal Waterway Buoy 31						Remove from list.	09/24
							*	
35085	New Jersey Intracoastal Waterway Daybeacon 31	39-56-35.659N 074-06-13.491W				SG - SY on pile.		09/24
*	*	*	*	*	*	*	*	
35090	New Jersey Intracoastal Waterway Buoy 33						Remove from list.	09/24
							*	
35090	New Jersey Intracoastal Waterway Daybeacon 33	39-56-20.973N 074-06-18.280W				SG - SY on pile.		09/24
*	*	*	*	*	*	*	*	
35167	New Jersey Intracoastal Waterway Buoy 46						Remove from list.	09/24
							*	
35167	New Jersey Intracoastal Waterway Daybeacon 46	39-44-59.413N 074-09-08.557W				TR - TY on pile.		09/24
*	*	*	*	*	*	*	*	
35285	New Jersey Intracoastal Waterway Daybeacon 74	39-38-26.639N 074-12-18.873W						09/24
*	*	*	*	*	*	*	*	
40130	Cape Fear River - Little River Daybeacon 36	33-55-23.887N 078-12-57.257W				TR-TY on pile.		09/24
		*						
40230	Cape Fear River - Little River Buoy 47A	33-55-17.378N 078-14-08.104W				Green can with yellow square.		09/24
		*						
1100	<i>Little Egg Inlet Lighted Buoy 1</i>	39-28-01.280N 074-16-49.101W	Fl G 4s		6	Green.		08/24
		*						
1648	<i>Cape May-Lewes Ferry Lighted Data Buoy A</i>	38-53-53.950N 075-01-33.030W	Fl (5) W 20S			Yellow spar buoy.	Seasonal 11/01-04/30 Private Aid.	08/24
*	*	*	*	*	*	*	*	
7975.1	<b>William P. Lane Jr. Bridge East Channel Fog Signal</b>						Remove from list.	08/24
							*	
35196	New Jersey Intracoastal Waterway Buoy 53						Remove from list.	08/24
							*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
35196	New Jersey Intracoastal Waterway Daybeacon 53	39-42-00.700N 074-08-55.502W				SG - SY on pile.	08/24
*	*	*	*	*	*	*	*
35275	New Jersey Intracoastal Waterway Buoy 71						Remove from list. 08/24
35275	New Jersey Intracoastal Waterway Daybeacon 71	39-38-59.360N 074-12-25.084W				SG - SY on pile.	08/24
*	*	*	*	*	*	*	*
35280	New Jersey Intracoastal Waterway Buoy 72						Remove from list. 08/24
35280	New Jersey Intracoastal Waterway Daybeacon 72	39-38-58.594N 074-12-27.014W				TR - TY on pile.	08/24
*	*	*	*	*	*	*	*
35285	New Jersey Intracoastal Waterway Buoy 74						Remove from list. 08/24
35290	New Jersey Intracoastal Waterway Buoy 75						Remove from list. 08/24
35290	New Jersey Intracoastal Waterway Daybeacon 75	39-38-01.230N 074-12-10.808W				SG - SY on pile.	08/24
*	*	*	*	*	*	*	*
35295	New Jersey Intracoastal Waterway Buoy 76						Remove from list. 08/24
35295	New Jersey Intracoastal Waterway Daybeacon 76	39-38-00.487N 074-12-12.162W				TR - TY on pile.	08/24
*	*	*	*	*	*	*	*
35305	New Jersey Intracoastal Waterway Buoy 79						Remove from list. 08/24
35305	New Jersey Intracoastal Waterway Daybeacon 79	39-37-15.130N 074-12-14.045W				SG - SY on pile.	08/24
*	*	*	*	*	*	*	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
35310	New Jersey Intracoastal Waterway Buoy 80						Remove from list.	08/24
							*	
35310	New Jersey Intracoastal Waterway Daybeacon 80	39-37-03.193N 074-12-25.535W				TR - TY on pile.		08/24
*	*	*	*	*	*	*	*	
35330	New Jersey Intracoastal Waterway Buoy 84						Remove from list.	08/24
							*	
35330	New Jersey Intracoastal Waterway Daybeacon 84	39-36-28.523N 074-12-38.357W				TR - TY on pile.		08/24
*	*	*	*	*	*	*	*	
37590	GREAT BRIDGE TO ALBEMARLE SOUND LIGHT 111	36-25-06.623N 075-57-07.967W	Q G	15	4	SG-SY on pile.		08/24
40270	Cape Fear River - Little River Daybeacon 57	33-54-57.798N 078-17-56.365W				SG-SY on pile.		08/24
		*						
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
7490	<i>Smith Point Lighted Buoy SP</i>	37-52-48.457N 076-09-06.791W	Mo (A) W		5	Red and white stripes with spherical topmark.	07/24
	*		*		*	*	
28050	Oregon Inlet Buoy 14	35-45-59.149N 075-32-18.251W				Red Nun.	07/24
		*					
28761	Hatteras Inlet Channel Buoy 18A	35-12-29.875N 075-43-10.318W				Red nun.	07/24
		*					
29502	<i>Bogue Inlet Lighted Buoy 2A</i>						Remove from list. 07/24
							*
29520	<i>Emerald Isle Cut Lighted Junction Buoy EI</i>						Remove from list. 07/24
							*
29520	Bogue Inlet Buoy 4	34-38-59.377N 077-06-51.211W				Red nun.	07/24
		*					
29525	Emerald Isle Cut Buoy 1						Remove from list. 07/24
							*
29530	Bogue Inlet Buoy 5	34-38-39.435N 077-06-29.571W				Green can.	07/24
	*	*	*		*	*	
29533	<i>Emerald Isle Cut Lighted Buoy 2</i>						Remove from list. 07/24
							*
29535	Emerald Isle Cut Buoy 3						Remove from list. 07/24
							*
29540	<i>Bogue Inlet Lighted Buoy 6</i>	34-38-40.125N 077-06-24.251W	Fl R 2.5s		4	Red.	07/24
	*	*					

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
29540	Emerald Isle Cut Buoy 4						Remove from list. 07/24
29545	Emerald Isle Cut Buoy 5						* Remove from list. 07/24
29550	Bogue Inlet Lighted Buoy 7	34-38-59.414N 077-06-22.244W	Q G		4	Green.	* 07/24
* 29550	* <i>Emerald Isle Cut Lighted Buoy 6</i>		*				Remove from list. 07/24
29555	Emerald Isle Cut Warning Daybeacon						* Remove from list. 07/24
29560	Bogue Inlet Buoy 8	34-38-57.314N 077-06-18.608W				Red nun.	* 07/24
* 29560	* Bogue Inlet Shoal Buoy B						Remove from list. 07/24
29565	Bogue Inlet Shoal Buoy A						* Remove from list. 07/24
29570	Bogue Inlet Buoy 17						* Remove from list. 07/24
29570	Bogue Inlet Lighted Buoy 9	34-39-11.166N 077-05-58.653W	Q G		4	Green.	* 07/24
* 29573	* <i>Bogue Inlet Lighted Buoy 15</i>	*					Remove from list. 07/24
29575	Bogue Inlet Buoy 4						* Remove from list. 07/24
29580	Bogue Inlet Buoy 5						* Remove from list. 07/24
29580	<i>Emerald Isle Cut Lighted Junction Buoy EI</i>	34-39-11.382N 077-05-55.595W	Fl (2+1)R 6s		4	Red and Green bands.	* 07/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
29585	Bogue Inlet Lighted Buoy 6						Remove from list.	07/24
							*	
29590	<i>Emerald Isle Cut Lighted Buoy 2</i>	34-39-13.286N 077-05-47.513W	Fl R 2.5s		4	Red.		07/24
*	*	*	*		*	*		
29590	Bogue Inlet Lighted Buoy 7						Remove from list.	07/24
							*	
29593	Emerald Isle Cut Warning Daybeacon	34-39-15.471N 077-05-44.934W				NW on pile worded DANGER SHOAL.		07/24
*								
29595	Bogue Inlet Buoy 8						Remove from list.	07/24
							*	
29600	Bogue Inlet Lighetd Buoy 9						Remove from list.	07/24
							*	
29605	Bogue Inlet Buoy 10						Remove from list.	07/24
							*	
29610	Bogue Inlet Buoy 11	34-39-18.731N 077-05-57.430W				Green can.		07/24
	*	*	*		*	*		
29615	Bogue Inlet Buoy 12						Remove from list.	07/24
							*	
29620	<i>Bogue Inlet Lighted Buoy 13</i>	34-39-34.201N 077-05-59.483W	Fl G 2.5s		4	Green.		07/24
	*	*	*		*	*		
29625	<i>Bogue Inlet Lighted Buoy 14</i>	34-39-34.057N 077-05-55.377W	Fl R 2.5s		4	Red.		07/24
		*	*					
29630	Bogue Inlet Buoy 14A						Remove from list.	07/24
							*	
29630	<i>Bogue Inlet Lighted Buoy 15</i>	34-39-55.582N 077-05-54.721W	Fl G 4s		4	Green.		07/24
*	*	*	*	*	*	*	*	
29633	Bogue Inlet Shoal Buoy A	34-39-52.824N 077-05-50.869W				White can with orange bands.		07/24
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
29635	Bogue Inlet Buoy 17	34-40-10.206N 077-05-45.766W				Green can.	07/24
*	*	*	*	*	*	*	*
29640	Bogue Inlet Junction Buoy B	34-40-20.661N 077-05-36.548W				Green and Red band; can.	07/24
35245	New Jersey Intracoastal Waterway Buoy 65						Remove from list. *
35245	New Jersey Intracoastal Waterway Daybeacon 65	39-40-03.466N 074-11-40.125W				SG-SY on pile.	07/24
*	*	*	*	*	*	*	*
35250	New Jersey Intracoastal Waterway Buoy 67						Remove from list. *
35250	New Jersey Intracoastal Waterway Daybeacon 67	39-39-55.546N 074-12-08.068W				SG-SY on pile.	07/24
*	*	*	*	*	*	*	*
2100	Rehoboth Bay Channel Buoy 3	38-40-39.085N 075-06-04.203W				Green can.	Removed when endangered by ice. *
2105	Rehoboth Bay Channel Buoy 5	38-40-03.151N 075-06-16.317W				Green can.	Removed when endangered by ice. *
2110	Rehoboth Bay Channel Buoy 7	38-39-26.863N 075-06-27.381W				Green can.	Removed when endangered by ice. *
2112	Rehoboth Bay Channel Buoy 7A	38-38-56.863N 075-06-31.095W				Green can.	Removed when endangered by ice. *
2115	<i>Rehoboth Bay Channel Lighted Buoy 9</i>	38-38-41.059N 075-06-25.238W	Fl G 4s		4	Green.	Removed when endangered by ice. *
2117	Rehoboth Bay Channel Buoy 10	38-38-29.851N 075-06-19.695W				Red nun.	Removed when endangered by ice. *

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
2120	Rehoboth Bay Channel Buoy 11	38-38-31.538N 075-06-16.185W				Green can.	Removed when endangered by ice. *
2125	Rehoboth Bay Channel Buoy 12	38-38-08.957N 075-06-03.729W				Red nun.	Removed when endangered by ice. *
2130	<i>Rehoboth Bay Lighted Buoy 13</i>	38-38-03.712N 075-06-01.296W	Fl G 4s		5	Green.	Removed when endangered by ice. *
2133	Rehoboth Bay Channel Buoy 14	38-38-00.540N 075-06-04.311W				Red nun.	Removed when endangered by ice. *
2135	Rehoboth Bay Channel Buoy 15	38-37-57.808N 075-06-04.238W				Green can.	Removed when endangered by ice. *
2138	Rehoboth Bay Channel Buoy 16	38-37-55.528N 075-06-06.662W				Red nun.	Removed when endangered by ice. *
2139	Rehoboth Bay Channel Buoy 16A	38-37-46.282N 075-06-06.380W				Red nun.	Removed when endangered by ice. *
2140	Rehoboth Bay Channel Buoy 16B	38-37-21.568N 075-05-44.406W				Red nun.	Removed when endangered by ice. *
2142	Rehoboth Bay Channel Buoy 17	38-37-54.874N 075-06-05.564W				Green can.	Removed when endangered by ice. *
2143	Rehoboth Bay Channel Buoy 17A	38-37-33.537N 075-05-59.909W				Green can.	Removed when endangered by ice. *
2145	Rehoboth Bay Channel Buoy 17B	38-37-15.758N 075-05-38.627W				Green can.	Removed when endangered by ice. *
2145.1	Rehoboth Bay Channel Buoy 18	38-37-14.877N 075-05-39.617W				Red nun.	Removed when endangered by ice. *

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2148	Rehoboth Bay Channel Buoy 19	38-37-11.598N 075-05-35.702W				Green can.	Removed when endangered by ice.	06/24
2151	Rehoboth Bay Channel Buoy 20	38-37-06.445N 075-05-34.712W				Red nun.	* Removed when endangered by ice.	06/24
2155	Rehoboth Bay Channel Buoy 21	38-37-00.647N 075-05-27.416W				Green can.	* Removed when endangered by ice.	06/24
2157	Rehoboth Bay Channel Buoy 22	38-36-54.927N 075-05-36.197W				Red nun.	* Removed when endangered by ice.	06/24
2165	Rehoboth Bay Channel Buoy 23	38-36-43.905N 075-05-32.135W				Green can.	* Removed when endangered by ice.	06/24
2165.5	Rehoboth Bay Channel Buoy 23A	38-36-29.298N 075-05-29.669W				Green can.	* Removed when endangered by ice.	06/24
2166	Rehoboth Bay Channel Buoy 24	38-36-40.323N 075-05-37.187W				Red nun.	* Removed when endangered by ice.	06/24
2167	Rehoboth Bay Channel Buoy 24A	38-36-28.218N 075-05-36.211W				Red nun.	* Removed when endangered by ice.	06/24
2169	Rehoboth Bay Channel Buoy 25	38-36-22.427N 075-05-18.415W				Green can.	* Removed when endangered by ice.	06/24
7440	<i>Chesapeake Channel Lighted Buoy 62</i>	37-46-28.496N 076-10-16.304W	Fl R 4s		5	Red.	* Replaced by nun when endangered by ice. Synthetic AIS: MMSI 993672893.	06/24
9603	<i>Elizabeth River- Dominion Lighted Danger Buoy B</i>	36-53-40.970N 076-20-31.790W	Fl W 2s			White can with orange diamond.	* Danger Underwater Cable. Private Aid.	06/24
* 9603.1	* <i>Elizabeth River- Dominion Lighted Danger Buoy A</i>	* 36-53-45.230N 076-20-20.210W	* Fl W 2s	* 	* 	* White can with orange diamond.	* Danger Underwater Cable. Private Aid.	* 06/24
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
10892.27	HRSD LIGHTED MOORING PILE Z37	36-56-02.502N 076-24-50.331W	Fl Y 6s			Mooring Pile.	Temp Till Oct 2024. Private Aid.	06/24
*	*	*	*	*	*	*	*	
10892.28	HRSD LIGHTED MOORING PILE Z41	36-56-05.087N 076-24-55.465W	Fl Y 6s			Mooring Pile.	Temp Till Oct 2024. Private Aid.	06/24
*	*	*	*	*	*	*	*	
10892.29	HRSD LIGHTED MOORING PILE Z45	36-56-07.672N 076-25-00.599W	Fl Y 6s			Mooring Pile.	Temp Till Oct 2024. Private Aid.	06/24
*	*	*	*	*	*	*	*	
10892.31	HRSD LIGHTED MOORING PILE Z49	36-56-10.256N 076-25-05.733W	Fl Y 6s			Mooring Pile.	Temp Till Oct 2024. Private Aid.	06/24
*	*	*	*	*	*	*	*	
10892.32	HRSD LIGHTED MOORING PILE Z53	36-56-12.841N 076-25-10.867W	Fl Y 6s			Mooring Pile.	Temp Till Oct 2024. Private Aid.	06/24
*	*	*	*	*	*	*	*	
10892.33	HRSD LIGHTED MOORING PILE Z58	36-56-16.139N 076-25-17.232W	Fl Y 6s			Mooring Pile.	Temp Till Oct 2024. Private Aid.	06/24
*	*	*	*	*	*	*	*	
10892.34	HRSD LIGHTED MOORING PILE Z62	36-56-18.723N 076-25-22.367W	Fl Y 6s			Mooring Pile.	Temp Till Oct 2024. Private Aid.	06/24
*	*	*	*	*	*	*	*	
10892.35	HRSD LIGHTED MOORING PILE Z66	36-56-21.308N 076-25-27.501W	Fl Y 6s			Mooring Pile.	Temp Till Oct 2024. Private Aid.	06/24
*	*	*	*	*	*	*	*	
10892.36	HRSD LIGHTED MOORING PILE Z70	36-56-23.892N 076-25-32.635W	Fl Y 6s			Mooring Pile.	Temp Till Oct 2024. Private Aid.	06/24
*	*	*	*	*	*	*	*	
10892.37	HRSD LIGHTED MOORING PILE Z74	36-56-26.476N 076-25-37.770W	Fl Y 6s			Mooring Pile.	Temp Till Oct 2024. Private Aid.	06/24
*	*	*	*	*	*	*	*	
10892.38	HRSD LIGHTED MOORING PILE Z78	36-56-29.061N 076-25-42.905W	Fl Y 6s			Mooring Pile.	Temp Till Oct 2024 Private Aid.	06/24
*	*	*	*	*	*	*	*	
10892.39	HRSD LIGHTED MOORING PILE Z82	36-56-31.645N 076-25-48.040W	Fl R 6s			Mooring Pile.	Temp Till Oct 2024 Private Aid.	06/24
*	*	*	*	*	*	*	*	
10892.41	HRSD LIGHTED MOORING PILE Z83	36-56-32.224N 076-25-49.376W	Fl R 6s			Mooring Pile.	Temp Till Oct 2024 Private Aid.	06/24
*	*	*	*	*	*	*	*	

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
19793	<i>US Naval Academy Lighted Data Buoy A</i>	38-58-58.750N 076-28-23.000W	Fl Y 4s			Yellow buoy.	Aid maintained by U.S. Navy Aid maintained by U.S. Navy.	06/24
* 20865	* <i>Curtis Bay Channel Lighted Buoy 2</i>	* 39-13-21.976N 076-32-19.786W	* Fl R 2.5s	* 5	* 5	* Red.	* *	* 06/24
28050	Oregon Inlet Buoy 14	* 35-45-55.713N 075-32-22.942W				Red Nun.		06/24
28233	<i>Old House Channel Lighted Buoy 1H</i>	* 35-45-32.355N 075-35-33.188W	Fl G 2.5s		3	Green.		06/24
28235	Old House Channel Buoy 3	* 35-45-27.342N 075-35-38.295W				Green can.		06/24
35195	<i>New Jersey Intracoastal Waterway Lighted Buoy 52</i>						Remove from list. *	06/24
35195	NEW JERSEY INTRACOASTAL WATERWAY LIGHT 52	39-42-21.996N 074-08-43.888W	Fl R 4s	15	4	TR with yellow triangle on pile.		06/24
* 38877	* <i>Bogue Sound Lighted Buoy 10A</i>	* 34-43-24.573N 076-49-49.371W	* Fl R 4s	* 4	* 4	* Red with yellow triangle.	* *	* 06/24
38883	Bogue Sound Buoy 11A	* 34-43-24.154N 076-49-52.513W				Green can with yellow square.		06/24
39223	Bogue Sound - New River Buoy 61A	* 34-35-50.013N 077-14-32.645W				Green can with yellow square.		06/24
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
39725	New River - Cape Fear River Buoy 154	34-04-51.132N 077-52-57.306W				Red nun with yellow triangle.	06/24
39726	New River - Cape Fear River Buoy 154A	* 34-04-47.286N 077-52-59.103W				Red nun with yellow triangle.	06/24
39730	New River - Cape Fear River Buoy 155	* 34-04-51.306N 077-52-56.226W				Green can with yellow square.	06/24
2073	Roosevelt Inlet Buoy 4	* 38-47-26.373N 075-09-35.318W				Red nun.	Removed when endangered by ice. 05/24
2095	Rehoboth Bay Channel Buoy 1	38-41-13.887N 075-05-52.369W				Green can.	* Removed when endangered by ice. 05/24
2315	Murderkill River Buoy 2	39-03-45.072N 075-23-00.820W				Red nun.	* Removed when endangered by ice. 05/24
2320	Murderkill River Buoy 3	39-03-44.295N 075-22-59.375W				Green can.	* Removed when endangered by ice. 05/24
2330	Murderkill River Buoy 4	39-03-40.655N 075-23-14.416W				Red nun.	* Removed when endangered by ice. 05/24
2335	Murderkill River Buoy 5	39-03-39.876N 075-23-13.959W				Green can.	* Removed when endangered by ice. 05/24
2337	Murderkill River Buoy 6	39-03-35.802N 075-23-30.132W				Red nun.	* Removed when endangered by ice. 05/24
4415	Indian River Inlet Buoy 15	38-35-56.898N 075-05-18.944W				Green can.	* Removed when endangered by ice. 05/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4417	<i>Indian River Inlet Lighted Buoy 16</i>	38-35-59.781N 075-05-19.011W	Q R		4	Red.	Removed when endangered by ice.	05/24
4419	Indian River Inlet Buoy 16A	38-35-58.555N 075-05-27.304W				Red nun.	* Removed when endangered by ice.	05/24
4420	<i>Indian River Inlet Lighted Buoy 17</i>	38-36-04.397N 075-05-44.558W	Fl G 2.5s		4	Green.	* Removed when endangered by ice.	05/24
4433	Indian River Inlet Buoy 18	38-36-14.788N 075-06-07.073W				Red nun.	* Removed when endangered by ice.	05/24
4490	Indian River Channel Buoy 20	38-36-23.534N 075-06-40.172W				Red nun.	* Removed when endangered by ice.	05/24
4495	Indian River Channel Buoy 22	38-36-02.234N 075-07-34.775W				Red nun.	* Removed when endangered by ice.	05/24
4500	Indian River Channel Buoy 24	38-35-50.834N 075-08-29.077W				Red nun.	* Removed when endangered by ice.	05/24
4505	Indian River Channel Buoy 26	38-35-35.010N 075-09-26.955W				Red nun.	* Removed when endangered by ice.	05/24
4510	Indian River Channel Buoy 28	38-35-22.470N 075-10-36.375W				Red nun.	* Removed when endangered by ice.	05/24
4515	Indian River Channel Buoy 30  Marks channel to Millsboro.	38-35-23.136N 075-11-38.585W				Red nun.	* Removed when endangered by ice.	05/24
4520	Indian River Channel Buoy 31	38-35-23.910N 075-12-03.075W				Green can.	* Removed when endangered by ice.	05/24
4525	Indian River Channel Buoy 32	38-35-31.736N 075-12-31.788W				Red nun.	* Removed when endangered by ice.	05/24
4530	Indian River Channel Buoy 34	38-35-26.136N 075-12-44.388W				Red nun.	* Removed when endangered by ice.	05/24
4536	Indian River Channel Buoy 36	38-35-24.859N 075-13-05.315W				Red nun.	* Removed when endangered by ice.	05/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4540	Indian River Channel Buoy 38	38-35-19.916N 075-13-27.365W				Red nun.	Removed when endangered by ice.	05/24
4545	Indian River Channel Buoy 40	38-35-15.730N 075-13-58.915W				Red nun.	* Removed when endangered by ice.	05/24
4550	Indian River Channel Buoy 42	38-35-17.437N 075-14-09.192W				Red nun.	* Removed when endangered by ice.	05/24
16855	<i>Potomac River Mid-Channel Lighted Whistle Buoy B</i>	38-06-54.191N 076-31-51.454W	Mo (A) W		6	Red and white stripes.	* Removed when endangered by ice.	05/24
17355	<i>Potomac River Mid-Channel Lighted Whistle Buoy C</i>	38-11-49.698N 076-44-39.589W	Mo (A) W		5	Red and white stripes.	* Removed when endangered by ice.	05/24
28732.1	<i>Hatteras Inlet Channel Lighted Buoy 12A</i>	35-12-23.799N 075-43-49.320W	Fl R 2.5s		4	Red.	* Removed when endangered by ice.	05/24
28733.1	Hatteras Inlet Channel Buoy 12B	* 35-12-15.755N 075-43-53.410W				Red nun.		05/24
39635	NEW RIVER - CAPE FEAR RIVER LIGHT 129A	* 34-11-16.909N 077-49-42.933W	Fl G 2.5s	15	4	SG-SY on pile.		05/24
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4	<i>Attentive Energy Lighted Data Buoy A</i>	39-41-52.440N 073-09-34.950W	Fl (5)Y 20s			Yellow disc shaped hull.	AIS: MMSI 993663043 Private Aid.	04/24
*	*	*	*	*	*	*	*	
1720	Maurice River Buoy 7	39-11-49.149N 075-02-22.656W				Green can.		04/24
1733	Maurice River Buoy 11	39-12-29.863N 075-02-16.902W						04/24
1740	Maurice River Buoy 11						Remove from list.	04/24
7827.2	Hackett Point Mooring Buoy B	38-58-49.200N 076-24-30.120W				White w/blue band.	Private Aid.	04/24
9230	<i>Thimble Shoal Lighted Buoy 6</i>	36-58-22.375N 076-05-54.101W	Fl R 2.5s		5	Red.	Buoy located 75' outside channel limit.	04/24
28057	<i>Oregon Inlet Lighted Buoy 16</i>	35-45-55.480N 075-32-27.325W	Q R		4	Red.		04/24
28059	<i>Oregon Inlet Lighted Buoy 17</i>	35-45-55.389N 075-32-35.672W	Q G		4	Green.		04/24
		*						

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1640	<b>Ship John Shoal Light</b> On shoal.	39-18-19.108N 075-22-35.959W	Fl W 5s (R sector)	50	W 16 R 12	Brown, octagonal dwelling with pyramidal roof; on cylindrical pier. 50	RACON: O ( - - - ) Red from 138° to 321.5°, covers shoals on east channel. High intensity beam down Miah Maul Range. HORN: 1 blast ev 15s (2s bl 13s si). Horn maintained from Mar. 15 to Dec. 15. Structure Maintained by entity outside the U.S. Coast Guard.	03/24
1675 36790	CAPE MAY CANAL WEST ENTRANCE NORTH JETTY LIGHT 11	38-58-03.715N 074-57-59.705W	Fl G 2.5s	34	6	SG-TY on skeleton tower.	HORN: 1 blast ev 15s (2s bl). HORN is activated by keying the mic 5 times on VHF-FM 83A (157.175MHz). HORN operates for 30 minutes.	03/24
1725	<i>Maurice River Lighted Buoy 8</i>	39-11-58.573N 075-02-23.119W	Q R		4	Red.	Replaced by nun from Nov. 1 to Apr. 1.	03/24
1730	* Maurice River Buoy 9	* 39-12-13.432N 075-02-21.287W				Green can.		03/24
1735	* Maurice River Buoy 12	* 39-12-44.464N 075-01-49.869W				Red nun.		03/24
1740	* Maurice River Buoy 11	39-12-29.863N 075-02-16.902W				Green can.		03/24
1745	<i>Maurice River Lighted Buoy 13</i>	* 39-13-00.189N 075-01-31.906W	Fl G 2.5s		4	Green.	Replaced by can from Nov. 1 to Apr. 1.	03/24
27993	* <i>Oregon Inlet Lighted Buoy 5</i>	35-46-53.791N 075-31-16.264W	Fl G 4s		4	Green.		03/24

\*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
28020	Oregon Inlet Buoy 9	35-46-33.546N 075-31-43.533W				Green can.	03/24
36790 1675	CAPE MAY CANAL WEST ENTRANCE NORTH JETTY LIGHT 11	* 38-58-03.715N 074-57-59.705W	Fl G 2.5s	34	6	SG-TY on skeleton tower.	HORN: 1 blast ev 15s (2s bl). HORN is activated by keying the mic 5 times on VHF-FM 83A (157.175MHz). HORN operates for 30 minutes.
38813	<i>Bogue Sound Lighted Buoy 5A</i>	34-43-17.358N 076-46-24.960W	Fl G 4s		4	Green can with yellow square.	* 03/24
38842	Bogue Sound Buoy 7A	34-43-18.381N 076-47-02.003W				* Green can with yellow square.	03/24
38877	<i>Bogue Sound Lighted Buoy 10A</i>	34-43-24.729N 076-49-44.713W	Fl R 4s		4	* Red with yellow triangle.	03/24
38883	Bogue Sound Buoy 11A	34-43-23.620N 076-49-48.425W				* Green can with yellow square.	03/24
38887	Bogue Sound Buoy 12	34-43-25.244N 076-49-56.235W				* Red nun with yellow triangle.	03/24
39470	New River - Cape Fear River Buoy 72	34-25-41.684N 077-33-22.623W				* Red nun with yellow triangle.	03/24
39825	<i>New River - Cape Fear River Lighted Buoy 163</i>	34-03-04.770N 077-55-08.731W	Fl G 4s		4	* Green can with yellow square.	03/24
40430	Cape Fear River - Little River Daybeacon 109  35 feet outside channel limit.	33-52-37.542N 078-31-51.768W				* SG-SY on pile.	03/24

\*

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1598	<i>Elbow Of Cross Ledge Lighted Buoy 28</i>	39-10-54.478N 075-16-09.834W	Q R		5	Red.	Replaced by LIB of reduced intensity when endangered by ice. Synthetic AIS: MMSI 993672862.	02/24
*	*	*	*	*	*	*	*	
3540	HORSESHOE BEND DIRECTIONAL LIGHT	39-53-12.555N 075-08-04.354W	Q G	20		Tower on multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of centerline of channel (bearing 061.2°). NIGHT: Visible all around, higher intensity 1.5° either side of centerline of channel.	02/24
7440	<i>Chesapeake Channel Lighted Buoy 62</i>	37-46-28.496N 076-10-16.304W	Fl R 4s		5	Red.	Replaced by nun when endangered by ice. Synthetic AIS: MMSI 9936726893.	02/24
9234	Thimble Shoal Lighted Buoy 7						Remove from list.	02/24
9235	Thimble Shoal Lighted Buoy 7						Remove from list.	02/24
9235	THIMBLE SHOAL TUNNEL SOUTH LIGHT	36-57-59.600N 076-06-44.900W	F Y	32		On wall.	BELL: 1 stroke ev 10s. Operates during periods of low visibility only. Private Aid.	02/24
*	9239	Thimble Shoal Lighted Buoy 8					Remove from list.	02/24
9240	Thimble Shoal Lighted Buoy 8						Remove from list.	02/24
9240	THIMBLE SHOAL TUNNEL NORTH LIGHT	36-58-50.900N 076-06-23.700W	F Y	32		On wall.	HORN: 1 blast ev 20s (2s bl). Operates during periods of low visibility only. Private Aid.	02/24
*	9245	<i>Thimble Shoal Lighted Buoy 7</i>	Fl G 2.5s		5	Green.	Buoy located 75' outside channel limit.	02/24
*	9245	Thimble Shoal Tunnel South Light					Remove from list.	02/24

Summary of corrections to Volume II of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
9250	<i>Thimble Shoal Lighted Buoy 8</i>	36-58-39.645N 076-07-06.734W	Fl R 2.5s		5	Red.	Buoy located 75' outside channel limit.	02/24
*								
9250	Thimble Shoal Tunnel North Light						Remove from list.	02/24
							*	
38813	<i>Bogue Sound Lighted Buoy 5A</i>	34-43-17.358N 076-46-24.960W	Fl G 4s		4	Green with yellow square.		02/24
*			*	*	*	*	*	
39597	New River - Cape Fear River Buoy 121	34-15-02.929N 077-46-52.391W				Green can with yellow square.		02/24
39598	New River - Cape Fear River Buoy 121A	34-14-56.124N 077-46-58.644W				Green can with yellow square.		02/24
39601	New River - Cape Fear River Buoy 122A	34-15-05.930N 077-46-50.721W				Red nun with yellow square.		02/24
9230	<i>Thimble Shoal Lighted Buoy 6</i>	36-58-22.375N 076-05-54.101W	Fl R 6s		6	Red.	Buoy located 75' outside channel limit.	01/24
9270	<i>Thimble Shoal Lighted Buoy 12</i>	36-59-19.097N 076-09-39.805W	Fl R 6s		6	Red.	Buoy located 75' outside channel limit.	01/24
							*	
	*	*					*	