

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6195	CEDAR HAMMOCK RANGE FRONT LIGHT	31-06-05.366N 081-27-45.308W	Q G (NIGHT)	16		KRW on dolphin.	Visible 2° each side of rangeline.	44/24
62266	<i>St Joseph Sound Lighted Buoy 35B</i>	* 28-07-55.963N 082-49-24.839W	Fl G 4s			Green can.		44/24
3593	CHARLESTON CITY MARINA DOCK LIGHT A	* 32-46-44.984N 079-57-20.708W	Fl W 5s			On pier.	Private Aid.	43/24
* 3953	* CHARLESTON CITY MARINA DOCK LIGHT A	*	*	*	*	*	* Remove from list.	43/24
10125	St Lucie Inlet Buoy 5	27-09-59.403N 080-09-14.380W				Green can.	*	43/24
40854	BETHUNE BEACH AQUACULTURE BOUNDARY LIGHT A	* 28-56-13.938N 080-49-59.847W	Q Y			TY on pile.	Private Aid.	43/24
* 40854.1	* BETHUNE BEACH AQUACULTURE BOUNDARY LIGHT B	* 28-56-10.532N 080-49-58.083W	* Fl Y 2.5s	*	*	* TY on pile.	* Private Aid.	43/24
* 40854.2	* BETHUNE BEACH AQUACULTURE BOUNDARY LIGHT C	* 28-56-09.873N 080-50-00.686W	* Fl Y 6s	*	*	* TY on pile.	* Private Aid.	43/24
* 40854.3	* BETHUNE BEACH AQUACULTURE BOUNDARY LIGHT D	* 28-56-12.894N 080-50-02.428W	* Fl Y 4s	*	*	* TY on pile.	* Private Aid.	43/24
* 802	* Port Everglades Weather Buoy	* 26-05-43.800N 080-05-44.700W	* Fl Y 6s	*	*	* Yellow disc-shaped with mast.	* Aid maintained by NOAA.	42/24
							*	

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
14665	Key West Oceanside Marina Daybeacon 1	24-33-24.719N 081-43-53.264W				SG on pile.	Private Aid. 41/24
14670	Key West Oceanside Marina Daybeacon 2	* 24-33-23.113N 081-43-53.254W				TR on pile.	Private Aid. 41/24
14675	Key West Oceanside Marina Daybeacon 3	* 24-33-27.181N 081-43-51.690W				SG on pile.	Private Aid. 41/24
14680	Key West Oceanside Marina Daybeacon 4	* 24-33-26.764N 081-43-49.816W				TR on pile.	Private Aid. 41/24
14690	Key West Oceanside Marina Daybeacon 5	* 24-33-35.333N 081-43-51.428W				SG on pile.	Private Aid. 41/24
14695	Key West Oceanside Marina Daybeacon 6	* 24-33-33.439N 081-43-49.855W				TR on pile.	Private Aid. 41/24
14700	Key West Oceanside Marina Daybeacon 8	* 24-33-42.546N 081-43-50.443W				TR on pile.	Private Aid. 41/24
14705	Key West Oceanside Marina Daybeacon 9	* 24-33-42.429N 081-43-51.683W				SG on pile.	Private Aid. 41/24
		*					

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
3735.3	Folly River Buoy 6	32-37-57.778N 079-59-19.098W				Red nun.		40/24
7556	Jacksonville Zoo Channel Daybeacon 1	* 30-23-47.130N 081-38-30.990W				SG on pile.	Private Aid.	40/24
33465	CORINASO POINT LIGHT	* 19-55-07.014N 075-09-17.008W	Fl W 6s	42	5	NB on skeleton tower.	Visible all around.	40/24
33595	<i>Eagle Channel Lighted Buoy 1</i>		*				Remove from list.	40/24
58310	VENICE INLET-SIESTA KEY LIGHT 61	27-15-06.990N 082-31-48.167W	Fl G 4s	16	5	SG-SY on pile.	*	40/24
680.1	<i>Oneka Desalination Iceberg II Lighted Data Buoy I2</i>	* 27-26-31.620N 080-15-42.960W	Fl Y 4s				Private Aid.	39/24
* 680.2	* <i>Iceberg II Mooring Point Lighted Buoy SE</i>	* 27-26-30.420N 080-15-40.680W	* Q Y	*	*	*	Private Aid.	* 39/24
* 680.3	* <i>Iceberg II Mooring Point Lighted Buoy SW</i>	* 27-26-29.400N 080-15-44.040W	* Q Y	*	*	*	Private Aid.	* 39/24
* 680.4	* <i>Iceberg II Mooring Point Lighted Buoy NW</i>	* 27-26-32.520N 080-15-45.300W	* Q Y	*	*	*	Private Aid.	* 39/24
* 680.5	* <i>Iceberg II Mooring Point Lighted Buoy NE</i>	* 27-26-33.660N 080-15-42.000W	* Q Y	*	*	*	Private Aid.	* 39/24
* 681	* <i>Oneka Desalination Wx Data Lighted Buoy W1</i>	* 27-26-31.080N 080-15-40.980W	* Fl Y 2.5s	*	*	*	Private Aid.	* 39/24
* 682	* <i>Oneka Desalination Ice Cube Data Lighted Buoy A</i>	* 27-26-30.000N 080-15-47.160W	* Fl Y 4s	*	*	*	Private Aid.	* 39/24

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
* 33370	* WINDWARD POINT LIGHT	* 19-53-36.014N 075-09-36.008W	* Fl W 6s	* 378	* 7	* On skeleton tower.	* 	39/24
33495	<i>Radio Point Lighted Buoy 3</i>	19-55-13.419N 075-08-56.690W	Fl G 6s		* 4	Green.		39/24
	Marks shoal.							
37300	* Jekyll Creek Jetty Warning Daybeacon 6	* 31-05-35.093N 081-26-28.511W	* 		* 	* TR-TY on pile.		39/24
38455	* JACKSONVILLE BELLINGER PIER 1 LIGHT						Remove from list.	39/24
168	<i>Capers Island Lighted Buoy C</i>	32-48-13.849N 079-37-34.194W	Fl Y 4s			Yellow.	* Private Aid.	38/24
169	<i>Capers Island Lighted Buoy D</i>	* 32-48-16.498N 079-37-36.480W	Fl Y 2.5s			Yellow.	Private Aid.	38/24
		* 						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
231	<i>CORMP Data Lighted Buoy NDBC 41066</i>	32-32-32.064N 079-39-50.716W	Fl Y 4s			Yellow.	Aid maintained by Coastal Ocean Research and Monitoring Program. Private Aid.	38/24
297	<i>Fripp Island Lighted Buoy E</i>	* 32-16-38.344N 080-24-29.163W	Fl Y 4s			Yellow.	Private Aid.	38/24
1740	LITTLE RIVER INLET LIGHT 15	* 33-51-16.715N 078-33-37.813W	Fl G 4s		5	SG on pile.		38/24
7556	Jacksonville Zoo Channel Daybeacon 1	* 30-23-07.130N 081-38-30.990W				SG on pile.	Private Aid.	38/24
* 7556.1	* Jacksonville Zoo Channel Daybeacon 2	* 30-23-46.850N 081-38-30.130W	*	*	*	TR on pile.	Private Aid.	* 38/24
* 7556.2	* Jacksonville Zoo Channel Daybeacon 3	* 30-23-47.620N 081-38-31.000W	*	*	*	SG on pile.	Private Aid.	* 38/24
* 7556.3	* Jacksonville Zoo Channel Daybeacon 5	* 30-23-49.040N 081-38-32.410W	*	*	*	SG on pile.	Private Aid.	* 38/24
* 7556.4	* Jacksonville Zoo Channel Daybeacon 7	* 30-23-50.630N 081-38-32.410W	*	*	*	SG on pile.	Private Aid.	* 38/24
* 7556.5	* Jacksonville Zoo Channel Daybeacon 8	* 30-23-50.630N 081-38-30.160W	*	*	*	TR on pile.	Private Aid.	* 38/24
* 25980	* Hurricane Pass Daybeacon 2	* 28-03-07.700N 082-49-53.400W	*	*	*	TR on pile.	Private Aid.	* 38/24
62266	* <i>St Joseph Sound Lighted Buoy 35B</i>	* 28-07-58.166N 082-49-26.016W	* Fl G 4s	*		Green can.		38/24
*	*	*	*	*	*	*	*	

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
18125	Matanzas Pass Channel Daybeacon 8	26-27-57.925N 081-58-00.240W				TR on pile.	37/24
40050	Daytona Beach Daybeacon 6	* 29-12-34.123N 081-00-48.760W				TR on pile.	37/24
52330	Caloosahatchee River Daybeacon 26	* 26-41-07.367N 081-49-47.382W				TR-TY on pile.	37/24
No corrections this week							36/24
772.1	BOCA RATON INLET NORTH JETTY LIGHT 2	26-20-09.956N 080-04-11.266W	Q R	14		TR on pile.	Private Aid. 35/24
774	BOCA RATON INLET SOUTH JETTY LIGHT 1	* 26-20-08.092N 080-04-13.843W	Q G			SG on pile.	Private Aid. 35/24
2905.5	Don Holt I-526 Bridge Racon	* 32-53-30.000N 079-57-51.000W				On bridge.	RACON: B (- . . .) Private Aid. 35/24
6985 37725	* KINGS BAY LIGHT 44	30-47-03.513N 081-29-24.437W	Fl R 4s	16	5	TR-SY on pile.	35/24
29760.5	Cedar Keys Main Channel Daybeacon 4	* 29-04-30.535N 083-04-01.463W				TR on pile.	35/24
37725 6985	* KINGS BAY LIGHT 44	30-47-03.513N 081-29-24.437W	Fl R 4s	16	5	TR-SY on pile.	35/24
39908	Ormond Beach Daybeacon 1	* 29-17-09.420N 081-03-07.980W				SG on pile.	Private Aid. 35/24
*							

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2335	Five Fathom Creek Obstruction Daybeacon	33-02-58.675N 079-28-35.814W					Remove from list.	34/24
							*	
2335.1	Five Fathom Creek Obstruction Daybeacon						Remove from list.	34/24
							*	
3290	WANDO RIVER RANGE A FRONT LIGHT	32-48-30.101N 079-55-05.867W	Fl G 2.5s (NIGHT) Fl G 2.5s (DAY)	21		On skeleton tower on piles.	Visible 0.5° each side of rangeline. Lighted throughout 24 hours. Additional light visible all around and synchronized with the RFL.	34/24
							*	
3295.1	WANDO RIVER RANGE A REAR PASSING LIGHT	32-48-24.471N 079-55-12.119W	Fl W 6s			On the same structure as Wando River Range A Rear Light.	Two synchronized passing lights visible all round located on the NE and SE corners of platform.	34/24
							*	
*	*	*	*	*	*	*	*	
5045	KINGS ISLAND TURNING BASIN RANGE FRONT LIGHT						Remove from list.	34/24
							*	
5050	KINGS ISLAND TURNING BASIN RANGE REAR LIGHT						Remove from list.	34/24
							*	
29760	Cedar Keys Main Channel Daybeacon 3	29-04-27.204N 083-04-24.039W				SG on pile.		34/24
		*						
10125	St Lucie Inlet Buoy 5	27-09-58.915N 080-09-19.341W				Green can.		33/24
		*						
935	PACIFIC REEF LIGHT	25-22-15.565N 080-08-31.429W	Fl W 4s	44	7	Black skeleton tower on piles.		32/24
					*			
35827	<i>Ramshorn Creek Lighted Buoy 40</i>	32-06-51.959N 080-53-52.076W	Fl R 2.5s		5	Red.		32/24
		*						
38275	Fort George River Daybeacon 2	30-26-46.790N 081-26-42.466W				TR on pile.		32/24
		*						
38465	Pablo Creek Daybeacon 23	30-19-00.891N 081-25-53.442W				SG-SY on pile.		32/24
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2115	RABBIT ISLAND CHANNEL RANGE FRONT LIGHT	33-20-25.193N 079-16-55.674W	Q R	25		On piles.	Visible 1.5° each side of range line.	31/24
2120	RABBIT ISLAND CHANNEL RANGE REAR LIGHT	33-20-56.444N 079-16-49.578W	Iso R 6s	48		On skeleton tower on piles.	Visible 1.5° each side of range line.	31/24
	1,130 yards, 009.1° front light.							
10211	Singer Island Channel Buoy 1	26-46-28.472N 080-02-24.779W				Green can.		31/24
61690	The Narrows Daybeacon 45	27-54-16.591N 082-50-07.552W				SG-SY on pile.		31/24
2335	FIVE FATHOM CREEK LIGHT 17	33-02-58.168N 079-28-34.631W	Q G	16	4	SG on pile.		30/24
2335.1	Five Fathom Creek Obstruction Daybeacon	33-02-58.675N 079-28-35.814W				NW on pile worded DANGER WRECK.		30/24
50635	St Lucie River Lighted Buoy 2	27-09-57.882N 080-10-50.720W	Fl R 4s		5	Red.		30/24
2335	Five Fathom Creek Daybeacon 17	33-02-58.168N 079-28-34.631W				SG on pile.		29/24
845	NOAA Data Lighted Buoy 41010 (ODAS)	28-52-48.000N 078-28-48.000W	Fl (4)Y 20s			Yellow disc-shaped with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	28/24

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
10260 46715	LAKE WORTH SOUTH LIGHT 1	26-45-55.143N 080-02-57.103W	Q G	12	4	SG-SY on pile.	27/24
39060	MATANZAS RIVER LIGHT 6	* 29-53-57.710N 081-18-24.657W	Fl R 4s	12	5	TR-TY on dolphin.	27/24
46040	Peck Lake Daybeacon 16	* 27-07-40.638N 080-09-04.935W				TR-TY on pile.	27/24
46155	Hobe Sound Daybeacon 42	* 27-00-54.085N 080-05-55.605W				TR-TY on pile.	27/24
46715 10260	LAKE WORTH SOUTH LIGHT 1	* 26-45-55.143N 080-02-57.103W	Q G	12	4	SG-SY on pile.	27/24
15370	Calda Channel Buoy 12	* 24-37-01.822N 081-48-33.517W				Red nun.	26/24
22520	<i>Port Manatee Channel Lighted Buoy 2</i>	* 27-39-21.264N 082-36-12.623W	Q R		4	Red.	26/24
25585.5	<i>Johns Pass Channel Lighted Buoy 3</i>	* 27-46-35.996N 082-47-18.921W	Q G		* 4	Green.	26/24
59160	Siesta Key-Tampa Bay Daybeacon 28	* 27-25-12.364N 082-39-13.132W				TR-TY on pile.	26/24
	* Add Heading: Sanctuary Cove Channel	*					25/24
22084.05	Sanctuary Cove Channel Daybeacon 1	* 27-30-30.867N 082-33-08.834W				SG on pile.	Private Aid. 25/24
*	*	*	*	*	*	*	*

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
22084.1	Sanctuary Cove Channel Daybeacon 2	27-30-30.804N 082-33-08.005W				TR on pile.	Private Aid. 25/24
*	*	*	*	*	*	*	*
22084.15	Sanctuary Cove Channel Daybeacon 3	27-30-32.565N 082-33-08.902W				SG on pile.	Private Aid. 25/24
*	*	*	*	*	*	*	*
22084.2	Sanctuary Cove Channel Daybeacon 4	27-30-32.521N 082-33-08.062W				TR on pile.	Private Aid. 25/24
*	*	*	*	*	*	*	*
22084.25	Sanctuary Cove Channel Daybeacon 5	27-30-34.568N 082-33-08.908W				SG on pile.	Private Aid. 25/24
*	*	*	*	*	*	*	*
22084.3	Sanctuary Cove Channel Daybeacon 6	27-30-34.541N 082-33-08.049W				TR on pile.	Private Aid. 25/24
*	*	*	*	*	*	*	*
22084.35	Sanctuary Cove Channel Daybeacon 7	27-30-36.564N 082-33-08.808W				SG on pile.	Private Aid. 25/24
*	*	*	*	*	*	*	*
22084.4	Sanctuary Cove Channel Daybeacon 8	27-30-36.482N 082-33-08.077W				TR on pile.	Private Aid. 25/24
*	*	*	*	*	*	*	*
22084.5	Sanctuary Cove Channel Daybeacon 10	27-30-38.486N 082-33-08.078W				TR on pile.	Private Aid. 25/24
*	*	*	*	*	*	*	*
22084.6	Sanctuary Cove Channel Daybeacon 12	27-30-40.466N 082-33-08.111W				TR on pile.	Private Aid. 25/24
*	*	*	*	*	*	*	*
59160	Siesta Key-Tampa Bay Daybeacon 28	27-25-09.594N 082-39-12.426W				TR-TY on pile.	25/24
59165	Siesta Key-Tampa Bay Daybeacon 29	27-25-09.594N 082-39-12.426W				SG-SY on pile.	25/24
		*					
		*					

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
30895	<i>Puerto Nuevo Channel Lighted Buoy 1</i>	18-25-56.385N 066-06-08.620W	Fl G 4s		5	Green.	AIS: MMSI 993672178	24/24
45200	<i>Indian River (South Section) Lighted Buoy 188A</i>	* 27-26-53.194N 080-18-50.935W	Fl R 2.5s		4	Red.		24/24
58190	Midnight Pass Lagoon Daybeacon 5	* 27-13-07.182N 082-30-42.350W				SG on pile.	Private Aid.	24/24
58195	Midnight Pass Lagoon Daybeacon 6	* 27-13-12.382N 082-30-40.350W				TR on pile.	Private Aid.	24/24
23945	TAMPA BAY CUT K CHANNEL OUTBOUND RANGE REAR LIGHT 1,273 yards, 201° from front light.	* 27-47-58.248N 082-34-54.987W	Iso W 6s (NIGHT) Iso W 6s (DAY)	52		Skeleton tower on piles.	Visible 0.5° each side of rangeline (Day). Visible 1.5° each side of rangeline (Night). Lighted throughout 24 hours.	23/24
34305	* Winyah Bay-Charleston Harbor Buoy 51	33-02-18.836N 079-33-34.172W				Green can.		23/24
4770	NEW CHANNEL RANGE FRONT LIGHT	* 32-02-21.798N 080-55-39.434W	Q G	30		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.	22/24
5585	<i>Wassaw Sound Lighted Buoy 4</i>	* 31-52-18.521N 080-53-41.458W	Fl R 6s	*	5	Red.		22/24
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5595	Wassaw Sound Lighted Buoy 8	31-53-24.539N 080-53-30.297W	Fl R 2.5s		5	Red.	22/24	
23945	TAMPA BAY CUT K CHANNEL OUTBOUND RANGE REAR LIGHT 1,325 yards, 201° from front light.	* 27-47-58.248N 082-34-54.987W	Iso W 6s (NIGHT) Iso W 6s (DAY)	52		Skeleton tower on piles.	Visible 0.5° each side of rangeline (Day). Visible 1.5° each side of rangeline (Night). Lighted throughout 24 hours.	22/24
23945.2	TAMPA BAY CUT K CHANNEL OUTBOUND RANGE REAR PASSING LIGHT	* 27-47-58.248N 082-34-54.987W	Fl W 2.5s	12		On the same structure as Cut K Channel Outbound Range Rear Light.	Two synchronized passing lights visible all around located on the NW and SE corners of platform.	22/24
1778	* Murrells Inlet Buoy 4A	* 33-31-39.781N 079-01-57.191W				Red nun.	21/24	
10130	St Lucie Inlet Buoy 6	* 27-10-03.133N 080-09-18.969W				Red nun.	21/24	
60000	SIESTA KEY-TAMPA BAY LIGHT 51	* 27-29-14.512N 082-41-56.237W	Fl G 4s	16	5	SG-SY on pile.	21/24	
845	NOAA Data Lighted Buoy 41010 (ODAS)	* 28-52-41.000N 078-28-00.000W	Fl (4)Y 20s			Yellow disc-shaped with mast.	Aid maintained by National Oceanic and Atmospheric Administration.	20/24
1778	Murrells Inlet Buoy 4A	* 33-31-38.052N 079-01-48.883W				Red nun.	20/24	
34700	STONO RIVER LIGHT 30	* 32-46-42.708N 080-05-09.858W	Fl R 4s	16	5	TR-TY on pile.	20/24	
50640.5	St Lucie River Buoy 3A	27-09-56.271N 080-10-59.602W				* Green can with yellow square.	19/24	
		*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
3200	COOPER RIVER LIGHT 104	32-59-02.981N 079-55-13.029W	Q R	16	4	TR on pile.	18/24
25585.2	<i>Johns Pass Channel Lighted Buoy 2A</i>	* 27-46-33.245N 082-47-16.812W	Q R		4	Red.	18/24
25585.5	<i>Johns Pass Channel Lighted Buoy 3</i>	* 27-46-35.383N 082-47-23.247W	* Q G		* 4	* Green.	18/24
61680	<i>THE NARROWS LIGHT 42</i>	* 27-53-46.335N 082-50-15.230W	* Fl R 4s	16	5	* TR-TY on pile.	18/24
22470.5	TAMPA BAY CUT B CHANNEL OUTBOUND RANGE REAR PASSING LIGHT	* 27-36-33.453N 082-38-48.386W	Fl W 2.5s		3	On same structure as Cut B Channel Outbound Range Rear Light.	Two synchronized passing lights visible all around located on the SW and NE corners of the platform. 17/24
22700	<i>TAMPA BAY CUT D CHANNEL INBOUND RANGE FRONT LIGHT</i>	* 27-44-27.288N 082-31-21.683W	Fl W 2.5s (NIGHT) Fl W 2.5s (DAY)	21 23		On same structure as Cut F Outbound Range Front Light.	Day range visible 0.5° each side of rangeline. Night range visible 1.5° each side of rangeline. 17/24
22715.1	<i>TAMPA BAY CUT D CHANNEL OUTBOUND RANGE REAR PASSING LIGHT</i>	* 27-40-14.742N 082-34-25.498W	* Fl W 2.5s		3	* On the same structure as Tampa Bay Cut D Channel Outbound Range Rear Light.	Two synchronized passing lights visible all around located on the SE and NW corners of platform. 17/24
22803	<i>TAMPA BAY CUT F CHANNEL OUTBOUND RANGE REAR PASSING LIGHT</i>	* 27-43-58.343N 082-31-21.425W	Fl W 2.5s	16	5	On the same structure as Cut F Channel Outbound Range Rear Light.	Two synchronized passing lights visible all around located on the SW and NE corners of the lower platform. 17/24
23787	<i>TAMPA BAY CUT K CHANNEL UPPER RANGE REAR PASSING LIGHT</i>	* 27-52-58.251N 082-32-40.509W	Fl W 2.5s		5	On the same structure as Cut K Channel Upper Range Rear Light.	Two synchronized passing lights visible all around located on the NW and SE corners of the lower platform. 17/24
	*						

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
No corrections this week								16/24
14870	KEY WEST MAIN CHANNEL CUT B RANGE FRONT LIGHT	24-33-37.550N 081-48-51.850W	Fl W 2.5s (NIGHT) Fl W 2.5s (DAY)	21		On tower.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.	15/24
14875	KEY WEST MAIN CHANNEL CUT B RANGE REAR LIGHT	24-33-46.450N 081-48-51.364W	Iso W 6s (NIGHT) Iso W 6s (DAY)	49		On tower.	* Visible 1.5° each side of rangeline. Lighted throughout 24 hours.	15/24
* Add Heading: Palmetto Bay								15/24
22037	Palmetto Bay Daybeacon 1	27-30-32.517N 082-34-11.384W				SG on pile.	Private Aid.	15/24
*	*	*	*	*	*	*	*	
22037.1	Palmetto Bay Daybeacon 2	27-30-32.708N 082-34-09.731W				TR on pile.	Private Aid.	15/24
*	*	*	*	*	*	*	*	
22037.2	Palmetto Bay Daybeacon 3	27-30-35.060N 082-34-11.685W				SG on pile.	Private Aid.	15/24
*	*	*	*	*	*	*	*	
22037.3	Palmetto Bay Daybeacon 4	27-30-35.216N 082-34-10.028W				TR on pile.	Private Aid.	15/24
*	*	*	*	*	*	*	*	
22037.4	Palmetto Bay Daybeacon 5	27-30-37.603N 082-34-11.986W				SG on pile.	Private Aid.	15/24
*	*	*	*	*	*	*	*	
22037.5	Palmetto Bay Daybeacon 6	27-30-37.760N 082-34-10.329W				TR on pile.	Private Aid.	15/24
*	*	*	*	*	*	*	*	
22037.6	Palmetto Bay Daybeacon 7	27-30-40.147N 082-34-12.287W				SG on pile.	Private Aid.	15/24
*	*	*	*	*	*	*	*	
22037.7	Palmetto Bay Daybeacon 8	27-30-40.301N 082-34-10.630W				TR on pile.	Private Aid.	15/24
*	*	*	*	*	*	*	*	

No corrections this week

14/24

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
6296	EAST RIVER TURNING BASIN LIGHT A	31-07-39.414N 081-29-42.368W	Fl Y 2.5s	16	4	NY on pile.	13/24
37405	CUMBERLAND RIVER LIGHT 35	* 30-57-14.700N 081-25-44.460W	Fl G 4s	16	5	SG-SY on pile.	13/24
38020	SOUTH AMELIA RIVER LIGHT 19A	* 30-35-55.061N 081-28-41.285W	Q G	14	4	SG-SY on dolphin.	13/24
38025	* KINGSLEY CREEK CUTOFF RANGE REAR LIGHT				*	*	* Remove from list.
22559	PORT MANATEE CHANNEL OUTBOUND RANGE REAR PASSING LIGHT	27-41-07.132N 082-38-17.563W	Fl W 2.5s	16		On the same structure as Port Manatee Channel Outbound Range Rear Light.	* Two synchronized passing lights visible all around located on the NE and SW corner of the lower platform.
22708	* TAMPA BAY CUT D CHANNEL INBOUND RANGE REAR PASSING LIGHT	27-45-12.110N 082-30-49.029W	Fl W 2.5s	16	5	On the same structure as Cut D Inbound Channel Range Rear Light.	* Two synchronized passing lights visible all around located on the SW and NE corners of the platform.
23246	* ALAFIA RIVER RANGE REAR PASSING LIGHT	27-50-30.157N 082-27-46.749W	Fl W 2.5s		3	On same structure as Alafia River Range Rear Light.	Two synchronized passing lights visible all around on the SE and NW corners of platform.
23505.5	* HILLSBOROUGH CUT D CHANNEL OUTBOUND RANGE REAR PASSING LIGHT	27-53-38.418N 082-25-56.233W	Fl W 2.5s		3	On the same structure as Hillsborough Cut D Channel Outbound Range Rear Light.	Two synchronized passing lights visible all around located on the NW and SE corners of platform.
37665	* Cumberland Sound Daybeacon 71	30-48-45.624N 081-29-23.770W				SG-SY on pile.	12/24

*

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
13615	West Turtle Shoal Daybeacon 47	24-42-00.453N 080-58-08.521W				SG on pile.	11/24
18235	MATANZAS PASS CHANNEL LIGHT 15	* 26-27-36.680N 081-57-38.407W	Fl G 2.5s	16	5	SG on pile.	11/24
25650	Big Bird Key Daybeacon 1	* 32-30-43.291N 080-30-02.104W					Remove from list. 10/24
35205.2	Ashepoo-Coosaw Cutoff Daybeacon 185	32-30-43.291N 080-30-02.104W				SG-SY on pile.	10/24
60285	TAMPA BAY LIGHT 70	* 27-34-26.049N 082-41-12.546W	Fl R 4s	16	5	TR-TY on pile.	10/24
16965	Capri Pass Daybeacon 5	* 25-58-24.834N 081-45-03.216W				SG on pile.	09/24
21760	Longboat Pass Buoy 3	* 27-26-22.576N 082-41-45.851W				Green can.	08/24
56075	Pine Island Sound Daybeacon 61	* 26-39-23.983N 082-13-05.993W				SG-SY on pile.	07/24
		*					

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
2935	COOPER RIVER RANGE A FRONT LIGHT	32-54-36.459N 079-55-38.570W	Q W (NIGHT)	29		On skeleton tower on piles.	Visible 4° each side of rangeline. Lighted throughout 24 hours.
			Q W (DAY)				
			*	*			
2940	COOPER RIVER RANGE A REAR LIGHT	32-54-37.903N 079-55-27.479W	Iso W 6s (NIGHT)	39		On white skeleton tower on piles.	Visible 4° each side of rangeline. Lighted throughout 24 hours.
	319 yards, 081.2° from front light.		Iso W 6s (DAY)				
			*	*			
25580	Johns Pass Channel Daybeacon 1	27-46-37.257N 082-47-41.300W				SG on pile.	
			*				
43673	Indian River (South Section) Buoy 65A	27-49-20.454N 080-27-45.168W				Green can.	
			*				
46240	Jupiter Inlet Buoy 2	26-56-51.190N 080-04-48.835W				Red nun with yellow triangle.	
			*				
62260	St Joseph Sound Daybeacon 35	28-07-23.877N 082-49-18.217W				SG-SY on pile.	
			*				
3021	Cooper River Lighted Buoy 72A	32-55-59.324N 079-56-06.459W	Q R		4	Red.	
			*	*	*	*	*
7315	White Shells Cut Lighted Buoy 27	30-23-36.020N 081-28-48.770W	Fl G 4s		4	Green.	AIS: MMSI 993672521
			*				
7316	White Shells Cut Lighted Buoy 29	30-23-32.958N 081-29-05.749W	Fl G 4s		4	Green.	
			*				
7329	St Johns Bluff Lighted Buoy 30	30-23-31.950N 081-29-29.711W	Fl R 2.5s		4	Red.	
			*				

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
7345	<i>Fulton Cutoff Lighted Buoy 35</i>	30-23-24.183N 081-30-22.221W	Q G		4	Green.	04/24
7385	<i>Blount Island Turning Basin Lighted Buoy 43</i>	* 30-23-13.459N 081-32-05.399W	Fl G 6s		5	Green.	04/24
7395	<i>Blount Island Turning Basin Lighted Buoy 45</i>	* 30-23-08.318N 081-32-35.884W	Fl G 4s		5	Green.	04/24
10135	St Lucie Inlet Buoy 7	* 27-10-00.334N 080-09-36.658W				Green can.	03/24
25585.5	Johns Pass Channel Buoy 3	* 27-46-35.383N 082-47-23.247W				Green can.	03/24
		*					
No corrections this week							02/24

Summary of corrections to Volume III of the U.S. Coast Guard Light List for the 2024 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
25585.2	Johns Pass Channel Buoy 2A	27-46-33.245N 082-47-16.812W				Red nun.	01/24
25585.5	Johns Pass Channel Buoy 3	* 27-46-37.589N 082-47-20.393W				Green can.	01/24
54487	Catalpa Cove Daybeacon 1	* 26-31-19.320N 081-58-34.620W				SG on pile.	Private Aid. 01/24
* 54487.1	* Catalpa Cove Daybeacon 2	* 26-31-19.320N 081-58-35.220W	*	*	*	TR on pile.	* Private Aid. 01/24
* 54487.2	* Catalpa Cove Daybeacon 3	* 26-31-12.780N 081-58-34.500W	*	*	*	SG on pile.	* Private Aid. 01/24
* 54487.3	* Catalpa Cove Daybeacon 4	* 26-31-12.780N 081-58-35.100W	*	*	*	TR on pile.	* Private Aid. 01/24
* 54487.4	* Catalpa Cove Daybeacon 5	* 26-31-08.400N 081-58-34.380W	*	*	*	SG on pile.	* Private Aid. 01/24
* 54487.5	* Catalpa Cove Daybeacon 6	* 26-31-08.400N 081-58-34.920W	*	*	*	TR on pile.	* Private Aid. 01/24
* 54487.6	* Catalpa Cove Daybeacon 7	* 26-31-04.500N 081-58-34.320W	*	*	*	SG on pile.	* Private Aid. 01/24
* 54487.7	* Catalpa Cove Daybeacon 8	* 26-31-04.500N 081-58-34.860W	*	*	*	TR on pile.	* Private Aid. 01/24
* 54487.8	* Catalpa Cove Daybeacon 9	* 26-31-00.540N 081-58-34.260W	*	*	*	SG on pile.	* Private Aid. 01/24
* 54487.9	* Catalpa Cove Daybeacon 10	* 26-31-00.540N 081-58-34.800W	*	*	*	TR on pile.	* Private Aid. 01/24
*	*	*	*	*	*	*	*